U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
OVETA CULP HOBBY, SECRETARY
PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1953

VOLUME II

MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1955

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - - - - - - - - - Price $4.00

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

HERBERT P. DUNNING, *Executive Officer*

CARL C. DAUER, M. D., *Medical Adviser*

IWAO M. MORIYAMA, *Mortality Analysis*

ROBERT D. GROVE, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis*

HAZEL V. AUNE, *National Consulting Service*

SIDNEY BINDER, *Statistical Processing*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and certain possessions for the year 1953. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and Summary Tables
Tables for Alaska, Hawaii, Puerto Rico, and Virgin Islands; and Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data

Volume II. Mortality Data

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

CONTENTS

Total Deaths (Exclusive of fetal deaths)

Table		Page
42.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1953	2
43.	Deaths by month: United States and each State, 1953	5
44.	Deaths by month, race, and sex: United States and each State, 1953	6
45.	Deaths by specified race and sex: United States and each State, 1953	12
46.	Deaths by race and sex for metropolitan and nonmetropolitan counties: United States and each State, 1953	13
47.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1953	15
48.	Deaths and death rates for each cause, by race and sex: United States, 1953	17
48.	Supplement: Deaths from nontransport accidents by race, sex, and place of accident: United States, 1953	33
49.	Deaths from 256 selected causes, by month: United States, 1953	37
50.	Deaths from 256 selected causes, by specified race and sex: United States, 1953	42
51.	Deaths from 256 selected causes, by age, race, and sex: United States, 1953	50
52.	Deaths from 256 selected causes, by race and sex: United States and each State, 1953	96
53A.	Deaths from 64 selected causes, by age, race, and sex: United States, 1953	164
53B.	Deaths from 64 selected causes, by age, race, and sex: Each State, 1953	174
54.	Deaths from 64 selected causes: United States and each State, 1953	370
55.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1953	374
56A.	Deaths from specified infective diseases: United States, specified States and counties, 1953	496
56B.	Deaths from specified infective diseases: Specified urban places in the United States, 1953	503

Symbols

Class or item not applicable (3 dots)	. . .
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

TOTAL DEATHS
(Exclusive of fetal deaths)

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1953

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,517,541	1,070,660	446,881	397,811	49,070	860	376	878	1,623	383	729	182	804	1,273	887	426	3,513
Alabama	26,990	20,029	6,861	6,227	634	...	5	7	12	1	3	-	2	130	151	-	13
Arizona	8,127	5,074	3,053	2,300	753	7	...	6	168	19	6	-	1	7	2	6	62
Arkansas	15,383	10,870	4,513	3,749	764	9	6	...	14	3	-	-	-	7	2	-	38
California	110,005	71,121	38,884	37,159	1.725	18	153	24	...	34	10	1	13	19	4	22	130
Colorado	13,496	9,182	4,314	3,418	896	3	14	4	80	...	3	-	7	9	4	6	34
Connecticut	20,468	14,228	6,240	5,738	502	1	-	1	10	-	...	-	1	14	3	-	7
Delaware	3,776	2,380	1,396	1,014	382	-	-	-	2	1	2	...	4	4	3	-	-
District of Columbia	9,200	7,741	1,459	...	1,459	6	1	1	5	-	2	2	...	19	9	1	11
Florida	32,218	21,244	10,974	8,151	2,823	113	2	10	35	2	62	8	21	...	192	-	226
Georgia	30,993	22,814	8,379	7,345	1,034	196	-	1	12	5	1	2	4	245	...	-	19
Idaho	4,918	3,264	1,654	1,343	311	6	6	1	26	4	-	-	-	6	13	...	6
Illinois	95,129	67,793	27,336	25,330	2,006	13	8	22	61	12	6	-	2	39	10	1	...
Indiana	41,163	29,339	11,824	10,488	1,336	9	2	7	17	2	-	-	1	16	2	1	496
Iowa	26,765	18,378	8,387	7,370	1,017	-	3	3	41	18	2	-	1	4	1	3	352
Kansas	19,360	13,352	6,008	4,917	1,091	-	1	23	32	37	1	1	-	5	1	2	30
Kentucky	27,336	20,027	7,309	6,226	1,083	26	1	4	12	1	1	-	-	19	6	1	86
Louisiana	25,408	18,222	7,186	6,528	658	43	1	63	22	2	2	-	-	25	5	-	12
Maine	9,823	7,052	2,771	2,553	218	-	-	-	3	-	12	-	1	10	1	-	1
Maryland	23,800	17,391	6,409	4,884	1,525	1	1	2	12	1	10	61	472	36	10	-	8
Massachusetts	51,904	[2]---	[2]---	[2]---	1,224	1	2	3	10	3	165	1	4	38	2	1	10
Michigan	61,827	41,375	20,452	19,384	1,068	14	2	15	32	5	2	3	-	37	9	-	185
Minnesota	29,888	20,044	9,844	8,516	1,328	2	6	3	34	4	2	-	3	15	1	2	96
Mississippi	20,333	15,428	4,905	4,320	585	124	1	31	6	2	-	-	-	12	8	-	31
Missouri	45,689	32,833	12,856	10,803	2,053	8	6	108	43	8	2	-	1	7	4	2	867
Montana	6,102	4,180	1,922	1,697	225	2	3	5	14	2	-	-	1	2	-	20	8
Nebraska	13,335	9,413	3,922	3,396	526	1	2	1	27	27	-	1	2	1	-	6	11
Nevada	2,086	1,311	775	435	340	1	6	2	190	9	-	-	-	1	-	16	5
New Hampshire	6,184	4,259	1,925	1,462	463	-	-	-	3	-	13	-	3	6	-	-	1
New Jersey	51,567	33,147	18,420	16,973	1,447	3	2	4	14	-	21	14	13	40	5	1	13
New Mexico	5,678	3,858	1,820	1,282	538	5	68	18	62	53	1	-	1	1	1	1	17
New York	164,071	121,711	42,360	39,336	3,024	16	3	4	50	2	241	14	26	153	17	-	50
North Carolina	31,818	21,939	9,879	8,951	928	13	-	1	8	-	10	2	18	64	49	-	11
North Dakota	5,138	3,183	1,955	1,646	309	-	-	1	2	-	-	-	-	1	-	-	6
Ohio	85,835	62,663	23,172	21,228	1,944	10	5	6	43	2	9	2	8	40	10	-	56
Oklahoma	19,200	13.684	5,516	5,064	452	2	7	47	34	2	-	-	-	5	1	3	12
Oregon	14,551	9,561	4,990	4,425	565	-	7	1	135	2	1	-	1	4	1	83	3
Pennsylvania	112,285	79,948	32,337	30,036	2,301	7	2	2	23	1	30	61	27	68	5	3	33
Rhode Island	8,235	5,548	2,687	2,361	326	1	-	-	2	-	67	-	-	3	-	-	3
South Carolina	18,412	13,000	5.412	4.950	462	6	-	3	4	1	4	-	6	22	93	-	4
South Dakota	5,790	3,824	1,966	1,620	346	1	1	2	13	7	3	-	-	-	1	2	7
Tennessee	30,402	22,035	8,367	6,431	1,936	152	-	342	8	2	1	-	2	45	223	-	43
Texas	66,404	49,718	16,686	15,195	1,491	21	25	90	101	20	4	3	9	21	15	5	59
Utah	5,382	3,781	1,601	1,294	307	-	14	2	57	21	-	-	-	2	-	86	5
Vermont	4,057	2.663	1,394	1,114	280	-	-	-	2	-	12	-	1	5	-	-	-
Virginia	29,696	20,672	9,024	7,725	1,299	12	1	1	12	1	14	4	113	37	17	-	24
Washington	23,499	16,333	7.166	6,407	759	-	4	1	80	8	1	-	-	10	2	134	12
West Virginia	16,695	10,782	5,913	4.813	1,100	5	1	1	5	-	-	2	35	8	2	-	4
Wisconsin	34.862	23,068	11,794	10,814	980	1	3	3	18	5	3	-	-	8	2	1	399
Wyoming	2,358	1,602	756	509	247	1	1	2	27	34	-	-	-	1	-	17	7

[1]Unit of residence is defined as the individual urban place, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see text in Volume I, "Vital Statistics of the United States, 1953."

[2]Data for Massachusetts are omitted. The United States total includes an estimate for this area; for explanation, see text in Volume I.

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1953—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,528	1,039	1,056	1,382	523	315	1,342	1,147	1,412	894	808	1,758	277	571	143	382	2,819	438	2,867
Alabama	7	1	6	11	16	1	1	2	15	-	81	9	1	-	-	-	5	-	19
Arizona	21	22	11	3	5	-	1	6	25	17	4	17	12	9	8	2	8	60	22
Arkansas	11	13	17	6	40	-	1	-	10	3	33	140	1	4	-	-	-	-	8
California	30	54	44	9	17	5	17	14	51	48	7	47	23	31	88	-	23	56	89
Colorado	10	22	101	5	4	1	2	3	15	17	1	33	11	88	4	-	7	89	24
Connecticut	-	-	2	2	1	13	1	101	8	-	1	2	-	-	1	3	28	1	243
Delaware	-	-	-	-	-	-	113	6	2	-	1	-	-	-	-	-	110	-	12
District of Columbia	5	1	4	5	1	3	663	11	6	4	2	7	-	1	1	1	17	4	33
Florida	77	35	9	32	15	23	37	129	206	32	14	45	-	10	-	19	166	1	507
Georgia	6	5	-	12	4	2	5	1	18	1	9	6	-	2	-	1	9	2	25
Idaho	3	1	3	-	1	-	-	-	3	6	-	2	24	1	-	-	1	2	-
Illinois	486	124	22	100	8	2	4	12	156	41	29	298	3	19	-	3	16	2	63
Indiana	...	8	7	184	1	1	4	6	182	4	4	24	1	3	-	-	1	1	24
Iowa	9	...	11	2	1	-	-	1	4	73	1	150	4	146	-	2	2	-	7
Kansas	15	10	...	2	2	-	-	-	14	6	1	598	1	44	1	-	3	8	6
Kentucky	269	4	6	...	5	1	2	2	35	-	11	20	-	-	-	-	4	1	16
Louisiana	3	2	4	5	...	1	5	3	4	5	158	11	1	2	-	-	1	1	12
Maine	-	1	-	-	2	...	2	83	2	-	1	-	-	-	-	38	12	-	36
Maryland	4	5	1	6	5	2	...	19	5	4	3	1	1	-	-	-	49	1	73
Massachusetts	6	3	2	1	-	119	8	...	13	3	-	4	2	2	-	177	61	3	177
Michigan	111	14	5	31	7	1	9	3	...	10	9	26	1	6	-	-	7	1	43
Minnesota	31	222	20	4	5	-	2	2	50	...	1	24	22	38	1	-	3	2	7
Mississippi	6	3	1	5	156	-	4	4	6	-	...	12	1	1	-	-	3	3	4
Missouri	36	85	509	40	4	1	1	7	32	7	15	...	2	28	2	1	2	3	16
Montana	2	5	1	1	1	-	-	-	3	6	3	7	...	3	-	1	1	-	1
Nebraska	2	196	76	-	-	1	-	3	5	18	1	29	2	...	-	-	2	-	2
Nevada	1	-	1	1	1	-	1	2	4	4	2	6	3	2	...	1	2	3	6
New Hampshire	-	-	1	1	1	82	4	163	2	-	-	1	-	-	-	...	7	-	33
New Jersey	5	2	1	1	2	5	34	23	12	-	2	8	-	4	2	6	...	-	535
New Mexico	9	3	16	3	5	1	2	5	4	3	3	13	2	4	-	-	3	...	11
New York	28	6	2	12	5	20	33	160	48	10	1	13	-	6	1	14	1,203	3	...
North Carolina	7	1	2	8	4	5	23	17	11	3	1	11	-	-	-	3	24	-	59
North Dakota	-	4	5	-	-	-	1	-	1	186	1	-	26	1	1	-	-	1	1
Ohio	200	5	11	386	3	-	11	14	229	5	4	10	3	2	3	2	18	1	68
Oklahoma	3	6	81	1	2	1	-	3	1	7	6	38	2	8	-	-	3	6	4
Oregon	1	6	2	-	1	1	-	2	2	9	-	4	18	4	3	-	1	1	7
Pennsylvania	20	5	6	24	3	4	145	17	23	4	1	6	-	1	1	3	911	2	386
Rhode Island	-	1	1	-	-	5	1	194	1	-	2	5	-	-	1	3	4	-	19
South Carolina	-	2	2	4	3	1	6	6	-	-	2	1	-	-	-	-	8	-	31
South Dakota	1	65	4	-	-	-	-	-	2	80	-	2	15	50	-	-	-	1	2
Tennessee	21	3	4	271	10	-	5	1	24	1	363	48	-	2	-	-	4	-	18
Texas	15	19	28	17	171	2	5	12	31	14	25	36	3	13	1	1	12	169	39
Utah	2	1	3	1	-	-	-	-	2	2	-	2	2	2	22	-	1	3	2
Vermont	-	-	1	-	-	2	2	77	-	1	-	-	-	-	-	96	13	-	54
Virginia	14	3	2	29	2	6	89	27	15	5	4	10	2	2	-	4	54	-	87
Washington	5	8	8	1	5	-	2	1	12	21	-	11	57	10	-	-	2	4	8
West Virginia	12	1	1	152	2	-	96	1	6	-	-	2	-	1	-	1	7	-	8
Wisconsin	31	53	2	2	1	3	-	2	109	232	1	15	4	1	-	-	1	1	17
Wyoming	3	9	10	2	1	-	-	2	3	2	-	4	27	20	2	-	-	2	3

Table 42. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1953—Continued

(Exclusive of fetal deaths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	907	375	2,284	1,100	567	2,636	377	629	397	843	1,358	199	259	1,610	601	1,040	1,035	238	1,517,541
Alabama	7	-	8	7	-	5	-	7	1	69	16	-	-	4	4	2	5	-	27,116
Arizona	4	2	32	27	15	17	-	-	4	5	65	12	-	2	10	3	17	1	7,750
Arkansas	2	2	9	162	-	4	-	1	2	43	164	-	-	1	1	1	6	-	15,497
California	5	17	75	47	139	34	4	4	12	6	103	34	4	3	109	7	33	8	109,903
Colorado	6	6	27	33	8	16	-	-	15	2	59	26	-	4	8	3	8	74	12,963
Connecticut	1	-	4	1	-	20	16	-	-	-	2	-	8	5	-	1	-	-	20,695
Delaware	-	-	1	-	1	102	3	-	-	-	1	-	-	12	-	2	-	-	3,576
District of Columbia	19	1	15	-	1	39	-	6	-	11	7	2	-	509	1	19	2	1	8,545
Florida	47	4	247	24	6	200	13	31	3	48	29	-	14	34	7	26	61	1	30,668
Georgia	49	1	26	3	-	20	-	243	3	59	14	-	2	14	1	4	2	-	30,846
Idaho	7	1	-	1	39	1	1	6	2	1	8	32	2	-	84	-	1	10	5,033
Illinois	11	6	81	19	9	22	2	5	8	32	24	-	-	11	3	6	203	2	96,636
Indiana	1	1	246	1	2	18	-	2	1	16	12	3	-	5	2	6	12	-	41,355
Iowa	1	7	7	5	3	2	-	4	63	2	11	-	-	-	7	2	60	2	26,787
Kansas	1	2	7	171	2	7	2	2	4	2	29	3	-	-	6	-	4	5	19,325
Kentucky	15	1	220	7	1	21	-	3	-	181	10	-	-	39	2	44	5	1	27,635
Louisiana	3	1	13	17	-	5	1	2	-	12	199	-	-	2	1	4	5	-	25,273
Maine	3	-	3	-	-	2	2	-	-	-	-	-	2	-	-	-	1	-	9,920
Maryland	33	1	34	2	2	273	-	11	-	9	9	1	1	201	2	138	11	2	23,617
Massachusetts	10	-	13	4	1	33	268	2	1	3	9	-	33	12	1	5	8	-	51,827
Michigan	6	-	215	6	2	26	2	2	2	27	26	1	-	3	3	7	152	-	62,171
Minnesota	3	190	14	15	5	6	-	-	137	3	27	-	1	-	10	2	311	2	29,454
Mississippi	6	1	8	3	-	4	-	8	-	88	34	-	-	2	1	1	5	-	20,556
Missouri	3	3	12	74	3	13	10	1	1	31	32	-	-	2	7	3	10	1	45,394
Montana	-	42	3	1	6	1	-	1	9	3	5	5	-	3	21	-	4	29	6,154
Nebraska	-	2	5	3	4	2	-	1	40	3	9	2	-	-	9	-	5	25	13,380
Nevada	2	-	4	5	3	6	1	-	2	-	11	27	-	1	4	-	4	-	1,889
New Hampshire	-	-	-	-	-	5	6	-	-	-	-	-	129	2	-	-	-	-	6,103
New Jersey	8	1	16	1	-	611	5	7	1	2	3	-	5	11	-	3	1	-	52,939
New Mexico	2	-	9	34	3	6	1	4	-	-	143	4	-	4	4	4	5	-	5,578
New York	31	1	95	5	2	551	19	15	3	8	19	2	44	51	6	17	13	1	163,914
North Carolina	...	-	11	2	4	39	1	208	1	53	11	1	3	217	3	15	4	-	31,797
North Dakota	-	...	1	-	1	-	1	-	48	-	8	-	-	-	6	1	5	-	5,204
Ohio	11	1	...	7	-	275	3	3	-	26	16	2	1	21	6	389	17	-	86,175
Oklahoma	1	2	4	...	3	4	-	2	2	4	135	-	1	3	-	-	5	1	19,848
Oregon	1	4	-	11	...	-	-	1	2	1	7	6	-	-	227	1	2	2	14,553
Pennsylvania	20	2	275	7	1	...	5	4	-	6	11	-	1	38	5	98	4	-	112,620
Rhode Island	-	-	1	-	-	4	...	-	-	2	3	-	2	1	-	-	-	-	8,286
South Carolina	192	1	6	1	2	15	-	...	-	5	3	-	-	14	1	11	2	-	18,579
South Dakota	-	46	1	5	5	-	-	-	...	1	5	2	-	-	1	-	2	19	5,841
Tennessee	79	-	28	11	1	9	-	19	-	...	22	1	2	157	1	7	6	-	29,309
Texas	3	8	26	359	6	12	1	3	8	17	...	-	-	22	15	6	15	4	66,271
Utah	1	2	4	1	2	1	-	-	4	2	7	...	-	-	6	-	-	45	5,274
Vermont	-	-	-	-	-	6	4	-	2	2	-	-	...	-	-	-	-	-	4,036
Virginia	297	3	36	3	2	63	6	19	-	53	13	2	4	...	4	197	6	-	30,007
Washington	-	8	9	4	275	16	-	1	2	-	11	12	-	3	...	2	8	1	23,341
West Virginia	15	-	418	2	1	111	-	1	-	2	3	-	-	192	1	...	1	-	16,635
Wisconsin	1	2	14	2	2	8	-	-	7	2	11	-	-	5	5	2	...	1	34,917
Wyoming	-	3	1	7	5	1	-	-	7	1	12	19	-	-	6	1	4	...	2,349

Table 43. Deaths by Month: United States and Each State, 1953

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,517,541	147,203	137,213	132,450	123,586	124,480	122,995	118,877	117,050	115,952	120,798	123,209	133,728
Alabama	26,890	2,661	2,598	2,240	2,084	2,198	2,128	2,074	2,033	2,018	2,023	2,272	2,561
Arizona	8,127	819	761	703	652	586	637	667	641	625	603	681	752
Arkansas	15,383	1,763	1,444	1,283	1,235	1,268	1,439	1,189	1,137	1,148	1,112	1,258	1,107
California	110,005	10,242	9,570	10,108	9,010	8,911	8,553	8,770	8,520	8,357	8,904	8,798	10,262
Colorado	13,496	1,439	1,183	1,098	1,123	1,051	1,077	1,093	1,139	1,081	1,063	1,010	1,139
Connecticut	20,468	1,864	1,829	1,923	1,652	1,703	1,607	1,643	1,532	1,603	1,656	1,641	1,815
Delaware	3,776	346	370	320	312	302	312	278	297	323	265	327	324
District of Columbia	9,200	931	923	796	685	748	693	739	675	699	735	765	811
Florida	32,218	3,335	3,234	3,108	2,729	2,690	2,268	2,310	2,282	2,186	2,411	2,612	3,053
Georgia	30,993	3,141	2,872	2,599	2,577	2,469	2,344	2,378	2,435	2,260	2,426	2,576	2,916
Idaho	4,918	487	369	425	389	416	410	404	392	368	449	410	399
Illinois	95,129	9,456	8,631	8,122	7,866	7,972	7,760	7,294	7,320	7,503	7,435	7,504	8,266
Indiana	41,163	3,734	3,811	3,540	3,322	3,386	3,371	3,306	3,196	3,230	3,284	3,410	3,573
Iowa	26,765	2,916	2,259	2,231	2,297	2,284	2,126	2,021	2,108	1,944	2,085	2,140	2,354
Kansas	19,360	2,040	1,746	1,639	1,607	1,579	1,772	1,528	1,483	1,354	1,481	1,493	1,638
Kentucky	27,336	2,663	2,790	2,386	2,253	2,175	2,074	2,172	2,051	2,009	2,098	2,219	2,446
Louisiana	25,408	2,671	2,209	2,026	2,046	2,054	2,202	1,933	1,986	1,848	1,936	2,132	2,365
Maine	9,823	855	841	891	795	771	796	826	791	777	877	738	865
Maryland	23,800	2,225	2,430	2,032	1,879	1,866	1,886	1,925	1,772	1,899	1,830	1,981	2,075
Massachusetts	51,904	4,637	4,525	4,695	4,368	4,369	4,364	3,941	4,067	3,612	4,316	4,376	4,634
Michigan	61,827	5,385	5,374	5,407	5,098	5,192	5,289	4,826	5,063	5,054	4,999	4,927	5,213
Minnesota	29,688	3,132	2,608	2,476	2,333	2,483	2,472	2,358	2,325	2,337	2,427	2,361	2,576
Mississippi	20,333	2,138	1,980	1,687	1,539	1,578	1,830	1,495	1,552	1,458	1,493	1,695	1,908
Missouri	45,689	5,024	4,058	4,009	3,753	3,721	3,893	3,656	3,536	3,243	3,426	3,551	3,819
Montana	6,102	643	553	504	482	479	516	489	495	469	470	478	524
Nebraska	13,335	1,404	1,157	1,123	1,064	1,159	1,146	1,042	1,093	1,043	994	1,046	1,064
Nevada	2,086	184	173	168	162	183	169	178	172	166	183	168	180
New Hampshire	6,184	584	521	573	489	486	521	492	507	476	571	462	502
New Jersey	51,567	4,689	4,586	4,433	4,142	4,217	4,169	4,074	3,999	4,170	4,198	4,316	4,574
New Mexico	5,678	656	456	468	417	454	441	409	476	438	503	470	490
New York	164,071	15,176	14,278	14,572	13,451	13,294	13,490	12,789	12,635	13,139	13,357	13,516	14,374
North Carolina	31,818	3,212	2,994	2,627	2,575	2,593	2,380	2,557	2,504	2,366	2,549	2,639	2,822
North Dakota	5,138	440	462	426	399	436	431	450	409	449	447	399	390
Ohio	85,835	7,767	8,347	7,595	6,999	6,969	6,525	6,648	6,673	6,717	6,865	7,123	7,607
Oklahoma	19,200	2,110	1,705	1,602	1,555	1,601	1,804	1,457	1,454	1,365	1,395	1,452	1,700
Oregon	14,551	1,234	1,125	1,408	1,247	1,241	1,189	1,225	1,134	1,118	1,216	1,158	1,256
Pennsylvania	112,285	10,452	10,208	10,078	9,347	9,125	8,928	8,793	8,353	8,833	9,107	9,275	9,786
Rhode Island	8,235	808	695	772	651	668	648	649	655	609	674	689	717
South Carolina	18,412	1,940	1,801	1,596	1,509	1,534	1,418	1,363	1,413	1,324	1,437	1,452	1,625
South Dakota	5,790	594	518	425	471	498	466	473	464	419	491	477	494
Tennessee	30,402	3,156	2,842	2,605	2,406	2,420	2,491	2,400	2,301	2,243	2,384	2,484	2,670
Texas	66,404	7,110	5,441	5,518	5,255	5,703	5,775	5,278	5,022	4,910	5,146	5,307	5,939
Utah	5,382	534	437	468	418	447	443	432	412	387	450	471	483
Vermont	4,057	366	332	351	336	355	334	322	322	314	368	308	349
Virginia	29,696	3,016	3,001	2,507	2,347	2,359	2,276	2,498	2,128	2,222	2,439	2,350	2,553
Washington	23,499	2,086	1,887	2,152	1,952	2,040	1,901	1,879	1,773	1,859	1,913	1,957	2,100
West Virginia	16,695	1,512	1,756	1,527	1,393	1,325	1,283	1,271	1,244	1,182	1,363	1,341	1,518
Wisconsin	34,862	3,404	3,316	3,000	2,740	2,929	2,767	2,678	2,870	2,654	2,750	2,819	2,935
Wyoming	2,358	222	207	208	175	193	201	205	209	164	194	175	205

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,517,541	147,205	137,213	132,450	123,586	124,480	122,995	118,877	117,050	115,952	120,798	123,209	133,728
Male	867,100	83,527	77,299	75,153	70,683	71,538	70,294	68,054	67,237	66,534	69,606	70,851	76,324
Female	650,441	63,676	59,914	57,297	52,903	52,942	52,701	50,823	49,813	49,418	51,192	52,358	57,404
White	1,335,835	128,149	120,011	117,321	109,378	109,789	108,359	104,627	103,074	102,537	106,659	108,431	117,500
Male	766,703	73,070	67,882	66,813	62,843	63,484	62,242	60,193	59,559	59,059	61,672	62,532	67,354
Female	569,132	55,079	52,129	50,508	46,535	46,305	46,117	44,434	43,515	43,478	44,987	45,899	50,146
Nonwhite	181,706	19,054	17,202	15,129	14,208	14,691	14,636	14,250	13,976	13,415	14,139	14,778	16,228
Male	100,397	10,457	9,417	8,340	7,840	8,054	8,052	7,861	7,678	7,475	7,934	8,319	8,970
Female	81,309	8,597	7,785	6,789	6,368	6,637	6,584	6,389	6,298	5,940	6,205	6,459	7,258
ALABAMA	27,116	2,715	2,611	2,277	2,101	2,213	2,135	2,091	2,043	2,050	2,018	2,297	2,565
Male	15,392	1,565	1,448	1,286	1,167	1,224	1,241	1,161	1,188	1,196	1,140	1,305	1,471
Female	11,724	1,150	1,163	991	934	989	894	930	855	854	878	992	1,094
White	16,034	1,536	1,447	1,339	1,282	1,319	1,265	1,275	1,217	1,257	1,186	1,383	1,528
Male	9,486	905	841	780	754	772	778	736	746	761	684	819	910
Female	6,548	631	606	559	528	547	487	539	471	496	502	564	618
Nonwhite	11,082	1,179	1,164	938	819	894	870	816	826	793	832	914	1,037
Male	5,906	660	607	506	413	452	463	425	442	435	456	486	561
Female	5,176	519	557	432	406	442	407	391	384	358	376	428	476
ARIZONA	7,750	759	702	651	621	557	613	641	640	632	586	651	697
Male	4,811	489	436	398	375	336	372	400	393	383	368	420	441
Female	2,939	270	266	253	246	221	241	241	247	249	218	231	256
White	6,498	651	585	554	528	464	522	530	521	516	489	555	583
Male	4,051	424	370	346	319	280	317	322	330	312	302	358	371
Female	2,447	227	215	208	209	184	205	208	191	204	187	197	212
Nonwhite	1,252	108	117	97	93	93	91	111	119	116	97	96	114
Male	760	65	66	52	56	56	55	78	63	71	66	62	70
Female	492	43	51	45	37	37	36	33	56	45	31	34	44
ARKANSAS	15,497	1,750	1,458	1,289	1,254	1,251	1,459	1,225	1,144	1,160	1,125	1,258	1,124
Male	9,117	1,042	849	734	751	733	855	729	670	672	680	755	647
Female	6,380	708	609	555	503	518	604	496	474	488	445	503	477
White	11,173	1,205	1,007	950	944	912	1,068	835	822	853	826	922	829
Male	6,776	735	601	556	577	554	628	519	502	514	519	573	498
Female	4,397	470	406	394	367	358	440	316	320	339	307	349	331
Nonwhite	4,324	545	451	339	310	339	391	390	322	307	299	336	295
Male	2,341	307	248	178	174	179	227	210	168	158	161	182	149
Female	1,983	238	203	161	136	160	164	180	154	149	138	154	146
CALIFORNIA	109,903	10,186	9,514	9,987	9,000	8,929	8,575	8,794	8,551	8,391	8,931	8,818	10,227
Male	63,790	5,962	5,537	5,702	5,205	5,191	4,968	5,063	4,918	4,839	5,295	5,135	5,975
Female	46,113	4,224	3,977	4,285	3,795	3,738	3,607	3,731	3,633	3,552	3,636	3,683	4,252
White	103,805	9,615	9,034	9,460	8,470	8,402	8,079	8,316	8,093	7,930	8,422	8,335	9,649
Male	60,067	5,589	5,248	5,388	4,896	4,887	4,680	4,767	4,628	4,554	4,973	4,838	5,619
Female	43,738	4,026	3,786	4,072	3,574	3,515	3,399	3,549	3,465	3,376	3,449	3,497	4,030
Nonwhite	6,098	571	480	527	530	527	496	478	458	461	509	483	578
Male	3,723	373	289	314	309	304	288	296	280	285	322	297	356
Female	2,375	198	191	213	221	223	208	182	168	176	187	186	222
COLORADO	12,963	1,403	1,132	1,093	1,080	1,017	1,031	1,023	1,074	1,003	1,027	978	1,102
Male	7,601	804	654	617	661	612	612	577	646	590	593	589	646
Female	5,362	599	478	476	419	405	419	446	428	413	434	389	456
White	12,633	1,362	1,104	1,068	1,054	993	1,009	1,006	1,051	977	997	943	1,069
Male	7,422	783	635	602	647	599	603	570	634	572	579	571	627
Female	5,211	579	469	466	407	394	406	436	417	405	418	372	442
Nonwhite	330	41	28	25	26	24	22	17	23	26	30	35	33
Male	179	21	19	15	14	13	9	7	12	18	14	18	19
Female	151	20	9	10	12	11	13	10	11	8	16	17	14
CONNECTICUT	20,695	1,880	1,851	1,931	1,684	1,706	1,632	1,639	1,538	1,629	1,692	1,670	1,843
Male	11,490	1,066	983	1,066	944	926	906	912	884	892	957	934	1,020
Female	9,205	814	868	865	740	780	726	727	654	737	735	736	823
White	20,064	1,823	1,782	1,878	1,645	1,657	1,574	1,595	1,493	1,571	1,643	1,621	1,782
Male	11,147	1,032	951	1,043	924	906	872	890	856	855	928	905	985
Female	8,917	791	831	835	721	751	702	705	637	716	715	716	797
Nonwhite	631	57	69	53	39	49	58	44	45	58	49	49	61
Male	343	34	32	23	20	20	34	22	28	37	29	29	35
Female	288	23	37	30	19	29	24	22	17	21	20	20	26
DELAWARE	3,576	334	354	310	291	297	295	265	275	303	255	312	289
Male	2,023	182	200	166	174	181	169	154	155	160	140	187	155
Female	1,553	152	154	144	117	112	126	111	120	143	115	125	134
White	2,949	280	295	243	237	237	245	224	236	243	213	282	234
Male	1,678	157	167	132	142	150	149	129	135	126	113	153	125
Female	1,271	123	128	111	95	87	96	95	101	117	100	109	109
Nonwhite	627	54	59	67	54	56	50	41	39	60	42	50	55
Male	345	25	33	34	32	31	20	25	20	34	27	34	30
Female	282	29	26	33	22	25	30	16	19	26	15	16	25
DISTRICT OF COLUMBIA	8,545	836	866	728	638	674	640	712	637	673	681	710	750
Male	4,660	419	447	373	346	393	349	389	368	385	383	404	404
Female	3,885	417	419	355	292	281	291	323	269	288	298	306	346
White	5,201	509	516	450	369	414	379	424	363	437	435	447	458
Male	2,834	272	258	218	206	239	209	232	211	247	239	246	257
Female	2,367	237	258	232	163	175	170	192	152	190	196	201	201
Nonwhite	3,344	327	350	278	269	260	261	288	274	236	246	263	292
Male	1,826	147	189	155	140	154	140	157	157	138	144	158	147
Female	1,518	180	161	123	129	106	121	131	117	98	102	105	145

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA	30,668	3,002	2,791	2,717	2,550	2,585	2,279	2,309	2,357	2,241	2,407	2,543	2,877
Male	18,346	1,844	1,722	1,602	1,512	1,478	1,342	1,420	1,438	1,321	1,462	1,508	1,697
Female	12,322	1,158	1,069	1,115	1,038	1,117	937	889	919	920	945	1,035	1,180
White	23,210	2,255	2,081	2,051	1,929	1,958	1,737	1,770	1,777	1,720	1,801	1,926	2,205
Male	14,201	1,421	1,302	1,216	1,167	1,147	1,043	1,117	1,117	1,037	1,127	1,183	1,324
Female	9,009	834	779	835	762	811	694	653	660	683	674	743	881
Nonwhite	7,458	747	710	666	621	637	542	539	580	521	606	617	672
Male	4,145	423	420	386	345	331	299	303	321	284	335	325	373
Female	3,313	324	290	280	276	306	243	236	259	237	271	292	299
GEORGIA	30,846	3,119	2,849	2,609	2,559	2,468	2,322	2,386	2,416	2,253	2,401	2,556	2,908
Male	17,704	1,824	1,607	1,496	1,477	1,390	1,363	1,389	1,395	1,295	1,352	1,483	1,633
Female	13,142	1,295	1,242	1,113	1,082	1,078	959	997	1,021	958	1,049	1,073	1,275
White	18,664	1,772	1,635	1,614	1,558	1,532	1,397	1,478	1,533	1,402	1,484	1,521	1,739
Male	11,123	1,085	965	971	918	906	846	887	928	833	874	896	1,014
Female	7,541	687	670	643	640	626	551	591	605	569	610	625	724
Nonwhite	12,182	1,347	1,214	995	1,001	936	925	908	883	851	917	1,035	1,170
Male	6,581	739	642	525	559	484	517	502	467	462	478	587	619
Female	5,601	608	572	470	442	452	408	406	416	389	439	448	551
IDAHO	5,033	476	389	436	396	432	438	420	396	372	457	416	405
Male	3,144	299	233	281	246	282	265	245	270	223	289	242	269
Female	1,889	177	156	155	150	150	173	175	126	149	168	174	136
White	4,933	463	381	432	382	424	428	408	393	364	450	410	398
Male	3,080	292	229	280	235	277	259	237	268	216	284	239	264
Female	1,853	171	152	152	147	147	169	171	125	148	166	171	134
Nonwhite	100	13	8	4	14	8	10	12	3	8	7	6	7
Male	64	7	4	1	11	5	6	8	2	7	5	3	5
Female	36	6	4	3	3	3	4	4	1	1	2	3	2
ILLINOIS	96,636	9,592	8,748	8,284	7,948	8,078	7,906	7,452	7,527	7,613	7,528	7,584	8,376
Male	55,272	5,440	4,901	4,699	4,582	4,702	4,514	4,234	4,345	4,315	4,417	4,379	4,744
Female	41,364	4,152	3,847	3,585	3,366	3,376	3,392	3,218	3,182	3,298	3,111	3,205	3,632
White	88,032	8,688	8,018	7,573	7,246	7,371	7,248	6,794	6,848	6,917	6,834	6,879	7,616
Male	50,422	4,942	4,517	4,290	4,182	4,301	4,140	3,877	3,950	3,923	4,019	3,965	4,316
Female	37,610	3,746	3,501	3,283	3,064	3,070	3,108	2,917	2,898	2,994	2,815	2,914	3,300
Nonwhite	8,604	904	730	711	702	707	658	658	679	696	694	705	760
Male	4,850	498	384	409	400	401	374	357	395	392	398	414	428
Female	3,754	406	346	302	302	306	284	301	284	304	296	291	332
INDIANA	41,355	3,765	3,822	3,568	3,344	3,408	3,391	3,306	3,201	3,244	3,286	3,421	3,599
Male	23,642	2,147	2,140	2,040	1,944	1,933	1,970	1,885	1,850	1,891	1,847	1,919	2,076
Female	17,713	1,618	1,682	1,528	1,400	1,475	1,421	1,421	1,351	1,353	1,439	1,502	1,523
White	39,063	3,550	3,585	3,366	3,177	3,215	3,215	3,125	3,037	3,054	3,087	3,247	3,405
Male	22,377	2,031	2,012	1,915	1,859	1,841	1,863	1,787	1,763	1,783	1,739	1,820	1,964
Female	16,686	1,519	1,573	1,451	1,318	1,374	1,352	1,338	1,274	1,271	1,348	1,427	1,441
Nonwhite	2,292	215	237	202	167	193	176	181	164	190	199	174	194
Male	1,265	116	128	125	85	92	107	98	87	108	108	99	112
Female	1,027	99	109	77	82	101	69	83	77	82	91	75	82
IOWA	26,787	2,917	2,274	2,238	2,298	2,293	2,119	2,019	2,089	1,951	2,094	2,146	2,349
Male	15,246	1,609	1,230	1,277	1,282	1,317	1,217	1,191	1,201	1,093	1,237	1,243	1,348
Female	11,541	1,308	1,044	961	1,016	976	902	828	888	858	857	903	1,000
White	26,508	2,882	2,246	2,217	2,282	2,264	2,090	1,999	2,062	1,939	2,073	2,128	2,326
Male	15,091	1,595	1,215	1,264	1,273	1,300	1,206	1,179	1,182	1,087	1,227	1,230	1,333
Female	11,417	1,287	1,031	953	1,009	964	884	820	880	852	846	898	993
Nonwhite	279	35	28	21	16	29	29	20	27	12	21	18	23
Male	155	14	15	13	9	17	11	12	19	6	10	13	16
Female	124	21	13	8	7	12	18	8	8	6	11	5	7
KANSAS	19,325	2,041	1,751	1,621	1,596	1,583	1,780	1,525	1,498	1,356	1,482	1,458	1,634
Male	11,105	1,149	998	912	907	950	952	889	900	783	858	870	937
Female	8,220	892	753	709	689	633	828	636	598	573	624	588	697
White	18,310	1,894	1,670	1,556	1,509	1,503	1,686	1,431	1,433	1,277	1,400	1,402	1,549
Male	10,529	1,066	955	875	868	908	894	840	858	736	809	838	882
Female	7,781	828	715	681	641	595	792	591	575	541	591	564	667
Nonwhite	1,015	147	81	65	87	80	94	94	65	79	82	56	85
Male	576	83	43	37	39	42	58	49	42	47	49	32	55
Female	439	64	38	28	48	38	36	45	23	32	33	24	30
KENTUCKY	27,635	2,711	2,827	2,385	2,284	2,201	2,086	2,187	2,069	2,035	2,141	2,242	2,467
Male	15,754	1,526	1,576	1,351	1,285	1,284	1,178	1,194	1,168	1,189	1,254	1,304	1,445
Female	11,881	1,185	1,251	1,034	999	917	908	993	901	846	887	938	1,022
White	24,485	2,415	2,461	2,110	2,057	1,979	1,843	1,908	1,824	1,812	1,897	1,993	2,186
Male	14,020	1,361	1,384	1,194	1,163	1,170	1,043	1,046	1,044	1,053	1,109	1,159	1,294
Female	10,465	1,054	1,077	916	894	809	800	862	780	759	788	834	892
Nonwhite	3,150	296	366	275	227	222	243	279	245	223	244	249	281
Male	1,734	165	192	157	122	114	135	148	124	136	145	145	151
Female	1,416	131	174	118	105	108	108	131	121	87	99	104	130
LOUISIANA	25,273	2,647	2,204	2,021	2,037	2,040	2,173	1,937	1,999	1,841	1,925	2,111	2,338
Male	14,429	1,493	1,280	1,154	1,135	1,184	1,229	1,094	1,152	1,019	1,126	1,213	1,350
Female	10,844	1,154	924	867	902	856	944	843	847	822	799	898	988
White	14,855	1,519	1,271	1,200	1,219	1,193	1,281	1,135	1,176	1,120	1,119	1,225	1,397
Male	8,845	882	771	720	735	722	755	666	705	637	687	756	809
Female	6,010	637	500	480	484	471	526	469	471	483	432	469	588
Nonwhite	10,418	1,128	933	821	818	847	892	802	823	721	806	886	941
Male	5,584	611	509	434	400	462	474	428	447	382	439	457	541
Female	4,834	517	424	387	418	385	418	374	376	339	367	429	400

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	9,920	870	862	916	806	778	811	813	760	772	891	767	874
Male	5,556	466	490	509	468	432	459	474	420	416	499	419	504
Female	4,364	404	372	407	338	346	352	339	340	356	392	348	370
White	9,886	868	860	911	803	777	806	811	757	768	887	766	872
Male	5,540	464	490	508	466	431	458	473	418	415	496	418	503
Female	4,346	404	370	403	337	346	348	338	339	353	391	348	369
Nonwhite	34	2	2	5	3	1	5	2	3	4	4	1	2
Male	16	2	-	1	2	1	1	1	2	1	3	1	1
Female	18	-	2	4	1	-	4	1	1	3	1	-	1
MARYLAND	23,617	2,236	2,401	2,026	1,852	1,838	1,843	1,913	1,744	1,878	1,819	1,976	2,091
Male	13,182	1,213	1,292	1,145	1,029	1,046	1,000	1,065	975	1,091	1,065	1,116	1,145
Female	10,435	1,023	1,109	881	823	792	843	848	769	787	754	860	946
White	19,102	1,794	1,905	1,649	1,520	1,498	1,473	1,521	1,366	1,554	1,495	1,624	1,703
Male	10,671	976	1,026	929	850	862	809	822	763	900	873	914	947
Female	8,431	818	879	720	670	636	664	699	603	654	622	710	756
Nonwhite	4,515	442	496	377	332	340	370	392	378	324	324	352	388
Male	2,511	237	266	216	179	184	191	243	212	191	192	202	198
Female	2,004	205	230	161	153	156	179	149	166	133	132	150	190
MASSACHUSETTS	51,827	4,664	4,528	4,677	4,378	4,365	4,347	3,955	4,061	3,618	4,259	4,330	4,645
Male	27,911	2,528	2,398	2,499	2,360	2,373	2,356	2,180	2,242	1,926	2,282	2,264	2,501
Female	23,916	2,136	2,130	2,178	2,018	1,992	1,989	1,775	1,819	1,692	1,977	2,066	2,144
White	50,919	4,572	4,450	4,602	4,310	4,289	4,272	3,882	3,972	3,552	4,187	4,267	4,564
Male	27,365	2,475	2,354	2,448	2,311	2,337	2,314	2,130	2,186	1,889	2,236	2,229	2,456
Female	23,554	2,097	2,096	2,154	1,999	1,952	1,958	1,752	1,786	1,663	1,951	2,038	2,108
Nonwhite	908	92	78	75	68	76	75	73	89	66	72	63	81
Male	546	53	44	51	49	36	44	50	56	37	46	35	45
Female	362	39	34	24	19	40	31	23	33	29	26	28	36
MICHIGAN	62,171	5,468	5,445	5,475	5,148	5,223	5,293	4,807	4,999	5,051	5,023	4,964	5,275
Male	36,335	3,162	3,162	3,171	3,027	3,013	3,101	2,845	2,945	2,932	2,961	2,944	3,072
Female	25,836	2,306	2,283	2,304	2,121	2,210	2,192	1,962	2,054	2,119	2,062	2,020	2,203
White	57,509	5,072	5,041	5,105	4,745	4,833	4,895	4,450	4,612	4,672	4,653	4,588	4,843
Male	33,683	2,945	2,918	2,967	2,797	2,798	2,869	2,647	2,716	2,719	2,754	2,722	2,831
Female	23,826	2,127	2,123	2,138	1,948	2,035	2,026	1,803	1,896	1,953	1,899	1,866	2,012
Nonwhite	4,662	396	404	370	403	390	398	357	387	379	370	376	432
Male	2,652	217	244	204	230	215	232	198	229	213	207	222	241
Female	2,010	179	160	166	173	175	166	159	158	166	163	154	191
MINNESOTA	29,454	3,099	2,602	2,465	2,304	2,431	2,410	2,313	2,268	2,290	2,372	2,343	2,557
Male	17,249	1,786	1,535	1,434	1,355	1,451	1,398	1,359	1,383	1,374	1,365	1,347	1,462
Female	12,205	1,313	1,067	1,031	949	980	1,012	954	885	916	1,007	996	1,095
White	29,127	3,067	2,586	2,435	2,282	2,411	2,383	2,286	2,240	2,259	2,336	2,315	2,527
Male	17,053	1,764	1,525	1,412	1,344	1,438	1,385	1,342	1,367	1,356	1,348	1,329	1,443
Female	12,074	1,303	1,061	1,023	938	973	998	944	873	903	988	986	1,084
Nonwhite	327	32	16	30	22	20	27	27	28	31	36	28	30
Male	196	22	10	22	11	13	13	17	16	18	17	18	19
Female	131	10	6	8	11	7	14	10	12	13	19	10	11
MISSISSIPPI	20,556	2,170	1,981	1,691	1,549	1,611	1,847	1,510	1,584	1,453	1,521	1,716	1,923
Male	11,580	1,203	1,112	991	863	914	1,002	857	876	823	876	987	1,076
Female	8,976	967	869	700	686	697	845	653	708	630	645	729	847
White	9,549	969	848	776	733	774	834	710	751	686	743	810	915
Male	5,706	567	504	497	421	476	496	433	437	409	455	473	539
Female	3,843	402	344	279	312	298	338	277	314	277	288	337	377
Nonwhite	11,007	1,201	1,133	915	816	837	1,013	800	833	767	778	906	1,008
Male	5,874	636	608	494	442	438	506	424	439	414	421	514	538
Female	5,133	565	525	421	374	399	507	376	394	353	357	392	470
MISSOURI	45,394	4,995	4,021	3,974	3,735	3,892	3,833	3,654	3,506	3,203	3,397	3,567	3,817
Male	25,822	2,904	2,258	2,247	2,116	2,090	2,153	2,079	1,960	1,858	1,937	2,041	2,179
Female	19,572	2,091	1,763	1,727	1,619	1,802	1,680	1,575	1,546	1,345	1,460	1,526	1,638
White	40,784	4,436	3,649	3,557	3,351	3,318	3,455	3,258	3,120	2,890	3,064	3,213	3,473
Male	23,234	2,585	2,049	2,029	1,892	1,869	1,946	1,850	1,752	1,684	1,757	1,837	1,984
Female	17,550	1,851	1,600	1,528	1,459	1,449	1,509	1,408	1,368	1,206	1,307	1,376	1,489
Nonwhite	4,610	559	372	417	384	374	378	396	386	313	333	354	344
Male	2,588	319	209	218	224	221	207	229	208	174	180	204	195
Female	2,022	240	163	199	160	153	171	167	178	139	153	150	149
MONTANA	6,154	655	571	514	467	476	527	478	484	465	480	487	530
Male	3,934	401	376	316	299	310	351	297	318	311	313	314	328
Female	2,220	254	195	198	168	166	176	181	166	154	167	173	202
White	5,890	621	545	502	471	456	508	452	461	446	460	469	499
Male	3,788	387	360	311	288	298	345	284	300	304	301	302	308
Female	2,102	234	185	191	183	158	163	168	161	142	159	167	191
Nonwhite	264	34	26	12	16	20	19	26	23	19	20	18	31
Male	146	14	16	5	11	12	6	13	18	7	12	12	20
Female	118	20	10	7	5	8	13	13	5	12	8	6	11
NEBRASKA	13,380	1,411	1,172	1,124	1,062	1,143	1,150	1,038	1,094	1,061	993	1,052	1,080
Male	7,741	794	664	674	630	653	691	604	626	619	561	608	617
Female	5,639	617	508	450	432	490	459	434	468	442	432	444	463
White	13,068	1,382	1,140	1,097	1,039	1,120	1,119	1,019	1,064	1,030	967	1,030	1,061
Male	7,568	775	644	662	616	642	673	592	605	603	549	598	609
Female	5,500	607	496	435	423	478	446	427	459	427	418	432	452
Nonwhite	312	29	32	27	23	23	31	19	30	31	26	22	19
Male	173	19	20	12	14	11	18	12	21	16	12	10	8
Female	139	10	12	15	9	12	13	7	9	15	14	12	11

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	1,889	176	166	162	146	159	162	147	145	141	157	154	174
Male	1,288	113	122	118	95	106	106	107	98	90	97	108	128
Female	601	63	44	44	51	53	56	40	47	51	60	46	46
White	1,719	162	144	154	134	141	144	136	128	126	144	147	159
Male	1,188	104	105	113	87	97	94	103	90	81	92	104	118
Female	531	58	39	41	47	44	50	33	38	45	52	43	41
Nonwhite	170	14	22	8	12	18	18	11	17	15	13	7	15
Male	100	9	17	5	8	9	12	4	8	9	5	4	10
Female	70	5	5	3	4	9	6	7	9	6	8	3	5
NEW HAMPSHIRE	6,103	585	522	583	485	487	514	462	482	459	553	468	503
Male	3,455	325	292	335	278	275	274	286	264	275	310	264	277
Female	2,648	260	230	248	207	212	240	176	218	184	243	204	226
White	6,097	585	521	583	485	487	512	462	482	458	552	468	502
Male	3,451	325	291	335	278	275	273	286	264	275	309	264	276
Female	2,646	260	230	248	207	212	239	176	218	183	243	204	226
Nonwhite	6	-	1	-	-	-	2	-	-	1	1	-	1
Male	4	-	1	-	-	-	1	-	-	-	1	-	1
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
NEW JERSEY	52,939	4,881	4,740	4,563	4,287	4,367	4,247	4,129	4,038	4,222	4,321	4,433	4,711
Male	29,389	2,672	2,590	2,466	2,431	2,423	2,423	2,326	2,284	2,338	2,357	2,465	2,614
Female	23,550	2,209	2,150	2,097	1,856	1,944	1,824	1,803	1,754	1,884	1,964	1,968	2,097
White	48,895	4,512	4,354	4,228	3,981	4,011	3,968	3,807	3,713	3,907	3,967	4,116	4,331
Male	27,186	2,481	2,354	2,294	2,274	2,214	2,265	2,147	2,107	2,168	2,176	2,295	2,411
Female	21,709	2,031	2,000	1,934	1,707	1,797	1,703	1,660	1,606	1,739	1,791	1,821	1,920
Nonwhite	4,044	369	386	335	306	356	279	322	325	315	354	317	380
Male	2,203	191	236	172	157	209	158	179	177	170	181	170	203
Female	1,841	178	150	163	149	147	121	143	148	145	173	147	177
NEW MEXICO	5,578	649	451	490	418	428	423	406	445	433	505	448	482
Male	3,263	369	241	297	239	268	246	246	240	267	290	264	296
Female	2,315	280	210	193	179	160	177	160	205	166	215	184	186
White	4,933	582	402	444	363	394	382	348	377	369	442	398	432
Male	2,927	342	216	274	210	247	226	215	207	228	263	230	269
Female	2,006	240	186	170	153	147	156	133	170	141	179	168	163
Nonwhite	645	67	49	46	55	34	41	58	68	64	63	50	50
Male	336	27	25	23	29	21	20	31	33	39	27	34	27
Female	309	40	24	23	26	13	21	27	35	25	36	16	23
NEW YORK	163,914	15,155	14,378	14,635	13,444	13,289	13,435	12,751	12,636	13,068	13,328	13,469	14,326
Male	90,671	8,357	7,739	7,981	7,432	7,505	7,398	7,078	6,972	7,297	7,479	7,508	7,925
Female	73,243	6,798	6,639	6,654	6,012	5,784	6,037	5,673	5,664	5,771	5,849	5,961	6,401
White	153,407	14,173	13,452	13,722	12,628	12,413	12,580	11,951	11,790	12,205	12,494	12,606	13,393
Male	84,929	7,817	7,250	7,508	6,994	7,016	6,923	6,639	6,528	6,810	7,010	7,030	7,404
Female	68,478	6,356	6,202	6,214	5,634	5,397	5,657	5,312	5,262	5,395	5,484	5,576	5,989
Nonwhite	10,507	982	926	913	816	876	855	800	846	863	834	863	933
Male	5,742	540	489	473	438	489	475	439	444	487	469	478	521
Female	4,765	442	437	440	378	387	380	361	402	376	365	385	412
NORTH CAROLINA	31,797	3,228	3,009	2,636	2,581	2,591	2,386	2,538	2,486	2,342	2,554	2,627	2,819
Male	18,438	1,826	1,673	1,526	1,517	1,498	1,388	1,454	1,453	1,384	1,534	1,565	1,620
Female	13,359	1,402	1,336	1,110	1,064	1,093	998	1,084	1,033	958	1,020	1,062	1,199
White	21,176	2,067	1,971	1,806	1,748	1,713	1,614	1,700	1,660	1,603	1,722	1,730	1,842
Male	12,554	1,210	1,121	1,075	1,042	1,017	959	1,016	979	959	1,040	1,046	1,090
Female	8,622	857	850	731	706	696	655	684	681	644	682	684	752
Nonwhite	10,621	1,161	1,038	830	833	878	772	838	826	739	832	897	977
Male	5,884	616	552	451	475	481	429	438	474	425	494	519	530
Female	4,737	545	486	379	358	397	343	400	352	314	338	378	447
NORTH DAKOTA	5,204	469	472	433	413	442	429	450	399	444	456	402	395
Male	3,216	284	280	266	251	288	271	291	235	279	281	243	247
Female	1,988	185	192	167	162	154	158	159	164	165	175	159	148
White	5,076	457	461	423	399	433	419	438	392	433	448	389	384
Male	3,144	277	272	258	243	282	267	287	232	273	273	237	243
Female	1,932	180	189	165	156	151	152	151	160	160	175	152	141
Nonwhite	128	12	11	10	14	9	10	12	7	11	8	13	11
Male	72	7	8	8	8	6	4	4	3	6	8	6	4
Female	56	5	3	2	6	3	6	8	4	5	-	7	7
OHIO	86,175	7,811	8,401	7,674	7,032	6,997	6,540	6,666	6,703	6,712	6,864	7,126	7,649
Male	48,852	4,471	4,749	4,303	4,013	3,999	3,766	3,756	3,816	3,904	3,821	3,977	4,277
Female	37,323	3,340	3,652	3,371	3,019	2,998	2,774	2,910	2,887	2,808	3,043	3,149	3,372
White	79,738	7,264	7,785	7,115	6,497	6,485	6,054	6,138	6,188	6,226	6,340	6,579	7,065
Male	45,180	4,162	4,412	4,002	3,698	3,699	3,490	3,450	3,515	3,608	3,514	3,669	3,960
Female	34,556	3,102	3,373	3,113	2,798	2,786	2,564	2,688	2,673	2,618	2,826	2,910	3,105
Nonwhite	6,439	547	616	559	535	512	486	528	515	486	524	547	584
Male	3,672	309	337	301	314	300	276	306	301	296	307	308	317
Female	2,767	238	279	258	221	212	210	222	214	190	217	239	267
OKLAHOMA	19,848	2,180	1,757	1,664	1,593	1,664	1,840	1,526	1,504	1,406	1,466	1,511	1,737
Male	11,797	1,284	1,034	989	942	1,015	1,039	915	925	837	889	924	1,004
Female	8,051	896	723	675	651	649	801	611	579	569	577	587	733
White	17,461	1,907	1,559	1,473	1,398	1,467	1,611	1,336	1,312	1,217	1,298	1,338	1,543
Male	10,463	1,139	928	883	846	887	909	810	810	727	790	833	901
Female	6,998	768	631	590	552	580	702	528	502	490	508	505	642
Nonwhite	2,387	273	198	191	195	197	229	188	192	189	168	173	194
Male	1,334	145	106	106	96	128	130	105	115	110	99	91	103
Female	1,053	128	92	85	99	69	99	83	77	79	69	82	91

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON	14,553	1,240	1,127	1,367	1,246	1,244	1,197	1,225	1,133	1,107	1,224	1,172	1,251
Male	8,883	740	689	827	757	770	757	769	676	672	738	712	776
Female	5,670	500	438	560	489	474	440	456	457	435	486	460	475
White	14,303	1,219	1,105	1,371	1,219	1,233	1,165	1,201	1,113	1,091	1,205	1,153	1,228
Male	8,734	728	674	814	740	762	740	756	668	662	727	701	762
Female	5,569	491	431	557	479	471	425	445	445	429	478	452	466
Nonwhite	250	21	22	16	27	11	32	24	20	16	19	19	23
Male	149	12	15	13	17	8	17	13	8	10	11	11	14
Female	101	9	7	3	10	3	15	11	12	6	8	8	9
PENNSYLVANIA	112,620	10,471	10,237	10,118	9,367	9,117	8,988	8,869	8,450	8,867	9,071	9,274	9,791
Male	62,695	5,695	5,572	5,684	5,166	5,105	5,050	4,900	4,803	4,939	5,115	5,244	5,422
Female	49,925	4,776	4,665	4,434	4,201	4,012	3,938	3,969	3,647	3,928	3,956	4,030	4,369
White	104,583	9,728	9,517	9,412	8,713	8,486	8,366	8,203	7,842	8,221	8,427	8,619	9,049
Male	58,235	5,284	5,191	5,275	4,782	4,768	4,700	4,521	4,459	4,590	4,744	4,881	5,040
Female	46,348	4,444	4,326	4,137	3,931	3,718	3,666	3,682	3,383	3,631	3,683	3,738	4,009
Nonwhite	8,037	743	720	706	654	631	622	666	608	646	644	655	742
Male	4,460	411	381	409	384	337	350	379	344	349	371	363	382
Female	3,577	332	339	297	270	294	272	287	264	297	273	292	360
RHODE ISLAND	8,286	813	716	769	657	668	650	643	657	608	685	701	719
Male	4,402	417	382	421	341	368	328	362	362	330	378	361	352
Female	3,884	396	334	348	316	300	322	281	295	278	307	340	367
White	8,116	795	701	750	641	657	639	626	649	596	671	685	706
Male	4,309	406	375	410	334	361	325	350	357	321	369	354	347
Female	3,807	389	326	340	307	296	314	276	292	275	302	331	359
Nonwhite	170	18	15	19	16	11	11	17	8	12	14	16	13
Male	93	11	7	11	7	7	3	12	5	9	9	7	5
Female	77	7	8	8	9	4	8	5	3	3	5	9	8
SOUTH CAROLINA	18,579	1,959	1,824	1,601	1,505	1,546	1,448	1,375	1,406	1,335	1,466	1,473	1,641
Male	10,592	1,103	1,034	920	866	859	804	780	787	773	861	839	966
Female	7,987	856	790	681	639	687	644	595	619	562	605	634	675
White	9,904	978	912	861	815	849	788	755	769	709	818	764	886
Male	5,898	568	553	515	488	494	456	449	461	435	503	443	533
Female	4,006	410	359	346	327	355	332	306	308	274	315	321	353
Nonwhite	8,675	981	912	740	690	697	660	620	637	626	648	709	755
Male	4,694	535	481	405	378	365	348	331	326	338	358	396	433
Female	3,981	446	431	335	312	332	312	289	311	288	290	313	322
SOUTH DAKOTA	5,841	601	527	434	487	508	473	465	456	421	502	474	493
Male	3,559	340	315	277	287	302	295	271	268	273	319	290	322
Female	2,282	261	212	157	200	206	178	194	188	148	183	184	171
White	5,534	584	503	411	461	465	446	435	436	394	466	455	478
Male	3,376	332	302	262	271	275	276	253	257	260	297	279	312
Female	2,158	252	201	149	190	190	170	182	179	134	169	176	166
Nonwhite	307	17	24	23	26	43	27	30	20	27	36	19	15
Male	183	8	13	15	16	27	19	18	11	13	22	11	10
Female	124	9	11	8	10	16	8	12	9	14	14	8	5
TENNESSEE	29,309	3,051	2,747	2,511	2,300	2,328	2,395	2,318	2,223	2,158	2,289	2,394	2,595
Male	16,502	1,669	1,513	1,409	1,295	1,345	1,360	1,319	1,238	1,249	1,297	1,383	1,425
Female	12,807	1,382	1,234	1,102	1,005	983	1,035	999	985	909	992	1,011	1,170
White	22,530	2,256	2,106	1,955	1,789	1,804	1,825	1,767	1,721	1,695	1,772	1,845	1,995
Male	12,932	1,255	1,184	1,107	1,026	1,050	1,058	1,044	992	994	1,030	1,091	1,101
Female	9,598	1,001	922	848	763	754	767	723	729	701	742	754	894
Nonwhite	6,779	795	641	556	511	524	570	551	502	463	517	549	600
Male	3,570	414	329	302	269	295	302	275	246	255	267	292	324
Female	3,209	381	312	254	242	229	268	276	256	208	250	257	276
TEXAS	66,271	7,055	5,401	5,475	5,205	5,695	5,790	5,313	5,044	4,947	5,143	5,282	5,921
Male	39,280	4,163	3,200	3,254	3,136	3,373	3,388	3,106	2,971	2,943	3,019	3,218	3,509
Female	26,991	2,892	2,201	2,221	2,069	2,322	2,402	2,207	2,073	2,004	2,124	2,064	2,412
White	55,187	5,732	4,513	4,599	4,422	4,715	4,800	4,429	4,232	4,153	4,272	4,377	4,943
Male	33,057	3,427	2,704	2,769	2,673	2,812	2,831	2,605	2,525	2,523	2,514	2,717	2,957
Female	22,130	2,305	1,809	1,830	1,749	1,903	1,969	1,824	1,707	1,630	1,758	1,660	1,986
Nonwhite	11,084	1,323	888	876	783	980	990	884	812	794	871	905	978
Male	6,223	736	496	485	463	561	557	501	446	420	505	501	552
Female	4,861	587	392	391	320	419	433	383	366	374	366	404	426
UTAH	5,274	535	426	455	413	427	440	429	396	379	433	461	480
Male	3,099	316	243	271	216	249	259	247	236	236	250	287	289
Female	2,175	219	183	184	197	178	181	182	160	143	183	174	191
White	5,123	517	412	437	394	422	430	420	387	364	421	444	475
Male	3,004	308	232	259	204	247	253	240	231	224	245	275	286
Female	2,119	209	180	178	190	175	177	180	156	140	176	169	189
Nonwhite	151	18	14	18	19	5	10	9	9	15	12	17	5
Male	95	8	11	12	12	2	6	7	5	12	5	12	3
Female	56	10	3	6	7	3	4	2	4	3	7	5	2
VERMONT	4,036	362	345	363	344	351	318	319	296	300	378	305	355
Male	2,214	186	178	183	179	210	176	178	174	165	210	168	207
Female	1,822	176	167	180	165	141	142	141	122	135	168	137	148
White	4,027	362	345	362	342	349	317	319	296	299	378	303	355
Male	2,206	186	178	183	177	208	175	178	174	164	210	166	207
Female	1,821	176	167	179	165	141	142	141	122	135	168	137	148
Nonwhite	9	-	-	1	2	2	1	-	-	1	-	2	-
Male	8	-	-	-	2	2	1	-	-	1	-	2	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-

Table 44. Deaths by Month, Race, and Sex: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA	30,007	3,049	3,008	2,548	2,384	2,385	2,301	2,500	2,164	2,269	2,442	2,377	2,580
Male	17,215	1,692	1,698	1,465	1,390	1,386	1,317	1,428	1,239	1,267	1,456	1,374	1,503
Female	12,792	1,357	1,310	1,083	994	999	984	1,072	925	1,002	986	1,003	1,077
White	21,049	2,088	2,115	1,795	1,717	1,671	1,591	1,775	1,524	1,627	1,710	1,675	1,781
Male	12,170	1,149	1,167	1,033	1,014	983	923	1,037	900	932	1,048	949	1,035
Female	8,879	919	948	762	703	688	668	738	624	695	662	726	746
Nonwhite	8,958	981	893	753	667	714	710	725	640	642	732	702	799
Male	5,045	543	531	432	376	403	394	391	339	335	408	425	466
Female	3,913	438	362	321	291	311	316	334	301	307	324	277	331
WASHINGTON	23,341	2,059	1,902	2,164	1,930	2,034	1,875	1,840	1,765	1,836	1,891	1,947	2,098
Male	14,154	1,248	1,161	1,270	1,177	1,235	1,150	1,104	1,084	1,108	1,173	1,193	1,251
Female	9,187	811	741	894	753	799	725	736	681	728	718	754	847
White	22,669	2,013	1,844	2,112	1,880	1,972	1,814	1,775	1,724	1,783	1,829	1,883	2,040
Male	13,733	1,222	1,123	1,240	1,148	1,197	1,108	1,067	1,058	1,072	1,130	1,151	1,217
Female	8,936	791	721	872	732	775	706	708	666	711	699	732	823
Nonwhite	672	46	58	52	50	62	61	65	41	53	62	64	58
Male	421	26	38	30	29	38	42	37	26	36	43	42	34
Female	251	20	20	22	21	24	19	28	15	17	19	22	24
WEST VIRGINIA	16,635	1,522	1,750	1,512	1,392	1,338	1,263	1,269	1,232	1,174	1,355	1,350	1,478
Male	9,783	910	1,045	879	821	755	760	738	717	702	779	798	879
Female	6,852	612	705	633	571	583	503	531	515	472	576	552	599
White	15,373	1,377	1,601	1,409	1,295	1,247	1,169	1,184	1,137	1,089	1,260	1,240	1,365
Male	9,065	822	961	818	768	711	705	678	664	652	734	740	812
Female	6,308	555	640	591	527	536	464	506	473	437	526	500	553
Nonwhite	1,262	145	149	103	97	91	94	85	95	85	95	110	113
Male	718	88	84	61	53	44	55	60	53	50	45	58	67
Female	544	57	65	42	44	47	39	25	42	35	50	52	46
WISCONSIN	34,917	3,423	3,376	3,042	2,777	2,922	2,757	2,632	2,842	2,628	2,734	2,806	2,978
Male	20,000	1,886	1,889	1,724	1,612	1,678	1,607	1,569	1,586	1,505	1,581	1,610	1,753
Female	14,917	1,537	1,487	1,318	1,165	1,244	1,150	1,063	1,256	1,123	1,153	1,196	1,225
White	34,399	3,390	3,347	2,986	2,743	2,872	2,727	2,587	2,788	2,575	2,688	2,760	2,936
Male	19,718	1,872	1,870	1,690	1,595	1,648	1,590	1,550	1,557	1,474	1,559	1,585	1,728
Female	14,681	1,518	1,477	1,296	1,148	1,224	1,137	1,037	1,231	1,101	1,129	1,175	1,208
Nonwhite	518	33	29	56	34	50	30	45	54	53	46	46	42
Male	282	14	19	34	17	30	17	19	29	31	22	25	25
Female	236	19	10	22	17	20	13	26	25	22	24	21	17
WYOMING	2,349	228	205	224	178	198	189	193	194	158	190	182	210
Male	1,517	144	132	148	102	128	117	138	123	105	115	126	139
Female	832	84	73	76	76	70	72	55	71	53	75	56	71
White	2,287	221	199	218	172	190	187	191	192	151	187	176	203
Male	1,487	144	128	143	100	124	116	138	123	102	114	121	134
Female	800	77	71	75	72	66	71	53	69	49	73	55	69
Nonwhite	62	7	6	6	6	8	2	2	2	7	3	6	7
Male	30	-	4	5	2	4	1	-	-	3	1	5	5
Female	32	7	2	1	4	4	1	2	2	4	2	1	2

352870 O - 55 - 2

Table 45. Deaths by Specified Race and Sex: United States and Each State, 1953

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,517,541	867,100	650,441	766,703	569,132	95,739	78,886	2,501	1,935	1,031	164	707	249	419	75
Alabama	27,116	15,392	11,724	9,486	6,548	5,898	5,176	5	-	1	-	1	-	1	-
Arizona	7,750	4,811	2,939	4,051	2,447	254	139	480	344	16	6	3	1	7	2
Arkansas	15,497	9,117	6,380	6,776	4,397	2,336	1,980	2	1	2	2	1	-	-	-
California	109,903	63,790	46,113	60,067	43,738	2,380	1,954	205	139	417	104	435	145	286	33
Colorado	12,963	7,601	5,362	7,422	5,211	135	127	10	15	2	-	32	9	-	-
Connecticut	20,695	11,490	9,205	11,147	8,917	332	287	2	1	6	-	1	-	2	-
Delaware	3,576	2,023	1,553	1,678	1,271	344	278	-	-	-	-	-	-	1	4
District of Columbia	8,545	4,660	3,885	2,834	2,367	1,795	1,511	1	-	22	7	1	-	7	-
Florida	30,668	18,346	12,322	14,201	9,009	4,139	3,304	5	7	-	1	-	-	1	1
Georgia	30,846	17,704	13,142	11,123	7,541	6,577	5,601	3	-	1	-	-	-	-	-
Idaho	5,033	3,144	1,889	3,080	1,653	9	8	39	26	3	-	10	2	3	-
Illinois	96,636	55,272	41,364	50,422	37,610	4,751	3,730	7	9	49	2	35	12	8	1
Indiana	41,355	23,642	17,713	22,377	16,686	1,258	1,026	2	-	2	-	2	-	1	1
Iowa	26,787	15,246	11,541	15,091	11,417	151	119	3	3	1	-	-	-	-	2
Kansas	19,325	11,105	8,220	10,529	7,781	560	435	14	4	1	-	1	-	-	-
Kentucky	27,635	15,754	11,881	14,020	10,465	1,734	1,416	-	-	-	-	-	-	-	-
Louisiana	25,273	14,429	10,844	8,845	6,010	5,576	4,831	3	3	2	-	1	-	2	-
Maine	9,920	5,556	4,364	5,540	4,346	8	6	8	11	-	-	-	-	-	1
Maryland	23,617	13,182	10,435	10,671	8,431	2,502	2,004	-	-	6	-	-	-	3	-
Massachusetts	51,827	27,911	23,916	27,365	23,554	476	361	10	1	51	-	3	-	6	-
Michigan	62,171	36,335	25,836	33,683	23,826	2,568	1,957	57	48	18	1	5	2	4	2
Minnesota	29,454	17,249	12,205	17,053	12,074	117	70	74	58	5	2	-	1	-	-
Mississippi	20,556	11,580	8,976	5,706	3,843	5,852	5,121	18	12	4	-	-	-	-	-
Missouri	45,394	25,822	19,572	23,234	17,550	2,577	2,018	3	2	3	-	3	1	2	1
Montana	6,154	3,934	2,220	3,788	2,102	19	8	122	108	2	-	3	2	-	-
Nebraska	13,380	7,741	5,639	7,568	5,500	147	111	23	26	-	-	1	2	2	-
Nevada	1,889	1,288	601	1,188	531	49	28	43	40	6	-	1	2	1	-
New Hampshire	6,103	3,455	2,648	3,451	2,646	3	2	-	-	-	-	-	-	1	-
New Jersey	52,939	29,389	23,550	27,186	21,709	2,177	1,831	6	1	11	4	3	2	6	3
New Mexico	5,578	3,263	2,315	2,927	2,006	69	56	266	249	-	1	1	2	-	2
New York	163,914	90,671	73,243	84,929	68,478	5,358	4,703	70	33	257	17	39	7	18	5
North Carolina	31,797	18,438	13,359	12,554	8,622	5,765	4,652	119	84	-	-	-	-	-	1
North Dakota	5,204	3,216	1,988	3,144	1,932	8	5	63	51	-	-	1	-	-	-
Ohio	86,175	48,852	37,323	45,180	34,556	3,638	2,762	3	1	16	-	11	3	4	1
Oklahoma	19,848	11,797	8,051	10,463	6,998	1,007	800	325	250	-	-	1	1	1	2
Oregon	14,553	8,883	5,670	8,734	5,569	71	47	41	39	17	5	17	10	3	-
Pennsylvania	112,620	62,695	49,925	58,235	46,348	4,409	3,570	5	2	38	2	1	1	7	2
Rhode Island	8,286	4,402	3,884	4,309	3,807	84	71	5	5	3	1	-	-	1	-
South Carolina	18,579	10,592	7,987	5,898	4,006	4,691	3,979	2	2	-	-	-	-	1	-
South Dakota	5,841	3,559	2,282	3,376	2,158	3	1	179	123	-	-	1	-	-	-
Tennessee	29,309	16,502	12,807	12,932	9,598	3,567	3,208	2	1	1	-	-	-	-	-
Texas	66,271	39,280	26,991	33,057	22,130	6,199	4,845	10	8	13	4	1	3	-	1
Utah	5,274	3,099	2,175	3,004	2,119	25	8	35	37	6	-	28	11	1	-
Vermont	4,036	2,214	1,822	2,206	1,821	6	1	1	-	-	-	-	-	1	-
Virginia	30,007	17,215	12,792	12,170	8,879	5,029	3,907	4	1	9	1	-	-	3	4
Washington	23,341	14,154	9,187	13,733	8,936	159	108	135	110	35	3	58	25	34	5
West Virginia	16,635	9,783	6,852	9,065	6,308	717	544	-	-	1	-	-	-	-	-
Wisconsin	34,917	20,000	14,917	19,718	14,681	197	162	76	69	4	1	4	3	1	1
Wyoming	2,349	1,517	832	1,487	800	13	18	15	12	-	-	2	2	-	-

Table 46. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1953

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
UNITED STATES	1,517,541	867,100	650,441	1,335,835	766,703	569,132	181,706	100,397	81,309
Metropolitan counties	886,219	499,404	386,815	787,781	445,062	342,719	98,438	54,342	44,096
Nonmetropolitan counties	631,322	367,696	263,626	548,054	321,641	226,413	83,268	46,055	37,213
Alabama	27,116	15,392	11,724	16,034	9,486	6,548	11,082	5,906	5,176
Metropolitan counties	9,802	5,555	4,247	5,425	3,190	2,235	4,377	2,365	2,012
Nonmetropolitan counties	17,314	9,837	7,477	10,609	6,296	4,313	6,705	3,541	3,164
Arizona	7,750	4,811	2,939	6,498	4,051	2,447	1,252	760	492
Metropolitan counties	3,349	2,061	1,288	3,044	1,870	1,174	305	191	114
Nonmetropolitan counties	4,401	2,750	1,651	3,454	2,181	1,273	947	569	378
Arkansas	15,497	9,117	6,380	11,173	6,776	4,397	4,324	2,341	1,983
Metropolitan counties	1,776	983	793	1,202	682	520	574	301	273
Nonmetropolitan counties	13,721	8,134	5,587	9,971	6,094	3,877	3,750	2,040	1,710
California	109,903	63,790	46,113	103,805	60,067	43,738	6,098	3,723	2,375
Metropolitan counties	89,090	50,645	38,445	83,882	47,544	36,338	5,208	3,101	2,107
Nonmetropolitan counties	20,813	13,145	7,668	19,923	12,523	7,400	890	622	268
Colorado	12,963	7,601	5,362	12,633	7,422	5,211	330	179	151
Metropolitan counties	6,749	3,878	2,871	6,500	3,742	2,758	249	136	113
Nonmetropolitan counties	6,214	3,723	2,491	6,133	3,680	2,453	81	43	38
Connecticut	20,695	11,490	9,205	20,064	11,147	8,917	631	343	288
Metropolitan counties	16,239	9,007	7,232	15,664	8,700	6,964	575	307	268
Nonmetropolitan counties	4,456	2,483	1,973	4,400	2,447	1,953	56	36	20
Delaware	3,576	2,023	1,553	2,949	1,678	1,271	627	345	282
Metropolitan counties	2,305	1,291	1,014	1,945	1,099	846	360	192	168
Nonmetropolitan counties	1,271	732	539	1,004	579	425	267	153	114
District of Columbia	8,545	4,660	3,885	5,201	2,834	2,367	3,344	1,826	1,518
Florida	30,668	18,346	12,322	23,210	14,201	9,009	7,458	4,145	3,313
Metropolitan counties	15,285	9,151	6,134	12,494	7,615	4,879	2,791	1,536	1,255
Nonmetropolitan counties	15,383	9,195	6,188	10,716	6,586	4,130	4,667	2,609	2,058
Georgia	30,846	17,704	13,142	18,664	11,123	7,541	12,182	6,581	5,601
Metropolitan counties	11,712	6,555	5,157	7,149	4,157	2,992	4,563	2,398	2,165
Nonmetropolitan counties	19,134	11,149	7,985	11,515	6,966	4,549	7,619	4,183	3,436
Idaho	5,033	3,144	1,889	4,933	3,080	1,853	100	64	36
Nonmetropolitan counties	5,033	3,144	1,889	4,933	3,080	1,853	100	64	36
Illinois	96,636	55,272	41,364	88,032	50,422	37,610	8,604	4,850	3,754
Metropolitan counties	69,109	39,553	29,556	61,172	35,085	26,087	7,937	4,468	3,469
Nonmetropolitan counties	27,527	15,719	11,808	26,860	15,337	11,523	667	382	285
Indiana	41,355	23,642	17,713	39,063	22,377	16,686	2,292	1,265	1,027
Metropolitan counties	17,767	10,177	7,590	15,761	9,074	6,687	2,006	1,103	903
Nonmetropolitan counties	23,588	13,465	10,123	23,302	13,303	9,999	286	162	124
Iowa	26,787	15,246	11,541	26,508	15,091	11,417	279	155	124
Metropolitan counties	7,104	4,011	3,093	6,932	3,919	3,013	172	92	80
Nonmetropolitan counties	19,683	11,235	8,448	19,576	11,172	8,404	107	63	44
Kansas	19,325	11,105	8,220	18,310	10,529	7,781	1,015	576	439
Metropolitan counties	5,391	3,094	2,297	4,783	2,745	2,038	608	349	259
Nonmetropolitan counties	13,934	8,011	5,923	13,527	7,784	5,743	407	227	180
Kentucky	27,635	15,754	11,881	24,485	14,020	10,465	3,150	1,734	1,416
Metropolitan counties	8,976	4,924	4,052	7,602	4,167	3,435	1,374	757	617
Nonmetropolitan counties	18,659	10,830	7,829	16,883	9,853	7,030	1,776	977	799
Louisiana	25,273	14,429	10,844	14,855	8,845	6,010	10,418	5,584	4,834
Metropolitan parishes	10,575	5,830	4,745	6,564	3,743	2,821	4,011	2,087	1,924
Nonmetropolitan parishes	14,698	8,599	6,099	8,291	5,102	3,189	6,407	3,497	2,910
Maine	9,920	5,556	4,364	9,886	5,540	4,346	34	16	18
Metropolitan counties	1,884	1,010	874	1,878	1,006	872	6	4	2
Nonmetropolitan counties	8,036	4,546	3,490	8,008	4,534	3,474	28	12	16
Maryland	23,617	13,182	10,435	19,102	10,671	8,431	4,515	2,511	2,004
Metropolitan counties	16,795	9,308	7,487	13,402	7,423	5,979	3,393	1,885	1,508
Nonmetropolitan counties	6,822	3,874	2,948	5,700	3,248	2,452	1,122	626	496
Massachusetts[1]	51,827	27,911	23,916	50,919	27,365	23,554	908	546	362
Michigan	62,171	36,335	25,836	57,509	33,683	23,826	4,662	2,652	2,010
Metropolitan counties	39,280	22,872	16,408	35,193	20,574	14,619	4,087	2,298	1,789
Nonmetropolitan counties	22,891	13,463	9,428	22,316	13,109	9,207	575	354	221
Minnesota	29,454	17,249	12,205	29,127	17,053	12,074	327	196	131
Metropolitan counties	13,675	7,877	5,798	13,467	7,751	5,716	208	126	82
Nonmetropolitan counties	15,779	9,372	6,407	15,660	9,302	6,358	119	70	49
Mississippi	20,556	11,580	8,976	9,549	5,706	3,843	11,007	5,874	5,133
Metropolitan counties	1,335	742	593	588	340	248	747	402	345
Nonmetropolitan counties	19,221	10,838	8,383	8,961	5,366	3,595	10,260	5,472	4,788
Missouri	45,394	25,822	19,572	40,784	23,234	17,550	4,610	2,588	2,022
Metropolitan counties	24,391	13,574	10,817	20,777	11,553	9,224	3,614	2,021	1,593
Nonmetropolitan counties	21,003	12,248	8,755	20,007	11,681	8,326	996	567	429

[1]Data for Massachusetts are shown only for the State as a whole. United States totals for metropolitan and nonmetropolitan counties include estimates for this area; for explanation, see text in Volume I.

Table 46. Deaths by Race and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Montana	6,154	3,934	2,220	5,890	3,788	2,102	264	146	118
Nonmetropolitan counties	6,154	3,934	2,220	5,890	3,788	2,102	264	146	118
Nebraska	13,380	7,741	5,639	13,068	7,568	5,500	312	173	139
Metropolitan counties	4,320	2,471	1,849	4,076	2,334	1,742	244	137	107
Nonmetropolitan counties	9,060	5,270	3,790	8,992	5,234	3,758	68	36	32
Nevada	1,889	1,288	601	1,719	1,188	531	170	100	70
Nonmetropolitan counties	1,889	1,288	601	1,719	1,188	531	170	100	70
New Hampshire	6,103	3,455	2,648	6,097	3,451	2,646	6	4	2
Metropolitan counties	1,748	987	761	1,746	986	760	2	1	1
Nonmetropolitan counties	4,355	2,468	1,887	4,351	2,465	1,886	4	3	1
New Jersey	52,939	29,389	23,550	48,895	27,186	21,709	4,044	2,203	1,841
Metropolitan counties	46,783	26,000	20,783	43,266	24,098	19,168	3,517	1,902	1,615
Nonmetropolitan counties	6,156	3,389	2,767	5,629	3,088	2,541	527	301	226
New Mexico	5,578	3,263	2,315	4,933	2,927	2,006	645	336	309
Metropolitan counties	1,240	687	553	1,164	651	513	76	36	40
Nonmetropolitan counties	4,338	2,576	1,762	3,769	2,276	1,493	569	300	269
New York	163,914	90,671	73,243	153,407	84,929	68,478	10,507	5,742	4,765
Metropolitan counties	135,000	74,606	60,394	124,888	69,106	55,782	10,112	5,500	4,612
Nonmetropolitan counties	28,914	16,065	12,849	28,519	15,823	12,696	395	242	153
North Carolina	31,797	18,438	13,359	21,176	12,554	8,622	10,621	5,884	4,737
Metropolitan counties	7,090	3,993	3,097	4,641	2,656	1,985	2,449	1,337	1,112
Nonmetropolitan counties	24,707	14,445	10,262	16,535	9,898	6,637	8,172	4,547	3,625
North Dakota	5,204	3,216	1,988	5,076	3,144	1,932	128	72	56
Nonmetropolitan counties	5,204	3,216	1,988	5,076	3,144	1,932	128	72	56
Ohio	86,175	48,852	37,323	79,736	45,180	34,556	6,439	3,672	2,767
Metropolitan counties	56,963	32,346	24,617	51,088	29,016	22,072	5,875	3,330	2,545
Nonmetropolitan counties	29,212	16,506	12,706	28,648	16,164	12,484	564	342	222
Oklahoma	19,848	11,797	8,051	17,461	10,463	6,998	2,387	1,334	1,053
Metropolitan counties	5,273	3,052	2,221	4,646	2,715	1,931	627	337	290
Nonmetropolitan counties	14,575	8,745	5,830	12,815	7,748	5,067	1,760	997	763
Oregon	14,553	8,883	5,670	14,303	8,734	5,569	250	149	101
Metropolitan counties	6,706	3,958	2,748	6,551	3,859	2,692	155	99	56
Nonmetropolitan counties	7,847	4,925	2,922	7,752	4,875	2,877	95	50	45
Pennsylvania	112,620	62,695	49,925	104,583	58,235	46,348	8,037	4,460	3,577
Metropolitan counties	87,666	48,707	38,959	78,949	44,418	35,531	7,717	4,289	3,428
Nonmetropolitan counties	24,954	13,988	10,966	24,634	13,817	10,817	320	171	149
Rhode Island	8,286	4,402	3,884	8,116	4,309	3,807	170	93	77
Metropolitan counties	7,301	3,884	3,417	7,168	3,809	3,359	133	75	58
Nonmetropolitan counties	985	518	467	948	500	448	37	18	19
South Carolina	18,579	10,592	7,987	9,904	5,898	4,006	8,675	4,694	3,981
Metropolitan counties	4,802	2,737	2,065	2,780	1,674	1,106	2,022	1,063	959
Nonmetropolitan counties	13,777	7,855	5,922	7,124	4,224	2,900	6,653	3,631	3,022
South Dakota	5,841	3,559	2,282	5,534	3,376	2,158	307	183	124
Metropolitan counties	595	350	245	595	350	245	-	-	-
Nonmetropolitan counties	5,246	3,209	2,037	4,939	3,026	1,913	307	183	124
Tennessee	29,309	16,502	12,807	22,530	12,932	9,598	6,779	3,570	3,209
Metropolitan counties	12,672	7,016	5,662	8,401	4,797	3,604	4,271	2,213	2,058
Nonmetropolitan counties	16,637	9,492	7,145	14,129	8,135	5,994	2,508	1,357	1,151
Texas	66,271	39,280	26,991	55,187	33,057	22,130	11,084	6,223	4,861
Metropolitan counties	30,583	18,039	12,544	25,249	14,990	10,259	5,334	3,049	2,285
Nonmetropolitan counties	35,688	21,241	14,447	29,938	18,067	11,871	5,750	3,174	2,576
Utah	5,274	3,099	2,175	5,123	3,004	2,119	151	95	56
Metropolitan counties	2,946	1,728	1,218	2,876	1,674	1,202	70	54	16
Nonmetropolitan counties	2,328	1,371	957	2,247	1,330	917	81	41	40
Vermont	4,036	2,214	1,822	4,027	2,206	1,821	9	8	1
Nonmetropolitan counties	4,036	2,214	1,822	4,027	2,206	1,821	9	8	1
Virginia	30,007	17,215	12,792	21,049	12,170	8,879	8,958	5,045	3,913
Metropolitan counties	10,571	5,910	4,661	7,289	4,138	3,151	3,282	1,772	1,510
Nonmetropolitan counties	19,436	11,305	8,131	13,760	8,032	5,728	5,676	3,273	2,403
Washington	23,341	14,154	9,187	22,669	13,733	8,936	672	421	251
Metropolitan counties	13,501	8,112	5,389	13,086	7,843	5,243	415	269	146
Nonmetropolitan counties	9,840	6,042	3,798	9,583	5,890	3,693	257	152	105
West Virginia	16,635	9,783	6,852	15,373	9,065	6,308	1,262	718	544
Metropolitan counties	5,350	3,161	2,189	4,945	2,936	2,009	405	225	180
Nonmetropolitan counties	11,285	6,622	4,663	10,428	6,129	4,299	857	493	364
Wisconsin	34,917	20,000	14,917	34,399	19,718	14,681	518	282	236
Metropolitan counties	13,587	7,751	5,836	13,244	7,569	5,675	343	182	161
Nonmetropolitan counties	21,330	12,249	9,081	21,155	12,149	9,006	175	100	75
Wyoming	2,349	1,517	832	2,287	1,487	800	62	30	32
Nonmetropolitan counties	2,349	1,517	832	2,287	1,487	800	62	30	32

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 47. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1953

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,517,541	108,405	18,235	15,269	25,720	38,910	73,860	148,358	259,821	363,568	331,816	132,584	995
Metropolitan counties	886,219	57,817	9,172	7,435	12,120	22,223	45,391	95,374	166,317	217,639	182,314	70,005	412
Nonmetropolitan counties	631,322	50,588	9,063	7,834	13,600	16,687	28,469	52,984	93,504	145,929	149,502	62,579	583
Alabama	27,116	2,810	500	423	784	1,044	1,794	3,053	4,552	5,817	4,665	1,612	62
Metropolitan counties	9,802	965	168	156	245	424	739	1,283	1,871	2,040	1,448	454	9
Nonmetropolitan counties	17,314	1,845	332	267	539	620	1,055	1,770	2,681	3,777	3,217	1,158	53
Arizona	7,750	1,268	214	135	249	333	491	813	1,224	1,468	1,090	440	25
Metropolitan counties	3,349	457	74	47	101	120	233	381	545	697	470	216	8
Nonmetropolitan counties	4,401	811	140	88	148	213	258	432	679	771	620	224	17
Arkansas	15,497	1,272	265	247	328	440	791	1,407	2,504	3,624	3,388	1,227	4
Metropolitan counties	1,776	159	33	12	29	43	99	192	322	394	347	146	-
Nonmetropolitan counties	13,721	1,113	232	235	299	397	692	1,215	2,182	3,230	3,041	1,081	4
California	109,903	7,302	1,224	969	1,734	3,050	5,762	11,193	18,686	26,740	23,414	9,767	62
Metropolitan counties	89,090	5,667	921	713	1,266	2,390	4,648	9,211	15,440	21,690	19,142	7,983	19
Nonmetropolitan counties	20,813	1,635	303	256	468	660	1,114	1,982	3,246	5,050	4,272	1,784	43
Colorado	12,963	1,247	190	136	234	341	533	1,079	1,850	2,924	3,028	1,398	3
Metropolitan counties	6,749	625	95	63	92	186	308	621	1,004	1,550	1,505	700	-
Nonmetropolitan counties	6,214	622	95	73	142	155	225	458	846	1,374	1,523	698	3
Connecticut	20,695	1,033	144	134	212	365	831	1,873	3,912	5,363	4,809	1,999	20
Metropolitan counties	16,239	820	117	91	160	290	681	1,512	3,191	4,254	3,635	1,474	14
Nonmetropolitan counties	4,456	213	27	43	52	75	150	361	721	1,109	1,174	525	6
Delaware	3,576	254	42	32	74	111	198	379	589	812	754	331	-
Metropolitan counties	2,305	157	22	19	41	60	132	281	391	531	460	211	-
Nonmetropolitan counties	1,271	97	20	13	33	51	66	98	198	281	294	120	-
District of Columbia	8,545	631	67	60	129	298	649	1,141	1,625	1,781	1,544	614	6
Florida	30,668	2,494	399	342	560	1,044	1,969	3,714	5,331	6,996	5,752	2,047	20
Metropolitan counties	15,285	1,008	174	141	209	525	955	1,990	2,773	3,670	2,867	968	5
Nonmetropolitan counties	15,383	1,486	225	201	351	519	1,014	1,724	2,558	3,326	2,885	1,079	15
Georgia	30,846	3,064	547	440	867	1,240	2,294	3,986	5,451	6,248	4,961	1,733	15
Metropolitan counties	11,712	1,058	185	155	290	507	988	1,771	2,269	2,246	1,690	548	5
Nonmetropolitan counties	19,134	2,006	362	285	577	733	1,306	2,215	3,182	4,002	3,271	1,185	10
Idaho	5,033	426	79	89	135	145	249	412	725	1,162	1,133	473	5
Nonmetropolitan counties	5,033	426	79	89	135	145	249	412	725	1,162	1,133	473	5
Illinois	96,636	5,327	916	809	1,300	2,221	4,517	9,695	18,061	24,087	21,250	8,448	5
Metropolitan counties	69,109	4,040	678	545	915	1,748	3,641	7,791	14,122	17,362	13,391	4,871	5
Nonmetropolitan counties	27,527	1,287	238	264	385	473	876	1,904	3,939	6,725	7,859	3,577	-
Indiana	41,355	2,786	471	385	703	982	1,694	3,538	6,396	9,767	10,191	4,408	34
Metropolitan counties	17,767	1,400	200	167	270	494	918	1,836	3,131	4,185	3,666	1,485	15
Nonmetropolitan counties	23,588	1,386	271	218	433	488	776	1,702	3,265	5,582	6,525	2,923	19
Iowa	26,787	1,357	254	235	375	446	818	1,852	3,909	6,263	7,590	3,669	19
Metropolitan counties	7,104	419	67	46	92	131	259	602	1,140	1,766	1,794	785	3
Nonmetropolitan counties	19,683	938	187	189	283	315	559	1,250	2,769	4,497	5,796	2,884	16
Kansas	19,325	1,273	197	160	331	424	645	1,432	2,669	4,601	5,145	2,436	12
Metropolitan counties	5,391	507	74	47	85	148	248	512	816	1,199	1,194	554	7
Nonmetropolitan counties	13,934	766	123	113	246	276	397	920	1,853	3,402	3,951	1,882	5
Kentucky	27,635	2,413	398	337	624	854	1,430	2,506	3,999	6,066	6,385	2,612	11
Metropolitan counties	8,976	676	105	71	127	240	494	1,016	1,539	2,000	1,898	809	3
Nonmetropolitan counties	18,659	1,737	293	266	497	614	936	1,490	2,460	4,066	4,489	1,803	8
Louisiana	25,273	2,752	438	377	614	770	1,473	2,883	4,283	5,810	4,238	1,622	13
Metropolitan parishes	10,575	939	148	111	181	321	658	1,418	2,049	2,460	1,685	597	8
Nonmetropolitan parishes	14,698	1,813	290	266	433	449	815	1,465	2,234	3,350	2,553	1,025	5
Maine	9,920	578	101	100	161	179	340	677	1,423	2,435	2,744	1,176	6
Metropolitan counties	1,884	109	13	15	24	35	56	143	258	486	526	217	2
Nonmetropolitan counties	8,036	469	88	85	137	144	284	534	1,165	1,949	2,218	959	4
Maryland	23,617	1,741	302	225	386	682	1,381	2,619	4,215	5,528	4,631	1,883	24
Metropolitan counties	16,795	1,236	224	159	247	504	1,037	2,017	3,192	3,920	3,030	1,218	11
Nonmetropolitan counties	6,822	505	78	66	139	178	344	602	1,023	1,608	1,601	665	13
Massachusetts[1]	51,827	2,321	392	357	502	841	1,952	4,286	9,269	13,410	13,027	5,383	107
Michigan	62,171	4,731	797	774	1,084	1,671	3,015	6,148	11,193	14,827	12,796	5,109	26
Metropolitan counties	39,280	3,214	524	466	678	1,149	2,142	4,531	7,880	9,121	6,889	2,675	11
Nonmetropolitan counties	22,891	1,517	273	308	406	522	873	1,617	3,313	5,706	5,907	2,434	15
Minnesota	29,454	1,839	350	318	402	554	1,010	2,179	4,419	7,202	7,632	3,543	6
Metropolitan counties	13,675	872	154	113	176	282	511	1,088	2,279	3,485	3,221	1,491	3
Nonmetropolitan counties	15,779	967	196	205	226	272	499	1,091	2,140	3,717	4,411	2,052	3
Mississippi	20,556	2,549	477	303	569	729	1,182	2,058	2,909	4,382	3,792	1,571	35
Metropolitan counties	1,335	157	26	17	28	55	92	172	190	274	237	86	1
Nonmetropolitan counties	19,221	2,392	451	286	541	674	1,090	1,886	2,719	4,108	3,555	1,485	34
Missouri	45,394	2,558	398	402	618	902	1,806	3,951	7,239	11,099	11,516	4,875	30
Metropolitan counties	24,391	1,437	214	207	280	546	1,139	2,572	4,502	5,972	5,352	2,161	9
Nonmetropolitan counties	21,003	1,121	184	195	338	356	667	1,379	2,737	5,127	6,164	2,714	21

[1]Data for Massachusetts are shown only for the State as a whole. United States totals for metropolitan and nonmetropolitan counties include estimates for this area; for explanation, see text in Volume I.

Table 47. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1953—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,154	480	96	88	131	169	308	498	957	1,558	1,303	561	5
Nonmetropolitan counties	6,154	480	96	88	131	169	308	498	957	1,558	1,303	561	5
Nebraska	13,380	799	168	157	200	244	455	933	1,967	3,203	3,558	1,694	2
Metropolitan counties	4,320	293	52	37	56	85	171	361	734	1,070	1,027	433	1
Nonmetropolitan counties	9,060	506	116	120	144	159	284	572	1,233	2,133	2,531	1,261	1
Nevada	1,889	174	29	21	41	75	127	237	336	405	327	106	11
Nonmetropolitan counties	1,889	174	29	21	41	75	127	237	336	405	327	106	11
New Hampshire	6,103	281	51	41	67	90	191	479	918	1,472	1,716	783	14
Metropolitan counties	1,748	91	22	16	11	24	55	144	289	452	452	184	8
Nonmetropolitan counties	4,355	190	29	25	56	66	136	335	629	1,020	1,264	599	6
New Jersey	52,939	2,638	410	341	580	1,039	2,505	5,538	10,489	13,838	11,304	4,255	2
Metropolitan counties	46,783	2,324	362	302	497	921	2,278	5,030	9,352	12,235	9,817	3,664	1
Nonmetropolitan counties	6,156	314	48	39	83	118	227	508	1,137	1,603	1,487	591	1
New Mexico	5,578	1,147	198	107	229	241	352	481	711	908	842	354	8
Metropolitan counties	1,240	250	40	17	29	60	75	134	190	181	189	74	1
Nonmetropolitan counties	4,338	897	158	90	200	181	277	347	521	727	653	280	7
New York	163,914	8,008	1,313	1,135	1,733	3,311	7,318	17,147	32,035	42,851	35,797	13,219	47
Metropolitan counties	135,000	6,549	1,023	878	1,351	2,810	6,424	15,048	27,638	35,725	27,858	9,670	26
Nonmetropolitan counties	28,914	1,459	290	257	382	501	894	2,099	4,397	7,126	7,939	3,549	21
North Carolina	31,797	3,658	614	507	967	1,338	2,289	3,641	5,103	6,557	5,350	1,765	8
Metropolitan counties	7,090	621	119	113	163	287	582	992	1,321	1,385	1,092	413	2
Nonmetropolitan counties	24,707	3,037	495	394	804	1,051	1,707	2,649	3,782	5,172	4,258	1,352	6
North Dakota	5,204	452	82	70	130	99	217	394	700	1,285	1,252	520	3
Nonmetropolitan counties	5,204	452	82	70	130	99	217	394	700	1,285	1,252	520	3
Ohio	86,175	5,533	930	741	1,243	1,966	3,707	7,857	14,702	20,901	20,310	8,211	68
Metropolitan counties	56,963	3,862	602	459	731	1,367	2,719	5,787	10,637	14,093	12,868	4,597	41
Nonmetropolitan counties	29,212	1,671	334	282	512	599	988	2,070	4,065	6,808	8,242	3,614	27
Oklahoma	19,848	1,461	266	216	366	515	821	1,691	2,925	4,514	5,050	2,011	12
Metropolitan counties	5,273	496	83	65	87	168	280	566	811	1,136	1,111	467	3
Nonmetropolitan counties	14,575	965	183	151	279	347	541	1,125	2,114	3,378	3,939	1,544	9
Oregon	14,553	926	149	152	217	356	640	1,377	2,357	3,541	3,381	1,441	16
Metropolitan counties	6,706	346	49	40	75	118	256	642	1,116	1,713	1,638	702	9
Nonmetropolitan counties	7,847	580	100	112	142	238	382	735	1,241	1,828	1,743	739	7
Pennsylvania	112,620	6,145	983	847	1,365	2,280	5,018	11,033	20,854	29,167	25,468	9,425	35
Metropolitan counties	87,666	4,789	743	617	980	1,800	4,055	8,928	16,794	22,702	19,238	6,990	30
Nonmetropolitan counties	24,954	1,356	240	230	385	480	963	2,105	4,060	6,465	6,230	2,435	5
Rhode Island	8,286	434	53	61	85	117	291	708	1,513	2,229	2,013	780	2
Metropolitan counties	7,301	360	44	55	75	102	252	629	1,339	1,994	1,767	683	1
Nonmetropolitan counties	985	74	9	6	10	15	39	79	174	235	246	97	1
South Carolina	18,579	2,192	440	319	590	884	1,457	2,504	3,457	3,536	2,389	780	31
Metropolitan counties	4,802	553	108	72	135	249	411	684	920	872	579	213	6
Nonmetropolitan counties	13,777	1,639	332	247	455	635	1,046	1,820	2,537	2,664	1,810	567	25
South Dakota	5,841	441	98	71	131	139	214	411	833	1,364	1,477	638	4
Metropolitan counties	595	45	6	4	5	20	25	42	92	145	149	61	1
Nonmetropolitan counties	5,246	396	92	67	126	119	189	369	741	1,239	1,328	577	3
Tennessee	29,309	2,522	396	353	651	963	1,683	2,941	4,550	6,630	6,321	2,296	3
Metropolitan counties	12,672	1,093	154	130	252	449	837	1,638	2,271	2,772	2,264	809	3
Nonmetropolitan counties	16,637	1,429	242	223	399	514	846	1,303	2,279	3,858	4,057	1,487	-
Texas	66,271	8,069	1,301	937	1,782	2,373	3,860	7,001	10,464	13,597	12,261	4,590	36
Metropolitan counties	30,583	3,862	548	409	791	1,252	2,095	3,733	5,186	5,983	4,901	1,819	4
Nonmetropolitan counties	35,688	4,207	753	528	991	1,121	1,765	3,268	5,278	7,614	7,360	2,771	32
Utah	5,274	551	83	87	155	176	285	442	780	1,167	1,111	429	8
Metropolitan counties	2,946	269	37	44	64	79	154	281	479	682	603	251	3
Nonmetropolitan counties	2,328	282	46	43	91	97	131	161	301	485	508	178	5
Vermont	4,036	230	31	47	53	75	122	285	599	963	1,125	502	4
Nonmetropolitan counties	4,036	230	31	47	53	75	122	285	599	963	1,125	502	4
Virginia	30,007	2,966	407	374	705	1,056	1,879	3,199	5,042	6,567	5,679	2,083	50
Metropolitan counties	10,571	1,034	131	117	203	403	768	1,383	1,985	2,157	1,777	600	13
Nonmetropolitan counties	19,436	1,932	276	257	502	653	1,111	1,816	3,057	4,410	3,902	1,483	37
Washington	23,341	1,563	261	208	326	488	1,062	1,993	3,588	5,929	5,550	2,362	11
Metropolitan counties	13,501	846	128	103	155	276	622	1,196	2,157	3,455	3,189	1,371	3
Nonmetropolitan counites	9,840	717	133	105	171	212	440	797	1,431	2,474	2,361	991	8
West Virginia	16,635	1,387	254	215	380	509	879	1,677	2,552	3,727	3,649	1,347	59
Metropolitan counties	5,350	428	94	65	119	157	268	587	881	1,250	1,105	386	10
Nonmetropolitan counties	11,285	959	160	150	261	352	611	1,090	1,671	2,477	2,544	961	49
Wisconsin	34,917	2,079	422	350	546	667	1,265	2,792	5,556	8,703	8,658	3,875	4
Metropolitan counties	13,587	883	164	124	191	278	558	1,285	2,549	3,502	2,875	1,178	-
Nonmetropolitan counties	21,330	1,196	258	226	355	389	707	1,507	3,007	5,201	5,783	2,697	4
Wyoming	2,349	243	32	35	72	74	111	225	400	524	450	181	2
Nonmetropolitan counties	2,349	243	32	35	72	74	111	225	400	524	450	181	2

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953

(Exclusive of fetal deaths and of deaths among armed forces overseas. Rates per 100,000 estimated midyear population in each specified group, excluding armed forces overseas. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1953, and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,517,541	766,703	569,132	100,397	81,309	958.6	1,097.7	795.0	1,225.0	937.0
	I. Infective and parasitic diseases										
	Tuberculosis of respiratory system (001-008)										
001	Respiratory tuberculosis with mention of occupational disease of lung	492	461	6	25	-	0.3	0.7	0.0	0.3	0
002	Pulmonary tuberculosis	16,566	8,808	3,420	2,805	1,533	10.5	12.6	4.8	34.2	17.7
003	Pleural tuberculosis	211	89	60	38	24	0.1	0.1	0.1	0.5	0.3
.0	Pleurisy specified as tuberculous	71	31	17	18	5	0.0	0.0	0.0	0.2	0.1
.1	Pleurisy with effusion without mention of cause	140	58	43	20	19	0.1	0.1	0.1	0.2	0.2
004	Primary tuberculosis complex with symptoms	8	3	1	3	1	0.0	0.0	0.0	0.0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	10	7	2	-	1	0.0	0.0	0.0	0	0.0
007	Other respiratory tuberculosis	8	6	2	-	-	0.0	0.0	0.0	0	0
008	Tuberculosis, unspecified site	519	231	126	94	68	0.3	0.3	0.2	1.1	0.8
	Tuberculosis, other forms (010-019)										
010	Tuberculosis of meninges and central nervous system	583	170	149	146	118	0.4	0.2	0.2	1.8	1.4
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	117	26	35	24	32	0.1	0.0	0.0	0.3	0.4
012	Tuberculosis of bones and joints, active or unspecified	157	64	54	24	15	0.1	0.1	0.1	0.3	0.2
.0	Active or unspecified tuberculosis of vertebral column	117	53	37	14	13	0.1	0.1	0.1	0.2	0.1
.1	Active or unspecified tuberculosis of hip	9	3	5	1	-	0.0	0.0	0.0	0.0	0
.2	Active or unspecified tuberculosis of knee	6	2	2	-	2	0.0	0.0	0.0	0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	25	6	10	9	-	0.0	0.0	0.0	0.1	0
013	Late effects of tuberculosis of bones and joints	3	2	1	-	-	0.0	0.0	0.0	0	0
.0	Late effects of tuberculosis of vertebral column	3	2	1	-	-	0.0	0.0	0.0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	7	1	4	-	2	0.0	0.0	0.0	0	0.0
015	Tuberculosis of lymphatic system	30	13	6	7	4	0.0	0.0	0.0	0.1	0.0
016	Tuberculosis of genito-urinary system	251	144	74	25	8	0.2	0.2	0.1	0.3	0.1
017	Tuberculosis of adrenal glands	31	11	13	3	4	0.0	0.0	0.0	0.0	0.0
018	Tuberculosis of other organs	29	17	1	9	2	0.0	0.0	0.0	0.1	0.0
019	Disseminated tuberculosis	522	161	86	157	118	0.3	0.2	0.1	1.9	1.4
.1	Acute miliary tuberculosis, unspecified	36	16	8	7	5	0.0	0.0	0.0	0.1	0.1
.2	Other forms of disseminated tuberculosis	486	145	78	150	113	0.3	0.2	0.1	1.8	1.3
	Syphilis and its sequelae (020-029)										
020	Congenital syphilis	89	22	13	32	22	0.1	0.0	0.0	0.4	0.3
.0	Interstitial keratitis	1	1	-	-	-	0.0	0.0	0	0	0
.1	Juvenile neurosyphilis	12	7	1	1	3	0.0	0.0	0.0	0.0	0.0
.2	Other congenital syphilis	76	14	12	31	19	0.0	0.0	0.0	0.4	0.2
022	Aneurysm of aorta	1,770	1,062	318	266	124	1.1	1.5	0.4	3.2	1.4
023	Other cardiovascular syphilis	1,808	781	247	557	223	1.1	1.1	0.3	6.8	2.6
024	Tabes dorsalis	138	87	31	16	4	0.1	0.1	0.0	0.2	0.0
025	General paralysis of insane	783	371	100	225	87	0.5	0.5	0.1	2.7	1.0
026	Other syphilis of central nervous system	538	224	104	150	60	0.3	0.3	0.1	1.8	0.7
027	Other forms of late syphilis	73	34	12	18	9	0.0	0.0	0.0	0.2	0.1
028	Latent syphilis	10	4	-	4	2	0.0	0.0	0	0.0	0.0
029	Syphilis, unqualified	64	18	14	19	13	0.0	0.0	0.0	0.2	0.1
	Gonococcal infection and other venereal diseases (030-039)										
030	Acute or unspecified gonorrhea	4	-	-	2	2	0.0	0	0	0.0	0.0
031	Chronic gonococcal infection of genito-urinary system	11	2	1	-	8	0.0	0.0	0.0	0	0.1
033	Gonococcal infection of eye	2	1	-	1	-	0.0	0.0	0	0.0	0
034	Gonococcal infection of other sites	1	-	-	-	1	0.0	0	0	0	0.0
035	Late effects of gonococcal infection	11	7	-	3	1	0.0	0.0	0	0.0	0.0
037	Lymphogranuloma venereum	21	1	1	2	17	0.0	0.0	0.0	0.0	0.2
038	Granuloma inguinale, venereal	13	-	1	3	9	0.0	0	0.0	0.0	0.1
039	Other and unspecified venereal diseases	2	2	-	-	-	0.0	0.0	0	0	0
	Infectious diseases commonly arising in intestinal tract (040-049)										
040	Typhoid fever	52	21	17	6	8	0.0	0.0	0.0	0.1	0.1
041	Paratyphoid fever	24	6	12	3	3	0.0	0.0	0.0	0.0	0.0
042	Other Salmonella infections	48	19	17	9	3	0.0	0.0	0.0	0.1	0.0
044	Brucellosis (undulant fever)	18	14	3	1	-	0.0	0.0	0.0	0.0	0
045	Bacillary dysentery	337	103	110	67	57	0.2	0.1	0.2	0.8	0.7
.0	Flexner-Boyd group	6	3	1	-	2	0.0	0.0	0.0	0	0.0
.2	Shiga	38	11	7	10	10	0.0	0.0	0.0	0.1	0.1
.3	Sonne	1	1	-	-	-	0.0	0.0	0	0	0
.4	Bacillary, other, and unspecified	292	88	102	57	45	0.2	0.1	0.1	0.7	0.5
046	Amebiasis	129	61	38	15	15	0.1	0.1	0.1	0.2	0.2
048	Unspecified forms of dysentery	416	155	130	79	52	0.3	0.2	0.2	1.0	0.6
049	Food poisoning (infection and intoxication)	129	46	33	22	28	0.1	0.1	0.0	0.3	0.3
.0	Staphylococcal	2	-	-	1	1	0.0	0	0	0.0	0.0
.1	Botulism	17	6	9	2	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	110	40	24	19	27	0.1	0.1	0.0	0.2	0.3
	Other bacterial diseases (050-064)										
050	Scarlet fever	79	38	36	2	3	0.0	0.1	0.1	0.0	0.0
051	Streptococcal sore throat	216	97	90	13	16	0.1	0.1	0.1	0.2	0.2
052	Erysipelas	45	27	16	-	2	0.0	0.0	0.0	0	0.0
053	Septicemia and pyemia	783	368	260	99	56	0.5	0.5	0.4	1.2	0.6
.0	Streptococcus	68	28	29	6	5	0.0	0.0	0.0	0.1	0.1
.1	Staphylococcus	94	57	25	11	1	0.1	0.1	0.0	0.1	0.0
.2	Pneumococcus	29	14	7	7	1	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism	38	22	10	3	3	0.0	0.0	0.0	0.0	0.0
.4	Organism unspecified	554	247	189	72	46	0.3	0.4	0.3	0.9	0.5
054	Bacterial toxemia	1	1	-	-	-	0.0	0.0	0	0	0

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases (050-064)—Continued										
055	Diphtheria	156	58	44	32	22	0.1	0.1	0.1	0.4	0.3
056	Whooping cough	270	68	95	49	58	0.2	0.1	0.1	0.6	0.7
.0	Without mention of pneumonia	113	34	41	16	22	0.1	0.0	0.1	0.2	0.3
.1	With pneumonia	157	34	54	33	36	0.1	0.0	0.1	0.4	0.4
057	Meningococcal infections	1,325	654	457	115	99	0.8	0.9	0.6	1.4	1.1
.0	Meningococcal meningitis	700	342	231	70	57	0.4	0.5	0.3	0.9	0.7
.1	Acute and unspecified meningococcemia	622	311	224	45	42	0.4	0.4	0.3	0.5	0.5
.2	Chronic meningococcemia	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Other forms of meningococcal infection	1	-	1	-	-	0.0	0	0.0	0	0
059	Tularemia	7	4	1	1	1	0.0	0.0	0.0	0.0	0.0
060	Leprosy	7	4	3	-	-	0.0	0.0	0.0	0	0
061	Tetanus	337	111	75	84	67	0.2	0.2	0.1	1.0	0.8
063	Gas gangrene	30	22	4	2	2	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	3	3	-	-	-	0.0	0.0	0	0	0
	Spirochetal diseases, except syphilis (070-074)										
070	Vincent's infection	15	4	7	1	3	0.0	0.0	0.0	0.0	0.0
072	Leptospirosis icterchemorrhagica (Weil's disease)	17	6	3	7	1	0.0	0.0	0.0	0.1	0.0
	Diseases attributable to viruses (080-096)										
080	Acute poliomyelitis	1,450	803	562	48	37	0.9	1.1	0.8	0.6	0.4
.0	Specified as bulbar or polioencephalitis	1,030	568	410	30	22	0.7	0.8	0.6	0.4	0.3
.1	With other paralysis	60	34	24	1	1	0.0	0.0	0.0	0.0	0.0
.3	Unspecified	360	201	128	17	14	0.2	0.3	0.2	0.2	0.2
081	Late effects of acute poliomyelitis	127	63	52	7	5	0.1	0.1	0.1	0.1	0.1
082	Acute infectious encephalitis	386	194	135	30	27	0.2	0.3	0.2	0.4	0.3
A	Arthropod-borne encephalitis	41	26	10	3	2	0.0	0.0	0.0	0.0	0.0
B	Other acute encephalitis	345	168	125	27	25	0.2	0.2	0.2	0.3	0.3
083	Late effects of acute infectious encephalitis	130	86	38	5	1	0.1	0.1	0.1	0.1	0.0
.0	Postencephalitic Parkinsonism	97	67	27	3	-	0.1	0.1	0.0	0.0	0
.1	Postencephalitic personality and character disorders	1	-	1	-	-	0.0	0	0.0	0	0
.2	Postencephalitic psychosis	4	2	2	-	-	0.0	0.0	0.0	0	0
.3	Other postencephalitic conditions	28	17	8	2	1	0.0	0.0	0.0	0.0	0.0
084	Smallpox	1	1	-	-	-	0.0	0.0	0	0	0
085	Measles	462	202	182	31	47	0.3	0.3	0.3	0.4	0.5
.0	Without mention of pneumonia	216	86	94	12	24	0.1	0.1	0.1	0.1	0.3
.1	With pneumonia	246	116	88	19	23	0.2	0.2	0.1	0.2	0.3
086	Rubella (German measles)	17	11	5	1	-	0.0	0.0	0.0	0.0	0
087	Chickenpox	132	59	51	6	16	0.1	0.1	0.1	0.1	0.2
088	Herpes zoster	61	26	33	1	1	0.0	0.0	0.0	0.0	0.0
089	Mumps	46	15	24	3	4	0.0	0.0	0.0	0.0	0.0
092	Infectious hepatitis	821	375	349	46	51	0.5	0.5	0.5	0.6	0.6
093	Glandular fever (infectious mononucleosis)	12	6	4	2	-	0.0	0.0	0.0	0.0	0
094	Rabies	12	4	3	3	2	0.0	0.0	0.0	0.0	0.0
096	Other diseases attributable to viruses	268	114	117	23	14	0.2	0.2	0.2	0.3	0.2
.0	Herpes febrilis	9	3	6	-	-	0.0	0.0	0.0	0	0
.2	Psittacosis and ornithosis	4	2	2	-	-	0.0	0.0	0.0	0	0
.3	Cowpox	1	1	-	-	-	0.0	0.0	0	0	0
.9	Other	254	108	109	23	14	0.2	0.2	0.2	0.3	0.2
	Typhus and other rickettsial diseases (100-108)										
102	Brill's disease, not specified as louse- or flea-borne typhus	2	1	-	1	-	0.0	0.0	0	0.0	0
104	Tick-borne typhus	21	11	5	3	2	0.0	0.0	0.0	0.0	0.0
A	Rocky Mountain spotted fever	21	11	5	3	2	0.0	0.0	0.0	0.0	0.0
107	Typhus, unspecified	6	5	1	-	-	0.0	0.0	0.0	0	0
108	Other rickettsial diseases	1	-	-	1	-	0.0	0	0	0.0	0
	Malaria (110-117)										
110	Vivax malaria (benign tertian)	2	1	-	-	1	0.0	0.0	0	0	0.0
112	Falciparum malaria (malignant tertian)	1	-	-	1	-	0.0	0	0	0.0	0
115	Blackwater fever	1	1	-	-	-	0.0	0.0	0	0	0
116	Other and unspecified forms of malaria	28	10	6	8	4	0.0	0.0	0.0	0.1	0.0
	Other infective and parasitic diseases (120-138)										
122	Other protozoal diseases	19	6	8	2	3	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	5	4	1	-	-	0.0	0.0	0.0	0	0
125	Hydatid disease	8	6	2	-	-	0.0	0.0	0.0	0	0
126	Other cestode infestation	2	1	1	-	-	0.0	0.0	0.0	0	0
128	Trichiniasis	7	5	2	-	-	0.0	0.0	0.0	0	0
129	Ankylostomiasis	6	4	1	1	-	0.0	0.0	0.0	0.0	0
130	Infestation with worms of other, mixed, and unspecified type	78	18	12	27	21	0.0	0.0	0.0	0.3	0.2
131	Dermatophytosis	2	2	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis	30	17	9	3	1	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	85	32	9	39	5	0.1	0.0	0.0	0.5	0.1
134	Other fungus infections	251	150	64	23	14	0.2	0.2	0.1	0.3	0.2
.0	Blastomycosis	23	10	2	7	4	0.0	0.0	0.0	0.1	0.0
.1	Cryptococcosis (torulosis)	48	32	7	5	4	0.0	0.0	0.0	0.1	0.0
.2	Histoplasmosis	55	35	13	6	1	0.0	0.1	0.0	0.1	0.0
.3	Moniliasis	77	45	26	2	4	0.0	0.1	0.0	0.0	0.0
.4	Sporotrichosis	1	1	-	-	-	0.0	0.0	0	0	0
.5	Other	47	27	16	3	1	0.0	0.0	0.0	0.0	0.0
136	Pediculosis	1	1	-	-	-	0.0	0.0	0	0	0
137	Other arthropod infestation	1	1	-	-	-	0.0	0.0	0	0	0
138	Other infective and parasitic diseases	154	44	50	28	32	0.1	0.1	0.1	0.3	0.4

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
	Malignant neoplasm of buccal cavity and pharynx (140-148)										
140	Malignant neoplasm of lip	399	345	43	8	3	0.3	0.5	0.1	0.1	0.0
141	Malignant neoplasm of tongue	1,234	897	241	77	19	0.8	1.3	0.3	0.9	0.2
142	Malignant neoplasm of salivary gland	487	294	169	16	8	0.3	0.4	0.2	0.2	0.1
.0	Mixed salivary gland tumor	37	17	16	4	-	0.0	0.0	0.0	0.0	0
.1	Other	450	277	153	12	8	0.3	0.4	0.2	0.1	0.1
143	Malignant neoplasm of floor of mouth	244	191	31	11	11	0.2	0.3	0.0	0.1	0.1
144	Malignant neoplasm of other parts of mouth and mouth unspecified	790	549	188	32	21	0.5	0.8	0.3	0.4	0.2
145	Malignant neoplasm of oral mesopharynx	380	301	60	17	2	0.2	0.4	0.1	0.2	0.0
146	Malignant neoplasm of nasopharynx	324	217	80	24	3	0.2	0.3	0.1	0.3	0.0
147	Malignant neoplasm of hypopharynx	165	136	20	8	1	0.1	0.2	0.0	0.1	0.0
148	Malignant neoplasm of pharynx, unspecified	1,056	795	158	77	26	0.7	1.1	0.2	0.9	0.3
	Malignant neoplasm of digestive organs and peritoneum (150-159)										
150	Malignant neoplasm of esophagus	4,114	2,813	750	440	111	2.6	4.0	1.0	5.4	1.3
151	Malignant neoplasm of stomach	23,373	13,126	7,815	1,626	806	14.8	18.8	10.9	19.8	9.3
152	Malignant neoplasm of small intestine, including duodenum	680	341	283	28	28	0.4	0.5	0.4	0.3	0.3
153	Malignant neoplasm of large intestine, except rectum	24,015	10,296	12,427	589	703	15.2	14.7	17.4	7.2	8.1
154	Malignant neoplasm of rectum	10,694	5,739	4,276	348	331	6.8	8.2	6.0	4.2	3.8
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	5,121	1,876	2,921	174	150	3.2	2.7	4.1	2.1	1.7
156	Malignant neoplasm of liver (secondary and unspecified)	5,319	2,325	2,444	319	231	3.4	3.3	3.4	3.9	2.7
A	Not stated whether primary or secondary	4,726	2,048	2,187	279	212	3.0	2.9	3.1	3.4	2.4
B	Secondary	593	277	257	40	19	0.4	0.4	0.4	0.5	0.2
157	Malignant neoplasm of pancreas	10,165	5,557	3,896	451	261	6.4	8.0	5.4	5.5	3.0
158	Malignant neoplasm of peritoneum	789	363	379	22	25	0.5	0.5	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	767	313	308	82	64	0.5	0.4	0.4	1.0	0.7
	Malignant neoplasm of respiratory system (160-165)										
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	549	307	203	31	8	0.3	0.4	0.3	0.4	0.1
161	Malignant neoplasm of larynx	1,990	1,670	174	130	16	1.3	2.4	0.2	1.6	0.2
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	10,564	8,523	1,227	688	126	6.7	12.2	1.7	8.4	1.5
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	12,938	9,830	2,248	699	161	8.2	14.1	3.1	8.5	1.9
164	Malignant neoplasm of mediastinum	347	230	86	20	11	0.2	0.3	0.1	0.2	0.1
165	Malignant neoplasm of thoracic organs (secondary)	396	217	142	25	12	0.3	0.3	0.2	0.3	0.1
	Malignant neoplasm of breast and genito-urinary organs (170-181)										
170	Malignant neoplasm of breast	20,566	201	18,929	23	1,413	13.0	0.3	26.4	0.3	16.3
171	Malignant neoplasm of cervix uteri	8,510	...	6,953	...	1,557	5.4	...	9.7	...	17.9
172	Malignant neoplasm of corpus uteri	1,210	...	1,103	...	107	0.8	...	1.5	...	1.2
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	68	...	57	...	11	0.0	...	0.1	...	0.1
174	Malignant neoplasm of uterus, unspecified	5,759	...	4,766	...	993	3.6	...	6.7	...	11.4
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	6,483	...	6,100	...	383	4.1	...	8.5	...	4.4
176	Malignant neoplasm of other and unspecified female genital organs	733	...	667	...	66	0.5	...	0.9	...	0.8
177	Malignant neoplasm of prostate	12,595	11,341	...	1,254	...	8.0	16.2	...	15.3	...
178	Malignant neoplasm of testis	616	601	...	15	...	0.4	0.9	...	0.2	...
179	Malignant neoplasm of other and unspecified male genital organs	267	214	...	53	...	0.2	0.3	...	0.6	...
180	Malignant neoplasm of kidney	4,014	2,391	1,398	135	90	2.5	3.4	2.0	1.6	1.0
181	Malignant neoplasm of bladder and other urinary organs	6,901	4,401	2,010	283	207	4.4	6.3	2.8	3.5	2.4
	Malignant neoplasm of other and unspecified sites (190-199)										
190	Malignant melanoma of skin	1,620	884	710	13	13	1.0	1.3	1.0	0.2	0.1
191	Other malignant neoplasm of skin	1,960	1,134	725	64	37	1.2	1.6	1.0	0.8	0.4
192	Malignant neoplasm of eye	364	174	174	10	6	0.2	0.2	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	5,083	2,827	1,998	163	95	3.2	4.0	2.8	2.0	1.1
194	Malignant neoplasm of thyroid gland	963	344	563	19	37	0.6	0.5	0.8	0.2	0.4
195	Malignant neoplasm of other endocrine glands	431	244	154	19	14	0.3	0.3	0.2	0.2	0.2
196	Malignant neoplasm of bone (including jaw bone)	2,054	1,137	751	85	81	1.3	1.6	1.0	1.0	0.9
197	Malignant neoplasm of connective tissue	653	345	265	23	20	0.4	0.5	0.4	0.3	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	353	189	136	22	6	0.2	0.3	0.2	0.3	0.1
A	Not stated whether primary or secondary	253	137	99	13	4	0.2	0.2	0.1	0.2	0.0
B	Secondary	100	52	37	9	2	0.1	0.1	0.1	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	11,400	4,911	5,332	547	610	7.2	7.0	7.4	6.7	7.0
A	Of other specified sites, not stated to be secondary	3,277	1,278	1,667	140	192	2.1	1.8	2.3	1.7	2.2
B	Of unspecified site, not stated to be secondary	772	292	343	64	73	0.5	0.4	0.5	0.8	0.8
C	Of small intestine, including duodenum, specified as secondary	6	5	1	-	-	0.0	0.0	0.0	0	0
D	Of large intestine, except rectum, specified as secondary	21	6	9	3	3	0.0	0.0	0.0	0.0	0.0
E	Of brain and other parts of nervous system specified as secondary	134	78	44	8	4	0.1	0.1	0.1	0.1	0.0
F	Of bone (including jaw bone), specified as secondary	200	105	82	6	7	0.1	0.2	0.1	0.1	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	340	139	168	16	17	0.2	0.2	0.2	0.2	0.2
H	Generalized and secondary malignant neoplasm of multiple specified sites with primary site not indicated	3,310	1,631	1,436	130	113	2.1	2.3	2.0	1.6	1.3
M	Generalized or disseminated malignant neoplasm with no site specified	3,340	1,377	1,582	180	201	2.1	2.0	2.2	2.2	2.3
	Neoplasms of lymphatic and hematopoietic tissues (200-205)										
200	Lymphosarcoma and reticulosarcoma	4,368	2,443	1,696	163	66	2.8	3.5	2.4	2.0	0.8
.0	Reticulum cell sarcoma	831	449	343	28	11	0.5	0.6	0.5	0.3	0.1
.1	Lymphosarcoma	2,886	1,624	1,120	99	43	1.8	2.3	1.6	1.2	0.5
.2	Other primary malignant neoplasms of lymphoid tissue	651	370	233	36	12	0.4	0.5	0.3	0.4	0.1

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Neoplasms of lymphatic and hematopoietic tissues (200-205)—Con.										
201	Hodgkin's disease	2,785	1,627	983	108	67	1.8	2.3	1.4	1.3	0.8
202	Other forms of lymphoma (reticulosis)	716	400	260	33	23	0.5	0.6	0.4	0.4	0.3
.0	Giant follicular lymphoma (Brill-Symmer's disease)	81	37	42	2	-	0.1	0.1	0.1	0.0	0
.1	Other	635	363	218	31	23	0.4	0.5	0.3	0.4	0.3
203	Multiple myeloma (plasmocytoma)	1,738	918	647	104	69	1.1	1.3	0.9	1.3	0.8
204	Leukemia and aleukemia	9,918	5,404	3,921	336	257	6.3	7.7	5.5	4.1	3.0
.0	Lymphatic leukemia	4,035	2,322	1,510	116	87	2.5	3.3	2.1	1.4	1.0
.1	Myeloid leukemia	3,003	1,522	1,274	120	87	1.9	2.2	1.8	1.5	1.0
.2	Monocytic leukemia	644	360	253	19	12	0.4	0.5	0.4	0.2	0.1
.3	Acute leukemia, unspecified type	977	523	393	36	25	0.6	0.7	0.5	0.4	0.3
.4	Other and unspecified leukemia	1,259	677	491	45	46	0.8	1.0	0.7	0.5	0.5
205	Mycosis fungoides	51	29	16	3	3	0.0	0.0	0.0	0.0	0.0
	Benign neoplasm (210-229)										
210	Benign neoplasm of buccal cavity and pharynx	11	7	2	1	1	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system	218	110	96	6	6	0.1	0.2	0.1	0.1	0.1
212	Benign neoplasm of respiratory system	97	44	40	9	4	0.1	0.1	0.1	0.1	0.0
213	Benign neoplasm of breast	1	-	1	-	-	0.0	0	0.0	0	0
214	Uterine fibromyoma	677	...	414	...	263	0.4	...	0.6	...	3.0
215	Other benign neoplasm of uterus	67	...	62	...	5	0.0	...	0.1	...	0.1
216	Benign neoplasm of ovary	280	...	244	...	36	0.2	...	0.3	...	0.4
217	Benign neoplasm of other female genital organs	4	...	3	...	1	0.0	...	0.0	...	0.0
219	Benign neoplasm of kidney and other urinary organs	61	40	18	2	1	0.0	0.1	0.0	0.0	0.0
220	Benign melanoma of skin	1	1	-	-	-	0.0	0.0	0	0	0
221	Pilonidal cyst	5	5	-	-	-	0.0	0.0	0	0	0
222	Other benign neoplasm of skin	3	1	1	1	-	0.0	0.0	0.0	0.0	0
223	Benign neoplasm of brain and other parts of nervous system	926	428	426	37	35	0.6	0.6	0.6	0.5	0.4
224	Benign neoplasm of endocrine glands	239	97	108	18	16	0.2	0.1	0.2	0.2	0.2
225	Benign neoplasm of bone and cartilage	36	21	12	2	1	0.0	0.0	0.0	0.0	0.0
226	Lipoma	26	13	11	-	2	0.0	0.0	0.0	0	0.0
227	Other benign neoplasm of muscular and connective tissue	19	4	13	1	1	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma	101	43	43	10	5	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	51	16	21	4	10	0.0	0.0	0.0	0.0	0.1
	Neoplasm of unspecified nature (230-239)										
230	Neoplasm of unspecified nature of digestive organs	261	134	106	7	14	0.2	0.2	0.1	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs	194	115	51	20	8	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	5	-	4	-	1	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus	14	...	12	...	2	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	16	...	11	...	5	0.0	...	0.0	...	0.1
235	Neoplasm of unspecified nature of other female genital organs	2	...	-	...	2	0.0	...	0	...	0.0
236	Neoplasm of unspecified nature of other genito-urinary organs	79	47	24	7	1	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,561	773	622	91	75	1.0	1.1	0.9	1.1	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	31	13	13	1	4	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	277	95	127	23	32	0.2	0.1	0.2	0.3	0.4
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
	Allergic disorders (240-245)										
240	Hay fever	1	1	-	-	-	0.0	0.0	0	0	0
241	Asthma	6,737	4,134	2,017	331	255	4.3	5.9	2.8	4.0	2.9
242	Angioneurotic edema	15	11	2	-	2	0.0	0.0	0.0	0	0.0
243	Urticaria	10	7	1	1	1	0.0	0.0	0.0	0.0	0.0
244	Allergic eczema	3	2	-	1	-	0.0	0.0	0	0.0	0
245	Other allergic disorders	25	8	13	2	2	0.0	0.0	0.0	0.0	0.0
	Diseases of thyroid gland (250-254)										
250	Simple goiter	64	12	37	1	14	0.0	0.0	0.1	0.0	0.2
251	Nontoxic nodular goiter	106	19	76	-	11	0.1	0.0	0.1	0	0.1
252	Thyrotoxicosis with or without goiter	995	179	701	11	104	0.6	0.3	1.0	0.1	1.2
.0	Toxic diffuse goiter	876	170	609	10	87	0.6	0.2	0.9	0.1	1.0
.1	Toxic nodular goiter	119	9	92	1	17	0.1	0.0	0.1	0.0	0.2
253	Myxedema and cretinism	159	35	119	2	3	0.1	0.1	0.2	0.0	0.0
254	Other diseases of thyroid gland	57	9	36	3	9	0.0	0.0	0.1	0.0	0.1
	Diabetes mellitus (260)										
260	Diabetes mellitus	25,796	9,089	14,225	800	1,682	16.3	13.0	19.9	9.8	19.4
	Diseases of other endocrine glands (270-277)										
270	Disorders of pancreatic internal secretion other than diabetes mellitus	23	12	8	2	1	0.0	0.0	0.0	0.0	0.0
271	Diseases of parathyroid gland	43	13	26	1	3	0.0	0.0	0.0	0.0	0.0
272	Diseases of pituitary gland	192	81	85	14	12	0.1	0.1	0.1	0.2	0.1
273	Diseases of thymus gland	443	238	146	37	22	0.3	0.3	0.2	0.5	0.3
274	Diseases of adrenal glands	364	157	161	25	21	0.2	0.2	0.2	0.3	0.2
277	Polyglandular dysfunction and other diseases of endocrine glands	45	14	29	-	2	0.0	0.0	0.0	0	0.0
	Avitaminoses, and other metabolic diseases (280-289)										
280	Beriberi	25	11	10	2	2	0.0	0.0	0.0	0.0	0.0
281	Pellagra	135	34	61	16	24	0.1	0.0	0.1	0.2	0.3

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
	Avitaminoses, and other metabolic diseases (280-289)—Continued										
282	Scurvy	10	6	1	2	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets	19	3	9	5	2	0.0	0.0	0.0	0.1	0.0
284	Late effects of rickets	1	-	1	-	-	0.0	0	0.0	0	0
285	Osteomalacia	14	5	9	-	-	0.0	0.0	0.0	0	0
286	Other avitaminoses and nutritional deficiency states	641	250	257	76	58	0.4	0.4	0.4	0.9	0.7
.0	Steatorrhea and sprue	56	28	21	4	3	0.0	0.0	0.0	0.0	0.0
.1-.4	Other vitamin deficiency states	3	1	2	-	-	0.0	0.0	0.0	0	0
.5	Malnutrition, unqualified	441	167	171	58	45	0.3	0.2	0.2	0.7	0.5
.6	Other and multiple deficiency states	141	54	63	14	10	0.1	0.1	0.1	0.2	0.1
287	Obesity, not specified as of endocrine origin	18	3	9	2	4	0.0	0.0	0.0	0.0	0.0
288	Gout	18	11	4	3	-	0.0	0.0	0.0	0.0	0
289	Other metabolic diseases	332	187	113	15	17	0.2	0.3	0.2	0.2	0.2
	IV. Diseases of the blood and blood-forming organs										
	Diseases of blood and blood-forming organs (290-299)										
290	Pernicious and other hyperchromic anemias	1,406	575	765	27	39	0.9	0.8	1.1	0.3	0.4
.0	Pernicious anemia	1,302	523	721	22	36	0.8	0.7	1.0	0.3	0.4
.1	Subacute combined degeneration of spinal cord	47	27	19	-	1	0.0	0.0	0.0	0	0.0
.2	Other hyperchromic anemias	57	25	25	5	2	0.0	0.0	0.0	0.1	0.0
291	Iron deficiency anemias (hypochromic anemias)	76	30	28	6	12	0.0	0.0	0.0	0.1	0.1
292	Other anemias of specified type	1,155	486	433	119	117	0.7	0.7	0.6	1.5	1.3
.1	Acute hemolytic anemia	22	10	10	1	1	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	153	59	71	9	14	0.1	0.1	0.1	0.1	0.2
.3	Leuko-erythroblastic anemia	34	19	14	-	1	0.0	0.0	0.0	0	0.0
.4	Aplastic anemia	774	389	336	28	21	0.5	0.6	0.5	0.3	0.2
.5	Nonregenerative anemia	5	5	-	-	-	0.0	0.0	0	0	0
.6	Sickle cell anemia	166	3	2	81	80	0.1	0.0	0.0	1.0	0.9
.7	Other specified anemias	1	1	-	-	-	0.0	0.0	0	0	0
293	Anemia of unspecified type	943	365	417	77	84	0.6	0.5	0.6	0.9	1.0
294	Polycythemia	226	134	87	1	4	0.1	0.2	0.1	0.0	0.0
295	Hemophilia	72	60	5	6	1	0.0	0.1	0.0	0.1	0.0
296	Purpura and other hemorrhagic conditions	566	225	287	16	38	0.4	0.3	0.4	0.2	0.4
297	Agranulocytosis	135	65	67	2	1	0.1	0.1	0.1	0.0	0.0
298	Diseases of spleen	242	104	121	8	9	0.2	0.1	0.2	0.1	0.1
.0	Hepatolienal fibrosis	148	62	79	4	3	0.1	0.1	0.1	0.0	0.0
.1	Other	94	42	42	4	6	0.1	0.1	0.1	0.0	0.1
299	Other diseases of blood and blood-forming organs	186	101	63	10	12	0.1	0.1	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders										
	Psychoses (300-309)										
300	Schizophrenic disorders (dementia praecox)	272	110	107	28	27	0.2	0.2	0.1	0.3	0.3
301	Manic-depressive reaction	101	23	38	30	10	0.1	0.0	0.1	0.4	0.1
302	Involutional melancholia	27	7	19	-	1	0.0	0.0	0.0	0	0.0
303	Paranoia and paranoid states	4	1	3	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	708	277	372	26	33	0.4	0.4	0.5	0.3	0.4
305	Presenile psychosis	82	30	50	1	1	0.1	0.0	0.1	0.0	0.0
307	Alcoholic psychosis	305	240	16	47	2	0.2	0.3	0.0	0.6	0.0
309	Other and unspecified psychoses	140	48	57	18	17	0.1	0.1	0.1	0.2	0.2
	Psychoneurotic disorders (310-318)										
310	Anxiety reaction without mention of somatic symptoms	7	4	3	-	-	0.0	0.0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	16	5	10	-	1	0.0	0.0	0.0	0	0.0
314	Neurotic-depressive reaction	2	1	1	-	-	0.0	0.0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	2	1	-	1	-	0.0	0.0	0	0.0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	3	-	3	-	-	0.0	0	0.0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	21	6	12	2	1	0.0	0.0	0.0	0.0	0.0
	Disorders of character, behavior, and intelligence (320-326)										
320	Pathological personality	2	2	-	-	-	0.0	0.0	0	0	0
322	Alcoholism	2,222	1,471	274	358	119	1.4	2.1	0.4	4.4	1.4
.0	Acute	780	492	89	148	51	0.5	0.7	0.1	1.8	0.6
.1	Chronic	915	624	126	123	42	0.6	0.9	0.2	1.5	0.5
.2	Unspecified	527	355	59	87	26	0.3	0.5	0.1	1.1	0.3
323	Other drug addiction	77	35	21	14	7	0.0	0.1	0.0	0.2	0.1
325	Mental deficiency	212	103	81	17	11	0.1	0.1	0.1	0.2	0.1
	VI. Diseases of the nervous system and sense organs										
	Vascular lesions affecting central nervous system (330-334)										
330	Subarachnoid hemorrhage	4,531	1,876	1,974	295	386	2.9	2.7	2.8	3.6	4.4
331	Cerebral hemorrhage	110,832	46,234	50,303	6,759	7,536	70.0	66.2	70.3	82.5	86.8
332	Cerebral embolism and thrombosis	35,147	16,269	16,026	1,480	1,372	22.2	23.3	22.4	18.1	15.8
333	Spasm of cerebral arteries	10	5	5	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	19,280	7,922	8,350	1,440	1,568	12.2	11.3	11.7	17.6	18.1

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Inflammatory diseases of central nervous system (340-345)										
340	Meningitis, except meningococcal and tuberculous	2,059	922	607	299	231	1.3	1.3	0.8	3.6	2.7
.0	H. influenza	370	189	109	43	29	0.2	0.3	0.2	0.5	0.3
.1	Pneumococcus	393	175	100	66	52	0.2	0.3	0.1	0.8	0.6
.2	Due to other specified organism	191	88	63	26	14	0.1	0.1	0.1	0.3	0.2
.3	Unspecified cause	1,105	470	335	164	136	0.7	0.7	0.5	2.0	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	37	17	16	3	1	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	276	157	74	28	17	0.2	0.2	0.1	0.3	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	606	293	201	63	49	0.4	0.4	0.3	0.8	0.6
344	Late effects of intracranial abscess or pyogenic infection	513	256	178	52	27	0.3	0.4	0.2	0.6	0.3
A	Hydrocephalus, not otherwise specified	359	172	123	42	22	0.2	0.2	0.2	0.5	0.3
B	Other late effects of intracranial abscess or pyogenic infection	154	84	55	10	5	0.1	0.1	0.1	0.1	0.1
345	Multiple sclerosis	1,431	640	721	30	40	0.9	0.9	1.0	0.4	0.5
	Other diseases of central nervous system (350-357)										
350	Paralysis agitans	2,489	1,297	1,122	37	33	1.6	1.9	1.6	0.5	0.4
351	Cerebral spastic infantile paralysis	609	290	241	47	31	0.4	0.4	0.3	0.6	0.4
352	Other cerebral paralysis	686	239	234	104	109	0.4	0.3	0.3	1.3	1.3
353	Epilepsy	2,177	1,014	679	311	173	1.4	1.5	0.9	3.8	2.0
.0	Petit mal	11	2	5	3	1	0.0	0.0	0.0	0.0	0.0
.1	Grand mal	298	138	102	36	22	0.2	0.2	0.1	0.4	0.3
.2	Status epilepticus	513	234	155	81	43	0.3	0.3	0.2	1.0	0.5
.3	Other and unspecified	1,355	640	417	191	107	0.9	0.9	0.6	2.3	1.2
354	Migraine	2	-	2	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	871	409	360	56	46	0.6	0.6	0.5	0.7	0.5
356	Motor neurone disease and muscular atrophy	1,001	564	371	41	25	0.6	0.8	0.5	0.5	0.3
.0	Progressive muscular atrophy	246	129	91	15	11	0.2	0.2	0.1	0.2	0.1
.1	Amyotrophic lateral sclerosis	734	423	273	25	13	0.5	0.6	0.4	0.3	0.1
.2	Spinal type of muscular atrophy	20	12	6	1	1	0.0	0.0	0.0	0.0	0.0
.3	Other and unspecified manifestations	1	-	1	-	-	0.0	0	0.0	0	0
357	Other diseases of spinal cord	190	89	72	19	10	0.1	0.1	0.1	0.2	0.1
	Diseases of nerves and peripheral ganglia (360-369)										
360	Facial paralysis	2	2	-	-	-	0.0	0.0	0	0	0
361	Trigeminal neuralgia	39	17	21	1	-	0.0	0.0	0.0	0.0	0
363	Sciatica	5	-	4	-	1	0.0	0	0.0	0	0.0
364	Polyneuritis and polyradiculitis	126	70	46	5	5	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	1	1	-	-	-	0.0	0.0	0	0	0
366	Other and unspecified forms of neuralgia and neuritis	30	14	11	2	3	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves	11	6	4	-	1	0.0	0.0	0.0	0	0.0
368	Other diseases of peripheral nerves except autonomic	21	13	6	2	-	0.0	0.0	0.0	0.0	0
369	Diseases of peripheral autonomic nervous system	3	1	-	2	-	0.0	0.0	0	0.0	0
	Inflammatory diseases of eye (370-379)										
370	Conjunctivitis and ophthalmia	1	1	-	-	-	0.0	0.0	0	0	0
372	Hordeolum (sty)	3	2	-	-	1	0.0	0.0	0	0	0.0
376	Other inflammation of uveal tract	5	2	2	-	1	0.0	0.0	0.0	0	0.0
377	Inflammation of optic nerve and retina	1	-	1	-	-	0.0	0	0.0	0	0
378	Inflammation of lachrymal glands and ducts	4	-	4	-	-	0.0	0	0.0	0	0
379	Other inflammatory diseases of eye	2	1	-	1	-	0.0	0.0	0	0.0	0
	Other diseases and conditions of eye (380-389)										
380	Refractive errors	1	-	1	-	-	0.0	0	0.0	0	0
384	Strabismus	20	10	7	3	-	0.0	0.0	0.0	0.0	0
385	Cataract	45	29	14	1	1	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	5	2	3	-	-	0.0	0.0	0.0	0	0
387	Glaucoma	15	5	6	2	2	0.0	0.0	0.0	0.0	0.0
388	Other diseases of eye	9	8	1	-	-	0.0	0.0	0.0	0	0
389	Blindness	4	3	1	-	-	0.0	0.0	0.0	0	0
	Diseases of ear and mastoid process (390-398)										
390	Otitis externa	1	1	-	-	-	0.0	0.0	0	0	0
391	Otitis media without mention of mastoiditis	336	163	114	33	26	0.2	0.2	0.2	0.4	0.3
.0	Acute	66	34	16	9	7	0.0	0.0	0.0	0.1	0.1
.1	Chronic	39	20	14	3	2	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	231	109	84	21	17	0.1	0.2	0.1	0.3	0.2
392	Otitis media with mastoiditis	49	27	18	2	2	0.0	0.0	0.0	0.0	0.0
.0	Acute	9	7	2	-	-	0.0	0.0	0.0	0	0
.1	Chronic	20	12	5	2	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	20	8	11	-	1	0.0	0.0	0.0	0	0.0
393	Mastoiditis without mention of otitis media	82	52	21	7	2	0.1	0.1	0.0	0.1	0.0
.0	Acute	15	12	2	1	-	0.0	0.0	0.0	0.0	0
.1	Chronic	26	19	7	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	41	21	12	6	2	0.0	0.0	0.0	0.1	0.0
394	Other inflammatory diseases of ear	4	3	-	1	-	0.0	0.0	0	0.0	0
395	Ménière's disease	2	1	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	6	4	2	-	-	0.0	0.0	0.0	0	0
	VII. Diseases of the circulatory system										
	Rheumatic fever (400-402)										
400	Rheumatic fever without mention of heart involvement	237	86	95	24	32	0.1	0.1	0.1	0.3	0.4

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Rheumatic fever (400-402)—Continued										
401	Rheumatic fever with heart involvement	1,274	545	469	114	146	0.8	0.8	0.7	1.4	1.7
.0	Active rheumatic pericarditis	136	83	33	12	8	0.1	0.1	0.0	0.1	0.1
.1	Active rheumatic endocarditis	175	82	66	10	17	0.1	0.1	0.1	0.1	0.2
.2	Active rheumatic myocarditis	86	22	39	9	16	0.1	0.0	0.1	0.1	0.2
.3	Active rheumatic fever with other and multiple types of heart involvement	877	358	331	83	105	0.6	0.5	0.5	1.0	1.2
402	Chorea	12	5	7	-	-	0.0	0.0	0.0	0	0
.0	Without mention of heart involvement	8	4	4	-	-	0.0	0.0	0.0	0	0
.1	With heart involvement	4	1	3	-	-	0.0	0.0	0.0	0	0
	Chronic rheumatic heart disease (410-416)										
410	Diseases of mitral valve	7,727	3,300	3,654	375	398	4.9	4.7	5.1	4.6	4.6
411	Diseases of aortic valve specified as rheumatic	1,054	775	230	36	13	0.7	1.1	0.3	0.4	0.1
412	Diseases of tricuspid valve	20	10	9	-	1	0.0	0.0	0.0	0	0.0
413	Diseases of pulmonary valve specified as rheumatic	2	1	1	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	1,081	500	494	39	48	0.7	0.7	0.7	0.5	0.6
415	Other myocarditis specified as rheumatic	731	331	354	12	34	0.5	0.5	0.5	0.1	0.4
416	Other heart disease specified as rheumatic	8,972	3,955	4,219	376	422	5.7	5.7	5.9	4.6	4.9
	Arteriosclerotic and degenerative heart disease (420-422)										
420	Arteriosclerotic heart disease, including coronary disease	373,597	225,416	125,838	13,126	9,217	236.0	322.7	175.8	160.2	106.2
.0	Arteriosclerotic heart disease, so described	132,355	68,099	55,954	4,640	3,662	83.6	97.5	78.2	56.6	42.2
.1	Heart disease specified as involving coronary arteries	239,834	156,490	69,476	8,383	5,485	151.5	224.1	97.0	102.3	63.2
.2	Angina pectoris without mention of coronary disease	1,408	827	408	103	70	0.9	1.2	0.6	1.3	0.8
421	Chronic endocarditis not specified as rheumatic	8,267	3,916	3,193	621	537	5.2	5.6	4.5	7.6	6.2
.0	Of mitral valve, specified as nonrheumatic	714	318	294	45	57	0.5	0.5	0.4	0.5	0.7
.1	Of aortic valve, not specified as rheumatic	1,810	1,016	485	182	127	1.1	1.5	0.7	2.2	1.5
.2	Of tricuspid valve, specified as nonrheumatic	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Of pulmonary valve, not specified as rheumatic	19	11	7	-	1	0.0	0.0	0.0	0	0.0
.4	Other and ill-defined, not specified as rheumatic	5,722	2,570	2,406	394	352	3.6	3.7	3.4	4.8	4.1
422	Other myocardial degeneration	65,063	29,517	29,028	3,583	2,935	41.1	42.3	40.5	43.7	33.8
.0	Fatty degeneration	90	42	43	1	4	0.1	0.1	0.1	0.0	0.0
.1	With arteriosclerosis	34,859	15,565	16,373	1,602	1,319	22.0	22.3	22.9	19.5	15.2
.2	Other	30,114	13,910	12,612	1,980	1,612	19.0	19.9	17.6	24.2	18.6
	Other diseases of heart (430-434)										
430	Acute and subacute endocarditis	741	405	227	62	47	0.5	0.6	0.3	0.8	0.5
.0	Acute and subacute bacterial endocarditis	616	358	188	43	27	0.4	0.5	0.3	0.5	0.3
.1	Other acute endocarditis	125	47	39	19	20	0.1	0.1	0.1	0.2	0.2
431	Acute myocarditis not specified as rheumatic	1,766	785	597	184	200	1.1	1.1	0.8	2.2	2.3
432	Acute pericarditis specified as nonrheumatic	46	22	16	7	1	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart	2,428	1,191	1,100	73	64	1.5	1.7	1.5	0.9	0.7
.0	Heart block	497	295	171	14	17	0.3	0.4	0.2	0.2	0.2
.1	Other disorders of heart rhythm	1,915	888	923	58	46	1.2	1.3	1.3	0.7	0.5
.2	Other functional diseases of heart	16	8	6	1	1	0.0	0.0	0.0	0.0	0.0
434	Other and unspecified diseases of heart	17,631	9,113	5,230	1,961	1,327	11.1	13.0	7.3	23.9	15.3
.0	Kyphoscoliotic heart disease	96	40	53	3	-	0.1	0.1	0.1	0.0	0
.1	Congestive heart failure	5,031	2,287	1,846	513	385	3.2	3.3	2.6	6.3	4.4
.2	Left ventricular failure	876	490	263	77	46	0.6	0.7	0.4	0.9	0.5
.3	Other and unspecified disease of heart	11,628	6,296	3,068	1,368	896	7.3	9.0	4.3	16.7	10.3
	Hypertensive disease (440-447)										
440	Essential benign hypertension with heart disease	1,429	488	608	179	154	0.9	0.7	0.8	2.2	1.8
441	Essential malignant hypertension with heart disease	1,081	384	369	153	175	0.7	0.5	0.5	1.9	2.0
442	Hypertensive heart disease with arteriolar nephrosclerosis	22,156	9,209	9,011	2,019	1,917	14.0	13.2	12.6	24.6	22.1
443	Other and unspecified hypertensive heart disease	56,483	19,794	25,646	5,142	5,901	35.7	28.3	35.8	62.7	68.0
444	Essential benign hypertension without mention of heart	2,469	792	1,016	302	359	1.6	1.1	1.4	3.7	4.1
445	Essential malignant hypertension without mention of heart	1,487	578	329	309	271	0.9	0.8	0.5	3.8	3.1
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,245	2,893	2,318	600	434	3.9	4.1	3.2	7.3	5.0
447	Other hypertensive disease without mention of heart	2,186	763	1,119	137	167	1.4	1.1	1.6	1.7	1.9
	Diseases of arteries (450-456)										
450	General arteriosclerosis	32,351	14,859	15,207	1,235	1,050	20.4	21.3	21.2	15.1	12.1
.0	Without mention of gangrene	30,319	13,763	14,465	1,138	953	19.2	19.7	20.2	13.9	11.0
.1	With gangrene	2,032	1,096	742	97	97	1.3	1.6	1.0	1.2	1.1
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	3,435	2,339	816	184	96	2.2	3.3	1.1	2.2	1.1
452	Other aneurysm, except of heart and aorta	370	189	124	36	21	0.2	0.3	0.2	0.4	0.2
453	Peripheral vascular disease	375	275	79	10	11	0.2	0.4	0.1	0.1	0.1
.0	Raynaud's disease	29	15	14	-	-	0.0	0.0	0.0	0	0
.1	Thrombo-angiitis obliterans	291	222	50	9	10	0.2	0.3	0.1	0.1	0.1
.3	Other	55	38	15	1	1	0.0	0.1	0.0	0.0	0.0
454	Arterial embolism and thrombosis	369	207	136	14	12	0.2	0.3	0.2	0.2	0.1
455	Gangrene of unspecified cause	233	106	79	31	17	0.1	0.2	0.1	0.4	0.2
456	Other diseases of arteries	755	254	389	30	82	0.5	0.4	0.5	0.4	0.9
	Diseases of veins and other diseases of circulatory system (460-468)										
460	Varicose veins of lower extremities	269	83	160	6	20	0.2	0.1	0.2	0.1	0.2
461	Hemorrhoids	117	65	35	11	6	0.1	0.1	0.0	0.1	0.1
462	Varicose veins of other specified sites	300	176	96	16	12	0.2	0.3	0.1	0.2	0.1
463	Phlebitis and thrombophlebitis of lower extremities	543	272	222	28	21	0.3	0.4	0.3	0.3	0.2
464	Phlebitis and thrombophlebitis of other sites	377	171	163	20	23	0.2	0.2	0.2	0.2	0.3
465	Pulmonary embolism and infarction	1,367	637	519	112	99	0.9	0.9	0.7	1.4	1.1

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of veins and other diseases of circulatory system (460-468)—Continued										
466	Other venous embolism and thrombosis	609	283	251	38	37	0.4	0.4	0.4	0.5	0.4
467	Other diseases of circulatory system	347	160	133	31	23	0.2	0.2	0.2	0.4	0.3
.0	Hypotension	34	12	15	2	5	0.0	0.0	0.0	0.0	0.1
.1	Diseases of capillaries	18	8	8	-	2	0.0	0.0	0.0	0	0.0
.2	Other and unspecified circulatory diseases	295	140	110	29	16	0.2	0.2	0.2	0.4	0.2
468	Certain diseases of lymph nodes and lymph channels	86	29	35	12	10	0.1	0.0	0.0	0.1	0.1
	VIII. Diseases of the respiratory system										
	Acute upper respiratory infections (470-475)										
470	Acute nasopharyngitis (common cold)	145	44	42	29	30	0.1	0.1	0.1	0.4	0.3
471	Acute sinusitis	14	8	5	1	-	0.0	0.0	0.0	0.0	0
472	Acute pharyngitis	100	47	35	8	10	0.1	0.1	0.0	0.1	0.1
473	Acute tonsillitis	165	66	52	21	26	0.1	0.1	0.1	0.3	0.3
474	Acute laryngitis and tracheitis	179	96	63	13	7	0.1	0.1	0.1	0.2	0.1
475	Acute upper respiratory infection of multiple or unspecified sites	440	181	164	45	50	0.3	0.3	0.2	0.5	0.6
	Influenza (480-483)										
480	Influenza with pneumonia	5,097	1,853	1,830	723	691	3.2	2.7	2.6	8.8	8.0
481	Influenza with other respiratory manifestations, and influenza unqualified	4,092	1,788	1,602	339	363	2.6	2.6	2.2	4.1	4.2
482	Influenza with digestive manifestations, but without respiratory symptoms	265	102	113	29	21	0.2	0.1	0.2	0.4	0.2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	6	3	3	-	-	0.0	0.0	0.0	0	0
	Pneumonia (490-493)										
490	Lobar pneumonia	12,523	6,036	3,720	1,730	1,037	7.9	8.6	5.2	21.1	11.9
491	Bronchopneumonia	21,908	10,026	7,880	2,198	1,804	13.8	14.4	11.0	26.8	20.8
492	Primary atypical pneumonia	3,657	1,772	1,338	310	237	2.3	2.5	1.9	3.8	2.7
493	Pneumonia, other and unspecified	4,690	1,990	1,497	694	509	3.0	2.8	2.1	8.5	5.9
	Bronchitis (500-502)										
500	Acute bronchitis	1,010	463	372	104	71	0.6	0.7	0.5	1.3	0.8
501	Bronchitis, unqualified	792	387	261	84	60	0.5	0.6	0.4	1.0	0.7
502	Chronic bronchitis	1,271	882	324	41	24	0.8	1.3	0.5	0.5	0.3
.0	Bronchitis with emphysema	416	365	42	5	4	0.3	0.5	0.1	0.1	0.0
.1	Other	855	517	282	36	20	0.5	0.7	0.4	0.4	0.2
	Other diseases of respiratory system (510-527)										
510	Hypertrophy of tonsils and adenoids	329	145	135	25	24	0.2	0.2	0.2	0.3	0.3
.0	Without mention of tonsillectomy or adenoidectomy	22	10	9	1	2	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	307	135	126	24	22	0.2	0.2	0.2	0.3	0.3
511	Peritonsillar abscess (quinsy)	31	13	9	5	4	0.0	0.0	0.0	0.1	0.0
512	Chronic pharyngitis and nasopharyngitis	8	3	2	2	1	0.0	0.0	0.0	0.0	0.0
513	Chronic sinusitis	102	45	35	12	10	0.1	0.1	0.0	0.1	0.1
514	Deflected nasal septum	1	1	-	-	-	0.0	0.0	0	0	0
515	Nasal polyp	9	6	3	-	-	0.0	0.0	0.0	0	0
516	Chronic laryngitis	2	1	1	-	-	0.0	0.0	0.0	0	0
517	Other diseases of upper respiratory tract	205	91	77	22	15	0.1	0.1	0.1	0.3	0.2
518	Empyema	212	133	42	25	12	0.1	0.2	0.1	0.3	0.1
519	Pleurisy	198	99	70	18	11	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	124	62	46	12	4	0.1	0.1	0.1	0.1	0.0
.1	With effusion with mention of a bacterial cause other than tuberculosis	3	-	3	-	-	0.0	0	0.0	0	0
.2	Other specified forms of effusion, except tuberculous	71	37	21	6	7	0.0	0.1	0.0	0.1	0.1
520	Spontaneous pneumothorax	65	45	8	8	4	0.0	0.1	0.0	0.1	0.0
521	Abscess of lung	537	300	105	98	34	0.3	0.4	0.1	1.2	0.4
522	Pulmonary congestion and hypostasis	1,415	631	597	103	84	0.9	0.9	0.8	1.3	1.0
523	Pneumoconiosis due to silica and silicates (occupational)	1,336	1,274	5	55	2	0.8	1.8	0.0	0.7	0.0
.0	Silicosis	628	588	3	37	-	0.4	0.8	0.0	0.5	0
.1	Anthracosilicosis	553	544	2	7	-	0.3	0.8	0.0	0.1	0
.2	Asbestosis	12	9	-	1	2	0.0	0.0	0	0.0	0.0
.3	Other, including pneumoconiosis unspecified	143	133	-	10	-	0.1	0.2	0	0.1	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	59	57	-	2	-	0.0	0.1	0	0.0	0
525	Other chronic interstitial pneumonia	1,845	1,128	509	125	83	1.2	1.8	0.7	1.5	1.0
526	Bronchiectasis	2,309	1,457	754	76	22	1.5	2.1	1.1	0.9	0.3
527	Other diseases of lung and pleural cavity	3,965	2,872	754	222	117	2.5	4.1	1.1	2.7	1.3
.0	Pulmonary collapse (1 year and over)	154	75	61	10	8	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	2,594	2,181	287	109	17	1.6	3.1	0.4	1.3	0.2
.2	Other	1,217	616	406	103	92	0.8	0.9	0.6	1.3	1.1
	IX. Diseases of the digestive system										
	Diseases of buccal cavity and esophagus (530-539)										
530	Dental caries	3	1	1	-	1	0.0	0.0	0.0	0	0.0
531	Abscesses of supporting structures of teeth	25	11	5	5	4	0.0	0.0	0.0	0.1	0.0
532	Other inflammatory diseases of supporting structures of teeth	71	25	17	18	11	0.0	0.0	0.0	0.2	0.1
533	Disorders of occlusion, eruption, and tooth development	2	1	1	-	-	0.0	0.0	0.0	0	0
535	Other diseases of teeth and supporting structures	79	32	31	7	9	0.0	0.0	0.0	0.1	0.1
536	Stomatitis	18	11	3	-	4	0.0	0.0	0.0	0	0.0

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Diseases of buccal cavity and esophagus (530-539)—Continued										
537	Diseases of salivary glands	65	16	43	1	5	0.0	0.0	0.1	0.0	0.1
538	Other diseases of buccal cavity	28	12	4	10	2	0.0	0.0	0.0	0.1	0.0
539	Diseases of esophagus	431	253	136	30	12	0.3	0.4	0.2	0.4	0.1
	Diseases of stomach and duodenum (540-545)										
540	Ulcer of stomach	4,729	3,332	941	344	112	3.0	4.8	1.3	4.2	1.3
.0	Without mention of perforation	2,965	2,087	612	200	64	1.9	3.0	0.9	2.4	0.7
.1	With perforation	1,766	1,245	329	144	48	1.1	1.8	0.5	1.8	0.6
541	Ulcer of duodenum	4,511	3,529	699	222	61	2.8	5.1	1.0	2.7	0.7
.0	Without mention of perforation	2,837	2,263	423	118	33	1.8	3.2	0.6	1.4	0.4
.1	With perforation	1,674	1,266	276	104	28	1.1	1.8	0.4	1.3	0.3
542	Gastrojejunal ulcer	170	117	39	9	5	0.1	0.2	0.1	0.1	0.1
.0	Without mention of perforation	120	80	30	6	4	0.1	0.1	0.0	0.1	0.0
.1	With perforation	50	37	9	3	1	0.0	0.1	0.0	0.0	0.0
543	Gastritis and duodenitis	305	140	88	39	38	0.2	0.2	0.1	0.5	0.4
544	Disorders of function of stomach	237	91	47	55	44	0.1	0.1	0.1	0.7	0.5
.0	Disorders of gastric secretion	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
.1	Disorders of gastric motility	29	15	7	4	3	0.0	0.0	0.0	0.0	0.0
.2	Other	202	74	38	50	40	0.1	0.1	0.1	0.6	0.5
545	Other diseases of stomach and duodenum	324	197	91	18	18	0.2	0.3	0.1	0.2	0.2
	Appendicitis (550-553)										
550	Acute appendicitis	2,172	1,255	607	182	128	1.4	1.8	0.8	2.2	1.5
.0	Without mention of peritonitis	377	237	95	30	15	0.2	0.3	0.1	0.4	0.2
.1	With peritonitis	1,795	1,018	512	152	113	1.1	1.5	0.7	1.9	1.3
551	Appendicitis, unqualified	177	99	52	14	12	0.1	0.1	0.1	0.2	0.1
552	Other appendicitis	34	18	11	4	1	0.0	0.0	0.0	0.0	0.0
553	Other diseases of appendix	15	10	3	1	1	0.0	0.0	0.0	0.0	0.0
	Hernia of abdominal cavity (560,561)										
560	Hernia of abdominal cavity without mention of obstruction	1,410	779	487	98	46	0.9	1.1	0.7	1.2	0.5
.0	Inguinal	335	270	24	37	4	0.2	0.4	0.0	0.5	0.0
.1	Femoral	28	11	16	1	-	0.0	0.0	0.0	0.0	0
.2	Umbilical	201	89	85	11	16	0.1	0.1	0.1	0.1	0.2
.3	Ventral (incisional)	211	66	128	6	11	0.1	0.1	0.2	0.1	0.1
.4	Other specified site	489	248	209	22	10	0.3	0.4	0.3	0.3	0.1
.5	Unspecified site	146	95	25	21	5	0.1	0.1	0.0	0.3	0.1
561	Hernia of abdominal cavity with obstruction	2,452	1,147	1,052	159	94	1.5	1.6	1.5	1.9	1.1
.0	Inguinal	793	557	126	102	8	0.5	0.8	0.2	1.2	0.1
.1	Femoral	300	87	204	1	8	0.2	0.1	0.3	0.0	0.1
.2	Umbilical	295	65	192	5	33	0.2	0.1	0.3	0.1	0.4
.3	Ventral (incisional)	415	111	279	5	20	0.3	0.2	0.4	0.1	0.2
.4	Other specified site	170	73	85	3	9	0.1	0.1	0.1	0.0	0.1
.5	Unspecified site	479	254	166	43	16	0.3	0.4	0.2	0.5	0.2
	Other diseases of intestines and peritoneum (570-578)										
570	Intestinal obstruction without mention of hernia	4,865	2,035	2,105	357	368	3.1	2.9	2.9	4.4	4.2
.0	Intussusception	236	108	70	35	23	0.1	0.2	0.1	0.4	0.3
.1	Paralytic ileus	281	134	117	17	13	0.2	0.2	0.2	0.2	0.1
.2	Mesenteric infarction	1,119	553	460	60	46	0.7	0.8	0.6	0.7	0.5
.3	Volvulus	764	346	273	88	57	0.5	0.5	0.4	1.1	0.7
.4	Impaction of intestine	244	94	133	8	9	0.2	0.1	0.2	0.1	0.1
.5	Other	2,221	800	1,052	149	220	1.4	1.1	1.5	1.8	2.5
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5,935	2,127	1,797	1,057	954	3.7	3.0	2.5	12.9	11.0
.0	Ages between 4 weeks and 2 years	4,588	1,586	1,252	931	819	2.9	2.3	1.7	11.4	9.4
.1	Ages 2 years and over	1,347	541	545	126	135	0.9	0.8	0.8	1.5	1.6
572	Chronic enteritis and ulcerative colitis	2,270	1,046	1,110	45	69	1.4	1.5	1.6	0.5	0.8
.0	Regional enteritis	112	64	43	2	3	0.1	0.1	0.1	0.0	0.0
.1	Diverticulitis	1,243	590	611	15	27	0.8	0.8	0.9	0.2	0.3
.2	Ulcerative colitis	797	343	402	19	33	0.5	0.5	0.6	0.2	0.4
.3	Other	118	49	54	9	6	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	70	19	34	10	7	0.0	0.0	0.0	0.1	0.1
574	Anal fissure and fistula	17	12	4	1	-	0.0	0.0	0.0	0.0	0
575	Abscess of anal and rectal regions	85	42	22	9	12	0.1	0.1	0.0	0.1	0.1
576	Peritonitis	503	226	181	45	51	0.3	0.3	0.3	0.5	0.6
577	Peritoneal adhesion	63	23	33	6	1	0.0	0.0	0.0	0.1	0.0
578	Other diseases of intestines and peritoneum	1,676	899	575	104	98	1.1	1.3	0.8	1.3	1.1
	Diseases of liver, gallbladder, and pancreas (580-587)										
580	Acute and subacute yellow atrophy of liver	611	263	260	39	49	0.4	0.4	0.4	0.5	0.6
581	Cirrhosis of liver	16,398	10,005	5,179	724	491	10.4	14.3	7.2	8.8	5.7
.0	Without mention of alcoholism	12,118	7,185	4,082	500	351	7.7	10.3	5.7	6.1	4.0
.1	With alcoholism	4,281	2,820	1,097	224	140	2.7	4.0	1.5	2.7	1.6
582	Suppurative hepatitis and liver abscess	120	55	36	16	13	0.1	0.1	0.1	0.2	0.1
583	Other diseases of liver	624	269	263	51	41	0.4	0.4	0.4	0.6	0.5
584	Cholelithiasis	3,751	1,353	2,271	38	89	2.4	1.9	3.2	0.5	1.0
585	Cholecystitis without mention of calculi	1,851	707	1,054	29	61	1.2	1.0	1.5	0.4	0.7
586	Other diseases of gallbladder and biliary ducts	797	300	451	16	30	0.5	0.4	0.6	0.2	0.3
587	Diseases of pancreas	1,794	908	695	117	74	1.1	1.3	1.0	1.4	0.9
.0	Acute pancreatitis	1,210	612	445	95	58	0.8	0.9	0.6	1.2	0.7
.1	Chronic pancreatitis	152	86	51	8	7	0.1	0.1	0.1	0.1	0.1
.2	Other diseases of pancreas	432	210	199	14	9	0.3	0.3	0.3	0.2	0.1

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genito-urinary system										
	Nephritis and nephrosis (590-594)										
590	Acute nephritis	1,564	636	484	230	214	1.0	0.9	0.7	2.8	2.5
591	Nephritis with edema, including nephrosis	1,225	567	425	115	118	0.8	0.8	0.6	1.4	1.4
592	Chronic nephritis	15,086	6,616	5,622	1,423	1,425	9.5	9.5	7.9	17.4	16.4
593	Nephritis not specified as acute or chronic	3,456	1,421	1,200	417	418	2.2	2.0	1.7	5.1	4.8
594	Other renal sclerosis	232	84	74	42	32	0.1	0.1	0.1	0.5	0.4
	Other diseases of urinary system (600-609)										
600	Infections of kidney	4,052	1,724	1,588	392	348	2.6	2.5	2.2	4.8	4.0
.0	Pyelitis, pyelocystitis, and pyelonephritis	3,863	1,644	1,505	375	339	2.4	2.4	2.1	4.6	3.9
.1	Abscess of kidney and perirenal tissue	131	53	63	10	5	0.1	0.1	0.1	0.1	0.1
.2	Other	58	27	20	7	4	0.0	0.0	0.0	0.1	0.0
601	Hydronephrosis	240	135	74	21	10	0.2	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	975	533	365	47	30	0.6	0.8	0.5	0.6	0.3
603	Other diseases of kidney and ureter	405	192	144	47	22	0.3	0.3	0.2	0.6	0.3
604	Calculi of other parts of urinary system	120	94	15	10	1	0.1	0.1	0.0	0.1	0.0
605	Cystitis	368	185	131	32	20	0.2	0.3	0.2	0.4	0.2
606	Other diseases of bladder	233	161	37	29	6	0.1	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	8	3	1	4	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	183	105	3	74	1	0.1	0.2	0.0	0.9	0.0
609	Other diseases of urethra	137	71	33	30	3	0.1	0.1	0.0	0.4	0.0
	Diseases of male genital organs (610-617)										
610	Hyperplasia of prostate	6,173	5,478	...	695	...	3.9	7.8	...	8.5	...
611	Prostatitis	436	341	...	95	...	0.3	0.5	...	1.2	...
612	Other diseases of prostate	102	87	...	15	...	0.1	0.1	...	0.2	...
613	Hydrocele	17	15	...	2	...	0.0	0.0	...	0.0	...
614	Orchitis and epididymitis	13	10	...	3	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	9	7	...	2	...	0.0	0.0	...	0.0	...
617	Other diseases of male genital organs	43	30	...	13	...	0.0	0.0	...	0.2	...
	Diseases of breast, ovary, fallopian tube, and parametrium (620-626)										
620	Chronic cystic disease of breast	4	-	3	-	1	0.0	0	0.0	0	0.0
621	Other diseases of breast	13	1	11	-	1	0.0	0.0	0.0	0	0.0
622	Acute salpingitis and oophoritis	14	...	6	...	8	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	11	...	6	...	5	0.0	...	0.0	...	0.1
624	Salpingitis and oophoritis, unqualified	88	...	45	...	43	0.1	...	0.1	...	0.5
625	Other diseases of ovary and fallopian tube	31	...	22	...	9	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	132	...	65	...	67	0.1	...	0.1	...	0.8
	Diseases of uterus and other female genital organs (630-637)										
630	Infective diseases of uterus, vagina, and vulva	58	...	45	...	13	0.0	...	0.1	...	0.1
631	Uterovaginal prolapse	205	...	196	...	9	0.1	...	0.3	...	0.1
632	Malposition of uterus	9	...	6	...	3	0.0	...	0.0	...	0.0
633	Other diseases of uterus	129	...	100	...	29	0.1	...	0.1	...	0.3
634	Disorders of menstruation	12	...	9	...	3	0.0	...	0.0	...	0.0
635	Menopausal symptoms	3	...	2	...	1	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	24	...	20	...	4	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
	Complications of pregnancy (640-649)										
640	Pyelitis and pyelonephritis of pregnancy	14	...	8	...	6	0.0	...	0.0	...	0.1
641	Other infections of genito-urinary tract during pregnancy	12	...	6	...	6	0.0	...	0.0	...	0.1
642	Toxemias of pregnancy	709	...	391	...	318	0.4	...	0.5	...	3.7
.0	Hypertensive disease arising during pregnancy	70	...	32	...	38	0.0	...	0.0	...	0.4
.1	Renal disease arising during pregnancy	95	...	60	...	35	0.1	...	0.1	...	0.4
.2	Preeclampsia of pregnancy	65	...	34	...	31	0.0	...	0.0	...	0.4
.3	Eclampsia of pregnancy	269	...	139	...	130	0.2	...	0.2	...	1.5
.4	Hyperemesis gravidarum	8	...	5	...	3	0.0	...	0.0	...	0.0
.5	Other	202	...	121	...	81	0.1	...	0.2	...	0.9
643	Placenta praevia	4	...	3	...	1	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	18	...	10	...	8	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	162	...	83	...	79	0.1	...	0.1	...	0.9
.0	Without mention of sepsis	140	...	69	...	71	0.1	...	0.1	...	0.8
.1	With sepsis	22	...	14	...	8	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	6	...	2	...	4	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	1	...	1	...	-	0.0	...	0.0	...	0
648	Other complications arising from pregnancy	76	...	54	...	22	0.0	...	0.1	...	0.3
.0	Threatened abortion	1	...	1	...	-	0.0	...	0.0	...	0
.2	Placental abnormalities not classified elsewhere	13	...	8	...	5	0.0	...	0.0	...	0.1
.3	Other	62	...	45	...	17	0.0	...	0.1	...	0.2
	Abortion (650-652)										
650	Abortion without mention of sepsis or toxemia	87	...	46	...	41	0.1	...	0.1	...	0.5
.0	Spontaneous or unspecified	52	...	24	...	28	0.0	...	0.0	...	0.3
.1	Induced for medical or legal indications	4	...	2	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	28	...	20	...	8	0.0	...	0.0	...	0.1
.3	Other	3	...	-	...	3	0.0	...	0	...	0.0
651	Abortion with sepsis	177	...	96	...	81	0.1	...	0.1	...	0.9
.0	Spontaneous or unspecified	121	...	61	...	60	0.1	...	0.1	...	0.7
.1	Induced for medical or legal indications	4	...	4	...	-	0.0	...	0.0	...	0
.2	Induced for other reasons	49	...	29	...	20	0.0	...	0.0	...	0.2
.3	Other	3	...	2	...	1	0.0	...	0.0	...	0.0

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
	Abortion (650-652)—Continued										
652	Abortion with toxemia, without mention of sepsis	30	...	20	...	10	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	19	...	13	...	6	0.0	...	0.0	...	0.1
.1	Induced for medical or legal indications	6	...	3	...	3	0.0	...	0.0	...	0.0
.2	Induced for other reasons	5	...	4	...	1	0.0	...	0.0	...	0.0
	Delivery without complication (660)										
660	Delivery without complication	88	...	61	...	27	0.1	...	0.1	...	0.3
	Delivery with specified complication (670-678)										
670	Delivery complicated by placenta praevia or antepartum hemorrhage	182	...	122	...	60	0.1	...	0.2	...	0.7
671	Delivery complicated by retained placenta	43	...	29	...	14	0.0	...	0.0	...	0.2
672	Delivery complicated by other postpartum hemorrhage	201	...	141	...	60	0.1	...	0.2	...	0.7
673	Delivery complicated by abnormality of bony pelvis	7	...	4	...	3	0.0	...	0.0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	54	...	37	...	17	0.0	...	0.1	...	0.2
675	Delivery complicated by prolonged labor of other origin	35	...	21	...	14	0.0	...	0.0	...	0.2
676	Delivery with laceration of perineum, without mention of other laceration	2	...	2	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma	96	...	77	...	19	0.1	...	0.1	...	0.2
678	Delivery with other complications of childbirth	54	...	38	...	16	0.0	...	0.1	...	0.2
	Complications of the puerperium (680-689)										
681	Sepsis of childbirth and the puerperium	52	...	31	...	21	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	61	...	44	...	17	0.0	...	0.1	...	0.2
684	Puerperal pulmonary embolism	85	...	69	...	16	0.1	...	0.1	...	0.2
685	Puerperal eclampsia	71	...	40	...	31	0.0	...	0.1	...	0.4
686	Other forms of puerperal toxemia	11	...	8	...	3	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	31	...	23	...	8	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	16	...	12	...	4	0.0	...	0.0	...	0.0
	XII. Diseases of the skin and cellular tissue										
	Infections of skin and subcutaneous tissue (690-698)										
690	Boil and carbuncle	43	30	10	2	1	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	5	1	3	-	1	0.0	0.0	0.0	0	0.0
692	Other cellulitis and abscess without mention of lymphangitis	207	100	65	21	21	0.1	0.1	0.1	0.3	0.2
693	Other cellulitis and abscess with lymphangitis	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
694	Acute lymphadenitis	1	1	-	-	-	0.0	0.0	0	0	0
695	Impetigo	6	2	2	-	2	0.0	0.0	0.0	0	0.0
696	Infectious warts	1	1	-	-	-	0.0	0.0	0	0	0
698	Other local infections of skin and subcutaneous tissue	53	23	20	5	5	0.0	0.0	0.0	0.1	0.1
	Other diseases of skin and subcutaneous tissue (700-716)										
700	Seborrheic dermatitis	1	1	-	-	-	0.0	0	0	0	0
701	Eczema	15	7	3	5	-	0.0	0.0	0.0	0.1	0
703	Other dermatitis	33	15	12	3	3	0.0	0.0	0.0	0.0	0.0
704	Pemphigus	164	67	68	14	15	0.1	0.1	0.1	0.2	0.2
705	Erythematous conditions	261	71	137	16	37	0.2	0.1	0.2	0.2	0.4
706	Psoriasis and similar disorders	6	5	1	-	-	0.0	0.0	0.0	0	0
708	Pruritus and related conditions	4	1	2	1	-	0.0	0.0	0.0	0.0	0
709	Corns and callosities	2	2	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin	193	60	110	10	13	0.1	0.1	0.2	0.1	0.1
711	Other dermatoses	3	1	1	1	-	0.0	0.0	0.0	0.0	0
712	Diseases of nail	1	1	-	-	-	0.0	0.0	0	0	0
713	Diseases of hair and hair follicles	3	-	2	1	-	0.0	0	0.0	0.0	0
714	Diseases of sweat and sebaceous glands	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
715	Chronic ulcer of skin	233	73	117	19	24	0.1	0.1	0.2	0.2	0.3
716	Other diseases of skin	12	5	3	1	3	0.0	0.0	0.0	0.0	0.0
	XIII. Diseases of the bones and organs of movement										
	Arthritis and rheumatism, except rheumatic fever (720-727)										
720	Acute arthritis due to pyogenic organisms	27	18	6	1	2	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis	1	-	-	1	-	0.0	0	0	0.0	0
722	Rheumatoid arthritis and allied conditions	895	294	520	26	55	0.6	0.4	0.7	0.3	0.6
.0	Rheumatoid arthritis	882	287	516	25	54	0.6	0.4	0.7	0.3	0.6
.1	Spondylitis ankylopoietica	11	7	3	1	-	0.0	0.0	0.0	0.0	0
.2	Chronic rheumatoid nodular fibrositis	2	-	1	-	1	0.0	0	0.0	0	0.0
723	Osteo-arthritis (arthrosis) and allied conditions	368	116	215	16	21	0.2	0.2	0.3	0.2	0.2
.0	Osteo-arthritis (arthrosis)	350	108	207	15	20	0.2	0.2	0.3	0.2	0.2
.1	Spondylitis osteo-arthritica (spondylarthrosis)	17	8	7	1	1	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine	1	-	1	-	-	0.0	0	0.0	0	0
724	Other specified forms of arthritis	17	5	12	-	-	0.0	0.0	0.0	0	0
725	Arthritis, unspecified	367	119	189	26	33	0.2	0.2	0.3	0.3	0.4
726	Muscular rheumatism	9	4	3	1	1	0.0	0.0	0.0	0.0	0.0
727	Rheumatism unspecified	66	20	26	12	8	0.0	0.0	0.0	0.1	0.1
	Osteomyelitis and other diseases of bone and joint (730-738)										
730	Osteomyelitis and periostitis	161	90	45	15	11	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	15	9	3	1	2	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	58	38	14	5	1	0.0	0.1	0.0	0.1	0.0
.2	Unspecified osteomyelitis	87	42	28	9	8	0.1	0.1	0.0	0.1	0.1
.3	Periostitis without mention of osteomyelitis	1	1	-	-	-	0.0	0.0	0	0	0

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Continued										
	Osteomyelitis and other diseases of bone and joint (730-738)—Continued										
731	Osteitis deformans	105	50	45	7	3	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis	2	1	1	-	-	0.0	0.0	0.0	0	0
733	Other diseases of bone	174	60	105	3	6	0.1	0.1	0.1	0.0	0.1
734	Internal derangement of knee joint	7	3	3	-	1	0.0	0.0	0.0	0	0.0
735	Displacement of intervertebral disc	76	41	26	5	4	0.0	0.1	0.0	0.1	0.0
736	Affection of sacro-iliac joint	2	2	-	-	-	0.0	0.0	0	0	0
737	Ankylosis of joint	4	2	2	-	-	0.0	0.0	0.0	0	0
738	Other diseases of joint	19	8	8	2	1	0.0	0.0	0.0	0.0	0.0
	Other diseases of musculoskeletal system (740-749)										
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	9	1	7	1	-	0.0	0.0	0.0	0.0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	3	1	1	1	-	0.0	0.0	0.0	0.0	0
744	Other diseases of muscle, tendon, and fascia	721	394	268	36	23	0.5	0.6	0.4	0.4	0.3
.0	Myasthenia gravis	212	68	119	12	13	0.1	0.1	0.2	0.1	0.1
.1	Inborn defect of muscle	480	311	139	21	9	0.3	0.4	0.2	0.3	0.1
.2	Other	29	15	10	3	1	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	85	39	44	1	1	0.1	0.1	0.1	0.0	0.0
747	Hallux valgus and varus	1	-	1	-	-	0.0	0	0.0	0	0
748	Clubfoot	4	3	1	-	-	0.0	0.0	0.0	0	0
749	Other deformities	18	13	2	1	2	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations										
	Congenital malformations (750-759)										
750	Monstrosity	988	400	544	17	27	0.6	0.6	0.8	0.2	0.3
751	Spina bifida and meningocele	1,662	677	913	30	42	1.0	1.0	1.3	0.4	0.5
752	Congenital hydrocephalus	1,883	869	812	117	85	1.2	1.2	1.1	1.4	1.0
753	Other congenital malformations of nervous system and sense organs	689	332	294	30	33	0.4	0.5	0.4	0.4	0.4
.0	Congenital cataract	6	3	1	-	2	0.0	0.0	0.0	0	0.0
.1	Other	683	329	293	30	31	0.4	0.5	0.4	0.4	0.4
754	Congenital malformations of circulatory system	8,725	4,400	3,371	538	416	5.5	6.3	4.7	6.6	4.8
.0	Tetralogy of Fallot	400	213	158	16	13	0.3	0.3	0.2	0.2	0.1
.1	Patent ductus arteriosus (Botalli)	400	190	164	22	24	0.3	0.3	0.2	0.3	0.3
.2	Interventricular septal defect	461	220	206	18	17	0.3	0.3	0.3	0.2	0.2
.3	Interauricular septal defect	570	279	234	31	26	0.4	0.4	0.3	0.4	0.3
.4	Other and unspecified malformations of heart	5,971	2,923	2,337	407	304	3.8	4.2	3.3	5.0	3.5
.5	Coarctation of aorta	288	176	88	11	13	0.2	0.3	0.1	0.1	0.1
.6	Other circulatory malformations	635	399	184	33	19	0.4	0.6	0.3	0.4	0.2
755	Cleft palate and harelip	139	60	62	8	9	0.1	0.1	0.1	0.1	0.1
756	Congenital malformations of digestive system	2,487	1,282	902	179	124	1.6	1.8	1.3	2.2	1.4
.0	Congenital hypertrophic pyloric stenosis	168	103	31	25	9	0.1	0.1	0.0	0.3	0.1
.1	Imperforate anus	200	119	46	30	5	0.1	0.2	0.1	0.4	0.1
.2	Other	2,119	1,060	825	124	110	1.3	1.5	1.2	1.5	1.3
757	Congenital malformations of genito-urinary system	1,523	819	549	109	46	1.0	1.2	0.8	1.3	0.5
.0	Undescended testicle	3	3	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	958	477	402	45	34	0.6	0.7	0.6	0.5	0.4
.2	Congenital malformations of external genital organs	17	12	5	-	-	0.0	0.0	0.0	0	0
.3	Other	545	327	142	64	12	0.3	0.5	0.2	0.6	0.1
758	Congenital malformations of bone and joint	313	138	135	18	22	0.2	0.2	0.2	0.2	0.3
759	Other and unspecified congenital malformations, not elsewhere classified	1,603	803	593	126	81	1.0	1.1	0.8	1.5	0.9
.0	Of respiratory system	513	257	186	45	25	0.3	0.4	0.3	0.5	0.3
.1	Of skin	29	11	12	3	3	0.0	0.0	0.0	0.0	0.0
.2	Of muscle	131	69	54	4	4	0.1	0.1	0.1	0.0	0.0
.3	Other and unspecified	930	466	341	74	49	0.6	0.7	0.5	0.9	0.6
	XV. Certain diseases of early infancy										
	Birth injuries, asphyxia, and infections of newborn (760-769)										
760	Intracranial and spinal injury at birth	4,791	2,421	1,369	600	401	3.0	3.5	1.9	7.3	4.6
.0	Without mention of immaturity	3,325	1,710	951	402	262	2.1	2.4	1.3	4.9	3.0
.5	With immaturity	1,466	711	418	198	139	0.9	1.0	0.6	2.4	1.6
761	Other birth injury	6,918	3,688	2,369	492	369	4.4	5.3	3.3	6.0	4.3
.0	Without mention of immaturity	2,229	1,133	693	231	172	1.4	1.6	1.0	2.8	2.0
.5	With immaturity	4,689	2,555	1,676	261	197	3.0	3.7	2.3	3.2	2.3
762	Postnatal asphyxia and atelectasis	16,554	8,358	5,341	1,574	1,281	10.5	12.0	7.5	19.2	14.8
.0	Without mention of immaturity	5,933	2,959	1,860	645	469	3.7	4.2	2.6	7.9	5.4
.5	With immaturity	10,621	5,399	3,481	929	812	6.7	7.7	4.9	11.3	9.4
763	Pneumonia of newborn	3,074	1,269	861	526	418	1.9	1.8	1.2	6.4	4.8
.0	Without mention of immaturity	2,094	867	546	386	295	1.3	1.2	0.8	4.7	3.4
.5	With immaturity	980	402	315	140	123	0.6	0.6	0.4	1.7	1.4
764	Diarrhea of newborn	697	223	183	162	129	0.4	0.3	0.3	2.0	1.5
.0	Without mention of immaturity	498	164	118	128	88	0.3	0.2	0.2	1.6	1.0
.5	With immaturity	199	59	65	34	41	0.1	0.1	0.1	0.4	0.5
765	Ophthalmia neonatorum	1	-	1	-	-	0.0	0	0.0	0	0
.5	With immaturity	1	-	1	-	-	0.0	0	0.0	0	0
766	Pemphigus neonatorum	27	13	8	3	3	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	19	9	5	3	2	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	8	4	3	-	1	0.0	0.0	0.0	0	0.0
767	Umbilical sepsis	79	14	14	27	24	0.0	0.0	0.0	0.3	0.3
.0	Without mention of immaturity	70	14	11	24	21	0.0	0.0	0.0	0.3	0.2
.5	With immaturity	9	-	3	3	3	0.0	0	0.0	0.0	0.0
768	Other sepsis of newborn	309	143	89	47	30	0.2	0.2	0.1	0.6	0.3
.0	Without mention of immaturity	193	87	60	33	13	0.1	0.1	0.1	0.4	0.1
.5	With immaturity	116	56	29	14	17	0.1	0.1	0.0	0.2	0.2

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Continued										
	Birth injuries, asphyxia, and infections of newborn (760-769)—Continued										
769	Neonatal disorders arising from maternal toxemia	427	199	144	55	29	0.3	0.3	0.2	0.7	0.3
.0-.4	Without mention of immaturity	248	114	73	41	20	0.2	0.2	0.1	0.5	0.2
.0	Attributed to "toxemia of pregnancy"	178	74	53	38	13	0.1	0.1	0.1	0.5	0.1
.1	Attributed to maternal diabetes	44	28	12	1	3	0.0	0.0	0.0	0.0	0.0
.2	Attributed to maternal rubella	2	1	-	-	1	0.0	0.0	0	0	0.0
.3	Attributed to toxoplasmosis	3	3	-	-	-	0.0	0.0	0	0	0
.4	Attributed to other or unspecified maternal toxemia	21	8	8	2	3	0.0	0.0	0.0	0.0	0.0
.5-.9	With immaturity	179	85	71	14	9	0.1	0.1	0.1	0.2	0.1
.5	Attributed to "toxemia of pregnancy"	133	58	53	13	9	0.1	0.1	0.1	0.2	0.1
.6	Attributed to maternal diabetes	34	21	12	1	-	0.0	0.0	0.0	0.0	0
.7	Attributed to maternal rubella	3	2	1	-	-	0.0	0.0	0.0	0	0
.9	Attributed to other or unspecified maternal toxemia	9	4	5	-	-	0.0	0.0	0.0	0	0
	Other diseases peculiar to early infancy (770-776)										
770	Hemolytic disease of newborn (erythroblastosis)	2,568	1,377	1,015	116	60	1.6	2.0	1.4	1.4	0.7
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,896	1,010	757	83	46	1.2	1.4	1.1	1.0	0.5
.1	Kernicterus, without mention of immaturity	168	99	56	10	3	0.1	0.1	0.1	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	8	5	1	2	-	0.0	0.0	0.0	0.0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	465	245	191	19	10	0.3	0.4	0.3	0.2	0.1
.6	Kernicterus, with immaturity	30	17	10	2	1	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	1	1	-	-	-	0.0	0.0	0	0	0
771	Hemorrhagic disease of newborn	797	374	234	116	73	0.5	0.5	0.3	1.4	0.8
.0	Without mention of immaturity	502	239	140	79	44	0.3	0.3	0.2	1.0	0.5
.5	With immaturity	295	135	94	37	29	0.2	0.2	0.1	0.5	0.3
772	Nutritional maladjustment	749	206	169	220	154	0.5	0.3	0.2	2.7	1.8
.0	Without mention of immaturity	542	149	128	157	108	0.3	0.2	0.2	1.9	1.2
.5	With immaturity	207	57	41	63	46	0.1	0.1	0.1	0.8	0.5
773	Ill-defined diseases peculiar to early infancy	2,657	1,216	844	333	264	1.7	1.7	1.2	4.1	3.0
.0	Without mention of immaturity	598	222	154	121	101	0.4	0.3	0.2	1.5	1.2
.5	With immaturity	2,059	994	690	212	163	1.3	1.4	1.0	2.6	1.8
774	Immaturity with mention of any other subsidiary condition	1,313	572	450	156	135	0.8	0.8	0.6	1.9	1.6
776	Immaturity unqualified	22,483	9,951	7,333	2,761	2,438	14.2	14.2	10.2	33.7	28.1
	XVI. Symptoms, senility, and ill-defined conditions										
	Symptoms referable to systems or organs (780-789)										
780	Certain symptoms referable to nervous system and special senses	191	76	50	33	32	0.1	0.1	0.1	0.4	0.4
.0	Coma and stupor	17	2	6	6	3	0.0	0.0	0.0	0.1	0.0
.2	Convulsions	163	70	41	23	29	0.1	0.1	0.1	0.3	0.3
.3	Jacksonian epilepsy	4	2	1	1	-	0.0	0.0	0.0	0.0	0
.4-.9	Other specified symptoms referable to nervous system and special senses	7	2	2	3	-	0.0	0.0	0.0	0.0	0
781	Other symptoms referable to nervous system and special senses	16	6	7	2	1	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	2,150	1,134	639	224	153	1.4	1.6	0.9	2.7	1.8
.0	Precordial pain	6	3	2	1	-	0.0	0.0	0.0	0.0	0
.2	Tachycardia	3	-	3	-	-	0.0	0	0.0	0	0
.3	Pallor and cyanosis (not of newborn)	2	2	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	2,045	1,104	596	209	136	1.3	1.6	0.8	2.6	1.6
.5	Syncope or collapse	10	3	4	2	1	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	33	6	9	8	10	0.0	0.0	0.0	0.1	0.1
.8	Splenomegaly	12	6	3	2	1	0.0	0.0	0.0	0.0	0.0
.9	Shock without mention of trauma	39	10	22	2	5	0.0	0.0	0.0	0.0	0.1
783	Symptoms referable to respiratory system	207	92	54	34	27	0.1	0.1	0.1	0.4	0.3
.0	Epistaxis	11	7	3	1	-	0.0	0.0	0.0	0.0	0
.1	Hemoptysis	166	70	47	28	21	0.1	0.1	0.1	0.3	0.2
.2	Dyspnea	11	5	3	2	1	0.0	0.0	0.0	0.0	0.0
.3-.7	Other symptoms referable to respiratory system	19	10	1	3	5	0.0	0.0	0.0	0.0	0.1
784	Symptoms referable to upper gastro-intestinal tract	165	95	47	16	7	0.1	0.1	0.1	0.2	0.1
785	Symptoms referable to abdomen and lower gastro-intestinal system	150	57	44	23	26	0.1	0.1	0.1	0.3	0.3
.2	Jaundice	58	27	12	13	6	0.0	0.0	0.0	0.2	0.1
.6	Diarrhea, age 2 years and over	61	17	24	5	15	0.0	0.0	0.0	0.1	0.2
.0,.1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	31	13	8	5	5	0.0	0.0	0.0	0.1	0.1
786	Symptoms referable to genito-urinary system	41	19	9	11	2	0.0	0.0	0.0	0.1	0.0
787	Symptoms referable to limbs and back	3	1	2	-	-	0.0	0.0	0.0	0	0
788	Other general symptoms	160	48	40	34	38	0.1	0.1	0.1	0.4	0.4
.0-.5	Other specified general symptoms	35	13	5	6	11	0.0	0.0	0.0	0.1	0.1
.6	Acidosis	24	6	12	3	3	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	1	1	-	-	-	0.0	0.0	0	0	0
.8	Pyrexia of unknown origin	98	27	23	24	24	0.1	0.0	0.0	0.3	0.3
.9	Other specified symptoms not classifiable elsewhere	2	1	-	1	-	0.0	0.0	0	0.0	0
789	Abnormal urinary constituents of unspecified cause	13	7	4	1	1	0.0	0.0	0.0	0.0	0.0
	Senility and ill-defined diseases (790-795)										
790	Nervousness and debility	37	13	15	5	4	0.0	0.0	0.0	0.1	0.0
792	Uremia, unqualified	561	259	187	69	46	0.4	0.4	0.3	0.8	0.5
794	Senility without mention of psychosis	4,626	1,661	2,106	395	464	2.9	2.4	2.9	4.8	5.3
795	Ill-defined and unknown causes of mortality	13,373	4,838	2,393	3,368	2,774	8.4	6.9	3.3	41.1	32.0
.0	Other ill-defined conditions	763	294	212	156	101	0.5	0.4	0.3	1.9	1.2
.2	Sudden death (cause unknown)	494	195	81	132	86	0.3	0.3	0.1	1.6	1.0
.3	Found dead (cause unknown)	435	191	80	91	73	0.3	0.3	0.1	1.1	0.8
.4	Died without sign of disease	4,327	1,918	763	962	684	2.7	2.7	1.1	11.7	7.9
.5	Other, unknown, and unspecified causes	7,354	2,240	1,257	2,027	1,830	4.6	3.2	1.8	24.7	21.1

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence										
	Railway accidents (E800-E802)										
E800	Railway accident involving railroad employee	330	301	1	27	1	0.2	0.4	0.0	0.3	0.0
E801	Railway accident involving passenger	55	39	11	3	2	0.0	0.1	0.0	0.0	0.0
E802	Railway accident involving other and unspecified person	1,296	904	122	235	35	0.8	1.3	0.2	2.9	0.4
	Motor-vehicle traffic accidents (E810-E825)										
E810	Motor-vehicle traffic accident involving collision with railway train	1,506	1,004	377	89	36	1.0	1.4	0.5	1.1	0.4
E811	Motor-vehicle traffic accident involving collision with streetcar	26	20	3	1	2	0.0	0.0	0.0	0.0	0.0
E812	Motor-vehicle traffic accident to pedestrian	8,112	5,141	1,735	970	266	5.1	7.4	2.4	11.8	3.1
E813	Motor-vehicle traffic accident to pedal cyclist	370	311	28	31	-	0.2	0.4	0.0	0.4	0
E814	Motor-vehicle traffic accident to rider or passenger of motor-cycle, in collision with nonmotor vehicle or object	38	35	2	1	-	0.0	0.1	0.0	0.0	0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	422	372	28	21	1	0.3	0.5	0.0	0.3	0.0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	9,877	6,123	2,812	684	258	6.2	8.8	3.9	8.3	3.0
E817	Motor-vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	1	1	-	-	-	0.0	0.0	0	0	0
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	74	44	12	17	1	0.0	0.1	0.0	0.2	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	2,060	1,429	452	144	35	1.3	2.0	0.6	1.8	0.4
E820	Motor-vehicle traffic accident while boarding and alighting	35	16	17	1	1	0.0	0.0	0.0	0.0	0.0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	280	254	19	7	-	0.2	0.4	0.0	0.1	0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,550	1,107	235	164	44	1.0	1.6	0.3	2.0	0.5
E823	Motor-vehicle traffic accident involving running off roadway	6,753	4,732	1,176	662	183	4.3	6.8	1.6	8.1	2.1
E824	Other noncollision motor-vehicle traffic accident	840	495	192	122	31	0.5	0.7	0.3	1.5	0.4
E825	Motor-vehicle traffic accident of unspecified nature	4,985	3,228	1,061	549	147	3.1	4.6	1.5	6.7	1.7
	Motor-vehicle nontraffic accidents (E830-E835)										
E830	Motor-vehicle nontraffic accident to pedestrian	614	386	151	59	18	0.4	0.6	0.2	0.7	0.2
E831	Motor-vehicle nontraffic accident to pedal cyclist	1	1	-	-	-	0.0	0.0	0	0	0
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	21	20	-	1	-	0.0	0.0	0	0.0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	22	20	1	-	1	0.0	0.0	0.0	0	0.0
E834	Motor-vehicle nontraffic accident while boarding and alighting	21	9	10	-	2	0.0	0.0	0.0	0	0.0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	347	264	49	27	7	0.2	0.4	0.1	0.3	0.1
	Other road-vehicle accidents (E840-E845)										
E840	Streetcar accident to pedestrian	80	48	19	9	4	0.1	0.1	0.0	0.1	0.0
E841	Other streetcar accident, except collision with motor vehicle	10	7	1	1	1	0.0	0.0	0.0	0.0	0.0
E842	Accident to pedestrian caused by pedal cycle	13	9	4	-	-	0.0	0.0	0.0	0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	46	37	8	1	-	0.0	0.1	0.0	0.0	0
E844	Accident to pedestrian caused by other nonmotor road vehicle	11	9	-	2	-	0.0	0.0	0	0.0	0
E845	Other nonmotor road-vehicle accidents	264	163	45	50	6	0.2	0.2	0.1	0.6	0.1
	Water-transport accidents (E850-E858)										
E850	Submersion of occupant of small boat	1,266	1,014	102	131	19	0.8	1.5	0.1	1.6	0.2
E851	Other water-transport injury by submersion	152	128	1	22	1	0.1	0.2	0.0	0.3	0.0
E852	Fall on stairs and ladders in water transport	7	7	-	-	-	0.0	0.0	0	0	0
E853	Other falls from one level to another in water transport	37	31	-	5	1	0.0	0.0	0	0.1	0.0
E854	Falls on same level in water transport	1	1	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	7	6	1	-	-	0.0	0.0	0.0	0	0
E856	Machinery accident in water transport	13	11	1	1	-	0.0	0.0	0.0	0.0	0
E857	Other specified accidents in water transport	129	120	6	3	-	0.1	0.2	0.0	0.0	0
E858	Water-transport accident of unspecified cause	2	1	1	-	-	0.0	0.0	0.0	0	0
	Aircraft accidents (E860-E866)										
E860	Accident to personnel in military aircraft	274	244	-	30	-	0.2	0.3	0	0.4	0
E861	Injury to occupant by accident to commerical "transport" aircraft	115	89	10	16	-	0.1	0.1	0.0	0.2	0
E863	Injury to occupant by accident to other aircraft	122	114	8	-	-	0.1	0.2	0.0	0	0
E864	Aircraft accident at airfield to person not in aircraft	13	7	4	2	-	0.0	0.0	0.0	0.0	0
E865	Aircraft accident elsewhere to person not in aircraft	16	14	1	1	-	0.0	0.0	0.0	0.0	0
E866	Other and unspecified aircraft accidents	1,065	984	67	14	-	0.7	1.4	0.1	0.2	0
	Accidental poisoning by solid and liquid substances (E870-E888)										
E870	Accidental poisoning by morphine and other opium derivatives	31	12	3	12	4	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	337	144	179	9	5	0.2	0.2	0.3	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	98	45	33	11	9	0.1	0.1	0.0	0.1	0.1
E873	Accidental poisoning by bromides	16	9	7	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	82	48	28	4	2	0.1	0.1	0.0	0.0	0.0
E876	Accidental poisoning by strychnine	21	8	9	3	1	0.0	0.0	0.0	0.0	0.0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	4	2	2	-	-	0.0	0.0	0.0	0	0
E878	Accidental poisoning by other and unspecified drugs	75	36	28	8	3	0.0	0.1	0.0	0.1	0.0
E879	Accidental poisoning by noxious foodstuffs	4	2	2	-	-	0.0	0.0	0.0	0	0
E880	Accidental poisoning by alcohol	221	136	11	53	21	0.2	0.2	0.0	0.6	0.2
E881	Accidental poisoning by petroleum products	116	46	21	28	21	0.1	0.1	0.0	0.3	0.2
E882	Accidental poisoning by industrial solvents	47	33	6	6	2	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	63	33	9	15	6	0.0	0.0	0.0	0.2	0.1
E884	Accidental poisoning by mercury and its compounds	9	3	4	1	1	0.0	0.0	0.0	0.0	0.0
E885	Accidental poisoning by lead and its compounds	65	25	13	12	15	0.0	0.0	0.0	0.1	0.2

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Accidental poisoning by solid and liquid substances (870-E888)—Continued										
E886	Accidental poisoning by arsenic and antimony, and their compounds	52	31	8	7	6	0.0	0.0	0.0	0.1	0.1
E887	Accidental poisoning by fluorides	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	144	72	35	28	9	0.1	0.1	0.0	0.3	0.1
	Accidental poisoning by gases and vapors (E890-E895)										
E890	Accidental poisoning by utility (illuminating) gas	573	331	184	34	24	0.4	0.5	0.3	0.4	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	305	257	28	16	4	0.2	0.4	0.0	0.2	0.0
E892	Accidental poisoning by other carbon monoxide gas	203	134	48	16	5	0.1	0.2	0.1	0.2	0.1
E893	Accidental poisoning by cyanide gas	2	2	-	-	-	0.0	0.0	0	0	0
E894	Accidental poisoning by other specified gases and vapors	110	84	16	10	-	0.1	0.1	0.0	0.1	0
E895	Accidental poisoning by unspecified gases and vapors	30	20	6	4	-	0.0	0.0	0.0	0.0	0
	Accidental falls (E900-E904)										
E900	Fall on stairs	2,780	1,498	1,091	113	78	1.8	2.1	1.5	1.4	0.9
E901	Fall from ladders	356	313	29	13	1	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	4,101	2,401	1,301	303	96	2.6	3.4	1.8	3.7	1.1
E903	Fall on same level	4,379	1,629	2,610	72	68	2.8	2.3	3.6	0.9	0.8
E904	Unspecified falls	9,015	3,430	5,104	251	230	5.7	4.9	7.1	3.1	2.7
	Other accidents (E910-E936)										
E910	Blow from falling object	1,336	1,100	49	180	7	0.8	1.6	0.1	2.2	0.1
E911	Accident caused by vehicle	125	108	1	16	-	0.1	0.2	0.0	0.2	0
E912	Accident caused by machinery	2,144	1,849	94	196	5	1.4	2.6	0.1	2.4	0.1
E913	Accident caused by cutting and piercing instruments	154	84	16	48	6	0.1	0.1	0.0	0.6	0.1
E914	Accident caused by electric current	984	843	57	79	5	0.6	1.2	0.1	1.0	0.1
E915	Accident caused by explosion of pressure vessel	44	36	-	8	-	0.0	0.1	0	0.1	0
E916	Accident caused by fire and explosion of combustible material	6,579	2,787	1,856	972	964	4.2	4.0	2.6	11.9	11.1
E917	Accident caused by hot substance, corrosive liquid, and steam	814	359	240	117	98	0.5	0.5	0.3	1.4	1.1
E918	Accident caused by radiation	1	1	-	-	-	0.0	0.0	0	0	0
E919	Accident caused by firearm	2,277	1,701	182	315	79	1.4	2.4	0.3	3.8	0.9
E920	Foreign body entering eye and adnexa	3	3	-	-	-	0.0	0.0	0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,278	622	398	153	105	0.8	0.9	0.6	1.9	1.2
E922	Inhalation and ingestion of other object causing obstruction or suffocation	325	144	112	45	24	0.2	0.2	0.2	0.5	0.3
E923	Foreign body entering other orifice	129	66	43	11	9	0.1	0.1	0.1	0.1	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,183	527	350	167	139	0.7	0.8	0.5	2.0	1.6
E925	Accidental mechanical suffocation in other and unspecifed circumstances	453	280	88	64	21	0.3	0.4	0.1	0.8	0.2
E926	Lack of care of infants under 1 year of age	45	8	8	11	18	0.0	0.0	0.0	0.1	0.2
E927	Accidents caused by bites and stings of venomous animals and insects	35	21	9	2	3	0.0	0.0	0.0	0.0	0.0
E928	Other accidents caused by animals	206	152	23	26	5	0.1	0.2	0.0	0.3	0.1
E929	Accidental drowning and submersion	5,352	3,640	704	904	104	3.4	5.2	1.0	11.0	1.2
E930	High and low air pressure	4	4	-	-	-	0.0	0.0	0	0	0
E931	Excessive heat and insolation	576	319	142	85	30	0.4	0.5	0.2	1.0	0.3
E932	Excessive cold	209	128	27	38	16	0.1	0.2	0.0	0.5	0.2
E933	Hunger, thirst, and exposure	336	170	39	76	51	0.2	0.2	0.1	0.9	0.6
E934	Cataclysm	571	268	231	42	30	0.4	0.4	0.3	0.5	0.3
E935	Lightning	145	98	19	18	10	0.1	0.1	0.0	0.2	0.1
E936	Other and unspecified accidents	1,914	1,215	373	242	84	1.2	1.7	0.5	3.0	1.0
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)										
E941	Postvaccinal encephalitis	5	4	1	-	-	0.0	0.0	0.0	0	0
E944	Other complications of prophylactic inoculation	13	5	5	1	2	0.0	0.0	0.0	0.0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	7	5	1	1	-	0.0	0.0	0.0	0.0	0
E946	Other complications due to nontherapeutic medical and surgical procedures	32	16	9	1	6	0.0	0.0	0.0	0.0	0.1
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)										
E950	Therapeutic misadventure in surgical treatment	296	105	122	29	40	0.2	0.2	0.2	0.4	0.5
E951	Therapeutic misadventure in infusion or transfusion	66	29	26	10	1	0.0	0.0	0.0	0.1	0.0
E952	Therapeutic misadventure in local applications	6	-	6	-	-	0.0	0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	79	30	30	8	11	0.0	0.0	0.0	0.1	0.1
E954	Therapeutic misadventure in anesthesia	60	24	22	4	10	0.0	0.0	0.0	0.0	0.1
E955	Other and unspecified therapeutic misadventure	9	5	1	2	1	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	85	26	48	2	9	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	3	2	-	1	-	0.0	0.0	0	0.0	0
E958	Late complication of irradiation	3	-	3	-	-	0.0	0	0.0	0	0
E959	Late complications of other forms of treatment	6	4	2	-	-	0.0	0.0	0.0	0	0
	Late effects of injury and poisoning (E960-E965)										
E960	Late effect of motor-vehicle accident	69	43	17	6	3	0.0	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning	13	6	2	3	2	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury	534	253	211	54	16	0.3	0.4	0.3	0.7	0.2
E963	Late effect of self-inflicted injury	5	2	2	-	1	0.0	0.0	0.0	0	0.0
E964	Late effect of injury purposely inflicted by another person (not in war)	11	4	1	5	1	0.0	0.0	0.0	0.1	0.0
E965	Late effects of injuries due to war operations	26	25	-	1	-	0.0	0.0	0	0.0	0

Table 48. Deaths and Death Rates for Each Cause, by Race and Sex: United States, 1953—Continued

(See headnote on p. 17)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Suicide and self-inflicted injury (E970-E979)										
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	735	288	439	6	2	0.5	0.4	0.6	0.1	0.0
A	Suicide by morphine and other opium derivatives	11	2	9	-	-	0.0	0.0	0.0	0	0
B	Suicide by barbituric acid and derivatives	616	243	367	4	2	0.4	0.3	0.5	0.0	0.0
C	Suicide by acetylsalicylic acid	6	3	3	-	-	0.0	0.0	0.0	0	0
D	Suicide by methyl salicylate	7	1	6	-	-	0.0	0.0	0.0	0	0
E	Suicide by other salicylates	2	-	2	-	-	0.0	0	0.0	0	0
F	Suicide by bromides	3	-	3	-	-	0.0	0	0.0	0	0
H	Suicide by other analgesic and soporific substances	76	33	42	1	-	0.0	0.0	0.1	0.0	0
M	Suicide by unspecified drugs	14	6	7	1	-	0.0	0.0	0.0	0.0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	779	379	346	33	21	0.5	0.5	0.5	0.4	0.2
A	Suicide by poisoning with strychnine	93	56	35	1	1	0.1	0.1	0.0	0.0	0.0
B	Suicide by phenol compounds	68	38	25	3	2	0.0	0.1	0.0	0.0	0.0
C	Suicide by lye and potash	56	19	29	4	4	0.0	0.0	0.0	0.0	0.0
D	Suicide by cresol compounds	16	7	8	1	-	0.0	0.0	0.0	0.0	0
E	Suicide by mercury and its compounds	45	12	29	2	2	0.0	0.0	0.0	0.0	0.0
F	Suicide by arsenic and its compounds	106	50	49	4	3	0.1	0.1	0.1	0.0	0.0
G	Suicide by fluorides	38	13	21	1	3	0.0	0.0	0.0	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	357	184	150	17	6	0.2	0.3	0.2	0.2	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	383	226	147	8	2	0.2	0.3	0.2	0.1	0.0
E973	Suicide and self-inflicted poisoning by other gases	1,372	1,178	189	4	1	0.9	1.7	0.3	0.0	0.0
A	Suicide by motor-vehicle exhaust gas	1,197	1,032	162	2	1	0.8	1.5	0.2	0.0	0.0
B	Suicide by other motor exhaust gas	11	11	-	-	-	0.0	0.0	0	0	0
C	Suicide by other carbon monoxide	131	116	13	2	-	0.1	0.2	0.0	0.0	0
D	Suicide by other poisonous gases	33	19	14	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,397	2,473	791	106	27	2.1	3.5	1.1	1.3	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	630	329	259	33	9	0.4	0.5	0.4	0.4	0.1
E976	Suicide and self-inflicted injury by firearms and explosives	7,293	6,220	774	265	34	4.6	8.9	1.1	3.2	0.4
E977	Suicide and self-inflicted injury by cutting and piercing instruments	530	406	98	24	2	0.3	0.6	0.1	0.3	0.0
E978	Suicide and self-inflicted injury by jumping from high place	530	329	164	30	7	0.3	0.5	0.2	0.4	0.1
E979	Suicide and self-inflicted injury by other and unspecified means	293	178	90	17	8	0.2	0.3	0.1	0.2	0.1
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)										
E980	Nonaccidental poisoning by another person	42	16	16	6	4	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearms and explosives	4,013	1,317	533	1,763	400	2.5	1.9	0.7	21.5	4.6
E982	Assault by cutting and piercing instruments	1,837	350	117	1,104	266	1.2	0.5	0.2	13.5	3.1
E983	Assault by other means	1,420	611	305	339	165	0.9	0.9	0.4	4.1	1.9
E984	Injury by intervention of police	255	124	1	130	-	0.2	0.2	0.0	1.6	0
E985	Execution	62	27	3	32	-	0.0	0.0	0.0	0.4	.0
	Injury resulting from operations of war (E990-E999)										
E991	Injury due to war operations by gunshot	1	1	-	-	-	0.0	0.0	0	0	0
E996	Injury due to war operations by explosion of undetermined origin	2	2	-	-	-	0.0	0.0	0	0	0
E998	Injury due to war operations by other and unspecified means	5	5	-	-	-	0.0	0.0	0	0	0

Table 48. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1953

(Exclusive of deaths among armed forces overseas. Includes each three-digit category from E870-E936 to which one or more deaths were assigned in 1953. Numbers under places of accident are four-digit subcategory numbers of the International List)

Sixth Revision Number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)											
E870	Accidental poisoning by morphine and other opium derivatives	31	13	-	-	-	-	-	6	3	1	8
	White--Male	12	3	-	-	-	-	-	3	3	1	2
	Female	3	2	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	12	6	-	-	-	-	-	3	-	-	3
	Female	4	2	-	-	-	-	-	-	-	-	2
E871	Accidental poisoning by barbituric acid and derivatives	337	214	-	-	-	-	3	20	5	5	90
	White--Male	144	86	-	-	-	-	2	10	1	3	42
	Female	179	120	-	-	-	-	1	9	3	2	44
	Nonwhite--Male	9	6	-	-	-	-	-	1	1	-	1
	Female	5	2	-	-	-	-	-	-	-	-	3
E872	Accidental poisoning by aspirin and salicylates	98	59	-	-	-	-	-	1	1	-	37
	White--Male	45	28	-	-	-	-	-	1	1	-	15
	Female	33	17	-	-	-	-	-	-	-	-	16
	Nonwhite--Male	11	7	-	-	-	-	-	-	-	-	4
	Female	9	7	-	-	-	-	-	-	-	-	2
E873	Accidental poisoning by bromides	16	8	-	-	-	-	-	-	-	-	8
	White--Male	9	3	-	-	-	-	-	-	-	-	6
	Female	7	5	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	82	54	-	-	-	-	-	4	1	-	23
	White--Male	48	30	-	-	-	-	-	4	1	-	13
	Female	28	19	-	-	-	-	-	-	-	-	9
	Nonwhite--Male	4	3	-	-	-	-	-	-	-	-	1
	Female	2	2	-	-	-	-	-	-	-	-	-
E876	Accidental poisoning by strychnine	21	15	-	-	-	1	-	-	-	1	4
	White--Male	8	5	-	-	-	1	-	-	-	-	2
	Female	9	8	-	-	-	-	-	-	-	1	-
	Nonwhite--Male	3	2	-	-	-	-	-	-	-	-	1
	Female	1	-	-	-	-	-	-	-	-	-	1
E877	Accidental poisoning by belladonna, hyoscine, and atropine	4	3	-	-	-	-	-	-	-	-	1
	White--Male	2	1	-	-	-	-	-	-	-	-	1
	Female	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	75	46	-	-	-	-	-	-	1	1	27
	White--Male	36	21	-	-	-	-	-	-	1	-	14
	Female	28	18	-	-	-	-	-	-	-	1	9
	Nonwhite--Male	8	5	-	-	-	-	-	-	-	-	3
	Female	3	2	-	-	-	-	-	-	-	-	1
E879	Accidental poisoning by noxious foodstuffs	4	1	-	-	-	-	-	-	-	-	3
	White--Male	2	1	-	-	-	-	-	-	-	-	1
	Female	2	-	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	221	57	2	-	1	4	1	3	9	6	138
	White--Male	136	31	2	-	1	4	-	3	8	5	82
	Female	11	4	-	-	-	-	-	-	-	-	7
	Nonwhite--Male	53	15	-	-	-	-	1	-	1	1	35
	Female	21	7	-	-	-	-	-	-	-	-	14
E881	Accidental poisoning by petroleum products	116	79	4	-	5	-	-	1	-	2	25
	White--Male	46	30	1	-	5	-	-	-	-	1	9
	Female	21	11	2	-	-	-	-	1	-	-	7
	Nonwhite--Male	28	24	-	-	-	-	-	-	-	1	3
	Female	21	14	1	-	-	-	-	-	-	-	6
E882	Accidental poisoning by industrial solvents	47	26	-	-	4	-	2	4	-	1	10
	White--Male	33	15	-	-	4	-	2	3	-	1	8
	Female	6	5	-	-	-	-	-	1	-	-	-
	Nonwhite--Male	6	4	-	-	-	-	-	-	-	-	2
	Female	2	2	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	63	44	-	-	2	-	2	1	1	-	13
	White--Male	33	24	-	-	2	-	2	1	-	-	4
	Female	9	5	-	-	-	-	-	-	1	-	3
	Nonwhite--Male	15	10	-	-	-	-	-	-	-	-	5
	Female	6	5	-	-	-	-	-	-	-	-	1
E884	Accidental poisoning by mercury and its compounds	9	5	-	-	-	-	-	-	-	-	4
	White--Male	3	2	-	-	-	-	-	-	-	-	1
	Female	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
E885	Accidental poisoning by lead and its compounds	65	36	1	-	1	-	-	-	-	-	27
	White--Male	25	12	1	-	-	-	-	-	-	-	12
	Female	13	7	-	-	-	-	-	-	-	-	6
	Nonwhite--Male	12	7	-	-	1	-	-	-	-	-	4
	Female	15	10	-	-	-	-	-	-	-	-	5
E886	Accidental poisoning by arsenic and antimony, and their compounds	52	30	2	-	-	-	-	1	-	3	16
	White--Male	31	20	2	-	-	-	-	1	-	1	7
	Female	8	5	-	-	-	-	-	-	-	-	3
	Nonwhite--Male	7	1	-	-	-	-	-	-	-	1	5
	Female	6	4	-	-	-	-	-	-	-	1	1
E887	Accidental poisoning by fluorides	6	4	-	-	-	-	-	-	-	-	2
	White--Male	2	2	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1

See footnotes on p. 36.

Table 48. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1953—Continued

(See headnote on p. 33)

Sixth Revision Number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances (E870-E888)—Con.											
E888	Accidental poisoning by other and unspecified solid and liquid substances	144	82	5	-	2	-	1	6	1	3	44
	White-----Male----	72	36	5	-	2	-	1	3	-	2	23
	Female--	35	23	-	-	-	-	-	1	-	1	10
	Nonwhite--Male----	28	15	-	-	-	-	-	2	1	-	10
	Female--	9	8	-	-	-	-	-	-	-	-	1
	Accidental poisoning by gases and vapors (E890-E895)											
E890	Accidental poisoning by utility (illuminating) gas	573	515	3	-	1	1	-	35	1	7	10
	White-----Male----	331	291	3	-	1	1	-	25	-	5	5
	Female--	184	172	-	-	-	-	-	5	1	2	4
	Nonwhite--Male----	34	30	-	-	-	-	-	3	-	-	1
	Female--	24	22	-	-	-	-	-	2	-	-	-
E891	Accidental poisoning by motor-vehicle exhaust gas	305	148	10	-	43	2	48	13	-	29	12
	White-----Male----	257	128	8	-	38	2	36	12	-	22	11
	Female--	28	14	1	-	1	-	6	1	-	4	1
	Nonwhite--Male----	16	5	1	-	3	-	4	-	-	3	-
	Female--	4	1	-	-	1	-	2	-	-	-	-
E892	Accidental poisoning by other carbon monoxide gas	203	125	3	2	8	-	5	14	-	9	37
	White-----Male----	134	75	3	2	7	-	3	11	-	7	26
	Female--	48	39	-	-	-	-	-	2	-	1	6
	Nonwhite--Male----	16	8	-	-	1	-	1	1	-	1	4
	Female--	5	3	-	-	-	-	1	-	-	-	1
E893	Accidental poisoning by cyanide gas	2	1	-	-	-	-	-	-	-	-	1
	White-----Male----	2	1	-	-	-	-	-	-	-	-	1
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	110	30	8	4	34	-	4	4	-	8	18
	White-----Male----	84	21	6	3	28	-	3	4	-	6	13
	Female--	16	9	2	-	-	-	-	-	-	-	5
	Nonwhite--Male----	10	-	-	1	6	-	1	-	-	2	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	30	14	-	-	9	-	-	1	-	4	2
	White-----Male----	20	7	-	-	6	-	-	1	-	4	2
	Female--	6	6	-	-	-	-	-	-	-	-	-
	Nonwhite--Male----	4	1	-	-	3	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Accidental falls (E900-E904)											
E900	Fall on stairs	2,780	2,180	9	4	25	5	26	263	85	82	101
	White-----Male----	1,498	1,079	4	3	22	4	18	192	47	65	64
	Female--	1,091	940	5	1	1	-	4	62	35	15	28
	Nonwhite--Male----	113	91	-	-	2	1	3	7	1	2	6
	Female--	78	70	-	-	-	-	1	2	2	-	3
E901	Fall from ladders	356	184	27	3	52	2	5	31	1	39	12
	White-----Male----	313	157	26	3	50	1	5	31	1	31	8
	Female--	29	23	1	-	1	1	-	-	-	-	3
	Nonwhite--Male----	13	3	-	-	1	-	-	-	-	8	1
	Female--	1	1	-	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	4,101	1,845	135	23	323	48	134	195	663	553	182
	White-----Male----	2,401	832	113	20	282	40	104	157	290	454	109
	Female--	1,301	799	8	2	6	4	11	19	343	47	62
	Nonwhite--Male----	303	148	12	1	34	4	18	18	15	45	8
	Female--	96	66	2	-	1	-	1	1	15	7	3
E903	Fall on same level	4,379	2,858	23	-	34	8	584	73	610	75	114
	White-----Male----	1,629	834	18	-	25	6	390	37	240	39	40
	Female--	2,610	1,946	3	-	6	2	164	31	355	31	72
	Nonwhite--Male----	72	27	2	-	2	-	23	5	8	3	2
	Female--	68	51	-	-	1	-	7	-	7	2	-
E904	Unspecified falls	9,015	4,624	64	8	84	12	390	153	952	144	2,584
	White-----Male----	3,430	1,384	54	6	73	9	276	96	382	95	1,055
	Female--	5,104	3,020	7	1	5	1	65	49	552	34	1,370
	Nonwhite--Male----	251	80	2	1	5	2	41	8	11	14	87
	Female--	230	140	1	-	1	-	8	-	7	1	72
	Other accidents (E910-E936)											
E910	Blow from falling object	1,336	144	141	335	216	7	56	36	3	338	60
	White-----Male----	1,100	100	118	307	181	7	44	24	2	276	41
	Female--	49	27	6	-	2	-	3	5	-	4	2
	Nonwhite--Male----	180	12	17	28	33	-	8	7	1	57	17
	Female--	7	5	-	-	-	-	1	-	-	1	-
E911	Accident caused by vehicle	125	-	1	91	28	-	-	-	-	3	2
	White-----Male----	108	-	1	83	22	-	-	-	-	-	2
	Female--	1	-	-	-	-	-	-	-	-	1	-
	Nonwhite--Male----	16	-	-	8	6	-	-	-	-	2	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,144	86	895	50	550	17	230	30	6	208	72
	White-----Male----	1,849	55	794	47	473	12	199	18	4	181	66
	Female--	94	21	50	-	5	5	5	2	-	5	1
	Nonwhite--Male----	196	8	50	3	71	-	26	9	2	22	5
	Female--	5	2	1	-	1	-	-	1	-	-	-
E913	Accident caused by cutting and piercing instruments	154	79	8	1	5	4	7	9	2	9	30
	White-----Male----	84	45	7	1	4	3	3	6	2	5	8
	Female--	16	7	1	-	-	-	-	-	-	2	6
	Nonwhite--Male----	48	25	-	-	1	1	3	3	-	2	13
	Female--	6	2	-	-	-	-	1	-	-	-	3

See footnotes on p. 36.

Table 48. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1953—Continued

(See headnote on p. 33)

Sixth Revision Number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Residential institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E914	Accident caused by electric current	984	200	69	27	203	12	155	34	10	200	74
	White—Male	843	141	60	26	186	10	136	30	10	187	57
	Female	57	45	1	-	-	1	2	1	-	1	6
	Nonwhite—Male	79	11	7	1	17	1	16	3	-	12	11
	Female	5	3	1	-	-	-	1	-	-	-	-
E915	Accident caused by explosion of pressure vessel	44	3	1	1	31	-	1	1	-	4	2
	White—Male	36	2	1	1	27	-	-	1	-	2	2
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	8	1	-	-	4	-	1	-	-	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	6,579	5,293	136	16	380	20	48	197	115	186	188
	White—Male	2,787	1,899	104	16	305	13	29	137	61	132	91
	Female	1,856	1,646	17	-	23	5	9	42	42	13	59
	Nonwhite—Male	972	827	14	-	47	2	8	17	11	31	15
	Female	964	921	1	-	5	-	2	1	1	10	23
E917	Accident caused by hot substance, corrosive liquid, and steam	814	427	4	-	56	-	1	14	40	11	261
	White—Male	359	159	4	-	38	-	1	10	25	10	112
	Female	240	160	-	-	1	-	-	2	9	1	67
	Nonwhite—Male	117	58	-	-	17	-	-	2	6	-	34
	Female	98	50	-	-	-	-	-	-	-	-	48
E918	Accident caused by radiation	1	-	-	-	1	-	-	-	-	-	-
	White—Male	1	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E919	Accident caused by firearm	2,277	964	319	28	42	9	115	67	4	410	319
	White—Male	1,701	651	283	26	39	7	75	50	3	360	207
	Female	182	124	9	-	2	1	4	2	1	13	26
	Nonwhite—Male	315	138	24	2	-	1	32	10	-	34	74
	Female	79	51	3	-	1	-	4	5	-	3	12
E920	Foreign body entering eye and adnexa	3	1	-	-	1	-	1	-	-	-	-
	White—Male	3	1	-	-	1	-	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,278	578	2	-	2	4	10	27	76	13	566
	White—Male	622	279	2	-	1	1	6	19	38	6	270
	Female	398	177	-	-	-	1	1	6	26	5	182
	Nonwhite—Male	153	69	-	-	1	1	3	2	9	-	68
	Female	105	53	-	-	-	1	-	-	3	2	46
E922	Inhalation and ingestion of other object causing obstruction or suffocation	325	139	2	1	-	-	2	3	10	4	164
	White—Male	144	61	1	1	-	-	1	1	7	3	69
	Female	112	55	1	-	-	-	-	1	3	-	52
	Nonwhite—Male	45	17	-	-	-	-	1	1	-	1	25
	Female	24	6	-	-	-	-	-	-	-	-	18
E923	Foreign body entering other orifice	129	45	-	-	-	-	-	2	2	-	80
	White—Male	66	19	-	-	-	-	-	1	2	-	44
	Female	43	19	-	-	-	-	-	1	-	-	23
	Nonwhite—Male	11	3	-	-	-	-	-	-	-	-	8
	Female	9	4	-	-	-	-	-	-	-	-	5
E924	Accidental mechanical suffocation in bed and cradle	1,183	1,048	-	-	-	1	-	1	12	15	106
	White—Male	527	476	-	-	-	-	-	1	7	5	38
	Female	350	313	-	-	-	1	-	-	-	6	30
	Nonwhite—Male	167	139	-	-	-	-	-	-	2	4	22
	Female	139	120	-	-	-	-	-	-	3	-	16
E925	Accidental mechanical suffocation in other and unspecified circumstances	453	142	31	33	41	5	23	7	8	62	101
	White—Male	280	74	24	29	31	3	17	3	5	47	47
	Female	88	45	6	2	-	1	-	2	1	6	25
	Nonwhite—Male	64	15	-	2	10	1	6	2	-	9	19
	Female	21	8	1	-	-	-	-	-	2	-	10
E926	Lack of care of infants under 1 year of age	45	9	-	-	1	-	1	-	-	1	33
	White—Male	8	2	-	-	-	-	1	-	-	-	5
	Female	8	1	-	-	-	-	-	-	-	1	6
	Nonwhite—Male	11	1	-	-	-	-	-	-	-	-	10
	Female	18	5	-	-	1	-	-	-	-	-	12
E927	Accidents caused by bites and stings of venomous animals and insects	35	12	5	-	-	-	2	-	-	3	13
	White—Male	21	7	4	-	-	-	1	-	-	2	7
	Female	9	4	-	-	-	-	-	-	-	1	4
	Nonwhite—Male	2	1	-	-	-	-	1	-	-	-	-
	Female	3	-	1	-	-	-	-	-	-	-	2
E928	Other accidents caused by animals	206	28	138	1	1	11	1	-	-	8	18
	White—Male	152	14	113	1	1	8	-	-	-	6	9
	Female	23	5	9	-	-	2	1	-	-	1	5
	Nonwhite—Male	26	7	15	-	-	1	-	-	-	1	2
	Female	5	2	1	-	-	-	-	-	-	-	2
E929	Accidental drowning and submersion	5,352	354	345	123	36	334	29	16	19	3,762	334
	White—Male	3,640	176	224	89	25	232	18	12	12	2,634	218
	Female	704	146	51	8	-	51	3	2	5	397	41
	Nonwhite—Male	904	16	62	25	11	47	8	1	-	668	66
	Female	104	16	8	1	-	4	-	1	2	63	9
E930	High and low air pressure	4	-	-	-	-	-	-	1	-	2	1
	White—Male	4	-	-	-	-	-	-	1	-	2	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 36.

Table 48. Supplement: Deaths From Nontransport Accidents by Race, Sex, and Place of Accident: United States, 1953—Continued

(See headnote on p. 33)

Sixth Revision Number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), RACE, AND SEX	Total	Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents (E910-E936)—Continued											
E931	Excessive heat and insolation	576	39	21	2	17	1	14	5	10	30	437
	White-----Male----	319	17	14	2	12	1	11	3	4	22	233
	Female--	142	12	-	-	-	-	-	-	5	1	124
	Nonwhite--Male----	85	9	7	-	5	-	3	2	1	6	52
	Female--	30	1	-	-	-	-	-	-	-	1	28
E932	Excessive cold	209	28	12	-	4	1	13	-	2	47	102
	White-----Male----	128	17	8	-	3	-	9	-	2	32	57
	Female--	27	6	-	-	-	1	1	-	-	1	18
	Nonwhite--Male----	38	5	2	-	1	-	3	-	-	12	15
	Female--	16	-	2	-	-	-	-	-	-	2	12
E933	Hunger, thirst, and exposure	336	15	11	-	4	1	12	-	-	52	241
	White-----Male----	170	6	9	-	2	1	8	-	-	34	110
	Female--	39	5	1	-	-	-	1	-	-	4	28
	Nonwhite--Male----	76	2	1	-	2	-	2	-	-	7	62
	Female--	51	2	-	-	-	-	1	-	-	7	41
E934	Cataclysm	571	301	14	-	3	3	57	17	2	135	39
	White-----Male----	268	126	10	-	3	2	23	8	1	78	17
	Female--	231	150	2	-	-	-	30	8	1	21	19
	Nonwhite--Male----	42	12	-	-	-	-	2	-	-	27	1
	Female--	30	13	2	-	-	1	2	1	-	9	2
E935	Lightning	145	35	53	-	4	6	8	1	-	22	16
	White-----Male----	98	15	42	-	4	3	6	1	-	19	8
	Female--	19	7	5	-	-	3	-	-	-	1	3
	Nonwhite--Male----	18	8	4	-	-	-	2	-	-	2	2
	Female--	10	5	2	-	-	-	-	-	-	-	3
E936	Other and unspecified accidents	1,914	364	68	28	138	54	152	68	143	161	738
	White-----Male----	1,215	220	55	25	111	39	100	43	67	135	420
	Female--	373	91	5	-	-	5	23	15	65	8	161
	Nonwhite--Male----	242	31	8	3	27	10	26	8	9	15	105
	Female--	84	22	-	-	-	-	3	2	2	3	52

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 49. Deaths From 256 Selected Causes, by Month: United States, 1953

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,517,541	147,203	137,213	132,450	123,586	124,480	122,995	118,877	117,050	115,952	120,798	123,209	133,728
I. Infective and parasitic diseases	33,962	3,274	2,993	3,102	2,867	2,864	2,863	2,716	2,677	2,665	2,698	2,540	2,703
Tuberculosis, all forms-001-019	19,544	1,914	1,823	1,896	1,706	1,691	1,660	1,564	1,390	1,415	1,481	1,461	1,543
Tuberculosis of respiratory system-001-008	17,814	1,745	1,681	1,731	1,542	1,529	1,512	1,419	1,244	1,288	1,356	1,353	1,416
Tuberculosis of meninges and central nervous system-010	583	51	45	62	61	53	48	48	53	45	37	42	38
Tuberculosis of intestines, peritoneum, and mesenteric glands-011	117	9	8	12	12	15	5	10	12	9	7	3	15
Tuberculosis of vertebral column-012.0,013.0	120	17	8	11	11	10	13	11	5	11	9	5	9
Tuberculosis of other bones and joints-012.1-012.3,013.1-013.3	40	4	3	3	4	7	2	1	6	-	3	2	5
Tuberculosis of genito-urinary system-016	251	19	21	26	26	25	18	23	19	21	20	19	14
Tuberculosis of lymphatic system and other organs-014,015,017,018	97	9	10	7	7	9	12	6	8	8	8	5	8
Disseminated tuberculosis-019	522	60	47	44	43	43	50	46	43	35	41	32	38
Syphilis and its sequelae-020-029	5,273	500	444	468	442	451	475	402	415	410	445	406	415
Congenital syphilis-020	89	14	8	8	7	4	5	9	9	6	5	7	7
Early syphilis-021	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta-022	1,770	151	137	157	140	137	182	126	132	138	159	150	161
Other cardiovascular syphilis-023	1,808	174	158	152	164	152	148	142	131	150	153	148	136
Tabes dorsalis-024	138	12	6	13	10	13	16	12	11	14	9	8	14
General paralysis of insane-025	783	92	73	72	65	79	65	58	73	56	57	46	47
Other syphilis of central nervous system-026	538	42	48	48	41	53	44	49	50	37	47	41	38
Other syphilis-027-029	147	15	14	18	15	13	15	6	9	9	15	6	12
Gonococcal infection-030-035	29	3	-	4	5	4	3	4	1	1	-	1	3
Typhoid fever-040	52	2	1	4	4	4	5	9	8	5	3	4	3
Paratyphoid fever-041	24	-	1	2	2	2	6	4	-	2	1	3	1
Other Salmonella infections-042	48	7	1	2	3	2	6	5	4	5	2	5	6
Cholera-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)-044	18	2	1	-	-	4	-	2	2	-	4	2	1
Dysentery, all forms-045-048	882	39	36	42	65	74	93	110	100	104	97	62	60
Food poisoning (infection and intoxication)-049	129	9	5	9	9	11	16	14	16	10	13	8	9
Scarlet fever-050	79	10	8	7	9	5	9	4	5	6	5	5	6
Streptococcal sore throat-051	216	25	16	15	16	20	23	9	15	26	17	17	17
Erysipelas-052	45	2	6	5	7	2	5	4	2	1	3	5	3
Septicemia and pyemia-053	783	73	67	70	60	54	69	52	65	64	59	55	95
Diphtheria-055	156	22	16	4	4	5	11	6	13	8	28	17	22
Whooping cough-056	270	24	23	24	18	10	19	20	27	29	21	28	27
Meningococcal infections-057	1,325	197	157	164	133	107	66	50	47	69	95	108	132
Plague-058	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia-059	7	3	-	2	-	1	1	-	-	-	-	-	-
Leprosy-060	7	2	-	1	1	-	-	-	-	2	-	1	-
Tetanus-061	337	18	20	16	16	44	33	36	37	45	19	27	26
Anthrax-062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis-080	1,450	88	51	37	35	37	68	178	306	274	210	95	71
Late effects of acute poliomyelitis-081	127	13	5	9	11	11	12	8	9	10	13	10	16
Acute infectious encephalitis-082	386	41	39	36	20	30	35	26	31	34	39	31	24
Late effects of acute infectious encephalitis-083	130	12	13	17	13	10	7	11	5	7	8	11	16
Smallpox-084	1	-	-	1	-	-	-	-	-	-	-	-	-
Measles-085	462	35	47	62	95	83	67	27	9	3	4	13	17
Yellow fever-091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis-092	821	80	70	76	67	79	64	65	67	54	55	75	69
Rabies-094	12	1	-	-	1	-	2	1	1	1	1	3	1
Tick-borne typhus-104	21	-	-	-	1	3	4	11	-	1	1	-	-
Rocky Mountain spotted fever-104A	21	-	-	-	1	3	4	11	-	1	1	-	-
Other forms of tick-borne typhus- 104B	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases-100-103,105-108	9	-	-	-	1	2	3	1	1	1	-	-	-
Malaria-110-117	32	2	5	-	4	2	-	6	3	5	1	1	3
Schistosomiasis-123	5	1	1	1	-	-	1	-	-	1	-	-	-
Hydatid disease-125	8	-	1	3	1	-	-	-	2	-	-	-	1
Filariasis-127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ankylostomiasis-129	6	-	-	-	1	-	-	-	2	1	1	1	-
Other diseases due to helminths-124,126,128,130	87	13	5	5	3	6	7	6	10	6	11	6	9
All other infective and parasitic diseases-036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,181	136	131	120	114	110	93	81	84	65	61	79	107
II. Neoplasms	234,342	20,319	18,135	19,525	19,058	19,686	19,302	19,675	19,936	19,164	19,744	19,598	20,200
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	229,079	19,894	17,722	19,087	18,602	19,205	18,896	19,200	19,528	18,718	19,291	19,152	19,784
Malignant neoplasm of buccal cavity and pharynx-140-148	5,079	447	373	439	433	448	405	421	403	401	460	423	426
Malignant neoplasm of lip-140	399	43	33	33	33	38	38	33	24	29	33	37	25
Malignant neoplasm of tongue-141	1,234	116	92	104	91	113	102	110	106	86	108	101	105
Malignant neoplasm of other and unspecified parts of buccal cavity-142-144	1,521	127	111	121	148	138	111	126	117	121	148	114	139
Malignant neoplasm of pharynx-145-148	1,925	161	137	181	161	159	154	152	156	165	171	171	157
Malignant neoplasm of digestive organs and peritoneum-150-156A,157-159	84,444	7,229	6,528	6,981	6,926	7,092	6,999	7,144	7,335	6,834	7,000	7,116	7,260
Malignant neoplasm of esophagus-150	4,114	340	306	347	329	355	320	317	385	319	357	365	374
Malignant neoplasm of stomach-151	23,373	1,976	1,802	1,890	1,962	2,012	1,974	1,980	1,974	1,930	1,950	2,011	1,912
Malignant neoplasm of intestine, except rectum-152,153	24,695	2,123	1,954	2,023	1,993	1,980	2,046	2,095	2,214	1,971	2,074	2,052	2,170
Malignant neoplasm of rectum-154	10,694	920	815	936	896	932	924	875	871	840	834	909	942
Malignant neoplasm of biliary passages and of liver (stated to be primary site)-155	5,121	447	404	402	407	402	411	494	437	421	427	447	422
Malignant neoplasm of liver not specified whether primary or secondary-156A	4,726	398	338	399	421	425	388	417	436	375	382	377	370
Malignant neoplasm of pancreas-157	10,165	870	791	845	789	860	818	850	863	866	836	840	937
Malignant neoplasm of peritoneum and of unspecified digestive organs-158,159	1,556	155	118	139	129	126	118	116	155	112	140	115	133

Table 49. Deaths From 256 Selected Causes, by Month: United States, 1953—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued													
Malignant neoplasm of respiratory system------160-164	26,388	2,350	2,021	2,192	2,083	2,222	2,082	2,194	2,159	2,207	2,312	2,238	2,328
Malignant neoplasm of larynx----------161	1,990	203	153	150	166	164	163	149	151	189	163	186	153
Malignant neoplasm of trachea, and of bronchus and lung specified as primary----------162	10,564	926	794	945	881	863	815	974	844	873	910	829	910
Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary-163	12,938	1,148	1,003	1,026	973	1,117	1,033	986	1,086	1,077	1,161	1,136	1,192
Malignant neoplasm of other parts of respiratory system----------160,164	896	73	71	71	63	78	71	85	78	68	78	87	73
Malignant neoplasm of breast----------170	20,566	1,828	1,632	1,729	1,640	1,712	1,652	1,760	1,737	1,721	1,730	1,691	1,734
Malignant neoplasm of genital organs----------171-179	36,241	3,167	2,809	3,005	2,986	3,042	3,064	3,072	3,056	2,851	3,056	3,017	3,116
Malignant neoplasm of cervix uteri----------171	8,510	693	683	679	735	691	715	761	728	657	747	690	731
Malignant neoplasm of other and unspecified parts of uterus----------172-174	7,037	655	559	579	589	580	612	579	574	591	569	563	587
Malignant neoplasm of ovary, fallopian tube, and broad ligament----------175	6,483	523	483	534	530	527	532	532	607	533	554	575	553
Malignant neoplasm of other and unspecified female genital organs----------176	733	62	51	61	56	59	66	64	78	58	56	58	64
Malignant neoplasm of prostate----------177	12,595	1,145	960	1,077	1,010	1,109	1,055	1,058	998	942	1,062	1,059	1,120
Malignant neoplasm of testis, and of other and unspecified male genital organs----------178,179	883	89	73	75	66	76	84	78	71	70	68	72	61
Malignant neoplasm of urinary organs----------180,181	10,915	950	851	903	875	942	945	870	943	891	904	897	944
Malignant neoplasm of kidney----------180	4,014	347	309	316	318	355	358	309	359	321	337	326	359
Malignant neoplasm of bladder and other urinary organs----------181	6,901	603	542	587	557	587	587	561	584	570	567	571	585
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	25,870	2,193	2,007	2,240	2,021	2,108	2,143	2,147	2,200	2,153	2,195	2,188	2,275
Malignant neoplasm of skin----------190,191	3,580	305	286	328	298	283	292	309	313	254	321	304	287
Malignant neoplasm of eye----------192	364	29	31	40	24	32	29	31	24	31	33	30	30
Malignant neoplasm of brain and other parts of nervous system----------193	5,083	416	381	443	375	426	434	437	419	423	442	435	452
Malignant neoplasm of thyroid gland----------194	963	91	66	90	88	84	94	71	71	90	77	75	66
Malignant neoplasm of bone (including jaw bone)----------196	2,054	187	170	151	161	175	166	174	185	167	170	179	169
Malignant neoplasm of connective tissue---------197	653	47	53	58	64	62	40	63	51	51	56	56	52
Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,961	350	303	338	290	321	309	332	307	347	359	308	397
Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	9,212	768	717	792	721	725	779	730	830	790	737	801	822
Leukemia and aleukemia----------204	9,918	878	752	787	838	826	805	810	887	850	817	810	858
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	9,658	852	749	811	800	813	801	782	808	810	817	772	843
Lymphosarcoma and reticulosarcoma----------200	4,368	367	320	366	382	367	370	365	372	372	359	345	383
Hodgkin's disease----------201	2,785	262	221	249	222	225	230	207	225	239	251	220	234
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	2,505	223	208	196	196	221	201	210	211	199	207	207	226
Benign neoplasms and neoplasms of unspecified nature----------210-239	5,263	425	413	438	456	481	406	475	408	446	453	446	416
Benign neoplasms of female genital organs---214-217	1,028	68	85	92	92	118	93	117	69	79	82	78	55
Benign neoplasm of brain and other parts of nervous system----------223	926	73	81	80	85	74	67	70	74	84	83	86	67
Other benign neoplasms------210-213,218-222,224-229	869	82	61	74	71	76	63	74	70	61	81	87	69
Neoplasm of unspecified nature of female genital organs----------233-235	32	5	1	2	1	6	4	1	5	3	1	1	2
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,561	132	99	127	143	137	121	137	135	134	130	126	140
Other neoplasms of unspecified nature----------230-232,236,238,239	847	65	86	63	64	70	58	76	55	85	76	66	83
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	36,291	3,844	3,517	3,067	2,875	2,980	2,890	2,683	2,652	2,717	2,808	2,944	3,314
Asthma----------241	6,737	880	806	605	544	546	476	412	410	442	492	509	615
Nontoxic goiter----------250,251	170	19	22	19	14	14	13	17	6	9	14	8	15
Thyrotoxicosis with or without goiter----------252	995	95	98	99	84	74	91	81	60	89	67	84	73
Myxedema, cretinism, and other diseases of thyroid gland----------253,254	216	29	29	24	26	16	18	17	9	9	11	12	16
Diabetes mellitus----------260	25,796	2,600	2,356	2,089	2,018	2,134	2,114	1,977	1,974	1,968	2,051	2,135	2,380
Diseases of thymus gland----------273	443	36	35	47	42	32	31	31	31	34	32	50	42
Diseases of adrenal glands----------274	364	30	31	32	35	37	26	31	37	24	26	28	27
Pellagra----------261	135	16	9	12	4	11	5	18	10	12	8	14	16
All other avitaminoses and nutritional deficiency states----------280,282-286	710	76	61	73	50	59	65	44	55	70	52	41	64
Other allergic, endocrine, and metabolic diseases---------240,242-245,270-272,275-277,287-289	725	63	70	67	58	57	51	55	60	60	55	63	66
IV. Diseases of the blood and blood-forming organs----------	5,007	495	423	431	441	444	398	398	375	369	382	407	444
Anemias----------290-293	3,580	349	318	321	326	318	287	285	273	257	256	275	315
Pernicious and other hyperchromic anemias-------290	1,406	133	135	135	132	131	101	118	95	99	102	99	126
Anemias of other and unspecified type-------291-293	2,174	216	183	186	194	187	186	167	178	158	154	176	189
Purpura and other hemorrhagic conditions----------296	566	61	39	52	46	51	43	44	35	38	56	49	52
All other diseases of blood and blood-forming organs----------294,295,297-299	861	85	66	58	69	75	68	69	67	74	70	83	77
V. Mental, psychoneurotic, and personality disorders----------	4,203	387	371	388	382	337	350	342	324	317	310	320	375
Senile psychosis----------304	708	84	88	64	77	46	47	48	52	52	40	50	60
Alcoholic psychosis----------307	305	28	21	30	26	30	33	34	10	24	24	22	23
Other psychoses----------300-303,305,306,308,309	626	44	53	56	49	52	69	53	51	48	52	42	57

Table 49. Deaths From 256 Selected Causes, by Month: United States, 1953—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
V. Mental, psychoneurotic, and personality disorders—Continued													
Alcoholism—322	2,222	201	176	208	206	188	167	172	182	166	168	184	204
Mental deficiency—325	212	20	24	22	11	11	22	25	16	17	16	10	18
Psychoneuroses and other disorders of personality—310-321,323,324,326	130	10	9	8	13	10	12	10	13	10	10	12	13
VI. Diseases of the nervous system and sense organs	183,580	17,574	16,306	16,580	15,328	15,095	15,098	14,170	13,914	14,154	14,109	14,847	16,405
Vascular lesions affecting central nervous system—330-334	169,800	16,186	15,065	15,384	14,240	13,993	13,981	13,032	12,825	13,091	13,011	13,814	15,178
Subarachnoid hemorrhage—330	4,531	401	334	395	411	371	357	321	376	352	382	397	434
Cerebral hemorrhage—331	110,832	10,546	9,941	10,214	9,357	9,182	9,014	8,374	8,342	8,493	8,481	9,020	9,868
Cerebral embolism and thrombosis—332	35,147	3,298	3,002	3,023	2,895	2,863	2,988	2,814	2,684	2,820	2,702	2,851	3,207
Other vascular lesions affecting central nervous system—333,334	19,290	1,941	1,788	1,752	1,577	1,577	1,622	1,523	1,423	1,426	1,446	1,546	1,669
Meningitis, except meningococcal and tuberculous—340	2,059	250	199	202	183	164	142	136	113	128	170	154	218
Multiple sclerosis—345	1,431	123	141	125	118	117	153	116	127	94	108	103	106
Paralysis agitans—350	2,489	211	222	212	187	180	206	227	216	234	203	183	208
Cerebral spastic infantile paralysis—351	609	74	58	50	49	41	54	44	43	49	37	51	59
Epilepsy—353	2,177	220	185	172	173	192	165	184	190	165	178	173	180
Inflammatory diseases of eye—370-379	16	-	2	4	2	1	1	-	3	-	-	2	1
Cataract—385	45	2	1	4	3	3	5	8	2	3	4	5	5
Glaucoma—387	15	2	-	2	1	-	1	1	2	-	2	1	3
Otitis media and mastoiditis—391-393	467	67	48	57	41	31	32	42	24	20	31	29	45
Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	4,472	439	385	368	331	373	358	380	369	370	365	332	402
VII. Diseases of the circulatory system	626,088	62,010	58,002	55,778	52,151	51,816	50,430	47,633	46,252	46,189	49,370	50,760	55,697
Rheumatic fever—400-402	1,523	128	126	157	156	136	137	130	112	104	104	108	125
Diseases of heart—410-443	570,275	56,537	52,555	50,565	47,446	47,273	45,927	43,325	42,021	42,120	45,170	46,521	50,815
Chronic rheumatic heart disease—410-416	19,587	2,072	1,810	1,718	1,619	1,679	1,455	1,549	1,392	1,424	1,588	1,566	1,715
Diseases of mitral valve—410	7,727	815	753	700	654	677	553	617	537	515	635	593	678
Diseases of aortic valve specified as rheumatic—411	1,054	94	82	89	93	88	82	69	66	94	102	85	110
Diseases of tricuspid valve—412	20	3	1	2	2	1	2	6	1	1	1	-	-
Diseases of pulmonary valve and other endocarditis specified as rheumatic—413,414	1,083	136	92	98	90	93	74	89	79	74	93	73	92
Other diseases of heart specified as rheumatic—415,416	9,703	1,024	882	829	780	820	744	768	709	740	757	815	835
Arteriosclerotic heart disease, including coronary disease—420	373,597	35,689	33,203	32,891	30,878	30,759	30,245	28,345	28,064	28,170	30,325	31,190	33,838
Arteriosclerotic heart disease so described—420.0	132,355	12,767	12,652	11,990	10,763	10,667	10,507	9,618	9,747	9,940	10,612	11,014	12,078
Heart disease specified as involving coronary arteries—420.1	239,834	22,780	20,439	20,787	19,969	19,977	19,610	18,619	18,211	18,139	19,600	20,065	21,638
Angina pectoris without mention of coronary disease—420.2	1,408	142	112	114	146	115	128	108	106	91	113	111	122
Chronic endocarditis not specified as rheumatic—421	8,267	923	781	740	749	644	672	607	578	541	633	645	754
Of mitral valve, specified as nonrheumatic—421.0	714	92	77	60	71	54	61	49	52	34	46	52	66
Of aortic valve, not specified as rheumatic—421.1	1,810	192	135	156	154	157	142	140	132	113	143	161	185
Of other valves, not specified as rheumatic—421.2-421.4	5,743	639	569	524	524	433	469	418	394	394	444	432	503
Other myocardial degeneration—422	65,063	7,015	6,748	5,994	5,468	5,428	5,216	4,859	4,468	4,659	4,817	4,883	5,508
With arteriosclerosis—422.1	34,859	3,557	3,542	3,229	2,966	2,902	2,843	2,584	2,480	2,557	2,554	2,654	2,991
Without mention of arteriosclerosis—422.0,422.2	30,204	3,458	3,206	2,765	2,502	2,526	2,373	2,275	1,988	2,102	2,263	2,229	2,517
Other diseases of heart—430-434	22,612	2,423	2,277	1,968	1,943	1,895	1,769	1,706	1,650	1,589	1,685	1,749	1,958
Acute and subacute endocarditis—430	741	60	65	64	62	60	54	59	60	61	61	65	70
Acute myocarditis not specified as rheumatic—431	1,766	190	178	159	154	139	131	149	117	116	135	148	150
Acute pericarditis specified as nonrheumatic—432	46	6	3	4	6	2	3	2	4	2	5	5	4
Functional disease of heart—433	2,428	232	237	218	206	209	190	170	177	183	192	186	228
Other and unspecified diseases of heart—434	17,631	1,935	1,794	1,523	1,515	1,485	1,391	1,326	1,292	1,227	1,292	1,345	1,506
Hypertension with heart disease—440-443	81,149	8,415	7,736	7,254	6,789	6,868	6,570	6,259	5,869	5,737	6,122	6,488	7,042
Hypertensive heart disease with arteriolar nephrosclerosis—442	22,156	2,195	2,071	1,998	1,904	1,925	1,705	1,748	1,631	1,547	1,657	1,800	1,975
Essential hypertension with heart disease, other and unspecified hypertensive heart disease—440,441,443	58,993	6,220	5,665	5,256	4,885	4,943	4,865	4,511	4,238	4,190	4,465	4,688	5,067
Hypertension without mention of heart—444-447	12,387	1,236	1,156	1,169	1,007	1,076	964	983	947	902	949	958	1,040
Hypertension with arteriolar nephrosclerosis without mention of heart—446	6,245	576	598	599	499	534	475	512	488	439	503	488	534
Essential hypertension and other hypertensive disease without mention of heart—444,445,447	6,142	660	558	570	508	542	489	471	459	463	446	470	506
Diseases of arteries—450-456	37,888	3,737	3,828	3,520	3,199	2,999	3,084	2,879	2,868	2,762	2,827	2,835	3,350
General arteriosclerosis—450	32,351	3,273	3,362	3,000	2,684	2,558	2,648	2,451	2,447	2,355	2,369	2,406	2,798
Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm—451	3,435	297	302	323	317	265	249	235	250	259	297	278	363
Gangrene of unspecified cause—455	233	18	21	24	23	24	25	13	12	20	12	16	25
Other arterial diseases—452-454,456	1,869	149	143	173	175	152	162	180	159	128	149	135	164
Diseases of veins and other diseases of circulatory system—460-468	4,015	372	337	367	343	332	318	316	304	301	320	338	367
VIII. Diseases of the respiratory system	68,982	11,109	11,954	7,078	4,884	4,105	3,683	3,394	3,265	3,719	4,248	5,215	6,328
Acute upper respiratory infections—470-475	1,043	153	134	110	65	63	55	38	45	58	94	102	126
Influenza—480-483	9,460	2,557	3,640	1,265	475	229	110	90	78	120	184	283	429
Pneumonia, except pneumonia of newborn—490-493	42,778	6,623	6,461	4,283	3,065	2,643	2,445	2,223	2,195	2,498	2,715	3,405	4,222
Lobar pneumonia—490	12,523	2,022	1,902	1,220	905	785	708	616	617	689	762	1,017	1,280
Bronchopneumonia—491	21,908	3,246	3,285	2,220	1,508	1,334	1,271	1,197	1,150	1,411	1,458	1,734	2,094
Primary atypical pneumonia—492	3,657	542	561	382	301	232	215	177	212	198	221	273	343
Pneumonia, other and unspecified—493	4,690	813	713	461	351	292	251	233	216	200	274	361	505
Acute bronchitis—500	1,010	167	127	86	91	66	29	45	26	49	82	107	135
Bronchitis, chronic and unqualified—501,502	2,063	267	239	217	178	135	114	115	94	116	155	197	236
Hypertrophy of tonsils and adenoids—510	329	32	24	34	41	40	47	8	4	9	23	38	29

Table 49. Deaths From 256 Selected Causes, by Month: United States, 1953—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system—Continued													
Empyema and abscess of lung----------518,521	749	72	65	64	62	64	61	55	47	56	56	72	75
Pleurisy----------519	198	18	22	16	23	13	12	15	18	12	7	13	29
All other respiratory diseases----511-517,520,522-527	11,352	1,220	1,242	1,003	884	852	810	805	758	801	932	998	1,047
IX. Diseases of the digestive system----------	58,689	5,052	4,623	4,835	4,656	4,686	4,851	4,871	5,018	4,844	5,135	5,031	5,087
Diseases of teeth and supporting structures---530-535	180	22	12	20	12	16	21	13	14	8	17	16	9
Ulcer of stomach----------540	4,729	428	389	407	376	400	375	359	372	363	410	436	414
Ulcer of duodenum----------541	4,511	404	407	397	389	388	325	355	308	341	408	367	422
Gastritis and duodenitis----------543	305	33	22	30	19	23	26	28	29	21	29	20	25
Appendicitis----------550-553	2,398	190	184	232	183	192	226	234	245	186	171	191	164
Hernia and intestinal obstruction---------560,561,570	8,727	754	719	723	695	681	712	748	793	731	733	702	736
Gastro-enteritis and colitis, except diarrhea of newborn----------571,572	8,205	596	494	484	519	605	702	781	825	865	858	738	738
Cirrhosis of liver----------581	16,399	1,524	1,322	1,425	1,376	1,283	1,321	1,272	1,262	1,259	1,399	1,461	1,495
Without mention of alcoholism----------581.0	12,118	1,084	970	1,063	1,018	934	1,007	949	915	956	1,038	1,064	1,120
With alcoholism----------581.1	4,281	440	352	362	358	349	314	323	347	303	361	397	375
Cholelithiasis and cholecystitis----------584,585	5,602	423	473	492	469	471	497	458	489	462	468	443	457
Other diseases of digestive system---536-539,542,544,545,573-580,582,583,586,587	7,633	678	601	625	618	627	646	623	681	608	642	657	627
X. Diseases of the genito-urinary system------	35,810	3,519	3,268	3,071	3,009	3,114	2,917	2,905	2,765	2,739	2,663	2,753	3,087
Nephritis and nephrosis----------590-594	21,563	2,297	2,044	1,883	1,837	1,882	1,735	1,680	1,610	1,539	1,550	1,642	1,864
Acute nephritis----------590	1,564	165	142	150	159	133	108	117	105	97	118	122	148
Nephritis with edema, including nephrosis-------591	1,225	129	135	93	97	103	95	97	91	97	92	75	121
Chronic and unspecified nephritis and other renal sclerosis----------592-594	18,774	2,003	1,767	1,640	1,581	1,646	1,532	1,466	1,414	1,345	1,340	1,445	1,595
Infections of kidney----------600	4,052	374	317	319	333	354	348	362	325	322	307	337	354
Calculi of urinary system----------602,604	1,095	89	83	92	86	90	88	94	86	98	86	94	109
Other diseases of urinary system------601,603,605-609	1,574	144	137	149	115	118	126	127	129	139	116	127	147
Hyperplasia of prostate----------610	6,173	516	559	488	523	539	503	549	492	544	495	465	500
Other diseases of male genital organs---------611-617	620	54	67	62	60	52	56	30	53	42	48	39	57
Diseases of breast----------620,621	17	2	2	-	-	2	3	1	1	3	1	-	2
Diseases of female genital organs----------622-637	716	43	59	78	55	77	58	62	69	52	60	49	54
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,385	233	209	192	161	176	207	228	227	205	183	166	198
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	224	26	24	13	22	14	17	25	16	14	18	16	19
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	791	88	67	62	52	63	63	78	74	69	54	62	59
Hemorrhage of pregnancy and childbirth----------643,644,670-672	448	38	40	28	33	30	40	36	46	47	47	30	33
Ectopic pregnancy----------645	162	19	17	16	7	12	18	15	14	13	10	10	11
Abortion without mention of sepsis or toxemia-----650	87	7	9	8	4	5	8	7	10	7	5	7	10
Abortion with sepsis----------651	177	16	17	20	17	15	16	16	14	12	18	9	7
Abortion with toxemia, without mention of sepsis--652	30	1	3	2	1	1	3	1	2	9	2	4	1
Other complications of pregnancy, childbirth, and puerperium----------646-649,660,673-680,683,687-689	466	38	32	43	25	36	42	50	51	34	29	28	58
XII. Diseases of the skin and cellular tissue-	1,259	113	96	104	114	117	111	110	116	94	89	94	101
Infections of skin and subcutaneous tissue----690-698	322	29	19	25	27	34	29	29	31	17	24	27	31
Other diseases of skin and subcutaneous tissue----------700-716	937	84	77	79	87	83	82	81	85	77	65	67	70
XIII. Diseases of the bones and organs of movement----------	3,141	283	300	282	232	256	245	256	272	258	227	285	265
Arthritis and spondylitis----------720-725	1,675	155	174	152	120	145	140	140	137	120	120	136	136
Muscular rheumatism and rheumatism, unspecified----------726,727	75	8	9	4	5	7	4	6	8	5	8	10	1
Osteomyelitis and periostitis----------730	161	11	11	14	15	9	21	11	19	13	12	12	13
Ankylosis and acquired musculoskeletal deformities----------737,745-749	112	10	7	13	14	6	11	11	8	7	7	11	7
All other diseases of musculoskeletal system----------731-736,738-744	1,118	99	99	99	78	89	69	88	100	113	80	96	108
XIV. Congenital malformations----------	20,012	1,774	1,639	1,739	1,601	1,527	1,607	1,673	1,704	1,683	1,701	1,641	1,723
Spina bifida and meningocele----------751	1,662	161	125	151	132	138	137	131	142	139	143	123	140
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs----------752,753	2,572	241	192	198	213	200	201	215	221	225	230	211	225
Congenital malformations of circulatory system----------754	8,725	819	766	815	702	651	715	698	727	687	711	702	732
Other congenital malformations----------750,755-759	7,053	553	556	575	554	538	554	629	614	632	617	605	626
XV. Certain diseases of early infancy---------	63,444	5,168	4,490	4,963	4,877	5,554	5,537	5,812	5,701	5,466	5,551	5,084	5,241
Birth injuries----------760,761	11,709	952	867	927	904	1,069	1,021	1,105	1,045	973	998	877	971
Postnatal asphyxia and atelectasis----------762	16,554	1,257	1,096	1,283	1,213	1,435	1,435	1,532	1,553	1,343	1,531	1,459	1,417
Infections of newborn----------763-768	4,187	412	339	324	276	305	333	350	373	356	373	340	406
Hemolytic disease of newborn (erythroblastosis)---770	2,568	221	188	208	227	214	197	190	250	257	203	205	208
All other defined diseases of early infancy----------769,771,772	1,973	193	188	144	121	132	156	183	175	192	198	138	153
Ill-defined diseases peculiar to early infancy, and immaturity unqualified----------773-776	26,453	2,133	1,812	2,077	2,136	2,399	2,395	2,452	2,305	2,345	2,248	2,065	2,086
XVI. Symptoms, senility, and ill-defined conditions----------	21,693	2,436	2,199	1,769	1,685	1,693	1,890	1,581	1,627	1,515	1,536	1,754	2,008
Senility without mention of psychosis----------794	4,626	547	490	400	348	354	389	315	369	329	311	368	406
Symptoms, ill-defined and unknown causes----------780-793,795	17,067	1,889	1,709	1,369	1,337	1,339	1,501	1,266	1,258	1,186	1,225	1,386	1,602

Table 49. Deaths From 256 Selected Causes, by Month: United States, 1953—Continued

(See headnote on p. 37)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence	118,653	9,613	8,688	9,546	9,265	10,030	10,616	10,430	10,225	9,854	10,044	9,790	10,552
Accidents—E800-E962	95,032	7,693	6,888	7,452	7,222	7,954	8,618	8,436	8,220	7,904	8,081	7,907	8,657
Railway accidents—E800-E802	1,681	124	100	128	138	150	162	176	160	159	142	128	114
Motor-vehicle accidents—E810-E835	37,955	2,910	2,523	2,798	2,851	3,002	3,050	3,173	3,605	3,375	3,639	3,271	3,758
Motor-vehicle traffic accidents—E810-E825	36,929	2,842	2,479	2,731	2,779	2,913	2,949	3,054	3,482	3,267	3,536	3,206	3,691
Motor-vehicle traffic accident involving collision with railway train—E810	1,506	135	119	139	118	100	119	106	106	112	145	127	180
Motor-vehicle traffic accident to pedestrian—E812	8,112	825	611	627	652	627	557	530	618	616	759	772	918
Other motor-vehicle traffic accidents involving collision—E811,E813-E819	12,868	937	820	958	938	1,045	1,100	1,219	1,336	1,103	1,177	1,032	1,203
Motor-vehicle noncollision traffic accidents—E820-E824	9,458	610	590	679	714	771	778	799	911	967	959	830	870
Motor-vehicle traffic accident of unspecified nature—E825	4,985	335	339	328	357	370	395	400	511	469	516	445	520
Motor-vehicle nontraffic accidents—E830-E835	1,026	68	44	67	72	89	101	119	123	108	103	65	67
Other road-vehicle accidents—E840-E845	424	27	30	22	28	37	36	43	42	53	32	40	34
Water-transport accidents—E850-E858	1,614	58	69	100	154	235	244	196	136	137	128	91	66
Aircraft accidents—E860-E866	1,605	166	110	130	137	169	96	191	125	165	123	89	104
Accidental poisoning by solid and liquid substances—E870-E888	1,391	126	112	134	126	113	119	116	123	113	93	105	111
Accidental poisoning by gases and vapors—E890-E895	1,225	215	129	127	95	65	47	40	38	27	86	155	199
Accidental falls—E900-E904	20,631	1,829	1,760	1,701	1,611	1,636	1,800	1,751	1,684	1,717	1,677	1,698	1,767
Fall from one level to another—E900-E902	7,237	553	517	517	576	558	695	691	655	631	631	606	607
Fall on same level—E903	4,379	459	446	394	340	371	348	344	335	331	327	341	343
Unspecified falls—E904	9,015	817	797	790	695	707	757	716	694	755	719	751	817
Blow from falling object—E910	1,336	114	98	103	108	110	106	124	120	119	126	119	89
Accident caused by machinery—E912	2,144	106	117	150	173	210	216	210	203	210	242	178	129
Accident caused by electric current—E914	984	38	32	55	65	91	155	169	121	104	63	53	38
Accident caused by fire and explosion of combustible material—E916	6,579	802	712	784	563	360	294	307	267	391	513	682	904
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	815	90	96	91	74	54	49	39	44	59	52	67	100
Accident caused by firearm—E919	2,277	184	139	141	137	157	129	175	174	166	264	345	266
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,603	144	134	142	129	127	128	119	110	103	148	160	159
Accidental drowning—E929	5,352	163	170	294	295	783	1,034	1,010	647	373	245	191	147
Excessive heat and insolation—E931	576	1	-	-	4	26	181	137	79	138	7	2	1
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	670	68	52	67	56	50	55	50	59	51	50	50	62
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	6,172	528	505	485	478	579	717	410	483	444	451	483	609
Suicide—E963,E970-E979	15,947	1,311	1,230	1,435	1,444	1,467	1,360	1,334	1,271	1,292	1,288	1,246	1,269
Suicide by poisoning—E970-E973	3,269	268	237	325	284	274	269	280	266	266	280	263	257
Suicide by hanging and strangulation—E974	3,397	265	265	281	314	351	292	298	279	265	273	258	256
Suicide by firearms and explosives—E976	7,293	619	596	652	661	644	636	585	540	599	582	585	594
Suicide by all other means—E963,E975,E977-E979	1,988	159	132	177	185	198	163	171	186	162	153	140	162
Homicide—E964,E980-E985	7,640	607	565	657	598	608	637	652	731	657	669	634	625
Assault by firearms and explosives—E981	4,013	327	309	336	294	303	319	325	365	358	365	344	368
Assault by cutting and piercing instruments—E982	1,837	159	136	156	151	157	171	168	188	146	163	129	113
Assault by other means—E964,E980,E983	1,473	94	102	135	123	117	122	130	150	127	116	141	116
Injury by intervention of police—E984	255	18	11	25	24	22	22	24	23	24	21	16	25
Execution—E985	62	9	7	5	6	9	3	5	5	2	4	4	3
Injury resulting from operations of war—E965,E990-E999	34	2	5	2	1	1	1	8	3	1	6	3	1

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,517,541	867,100	650,441
2		I. Infective and parasitic diseases	33,962	22,607	11,355
3		Tuberculosis, all forms---001-019	19,544	13,574	5,970
4	A 1	Tuberculosis of respiratory system---001-008	17,814	12,570	5,244
5	A 2	Tuberculosis of meninges and central nervous system---010	583	316	267
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	117	50	67
7	A 4 pt.	Tuberculosis of vertebral column---012.0,013.0	120	69	51
8	A 4 pt.	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	40	21	19
9	A 5 pt.	Tuberculosis of genito-urinary system---016	251	169	82
10	A 5 pt.	Tuberculosis of lymphatic system and other organs---014,015,017,018	97	61	36
11	A 5 pt.	Disseminated tuberculosis---019	522	318	204
12		Syphilis and its sequelae---020-029	5,273	3,890	1,383
13	A 6	Congenital syphilis---020	89	54	35
14	A 7	Early syphilis---021	-	-	-
15	A 10 pt.	Aneurysm of aorta---022	1,770	1,328	442
16	A 10 pt.	Other cardiovascular syphilis---023	1,808	1,338	470
17	A 8	Tabes dorsalis---024	138	103	35
18	A 9	General paralysis of insane---025	783	596	187
19	A 10 pt.	Other syphilis of central nervous system---026	538	374	164
20	A 10 pt.	Other syphilis---027-029	147	97	50
21	A 11	Gonococcal infection---030-035	29	16	13
22	A 12	Typhoid fever---040	52	27	25
23	A 13 pt.	Paratyphoid fever---041	24	9	15
24	A 13 pt.	Other Salmonella infections---042	48	28	20
25	A 14	Cholera---043	-	-	-
26	A 15	Brucellosis (undulant fever)---044	18	15	3
27	A 16	Dysentery, all forms---045-048	882	480	402
28	A 43 pt.	Food poisoning (infection and intoxication)---049	129	68	61
29	A 17	Scarlet fever---050	79	40	39
30	A 18	Streptococcal sore throat---051	216	110	106
31	A 19	Erysipelas---052	45	27	18
32	A 20	Septicemia and pyemia---053	783	467	316
33	A 21	Diphtheria---055	156	90	66
34	A 22	Whooping cough---056	270	117	153
35	A 23	Meningococcal infections---057	1,325	769	556
36	A 24	Plague---058	-	-	-
37	A 43 pt.	Tularemia---059	7	5	2
38	A 25	Leprosy---060	7	4	3
39	A 26	Tetanus---061	337	195	142
40	A 27	Anthrax---062	-	-	-
41	A 28	Acute poliomyelitis---080	1,450	851	599
42	A 30 pt.	Late effects of acute poliomyelitis---081	127	70	57
43	A 29	Acute infectious encephalitis---082	386	224	162
44	A 30 pt.	Late effects of acute infectious encephalitis---083	130	91	39
45	A 31	Smallpox---084	1	1	-
46	A 32	Measles---085	462	233	229
47	A 33	Yellow fever---091	-	-	-
48	A 34	Infectious hepatitis---092	821	421	400
49	A 35	Rabies---094	12	7	5
50	A 36 pt.	Tick-borne typhus---104	21	14	7
51		Rocky Mountain spotted fever---104A	21	14	7
52		Other forms of tick-borne typhus---104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases---100-103,105-108	9	8	1
54	A 37	Malaria---110-117	32	21	11
55	A 38	Schistosomiasis---123	5	4	1
56	A 39	Hydatid disease---125	8	6	2
57	A 40	Filariasis---127	-	-	-
58	A 41	Ankylostomiasis---129	6	5	1
59	A 42	Other diseases due to helminths---124,126,128,130	87	51	36
60	A 43 pt.	All other infective and parasitic diseases---036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,181	669	512
61		II. Neoplasms	234,342	121,074	113,268
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	229,079	118,827	110,252
63	A 44	Malignant neoplasm of buccal cavity and pharynx---140-148	5,079	3,995	1,084
64		Malignant neoplasm of lip---140	399	353	46
65		Malignant neoplasm of tongue---141	1,234	974	260
66		Malignant neoplasm of other and unspecified parts of buccal cavity---142-144	1,521	1,093	428
67		Malignant neoplasm of pharynx---145-148	1,925	1,575	350
68		Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	84,444	46,511	37,933
69	A 45	Malignant neoplasm of esophagus---150	4,114	3,253	861
70	A 46	Malignant neoplasm of stomach---151	23,373	14,752	8,621
71	A 47	Malignant neoplasm of intestine, except rectum---152,153	24,695	11,254	13,441
72	A 48	Malignant neoplasm of rectum---154	10,694	6,087	4,607
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site)---155	5,121	2,050	3,071
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary---156A	4,726	2,327	2,399
75	A 57 pt.	Malignant neoplasm of pancreas---157	10,165	6,008	4,157
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs---158,159	1,556	780	776
77		Malignant neoplasm of respiratory system---160-164	26,388	22,128	4,260
78	A 49	Malignant neoplasm of larynx---161	1,990	1,800	190
79	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary---162	10,564	9,211	1,353
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary---163	12,938	10,529	2,409
81	A 57 pt.	Malignant neoplasm of other parts of respiratory system---160,164	896	588	308
82	A 51	Malignant neoplasm of breast---170	20,566	224	20,342
83		Malignant neoplasm of genital organs---171-179	36,241	13,478	22,763
84	A 52	Malignant neoplasm of cervix uteri---171	8,510	...	8,510
85	A 53	Malignant neoplasm of other and unspecified parts of uterus---172-174	7,037	...	7,037
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament---175	6,483	...	6,483
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs---176	733	...	733
88	A 54	Malignant neoplasm of prostate---177	12,595	12,595	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs---178,179	883	883	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1953

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,335,835	766,703	569,132	174,625	95,739	78,886	4,436	2,501	1,935	1,195	1,031	164	956	707	249	494	419	75	1
25,058	16,999	8,059	8,322	5,249	3,073	410	206	204	89	85	4	46	36	10	37	32	5	2
14,254	10,214	4,040	4,872	3,103	1,769	279	134	145	71	69	2	41	32	9	27	22	5	3
13,222	9,605	3,617	4,250	2,745	1,505	210	101	109	70	68	2	38	31	7	24	20	4	4
319	170	149	223	128	95	37	16	21	1	1	-	1	-	1	2	1	1	5
61	26	35	53	23	30	3	1	2	-	-	-	-	-	-	-	-	-	6
93	55	38	24	14	10	2	-	2	-	-	-	1	-	1	-	-	-	7
28	11	17	11	9	2	1	1	-	-	-	-	-	-	-	-	-	-	8
218	144	74	28	21	7	4	3	1	-	-	-	-	-	-	1	1	-	9
66	42	24	29	18	11	2	1	1	-	-	-	-	-	-	-	-	-	10
247	161	86	254	145	109	20	11	9	-	-	-	1	1	-	-	-	-	11
3,442	2,603	839	1,782	1,250	532	31	20	11	12	12	-	4	3	1	2	2	-	12
35	22	13	45	26	19	9	6	3	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1,380	1,062	318	385	262	123	2	1	1	1	1	-	1	1	-	1	1	-	15
1,028	781	247	760	542	218	11	7	4	6	6	-	2	1	1	1	1	-	16
118	87	31	18	14	4	-	-	-	2	2	-	-	-	-	-	-	-	17
471	371	100	309	222	87	1	1	-	1	1	-	1	1	-	-	-	-	18
328	224	104	203	145	58	6	4	2	1	1	-	-	-	-	-	-	-	19
82	56	26	62	39	23	2	1	1	1	1	-	-	-	-	-	-	-	20
11	10	1	18	6	12	-	-	-	-	-	-	-	-	-	-	-	-	21
38	21	17	14	6	8	-	-	-	-	-	-	-	-	-	-	-	-	22
18	6	12	4	2	2	1	-	1	-	-	-	-	-	-	1	1	-	23
36	19	17	12	9	3	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
17	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
597	319	278	257	144	113	28	17	11	-	-	-	-	-	-	-	-	-	27
79	46	33	47	20	27	2	1	1	-	-	-	-	-	-	1	1	-	28
74	38	36	4	2	2	1	-	1	-	-	-	-	-	-	-	-	-	29
187	97	90	28	13	15	1	-	1	-	-	-	-	-	-	-	-	-	30
43	27	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	31
628	368	260	149	93	56	5	5	-	1	1	-	-	-	-	-	-	-	32
102	58	44	53	32	21	1	-	1	-	-	-	-	-	-	-	-	-	33
163	68	95	96	45	51	11	4	7	-	-	-	-	-	-	-	-	-	34
1,111	654	457	206	110	96	6	4	2	1	-	1	1	1	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
5	4	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	37
7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
186	111	75	150	83	67	1	1	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1,365	803	562	79	46	33	6	2	4	-	-	-	-	-	-	-	-	-	41
115	63	52	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	42
329	194	135	55	29	26	2	1	1	-	-	-	-	-	-	-	-	-	43
124	86	38	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
384	202	182	53	18	35	24	12	12	1	1	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
724	375	349	91	42	49	4	3	1	2	1	1	-	-	-	-	-	-	48
7	4	3	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	49
16	11	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	50
16	11	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
7	6	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	53
18	12	6	13	8	5	1	1	-	-	-	-	-	-	-	-	-	-	54
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	58
39	24	15	47	26	21	-	-	-	-	-	-	-	-	-	1	1	-	59
913	523	390	256	139	117	6	1	5	1	1	-	-	-	-	5	5	-	60
214,785	111,417	103,368	18,758	9,101	9,657	295	137	158	212	185	27	242	193	49	50	41	9	61
210,293	109,410	100,883	18,010	8,874	9,136	283	132	151	210	183	27	238	191	47	45	37	8	62
4,715	3,725	990	343	252	91	3	2	1	14	13	1	4	3	1	-	-	-	63
388	345	43	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	64
1,138	897	241	92	73	19	1	1	-	2	2	-	1	1	-	-	-	-	65
1,422	1,034	388	94	56	38	2	1	1	2	2	-	1	-	1	-	-	-	66
1,767	1,449	318	146	115	31	-	-	-	10	9	1	2	2	-	-	-	-	67
77,714	42,472	35,242	6,345	3,738	2,607	124	71	53	99	93	6	144	120	24	18	17	1	68
3,563	2,813	750	534	424	110	1	1	-	4	4	-	11	10	1	1	1	-	69
20,941	13,126	7,815	2,269	1,496	773	44	28	16	26	21	5	86	74	12	7	7	-	70
23,347	10,637	12,710	1,295	571	722	14	10	4	21	20	1	17	14	3	3	2	1	71
10,015	5,739	4,276	654	326	328	11	9	2	9	9	-	4	3	1	1	1	-	72
4,797	1,876	2,921	276	143	133	21	8	13	14	14	-	13	9	4	-	-	-	73
4,235	2,048	2,187	462	254	208	8	4	4	14	14	-	3	3	-	4	4	-	74
9,453	5,557	3,896	671	422	249	20	11	9	9	9	-	10	7	3	2	2	-	75
1,363	676	687	186	102	84	5	-	5	2	2	-	-	-	-	-	-	-	76
24,488	20,560	3,938	1,794	1,483	311	14	12	2	41	36	5	34	31	3	7	6	1	77
1,844	1,670	174	140	124	16	2	2	-	3	3	-	1	1	-	-	-	-	78
9,750	8,523	1,227	767	646	121	7	6	1	16	14	2	19	17	2	5	5	-	79
12,078	9,830	2,248	820	665	155	4	3	1	21	18	3	13	12	1	2	1	1	80
826	537	289	67	48	19	1	1	-	1	1	-	1	1	-	-	-	-	81
19,130	201	18,929	1,420	21	1,399	12	1	11	2	-	2	1	1	-	1	-	1	82
31,802	12,156	19,646	4,353	1,300	3,053	61	13	48	9	4	5	12	3	9	4	2	2	83
6,953	...	6,953	1,519	...	1,519	29	...	29	2	...	2	6	...	6	1	...	1	84
5,926	...	5,926	1,094	...	1,094	13	...	13	2	...	2	2	...	2	-	...	-	85
6,100	...	6,100	375	...	375	5	...	5	1	...	1	1	...	1	1	...	1	86
667	...	667	65	...	65	1	...	1	-	...	-	-	...	-	-	...	-	87
11,341	11,341	...	1,235	1,235	...	10	10	...	4	4	...	3	3	...	2	2	...	88
815	815	...	65	65	...	3	3	...	-	-	...	-	-	...	-	-	...	89

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----180,181	10,915	7,210	3,705
2		Malignant neoplasm of kidney----180	4,014	2,526	1,488
3		Malignant neoplasm of bladder and other urinary organs----181	6,901	4,684	2,217
4		Malignant neoplasm of other and unspecified sites----156B,165,190-199	25,870	13,713	12,157
5	A 55	Malignant neoplasm of skin----190,191	3,580	2,095	1,485
6	A 57 pt.	Malignant neoplasm of eye----192	364	184	180
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----193	5,083	2,990	2,093
8	A 57 pt.	Malignant neoplasm of thyroid gland----194	963	363	600
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----196	2,054	1,222	832
10	A 56 pt.	Malignant neoplasm of connective tissue----197	653	368	285
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----195,198A,199A	3,961	1,831	2,130
12	A 57 pt.	Malignant neoplasm of unspecified sites----156B,165,198B,199B-M	9,212	4,660	4,552
13	A 58	Leukemia and aleukemia----204	9,918	5,740	4,178
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----200-203,205	9,658	5,828	3,830
15		Lymphosarcoma and reticulosarcoma----200	4,368	2,606	1,762
16		Hodgkin's disease----201	2,785	1,735	1,050
17		Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	2,505	1,487	1,018
18	A 60	Benign neoplasms and neoplasms of unspecified nature----210-239	5,263	2,247	3,016
19		Benign neoplasms of female genital organs----214-217	1,028	...	1,028
20		Benign neoplasm of brain and other parts of nervous system----223	926	465	461
21		Other benign neoplasms----210-213,218-222,224-229	869	456	413
22		Neoplasm of unspecified nature of female genital organs----233-235	32	...	32
23		Neoplasm of unspecified nature of brain and other parts of nervous system----237	1,561	864	697
24		Other neoplasms of unspecified nature----230-232,236,238,239	847	462	385
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----	36,291	15,883	20,408
26	A 66 pt.	Asthma----241	6,737	4,465	2,272
27	A 61	Nontoxic goiter----250,251	170	32	138
28	A 62	Thyrotoxicosis with or without goiter----252	995	190	805
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----253,254	216	49	167
30	A 63	Diabetes mellitus----260	25,796	9,889	15,907
31	A 66 pt.	Diseases of thymus gland----273	443	275	168
32	A 66 pt.	Diseases of adrenal glands----274	364	182	182
33	A 64 pt.	Pellagra----281	135	50	85
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----280,282-286	710	360	350
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----240,242-245,270-272,275-277,287-289	725	391	334
36		IV. Diseases of the blood and blood-forming organs----	5,007	2,417	2,590
37	A 65	Anemias----290-293	3,580	1,685	1,895
38		Pernicious and other hyperchromic anemias----290	1,406	602	804
39		Anemias of other and unspecified type----291-293	2,174	1,083	1,091
40	A 66 pt.	Purpura and other hemorrhagic conditions----296	566	241	325
41	A 66 pt.	All other diseases of blood and blood-forming organs----294,295,297-299	861	491	370
42		V. Mental, psychoneurotic, and personality disorders----	4,203	2,906	1,297
43	A 67 pt.	Senile psychosis----304	708	303	405
44	A 67 pt.	Alcoholic psychosis----307	305	287	18
45	A 67 pt.	Other psychoses----300-303,305,306,308,309	626	296	330
46	A 68 pt.	Alcoholism----322	2,222	1,829	393
47	A 69	Mental deficiency----325	212	120	92
48	A 68 pt.	Psychoneuroses and other disorders of personality----310-321,323,324,326	130	71	59
49		VI. Diseases of the nervous system and sense organs----	183,580	90,057	93,523
50	A 70	Vascular lesions affecting central nervous system----330-334	169,800	82,280	87,520
51		Subarachnoid hemorrhage----330	4,531	2,171	2,360
52		Cerebral hemorrhage----331	110,832	52,993	57,839
53		Cerebral embolism and thrombosis----332	35,147	17,749	17,398
54		Other vascular lesions affecting central nervous system----333,334	19,290	9,367	9,923
55	A 71	Meningitis, except meningococcal and tuberculous----340	2,059	1,221	838
56	A 72	Multiple sclerosis----345	1,431	670	761
57	A 78 pt.	Paralysis agitans----350	2,489	1,334	1,155
58	A 78 pt.	Cerebral spastic infantile paralysis----351	609	337	272
59	A 73	Epilepsy----353	2,177	1,325	852
60	A 74	Inflammatory diseases of eye----370-379	16	7	9
61	A 75	Cataract----385	45	30	15
62	A 76	Glaucoma----387	15	7	8
63	A 77	Otitis media and mastoiditis----391-393	467	284	183
64	A 78 pt.	Other diseases of nervous system and sense organs----341-344,352,354-369,380-384,386,388-390,394-398	4,472	2,562	1,910
65		VII. Diseases of the circulatory system----	626,088	366,127	259,961
66	A 79	Rheumatic fever----400-402	1,523	774	749
67		Diseases of heart----410-443	570,275	337,060	233,215
68	A 80	Chronic rheumatic heart disease----410-416	19,587	9,710	9,877
69		Diseases of mitral valve----410	7,727	3,675	4,052
70		Diseases of aortic valve specified as rheumatic----411	1,054	811	243
71		Diseases of tricuspid valve----412	20	10	10
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----413,414	1,083	540	543
73		Other diseases of heart specified as rheumatic----415,416	9,703	4,674	5,029
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----420	373,597	238,542	135,055
75		Arteriosclerotic heart disease so described----420.0	132,355	72,739	59,616
76		Heart disease specified as involving coronary arteries----420.1	239,834	164,873	74,961
77		Angina pectoris without mention of coronary disease----420.2	1,408	930	478

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
10,200	6,792	3,408	691	402	289	11	7	4	4	2	2	8	6	2	1	1	-	1
3,789	2,391	1,398	215	129	86	7	4	3	1	1	-	1	-	1	1	1	-	2
6,411	4,401	2,010	476	273	203	4	3	1	3	1	2	7	6	1	-	-	-	3
23,890	12,683	11,207	1,883	966	917	42	15	27	30	26	4	17	16	1	8	7	1	4
3,453	2,018	1,435	123	75	48	2	-	2	-	-	-	-	-	-	2	2	-	5
348	174	174	15	9	6	1	1	-	-	-	-	-	-	-	-	-	-	6
4,825	2,827	1,998	249	156	93	4	3	1	3	2	1	1	1	-	1	1	-	7
907	344	563	52	17	35	2	-	2	1	1	-	1	1	-	-	-	-	8
1,888	1,137	751	161	82	79	2	1	1	1	1	-	2	1	1	-	-	-	9
610	345	265	34	17	17	7	5	2	1	-	1	-	-	-	1	1	-	10
3,579	1,659	1,920	366	163	203	9	2	7	3	3	-	2	2	-	2	2	-	11
8,280	4,179	4,101	883	447	436	15	3	12	21	19	2	11	11	-	2	1	1	12
9,325	5,404	3,921	567	318	249	9	7	2	6	4	2	10	6	4	1	1	-	13
9,019	5,417	3,602	614	394	220	7	4	3	5	5	-	8	5	3	5	3	2	14
4,139	2,443	1,696	217	155	62	3	1	2	2	2	-	6	4	2	1	1	-	15
2,610	1,627	983	169	104	65	4	3	1	-	-	-	1	1	-	1	-	1	16
2,270	1,347	923	228	135	93	-	-	-	3	3	-	1	-	1	3	2	1	17
4,492	2,007	2,485	748	227	521	12	5	7	2	2	-	4	2	2	5	4	1	18
723	...	723	304	...	304	1	...	1	-	...	-	-	...	-	-	...	-	19
854	428	426	65	34	31	4	1	3	-	-	-	3	2	1	-	-	-	20
768	402	366	98	52	46	-	-	-	-	-	-	-	-	-	3	2	1	21
23	...	23	9	...	9	-	...	-	-	...	-	-	...	-	-	...	-	22
1,395	773	622	159	86	73	4	2	2	2	2	-	-	-	-	1	1	-	23
729	404	325	113	55	58	3	2	1	-	-	-	1	-	1	1	1	-	24
32,687	14,531	18,156	3,469	1,275	2,194	73	30	43	31	26	5	22	14	8	9	7	2	25
6,151	4,134	2,017	561	311	250	11	7	4	6	5	1	5	5	-	3	3	-	26
144	31	113	26	1	25	-	-	-	-	-	-	-	-	-	-	-	-	27
880	179	701	112	10	102	2	-	2	1	1	-	-	-	-	-	-	-	28
199	44	155	17	5	12	-	-	-	-	-	-	-	-	-	-	-	-	29
23,314	9,089	14,225	2,391	750	1,641	49	19	30	20	18	2	16	9	7	6	4	2	30
384	238	146	57	37	20	2	-	2	-	-	-	-	-	-	-	-	-	31
318	157	161	44	25	19	1	-	1	1	-	1	-	-	-	-	-	-	32
95	34	61	40	16	24	-	-	-	-	-	-	-	-	-	-	-	-	33
562	275	287	139	80	59	6	3	3	3	2	1	-	-	-	-	-	-	34
640	350	290	82	40	42	2	1	1	-	-	-	1	-	1	-	-	-	35
4,418	2,145	2,273	571	262	309	15	8	7	1	-	1	1	1	-	1	1	-	36
3,099	1,456	1,643	467	222	245	11	5	6	1	-	1	1	1	-	1	1	-	37
1,340	575	765	62	23	39	4	4	-	-	-	-	-	-	-	-	-	-	38
1,759	881	878	405	199	206	7	1	6	1	-	1	1	1	-	1	1	-	39
512	225	287	53	15	38	1	1	-	-	-	-	-	-	-	-	-	-	40
807	464	343	51	25	26	3	2	1	-	-	-	-	-	-	-	-	-	41
3,431	2,364	1,067	747	523	224	22	18	4	3	1	2	-	-	-	-	-	-	42
649	277	372	56	25	31	3	1	2	-	-	-	-	-	-	-	-	-	43
256	240	16	48	46	2	1	1	-	-	-	-	-	-	-	-	-	-	44
493	219	274	132	77	55	-	-	-	1	-	1	-	-	-	-	-	-	45
1,745	1,471	274	459	342	117	17	15	2	1	1	-	-	-	-	-	-	-	46
184	103	81	27	16	11	1	1	-	-	-	-	-	-	-	-	-	-	47
104	54	50	25	17	8	-	-	-	1	-	1	-	-	-	-	-	-	48
160,755	78,931	81,824	22,268	10,757	11,511	281	160	121	100	86	14	134	90	44	42	33	9	49
148,964	72,306	76,658	20,360	9,646	10,714	218	129	89	96	83	13	125	85	40	37	31	6	50
3,850	1,876	1,974	655	278	377	9	4	5	9	9	-	7	3	4	1	1	-	51
96,537	46,234	50,303	13,984	6,550	7,434	141	84	57	55	45	10	86	57	29	29	23	6	52
32,295	16,269	16,026	2,750	1,404	1,346	47	29	18	28	25	3	21	16	5	6	6	-	53
16,282	7,927	8,355	2,971	1,414	1,557	21	12	9	4	4	-	11	9	2	1	1	-	54
1,529	922	607	505	289	216	22	8	14	1	1	-	1	1	-	1	-	1	55
1,361	640	721	67	28	39	1	1	-	-	-	-	2	1	1	-	-	-	56
2,419	1,297	1,122	66	36	30	1	-	1	1	-	1	2	1	1	-	-	-	57
531	290	241	74	45	29	2	1	1	-	-	-	2	1	1	-	-	-	58
1,693	1,014	679	469	303	166	13	7	6	-	-	-	1	1	-	1	-	1	59
13	6	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	60
43	29	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	61
11	5	6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	62
395	242	153	64	36	28	8	6	2	-	-	-	-	-	-	-	-	-	63
3,796	2,180	1,616	654	370	284	16	8	8	2	2	-	1	-	1	3	2	1	64
568,500	334,879	233,621	56,052	30,116	25,936	732	438	294	414	371	43	241	190	51	149	133	16	65
1,207	636	571	300	131	169	14	6	8	1	1	-	1	-	1	-	-	-	66
518,936	309,112	209,824	49,952	26,920	23,032	654	394	260	377	340	37	215	168	47	141	126	15	67
17,833	8,872	8,961	1,688	797	891	37	21	16	18	12	6	5	3	2	6	5	1	68
6,954	3,300	3,654	744	359	385	16	8	8	9	6	3	2	1	1	2	1	1	69
1,005	775	230	47	34	13	1	1	-	1	1	-	-	-	-	-	-	-	70
19	10	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	71
996	501	495	81	36	45	3	1	2	2	1	1	-	-	-	1	1	-	72
8,859	4,286	4,573	815	368	447	17	11	6	6	4	2	3	2	1	3	3	-	73
351,254	225,416	125,838	21,528	12,474	9,054	354	237	117	221	208	13	152	125	27	88	82	6	74
124,053	68,099	55,954	8,018	4,415	3,603	115	69	46	82	78	4	56	49	7	31	29	2	75
225,966	156,490	69,476	13,337	7,956	5,381	239	168	71	139	130	9	96	76	20	57	53	4	76
1,235	827	408	173	103	70	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	8,267	4,537	3,730
2		Of mitral valve, specified as nonrheumatic----421.0	714	363	351
3		Of aortic valve, not specified as rheumatic----421.1	1,810	1,198	612
4		Of other valves, not specified as rheumatic----421.2-421.4	5,743	2,976	2,767
5	A 81 pt.	Other myocardial degeneration----422	65,063	33,100	31,963
6		With arteriosclerosis----422.1	34,859	17,167	17,692
7		Without mention of arteriosclerosis----422.0,422.2	30,204	15,933	14,271
8	A 82	Other diseases of heart----430-434	22,612	13,803	8,809
9		Acute and subacute endocarditis----430	741	467	274
10		Acute myocarditis not specified as rheumatic----431	1,766	969	797
11		Acute pericarditis specified as nonrheumatic----432	46	29	17
12		Functional disease of heart----433	2,428	1,264	1,164
13		Other and unspecified diseases of heart----434	17,631	11,074	6,557
14	A 83	Hypertension with heart disease----440-443	81,149	37,368	43,781
15		Hypertensive heart disease with arteriolar nephrosclerosis----442	22,156	11,228	10,928
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease----440,441,443	58,993	26,140	32,853
17	A 84	Hypertension without mention of heart----444-447	12,387	6,374	6,013
18		Hypertension with arteriolar nephrosclerosis without mention of heart----446	6,245	3,493	2,752
19		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	6,142	2,881	3,261
20	A 85	Diseases of arteries----450-456	37,888	19,769	18,119
21		General arteriosclerosis----450	32,351	16,094	16,257
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----451	3,435	2,523	912
23		Gangrene of unspecified cause----455	233	137	96
24		Other arterial diseases----452-454,456	1,869	1,015	854
25	A 86	Diseases of veins and other diseases of circulatory system----460-468	4,015	2,150	1,865
26		VIII. Diseases of the respiratory system----	68,982	41,212	27,770
27	A 87	Acute upper respiratory infections----470-475	1,043	559	484
28	A 88	Influenza----480-483	9,460	4,837	4,623
29		Pneumonia, except pneumonia of newborn----490-493	42,778	24,756	18,022
30	A 89	Lobar pneumonia----490	12,523	7,766	4,757
31	A 90	Bronchopneumonia----491	21,908	12,224	9,684
32	A 91 pt.	Primary atypical pneumonia----492	3,657	2,082	1,575
33	A 91 pt.	Pneumonia, other and unspecified----493	4,690	2,684	2,006
34	A 92	Acute bronchitis----500	1,010	567	443
35	A 93	Bronchitis, chronic and unqualified----501,502	2,063	1,394	669
36	A 94	Hypertrophy of tonsils and adenoids----510	329	170	159
37	A 95	Empyema and abscess of lung----518,521	749	556	193
38	A 96	Pleurisy----519	198	117	81
39	A 97	All other respiratory diseases----511-517,520,522-527	11,352	8,256	3,096
40		IX. Diseases of the digestive system----	58,689	35,245	23,444
41	A 98	Diseases of teeth and supporting structures----530-535	180	100	80
42	A 99	Ulcer of stomach----540	4,729	3,676	1,053
43	A 100	Ulcer of duodenum----541	4,511	3,751	760
44	A 101	Gastritis and duodenitis----543	305	179	126
45	A 102	Appendicitis----550-553	2,398	1,583	815
46	A 103	Hernia and intestinal obstruction----560,561,570	8,727	4,575	4,152
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	8,205	4,275	3,930
48	A 105	Cirrhosis of liver----581	16,399	10,729	5,670
49		Without mention of alcoholism----581.0	12,118	7,685	4,433
50		With alcoholism----581.1	4,281	3,044	1,237
51	A 106	Cholelithiasis and cholecystitis----584,585	5,602	2,127	3,475
52	A 107	Other diseases of digestive system----536-539,542,544,545,573-580,582,583,586,587	7,633	4,250	3,383
53		X. Diseases of the genito-urinary system----	35,810	22,234	13,576
54		Nephritis and nephrosis----590-594	21,563	11,551	10,012
55	A 108	Acute nephritis----590	1,564	866	698
56	A 109 pt.	Nephritis with edema, including nephrosis----591	1,225	682	543
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	18,774	10,003	8,771
58	A 110	Infections of kidney----600	4,052	2,116	1,936
59	A 111	Calculi of urinary system----602,604	1,095	684	411
60	A 114 pt.	Other diseases of urinary system----601,603,605-609	1,574	1,089	485
61	A 112	Hyperplasia of prostate----610	6,173	6,173	...
62	A 114 pt.	Other diseases of male genital organs----611-617	620	620	...
63	A 113	Diseases of breast----620,621	17	1	16
64	A 114 pt.	Diseases of female genital organs----622-637	716	...	716
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	2,385	...	2,385
66	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	224	...	224
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	791	...	791
68	A 117	Hemorrhage of pregnancy and childbirth----643,644,670-672	448	...	448
69	A 120 pt.	Ectopic pregnancy----645	162	...	162
70	A 118	Abortion without mention of sepsis or toxemia----650	87	...	87
71	A 119	Abortion with sepsis----651	177	...	177
72	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	30	...	30
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium----646-649,660,673-680,683,687-689	466	...	466
74		XII. Diseases of the skin and cellular tissue----	1,259	572	687
75	A 121	Infections of skin and subcutaneous tissue----690-698	322	189	133
76	A 126 pt.	Other diseases of skin and subcutaneous tissue----700-716	937	383	554
77		XIII. Diseases of the bones and organs of movement----	3,141	1,439	1,702
78	A 122	Arthritis and spondylitis----720-725	1,675	622	1,053
79	A 123	Muscular rheumatism and rheumatism, unspecified----726,727	75	37	38
80	A 124	Osteomyelitis and periostitis----730	161	105	56
81	A 125	Ankylosis and acquired musculoskeletal deformities----737,745-749	112	59	53
82	A 126 pt.	All other diseases of musculoskeletal system----731-736,738-744	1,118	616	502

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
7,109	3,916	3,193	1,135	606	529	10	4	6	7	6	1	2	1	1	4	4	-	1
612	318	294	100	45	55	1	-	1	-	-	-	1	-	1	-	-	-	2
1,501	1,016	485	304	178	126	-	-	-	2	1	1	1	1	-	2	2	-	3
4,996	2,582	2,414	731	383	348	9	4	5	5	5	-	-	-	-	2	2	-	4
58,545	29,517	29,028	6,389	3,487	2,902	72	46	26	32	30	2	13	9	4	12	11	1	5
31,938	15,565	16,373	2,864	1,559	1,305	28	18	10	14	13	1	7	5	2	8	7	1	6
26,607	13,952	12,655	3,525	1,928	1,597	44	28	16	18	17	1	6	4	2	4	4	-	7
18,686	11,516	7,170	3,825	2,221	1,604	73	43	30	15	13	2	7	5	2	6	5	1	8
632	405	227	105	58	47	2	2	-	1	1	-	1	1	-	-	-	-	9
1,382	785	597	382	184	198	1	-	1	-	-	-	1	-	1	-	-	-	10
38	22	16	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	11
2,291	1,191	1,100	130	69	61	4	2	2	2	2	-	-	-	-	1	-	1	12
14,343	9,113	5,230	3,200	1,903	1,297	66	39	27	12	10	2	5	4	1	5	5	-	13
65,509	29,875	35,634	15,387	7,335	8,052	108	43	65	84	71	13	36	25	11	25	19	6	14
18,220	9,209	9,011	3,883	1,993	1,890	33	12	21	11	9	2	7	4	3	2	1	1	15
47,289	20,666	26,623	11,504	5,342	6,162	75	31	44	73	62	11	29	21	8	23	18	5	16
9,808	5,026	4,782	2,549	1,325	1,224	10	5	5	11	10	1	5	5	-	4	3	1	17
5,211	2,893	2,318	1,021	590	431	4	2	2	5	5	-	3	3	-	1	-	1	18
4,597	2,133	2,464	1,528	735	793	6	3	3	6	5	1	2	2	-	3	3	-	19
35,059	18,229	16,830	2,741	1,476	1,265	42	26	16	24	19	5	19	16	3	3	3	-	20
30,066	14,859	15,207	2,219	1,189	1,030	36	22	14	15	12	3	13	10	3	2	2	-	21
3,155	2,339	816	267	172	95	2	2	-	6	5	1	4	4	-	1	1	-	22
185	106	79	47	30	17	1	1	-	-	-	-	-	-	-	-	-	-	23
1,653	925	728	208	85	123	3	1	2	3	2	1	2	2	-	-	-	-	24
3,490	1,876	1,614	510	264	246	12	7	5	1	1	-	1	1	-	1	1	-	25
56,452	34,045	22,407	11,866	6,782	5,084	524	275	249	62	50	12	45	33	12	33	27	6	26
803	442	361	223	109	114	14	6	8	2	2	-	1	-	1	-	-	-	27
7,284	3,746	3,548	2,089	1,054	1,035	70	34	36	2	1	1	1	1	-	4	1	3	28
34,259	19,824	14,435	8,015	4,641	3,374	399	207	192	49	39	10	34	25	9	22	20	2	29
9,756	6,036	3,720	2,658	1,654	1,004	75	46	29	21	19	2	7	6	1	6	5	1	30
17,906	10,026	7,880	3,761	2,069	1,692	190	87	103	17	15	2	23	17	6	11	10	1	31
3,110	1,772	1,338	509	287	222	21	12	9	8	4	4	4	2	2	5	5	-	32
3,487	1,990	1,497	1,087	631	456	113	62	51	3	1	2	-	-	-	-	-	-	33
835	463	372	170	99	71	4	4	-	-	-	-	-	-	-	1	1	-	34
1,854	1,269	585	198	118	80	10	6	4	-	-	-	-	-	-	1	1	-	35
280	145	135	44	24	20	2	1	1	-	-	-	2	-	2	1	-	1	36
580	433	147	163	117	46	3	3	-	-	-	-	2	2	-	1	1	-	37
169	99	70	28	17	11	1	1	-	-	-	-	-	-	-	-	-	-	38
10,378	7,624	2,754	936	603	333	21	13	8	9	8	1	5	5	-	3	3	-	39
51,793	31,365	20,428	6,348	3,583	2,765	431	196	235	60	55	5	33	26	7	24	20	4	40
125	70	55	55	30	25	-	-	-	-	-	-	-	-	-	-	-	-	41
4,273	3,332	941	429	320	109	10	9	1	11	10	1	4	3	1	2	2	-	42
4,228	3,529	699	265	208	57	8	5	3	8	7	1	2	2	-	-	-	-	43
228	140	88	77	39	38	-	-	-	-	-	-	-	-	-	-	-	-	44
2,055	1,382	673	328	193	135	12	7	5	1	1	-	1	-	1	1	-	1	45
7,605	3,961	3,644	1,082	597	485	32	10	22	4	3	1	4	4	-	-	-	-	46
6,080	3,173	2,907	1,851	970	881	261	124	137	3	2	1	6	4	2	4	2	2	47
15,184	10,005	5,179	1,116	662	454	58	23	35	21	21	-	8	6	2	12	12	-	48
11,267	7,185	4,082	790	464	326	36	12	24	12	12	-	6	5	1	7	7	-	49
3,917	2,820	1,097	326	198	128	22	11	11	9	9	-	2	1	1	5	5	-	50
5,385	2,060	3,325	182	57	125	29	6	23	1	1	-	3	2	1	2	1	1	51
6,630	3,713	2,917	963	507	456	21	12	9	11	10	1	5	5	-	3	3	-	52
29,228	18,496	10,732	6,407	3,613	2,794	96	62	34	39	32	7	20	14	6	20	17	3	53
17,129	9,324	7,805	4,329	2,159	2,170	60	36	24	22	16	6	12	7	5	11	9	2	54
1,120	636	484	437	225	212	5	3	2	1	1	-	1	1	-	-	-	-	55
992	567	425	228	112	116	1	1	-	4	2	2	-	-	-	-	-	-	56
15,017	8,121	6,896	3,664	1,822	1,842	54	32	22	17	13	4	11	6	5	11	9	2	57
3,312	1,724	1,588	710	371	339	16	10	6	7	6	1	3	2	1	4	3	1	58
1,007	627	380	82	51	31	2	2	-	1	1	-	1	1	-	2	2	-	59
1,275	852	423	294	233	61	2	1	1	2	2	-	1	1	-	-	-	-	60
5,478	5,478	...	670	670	...	12	12	...	7	7	...	3	3	...	3	3	...	61
490	490	...	129	129	...	1	1	...	-	-	...	-	-	...	-	-	...	62
15	1	14	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	63
522	...	522	191	...	191	3	...	3	-	...	-	-	...	-	-	...	-	64
1,479	...	1,479	871	...	871	29	...	29	1	...	1	4	...	4	1	...	1	65
158	...	158	66	...	66	-	...	-	-	...	-	-	...	-	-	...	-	66
439	...	439	341	...	341	9	...	9	-	...	-	1	...	1	1	...	1	67
305	...	305	131	...	131	11	...	11	-	...	-	1	...	1	-	...	-	68
83	...	83	77	...	77	2	...	2	-	...	-	-	...	-	-	...	-	69
46	...	46	40	...	40	-	...	-	-	...	-	1	...	1	-	...	-	70
96	...	96	80	...	80	-	...	-	1	...	1	-	...	-	-	...	-	71
20	...	20	10	...	10	-	...	-	-	...	-	-	...	-	-	...	-	72
332	...	332	126	...	126	7	...	7	-	...	-	1	...	1	-	...	-	73
1,031	471	560	223	97	126	2	1	1	1	1	-	1	1	-	1	1	-	74
262	160	102	59	28	31	1	1	-	-	-	-	-	-	-	-	-	-	75
769	311	458	164	69	95	1	-	1	1	1	-	1	1	-	1	1	-	76
2,814	1,284	1,530	313	147	166	10	5	5	1	1	-	3	2	1	-	-	-	77
1,494	552	942	171	66	105	8	3	5	-	-	-	2	1	1	-	-	-	78
53	24	29	22	13	9	-	-	-	-	-	-	-	-	-	-	-	-	79
135	90	45	26	15	11	-	-	-	-	-	-	-	-	-	-	-	-	80
107	57	50	4	1	3	1	1	-	-	-	-	-	-	-	-	-	-	81
1,025	561	464	90	52	38	1	1	-	1	1	-	1	1	-	-	-	-	82

Table 50. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	20,012	10,952	9,060
2	A 127	Spina bifida and meningocele---751	1,662	707	955
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,572	1,348	1,224
4	A 128	Congenital malformations of circulatory system---754	8,725	4,938	3,787
5	A 129 pt.	Other congenital malformations---750,755-759	7,053	3,959	3,094
6		XV. Certain diseases of early infancy	63,444	37,212	26,232
7	A 130	Birth injuries---760,761	11,709	7,201	4,508
8	A 131	Postnatal asphyxia and atelectasis---762	16,554	9,932	6,622
9	A 132	Infections of newborn---763-768	4,187	2,427	1,760
10	A 133	Hemolytic disease of newborn (erythroblastosis)---770	2,568	1,493	1,075
11	A 134	All other defined diseases of early infancy---769,771,772	1,973	1,170	803
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	26,453	14,989	11,464
13		XVI. Symptoms, senility, and ill-defined conditions	21,693	12,521	9,172
14	A 136	Senility without mention of psychosis---794	4,626	2,056	2,570
15	A 137	Symptoms, ill-defined and unknown causes---780-793,795	17,067	10,465	6,602
16		XVII. Accidents, poisonings, and violence	118,653	84,642	34,011
17		Accidents---E800-E962	95,032	66,246	28,786
18	AE 139 pt.	Railway accidents---E800-E802	1,681	1,509	172
19	AE 138	Motor-vehicle accidents---E810-E835	37,955	28,562	9,393
20		Motor-vehicle traffic accidents---E810-E825	36,929	27,775	9,154
21		Motor-vehicle traffic accident involving collision with railway train---E810	1,506	1,093	413
22		Motor-vehicle traffic accident to pedestrian---E812	8,112	6,111	2,001
23		Other motor-vehicle traffic accidents involving collision---E811,E813-E819	12,868	9,234	3,634
24		Motor-vehicle noncollision traffic accidents---E820-E824	9,458	7,560	1,898
25		Motor-vehicle traffic accident of unspecified nature---E825	4,985	3,777	1,208
26		Motor-vehicle nontraffic accidents---E830-E835	1,026	787	239
27	AE 139 pt.	Other road-vehicle accidents---E840-E845	424	336	88
28	AE 139 pt.	Water-transport accidents---E850-E858	1,614	1,481	133
29	AE 139 pt.	Aircraft accidents---E860-E866	1,605	1,515	90
30	AE 140 pt.	Accidental poisoning by solid and liquid substances---E870-E888	1,391	885	506
31	AE 140 pt.	Accidental poisoning by gases and vapors---E890-E895	1,223	908	315
32	AE 141	Accidental falls---E900-E904	20,631	10,023	10,608
33		Fall from one level to another---E900-E902	7,237	4,641	2,596
34		Fall on same level---E903	4,379	1,701	2,678
35		Unspecified falls---E904	9,015	3,681	5,334
36	AE 147 pt.	Blow from falling object---E910	1,336	1,280	56
37	AE 142	Accident caused by machinery---E912	2,144	2,045	99
38	AE 147 pt.	Accident caused by electric current---E914	984	922	62
39	AE 143	Accident caused by fire and explosion of combustible material---E916	6,579	3,759	2,820
40	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation---E917,E918	815	477	338
41	AE 145	Accident caused by firearm---E919	2,277	2,016	261
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	1,603	964	639
43	AE 146	Accidental drowning---E929	5,352	4,544	808
44	AE 147 pt.	Excessive heat and insolation---E931	576	404	172
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures---E940-E959	670	314	356
46	AE 147 pt.	All other accidents---E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,172	4,302	1,870
47	AE 148	Suicide---E963,E970-E979	15,947	12,534	3,413
48		Suicide by poisoning---E970-E973	3,269	2,122	1,147
49		Suicide by hanging and strangulation---E974	3,397	2,579	818
50		Suicide by firearms and explosives---E976	7,293	6,485	808
51		Suicide by all other means---E963,E975,E977-E979	1,988	1,348	640
52	AE 149	Homicide---E964,E980-E985	7,640	5,828	1,812
53		Assault by firearms and explosives---E981	4,013	3,080	933
54		Assault by cutting and piercing instruments---E982	1,837	1,454	383
55		Assault by other means---E964,E980,E983	1,473	981	492
56		Injury by intervention of police---E984	255	254	1
57		Execution---E985	62	59	3
58	AE 150	Injury resulting from operations of war---E965,E990-E999	34	34	-

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			ALL OTHER			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
17,955	9,780	8,175	1,928	1,097	831	81	45	36	22	15	7	17	8	9	9	7	2	1
1,590	677	913	67	29	38	5	1	4	-	-	-	-	-	-	-	-	-	2
2,307	1,201	1,106	249	138	111	15	8	7	-	-	-	-	-	-	1	1	-	3
7,771	4,400	3,371	888	498	390	34	19	15	17	11	6	10	5	5	5	5	-	4
6,287	3,502	2,785	724	432	292	27	17	10	5	4	1	7	3	4	3	1	2	5
50,448	30,024	20,424	12,550	6,937	5,613	325	179	146	43	27	16	45	23	22	33	22	11	6
9,847	6,109	3,738	1,798	1,058	740	47	24	23	5	3	2	7	4	3	5	3	2	7
13,699	8,358	5,341	2,747	1,511	1,236	65	38	27	20	12	8	9	4	5	14	9	5	8
2,6 8	1,662	1,156	1,291	723	568	68	37	31	2	2	-	5	1	4	3	2	1	9
2,392	1,377	1,015	172	114	58	1	1	-	1	-	1	2	1	1	-	-	-	10
1,326	779	547	617	374	243	28	16	12	1	1	-	-	-	-	1	-	1	11
20,366	11,739	8,627	5,925	3,157	2,768	116	63	53	14	9	5	22	13	9	10	8	2	12
13,903	8,306	5,597	7,436	4,027	3,409	323	161	162	8	7	1	17	14	3	6	6	-	13
3,767	1,661	2,106	813	368	445	41	22	19	-	-	-	4	4	-	1	1	-	14
10,136	6,645	3,491	6,623	3,659	2,964	282	139	143	8	7	1	13	10	3	5	5	-	15
101,098	71,666	29,432	16,496	12,173	4,323	787	580	207	108	89	19	85	62	23	79	72	7	16
82,333	57,176	25,157	11,856	8,445	3,411	671	487	184	57	44	13	55	41	14	60	53	7	17
1,378	1,244	134	265	231	34	35	32	3	-	-	-	-	-	-	3	2	1	18
33,372	25,012	8,360	4,173	3,243	930	323	245	78	25	16	9	30	18	12	32	28	4	19
32,461	24,312	8,149	4,072	3,168	904	313	237	76	24	15	9	28	16	12	31	27	4	20
1,381	1,004	377	115	79	36	5	5	-	-	-	-	1	1	-	4	4	-	21
6,876	5,141	1,735	1,142	890	252	72	60	12	11	11	-	3	1	2	8	8	-	22
11,672	8,335	3,337	1,097	838	259	69	46	23	8	1	7	15	9	6	7	5	2	23
8,243	6,604	1,639	1,068	845	223	124	94	30	4	3	1	8	5	3	11	9	2	24
4,289	3,228	1,061	650	516	134	43	32	11	1	-	1	1	-	1	1	1	-	25
911	700	211	101	75	26	10	8	2	1	1	-	2	2	-	1	1	-	26
350	273	77	66	55	11	8	8	-	-	-	-	-	-	-	-	-	-	27
1,431	1,319	112	168	148	20	7	6	1	2	2	-	4	4	-	2	2	-	28
1,542	1,452	90	58	58	-	1	1	-	2	2	-	-	-	-	2	2	-	29
1,097	687	400	289	190	99	10	5	5	2	2	-	2	1	1	1	-	1	30
1,110	828	282	107	74	33	4	4	-	1	1	-	-	-	-	1	1	-	31
19,406	9,271	10,135	1,167	716	451	45	27	18	10	7	3	1	1	-	2	1	1	32
6,633	4,212	2,421	581	412	169	16	12	4	5	3	2	1	1	-	1	1	-	33
4,239	1,629	2,610	134	69	65	3	1	2	3	2	1	-	-	-	-	-	-	34
8,534	3,430	5,104	452	235	217	26	14	12	2	2	-	-	-	-	1	-	1	35
1,149	1,100	49	181	174	7	5	5	-	-	-	-	1	1	-	-	-	-	36
1,943	1,849	94	191	186	5	9	9	-	-	-	-	1	1	-	-	-	-	37
900	843	57	82	77	5	2	2	-	-	-	-	-	-	-	-	-	-	38
4,643	2,787	1,856	1,866	931	935	57	29	28	2	2	-	5	4	1	6	6	-	39
600	360	240	212	115	97	2	1	1	-	-	-	1	1	-	-	-	-	40
1,883	1,701	182	375	299	76	17	14	3	-	-	-	1	1	-	1	1	-	41
1,276	766	510	308	187	121	17	9	8	2	2	-	-	-	-	-	-	-	42
4,344	3,640	704	943	852	91	47	34	13	5	5	-	6	6	-	7	7	-	43
461	319	142	110	81	29	4	3	1	-	-	-	-	-	-	1	1	-	44
531	255	276	136	58	78	2	-	2	1	1	-	-	-	-	-	-	-	45
4,927	3,470	1,457	1,159	770	389	76	53	23	5	4	1	3	3	-	2	2	-	46
15,307	12,008	3,299	515	419	96	41	34	7	45	40	5	26	20	6	13	13	-	47
3,192	2,071	1,121	68	44	24	2	1	1	5	4	1	2	2	-	-	-	-	48
3,264	2,473	791	85	64	21	7	6	1	20	19	1	15	11	4	6	6	-	49
6,994	6,220	774	254	225	29	27	25	2	11	9	2	4	3	1	3	3	-	50
1,857	1,244	613	108	86	22	5	2	3	9	8	1	5	4	1	4	4	-	51
3,425	2,449	976	4,124	3,308	816	75	59	16	6	5	1	4	1	3	6	6	-	52
1,850	1,317	533	2,129	1,737	392	25	20	5	4	3	1	3	1	2	2	2	-	53
467	350	117	1,350	1,087	263	15	13	2	1	1	-	1	-	1	3	3	-	54
953	631	322	489	328	161	29	20	9	1	1	-	-	-	-	1	1	-	55
125	124	1	125	125	-	5	5	-	-	-	-	-	-	-	-	-	-	56
30	27	3	31	31	-	1	1	-	-	-	-	-	-	-	-	-	-	57
33	33	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	58

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,517,541	108,405	7,588	4,444	3,455	2,748	126,640	8,565	6,704	11,251
2		Male	867,100	62,377	4,197	2,485	1,905	1,529	72,493	5,087	4,264	7,623
3		Female	650,441	46,028	3,391	1,959	1,550	1,219	54,147	3,478	2,440	3,628
4		White--Male	766,703	49,019	3,164	1,939	1,520	1,234	56,876	4,293	3,536	6,332
5		Female	569,132	35,022	2,570	1,517	1,220	959	41,288	2,860	2,014	2,737
6		Negro--Male	95,739	12,643	945	512	361	276	14,737	741	704	1,214
7		Female	78,886	10,366	737	410	303	238	12,054	570	395	847
8		Other--Male	4,658	715	88	34	24	19	880	53	24	77
9		Female	2,423	640	84	32	27	22	805	48	31	44
10		I. Infective and parasitic diseases	33,962	2,128	833	532	370	272	4,135	871	522	573
11		White--Male	16,999	828	340	225	150	104	1,647	398	245	212
12		Female	8,059	636	273	173	138	97	1,317	313	169	162
13		Negro--Male	5,249	326	102	60	35	33	556	78	53	83
14		Female	3,073	265	92	55	33	30	475	62	44	101
15		Other--Male	359	48	8	7	5	3	71	9	3	7
16		Female	223	25	18	12	9	5	69	11	8	8
17	001-019	Tuberculosis, all forms	19,544	144	194	109	101	32	580	92	72	225
18		White--Male	10,214	40	61	41	29	9	180	33	18	38
19		Female	4,040	31	50	25	33	3	142	28	12	50
20		Negro--Male	3,103	21	39	17	17	8	102	8	18	47
21		Female	1,769	32	32	16	12	5	97	10	18	76
22		Other--Male	257	14	5	3	3	3	28	4	1	6
23		Female	161	6	7	7	7	4	31	9	5	8
24	001-008	Tuberculosis of respiratory system	17,814	51	69	37	28	11	196	28	37	184
25		White--Male	9,605	16	29	13	10	2	70	8	6	30
26		Female	3,617	10	17	7	5	1	40	8	5	37
27		Negro--Male	2,745	7	11	6	7	2	33	3	10	40
28		Female	1,505	11	7	6	3	1	28	4	13	64
29		Other--Male	220	6	3	2	1	1	13	1	-	5
30		Female	122	1	2	3	2	4	12	4	3	8
31	010	Tuberculosis of meninges and central nervous system	583	57	89	51	56	12	265	43	19	17
32		White--Male	170	14	22	18	14	7	75	20	6	2
33		Female	149	14	20	15	21	2	72	13	5	8
34		Negro--Male	128	8	23	7	9	2	49	2	3	2
35		Female	95	12	19	7	7	1	46	3	3	4
36		Other--Male	18	6	2	1	-	-	9	1	1	1
37		Female	23	3	3	3	5	-	14	4	1	-
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	117	3	1	-	-	1	5	2	1	1
39		White--Male	26	1	-	-	-	-	1	-	-	-
40		Female	35	1	1	-	-	-	2	1	-	-
41		Negro--Male	23	-	-	-	-	-	-	-	-	-
42		Female	30	1	-	-	-	1	2	1	1	1
43		Other--Male	1	-	-	-	-	-	-	-	-	-
44		Female	2	-	-	-	-	-	-	-	-	-
45	012.0,013.0	Tuberculosis of vertebral column	120	3	-	2	-	1	6	2	4	2
46		White--Male	55	-	-	2	-	-	2	1	-	1
47		Female	38	2	-	-	-	-	2	-	2	-
48		Negro--Male	14	-	-	-	-	1	1	1	-	1
49		Female	10	-	-	-	-	-	-	-	1	-
50		Other--Male	-	-	-	-	-	-	-	-	-	-
51		Female	3	1	-	-	-	-	1	-	1	-
52	012.1-012.3, 013.1-013.3	Tuberculosis of other bones and joints	40	-	-	-	1	1	2	1	1	3
53		White--Male	11	-	-	-	-	-	-	-	-	1
54		Female	17	-	-	-	-	-	-	1	-	2
55		Negro--Male	9	-	-	-	-	-	-	-	1	-
56		Female	2	-	-	-	1	-	1	-	-	-
57		Other--Male	1	-	-	-	-	1	1	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	251	-	-	-	-	-	-	1	1	2
60		White--Male	144	-	-	-	-	-	-	1	-	1
61		Female	74	-	-	-	-	-	-	-	-	1
62		Negro--Male	21	-	-	-	-	-	-	-	1	-
63		Female	7	-	-	-	-	-	-	-	-	-
64		Other--Male	4	-	-	-	-	-	-	-	-	-
65		Female	1	-	-	-	-	-	-	-	-	-
66	014,015, 017,018	Tuberculosis of lymphatic system and other organs	97	-	3	1	3	1	8	2	2	2
67		White--Male	42	-	2	1	2	-	5	-	1	1
68		Female	24	-	-	-	1	-	1	1	-	-
69		Negro--Male	13	-	-	-	-	-	-	1	1	1
70		Female	11	-	1	-	-	1	2	-	-	-
71		Other--Male	1	-	-	-	-	-	-	-	-	-
72		Female	1	-	-	-	-	-	-	-	-	-
73	019	Disseminated tuberculosis	522	30	32	18	13	5	98	13	7	14
74		White--Male	161	9	8	7	3	-	27	3	5	2
75		Female	86	4	12	3	6	-	25	4	-	2
76		Negro--Male	145	6	5	4	1	3	19	1	2	3
77		Female	109	8	5	3	1	1	18	2	-	7
78		Other--Male	12	2	-	-	2	1	5	2	-	-
79		Female	9	1	2	1	-	-	4	1	-	-
80	020-029	Syphilis and its sequelae	5,273	56	2	1	2	1	62	1	5	11
81		White--Male	2,603	8	-	-	-	-	8	-	1	6
82		Female	839	6	-	-	-	-	6	1	1	3
83		Negro--Male	1,250	19	2	1	1	-	23	-	1	1
84		Female	532	15	-	-	1	1	17	-	1	1
85		Other--Male	37	6	-	-	-	-	6	-	-	-
86		Female	12	2	-	-	-	-	2	-	1	-
87	020	Congenital syphilis	89	54	1	1	1	-	57	-	4	2
88		White--Male	22	8	-	-	-	-	8	-	-	1
89		Female	13	4	-	-	-	-	4	-	1	-
90		Negro--Male	26	19	1	1	1	-	22	-	1	1
91		Female	19	15	-	-	-	-	15	-	1	-
92		Other--Male	6	6	-	-	-	-	6	-	-	-
93		Female	3	2	-	-	-	-	2	-	1	-

Age, Race, and Sex: United States, 1953

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
14,469	17,299	21,611	29,529	44,331	61,852	86,506	113,913	145,908	177,263	186,305	181,731	150,085	87,856	35,268	7,977	1,483	995	1
9,967	11,006	12,967	17,426	26,963	38,758	54,762	73,213	92,779	107,186	104,880	96,159	73,394	39,811	14,372	2,853	521	616	2
4,502	6,293	8,644	12,103	17,368	23,094	31,744	40,700	53,129	70,077	81,425	85,572	76,691	48,045	20,896	5,124	962	379	3
8,066	8,555	9,977	13,666	21,819	32,575	45,641	63,957	83,073	97,164	96,656	90,423	69,438	37,765	13,575	2,569	318	429	4
3,234	4,500	6,167	8,818	12,885	17,809	24,446	33,835	45,971	62,237	74,806	80,794	73,290	45,908	19,967	4,708	609	249	5
1,791	2,344	2,861	3,623	4,977	5,948	8,815	8,898	9,291	9,555	7,774	5,399	3,738	1,943	747	272	192	175	6
1,211	1,696	2,387	3,194	4,403	5,184	7,198	6,731	7,039	7,694	6,475	4,650	3,306	2,085	902	399	342	124	7
110	107	129	137	167	235	306	358	415	467	450	337	218	103	50	12	11	12	8
57	97	90	91	80	101	100	134	119	146	144	128	95	52	27	17	11	6	9
797	1,206	1,475	1,675	2,085	2,436	2,862	3,062	3,321	3,258	2,418	1,730	963	421	105	21	5	21	10
232	341	448	601	891	1,221	1,496	1,819	2,071	2,100	1,468	1,039	499	216	43	3	1	8	11
224	384	429	443	460	420	432	466	548	599	592	498	366	170	49	15	1	2	12
143	215	288	378	444	545	630	540	494	377	224	110	58	18	4	2	1	8	13
176	236	276	227	268	215	266	196	171	145	105	60	26	12	6	1	1	3	14
3	11	18	15	12	26	26	35	33	31	22	18	13	3	2	-	1	-	15
19	19	16	11	10	9	12	6	4	5	7	5	1	2	1	-	-	-	16
486	794	1,051	1,235	1,543	1,733	1,904	1,998	2,138	2,100	1,516	1,127	620	254	54	8	-	14	17
95	173	267	427	696	929	1,086	1,291	1,401	1,406	959	697	345	141	25	2	-	5	18
113	220	287	319	334	303	254	283	320	369	343	314	228	93	21	5	-	2	19
111	177	246	297	320	352	386	292	293	210	143	60	24	10	2	1	-	4	20
147	195	219	172	177	121	150	96	93	85	50	40	12	5	3	-	-	3	21
2	11	16	11	10	21	17	31	27	25	18	14	10	3	2	-	-	-	22
18	18	16	9	6	7	11	5	4	5	3	2	1	2	1	-	-	-	23
425	703	961	1,124	1,432	1,614	1,800	1,888	2,021	1,984	1,427	1,085	592	237	54	8	-	14	24
82	153	244	400	658	889	1,044	1,255	1,342	1,340	914	672	331	135	25	2	-	5	25
100	208	275	286	307	270	236	253	298	344	316	303	217	86	21	5	-	2	26
90	154	220	271	295	320	358	266	268	192	134	56	21	7	2	1	-	4	27
135	164	194	153	158	111	136	79	83	80	43	38	12	4	3	-	-	3	28
2	9	15	7	9	18	16	30	26	23	17	14	10	3	2	-	-	-	29
16	15	13	7	5	6	10	5	4	5	3	2	1	2	1	-	-	-	30
24	38	20	25	20	18	23	23	11	17	8	7	3	2	-	-	-	-	31
5	10	2	3	6	4	8	4	8	11	2	2	2	-	-	-	-	-	32
6	6	1	7	5	5	3	5	-	3	4	3	1	2	-	-	-	-	33
9	10	8	9	3	7	9	10	2	3	1	1	-	-	-	-	-	-	34
3	10	8	5	4	1	2	3	1	-	1	1	-	-	-	-	-	-	35
-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	36
1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
5	9	6	14	9	13	9	9	11	7	5	5	3	3	-	-	-	-	38
2	-	2	3	2	2	2	-	5	2	2	1	1	1	-	-	-	-	39
-	2	2	6	5	3	1	3	2	2	1	3	2	-	-	-	-	-	40
2	4	1	3	1	6	2	-	1	1	-	1	-	1	-	-	-	-	41
1	3	-	1	1	2	3	6	3	2	2	-	-	1	-	-	-	-	42
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
2	.6	7	10	10	7	8	8	12	17	13	2	2	2	-	-	-	-	45
1	1	3	2	5	3	4	2	10	11	7	1	1	-	-	-	-	-	46
-	1	1	6	3	1	2	5	1	5	5	1	1	2	-	-	-	-	47
1	-	1	1	1	2	2	1	1	-	1	-	-	-	-	-	-	-	48
-	3	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	2	3	5	5	3	2	2	2	1	3	2	1	-	-	-	-	52
-	-	1	-	1	1	-	1	1	1	1	3	-	-	-	-	-	-	53
-	-	-	2	4	1	2	1	-	1	-	-	2	1	-	-	-	-	54
1	1	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	55
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
6	7	15	22	23	35	20	30	24	24	22	10	4	5	-	-	-	-	59
4	4	7	10	14	15	14	16	15	16	12	8	3	4	-	-	-	-	60
-	1	6	6	6	16	5	8	6	7	8	2	1	1	-	-	-	-	61
1	1	1	2	2	3	1	5	2	-	2	-	-	-	-	-	-	-	62
1	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	63
-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	64
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	2	4	6	5	10	9	11	10	9	10	3	2	2	-	-	-	-	66
-	-	1	3	2	2	4	5	4	5	6	1	1	1	-	-	-	-	67
-	-	-	1	1	3	3	3	5	3	1	1	1	-	-	-	-	-	68
-	1	1	2	1	3	1	2	1	-	1	1	-	1	-	-	-	-	69
-	1	2	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	71
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	72
23	28	36	31	39	31	32	27	47	40	30	12	12	2	-	-	-	-	73
1	5	7	6	8	13	10	8	16	20	15	9	6	-	-	-	-	-	74
7	2	2	5	3	4	2	5	8	4	8	1	3	1	-	-	-	-	75
7	6	13	9	17	8	12	8	17	14	4	1	3	1	-	-	-	-	76
7	13	12	9	11	5	8	6	6	1	3	1	-	-	-	-	-	-	77
-	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	78
1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
15	20	51	125	259	428	625	739	872	831	601	375	164	65	16	2	1	5	80
7	3	7	27	67	150	258	363	501	513	356	213	83	32	6	-	-	2	81
3	6	6	14	32	42	70	86	132	121	132	104	47	24	6	2	1	-	82
2	5	14	55	95	167	210	216	177	144	64	41	25	5	2	-	-	3	83
3	6	22	27	61	66	84	72	57	47	43	11	8	4	2	-	-	-	84
-	-	2	2	1	2	3	1	5	6	4	4	1	-	-	-	-	-	85
-	-	-	-	3	1	-	1	-	-	2	2	-	-	-	-	-	-	86
5	3	5	-	5	2	-	2	2	1	-	1	-	-	-	-	-	-	87
3	2	2	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	88
1	1	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	89
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	021	Early syphilis	-	-	-	-	-	-	-	-	-	-
2		White—Male	-	-	-	-	-	-	-	-	-	-
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro—Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other—Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	022	Aneurysm of aorta	1,770	-	-	-	-	-	-	-	-	4
9		White—Male	1,062	-	-	-	-	-	-	-	-	2
10		Female	318	-	-	-	-	-	-	-	-	2
11		Negro—Male	282	-	-	-	-	-	-	-	-	-
12		Female	123	-	-	-	-	-	-	-	-	-
13		Other—Male	4	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	023	Other cardiovascular syphilis	1,808	1	-	-	1	-	2	-	-	2
16		White—Male	781	-	-	-	-	-	-	-	-	1
17		Female	247	1	-	-	-	-	1	-	-	-
18		Negro—Male	542	-	-	-	-	-	-	-	-	-
19		Female	218	-	-	-	1	-	1	-	-	1
20		Other—Male	15	-	-	-	-	-	-	-	-	-
21		Female	5	-	-	-	-	-	-	-	-	-
22	024	Tabes dorsalis	138	-	-	-	-	-	-	-	-	-
23		White—Male	87	-	-	-	-	-	-	-	-	-
24		Female	31	-	-	-	-	-	-	-	-	-
25		Negro—Male	14	-	-	-	-	-	-	-	-	-
26		Female	4	-	-	-	-	-	-	-	-	-
27		Other—Male	2	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	025	General paralysis of insane	783	-	-	-	-	-	-	-	1	-
30		White—Male	371	-	-	-	-	-	-	-	1	-
31		Female	100	-	-	-	-	-	-	-	-	-
32		Negro—Male	222	-	-	-	-	-	-	-	-	-
33		Female	87	-	-	-	-	-	-	-	-	-
34		Other—Male	3	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	026	Other syphilis of central nervous system	538	-	-	-	-	-	-	1	-	3
37		White—Male	224	-	-	-	-	-	-	-	-	2
38		Female	104	-	-	-	-	-	-	1	-	1
39		Negro—Male	145	-	-	-	-	-	-	-	-	-
40		Female	58	-	-	-	-	-	-	-	-	-
41		Other—Male	5	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	027-029	Other syphilis	147	1	1	-	-	1	3	-	-	-
44		White—Male	56	-	-	-	-	-	-	-	-	-
45		Female	26	1	-	-	-	-	1	-	-	-
46		Negro—Male	39	-	1	-	-	-	1	-	-	-
47		Female	23	-	-	-	-	1	1	-	-	-
48		Other—Male	2	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	030-035	Gonococcal infection	29	2	-	-	-	-	2	-	-	-
51		White—Male	10	1	-	-	-	-	1	-	-	-
52		Female	1	-	-	-	-	-	-	-	-	-
53		Negro—Male	6	1	-	-	-	-	1	-	-	-
54		Female	12	-	-	-	-	-	-	-	-	-
55		Other—Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	040	Typhoid fever	52	1	2	1	1	2	7	2	3	4
58		White—Male	21	-	-	-	-	-	-	1	-	1
59		Female	17	-	1	1	1	1	4	1	1	-
60		Negro—Male	6	1	-	-	-	1	2	-	-	2
61		Female	8	-	1	-	-	-	1	-	2	1
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	041	Paratyphoid fever	24	2	1	-	-	-	3	1	1	-
65		White—Male	6	1	-	-	-	-	1	-	-	-
66		Female	12	1	1	-	-	-	2	1	1	-
67		Negro—Male	2	-	-	-	-	-	-	-	-	-
68		Female	2	-	-	-	-	-	-	-	-	-
69		Other—Male	1	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	042	Other Salmonella infections	48	18	-	-	1	-	19	2	-	1
72		White—Male	19	5	-	-	1	-	6	2	-	-
73		Female	17	6	-	-	-	-	6	-	-	-
74		Negro—Male	9	5	-	-	-	-	5	-	-	1
75		Female	3	2	-	-	-	-	2	-	-	-
76		Other—Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	043	Cholera	-	-	-	-	-	-	-	-	-	-
79		White—Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro—Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	044	Brucellosis (undulant fever)	18	-	-	-	-	-	-	-	-	-
86		White—Male	14	-	-	-	-	-	-	-	-	-
87		Female	3	-	-	-	-	-	-	-	-	-
88		Negro—Male	1	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	045-048	Dysentery, all forms	882	487	64	23	15	7	596	20	11	2
93		White—Male	319	168	23	4	7	4	206	7	4	1
94		Female	278	146	22	8	3	3	182	7	3	1
95		Negro—Male	144	93	8	7	3	-	111	2	3	-
96		Female	113	64	10	3	1	-	78	3	1	-
97		Other—Male	17	10	-	1	1	-	12	1	-	-
98		Female	11	6	1	-	-	-	7	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
5	6	6	28	61	103	167	224	300	305	246	189	77	38	8	2	1	-	8
4	1	3	10	21	44	82	134	208	219	165	107	39	19	4	-	-	-	9
-	2	2	3	10	5	13	16	44	42	59	68	28	17	4	2	1	-	10
1	2	1	3	12	14	18	24	17	11	11	5	3	1	-	-	-	-	11
-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	12
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	13
1	4	19	44	86	161	239	278	332	297	185	96	42	13	4	-	-	3	14
-	-	-	7	17	48	88	115	161	158	95	60	22	7	-	-	-	2	15
-	-	2	5	8	13	23	35	49	39	40	17	11	2	2	-	-	-	16
1	2	7	22	38	75	86	93	96	75	28	11	6	1	-	-	-	1	17
-	2	10	10	23	24	40	33	23	22	18	4	2	3	2	-	-	-	18
-	-	-	-	-	1	2	1	3	3	2	2	1	-	-	-	-	-	19
-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	20
-	1	-	2	4	7	10	21	20	30	27	7	7	1	1	-	-	-	21
-	-	-	-	1	1	5	14	15	23	15	7	6	-	-	-	-	-	22
-	1	-	-	1	6	1	6	4	3	8	-	-	1	-	-	-	-	23
-	-	-	1	1	-	4	1	1	2	2	-	1	-	1	-	-	-	24
-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	1	11	21	53	83	120	123	120	99	77	42	21	6	1	-	-	2	29
-	-	-	3	18	27	54	58	70	61	51	16	8	4	-	-	-	-	30
1	-	-	3	4	13	13	13	15	13	9	10	5	1	-	-	-	-	31
1	1	5	12	16	27	41	44	25	15	12	14	6	1	1	-	-	2	32
-	-	6	3	14	15	12	8	9	10	5	2	2	-	-	-	-	-	33
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	2	9	25	38	54	67	77	75	88	51	29	10	7	1	-	-	-	36
-	-	2	6	9	19	23	35	33	45	26	17	4	2	1	-	-	-	37
-	1	-	2	5	4	16	12	16	22	11	7	3	3	-	-	-	-	38
1	1	2	8	16	20	20	24	20	18	8	5	2	2	-	-	-	-	39
-	-	3	8	7	10	8	6	6	2	5	-	1	-	-	-	-	-	40
-	-	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	41
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	42
1	3	1	5	12	18	22	14	23	11	15	11	7	-	1	-	-	-	43
-	-	-	1	1	9	6	6	13	6	4	5	4	-	1	-	-	-	44
1	1	-	1	2	1	4	3	3	2	5	2	-	-	-	-	-	-	45
-	1	-	1	6	5	6	4	5	2	3	2	3	-	-	-	-	-	46
-	1	1	2	2	3	6	1	2	1	3	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	48
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
2	2	5	1	3	1	2	2	1	3	1	3	1	-	-	-	-	-	50
-	-	-	-	-	1	-	1	1	1	1	3	1	-	-	-	-	-	51
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	53
2	2	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
4	1	3	3	6	4	1	3	2	1	6	2	-	-	-	-	-	-	57
3	1	2	2	2	-	-	2	1	-	4	2	-	-	-	-	-	-	58
-	-	1	1	3	1	1	-	1	1	2	-	-	-	-	-	-	-	59
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	1	2	-	-	-	1	1	3	6	2	2	1	-	-	-	-	-	64
-	-	1	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	65
-	-	1	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
-	-	-	-	1	2	6	2	6	2	4	3	-	-	-	-	-	-	71
-	-	-	-	-	-	2	2	3	1	3	-	-	-	-	-	-	-	72
-	-	-	-	-	1	3	-	2	1	1	3	-	-	-	-	-	-	73
-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	74
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	2	1	1	1	-	2	3	3	2	2	1	-	-	-	-	-	85
-	-	1	1	1	1	-	2	2	3	1	2	-	-	-	-	-	-	86
-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
9	7	11	9	9	16	21	16	19	19	35	24	31	15	7	2	2	1	92
3	3	4	3	1	9	11	6	10	6	17	10	10	5	-	1	1	1	93
3	-	5	2	4	1	2	7	5	7	11	9	13	9	6	1	-	-	94
1	-	1	3	1	2	2	3	2	4	3	1	3	1	-	-	1	-	95
2	4	1	1	3	2	4	-	2	2	3	3	3	-	1	-	-	-	96
-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-	97
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	98

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	049	Food poisoning (infection and intoxication)	129	17	5	7	2	3	34	6	2	3
2		White—Male	46	5	4	4	-	1	14	3	-	1
3		Female	33	4	-	1	2	-	7	1	1	1
4		Negro—Male	20	4	1	1	-	1	7	-	-	-
5		Female	27	4	-	1	-	1	6	1	1	1
6		Other—Male	2	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	1	-	-
8	050	Scarlet fever	79	1	1	2	2	3	9	4	2	11
9		White—Male	38	-	-	1	-	1	2	3	-	7
10		Female	36	-	-	1	2	2	5	1	2	2
11		Negro—Male	2	1	-	-	-	-	1	-	-	-
12		Female	2	-	-	-	-	-	-	-	-	2
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	1	-	1	-	-	-	1	-	-	-
15	051	Streptococcal sore throat	216	34	9	6	12	8	69	26	11	8
16		White—Male	97	18	2	4	5	4	33	10	3	6
17		Female	90	10	4	2	7	3	26	14	6	2
18		Negro—Male	13	4	-	-	-	-	4	-	1	-
19		Female	15	2	3	-	-	1	6	2	1	-
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	052	Erysipelas	45	4	-	-	-	-	4	-	-	-
23		White—Male	27	3	-	-	-	-	3	-	-	-
24		Female	16	-	-	-	-	-	-	-	-	-
25		Negro—Male	-	-	-	-	-	-	-	-	-	-
26		Female	2	1	-	-	-	-	1	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	053	Septicemia and pyemia	783	232	56	27	12	12	339	28	17	12
30		White—Male	368	107	28	13	8	4	160	9	10	6
31		Female	260	75	22	9	2	5	113	14	3	4
32		Negro—Male	93	31	4	1	1	2	39	4	2	1
33		Female	56	17	2	3	1	1	24	1	1	1
34		Other—Male	6	2	-	1	-	-	3	-	1	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	055	Diphtheria	156	8	19	14	16	15	72	41	8	7
37		White—Male	58	3	6	5	4	4	22	9	3	4
38		Female	44	1	5	4	6	2	18	15	3	2
39		Negro—Male	32	4	5	3	2	6	20	9	1	-
40		Female	21	-	3	1	4	3	11	8	1	1
41		Other—Male	-	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	1	-	-	1	-	-	-
43	056	Whooping cough	270	185	40	17	10	1	253	9	1	1
44		White—Male	68	45	8	6	3	1	63	3	-	-
45		Female	95	59	17	6	2	-	84	5	1	1
46		Negro—Male	45	36	7	1	1	-	45	-	-	-
47		Female	51	38	6	3	3	-	50	1	-	-
48		Other—Male	4	4	-	-	-	-	4	-	-	-
49		Female	7	3	2	1	1	-	7	-	-	-
50	057	Meningococcal infections	1,325	393	197	130	72	53	845	137	55	65
51		White—Male	654	210	112	66	33	22	443	60	26	24
52		Female	457	135	60	45	31	23	294	39	20	25
53		Negro—Male	110	23	10	10	1	4	48	24	5	10
54		Female	98	21	14	9	7	4	55	14	3	5
55		Other—Male	5	2	1	-	-	-	3	-	-	1
56		Female	3	2	-	-	-	-	2	-	1	-
57	058	Plague	-	-	-	-	-	-	-	-	-	-
58		White—Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro—Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	059	Tularemia	7	-	-	-	-	-	-	-	-	1
65		White—Male	4	-	-	-	-	-	-	-	-	1
66		Female	1	-	-	-	-	-	-	-	-	-
67		Negro—Male	1	-	-	-	-	-	-	-	-	-
68		Female	1	-	-	-	-	-	-	-	-	-
69		Other—Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	060	Leprosy	7	-	-	-	-	-	-	-	-	-
72		White—Male	4	-	-	-	-	-	-	-	-	-
73		Female	3	-	-	-	-	-	-	-	-	-
74		Negro—Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other—Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	061	Tetanus	337	99	5	-	2	11	117	34	33	7
79		White—Male	111	18	1	-	1	2	22	8	18	2
80		Female	75	14	3	-	-	5	22	8	4	2
81		Negro—Male	83	38	1	-	1	1	41	10	8	1
82		Female	67	28	-	-	-	3	31	8	3	2
83		Other—Male	1	1	-	-	-	-	1	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	062	Anthrax	-	-	-	-	-	-	-	-	-	-
86		White—Male	-	-	-	-	-	-	-	-	-	-
87		Female	-	-	-	-	-	-	-	-	-	-
88		Negro—Male	-	-	-	-	-	-	-	-	-	-
89		Female	-	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	080	Acute poliomyelitis	1,450	52	50	51	45	51	249	252	189	126
93		White—Male	803	22	19	28	22	21	112	149	112	74
94		Female	562	17	21	16	19	22	95	89	69	46
95		Negro—Male	46	8	6	3	2	5	24	7	4	3
96		Female	33	4	3	4	1	3	15	6	2	3
97		Other—Male	2	1	-	-	-	-	1	-	1	-
98		Female	4	-	1	-	1	-	2	1	1	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
7	4	3	4	7	9	4	6	9	14	4	5	2	5	-	1	-	-	1
1	1	2	2	2	2	1	2	5	4	-	4	1	1	-	-	-	-	2
1	1	-	1	4	4	1	-	1	5	2	-	1	2	-	-	-	-	3
2	1	-	-	-	2	1	1	1	1	2	-	-	2	-	-	-	-	4
3	1	1	-	1	1	1	2	2	4	-	1	-	-	-	1	-	-	5
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	6	7	6	1	7	7	2	3	6	2	2	1	1	-	-	-	-	8
1	3	2	4	-	4	3	2	1	3	2	-	-	1	-	-	-	-	9
1	3	4	2	1	3	4	-	2	3	-	2	1	-	-	-	-	-	10
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
8	9	8	6	8	7	9	3	6	12	7	9	4	4	1	1	-	-	15
5	3	2	1	5	4	2	3	3	8	6	1	2	2	1	-	-	-	16
-	5	2	5	1	3	7	2	3	2	-	7	2	2	-	1	-	-	17
1	1	1	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	18
1	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	1	-	-	1	-	1	3	3	6	6	1	8	6	4	1	-	-	22
-	1	-	-	1	-	-	1	2	3	4	1	4	3	4	-	-	-	23
-	-	-	-	-	-	1	1	1	3	2	-	4	3	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
12	17	18	14	23	27	43	45	42	45	31	27	28	10	4	1	-	-	29
2	5	7	5	8	8	19	26	24	29	20	15	9	5	1	-	-	-	30
7	6	7	5	8	9	10	9	9	12	9	10	17	5	3	-	-	-	31
1	3	2	1	4	5	7	10	5	3	2	2	1	-	-	1	-	-	32
2	3	2	3	2	5	6	-	4	1	-	-	1	-	-	-	-	-	33
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	2	3	4	3	2	4	1	4	3	1	-	-	-	-	-	-	36
-	-	2	2	4	3	1	2	1	2	2	1	-	-	-	-	-	-	37
-	1	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	43
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	44
1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
27	16	12	13	18	21	30	23	25	15	10	9	4	-	-	-	-	-	50
11	4	6	5	7	12	12	10	14	9	3	6	2	-	-	-	-	-	51
7	6	5	4	6	7	13	8	8	5	7	2	1	-	-	-	-	-	52
8	3	-	3	1	1	3	2	-	-	-	1	1	-	-	-	-	-	53
1	3	1	1	4	1	1	3	3	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	65
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	1	-	1	2	-	-	-	-	-	2	1	-	-	-	-	-	-	70
-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	71
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
12	11	12	8	8	8	11	18	16	8	17	13	4	-	-	-	-	-	78
1	3	4	1	4	6	5	7	5	6	8	9	2	-	-	-	-	-	79
5	3	2	3	2	1	2	5	6	1	6	3	-	-	-	-	-	-	80
2	2	2	2	2	1	1	2	4	1	1	1	2	-	-	-	-	-	81
4	3	4	2	-	-	3	4	1	-	2	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
119	195	149	89	38	15	12	8	1	5	2	1	-	-	-	-	-	-	92
70	96	85	48	23	12	8	7	1	4	1	1	-	-	-	-	-	-	93
47	96	60	38	13	3	3	1	-	1	1	-	-	-	-	-	-	-	94
1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	95
1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	081	Late effects of acute poliomyelitis	127	-	1	2	2	-	5	14	18	12
2		White--Male	63	-	-	1	1	-	2	10	10	8
3		Female	52	-	1	-	1	-	2	2	5	3
4		Negro--Male	7	-	-	1	-	-	1	1	2	1
5		Female	5	-	-	-	-	-	-	1	1	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	082	Acute infectious encephalitis	386	62	25	23	10	12	132	27	20	7
9		White--Male	194	33	9	8	3	7	60	17	5	4
10		Female	135	23	10	11	6	2	52	7	13	1
11		Negro--Male	29	3	4	1	1	1	10	1	2	1
12		Female	26	3	2	3	-	2	10	1	-	1
13		Other--Male	1	-	-	-	-	-	-	1	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	083	Late effects of acute infectious encephalitis	130	-	-	-	-	1	1	4	1	-
16		White--Male	66	-	-	-	-	-	-	3	-	-
17		Female	38	-	-	-	-	1	1	1	1	-
18		Negro--Male	5	-	-	-	-	-	-	-	-	-
19		Female	1	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	084	Smallpox	1	-	-	1	-	-	1	-	-	-
23		White--Male	1	-	-	1	-	-	1	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	085	Measles	462	123	93	57	26	27	326	76	20	10
30		White--Male	202	53	39	17	17	8	134	31	11	7
31		Female	182	43	34	30	7	15	129	38	8	1
32		Negro--Male	18	7	5	3	-	1	16	1	-	1
33		Female	35	11	8	3	1	2	25	3	3	1
34		Other--Male	13	5	2	2	1	-	10	3	-	-
35		Female	12	4	5	2	-	1	12	-	-	-
36	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
37		White--Male	-	-	-	-	-	-	-	-	-	-
38		Female	-	-	-	-	-	-	-	-	-	-
39		Negro--Male	-	-	-	-	-	-	-	-	-	-
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	092	Infectious hepatitis	821	34	6	10	6	7	63	30	20	31
44		White--Male	375	15	5	6	4	2	32	13	7	11
45		Female	349	8	1	2	1	4	16	14	8	12
46		Negro--Male	42	5	-	2	1	1	9	2	3	4
47		Female	49	4	-	-	-	-	4	1	2	4
48		Other--Male	4	2	-	-	-	-	2	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	094	Rabies	12	-	-	1	1	1	3	1	2	-
51		White--Male	4	-	-	-	1	1	2	-	-	-
52		Female	3	-	-	1	-	-	1	-	-	-
53		Negro--Male	3	-	-	-	-	-	-	1	1	-
54		Female	2	-	-	-	-	-	-	-	1	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	104	Tick-borne typhus	21	-	-	-	-	1	1	3	3	2
58		White--Male	11	-	-	-	-	1	1	1	3	-
59		Female	5	-	-	-	-	-	-	2	-	-
60		Negro--Male	3	-	-	-	-	-	-	-	-	2
61		Female	2	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	104A	Rocky Mountain spotted fever	21	-	-	-	-	1	1	3	3	2
65		White--Male	11	-	-	-	-	1	1	1	3	-
66		Female	5	-	-	-	-	-	-	2	-	-
67		Negro--Male	3	-	-	-	-	-	-	-	-	2
68		Female	2	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	100-103,	Typhus, etc.*, and other rickettsial diseases	9	-	-	-	-	-	-	1	-	1
79	105-108	White--Male	6	-	-	-	-	-	-	1	-	1
80		Female	1	-	-	-	-	-	-	-	-	-
81		Negro--Male	2	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	110-117	Malaria	32	2	-	-	-	-	2	-	-	2
86		White--Male	12	-	-	-	-	-	-	-	-	-
87		Female	6	1	-	-	-	-	1	-	-	-
88		Negro--Male	8	-	-	-	-	-	-	-	-	1
89		Female	5	-	-	-	-	-	-	-	-	1
90		Other--Male	1	1	-	-	-	-	1	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-
92	123	Schistosomiasis	5	-	-	-	-	-	-	-	2	-
93		White--Male	4	-	-	-	-	-	-	-	2	-
94		Female	1	-	-	-	-	-	-	-	-	-
95		Negro--Male	-	-	-	-	-	-	-	-	-	-
96		Female	-	-	-	-	-	-	-	-	-	-
97		Other--Male	-	-	-	-	-	-	-	-	-	-
98		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
11	12	11	17	11	3	3	3	3	-	2	-	-	1	1	-	-	-	1
5	6	3	7	4	1	1	3	2	-	-	-	-	1	-	-	-	-	2
5	6	7	9	7	1	1	-	1	-	2	-	-	-	1	-	-	-	3
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
7	18	16	19	21	17	29	15	18	18	13	2	5	1	-	1	-	-	8
3	9	6	9	8	8	18	11	12	12	9	1	1	1	-	-	-	-	9
3	4	8	4	8	4	8	3	4	6	4	1	4	-	1	-	-	-	10
1	4	1	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	11
-	1	1	3	2	3	2	1	1	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	2	4	8	14	16	12	13	14	19	10	7	-	1	-	-	-	-	15
3	-	3	6	8	10	8	11	12	12	7	3	-	-	-	-	-	-	16
1	1	1	2	4	5	3	1	2	7	3	4	-	1	-	-	-	-	17
-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
6	2	4	3	3	2	1	3	1	-	2	1	-	1	-	-	1	-	28
5	1	2	2	3	1	1	-	1	-	2	1	-	-	-	-	-	-	29
1	1	2	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
31	43	47	53	46	57	56	77	58	53	52	46	32	20	6	-	-	-	43
10	14	19	25	24	29	24	35	27	26	24	33	15	5	2	-	-	-	44
17	19	20	21	19	21	25	34	27	24	26	13	16	13	4	-	-	-	45
1	2	6	1	2	3	3	3	3	-	-	-	-	-	-	-	-	-	46
3	7	2	4	1	4	4	4	1	3	2	-	1	2	-	-	-	-	47
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	48
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	50
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	51
-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	1	-	1	1	1	-	5	2	1	-	-	-	-	-	-	-	57
-	-	1	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	1	1	1	-	5	2	1	-	-	-	-	-	-	-	64
-	-	1	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	65
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	66
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	78
-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	6	3	2	3	-	2	-	4	1	1	5	1	-	-	-	-	85
-	-	4	1	-	3	-	-	-	1	1	-	1	1	-	-	-	-	86
-	-	-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	-	87
-	-	1	2	1	-	-	-	-	-	-	1	2	-	-	-	-	-	88
-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	125	Hydatid disease	8	-	-	-	-	-	-	-	-	-
2		White--Male	6	-	-	-	-	-	-	-	-	-
3		Female	2	-	-	-	-	-	-	-	-	-
4		Negro--Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	127	Filariasis	-	-	-	-	-	-	-	-	-	-
9		White--Male	-	-	-	-	-	-	-	-	-	-
10		Female	-	-	-	-	-	-	-	-	-	-
11		Negro--Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	129	Ankylostomiasis	6	-	1	-	1	-	2	3	-	1
16		White--Male	4	-	-	-	-	-	-	3	-	1
17		Female	1	-	-	-	1	-	1	-	-	-
18		Negro--Male	1	-	1	-	-	-	1	-	-	-
19		Female	-	-	-	-	-	-	-	-	-	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	124,126,	Other diseases due to helminths	87	5	20	17	13	6	61	8	4	1
23	128,130	White--Male	24	-	4	7	4	-	15	1	1	-
24		Female	15	-	2	1	5	-	8	2	-	-
25		Negro--Male	26	3	7	4	3	2	19	5	2	-
26		Female	21	2	7	5	1	4	19	-	1	1
27		Other--Male	1	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	Residual[1]	All other infective and parasitic diseases	1,181	167	42	33	18	18	278	49	22	22
30		White--Male	523	73	19	13	7	12	124	21	11	9
31		Female	390	56	19	10	9	6	100	23	9	6
32		Negro--Male	139	19	2	5	1	-	27	3	-	7
33		Female	117	17	1	4	1	-	23	2	2	-
34		Other--Male	7	-	-	-	-	-	-	-	-	-
35		Female	5	2	1	1	-	-	4	-	-	-
36		II. Neoplasms	234,342	457	382	403	474	411	2,127	1,268	813	863
37		White--Male	111,417	209	174	192	247	216	1,038	687	402	424
38		Female	103,368	185	165	170	187	162	869	486	326	329
39		Negro--Male	9,101	30	18	18	21	19	106	50	51	62
40		Female	9,657	25	22	20	17	13	97	38	30	43
41		Other--Male	556	5	2	3	2	1	13	1	-	3
42		Female	243	3	1	-	-	-	4	6	4	2
43	140-205	• Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	229,079	299	326	376	439	382	1,822	1,131	714	793
44		White--Male	109,410	133	156	183	231	200	903	630	358	396
45		Female	100,883	128	141	159	178	153	759	421	287	302
46		Negro--Male	8,874	18	13	14	16	16	77	43	43	53
47		Female	9,136	15	14	17	12	12	70	31	23	38
48		Other--Male	543	3	2	3	2	1	11	1	-	3
49		Female	233	2	-	-	-	-	2	5	3	1
50	140-148	Malignant neoplasm of buccal cavity and pharynx	5,079	2	-	2	-	5	9	8	2	10
51		White--Male	3,725	1	-	-	-	4	5	4	1	4
52		Female	990	-	-	2	-	1	3	4	1	4
53		Negro--Male	252	-	-	-	-	-	-	-	-	1
54		Female	91	-	-	-	-	-	-	-	-	1
55		Other--Male	18	1	-	-	-	-	1	-	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57	140	Of lip	399	-	-	-	-	-	-	-	-	-
58		White--Male	345	-	-	-	-	-	-	-	-	-
59		Female	43	-	-	-	-	-	-	-	-	-
60		Negro--Male	8	-	-	-	-	-	-	-	-	-
61		Female	3	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	141	Of tongue	1,234	-	-	-	-	1	1	-	-	-
65		White--Male	897	-	-	-	-	1	1	-	-	-
66		Female	241	-	-	-	-	-	-	-	-	-
67		Negro--Male	73	-	-	-	-	-	-	-	-	-
68		Female	19	-	-	-	-	-	-	-	-	-
69		Other--Male	4	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	142-144	Of other and unspecified parts of buccal cavity	1,521	1	-	-	-	1	2	2	-	1
72		White--Male	1,034	-	-	-	-	-	-	1	-	-
73		Female	388	-	-	-	-	1	1	1	-	1
74		Negro--Male	56	-	-	-	-	-	-	-	-	-
75		Female	38	-	-	-	-	-	-	-	-	-
76		Other--Male	3	1	-	-	-	-	1	-	-	-
77		Female	2	-	-	-	-	-	-	-	-	-
78	145-148	Of pharynx	1,925	1	-	2	-	3	6	6	2	9
79		White--Male	1,449	1	-	-	-	3	4	3	1	4
80		Female	318	-	-	2	-	-	2	3	1	3
81		Negro--Male	115	-	-	-	-	-	-	-	-	1
82		Female	31	-	-	-	-	-	-	-	-	1
83		Other--Male	11	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-
85	150-156A,	Malignant neoplasm of digestive organs and peritoneum	84,444	21	14	13	7	8	63	26	15	42
86	157-159	White--Male	42,472	9	4	9	4	4	30	16	8	21
87		Female	35,242	6	6	2	3	2	19	6	5	17
88		Negro--Male	3,738	3	1	-	-	2	6	2	2	3
89		Female	2,607	2	2	2	-	-	6	1	-	1
90		Other--Male	301	-	1	-	-	-	1	-	-	-
91		Female	84	1	-	-	-	-	1	1	-	-
92	150	Of esophagus	4,114	1	-	-	-	-	1	-	-	-
93		White--Male	2,813	-	-	-	-	-	-	-	-	-
94		Female	750	-	-	-	-	-	-	-	-	-
95		Negro--Male	424	1	-	-	-	-	1	-	-	-
96		Female	110	-	-	-	-	-	-	-	-	-
97		Other--Male	16	-	-	-	-	-	-	-	-	-
98		Female	1	-	-	-	-	-	-	-	-	-

[1] For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	-	1	1	1	-	1	-	2	1	-	-	-	-	-	-	1
-	-	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	2	-	1	2	4	1	-	-	1	-	-	-	-	-	1	-	22
1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	23
-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
33	41	44	50	51	50	74	67	69	81	81	64	52	36	12	4	-	1	29
6	13	16	21	20	24	33	31	35	49	34	32	22	18	4	-	-	-	30
9	6	9	9	10	9	19	19	20	22	36	25	30	17	8	4	-	-	31
11	13	7	10	10	6	12	8	7	8	7	2	-	-	-	-	-	1	32
6	9	12	10	10	9	8	8	6	2	4	5	-	1	-	-	-	-	33
1	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1,163	1,928	3,148	5,415	9,197	13,730	19,361	25,881	31,061	34,004	31,322	25,934	16,823	7,627	2,184	327	61	105	36
602	842	1,136	1,786	3,001	5,174	7,926	12,326	15,899	17,691	16,064	13,365	8,313	3,610	968	111	18	34	37
431	829	1,566	2,827	4,817	6,806	8,765	10,966	12,675	13,811	13,410	11,446	7,886	3,724	1,141	195	24	39	38
61	89	104	225	429	662	1,188	1,335	1,320	1,327	1,008	577	312	141	32	4	7	11	39
64	157	324	563	920	1,030	1,408	1,159	1,078	1,036	731	477	277	137	41	17	9	21	40
3	4	4	7	17	37	52	66	70	107	85	47	25	11	2	-	2	-	41
2	7	14	7	13	21	22	29	19	32	24	22	10	4	-	-	1	-	42
1,059	1,746	2,919	5,074	8,749	13,200	18,875	25,388	30,590	33,587	31,002	25,656	16,610	7,529	2,151	322	59	103	43
561	777	1,064	1,707	2,899	5,029	7,762	12,099	15,664	17,482	15,922	13,250	8,223	3,571	951	110	18	34	44
380	743	1,465	2,660	4,580	6,506	8,535	10,748	12,485	13,639	13,253	11,299	7,773	3,668	1,127	191	23	39	45
57	86	90	210	409	645	1,157	1,317	1,306	1,310	999	569	308	141	32	4	7	11	46
57	130	282	484	833	963	1,351	1,130	1,046	1,020	720	469	272	134	39	17	8	19	47
3	3	4	7	16	36	48	66	70	104	84	47	25	11	2	-	2	-	48
1	7	14	6	12	21	22	28	19	32	24	22	9	4	-	-	1	-	49
9	14	25	62	152	280	422	599	719	750	705	599	421	209	72	6	3	3	50
8	4	16	37	95	180	294	445	563	583	543	436	305	148	48	4	1	1	51
1	5	8	13	35	65	67	93	106	122	133	142	104	56	24	2	2	-	52
-	3	-	8	13	24	36	41	41	32	23	15	10	4	-	-	-	1	53
-	2	1	3	9	6	24	16	7	9	4	5	2	1	-	-	-	1	54
-	-	-	-	-	5	1	2	2	4	2	1	-	-	-	-	-	-	55
-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	56
1	-	2	3	7	7	15	29	40	76	58	55	50	37	17	1	1	-	57
1	-	2	2	7	6	13	26	36	65	50	48	43	30	14	1	1	-	58
-	-	-	-	-	1	-	2	2	10	6	6	7	6	3	-	-	-	59
-	-	-	1	-	-	1	-	2	-	2	1	-	1	-	-	-	-	60
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	2	5	14	36	71	85	175	165	190	187	137	97	53	13	2	-	-	64
1	1	4	7	22	45	55	128	130	153	134	95	72	36	12	1	-	-	65
-	1	1	5	8	19	18	25	20	26	40	36	24	16	1	1	-	-	66
-	-	-	2	4	5	7	18	12	10	10	4	1	-	-	-	-	-	67
-	-	-	-	2	1	5	4	3	-	2	1	-	1	-	-	-	-	68
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
2	6	6	15	39	71	126	156	210	216	217	209	150	61	27	1	2	2	71
2	1	2	9	24	46	81	104	157	152	166	142	99	35	12	-	-	1	72
-	3	4	2	12	14	22	38	42	51	46	62	47	24	15	1	2	-	73
-	1	-	2	1	8	9	6	8	8	2	4	4	2	-	-	-	1	74
-	1	-	2	2	3	13	6	3	5	2	1	-	-	-	-	-	-	75
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	77
5	6	12	30	70	131	196	239	304	268	243	198	124	58	15	2	-	1	78
4	2	8	19	42	83	145	187	240	213	193	151	91	47	10	2	-	-	79
1	1	3	6	15	31	27	28	42	35	41	38	26	10	5	-	-	-	80
-	2	-	3	8	11	19	17	19	14	9	6	5	1	-	-	-	-	81
-	1	1	1	5	2	5	5	1	3	-	3	2	-	-	-	-	1	82
-	-	-	-	-	4	-	2	2	3	-	-	-	-	-	-	-	-	83
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
97	237	465	992	1,968	3,476	5,677	8,692	11,354	13,773	13,576	11,678	7,755	3,457	898	123	32	48	85
46	102	210	436	870	1,658	2,672	4,445	6,119	7,347	7,080	5,888	3,636	1,471	359	33	7	18	86
30	98	191	412	784	1,316	2,125	3,225	4,272	5,366	5,732	5,308	3,842	1,870	512	79	13	20	87
12	17	24	68	151	270	505	614	547	594	442	240	154	66	11	2	4	4	88
9	17	33	71	150	210	342	365	367	385	270	199	102	45	14	9	5	6	89
-	1	1	3	10	16	26	34	41	67	44	32	17	4	2	-	2	-	90
-	2	6	2	3	6	7	9	8	14	8	11	4	1	-	-	1	-	91
-	2	11	35	83	185	365	496	639	685	645	485	312	124	40	4	1	1	92
-	1	7	16	35	107	205	332	478	512	465	354	203	72	24	1	-	1	93
-	-	1	9	21	21	47	61	81	117	134	104	92	45	15	2	-	-	94
-	1	-	6	20	47	83	89	59	42	34	24	9	7	-	1	1	-	95
-	-	3	4	7	10	29	13	20	9	6	2	6	-	1	-	-	-	96
-	-	-	-	-	-	1	1	1	5	6	-	2	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	98

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasms of digestive organs and peritoneum—Con.										
1	151	Of stomach	23,373	4	1	-	1	-	6	4	1	4
2		White--Male	13,126	2	1	-	1	-	4	-	1	2
3		Female	7,815	-	-	-	-	-	-	2	-	2
4		Negro--Male	1,496	1	-	-	-	-	1	2	-	-
5		Female	773	-	-	-	-	-	-	-	-	-
6		Other--Male	130	-	-	-	-	-	-	-	-	-
7		Female	33	1	-	-	-	-	1	-	-	-
8	152,153	Of intestine, except rectum	24,695	5	1	-	1	1	8	4	5	25
9		White--Male	10,637	2	1	-	1	1	5	4	4	12
10		Female	12,710	2	-	-	-	-	2	-	1	10
11		Negro--Male	571	1	-	-	-	-	1	-	-	2
12		Female	722	-	-	-	-	-	-	-	-	1
13		Other--Male	46	-	-	-	-	-	-	-	-	-
14		Female	9	-	-	-	-	-	-	-	-	-
15	154	Of rectum	10,694	1	1	1	-	1	4	3	1	4
16		White--Male	5,739	1	-	-	-	1	2	2	-	3
17		Female	4,276	-	-	-	-	-	-	1	1	1
18		Negro--Male	326	-	-	-	-	-	-	-	-	-
19		Female	328	-	1	1	-	-	2	-	-	-
20		Other--Male	22	-	-	-	-	-	-	-	-	-
21		Female	3	-	-	-	-	-	-	-	-	-
22	155	Of biliary passages and of liver (stated to be primary site)	5,121	2	4	2	-	1	9	3	2	-
23		White--Male	1,876	2	1	2	-	1	6	2	1	-
24		Female	2,921	-	3	-	-	-	3	-	-	-
25		Negro--Male	143	-	-	-	-	-	-	-	1	-
26		Female	133	-	-	-	-	-	-	-	-	-
27		Other--Male	31	-	-	-	-	-	-	-	-	-
28		Female	17	-	-	-	-	-	-	1	-	-
29	156A	Of liver not specified whether primary or secondary	4,726	5	4	6	4	2	21	3	2	2
30		White--Male	2,048	-	-	5	2	-	7	1	1	1
31		Female	2,187	4	2	1	2	1	10	1	-	-
32		Negro--Male	254	-	-	-	-	1	1	-	1	1
33		Female	208	1	1	-	-	-	2	1	-	-
34		Other--Male	25	-	1	-	-	-	1	-	-	-
35		Female	4	-	-	-	-	-	-	-	-	-
36	157	Of pancreas	10,165	2	-	-	-	-	2	1	-	2
37		White--Male	5,557	1	-	-	-	-	1	-	-	-
38		Female	3,896	-	-	-	-	-	-	1	-	2
39		Negro--Male	422	-	-	-	-	-	-	-	-	-
40		Female	249	1	-	-	-	-	1	-	-	-
41		Other--Male	29	-	-	-	-	-	-	-	-	-
42		Female	12	-	-	-	-	-	-	-	-	-
43	158,159	Of peritoneum and of unspecified digestive organs	1,556	1	3	4	1	3	12	8	4	5
44		White--Male	676	1	1	2	-	1	5	7	1	3
45		Female	687	-	1	1	1	1	4	1	3	2
46		Negro--Male	102	-	1	-	-	1	2	-	-	-
47		Female	84	-	-	1	-	-	1	-	-	-
48		Other--Male	2	-	-	-	-	-	-	-	-	-
49		Female	5	-	-	-	-	-	-	-	-	-
50	160-164	Malignant neoplasm of respiratory system	26,388	10	5	3	1	3	22	8	7	22
51		White--Male	20,560	5	3	1	-	2	11	5	5	13
52		Female	3,938	4	1	2	-	-	7	2	2	7
53		Negro--Male	1,483	1	-	-	-	1	2	1	-	1
54		Female	311	-	1	-	1	-	2	-	-	1
55		Other--Male	85	-	-	-	-	-	-	-	-	-
56		Female	11	-	-	-	-	-	-	-	-	-
57	161	Of larynx	1,990	1	-	-	-	-	1	-	1	-
58		White--Male	1,670	-	-	-	-	-	-	-	1	-
59		Female	174	1	-	-	-	-	1	-	-	-
60		Negro--Male	124	-	-	-	-	-	-	-	-	-
61		Female	16	-	-	-	-	-	-	-	-	-
62		Other--Male	6	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	162	Of trachea, and of bronchus and lung specified as primary	10,564	3	-	1	-	1	5	1	1	1
65		White--Male	8,523	2	-	1	-	1	4	1	-	1
66		Female	1,227	1	-	-	-	-	1	-	1	-
67		Negro--Male	646	-	-	-	-	-	-	-	-	-
68		Female	121	-	-	-	-	-	-	-	-	-
69		Other--Male	42	-	-	-	-	-	-	-	-	-
70		Female	5	-	-	-	-	-	-	-	-	-
71	163	Of lung and bronchus, unspecified as primary or secondary	12,938	3	2	1	-	1	7	4	2	12
72		White--Male	9,830	2	1	-	-	-	3	3	2	6
73		Female	2,248	-	-	1	-	-	1	1	-	4
74		Negro--Male	665	1	-	-	-	1	2	-	-	1
75		Female	155	-	1	-	-	-	1	-	-	1
76		Other--Male	34	-	-	-	-	-	-	-	-	-
77		Female	6	-	-	-	-	-	-	-	-	-
78	160,164	Of other parts of respiratory system	896	3	3	1	1	1	9	3	3	9
79		White--Male	537	1	2	-	-	1	4	1	2	6
80		Female	289	2	1	1	-	-	4	1	1	3
81		Negro--Male	48	-	-	-	-	-	-	1	-	-
82		Female	19	-	-	-	1	-	1	-	-	-
83		Other--Male	3	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	170	Malignant neoplasm of breast	20,566	1	1	-	-	-	2	2	1	4
86		White--Male	201	1	-	-	-	-	1	-	-	1
87		Female	18,929	-	-	-	-	-	-	2	1	2
88		Negro--Male	21	-	1	-	-	-	1	-	-	-
89		Female	1,399	-	-	-	-	-	-	-	-	1
90		Other--Male	2	-	-	-	-	-	-	-	-	-
91		Female	14	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
18	46	117	271	477	851	1,379	2,208	2,967	3,929	3,938	3,494	2,323	1,027	257	35	8	13	1
11	15	62	125	242	454	725	1,290	1,793	2,343	2,271	1,955	1,217	470	129	12	1	4	2
3	26	33	108	144	242	372	550	799	1,161	1,369	1,342	1,009	509	116	21	2	5	3
3	2	7	23	48	95	177	249	236	261	179	107	63	34	4	1	2	2	4
1	2	10	14	39	53	94	100	122	126	93	68	26	12	8	1	2	2	5
-	1	-	-	4	5	10	17	14	30	22	17	7	2	-	-	1	-	6
-	-	5	1	-	2	1	2	3	8	4	5	1	-	-	-	-	-	7
41	91	165	345	603	1,045	1,607	2,426	3,197	3,768	3,925	3,450	2,452	1,179	296	36	11	16	8
19	39	66	134	224	390	621	1,041	1,446	1,751	1,804	1,556	975	442	85	9	3	7	9
14	39	85	178	311	553	843	1,204	1,558	1,798	1,949	1,802	1,411	708	206	24	7	7	10
3	5	6	8	30	39	60	75	82	91	85	36	35	10	3	-	-	-	11
5	8	8	21	36	60	78	101	102	114	84	51	28	18	2	3	-	2	12
-	-	-	3	2	3	4	3	7	13	3	5	2	1	-	-	-	-	13
-	-	-	1	-	-	1	2	2	1	-	-	1	-	-	-	1	-	14
13	40	61	130	306	463	770	1,196	1,422	1,803	1,671	1,340	893	418	124	17	9	6	15
4	18	22	55	133	225	391	626	850	1,026	949	751	468	193	53	4	1	3	16
4	14	31	49	133	185	291	464	511	676	653	567	399	214	65	10	4	3	17
3	6	3	9	13	23	41	52	40	53	38	21	15	5	3	-	1	-	18
2	2	5	17	25	26	46	51	38	46	28	18	11	5	1	3	2	-	19
-	-	-	-	1	4	1	2	3	2	3	2	-	1	2	-	1	-	20
-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	21
5	18	20	47	99	199	348	577	832	934	855	648	376	140	27	1	-	1	22
1	8	8	20	40	94	125	210	317	344	307	212	126	49	5	1	-	-	23
2	6	10	16	39	86	176	314	466	540	502	413	237	88	22	-	-	1	24
1	-	-	7	9	6	20	26	25	20	11	11	6	-	-	-	-	-	25
1	4	2	4	8	9	23	21	17	22	8	9	2	3	-	-	-	-	26
-	-	-	-	1	2	1	4	5	6	5	3	4	-	-	-	-	-	27
-	-	-	-	2	2	3	2	2	2	2	-	1	-	-	-	-	-	28
3	11	24	51	110	200	349	463	587	740	720	710	469	196	46	9	2	8	29
-	4	7	18	40	78	133	210	273	345	326	303	204	76	15	1	2	3	30
2	6	14	20	44	78	134	185	255	318	351	373	247	111	30	6	-	2	31
1	1	2	7	12	19	46	40	34	43	23	9	6	6	-	-	-	2	32
-	-	-	6	13	22	29	24	23	27	19	23	12	3	1	2	-	1	33
-	-	1	-	1	2	7	4	2	6	-	1	-	-	-	-	-	-	34
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	35
7	12	46	90	250	461	742	1,171	1,522	1,711	1,616	1,327	783	313	88	18	-	3	36
3	7	27	57	141	271	421	668	907	937	855	688	387	144	38	5	-	-	37
3	1	12	24	74	133	223	387	508	664	677	593	367	163	49	13	-	2	38
1	2	4	7	16	34	64	70	62	71	53	22	13	2	1	-	-	-	39
-	1	2	2	18	22	31	42	36	32	26	18	13	4	-	-	-	1	40
-	-	-	-	1	-	2	3	8	5	4	4	2	-	-	-	-	-	41
-	1	1	-	-	1	1	1	1	2	1	2	1	-	-	-	-	-	42
10	17	21	23	40	72	117	155	188	203	226	224	147	60	20	3	1	-	43
8	10	11	11	15	39	51	68	75	89	103	89	56	25	10	-	-	-	44
2	6	5	8	18	18	39	60	94	92	97	114	80	32	9	3	-	-	45
-	-	2	1	3	7	14	13	9	13	19	10	7	2	-	-	-	-	46
-	-	3	3	4	8	12	13	9	9	6	10	4	-	1	-	1	-	47
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	48
-	1	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	49
35	64	161	379	927	1,752	2,944	4,259	4,912	4,419	3,148	1,955	928	335	81	16	3	11	50
21	39	98	247	637	1,301	2,318	3,484	4,072	3,605	2,407	1,409	618	200	54	5	2	9	51
11	14	39	86	163	242	313	434	530	595	589	473	277	115	27	9	1	2	52
3	5	13	35	93	163	261	280	260	169	107	55	25	9	-	1	-	-	53
-	5	10	11	31	38	43	47	34	31	30	13	7	7	-	1	-	-	54
-	1	1	-	3	7	8	13	14	15	14	5	1	3	-	-	-	-	55
-	-	-	-	-	1	1	1	2	4	1	-	-	1	-	-	-	-	56
-	1	3	16	51	110	174	261	362	339	295	206	104	47	17	2	-	-	57
-	-	1	13	34	86	141	224	315	290	252	176	84	40	12	1	-	-	58
-	-	2	2	8	7	12	18	18	26	27	25	17	6	5	-	-	-	59
-	1	-	1	8	14	19	14	25	20	14	4	3	-	-	1	-	-	60
-	-	-	-	-	3	2	3	3	2	1	1	-	1	-	-	-	-	61
-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
9	24	71	175	391	762	1,332	1,880	2,072	1,729	1,149	613	243	87	16	2	1	-	64
6	15	46	121	280	599	1,066	1,574	1,763	1,434	917	452	172	57	13	1	1	-	65
2	4	12	32	56	86	118	142	184	203	174	126	60	23	3	-	-	-	66
1	2	10	16	40	62	124	136	107	74	38	27	6	3	-	-	-	-	67
-	3	3	6	14	11	17	23	15	7	9	6	4	2	-	1	-	-	68
-	-	-	-	1	4	6	4	2	10	10	2	1	2	-	-	-	-	69
-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	70
13	31	72	169	443	827	1,355	1,998	2,375	2,249	1,603	1,046	509	167	37	7	1	11	71
7	19	43	104	297	582	1,054	1,610	1,933	1,812	1,175	730	323	92	24	1	1	9	72
6	10	22	44	89	132	168	237	296	336	358	288	168	67	13	6	-	2	73
-	1	1	16	42	85	111	123	120	73	49	20	16	5	-	-	-	-	74
-	1	5	5	14	24	21	21	14	21	18	5	2	2	-	-	-	-	75
-	-	1	-	1	3	1	1	11	4	3	3	-	-	-	-	-	-	76
-	-	-	-	-	1	-	-	1	3	-	-	-	1	-	-	-	-	77
13	8	15	19	42	53	83	120	103	102	101	90	72	34	11	5	1	-	78
8	5	8	9	26	34	57	76	61	69	63	51	39	11	5	2	-	-	79
3	-	3	8	10	17	15	37	32	30	30	34	32	19	6	3	1	-	80
2	1	2	2	3	2	7	7	8	2	6	4	-	1	-	-	-	-	81
-	1	2	-	3	-	3	-	2	1	2	1	1	2	-	-	-	-	82
-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
17	97	382	847	1,502	2,083	2,369	2,518	2,476	2,438	2,142	1,700	1,164	561	206	42	1	12	85
-	1	1	6	6	18	12	26	29	30	24	23	13	5	4	1	-	-	86
12	74	318	738	1,335	1,886	2,128	2,334	2,309	2,271	2,025	1,615	1,110	529	195	38	1	6	87
-	-	-	1	5	1	2	3	-	4	2	-	1	1	-	-	-	-	88
5	22	61	101	154	176	227	155	136	131	88	61	39	26	7	3	-	6	89
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	90
-	-	2	1	2	2	-	1	2	2	1	1	1	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
1	171-179	Malignant neoplasm of genital organs	36,241	3	7	5	-	1	16	10	19	51
2		White—Male	12,156	2	3	3	-	1	9	6	5	21
3		Female	19,646	1	4	1	-	-	6	2	11	20
4		Negro—Male	1,300	-	-	-	-	-	-	-	1	3
5		Female	3,053	-	-	1	-	-	1	2	1	7
6		Other—Male	22	-	-	-	-	-	-	-	-	-
7		Female	64	-	-	-	-	-	-	-	1	-
8	171	Of cervix uteri	8,510	1	-	-	-	-	1	-	1	1
9		White—Female	6,953	1	-	-	-	-	1	-	1	1
10		Negro—Female	1,519	-	-	-	-	-	-	-	-	-
11		Other—Female	38	-	-	-	-	-	-	-	-	-
12	172-174	Of other and unspecified parts of uterus	7,037	-	-	-	-	-	-	-	3	7
13		White—Female	5,926	-	-	-	-	-	-	-	2	4
14		Negro—Female	1,094	-	-	-	-	-	-	-	-	3
15		Other—Female	17	-	-	-	-	-	-	-	1	-
16	175	Of ovary, fallopian tube, and broad ligament	8,483	-	1	1	-	-	2	4	9	19
17		White—Female	6,100	-	1	-	-	-	1	2	8	15
18		Negro—Female	375	-	-	1	-	-	1	2	1	4
19		Other—Female	8	-	-	-	-	-	-	-	-	-
20	176	Of other and unspecified female genital organs	733	-	3	1	-	-	4	-	-	-
21		White—Female	667	-	3	1	-	-	4	-	-	-
22		Negro—Female	65	-	-	-	-	-	-	-	-	-
23		Other—Female	1	-	-	-	-	-	-	-	-	-
24	177	Of prostate	12,595	2	1	2	-	1	6	3	1	5
25		White—Male	11,341	2	1	2	-	1	6	3	1	4
26		Negro—Male	1,235	-	-	-	-	-	-	-	-	1
27		Other—Male	19	-	-	-	-	-	-	-	-	-
28	178,179	Of testis, and of other and unspecified male genital organs	883	-	2	1	-	-	3	3	5	19
29		White—Male	815	-	2	1	-	-	3	3	4	17
30		Negro—Male	65	-	-	-	-	-	-	-	1	2
31		Other—Male	3	-	-	-	-	-	-	-	-	-
32	180,181	Malignant neoplasm of urinary organs	10,915	21	36	25	46	33	161	81	11	9
33		White—Male	6,792	15	20	12	17	19	83	33	7	6
34		Female	3,408	5	10	9	24	10	58	40	2	3
35		Negro—Male	402	-	4	3	2	4	13	1	2	-
36		Female	289	1	2	1	3	-	7	6	-	-
37		Other—Male	16	-	-	-	-	-	-	1	-	-
38		Female	8	-	-	-	-	-	-	-	-	-
39	180	Of kidney	4,014	19	34	23	43	33	152	80	10	9
40		White—Male	2,391	13	18	11	15	19	76	33	6	6
41		Female	1,398	5	10	8	23	10	56	39	2	3
42		Negro—Male	129	-	4	3	2	4	13	1	2	-
43		Female	86	1	2	1	3	-	7	6	-	-
44		Other—Male	6	-	-	-	-	-	-	1	-	-
45		Female	4	-	-	-	-	-	-	-	-	-
46	181	Of bladder and other urinary organs	6,901	2	2	2	3	-	9	1	1	-
47		White—Male	4,401	2	2	1	2	-	7	-	1	-
48		Female	2,010	-	-	1	1	-	2	1	-	-
49		Negro—Male	273	-	-	-	-	-	-	-	-	-
50		Female	203	-	-	-	-	-	-	-	-	-
51		Other—Male	10	-	-	-	-	-	-	-	-	-
52		Female	4	-	-	-	-	-	-	-	-	-
53	156B,165, 190-199	Malignant neoplasm of other and unspecified sites	25,870	92	116	135	119	99	561	352	284	290
54		White—Male	12,683	45	56	62	66	47	276	177	124	134
55		Female	11,207	39	58	59	42	43	241	147	130	121
56		Negro—Male	966	5	2	7	8	1	23	14	16	17
57		Female	917	2	-	6	2	7	17	13	13	16
58		Other—Male	64	1	-	1	1	1	4	-	-	2
59		Female	33	-	-	-	-	-	-	1	1	-
60	190,191	Of skin	3,580	3	-	2	-	1	6	2	4	13
61		White—Male	2,018	2	-	-	-	-	2	2	2	7
62		Female	1,435	1	-	1	-	1	3	-	2	5
63		Negro—Male	75	-	-	-	-	-	-	-	-	-
64		Female	48	-	-	1	-	-	1	-	-	1
65		Other—Male	2	-	-	-	-	-	-	-	-	-
66		Female	2	-	-	-	-	-	-	-	-	-
67	192	Of eye	364	2	6	18	10	9	45	5	3	1
68		White—Male	174	1	3	11	5	3	23	2	2	-
69		Female	174	1	2	4	3	5	15	3	1	-
70		Negro—Male	9	-	1	3	1	-	5	-	-	1
71		Female	6	-	-	-	-	1	1	-	-	-
72		Other—Male	1	-	-	-	1	-	1	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74	193	Of brain and other parts of nervous system	5,083	50	76	86	79	70	361	268	150	105
75		White—Male	2,827	24	38	36	44	31	173	135	66	43
76		Female	1,998	23	38	42	26	34	163	111	67	46
77		Negro—Male	156	3	-	4	7	1	15	11	10	7
78		Female	93	-	-	4	2	4	10	11	6	9
79		Other—Male	7	-	-	-	-	-	-	-	-	-
80		Female	2	-	-	-	-	-	-	-	1	-
81	194	Of thyroid gland	963	1	-	-	-	-	1	2	1	2
82		White—Male	344	1	-	-	-	-	1	2	1	1
83		Female	563	-	-	-	-	-	-	-	-	1
84		Negro—Male	17	-	-	-	-	-	-	-	-	-
85		Female	35	-	-	-	-	-	-	-	-	-
86		Other—Male	2	-	-	-	-	-	-	-	-	-
87		Female	2	-	-	-	-	-	-	-	-	-
88	196	Of bone (including jaw bone)	2,054	3	5	4	7	5	24	32	84	119
89		White—Male	1,137	-	1	2	5	3	11	18	31	65
90		Female	751	3	4	2	2	1	12	11	42	44
91		Negro—Male	82	-	-	-	-	-	-	1	6	4
92		Female	79	-	-	-	-	-	-	1	5	4
93		Other—Male	3	-	-	-	-	1	1	-	-	2
94		Female	2	-	-	-	-	-	-	1	-	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
132	329	627	1,082	1,808	2,300	3,036	3,455	4,220	4,865	4,694	4,525	3,009	1,415	377	47	9	15	1
64	102	101	93	82	81	190	446	946	1,777	2,347	2,693	1,947	959	253	29	4	1	2
55	170	397	770	1,359	1,795	2,272	2,499	2,756	2,507	2,078	1,540	903	380	105	14	1	6	3
1	5	2	5	16	25	71	138	193	270	253	168	84	43	13	1	3	5	4
12	48	122	213	348	388	494	366	321	303	201	112	71	30	6	3	1	3	5
-	-	-	-	-	1	-	2	2	3	6	5	2	1	-	-	-	-	6
-	4	5	1	3	10	9	4	2	5	9	7	2	2	-	-	-	-	7
22	129	340	567	907	1,044	1,140	1,037	942	877	637	460	266	105	28	2	-	4	8
17	92	249	449	691	826	875	862	814	741	558	410	246	92	25	1	-	2	9
5	35	87	118	213	212	259	173	127	132	76	45	19	12	3	1	-	2	10
-	2	4	-	3	6	6	2	1	4	3	5	1	1	-	-	-	-	11
14	47	78	188	328	480	702	857	1,086	1,012	888	667	412	198	58	9	1	2	12
10	35	58	129	245	356	531	723	940	876	786	615	370	183	55	7	-	1	13
4	10	20	59	83	120	168	134	146	135	98	52	41	14	3	2	1	1	14
-	2	-	-	-	4	3	-	-	1	4	-	1	1	-	-	-	-	15
28	40	100	217	448	630	887	915	962	815	651	435	228	70	15	4	1	3	16
26	38	88	184	404	583	828	863	920	782	624	420	224	67	15	4	1	3	17
2	2	12	32	44	47	59	50	41	33	25	13	4	3	-	-	-	-	18
-	-	-	1	-	-	-	2	1	-	2	2	-	-	-	-	-	-	19
3	6	6	12	27	39	46	60	89	111	112	97	70	39	10	2	-	-	20
2	5	2	8	19	30	38	51	82	108	110	95	63	38	10	2	-	-	21
1	1	3	4	8	9	8	9	7	3	2	2	7	1	-	-	-	-	22
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	7	4	7	27	61	220	538	1,091	1,995	2,538	2,803	2,004	980	259	30	7	6	24
3	5	2	5	17	40	153	410	904	1,730	2,288	2,634	1,918	938	246	29	4	1	25
-	2	2	2	10	20	67	127	185	263	244	165	84	41	13	1	3	5	26
-	-	-	-	-	1	-	1	2	2	6	4	2	1	-	-	-	-	27
62	100	99	91	71	46	41	48	50	55	68	63	29	23	7	-	-	-	28
61	97	99	88	65	41	37	36	42	47	59	59	29	21	7	-	-	-	29
1	3	-	3	6	5	4	11	8	7	9	3	-	2	-	-	-	-	30
-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	31
14	20	44	124	236	464	704	1,143	1,484	1,769	1,721	1,403	941	431	134	18	1	2	32
6	7	18	73	123	284	406	780	1,025	1,157	1,061	858	533	247	74	10	-	1	33
7	11	20	35	74	115	201	272	361	508	574	500	386	176	56	7	1	1	34
-	1	4	8	19	29	55	51	62	61	57	28	8	4	1	-	-	-	35
1	1	2	7	19	35	39	38	30	39	26	18	13	4	3	1	-	-	36
-	-	-	-	-	1	2	1	5	3	2	-	1	-	-	-	-	-	37
-	-	-	1	1	-	1	1	1	1	1	1	-	-	-	-	-	-	38
12	18	32	85	146	252	353	531	617	629	506	337	159	68	15	2	-	1	39
5	7	14	52	82	170	201	354	408	389	291	177	74	35	9	2	-	-	40
6	9	14	23	48	59	121	151	183	212	198	150	84	33	6	-	-	1	41
-	1	3	7	7	13	16	17	16	18	10	4	1	-	-	-	-	-	42
1	1	1	3	8	9	13	9	7	10	6	5	-	-	-	-	-	-	43
-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	45
2	2	12	39	90	212	351	612	867	1,140	1,215	1,066	782	363	119	16	1	1	46
1	-	4	21	41	114	205	426	617	768	770	681	459	212	65	8	-	1	47
1	2	6	12	26	56	80	121	178	296	376	350	302	143	50	7	1	-	48
-	-	1	1	12	16	39	34	46	43	47	22	7	4	1	-	-	-	49
-	-	1	4	11	26	26	29	23	29	20	13	13	4	3	1	-	-	50
-	-	-	-	-	-	1	1	2	3	2	-	1	-	-	-	-	-	51
-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	52
290	416	543	829	1,236	1,692	2,242	2,755	3,151	3,188	2,855	2,319	1,618	843	324	64	8	10	53
154	210	255	404	587	858	1,092	1,356	1,632	1,616	1,360	1,128	765	394	129	25	4	3	54
104	177	242	334	499	684	884	1,162	1,285	1,347	1,316	1,091	798	419	180	39	3	4	55
18	16	18	39	63	71	137	123	130	121	84	45	16	8	7	-	-	-	56
12	13	26	50	85	73	117	95	98	92	80	51	34	20	8	-	1	3	57
2	-	1	2	-	4	9	12	4	6	11	2	3	2	-	-	-	-	58
-	-	1	-	2	2	3	7	2	6	4	2	2	-	-	-	-	-	59
40	96	123	161	176	214	236	311	357	371	369	386	326	236	114	33	4	2	60
19	48	65	95	98	125	137	177	214	214	209	225	182	125	57	13	2	-	61
19	45	51	60	73	79	83	119	129	141	150	153	138	106	56	20	2	1	62
1	2	3	5	4	7	9	11	9	11	5	3	1	3	1	-	-	-	63
1	1	4	1	1	3	7	3	5	4	4	5	4	2	-	-	-	1	64
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	66
1	3	3	9	15	14	28	36	49	41	40	29	17	18	5	1	1	-	67
1	2	1	4	6	4	17	17	24	20	14	17	9	8	2	-	1	-	68
-	1	2	3	9	10	10	19	23	20	25	12	7	10	3	1	-	-	69
-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	70
-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
118	161	214	322	419	545	621	679	556	342	136	58	17	9	2	-	-	-	74
57	77	112	175	234	327	371	400	331	206	64	34	12	8	2	-	-	-	75
48	71	91	122	158	204	219	262	213	129	65	23	5	1	-	-	-	-	76
9	7	3	16	16	9	21	12	9	6	4	1	-	-	-	-	-	-	77
3	6	7	8	11	4	8	4	3	1	2	-	-	-	-	-	-	-	78
1	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	80
1	6	6	17	35	50	83	114	108	145	159	130	59	33	10	1	-	-	81
-	4	-	7	14	21	26	48	40	56	50	43	19	9	2	-	-	-	82
-	2	4	7	18	26	49	57	60	79	107	84	37	23	8	1	-	-	83
-	-	2	2	1	1	2	1	2	3	2	1	-	-	-	-	-	-	84
1	-	-	1	2	2	6	8	5	5	-	2	2	1	-	-	-	-	85
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	87
66	48	31	51	65	118	126	173	248	263	229	183	119	50	22	2	-	1	88
44	24	17	21	36	70	67	74	134	154	141	122	68	26	12	1	-	1	89
18	19	8	16	20	36	43	83	100	92	74	54	49	21	8	1	-	-	90
3	4	4	4	3	6	10	8	8	10	5	2	1	2	1	-	-	-	91
1	1	2	10	6	6	5	8	6	7	9	5	1	1	1	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	94

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.*—Con.										
		Malignant neoplasm of other and unspecified sites—Con.										
1	197	Of connective tissue	653	6	5	7	1	5	24	9	11	13
2		White—Male	345	4	3	3	1	3	14	5	7	5
3		Female	265	1	2	3	-	1	7	4	4	7
4		Negro—Male	17	-	-	-	-	-	-	-	-	-
5		Female	17	1	-	-	-	1	2	-	-	1
6		Other—Male	6	-	-	1	-	-	1	-	-	-
7		Female	3	-	-	-	-	-	-	-	-	-
8	195,198A, 199A	Of other specified sites, not stated to be secondary	3,961	20	16	16	11	5	68	21	21	26
9		White—Male	1,659	11	7	9	5	4	36	7	8	8
10		Female	1,920	7	9	6	6	1	29	11	13	12
11		Negro—Male	163	1	-	-	-	-	1	2	-	5
12		Female	203	1	-	1	-	-	2	1	-	1
13		Other—Male	9	-	-	-	-	-	-	-	-	-
14		Female	7	-	-	-	-	-	-	-	-	-
15	156B,165, 198B, 199B-M	Of unspecified sites	9,212	7	8	2	11	4	32	13	10	11
16		White—Male	4,179	2	4	1	6	3	16	6	7	5
17		Female	4,101	3	3	1	5	-	12	7	1	6
18		Negro—Male	447	1	1	-	-	-	2	-	-	-
19		Female	436	-	-	-	-	1	1	-	2	-
20		Other—Male	34	1	-	-	-	-	1	-	-	-
21		Female	15	-	-	-	-	-	-	-	-	-
22	204	Leukemia and aleukemia	9,918	128	125	169	243	207	872	509	274	224
23		White—Male	5,404	49	62	84	127	101	423	297	138	126
24		Female	3,921	62	49	73	103	94	381	188	111	75
25		Negro—Male	318	7	5	4	6	7	29	15	17	16
26		Female	249	8	8	6	6	5	33	7	7	5
27		Other—Male	18	1	1	2	1	-	5	-	-	1
28		Female	8	1	-	-	-	-	1	2	1	1
29	200-203,205	Lymphosarcoma, etc.*	9,658	21	22	24	23	26	116	135	101	141
30		White—Male	5,417	6	8	12	17	22	65	92	70	70
31		Female	3,602	11	13	11	6	3	44	30	24	53
32		Negro—Male	394	2	-	-	-	1	3	10	5	12
33		Female	220	2	1	1	-	-	4	2	2	6
34		Other—Male	17	-	-	-	-	-	-	-	-	-
35		Female	8	-	-	-	-	-	-	1	-	-
36	200	Lymphosarcoma and reticulosarcoma	4,368	6	11	11	18	20	66	105	54	60
37		White—Male	2,443	1	2	5	13	17	38	72	41	34
38		Female	1,696	4	9	6	5	2	26	24	11	20
39		Negro—Male	155	-	-	-	-	1	1	7	2	3
40		Female	62	1	-	-	-	-	1	1	-	3
41		Other—Male	8	-	-	-	-	-	-	-	-	-
42		Female	4	-	-	-	-	-	-	1	-	-
43	201	Hodgkin's disease	2,785	1	2	2	1	1	7	20	41	69
44		White—Male	1,627	1	1	2	1	-	5	13	25	32
45		Female	983	-	-	-	-	1	1	3	13	27
46		Negro—Male	104	-	-	-	-	-	-	3	2	7
47		Female	65	-	1	-	-	-	1	1	1	3
48		Other—Male	4	-	-	-	-	-	-	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	2,505	14	9	11	4	5	43	10	6	12
51		White—Male	1,347	4	5	5	3	5	22	7	4	4
52		Female	923	7	4	5	1	-	17	3	-	6
53		Negro—Male	135	2	-	-	-	-	2	-	1	2
54		Female	93	1	-	1	-	-	2	-	1	-
55		Other—Male	5	-	-	-	-	-	-	-	-	-
56		Female	2	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,263	158	56	27	35	29	305	137	99	70
58		White—Male	2,007	76	18	9	16	16	135	57	44	28
59		Female	2,485	57	24	11	9	9	110	65	39	27
60		Negro—Male	227	12	5	4	5	3	29	7	8	9
61		Female	521	10	8	3	5	1	27	7	7	5
62		Other—Male	13	2	-	-	-	-	2	-	-	-
63		Female	10	1	1	-	-	-	2	1	1	1
64	214-217	Benign neoplasms of female genital organs	1,028	-	-	-	-	-	-	-	2	5
65		White—Female	723	-	-	-	-	-	-	-	2	2
66		Negro—Female	304	-	-	-	-	-	-	-	-	3
67		Other—Female	1	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	926	22	10	3	6	9	50	23	28	16
69		White—Male	428	13	5	1	4	3	26	9	15	8
70		Female	426	5	4	1	-	6	16	12	8	6
71		Negro—Male	34	1	-	-	-	-	1	1	3	-
72		Female	31	1	1	1	2	-	5	-	1	1
73		Other—Male	3	2	-	-	-	-	2	-	-	-
74		Female	4	-	-	-	-	-	-	1	1	1
75	210-213, 218-222, 224-229	Other benign neoplasms	869	65	13	3	8	6	95	31	18	11
76		White—Male	402	30	2	1	-	4	37	11	6	7
77		Female	366	26	8	1	5	1	41	16	10	3
78		Negro—Male	52	4	3	1	1	1	10	3	1	1
79		Female	46	4	-	-	2	-	6	1	1	-
80		Other—Male	2	-	-	-	-	-	-	-	-	-
81		Female	1	1	-	-	-	-	1	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	32	-	-	-	-	-	-	-	-	-
83		White—Female	23	-	-	-	-	-	-	-	-	-
84		Negro—Female	9	-	-	-	-	-	-	-	-	-
85		Other—Female	-	-	-	-	-	-	-	-	-	-
86	237	Neoplasm of unspecified nature of brain, etc.*	1,561	25	29	17	17	13	101	80	48	35
87		White—Male	773	14	11	6	10	8	49	36	21	13
88		Female	622	6	11	7	4	2	30	37	18	15
89		Negro—Male	86	3	1	3	3	2	12	2	4	6
90		Female	73	2	5	1	-	1	9	5	5	1
91		Other—Male	5	-	-	-	-	-	-	-	-	-
92		Female	2	-	1	-	-	-	1	-	-	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
9	25	32	41	24	57	56	58	84	71	63	33	21	17	4	-	-	1	1
3	12	13	14	10	36	32	36	46	37	39	14	15	5	1	-	-	1	2
4	12	17	23	11	18	20	19	33	31	21	16	6	10	2	-	-	-	3
1	1	1	1	2	-	1	2	3	3	1	1	-	-	-	-	-	-	4
1	-	1	2	-	3	1	1	2	-	-	1	-	1	1	-	-	-	5
-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	6
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	7
28	36	55	89	144	210	299	388	499	516	500	451	353	184	57	15	1	-	8
19	22	21	37	53	79	122	164	220	223	190	201	149	77	17	5	1	-	9
3	10	27	41	68	94	126	180	234	243	269	225	187	100	38	10	-	-	10
2	1	4	1	11	14	25	22	23	24	13	7	6	1	1	-	-	-	11
3	3	3	10	12	22	24	17	21	25	25	16	11	6	1	-	-	-	12
1	-	-	-	-	-	2	2	1	1	2	-	-	-	-	-	-	-	13
-	-	-	-	-	1	-	3	-	-	1	2	-	-	-	-	-	-	14
27	41	79	139	358	484	793	996	1,250	1,439	1,359	1,049	706	296	110	12	2	6	15
11	21	26	51	136	196	320	440	623	706	653	472	311	136	36	6	-	1	16
12	17	42	62	142	217	334	423	493	612	605	524	369	148	65	6	1	3	17
2	1	1	10	26	34	68	67	75	64	54	30	7	2	4	-	-	-	18
2	2	9	16	53	33	66	54	55	49	39	22	16	9	5	-	1	2	19
-	-	-	-	-	3	4	9	2	4	7	1	2	1	-	-	-	-	20
-	-	1	-	1	1	1	3	2	4	1	-	1	-	-	-	-	-	21
197	235	274	328	406	501	605	834	950	1,160	1,010	824	479	188	41	4	2	1	22
117	120	142	163	199	275	304	464	529	689	575	448	267	107	19	1	-	1	23
57	91	107	134	160	179	240	325	368	434	404	364	203	75	21	3	1	-	24
12	12	12	19	22	20	27	22	33	24	19	7	8	4	-	-	-	-	25
10	11	12	12	24	25	32	22	19	10	11	5	1	1	1	-	1	-	26
1	-	1	-	1	2	1	1	-	3	1	-	-	1	-	-	-	-	27
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	28
268	334	398	431	514	652	876	1,133	1,324	1,225	951	653	295	90	18	2	-	1	29
145	192	223	248	300	374	474	653	749	678	525	367	139	40	11	2	-	-	30
103	103	143	138	171	224	305	404	498	489	402	266	150	48	7	-	-	-	31
11	27	17	27	27	42	63	45	40	35	12	13	2	2	-	-	-	1	32
8	11	15	16	13	12	33	26	34	20	10	5	3	-	-	-	-	-	33
-	1	-	2	2	-	1	1	2	3	2	2	1	-	-	-	-	-	34
1	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	35
95	108	113	153	212	285	395	536	608	563	468	324	161	50	11	2	-	1	36
52	66	61	91	115	169	211	298	342	312	264	174	74	19	8	2	-	-	37
37	28	41	50	93	95	149	204	238	229	193	142	83	30	3	-	-	-	38
4	10	8	6	3	16	24	21	17	15	9	5	2	1	-	-	-	1	39
2	2	3	5	-	5	10	10	10	5	2	1	2	-	-	-	-	-	40
-	-	-	1	1	-	1	1	-	2	-	2	-	-	-	-	-	-	41
-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	42
159	204	252	221	201	208	235	264	291	241	159	135	55	19	4	-	-	-	43
88	120	142	135	127	129	130	167	179	135	85	80	24	10	1	-	-	-	44
62	63	91	68	58	69	79	84	107	93	72	51	30	9	3	-	-	-	45
4	12	7	12	14	8	16	8	2	6	1	2	-	-	-	-	-	-	46
4	8	12	5	2	2	10	4	3	6	1	2	-	-	-	-	-	-	47
-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	48
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
14	24	33	57	101	159	246	333	425	421	324	194	79	21	3	-	-	-	50
5	6	20	22	58	76	133	188	228	231	176	113	41	11	2	-	-	-	51
4	12	11	20	20	60	77	116	153	167	137	73	37	9	1	-	-	-	52
3	5	2	9	10	18	23	16	21	14	2	6	-	1	-	-	-	-	53
2	1	-	6	11	5	13	12	21	9	7	2	1	-	-	-	-	-	54
-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	55
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	56
104	182	229	341	448	530	486	493	471	417	320	278	213	98	33	5	2	2	57
41	65	72	79	102	145	164	227	235	209	142	115	90	39	17	1	-	-	58
51	86	101	167	237	300	230	218	190	172	157	147	113	56	14	4	1	-	59
4	3	14	15	20	17	31	18	14	17	9	8	4	-	-	-	-	-	60
7	27	42	79	87	67	57	29	32	16	11	8	5	3	2	-	1	2	61
-	1	-	-	1	1	4	-	-	3	1	-	-	-	-	-	-	-	62
1	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	63
11	38	64	139	183	194	99	72	53	55	38	35	24	12	2	-	1	1	64
10	22	33	76	115	143	72	56	42	46	35	32	23	11	2	-	1	-	65
1	16	31	62	68	51	27	16	11	9	3	3	1	1	-	-	-	1	66
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
25	40	41	68	78	104	97	118	100	65	38	23	8	4	-	-	-	-	68
8	19	19	29	25	49	47	57	50	35	16	13	2	1	-	-	-	-	69
13	16	19	30	45	50	44	57	47	27	20	8	5	3	-	-	-	-	70
1	2	2	4	3	2	4	3	3	2	1	2	-	-	-	-	-	-	71
2	3	1	5	5	3	2	1	-	-	1	-	1	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	73
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
31	21	31	33	49	60	61	69	85	76	69	59	44	17	6	3	-	-	75
13	8	16	15	23	21	20	33	41	43	34	32	26	11	4	1	-	-	76
13	9	9	13	17	33	26	30	35	28	31	25	18	6	1	2	-	-	77
2	-	5	3	6	3	7	3	3	2	1	2	-	-	-	-	-	-	78
3	3	1	2	3	2	8	3	6	3	3	-	-	-	1	-	-	-	79
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	2	1	1	7	5	2	1	-	4	3	5	1	-	-	-	-	82
-	-	1	-	1	5	3	1	1	-	3	3	5	-	-	-	-	-	83
-	-	1	1	-	2	2	1	-	-	1	-	-	1	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
32	76	79	87	121	139	183	176	168	103	66	38	20	9	-	-	-	-	86
17	34	34	31	46	63	80	105	104	89	37	16	14	4	-	-	-	-	87
13	36	31	44	57	61	76	62	54	30	27	21	5	5	-	-	-	-	88
1	1	7	8	8	10	13	5	4	3	1	-	1	-	-	-	-	-	89
1	5	7	4	8	5	11	4	6	1	-	1	-	-	-	-	-	-	90
-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	91
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	230-232,	Other neoplasms of unspecified nature	847	46	4	4	4	1	59	3	3	3
2	236,238,	White--Male	404	19	-	1	2	1	23	1	2	-
3	239	Female	325	20	1	2	-	-	23	-	1	1
4		Negro--Male	55	4	1	-	1	-	6	1	-	2
5		Female	58	3	2	1	1	-	7	1	-	-
6		Other--Male	3	-	-	-	-	-	-	-	-	-
7		Female	2	-	-	-	-	-	-	-	-	-
8		III. Allergic, endocrine system, metabolic, and nutritional diseases	36,291	699	131	71	48	30	979	139	112	161
9		White--Male	14,531	355	63	24	17	12	471	57	41	47
10		Female	18,156	229	36	25	19	13	322	56	57	76
11		Negro--Male	1,275	70	17	8	6	1	102	12	8	15
12		Female	2,194	38	12	13	4	2	69	14	6	22
13		Other--Male	77	1	1	1	2	-	5	-	-	1
14		Female	58	6	2	-	-	2	10	-	-	-
15	241	Asthma	6,737	80	28	24	15	13	160	33	20	30
16		White--Male	4,134	32	10	9	2	8	61	16	9	6
17		Female	2,017	25	11	8	7	3	54	8	8	16
18		Negro--Male	311	12	3	-	2	-	17	6	3	5
19		Female	250	9	3	6	2	1	21	3	-	3
20		Other--Male	20	1	1	1	2	-	5	-	-	-
21		Female	5	1	-	-	-	1	2	-	-	-
22	250,251	Nontoxic goiter	170	3	-	-	-	-	3	-	1	-
23		White--Male	31	2	-	-	-	-	2	-	-	-
24		Female	113	1	-	-	-	-	1	-	-	-
25		Negro--Male	1	-	-	-	-	-	-	-	-	-
26		Female	25	-	-	-	-	-	-	-	1	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	252	Thyrotoxicosis with or without goiter	995	-	-	-	-	-	-	1	-	7
30		White--Male	179	-	-	-	-	-	-	-	-	1
31		Female	701	-	-	-	-	-	-	-	-	5
32		Negro--Male	10	-	-	-	-	-	-	-	-	-
33		Female	102	-	-	-	-	-	-	1	-	1
34		Other--Male	1	-	-	-	-	-	-	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	253,254	Myxedema, cretinism, and other diseases of thyroid gland	216	10	2	2	2	-	16	2	-	3
37		White--Male	44	3	2	-	1	-	6	2	-	1
38		Female	155	5	-	1	1	-	7	-	-	1
39		Negro--Male	5	1	-	1	-	-	2	-	-	1
40		Female	12	1	-	-	-	-	1	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	260	Diabetes mellitus	25,796	17	15	11	12	4	59	55	69	101
44		White--Male	9,089	7	11	5	5	1	29	22	19	27
45		Female	14,225	8	4	4	7	3	26	25	41	48
46		Negro--Male	750	1	-	2	-	-	3	3	5	9
47		Female	1,841	-	-	-	-	-	-	5	4	16
48		Other--Male	50	-	-	-	-	-	-	-	-	1
49		Female	41	1	-	-	-	-	1	-	-	-
50	273	Diseases of thymus gland	443	370	27	7	3	3	410	15	4	2
51		White--Male	238	198	18	2	2	1	221	8	3	2
52		Female	146	119	7	3	-	2	131	7	1	-
53		Negro--Male	37	35	1	-	-	-	36	-	-	-
54		Female	20	16	1	2	1	-	20	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	2	2	-	-	-	-	2	-	-	-
57	274	Diseases of adrenal glands	364	92	7	5	4	1	109	8	5	4
58		White--Male	157	52	2	1	2	-	57	3	3	3
59		Female	161	23	3	1	1	1	35	4	2	1
60		Negro--Male	25	6	1	-	-	-	7	-	-	-
61		Female	19	4	1	3	1	-	9	1	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	2	1	-	-	-	-	1	-	-	-
64	281	Pellagra	135	1	-	-	-	-	1	-	-	1
65		White--Male	34	1	-	-	-	-	1	-	-	-
66		Female	61	-	-	-	-	-	-	-	-	-
67		Negro--Male	16	-	-	-	-	-	-	-	-	-
68		Female	24	-	-	-	-	-	-	-	-	1
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	280,282-286	All other avitaminoses and nutritional deficiency states	710	49	37	11	7	5	109	10	2	4
72		White--Male	275	22	11	4	3	1	41	2	1	2
73		Female	287	16	5	4	1	1	27	3	1	1
74		Negro--Male	80	9	12	3	3	1	28	1	-	-
75		Female	59	2	7	-	-	1	10	4	-	1
76		Other--Male	5	-	-	-	-	-	-	-	-	-
77		Female	4	-	2	-	-	1	3	-	-	-
78	Residual[1]	Other allergic, endocrine, and metabolic diseases	725	77	15	11	5	4	112	15	11	9
79		White--Male	350	38	9	3	2	1	53	4	6	5
80		Female	290	26	6	4	2	3	41	9	4	4
81		Negro--Male	40	6	-	2	1	-	9	2	-	-
82		Female	42	6	-	2	-	-	8	-	1	-
83		Other--Male	1	-	-	-	-	-	-	-	-	-
84		Female	2	1	-	-	-	-	1	-	-	-

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	7	12	13	16	26	41	56	64	118	105	120	112	55	25	2	1	1	1
3	4	3	4	8	12	17	32	40	62	55	54	48	23	13	-	-	-	2
2	3	8	4	2	8	9	12	11	41	41	58	57	31	11	2	-	-	3
-	-	-	-	3	2	7	7	4	10	6	4	3	-	-	-	-	-	4
-	-	1	5	3	4	7	4	9	3	3	4	3	1	1	-	1	1	5
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	7
240	367	530	609	954	1,294	2,064	3,343	4,867	5,903	5,706	4,607	2,896	1,169	283	42	9	17	8
103	138	216	265	387	522	792	1,379	1,927	2,303	2,293	1,840	1,149	475	101	18	-	7	9
99	157	210	207	340	497	816	1,540	2,465	3,188	3,096	2,574	1,627	633	168	20	4	4	10
15	32	42	50	76	79	142	130	162	144	104	75	53	21	7	2	1	3	11
23	39	61	83	146	188	303	281	287	256	193	107	62	39	6	2	4	3	12
-	-	-	2	2	5	5	5	20	8	11	9	2	1	1	-	-	-	13
-	1	1	2	3	3	6	8	6	4	9	2	3	-	-	-	-	-	14
40	63	105	130	254	324	479	757	936	1,092	968	696	410	189	40	5	1	5	15
7	10	28	49	120	158	266	516	652	764	654	450	240	100	21	3	-	4	16
20	31	49	53	91	118	144	172	209	273	282	227	156	85	18	2	1	-	17
6	8	10	16	18	25	36	38	50	34	20	10	6	1	1	-	-	1	18
7	14	18	12	23	21	31	31	22	19	9	7	7	2	-	-	-	-	19
-	-	-	-	1	2	2	-	2	2	2	2	1	1	-	-	-	-	20
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	21
5	2	3	5	6	16	14	22	22	22	21	18	8	1	1	-	-	-	22
-	-	-	-	-	4	2	2	4	4	7	5	1	-	-	-	-	-	23
2	2	1	4	5	9	8	17	15	15	13	13	6	1	1	-	-	-	24
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
3	-	2	1	1	2	4	3	3	3	1	-	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
6	18	26	31	50	60	90	106	157	181	109	88	50	12	1	-	1	1	29
2	2	3	5	11	9	20	28	37	24	10	13	12	2	-	-	-	-	30
2	12	16	10	19	43	53	71	107	147	96	71	36	10	1	-	1	1	31
-	-	1	2	-	-	4	-	1	2	-	-	-	-	-	-	-	-	32
2	4	6	13	20	8	13	7	12	7	3	4	1	-	-	-	-	-	33
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	35
1	3	5	8	11	9	18	31	29	26	20	21	6	6	1	-	-	-	36
1	1	1	1	-	1	4	5	6	6	2	5	1	1	-	-	-	-	37
-	2	3	6	10	5	11	25	22	20	18	15	4	5	1	-	-	-	38
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	39
-	-	1	1	1	2	3	1	-	-	-	1	1	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
148	234	331	376	531	775	1,344	2,297	3,591	4,436	4,439	3,635	2,284	868	190	21	2	10	43
71	111	164	186	227	300	459	769	1,161	1,429	1,555	1,300	841	342	64	10	-	3	44
61	83	111	108	167	286	544	1,198	2,076	2,684	2,623	2,181	1,352	480	119	9	-	3	45
6	21	27	27	47	41	89	83	101	95	72	55	42	17	4	1	-	2	46
10	18	28	52	88	142	244	234	234	220	172	91	46	29	3	1	2	2	47
-	-	-	1	1	3	3	5	14	6	9	6	1	-	-	-	-	-	48
-	1	1	2	1	3	5	8	5	2	8	2	2	-	-	-	-	-	49
3	3	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	50
2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	51
1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
6	14	12	12	24	28	30	27	16	22	17	16	11	3	-	-	-	-	57
2	7	1	5	6	11	7	8	8	12	8	9	6	1	-	-	-	-	58
3	7	9	4	12	12	20	16	8	8	8	6	5	1	-	-	-	-	59
1	-	-	3	3	4	2	2	-	1	1	1	-	-	-	-	-	-	60
-	-	2	-	2	1	1	1	-	1	-	-	-	1	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	2	3	-	6	3	8	4	8	14	21	24	20	9	9	-	1	1	64
-	-	-	-	-	-	3	-	3	5	6	9	4	1	2	-	-	-	65
-	-	1	-	-	2	2	3	-	4	13	11	14	6	5	-	-	-	66
-	1	-	-	3	1	-	1	3	4	-	2	-	-	1	-	-	-	67
-	1	2	-	3	-	3	-	2	1	2	2	2	2	1	-	1	1	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
3	6	10	4	21	15	26	24	34	48	76	87	98	73	41	15	4	-	71
3	2	2	1	7	6	7	8	11	23	38	40	39	23	14	5	-	-	72
-	3	5	3	10	3	11	10	8	14	23	38	51	43	23	8	2	-	73
-	-	3	-	2	1	7	4	4	5	9	6	4	3	1	1	1	-	74
-	1	-	-	2	5	1	2	8	5	6	2	4	4	2	1	1	-	75
-	-	-	-	-	-	-	-	3	-	-	1	-	-	1	-	-	-	76
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	77
28	22	34	40	50	63	55	75	74	62	35	22	9	8	-	1	-	-	78
15	5	17	17	16	32	24	43	45	36	13	9	5	5	-	-	-	-	79
10	14	14	18	25	19	23	28	20	23	20	12	3	2	-	1	-	-	80
2	2	1	1	3	5	4	2	2	3	2	1	1	-	-	-	-	-	81
1	1	2	4	6	7	3	2	6	-	-	-	-	1	-	-	-	-	82
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		IV. Diseases of the blood and blood-forming organs-----	5,007	257	78	44	30	23	432	106	69	94
2		White--------Male----	2,145	109	30	12	18	7	176	46	27	29
3		Female--	2,273	80	26	12	8	9	115	34	24	38
4		Negro--------Male----	262	44	9	11	4	3	71	14	11	10
5		Female--	309	40	13	9	-	4	66	11	7	17
6		Other--------Male----	10	1	-	-	-	-	1	-	-	-
7		Female--	8	3	-	-	-	-	3	1	-	-
8	290-293	Anemias----------	3,580	134	59	27	22	15	257	72	44	58
9		White--------Male----	1,456	41	19	2	13	4	79	23	15	14
10		Female--	1,643	30	19	6	6	5	66	25	14	22
11		Negro--------Male----	222	31	9	11	3	2	56	13	9	9
12		Female--	245	29	12	8	-	4	53	10	6	13
13		Other--------Male----	7	-	-	-	-	-	-	-	-	-
14		Female--	7	3	-	-	-	-	3	1	-	-
15	290	Pernicious and other hyperchromic anemias----------	1,406	11	4	-	1	1	17	1	4	2
16		White--------Male----	575	4	2	-	-	-	6	-	-	1
17		Female--	765	2	-	-	1	1	4	-	2	1
18		Negro--------Male----	23	3	1	-	-	-	4	1	1	-
19		Female--	39	2	1	-	-	-	3	-	1	-
20		Other--------Male----	4	-	-	-	-	-	-	-	-	-
21		Female--	-	-	-	-	-	-	-	-	-	-
22	291-293	Anemias of other and unspecified type----------	2,174	123	55	27	21	14	240	71	40	56
23		White--------Male----	881	37	17	2	13	4	73	23	15	13
24		Female--	878	26	19	6	5	4	62	25	12	21
25		Negro--------Male----	199	28	8	11	3	2	52	12	8	9
26		Female--	206	27	11	8	-	4	50	10	5	13
27		Other--------Male----	3	-	-	-	-	-	-	-	-	-
28		Female--	7	3	-	-	-	-	3	1	-	-
29	296	Purpura and other hemorrhagic conditions----------	566	66	10	9	4	5	94	20	12	13
30		White--------Male----	225	32	4	4	2	2	44	11	5	3
31		Female--	287	19	5	5	2	2	33	8	7	8
32		Negro--------Male----	15	6	-	-	-	1	7	-	-	-
33		Female--	38	9	1	-	-	-	10	1	-	2
34		Other--------Male----	1	-	-	-	-	-	-	-	-	-
35		Female--	-	-	-	-	-	-	-	-	-	-
36	294,295,	All other diseases of blood and blood-forming organs----------	861	57	9	8	4	3	81	14	13	23
37	297-299	White--------Male----	464	36	7	6	3	1	53	12	7	12
38		Female--	343	11	2	1	-	2	16	1	3	8
39		Negro--------Male----	25	7	-	-	1	-	8	1	2	1
40		Female--	26	2	-	1	-	-	3	-	1	2
41		Other--------Male----	2	1	-	-	-	-	1	-	-	-
42		Female--	1	-	-	-	-	-	-	-	-	-
43		V. Mental, psychoneurotic, and personality disorders---	4,203	72	25	11	11	8	127	20	15	42
44		White--------Male----	2,364	37	12	6	7	3	65	8	8	19
45		Female--	1,067	30	10	3	3	3	49	6	5	12
46		Negro--------Male----	523	2	3	1	-	-	6	5	1	5
47		Female--	224	3	-	1	1	1	6	1	1	5
48		Other--------Male----	19	-	-	-	-	1	1	-	-	1
49		Female--	6	-	-	-	-	-	-	-	-	-
50	304	Senile psychosis----------	708	-	-	-	-	-	-	-	-	-
51		White--------Male----	277	-	-	-	-	-	-	-	-	-
52		Female--	372	-	-	-	-	-	-	-	-	-
53		Negro--------Male----	25	-	-	-	-	-	-	-	-	-
54		Female--	31	-	-	-	-	-	-	-	-	-
55		Other--------Male----	1	-	-	-	-	-	-	-	-	-
56		Female--	2	-	-	-	-	-	-	-	-	-
57	307	Alcoholic psychosis----------	305	-	-	-	-	-	-	-	-	-
58		White--------Male----	240	-	-	-	-	-	-	-	-	-
59		Female--	16	-	-	-	-	-	-	-	-	-
60		Negro--------Male----	46	-	-	-	-	-	-	-	-	-
61		Female--	2	-	-	-	-	-	-	-	-	-
62		Other--------Male----	1	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	300-303,	Other psychoses----------	626	-	-	-	-	-	-	-	1	12
65	305,306,	White--------Male----	219	-	-	-	-	-	-	-	1	5
66	308,309	Female--	274	-	-	-	-	-	-	-	-	2
67		Negro--------Male----	77	-	-	-	-	-	-	-	-	3
68		Female--	55	-	-	-	-	-	-	-	-	2
69		Other--------Male----	-	-	-	-	-	-	-	-	-	-
70		Female--	1	-	-	-	-	-	-	-	-	-
71	322	Alcoholism----------	2,222	-	-	1	1	1	3	3	-	9
72		White--------Male----	1,471	-	-	-	1	1	2	1	-	4
73		Female--	274	-	-	-	-	-	-	-	-	2
74		Negro--------Male----	342	-	-	1	-	-	1	1	-	1
75		Female--	117	-	-	-	-	-	-	1	-	1
76		Other--------Male----	16	-	-	-	-	-	-	-	-	1
77		Female--	2	-	-	-	-	-	-	-	-	-
78	325	Mental deficiency----------	212	72	25	10	10	7	124	17	13	14
79		White--------Male----	103	37	12	6	6	2	63	7	7	7
80		Female--	81	30	10	3	3	3	49	6	4	5
81		Negro--------Male----	16	2	3	-	-	-	5	4	1	-
82		Female--	11	3	-	1	1	1	6	-	1	2
83		Other--------Male----	1	-	-	-	-	1	1	-	-	-
84		Female--	-	-	-	-	-	-	-	-	-	-
85	310-321,	Psychoneuroses and other disorders of personality----------	130	-	-	-	-	-	-	-	1	7
86	323,324,	White--------Male----	54	-	-	-	-	-	-	-	-	3
87	326	Female--	50	-	-	-	-	-	-	-	1	3
88		Negro--------Male----	17	-	-	-	-	-	-	-	-	1
89		Female--	8	-	-	-	-	-	-	-	-	-
90		Other--------Male----	-	-	-	-	-	-	-	-	-	-
91		Female--	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
580	831	1,273	2,051	3,491	5,332	8,372	11,509	16,472	23,260	28,129	30,277	26,318	14,726	5,415	1,115	151	110	1
276	341	488	709	1,235	1,860	3,036	4,837	7,536	10,764	12,888	13,632	11,234	5,838	1,946	332	26	40	2
173	262	423	685	1,162	1,917	2,902	4,098	6,070	9,327	12,639	14,799	13,789	8,245	3,212	662	59	31	3
73	89	162	288	484	708	1,141	1,214	1,433	1,542	1,236	847	609	271	100	42	20	19	4
55	132	188	354	602	823	1,260	1,309	1,381	1,551	1,285	934	639	355	150	77	46	19	5
2	4	8	6	5	14	25	33	39	55	60	50	31	12	5	-	-	1	6
1	3	4	9	3	10	8	18	13	21	21	15	16	5	2	2	-	-	7
222	411	799	1,482	2,819	4,601	7,574	10,593	15,388	22,060	26,981	29,295	25,733	14,503	5,335	1,100	148	104	8
100	149	273	469	925	1,518	2,662	4,354	6,962	10,147	12,304	13,163	10,959	5,726	1,910	331	26	38	9
68	114	254	476	931	1,634	2,606	3,773	5,690	8,844	12,140	14,340	13,510	8,145	3,173	654	57	30	10
29	57	110	214	403	647	1,067	1,155	1,354	1,482	1,202	822	597	268	96	40	20	18	11
24	88	159	309	555	782	1,208	1,264	1,332	1,513	1,254	906	622	348	149	73	45	18	12
1	-	2	6	3	11	23	32	37	53	60	49	30	12	5	-	-	-	13
-	3	1	8	2	9	8	15	13	21	21	15	15	4	2	2	-	-	14
109	184	282	409	520	559	520	430	422	341	242	172	122	38	7	1	1	2	15
57	78	120	146	200	229	220	188	193	150	87	72	51	16	4	-	-	1	16
32	58	96	171	227	237	226	186	190	160	140	92	65	20	3	1	1	1	17
12	21	22	35	32	35	34	23	22	13	5	3	3	-	-	-	-	-	18
8	26	43	53	58	57	39	29	15	17	8	3	3	2	-	-	-	-	19
-	-	1	2	3	1	-	3	2	-	1	2	-	-	-	-	-	-	20
-	1	-	2	-	-	1	1	-	1	1	-	-	-	-	-	-	-	21
84	187	427	875	1,880	3,271	5,489	7,620	10,713	15,085	17,767	18,865	15,944	8,623	2,989	595	81	71	22
34	58	122	263	584	1,025	1,868	3,077	4,723	6,798	7,966	8,312	6,657	3,344	1,065	187	13	22	23
27	45	138	255	611	1,177	1,942	2,761	4,102	6,171	8,109	9,387	8,468	4,877	1,768	334	28	19	24
10	30	70	140	289	465	777	829	921	1,013	809	510	379	173	52	28	10	14	25
13	52	96	207	394	590	883	917	932	1,058	833	615	409	218	99	45	30	16	26
-	-	1	4	-	7	15	22	27	30	37	32	20	9	3	-	-	-	27
-	2	-	6	2	7	4	14	8	15	13	9	11	2	2	1	-	-	28
15	17	39	87	216	431	935	1,654	2,864	4,412	5,938	6,701	6,222	3,736	1,458	314	39	22	29
7	6	16	33	90	171	400	797	1,491	2,229	2,881	3,167	2,792	1,531	520	100	8	11	30
4	5	11	28	52	124	279	538	956	1,713	2,644	3,221	3,237	2,092	893	192	18	6	31
2	3	7	8	36	68	123	155	231	244	194	154	91	47	20	5	5	3	32
1	3	4	18	38	65	125	158	176	204	195	146	94	64	23	16	8	2	33
1	-	-	-	-	3	6	6	6	19	18	8	6	1	2	-	-	-	34
-	-	1	-	-	-	2	-	4	3	6	5	2	1	-	1	-	-	35
14	23	51	111	203	340	630	889	1,389	2,222	3,034	3,557	3,445	2,106	881	190	27	9	36
2	7	15	27	51	93	174	292	555	970	1,370	1,612	1,459	835	321	44	5	4	37
5	6	9	22	41	96	159	288	442	800	1,247	1,640	1,740	1,156	509	127	10	4	38
5	3	11	31	46	79	133	148	180	212	194	155	124	48	24	7	5	1	39
2	7	16	31	65	70	161	160	209	234	216	142	116	64	27	12	7	-	40
-	-	-	-	-	-	2	1	2	4	4	7	4	2	-	-	-	-	41
-	-	-	-	-	2	1	-	1	2	1	1	2	1	-	-	-	-	42
34	40	41	56	67	70	89	77	87	72	57	36	23	12	2	-	-	-	43
15	16	16	16	33	31	40	39	52	42	31	22	8	5	2	-	-	-	44
10	11	13	12	13	17	24	21	18	20	21	8	15	6	-	-	-	-	45
6	2	8	16	14	13	12	8	6	6	4	4	-	-	-	-	-	-	46
3	9	4	11	6	9	12	8	10	4	1	2	-	1	-	-	-	-	47
-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	48
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
21	56	77	109	164	182	171	163	155	121	97	54	37	9	3	-	-	1	50
6	19	26	41	63	88	77	78	78	61	46	31	16	7	1	-	-	-	51
11	30	45	60	89	93	88	75	71	56	50	22	20	2	2	-	-	-	52
1	-	3	3	3	-	3	5	4	3	-	1	1	-	-	-	-	-	53
3	7	3	5	9	1	3	4	1	1	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	55
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	56
-	2	6	7	28	42	68	127	287	443	548	537	287	83	19	2	-	2	57
-	1	5	4	19	20	30	69	165	244	300	253	141	38	7	-	-	1	58
-	1	1	3	8	19	30	52	110	181	238	277	144	43	12	2	-	1	59
-	-	-	-	-	-	5	3	7	13	3	4	-	-	-	-	-	-	60
-	-	-	-	1	2	3	2	5	4	7	3	2	1	-	-	-	-	61
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	62
-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	63
40	27	23	7	10	4	7	6	7	5	5	5	3	4	1	-	-	-	64
23	20	18	3	3	3	1	2	-	4	4	1	1	2	-	-	-	-	65
12	6	5	4	6	-	3	3	5	1	1	3	2	2	1	-	-	-	66
2	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-	67
3	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
165	180	196	216	196	169	137	124	96	83	66	40	26	12	3	1	-	1	71
78	86	89	97	89	82	66	57	46	37	24	23	11	4	3	-	-	-	72
44	53	65	61	55	54	40	35	31	33	33	14	14	8	-	-	-	-	73
27	23	25	41	39	20	24	18	13	9	5	3	-	-	-	-	-	1	74
16	17	10	17	13	12	6	14	6	4	4	-	1	-	-	1	-	-	75
-	1	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	76
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	-	1	1	1	2	1	2	-	1	1	-	-	-	-	-	78
-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	79
-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	80
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	1	5	5	5	6	7	9	4	3	-	-	-	85
-	-	-	-	-	-	1	4	4	3	4	4	5	3	2	-	-	-	86
-	-	-	-	-	-	1	1	1	2	2	2	3	1	1	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	1	1	1	2	7	1	2	-	-	-	-	-	92
-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	95
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	381-383	Otitis media and mastoiditis	467	143	24	18	8	4	197	19	17	12
2		White—Male	242	71	13	9	6	2	101	7	5	9
3		Female	153	39	6	7	1	1	54	11	11	1
4		Negro—Male	36	18	2	2	-	1	23	1	-	1
5		Female	28	12	2	-	-	-	14	-	1	1
6		Other—Male	6	3	-	-	-	-	3	-	-	-
7		Female	2	-	1	-	1	-	2	-	-	-
8	Residual[1]	Other diseases of nervous system and sense organs	4,472	385	153	90	60	36	724	158	76	79
9		White—Male	2,180	189	79	45	22	16	351	75	44	45
10		Female	1,616	124	44	33	25	15	241	61	19	19
11		Negro—Male	370	43	16	4	9	3	75	9	12	9
12		Female	284	24	13	8	3	2	50	10	1	5
13		Other—Male	12	1	-	-	1	-	2	2	-	1
14		Female	10	4	1	-	-	-	5	1	-	-
15		VII. Diseases of the circulatory system	626,088	398	103	52	46	58	657	298	506	656
16		White—Male	334,879	173	23	26	14	26	262	106	174	267
17		Female	233,621	121	53	11	18	16	219	115	194	220
18		Negro—Male	30,116	52	19	8	7	9	95	30	59	60
19		Female	25,936	46	8	7	7	7	75	43	73	102
20		Other—Male	1,132	3	-	-	-	-	3	2	4	4
21		Female	404	3	-	-	-	-	3	2	2	3
22	400-402	Rheumatic fever	1,523	19	4	13	15	29	80	154	297	114
23		White—Male	636	2	2	4	3	10	21	49	104	50
24		Female	571	9	1	2	7	9	28	53	118	40
25		Negro—Male	131	5	1	3	2	7	18	17	33	13
26		Female	169	2	-	4	3	3	12	33	39	8
27		Other—Male	7	1	-	-	-	-	1	-	2	1
28		Female	9	-	-	-	-	-	-	2	1	2
29	410-443	Diseases of heart	570,275	315	86	31	24	25	481	127	175	461
30		White—Male	309,112	145	17	19	7	14	202	52	62	198
31		Female	209,824	94	45	6	8	6	159	52	55	136
32		Negro—Male	26,920	36	16	4	5	2	63	12	26	41
33		Female	23,032	39	8	2	4	3	56	9	30	82
34		Other—Male	1,028	-	-	-	-	-	-	2	2	3
35		Female	359	1	-	-	-	-	1	-	-	1
36	410-416	Chronic rheumatic heart disease	19,587	6	5	-	5	1	17	25	66	253
37		White—Male	8,872	2	4	-	-	1	7	7	24	104
38		Female	8,961	3	1	-	3	-	7	11	22	84
39		Negro—Male	797	-	-	-	-	-	-	2	5	25
40		Female	891	1	-	-	2	-	3	3	14	38
41		Other—Male	41	-	-	-	-	-	-	2	1	1
42		Female	25	-	-	-	-	-	-	-	-	1
43	410	Diseases of mitral valve	7,727	6	3	-	3	1	13	7	20	54
44		White—Male	3,300	2	3	-	-	1	6	3	9	22
45		Female	3,654	3	-	-	2	-	5	3	8	21
46		Negro—Male	359	-	-	-	-	-	-	-	-	1
47		Female	385	1	-	-	1	-	2	1	2	10
48		Other—Male	16	-	-	-	-	-	-	-	1	-
49		Female	13	-	-	-	-	-	-	-	-	-
50	411	Diseases of aortic valve specified as rheumatic	1,054	...	-	-	-	-	-	-	2	3
51		White—Male	775	...	-	-	-	-	-	-	1	2
52		Female	230	...	-	-	-	-	-	-	-	-
53		Negro—Male	34	...	-	-	-	-	-	-	-	1
54		Female	13	...	-	-	-	-	-	-	1	-
55		Other—Male	2	...	-	-	-	-	-	-	-	-
56		Female	-	...	-	-	-	-	-	-	-	-
57	412	Diseases of tricuspid valve	20	-	-	-	-	-	-	-	-	-
58		White—Male	10	-	-	-	-	-	-	-	-	-
59		Female	9	-	-	-	-	-	-	-	-	-
60		Negro—Male	-	-	-	-	-	-	-	-	-	-
61		Female	1	-	-	-	-	-	-	-	-	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	413,414	Diseases of pulmonary valve, etc.,* specified as rheumatic	1,083	...	-	-	1	-	1	2	7	19
65		White—Male	501	...	-	-	-	-	-	1	2	10
66		Female	495	...	-	-	-	-	-	1	4	4
67		Negro—Male	36	...	-	-	-	-	-	-	1	3
68		Female	45	...	-	-	1	-	1	-	-	2
69		Other—Male	3	...	-	-	-	-	-	-	-	-
70		Female	3	...	-	-	-	-	-	-	-	-
71	415,416	Other diseases of heart specified as rheumatic	9,703	-	2	-	1	-	3	16	37	177
72		White—Male	4,286	-	1	-	-	-	1	3	12	70
73		Female	4,573	-	1	-	1	-	2	7	10	59
74		Negro—Male	368	-	-	-	-	-	-	2	4	20
75		Female	447	-	-	-	-	-	-	2	11	26
76		Other—Male	20	-	-	-	-	-	-	2	-	1
77		Female	9	-	-	-	-	-	-	-	-	1
78	420	Arteriosclerotic heart disease, including coronary disease	373,597	60	13	6	5	2	86	24	21	63
79		White—Male	225,416	28	3	4	1	2	38	10	10	29
80		Female	125,838	16	8	1	3	-	28	10	5	14
81		Negro—Male	12,474	8	2	1	-	-	11	3	4	3
82		Female	9,054	7	-	-	1	-	8	1	1	17
83		Other—Male	652	-	-	-	-	-	-	-	1	-
84		Female	163	1	-	-	-	-	1	-	-	-
85	420.0	Arteriosclerotic heart disease so described	132,355	13	3	1	1	1	19	8	5	6
86		White—Male	68,099	6	-	1	-	1	8	3	2	2
87		Female	55,954	3	2	-	1	-	6	5	2	3
88		Negro—Male	4,415	2	1	-	-	-	3	-	-	-
89		Female	3,603	1	-	-	-	-	1	-	1	1
90		Other—Male	225	-	-	-	-	-	-	-	-	-
91		Female	59	1	-	-	-	-	1	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
23	11	10	12	18	20	28	21	20	22	10	11	8	3	4	1	-	-	1
18	6	5	8	9	11	14	11	9	8	6	5	5	2	3	-	-	-	2
4	5	2	3	5	6	8	5	9	14	4	6	3	1	1	-	-	-	3
-	-	2	-	2	1	3	1	1	-	-	-	-	-	-	1	-	-	4
-	-	1	1	2	1	3	3	1	-	-	-	-	-	-	-	-	-	5
1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
75	104	120	162	188	243	295	390	425	445	352	290	189	96	45	11	3	2	8
36	44	56	71	94	107	146	221	220	216	166	130	87	51	18	1	-	1	9
24	42	37	66	55	94	101	132	134	175	148	126	76	37	22	6	2	-	10
8	7	14	14	21	26	25	24	46	29	20	12	11	3	4	1	-	-	11
6	10	11	11	16	15	23	13	25	24	18	22	13	5	1	3	1	1	12
-	1	1	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	13
1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	14
1,022	1,780	3,554	6,925	13,421	22,185	34,726	49,555	66,819	84,775	92,332	93,048	79,546	48,601	20,089	4,496	751	346	15
359	699	1,652	3,670	7,948	14,079	21,395	31,206	41,315	48,890	49,453	46,649	36,655	20,704	7,606	1,460	186	144	16
355	586	936	1,551	2,566	4,220	7,074	11,780	18,307	28,024	36,099	41,413	39,391	25,811	11,606	2,706	352	96	17
139	237	470	828	1,489	2,003	3,415	3,671	3,939	4,191	3,517	2,578	1,788	943	391	132	77	64	18
159	246	478	846	1,371	1,806	2,715	2,740	3,067	3,460	3,055	2,227	1,600	1,066	454	181	132	40	19
7	3	8	18	33	55	101	121	153	160	165	127	84	53	19	9	2	1	20
3	9	10	12	14	22	26	37	38	50	43	54	28	24	13	8	2	1	21
83	72	88	83	96	76	81	67	74	68	30	23	20	12	3	1	-	1	22
29	34	39	36	43	41	39	36	42	33	18	9	9	2	1	-	-	1	23
24	25	28	35	36	26	37	25	26	29	9	12	9	8	2	1	-	-	24
10	7	9	3	4	3	3	2	4	2	2	1	-	-	-	-	-	-	25
18	5	12	8	12	6	2	2	2	4	1	1	2	2	-	-	-	-	26
2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27
-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	28
785	1,457	3,019	6,220	12,388	20,836	32,941	47,213	63,402	79,885	85,655	84,509	69,696	40,740	16,039	3,408	530	308	29
296	601	1,482	3,439	7,568	13,468	20,571	29,963	39,487	46,368	46,039	42,448	32,070	17,337	6,107	1,099	127	128	30
256	470	768	1,339	2,294	3,889	6,629	11,160	17,313	26,333	33,537	37,654	34,579	21,627	9,195	2,052	239	88	31
108	196	367	712	1,300	1,793	3,134	3,409	3,610	3,819	3,132	2,267	1,556	801	335	104	58	57	32
117	181	367	707	1,181	1,616	2,488	2,537	2,809	3,169	2,749	1,974	1,395	911	378	140	103	33	33
5	3	7	13	33	50	94	110	147	148	156	117	73	43	13	7	1	1	34
3	6	8	10	12	20	25	34	36	48	42	49	23	21	11	6	2	1	35
379	585	907	1,203	1,632	1,954	2,273	2,265	2,033	1,906	1,461	1,244	785	398	164	22	4	11	36
144	214	413	514	721	905	1,031	1,090	1,025	885	704	525	349	156	47	2	1	4	37
162	279	382	542	738	878	1,050	1,029	880	874	653	645	399	203	106	16	-	1	38
32	37	51	57	78	73	85	76	63	78	51	38	20	19	3	1	1	2	39
37	50	57	84	88	91	98	68	59	64	49	35	17	20	8	2	2	4	40
3	2	1	4	4	4	8	2	2	3	3	1	-	-	-	-	-	-	41
1	3	3	2	3	3	1	-	4	2	1	-	-	-	-	1	-	-	42
111	200	347	417	558	684	773	779	732	763	680	688	476	271	124	21	4	5	43
39	67	159	171	228	282	322	351	345	330	298	296	222	106	40	2	1	1	44
60	107	155	206	277	349	364	363	313	329	310	338	224	132	74	16	-	-	45
5	7	12	12	24	19	35	40	40	57	37	30	17	16	3	1	1	2	46
7	15	18	24	28	32	50	25	30	43	32	24	13	17	7	1	2	2	47
-	2	1	2	1	1	2	-	1	2	3	-	-	-	-	-	-	-	48
-	2	2	2	-	1	-	-	3	2	-	-	-	-	-	1	-	-	49
9	24	44	67	85	109	145	153	140	115	71	54	27	6	2	-	-	-	50
4	19	36	52	63	83	99	126	116	85	45	29	10	3	2	-	-	-	51
5	3	5	8	12	18	35	24	23	29	26	22	17	3	-	-	-	-	52
-	2	2	5	5	6	8	2	1	1	-	1	-	-	-	-	-	-	53
-	-	1	2	3	2	2	1	-	-	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
1	1	3	1	1	3	2	2	1	1	-	1	-	2	1	-	-	-	57
-	-	1	1	-	1	1	2	1	1	-	1	-	-	1	-	-	-	58
1	1	2	-	1	2	-	-	-	-	-	-	-	2	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
27	27	49	73	105	99	122	117	122	114	76	54	42	18	6	-	-	3	64
8	14	24	28	50	35	69	55	58	54	38	27	19	7	-	-	-	2	65
9	10	18	38	48	55	45	59	56	52	36	26	18	10	6	-	-	-	66
4	1	4	2	4	5	1	1	4	3	1	-	1	1	-	-	-	-	67
4	2	3	5	2	3	5	2	4	5	1	1	4	-	-	-	-	1	68
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	69
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	70
231	333	464	645	885	1,059	1,231	1,214	1,038	913	634	447	240	101	31	1	-	3	71
93	114	193	262	380	504	540	556	505	415	323	172	98	40	4	-	-	1	72
87	158	202	290	400	454	606	583	488	464	281	259	140	56	26	-	-	1	73
23	27	33	38	45	43	41	33	18	17	13	7	2	2	-	-	-	-	74
26	33	35	53	55	54	40	40	25	16	16	9	-	3	1	1	-	1	75
2	-	-	2	2	3	4	2	1	1	-	-	-	-	-	-	-	-	76
-	1	1	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	77
161	449	1,247	3,332	7,654	13,902	22,487	33,451	45,145	56,270	58,143	54,580	42,262	23,301	8,803	1,774	261	181	78
65	252	812	2,407	5,775	10,640	16,357	23,877	30,924	35,556	33,665	29,535	20,671	10,489	3,526	617	72	89	79
39	82	171	423	904	1,814	3,486	6,787	11,277	17,438	21,710	23,133	20,245	12,085	4,953	1,055	127	52	80
25	64	147	295	597	834	1,564	1,660	1,684	1,801	1,456	1,037	702	343	157	44	15	28	81
31	50	112	194	358	574	1,018	1,032	1,141	1,363	1,179	781	588	347	152	50	45	12	82
-	-	4	7	15	31	51	78	101	96	108	72	45	27	9	6	1	-	83
1	1	1	6	5	9	11	17	18	16	25	22	11	10	6	2	1	-	84
6	23	66	223	694	1,597	3,643	6,926	11,854	17,735	22,240	24,362	22,293	13,719	5,526	1,180	160	70	85
3	12	45	151	463	1,049	2,268	4,368	7,229	10,065	11,763	12,158	10,140	5,813	2,083	404	45	25	86
2	5	10	33	99	295	741	1,714	3,543	6,287	9,095	11,218	11,360	7,480	3,242	708	78	28	87
-	4	6	20	83	138	343	484	602	745	709	532	416	190	92	30	7	11	88
1	2	5	18	48	110	277	334	446	598	612	416	340	218	105	35	29	6	89
-	-	-	1	-	3	10	21	30	34	52	31	28	12	2	1	-	-	90
-	-	-	-	1	2	4	5	4	6	9	7	9	6	2	2	1	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Arteriosclerotic heart disease, including coronary disease—Continued										
1	420.1	Heart disease specified as involving coronary arteries	239,834	47	10	5	4	1	67	18	15	56
2		White—Male	156,490	22	3	3	1	1	30	7	8	26
3		Female	69,476	13	6	1	2	-	22	5	3	11
4		Negro—Male	7,956	6	1	1	-	-	8	3	3	3
5		Female	5,361	6	-	-	1	-	7	1	-	16
6		Other—Male	427	-	-	-	-	-	-	-	1	-
7		Female	104	-	-	-	-	-	-	-	-	-
8	420.2	Angina pectoris without mention of coronary disease	1,408	-	-	-	-	-	-	-	1	1
9		White—Male	827	-	-	-	-	-	-	-	-	1
10		Female	408	-	-	-	-	-	-	-	-	-
11		Negro—Male	103	-	-	-	-	-	-	-	1	-
12		Female	70	-	-	-	-	-	-	-	-	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	421	Chronic endocarditis not specified as rheumatic	8,267	23	11	5	-	3	42	4	4	7
16		White—Male	3,916	10	1	3	-	1	15	-	-	4
17		Female	3,193	10	5	1	-	1	17	2	4	2
18		Negro—Male	606	1	3	1	-	-	5	-	-	-
19		Female	529	2	2	-	-	1	5	2	-	1
20		Other—Male	15	-	-	-	-	-	-	-	-	-
21		Female	8	-	-	-	-	-	-	-	-	-
22	421.0	Of mitral valve, specified as nonrheumatic	714	-	1	-	-	-	1	-	-	1
23		White—Male	318	-	-	-	-	-	-	-	-	1
24		Female	294	-	1	-	-	-	1	-	-	-
25		Negro—Male	45	-	-	-	-	-	-	-	-	-
26		Female	55	-	-	-	-	-	-	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	421.1	Of aortic valve, not specified as rheumatic	1,810	4	-	-	-	1	5	-	-	3
30		White—Male	1,016	4	-	-	-	-	4	-	-	1
31		Female	485	-	-	-	-	-	-	-	-	1
32		Negro—Male	178	-	-	-	-	-	-	-	-	-
33		Female	126	-	-	-	-	1	1	-	-	1
34		Other—Male	4	-	-	-	-	-	-	-	-	-
35		Female	1	-	-	-	-	-	-	-	-	-
36	421.2-421.4	Of other valves, not specified as rheumatic	5,743	19	10	5	-	2	36	4	4	3
37		White—Male	2,582	6	1	3	-	1	11	-	-	2
38		Female	2,414	10	4	1	-	1	16	2	4	1
39		Negro—Male	383	1	3	1	-	-	5	-	-	-
40		Female	348	2	2	-	-	-	4	2	-	-
41		Other—Male	11	-	-	-	-	-	-	-	-	-
42		Female	5	-	-	-	-	-	-	-	-	-
43	422	Other myocardial degeneration	65,063	37	18	4	2	6	67	24	19	33
44		White—Male	29,517	19	3	-	1	4	27	12	9	18
45		Female	29,028	9	10	1	-	1	21	9	4	6
46		Negro—Male	3,487	6	4	1	1	1	13	2	3	2
47		Female	2,902	3	1	2	-	-	6	1	3	7
48		Other—Male	96	-	-	-	-	-	-	-	-	-
49		Female	33	-	-	-	-	-	-	-	-	-
50	422.1	With arteriosclerosis	34,859	7	3	-	-	-	10	5	1	4
51		White—Male	15,565	4	1	-	-	-	5	2	-	2
52		Female	16,373	1	2	-	-	-	3	2	-	-
53		Negro—Male	1,559	2	-	-	-	-	2	1	-	-
54		Female	1,305	-	-	-	-	-	-	-	1	2
55		Other—Male	43	-	-	-	-	-	-	-	-	-
56		Female	14	-	-	-	-	-	-	-	-	-
57	422.0,422.2	Without mention of arteriosclerosis	30,204	30	15	4	2	6	57	19	18	29
58		White—Male	13,952	15	2	-	1	4	22	10	9	16
59		Female	12,655	8	8	1	-	1	18	7	4	6
60		Negro—Male	1,928	4	4	1	1	1	11	1	3	2
61		Female	1,597	3	1	2	-	-	6	1	2	5
62		Other—Male	53	-	-	-	-	-	-	-	-	-
63		Female	19	-	-	-	-	-	-	-	-	-
64	430-434	Other diseases of heart	22,612	189	39	16	11	12	267	47	58	92
65		White—Male	11,516	86	6	12	5	6	115	21	17	37
66		Female	7,170	56	21	3	2	4	86	20	18	26
67		Negro—Male	2,221	21	7	1	3	-	32	5	12	10
68		Female	1,604	26	5	-	1	2	34	1	11	17
69		Other—Male	66	-	-	-	-	-	-	-	-	2
70		Female	35	-	-	-	-	-	-	-	-	-
71	430	Acute and subacute endocarditis	741	13	4	1	-	2	20	5	14	11
72		White—Male	405	6	-	1	-	1	8	2	3	4
73		Female	227	4	2	-	-	1	7	1	6	6
74		Negro—Male	58	1	1	-	-	-	2	1	2	-
75		Female	47	2	1	-	-	-	3	1	3	1
76		Other—Male	4	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	431	Acute myocarditis not specified as rheumatic	1,766	33	5	3	4	2	47	9	11	12
79		White—Male	785	9	-	2	2	-	13	6	4	6
80		Female	597	16	4	1	1	1	23	3	3	3
81		Negro—Male	184	1	1	-	1	-	3	-	2	-
82		Female	198	7	-	-	-	1	8	-	2	3
83		Other—Male	-	-	-	-	-	-	-	-	-	-
84		Female	2	-	-	-	-	-	-	-	-	-
85	432	Acute pericarditis specified as nonrheumatic	46	3	-	1	1	-	5	1	-	2
86		White—Male	22	1	-	1	-	-	2	1	-	-
87		Female	16	-	-	-	-	-	-	-	-	2
88		Negro—Male	7	2	-	-	1	-	3	-	-	-
89		Female	1	-	-	-	-	-	-	-	-	-
90		Other—Male	-	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
151	422	1,165	3,085	6,917	12,240	18,764	26,409	33,101	38,325	35,679	30,011	19,841	9,510	3,259	589	101	111	1
61	238	762	2,246	5,286	9,549	14,039	19,421	23,584	25,362	21,766	17,268	10,463	4,640	1,432	211	27	64	2
36	76	159	387	800	1,512	2,735	5,063	7,686	11,097	12,539	11,822	8,830	4,571	1,705	344	49	24	3
24	60	138	267	510	687	1,210	1,163	1,058	1,039	739	504	284	152	65	14	8	17	4
28	47	101	173	302	457	732	693	688	755	563	361	245	128	46	15	16	6	5
-	-	4	6	15	28	41	57	71	62	56	41	17	15	7	5	1	-	6
1	1	1	6	4	7	7	12	14	10	16	15	2	4	4	-	-	-	7
4	4	16	24	43	65	80	116	190	210	224	207	128	72	18	5	-	-	8
1	2	5	10	26	42	50	88	111	129	136	109	68	36	11	2	-	-	9
1	1	2	3	5	7	10	10	48	54	76	93	55	34	6	3	-	-	10
1	-	3	8	4	9	11	13	24	17	8	1	2	1	-	-	-	-	11
1	1	6	3	8	7	9	5	7	10	4	4	3	1	1	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
22	33	70	99	140	266	429	607	842	997	1,235	1,286	1,162	680	264	59	10	9	15
12	14	32	51	63	123	222	322	445	502	601	585	530	266	106	18	1	4	16
4	11	18	25	33	62	90	151	248	332	475	605	562	364	145	35	7	3	17
1	5	7	10	19	38	73	86	86	80	85	39	41	20	7	2	1	1	18
5	1	12	13	23	42	42	48	64	80	71	53	28	28	5	4	1	1	19
-	1	-	-	2	1	2	-	1	2	2	3	-	1	-	-	-	-	20
-	1	1	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	21
1	2	4	5	8	17	30	39	55	77	111	121	121	82	28	11	-	-	22
1	2	2	3	7	9	15	23	30	33	45	49	57	29	10	2	-	-	23
-	-	1	2	-	3	6	7	13	29	51	55	55	47	16	8	-	-	24
-	-	-	-	-	1	5	5	6	8	8	6	6	-	-	-	-	-	25
-	-	1	-	1	4	4	4	6	7	7	11	3	5	1	1	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
6	8	16	24	39	84	151	209	259	241	256	220	167	87	27	5	1	2	29
5	3	12	15	25	53	94	131	149	143	139	113	77	34	13	3	-	2	30
-	1	-	3	3	4	15	34	62	57	79	94	73	43	13	2	1	-	31
-	3	4	3	5	12	28	26	31	21	23	5	11	6	-	-	-	-	32
1	-	-	3	6	14	14	18	17	20	13	7	6	4	1	-	-	-	33
-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
15	23	50	70	93	165	248	359	528	679	868	945	874	511	209	43	9	7	36
6	9	18	33	31	61	113	168	266	326	417	423	396	203	83	13	1	2	37
4	10	17	20	30	55	69	110	171	246	345	456	434	274	116	25	6	3	38
1	2	3	7	14	25	40	55	49	51	54	28	24	14	7	2	1	1	39
4	1	11	10	16	24	24	26	41	53	51	35	19	19	3	3	1	1	40
-	1	-	-	2	-	2	-	1	2	-	2	-	1	-	-	-	-	41
-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	42
57	105	169	322	567	930	1,655	2,472	4,174	6,551	9,248	11,584	12,514	9,147	4,211	1,028	153	33	43
21	25	49	127	218	429	726	1,170	2,133	3,325	4,529	5,434	5,521	3,808	1,560	327	37	12	44
12	32	46	63	129	217	396	704	1,262	2,287	3,800	5,394	6,446	4,981	2,472	640	75	12	45
14	22	47	67	101	166	299	350	432	511	489	421	279	149	74	25	16	5	46
10	26	27	65	115	116	226	238	314	410	413	313	250	200	101	33	25	3	47
-	-	-	-	3	2	7	9	12	11	13	14	15	6	2	1	-	1	48
-	-	-	-	1	-	1	1	1	7	4	8	3	3	2	2	-	-	49
4	13	25	48	88	200	489	848	1,795	3,165	4,988	6,758	7,482	5,592	2,637	598	90	19	50
3	2	5	15	27	83	165	353	880	1,591	2,448	3,189	3,273	2,306	991	194	25	6	51
-	5	8	5	18	40	127	241	573	1,117	2,089	3,151	3,925	3,103	1,540	370	47	9	52
1	2	7	10	20	48	105	157	200	249	246	230	140	74	42	15	8	2	53
-	4	5	18	23	29	88	92	140	201	199	173	133	104	62	19	10	2	54
-	-	-	-	-	-	3	4	2	5	5	10	8	4	2	-	-	-	55
-	-	-	-	-	-	1	1	-	2	1	5	3	1	-	-	-	-	56
53	92	144	274	479	730	1,166	1,624	2,379	3,386	4,260	4,826	5,032	3,555	1,574	430	63	14	57
18	23	44	112	191	346	561	817	1,253	1,734	2,081	2,245	2,248	1,502	569	133	12	6	58
12	27	38	58	111	177	269	463	709	1,170	1,711	2,243	2,521	1,878	932	270	28	3	59
13	20	40	57	81	118	194	193	232	262	243	191	139	75	32	10	8	3	60
10	22	22	47	92	87	138	146	174	209	214	140	117	96	39	14	15	1	61
-	-	-	-	3	2	4	5	10	6	8	4	7	2	-	1	-	1	62
-	-	-	-	1	-	-	-	1	5	3	3	-	2	2	2	-	-	63
119	174	292	448	776	1,001	1,468	1,899	2,443	2,899	2,983	2,947	2,400	1,456	624	152	42	25	64
44	69	106	174	370	531	758	1,019	1,396	1,608	1,668	1,490	1,164	637	227	47	8	10	65
29	45	75	123	152	172	290	427	586	788	960	1,154	1,069	693	354	82	16	5	66
23	31	48	83	139	173	253	268	293	295	202	155	95	61	22	9	7	5	67
20	28	61	67	112	123	159	177	161	188	139	134	64	59	20	14	11	4	68
2	-	1	1	2	1	6	6	6	14	9	8	6	2	-	-	-	-	69
1	1	1	-	1	1	2	2	1	6	5	6	2	4	1	-	-	1	70
11	28	44	49	51	75	65	80	84	52	53	56	23	12	5	1	-	2	71
4	14	20	25	28	48	38	43	55	31	35	30	12	3	1	-	-	1	72
4	13	13	20	14	15	18	24	16	14	14	22	9	7	4	-	-	-	73
1	1	3	2	4	9	6	9	6	3	2	3	2	-	-	1	-	1	74
1	-	7	2	5	3	2	4	7	4	1	1	-	2	-	-	-	-	75
1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
15	18	28	39	59	77	116	135	160	170	210	229	196	149	64	9	7	6	78
6	6	8	14	32	34	59	56	70	75	104	111	99	50	27	1	2	2	79
4	6	11	11	12	13	16	33	44	42	74	92	85	80	32	6	3	1	80
2	2	3	6	6	17	25	22	25	26	15	13	4	7	3	1	-	2	81
3	4	6	8	9	12	16	24	21	27	16	13	8	12	2	1	2	1	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	84
2	-	-	1	2	2	4	9	1	9	4	1	2	1	-	-	-	-	85
1	-	-	1	-	-	4	4	-	4	3	-	1	1	-	-	-	-	86
-	-	-	-	1	2	-	3	1	4	1	1	1	-	-	-	-	-	87
1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other diseases of heart—Continued										
1	433	Functional disease of heart	2,428	24	3	2	1	-	30	-	2	-
2		White--Male	1,191	16	-	1	1	-	18	-	1	-
3		White--Female	1,100	5	3	1	-	-	9	-	1	-
4		Negro--Male	69	3	-	-	-	-	3	-	-	-
5		Negro--Female	61	-	-	-	-	-	-	-	-	-
6		Other--Male	4	-	-	-	-	-	-	-	-	-
7		Other--Female	3	-	-	-	-	-	-	-	-	-
8	434	Other and unspecified diseases of heart	17,631	116	27	9	5	8	165	32	31	67
9		White--Male	9,113	54	6	7	2	5	74	12	9	27
10		White--Female	5,230	31	12	1	1	2	47	16	8	15
11		Negro--Male	1,903	14	5	1	1	-	21	4	8	10
12		Negro--Female	1,297	17	4	-	1	1	23	-	6	13
13		Other--Male	58	-	-	-	-	-	-	-	-	2
14		Other--Female	30	-	-	-	-	-	-	-	-	-
15	440-443	Hypertension with heart disease	81,149	-	-	-	1	1	2	3	7	13
16		White--Male	29,875	-	-	-	-	-	-	2	2	6
17		White--Female	35,634	-	-	-	-	-	-	-	2	4
18		Negro--Male	7,335	-	-	-	1	1	2	-	2	1
19		Negro--Female	8,052	-	-	-	-	-	-	1	1	2
20		Other--Male	158	-	-	-	-	-	-	-	-	-
21		Other--Female	95	-	-	-	-	-	-	-	-	-
22	442	Hypertensive heart disease with arteriolar nephrosclerosis	22,156	-	-	-	1	1	2	3	5	6
23		White--Male	9,209	-	-	-	-	-	-	2	1	3
24		White--Female	9,011	-	-	-	-	-	-	-	1	2
25		Negro--Male	1,993	-	-	-	1	1	2	-	2	-
26		Negro--Female	1,890	-	-	-	-	-	-	1	1	1
27		Other--Male	26	-	-	-	-	-	-	-	-	-
28		Other--Female	27	-	-	-	-	-	-	-	-	-
29	440,441,443	Essential hypertension with heart disease, etc.*	58,993	-	-	-	-	-	-	-	2	7
30		White--Male	20,666	-	-	-	-	-	-	-	1	3
31		White--Female	26,623	-	-	-	-	-	-	-	1	2
32		Negro--Male	5,342	-	-	-	-	-	-	-	-	1
33		Negro--Female	6,162	-	-	-	-	-	-	-	-	1
34		Other--Male	132	-	-	-	-	-	-	-	-	-
35		Other--Female	68	-	-	-	-	-	-	-	-	-
36	444-447	Hypertension without mention of heart	12,387	-	-	-	-	-	-	-	1	7
37		White--Male	5,026	-	-	-	-	-	-	-	-	2
38		White--Female	4,782	-	-	-	-	-	-	-	1	3
39		Negro--Male	1,325	-	-	-	-	-	-	-	-	1
40		Negro--Female	1,224	-	-	-	-	-	-	-	-	1
41		Other--Male	23	-	-	-	-	-	-	-	-	-
42		Other--Female	7	-	-	-	-	-	-	-	-	-
43	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,245	-	-	-	-	-	-	-	-	3
44		White--Male	2,893	-	-	-	-	-	-	-	-	1
45		White--Female	2,318	-	-	-	-	-	-	-	-	1
46		Negro--Male	590	-	-	-	-	-	-	-	-	1
47		Negro--Female	431	-	-	-	-	-	-	-	-	-
48		Other--Male	10	-	-	-	-	-	-	-	-	-
49		Other--Female	3	-	-	-	-	-	-	-	-	-
50	444,445,447	Essential hypertension, other hypertensive disease, etc.*	6,142	-	-	-	-	-	-	-	1	4
51		White--Male	2,133	-	-	-	-	-	-	-	-	1
52		White--Female	2,464	-	-	-	-	-	-	-	1	2
53		Negro--Male	735	-	-	-	-	-	-	-	-	-
54		Negro--Female	793	-	-	-	-	-	-	-	-	1
55		Other--Male	13	-	-	-	-	-	-	-	-	-
56		Other--Female	4	-	-	-	-	-	-	-	-	-
57	450-456	Diseases of arteries	37,868	9	2	3	3	-	17	10	28	59
58		White--Male	18,229	4	-	2	2	-	8	1	6	13
59		White--Female	16,830	2	1	1	1	-	5	8	18	37
60		Negro--Male	1,476	2	1	-	-	-	3	-	-	1
61		Negro--Female	1,265	-	-	-	-	-	-	1	3	8
62		Other--Male	64	1	-	-	-	-	1	-	-	-
63		Other--Female	24	-	-	-	-	-	-	-	1	-
64	450	General arteriosclerosis	32,351	-	-	-	-	-	-	-	-	-
65		White--Male	14,859	-	-	-	-	-	-	-	-	-
66		White--Female	15,207	-	-	-	-	-	-	-	-	-
67		Negro--Male	1,189	-	-	-	-	-	-	-	-	-
68		Negro--Female	1,030	-	-	-	-	-	-	-	-	-
69		Other--Male	46	-	-	-	-	-	-	-	-	-
70		Other--Female	20	-	-	-	-	-	-	-	-	-
71	451	Aortic aneurysm specified as nonsyphilitic, etc.*	3,435	-	-	-	-	-	-	-	-	6
72		White--Male	2,339	-	-	-	-	-	-	-	-	4
73		White--Female	816	-	-	-	-	-	-	-	-	-
74		Negro--Male	172	-	-	-	-	-	-	-	-	-
75		Negro--Female	95	-	-	-	-	-	-	-	-	2
76		Other--Male	12	-	-	-	-	-	-	-	-	-
77		Other--Female	1	-	-	-	-	-	-	-	-	-
78	455	Gangrene of unspecified cause	233	5	-	-	-	-	5	-	-	1
79		White--Male	106	2	-	-	-	-	2	-	-	1
80		White--Female	79	-	-	-	-	-	-	-	-	-
81		Negro--Male	30	2	-	-	-	-	2	-	-	-
82		Negro--Female	17	-	-	-	-	-	-	-	-	-
83		Other--Male	1	1	-	-	-	-	1	-	-	-
84		Other--Female	-	-	-	-	-	-	-	-	-	-
85	452-454,456	Other arterial diseases	1,869	4	2	3	3	-	12	10	26	52
86		White--Male	925	2	-	2	2	-	6	1	6	8
87		White--Female	728	2	1	1	1	-	5	8	18	37
88		Negro--Male	85	-	1	-	-	-	1	-	-	1
89		Negro--Female	123	-	-	-	-	-	-	1	3	6
90		Other--Male	5	-	-	-	-	-	-	-	-	-
91		Other--Female	3	-	-	-	-	-	-	-	1	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
10	10	22	28	57	58	138	200	276	326	341	378	304	152	74	18	3	1	1
6	4	9	11	29	25	62	104	138	166	178	186	149	67	28	8	2	-	2
1	3	9	14	18	25	58	78	123	140	152	179	153	81	44	10	1	1	3
-	-	1	2	7	4	10	10	9	8	4	5	2	2	2	-	-	-	4
2	2	2	1	3	4	8	7	4	12	6	8	-	2	-	-	-	-	5
-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	6
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
81	118	198	331	607	789	1,145	1,475	1,922	2,342	2,375	2,283	1,875	1,142	481	124	32	16	8
27	45	69	123	281	424	595	812	1,133	1,332	1,348	1,163	903	516	171	38	4	7	9
20	23	42	78	107	117	198	289	402	588	719	860	821	528	274	86	12	3	10
19	28	41	73	121	143	212	226	253	257	181	134	87	52	17	7	7	2	11
14	22	46	56	95	104	133	141	129	145	116	112	56	43	18	13	9	3	12
1	-	-	1	2	1	5	5	4	14	7	8	6	2	-	-	-	-	13
-	-	-	-	1	-	2	2	1	6	4	6	2	4	1	-	-	1	14
47	111	334	816	1,619	2,783	4,629	6,519	8,765	11,262	12,585	12,868	10,573	5,758	1,973	373	60	49	15
10	27	70	166	421	840	1,477	2,485	3,564	4,492	4,872	4,879	3,835	1,981	641	88	8	9	16
10	21	76	163	338	746	1,317	2,062	3,042	4,614	5,939	6,723	5,858	3,301	1,165	224	14	15	17
13	37	87	200	366	509	860	969	1,052	1,054	849	577	419	209	72	23	18	16	18
14	26	98	284	485	670	945	974	1,070	1,064	898	658	448	257	92	37	19	9	19
-	-	1	1	7	11	20	15	25	22	21	19	7	7	2	-	-	-	20
-	-	2	2	2	7	10	14	12	16	6	12	6	3	1	1	1	-	21
22	41	116	238	448	624	972	1,354	1,935	2,659	3,194	3,610	3,607	2,201	898	180	25	16	22
4	13	31	47	139	204	330	554	827	1,135	1,369	1,646	1,596	913	342	44	6	3	23
7	7	31	52	86	168	243	394	591	963	1,355	1,631	1,739	1,151	496	107	3	4	24
6	17	31	61	107	113	201	226	269	291	243	159	144	66	30	10	8	7	25
5	4	22	78	114	136	193	176	240	282	224	168	123	85	30	18	7	2	26
-	-	1	-	2	1	3	1	6	2	2	3	2	3	-	-	-	-	27
-	-	-	-	-	2	2	3	2	6	1	3	3	3	-	1	1	-	28
25	70	218	578	1,171	2,159	3,657	5,165	6,830	8,603	9,391	9,258	6,966	3,557	1,075	193	35	33	29
6	14	39	119	282	636	1,147	1,931	2,737	3,357	3,503	3,233	2,239	1,068	299	44	2	6	30
3	14	45	111	252	578	1,074	1,668	2,451	3,651	4,584	5,092	4,119	2,170	669	117	11	11	31
7	20	56	139	259	396	659	743	783	763	606	418	275	143	42	13	10	9	32
9	22	76	206	371	534	752	798	830	802	674	490	325	172	62	19	12	7	33
-	-	-	1	5	10	17	14	19	20	19	16	5	4	2	-	-	-	34
-	-	2	2	2	5	8	11	10	10	5	9	3	-	1	-	-	-	35
34	100	206	358	527	657	734	820	1,017	1,320	1,514	1,786	1,639	1,066	469	102	24	6	36
7	28	45	99	155	243	291	355	438	538	653	790	725	439	178	33	5	2	37
13	17	38	72	101	143	157	236	346	519	634	816	803	555	264	55	9	-	38
9	20	57	90	139	140	151	112	129	137	118	93	73	34	13	5	2	2	39
5	35	65	94	132	128	131	113	101	123	109	82	35	38	14	8	8	2	40
-	-	1	3	-	2	3	2	2	3	-	4	2	-	-	1	-	-	41
-	-	-	-	-	1	1	2	1	-	-	1	1	-	-	-	-	-	42
16	37	69	137	196	244	319	396	498	682	790	976	915	621	276	55	10	5	43
5	11	17	49	54	83	142	165	221	318	407	489	483	292	126	25	3	2	44
7	9	19	22	38	60	74	119	171	241	298	415	378	298	138	26	4	-	45
2	9	16	32	54	58	61	60	65	74	49	46	40	14	7	1	-	1	46
2	8	17	33	50	43	38	48	41	47	36	24	14	17	5	3	3	2	47
-	-	-	1	-	-	3	2	-	2	-	2	-	-	-	-	-	-	48
-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	49
18	63	137	221	331	413	415	424	519	638	724	810	724	445	193	47	14	1	50
2	17	28	50	101	160	149	190	217	220	246	301	242	147	52	8	2	-	51
6	8	19	50	63	83	83	117	175	278	336	401	425	257	126	29	5	-	52
7	11	41	58	85	82	90	52	64	63	69	47	33	20	6	4	2	1	53
3	27	48	61	82	85	93	65	60	76	73	58	21	21	9	5	5	-	54
-	-	1	2	-	2	-	-	2	1	-	2	2	-	-	1	-	-	55
-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	56
79	86	149	150	218	397	626	1,076	1,810	2,991	4,645	6,286	7,911	6,628	3,530	970	193	29	57
18	24	55	55	95	217	334	655	1,075	1,704	2,521	3,177	3,728	2,858	1,298	323	51	13	58
43	45	69	57	70	99	139	220	429	935	1,703	2,734	3,859	3,541	2,120	589	103	7	59
6	5	7	15	26	47	92	116	172	199	239	204	154	104	42	23	17	4	60
12	11	17	22	26	32	60	77	129	143	174	161	157	112	62	32	21	5	61
-	-	-	-	-	2	1	8	4	8	7	6	9	10	6	1	1	-	62
-	1	1	1	1	-	-	-	1	2	1	4	4	3	2	2	-	-	63
4	9	20	18	45	95	239	493	1,081	2,199	3,890	5,693	7,522	6,410	3,462	955	190	26	64
2	-	11	7	20	50	90	237	542	1,143	2,006	2,829	3,510	2,761	1,271	318	49	13	65
1	6	3	7	10	21	57	114	310	761	1,500	2,518	3,696	3,432	2,083	580	102	6	66
1	2	3	3	9	15	52	78	128	165	215	186	150	99	39	23	17	4	67
-	1	2	1	6	9	40	59	98	122	162	152	155	107	61	31	21	3	68
-	-	-	-	-	-	-	5	2	6	6	4	7	8	6	1	1	-	69
-	-	1	-	-	-	-	-	1	2	1	4	4	3	2	2	-	-	70
8	7	28	39	66	143	222	402	546	597	556	415	242	116	32	7	2	1	71
3	6	17	23	28	84	152	303	422	453	396	252	130	50	12	2	2	-	72
3	1	4	7	17	25	30	60	75	117	135	145	111	63	17	5	-	1	73
2	-	3	5	14	21	29	27	30	10	17	12	-	-	2	-	-	-	74
-	-	4	4	6	13	10	9	17	16	7	5	-	1	1	-	-	-	75
-	-	-	-	-	-	1	3	2	1	1	1	1	2	-	-	-	-	76
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	77
1	-	2	-	2	5	8	14	15	27	30	40	35	34	10	3	1	-	78
-	-	2	-	1	2	3	5	6	10	14	19	21	15	4	1	-	-	79
1	-	-	-	-	-	2	4	5	6	11	15	11	15	6	2	1	-	80
-	-	-	-	1	2	3	3	1	9	3	3	2	1	-	-	-	-	81
-	-	-	-	-	1	-	2	3	2	2	3	1	3	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
66	70	99	93	105	154	157	167	168	168	169	138	112	68	26	5	-	2	85
13	18	25	25	46	81	89	110	105	98	105	77	67	32	11	2	-	-	86
38	38	62	43	43	53	50	42	39	51	57	56	41	31	14	2	-	-	87
3	3	1	7	2	9	8	8	13	15	4	3	2	4	1	-	-	-	88
12	10	11	17	14	9	10	7	11	3	3	1	1	1	-	1	-	2	89
-	-	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	90
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
1	460-468	Diseases of veins and other diseases of circulatory system----	4,015	55	11	5	4	4	79	7	5	15
2		White--------Male----	1,876	22	4	1	2	2	31	4	2	4
3		Female--	1,614	16	6	2	2	1	27	2	2	4
4		Negro--------Male----	264	9	1	1	-	-	11	1	-	4
5		Female--	246	5	-	1	-	1	7	-	1	3
6		Other--------Male----	10	1	-	-	-	-	1	-	-	-
7		Female--	5	2	-	-	-	-	2	-	-	-
8		VIII. Diseases of the respiratory system----------	68,982	11,410	1,872	833	522	353	14,990	879	386	444
9		White--------Male----	34,045	4,407	745	344	203	141	5,840	359	154	174
10		Female--	22,407	3,311	599	285	187	125	4,507	333	142	145
11		Negro--------Male----	6,782	1,801	271	115	79	50	2,316	92	48	56
12		Female--	5,084	1,594	213	77	43	34	1,961	79	40	64
13		Other--------Male----	385	151	27	8	5	1	192	6	2	4
14		Female--	279	146	17	4	5	2	174	10	-	1
15	470-475	Acute upper respiratory infections----------	1,043	423	110	64	33	26	656	52	21	20
16		White--------Male----	442	175	55	26	14	14	284	24	10	7
17		Female--	361	114	38	25	10	10	197	16	5	9
18		Negro--------Male----	109	57	7	7	7	2	80	6	3	-
19		Female--	114	63	9	6	1	-	79	5	3	4
20		Other--------Male----	8	6	-	-	1	-	7	1	-	-
21		Female--	9	8	1	-	-	-	9	-	-	-
22	480-483	Influenza----------	9,460	1,022	200	81	48	40	1,391	100	49	75
23		White--------Male----	3,746	357	62	28	14	9	470	31	18	21
24		Female--	3,548	289	68	28	23	12	420	38	19	26
25		Negro--------Male----	1,054	186	35	14	6	12	253	14	7	19
26		Female--	1,035	168	29	10	5	6	218	13	5	8
27		Other--------Male----	37	12	3	1	-	1	17	1	-	1
28		Female--	40	10	3	-	-	-	13	3	-	-
29	490-493	Pneumonia, except pneumonia of newborn----------	42,778	8,052	1,278	524	296	172	10,322	474	241	263
30		White--------Male----	19,824	2,978	482	209	106	64	3,839	182	99	109
31		Female--	14,435	2,300	407	179	104	54	3,044	176	87	83
32		Negro--------Male----	4,641	1,348	202	74	50	29	1,703	61	30	30
33		Female--	3,374	1,180	151	53	29	24	1,437	47	24	39
34		Other--------Male----	291	126	23	5	3	-	157	4	1	2
35		Female--	213	120	13	4	4	1	142	4	-	-
36	490	Lobar pneumonia----------	12,523	1,176	221	89	52	32	1,570	102	77	88
37		White--------Male----	6,036	416	80	34	16	12	558	30	28	27
38		Female--	3,720	351	57	27	19	9	463	43	24	26
39		Negro--------Male----	1,654	208	47	15	11	6	287	15	13	15
40		Female--	1,004	166	29	12	6	5	218	11	14	18
41		Other--------Male----	76	20	5	-	-	-	25	2	-	2
42		Female--	33	15	3	1	-	-	19	1	-	-
43	491	Bronchopneumonia----------	21,908	4,643	743	312	182	98	5,979	268	109	105
44		White--------Male----	10,026	1,680	283	119	69	36	2,187	110	53	53
45		Female--	7,880	1,295	241	115	64	29	1,744	101	41	31
46		Negro--------Male----	2,069	802	110	40	29	18	999	32	10	9
47		Female--	1,692	736	93	32	16	16	893	24	5	12
48		Other--------Male----	129	57	12	4	3	-	76	-	-	-
49		Female--	112	73	4	2	1	-	80	1	-	-
50	492	Primary atypical pneumonia----------	3,657	943	149	53	27	24	1,196	43	27	37
51		White--------Male----	1,772	427	69	26	13	9	544	18	11	19
52		Female--	1,338	305	52	16	11	10	394	16	12	13
53		Negro--------Male----	287	97	17	6	2	3	125	4	3	2
54		Female--	222	88	8	4	1	2	103	5	1	3
55		Other--------Male----	23	16	1	1	-	-	18	-	-	-
56		Female--	15	10	2	-	-	-	12	-	-	-
57	493	Pneumonia, other and unspecified----------	4,890	1,290	165	70	35	17	1,577	61	28	33
58		White--------Male----	1,990	455	50	30	8	7	550	24	9	10
59		Female--	1,497	349	57	21	10	6	443	16	10	13
60		Negro--------Male----	631	241	28	13	8	2	292	10	4	4
61		Female--	456	190	21	5	6	1	223	7	4	6
62		Other--------Male----	63	33	5	-	-	-	38	2	1	-
63		Female--	53	22	4	1	3	1	31	2	-	-
64	500	Acute bronchitis----------	1,010	364	102	43	44	22	575	45	8	8
65		White--------Male----	463	155	58	23	21	9	266	24	3	5
66		Female--	372	130	29	12	16	9	196	19	4	2
67		Negro--------Male----	99	43	7	5	5	3	63	1	-	-
68		Female--	71	34	7	2	2	1	46	1	1	1
69		Other--------Male----	5	2	1	1	-	-	4	-	-	-
70		Female--	-	-	-	-	-	-	-	-	-	-
71	501,502	Bronchitis, chronic and unqualified----------	2,063	304	72	42	16	13	447	18	7	6
72		White--------Male----	1,269	139	39	19	10	6	213	8	6	4
73		Female--	585	90	21	14	4	5	134	7	-	2
74		Negro--------Male----	118	41	4	8	1	2	56	1	-	-
75		Female--	80	27	8	1	1	-	37	2	1	-
76		Other--------Male----	7	3	-	-	-	-	3	-	-	-
77		Female--	4	4	-	-	-	-	4	-	-	-
78	510	Hypertrophy of tonsils and adenoids----------	329	2	6	20	45	49	122	135	19	12
79		White--------Male----	145	-	5	10	23	24	62	58	2	6
80		Female--	135	2	1	8	16	22	49	59	8	4
81		Negro--------Male----	24	-	-	1	5	-	6	8	4	1
82		Female--	20	-	-	1	1	2	4	7	4	1
83		Other--------Male----	1	-	-	-	-	-	-	-	1	-
84		Female--	4	-	-	-	-	1	1	3	-	-
85	518,521	Empyema and abscess of lung----------	749	27	4	1	-	3	35	3	4	10
86		White--------Male----	433	13	1	1	-	1	16	2	1	4
87		Female--	147	7	1	-	-	1	9	1	2	1
88		Negro--------Male----	117	4	-	-	-	1	5	-	1	1
89		Female--	46	3	2	-	-	-	5	-	-	3
90		Other--------Male----	6	-	-	-	-	-	-	-	-	1
91		Female--	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
41	65	92	114	192	219	344	379	516	511	488	444	280	155	48	15	4	2	1
9	12	31	41	87	110	160	197	273	247	222	225	123	68	22	5	3	-	2
19	29	33	48	65	63	112	139	193	208	216	197	141	80	25	9	1	1	3
6	9	10	8	20	20	35	32	24	34	26	13	5	4	1	-	-	1	4
7	14	17	15	20	24	34	11	26	21	22	9	11	3	-	1	-	-	5
-	-	-	2	-	1	3	-	-	1	2	-	-	-	-	-	-	-	6
-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
449	565	752	1,044	1,545	2,082	2,767	3,706	4,862	5,908	6,694	7,055	6,832	4,792	2,373	660	139	58	8
172	189	258	410	747	1,108	1,488	2,254	3,132	3,597	3,745	3,738	3,274	2,142	975	233	31	25	9
136	184	204	282	342	425	498	713	902	1,481	2,172	2,747	3,126	2,367	1,264	371	59	7	10
71	99	162	212	287	327	482	472	516	477	419	279	214	146	58	19	15	15	11
65	85	122	132	160	208	275	246	289	326	319	259	186	127	67	33	32	9	12
3	1	2	7	8	8	17	16	15	19	29	24	20	5	3	2	1	1	13
2	7	4	1	1	6	7	5	8	8	10	8	12	5	6	2	1	1	14
12	15	10	10	20	16	18	21	15	17	36	24	28	28	15	6	2	1	15
6	8	4	4	10	6	3	9	7	7	16	14	8	9	4	2	-	-	16
4	4	4	4	4	6	9	8	7	7	18	7	20	16	10	4	1	1	17
1	1	-	1	4	1	1	2	1	2	1	3	-	1	-	-	1	-	18
1	2	2	1	2	3	5	2	-	1	1	-	-	2	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
56	63	79	106	146	216	307	369	548	777	1,026	1,225	1,281	982	485	131	36	12	22
13	12	19	30	54	74	103	144	212	324	440	565	545	422	189	51	7	2	23
20	27	27	30	32	60	72	98	139	246	364	500	625	471	257	64	11	2	24
10	9	11	22	27	37	73	61	100	109	100	70	55	44	18	5	4	6	25
13	14	22	23	32	44	58	63	91	95	113	87	50	42	19	11	12	2	26
-	-	-	1	1	-	-	1	3	1	5	1	3	1	-	-	1	-	27
-	1	-	-	-	1	1	2	3	2	4	2	3	2	2	-	1	-	28
274	360	501	679	1,023	1,247	1,609	1,996	2,488	3,183	3,930	4,386	4,482	3,213	1,548	429	91	39	29
113	124	164	254	491	643	803	1,065	1,445	1,773	2,059	2,253	2,148	1,428	646	147	20	19	30
71	106	129	177	217	239	283	435	533	892	1,396	1,781	2,056	1,614	821	248	44	3	31
47	70	122	157	208	221	323	324	319	293	266	176	140	86	36	12	9	8	32
39	53	80	85	100	133	181	158	177	206	185	151	119	79	38	18	18	7	33
2	1	2	5	6	6	13	11	10	13	18	19	12	3	3	2	-	1	34
2	6	4	1	1	5	6	3	4	6	6	6	7	3	4	2	-	1	35
109	137	215	324	467	554	751	805	973	1,167	1,365	1,295	1,222	816	344	97	25	20	36
51	41	50	114	225	296	381	423	563	649	723	674	624	371	167	26	5	12	37
20	38	45	80	81	89	100	153	191	297	448	489	511	390	157	61	13	1	38
23	39	76	90	112	108	173	157	144	128	110	62	47	34	9	5	3	4	39
14	18	43	38	46	58	87	65	70	88	76	60	37	20	11	5	4	3	40
-	-	-	2	3	3	7	7	5	4	6	6	3	1	-	-	-	-	41
1	1	1	-	-	-	3	-	-	1	2	4	-	-	-	-	-	-	42
96	136	190	230	384	480	596	678	1,097	1,485	1,938	2,354	2,475	1,846	938	260	49	15	43
38	47	76	89	175	240	298	483	660	841	1,002	1,210	1,151	820	382	96	10	5	44
29	44	53	67	100	113	126	206	239	445	724	994	1,196	940	510	150	26	1	45
11	23	35	42	60	73	98	119	121	115	115	77	59	39	21	3	4	4	46
16	18	25	29	47	49	68	64	70	77	85	63	60	44	21	9	9	4	47
2	-	1	2	1	2	4	4	4	6	9	9	5	1	2	1	-	-	48
-	4	-	1	1	3	2	2	3	1	3	1	4	2	2	1	-	1	49
34	38	50	56	89	102	118	143	213	246	289	330	310	220	95	20	-	1	50
13	18	21	23	43	50	61	75	128	142	159	166	144	96	34	6	-	1	51
15	11	17	17	24	25	27	42	58	75	106	146	155	118	56	11	-	-	52
3	4	6	9	16	15	20	19	13	13	14	7	6	4	2	2	-	-	53
2	5	6	7	6	11	9	7	14	15	9	10	4	2	2	1	-	-	54
-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	55
1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	56
35	49	46	69	83	111	144	170	205	285	338	407	475	331	171	52	17	3	57
11	18	17	28	48	57	63	84	94	141	175	203	229	141	63	19	5	1	58
7	13	14	13	12	12	30	34	45	75	118	152	194	166	98	26	5	1	59
10	4	5	16	20	25	32	29	41	37	27	30	28	9	4	2	2	-	60
7	12	6	11	1	15	17	22	23	26	15	18	18	13	4	3	5	-	61
-	1	1	1	2	-	1	-	1	3	2	3	3	1	1	1	-	1	62
-	1	3	-	-	2	1	1	1	3	1	1	3	1	1	1	-	-	63
5	7	8	17	11	16	14	25	27	36	37	53	53	32	25	6	2	-	64
2	1	2	8	8	5	8	15	17	21	15	18	25	6	9	3	2	-	65
1	2	2	5	1	6	2	3	5	9	18	31	25	23	15	3	-	-	66
1	2	2	1	-	4	2	6	5	5	2	1	3	1	-	-	-	-	67
1	2	2	3	2	1	2	1	-	1	1	3	-	2	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
6	4	10	16	20	58	72	148	179	220	247	221	197	115	51	18	3	-	71
2	1	5	7	11	37	49	114	143	166	173	135	105	61	23	5	1	-	72
2	2	3	5	6	14	15	20	22	42	58	79	85	51	26	11	1	-	73
-	1	1	1	3	3	4	11	10	7	9	5	3	2	1	-	-	-	74
1	-	1	3	-	4	3	3	4	4	7	2	4	-	1	2	1	-	75
1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
5	6	7	8	5	2	2	1	-	2	1	1	1	-	-	-	-	-	78
1	2	3	2	4	1	1	-	-	1	1	1	-	-	-	-	-	-	79
2	2	2	3	1	1	1	1	-	1	-	-	1	-	-	-	-	-	80
2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
12	10	24	45	54	58	71	87	100	79	60	48	32	14	2	1	-	-	85
6	2	4	18	26	27	40	59	68	56	37	33	23	9	2	-	-	-	86
3	2	5	9	12	11	4	12	17	16	16	12	9	5	-	1	-	-	87
2	2	10	11	14	15	23	10	11	5	6	1	-	-	-	-	-	-	88
1	4	5	6	2	5	3	6	3	2	-	1	-	-	-	-	-	-	89
-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
1	519	Pleurisy	198	14	1	1	-	-	16	-	2	2
2		White—Male	99	8	-	-	-	-	8	-	1	1
3		Female	70	3	1	1	-	-	5	-	1	-
4		Negro—Male	17	3	-	-	-	-	3	-	-	-
5		Female	11	-	-	-	-	-	-	-	-	1
6		Other—Male	1	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	Residual[1]	All other respiratory diseases	11,352	1,202	99	57	40	28	1,426	52	35	48
9		White—Male	7,624	582	43	28	15	14	682	30	14	17
10		Female	2,754	376	33	18	14	12	453	17	16	18
11		Negro—Male	603	119	16	6	5	1	147	1	3	5
12		Female	333	119	7	4	4	1	135	4	2	7
13		Other—Male	29	2	-	1	1	-	4	-	-	-
14		Female	9	4	-	-	1	-	5	-	-	1
15		IX. Diseases of the digestive system	58,689	5,811	637	206	184	116	6,954	340	223	242
16		White—Male	31,365	2,199	251	83	84	47	2,664	173	102	99
17		Female	20,428	1,662	205	72	60	41	2,040	118	75	85
18		Negro—Male	3,563	948	88	28	17	12	1,093	26	23	26
19		Female	2,765	768	61	19	21	14	883	22	22	30
20		Other—Male	297	113	17	1	-	1	132	-	-	1
21		Female	251	121	15	3	2	1	142	1	1	1
22	530-535	Diseases of teeth and supporting structures	180	2	1	-	-	-	3	2	8	2
23		White—Male	70	1	-	-	-	-	1	1	5	-
24		Female	55	1	1	-	-	-	2	1	2	-
25		Negro—Male	30	-	-	-	-	-	-	-	1	2
26		Female	25	-	-	-	-	-	-	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	540	Ulcer of stomach	4,729	44	2	1	2	-	49	3	4	9
30		White—Male	3,332	15	-	1	1	-	17	1	1	5
31		Female	941	15	1	-	1	-	17	2	1	2
32		Negro—Male	320	9	-	-	-	-	9	-	2	1
33		Female	109	5	1	-	-	-	6	-	-	1
34		Other—Male	24	-	-	-	-	-	-	-	-	-
35		Female	3	-	-	-	-	-	-	-	-	-
36	541	Ulcer of duodenum	4,511	26	4	1	3	-	34	-	2	6
37		White—Male	3,529	9	2	1	3	-	15	-	1	2
38		Female	699	10	2	-	-	-	12	-	1	2
39		Negro—Male	208	6	-	-	-	-	6	-	-	2
40		Female	57	1	-	-	-	-	1	-	-	-
41		Other—Male	14	-	-	-	-	-	-	-	-	-
42		Female	4	-	-	-	-	-	-	-	-	-
43	543	Gastritis and duodenitis	305	21	3	2	1	-	27	2	-	3
44		White—Male	140	5	1	1	-	-	7	1	-	-
45		Female	88	8	1	1	-	-	10	1	-	1
46		Negro—Male	39	1	-	-	-	-	1	-	-	1
47		Female	38	7	1	-	1	-	9	-	-	1
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	550-553	Appendicitis	2,398	18	13	26	23	26	106	100	84	64
51		White—Male	1,382	10	6	15	16	14	61	50	41	39
52		Female	673	4	5	8	6	8	31	34	30	12
53		Negro—Male	193	4	1	2	-	2	9	8	5	7
54		Female	135	-	1	1	1	2	5	8	8	4
55		Other—Male	8	-	-	-	-	-	-	-	-	1
56		Female	7	-	-	-	-	-	-	-	-	1
57	560,561,570	Hernia and intestinal obstruction	8,727	995	69	21	21	8	1,114	40	23	31
58		White—Male	3,961	497	31	11	10	5	554	23	12	10
59		Female	3,644	319	15	4	7	2	347	9	6	10
60		Negro—Male	597	114	16	5	1	1	137	7	2	5
61		Female	485	53	7	-	3	-	63	1	3	6
62		Other—Male	17	4	-	1	-	-	5	-	-	-
63		Female	23	8	-	-	-	-	8	-	-	-
64	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	8,205	4,194	449	101	86	39	4,869	73	31	42
65		White—Male	3,173	1,430	178	35	30	8	1,681	33	12	19
66		Female	2,907	1,145	131	31	27	12	1,346	23	8	19
67		Negro—Male	970	747	65	18	14	7	851	8	4	3
68		Female	881	653	44	14	13	10	734	8	6	1
69		Other—Male	132	108	16	-	-	1	125	-	-	-
70		Female	142	111	15	3	2	1	132	1	1	-
71	581	Cirrhosis of liver	16,399	41	8	2	5	6	62	19	21	24
72		White—Male	10,005	13	2	1	3	2	21	9	9	8
73		Female	5,179	14	5	1	2	3	25	6	8	12
74		Negro—Male	662	9	-	-	-	-	9	1	3	1
75		Female	454	5	1	-	-	1	7	3	1	3
76		Other—Male	62	-	-	-	-	-	-	-	-	-
77		Female	37	-	-	-	-	-	-	-	-	-
78	581.0	Without mention of alcoholism	12,118	40	8	2	5	6	61	18	19	22
79		White—Male	7,185	13	2	1	3	2	21	8	9	7
80		Female	4,082	14	5	1	2	3	25	6	6	11
81		Negro—Male	464	8	-	-	-	-	8	1	3	1
82		Female	326	5	1	-	-	1	7	3	1	3
83		Other—Male	36	-	-	-	-	-	-	-	-	-
84		Female	25	-	-	-	-	-	-	-	-	-
85	581.1	With alcoholism	4,281	1	-	-	-	-	1	1	2	2
86		White—Male	2,820	-	-	-	-	-	-	1	-	1
87		Female	1,097	-	-	-	-	-	-	-	2	1
88		Negro—Male	198	1	-	-	-	-	1	-	-	-
89		Female	128	-	-	-	-	-	-	-	-	-
90		Other—Male	26	-	-	-	-	-	-	-	-	-
91		Female	12	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	4	4	7	10	14	9	15	24	20	17	27	13	6	5	-	-	-	1
2	2	3	4	5	7	3	6	19	9	9	9	6	3	2	-	-	-	2
-	2	1	3	3	3	1	5	4	9	7	14	7	3	2	-	-	-	3
1	-	-	-	-	2	4	3	1	-	1	2	-	-	-	-	-	-	4
-	-	-	-	2	1	1	1	-	2	-	2	-	-	1	-	-	-	5
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
76	96	109	156	256	455	665	1,044	1,481	1,574	1,340	1,070	745	402	242	69	5	6	8
27	37	54	83	138	308	478	842	1,221	1,240	995	710	414	204	100	25	1	4	9
33	37	31	46	66	85	111	131	175	259	295	323	298	184	133	40	2	1	10
7	13	14	19	31	44	52	55	69	56	34	21	13	12	3	2	1	1	11
9	9	10	8	20	17	22	12	14	15	12	13	13	2	6	2	1	-	12
-	-	-	-	1	1	2	4	1	4	4	3	5	-	-	-	-	-	13
-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	14
330	659	1,051	1,844	3,025	4,003	4,914	5,457	6,143	6,586	5,856	5,046	3,499	1,768	596	117	15	21	15
117	251	460	880	1,627	2,295	2,827	3,364	3,796	3,948	3,238	2,694	1,767	775	243	38	2	5	16
117	239	363	658	949	1,225	1,472	1,592	1,889	2,179	2,321	2,150	1,614	920	342	66	5	9	17
43	77	117	138	218	266	338	300	271	273	165	96	56	35	5	6	5	6	18
42	82	102	153	200	185	254	167	164	165	110	86	52	32	5	6	3	-	19
6	4	3	7	16	21	18	20	17	15	13	14	5	3	1	-	-	1	20
5	6	6	8	15	11	5	14	6	6	9	6	5	3	-	1	-	-	21
9	9	4	11	13	13	11	21	14	22	16	9	7	2	2	2	-	-	22
6	2	1	3	5	5	3	9	6	10	3	4	3	2	-	1	-	-	23
1	3	2	6	4	6	-	6	4	4	7	3	3	-	1	-	-	-	24
2	1	-	-	3	1	3	5	-	5	4	1	1	-	1	-	-	-	25
-	3	1	2	1	1	5	1	4	3	2	1	-	-	-	1	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
10	33	68	103	205	294	411	516	664	690	602	556	320	144	42	5	1	-	29
7	25	37	71	135	198	293	383	492	521	426	388	212	99	18	3	-	-	30
2	2	16	20	34	47	55	70	96	117	151	151	96	37	24	1	-	-	31
1	3	12	9	25	32	44	46	56	37	17	12	8	5	-	-	1	-	32
-	2	3	3	10	14	15	13	15	11	7	3	2	3	-	1	-	-	33
-	1	-	-	1	3	4	2	5	4	1	2	1	-	-	-	-	-	34
-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	35
7	38	68	125	249	355	472	553	619	643	524	429	229	115	32	6	1	4	36
2	22	48	91	195	272	377	463	518	533	412	319	160	72	19	5	1	2	37
1	7	10	18	31	45	50	55	82	81	87	100	61	41	13	1	-	1	38
2	7	9	9	21	29	33	25	14	22	16	6	5	1	-	-	-	1	39
2	1	-	5	1	7	12	6	4	6	7	2	2	1	-	-	-	-	40
-	1	1	1	-	1	-	4	1	1	2	2	-	-	-	-	-	-	41
-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	42
3	6	8	13	23	24	22	26	28	19	27	28	20	17	7	2	-	-	43
3	3	2	11	9	13	11	14	12	12	12	12	9	7	2	-	-	-	44
-	1	2	1	8	4	2	4	7	5	7	12	7	9	5	2	-	-	45
-	1	3	1	4	3	6	5	6	-	3	3	2	-	-	-	-	-	46
-	1	1	-	2	4	3	3	3	2	5	1	2	1	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
59	86	75	99	122	165	201	185	232	238	230	169	111	53	16	-	1	2	50
22	42	37	48	72	108	110	124	143	143	139	100	66	31	6	-	-	-	51
17	23	23	18	25	26	54	34	68	74	70	61	44	20	9	-	-	-	52
12	7	6	17	11	20	24	20	13	9	16	4	1	1	1	-	-	2	53
5	11	8	15	13	9	13	7	8	11	5	4	-	-	-	-	1	-	54
2	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	55
1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	56
47	82	114	144	248	335	448	596	774	1,023	1,048	1,099	885	486	148	33	5	4	57
13	29	37	50	70	127	175	269	379	492	495	522	436	197	59	12	-	-	58
20	25	45	60	109	133	176	234	292	413	472	510	412	267	85	16	1	2	59
4	16	10	12	25	34	42	52	68	72	42	33	17	11	1	2	3	2	60
9	12	22	21	42	37	54	39	35	42	33	32	19	9	3	2	1	-	61
1	-	-	-	-	2	-	-	-	3	3	2	-	1	-	-	-	-	62
-	-	-	1	2	2	1	2	-	1	3	-	1	1	-	1	-	-	63
65	72	91	107	146	157	206	228	302	365	403	384	341	212	84	22	3	2	64
29	25	37	33	71	73	109	113	153	185	175	151	159	78	33	3	-	1	65
31	36	43	60	53	65	72	95	117	149	212	221	163	124	50	17	2	1	66
2	5	6	5	11	9	9	10	9	16	4	5	7	5	-	-	1	-	67
-	6	5	8	11	10	16	9	22	14	10	5	9	4	1	2	-	-	68
-	-	-	1	-	-	-	-	1	-	1	1	3	-	-	-	-	-	69
3	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	70
45	152	391	889	1,497	1,962	2,216	2,183	2,049	1,880	1,322	925	496	196	54	10	1	5	71
11	48	181	428	848	1,200	1,346	1,455	1,392	1,267	832	552	270	87	34	5	-	2	72
19	69	132	349	500	584	667	587	564	528	440	348	215	102	18	5	-	1	73
4	16	40	48	65	97	118	88	58	57	36	12	4	3	1	-	-	1	74
10	16	35	57	65	66	71	36	29	24	10	10	5	4	1	-	1	-	75
-	-	-	4	11	11	10	13	4	3	3	1	1	-	-	-	-	1	76
1	3	3	3	8	4	4	4	2	1	1	2	1	-	-	-	-	-	77
33	95	225	551	967	1,263	1,543	1,567	1,603	1,504	1,121	818	457	186	50	10	1	4	78
7	34	100	266	534	740	908	1,010	1,048	985	675	473	240	82	31	5	-	2	79
18	39	79	219	333	409	499	458	478	452	400	323	207	97	17	5	-	1	80
2	10	22	29	47	59	77	60	49	46	32	10	3	3	1	-	-	1	81
5	11	23	35	42	47	48	29	23	19	10	9	5	4	1	-	1	-	82
-	-	-	1	6	5	7	7	3	2	3	1	1	-	-	-	-	-	83
1	1	1	1	5	3	4	3	2	-	1	2	1	-	-	-	-	-	84
12	57	166	338	530	699	673	616	446	376	201	107	39	10	4	-	-	1	85
4	14	81	162	314	460	438	445	344	282	157	79	30	5	3	-	-	-	86
1	30	53	130	167	175	168	129	86	76	40	25	8	5	1	-	-	-	87
2	6	18	19	18	38	41	28	9	11	4	2	1	-	-	-	-	-	88
5	5	12	22	23	19	23	7	6	5	-	1	-	-	-	-	-	-	89
-	-	-	3	5	6	3	6	1	1	-	-	-	-	-	-	-	1	90
-	2	2	2	3	1	-	1	-	1	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	584,585	Cholelithiasis and cholecystitis	5,602	5	-	-	-	-	5	-	-	5
2		White--Male	2,060	3	-	-	-	-	3	-	-	-
3		White--Female	3,325	-	-	-	-	-	-	-	-	4
4		Negro--Male	57	-	-	-	-	-	-	-	-	1
5		Negro--Female	125	2	-	-	-	-	2	-	-	-
6		Other--Male	10	-	-	-	-	-	-	-	-	-
7		Other--Female	25	-	-	-	-	-	-	-	-	-
8	Residual[1]	Other diseases of digestive system	7,633	465	88	52	43	37	685	101	50	56
9		White--Male	3,713	216	31	18	21	18	304	55	21	16
10		White--Female	2,917	146	44	27	17	16	250	42	19	23
11		Negro--Male	507	58	6	3	2	2	71	2	6	3
12		Negro--Female	456	42	6	4	3	1	56	2	4	14
13		Other--Male	30	1	1	-	-	-	2	-	-	-
14		Other--Female	10	2	-	-	-	-	2	-	-	-
15		X. Diseases of the genito-urinary system	35,810	164	62	71	77	73	447	225	212	348
16		White--Male	18,496	70	26	34	30	38	198	105	101	142
17		White--Female	10,732	53	14	15	27	27	136	87	84	130
18		Negro--Male	3,613	22	16	8	10	6	62	16	13	19
19		Negro--Female	2,794	17	6	12	10	2	47	16	14	53
20		Other--Male	125	2	-	2	-	-	4	1	-	2
21		Other--Female	50	-	-	-	-	-	-	-	-	2
22	590-594	Nephritis and nephrosis	21,563	77	43	62	73	65	320	210	190	294
23		White--Male	9,324	32	18	30	30	32	142	99	91	130
24		White--Female	7,805	26	9	12	24	25	96	81	73	105
25		Negro--Male	2,159	8	12	7	9	6	42	13	12	17
26		Negro--Female	2,170	10	4	11	10	2	37	16	14	38
27		Other--Male	68	1	-	2	-	-	3	1	-	2
28		Other--Female	37	-	-	-	-	-	-	-	-	2
29	590	Acute nephritis	1,564	43	19	20	10	9	101	43	36	49
30		White--Male	636	14	8	6	1	3	32	16	16	23
31		White--Female	484	14	1	3	1	2	21	13	13	12
32		Negro--Male	225	7	8	3	1	3	22	8	4	3
33		Negro--Female	212	7	2	7	7	1	24	6	3	10
34		Other--Male	5	1	-	1	-	-	2	-	-	-
35		Other--Female	2	-	-	-	-	-	-	-	-	1
36	591	Nephritis with edema, including nephrosis	1,225	13	13	23	28	27	104	54	22	30
37		White--Male	567	5	5	15	17	16	58	30	12	14
38		White--Female	425	6	5	3	9	9	32	19	6	7
39		Negro--Male	112	-	3	3	2	2	10	2	1	3
40		Negro--Female	116	2	-	2	-	-	4	3	3	6
41		Other--Male	3	-	-	-	-	-	-	-	-	-
42		Other--Female	2	-	-	-	-	-	-	-	-	-
43	592-594	Chronic and unspecified nephritis and other renal sclerosis	18,774	21	11	19	35	29	115	113	132	215
44		White--Male	8,121	13	5	9	12	13	52	53	63	93
45		White--Female	6,896	6	3	6	14	14	43	49	54	86
46		Negro--Male	1,822	1	1	1	6	1	10	3	7	11
47		Negro--Female	1,842	1	2	2	3	1	9	7	8	22
48		Other--Male	60	-	-	1	-	-	1	1	-	2
49		Other--Female	33	-	-	-	-	-	-	-	-	1
50	600	Infections of kidney	4,052	45	6	4	3	5	63	6	11	32
51		White--Male	1,724	16	1	1	-	3	21	-	4	8
52		White--Female	1,588	13	2	1	3	2	21	4	6	18
53		Negro--Male	371	10	2	1	-	-	13	2	1	1
54		Negro--Female	339	5	1	1	-	-	7	-	-	5
55		Other--Male	21	1	-	-	-	-	1	-	-	-
56		Other--Female	9	-	-	-	-	-	-	-	-	-
57	602,604	Calculi of urinary system	1,095	2	-	1	-	-	3	2	3	2
58		White--Male	627	1	-	1	-	-	2	2	2	1
59		White--Female	380	-	-	-	-	-	-	-	1	1
60		Negro--Male	51	1	-	-	-	-	1	-	-	-
61		Negro--Female	31	-	-	-	-	-	-	-	-	-
62		Other--Male	6	-	-	-	-	-	-	-	-	-
63		Other--Female	-	-	-	-	-	-	-	-	-	-
64	601,603,	Other diseases of urinary system	1,574	33	12	3	1	3	52	7	6	8
65	605-609	White--Male	852	16	7	1	-	3	27	4	3	3
66		White--Female	423	12	3	2	-	-	17	2	3	2
67		Negro--Male	233	3	1	-	1	-	5	1	-	1
68		Negro--Female	61	2	1	-	-	-	3	-	-	2
69		Other--Male	4	-	-	-	-	-	-	-	-	-
70		Other--Female	1	-	-	-	-	-	-	-	-	-
71	610	Hyperplasia of prostate	6,173	-	-	-	-	-	-	-	-	-
72		White--Male	5,478	-	-	-	-	-	-	-	-	-
73		Negro--Male	670	-	-	-	-	-	-	-	-	-
74		Other--Male	25	-	-	-	-	-	-	-	-	-
75	611-617	Other diseases of male genital organs	620	5	1	1	-	-	7	-	1	-
76		White--Male	490	5	-	1	-	-	6	-	1	-
77		Negro--Male	129	-	1	-	-	-	1	-	-	-
78		Other--Male	1	-	-	-	-	-	-	-	-	-
79	620,621	Diseases of breast	17	1	-	-	-	-	1	-	-	1
80		White--Male	1	-	-	-	-	-	-	-	-	-
81		White--Female	14	1	-	-	-	-	1	-	-	1
82		Negro--Male	-	-	-	-	-	-	-	-	-	-
83		Negro--Female	2	-	-	-	-	-	-	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Other--Female	-	-	-	-	-	-	-	-	-	-
86	622-637	Diseases of female genital organs	716	1	-	-	-	-	1	-	1	11
87		White--Female	522	1	-	-	-	-	1	-	1	3
88		Negro--Female	191	-	-	-	-	-	-	-	-	8
89		Other--Female	3	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
12	36	61	80	134	230	371	510	750	840	903	731	560	267	90	13	1	3	1
3	9	8	22	47	67	136	187	304	311	350	285	214	85	25	4	-	-	2
5	25	46	50	70	144	205	305	415	501	536	428	339	175	65	8	1	3	3
1	1	2	1	3	5	8	6	4	9	4	5	3	3	-	1	-	-	4
3	-	3	5	10	13	21	7	19	17	9	9	3	4	-	-	-	-	5
-	-	-	-	1	-	1	1	4	1	1	1	-	-	-	-	-	-	6
-	1	2	2	3	1	-	4	4	1	3	3	1	-	-	-	-	-	7
73	145	171	273	388	468	556	639	711	866	781	716	530	276	121	24	2	1	8
21	46	72	123	175	232	267	347	397	474	394	361	238	117	47	5	1	-	9
21	48	44	76	115	171	191	202	244	307	339	316	274	145	72	16	1	1	10
15	20	29	36	50	36	51	43	43	46	23	15	8	6	1	3	-	-	11
13	30	24	37	45	24	44	46	25	35	22	19	10	6	-	-	-	-	12
3	1	2	-	2	3	3	-	2	3	2	5	-	1	1	-	-	-	13
-	-	-	1	1	2	-	1	-	1	1	-	-	1	-	-	-	-	14
469	681	801	1,007	1,300	1,582	2,080	2,437	3,079	4,000	4,468	4,692	4,205	2,531	964	205	48	29	15
223	277	266	357	472	594	857	1,076	1,446	2,108	2,472	2,863	2,656	1,577	580	100	11	15	16
150	228	294	319	418	503	634	738	989	1,103	1,296	1,300	1,163	759	302	79	13	7	17
26	58	97	129	179	205	304	346	394	487	466	354	257	130	42	13	12	4	18
68	106	140	192	225	273	272	254	234	281	215	161	120	63	33	13	11	3	19
2	6	1	3	3	5	8	13	15	17	17	11	7	2	7	-	1	-	20
-	6	3	7	3	2	5	10	1	4	2	3	2	-	-	-	-	-	21
380	542	601	724	955	1,122	1,451	1,632	1,897	2,324	2,424	2,404	2,142	1,289	498	114	33	17	22
193	244	229	289	378	436	624	688	806	1,028	1,031	1,082	999	584	206	34	4	7	23
113	171	205	206	273	327	417	517	679	805	967	984	894	580	236	59	11	6	24
22	52	73	91	136	157	198	203	212	261	235	193	133	66	24	9	9	1	25
50	66	93	129	163	200	200	207	191	219	184	139	109	59	32	12	9	3	26
2	5	1	3	2	1	7	10	8	9	5	4	5	-	-	-	-	-	27
-	4	-	6	3	1	5	7	1	2	2	2	2	-	-	-	-	-	28
56	78	51	77	98	91	107	125	105	126	120	141	88	49	18	3	-	2	29
29	21	18	26	29	34	47	58	47	61	47	73	34	21	3	-	-	1	30
13	25	18	19	27	19	28	32	29	34	49	53	43	22	11	3	-	-	31
6	13	7	13	28	23	12	18	19	17	14	7	6	4	1	-	-	-	32
8	19	8	19	13	15	19	17	10	13	10	8	4	2	3	-	-	1	33
-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	34
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
28	35	42	39	68	69	79	94	100	115	104	108	70	44	15	5	-	-	36
13	12	16	21	27	24	38	48	47	51	44	57	33	18	2	2	-	-	37
8	10	17	8	20	27	22	31	32	42	44	39	33	18	8	2	-	-	38
-	5	4	3	9	7	8	8	10	13	9	8	4	5	2	1	-	-	39
6	7	5	7	12	11	11	7	9	9	6	4	-	3	3	-	-	-	40
1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	41
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
296	429	508	608	789	962	1,265	1,413	1,692	2,083	2,200	2,155	1,984	1,196	465	106	33	15	43
151	211	195	242	322	378	539	582	712	916	940	952	932	545	201	32	4	6	44
92	136	170	179	226	281	367	454	618	729	874	892	818	540	217	54	11	6	45
16	34	62	75	99	127	178	177	183	231	212	178	123	57	21	8	9	1	46
36	40	80	103	138	174	170	183	172	197	168	127	105	54	26	12	9	2	47
1	5	1	3	2	1	6	10	6	8	5	4	4	-	-	-	-	-	48
-	3	-	6	2	1	5	7	1	2	1	2	2	-	-	-	-	-	49
38	59	86	124	160	233	282	297	402	483	500	487	433	236	90	26	4	-	50
21	13	22	35	48	84	89	114	168	211	252	251	224	103	43	12	1	-	51
14	31	32	41	58	77	108	107	161	176	193	187	181	118	41	12	2	-	52
2	4	14	21	27	23	35	39	39	50	31	31	19	13	4	1	1	-	53
1	10	15	26	27	44	49	35	30	42	21	16	7	2	1	1	-	-	54
-	1	-	-	-	4	1	-	4	3	3	1	2	-	1	-	-	-	55
-	-	3	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-	56
9	13	19	37	56	70	90	142	145	143	145	99	75	31	9	1	1	-	57
6	8	6	20	28	37	52	81	74	82	88	62	53	18	5	-	-	-	58
3	4	8	12	16	28	32	51	57	46	51	34	19	12	4	1	-	-	59
-	-	3	1	7	1	6	7	9	7	4	1	3	1	-	-	-	-	60
-	1	2	4	4	4	-	3	3	7	2	1	-	-	-	-	-	-	61
-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
8	23	20	33	43	60	105	125	158	173	202	217	163	106	49	11	2	3	64
2	10	7	9	17	24	41	63	83	103	106	138	107	65	30	7	-	3	65
4	10	6	11	15	13	28	25	42	30	59	57	47	32	16	4	-	-	66
1	2	4	10	9	16	27	36	29	30	29	18	6	6	3	-	-	-	67
1	1	3	3	2	7	9	1	4	8	7	3	3	2	-	-	2	-	68
-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	69
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	70
-	-	2	3	1	13	70	171	389	779	1,077	1,330	1,245	761	275	44	6	7	71
-	-	2	3	1	8	38	118	296	650	931	1,231	1,161	727	262	41	5	4	72
-	-	-	-	-	5	32	50	92	126	138	95	84	33	8	3	1	3	73
-	-	-	-	-	-	-	3	1	3	8	4	-	1	5	-	-	-	74
2	2	3	7	-	8	19	22	32	47	93	115	124	91	38	6	2	1	75
1	2	-	1	-	5	13	11	19	34	64	99	112	80	34	6	1	1	76
1	-	3	6	-	3	6	11	13	13	29	16	12	11	3	-	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	78
1	1	-	3	2	2	2	1	-	-	-	1	1	1	-	-	-	-	79
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	80
1	1	-	3	2	1	1	-	-	-	-	1	1	1	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
31	41	70	76	83	74	61	47	56	51	27	39	22	16	5	3	-	1	86
15	11	43	46	54	57	48	38	50	46	26	37	21	16	5	3	-	1	87
16	28	27	30	29	17	13	8	6	5	1	2	1	-	-	-	-	-	88
-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	89

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	2,385	...	...	...	...	...	...	...	4	233
2		White--Female	1,479	...	...	...	...	...	...	...	2	106
3		Negro--Female	871	...	...	...	...	...	...	...	2	127
4		Other--Female	35	...	...	...	...	...	...	...	-	-
5	640,641,	Sepsis of pregnancy, childbirth, and puerperium	224	...	...	...	...	...	...	...	1	28
6	681,682,	White--Female	158	...	...	...	...	...	...	...	1	12
7	684	Negro--Female	66	...	...	...	...	...	...	...	-	16
8		Other--Female	-	...	...	...	...	...	...	...	-	-
9	642,685,686	Toxemias of pregnancy and puerperium, etc.*	791	...	...	...	...	...	...	...	2	122
10		White--Female	439	...	...	...	...	...	...	...	1	41
11		Negro--Female	341	...	...	...	...	...	...	...	1	81
12		Other--Female	11	...	...	...	...	...	...	...	-	-
13	643,644,	Hemorrhage of pregnancy and childbirth	448	...	...	...	...	...	...	...	-	28
14	670-672	White--Female	305	...	...	...	...	...	...	...	-	21
15		Negro--Female	131	...	...	...	...	...	...	...	-	7
16		Other--Female	12	...	...	...	...	...	...	...	-	-
17	645	Ectopic pregnancy	162	...	...	...	...	...	...	...	-	5
18		White--Female	83	...	...	...	...	...	...	...	-	2
19		Negro--Female	77	...	...	...	...	...	...	...	-	3
20		Other--Female	2	...	...	...	...	...	...	...	-	-
21	650	Abortion without mention of sepsis or toxemia	87	...	...	...	...	...	...	...	1	6
22		White--Female	46	...	...	...	...	...	...	...	-	3
23		Negro--Female	40	...	...	...	...	...	...	...	1	3
24		Other--Female	1	...	...	...	...	...	...	...	-	-
25	651	Abortion with sepsis	177	...	...	...	...	...	...	...	-	18
26		White--Female	96	...	...	...	...	...	...	...	-	13
27		Negro--Female	80	...	...	...	...	...	...	...	-	5
28		Other--Female	1	...	...	...	...	...	...	...	-	-
29	652	Abortion with toxemia, without mention of sepsis	30	...	...	...	...	...	...	...	-	2
30		White--Female	20	...	...	...	...	...	...	...	-	1
31		Negro--Female	10	...	...	...	...	...	...	...	-	1
32		Other--Female	-	...	...	...	...	...	...	...	-	-
33	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	466	...	...	...	...	...	...	...	-	24
34		White--Female	332	...	...	...	...	...	...	...	-	13
35		Negro--Female	126	...	...	...	...	...	...	...	-	11
36		Other--Female	8	...	...	...	...	...	...	...	-	-
37		XII. Diseases of the skin and cellular tissue	1,259	63	10	6	3	4	86	17	19	31
38		White--Male	471	27	5	2	1	2	37	6	5	10
39		Female	560	20	2	1	1	1	25	8	7	19
40		Negro--Male	97	13	1	2	-	-	16	1	4	1
41		Female	126	3	1	1	1	1	7	2	3	1
42		Other--Male	4	-	1	-	-	-	1	-	-	-
43		Female	1	-	-	-	-	-	-	-	-	-
44	690-698	Infections of skin and subcutaneous tissue	322	26	6	2	1	2	37	3	1	5
45		White--Male	160	16	3	-	-	1	20	1	1	3
46		Female	102	6	1	-	-	-	7	2	-	2
47		Negro--Male	28	3	-	1	-	-	4	-	-	-
48		Female	31	1	1	1	1	1	5	-	-	-
49		Other--Male	1	-	1	-	-	-	1	-	-	-
50		Female	-	-	-	-	-	-	-	-	-	-
51	700-716	Other diseases of skin and subcutaneous tissue	937	37	4	4	2	2	49	14	18	26
52		White--Male	311	11	2	2	1	1	17	5	4	7
53		Female	458	14	1	1	1	1	18	6	7	17
54		Negro--Male	69	10	1	1	-	-	12	1	4	1
55		Female	95	2	-	-	-	-	2	2	3	1
56		Other--Male	3	-	-	-	-	-	-	-	-	-
57		Female	1	-	-	-	-	-	-	-	-	-
58		XIII. Diseases of the bones and organs of movement	3,141	150	26	9	9	4	198	27	53	75
59		White--Male	1,284	84	10	5	4	1	104	12	39	58
60		Female	1,530	57	13	3	1	1	75	13	12	14
61		Negro--Male	147	3	-	-	2	2	7	1	1	2
62		Female	166	4	3	1	2	-	10	1	-	1
63		Other--Male	8	2	-	-	-	-	2	-	1	-
64		Female	6	-	-	-	-	-	-	-	-	-
65	720-725	Arthritis and spondylitis	1,675	1	1	-	-	2	4	1	7	2
66		White--Male	552	-	-	-	-	-	-	1	3	-
67		Female	942	-	1	-	-	1	2	-	3	1
68		Negro--Male	66	1	-	-	-	1	2	-	1	1
69		Female	105	-	-	-	-	-	-	-	-	-
70		Other--Male	4	-	-	-	-	-	-	-	-	-
71		Female	6	-	-	-	-	-	-	-	-	-
72	726,727	Muscular rheumatism and rheumatism, unspecified	75	-	1	-	-	-	1	-	-	-
73		White--Male	24	-	1	-	-	-	1	-	-	-
74		Female	29	-	-	-	-	-	-	-	-	-
75		Negro--Male	13	-	-	-	-	-	-	-	-	-
76		Female	9	-	-	-	-	-	-	-	-	-
77		Other--Male	-	-	-	-	-	-	-	-	-	-
78		Female	-	-	-	-	-	-	-	-	-	-
79	730	Osteomyelitis and periostitis	161	6	1	-	1	-	8	2	2	-
80		White--Male	90	5	-	-	-	-	5	2	2	-
81		Female	45	-	-	-	-	-	-	-	-	-
82		Negro--Male	15	-	-	-	-	-	-	-	-	-
83		Female	11	1	1	-	1	-	3	-	-	-
84		Other--Male	-	-	-	-	-	-	-	-	-	-
85		Female	-	-	-	-	-	-	-	-	-	-
86	737,745-749	Ankylosis and acquired musculoskeletal deformities	112	14	1	2	3	-	20	6	4	5
87		White--Male	57	6	-	2	2	-	10	3	1	3
88		Female	50	7	-	-	-	-	7	3	2	2
89		Negro--Male	1	-	-	-	-	-	-	-	-	-
90		Female	3	1	1	-	1	-	3	-	-	-
91		Other--Male	1	-	-	-	-	-	-	-	1	-
92		Female	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
412	468	544	471	203	25	9	4	5	2	1	2	-	-	-	-	-	2	1
257	291	336	315	142	12	7	4	5	1	-	1	-	-	-	-	-	-	2
151	168	198	149	57	13	2	-	-	-	1	1	-	-	-	-	-	2	3
4	9	10	7	4	-	-	-	-	1	-	-	-	-	-	-	-	-	4
33	49	44	51	15	1	-	-	2	-	-	-	-	-	-	-	-	-	5
24	33	34	39	13	-	-	-	2	-	-	-	-	-	-	-	-	-	6
9	16	10	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
138	126	157	140	72	15	8	4	3	1	1	1	-	-	-	-	-	1	9
82	67	88	88	52	5	6	4	3	1	-	1	-	-	-	-	-	-	10
54	55	67	50	19	10	2	-	-	-	1	-	-	-	-	-	-	1	11
2	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	12
61	81	115	108	48	6	-	-	-	-	-	-	-	-	-	-	-	1	13
45	57	74	72	31	5	-	-	-	-	-	-	-	-	-	-	-	-	14
14	21	37	35	15	1	-	-	-	-	-	-	-	-	-	-	-	1	15
2	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	16
30	42	46	26	13	-	-	-	-	-	-	-	-	-	-	-	-	-	17
15	20	19	17	10	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15	21	26	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
27	17	23	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	21
17	10	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
10	7	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
39	50	37	28	3	1	-	-	-	-	-	1	-	-	-	-	-	-	25
18	28	18	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	26
21	22	18	11	1	1	-	-	-	-	-	1	-	-	-	-	-	-	27
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
7	6	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
6	3	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
77	97	111	106	47	2	1	-	-	1	-	-	-	-	-	-	-	-	33
50	73	82	77	34	2	1	-	-	-	-	-	-	-	-	-	-	-	34
27	23	28	25	12	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	1	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	36
26	40	22	64	58	77	95	79	114	118	118	89	103	67	22	10	4	-	37
6	5	4	13	17	24	30	31	57	53	50	39	44	27	8	5	-	-	38
10	20	11	28	30	30	48	33	39	49	51	45	54	35	14	3	1	-	39
2	1	2	5	5	8	11	7	8	7	10	3	4	-	-	1	1	-	40
8	14	5	18	6	14	6	7	9	9	6	2	1	5	-	1	2	-	41
-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	43
3	6	3	11	11	16	23	21	38	34	30	21	31	15	9	4	-	-	44
2	2	1	4	5	6	7	11	21	18	13	12	18	7	5	3	-	-	45
-	2	-	2	3	6	9	3	8	13	13	9	11	7	4	1	-	-	46
-	1	-	3	1	1	5	4	4	1	3	-	1	-	-	-	-	-	47
1	1	2	2	2	3	2	3	5	2	1	-	1	1	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
23	34	19	53	47	61	72	58	76	84	88	68	72	52	13	6	4	-	51
4	3	3	9	12	18	23	20	36	35	37	27	26	20	3	2	-	-	52
10	18	11	26	27	24	39	30	31	36	38	36	43	28	10	2	1	-	53
2	-	2	2	4	7	6	3	4	6	7	3	3	-	-	1	1	-	54
7	13	3	16	4	11	4	4	4	7	5	2	-	4	-	1	2	-	55
-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	57
69	43	61	77	98	115	151	221	295	359	362	395	313	155	58	12	2	2	58
43	17	22	33	40	55	73	99	121	136	139	125	99	53	11	2	1	2	59
19	16	22	30	40	40	59	90	141	193	192	248	186	90	43	7	-	-	60
4	5	5	7	5	11	10	19	16	11	15	11	12	2	3	-	-	-	61
3	5	10	6	12	8	9	12	16	18	15	9	16	10	1	3	1	-	62
-	-	-	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	63
-	-	2	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	64
4	8	18	25	36	42	78	125	171	226	249	272	238	115	44	7	2	1	65
2	3	6	10	19	20	30	42	59	81	85	73	74	35	5	2	1	1	66
1	2	2	9	10	12	36	63	93	124	143	185	147	69	36	4	-	-	67
-	-	2	3	-	5	5	11	6	5	8	6	7	2	2	-	-	-	68
1	3	6	2	6	5	7	8	12	15	12	6	10	9	1	1	1	-	69
-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	70
-	-	2	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	71
-	1	-	2	1	2	3	8	9	6	9	14	12	4	2	1	-	-	72
-	-	-	1	-	1	2	3	5	2	4	1	1	2	1	-	-	-	73
-	-	-	1	1	1	1	4	1	1	1	10	5	2	-	1	-	-	74
-	-	-	-	-	-	-	-	2	3	3	1	3	-	1	-	-	-	75
-	1	-	-	-	-	-	1	1	-	1	2	3	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	3	7	9	6	17	10	14	12	16	21	18	6	6	2	-	-	-	79
1	1	4	5	2	10	8	9	7	5	12	10	4	3	-	-	-	-	80
-	-	2	3	2	6	2	2	3	8	6	6	1	2	2	-	-	-	81
1	2	1	1	-	-	-	3	1	1	3	2	-	-	-	-	-	-	82
-	-	-	-	2	1	-	-	1	2	-	-	1	1	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
2	2	2	5	8	10	10	7	7	6	8	5	3	1	-	-	-	1	86
1	2	1	2	3	6	6	4	3	2	6	2	1	-	-	-	-	1	87
1	-	1	3	5	3	4	3	4	4	2	3	2	1	-	-	-	-	88
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement—Continued										
1	731-736,	All other diseases of musculoskeletal system	1,118	129	22	7	5	2	165	18	40	68
2	738-744	White—Male	561	73	9	3	2	1	88	6	33	55
3		Female	464	50	12	3	1	-	66	10	7	11
4		Negro—Male	52	2	-	-	2	1	5	1	-	1
5		Female	38	2	1	1	-	-	4	1	-	1
6		Other—Male	3	2	-	-	-	-	2	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8		XIV. Congenital malformations	20,012	15,166	953	423	239	184	16,965	415	257	219
9		White—Male	9,780	7,484	426	175	109	78	8,272	194	121	108
10		Female	8,175	6,154	414	186	96	80	6,930	171	106	76
11		Negro—Male	1,097	811	56	41	14	13	935	31	15	16
12		Female	831	616	47	19	20	10	712	18	14	17
13		Other—Male	75	59	4	1	-	1	65	1	1	1
14		Female	54	42	6	1	-	2	51	-	-	1
15	751	Spina bifida and meningocele	1,662	1,495	77	21	11	7	1,611	16	10	8
16		White—Male	677	612	31	4	4	1	652	5	4	6
17		Female	913	813	45	17	7	6	888	11	5	2
18		Negro—Male	29	28	-	-	-	-	28	-	1	-
19		Female	38	37	1	-	-	-	38	-	-	-
20		Other—Male	1	1	-	-	-	-	1	-	-	-
21		Female	4	4	-	-	-	-	4	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,572	1,820	273	124	74	51	2,342	100	50	20
23		White—Male	1,201	827	134	61	38	27	1,087	47	27	10
24		Female	1,106	819	109	47	26	18	1,019	38	19	7
25		Negro—Male	138	88	17	7	3	4	119	11	2	2
26		Female	111	71	12	9	7	2	101	4	2	1
27		Other—Male	9	9	-	-	-	-	9	-	-	-
28		Female	7	6	1	-	-	-	7	-	-	-
29	754	Congenital malformations of circulatory system	8,725	6,658	407	168	104	86	7,423	191	147	134
30		White—Male	4,400	3,456	174	66	44	32	3,772	90	66	57
31		Female	3,371	2,492	178	72	47	36	2,825	78	59	52
32		Negro—Male	498	370	26	23	7	8	434	13	10	9
33		Female	390	292	24	6	6	7	335	9	11	14
34		Other—Male	40	29	2	1	-	1	33	1	1	1
35		Female	26	19	3	-	-	2	24	-	-	1
36	750,755-759	Other congenital malformations	7,053	5,193	196	110	50	40	5,589	108	50	57
37		White—Male	3,502	2,589	87	44	23	18	2,761	52	24	35
38		Female	2,785	2,030	82	50	16	20	2,198	44	23	15
39		Negro—Male	432	325	13	11	4	1	354	7	2	5
40		Female	292	216	10	4	7	1	238	5	1	2
41		Other—Male	25	20	2	-	-	-	22	-	-	-
42		Female	17	13	2	1	-	-	16	-	-	-
43		XV. Certain diseases of early infancy	63,444	63,423	8	2	6	-	63,439	2	2	-
44		White—Male	30,024	30,013	5	2	2	-	30,022	1	-	-
45		Female	20,424	20,414	3	-	4	-	20,421	1	2	-
46		Negro—Male	6,937	6,937	-	-	-	-	6,937	-	-	-
47		Female	5,613	5,613	-	-	-	-	5,613	-	-	-
48		Other—Male	251	251	-	-	-	-	251	-	-	-
49		Female	195	195	-	-	-	-	195	-	-	-
50	760,761	Birth injuries	11,709	11,709	-	-	-	-	11,709	-	-	-
51		White—Male	6,109	6,109	-	-	-	-	6,109	-	-	-
52		Female	3,738	3,738	-	-	-	-	3,738	-	-	-
53		Negro—Male	1,058	1,058	-	-	-	-	1,058	-	-	-
54		Female	740	740	-	-	-	-	740	-	-	-
55		Other—Male	34	34	-	-	-	-	34	-	-	-
56		Female	30	30	-	-	-	-	30	-	-	-
57	762	Postnatal asphyxia and atelectasis	16,554	16,551	-	1	1	-	16,553	-	-	-
58		White—Male	8,358	8,356	-	1	-	-	8,357	-	-	-
59		Female	5,341	5,340	-	-	1	-	5,341	-	-	-
60		Negro—Male	1,511	1,511	-	-	-	-	1,511	-	-	-
61		Female	1,236	1,236	-	-	-	-	1,236	-	-	-
62		Other—Male	63	63	-	-	-	-	63	-	-	-
63		Female	45	45	-	-	-	-	45	-	-	-
64	763-768	Infections of newborn	4,187	4,187	-	-	-	-	4,187	-	-	-
65		White—Male	1,662	1,662	-	-	-	-	1,662	-	-	-
66		Female	1,156	1,156	-	-	-	-	1,156	-	-	-
67		Negro—Male	723	723	-	-	-	-	723	-	-	-
68		Female	568	568	-	-	-	-	568	-	-	-
69		Other—Male	42	42	-	-	-	-	42	-	-	-
70		Female	36	36	-	-	-	-	36	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,568	2,553	6	1	5	-	2,565	1	2	-
72		White—Male	1,377	1,369	5	1	2	-	1,377	-	-	-
73		Female	1,015	1,008	1	-	3	-	1,012	1	2	-
74		Negro—Male	114	114	-	-	-	-	114	-	-	-
75		Female	58	58	-	-	-	-	58	-	-	-
76		Other—Male	2	2	-	-	-	-	2	-	-	-
77		Female	2	2	-	-	-	-	2	-	-	-
78	769,771,772	All other defined diseases of early infancy	1,973	1,972	-	-	-	-	1,972	1	-	-
79		White—Male	779	778	-	-	-	-	778	1	-	-
80		Female	547	547	-	-	-	-	547	-	-	-
81		Negro—Male	374	374	-	-	-	-	374	-	-	-
82		Female	243	243	-	-	-	-	243	-	-	-
83		Other—Male	17	17	-	-	-	-	17	-	-	-
84		Female	13	13	-	-	-	-	13	-	-	-
85	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	26,453	26,451	2	-	-	-	26,453	-	-	-
86		White—Male	11,739	11,739	-	-	-	-	11,739	-	-	-
87		Female	8,627	8,625	2	-	-	-	8,627	-	-	-
88		Negro—Male	3,157	3,157	-	-	-	-	3,157	-	-	-
89		Female	2,768	2,768	-	-	-	-	2,768	-	-	-
90		Other—Male	93	93	-	-	-	-	93	-	-	-
91		Female	69	69	-	-	-	-	69	-	-	-

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
61	29	34	36	47	44	50	67	96	105	75	86	54	29	10	4	-	-	1
39	11	11	15	16	18	27	41	47	46	32	39	19	13	5	-	-	-	2
17	14	17	14	22	18	16	18	40	56	40	44	31	16	5	2	-	-	3
3	3	2	3	5	5	5	5	7	2	1	2	2	-	-	-	-	-	4
2	1	4	4	4	2	2	3	2	1	2	1	2	-	-	2	-	-	5
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
201	165	175	191	232	220	233	215	173	129	89	63	45	20	-	1	-	4	8
103	71	88	95	125	112	115	105	94	67	43	34	19	12	-	1	-	1	9
76	77	71	76	87	93	100	92	66	54	43	26	24	5	-	-	-	2	10
13	10	7	14	8	8	12	9	6	7	-	2	2	2	-	-	-	-	11
8	5	9	6	11	7	5	9	5	1	1	1	-	1	-	-	-	1	12
1	1	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	13
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	14
5	2	3	3	2	-	-	1	-	-	-	-	-	-	-	-	-	1	15
4	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
18	6	7	12	8	3	1	1	1	2	1	-	-	-	-	-	-	-	22
6	2	5	7	2	3	1	1	-	2	1	-	-	-	-	-	-	-	23
10	3	-	4	5	-	-	-	1	-	-	-	-	-	-	-	-	-	24
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
130	115	105	87	76	77	79	47	37	31	21	16	4	4	-	1	-	-	29
69	46	54	42	34	44	49	24	18	15	9	6	1	3	-	1	-	-	30
48	59	43	37	38	29	26	21	18	15	11	9	3	-	-	-	-	-	31
9	6	4	5	1	3	3	-	-	-	-	-	-	1	-	-	-	-	32
3	3	4	3	3	1	-	2	-	1	-	1	-	-	-	-	-	-	33
1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	34
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
48	42	60	89	146	140	153	166	135	96	67	47	41	16	-	-	-	3	36
24	22	28	46	87	65	65	89	76	50	33	28	18	9	-	-	-	1	37
17	14	28	32	44	64	74	70	47	39	32	17	21	5	-	-	-	1	38
2	3	3	8	7	5	9	9	6	7	-	2	2	1	-	-	-	-	39
5	2	3	3	7	6	5	7	5	-	1	-	-	1	-	-	-	1	40
-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		XVI. Symptoms, senility, and ill-defined conditions----	21,693	2,963	247	128	76	43	3,457	119	84	153
2		White--------Male----	8,306	773	52	29	27	12	893	42	29	50
3		Female--	5,597	497	62	32	23	9	623	18	22	31
4		Negro--------Male----	4,027	856	62	30	12	12	972	27	16	36
5		Female--	3,409	752	52	31	8	8	851	23	14	31
6		Other--------Male----	188	38	9	3	2	1	53	7	1	2
7		Female--	166	47	10	3	4	1	65	2	2	3
8	794	Senility without mention of psychosis----------	4,626	-	-	-	-	-	-	-	1	-
9		White--------Male----	1,661	-	-	-	-	-	-	-	-	-
10		Female--	2,106	-	-	-	-	-	-	-	-	-
11		Negro--------Male----	368	-	-	-	-	-	-	-	-	-
12		Female--	445	-	-	-	-	-	-	-	-	-
13		Other--------Male----	27	-	-	-	-	-	-	-	-	-
14		Female--	19	-	-	-	-	-	-	-	1	-
15	780-793,795	Symptoms, ill-defined and unknown causes----------	17,067	2,963	247	128	76	43	3,457	119	83	153
16		White--------Male----	6,645	773	52	29	27	12	893	42	29	50
17		Female--	3,491	497	62	32	23	9	623	18	22	31
18		Negro--------Male----	3,659	856	62	30	12	12	972	27	16	36
19		Female--	2,964	752	52	31	8	8	851	23	14	31
20		Other--------Male----	161	38	9	3	2	1	53	7	1	2
21		Female--	147	47	10	3	4	1	65	2	1	3
22		XVII. Accidents, poisonings, and violence----------	118,853	3,739	1,705	1,316	1,123	998	8,881	3,299	3,022	6,660
23		White--------Male----	71,666	1,587	755	625	507	472	3,946	1,842	1,896	4,470
24		Female--	29,432	1,134	544	404	351	308	2,741	901	644	1,167
25		Negro--------Male----	12,173	516	214	153	134	98	1,115	320	361	770
26		Female--	4,323	441	162	117	119	104	943	200	99	187
27		Other--------Male----	803	31	19	8	7	7	72	23	12	49
28		Female--	256	30	11	9	5	9	64	13	10	17
29	E800-E962	Accidents----------	95,032	3,629	1,692	1,280	1,101	976	8,678	3,243	2,893	5,981
30		White--------Male----	57,176	1,545	752	607	500	462	3,866	1,815	1,827	4,172
31		Female--	25,157	1,088	538	395	340	298	2,659	882	618	1,040
32		Negro--------Male----	8,445	503	211	150	132	97	1,093	315	341	584
33		Female--	3,411	433	161	112	117	103	926	196	88	134
34		Other--------Male----	625	31	19	7	7	7	71	22	11	38
35		Female--	218	29	11	9	5	9	63	13	8	13
36	E800-E802	Railway accidents----------	1,681	1	9	8	6	2	26	31	49	48
37		White--------Male----	1,244	-	4	5	2	2	13	20	33	30
38		Female--	134	1	5	3	1	-	10	4	10	5
39		Negro--------Male----	231	-	-	-	1	-	1	5	5	9
40		Female--	34	-	-	-	2	-	2	2	1	1
41		Other--------Male----	34	-	-	-	-	-	-	-	-	2
42		Female--	4	-	-	-	-	-	-	-	-	1
43	E810-E835	Motor-vehicle accidents----------	37,955	332	439	410	440	398	2,019	1,362	1,006	3,654
44		White--------Male----	25,012	167	211	207	227	203	1,015	764	595	2,535
45		Female--	8,360	114	162	160	137	129	702	408	278	799
46		Negro--------Male----	3,243	18	35	26	46	40	165	112	94	218
47		Female--	930	20	21	13	26	21	101	64	32	73
48		Other--------Male----	307	7	8	2	1	3	21	9	2	21
49		Female--	103	6	2	2	3	2	15	5	5	8
50	E810-E825	Motor-vehicle traffic accidents----------	36,929	317	266	328	385	360	1,656	1,288	978	3,609
51		White--------Male----	24,312	158	123	162	193	182	818	722	580	2,499
52		Female--	8,149	110	97	131	119	119	576	392	270	791
53		Negro--------Male----	3,168	18	26	23	45	35	147	101	90	218
54		Female--	904	19	15	10	24	20	88	62	31	72
55		Other--------Male----	295	6	4	-	1	2	13	7	2	21
56		Female--	101	6	1	2	3	2	14	4	5	8
57	E810	Motor-vehicle traffic accident with railway train*---------	1,506	13	8	10	14	10	55	34	34	163
58		White--------Male----	1,004	9	5	6	6	1	27	18	18	109
59		Female--	377	4	2	3	6	9	24	15	14	45
60		Negro--------Male----	79	-	-	-	1	-	1	-	1	8
61		Female--	36	-	1	1	1	-	3	1	1	1
62		Other--------Male----	10	-	-	-	-	-	-	-	-	-
63		Female--	-	-	-	-	-	-	-	-	-	-
64	E812	Motor-vehicle traffic accident to pedestrian----------	8,112	12	111	167	218	219	727	797	252	196
65		White--------Male----	5,141	6	49	92	114	111	372	434	148	121
66		Female--	1,735	2	40	50	54	67	213	240	66	49
67		Negro--------Male----	890	2	16	18	33	27	96	75	28	15
68		Female--	252	2	5	7	17	13	44	42	10	8
69		Other--------Male----	80	-	1	-	-	1	2	6	-	2
70		Female--	14	-	-	-	-	-	-	-	-	1
71	E811,E813-E819	Other motor-vehicle traffic accidents, etc.*----------	12,868	154	62	68	66	55	405	256	403	1,354
72		White--------Male----	8,335	85	34	24	31	31	205	162	265	857
73		Female--	3,337	50	23	40	27	19	159	76	97	293
74		Negro--------Male----	838	8	1	1	3	4	17	8	31	66
75		Female--	259	5	3	2	3	1	14	6	8	28
76		Other--------Male----	61	3	1	-	-	-	4	1	1	7
77		Female--	38	3	-	1	2	-	6	3	1	3
78	E820-E824	Motor-vehicle noncollision traffic accidents----------	9,458	72	58	61	61	43	295	122	215	1,331
79		White--------Male----	6,604	33	19	31	31	21	135	66	110	926
80		Female--	1,639	26	26	28	22	15	117	34	70	286
81		Negro--------Male----	845	4	6	1	5	2	18	11	21	83
82		Female--	223	7	6	-	2	3	18	11	9	24
83		Other--------Male----	111	1	1	-	-	1	3	-	1	9
84		Female--	36	1	-	1	1	1	4	-	4	3
85	E825	Motor-vehicle traffic accident of unspecified nature-------	4,985	66	27	22	26	33	174	79	74	565
86		White--------Male----	3,228	25	16	9	11	18	79	42	39	386
87		Female--	1,081	28	6	10	10	9	63	27	23	118
88		Negro--------Male----	516	4	3	3	3	2	15	7	9	46
89		Female--	134	5	-	-	1	3	9	2	3	11
90		Other--------Male----	33	2	1	-	1	-	4	-	-	3
91		Female--	13	2	1	-	-	1	4	1	-	1

*For complete category title, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
210	271	316	444	650	808	1,116	1,169	1,389	1,764	1,870	1,849	2,201	1,809	1,223	509	216	66	1
52	87	84	142	272	359	491	560	654	789	787	812	905	689	422	144	24	19	2
45	54	77	84	116	131	152	173	218	345	438	551	815	759	608	262	55	20	3
58	63	75	117	136	164	269	254	301	337	339	266	234	179	82	43	45	14	4
50	63	76	91	118	141	196	179	196	263	280	200	219	168	103	55	84	8	5
2	2	3	5	5	10	5	2	9	18	17	13	14	9	4	1	4	2	6
3	2	1	5	3	3	3	1	11	12	9	7	14	5	4	4	4	3	7
-	-	-	-	-	-	12	11	39	110	283	552	1,030	1,133	898	386	164	7	8
-	-	-	-	-	-	2	1	12	35	92	223	410	438	312	114	21	1	9
-	-	-	-	-	-	3	3	5	28	89	212	454	548	492	219	49	4	10
-	-	-	-	-	-	3	3	12	18	51	47	76	65	42	22	28	1	11
-	-	-	-	-	-	4	4	10	27	45	65	79	74	49	29	59	-	12
-	-	-	-	-	-	-	-	-	1	4	3	6	6	2	-	4	1	13
-	-	-	-	-	-	-	-	-	1	2	2	5	2	1	2	3	-	14
210	271	316	444	650	808	1,104	1,158	1,350	1,654	1,587	1,297	1,171	676	325	123	52	59	15
52	87	84	142	272	359	489	559	642	754	695	589	495	251	110	30	3	18	16
45	54	77	84	116	131	149	170	213	317	349	339	361	211	116	43	6	16	17
58	63	75	117	136	164	266	251	289	319	288	219	158	114	40	21	17	13	18
50	63	76	91	118	141	192	175	186	236	235	135	140	94	54	26	25	8	19
2	2	3	5	5	10	5	2	9	17	13	10	8	3	2	1	-	1	20
3	2	1	5	3	3	3	1	11	11	7	5	9	3	3	2	1	3	21
8,327	8,047	7,547	7,243	7,510	7,293	7,133	6,602	6,627	6,389	6,146	6,073	5,604	3,766	1,777	427	72	208	22
5,721	5,212	4,703	4,504	4,771	4,787	4,761	4,509	4,629	4,258	3,639	3,191	2,487	1,474	613	113	15	125	23
1,096	1,110	1,133	1,186	1,267	1,326	1,330	1,332	1,441	1,589	2,099	2,561	2,872	2,169	1,109	296	32	31	24
1,108	1,318	1,259	1,150	1,143	883	807	554	382	342	239	183	127	49	17	8	7	31	25
305	310	354	318	257	236	185	158	125	162	134	112	99	68	32	10	15	14	26
80	71	79	64	61	49	46	45	39	35	28	20	15	4	5	-	-	6	27
17	26	19	21	11	12	4	4	11	3	7	6	4	2	1	-	3	1	28
6,856	5,974	5,437	4,972	5,039	4,967	4,944	4,715	4,853	4,890	5,037	5,371	5,196	3,586	1,745	421	72	162	29
5,063	4,265	3,726	3,333	3,359	3,305	3,283	3,160	3,259	3,093	2,747	2,630	2,139	1,328	585	108	15	98	30
889	753	744	775	806	861	908	957	1,126	1,345	1,921	2,452	2,823	2,142	1,106	295	32	23	31
656	714	700	616	653	579	574	424	319	277	213	162	119	47	17	8	7	27	32
174	165	187	186	174	179	144	135	111	150	127	110	97	63	32	10	15	8	33
61	60	63	46	40	33	31	37	28	23	23	11	14	4	4	-	-	5	34
13	17	17	16	7	10	4	2	10	2	6	6	4	2	1	-	3	1	35
89	112	138	138	134	149	161	144	125	104	83	71	44	14	7	-	-	14	36
60	81	95	93	93	119	130	114	108	79	66	45	35	12	6	-	-	12	37
6	5	4	7	6	8	2	9	6	15	12	18	4	2	-	-	-	1	38
18	18	29	30	28	17	27	14	8	8	3	6	4	-	-	-	-	1	39
3	3	2	3	1	4	2	2	3	1	1	1	1	-	1	-	-	-	40
2	5	7	4	5	1	-	5	-	1	1	1	-	-	-	-	-	-	41
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4,515	3,539	2,902	2,510	2,351	2,212	2,096	2,007	2,003	1,897	1,611	1,224	666	264	69	9	3	36	43
3,341	2,510	1,955	1,642	1,521	1,388	1,313	1,288	1,337	1,247	1,040	824	452	167	50	5	1	22	44
673	523	480	471	450	481	510	504	507	503	466	331	168	82	14	2	1	7	45
363	377	337	283	278	253	207	161	106	113	74	47	35	11	2	2	-	5	46
88	77	84	80	79	68	48	35	28	27	17	14	7	4	1	-	1	2	47
39	38	36	23	20	16	16	17	19	7	12	5	4	-	2	-	-	-	48
11	14	10	11	3	6	2	2	6	-	2	3	-	-	-	-	-	-	49
4,458	3,479	2,865	2,463	2,295	2,156	2,063	1,970	1,976	1,861	1,588	1,205	650	258	66	9	3	33	50
3,290	2,457	1,924	1,605	1,481	1,340	1,288	1,258	1,316	1,219	1,024	811	440	166	48	5	1	20	51
672	521	479	468	443	479	505	502	504	496	460	325	164	78	14	2	1	7	52
359	373	332	278	271	248	205	157	103	112	73	47	35	11	2	2	-	4	53
87	77	84	78	77	67	48	34	28	27	17	14	7	3	-	-	1	2	54
39	37	36	23	20	16	15	17	19	7	12	5	4	-	2	-	-	-	55
11	14	10	11	3	6	2	2	6	-	2	3	-	-	-	-	-	-	56
152	153	138	93	111	122	101	90	87	63	66	31	11	1	1	-	-	-	57
107	104	89	60	67	80	68	65	65	44	46	25	10	1	1	-	-	-	58
30	35	29	18	28	29	27	21	19	17	20	5	1	-	-	-	-	-	59
9	8	13	7	9	9	6	4	3	1	-	-	-	-	-	-	-	-	60
6	4	6	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	61
-	2	1	1	3	1	-	-	-	1	-	1	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
183	178	214	285	305	402	500	581	673	794	760	654	401	150	44	7	2	7	64
115	94	126	165	193	244	335	380	465	564	518	441	281	102	33	4	1	5	65
30	25	30	45	39	62	81	105	135	145	177	162	83	38	8	1	-	1	66
27	44	41	53	60	69	66	70	54	67	45	37	29	9	2	2	-	1	67
4	9	10	12	6	17	17	14	13	16	11	11	6	1	-	-	1	-	68
5	4	7	10	6	6	1	11	5	2	8	2	2	-	1	-	-	-	69
2	2	-	-	1	4	-	1	1	-	1	1	-	-	-	-	-	-	70
1,641	1,305	1,106	977	919	805	790	709	695	566	445	292	123	57	10	2	-	8	71
1,180	906	735	619	567	476	466	438	443	325	272	188	84	34	8	1	-	4	72
316	245	230	241	231	237	249	226	216	209	153	94	38	23	1	1	-	2	73
105	116	107	81	85	62	57	33	21	28	14	4	1	-	-	-	-	2	74
27	26	25	30	32	27	14	11	5	2	4	2	-	-	-	-	-	-	75
11	7	6	3	3	1	3	1	7	2	1	2	-	-	1	-	-	-	76
2	5	5	3	1	2	1	-	3	-	1	2	-	-	-	-	-	-	77
1,675	1,298	978	737	637	545	422	324	275	229	156	114	62	26	5	-	1	11	78
1,294	974	695	518	451	376	269	209	188	161	95	81	31	16	1	-	-	8	79
189	140	125	102	85	87	81	80	63	56	52	29	27	9	4	-	1	2	80
139	132	109	85	72	63	49	29	13	7	8	3	2	-	-	-	-	1	81
29	26	32	18	21	11	12	3	4	3	-	1	-	1	-	-	-	-	82
18	21	14	8	7	8	10	2	5	2	1	-	2	-	-	-	-	-	83
6	5	3	6	1	-	1	1	2	-	-	-	-	-	-	-	-	-	84
807	545	429	371	323	282	250	266	246	209	161	114	53	24	6	-	-	7	85
594	379	279	243	203	164	150	166	155	125	93	76	34	13	5	-	-	3	86
107	76	65	62	60	64	67	70	71	69	58	35	15	8	1	-	-	2	87
79	73	62	52	45	45	27	21	12	9	6	3	3	2	-	-	-	-	88
21	12	13	11	14	9	5	6	6	6	2	-	1	1	-	-	-	2	89
5	3	8	1	1	-	1	3	2	-	2	-	-	-	-	-	-	-	90
1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
1	E830-E835	Motor-vehicle nontraffic accidents	1,026	15	173	82	55	38	363	74	28	45
2		White—Male	700	9	88	45	34	21	197	42	15	36
3		Female	211	4	65	29	18	10	126	16	8	8
4		Negro—Male	75	-	9	3	1	5	18	11	4	-
5		Female	26	1	6	3	2	1	13	2	1	1
6		Other—Male	12	1	4	2	-	1	8	2	-	-
7		Female	2	-	1	-	-	-	1	1	-	-
8	E840-E845	Other road-vehicle accidents	424	1	4	2	6	2	15	39	63	29
9		White—Male	273	1	2	1	2	2	8	25	41	16
10		Female	77	-	-	1	2	-	3	11	17	11
11		Negro—Male	55	-	1	-	-	-	1	3	4	2
12		Female	11	-	1	-	2	-	3	-	1	-
13		Other—Male	8	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	E850-E858	Water-transport accidents	1,614	5	-	5	5	10	25	68	94	156
16		White—Male	1,319	3	-	3	4	3	13	49	69	128
17		Female	112	1	-	1	1	5	8	11	17	13
18		Negro—Male	148	-	-	1	-	-	1	6	5	11
19		Female	20	1	-	-	-	1	2	1	2	3
20		Other—Male	14	-	-	-	-	1	1	1	-	1
21		Female	1	-	-	-	-	-	-	-	1	-
22	E860-E866	Aircraft accidents	1,605	1	2	2	2	3	10	3	6	76
23		White—Male	1,452	1	1	2	2	2	8	2	5	62
24		Female	90	-	1	-	-	1	2	1	1	8
25		Negro—Male	58	-	-	-	-	-	-	-	-	6
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other—Male	5	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	E870-E888	Accidental poisoning by solid and liquid substances	1,391	52	232	105	39	17	445	16	7	29
30		White—Male	687	21	95	37	13	7	173	7	3	22
31		Female	400	13	61	27	14	4	119	3	2	2
32		Negro—Male	190	8	44	19	10	5	86	5	2	4
33		Female	99	8	31	19	2	1	61	1	-	1
34		Other—Male	8	2	1	1	-	-	4	-	-	-
35		Female	7	-	-	2	-	-	2	-	-	-
36	E890-E895	Accidental poisoning by gases and vapors	1,223	19	5	3	6	6	39	16	17	69
37		White—Male	828	8	3	1	2	2	16	6	10	39
38		Female	282	6	2	-	4	4	16	9	7	25
39		Negro—Male	74	1	-	1	-	-	2	-	-	3
40		Female	33	4	-	1	-	-	5	1	-	1
41		Other—Male	6	-	-	-	-	-	-	-	-	1
42		Female	-	-	-	-	-	-	-	-	-	-
43	E900-E904	Accidental falls	20,631	144	88	68	52	36	388	131	69	143
44		White—Male	9,271	74	35	35	19	19	182	80	51	112
45		Female	10,135	36	33	24	19	10	122	37	16	14
46		Negro—Male	716	19	11	6	9	2	47	9	2	12
47		Female	451	12	6	3	4	4	29	4	-	3
48		Other—Male	36	-	2	-	1	-	3	-	-	1
49		Female	22	3	1	-	-	1	5	1	-	1
50	E900-E902	Fall from one level to another	7,237	110	68	50	28	25	281	94	50	119
51		White—Male	4,212	57	28	23	9	14	131	57	39	97
52		Female	2,421	29	24	20	9	6	88	27	10	10
53		Negro—Male	412	16	8	5	7	1	37	7	1	10
54		Female	169	6	6	2	3	3	20	3	-	2
55		Other—Male	17	-	2	-	-	-	2	-	-	-
56		Female	6	2	-	-	-	1	3	-	-	-
57	E903	Fall on same level	4,379	6	6	4	3	-	19	8	6	2
58		White—Male	1,629	3	3	3	2	-	11	5	4	1
59		Female	2,610	1	2	-	1	-	4	1	1	1
60		Negro—Male	69	-	1	1	-	-	2	2	1	-
61		Female	65	1	-	-	-	-	1	-	-	-
62		Other—Male	3	-	-	-	-	-	-	-	-	-
63		Female	3	1	-	-	-	-	1	-	-	-
64	E904	Unspecified falls	9,015	28	14	14	21	11	88	29	13	22
65		White—Male	3,430	14	4	9	8	5	40	18	8	14
66		Female	5,104	6	7	4	9	4	30	9	5	3
67		Negro—Male	235	3	2	-	2	1	8	-	-	2
68		Female	217	5	-	1	1	1	8	1	-	1
69		Other—Male	16	-	-	-	1	-	1	-	-	1
70		Female	13	-	1	-	-	-	1	1	-	1
71	E910	Blow from falling object	1,336	4	12	15	18	17	66	39	20	54
72		White—Male	1,100	4	8	6	11	11	40	26	15	45
73		Female	49	-	3	6	4	4	17	10	4	1
74		Negro—Male	174	-	-	1	1	2	4	3	1	7
75		Female	7	-	-	2	2	-	4	-	-	1
76		Other—Male	6	-	1	-	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	E912	Accident caused by machinery	2,144	1	12	24	22	24	83	59	112	141
79		White—Male	1,849	-	6	15	18	17	56	36	91	121
80		Female	94	1	5	7	3	6	22	19	11	4
81		Negro—Male	186	-	1	2	1	1	5	3	10	16
82		Female	5	-	-	-	-	-	-	-	-	-
83		Other—Male	10	-	-	-	-	-	-	1	-	-
84		Female	-	-	-	-	-	-	-	-	-	-
85	E914	Accident caused by electric current	984	18	8	13	8	5	52	21	28	81
86		White—Male	843	12	4	10	3	4	33	17	22	73
87		Female	57	6	4	3	4	1	18	4	3	3
88		Negro—Male	77	-	-	-	1	-	1	-	3	5
89		Female	5	-	-	-	-	-	-	-	-	-
90		Other—Male	2	-	-	-	-	-	-	-	-	-
91		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
57	60	37	47	56	56	33	37	27	36	23	19	16	6	3	-	-	3	1
51	53	31	37	40	48	25	30	21	28	16	13	12	1	2	-	-	2	2
1	2	1	3	7	2	5	2	3	7	6	6	4	4	-	-	-	-	3
4	4	5	5	7	5	2	4	3	1	1	-	-	-	-	-	-	1	4
1	-	-	2	2	1	-	1	-	-	-	-	-	1	1	-	-	-	5
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
9	11	13	11	19	24	19	25	33	33	33	21	14	12	-	-	-	1	8
5	8	7	9	11	13	11	16	21	26	25	17	8	6	-	-	-	-	9
-	2	2	-	2	4	2	2	7	1	4	2	3	4	-	-	-	-	10
1	1	2	2	5	4	6	5	5	3	3	2	3	2	-	-	-	1	11
-	-	1	-	1	2	-	1	-	2	-	-	-	-	-	-	-	-	12
3	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
187	162	180	154	151	128	114	83	54	29	16	7	2	-	-	-	-	4	15
154	134	140	124	130	107	99	76	48	26	13	7	1	-	-	-	-	1	16
8	10	14	8	5	8	3	-	2	1	1	-	1	-	-	-	-	2	17
20	13	25	20	15	10	11	4	3	2	1	-	-	-	-	-	-	1	18
3	3	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	19
2	2	-	2	-	-	-	3	1	-	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
486	312	318	133	78	55	42	26	18	9	4	2	-	-	-	-	-	27	22
446	292	300	124	71	46	35	21	15	7	2	-	-	-	-	-	-	16	23
13	11	13	5	7	9	6	5	3	1	1	2	-	-	-	-	-	2	24
26	7	5	4	-	-	1	-	-	1	1	-	-	-	-	-	-	7	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
50	61	89	99	132	111	118	69	62	37	30	12	13	8	2	-	-	1	29
22	29	43	52	68	51	70	37	39	23	22	5	12	7	1	-	-	1	30
11	17	25	31	42	48	35	26	16	9	7	6	-	1	-	-	-	-	31
10	10	18	9	15	9	10	5	4	2	1	-	-	-	-	-	-	-	32
7	5	2	5	5	2	2	1	2	2	-	1	1	-	1	-	-	-	33
-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	34
-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	35
77	72	83	84	98	90	103	77	94	83	78	65	52	20	5	1	-	-	36
49	53	55	59	73	69	82	58	72	55	45	39	30	15	3	-	-	-	37
17	9	13	14	18	9	17	14	14	24	25	25	20	4	2	-	-	-	38
7	6	11	8	5	9	4	5	6	4	2	1	1	-	-	-	-	-	39
4	3	3	3	1	2	-	-	2	-	5	-	1	1	-	1	-	-	40
-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
158	207	271	367	468	630	720	871	1,143	1,494	2,096	3,014	3,658	2,880	1,490	369	54	10	43
117	150	180	243	322	442	480	541	709	844	898	1,157	1,246	952	455	95	11	4	44
16	17	27	52	66	95	132	211	349	554	1,114	1,775	2,341	1,882	1,014	269	28	4	45
16	31	42	53	58	63	83	76	53	47	40	34	26	11	6	1	5	1	46
7	7	17	18	19	27	22	41	31	43	40	44	41	32	13	4	8	1	47
1	1	4	1	2	2	2	2	1	5	3	3	2	2	1	-	-	-	48
1	1	1	-	1	1	1	-	-	1	1	1	2	1	1	-	2	-	49
105	150	176	204	283	365	410	486	574	649	688	801	851	588	296	75	9	3	50
87	114	120	148	199	268	278	321	405	431	391	390	370	227	109	25	2	3	51
6	14	16	22	36	45	68	95	130	172	267	385	447	348	181	49	5	-	52
9	19	30	26	34	36	51	53	28	29	17	12	5	3	3	1	1	-	53
2	2	8	7	12	14	12	17	11	14	12	13	7	10	3	-	-	-	54
1	-	2	1	2	2	1	-	-	3	1	1	1	-	-	-	-	-	55
-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	56
7	16	20	39	44	59	81	137	184	270	483	749	922	798	406	115	12	2	57
4	10	13	22	31	37	58	72	94	131	167	261	299	253	129	23	4	-	58
1	1	3	7	7	13	17	47	77	127	306	470	616	539	273	91	6	2	59
1	3	1	7	6	7	5	7	7	5	5	5	1	2	1	-	1	-	60
1	2	3	3	-	1	1	11	6	7	4	12	5	4	2	1	1	-	61
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	62
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	63
46	41	75	124	141	206	229	248	385	575	925	1,464	1,905	1,494	788	179	33	5	64
26	26	47	73	92	137	144	148	210	282	340	506	577	472	217	47	5	1	65
9	2	8	23	23	37	47	69	142	255	541	920	1,278	995	560	129	17	2	66
6	9	11	20	18	20	27	16	18	13	18	17	20	6	2	-	3	1	67
4	3	6	8	7	12	9	13	14	22	24	19	29	18	8	3	7	1	68
-	1	2	-	-	-	1	2	1	2	1	2	-	2	-	-	-	-	69
1	-	1	-	1	-	1	-	-	1	1	-	1	1	1	-	1	-	70
61	124	115	131	143	142	129	119	80	44	34	18	11	4	1	-	-	1	71
50	110	98	111	119	123	103	103	64	39	28	12	9	3	1	-	-	1	72
-	-	1	3	1	-	1	3	1	1	2	2	2	-	-	-	-	-	73
10	14	14	17	21	17	25	13	15	4	4	4	-	1	-	-	-	-	74
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
108	179	152	180	176	171	192	172	180	115	63	47	9	3	1	-	-	1	78
93	160	128	151	152	150	163	152	166	112	60	44	9	3	1	-	-	1	79
1	7	4	4	5	1	6	4	1	1	2	2	-	-	-	-	-	-	80
13	11	19	21	19	18	22	14	12	1	1	1	-	-	-	-	-	-	81
1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	82
-	1	1	3	-	1	1	1	-	1	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
109	152	129	108	102	68	54	32	25	12	5	2	2	1	1	-	-	-	85
97	140	117	87	91	57	45	26	21	10	3	2	2	-	-	-	-	-	86
2	3	5	3	3	2	4	5	-	1	-	-	-	-	1	-	-	-	87
9	9	7	15	7	8	5	1	4	1	1	-	-	1	-	-	-	-	88
-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	89
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
1	E916	Accident caused by fire and explosion, etc.*	6,579	292	253	243	251	229	1,268	476	179	148
2		White—Male	2,787	62	68	72	56	64	322	134	66	62
3		Female	1,856	67	49	57	86	75	334	182	60	43
4		Negro—Male	931	79	72	55	46	21	273	54	25	15
5		Female	935	80	59	58	61	63	321	100	28	24
6		Other—Male	41	2	1	-	1	1	5	1	-	4
7		Female	29	2	4	1	1	5	13	5	-	-
8	E917,E918	Accident caused by hot substance, etc.*	815	65	91	51	37	21	265	17	9	11
9		White—Male	360	22	40	16	11	7	96	6	5	4
10		Female	240	24	24	19	13	10	90	7	2	2
11		Negro—Male	115	11	11	9	7	1	39	2	1	2
12		Female	97	8	15	6	6	3	38	2	1	3
13		Other—Male	2	-	1	-	-	-	1	-	-	-
14		Female	1	-	-	1	-	-	1	-	-	-
15	E919	Accident caused by firearm	2,277	8	6	18	21	31	84	122	292	381
16		White—Male	1,701	2	3	7	10	17	39	73	230	304
17		Female	182	1	2	1	4	2	10	26	25	19
18		Negro—Male	299	1	1	9	3	5	19	19	30	47
19		Female	76	4	-	1	3	6	14	2	5	10
20		Other—Male	16	-	-	-	1	-	1	1	2	1
21		Female	3	-	-	-	-	1	1	1	-	-
22	E921,E922	Inhalation and ingestion of food or other object, etc.*	1,603	1,019	145	50	22	11	1,247	33	8	10
23		White—Male	766	450	68	27	8	4	557	15	4	5
24		Female	510	333	55	13	9	5	415	11	2	3
25		Negro—Male	187	127	12	8	2	2	151	3	1	1
26		Female	121	96	8	1	3	-	108	3	1	1
27		Other—Male	11	7	2	-	-	-	9	1	-	-
28		Female	8	6	-	1	-	-	7	-	-	-
29	E929	Accidental drowning	5,352	55	222	201	113	97	688	590	677	747
30		White—Male	3,640	23	126	134	67	63	433	419	410	477
31		Female	704	24	81	56	19	20	200	85	111	57
32		Negro—Male	852	4	6	3	2	10	25	73	138	203
33		Female	91	1	4	3	3	2	13	7	12	6
34		Other—Male	52	1	2	3	2	2	10	5	5	2
35		Female	13	2	3	2	-	-	7	1	1	2
36	E931	Excessive heat and insolation	576	22	6	1	1	1	31	5	1	12
37		White—Male	319	12	2	-	-	-	14	4	1	9
38		Female	142	3	4	-	1	1	9	1	-	1
39		Negro—Male	81	4	-	1	-	-	5	-	-	1
40		Female	29	2	-	-	-	-	2	-	-	1
41		Other—Male	4	1	-	-	-	-	1	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	670	29	10	3	2	2	46	22	5	8
44		White—Male	255	18	7	1	-	-	26	12	2	1
45		Female	276	4	2	-	1	2	9	5	2	5
46		Negro—Male	58	2	1	2	-	-	5	3	-	-
47		Female	78	5	-	-	1	-	6	2	1	2
48		Other—Male	1	-	-	-	-	-	-	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	Residual[1]	All other accidents	6,172	1,561	148	58	50	64	1,881	193	251	184
51		White—Male	3,470	665	69	28	25	35	822	120	174	127
52		Female	1,457	454	45	17	18	19	553	48	50	25
53		Negro—Male	770	229	16	7	3	8	263	15	20	22
54		Female	389	192	16	5	2	2	217	7	4	4
55		Other—Male	62	11	1	1	1	-	14	3	2	5
56		Female	24	10	1	-	1	-	12	-	1	1
57	E963,E970-E979	Suicide	15,947	-	-	-	-	-	-	-	58	298
58		White—Male	12,008	-	-	-	-	-	-	-	46	195
59		Female	3,299	-	-	-	-	-	-	-	6	81
60		Negro—Male	419	-	-	-	-	-	-	-	2	5
61		Female	96	-	-	-	-	-	-	-	3	9
62		Other—Male	107	-	-	-	-	-	-	-	-	5
63		Female	18	-	-	-	-	-	-	-	1	3
64	E970-E973	Suicide by poisoning	3,269	-	-	-	-	-	-	-	3	72
65		White—Male	2,071	-	-	-	-	-	-	-	1	38
66		Female	1,121	-	-	-	-	-	-	-	1	30
67		Negro—Male	44	-	-	-	-	-	-	-	-	1
68		Female	24	-	-	-	-	-	-	-	1	2
69		Other—Male	7	-	-	-	-	-	-	-	-	1
70		Female	2	-	-	-	-	-	-	-	-	-
71	E974	Suicide by hanging and strangulation	3,397	-	-	-	-	-	-	-	31	52
72		White—Male	2,473	-	-	-	-	-	-	-	31	46
73		Female	791	-	-	-	-	-	-	-	-	6
74		Negro—Male	64	-	-	-	-	-	-	-	-	-
75		Female	21	-	-	-	-	-	-	-	-	-
76		Other—Male	42	-	-	-	-	-	-	-	-	-
77		Female	6	-	-	-	-	-	-	-	-	-
78	E976	Suicide by firearms and explosives	7,293	-	-	-	-	-	-	-	22	152
79		White—Male	6,220	-	-	-	-	-	-	-	13	104
80		Female	774	-	-	-	-	-	-	-	5	35
81		Negro—Male	225	-	-	-	-	-	-	-	2	4
82		Female	29	-	-	-	-	-	-	-	2	4
83		Other—Male	40	-	-	-	-	-	-	-	-	4
84		Female	5	-	-	-	-	-	-	-	-	1
85	E963,E975, E977-E979	Suicide by all other means	1,988	-	-	-	-	-	-	-	2	22
86		White—Male	1,244	-	-	-	-	-	-	-	1	7
87		Female	613	-	-	-	-	-	-	-	-	10
88		Negro—Male	86	-	-	-	-	-	-	-	-	-
89		Female	22	-	-	-	-	-	-	-	-	3
90		Other—Male	18	-	-	-	-	-	-	-	-	-
91		Female	5	-	-	-	-	-	-	-	1	2

*For complete category title, see table 50.

[1]For category numbers, see table 50.

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
207	284	275	318	360	367	349	314	333	347	388	385	323	150	67	13	10	18	1
88	154	135	162	191	192	177	179	171	156	167	178	137	70	34	2	2	8	2
59	52	58	83	84	91	74	66	92	95	145	138	124	50	18	3	1	4	3
30	45	44	33	58	47	55	40	39	46	34	35	32	13	5	4	1	3	4
28	31	34	35	26	31	41	26	29	48	40	33	26	15	9	4	5	1	5
1	-	3	4	1	5	2	3	2	2	1	-	4	1	1	-	-	1	6
1	2	1	1	-	1	-	-	-	-	1	1	-	1	-	-	1	1	7
15	25	22	14	27	30	32	40	43	55	54	55	55	27	15	3	1	-	8
6	14	10	11	11	15	14	23	25	26	24	28	21	15	4	2	-	-	9
7	5	4	-	7	9	2	7	8	17	15	20	23	8	6	1	-	-	10
1	4	5	2	6	3	11	6	6	7	8	4	4	2	2	-	-	-	11
1	2	3	1	3	3	5	4	4	5	6	3	7	2	3	-	1	-	12
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
212	165	155	162	153	123	124	82	79	54	47	24	11	4	2	-	-	1	15
156	106	102	118	119	98	102	68	69	42	39	22	9	3	2	-	-	-	16
17	18	15	13	11	8	7	3	6	3	1	-	-	-	-	-	-	-	17
30	32	29	24	18	14	10	6	4	7	6	2	1	-	-	-	-	1	18
7	7	6	5	5	3	3	5	-	2	1	-	-	1	-	-	-	-	19
2	2	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
10	21	14	19	25	20	20	28	16	36	22	26	21	17	8	1	-	1	22
3	13	7	10	11	11	9	18	12	21	19	19	14	9	7	1	-	1	23
-	3	5	6	9	6	7	9	4	10	-	6	5	8	1	-	-	-	24
6	4	2	2	3	3	3	1	-	2	3	1	1	-	-	-	-	-	25
1	1	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	28
351	299	274	233	233	244	243	204	160	147	95	71	42	19	4	2	-	29	29
252	183	181	156	153	189	182	165	123	121	78	52	28	13	2	1	-	22	30
27	21	22	21	24	19	25	17	23	16	12	11	8	3	1	-	-	1	31
61	86	59	45	44	28	33	18	12	8	3	6	4	1	-	1	-	4	32
8	6	8	7	7	7	1	2	-	1	2	1	-	1	1	-	-	1	33
3	3	4	3	5	-	2	2	2	1	-	1	2	1	-	-	-	1	34
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	35
19	10	19	23	33	40	65	50	56	50	49	32	44	21	7	4	-	5	36
15	5	13	14	20	20	40	32	35	28	26	14	20	5	1	-	-	3	37
-	2	2	1	3	4	10	8	12	16	14	13	23	13	6	4	-	-	38
4	2	2	7	7	13	12	7	7	3	5	4	-	1	-	-	-	1	39
-	1	2	1	3	3	2	3	1	3	3	1	1	2	-	-	-	-	40
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	41
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	42
24	27	39	28	39	48	60	54	76	50	55	43	24	15	6	-	-	1	43
7	6	9	8	12	11	24	29	21	26	22	25	8	6	-	-	-	-	44
6	12	17	10	14	24	23	19	41	19	26	15	15	8	6	-	-	-	45
5	4	6	-	3	2	7	4	10	3	4	-	1	1	-	-	-	-	46
6	5	7	10	10	11	5	2	2	2	3	3	-	-	-	-	-	1	47
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	49
169	212	249	260	317	315	303	318	273	294	274	252	205	127	60	19	4	12	50
102	117	151	159	191	204	204	214	203	205	170	140	98	42	18	2	1	6	51
26	36	33	43	49	35	42	45	34	58	74	86	86	77	37	16	2	2	52
26	40	44	41	63	61	42	44	25	15	19	15	7	3	2	-	1	2	53
10	14	15	14	10	11	11	12	8	12	8	9	12	5	3	1	-	2	54
5	5	3	1	3	4	4	3	2	4	2	1	1	-	-	-	-	-	55
-	-	3	2	1	-	-	-	1	-	1	1	1	-	-	-	-	-	56
611	996	1,031	1,272	1,534	1,687	1,714	1,589	1,575	1,338	1,008	650	376	158	30	5	-	17	57
419	668	689	884	1,130	1,249	1,284	1,214	1,260	1,088	840	531	327	138	27	5	-	14	58
138	249	273	314	345	381	364	331	284	216	152	100	42	18	2	-	-	3	59
32	53	53	50	43	40	47	33	17	21	6	10	5	2	-	-	-	-	60
15	13	9	11	4	8	8	5	3	3	4	-	1	-	-	-	-	-	61
7	7	6	11	10	9	11	5	10	10	5	9	1	-	1	-	-	-	62
-	6	1	2	2	-	-	1	1	-	1	-	-	-	-	-	-	-	63
149	236	260	339	385	421	396	304	237	188	140	77	38	17	3	-	-	4	64
86	146	167	214	254	255	260	193	148	125	90	50	27	11	3	-	-	3	65
52	85	80	113	125	160	131	107	86	61	47	25	11	6	-	-	-	1	66
6	4	9	6	4	3	4	3	1	1	1	1	-	-	-	-	-	-	67
4	1	4	4	1	3	1	1	1	-	1	-	-	-	-	-	-	-	68
1	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	69
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	70
83	160	163	221	258	301	324	369	430	380	283	169	115	40	8	2	-	8	71
62	105	100	140	178	209	220	264	322	290	228	125	99	38	7	2	-	7	72
13	37	50	65	72	80	89	96	94	84	50	36	16	2	-	-	-	1	73
3	12	8	9	5	6	9	5	4	1	1	1	-	-	-	-	-	-	74
3	3	2	1	1	2	2	3	1	1	2	-	-	-	-	-	-	-	75
2	2	2	5	1	4	4	-	8	4	2	7	-	-	1	-	-	-	76
-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	77
328	489	494	576	752	761	757	681	696	593	444	316	148	65	12	3	-	4	78
245	363	362	446	613	667	664	609	641	544	425	300	143	62	12	3	-	4	79
57	86	106	93	108	74	63	52	44	26	13	9	2	1	-	-	-	-	80
20	27	23	28	24	17	23	17	9	18	4	6	1	2	-	-	-	-	81
2	5	2	5	1	1	3	-	1	2	-	-	1	-	-	-	-	-	82
4	5	1	4	6	2	4	3	1	3	1	1	1	-	-	-	-	-	83
-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	84
51	111	114	136	139	204	237	235	212	177	141	88	75	36	7	-	-	1	85
26	54	60	84	85	118	140	148	149	129	97	56	58	27	5	-	-	-	86
16	41	37	43	40	67	81	76	60	45	42	30	13	9	2	-	-	1	87
3	10	13	7	10	14	11	8	3	1	-	2	4	-	-	-	-	-	88
6	4	1	1	1	2	2	1	-	-	1	-	-	-	-	-	-	-	89
-	-	3	1	3	3	3	2	-	2	1	-	-	-	-	-	-	-	90
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

Table 51. Deaths From 256 Selected Causes, by

(Exclusive of fetal deaths and of

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
1	E964,E980-	Homicide	7,640	110	13	36	22	22	203	56	71	380
2	E985	White--Male	2,449	42	3	18	7	10	80	27	23	102
3		Female	976	46	6	9	11	10	82	19	20	46
4		Negro--Male	3,308	13	3	3	2	1	22	5	18	181
5		Female	816	8	1	5	2	1	17	4	8	44
6		Other--Male	71	-	-	1	-	-	1	1	1	6
7		Female	20	1	-	-	-	-	1	-	1	1
8	E981	Assault by firearms and explosives	4,013	2	5	5	7	6	25	25	41	210
9		White--Male	1,317	1	2	4	2	4	13	12	18	60
10		Female	533	1	-	1	4	2	8	7	7	31
11		Negro--Male	1,737	-	3	-	-	-	3	3	12	103
12		Female	392	-	-	-	1	-	1	2	3	16
13		Other--Male	26	-	-	-	-	-	-	1	1	-
14		Female	8	-	-	-	-	-	-	-	-	-
15	E982	Assault by cutting and piercing instruments	1,837	9	-	3	2	2	16	9	7	107
16		White--Male	350	3	-	2	-	1	6	6	1	17
17		Female	117	5	-	-	2	1	8	3	2	8
18		Negro--Male	1,087	1	-	1	-	-	2	-	3	59
19		Female	263	-	-	-	-	-	-	-	1	20
20		Other--Male	17	-	-	-	-	-	-	-	-	3
21		Female	3	-	-	-	-	-	-	-	-	-
22	E964,E980,	Assault by other means	1,473	99	8	28	13	14	162	21	20	41
23	E983	White--Male	631	38	1	12	5	5	61	9	2	13
24		Female	322	40	6	8	5	7	66	9	11	7
25		Negro--Male	328	12	-	2	2	1	17	1	2	9
26		Female	161	8	1	5	1	1	16	2	4	8
27		Other--Male	22	-	-	1	-	-	1	-	-	3
28		Female	9	1	-	-	-	-	1	-	1	1
29	E984	Injury by intervention of police	255	-	-	-	-	-	-	1	3	21
30		White--Male	124	-	-	-	-	-	-	-	2	11
31		Female	1	-	-	-	-	-	-	-	-	-
32		Negro--Male	125	-	-	-	-	-	-	1	1	10
33		Female	-	-	-	-	-	-	-	-	-	-
34		Other--Male	5	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	E985	Execution	62	-	-	-	-	-	-	-	-	1
37		White--Male	27	-	-	-	-	-	-	-	-	1
38		Female	3	-	-	-	-	-	-	-	-	-
39		Negro--Male	31	-	-	-	-	-	-	-	-	-
40		Female	-	-	-	-	-	-	-	-	-	-
41		Other--Male	1	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	E965,E990-	Injury resulting from operations of war	34	-	-	-	-	-		-	-	1
44	E999	White--Male	33	-	-	-	-	-	-	-	-	1
45		Female	-	-	-	-	-	-	-	-	-	-
46		Negro--Male	1	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1953—Continued

deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
856	1,076	1,073	992	936	639	474	293	194	158	101	52	32	22	2	1	-	29	1
235	278	282	280	281	233	193	131	105	74	52	30	21	8	1	-	-	13	2
69	108	116	97	116	84	58	44	31	28	26	9	7	9	1	1	-	5	3
420	551	506	484	447	264	186	96	46	44	20	11	3	-	-	-	-	4	4
116	132	158	121	79	49	33	18	11	9	3	2	1	5	-	-	-	6	5
12	4	10	7	11	7	4	3	1	2	-	-	-	-	-	-	-	1	6
4	3	1	3	2	2	-	1	-	1	-	-	-	-	-	-	-	-	7
465	601	600	555	513	344	240	144	85	69	43	27	12	6	-	-	-	8	8
133	164	165	173	161	124	101	64	47	34	18	17	8	3	-	-	-	2	9
35	77	74	59	74	55	33	25	13	12	12	6	2	2	-	-	-	1	10
227	289	274	263	228	142	87	46	21	19	12	3	2	-	-	-	-	3	11
63	68	83	56	47	17	17	8	4	2	1	1	-	1	-	-	-	2	12
5	-	3	3	3	5	2	1	-	2	-	-	-	-	-	-	-	-	13
2	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	14
228	301	288	260	246	142	91	47	43	27	12	7	2	3	-	-	-	1	15
37	42	44	43	48	31	22	15	19	9	5	3	2	-	-	-	-	-	16
10	9	16	10	17	9	5	3	5	6	3	-	-	3	-	-	-	-	17
136	199	176	163	155	82	55	24	16	9	4	4	-	-	-	-	-	-	18
44	50	49	44	21	18	8	4	2	2	-	-	-	-	-	-	-	-	19
1	1	3	-	4	2	1	-	1	-	-	-	-	-	-	-	-	1	20
-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	21
87	120	132	144	153	136	126	97	61	60	45	15	17	13	2	1	-	20	22
25	44	47	51	63	70	65	50	36	31	28	9	10	5	1	-	-	11	23
24	22	25	27	24	20	19	16	13	10	11	3	5	4	1	1	-	4	24
23	39	30	40	51	31	33	23	7	14	4	2	1	-	-	-	-	1	25
9	14	26	21	11	14	8	6	5	5	2	1	1	4	-	-	-	4	26
4	1	4	3	3	-	1	2	-	-	-	-	-	-	-	-	-	-	27
2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	28
62	45	43	26	18	14	9	3	4	1	1	3	1	-	-	-	-	-	29
35	23	23	8	5	8	3	-	3	-	1	1	1	-	-	-	-	-	30
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
25	21	19	17	12	6	6	3	1	1	-	2	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
14	9	10	7	6	3	8	2	1	1	-	-	-	-	-	-	-	-	36
5	5	3	5	4	-	2	2	-	-	-	-	-	-	-	-	-	-	37
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	38
9	3	7	1	1	3	5	-	1	1	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
4	1	6	7	1	-	1	5	5	3	-	-	-	-	-	-	-	-	43
4	1	6	7	1	-	1	4	5	3	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,517,541	766,703	569,132	100,397	81,309	27,116	9,486	6,548	5,906	5,176
2	I. Infective and parasitic diseases	33,962	16,999	8,059	5,608	3,296	804	240	125	249	190
3	Tuberculosis, all forms---001-019	19,544	10,214	4,040	3,360	1,930	482	149	65	146	122
4	Tuberculosis of respiratory system---001-008	17,814	9,605	3,617	2,965	1,627	436	139	61	129	107
5	Tuberculosis of meninges and central nervous system---010	583	170	149	146	118	14	3	2	4	5
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	117	26	35	24	32	5	-	-	3	2
7	Tuberculosis of vertebral column---012.0,013.0	120	55	38	14	13	3	-	-	1	2
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	40	11	17	10	2	1	-	-	1	-
9	Tuberculosis of genito-urinary system---016	251	144	74	25	8	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	97	42	24	19	12	1	-	1	-	-
11	Disseminated tuberculosis---019	522	161	86	157	118	21	6	1	8	6
12	Syphilis and its sequelae---020-029	5,273	2,603	839	1,287	544	107	31	3	46	27
13	Congenital syphilis---020	89	22	13	32	22	6	-	-	3	3
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	1,770	1,062	318	266	124	32	15	3	9	5
16	Other cardiovascular syphilis---023	1,808	781	247	557	223	33	2	-	22	9
17	Tabes dorsalis---024	138	87	31	16	4	2	-	-	1	1
18	General paralysis of insane---025	783	371	100	225	87	18	7	-	7	4
19	Other syphilis of central nervous system---026	538	224	104	150	60	12	6	-	3	3
20	Other syphilis---027-029	147	56	26	41	24	4	1	-	1	2
21	Gonococcal infection---030-035	29	10	1	6	12	1	1	-	-	-
22	Typhoid fever---040	52	21	17	6	8	1	-	1	-	-
23	Paratyphoid fever---041	24	6	12	3	3	-	-	-	-	-
24	Other Salmonella infections---042	48	19	17	9	3	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	18	14	3	1	-	-	-	-	-	-
27	Dysentery, all forms---045-048	882	319	278	161	124	27	7	1	12	7
28	Food poisoning (infection and intoxication)---049	129	46	33	22	28	6	1	-	4	1
29	Scarlet fever---050	79	38	36	2	3	2	1	1	-	-
30	Streptococcal sore throat---051	216	97	90	13	16	1	1	-	-	-
31	Erysipelas---052	45	27	16	-	2	-	-	-	-	-
32	Septicemia and pyemia---053	783	368	260	99	56	13	5	5	-	3
33	Diphtheria---055	156	58	44	32	22	10	1	4	4	1
34	Whooping cough---056	270	68	95	49	58	4	-	1	-	3
35	Meningococcal infections---057	1,325	654	457	115	99	44	16	16	10	2
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	7	4	1	1	1	-	-	-	-	-
38	Leprosy---060	7	4	3	-	-	-	-	-	-	-
39	Tetanus---061	337	111	75	84	67	20	4	1	8	7
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	1,450	803	562	48	37	25	5	6	8	6
42	Late effects of acute poliomyelitis---081	127	63	52	7	5	3	1	1	-	1
43	Acute infectious encephalitis---082	386	194	135	30	27	5	2	2	-	1
44	Late effects of acute infectious encephalitis---083	130	86	38	5	1	1	1	-	-	-
45	Smallpox---084	1	1	-	-	-	-	-	-	-	-
46	Measles---085	462	202	182	31	47	5	2	2	-	1
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	821	375	349	46	51	12	6	4	1	1
49	Rabies---094	12	4	3	3	2	1	-	-	-	1
50	Tick-borne typhus---104	21	11	5	3	2	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	21	11	5	3	2	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	9	6	1	2	-	-	-	-	-	-
54	Malaria---110-117	32	12	6	9	5	1	-	-	-	1
55	Schistosomiasis---123	5	4	1	-	-	-	-	-	-	-
56	Hydatid disease---125	8	6	2	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	6	4	1	1	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	87	24	15	27	21	2	-	-	1	1
60	All other infective and parasitic diseases---Residual[1]	1,181	523	390	146	122	31	6	12	9	4
61	II. Neoplasms	234,342	111,417	103,368	9,657	9,900	3,231	1,188	1,101	427	515
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	229,079	109,410	100,883	9,417	9,369	3,149	1,166	1,075	422	486
63	Malignant neoplasm of buccal cavity and pharynx---140-148	5,079	3,725	990	270	94	96	50	28	8	10
64	Of lip---140	399	345	43	8	3	10	7	2	-	1
65	Of tongue---141	1,234	897	241	77	19	22	12	8	2	-
66	Of other and unspecified parts of buccal cavity---142-144	1,521	1,034	388	59	40	37	16	10	6	5
67	Of pharynx---145-148	1,925	1,449	318	126	32	27	15	8	-	4
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	84,444	42,472	35,242	4,039	2,691	978	369	317	165	127
69	Of esophagus---150	4,114	2,813	750	440	111	58	23	17	14	4
70	Of stomach---151	23,373	13,126	7,815	1,626	806	305	118	77	62	48
71	Of intestine, except rectum---152,153	24,695	10,637	12,710	617	731	253	89	104	29	31
72	Of rectum---154	10,694	5,739	4,276	348	331	89	25	28	19	17
73	Of biliary passages and of liver (stated to be primary site)---155	5,121	1,876	2,921	174	150	90	40	30	12	8
74	Of liver not specified whether primary or secondary---156A	4,726	2,048	2,187	279	212	37	14	9	8	6
75	Of pancreas---157	10,165	5,557	3,896	451	261	125	55	41	19	10
76	Of peritoneum and of unspecified digestive organs---158,159	1,556	676	687	104	89	21	5	11	2	3
77	Malignant neoplasm of respiratory system---160-164	26,388	20,560	3,938	1,568	322	302	209	32	46	15
78	Of larynx---161	1,990	1,670	174	130	16	29	19	5	4	1
79	Of trachea, and of bronchus and lung specified as primary---162	10,564	8,523	1,227	688	126	216	159	17	31	9
80	Of lung and bronchus, unspecified as primary or secondary---163	12,938	9,830	2,248	699	161	48	27	6	11	4
81	Of other parts of respiratory system---160,164	896	537	289	51	19	9	4	4	-	1
82	Malignant neoplasm of breast---170	20,566	201	18,929	23	1,413	223	1	156	3	63

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,750	4,051	2,447	760	492	15,497	6,776	4,397	2,341	1,983	109,903	60,067	43,738	3,723	2,375	12,963	7,422	5,211	179	151	1
424	207	96	74	47	615	247	154	130	84	2,408	1,466	609	240	93	302	179	99	17	7	2
276	151	51	41	33	383	184	90	63	46	1,383	871	304	150	58	160	97	46	12	5	3
243	146	48	26	23	366	176	88	58	44	1,287	826	273	138	50	152	90	45	12	5	4
16	2	2	8	4	8	3	2	3	-	31	10	13	4	4	2	2	-	-	-	5
1	-	-	-	1	2	-	-	1	1	4	1	3	-	-	-	-	-	-	-	6
1	-	-	-	1	1	1	-	-	-	10	6	2	1	1	-	-	-	-	-	7
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
1	1	-	-	-	3	3	-	-	-	17	13	3	1	-	3	2	1	-	-	9
1	-	-	1	-	1	-	-	1	-	5	2	1	1	1	-	-	-	-	-	10
12	2	-	6	4	2	1	-	-	1	29	13	9	5	2	3	3	-	-	-	11
30	13	4	11	2	56	12	11	26	7	396	255	80	46	15	35	22	11	1	1	12
3	-	-	2	1	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
10	5	3	1	1	22	6	5	8	3	169	114	40	11	4	14	9	5	-	-	15
11	5	-	6	-	15	3	4	6	2	166	107	24	28	7	15	8	5	1	1	16
1	1	-	-	-	1	-	1	-	-	6	5	-	1	-	-	-	-	-	-	17
3	2	-	1	-	5	-	1	3	1	19	12	3	2	2	3	2	1	-	-	18
2	-	1	1	-	6	2	-	4	-	26	12	10	2	2	3	3	-	-	-	19
-	-	-	-	-	5	1	-	4	-	9	4	3	2	-	-	-	-	-	-	20
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	21
-	-	-	-	-	6	2	2	1	1	1	-	1	-	-	1	-	1	-	-	22
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	23
1	-	1	-	-	1	1	-	-	-	7	4	3	-	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	26
38	9	17	7	5	27	2	7	9	9	37	16	12	6	3	10	3	6	1	-	27
-	-	-	-	-	10	2	4	1	3	5	2	2	1	-	5	2	3	-	-	28
1	-	1	-	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	29
3	1	1	1	-	7	1	2	3	1	9	5	3	1	-	2	1	1	-	-	30
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	31
6	3	1	2	-	8	1	3	3	1	39	22	16	1	-	10	9	-	1	-	32
-	-	-	-	-	3	1	1	1	-	7	4	2	-	1	1	1	-	-	-	33
4	1	3	-	-	11	3	3	2	3	13	6	7	-	-	6	1	5	-	-	34
8	5	-	2	1	14	5	5	2	2	108	55	45	3	5	13	8	3	1	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	-	1	-	-	9	1	1	4	3	9	6	2	1	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
21	13	6	1	1	21	9	5	5	2	158	97	58	1	2	5	3	2	-	-	41
-	-	-	-	-	-	-	-	-	-	12	4	8	-	-	-	-	-	-	-	42
4	2	2	-	-	7	5	1	-	1	19	12	5	1	1	4	1	3	-	-	43
-	-	-	-	-	1	-	1	-	-	9	6	3	-	-	3	3	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
9	2	1	3	3	25	9	12	2	2	25	12	12	1	-	13	6	7	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	3	1	2	-	5	-	3	2	-	57	35	20	-	2	11	9	2	-	-	48
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	-	-	-	59
15	3	6	4	2	15	6	2	5	2	102	48	22	26	6	16	8	7	1	-	60
880	438	375	29	38	1,989	796	768	195	230	17,460	8,506	8,121	487	346	1,953	1,005	884	30	34	61
857	431	362	29	35	1,930	775	749	193	213	17,088	8,356	7,929	474	329	1,905	984	862	28	31	62
9	6	3	-	-	46	26	14	4	2	412	307	85	17	3	31	24	7	-	-	63
1	-	1	-	-	3	3	-	-	-	21	17	4	-	-	3	3	-	-	-	64
1	1	-	-	-	9	5	1	2	1	123	96	20	7	-	8	7	1	-	-	65
4	3	1	-	-	19	11	8	-	-	120	87	28	3	2	10	6	4	-	-	66
3	2	1	-	-	15	7	5	2	1	148	107	33	7	1	10	8	2	-	-	67
281	135	120	15	11	657	263	250	85	59	6,005	3,065	2,616	226	98	698	400	272	12	14	68
5	5	-	-	-	33	14	5	11	3	258	186	56	12	4	22	16	5	1	-	69
94	53	27	9	5	210	91	61	36	22	1,703	988	581	101	33	231	154	69	4	4	70
78	33	45	-	-	155	55	71	16	13	1,689	708	922	27	32	186	80	101	2	3	71
20	10	10	-	-	64	17	33	7	7	787	420	335	22	10	69	40	26	1	2	72
21	6	9	2	4	60	21	30	5	4	423	175	222	18	8	52	25	23	3	1	73
16	5	8	1	2	44	16	16	7	5	194	81	102	10	1	23	9	14	-	-	74
43	21	19	3	-	71	40	25	2	4	850	465	345	32	8	103	69	30	1	3	75
4	2	2	-	-	20	9	9	1	1	101	42	53	4	2	12	7	4	-	1	76
119	93	16	10	-	172	124	29	15	4	2,092	1,675	324	74	19	209	173	32	4	-	77
4	4	-	-	-	19	14	2	3	-	164	135	17	11	1	11	11	-	-	-	78
52	41	5	6	-	95	76	10	8	1	1,041	869	128	39	5	135	113	20	2	-	79
59	46	10	3	-	48	29	12	4	3	824	637	154	21	12	55	45	8	2	-	80
4	2	1	1	-	10	5	5	-	-	63	34	25	3	1	8	4	4	-	-	81
63	-	58	-	5	126	4	101	1	20	1,658	14	1,593	2	49	189	1	188	-	-	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	36,241	12,156	19,648	1,322	3,117	697	151	265	96	185
2	Of cervix uteri----171	8,510	...	6,953	...	1,557	209	...	124	...	85
3	Of other and unspecified parts of uterus----172-174	7,037	...	5,926	...	1,111	160	...	81	...	79
4	Of ovary, fallopian tube, and broad ligament----175	6,483	...	6,100	...	383	70	...	52	...	18
5	Of other and unspecified female genital organs----176	733	...	667	...	66	11	...	8	...	3
6	Of prostate----177	12,595	11,341	...	1,254	...	236	141	...	95	...
7	Of testis, and of other and unspecified male genital organs----178,179	883	815	...	68	...	11	10	...	1	...
8	Malignant neoplasm of urinary organs----180,181	10,915	6,792	3,408	418	297	110	51	30	20	9
9	Of kidney----180	4,014	2,391	1,398	135	90	31	18	8	4	1
10	Of bladder and other urinary organs----181	6,901	4,401	2,010	283	207	79	33	22	16	8
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	25,870	12,683	11,207	1,030	950	478	197	170	57	54
12	Of skin----190,191	3,580	2,018	1,435	77	50	86	42	32	4	8
13	Of eye----192	364	174	174	10	6	11	4	6	1	-
14	Of brain and other parts of nervous system----193	5,083	2,827	1,998	163	95	85	39	29	12	5
15	Of thyroid gland----194	963	344	563	19	37	14	6	6	-	2
16	Of bone (including jaw bone)----196	2,054	1,137	751	85	81	50	24	13	7	6
17	Of connective tissue----197	653	345	265	23	20	6	2	4	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	3,961	1,659	1,920	172	210	81	30	25	8	18
19	Of unspecified sites----156B,165,198B,199B-M	9,212	4,179	4,101	481	451	145	50	55	25	15
20	Leukemia and aleukemia----204	9,918	5,404	3,921	336	257	162	91	46	11	14
21	Lymphosarcoma, etc.*----200-203,205	9,658	5,417	3,602	411	228	103	47	31	16	9
22	Lymphosarcoma and reticulosarcoma----200	4,368	2,443	1,696	163	66	43	19	17	6	1
23	Hodgkin's disease----201	2,785	1,627	983	108	67	38	18	7	8	5
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	2,505	1,347	923	140	95	22	10	7	2	3
25	Benign neoplasms and neoplasms of unspecified nature----210-239	5,263	2,007	2,485	240	531	82	22	26	5	29
26	Benign neoplasms of female genital organs----214-217	1,028	...	723	...	305	22	...	3	...	19
27	Benign neoplasm of brain and other parts of nervous system----223	926	428	426	37	35	8	4	2	1	1
28	Other benign neoplasms----210-213,218-222,224-229	869	402	366	54	47	16	6	8	-	2
29	Neoplasm of unspecified nature of female genital organs----233-235	32	...	23	...	9	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	1,561	773	622	91	75	22	5	9	3	5
31	Other neoplasms of unspecified nature----230-232,236,238,239	847	404	325	58	60	14	7	4	1	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	36,291	14,531	18,156	1,352	2,252	524	173	164	61	126
33	Asthma----241	6,737	4,134	2,017	331	255	94	43	27	12	12
34	Nontoxic goiter----250,251	170	31	113	1	25	1	-	-	-	1
35	Thyrotoxicosis with or without goiter----252	995	179	701	11	104	14	-	7	-	7
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	216	44	155	5	12	3	-	2	-	1
37	Diabetes mellitus----260	25,796	9,088	14,225	800	1,682	337	107	102	39	89
38	Diseases of thymus gland----273	443	238	146	37	22	8	3	2	1	2
39	Diseases of adrenal glands----274	364	157	181	25	21	5	2	2	-	1
40	Pellagra----281	135	34	61	16	24	21	4	12	1	4
41	All other avitaminoses and nutritional deficiency states----280,282-286	710	275	287	85	63	26	5	6	6	9
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	725	350	290	41	44	15	9	4	2	-
43	IV. Diseases of the blood and blood-forming organs	5,007	2,145	2,273	272	317	91	24	33	13	21
44	Anemias----290-293	3,580	1,456	1,643	229	252	63	13	18	13	19
45	Pernicious and other hyperchromic anemias----290	1,406	575	765	27	39	14	6	6	-	2
46	Anemias of other and unspecified type----291-293	2,174	881	878	202	213	49	7	12	13	17
47	Purpura and other hemorrhagic conditions----296	566	225	287	16	38	16	6	9	-	1
48	All other diseases of blood and blood-forming organs----294,295,297-299	861	464	343	27	27	12	5	6	-	1
49	V. Mental, psychoneurotic, and personality disorders	4,203	2,364	1,067	542	230	94	30	17	42	5
50	Senile psychosis----304	708	277	372	26	33	8	3	3	2	-
51	Alcoholic psychosis----307	305	240	16	47	2	3	1	-	1	1
52	Other psychoses----300-303,305,306,308,309	626	219	274	77	56	39	2	8	27	2
53	Alcoholism----322	2,222	1,471	274	358	119	39	24	4	10	1
54	Mental deficiency----325	212	103	91	17	11	5	-	2	2	1
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	130	54	50	17	9	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs	183,580	78,931	81,824	11,126	11,699	3,746	1,099	1,025	760	862
57	Vascular lesions affecting central nervous system----330-334	169,800	72,306	76,658	9,974	10,862	3,470	1,015	969	686	800
58	Subarachnoid hemorrhage----330	4,531	1,876	1,974	295	386	71	33	20	8	10
59	Cerebral hemorrhage----331	110,832	46,234	50,303	6,759	7,536	2,508	721	688	506	593
60	Cerebral embolism and thrombosis----332	35,147	16,269	16.026	1,460	1,372	374	138	135	52	49
61	Other vascular lesions affecting central nervous system----333,334	19,290	7,927	8,355	1,440	1,568	517	123	126	120	148
62	Meningitis, except meningococcal and tuberculous----340	2,059	922	607	299	231	38	8	6	10	14
63	Multiple sclerosis----345	1,431	640	721	30	40	15	8	3	2	2
64	Paralysis agitans----350	2,469	1,297	1,122	37	33	19	10	6	3	-
65	Cerebral spastic infantile paralysis----351	609	290	241	47	31	18	9	5	3	1
66	Epilepsy----353	2,177	1,014	679	311	173	75	16	11	28	20
67	Inflammatory diseases of eye----370-379	16	6	7	1	2	1	-	1	-	-
68	Cataract----385	45	29	14	1	1	-	-	-	-	-
69	Glaucoma----387	15	5	6	2	2	1	1	-	-	-
70	Otitis media and mastoiditis----391-393	467	242	153	42	30	5	1	2	2	-
71	Other diseases of nervous system and sense organs----Residual[1]	4,472	2,180	1,616	382	294	104	31	22	26	25
72	VII. Diseases of the circulatory system	626,088	334,879	233,621	31,248	26,340	9,194	3,546	2,255	1,834	1,559
73	Rheumatic fever----400-402	1,523	636	571	138	178	35	11	3	5	16
74	Diseases of heart----410-443	570,275	309,112	209,824	27,948	23,391	8,259	3,241	2,040	1,628	1,350
75	Chronic rheumatic heart disease----410-416	19,587	8,872	8,961	838	916	260	84	65	55	56
76	Diseases of mitral valve----410	7,727	3,300	3,654	375	398	126	38	27	33	28
77	Diseases of aortic valve specified as rheumatic----411	1,054	775	230	36	13	6	4	1	1	-
78	Diseases of tricuspid valve----412	20	10	9	-	1	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	1,083	501	495	39	48	10	2	3	3	2
80	Other diseases of heart specified as rheumatic----415,416	9,703	4,286	4,573	388	456	118	40	34	18	26

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
150	62	74	1	13	415	111	166	45	93	2,548	862	1,544	34	108	322	122	183	5	12	1
43	...	35	...	8	103	...	66	...	37	628	...	571	...	57	70	...	67	...	3	2
23	...	20	...	3	103	...	51	...	52	439	...	411	...	28	64	...	59	...	5	3
19	...	17	...	2	48	...	44	...	4	538	...	516	...	22	55	...	52	...	3	4
2	...	2	...	-	5	...	5	...	-	47	...	46	...	1	6	...	5	...	1	5
59	58	...	1	...	151	106	...	45	...	830	798	...	32	...	115	110	...	5	...	6
4	4	...	-	...	5	5	...	-	...	66	64	...	2	...	12	12	...	-	...	7
49	32	15	1	1	70	38	17	10	5	878	582	271	16	9	91	60	27	2	2	8
22	13	7	1	1	26	15	5	5	1	329	205	115	4	5	38	24	13	1	-	9
27	19	8	-	-	44	23	12	5	4	549	377	156	12	4	53	36	14	1	2	10
102	60	38	1	3	286	125	119	19	23	1,883	968	835	55	25	161	94	85	1	1	11
18	11	7	-	-	62	27	30	4	1	267	154	105	5	3	37	22	14	-	1	12
-	-	-	-	-	3	2	1	-	-	30	14	14	1	1	1	1	-	-	-	13
26	14	11	-	1	59	28	25	3	3	397	227	161	8	1	45	24	21	-	-	14
1	1	-	-	-	6	3	1	1	1	82	23	58	1	-	8	2	6	-	-	15
15	11	4	-	-	21	9	9	1	2	102	66	33	3	-	13	10	2	1	-	16
1	1	-	-	-	5	2	2	-	1	59	39	18	2	-	7	4	3	-	-	17
13	7	5	-	1	52	20	22	3	7	257	117	132	6	2	19	8	11	-	-	18
28	15	11	1	1	78	34	29	7	8	689	328	314	29	18	51	23	28	-	-	19
51	24	26	-	1	94	54	31	6	3	808	414	364	19	11	90	51	36	3	-	20
33	19	12	1	1	64	30	22	8	4	804	469	297	31	7	94	59	32	1	2	21
19	12	7	-	-	24	15	5	2	2	401	239	142	18	2	57	35	22	-	-	22
6	3	2	1	-	19	7	11	1	-	206	121	76	7	2	14	10	2	1	1	23
8	4	3	-	1	21	8	6	5	2	197	109	79	6	3	23	14	8	-	1	24
23	7	13	-	3	59	21	19	2	17	372	150	192	13	17	48	21	22	2	3	25
1	...	1	...	-	16	...	6	...	10	48	...	38	...	10	6	...	5	...	1	26
9	2	5	-	2	6	5	1	-	-	72	27	38	3	4	7	5	2	-	-	27
6	2	3	-	1	6	2	1	1	2	61	33	22	5	1	10	5	4	-	1	28
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	29
5	2	3	-	-	23	13	7	1	2	130	56	67	5	2	17	8	8	1	-	30
2	1	1	-	-	7	1	3	-	3	61	34	27	-	-	7	3	2	1	1	31
230	124	84	12	10	273	111	94	30	38	1,978	913	954	52	59	268	136	127	2	3	32
120	86	26	7	1	48	26	7	8	7	481	311	147	15	8	88	53	35	-	-	33
-	-	-	-	-	-	-	-	-	-	13	3	9	-	1	1	-	1	-	-	34
7	2	3	-	2	8	2	5	-	1	59	7	47	1	4	4	1	3	-	-	35
2	-	2	-	-	3	-	2	1	-	25	5	19	-	1	3	2	1	-	-	36
76	27	41	3	5	185	74	69	16	26	1,205	472	657	34	42	155	71	81	2	1	37
4	1	3	-	-	-	-	-	-	-	36	27	9	-	-	2	1	1	-	-	38
3	1	2	-	-	1	1	-	-	-	38	20	16	1	1	4	2	1	-	1	39
-	-	-	-	-	3	-	2	1	-	1	1	-	-	-	-	-	-	-	-	40
11	3	5	2	1	18	7	5	3	3	43	30	12	1	-	4	3	-	-	1	41
7	4	2	-	1	7	1	4	1	1	77	37	38	-	2	7	3	4	-	-	42
30	10	13	3	4	43	14	16	3	10	295	141	138	7	9	32	17	15	-	-	43
17	6	6	1	4	29	6	10	3	10	206	99	93	7	7	24	12	12	-	-	44
4	2	2	-	-	5	1	2	-	2	77	41	35	-	1	15	8	7	-	-	45
13	4	4	1	4	24	5	8	3	8	129	58	58	7	6	9	4	5	-	-	46
6	2	3	1	-	6	3	3	-	-	28	8	18	-	2	3	1	2	-	-	47
7	2	4	1	-	8	5	3	-	-	61	34	27	-	-	5	4	1	-	-	48
25	17	3	4	1	34	15	9	7	3	325	221	89	12	3	47	30	15	1	1	49
-	-	-	-	-	6	2	3	-	1	64	31	31	1	1	8	1	5	1	1	50
2	2	-	-	-	2	2	-	-	-	33	30	3	-	-	1	1	-	-	-	51
1	1	-	-	-	5	1	2	1	1	40	17	21	1	1	1	-	1	-	-	52
21	14	2	4	1	13	7	-	5	1	168	130	29	8	1	34	26	8	-	-	53
1	-	1	-	-	6	2	3	1	-	10	9	1	-	-	-	-	-	-	-	54
-	-	-	-	-	2	1	1	-	-	10	4	4	2	-	3	2	1	-	-	55
661	299	297	36	29	2,057	821	656	280	300	12,583	5,548	6,377	334	324	1,407	662	719	12	14	56
580	262	275	25	18	1,898	747	610	263	278	11,653	5,079	5,982	294	298	1,298	599	673	12	14	57
18	4	10	3	1	31	16	7	2	6	425	152	232	19	22	35	12	22	1	-	58
365	158	182	15	10	1,354	524	453	180	197	6,448	2,767	3,351	157	173	900	416	465	7	12	59
149	75	63	5	6	202	102	58	20	22	3,677	1,677	1,851	94	75	248	118	124	4	2	60
48	25	20	2	1	311	105	92	61	53	1,103	483	568	24	28	115	53	62	-	-	61
20	3	8	3	6	25	10	5	4	6	168	91	56	12	9	13	8	5	-	-	62
9	5	3	1	-	3	2	1	-	-	114	54	58	-	2	12	4	8	-	-	63
6	4	2	-	-	19	14	5	-	-	186	87	94	3	2	27	16	11	-	-	64
3	2	-	1	-	4	1	2	1	-	37	15	17	3	2	1	-	1	-	-	65
14	9	3	1	1	35	10	14	6	5	103	59	33	7	4	19	12	7	-	-	66
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
4	1	-	2	1	7	5	1	-	1	35	20	10	3	2	3	2	1	-	-	70
25	13	6	3	3	65	32	17	6	10	282	140	125	12	5	33	21	12	-	-	71
2,247	1,321	765	103	58	5,482	2,668	1,489	721	604	46,935	26,573	18,448	1,157	757	4,837	2,878	1,872	43	44	72
9	2	2	4	1	10	5	2	2	1	77	35	36	3	3	32	16	13	2	1	73
2,008	1,197	673	86	52	4,990	2,471	1,323	653	543	42,270	24,337	16,243	1,032	658	4,337	2,616	1,651	33	37	74
102	47	45	6	4	153	73	39	14	27	1,553	725	752	48	28	238	108	125	-	5	75
33	11	16	4	2	71	27	18	10	16	646	268	353	14	11	111	45	65	-	1	76
7	3	3	1	-	2	2	-	-	-	159	111	40	7	1	11	6	5	-	-	77
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	1	-	1	-	-	78
9	6	3	-	-	4	3	-	-	1	66	27	31	6	2	13	11	2	-	-	79
53	27	23	1	2	75	40	21	4	10	678	316	327	21	14	102	46	52	-	4	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	373,597	225,416	125,838	13,126	9,217	4,271	2,121	1,061	626	463
2	Arteriosclerotic heart disease so described----420.0	132,355	68,099	55,954	4,640	3,662	1,145	465	336	195	149
3	Heart disease specified as involving coronary arteries----420.1	239,834	156,490	69,476	8,383	5,485	3,074	1,629	716	421	308
4	Angina pectoris without mention of coronary disease----420.2	1,408	827	408	103	70	52	27	9	10	6
5	Chronic endocarditis not specified as rheumatic----421	8,267	3,916	3,193	621	537	196	51	46	45	54
6	Of mitral valve, specified as nonrheumatic----421.0	714	318	294	45	57	10	3	1	3	3
7	Of aortic valve, not specified as rheumatic----421.1	1,810	1,016	485	182	127	38	9	8	9	12
8	Of other valves, not specified as rheumatic----421.2-421.4	5,743	2,582	2,414	394	353	148	39	37	33	39
9	Other myocardial degeneration----422	65,063	29,517	29,028	3,563	2,935	951	278	260	217	196
10	With arteriosclerosis----422.1	34,859	15,565	16,373	1,602	1,319	442	125	120	93	104
11	Without mention of arteriosclerosis----422.0,422.2	30,204	13,952	12,655	1,981	1,616	509	153	140	124	92
12	Other diseases of heart----430-434	22,612	11,516	7,170	2,287	1,639	617	239	124	141	113
13	Acute and subacute endocarditis----430	741	405	227	82	47	13	8	2	2	1
14	Acute myocarditis not specified as rheumatic----431	1,766	785	597	184	200	56	23	12	7	14
15	Acute pericarditis specified as nonrheumatic----432	46	22	16	7	1	1	-	1	-	-
16	Functional disease of heart----433	2,428	1,191	1,100	73	64	34	14	12	2	6
17	Other and unspecified diseases of heart----434	17,651	9,113	5,230	1,961	1,327	513	194	97	130	92
18	Hypertension with heart disease----440-443	81,149	29,875	35,634	7,493	8,147	1,964	468	484	544	468
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	22,156	9,209	9,011	2,019	1,917	645	167	167	176	135
20	Essential hypertension with heart disease, etc.*----440,441,443	58,993	20,666	26,623	5,474	6,230	1,319	301	317	368	333
21	Hypertension without mention of heart----444-447	12,387	5,026	4,782	1,348	1,231	365	87	68	104	106
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	6,245	2,893	2,318	600	434	115	32	17	38	28
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	6,142	2,133	2,464	748	797	250	55	51	66	78
24	Diseases of arteries----450-456	37,888	18,229	16,830	1,540	1,289	468	187	120	88	73
25	General arteriosclerosis----450	32,351	14,859	15,207	1,235	1,050	377	139	107	71	60
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	3,435	2,339	816	184	96	55	30	8	12	5
27	Gangrene of unspecified cause----455	233	106	79	31	17	6	5	-	1	-
28	Other arterial diseases----452-454,456	1,869	925	728	90	126	30	13	5	4	8
29	Diseases of veins and other diseases of circulatory system----460-468	4,015	1,876	1,614	274	251	67	20	24	9	14
30	VIII. Diseases of the respiratory system----	68,982	34,045	22,407	7,167	5,363	1,607	463	367	399	378
31	Acute upper respiratory infections----470-475	1,043	442	361	117	123	38	6	4	12	16
32	Influenza----480-483	9,460	3,746	3,548	1,091	1,075	395	106	93	94	102
33	Pneumonia, except pneumonia of newborn----490-493	42,778	19,824	14,435	4,932	3,587	948	251	212	255	230
34	Lobar pneumonia----490	12,523	6,036	3,720	1,730	1,037	355	95	60	115	85
35	Bronchopneumonia----491	21,906	10,026	7,880	2,198	1,804	405	113	99	94	99
36	Primary atypical pneumonia----492	3,657	1,772	1,338	310	237	74	24	28	11	11
37	Pneumonia, other and unspecified----493	4,690	1,990	1,497	694	509	114	19	25	35	35
38	Acute bronchitis----500	1,010	463	372	104	71	13	1	5	5	2
39	Bronchitis, chronic and unqualified----501,502	2,063	1,269	585	125	84	42	18	12	5	7
40	Hypertrophy of tonsils and adenoids----510	329	145	135	25	24	6	2	1	-	3
41	Empyema and abscess of lung----518,521	749	433	147	123	46	10	3	2	2	3
42	Pleurisy----519	198	99	70	18	11	-	-	-	-	-
43	All other respiratory diseases----Residual[1]	11,352	7,624	2,754	632	342	155	76	38	26	15
44	IX. Diseases of the digestive system----	58,689	31,365	20,428	3,880	3,016	814	296	200	165	153
45	Diseases of teeth and supporting structures----530-535	180	70	55	30	25	11	1	2	3	5
46	Ulcer of stomach----540	4,729	3,332	941	344	112	52	31	5	12	4
47	Ulcer of duodenum----541	4,511	3,529	699	222	61	55	33	9	11	2
48	Gastritis and duodenitis----543	305	140	88	39	38	4	1	2	-	1
49	Appendicitis----550-553	2,398	1,382	673	201	142	52	18	8	16	10
50	Hernia and intestinal obstruction----560,561,570	8,727	3,961	3,644	614	508	127	36	34	27	30
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	8,205	3,173	2,907	1,102	1,023	173	33	38	47	55
52	Cirrhosis of liver----581	16,399	10,005	5,179	724	491	146	65	44	27	10
53	Without mention of alcoholism----581.0	12,118	7,185	4,082	500	351	126	53	38	26	9
54	With alcoholism----581.1	4,281	2,820	1,097	224	140	20	12	6	1	1
55	Cholelithiasis and cholecystitis----584,585	5,602	2,060	3,325	67	150	50	18	25	1	6
56	Other diseases of digestive system----Residual[1]	7,633	3,713	2,917	537	466	144	60	33	21	30
57	X. Diseases of the genito-urinary system----	35,810	18,496	10,732	3,738	2,844	908	264	166	270	208
58	Nephritis and nephrosis----590-594	21,563	9,324	7,805	2,227	2,207	607	142	123	166	176
59	Acute nephritis----590	1,564	636	484	230	214	53	12	9	17	15
60	Nephritis with edema, including nephrosis----591	1,225	567	425	115	118	23	7	7	4	5
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	18,774	8,121	6,896	1,882	1,875	531	123	107	145	156
62	Infections of kidney----600	4,052	1,724	1,588	392	348	76	19	28	15	14
63	Calculi of urinary system----602,604	1,095	627	380	57	31	22	13	7	2	-
64	Other diseases of urinary system----601,603,605-609	1,574	852	423	237	62	34	12	3	15	4
65	Hyperplasia of prostate----610	6,173	5,478	...	695	...	124	69	...	55	...
66	Other diseases of male genital organs----611-617	620	490	...	130	...	26	9	...	17	...
67	Diseases of breast----620,621	17	1	14	-	2	-	-	-	-	-
68	Diseases of female genital organs----622-637	716	...	522	...	194	19	...	5	...	14
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	2,385	...	1,479	...	906	116	...	32	...	84
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	224	...	158	...	66	10	...	2	...	8
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	791	...	439	...	352	51	...	12	...	39
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	448	...	305	...	143	20	...	5	...	15
73	Ectopic pregnancy----645	162	...	83	...	79	6	...	2	...	4
74	Abortion without mention of sepsis or toxemia----650	87	...	46	...	41	4	...	2	...	2
75	Abortion with sepsis----651	177	...	96	...	81	6	...	3	...	3
76	Abortion with toxemia, without mention of sepsis----652	30	...	20	...	10	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	466	...	332	...	134	19	...	6	...	13

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,309	868	382	39	20	2,926	1,709	729	288	200	30,955	19,276	10,748	621	310	3,035	1,993	1,001	21	20	1
463	277	159	16	11	770	392	228	95	55	11,625	6,372	4,869	240	144	1,040	617	405	10	8	2
842	590	220	23	9	2,126	1,303	493	188	142	19,282	12,876	5,859	381	166	1,988	1,370	595	11	12	3
4	1	3	-	-	30	14	8	5	3	48	28	20	-	-	7	6	1	-	-	4
17	9	5	1	2	104	34	22	27	21	390	217	149	13	11	88	59	29	-	-	5
2	1	-	-	1	13	4	6	-	3	40	25	13	1	1	10	4	6	-	-	6
5	4	-	-	1	9	3	-	4	2	168	112	46	8	2	14	11	3	-	-	7
10	4	5	1	-	82	27	16	23	16	182	80	90	4	8	64	44	20	-	-	8
256	134	104	12	6	380	151	119	70	40	3,578	1,686	1,752	76	64	415	201	205	6	3	9
143	72	61	7	3	148	61	52	16	19	2,288	1,061	1,160	36	31	172	89	81	1	1	10
113	62	43	5	3	232	90	67	54	21	1,290	625	592	40	33	243	112	124	5	2	11
100	53	33	9	5	420	194	89	74	63	789	415	321	39	14	69	38	28	2	1	12
2	1	1	-	-	14	2	2	4	6	55	40	13	2	-	7	3	3	1	-	13
9	4	4	1	-	21	9	3	2	7	46	23	17	4	2	2	2	-	-	-	14
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	15
11	5	5	-	1	20	7	9	-	4	150	72	77	1	-	10	4	6	-	-	16
78	43	23	8	4	365	176	75	68	46	535	277	214	32	12	50	29	19	1	1	17
224	86	104	19	15	1,007	310	325	180	192	5,005	2,018	2,521	235	231	492	217	263	4	8	18
61	25	31	4	1	227	81	58	39	49	957	430	449	46	32	205	98	102	1	4	19
163	61	73	15	14	780	229	267	141	143	4,048	1,588	2,072	189	199	287	119	161	3	4	20
64	34	22	6	2	139	47	35	30	27	682	311	295	41	35	86	48	34	2	2	21
34	24	7	2	1	55	27	12	10	6	375	190	144	24	17	61	36	21	2	2	22
30	10	15	4	1	84	20	23	20	21	307	121	151	17	18	25	12	13	-	-	23
149	81	60	6	2	299	125	115	29	30	3,628	1,741	1,766	67	54	324	168	148	5	3	24
122	67	51	4	-	254	102	106	22	24	2,990	1,321	1,579	46	44	264	131	127	4	2	25
15	12	2	1	-	19	12	3	-	4	505	357	130	14	4	41	29	10	1	1	26
1	-	-	1	-	3	1	-	1	1	2	2	-	-	-	2	1	1	-	-	27
11	2	7	-	2	23	10	6	6	1	131	61	57	7	6	17	7	10	-	-	28
17	7	8	1	1	44	20	14	7	3	278	149	108	14	7	58	30	26	1	1	29
641	342	162	71	66	940	323	276	187	154	4,516	2,662	1,509	223	122	994	611	355	15	13	30
11	4	1	4	2	8	2	2	3	1	55	27	27	1	-	8	3	5	-	-	31
42	15	19	1	7	242	70	67	56	49	188	98	80	7	3	107	57	50	-	-	32
382	164	102	62	54	537	183	160	103	91	2,984	1,675	1,059	159	91	685	399	261	14	11	33
69	38	14	9	8	192	60	53	45	34	753	488	199	49	17	136	73	58	4	1	34
215	87	58	34	36	219	76	65	38	40	1,828	958	727	89	54	497	296	182	9	10	35
46	24	17	5	-	87	37	32	11	7	286	163	96	13	14	30	19	11	-	-	36
52	15	13	14	10	39	10	10	9	10	117	66	37	8	6	22	11	10	1	-	37
11	4	6	1	-	10	5	1	2	2	73	41	26	3	3	19	11	8	-	-	38
37	29	6	1	1	27	13	7	6	1	119	89	25	5	-	20	17	3	-	-	39
1	-	-	-	1	1	-	-	-	1	30	11	16	-	3	4	4	-	-	-	40
4	3	-	1	-	9	2	2	3	2	62	39	14	6	3	5	4	-	-	1	41
1	-	1	-	-	3	-	1	-	2	21	14	5	2	-	1	-	1	-	-	42
152	123	27	1	1	103	48	36	14	5	984	668	257	40	19	145	116	27	1	1	43
479	190	126	94	69	565	237	149	101	78	5,118	2,943	1,869	197	109	603	338	247	10	8	44
1	-	1	-	-	4	-	2	1	1	12	4	6	1	1	-	-	-	-	-	45
23	19	2	2	-	40	24	8	7	1	404	294	94	12	4	55	39	16	-	-	46
17	15	1	1	-	27	22	3	1	1	473	372	82	16	3	67	48	17	1	1	47
1	-	1	-	-	13	3	2	6	2	24	15	8	-	1	1	-	1	-	-	48
11	3	5	1	2	30	13	10	5	2	113	70	34	6	3	19	12	7	-	-	49
51	25	17	5	4	82	31	21	16	14	542	255	252	20	15	82	40	39	2	1	50
219	47	44	76	52	110	23	26	28	33	500	227	232	24	17	111	59	48	1	3	51
82	50	25	4	3	113	62	27	14	10	2,154	1,280	743	87	44	127	72	48	5	2	52
64	38	20	4	2	97	50	25	12	10	1,180	661	452	50	17	91	46	41	3	1	53
18	12	5	-	1	16	12	2	2	-	974	619	291	37	27	36	26	7	2	1	54
25	6	11	1	7	50	23	25	-	2	328	119	200	2	7	67	27	39	-	1	55
49	25	19	4	1	96	36	25	23	12	568	307	218	29	14	74	41	32	1	-	56
159	80	56	19	4	570	255	128	122	65	1,898	1,122	640	78	58	299	188	105	1	5	57
99	48	41	8	2	399	164	107	76	52	978	502	401	41	34	179	95	79	1	4	58
5	2	2	1	-	35	14	6	3	12	64	37	21	4	2	6	4	2	-	-	59
9	5	4	-	-	16	11	2	2	1	66	32	29	2	3	14	9	5	-	-	60
85	41	35	7	2	348	139	99	71	39	848	433	351	35	29	159	82	72	1	4	61
17	3	10	4	-	49	19	13	8	9	296	143	131	8	14	37	22	14	-	1	62
4	3	1	-	-	8	3	4	1	-	86	56	23	7	-	2	2	-	-	-	63
6	2	2	1	1	10	6	-	4	-	120	63	47	9	1	9	5	4	-	-	64
28	23	...	5	...	87	59	...	28	...	347	334	...	13	...	58	58	...	-	...	65
2	1	...	1	...	9	4	...	5	...	23	23	...	-	...	6	6	...	-	...	66
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	67
3	...	2	...	1	8	...	4	...	4	45	...	36	...	9	8	...	8	...	-	68
17	...	11	...	6	39	...	17	...	22	127	...	110	...	17	19	...	18	...	1	69
3	...	3	...	-	4	...	3	...	1	12	...	12	...	-	1	...	1	...	-	70
5	...	5	...	-	13	...	4	...	9	30	...	25	...	5	7	...	6	...	1	71
5	...	-	...	5	10	...	4	...	6	19	...	18	...	1	2	...	2	...	-	72
1	...	1	...	-	-	...	-	...	-	12	...	9	...	3	2	...	2	...	-	73
-	...	-	...	-	1	...	-	...	1	8	...	7	...	1	2	...	2	...	-	74
-	...	-	...	-	3	...	2	...	1	16	...	12	...	4	1	...	1	...	-	75
-	...	-	...	-	1	...	-	...	1	4	...	4	...	-	1	...	1	...	-	76
3	...	2	...	1	7	...	4	...	3	26	...	23	...	3	3	...	3	...	-	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,259	471	560	101	127	26	7	9	3	7
2	Infections of skin and subcutaneous tissue--690-698	322	160	102	29	31	11	3	5	1	2
3	Other diseases of skin and subcutaneous tissue--700-716	937	311	458	72	96	15	4	4	2	5
4	XIII. Diseases of the bones and organs of movement	3,141	1,284	1,530	155	172	80	19	43	7	11
5	Arthritis and spondylitis--720-725	1,675	552	942	70	111	54	11	31	5	7
6	Muscular rheumatism and rheumatism, unspecified--726,727	75	24	29	13	9	2	-	1	-	1
7	Osteomyelitis and periostitis--730	161	90	45	15	11	3	1	1	-	1
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	112	57	50	2	3	-	-	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	1,118	561	464	55	38	21	7	10	2	2
10	XIV. Congenital malformations	20,012	9,780	8,175	1,172	885	362	148	119	59	36
11	Spina bifida and meningocele--751	1,662	677	913	30	42	35	16	15	4	-
12	Congenital hydrocephalus, etc.*--752,753	2,572	1,201	1,106	147	118	41	21	10	6	4
13	Congenital malformations of circulatory system--754	8,725	4,400	3,371	538	416	147	64	47	20	16
14	Other congenital malformations--750,755-759	7,053	3,502	2,785	457	309	139	47	47	29	16
15	XV. Certain diseases of early infancy	63,444	30,024	20,424	7,188	5,808	1,613	529	352	393	339
16	Birth injuries--760,761	11,709	6,109	3,738	1,092	770	284	121	63	59	41
17	Postnatal asphyxia and atelectasis--762	16,554	8,358	5,341	1,574	1,281	342	133	68	72	69
18	Infections of newborn--763-768	4,187	1,662	1,156	765	604	126	28	19	42	37
19	Hemolytic disease of newborn (erythroblastosis)--770	2,568	1,377	1,015	116	60	40	13	19	2	6
20	All other defined diseases of early infancy--769,771,772	1,973	779	547	391	256	45	8	4	19	14
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	26,453	11,739	8,627	3,250	2,837	776	226	179	199	172
22	XVI. Symptoms, senility, and ill-defined conditions	21,693	8,306	5,597	4,215	3,575	1,368	286	179	471	432
23	Senility without mention of psychosis--794	4,626	1,661	2,106	395	464	138	25	36	33	44
24	Symptoms, ill-defined and unknown causes--780-793,795	17,067	6,645	3,491	3,820	3,111	1,230	261	143	438	388
25	XVII. Accidents, poisonings, and violence	118,653	71,666	29,432	12,976	4,579	2,538	1,174	361	753	250
26	Accidents--E800-E962	95,032	57,176	25,157	9,070	3,629	1,934	935	307	494	198
27	Railway accidents--E800-E802	1,681	1,244	134	265	38	51	24	1	23	3
28	Motor-vehicle accidents--E810-E835	37,955	25,012	8,360	3,550	1,033	870	501	123	198	48
29	Motor-vehicle traffic accidents--E810-E825	36,929	24,312	8,149	3,463	1,005	846	493	118	190	45
30	Motor-vehicle traffic accident with railway train*--E810	1,506	1,004	377	89	36	33	18	6	6	3
31	Motor-vehicle traffic accident to pedestrian--E812	8,112	5,141	1,735	970	266	137	52	32	44	9
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	12,868	8,335	3,337	899	297	290	180	43	52	15
33	Motor-vehicle noncollision traffic accidents--E820-E824	9,458	6,604	1,839	956	259	326	205	26	81	14
34	Motor-vehicle traffic accident of unspecified nature--E825	4,985	3,228	1,061	549	147	60	38	11	7	4
35	Motor-vehicle nontraffic accidents--E830-E835	1,026	700	211	87	28	24	8	5	8	3
36	Other road-vehicle accidents--E840-E845	424	273	77	63	11	7	3	1	3	-
37	Water-transport accidents--E850-E858	1,614	1,319	112	162	21	53	41	1	10	1
38	Aircraft accidents--E860-E866	1,605	1,452	90	63	-	20	14	2	4	-
39	Accidental poisoning by solid and liquid substances--E870-E888	1,391	687	400	198	106	40	13	7	12	8
40	Accidental poisoning by gases and vapors--E890-E895	1,223	828	282	80	33	13	4	4	4	1
41	Accidental falls--E900-E904	20,631	9,271	10,135	752	473	204	70	85	22	27
42	Fall from one level to another--E900-E902	7,237	4,212	2,421	429	175	68	27	18	16	7
43	Fall on same level--E903	4,379	1,629	2,610	72	68	57	20	28	3	6
44	Unspecified falls--E904	9,015	3,430	5,104	251	230	79	23	39	3	14
45	Blow from falling object--E910	1,336	1,100	49	180	7	39	21	-	17	1
46	Accident caused by machinery--E912	2,144	1,849	94	196	5	43	27	1	14	1
47	Accident caused by electric current--E914	984	843	57	79	5	17	14	-	3	-
48	Accident caused by fire and explosion, etc.*--E916	6,579	2,787	1,856	972	964	193	40	41	58	54
49	Accident caused by hot substance, etc.*--E917,E918	815	360	240	117	98	20	3	2	9	6
50	Accident caused by firearm--E919	2,277	1,701	182	315	79	69	36	4	21	8
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	1,603	766	510	198	129	21	13	1	4	3
52	Accidental drowning--E929	5,352	3,640	704	904	104	90	49	7	29	5
53	Excessive heat and insolation--E931	576	319	142	85	30	13	4	-	4	5
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	670	255	276	59	80	12	1	4	3	4
55	All other accidents--Residual[1]	6,172	3,470	1,457	832	413	159	57	23	56	23
56	Suicide--E963,E970-E979	15,947	12,008	3,299	526	114	228	167	34	22	5
57	Suicide by poisoning--E970-E973	3,289	2,071	1,121	51	26	41	28	10	1	2
58	Suicide by hanging and strangulation--E974	5,397	2,473	791	106	27	16	13	1	1	1
59	Suicide by firearms and explosives--E976	7,293	6,220	774	265	34	157	118	20	18	1
60	Suicide by all other means--E963,E975,E977-E979	1,988	1,244	613	104	27	14	8	3	2	1
61	Homicide--E964,E980-E985	7,640	2,449	976	3,379	836	376	72	20	237	47
62	Assault by firearms and explosives--E981	4,013	1,317	533	1,763	400	200	41	12	123	24
63	Assault by cutting and piercing instruments--E982	1,837	350	117	1,104	266	119	9	2	92	16
64	Assault by other means--E964,E980,E983	1,473	631	322	350	170	42	17	5	13	7
65	Injury by intervention of police--E984	255	124	1	130	-	13	5	-	8	-
66	Execution--E985	62	27	3	32	-	2	-	1	1	-
67	Injury resulting from operations of war--E965,E990-E999	34	33	-	1	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4	2	1	1	-	13	3	5	2	3	82	32	41	7	2	11	2	9	-	-	1
2	2	-	-	-	6	1	4	-	1	21	13	7	1	-	3	1	2	-	-	2
2	-	1	1	-	7	2	1	2	2	61	19	34	6	2	8	1	7	-	-	3
26	16	5	4	1	43	15	14	6	8	196	84	104	3	5	21	7	14	-	-	4
17	11	3	2	1	32	10	13	4	5	92	28	59	2	3	11	1	10	-	-	5
-	-	-	-	-	3	-	-	2	1	1	1	-	-	-	1	-	1	-	-	6
-	-	-	-	-	2	1	-	-	1	15	12	3	-	-	1	-	1	-	-	7
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
7	4	2	1	-	6	4	1	-	1	88	43	42	1	2	8	6	2	-	-	9
150	70	54	13	13	200	90	67	23	20	1,505	755	625	60	65	208	115	90	3	-	10
4	-	2	1	1	12	5	5	2	-	67	31	36	-	-	9	7	2	-	-	11
20	5	12	1	2	25	6	14	4	1	188	93	80	5	10	31	16	15	-	-	12
66	37	16	7	6	95	49	28	10	8	698	343	284	36	35	90	47	41	2	-	13
60	28	24	4	4	68	30	20	7	11	552	288	225	19	20	78	45	32	1	-	14
564	267	177	65	55	649	289	168	104	88	4,573	2,480	1,591	276	226	746	425	292	17	12	15
91	47	25	9	10	100	50	22	20	8	972	586	319	46	21	148	87	56	4	1	16
104	53	35	9	7	118	60	33	15	10	1,492	837	500	77	78	226	123	95	4	4	17
64	18	14	19	13	56	14	15	15	12	246	128	74	23	21	48	25	18	3	2	18
25	15	9	1	-	16	7	6	2	1	187	102	81	1	3	36	26	8	2	-	19
24	9	4	6	5	32	8	10	6	8	87	48	26	6	7	29	23	6	-	-	20
256	125	90	21	20	327	150	82	46	49	1,589	779	591	123	96	259	141	109	4	5	21
239	107	35	55	42	544	145	102	149	148	355	192	133	20	10	66	30	33	1	2	22
35	13	15	5	2	144	38	35	33	38	89	33	52	1	3	17	5	12	-	-	23
204	94	20	50	40	400	107	67	116	110	266	159	81	19	7	49	25	21	1	2	24
974	561	187	177	49	1,441	747	285	281	128	9,549	6,429	2,380	570	170	1,150	799	317	27	7	25
793	453	147	150	43	1,192	599	259	218	116	7,165	4,792	1,838	407	128	880	608	253	17	2	26
22	10	2	10	-	14	7	2	4	1	145	123	9	13	-	12	11	-	1	-	27
354	209	64	65	16	457	276	85	74	22	3,518	2,374	888	193	63	347	254	86	7	-	28
343	202	62	63	16	450	273	84	73	20	3,412	2,298	867	186	61	327	236	84	7	-	29
7	5	2	-	-	15	10	4	1	-	154	104	39	10	1	16	12	4	-	-	30
57	34	6	17	-	92	41	21	24	6	777	519	186	57	15	30	21	9	-	-	31
116	64	27	18	7	106	63	27	14	2	1,420	919	414	56	31	115	84	31	-	-	32
154	95	24	27	8	82	55	6	14	7	943	671	201	58	13	149	107	36	6	-	33
9	4	3	1	1	155	104	26	20	5	118	85	27	5	1	17	12	4	1	-	34
11	7	2	2	-	7	3	1	1	2	106	76	21	7	2	20	18	2	-	-	35
9	3	-	6	-	10	4	-	6	-	33	22	10	1	-	6	5	1	-	-	36
4	2	-	1	1	33	23	1	6	3	104	89	2	13	-	7	6	1	-	-	37
36	31	2	3	-	11	11	-	-	-	226	205	16	5	-	10	10	-	-	-	38
13	6	3	4	-	13	4	3	5	1	185	99	69	13	4	13	11	2	-	-	39
4	3	1	-	-	6	1	3	2	-	87	57	19	7	4	20	15	3	1	1	40
76	38	30	6	2	154	54	81	13	6	1,034	552	442	29	11	198	94	100	4	-	41
24	17	5	1	1	39	22	12	4	1	385	259	107	15	4	76	46	28	2	-	42
18	6	12	-	-	27	5	20	2	-	130	66	59	4	1	65	25	40	-	-	43
34	15	13	5	1	88	27	49	7	5	519	227	276	10	6	57	23	32	2	-	44
14	12	2	-	-	25	16	2	7	-	75	70	3	2	-	20	17	2	1	-	45
11	8	-	3	-	18	14	1	3	-	126	117	2	7	-	29	27	2	-	-	46
11	10	-	1	-	17	13	2	2	-	46	43	2	1	-	6	6	-	-	-	47
58	20	15	9	14	146	35	26	31	54	458	242	158	35	23	55	30	24	-	1	48
2	2	-	-	-	7	1	3	1	2	29	14	10	2	3	1	1	-	-	-	49
29	22	3	4	-	47	24	3	14	6	135	118	7	8	2	23	22	-	1	-	50
23	8	9	4	2	12	4	4	2	2	166	94	60	7	5	15	7	8	-	-	51
48	27	8	10	3	71	42	12	17	-	396	299	62	35	-	40	35	4	1	-	52
19	13	1	5	-	17	11	-	5	1	28	21	2	4	1	-	-	-	-	-	53
2	2	-	-	-	11	3	4	2	2	61	33	23	2	3	8	5	3	-	-	54
58	27	7	19	5	123	56	27	24	16	313	220	54	30	9	70	52	17	1	-	55
127	84	28	12	3	130	110	14	6	-	1,895	1,380	443	61	11	205	161	41	2	1	56
29	12	17	-	-	13	10	3	-	-	690	441	241	7	1	48	36	12	-	-	57
11	10	-	1	-	10	10	-	-	-	270	193	50	23	4	27	17	10	-	-	58
74	57	8	9	-	93	82	6	5	-	737	612	103	18	4	115	98	15	1	1	59
13	5	3	2	3	14	8	5	1	-	198	134	49	13	2	15	10	4	1	-	60
54	24	12	15	3	118	37	12	57	12	487	255	99	102	31	65	30	23	8	4	61
32	15	8	9	-	74	21	10	36	7	211	102	59	35	15	31	12	13	4	2	62
6	2	2	2	-	24	5	-	17	2	100	50	8	37	5	10	5	3	1	1	63
16	7	2	4	3	16	8	2	3	3	141	81	32	17	11	18	9	7	1	1	64
-	-	-	-	-	4	3	-	1	-	26	18	-	8	-	6	4	-	2	-	65
-	-	-	-	-	-	-	-	-	-	9	4	-	5	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	20,695	11,147	8,917	343	288	3,576	1,678	1,271	345	282
2	I. Infective and parasitic diseases	347	233	77	22	15	85	28	23	19	15
3	Tuberculosis, all forms 001-019	207	151	34	14	8	55	17	14	13	11
4	Tuberculosis of respiratory system 001-008	192	144	31	13	4	52	16	14	12	10
5	Tuberculosis of meninges and central nervous system 010	2	-	1	-	1	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	2	1	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	4	3	1	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	-	-	-	1	1	-	-	1	-
11	Disseminated tuberculosis 019	6	3	-	1	2	2	1	-	-	1
12	Syphilis and its sequelae 020-029	52	31	15	5	1	15	9	-	4	2
13	Congenital syphilis 020	1	-	1	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	30	20	8	1	1	9	9	-	-	-
16	Other cardiovascular syphilis 023	13	4	5	4	-	2	-	-	-	2
17	Tabes dorsalis 024	1	1	-	-	-	1	-	-	1	-
18	General paralysis of insane 025	2	2	-	-	-	2	-	-	2	-
19	Other syphilis of central nervous system 026	2	1	1	-	-	1	-	-	1	-
20	Other syphilis 027-029	3	3	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	1	1	-	-	-	1	-	1	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	3	3	-	-	-	1	-	1	-	-
30	Streptococcal sore throat 051	1	1	-	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	12	9	3	-	-	1	-	-	1	-
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	1	-	1	-	-
35	Meningococcal infections 057	18	8	8	2	-	2	-	1	-	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	1	-	1	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	16	8	6	1	1	3	1	2	-	-
42	Late effects of acute poliomyelitis 081	5	3	2	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	6	4	1	-	1	1	-	1	-	-
44	Late effects of acute infectious encephalitis 083	1	1	-	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	-	-	-	-	-	-	-	-	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	9	6	2	-	1	2	1	1	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	1	-	-	1	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	1	-	-	1	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	15	6	6	-	3	1	-	-	-	1
61	II. Neoplasms	3,842	1,970	1,760	59	53	496	226	205	31	34
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	3,747	1,930	1,710	57	50	482	222	199	30	31
63	Malignant neoplasm of buccal cavity and pharynx 140-148	100	83	14	2	1	8	8	-	-	-
64	Of lip 140	8	7	1	-	-	1	1	-	-	-
65	Of tongue 141	22	17	4	-	1	1	1	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	25	20	4	1	-	3	3	-	-	-
67	Of pharynx 145-148	45	39	5	1	-	3	3	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum 150-156A,157-159	1,434	771	616	35	12	158	81	55	12	10
69	Of esophagus 150	89	71	12	5	1	12	9	1	1	1
70	Of stomach 151	364	224	126	13	1	48	20	19	7	2
71	Of intestine, except rectum 152,153	466	205	249	9	3	41	24	15	-	2
72	Of rectum 154	203	128	69	4	2	17	10	3	2	2
73	Of biliary passages and of liver (stated to be primary site) 155	90	28	60	-	2	7	2	4	-	1
74	Of liver not specified whether primary or secondary 156A	51	22	28	-	1	12	6	4	1	1
75	Of pancreas 157	144	81	58	4	1	18	9	8	-	1
76	Of peritoneum and of unspecified digestive organs 158,159	27	12	14	-	1	3	1	1	1	-
77	Malignant neoplasm of respiratory system 160-164	449	382	59	6	2	51	41	7	3	-
78	Of larynx 161	43	41	2	-	-	6	6	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	121	102	18	1	-	22	17	2	3	-
80	Of lung and bronchus, unspecified as primary or secondary 163	274	231	36	5	2	22	18	4	-	-
81	Of other parts of respiratory system 160,164	11	8	3	-	-	1	-	1	-	-
82	Malignant neoplasm of breast 170	397	1	382	-	14	47	-	41	-	6

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,545	2,834	2,367	1,826	1,518	30,668	14,201	9,009	4,145	3,313	30,846	11,123	7,541	6,581	5,601	5,033	3,080	1,853	64	36	1
268	73	22	114	59	749	271	133	217	128	865	247	128	277	213	73	50	18	3	2	2
183	49	10	81	43	317	129	49	89	50	439	138	45	147	109	33	22	7	2	2	3
165	47	9	74	35	294	126	41	81	46	386	132	37	123	94	31	21	6	2	2	4
4	-	-	2	2	5	-	3	1	1	14	1	2	5	6	-	-	-	-	-	5
1	1	-	-	-	1	-	1	-	-	6	-	1	1	4	1	1	-	-	-	6
-	-	-	-	-	2	-	-	1	1	4	-	2	2	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	8
1	-	-	1	-	3	-	2	1	-	5	2	1	2	-	1	-	1	-	-	9
2	-	1	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	10
10	1	-	3	6	11	3	1	5	2	21	2	1	13	5	-	-	-	-	-	11
50	17	4	21	8	155	51	12	63	29	129	39	10	55	25	9	6	2	1	-	12
-	-	-	-	-	4	-	-	2	2	4	1	-	2	1	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
24	11	3	5	5	68	33	8	21	6	41	19	6	11	5	4	2	2	-	-	15
13	3	1	9	-	59	14	3	31	11	38	4	4	19	11	2	2	-	-	-	16
2	1	-	1	-	1	1	-	-	-	3	1	-	1	1	-	-	-	-	-	17
6	-	-	4	2	8	-	-	3	5	22	11	-	7	4	1	1	-	-	-	18
5	2	-	2	1	14	3	1	6	4	21	3	-	15	3	1	-	-	1	-	19
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	-	1	4	-	-	1	3	-	-	-	-	-	21
-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	4	-	2	1	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	-	2	-	19	5	2	7	5	43	6	8	14	15	-	-	-	-	-	27
-	-	-	-	-	5	2	-	-	3	14	1	3	3	7	-	-	-	-	-	28
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	3	1	1	-	1	11	2	5	2	2	2	1	1	-	-	30
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
5	-	2	1	2	27	7	8	9	3	17	7	4	4	2	1	1	-	-	-	32
-	-	-	-	-	12	1	2	5	4	20	5	8	4	3	1	1	-	-	-	33
1	-	-	-	1	4	-	1	1	2	6	1	-	2	3	-	-	-	-	-	34
15	2	2	6	5	32	14	10	6	2	46	14	14	10	8	3	3	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	32	5	4	11	12	19	2	2	9	6	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	1	-	-	-	48	28	16	1	3	9	3	2	2	2	5	3	2	-	-	41
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	42
-	-	-	-	-	8	2	2	3	1	14	5	2	2	5	1	-	1	-	-	43
1	-	-	1	-	2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	6	1	3	1	1	7	1	2	1	3	1	-	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	2	-	-	-	24	9	8	5	2	21	4	9	3	5	6	4	2	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	2	1	-	1	-	2	1	1	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	3	3	-	-	-	3	1	1	1	-	-	-	-	-	-	58
-	-	-	-	-	14	1	1	8	4	6	1	-	2	3	1	1	-	-	-	59
5	-	3	2	-	30	9	10	7	4	38	13	8	8	9	8	7	1	-	-	60
1,351	439	484	224	204	4,648	2,145	1,785	328	390	3,746	1,367	1,317	448	614	730	378	347	4	1	61
1,316	432	472	218	194	4,548	2,114	1,751	318	365	3,632	1,345	1,270	438	579	709	371	333	4	1	62
28	19	2	7	-	105	80	14	10	2	93	62	20	7	4	7	6	1	-	-	63
-	-	-	-	-	9	9	-	-	-	2	1	1	-	-	1	1	-	-	-	64
13	9	-	4	-	23	18	2	3	-	23	16	6	1	-	2	1	1	-	-	65
3	1	1	1	-	26	16	6	2	2	29	21	5	1	2	2	2	-	-	-	66
12	9	1	2	-	48	37	6	5	-	39	24	8	5	2	2	2	-	-	-	67
460	130	159	105	66	1,469	707	556	128	78	1,128	421	356	205	146	270	154	112	3	1	68
36	15	2	16	3	81	46	12	21	2	76	29	23	21	3	8	5	3	-	-	69
98	28	27	23	20	357	190	92	50	25	348	140	76	89	43	81	55	23	2	1	70
141	38	59	22	22	450	192	222	14	22	261	80	113	29	39	78	39	39	-	-	71
65	18	27	14	6	166	86	69	6	5	114	32	44	16	22	30	17	12	1	-	72
24	6	12	3	3	69	22	36	5	6	108	45	40	13	10	15	4	11	-	-	73
25	7	8	7	3	105	45	37	11	12	37	10	11	10	6	10	3	7	-	-	74
65	16	23	18	8	208	117	72	14	5	152	77	40	21	14	41	26	15	-	-	75
6	2	1	2	1	33	9	16	7	1	32	8	9	6	9	7	5	2	-	-	76
170	102	21	43	4	579	457	69	40	13	402	277	52	55	18	64	50	14	-	-	77
19	11	2	6	-	39	34	3	2	-	33	22	4	5	2	5	4	1	-	-	78
80	43	8	26	3	196	159	16	18	3	298	211	35	40	12	22	19	3	-	-	79
66	44	11	10	1	329	253	46	20	10	57	35	10	9	3	32	23	9	-	-	80
5	4	-	1	-	15	11	4	-	-	14	9	3	1	1	5	4	1	-	-	81
135	1	95	-	39	357	2	305	-	50	306	4	213	-	89	49	-	49	-	-	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	494	193	285	5	11	80	20	42	6	12
2	Of cervix uteri----------171	75	...	71	...	4	20	...	16	...	4
3	Of other and unspecified parts of uterus----------172-174	86	...	81	...	5	16	...	13	...	3
4	Of ovary, fallopian tube, and broad ligament----------175	127	...	125	...	2	16	...	11	...	5
5	Of other and unspecified female genital organs----------176	8	...	8	...	-	2	...	2	...	-
6	Of prostate----------177	186	181	...	5	...	24	18	...	6	...
7	Of testis, and of other and unspecified male genital organs----178,179	12	12	...	-	...	2	2	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	188	117	64	6	1	20	14	6	-	-
9	Of kidney----------180	67	36	27	3	1	6	3	3	-	-
10	Of bladder and other urinary organs----------181	121	81	37	3	-	14	11	3	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	395	210	178	1	6	60	28	28	2	2
12	Of skin----------190,191	54	30	23	-	1	7	3	4	-	-
13	Of eye----------192	3	3	-	-	-	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	81	43	37	-	1	15	6	8	-	1
15	Of thyroid gland----------194	22	9	11	1	1	1	-	1	-	-
16	Of bone (including jaw bone)----------196	43	29	13	-	1	5	2	3	-	-
17	Of connective tissue----------197	9	4	5	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	42	18	24	-	-	5	3	2	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	141	74	65	-	2	26	13	10	2	1
20	Leukemia and aleukemia----------204	133	66	63	2	2	26	14	10	2	-
21	Lymphosarcoma, etc.*----------200-203,205	157	107	49	-	1	32	16	10	5	1
22	Lymphosarcoma and reticulosarcoma----------200	73	46	26	-	1	14	8	5	1	-
23	Hodgkin's disease----------201	39	29	10	-	-	7	2	2	2	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	45	32	13	-	-	11	6	3	2	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	95	40	50	2	3	14	4	6	1	3
26	Benign neoplasms of female genital organs----------214-217	11	...	10	...	1	4	...	1	...	3
27	Benign neoplasm of brain and other parts of nervous system----------223	14	7	6	1	-	2	1	1	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	11	7	3	-	1	5	2	2	1	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	3	...	3	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	40	17	22	-	1	1	1	-	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	16	9	6	1	-	2	-	2	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	522	194	313	5	10	99	36	51	3	9
33	Asthma----------241	74	55	17	1	1	12	8	4	-	-
34	Nontoxic goiter----------250,251	-	-	-	-	-	1	-	-	-	1
35	Thyrotoxicosis with or without goiter----------252	15	3	12	-	-	3	2	1	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	2	-	2	-	-	1	-	1	-	-
37	Diabetes mellitus----------260	410	129	270	3	8	79	26	44	3	6
38	Diseases of thymus gland----------273	3	2	-	1	-	1	-	1	-	-
39	Diseases of adrenal glands----------274	3	1	2	-	-	1	-	-	-	1
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	3	-	3	-	-	-	-	-	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	12	4	7	-	1	1	-	-	-	1
43	IV. Diseases of the blood and blood-forming organs----------	48	27	19	-	2	11	4	6	-	1
44	Anemias----------290-293	33	20	13	-	-	9	2	6	-	1
45	Pernicious and other hyperchromic anemias----------290	11	7	4	-	-	4	-	4	-	-
46	Anemias of other and unspecified type----------291-293	22	13	9	-	-	5	2	2	-	1
47	Purpura and other hemorrhagic conditions----------296	3	-	2	-	1	1	1	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	12	7	4	-	1	1	1	-	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	97	70	22	3	2	13	6	2	4	1
50	Senile psychosis----------304	26	15	11	-	-	-	-	-	-	-
51	Alcoholic psychosis----------307	11	11	-	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	7	3	4	-	-	1	-	1	-	-
53	Alcoholism----------322	50	41	4	3	2	10	4	1	4	1
54	Mental deficiency----------325	2	-	2	-	-	2	2	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	2,403	1,080	1,268	20	35	364	144	153	37	30
57	Vascular lesions affecting central nervous system----------330-334	2,228	990	1,186	17	35	331	127	143	34	27
58	Subarachnoid hemorrhage----------330	59	19	36	2	2	13	3	6	1	3
59	Cerebral hemorrhage----------331	1,309	592	689	8	20	221	85	95	24	17
60	Cerebral embolism and thrombosis----------332	697	317	363	6	11	77	32	33	9	3
61	Other vascular lesions affecting central nervous system--------333,334	163	62	98	1	2	20	7	9	-	4
62	Meningitis, except meningococcal and tuberculous----------340	24	17	7	-	-	7	3	1	2	1
63	Multiple sclerosis----------345	26	11	15	-	-	2	-	2	-	-
64	Paralysis agitans----------350	30	18	12	-	-	8	6	2	-	-
65	Cerebral spastic infantile paralysis----------351	4	1	3	-	-	2	-	2	-	-
66	Epilepsy----------353	27	19	7	1	-	3	2	1	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	2	1	-	-	1
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	8	3	5	-	-	1	1	-	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	56	21	33	2	-	8	4	2	1	1
72	VII. Diseases of the circulatory system----------	9,229	5,071	3,954	98	106	1,601	782	600	115	104
73	Rheumatic fever----------400-402	14	5	7	2	-	2	1	-	1	-
74	Diseases of heart----------410-443	8,477	4,711	3,598	82	86	1,439	714	538	100	87
75	Chronic rheumatic heart disease----------410-416	285	129	147	5	4	42	17	20	3	2
76	Diseases of mitral valve----------410	92	40	52	-	-	16	6	6	3	1
77	Diseases of aortic valve specified as rheumatic----------411	21	14	7	-	-	4	3	1	-	-
78	Diseases of tricuspid valve----------412	1	1	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	10	4	4	2	-	4	2	2	-	-
80	Other diseases of heart specified as rheumatic----------415,416	161	70	84	3	4	18	6	11	-	1

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
211	48	97	16	50	849	281	373	53	142	752	173	306	59	214	104	50	54	-	-	1
61	...	33	...	28	216	...	152	...	66	258	...	142	...	116	20	...	20	...	-	2
42	...	29	...	13	170	...	112	...	58	158	...	81	...	77	11	...	11	...	-	3
39	...	31	...	8	112	...	98	...	14	94	...	73	...	21	22	...	22	...	-	4
5	...	4	...	1	15	...	11	...	4	10	...	10	...	-	1	...	1	...	-	5
57	43	...	14	...	315	266	...	49	...	221	166	...	55	...	47	47	...	-	...	6
7	5	...	2	...	19	15	...	4	...	11	7	...	4	...	3	3	...	-	...	7
66	36	17	7	6	234	132	72	16	14	149	60	48	19	22	35	19	15	1	-	8
23	8	8	3	4	78	36	34	2	6	52	23	19	3	7	19	10	8	1	-	9
43	28	9	4	2	156	96	38	14	8	97	37	29	16	15	16	9	7	-	-	10
142	57	46	24	15	610	276	236	45	53	506	206	179	66	55	101	47	54	-	-	11
19	12	5	2	-	85	51	28	3	3	83	49	26	3	5	13	5	8	-	-	12
1	1	-	-	-	6	4	2	-	-	10	6	1	2	1	1	-	1	-	-	13
16	8	4	3	1	97	55	35	5	2	100	52	34	10	4	20	10	10	-	-	14
3	-	3	-	-	15	8	6	1	-	18	4	7	1	6	5	3	2	-	-	15
6	3	2	-	1	42	19	17	3	3	37	14	15	6	2	8	6	2	-	-	16
4	3	-	-	1	12	5	6	-	1	10	4	5	-	1	3	3	-	-	-	17
16	5	5	1	5	114	36	55	11	12	96	25	41	17	13	17	2	15	-	-	18
77	25	27	18	7	239	98	87	22	32	152	52	50	27	23	34	18	16	-	-	19
46	18	19	3	6	171	94	54	14	9	172	83	57	14	18	49	28	21	-	-	20
58	21	16	13	8	173	85	72	12	4	124	59	39	13	13	30	17	13	-	-	21
26	8	11	5	2	71	31	35	4	1	34	16	10	6	2	17	9	8	-	-	22
17	8	1	4	4	52	26	21	3	2	46	24	15	3	4	5	5	-	-	-	23
15	5	4	4	2	50	28	16	5	1	44	19	14	4	7	8	3	5	-	-	24
35	7	12	6	10	100	31	34	10	25	114	22	47	10	35	21	7	14	-	-	25
5	...	2	...	3	31	...	12	...	19	38	...	15	...	23	5	...	5	...	-	26
4	3	-	-	1	17	9	7	-	1	16	7	7	1	1	1	1	-	-	-	27
2	-	2	-	-	8	4	1	3	-	15	5	6	1	3	3	2	1	-	-	28
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	29
16	3	6	5	2	23	10	8	4	1	34	9	16	4	5	10	2	8	-	-	30
8	1	2	1	4	21	8	6	3	4	10	1	3	4	2	2	2	-	-	-	31
151	45	56	16	34	648	244	232	66	106	650	208	210	95	137	129	64	63	2	-	32
23	8	9	2	4	154	78	41	21	14	120	56	30	22	12	37	24	12	1	-	33
-	-	-	-	-	5	1	3	-	1	3	-	2	-	1	-	-	-	-	-	34
-	-	-	-	-	16	4	4	1	7	21	1	8	-	12	3	1	2	-	-	35
1	-	-	-	1	4	-	4	-	-	3	1	2	-	-	3	-	3	-	-	36
115	32	44	12	27	416	143	163	31	79	425	130	147	52	96	79	34	44	1	-	37
2	-	1	1	-	5	2	-	2	1	8	4	2	1	1	-	-	-	-	-	38
1	1	-	-	-	8	2	5	1	-	7	1	2	4	-	1	1	-	-	-	39
-	-	-	-	-	4	1	1	1	1	23	4	10	3	6	-	-	-	-	-	40
4	3	1	-	-	29	10	7	9	3	26	4	6	10	6	2	-	2	-	-	41
5	1	1	1	2	7	3	4	-	-	14	7	1	3	3	4	4	-	-	-	42
14	3	4	2	5	116	46	31	20	19	85	28	31	16	10	23	16	7	-	-	43
11	3	4	-	4	84	30	19	18	17	67	20	24	13	10	17	11	6	-	-	44
2	-	2	-	-	18	6	6	1	5	15	7	6	1	1	5	4	1	-	-	45
9	3	2	-	4	66	24	13	17	12	52	13	18	12	9	12	7	5	-	-	46
1	-	-	1	-	12	5	3	2	2	9	3	5	1	-	2	1	1	-	-	47
2	-	-	1	1	20	11	9	-	-	9	5	2	2	-	4	4	-	-	-	48
34	7	8	13	6	97	46	28	12	11	130	50	16	45	19	25	17	7	-	1	49
1	-	-	-	1	14	3	10	-	1	6	2	3	1	-	11	7	3	-	1	50
5	2	-	3	-	4	2	2	-	-	6	4	-	2	-	-	-	-	-	-	51
5	1	3	1	-	9	4	2	2	1	9	4	1	3	1	8	4	4	-	-	52
22	4	5	9	4	64	36	10	10	8	104	38	10	39	17	5	5	-	-	-	53
-	-	-	-	-	5	1	3	-	1	1	-	-	-	1	-	-	-	-	-	54
1	-	-	-	1	1	-	1	-	-	4	2	2	-	-	1	1	-	-	-	55
851	241	299	149	162	3,748	1,413	1,336	496	503	4,929	1,450	1,263	1,069	1,147	568	284	278	2	4	56
778	224	283	125	146	3,480	1,307	1,251	457	465	4,581	1,317	1,198	975	1,091	512	252	256	2	2	57
50	14	11	8	17	99	22	43	13	21	123	30	47	26	20	4	1	3	-	-	58
421	119	161	64	77	2,305	817	833	324	331	3,176	870	785	713	808	340	168	168	2	2	59
253	73	89	44	47	706	325	256	63	62	761	285	260	98	118	110	59	51	-	-	60
54	18	22	9	5	370	143	119	57	51	521	132	106	138	145	58	24	34	-	-	61
17	5	2	7	3	71	26	17	14	14	66	17	14	18	17	6	2	2	-	2	62
3	1	2	-	-	22	11	9	1	1	12	6	3	1	2	4	1	3	-	-	63
7	4	3	-	-	36	18	18	-	-	28	17	9	2	-	13	9	4	-	-	64
2	-	-	-	2	8	4	3	-	1	22	11	2	6	3	1	-	1	-	-	65
15	1	1	10	3	36	10	8	10	8	72	21	11	26	14	9	4	5	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	69
2	-	-	-	2	5	2	2	1	-	13	9	1	1	2	1	-	1	-	-	70
25	6	7	6	6	89	34	28	13	14	133	51	25	40	17	22	16	6	-	-	71
3,655	1,294	1,025	689	647	11,496	6,123	3,278	1,156	939	10,565	4,346	2,611	1,977	1,631	1,969	1,294	653	11	11	72
8	1	1	5	1	24	6	5	6	7	47	14	10	4	19	10	5	5	-	-	73
3,358	1,219	922	621	596	10,418	5,684	2,910	1,017	827	9,439	3,945	2,310	1,762	1,422	1,803	1,206	579	10	8	74
86	31	28	11	16	375	156	158	26	35	221	67	66	36	52	84	42	41	1	-	75
27	8	14	1	4	152	64	64	13	11	115	25	35	16	39	34	21	13	-	-	76
9	6	-	2	1	14	12	2	-	-	16	12	1	3	-	5	3	2	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
2	1	1	-	-	11	3	7	-	1	4	2	1	1	-	8	1	7	-	-	79
48	16	13	8	11	198	77	85	13	23	86	28	29	16	13	37	17	19	1	-	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	6,296	3,735	2,458	54	49	858	492	289	44	33
2	Arteriosclerotic heart disease so described----------420.0	2,958	1,531	1,365	29	33	275	122	119	21	13
3	Heart disease specified as involving coronary arteries----------420.1	3,333	2,200	1,092	25	16	580	367	170	23	20
4	Angina pectoris without mention of coronary disease----------420.2	5	4	1	-	-	3	3	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	63	39	24	-	-	21	10	6	4	1
6	Of mitral valve, specified as nonrheumatic----------421.0	9	6	3	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	19	13	6	-	-	3	2	-	1	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	35	20	15	-	-	18	8	6	3	1
9	Other myocardial degeneration----------422	669	318	338	6	7	197	88	83	16	10
10	With arteriosclerosis----------422.1	507	236	260	6	5	133	53	64	10	6
11	Without mention of arteriosclerosis----------422.0,422.2	162	82	78	-	2	64	35	19	6	4
12	Other diseases of heart----------430-434	129	68	56	4	1	44	20	12	7	5
13	Acute and subacute endocarditis----------430	10	7	3	-	-	-	-	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	11	8	3	-	-	2	-	1	-	1
15	Acute pericarditis specified as nonrheumatic----------432	2	1	1	-	-	-	-	-	-	-
16	Functional disease of heart----------433	20	5	15	-	-	4	1	2	-	1
17	Other and unspecified diseases of heart----------434	86	47	34	4	1	38	19	9	7	3
18	Hypertension with heart disease----------440-443	1,035	422	575	13	25	277	87	128	26	36
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	253	122	123	2	6	107	46	47	6	8
20	Essential hypertension with heart disease, etc.*----------440,441,443	782	300	452	11	19	170	41	81	20	28
21	Hypertension without mention of heart----------444-447	150	75	62	4	9	41	17	15	4	5
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	100	54	41	-	5	30	11	13	3	3
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	50	21	21	4	4	11	6	2	1	2
24	Diseases of arteries----------450-456	524	249	260	6	9	107	45	41	9	12
25	General arteriosclerosis----------450	401	179	214	3	5	85	35	36	7	7
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	75	50	23	1	1	13	8	1	2	2
27	Gangrene of unspecified cause----------455	3	1	2	-	-	2	-	1	-	1
28	Other arterial diseases----------452-454,456	45	19	21	2	3	7	2	3	-	2
29	Diseases of veins and other diseases of circulatory system-------460-468	64	31	27	4	2	12	5	6	1	-
30	VIII. Diseases of the respiratory system----------	624	394	202	19	9	147	70	31	29	17
31	Acute upper respiratory infections----------470-475	10	5	4	-	1	1	1	-	-	-
32	Influenza----------480-483	19	13	6	-	-	20	13	1	3	3
33	Pneumonia, except pneumonia of newborn----------490-493	389	221	148	15	5	91	38	22	19	12
34	Lobar pneumonia----------490	148	91	52	4	1	48	23	12	9	4
35	Bronchopneumonia----------491	159	87	64	4	4	30	11	5	8	6
36	Primary atypical pneumonia----------492	40	18	20	2	-	6	2	3	1	-
37	Pneumonia, other and unspecified----------493	42	25	12	5	-	7	2	2	1	2
38	Acute bronchitis----------500	11	9	2	-	-	-	-	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	29	21	7	1	-	3	2	-	-	1
40	Hypertrophy of tonsils and adenoids----------510	1	-	1	-	-	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	13	9	3	1	-	5	1	-	3	1
42	Pleurisy----------519	2	2	-	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	150	114	31	2	3	27	15	8	4	-
44	IX. Diseases of the digestive system----------	906	540	338	19	9	119	60	38	16	5
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	73	48	22	2	1	9	3	4	2	-
47	Ulcer of duodenum----------541	80	70	9	1	-	5	3	1	1	-
48	Gastritis and duodenitis----------543	3	3	-	-	-	1	-	1	-	-
49	Appendicitis----------550-553	24	16	8	-	-	1	1	-	-	-
50	Hernia and intestinal obstruction----------560,561,570	111	54	53	2	2	21	7	10	3	1
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	68	30	34	3	1	13	4	2	5	2
52	Cirrhosis of liver----------581	346	224	112	7	3	45	33	6	4	2
53	Without mention of alcoholism----------581.0	250	156	90	3	1	35	27	4	3	1
54	With alcoholism----------581.1	96	68	22	4	2	10	6	2	1	1
55	Cholelithiasis and cholecystitis----------584,585	81	36	45	-	-	11	3	8	-	-
56	Other diseases of digestive system----------Residual[1]	119	58	55	4	2	13	6	6	1	-
57	X. Diseases of the genito-urinary system----------	362	202	139	12	9	90	43	29	6	12
58	Nephritis and nephrosis----------590-594	198	96	93	5	4	58	22	24	3	9
59	Acute nephritis----------590	8	4	4	-	-	3	-	-	1	2
60	Nephritis with edema, including nephrosis----------591	14	5	8	1	-	6	1	3	-	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	176	87	81	4	4	49	21	21	2	5
62	Infections of kidney----------600	54	19	29	3	3	12	6	3	1	2
63	Calculi of urinary system----------602,604	19	10	7	-	2	4	4	-	-	-
64	Other diseases of urinary system----------601,603,605-609	13	8	3	2	-	5	3	-	2	-
65	Hyperplasia of prostate----------610	65	63	...	2	...	7	7	...	-	...
66	Other diseases of male genital organs----------611-617	6	6	...	-	...	1	1	...	-	...
67	Diseases of breast----------620,621	2	-	2	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	5	...	5	...	-	3	...	2	...	1
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	18	...	17	...	1	7	...	2	...	5
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	7	...	7	...	-	2	...	-	...	2
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	4	...	3	...	1	-	...	-	...	-
73	Ectopic pregnancy----------645	-	...	-	...	-	1	...	-	...	1
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	1	...	-	...	1
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	6	...	6	...	-	3	...	2	...	1

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,737	845	498	211	183	6,748	4,188	1,778	465	317	5,144	2,703	1,281	684	476	1,137	853	274	7	3	1
617	251	183	96	87	1,879	1,032	617	124	106	1,035	465	328	137	105	217	144	71	1	1	2
1,120	594	315	115	96	4,822	3,136	1,150	333	203	4,069	2,216	944	541	368	914	705	201	6	2	3
-	-	-	-	-	47	20	11	8	8	40	22	9	6	3	6	4	2	-	-	4
20	6	8	3	3	148	61	33	37	17	193	62	44	48	39	19	11	8	-	-	5
3	1	-	1	1	12	3	1	4	4	12	3	3	2	4	-	-	-	-	-	6
7	3	2	2	-	33	20	3	7	3	53	15	10	18	10	4	3	1	-	-	7
10	2	6	-	2	103	38	29	26	10	128	44	31	28	25	15	8	7	-	-	8
693	175	165	199	154	849	354	288	120	87	881	275	221	254	131	240	128	112	-	-	9
252	66	89	55	42	476	203	166	65	42	487	157	124	145	61	105	53	52	-	-	10
441	109	76	144	112	373	151	122	55	45	394	118	97	109	70	135	75	60	-	-	11
89	25	29	18	17	769	388	174	107	100	736	244	141	199	152	82	46	34	1	1	12
11	3	3	3	2	14	6	4	2	2	25	7	9	4	5	-	-	-	-	-	13
5	1	2	1	1	67	21	7	16	23	49	17	5	13	14	5	3	2	-	-	14
1	-	-	1	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	15
10	3	5	-	2	42	23	18	1	-	29	10	9	7	3	22	10	11	1	-	16
62	18	19	13	12	645	337	145	88	75	631	210	117	174	130	55	33	21	-	1	17
733	137	194	179	223	1,529	517	479	262	271	2,264	594	557	541	572	241	126	110	1	4	18
279	60	83	69	67	510	201	146	87	76	665	192	189	147	137	100	58	38	1	3	19
454	77	111	110	156	1,019	316	333	175	195	1,599	402	368	394	435	141	68	72	-	1	20
77	9	21	30	17	295	108	82	60	45	405	126	85	107	87	29	14	14	-	1	21
45	5	14	16	10	149	70	38	29	12	158	62	39	33	24	12	5	6	-	1	22
32	4	7	14	7	146	38	44	31	33	247	64	46	74	63	17	9	8	-	-	23
180	54	70	29	27	677	307	258	61	51	601	242	183	93	83	119	65	51	1	2	24
134	35	62	19	18	544	219	230	51	44	482	193	156	68	65	102	54	46	1	1	25
32	18	4	6	4	88	71	11	5	1	71	33	11	19	8	10	7	3	-	-	26
1	-	1	-	-	3	-	1	1	1	5	1	1	2	1	1	-	1	-	-	27
13	1	3	4	5	42	17	16	4	5	43	15	15	4	9	6	4	1	-	1	28
32	11	11	4	6	82	38	23	12	9	73	19	23	11	20	8	4	4	-	-	29
352	121	66	101	64	1,384	527	290	316	251	1,772	487	363	487	435	220	119	87	8	6	30
3	1	-	1	1	14	-	4	2	8	51	11	6	18	16	8	4	2	-	2	31
13	3	5	1	4	227	53	46	60	68	425	96	89	125	115	44	22	20	2	-	32
270	91	45	79	55	793	274	169	207	143	1,006	232	191	307	276	123	64	50	5	4	33
109	36	15	33	25	264	82	51	84	47	331	71	54	106	100	30	20	9	1	-	34
129	40	25	37	27	387	145	85	88	69	403	103	84	111	105	55	24	29	1	1	35
13	7	2	3	1	80	30	22	16	12	110	28	31	23	28	8	5	2	-	1	36
19	8	3	6	2	62	17	11	19	15	162	30	22	67	43	30	15	10	3	2	37
3	2	-	1	-	17	3	2	6	6	9	2	4	1	2	1	1	-	-	-	38
9	5	-	2	2	43	22	8	10	3	44	21	12	7	4	7	5	2	-	-	39
1	-	-	1	-	7	4	2	1	-	8	4	3	-	1	1	1	-	-	-	40
11	2	1	7	1	22	10	1	5	6	17	2	5	5	5	2	2	-	-	-	41
-	-	-	-	-	6	2	2	2	-	8	4	1	3	-	-	-	-	-	-	42
42	17	15	9	1	255	159	56	23	17	204	115	52	21	16	34	20	13	1	-	43
434	173	101	93	67	1,306	602	367	193	144	1,004	392	227	209	176	156	90	63	1	2	44
1	-	-	1	-	5	3	1	1	-	9	1	2	3	3	1	1	-	-	-	45
25	10	7	6	2	127	78	12	32	5	79	39	14	21	5	18	15	3	-	-	46
25	13	3	8	1	83	59	13	4	7	50	32	9	8	1	13	12	1	-	-	47
4	-	-	3	1	13	2	4	4	3	7	2	1	1	3	2	2	-	-	-	48
15	6	3	4	2	42	16	12	6	8	54	25	7	7	15	8	6	2	-	-	49
80	22	25	18	15	198	64	69	35	30	158	45	37	40	36	34	12	22	-	-	50
32	11	5	6	10	190	58	36	54	42	231	49	35	79	68	13	6	6	-	1	51
176	88	39	28	21	344	200	105	19	20	184	116	35	18	15	25	13	11	1	-	52
123	59	28	25	13	278	164	81	14	19	97	52	25	12	8	19	10	9	-	-	53
53	29	13	3	8	66	36	24	5	1	87	64	10	6	7	6	3	2	1	-	54
21	6	11	3	1	97	44	49	1	3	71	24	38	3	6	18	6	11	-	1	55
55	17	8	16	14	207	78	66	37	26	161	59	49	29	24	24	17	7	-	-	56
171	59	29	40	43	837	372	191	155	119	1,129	332	223	319	255	116	76	37	3	-	57
76	18	16	20	22	479	183	121	94	81	752	183	156	197	216	74	43	30	1	-	58
2	1	1	-	-	48	13	11	14	10	95	17	9	41	28	5	4	1	-	-	59
14	3	3	5	3	27	10	12	4	1	28	8	4	9	7	3	-	3	-	-	60
60	14	12	15	19	404	160	98	76	70	629	158	143	147	181	66	39	26	1	-	61
49	16	9	9	15	123	50	36	19	18	116	26	44	26	20	10	7	3	-	-	62
3	3	-	-	-	31	14	14	1	2	26	13	7	5	1	1	-	1	-	-	63
15	2	4	7	2	38	15	8	11	4	42	15	5	18	4	5	3	2	-	-	64
21	17	...	4	...	128	104	...	24	...	143	81	...	62	...	19	18	...	1	...	65
3	3	...	-	...	12	6	...	6	...	25	14	...	11	...	6	5	...	1	...	66
-	-	-	-	-	2	-	2	-	-	2	-	1	-	1	-	-	-	-	-	67
4	...	-	...	4	24	...	10	...	14	23	...	10	...	13	1	...	1	...	-	68
10	...	2	...	8	66	...	22	...	44	113	...	40	...	73	8	...	8	...	-	69
-	...	-	...	-	5	...	3	...	2	18	...	8	...	10	1	...	1	...	-	70
4	...	-	...	4	24	...	7	...	17	41	...	12	...	29	2	...	2	...	-	71
2	...	1	...	1	14	...	6	...	8	23	...	7	...	16	3	...	3	...	-	72
2	...	-	...	2	9	...	1	...	8	5	...	2	...	3	-	...	-	...	-	73
-	...	-	...	-	1	...	-	...	1	4	...	-	...	4	-	...	-	...	-	74
2	...	1	...	1	5	...	1	...	4	8	...	4	...	4	1	...	1	...	-	75
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	76
-	...	-	...	-	8	...	4	...	4	11	...	5	...	6	1	...	1	...	-	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	20	10	9	1	-	3	1	2	-	-
2	Infections of skin and subcutaneous tissue-690-698	7	5	2	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue-700-716	13	5	7	1	-	3	1	2	-	-
4	XIII. Diseases of the bones and organs of movement	34	19	15	-	-	8	4	2	1	1
5	Arthritis and spondylitis-720-725	19	9	10	-	-	3	1	1	-	1
6	Muscular rheumatism and rheumatism, unspecified-726,727	1	1	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis-730	3	2	1	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	2	1	1	-	-	3	1	1	1	-
9	All other diseases of musculoskeletal system-731-736,738-744	9	6	3	-	-	2	2	-	-	-
10	XIV. Congenital malformations	274	148	114	7	5	54	30	20	3	1
11	Spina bifida and meningocele-751	13	8	5	-	-	8	5	3	-	-
12	Congenital hydrocephalus, etc.*-752,753	44	18	22	2	2	3	2	1	-	-
13	Congenital malformations of circulatory system-754	115	63	48	3	1	22	12	8	2	-
14	Other congenital malformations-750,755-759	102	59	39	2	2	21	11	8	1	1
15	XV. Certain diseases of early infancy	661	360	248	31	22	158	56	46	25	31
16	Birth injuries-760,761	112	68	33	7	4	24	8	10	4	2
17	Postnatal asphyxia and atelectasis-762	261	141	108	7	5	43	18	11	4	10
18	Infections of newborn-763-768	22	10	10	-	2	18	8	2	5	3
19	Hemolytic disease of newborn (erythroblastosis)-770	24	14	10	-	-	3	1	1	1	-
20	All other defined diseases of early infancy-769,771,772	11	9	1	1	-	3	1	-	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	231	118	86	16	11	67	20	22	10	15
22	XVI. Symptoms, senility, and ill-defined conditions	75	38	35	1	1	16	9	5	-	2
23	Senility without mention of psychosis-794	20	7	13	-	-	10	6	3	-	1
24	Symptoms, ill-defined and unknown causes-780-793,795	55	31	22	1	1	6	3	2	-	1
25	XVII. Accidents, poisonings, and violence	1,233	791	387	46	9	305	179	56	56	14
26	Accidents-E800-E962	983	624	318	33	8	245	138	49	44	14
27	Railway accidents-E800-E802	13	11	-	2	-	5	4	-	1	-
28	Motor-vehicle accidents-E810-E835	301	222	66	13	-	105	61	14	24	6
29	Motor-vehicle traffic accidents-E810-E825	290	213	64	13	-	103	59	14	24	6
30	Motor-vehicle traffic accident with railway train*-E810	4	4	-	-	-	3	1	1	-	1
31	Motor-vehicle traffic accident to pedestrian-E812	96	74	22	-	-	25	14	3	8	-
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	88	61	24	3	-	33	17	5	8	3
33	Motor-vehicle noncollision traffic accidents-E820-E824	69	46	15	8	-	29	18	4	6	1
34	Motor-vehicle traffic accident of unspecified nature-E825	33	28	3	2	-	13	9	1	2	1
35	Motor-vehicle nontraffic accidents-E830-E835	11	9	2	-	-	2	2	-	-	-
36	Other road-vehicle accidents-E840-E845	4	4	-	-	-	1	-	1	-	-
37	Water-transport accidents-E850-E858	8	6	1	1	-	5	5	-	-	-
38	Aircraft accidents-E860-E866	14	13	1	-	-	6	5	1	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	17	10	6	1	-	4	2	1	-	1
40	Accidental poisoning by gases and vapors-E890-E895	37	25	10	-	2	-	-	-	-	-
41	Accidental falls-E900-E904	333	150	178	4	1	44	18	22	1	3
42	Fall from one level to another-E900-E902	91	60	29	2	-	24	11	10	1	2
43	Fall on same level-E903	42	20	22	-	-	10	2	7	-	1
44	Unspecified falls-E904	200	70	127	2	1	10	5	5	-	-
45	Blow from falling object-E910	1	1	-	-	-	-	-	-	-	-
46	Accident caused by machinery-E912	13	13	-	-	-	2	1	-	1	-
47	Accident caused by electric current-E914	8	7	-	1	-	5	5	-	-	-
48	Accident caused by fire and explosion, etc.*-E916	55	37	14	4	-	17	7	1	9	-
49	Accident caused by hot substance, etc.*-E917,E918	10	7	2	-	1	3	2	-	-	1
50	Accident caused by firearm-E919	13	12	1	-	-	4	3	1	-	-
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	28	17	9	-	2	4	2	2	-	-
52	Accidental drowning-E929	67	55	8	4	-	22	16	1	5	-
53	Excessive heat and insolation-E931	-	-	-	-	-	1	-	1	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	9	4	4	-	1	2	-	1	-	1
55	All other accidents-Residual[1]	52	30	18	3	1	15	7	3	3	2
56	Suicide-E963,E970-E979	216	154	58	4	-	41	35	5	1	-
57	Suicide by poisoning-E970-E973	64	44	20	-	-	7	6	1	-	-
58	Suicide by hanging and strangulation-E974	64	44	17	3	-	7	6	1	-	-
59	Suicide by firearms and explosives-E976	56	48	7	1	-	23	19	3	1	-
60	Suicide by all other means-E963,E975,E977-E979	32	18	14	-	-	4	4	-	-	-
61	Homicide-E964,E980-E985	32	11	11	9	1	19	6	2	11	-
62	Assault by firearms and explosives-E981	16	6	4	5	1	7	2	1	4	-
63	Assault by cutting and piercing instruments-E982	2	-	1	1	-	4	1	-	3	-
64	Assault by other means-E964,E980,E983	13	5	6	2	-	6	2	1	3	-
65	Injury by intervention of police-E984	1	-	-	1	-	2	1	-	1	-
66	Execution-E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	2	1	1	4	32	4	13	6	9	26	5	6	2	13	2	2	-	-	-	1
5	2	1	1	1	10	1	3	4	2	10	1	3	1	5	2	2	-	-	-	2
3	-	-	-	3	22	3	10	2	7	16	4	3	1	8	-	-	-	-	-	3
15	6	5	2	2	70	22	29	13	6	65	21	25	8	11	9	4	5	-	-	4
8	3	4	-	1	29	6	14	7	2	50	14	20	5	11	6	3	3	-	-	5
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	1	-	1	-	-	6
2	-	1	1	-	11	1	2	5	3	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	8
5	3	-	1	1	27	13	12	1	1	12	6	4	2	-	1	1	-	-	-	9
98	29	24	29	16	347	141	133	39	34	420	174	136	61	49	73	48	24	1	-	10
7	2	3	2	-	30	14	15	-	1	27	11	12	1	3	2	1	1	-	-	11
9	3	-	5	1	41	14	16	5	6	67	29	17	10	11	6	4	2	-	-	12
41	11	7	15	8	143	58	54	18	13	178	76	55	29	18	44	28	15	1	-	13
41	13	14	7	7	133	55	48	16	14	148	58	52	21	17	21	15	6	-	-	14
442	114	79	135	114	1,501	559	390	297	255	1,723	523	383	480	337	272	161	105	5	1	15
84	25	11	28	20	265	117	73	48	27	306	125	63	73	45	49	34	14	1	-	16
173	41	22	54	56	382	163	103	65	51	379	139	115	72	53	56	31	25	-	-	17
19	4	5	7	3	78	18	13	21	26	168	38	29	68	33	8	6	2	-	-	18
10	1	8	-	1	49	27	14	5	3	58	33	13	8	4	13	11	2	-	-	19
17	6	2	7	2	65	13	9	21	22	73	11	8	31	23	5	3	2	-	-	20
139	37	31	39	32	662	221	178	137	126	739	177	155	228	179	141	76	60	4	1	21
13	3	4	5	1	774	268	154	197	155	628	146	91	203	188	71	47	14	7	3	22
1	-	1	-	-	138	51	36	26	25	155	32	34	45	44	26	14	8	3	1	23
12	3	3	5	1	636	217	118	171	130	473	114	57	158	144	45	33	6	4	2	24
678	225	158	213	82	2,849	1,418	597	634	200	2,996	1,347	471	885	293	589	430	137	17	5	25
515	166	133	145	71	2,162	1,124	480	405	153	2,249	1,066	399	575	209	483	350	116	13	4	26
2	-	-	2	-	33	12	4	13	4	34	17	1	14	2	8	6	2	-	-	27
134	50	26	41	17	901	520	177	154	50	943	549	139	216	39	198	133	53	10	2	28
131	48	26	40	17	878	510	173	148	47	916	534	136	208	38	186	124	52	8	2	29
-	-	-	-	-	40	19	16	3	2	34	19	5	8	2	16	11	4	1	-	30
49	17	4	20	8	171	99	34	30	8	175	76	27	61	11	20	12	8	-	-	31
38	10	10	12	6	191	109	42	31	9	161	98	35	24	4	42	25	15	1	1	32
29	15	7	5	2	171	103	21	34	13	164	101	10	43	10	53	35	13	4	1	33
15	6	5	3	1	305	180	60	50	15	382	240	59	72	11	55	41	12	2	-	34
3	2	-	1	-	23	10	4	6	3	27	15	3	8	1	12	9	1	2	-	35
4	1	2	1	-	5	3	-	2	-	9	3	2	2	2	6	6	-	-	-	36
11	2	1	7	1	65	48	2	15	-	53	30	5	17	1	7	7	-	-	-	37
6	5	1	-	-	81	72	8	1	-	73	61	3	9	-	11	10	1	-	-	38
8	1	1	4	2	37	8	13	8	8	49	20	12	12	5	7	4	3	-	-	39
3	2	-	-	1	24	13	11	-	-	8	4	2	1	1	3	3	-	-	-	40
177	58	74	30	15	311	133	140	28	10	279	94	128	31	26	58	34	23	-	1	41
75	35	19	14	7	100	49	27	19	5	89	44	21	15	9	22	17	5	-	-	42
16	3	8	4	1	50	20	27	3	-	61	17	35	5	4	8	5	3	-	-	43
86	20	47	12	7	161	64	86	6	5	129	33	72	11	13	28	12	15	-	1	44
3	3	-	-	-	17	9	1	7	-	44	23	2	19	-	14	13	1	-	-	45
3	-	1	2	-	36	19	3	12	2	46	28	2	16	-	24	21	3	-	-	46
6	4	-	2	-	34	27	-	7	-	20	13	1	5	1	6	5	1	-	-	47
34	7	8	8	11	160	44	43	35	38	216	53	31	70	62	25	17	8	-	-	48
6	-	1	4	1	15	3	5	4	3	17	3	7	4	3	-	-	-	-	-	49
6	3	-	3	-	64	40	4	14	6	81	44	5	29	3	27	26	1	-	-	50
12	2	4	2	4	38	18	6	9	5	43	14	7	12	10	5	1	4	-	-	51
28	13	2	12	1	193	94	29	64	6	119	50	13	46	10	42	35	6	-	1	52
17	5	2	6	4	8	4	-	3	1	10	6	3	1	-	-	-	-	-	-	53
7	-	1	4	2	18	5	7	2	4	11	3	4	1	3	3	2	1	-	-	54
48	10	9	17	12	122	52	27	27	16	194	51	32	70	41	39	27	9	3	-	55
82	49	17	15	1	343	237	86	18	2	278	204	45	21	8	81	66	13	2	-	56
16	12	5	1	-	88	46	40	2	-	37	22	12	1	2	13	10	3	-	-	57
18	13	1	3	1	39	26	10	3	-	22	13	4	3	2	9	5	3	1	-	58
21	15	2	4	-	168	134	21	11	2	188	151	20	15	2	54	48	5	1	-	59
25	9	9	7	-	48	31	15	2	-	31	18	9	2	2	5	3	2	-	-	60
81	10	8	53	10	344	57	31	211	45	468	76	27	289	76	25	14	8	2	1	61
24	5	3	14	2	182	35	16	106	25	270	52	17	161	40	14	6	6	1	1	62
32	2	-	25	5	112	8	5	85	14	123	7	5	83	28	3	2	-	1	-	63
22	3	5	11	3	40	11	10	13	6	50	13	5	24	8	7	5	2	-	-	64
2	-	-	2	-	9	3	-	6	-	15	3	-	12	-	1	1	-	-	-	65
1	-	-	1	-	1	-	-	1	-	10	1	-	9	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	96,636	50,422	37,610	4,850	3,754	41,355	22,377	16,686	1,265	1,027
2	I. Infective and parasitic diseases	1,946	1,049	435	322	140	802	457	261	51	33
3	Tuberculosis, all forms---001-019	1,263	688	211	257	107	402	239	115	28	20
4	Tuberculosis of respiratory system---001-008	1,149	651	187	226	85	365	218	107	24	16
5	Tuberculosis of meninges and central nervous system---010	49	10	10	16	13	12	9	1	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	6	-	3	-	3	4	-	2	1	1
7	Tuberculosis of vertebral column---012.0,013.0	5	3	-	2	-	2	-	2	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	2	1	1	-	-	1	-	1	-	-
9	Tuberculosis of genito-urinary system---016	15	13	2	-	-	8	6	1	-	1
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	6	3	2	1	-	2	1	-	-	1
11	Disseminated tuberculosis---019	31	7	6	12	6	8	5	1	2	-
12	Syphilis and its sequelae---020-029	241	137	40	50	14	145	85	41	17	2
13	Congenital syphilis---020	1	-	1	-	-	-	-	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	61	37	12	7	5	50	34	11	4	1
16	Other cardiovascular syphilis---023	86	49	9	24	4	40	22	9	9	-
17	Tabes dorsalis---024	7	6	1	-	-	6	3	3	-	-
18	General paralysis of insane---025	53	31	8	10	4	26	13	9	3	1
19	Other syphilis of central nervous system---026	24	8	8	7	1	19	12	6	1	-
20	Other syphilis---027-029	9	6	1	2	-	4	1	3	-	-
21	Gonococcal infection---030-035	3	-	-	1	2	-	-	-	-	-
22	Typhoid fever---040	1	1	-	-	-	-	-	-	-	-
23	Paratyphoid fever---041	1	-	1	-	-	1	-	1	-	-
24	Other Salmonella infections---042	-	-	-	-	-	1	-	-	1	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	1	-	1	-	-
27	Dysentery, all forms---045-048	19	9	8	1	1	20	14	5	-	1
28	Food poisoning (infection and intoxication)---049	2	1	1	-	-	3	1	2	-	-
29	Scarlet fever---050	3	1	2	-	-	1	-	1	-	-
30	Streptococcal sore throat---051	12	6	5	-	1	3	1	2	-	-
31	Erysipelas---052	2	2	-	-	-	2	2	-	-	-
32	Septicemia and pyemia---053	28	14	12	1	1	24	12	9	2	1
33	Diphtheria---055	1	1	-	-	-	3	-	3	-	-
34	Whooping cough---056	4	3	1	-	-	9	4	4	-	1
35	Meningococcal infections---057	64	33	21	5	5	34	18	16	-	-
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	13	5	6	-	2	9	3	6	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	104	54	50	-	-	29	17	9	-	3
42	Late effects of acute poliomyelitis---081	5	3	2	-	-	12	5	6	-	1
43	Acute infectious encephalitis---082	17	9	5	1	2	22	15	7	-	-
44	Late effects of acute infectious encephalitis---083	8	5	2	1	-	5	3	2	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	21	8	12	1	-	12	5	5	1	1
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	64	29	30	2	3	14	7	6	-	1
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	1	1	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	1	1	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	2	2	-	-	-	2	2	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	4	4	-	-	-	2	1	1	-	-
60	All other infective and parasitic diseases---Residual[1]	63	33	26	2	2	46	23	19	2	2
61	II. Neoplasms	15,421	7,497	6,888	532	504	6,143	3,009	2,872	131	131
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	15,136	7,376	6,752	523	485	6,006	2,949	2,804	129	124
63	Malignant neoplasm of buccal cavity and pharynx---140-148	357	274	57	20	6	119	88	24	4	3
64	Of lip---140	19	19	-	-	-	17	12	4	1	-
65	Of tongue---141	97	73	16	6	2	26	18	5	2	1
66	Of other and unspecified parts of buccal cavity---142-144	96	67	23	3	3	32	21	9	1	1
67	Of pharynx---145-148	145	115	18	11	1	44	37	6	-	1
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	5,783	3,012	2,396	219	156	2,223	1,120	1,008	62	33
69	Of esophagus---150	315	237	41	25	12	91	67	14	10	-
70	Of stomach---151	1,562	925	518	82	37	541	297	213	22	9
71	Of intestine, except rectum---152,153	1,744	786	872	36	50	705	314	372	11	8
72	Of rectum---154	731	403	279	29	20	268	132	129	6	1
73	Of biliary passages and of liver (stated to be primary site)---155	418	157	238	15	8	130	49	77	3	1
74	Of liver not specified whether primary or secondary---156A	272	112	148	6	6	199	89	98	2	10
75	Of pancreas---157	672	360	267	25	20	251	155	85	8	3
76	Of peritoneum and of unspecified digestive organs---158,159	69	32	33	1	3	38	17	20	-	1
77	Malignant neoplasm of respiratory system---160-164	1,897	1,481	286	111	19	655	522	100	30	3
78	Of larynx---161	147	131	7	9	-	47	40	4	3	-
79	Of trachea, and of bronchus and lung specified as primary---162	947	739	129	66	13	223	182	26	14	1
80	Of lung and bronchus, unspecified as primary or secondary---163	749	576	135	32	6	353	277	63	11	2
81	Of other parts of respiratory system---160,164	54	35	15	4	-	32	23	7	2	-
82	Malignant neoplasm of breast---170	1,412	11	1,331	-	70	538	10	513	-	15

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,787	15,091	11,417	155	124	19,325	10,529	7,781	576	439	27,635	14,020	10,465	1,734	1,416	25,273	8,845	6,010	5,584	4,834	1
335	205	123	4	3	265	167	76	14	8	969	461	349	95	64	805	220	104	293	188	2
123	78	42	2	1	97	64	24	8	1	632	310	222	59	41	378	128	50	124	76	3
112	72	37	2	1	89	59	22	7	1	576	287	199	54	36	343	121	47	109	66	4
3	3	-	-	-	2	2	-	-	-	21	10	8	1	2	13	-	3	7	3	5
-	-	-	-	-	1	1	-	-	-	6	1	4	1	-	3	-	-	1	2	6
-	-	-	-	-	1	1	-	-	-	4	1	3	-	-	1	1	-	-	-	7
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	8
2	-	2	-	-	2	-	1	1	-	8	3	4	1	-	1	-	-	-	1	9
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	10
4	2	2	-	-	2	1	1	-	-	14	6	3	2	3	14	3	-	7	4	11
81	50	27	2	2	67	46	12	4	5	75	32	8	21	14	211	41	10	107	53	12
-	-	-	-	-	4	2	1	-	1	4	1	1	-	2	2	-	-	1	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
22	17	5	-	-	28	18	5	1	4	23	13	4	3	3	69	23	5	30	11	15
31	19	11	-	1	12	8	3	1	-	20	8	1	6	5	87	7	3	50	27	16
3	2	1	-	-	4	4	-	-	-	2	2	-	-	-	-	-	-	-	-	17
12	6	6	-	-	7	7	-	-	-	14	7	-	7	-	29	8	1	14	6	18
10	6	3	-	1	7	5	1	1	-	10	1	2	4	3	12	2	-	7	3	19
3	-	1	2	-	5	2	2	1	-	2	-	-	1	1	12	1	1	5	5	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	23
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	2	-	1	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	26
6	3	3	-	-	8	5	2	1	-	27	15	10	2	-	26	7	4	4	11	27
-	-	-	-	-	3	2	-	1	-	5	1	2	1	1	-	-	-	-	-	28
5	3	2	-	-	3	1	1	-	1	1	-	1	-	-	-	-	-	-	-	29
2	1	1	-	-	2	1	1	-	-	10	5	5	-	-	3	-	3	-	-	30
5	3	2	-	-	1	-	1	-	-	-	-	-	-	-	4	3	-	-	1	31
10	3	7	-	-	7	4	3	-	-	19	9	8	2	-	23	4	4	13	2	32
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	3	-	2	1	-	33
1	-	1	-	-	2	-	2	-	-	18	6	9	1	2	9	1	-	3	5	34
19	13	6	-	-	12	7	5	-	-	41	23	17	-	1	42	14	8	12	8	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	38
5	3	2	-	-	-	-	-	-	-	7	3	2	2	-	16	1	-	10	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
25	17	8	-	-	18	11	7	-	-	30	14	16	-	-	7	3	2	1	1	41
3	2	1	-	-	5	2	3	-	-	3	1	2	-	-	3	1	1	1	-	42
3	2	1	-	-	6	6	-	-	-	12	3	6	2	1	6	2	2	-	2	43
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
11	6	5	-	-	10	7	3	-	-	9	7	2	-	-	7	2	1	1	3	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
13	6	7	-	-	5	2	3	-	-	22	7	13	2	-	8	1	4	-	3	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	53
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	8	3	5	-	-	14	1	-	6	7	59
16	9	7	-	-	18	8	9	-	1	38	15	17	2	4	28	6	5	9	8	60
4,338	2,250	2,048	23	17	2,918	1,446	1,344	69	59	3,713	1,653	1,713	167	180	3,608	1,392	1,052	598	566	61
4,236	2,205	1,993	22	16	2,855	1,420	1,310	69	56	3,641	1,625	1,683	164	169	3,487	1,354	1,017	578	538	62
82	64	17	1	-	68	53	14	1	-	81	50	20	9	2	90	59	14	15	2	63
12	12	-	-	-	13	11	2	-	-	5	4	-	1	-	6	5	-	1	-	64
15	8	6	1	-	11	8	3	-	-	11	6	2	3	-	23	16	4	2	1	65
26	20	6	-	-	30	21	8	1	-	32	19	12	-	1	26	16	6	3	1	66
29	24	5	-	-	14	13	1	-	-	33	21	6	5	1	35	22	4	9	-	67
1,607	866	729	6	6	1,012	521	438	33	20	1,272	597	564	55	56	1,139	419	316	257	147	68
52	43	8	1	-	28	18	5	4	1	52	32	11	6	3	57	27	7	19	4	69
435	270	161	3	1	262	155	88	13	6	321	175	115	20	11	379	136	75	120	48	70
529	236	288	1	4	311	130	165	8	8	378	148	198	12	20	251	80	103	29	39	71
184	103	80	-	1	118	62	53	3	-	122	55	55	2	10	108	38	40	16	14	72
89	30	59	-	-	62	25	37	-	-	67	21	43	1	2	45	14	20	8	3	73
75	34	41	-	-	66	36	28	-	2	160	77	70	6	7	112	43	20	29	20	74
213	132	80	1	-	145	89	50	4	2	147	76	60	8	3	152	67	43	25	17	75
30	18	12	-	-	20	6	12	1	1	25	13	12	-	-	35	14	8	11	2	76
403	329	69	5	-	267	219	36	11	1	411	285	78	35	13	504	335	59	94	16	77
29	26	2	1	-	13	9	1	3	-	39	30	6	2	1	36	26	2	7	1	78
127	111	15	1	-	92	78	11	3	-	111	86	12	10	3	180	129	14	31	6	79
231	183	45	3	-	148	122	21	5	-	249	159	58	23	9	277	177	41	51	8	80
16	9	7	-	-	14	10	3	-	1	12	10	2	-	-	11	3	2	5	1	81
398	4	383	-	1	249	2	237	-	10	322	-	305	1	16	248	1	174	-	73	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	2,292	761	1,315	60	156	1,053	391	601	16	45
2	Of cervix uteri----------171	449	...	382	...	67	229	...	201	...	28
3	Of other and unspecified parts of uterus----------172-174	501	...	444	...	57	223	...	209	...	14
4	Of ovary, fallopian tube, and broad ligament----------175	476	...	446	...	30	174	...	172	...	2
5	Of other and unspecified female genital organs----------176	45	...	43	...	2	20	...	19	...	1
6	Of prostate----------177	777	719	...	58	...	378	362	...	16	...
7	Of testis, and of other and unspecified male genital organs----178,179	44	42	...	2	...	29	29	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	786	499	247	19	21	276	178	89	5	4
9	Of kidney----------180	309	191	104	8	6	109	71	36	2	-
10	Of bladder and other urinary organs----------181	477	308	143	11	15	167	107	53	3	4
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,414	692	639	49	34	654	329	306	7	12
12	Of skin----------190,191	204	108	95	1	-	107	61	45	1	-
13	Of eye----------192	20	10	10	-	-	15	9	5	1	-
14	Of brain and other parts of nervous system----------193	298	148	129	9	12	129	75	53	1	-
15	Of thyroid gland----------194	62	23	33	2	4	20	7	13	-	-
16	Of bone (including jaw bone)----------196	132	72	47	7	6	44	28	14	-	2
17	Of connective tissue----------197	23	11	10	2	-	26	19	5	1	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	216	95	105	9	7	110	35	73	-	2
19	Of unspecified sites----------156B,165,198B,199B-M	459	225	210	19	5	203	95	98	3	7
20	Leukemia and aleukemia----------204	616	332	257	14	13	245	149	86	5	5
21	Lymphosarcoma, etc.*----------200-203,205	579	314	224	31	10	243	162	77	-	4
22	Lymphosarcoma and reticulosarcoma----------200	297	166	115	15	1	122	81	40	-	1
23	Hodgkin's disease----------201	166	82	72	8	4	64	47	16	-	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	116	66	37	8	5	57	34	21	-	2
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	285	121	136	9	19	137	60	68	2	7
26	Benign neoplasms of female genital organs----------214-217	64	...	52	...	12	24	...	22	...	2
27	Benign neoplasm of brain and other parts of nervous system---------223	71	44	24	2	1	28	14	14	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	44	24	16	2	2	32	17	11	1	3
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	74	39	30	3	2	38	23	13	1	1
31	Other neoplasms of unspecified nature----------230-232,236,238,239	32	14	14	2	2	14	6	7	-	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	2,046	805	1,112	49	80	1,021	433	527	25	36
33	Asthma----------241	368	220	130	14	4	202	126	64	6	6
34	Nontoxic goiter----------250,251	12	4	8	-	-	2	-	1	-	1
35	Thyrotoxicosis with or without goiter----------252	70	16	52	-	2	33	7	26	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	9	3	6	-	-	4	1	3	-	-
37	Diabetes mellitus----------260	1,501	522	882	28	69	728	274	409	16	29
38	Diseases of thymus gland----------273	24	12	9	2	1	10	4	5	1	-
39	Diseases of adrenal glands----------274	23	7	11	3	2	4	2	2	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	15	10	4	-	1	27	12	13	2	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	24	11	10	2	1	11	7	4	-	-
43	IV. Diseases of the blood and blood-forming organs----------	308	133	154	13	8	164	72	83	1	8
44	Anemias----------290-293	227	90	121	11	5	127	48	72	1	6
45	Pernicious and other hyperchromic anemias----------290	116	44	71	1	-	62	23	37	1	1
46	Anemias of other and unspecified type----------291-293	111	46	50	10	5	65	25	35	-	5
47	Purpura and other hemorrhagic conditions----------296	34	17	15	-	2	14	5	7	-	2
48	All other diseases of blood and blood-forming organs-----294,295,297-299	47	26	18	2	1	23	19	4	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	146	92	39	12	3	93	52	30	4	7
50	Senile psychosis----------304	15	2	13	-	-	25	11	11	-	3
51	Alcoholic psychosis----------307	9	9	-	-	-	5	5	-	-	-
52	Other psychoses----------300-303,305,306,308,309	16	5	7	2	2	12	3	7	1	1
53	Alcoholism----------322	90	69	12	9	-	39	29	5	3	2
54	Mental deficiency----------325	6	2	4	-	-	9	3	6	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	10	5	3	1	1	3	1	1	-	1
56	VI. Diseases of the nervous system and sense organs----------	10,688	4,831	5,186	404	467	5,607	2,660	2,633	162	152
57	Vascular lesions affecting central nervous system----------330-334	10,166	4,466	4,893	363	444	5,253	2,491	2,468	149	145
58	Subarachnoid hemorrhage----------330	228	96	102	6	24	99	54	36	8	1
59	Cerebral hemorrhage----------331	6,976	3,054	3,384	248	290	3,658	1,715	1,742	92	109
60	Cerebral embolism and thrombosis----------332	1,992	884	925	85	98	912	460	408	30	14
61	Other vascular lesions affecting central nervous system--------333,334	970	432	482	24	32	584	262	282	19	21
62	Meningitis, except meningococcal and tuberculous----------340	114	50	38	16	10	48	25	17	5	1
63	Multiple sclerosis----------345	76	33	37	4	2	42	15	25	2	-
64	Paralysis agitans----------350	151	82	67	2	-	64	28	35	-	1
65	Cerebral spastic infantile paralysis----------351	34	18	16	-	-	13	7	5	-	1
66	Epilepsy----------353	92	46	38	3	5	60	32	25	3	-
67	Inflammatory diseases of eye----------370-379	3	2	1	-	-	1	-	1	-	-
68	Cataract----------385	2	2	-	-	-	2	2	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	24	14	9	-	1	13	7	6	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	226	118	87	16	5	111	53	51	3	4
72	VII. Diseases of the circulatory system----------	43,686	23,731	16,743	1,768	1,444	17,265	9,820	6,712	396	357
73	Rheumatic fever----------400-402	61	27	26	6	2	44	20	22	-	2
74	Diseases of heart----------410-443	40,729	22,318	15,437	1,627	1,347	15,474	8,964	5,650	348	312
75	Chronic rheumatic heart disease----------410-416	1,263	580	589	48	46	541	261	247	13	20
76	Diseases of mitral valve----------410	520	226	257	17	20	246	119	109	6	12
77	Diseases of aortic valve specified as rheumatic----------411	62	48	11	3	-	15	12	3	-	-
78	Diseases of tricuspid valve----------412	3	-	3	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	71	34	37	-	-	48	22	24	1	1
80	Other diseases of heart specified as rheumatic----------415,416	607	272	281	28	26	232	108	111	6	7

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
645	312	325	3	5	510	202	278	10	20	633	236	321	26	50	563	101	203	76	183	1
98	...	94	...	4	95	...	87	...	8	150	...	127	...	23	190	...	87	...	103	2
105	...	105	...	-	95	...	85	...	10	131	...	109	...	22	118	...	60	...	58	3
115	...	114	...	1	101	...	100	...	1	75	...	72	...	3	66	...	50	...	16	4
12	...	12	...	-	7	...	6	...	1	15	...	13	...	2	12	...	6	...	6	5
295	292	...	3	...	202	192	...	10	...	249	225	...	24	...	165	93	...	72	...	6
20	20	...	-	...	10	10	...	-	...	13	11	...	2	...	12	8	...	4	...	7
202	141	58	2	1	144	90	51	2	1	142	68	61	3	10	178	93	40	27	18	8
83	47	34	1	1	64	38	25	1	-	64	32	29	-	3	58	31	16	6	5	9
119	94	24	1	-	80	52	26	1	1	78	36	32	3	7	120	62	24	21	13	10
487	242	240	2	3	302	151	143	4	4	486	234	217	21	14	467	189	143	68	67	11
52	28	24	-	-	41	26	14	-	1	89	47	40	1	1	60	34	18	7	1	12
5	5	-	-	-	4	2	2	-	-	11	5	6	-	-	4	2	2	-	-	13
96	54	41	1	-	69	38	29	2	-	79	44	31	1	3	75	39	20	11	5	14
18	9	9	-	-	15	5	10	-	-	21	7	12	1	1	10	4	6	-	-	15
32	17	15	-	-	23	15	7	1	-	38	15	20	3	-	28	12	6	5	5	16
12	7	5	-	-	9	5	3	1	-	13	6	7	-	-	11	7	1	1	2	17
85	39	46	-	-	48	24	23	-	1	83	40	35	6	2	77	33	24	10	10	18
187	83	100	1	3	93	36	55	-	2	152	70	66	9	7	202	58	66	34	44	19
218	132	85	1	-	168	92	70	6	-	148	82	57	6	3	154	82	35	20	17	20
204	115	87	2	-	135	90	43	2	-	146	73	60	8	5	144	75	33	21	15	21
93	55	38	-	-	67	42	23	2	-	63	36	23	3	1	63	40	11	9	3	22
59	37	22	-	-	29	24	5	-	-	53	27	21	3	2	44	23	11	8	2	23
52	23	27	2	-	39	24	15	-	-	30	10	16	2	2	37	12	11	4	10	24
102	45	55	1	1	63	26	34	-	3	72	28	30	3	11	121	38	35	20	28	25
14	...	14	...	-	10	...	9	...	1	13	...	6	...	7	23	...	15	...	8	26
15	5	10	-	-	10	2	8	-	-	13	4	8	-	1	15	9	-	2	4	27
12	5	5	1	1	23	10	11	-	2	12	6	4	-	2	21	7	3	4	7	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
34	19	15	-	-	10	7	3	-	-	20	10	8	2	-	43	15	11	10	7	30
27	16	11	-	-	10	7	3	-	-	14	8	4	1	1	18	7	5	4	2	31
630	312	311	3	4	470	212	228	13	17	607	255	293	23	36	583	148	217	75	143	32
142	104	37	1	-	84	56	23	1	4	126	75	46	3	2	87	38	18	17	14	33
2	-	2	-	-	2	-	1	-	1	3	-	2	-	1	5	3	-	-	2	34
14	5	9	-	-	13	3	10	-	-	28	2	21	3	2	10	1	3	-	6	35
6	4	2	-	-	1	-	1	-	-	4	-	3	-	1	8	3	3	1	1	36
435	181	248	2	4	333	127	185	9	12	380	144	195	11	30	426	85	183	43	115	37
7	4	3	-	-	11	8	2	1	-	6	3	2	1	-	8	1	2	4	1	38
4	2	2	-	-	2	1	1	-	-	7	4	3	-	-	4	2	1	-	1	39
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	2	-	-	1	1	40
8	4	4	-	-	12	10	2	-	-	33	15	15	3	-	18	5	6	6	1	41
12	8	4	-	-	12	7	3	2	-	13	8	3	2	-	15	10	1	3	1	42
117	54	61	1	1	88	40	45	2	1	126	50	58	8	10	77	18	23	17	19	43
88	44	43	-	1	65	30	32	2	1	92	33	43	7	9	54	11	13	15	15	44
45	22	23	-	-	29	12	16	1	-	25	9	14	1	1	11	1	4	3	3	45
43	22	20	-	1	36	18	16	1	1	67	24	29	6	8	43	10	9	12	12	46
11	4	6	1	-	6	3	3	-	-	16	9	7	-	-	10	3	6	-	1	47
18	6	12	-	-	17	7	10	-	-	18	8	8	1	1	13	4	4	2	3	48
71	33	36	1	1	48	22	25	1	-	90	50	23	11	6	44	19	7	9	9	49
29	7	21	1	-	19	6	13	-	-	26	6	14	3	3	7	2	3	-	2	50
4	4	-	-	-	-	-	-	-	-	7	4	-	3	-	-	-	-	-	-	51
15	5	10	-	-	7	3	4	-	-	11	5	5	-	1	8	-	3	1	4	52
16	14	2	-	-	16	11	4	1	-	37	30	1	4	2	24	14	1	6	3	53
6	2	3	-	1	5	2	3	-	-	8	4	3	1	-	4	2	-	2	-	54
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	55
4,195	2,066	2,073	29	27	2,629	1,248	1,233	70	78	3,491	1,635	1,447	192	217	2,788	791	735	575	687	56
3,896	1,893	1,949	28	26	2,433	1,151	1,146	66	70	3,170	1,463	1,323	178	206	2,536	717	665	517	637	57
55	32	23	-	-	30	13	15	1	1	58	29	20	6	3	77	26	19	9	23	58
2,733	1,310	1,383	18	22	1,643	754	797	42	50	2,167	988	932	119	128	1,927	512	475	418	522	59
691	338	342	10	1	484	264	199	11	10	564	291	221	24	28	293	111	108	36	40	60
417	213	201	-	3	276	120	135	12	9	381	155	150	29	47	239	68	65	54	52	61
19	13	6	-	-	20	10	6	1	3	58	37	19	2	-	64	12	12	24	16	62
38	23	15	-	-	23	11	11	-	1	24	10	12	1	1	13	4	9	-	-	63
74	47	26	-	1	42	18	24	-	-	39	23	15	-	1	18	8	7	1	2	64
13	8	5	-	-	14	7	6	1	-	14	8	6	-	-	14	6	4	3	1	65
47	26	21	-	-	31	15	15	-	1	52	21	23	5	3	40	9	12	13	6	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
7	5	2	-	-	2	-	-	1	1	19	9	8	1	1	7	3	2	-	2	70
101	51	49	1	-	64	36	25	1	2	115	64	41	5	5	95	32	23	17	23	71
11,063	6,496	4,477	51	39	7,582	4,339	2,919	177	147	10,329	5,307	3,842	631	549	9,536	3,696	2,324	1,832	1,684	72
38	19	19	-	-	16	7	7	-	2	34	16	12	5	1	18	5	3	5	5	73
9,919	5,908	3,928	46	37	6,744	3,916	2,539	161	128	9,297	4,834	3,418	559	486	8,727	3,462	2,136	1,644	1,485	74
319	167	148	2	2	229	124	93	4	8	315	160	137	8	10	161	46	35	38	42	75
160	90	68	1	1	128	69	57	1	1	115	54	52	6	3	76	20	13	18	25	76
14	12	2	-	-	13	10	2	-	1	7	5	2	-	-	5	3	1	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
18	6	12	-	-	13	8	5	-	-	13	7	5	-	1	7	1	2	2	2	79
127	59	66	1	1	75	37	29	3	6	180	94	78	2	6	73	22	19	17	15	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	25,508	15,341	8,748	861	558	9,761	6,219	3,207	198	137
2	Arteriosclerotic heart disease so described----------420.0	9,949	5,070	4,031	484	364	3,033	1,661	1,237	77	58
3	Heart disease specified as involving coronary arteries----------420.1	15,499	10,236	4,694	375	194	6,668	4,521	1,950	119	78
4	Angina pectoris without mention of coronary disease----------420.2	60	35	23	2	-	60	37	20	2	1
5	Chronic endocarditis not specified as rheumatic----------421	475	254	198	11	12	253	133	107	9	4
6	Of mitral valve, specified as nonrheumatic----------421.0	71	35	35	-	1	15	4	10	1	-
7	Of aortic valve, not specified as rheumatic----------421.1	83	56	22	2	3	43	28	13	1	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	321	163	141	9	8	195	101	84	7	3
9	Other myocardial degeneration----------422	6,855	3,149	3,062	330	314	1,789	883	858	26	22
10	With arteriosclerosis----------422.1	2,979	1,365	1,527	48	39	833	408	404	13	8
11	Without mention of arteriosclerosis----------422.0,422.2	3,876	1,784	1,535	282	275	956	475	454	13	14
12	Other diseases of heart----------430-434	1,789	1,104	522	91	72	702	396	266	25	15
13	Acute and subacute endocarditis----------430	47	25	16	4	2	19	10	7	1	1
14	Acute myocarditis not specified as rheumatic----------431	151	75	69	3	4	71	38	22	6	5
15	Acute pericarditis specified as nonrheumatic----------432	3	1	2	-	-	5	4	1	-	-
16	Functional disease of heart----------433	137	71	62	3	1	112	52	58	2	-
17	Other and unspecified diseases of heart----------434	1,451	932	373	81	65	495	292	178	16	9
18	Hypertension with heart disease----------440-443	4,839	1,690	2,318	286	345	2,428	1,072	1,165	77	114
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	1,033	456	485	43	49	1,313	626	619	32	36
20	Essential hypertension with heart disease, etc.*----------440,441,443	3,806	1,434	1,833	243	296	1,115	446	546	45	78
21	Hypertension without mention of heart----------444-447	823	345	339	77	62	381	166	176	23	16
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	547	257	203	53	34	174	78	77	13	6
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	276	88	136	24	28	207	88	99	10	10
24	Diseases of arteries----------450-456	1,889	941	867	53	28	1,306	630	628	23	25
25	General arteriosclerosis----------450	1,623	781	779	46	17	1,188	553	594	19	22
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	161	111	42	5	3	62	47	11	2	2
27	Gangrene of unspecified cause----------455	12	9	3	-	-	7	4	3	-	-
28	Other arterial diseases----------452-454,456	93	40	43	2	8	49	26	20	2	1
29	Diseases of veins and other diseases of circulatory system-------460-468	184	100	74	5	5	80	40	36	2	2
30	VIII. Diseases of the respiratory system----------	4,195	2,171	1,380	372	272	1,830	966	694	102	66
31	Acute upper respiratory infections----------470-475	59	24	29	3	3	38	20	16	1	1
32	Influenza----------480-483	293	141	140	4	8	308	159	137	4	8
33	Pneumonia, except pneumonia of newborn----------490-493	3,081	1,515	1,007	323	236	1,094	543	415	87	49
34	Lobar pneumonia----------490	649	342	204	80	23	360	189	108	45	18
35	Bronchopneumonia----------491	2,093	999	673	223	198	550	257	237	31	25
36	Primary atypical pneumonia----------492	201	90	82	17	12	114	61	43	8	2
37	Pneumonia, other and unspecified----------493	138	84	48	3	3	70	36	27	3	4
38	Acute bronchitis----------500	70	42	13	4	11	18	11	6	1	-
39	Bronchitis, chronic and unqualified----------501,502	120	75	35	5	5	54	24	27	2	1
40	Hypertrophy of tonsils and adenoids----------510	25	9	14	1	1	7	3	3	1	-
41	Empyema and abscess of lung----------518,521	39	22	9	7	1	17	11	2	1	3
42	Pleurisy----------519	18	9	7	1	1	4	3	-	-	1
43	All other respiratory diseases----------Residual[1]	490	334	126	24	6	290	192	88	5	5
44	IX. Diseases of the digestive system----------	3,627	2,076	1,254	166	131	1,501	835	575	55	36
45	Diseases of teeth and supporting structures----------530-535	2	1	-	-	1	4	2	1	-	1
46	Ulcer of stomach----------540	308	215	76	13	4	106	83	19	4	-
47	Ulcer of duodenum----------541	302	246	44	9	3	98	83	9	6	-
48	Gastritis and duodenitis----------543	20	14	4	-	2	6	4	2	-	-
49	Appendicitis----------550-553	168	103	45	10	10	78	40	26	8	4
50	Hernia and intestinal obstruction----------560,561,570	546	240	259	27	20	217	104	100	8	5
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	401	183	139	41	38	215	86	106	10	13
52	Cirrhosis of liver----------581	1,143	758	312	47	26	417	277	122	12	6
53	Without mention of alcoholism----------581.0	768	509	227	17	15	364	237	111	10	6
54	With alcoholism----------581.1	375	249	85	30	11	53	40	11	2	-
55	Cholelithiasis and cholecystitis----------584,585	370	151	208	3	8	148	45	102	-	1
56	Other diseases of digestive system----------Residual[1]	367	165	167	16	19	212	111	88	7	6
57	X. Diseases of the genito-urinary system----------	2,511	1,380	834	165	132	991	596	317	46	32
58	Nephritis and nephrosis----------590-594	1,584	746	641	96	101	615	297	256	33	29
59	Acute nephritis----------590	102	49	42	6	5	43	21	18	3	1
60	Nephritis with edema, including nephrosis----------591	74	32	32	-	10	36	17	12	5	2
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,408	665	567	90	86	536	259	226	25	26
62	Infections of kidney----------600	263	121	103	19	20	77	42	30	3	2
63	Calculi of urinary system----------602,604	50	19	28	2	1	22	16	6	-	-
64	Other diseases of urinary system----------601,603,605-609	93	59	26	5	3	34	20	11	2	1
65	Hyperplasia of prostate----------610	441	400	...	41	...	199	192	...	7	...
66	Other diseases of male genital organs----------611-617	37	35	...	2	...	30	29	...	1	...
67	Diseases of breast----------620,621	1	-	1	-	-	1	-	1	-	-
68	Diseases of female genital organs----------622-637	42	...	35	...	7	13	...	13	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	98	...	70	...	18	39	...	33	...	6
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	10	...	10	...	-	5	...	5	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	22	...	17	...	5	16	...	12	...	4
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	17	...	16	...	1	6	...	6	...	-
73	Ectopic pregnancy----------645	13	...	8	...	5	4	...	2	...	2
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	2	...	2	...	-
75	Abortion with sepsis----------651	4	...	1	...	3	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	1	...	-	...	1	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	20	...	17	...	3	6	...	6	...	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,852	4,380	2,419	29	24	4,383	2,792	1,446	94	51	5,203	3,034	1,766	238	165	5,270	2,589	1,320	776	585	1
1,821	996	805	10	10	1,163	644	471	29	19	1,366	694	574	58	40	2,155	840	693	340	282	2
5,002	3,370	1,600	19	13	3,189	2,129	963	65	32	3,791	2,311	1,180	178	122	3,106	1,745	626	435	300	3
29	14	14	-	1	31	19	12	-	-	46	29	12	2	3	9	4	1	1	3	4
153	83	70	-	-	153	81	61	4	7	216	111	86	10	9	144	36	25	38	45	5
14	9	5	-	-	15	7	5	2	1	11	3	7	1	-	16	3	2	5	6	6
29	21	8	-	-	26	14	10	1	1	21	12	5	1	3	49	12	7	13	17	7
110	53	57	-	-	112	60	46	1	5	184	96	74	8	6	79	21	16	20	22	8
1,142	557	580	3	2	800	371	396	14	19	930	407	386	65	72	766	233	192	182	159	9
591	278	311	1	1	413	186	217	4	6	451	209	193	22	27	350	111	96	71	72	10
551	279	269	2	1	387	185	179	10	13	479	198	193	43	45	416	122	96	111	87	11
405	232	166	4	3	295	175	108	7	5	759	379	261	71	48	506	142	110	138	116	12
14	11	2	1	-	7	5	2	-	-	16	5	9	1	1	14	1	4	6	3	13
19	10	9	-	-	24	9	12	2	1	82	39	19	16	8	17	6	1	2	8	14
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	2	-	1	1	-	15
65	44	21	-	-	56	30	26	-	-	45	27	13	4	1	38	17	11	5	5	16
306	167	133	3	3	208	131	68	5	4	614	307	219	50	38	435	118	93	124	100	17
1,048	489	545	8	6	884	373	435	38	38	1,874	743	782	167	182	1,880	416	454	472	538	18
382	209	170	1	2	304	156	127	12	9	493	194	190	60	49	288	73	71	74	70	19
666	280	375	7	4	580	217	308	26	29	1,381	549	592	107	133	1,592	343	383	398	468	20
226	119	103	3	1	183	84	83	8	8	251	108	107	19	17	255	48	36	81	90	21
124	73	48	2	1	111	59	44	4	4	121	56	46	12	7	71	17	15	19	20	22
102	46	55	1	-	72	25	39	4	4	130	52	61	7	10	184	31	21	62	70	23
815	412	400	2	1	568	302	253	6	7	661	315	268	38	40	459	163	122	85	89	24
712	349	360	2	1	499	262	226	4	7	589	272	249	31	37	384	126	112	69	77	25
48	30	18	-	-	33	24	8	1	-	33	20	9	3	1	51	27	9	9	6	26
10	6	4	-	-	4	1	3	-	-	6	4	2	-	-	4	-	-	3	1	27
45	27	18	-	-	32	15	16	1	-	33	19	8	4	2	20	10	1	4	5	28
65	38	27	-	-	71	30	37	2	2	86	34	37	10	5	77	18	27	17	15	29
1,214	663	537	8	6	934	488	371	51	24	1,661	794	654	124	89	1,435	368	265	444	358	30
14	5	8	1	-	15	9	4	-	2	17	7	7	1	2	13	2	4	2	5	31
281	140	138	1	2	234	117	103	8	6	353	157	158	18	20	260	36	41	94	89	32
659	346	305	6	2	479	230	203	31	15	1,020	480	397	84	59	865	204	158	279	224	33
197	119	77	1	-	123	61	48	12	2	290	139	103	30	18	210	47	35	78	50	34
289	138	147	3	1	248	117	108	13	10	441	213	173	32	23	456	104	77	144	131	35
75	43	32	-	-	55	26	25	4	-	62	28	31	2	1	74	16	22	22	14	36
98	46	49	2	1	53	26	22	2	3	227	100	90	20	17	125	37	24	35	29	37
7	2	5	-	-	10	2	7	-	1	27	13	10	3	1	19	5	5	6	3	38
38	25	13	-	-	24	8	12	4	-	43	22	15	5	1	48	20	11	13	4	39
11	7	4	-	-	5	2	2	1	-	4	1	3	-	-	8	3	1	1	3	40
7	5	2	-	-	9	7	1	1	-	8	6	1	1	-	19	7	4	8	-	41
1	-	1	-	-	5	4	1	-	-	1	-	1	-	-	5	-	1	2	2	42
196	133	61	-	2	153	109	38	6	-	188	108	62	12	6	198	91	40	39	28	43
841	494	339	4	4	678	372	267	22	17	1,020	548	377	50	45	982	375	233	207	167	44
4	3	1	-	-	2	2	-	-	-	6	-	4	2	-	-	-	-	-	-	45
81	68	13	-	-	63	45	13	4	1	67	47	16	4	-	64	35	10	13	6	46
89	70	18	-	1	49	38	10	1	-	67	47	15	4	1	51	33	4	11	3	47
2	1	1	-	-	2	-	2	-	-	9	1	3	-	5	8	2	-	4	2	48
43	32	9	1	1	26	13	10	1	2	42	26	13	2	1	37	13	7	8	9	49
159	87	71	1	-	132	71	53	6	2	134	75	44	8	7	165	50	53	38	24	50
75	38	37	-	-	88	43	39	4	2	217	108	85	11	13	196	31	32	65	68	51
142	90	52	-	-	109	71	30	4	4	206	128	62	12	4	217	131	39	30	17	52
113	66	47	-	-	93	57	29	3	4	158	98	50	8	2	166	103	29	21	13	53
29	24	5	-	-	16	14	1	1	-	48	30	12	4	2	51	28	10	9	4	54
121	42	78	-	1	109	41	67	-	1	119	40	72	3	4	75	19	41	3	12	55
125	63	59	2	1	98	48	43	2	5	153	76	63	4	10	169	61	47	35	26	56
607	392	203	2	10	652	366	224	39	23	745	404	213	77	51	720	184	173	208	155	57
365	197	158	2	8	426	196	185	26	19	478	222	159	49	48	445	102	116	114	113	58
32	23	8	-	1	27	18	9	-	-	41	22	11	6	2	38	4	12	14	8	59
32	22	10	-	-	22	14	7	1	-	20	11	6	1	2	31	11	6	5	9	60
301	152	140	2	7	377	164	169	25	19	417	189	142	42	44	376	87	98	95	96	61
56	31	23	-	2	46	24	15	5	2	76	39	29	7	1	119	27	37	29	26	62
14	8	6	-	-	14	11	3	-	-	22	12	9	1	-	14	4	6	4	-	63
30	23	7	-	-	24	18	2	4	-	26	12	5	8	1	31	6	3	15	7	64
121	121	...	-	...	111	108	...	3	...	114	106	...	8	...	78	42	...	36	...	65
12	12	...	-	...	10	9	...	1	...	17	13	...	4	...	13	3	...	10	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
9	...	9	...	-	21	...	19	...	2	11	...	10	...	1	20	...	11	...	9	68
25	...	25	...	-	22	...	21	...	1	63	...	54	...	9	69	...	29	...	40	69
3	...	3	...	-	-	...	-	...	-	6	...	6	...	-	10	...	3	...	7	70
5	...	5	...	-	9	...	8	...	1	20	...	16	...	4	20	...	11	...	9	71
6	...	6	...	-	6	...	6	...	-	16	...	14	...	2	12	...	2	...	10	72
2	...	2	...	-	-	...	-	...	-	3	...	3	...	-	3	...	-	...	3	73
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	74
3	...	3	...	-	-	...	-	...	-	5	...	4	...	1	5	...	1	...	4	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	76
6	...	6	...	-	6	...	6	...	-	12	...	11	...	1	16	...	10	...	6	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	71	21	39	4	7	33	14	16	1	2
2	Infections of skin and subcutaneous tissue--690-698	18	6	10	2	-	8	7	1	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	53	15	29	2	7	25	7	15	1	2
4	XIII. Diseases of the bones and organs of movement	135	64	64	5	2	97	39	57	-	1
5	Arthritis and spondylitis--720-725	47	20	26	-	1	46	11	35	-	-
6	Muscular rheumatism and rheumatism, unspecified--726,727	4	2	2	-	-	2	2	-	-	-
7	Osteomyelitis and periostitis--730	5	2	3	-	-	4	4	-	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	7	2	5	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	72	38	28	5	1	44	22	21	-	1
10	XIV. Congenital malformations	1,072	547	421	65	39	571	286	240	30	15
11	Spina bifida and meningocele--751	85	41	39	-	5	50	17	29	3	1
12	Congenital hydrocephalus, etc.*--752,753	147	70	67	8	2	66	25	38	2	1
13	Congenital malformations of circulatory system--754	466	234	183	29	20	251	134	98	12	7
14	Other congenital malformations--750,755-759	374	202	132	28	12	204	110	75	13	6
15	XV. Certain diseases of early infancy	3,200	1,534	1,063	325	278	1,590	855	561	97	77
16	Birth injuries--760,761	617	325	200	52	40	235	132	85	7	11
17	Postnatal asphyxia and atelectasis--762	1,289	584	411	154	140	356	192	129	21	14
18	Infections of newborn--763-768	217	85	62	39	31	110	56	30	12	12
19	Hemolytic disease of newborn (erythroblastosis)--770	134	72	53	7	2	97	62	34	1	-
20	All other defined diseases of early infancy--769,771,772	69	40	16	8	5	51	26	18	6	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	874	428	321	65	60	741	387	265	50	39
22	XVI. Symptoms, senility, and ill-defined conditions	579	290	231	35	23	225	113	93	10	9
23	Senility without mention of psychosis--794	231	89	129	5	8	96	38	55	1	2
24	Symptoms, ill-defined and unknown causes--780-793,795	348	201	102	30	15	129	75	38	9	7
25	XVII. Accidents, poisonings, and violence	6,717	4,201	1,697	613	206	3,363	2,170	982	154	57
26	Accidents--E800-E962	5,369	3,352	1,465	395	157	2,816	1,797	866	110	43
27	Railway accidents--E800-E802	134	103	19	11	1	50	39	7	4	-
28	Motor-vehicle accidents--E810-E835	2,227	1,501	505	160	61	1,244	877	303	51	13
29	Motor-vehicle traffic accidents--E810-E825	2,194	1,478	498	157	61	1,206	848	297	48	13
30	Motor-vehicle traffic accident with railway train*--E810	133	93	34	4	2	95	65	24	6	-
31	Motor-vehicle traffic accident to pedestrian--E812	534	361	113	43	17	213	152	41	15	5
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	932	613	233	57	29	533	362	152	15	4
33	Motor-vehicle noncollision traffic accidents--E820-E824	487	350	86	41	10	279	216	52	9	2
34	Motor-vehicle traffic accident of unspecified nature--E825	108	61	32	12	3	86	53	28	3	2
35	Motor-vehicle nontraffic accidents--E830-E835	33	23	7	3	-	38	29	6	3	-
36	Other road-vehicle accidents--E840-E845	30	18	9	1	2	8	8	-	-	-
37	Water-transport accidents--E850-E858	71	59	6	6	-	24	22	1	1	-
38	Aircraft accidents--E860-E866	66	59	5	2	-	28	26	2	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	65	32	23	7	3	33	20	8	4	1
40	Accidental poisoning by gases and vapors--E890-E895	83	59	13	8	3	33	25	5	2	1
41	Accidental falls--E900-E904	1,325	646	606	52	21	696	297	380	10	9
42	Fall from one level to another--E900-E902	526	332	144	36	14	227	129	89	5	4
43	Fall on same level--E903	213	92	116	3	2	305	99	200	3	3
44	Unspecified falls--E904	586	222	346	13	5	164	69	91	2	2
45	Blow from falling object--E910	61	54	3	4	-	29	25	2	2	-
46	Accident caused by machinery--E912	99	87	5	7	-	67	60	3	4	-
47	Accident caused by electric current--E914	44	38	3	2	1	41	39	2	-	-
48	Accident caused by fire and explosion, etc.*--E916	339	159	94	45	41	165	87	58	10	10
49	Accident caused by hot substance, etc.*--E917,E918	63	33	19	7	4	19	8	9	1	1
50	Accident caused by firearm--E919	113	85	9	19	-	49	40	6	3	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	55	30	17	4	4	42	21	16	4	1
52	Accidental drowning--E929	259	182	41	33	3	113	91	13	8	1
53	Excessive heat and insolation--E931	24	13	9	1	1	12	7	3	1	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	46	14	26	2	4	13	5	7	1	-
55	All other accidents--Residual[1]	265	180	53	24	8	150	100	41	4	5
56	Suicide--E963,E970-E979	934	727	187	16	4	422	319	91	8	4
57	Suicide by poisoning--E970-E973	145	93	51	1	-	78	45	31	-	2
58	Suicide by hanging and strangulation--E974	264	198	62	3	1	93	70	21	2	-
59	Suicide by firearms and explosives--E976	408	358	41	8	1	202	173	24	4	1
60	Suicide by all other means--E963,E975,E977-E979	117	78	33	4	2	49	31	15	2	1
61	Homicide--E964,E980-E985	412	121	45	201	45	124	53	25	36	10
62	Assault by firearms and explosives--E981	202	68	21	94	19	73	25	17	23	8
63	Assault by cutting and piercing instruments--E982	105	14	6	69	16	19	7	3	9	-
64	Assault by other means--E964,E980,E983	80	29	17	24	10	24	16	5	1	2
65	Injury by intervention of police--E984	24	10	1	13	-	8	5	-	3	-
66	Execution--E985	1	-	-	1	-	-	-	-	-	-
67	Injury resulting from operations of war--E965,E990-E999	2	1	-	1	-	1	1	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21	11	10	-	-	21	9	12	-	-	31	13	11	4	3	24	3	7	7	7	1
4	4	-	-	-	6	3	3	-	-	6	4	1	1	-	4	-	-	2	2	2
17	7	10	-	-	15	6	9	-	-	25	9	10	3	3	20	3	7	5	5	3
57	28	29	-	-	58	27	30	-	1	76	30	34	6	6	50	17	15	7	11	4
30	10	20	-	-	39	13	25	-	1	50	16	25	3	6	24	6	10	1	7	5
-	-	-	-	-	2	2	-	-	-	4	2	1	1	-	-	-	-	-	-	6
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	3	1	-	-	2	7
-	-	-	-	-	2	1	1	-	-	2	-	2	-	-	3	1	1	-	1	8
25	16	9	-	-	11	7	4	-	-	20	12	6	2	-	20	9	4	6	1	9
317	171	144	-	2	303	160	131	9	3	419	226	158	15	20	416	144	118	85	69	10
21	8	12	-	1	22	13	9	-	-	38	16	21	-	1	19	6	8	3	2	11
49	29	20	-	-	30	17	12	-	1	41	16	17	4	4	52	18	8	15	11	12
140	76	64	-	-	143	75	61	6	1	198	118	66	7	7	196	71	55	37	33	13
107	58	48	-	1	108	55	49	3	1	142	76	54	4	8	149	49	47	30	23	14
844	496	335	8	5	738	396	287	33	22	1,268	663	453	92	60	1,619	442	293	492	392	15
205	118	82	2	3	164	97	62	4	1	191	102	73	11	5	251	67	42	82	60	16
208	120	84	3	1	196	122	63	5	6	328	177	120	20	11	376	138	80	81	77	17
39	22	16	-	1	52	22	21	7	2	129	68	38	15	8	165	32	21	62	50	18
65	33	32	-	-	32	18	12	1	1	53	33	20	-	-	56	23	17	12	4	19
21	10	11	-	-	21	10	8	2	1	67	26	29	11	1	81	19	14	33	15	20
306	193	110	3	-	273	127	121	14	11	500	257	173	35	35	690	163	119	222	186	21
150	78	69	3	-	292	174	96	11	11	449	236	171	28	14	380	78	58	144	100	22
71	27	43	1	-	59	27	29	1	2	179	80	86	7	6	120	27	28	34	31	23
79	51	26	2	-	233	147	67	10	9	270	156	85	21	8	260	51	30	110	69	24
1,962	1,342	597	18	5	1,627	1,063	472	65	27	2,578	1,695	615	211	57	2,137	950	357	591	239	25
1,662	1,095	547	15	5	1,307	825	413	45	24	2,094	1,363	548	138	45	1,745	788	314	437	206	26
24	23	-	1	-	25	19	3	3	-	48	39	3	6	-	32	13	2	15	2	27
601	427	166	5	3	557	370	156	22	9	827	583	171	62	11	691	369	113	160	49	28
587	418	161	5	3	541	359	151	22	9	815	576	166	62	11	678	362	111	158	47	29
30	24	6	-	-	46	32	14	-	-	29	25	3	1	-	23	13	2	6	2	30
80	58	21	1	-	38	28	6	4	-	182	119	40	18	5	129	57	19	42	11	31
217	146	67	2	2	262	168	78	11	5	200	131	55	13	1	251	148	52	38	13	32
112	80	29	2	1	146	94	45	5	2	176	139	23	12	2	159	84	21	44	10	33
148	110	38	-	-	49	37	8	2	2	228	162	45	18	3	116	60	17	28	11	34
14	9	5	-	-	16	11	5	-	-	12	7	5	-	-	13	7	2	2	2	35
10	6	4	-	-	6	4	2	-	-	8	6	1	1	-	12	8	2	2	-	36
20	18	2	-	-	17	12	5	-	-	27	22	2	3	-	96	69	3	20	4	37
28	26	1	1	-	22	19	2	1	-	29	26	-	3	-	14	12	2	-	-	38
22	16	6	-	-	13	4	8	1	-	24	17	5	1	1	26	5	7	8	6	39
29	24	5	-	-	17	12	1	2	2	19	13	4	2	-	5	3	-	2	-	40
459	203	254	1	1	266	111	153	1	1	449	210	214	17	8	239	90	105	22	22	41
120	76	43	-	1	81	50	29	1	1	115	70	33	10	2	63	28	19	11	5	42
84	32	52	-	-	102	31	71	-	-	77	33	42	1	1	28	10	14	-	4	43
255	95	159	1	-	83	30	53	-	-	257	107	139	6	5	148	52	72	11	13	44
20	18	-	2	-	15	12	1	2	-	54	48	3	2	1	21	14	-	7	-	45
78	74	4	-	-	49	42	6	1	-	40	36	2	2	-	39	29	2	8	-	46
26	24	2	-	-	14	12	2	-	-	21	20	-	-	1	24	18	-	6	-	47
66	42	24	-	-	81	50	22	4	5	140	70	50	10	10	154	21	26	38	69	48
8	2	6	-	-	7	4	2	1	-	36	12	16	3	5	15	4	2	5	4	49
33	32	1	-	-	38	31	4	-	3	69	59	5	3	2	42	24	1	14	3	50
20	12	7	1	-	12	5	6	1	-	20	10	8	1	1	34	9	10	8	7	51
56	45	10	1	-	70	52	14	4	-	103	79	12	11	1	140	46	11	72	11	52
11	9	2	-	-	9	6	2	1	-	10	7	1	2	-	7	3	1	3	-	53
17	8	8	-	1	10	3	5	-	2	8	3	4	1	-	30	10	5	9	6	54
134	86	45	3	-	79	57	19	1	2	162	103	47	8	4	124	41	22	38	23	55
271	230	41	-	-	268	215	51	2	-	273	220	45	6	2	172	118	33	17	4	56
51	38	13	-	-	39	24	15	-	-	24	15	9	-	-	24	10	12	1	1	57
74	62	12	-	-	47	37	10	-	-	40	32	7	-	1	10	6	2	1	1	58
116	108	8	-	-	157	137	19	1	-	177	153	19	4	1	113	89	11	11	2	59
30	22	8	-	-	25	17	7	1	-	32	20	10	2	-	25	13	8	4	-	60
28	16	9	3	-	51	22	8	18	3	211	112	22	67	10	220	44	10	137	29	61
15	9	5	1	-	36	14	6	13	3	146	82	13	45	6	124	30	8	73	13	62
2	1	-	1	-	5	1	1	3	-	38	15	3	16	4	70	4	1	53	12	63
10	6	4	-	-	9	7	1	1	-	24	14	6	4	-	20	8	1	7	4	64
1	-	-	1	-	1	-	-	1	-	2	1	-	1	-	4	2	-	2	-	65
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	2	-	66
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	9,920	5,540	4,346	16	18	23,617	10,671	8,431	2,511	2,004
2	I. Infective and parasitic diseases	159	107	51	-	1	668	283	102	192	91
3	Tuberculosis, all forms---001-019	91	62	28	-	1	417	175	60	127	55
4	Tuberculosis of respiratory system---001-008	80	56	23	-	1	383	161	54	119	49
5	Tuberculosis of meninges and central nervous system---010	5	2	3	-	-	14	3	4	4	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	1	-	-	-	4	1	1	1	1
7	Tuberculosis of vertebral column---012.0,013.0	1	1	-	-	-	3	3	-	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	1	-	1	-	-	1	-	-	1	-
9	Tuberculosis of genito-urinary system---016	1	1	-	-	-	5	4	1	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	3	2	-	-	1
11	Disseminated tuberculosis---019	2	1	1	-	-	4	1	-	2	1
12	Syphilis and its sequelae---020-029	18	14	4	-	-	124	46	10	48	20
13	Congenital syphilis---020	-	-	-	-	-	1	1	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	8	5	3	-	-	41	20	4	12	5
16	Other cardiovascular syphilis---023	5	5	-	-	-	52	18	3	21	10
17	Tabes dorsalis---024	1	1	-	-	-	4	2	2	-	-
18	General paralysis of insane---025	4	3	1	-	-	15	3	-	9	3
19	Other syphilis of central nervous system---026	-	-	-	-	-	11	2	1	6	2
20	Other syphilis---027-029	-	-	-	-	-	-	-	-	-	-
21	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever---040	-	-	-	-	-	1	-	-	1	-
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms---045-048	1	1	-	-	-	5	3	-	1	1
28	Food poisoning (infection and intoxication)---049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever---050	-	-	-	-	-	1	-	-	1	-
30	Streptococcal sore throat---051	-	-	-	-	-	-	-	-	-	-
31	Erysipelas---052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia---053	8	5	3	-	-	17	8	6	3	-
33	Diphtheria---055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough---056	2	-	2	-	-	2	-	-	1	1
35	Meningococcal infections---057	8	5	3	-	-	22	13	4	3	2
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	1	1	-	-	-	5	3	-	1	1
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	11	7	4	-	-	25	12	13	-	-
42	Late effects of acute poliomyelitis---081	-	-	-	-	-	1	-	-	-	1
43	Acute infectious encephalitis---082	-	-	-	-	-	5	2	3	-	-
44	Late effects of acute infectious encephalitis---083	1	-	1	-	-	2	2	-	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	1	1	-	-	-	1	1	-	-	-
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	10	6	4	-	-	9	4	2	-	3
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	3	2	1	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	3	2	1	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	1	-	-	1	-
54	Malaria---110-117	1	1	-	-	-	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	1	1	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	5	3	2	-	-	26	11	3	5	7
61	II. Neoplasms	1,613	798	808	2	5	3,609	1,520	1,596	254	239
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	1,580	783	790	2	5	3,519	1,484	1,561	246	228
63	Malignant neoplasm of buccal cavity and pharynx---140-148	25	18	7	-	-	90	62	19	8	1
64	Of lip---140	4	3	1	-	-	5	4	-	-	1
65	Of tongue---141	6	6	-	-	-	22	14	7	1	-
66	Of other and unspecified parts of buccal cavity---142-144	7	4	3	-	-	29	18	8	3	-
67	Of pharynx---145-148	8	5	3	-	-	34	26	4	4	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	634	332	300	1	1	1,217	539	528	87	63
69	Of esophagus---150	23	15	8	-	-	68	44	10	12	2
70	Of stomach---151	177	119	58	-	-	281	121	108	33	19
71	Of intestine, except rectum---152,153	215	83	131	-	1	378	142	205	14	17
72	Of rectum---154	95	46	49	-	-	159	82	66	6	5
73	Of biliary passages and of liver (stated to be primary site)---155	29	10	19	-	-	78	34	35	3	6
74	Of liver not specified whether primary or secondary---156A	32	18	14	-	-	69	31	29	4	5
75	Of pancreas---157	59	41	17	1	-	158	74	65	12	7
76	Of peritoneum and of unspecified digestive organs---158,159	4	-	4	-	-	26	11	10	3	2
77	Malignant neoplasm of respiratory system---160-164	159	129	30	-	-	457	347	42	57	11
78	Of larynx---161	11	10	1	-	-	41	34	1	6	-
79	Of trachea, and of bronchus and lung specified as primary---162	52	41	11	-	-	130	97	8	19	6
80	Of lung and bronchus, unspecified as primary or secondary---163	91	75	16	-	-	275	208	32	30	5
81	Of other parts of respiratory system---160,164	5	3	2	-	-	11	8	1	2	-
82	Malignant neoplasm of breast---170	131	-	129	-	2	352	4	308	1	39

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,827	27,365	23,554	546	362	62,171	33,683	23,826	2,652	2,010	29,454	17,053	12,074	196	131	20,556	5,706	3,943	5,874	5,133	1
811	541	232	27	11	1,165	623	307	170	65	469	299	156	11	3	592	102	61	246	183	2
541	379	133	20	9	603	323	129	109	42	204	141	57	5	1	298	53	31	126	88	3
502	359	120	16	7	535	302	105	97	31	187	130	52	4	1	282	53	31	120	78	4
8	3	2	2	1	20	5	8	5	2	-	-	-	-	-	4	-	-	1	3	5
6	2	4	-	-	4	1	2	1	-	-	-	-	-	-	4	-	-	2	2	6
3	2	1	-	-	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
8	6	2	-	-	9	3	6	-	-	9	5	3	1	-	1	-	-	1	-	9
2	-	2	-	-	2	-	2	-	-	3	3	-	-	-	-	-	-	-	-	10
12	7	2	2	1	25	8	4	5	8	5	3	2	-	-	7	-	-	2	5	11
89	67	17	5	-	197	112	32	41	12	77	50	22	4	1	78	10	1	45	22	12
-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	3	1	-	2	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
55	43	11	1	-	76	48	14	10	4	25	17	7	1	-	15	3	1	8	3	15
16	11	3	2	-	59	32	6	14	7	26	17	8	-	1	31	4	-	18	9	16
3	2	1	-	-	3	2	1	-	-	3	2	1	-	-	2	1	-	1	-	17
5	5	-	-	-	32	18	4	9	1	12	8	2	2	-	15	-	-	11	4	18
9	6	1	2	-	18	9	3	6	-	11	6	4	1	-	8	1	-	3	4	19
1	-	1	-	-	6	3	2	1	-	-	-	-	-	-	4	-	-	2	2	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
1	-	1	-	-	1	1	-	-	-	2	-	2	-	-	2	-	-	1	1	22
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	23
3	1	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	26
8	3	5	-	-	16	7	6	3	-	1	1	-	-	-	51	2	7	24	18	27
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	8	1	1	4	2	28
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
2	1	1	-	-	9	6	3	-	-	4	2	2	-	-	4	1	1	-	2	30
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	31
33	22	11	-	-	30	11	16	2	1	15	8	5	2	-	8	1	1	1	5	32
2	2	-	-	-	2	1	1	-	-	1	1	-	-	-	6	2	-	2	2	33
2	-	2	-	-	11	3	5	2	1	3	2	-	-	1	14	-	1	7	6	34
27	13	14	-	-	67	41	18	4	4	14	7	7	-	-	22	5	2	6	9	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
4	4	-	-	-	9	5	3	1	-	5	3	2	-	-	14	1	1	7	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
25	16	9	-	-	106	56	47	3	-	90	53	37	-	-	10	1	1	6	2	41
5	2	2	-	1	7	5	2	-	-	2	1	1	-	-	1	-	-	1	-	42
2	1	1	-	-	16	6	9	-	1	2	-	2	-	-	1	1	-	-	-	43
4	4	-	-	-	4	3	1	-	-	10	6	4	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	16	8	8	-	-	9	6	3	-	-	19	2	6	3	8	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
32	14	17	1	-	31	17	12	2	-	14	7	7	-	-	18	6	6	3	3	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	59
26	10	15	-	1	36	16	14	3	3	13	9	4	-	-	31	13	1	9	8	60
9,018	4,498	4,374	94	52	10,154	5,058	4,452	335	309	4,818	2,521	2,250	29	18	2,293	712	671	435	475	61
8,840	4,418	4,280	93	49	9,924	4,983	4,335	321	285	4,722	2,481	2,195	29	17	2,208	691	647	424	446	62
230	194	34	2	-	198	146	38	10	4	78	63	13	2	-	51	27	9	7	8	63
11	11	-	-	-	14	13	1	-	-	10	10	-	-	-	4	3	-	1	-	64
48	39	9	-	-	48	33	9	4	2	12	10	1	1	-	7	3	3	1	-	65
65	51	14	-	-	56	37	15	2	2	21	15	6	-	-	22	11	3	2	6	66
106	93	11	2	-	80	63	13	4	-	35	28	6	1	-	18	10	3	3	2	67
3,501	1,824	1,613	46	18	3,715	1,994	1,487	147	87	1,870	1,030	816	16	8	717	214	198	194	111	68
178	142	31	5	-	190	127	40	19	4	64	46	17	1	-	36	19	4	7	6	69
921	503	399	15	4	1,077	651	323	69	34	617	395	217	5	-	232	67	47	89	29	70
1,103	501	588	8	6	1,032	485	505	19	23	519	251	262	3	3	189	41	73	39	36	71
490	292	192	3	3	503	300	184	12	7	214	123	88	2	1	56	18	16	12	10	72
164	69	91	2	2	219	75	135	3	6	121	42	79	-	-	17	4	8	3	2	73
200	80	112	6	2	209	86	112	6	5	63	20	39	2	2	71	18	19	19	15	74
404	215	181	7	1	419	239	163	14	3	238	141	93	3	1	90	41	24	17	8	75
41	22	19	-	-	66	31	25	5	5	34	12	21	-	1	26	6	7	8	5	76
962	791	155	13	3	1,095	897	133	55	10	391	323	64	4	-	223	130	31	45	17	77
88	77	10	1	-	77	66	6	4	1	15	12	2	1	-	10	5	2	3	-	78
211	187	21	3	-	412	349	41	19	3	125	110	13	2	-	78	58	8	10	2	79
628	503	115	8	2	561	454	73	29	5	239	193	45	1	-	122	64	18	29	11	80
35	24	9	1	1	45	28	13	3	1	12	8	4	-	-	13	3	3	3	4	81
869	13	847	-	9	919	8	866	1	44	485	6	477	-	2	166	-	105	2	59	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	280	110	170	-	-	563	146	311	32	74
2	Of cervix uteri----------171	58	...	58	...	-	162	...	129	...	33
3	Of other and unspecified parts of uterus----------172-174	51	...	51	...	-	117	...	100	...	17
4	Of ovary, fallopian tube, and broad ligament----------175	59	...	59	...	-	89	...	69	...	20
5	Of other and unspecified female genital organs----------176	2	...	2	...	-	17	...	13	...	4
6	Of prostate----------177	107	107	...	-	...	164	133	...	31	...
7	Of testis, and of other and unspecified male genital organs----178,179	3	3	...	-	...	14	13	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	73	43	28	1	1	168	86	61	14	7
9	Of kidney----------180	30	19	9	1	1	61	34	22	4	1
10	Of bladder and other urinary organs----------181	43	24	19	-	-	107	52	39	10	6
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	153	89	63	-	1	366	156	167	24	19
12	Of skin----------190,191	21	19	2	-	-	47	22	24	-	1
13	Of eye----------192	3	1	2	-	-	3	2	1	-	-
14	Of brain and other parts of nervous system----------193	21	13	8	-	-	74	39	27	3	5
15	Of thyroid gland----------194	4	3	1	-	-	12	3	9	-	-
16	Of bone (including jaw bone)----------196	12	7	5	-	-	21	11	6	3	1
17	Of connective tissue----------197	5	4	1	-	-	8	3	5	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	24	15	9	-	-	54	19	30	1	4
19	Of unspecified sites----------156B,165,196B,199B-M	63	27	35	-	1	147	57	65	17	8
20	Leukemia and aleukemia----------204	51	25	26	-	-	138	63	56	11	8
21	Lymphosarcoma, etc.*----------200-203,205	74	37	37	-	-	168	81	69	12	6
22	Lymphosarcoma and reticulosarcoma----------200	29	16	13	-	-	71	28	38	3	2
23	Hodgkin's disease----------201	34	14	20	-	-	59	33	20	5	1
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	11	7	4	-	-	38	20	11	4	3
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	33	15	18	-	-	90	36	35	8	11
26	Benign neoplasms of female genital organs----------214-217	6	...	6	...	-	15	...	9	...	6
27	Benign neoplasm of brain and other parts of nervous system---------223	6	2	4	-	-	13	6	7	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	2	2	-	-	-	11	4	4	3	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	14	8	6	-	-	31	17	11	-	3
31	Other neoplasms of unspecified nature----------230-232,236,238,239	5	3	2	-	-	20	9	4	5	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	214	101	112	-	1	613	211	299	40	63
33	Asthma----------241	55	37	18	-	-	120	72	26	15	7
34	Nontoxic goiter----------250,251	1	1	-	-	-	1	-	1	-	-
35	Thyrotoxicosis with or without goiter----------252	5	1	4	-	-	14	2	8	1	3
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	2	-	2	-	-	4	2	2	-	-
37	Diabetes mellitus----------260	138	53	84	-	1	448	126	253	19	50
38	Diseases of thymus gland----------273	2	2	-	-	-	4	1	2	1	-
39	Diseases of adrenal glands----------274	2	2	-	-	-	6	3	1	1	1
40	Pellagra----------281	1	1	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	5	2	3	-	-	10	2	4	2	2
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	3	2	1	-	-	6	3	2	1	-
43	IV. Diseases of the blood and blood-forming organs----------	37	15	22	-	-	55	16	27	7	5
44	Anemias----------290-293	29	11	18	-	-	44	13	22	5	4
45	Pernicious and other hyperchromic anemias----------290	14	4	10	-	-	15	3	9	1	2
46	Anemias of other and unspecified type----------291-293	15	7	8	-	-	29	10	13	4	2
47	Purpura and other hemorrhagic conditions----------296	4	2	2	-	-	3	-	2	1	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	4	2	2	-	-	8	3	3	1	1
49	V. Mental, psychoneurotic, and personality disorders----------	28	19	9	-	-	87	48	7	24	8
50	Senile psychosis----------304	3	-	3	-	-	2	2	-	-	-
51	Alcoholic psychosis----------307	2	2	-	-	-	6	4	-	2	-
52	Other psychoses----------300-303,305,306,308,309	2	-	2	-	-	6	2	3	1	-
53	Alcoholism----------322	21	17	4	-	-	69	37	4	20	8
54	Mental deficiency----------325	-	-	-	-	-	4	3	-	1	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,344	634	708	1	1	2,313	880	1,010	191	232
57	Vascular lesions affecting central nervous system----------330-334	1,259	591	666	1	1	2,071	770	945	156	200
58	Subarachnoid hemorrhage----------330	20	9	11	-	-	75	19	35	8	13
59	Cerebral hemorrhage----------331	854	391	461	1	1	1,376	504	635	91	146
60	Cerebral embolism and thrombosis----------332	281	141	140	-	-	424	169	196	32	27
61	Other vascular lesions affecting central nervous system--------333,334	104	50	54	-	-	196	78	79	25	14
62	Meningitis, except meningococcal and tuberculous----------340	14	10	4	-	-	33	11	10	7	5
63	Multiple sclerosis----------345	13	5	8	-	-	20	15	2	2	1
64	Paralysis agitans----------350	14	6	8	-	-	27	14	11	-	2
65	Cerebral spastic infantile paralysis----------351	2	-	2	-	-	9	3	2	3	1
66	Epilepsy----------353	14	7	7	-	-	51	21	15	10	5
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	1	-	-	-	1
68	Cataract----------385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	1	3	-	-	21	8	5	4	4
71	Other diseases of nervous system and sense organs----------Residual[1]	24	14	10	-	-	80	38	20	9	13
72	VII. Diseases of the circulatory system----------	4,328	2,536	1,783	4	5	10,620	5,081	3,832	908	799
73	Rheumatic fever----------400-402	1	1	-	-	-	35	14	8	4	9
74	Diseases of heart----------410-443	3,891	2,310	1,572	4	5	9,760	4,741	3,501	810	708
75	Chronic rheumatic heart disease----------410-416	128	72	55	1	-	276	127	110	21	18
76	Diseases of mitral valve----------410	58	35	22	1	-	99	44	37	11	7
77	Diseases of aortic valve specified as rheumatic----------411	8	6	2	-	-	17	11	3	2	1
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	5	4	1	-	-	14	5	6	2	1
80	Other diseases of heart specified as rheumatic----------415,416	57	27	30	-	-	146	67	64	6	9

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,191	448	727	6	10	1,533	540	865	35	93	696	329	359	4	4	487	92	139	94	163	1
226	...	222	...	4	352	...	298	...	54	103	...	101	...	2	132	...	60	...	72	2
241	...	239	...	2	288	...	261	...	27	107	...	106	...	1	116	...	40	...	76	3
251	...	247	...	4	282	...	272	...	10	137	...	136	...	1	44	...	33	...	11	4
19	...	19	...	-	36	...	34	...	2	16	...	16	...	-	9	...	5	...	4	5
424	418	...	6	...	532	497	...	35	...	320	316	...	4	...	175	87	...	88	...	6
30	30	...	-	...	43	43	...	-	...	13	13	...	-	...	11	5	...	6	...	7
423	263	152	7	1	516	336	151	13	16	262	186	74	1	1	75	38	17	10	10	8
145	81	62	2	-	185	99	73	7	6	116	82	33	1	-	25	14	8	-	3	9
278	182	90	5	1	331	237	78	6	10	146	104	41	-	1	50	24	9	10	7	10
964	475	474	10	5	1,073	543	482	32	16	458	260	197	-	1	340	124	106	50	60	11
98	59	36	1	-	134	76	52	6	-	59	33	25	-	1	54	27	23	1	3	12
14	5	9	-	-	13	7	6	-	-	8	6	2	-	-	5	1	2	1	1	13
174	95	77	1	1	233	127	96	9	1	108	70	38	-	-	44	26	11	5	2	14
42	8	34	-	-	42	16	25	-	1	16	5	11	-	-	5	1	2	-	2	15
85	55	30	-	-	106	59	42	4	1	30	18	12	-	-	30	14	6	2	8	16
25	15	10	-	-	22	10	11	1	-	17	10	7	-	-	3	1	-	2	-	17
139	56	81	-	2	150	64	77	5	4	62	27	35	-	-	69	14	18	14	23	18
389	182	197	8	2	373	184	173	7	9	158	91	67	-	-	130	40	44	25	21	19
342	205	130	6	1	435	270	146	10	9	258	155	103	-	-	84	34	25	11	14	20
358	205	148	3	2	440	249	167	18	6	224	129	92	2	1	65	32	18	11	4	21
145	91	51	2	1	150	83	64	3	-	70	39	28	2	1	26	13	6	5	2	22
106	65	40	1	-	129	72	50	6	1	63	37	26	-	-	22	14	4	3	1	23
107	49	57	-	1	161	94	53	9	5	91	53	38	-	-	17	5	8	3	1	24
178	80	94	1	3	230	75	117	14	24	96	40	55	-	1	85	21	24	11	29	25
33	...	30	...	3	54	...	37	...	17	10	...	10	...	-	19	...	2	...	17	26
20	8	12	-	-	47	22	20	3	2	35	15	19	-	1	10	5	2	2	1	27
25	15	10	-	-	46	17	22	4	3	22	12	10	-	-	10	4	5	1	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	29
66	35	31	-	-	50	24	19	6	1	14	6	8	-	-	29	8	10	5	6	30
34	22	11	1	-	33	12	19	1	1	15	7	8	-	-	16	4	5	3	4	31
1,211	516	670	8	17	1,955	840	1,024	26	65	722	329	389	1	3	361	83	111	56	111	32
205	133	69	1	2	341	215	105	12	9	123	80	43	-	-	61	24	14	10	13	33
4	-	4	-	-	5	2	3	-	-	5	-	5	-	-	2	-	-	-	2	34
12	4	8	-	-	57	11	43	-	3	17	2	15	-	-	2	-	2	-	-	35
9	3	5	-	1	10	2	8	-	-	4	1	3	-	-	3	-	1	1	1	36
930	351	560	5	14	1,405	543	805	10	47	531	227	300	1	3	253	51	85	38	79	37
1	-	1	-	-	45	27	18	-	-	5	3	2	-	-	1	-	-	-	1	38
6	2	4	-	-	30	9	17	1	3	9	3	6	-	-	1	-	-	1	-	39
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	6	1	1	1	3	40
18	8	9	1	-	29	15	13	1	-	12	4	8	-	-	20	5	6	2	7	41
26	15	10	1	-	31	15	11	2	3	15	8	7	-	-	12	2	2	3	5	42
160	78	80	1	1	244	118	112	4	10	123	61	59	1	2	67	16	10	16	25	43
109	52	57	-	-	188	87	90	3	8	86	38	45	1	2	50	9	9	12	20	44
55	24	31	-	-	86	44	40	-	2	53	21	31	1	-	8	1	3	-	4	45
54	28	26	-	-	102	43	50	3	6	33	17	14	-	2	42	8	6	12	16	46
18	7	10	1	-	18	11	6	-	1	15	8	7	-	-	7	4	-	1	2	47
33	19	13	-	1	38	20	16	1	1	22	15	7	-	-	10	3	1	3	3	48
113	83	23	5	2	124	66	41	12	5	152	101	48	1	2	44	12	7	12	13	49
1	-	1	-	-	26	7	16	3	-	85	49	35	1	-	6	-	3	2	1	50
11	7	2	2	-	7	6	1	-	-	8	8	-	-	-	1	1	-	-	-	51
11	6	5	-	-	21	8	9	1	3	13	6	7	-	-	13	-	2	4	7	52
81	64	12	3	2	59	41	9	7	2	34	31	3	-	-	21	11	-	5	5	53
5	4	1	-	-	8	3	4	1	-	8	6	1	-	1	1	-	-	1	-	54
4	2	2	-	-	3	1	2	-	-	4	1	2	-	1	2	-	2	-	-	55
6,182	2,652	3,421	62	47	7,756	3,673	3,595	242	246	4,163	2,129	1,988	30	16	2,588	641	569	669	709	56
5,732	2,428	3,208	54	42	7,145	3,337	3,354	221	233	3,835	1,951	1,842	27	15	2,413	596	538	611	668	57
186	77	102	4	3	161	77	64	8	12	105	36	47	1	1	39	10	14	9	6	58
3,608	1,504	2,057	23	24	4,745	2,175	2,272	139	159	2,524	1,244	1,251	18	11	1,674	401	380	417	476	59
1,565	695	837	21	12	1,556	791	660	57	48	679	369	302	6	2	251	100	70	48	33	60
373	152	212	6	3	683	294	358	17	14	527	282	242	2	1	449	85	74	137	153	61
41	21	15	1	4	84	50	29	3	2	31	16	13	1	1	37	3	1	22	11	62
54	19	35	-	-	62	22	37	1	2	38	23	15	-	-	8	3	4	1	-	63
101	42	58	1	-	152	87	64	-	1	85	42	43	-	-	17	8	7	-	2	64
9	6	3	-	-	20	13	7	-	-	22	9	13	-	-	4	2	-	2	-	65
95	57	35	2	1	87	47	28	9	3	34	24	10	-	-	25	5	3	12	5	66
1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	1	67
2	1	1	-	-	3	1	2	-	-	4	1	3	-	-	-	-	-	-	-	68
-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	69
16	9	7	-	-	11	8	3	-	-	10	4	5	1	-	6	3	2	1	-	70
131	69	58	4	-	188	106	69	8	5	102	58	43	1	-	77	21	14	20	22	71
23,769	12,903	10,540	186	140	24,480	14,004	9,011	803	662	11,971	7,239	4,644	51	37	6,408	2,234	1,286	1,510	1,378	72
36	16	17	2	1	62	36	21	3	2	30	15	13	-	2	31	6	7	6	12	73
21,746	11,989	9,467	164	126	22,341	12,949	8,052	728	612	10,754	6,618	4,057	46	33	5,789	2,066	1,139	1,349	1,235	74
784	346	430	5	3	849	418	385	28	18	410	203	199	3	5	172	56	25	40	51	75
233	99	131	3	-	324	151	155	11	7	207	89	113	3	2	108	29	16	30	31	76
44	33	10	-	1	42	34	7	1	-	44	38	6	-	-	4	4	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
39	22	17	-	-	41	22	19	-	-	34	14	19	-	1	14	2	2	5	5	79
468	192	272	2	2	442	211	204	16	11	125	62	61	-	2	48	21	7	5	15	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	2,642	1,671	966	3	2	5,020	2,954	1,591	278	197
2	Arteriosclerotic heart disease so described----420.0	796	439	357	-	-	1,318	647	533	69	69
3	Heart disease specified as involving coronary arteries----420.1	1,822	1,216	601	3	2	3,680	2,291	1,054	207	128
4	Angina pectoris without mention of coronary disease----420.2	24	16	8	-	-	22	16	4	2	-
5	Chronic endocarditis not specified as rheumatic----421	105	63	42	-	-	147	56	62	18	11
6	Of mitral valve, specified as nonrheumatic----421.0	8	5	3	-	-	14	7	5	1	1
7	Of aortic valve, not specified as rheumatic----421.1	10	5	5	-	-	41	19	14	6	2
8	Of other valves, not specified as rheumatic----421.2-421.4	87	53	34	-	-	92	30	43	11	8
9	Other myocardial degeneration----422	440	235	205	-	-	1,892	767	816	173	136
10	With arteriosclerosis----422.1	220	109	111	-	-	1,526	617	664	142	103
11	Without mention of arteriosclerosis----422.0,422.2	220	126	94	-	-	366	150	152	31	33
12	Other diseases of heart----430-434	111	62	47	-	2	212	103	60	33	16
13	Acute and subacute endocarditis----430	3	2	1	-	-	9	6	2	-	1
14	Acute myocarditis not specified as rheumatic----431	10	4	6	-	-	25	12	5	5	3
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	3	1	1	-	1
16	Functional disease of heart----433	12	7	5	-	-	28	15	11	2	-
17	Other and unspecified diseases of heart----434	86	49	35	-	2	147	69	41	26	11
18	Hypertension with heart disease----440-443	465	207	257	-	1	2,213	734	862	287	330
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	133	63	70	-	-	682	239	241	90	112
20	Essential hypertension with heart disease, etc.*----440,441,443	332	144	187	-	1	1,531	495	621	197	218
21	Hypertension without mention of heart----444-447	102	62	40	-	-	201	69	59	34	39
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	65	41	24	-	-	107	41	27	16	23
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	37	21	16	-	-	94	28	32	18	16
24	Diseases of arteries----450-456	306	152	154	-	-	562	232	245	51	34
25	General arteriosclerosis----450	273	131	142	-	-	471	172	226	44	29
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	21	13	8	-	-	55	42	10	3	-
27	Gangrene of unspecified cause----455	3	2	1	-	-	9	2	2	3	2
28	Other arterial diseases----452-454,456	9	6	3	-	-	27	16	7	1	3
29	Diseases of veins and other diseases of circulatory system----460-468	28	11	17	-	-	62	25	19	9	9
30	VIII. Diseases of the respiratory system----	363	203	160	-	-	974	413	254	179	128
31	Acute upper respiratory infections----470-475	7	1	6	-	-	11	2	7	1	1
32	Influenza----480-483	42	20	22	-	-	82	27	35	9	11
33	Pneumonia, except pneumonia of newborn----490-493	241	133	108	-	-	606	243	155	120	88
34	Lobar pneumonia----490	76	44	32	-	-	223	90	51	51	31
35	Bronchopneumonia----491	106	54	52	-	-	249	93	68	44	44
36	Primary atypical pneumonia----492	32	17	15	-	-	49	22	12	11	4
37	Pneumonia, other and unspecified----493	27	18	9	-	-	85	38	24	14	9
38	Acute bronchitis----500	8	4	4	-	-	16	7	4	3	2
39	Bronchitis, chronic and unqualified----501,502	9	7	2	-	-	53	36	8	4	5
40	Hypertrophy of tonsils and adenoids----510	2	1	1	-	-	3	1	-	2	-
41	Empyema and abscess of lung----518,521	4	3	1	-	-	11	4	3	4	-
42	Pleurisy----519	2	-	2	-	-	5	2	1	2	-
43	All other respiratory diseases----Residual[1]	48	34	14	-	-	187	91	41	34	21
44	IX. Diseases of the digestive system----	313	187	125	1	-	885	460	260	94	71
45	Diseases of teeth and supporting structures----530-535	1	1	-	-	-	3	3	-	-	-
46	Ulcer of stomach----540	30	23	6	1	-	65	48	13	4	-
47	Ulcer of duodenum----541	26	23	3	-	-	61	48	6	6	1
48	Gastritis and duodenitis----543	-	-	-	-	-	3	-	2	-	1
49	Appendicitis----550-553	17	15	2	-	-	29	15	8	3	3
50	Hernia and intestinal obstruction----560,561,570	56	29	27	-	-	140	59	50	14	17
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	33	13	20	-	-	84	28	26	20	10
52	Cirrhosis of liver----581	62	45	17	-	-	297	162	79	33	23
53	Without mention of alcoholism----581.0	54	38	16	-	-	208	109	59	22	18
54	With alcoholism----581.1	8	7	1	-	-	89	53	20	11	5
55	Cholelithiasis and cholecystitis----584,585	43	16	27	-	-	69	27	38	-	4
56	Other diseases of digestive system----Residual[1]	45	22	23	-	-	134	70	38	14	12
57	X. Diseases of the genito-urinary system----	277	151	124	1	1	488	206	137	83	62
58	Nephritis and nephrosis----590-594	185	82	102	-	1	334	121	107	57	49
59	Acute nephritis----590	8	4	4	-	-	20	8	6	4	2
60	Nephritis with edema, including nephrosis----591	9	4	5	-	-	38	10	9	10	9
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	168	74	93	-	1	276	103	92	43	38
62	Infections of kidney----600	25	14	11	-	-	35	11	10	8	6
63	Calculi of urinary system----602,604	4	2	2	-	-	15	6	7	1	1
64	Other diseases of urinary system----601,603,605-609	12	9	3	-	-	29	16	8	4	1
65	Hyperplasia of prostate----610	38	37	...	1	...	59	47	...	12	...
66	Other diseases of male genital organs----611-617	7	7	...	-	...	6	5	...	1	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	6	...	6	...	-	10	...	5	...	5
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	9	...	7	...	2	25	...	15	...	10
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	2	...	2	...	-	3	...	1	...	2
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	-	...	-	...	-	6	...	5	...	1
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	3	...	2	...	1	3	...	3	...	-
73	Ectopic pregnancy----645	-	...	-	...	-	2	...	-	...	2
74	Abortion without mention of sepsis or toxemia----650	-	...	-	...	-	2	...	2	...	-
75	Abortion with sepsis----651	-	...	-	...	-	4	...	1	...	3
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	4	...	3	...	1	5	...	3	...	2

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15,762	9,361	6,219	96	86	15,090	9,580	4,834	396	280	7,537	5,006	2,481	31	19	2,796	1,343	549	514	390	1
6,512	3,270	3,163	40	39	4,727	2,500	2,009	124	94	1,678	979	688	6	5	821	327	164	199	131	2
9,210	6,071	3,036	56	47	10,332	7,059	2,815	272	186	5,847	4,020	1,788	25	14	1,944	1,001	381	307	255	3
40	20	20	-	-	31	21	10	-	-	12	7	5	-	-	31	15	4	8	4	4
287	127	155	3	2	294	157	120	7	10	202	126	76	-	-	121	28	17	37	39	5
20	5	15	-	-	17	5	12	-	-	11	5	6	-	-	15	3	1	5	6	6
73	36	35	2	-	58	41	13	3	1	66	43	23	-	-	32	8	2	16	6	7
194	86	105	1	2	219	111	95	4	9	125	78	47	-	-	74	17	14	16	27	8
1,919	841	1,049	22	7	2,376	1,166	1,108	56	46	970	523	441	3	3	726	188	176	192	170	9
1,205	514	670	14	7	1,053	480	527	25	21	524	287	236	1	-	264	63	68	67	66	10
714	327	379	8	-	1,323	686	581	31	25	446	236	205	2	3	462	125	108	125	104	11
525	304	212	7	2	939	504	340	54	41	309	160	144	4	1	454	147	84	119	104	12
20	13	7	-	-	30	18	9	2	1	19	7	12	-	-	7	3	-	2	2	13
29	15	14	-	-	116	44	33	19	20	15	4	10	-	1	19	3	5	1	10	14
3	2	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	15
55	30	24	1	-	116	59	53	3	1	66	28	38	-	-	20	8	5	1	6	16
418	244	166	6	2	675	382	244	30	19	208	120	84	4	-	408	133	74	115	86	17
2,469	1,010	1,402	31	26	2,793	1,124	1,265	187	217	1,326	600	716	5	5	1,520	304	288	447	481	18
351	169	171	3	8	650	308	269	33	40	229	120	107	-	2	440	98	75	137	130	19
2,118	841	1,231	28	18	2,143	816	996	154	177	1,097	480	609	5	3	1,080	206	213	310	351	20
333	150	175	3	5	407	174	176	34	23	247	118	126	3	-	254	51	53	82	68	21
191	95	92	2	2	166	74	66	17	9	77	42	33	2	-	109	28	21	31	29	22
142	55	83	1	3	241	100	110	17	14	170	76	93	1	-	145	23	32	51	39	23
1,465	648	795	14	8	1,499	769	687	24	19	848	440	406	-	2	283	101	73	58	51	24
1,294	546	732	10	6	1,278	625	623	18	12	732	372	359	-	1	235	79	63	47	46	25
104	70	30	3	1	138	97	32	5	4	68	43	25	-	-	25	14	3	6	2	26
6	3	3	-	-	11	6	5	-	-	6	4	2	-	-	2	-	1	1	-	27
61	29	30	1	1	72	41	27	1	3	42	21	20	-	1	21	8	6	4	3	28
189	100	86	3	-	171	76	75	14	6	92	48	42	2	-	51	10	14	15	12	29
1,856	1,093	708	37	18	2,439	1,404	770	171	94	1,363	802	535	16	10	1,108	272	192	349	295	30
24	9	13	2	-	38	24	13	1	-	25	13	12	-	-	23	2	3	9	9	31
47	16	30	1	-	239	136	88	8	7	208	113	93	-	2	343	66	42	113	122	32
1,252	707	505	25	15	1,542	827	514	128	73	832	489	325	11	7	576	124	106	198	148	33
303	183	107	10	3	594	345	167	62	20	253	164	85	3	1	179	35	28	67	49	34
719	388	312	13	6	620	311	228	41	40	400	225	166	5	4	234	45	52	73	64	35
129	77	45	2	5	142	81	43	14	4	55	39	15	1	-	52	18	8	15	11	36
101	59	41	-	1	186	90	76	11	9	124	61	59	2	2	111	26	18	43	24	37
29	18	11	-	-	41	19	18	2	2	17	6	10	1	-	10	5	2	3	-	38
67	55	11	1	-	88	60	22	2	4	50	32	16	2	-	28	11	8	4	5	39
3	-	3	-	-	12	4	6	1	1	6	3	3	-	-	6	3	1	1	1	40
23	13	7	3	-	45	30	8	7	-	12	11	1	-	-	6	3	1	2	-	41
11	7	4	-	-	10	3	7	-	-	7	7	-	-	-	1	-	-	1	-	42
400	268	124	5	3	424	301	94	22	7	206	128	75	2	1	115	58	29	18	10	43
2,206	1,303	868	22	13	2,484	1,402	877	118	87	992	594	391	8	9	662	170	123	198	171	44
2	-	1	1	-	2	1	1	-	-	2	2	-	-	-	11	1	-	4	6	45
197	153	42	2	-	207	166	27	11	3	69	55	14	-	-	42	15	7	15	5	46
211	168	40	2	1	205	162	31	8	4	97	84	12	1	-	26	15	3	6	2	47
5	3	2	-	-	15	6	7	2	-	2	1	1	-	-	5	1	2	-	2	48
85	53	27	3	2	118	71	35	8	4	46	29	15	1	1	35	10	6	15	4	49
334	175	153	4	2	359	173	151	23	12	173	89	81	2	1	120	34	18	38	30	50
177	93	81	2	1	287	137	114	21	15	94	48	41	2	3	198	14	26	79	79	51
703	423	272	6	2	724	452	224	22	26	232	146	85	1	-	104	50	19	19	16	52
526	314	206	6	-	626	382	202	19	23	173	102	70	1	-	93	45	17	15	16	53
177	109	66	-	2	98	70	22	3	3	59	44	15	-	-	11	5	2	4	-	54
208	80	128	-	-	250	87	154	5	4	157	67	87	-	3	40	9	20	4	7	55
284	155	122	2	5	317	147	133	18	19	120	63	55	1	1	81	21	22	18	20	56
1,017	616	379	14	8	1,400	790	453	82	75	529	338	180	9	2	717	159	101	278	179	57
516	267	241	4	4	820	400	325	50	45	261	141	114	5	1	472	91	72	165	144	58
45	28	16	-	1	57	28	18	8	3	14	12	1	1	-	48	5	5	19	19	59
25	14	11	-	-	62	35	19	5	3	12	6	6	-	-	17	1	1	9	6	60
446	225	214	4	3	701	337	288	37	39	235	123	107	4	1	407	85	66	137	119	61
185	87	89	6	3	170	71	70	15	14	64	35	28	1	-	63	14	10	22	17	62
34	18	15	-	1	45	28	13	3	1	23	8	15	-	-	11	4	5	1	1	63
56	43	12	1	-	66	38	19	3	6	46	28	17	-	1	35	9	7	16	3	64
188	186	...	2	...	236	225	...	11	...	125	122	...	3	...	94	36	...	58	...	65
16	15	...	1	...	28	28	...	-	...	4	4	...	-	...	21	5	...	16	...	66
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
21	...	21	...	-	35	...	26	...	9	6	...	6	...	-	21	...	7	...	14	68
35	...	34	...	1	79	...	56	...	23	20	...	19	...	1	116	...	23	...	93	69
4	...	4	...	-	8	...	7	...	1	-	...	-	...	-	5	...	1	...	4	70
7	...	7	...	-	28	...	19	...	9	6	...	5	...	1	58	...	8	...	50	71
3	...	3	...	-	7	...	7	...	-	5	...	5	...	-	27	...	5	...	22	72
2	...	2	...	-	5	...	2	...	3	-	...	-	...	-	5	...	1	...	4	73
1	...	1	...	-	4	...	2	...	2	-	...	-	...	-	1	...	-	...	1	74
2	...	2	...	-	6	...	4	...	2	2	...	2	...	-	3	...	3	...	-	75
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	1	...	-	...	1	76
16	...	15	...	1	18	...	13	...	5	7	...	7	...	-	16	...	5	...	11	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	11	6	5	-	-	21	9	6	4	2
2	Infections of skin and subcutaneous tissue--690-698	1	1	-	-	-	3	2	1	-	-
3	Other diseases of skin and subcutaneous tissue--700-716	10	5	5	-	-	18	7	5	4	2
4	XIII. Diseases of the bones and organs of movement	16	9	7	-	-	33	12	15	3	3
5	Arthritis and spondylitis--720-725	7	2	5	-	-	11	1	8	1	1
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	1	1	-	-	-
7	Osteomyelitis and periostitis--730	1	-	1	-	-	1	-	1	-	-
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	-	-	-	-	-	1	1	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	8	7	1	-	-	19	9	6	2	2
10	XIV. Congenital malformations	133	69	63	-	1	345	155	137	29	24
11	Spina bifida and meningocele--751	22	10	12	-	-	32	13	16	1	2
12	Congenital hydrocephalus, etc.*--752,753	14	7	7	-	-	54	24	20	4	6
13	Congenital malformations of circulatory system--754	53	30	23	-	-	146	60	60	14	12
14	Other congenital malformations--750,755-759	44	22	21	-	1	113	58	41	10	4
15	XV. Certain diseases of early infancy	328	181	146	1	-	1,055	417	319	169	150
16	Birth injuries--760,761	65	30	34	1	-	201	97	66	22	16
17	Postnatal asphyxia and atelectasis--762	97	53	44	-	-	264	118	73	36	37
18	Infections of newborn--763-768	21	8	13	-	-	71	15	14	26	16
19	Hemolytic disease of newborn (erythroblastosis)--770	10	5	5	-	-	34	17	14	2	1
20	All other defined diseases of early infancy--769,771,772	13	8	5	-	-	29	11	5	8	5
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	122	77	45	-	-	456	159	147	75	75
22	XVI. Symptoms, senility, and ill-defined conditions	71	41	29	1	-	79	28	28	12	11
23	Senility without mention of psychosis--794	34	15	19	-	-	20	3	14	1	2
24	Symptoms, ill-defined and unknown causes--780-793,795	37	26	10	1	-	59	25	14	11	9
25	XVII. Accidents, poisonings, and violence	676	483	187	5	1	1,747	932	387	322	106
26	Accidents--E800-E962	544	388	151	4	1	1,364	714	324	237	89
27	Railway accidents--E800-E802	4	3	1	-	-	16	9	3	4	-
28	Motor-vehicle accidents--E810-E835	202	153	45	3	1	494	291	91	92	20
29	Motor-vehicle traffic accidents--E810-E825	188	144	40	3	1	483	284	88	91	20
30	Motor-vehicle traffic accident with railway train*--E810	3	1	2	-	-	12	10	2	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	55	37	17	-	1	155	87	29	35	4
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	44	35	9	-	-	138	82	29	19	8
33	Motor-vehicle noncollision traffic accidents--E820-E824	70	59	9	2	-	105	66	16	19	4
34	Motor-vehicle traffic accident of unspecified nature--E825	16	12	3	1	-	73	39	12	18	4
35	Motor-vehicle nontraffic accidents--E830-E835	14	9	5	-	-	11	7	3	1	-
36	Other road-vehicle accidents--E840-E845	2	2	-	-	-	7	4	2	1	-
37	Water-transport accidents--E850-E858	28	27	1	-	-	33	25	2	4	2
38	Aircraft accidents--E860-E866	11	9	2	-	-	18	17	1	-	-
39	Accidental poisoning by solid and liquid substances--E870-E888	4	3	1	-	-	27	12	5	7	3
40	Accidental poisoning by gases and vapors--E890-E895	15	11	4	-	-	14	12	2	-	-
41	Accidental falls--E900-E904	105	45	60	-	-	293	113	137	27	16
42	Fall from one level to another--E900-E902	35	23	12	-	-	142	71	46	19	6
43	Fall on same level--E903	22	10	12	-	-	35	11	22	-	2
44	Unspecified falls--E904	48	12	36	-	-	116	31	69	8	8
45	Blow from falling object--E910	5	5	-	-	-	8	4	-	4	-
46	Accident caused by machinery--E912	10	9	1	-	-	22	16	1	4	1
47	Accident caused by electric current--E914	9	8	1	-	-	13	13	-	-	-
48	Accident caused by fire and explosion, etc.*--E916	35	20	14	1	-	110	30	26	25	29
49	Accident caused by hot substance, etc.*--E917,E918	6	4	2	-	-	10	5	3	2	-
50	Accident caused by firearm--E919	13	13	-	-	-	46	34	6	6	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	10	6	4	-	-	20	7	9	2	2
52	Accidental drowning--E929	47	41	6	-	-	125	69	14	39	3
53	Excessive heat and insolation--E931	-	-	-	-	-	12	6	4	2	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	2	-	2	-	-	11	2	4	2	3
55	All other accidents--Residual[1]	36	29	7	-	-	85	45	14	16	10
56	Suicide--E963,E970-E979	119	91	28	-	-	249	187	44	14	4
57	Suicide by poisoning--E970-E973	20	12	8	-	-	65	45	17	2	1
58	Suicide by hanging and strangulation--E974	30	20	10	-	-	40	28	7	5	-
59	Suicide by firearms and explosives--E976	51	47	4	-	-	109	93	11	5	-
60	Suicide by all other means--E963,E975,E977-E979	18	12	6	-	-	35	21	9	2	3
61	Homicide--E964,E980-E985	13	4	8	1	-	134	31	19	71	13
62	Assault by firearms and explosives--E981	6	1	4	1	-	62	17	9	29	7
63	Assault by cutting and piercing instruments--E982	2	-	2	-	-	38	3	6	26	3
64	Assault by other means--E964,E980,E983	5	3	2	-	-	28	10	4	11	3
65	Injury by intervention of police--E984	-	-	-	-	-	5	1	-	4	-
66	Execution--E985	-	-	-	-	-	1	-	-	1	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32	17	15	-	-	48	20	19	4	5	23	11	12	-	-	23	4	6	6	7	1
12	8	4	-	-	6	2	2	1	1	5	2	3	-	-	6	1	2	2	1	2
20	9	11	-	-	42	18	17	3	4	18	9	9	-	-	17	3	4	4	6	3
104	42	61	-	1	134	65	65	2	2	71	36	34	1	-	53	12	16	11	14	4
49	20	29	-	-	77	33	41	1	2	35	14	21	-	-	27	5	10	4	8	5
2	1	1	-	-	1	-	1	-	-	3	1	2	-	-	8	-	3	3	2	6
6	3	3	-	-	7	5	2	-	-	3	2	1	-	-	1	1	-	-	-	7
3	-	3	-	-	5	4	1	-	-	4	2	2	-	-	2	1	-	-	1	8
44	18	25	-	1	44	23	20	1	-	26	17	8	1	-	15	5	3	4	3	9
570	291	267	7	5	958	489	391	45	33	494	235	253	3	3	247	77	82	53	35	10
78	30	47	-	1	101	47	52	-	2	44	14	30	-	-	14	4	6	1	3	11
94	46	46	2	-	112	53	56	-	3	60	30	29	-	1	24	9	7	7	1	12
214	120	92	1	1	406	220	153	18	15	219	111	104	2	2	120	34	42	26	18	13
184	95	82	4	3	339	169	130	27	13	171	80	90	1	-	89	30	27	19	13	14
1,441	818	586	26	31	2,818	1,380	990	244	204	1,138	684	437	9	8	1,225	303	222	390	310	15
215	129	79	4	3	574	287	197	53	37	247	149	98	-	-	206	61	52	61	32	16
367	233	124	7	3	685	346	245	53	41	243	171	70	2	-	247	78	49	64	56	17
67	38	25	1	3	147	88	43	5	11	49	30	17	1	1	94	13	5	47	29	18
52	29	21	1	1	126	67	51	5	3	83	44	39	-	-	36	12	14	7	3	19
21	14	7	-	-	77	40	23	9	5	31	16	12	1	2	65	11	9	30	15	20
719	375	310	13	21	1,209	552	431	119	107	485	274	201	5	5	577	128	93	181	175	21
249	103	144	1	1	622	357	201	47	17	194	117	74	1	2	2,224	247	127	978	872	22
34	11	23	-	-	139	55	84	-	-	96	46	49	-	1	157	16	30	56	55	23
215	92	121	1	1	483	302	117	47	17	98	71	25	1	1	2,067	231	97	922	817	24
3,053	1,811	1,172	56	14	5,311	3,394	1,462	347	108	2,212	1,567	605	25	15	1,828	662	236	667	263	25
2,651	1,515	1,081	46	9	4,368	2,775	1,288	222	85	1,868	1,309	523	23	13	1,505	563	209	506	227	26
26	24	1	1	-	34	24	7	3	-	24	22	1	1	-	19	11	1	5	2	27
589	412	166	10	1	2,035	1,375	531	99	30	693	491	187	10	5	540	256	73	170	41	28
577	406	160	10	1	1,993	1,346	522	95	30	669	473	182	9	5	514	247	67	162	38	29
17	10	7	-	-	77	52	21	1	3	48	32	16	-	-	12	2	3	4	3	30
216	145	65	5	1	407	277	95	27	8	146	104	36	3	3	83	30	10	36	7	31
99	69	29	1	-	828	542	244	31	11	285	197	85	2	1	217	128	34	44	11	32
159	126	31	2	-	458	325	99	29	5	158	115	38	4	1	157	69	15	61	12	33
86	56	28	2	-	223	150	63	7	3	32	25	7	-	-	45	18	5	17	5	34
12	6	6	-	-	42	29	9	4	-	24	18	5	1	-	26	9	6	8	3	35
8	5	3	-	-	15	11	2	-	2	6	5	1	-	-	11	2	-	8	1	36
54	51	3	-	-	83	74	7	1	1	60	56	3	1	-	30	23	1	6	-	37
29	26	1	2	-	34	30	3	1	-	34	31	2	1	-	17	17	-	-	-	38
41	26	11	2	2	45	25	13	7	-	24	16	7	-	1	23	5	2	9	7	39
46	25	21	-	-	48	34	9	4	1	33	27	5	1	-	11	4	5	1	1	40
1,129	466	649	11	3	874	438	410	17	9	446	227	213	3	3	144	44	67	21	12	41
288	149	134	3	2	270	180	78	9	3	163	96	63	2	2	31	12	8	9	2	42
186	74	110	2	-	110	53	55	2	-	129	53	75	1	-	17	5	12	-	-	43
655	243	405	6	1	494	205	277	6	6	154	78	75	-	1	96	27	47	12	10	44
17	15	1	1	-	37	35	-	-	2	24	24	-	-	-	30	17	1	12	-	45
20	17	2	1	-	85	79	2	4	-	75	71	4	-	-	42	29	1	12	-	46
14	13	1	-	-	40	33	6	1	-	17	15	2	-	-	13	4	1	8	-	47
157	78	68	8	3	236	123	68	23	22	97	64	32	-	1	177	26	22	56	73	48
26	14	12	-	-	43	28	13	2	-	12	10	2	-	-	43	3	6	13	21	49
19	17	1	1	-	62	50	7	5	-	64	57	4	1	2	90	39	5	38	8	50
40	26	12	2	-	79	48	22	4	5	26	17	9	-	-	29	4	4	11	10	51
162	133	26	3	-	220	161	29	28	2	107	84	20	2	1	105	32	3	64	6	52
6	4	2	-	-	17	10	7	-	-	8	5	3	-	-	10	3	-	7	-	53
21	9	11	1	-	17	4	10	1	2	4	2	2	-	-	19	5	2	6	6	54
247	154	90	3	-	364	191	142	22	9	114	85	26	3	-	152	39	15	59	39	55
349	264	79	5	1	713	546	139	26	2	298	235	63	-	-	104	75	17	11	1	56
85	57	26	1	1	137	97	34	5	1	63	46	17	-	-	10	5	5	-	-	57
104	81	21	2	-	207	147	52	8	-	80	59	21	-	-	7	5	2	-	-	58
87	79	8	-	-	274	237	27	10	-	117	105	12	-	-	78	61	7	9	1	59
73	47	24	2	-	95	65	26	3	1	38	25	13	-	-	9	4	3	2	-	60
51	30	12	5	4	230	75	35	99	21	45	22	19	2	2	219	24	10	150	35	61
18	10	3	4	1	92	30	16	40	6	24	9	15	-	-	132	16	6	94	16	62
12	7	2	-	3	72	16	4	40	12	5	3	-	1	1	56	4	1	39	12	63
19	11	7	1	-	59	25	15	16	3	14	9	4	-	1	27	4	3	13	7	64
1	1	-	-	-	7	4	-	3	-	2	1	-	1	-	4	-	-	4	-	65
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	45,394	23,234	17,550	2,588	2,022	6,154	3,788	2,102	146	118
2	I. Infective and parasitic diseases	1,083	611	243	155	74	142	80	30	16	16
3	Tuberculosis, all forms---001-019	613	372	107	92	42	75	40	13	10	12
4	Tuberculosis of respiratory system---001-008	571	352	104	82	33	59	34	10	7	8
5	Tuberculosis of meninges and central nervous system---010	16	8	-	4	4	8	-	2	2	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	-	-	-	1	1	1	-	-	-
7	Tuberculosis of vertebral column---012.0,013.0	8	6	-	1	1	-	-	-	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	1	-	-	1	-	2	1	-	1	-
9	Tuberculosis of genito-urinary system---016	2	1	1	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	3	1	-	1	1	-	-	-	-	-
11	Disseminated tuberculosis---019	11	4	2	3	2	5	4	1	-	-
12	Syphilis and its sequelae---020-029	239	120	46	53	20	15	8	4	3	-
13	Congenital syphilis---020	5	1	-	2	2	2	-	-	2	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	61	35	10	12	4	9	6	3	-	-
16	Other cardiovascular syphilis---023	82	39	12	21	10	3	2	1	-	-
17	Tabes dorsalis---024	7	3	4	-	-	-	-	-	-	-
18	General paralysis of insane---025	50	31	9	8	2	-	-	-	-	-
19	Other syphilis of central nervous system---026	26	8	10	8	-	1	-	-	1	-
20	Other syphilis---027-029	8	3	1	2	2	-	-	-	-	-
21	Gonococcal infection---030-035	1	-	-	-	1	-	-	-	-	-
22	Typhoid fever---040	3	3	-	-	-	-	-	-	-	-
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	2	2	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	15	8	5	1	1	4	3	-	1	-
28	Food poisoning (infection and intoxication)---049	6	5	1	-	-	-	-	-	-	-
29	Scarlet fever---050	3	3	-	-	-	-	-	-	-	-
30	Streptococcal sore throat---051	16	7	9	-	-	3	3	-	-	-
31	Erysipelas---052	2	2	-	-	-	1	1	-	-	-
32	Septicemia and pyemia---053	16	9	3	2	2	3	2	1	-	-
33	Diphtheria---055	1	1	-	-	-	3	1	2	-	-
34	Whooping cough---056	4	2	2	-	-	3	-	1	1	1
35	Meningococcal infections---057	27	15	10	-	2	2	1	1	-	-
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	2	2	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	6	2	3	1	-	-	-	-	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	27	17	10	-	-	14	12	2	-	-
42	Late effects of acute poliomyelitis---081	1	-	-	1	-	-	-	-	-	-
43	Acute infectious encephalitis---082	7	2	5	-	-	3	1	2	-	-
44	Late effects of acute infectious encephalitis---083	4	3	1	-	-	-	-	-	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	24	10	14	-	-	4	-	1	1	2
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	21	11	7	2	1	2	2	-	-	-
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	2	2	-	-	-	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	1	1	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	41	13	20	3	5	9	5	3	-	1
61	II. Neoplasms	6,879	3,269	3,090	272	248	827	459	353	8	7
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	6,751	3,231	3,021	264	235	809	453	341	8	7
63	Malignant neoplasm of buccal cavity and pharynx---140-148	160	128	24	6	2	12	9	3	-	-
64	Of lip---140	16	16	-	-	-	2	2	-	-	-
65	Of tongue---141	47	38	6	2	1	3	3	-	-	-
66	Of other and unspecified parts of buccal cavity---142-144	34	21	11	1	1	4	2	2	-	-
67	Of pharynx---145-148	63	53	7	3	-	3	2	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	2,533	1,242	1,086	125	80	292	174	111	5	2
69	Of esophagus---150	117	79	21	13	4	13	6	6	1	-
70	Of stomach---151	649	392	203	36	18	85	56	25	3	1
71	Of intestine, except rectum---152,153	772	325	411	16	20	79	37	41	1	-
72	Of rectum---154	291	153	112	16	10	27	16	11	-	-
73	Of biliary passages and of liver (stated to be primary site)---155	179	58	111	7	3	19	7	11	-	1
74	Of liver not specified whether primary or secondary---156A	202	93	86	11	12	22	18	4	-	-
75	Of pancreas---157	272	126	116	20	10	43	32	11	-	-
76	Of peritoneum and of unspecified digestive organs---158,159	51	16	26	6	3	4	2	2	-	-
77	Malignant neoplasm of respiratory system---160-164	774	596	122	48	8	113	103	10	-	-
78	Of larynx---161	55	47	3	2	3	3	3	-	-	-
79	Of trachea, and of bronchus and lung specified as primary---162	330	256	43	29	2	39	38	1	-	-
80	Of lung and bronchus, unspecified as primary or secondary---163	358	272	66	17	3	65	57	8	-	-
81	Of other parts of respiratory system---160,164	31	21	10	-	-	6	5	1	-	-
82	Malignant neoplasm of breast---170	592	7	559	-	26	56	1	55	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,380	7,568	5,500	173	139	1,889	1,188	531	100	70	6,103	3,451	2,646	74	2	52,939	27,186	21,709	2,203	1,841	1
159	89	52	12	6	57	35	7	8	7	73	52	21	-	-	1,025	561	249	143	72	2
74	40	22	9	3	29	18	4	4	3	34	25	9	-	-	685	392	146	97	50	3
67	38	20	6	3	25	18	2	3	2	32	23	9	-	-	631	376	132	81	42	4
4	2	1	1	-	4	-	2	1	1	-	-	-	-	-	20	5	4	8	3	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	7
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	13	7	5	1	-	9
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	10
															13	2	2	5	4	11
28	19	4	3	2	11	7	-	1	3	16	14	2	-	-	154	72	30	38	14	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
6	4	2	-	-	2	1	-	-	1	5	4	1	-	-	53	31	7	10	5	15
9	7	1	-	1	6	5	-	1	-	7	6	1	-	-	55	24	10	16	5	16
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	7	6	-	1	-	17
8	4	1	2	1	-	-	-	-	-	1	1	-	-	-	13	4	6	2	1	18
4	3	-	1	-	1	1	-	-	-	2	2	-	-	-	22	6	6	7	3	19
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	1	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	5	2	-	3	-	-	-	-	-	-	9	5	4	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	2	1	-	1	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	30
3	-	3	-	-	-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	31
															15	9	5	-	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	33
2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	4	3	1	-	-	34
6	5	-	-	1	1	1	-	-	-	7	5	2	-	-	30	16	12	2	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
10	4	6	-	-	3	3	-	-	-	5	2	3	-	-	38	22	16	-	-	41
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
6	6	-	-	-	1	1	-	-	-	-	-	-	-	-	15	8	7	-	-	43
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	-	4	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
11	6	5	-	-	2	1	1	-	-	3	3	-	-	-	17	10	7	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
6	4	2	-	-	1	1	-	-	-	1	1	-	-	-	37	14	17	1	5	60
2,277	1,167	1,080	17	13	262	155	94	8	5	1,005	519	486	-	-	9,558	4,762	4,229	298	269	61
2,229	1,149	1,052	17	11	253	153	90	6	4	986	512	474	-	-	9,365	4,685	4,137	292	251	62
40	33	7	-	-	7	7	-	-	-	24	18	6	-	-	208	168	30	8	2	63
4	4	-	-	-	1	1	-	-	-	2	2	-	-	-	20	16	2	2	-	64
4	4	-	-	-	1	1	-	-	-	2	1	1	-	-	57	44	10	3	-	65
21	17	4	-	-	3	3	-	-	-	13	10	3	-	-	63	54	8	-	1	66
11	8	3	-	-	2	2	-	-	-	7	5	2	-	-	68	54	10	3	1	67
858	473	377	7	1	88	55	31	2	-	395	222	173	-	-	3,699	1,898	1,593	122	86	68
30	23	7	-	-	2	2	-	-	-	22	18	4	-	-	211	155	28	25	3	69
256	170	80	6	-	32	23	8	1	-	93	62	31	-	-	974	545	368	42	19	70
273	131	142	-	-	11	7	4	-	-	153	67	86	-	-	1,148	488	613	19	28	71
81	44	37	-	-	12	5	7	-	-	51	36	15	-	-	551	299	223	10	19	72
53	19	33	1	-	7	3	3	1	-	19	9	10	-	-	184	76	100	3	5	73
55	25	29	-	1	9	3	6	-	-	15	6	9	-	-	161	77	72	11	1	74
104	58	46	-	-	13	11	2	-	-	38	20	18	-	-	378	210	149	10	9	75
6	3	3	-	-	2	1	1	-	-	4	4	-	-	-	92	48	40	2	2	76
215	172	41	2	-	41	38	2	-	1	99	79	20	-	-	1,283	1,018	193	61	11	77
19	18	1	-	-	2	2	-	-	-	6	6	-	-	-	82	69	6	7	-	78
71	57	14	-	-	15	12	2	-	1	24	21	3	-	-	401	328	50	17	6	79
115	93	21	1	-	24	24	-	-	-	63	48	15	-	-	762	601	121	35	5	80
10	4	5	1	-	-	-	-	-	-	6	4	2	-	-	38	20	16	2	-	81
213	1	210	-	2	21	-	20	-	1	80	1	79	-	-	849	7	802	1	39	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,081	385	575	32	89	133	53	78	1	1
2	Of cervix uteri----------171	243	...	195	...	48	34	...	34	...	-
3	Of other and unspecified parts of uterus----------172-174	214	...	188	...	26	26	...	26	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	192	...	179	...	13	17	...	17	...	-
5	Of other and unspecified female genital organs----------176	15	...	13	...	2	2	...	1	...	1
6	Of prostate----------177	391	364	...	27	...	49	48	...	1	...
7	Of testis, and of other and unspecified male genital organs----178,179	26	21	...	5	...	5	5	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	318	199	102	10	7	37	26	11	-	-
9	Of kidney----------180	110	66	42	1	1	13	9	4	-	-
10	Of bladder and other urinary organs----------181	208	133	60	9	6	24	17	7	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	754	375	339	29	11	77	36	36	1	4
12	Of skin----------190,191	115	61	50	3	1	11	3	8	-	-
13	Of eye----------192	16	5	11	-	-	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	147	85	57	4	1	11	6	5	-	-
15	Of thyroid gland----------194	26	8	17	1	-	-	-	-	-	-
16	Of bone (including jaw bone)----------196	67	35	28	3	1	4	3	1	-	-
17	Of connective tissue----------197	18	12	6	-	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	110	57	51	1	1	16	9	5	1	1
19	Of unspecified sites----------156B,165,198B,199B-M	255	112	119	17	7	34	14	17	-	3
20	Leukemia and aleukemia----------204	280	163	103	7	7	52	29	22	1	-
21	Lymphosarcoma, etc.*----------200-203,205	259	136	111	7	5	37	22	15	-	-
22	Lymphosarcoma and reticulosarcoma----------200	129	67	56	4	2	18	10	8	-	-
23	Hodgkin's disease----------201	64	38	22	2	2	12	8	4	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	66	31	33	1	1	7	4	3	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	128	38	69	8	13	18	6	12	-	-
26	Benign neoplasms of female genital organs----------214-217	29	...	24	...	5	2	...	2	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	21	10	9	1	1	-	-	-	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	35	13	20	1	1	5	3	2	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	5	...	2	...	3	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	19	6	6	4	3	7	1	6	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	19	9	8	2	-	4	2	2	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,024	450	478	37	59	131	63	64	1	3
33	Asthma----------241	208	139	51	9	9	26	22	6	-	-
34	Nontoxic goiter----------250,251	6	1	4	-	1	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	44	10	30	-	4	4	-	4	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	7	1	6	-	-	1	-	1	-	-
37	Diabetes mellitus----------260	687	268	362	16	41	90	38	50	-	2
38	Diseases of thymus gland----------273	21	6	6	7	2	-	-	-	-	-
39	Diseases of adrenal glands----------274	9	3	5	1	-	1	1	-	-	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	20	6	9	3	2	3	1	1	-	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	22	16	5	1	-	4	1	2	1	-
43	IV. Diseases of the blood and blood-forming organs----------	155	72	71	2	10	23	14	9	-	-
44	Anemias----------290-293	111	52	50	2	7	17	10	7	-	-
45	Pernicious and other hyperchromic anemias----------290	52	19	31	-	2	6	3	3	-	-
46	Anemias of other and unspecified type----------291-293	59	33	19	2	5	11	7	4	-	-
47	Purpura and other hemorrhagic conditions----------296	18	5	10	-	3	2	1	1	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	26	15	11	-	-	4	3	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	132	72	34	17	9	18	12	4	2	-
50	Senile psychosis----------304	28	12	12	1	3	2	1	1	-	-
51	Alcoholic psychosis----------307	13	10	-	3	-	2	1	-	1	-
52	Other psychoses----------300-303,305,306,308,309	28	12	11	2	3	1	-	1	-	-
53	Alcoholism----------322	58	35	9	11	3	13	10	2	1	-
54	Mental deficiency----------325	5	3	2	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	5,686	2,620	2,562	248	256	704	397	286	11	10
57	Vascular lesions affecting central nervous system----------330-334	5,316	2,431	2,432	220	233	641	361	266	8	6
58	Subarachnoid hemorrhage----------330	116	52	53	3	8	12	10	1	-	1
59	Cerebral hemorrhage----------331	3,465	1,548	1,644	138	135	468	258	199	7	4
60	Cerebral embolism and thrombosis----------332	957	468	411	38	40	91	55	34	1	1
61	Other vascular lesions affecting central nervous system--------333,334	778	363	324	41	50	70	38	32	-	-
62	Meningitis, except meningococcal and tuberculous----------340	57	27	14	10	6	10	5	2	-	3
63	Multiple sclerosis----------345	34	16	16	2	-	3	1	2	-	-
64	Paralysis agitans----------350	77	39	33	1	4	9	5	4	-	-
65	Cerebral spastic infantile paralysis----------351	16	6	8	2	-	2	2	-	-	-
66	Epilepsy----------353	55	32	15	3	5	16	9	6	-	1
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----------385	3	3	-	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	1	1	-	-	-
70	Otitis media and mastoiditis----------391-393	12	6	5	1	-	3	2	-	1	-
71	Other diseases of nervous system and sense organs----------Residual[1]	115	59	39	9	8	19	11	6	2	-
72	VII. Diseases of the circulatory system----------	18,595	9,855	7,152	863	725	2,346	1,519	778	28	21
73	Rheumatic fever----------400-402	47	17	24	3	3	5	-	4	1	-
74	Diseases of heart----------410-443	16,830	9,022	6,388	771	649	2,115	1,394	679	23	19
75	Chronic rheumatic heart disease----------410-416	590	260	262	35	33	84	46	35	1	2
76	Diseases of mitral valve----------410	278	115	124	22	17	33	17	15	-	1
77	Diseases of aortic valve specified as rheumatic----------411	24	18	6	-	-	4	3	1	-	-
78	Diseases of tricuspid valve----------412	2	1	1	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	34	15	16	2	1	8	6	2	-	-
80	Other diseases of heart specified as rheumatic----------415,416	252	111	115	11	15	39	20	17	1	1

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
366	155	203	2	6	30	12	16	1	1	160	63	97	-	-	1,259	393	749	35	82	1
66	...	61	...	5	7	...	6	...	1	29	...	29	...	-	248	...	213	...	35	2
54	...	53	...	1	6	...	6	...	-	28	...	28	...	-	297	...	263	...	34	3
82	...	82	...	-	4	...	4	...	-	36	...	36	...	-	255	...	243	...	12	4
7	...	7	...	-	-	...	-	...	-	4	...	4	...	-	31	...	30	...	1	5
152	150	...	2	...	10	9	...	1	...	61	61	...	-	...	396	364	...	32	...	6
5	5	...	-	...	3	3	...	-	...	2	2	...	-	...	32	29	...	3	...	7
119	79	40	-	-	7	6	-	1	-	46	31	15	-	-	476	327	130	14	5	8
53	35	18	-	-	3	2	-	1	-	11	6	5	-	-	157	107	45	3	2	9
66	44	22	-	-	4	4	-	-	-	35	25	10	-	-	319	220	85	11	3	10
223	126	92	3	2	33	17	14	1	1	108	62	46	-	-	891	483	366	30	12	11
23	15	8	-	-	1	1	-	-	-	9	6	3	-	-	108	63	40	4	1	12
6	3	3	-	-	-	-	-	-	-	2	2	-	-	-	13	4	9	-	-	13
64	40	24	-	-	7	5	2	-	-	14	12	2	-	-	180	117	58	4	1	14
7	3	4	-	-	-	-	-	-	-	6	1	5	-	-	37	18	19	-	-	15
22	14	5	1	2	2	1	1	-	-	4	4	-	-	-	79	46	29	3	1	16
8	3	5	-	-	-	-	-	-	-	4	2	2	-	-	24	10	14	-	-	17
42	19	21	2	-	10	5	4	-	1	10	4	6	-	-	111	51	50	5	5	18
51	29	22	-	-	13	5	7	1	-	59	31	28	-	-	339	174	147	14	4	19
103	58	44	1	-	13	9	3	1	-	30	14	16	-	-	330	181	132	9	8	20
92	52	38	2	-	13	9	4	-	-	44	22	22	-	-	370	210	142	12	6	21
44	19	25	-	-	5	3	2	-	-	19	11	8	-	-	169	97	64	5	3	22
27	21	6	-	-	5	5	-	-	-	10	6	4	-	-	118	62	51	3	2	23
21	12	7	2	-	3	1	2	-	-	15	5	10	-	-	83	51	27	4	1	24
48	18	28	-	2	9	2	4	2	1	19	7	12	-	-	193	77	92	6	18	25
11	...	10	...	1	2	...	1	...	1	3	...	3	...	-	51	...	37	...	14	26
9	4	5	-	-	-	-	-	-	-	1	1	-	-	-	36	20	15	1	-	27
14	7	7	-	-	-	-	-	-	-	3	1	2	-	-	31	17	11	-	3	28
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	29
9	3	5	-	1	4	2	2	-	-	7	4	3	-	-	52	29	19	4	-	30
5	4	1	-	-	3	-	1	2	-	4	1	3	-	-	23	11	10	1	1	31
377	177	194	5	1	41	17	18	3	3	160	83	77	-	-	1,405	507	800	24	74	32
65	45	20	-	-	12	6	5	-	1	35	25	10	-	-	176	103	63	4	6	33
1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	9	1	8	-	-	34
8	3	5	-	-	-	-	-	-	-	4	2	2	-	-	31	7	21	-	3	35
-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	2	-	2	-	-	36
285	123	157	4	1	23	7	11	3	2	111	53	58	-	-	1,092	348	674	15	55	37
3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	37	20	12	3	2	38
9	4	4	1	-	1	1	-	-	-	1	-	1	-	-	16	11	3	-	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	-	2	-	-	2	2	-	-	-	-	-	-	-	-	21	10	7	1	3	41
4	-	4	-	-	1	1	-	-	-	4	2	2	-	-	21	7	10	1	3	42
54	28	26	-	-	8	4	4	-	-	24	11	13	-	-	164	70	68	15	11	43
36	22	14	-	-	6	3	3	-	-	19	8	11	-	-	119	46	51	15	7	44
13	9	4	-	-	1	1	-	-	-	10	2	8	-	-	28	12	16	-	-	45
23	13	10	-	-	5	2	3	-	-	9	6	3	-	-	91	34	35	15	7	46
9	4	5	-	-	-	-	-	-	-	4	2	2	-	-	20	4	14	-	2	47
9	2	7	-	-	2	1	1	-	-	1	1	-	-	-	25	20	3	-	2	48
32	21	10	1	-	4	1	2	1	-	7	4	3	-	-	171	92	58	19	2	49
11	4	6	1	-	-	-	-	-	-	1	-	1	-	-	29	7	21	-	1	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23	20	-	3	-	51
5	2	3	-	-	-	-	-	-	-	1	-	1	-	-	31	9	19	3	-	52
14	13	1	-	-	4	1	2	1	-	5	4	1	-	-	74	48	13	12	1	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	6	3	-	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	55
1,837	918	879	18	22	176	95	69	5	7	771	380	391	-	-	5,636	2,435	2,758	203	240	56
1,706	848	821	18	19	167	91	65	5	6	719	344	375	-	-	5,232	2,240	2,590	180	222	57
36	20	15	-	1	6	3	2	1	-	16	7	9	-	-	126	53	56	6	11	58
1,135	540	575	11	9	112	59	45	4	4	460	210	250	-	-	3,193	1,332	1,591	121	149	59
337	186	138	6	7	26	17	8	-	1	181	101	80	-	-	1,351	618	654	34	45	60
198	102	93	1	2	23	12	10	-	1	62	26	36	-	-	562	237	289	19	17	61
14	7	6	-	1	1	-	-	-	1	6	2	4	-	-	44	19	15	4	6	62
20	10	9	-	1	3	2	1	-	-	7	5	2	-	-	63	28	30	-	5	63
34	19	15	-	-	1	1	-	-	-	14	11	3	-	-	103	50	50	2	1	64
7	3	3	-	1	-	-	-	-	-	1	1	-	-	-	14	9	3	-	2	65
17	9	8	-	-	1	1	-	-	-	7	6	1	-	-	59	29	20	8	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
3	-	3	-	-	1	-	1	-	-	2	1	1	-	-	10	3	5	2	-	70
36	22	14	-	-	2	-	2	-	-	15	10	5	-	-	110	56	45	7	2	71
5,334	3,195	2,039	55	45	654	442	179	18	15	2,816	1,607	1,204	4	1	24,545	13,001	10,073	792	679	72
12	7	5	-	-	3	-	2	1	-	2	2	-	-	-	39	16	17	3	3	73
4,805	2,909	1,807	48	41	612	421	163	16	12	2,529	1,473	1,053	3	-	22,860	12,254	9,261	722	623	74
158	84	71	-	3	20	10	9	-	1	84	41	43	-	-	798	337	404	24	33	75
79	39	38	-	2	5	3	1	-	1	36	21	15	-	-	235	103	119	6	7	76
12	10	2	-	-	2	2	-	-	-	2	2	-	-	-	34	25	7	2	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
9	7	2	-	-	-	-	-	-	-	4	1	3	-	-	54	24	28	2	-	79
58	28	29	-	1	13	5	8	-	-	41	16	25	-	-	475	185	250	14	26	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	10,110	6,042	3,507	302	259	1,327	949	358	13	7
2	Arteriosclerotic heart disease so described----------420.0	3,285	1,650	1,415	112	108	251	152	94	1	4
3	Heart disease specified as involving coronary arteries----------420.1	6,769	4,350	2,080	189	150	1,063	786	262	12	3
4	Angina pectoris without mention of coronary disease----------420.2	56	42	12	1	1	13	11	2	-	-
5	Chronic endocarditis not specified as rheumatic----------421	390	197	156	26	11	25	17	7	1	-
6	Of mitral valve, specified as nonrheumatic----------421.0	35	18	16	1	-	2	2	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	82	48	22	10	2	8	5	3	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	273	131	118	15	9	15	10	4	1	-
9	Other myocardial degeneration----------422	2,507	1,187	1,164	99	57	310	179	126	3	2
10	With arteriosclerosis----------422.1	1,151	529	562	32	28	105	58	45	2	-
11	Without mention of arteriosclerosis----------422.0,422.2	1,356	658	602	67	29	205	121	81	1	2
12	Other diseases of heart----------430-434	710	362	226	82	40	200	128	61	5	6
13	Acute and subacute endocarditis----------430	18	10	7	-	1	9	6	3	-	-
14	Acute myocarditis not specified as rheumatic----------431	67	35	24	5	3	22	12	9	-	1
15	Acute pericarditis specified as nonrheumatic----------432	1	-	-	1	-	-	-	-	-	-
16	Functional disease of heart----------433	100	52	44	4	-	15	7	8	-	-
17	Other and unspecified diseases of heart----------434	524	265	151	72	36	154	103	41	5	5
18	Hypertension with heart disease----------440-443	2,523	974	1,073	227	249	169	75	92	-	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	714	367	291	36	20	60	36	22	-	2
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,809	607	782	191	229	109	39	70	-	-
21	Hypertension without mention of heart----------444-447	379	149	156	38	36	36	19	17	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	186	89	70	17	10	17	9	8	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	193	60	86	21	26	19	10	9	-	-
24	Diseases of arteries----------450-456	1,221	612	536	43	30	170	99	65	4	2
25	General arteriosclerosis----------450	1,055	519	485	28	23	148	85	57	4	2
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	95	54	26	9	6	9	8	1	-	-
27	Gangrene of unspecified cause----------455	10	3	2	4	1	1	-	1	-	-
28	Other arterial diseases----------452-454,456	61	36	23	2	-	12	6	6	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	118	55	48	8	7	20	7	13	-	-
30	VIII. Diseases of the respiratory system----------	2,419	1,203	896	190	130	325	185	111	11	18
31	Acute upper respiratory infections----------470-475	35	18	15	1	1	2	-	1	1	-
32	Influenza----------480-483	486	224	230	14	18	53	23	25	1	4
33	Pneumonia, except pneumonia of newborn----------490-493	1,424	708	504	129	83	192	101	71	6	14
34	Lobar pneumonia----------490	552	274	182	62	34	52	35	14	2	1
35	Bronchopneumonia----------491	613	293	226	55	39	73	33	33	2	5
36	Primary atypical pneumonia----------492	133	79	43	4	7	19	9	9	1	-
37	Pneumonia, other and unspecified----------493	126	62	53	8	3	48	24	15	1	8
38	Acute bronchitis----------500	23	6	10	3	4	8	5	3	-	-
39	Bronchitis, chronic and unqualified----------501,502	66	35	26	3	2	5	3	2	-	-
40	Hypertrophy of tonsils and adenoids----------510	5	2	2	-	1	2	2	-	-	-
41	Empyema and abscess of lung----------518,521	28	17	4	6	1	1	1	-	-	-
42	Pleurisy----------519	6	3	2	-	1	1	-	-	1	-
43	All other respiratory diseases----------Residual[1]	346	190	103	34	19	61	50	9	2	-
44	IX. Diseases of the digestive system----------	1,709	923	607	106	73	227	136	75	9	7
45	Diseases of teeth and supporting structures----------530-535	7	5	2	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	125	92	20	8	5	20	12	5	2	1
47	Ulcer of duodenum----------541	112	90	14	6	2	22	15	7	-	-
48	Gastritis and duodenitis----------543	8	4	2	2	-	1	-	1	-	-
49	Appendicitis----------550-553	90	55	29	4	2	14	12	1	1	-
50	Hernia and intestinal obstruction----------560,561,570	284	133	127	16	8	36	19	15	2	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	207	98	73	21	15	25	12	6	3	4
52	Cirrhosis of liver----------581	443	277	119	28	19	50	33	15	1	1
53	Without mention of alcoholism----------581.0	350	210	101	24	15	38	25	12	-	1
54	With alcoholism----------581.1	93	67	18	4	4	12	8	3	1	-
55	Cholelithiasis and cholecystitis----------584,585	209	65	137	2	5	26	9	16	-	1
56	Other diseases of digestive system----------Residual[1]	224	104	84	19	17	33	24	9	-	-
57	X. Diseases of the genito-urinary system----------	1,341	705	420	114	102	123	83	40	-	-
58	Nephritis and nephrosis----------590-594	858	383	330	61	84	79	47	32	-	-
59	Acute nephritis----------590	40	16	20	3	1	8	6	2	-	-
60	Nephritis with edema, including nephrosis----------591	48	22	19	4	3	5	3	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	770	345	291	54	80	66	38	28	-	-
62	Infections of kidney----------600	147	65	55	19	8	9	4	5	-	-
63	Calculi of urinary system----------602,604	37	25	10	1	1	3	2	1	-	-
64	Other diseases of urinary system----------601,603,605-609	52	28	16	7	1	7	7	-	-	-
65	Hyperplasia of prostate----------610	214	188	...	26	...	23	23	...	-	...
66	Other diseases of male genital organs----------611-617	16	16	...	-	...	-	-	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	17	...	9	...	8	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	55	...	41	...	14	3	...	2	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	6	...	5	...	1	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	16	...	11	...	5	-	...	-	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	14	...	10	...	4	3	...	2	...	1
73	Ectopic pregnancy----------645	5	...	4	...	1	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	1	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	3	...	3	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	9	...	7	...	2	-	...	-	...	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,040	2,004	976	38	22	411	296	99	11	5	1,805	1,137	666	2	-	14,697	8,617	5,393	405	282	1
596	323	260	5	8	137	90	43	2	2	736	405	331	-	-	6,241	3,097	2,871	156	117	2
2,420	1,665	708	33	14	269	203	55	9	2	1,058	726	330	2	-	8,445	5,515	2,517	248	165	3
24	16	8	-	-	5	3	1	-	1	11	6	5	-	-	11	5	5	1	-	4
85	45	37	2	1	5	4	1	-	-	66	34	31	1	-	219	99	98	13	9	5
7	3	4	-	-	-	-	-	-	-	18	8	10	-	-	21	9	9	2	1	6
23	12	10	-	1	1	1	-	-	-	13	7	5	1	-	42	21	11	7	3	7
55	30	23	2	-	4	3	1	-	-	35	19	16	-	-	156	69	78	4	5	8
647	330	311	2	4	74	46	26	2	-	170	75	95	-	-	3,972	2,002	1,724	129	117	9
272	147	123	2	-	29	14	14	1	-	89	44	45	-	-	2,046	981	944	64	57	10
375	183	188	-	4	45	32	12	1	-	81	31	50	-	-	1,926	1,021	780	65	60	11
298	175	118	2	3	39	31	4	1	3	85	51	34	-	-	438	227	164	32	15	12
7	3	4	-	-	2	2	-	-	-	4	4	-	-	-	30	20	7	2	1	13
15	8	7	-	-	3	3	-	-	-	5	-	5	-	-	36	23	11	1	1	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	15
55	25	30	-	-	3	1	2	-	-	11	4	7	-	-	67	33	33	-	1	16
221	139	77	2	3	31	25	2	1	3	65	43	22	-	-	304	151	112	29	12	17
577	271	294	4	8	63	34	24	2	3	319	135	184	-	-	2,736	972	1,478	119	167	18
250	123	120	4	3	23	12	8	1	2	73	35	38	-	-	735	280	378	35	42	19
327	148	174	-	5	40	22	16	1	1	246	100	146	-	-	2,001	692	1,100	84	125	20
93	48	41	3	1	11	5	6	-	-	46	17	28	-	1	366	152	169	28	17	21
40	24	14	2	-	8	4	4	-	-	30	11	19	-	-	221	92	107	14	8	22
53	24	27	1	1	3	1	2	-	-	16	6	9	-	1	145	60	62	14	9	23
383	206	172	3	2	24	12	8	1	3	219	106	112	1	-	1,145	523	568	27	27	24
327	167	155	3	2	17	7	7	1	2	202	97	104	1	-	968	411	512	23	22	25
39	29	10	-	-	4	3	-	-	1	11	6	5	-	-	118	86	27	3	2	26
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	7	3	3	-	1	27
15	10	5	-	-	3	2	1	-	-	5	3	2	-	-	52	23	26	1	2	28
41	25	14	1	1	4	4	-	-	-	20	9	11	-	-	135	56	58	12	9	29
656	342	292	11	11	74	52	14	5	3	227	142	85	-	-	1,745	924	620	125	76	30
16	9	7	-	-	1	1	-	-	-	6	4	2	-	-	25	17	7	1	-	31
120	56	56	4	4	7	5	-	2	-	15	7	8	-	-	54	23	25	3	3	32
390	195	183	7	5	38	23	9	3	3	145	85	60	-	-	1,207	567	486	97	57	33
84	51	32	1	-	15	10	4	-	1	37	25	12	-	-	350	172	131	31	16	34
212	98	109	4	1	10	6	3	1	-	66	32	34	-	-	729	325	311	60	33	35
38	20	18	-	-	3	2	-	-	1	26	17	9	-	-	102	54	41	3	4	36
56	26	24	2	4	10	5	2	2	1	16	11	5	-	-	26	16	3	3	4	37
9	4	5	-	-	1	1	-	-	-	7	4	3	-	-	38	18	15	2	3	38
17	12	5	-	-	1	1	-	-	-	7	5	2	-	-	61	40	13	5	3	39
4	3	1	-	-	-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	40
4	2	2	-	-	2	1	1	-	-	2	2	-	-	-	25	20	3	2	-	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	42
96	61	33	-	2	23	19	4	-	-	44	34	10	-	-	325	233	67	15	10	43
456	269	171	7	9	86	52	28	2	4	246	152	93	-	1	2,212	1,283	774	83	72	44
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	8	4	3	-	1	45
55	38	14	3	-	6	6	-	-	-	21	17	4	-	-	205	156	36	11	2	46
41	30	10	1	-	8	8	-	-	-	27	23	4	-	-	185	162	17	5	1	47
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	13	7	5	1	-	48
32	17	14	-	1	5	4	1	-	-	12	8	4	-	-	93	51	28	7	9	49
83	51	29	1	2	9	5	3	-	1	37	18	18	-	1	323	149	154	6	14	50
48	18	25	1	4	9	3	4	-	2	24	14	10	-	-	174	83	63	14	14	51
81	60	20	1	-	33	16	14	2	1	61	40	21	-	-	741	449	247	26	19	52
42	28	14	-	-	21	12	8	1	-	51	32	19	-	-	594	366	198	16	14	53
39	32	6	1	-	12	4	6	1	1	10	8	2	-	-	147	83	49	10	5	54
61	24	35	-	2	6	2	4	-	-	32	15	17	-	-	226	99	120	1	6	55
50	28	22	-	-	10	8	2	-	-	31	16	15	-	-	244	123	103	12	6	56
316	211	90	9	6	49	32	13	2	2	119	63	56	-	-	1,100	639	340	67	54	57
175	100	68	3	4	22	13	7	1	1	70	26	44	-	-	624	289	255	39	41	58
15	6	9	-	-	2	2	-	-	-	3	1	2	-	-	35	14	16	3	2	59
11	3	8	-	-	3	1	2	-	-	3	1	2	-	-	46	25	17	4	-	60
149	91	51	3	4	17	10	5	1	1	64	24	40	-	-	543	250	222	32	39	61
28	18	9	-	1	5	2	3	-	-	10	3	7	-	-	118	54	44	14	6	62
10	6	3	1	-	3	2	-	-	1	5	3	2	-	-	44	29	12	1	2	63
15	10	4	1	-	4	1	3	-	-	2	2	-	-	-	31	17	13	1	-	64
76	73	...	3	...	15	14	...	1	...	28	28	...	-	...	249	239	...	10	...	65
5	4	...	1	...	-	-	...	-	...	1	1	...	-	...	13	11	...	2	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
7	...	6	...	1	-	...	-	...	-	3	...	3	...	-	21	...	16	...	5	68
20	...	19	...	1	2	...	1	...	1	5	...	5	...	-	53	...	35	...	18	69
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	6	...	6	...	-	70
5	...	5	...	-	1	...	1	...	-	3	...	3	...	-	14	...	7	...	7	71
4	...	4	...	-	-	...	-	...	-	2	...	2	...	-	8	...	7	...	1	72
1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	7	...	5	...	2	73
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	74
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	4	...	1	...	3	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
6	...	6	...	-	-	...	-	...	-	-	...	-	...	-	12	...	8	...	4	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	34	11	19	2	2	2	1	1	-	-
2	Infections of skin and subcutaneous tissue-690-698	9	4	3	2	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue-700-716	25	7	16	-	2	2	1	1	-	-
4	XIII. Diseases of the bones and organs of movement	79	38	39	1	1	13	6	6	-	1
5	Arthritis and spondylitis-720-725	45	18	26	-	1	6	3	2	-	1
6	Muscular rheumatism and rheumatism, unspecified-726,727	2	-	2	-	-	2	-	2	-	-
7	Osteomyelitis and periostitis-730	5	2	3	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	6	4	2	-	-	3	2	1	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	21	14	6	1	-	1	-	1	-	-
10	XIV. Congenital malformations	477	232	196	26	23	69	36	29	1	3
11	Spina bifida and meningocele-751	33	11	21	1	-	4	1	3	-	-
12	Congenital hydrocephalus, etc.*-752,753	55	20	27	5	3	7	3	3	-	1
13	Congenital malformations of circulatory system-754	209	109	77	10	13	30	15	13	-	2
14	Other congenital malformations-750,755-759	180	92	71	10	7	28	17	10	1	-
15	XV. Certain diseases of early infancy	1,542	750	508	151	133	278	154	101	12	11
16	Birth injuries-760,761	297	164	100	20	13	59	36	20	1	2
17	Postnatal asphyxia and atelectasis-762	360	196	137	14	13	64	39	21	2	2
18	Infections of newborn-763-768	117	52	36	12	17	16	8	4	3	1
19	Hemolytic disease of newborn (erythroblastosis)-770	55	33	19	2	1	19	11	8	-	-
20	All other defined diseases of early infancy-769,771,772	46	22	12	4	8	10	4	4	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	667	283	204	99	81	110	56	44	5	5
22	XVI. Symptoms, senility, and ill-defined conditions	680	373	219	51	37	230	151	66	8	5
23	Senility without mention of psychosis-794	162	57	86	8	11	59	27	26	5	1
24	Symptoms, ill-defined and unknown causes-780-793,795	518	316	133	43	26	171	124	40	3	4
25	XVII. Accidents, poisonings, and violence	3,504	2,050	975	353	126	693	492	147	39	15
26	Accidents-E800-E962	2,639	1,640	867	224	108	569	392	127	36	14
27	Railway accidents-E800-E802	41	30	4	6	1	19	15	-	3	1
28	Motor-vehicle accidents-E810-E835	1,067	677	271	92	27	233	155	59	15	4
29	Motor-vehicle traffic accidents-E810-E825	1,040	660	265	90	25	224	146	59	15	4
30	Motor-vehicle traffic accident with railway train*-E810	39	30	8	1	-	5	5	-	-	-
31	Motor-vehicle traffic accident to pedestrian-E812	216	134	43	30	11	24	13	8	3	-
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	410	245	129	30	6	82	57	21	4	-
33	Motor-vehicle noncollision traffic accidents-E820-E824	338	226	77	27	8	108	69	28	7	4
34	Motor-vehicle traffic accident of unspecified nature-E825	35	25	8	2	-	5	2	2	1	-
35	Motor-vehicle nontraffic accidents-E830-E835	27	17	6	2	2	9	9	-	-	-
36	Other road-vehicle accidents-E840-E845	12	9	2	1	-	4	3	1	-	-
37	Water-transport accidents-E850-E858	29	23	2	4	-	14	10	4	-	-
38	Aircraft accidents-E860-E866	34	30	2	2	-	11	9	2	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	26	13	7	3	3	2	1	1	-	-
40	Accidental poisoning by gases and vapors-E890-E895	19	14	2	2	1	14	12	2	-	-
41	Accidental falls-E900-E904	743	313	372	28	30	72	41	31	-	-
42	Fall from one level to another-E900-E902	228	132	77	13	6	30	22	8	-	-
43	Fall on same level-E903	136	47	80	4	5	14	4	10	-	-
44	Unspecified falls-E904	379	134	215	11	19	28	15	13	-	-
45	Blow from falling object-E910	16	13	-	3	-	22	19	1	2	-
46	Accident caused by machinery-E912	88	80	6	2	-	20	17	1	2	-
47	Accident caused by electric current-E914	25	24	-	1	-	5	4	1	-	-
48	Accident caused by fire and explosion, etc.*-E916	253	107	95	27	24	34	20	4	7	3
49	Accident caused by hot substance, etc.*-E917,E918	28	10	7	6	5	1	1	-	-	-
50	Accident caused by firearm-E919	68	54	2	9	3	23	17	3	2	1
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	30	16	7	4	3	9	6	1	-	2
52	Accidental drowning-E929	128	100	18	10	-	34	27	6	1	-
53	Excessive heat and insolation-E931	71	30	28	7	6	2	1	-	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	20	6	12	-	2	2	1	1	-	-
55	All other accidents-Residual[1]	141	91	30	17	3	48	33	9	3	3
56	Suicide-E963,E970-E979	441	336	86	15	4	102	83	17	2	-
57	Suicide by poisoning-E970-E973	53	28	21	2	2	15	12	3	-	-
58	Suicide by hanging and strangulation-E974	77	54	21	2	-	9	5	3	1	-
59	Suicide by firearms and explosives-E976	253	220	23	9	1	72	63	8	1	-
60	Suicide by all other means-E963,E975,E977-E979	58	34	21	2	1	6	3	3	-	-
61	Homicide-E964,E980-E985	224	74	22	114	14	22	17	3	1	1
62	Assault by firearms and explosives-E981	113	32	12	65	4	11	7	3	-	1
63	Assault by cutting and piercing instruments-E982	54	12	4	32	6	-	-	-	-	-
64	Assault by other means-E964,E980,E983	41	24	5	8	4	9	9	-	-	-
65	Injury by intervention of police-E984	13	6	-	7	-	2	1	-	1	-
66	Execution-E985	3	-	1	2	-	-	-	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	6	4	-	-	1	1	-	-	-	4	2	2	-	-	36	12	22	1	1	1
3	2	1	-	-	1	1	-	-	-	1	-	1	-	-	10	8	4	-	-	2
7	4	3	-	-	-	-	-	-	-	3	2	1	-	-	26	6	18	1	1	3
25	11	14	-	-	3	1	2	-	-	18	7	11	-	-	70	26	37	3	4	4
10	2	8	-	-	2	1	1	-	-	10	2	8	-	-	31	9	20	-	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	6
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	7	2	3	1	1	7
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	1	3	-	-	8
12	7	5	-	-	1	-	1	-	-	6	3	3	-	-	27	13	11	2	1	9
174	83	90	1	-	20	10	8	1	1	94	58	36	-	-	631	333	251	21	26	10
16	3	13	-	-	-	-	-	-	-	13	6	7	-	-	59	28	29	-	2	11
19	9	10	-	-	2	1	1	-	-	17	8	9	-	-	87	47	35	2	3	12
72	41	31	-	-	13	4	7	1	1	39	27	12	-	-	248	128	94	11	15	13
67	30	36	1	-	5	5	-	-	-	25	17	8	-	-	237	130	93	8	6	14
493	277	192	13	11	104	52	39	10	3	153	98	55	-	-	1,636	819	518	162	137	15
103	59	39	2	3	12	5	6	1	-	44	29	15	-	-	305	165	101	22	17	16
119	66	48	3	2	46	19	21	4	2	40	26	14	-	-	471	252	155	37	27	17
19	11	6	-	2	2	1	-	1	-	6	3	3	-	-	95	47	27	11	10	18
23	14	8	-	1	6	5	1	-	-	5	2	3	-	-	54	29	20	4	1	19
7	2	5	-	-	3	1	2	-	-	2	2	-	-	-	35	15	15	4	1	20
222	125	86	8	3	35	21	9	4	1	56	36	20	-	-	676	311	200	84	81	21
94	54	35	2	3	66	43	11	9	3	26	16	10	-	-	150	55	78	11	6	22
57	31	22	2	2	27	15	7	4	1	3	-	3	-	-	81	27	49	2	3	23
37	23	13	-	1	39	28	4	5	2	23	16	7	-	-	69	28	29	9	3	24
1,066	720	313	22	11	282	196	42	28	16	355	257	98	-	-	2,802	1,667	799	236	100	25
889	579	284	18	8	225	150	33	26	16	290	201	89	-	-	2,204	1,289	652	183	80	26
20	16	2	1	1	7	6	-	-	1	-	-	-	-	-	46	37	5	3	1	27
340	238	92	7	3	117	78	17	14	8	92	72	20	-	-	780	528	172	58	22	28
328	230	88	7	3	115	78	16	13	8	88	68	20	-	-	763	515	172	56	20	29
20	15	5	-	-	1	1	-	-	-	-	-	-	-	-	12	7	5	-	-	30
45	30	11	2	2	11	6	2	2	1	19	12	7	-	-	255	179	50	17	9	31
155	105	48	2	-	29	17	5	2	5	21	17	4	-	-	278	175	83	17	3	32
98	73	22	2	1	43	32	5	5	1	40	33	7	-	-	183	129	26	21	7	33
10	7	2	1	-	31	22	4	4	1	8	6	2	-	-	35	25	8	1	1	34
12	8	4	-	-	2	-	1	1	-	4	4	-	-	-	17	13	-	2	2	35
2	2	-	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	36
9	3	5	-	1	1	-	1	-	-	7	7	-	-	-	33	28	1	4	-	37
27	27	-	-	-	5	5	-	-	-	4	4	-	-	-	27	24	2	1	-	38
9	6	3	-	-	4	2	2	-	-	6	2	4	-	-	27	14	8	3	2	39
12	8	4	-	-	3	2	1	-	-	2	2	-	-	-	38	26	10	2	-	40
221	94	122	5	-	19	14	4	1	-	92	43	49	-	-	658	291	326	24	17	41
70	40	27	3	-	9	9	-	-	-	29	19	10	-	-	250	150	84	11	5	42
82	29	53	-	-	5	3	2	-	-	31	13	18	-	-	108	43	59	5	1	43
69	25	42	2	-	5	2	2	1	-	32	11	21	-	-	300	98	183	8	11	44
7	6	-	1	-	7	7	-	-	-	5	5	-	-	-	21	19	1	-	1	45
36	34	2	-	-	3	3	-	-	-	9	9	-	-	-	34	29	-	5	-	46
9	9	-	-	-	3	3	-	-	-	-	-	-	-	-	21	17	1	3	-	47
39	28	10	-	1	10	5	-	4	1	21	16	5	-	-	153	60	45	32	16	48
6	3	2	-	1	-	-	-	-	-	1	1	-	-	-	15	6	7	1	1	49
22	21	1	-	-	9	7	-	1	1	9	8	1	-	-	23	20	2	-	1	50
14	6	8	-	-	9	3	4	2	-	8	7	1	-	-	30	17	7	3	3	51
44	36	4	3	1	9	7	-	1	1	13	11	2	-	-	135	87	17	27	4	52
5	4	1	-	-	1	1	-	-	-	-	-	-	-	-	33	18	13	2	-	53
7	3	4	-	-	3	1	2	-	-	2	1	1	-	-	23	7	9	3	4	54
60	35	24	1	-	15	6	2	3	4	16	11	5	-	-	106	60	26	12	8	55
150	124	23	2	1	46	38	6	2	-	60	52	8	-	-	459	331	116	11	1	56
16	9	7	-	-	14	12	2	-	-	7	5	2	-	-	136	83	53	-	-	57
39	30	7	1	1	1	-	1	-	-	18	14	4	-	-	149	114	31	3	1	58
82	75	6	1	-	26	23	2	1	-	28	27	1	-	-	90	83	3	4	-	59
13	10	3	-	-	5	3	1	1	-	7	6	1	-	-	84	51	29	4	-	60
27	17	6	2	2	11	8	3	-	-	5	4	1	-	-	138	46	31	42	19	61
17	11	3	1	2	7	5	2	-	-	4	3	1	-	-	39	16	7	10	6	62
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43	8	3	26	6	63
8	4	3	1	-	4	3	1	-	-	1	1	-	-	-	49	16	21	5	7	64
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6	-	1	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,578	2,927	2,006	336	309	163,914	84,929	68,476	5,742	4,765
2	I. Infective and parasitic diseases	231	93	83	30	25	3,181	1,768	708	467	238
3	Tuberculosis, all forms---001-019	125	57	36	17	15	2,143	1,218	412	347	166
4	Tuberculosis of respiratory system---001-008	97	49	29	11	8	1,976	1,162	359	319	136
5	Tuberculosis of meninges and central nervous system---010	13	3	4	3	3	47	11	12	10	14
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	2	-	1	1	-	7	2	4	1	-
7	Tuberculosis of vertebral column---012.0,013.0	1	-	1	-	-	11	2	7	1	1
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	6	4	-	1	1
9	Tuberculosis of genito-urinary system---016	1	-	-	-	1	28	16	10	1	1
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	17	11	4	1	1
11	Disseminated tuberculosis---019	11	5	1	2	3	51	10	16	13	12
12	Syphilis and its sequelae---020-029	20	7	6	5	2	452	236	85	94	37
13	Congenital syphilis---020	4	-	-	3	1	3	1	-	-	2
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	4	4	-	-	-	131	85	28	13	5
16	Other cardiovascular syphilis---023	6	1	3	1	1	182	85	34	49	14
17	Tabes dorsalis---024	-	-	-	-	-	14	7	3	4	-
18	General paralysis of insane---025	1	-	1	-	-	78	36	13	20	9
19	Other syphilis of central nervous system---026	2	-	2	-	-	36	17	7	7	5
20	Other syphilis---027-029	3	2	-	1	-	8	5	-	1	2
21	Gonococcal infection---030-035	-	-	-	-	-	5	2	-	1	2
22	Typhoid fever---040	-	-	-	-	-	3	1	1	-	1
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	3	2	1	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms---045-048	29	9	17	2	1	12	7	5	-	-
28	Food poisoning (infection and intoxication)---049	4	1	2	1	-	1	-	-	-	1
29	Scarlet fever---050	2	2	-	-	-	3	2	1	-	-
30	Streptococcal sore throat---051	1	-	1	-	-	17	9	6	1	1
31	Erysipelas---052	-	-	-	-	-	5	1	3	-	1
32	Septicemia and pyemia---053	4	-	3	-	1	68	38	21	6	3
33	Diphtheria---055	-	-	-	-	-	4	1	3	-	-
34	Whooping cough---056	5	2	1	1	1	11	2	4	2	3
35	Meningococcal infections---057	6	2	3	-	1	83	44	35	-	4
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	1	1	-	-	-
39	Tetanus---061	-	-	-	-	-	7	5	2	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	7	3	4	-	-	119	74	42	-	3
42	Late effects of acute poliomyelitis---081	-	-	-	-	-	8	4	4	-	-
43	Acute infectious encephalitis---082	4	3	1	-	-	36	19	12	2	3
44	Late effects of acute infectious encephalitis---083	-	-	-	-	-	17	8	7	2	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	14	3	6	3	2	8	4	2	-	2
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	4	2	1	1	-	86	43	35	4	4
49	Rabies---094	-	-	-	-	-	1	-	1	-	-
50	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	1	-	-	1	-
55	Schistosomiasis---123	-	-	-	-	-	4	3	1	-	-
56	Hydatid disease---125	-	-	-	-	-	3	2	1	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	3	2	-	1	-
60	All other infective and parasitic diseases---Residual[1]	6	2	2	-	2	76	39	24	6	7
61	II. Neoplasms	611	284	287	16	24	29,264	14,427	13,259	802	776
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	590	278	275	16	21	28,703	14,186	12,986	785	746
63	Malignant neoplasm of buccal cavity and pharynx---140-148	13	5	6	-	-	597	464	97	34	2
64	Of lip---140	1	-	1	-	-	22	18	2	2	-
65	Of tongue---141	5	1	4	-	-	196	165	23	7	1
66	Of other and unspecified parts of buccal cavity---142-144	3	2	1	-	-	178	127	41	9	1
67	Of pharynx---145-148	4	2	2	-	-	201	154	31	16	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	212	114	85	6	7	11,324	5,890	4,874	324	236
69	Of esophagus---150	10	6	4	-	-	635	445	124	58	8
70	Of stomach---151	80	54	22	2	2	2,997	1,752	1,057	118	70
71	Of intestine, except rectum---152,153	37	13	23	-	1	3,385	1,500	1,784	46	55
72	Of rectum---154	15	6	7	1	1	1,748	988	701	22	37
73	Of biliary passages and of liver (stated to be primary site)---155	18	4	11	1	2	698	246	432	13	7
74	Of liver not specified whether primary or secondary---156A	16	8	8	-	-	418	191	196	19	12
75	Of pancreas---157	28	16	10	2	-	1,224	675	489	33	27
76	Of peritoneum and of unspecified digestive organs---158,159	8	7	-	-	1	219	93	91	15	20
77	Malignant neoplasm of respiratory system---160-164	53	44	9	-	-	3,783	3,088	502	167	26
78	Of larynx---161	2	1	1	-	-	319	281	19	18	1
79	Of trachea, and of bronchus and lung specified as primary---162	23	20	3	-	-	1,732	1,474	182	68	8
80	Of lung and bronchus, unspecified as primary or secondary---163	27	23	4	-	-	1,638	1,274	273	77	14
81	Of other parts of respiratory system---160,164	1	-	1	-	-	94	59	28	4	3
82	Malignant neoplasm of breast---170	50	-	47	-	3	2,782	32	2,624	2	124

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,797	12,554	8,622	5,884	4,737	5,204	3,144	1,932	72	56	86,175	45,180	34,556	3,672	2,767	19,848	10,463	6,998	1,334	1,053	1
730	227	123	219	161	83	46	27	3	7	1,818	991	465	229	133	486	220	119	86	61	2
408	114	47	139	108	29	10	12	3	4	991	560	213	143	75	253	119	54	43	37	3
366	105	46	116	99	23	9	9	2	3	880	526	178	121	55	239	115	52	38	34	4
7	2	-	2	3	3	-	1	1	1	34	13	11	5	5	7	1	1	3	2	5
3	1	-	2	-	-	-	-	-	-	10	-	3	2	5	1	-	-	-	1	6
3	1	1	1	-	-	-	-	-	-	9	3	3	1	2	1	1	-	-	-	7
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	8
6	3	-	2	1	2	1	1	-	-	18	9	8	1	-	1	-	-	1	-	9
1	-	-	1	-	1	-	1	-	-	12	4	2	4	2	1	-	-	1	-	10
21	2	-	14	5	-	-	-	-	-	27	5	7	9	6	3	2	1	-	-	11
78	21	8	38	11	12	10	-	-	2	369	188	76	69	36	80	43	11	19	7	12
2	-	-	2	-	1	-	-	-	1	3	1	2	-	-	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
31	13	5	11	2	6	5	-	-	1	110	68	20	17	5	20	12	5	2	1	15
24	6	3	9	6	2	2	-	-	-	131	56	27	32	16	22	13	2	6	1	16
1	-	-	-	1	2	2	-	-	-	14	9	4	-	1	3	3	-	-	-	17
8	1	-	5	2	-	-	-	-	-	69	36	10	12	11	20	10	2	6	2	18
7	1	-	6	-	-	-	-	-	-	30	13	10	6	1	9	3	1	2	3	19
5	-	-	5	-	1	1	-	-	-	12	5	3	2	2	5	1	1	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	22
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	23
-	-	-	-	-	-	-	-	-	-	5	-	2	3	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	26
19	6	4	4	5	2	-	1	-	1	8	6	1	-	1	21	6	6	7	2	27
6	1	3	1	1	-	-	-	-	-	3	3	-	-	-	3	1	1	-	1	28
6	3	2	-	1	-	-	-	-	-	7	2	5	-	-	2	-	1	-	1	29
10	5	4	-	1	1	1	-	-	-	8	3	5	-	-	4	3	1	-	-	30
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	2	1	1	-	-	31
22	6	9	5	2	6	2	4	-	-	36	22	9	4	1	21	7	9	3	2	32
9	1	2	2	4	1	1	-	-	-	4	3	1	-	-	1	-	1	-	-	33
7	2	-	3	2	-	-	-	-	-	18	8	2	2	6	9	-	2	5	2	34
33	12	11	5	5	9	7	2	-	-	94	54	38	1	1	10	5	3	1	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	37
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	38
12	1	1	4	6	2	1	1	-	-	11	8	3	-	-	10	4	3	1	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
34	19	14	1	-	8	4	4	-	-	95	51	40	3	1	15	8	5	-	2	41
1	1	-	-	-	-	-	-	-	-	9	3	5	-	1	3	2	1	-	-	42
9	2	2	4	1	9	7	2	-	-	18	10	6	1	1	6	3	2	1	-	43
2	2	-	-	-	-	-	-	-	-	10	8	1	-	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
19	10	3	1	5	-	-	-	-	-	18	13	4	-	1	16	3	8	4	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
17	7	5	2	3	-	-	-	-	-	42	12	27	1	2	15	8	5	-	2	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
5	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
5	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
4	-	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	59
25	10	4	7	4	3	2	1	-	-	59	31	20	2	6	11	6	5	-	-	60
3,695	1,373	1,445	377	500	763	423	332	4	4	13,671	6,644	6,162	458	407	2,989	1,432	1,281	117	159	61
3,570	1,325	1,407	368	470	743	416	319	4	4	13,411	6,541	6,027	451	392	2,934	1,415	1,252	116	151	62
97	56	29	7	5	12	8	4	-	-	278	221	44	8	5	69	44	15	6	4	63
8	6	2	-	-	2	1	1	-	-	25	21	4	-	-	11	11	-	-	-	64
16	9	7	-	-	1	1	-	-	-	75	60	11	2	2	14	8	3	-	3	65
34	18	11	2	3	4	3	1	-	-	82	59	20	1	2	22	12	9	1	-	66
39	23	9	5	2	5	3	2	-	-	96	81	9	5	1	22	13	3	5	1	67
1,080	395	416	140	129	313	189	124	-	-	5,077	2,612	2,160	200	105	947	492	376	45	34	68
56	24	16	9	7	8	7	1	-	-	261	190	41	21	9	38	23	8	6	1	69
332	125	93	65	49	131	80	51	-	-	1,312	753	452	80	27	306	184	94	16	12	70
270	84	131	29	26	65	36	29	-	-	1,566	711	793	32	30	236	105	120	8	3	71
103	32	41	13	17	34	23	11	-	-	625	350	244	15	16	90	39	41	5	5	72
113	39	57	8	9	21	10	11	-	-	335	114	203	10	8	46	19	25	-	2	73
17	5	8	3	1	14	8	6	-	-	329	144	169	13	3	95	40	44	6	5	74
162	77	60	9	16	36	22	14	-	-	558	304	217	26	11	117	73	36	3	5	75
27	9	10	4	4	4	3	1	-	-	91	46	41	3	1	19	9	8	1	1	76
330	226	55	41	8	63	52	10	-	1	1,519	1,157	259	89	14	316	243	51	17	5	77
22	13	6	3	-	3	3	-	-	-	107	95	7	5	-	17	13	4	-	-	78
258	180	36	35	7	25	20	5	-	-	541	419	76	38	8	97	84	9	4	-	79
35	25	7	2	1	34	28	5	-	1	821	611	160	44	6	189	139	34	11	5	80
15	8	6	1	-	1	1	-	-	-	50	32	16	2	-	13	7	4	2	-	81
325	4	247	1	73	61	-	61	-	-	1,169	9	1,087	-	73	231	2	206	-	23	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	111	36	64	4	7	3,788	1,199	2,301	71	217
2	Of cervix uteri----171	29	...	23	...	6	870	...	736	...	134
3	Of other and unspecified parts of uterus----172-174	28	...	28	...	-	643	...	600	...	43
4	Of ovary, fallopian tube, and broad ligament----175	12	...	11	...	1	907	...	874	...	33
5	Of other and unspecified female genital organs----176	2	...	2	...	-	98	...	91	...	7
6	Of prostate----177	34	31	...	3	...	1,171	1,105	...	66	...
7	Of testis, and of other and unspecified male genital organs----178,179	6	5	...	1	...	99	94	...	5	...
8	Malignant neoplasm of urinary organs----180,181	19	10	8	1	-	1,428	921	447	37	23
9	Of kidney----180	10	4	6	-	-	494	309	167	13	5
10	Of bladder and other urinary organs----181	9	6	2	1	-	934	612	280	24	18
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	86	42	39	3	2	2,744	1,370	1,219	82	73
12	Of skin----190,191	12	9	3	-	-	326	191	129	5	1
13	Of eye----192	-	-	-	-	-	41	14	26	1	-
14	Of brain and other parts of nervous system----193	22	12	9	1	-	594	330	238	15	11
15	Of thyroid gland----194	2	-	2	-	-	137	53	78	-	6
16	Of bone (including jaw bone)----196	5	3	1	1	-	183	91	80	5	7
17	Of connective tissue----197	1	-	-	1	-	90	53	35	1	1
18	Of other specified sites, not stated to be secondary----195,198A,199A	18	6	10	-	2	349	153	173	12	11
19	Of unspecified sites----156B,165,198B,199B-M	26	12	14	-	-	1,024	485	480	43	36
20	Leukemia and aleukemia----204	29	13	13	1	2	1,071	602	427	29	13
21	Lymphosarcoma, etc.*----200-203,205	17	14	2	1	-	1,186	620	495	39	32
22	Lymphosarcoma and reticulosarcoma----200	9	8	1	-	-	573	300	246	17	10
23	Hodgkin's disease----201	6	4	1	1	-	342	189	131	9	13
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	2	2	-	-	-	271	131	118	13	9
25	Benign neoplasms and neoplasms of unspecified nature----210-239	21	6	12	-	3	561	241	273	17	30
26	Benign neoplasms of female genital organs----214-217	5	...	4	...	1	102	...	82	...	20
27	Benign neoplasm of brain and other parts of nervous system----223	3	1	2	-	-	109	55	47	5	2
28	Other benign neoplasms----210-213,218-222,224-229	1	-	-	-	1	90	46	40	4	-
29	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	-	...	-	....	-
30	Neoplasm of unspecified nature of brain, etc.*----237	7	3	3	-	1	158	90	58	6	4
31	Other neoplasms of unspecified nature----230-232,236,238,239	5	2	3	-	-	102	50	46	2	4
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	102	60	41	-	1	4,114	1,563	2,308	88	155
33	Asthma----241	37	27	10	-	-	588	372	175	23	18
34	Nontoxic goiter----250,251	-	-	-	-	-	22	4	18	-	-
35	Thyrotoxicosis with or without goiter----252	9	2	7	-	-	95	16	72	1	6
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	1	1	-	-	-	11	3	8	-	-
37	Diabetes mellitus----260	41	24	16	-	1	3,251	1,095	1,974	57	125
38	Diseases of thymus gland----273	5	2	3	-	-	25	16	6	2	1
39	Diseases of adrenal glands----274	3	2	1	-	-	29	15	12	2	-
40	Pellagra----281	-	-	-	-	-	1	1	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	2	-	2	-	-	29	10	15	2	2
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	4	2	2	-	-	63	31	28	1	3
43	IV. Diseases of the blood and blood-forming organs	15	6	8	-	1	410	160	229	4	17
44	Anemias----290-293	10	3	6	-	1	267	91	162	4	10
45	Pernicious and other hyperchromic anemias----290	3	3	-	-	-	111	28	80	1	2
46	Anemias of other and unspecified type----291-293	7	-	6	-	1	156	63	82	3	8
47	Purpura and other hemorrhagic conditions----296	3	2	1	-	-	70	28	36	-	6
48	All other diseases of blood and blood-forming organs----294,295,297-299	2	1	1	-	-	73	41	31	-	1
49	V. Mental, psychoneurotic, and personality disorders	21	17	3	-	1	470	255	110	79	26
50	Senile psychosis----304	2	1	1	-	-	7	1	6	-	-
51	Alcoholic psychosis----307	2	2	-	-	-	54	32	4	18	-
52	Other psychoses----300-303,305,306,308,309	2	2	-	-	-	119	43	52	12	12
53	Alcoholism----322	15	12	2	-	1	243	157	37	39	10
54	Mental deficiency----325	-	-	-	-	-	24	15	9	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	23	7	2	10	4
56	VI. Diseases of the nervous system and sense organs	463	216	215	16	16	16,014	7,011	8,221	369	413
57	Vascular lesions affecting central nervous system----330-334	399	186	191	10	12	14,748	6,364	7,721	285	358
58	Subarachnoid hemorrhage----330	10	3	6	1	-	507	210	246	21	30
59	Cerebral hemorrhage----331	265	117	138	5	5	8,888	3,758	4,739	164	227
60	Cerebral embolism and thrombosis----332	58	33	17	4	4	3,822	1,732	1,953	70	67
61	Other vascular lesions affecting central nervous system----333,334	66	33	30	-	3	1,531	684	783	30	34
62	Meningitis, except meningococcal and tuberculous----340	16	7	5	3	1	193	94	57	25	17
63	Multiple sclerosis----345	4	1	2	-	1	152	75	68	3	6
64	Paralysis agitans----350	5	2	3	-	-	278	135	135	3	5
65	Cerebral spastic infantile paralysis----351	5	2	3	-	-	52	26	23	2	1
66	Epilepsy----353	11	5	4	2	-	190	88	58	34	10
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	-	-	-	-	-	3	2	1	-	-
69	Glaucoma----387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	3	2	-	-	1	37	25	9	2	1
71	Other diseases of nervous system and sense organs----Residual[1]	20	11	7	1	1	361	182	149	15	15
72	VII. Diseases of the circulatory system	1,356	787	507	34	28	77,664	41,568	32,372	1,911	1,813
73	Rheumatic fever----400-402	9	4	4	1	-	125	51	55	11	8
74	Diseases of heart----410-443	1,234	732	449	30	23	72,528	39,142	29,935	1,781	1,670
75	Chronic rheumatic heart disease----410-416	78	39	35	2	2	2,524	1,082	1,290	63	89
76	Diseases of mitral valve----410	39	20	17	-	2	689	293	375	10	11
77	Diseases of aortic valve specified as rheumatic----411	6	5	1	-	-	112	80	27	1	4
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	1	1	-	-	-	150	67	77	2	4
80	Other diseases of heart specified as rheumatic----415,416	32	13	17	2	-	1,573	642	811	50	70

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
729	182	305	67	175	122	69	52	-	1	2,176	770	1,226	52	128	542	195	272	25	50	1
216	...	127	...	89	9	...	8	...	1	492	...	430	...	62	121	...	102	...	19	2
151	...	89	...	62	16	...	16	...	-	442	...	396	...	46	110	...	85	...	25	3
92	...	75	...	17	28	...	28	...	-	375	...	357	...	18	82	...	78	...	4	4
21	...	14	...	7	-	...	-	...	-	45	...	43	...	2	9	...	7	...	2	5
223	160	...	63	...	65	65	...	-	...	764	712	...	52	...	208	184	...	24	...	6
26	22	...	4	...	4	4	...	-	...	58	58	...	-	...	12	11	...	1	...	7
158	62	57	25	14	32	22	10	-	-	608	380	188	27	13	109	63	41	4	1	8
67	36	18	10	3	16	10	6	-	-	189	114	59	13	3	47	26	19	2	-	9
91	26	39	15	11	16	12	4	-	-	419	266	129	14	10	62	37	22	2	1	10
489	221	180	42	46	69	34	31	3	1	1,455	752	632	38	33	443	216	191	11	25	11
93	48	37	3	5	10	7	3	-	-	173	96	73	1	3	81	46	34	1	-	12
13	7	4	-	2	-	-	-	-	-	11	6	5	-	-	10	3	6	1	-	13
117	60	46	9	2	23	15	7	1	-	316	173	130	10	3	68	40	23	2	3	14
11	4	6	-	1	3	2	1	-	-	72	38	33	1	-	9	1	7	1	-	15
49	21	15	7	6	4	3	-	-	1	127	72	51	2	2	37	18	18	-	1	16
18	10	5	1	2	5	1	3	1	-	28	14	10	1	3	8	3	4	1	-	17
55	20	20	6	9	7	3	4	-	-	246	108	125	3	10	83	38	35	3	7	18
133	51	47	16	19	17	3	13	1	-	482	245	205	20	12	147	67	64	2	14	19
209	96	71	24	18	39	22	16	1	-	556	301	231	16	8	161	90	62	4	5	20
153	85	47	21	2	32	20	11	-	1	573	339	200	21	13	116	70	38	4	4	21
68	38	20	9	1	14	9	5	-	-	245	140	96	7	2	62	41	18	2	1	22
49	25	19	5	-	11	5	5	-	1	162	102	51	4	5	28	16	12	-	-	23
36	20	8	7	1	7	6	1	-	-	166	97	53	10	6	26	13	8	2	3	24
125	48	38	9	30	20	7	13	-	-	260	103	135	7	15	55	17	29	1	8	25
26	...	11	...	15	2	...	2	...	-	59	...	49	...	10	12	...	8	...	4	26
17	5	10	-	2	6	1	5	-	-	56	25	28	2	1	9	4	5	-	-	27
21	9	6	3	3	10	6	4	-	-	43	19	21	2	1	9	1	7	-	1	28
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	29
46	28	9	4	5	2	-	2	-	-	61	37	22	2	-	15	7	7	-	1	30
14	6	2	2	4	-	-	-	-	-	39	22	13	1	3	8	5	1	1	1	31
663	218	236	94	115	124	64	59	1	-	2,591	1,000	1,431	60	100	509	222	212	28	47	32
136	61	36	24	15	19	14	5	-	-	440	265	147	17	11	124	77	33	7	7	33
4	-	1	-	3	-	-	-	-	-	14	2	9	1	2	2	-	2	-	-	34
22	4	11	1	6	3	1	2	-	-	69	8	57	-	4	18	2	13	-	3	35
5	-	3	1	1	1	-	1	-	-	9	3	6	-	-	2	1	1	-	-	36
436	135	166	58	77	96	46	49	1	-	1,949	672	1,163	36	78	319	127	144	15	33	37
8	4	2	-	2	2	1	1	-	-	17	13	4	-	-	8	6	-	-	2	38
7	4	2	-	1	-	-	-	-	-	14	3	8	1	2	4	1	2	1	-	39
11	2	4	3	2	-	-	-	-	-	2	-	2	-	-	5	-	4	1	-	40
18	2	7	5	4	2	2	-	-	-	40	18	18	2	2	15	3	9	2	1	41
16	6	4	2	4	1	-	1	-	-	37	16	17	3	1	12	5	4	2	1	42
99	37	30	15	17	22	9	12	-	1	334	169	146	7	12	82	33	39	6	4	43
68	20	22	13	13	16	9	7	-	-	231	113	106	3	9	65	24	32	5	4	44
17	6	7	2	2	8	4	4	-	-	114	52	62	-	-	26	9	15	2	-	45
51	14	15	11	11	8	5	3	-	-	117	61	44	3	9	39	15	17	3	4	46
16	8	5	1	2	1	-	1	-	-	37	17	16	1	3	6	3	2	1	-	47
15	9	3	1	2	5	-	4	-	1	66	39	24	3	-	11	6	5	-	-	48
129	56	15	39	19	10	6	4	-	-	206	118	52	29	7	79	50	19	7	3	49
14	3	6	2	3	1	-	1	-	-	26	10	15	-	1	44	26	12	3	3	50
12	8	-	4	-	-	-	-	-	-	14	13	-	1	-	1	1	-	-	-	51
11	1	3	1	6	1	-	1	-	-	30	10	18	2	-	8	3	5	-	-	52
85	40	4	32	9	7	6	1	-	-	124	81	12	25	6	23	18	1	4	-	53
3	2	-	-	1	1	-	1	-	-	8	4	3	1	-	1	-	1	-	-	54
4	2	2	-	-	-	-	-	-	-	4	-	4	-	-	2	2	-	-	-	55
4,402	1,511	1,391	773	727	752	418	326	3	5	11,128	5,128	5,275	359	366	2,696	1,250	1,142	163	141	56
4,114	1,404	1,323	711	676	684	382	297	2	3	10,341	4,736	4,962	312	331	2,482	1,142	1,069	141	130	57
156	57	57	24	18	12	7	5	-	-	248	110	111	12	15	47	17	26	-	4	58
2,715	893	868	477	477	448	259	186	1	2	6,964	3,123	3,412	209	220	1,650	747	730	91	82	59
665	263	240	95	67	105	55	48	1	1	2,075	1,012	950	58	55	417	209	171	21	16	60
578	191	158	115	114	119	61	58	-	-	1,054	491	489	33	41	368	169	142	29	28	61
49	12	10	14	13	8	4	2	1	1	104	45	34	16	9	32	13	13	3	3	62
15	5	7	1	2	11	7	4	-	-	93	37	52	2	2	19	10	9	-	-	63
12	7	5	-	-	14	6	8	-	-	150	83	65	1	1	34	18	16	-	-	64
28	12	10	4	2	3	1	2	-	-	32	14	16	1	1	11	7	3	-	1	65
72	24	9	22	17	8	3	4	-	1	113	57	37	11	8	29	14	7	7	1	66
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	1	1	-	-	-	68
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	69
13	6	2	4	1	1	1	-	-	-	30	12	14	3	1	5	5	-	-	-	70
97	40	25	16	16	23	14	9	-	-	259	140	94	12	13	83	40	25	12	6	71
11,702	5,218	3,154	1,824	1,506	2,012	1,274	708	19	11	35,436	19,458	13,953	1,142	883	7,056	4,113	2,341	352	250	72
60	21	10	14	15	12	8	3	-	1	82	38	34	4	6	19	7	6	1	5	73
10,657	4,847	2,834	1,641	1,335	1,784	1,133	625	18	8	31,538	17,587	12,203	995	753	6,345	3,753	2,061	311	220	74
324	127	113	41	43	73	32	41	-	-	1,183	548	558	36	41	154	70	64	15	5	75
132	52	48	15	17	37	14	23	-	-	503	217	252	17	17	59	20	26	9	4	76
16	11	3	2	-	-	-	-	-	-	72	48	17	6	1	4	3	-	-	1	77
1	-	-	-	1	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	78
20	6	9	3	2	7	5	2	-	-	67	35	27	-	5	9	5	4	-	-	79
155	58	53	21	23	29	13	16	-	-	538	247	260	13	18	82	42	34	6	-	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	745	508	218	10	9	53,742	31,341	20,430	1,096	875
2	Arteriosclerotic heart disease so described----420.0	220	132	64	2	2	27,338	13,830	12,351	577	580
3	Heart disease specified as involving coronary arteries----420.1	519	371	133	8	7	26,349	17,472	8,065	518	294
4	Angina pectoris without mention of coronary disease----420.2	6	5	1	-	-	55	39	14	1	1
5	Chronic endocarditis not specified as rheumatic----421	28	16	11	1	-	584	305	258	10	11
6	Of mitral valve, specified as nonrheumatic----421.0	1	1	-	-	-	39	24	15	-	-
7	Of aortic valve, not specified as rheumatic----421.1	8	7	1	-	-	126	89	33	3	1
8	Of other valves, not specified as rheumatic----421.2-421.4	19	8	10	1	-	419	192	210	7	10
9	Other myocardial degeneration----422	131	55	72	3	1	6,282	2,733	3,218	183	148
10	With arteriosclerosis----422.1	46	19	26	-	1	4,563	1,932	2,348	151	132
11	Without mention of arteriosclerosis----422.0,422.2	85	36	46	3	-	1,719	801	870	32	16
12	Other diseases of heart----430-434	106	62	36	5	3	720	412	280	22	6
13	Acute and subacute endocarditis----430	4	2	2	-	-	59	35	20	4	-
14	Acute myocarditis not specified as rheumatic----431	6	5	1	-	-	85	45	40	-	-
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	2	-	-	2	-
16	Functional disease of heart----433	12	8	4	-	-	113	55	55	3	-
17	Other and unspecified diseases of heart----434	84	47	29	5	3	461	277	165	13	6
18	Hypertension with heart disease----440-443	146	52	77	9	8	8,676	3,269	4,459	407	541
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	51	21	21	3	6	1,213	555	576	38	44
20	Essential hypertension with heart disease, etc.*----440,441,443	95	31	56	6	2	7,463	2,714	3,883	369	497
21	Hypertension without mention of heart----444-447	28	7	19	1	1	1,118	500	502	52	64
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	13	4	8	1	-	758	373	316	31	38
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	15	3	11	-	1	360	127	186	21	26
24	Diseases of arteries----450-456	71	36	31	2	2	3,599	1,735	1,749	57	58
25	General arteriosclerosis----450	53	27	23	2	1	3,075	1,399	1,581	47	48
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	9	5	3	-	1	340	241	90	5	4
27	Gangrene of unspecified cause----455	1	1	-	-	-	9	4	3	2	-
28	Other arterial diseases----452-454,456	8	3	5	-	-	175	91	75	3	6
29	Diseases of veins and other diseases of circulatory system----460-468	14	8	4	-	2	294	140	131	10	13
30	VIII. Diseases of the respiratory system----	391	189	137	29	36	6,057	3,275	2,165	383	234
31	Acute upper respiratory infections----470-475	11	7	4	-	-	81	44	22	6	9
32	Influenza----480-483	70	34	27	4	5	241	113	116	10	2
33	Pneumonia, except pneumonia of newborn----490-493	240	104	85	21	30	4,389	2,206	1,663	319	201
34	Lobar pneumonia----490	64	37	18	3	6	1,338	685	465	124	64
35	Bronchopneumonia----491	96	34	31	13	18	2,763	1,363	1,092	182	126
36	Primary atypical pneumonia----492	23	9	13	-	1	193	105	78	4	6
37	Pneumonia, other and unspecified----493	57	24	23	5	5	95	53	28	9	5
38	Acute bronchitis----500	9	2	6	1	-	124	60	56	7	1
39	Bronchitis, chronic and unqualified----501,502	12	9	2	-	1	201	146	48	5	2
40	Hypertrophy of tonsils and adenoids----510	1	-	-	1	-	26	15	9	1	1
41	Empyema and abscess of lung----518,521	3	2	1	-	-	58	31	20	5	2
42	Pleurisy----519	-	-	-	-	-	13	9	3	1	-
43	All other respiratory diseases----Residual[1]	45	31	12	2	-	924	651	228	29	16
44	IX. Diseases of the digestive system----	376	160	130	38	48	6,649	3,879	2,391	223	156
45	Diseases of teeth and supporting structures----530-535	-	-	-	-	-	7	4	2	1	-
46	Ulcer of stomach----540	8	4	4	-	-	633	465	125	29	14
47	Ulcer of duodenum----541	17	13	4	-	-	590	478	86	20	6
48	Gastritis and duodenitis----543	1	-	1	-	-	21	15	5	1	-
49	Appendicitis----550-553	22	13	6	3	-	286	178	89	12	7
50	Hernia and intestinal obstruction----560,561,570	38	17	17	1	3	896	449	392	28	27
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	185	57	51	33	44	541	270	224	27	20
52	Cirrhosis of liver----581	54	35	18	-	1	2,312	1,390	793	72	57
53	Without mention of alcoholism----581.0	50	31	18	-	1	1,599	924	599	40	36
54	With alcoholism----581.1	4	4	-	-	-	713	466	194	32	21
55	Cholelithiasis and cholecystitis----584,585	21	6	15	-	-	674	262	401	2	9
56	Other diseases of digestive system----Residual[1]	30	15	14	1	-	689	368	274	31	16
57	X. Diseases of the genito-urinary system----	160	88	52	12	8	2,910	1,687	1,002	118	103
58	Nephritis and nephrosis----590-594	99	49	36	7	7	1,579	752	683	68	76
59	Acute nephritis----590	6	2	2	1	1	85	46	30	3	6
60	Nephritis with edema, including nephrosis----591	7	7	-	-	-	92	48	34	4	6
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	86	40	34	6	6	1,402	658	619	61	64
62	Infections of kidney----600	18	6	10	2	-	364	165	170	16	13
63	Calculi of urinary system----602,604	7	3	3	1	-	138	88	45	3	2
64	Other diseases of urinary system----601,603,605-609	8	6	1	-	1	143	84	50	7	2
65	Hyperplasia of prostate----610	22	20	...	2	...	589	567	...	22	...
66	Other diseases of male genital organs----611-617	4	4	...	-	...	33	31	...	2	...
67	Diseases of breast----620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	2	...	2	...	-	64	...	54	...	10
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	22	...	17	...	5	172	...	118	...	54
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	3	...	2	...	1	9	...	9	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	10	...	8	...	2	41	...	33	...	8
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	1	...	1	...	-	35	...	30	...	5
73	Ectopic pregnancy----645	1	...	1	...	-	15	...	6	...	9
74	Abortion without mention of sepsis or toxemia----650	3	...	3	...	-	5	...	2	...	3
75	Abortion with sepsis----651	2	...	2	...	-	30	...	11	...	19
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	1	...	1	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	-	...	2	36	...	26	...	10

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,730	3,176	1,487	634	433	1,183	806	359	13	5	20,712	12,684	7,153	557	318	4,192	2,704	1,250	145	93	1
1,240	574	409	143	114	329	201	123	5	-	6,752	3,448	2,974	199	131	1,004	522	420	37	25	2
4,425	2,565	1,057	486	317	850	601	236	8	5	13,883	9,184	4,155	357	187	3,157	2,164	818	107	68	3
65	37	21	5	2	4	4	-	-	-	77	52	24	1	-	31	18	12	1	-	4
173	71	50	27	25	35	20	15	-	-	538	272	237	16	13	78	37	26	7	8	5
10	4	1	1	4	3	1	2	-	-	56	27	25	1	3	9	4	3	-	2	6
33	16	4	6	7	6	5	1	-	-	126	75	45	5	1	10	4	2	2	2	7
130	51	45	20	14	26	14	12	-	-	356	170	167	10	9	59	29	21	5	4	8
1,045	376	381	153	135	168	87	80	1	-	3,718	1,817	1,706	103	92	566	286	210	36	34	9
580	212	212	82	74	83	43	39	1	-	2,055	995	965	50	45	193	109	70	9	5	10
465	164	169	71	61	85	44	41	-	-	1,663	822	741	53	47	373	177	140	27	29	11
906	379	176	198	153	115	70	43	2	-	1,137	597	445	61	34	554	323	172	40	19	12
13	9	1	2	1	3	1	1	1	-	40	20	16	2	2	8	5	2	1	-	13
18	4	4	4	6	7	5	2	-	-	75	35	32	2	6	30	15	13	-	2	14
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	15
50	17	22	6	5	16	9	7	-	-	236	124	92	11	9	49	26	19	3	1	16
825	349	149	186	141	89	55	33	1	-	785	418	305	45	17	467	277	138	36	16	17
2,479	718	627	588	546	210	118	87	2	3	4,250	1,669	2,104	222	255	801	333	339	68	61	18
843	245	195	197	206	42	25	17	-	-	1,412	625	666	68	53	238	112	97	22	7	19
1,636	473	432	391	340	168	93	70	2	3	2,838	1,044	1,438	154	202	563	221	242	46	54	20
315	81	76	86	72	36	21	15	-	-	732	325	318	43	46	194	90	76	14	14	21
129	41	33	38	17	13	8	5	-	-	438	208	181	26	23	66	36	24	5	1	22
186	40	43	48	55	23	13	10	-	-	294	117	137	17	23	128	54	52	9	13	23
579	232	205	73	69	163	102	58	1	2	2,850	1,389	1,300	91	70	446	242	174	21	9	24
457	171	177	57	52	139	88	48	1	2	2,534	1,194	1,210	73	57	387	202	156	20	9	25
76	45	10	11	10	12	7	5	-	-	183	124	41	11	7	27	18	8	1	-	26
3	-	-	2	1	1	-	1	-	-	15	9	4	2	-	-	-	-	-	-	27
43	16	18	3	6	11	7	4	-	-	118	62	45	5	6	32	22	10	-	-	28
91	37	29	10	15	17	10	7	-	-	234	119	98	9	8	52	21	24	5	2	29
1,879	563	454	462	400	235	133	86	10	6	3,693	1,957	1,309	273	154	1,063	481	392	117	73	30
53	15	14	15	9	2	1	-	-	1	55	29	21	3	2	13	7	3	1	2	31
347	111	97	67	72	50	21	27	1	1	534	242	263	17	12	258	113	98	28	19	32
1,191	306	260	340	285	157	77	48	8	4	2,112	1,061	770	182	99	587	233	234	73	47	33
308	89	54	90	75	40	26	13	-	1	709	372	227	82	28	152	61	62	19	10	34
536	127	135	145	129	81	41	31	6	3	1,027	498	400	76	53	202	91	68	25	18	35
106	34	30	25	17	6	4	2	-	-	199	96	77	14	12	64	26	27	7	4	36
241	56	41	80	64	10	6	2	2	-	177	95	66	10	6	169	55	77	22	15	37
23	7	6	5	5	1	1	-	-	-	69	27	24	14	4	6	5	-	1	-	38
37	17	11	4	5	6	3	3	-	-	138	79	54	-	5	25	16	5	1	3	39
8	2	2	4	-	2	1	1	-	-	15	4	8	1	2	9	3	3	2	1	40
16	4	-	9	3	1	-	1	-	-	49	34	12	2	1	12	7	2	3	-	41
1	-	1	-	-	1	1	-	-	-	6	2	3	1	-	1	-	1	-	-	42
203	101	63	18	21	35	28	6	1	-	715	479	154	53	29	152	97	46	8	1	43
1,079	395	257	249	178	179	107	63	4	5	3,281	1,827	1,224	134	96	677	361	219	52	45	44
14	4	2	5	3	-	-	-	-	-	8	3	4	1	-	5	3	2	-	-	45
77	36	11	22	8	13	8	5	-	-	274	196	56	17	5	57	39	10	6	2	46
69	45	10	11	3	12	10	2	-	-	255	195	35	22	3	45	38	6	1	-	47
2	1	1	-	-	-	-	-	-	-	16	8	4	2	2	5	1	1	1	2	48
40	17	8	9	6	14	9	5	-	-	125	80	38	6	1	43	27	10	4	2	49
158	50	41	38	29	33	18	12	1	2	526	235	247	26	18	126	64	44	7	11	50
279	39	38	110	92	24	11	10	3	-	337	145	160	11	21	79	36	25	9	9	51
202	115	47	29	11	32	24	8	-	-	965	626	294	24	21	127	71	38	10	8	52
156	81	44	25	8	30	22	8	-	-	727	456	240	15	16	113	64	36	5	8	53
46	34	3	6	3	2	2	-	-	-	238	170	54	9	5	14	7	2	5	-	54
77	28	44	1	4	26	11	12	-	3	351	124	217	2	8	78	23	46	5	4	55
161	60	55	24	22	25	16	9	-	-	424	215	169	23	17	112	59	37	9	7	56
894	318	212	203	161	97	66	26	5	-	1,811	1,127	574	119	91	598	345	152	62	39	57
623	195	159	132	137	51	30	20	1	-	1,013	491	404	61	57	366	182	112	38	34	58
46	13	9	12	12	-	-	-	-	-	72	37	22	6	7	25	9	10	3	3	59
35	11	8	8	8	1	1	-	-	-	83	42	31	5	5	10	4	3	3	-	60
542	171	142	112	117	50	29	20	1	-	858	412	351	50	45	331	169	99	32	31	61
77	21	30	14	12	10	4	4	2	-	276	141	91	24	20	45	18	19	4	4	62
39	21	11	3	4	3	3	-	-	-	58	33	21	2	2	15	10	5	-	-	63
22	6	5	10	1	5	4	1	-	-	94	56	28	7	3	33	20	9	4	-	64
100	65	...	35	...	22	20	...	2	...	399	379	...	20	...	114	99	...	15	...	65
19	10	...	9	...	5	5	...	-	...	32	27	...	5	...	17	16	...	1	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
14	...	7	...	7	1	...	1	...	-	38	...	29	...	9	8	...	7	...	1	68
109	...	45	...	64	10	...	8	...	2	98	...	78	...	20	34	...	17	...	17	69
10	...	4	...	6	-	...	-	...	-	12	...	10	...	2	4	...	3	...	1	70
41	...	13	...	28	4	...	4	...	-	21	...	16	...	5	7	...	3	...	4	71
16	...	8	...	8	1	...	1	...	-	23	...	22	...	1	10	...	6	...	4	72
4	...	-	...	4	-	...	-	...	-	8	...	6	...	2	4	...	2	...	2	73
8	...	4	...	4	-	...	-	...	-	2	...	1	...	1	1	...	-	...	1	74
8	...	2	...	6	-	...	-	...	-	4	...	2	...	2	2	...	2	...	-	75
2	...	-	...	2	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
20	...	14	...	6	5	...	3	...	2	27	...	20	...	7	6	...	1	...	5	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	4	1	3	-	-	108	46	53	5	4
2	Infections of skin and subcutaneous tissue-690-698	2	1	1	-	-	24	14	9	-	1
3	Other diseases of skin and subcutaneous tissue-700-716	2	-	2	-	-	84	32	44	5	3
4	XIII. Diseases of the bones and organs of movement	7	2	4	1	-	249	107	124	7	11
5	Arthritis and spondylitis-720-725	5	1	3	1	-	106	45	57	1	3
6	Muscular rheumatism and rheumatism, unspecified-726,727	-	-	-	-	-	2	1	1	-	-
7	Osteomyelitis and periostitis-730	1	-	1	-	-	14	7	7	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	-	-	-	-	-	17	10	7	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	1	1	-	-	-	110	44	52	6	8
10	XIV. Congenital malformations	119	64	47	6	2	1,764	886	738	68	72
11	Spina bifida and meningocele-751	12	4	7	1	-	116	44	69	1	2
12	Congenital hydrocephalus, etc.*-752,753	17	8	7	1	1	232	114	98	9	11
13	Congenital malformations of circulatory system-754	48	33	13	1	1	769	394	310	25	40
14	Other congenital malformations-750,755-759	42	19	20	3	-	647	334	261	33	19
15	XV. Certain diseases of early infancy	514	272	171	37	34	5,041	2,498	1,688	465	390
16	Birth injuries-760,761	71	44	20	-	7	886	486	311	59	30
17	Postnatal asphyxia and atelectasis-762	85	55	22	4	4	1,455	723	514	115	103
18	Infections of newborn-763-768	41	16	9	10	6	305	135	103	38	29
19	Hemolytic disease of newborn (erythroblastosis)-770	22	15	7	-	-	197	107	82	6	2
20	All other defined diseases of early infancy-769,771,772	28	15	6	5	2	86	37	33	7	9
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	267	127	107	18	15	2,112	1,010	645	240	217
22	XVI. Symptoms, senility, and ill-defined conditions	446	212	139	41	54	839	374	285	116	64
23	Senility without mention of psychosis-794	35	14	16	2	3	91	28	60	2	1
24	Symptoms, ill-defined and unknown causes-780-793,795	411	198	123	39	51	748	346	225	114	63
25	XVII. Accidents, poisonings, and violence	740	476	162	76	26	9,008	5,425	2,707	637	239
26	Accidents-E800-E962	636	408	142	64	22	7,269	4,372	2,279	436	182
27	Railway accidents-E800-E802	7	4	-	3	-	139	105	12	18	4
28	Motor-vehicle accidents-E810-E835	315	210	65	26	14	2,403	1,666	559	137	41
29	Motor-vehicle traffic accidents-E810-E825	300	196	64	26	14	2,347	1,627	545	135	40
30	Motor-vehicle traffic accident with railway train*-E810	4	4	-	-	-	52	31	20	-	1
31	Motor-vehicle traffic accident to pedestrian-E812	51	32	7	8	4	817	558	189	60	10
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	108	66	27	8	7	713	463	197	39	14
33	Motor-vehicle noncollision traffic accidents-E820-E824	127	90	26	8	3	590	446	96	23	15
34	Motor-vehicle traffic accident of unspecified nature-E825	10	4	4	2	-	185	129	43	13	-
35	Motor-vehicle nontraffic accidents-E830-E835	15	14	1	-	-	56	39	14	2	1
36	Other road-vehicle accidents-E840-E845	5	4	-	1	-	17	12	4	1	-
37	Water-transport accidents-E850-E858	5	3	1	1	-	102	93	7	1	1
38	Aircraft accidents-E860-E866	38	34	-	4	-	69	62	6	1	-
39	Accidental poisoning by solid and liquid substances-E870-E888	8	5	2	-	1	100	59	32	2	7
40	Accidental poisoning by gases and vapors-E890-E895	9	6	3	-	-	137	85	39	6	7
41	Accidental falls-E900-E904	60	28	28	3	1	2,583	1,202	1,238	96	47
42	Fall from one level to another-E900-E902	19	13	3	2	1	1,082	601	398	60	23
43	Fall on same level-E903	18	6	12	-	-	791	286	480	9	16
44	Unspecified falls-E904	23	9	13	1	-	710	315	360	27	8
45	Blow from falling object-E910	12	11	-	1	-	56	43	5	8	-
46	Accident caused by machinery-E912	11	11	-	-	-	105	93	8	4	-
47	Accident caused by electric current-E914	5	5	-	-	-	40	34	2	4	-
48	Accident caused by fire and explosion, etc.*-E916	49	20	25	3	1	445	216	150	40	39
49	Accident caused by hot substance, etc.*-E917,E918	4	-	2	1	1	43	21	13	5	4
50	Accident caused by firearm-E919	20	16	1	3	-	88	70	9	8	1
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	13	8	2	2	1	83	33	30	16	4
52	Accidental drowning-E929	24	13	3	6	2	436	322	50	56	8
53	Excessive heat and insolation-E931	3	3	-	-	-	43	26	14	1	2
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	4	2	2	-	-	45	24	17	3	1
55	All other accidents-Residual[1]	44	25	8	10	1	335	206	84	29	16
56	Suicide-E963,E970-E979	71	54	12	4	1	1,302	916	343	35	8
57	Suicide by poisoning-E970-E973	7	4	2	-	1	281	165	107	7	2
58	Suicide by hanging and strangulation-E974	9	8	-	1	-	493	361	120	9	3
59	Suicide by firearms and explosives-E976	47	36	8	3	-	293	263	25	4	1
60	Suicide by all other means-E963,E975,E977-E979	8	6	2	-	-	235	127	91	15	2
61	Homicide-E964,E980-E985	32	13	8	8	3	434	134	85	166	49
62	Assault by firearms and explosives-E981	17	7	6	2	2	116	40	24	43	9
63	Assault by cutting and piercing instruments-E982	5	2	-	3	-	170	38	24	81	27
64	Assault by other means-E964,E980,E983	10	4	2	3	1	117	37	36	31	13
65	Injury by intervention of police-E984	-	-	-	-	-	24	13	-	11	-
66	Execution-E985	-	-	-	-	-	7	6	1	-	-
67	Injury resulting from operations of war-E965,E990-E999	1	1	-	-	-	3	3	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35	11	8	9	7	8	4	3	1	-	69	29	26	4	10	21	8	10	2	1	1
9	2	-	4	3	2	1	-	1	-	13	8	3	-	2	5	3	-	1	1	2
26	9	8	5	4	6	3	3	-	-	56	21	23	4	8	16	5	10	1	-	3
86	27	38	11	10	14	6	8	-	-	209	84	110	6	9	59	26	24	3	6	4
56	10	30	9	7	5	3	2	-	-	113	35	70	1	7	44	19	21	1	3	5
1	1	-	-	-	-	-	-	-	-	5	2	1	-	2	4	1	1	1	1	6
2	2	-	-	-	-	-	-	-	-	9	5	1	3	-	-	-	-	-	-	7
2	-	1	-	1	-	-	-	-	-	8	5	3	-	-	1	1	-	-	-	8
25	14	7	2	2	9	3	6	-	-	74	37	35	2	-	10	5	2	1	2	9
470	203	161	68	38	102	49	48	1	4	1,126	565	499	33	29	253	121	110	13	9	10
44	19	19	3	3	14	3	11	-	-	100	41	55	2	2	23	8	13	-	2	11
76	29	32	10	5	12	6	5	-	1	151	81	67	2	1	28	11	13	1	3	12
186	81	60	31	14	36	17	17	1	1	503	262	211	15	15	107	55	45	5	2	13
164	74	50	24	16	40	23	15	-	2	372	181	166	14	11	95	47	39	7	2	14
1,990	661	431	494	404	258	153	97	5	3	3,360	1,678	1,189	274	219	851	413	289	89	60	15
341	127	95	56	63	52	37	14	1	-	653	341	236	40	36	189	94	58	22	15	16
377	148	79	94	56	75	42	27	3	3	982	500	332	89	61	196	108	64	15	9	17
149	34	20	48	47	14	7	7	-	-	196	96	70	11	19	46	15	16	10	5	18
56	22	24	6	4	20	13	7	-	-	157	82	65	8	2	33	14	17	2	-	19
94	24	9	38	23	12	6	5	1	-	93	48	35	8	2	27	5	9	6	7	20
973	306	204	252	211	85	48	37	-	-	1,279	611	451	118	99	360	177	125	34	24	21
688	186	140	195	167	63	37	20	3	3	785	346	272	92	75	626	301	204	62	59	22
116	27	44	19	26	28	14	11	1	2	192	69	111	7	5	199	87	90	10	12	23
572	159	96	176	141	35	23	9	2	1	593	277	161	85	70	427	214	114	52	47	24
3,147	1,550	482	852	263	472	349	105	13	5	6,459	4,059	1,791	453	156	1,769	1,087	428	175	79	25
2,463	1,243	411	602	207	413	302	95	12	4	5,163	3,189	1,565	292	117	1,468	907	373	125	63	26
37	21	1	14	1	9	8	1	-	-	114	94	11	7	2	24	15	1	8	-	27
1,161	682	154	259	66	178	132	38	7	1	2,113	1,464	500	117	32	581	379	130	48	24	28
1,125	657	149	254	65	166	122	37	6	1	2,077	1,433	495	117	32	561	366	127	45	23	29
39	19	5	9	6	10	6	4	-	-	114	84	25	3	2	31	18	11	2	-	30
249	123	35	71	20	17	13	4	-	-	466	325	94	38	9	65	41	15	6	3	31
361	216	67	65	13	54	34	19	1	-	774	513	217	35	9	135	93	31	7	4	32
411	256	33	98	24	83	68	9	5	1	378	277	78	21	2	84	62	15	4	3	33
65	43	9	11	2	2	1	1	-	-	345	234	81	20	10	246	152	55	26	13	34
36	25	5	5	1	12	10	1	1	-	36	31	5	-	-	20	13	3	3	1	35
5	-	-	4	1	2	2	-	-	-	15	12	3	-	-	21	14	5	2	-	36
56	42	-	12	2	8	7	1	-	-	62	56	6	-	-	7	6	-	1	-	37
43	38	1	4	-	3	3	-	-	-	49	45	2	2	-	45	44	1	-	-	38
51	18	4	22	7	-	-	-	-	-	71	37	22	7	5	14	8	4	1	1	39
8	6	1	1	-	8	5	3	-	-	86	50	15	16	5	26	17	6	3	-	40
237	98	104	21	14	54	27	27	-	-	1,426	625	746	29	26	288	129	136	9	14	41
92	47	26	13	6	18	13	5	-	-	489	271	189	22	7	64	42	14	3	5	42
65	28	32	2	3	14	6	8	-	-	311	109	196	2	4	36	14	22	-	-	43
80	23	46	6	5	22	8	14	-	-	626	245	361	5	15	188	73	100	6	9	44
38	27	2	8	1	6	6	-	-	-	45	41	2	2	-	12	10	1	1	-	45
55	40	2	13	-	27	24	2	1	-	112	98	5	8	1	30	26	2	2	-	46
26	23	-	3	-	5	5	-	-	-	60	53	5	2	-	31	28	1	2	-	47
228	62	43	65	58	24	14	10	-	-	284	129	95	37	23	110	56	22	20	12	48
21	5	6	6	4	3	2	1	-	-	37	30	4	1	2	24	11	9	3	1	49
82	41	9	25	7	14	13	1	-	-	73	53	10	7	3	50	45	2	2	1	50
71	17	18	24	12	10	6	3	-	1	101	52	34	12	3	18	6	8	3	1	51
140	66	18	53	3	31	28	1	1	1	203	153	24	24	2	58	42	10	5	1	52
6	1	-	5	-	3	3	-	-	-	29	22	6	1	-	14	6	5	2	1	53
27	7	10	4	6	2	2	-	-	-	31	17	9	2	3	8	3	3	-	2	54
171	49	38	59	25	26	15	7	3	1	252	158	66	18	10	107	62	27	13	5	55
322	230	49	35	8	52	44	8	-	-	956	744	180	27	5	185	141	39	3	2	56
27	15	9	-	3	5	4	1	-	-	154	110	37	6	1	24	11	11	1	1	57
38	28	7	2	1	15	11	4	-	-	238	158	72	6	2	28	19	8	-	1	58
229	176	24	27	2	28	26	2	-	-	455	407	34	12	2	114	95	17	2	-	59
28	11	9	6	2	4	3	1	-	-	109	69	37	3	-	19	16	3	-	-	60
361	76	22	215	48	7	3	2	1	1	338	124	46	134	34	114	37	16	47	14	61
231	53	13	131	34	3	2	1	-	-	193	67	28	76	20	67	22	10	27	8	62
66	6	2	49	9	-	-	-	-	-	67	12	5	41	9	18	3	1	11	3	63
54	16	7	26	5	4	1	1	1	1	61	35	13	8	5	24	9	5	7	3	64
5	1	-	4	-	-	-	-	-	-	14	7	-	7	-	5	3	-	2	-	65
5	-	-	5	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	66
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	14,553	8,734	5,569	149	101	112,620	58,235	46,348	4,460	3,577
2	I. Infective and parasitic diseases	221	148	56	10	7	2,499	1,431	530	366	172
3	Tuberculosis, all forms---001-019	116	83	22	8	5	1,578	939	285	254	100
4	Tuberculosis of respiratory system---001-008	107	76	21	7	3	1,441	884	250	225	82
5	Tuberculosis of meninges and central nervous system---010	3	1	-	1	1	47	13	12	17	5
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	1	1	-	-	-	9	3	2	1	3
7	Tuberculosis of vertebral column---012.0,013.0	1	1	-	-	-	7	4	3	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	5	1	3	1	-
9	Tuberculosis of genito-urinary system---016	4	3	1	-	-	27	20	5	2	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	-	-	-	-	-	3	1	1	-	1
11	Disseminated tuberculosis---019	2	1	-	-	1	39	13	9	8	9
12	Syphilis and its sequelae---020-029	43	32	9	2	-	438	251	70	79	38
13	Congenital syphilis---020	1	-	1	-	-	3	2	-	1	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	17	14	3	-	-	173	113	24	20	16
16	Other cardiovascular syphilis---023	14	10	4	-	-	114	55	14	31	14
17	Tabes dorsalis---024	1	1	-	-	-	13	5	6	2	-
18	General paralysis of insane---025	7	5	-	2	-	67	40	12	14	1
19	Other syphilis of central nervous system---026	3	2	1	-	-	60	31	13	10	6
20	Other syphilis---027-029	-	-	-	-	-	8	5	1	1	1
21	Gonococcal infection---030-035	-	-	-	-	-	2	1	-	1	-
22	Typhoid fever---040	-	-	-	-	-	2	1	1	-	-
23	Paratyphoid fever---041	-	-	-	-	-	4	-	3	-	1
24	Other Salmonella infections---042	1	-	1	-	-	1	1	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	-	-	-	-	-	7	3	3	-	1
28	Food poisoning (infection and intoxication)---049	1	1	-	-	-	2	1	1	-	-
29	Scarlet fever---050	2	-	2	-	-	11	5	6	-	-
30	Streptococcal sore throat---051	3	2	1	-	-	7	3	4	-	-
31	Erysipelas---052	1	1	-	-	-	2	2	-	-	-
32	Septicemia and pyemia---053	1	1	-	-	-	69	31	15	14	9
33	Diphtheria---055	3	2	1	-	-	6	2	2	-	2
34	Whooping cough---056	3	1	1	-	1	15	3	10	1	1
35	Meningococcal infections---057	7	6	1	-	-	76	40	27	4	5
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	-	-	-	-	-	8	7	1	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	5	2	3	-	-	53	32	19	2	-
42	Late effects of acute poliomyelitis---081	2	-	2	-	-	9	6	2	1	-
43	Acute infectious encephalitis---082	4	1	2	-	1	40	22	12	4	2
44	Late effects of acute infectious encephalitis---083	1	1	-	-	-	15	12	3	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	3	1	2	-	-	22	14	8	-	-
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	10	5	5	-	-	60	19	32	4	5
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	2	1	1	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	1	1	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	1	1	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	12	8	4	-	-	69	34	25	2	8
61	II. Neoplasms	2,241	1,182	1,026	17	16	17,897	8,626	8,158	570	543
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	2,203	1,163	1,007	17	16	17,468	8,438	7,949	561	520
63	Malignant neoplasm of buccal cavity and pharynx---140-148	35	24	11	-	-	379	288	62	25	4
64	Of lip---140	6	5	1	-	-	32	31	1	-	-
65	Of tongue---141	9	6	3	-	-	91	62	18	11	-
66	Of other and unspecified parts of buccal cavity---142-144	8	6	2	-	-	109	80	20	7	2
67	Of pharynx---145-148	12	7	5	-	-	147	115	23	7	2
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	803	461	326	11	5	6,816	3,506	2,916	229	165
69	Of esophagus---150	22	14	7	1	-	322	243	45	28	6
70	Of stomach---151	231	150	73	7	1	1,765	1,020	618	82	45
71	Of intestine, except rectum---152,153	220	104	115	-	1	2,087	925	1,069	36	57
72	Of rectum---154	96	55	41	-	-	1,004	565	389	29	21
73	Of biliary passages and of liver (stated to be primary site)---155	48	19	27	1	1	363	116	224	12	11
74	Of liver not specified whether primary or secondary---156A	40	26	13	-	1	369	174	173	15	7
75	Of pancreas---157	135	86	46	2	1	789	406	345	22	16
76	Of peritoneum and of unspecified digestive organs---158,159	11	7	4	-	-	117	57	53	5	2
77	Malignant neoplasm of respiratory system---160-164	236	193	40	1	2	1,970	1,517	318	113	22
78	Of larynx---161	15	14	-	-	1	170	144	18	8	-
79	Of trachea, and of bronchus and lung specified as primary---162	105	94	11	-	-	708	574	79	46	9
80	Of lung and bronchus, unspecified as primary or secondary---163	104	81	21	1	1	1,028	770	193	55	10
81	Of other parts of respiratory system---160,164	12	4	8	-	-	64	29	28	4	3
82	Malignant neoplasm of breast---170	205	5	200	-	-	1,473	8	1,371	4	90

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,286	4,309	3,807	93	77	18,579	5,898	4,006	4,694	3,981	5,841	3,376	2,158	183	124	29,309	12,932	9,598	3,570	3,209	1
161	107	46	4	4	517	103	57	215	142	107	49	17	17	24	1,013	423	281	185	124	2
93	62	25	3	3	270	53	27	116	74	64	22	6	14	22	682	290	203	111	78	3
87	60	21	3	3	243	53	25	104	61	56	21	6	12	17	622	276	187	92	67	4
1	-	1	-	-	10	-	1	5	4	4	-	-	1	3	23	8	7	6	2	5
2	-	2	-	-	1	-	-	-	1	-	-	-	-	-	6	2	2	-	2	6
-	-	-	-	-	1	-	1	-	-	2	1	-	-	1	1	-	-	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	8
-	-	-	-	-	4	-	-	3	1	-	-	-	-	-	5	-	2	1	2	9
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	4	2	1	-	1	10
3	2	1	-	-	9	-	-	3	6	2	-	-	1	1	20	2	4	10	4	11
25	21	4	-	-	70	18	6	36	10	13	7	5	1	-	94	31	10	33	20	12
-	-	-	-	-	6	-	1	2	3	-	-	-	-	-	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
13	10	3	-	-	25	10	4	7	4	5	3	2	-	-	16	8	4	3	1	15
5	5	-	-	-	22	3	1	15	3	5	2	2	1	-	43	12	5	18	8	16
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	15	4	-	11	-	2	2	-	-	-	22	6	-	9	7	18
4	3	1	-	-	1	-	-	1	-	1	-	1	-	-	10	4	-	3	3	19
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1	-	1	20
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	2	-	-	1	1	21
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	3	2	1	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	20	1	1	7	11	1	-	-	-	1	34	18	5	5	6	27
-	-	-	-	-	8	2	-	3	3	1	-	-	-	1	2	1	-	1	-	28
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	29
-	-	-	-	-	5	-	2	2	1	-	-	-	-	-	7	4	-	2	1	30
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	31
5	3	1	-	1	9	2	2	1	4	1	1	-	-	-	18	6	7	3	2	32
-	-	-	-	-	15	5	1	7	2	1	1	-	-	-	3	1	2	-	-	33
-	-	-	-	-	14	1	2	7	4	2	1	1	-	-	10	3	2	4	1	34
8	4	4	-	-	36	7	7	12	10	3	2	1	-	-	28	15	10	3	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	6	-	-	3	3	1	1	-	-	-	16	3	3	6	4	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
16	12	3	1	-	11	4	2	2	3	7	7	-	-	-	19	10	6	2	1	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	42
1	1	-	-	-	2	-	-	2	-	4	2	1	1	-	4	1	3	-	-	43
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	5	-	-	3	2	4	1	2	1	-	15	7	4	2	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	2	4	-	-	10	3	3	1	3	2	2	-	-	-	25	13	5	5	2	48
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	49
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	-	-	1	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	9	-	-	4	5	-	-	-	-	-	3	2	1	-	-	59
5	1	4	-	-	16	5	3	5	3	2	1	1	-	-	36	10	14	6	6	60
1,472	714	739	13	6	2,011	626	689	291	405	954	507	423	12	12	3,788	1,557	1,595	278	358	61
1,437	703	717	11	6	1,942	614	667	273	388	935	497	414	12	12	3,687	1,529	1,556	272	330	62
37	28	8	1	-	42	21	12	3	6	13	11	2	-	-	113	66	38	6	3	63
3	2	1	-	-	1	1	-	-	-	3	3	-	-	-	7	5	2	-	-	64
5	4	1	-	-	14	5	5	2	2	4	4	-	-	-	26	14	10	2	-	65
11	7	3	1	-	15	6	5	1	3	3	2	1	-	-	35	16	16	2	1	66
18	15	3	-	-	12	9	2	-	1	3	2	1	-	-	45	31	10	2	2	67
573	298	268	4	3	589	182	187	119	101	336	184	141	5	6	1,186	515	471	113	87	68
18	13	4	1	-	48	20	4	17	7	10	8	2	-	-	43	17	8	14	4	69
179	105	71	2	1	169	39	41	53	36	118	70	44	3	1	341	162	105	49	25	70
181	82	97	1	1	147	41	73	16	17	78	41	37	-	-	319	108	162	19	30	71
88	51	36	-	1	59	16	19	9	15	35	17	18	-	-	103	49	37	9	8	72
23	7	16	-	-	24	7	10	4	3	29	10	16	1	2	79	34	38	4	3	73
34	13	21	-	-	46	13	12	11	10	18	11	6	1	-	116	52	50	4	10	74
42	23	19	-	-	81	42	23	6	10	42	27	15	-	-	160	85	61	11	3	75
8	4	4	-	-	15	4	5	3	3	6	-	3	-	3	25	8	10	3	4	76
156	130	25	1	-	207	138	29	29	11	89	70	17	2	-	374	270	61	36	7	77
13	10	3	-	-	16	9	4	3	-	6	5	1	-	-	21	17	-	3	1	78
48	41	7	-	-	68	49	6	11	2	44	36	6	2	-	158	118	15	22	3	79
89	74	14	1	-	112	73	18	14	7	34	28	6	-	-	179	127	39	10	3	80
6	5	1	-	-	11	7	1	1	2	5	1	4	-	-	16	8	7	1	-	81
144	4	140	-	-	178	-	131	-	47	82	2	79	-	1	301	3	231	1	66	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	324	138	181	2	3	2,663	855	1,600	65	143
2	Of cervix uteri----------171	69	...	66	...	3	638	...	573	...	65
3	Of other and unspecified parts of uterus----------172-174	53	...	53	...	-	584	...	531	...	53
4	Of ovary, fallopian tube, and broad ligament----------175	56	...	56	...	-	455	...	432	...	23
5	Of other and unspecified female genital organs----------176	6	...	6	...	-	66	...	64	...	2
6	Of prostate----------177	127	125	...	2	...	867	804	...	63	...
7	Of testis, and of other and unspecified male genital organs----178,179	13	13	...	-	...	53	51	...	2	...
8	Malignant neoplasm of urinary organs----------180,181	85	60	23	1	1	836	535	264	24	13
9	Of kidney----------180	34	25	9	-	-	267	158	98	7	4
10	Of bladder and other urinary organs----------181	51	35	14	1	1	569	377	166	17	9
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	275	127	142	2	4	1,955	969	886	52	48
12	Of skin----------190,191	35	19	16	-	-	260	147	105	4	4
13	Of eye----------192	4	2	2	-	-	18	7	11	-	-
14	Of brain and other parts of nervous system----------193	69	39	28	-	2	299	172	111	10	6
15	Of thyroid gland----------194	11	1	9	-	1	69	23	44	1	1
16	Of bone (including jaw bone)----------196	12	4	8	-	-	181	105	70	2	4
17	Of connective tissue----------197	4	3	1	-	-	44	27	15	1	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	44	14	30	-	-	308	130	164	8	6
19	Of unspecified sites----------156B,165,198B,199B-M	96	45	48	2	1	776	358	366	26	26
20	Leukemia and aleukemia----------204	131	87	44	-	-	663	341	291	17	14
21	Lymphosarcoma, etc.*----------200-203,205	109	68	40	-	1	713	419	241	32	21
22	Lymphosarcoma and reticulosarcoma----------200	45	25	20	-	-	308	179	114	8	7
23	Hodgkin's disease----------201	36	24	11	-	1	211	137	64	5	5
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	28	19	9	-	-	194	103	63	19	9
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	38	19	19	-	-	429	188	209	9	23
26	Benign neoplasms of female genital organs----------214-217	2	...	2	...	-	66	...	60	...	6
27	Benign neoplasm of brain and other parts of nervous system----------223	8	1	7	-	-	55	23	28	-	4
28	Other benign neoplasms----------210-213,218-222,224-229	11	9	2	-	-	64	35	26	2	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	3	...	2	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	10	7	3	-	-	165	95	58	3	9
31	Other neoplasms of unspecified nature----------230-232,236,238,239	7	2	5	-	-	76	35	35	4	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	314	146	166	1	1	3,460	1,257	1,980	80	143
33	Asthma----------241	82	54	27	1	-	535	348	157	14	16
34	Nontoxic goiter----------250,251	1	-	1	-	-	11	3	8	-	-
35	Thyrotoxicosis with or without goiter----------252	8	2	6	-	-	98	17	73	-	8
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	-	-	-	-	-	19	2	15	-	2
37	Diabetes mellitus----------260	198	78	119	-	1	2,631	812	1,650	58	111
38	Diseases of thymus gland----------273	7	4	3	-	-	42	21	17	3	1
39	Diseases of adrenal glands----------274	4	1	3	-	-	25	9	16	-	-
40	Pellagra----------281	-	-	-	-	-	1	-	1	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	4	1	3	-	-	40	19	16	4	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	10	6	4	-	-	58	26	27	1	4
43	IV. Diseases of the blood and blood-forming organs----------	44	21	21	2	-	350	155	175	10	10
44	Anemias----------290-293	34	16	16	2	-	239	102	122	8	7
45	Pernicious and other hyperchromic anemias----------290	10	3	7	-	-	103	44	56	1	2
46	Anemias of other and unspecified type----------291-293	24	13	9	2	-	136	58	66	7	5
47	Purpura and other hemorrhagic conditions----------296	5	4	1	-	-	35	13	21	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	5	1	4	-	-	76	40	32	2	2
49	V. Mental, psychoneurotic, and personality disorders----------	57	32	23	2	-	213	125	59	19	10
50	Senile psychosis----------304	16	6	10	-	-	49	18	29	1	1
51	Alcoholic psychosis----------307	3	2	1	-	-	10	8	1	1	-
52	Other psychoses----------300-303,305,306,308,309	4	3	1	-	-	35	17	14	2	2
53	Alcoholism----------322	27	18	7	2	-	107	76	9	15	7
54	Mental deficiency----------325	5	2	3	-	-	9	6	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	2	1	1	-	-	3	-	3	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,824	931	865	13	15	12,907	5,661	6,387	436	423
57	Vascular lesions affecting central nervous system----------330-334	1,696	854	816	12	14	11,961	5,194	5,998	379	390
58	Subarachnoid hemorrhage----------330	50	26	22	-	2	300	146	116	19	19
59	Cerebral hemorrhage----------331	1,090	553	521	8	8	7,445	3,240	3,755	228	222
60	Cerebral embolism and thrombosis----------332	396	205	183	4	4	2,688	1,170	1,359	82	77
61	Other vascular lesions affecting central nervous system--------333,334	160	70	90	-	-	1,528	638	768	50	72
62	Meningitis, except meningococcal and tuberculous----------340	16	10	6	-	-	109	57	31	12	9
63	Multiple sclerosis----------345	15	7	8	-	-	130	55	69	3	3
64	Paralysis agitans----------350	33	20	13	-	-	215	97	115	2	1
65	Cerebral spastic infantile paralysis----------351	5	2	3	-	-	34	15	16	2	1
66	Epilepsy----------353	16	11	4	-	1	143	80	45	11	7
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	-	-	-	-	-	6	6	-	-	-
69	Glaucoma----------387	-	-	-	-	-	5	-	4	-	1
70	Otitis media and mastoiditis----------391-393	3	3	-	-	-	22	12	8	2	-
71	Other diseases of nervous system and sense organs----------Residual[1]	40	24	15	1	-	282	145	101	25	11
72	VII. Diseases of the circulatory system----------	6,073	3,822	2,194	35	22	50,427	27,007	20,703	1,479	1,238
73	Rheumatic fever----------400-402	12	6	6	-	-	149	71	60	6	12
74	Diseases of heart----------410-443	5,466	3,475	1,942	30	19	45,944	24,839	18,652	1,346	1,107
75	Chronic rheumatic heart disease----------410-416	229	129	98	1	1	1,739	768	871	58	42
76	Diseases of mitral valve----------410	94	48	45	-	1	666	255	377	19	15
77	Diseases of aortic valve specified as rheumatic----------411	21	18	3	-	-	62	42	17	3	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	1	-	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	9	6	3	-	-	97	44	47	3	3
80	Other diseases of heart specified as rheumatic----------415,416	105	57	47	1	-	913	427	429	33	24

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total[1]	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
175	62	111	1	1	433	83	148	52	150	146	74	69	1	2	729	204	358	57	110	1
42	...	42	...	-	142	...	68	...	74	25	...	25	...	-	245	...	184	...	61	2
25	...	24	...	1	105	...	43	...	62	26	...	24	...	2	121	...	86	...	35	3
39	...	39	...	-	47	...	35	...	12	18	...	18	...	-	89	...	79	...	10	4
6	...	6	...	-	4	...	2	...	2	2	...	2	...	-	13	...	9	...	4	5
61	60	...	1	...	124	74	...	50	...	71	70	...	1	...	246	192	...	54	...	6
2	2	...	-	...	11	9	...	2	...	4	4	...	-	...	15	12	...	3	...	7
58	38	20	1	-	76	26	26	12	12	55	29	25	1	-	146	70	54	12	10	8
19	13	6	-	-	25	10	10	4	1	22	10	12	-	-	53	24	22	2	5	9
40	25	14	1	-	51	16	16	8	11	33	19	13	1	-	93	46	32	10	5	10
178	79	97	2	-	258	100	79	37	42	122	65	53	1	3	497	219	221	24	33	11
14	9	5	-	-	37	14	16	6	1	13	6	7	-	-	97	53	40	3	1	12
1	1	-	-	-	2	2	-	-	-	2	-	2	-	-	10	6	3	-	1	13
18	9	9	-	-	45	24	10	5	6	29	16	13	-	-	115	56	51	6	2	14
3	-	3	-	-	8	2	4	-	2	5	3	2	-	-	11	4	4	1	2	15
14	10	4	-	-	18	9	3	3	3	15	11	4	-	-	34	17	14	1	2	16
5	2	3	-	-	7	1	4	1	1	7	3	2	-	2	16	5	10	1	-	17
36	13	21	2	-	66	24	25	9	8	12	8	4	-	-	85	30	47	2	6	18
87	35	52	-	-	75	24	17	13	21	39	18	19	1	1	129	48	52	10	19	19
52	32	20	-	-	81	23	32	13	13	44	33	10	1	-	185	92	75	12	6	20
63	32	28	1	2	78	41	23	8	6	48	29	18	1	-	156	90	47	11	8	21
22	10	11	-	1	45	23	16	2	4	15	10	5	-	-	78	44	25	5	4	22
26	13	13	-	-	23	13	5	5	-	12	4	7	1	-	41	24	16	1	-	23
15	9	4	1	1	10	5	2	1	2	21	15	6	-	-	37	22	6	5	4	24
35	11	22	2	-	69	12	22	18	17	19	10	9	-	-	101	28	39	6	28	25
2	...	2	...	-	20	...	10	...	10	3	...	3	...	-	33	...	13	...	20	26
6	1	4	1	-	17	3	5	7	2	5	3	2	-	-	19	11	7	-	1	27
6	2	4	-	-	15	4	4	6	1	5	2	3	-	-	16	4	9	1	2	28
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	29
12	5	7	-	-	9	3	2	2	2	3	2	1	-	-	23	11	7	4	1	30
9	3	5	1	-	7	2	-	3	2	3	3	-	-	-	8	2	2	1	3	31
302	103	189	2	8	375	114	109	50	102	166	92	69	2	3	506	175	204	51	76	32
38	21	17	-	-	55	22	11	15	7	42	29	12	-	1	114	55	42	8	9	33
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	6	-	3	-	3	34
2	1	1	-	-	11	1	4	-	6	2	1	1	-	-	14	2	9	-	3	35
3	1	2	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	36
245	71	164	2	8	264	78	79	30	77	117	59	55	1	2	306	98	125	28	55	37
3	2	1	-	-	11	2	2	4	3	1	1	-	-	-	4	-	3	1	-	38
2	2	-	-	-	2	-	-	-	2	-	-	-	-	-	12	6	1	4	1	39
-	-	-	-	-	6	2	2	-	2	-	-	-	-	-	10	4	4	-	2	40
1	-	1	-	-	9	3	3	1	2	1	-	-	1	-	22	5	10	5	2	41
7	5	2	-	-	14	5	6	-	3	3	2	1	-	-	16	5	5	5	1	42
23	11	11	1	-	72	18	15	19	20	25	13	11	1	-	82	29	34	12	7	43
15	8	6	1	-	55	10	10	17	18	20	10	10	-	-	52	21	16	10	5	44
5	2	3	-	-	5	1	2	1	1	9	5	4	-	-	14	6	5	1	2	45
10	6	3	1	-	50	9	8	16	17	11	5	6	-	-	38	15	11	9	3	46
2	-	2	-	-	5	1	2	-	2	2	1	-	1	-	15	2	11	1	1	47
6	3	3	-	-	12	7	3	2	-	3	2	1	-	-	15	6	7	1	1	48
17	12	5	-	-	35	12	5	14	4	16	11	3	2	-	94	39	29	16	10	49
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	19	6	11	-	2	50
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	3	2	-	1	-	51
1	1	-	-	-	3	1	2	-	-	3	3	-	-	-	25	7	9	5	4	52
14	9	5	-	-	25	8	1	13	3	8	6	1	1	-	34	17	5	8	4	53
-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	6	3	2	1	-	54
-	-	-	-	-	4	2	-	1	1	1	1	-	-	-	7	4	2	1	-	55
937	428	490	7	12	2,695	693	656	684	662	763	391	356	10	6	3,973	1,577	1,475	436	485	56
861	387	459	5	10	2,519	637	617	628	637	703	366	325	9	3	3,727	1,473	1,400	391	463	57
25	12	13	-	-	73	20	26	12	15	12	5	7	-	-	101	37	31	11	22	58
496	213	272	3	8	1,741	388	422	444	487	500	255	236	7	2	2,472	951	927	281	313	59
268	125	140	2	1	442	150	126	92	74	103	54	47	1	1	682	305	270	52	55	60
72	37	34	-	1	263	79	43	80	61	88	52	35	1	-	472	180	172	47	73	61
7	4	3	-	-	35	10	5	12	8	9	3	4	1	1	44	18	8	11	7	62
17	7	9	-	1	10	5	4	1	-	7	4	3	-	-	10	5	5	-	-	63
12	6	6	-	-	16	8	4	3	1	13	7	5	-	1	30	15	7	6	2	64
3	1	2	-	-	9	2	2	4	1	1	-	1	-	-	16	7	5	3	1	65
5	3	1	-	1	41	14	1	17	9	9	3	6	-	-	42	15	12	12	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	68
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
6	4	2	-	-	6	3	2	1	-	2	1	1	-	-	8	2	2	2	2	70
26	16	8	2	-	58	14	21	17	6	19	7	11	-	1	95	41	36	11	7	71
3,847	2,028	1,745	43	31	6,445	2,450	1,425	1,324	1,246	2,210	1,354	791	39	26	10,176	4,862	3,339	1,033	942	72
5	4	1	-	-	27	3	4	12	8	10	5	4	-	1	39	16	11	5	7	73
3,571	1,899	1,600	42	30	5,747	2,227	1,275	1,141	1,104	1,994	1,235	700	36	23	9,234	4,469	3,009	925	831	74
103	47	56	-	-	148	38	29	34	47	72	39	30	2	1	298	118	121	25	34	75
33	18	15	-	-	73	18	16	16	23	31	15	15	-	1	149	60	56	14	19	76
8	6	2	-	-	3	2	-	-	1	3	2	1	-	-	12	7	5	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
1	-	1	-	-	7	1	1	3	2	6	3	3	-	-	10	3	2	-	5	79
61	23	38	-	-	65	17	12	15	21	32	19	11	2	-	127	48	58	11	10	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	3,773	2,581	1,166	17	9	29,395	17,576	10,539	752	528
2	Arteriosclerotic heart disease so described----420.0	1,110	666	441	2	1	10,282	5,168	4,607	293	214
3	Heart disease specified as involving coronary arteries----420.1	2,655	1,911	721	15	8	19,040	12,366	5,904	457	313
4	Angina pectoris without mention of coronary disease----420.2	8	4	4	-	-	73	42	28	2	1
5	Chronic endocarditis not specified as rheumatic----421	69	40	28	1	-	715	345	320	25	25
6	Of mitral valve, specified as nonrheumatic----421.0	2	1	1	-	-	61	33	23	1	4
7	Of aortic valve, not specified as rheumatic----421.1	28	19	8	1	-	144	90	37	8	9
8	Of other valves, not specified as rheumatic----421.2-421.4	39	20	19	-	-	510	222	260	16	12
9	Other myocardial degeneration----422	289	163	125	-	1	6,224	2,901	3,027	159	137
10	With arteriosclerosis----422.1	146	78	68	-	-	3,610	1,646	1,808	80	76
11	Without mention of arteriosclerosis----422.0,422.2	143	85	57	-	1	2,614	1,255	1,219	79	61
12	Other diseases of heart----430-434	280	189	89	2	-	1,482	770	603	61	48
13	Acute and subacute endocarditis----430	8	5	3	-	-	58	35	19	1	3
14	Acute myocarditis not specified as rheumatic----431	12	8	4	-	-	186	90	84	8	6
15	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	3	2	1	-	-
16	Functional disease of heart----433	35	22	13	-	-	179	79	92	4	4
17	Other and unspecified diseases of heart----434	225	154	69	2	-	1,054	564	407	48	35
18	Hypertension with heart disease----440-443	826	373	436	9	8	6,389	2,479	3,292	291	327
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	309	159	148	2	-	2,216	974	1,088	89	65
20	Essential hypertension with heart disease, etc.*----440,441,443	517	214	288	7	8	4,173	1,505	2,204	202	262
21	Hypertension without mention of heart----444-447	71	37	32	1	1	835	360	376	42	57
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	27	21	6	-	-	443	215	182	19	27
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	44	16	26	1	1	392	145	194	23	30
24	Diseases of arteries----450-456	484	283	195	4	2	3,164	1,568	1,481	67	48
25	General arteriosclerosis----450	397	224	169	2	2	2,820	1,360	1,382	46	32
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	65	50	13	2	-	199	133	43	17	6
27	Gangrene of unspecified cause----455	1	-	1	-	-	22	13	9	-	-
28	Other arterial diseases----452-454,456	21	9	12	-	-	123	62	47	4	10
29	Diseases of veins and other diseases of circulatory system----460-468	40	21	19	-	-	335	169	134	18	14
30	VIII. Diseases of the respiratory system----	634	414	204	10	6	4,785	2,876	1,436	308	165
31	Acute upper respiratory infections----470-475	10	5	4	1	-	34	17	12	3	2
32	Influenza----480-483	44	21	22	1	-	458	232	204	12	10
33	Pneumonia, except pneumonia of newborn----490-493	400	252	136	6	6	2,634	1,338	932	234	130
34	Lobar pneumonia----490	85	59	25	1	-	879	456	283	101	39
35	Bronchopneumonia----491	232	144	80	5	3	1,214	589	445	107	73
36	Primary atypical pneumonia----492	33	20	12	-	1	251	130	107	7	7
37	Pneumonia, other and unspecified----493	50	29	19	-	2	290	163	97	19	11
38	Acute bronchitis----500	20	11	8	1	-	72	30	31	5	6
39	Bronchitis, chronic and unqualified----501,502	29	23	6	-	-	123	76	40	5	2
40	Hypertrophy of tonsils and adenoids----510	3	2	1	-	-	21	12	8	-	1
41	Empyema and abscess of lung----518,521	9	8	1	-	-	57	35	13	8	1
42	Pleurisy----519	3	1	2	-	-	19	8	10	1	-
43	All other respiratory diseases----Residual[1]	116	91	24	1	-	1,367	1,128	186	40	13
44	IX. Diseases of the digestive system----	431	250	172	5	4	4,191	2,297	1,599	161	134
45	Diseases of teeth and supporting structures----530-535	2	1	1	-	-	9	5	4	-	-
46	Ulcer of stomach----540	33	23	9	1	-	336	244	69	15	8
47	Ulcer of duodenum----541	38	28	10	-	-	310	247	48	10	5
48	Gastritis and duodenitis----543	3	1	2	-	-	34	20	6	6	2
49	Appendicitis----550-553	21	15	6	-	-	161	98	48	12	3
50	Hernia and intestinal obstruction----560,561,570	76	41	33	-	2	739	345	337	31	26
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	40	19	21	-	-	372	169	160	21	22
52	Cirrhosis of liver----581	116	69	44	1	2	1,202	735	393	39	35
53	Without mention of alcoholism----581.0	88	52	36	-	-	1,047	625	364	30	28
54	With alcoholism----581.1	28	17	8	1	2	155	110	29	9	7
55	Cholelithiasis and cholecystitis----584,585	45	20	24	1	-	486	157	317	6	6
56	Other diseases of digestive system----Residual[1]	57	33	22	2	-	542	277	217	21	27
57	X. Diseases of the genito-urinary system----	266	176	79	5	6	2,571	1,396	885	154	136
58	Nephritis and nephrosis----590-594	150	81	59	4	6	1,661	798	671	96	96
59	Acute nephritis----590	5	4	1	-	-	100	47	43	6	4
60	Nephritis with edema, including nephrosis----591	6	6	-	-	-	99	53	39	2	5
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	139	71	58	4	6	1,462	698	589	88	87
62	Infections of kidney----600	47	32	15	-	-	244	90	102	24	28
63	Calculi of urinary system----602,604	5	3	2	-	-	78	39	33	4	2
64	Other diseases of urinary system----601.603,605-609	13	11	1	1	-	111	66	31	10	4
65	Hyperplasia of prostate----610	48	48	...	-	...	393	375	...	18	...
66	Other diseases of male genital organs----611-617	1	1	...	-	...	30	28	...	2	...
67	Diseases of breast----620,621	-	-	-	-	-	1	-	1	-	-
68	Diseases of female genital organs----622-637	2	...	2	...	-	53	...	47	...	6
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	16	...	15	...	1	129	...	99	...	30
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	-	...	-	...	-	13	...	10	...	3
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	5	...	4	...	1	38	...	31	...	7
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	3	...	3	...	-	18	...	15	...	3
73	Ectopic pregnancy----645	2	...	2	...	-	9	...	4	...	5
74	Abortion without mention of sepsis or toxemia----650	-	...	-	...	-	7	...	4	...	3
75	Abortion with sepsis----651	1	...	1	...	-	12	...	6	...	6
76	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	4	...	4	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	5	...	5	...	-	28	...	25	...	3

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,656	1,508	1,098	33	17	3,097	1,575	708	460	354	1,358	902	419	22	15	5,012	2,829	1,588	330	265	1
1,376	706	652	8	10	581	244	184	77	76	361	214	133	8	6	1,479	685	576	126	92	2
1,275	799	444	25	7	2,466	1,306	510	375	275	992	686	283	14	9	3,480	2,110	1,000	200	170	3
5	3	2	-	-	50	25	14	8	3	5	2	3	-	-	53	34	12	4	3	4
37	15	22	-	-	144	31	15	48	50	32	18	13	1	-	180	61	59	34	26	5
6	3	3	-	-	10	1	-	5	4	-	-	-	-	-	25	6	12	4	3	6
11	4	7	-	-	26	7	1	7	11	9	6	3	-	-	48	19	8	13	8	7
20	8	12	-	-	108	23	14	36	35	23	12	10	1	-	107	36	39	17	15	8
262	119	135	6	2	549	181	164	95	109	227	112	111	3	1	1,175	466	453	130	126	9
142	56	82	3	1	282	82	93	50	57	104	55	47	1	1	456	188	192	35	41	10
120	63	53	3	1	267	99	71	45	52	123	57	64	2	-	719	278	261	95	85	11
55	30	23	2	-	336	94	44	109	89	93	54	29	6	4	678	334	167	101	76	12
-	-	-	-	-	13	-	-	6	7	5	4	1	-	-	14	7	5	-	2	13
11	4	7	-	-	37	8	5	13	11	3	1	2	-	-	66	13	15	17	21	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	15
11	5	6	-	-	16	8	3	-	5	12	6	6	-	-	45	19	23	2	1	16
33	21	10	2	-	270	78	36	90	66	73	43	20	6	4	551	293	124	82	52	17
458	180	266	1	11	1,473	308	315	395	455	212	110	98	2	2	1,891	661	621	305	304	18
123	60	63	-	-	483	96	92	130	165	88	47	39	1	1	441	175	136	61	69	19
335	120	203	1	11	990	212	223	265	290	124	63	59	1	1	1,450	486	485	244	235	20
68	31	37	-	-	197	42	43	67	45	41	17	23	1	-	310	124	79	46	61	21
45	19	26	-	-	68	16	20	24	8	17	8	9	-	-	129	57	27	27	18	22
23	12	11	-	-	129	26	23	43	37	24	9	14	1	-	181	67	52	19	43	23
184	87	96	-	1	429	164	91	97	77	145	83	58	2	2	498	216	204	47	31	24
161	73	87	-	1	361	141	83	86	71	131	73	54	2	2	418	168	183	39	28	25
12	9	3	-	-	30	18	2	8	2	9	8	1	-	-	41	27	9	4	1	26
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	7	3	2	2	-	27
9	5	4	-	-	18	5	6	3	4	5	2	3	-	-	32	18	10	2	2	28
19	7	11	1	-	45	14	12	7	12	20	14	6	-	-	95	37	36	10	12	29
228	151	71	2	4	1,069	249	184	348	288	268	136	94	23	15	1,616	628	545	233	210	30
7	5	2	-	-	14	3	2	4	5	5	1	3	1	-	32	13	10	3	6	31
5	2	3	-	-	276	53	49	90	84	47	20	23	2	2	415	123	157	62	73	32
136	88	43	1	4	629	124	104	219	182	160	74	55	20	11	901	355	299	137	110	33
49	37	10	-	2	223	47	35	71	70	37	21	10	6	-	302	105	100	54	43	34
63	39	22	-	2	276	47	41	102	86	50	23	22	1	4	455	188	157	68	42	35
8	3	5	-	-	59	15	19	12	13	14	7	5	2	-	70	31	24	4	11	36
16	9	6	1	-	71	15	9	34	13	59	23	18	11	7	74	31	18	11	14	37
7	4	3	-	-	13	5	-	4	4	2	2	-	-	-	16	5	3	6	2	38
18	12	5	1	-	22	11	4	6	1	7	5	2	-	-	43	20	12	4	7	39
1	-	1	-	-	4	2	1	1	-	2	1	1	-	-	7	2	2	2	1	40
2	1	1	-	-	8	1	-	3	4	2	2	-	-	-	12	3	2	6	1	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	2	42
52	39	13	-	-	103	50	24	21	8	43	31	10	-	2	186	106	59	13	8	43
296	179	110	5	2	586	185	124	149	128	181	114	51	8	8	914	416	320	103	75	44
1	-	1	-	-	3	-	1	1	1	1	1	-	-	-	4	1	2	1	-	45
22	15	7	-	-	46	19	5	16	6	12	11	1	-	-	70	38	18	10	4	46
41	33	8	-	-	33	21	4	7	1	11	9	2	-	-	65	45	12	7	1	47
2	2	-	-	-	1	-	-	-	1	1	1	-	-	-	8	-	2	2	4	48
10	6	3	1	-	20	5	5	5	5	12	10	2	-	-	39	21	9	2	7	49
38	17	20	1	-	74	26	14	14	20	30	16	11	2	1	160	49	71	29	11	50
25	16	7	-	2	191	28	24	72	67	24	12	7	1	4	141	43	57	23	18	51
90	54	33	3	-	100	45	28	14	13	31	23	7	1	-	187	115	53	11	8	52
51	28	23	-	-	88	36	26	14	12	25	18	6	1	-	148	92	46	7	3	53
39	26	10	3	-	12	9	2	-	1	6	5	1	-	-	39	23	7	4	5	54
25	10	15	-	-	35	14	20	1	-	37	19	13	3	2	87	38	45	1	3	55
42	26	16	-	-	83	27	23	19	14	22	12	8	1	1	153	66	51	17	19	56
176	102	70	3	1	595	158	105	188	144	138	98	35	4	1	826	343	230	145	108	57
106	50	53	2	1	398	94	75	112	117	70	40	26	3	1	518	190	165	85	78	58
7	4	3	-	-	33	6	11	6	10	8	3	5	-	-	47	17	11	6	13	59
9	5	4	-	-	18	3	3	4	8	3	2	1	-	-	30	15	4	5	6	60
90	41	46	2	1	347	85	61	102	99	59	35	20	3	1	441	158	150	74	59	61
25	12	12	1	-	45	12	12	11	10	5	2	2	1	-	106	31	42	12	21	62
3	3	-	-	-	26	7	11	4	4	4	3	1	-	-	15	8	6	1	-	63
6	4	2	-	-	28	10	4	11	3	5	3	2	-	-	36	10	9	14	3	64
30	30	...	-	...	78	32	...	46	...	45	45	...	-	...	122	96	...	26	...	65
3	3	...	-	...	7	3	...	4	...	5	5	...	-	...	15	8	...	7	...	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
3	...	3	...	-	12	...	3	...	9	4	...	4	...	-	14	...	8	...	6	68
6	...	5	...	1	72	...	21	...	51	7	...	7	...	-	72	...	35	...	37	69
1	...	1	...	-	6	...	4	...	2	1	...	1	...	-	10	...	4	...	6	70
1	...	1	...	-	33	...	6	...	27	2	...	2	...	-	30	...	14	...	16	71
2	...	2	...	-	14	...	4	...	10	2	...	2	...	-	7	...	6	...	1	72
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	73
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	5	...	1	...	4	74
1	...	1	...	-	4	...	-	...	4	-	...	-	...	-	5	...	3	...	2	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	76
1	...	-	...	1	13	...	7	...	6	1	...	1	...	-	12	...	6	...	6	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	11	1	10	-	-	82	36	34	4	8
2	Infections of skin and subcutaneous tissue--690-698	2	-	2	-	-	23	16	4	-	3
3	Other diseases of skin and subcutaneous tissue--700-716	9	1	8	-	-	59	20	30	4	5
4	XIII. Diseases of the bones and organs of movement	35	13	22	-	-	209	94	102	7	6
5	Arthritis and spondylitis--720-725	23	6	17	-	-	107	41	60	2	4
6	Muscular rheumatism and rheumatism, unspecified--726,727	-	-	-	-	-	4	1	2	1	-
7	Osteomyelitis and periostitis--730	1	1	-	-	-	14	9	3	1	1
8	Ankylosis and acquired musculoskeletal deformities--737,745-749	2	1	1	-	-	6	6	-	-	-
9	All other diseases of musculoskeletal system--731-736,738-744	9	5	4	-	-	78	37	37	3	1
10	XIV. Congenital malformations	221	112	101	4	4	1,285	640	553	55	37
11	Spina bifida and meningocele--751	11	4	7	-	-	151	55	93	1	2
12	Congenital hydrocephalus, etc.*--752,753	20	6	13	1	-	145	70	68	5	2
13	Congenital malformations of circulatory system--754	108	61	42	3	2	545	293	208	22	22
14	Other congenital malformations--750,755-759	82	41	39	-	2	444	222	184	27	11
15	XV. Certain diseases of early infancy	545	301	225	10	9	3,822	1,869	1,350	321	282
16	Birth injuries--760,761	129	71	57	-	1	755	422	225	57	51
17	Postnatal asphyxia and atelectasis--762	147	84	57	3	3	920	458	292	95	75
18	Infections of newborn--763-768	25	15	10	-	-	236	101	92	23	20
19	Hemolytic disease of newborn (erythroblastosis)--770	32	21	11	-	-	148	78	62	8	-
20	All other defined diseases of early infancy--769,771,772	6	3	4	1	-	95	43	36	7	9
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified--773-776	204	107	86	6	5	1,668	767	643	131	127
22	XVI. Symptoms, senility, and ill-defined conditions	229	151	73	2	3	731	397	261	44	29
23	Senility without mention of psychosis--794	111	62	47	2	-	176	61	102	4	9
24	Symptoms, ill-defined and unknown causes--780-793,795	118	89	26	-	3	555	336	159	40	20
25	XVII. Accidents, poisonings, and violence	1,391	1,034	317	33	7	7,062	4,368	2,037	446	211
26	Accidents--E800-E962	1,090	809	254	22	5	5,758	3,527	1,752	315	164
27	Railway accidents--E800-E802	22	19	1	2	-	95	80	7	5	3
28	Motor-vehicle accidents--E810-E835	416	297	107	11	1	1,863	1,318	418	96	31
29	Motor-vehicle traffic accidents--E810-E825	387	271	104	11	1	1,828	1,294	407	96	31
30	Motor-vehicle traffic accident with railway train*--E810	20	14	6	-	-	59	40	19	-	-
31	Motor-vehicle traffic accident to pedestrian--E812	71	49	18	3	-	563	388	124	40	11
32	Other motor-vehicle traffic accidents, etc.*--E811,E813-E819	131	91	38	2	-	576	402	137	26	11
33	Motor-vehicle noncollision traffic accidents--E820-E824	100	71	25	4	-	382	296	61	19	6
34	Motor-vehicle traffic accident of unspecified nature--E825	65	46	16	2	1	248	168	66	11	3
35	Motor-vehicle nontraffic accidents--E830-E835	29	26	3	-	-	35	24	11	-	-
36	Other road-vehicle accidents--E840-E845	5	3	2	-	-	40	29	7	3	1
37	Water-transport accidents--E850-E858	40	36	4	-	-	53	50	2	1	-
38	Aircraft accidents--E860-E866	24	24	-	-	-	57	53	3	1	-
39	Accidental poisoning by solid and liquid substances--E870-E888	11	3	8	-	-	70	37	20	8	5
40	Accidental poisoning by gases and vapors--E890-E895	36	23	13	-	-	85	62	17	5	1
41	Accidental falls--E900-E904	129	71	57	-	1	1,873	839	947	52	35
42	Fall from one level to another--E900-E902	47	34	12	-	1	774	448	278	29	19
43	Fall on same level--E903	31	15	16	-	-	302	106	185	5	6
44	Unspecified falls--E904	51	22	29	-	-	797	285	484	18	10
45	Blow from falling object--E910	52	49	3	-	-	128	120	2	5	1
46	Accident caused by machinery--E912	53	52	1	-	-	129	117	3	9	-
47	Accident caused by electric current--E914	11	10	1	-	-	59	53	5	1	-
48	Accident caused by fire and explosion, etc.*--E916	52	38	11	2	1	386	167	126	39	54
49	Accident caused by hot substance, etc.*--E917,E918	8	4	4	-	-	56	29	16	5	6
50	Accident caused by firearm--E919	26	21	4	-	1	92	80	4	8	-
51	Inhalation and ingestion of food or other object, etc.*--E921,E922	31	18	13	-	-	102	55	28	16	3
52	Accidental drowning--E929	72	63	6	3	-	252	180	34	33	5
53	Excessive heat and insolation--E931	1	-	1	-	-	40	19	15	3	3
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*--E940-E959	8	5	3	-	-	44	18	21	1	4
55	All other accidents--Residual[1]	93	73	15	4	1	334	221	77	24	12
56	Suicide--E963,E970-E979	253	200	49	4	-	1,003	750	225	23	5
57	Suicide by poisoning--E970-E973	74	51	22	1	-	173	113	57	3	-
58	Suicide by hanging and strangulation--E974	30	23	6	1	-	324	226	88	8	2
59	Suicide by firearms and explosives--E976	126	113	11	2	-	360	312	43	4	1
60	Suicide by all other means--E963,E975,E977-E979	23	13	10	-	-	146	99	37	8	2
61	Homicide--E964,E980-E985	48	25	14	7	2	296	86	60	108	42
62	Assault by firearms and explosives--E981	23	11	7	4	1	106	29	28	38	11
63	Assault by cutting and piercing instruments--E982	8	4	1	2	1	67	14	5	36	12
64	Assault by other means--E964,E980,E983	12	5	6	1	-	111	38	27	27	19
65	Injury by intervention of police--E984	2	2	-	-	-	8	3	-	5	-
66	Execution--E985	3	3	-	-	-	4	2	-	2	-
67	Injury resulting from operations of war--E965,E990-E999	-	-	-	-	-	5	5	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	5	4	-	-	18	2	7	2	7	9	5	3	-	1	30	4	15	6	5	1
4	3	1	-	-	8	-	3	1	4	5	4	1	-	-	3	-	1	1	1	2
5	2	3	-	-	10	2	4	1	3	4	1	2	-	1	27	4	14	5	4	3
12	7	5	-	-	35	14	6	9	6	16	6	10	-	-	90	32	43	8	7	4
6	2	4	-	-	22	5	5	7	5	7	3	4	-	-	60	20	31	4	5	5
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	4	1	2	-	1	6
-	-	-	-	-	2	1	-	1	-	2	1	1	-	-	4	3	-	1	-	7
-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	2	1	1	-	-	8
6	5	1	-	-	8	8	-	-	-	5	2	3	-	-	20	7	9	3	1	9
112	62	48	1	1	227	83	80	37	27	100	54	40	4	2	404	186	160	41	17	10
19	14	5	-	-	22	7	15	-	-	8	2	6	-	-	36	14	21	1	-	11
23	10	13	-	-	34	11	8	9	6	11	5	4	2	-	49	15	22	9	3	12
42	21	19	1	1	98	40	28	17	13	52	29	21	1	1	174	84	67	15	8	13
28	17	11	-	-	73	25	29	11	8	29	18	9	1	1	145	73	50	16	6	14
267	141	115	6	5	1,220	349	248	358	265	257	154	88	8	7	1,360	619	388	181	172	15
44	23	19	2	-	186	66	43	48	29	51	32	19	-	-	218	115	55	28	20	16
54	26	27	-	1	272	100	71	55	46	74	41	28	4	1	311	159	93	31	28	17
12	6	6	-	-	112	12	16	41	43	17	7	4	3	3	90	33	14	25	18	18
11	4	7	-	-	44	18	11	9	6	13	11	2	-	-	48	16	28	1	3	19
3	1	2	-	-	76	16	7	35	18	5	3	2	-	-	61	28	18	8	7	20
143	81	54	4	4	530	137	100	170	123	97	60	33	1	3	632	268	180	88	96	21
22	9	13	-	-	750	110	40	337	263	89	37	29	15	8	1,931	636	415	445	435	22
8	-	8	-	-	35	4	8	5	18	38	17	18	3	-	158	64	70	11	13	23
14	9	5	-	-	715	106	32	332	245	51	20	11	12	8	1,773	572	345	434	422	24
399	250	141	6	2	1,857	732	235	669	221	535	355	131	38	11	2,434	1,406	490	397	141	25
332	205	121	4	2	1,513	604	208	514	187	468	308	118	31	11	1,942	1,136	430	265	111	26
2	2	-	-	-	38	20	1	15	2	6	6	-	-	-	34	25	1	8	-	27
83	62	20	-	1	706	340	84	228	54	192	133	36	20	3	837	559	154	92	32	28
80	60	19	-	1	686	329	80	224	53	187	128	36	20	3	810	539	148	91	32	29
-	-	-	-	-	12	5	4	2	1	8	4	1	3	-	24	14	9	1	-	30
30	19	11	-	-	129	47	15	55	12	19	11	5	2	1	152	88	26	25	13	31
22	17	5	-	-	95	47	10	29	9	83	65	13	4	1	332	220	63	38	11	32
17	15	2	-	-	95	47	6	35	7	49	29	10	9	1	235	170	38	20	7	33
11	9	1	-	1	355	183	45	103	24	28	19	7	2	-	67	47	12	7	1	34
3	2	1	-	-	20	11	4	4	1	5	5	-	-	-	27	20	6	1	-	35
1	1	-	-	-	12	3	-	7	2	4	4	-	-	-	9	5	1	3	-	36
2	2	-	-	-	24	15	2	7	-	6	5	-	1	-	38	32	3	3	-	37
2	2	-	-	-	18	9	1	8	-	12	11	1	-	-	15	13	1	1	-	38
9	7	2	-	-	38	9	5	19	5	6	3	2	1	-	31	21	6	1	3	39
24	13	11	-	-	2	-	2	-	-	3	3	-	-	-	12	8	2	2	-	40
115	51	64	-	-	136	34	60	26	16	95	47	43	1	4	296	122	138	21	15	41
34	22	12	-	-	46	15	8	17	6	31	21	10	-	-	87	46	30	9	2	42
41	9	32	-	-	16	1	9	5	1	27	12	15	-	-	70	21	43	2	4	43
40	20	20	-	-	74	18	43	4	9	37	14	18	1	4	139	55	65	10	9	44
1	-	-	1	-	24	9	-	15	-	3	3	-	-	-	29	20	3	6	-	45
2	2	-	-	-	29	15	-	14	-	31	30	1	-	-	60	51	1	8	-	46
1	1	-	-	-	13	6	-	6	1	4	3	1	-	-	35	28	1	5	1	47
15	9	5	1	-	145	31	15	47	52	28	13	13	2	-	165	46	46	40	33	48
3	2	1	-	-	17	4	4	3	6	3	1	2	-	-	22	9	3	8	2	49
2	2	-	-	-	59	31	3	21	4	12	8	4	-	-	61	41	6	13	1	50
9	6	3	-	-	36	9	10	8	9	6	5	1	-	-	32	12	9	4	7	51
31	23	6	1	1	90	38	6	42	4	26	16	7	2	1	92	62	9	21	-	52
3	2	1	-	-	4	1	1	2	-	1	1	-	-	-	18	9	2	5	2	53
4	2	2	-	-	11	2	2	1	6	-	-	-	-	-	11	4	3	2	2	54
23	16	6	1	-	111	28	12	45	26	30	16	7	4	3	145	69	41	22	13	55
62	42	19	1	-	124	85	17	15	7	60	46	12	2	-	227	165	48	12	2	56
22	13	8	1	-	16	8	4	2	2	6	4	2	-	-	33	16	17	-	-	57
14	11	3	-	-	5	2	1	2	-	15	11	4	-	-	34	22	9	3	-	58
12	11	1	-	-	93	69	10	10	4	34	28	4	2	-	135	112	15	8	-	59
14	7	7	-	-	10	6	2	1	1	5	3	2	-	-	25	15	7	1	2	60
5	3	1	1	-	220	43	10	140	27	7	1	1	5	-	263	103	12	120	28	61
1	1	-	-	-	147	36	8	89	14	2	-	1	1	-	168	78	9	70	11	62
1	-	-	1	-	45	3	1	34	7	3	1	-	2	-	55	8	-	36	11	63
3	2	1	-	-	25	4	1	14	6	2	-	-	2	-	31	14	3	8	6	64
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	9	3	-	6	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	66,271	33,057	22,130	6,223	4,861	5,274	3,004	2	95	56
2	I. Infective and parasitic diseases	2,116	1,048	630	286	152	88	54	20	8	6
3	Tuberculosis, all forms---001-019	1,039	555	306	115	63	37	26	2	4	5
4	Tuberculosis of respiratory system---001-008	936	501	277	105	53	33	23	2	4	4
5	Tuberculosis of meninges and central nervous system---010	43	23	14	1	5	1	-	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	6	4	-	2	-	-	-	-	-	-
7	Tuberculosis of vertebral column---012.0,013.0	6	3	2	-	1	-	-	-	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	7	-	5	1	1	-	-	-	-	-
9	Tuberculosis of genito-urinary system---016	8	6	2	-	-	1	1	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	5	3	1	1	-	1	1	-	-	-
11	Disseminated tuberculosis---019	28	15	5	5	3	1	1	-	-	-
12	Syphilis and its sequelae---020-029	298	134	35	91	38	11	6	2	3	-
13	Congenital syphilis---020	10	5	2	2	1	1	1	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	93	52	16	18	7	3	1	1	1	-
16	Other cardiovascular syphilis---023	101	36	7	41	17	2	-	1	1	-
17	Tabes dorsalis---024	7	3	1	3	-	-	-	-	-	-
18	General paralysis of insane---025	41	17	6	12	6	3	2	-	1	-
19	Other syphilis of central nervous system---026	39	18	2	13	6	2	2	-	-	-
20	Other syphilis---027-029	7	3	1	2	1	-	-	-	-	-
21	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever---040	8	3	2	2	1	-	-	-	-	-
23	Paratyphoid fever---041	2	1	1	-	-	-	-	-	-	-
24	Other Salmonella infections---042	6	4	2	-	-	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	266	117	114	21	14	2	-	1	1	-
28	Food poisoning (infection and intoxication)---049	12	7	3	1	1	-	-	-	-	-
29	Scarlet fever---050	1	-	1	-	-	-	-	-	-	-
30	Streptococcal sore throat---051	22	9	10	1	2	1	-	1	-	-
31	Erysipelas---052	2	1	1	-	-	-	-	-	-	-
32	Septicemia and pyemia---053	54	25	17	8	4	5	5	-	-	-
33	Diphtheria---055	15	7	3	4	1	-	-	-	-	-
34	Whooping cough---056	19	5	11	1	2	-	-	-	-	-
35	Meningococcal infections---057	53	26	16	8	3	10	6	3	-	1
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	1	-	1	-	-	-	-	-	-	-
39	Tetanus---061	56	20	19	9	8	-	-	-	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	57	26	28	3	-	12	6	6	-	-
42	Late effects of acute poliomyelitis---081	10	5	3	2	-	-	-	-	-	-
43	Acute infectious encephalitis---082	24	11	9	2	2	2	2	-	-	-
44	Late effects of acute infectious encephalitis---083	1	1	-	-	-	1	1	-	-	-
45	Smallpox---084	1	1	-	-	-	-	-	-	-	-
46	Measles---085	56	33	16	2	5	1	-	1	-	-
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	33	15	13	2	3	2	-	2	-	-
49	Rabies---094	1	1	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	1	1	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	1	1	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	2	2	-	-	-	-	-	-	-	-
54	Malaria---110-117	9	2	3	3	1	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	4	4	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	63	32	16	11	4	4	2	2	-	-
61	II. Neoplasms	9,120	4,154	3,783	576	607	704	375	306	13	10
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	8,826	4,041	3,651	557	577	684	366	296	12	10
63	Malignant neoplasm of buccal cavity and pharynx---140-148	211	133	52	19	7	14	9	5	-	-
64	Of lip---140	16	13	3	-	-	4	4	-	-	-
65	Of tongue---141	33	17	10	5	1	2	1	1	-	-
66	Of other and unspecified parts of buccal cavity---142-144	59	35	19	4	1	5	2	3	-	-
67	Of pharynx---145-148	103	68	20	10	5	3	2	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	2,749	1,256	1,113	224	156	245	132	100	7	6
69	Of esophagus---150	125	62	43	16	4	7	5	-	2	-
70	Of stomach---151	782	401	246	86	49	90	53	31	5	1
71	Of intestine, except rectum---152,153	711	271	372	32	36	63	33	30	-	-
72	Of rectum---154	252	113	105	16	18	26	16	10	-	-
73	Of biliary passages and of liver (stated to be primary site)---155	149	64	73	4	8	17	5	11	-	1
74	Of liver not specified whether primary or secondary---156A	295	119	119	34	23	5	2	3	-	-
75	Of pancreas---157	376	200	128	32	16	33	17	13	-	3
76	Of peritoneum and of unspecified digestive organs---158,159	59	26	27	4	2	4	1	2	-	1
77	Malignant neoplasm of respiratory system---160-164	1,098	811	168	95	24	69	60	7	2	-
78	Of larynx---161	82	67	8	5	2	4	4	-	-	-
79	Of trachea, and of bronchus and lung specified as primary---162	333	263	36	26	8	49	43	4	2	-
80	Of lung and bronchus, unspecified as primary or secondary---163	633	448	112	59	14	13	11	2	-	-
81	Of other parts of respiratory system---160,164	50	33	12	5	-	3	2	1	-	-
82	Malignant neoplasm of breast---170	688	6	582	2	98	61	2	59	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,036	2,206	1,821	8	1	30,007	12,170	8,879	5,045	3,913	23,341	13,733	8,936	421	251	16,635	9,065	6,308	718	544	1
66	49	16	1	-	895	285	155	289	166	373	210	119	20	24	439	253	131	34	21	2
44	34	9	1	-	518	173	85	158	102	180	108	41	14	17	267	152	78	25	12	3
43	33	9	1	-	462	152	79	138	93	152	95	34	10	13	251	146	69	25	11	4
-	-	-	-	-	19	7	-	8	4	9	3	3	1	2	6	-	6	-	-	5
-	-	-	-	-	3	-	-	2	1	2	1	-	1	-	-	-	-	-	-	6
1	1	-	-	-	4	2	1	1	-	4	1	2	-	1	1	1	-	-	-	7
-	-	-	-	-	2	-	1	1	-	1	1	-	-	-	1	-	1	-	-	8
-	-	-	-	-	6	2	2	2	-	7	5	1	1	-	4	2	2	-	-	9
-	-	-	-	-	1	-	1	-	-	2	-	1	-	1	2	2	-	-	-	10
-	-	-	-	-	21	10	1	6	4	3	2	-	1	-	2	1	-	-	1	11
2	2	-	-	-	163	40	11	81	31	65	43	15	3	4	64	40	9	9	6	12
-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	33	17	5	6	5	21	16	4	1	-	10	8	-	1	1	15
-	-	-	-	-	61	8	2	37	14	23	15	5	1	2	29	18	3	4	4	16
1	1	-	-	-	1	-	1	-	-	2	2	-	-	-	3	2	1	-	-	17
-	-	-	-	-	43	11	2	24	6	4	3	1	-	-	8	5	-	2	1	18
1	1	-	-	-	19	4	1	10	4	10	4	4	-	2	9	5	2	2	-	19
-	-	-	-	-	5	-	-	3	2	3	3	-	-	-	5	2	3	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	22
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	23
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
-	-	-	-	-	20	2	1	14	3	5	3	1	1	-	6	3	3	-	-	27
-	-	-	-	-	5	3	-	-	2	1	-	1	-	-	5	1	3	-	1	28
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	1	1	-	-	-	29
-	-	-	-	-	4	-	2	-	2	2	1	1	-	-	5	5	-	-	-	30
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	1	1	-	-	-	31
3	2	1	-	-	25	13	6	4	2	17	9	6	1	1	5	3	2	-	-	32
-	-	-	-	-	4	1	-	2	1	6	4	2	-	-	1	1	-	-	-	33
-	-	-	-	-	9	1	1	3	4	1	-	1	-	-	4	1	3	-	-	34
4	2	2	-	-	48	15	20	7	6	21	11	10	-	-	20	12	6	-	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	9	1	2	4	2	1	1	-	-	-	3	3	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	6	-	-	-	34	16	12	4	2	17	4	12	-	1	21	13	8	-	-	41
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	42
-	-	-	-	-	7	-	3	3	1	5	2	3	-	-	9	4	5	-	-	43
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	3	-	2	-	1	12	3	8	-	1	5	1	4	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	1	1	-	-	13	6	4	1	2	15	7	8	-	-	11	4	7	-	-	48
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	5	1	2	1	1	1	1	-	-	-	-	-	-	-	-	59
2	1	1	-	-	20	8	3	5	4	14	7	6	1	-	9	6	3	-	-	60
643	307	336	-	-	3,748	1,441	1,510	416	381	3,681	1,981	1,622	49	29	2,228	1,052	1,017	86	73	61
630	301	329	-	-	3,644	1,413	1,469	403	359	3,614	1,950	1,587	49	28	2,176	1,030	992	85	69	62
15	12	3	-	-	85	45	24	12	4	59	44	14	-	1	42	27	13	1	1	63
-	-	-	-	-	7	5	1	-	1	10	7	3	-	-	7	6	1	-	-	64
-	-	-	-	-	17	8	7	2	-	10	6	3	-	1	3	1	1	1	-	65
8	7	1	-	-	22	13	8	1	-	22	18	4	-	-	14	6	8	-	-	66
7	5	2	-	-	39	19	8	9	3	17	13	4	-	-	18	14	3	-	1	67
241	111	130	-	-	1,234	470	473	174	117	1,334	773	524	24	13	747	382	323	28	14	68
10	5	5	-	-	47	27	3	13	4	48	36	10	2	-	26	19	5	1	1	69
50	28	22	-	-	339	145	87	76	31	418	269	132	11	6	221	135	69	12	5	70
84	29	55	-	-	367	123	183	24	37	381	189	184	5	3	188	76	108	3	1	71
36	18	18	-	-	117	39	50	15	13	157	95	60	1	1	82	42	34	2	4	72
13	5	8	-	-	55	10	38	1	6	68	28	38	2	-	54	20	32	2	-	73
12	4	8	-	-	92	26	41	12	13	49	24	22	3	-	67	32	32	1	2	74
35	21	14	-	-	183	91	52	29	11	193	120	70	-	3	98	56	37	5	-	75
1	1	-	-	-	34	9	19	4	2	20	12	8	-	-	11	2	6	2	1	76
51	42	9	-	-	413	266	69	71	7	394	319	63	10	2	243	177	39	24	3	77
1	1	-	-	-	34	26	3	4	1	13	9	4	-	-	13	11	1	1	-	78
14	11	3	-	-	108	66	16	24	2	162	142	16	2	2	84	64	13	7	-	79
35	29	6	-	-	260	167	48	41	4	200	155	37	8	-	137	98	20	16	3	80
1	1	-	-	-	11	7	2	2	-	19	13	6	-	-	9	4	5	-	-	81
47	-	47	-	-	294	3	242	-	49	319	6	307	1	5	157	2	141	-	14	82

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,433	453	742	87	151	90	40	49	1	-
2	Of cervix uteri----------171	354	...	288	...	66	16	...	16	...	-
3	Of other and unspecified parts of uterus----------172-174	295	...	233	...	62	13	...	13	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	222	...	201	...	21	19	...	19	...	-
5	Of other and unspecified female genital organs----------176	22	...	20	...	2	1	...	1	...	-
6	Of prostate----------177	507	425	...	82	...	39	38	...	1	...
7	Of testis, and of other and unspecified male genital organs----178,179	33	28	...	5	...	2	2	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	372	225	102	25	20	30	21	6	2	1
9	Of kidney----------180	152	89	50	8	5	12	7	2	2	1
10	Of bladder and other urinary organs----------181	220	136	52	17	15	18	14	4	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,412	676	574	67	95	95	48	45	-	2
12	Of skin----------190,191	232	147	82	2	1	18	12	6	-	-
13	Of eye----------192	17	7	10	-	-	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	201	114	74	6	7	16	10	6	-	-
15	Of thyroid gland----------194	35	7	23	1	4	3	-	3	-	-
16	Of bone (including jaw bone)----------196	96	47	40	3	6	12	5	6	-	1
17	Of connective tissue----------197	25	8	12	2	3	2	-	2	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	225	102	85	18	20	13	5	7	-	1
19	Of unspecified sites----------156B,165,198B,199B-M	581	244	248	35	54	30	15	15	-	-
20	Leukemia and aleukemia----------204	467	257	180	16	14	48	32	15	-	1
21	Lymphosarcoma, etc.*----------200-203,205	396	224	138	22	12	32	22	10	-	-
22	Lymphosarcoma and reticulosarcoma----------200	178	95	72	8	3	17	9	8	-	-
23	Hodgkin's disease----------201	111	66	37	5	3	8	7	1	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	107	63	29	9	6	7	6	1	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	294	113	132	19	30	20	9	10	1	-
26	Benign neoplasms of female genital organs----------214-217	52	...	39	...	13	4	...	4	...	-
27	Benign neoplasm of brain and other parts of nervous system---------223	25	12	10	2	1	7	3	4	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	30	8	18	2	2	-	-	-	-	-
29	Neoplasm of unspecified nature of female genital organs---------233-235	5	...	5	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	122	60	45	9	8	5	3	1	1	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	60	33	15	6	6	3	3	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,341	566	568	78	129	139	63	75	1	-
33	Asthma----------241	291	176	80	16	19	31	21	10	-	-
34	Nontoxic goiter----------250,251	6	1	3	-	2	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	27	5	14	2	6	6	1	5	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	12	1	9	-	2	3	1	2	-	-
37	Diabetes mellitus----------260	852	324	390	50	88	88	31	56	1	-
38	Diseases of thymus gland----------273	23	13	7	1	2	1	1	-	-	-
39	Diseases of adrenal glands----------274	22	7	12	2	1	4	3	1	-	-
40	Pellagra----------281	21	5	11	2	3	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	57	23	24	5	5	1	-	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	30	11	18	-	1	5	5	-	-	-
43	IV. Diseases of the blood and blood-forming organs----------	265	90	126	22	27	22	9	13	-	-
44	Anemias----------290-293	181	61	83	17	20	16	6	10	-	-
45	Pernicious and other hyperchromic anemias----------290	46	18	25	1	2	7	2	5	-	-
46	Anemias of other and unspecified type----------291-293	135	43	58	16	18	9	4	5	-	-
47	Purpura and other hemorrhagic conditions----------296	34	9	20	2	3	3	1	2	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	50	20	23	3	4	3	2	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	137	86	32	11	8	18	12	6	-	-
50	Senile psychosis----------304	28	10	13	1	4	-	-	-	-	-
51	Alcoholic psychosis----------307	5	5	-	-	-	2	2	-	-	-
52	Other psychoses----------300-303,305,306,308,309	17	7	6	3	1	7	2	5	-	-
53	Alcoholism----------322	75	58	6	7	3	7	7	-	-	-
54	Mental deficiency----------325	4	1	3	-	-	2	1	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	8	4	4	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	7,632	3,194	2,978	697	763	523	241	275	7	-
57	Vascular lesions affecting central nervous system----------330-334	6,937	2,872	2,732	626	707	468	209	254	5	-
58	Subarachnoid hemorrhage----------330	170	74	63	17	16	17	7	10	-	-
59	Cerebral hemorrhage----------331	4,616	1,931	1,827	399	459	316	135	177	4	-
60	Cerebral embolism and thrombosis----------332	1,082	486	455	73	68	99	51	48	-	-
61	Other vascular lesions affecting central nervous system--------333,334	1,069	381	387	137	164	36	16	19	1	-
62	Meningitis, except meningococcal and tuberculous----------340	121	55	44	14	8	6	3	3	-	-
63	Multiple sclerosis----------345	43	20	21	1	1	3	2	1	-	-
64	Paralysis agitans----------350	77	44	28	3	2	11	6	5	-	-
65	Cerebral spastic infantile paralysis----------351	44	24	14	2	4	3	2	1	-	-
66	Epilepsy----------353	91	34	37	10	10	12	6	6	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	25	11	8	3	3	6	3	2	1	-
71	Other diseases of nervous system and sense organs----------Residual[1]	293	134	93	38	28	14	10	3	1	-
72	VII. Diseases of the circulatory system----------	22,316	12,147	6,884	1,873	1,412	1,867	1,057	783	18	9
73	Rheumatic fever----------400-402	54	22	21	2	9	17	10	7	-	-
74	Diseases of heart----------410-443	20,220	11,171	6,114	1,686	1,249	1,695	966	704	17	8
75	Chronic rheumatic heart disease----------410-416	453	225	155	41	32	122	58	64	-	-
76	Diseases of mitral valve----------410	195	92	63	25	15	36	21	15	-	-
77	Diseases of aortic valve specified as rheumatic----------411	22	18	4	-	-	6	6	-	-	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	1	1	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	22	10	9	-	3	6	3	3	-	-
80	Other diseases of heart specified as rheumatic----------415,416	214	105	79	16	14	73	27	46	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
120	51	69	-	-	663	174	304	68	117	567	245	316	3	3	420	145	241	10	24	1
19	...	19	...	-	198	...	139	...	59	121	...	119	...	2	129	...	117	...	12	2
23	...	23	...	-	109	...	68	...	41	92	...	91	...	1	78	...	70	...	8	3
25	...	25	...	-	105	...	90	...	15	91	...	91	...	-	51	...	47	...	4	4
2	...	2	...	-	9	...	7	...	2	15	...	15	...	-	7	...	7	...	-	5
45	45	...	-	...	223	160	...	63	...	228	226	...	2	...	143	135	...	8	...	6
6	6	...	-	...	19	14	...	5	...	20	19	...	1	...	12	10	...	2	...	7
30	21	9	-	-	154	77	51	13	13	192	135	53	3	1	87	48	33	3	3	8
7	5	2	-	-	64	26	22	9	7	79	53	25	-	1	44	25	19	-	-	9
23	16	7	-	-	90	51	29	4	6	113	82	28	3	-	43	23	14	3	3	10
76	38	38	-	-	459	217	171	40	31	418	239	172	5	2	280	138	123	12	7	11
8	3	5	-	-	71	34	31	5	1	43	27	16	-	-	32	22	8	1	1	12
-	-	-	-	-	7	5	1	1	-	5	-	4	1	-	2	2	-	-	-	13
18	10	8	-	-	81	47	30	3	1	95	64	31	-	-	51	25	23	1	2	14
1	-	1	-	-	9	2	4	2	1	13	6	5	1	1	17	9	7	1	-	15
8	6	2	-	-	47	27	9	5	6	35	24	11	-	-	23	16	5	2	-	16
1	-	1	-	-	7	3	3	1	-	13	8	5	-	-	3	1	2	-	-	17
9	5	4	-	-	77	31	34	4	8	73	36	35	1	1	42	17	22	3	-	18
31	14	17	-	-	160	66	59	19	14	141	74	65	2	-	110	46	56	4	4	19
24	12	12	-	-	161	69	66	14	12	174	98	75	1	-	97	52	42	2	1	20
26	14	12	-	-	181	92	69	11	9	157	91	63	2	1	103	59	37	5	2	21
12	7	5	-	-	93	52	32	6	3	69	41	26	1	1	48	22	23	2	1	22
11	5	6	-	-	48	26	17	2	3	47	28	19	-	-	30	21	7	1	1	23
3	2	1	-	-	40	14	20	3	3	41	22	18	1	-	25	16	7	2	-	24
13	6	7	-	-	104	28	41	13	22	67	31	35	-	1	52	22	25	1	4	25
3	...	3	...	-	24	...	8	...	16	9	...	8	...	1	10	...	7	...	3	26
3	2	1	-	-	14	6	5	2	1	21	11	10	-	-	9	4	5	-	-	27
-	-	-	-	-	20	7	7	6	-	16	8	8	-	-	4	2	2	-	-	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
2	1	1	-	-	30	12	14	2	2	9	5	4	-	-	16	9	7	-	-	30
5	3	2	-	-	16	3	7	3	3	12	7	5	-	-	13	7	4	1	1	31
102	48	54	-	-	566	202	219	52	93	560	272	270	10	8	366	145	190	15	16	32
16	13	3	-	-	121	61	39	11	10	123	83	33	5	2	93	56	27	8	2	33
-	-	-	-	-	6	1	3	-	2	1	1	-	-	-	4	2	2	-	-	34
4	-	4	-	-	17	3	10	-	4	13	3	10	-	-	19	2	16	-	1	35
1	-	1	-	-	3	1	2	-	-	6	-	6	-	-	1	-	1	-	-	36
73	30	43	-	-	360	115	140	33	72	378	164	205	4	5	222	73	131	6	12	37
2	2	-	-	-	6	4	2	-	-	9	5	4	-	-	6	2	4	-	-	38
3	1	2	-	-	6	3	1	1	1	7	3	4	-	-	3	2	1	-	-	39
-	-	-	-	-	7	2	3	2	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	16	2	8	4	2	9	4	3	1	1	13	5	6	1	1	41
3	2	1	-	-	24	10	11	1	2	14	9	5	-	-	5	3	2	-	-	42
19	8	11	-	-	77	37	20	14	6	68	35	31	2	-	69	34	30	2	3	43
14	7	7	-	-	54	24	10	14	6	57	26	29	2	-	48	21	23	2	2	44
5	3	2	-	-	19	8	5	4	2	27	7	19	1	-	16	7	8	1	-	45
9	4	5	-	-	35	16	5	10	4	30	19	10	1	-	32	14	15	1	2	46
2	1	1	-	-	7	3	4	-	-	4	2	2	-	-	10	6	3	-	1	47
3	-	3	-	-	16	10	6	-	-	7	7	-	-	-	11	7	4	-	-	48
7	7	-	-	-	149	63	24	44	18	72	55	16	1	-	47	33	11	1	2	49
-	-	-	-	-	15	6	7	2	-	3	1	2	-	-	4	2	2	-	-	50
1	1	-	-	-	5	3	-	2	-	5	5	-	-	-	4	2	1	-	1	51
-	-	-	-	-	14	5	3	2	4	5	1	4	-	-	8	6	2	-	-	52
5	5	-	-	-	90	40	9	32	9	49	43	5	1	-	29	22	5	1	1	53
1	1	-	-	-	17	5	2	5	5	7	4	3	-	-	2	1	1	-	-	54
-	-	-	-	-	8	4	3	1	-	3	1	2	-	-	-	-	-	-	-	55
532	248	283	1	-	4,172	1,351	1,431	690	700	3,003	1,533	1,410	41	19	2,094	988	933	87	86	56
485	224	261	-	-	3,859	1,249	1,326	633	651	2,785	1,403	1,326	37	19	1,923	900	871	72	80	57
19	7	12	-	-	164	66	50	17	31	87	48	34	3	2	53	23	27	3	-	58
308	140	168	-	-	2,590	792	894	446	458	1,832	924	879	18	11	1,359	636	615	54	54	59
116	54	62	-	-	611	261	218	70	62	565	295	254	11	5	280	133	127	8	12	60
42	23	19	-	-	494	130	164	100	100	301	136	159	5	1	231	108	102	7	14	61
5	4	-	1	-	54	19	13	13	9	23	18	4	1	-	34	15	14	4	1	62
6	2	4	-	-	25	6	14	1	4	35	15	20	-	-	11	3	8	-	-	63
5	1	4	-	-	38	13	18	4	3	44	29	15	-	-	15	11	4	-	-	64
3	1	2	-	-	20	7	6	4	3	12	5	7	-	-	7	3	4	-	-	65
10	7	3	-	-	62	14	18	21	9	26	18	6	2	-	35	18	10	5	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	1	1	-	-	18	9	3	2	4	8	5	2	1	-	7	3	4	-	-	70
16	8	8	-	-	95	34	32	12	17	70	40	30	-	-	62	35	18	6	3	71
1,768	985	778	4	1	11,540	5,038	3,393	1,698	1,411	9,742	6,074	3,505	109	54	6,272	3,564	2,264	246	198	72
2	1	1	-	-	32	9	9	5	9	25	10	13	-	2	25	11	12	-	2	73
1,582	895	682	4	1	10,328	4,625	3,033	1,458	1,212	8,858	5,578	3,137	95	48	5,662	3,255	2,021	225	161	74
63	32	31	-	-	339	129	131	33	46	306	171	132	3	-	213	104	99	3	7	75
21	9	12	-	-	159	53	72	15	19	116	59	56	1	-	99	49	45	2	3	76
1	1	-	-	-	20	16	2	1	1	26	23	3	-	-	12	10	2	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
10	8	2	-	-	14	3	5	2	4	15	9	6	-	-	16	5	9	-	2	79
31	14	17	-	-	146	57	52	15	22	149	80	67	2	-	85	39	43	1	2	80

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----420	13,104	8,040	3,701	800	563	994	638	343	10	3
2	Arteriosclerotic heart disease so described----420.0	2,886	1,551	1,017	178	140	332	179	147	5	1
3	Heart disease specified as involving coronary arteries----420.1	10,098	6,437	2,668	595	398	659	456	196	5	2
4	Angina pectoris without mention of coronary disease----420.2	120	52	16	27	25	3	3	-	-	-
5	Chronic endocarditis not specified as rheumatic----421	217	88	74	32	23	28	11	17	-	-
6	Of mitral valve, specified as nonrheumatic----421.0	27	13	11	2	1	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----421.1	80	29	15	9	7	5	1	4	-	-
8	Of other valves, not specified as rheumatic----421.2-421.4	130	46	48	21	15	23	10	13	-	-
9	Other myocardial degeneration----422	1,824	672	663	169	120	221	106	109	1	5
10	With arteriosclerosis----422.1	675	336	246	54	39	110	48	60	1	1
11	Without mention of arteriosclerosis----422.0,422.2	1,149	536	417	115	81	111	58	49	-	4
12	Other diseases of heart----430-434	1,912	957	502	297	156	80	51	28	1	-
13	Acute and subacute endocarditis----430	39	22	10	5	2	2	2	-	-	-
14	Acute myocarditis not specified as rheumatic----431	134	55	37	28	14	5	2	3	-	-
15	Acute pericarditis specified as nonrheumatic----432	1	-	1	-	-	-	-	-	-	-
16	Functional disease of heart----433	96	48	40	4	4	17	10	7	-	-
17	Other and unspecified diseases of heart----434	1,642	832	414	260	136	56	37	18	1	-
18	Hypertension with heart disease----440-443	2,710	989	1,019	347	355	250	102	143	5	-
19	Hypertensive heart disease with arteriolar nephrosclerosis----442	664	271	220	104	69	57	26	29	2	-
20	Essential hypertension with heart disease, etc.*----440,441,443	2,046	718	799	243	286	193	76	114	3	-
21	Hypertension without mention of heart----444-447	559	235	185	71	68	24	12	12	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----446	167	70	55	29	13	10	7	3	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	392	165	130	42	55	14	5	9	-	-
24	Diseases of arteries----450-456	1,263	634	488	95	66	105	53	52	-	-
25	General arteriosclerosis----450	1,050	498	423	73	56	78	37	41	-	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----451	117	80	31	6	-	18	10	8	-	-
27	Gangrene of unspecified cause----455	20	8	5	3	4	1	1	-	-	-
28	Other arterial diseases----452-454,456	96	48	29	13	6	8	5	3	-	-
29	Diseases of veins and other diseases of circulatory system----460-468	200	85	76	19	20	26	16	8	1	1
30	VIII. Diseases of the respiratory system----	3,705	1,665	1,259	436	345	232	146	77	6	3
31	Acute upper respiratory infections----470-475	58	19	20	10	9	8	3	5	-	-
32	Influenza----480-483	713	299	253	85	76	21	11	8	2	-
33	Pneumonia, except pneumonia of newborn----490-493	2,193	949	745	280	219	120	63	51	4	2
34	Lobar pneumonia----490	523	240	151	83	49	32	22	8	1	1
35	Bronchopneumonia----491	821	369	302	72	78	49	22	23	3	1
36	Primary atypical pneumonia----492	157	60	74	14	9	14	5	9	-	-
37	Pneumonia, other and unspecified----493	692	280	218	111	83	25	14	11	-	-
38	Acute bronchitis----500	47	18	19	7	3	6	4	2	-	-
39	Bronchitis, chronic and unqualified----501,502	106	56	36	7	7	9	7	1	-	1
40	Hypertrophy of tonsils and adenoids----510	30	13	14	2	1	3	3	-	-	-
41	Empyema and abscess of lung----518,521	36	21	5	5	5	1	1	-	-	-
42	Pleurisy----519	8	2	4	1	1	-	-	-	-	-
43	All other respiratory diseases----Residual[1]	514	288	163	39	24	64	54	10	-	-
44	IX. Diseases of the digestive system----	3,118	1,499	1,139	265	215	197	115	71	4	7
45	Diseases of teeth and supporting structures----530-535	8	2	2	3	1	1	1	-	-	-
46	Ulcer of stomach----540	154	103	27	16	8	16	15	1	-	-
47	Ulcer of duodenum----541	125	91	26	5	3	20	18	2	-	-
48	Gastritis and duodenitis----543	16	4	6	3	3	-	-	-	-	-
49	Appendicitis----550-553	101	50	21	18	12	15	9	5	-	1
50	Hernia and intestinal obstruction----560,561,570	375	154	150	37	34	35	17	17	-	1
51	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	1,146	504	459	99	84	22	6	9	3	4
52	Cirrhosis of liver----581	561	329	181	30	21	36	23	12	1	-
53	Without mention of alcoholism----581.0	474	270	160	26	18	27	18	8	1	-
54	With alcoholism----581.1	87	59	21	4	3	9	5	4	-	-
55	Cholelithiasis and cholecystitis----584,585	167	50	110	6	1	16	5	11	-	-
56	Other diseases of digestive system----Residual[1]	465	212	157	48	48	36	21	14	-	1
57	X. Diseases of the genito-urinary system----	1,815	831	489	286	209	120	76	41	3	-
58	Nephritis and nephrosis----590-594	1,158	448	353	178	179	74	40	32	2	-
59	Acute nephritis----590	120	37	37	24	22	4	1	3	-	-
60	Nephritis with edema, including nephrosis----591	35	11	12	4	8	3	1	2	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	1,003	400	304	150	149	67	38	27	2	-
62	Infections of kidney----600	167	56	75	18	18	21	14	6	1	-
63	Calculi of urinary system----602,604	58	34	18	5	1	1	1	-	-	-
64	Other diseases of urinary system----601,603,605-609	82	38	19	22	3	3	2	1	-	-
65	Hyperplasia of prostate----610	257	210	...	47	...	18	18	...	-	...
66	Other diseases of male genital organs----611-617	61	45	...	16	...	1	1	...	-	...
67	Diseases of breast----620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----622-637	31	...	23	...	8	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	205	...	133	...	72	4	...	4	...	-
70	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	18	...	12	...	6	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----642,685,686	74	...	45	...	29	2	...	2	...	-
72	Hemorrhage of pregnancy and childbirth----643,644,670-672	39	...	29	...	10	-	...	-	...	-
73	Ectopic pregnancy----645	12	...	6	...	6	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----650	11	...	6	...	5	-	...	-	...	-
75	Abortion with sepsis----651	13	...	8	...	5	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----652	2	...	1	...	1	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	36	...	26	...	10	-	...	-	...	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,092	673	417	2	-	6,016	3,301	1,585	670	460	6,317	4,258	1,971	64	24	3,414	2,184	1,039	121	70	1
460	257	203	-	-	1,854	881	597	224	152	1,845	1,095	729	15	6	1,054	565	411	52	26	2
625	413	210	2	-	4,125	2,398	980	440	307	4,449	3,148	1,234	49	18	2,350	1,610	627	69	44	3
7	3	4	-	-	37	22	8	6	1	23	15	8	-	-	10	9	1	-	-	4
26	14	12	-	-	190	45	52	52	41	282	144	129	4	5	107	54	47	4	2	5
2	-	2	-	-	15	3	7	2	3	6	-	6	-	-	7	5	2	-	-	6
5	4	1	-	-	41	11	7	14	9	20	15	5	-	-	20	11	5	2	2	7
19	10	9	-	-	134	31	38	36	29	256	129	118	4	5	80	38	40	2	-	8
215	96	118	1	-	1,325	442	495	220	168	620	335	272	9	4	696	340	318	22	16	9
117	54	62	1	-	694	229	259	119	87	246	130	111	4	1	328	157	156	9	6	10
98	42	56	-	-	631	213	236	101	81	374	205	161	5	3	368	183	162	13	10	11
39	21	18	-	-	440	152	128	86	74	388	231	150	4	3	331	185	123	14	9	12
1	1	-	-	-	12	4	5	2	1	11	6	5	-	-	9	3	5	1	-	13
-	-	-	-	-	19	3	2	8	6	21	15	6	-	-	12	9	3	-	-	14
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	15
6	1	5	-	-	36	18	13	2	3	52	30	22	-	-	36	14	21	1	-	16
32	19	13	-	-	372	127	107	74	64	303	179	117	4	3	273	158	94	12	9	17
147	59	86	1	1	2,018	556	642	397	423	945	439	483	11	12	901	388	395	61	57	18
32	14	18	-	-	716	221	252	133	110	322	180	135	3	4	274	126	105	24	19	19
115	45	68	1	1	1,302	335	390	264	313	623	259	348	8	8	627	262	290	37	38	20
32	15	17	-	-	312	84	83	84	61	152	79	64	7	2	159	76	60	6	17	21
17	11	6	-	-	129	40	37	32	20	65	37	24	3	1	86	45	32	4	5	22
15	4	11	-	-	183	44	46	52	41	87	42	40	4	1	73	31	28	2	12	23
136	64	72	-	-	789	286	250	135	118	646	371	269	5	1	363	189	145	14	15	24
120	53	67	-	-	651	206	223	123	99	524	283	235	5	1	303	153	127	12	11	25
11	8	3	-	-	90	59	16	8	7	86	68	18	-	-	25	18	7	-	-	26
-	-	-	-	-	9	4	1	2	2	4	2	2	-	-	7	3	2	1	1	27
5	3	2	-	-	39	17	10	2	10	32	18	14	-	-	28	15	9	1	3	28
16	10	6	-	-	79	34	18	16	11	61	36	22	2	1	63	33	26	1	3	29
141	79	62	-	-	1,531	556	406	332	237	1,004	619	314	51	20	974	500	385	64	25	30
1	1	-	-	-	24	10	6	3	5	13	7	3	1	2	15	8	6	1	-	31
10	5	5	-	-	310	88	103	62	57	74	37	33	3	1	217	101	103	8	5	32
85	41	44	-	-	923	308	230	233	154	677	407	214	40	16	527	247	227	35	18	33
21	12	9	-	-	269	91	57	74	47	117	74	33	9	1	133	52	61	12	8	34
41	18	23	-	-	411	131	119	92	69	373	229	119	19	6	285	143	122	16	4	35
10	6	4	-	-	82	27	23	21	11	107	69	27	6	5	39	18	17	3	1	36
13	5	8	-	-	161	57	31	46	27	80	35	35	6	4	70	34	27	4	5	37
2	1	1	-	-	13	4	2	5	2	8	3	5	-	-	15	7	6	1	1	38
7	4	3	-	-	27	15	11	1	-	30	17	10	3	-	25	14	10	1	-	39
1	1	-	-	-	5	2	2	1	-	5	-	5	-	-	6	4	2	-	-	40
3	3	-	-	-	18	7	3	6	2	12	10	2	-	-	8	5	2	1	-	41
-	-	-	-	-	7	4	2	-	1	6	3	3	-	-	3	3	-	-	-	42
32	23	9	-	-	204	120	47	21	16	179	135	39	4	1	158	111	29	17	1	43
144	85	59	-	-	999	419	287	167	126	804	456	315	17	16	592	324	222	24	22	44
1	1	-	-	-	4	1	1	1	1	1	-	1	-	-	4	2	2	-	-	45
11	7	4	-	-	81	48	12	13	8	85	64	18	3	-	37	25	10	2	-	46
16	15	1	-	-	65	40	9	14	2	79	61	16	1	1	40	28	8	3	1	47
1	1	-	-	-	7	3	3	-	1	4	2	2	-	-	4	3	-	1	-	48
5	4	1	-	-	36	12	12	9	3	26	17	8	1	-	28	20	6	2	-	49
26	15	11	-	-	173	56	63	34	20	117	65	50	1	1	79	35	37	-	7	50
19	8	11	-	-	198	43	49	53	53	82	36	35	5	6	104	44	49	7	4	51
22	14	8	-	-	204	125	51	18	10	194	112	74	4	4	137	86	42	5	4	52
18	12	6	-	-	150	88	42	13	7	159	92	63	3	1	105	62	36	4	3	53
4	2	2	-	-	54	37	9	5	3	35	20	11	1	3	32	24	6	1	1	54
23	10	13	-	-	70	21	36	5	8	80	27	50	1	2	48	19	24	1	4	55
20	10	10	-	-	161	70	51	20	20	136	72	61	1	2	111	62	44	3	2	56
86	55	31	-	-	819	324	181	181	133	410	251	142	11	6	439	254	158	12	15	57
54	28	26	-	-	521	176	134	107	104	213	104	103	3	3	273	130	125	7	11	58
3	-	3	-	-	55	11	11	13	20	9	6	2	1	-	19	7	9	1	2	59
2	-	2	-	-	25	9	2	9	5	9	4	5	-	-	20	10	9	-	1	60
49	28	21	-	-	441	156	121	65	79	195	94	96	2	3	234	113	107	6	8	61
11	8	3	-	-	90	36	24	17	13	60	33	22	3	2	43	22	17	1	3	62
2	2	-	-	-	26	13	8	3	2	10	7	3	-	-	8	7	1	-	-	63
2	1	1	-	-	34	9	9	15	1	16	12	4	-	-	22	17	4	-	1	64
16	16	...	-	...	121	84	...	37	...	93	88	...	5	...	73	71	...	2	...	65
-	-	...	-	...	8	6	...	2	...	7	7	...	-	...	9	7	...	2	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	...	1	...	-	19	...	6	...	13	11	...	10	...	1	11	...	11	...	-	68
3	...	3	...	-	70	...	27	...	43	20	...	17	...	3	26	...	23	...	3	69
-	...	-	...	-	6	...	3	...	3	3	...	3	...	-	3	...	3	...	-	70
1	...	1	...	-	30	...	10	...	20	5	...	5	...	-	8	...	7	...	1	71
1	...	1	...	-	11	...	7	...	4	2	...	1	...	1	9	...	8	...	1	72
-	...	-	...	-	6	...	3	...	3	1	...	-	...	1	2	...	1	...	1	73
-	...	-	...	-	3	...	1	...	2	4	...	3	...	1	-	...	-	...	-	74
-	...	-	...	-	3	...	-	...	3	1	...	1	...	-	1	...	1	...	-	75
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
1	...	1	...	-	11	...	3	...	8	3	...	3	...	-	3	...	3	...	-	77

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue----------	72	28	34	7	3	2	1	1	-	-
2	Infections of skin and subcutaneous tissue----------690-698	16	7	8	1	-	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue----------700-716	56	21	26	6	3	1	-	1	-	-
4	XIII. Diseases of the bones and organs of movement----------	167	59	87	11	10	11	7	4	-	-
5	Arthritis and spondylitis----------720-725	93	30	54	4	5	8	6	2	-	-
6	Muscular rheumatism and rheumatism, unspecified----------726,727	5	1	3	1	-	-	-	-	-	-
7	Osteomyelitis and periostitis----------730	8	5	1	1	1	1	-	1	-	-
8	Ankylosis and acquired musculoskeletal deformities----------737,745-749	7	3	4	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system----------731-736,738-744	54	20	25	5	4	2	1	1	-	-
10	XIV. Congenital malformations----------	1,049	501	435	69	44	104	48	55	-	1
11	Spina bifida and meningocele----------751	85	28	53	1	3	8	1	7	-	-
12	Congenital hydrocephalus, etc.*----------752,753	130	68	53	4	5	15	7	8	-	-
13	Congenital malformations of circulatory system----------754	462	220	184	36	22	46	19	26	-	1
14	Other congenital malformations----------750,755-759	372	185	145	28	14	35	21	14	-	-
15	XV. Certain diseases of early infancy----------	4,195	2,038	1,409	443	305	345	204	134	3	4
16	Birth injuries----------760,761	711	358	231	81	41	72	42	30	-	-
17	Postnatal asphyxia and atelectasis----------762	815	445	265	58	47	84	44	37	2	1
18	Infections of newborn----------763-768	373	168	115	60	30	10	4	4	1	1
19	Hemolytic disease of newborn (erythroblastosis)----------770	129	74	50	5	-	25	11	13	-	1
20	All other defined diseases of early infancy----------769,771,772	201	77	73	30	21	11	9	2	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified----------773-776	1,966	916	675	209	166	143	94	48	-	1
22	XVI. Symptoms, senility, and ill-defined conditions----------	2,020	904	608	283	225	336	186	128	11	11
23	Senility without mention of psychosis----------794	563	206	240	46	71	63	19	42	1	1
24	Symptoms, ill-defined and unknown causes----------780-793,795	1,457	698	368	237	154	273	167	86	10	10
25	XVII. Accidents, poisonings, and violence----------	6,998	4,247	1,536	880	335	562	410	126	21	5
26	Accidents----------E800-E962	5,528	3,389	1,322	569	248	487	351	115	16	5
27	Railway accidents----------E800-E802	95	68	7	18	2	7	7	-	-	-
28	Motor-vehicle accidents----------E810-E835	2,471	1,625	530	233	83	205	141	49	11	4
29	Motor-vehicle traffic accidents----------E810-E825	2,393	1,573	511	227	82	200	139	47	10	4
30	Motor-vehicle traffic accident with railway train*----------E810	97	61	20	10	6	4	4	-	-	-
31	Motor-vehicle traffic accident to pedestrian----------E812	393	244	81	48	20	50	39	10	-	1
32	Other motor-vehicle traffic accidents, etc.*----------E811,E813-E819	1,077	690	270	86	31	74	49	21	2	2
33	Motor-vehicle noncollision traffic accidents----------E820-E824	708	492	118	74	24	61	45	11	4	1
34	Motor-vehicle traffic accident of unspecified nature----------E825	118	86	22	9	1	11	2	5	4	-
35	Motor-vehicle nontraffic accidents----------E830-E835	78	52	19	6	1	5	2	2	1	-
36	Other road-vehicle accidents----------E840-E845	16	14	1	1	-	7	3	3	1	-
37	Water-transport accidents----------E850-E858	60	49	6	2	3	1	1	-	-	-
38	Aircraft accidents----------E860-E866	181	171	8	2	-	11	10	1	-	-
39	Accidental poisoning by solid and liquid substances----------E870-E888	68	32	22	10	4	5	3	2	-	-
40	Accidental poisoning by gases and vapors----------E890-E895	44	31	10	2	1	5	4	1	-	-
41	Accidental falls----------E900-E904	634	271	330	21	12	74	36	35	2	1
42	Fall from one level to another----------E900-E902	185	105	71	7	2	29	18	10	1	-
43	Fall on same level----------E903	99	36	60	3	-	18	7	11	-	-
44	Unspecified falls----------E904	350	130	199	11	10	27	11	14	1	1
45	Blow from falling object----------E910	58	43	2	13	-	14	14	-	-	-
46	Accident caused by machinery----------E912	127	109	3	15	-	13	13	-	-	-
47	Accident caused by electric current----------E914	78	61	10	7	-	11	10	-	1	-
48	Accident caused by fire and explosion, etc.*----------E916	456	182	131	67	76	24	17	7	-	-
49	Accident caused by hot substance, etc.*----------E917,E918	42	19	9	10	4	1	-	1	-	-
50	Accident caused by firearm----------E919	194	145	25	17	7	29	28	1	-	-
51	Inhalation and ingestion of food or other object, etc.*--------E921,E922	89	41	31	8	9	6	4	2	-	-
52	Accidental drowning----------E929	382	255	64	53	10	29	27	2	-	-
53	Excessive heat and insolation----------E931	41	25	9	6	1	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*----------E940-E959	29	9	15	4	1	2	1	1	-	-
55	All other accidents----------Residual[1]	463	239	109	80	35	42	31	10	1	-
56	Suicide----------E963,E970-E979	715	556	132	24	3	59	51	6	2	-
57	Suicide by poisoning----------E970-E973	117	60	54	3	-	10	7	3	-	-
58	Suicide by hanging and strangulation----------E974	85	65	17	2	1	8	5	2	1	-
59	Suicide by firearms and explosives----------E976	465	400	47	17	1	36	34	1	1	-
60	Suicide by all other means----------E963,E975,E977-E979	48	31	14	2	1	5	5	-	-	-
61	Homicide----------E964,E980-E985	755	302	82	287	84	16	8	5	3	-
62	Assault by firearms and explosives----------E981	451	184	48	176	43	12	5	4	3	-
63	Assault by cutting and piercing instruments----------E982	179	50	7	93	29	2	1	1	-	-
64	Assault by other means----------E964,E980,E983	106	54	27	13	12	2	2	-	-	-
65	Injury by intervention of police----------E984	14	10	-	4	-	-	-	-	-	-
66	Execution----------E985	5	4	-	1	-	-	-	-	-	-
67	Injury resulting from operations of war---------- ------E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6	4	2	-	-	29	11	9	4	5	25	12	13	-	-	16	8	7	-	1	1
3	3	-	-	-	8	3	2	2	1	7	5	2	-	-	2	1	1	-	-	2
3	1	2	-	-	21	8	7	2	4	18	7	11	-	-	14	7	6	-	1	3
11	6	5	-	-	94	29	41	9	15	51	20	31	-	-	34	17	17	-	-	4
6	3	3	-	-	55	13	26	5	11	27	7	20	-	-	18	6	12	-	-	5
-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	1	1	-	-	-	6
-	-	-	-	-	5	2	1	1	1	1	1	-	-	-	3	2	1	-	-	7
-	-	-	-	-	5	2	3	-	-	1	1	-	-	-	-	-	-	-	-	8
5	3	2	-	-	26	12	10	1	3	22	11	11	-	-	12	8	4	-	-	9
40	21	18	1	-	472	196	166	65	45	340	188	141	5	6	268	142	120	5	1	10
4	1	3	-	-	40	14	24	1	1	23	8	13	-	2	27	13	14	-	-	11
6	3	3	-	-	70	32	26	6	6	35	21	14	-	-	33	14	18	1	-	12
15	12	2	1	-	198	78	69	36	15	182	104	70	4	4	117	67	48	2	-	13
15	5	10	-	-	164	72	47	22	23	100	55	44	1	-	91	48	40	2	1	14
143	88	55	-	-	1,764	703	444	351	266	964	539	368	31	26	756	439	269	23	25	15
33	22	11	-	-	290	132	79	42	37	170	99	57	6	8	129	84	35	4	6	16
39	27	12	-	-	512	236	117	99	60	288	165	111	9	3	218	138	70	6	4	17
5	3	2	-	-	138	36	27	44	31	39	27	11	-	1	57	22	26	5	4	18
13	7	6	-	-	65	33	22	5	5	37	19	18	-	-	28	18	10	-	-	19
1	1	-	-	-	61	13	11	24	13	18	12	2	2	2	19	8	9	2	-	20
52	28	24	-	-	698	253	188	137	120	412	217	169	14	12	305	169	119	6	11	21
38	19	19	-	-	333	104	82	87	60	206	114	84	4	4	399	228	140	16	15	22
12	4	8	-	-	74	25	27	9	13	69	27	39	-	3	106	53	50	-	3	23
26	15	11	-	-	259	79	55	78	47	137	87	45	4	1	293	175	90	16	12	24
287	197	89	1	-	2,749	1,411	484	646	208	2,018	1,374	538	70	36	1,616	1,084	391	103	38	25
233	149	83	1	-	2,108	1,087	395	472	154	1,533	1,021	432	50	30	1,289	859	334	76	20	26
2	2	-	-	-	42	24	2	13	3	20	16	2	1	1	47	41	4	2	-	27
66	48	18	-	-	879	491	156	184	48	544	375	141	15	13	459	323	106	23	7	28
64	47	17	-	-	859	482	147	183	47	517	355	137	14	11	452	317	105	23	7	29
5	5	-	-	-	16	6	4	5	1	25	23	2	-	-	3	2	1	-	-	30
8	6	2	-	-	209	101	32	60	16	120	87	31	1	1	83	56	21	4	2	31
14	6	8	-	-	184	114	34	32	4	177	118	51	6	2	113	77	30	5	1	32
21	19	2	-	-	206	126	28	39	13	139	95	33	5	6	105	73	21	7	4	33
16	11	5	-	-	244	135	49	47	13	56	32	20	2	2	148	109	32	7	-	34
2	1	1	-	-	20	9	9	1	1	27	20	4	1	2	7	6	1	-	-	35
-	-	-	-	-	12	7	-	5	-	4	2	2	-	-	4	4	-	-	-	36
2	2	-	-	-	40	25	4	11	-	48	45	2	1	-	13	12	-	1	-	37
1	1	-	-	-	32	30	-	2	-	28	27	-	1	-	7	7	-	-	-	38
2	2	-	-	-	41	18	6	12	5	21	8	6	4	3	14	9	5	-	-	39
4	2	2	-	-	10	8	1	1	-	29	25	3	1	-	17	10	5	2	-	40
70	29	40	1	-	348	139	137	48	24	348	155	184	5	4	223	100	113	7	3	41
24	14	9	1	-	141	60	37	34	10	124	79	39	4	2	85	53	27	4	1	42
16	5	11	-	-	64	28	33	1	2	84	26	56	1	1	31	6	25	-	-	43
30	10	20	-	-	143	51	67	13	12	140	50	89	-	1	107	41	61	3	2	44
4	4	-	-	-	55	44	-	11	-	31	30	1	-	-	83	69	-	14	-	45
7	6	1	-	-	35	24	-	11	-	47	45	1	1	-	30	27	3	-	-	46
-	-	-	-	-	35	29	1	5	-	17	17	-	-	-	14	14	-	-	-	47
24	13	11	-	-	170	56	23	49	42	69	46	20	3	-	94	51	35	4	4	48
1	1	-	-	-	21	6	6	6	3	14	10	4	-	-	35	17	14	2	2	49
6	5	1	-	-	54	37	3	11	3	30	26	2	2	-	31	25	4	1	1	50
2	2	-	-	-	48	19	13	12	4	37	17	14	3	3	17	9	5	2	1	51
23	18	5	-	-	131	68	9	51	3	127	95	21	10	1	78	57	13	8	-	52
1	-	1	-	-	10	3	1	5	1	2	1	1	-	-	3	3	-	-	-	53
1	1	-	-	-	11	2	5	2	2	7	4	2	-	1	10	6	3	-	1	54
17	13	4	-	-	134	57	28	33	16	110	77	26	3	4	110	75	24	10	1	55
53	47	6	-	-	363	261	72	20	10	410	314	86	8	2	218	171	38	8	1	56
8	7	1	-	-	49	30	17	1	1	127	89	37	-	1	29	10	17	1	1	57
8	8	-	-	-	85	42	15	4	4	56	40	15	1	-	20	18	2	-	-	58
31	27	4	-	-	213	168	30	11	4	162	142	14	5	1	144	124	15	5	-	59
6	5	1	-	-	36	21	10	4	1	65	43	20	2	-	25	19	4	2	-	60
1	1	-	-	-	276	61	17	154	44	74	36	20	12	4	109	54	19	19	17	61
-	-	-	-	-	157	35	9	88	25	45	19	16	7	3	70	34	15	11	10	62
-	-	-	-	-	58	4	3	42	9	9	5	1	3	-	17	9	1	5	2	63
1	1	-	-	-	56	21	5	20	10	16	10	3	2	1	19	9	3	2	5	64
-	-	-	-	-	5	1	-	4	-	2	2	-	-	-	2	1	-	1	-	65
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	66
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	34,917	19,718	14,681	282	236	2,349	1,487	800	30	32
2	I. Infective and parasitic diseases	435	291	119	16	9	38	20	14	2	2
3	Tuberculosis, all forms---001-019	215	147	55	9	4	13	7	4	1	1
4	Tuberculosis of respiratory system---001-008	197	140	47	6	4	11	6	3	1	1
5	Tuberculosis of meninges and central nervous system---010	6	2	2	2	-	1	-	1	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands---011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column---012.0,013.0	3	2	1	-	-	1	1	-	-	-
8	Tuberculosis of other bones and joints---012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system---016	4	2	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs---014,015,017,018	2	1	1	-	-	-	-	-	-	-
11	Disseminated tuberculosis---019	3	-	2	1	-	-	-	-	-	-
12	Syphilis and its sequelae---020-029	65	50	12	2	1	11	7	3	1	-
13	Congenital syphilis---020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis---021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta---022	24	20	4	-	-	3	1	2	-	-
16	Other cardiovascular syphilis---023	25	18	6	1	-	3	1	1	1	-
17	Tabes dorsalis---024	3	3	-	-	-	-	-	-	-	-
18	General paralysis of insane---025	7	4	1	1	1	3	3	-	-	-
19	Other syphilis of central nervous system---026	6	5	1	-	-	1	1	-	-	-
20	Other syphilis---027-029	-	-	-	-	-	1	1	-	-	-
21	Gonococcal infection---030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever---040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever---041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections---042	-	-	-	-	-	-	-	-	-	-
25	Cholera---043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)---044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms---045-048	3	1	1	-	1	-	-	-	-	-
28	Food poisoning (infection and intoxication)---049	1	1	-	-	-	-	-	-	-	-
29	Scarlet fever---050	1	1	-	-	-	1	-	1	-	-
30	Streptococcal sore throat---051	5	2	2	-	1	-	-	-	-	-
31	Erysipelas---052	2	1	1	-	-	-	-	-	-	-
32	Septicemia and pyemia---053	12	6	6	-	-	-	-	-	-	-
33	Diphtheria---055	1	1	-	-	-	-	-	-	-	-
34	Whooping cough---056	1	-	1	-	-	1	-	-	-	1
35	Meningococcal infections---057	26	18	7	-	1	2	1	1	-	-
36	Plague---058	-	-	-	-	-	-	-	-	-	-
37	Tularemia---059	-	-	-	-	-	-	-	-	-	-
38	Leprosy---060	-	-	-	-	-	-	-	-	-	-
39	Tetanus---061	5	3	2	-	-	-	-	-	-	-
40	Anthrax---062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis---080	22	12	8	1	1	3	2	1	-	-
42	Late effects of acute poliomyelitis---081	5	4	1	-	-	-	-	-	-	-
43	Acute infectious encephalitis---082	8	5	2	1	-	1	1	-	-	-
44	Late effects of acute infectious encephalitis---083	5	4	1	-	-	1	1	-	-	-
45	Smallpox---084	-	-	-	-	-	-	-	-	-	-
46	Measles---085	12	10	2	-	-	2	-	2	-	-
47	Yellow fever---091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis---092	14	7	7	-	-	3	1	2	-	-
49	Rabies---094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus---104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever---104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus---104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases---100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria---110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis---123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease---125	-	-	-	-	-	-	-	-	-	-
57	Filariasis---127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis---129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths---124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases---Residual[1]	32	18	11	3	-	-	-	-	-	-
61	II. Neoplasms	5,787	3,013	2,713	28	33	295	156	138	-	1
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	5,684	2,971	2,657	27	29	288	155	132	-	1
63	Malignant neoplasm of buccal cavity and pharynx---140-148	105	81	24	-	-	7	6	1	-	-
64	Of lip---140	10	9	1	-	-	-	-	-	-	-
65	Of tongue---141	24	15	9	-	-	2	2	-	-	-
66	Of other and unspecified parts of buccal cavity---142-144	28	21	7	-	-	1	1	-	-	-
67	Of pharynx---145-148	43	36	7	-	-	4	3	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum---150-156A,157-159	2,451	1,428	1,003	11	9	94	54	39	-	1
69	Of esophagus---150	151	128	22	1	-	2	2	-	-	-
70	Of stomach---151	745	456	281	4	4	34	22	11	-	1
71	Of intestine, except rectum---152,153	695	356	334	2	3	27	15	12	-	-
72	Of rectum---154	332	213	117	2	-	7	2	5	-	-
73	Of biliary passages and of liver (stated to be primary site)---155	104	41	62	-	1	5	2	3	-	-
74	Of liver not specified whether primary or secondary---156A	139	68	71	-	-	9	4	5	-	-
75	Of pancreas---157	247	146	98	2	1	10	7	3	-	-
76	Of peritoneum and of unspecified digestive organs---158,159	38	20	18	-	-	-	-	-	-	-
77	Malignant neoplasm of respiratory system---160-164	439	358	79	3	2	27	25	2	-	-
78	Of larynx---161	40	35	5	-	-	-	-	-	-	-
79	Of trachea, and of bronchus and lung specified as primary---162	149	126	19	3	1	12	11	1	-	-
80	Of lung and bronchus, unspecified as primary or secondary---163	232	182	49	-	1	14	13	1	-	-
81	Of other parts of respiratory system---160,164	18	12	6	-	-	1	1	-	-	-
82	Malignant neoplasm of breast---170	529	8	517	-	4	30	1	29	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs---171-179	861	359	486	3	13	52	20	32	-	-
2	Of cervix uteri---171	189	...	180	...	9	10	...	10	...	-
3	Of other and unspecified parts of uterus---172-174	121	...	119	...	2	12	...	12	...	-
4	Of ovary, fallopian tube, and broad ligament---175	165	...	163	...	2	10	...	10	...	-
5	Of other and unspecified female genital organs---176	24	...	24	...	-	-	...	-	...	-
6	Of prostate---177	342	340	...	2	...	19	19	...	-	...
7	Of testis, and of other and unspecified male genital organs---178,179	20	19	...	1	...	1	1	...	-	...
8	Malignant neoplasm of urinary organs---180,181	283	205	78	-	-	18	14	4	-	-
9	Of kidney---180	116	86	30	-	-	10	6	4	-	-
10	Of bladder and other urinary organs---181	167	119	48	-	-	8	8	-	-	-
11	Malignant neoplasm of other and unspecified sites---156B,165,190-199	533	264	262	7	-	32	18	14	-	-
12	Of skin---190,191	57	29	28	-	-	6	4	2	-	-
13	Of eye---192	9	5	4	-	-	1	-	1	-	-
14	Of brain and other parts of nervous system---193	134	66	66	2	-	8	6	2	-	-
15	Of thyroid gland---194	26	9	16	1	-	-	-	-	-	-
16	Of bone (including jaw bone)---196	50	28	21	1	-	3	1	2	-	-
17	Of connective tissue---197	25	11	13	1	-	-	-	-	-	-
18	Of other specified sites, not stated to be secondary---195,198A,199A	80	38	41	1	-	5	1	4	-	-
19	Of unspecified sites---156B,165,198B,199B-M	152	78	73	1	-	9	6	3	-	-
20	Leukemia and aleukemia---204	245	133	109	2	1	14	7	7	-	-
21	Lymphosarcoma, etc.*---200-203,205	238	138	99	1	-	14	10	4	-	-
22	Lymphosarcoma and reticulosarcoma---200	102	53	48	1	-	6	2	4	-	-
23	Hodgkin's disease---201	67	47	20	-	-	3	3	-	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues---202,203,205	69	38	31	-	-	5	5	-	-	-
25	Benign neoplasms and neoplasms of unspecified nature---210-239	103	42	56	1	4	7	1	6	-	-
26	Benign neoplasms of female genital organs---214-217	22	...	19	...	3	2	...	2	...	-
27	Benign neoplasm of brain and other parts of nervous system---223	31	15	15	1	-	-	-	-	-	-
28	Other benign neoplasms---210-213,218-222,224-229	16	7	9	-	-	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs---233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*---237	21	13	8	-	-	3	-	3	-	-
31	Other neoplasms of unspecified nature---230-232,236,238,239	13	7	5	-	1	1	-	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases	885	397	476	5	7	63	34	28	1	-
33	Asthma---241	149	98	49	-	2	14	13	1	-	-
34	Nontoxic goiter---250,251	5	-	5	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter---252	41	9	31	-	1	1	-	-	1	-
36	Myxedema, cretinism, and other diseases of thyroid gland---253,254	6	1	4	1	-	1	-	1	-	-
37	Diabetes mellitus---260	649	273	368	4	4	43	18	25	-	-
38	Diseases of thymus gland---273	7	5	2	-	-	1	1	-	-	-
39	Diseases of adrenal glands---274	10	6	4	-	-	-	-	-	-	-
40	Pellagra---281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states---280,282-286	10	2	8	-	-	-	-	-	-	-
42	Other allergic, endocrine, and metabolic diseases---Residual[1]	8	3	5	-	-	3	2	1	-	-
43	IV. Diseases of the blood and blood-forming organs	140	69	69	2	-	7	2	4	1	-
44	Anemias---290-293	108	54	52	2	-	3	1	2	-	-
45	Pernicious and other hyperchromic anemias---290	60	31	28	1	-	2	-	2	-	-
46	Anemias of other and unspecified type---291-293	48	23	24	1	-	1	1	-	-	-
47	Purpura and other hemorrhagic conditions---296	13	5	8	-	-	-	-	-	-	-
48	All other diseases of blood and blood-forming organs---294,295,297-299	19	10	9	-	-	4	1	2	1	-
49	V. Mental, psychoneurotic, and personality disorders	89	56	28	3	2	12	11	1	-	-
50	Senile psychosis---304	18	5	13	-	-	1	1	-	-	-
51	Alcoholic psychosis---307	14	14	-	-	-	-	-	-	-	-
52	Other psychoses---300-303,305,306,308,309	6	3	3	-	-	1	1	-	-	-
53	Alcoholism---322	42	31	6	3	2	8	8	-	-	-
54	Mental deficiency---325	7	3	4	-	-	2	1	1	-	-
55	Psychoneuroses and other disorders of personality---310-321,323,324,326	2	-	2	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs	4,754	2,287	2,406	26	35	245	148	95	1	1
57	Vascular lesions affecting central nervous system---330-334	4,387	2,083	2,251	23	30	222	133	87	1	1
58	Subarachnoid hemorrhage---330	102	47	51	2	2	5	5	-	-	-
59	Cerebral hemorrhage---331	2,922	1,354	1,533	13	22	150	89	61	-	-
60	Cerebral embolism and thrombosis---332	741	391	348	1	1	43	26	16	1	-
61	Other vascular lesions affecting central nervous system---333,334	622	291	319	7	5	24	13	10	-	1
62	Meningitis, except meningococcal and tuberculous---340	41	21	16	2	2	3	2	1	-	-
63	Multiple sclerosis---345	61	25	36	-	-	1	1	-	-	-
64	Paralysis agitans---350	83	53	30	-	-	3	3	-	-	-
65	Cerebral spastic infantile paralysis---351	11	8	2	-	1	-	-	-	-	-
66	Epilepsy---353	69	39	28	-	2	2	2	-	-	-
67	Inflammatory diseases of eye---370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract---385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma---387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis---391-393	10	7	3	-	-	-	-	-	-	-
71	Other diseases of nervous system and sense organs---Residual[1]	92	51	40	1	-	14	7	7	-	-
72	VII. Diseases of the circulatory system	14,769	8,610	6,021	75	63	853	562	273	9	9
73	Rheumatic fever---400-402	33	12	18	3	-	4	2	1	1	-
74	Diseases of heart---410-443	13,392	7,893	5,375	66	58	776	522	239	8	7
75	Chronic rheumatic heart disease---410-416	548	279	263	5	1	38	20	17	-	1
76	Diseases of mitral valve---410	217	103	112	2	-	18	8	9	-	1
77	Diseases of aortic valve specified as rheumatic---411	39	23	16	-	-	2	2	-	-	-
78	Diseases of tricuspid valve---412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic---413,414	48	25	23	-	-	1	-	1	-	-
80	Other diseases of heart specified as rheumatic---415,416	244	128	112	3	1	17	10	7	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

Table 52. Deaths From 256 Selected Causes, by Race

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	8,933	5,657	3,201	43	32	502	377	122	2	1
2	Arteriosclerotic heart disease so described----------420.0	3,125	1,654	1,436	12	23	118	75	41	1	1
3	Heart disease specified as involving coronary arteries----------420.1	5,790	3,991	1,759	31	9	383	301	81	1	-
4	Angina pectoris without mention of coronary disease----------420.2	18	12	6	-	-	1	1	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	194	115	79	-	-	11	4	6	1	-
6	Of mitral valve, specified as nonrheumatic----------421.0	14	11	3	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	30	20	10	-	-	1	-	1	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	150	84	66	-	-	10	4	5	1	-
9	Other myocardial degeneration----------422	2,006	1,037	953	10	6	126	66	56	2	2
10	With arteriosclerosis----------422.1	1,139	596	532	8	3	36	24	11	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	867	441	421	2	3	90	42	45	1	2
12	Other diseases of heart----------430-434	312	174	136	-	-	28	19	8	-	1
13	Acute and subacute endocarditis----------430	15	15	-	-	-	1	1	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	37	17	20	-	-	1	-	-	-	1
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	53	24	29	-	-	5	4	1	-	-
17	Other and unspecified diseases of heart----------434	207	118	89	-	-	21	14	7	-	-
18	Hypertension with heart disease----------440-443	1,399	631	741	8	19	71	36	30	3	2
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	432	216	211	1	4	38	17	18	2	1
20	Essential hypertension with heart disease, etc.*----------440,441,443	967	415	530	7	15	33	19	12	1	1
21	Hypertension without mention of heart----------444-447	266	125	136	3	2	11	5	6	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	120	68	51	-	1	6	3	3	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	146	57	85	3	1	5	2	3	-	-
24	Diseases of arteries----------450-456	1,006	542	459	2	3	49	26	22	-	1
25	General arteriosclerosis----------450	886	465	419	1	1	36	15	20	-	1
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	80	54	25	1	-	6	6	-	-	-
27	Gangrene of unspecified cause----------455	1	-	1	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	39	23	14	-	2	7	5	2	-	-
29	Diseases of veins and other diseases of circulatory system--------460-468	72	38	33	1	-	13	7	5	-	1
30	VIII. Diseases of the respiratory system----------	1,340	745	545	25	25	122	79	36	5	2
31	Acute upper respiratory infections----------470-475	28	15	13	-	-	3	1	2	-	-
32	Influenza----------480-483	199	97	98	3	1	24	11	12	1	-
33	Pneumonia, except pneumonia of newborn----------490-493	827	444	349	17	17	59	37	16	4	2
34	Lobar pneumonia----------490	239	137	95	4	3	21	11	7	2	1
35	Bronchopneumonia----------491	477	244	210	9	14	21	15	6	-	-
36	Primary atypical pneumonia----------492	74	46	27	1	-	7	5	1	1	-
37	Pneumonia, other and unspecified----------493	37	17	17	3	-	10	6	2	1	1
38	Acute bronchitis----------500	30	14	15	-	1	2	2	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	35	23	11	-	1	4	3	1	-	-
40	Hypertrophy of tonsils and adenoids----------510	10	5	4	-	1	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	20	16	4	-	-	-	-	-	-	-
42	Pleurisy----------519	1	-	1	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	190	131	50	5	4	29	25	4	-	-
44	IX. Diseases of the digestive system----------	1,267	761	476	20	10	97	54	37	2	4
45	Diseases of teeth and supporting structures----------530-535	5	3	2	-	-	1	1	-	-	-
46	Ulcer of stomach----------540	121	93	25	3	-	7	5	2	-	-
47	Ulcer of duodenum----------541	95	79	14	2	-	13	11	1	1	-
48	Gastritis and duodenitis----------543	3	3	-	-	-	-	-	-	-	-
49	Appendicitis----------550-553	48	35	13	-	-	7	3	4	-	-
50	Hernia and intestinal obstruction----------560,561,570	216	130	83	2	1	19	10	9	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	174	88	72	8	6	10	2	6	-	2
52	Cirrhosis of liver----------581	296	188	104	3	1	24	15	7	1	1
53	Without mention of alcoholism----------581.0	241	150	88	2	1	24	15	7	1	1
54	With alcoholism----------581.1	55	38	16	1	-	-	-	-	-	-
55	Cholelithiasis and cholecystitis----------584,585	157	62	93	-	2	11	4	6	-	1
56	Other diseases of digestive system----------Residual[1]	152	80	70	2	-	5	3	2	-	-
57	X. Diseases of the genito-urinary system----------	688	464	210	6	8	50	29	18	-	3
58	Nephritis and nephrosis----------590-594	372	213	150	4	5	36	17	16	-	3
59	Acute nephritis----------590	15	8	7	-	-	3	3	-	-	-
60	Nephritis with edema, including nephrosis----------591	23	12	11	-	-	1	-	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	334	193	132	4	5	32	14	15	-	3
62	Infections of kidney----------600	62	28	34	-	-	1	1	-	-	-
63	Calculi of urinary system----------602,604	23	18	5	-	-	-	-	-	-	-
64	Other diseases of urinary system----------601,603,605-609	18	11	7	-	-	3	2	1	-	-
65	Hyperplasia of prostate----------610	189	187	...	2	...	8	8	...	-	...
66	Other diseases of male genital organs----------611-617	7	7	...	-	...	1	1	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	17	...	14	...	3	1	...	1	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	39	...	36	...	3	3	...	3	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	15	...	13	...	2	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	8	...	8	...	-	2	...	2	...	-
73	Ectopic pregnancy----------645	4	...	4	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	2	...	2	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	10	...	9	...	1	-	...	-	...	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

and Sex: United States and Each State, 1953—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	31	14	16	1	-	1	-	-	-	1
2	Infections of skin and subcutaneous tissue-690-698	5	4	1	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue-700-716	26	10	15	1	-	1	-	-	-	1
4	XIII. Diseases of the bones and organs of movement	86	39	47	-	-	7	2	5	-	-
5	Arthritis and spondylitis-720-725	43	14	29	-	-	4	-	4	-	-
6	Muscular rheumatism and rheumatism, unspecified-726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis-730	3	2	1	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities-737,745-749	1	1	-	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system-731-736,738-744	39	22	17	-	-	1	1	-	-	-
10	XIV. Congenital malformations	512	285	217	7	3	43	24	17	-	2
11	Spina bifida and meningocele-751	52	28	24	-	-	2	1	1	-	-
12	Congenital hydrocephalus, etc.*-752,753	75	44	31	-	-	5	3	2	-	-
13	Congenital malformations of circulatory system-754	214	122	86	5	1	21	13	7	-	1
14	Other congenital malformations-750,755-759	171	91	76	2	2	15	7	7	-	1
15	XV. Certain diseases of early infancy	1,265	733	490	24	18	155	90	60	3	2
16	Birth injuries-760,761	278	178	95	2	3	25	16	8	-	1
17	Postnatal asphyxia and atelectasis-762	276	168	101	6	1	42	22	19	1	-
18	Infections of newborn-763-768	45	25	18	1	1	8	4	4	-	-
19	Hemolytic disease of newborn (erythroblastosis)-770	79	49	28	1	1	10	6	3	1	-
20	All other defined diseases of early infancy-769,771,772	31	14	14	2	1	3	-	3	-	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified-773-776	556	299	234	12	11	67	42	23	1	1
22	XVI. Symptoms, senility, and ill-defined conditions	229	112	114	1	2	24	18	6	-	-
23	Senility without mention of psychosis-794	146	61	84	-	1	8	4	4	-	-
24	Symptoms, ill-defined and unknown causes-780-793,795	83	51	30	1	1	16	14	2	-	-
25	XVII. Accidents, poisonings, and violence	2,601	1,842	698	43	18	334	258	65	6	5
26	Accidents-E800-E962	2,152	1,505	598	32	17	277	217	50	6	4
27	Railway accidents-E800-E802	26	22	3	1	-	7	7	-	-	-
28	Motor-vehicle accidents-E810-E835	900	669	211	15	5	126	96	25	3	2
29	Motor-vehicle traffic accidents-E810-E825	881	655	206	15	5	124	94	25	3	2
30	Motor-vehicle traffic accident with railway train*-E810	53	40	12	1	-	6	4	1	1	-
31	Motor-vehicle traffic accident to pedestrian-E812	171	117	49	4	1	10	9	-	1	-
32	Other motor-vehicle traffic accidents, etc.*-E811,E813-E819	232	165	59	7	1	32	22	10	-	-
33	Motor-vehicle noncollision traffic accidents-E820-E824	181	152	26	2	1	51	39	9	1	2
34	Motor-vehicle traffic accident of unspecified nature-E825	244	181	60	1	2	25	20	5	-	-
35	Motor-vehicle nontraffic accidents-E830-E835	19	14	5	-	-	2	2	-	-	-
36	Other road-vehicle accidents-E840-E845	5	3	2	-	-	1	1	-	-	-
37	Water-transport accidents-E850-E858	60	49	11	-	-	1	1	-	-	-
38	Aircraft accidents-E860-E866	33	29	3	1	-	5	5	-	-	-
39	Accidental poisoning by solid and liquid substances-E870-E888	23	10	11	-	2	1	1	-	-	-
40	Accidental poisoning by gases and vapors-E890-E895	22	20	2	-	-	10	10	-	-	-
41	Accidental falls-E900-E904	515	268	243	2	2	29	19	10	-	-
42	Fall from one level to another-E900-E902	183	126	54	2	1	13	9	4	-	-
43	Fall on same level-E903	169	71	98	-	-	8	6	2	-	-
44	Unspecified falls-E904	163	71	91	-	1	8	4	4	-	-
45	Blow from falling object-E910	26	24	2	-	-	8	8	-	-	-
46	Accident caused by machinery-E912	63	60	3	-	-	11	10	1	-	-
47	Accident caused by electric current-E914	21	19	2	-	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.*-E916	110	71	31	4	4	17	12	5	-	-
49	Accident caused by hot substance, etc.*-E917,E918	10	4	3	2	1	1	1	-	-	-
50	Accident caused by firearm-E919	51	46	5	-	-	13	10	1	1	1
51	Inhalation and ingestion of food or other object, etc.*-E921,E922	32	13	18	1	-	6	4	2	-	-
52	Accidental drowning-E929	132	109	16	5	2	9	7	2	-	-
53	Excessive heat and insolation-E931	2	2	-	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-E940-E959	15	4	11	-	-	1	-	-	-	1
55	All other accidents-Residual[1]	106	83	21	1	1	28	22	4	2	-
56	Suicide-E963,E970-E979	408	318	88	2	-	48	35	12	-	1
57	Suicide by poisoning-E970-E973	71	45	25	1	-	6	6	-	-	-
58	Suicide by hanging and strangulation-E974	122	98	24	-	-	8	5	3	-	-
59	Suicide by firearms and explosives-E976	160	143	17	-	-	30	21	8	-	1
60	Suicide by all other means-E963,E975,E977-E979	55	32	22	1	-	4	3	1	-	-
61	Homicide-E964,E980-E985	41	19	12	9	1	9	6	3	-	-
62	Assault by firearms and explosives-E981	18	9	5	4	-	4	3	1	-	-
63	Assault by cutting and piercing instruments-E982	8	1	3	3	1	2	2	-	-	-
64	Assault by other means-E964,E980,E983	14	8	4	2	-	3	1	2	-	-
65	Injury by intervention of police-E984	1	1	-	-	-	-	-	-	-	-
66	Execution-E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 50.

[1]For category numbers, see table 50.

Table 53A. Deaths From 64 Selected Causes,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,517,541	108,405	7,588	4,444	3,455	2,748	126,640	8,565	6,704	11,251
2		White--M--	766,703	49,019	3,164	1,939	1,520	1,234	56,876	4,293	3,536	6,332
3		F--	569,132	35,022	2,570	1,517	1,220	959	41,288	2,860	2,014	2,737
4		Nonwhite--M--	100,397	13,358	1,033	546	385	295	15,617	794	728	1,291
5		F--	81,309	11,006	821	442	330	260	12,859	618	426	891
6		Tuberculosis, all forms (001-019)	18,544	144	194	109	101	32	580	92	72	225
7		White--M--	10,214	40	61	41	29	9	180	33	18	38
8		F--	4,040	31	50	25	33	3	142	28	12	50
9		Nonwhite--M--	3,360	35	44	20	20	11	130	12	19	53
10		F--	1,930	38	39	23	19	9	128	19	23	84
11	B 1	Tuberculosis of respiratory system (001-008)	17,814	51	69	37	28	11	196	28	37	184
12		White--M--	9,605	16	29	13	10	2	70	8	6	30
13		F--	3,617	10	17	7	5	1	40	8	5	37
14		Nonwhite--M--	2,965	13	14	8	8	3	46	4	10	45
15		F--	1,627	12	9	9	5	5	40	8	16	72
16	B 2	Tuberculosis, other forms (010-019)	1,730	93	125	72	73	21	384	64	35	41
17		White--M--	609	24	32	28	19	7	110	25	12	8
18		F--	423	21	33	18	28	2	102	20	7	13
19		Nonwhite--M--	395	22	30	12	12	8	84	8	9	8
20		F--	303	26	30	14	14	4	88	11	7	12
21	B 3	Syphilis and its sequelae (020-029)	5,273	56	2	1	2	1	62	1	5	11
22		White--M--	2,603	8	-	-	-	-	8	-	1	6
23		F--	839	6	-	-	-	-	6	1	1	3
24		Nonwhite--M--	1,287	25	2	1	1	-	29	-	1	1
25		F--	544	17	-	-	1	1	19	-	2	1
26	B 4	Typhoid fever (040)	52	1	2	1	1	2	7	2	3	4
27		White--M--	21	-	-	-	-	-	-	1	-	1
28		F--	17	-	1	1	1	1	4	1	1	-
29		Nonwhite--M--	6	1	-	-	-	1	2	-	-	2
30		F--	8	-	1	-	-	-	1	-	2	1
31	B 6	Dysentery, all forms (045-048)	882	487	64	23	15	7	596	20	11	2
32		White--M--	319	168	23	4	7	4	206	7	4	1
33		F--	278	146	22	8	3	3	182	7	3	1
34		Nonwhite--M--	161	103	8	8	4	-	123	3	3	-
35		F--	124	70	11	3	1	-	85	3	1	-
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	295	35	10	8	14	11	78	30	13	19
37		White--M--	135	18	2	5	5	5	35	13	3	13
38		F--	126	10	4	3	9	5	31	15	8	4
39		Nonwhite--M--	15	5	-	-	-	-	5	-	1	-
40		F--	19	2	4	-	-	1	7	2	1	2
41	B 8	Diphtheria (055)	156	8	19	14	16	15	72	41	8	7
42		White--M--	58	3	6	5	4	4	22	9	3	4
43		F--	44	1	5	4	6	2	18	15	3	2
44		Nonwhite--M--	32	4	5	3	2	6	20	9	1	-
45		F--	22	-	3	2	4	3	12	8	1	1
46	B 9	Whooping cough (056)	270	185	40	17	10	1	253	9	1	1
47		White--M--	68	45	8	6	3	1	63	3	-	-
48		F--	95	59	17	6	2	-	84	5	1	1
49		Nonwhite--M--	49	40	7	1	1	-	49	-	-	-
50		F--	58	41	8	4	4	-	57	1	-	-
51	B 10	Meningococcal infections (057)	1,325	393	197	130	72	53	845	137	55	65
52		White--M--	654	210	112	66	33	22	443	60	26	24
53		F--	457	135	60	45	31	23	294	39	20	25
54		Nonwhite--M--	115	25	11	10	1	4	51	24	5	11
55		F--	99	23	14	9	7	4	57	14	4	5
56	B 12	Acute poliomyelitis (080)	1,450	52	50	51	45	51	249	252	189	126
57		White--M--	803	22	19	28	22	21	112	149	112	74
58		F--	562	17	21	16	19	22	95	89	69	46
59		Nonwhite--M--	48	9	6	3	2	5	25	7	5	3
60		F--	37	4	4	4	2	3	17	7	3	3
61	B 13	Smallpox (084)	1	-	-	1	-	-	1	-	-	-
62		White--M--	1	-	-	1	-	-	1	-	-	-
63		F--	-	-	-	-	-	-	-	-	-	-
64		Nonwhite--M--	-	-	-	-	-	-	-	-	-	-
65		F--	-	-	-	-	-	-	-	-	-	-
66	B 14	Measles (085)	462	123	93	57	26	27	326	76	20	10
67		White--M--	202	53	39	17	17	8	134	31	11	7
68		F--	182	43	34	30	7	15	129	38	6	1
69		Nonwhite--M--	31	12	7	5	1	1	26	4	-	1
70		F--	47	15	13	5	1	3	37	3	3	1
71	B 15	Typhus and other rickettsial diseases (100-108)	30	-	-	-	-	1	1	4	3	3
72		White--M--	17	-	-	-	-	1	1	2	3	1
73		F--	6	-	-	-	-	-	-	2	-	-
74		Nonwhite--M--	5	-	-	-	-	-	-	-	-	2
75		F--	2	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Race, and Sex: United States, 1953

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
14,469	17,299	21,611	29,529	44,331	61,852	86,506	113,913	145,908	177,263	186,305	181,731	150,085	87,856	35,268	7,977	1,483	995	1
8,066	8,555	9,977	13,666	21,819	32,575	45,641	63,957	83,073	97,164	96,656	90,423	69,438	37,765	13,575	2,569	318	429	2
3,234	4,500	6,167	8,818	12,885	17,809	24,446	33,835	45,971	62,237	74,806	80,794	73,290	45,908	19,967	4,708	609	249	3
1,901	2,451	2,990	3,760	5,144	6,183	9,121	9,256	9,706	10,022	8,224	5,736	3,956	2,046	797	284	203	187	4
1,268	1,793	2,477	3,285	4,483	5,285	7,298	6,865	7,158	7,840	6,619	4,778	3,401	2,137	929	416	353	130	5
486	794	1,051	1,235	1,543	1,733	1,904	1,998	2,138	2,100	1,516	1,127	620	254	54	8	-	14	6
95	173	267	427	696	929	1,086	1,291	1,401	1,406	959	697	345	141	25	2	-	5	7
113	220	287	319	334	303	254	283	320	369	343	314	228	93	21	5	-	2	8
113	188	262	308	330	373	403	323	320	235	161	74	34	13	4	1	-	4	9
165	213	235	181	183	128	161	101	97	90	53	42	13	7	4	-	-	3	10
425	703	961	1,124	1,432	1,614	1,800	1,888	2,021	1,984	1,427	1,085	592	237	54	8	-	14	11
82	153	244	400	658	889	1,044	1,255	1,342	1,340	914	672	331	135	25	2	-	5	12
100	208	275	286	307	270	236	253	298	344	316	303	217	86	21	5	-	2	13
92	163	235	278	304	338	374	296	294	215	151	70	31	10	4	1	-	4	14
151	179	207	160	163	117	146	84	87	85	46	40	13	6	4	-	-	3	15
61	91	90	111	111	119	104	110	117	116	89	42	28	17	-	-	-	-	16
13	20	23	27	38	40	42	36	59	66	45	25	14	6	-	-	-	-	17
13	12	12	33	27	33	18	30	22	25	27	11	11	7	-	-	-	-	18
21	25	27	30	26	35	29	27	26	20	10	4	3	3	-	-	-	-	19
14	34	28	21	20	11	15	17	10	5	7	2	-	1	-	-	-	-	20
15	20	51	125	259	428	625	739	872	831	601	375	164	65	16	2	1	5	21
7	3	7	27	67	150	258	363	501	513	356	213	83	32	6	-	-	2	22
3	6	6	14	32	42	70	86	132	121	132	104	47	24	6	2	1	-	23
2	5	16	57	96	169	213	217	182	150	68	45	26	5	2	-	-	3	24
3	6	22	27	64	67	84	73	57	47	45	13	8	4	2	-	-	-	25
4	1	3	3	6	4	1	3	2	1	6	2	-	-	-	-	-	-	26
3	1	2	2	2	-	-	2	1	-	4	2	-	-	-	-	-	-	27
-	-	1	1	3	1	1	-	1	1	2	-	-	-	-	-	-	-	28
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	30
9	7	11	9	9	16	21	16	19	19	35	24	31	15	7	2	2	1	31
3	3	4	3	1	9	11	6	10	6	17	10	10	5	-	1	1	1	32
3	-	5	2	4	1	2	7	5	7	11	9	13	9	6	1	-	-	33
1	-	1	3	1	3	3	3	2	4	3	1	5	1	-	-	1	-	34
2	4	1	1	3	3	5	-	2	2	4	4	3	-	1	-	-	-	35
10	15	15	12	9	14	16	5	9	18	9	11	5	5	1	1	-	-	36
6	6	4	5	5	8	5	2	4	11	8	1	2	3	1	-	-	-	37
1	8	6	7	2	6	11	2	5	5	-	9	3	2	-	1	-	-	38
1	1	2	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	39
2	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	40
-	1	2	3	4	3	2	4	1	4	3	1	-	-	-	-	-	-	41
-	-	2	2	4	3	1	2	1	2	2	1	-	-	-	-	-	-	42
-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	43
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	47
1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
27	16	12	13	18	21	30	23	25	15	10	9	4	-	-	-	-	-	51
11	4	6	5	7	12	12	10	14	9	3	6	2	-	-	-	-	-	52
7	6	5	4	6	7	13	8	8	5	7	2	1	-	-	-	-	-	53
8	3	-	3	1	1	4	2	-	-	-	1	1	-	-	-	-	-	54
1	3	1	1	4	1	1	3	3	1	-	-	-	-	-	-	-	-	55
119	195	149	89	38	15	12	8	1	5	2	1	-	-	-	-	-	-	56
70	96	85	48	23	12	8	7	1	4	1	1	-	-	-	-	-	-	57
47	98	60	38	13	3	3	1	-	1	1	-	-	-	-	-	-	-	58
1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	59
1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
6	2	4	3	3	2	1	3	1	-	2	1	-	1	-	-	1	-	66
5	1	2	2	3	1	1	-	1	-	2	1	-	-	-	-	-	-	67
1	1	2	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	70
-	-	1	-	1	2	1	2	6	3	3	-	-	-	-	-	-	-	71
-	-	1	-	-	1	-	1	4	1	2	-	-	-	-	-	-	-	72
-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	74
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	75

Table 53A. Deaths From 64 Selected Causes,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 16	Malaria (110-117)	32	2	-	-	-	-	2	-	-	2
2		White---M	12	-	-	-	-	-	-	-	-	-
3		F	6	1	-	-	-	-	1	-	-	-
4		Nonwhite---M	9	1	-	-	-	-	1	-	-	1
5		F	5	-	-	-	-	-	-	-	-	1
6	B 17	All other infective and parasitic diseases (030-039, 041,042,044,049,052-054,059-074,081-083,086-096,120-138)	4,190	642	162	120	68	71	1,063	207	142	98
7		White---M	1,692	261	70	52	30	29	442	80	64	43
8		F	1,407	187	59	35	27	23	331	73	45	29
9		Nonwhite---M	490	114	20	16	8	8	166	28	21	16
10		F	401	80	13	17	3	11	124	16	12	10
11	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	229,079	299	326	376	439	382	1,822	1,131	714	793
12		White---M	109,410	133	156	183	231	200	903	630	358	396
13		F	100,883	128	141	159	178	153	759	421	287	302
14		Nonwhite---M	9,417	21	15	17	18	17	88	44	43	56
15		F	9,369	17	14	17	12	12	72	36	26	39
16		Malignant neoplasm of buccal cavity and pharynx (140-148)	5,079	2	-	2	-	5	9	8	2	10
17		White---M	3,725	1	-	-	-	4	5	4	1	4
18		F	990	-	-	2	-	1	3	4	1	4
19		Nonwhite---M	270	1	-	-	-	-	1	-	-	1
20		F	94	-	-	-	-	-	-	-	-	1
21		Malignant neoplasm of digestive organs and peritoneum (150-156A,157-159)	84,444	21	14	13	7	8	63	26	15	42
22		White---M	42,472	9	4	9	4	4	30	16	8	21
23		F	35,242	6	6	2	3	2	19	6	5	17
24		Nonwhite---M	4,039	3	2	-	-	2	7	2	2	3
25		F	2,691	3	2	2	-	-	7	2	-	1
26		Malignant neoplasm of respiratory system (160-164)	26,388	10	5	3	1	3	22	8	7	22
27		White---M	20,560	5	3	1	-	2	11	5	5	13
28		F	3,938	4	1	2	-	-	7	2	2	7
29		Nonwhite---M	1,568	1	-	-	-	1	2	1	-	1
30		F	322	-	1	-	1	-	2	-	-	1
31		Malignant neoplasm of breast (170)	20,566	1	1	-	-	-	2	2	1	4
32		White---M	201	1	-	-	-	-	1	-	-	1
33		F	18,929	-	-	-	-	-	-	2	1	2
34		Nonwhite---M	23	-	1	-	-	-	1	-	-	-
35		F	1,413	-	-	-	-	-	-	-	-	1
36		Malignant neoplasm of genital organs (171-179)	36,241	3	7	5	-	1	16	10	19	51
37		White---M	12,156	2	3	3	-	1	9	6	5	21
38		F	19,646	1	4	1	-	-	6	2	11	20
39		Nonwhite---M	1,322	-	-	-	-	-	-	-	1	3
40		F	3,117	-	-	1	-	-	1	2	2	7
41		Malignant neoplasm of urinary organs (180,181)	10,915	21	36	25	46	33	161	81	11	9
42		White---M	6,792	15	20	12	17	19	83	33	7	6
43		F	3,408	5	10	9	24	10	58	40	2	3
44		Nonwhite---M	416	-	4	3	2	4	13	2	2	-
45		F	297	1	2	1	3	-	7	6	-	-
46		Malignant neoplasm of other and unspecified sites (156B,165,190-199)	25,870	92	116	135	119	99	561	352	284	290
47		White---M	12,683	45	56	62	66	47	276	177	124	134
48		F	11,207	39	58	59	42	43	241	147	130	121
49		Nonwhite---M	1,030	6	2	8	9	2	27	14	16	19
50		F	950	2	-	6	2	7	17	14	14	16
51		Leukemia and aleukemia (204)	9,918	128	125	169	243	207	872	509	274	224
52		White---M	5,404	49	62	84	127	101	423	297	138	126
53		F	3,921	62	49	73	103	94	381	188	111	75
54		Nonwhite---M	336	8	6	6	7	7	34	15	17	17
55		F	257	9	8	6	6	5	34	9	8	6
56		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	9,658	21	22	24	23	26	116	135	101	141
57		White---M	5,417	6	8	12	17	22	65	92	70	70
58		F	3,602	11	13	11	6	3	44	30	24	53
59		Nonwhite---M	411	2	-	-	-	1	3	10	5	12
60		F	228	2	1	1	-	-	4	3	2	6
61	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)	5,263	158	56	27	35	29	305	137	99	70
62		White---M	2,007	76	18	9	16	16	135	57	44	28
63		F	2,485	57	24	11	9	9	110	65	39	27
64		Nonwhite---M	240	14	5	4	5	3	31	7	8	9
65		F	531	11	9	3	5	1	29	8	8	6
66	B 20	Diabetes mellitus (260)	25,796	17	15	11	12	4	59	55	69	101
67		White---M	9,089	7	11	5	5	1	29	22	19	27
68		F	14,225	8	4	4	7	3	26	25	41	48
69		Nonwhite---M	800	1	-	2	-	-	3	3	5	10
70		F	1,682	1	-	-	-	-	1	5	4	16
71	B 21	Anemias (290-293)	3,580	134	59	27	22	15	257	72	44	58
72		White---M	1,456	41	19	2	13	4	79	23	15	14
73		F	1,643	30	19	6	6	5	66	25	14	22
74		Nonwhite---M	229	31	9	11	3	2	56	13	9	9
75		F	252	32	12	8	-	4	56	11	6	13

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Race, and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	6	3	2	3	-	2	-	4	1	1	5	1	-	-	-	-	1
-	-	4	1	-	3	-	-	-	1	1	-	1	1	-	-	-	-	2
-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	3
-	-	1	2	1	-	-	-	-	-	-	1	2	-	-	-	-	-	4
-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	5
120	155	169	178	193	195	248	258	247	258	230	178	134	80	27	8	1	1	6
32	54	64	78	83	93	114	134	133	147	113	107	56	34	11	-	-	-	7
48	47	56	55	66	55	76	74	76	84	96	60	73	41	16	6	-	-	8
20	26	21	19	24	24	32	28	23	17	12	5	3	2	-	1	1	1	9
20	28	28	26	20	23	26	22	15	10	9	6	2	3	-	1	-	-	10
1,059	1,746	2,919	5,074	8,749	13,200	18,875	25,388	30,590	33,587	31,002	25,656	16,610	7,529	2,151	322	59	103	11
561	777	1,064	1,707	2,899	5,029	7,762	12,099	15,664	17,482	15,922	13,250	8,223	3,571	951	110	18	34	12
380	743	1,465	2,660	4,580	6,506	8,535	10,748	12,485	13,639	13,253	11,299	7,773	3,668	1,127	191	23	39	13
60	89	94	217	425	681	1,205	1,383	1,376	1,414	1,083	616	333	152	34	4	9	11	14
58	137	296	490	845	984	1,373	1,158	1,065	1,052	744	491	281	138	39	17	9	19	15
9	14	25	62	152	280	422	599	719	750	705	599	421	209	72	6	3	3	16
8	4	16	37	96	180	294	445	563	583	543	436	305	148	48	4	1	1	17
1	5	8	13	35	65	67	93	106	122	133	142	104	56	24	2	2	-	18
-	3	-	8	13	29	37	43	43	36	25	16	10	4	-	-	-	1	19
-	2	1	4	9	6	24	18	7	9	4	5	2	1	-	-	-	1	20
97	237	465	992	1,968	3,476	5,677	8,692	11,354	13,773	13,576	11,678	7,755	3,457	898	123	32	48	21
46	102	210	436	870	1,658	2,672	4,445	6,119	7,347	7,080	5,888	3,636	1,471	359	33	7	18	22
30	98	191	412	784	1,316	2,125	3,225	4,272	5,366	5,732	5,308	3,842	1,870	512	79	13	20	23
12	18	25	71	161	286	531	648	588	661	486	272	171	70	13	2	6	4	24
9	19	39	73	153	216	349	374	375	399	278	210	106	46	14	9	6	6	25
35	64	161	379	927	1,752	2,944	4,259	4,912	4,419	3,148	1,955	928	335	81	16	3	11	26
21	39	98	247	637	1,301	2,318	3,484	4,072	3,605	2,407	1,409	618	200	54	5	2	9	27
11	14	39	86	163	242	313	434	530	595	589	473	277	115	27	9	1	2	28
3	6	14	35	96	170	269	293	274	184	121	60	26	12	-	1	-	-	29
-	5	10	11	31	39	44	48	36	35	31	13	7	8	-	1	-	-	30
17	97	382	847	1,502	2,083	2,369	2,518	2,476	2,438	2,142	1,700	1,164	561	206	42	1	12	31
-	1	1	6	6	18	12	26	29	30	24	23	13	5	4	1	-	-	32
12	74	318	738	1,335	1,886	2,128	2,334	2,309	2,271	2,025	1,615	1,110	529	195	38	1	6	33
-	-	-	1	5	1	2	3	-	4	4	-	1	1	-	-	-	-	34
5	22	63	102	156	178	227	155	138	133	89	62	40	26	7	3	-	6	35
132	329	627	1,082	1,808	2,300	3,036	3,455	4,220	4,865	4,894	4,525	3,009	1,415	377	47	9	15	36
64	102	101	93	82	81	190	446	946	1,777	2,347	2,693	1,947	959	253	29	4	1	37
55	170	397	770	1,359	1,795	2,272	2,499	2,756	2,507	2,078	1,540	903	380	105	14	1	6	38
1	5	2	5	16	26	71	140	195	273	259	173	86	44	13	1	3	5	39
12	52	127	214	351	398	503	370	323	308	210	119	73	32	6	3	1	3	40
14	20	44	124	236	464	704	1,143	1,484	1,769	1,721	1,403	941	431	134	18	1	2	41
6	7	18	73	123	284	406	780	1,025	1,157	1,061	858	533	247	74	10	-	1	42
7	11	20	35	74	115	201	272	361	508	574	500	386	176	56	7	1	1	43
-	1	4	8	19	30	57	52	67	64	59	26	9	4	1	-	-	-	44
1	1	2	8	20	35	40	39	31	40	27	19	13	4	3	1	-	-	45
290	416	543	829	1,236	1,692	2,242	2,755	3,151	3,188	2,855	2,319	1,618	843	324	64	8	10	46
154	210	255	404	587	858	1,092	1,356	1,632	1,616	1,360	1,128	765	394	129	25	4	3	47
104	177	242	334	499	684	884	1,162	1,285	1,347	1,316	1,091	798	419	180	39	3	4	48
20	16	19	41	63	75	146	135	134	127	95	47	19	10	7	-	-	-	49
12	13	27	50	87	75	120	102	100	98	84	53	36	20	8	-	1	3	50
197	235	274	328	406	501	605	834	950	1,160	1,010	824	479	188	41	4	2	1	51
117	120	142	163	199	275	304	464	529	689	575	448	267	107	19	1	-	1	52
57	91	107	134	160	179	240	325	368	434	404	364	203	75	21	3	1	-	53
13	12	13	19	23	22	28	23	33	27	20	7	8	5	-	-	-	-	54
10	12	12	12	24	25	33	22	20	10	11	5	1	1	1	-	1	-	55
268	334	398	431	514	652	876	1,133	1,324	1,225	951	653	295	90	18	2	-	1	56
145	192	223	248	300	374	474	653	749	678	525	367	139	40	11	2	-	-	57
103	103	143	138	171	224	305	404	498	489	402	266	150	48	7	-	-	-	58
11	28	17	29	29	42	64	46	42	38	14	15	3	2	-	-	-	1	59
9	11	15	16	14	12	33	30	35	20	10	5	3	-	-	-	-	-	60
104	182	229	341	448	530	486	493	471	417	320	278	213	98	33	5	2	2	61
41	65	72	79	102	145	164	227	235	209	142	115	90	39	17	1	-	-	62
51	86	101	167	237	300	230	218	190	172	157	147	113	56	14	4	1	-	63
4	4	14	15	21	18	35	18	14	20	10	8	4	-	-	-	-	-	64
8	27	42	80	88	67	57	30	32	16	11	8	6	3	2	-	1	2	65
148	234	331	376	531	775	1,344	2,297	3,591	4,436	4,439	3,635	2,284	868	190	21	2	10	66
71	111	164	186	227	300	459	769	1,161	1,429	1,555	1,300	841	342	64	10	-	3	67
61	83	111	108	167	286	544	1,198	2,076	2,684	2,623	2,181	1,352	480	119	9	-	3	68
6	21	27	28	48	44	92	88	115	101	81	61	43	17	4	1	-	2	69
10	19	29	54	89	145	249	242	239	222	180	93	48	29	3	1	2	2	70
63	55	53	80	82	98	126	190	230	378	461	525	470	235	84	16	2	1	71
18	14	10	18	19	33	45	80	105	191	212	229	216	100	30	4	1	-	72
17	12	24	30	35	43	49	89	102	164	228	282	247	132	50	12	-	-	73
13	9	6	15	9	10	15	16	12	13	10	9	2	1	2	-	-	-	74
15	20	13	17	19	12	17	5	11	10	11	5	5	2	2	-	1	1	75

Table 53A. Deaths From 64 Selected Causes,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 23	Meningitis, except meningococcal and tuberculous (340)--------	2,059	687	189	122	81	45	1,124	96	52	24
2		White---------M--	922	273	80	55	40	21	469	53	24	8
3		F--	607	209	57	42	30	15	353	25	14	6
4		Nonwhite------M--	299	116	34	13	4	8	175	10	7	3
5		F--	231	89	18	12	7	1	127	8	7	7
6		Major cardiovascular-renal diseases (330-334,400-468,592-594)----------	814,662	625	170	105	109	103	1,112	495	728	1,009
7		White---------M--	415,306	281	52	47	36	47	463	200	281	416
8		F--	317,175	181	75	32	43	37	368	191	282	358
9		Nonwhite------M--	43,104	86	29	12	16	11	154	43	75	89
10		F--	39,077	77	14	14	14	8	127	61	90	146
11		Diseases of cardiovascular system (330-334,400-468)----------	795,888	604	159	86	74	74	997	382	596	794
12		White---------M--	407,185	268	47	38	24	34	411	147	218	323
13		F--	310,279	175	72	26	29	23	325	142	228	272
14		Nonwhite------M--	41,222	85	28	10	10	10	143	39	68	76
15		F--	37,202	76	12	12	11	7	118	54	82	123
16	B 22	Vascular lesions affecting central nervous system (330-334)----------	169,800	206	56	34	28	16	340	84	90	138
17		White---------M--	72,306	95	24	12	10	8	149	41	44	56
18		F--	76,658	54	19	15	11	7	106	27	34	52
19		Nonwhite------M--	9,974	30	9	2	3	1	45	7	5	12
20		F--	10,862	27	4	5	4	-	40	9	7	18
21	B 24	Rheumatic fever (400-402)----------	1,523	19	4	13	15	29	80	154	297	114
22		White---------M--	636	2	2	4	3	10	21	49	104	50
23		F--	571	9	1	2	7	9	28	53	118	40
24		Nonwhite------M--	138	6	1	3	2	7	19	17	35	14
25		F--	178	2	-	4	3	3	12	35	40	10
26		Diseases of heart (410-443)----------	570,275	315	86	31	24	25	481	127	175	461
27		White---------M--	309,112	145	17	19	7	14	202	52	62	198
28		F--	209,824	94	45	6	8	6	159	52	55	136
29		Nonwhite------M--	27,948	36	16	4	5	2	63	14	28	44
30		F--	23,391	40	8	2	4	3	57	9	30	63
31	B 25	Chronic rheumatic heart disease (410-416)----------	19,587	6	5	-	5	1	17	25	66	253
32		White---------M--	8,872	2	4	-	-	1	7	7	24	104
33		F--	8,961	3	1	-	3	-	7	11	22	84
34		Nonwhite------M--	838	-	-	-	-	-	-	4	6	26
35		F--	916	1	-	-	2	-	3	3	14	39
36	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)----------	373,597	60	13	6	5	2	86	24	21	63
37		White---------M--	225,416	28	3	4	1	2	38	10	10	29
38		F--	125,838	16	8	1	3	-	28	10	5	14
39		Nonwhite------M--	13,126	8	2	1	-	-	11	3	5	3
40		F--	9,217	8	-	-	1	-	9	1	1	17
41	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)----------	73,330	60	29	9	2	9	109	28	23	40
42		White---------M--	33,433	29	4	3	1	5	42	12	9	22
43		F--	32,221	19	15	2	-	2	38	11	8	8
44		Nonwhite------M--	4,204	7	7	2	1	1	18	2	3	2
45		F--	3,472	5	3	2	-	1	11	3	3	8
46	B 27	Other diseases of [illegible] (420-434)----------	22,612	189	39	16	11	12	267	47	58	92
47		White---------M--	11,516	86	6	12	5	6	115	21	17	37
48		F--	7,170	56	21	3	2	4	86	20	18	26
49		Nonwhite------M--	2,287	21	7	1	3	-	32	5	12	12
50		F--	1,639	26	5	-	1	2	34	1	11	17
51	B 28	Hypertension with heart disease (440-443)----------	81,149	-	-	-	1	1	2	3	7	13
52		White---------M--	29,875	-	-	-	-	-	-	2	2	6
53		F--	35,634	-	-	-	-	-	-	-	2	4
54		Nonwhite------M--	7,493	-	-	-	1	1	2	-	2	1
55		F--	8,147	-		-	-	-	-	1	1	2
56	B 29	Hypertension without mention of heart (444-447)----------	12,387	-	-	-	-	-	-	-	1	7
57		White---------M--	5,026	-	-	-	-	-	-	-	-	2
58		F--	4,782	-	-	-	-	-	-	-	1	3
59		Nonwhite------M--	1,348	-	-	-	-	-	-	-	-	1
60		F--	1,231	-	-	-	-	-	-	-	-	1
61	B 46 pt.	General arteriosclerosis (450)----------	32,351	-	-	-	-	-	-	-	-	-
62		White---------M--	14,859	-	-	-	-	-	-	-	-	-
63		F--	15,207	-	-	-	-	-	-	-	-	-
64		Nonwhite------M--	1,235	-	-	-	-	-	-	-	-	-
65		F--	1,050	-	-	-	-	-	-	-	-	-
66	B 46 pt.	Other diseases of circulatory system (451-468)----------	9,552	64	13	8	7	4	96	17	33	74
67		White---------M--	5,246	26	4	3	4	2	39	5	8	17
68		F--	3,237	18	7	3	3	1	32	10	20	41
69		Nonwhite------M--	579	13	2	1	-	-	16	1	-	5
70		F--	490	7	-	1	-	1	9	1	5	11
71	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)----------	18,774	21	11	19	35	29	115	113	132	215
72		White---------M--	8,121	13	5	9	12	13	52	53	63	93
73		F--	6,896	6	3	6	14	14	43	49	54	86
74		Nonwhite------M--	1,882	1	1	2	6	1	11	4	7	13
75		F--	1,875	1	2	2	3	1	9	7	8	23

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Race, and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
34	40	41	56	67	70	89	77	87	72	57	36	23	12	2	-	-	-	1
15	16	16	16	33	31	40	39	52	42	31	22	8	5	2	-	-	-	2
10	11	13	12	13	17	24	21	18	20	21	8	15	6	-	-	-	-	3
6	4	8	16	15	13	13	8	7	6	4	4	-	-	-	-	-	-	4
3	9	4	12	6	9	12	9	10	4	1	2	-	1	-	-	-	-	5
1,540	2,620	4,861	9,015	17,029	27,748	43,565	61,561	83,899	108,918	121,513	124,498	107,263	64,300	25,889	5,702	932	465	6
610	1,059	2,120	4,381	9,195	15,975	24,596	36,142	48,989	59,953	62,697	60,764	48,546	26,975	9,717	1,823	216	188	7
515	836	1,360	2,206	3,723	6,135	10,047	16,007	24,615	37,597	49,113	56,645	53,719	34,496	14,996	3,414	420	132	8
193	336	653	1,144	2,029	2,844	4,790	5,166	5,672	6,125	5,161	3,758	2,626	1,333	532	189	108	84	9
222	389	728	1,284	2,082	2,794	4,132	4,246	4,623	5,243	4,542	3,331	2,372	1,496	644	276	188	61	10
1,244	2,191	4,353	8,407	16,240	26,786	42,300	60,148	82,207	106,835	119,313	122,343	105,279	63,104	25,424	5,596	899	450	11
459	848	1,925	4,139	8,873	15,597	24,057	35,560	48,277	59,037	61,757	59,812	47,614	26,430	9,516	1,791	212	182	12
423	700	1,190	2,027	3,497	5,854	9,680	15,553	23,997	36,868	48,239	55,753	52,901	33,956	14,779	3,360	409	126	13
176	297	590	1,066	1,928	2,716	4,606	4,979	5,483	5,886	4,944	3,576	2,499	1,276	511	181	99	83	14
186	346	648	1,175	1,942	2,619	3,957	4,056	4,450	5,044	4,373	3,202	2,265	1,442	618	264	179	59	15
222	411	799	1,482	2,819	4,601	7,574	10,593	15,388	22,060	26,981	29,295	25,733	14,503	5,335	1,100	148	104	16
100	149	273	469	925	1,518	2,662	4,354	6,962	10,147	12,304	13,163	10,959	5,726	1,910	331	26	38	17
68	114	254	476	931	1,634	2,606	3,773	5,690	8,844	12,140	14,340	13,510	8,145	3,173	654	57	30	18
30	57	112	220	406	658	1,090	1,187	1,391	1,535	1,262	871	627	280	101	40	20	18	19
24	91	160	317	557	791	1,216	1,279	1,345	1,534	1,275	921	637	352	151	75	45	18	20
83	72	88	83	96	76	81	67	74	68	30	23	20	12	3	1	-	1	21
29	34	39	36	43	41	39	36	42	33	18	9	9	2	1	-	-	1	22
24	25	28	35	36	26	37	25	26	29	9	12	9	8	2	1	-	-	23
12	7	9	3	4	3	3	3	4	2	2	1	-	-	-	-	-	-	24
18	6	12	9	13	6	2	3	2	4	1	1	2	2	-	-	-	-	25
785	1,457	3,019	6,220	12,388	20,836	32,941	47,213	63,402	79,885	85,655	84,509	69,696	40,740	16,039	3,408	530	308	26
296	601	1,482	3,439	7,568	13,468	20,571	29,963	39,487	46,368	46,039	42,448	32,070	17,337	6,107	1,099	127	128	27
256	470	768	1,339	2,294	3,889	6,629	11,160	17,313	26,333	33,537	37,654	34,579	21,627	9,195	2,052	239	88	28
113	199	394	725	1,333	1,843	3,228	3,519	3,757	3,967	3,288	2,384	1,629	844	348	111	59	58	29
120	187	375	717	1,193	1,636	2,513	2,571	2,845	3,217	2,791	2,023	1,418	932	389	146	105	34	30
379	585	907	1,203	1,632	1,954	2,273	2,265	2,033	1,906	1,461	1,244	785	398	164	22	4	11	31
144	214	413	514	721	905	1,031	1,090	1,025	885	704	525	349	156	47	2	1	4	32
162	279	382	542	738	878	1,050	1,029	880	874	653	645	399	203	106	16	-	1	33
35	39	52	61	82	77	93	78	65	81	54	39	20	19	3	1	1	2	34
38	53	60	86	91	94	99	68	63	66	50	35	17	20	8	3	2	4	35
161	449	1,247	3,332	7,654	13,902	22,487	33,451	45,145	56,270	58,143	54,580	42,262	23,301	8,803	1,774	261	181	36
65	252	812	2,407	5,775	10,640	16,357	23,877	30,924	35,556	33,665	29,535	20,671	10,489	3,526	617	72	69	37
39	82	171	423	904	1,814	3,486	6,787	11,277	17,438	21,710	23,133	20,245	12,085	4,953	1,055	127	52	38
25	64	151	302	612	865	1,615	1,738	1,785	1,897	1,564	1,109	747	370	166	50	16	28	39
32	51	113	200	363	583	1,029	1,049	1,159	1,379	1,204	803	599	357	158	52	46	12	40
79	138	239	421	707	1,196	2,084	3,079	5,016	7,548	10,483	12,870	13,676	9,827	4,475	1,087	163	42	41
33	39	81	178	281	552	948	1,492	2,578	3,827	5,130	6,019	6,051	4,074	1,666	345	38	16	42
16	43	64	88	162	279	486	855	1,528	2,619	4,275	5,999	7,008	5,345	2,617	675	82	15	43
15	28	54	77	125	207	381	445	531	604	589	477	335	176	83	28	17	7	44
15	28	40	78	139	158	269	287	379	498	489	375	282	232	109	39	26	4	45
119	174	292	448	776	1,001	1,468	1,899	2,443	2,899	2,983	2,947	2,400	1,456	624	152	42	25	46
44	69	106	174	370	531	758	1,019	1,396	1,608	1,668	1,490	1,164	637	227	47	8	10	47
29	45	75	123	152	172	290	427	586	788	960	1,154	1,069	693	354	82	16	5	48
25	31	49	84	141	174	259	274	299	309	211	163	101	63	22	9	7	5	49
21	29	62	67	113	124	161	179	162	194	144	140	66	63	21	14	11	5	50
47	111	334	816	1,619	2,783	4,629	6,519	8,765	11,262	12,585	12,868	10,573	5,758	1,973	373	60	49	51
10	27	70	166	421	840	1,477	2,485	3,564	4,492	4,872	4,879	3,835	1,981	641	88	8	9	52
10	21	76	163	338	746	1,317	2,062	3,042	4,614	5,939	6,723	5,858	3,301	1,165	224	14	15	53
13	37	88	201	373	520	880	984	1,077	1,076	870	596	426	216	74	23	18	16	54
14	26	100	286	487	677	955	988	1,082	1,080	904	670	454	260	93	38	20	9	55
34	100	206	358	527	657	734	820	1,017	1,320	1,514	1,786	1,639	1,066	469	102	24	6	56
7	28	45	99	155	243	291	355	438	538	653	790	725	439	178	33	5	2	57
13	17	38	72	101	143	157	236	346	519	634	816	803	555	264	55	9	-	58
9	20	58	93	139	142	154	114	131	140	118	97	75	34	13	6	2	2	59
5	35	65	94	132	129	132	115	102	123	109	83	36	38	14	8	6	2	60
4	9	20	18	45	95	239	493	1,081	2,199	3,890	5,693	7,522	6,410	3,462	955	190	26	61
2	-	11	7	20	50	90	237	542	1,143	2,006	2,829	3,510	2,761	1,271	318	49	13	62
1	6	3	7	10	21	57	114	310	761	1,500	2,518	3,696	3,432	2,083	580	102	6	63
1	2	3	3	9	15	52	83	130	171	221	190	157	107	45	24	18	4	64
-	1	3	1	6	9	40	59	99	124	163	156	159	110	63	33	21	3	65
116	142	221	246	365	521	731	962	1,245	1,303	1,243	1,037	669	373	116	30	7	5	66
25	36	75	89	162	277	404	615	806	808	737	573	341	165	49	10	5	-	67
61	68	99	98	125	141	194	245	312	382	419	413	304	189	62	18	2	2	68
11	12	14	22	37	55	79	73	70	71	53	33	11	11	4	-	-	1	69
19	26	33	37	41	48	54	29	57	42	34	18	13	8	1	2	-	2	70
296	429	508	608	789	982	1,265	1,413	1,692	2,083	2,200	2,155	1,984	1,196	465	106	33	15	71
151	211	195	242	322	378	539	582	712	916	940	952	932	545	201	32	4	6	72
92	136	170	179	226	281	367	454	618	729	874	892	818	540	217	54	11	6	73
17	39	63	78	101	128	184	187	189	239	217	182	127	57	21	8	9	1	74
36	43	80	109	140	175	175	190	173	199	169	129	107	54	26	12	9	2	75

Table 53A. Deaths From 64 Selected Causes,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		Influenza and pneumonia, except pneumonia of newborn (480-493)	52,238	9,074	1,478	605	344	212	11,713	574	290	338
2		White--M--	23,570	3,335	544	237	120	73	4,309	213	117	130
3		F--	17,983	2,589	475	207	127	66	3,464	214	106	109
4		Nonwhite--M--	6,023	1,672	263	94	59	42	2,130	80	38	52
5		F--	4,662	1,478	196	67	38	31	1,810	67	29	47
6	B 30	Influenza (480-483)	9,460	1,022	200	81	48	40	1,391	100	49	75
7		White--M--	3,746	357	62	28	14	9	470	31	18	21
8		F--	3,548	289	68	28	23	12	420	38	19	26
9		Nonwhite--M--	1,091	198	38	15	6	13	270	15	7	20
10		F--	1,075	178	32	10	5	6	231	16	5	8
11	B 31	Pneumonia, except pneumonia of newborn (490-493)	42,778	8,052	1,278	524	296	172	10,322	474	241	263
12		White--M--	19,824	2,978	482	209	106	64	3,839	182	99	109
13		F--	14,435	2,300	407	179	104	54	3,044	176	87	83
14		Nonwhite--M--	4,932	1,474	225	79	53	29	1,860	65	31	32
15		F--	3,587	1,300	164	57	33	25	1,579	51	24	39
16	B 32	Bronchitis (500-502)	3,073	668	174	85	60	35	1,022	63	15	14
17		White--M--	1,732	294	87	42	31	15	479	32	9	9
18		F--	957	220	50	26	20	14	330	26	4	4
19		Nonwhite--M--	229	89	12	14	6	5	126	2	-	-
20		F--	155	65	15	3	3	1	87	3	2	1
21	B 33	Ulcer of stomach and duodenum (540,541)	9,240	70	6	2	5	-	83	3	6	15
22		White--M--	6,861	24	2	2	4	-	32	1	2	7
23		F--	1,640	25	3	-	1	-	29	2	2	4
24		Nonwhite--M--	566	15	-	-	-	-	15	-	2	3
25		F--	173	6	1	-	-	-	7	-	-	1
26	B 34	Appendicitis (550-553)	2,398	18	13	26	23	26	106	100	84	64
27		White--M--	1,382	10	6	15	16	14	61	50	41	39
28		F--	673	4	5	8	6	8	31	34	30	12
29		Nonwhite--M--	201	4	1	2	-	2	9	8	5	8
30		F--	142	-	1	1	1	2	5	8	8	5
31	B 35	Hernia and intestinal obstruction (560,561,570)	8,727	995	69	21	21	8	1,114	40	23	31
32		White--M--	3,961	497	31	11	10	5	554	23	12	10
33		F--	3,644	319	15	4	7	2	347	9	6	10
34		Nonwhite--M--	614	118	16	6	1	1	142	7	2	5
35		F--	508	61	7	-	3	-	71	1	3	6
36	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	8,510	4,215	452	103	87	39	4,896	75	31	45
37		White--M--	3,313	1,435	179	36	30	8	1,688	34	12	19
38		F--	2,995	1,153	132	32	27	12	1,356	24	8	20
39		Nonwhite--M--	1,141	856	61	18	14	8	977	8	4	4
40		F--	1,061	771	60	17	16	11	875	9	7	2
41	B 37	Cirrhosis of liver (581)	16,399	41	8	2	5	6	62	19	21	24
42		White--M--	10,005	13	2	1	3	2	21	9	9	8
43		F--	5,179	14	5	1	2	3	25	6	8	12
44		Nonwhite--M--	724	9	-	-	-	-	9	1	3	1
45		F--	491	5	1	-	-	1	7	3	1	3
46	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	2,789	56	32	43	38	36	205	97	58	79
47		White--M--	1,203	19	13	21	18	19	90	46	28	37
48		F--	909	20	6	6	10	11	53	32	19	19
49		Nonwhite--M--	345	8	11	7	3	5	34	10	5	6
50		F--	332	9	2	9	7	1	28	9	6	17
51	B 39	Hyperplasia of prostate (610)	6,173	-	-	-	-	-	-	-	-	-
52		White--M--	5,478	-	-	-	-	-	-	-	-	-
53		Nonwhite--M--	695	-	-	-	-	-	-	-	-	-
54	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	2,385	...	...	...	...	...	...	...	4	233
55		White--F--	1,479	...	...	...	...	...	...	...	2	106
56		Nonwhite--F--	906	...	...	...	...	...	...	...	2	127
57		Abortion (650-652)	294	...	...	...	...	...	...	...	1	26
58		White--F--	162	...	...	...	...	...	...	...	-	17
59		Nonwhite--F--	132	...	...	...	...	...	...	...	1	9
60		All other complications (640-649,660-689)	2,091	...	...	...	...	...	...	...	3	207
61		White--F--	1,317	...	...	...	...	...	...	...	2	89
62		Nonwhite--F--	774	...	...	...	...	...	...	...	1	118
63	B 41	Congenital malformations (750-759)	20,012	15,166	953	423	239	184	16,965	415	257	219
64		White--M--	9,780	7,484	426	175	109	78	8,272	194	121	108
65		F--	8,175	6,154	414	186	96	80	6,930	171	106	76
66		Nonwhite--M--	1,172	870	60	42	14	14	1,000	32	16	17
67		F--	885	658	53	20	20	12	763	18	14	18
68		Certain diseases of early infancy (760-776)	63,444	63,423	8	2	6	-	63,439	2	2	-
69		White--M--	30,024	30,013	5	2	2	-	30,022	1	-	-
70		F--	20,424	20,414	3	-	4	-	20,421	1	2	-
71		Nonwhite--M--	7,188	7,188	-	-	-	-	7,188	-	-	-
72		F--	5,808	5,808	-	-	-	-	5,808	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Race, and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
330	423	580	785	1,169	1,463	1,916	2,365	3,036	3,960	4,956	5,611	5,763	4,195	2,033	560	127	51	1
126	136	183	284	545	717	906	1,209	1,657	2,097	2,499	2,818	2,693	1,850	835	198	27	21	2
91	133	156	207	249	299	355	533	672	1,138	1,760	2,281	2,681	2,085	1,078	312	55	5	3
59	80	135	185	242	264	409	397	432	416	389	266	210	134	57	19	14	15	4
54	74	106	109	133	183	246	226	275	309	308	246	179	126	63	31	31	10	5
56	63	79	106	146	216	307	369	548	777	1,026	1,225	1,281	982	485	131	36	12	6
13	12	19	30	54	74	103	144	212	324	440	565	545	422	189	51	7	2	7
20	27	27	30	32	60	72	98	139	246	364	500	625	471	257	64	11	2	8
10	9	11	23	28	37	73	62	103	110	105	71	58	45	18	5	5	6	9
13	15	22	23	32	45	59	65	94	97	117	89	53	44	21	11	13	2	10
274	360	501	679	1,023	1,247	1,609	1,996	2,488	3,183	3,930	4,386	4,482	3,213	1,548	429	91	39	11
113	124	164	254	491	643	803	1,065	1,445	1,773	2,059	2,253	2,148	1,428	646	147	20	19	12
71	106	129	177	217	239	283	435	533	892	1,396	1,781	2,056	1,614	821	248	44	3	13
49	71	124	162	214	227	336	335	329	306	284	195	152	89	39	14	9	9	14
41	59	84	86	101	138	187	161	181	212	191	157	126	82	42	20	18	8	15
11	11	18	33	31	74	86	173	206	256	284	274	250	147	76	24	5	-	16
4	2	7	15	19	42	57	129	160	187	188	153	130	67	32	8	3	-	17
3	4	5	10	7	20	17	23	27	51	76	110	110	74	41	14	1	-	18
2	3	3	2	3	7	7	17	15	13	12	6	6	4	1	-	-	-	19
2	2	3	6	2	5	5	4	4	5	8	5	4	2	2	2	1	-	20
17	71	136	228	454	649	883	1,069	1,283	1,333	1,126	985	549	259	74	11	2	4	21
9	47	85	162	330	470	670	846	1,010	1,054	838	707	372	171	37	8	1	2	22
3	9	26	38	65	92	105	125	178	198	238	251	157	78	37	2	-	1	23
3	12	22	19	47	65	81	77	76	64	36	22	14	6	-	-	1	1	24
2	3	3	9	12	22	27	21	19	17	14	5	6	4	-	1	-	-	25
59	86	75	99	122	165	201	185	232	238	230	169	111	53	16	-	1	2	26
22	42	37	48	72	108	110	124	143	143	139	100	66	31	6	-	-	-	27
17	23	23	18	25	26	54	34	68	74	70	61	44	20	9	-	-	-	28
14	8	6	18	12	21	24	20	13	9	16	4	1	2	1	-	-	2	29
6	13	9	15	13	10	13	7	8	12	5	4	-	-	-	-	1	-	30
47	82	114	144	248	335	448	596	774	1,023	1,048	1,099	885	486	148	33	5	4	31
13	29	37	50	70	127	175	269	379	492	495	522	436	197	59	12	-	-	32
20	25	45	60	109	133	176	234	292	413	472	510	412	267	85	16	1	2	33
5	16	10	12	25	36	42	52	68	75	45	35	17	12	1	2	3	2	34
9	12	22	22	44	39	55	41	35	43	36	32	20	10	3	3	1	-	35
68	78	99	120	169	181	228	254	330	384	430	412	361	229	91	24	3	2	36
32	28	39	44	80	86	120	127	165	197	187	163	168	85	35	3	-	1	37
31	37	45	61	61	69	74	99	124	154	219	233	170	133	55	19	2	1	38
2	6	9	7	15	12	15	15	16	16	8	9	12	5	-	-	1	-	39
3	7	6	8	13	14	19	13	25	17	16	7	11	6	1	2	-	-	40
45	152	391	889	1,497	1,962	2,216	2,183	2,049	1,880	1,322	925	496	196	54	10	1	5	41
11	48	181	428	848	1,200	1,346	1,455	1,392	1,267	832	552	270	87	34	5	-	2	42
19	69	132	349	500	584	667	587	564	528	440	348	215	102	18	5	-	1	43
4	16	40	52	76	108	128	101	62	60	39	13	5	3	1	-	-	2	44
11	19	38	60	73	70	75	40	31	25	11	12	6	4	1	-	1	-	45
84	113	93	116	166	160	186	219	205	241	224	249	158	93	33	8	-	2	46
42	33	34	47	56	58	85	106	94	112	91	130	67	39	5	2	-	1	47
21	35	35	27	47	46	50	63	61	76	93	92	76	40	19	5	-	-	48
7	18	11	16	37	30	21	26	31	31	23	15	11	9	3	1	-	-	49
14	27	13	26	26	26	30	24	19	22	17	12	4	5	6	-	-	1	50
-	-	2	3	1	13	70	171	389	779	1,077	1,330	1,245	761	275	44	6	7	51
-	-	2	3	1	8	38	118	296	650	931	1,231	1,161	727	262	41	5	4	52
-	-	-	-	-	5	32	53	93	129	146	99	84	34	13	3	1	3	53
412	468	544	471	203	25	9	4	5	2	1	2	-	-	-	-	-	2	54
257	291	336	315	142	12	7	4	5	1	-	1	-	-	-	-	-	-	55
155	177	208	156	61	13	2	-	-	1	1	1	-	-	-	-	-	2	56
73	73	71	40	8	1	-	-	-	-	-	1	-	-	-	-	-	-	57
41	41	39	22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58
32	32	32	18	6	1	-	-	-	-	-	1	-	-	-	-	-	-	59
339	395	473	431	195	24	9	4	5	2	1	1	-	-	-	-	-	2	60
216	250	297	293	140	12	7	4	5	1	-	1	-	-	-	-	-	-	61
123	145	176	138	55	12	2	-	-	1	1	-	-	-	-	-	-	2	62
201	165	175	191	232	220	233	215	173	129	89	63	45	20	-	1	-	4	63
103	71	88	95	125	112	115	105	94	67	43	34	19	12	-	1	-	1	64
76	77	71	76	87	93	100	92	66	54	43	26	24	5	-	-	-	2	65
14	11	7	14	9	8	13	9	8	7	1	2	2	2	-	-	-	-	66
8	6	9	6	11	7	5	9	5	1	2	1	-	1	-	-	-	1	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72

Table 53A. Deaths From 64 Selected Causes,

(Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after

	Abbreviated List number[1]	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		Certain diseases of early infancy (760-776)—Continued										
1	B 42	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	28,263	28,260	-	1	1	-	28,262	-	-	-
2		White—M	14,467	14,465	-	1	-	-	14,466	-	-	-
3		F	9,079	9,078	-	-	1	-	9,079	-	-	-
4		Nonwhite—M	2,666	2,666	-	-	-	-	2,666	-	-	-
5		F	2,051	2,051	-	-	-	-	2,051	-	-	-
6	B 43	Infections of newborn (763-768)	4,187	4,187	-	-	-	-	4,187	-	-	-
7		White—M	1,662	1,662	-	-	-	-	1,662	-	-	-
8		F	1,156	1,156	-	-	-	-	1,156	-	-	-
9		Nonwhite—M	765	765	-	-	-	-	765	-	-	-
10		F	604	604	-	-	-	-	604	-	-	-
11	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	30,994	30,976	8	1	5	-	30,990	2	2	-
12		White—M	13,895	13,886	5	1	2	-	13,894	1	-	-
13		F	10,189	10,180	3	-	3	-	10,186	1	2	-
14		Nonwhite—M	3,757	3,757	-	-	-	-	3,757	-	-	-
15		F	3,153	3,153	-	-	-	-	3,153	-	-	-
16	B 45	Symptoms, senility, and ill-defined conditions (780-795)	21,693	2,963	247	128	76	43	3,457	119	84	153
17		White—M	8,306	773	52	29	27	12	893	42	29	50
18		F	5,597	497	62	32	23	9	623	18	22	31
19		Nonwhite—M	4,215	894	71	33	14	13	1,025	34	17	38
20		F	3,575	799	62	34	12	9	916	25	16	34
21	B 46 pt.	All other diseases (Residual)	67,406	3,929	795	488	360	311	5,883	902	579	748
22		White—M	34,233	1,896	376	217	152	143	2,784	423	274	344
23		F	24,968	1,230	263	184	135	127	1,939	357	209	242
24		Nonwhite—M	4,611	445	83	43	47	23	641	62	60	72
25		F	3,594	358	73	44	26	18	519	60	36	90
26		Accidents (E800-E962)	95,032	3,629	1,692	1,280	1,101	976	8,678	3,243	2,893	5,981
27		White—M	57,176	1,545	752	607	500	462	3,866	1,815	1,827	4,172
28		F	25,157	1,088	538	395	340	298	2,659	882	618	1,040
29		Nonwhite—M	9,070	534	230	157	139	104	1,164	337	352	622
30		F	3,629	462	172	121	122	112	989	209	96	147
31	BE 47	Motor-vehicle accidents (E810-E835)	37,955	332	439	410	440	398	2,019	1,362	1,006	3,654
32		White—M	25,012	167	211	207	227	203	1,015	764	595	2,535
33		F	8,360	114	162	160	137	129	702	408	278	799
34		Nonwhite—M	3,550	25	43	28	47	43	186	121	96	239
35		F	1,033	26	23	15	29	23	116	69	37	81
36	BE 48	All other accidents (E800-E802,E840-E962)	57,077	3,297	1,253	870	661	578	6,659	1,881	1,887	2,327
37		White—M	32,164	1,378	541	400	273	259	2,851	1,051	1,232	1,637
38		F	16,797	974	376	235	203	169	1,957	474	340	241
39		Nonwhite—M	5,520	509	187	129	92	61	978	216	256	383
40		F	2,596	436	149	106	93	89	873	140	59	66
41	BE 49	Suicide (E963,E970-E979)	15,947	-	-	-	-	-	-	-	58	298
42		White—M	12,008	-	-	-	-	-	-	-	46	195
43		F	3,299	-	-	-	-	-	-	-	6	81
44		Nonwhite—M	526	-	-	-	-	-	-	-	2	10
45		F	114	-	-	-	-	-	-	-	4	12
46	BE 50 pt.	Homicide (E964,E980-E985)	7,640	110	13	36	22	22	203	56	71	380
47		White—M	2,449	42	3	18	7	10	80	27	23	102
48		F	976	46	6	9	11	10	82	19	20	46
49		Nonwhite—M	3,379	13	3	4	2	1	23	6	19	187
50		F	836	9	1	5	2	1	18	4	9	45
51	BE 50 pt.	Injury resulting from operations of war (E965,E990-E999)	34	-	-	-	-	-	-	-	-	1
52		White—M	33	-	-	-	-	-	-	-	-	1
53		F	-	-	-	-	-	-	-	-	-	-
54		Nonwhite—M	1	-	-	-	-	-	-	-	-	-
55		F	-	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, "Manual of the International Statistical Classification of Diseases. Injuries, and Causes of Death," Volume 1, World Health Organization, Geneva, Switzerland, 1948.

NOTE.—The list of 64 selected causes includes Cholera (043,B 5 and Plague (058,B 11). There were no deaths reported from these causes.

by Age, Race, and Sex: United States, 1953—Continued

causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
210	271	316	444	650	808	1,116	1,169	1,389	1,764	1,870	1,849	2,201	1,809	1,223	509	216	66	16
52	87	84	142	272	359	491	560	654	789	787	812	805	689	422	144	24	19	17
45	54	77	84	116	131	152	173	218	345	438	551	815	759	608	262	55	20	18
60	65	78	122	141	174	274	256	310	355	356	279	248	188	86	44	49	16	19
53	65	77	96	121	144	199	180	207	275	289	207	233	173	107	59	88	11	20
913	1,249	1,612	2,146	2,888	3,647	4,434	5,640	7,021	7,819	7,292	6,332	4,591	2,379	1,014	239	43	35	21
383	437	603	856	1,264	1,767	2,205	3,225	4,123	4,445	3,960	3,291	2,241	1,088	411	83	7	19	22
297	478	580	761	995	1,271	1,498	1,789	2,221	2,741	2,871	2,709	2,129	1,168	553	132	18	10	23
115	138	223	271	330	340	416	380	458	383	291	199	125	70	34	11	6	4	24
118	196	206	258	299	269	315	246	239	250	170	133	96	53	16	13	10	2	25
6,856	5,974	5,437	4,972	5,039	4,967	4,944	4,715	4,853	4,890	5,037	5,371	5,196	3,586	1,745	421	72	162	26
5,063	4,265	3,726	3,333	3,359	3,305	3,283	3,160	3,259	3,093	2,747	2,630	2,139	1,328	585	108	15	98	27
889	753	744	775	806	861	908	957	1,126	1,345	1,921	2,452	2,823	2,142	1,106	295	32	23	28
717	774	763	662	693	612	605	461	347	300	236	173	133	51	21	8	7	32	29
187	182	204	202	181	189	148	137	121	152	133	116	101	65	33	10	18	9	30
4,515	3,539	2,902	2,510	2,351	2,212	2,096	2,007	2,003	1,897	1,611	1,224	666	264	69	9	3	36	31
3,341	2,510	1,955	1,642	1,521	1,388	1,313	1,288	1,337	1,247	1,040	824	452	167	50	5	1	22	32
673	523	480	471	450	481	510	504	507	503	466	331	168	82	14	2	1	7	33
402	415	373	306	298	269	223	178	125	120	86	52	39	11	4	2	-	5	34
99	91	94	91	82	74	50	37	34	27	19	17	7	4	1	-	1	2	35
2,341	2,435	2,535	2,462	2,688	2,755	2,848	2,708	2,850	2,993	3,426	4,147	4,530	3,322	1,676	412	69	126	36
1,722	1,755	1,771	1,691	1,838	1,917	1,970	1,872	1,922	1,846	1,707	1,806	1,687	1,161	535	103	14	76	37
216	230	264	304	356	390	398	453	619	842	1,455	2,121	2,655	2,060	1,092	293	51	16	38
315	359	390	356	395	343	382	283	222	180	150	121	94	40	17	6	7	27	39
88	91	110	111	99	115	98	100	87	125	114	99	94	61	32	10	17	7	40
611	996	1,031	1,272	1,534	1,687	1,714	1,589	1,575	1,338	1,008	650	376	158	30	5	-	17	41
419	668	689	884	1,130	1,249	1,284	1,214	1,260	1,088	840	531	327	138	27	5	-	14	42
138	249	273	314	345	381	364	331	284	216	152	100	42	18	2	-	-	3	43
39	60	59	61	53	49	58	38	27	31	11	19	6	2	1	-	-	-	44
15	19	10	13	6	8	8	6	4	3	5	-	1	-	-	-	-	-	45
856	1,076	1,073	992	936	639	474	293	194	158	101	52	32	22	2	1	-	29	46
235	278	282	280	281	233	193	131	105	74	52	30	21	8	1	-	-	13	47
69	108	116	97	116	84	58	44	31	28	26	9	7	9	1	1	-	5	48
432	555	516	491	458	271	190	99	47	46	20	11	3	-	-	-	-	5	49
120	135	159	124	81	51	33	19	11	10	3	2	1	5	-	-	-	6	50
4	1	6	7	1	-	1	5	5	3	-	-	-	-	-	-	-	-	51
4	1	6	7	1	-	1	4	5	3	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES------	27,116	2,810	196	133	91	80	235	188	361	423	508	536	751	1,043	1,288	1,765	1,991	2,561	2,921	2,896	2,602	2,063	1,022	418	119	115
	White-----M--	9,486	813	46	26	21	22	82	79	142	159	188	165	209	365	444	557	717	983	1,033	1,097	1,023	802	350	133	22	8
	F--	6,548	547	46	29	23	24	59	36	45	46	67	81	149	169	228	264	318	469	681	871	966	789	409	161	60	11
	Nonwhite--M--	5,906	774	51	39	25	17	59	46	94	121	136	133	186	231	316	505	527	614	648	515	360	264	139	49	14	43
	F--	5,176	676	53	39	22	17	35	27	80	97	117	157	207	278	300	439	429	495	559	413	253	208	124	75	23	53
001-019	Tuberculosis, all forms-------	482	3	7	4	2	1	3	4	8	19	32	34	42	42	51	48	33	43	39	30	19	12	4	1	-	1
	White-----M--	149	-	1	-	-	-	2	1	1	3	3	5	14	7	20	18	15	21	12	12	7	6	-	1	-	-
	F--	65	1	-	-	-	-	1	-	1	2	2	4	6	5	6	1	3	4	8	9	8	2	1	-	-	1
	Nonwhite--M--	146	1	3	1	2	1	-	1	-	4	9	11	14	13	19	21	10	10	11	9	3	2	1	-	-	-
	F--	122	1	3	3	-	-	-	2	6	10	18	14	8	17	6	8	5	8	8	-	1	2	2	-	-	-
001-008	Tuberculosis of respiratory system----------	436	-	1	2	1	-	-	1	8	19	31	33	38	40	49	45	28	42	37	26	18	12	3	1	-	1
	White-----M--	139	-	-	-	-	-	-	-	1	3	3	5	13	7	20	17	13	21	12	10	7	6	-	1	-	-
	F--	61	-	-	-	-	-	-	-	1	2	2	4	5	5	6	1	3	4	8	8	8	2	1	-	-	1
	Nonwhite--M--	129	-	1	1	1	-	-	-	-	4	9	11	13	12	18	20	9	9	9	8	2	2	-	-	-	-
	F--	107	-	-	1	-	-	-	1	6	10	17	13	7	16	5	7	3	8	8	-	1	2	2	-	-	-
010-019	Tuberculosis, other forms------	46	3	6	2	1	1	3	3	-	-	1	1	4	2	2	3	5	1	2	4	1	-	1	-	-	-
	White-----M--	10	-	1	-	-	-	2	1	-	-	-	-	1	-	-	1	2	-	-	2	-	-	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	17	1	2	-	1	1	-	1	-	-	-	-	1	1	1	1	1	1	2	1	1	-	1	-	-	-
	F--	15	1	3	2	-	-	-	1	-	-	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	107	6	-	-	-	-	-	1	-	1	1	1	3	5	11	17	9	17	12	9	10	2	1	1	-	1
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	4	6	5	5	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	46	3	-	-	-	-	-	-	-	-	1	-	-	1	5	9	6	11	2	-	5	1	-	1	-	1
	F--	27	3	-	-	-	-	-	-	1	-	-	1	3	2	3	3	2	2	4	3	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	27	10	-	2	-	-	1	-	-	-	1	-	1	1	-	1	2	2	1	1	2	2	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	12	6	-	2	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	7	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	10	-	2	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	44	9	5	3	3	5	12	-	3	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White-----M--	16	5	2	1	1	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	16	2	1	2	2	3	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	2	2	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	25	-	4	5	-	2	6	1	2	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	3	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	2	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	95	25	5	2	1	1	4	4	1	3	3	3	7	4	1	4	4	3	3	7	5	4	-	-	-	1
	White-----M--	27	4	2	-	1	1	1	3	-	-	-	-	4	1	-	2	1	1	1	3	2	-	-	-	-	-
	F--	25	4	2	1	-	-	1	-	1	1	-	1	1	2	-	2	1	1	-	2	2	3	-	-	-	-
	Nonwhite--M--	23	9	-	-	-	-	1	-	-	2	1	-	1	-	-	-	2	1	2	2	-	1	-	-	-	1
	F--	20	8	1	1	-	-	1	1	-	-	2	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,149	1	7	6	9	7	27	13	27	19	36	58	97	161	238	303	368	394	463	358	284	178	68	22	1	4
	White-----M--	1,166	-	6	1	2	2	19	6	14	9	11	17	14	46	62	80	139	163	182	138	132	92	33	8	-	-
	F--	1,075	-	-	2	4	4	6	2	4	4	15	22	44	53	96	99	110	124	150	136	92	70	25	12	1	-
	Nonwhite--M--	422	-	-	2	2	-	2	4	4	2	3	1	6	19	25	56	49	61	74	56	35	14	5	-	-	2
	F--	486	1	1	1	1	1	-	1	5	4	7	18	33	43	55	68	70	46	57	28	25	12	5	2	-	2
140-148	Of buccal cavity and pharynx------	96	-	-	-	-	-	-	-	2	1	1	-	2	1	5	8	15	10	19	8	8	8	7	-	-	1
	White-----M--	50	-	-	-	-	-	-	-	2	1	-	-	-	-	3	3	4	7	11	4	6	5	4	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	3	4	4	2	2	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	1	1	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	4	-	2	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	978	-	1	-	1	-	-	1	2	2	5	9	14	34	52	90	107	143	161	138	105	84	24	5	-	-
	White-----M--	369	-	-	-	1	-	-	-	1	-	2	2	1	14	17	25	46	54	62	56	45	34	6	3	-	-
	F--	317	-	-	-	-	-	-	-	-	1	2	5	8	6	15	22	21	38	54	49	42	38	14	2	-	-
	Nonwhite--M--	165	-	-	-	-	-	-	1	1	-	-	-	1	7	12	22	21	31	28	24	8	7	2	-	-	-
	F--	127	-	1	-	-	-	-	-	-	1	1	2	4	7	8	21	19	20	17	9	10	5	2	-	-	-
160-164	Of respiratory system----------	302	-	-	-	-	-	1	-	-	1	2	2	5	11	31	35	56	50	46	29	19	7	5	2	-	-
	White-----M--	209	-	-	-	-	-	1	-	-	1	2	1	4	7	17	21	43	34	35	18	14	6	4	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	3	6	6	8	1	1	1	1	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	2	5	12	9	8	4	2	3	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	1	2	1	1	1	-	-	-	-	-
170	Of breast---------	223	-	-	-	-	-	-	-	-	-	5	7	15	16	27	33	32	20	27	18	8	11	1	2	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	156	-	-	-	-	-	-	-	-	-	4	3	12	9	18	22	26	15	17	15	4	9	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	4	3	6	9	11	6	4	9	2	4	2	-	1	-	1
171-179	Of genital organs-	697	-	-	-	-	-	-	-	2	1	5	19	35	54	62	53	85	75	108	81	68	30	17	1	-	1
	White-----M--	151	-	-	-	-	-	-	-	1	-	-	1	2	4	1	2	8	14	28	27	32	20	10	1	-	-
	F--	265	-	-	-	-	-	-	-	-	1	4	7	13	29	36	26	36	33	35	19	19	4	3	-	-	-
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	10	11	25	24	12	4	2	-	-	1
	F--	185	-	-	-	-	-	-	-	1	-	1	11	19	19	25	21	31	17	20	11	5	2	2	-	-	-
180, 181	Of urinary organs-	110	-	-	1	-	-	1	-	-	1	1	3	3	3	4	8	12	20	17	17	14	2	1	2	-	-
	White-----M--	51	-	-	-	-	-	1	-	-	1	-	2	3	-	2	2	8	13	4	7	6	1	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	5	6	6	1	-	2	-	-
	Nonwhite--M--	20	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	3	3	6	3	2	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	2	1	-	-	-	-	-	-
156B, 165, 180-199	Of other sites, etc.*----------	478	-	2	2	2	-	4	6	9	7	12	10	15	24	40	51	40	48	53	48	49	31	13	10	1	1
	White-----M--	197	-	2	1	-	-	2	1	3	3	4	5	1	13	15	18	16	27	24	17	21	13	8	3	-	-
	F--	170	-	-	-	-	-	2	2	1	-	4	5	6	5	16	17	15	15	19	26	13	13	4	6	1	-
	Nonwhite--M--	57	-	-	1	2	-	-	2	1	2	2	-	3	2	4	11	3	4	6	2	10	2	-	-	-	-
	F--	54	-	-	-	-	-	-	1	4	2	2	-	5	4	5	5	6	2	4	3	5	3	1	1	-	1
204	Leukemia and aleukemia----------	162	1	4	3	6	6	14	3	11	3	1	6	5	9	6	13	13	15	23	8	9	3	-	-	-	-
	White-----M--	91	-	4	-	1	1	10	3	7	1	1	5	2	3	4	7	10	9	14	2	5	2	-	-	-	-
	F--	46	-	-	2	4	4	4	-	3	2	-	-	3	2	1	1	1	4	5	5	4	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	1	2	2	-	-	-	-	-	-	-
	F--	14	1	-	1	1	1	-	-	-	-	-	-	-	2	1	3	1	-	2	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	103	-	-	-	-	1	7	3	1	3	4	2	3	9	11	12	8	13	9	11	4	2	-	-	-	-
	White-----M--	47	-	-	-	-	1	5	2	-	2	2	1	1	5	3	2	4	4	4	7	3	1	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	1	7	5	4	1	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	2	1	1	-	-	-	-	3	3	3	1	2	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	82	2	2	-	1	2	-	1	2	2	4	6	4	9	6	11	5	5	3	11	5	1	-	-	-	-
	White-----M--	22	1	-	-	-	1	-	-	-	2	2	-	-	2	2	1	-	1	-	8	2	-	-	-	-	-
	F--	26	1	1	-	1	1	-	1	-	-	1	2	1	1	1	3	2	2	3	3	2	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-
	F--	29	-	1	-	-	-	-	-	2	-	1	4	2	6	2	5	3	2	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	337	1	-	-	-	-	1	3	3	3	4	5	7	9	19	28	38	37	43	44	47	29	13	2	-	1
	White-----M--	107	-	-	-	-	-	-	-	-	-	1	2	1	4	3	7	10	12	18	17	18	10	4	-	-	-
	F--	102	1	-	-	-	-	-	3	-	1	1	2	-	-	4	5	9	7	15	16	19	14	5	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	1	2	2	-	2	2	1	3	5	6	4	2	4	1	1	2	-	1
	F--	89	-	-	-	-	-	1	-	2	-	-	1	4	3	11	13	14	12	6	9	6	4	3	-	-	-
290-293	Anemias----------	63	5	1	2	-	-	5	2	3	3	2	3	3	1	2	3	2	5	3	5	6	4	2	-	-	1
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	2	1	2	-	-	-
	F--	18	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	1	-	2	-	3	3	-	-	-	-
	Nonwhite--M--	13	3	1	1	-	-	1	1	1	-	-	-	1	-	-	1	-	2	-	-	1	-	-	-	-	-
	F--	19	2	-	1	-	-	3	-	1	2	1	2	2	-	1	2	-	1	-	-	-	-	-	-	-	1
340	Nonmeningococcal meningitis*------	38	16	6	1	1	-	2	1	-	2	1	1	1	-	2	-	1	2	-	1	-	-	-	-	-	-
	White-----M--	8	4	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	4	2	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	14	8	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,195	9	3	2	2	2	17	16	29	35	76	112	242	406	602	957	1,166	1,554	1,854	1,925	1,762	1,369	668	264	68	55
	White-----M--	4,684	4	1	-	-	1	4	5	12	3	20	27	60	127	210	306	413	578	635	748	684	520	219	90	11	6
	F--	3,331	-	1	-	-	-	4	2	4	4	9	12	40	54	59	97	142	255	414	574	685	552	283	98	38	6
	Nonwhite--M--	2,665	3	1	1	2	1	5	5	3	7	18	29	50	91	165	282	335	392	420	314	228	173	83	28	6	23
	F--	2,515	2	-	1	-	-	4	4	10	21	29	44	92	134	168	272	276	329	385	289	167	124	83	48	13	20
330-334, 400-468	Diseases of cardiovascular system-	12,664	9	3	2	2	2	16	16	24	29	66	100	221	384	579	907	1,133	1,513	1,784	1,856	1,702	1,304	642	253	66	51
	White-----M--	4,561	4	1	-	1	1	4	5	12	2	17	24	57	124	206	299	406	567	626	732	667	498	206	86	11	6
	F--	3,224	-	1	-	-	-	3	2	2	4	7	12	37	50	57	89	137	249	402	558	665	537	273	96	38	5
	Nonwhite--M--	2,520	3	1	1	2	1	5	5	2	6	16	27	46	88	157	267	328	378	393	291	212	156	81	27	6	21
	F--	2,359	2	-	1	-	-	4	4	8	17	26	37	81	122	159	252	262	319	363	275	158	113	82	44	11	19
330-334	Vascular lesions, etc.*----------	3,470	4	1	1	-	-	5	3	7	6	14	24	46	85	136	238	296	412	510	514	508	391	178	63	20	8
	White-----M--	1,015	2	-	-	-	-	2	2	3	-	1	5	9	20	19	49	66	123	136	183	174	148	51	19	3	-
	F--	969	-	1	-	-	-	1	1	1	-	1	3	9	12	20	31	32	66	133	161	219	158	81	25	13	1
	Nonwhite--M--	686	2	-	-	-	-	2	-	1	2	4	8	7	18	45	70	96	111	117	65	59	45	21	7	1	5
	F--	800	-	-	1	-	-	-	-	2	4	8	8	21	35	52	88	102	112	124	105	56	40	25	12	3	2
400-402	Rheumatic fever---	35	-	1	1	1	1	7	5	4	3	2	2	3	1	-	-	1	-	2	-	1	-	-	-	-	-
	White-----M--	11	-	1	-	-	1	1	1	2	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	4	1	2	3	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
410-443	Diseases of heart-	8,259	5	1	-	1	1	4	8	13	16	43	60	152	258	395	620	782	1,027	1,179	1,211	1,056	813	396	151	34	33
	White-----M--	3,241	2	-	-	-	-	1	2	7	2	13	18	41	95	175	238	324	421	455	504	429	310	140	55	6	3
	F--	2,040	-	-	-	-	-	1	-	1	2	6	8	24	33	34	53	98	175	253	362	411	350	154	53	19	3
	Nonwhite--M--	1,628	1	1	-	1	1	2	3	1	4	11	14	35	55	97	183	218	245	250	197	132	92	53	15	3	14
	F--	1,350	2	-	-	-	-	-	3	4	8	13	20	52	75	89	146	142	186	221	148	84	61	49	28	6	13
410-416	Chronic rheumatic heart disease----	260	-	-	-	-	-	2	-	6	8	15	12	20	16	16	17	22	28	31	18	21	13	9	4	-	2
	White-----M--	84	-	-	-	-	-	-	-	4	1	5	3	5	3	7	7	4	11	10	7	8	3	3	3	-	-
	F--	65	-	-	-	-	-	1	-	-	2	2	5	4	7	4	2	8	4	7	4	6	8	1	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	1	-	1	2	3	-	3	2	1	7	9	8	7	5	4	-	1	-	-	1
	F--	56	-	-	-	-	-	-	-	1	3	5	4	8	4	4	1	1	5	7	2	3	2	4	1	-	1
420	Arteriosclerotic heart dis., etc.*	4,271	1	-	-	-	-	-	-	4	3	16	25	58	128	231	355	457	575	623	649	547	355	156	65	12	11
	White-----M--	2,121	1	-	-	-	-	-	-	2	-	5	12	25	68	133	190	256	316	311	313	251	152	59	23	2	2
	F--	1,061	-	-	-	-	-	-	-	1	-	2	2	9	14	17	32	54	107	150	202	220	147	70	27	5	2
	Nonwhite--M--	626	-	-	-	-	-	-	-	-	1	5	5	10	23	42	73	91	94	88	77	51	36	15	8	2	5
	F--	463	-	-	-	-	-	-	-	1	2	4	6	14	23	39	60	56	83	74	57	25	20	12	7	3	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,147	1	-	-	-	-	-	4	3	1	4	6	9	22	36	60	63	114	150	188	155	182	95	33	16	5
	White-----M--	329	-	-	-	-	-	-	1	1	-	-	1	1	4	8	11	7	24	39	66	56	61	36	11	2	-
	F--	306	-	-	-	-	-	-	-	-	-	2	-	2	1	4	6	7	15	25	43	60	78	37	14	11	1
	Nonwhite--M--	262	1	-	-	-	-	-	2	-	-	1	-	3	5	11	22	30	38	43	46	24	24	9	-	1	2
	F--	250	-	-	-	-	-	-	1	2	1	1	5	3	12	13	21	19	37	43	33	15	19	13	8	2	2
430-434	Other diseases of heart---------	617	3	1	-	-	-	2	4	-	1	5	7	23	29	34	53	62	74	96	70	64	41	29	12	2	5
	White-----M--	239	1	-	-	-	-	1	1	-	1	2	1	8	14	17	17	21	34	32	34	26	16	7	5	-	1
	F--	124	-	-	-	-	-	-	-	-	-	-	1	3	5	1	6	7	10	14	18	23	19	11	5	1	-
	Nonwhite--M--	141	-	1	-	-	-	1	1	-	-	2	3	7	5	10	23	18	16	25	10	8	4	6	1	-	-
	F--	113	2	-	-	-	-	-	2	-	-	1	2	5	5	6	7	16	14	25	8	7	2	5	1	1	4
440-443	Hypertension with heart dis.---	1,964	-	-	-	1	1	-	-	-	3	3	10	42	63	78	135	178	236	279	286	269	222	107	37	4	10
	White-----M--	468	-	-	-	-	-	-	-	-	-	1	1	2	6	10	13	36	36	63	84	88	78	35	13	2	-
	F--	484	-	-	-	-	-	-	-	-	-	-	-	6	6	8	7	22	39	57	95	102	98	35	7	2	-
	Nonwhite--M--	544	-	-	-	1	1	-	-	-	-	1	-	6	12	20	33	58	70	89	87	59	45	28	22	6	-	6
	F--	468	-	-	-	-	-	-	-	-	-	2	2	3	22	31	27	57	50	72	72	48	34	18	15	11	-	4
444-447	Hypertension without mention of heart----------	365	-	-	-	-	-	-	-	-	-	6	10	13	26	32	34	25	31	36	52	48	23	17	9	2	1
	White-----M--	87	-	-	-	-	-	-	-	-	-	2	1	3	3	8	7	3	8	14	11	17	6	2	2	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	3	4	15	15	6	10	3	1	-
	Nonwhite--M--	104	-	-	-	-	-	-	-	-	-	1	3	3	14	10	11	10	8	9	14	7	7	2	4	1	-
	F--	106	-	-	-	-	-	-	-	-	-	3	5	6	6	12	14	10	12	9	12	9	4	3	-	-	1
450	General arteriosclerosis--------	377	-	-	-	-	-	-	-	-	-	-	1	-	4	6	8	12	21	40	62	69	64	48	28	6	8
	White-----M--	139	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	6	12	25	32	26	13	10	2	3
	F--	107	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	9	16	16	20	26	14	3	1
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	7	13	13	13	12	4	-	1	2
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	8	8	6	8	8	6	5	4	-	2
451-468	Other diseases of circulatory sys.-	158	-	-	-	-	-	-	-	-	-	4	1	3	7	10	7	17	22	17	17	20	13	3	2	4	1
	White-----M--	68	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	10	9	8	9	14	8	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	2	4	5	3	4	4	3	2	1	2	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	7	4	2	1	-	1	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	2	1	2	1	4	3	-	1	2	2	1	2	-	-	2	1
592-594	Chronic nephritis, etc.*----------	531	-	-	-	-	-	1	-	5	6	10	12	21	22	23	50	33	41	70	69	60	65	26	11	2	4
	White-----M--	123	-	-	-	-	-	-	-	1	1	3	3	3	3	4	7	7	11	9	16	17	22	13	4	-	-
	F--	107	-	-	-	-	-	1	-	2	-	2	-	3	4	2	8	5	6	12	16	18	15	10	2	-	1
	Nonwhite--M--	145	-	-	-	-	-	-	-	1	1	2	2	4	3	7	15	7	14	27	23	16	17	2	1	-	2
	F--	156	-	-	-	-	-	-	-	2	4	3	7	11	12	10	10	14	10	22	14	9	11	1	4	2	1
480-493	Influenza and pneumonia, etc.*-	1,343	254	37	27	8	10	14	14	14	14	17	19	24	36	31	41	63	95	104	118	123	131	81	30	14	14
	White-----M--	357	47	6	3	1	2	3	2	4	5	6	1	5	12	7	10	14	25	26	34	50	48	31	11	4	-
	F--	305	44	10	7	1	1	-	4	1	3	2	2	5	4	1	6	6	10	22	31	42	48	38	11	6	-
	Nonwhite--M--	349	78	8	10	3	4	8	4	5	5	3	9	5	11	16	20	24	30	24	29	14	22	7	3	2	5
	F--	332	85	13	7	3	3	3	4	4	1	6	7	9	9	7	15	19	30	32	24	17	13	5	5	2	9
480-483	Influenza---------	395	47	6	8	2	1	4	4	4	3	5	4	6	6	12	12	18	43	33	39	37	48	21	10	7	5
	White-----M--	106	9	1	-	-	-	-	1	1	-	-	1	3	3	1	3	10	9	11	15	19	11	4	4	-	-
	F--	93	10	1	2	-	-	-	1	1	1	1	-	2	-	-	4	4	4	9	8	18	17	6	3	2	-
	Nonwhite--M--	94	13	1	3	1	1	2	3	1	2	1	3	-	-	6	4	5	12	3	12	5	8	3	1	-	4
	F--	102	15	3	3	1	-	2	-	1	-	3	1	3	3	3	3	6	17	12	8	9	4	1	2	1	1
490-493	Pneumonia, etc.*--	948	207	31	19	6	9	10	10	10	11	12	15	18	30	19	39	45	52	71	79	76	83	60	20	7	9
	White-----M--	251	38	5	3	1	2	3	2	3	4	6	1	4	9	4	9	11	15	17	23	35	29	20	7	-	-
	F--	212	34	9	5	1	1	-	3	-	3	1	2	3	4	1	2	2	6	13	23	24	31	32	8	4	-
	Nonwhite--M--	255	65	7	7	2	3	6	1	4	3	2	6	5	11	10	16	19	18	21	17	9	14	4	2	2	1
	F--	230	70	10	4	2	3	1	4	3	1	3	6	6	6	4	12	13	13	20	16	8	9	4	3	1	8
500-502	Bronchitis---------	55	10	5	3	1	2	-	-	-	-	-	-	-	-	3	-	3	7	6	4	2	6	3	-	-	-
	White-----M--	19	3	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-	3	4	1	-	1	1	-	-	-
	F--	17	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	5	2	-	-	-
	Nonwhite--M--	10	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-
	F--	9	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	107	-	-	-	-	-	-	-	-	2	1	-	3	5	20	14	11	17	8	8	9	6	3	-	-	-
	White-----M--	64	-	-	-	-	-	-	-	-	-	1	-	3	2	10	9	8	11	3	4	6	6	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	1	1	1	1	2	-	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	2	2	4	2	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-	-	-	-
550-553	Appendicitis------	52	1	-	-	-	-	3	2	3	-	7	1	4	4	2	4	1	9	5	-	2	2	1	-	-	1
	White-----M--	18	-	-	-	-	-	-	1	3	-	1	-	1	3	-	-	-	5	3	-	-	1	1	-	-	-
	F--	8	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	1	-	2	-	-	-	2	1	1	3	1	2	-	-	1	-	-	-	-	1
	F--	10	-	-	-	-	-	1	1	-	-	3	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	127	14	1	-	2	-	-	-	2	2	2	2	8	6	8	3	7	12	8	15	15	7	6	3	4	-
	White-----M--	36	3	-	-	1	-	-	-	1	1	-	1	1	3	2	2	1	2	1	4	6	4	1	1	1	-
	F--	34	1	1	-	-	-	-	-	-	-	-	1	3	1	3	-	2	1	3	6	6	1	1	2	2	-
	Nonwhite--M--	27	5	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	6	3	2	1	2	2	-	-	-
	F--	30	5	-	-	1	-	-	-	1	1	1	-	3	2	1	1	2	3	1	3	2	-	2	-	1	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543, 571, 572	Gastritis, etc.*--	177	92	14	4	-	3	3	1	1	-	2	-	3	2	3	3	3	5	8	7	7	9	5	2	-	-
	White-----M--	34	10	3	-	-	-	1	-	-	-	1	-	1	-	1	1	1	-	2	3	4	3	3	-	-	-
	F--	40	10	4	1	-	1	-	-	1	-	1	-	1	-	1	1	1	3	3	2	3	4	1	2	-	-
	Nonwhite--M--	47	33	4	1	-	2	1	-	-	-	-	-	-	2	1	-	-	-	2	1	-	-	-	-	-	-
	F--	56	39	3	2	-	-	1	1	-	-	-	-	1	-	-	1	1	2	1	1	-	2	1	-	-	-
581	Cirrhosis of liver	146	1	-	-	-	-	-	2	-	1	5	3	4	18	14	14	16	14	14	24	6	6	3	1	-	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	1	2	1	10	10	7	6	4	9	9	1	3	2	-	-	-
	F--	44	-	-	-	-	-	-	2	-	-	1	-	3	5	2	5	3	4	3	10	3	2	-	1	-	-
	Nonwhite--M--	27	1	-	-	-	-	-	-	-	-	2	1	-	1	2	2	6	5	1	4	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	1	1	1	1	-	1	-	-	-
590, 591	Acute nephritis, etc.*----------	76	2	1	5	1	1	4	5	1	4	5	6	4	1	4	3	5	4	10	3	3	1	1	-	1	1
	White-----M--	19	-	-	2	-	-	1	1	1	2	1	-	1	1	-	1	2	1	1	1	1	-	-	-	1	-
	F--	16	-	-	-	1	-	1	2	-	-	1	1	-	-	3	-	2	-	3	1	1	-	-	-	-	-
	Nonwhite--M--	21	1	1	1	-	-	2	2	-	-	2	1	2	-	1	-	1	1	3	1	1	-	1	-	-	-
	F--	20	1	-	2	-	1	-	-	-	2	1	4	1	-	-	2	-	2	3	-	-	-	-	-	-	1
610	Hyperplasia of prostate---------	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	10	14	23	22	29	10	5	1	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	9	14	22	6	5	1	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	5	7	14	8	7	4	-	-	-
640-689	Complications of pregnancy, etc.*-	116	...	...	...	...	...	...	-	16	20	13	27	29	9	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	32	...	...	...	...	...	...	-	4	3	4	6	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	84	...	...	...	...	...	...	-	12	17	9	21	17	6	1	1	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	10	...	...	...	...	...	...	-	2	1	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648, 660-689	All other complications-------	106	...	...	...	...	...	...	-	14	19	12	23	27	9	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	...	...	...	...	...	...	-	2	3	3	5	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	79	...	...	...	...	...	...	-	12	16	9	18	16	6	1	1	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	266	20	8	9	5	9	7	3	3	3	1	5	6	3	4	3	1	4	1	-	1	-	-	-	-	-
	White-----M--	148	115	7	3	2	1	1	5	-	1	-	1	4	-	4	2	1	-	1	-	1	-	-	-	-	-
	F--	119	85	9	3	2	2	5	1	-	1	2	-	1	2	1	-	-	-	4	-	-	1	-	-	-	-
	Nonwhite--M--	59	46	1	2	3	1	1	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	36	20	3	-	2	1	2	1	3	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,613	1,613	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	529	529	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	626	626	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	861	861	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	247	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	1,368	310	16	8	3	4	12	6	9	15	14	18	28	48	48	66	70	110	113	124	97	104	75	39	12	19
	White-----M--	286	36	1	1	-	2	3	-	2	2	6	3	6	10	9	11	24	29	32	31	26	28	19	4	-	1
	F--	179	18	4	1	-	-	3	1	2	-	1	3	2	5	7	4	4	10	15	22	23	24	12	10	4	4
	Nonwhite--M--	471	141	4	2	2	1	5	3	3	4	3	4	11	13	15	29	28	39	35	37	30	21	26	9	4	2
	F--	432	115	7	4	1	1	1	2	2	9	4	8	9	20	17	22	14	32	31	34	18	31	18	16	4	12
Residual	All other diseases	1,244	74	18	13	11	8	26	24	34	31	36	41	38	67	68	86	70	112	116	103	99	81	48	29	8	3
	White-----M--	428	21	5	1	5	4	10	9	6	8	9	9	7	22	26	34	28	44	47	37	28	36	18	11	3	-
	F--	344	17	3	3	2	1	7	5	5	4	7	9	13	15	18	19	19	35	24	30	46	28	21	11	2	-
	Nonwhite--M--	252	15	6	4	1	1	2	7	10	8	6	10	11	10	11	16	15	18	32	29	15	10	7	5	1	2
	F--	220	21	4	5	3	2	7	3	13	11	14	13	7	20	13	17	8	15	13	7	10	7	2	2	2	1
E800-E962	Accidents----------	1,934	78	41	38	36	25	75	77	167	177	160	129	114	132	93	100	78	72	64	63	69	76	30	19	10	11
	White-----M--	935	30	9	12	8	4	28	42	93	105	96	76	63	79	49	43	36	45	28	21	29	27	8	2	1	1
	F--	307	5	7	7	8	8	20	11	18	15	12	10	9	12	14	11	6	4	10	23	28	29	19	14	7	-
	Nonwhite--M--	494	25	15	9	10	6	17	19	45	47	42	35	35	34	23	39	27	18	14	10	9	8	1	1	1	4
	F--	198	18	10	10	10	7	10	5	11	10	10	8	7	7	7	7	9	5	12	9	3	12	2	2	1	6
E810-E835	Motor-vehicle accidents--------	870	3	10	12	15	8	35	37	115	120	105	74	58	68	44	38	26	34	16	21	18	4	6	-	-	3
	White-----M--	501	1	4	4	6	2	15	21	70	77	69	43	36	43	22	17	13	23	8	11	10	2	3	-	-	1
	F--	123	-	2	4	3	3	10	5	16	12	6	8	4	7	10	8	4	1	5	8	5	-	2	-	-	-
	Nonwhite--M--	198	1	4	1	4	-	6	10	22	27	24	21	13	16	10	12	8	8	3	2	3	1	1	-	-	1
	F--	48	1	-	3	2	3	4	1	7	4	6	2	5	2	2	1	1	2	-	-	-	1	-	-	-	1
E800-E802, E840-E962	All ot. accidents-	1,064	75	31	26	21	17	40	40	52	57	55	55	56	64	49	62	52	38	48	42	51	72	24	19	10	8
	White-----M--	434	29	5	8	2	2	13	21	23	28	27	33	27	36	27	26	23	22	20	10	19	25	5	2	1	-
	F--	184	5	5	3	5	5	10	6	2	3	6	2	5	5	4	3	2	3	5	15	23	29	17	14	7	-
	Nonwhite--M--	296	24	11	8	6	6	11	9	23	20	18	14	22	18	13	27	19	10	11	8	6	7	-	1	1	3
	F--	150	17	10	7	8	4	6	4	4	6	4	6	2	5	5	6	8	3	12	9	3	11	2	2	1	5
E963, E970-E979	Suicide----------	228	-	-	-	-	-	-	2	8	15	20	16	24	25	26	17	19	23	16	10	5	2	-	-	-	-
	White-----M--	167	-	-	-	-	-	-	2	7	9	12	13	15	21	19	11	12	21	11	8	4	2	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	4	4	1	5	2	6	3	6	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	2	4	2	2	1	1	3	1	-	5	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-
E964, E980-E985	Homicide----------	376	2	-	-	1	1	2	1	24	53	60	49	55	46	32	23	6	6	9	1	3	-	-	-	-	2
	White-----M--	72	-	-	-	-	1	1	-	-	7	14	9	10	8	9	6	2	2	2	-	1	-	-	-	-	-
	F--	20	2	-	-	1	-	-	-	1	2	1	2	2	3	3	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	237	-	-	-	-	-	1	-	18	36	37	29	40	30	16	15	3	3	5	1	2	-	-	-	-	1
	F--	47	-	-	-	-	-	-	1	5	8	8	9	3	5	4	-	1	1	1	-	-	-	-	-	-	1
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES------	7,750	1,268	113	56	24	21	78	57	102	147	136	197	208	283	358	455	589	635	761	707	621	469	267	128	35	35
	White-----M--	4,051	475	40	15	10	6	25	25	52	77	72	80	100	152	202	279	382	401	466	413	339	231	122	53	13	21
	F--	2,447	351	24	17	5	9	26	17	21	31	34	58	64	94	101	131	149	178	236	243	235	201	130	68	18	6
	Nonwhite--M--	760	245	27	12	3	3	16	5	20	26	22	41	28	24	33	23	36	42	40	32	32	25	9	7	3	6
	F--	492	197	22	12	6	3	11	10	9	13	8	18	16	13	22	22	22	14	19	19	15	12	6	-	1	2
001-019	Tuberculosis, all forms--------	276	10	6	2	2	-	6	3	6	7	9	20	14	21	20	34	30	30	23	10	15	4	1	1	-	2
	White-----M--	151	1	-	-	-	-	1	-	-	1	3	6	5	12	14	28	23	23	16	4	12	1	-	-	-	1
	F--	51	1	1	-	-	-	-	1	1	2	5	5	4	7	3	4	4	3	4	2	-	1	1	1	-	1
	Nonwhite--M--	41	5	4	1	1	-	2	-	2	-	-	5	2	2	1	1	2	3	2	3	3	2	-	-	-	-
	F--	33	3	1	1	1	-	3	2	3	4	1	4	3	-	2	1	1	1	1	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	243	3	3	1	-	-	1	1	6	6	9	18	11	18	19	33	29	30	23	9	15	4	1	1	-	2
	White-----M--	146	-	-	-	-	-	-	-	-	1	3	6	3	12	14	28	22	23	16	4	12	1	-	-	-	1
	F--	48	1	1	-	-	-	-	-	1	1	5	5	4	6	3	4	4	3	4	2	-	1	1	1	-	1
	Nonwhite--M--	26	1	2	-	-	-	-	-	2	-	-	5	1	-	-	1	2	3	2	2	3	2	-	-	-	-
	F--	23	1	-	1	-	-	1	1	3	4	1	2	3	-	2	-	1	1	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	33	7	3	1	2	-	5	2	-	1	-	2	3	3	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	4	2	1	1	-	2	-	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-
	F--	10	2	1	-	1	-	2	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	30	3	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	5	5	5	1	1	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	4	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	11	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	1	-	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	38	23	3	1	-	-	-	-	1	-	-	-	-	1	1	2	-	2	-	1	1	1	-	-	-	1
	White-----M--	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
	F--	17	10	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	21	2	3	1	-	1	5	2	1	2	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	13	1	2	-	-	-	4	1	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	1	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	9	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	34	5	2	3	-	2	2	2	1	-	1	3	3	3	1	2	1	1	-	1	-	-	-	-	1	-
	White-----M--	12	2	1	-	-	1	-	1	-	-	1	1	1	2	-	1	-	1	-	1	-	-	-	-	-	-
	F--	12	2	-	1	-	1	2	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	-	1	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	1	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*	857	2	4	1	2	1	14	7	4	5	8	16	19	46	50	80	98	103	124	104	86	51	23	7	2	-
	White—M	431	2	2	1	1	1	6	2	2	4	1	6	5	18	22	31	50	55	77	54	50	24	15	2	-	-
	F	362	-	2	-	1	-	7	3	2	1	5	8	13	23	20	41	36	42	41	48	31	23	8	5	2	-
	Nonwhite—M	29	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	8	6	4	2	3	2	-	-	-	-
	F	35	-	-	-	-	-	-	2	-	-	1	2	1	4	8	7	4	-	2	-	2	2	-	-	-	-
140-148	Of buccal cavity and pharynx	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	281	-	-	-	-	-	-	-	-	-	-	4	5	7	14	20	32	41	51	51	25	19	11	1	-	-
	White—M	135	-	-	-	-	-	-	-	-	-	-	1	3	3	10	5	14	17	29	24	12	10	7	-	-	-
	F	120	-	-	-	-	-	-	-	-	-	-	2	1	2	3	11	13	22	18	26	11	6	4	1	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	3	1	1	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	1	-	1	1	-	-	-	-
160-164	Of respiratory system	119	-	-	-	-	-	-	-	-	1	-	2	-	7	5	11	20	21	23	12	11	3	3	-	-	-
	White—M	93	-	-	-	-	-	-	-	-	1	-	1	-	7	5	11	14	17	17	10	8	1	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	5	1	2	2	2	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	63	-	-	-	-	-	-	-	-	-	1	2	4	4	10	9	3	5	6	5	5	7	-	2	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	1	1	4	4	8	8	3	5	6	5	5	6	-	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-
171-179	Of genital organs	150	-	-	-	-	-	-	1	-	-	2	1	6	11	12	18	16	10	19	12	22	11	6	1	2	-
	White—M	62	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	4	16	7	15	6	5	1	-	-
	F	74	-	-	-	-	-	-	-	-	-	1	-	6	9	7	13	12	6	2	5	5	5	1	-	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	13	-	-	-	-	-	-	1	-	-	1	-	-	-	5	3	1	-	1	-	1	-	-	-	-	-
180, 181	Of urinary organs	49	-	-	-	1	-	1	-	-	-	-	-	-	3	2	7	3	9	6	10	2	3	1	1	-	-
	White—M	32	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	8	4	7	1	2	-	1	-	-
	F	15	-	-	-	1	-	-	-	-	-	-	-	-	1	-	4	-	1	2	3	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	102	1	1	1	-	1	5	3	2	3	1	3	2	5	4	8	13	10	11	6	15	4	2	1	-	-
	White—M	60	1	-	1	-	1	3	2	-	2	-	2	1	1	3	5	7	6	8	2	10	3	2	-	-	-
	F	38	-	1	-	-	-	2	1	2	1	1	1	1	3	1	3	3	4	3	4	5	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	51	1	2	-	1	-	8	3	1	-	2	3	1	4	2	2	4	7	4	2	1	3	-	-	-	-
	White—M	24	1	1	-	1	-	3	-	1	-	1	1	-	2	1	1	3	3	2	1	-	2	-	-	-	-
	F	26	-	1	-	-	-	5	2	-	-	1	2	1	2	1	1	1	4	2	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	33	-	1	-	-	-	-	1	1	1	2	1	1	4	1	4	6	-	2	5	3	-	-	1	-	-
	White—M	19	-	1	-	-	-	-	1	1	-	-	-	1	1	1	3	5	-	1	2	2	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	1	3	1	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	23	1	-	-	-	-	3	2	1	-	1	1	2	1	4	1	-	1	3	-	-	2	-	-	-	-
	White—M	7	1	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	1	1	1	-	1	1	1	-	3	-	-	-	2	-	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	76	1	2	-	-	-	-	-	2	3	-	-	3	4	2	6	5	9	11	11	8	5	3	1	-	-
	White—M	27	-	1	-	-	-	-	-	1	-	-	-	1	2	-	2	3	2	3	6	2	2	2	1	-	-
	F	41	1	1	-	-	-	-	-	2	2	-	-	2	2	1	3	1	5	7	5	5	3	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-
290-293	Anemias	17	1	-	-	-	-	-	-	-	1	1	-	-	-	2	3	1	2	1	2	2	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	20	8	-	1	1	-	1	1	-	1	1	-	1	1	-	1	1	1	-	-	1	-	-	-	-	-
	White—M	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	8	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,912	7	-	1	-	-	3	4	13	9	10	30	44	76	130	173	272	294	417	426	392	310	190	83	22	6
	White—M	1,624	2	-	-	-	-	-	1	-	5	4	18	19	46	75	109	172	189	236	251	216	155	82	33	8	3
	F	1,075	1	-	1	-	-	3	2	6	3	4	7	17	23	38	49	76	84	147	152	158	141	99	48	13	3
	Nonwhite—M	135	4	-	-	-	-	-	1	4	1	1	3	6	4	10	8	11	16	23	14	12	8	6	2	1	-
	F	78	-	-	-	-	-	-	-	3	-	1	2	2	3	7	7	13	5	11	9	6	6	3	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,827	7	-	-	-	-	2	4	12	7	6	24	41	68	122	165	268	285	406	420	387	307	186	82	22	6
	White—M	1,583	2	-	-	-	-	-	1	-	5	3	14	18	42	71	105	170	185	231	246	213	155	79	32	8	3
	F	1,040	1	-	-	-	-	2	2	6	1	2	5	16	19	35	46	75	80	142	151	157	138	98	48	13	3
	Nonwhite—M	128	4	-	-	-	-	-	1	3	1	-	3	5	4	9	7	11	15	23	14	11	8	6	2	1	-
	F	76	-	-	-	-	-	-	-	3	-	1	2	2	3	7	7	12	5	10	9	6	6	3	-	-	-
330-334	Vascular lesions, etc.*	580	2	-	-	-	-	-	1	2	-	-	2	8	14	17	28	44	45	74	91	90	85	52	21	4	-
	White—M	262	2	-	-	-	-	-	1	-	-	-	-	1	4	3	10	26	23	35	46	45	39	20	5	2	-
	F	275	-	-	-	-	-	-	-	-	-	-	2	5	8	10	16	16	20	28	41	42	40	30	15	2	-
	Nonwhite—M	25	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	1	2	8	2	1	1	2	1	-	-
	F	18	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	-	3	2	2	5	-	-	-	-
400-402	Rheumatic fever	9	1	-	-	-	-	-	1	3	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart-	2,008	3	-	-	-	-	2	1	6	6	5	19	30	48	94	130	203	225	312	291	266	194	108	45	14	6
	White-----M--	1,197	-	-	-	-	-	-	-	-	5	2	12	16	36	63	92	137	153	184	174	150	99	48	20	3	3
	F--	673	1	-	-	-	-	2	-	4	1	2	2	10	9	21	27	50	56	108	98	104	87	53	25	10	3
	Nonwhite--M--	86	2	-	-	-	-	-	1	1	-	-	3	3	1	6	5	6	11	14	12	9	7	4	-	1	-
	F--	52	-	-	-	-	-	-	-	1	-	1	2	1	2	4	6	10	5	6	7	3	1	3	-	-	-
410-416	Chronic rheumatic heart disease----	102	-	-	-	-	-	-	1	4	3	3	5	9	6	8	17	17	11	12	4	1	-	1	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	2	1	3	2	5	5	12	7	4	4	2	-	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	3	1	2	1	5	1	3	5	10	6	6	1	-	-	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,309	1	-	-	-	-	-	-	-	1	1	11	12	27	69	83	145	163	216	194	175	120	56	28	4	3
	White-----M--	868	-	-	-	-	-	-	-	-	1	1	7	9	22	54	66	111	126	139	125	103	63	27	11	-	3
	F--	382	-	-	-	-	-	-	-	-	-	-	1	2	4	9	12	26	32	68	58	68	53	27	17	4	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	-	-	-	2	1	-	4	4	3	5	5	7	2	4	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	5	-	3	4	2	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	273	1	-	-	-	-	2	-	-	2	-	2	1	5	3	6	13	17	31	41	45	53	34	8	6	3
	White-----M--	143	-	-	-	-	-	-	-	-	2	-	2	1	2	2	3	9	9	19	24	22	26	18	3	1	-
	F--	109	-	-	-	-	-	2	-	-	-	-	-	-	1	-	3	2	7	10	16	17	26	13	5	4	3
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	5	1	1	-	1	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	1	-	2	-	-	-
430-434	Other diseases of heart--------	100	1	-	-	-	-	-	-	2	-	1	-	5	5	2	7	7	11	16	16	11	4	7	3	2	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	2	5	1	3	3	7	6	10	8	2	2	2	2	-
	F--	33	1	-	-	-	-	-	-	1	-	-	-	3	-	-	2	3	2	7	4	2	2	5	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	2	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	224	-	-	-	-	-	-	-	-	-	-	1	3	5	12	17	21	23	37	36	34	17	10	6	2	-
	White-----M--	86	-	-	-	-	-	-	-	-	-	-	-	2	2	1	8	7	7	16	13	17	8	1	4	-	-
	F--	104	-	-	-	-	-	-	-	-	-	-	-	-	3	9	5	9	9	16	19	17	6	7	2	2	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	4	3	3	-	2	2	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	3	2	1	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	64	-	-	-	-	-	-	-	-	-	-	2	2	5	4	4	7	7	6	9	6	4	4	4	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	3	4	6	4	3	2	2	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	3	2	3	1	1	2	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
450	General arteriosclerosis--------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	8	20	21	23	21	12	4	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	14	12	14	8	5	3	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	6	9	9	13	6	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.--	44	1	-	-	-	-	-	1	1	-	-	1	1	1	4	2	9	2	6	9	4	1	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	5	6	2	-	1	-	-	-
	F--	17	-	-	-	-	-	-	1	1	-	-	1	1	-	1	2	5	-	-	3	1	1	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	85	-	-	1	-	-	1	-	1	2	4	6	3	8	8	8	4	9	11	6	5	3	4	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	1	4	1	4	4	4	2	4	5	5	3	-	3	1	-	-
	F--	35	-	-	1	-	-	1	-	-	2	2	2	1	4	3	3	1	4	5	1	1	3	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	424	178	31	8	1	1	5	2	2	3	1	6	7	8	6	13	13	15	21	27	28	27	10	6	4	1
	White-----M--	179	50	14	2	-	-	3	1	2	1	-	2	2	5	3	9	7	9	15	16	13	16	3	4	1	1
	F--	121	49	4	2	-	-	1	-	-	1	1	2	4	3	1	3	4	3	5	6	12	10	6	2	2	-
	Nonwhite--M--	63	37	9	2	1	-	-	-	-	1	-	-	1	-	1	-	2	1	1	3	2	1	-	-	1	-
	F--	61	42	4	2	-	1	1	-	-	-	-	2	-	-	1	1	-	2	-	2	1	-	1	-	-	-
480-483	Influenza---------	42	11	1	-	-	-	1	-	-	-	-	-	1	2	1	-	1	2	5	7	5	5	-	-	-	-
	White-----M--	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	-	-	-	-
	F--	19	6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	2	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	382	167	30	8	1	1	4	2	2	3	1	6	6	6	5	13	12	13	16	20	23	22	10	6	4	1
	White-----M--	164	47	13	2	-	-	3	1	2	1	-	2	2	5	3	9	7	9	12	14	10	13	3	4	1	1
	F--	102	43	4	2	-	-	1	-	-	1	1	2	3	1	1	3	3	2	3	4	10	8	6	2	2	-
	Nonwhite--M--	62	37	9	2	1	-	-	-	-	1	-	-	1	-	1	-	2	1	1	2	2	1	-	-	1	-
	F--	54	40	4	2	-	1	-	1	-	-	-	2	-	-	-	1	-	1	-	-	1	-	1	-	-	-
500-502	Bronchitis--------	48	12	1	3	-	-	-	-	-	1	-	-	-	-	1	1	7	6	9	5	1	-	1	-	-	-
	White-----M--	33	3	1	2	-	-	-	-	-	-	-	-	-	-	1	1	7	6	7	3	1	-	1	-	-	-
	F--	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	40	-	-	-	-	-	-	-	-	-	-	1	3	1	7	4	5	3	6	5	2	2	1	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	1	3	1	6	3	4	3	5	4	2	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	2	-	2	-	-	-	-	2	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	51	12	-	-	-	-	-	-	-	-	1	-	3	2	-	2	2	8	5	6	4	3	2	1	-	-
	White-----M--	25	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	2	2	1	-	1	-	-
	F--	17	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	4	1	2	2	2	1	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543, 571, 572	Gastritis, etc.*--	220	179	19	2	2	1	-	1	1	-	-	-	1	1	1	1	1	2	1	2	-	2	2	-	1	-
	White-----M--	47	42	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-	-
	F--	45	30	2	-	2	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	-	2	1	-	1	-
	Nonwhite--M--	76	66	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	41	9	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	82	1	-	-	-	-	-	-	-	-	2	3	3	13	15	8	7	14	5	7	1	1	2	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	1	1	1	4	10	6	5	11	5	4	1	1	1	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	2	2	8	4	2	1	2	-	2	-	-	1	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	14	2	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	2	-	2	2	1	-	-	-	-
	White-----M--	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	3	4	2	4	1	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	2	4	2	2	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	-
640-689	Complications of pregnancy, etc.*-	17	...	...	...	...	...	...	-	1	7	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	1	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 650-689	All other complications-------	17	...	...	...	...	...	...	-	1	7	2	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	...	...	...	-	1	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	150	118	5	7	-	2	1	1	1	4	-	-	1	1	-	2	2	4	-	1	-	-	-	-	-	-
	White-----M--	70	56	2	1	-	-	-	1	1	2	-	-	1	1	-	1	1	2	-	1	-	-	-	-	-	-
	F--	54	39	1	6	-	2	1	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	564	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	239	36	5	4	3	-	5	-	3	2	1	4	5	6	9	15	20	14	19	16	23	20	10	10	2	7
	White-----M--	107	4	-	-	-	-	-	-	2	-	1	1	3	3	4	13	16	10	13	7	13	8	4	2	1	2
	F--	35	1	2	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	3	1	4	4	5	6	-	1
	Nonwhite--M--	55	14	1	2	1	-	5	-	1	1	-	2	-	1	3	-	1	1	1	6	5	5	-	2	-	3
	F--	42	17	2	2	2	-	-	-	-	1	-	-	2	-	1	1	2	1	2	2	1	3	1	-	1	1
Residual	All other diseases	559	37	3	5	3	3	8	7	8	8	14	17	26	29	46	50	64	63	66	41	29	21	5	3	1	2
	White-----M--	340	18	1	1	-	2	2	4	6	1	5	4	14	16	29	33	47	47	48	28	14	13	3	2	1	1
	F--	148	9	1	2	1	-	2	1	2	4	7	8	10	7	13	12	12	12	13	12	12	5	2	1	-	-
	Nonwhite--M--	45	6	-	1	-	1	1	1	-	3	1	2	1	4	2	5	5	2	4	1	2	2	-	-	-	1
	F--	26	4	1	1	2	-	3	1	-	-	1	3	1	2	2	-	-	2	1	-	1	1	-	-	-	-
E800-E962	Accidents----------	793	52	26	14	8	10	22	22	46	80	64	68	54	44	46	37	35	38	31	22	22	13	14	9	1	15
	White-----M--	453	10	13	5	7	2	7	13	34	53	47	31	36	25	31	23	26	23	21	13	7	4	6	4	1	11
	F--	147	14	7	3	-	5	6	6	3	9	2	11	3	10	7	7	7	8	8	6	8	7	5	4	-	1
	Nonwhite--M--	150	17	5	3	-	1	6	2	8	15	14	21	14	8	8	6	2	6	2	1	4	2	2	1	-	2
	F--	43	11	1	3	1	2	3	1	1	3	1	5	1	1	-	1	-	1	-	2	3	-	1	-	-	1
E810-E835	Motor-vehicle accidents--------	354	8	5	3	3	2	5	7	30	49	38	40	26	27	29	15	14	20	13	7	6	2	-	1	-	4
	White-----M--	209	1	3	-	2	-	2	3	22	30	27	14	19	15	18	8	11	11	9	6	3	1	-	-	-	4
	F--	64	-	1	1	-	1	2	3	3	8	2	9	3	8	4	5	3	5	4	1	1	-	-	-	-	-
	Nonwhite--M--	65	3	1	1	-	1	-	-	5	8	9	14	3	4	7	2	-	4	-	-	1	1	-	1	-	-
	F--	16	4	-	1	1	-	1	1	-	3	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	439	44	21	11	5	8	17	15	16	31	26	28	28	17	17	22	21	18	18	15	16	11	14	8	1	11
	White-----M--	244	9	10	5	5	2	5	10	12	23	20	17	17	10	13	15	15	12	12	7	4	3	6	4	1	7
	F--	83	14	6	2	-	4	4	3	-	1	-	2	-	2	3	2	4	3	4	5	7	7	5	4	-	1
	Nonwhite--M--	85	14	4	2	-	-	6	2	3	7	5	7	11	4	1	4	2	2	2	1	3	1	2	-	-	2
	F--	27	7	1	2	-	2	2	-	1	-	1	2	-	1	-	1	-	1	-	2	2	-	1	-	-	1
E963, E970-E979	Suicide----------	127	-	-	-	-	-	-	2	6	5	10	13	14	14	10	12	14	14	8	5	-	-	-	-	-	-
	White-----M--	84	-	-	-	-	-	-	1	1	3	8	4	9	10	4	10	13	9	7	5	-	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	1	-	1	6	4	3	6	2	1	4	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	2	2	1	3	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	54	1	-	-	-	-	-	1	5	8	8	7	2	6	3	3	5	1	-	2	-	-	1	-	-	1
	White-----M--	24	-	-	-	-	-	-	-	2	3	3	3	-	3	1	2	3	1	-	1	-	-	1	-	-	1
	F--	12	-	-	-	-	-	-	-	-	3	2	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	1	3	1	3	3	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES------	15,497	1,272	118	58	52	37	137	110	149	179	210	230	324	467	601	806	1,118	1,386	1,695	1,929	1,894	1,494	802	322	81	26
	White-----M--	6,776	485	44	20	15	10	56	51	64	89	98	91	121	203	244	323	544	692	750	857	894	655	335	111	22	2
	F--	4,397	297	27	14	10	17	34	30	34	23	37	61	73	110	145	193	219	317	457	572	673	563	310	150	28	3
	Nonwhite--M--	2,341	260	28	15	13	3	19	20	24	40	36	37	80	77	105	139	204	208	280	285	192	142	90	25	11	8
	F--	1,983	230	19	9	14	7	28	9	27	27	39	41	50	77	107	151	151	169	208	215	135	134	67	36	20	13
001-019	Tuberculosis, all forms--------	383	4	2	2	-	-	2	1	10	7	21	16	19	34	26	33	38	43	36	28	34	21	5	1	-	-
	White-----M--	184	2	1	-	-	-	1	1	1	1	8	6	8	12	12	16	25	26	15	11	21	12	4	1	-	-
	F--	90	-	-	-	-	-	1	-	2	-	4	5	4	9	3	9	4	10	11	10	10	8	-	-	-	-
	Nonwhite--M--	63	-	1	2	-	-	-	-	2	2	2	4	5	8	9	7	5	2	8	3	1	1	1	-	-	-
	F--	46	2	-	-	-	-	-	-	5	4	7	1	2	5	2	1	4	5	2	4	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	366	2	1	-	-	-	1	-	10	7	20	16	18	34	24	33	35	42	35	28	34	21	4	1	-	-
	White-----M--	176	1	-	-	-	-	-	-	1	1	8	6	8	12	11	16	23	25	15	11	21	12	4	1	-	-
	F--	88	-	-	-	-	-	1	-	2	-	4	5	3	9	3	9	3	10	11	10	10	8	-	-	-	-
	Nonwhite--M--	58	-	1	-	-	-	-	-	2	2	2	4	5	8	8	7	5	2	7	3	1	1	-	-	-	-
	F--	44	1	-	-	-	-	-	-	5	4	6	1	2	5	2	1	4	5	2	4	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	17	2	1	2	-	-	1	1	-	-	1	-	1	-	2	-	3	1	1	-	-	-	1	-	-	-
	White-----M--	8	1	1	-	-	-	1	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	56	1	-	-	-	-	-	1	-	-	-	-	2	2	5	7	6	9	5	8	7	3	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	-	2	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	4	-	2	-	2	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	1	-	-	-	-	-	-	4	4	3	2	4	3	4	1	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-
040	Typhoid fever-----	6	1	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	27	12	3	-	1	-	2	-	-	-	-	-	-	-	1	2	1	-	-	2	-	1	1	1	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	9	3	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	7	1	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	14	3	2	-	2	-	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	21	2	1	2	1	3	5	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	1	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	25	7	5	3	3	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	2	2	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	3	3	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	62	14	2	2	-	-	3	1	3	3	2	3	-	3	1	1	4	2	6	3	4	3	1	-	1	-
	White-----M--	19	3	1	-	-	-	1	1	-	-	-	-	-	1	1	1	2	1	3	1	3	-	-	-	-	-
	F--	16	3	-	1	-	-	1	-	2	-	-	1	-	2	-	-	-	1	1	1	-	3	-	-	-	-
	Nonwhite--M--	16	5	1	-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	2	1	-	-	1	-	-	-
	F--	11	3	-	1	-	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*----	1,930	10	4	5	2	3	15	11	13	6	12	27	41	76	110	161	221	252	257	251	226	147	60	15	3	2
	White-----M--	775	5	1	3	1	1	8	5	5	4	7	9	6	25	27	53	92	122	86	107	106	66	29	7	-	-
	F--	749	3	3	1	-	1	4	4	7	1	4	11	22	36	56	65	73	81	106	86	94	54	26	7	3	1
	Nonwhite--M--	193	1	-	1	1	-	1	1	1	-	-	2	7	4	9	11	30	24	39	29	13	15	2	1	-	1
	F--	213	1	-	-	-	1	2	1	-	1	1	5	6	11	18	32	26	25	26	29	13	12	3	-	-	-
140-148	Of buccal cavity and pharynx-----	46	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	5	8	4	8	4	1	-	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	5	4	6	3	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	-	2	1	-	-	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	657	1	-	1	-	-	-	-	-	-	1	6	8	20	33	45	61	85	102	106	99	61	23	3	1	1
	White-----M--	263	1	-	1	-	-	-	-	-	-	1	3	1	10	5	18	27	44	32	40	43	28	7	2	-	-
	F--	250	-	-	-	-	-	-	-	-	-	-	1	3	9	19	12	14	27	42	39	44	24	14	1	1	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	-	1	3	-	4	6	14	8	22	14	6	5	1	-	-	1
	F--	59	-	-	-	-	-	-	-	-	-	-	1	1	1	5	9	6	6	6	13	6	4	1	-	-	-
160-164	Of respiratory system----------	172	-	-	-	-	-	1	-	-	1	1	1	-	6	13	20	27	31	24	20	15	6	4	2	-	-
	White-----M--	124	-	-	-	-	-	1	-	-	1	1	1	-	4	6	16	22	28	16	15	5	5	4	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	1	4	4	8	1	-	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	2	2	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
170	Of breast---------	126	-	-	-	-	-	-	-	1	-	2	2	7	9	12	19	11	15	23	7	10	4	2	2	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	101	-	-	-	-	-	-	-	1	-	2	1	5	8	10	15	8	11	19	5	10	3	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	3	4	2	-	1	1	-	-	-
171-179	Of genital organs-	415	-	1	-	-	-	-	-	1	2	3	7	9	14	29	40	43	51	53	62	52	33	11	4	-	-
	White-----M--	111	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	5	11	14	25	27	13	9	3	-	-
	F--	166	-	1	-	-	-	-	-	1	1	2	5	7	8	16	22	19	21	20	20	13	9	-	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	10	8	5	8	1	-	-	-
	F--	93	-	-	-	-	-	-	-	-	1	-	2	2	5	11	15	16	12	9	9	7	3	1	-	-	-
180, 181	Of urinary organs-	70	-	-	1	-	-	1	-	-	-	-	1	2	4	2	2	14	9	6	10	7	7	3	1	-	-
	White-----M--	38	-	-	1	-	-	1	-	-	-	-	1	-	1	1	2	8	7	3	5	4	1	2	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	1	2	3	3	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	3	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	286	1	1	1	-	2	7	6	6	1	3	6	12	14	15	23	35	36	28	24	23	26	11	3	1	1
	White-----M--	125	-	-	-	-	1	2	2	2	1	2	3	4	6	9	10	17	17	7	12	13	13	4	-	-	-
	F--	119	1	1	1	-	-	2	2	4	-	-	1	6	6	6	9	13	13	14	8	10	11	7	2	1	1
	Nonwhite--M--	19	-	-	-	-	1	1	1	-	-	-	1	1	1	-	1	4	3	4	1	-	-	-	1	-	-
	F--	23	-	-	-	-	1	2	1	-	-	1	1	1	1	-	3	1	3	3	3	-	2	-	-	-	-
204	Leukemia and aleukemia----------	94	7	2	2	2	-	6	5	3	1	-	3	2	6	2	6	10	6	5	10	10	3	3	-	-	-
	White-----M--	54	4	1	1	1	-	4	3	2	1	-	-	1	3	2	3	4	5	4	5	7	1	2	-	-	-
	F--	31	2	1	-	-	-	2	2	1	-	-	2	1	2	-	2	5	1	1	3	3	2	1	-	-	-
	Nonwhite--M--	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	64	1	-	-	-	1	-	-	2	1	2	1	1	2	2	3	11	14	8	8	2	3	2	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	1	1	2	-	-	-	2	2	3	8	5	3	1	2	-	-	-	-
	F--	22	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	4	4	2	5	1	-	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	4	1	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	59	1	1	-	-	-	1	2	2	2	4	2	1	6	6	8	3	9	2	2	2	3	2	-	-	-
	White-----M--	21	1	-	-	-	-	-	1	1	1	1	1	-	1	3	1	1	6	1	1	1	-	-	-	-	-
	F--	19	-	-	-	-	-	1	1	-	1	2	1	1	3	1	2	1	-	-	-	-	3	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	17	-	1	-	-	-	-	-	1	-	1	-	-	2	1	5	1	3	-	1	1	-	-	-	-	-
260	Diabetes mellitus-	185	-	-	-	1	-	1	-	2	2	2	2	1	5	4	14	17	31	23	24	37	12	5	2	-	-
	White-----M--	74	-	-	-	-	-	1	-	1	-	-	-	-	1	1	2	6	13	9	13	18	6	2	1	-	-
	F--	69	-	-	-	1	-	-	-	-	1	-	2	1	3	2	5	7	10	8	8	15	4	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	3	1	3	1	1	2	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	1	-	-	-	-	6	1	7	3	2	3	-	2	-	-	-
290-293	Anemias----------	29	2	3	1	-	-	-	-	-	-	1	1	-	1	1	-	-	3	4	4	1	4	3	-	-	-
	White-----M--	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	3	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	1	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	1	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	25	6	5	2	3	1	-	-	-	-	1	-	1	1	-	2	-	1	1	1	-	-	-	-	-	-
	White-----M--	10	3	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	7,728	10	1	-	2	2	5	7	8	20	31	52	97	164	278	405	611	788	1,042	1,254	1,238	960	493	204	47	9
	White-----M--	3,554	3	-	-	-	-	1	2	4	7	9	24	35	69	129	171	301	415	500	577	592	427	205	66	17	-
	F--	2,198	2	-	-	-	2	2	1	2	4	8	12	19	29	46	74	96	156	254	364	438	372	203	103	13	-
	Nonwhite--M--	1,055	3	-	-	2	-	1	2	1	4	6	2	23	28	44	83	116	126	158	179	125	77	52	14	6	3
	F--	921	2	1	-	-	-	1	2	1	5	8	14	20	38	59	77	98	91	130	134	85	84	33	21	11	6
330-334, 400-468	Diseases of cardiovascular system-	7,380	10	1	-	1	-	4	6	5	17	27	47	89	148	262	386	597	759	1,000	1,197	1,187	916	471	195	46	9
	White-----M--	3,415	3	-	-	-	-	-	2	3	6	7	21	32	64	123	164	295	400	482	555	578	405	194	64	17	-
	F--	2,099	2	-	-	-	-	2	1	1	4	7	11	18	27	45	70	95	148	244	345	413	360	195	98	13	-
	Nonwhite--M--	984	3	-	-	1	-	1	2	-	3	6	1	19	23	41	79	111	121	148	166	115	72	50	13	6	3
	F--	882	2	1	-	-	-	1	1	1	4	7	14	20	34	53	73	96	90	126	131	81	79	32	20	10	6
330-334	Vascular lesions, etc.*----------	1,898	1	-	-	1	-	2	-	-	1	6	7	18	29	57	112	133	172	243	327	327	274	121	50	14	3
	White-----M--	747	1	-	-	-	-	-	-	-	-	1	3	2	7	16	32	50	69	99	129	163	108	51	12	5	-
	F--	610	1	-	-	-	-	1	-	-	1	1	1	7	8	14	19	28	41	65	106	109	123	51	29	5	-
	Nonwhite--M--	263	-	-	-	1	-	-	-	-	-	-	-	2	6	12	30	22	31	38	52	30	19	13	4	2	1
	F--	278	-	-	-	-	-	1	-	-	-	4	3	7	8	15	31	33	31	41	40	25	24	6	5	2	2
400-402	Rheumatic fever---	10	1	-	-	-	-	-	2	-	-	-	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart-	4,990	6	1	-	-	-	2	4	5	15	17	34	67	110	197	258	437	555	708	796	764	583	290	110	25	6
	White-----M--	2,471	2	-	-	-	-	-	1	3	6	5	15	30	54	103	129	234	316	363	393	376	273	120	41	7	-
	F--	1,323	1	-	-	-	-	1	-	1	3	5	8	11	17	30	47	62	100	163	222	264	213	117	50	8	-
	Nonwhite--M--	653	1	-	-	-	-	1	2	-	2	5	1	13	16	28	43	81	85	103	101	78	46	33	9	3	2
	F--	543	2	1	-	-	-	-	1	1	4	2	10	13	23	36	39	60	54	79	80	46	51	20	10	7	4
410-416	Chronic rheumatic heart disease----	153	-	-	-	-	-	-	1	2	6	9	6	15	8	12	16	11	8	11	15	7	13	7	6	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	3	2	5	9	4	6	5	8	5	3	10	-	7	3	3	-	-
	F--	39	-	-	-	-	-	-	-	1	2	3	1	4	1	6	5	2	-	2	1	4	3	2	2	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	5	2	1	-	-	-	-	-
	F--	27	-	-	-	-	-	-	1	1	1	2	-	1	3	-	6	1	-	1	2	2	3	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	2,926	3	-	-	-	-	1	1	1	4	3	12	37	54	116	157	292	361	441	479	431	316	152	54	9	2
	White-----M--	1,709	1	-	-	-	-	-	1	1	1	1	7	20	35	79	94	184	240	268	269	244	163	77	22	2	-
	F--	729	1	-	-	-	-	1	-	-	1	1	-	4	9	13	29	37	64	97	136	137	112	56	26	5	-
	Nonwhite--M--	288	-	-	-	-	-	-	-	-	1	1	-	8	2	10	22	41	40	44	45	36	23	13	2	-	-
	F--	200	1	-	-	-	-	-	-	-	1	-	5	5	8	14	12	30	17	32	29	14	18	6	4	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	484	-	-	-	-	-	1	-	1	1	-	3	2	4	9	13	21	37	52	81	96	94	42	21	5	1
	White-----M--	185	-	-	-	-	-	-	-	1	1	-	2	-	2	3	7	3	17	18	33	40	37	13	7	1	-
	F--	141	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	11	24	33	35	17	8	1	-
	Nonwhite--M--	97	-	-	-	-	-	1	-	-	-	-	-	2	1	2	3	12	10	17	12	14	7	10	5	1	-
	F--	61	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	4	6	12	9	15	2	1	2	1
430-434	Other diseases of heart---------	420	3	1	-	-	-	-	2	1	4	4	6	5	18	19	19	42	45	63	48	57	43	26	11	2	1
	White-----M--	194	1	-	-	-	-	-	-	1	1	2	1	-	11	8	12	17	23	32	23	27	20	8	5	2	-
	F--	89	-	-	-	-	-	-	-	-	-	1	4	2	4	1	-	7	6	9	9	18	13	11	4	-	-
	Nonwhite--M--	74	1	-	-	-	-	-	2	-	1	1	-	-	3	6	6	10	10	14	9	3	5	3	-	-	-
	F--	63	1	1	-	-	-	-	-	-	2	-	1	3	-	4	1	8	6	8	7	9	5	4	2	-	1
440-443	Hypertension with heart dis.--	1,007	-	-	-	-	-	-	-	-	-	1	7	8	26	41	53	71	104	141	173	173	117	63	18	9	2
	White-----M--	310	-	-	-	-	-	-	-	-	-	-	-	1	2	7	11	22	31	42	58	65	46	19	4	2	-
	F--	325	-	-	-	-	-	-	-	-	-	-	3	1	3	8	13	12	24	44	52	72	50	31	10	2	-
	Nonwhite--M--	180	-	-	-	-	-	-	-	-	-	1	1	2	10	10	12	18	22	23	33	24	11	7	2	2	2
	F--	192	-	-	-	-	-	-	-	-	-	-	3	4	11	16	17	19	27	32	30	12	10	6	2	3	-
444-447	Hypertension without mention of heart----------	139	-	-	-	-	-	-	-	-	-	1	-	1	6	1	9	10	13	14	25	26	13	11	9	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	5	4	8	11	7	4	4	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	4	6	10	1	4	3	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	5	2	3	6	3	4	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	3	2	3	5	2	1	2	2	-	-
450	General arteriosclerosis--------	254	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	22	38	61	41	44	24	6	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	10	20	25	13	15	7	4	-
	F--	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	9	8	25	23	23	14	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	2	3	-	1	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	3	3	3	1	-
451-468	Other diseases of circulatory sys.-	89	2	-	-	-	-	-	-	-	1	3	4	2	2	5	4	11	10	13	10	9	5	5	2	1	-
	White-----M--	43	1	-	-	-	-	-	-	-	-	1	2	-	-	2	1	7	7	6	4	3	4	4	-	1	-
	F--	23	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	3	1	3	3	5	-	-	2	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	1	1	-	2	1	-	2	1	1	2	1	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	1	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	348	-	-	-	1	2	1	1	3	3	4	5	8	16	16	19	14	29	42	57	51	44	22	9	1	-
	White-----M--	139	-	-	-	-	-	1	-	1	1	2	3	3	5	6	7	6	15	18	22	14	22	11	2	-	-
	F--	99	-	-	-	-	2	-	-	1	-	1	1	1	2	1	4	1	8	10	19	23	12	8	5	-	-
	Nonwhite--M--	71	-	-	-	1	-	-	-	1	1	-	1	4	5	3	4	5	5	10	13	10	5	2	1	-	-
	F--	39	-	-	-	-	-	-	1	-	1	1	-	-	4	6	4	2	1	4	3	4	5	1	1	1	-
480-493	Influenza and pneumonia, etc.*-	779	119	25	6	5	1	11	1	5	5	2	6	5	11	14	30	26	45	78	90	95	91	70	32	3	3
	White-----M--	253	33	7	2	1	1	2	-	1	2	1	1	1	5	2	11	6	10	22	32	43	36	25	9	-	-
	F--	227	19	5	1	-	-	4	-	3	1	-	2	2	2	6	3	7	13	24	25	32	37	26	12	3	-
	Nonwhite--M--	159	33	8	-	3	-	2	-	-	1	1	2	1	2	3	9	7	12	15	20	13	11	10	6	-	-
	F--	140	34	5	3	1	-	3	1	1	1	-	1	1	2	3	7	6	10	17	13	7	7	9	5	-	3
480-483	Influenza---------	242	15	7	-	-	1	3	-	-	1	-	1	3	4	5	8	4	17	25	34	32	41	28	11	-	2
	White-----M--	70	2	4	-	-	1	1	-	-	1	-	-	-	1	-	-	3	3	6	9	12	14	11	2	-	-
	F--	67	4	2	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	7	8	7	18	9	3	-	-
	Nonwhite--M--	56	6	1	-	-	-	1	-	-	-	-	-	1	1	2	4	-	5	5	8	10	6	3	3	-	-
	F--	49	3	-	-	-	-	1	-	-	-	-	-	1	1	1	3	-	6	7	9	3	3	5	3	-	2
490-493	Pneumonia, etc.*--	537	104	18	6	5	-	8	1	5	4	2	5	2	7	9	22	22	28	53	56	63	50	42	21	3	1
	White-----M--	183	31	3	2	1	-	1	-	1	1	1	1	1	4	2	11	3	7	16	23	31	22	14	7	-	-
	F--	160	15	3	1	-	-	4	-	3	1	-	2	1	1	4	2	6	10	17	17	25	19	17	9	3	-
	Nonwhite--M--	103	27	7	-	3	-	1	-	-	1	1	2	-	1	1	5	7	7	10	12	3	5	7	3	-	-
	F--	91	31	5	3	1	-	2	1	1	1	-	-	-	1	2	4	6	4	10	4	4	4	4	2	-	1
500-502	Bronchitis--------	37	8	2	-	1	-	1	-	-	-	-	-	-	-	-	-	3	4	1	8	6	2	1	-	-	-
	White-----M--	18	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	2	4	-	3	2	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	-	1	-	-	-
	Nonwhite--M--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	67	-	-	-	-	-	-	-	-	-	-	1	5	6	5	5	4	11	13	8	6	-	2	-	-	1
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	3	9	11	5	4	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	3	2	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	2	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	30	-	-	1	-	1	2	2	2	2	1	1	1	-	2	-	3	2	4	3	2	1	-	-	-	-
	White-----M--	13	-	-	-	-	1	1	-	-	2	-	-	1	-	1	-	1	2	2	1	-	1	-	-	-	-
	F--	10	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	82	7	1	-	-	-	1	-	-	-	1	3	1	6	2	4	5	4	10	8	8	15	6	-	-	-
	White-----M--	31	3	-	-	-	-	1	-	-	-	-	3	-	-	-	2	1	2	3	3	4	7	2	-	-	-
	F--	21	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	1	-	4	3	3	3	-	-	-
	Nonwhite--M--	16	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	6	1	1	2	1	-	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	1	1	-	-	3	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543, 571, 572	Gastritis, etc.*--	123	70	5	-	1	1	-	1	2	-	1	-	4	2	-	2	2	3	3	3	8	7	5	2	1	-
	White-----M--	26	9	1	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	2	-	3	1	2	1	-	-
	F--	28	11	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	3	2	1	-	-
	Nonwhite--M--	34	25	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	2	-	-	-	-	-	-	-	-
	F--	35	25	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	1	-
581	Cirrhosis of liver	113	-	-	-	-	-	-	-	1	2	1	3	5	7	11	13	18	8	7	15	10	10	1	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	1	-	1	2	5	6	7	14	4	2	10	5	3	1	1	-	-
	F--	27	-	-	-	-	-	-	-	1	-	-	1	2	-	1	4	2	2	2	4	3	5	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	1	-	2	3	-	1	1	2	1	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	1	-	-	2	-	-	-	-
590, 591	Acute nephritis, etc.*----------	51	-	-	-	2	-	-	-	2	-	5	4	3	1	4	2	3	4	4	5	3	4	4	1	-	-
	White-----M--	25	-	-	-	2	-	-	-	1	-	2	1	1	1	1	1	-	-	2	3	3	3	4	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	-	1	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	3	2	1	-	3	1	-	2	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	11	10	20	20	11	4	3	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	16	18	10	4	2	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	7	4	2	1	-	1	-
640-689	Complications of pregnancy, etc.*-	39	...	...	...	...	...	...	-	5	4	8	10	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	1	1	2	6	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	22	...	...	...	...	...	...	-	4	3	6	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	34	...	...	...	...	...	...	-	5	4	6	8	6	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	1	1	2	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	...	...	...	...	...	...	-	4	3	4	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	200	148	12	8	3	1	4	4	5	1	1	1	2	2	4	-	-	1	2	1	-	-	-	-	-	-
	White-----M--	90	71	5	3	-	-	1	-	3	1	-	1	1	-	1	-	-	1	2	-	-	-	-	-	-	-
	F--	67	48	4	2	-	1	1	2	2	-	1	-	1	1	3	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	23	14	2	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	15	1	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	649	648	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	167	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.†----------	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	375	374	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	97	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	544	74	6	2	-	1	3	3	2	4	3	7	5	11	20	20	18	25	44	64	52	70	55	32	15	8
	White-----M--	145	14	2	-	-	-	1	1	-	1	1	1	3	2	3	4	6	5	18	17	14	19	18	12	2	1
	F--	102	15	1	1	-	-	-	2	-	-	-	2	-	2	2	3	1	1	7	8	12	15	15	10	4	1
	Nonwhite--M--	149	24	2	1	-	1	2	-	1	-	-	2	-	3	8	5	8	8	10	24	13	21	8	3	3	2
	F--	149	21	1	-	-	-	-	1	3	2	2	2	4	7	8	3	11	9	15	13	15	14	7	6	4	
Residual	All other diseases	684	45	8	1	2	2	8	11	9	3	10	18	21	22	34	28	48	60	82	91	79	62	28	9	2	1
	White-----M--	285	17	5	1	1	-	3	5	2	-	3	7	5	9	10	10	26	25	31	39	36	32	14	3	1	-
	F--	214	5	1	-	-	1	2	3	1	2	4	6	3	5	15	9	12	16	29	34	30	21	9	4	1	1
	Nonwhite--M--	104	15	1	-	-	-	2	3	1	1	1	2	10	5	4	7	8	8	11	9	7	4	4	1	-	-
	F--	81	8	1	-	1	1	1	-	5	-	2	3	3	3	5	2	2	11	11	9	6	5	1	1	-	-
E800-E962	Accidents----------	1,192	69	24	21	22	20	66	56	70	96	80	58	71	70	48	48	64	51	47	35	48	54	48	18	6	2
	White-----M--	599	23	9	9	6	5	28	31	42	58	57	33	41	46	28	20	39	25	26	18	14	16	18	6	-	1
	F--	259	14	4	3	4	9	13	13	9	11	6	8	10	8	6	15	7	12	9	10	24	32	18	10	4	-
	Nonwhite--M--	218	14	7	7	6	1	8	9	13	21	12	13	15	12	12	7	13	12	10	4	8	4	8	-	1	1
	F--	116	18	4	2	6	5	17	3	6	6	5	4	5	4	2	6	5	2	2	3	2	2	4	2	1	-
E810-E835	Motor-vehicle accidents---------	457	5	5	6	6	4	25	19	30	58	54	24	36	30	21	21	37	21	24	9	8	12	2	-	-	-
	White-----M--	276	1	2	5	-	2	10	9	20	35	41	15	24	21	12	8	25	14	16	4	5	6	1	-	-	-
	F--	85	4	1	1	3	2	6	7	7	9	2	3	7	3	3	9	4	3	3	3	2	3	-	-	-	-
	Nonwhite--M--	74	-	1	-	1	-	6	2	2	11	10	5	2	4	6	4	6	4	5	1	1	2	1	-	-	-
	F--	22	-	1	-	2	-	3	1	1	3	1	1	3	2	-	-	2	-	-	1	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	735	64	19	15	16	16	41	37	40	38	26	34	35	40	27	27	27	30	23	26	40	42	46	18	6	2
	White-----M--	323	22	7	4	6	3	18	22	22	23	16	18	17	25	16	12	14	11	10	14	9	10	17	6	-	1
	F--	174	10	3	2	1	7	7	6	2	2	4	5	3	5	3	6	3	9	6	7	22	29	18	10	4	-
	Nonwhite--M--	144	14	6	7	5	1	2	7	11	10	2	8	13	8	6	3	7	8	5	3	7	2	7	-	1	1
	F--	94	18	3	2	4	5	14	2	5	3	4	3	2	2	2	6	3	2	2	2	2	1	4	2	1	-
E963, E970-E979	Suicide----------	130	-	-	-	-	-	-	-	3	7	7	2	7	15	14	14	14	17	10	10	6	3	1	-	-	-
	White-----M--	110	-	-	-	-	-	-	-	1	6	4	2	6	13	12	12	14	12	10	10	5	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	3	-	1	1	2	2	-	3	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	118	1	-	1	-	-	1	-	1	11	15	12	23	16	11	6	9	6	2	1	1	1	-	-	-	-
	White-----M--	37	1	-	-	-	-	1	-	-	2	4	-	5	6	4	5	2	3	2	-	1	1	-	-	-	-
	F--	12	-	-	1	-	-	-	-	1	1	1	2	1	1	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	7	10	7	13	7	4	1	5	2	-	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	3	4	2	1	-	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES	109,903	7,302	511	317	223	173	591	378	706	1,028	1,320	1,730	2,314	3,448	4,834	6,359	8,249	10,437	13,134	13,606	12,931	10,483	6,420	2,723	541	145
	White---M--	60,067	3,846	269	151	118	82	333	218	456	690	779	988	1,215	1,912	2,910	3,975	5,160	6,563	7,756	7,491	6,510	4,781	2,667	958	164	75
	F--	43,738	2,643	190	133	86	70	195	142	200	240	378	521	808	1,185	1,482	1,881	2,581	3,370	4,791	5,584	6,029	5,498	3,620	1,700	356	55
	Nonwhite--M--	3,723	442	32	18	9	10	41	9	32	67	98	131	163	206	277	321	317	335	392	352	239	105	74	36	6	11
	F--	2,375	371	20	15	10	11	22	9	18	31	65	90	128	145	165	182	191	169	195	179	153	99	59	29	15	4
001-019	Tuberculosis, all forms	1,383	8	14	8	9	1	7	1	6	26	43	69	87	106	120	144	154	151	169	96	80	52	25	6	-	1
	White---M--	871	2	7	3	4	-	5	-	2	5	12	18	36	56	76	106	112	115	124	70	62	35	17	3	-	1
	F--	304	4	6	5	2	1	2	-	1	12	19	20	38	30	24	18	20	21	27	18	12	13	8	3	-	-
	Nonwhite--M--	150	1	-	-	1	-	-	1	1	4	6	17	10	14	17	15	19	15	14	7	5	3	-	-	-	-
	F--	58	1	1	-	2	-	-	-	2	5	6	14	3	6	3	5	3	-	4	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system	1,287	2	8	6	1	-	4	1	6	23	37	64	84	102	110	137	150	143	162	89	75	51	25	6	-	1
	White---M--	826	-	4	3	-	-	2	-	2	4	11	17	36	55	71	100	111	110	119	68	58	34	17	3	-	1
	F--	273	1	4	3	1	-	2	-	1	11	16	20	36	29	22	18	17	18	26	13	11	13	8	3	-	-
	Nonwhite--M--	138	-	-	-	-	-	-	1	1	3	5	15	9	13	15	14	19	15	13	7	5	3	-	-	-	-
	F--	50	1	-	-	-	-	-	-	2	5	5	12	3	5	2	5	3	-	4	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms	96	6	6	2	8	1	3	-	-	3	6	5	3	4	10	7	4	8	7	7	5	1	-	-	-	-
	White---M--	45	2	3	-	4	-	3	-	-	1	1	1	-	1	5	6	1	5	5	2	4	1	-	-	-	-
	F--	31	3	2	2	1	1	-	-	-	1	3	-	2	1	2	-	3	3	1	5	1	-	-	-	-	-
	Nonwhite--M--	12	1	-	-	1	-	-	-	-	1	1	2	1	1	2	1	-	-	1	-	-	-	-	-	-	-
	F--	8	-	1	-	2	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	396	-	-	-	-	-	-	-	1	2	3	1	4	18	25	42	45	79	74	51	35	12	2	-	1	1
	White---M--	255	-	-	-	-	-	-	-	-	2	1	-	-	5	12	25	31	53	55	41	22	6	1	-	-	1
	F--	80	-	-	-	-	-	-	-	1	-	2	-	1	3	3	9	5	18	11	7	12	6	1	-	1	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	3	7	9	4	6	7	7	2	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	3	1	4	3	1	1	1	-	-	-	-	-	-
040	Typhoid fever	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	37	10	2	-	3	2	3	1	-	1	-	-	1	-	2	3	3	1	-	2	2	1	-	-	-	-
	White---M--	16	3	-	-	2	2	1	1	-	-	-	-	-	-	1	1	1	1	-	2	1	-	-	-	-	-
	F--	12	5	-	-	-	-	1	-	-	1	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	12	1	1	1	1	-	1	-	1	-	1	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-
	White---M--	8	-	1	1	1	-	1	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	White---M--	4	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	13	5	3	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	6	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	108	31	24	11	2	2	8	6	4	2	1	1	1	1	3	3	4	2	1	-	1	-	-	-	-	-
	White---M--	55	20	14	5	1	1	3	1	1	1	-	-	1	-	1	3	2	1	-	-	-	-	-	-	-	-
	F--	45	10	9	4	1	1	4	4	2	1	1	-	-	1	2	-	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	158	8	5	5	3	5	19	13	16	18	27	16	14	8	-	-	-	-	1	-	-	-	-	-	-	-
	White---M--	97	5	2	3	2	2	11	9	11	14	14	12	7	4	-	-	-	-	1	-	-	-	-	-	-	-
	F--	58	3	2	2	1	2	7	4	5	4	13	4	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	25	5	4	1	2	2	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	12	3	3	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	2	1	-	2	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	267	22	6	6	2	2	14	13	3	12	18	13	14	14	16	19	14	19	20	15	8	9	5	2	-	1
	White---M--	142	13	3	4	1	1	12	8	2	4	10	5	7	7	11	5	10	9	12	9	4	3	2	-	-	-
	F--	84	9	2	1	1	1	1	5	1	2	3	5	2	5	2	7	1	8	7	6	4	6	3	2	-	-
	Nonwhite--M--	32	-	1	1	-	-	1	-	-	4	4	2	3	-	2	7	3	2	1	-	-	-	-	-	-	1
	F--	9	-	-	-	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*----	17,088	20	30	34	34	30	97	52	48	61	123	230	402	719	992	1,361	1,883	2,323	2,558	2,326	1,877	1,161	529	171	25	2
	White-----M--	8,356	8	17	14	19	12	52	31	30	37	58	102	142	266	401	636	966	1,242	1,332	1,181	955	553	223	68	11	-
	F--	7,929	12	13	17	13	17	39	20	15	21	57	108	221	399	515	637	832	993	1,111	1,038	868	583	283	102	14	1
	Nonwhite--M--	474	-	-	2	1	1	5	1	1	2	4	6	15	19	41	45	53	55	77	77	36	18	14	-	-	1
	F--	329	-	-	1	1	-	1	-	2	1	4	14	24	35	35	43	32	33	38	30	18	7	9	1	-	-
140-148	Of buccal cavity and pharynx------	412	-	-	1	-	-	-	1	-	-	1	1	6	14	29	40	51	60	61	56	45	29	8	9	-	-
	White-----M--	307	-	-	-	-	-	-	1	-	-	-	1	2	10	17	30	37	53	47	42	36	19	6	6	-	-
	F--	85	-	-	1	-	-	-	-	-	-	1	-	1	4	10	5	11	6	11	13	7	10	2	3	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	1	3	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	6,005	-	3	1	-	1	3	1	2	6	14	38	66	159	271	382	627	812	973	993	808	530	230	73	11	1
	White-----M--	3,065	-	1	-	-	-	1	-	2	2	3	21	36	69	128	197	350	448	519	510	408	250	93	24	3	-
	F--	2,616	-	2	1	-	-	1	1	-	3	8	12	21	76	119	152	241	323	401	431	372	267	129	48	8	-
	Nonwhite--M--	226	-	-	-	-	1	1	-	-	-	2	2	5	8	17	21	25	28	39	42	19	10	5	-	-	1
	F--	98	-	-	-	-	-	-	-	1	1	3	4	6	7	12	11	13	14	10	9	3	3	1	-	-	-
160-164	Of respiratory system----------	2,092	2	1	-	-	1	-	-	-	2	8	15	40	91	123	233	326	404	346	249	151	70	23	5	2	-
	White-----M--	1,675	1	1	-	-	1	-	-	-	2	6	7	25	66	98	190	274	348	292	189	105	51	13	4	2	-
	F--	324	1	-	-	-	-	-	-	-	-	2	4	12	20	15	34	42	39	40	49	40	19	6	1	-	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	3	2	3	9	6	10	14	8	10	6	-	3	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	-	3	6	1	-	-	1	-	-	-
170	Of breast---------	1,658	-	-	-	-	-	-	-	-	-	6	30	75	126	149	164	199	215	206	175	148	103	45	13	4	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	2	1	2	1	-	-	-	-
	F--	1,593	-	-	-	-	-	-	-	-	-	4	26	74	116	139	159	189	208	203	168	144	102	44	13	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	2	4	1	9	7	5	8	4	1	5	2	-	1	-	-	-
171-179	Of genital organs-	2,548	1	-	1	-	-	-	-	3	7	22	40	69	124	163	213	242	300	351	355	328	189	107	30	3	-
	White-----M--	862	1	-	1	-	-	-	-	2	3	10	13	7	8	1	12	38	74	128	178	189	115	64	16	2	-
	F--	1,544	-	-	-	-	-	-	-	1	4	11	23	50	105	143	183	193	216	202	159	131	70	38	14	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	9	9	3	3	3	-	-	-
	F--	108	-	-	-	-	-	-	-	-	1	4	12	11	18	17	8	8	12	9	5	1	2	-	-	-	-
180, 181	Of urinary organs-	878	-	2	-	6	6	7	1	1	1	-	4	10	23	33	64	92	109	146	127	116	81	36	10	3	-
	White-----M--	582	-	-	-	2	2	2	1	1	-	-	1	4	18	25	46	70	79	97	75	80	51	21	4	3	-
	F--	271	-	2	-	4	4	5	-	-	1	-	3	6	4	5	15	20	27	43	49	34	30	13	6	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	2	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,883	8	13	11	8	6	30	20	18	15	30	46	69	110	129	166	199	216	255	202	156	102	49	23	1	1
	White-----M--	968	2	7	3	5	2	15	13	12	11	15	27	34	58	74	102	107	121	127	100	69	38	15	11	-	-
	F--	835	6	6	5	3	4	15	7	4	3	15	16	30	44	48	55	83	89	121	92	84	59	32	12	1	1
	Nonwhite--M--	55	-	-	2	-	-	-	-	1	1	-	1	2	4	5	6	9	5	5	8	2	3	1	-	-	-
	F--	25	-	-	1	-	-	-	-	1	-	-	2	3	4	2	3	-	1	2	2	1	2	1	-	-	-
204	Leukemia and aleukemia----------	808	6	8	20	18	14	46	23	10	17	19	28	33	39	36	39	65	77	102	87	63	29	20	8	1	-
	White-----M--	414	3	6	10	11	5	29	11	7	11	8	16	14	21	21	21	37	38	54	38	28	14	7	3	1	-
	F--	364	3	2	10	5	9	15	11	3	6	10	12	15	14	14	17	25	36	44	46	35	15	12	5	-	-
	Nonwhite--M--	19	-	-	-	1	-	1	1	-	-	1	-	2	3	1	-	1	1	4	2	-	-	1	-	-	-
	F--	11	-	-	-	1	-	1	-	-	-	-	-	2	1	-	1	2	2	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	804	3	3	-	2	2	11	6	14	13	23	28	34	33	59	60	82	130	118	82	62	28	11	-	-	-
	White-----M--	469	1	2	-	1	2	5	5	6	8	16	16	20	16	34	38	51	78	66	48	38	14	4	-	-	-
	F--	297	2	1	-	1	-	3	1	7	4	6	12	12	16	22	17	28	49	46	31	21	11	7	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	3	-	-	1	1	-	2	-	3	5	2	2	5	2	3	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	372	17	3	6	1	5	6	7	2	6	17	22	21	29	33	29	34	30	27	27	22	16	8	4	-	-
	White-----M--	150	11	1	2	1	2	-	3	-	3	4	7	9	10	9	11	12	18	14	14	7	6	3	3	-	-
	F--	192	4	2	2	-	3	5	3	2	2	10	12	8	16	21	15	20	12	13	12	14	10	5	1	-	-
	Nonwhite--M--	13	2	-	1	-	-	1	-	-	-	1	-	1	2	1	2	-	-	-	1	1	-	-	-	-	-
	F--	17	-	-	1	-	-	1	-	-	1	2	3	3	1	2	1	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,205	1	-	1	-	-	6	9	8	10	17	27	35	22	43	53	100	146	201	216	159	103	42	4	1	1
	White-----M--	472	-	-	-	-	-	2	3	2	2	6	12	18	9	19	26	32	52	80	84	63	40	20	1	-	1
	F--	657	-	-	-	-	-	4	5	4	8	9	11	14	11	19	20	60	85	114	121	88	61	19	3	1	-
	Nonwhite--M--	34	1	-	1	-	-	-	1	1	-	-	2	1	-	3	2	3	6	3	5	4	1	-	-	-	-
	F--	42	-	-	-	-	-	-	1	-	-	2	2	2	2	2	5	5	3	4	6	4	1	3	-	-	-
290-293	Anemias----------	206	5	3	-	2	3	3	3	2	7	2	2	4	4	2	2	16	11	24	27	35	29	13	5	2	-
	White-----M--	99	3	-	-	2	1	2	2	1	1	-	-	-	3	1	-	9	8	12	13	18	13	7	3	-	-
	F--	93	-	2	-	-	1	1	1	1	3	1	2	3	1	-	1	7	2	11	13	17	16	6	2	2	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	1	-	-	1	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	168	51	21	18	6	3	3	3	1	2	4	3	1	4	4	9	4	7	7	8	4	3	2	-	-	-
	White-----M--	91	23	14	7	4	2	2	2	1	1	1	2	1	1	3	4	2	6	4	6	2	2	1	-	-	-
	F--	56	19	5	9	2	1	1	-	-	1	3	1	-	2	-	4	1	-	3	1	1	1	1	-	-	-
	Nonwhite--M--	12	5	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	F--	9	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	59,436	29	10	7	7	6	29	27	53	77	160	291	562	1,165	1,956	3,069	4,321	5,916	8,137	9,064	9,103	7,813	4,996	2,138	424	76
	White-----M--	32,085	8	4	3	2	5	13	14	25	36	78	163	315	729	1,332	2,076	2,867	3,848	4,861	4,968	4,425	3,421	2,011	717	129	35
	F--	24,781	15	6	2	4	1	10	11	22	31	57	91	162	307	440	738	1,181	1,760	2,931	3,765	4,416	4,251	2,893	1,368	280	39
	Nonwhite--M--	1,486	3	-	1	1	-	3	1	3	6	13	17	42	68	100	165	153	196	218	205	145	62	49	28	5	2
	F--	1,084	3	-	1	-	-	3	1	3	4	12	20	43	61	84	90	120	112	127	126	117	79	43	25	10	-
330-334, 400-468	Diseases of cardiovascular system-	58,588	28	10	6	5	4	16	23	36	60	129	253	523	1,129	1,900	3,001	4,239	5,843	8,047	8,989	9,026	7,747	4,955	2,125	422	72
	White-----M--	31,652	8	4	2	1	4	5	12	18	25	58	144	295	709	1,303	2,045	2,829	3,810	4,805	4,928	4,393	3,386	1,995	710	129	34
	F--	24,430	14	6	2	3	-	6	9	13	26	49	76	149	294	418	708	1,150	1,732	2,903	3,732	4,374	4,221	2,869	1,362	278	36
	Nonwhite--M--	1,451	3	-	1	1	-	2	1	3	5	12	16	39	68	98	160	143	190	215	203	145	62	49	28	5	2
	F--	1,055	3	-	1	-	-	3	1	2	4	10	17	40	58	81	88	117	111	124	126	114	78	42	25	10	-
330-334	Vascular lesions, etc.*----------	11,653	7	2	3	2	1	7	7	5	10	29	52	82	162	256	422	591	926	1,441	1,926	2,064	1,881	1,204	477	86	10
	White-----M--	5,079	1	2	1	-	1	3	3	2	6	9	20	28	59	89	188	278	462	759	880	884	762	457	150	27	8
	F--	5,982	2	-	1	1	-	2	4	2	2	15	21	35	82	121	186	248	401	602	964	1,105	1,088	723	316	59	2
	Nonwhite--M--	294	2	-	-	1	-	1	-	1	1	2	4	4	8	18	25	38	40	35	47	41	9	12	5	-	-
	F--	298	2	-	1	-	-	1	-	-	1	3	7	15	13	28	23	27	23	45	35	34	22	12	6	-	-
400-402	Rheumatic fever----	77	1	-	-	-	-	4	5	5	6	5	4	6	8	8	7	3	3	5	2	1	3	-	1	-	-
	White-----M--	35	-	-	-	-	-	-	2	3	3	2	3	2	5	5	3	1	1	2	-	1	2	-	-	-	-
	F--	36	1	-	-	-	-	2	1	2	3	2	1	4	3	3	4	2	1	3	2	-	1	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
410-443	Diseases of heart-	42,270	17	8	2	3	3	4	11	21	33	73	172	393	885	1,543	2,432	3,464	4,637	6,166	6,462	6,245	4,997	3,109	1,291	258	41
	White-----M--	24,337	6	2	1	1	3	2	7	10	15	40	113	250	618	1,148	1,771	2,434	3,180	3,772	3,720	3,158	2,254	1,301	439	73	19
	F--	16,243	9	6	-	2	-	1	4	8	12	21	42	99	180	275	476	850	1,236	2,157	2,521	2,930	2,651	1,754	816	173	20
	Nonwhite--M--	1,032	1	-	1	-	-	1	-	2	4	7	11	28	54	71	123	98	138	167	138	88	44	31	20	3	2
	F--	658	1	-	-	-	-	-	-	1	2	5	6	16	33	49	62	82	83	70	83	69	48	23	16	9	-
410-416	Chronic rheumatic heart disease----	1,553	-	1	-	1	-	1	-	11	14	26	57	93	143	159	193	183	189	188	102	104	58	18	10	2	-
	White-----M--	725	-	1	-	-	-	-	-	3	7	9	29	38	64	81	101	95	89	80	54	40	24	6	4	-	-
	F--	752	-	-	-	1	-	-	-	7	5	11	20	48	69	68	80	82	96	105	46	64	33	11	5	1	-
	Nonwhite--M--	48	-	-	-	-	-	1	-	1	1	4	6	4	7	5	11	1	2	2	2	-	-	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	2	2	3	3	5	1	5	2	1	-	-	1	-	1	1	-
420	Arteriosclerotic heart dis., etc.*	30,955	2	-	-	-	-	-	3	2	7	31	90	233	590	1,172	1,833	2,706	3,613	4,778	4,912	4,497	3,442	2,053	804	158	29
	White-----M--	19,276	1	-	-	-	-	-	2	1	4	25	71	190	486	965	1,466	2,046	2,630	3,083	2,998	2,399	1,656	915	274	51	13
	F--	10,748	1	-	-	-	-	-	1	-	1	6	15	24	74	151	277	561	847	1,543	1,781	1,997	1,731	1,111	512	100	15
	Nonwhite--M--	621	-	-	-	-	-	-	-	1	1	-	4	14	25	40	64	62	94	116	84	58	25	16	13	3	1
	F--	310	-	-	-	-	-	-	-	-	1	-	-	5	5	16	26	37	42	36	49	43	30	11	5	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,968	7	3	1	-	2	1	2	2	2	6	6	16	30	40	82	132	247	380	556	739	775	577	296	59	7
	White-----M--	1,903	1	1	-	-	2	1	2	2	2	2	4	8	17	22	44	82	150	228	289	355	332	227	116	12	4
	F--	1,901	6	2	-	-	-	-	-	-	-	2	-	5	5	11	23	37	84	131	237	365	429	344	173	44	3
	Nonwhite--M--	89	-	-	1	-	-	-	-	-	-	1	1	2	6	5	6	8	6	12	20	10	6	4	1	-	-
	F--	75	-	-	-	-	-	-	-	-	-	1	1	1	2	2	9	5	7	9	10	9	8	2	6	3	-
430-434	Other diseases of heart---------	789	8	4	1	2	1	2	5	5	8	6	11	18	15	24	49	63	79	100	112	100	75	52	37	10	2
	White-----M--	415	4	-	1	1	1	1	3	4	2	3	4	6	11	16	28	38	47	58	58	51	40	25	10	2	1
	F--	321	2	4	-	1	-	1	2	1	5	-	6	9	4	5	15	18	26	35	47	48	33	25	26	8	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	-	1	1	-	2	-	3	5	5	4	7	5	-	2	1	1	-	1
	F--	14	1	-	-	-	-	-	-	-	-	2	1	1	-	-	1	2	2	-	2	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	5,005	-	-	-	-	-	-	1	1	2	4	8	33	107	148	275	380	509	720	780	805	647	409	144	29	3
	White-----M--	2,018	-	-	-	-	-	-	-	-	-	1	5	8	40	64	132	173	264	323	321	313	202	128	35	8	1
	F--	2,521	-	-	-	-	-	-	1	-	1	2	1	13	28	40	81	152	183	343	410	456	425	263	100	20	2
	Nonwhite--M--	235	-	-	-	-	-	-	-	-	1	1	-	6	16	18	37	22	32	30	27	20	11	9	5	-	-
	F--	231	-	-	-	-	-	-	1	-	-	-	2	6	23	26	25	33	30	24	22	16	9	9	4	1	-
444-447	Hypertension without mention of heart----------	682	-	-	-	-	-	-	-	-	2	8	8	19	28	36	51	46	49	78	82	105	82	46	33	6	3
	White-----M--	311	-	-	-	-	-	-	-	-	-	3	4	5	9	20	28	25	26	41	32	43	39	20	13	3	-
	F--	295	-	-	-	-	-	-	-	-	2	3	1	3	5	6	18	12	19	30	48	57	41	26	19	2	3
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	1	1	4	6	7	2	3	2	4	2	5	2	-	1	1	-
	F--	35	-	-	-	-	-	-	-	-	-	1	2	7	8	3	3	6	2	3	-	-	-	-	-	-	-
450	General arteriosclerosis--------	2,990	-	-	-	-	-	-	-	-	-	-	1	1	3	4	19	52	117	226	382	510	710	565	311	72	17
	White-----M--	1,321	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	33	68	125	208	241	285	207	104	26	7
	F--	1,579	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	17	42	91	155	251	412	346	202	44	10
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	11	7	6	6	2	1	-
	F--	44	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	8	11	7	6	3	1	-
451-468	Other diseases of circulatory sys.-	916	3	-	1	-	-	1	-	5	9	14	16	22	43	53	70	83	111	131	135	101	74	31	12	-	1
	White-----M--	569	1	-	-	-	-	-	-	3	1	4	4	9	17	37	44	58	73	106	88	66	44	10	4	-	-
	F--	295	2	-	1	-	-	1	-	1	7	8	11	8	22	13	17	21	33	20	42	31	28	20	8	-	1
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	3	-	2	9	3	4	3	5	4	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	1	1	1	2	4	1	-	1	1	2	-	-	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	848	1	-	1	2	2	13	4	17	17	31	38	39	36	56	68	82	73	90	75	77	66	41	13	2	4
	White-----M--	433	-	-	1	1	1	8	2	7	11	20	19	20	20	29	31	38	38	56	40	32	35	16	7	-	1
	F--	351	1	-	-	1	1	4	2	9	5	8	15	13	13	22	30	31	28	28	33	42	30	24	6	2	3
	Nonwhite--M--	35	-	-	-	-	-	1	-	-	1	1	1	3	-	2	5	10	6	3	2	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	2	3	3	3	3	2	3	1	3	-	3	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	3,172	469	80	37	15	13	25	11	12	15	28	33	66	84	120	139	165	186	255	290	328	361	244	144	38	14
	White-----M--	1,773	240	41	18	5	7	11	4	7	9	12	15	40	51	83	94	112	127	169	174	170	185	113	70	10	6
	F--	1,139	164	30	16	8	4	11	5	5	2	8	10	16	20	26	31	28	46	74	100	142	169	123	71	25	5
	Nonwhite--M--	166	28	5	2	1	1	2	1	-	2	5	6	8	10	10	9	18	10	7	13	14	4	6	2	-	2
	F--	94	37	4	1	1	1	1	1	-	2	3	2	2	3	1	5	7	3	5	3	2	3	2	1	3	1
480-483	Influenza---------	188	13	-	4	2	-	4	-	2	-	-	3	3	1	5	7	8	11	15	18	19	27	28	12	4	2
	White-----M--	98	8	-	2	1	-	2	-	1	-	-	1	2	-	3	5	6	6	8	10	9	13	13	7	1	-
	F--	80	3	-	2	1	-	2	-	1	-	-	1	-	1	2	2	1	3	7	7	10	13	15	5	3	1
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	1	1
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,984	456	80	33	13	13	21	11	10	15	28	30	63	83	115	132	157	175	240	272	309	334	216	132	34	12
	White-----M--	1,675	232	41	16	4	7	9	4	6	9	12	14	38	51	80	89	106	121	161	164	161	172	100	63	9	6
	F--	1,059	161	30	14	7	4	9	5	4	2	8	9	16	19	24	29	27	43	67	93	132	156	108	66	22	4
	Nonwhite--M--	159	27	5	2	1	1	2	1	-	2	5	5	8	10	10	9	17	8	7	12	14	4	6	2	-	1
	F--	91	36	4	1	1	1	1	1	-	2	3	2	1	3	1	5	7	3	5	3	2	2	2	1	3	1
500-502	Bronchitis--------	192	47	12	2	4	2	3	2	1	1	-	-	-	-	4	9	12	8	16	22	17	12	11	6	1	-
	White-----M--	130	24	11	1	2	1	2	2	1	1	-	-	-	-	1	8	8	6	14	18	12	10	6	2	-	-
	F--	51	16	1	1	2	1	-	-	-	-	-	-	-	-	3	1	4	-	2	4	4	2	5	4	1	-
	Nonwhite--M--	8	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	877	5	-	-	1	-	-	1	1	-	4	7	20	40	58	82	103	113	128	119	95	59	27	10	3	1
	White-----M--	666	1	-	-	1	-	-	-	1	-	3	3	13	35	47	67	82	87	97	94	67	43	17	5	2	1
	F--	176	3	-	-	-	-	-	1	-	-	-	2	5	5	9	10	15	22	27	23	25	13	10	5	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	2	1	-	1	3	6	4	4	2	2	2	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	1	-	-	-	-
550-553	Appendicitis------	113	2	-	1	1	-	1	5	4	2	8	1	5	3	6	12	8	12	8	17	9	4	3	1	-	-
	White-----M--	70	1	-	1	1	-	-	4	2	-	4	-	4	2	5	7	4	8	4	13	7	1	2	-	-	-
	F--	34	1	-	-	-	-	1	1	2	2	2	1	1	-	-	5	3	3	2	3	2	3	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	542	73	3	2	2	-	3	1	1	4	7	6	17	19	21	28	30	33	64	62	59	58	36	10	2	1
	White-----M--	255	33	2	2	1	-	1	-	-	2	3	2	8	5	8	14	15	20	28	32	31	27	18	2	1	-
	F--	252	32	-	-	1	-	1	1	-	2	3	3	8	11	11	12	13	12	31	28	26	30	17	8	1	1
	Nonwhite--M--	20	5	1	-	-	-	1	-	1	-	1	-	-	2	1	1	1	1	2	2	1	-	-	-	-	-
	F--	15	3	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	3	-	1	1	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543,	Gastritis, etc.*--	524	216	24	1	2	-	2	1	1	5	4	7	7	17	9	9	28	30	34	40	30	33	13	9	1	1
571,	White-----M--	242	95	9	1	1	-	1	1	-	2	1	3	6	9	4	5	13	19	18	18	12	17	4	3	-	-
572	F--	240	86	15	-	1	-	1	-	1	2	3	4	1	8	5	3	15	10	15	21	16	16	9	6	1	1
	Nonwhite--M--	24	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	18	14	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	2,154	6	-	1	2	1	1	-	4	5	27	56	163	250	340	290	274	241	215	113	95	44	15	9	1	1
	White-----M--	1,280	1	-	1	2	1	1	-	1	2	7	21	73	127	216	173	174	167	147	69	62	23	8	4	-	-
	F--	743	2	-	-	-	-	-	-	3	2	14	26	73	106	101	97	86	68	61	40	31	20	7	5	1	-
	Nonwhite--M--	87	3	-	-	-	-	-	-	-	-	4	5	7	9	16	15	10	4	6	4	2	1	-	-	-	1
	F--	44	-	-	-	-	-	-	-	-	1	2	4	10	8	7	5	4	2	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	130	4	2	4	2	-	7	3	9	5	3	4	6	4	8	11	10	9	11	10	8	6	4	-	-	-
	White-----M--	69	2	1	4	1	-	4	2	5	3	2	1	4	1	2	6	8	5	6	3	4	4	1	-	-	-
	F--	50	2	1	-	1	-	2	1	3	2	1	3	1	2	4	3	2	3	4	6	4	2	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	21	58	55	76	65	47	13	1	-
	White-----M--	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	21	52	52	75	65	47	13	1	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	3	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	127	...	...	...	...	...	...	-	10	21	30	36	25	4	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F--	110	...	...	...	...	...	...	-	9	17	28	30	21	4	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	17	...	...	...	...	...	...	-	1	4	2	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	28	...	...	...	...	...	...	-	2	6	8	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	23	...	...	...	...	...	...	-	2	5	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	99	...	...	...	...	...	...	-	8	15	22	27	22	4	-	-	-	-	1	-	-	-	-	-	-	-
660-	White-----F--	87	...	...	...	...	...	...	-	7	12	21	23	19	4	-	-	-	-	1	-	-	-	-	-	-	-
689	Nonwhite--F--	12	...	...	...	...	...	...	-	1	3	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,505	1,110	81	26	24	14	32	14	12	14	18	19	21	21	18	17	21	15	11	8	6	3	-	-	-	-
	White-----M--	755	559	41	12	9	7	17	7	4	9	6	10	12	12	11	8	10	9	3	3	4	2	-	-	-	-
	F--	625	455	31	12	14	5	14	7	7	5	8	8	7	6	7	6	11	6	8	5	2	1	-	-	-	-
	Nonwhite--M--	60	46	5	-	-	1	1	-	1	-	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	65	50	4	2	1	1	-	-	-	-	2	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	4,573	4,571	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,480	2,478	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,591	1,591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	2,464	2,464	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,423	1,423	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	819	819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,863	1,861	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	929	927	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	698	698	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	355	40	2	2	5	-	3	3	5	6	4	8	18	15	15	14	12	16	27	22	24	31	37	31	8	7
795	White-----M--	192	16	-	-	3	-	3	1	3	3	1	5	11	7	8	9	8	11	18	15	20	19	16	10	3	2
	F--	133	16	-	1	2	-	-	1	2	3	2	3	5	5	4	2	4	4	6	7	4	12	21	21	5	3
	Nonwhite--M--	20	4	2	-	-	-	-	-	-	-	1	-	2	3	2	2	-	1	3	-	-	-	-	-	-	-
	F--	10	4	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2
Re-	All other diseases	4,860	318	57	41	18	22	56	34	46	58	81	102	163	220	280	296	416	489	549	557	456	320	175	81	21	4
sid-	White-----M--	2,673	185	31	19	11	9	34	13	23	28	33	49	80	113	148	168	265	323	330	308	252	148	70	27	5	1
ual	F--	1,897	105	20	16	6	9	17	19	18	22	32	39	69	88	111	109	129	145	195	229	192	158	102	51	14	2
	Nonwhite--M--	173	17	2	4	-	1	2	2	2	5	8	9	8	10	13	11	12	14	17	13	10	8	2	1	1	1
	F--	117	11	4	2	1	3	3	-	3	3	8	5	6	9	8	8	10	7	7	7	2	6	1	2	1	-
E800-	Accidents----------	7,165	224	119	97	70	56	253	154	409	573	512	577	446	422	497	461	378	384	373	329	310	241	167	76	12	25
E962	White-----M--	4,792	110	64	46	38	25	151	100	308	457	409	446	302	293	340	331	268	265	254	200	159	116	62	25	2	21
	F--	1,838	80	40	44	24	22	69	50	86	80	61	82	86	81	106	101	88	103	102	116	138	120	102	47	9	1
	Nonwhite--M--	407	21	12	2	4	5	23	2	10	32	32	41	44	39	38	26	20	11	14	10	7	5	3	4	-	2
	F--	128	13	3	5	4	4	10	2	5	4	10	8	14	9	13	3	2	5	3	3	6	-	-	-	1	1
E810-	Motor-vehicle																										
E835	accidents--------	3,518	31	29	42	32	21	116	64	274	397	313	314	243	214	257	231	185	208	185	142	125	58	27	7	1	2
	White-----M--	2,374	16	13	17	16	9	60	38	200	307	239	230	155	144	173	158	128	134	122	85	75	38	11	4	-	2
	F--	888	12	10	24	14	8	40	24	65	66	47	54	60	44	64	53	48	65	54	52	46	19	16	2	1	-
	Nonwhite--M--	193	2	4	-	1	3	12	-	5	21	19	23	19	21	14	18	7	7	8	5	2	1	-	1	-	-
	F--	63	1	2	1	1	1	4	2	4	3	8	7	9	5	6	2	2	2	1	-	2	-	-	-	-	-
E800-	All ot. accidents-	3,647	193	90	55	38	35	137	90	135	176	199	263	203	208	240	230	193	176	188	187	185	183	140	69	11	23
E802,	White-----M--	2,418	94	51	29	22	16	91	62	108	150	170	216	147	149	167	173	140	131	132	115	84	78	51	21	2	19
E840-	F--	950	68	30	20	10	14	29	26	21	14	14	28	26	37	42	48	40	38	48	64	92	101	86	45	8	1
E962	Nonwhite--M--	214	19	8	2	3	2	11	2	5	11	13	18	25	18	24	8	13	4	6	5	5	4	3	3	-	2
	F--	65	12	1	4	3	3	6	-	1	1	2	1	5	4	7	1	-	3	2	3	4	-	-	-	1	1
E963,	Suicide----------	1,895	-	-	-	-	-	-	6	22	58	115	133	151	196	212	218	180	175	153	119	89	44	18	3	-	3
E970-	White-----M--	1,380	-	-	-	-	-	-	6	13	44	83	80	98	132	144	172	128	128	115	100	76	40	17	2	-	2
E979	F--	443	-	-	-	-	-	-	-	8	12	24	45	44	60	60	40	48	45	28	16	7	4	1	-	-	1
	Nonwhite--M--	61	-	-	-	-	-	-	-	1	2	4	7	6	3	8	6	3	1	10	3	6	-	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	4	1	3	1	-	-	1	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	487	4	4	2	3	1	1	4	23	37	63	66	58	61	49	35	26	19	8	11	2	3	1	-	-	6
E980-	White-----M--	255	1	1	1	2	1	1	2	11	24	31	32	27	34	26	16	17	13	4	4	-	2	1	-	-	4
E985	F--	99	2	2	-	1	-	-	1	2	3	16	11	13	10	9	11	3	3	4	5	1	1	-	-	-	1
	Nonwhite--M--	102	1	-	1	-	-	-	-	10	8	11	17	10	16	10	5	6	3	-	2	1	-	-	-	-	1
	F--	31	-	1	-	-	-	-	1	-	2	5	6	8	1	4	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES------	12,963	1,247	88	44	35	23	73	63	106	128	142	199	217	316	473	606	799	1,051	1,374	1,550	1,594	1,434	908	398	76	19
	White-----M--	7,422	701	53	28	16	13	41	39	75	81	83	122	124	187	317	388	521	681	836	879	863	734	439	166	33	2
	F--	5,211	505	30	15	16	9	30	23	29	42	52	61	87	110	149	198	258	346	498	627	701	681	459	228	42	15
	Nonwhite--M--	179	21	3	-	3	1	2	-	1	5	2	8	5	10	4	13	13	16	22	23	14	8	2	1	-	2
	F--	151	20	2	1	-	-	-	1	1	-	5	8	1	9	3	7	7	8	18	21	16	11	8	3	1	-
001-019	Tuberculosis, all forms--------	160	2	3	-	-	-	-	-	-	4	4	5	7	5	14	12	15	19	27	9	17	12	3	2	-	-
	White-----M--	97	1	3	-	-	-	-	-	-	1	-	2	1	4	8	5	10	13	19	9	12	5	2	2	-	-
	F--	46	-	-	-	-	-	-	-	-	3	2	2	4	-	5	6	4	5	5	-	3	6	1	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	1	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	152	2	2	-	-	-	-	-	-	4	4	4	7	5	13	11	15	19	25	9	17	10	3	2	-	-
	White-----M--	90	1	2	-	-	-	-	-	-	1	-	1	1	4	8	4	10	13	17	9	12	3	2	2	-	-
	F--	45	-	-	-	-	-	-	-	-	3	2	2	4	-	4	6	4	5	5	-	3	6	1	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	1	-	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	-	2	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	35	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	8	8	2	7	2	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	7	2	5	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	-	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	4	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	6	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	3	2	1	1	-	-	-	2	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	White-----M--	8	2	1	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	13	2	6	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases----	55	7	1	1	1	-	1	1	3	3	2	3	2	3	4	3	4	3	6	3	1	1	1	1	-	-
	White-----M--	36	5	-	1	-	-	1	1	3	1	1	2	1	-	3	2	4	1	5	3	1	1	-	-	-	-
	F--	17	2	1	-	1	-	-	-	-	2	1	1	1	1	1	1	-	2	1	-	-	-	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*----	1,905	3	3	6	4	7	12	3	4	10	16	27	32	66	107	159	181	208	253	284	266	153	76	22	3	-
	White-----M--	984	2	1	6	2	1	4	2	3	5	9	12	14	21	48	87	97	115	132	164	141	77	28	12	1	-
	F--	862	1	2	-	1	5	8	1	-	5	7	10	18	42	59	65	80	87	118	110	117	70	45	10	1	-
	Nonwhite--M--	28	-	-	-	1	1	-	-	-	-	-	-	-	1	-	4	2	4	1	7	3	2	2	-	-	-
	F--	31	-	-	-	-	-	-	-	1	-	-	5	-	2	-	3	2	2	2	3	5	4	1	-	1	-
140-148	Of buccal cavity and pharynx------	31	-	-	-	-	-	-	-	-	-	-	1	1	1	6	1	3	3	2	4	3	3	3	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	3	2	2	4	1	1	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	698	-	-	1	-	-	-	-	-	-	1	5	5	11	31	56	59	69	98	120	122	79	32	7	2	-
	White-----M--	400	-	-	1	-	-	-	-	-	-	1	1	1	3	23	33	38	40	58	75	64	45	13	3	1	-
	F--	272	-	-	-	-	-	-	-	-	-	-	2	4	6	8	21	18	28	38	41	52	31	18	4	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	3	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	1	4	2	1	-	-	-
160-164	Of respiratory system----------	209	-	-	-	-	-	1	-	-	-	1	1	5	10	11	35	25	37	30	31	13	6	2	1	-	-
	White-----M--	173	-	-	-	-	-	-	-	-	-	1	1	5	7	6	33	24	31	29	22	7	6	-	1	-	-
	F--	32	-	-	-	-	-	1	-	-	-	-	-	-	2	5	1	1	6	1	7	6	-	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	189	-	-	-	-	-	-	-	-	-	-	1	6	10	23	14	21	16	31	27	18	13	6	3	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	188	-	-	-	-	-	-	-	-	-	-	1	6	10	23	14	21	16	30	27	18	13	6	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	322	-	-	-	-	-	-	-	1	1	3	5	6	14	18	18	29	33	39	47	56	26	19	6	1	-
	White-----M--	122	-	-	-	-	-	-	-	-	1	2	1	1	1	1	3	3	5	10	29	39	13	10	3	-	-
	F--	183	-	-	-	-	-	-	-	-	-	1	2	5	13	17	14	25	24	28	17	15	12	7	3	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	2	1	1	1	1	-	-	1	-
180, 181	Of urinary organs-	91	-	-	-	1	-	1	-	-	-	-	-	-	1	2	7	13	12	13	16	11	6	3	5	-	-
	White-----M--	60	-	-	-	1	-	-	-	-	-	-	-	-	-	2	5	10	11	8	9	5	3	1	5	-	-
	F--	27	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	3	1	5	4	6	2	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	181	-	2	4	1	3	6	1	1	2	8	4	4	8	8	15	15	17	22	20	22	10	8	-	-	-
	White-----M--	94	-	1	4	-	-	2	1	1	1	4	2	2	3	4	7	7	12	14	13	10	4	2	-	-	-
	F--	85	-	1	-	1	2	4	-	-	1	4	2	2	5	4	7	8	5	8	7	12	6	6	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	90	2	1	1	2	4	3	2	2	2	2	3	1	3	3	6	6	8	7	10	12	8	2	-	-	-
	White-----M--	51	2	-	1	1	1	1	1	2	1	1	2	-	1	3	3	5	4	3	7	8	4	-	-	-	-
	F--	36	-	1	-	-	3	2	1	-	1	1	1	1	2	-	3	1	3	4	3	4	3	2	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	94	1	-	-	-	-	1	-	-	5	1	7	4	8	5	7	10	13	11	9	9	2	1	-	-	-
	White-----M--	59	-	-	-	-	-	1	-	-	2	-	4	4	5	4	2	7	10	7	5	7	1	-	-	-	-
	F--	32	1	-	-	-	-	-	-	-	3	1	2	-	3	1	3	3	3	4	4	2	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	48	2	2	-	1	-	-	-	2	1	1	-	2	5	2	6	8	2	4	3	3	4	-	-	-	-
	White-----M--	21	2	-	-	-	-	-	-	-	1	-	-	1	1	2	3	6	1	1	-	1	2	-	-	-	-
	F--	22	-	2	-	-	-	-	-	1	-	1	-	1	4	-	3	1	1	2	2	2	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	155	-	-	-	-	-	-	2	-	2	4	2	4	4	6	4	11	19	24	22	22	18	10	1	-	-
	White-----M--	71	-	-	-	-	-	-	1	-	2	3	1	3	4	2	1	4	8	8	9	9	9	6	1	-	-
	F--	81	-	-	-	-	-	-	1	-	-	1	1	1	-	4	3	7	11	14	13	13	8	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	24	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	6	2	4	2	1	-	-	-
	White-----M--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	-	2	1	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	13	3	1	-	-	1	1	-	1	-	1	1	-	-	-	-	3	-	-	-	1	-	-	-	-	-
	White-----M--	8	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	6,294	6	3	3	2	1	3	14	17	10	18	39	53	94	184	270	401	556	780	932	987	977	621	282	45	16
	White-----M--	3,559	2	2	1	2	-	2	6	11	3	6	23	34	67	136	186	272	371	481	521	509	486	297	122	18	1
	F--	2,617	3	1	1	-	1	1	7	6	7	11	13	18	24	46	77	122	174	276	387	442	483	319	158	27	13
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	4	6	13	12	6	4	-	-	-	2
	F--	62	1	-	1	-	-	-	1	-	-	1	1	-	2	1	3	3	5	10	12	10	4	5	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	6,135	5	2	3	1	1	3	13	13	8	12	36	53	87	174	261	382	549	764	916	946	963	607	275	45	16
	White-----M--	3,477	2	1	1	1	-	2	5	8	2	4	21	34	65	129	182	264	366	472	514	497	479	290	119	18	1
	F--	2,545	2	1	1	-	1	1	7	5	6	7	12	18	20	43	72	113	172	271	378	433	476	312	154	27	13
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	4	6	12	12	6	4	-	-	-	2
	F--	58	1	-	1	-	-	-	1	-	-	1	1	-	1	1	3	1	5	9	12	10	4	5	2	-	-
330-334	Vascular lesions, etc.*----------	1,298	2	-	1	-	-	-	1	3	-	1	5	6	12	17	37	66	106	156	201	243	230	134	68	8	1
	White-----M--	599	-	-	1	-	-	-	1	1	-	-	4	2	5	6	15	27	51	82	100	121	98	63	20	2	-
	F--	673	2	-	-	-	-	-	-	2	-	1	1	4	6	11	19	37	52	72	95	118	129	71	46	6	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	2	2	-	2	-	-
400-402	Rheumatic fever---	32	-	-	-	-	1	2	7	5	-	-	1	2	2	1	3	1	1	5	-	-	-	1	-	-	-
	White-----M--	16	-	-	-	-	-	1	4	4	-	-	-	-	1	-	2	-	1	3	-	-	-	-	-	-	-
	F--	13	-	-	-	-	1	1	3	1	-	-	-	2	1	1	1	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
410-443	Diseases of heart-	4,337	3	2	1	1	-	1	4	5	7	10	26	40	68	145	212	297	418	564	660	640	641	389	167	28	8
	White-----M--	2,686	2	1	-	1	-	1	-	3	2	4	15	28	56	117	161	225	297	363	386	349	326	188	80	11	-
	F--	1,651	-	1	1	-	-	-	3	2	5	5	9	11	11	26	47	70	114	184	258	282	312	198	87	17	8
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	3	10	9	2	1	-	-	-	-
	F--	37	1	-	-	-	-	-	1	-	-	1	1	-	-	1	2	-	4	7	7	7	2	3	-	-	-
410-416	Chronic rheumatic heart disease----	238	1	-	-	-	-	-	4	4	4	5	12	7	12	15	30	25	29	24	22	24	12	7	1	-	-
	White-----M--	108	1	-	-	-	-	-	-	2	-	-	6	3	4	8	17	10	13	14	10	11	6	3	-	-	-
	F--	125	-	-	-	-	-	-	3	2	4	4	5	4	8	7	13	15	16	9	11	13	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,035	-	1	-	1	-	1	-	-	2	5	9	23	47	124	160	229	326	440	485	425	405	229	104	15	4
	White-----M--	1,993	-	1	-	1	-	1	-	-	1	4	7	22	45	106	135	184	245	306	302	249	215	117	48	4	-
	F--	1,001	-	-	-	-	-	-	-	-	1	1	2	1	2	16	23	43	75	123	175	170	188	110	56	11	4
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	6	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	2	4	2	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	503	-	1	1	-	-	-	-	-	-	-	2	5	1	2	8	11	19	37	64	90	120	89	37	12	4
	White-----M--	260	-	-	-	-	-	-	-	-	-	-	1	2	-	1	5	9	12	17	37	43	64	43	19	7	-
	F--	234	-	1	1	-	-	-	-	-	-	-	1	3	1	1	2	2	6	18	24	46	56	45	18	5	4
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
430-434	Other diseases of heart---------	69	2	-	-	-	-	-	-	-	-	-	2	2	4	-	3	3	7	7	12	12	8	7	-	-	-
	White-----M--	38	1	-	-	-	-	-	-	-	-	-	1	-	4	-	2	3	4	6	5	5	3	4	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	7	7	5	3	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	492	-	-	-	-	-	-	-	1	1	-	1	3	4	4	11	29	37	56	77	89	96	57	25	1	-
	White-----M--	217	-	-	-	-	-	-	-	1	1	-	-	1	3	2	2	19	23	20	32	41	38	21	13	-	-
	F--	263	-	-	-	-	-	-	-	-	-	-	1	2	-	2	8	10	14	33	41	46	57	36	12	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	86	-	-	-	-	-	-	-	-	-	-	1	3	-	3	3	7	7	13	12	10	16	10	1	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	5	3	9	4	6	10	2	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	4	6	4	6	8	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
450	General arteriosclerosis--------	264	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	7	10	25	37	61	66	35	9	7
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	12	16	36	32	15	5	1
	F--	127	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	6	13	20	23	33	20	4	4
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	118	-	-	1	-	-	-	1	-	1	-	3	2	5	8	3	8	10	16	18	16	15	7	4	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	1	2	3	4	-	4	8	11	12	5	9	5	3	-	-
	F--	47	-	-	-	-	-	-	1	-	1	-	2	-	2	4	3	4	2	5	6	9	6	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	159	1	1	-	1	-	-	1	4	2	6	3	-	7	10	9	19	7	16	16	21	14	14	7	-	-
	White-----M--	82	-	1	-	1	-	-	1	3	1	2	2	-	2	7	4	8	5	9	7	12	7	7	3	-	-
	F--	72	1	-	-	-	-	-	-	1	1	4	1	-	4	3	5	9	2	5	9	9	7	7	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	792	127	25	6	4	-	6	1	2	3	4	7	7	14	13	24	24	36	45	92	104	106	89	38	14	1
	White-----M--	456	67	18	3	2	-	2	1	2	2	1	4	2	8	10	15	14	27	29	56	62	61	48	13	9	-
	F--	311	55	7	3	1	-	4	-	-	1	3	2	5	4	3	8	9	7	12	32	41	42	41	25	5	1
	Nonwhite--M--	14	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	1	1	-	-	-	-
	F--	11	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	2	-	-	-	-
480-483	Influenza---------	107	15	3	-	-	-	1	-	-	1	1	2	-	2	1	3	4	5	8	14	17	11	10	7	2	-
	White-----M--	57	9	2	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	4	10	12	4	3	4	2	-
	F--	50	6	1	-	-	-	1	-	-	-	1	2	-	1	-	2	3	3	4	4	5	7	7	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	685	112	22	6	4	-	5	1	2	2	3	5	7	12	12	21	20	31	37	78	87	95	79	31	12	1
	White-----M--	399	58	16	3	2	-	2	1	2	1	1	4	2	7	9	14	13	25	25	46	50	57	45	9	7	-
	F--	261	49	6	3	1	-	3	-	-	1	2	-	5	3	3	6	6	4	8	28	36	35	34	22	5	1
	Nonwhite--M--	14	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	1	1	-	-	-	-
	F--	11	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	2	-	-	-	-
500-502	Bronchitis--------	39	9	3	1	2	-	2	-	-	-	-	-	1	-	-	3	1	1	6	4	3	3	-	-	-	-
	White-----M--	28	8	1	1	-	-	-	-	-	-	-	-	-	-	-	3	1	1	6	3	1	3	-	-	-	-
	F--	11	1	2	-	2	-	2	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	122	-	-	-	-	-	-	-	-	-	-	3	2	3	10	5	5	15	23	14	19	13	6	4	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	2	1	3	10	4	5	10	15	10	16	7	3	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	5	8	3	3	6	2	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
550-553	Appendicitis-------	19	-	-	-	-	-	3	-	-	-	-	1	1	-	-	1	-	2	1	5	2	-	2	1	-	-
	White-----M--	12	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	2	1	3	2	-	-	1	-	-
	F--	7	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	82	12	1	-	-	-	1	1	-	-	-	-	1	3	1	3	4	6	8	18	11	11	1	-	-	-
	White-----M--	40	6	-	-	-	-	1	1	-	-	-	-	1	2	-	2	2	1	4	8	7	5	-	-	-	-
	F--	39	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	4	9	4	6	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543, 571, 572	Gastritis, etc.*	112	71	4	-	-	-	1	-	-	2	-	3	-	-	4	1	2	2	4	8	2	3	3	2	-	-
	White	59	42	1	-	-	-	1	-	-	-	-	2	-	-	2	-	1	1	3	3	2	-	1	-	-	-
	F	49	26	2	-	-	-	-	-	-	2	-	1	-	-	2	1	1	1	1	5	-	3	2	2	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	127	-	-	-	-	-	-	-	-	-	1	5	11	13	15	15	15	15	17	7	6	5	2	-	-	-
	White	72	-	-	-	-	-	-	-	-	-	1	3	3	6	11	10	10	10	11	2	2	1	2	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	-	1	7	6	4	4	3	4	6	5	4	4	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	20	-	1	-	-	-	1	-	1	-	-	2	-	-	1	2	3	1	3	-	3	1	1	-	-	-
	White	13	-	1	-	-	-	-	-	1	-	-	2	-	-	-	2	2	1	2	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	12	12	13	8	2	-	-
	White	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	12	12	13	8	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	19	...	...	...	...	...	...	-	-	5	6	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-
	White	18	...	...	...	...	...	...	-	-	5	6	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	...	...	...	...	...	...	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	15	...	...	...	...	...	...	-	-	3	5	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-
	White	14	...	...	...	...	...	...	-	-	3	5	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	208	169	4	3	1	2	4	3	3	4	-	3	-	-	2	1	5	1	1	1	1	-	-	-	-	-
	White	115	91	2	1	-	2	3	1	2	3	-	1	-	-	2	1	4	-	1	-	1	-	-	-	-	-
	F	90	77	1	2	1	-	-	2	1	1	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	746	746	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	66	15	1	1	1	-	-	-	2	-	1	2	2	3	2	1	2	2	2	5	3	3	8	5	4	1
	White	30	8	1	1	-	-	-	-	1	-	-	1	1	-	1	2	1	1	2	2	2	3	2	-	1	
	F	33	6	-	-	1	-	-	-	1	-	1	1	1	3	1	-	1	1	2	1	1	5	3	4	-	
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Residual	All other diseases	662	29	7	1	4	1	3	1	4	6	12	10	20	22	33	46	51	79	80	77	75	57	28	14	2	-
	White	394	19	5	-	3	1	2	-	1	2	5	7	9	11	22	25	34	56	53	43	40	36	14	4	2	-
	F	258	10	2	1	1	-	1	1	3	4	6	3	11	10	11	21	16	22	26	33	33	21	13	9	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	1	1	-	-	
E800-E962	Accidents	880	30	19	17	13	11	26	32	53	59	54	64	43	47	38	30	35	47	44	43	55	43	45	23	8	1
	White	608	15	12	12	7	8	19	24	44	50	47	48	36	38	30	23	27	38	29	21	27	21	23	6	3	-
	F	253	15	6	5	6	3	7	8	9	7	5	13	5	7	8	6	7	8	13	21	28	22	22	16	5	1
	Nonwhite	17	-	1	-	-	-	-	-	-	2	2	3	1	2	-	1	1	1	2	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	347	5	7	7	5	8	8	7	33	44	34	34	16	23	17	18	13	19	15	13	15	4	2	-	-	-
	White	254	4	3	5	3	5	6	5	25	37	29	23	12	17	12	13	9	15	10	7	9	3	2	-	-	-
	F	86	1	3	2	2	3	2	2	8	6	4	9	4	5	5	5	4	4	4	6	6	1	-	-	-	-
	Nonwhite	7	-	1	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	533	25	12	10	8	3	18	25	20	15	20	30	27	24	21	12	22	28	29	30	40	39	43	23	8	1
	White	354	11	9	7	4	3	13	19	19	13	18	25	24	21	18	10	18	23	19	14	18	18	21	6	3	-
	F	167	14	3	3	4	-	5	6	1	1	1	4	1	2	3	1	3	4	9	15	22	21	22	16	5	1
	Nonwhite	10	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	1	1	1	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	Suicide	205	-	-	-	-	-	-	-	7	10	12	12	18	23	21	14	18	23	18	10	10	5	3	1	-	-
	White	161	-	-	-	-	-	-	-	2	6	6	9	12	18	21	12	16	18	16	9	8	4	3	1	-	-
	F	41	-	-	-	-	-	-	-	5	3	5	3	6	5	-	1	2	5	2	1	2	1	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E999	Homicide	65	1	-	1	-	-	2	2	3	9	5	5	9	8	8	3	2	3	2	-	2	-	-	-	-	-
	White	30	-	-	1	-	-	1	-	2	5	2	3	4	4	3	3	1	1	-	-	-	-	-	-	-	-
	F	23	1	-	-	-	-	1	2	1	2	3	-	5	1	2	-	-	2	1	-	2	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES------	20,695	1,033	52	39	27	26	74	60	77	135	158	207	323	508	785	1,088	1,713	2,199	2,632	2,731	2,654	2,155	1,342	518	123	36
	White-----M--	11,147	558	21	24	16	14	48	36	54	98	80	108	163	289	484	689	1,039	1,332	1,552	1,445	1,298	988	564	202	32	13
	F--	8,917	394	28	14	9	12	25	22	17	29	54	72	134	190	266	346	626	803	1,022	1,229	1,311	1,141	761	309	91	22
	Nonwhite--M--	343	50	2	1	1	-	-	2	4	6	16	14	13	18	17	24	26	27	42	26	28	11	8	6	-	1
	F--	288	31	1	-	1	-	1	-	2	2	8	13	13	21	18	29	22	37	16	31	17	15	9	1	-	-
001-019	Tuberculosis, all forms--------	207	-	-	-	-	-	-	-	-	4	2	8	12	15	17	16	24	26	28	20	20	7	7	-	-	1
	White-----M--	151	-	-	-	-	-	-	-	-	2	1	4	4	12	14	11	19	22	25	14	14	4	4	-	-	1
	F--	34	-	-	-	-	-	-	-	-	1	1	1	6	-	3	2	2	1	1	4	6	3	3	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	3	1	2	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	2	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	192	-	-	-	-	-	-	-	-	3	1	6	10	13	17	13	23	24	28	20	20	6	7	-	-	1
	White-----M--	144	-	-	-	-	-	-	-	-	2	-	3	3	11	14	10	18	22	25	14	14	3	4	-	-	1
	F--	31	-	-	-	-	-	-	-	-	-	1	1	5	-	3	1	2	1	1	4	6	3	3	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	3	-	2	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	15	-	-	-	-	-	-	-	-	1	1	2	2	2	-	3	1	2	-	-	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	52	-	-	-	-	-	-	-	-	-	1	2	-	-	2	4	4	10	8	11	7	3	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	6	4	10	4	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	2	1	3	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	18	6	2	3	-	1	2	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	8	3	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	1	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	16	1	-	-	-	-	2	2	1	-	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	-	-	-	-	2	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	49	5	2	-	3	1	1	5	2	-	1	3	1	3	-	2	5	2	4	4	4	1	-	-	-	-
	White-----M--	30	4	2	-	3	1	1	3	2	-	-	-	-	2	-	-	3	-	4	3	1	1	-	-	-	-
	F--	14	1	-	-	-	-	-	2	-	-	-	2	-	1	-	1	2	2	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*----	3,747	3	3	6	3	7	17	9	11	16	23	36	60	121	198	265	444	526	573	512	440	300	131	36	4	3
	White-----M--	1,930	1	-	3	2	4	8	4	8	12	8	19	16	49	72	127	235	305	316	272	237	149	65	17	1	-
	F--	1,710	2	2	3	1	3	9	5	3	3	14	12	42	68	118	124	198	199	246	230	194	146	63	19	3	3
	Nonwhite--M--	57	-	1	-	-	-	-	-	-	-	-	-	-	1	3	7	8	8	9	8	7	2	3	-	-	-
	F--	50	-	-	-	-	-	-	-	-	1	1	5	2	3	5	7	3	14	2	2	2	3	-	-	-	-
140-148	Of buccal cavity and pharynx------	100	1	-	-	-	-	-	-	-	-	-	1	1	3	8	3	16	17	13	14	10	8	3	2	-	-
	White-----M--	83	1	-	-	-	-	-	-	-	-	-	1	1	1	5	3	16	14	12	13	7	4	3	2	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	1	1	-	3	4	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,434	-	-	-	-	-	-	-	-	1	2	7	8	31	53	91	149	209	233	217	212	138	65	16	-	2
	White-----M--	771	-	-	-	-	-	-	-	-	1	-	4	2	16	28	51	86	128	140	108	109	67	25	6	-	-
	F--	616	-	-	-	-	-	-	-	-	-	2	3	6	14	20	35	59	72	83	102	99	71	38	10	-	2
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	3	9	6	4	-	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	6	1	1	-	-	-	-	-	-
160-164	Of respiratory system----------	449	-	-	-	-	-	-	-	-	1	1	2	3	12	25	50	75	93	66	60	32	22	6	1	-	-
	White-----M--	382	-	-	-	-	-	-	-	-	-	1	2	2	9	20	46	63	80	60	49	26	18	5	1	-	-
	F--	59	-	-	-	-	-	-	-	-	1	-	-	1	3	5	3	11	10	6	11	5	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
170	Of breast---------	397	-	-	-	-	-	-	-	-	1	1	6	13	30	43	38	50	41	49	43	39	26	13	2	2	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	382	-	-	-	-	-	-	-	-	1	1	5	12	29	42	35	48	38	49	42	38	25	13	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	3	-	1	1	1	-	-	-	-
171-179	Of genital organs-	494	-	-	-	-	-	1	-	-	2	1	5	14	17	26	34	44	57	88	65	62	50	19	8	-	1
	White-----M--	193	-	-	-	-	-	1	-	-	1	1	1	2	2	2	2	6	18	31	30	42	33	15	6	-	-
	F--	285	-	-	-	-	-	-	-	-	-	-	1	11	14	22	30	38	38	56	34	18	17	3	2	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	3	1	1	2	2	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	188	-	1	-	1	-	1	-	-	-	-	-	1	3	5	10	25	29	27	31	26	18	8	2	-	-
	White-----M--	117	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	17	20	15	23	16	10	7	1	-	-
	F--	64	-	-	-	1	-	1	-	-	-	-	-	-	1	4	3	5	9	12	8	10	8	1	1	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	395	1	1	5	-	2	6	6	4	2	8	5	13	15	20	25	47	49	57	49	41	20	13	4	2	-
	White-----M--	210	-	-	3	-	-	4	3	3	2	2	3	4	11	7	12	25	28	31	31	22	11	6	1	1	-
	F--	178	1	1	2	-	2	2	3	1	-	5	2	8	4	13	13	21	19	26	18	18	8	7	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-
204	Leukemia and aleukemia----------	133	1	1	1	2	5	6	2	3	4	4	4	2	6	5	8	13	14	16	11	11	12	2	-	-	-
	White-----M--	66	-	-	-	2	4	1	-	1	3	1	2	-	4	2	4	6	5	11	5	8	5	2	-	-	-
	F--	63	1	1	1	-	1	5	2	2	1	3	1	2	1	3	4	7	8	5	6	3	6	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	157	-	-	-	-	-	3	1	4	5	6	6	5	4	13	6	25	17	24	22	7	6	2	1	-	-
	White-----M--	107	-	-	-	-	-	2	1	4	5	3	6	3	4	7	5	16	12	16	13	7	1	2	-	-	-
	F--	49	-	-	-	-	-	1	-	-	-	3	-	2	-	6	1	9	4	8	9	-	5	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	95	2	1	-	1	1	2	-	1	1	3	1	5	8	13	8	12	8	10	5	4	4	4	-	-	1
	White-----M--	40	-	-	-	1	-	1	-	1	-	1	1	-	2	5	4	5	3	7	2	4	1	2	-	-	-
	F--	50	1	1	-	-	1	1	-	-	1	2	-	5	6	8	2	6	5	3	3	-	3	1	-	-	1
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
260	Diabetes mellitus-	410	-	-	-	-	-	1	-	-	3	4	2	5	7	10	17	51	51	66	63	74	35	17	4	-	-
	White-----M--	129	-	-	-	-	-	1	-	-	2	2	-	3	3	6	7	15	14	18	21	23	10	3	1	-	-
	F--	270	-	-	-	-	-	-	-	-	1	-	2	2	3	4	8	34	37	47	41	50	24	14	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-
290-293	Anemias-----------	33	1	-	-	-	-	1	1	-	1	-	-	1	-	2	-	1	2	8	4	4	2	3	2	-	-
	White-----M--	20	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	1	4	3	2	1	3	-	-	-
	F--	13	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	4	1	2	1	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	24	9	1	-	2	1	4	1	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-
	White-----M--	17	4	-	-	1	1	4	1	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-
	F--	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	11,633	4	1	1	1	-	2	3	4	17	36	53	110	190	339	551	859	1,246	1,580	1,765	1,793	1,540	1,017	405	97	19
	White-----M--	6,148	2	1	1	1	-	1	1	1	10	20	24	63	123	232	389	554	756	946	905	848	683	407	148	24	8
	F--	5,221	2	-	-	-	-	1	2	2	5	13	24	38	50	88	136	282	462	601	824	915	839	601	252	73	11
	Nonwhite--M--	119	-	-	-	-	-	-	-	-	2	3	2	4	6	7	10	7	9	23	13	18	8	3	4	-	-
	F--	145	-	-	-	-	-	-	-	1	-	-	3	5	11	12	16	16	19	10	23	12	10	6	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	11,457	4	1	1	1	-	1	2	3	12	29	44	103	184	331	541	846	1,224	1,563	1,747	1,774	1,525	1,005	400	97	19
	White-----M--	6,061	2	1	1	1	-	1	-	-	7	16	21	59	119	229	383	548	746	936	896	839	675	404	145	24	8
	F--	5,140	2	-	-	-	-	-	2	2	4	10	20	35	48	83	132	276	450	595	815	906	834	592	250	73	11
	Nonwhite--M--	115	-	-	-	-	-	-	-	-	1	3	2	4	6	7	10	7	9	22	13	17	7	3	4	-	-
	F--	141	-	-	-	-	-	-	-	1	-	-	1	5	11	12	16	15	19	10	23	12	9	6	1	-	-
330-334	Vascular lesions, etc.*----------	2,228	1	1	-	-	-	-	-	-	2	7	10	17	27	42	70	133	196	296	364	407	321	225	86	19	4
	White-----M--	990	1	1	-	-	-	-	-	-	1	4	2	6	10	14	37	64	96	156	167	173	139	86	27	5	1
	F--	1,186	-	-	-	-	-	-	-	-	1	2	7	10	15	23	29	63	94	134	188	227	181	137	58	14	3
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	3	2	4	1	-	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	5	5	3	7	3	-	2	-	-	-
400-402	Rheumatic fever---	14	-	-	-	-	-	-	-	1	2	1	-	1	1	1	2	-	2	3	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart-	8,477	2	-	1	-	-	1	1	-	7	19	26	76	140	270	454	673	976	1,197	1,296	1,253	1,088	665	263	59	10
	White-----M--	4,711	1	-	1	-	-	1	-	-	4	11	15	49	102	209	338	459	621	736	679	612	480	270	98	12	3
	F--	3,598	1	-	-	-	-	-	1	-	2	7	10	22	28	50	98	200	335	439	593	623	585	389	161	47	7
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	1	1	1	3	4	4	8	6	7	16	9	11	5	3	3	-	-
	F--	86	-	-	-	-	-	-	-	-	-	-	-	2	6	7	10	8	13	6	15	7	8	3	1	-	-
410-416	Chronic rheumatic heart disease----	285	-	-	-	-	-	-	1	-	3	7	11	16	21	30	40	38	42	33	15	17	10	1	-	-	-
	White-----M--	129	-	-	-	-	-	-	-	-	1	3	4	7	11	12	19	19	24	13	4	9	2	1	-	-	-
	F--	147	-	-	-	-	-	-	1	-	1	4	7	9	7	15	20	18	18	20	11	8	8	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,296	-	-	1	-	-	-	-	-	1	7	9	48	94	193	338	525	747	936	958	915	805	484	184	44	7
	White-----M--	3,735	-	-	1	-	-	-	-	-	1	4	9	36	76	171	275	380	505	608	528	474	371	208	76	9	3
	F--	2,458	-	-	-	-	-	-	-	-	-	2	-	10	13	19	53	137	228	313	412	432	423	273	104	35	4
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	1	-	1	2	2	4	5	7	10	7	6	4	2	3	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	3	7	5	11	3	7	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	732	1	-	-	-	-	-	-	-	1	1	2	3	4	6	20	26	43	81	107	134	141	99	50	11	2
	White-----M--	357	-	-	-	-	-	-	-	-	1	-	1	2	1	6	16	20	24	45	57	66	66	35	15	2	-
	F--	362	1	-	-	-	-	-	-	-	-	1	1	1	2	-	3	6	18	34	47	66	75	61	35	9	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	2	-	-	-
430-434	Other diseases of heart---------	129	1	-	-	-	-	1	-	-	2	2	2	4	7	6	7	10	21	15	17	16	11	3	3	1	-
	White-----M--	68	1	-	-	-	-	1	-	-	1	2	1	1	5	6	6	5	9	8	8	8	4	2	-	-	-
	F--	56	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	5	12	7	9	8	6	1	3	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,035	-	-	-	-	-	-	-	-	-	2	2	5	14	35	49	74	123	132	199	171	121	78	26	3	1
	White-----M--	422	-	-	-	-	-	-	-	-	-	2	-	3	9	14	22	35	59	62	82	55	47	24	7	1	-
	F--	575	-	-	-	-	-	-	-	-	-	-	2	1	5	16	21	34	59	65	114	109	73	54	19	2	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	4	1	3	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	5	3	4	5	1	2	4	-	-	-	-	-
444-447	Hypertension without mention of heart----------	150	-	-	-	-	-	-	-	-	1	-	2	4	5	7	8	13	8	10	24	19	20	19	8	2	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	8	5	5	12	11	8	10	3	1	-
	F--	62	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	4	3	4	12	8	11	9	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	401	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	13	29	43	74	85	88	40	17	5
	White-----M--	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	18	23	34	32	34	17	6	4
	F--	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	9	18	37	53	53	23	11	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	187	1	-	-	1	-	-	1	2	-	2	6	5	11	11	6	21	29	28	20	21	11	8	3	-	-
	White-----M--	101	-	-	-	1	-	-	-	-	-	-	3	2	5	2	2	15	16	21	15	9	6	4	-	-	-
	F--	73	1	-	-	-	-	-	1	1	-	1	3	2	4	7	4	5	11	7	4	11	4	4	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	176	-	-	-	-	-	1	1	1	5	7	9	7	6	8	10	13	22	17	18	19	15	12	5	-	-
	White-----M--	87	-	-	-	-	-	-	1	1	3	4	3	4	4	3	6	6	10	10	9	9	8	3	3	-	-
	F--	81	-	-	-	-	-	1	-	-	1	3	4	3	2	5	4	6	12	6	9	9	5	9	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	408	36	7	2	1	1	3	1	3	1	4	5	4	6	7	10	23	33	36	43	59	56	42	23	2	-
	White-----M--	234	20	3	2	-	-	-	-	-	1	3	1	1	3	3	7	16	23	29	23	33	28	22	15	1	-
	F--	154	10	3	-	-	1	3	1	3	-	-	3	2	3	4	2	7	8	6	20	24	28	18	7	1	-
	Nonwhite--M--	15	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	1	-	1	-	1	1	-	-
	F--	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
480-483	Influenza---------	19	2	-	1	-	-	-	-	1	-	-	1	-	-	1	-	2	-	2	2	1	3	2	1	-	-
	White-----M--	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	2	2	1	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	389	34	7	1	1	1	3	1	2	1	4	4	4	6	6	10	21	33	34	41	58	53	40	22	2	-
	White-----M--	221	18	3	1	-	-	-	-	-	1	3	1	1	3	3	7	14	23	27	23	32	26	20	14	1	-
	F--	148	10	3	-	-	1	3	1	2	-	2	2	3	3	3	2	7	8	6	18	24	27	18	7	1	-
	Nonwhite--M--	15	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	1	-	1	-	1	1	-	-
	F--	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
500-502	Bronchitis--------	40	3	4	3	2	1	1	-	-	-	-	-	-	1	3	1	1	5	2	3	2	5	1	1	1	-
	White-----M--	30	2	3	3	2	1	-	-	-	-	-	-	-	1	2	1	1	3	2	2	1	4	1	1	-	-
	F--	9	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	153	-	-	-	-	-	-	-	-	-	1	3	2	5	11	13	17	20	15	24	19	13	7	1	2	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	1	1	2	4	9	12	15	16	11	22	11	9	4	-	1	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	3	2	8	4	3	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	24	-	-	-	-	-	1	1	-	-	-	3	1	-	1	2	2	3	2	2	3	3	-	-	-	-
	White-----M--	16	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	1	3	1	2	2	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	111	14	-	-	-	-	-	-	-	1	-	-	-	1	3	1	12	12	13	15	17	9	12	-	1	-
	White-----M--	54	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	6	7	8	8	4	4	-	-	-
	F--	53	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	5	5	6	7	9	4	8	-	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543, 571, 572	Gastritis, etc.*--	71	3	2	1	-	-	-	2	-	1	1	3	6	1	1	4	6	9	6	8	7	6	4	-	-	-
	White-----M--	33	1	1	-	-	-	-	1	-	1	-	1	2	1	1	1	5	6	2	3	3	3	1	-	-	-
	F--	34	1	1	-	-	-	-	1	-	-	1	1	3	-	-	3	1	3	4	5	4	3	3	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	346	-	-	-	-	-	-	-	-	-	4	6	20	31	44	45	54	46	46	24	18	5	1	2	-	-
	White-----M--	224	-	-	-	-	-	-	-	-	-	-	4	13	14	34	29	32	30	32	15	14	4	1	2	-	-
	F--	112	-	-	-	-	-	-	-	-	-	4	2	5	15	7	16	20	15	14	9	4	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	22	-	-	-	-	1	-	-	-	-	-	1	-	2	-	3	3	1	2	3	4	2	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	1	2	-	-	-	-	-
	F--	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	1	2	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	65	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	7	8	10	16	9	5	1	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	7	7	10	15	9	5	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	18	...	...	...	...	...	...	-	-	2	2	4	6	2	-	1	1	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	-	2	2	3	6	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	17	...	...	...	...	...	...	-	-	2	2	3	6	2	-	1	1	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	...	...	...	-	-	2	2	2	6	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	274	206	9	4	4	3	4	-	1	4	1	5	1	6	5	6	6	3	3	2	1	-	-	-	-	-
	White-----M--	148	109	2	3	3	1	2	-	1	4	1	3	1	4	4	3	5	1	1	-	-	-	-	-	-	-
	F--	114	87	6	1	1	2	1	-	-	-	-	2	-	2	1	3	1	2	2	2	1	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	661	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc:*----------	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	75	10	2	1	-	-	-	-	1	1	1	3	5	7	5	3	4	1	3	5	7	6	3	2	5	
	White-----M--	38	6	-	-	-	-	-	-	1	-	1	1	2	6	3	2	3	-	2	2	3	3	1	1	1	
	F--	35	4	2	1	-	-	-	-	-	1	-	2	1	1	2	1	1	1	1	3	4	3	2	1	4	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Residual	All other diseases	905	32	9	6	2	5	5	4	9	7	11	17	26	40	41	53	98	103	123	125	81	58	34	8	6	2
	White-----M--	512	19	3	3	-	3	3	2	6	6	3	10	11	22	29	30	56	64	65	81	40	33	16	4	1	2
	F--	355	10	6	3	2	2	2	2	1	5	5	10	15	11	21	39	36	53	39	40	25	17	4	5	-	
	Nonwhite--M--	21	1	-	-	-	-	-	-	-	1	1	3	2	-	2	2	2	2	2	1	-	1	-	-	-	
	F--	17	2	-	-	-	-	-	1	-	2	1	2	1	1	-	1	3	3	-	-	-	-	-	-	-	
E800-E962	Accidents----------	983	34	9	11	7	4	27	29	40	63	38	36	38	36	48	57	65	64	72	73	75	74	45	28	7	3
	White-----M--	624	15	5	8	3	3	21	21	31	48	27	26	29	26	38	49	48	49	46	42	35	27	17	8	2	-
	F--	318	16	4	3	3	1	6	6	6	11	2	8	8	6	8	7	16	14	24	29	40	47	27	19	5	2
	Nonwhite--M--	33	1	-	-	1	-	-	2	3	3	8	2	1	3	2	1	1	1	2	-	-	-	-	1	-	1
	F--	8	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	
E810-E835	Motor-vehicle accidents--------	301	1	4	4	1	3	12	12	25	45	21	15	18	17	13	18	19	21	18	17	9	6	-	1	-	1
	White-----M--	222	1	2	3	-	2	6	9	18	36	14	12	13	14	10	16	12	15	15	13	6	5	-	-	-	-
	F--	66	-	2	1	1	1	6	3	6	7	1	3	4	2	2	1	7	6	3	4	3	1	-	1	-	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	2	6	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	682	33	5	7	6	1	15	17	15	18	17	21	20	19	35	39	46	43	54	56	66	68	45	27	7	2
	White-----M--	402	14	3	5	3	1	15	12	13	12	13	14	16	12	28	33	36	34	31	29	29	22	17	8	2	-
	F--	252	16	2	2	2	-	-	3	-	4	1	5	4	4	6	6	9	8	21	25	37	46	27	18	5	1
	Nonwhite--M--	20	1	-	-	1	-	-	2	2	1	2	2	-	2	1	-	1	1	2	-	-	-	-	1	-	1
	F--	8	2	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-
E963, E970-E979	Suicide----------	216	-	-	-	-	-	-	1	3	11	15	8	16	22	28	22	17	20	25	13	6	7	2	-	-	-
	White-----M--	154	-	-	-	-	-	-	1	3	9	10	5	12	18	20	12	10	16	23	6	3	4	2	-	-	-
	F--	58	-	-	-	-	-	-	-	-	2	4	3	3	4	8	10	6	4	2	7	2	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	32	3	-	1	1	-	-	1	1	1	4	7	2	2	4	1	-	-	1	-	1	-	-	-	-	2
	White-----M--	11	2	-	-	-	-	-	-	1	-	2	1	-	1	2	1	-	-	-	1	-	-	-	-	-	1
	F--	11	-	-	1	1	-	-	1	1	-	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES------	3,576	254	14	13	7	8	18	14	28	46	46	65	81	117	150	229	273	316	365	447	411	343	202	101	25	3
	White-----M--	1,678	102	6	4	3	2	9	9	16	19	21	31	40	49	67	121	141	172	186	216	188	153	70	42	10	1
	F--	1,271	76	3	5	3	5	6	-	4	8	7	16	17	31	44	49	76	104	121	173	178	160	117	54	13	1
	Nonwhite--M--	345	36	5	1	1	1	1	3	6	8	7	11	13	22	24	34	33	27	35	26	27	18	3	1	1	1
	F--	282	40	-	3	-	-	2	2	2	11	11	7	11	15	15	25	23	13	23	32	18	12	12	4	1	-
001-019	Tuberculosis, all forms--------	55	-	-	1	-	-	-	-	-	1	2	5	5	1	5	10	6	3	8	2	5	-	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	2	1	2	1	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	5	1	2	-	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	2	1	1	-	-	-	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	1	2	-	2	-	-	1	2	1	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	52	-	-	1	-	-	-	-	-	1	2	5	5	-	5	10	6	3	7	2	4	-	1	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	2	1	1	1	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	5	1	2	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	1	1	-	-	-	-	-	-	-
	F--	10	-	-	1	-	-	-	-	-	1	2	-	2	-	-	1	2	1	-	-	-	-	-	-	-	-
010-018	Tuberculosis, other forms------	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	1	3	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	6	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*---	482	2	-	-	2	-	4	1	1	2	9	7	9	26	29	42	62	49	64	71	55	24	16	7	-	-
	White-----M--	222	1	-	-	2	-	2	1	-	-	2	1	2	6	6	22	22	28	31	45	29	12	6	4	-	-
	F--	199	1	-	-	-	-	2	-	-	2	3	5	5	11	18	15	30	17	26	20	22	10	9	3	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	2	-	-	3	3	3	7	3	2	3	3	1	-	-	-	-
	F--	31	-	-	-	-	-	-	-	1	-	2	1	2	6	2	2	3	1	5	3	1	1	1	-	-	-
140-148	Of buccal cavity and pharynx-------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	158	-	-	-	-	-	-	-	-	1	-	1	2	4	8	18	15	16	27	27	20	9	5	5	-	-
	White-----M--	81	-	-	-	-	-	-	-	-	-	-	1	1	-	-	10	6	9	15	16	12	5	3	3	-	-
	F--	55	-	-	-	-	-	-	-	-	1	-	-	1	2	5	4	5	6	10	8	7	2	2	2	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	2	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	2	1	-	1	-	-	-	-
160-164	Of respiratory system----------	51	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	14	11	6	8	2	-	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	11	9	4	8	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	47	-	-	-	-	-	-	-	-	-	2	-	-	6	2	6	4	4	8	3	4	4	4	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	1	-	-	3	2	6	4	4	8	3	3	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	-	-
171-179	Of genital organs-	80	-	-	-	-	-	-	-	-	-	3	4	2	7	4	2	15	6	9	11	9	4	3	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	5	4	3	1	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	1	3	2	4	4	1	10	4	3	3	4	1	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	1	3	2	-	-	-	-	-	-
180, 181	Of urinary organs-	20	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	3	1	6	3	2	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	4	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	60	-	-	-	1	-	-	-	1	-	-	-	2	1	4	6	9	4	5	7	13	3	3	1	-	-
	White-----M--	28	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	1	3	3	4	6	3	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	1	2	3	6	-	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	26	2	-	-	1	-	2	1	-	-	2	1	-	2	2	1	2	1	2	4	1	2	-	-	-	-
	White-----M--	14	1	-	-	1	-	1	1	-	-	1	-	-	1	1	-	1	1	1	4	-	1	-	-	-	-
	F--	10	1	-	-	-	-	1	-	-	-	1	1	-	1	1	1	2	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	32	-	-	-	-	-	2	-	-	-	2	1	2	2	5	4	3	4	3	2	2	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	2	3	2	1	2	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	1	1	1	1	3	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	14	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	1	-	4	-	-	-	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	79	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	6	18	6	14	13	6	5	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	4	2	4	4	1	1	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	13	4	8	9	4	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1	-	-	-
290-293	Anemias----------	9	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	3	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,981	3	-	-	1	-	-	1	3	4	8	12	30	43	65	111	150	199	240	311	274	264	156	82	21	3
	White-----M--	930	1	-	-	-	-	-	-	1	1	1	6	15	21	34	60	81	117	128	143	113	108	54	36	9	1
	F--	764	2	-	-	1	-	-	-	-	-	3	4	7	8	14	18	38	64	71	129	130	132	89	43	10	1
	Nonwhite--M--	151	-	-	-	-	-	-	-	1	2	-	-	6	9	7	18	15	14	25	14	18	16	3	1	1	1
	F--	136	-	-	-	-	-	-	1	1	1	4	2	2	5	10	15	16	4	16	25	13	8	10	2	1	-
330-334, 400-468	Diseases of cardiovascular system-	1,932	3	-	-	1	-	-	1	2	3	6	11	29	41	63	106	148	195	233	307	269	259	151	81	20	3
	White-----M--	909	1	-	-	-	-	-	-	1	-	1	5	14	21	32	58	80	115	125	142	111	106	53	35	8	1
	F--	743	2	-	-	1	-	-	-	-	-	1	4	7	8	14	16	37	62	69	126	127	130	85	43	10	1
	Nonwhite--M--	149	-	-	-	-	-	-	-	1	2	-	-	6	8	7	18	15	14	25	14	18	15	3	1	1	1
	F--	131	-	-	-	-	-	-	1	-	1	4	2	2	4	10	14	16	4	14	25	13	8	10	2	1	-
330-334	Vascular lesions, etc.*----------	331	-	-	-	-	-	-	-	1	-	1	4	4	10	8	16	27	26	40	65	50	43	19	15	2	-
	White-----M--	127	-	-	-	-	-	-	-	1	-	-	1	-	1	4	8	11	11	16	26	23	11	8	4	2	-
	F--	143	-	-	-	-	-	-	-	-	-	-	3	2	4	3	4	11	9	13	30	21	23	9	11	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	4	8	4	5	5	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	3	2	3	5	1	4	1	-	-	-
400-402	Rheumatic fever---	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart-	1,439	3	-	-	-	-	-	-	-	3	3	4	20	29	52	84	116	161	179	213	194	193	113	55	14	3
	White-----M--	714	1	-	-	-	-	-	-	-	-	1	2	12	19	27	49	66	98	102	101	81	87	38	25	4	1
	F--	538	2	-	-	-	-	-	-	-	-	-	1	3	4	9	11	24	51	51	86	96	94	67	29	9	1
	Nonwhite--M--	100	-	-	-	-	-	-	-	-	2	-	-	4	5	7	15	13	10	16	8	9	8	1	1	-	1
	F--	87	-	-	-	-	-	-	-	-	1	2	1	1	1	9	9	13	2	10	18	8	4	7	-	1	-
410-416	Chronic rheumatic heart disease----	42	-	-	-	-	-	-	-	-	-	-	-	3	4	3	11	4	6	1	3	5	1	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	1	3	1	2	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	2	-	-	3	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	858	1	-	-	-	-	-	-	-	1	2	3	12	22	36	47	85	106	124	135	105	89	57	25	7	1
	White-----M--	492	1	-	-	-	-	-	-	-	-	1	2	9	16	26	34	57	67	79	71	54	40	20	13	2	-
	F--	289	-	-	-	-	-	-	-	-	-	-	-	2	2	4	3	14	36	32	54	47	43	34	12	5	1
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	1	-	-	1	4	2	7	7	3	8	4	1	5	1	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	1	-	-	4	3	7	-	5	6	3	1	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	218	1	-	-	-	-	-	-	-	-	1	-	1	1	1	6	7	15	21	27	37	46	28	20	5	1
	White-----M--	98	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	11	9	14	12	24	11	9	2	-
	F--	89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	10	18	20	15	10	3	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	2	1	6	1	-	1	-	1
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	2	1	1	2	-	-	-
430-434	Other diseases of heart---------	44	1	-	-	-	-	-	-	-	1	-	-	2	2	1	3	6	3	4	8	6	2	4	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	3	2	4	2	1	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	-	2	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-
440-443	Hypertension with heart dis.--	277	-	-	-	-	-	-	-	-	1	-	1	2	-	11	17	14	31	29	40	41	55	23	9	2	1
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	16	10	12	9	21	6	3	-	1
	F--	128	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	5	9	11	19	26	30	15	6	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	1	-	-	1	-	3	4	2	4	5	2	2	2	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	5	2	3	7	4	2	2	-	1	-
444-447	Hypertension without mention of heart----------	41	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	2	6	9	6	5	3	2	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	4	1	3	2	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	4	3	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	1	-	-
450	General arteriosclerosis--------	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	15	15	17	15	9	4	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	8	4	5	5	5	2	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	11	8	3	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-
451-468	Other diseases of circulatory sys.-	34	-	-	-	1	-	-	1	-	-	2	2	2	2	1	4	3	2	3	5	4	1	1	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	2	2	3	2	-	-	-	-	-
	F--	11	-	-	-	1	-	-	-	-	-	1	-	2	-	1	1	1	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	49	-	-	-	-	-	-	-	1	1	2	1	1	2	2	5	2	4	7	4	5	5	5	1	1	-
	White-----M--	21	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	1	2	3	1	2	2	1	1	1	-
	F--	21	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	2	2	3	3	2	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	111	19	3	2	-	-	2	-	-	1	-	1	2	2	6	4	8	4	11	10	9	16	7	4	-	-
	White-----M--	51	6	2	1	-	-	1	-	-	-	-	-	1	-	2	2	5	-	5	5	7	10	4	-	-	-
	F--	23	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	5	3	3	-	-
	Nonwhite--M--	22	5	1	1	-	-	-	-	-	-	-	-	1	1	3	-	3	2	2	2	1	-	-	-	-	-
	F--	15	3	-	-	-	1	-	-	1	-	-	1	-	1	1	2	-	1	1	1	-	1	-	1	-	-
480-483	Influenza---------	20	3	-	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	4	-	3	1	3	-	-	-
	White-----M--	13	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	1	3	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	91	16	3	1	-	-	2	-	-	1	-	1	2	2	4	3	6	4	7	10	6	15	4	4	-	-
	White-----M--	38	4	2	-	-	-	1	-	-	-	-	-	1	-	1	2	4	-	4	5	4	9	1	-	-	-
	F--	22	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	3	3	-	-
	Nonwhite--M--	19	5	1	1	-	-	-	-	-	-	-	-	1	1	2	-	2	2	1	2	1	-	-	-	-	-
	F--	12	2	-	-	-	-	1	-	-	1	-	1	-	1	1	1	-	1	-	1	-	1	-	1	-	-
500-502	Bronchitis--------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	14	-	-	-	-	-	-	-	1	-	-	-	1	-	4	2	-	1	2	-	1	2	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	21	1	-	-	-	-	1	-	-	-	1	-	-	2	-	2	1	1	2	2	4	2	2	-	-	-
	White-----M--	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	1	1	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
543, 571, 572	Gastritis, etc.*--	14	8	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	45	-	-	-	-	-	-	-	-	-	1	3	3	5	4	12	2	5	4	2	4	-	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	2	1	4	3	9	2	4	2	2	4	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	9	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	2	1	1	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
610	Hyperplasia of prostate---------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	7	...	...	...	...	...	...	-	-	2	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	6	...	...	...	...	...	...	-	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	54	38	4	2	-	1	2	-	-	-	-	-	1	1	-	2	1	1	-	1	-	-	-	-	-	-
	White-----M--	30	23	3	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	20	13	1	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	16	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	3	3	1	3	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	154	13	-	2	-	-	1	1	4	6	3	3	4	8	9	16	13	14	14	15	16	10	-	2	-	-
	White-----M--	77	7	-	1	-	-	-	1	2	1	2	2	3	2	2	7	9	7	6	6	13	6	-	-	-	-
	F--	49	5	-	-	-	-	1	-	2	2	-	1	-	4	4	4	1	3	6	8	3	3	-	2	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	4	1	1	-	-	-	-	-	-
	F--	11	1	-	1	-	-	-	-	-	3	1	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-
E800-E962	Accidents----------	245	6	3	4	3	5	6	10	17	27	18	21	12	16	11	15	11	9	3	8	14	10	10	3	3	-
	White-----M--	138	2	1	1	1	2	4	7	13	15	13	16	8	7	7	9	8	5	2	3	6	5	1	1	1	-
	F--	49	2	-	2	1	2	1	-	2	4	-	1	2	2	1	3	2	1	-	1	4	5	9	2	2	-
	Nonwhite--M--	44	1	2	-	1	1	-	2	2	5	4	4	2	5	3	3	1	1	1	3	3	-	-	-	-	-
	F--	14	1	-	1	-	-	1	1	-	3	1	-	-	2	-	-	-	2	-	1	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	105	-	-	-	1	2	4	4	11	18	11	11	6	8	5	9	4	3	1	3	2	1	1	-	-	-
	White-----M--	61	-	-	-	-	1	2	2	8	10	8	7	4	2	3	4	4	2	-	2	1	1	-	-	-	-
	F--	14	-	-	-	-	1	1	-	2	3	-	-	1	1	1	3	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	24	-	-	-	1	-	-	1	1	3	3	4	1	3	1	2	-	1	1	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	140	6	3	4	2	3	2	6	6	9	7	10	6	8	6	6	7	6	2	5	12	9	9	3	3	-
	White-----M--	77	2	1	1	1	1	2	5	5	5	5	9	4	5	4	5	4	3	2	1	5	4	1	1	1	-
	F--	35	2	-	2	1	1	-	-	1	-	1	1	1	-	-	-	2	1	-	1	4	5	8	2	2	-
	Nonwhite--M--	20	1	2	-	-	1	-	1	1	2	1	-	1	2	2	1	1	-	-	2	2	-	-	-	-	-
	F--	8	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
E963, E970-E979	Suicide----------	41	-	-	-	-	-	-	-	-	1	1	2	4	5	6	3	8	3	1	2	1	3	1	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	1	1	1	4	5	5	3	6	2	1	2	-	3	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	19	-	-	-	-	-	-	-	1	1	1	6	3	3	2	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	1	1	4	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT of COLUMBIA																										
	ALL CAUSES------	8,545	631	28	16	8	15	34	26	37	92	112	186	240	409	491	650	782	843	892	889	859	685	417	145	44	14
	White-----M--	2,834	158	3	2	3	2	5	5	14	25	29	37	46	108	155	203	329	358	350	331	302	202	119	38	6	4
	F--	2,367	114	8	3	1	2	8	2	4	18	16	33	33	64	86	114	167	182	215	286	342	347	214	85	20	3
	Nonwhite--M--	1,826	196	12	6	4	7	14	11	9	31	40	66	93	138	140	191	182	174	160	137	99	60	42	7	3	4
	F--	1,518	163	5	5	-	4	7	8	10	18	27	50	68	99	110	142	104	129	167	135	116	76	42	15	15	3
001-019	Tuberculosis, all forms--------	183	-	1	-	-	-	-	1	3	7	8	8	14	20	21	26	17	18	11	12	6	4	2	-	2	2
	White-----M--	49	-	-	-	-	-	-	-	1	-	-	-	-	2	4	5	8	11	5	6	2	3	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	1	1	1	-	-	1	-
	Nonwhite--M--	81	-	1	-	-	-	-	1	3	5	3	12	11	8	13	8	7	4	3	1	-	-	-	-	1	-
	F--	43	-	-	-	-	-	-	1	1	4	3	4	2	5	7	7	1	-	2	2	2	-	-	-	-	2
001-008	Tuberculosis of respiratory system----------	165	-	1	-	-	-	-	-	1	6	8	7	13	18	20	23	15	17	10	11	6	3	2	-	2	2
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	8	10	5	6	2	3	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	1	1	-	-	-	1	-
	Nonwhite--M--	74	-	1	-	-	-	-	-	-	2	5	3	11	10	8	12	7	7	3	3	1	-	-	-	1	-
	F--	35	-	-	-	-	-	-	-	1	4	3	3	2	4	6	5	-	-	2	1	2	-	-	-	-	2
010-019	Tuberculosis, other forms------	18	-	-	-	-	-	-	1	2	1	-	1	1	2	1	3	2	1	1	1	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	1	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae--------	50	-	-	-	-	-	-	-	-	-	1	-	3	2	5	4	10	6	8	2	1	5	3	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	5	2	1	1	2	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	-	1	1	4	1	5	-	4	1	-	1	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	15	5	-	-	-	1	3	1	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	14	1	1	1	-	-	-	1	1	-	1	-	-	1	2	1	1	1	-	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	5	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT of COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*----	1,316	1	2	1	3	2	8	3	3	8	8	21	37	63	87	128	176	205	176	137	118	79	36	11	1	2
	White-----M--	432	1	-	-	2	-	1	1	1	4	2	3	5	8	22	34	68	88	55	52	44	24	13	3	-	1
	F--	472	-	2	1	1	2	1	-	1	1	1	11	16	21	29	37	57	66	62	50	51	39	16	6	-	1
	Nonwhite--M--	218	-	-	-	-	-	4	1	-	2	2	-	8	14	18	31	28	32	35	21	11	7	3	1	-	-
	F--	194	-	-	-	-	-	2	1	1	1	3	7	8	20	18	26	23	19	24	14	12	9	4	1	1	-
140-148	Of buccal cavity and pharynx------	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	7	2	6	2	1	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	6	2	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	460	-	-	-	1	-	-	-	-	1	-	3	11	13	30	43	53	69	67	66	44	32	19	6	-	2
	White-----M--	130	-	-	-	1	-	-	-	-	1	-	-	1	1	5	10	21	29	19	20	8	6	6	1	-	1
	F--	159	-	-	-	-	-	-	-	-	-	-	-	3	6	8	10	14	17	20	23	24	19	10	4	-	1
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	-	-	-	6	4	10	13	11	17	16	13	6	5	3	1	-	-
	F--	66	-	-	-	-	-	-	-	-	-	-	3	1	2	7	10	7	6	12	10	6	2	-	-	-	-
160-164	Of respiratory system----------	170	-	-	-	-	-	-	-	-	-	1	2	2	5	14	24	28	34	24	13	17	2	4	-	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	-	-	-	2	11	12	21	27	10	7	10	1	1	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	2	4	3	2	1	2	-	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	1	-	1	3	2	11	5	5	8	2	5	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-
170	Of breast---------	135	-	-	-	-	-	-	-	1	-	2	4	5	11	10	13	23	21	11	15	7	9	3	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	95	-	-	-	-	-	-	-	-	-	-	3	4	3	8	9	16	18	9	12	5	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	1	-	2	1	1	8	2	4	7	3	2	2	2	3	1	-	-	-
171-179	Of genital organs-	211	-	-	-	-	-	-	-	-	1	1	5	10	13	13	21	24	29	27	18	20	19	6	3	1	-
	White-----M--	48	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	5	6	5	7	9	7	4	2	-	-
	F--	97	-	-	-	-	-	-	-	-	-	-	4	5	6	7	12	11	13	13	7	10	8	-	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	4	-	1	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	5	7	5	8	6	7	4	-	1	3	2	-	1	-
180, 181	Of urinary organs-	66	1	-	-	-	-	1	-	-	-	1	2	-	1	3	3	8	13	10	8	10	4	-	1	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	7	6	5	7	3	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	2	2	2	2	1	-	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	142	-	1	-	1	-	3	-	1	3	-	2	3	9	10	12	25	17	24	9	11	7	3	1	-	-
	White-----M--	57	-	-	-	1	-	-	-	1	1	-	1	1	2	4	4	10	7	10	6	4	3	2	-	-	-
	F--	46	-	1	-	-	-	1	-	-	1	-	1	2	3	-	4	7	7	10	1	5	2	1	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	1	-	-	-	-	-	-	3	4	4	5	3	2	1	-	1	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-	3	-	2	1	2	1	-	1	-	-
204	Leukemia and aleukemia----------	46	-	1	1	1	2	2	2	1	1	1	-	2	7	3	1	3	6	4	1	5	2	-	-	-	-
	White-----M--	18	-	-	-	-	-	1	1	-	-	1	-	1	2	-	1	1	4	-	-	4	2	-	-	-	-
	F--	19	-	1	1	1	2	-	-	1	-	-	-	-	3	1	-	2	2	3	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	58	-	-	-	-	-	2	1	-	2	2	3	4	3	2	8	8	9	7	1	2	3	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	1	-	1	2	1	1	3	3	4	4	-	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	4	1	1	2	2	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	2	-	-	1	1	-	1	2	-	1	3	-	2	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	1	1	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	35	3	-	-	1	-	1	1	2	-	4	2	1	1	1	1	4	3	3	2	1	3	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	1	-	-	-	-
	F--	12	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	1	2	-	-	1	-	-	-	-
260	Diabetes mellitus-	115	-	-	-	-	-	-	-	-	-	1	2	2	4	4	11	16	13	14	23	12	7	6	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	7	4	1	10	1	2	3	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	5	6	9	8	5	3	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	1	2	-	2	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	3	3	5	4	1	-	-	-	-	-
290-293	Anemias----------	11	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	2	1	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	17	4	5	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,493	7	-	1	-	-	2	9	6	11	27	55	87	162	220	348	423	466	549	593	584	495	291	111	38	8
	White-----M--	1,532	1	-	-	-	-	2	2	1	3	7	10	17	47	76	120	184	184	222	215	191	138	79	26	5	2
	F--	1,320	-	-	1	-	-	-	1	1	2	6	8	6	19	31	46	74	87	121	189	233	259	151	66	17	2
	Nonwhite--M--	828	3	-	-	-	-	-	4	1	3	6	17	37	57	59	100	104	106	95	88	69	39	30	6	2	3
	F--	812	3	-	-	-	-	-	2	3	3	8	20	27	39	54	82	61	89	111	101	91	59	31	13	14	1
330-334, 400-468	Diseases of cardiovascular system-	4,433	7	-	1	-	-	1	8	5	11	25	54	85	160	216	343	420	458	547	583	578	488	287	111	37	8
	White-----M--	1,518	1	-	-	-	-	1	1	1	3	5	10	16	47	76	120	183	183	221	214	190	135	78	26	5	2
	F--	1,308	-	-	1	-	-	-	1	1	2	6	8	6	18	31	46	73	85	121	185	232	258	149	66	17	2
	Nonwhite--M--	814	3	-	-	-	-	4	1	3	6	16	36	56	57	98	103	105	94	85	68	39	29	6	2	3
	F--	793	3	-	-	-	-	2	2	3	8	20	27	39	52	79	61	85	111	99	88	56	31	13	13	1
330-334	Vascular lesions, etc.*----------	778	2	-	1	-	-	-	1	1	2	4	9	8	21	27	36	76	85	91	114	117	98	58	20	5	2
	White-----M--	224	-	-	-	-	-	-	1	-	1	2	-	2	5	3	6	26	27	31	40	36	18	19	5	-	2
	F--	283	-	-	1	-	-	-	-	-	-	-	-	2	1	7	12	17	15	27	38	49	65	32	15	2	-
	Nonwhite--M--	125	1	-	-	-	-	-	-	-	-	-	4	1	8	10	7	15	24	16	15	12	9	3	-	-	-
	F--	146	1	-	-	-	-	-	1	1	2	5	3	7	7	11	18	19	17	21	20	6	4	-	3	-	-
400-402	Rheumatic fever---	8	-	-	-	-	-	-	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT of COLUMBIA—Con.																										
410-443	Diseases of heart-	3,358	5	-	-	-	-	1	3	2	8	16	40	67	123	174	285	331	355	431	434	424	353	203	77	24	2
	White-----M--	1,219	1	-	-	-	-	1	-	1	1	3	10	12	41	70	111	150	147	180	164	147	105	54	18	3	-
	F--	922	-	-	-	-	-	-	1	-	2	4	6	4	14	22	33	55	68	88	132	163	178	101	40	11	-
	Nonwhite--M--	621	2	-	-	-	-	-	1	-	3	5	11	28	40	42	80	83	77	74	65	52	25	24	6	2	1
	F--	596	2	-	-	-	-	-	1	1	2	4	13	23	28	40	61	43	63	89	73	62	45	24	13	8	1
410-416	Chronic rheumatic heart disease----	86	-	-	-	-	-	-	1	2	2	2	6	3	8	5	10	12	11	7	3	6	2	3	3	-	-
	White-----M--	31	-	-	-	-	-	-	-	1	-	-	2	1	2	3	4	5	5	3	2	2	-	-	1	-	-
	F--	28	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	4	3	1	1	2	2	3	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	3	2	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	1	1	-	1	3	1	3	-	1	-	1	2	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,737	-	-	-	-	-	-	1	-	-	5	11	12	48	74	135	184	204	240	242	228	193	111	41	7	1
	White-----M--	845	-	-	-	-	-	-	-	-	-	2	5	5	24	47	74	110	107	134	114	103	75	34	10	1	-
	F--	498	-	-	-	-	-	-	1	-	-	1	1	-	3	9	16	35	41	58	77	89	66	55	21	5	-
	Nonwhite--M--	211	-	-	-	-	-	-	-	-	-	2	2	3	15	15	29	32	28	19	22	18	11	11	3	-	1
	F--	183	-	-	-	-	-	-	-	-	-	-	3	4	6	3	16	7	28	29	29	18	21	11	7	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	713	-	-	-	-	-	1	-	-	4	4	11	17	26	37	63	61	54	83	83	104	85	47	22	10	1
	White-----M--	181	-	-	-	-	-	1	-	-	1	1	1	4	5	8	18	16	17	17	27	25	20	11	7	2	-
	F--	173	-	-	-	-	-	-	-	-	-	2	1	-	2	5	7	7	6	12	23	33	45	19	9	2	-
	Nonwhite--M--	202	-	-	-	-	-	-	-	-	1	1	6	9	14	13	23	29	19	30	16	23	7	8	2	1	-
	F--	157	-	-	-	-	-	-	-	-	2	-	3	4	5	11	15	9	12	24	17	23	13	9	4	5	1
430-434	Other diseases of heart---------	89	5	-	-	-	-	-	1	-	-	3	4	10	9	7	7	6	7	6	5	7	3	5	3	1	-
	White-----M--	25	1	-	-	-	-	-	-	-	-	-	1	2	1	3	2	5	3	4	-	2	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	1	1	-	5	5	2	4	1	1	-
	Nonwhite--M--	18	2	-	-	-	-	-	1	-	-	1	1	4	3	1	1	-	2	1	-	-	-	1	-	-	-
	F--	17	2	-	-	-	-	-	-	-	-	2	2	3	1	1	2	-	1	1	-	-	-	-	2	-	-
440-443	Hypertension with heart dis.---	733	-	-	-	-	-	-	-	-	2	2	8	25	32	51	70	68	79	95	101	79	70	37	8	6	-
	White-----M--	137	-	-	-	-	-	-	-	-	-	-	1	-	9	9	13	14	15	22	21	15	9	9	-	-	-
	F--	194	-	-	-	-	-	-	-	-	1	-	3	2	4	4	5	8	17	17	26	34	43	20	7	3	-
	Nonwhite--M--	179	-	-	-	-	-	-	-	-	1	1	2	12	6	13	25	19	26	23	27	11	7	4	1	1	-
	F--	223	-	-	-	-	-	-	-	-	1	1	2	11	13	25	27	27	21	33	27	19	11	4	-	2	-
444-447	Hypertension without mention of heart----------	77	-	-	-	-	-	-	-	-	-	2	1	6	10	9	7	3	7	4	6	12	6	1	2	1	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	2	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	1	1	7	3	1	2	1	
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	1	5	6	5	6	2	2	-	1	1	1	-	-	-	
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-	2	3	2	2	1	-	-	-	
450	General arteriosclerosis--------	134	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	5	5	10	19	18	28	21	12	6	4
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	3	4	10	4	3	2	-
	F--	62	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	11	9	11	12	9	2	2
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	2	2	4	2	-	-	2
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	3	3	3	-	2	-
451-468	Other diseases of circulatory sys.-	78	-	-	-	-	-	-	-	-	1	2	3	3	5	5	12	5	6	11	10	7	3	4	-	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	4	5	7	5	1	1	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	1	3	4	1	3	-	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	1	-	3	2	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	2	2	-	1	2	5	-	1	-	-	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	60	-	-	-	-	-	1	1	1	-	2	1	2	2	4	5	3	8	2	10	6	7	4	-	1	-
	White-----M--	14	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	1	1	1	1	1	3	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	4	1	1	2	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	1	3	1	-	1	-	-	-
	F--	19	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	-	4	-	2	3	3	-	-	1	-
480-493	Influenza and pneumonia, etc.*-	283	15	2	3	1	-	1	1	1	2	5	6	15	23	17	16	18	20	25	27	29	26	23	5	1	1
	White-----M--	94	2	-	2	-	-	-	-	1	-	1	1	2	5	1	3	7	9	16	10	15	11	6	2	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	1	1	5	-	4	2	-	2	3	9	9	11	2	1	-
	Nonwhite--M--	80	7	2	1	1	-	1	-	-	1	2	2	7	9	13	6	6	6	4	7	1	1	2	-	-	1
	F--	59	6	-	-	-	-	-	1	-	1	2	2	5	4	3	3	3	5	3	7	4	5	4	1	-	-
480-483	Influenza---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	4	1	1	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
490-493	Pneumonia, etc.*--	270	15	2	3	1	-	1	1	1	2	5	6	15	23	17	15	18	20	25	27	26	24	19	4	-	-
	White-----M--	91	2	-	2	-	-	-	-	1	-	1	1	2	5	1	3	7	9	16	10	13	11	5	2	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	1	1	5	-	3	2	-	2	3	9	9	8	2	-	-
	Nonwhite--M--	79	7	2	1	1	-	1	-	-	1	2	2	7	9	13	6	6	6	4	7	1	1	2	-	-	-
	F--	55	6	-	-	-	-	-	1	-	1	2	2	5	4	3	3	3	5	3	7	3	3	4	-	-	-
500-502	Bronchitis---------	12	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	4	2	1	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	50	-	-	-	-	-	-	-	-	1	-	1	-	4	8	-	7	5	7	8	6	2	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	2	5	5	4	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	2	1	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	5	-	3	-	1	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	3	1	2	2	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	80	10	-	-	-	1	-	-	-	2	-	1	2	3	8	1	4	7	7	11	10	8	5	-	-	-
	White-----M--	22	1	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1	2	4	4	3	2	1	-	-	-
	F--	25	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	3	2	3	4	4	3	-	-	-
	Nonwhite--M--	18	5	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	-	1	2	2	1	-	-	-
	F--	15	3	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	1	3	1	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT of COLUMBIA—Con.																										
543, 571, 572	Gastritis, etc.*--	36	9	11	-	-	-	-	-	-	-	2	1	2	-	1	2	3	2	4	4	2	2	1	-	-	-
	White-----M--	11	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
	Nonwhite--M--	9	3	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
581	Cirrhosis of liver	176	-	-	-	-	-	-	-	-	1	-	8	17	22	26	29	22	21	13	7	8	2	-	-	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	2	8	11	13	13	12	14	6	3	5	1	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	1	-	4	3	3	4	8	4	3	4	1	3	1	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	2	2	3	5	6	5	1	1	3	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	4	5	4	2	1	3	2	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	16	-	-	-	-	-	-	1	-	-	1	1	1	2	1	1	-	1	2	1	1	2	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	1	7	3	2	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	1	5	2	2	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	10	...	...	...	...	...	...	-	2	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	...	...	...	-	2	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	6	...	...	...	...	...	...	-	2	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	2	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	98	70	5	2	1	2	4	-	1	2	1	-	1	2	1	1	2	2	-	-	1	-	-	-	-	-
	White-----M--	29	22	2	-	1	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	24	16	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	29	21	2	1	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	11	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	13	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	2	2	1	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	360	17	1	1	1	3	2	2	1	11	3	16	17	38	22	31	35	29	37	28	31	12	15	7	-	-
	White-----M--	107	5	1	-	-	-	-	-	-	1	-	1	1	8	7	8	11	12	15	11	13	4	5	4	-	-
	F--	88	4	-	-	-	-	1	-	-	2	-	1	1	8	5	4	12	5	6	12	12	5	7	3	-	-
	Nonwhite--M--	93	6	-	1	1	2	1	-	1	3	-	7	4	17	5	10	6	7	8	4	5	2	3	-	-	-
	F--	72	2	-	-	-	1	-	2	-	5	3	7	11	5	5	9	6	5	8	1	1	1	-	-	-	-
E800-E962	Accidents----------	515	42	9	5	1	6	12	3	13	34	26	39	15	33	41	38	28	25	20	24	32	29	28	10	1	1
	White-----M--	166	7	-	-	-	1	1	-	8	14	10	15	3	11	16	11	11	10	10	7	12	9	7	2	-	1
	F--	133	10	3	-	-	-	5	-	-	6	5	3	1	6	6	5	6	7	4	9	16	13	19	8	1	-
	Nonwhite--M--	145	12	2	2	1	3	3	3	4	12	10	19	6	8	11	18	8	7	4	6	1	5	-	-	-	-
	F--	71	13	4	3	-	2	3	-	1	2	1	2	5	8	8	4	3	1	2	2	3	2	2	-	-	-
E810-E835	Motor-vehicle accidents--------	134	2	2	-	-	1	6	-	6	19	11	16	6	12	12	11	7	4	5	5	4	2	3	-	-	-
	White-----M--	50	1	-	-	-	-	-	-	5	7	5	5	2	5	4	3	3	1	4	1	1	-	3	-	-	-
	F--	26	1	1	-	-	-	3	-	-	5	2	2	1	1	3	1	1	2	-	1	2	-	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	1	2	-	-	6	4	8	-	3	3	5	3	1	-	2	1	2	-	-	-	-
	F--	17	-	1	-	-	-	1	-	1	1	-	1	3	3	2	2	-	-	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	381	40	7	5	1	5	6	3	7	15	15	23	9	21	29	27	21	21	15	19	28	27	25	10	1	1
	White-----M--	116	6	-	-	-	1	1	-	3	7	5	10	1	6	12	8	8	9	6	6	11	9	4	2	-	1
	F--	107	9	2	-	-	-	2	-	-	1	3	1	-	5	3	4	5	5	4	8	14	13	19	8	1	-
	Nonwhite--M--	104	12	2	2	1	2	1	3	4	6	6	11	6	5	8	13	5	6	4	4	-	3	-	-	-	-
	F--	54	13	3	3	-	2	2	-	-	1	1	1	2	5	6	2	3	1	1	1	3	2	2	-	-	-
E963, E970-E979	Suicide----------	82	-	-	-	-	-	-	-	2	3	6	10	7	11	14	6	7	3	5	4	3	-	-	-	1	-
	White-----M--	49	-	-	-	-	-	-	-	2	1	5	3	2	8	8	3	6	3	2	3	2	-	-	-	1	-
	F--	17	-	-	-	-	-	-	-	-	1	1	1	4	-	4	2	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	6	1	2	2	1	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	81	-	-	-	-	-	-	1	1	9	13	9	17	12	9	5	2	-	2	-	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	1	-	5	9	7	12	8	7	3	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	3	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES------	30,668	2,494	180	92	68	59	200	142	209	351	451	593	793	1,176	1,499	2,215	2,353	2,978	3,508	3,488	3,197	2,555	1,371	513	121	62
	White-----M--	14,201	831	54	31	20	26	87	66	80	169	170	197	273	405	644	929	1,176	1,548	1,849	1,867	1,662	1,248	602	222	39	6
	F--	9,009	592	39	19	17	12	57	32	40	58	86	130	185	269	324	467	526	692	1,019	1,124	1,246	1,096	645	254	61	17
	Nonwhite--M--	4,145	570	43	20	17	10	38	33	46	77	111	136	178	253	285	463	387	426	360	285	167	125	69	18	9	19
	F--	3,313	501	44	22	14	11	18	11	43	47	82	130	157	249	246	356	264	312	280	212	122	86	55	19	12	20
001-019	Tuberculosis, all forms--------	317	2	5	-	1	-	2	1	4	8	12	18	32	24	27	27	32	26	40	25	21	7	2	1	-	-
	White-----M--	129	-	1	-	-	-	-	-	-	-	2	3	7	4	10	10	14	11	28	18	14	5	2	-	-	-
	F--	49	-	1	-	-	-	1	1	-	-	2	1	4	3	5	4	7	4	3	5	6	1	-	1	-	-
	Nonwhite--M--	89	2	2	-	-	-	-	-	2	4	3	7	14	12	9	9	8	7	6	2	1	1	-	-	-	-
	F--	50	-	1	-	1	-	1	-	2	4	5	7	7	5	3	4	3	4	3	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	294	1	2	-	1	-	1	-	4	7	10	18	27	22	27	25	31	24	39	25	20	7	2	1	-	-
	White-----M--	126	-	1	-	-	-	-	-	-	-	1	3	6	4	10	10	14	11	27	18	14	5	2	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	2	1	2	3	5	3	7	3	3	5	5	1	-	1	-	-
	Nonwhite--M--	81	1	1	-	-	-	-	-	2	3	3	7	13	11	9	8	7	6	6	2	1	1	-	-	-	-
	F--	46	-	-	-	1	-	1	-	2	4	4	7	6	4	3	4	3	4	3	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	23	1	3	-	-	-	1	1	-	1	2	-	5	2	-	2	1	2	1	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	1	-	-	-	1	1	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	8	1	1	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	155	4	-	-	-	-	-	-	-	-	-	4	7	11	19	27	16	15	21	14	10	5	2	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	6	14	6	6	2	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	2	-	1	-	-	-
	Nonwhite--M--	63	2	-	-	-	-	-	-	-	-	-	1	3	4	14	16	7	5	6	2	1	2	-	-	-	-
	F--	29	2	-	-	-	-	-	-	-	-	-	3	4	4	3	5	2	1	-	3	1	1	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	19	11	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	White-----M--	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	7	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	12	2	2	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	32	6	5	1	2	1	7	1	4	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	14	2	2	1	1	1	3	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	10	4	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	48	2	1	1	4	3	7	6	2	1	10	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	1	1	1	2	2	3	3	1	1	4	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	16	1	-	-	2	-	3	1	1	-	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	149	33	5	9	3	4	10	1	3	5	4	5	8	6	7	11	8	2	6	9	4	5	1	-	-	-
	White-----M--	40	7	1	2	-	-	4	-	1	1	-	1	1	2	2	4	2	1	4	2	2	2	1	-	-	-
	F--	36	3	-	1	-	2	-	-	1	-	1	1	3	1	4	4	5	1	-	4	2	3	-	-	-	-
	Nonwhite--M--	43	15	2	3	3	-	5	1	1	3	2	-	1	2	1	1	-	-	1	2	-	-	-	-	-	-
	F--	30	8	2	3	-	2	1	-	-	1	1	3	3	1	-	2	1	-	1	1	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*	4,548	9	6	6	7	5	24	10	7	17	32	59	107	191	299	440	471	611	673	591	459	322	137	53	9	3
	White—M	2,114	2	4	3	2	3	11	6	2	6	15	14	28	49	97	148	205	307	349	324	258	181	72	22	6	-
	F	1,751	1	2	3	4	2	10	4	4	7	8	31	55	79	128	171	175	204	243	223	173	129	61	30	3	1
	Nonwhite—M	318	3	-	-	-	-	3	-	1	1	3	4	6	18	35	51	52	58	36	23	12	9	2	-	-	1
	F	365	3	-	-	1	-	-	-	-	3	6	10	18	45	39	70	39	42	45	21	16	3	2	1	-	1
140-148	Of buccal cavity and pharynx	106	-	-	-	-	-	-	-	-	-	-	-	5	4	5	6	11	14	16	16	15	9	3	2	-	-
	White—M	80	-	-	-	-	-	-	-	-	-	-	-	3	3	3	5	7	11	12	12	13	7	3	1	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	2	2	-	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	2	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,469	-	-	-	-	-	-	-	-	3	2	3	15	38	94	117	162	185	242	240	166	127	48	20	5	2
	White—M	707	-	-	-	-	-	-	-	-	1	1	-	7	10	36	49	72	97	123	133	88	64	19	5	2	-
	F	556	-	-	-	-	-	-	-	-	1	-	1	7	14	35	40	53	56	88	89	69	57	27	15	3	1
	Nonwhite—M	128	-	-	-	-	-	-	-	-	1	1	2	-	5	17	16	28	19	17	13	3	5	1	-	-	-
	F	78	-	-	-	-	-	-	-	-	-	-	-	1	9	6	12	9	13	14	5	6	1	1	-	-	1
160-164	Of respiratory system	579	-	-	-	-	-	-	-	-	1	2	3	9	21	35	72	77	120	92	63	48	24	11	1	-	-
	White—M	457	-	-	-	-	-	-	-	-	1	1	2	7	14	27	48	64	95	80	53	38	17	9	1	-	-
	F	69	-	-	-	-	-	-	-	-	-	-	1	1	2	-	10	7	15	9	7	9	6	2	-	-	-
	Nonwhite—M	40	-	-	-	-	-	-	-	-	-	-	-	1	4	6	10	4	9	2	2	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	2	1	1	1	-	-	-	-	-	-
170	Of breast	357	-	-	-	-	-	-	-	-	-	-	9	15	26	37	51	34	40	48	36	32	17	8	3	1	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F	305	-	-	-	-	-	-	-	-	-	-	5	9	19	31	44	31	34	45	32	27	17	8	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	4	6	7	6	7	3	6	3	4	4	-	-	-	-	-
171-179	Of genital organs	849	-	1	-	-	-	1	-	1	1	9	19	29	39	61	96	88	96	122	95	88	56	30	15	1	1
	White—M	281	-	1	-	-	-	1	-	1	-	2	1	-	1	2	9	13	23	49	49	56	43	21	8	1	-
	F	373	-	-	-	-	-	-	-	-	1	4	13	19	23	37	50	48	46	49	36	20	13	8	6	-	-
	Nonwhite—M	53	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	9	15	8	3	6	-	-	-	-	1
	F	142	-	-	-	-	-	-	-	-	-	3	5	10	15	19	29	18	12	16	7	6	-	1	1	-	-
180, 181	Of urinary organs	234	1	2	1	2	-	2	-	-	-	-	1	-	8	11	9	13	37	37	38	35	27	7	3	-	-
	White—M	132	-	2	1	-	-	-	-	-	-	-	-	-	2	2	3	9	21	26	24	20	15	4	3	-	-
	F	72	-	-	-	1	-	2	-	-	-	-	1	-	3	7	1	3	9	5	11	15	11	3	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	3	2	3	-	1	-	-	-	-
	F	14	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	4	4	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	610	3	1	3	-	2	9	6	3	5	6	12	22	39	33	62	56	76	74	75	49	43	22	7	2	-
	White—M	276	2	-	1	-	1	4	5	-	-	3	5	4	12	15	23	24	39	38	36	24	23	13	2	2	-
	F	236	-	1	2	-	1	3	1	2	3	2	5	16	12	10	17	20	26	27	35	23	17	8	5	-	-
	Nonwhite—M	45	1	-	-	-	-	2	-	1	-	-	1	1	4	4	9	6	7	3	2	2	1	1	-	-	-
	F	53	-	-	-	-	-	-	-	-	2	1	1	1	11	4	13	6	4	6	2	-	2	-	-	-	-
204	Leukemia and aleukemia	171	5	1	2	4	3	8	1	1	3	6	3	7	6	12	11	11	18	16	18	14	16	5	-	-	-
	White—M	94	-	-	1	2	2	4	1	-	1	4	1	4	5	7	3	5	8	10	11	12	11	2	-	-	-
	F	54	1	1	1	2	1	3	-	1	1	1	2	1	-	3	3	4	8	6	6	2	4	3	-	-	-
	Nonwhite—M	14	2	-	-	-	-	1	-	-	-	1	-	2	1	2	2	1	1	-	-	-	1	-	-	-	-
	F	9	2	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	173	-	1	-	1	-	4	3	2	4	7	9	5	10	11	16	19	25	26	10	12	3	3	2	-	-
	White—M	85	-	1	-	-	-	2	-	1	3	4	5	3	2	5	8	11	13	11	6	6	1	1	2	-	-
	F	72	-	-	-	1	-	2	3	1	1	1	3	2	6	4	6	7	9	13	3	6	2	2	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	2	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	100	5	1	1	1	1	-	-	1	1	4	3	7	15	7	10	6	8	11	7	4	5	-	1	-	1
	White—M	31	3	-	-	1	-	-	-	-	-	1	1	1	2	2	3	3	5	2	3	2	2	-	-	-	-
	F	34	1	-	-	-	1	-	-	-	-	2	-	1	5	4	3	2	1	7	3	1	2	-	1	-	-
	Nonwhite—M	10	1	1	-	-	-	-	-	1	1	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	-
	F	25	-	-	1	-	-	-	-	-	-	1	2	5	7	1	2	1	1	1	-	1	1	-	-	-	1
260	Diabetes mellitus	416	-	-	-	-	-	3	1	5	5	4	4	10	10	14	35	25	46	75	68	52	44	11	3	1	-
	White—M	143	-	-	-	-	-	-	1	1	2	2	2	4	4	5	6	9	12	26	19	23	22	5	-	-	-
	F	163	-	-	-	-	-	2	-	1	2	1	-	-	-	2	7	9	16	34	38	27	16	5	2	1	-
	Nonwhite—M	31	-	-	-	-	-	1	-	1	-	1	1	2	-	2	5	-	4	6	4	1	2	1	-	-	-
	F	79	-	-	-	-	-	-	2	1	-	1	1	4	6	5	17	7	14	9	7	1	4	-	1	-	-
290-293	Anemias	84	3	2	2	-	1	3	-	3	2	1	1	2	6	6	5	5	7	8	7	8	8	2	2	-	-
	White—M	30	2	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	5	5	2	5	5	1	-	-	-
	F	19	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	2	1	4	3	3	1	1	-	-
	Nonwhite—M	18	-	-	1	-	-	2	-	-	-	-	-	1	3	1	4	3	-	1	1	-	-	-	1	-	-
	F	17	1	1	1	-	-	-	-	2	2	1	1	1	3	-	1	2	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	71	35	6	3	2	1	7	-	1	4	-	3	2	-	-	-	2	2	-	2	-	-	-	1	-	-
	White—M	26	12	1	1	1	1	5	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	1	-	-
	F	17	8	1	-	-	-	2	-	-	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	14	6	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	14	9	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	15,380	17	7	2	2	2	9	16	13	22	63	135	219	450	673	1,125	1,323	1,701	2,112	2,223	2,166	1,722	956	325	68	29
	White—M	7,590	2	2	1	-	1	3	3	4	10	17	38	87	178	329	498	715	908	1,114	1,196	1,102	813	403	146	17	3
	F	4,627	3	3	-	-	-	-	5	4	5	13	31	37	78	100	184	231	345	593	700	859	774	460	157	38	7
	Nonwhite—M	1,689	4	2	-	1	1	4	4	-	3	9	31	39	91	110	246	214	246	223	178	123	79	53	11	6	11
	F	1,474	8	-	1	1	-	2	4	5	4	24	35	56	103	134	197	163	202	182	149	82	56	40	11	7	8
330-334, 400-468	Diseases of cardiovascular system	14,976	17	7	1	1	2	8	11	8	14	58	123	210	433	645	1,093	1,285	1,661	2,073	2,178	2,124	1,682	933	316	66	27
	White—M	7,430	2	2	-	-	1	3	2	1	5	14	37	84	177	317	489	702	893	1,100	1,174	1,080	793	393	141	17	3
	F	4,529	3	3	-	-	-	-	2	3	2	12	29	37	75	95	177	226	337	584	689	849	758	451	154	37	6
	Nonwhite—M	1,613	4	2	-	1	1	4	3	-	3	9	27	37	86	107	236	204	235	214	170	118	76	50	10	5	11
	F	1,404	8	-	1	-	-	1	4	4	4	23	30	52	95	126	191	153	196	175	145	77	55	39	11	7	7
330-334	Vascular lesions, etc.*	3,480	6	4	-	-	1	3	-	-	6	15	26	39	89	120	245	258	368	475	511	535	449	240	65	19	6
	White—M	1,307	1	-	-	-	-	2	-	-	2	3	5	11	15	27	55	94	137	182	224	244	195	74	31	5	-
	F	1,251	2	2	-	-	-	-	-	-	1	2	4	6	18	29	57	62	91	160	190	234	211	143	30	9	-
	Nonwhite—M	457	2	2	-	-	1	1	-	-	1	2	6	9	27	27	66	48	76	71	46	30	25	10	1	2	4
	F	465	1	-	-	-	-	-	-	-	2	8	11	13	29	37	67	54	64	62	51	27	18	13	3	3	2
400-402	Rheumatic fever	24	-	-	-	-	1	4	4	-	1	2	2	1	5	1	-	1	2	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	1	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA--Con.																										
410-443	Diseases of heart-	10,418	8	3	1	1	-	1	7	7	7	32	80	156	315	487	793	972	1,217	1,487	1,526	1,421	1,058	593	200	32	14
	White-----M--	5,664	1	2	-	-	-	1	2	1	3	10	29	71	152	277	423	582	719	871	875	746	523	274	90	9	3
	F--	2,910	1	1	-	-	-	-	1	2	1	7	20	28	51	59	113	151	236	383	461	557	481	260	96	18	3
	Nonwhite--M--	1,017	1	-	-	1	-	-	1	-	1	4	15	24	54	70	151	147	146	129	108	72	43	34	8	3	5
	F--	827	5	-	1	-	-	-	3	4	2	11	16	33	58	81	106	92	116	104	82	46	31	25	6	2	3
410-416	Chronic rheumatic heart disease----	375	-	-	-	-	-	1	1	3	4	10	19	28	33	34	41	37	44	37	28	25	15	9	4	2	-
	White-----M--	156	-	-	-	-	-	1	-	-	1	3	6	6	12	12	20	17	23	16	16	12	5	3	2	1	-
	F--	158	-	-	-	-	-	-	1	1	1	3	10	11	15	15	17	13	14	18	11	10	10	5	2	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	1	1	1	5	2	3	3	4	2	2	-	2	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	2	1	3	2	6	4	4	1	3	5	1	1	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,748	1	-	-	-	-	-	-	1	3	10	28	83	186	326	495	681	834	1,030	1,052	912	636	347	107	12	4
	White-----M--	4,188	-	-	-	-	-	-	-	-	2	3	16	54	119	228	313	464	557	669	654	533	342	171	57	5	1
	F--	1,778	-	-	-	-	-	-	-	-	-	2	4	10	22	30	68	93	161	259	317	332	268	160	46	6	-
	Nonwhite--M--	465	-	-	-	-	-	-	-	-	-	1	4	9	25	40	69	80	88	56	52	29	16	10	3	1	2
	F--	317	1	-	-	-	-	-	-	1	1	4	4	10	20	28	45	44	58	46	29	18	10	6	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	997	2	2	1	-	-	-	1	1	-	2	3	11	13	25	59	48	97	91	142	168	160	116	40	13	2
	White-----M--	415	-	1	-	-	-	-	-	-	-	-	1	2	2	8	20	18	41	35	64	75	76	55	14	3	-
	F--	321	-	1	-	-	-	-	-	-	-	1	-	2	1	4	7	6	15	23	42	72	69	46	23	8	1
	Nonwhite--M--	157	1	-	-	-	-	-	-	-	-	1	2	3	6	5	20	16	21	26	22	13	9	8	2	1	1
	F--	104	1	-	1	-	-	-	1	1	-	-	-	4	4	8	12	8	20	7	14	8	8	7	1	1	-
430-434	Other diseases of heart---------	769	5	1	-	1	-	-	5	2	-	4	17	14	36	45	71	85	87	100	85	98	50	40	15	2	6
	White-----M--	388	1	1	-	-	-	-	2	1	-	2	4	7	11	20	38	48	47	55	49	49	30	17	4	-	2
	F--	174	1	-	-	-	-	-	-	1	-	1	5	4	7	4	5	14	12	22	20	40	14	12	9	1	2
	Nonwhite--M--	107	-	-	-	1	-	-	1	-	-	-	3	-	6	10	18	12	16	10	9	7	4	7	1	1	1
	F--	100	3	-	-	-	-	-	2	-	-	1	5	3	12	11	10	11	12	13	7	2	2	4	1	-	1
440-443	Hypertension with heart dis.--	1,529	-	-	-	-	-	-	-	-	-	6	13	20	47	57	114	121	155	229	219	218	197	81	34	3	2
	White-----M--	517	-	-	-	-	-	-	-	-	-	2	2	2	8	9	32	35	51	96	92	77	70	28	13	-	-
	F--	479	-	-	-	-	-	-	-	-	-	-	1	1	6	6	16	25	34	61	71	103	100	37	16	2	-
	Nonwhite--M--	282	-	-	-	-	-	-	-	-	-	1	5	7	15	12	41	35	39	35	25	21	14	9	2	-	1
	F--	271	-	-	-	-	-	-	-	-	-	3	5	10	18	30	38	26	31	37	31	17	13	7	3	1	1
444-447	Hypertension without mention of heart----------	295	-	-	-	-	-	-	-	-	-	5	9	8	16	19	28	17	21	38	32	54	33	9	5	1	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	-	3	1	3	6	4	7	7	13	12	35	11	4	2	-	-
	F--	82	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	4	3	15	13	13	19	2	2	1	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	2	4	3	4	6	13	2	4	7	3	6	3	3	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	3	1	3	6	4	9	4	7	3	4	-	-	-	1	-	-
450	General arteriosclerosis--------	544	-	-	-	-	-	-	-	-	-	-	1	1	-	6	9	17	25	41	82	94	127	84	43	13	7
	White-----M--	219	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	6	13	41	38	55	38	17	3	-
	F--	230	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	18	23	42	61	42	25	8	3
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	7	4	11	10	5	3	-	-	2
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	7	6	7	4	6	1	1	2	2
451-468	Other diseases of circulatory sys.-	215	3	-	-	-	-	-	1	-	4	5	5	8	12	18	26	28	32	27	20	15	7	3	1	-
	White-----M--	126	-	-	-	-	-	-	-	-	1	-	1	4	7	13	23	21	22	17	9	3	1	-	-	-
	F--	51	-	-	-	-	-	-	1	-	2	2	2	3	4	3	8	1	8	2	3	6	4	1	1	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	-	1	1	-	1	3	3	4	2	3	2	-	-	-	1	-	-
	F--	16	2	-	-	-	-	-	-	-	-	2	2	-	1	5	1	2	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	404	-	-	1	1	-	1	5	5	8	5	12	9	17	28	32	38	40	39	45	42	40	23	9	[illegible]	2
	White-----M--	160	-	-	1	-	-	-	1	3	5	3	1	3	1	12	9	13	15	14	22	22	20	10	5	-	-
	F--	98	-	-	-	-	-	-	3	1	3	1	2	-	3	5	7	5	8	9	11	10	16	9	3	1	1
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	-	-	4	2	5	3	10	10	11	9	8	5	3	3	1	1	-
	F--	70	-	-	-	1	-	1	-	-	-	1	5	4	8	8	6	10	6	7	4	5	1	1	-	-	1
480-493	Influenza and pneumonia, etc.*-	1,020	213	29	10	1	8	9	6	5	8	7	18	31	34	37	52	52	65	83	86	86	86	53	30	8	3
	White-----M--	327	34	4	3	-	-	3	2	1	4	1	1	4	4	6	14	19	20	42	36	43	41	22	14	4	1
	F--	215	27	6	2	-	1	2	2	2	-	2	4	7	6	5	1	3	9	13	22	31	31	23	13	2	1
	Nonwhite--M--	267	83	6	2	1	3	2	1	1	1	5	13	12	15	20	20	20	21	21	20	5	8	3	2	1	-
	F--	211	69	13	3	-	4	2	1	1	3	3	8	7	12	11	14	10	15	7	9	7	5	5	1	1	1
480-483	Influenza---------	227	42	7	3	-	1	1	3	1	1	1	6	3	6	10	11	9	18	18	23	24	14	12	8	4	1
	White-----M--	53	1	-	1	-	-	1	1	-	-	-	-	-	-	1	2	1	7	9	5	[illegible]	3	4	4	2	-
	F--	46	4	2	-	-	-	-	1	-	-	-	2	1	-	2	-	1	2	2	5	10	5	5	3	1	-
	Nonwhite--M--	60	16	2	2	-	1	-	-	1	-	-	-	-	3	4	5	2	4	5	9	-	3	2	1	-	-
	F--	68	21	3	-	-	-	-	1	-	1	1	4	2	3	3	4	5	5	2	4	3	3	1	-	1	1
490-493	Pneumonia, etc.*--	793	171	22	7	1	7	8	3	4	7	6	12	28	28	27	42	43	47	65	63	62	71	41	22	4	2
	White-----M--	274	33	4	2	-	-	2	1	1	4	1	1	4	4	5	16	18	13	33	31	32	38	18	10	2	1
	F--	169	23	4	2	-	1	2	1	2	-	2	2	6	6	3	1	2	7	11	17	21	26	18	10	1	1
	Nonwhite--M--	207	67	4	-	1	2	2	1	-	1	1	5	13	9	11	15	18	17	16	11	5	5	1	1	1	-
	F--	143	48	10	3	-	4	2	-	1	2	2	4	5	9	8	10	5	10	5	4	4	2	4	1	-	-
500-502	Bronchitis--------	60	12	2	2	1	1	1	-	-	-	1	-	2	-	4	2	3	3	8	2	8	3	3	-	2	-
	White-----M--	25	1	-	-	-	1	1	-	-	-	-	-	-	-	2	1	1	3	6	1	4	1	2	-	1	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	-	1	-
	Nonwhite--M--	16	7	1	2	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	9	4	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	210	2	-	-	-	-	-	-	-	-	3	8	5	10	14	30	15	34	25	29	14	12	8	1	-	-
	White-----M--	137	1	-	-	-	-	-	-	-	-	1	3	2	6	9	18	11	22	19	19	11	8	6	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	5	1	6	2	4	1	-	-	-
	Nonwhite--M--	36	1	-	-	-	-	-	-	-	-	-	3	-	4	3	9	2	6	4	2	1	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	1	1	1	2	-	-	-	-	-	-
550-553	Appendicitis------	42	-	-	-	1	-	1	2	-	2	1	2	4	3	5	5	2	5	2	2	2	3	-	-	-	-
	White-----M--	16	-	-	-	1	-	-	-	-	-	-	1	1	-	3	2	1	3	-	1	-	3	-	-	-	-
	F--	12	-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	1	-	2	1	2	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	1	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	198	22	3	1	-	-	2	-	1	1	2	7	3	6	8	16	21	17	23	15	23	18	6	1	1	1
	White-----M--	64	3	1	-	-	-	1	-	-	1	-	-	1	1	4	4	5	8	6	6	14	6	3	-	-	-
	F--	69	10	1	-	-	-	-	-	-	-	-	2	2	1	1	5	5	3	9	7	9	9	3	1	1	-
	Nonwhite--M--	35	4	1	1	-	-	-	-	-	-	1	1	-	2	1	5	6	3	7	1	-	1	-	-	-	1
	F--	30	5	-	-	-	-	1	-	1	-	1	4	-	2	2	2	5	3	1	1	-	2	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543, 571, 572	Gastritis, etc.*—	203	106	7	4	3	2	1	-	-	3	2	-	5	4	2	6	5	14	7	4	10	10	3	4	-	1
	White—M—	60	20	3	-	2	1	-	-	-	1	2	-	2	1	1	4	1	7	2	2	4	3	2	2	-	-
	F—	40	9	-	-	1	-	-	-	-	2	-	-	1	1	1	1	1	2	5	2	4	6	1	2	-	1
	Nonwhite—M—	58	41	3	2	-	-	1	-	-	-	-	-	1	2	-	-	2	3	-	-	2	1	-	-	-	-
	F—	45	36	1	2	-	1	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	344	-	-	-	-	1	-	1	-	1	1	9	20	43	38	65	34	42	39	28	10	8	5	1	-	-
	White—M—	200	-	-	-	-	-	-	-	-	-	-	3	8	22	20	38	17	33	27	17	7	6	1	1	-	-
	F—	105	-	-	-	-	1	-	1	-	-	-	5	9	14	13	20	13	6	8	6	3	2	4	-	-	-
	Nonwhite—M—	19	-	-	-	-	-	-	-	-	-	-	-	2	5	1	4	2	2	2	1	-	-	-	-	-	-
	F—	20	-	-	-	-	-	-	-	-	1	1	1	1	2	4	3	2	1	2	2	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	75	2	1	1	-	1	4	1	-	1	3	4	2	5	7	1	6	7	11	9	6	2	1	-	-	-
	White—M—	23	1	-	-	-	1	1	1	-	1	-	1	1	1	-	-	2	2	3	6	1	-	-	-	-	-
	F—	23	-	-	1	-	-	3	-	-	-	1	2	1	-	1	1	1	3	3	1	4	-	1	-	-	-
	Nonwhite—M—	18	1	-	-	-	-	-	-	-	-	2	1	-	1	4	-	1	1	4	1	1	1	-	-	-	-
	F—	11	-	1	-	-	-	-	-	-	-	-	-	-	3	2	-	2	1	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate—	128	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	15	12	17	26	24	12	8	-	-
	White—M—	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	8	9	14	25	22	12	8	-	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	3	3	1	2	-	-	-	-
640-689	Complications of pregnancy, etc.*—	66	...	...	...	...	...	...	-	7	11	13	17	12	4	2	-	-	-	-	-	-	-	-	-	-	-
	White—F—	22	...	...	...	...	...	...	-	1	4	4	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	44	...	...	...	...	...	...	-	6	7	9	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion—	6	...	...	...	...	...	...	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	...	...	...	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	...	...	...	...	...	...	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications—	60	...	...	...	...	...	...	-	7	8	11	17	12	3	2	-	-	-	-	-	-	-	-	-	-	-
	White—F—	21	...	...	...	...	...	...	-	1	4	4	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	39	...	...	...	...	...	...	-	6	4	7	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations—	347	255	16	10	2	4	9	4	4	2	2	3	4	5	4	3	5	6	2	3	1	2	1	-	-	-
	White—M—	141	101	8	4	-	1	2	1	2	2	-	2	3	2	2	3	2	2	-	2	-	1	1	-	-	-
	F—	133	95	4	3	2	1	6	2	1	-	2	1	1	2	2	-	3	4	2	1	1	-	-	-	-	-
	Nonwhite—M—	39	33	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	34	26	3	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,501	1,501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	559	559	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	647	647	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	776	776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	774	88	3	3	-	-	5	3	6	7	4	9	23	32	41	55	63	55	70	75	50	70	48	31	17	16
	White—M—	268	20	1	-	-	-	1	1	3	2	3	2	2	6	13	22	22	21	29	31	22	33	18	8	7	1
	F—	154	9	1	-	-	-	-	1	-	1	1	5	6	7	1	5	8	6	15	11	15	17	17	18	8	2
	Nonwhite—M—	197	26	1	2	-	-	2	1	1	3	-	-	7	11	13	18	23	20	13	23	8	11	6	3	1	4
	F—	155	33	-	1	-	-	2	-	2	1	-	2	8	8	14	10	10	8	13	10	5	9	7	2	1	9
Residual	All other diseases	1,503	74	20	7	8	5	16	7	11	34	35	46	58	93	81	106	115	153	162	155	130	102	50	21	10	4
	White—M—	654	29	3	2	4	3	8	-	2	9	9	10	18	27	28	47	54	81	91	90	63	43	23	7	2	1
	F—	470	12	4	2	2	2	6	4	3	10	8	8	14	23	22	24	33	43	50	49	54	52	26	12	4	3
	Nonwhite—M—	202	18	6	-	1	-	1	3	1	9	6	11	13	15	20	19	17	21	15	12	7	4	1	1	1	-
	F—	177	15	7	3	1	-	1	-	5	6	12	17	13	28	11	16	11	8	6	4	6	3	-	1	3	-
E800-E962	Accidents—	2,162	84	55	27	25	19	71	80	115	170	158	154	139	148	146	127	84	103	87	85	92	88	66	30	5	4
	White—M—	1,124	30	20	12	6	11	36	47	62	121	93	86	73	73	83	62	45	52	49	44	43	38	24	12	2	-
	F—	480	15	14	7	6	1	16	9	17	17	24	16	23	25	17	25	15	27	25	32	44	45	39	16	3	2
	Nonwhite—M—	405	19	10	3	7	5	14	21	28	24	34	37	33	40	39	34	20	15	6	7	2	3	2	-	-	2
	F—	153	20	11	5	6	2	5	3	8	8	7	15	10	10	7	6	4	9	7	2	3	2	1	2	-	-
E810-E835	Motor-vehicle accidents—	901	6	17	7	14	7	26	30	63	92	87	80	73	70	66	57	40	46	39	36	25	10	8	2	-	-
	White—M—	520	3	8	4	5	4	12	19	36	66	50	48	41	32	35	27	24	31	24	24	14	8	4	1	-	-
	F—	177	1	3	1	4	1	7	5	13	8	21	11	11	15	10	11	8	11	12	9	9	1	4	1	-	-
	Nonwhite—M—	154	1	3	1	3	1	4	6	8	13	13	17	18	17	17	17	7	3	2	2	-	1	-	-	-	-
	F—	50	1	3	1	2	1	3	-	6	5	3	4	3	6	4	2	1	1	1	1	2	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	1,261	78	38	20	11	12	45	50	52	78	71	74	66	78	80	70	44	57	48	49	67	78	58	28	5	4
	White—M—	604	27	12	8	1	7	24	28	26	55	43	38	32	41	48	35	21	21	25	20	29	30	20	11	2	-
	F—	303	14	11	6	2	-	9	4	4	9	3	5	12	10	7	14	7	16	13	23	35	44	35	15	3	2
	Nonwhite—M—	251	18	7	2	4	4	10	15	20	11	21	20	15	23	22	17	13	12	4	5	2	2	2	-	-	2
	F—	103	19	8	4	4	1	2	3	2	3	4	11	7	4	3	4	3	8	6	1	1	2	1	2	-	-
E963, E970-E979	Suicide—	343	-	-	-	-	-	-	-	-	7	25	24	36	25	31	43	41	33	26	30	11	8	3	-	-	-
	White—M—	237	-	-	-	-	-	-	-	-	3	11	13	21	14	20	28	30	26	23	27	10	8	3	-	-	-
	F—	86	-	-	-	-	-	-	-	-	3	10	10	11	10	8	10	11	7	2	3	1	-	-	-	-	-
	Nonwhite—M—	18	-	-	-	-	-	-	-	1	2	1	4	1	3	5	-	-	1	-	-	1	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	344	1	1	-	-	-	2	-	17	38	63	51	52	50	23	18	10	7	5	2	3	1	-	-	-	-
	White—M—	57	1	-	-	-	-	1	-	-	5	9	8	6	7	2	5	6	3	1	-	2	1	-	-	-	-
	F—	31	-	-	-	-	-	-	-	3	2	2	3	4	9	5	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	211	-	1	-	-	-	-	-	8	26	45	32	37	28	12	11	3	4	3	-	1	-	-	-	-	-
	F—	45	-	-	-	-	-	1	-	6	5	7	8	5	6	4	2	-	-	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES------	30,846	3,064	208	139	108	92	235	205	360	507	540	700	968	1,326	1,649	2,337	2,552	2,899	3,074	3,174	2,806	2,155	1,111	453	115	69
	White-----M--	11,123	854	60	35	37	30	95	60	134	160	170	227	311	399	582	718	935	1,105	1,263	1,352	1,173	865	398	136	15	9
	F--	7,541	625	36	33	31	23	46	44	57	81	86	90	133	211	263	334	428	572	724	1,017	1,091	894	458	209	49	6
	Nonwhite--M--	6,581	892	58	46	21	22	56	58	97	164	156	211	278	375	429	693	653	651	589	412	277	219	124	48	27	25
	F--	5,601	693	54	25	19	17	38	43	72	102	128	172	246	341	375	592	536	571	498	393	265	177	131	60	24	29
001-019	Tuberculosis, all forms--------	439	2	2	4	5	1	-	4	12	27	20	37	32	36	36	46	41	50	31	31	13	6	3	-	-	-
	White-----M--	138	-	-	-	2	-	-	-	1	1	4	5	6	9	9	17	19	23	16	17	6	1	2	-	-	-
	F--	45	-	1	1	-	-	-	-	-	1	4	3	6	2	1	3	2	4	4	6	4	2	1	-	-	-
	Nonwhite--M--	147	2	1	2	2	1	-	3	4	11	4	11	8	15	18	19	13	14	9	6	2	2	-	-	-	-
	F--	109	-	-	1	1	-	-	1	7	14	8	18	12	10	8	7	7	9	2	2	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	386	1	-	-	3	-	-	3	7	24	18	34	26	34	32	41	37	48	29	28	12	6	3	-	-	-
	White-----M--	132	-	-	-	1	-	-	-	1	1	4	4	5	9	9	15	19	23	16	16	6	1	2	-	-	-
	F--	37	-	-	-	-	-	-	-	-	1	4	2	5	2	1	2	1	4	4	5	3	2	1	-	-	-
	Nonwhite--M--	123	1	-	-	2	-	-	2	3	9	2	10	7	14	14	17	11	13	8	6	2	2	-	-	-	-
	F--	94	-	-	-	-	-	-	1	3	13	8	18	9	9	8	7	6	8	1	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	53	1	2	4	2	1	-	1	5	3	2	3	6	2	4	5	4	2	2	3	1	-	-	-	-	-
	White-----M--	6	-	-	-	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
	F--	8	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	24	1	1	2	-	1	-	1	1	2	2	1	1	1	4	2	2	1	1	-	-	-	-	-	-	-
	F--	15	-	-	1	1	-	-	-	4	1	-	-	3	1	-	-	1	1	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	129	2	-	-	-	-	-	-	1	2	-	2	8	10	9	24	18	11	20	12	4	3	3	-	-	-
	White-----M--	39	-	-	-	-	-	-	-	1	1	-	-	1	-	4	3	4	6	13	4	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	3	2	-	-	-	-
	Nonwhite--M--	55	2	-	-	-	-	-	-	-	1	-	1	7	8	4	10	9	4	3	4	-	-	2	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	1	1	10	5	-	3	3	-	1	-	-	-	-
040	Typhoid fever------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	43	24	2	1	2	-	-	-	-	2	-	-	1	1	1	-	1	-	1	2	1	4	-	-	-	-
	White-----M--	6	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-
	Nonwhite--M--	14	11	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	15	9	1	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	11	2	-	2	-	1	1	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	20	1	1	1	3	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	1	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	46	10	6	6	4	2	3	4	1	1	-	-	-	2	-	5	1	-	1	-	-	-	-	-	-	-
	White-----M--	14	1	3	3	2	1	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	14	2	2	1	2	-	1	2	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	3	1	2	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	8	4	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	9	-	1	-	-	-	2	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	146	28	8	6	3	5	11	7	3	2	6	6	4	8	4	9	8	8	10	2	1	4	3	-	-	-
	White-----M--	37	4	2	3	1	-	4	2	-	-	2	1	-	3	1	-	3	2	6	1	-	2	-	-	-	-
	F--	32	5	-	1	2	3	3	1	-	-	-	2	1	1	2	1	2	1	2	-	-	2	3	-	-	-
	Nonwhite--M--	36	13	2	1	-	1	2	2	-	-	2	2	1	1	1	4	2	1	-	1	-	-	-	-	-	-
	F--	41	6	4	1	-	1	2	2	3	2	2	1	2	3	-	4	1	4	2	-	1	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,632	6	8	10	9	8	19	18	22	31	45	65	112	224	284	383	421	455	434	429	320	207	87	22	7	6
	White-----M--	1,345	-	2	5	4	4	11	8	8	9	12	18	30	57	80	109	141	165	180	191	157	99	41	11	2	1
	F--	1,270	3	1	3	3	4	5	4	6	13	16	21	31	78	101	113	135	158	142	170	131	87	35	6	3	1
	Nonwhite--M--	438	2	1	1	1	-	1	2	5	3	7	6	14	26	34	77	71	57	61	30	17	12	6	2	2	-
	F--	579	1	4	1	1	-	2	4	3	6	10	20	37	63	69	84	74	75	51	38	15	9	5	3	-	4
140-148	Of buccal cavity and pharynx------	93	-	-	-	-	-	-	-	1	-	-	-	3	-	5	9	12	14	13	15	10	7	2	2	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	2	-	2	7	8	10	9	10	6	5	1	2	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	4	4	2	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,128	-	-	2	-	-	-	2	2	2	10	7	21	44	70	118	130	145	153	169	125	88	29	5	4	2
	White-----M--	421	-	-	1	-	-	-	1	1	1	2	4	7	13	21	35	48	45	68	66	58	36	8	4	1	1
	F--	356	-	-	-	-	-	-	-	1	1	4	2	6	8	18	23	20	47	37	70	56	43	19	-	1	-
	Nonwhite--M--	205	-	-	-	-	-	-	1	-	-	4	1	6	12	17	39	38	25	27	16	7	8	2	-	2	-
	F--	146	-	-	1	-	-	-	-	-	-	-	-	2	11	14	21	24	28	21	17	4	1	-	1	-	1
160-164	Of respiratory system----------	402	-	-	-	-	-	-	-	1	1	1	2	14	28	35	56	69	58	49	50	21	12	4	1	-	-
	White-----M--	277	-	-	-	-	-	-	-	-	-	1	1	5	17	23	35	46	44	38	41	15	7	3	1	-	-
	F--	52	-	-	-	-	-	-	-	1	1	-	-	4	2	3	6	11	7	7	6	2	2	-	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	1	3	6	5	14	8	6	4	2	3	2	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	4	1	-	1	1	1	-	-	-	-
170	Of breast---------	306	-	-	-	-	-	-	-	-	1	2	12	14	34	42	40	36	34	29	24	19	11	6	1	-	1
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-
	F--	213	-	-	-	-	-	-	-	-	-	-	1	7	4	24	26	25	27	30	18	20	17	10	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	89	-	-	-	-	-	-	-	-	1	1	5	10	9	16	14	9	3	11	4	2	-	2	1	-	1
171-179	Of genital organs-	752	1	-	-	-	-	-	-	2	4	11	19	24	65	65	82	81	100	79	78	69	44	23	4	1	-
	White-----M--	173	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	4	19	18	33	46	29	14	3	-	-
	F--	306	1	-	-	-	-	-	-	1	3	5	6	7	29	33	41	45	38	34	33	15	9	5	-	1	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	11	12	14	3	4	1	2	1	-	-
	F--	214	-	-	-	-	-	-	-	1	1	6	12	15	32	26	36	21	31	13	9	4	5	2	-	-	-
180, 181	Of urinary organs-	149	-	1	1	2	1	1	-	-	-	-	1	3	6	12	13	17	14	24	18	19	9	5	2	-	-
	White-----M--	60	-	-	1	1	1	-	-	-	-	-	1	2	2	4	3	9	3	11	4	11	4	3	-	-	-
	F--	48	-	-	-	1	-	-	-	-	-	-	-	-	1	3	4	1	3	11	9	7	4	2	2	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	5	1	3	-	-	-	-	-	-
	F--	22	-	1	-	-	-	1	-	-	-	-	-	1	2	3	1	5	3	1	2	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	506	2	2	2	4	3	6	8	6	13	10	10	21	26	30	50	51	59	66	49	37	27	13	7	2	2
	White-----M--	206	-	1	1	1	2	3	4	1	5	4	6	9	11	16	22	16	26	25	20	10	13	8	1	1	-
	F--	179	-	1	1	2	1	1	3	2	6	4	3	6	8	8	8	19	20	25	20	21	12	3	4	1	-
	Nonwhite--M--	66	2	-	-	1	-	1	1	3	2	1	-	1	3	3	12	8	7	11	4	3	1	1	1	-	-
	F--	55	-	-	-	-	-	1	-	-	-	1	1	5	4	3	8	8	6	5	5	3	1	1	1	-	2
204	Leukemia and aleukemia----------	172	2	5	4	3	4	9	8	9	5	5	9	6	13	13	6	12	9	11	16	11	7	4	-	-	1
	White-----M--	83	-	1	2	2	1	6	3	6	3	2	4	1	7	6	2	4	5	5	10	6	4	3	-	-	-
	F--	57	1	-	1	-	3	3	1	-	1	-	2	3	4	5	1	7	4	6	5	5	3	1	-	-	1
	Nonwhite--M--	14	-	1	1	-	-	-	-	1	-	1	2	1	2	1	2	-	-	-	1	-	-	-	-	-	-
	F--	18	1	3	-	1	-	-	4	1	1	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	124	1	-	1	-	-	3	-	1	5	6	5	6	8	12	9	13	22	10	10	9	2	1	-	-	-
	White-----M--	59	-	-	-	-	-	2	-	-	-	3	2	3	4	5	3	6	12	6	7	5	-	1	-	-	-
	F--	39	1	-	1	-	-	1	-	1	1	2	1	1	2	4	3	4	6	2	3	4	2	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	1	1	1	-	3	1	2	1	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	3	-	1	1	2	-	2	1	3	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	114	4	2	1	-	1	4	2	3	4	7	6	12	15	14	8	8	6	11	2	1	1	1	1	-	-
	White-----M--	22	2	1	-	-	1	-	-	1	1	-	-	1	-	4	2	2	1	4	1	1	-	-	-	-	-
	F--	47	-	-	1	-	-	3	1	1	2	4	3	6	4	4	4	5	4	3	-	-	1	1	1	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	1	-	1	-	-	2	-	2	1	-	1	1	-	-	-	-	-	-
	F--	35	1	1	-	-	-	1	1	-	1	2	4	5	9	6	-	-	1	3	-	-	-	-	-	-	-
260	Diabetes mellitus-	425	1	-	1	-	-	2	1	2	3	7	9	13	22	19	41	42	64	47	63	46	30	7	3	1	1
	White-----M--	130	-	-	1	-	-	1	-	-	1	-	2	5	4	4	9	12	18	16	26	17	10	3	1	-	-
	F--	147	1	-	-	-	-	1	-	1	2	2	2	2	6	2	8	9	20	22	26	22	16	3	2	-	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	-	3	4	3	4	3	10	4	10	4	3	-	2	-	-	1	-
	F--	96	-	-	-	-	-	-	1	-	-	2	1	3	8	10	14	17	16	5	8	7	2	1	-	-	1
290-293	Anemias----------	67	4	1	2	-	-	5	1	3	5	3	-	2	1	3	2	3	6	6	8	6	4	1	1	-	-
	White-----M--	20	1	-	-	-	-	1	-	-	1	-	-	1	-	1	1	2	2	3	5	1	-	1	-	-	-
	F--	24	-	-	2	-	-	-	-	1	1	1	-	-	1	-	-	1	3	3	2	5	3	-	1	-	-
	Nonwhite--M--	13	2	1	-	-	-	2	-	1	2	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	10	1	-	-	-	-	2	1	1	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	66	19	6	4	2	1	1	2	3	1	3	1	4	2	3	6	3	2	2	-	-	-	1	-	-	-
	White-----M--	17	7	1	-	2	-	-	-	-	-	1	1	-	-	1	1	-	1	1	-	-	-	1	-	-	-
	F--	14	2	-	2	-	1	-	1	1	-	1	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	18	6	3	1	-	-	-	1	1	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	F--	17	4	2	1	-	-	1	-	1	-	1	-	2	-	-	4	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,775	13	5	4	7	2	15	35	23	56	96	178	341	562	813	1,330	1,572	1,849	2,027	2,133	1,980	1,525	783	316	76	34
	White-----M--	5,821	5	2	2	2	1	6	7	6	14	20	40	90	162	269	398	573	714	829	891	811	595	274	94	11	5
	F--	3,952	3	1	-	1	-	-	12	4	11	16	18	33	60	93	142	213	301	432	676	771	654	323	154	29	5
	Nonwhite--M--	3,099	3	-	1	2	-	3	4	4	14	20	59	105	169	240	412	424	443	402	289	197	154	88	30	19	17
	F--	2,903	2	2	1	2	1	6	12	9	17	40	61	113	171	211	378	362	391	364	277	201	122	98	38	17	7
330-334, 400-468	Diseases of cardiovascular system-	15,146	13	3	3	7	2	12	24	21	49	87	160	323	534	776	1,288	1,526	1,780	1,955	2,056	1,903	1,466	757	296	74	31
	White-----M--	5,663	5	1	2	2	1	5	5	5	12	17	37	85	152	263	390	565	702	811	869	789	575	268	86	11	5
	F--	3,809	3	1	-	1	-	-	5	3	9	15	14	31	57	88	137	205	289	418	652	746	637	317	148	28	5
	Nonwhite--M--	2,952	3	-	1	2	-	3	4	4	13	19	52	100	165	231	400	409	419	387	271	184	141	83	27	19	15
	F--	2,722	2	1	-	2	1	4	10	9	15	36	57	107	160	194	361	347	370	339	264	184	113	89	35	16	6
330-334	Vascular lesions, etc.*----------	4,561	2	2	-	2	-	2	4	4	14	20	47	94	155	216	413	412	528	598	637	596	489	226	90	21	9
	White-----M--	1,317	1	1	-	1	-	1	1	2	3	2	5	13	22	33	73	79	129	195	246	228	178	73	26	4	1
	F--	1,198	1	-	-	-	-	-	2	-	3	4	2	6	21	30	47	58	90	135	201	238	214	104	37	5	-
	Nonwhite--M--	975	-	-	-	1	-	1	1	1	5	4	19	33	48	74	138	131	145	137	89	61	45	24	9	5	4
	F--	1,091	-	1	-	-	-	-	-	1	3	10	21	42	64	79	155	144	164	131	101	69	52	25	18	7	4
400-402	Rheumatic fever---	47	-	-	1	2	1	3	13	1	8	1	2	1	2	1	2	2	4	1	-	2	-	-	-	-	-
	White-----M--	14	-	-	-	-	1	2	3	-	2	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-
	F--	10	-	-	-	1	-	-	2	-	1	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	1	-	1	8	1	3	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart-	9,439	7	-	2	3	-	7	5	14	24	54	94	192	353	514	816	1,037	1,140	1,242	1,291	1,152	839	434	165	39	15
	White-----M--	3,945	3	-	2	1	-	2	1	2	7	12	30	62	128	217	303	461	534	571	573	494	332	156	47	5	2
	F--	2,310	1	-	-	-	-	-	-	3	4	10	12	23	32	50	81	134	187	259	415	449	373	173	85	16	3
	Nonwhite--M--	1,762	1	-	-	1	-	2	3	3	4	13	31	52	105	144	245	257	233	226	159	108	87	52	17	10	9
	F--	1,422	2	-	-	1	-	3	1	6	9	19	21	55	88	103	187	185	186	186	144	101	47	53	16	8	1
410-416	Chronic rheumatic heart disease----	221	-	-	-	-	-	2	-	7	6	11	12	28	24	21	19	21	15	10	15	13	13	4	-	-	-
	White-----M--	67	-	-	-	-	-	1	-	-	1	4	6	7	7	4	5	8	5	2	6	5	6	-	-	-	-
	F--	66	-	-	-	-	-	-	-	3	2	4	3	9	7	7	5	4	5	2	4	6	5	-	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	1	1	1	2	4	3	7	3	4	2	2	1	2	2	1	-	-	-
	F--	52	-	-	-	-	-	1	-	3	2	2	1	8	7	3	6	5	3	4	4	-	-	3	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,144	-	-	-	-	-	1	1	2	8	23	54	87	194	291	477	592	686	708	739	593	409	189	68	17	5
	White-----M--	2,703	-	-	-	-	-	-	-	-	1	5	18	43	108	169	242	348	419	402	376	285	179	87	20	1	-
	F--	1,281	-	-	-	-	-	-	-	-	2	3	6	8	13	25	50	80	120	161	255	249	187	76	36	8	2
	Nonwhite--M--	684	-	-	-	-	-	1	1	1	-	5	18	17	47	67	116	101	87	79	60	32	22	15	7	5	3
	F--	476	-	-	-	-	-	-	-	1	5	10	12	19	26	30	69	63	60	66	48	27	21	11	5	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,074	5	-	1	-	-	2	2	2	2	3	8	15	31	36	66	100	84	128	156	151	142	88	41	6	5
	White-----M--	337	2	-	1	-	-	1	-	2	1	1	2	3	4	7	9	27	18	40	61	62	59	21	14	2	-
	F--	265	1	-	-	-	-	-	-	-	-	-	1	-	5	2	5	8	10	25	42	54	54	38	18	1	1
	Nonwhite--M--	302	-	-	-	-	-	-	1	-	1	2	3	8	15	16	32	43	37	39	30	23	24	15	6	3	4
	F--	170	2	-	-	-	-	1	1	-	-	-	2	4	7	11	20	22	19	24	23	12	5	14	3	-	-
430-434	Other diseases of heart---------	736	2	-	1	3	-	2	2	3	6	12	10	25	31	56	66	80	84	90	86	79	54	25	11	5	3
	White-----M--	244	1	-	1	1	-	-	1	-	4	1	4	7	3	18	22	23	28	37	38	26	18	6	3	1	1
	F--	141	-	-	-	-	-	-	-	-	-	3	2	3	2	7	4	9	16	12	19	25	23	9	5	2	-
	Nonwhite--M--	199	1	-	-	1	-	1	1	1	1	4	2	8	15	18	20	31	24	23	18	14	7	5	2	1	1
	F--	152	-	-	-	1	-	1	-	2	1	4	2	7	11	13	20	17	16	18	11	14	6	5	1	1	1
440-443	Hypertension with heart dis.---	2,284	-	-	-	-	-	-	-	-	2	5	10	37	73	110	188	244	271	306	295	316	221	128	45	11	2
	White-----M--	594	-	-	-	-	-	-	-	-	-	1	-	2	6	19	25	55	64	90	92	116	70	42	10	1	1
	F--	557	-	-	-	-	-	-	-	-	-	-	-	3	5	9	17	33	36	59	95	115	104	50	26	5	-
	Nonwhite--M--	541	-	-	-	-	-	-	-	-	1	1	6	15	25	36	74	78	83	83	50	37	32	16	2	1	1
	F--	572	-	-	-	-	-	-	-	-	1	3	4	17	37	46	72	78	88	74	58	48	15	20	7	4	-
444-447	Hypertension without mention of heart----------	405	-	-	-	-	-	-	-	1	1	2	13	21	17	24	27	32	41	40	49	52	40	30	8	5	2
	White-----M--	126	-	-	-	-	-	-	-	1	-	1	1	3	1	4	4	7	14	17	19	23	18	10	2	1	-
	F--	85	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	1	8	10	19	12	13	5	3	-
	Nonwhite--M--	107	-	-	-	-	-	-	-	-	1	-	2	12	9	9	7	10	21	7	11	5	6	4	1	1	1
	F--	87	-	-	-	-	-	-	-	-	-	1	10	6	5	8	12	10	5	8	9	5	4	3	-	-	1
450	General arteriosclerosis--------	482	-	-	-	-	-	-	-	-	-	1	-	-	3	6	12	23	37	51	62	86	90	66	32	8	5
	White-----M--	193	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	12	14	24	42	45	28	11	-	2
	F--	156	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	11	21	29	33	27	20	4	2
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	14	14	9	8	3	3	-	3	1
	F--	65	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	7	8	12	8	7	9	8	1	1	-
451-468	Other diseases of circulatory sys.-	192	4	1	-	-	1	-	2	1	2	9	4	15	4	15	18	20	30	23	17	15	8	1	1	1	-
	White-----M--	88	1	-	-	-	-	-	-	-	-	1	1	6	-	5	5	11	11	14	7	2	2	1	-	1	-
	F--	50	1	1	-	-	-	-	1	-	1	1	-	2	1	4	3	4	7	4	5	9	5	-	1	-	-
	Nonwhite--M--	36	2	-	-	-	-	-	-	-	1	2	-	3	1	3	6	4	6	3	3	2	-	-	-	-	-
	F--	38	-	-	-	-	1	-	1	1	-	5	3	4	2	3	4	1	6	2	2	2	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	629	-	2	1	-	-	3	11	2	7	9	18	18	28	37	42	46	69	72	77	77	59	26	20	2	3
	White-----M--	158	-	1	-	-	-	1	2	1	2	3	3	5	10	6	8	8	12	18	22	22	20	6	8	-	-
	F--	143	-	-	-	-	-	-	7	1	2	1	4	2	3	5	5	8	12	14	24	25	17	6	6	1	-
	Nonwhite--M--	147	-	-	-	-	-	-	-	-	1	1	7	5	4	9	12	15	24	15	18	13	13	5	3	-	2
	F--	181	-	1	1	-	-	2	2	-	2	4	4	6	11	17	17	15	21	25	13	17	9	9	3	1	1
480-493	Influenza and pneumonia, etc.*-	1,431	341	49	27	12	8	19	10	18	12	19	21	34	46	51	85	59	98	104	114	101	90	65	37	5	6
	White-----M--	328	58	10	6	2	1	5	1	5	3	2	5	5	10	11	13	4	26	29	33	39	32	21	6	-	1
	F--	280	43	6	5	1	2	3	2	4	1	-	3	3	2	4	7	2	11	22	36	39	30	28	24	2	-
	Nonwhite--M--	432	127	22	11	7	3	5	2	6	3	8	5	13	24	14	44	30	31	28	17	9	12	5	4	1	1
	F--	391	113	11	5	2	2	6	5	3	5	9	8	13	10	22	21	23	30	25	28	14	16	11	3	2	4
480-483	Influenza---------	425	51	10	5	1	3	3	1	8	6	5	3	11	14	12	32	23	36	43	47	34	33	27	12	2	3
	White-----M--	96	9	2	-	-	-	1	-	2	2	-	1	1	2	2	6	1	7	11	12	12	13	9	3	-	-
	F--	89	7	1	3	-	1	1	-	-	-	-	-	-	1	1	4	2	5	12	12	13	10	8	7	1	-
	Nonwhite--M--	125	19	5	1	-	1	-	1	5	-	2	1	7	6	2	17	11	12	11	8	5	5	4	2	-	-
	F--	115	16	2	1	1	1	1	-	1	4	3	1	3	5	7	5	9	12	9	15	4	5	6	-	1	3
490-493	Pneumonia, etc.*--	1,006	290	39	22	11	5	16	9	10	6	14	18	23	32	39	53	36	62	61	67	67	57	38	25	3	3
	White-----M--	232	49	8	6	2	1	4	1	3	1	2	4	4	8	9	7	3	19	18	21	27	19	12	3	-	1
	F--	191	36	5	2	1	1	2	2	4	1	-	3	3	1	3	3	-	6	10	24	26	20	20	17	1	-
	Nonwhite--M--	307	108	17	10	7	2	5	1	1	3	6	4	6	18	12	27	19	19	17	9	4	7	1	2	1	1
	F--	276	97	9	4	1	1	5	5	2	1	6	7	10	5	15	16	14	18	16	13	10	11	5	3	1	1
500-502	Bronchitis--------	53	6	6	4	1	1	-	1	-	1	-	-	1	-	1	1	2	2	3	5	6	6	5	-	-	1
	White-----M--	23	2	3	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	5	3	2	1	-	-	-
	F--	16	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	4	4	-	-	-
	Nonwhite--M--	8	2	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	6	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
540, 541	Ulcer of stomach and duodenum-----	129	-	-	-	-	-	-	-	-	-	4	8	3	11	13	11	7	18	17	16	13	4	3	1	-	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	1	4	3	8	5	4	2	11	7	10	11	2	2	1	-	-
	F--	23	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	4	2	3	4	2	1	1	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	2	-	1	7	6	1	4	5	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
550-553	Appendicitis-------	54	-	-	1	1	1	2	1	1	3	-	-	1	5	4	6	7	4	5	1	5	1	4	1	-	-
	White-----M--	25	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	1	2	4	-	4	1	4	1	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-
	F--	15	-	-	1	1	1	2	1	-	1	-	1	3	2	-	2	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	158	15	2	1	1	-	1	1	1	2	3	7	5	9	10	14	18	11	15	12	10	14	6	-	-	-
	White-----M--	45	4	2	1	1	-	-	-	-	-	1	1	1	1	1	1	5	4	4	6	4	6	2	-	-	-
	F--	37	6	-	-	-	-	-	-	-	-	-	1	-	3	2	4	3	1	6	2	1	5	3	-	-	-
	Nonwhite--M--	40	4	-	-	-	-	1	-	-	1	2	3	2	2	3	3	6	4	1	2	4	2	-	-	-	-
	F--	36	1	-	-	-	-	-	1	1	1	-	2	2	3	4	6	4	2	4	2	1	1	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543, 571, 572	Gastritis, etc.*--	238	155	12	3	6	3	2	1	-	2	1	1	4	3	5	8	2	4	3	7	3	8	4	-	1	-
	White-----M--	51	30	1	-	-	-	1	-	-	1	-	1	1	-	2	2	-	1	1	3	2	3	2	-	-	-
	F--	36	12	3	1	3	1	-	-	-	1	1	-	2	-	-	1	1	-	2	2	-	3	2	-	1	-
	Nonwhite--M--	80	64	4	1	-	2	-	1	-	-	-	-	-	-	1	3	-	1	-	1	1	1	-	-	-	-
	F--	71	49	4	1	3	-	1	-	-	-	-	-	1	3	2	2	1	2	-	1	-	1	-	-	-	-
581	Cirrhosis of liver	184	1	-	-	-	-	1	-	-	3	-	8	8	20	25	29	23	19	23	9	8	4	2	1	-	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	3	2	13	17	23	16	11	15	6	7	1	1	1	-	-
	F--	35	-	-	-	-	-	1	-	-	-	-	1	4	3	3	2	3	5	6	3	1	3	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	2	2	2	4	2	4	-	1	-	-	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	2	-	2	-	2	1	2	-	3	1	-	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*----------	123	2	1	2	2	-	1	3	3	5	2	4	6	7	16	12	17	4	10	5	8	8	4	1	-	-
	White-----M--	25	-	-	-	1	-	-	1	1	1	-	2	1	1	2	2	3	1	1	1	2	5	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	2	1	3	-	2	-	-	-
	Nonwhite--M--	50	1	-	1	-	-	1	1	-	3	-	2	2	4	10	3	7	3	4	3	1	1	2	1	-	-
	F--	35	1	1	1	1	-	-	-	2	-	1	-	3	2	4	6	6	-	3	-	2	2	-	-	-	-
610	Hyperplasia of prostate---------	143	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	10	20	32	22	27	13	2	1	-
	White-----M--	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	21	14	21	10	1	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	6	14	11	8	6	3	1	1	-
640-689	Complications of pregnancy, etc.*-	113	...	...	...	...	...	...	-	18	25	19	16	18	13	3	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	40	...	...	...	...	...	...	-	4	11	5	8	7	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	73	...	...	...	...	...	...	-	14	14	14	8	11	9	2	-	-	-	-	1	-	-	-	-	-	-
650-652	Abortion----------	15	...	...	...	...	...	...	-	2	5	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	98	...	...	...	...	...	...	-	16	20	18	12	16	12	3	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	34	...	...	...	...	...	...	-	3	8	5	7	6	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	64	...	...	...	...	...	...	-	13	12	13	5	10	8	2	-	-	-	-	1	-	-	-	-	-	-
750-759	Congenital malformations-------	420	312	21	9	3	2	11	4	8	9	5	3	6	5	5	9	1	2	4	-	-	-	1	-	-	-
	White-----M--	174	131	11	-	1	1	4	2	4	2	3	2	3	2	-	4	-	1	2	-	-	-	1	-	-	-
	F--	136	101	7	2	1	1	2	-	1	4	2	1	1	2	3	4	1	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	61	42	1	5	-	-	4	1	1	2	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	49	38	2	2	1	-	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,723	1,722	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	523	522	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	383	383	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	480	480	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	685	685	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	870	869	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	221	220	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	628	140	10	6	3	1	3	3	4	7	6	14	12	20	15	40	30	41	35	44	37	49	48	35	15	10
	White-----M--	146	23	1	1	-	-	-	-	2	1	1	3	4	10	2	11	8	13	9	9	5	15	13	14	1	-
	F--	91	16	2	-	1	-	-	-	1	1	-	-	1	-	1	3	1	2	3	10	10	11	17	4	7	-
	Nonwhite--M--	203	50	1	3	1	1	1	2	-	3	1	6	2	4	7	14	11	17	15	15	14	13	11	5	3	3
	F--	188	51	6	2	1	-	2	1	1	2	4	5	5	6	5	12	10	9	8	10	8	10	7	12	4	7
Residual	All other diseases	1,509	98	25	17	12	4	32	15	16	27	47	56	71	74	102	108	120	138	137	138	123	85	38	14	6	6
	White-----M--	566	27	15	5	3	1	17	3	6	6	15	14	17	16	39	36	47	52	65	67	54	39	15	5	1	1
	F--	391	15	1	6	5	1	5	3	5	6	4	7	14	17	22	19	27	33	41	48	53	36	13	6	4	-
	Nonwhite--M--	319	29	4	5	3	1	8	7	3	8	14	17	23	21	25	29	29	37	15	13	10	7	5	3	-	3
	F--	233	27	3	1	1	1	2	2	2	7	14	18	17	20	16	24	17	16	16	10	6	3	5	-	1	2
E800-E962	Accidents----------	2,249	145	38	24	31	45	88	82	182	192	163	162	155	141	141	94	102	69	86	95	94	65	29	18	3	5
	White-----M--	1,066	32	6	6	13	18	37	35	96	106	89	99	93	72	91	50	58	24	38	44	31	21	5	1	-	1
	F--	399	29	10	4	10	9	17	14	22	17	19	14	15	12	14	7	12	20	19	27	41	32	21	11	3	-
	Nonwhite--M--	575	42	14	9	5	10	27	26	53	56	48	44	40	49	30	25	25	14	21	14	13	5	2	2	-	1
	F--	209	42	8	5	3	8	7	7	11	13	7	5	7	8	6	12	7	11	8	10	9	7	1	4	-	3
E810-E835	Motor-vehicle accidents--------	943	14	4	9	11	21	48	27	117	114	93	74	70	59	62	36	40	37	43	30	25	5	3	1	-	-
	White-----M--	549	5	1	4	5	11	24	13	69	73	53	45	48	32	46	21	21	15	24	23	13	3	-	-	-	-
	F--	139	7	1	2	1	4	7	5	17	13	14	8	7	4	5	1	7	16	8	3	7	1	1	-	-	-
	Nonwhite--M--	216	-	1	2	4	4	15	7	26	23	23	19	15	21	9	11	11	4	10	4	4	1	2	-	-	-
	F--	39	2	1	1	1	2	2	2	5	5	3	2	-	2	2	3	1	2	1	-	1	-	-	1	-	-
E800-E802, E840-E962	All ot. accidents-	1,306	131	34	15	20	24	40	55	65	78	70	88	85	82	79	58	62	32	43	65	69	60	26	17	3	5
	White-----M--	517	27	5	2	8	7	13	22	27	33	36	54	45	40	45	29	37	9	14	21	18	18	5	1	-	1
	F--	260	22	9	2	9	5	10	9	5	4	5	6	8	8	9	6	5	4	11	24	34	31	20	11	3	-
	Nonwhite--M--	359	42	13	7	1	6	12	19	27	33	25	25	25	28	21	14	14	10	11	10	9	4	-	2	-	1
	F--	170	40	7	4	2	6	5	5	6	8	4	3	7	6	4	9	6	9	7	10	8	7	1	3	-	3
E963, E970-E979	Suicide----------	278	-	-	-	-	-	-	-	7	12	21	22	34	31	38	33	25	21	15	9	3	4	2	1	-	-
	White-----M--	204	-	-	-	-	-	-	-	1	4	13	17	28	23	27	25	23	17	10	7	3	4	1	1	-	-
	F--	45	-	-	-	-	-	-	-	3	4	4	2	3	7	7	5	2	3	4	-	-	-	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	3	4	2	3	1	2	3	-	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	2	1	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
E964, E980-E985	Homicide----------	468	3	1	-	1	1	2	5	27	70	60	71	77	58	31	25	14	6	8	-	5	2	1	-	-	-
	White-----M--	76	1	-	-	-	1	1	-	1	8	5	8	18	6	7	4	3	4	4	-	3	2	-	-	-	-
	F--	27	-	-	-	-	-	-	-	2	1	4	3	3	6	-	4	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	289	2	1	-	-	-	-	4	16	50	39	44	48	38	20	14	8	1	3	-	1	-	-	-	-	-
	F--	76	-	-	-	1	-	1	1	8	11	12	16	8	8	4	3	2	-	-	-	-	-	1	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES------	5,033	426	28	24	13	14	49	40	62	73	75	70	106	143	166	246	323	402	552	610	613	520	303	134	31	10
	White-----M--	3,080	247	16	15	8	9	32	26	33	48	45	41	67	100	116	161	215	278	355	367	361	292	169	60	13	6
	F--	1,853	162	11	9	5	4	16	12	21	21	27	24	38	41	47	81	102	121	191	233	242	222	131	72	17	3
	Nonwhite--M--	64	11	-	-	-	1	1	1	6	2	2	3	1	2	2	4	1	2	5	7	5	5	1	1	-	1
	F--	36	6	1	-	-	-	-	1	2	2	1	2	-	-	1	-	5	1	1	3	5	1	2	1	1	-
001-019	Tuberculosis, all forms--------	33	-	-	-	-	-	-	-	-	3	1	3	1	3	1	1	3	3	2	5	4	2	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	2	-	1	1	2	1	1	1	3	2	4	2	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	31	-	-	-	-	-	-	-	-	2	1	2	1	3	1	1	3	3	2	5	4	2	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	3	2	4	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	3	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	-	-	1	-	2	1	-	3	-	-	-	1	-	1	2	-	1	3	1	1	1	1	-	-	-
	White-----M--	14	-	-	1	-	2	1	-	-	-	-	-	1	-	1	1	-	1	3	1	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*----	709	1	2	1	-	1	10	4	3	3	13	6	19	24	31	66	75	70	83	116	92	53	25	7	3	1
	White-----M--	371	-	1	-	-	1	7	2	-	2	6	4	9	11	13	25	41	39	46	65	50	30	14	5	-	-
	F--	333	1	1	1	-	-	3	2	3	1	7	2	10	13	18	40	34	31	37	48	41	23	11	2	3	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	270	-	-	-	-	-	-	-	-	2	1	-	2	3	15	21	23	22	33	49	53	26	17	2	-	1
	White-----M--	154	-	-	-	-	-	-	-	-	2	1	-	2	2	5	10	16	16	20	27	29	13	10	1	-	-
	F--	112	-	-	-	-	-	-	-	-	-	-	-	-	1	10	11	7	6	13	19	23	13	7	1	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
160-164	Of respiratory system----------	64	-	-	-	-	-	-	1	-	-	-	1	1	5	7	4	9	7	10	9	2	4	2	-	2	-
	White-----M--	50	-	-	-	-	-	-	1	-	-	-	1	-	4	6	3	8	7	9	6	1	3	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	3	1	1	1	-	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	49	-	-	-	-	-	-	-	-	-	1	-	2	2	2	8	7	8	5	9	1	4	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	1	-	2	2	2	8	7	8	5	9	1	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	104	-	-	-	-	-	-	-	1	-	2	1	2	6	2	10	9	12	12	17	13	9	3	4	1	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	4	14	7	7	3	4	-	-
	F--	54	-	-	-	-	-	-	-	1	-	2	1	1	5	2	7	6	9	8	3	6	2	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	35	-	-	-	-	1	-	-	-	-	-	-	2	1	1	4	4	6	2	9	5	-	-	-	-	-
	White-----M--	19	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	3	5	1	4	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	5	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	101	-	-	-	-	-	1	1	1	1	3	3	4	5	2	10	12	10	11	14	13	7	2	1	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	1	3	3	2	1	3	4	3	6	9	8	4	-	-	-	-
	F--	54	-	-	-	-	-	1	1	1	1	2	-	1	3	1	7	8	7	5	5	5	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	49	1	2	1	-	-	6	1	1	-	5	1	2	1	1	6	2	3	8	3	2	3	-	-	-	-
	White-----M--	28	-	1	-	-	-	4	1	-	-	3	-	1	1	-	2	1	3	5	2	1	3	-	-	-	-
	F--	21	1	1	1	-	-	2	-	1	-	2	1	1	-	1	4	1	-	3	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	30	-	-	-	-	-	3	1	-	-	1	-	3	1	1	3	8	-	1	5	3	-	-	-	-	-
	White-----M--	17	-	-	-	-	-	3	-	-	-	1	-	-	1	1	2	5	-	-	2	2	-	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	3	-	1	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	21	-	1	-	1	-	2	-	2	1	1	-	2	1	2	2	1	2	1	-	2	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-
	F--	14	-	-	-	1	-	2	-	1	-	1	-	2	-	2	2	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	79	-	-	-	-	-	1	-	-	-	2	3	-	1	2	2	4	10	18	13	15	3	5	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	3	4	8	5	3	1	3	-	-	-
	F--	44	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	6	10	7	12	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	17	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	2	2	1	2	2	3	-	-	-
	White-----M--	11	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	2	1	-	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,547	4	-	-	1	1	1	9	7	7	9	11	27	48	75	123	157	227	343	386	409	362	222	90	23	5
	White-----M--	1,585	1	-	-	1	-	1	2	4	4	7	6	16	35	57	92	108	162	225	241	250	199	122	39	10	3
	F--	935	3	-	-	-	1	-	6	2	3	2	5	11	13	15	30	44	64	115	142	154	161	99	51	12	2
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	3	2	1	2	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	-	-	1	4	-	1	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	2,481	4	-	-	1	1	1	8	2	5	8	10	25	47	70	120	154	220	340	374	404	354	218	87	23	5
	White-----M--	1,546	1	-	-	1	-	1	2	1	2	6	6	15	35	54	91	106	158	223	235	247	193	120	38	10	3
	F--	909	3	-	-	-	1	-	5	-	3	2	4	10	12	14	28	43	61	114	138	152	159	97	49	12	2
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	3	2	1	2	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	-	-	1	4	-	1	-	1	-
330-334	Vascular lesions, etc.*----------	512	1	-	-	-	-	-	1	-	-	1	-	4	8	10	18	25	37	61	81	91	105	42	24	2	1
	White-----M--	252	-	-	-	-	-	-	-	-	-	1	-	1	4	5	10	6	22	35	40	54	42	21	10	1	-
	F--	256	1	-	-	-	-	-	1	-	-	-	-	3	4	4	8	17	15	25	41	37	63	21	14	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	10	-	-	-	-	1	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart-	1,803	3	-	-	-	-	-	-	2	3	7	10	20	37	58	97	122	173	270	275	287	226	144	47	18	4
	White-----M--	1,206	1	-	-	-	-	-	-	1	2	5	6	14	31	47	79	96	131	182	184	177	139	78	23	7	3
	F--	579	2	-	-	-	-	-	-	-	1	2	4	6	6	10	17	24	41	87	88	106	85	65	24	10	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	2	1	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	1	-	1	-
410-416	Chronic rheumatic heart disease----	84	-	-	-	-	-	-	-	2	2	3	5	8	5	8	9	8	11	9	4	6	-	2	2	-	-
	White-----M--	42	-	-	-	-	-	-	-	1	1	1	2	5	3	4	3	2	7	5	2	4	-	1	1	-	-
	F--	41	-	-	-	-	-	-	-	-	1	2	3	3	2	4	6	6	4	4	2	2	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,137	1	-	-	-	-	-	-	-	-	3	4	9	24	45	77	99	130	183	173	172	116	70	18	10	3
	White-----M--	853	-	-	-	-	-	-	-	-	-	3	3	8	24	40	69	85	104	135	127	118	76	42	11	5	3
	F--	274	1	-	-	-	-	-	-	-	-	-	1	1	-	5	7	13	25	47	44	51	39	28	7	5	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	259	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	7	31	45	50	53	42	14	4	1
	White-----M--	139	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	5	13	27	25	35	21	5	-	-
	F--	120	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	18	18	25	18	21	9	4	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	82	2	-	-	-	-	-	-	-	1	1	-	1	4	-	4	6	9	18	9	10	8	5	1	3	-
	White-----M--	46	1	-	-	-	-	-	-	-	1	1	-	-	1	-	2	3	5	13	4	6	6	1	-	2	-
	F--	34	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	4	5	4	4	2	4	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	241	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	4	16	29	44	49	49	25	12	1	-
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	4	10	16	24	24	22	13	6	-	-
	F--	110	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	6	13	20	24	26	11	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-
444-447	Hypertension without mention of heart----------	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	3	3	5	2	6	2	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	-	4	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	1	2	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-
450	General arteriosclerosis--------	102	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	5	13	18	18	23	14	2	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	6	9	11	15	5	1	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	7	8	7	8	9	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	25	-	-	-	1	-	-	1	-	2	-	-	-	1	-	2	4	3	1	1	3	2	3	-	1	-
	White-----M--	15	-	-	-	1	-	-	-	-	2	-	-	-	-	-	2	2	3	1	-	3	-	2	-	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	66	-	-	-	-	-	1	5	2	1	1	2	1	5	3	3	7	3	12	5	8	4	3	-	-
	White-----M--	39	-	-	-	-	-	-	3	2	1	-	1	-	3	1	2	4	2	8	3	6	2	1	-	-
	F--	26	-	-	-	-	-	1	2	-	-	1	1	1	1	2	1	3	1	4	2	2	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	167	37	6	1	1	-	-	1	4	2	-	5	1	4	4	3	3	3	11	14	16	26	11	13	-	1
	White-----M--	86	16	3	-	-	-	-	1	2	-	-	2	1	3	4	3	2	3	4	6	6	12	9	9	-	-
	F--	70	16	3	1	1	-	-	-	1	2	-	2	-	1	-	-	1	-	6	8	9	13	2	4	-	-
	Nonwhite--M--	7	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
480-483	Influenza---------	44	9	4	-	1	-	-	-	2	2	-	2	-	1	-	-	1	-	3	3	4	6	3	3	-	-
	White-----M--	22	4	1	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	1	3	3	2	3	-	-
	F--	20	4	3	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	2	2	1	3	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	123	28	2	1	-	-	-	1	2	-	-	3	1	3	4	3	2	3	8	11	12	20	8	10	-	1
	White-----M--	64	12	2	-	-	-	-	1	1	-	-	-	1	3	4	3	1	3	3	5	3	9	7	6	-	-
	F--	50	12	-	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	4	6	8	10	1	4	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
500-502	Bronchitis---------	8	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	31	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	6	6	1	4	2	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	6	5	1	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	8	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	2	-	2	-	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	34	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	4	6	8	2	1	2	-	-
	White-----M--	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	3	1	-	1	-	-
	F--	22	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	4	5	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543,	Gastritis, etc.*--	15	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	4	-	3	1	2	-	1	-	-	-
571,	White-----M--	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	1	-	-	1	-	-	-
572	F--	6	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	25	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	6	4	4	1	4	2	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	2	-	4	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	2	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate-------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	4	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	8	...	...	...	...	...	...	-	-	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	-	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	7	...	...	...	...	...	...	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	73	58	4	3	-	-	1	-	1	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	White-----M--	48	39	2	2	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	24	18	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	161	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	71	9	-	-	-	-	-	1	1	1	-	-	2	1	1	1	2	1	10	3	7	10	10	8	2	1
795	White-----M--	47	6	-	-	-	-	-	-	1	1	-	-	2	1	1	1	2	1	8	2	6	3	5	4	2	1
	F--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	4	-	-
	Nonwhite--M--	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Re-	All other diseases	253	11	2	3	2	-	4	2	5	1	5	9	3	7	11	9	28	29	29	27	20	28	10	7	1	-
sid-	White-----M--	154	6	1	2	1	-	3	2	2	1	3	4	2	3	6	7	21	18	20	12	12	20	6	1	1	-
ual	F--	92	3	1	1	1	-	1	-	3	-	2	5	1	4	5	2	7	10	8	14	8	7	4	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E800-	Accidents---------	483	20	13	11	8	9	26	19	30	40	33	23	30	30	25	22	27	26	17	23	21	14	7	7	1	1
E962	White-----M--	350	10	8	8	6	5	17	16	20	31	21	18	21	26	22	17	20	24	13	17	18	8	2	1	-	1
	F--	116	10	4	3	2	3	8	3	7	7	10	3	8	3	3	3	7	2	4	6	3	6	5	5	1	-
	Nonwhite--M--	13	-	-	-	-	1	1	-	2	1	2	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	198	5	3	-	3	3	11	4	15	30	15	14	12	13	12	8	7	12	9	14	6	2	-	-	-	-
	White-----M--	133	3	2	-	2	1	7	3	7	22	6	10	6	11	10	6	4	10	5	10	6	2	-	-	-	-
	F--	53	2	1	-	1	1	3	1	6	6	7	2	5	1	2	2	3	2	4	4	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	1	-	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	285	15	10	11	5	6	15	15	15	10	18	9	18	17	13	14	20	14	8	9	15	12	7	7	1	1
E802,	White-----M--	217	7	6	8	4	4	10	13	13	9	15	8	15	15	12	11	16	14	8	7	12	6	2	1	-	1
E840-	F--	63	8	3	3	1	2	5	2	1	1	3	1	3	2	1	1	4	-	-	2	3	6	5	5	1	-
E962	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E963,	Suicide----------	81	-	-	-	-	-	-	-	3	6	8	2	13	11	1	6	6	9	9	4	1	1	-	-	-	1
E970-	White-----M--	66	-	-	-	-	-	-	-	1	3	7	2	11	10	1	6	3	6	9	4	1	1	-	-	-	1
E979	F--	13	-	-	-	-	-	-	-	1	3	1	-	2	1	-	-	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	25	-	-	-	-	-	-	-	1	2	1	4	3	4	5	-	1	2	1	-	-	1	-	-	-	-
E980-	White-----M--	14	-	-	-	-	-	-	-	-	1	1	1	2	2	3	-	1	2	-	-	-	1	-	-	-	-
E985	F--	8	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES------	96,636	5,327	371	219	181	145	463	346	536	764	942	1,279	1,857	2,660	4,105	5,590	7,878	10,183	11,961	12,126	11,613	9,637	5,718	2,250	408	77
	White-----M--	50,422	2,524	167	104	85	57	227	207	316	427	438	585	884	1,363	2,218	3,160	4,574	5,967	6,832	6,422	5,821	4,504	2,517	870	138	15
	F--	37,610	1,740	140	75	69	59	174	98	147	182	264	373	580	823	1,232	1,625	2,461	3,393	4,298	5,044	5,330	4,855	3,050	1,313	243	42
	Nonwhite--M--	4,850	574	33	23	12	15	35	27	54	90	138	191	215	259	368	477	510	480	472	367	254	156	57	26	10	7
	F--	3,754	489	31	17	15	14	27	14	19	65	102	130	178	215	287	328	333	343	359	293	208	122	94	41	17	13
001-019	Tuberculosis, all forms--------	1,263	9	9	5	6	4	6	4	6	30	52	83	91	101	144	139	147	142	121	75	47	28	11	1	2	-
	White-----M--	688	1	2	-	2	2	2	2	-	3	6	21	32	58	74	93	104	97	80	54	32	15	8	-	-	-
	F--	211	2	1	2	3	-	4	-	2	6	14	16	17	13	28	15	19	13	19	11	11	9	3	1	2	-
	Nonwhite--M--	257	2	3	2	-	1	-	1	4	12	17	26	29	21	35	23	19	31	15	9	3	4	-	-	-	-
	F--	107	4	3	1	1	1	-	1	-	9	15	20	13	9	7	8	5	1	7	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	1,149	3	3	-	1	-	2	1	6	25	43	78	85	94	134	129	139	133	114	73	46	26	11	1	2	-
	White-----M--	651	1	1	-	1	-	1	-	-	2	6	21	30	54	69	89	102	91	76	52	32	15	8	-	-	-
	F--	187	1	1	-	-	-	1	-	2	5	13	16	17	11	26	12	16	13	17	11	10	9	3	1	2	-
	Nonwhite--M--	226	1	-	-	-	-	-	-	4	10	14	25	26	20	32	21	17	28	14	9	3	2	-	-	-	-
	F--	85	-	1	-	-	-	-	1	-	8	10	16	12	9	7	7	4	1	7	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	114	6	6	5	5	4	4	3	-	5	9	5	6	7	10	10	8	9	7	2	1	2	-	-	-	-
	White-----M--	37	-	1	-	1	2	1	2	-	1	-	-	2	4	5	4	2	6	4	2	-	-	-	-	-	-
	F--	24	1	-	2	3	-	3	-	-	1	1	-	-	2	2	3	3	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	31	1	3	2	-	1	-	1	-	2	3	1	3	1	3	2	2	3	1	-	-	2	-	-	-	-
	F--	22	4	2	1	1	1	-	-	-	1	5	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	241	-	-	-	-	-	-	-	-	1	1	1	4	9	22	27	34	51	29	33	18	8	2	-	-	1
	White-----M--	137	-	-	-	-	-	-	-	-	-	-	1	1	3	10	17	18	31	20	23	9	3	1	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	1	4	4	8	7	4	-	-	-	1
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	1	-	3	2	7	5	13	11	4	2	1	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	5	1	-	1	-	1	-	-	-
040	Typhoid fever------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	19	3	1	-	-	-	1	2	-	-	-	1	-	1	2	-	-	2	2	1	2	-	-	-	1	-
	White-----M--	9	1	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	-	1	-	-	-	1	-
	F--	8	2	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	15	3	1	-	-	1	1	-	1	1	1	-	1	-	-	1	-	-	2	1	-	1	-	-	-	-
	White-----M--	7	2	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	1	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	64	16	13	6	7	3	6	2	1	1	1	-	2	1	-	1	1	-	1	2	-	-	-	-	-	-
	White-----M--	33	13	6	2	3	-	2	2	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-
	F--	21	3	5	2	3	2	2	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	104	3	1	3	5	2	13	19	8	7	16	19	2	5	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	54	1	-	3	2	1	6	13	6	3	4	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	2	1	-	3	1	7	6	2	4	12	8	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	21	5	4	2	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	4	1	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	210	18	8	9	4	6	8	2	8	10	6	8	11	6	14	17	18	18	10	8	3	8	6	4	-	-
	White-----M--	105	10	6	6	1	4	3	1	3	1	4	3	4	4	11	9	7	8	4	4	2	5	3	2	-	-
	F--	85	7	2	2	3	2	5	1	2	6	-	4	4	1	3	6	9	9	6	4	1	3	3	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-
	F--	12	1	-	1	-	-	-	-	2	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*----	15,136	11	15	15	35	24	56	36	41	51	97	170	319	528	899	1,245	1,748	2,158	2,358	2,066	1,597	1,056	447	144	16	4
	White-----M--	7,376	6	10	5	16	13	31	21	18	24	35	58	108	176	353	537	844	1,098	1,309	1,088	814	529	219	57	6	1
	F--	6,752	4	4	6	16	10	21	12	20	20	45	90	168	297	457	555	749	911	924	896	727	505	220	82	9	2
	Nonwhite--M--	523	-	1	2	1	1	2	1	2	5	6	8	14	20	39	73	82	86	77	52	32	10	6	1	1	1
	F--	485	1	-	2	-	-	2	2	1	2	11	14	29	35	50	80	73	63	48	30	24	12	2	4	-	-
140-148	Of buccal cavity and pharynx------	357	-	-	-	-	1	-	-	-	-	2	1	3	13	26	27	37	56	55	52	36	31	11	6	-	-
	White-----M--	274	-	-	-	-	1	-	-	-	-	-	-	2	8	19	17	27	46	47	40	29	24	9	5	-	-
	F--	57	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	7	5	7	9	6	7	2	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	3	5	-	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	5,783	1	1	1	-	-	2	1	-	3	14	23	62	133	252	392	612	786	1,006	938	759	502	225	65	4	1
	White-----M--	3,012	-	1	-	-	-	2	1	-	1	8	11	30	57	131	204	331	411	578	510	372	236	100	26	2	-
	F--	2,396	-	-	-	-	-	-	-	-	2	4	9	23	61	92	127	215	324	366	391	361	259	122	38	2	-
	Nonwhite--M--	219	-	-	-	-	-	-	-	-	-	1	1	3	10	15	34	41	33	38	21	14	4	3	-	-	1
	F--	156	1	-	1	-	-	-	-	-	-	1	2	6	5	14	27	25	18	24	16	12	3	-	1	-	-
160-164	Of respiratory system----------	1,897	-	-	1	-	-	-	-	-	2	5	11	28	43	123	218	295	373	355	229	110	71	23	6	2	2
	White-----M--	1,481	-	-	-	-	-	-	-	-	1	5	5	19	34	98	170	250	306	279	177	76	48	10	2	-	1
	F--	286	-	-	1	-	-	-	-	-	1	-	5	5	6	14	27	23	42	53	41	28	21	13	4	1	1
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	-	-	1	4	2	10	15	19	22	21	9	5	2	-	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	3	3	2	2	1	-	-	-	-	-
170	Of breast---------	1,412	-	-	-	-	-	-	-	-	-	4	24	68	91	142	151	189	187	178	155	102	72	29	17	3	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	1	1	2	1	-	-	-	-
	F--	1,331	-	-	-	-	-	-	-	-	-	2	20	61	83	132	137	179	174	174	153	98	70	29	16	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	2	4	7	6	9	13	8	13	3	1	2	1	-	1	-	-
171-179	Of genital organs-	2,292	-	-	-	-	-	-	1	3	5	19	33	55	103	150	205	229	301	311	302	290	180	81	22	2	-
	White-----M--	761	-	-	-	-	-	-	-	2	5	5	5	3	1	3	15	21	76	129	144	169	116	53	13	1	-
	F--	1,315	-	-	-	-	-	-	1	1	-	8	25	42	83	127	161	171	200	159	139	108	56	25	8	1	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	7	10	13	8	3	2	1	-	-
	F--	156	-	-	-	-	-	-	-	-	-	6	3	10	18	19	24	28	18	13	6	5	5	1	-	-	-
180, 181	Of urinary organs-	786	3	2	4	4	2	5	-	1	-	-	3	12	12	37	44	92	113	146	113	96	63	23	8	3	-
	White-----M--	499	2	2	2	2	2	3	-	-	-	-	2	7	9	18	28	63	84	95	66	62	34	14	2	2	-
	F--	247	1	-	1	2	-	1	-	1	-	-	1	4	1	14	11	25	22	46	45	30	27	9	5	1	-
	Nonwhite--M--	19	-	-	-	-	-	1	-	-	-	-	-	-	2	3	2	1	4	3	1	2	-	-	-	-	-
	F--	21	-	-	1	-	-	-	-	-	-	-	-	1	-	2	3	3	3	2	1	2	2	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,414	3	4	3	13	8	17	15	15	16	21	33	46	76	103	117	167	181	155	156	123	82	40	17	2	1
	White-----M--	692	2	3	-	6	4	5	9	5	8	7	12	24	31	51	56	76	89	84	77	66	46	22	8	1	-
	F--	639	1	1	2	6	4	10	3	8	5	14	17	17	38	44	50	81	78	67	77	54	34	17	9	1	1
	Nonwhite--M--	49	-	-	1	1	-	-	1	1	2	-	-	4	4	5	9	6	9	3	-	2	1	-	-	-	-
	F--	34	-	-	-	-	-	2	2	1	1	-	4	1	3	3	2	4	5	1	2	1	1	1	-	-	-
204	Leukemia and aleukemia----------	616	3	7	5	18	12	26	15	15	8	14	18	18	20	31	45	60	78	72	66	45	28	10	2	-	-
	White-----M--	332	1	4	2	8	6	15	7	7	2	4	10	9	11	13	20	38	42	44	42	20	18	9	-	-	-
	F--	257	2	2	2	10	6	10	8	8	5	7	6	7	9	17	21	20	33	27	21	24	10	1	1	-	-
	Nonwhite--M--	14	-	1	1	-	-	1	-	-	1	1	2	1	-	-	2	-	1	1	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	2	2	-	1	1	-	-	1	-	-
200-203, 205	Lymphomas, etc.*---	579	1	1	1	-	1	6	4	7	17	18	24	27	37	35	46	67	83	80	55	36	27	5	1	-	-
	White-----M--	314	1	-	1	-	-	6	4	4	7	6	13	14	23	19	26	36	44	52	31	18	6	2	1	-	-
	F--	224	-	1	-	-	-	-	-	2	7	9	7	9	13	13	16	28	33	25	20	18	21	2	-	-	-
	Nonwhite--M--	31	-	-	-	-	1	-	-	1	2	3	4	2	-	2	2	3	5	1	4	-	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	1	2	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	285	8	3	2	1	1	5	4	6	2	6	12	20	23	35	24	31	30	28	16	12	12	2	1	1	-
	White-----M--	121	5	1	1	-	1	3	1	4	-	2	6	6	7	7	12	16	14	14	7	6	4	2	1	1	-
	F--	136	3	2	1	-	-	-	2	2	2	4	3	8	12	26	10	12	14	12	9	6	8	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	-	-	2	-	1	1	2	1	-	1	-	-	-	-	-	-	-
	F--	19	-	-	-	1	-	1	1	-	-	-	1	6	3	1	-	2	2	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	1,501	2	-	-	-	-	1	6	5	6	8	10	30	34	39	71	127	247	261	272	199	129	45	9	-	-
	White-----M--	522	1	-	-	-	-	1	2	1	3	3	7	14	16	22	25	41	88	72	98	73	38	16	1	-	-
	F--	882	1	-	-	-	-	-	4	4	3	3	1	9	12	11	31	76	146	169	167	120	90	28	7	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	6	6	3	4	1	-	1	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	1	-	-
290-293	Anemias----------	227	3	2	1	1	1	7	2	1	-	1	2	6	5	6	12	9	7	14	4	2	-	1	-	-	-
	White-----M--	90	2	-	-	-	1	2	1	-	-	-	2	4	3	8	15	21	21	32	35	29	15	10	1	1	-
	F--	121	1	1	-	-	-	1	-	-	-	1	-	3	-	1	3	3	10	10	14	15	13	7	4	-	1
	Nonwhite--M--	11	-	-	1	1	-	3	-	1	-	1	2	5	4	2	4	11	10	11	18	19	16	8	6	1	-
	F--	5	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	114	40	12	7	6	2	2	-	-	4	2	2	6	2	7	9	5	1	3	2	2	-	-	-	-	-
	White-----M--	50	14	9	2	2	1	-	-	-	3	1	1	5	1	2	2	2	1	2	-	2	-	-	-	-	-
	F--	38	15	3	4	1	1	2	-	-	-	-	1	1	1	3	1	2	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	16	7	-	-	1	-	-	-	-	1	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-
	F--	10	4	-	1	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	55,260	34	5	3	4	4	21	36	46	90	175	307	613	1,128	1,899	2,895	4,429	6,015	7,522	8,085	8,247	7,137	4,421	1,773	312	59
	White-----M--	28,862	23	1	1	3	1	12	14	22	26	65	131	329	633	1,076	1,731	2,673	3,629	4,254	4,222	4,066	3,280	1,882	672	106	10
	F--	22,203	6	3	1	1	1	7	18	16	33	55	88	156	259	455	717	1,248	1,881	2,698	3,390	3,845	3,645	2,416	1,044	186	34
	Nonwhite--M--	2,221	5	1	1	-	2	1	2	4	14	25	44	57	117	197	266	296	264	307	248	175	115	47	23	6	4
	F--	1,974	-	-	-	-	-	1	2	4	17	30	44	71	119	171	181	212	241	263	225	161	97	76	34	14	11
330-334, 400-468	Diseases of cardiovascular system-	53,852	32	5	2	3	2	16	29	39	67	141	274	576	1,073	1,831	2,814	4,318	5,895	7,350	7,926	8,058	6,980	4,326	1,736	302	57
	White-----M--	28,197	22	1	1	2	-	8	11	18	16	52	121	311	606	1,048	1,684	2,617	3,582	4,177	4,149	3,966	3,200	1,836	657	102	10
	F--	21,656	6	3	1	1	-	6	14	13	24	42	75	149	242	431	695	1,212	1,828	2,625	3,315	3,769	3,577	2,370	1,024	180	34
	Nonwhite--M--	2,131	4	1	-	-	2	1	2	4	14	21	37	55	115	190	257	282	253	295	244	169	108	45	23	6	3
	F--	1,888	-	-	-	-	-	1	2	4	13	26	41	61	110	162	178	207	232	253	218	154	95	75	32	14	10
330-334	Vascular lesions, etc.*----------	10,166	11	1	1	2	-	2	4	4	8	20	47	96	173	294	426	691	1,040	1,359	1,585	1,725	1,459	863	301	45	9
	White-----M--	4,466	9	1	-	2	-	1	3	3	4	9	17	38	63	85	171	315	511	650	708	768	634	340	113	21	-
	F--	4,893	1	-	1	-	-	1	1	1	4	8	18	36	66	129	175	266	415	600	782	899	785	499	180	22	6
	Nonwhite--M--	363	1	-	-	-	-	-	-	-	-	1	2	6	18	35	42	54	47	53	45	27	23	8	1	-	-
	F--	444	-	-	-	-	-	-	-	-	-	2	10	16	26	45	38	56	67	56	50	31	19	16	7	2	3
400-402	Rheumatic fever----	61	1	1	-	1	2	5	11	2	3	2	3	7	4	2	3	4	4	1	3	1	-	1	-	-	-
	White-----M--	27	1	-	-	-	-	2	4	1	1	1	1	3	1	1	2	3	3	-	2	-	-	1	-	-	-
	F--	26	-	-	-	1	-	1	6	-	1	1	2	4	3	1	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
410-443	Diseases of heart-	40,729	18	3	1	-	-	7	10	26	42	108	208	437	849	1,466	2,302	3,494	4,640	5,705	6,023	5,860	5,019	3,022	1,229	225	35
	White-----M--	22,318	10	-	1	-	-	4	3	13	11	41	98	261	523	936	1,469	2,230	2,944	3,393	3,270	2,960	2,316	1,296	463	69	7
	F--	15,437	5	3	-	-	-	3	4	7	11	29	52	97	162	282	494	906	1,345	1,905	2,410	2,650	2,556	1,636	722	140	18
	Nonwhite--M--	1,627	3	-	-	-	-	-	2	2	10	18	32	44	88	142	207	214	193	223	181	133	74	32	21	5	3
	F--	1,347	-	-	-	-	-	-	1	4	10	20	26	35	76	108	132	144	158	184	162	117	73	58	23	11	7
410-416	Chronic rheumatic heart disease----	1,263	-	-	-	-	-	1	4	15	22	37	68	79	102	122	144	160	136	116	84	85	50	28	10	-	-
	White-----M--	560	-	-	-	-	-	-	1	6	6	13	31	37	40	57	64	74	74	56	33	43	26	17	2	-	-
	F--	589	-	-	-	-	-	1	1	5	10	17	28	35	52	46	71	79	58	54	50	39	24	9	8	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	1	1	2	2	5	4	6	7	5	6	1	4	1	3	-	-	-	-	-
	F--	46	-	-	-	-	-	1	1	3	4	5	4	3	4	10	4	1	3	2	-	-	-	2	-	-	-
420	Arteriosclerotic heart dis., etc.*	25,508	7	1	-	-	-	-	-	4	4	28	65	222	503	914	1,460	2,365	3,224	3,811	3,909	3,696	2,900	1,642	623	113	17
	White-----M--	15,341	4	-	-	-	-	-	-	-	2	16	49	169	386	677	1,083	1,681	2,185	2,378	2,295	1,994	1,407	724	251	35	5
	F--	8,748	2	1	-	-	-	-	-	2	-	6	7	32	64	136	231	511	845	1,201	1,429	1,573	1,409	875	348	68	8
	Nonwhite--M--	861	1	-	-	-	-	-	-	1	1	4	5	17	39	67	103	112	118	133	104	77	41	19	13	4	2
	F--	558	-	-	-	-	-	-	-	1	1	2	4	4	14	34	43	61	76	99	81	52	43	24	11	6	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	7,330	2	-	-	-	-	3	1	4	11	27	36	77	123	170	297	374	535	806	1,032	1,109	1,254	916	445	93	15
	White-----M--	3,403	2	-	-	-	-	2	1	4	3	4	6	30	47	80	147	178	299	439	507	515	558	383	166	30	2
	F--	3,260	-	-	-	-	-	1	-	-	-	5	7	14	22	35	66	124	183	290	458	542	672	509	264	60	8
	Nonwhite--M--	341	-	-	-	-	-	-	-	-	5	6	16	16	23	27	49	41	31	38	37	25	14	4	8	1	-
	F--	326	-	-	-	-	-	-	-	-	3	12	7	17	31	28	35	31	22	39	30	27	10	20	7	2	5
430-434	Other diseases of heart---------	1,789	9	2	1	-	-	3	4	3	4	10	19	22	58	101	119	199	233	270	234	194	173	93	33	4	1
	White-----M--	1,104	4	-	1	-	-	2	1	3	-	6	6	12	34	68	77	118	173	185	153	115	96	42	6	2	-
	F--	522	3	2	-	-	-	1	3	-	1	1	5	5	11	20	22	54	44	65	72	66	71	49	26	1	-
	Nonwhite--M--	91	2	-	-	-	-	-	-	-	2	3	3	3	5	8	11	16	8	11	6	7	4	1	-	-	1
	F--	72	-	-	-	-	-	-	-	-	1	-	5	2	8	5	9	11	8	9	3	6	2	1	1	1	-
440-443	Hypertension with heart dis.--	4,839	-	-	-	-	-	-	1	-	1	6	20	37	63	159	282	396	512	702	764	776	642	343	118	15	2
	White-----M--	1,890	-	-	-	-	-	-	-	-	-	2	6	13	16	54	98	179	213	335	282	293	229	130	38	2	-
	F--	2,318	-	-	-	-	-	-	-	-	-	-	5	11	13	43	104	138	215	295	401	430	380	194	76	11	2
	Nonwhite--M--	286	-	-	-	-	-	-	1	-	-	3	3	4	15	33	39	39	35	37	33	21	15	8	-	-	-
	F--	345	-	-	-	-	-	-	-	-	1	1	6	9	19	29	41	40	49	35	48	32	18	11	4	2	-
444-447	Hypertension without mention of heart----------	823	-	-	-	-	-	-	-	-	5	7	8	19	30	45	38	63	77	106	87	91	121	92	28	4	2
	White-----M--	345	-	-	-	-	-	-	-	-	-	1	3	6	9	12	16	29	33	39	41	37	59	40	18	2	-
	F--	339	-	-	-	-	-	-	-	-	2	-	-	1	6	10	10	22	33	48	36	48	59	51	9	2	2
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	1	2	3	5	9	12	7	7	7	10	7	3	2	1	1	-	-
	F--	62	-	-	-	-	-	-	-	-	2	4	2	7	6	11	5	5	4	9	3	3	1	-	-	-	-
450	General arteriosclerosis--------	1,623	-	-	-	-	-	-	-	-	-	-	1	3	2	7	9	24	65	119	178	325	352	327	172	28	11
	White-----M--	781	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	10	41	58	95	170	173	148	61	10	3
	F--	779	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	8	17	54	70	146	169	174	109	16	8
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	5	10	6	9	4	-	1	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	1	1	2	1	-
451-468	Other diseases of circulatory sys.-	450	2	-	-	-	-	2	4	7	9	4	7	14	15	17	36	42	69	60	50	56	29	21	6	-	-
	White-----M--	260	2	-	-	-	-	1	1	1	-	-	2	2	8	10	21	30	50	37	33	31	18	11	2	-	-
	F--	162	-	-	-	-	-	1	3	5	6	4	2	9	5	7	12	9	17	17	16	25	10	10	4	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	2	1	4	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	3	3	2	-	2	1	1	2	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,408	2	-	1	1	2	5	7	7	23	34	33	37	55	68	81	111	120	172	159	189	157	95	37	10	2
	White-----M--	665	1	-	-	1	1	4	3	4	10	13	10	18	27	28	47	56	47	77	73	100	80	46	15	4	-
	F--	567	-	-	-	-	1	1	4	3	9	13	13	7	17	24	22	36	53	73	75	76	68	46	20	6	-
	Nonwhite--M--	90	1	-	1	-	-	-	-	-	-	4	7	2	2	7	9	14	11	12	4	6	7	2	-	-	1
	F--	86	-	-	-	-	-	-	-	-	4	4	3	10	9	9	3	5	9	10	7	7	2	1	2	-	1
480-493	Influenza and pneumonia, etc.*-	3,374	547	91	37	30	18	48	15	15	22	19	39	58	83	134	117	186	247	288	321	361	336	216	106	35	5
	White-----M--	1,656	201	30	18	13	6	16	12	7	11	7	14	20	38	76	58	111	160	172	164	203	155	108	45	9	2
	F--	1,147	147	37	11	10	6	24	2	4	6	3	7	14	20	29	26	46	56	88	124	136	165	102	59	24	1
	Nonwhite--M--	327	103	13	4	5	4	3	-	2	3	6	14	13	14	15	22	20	20	19	19	13	10	2	1	-	2
	F--	244	96	11	4	2	2	5	1	2	2	3	4	11	11	14	11	9	11	9	14	9	6	4	1	2	-
480-483	Influenza---------	293	19	4	3	1	-	6	1	1	1	-	1	4	4	11	9	5	14	27	28	39	44	40	25	6	-
	White-----M--	141	10	1	3	-	-	1	1	-	1	-	-	-	3	6	4	4	9	12	16	14	20	24	9	3	-
	F--	140	6	3	-	1	-	5	-	1	-	-	-	4	-	4	4	1	4	15	11	23	23	16	16	3	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	3,081	528	87	34	29	18	42	14	14	21	19	38	54	79	123	108	181	233	261	293	322	292	176	81	29	5
	White-----M--	1,515	191	29	15	13	6	15	11	7	10	7	14	20	35	70	54	107	151	160	148	189	135	84	36	6	2
	F--	1,007	141	34	11	9	6	19	2	3	6	3	7	10	20	25	22	45	52	73	113	113	142	86	43	21	1
	Nonwhite--M--	323	102	13	4	5	4	3	-	2	3	6	14	13	14	15	21	20	20	19	19	12	9	2	1	-	2
	F--	236	94	11	4	2	2	5	1	2	2	3	3	11	10	13	11	9	10	9	13	8	6	4	1	2	-
500-502	Bronchitis--------	190	55	11	9	3	1	4	-	3	-	1	-	3	3	5	2	11	13	14	14	12	10	12	3	1	-
	White-----M--	117	28	5	4	-	1	2	-	3	-	1	-	2	2	3	2	8	11	11	10	9	6	6	3	-	-
	F--	48	13	3	4	2	-	2	-	-	-	-	-	-	-	1	-	2	1	2	4	3	4	6	-	1	-
	Nonwhite--M--	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	16	11	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	610	7	-	-	-	-	1	-	3	3	4	13	7	26	47	63	82	77	96	79	59	27	14	2	-	-
	White-----M--	461	3	-	-	-	-	-	-	-	2	4	6	7	19	40	49	68	59	72	57	44	20	9	2	-	-
	F--	120	2	-	-	-	-	1	-	3	-	-	6	-	3	6	10	6	16	21	20	15	7	4	-	-	-
	Nonwhite--M--	22	2	-	-	-	-	-	-	-	-	-	1	-	3	1	3	6	2	3	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	1	-	-	1	-	-	-
550-553	Appendicitis------	168	1	2	1	2	2	11	4	2	4	5	7	4	10	13	19	14	15	18	14	9	8	3	-	-	-
	White-----M--	103	1	1	1	2	-	8	1	-	1	2	3	2	8	9	12	10	10	10	11	5	5	1	-	-	-
	F--	45	-	1	-	-	2	3	2	-	1	2	2	2	1	3	3	3	5	5	2	3	3	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	1	-	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	1	1	1	1	1	1	-	1	-	1	-	-	2	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	546	60	2	1	-	1	3	2	2	-	3	7	11	18	21	31	40	52	69	58	70	51	30	12	2	-
	White-----M--	240	32	1	-	-	1	2	1	-	-	1	1	4	4	6	14	20	24	34	25	34	19	11	4	2	-
	F--	259	19	-	-	-	-	-	1	2	-	2	5	6	8	11	14	15	25	33	27	33	32	19	7	-	-
	Nonwhite--M--	27	6	1	1	-	-	1	-	-	-	-	-	1	1	2	-	3	3	2	4	2	-	-	-	-	-
	F--	20	3	-	-	-	-	-	-	-	-	-	1	-	5	2	3	2	-	-	2	1	-	-	1	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
543,	Gastritis, etc.*--	421	186	20	6	2	2	4	3	4	7	3	6	12	14	7	11	17	21	22	20	21	16	14	3	-	-
571,	White-----M--	197	72	13	5	2	-	2	1	3	5	1	3	3	8	4	9	9	13	12	8	6	10	6	2	-	-
572	F--	143	46	4	1	-	-	2	2	1	2	2	3	7	5	3	2	7	8	8	12	15	5	7	1	-	-
	Nonwhite--M--	41	38	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	40	30	3	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	1	1	-	-	-
581	Cirrhosis of liver	1,143	1	1	-	1	1	3	1	-	2	7	32	58	94	137	158	142	149	150	88	65	33	17	3	-	-
	White-----M--	758	1	-	-	-	-	3	1	-	1	3	19	31	62	94	101	99	107	113	58	40	18	6	1	-	-
	F--	312	-	1	-	1	1	-	-	-	1	4	7	23	24	29	41	34	39	30	26	24	15	10	2	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	3	2	5	11	11	6	3	4	2	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	3	2	3	3	5	3	-	3	2	1	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	176	4	2	-	-	3	2	4	5	8	10	3	7	14	12	14	10	15	12	16	20	7	3	3	2	-
	White-----M--	81	2	1	-	-	2	1	3	1	6	4	1	3	7	6	7	5	5	10	5	8	2	1	-	1	-
	F--	74	1	-	-	-	1	1	1	3	1	3	1	4	5	3	4	4	9	1	11	10	5	2	3	1	-
	Nonwhite--M--	6	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	1	3	1	-	-	2	3	1	-	1	-	2	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	441	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	15	33	53	77	100	79	59	14	4	-
	White-----M--	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	27	48	70	94	73	59	14	4	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	6	5	7	6	6	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	88	...	...	...	...	...	...	-	3	15	20	24	17	8	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	70	...	...	...	...	...	...	-	2	11	15	19	14	8	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	...	...	...	-	1	4	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	...	...	...	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	82	...	...	...	...	...	...	-	2	12	18	24	17	8	-	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	68	...	...	...	...	...	...	-	2	10	14	19	14	8	-	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	14	...	...	...	...	...	...	-	-	2	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	1,072	802	64	16	14	13	13	13	10	12	10	5	14	14	14	13	13	7	8	4	5	6	2	-	-	-
	White-----M--	547	411	30	6	7	3	4	7	7	4	5	4	7	10	8	6	8	4	6	2	4	3	1	-	-	-
	F--	421	307	31	8	5	9	9	3	2	6	5	1	7	4	4	4	4	3	2	2	1	3	1	-	-	-
	Nonwhite--M--	65	51	1	2	1	1	-	2	1	2	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	F--	39	33	2	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	3,200	3,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,534	1,534	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,063	1,063	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	325	325	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	1,906	1,906	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	909	909	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	1,077	1,077	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	579	26	5	3	2	-	4	7	22	21	15	19	16	11	20	20	29	18	39	49	61	71	71	38	7	5
795	White-----M--	290	14	2	2	-	-	3	5	8	6	6	11	9	4	13	11	19	17	26	30	27	30	28	17	1	1
	F--	231	7	2	1	2	-	1	2	6	5	6	5	4	4	7	7	6	1	12	16	30	39	39	21	5	3
	Nonwhite--M--	35	1	1	-	-	-	-	-	8	5	3	2	2	3	-	1	3	-	-	1	2	2	-	-	1	-
	F--	23	4	-	-	-	-	-	-	5	-	1	1	-	-	1	1	1	-	1	2	2	-	4	-	-	1
Re-	All other diseases	3,442	149	28	30	9	12	57	32	33	48	63	76	129	132	176	254	325	413	391	401	307	241	97	30	9	-
sid-	White-----M--	1,767	77	11	13	3	5	23	17	15	18	19	29	52	56	93	140	181	234	232	222	153	116	42	11	5	-
ual	F--	1,413	48	13	16	5	7	27	14	15	24	29	29	59	53	65	88	123	147	144	167	146	119	54	18	3	-
	Nonwhite--M--	152	14	3	-	1	-	3	1	3	4	3	10	9	15	8	14	13	24	10	6	6	4	-	-	1	-
	F--	110	10	1	1	-	-	4	-	-	2	12	8	9	8	10	12	8	8	5	6	2	2	1	1	-	-
E800-	Accidents----------	5,369	127	70	60	46	39	175	147	287	350	307	317	284	279	302	329	312	325	332	318	318	316	220	92	15	2
E962	White-----M--	3,352	63	34	32	27	14	94	97	209	273	211	208	183	182	212	238	228	226	231	189	139	138	90	32	2	-
	F--	1,465	34	24	16	11	11	49	27	58	44	41	57	49	60	51	59	61	76	85	112	170	172	126	60	11	1
	Nonwhite--M--	395	16	4	7	2	5	21	19	14	21	45	38	43	27	26	28	21	18	14	12	8	3	2	-	1	-
	F--	157	14	8	5	6	9	11	4	6	12	10	14	9	10	13	4	2	5	2	5	1	3	2	-	1	1
E810-	Motor-vehicle																										
E835	accidents--------	2,227	16	15	20	19	18	77	46	191	237	189	178	139	139	137	147	142	138	136	95	80	47	14	6	-	1
	White-----M--	1,501	8	11	7	10	8	44	30	135	186	133	113	91	94	90	96	95	100	94	62	47	30	12	5	-	-
	F--	505	4	3	10	6	5	24	12	46	29	26	40	28	27	26	40	40	30	36	25	28	17	2	1	-	-
	Nonwhite--M--	160	2	1	2	1	1	6	2	7	13	26	17	18	13	13	9	6	7	6	5	5	-	-	-	-	-
	F--	61	2	-	1	2	4	3	2	3	9	4	8	2	5	8	2	1	1	-	3	-	-	-	-	-	1
E800-	All ot. accidents-	3,142	111	55	40	27	21	98	101	96	113	118	139	145	140	165	182	170	187	196	223	238	269	206	86	15	1
E802,	White-----M--	1,851	55	23	25	17	6	50	67	74	87	78	95	92	88	122	142	133	126	137	127	92	108	78	27	2	-
E840-	F--	960	30	21	6	5	6	25	15	12	15	15	17	21	33	25	19	21	46	49	87	142	155	124	59	11	1
E962	Nonwhite--M--	235	14	3	5	1	4	15	17	7	8	19	21	25	14	13	19	15	11	8	7	3	3	2	-	1	-
	F--	96	12	8	4	4	5	8	2	3	3	6	6	7	5	5	2	1	4	2	2	1	3	2	-	1	-
E963,	Suicide----------	934	-	-	-	-	-	-	-	5	27	55	54	60	69	116	89	106	107	97	69	42	25	11	2	-	-
E970-	White-----M--	727	-	-	-	-	-	-	-	3	22	38	41	42	48	86	68	87	88	79	57	34	21	11	2	-	-
E979	F--	187	-	-	-	-	-	-	-	1	4	13	10	16	20	27	20	18	18	18	12	7	3	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	4	3	1	1	2	1	1	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
E964,	Homicide----------	412	4	1	3	1	2	5	3	19	42	52	61	69	43	37	26	18	5	14	4	1	2	-	-	-	-
E980-	White-----M--	121	2	-	2	1	1	4	2	5	14	15	4	15	13	11	13	4	3	9	2	1	-	-	-	-	-
E985	F--	45	2	-	-	-	1	1	1	2	3	4	8	4	3	3	2	3	1	3	2	-	2	-	-	-	-
	Nonwhite--M--	201	-	1	-	-	-	-	-	11	20	26	39	39	26	18	9	9	1	2	-	-	-	-	-	-	-
	F--	45	-	-	1	-	-	-	-	1	5	7	10	11	1	5	2	2	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES------	41,355	2,786	202	117	86	66	215	170	355	348	459	523	649	1,045	1,428	2,110	2,755	3,641	4,674	5,093	5,341	4,850	2,918	1,216	242	66
	White-----M--	22,377	1,455	108	63	47	39	118	105	233	216	299	278	323	611	813	1,202	1,646	2,157	2,713	2,722	2,828	2,392	1,391	498	94	26
	F--	16,686	1,030	73	44	33	25	87	56	99	99	123	192	246	316	452	688	900	1,263	1,728	2,194	2,356	2,355	1,477	686	139	25
	Nonwhite--M--	1,265	174	11	7	4	-	6	5	12	21	29	24	45	62	89	125	104	130	135	110	78	50	23	12	1	8
	F--	1,027	127	10	3	2	2	4	4	11	12	8	29	35	56	74	95	105	91	98	67	79	53	27	20	8	7
001-019	Tuberculosis, all forms--------	402	-	4	3	2	1	2	1	2	8	19	21	27	26	35	34	40	41	48	38	23	22	2	3	-	-
	White-----M--	239	-	-	3	2	-	2	-	-	2	11	6	11	18	21	22	31	30	36	25	7	10	-	2	-	-
	F--	115	-	3	-	-	-	-	1	2	3	5	10	9	4	8	7	7	6	9	12	15	11	2	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	2	3	2	5	3	4	4	-	3	-	1	-	1	-	-	-	-
	F--	20	-	1	-	-	1	-	-	-	1	-	3	2	1	2	1	2	2	3	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	365	-	1	-	-	-	1	1	1	6	13	19	26	24	33	33	36	38	46	37	23	22	2	3	-	-
	White-----M--	218	-	-	-	-	-	1	-	-	2	7	4	11	17	20	21	30	27	34	25	7	10	-	2	-	-
	F--	107	-	1	-	-	-	-	1	1	3	4	10	9	3	8	7	5	6	9	11	15	11	2	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	2	2	4	3	4	4	-	3	-	1	-	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	1	2	3	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	37	-	3	3	2	1	1	-	1	2	6	2	1	2	2	1	4	3	2	1	-	-	-	-	-	-
	White-----M--	21	-	-	3	2	-	1	-	-	-	4	2	-	1	1	1	1	3	2	-	-	-	-	-	-	-
	F--	8	-	2	-	-	-	-	-	1	-	1	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	145	-	-	-	-	-	-	-	-	-	-	-	5	2	10	11	18	30	26	21	11	6	4	1	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	3	1	2	7	9	22	15	10	9	4	3	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	6	4	8	10	2	2	1	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	3	3	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	11	1	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	1	2	-	-	-	-
	White-----M--	14	9	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	34	13	3	6	1	2	3	1	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	18	7	1	5	-	-	1	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	16	6	2	1	1	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	29	1	1	-	1	-	5	2	3	3	4	3	3	1	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	-	-	-	1	-	3	-	2	2	3	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	2	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	1	4	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	142	19	12	4	3	1	8	9	3	3	3	2	4	6	5	5	9	12	8	9	10	3	3	1	-	-
	White-----M--	72	12	7	2	1	-	4	5	2	1	1	1	2	3	2	2	3	8	5	6	1	2	2	-	-	-
	F--	60	4	5	2	2	1	4	3	1	1	1	1	1	3	2	3	4	4	3	3	9	1	1	1	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*-----	6,006	4	8	17	8	11	32	19	14	24	46	85	125	197	288	476	617	790	854	830	721	499	257	71	10	3
	White-----M--	2,949	4	6	11	8	10	20	14	9	13	24	25	43	74	110	210	282	396	466	408	389	249	134	35	7	2
	F--	2,804	-	2	6	-	1	12	5	5	9	20	57	77	111	144	225	296	352	363	405	314	241	121	34	3	1
	Nonwhite--M--	129	-	-	-	-	-	-	-	-	1	1	-	1	4	14	18	18	27	18	14	9	4	-	-	-	-
	F--	124	-	-	-	-	-	-	-	-	1	1	3	4	8	20	23	21	15	7	3	9	5	2	2	-	-
140-148	Of buccal cavity and pharynx------	119	-	-	-	-	-	-	-	-	-	1	-	-	5	6	8	8	12	25	15	24	10	4	1	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	7	10	21	12	17	7	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	2	4	2	5	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	2,223	-	1	1	-	-	1	-	-	2	7	21	19	43	60	130	202	286	357	358	342	234	129	22	5	3
	White-----M--	1,120	-	1	1	-	-	-	-	-	-	3	7	6	14	35	62	105	150	197	175	174	110	63	11	4	2
	F--	1,008	-	-	-	-	-	1	-	-	2	3	14	11	26	17	56	83	113	150	174	162	118	66	10	1	1
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	1	-	1	2	4	8	7	16	10	7	2	4	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	7	7	-	2	4	2	-	1	-	-
160-164	Of respiratory system----------	655	-	-	-	-	-	-	-	1	1	1	5	9	18	41	78	94	123	119	75	44	33	11	2	-	-
	White-----M--	522	-	-	-	-	-	-	-	-	-	1	4	5	11	30	68	82	104	103	57	32	16	7	2	-	-
	F--	100	-	-	-	-	-	-	-	1	1	-	1	4	5	4	4	6	13	12	16	12	17	4	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	6	6	3	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
170	Of breast---------	538	-	-	-	-	-	-	-	1	-	4	11	18	29	45	70	68	77	58	55	39	37	18	8	-	-
	White-----M--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	-	2	1	1	-	1	-	-
	F--	513	-	-	-	-	-	-	-	-	-	4	11	18	27	44	63	65	74	58	52	36	36	18	7	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	1	-	1	2	-	-	-	-	-
171-179	Of genital organs-	1,053	-	-	-	-	-	1	1	2	1	8	21	33	40	66	88	84	112	126	160	151	92	44	20	3	-
	White-----M--	391	-	-	-	-	-	-	-	-	1	3	3	4	3	4	7	11	27	44	78	91	61	37	15	2	-
	F--	601	-	-	-	-	-	1	1	2	-	5	16	27	35	51	68	64	82	75	80	52	30	6	5	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	3	2	5	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	2	2	2	2	11	9	7	3	4	-	3	1	1	-	-	-
180, 181	Of urinary organs-	276	1	1	4	-	-	1	-	1	-	-	4	9	6	19	29	45	44	36	32	26	15	3	-	-	-
	White-----M--	178	1	-	1	-	-	1	-	1	-	-	-	3	5	5	14	19	34	29	14	28	18	4	1	-	-
	F--	89	-	1	3	-	-	-	-	-	-	-	1	4	1	4	9	9	13	21	4	7	11	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	654	-	3	5	1	2	11	7	5	8	9	15	24	24	36	42	80	87	73	71	57	49	29	14	2	-
	White-----M--	329	-	2	3	1	2	8	5	4	5	6	5	13	17	16	26	32	43	36	32	25	25	18	4	1	-
	F--	306	-	1	2	-	-	3	2	1	2	3	9	11	6	17	15	42	39	37	39	32	24	10	10	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	2	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	245	3	3	4	7	6	13	7	3	3	5	4	9	11	13	18	27	19	24	31	18	12	4	1	-	-
	White-----M--	149	3	3	3	7	5	8	5	2	3	3	2	5	7	5	10	12	10	17	21	9	7	2	-	-	-
	F--	86	-	-	1	-	1	5	2	1	-	1	2	3	3	5	8	15	9	5	9	9	4	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	243	-	-	3	-	3	5	4	1	9	11	8	9	18	15	23	25	29	29	29	14	6	3	-	-	-
	White-----M--	162	-	-	3	-	3	3	4	1	4	8	4	7	14	12	15	14	16	19	17	12	4	2	-	-	-
	F--	77	-	-	-	-	-	2	-	-	4	3	4	2	4	3	7	11	11	9	12	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	137	6	2	1	1	1	4	2	-	5	5	5	7	8	14	14	16	12	9	9	4	5	4	3	-	-
	White-----M--	60	-	1	-	1	1	1	-	-	4	2	4	-	4	6	5	10	6	8	1	1	1	2	2	-	-
	F--	68	5	1	-	-	-	3	2	-	-	2	1	7	3	7	8	6	6	1	7	2	4	2	1	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
260	Diabetes mellitus-	728	-	-	-	-	-	2	1	1	2	5	6	7	13	18	40	58	93	128	133	123	58	35	5	-	-
	White-----M--	274	-	-	-	-	-	1	1	-	1	3	1	5	8	8	15	26	32	39	41	47	30	15	1	-	-
	F--	409	-	-	-	-	-	1	-	-	1	2	4	1	3	6	18	24	56	86	87	71	26	19	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-	1	3	2	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	-	1	-	1	3	4	4	5	2	2	3	2	1	-	-	-
290-293	Anemias----------	127	6	-	-	3	-	-	-	3	-	-	-	1	5	2	4	5	10	20	20	21	16	9	-	2	-
	White-----M--	48	1	-	-	2	-	-	-	-	-	-	-	-	2	-	2	2	1	12	11	5	6	4	-	-	-
	F--	72	4	-	-	1	-	-	-	2	-	-	-	-	1	2	2	2	8	8	9	16	10	5	-	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F--	6	1	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	48	23	7	3	-	-	-	-	2	2	-	-	-	-	4	2	3	1	1	-	-	-	-	-	-	-
	White-----M--	25	13	5	1	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-
	F--	17	8	1	2	-	-	-	-	1	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	23,074	13	3	1	4	3	13	11	42	30	57	110	200	453	678	1,078	1,511	2,116	2,931	3,341	3,727	3,524	2,143	878	168	39
	White-----M--	12,570	7	1	1	4	2	5	5	18	12	27	56	110	292	427	668	967	1,298	1,736	1,822	1,968	1,691	1,024	347	67	15
	F--	9,406	5	2	-	-	1	8	5	20	13	23	39	66	105	173	301	423	685	1,031	1,395	1,652	1,753	1,085	508	95	18
	Nonwhite--M--	570	1	-	-	-	-	-	-	2	1	5	5	13	26	42	56	58	73	90	73	57	38	16	11	-	3
	F--	528	-	-	-	-	-	-	1	2	4	2	10	11	30	36	53	63	60	74	51	50	42	18	12	6	3
330-334, 400-468	Diseases of cardiovascular system-	22,538	13	3	1	3	1	7	9	37	25	50	100	190	433	656	1,052	1,473	2,066	2,874	3,290	3,658	3,441	2,100	857	163	36
	White-----M--	12,311	7	1	1	3	-	3	4	17	11	25	51	107	281	417	661	949	1,273	1,709	1,793	1,931	1,647	1,001	339	66	14
	F--	9,180	5	2	-	-	1	4	4	18	10	19	36	61	99	166	291	407	665	1,005	1,376	1,623	1,718	1,067	496	91	16
	Nonwhite--M--	545	1	-	-	-	-	-	-	1	1	5	4	12	24	40	52	57	71	88	71	54	35	15	11	-	3
	F--	502	-	-	-	-	-	-	1	1	3	1	9	10	29	33	48	60	57	72	50	50	41	17	11	6	3
330-334	Vascular lesions, etc.*----------	5,253	2	2	1	1	1	3	1	5	3	8	21	30	59	113	194	270	432	682	805	962	935	513	165	36	9
	White-----M--	2,491	1	1	1	1	-	2	1	2	3	2	11	10	25	51	79	131	215	361	396	469	427	220	66	11	5
	F--	2,468	1	1	-	-	1	1	-	3	-	4	9	15	19	43	81	102	179	278	373	466	486	286	95	23	2
	Nonwhite--M--	149	-	-	-	-	-	-	-	-	-	2	-	1	7	12	11	19	22	24	20	11	14	4	2	-	-
	F--	145	-	-	-	-	-	-	-	-	-	-	1	4	8	7	23	18	16	19	16	16	8	3	2	2	2
400-402	Rheumatic fever---	44	-	-	-	-	-	3	6	11	3	4	1	1	1	-	4	3	2	3	-	-	2	-	-	-	-
	White-----M--	20	-	-	-	-	-	1	2	5	-	2	1	-	-	-	3	3	1	2	-	-	-	-	-	-	-
	F--	22	-	-	-	-	-	2	3	6	2	2	-	1	1	-	1	-	1	1	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
410-443	Diseases of heart-	15,474	10	1	-	1	-	1	1	15	16	34	68	142	342	519	823	1,158	1,557	2,054	2,276	2,402	2,138	1,283	535	77	21
	White-----M--	8,964	6	-	-	1	-	-	1	9	7	20	34	87	244	352	560	793	1,013	1,282	1,294	1,313	1,057	631	220	33	7
	F--	5,850	3	1	-	-	-	1	-	4	7	10	23	39	71	118	200	291	460	664	911	1,023	1,039	634	298	42	11
	Nonwhite--M--	348	1	-	-	-	-	-	-	1	1	3	4	10	9	26	39	33	45	59	45	36	17	8	9	-	2
	F--	312	-	-	-	-	-	-	-	1	1	1	7	6	18	23	24	41	39	49	26	30	25	10	8	2	1
410-416	Chronic rheumatic heart disease----	541	1	-	-	-	-	-	1	8	9	20	17	26	44	52	65	45	51	65	52	41	19	19	5	-	1
	White-----M--	261	-	-	-	-	-	-	1	5	4	13	7	12	17	20	23	26	30	35	25	21	9	11	1	-	1
	F--	247	1	-	-	-	-	-	-	2	4	6	9	13	22	28	36	17	18	24	25	20	10	8	4	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	1	1	1	1	1	-	3	-	-	3	1	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	2	3	3	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	9,761	2	-	-	-	-	-	-	1	3	11	30	85	227	366	574	831	1,093	1,430	1,501	1,505	1,136	681	244	32	9
	White-----M--	6,219	1	-	-	-	-	-	-	1	2	7	23	66	186	287	439	624	770	952	922	884	585	344	109	15	2
	F--	3,207	-	-	-	-	-	-	-	-	1	2	4	13	33	52	102	169	284	418	538	583	531	327	127	17	6
	Nonwhite--M--	198	1	-	-	-	-	-	-	-	-	1	2	3	4	20	24	21	25	33	26	18	11	5	4	-	-
	F--	137	-	-	-	-	-	-	-	-	-	1	1	3	4	7	9	17	14	27	15	20	9	5	4	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,042	-	1	-	1	-	-	-	2	4	3	4	5	15	19	50	75	116	203	281	338	462	280	143	34	6
	White-----M--	1,016	-	-	-	1	-	-	-	2	1	-	1	2	14	10	30	41	63	119	141	167	217	138	54	13	2
	F--	965	-	1	-	-	-	-	-	-	2	2	3	3	-	7	18	28	49	76	129	162	240	137	83	21	4
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	7	8	6	2	1	3	-	-
	F--	26	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	4	2	1	3	3	3	4	3	-	-
430-434	Other diseases of heart---------	702	7	-	-	-	-	1	-	3	-	-	11	11	20	21	39	54	85	74	96	83	109	54	30	3	1
	White-----M--	396	5	-	-	-	-	-	-	1	-	-	3	3	10	10	26	35	44	43	64	49	60	29	12	1	1
	F--	266	2	-	-	-	-	1	-	1	-	-	5	5	7	10	9	16	31	26	30	33	48	24	17	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	8	3	2	1	-	1	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	-	3	1	1	-	1	1	2	2	-	-	1	-	1	1	-
440-443	Hypertension with heart dis.--	2,428	-	-	-	-	-	-	-	1	-	-	6	15	36	61	95	153	212	282	346	435	412	249	113	8	4
	White-----M--	1,072	-	-	-	-	-	-	-	-	-	-	-	4	17	25	42	67	106	133	142	192	186	109	44	4	1
	F--	1,165	-	-	-	-	-	-	-	1	-	-	2	5	9	21	35	61	78	120	189	225	210	138	67	3	1
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	-	1	4	2	4	7	8	10	13	8	11	4	1	2	-	2
	F--	114	-	-	-	-	-	-	-	-	-	-	3	2	8	11	11	17	18	16	7	7	12	1	-	1	-
444-447	Hypertension without mention of heart----------	381	-	-	-	-	-	-	-	1	1	1	5	11	18	15	15	15	26	46	51	64	51	32	21	7	1
	White-----M--	166	-	-	-	-	-	-	-	-	-	-	1	6	5	7	7	7	15	16	24	29	21	16	8	3	1
	F--	176	-	-	-	-	-	-	-	1	1	1	3	4	4	4	5	6	9	28	22	31	28	14	13	2	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	7	2	2	1	2	1	3	1	2	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	1	2	3	-	1	-	2	-
450	General arteriosclerosis--------	1,188	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	11	26	60	132	204	303	264	134	42	5
	White-----M--	553	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	15	29	65	104	137	128	44	18	1
	F--	594	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	8	25	59	93	156	131	89	24	3
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	6	2	2	-	-	1
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	1	8	3	1	-	-
451-468	Other diseases of circulatory sys.-	198	1	-	-	1	-	-	1	5	2	2	5	6	13	8	11	16	23	29	26	26	12	8	2	1	-
	White-----M--	117	-	-	-	1	-	-	1	1	1	1	4	4	7	6	8	8	14	19	14	16	5	6	1	1	-
	F--	70	1	-	-	-	-	-	1	4	-	1	1	2	4	1	3	4	8	9	11	10	7	2	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	536	-	-	-	1	2	6	2	5	5	7	10	10	20	22	26	38	50	57	51	69	83	43	21	5	3
	White-----M--	259	-	-	-	1	2	2	1	1	1	2	5	3	11	10	7	18	25	27	29	37	44	23	8	1	1
	F--	226	-	-	-	-	-	4	1	2	3	4	3	5	6	7	10	16	20	26	19	29	35	18	12	4	2
	Nonwhite--M--	25	-	-	-	-	-	-	-	1	-	-	1	1	2	2	4	1	2	2	2	3	3	1	-	-	-
	F--	26	-	-	-	-	-	-	-	1	1	1	1	1	1	3	5	3	3	2	1	-	1	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,402	267	46	18	15	6	22	7	5	8	10	12	13	28	32	51	56	77	93	113	137	165	134	60	24	5
	White-----M--	702	114	25	8	5	4	10	2	3	5	3	2	6	13	19	28	35	52	45	64	78	81	61	26	11	2
	F--	5.2	111	11	6	9	1	9	5	2	2	5	8	5	9	6	9	14	16	37	43	52	81	68	30	12	1
	Nonwhite--M--	91	28	4	2	-	-	1	-	-	-	2	1	2	4	4	13	4	8	5	6	2	2	2	-	-	1
	F--	97	14	6	-	1	1	2	-	-	1	-	1	-	2	3	1	3	1	6	-	5	1	3	4	1	1
480-483	Influenza---------	306	32	4	4	4	-	5	1	2	-	2	1	1	3	6	8	14	18	19	29	38	50	43	19	4	1
	White-----M--	159	21	2	3	2	-	3	-	1	-	1	1	1	-	4	5	9	9	10	17	19	24	19	7	2	-
	F--	137	9	2	2	2	-	2	1	1	-	1	-	-	2	1	2	5	9	8	12	16	26	23	11	2	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	3	-	1	1	-	-
490-493	Pneumonia, etc.*--	1,094	235	42	12	11	6	17	6	3	3	8	11	12	25	26	43	42	59	74	84	99	115	91	41	20	4
	White-----M--	543	93	23	6	3	4	7	2	2	5	2	1	5	13	15	23	26	43	35	47	59	57	42	19	9	2
	F--	415	102	9	4	7	1	7	4	1	2	4	8	5	7	5	7	9	7	29	31	36	55	45	19	10	1
	Nonwhite--M--	87	26	4	2	-	-	1	-	-	-	2	1	2	4	4	12	4	8	5	6	2	2	2	-	-	-
	F--	49	14	6	-	1	1	2	-	-	1	-	1	-	1	2	1	3	1	5	-	2	1	2	3	1	1
500-502	Bronchitis--------	72	27	3	2	2	-	1	-	-	-	-	-	-	1	2	-	1	3	5	4	2	8	5	2	4	-
	White-----M--	35	14	1	1	-	-	1	-	-	-	-	-	-	1	-	1	3	1	2	2	3	2	1	2	-	-
	F--	33	12	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	4	2	-	4	3	1	2	-	-
	Nonwhite--M--	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	204	1	-	-	-	-	1	-	2	-	1	2	6	10	14	18	21	33	29	26	19	10	7	4	-	-
	White-----M--	166	1	-	-	-	-	1	-	2	-	1	2	4	8	11	14	19	31	23	20	14	9	4	2	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	3	6	4	1	3	2	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	3	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	78	-	1	1	-	1	5	3	2	2	2	4	1	10	4	5	6	5	12	5	2	3	1	3	-	-
	White-----M--	40	-	-	-	-	1	2	2	1	2	1	2	-	4	1	1	3	2	7	3	2	3	1	2	-	-
	F--	26	-	1	1	-	-	3	1	1	-	-	1	1	3	2	2	2	2	3	2	-	-	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	217	21	-	-	-	-	2	1	2	2	1	3	1	9	10	8	14	22	22	32	19	34	10	3	1	-
	White-----M--	104	11	-	-	-	-	-	-	1	1	1	1	-	4	5	3	4	13	16	13	10	16	3	1	1	-
	F--	100	8	-	-	-	-	2	1	1	1	-	1	1	4	5	4	9	6	5	18	8	18	7	1	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	1	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543, 571, 572	Gastritis, etc.*--	221	93	8	2	3	1	1	-	2	-	1	3	3	2	7	8	7	8	14	10	21	13	8	5	1	-
	White-----M--	90	40	3	1	1	-	-	-	-	-	-	2	-	2	5	3	3	3	9	2	5	7	2	2	-	-
	F--	108	36	3	1	2	1	1	-	2	-	1	1	3	-	2	5	3	5	2	8	16	6	6	3	1	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	13	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	417	2	-	-	-	-	1	1	-	-	4	11	23	28	43	46	57	40	47	47	29	27	8	2	-	1
	White-----M--	277	2	-	-	-	-	1	-	-	-	4	4	14	22	27	35	40	30	32	27	17	17	4	1	-	-
	F--	122	-	-	-	-	-	-	1	-	-	-	6	6	4	15	6	14	10	13	20	12	10	4	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	-	2	-	-	-	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	79	-	-	1	1	-	2	1	4	2	3	3	1	6	3	10	9	3	5	7	10	6	1	1	-	-
	White-----M--	38	-	-	1	1	-	1	1	2	-	1	2	1	3	1	3	3	3	3	2	6	3	-	1	-	-
	F--	30	-	-	-	-	-	1	-	-	2	1	1	-	3	-	6	4	-	2	4	4	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	1	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	19	37	44	59	20	12	1	-
	White-----M--	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	17	35	43	59	20	12	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	39	...	...	...	...	...	...	-	2	7	7	11	8	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	1	5	7	9	7	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	37	...	...	...	...	...	...	-	2	6	7	10	8	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	31	...	...	...	...	...	...	-	1	4	7	8	7	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	571	456	30	10	4	2	6	8	5	3	6	3	5	4	6	8	3	2	7	1	1	1	-	-	-	-
	White-----M--	286	235	13	5	2	1	1	4	1	2	5	1	1	1	2	4	2	1	2	1	1	1	-	-	-	-
	F--	240	184	16	5	1	1	4	3	4	1	1	1	3	3	3	4	1	1	4	-	-	-	-	-	-	-
	Nonwhite--M--	30	25	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	15	12	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,590	1,589	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	855	854	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	561	561	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	591	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	889	888	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	475	474	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	225	17	2	-	1	-	1	1	1	3	4	3	2	4	2	6	9	7	12	11	23	36	36	24	16	4
	White-----M--	113	12	-	-	1	-	-	1	1	3	2	1	-	2	2	2	7	6	6	5	9	20	17	7	7	2
	F--	93	4	1	-	-	-	-	-	-	-	1	1	1	1	-	3	2	1	5	5	10	16	17	16	8	1
	Nonwhite--M--	10	1	1	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	1	1	1	-
Residual	All other diseases	1,756	87	18	9	10	8	25	18	25	22	25	44	43	64	80	102	134	179	199	202	178	149	87	38	7	3
	White-----M--	926	43	12	3	3	4	11	14	10	10	11	22	17	31	38	47	90	108	108	100	96	87	40	20	-	1
	F--	741	37	6	3	7	4	12	4	11	11	10	18	19	27	36	46	41	64	87	92	77	60	45	18	6	-
	Nonwhite--M--	43	3	-	2	-	-	1	-	2	1	3	3	2	3	3	5	1	3	2	5	1	1	1	-	1	-
	F--	46	4	-	1	-	-	1	-	2	-	1	1	5	3	3	4	2	4	2	5	4	1	1	-	-	2
E800-E962	Accidents----------	2,816	116	47	39	27	26	77	79	219	195	203	139	113	114	126	128	117	107	131	167	189	198	142	96	12	9
	White-----M--	1,797	70	29	19	15	16	52	56	172	145	170	113	81	83	88	88	76	78	79	97	97	86	50	34	-	3
	F--	866	36	14	16	9	10	22	19	40	39	24	19	22	21	23	26	31	22	49	63	87	108	89	61	12	4
	Nonwhite--M--	110	5	2	2	2	-	2	3	6	11	7	7	6	7	11	12	5	7	1	4	4	2	2	-	-	2
	F--	43	5	2	2	1	-	1	1	1	-	2	-	4	3	4	2	5	-	2	3	1	2	1	1	-	-
E810-E835	Motor-vehicle accidents--------	1,244	18	16	10	9	16	28	32	149	145	140	87	71	70	62	73	62	49	59	60	41	30	6	5	1	5
	White-----M--	877	10	10	6	6	10	18	19	112	106	112	68	51	48	44	46	41	34	37	38	30	22	4	4	-	1
	F--	303	8	5	4	3	6	8	10	34	36	19	14	14	15	13	19	19	11	21	20	11	7	2	1	1	2
	Nonwhite--M--	51	-	1	-	-	-	2	3	2	3	7	5	5	5	2	7	1	4	1	1	-	-	-	-	-	2
	F--	13	-	-	-	-	-	-	-	1	-	2	-	1	2	3	1	1	-	-	1	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,572	98	31	29	18	10	49	47	70	50	63	52	42	44	64	55	55	58	72	107	148	168	136	91	11	4
	White-----M--	920	60	19	13	9	6	34	37	60	39	58	45	30	35	44	42	35	44	42	59	67	64	46	30	-	2
	F--	563	28	9	12	6	4	14	9	6	3	5	5	8	6	10	7	12	11	28	43	76	101	87	60	11	2
	Nonwhite--M--	59	5	1	2	2	-	-	-	4	8	-	2	1	2	9	5	4	3	-	3	4	2	2	-	-	-
	F--	30	5	2	2	1	-	1	1	-	-	-	-	3	1	1	1	4	-	2	2	1	1	1	1	-	-
E963, E970-E979	Suicide----------	422	-	-	-	-	-	-	2	10	13	24	34	30	37	39	41	35	40	49	31	20	9	5	2	-	1
	White-----M--	319	-	-	-	-	-	-	-	6	5	14	22	19	29	34	31	27	30	43	26	19	8	4	1	-	1
	F--	91	-	-	-	-	-	-	1	2	6	10	11	11	6	5	8	8	9	6	5	1	-	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	1	1	1	-	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	124	5	-	1	-	1	-	1	4	11	26	15	18	13	6	10	4	4	3	1	-	-	-	-	-	1
	White-----M--	53	2	-	1	-	-	-	-	2	5	13	7	4	5	2	7	-	3	1	1	-	-	-	-	-	-
	F--	25	3	-	-	-	1	-	1	1	2	8	2	3	-	2	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	1	4	5	3	8	6	2	2	2	1	2	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	3	3	2	-	1	-	-	-	-	-	-	-	-	-	1
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES------	26,787	1,357	99	55	55	45	125	110	182	193	202	244	286	532	765	1,087	1,644	2,285	2,879	3,384	3,908	3,682	2,401	1,026	215	46
	White-----M--	15,091	778	51	29	31	21	72	66	127	129	135	147	176	348	507	668	1,022	1,441	1,774	1,917	2,088	1,871	1,152	447	80	14
	F--	11,417	556	48	26	24	24	53	43	51	61	65	93	103	173	246	398	603	797	1,074	1,434	1,790	1,781	1,234	575	135	30
	Nonwhite--M--	155	13	-	-	-	-	-	1	2	1	2	1	4	7	8	16	9	13	11	22	19	15	7	3	-	1
	F--	124	10	-	-	-	-	-	-	2	2	-	3	3	4	4	5	10	14	20	11	11	15	8	1	-	1
001-019	Tuberculosis, all forms--------	123	-	-	-	-	1	-	1	-	4	2	5	2	8	9	16	16	14	13	4	15	10	2	1	-	-
	White-----M--	78	-	-	-	-	1	-	-	-	1	1	2	1	6	5	11	10	11	10	3	8	7	1	-	-	-
	F--	42	-	-	-	-	-	-	1	-	3	-	2	1	2	3	5	6	3	3	1	7	3	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	112	-	-	-	-	-	-	1	-	3	2	3	2	7	9	15	15	13	12	3	15	9	2	1	-	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	1	1	1	6	5	11	10	10	10	2	8	6	1	-	-	-
	F--	37	-	-	-	-	-	-	1	-	3	-	1	1	1	3	4	5	3	2	1	7	3	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	-	-	-	1	-	-	-	1	-	2	-	1	-	1	1	1	1	1	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	81	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	9	17	20	11	5	2	4	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	6	11	12	7	2	2	3	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	5	6	4	3	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	7	-	-	1	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	19	9	3	-	-	-	2	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	7	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	25	1	1	-	-	-	4	5	1	1	6	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	-	1	-	-	-	1	4	1	-	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	11	3	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	6	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	61	5	3	-	-	-	1	4	-	1	2	1	1	4	1	3	5	5	7	4	5	5	3	-	1	-
	White-----M--	33	3	3	-	-	-	1	1	-	-	1	1	-	3	-	2	4	4	4	2	3	1	-	-	-	-
	F--	28	2	-	-	-	-	-	3	-	1	1	-	1	1	1	1	1	1	3	2	2	4	3	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
140-205	Malignant neoplasms, etc.*----	4,236	4	5	7	10	6	17	21	17	12	24	45	68	123	182	291	417	512	603	584	544	444	222	68	7	3
	White-----M--	2,205	-	3	2	5	3	8	10	8	7	10	16	30	55	83	142	197	280	348	304	301	235	122	30	5	1
	F--	1,993	4	2	5	5	3	9	10	8	4	14	29	38	67	97	146	215	229	251	272	240	206	99	37	2	1
	Nonwhite--M--	22	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	2	2	6	3	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	2	1	2	2	-	2	1	1	-	1
140-148	Of buccal cavity and pharynx------	82	-	-	-	-	1	-	-	1	1	-	-	2	1	1	5	11	7	11	10	11	9	10	1	-	-
	White-----M--	64	-	-	-	-	1	-	-	-	1	-	-	1	1	1	4	8	5	11	6	9	8	7	1	-	-
	F--	17	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	3	2	-	3	2	1	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum--------	1,607	-	-	-	-	-	1	-	-	1	3	7	14	29	39	84	143	194	247	244	239	217	112	31	1	1
	White-----M--	866	-	-	-	-	-	-	-	-	1	1	3	8	17	26	44	73	120	147	124	128	102	59	13	-	-
	F--	729	-	-	-	-	-	1	-	-	-	2	4	6	12	13	40	67	74	98	119	108	114	52	18	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	-	1
160-164	Of respiratory system----------	403	1	-	1	-	-	-	-	1	-	-	2	5	17	20	44	72	73	62	46	36	13	10	-	-	-
	White-----M--	329	-	-	-	-	-	-	-	1	-	-	1	5	16	18	39	58	64	54	34	23	10	6	-	-	-
	F--	69	1	-	1	-	-	-	-	-	-	-	1	-	1	2	3	12	9	8	11	13	3	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	388	-	-	-	-	-	-	1	-	-	2	5	11	28	38	42	51	45	38	37	45	27	12	5	-	1
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
	F--	383	-	-	-	-	-	-	1	-	-	2	5	11	28	36	42	51	45	37	36	45	26	12	5	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	645	-	-	-	-	-	-	2	2	-	5	9	8	13	22	36	49	69	96	103	111	78	26	13	3	-
	White-----M--	312	-	-	-	-	-	-	-	-	-	3	3	2	1	1	3	7	19	45	58	78	58	23	8	3	-
	F--	325	-	-	-	-	-	-	2	1	-	2	6	6	12	21	32	42	49	50	41	33	20	3	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
180, 181	Of urinary organs-	202	-	1	-	1	-	2	-	-	1	2	-	1	3	10	13	18	22	20	40	22	27	15	3	1	-
	White-----M--	141	-	-	-	-	-	-	-	-	-	1	-	1	2	5	10	14	13	15	31	17	20	10	1	1	-
	F--	58	-	1	-	1	-	2	-	-	-	1	-	-	1	4	3	4	8	5	9	5	7	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	487	1	2	4	4	1	8	11	5	5	7	5	13	15	30	43	39	49	64	57	41	43	25	13	2	-
	White-----M--	242	-	1	1	2	-	4	6	2	2	5	3	6	8	15	23	18	27	39	21	25	17	10	6	1	-
	F--	240	1	1	3	2	1	4	4	3	3	2	2	7	7	15	20	21	22	24	35	16	25	15	6	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
204	Leukemia and aleukemia----------	218	2	2	1	4	3	5	6	6	3	2	6	7	6	8	7	17	18	34	25	21	23	10	1	-	1
	White-----M--	132	-	2	-	2	1	3	3	4	2	-	3	3	2	6	6	8	12	22	17	13	15	6	1	-	1
	F--	85	2	-	1	2	2	2	3	2	1	2	3	4	4	2	1	9	6	12	8	8	7	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	204	-	-	1	1	1	1	2	1	3	11	7	11	14	17	17	35	31	22	18	7	2	1	-	-	-
	White-----M--	115	-	-	1	1	1	1	1	1	-	3	4	8	10	13	11	20	14	12	8	4	1	-	-	-	-
	F--	87	-	-	-	-	-	-	-	1	-	3	8	3	2	4	4	6	14	17	10	10	3	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	102	2	-	-	-	1	2	-	2	-	3	1	4	6	6	11	13	11	16	4	10	7	2	1	-	-
	White-----M--	45	2	-	-	-	1	1	-	1	-	2	1	-	-	2	3	4	6	13	4	3	2	-	-	-	-
	F--	55	-	-	-	-	-	1	-	-	-	1	-	4	6	4	8	9	5	2	-	7	5	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	435	-	-	1	-	-	-	-	1	2	3	6	10	9	5	16	17	56	60	81	76	61	23	8	-	-
	White-----M--	181	-	-	1	-	-	-	-	-	-	-	4	5	5	4	5	11	18	25	31	30	23	14	5	-	-
	F--	248	-	-	-	-	-	-	-	1	2	3	2	4	4	1	11	6	38	31	50	46	38	8	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
290-293	Anemias----------	88	4	-	-	1	-	1	-	1	2	3	-	-	2	1	2	1	-	11	9	15	24	10	1	-	-
	White-----M--	44	2	-	-	-	-	-	-	-	1	3	-	-	-	1	2	-	-	5	4	8	12	6	-	-	-
	F--	43	2	-	-	1	-	1	-	1	-	-	-	-	2	-	-	1	-	6	5	7	12	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	19	4	1	1	-	-	2	-	-	-	-	1	-	-	1	3	-	4	1	-	-	1	-	-	-	-
	White-----M--	13	2	-	1	-	-	2	-	-	-	-	-	-	-	1	3	-	3	1	-	-	-	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,260	5	2	1	-	-	8	12	13	22	25	47	75	198	321	497	858	1,267	1,749	2,232	2,708	2,590	1,707	744	149	30
	White-----M--	8,541	4	-	-	-	-	3	7	6	14	13	28	52	140	231	346	575	850	1,085	1,289	1,436	1,308	778	315	54	7
	F--	6,566	1	2	1	-	-	5	5	7	8	12	19	21	50	84	136	275	397	647	924	1,249	1,260	919	426	95	23
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	-	-	-	-	6	3	11	3	9	6	11	13	11	5	3	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	5	11	11	8	10	11	5	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	14,959	4	2	1	-	-	7	9	9	12	19	45	69	186	310	484	839	1,243	1,713	2,199	2,665	2,546	1,689	732	148	28
	White-----M--	8,389	3	-	-	-	-	3	6	6	6	9	27	47	131	224	340	561	837	1,089	1,270	1,420	1,288	772	310	53	7
	F--	6,426	1	2	1	-	-	4	3	3	6	10	18	20	47	80	130	270	389	628	910	1,224	1,238	907	419	95	21
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	-	6	3	11	3	8	6	11	12	11	5	3	-	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	5	9	10	8	9	9	5	-	-	-
330-334	Vascular lesions, etc.*----------	3,896	-	-	-	-	-	1	1	-	3	2	10	12	27	54	92	165	232	450	579	754	789	487	194	41	3
	White-----M--	1,893	-	-	-	-	-	-	1	-	2	2	6	7	12	25	44	80	128	232	293	375	375	217	77	15	2
	F--	1,949	-	-	-	-	-	1	-	-	1	-	4	5	12	28	42	82	98	208	281	368	408	268	116	26	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-	4	3	4	6	4	-	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	7	1	5	2	2	-	-	-
400-402	Rheumatic fever---	38	-	-	-	-	-	4	5	3	2	1	4	1	4	-	-	3	3	2	2	2	1	1	-	-	-
	White-----M--	19	-	-	-	-	-	1	3	2	1	-	2	-	2	-	-	3	2	-	2	1	-	-	-	-	-
	F--	19	-	-	-	-	-	3	2	1	1	1	2	1	2	-	-	-	1	2	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
410-443	Diseases of heart-	9,919	3	2	1	-	-	2	3	3	4	15	25	48	143	240	374	647	955	1,203	1,493	1,727	1,524	991	413	82	21
	White-----M--	5,908	2	-	-	-	-	2	2	3	2	7	17	33	111	188	284	462	675	805	899	941	791	462	188	30	4
	F--	3,928	1	2	1	-	-	-	1	-	2	8	8	13	28	47	82	180	270	393	582	776	720	522	223	52	17
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	4	3	6	3	4	2	5	6	7	4	2	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	6	3	7	4	6	3	-	-	-
410-416	Chronic rheumatic heart disease----	319	-	-	-	-	-	-	2	3	1	5	11	12	27	25	25	44	29	34	42	28	17	9	5	-	-
	White-----M--	167	-	-	-	-	-	-	1	3	-	1	6	6	20	15	11	21	16	15	27	13	8	2	2	-	-
	F--	148	-	-	-	-	-	-	1	-	1	4	5	5	7	8	13	23	13	19	15	15	9	7	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,852	1	-	-	-	-	-	1	-	3	5	9	28	97	182	285	497	762	939	1,089	1,183	952	559	203	43	14
	White-----M--	4,380	-	-	-	-	-	-	1	-	2	4	9	24	79	156	237	379	563	652	675	683	518	274	98	22	4
	F--	2,419	1	-	-	-	-	-	-	-	1	1	-	4	16	24	46	116	192	282	406	494	423	279	103	21	10
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	2	3	3	5	4	2	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	3	6	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,295	1	-	-	-	-	1	-	-	-	2	-	3	1	8	16	31	54	79	157	254	275	259	119	32	3
	White-----M--	640	1	-	-	-	-	1	-	-	-	1	-	2	1	5	11	16	30	49	87	126	140	118	46	6	-
	F--	650	-	-	-	-	-	-	-	-	-	1	-	1	-	3	4	14	24	30	69	127	134	141	73	26	3
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
430-434	Other diseases of heart---------	405	1	2	1	-	-	1	-	-	-	3	3	1	3	6	13	26	28	39	64	58	66	46	37	4	3
	White-----M--	232	1	-	-	-	-	1	-	-	-	1	1	-	3	4	8	18	20	29	39	36	33	20	17	1	-
	F--	166	-	2	1	-	-	-	-	-	-	2	2	-	-	2	4	6	8	10	24	21	32	26	20	3	3
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,048	-	-	-	-	-	-	-	-	-	-	2	4	15	19	35	49	82	112	141	204	214	118	49	3	1
	White-----M--	489	-	-	-	-	-	-	-	-	-	-	1	1	8	8	17	28	46	60	71	83	92	48	25	1	-
	F--	545	-	-	-	-	-	-	-	-	-	-	1	3	5	10	15	21	33	52	68	119	122	69	24	2	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	226	-	-	-	-	-	-	-	-	1	-	1	6	8	5	4	6	14	18	27	39	40	35	17	4	1
	White-----M--	119	-	-	-	-	-	-	-	-	1	-	1	5	2	5	4	4	8	8	18	20	18	17	7	-	1
	F--	103	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-	2	6	9	8	19	21	18	10	4	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis--------	712	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	12	25	72	129	176	165	105	21	3
	White-----M--	349	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	15	40	74	94	73	36	8	-
	F--	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	31	55	82	91	69	13	3
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	168	1	-	-	-	-	-	-	3	2	1	5	2	4	10	13	16	27	15	26	14	16	10	3	-	-
	White-----M--	101	1	-	-	-	-	-	-	1	-	-	1	2	4	5	7	10	19	9	18	9	10	3	2	-	-
	F--	67	-	-	-	-	-	-	-	2	2	1	4	-	-	5	6	6	8	6	8	5	6	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	301	1	-	-	-	-	1	3	4	10	6	2	6	12	11	13	19	24	36	33	43	44	18	12	1	2
	White-----M--	152	1	-	-	-	-	-	1	-	8	4	1	5	9	7	6	14	13	16	19	16	20	6	5	1	-
	F--	140	-	-	-	-	-	1	2	4	2	2	1	1	3	4	6	5	8	19	14	25	22	12	7	-	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	940	88	12	6	4	3	8	5	8	4	6	1	7	6	17	25	32	45	59	92	140	153	127	71	18	3
	White-----M--	486	48	4	3	3	-	2	1	4	2	2	-	5	5	11	13	16	34	33	53	71	68	67	34	6	1
	F--	443	38	8	3	1	3	6	4	4	2	4	1	2	1	6	12	14	11	25	38	67	83	59	37	12	2
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
480-483	Influenza---------	281	13	2	-	1	3	3	1	3	2	2	1	5	2	4	6	11	10	18	37	41	42	40	26	7	1
	White-----M--	140	4	1	-	-	-	-	-	1	-	-	-	3	2	2	4	5	6	12	19	24	20	23	11	3	-
	F--	138	9	1	-	1	3	3	1	2	2	2	1	2	-	2	2	6	4	6	17	17	21	16	15	4	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
490-493	Pneumonia, etc.*--	659	75	10	6	3	-	5	4	5	2	4	-	2	4	13	19	21	35	41	55	99	111	87	45	11	2
	White-----M--	346	44	3	3	3	-	2	1	3	2	2	-	2	3	9	9	11	28	21	34	47	48	44	23	3	1
	F--	305	29	7	3	-	-	3	3	2	-	2	-	-	1	4	10	8	7	19	21	50	62	43	22	8	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	45	12	1	-	-	-	1	-	-	-	-	-	-	2	1	3	1	5	5	3	4	3	3	-	1	
	White-----M--	27	5	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	4	2	2	3	2	-	-	
	F--	18	7	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	1	-	1	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
540, 541	Ulcer of stomach and duodenum------	170	2	-	-	-	-	-	-	-	-	-	2	4	6	13	8	23	23	14	19	20	24	10	2	-	-
	White-----M--	138	1	-	-	-	-	-	-	-	-	-	2	4	5	11	7	22	19	13	16	11	18	7	2	-	-
	F--	31	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	1	3	9	6	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	43	-	-	-	1	1	3	2	-	2	-	3	1	3	4	5	2	6	1	2	5	2	-	-	-	-
	White-----M--	32	-	-	-	-	1	2	1	-	2	-	2	1	3	4	4	2	5	-	-	3	2	-	-	-	-
	F--	9	-	-	-	1	-	1	1	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	159	13	1	-	1	-	-	1	1	2	1	2	1	3	6	6	9	8	18	18	24	18	19	7	-	-
	White-----M--	87	12	1	-	-	-	-	1	1	1	-	2	-	-	1	1	7	5	9	10	16	11	7	2	-	-
	F--	71	1	-	-	1	-	-	-	-	1	1	-	1	3	5	4	2	3	9	8	8	7	12	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Continued																										
543, 571, 572	Gastritis, etc.*--	77	12	3	4	-	-	1	1	3	-	2	3	-	-	-	4	2	3	8	10	10	5	3	2	1	-
	White-----M--	39	6	3	2	-	-	-	1	2	-	1	2	-	-	-	2	2	-	4	5	4	3	1	1	-	-
	F--	38	6	-	2	-	-	1	-	1	-	1	1	-	-	-	2	-	3	4	5	6	2	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	142	-	-	-	-	-	-	1	-	-	1	2	5	7	7	18	20	18	19	19	10	7	8	-	-	-
	White-----M--	90	-	-	-	-	-	-	1	-	-	1	2	1	7	6	12	15	10	12	10	5	4	4	-	-	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	4	-	1	6	5	8	7	9	5	3	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	64	-	-	1	-	1	3	2	1	1	3	1	3	6	5	1	7	6	5	4	7	4	2	1	-	-
	White-----M--	45	-	-	1	-	-	3	1	1	1	2	1	2	6	4	1	5	2	5	2	5	2	1	-	-	-
	F--	18	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	1	4	-	2	2	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	25	27	26	21	10	1	-
	White-----M--	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	25	27	26	21	10	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	25	...	...	...	...	...	...	-	2	4	5	6	4	3	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	...	...	...	-	2	4	5	6	4	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	22	...	...	...	...	...	...	-	1	3	4	6	4	3	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	1	3	4	6	4	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	317	227	17	3	9	4	7	5	6	8	6	1	2	3	2	4	2	2	5	1	2	1	-	-	-	-
	White-----M--	171	123	9	1	5	2	2	2	4	4	4	1	1	1	-	2	1	2	4	1	2	-	-	-	-	-
	F--	144	102	8	2	4	2	5	3	2	4	2	-	1	2	2	2	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	844	844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	496	496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	413	413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	392	592	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	150	4	3	1	-	1	-	1	-	-	1	1	1	5	4	2	4	4	8	9	12	23	33	22	8	3
	White-----M--	78	3	1	-	-	-	-	-	-	-	-	1	1	4	3	2	2	2	7	4	5	11	19	8	3	2
	F--	69	1	2	1	-	1	-	1	-	-	1	-	-	1	1	-	2	2	-	4	7	12	13	14	5	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	1,253	60	10	6	7	14	13	9	11	11	12	27	21	41	51	60	87	138	148	129	143	128	82	33	12	-
	White-----M--	705	33	4	-	4	6	9	9	7	7	6	13	15	27	33	30	48	81	94	71	79	68	44	13	4	-
	F--	533	25	6	6	3	8	4	-	3	4	6	13	6	13	18	29	38	55	54	56	63	58	37	20	8	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-
	F--	8	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	1	-	-	-
E800-E962	Accidents----------	1,662	55	35	20	19	12	49	36	106	108	81	75	53	70	95	68	83	77	83	100	115	132	116	50	18	6
	White-----M--	1,095	28	19	15	13	7	34	25	83	80	71	59	42	57	80	48	64	58	63	53	57	55	51	23	7	3
	F--	547	23	16	5	6	5	15	11	22	27	9	14	9	12	13	20	18	19	19	46	57	76	65	27	11	2
	Nonwhite--M--	15	4	-	-	-	-	-	-	1	1	1	1	1	-	2	-	-	-	1	1	1	-	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	601	5	9	7	5	5	21	11	71	67	50	46	29	35	38	29	41	38	30	27	21	12	1	3	-	-
	White-----M--	427	3	4	4	3	1	14	7	52	47	43	38	18	24	29	17	26	28	23	17	15	10	1	3	-	-
	F--	166	2	5	3	2	4	7	4	19	20	6	7	9	11	7	12	14	10	6	10	6	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,061	50	26	13	14	7	28	25	35	41	31	29	24	35	57	39	42	39	53	73	94	120	115	47	18	6
	White-----M--	668	25	15	11	10	6	20	18	31	33	28	21	24	33	51	31	38	30	40	36	42	45	50	20	7	3
	F--	381	21	11	2	4	1	8	7	3	7	3	7	-	1	6	8	4	9	13	36	51	74	65	27	11	2
	Nonwhite--M--	10	4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide----------	271	-	-	-	-	-	-	1	8	8	13	11	13	22	25	35	28	41	22	18	11	11	3	1	-	-
	White-----M--	230	-	-	-	-	-	-	-	8	8	13	7	10	20	19	28	23	33	20	16	10	11	3	1	-	-
	F--	41	-	-	-	-	-	-	1	-	-	-	4	3	2	6	7	5	8	2	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	28	1	1	-	1	-	-	1	-	1	2	1	6	3	1	3	3	2	-	1	-	-	-	1	-	-
	White-----M--	16	1	1	-	-	-	-	-	-	1	1	1	2	2	1	1	2	1	-	1	-	-	-	1	-	-
	F--	9	-	-	-	1	-	-	1	-	-	1	-	2	1	-	1	1	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES------	19,325	1,273	75	56	35	31	91	69	155	176	184	240	233	412	586	846	1,123	1,546	2,080	2,511	2,703	2,442	1,555	679	181	33
	White-----M--	10,529	665	38	30	21	13	52	41	112	107	110	137	150	252	348	493	655	923	1,220	1,391	1,493	1,187	727	300	58	6
	F--	7,781	504	31	20	12	17	34	24	38	52	61	80	66	126	188	292	361	531	760	1,011	1,117	1,170	777	358	113	18
	Nonwhite--M--	576	65	3	4	2	-	2	2	1	13	12	13	9	20	26	29	47	61	65	62	48	43	28	12	5	4
	F--	439	39	3	2	-	1	3	2	4	4	1	10	8	14	24	32	40	31	45	47	45	42	23	9	5	5
001-019	Tuberculosis, all forms--------	97	1	1	2	-	-	-	-	-	2	3	8	5	4	6	9	8	15	10	10	7	3	3	-	-	-
	White-----M--	64	1	1	2	-	-	-	-	-	1	-	5	2	3	2	5	5	11	8	9	7	-	2	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	3	3	1	1	4	3	1	2	1	1	-	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	89	-	1	-	-	-	-	-	-	2	2	7	5	4	5	9	7	15	10	9	7	3	3	-	-	-
	White-----M--	59	-	1	-	-	-	-	-	-	1	-	4	2	3	2	5	5	11	8	8	7	-	2	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	2	3	1	1	3	3	1	2	1	1	-	3	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	1	-	2	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	5	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	67	1	-	-	-	-	-	-	-	-	-	-	-	5	5	6	9	11	12	10	7	-	1	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	5	6	11	7	4	-	1	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	3	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	3	-	1	1	2	1	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	3	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis------------	18	1	-	-	-	-	2	1	3	1	3	4	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	1	-	-	-	-	2	1	1	-	-	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	2	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	45	4	1	1	-	-	-	4	-	2	-	3	1	3	3	4	1	4	5	2	3	1	3	-	-	-
	White-----M--	24	1	1	-	-	-	-	2	-	-	-	3	1	2	2	3	1	3	3	-	1	-	1	-	-	-
	F--	19	3	-	1	-	-	-	1	-	1	-	-	-	1	1	1	-	1	2	2	2	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*----	2,855	8	2	5	2	9	12	2	6	11	18	30	45	94	130	210	248	344	441	435	363	276	130	30	2	2
	White-----M--	1,420	3	2	1	2	5	7	1	4	6	8	11	20	38	51	87	120	173	225	221	198	147	70	20	-	-
	F--	1,310	5	-	4	-	4	5	1	2	5	10	18	23	52	69	112	118	157	191	191	153	118	58	10	2	2
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	5	13	12	13	8	5	2	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	1	2	1	5	8	5	1	13	10	4	6	-	-	-	-
140-148	Of buccal cavity and pharynx------	68	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	4	8	12	8	12	8	6	1	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	5	9	8	11	5	5	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	1	3	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,012	-	-	-	-	-	-	-	1	1	2	3	7	22	32	49	73	128	169	182	157	119	57	8	-	2
	White-----M--	521	-	-	-	-	-	-	-	1	1	-	2	3	15	17	24	33	73	89	97	76	63	22	5	-	-
	F--	438	-	-	-	-	-	-	-	-	-	2	1	3	6	14	20	34	49	69	78	72	52	33	3	-	2
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	5	6	6	3	2	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	-	6	1	3	1	-	-	-
160-164	Of respiratory system----------	267	-	-	-	-	-	-	1	1	1	1	-	3	12	13	31	43	52	43	29	18	12	5	2	-	-
	White-----M--	219	-	-	-	-	-	-	1	1	-	-	-	3	9	10	24	37	42	39	26	12	9	4	2	-	-
	F--	36	-	-	-	-	-	-	-	-	1	1	-	-	2	-	5	6	6	3	3	5	3	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	4	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Of breast---------	249	-	-	-	-	-	-	-	-	-	1	8	8	13	20	33	23	32	42	30	18	16	4	-	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	237	-	-	-	-	-	-	-	-	-	1	7	8	12	20	32	23	30	39	26	18	16	4	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	4	-	-	-	-	-	-
171-179	Of genital organs-	510	-	-	-	-	-	-	-	-	-	3	3	4	21	26	6	49	45	68	90	73	57	28	7	-	-
	White-----M--	202	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	12	10	19	41	49	37	22	7	-	-
	F--	278	-	-	-	-	-	-	-	-	-	2	3	3	21	21	32	34	35	42	41	23	15	6	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	-	3	5	-	4	-	-	-	-
180, 181	Of urinary organs-	144	1	1	-	-	-	-	-	-	-	-	-	1	3	8	11	10	20	20	27	21	9	9	3	-	-
	White-----M--	90	-	1	-	-	-	-	-	-	-	-	-	-	2	4	8	9	12	16	16	13	3	4	2	-	-
	F--	51	1	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	8	3	10	8	5	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	302	3	1	3	-	1	4	1	2	4	2	10	10	10	11	26	24	29	42	34	29	34	14	7	1	-
	White-----M--	151	3	1	1	-	1	3	-	2	1	2	5	6	2	6	15	13	12	21	14	17	16	7	3	-	-
	F--	143	-	-	2	-	-	1	1	-	3	-	5	3	7	4	11	11	15	20	19	12	17	7	4	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-
204	Leukemia and aleukemia----------	168	3	-	2	2	7	6	-	2	2	4	4	7	3	9	7	9	12	31	20	17	16	3	2	-	-
	White-----M--	92	-	-	-	2	3	2	-	-	2	2	3	3	1	4	3	5	10	19	11	8	11	2	1	-	-
	F--	70	3	-	2	-	4	4	-	2	-	2	1	4	2	4	4	3	1	11	7	9	5	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	135	1	-	-	-	1	2	-	-	3	5	2	5	8	10	11	13	18	14	15	18	5	4	-	-	-
	White-----M--	90	-	-	-	-	1	2	-	-	2	3	1	4	7	7	7	9	8	12	8	12	3	4	-	-	-
	F--	43	1	-	-	-	-	-	-	-	1	2	1	1	1	2	4	4	10	2	7	5	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	63	3	-	-	-	1	1	2	-	3	1	1	2	8	10	5	3	3	3	4	2	6	4	-	1	-
	White-----M--	26	2	-	-	-	-	-	1	-	1	-	-	2	5	4	1	-	1	-	3	1	2	3	-	-	-
	F--	34	1	-	-	-	1	1	1	-	2	1	1	-	2	6	3	3	2	3	1	-	4	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	333	-	-	1	-	-	-	1	1	3	1	5	4	5	8	10	15	45	52	70	55	43	12	2	-	-
	White-----M--	127	-	-	-	-	-	-	-	1	1	1	2	2	2	6	3	5	13	12	30	26	13	10	-	-	-
	F--	185	-	-	-	-	-	-	1	-	1	-	2	2	3	2	5	7	29	40	36	26	28	1	2	-	-
	Nonwhite--M--	9	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	1	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	2	1	-	-	-	-
290-293	Anemias----------	65	3	1	1	1	-	-	-	1	-	-	-	1	-	2	-	3	3	6	10	14	11	6	2	-	-
	White-----M--	30	1	-	1	1	-	-	-	1	-	-	-	-	-	1	-	3	1	1	5	7	4	3	1	-	-
	F--	32	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	5	5	7	7	3	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	20	10	1	-	1	-	1	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-
	White-----M--	10	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-
	F--	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	10,392	14	2	-	1	-	5	8	11	12	22	51	57	122	230	374	601	832	1,227	1,564	1,823	1,692	1,109	493	121	21
	White-----M--	5,654	7	-	-	-	-	1	3	4	5	16	27	43	87	151	240	374	527	737	857	992	812	504	221	42	4
	F--	4,234	6	2	-	1	-	2	5	5	6	6	17	8	25	51	103	175	251	421	645	776	821	571	257	71	9
	Nonwhite--M--	268	-	-	-	-	-	-	-	-	-	-	5	3	6	14	16	27	33	43	55	25	27	17	9	5	3
	F--	236	1	-	-	-	-	2	-	2	1	-	2	3	4	14	15	25	21	26	27	30	32	17	6	3	5
330-334, 400-468	Diseases of cardiovascular system-	10,015	14	2	-	1	-	4	8	8	11	19	46	52	115	223	348	574	806	1,189	1,507	1,767	1,636	1,071	480	114	20
	White-----M--	5,490	7	-	-	-	-	1	3	2	5	14	26	41	84	147	228	366	516	722	855	961	782	490	216	40	4
	F--	4,065	6	2	-	1	-	1	5	4	5	5	13	6	23	48	91	163	240	406	618	755	799	550	250	66	8
	Nonwhite--M--	243	-	-	-	-	-	-	-	-	-	-	5	3	5	14	15	23	30	38	31	22	26	15	8	5	3
	F--	217	1	-	-	-	-	2	-	2	1	-	2	2	3	14	14	22	20	23	23	29	29	16	6	3	5
330-334	Vascular lesions, etc.*----------	2,433	4	-	-	1	-	2	-	1	-	3	11	6	14	36	59	108	153	262	394	491	467	271	118	25	7
	White-----M--	1,151	2	-	-	-	-	1	-	-	-	2	8	1	7	13	28	45	77	150	191	243	200	122	54	6	1
	F--	1,146	1	-	-	1	-	-	-	1	-	1	3	2	6	17	23	51	55	91	186	237	253	141	60	15	2
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	13	12	10	5	5	3	2	4	1
	F--	70	1	-	-	-	-	1	-	-	-	-	-	1	-	2	6	10	8	9	7	6	9	5	2	-	3
400-402	Rheumatic fever---	16	-	-	-	-	-	1	3	2	1	-	2	1	2	-	1	1	-	-	2	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	2	-	-	1	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart-	6,744	8	2	-	-	-	1	5	4	6	15	27	42	89	179	277	443	612	871	1,020	1,156	1,006	635	269	65	12
	White-----M--	3,916	5	-	-	-	-	-	1	2	3	12	15	38	69	131	194	307	417	539	590	664	491	286	125	24	3
	F--	2,539	3	2	-	-	-	4	1	3	3	7	2	14	28	64	105	169	293	396	458	477	330	137	38	5
	Nonwhite--M--	161	-	-	-	-	-	-	-	-	-	-	3	1	4	8	11	19	16	26	19	15	19	11	6	1	2
	F--	128	-	-	-	-	-	1	-	1	-	-	2	1	2	12	8	12	10	13	15	19	19	8	1	2	2
410-416	Chronic rheumatic heart disease----	229	-	-	-	-	-	-	-	2	3	6	9	4	12	14	19	24	24	26	31	33	13	5	3	1	-
	White-----M--	124	-	-	-	-	-	-	-	1	1	5	4	4	8	5	11	11	11	14	18	18	9	2	2	-	-
	F--	93	-	-	-	-	-	-	-	-	2	1	4	-	4	7	8	11	11	11	12	13	4	3	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,383	1	-	-	-	-	1	-	-	1	5	11	29	62	132	206	337	455	633	698	731	596	316	130	35	4
	White-----M--	2,792	1	-	-	-	-	-	-	-	1	4	8	26	54	109	160	257	330	425	432	448	309	159	60	9	-
	F--	1,446	-	-	-	-	-	-	-	-	-	1	1	2	5	13	35	66	110	189	250	266	267	149	65	25	2
	Nonwhite--M--	94	-	-	-	-	-	-	-	-	-	-	2	1	2	6	7	8	11	14	10	9	12	6	5	-	1
	F--	51	-	-	-	-	-	1	-	-	-	-	-	-	1	4	4	6	4	5	6	8	8	2	-	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	953	3	1	-	-	-	-	-	-	-	2	3	3	3	10	15	19	46	84	112	169	201	180	78	18	6
	White-----M--	452	1	-	-	-	-	-	-	-	-	1	2	3	1	7	8	10	25	41	55	89	88	74	36	8	3
	F--	457	2	1	-	-	-	-	-	-	-	1	-	-	1	-	6	5	19	35	54	75	104	100	42	10	2
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	1	2	3	2	-	-	1
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	4	2	3	6	4	-	-	-
430-434	Other diseases of heart---------	295	4	1	-	-	-	5	2	2	2	2	2	1	3	9	12	14	22	31	40	46	41	33	19	4	2
	White-----M--	175	3	-	-	-	-	1	1	1	2	1	1	2	6	6	8	19	19	28	33	18	14	9	3	-
	F--	108	1	1	-	-	-	4	1	1	-	1	-	1	2	4	5	3	10	9	12	23	18	10	1	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	1
440-443	Hypertension with heart dis.--	884	-	-	-	-	-	-	-	-	-	2	5	9	14	25	49	65	97	139	177	155	101	39	7	-	
	White-----M--	373	-	-	-	-	-	-	-	-	-	-	4	4	4	9	21	32	40	57	76	67	37	18	4	-	
	F--	435	-	-	-	-	-	-	-	-	-	1	-	3	6	11	18	26	48	71	92	79	60	19	1	-	
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	3	6	4	4	4	3	1	1	-	
	F--	38	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	4	3	7	5	5	1	1	1	-	
444-447	Hypertension without mention of heart----------	183	-	-	-	-	-	-	-	-	-	4	2	2	4	6	7	15	21	28	27	34	18	11	4	-	
	White-----M--	84	-	-	-	-	-	-	-	-	-	1	1	1	-	5	1	7	12	14	13	17	7	4	1	-	
	F--	83	-	-	-	-	-	-	-	-	-	1	1	-	3	1	5	6	8	13	9	16	10	7	3	-	
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	2	1	-	-	-	-	
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	3	-	1	-	-	-	
450	General arteriosclerosis--------	499	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	9	15	47	71	117	136	77	18	1
	White-----M--	262	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	11	28	33	68	74	30	9	-
	F--	226	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	4	18	38	47	59	44	8	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	
451-468	Other diseases of circulatory sys.-	140	2	-	-	-	-	-	1	4	1	2	1	6	4	4	10	17	20	16	22	12	11	5	2	-	
	White-----M--	70	-	-	-	-	-	-	-	2	-	1	-	5	3	1	7	12	10	11	8	6	1	3	-	-	
	F--	64	2	-	-	-	-	-	-	2	1	1	1	1	-	2	2	4	10	5	13	6	10	2	2	-	
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
592-594	Chronic nephritis, etc.*	377	-	-	-	-	-	1	-	3	1	3	5	5	7	7	26	27	26	38	57	56	56	38	13	7	1
	White-----M-	184	-	-	-	-	-	-	-	2	-	2	1	2	3	4	12	8	11	15	22	31	30	14	5	2	-
	F--	169	-	-	-	-	-	1	-	1	1	1	4	2	2	3	12	12	11	15	27	21	22	21	7	5	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	4	3	1	2	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	3	4	1	3	1	-	-	
480-493	Influenza and pneumonia, etc.*-	713	90	7	3	3	1	3	3	3	-	3	10	6	10	15	16	15	26	54	75	109	113	78	46	20	2
	White-----M--	347	40	2	-	1	2	3	1	-	1	4	3	7	11	7	12	18	28	44	58	55	30	15	5	-	
	F--	306	36	3	2	2	-	1	-	2	-	1	5	2	2	3	6	3	5	21	26	43	55	44	28	14	2
	Nonwhite--M--	39	7	1	1	1	-	-	-	-	-	1	-	1	1	1	2	-	2	4	2	6	4	2	3	-	-
	F--	21	7	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	3	2	1	2	-	1	-
480-483	Influenza---------	234	18	3	1	1	1	-	-	1	-	-	4	2	2	4	3	4	10	21	30	43	36	29	13	7	1
	White-----M--	117	6	2	-	-	1	-	-	-	-	-	1	1	2	2	1	4	8	9	18	22	17	14	5	4	-
	F--	103	11	-	1	1	-	-	-	1	-	-	2	-	-	1	2	-	1	11	10	18	18	15	7	3	1
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	1	-	1	-	-
	F--	6	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-
490-493	Pneumonia, etc.*--	479	72	4	2	2	-	3	3	2	-	3	6	4	8	11	13	11	16	33	45	66	79	49	33	13	1
	White-----M--	230	34	-	-	-	-	2	3	1	-	1	3	2	5	9	6	8	10	19	26	36	38	18	10	1	-
	F--	203	25	3	1	1	-	1	-	1	-	1	3	2	2	2	4	3	4	10	16	25	37	29	21	11	1
	Nonwhite--M--	31	6	1	1	1	-	-	-	-	-	1	-	-	1	-	2	-	1	3	2	5	3	2	2	-	-
	F--	15	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	-	1	-
500-502	Bronchitis--------	34	5	2	-	1	1	-	-	1	-	-	1	-	1	1	-	-	2	1	2	5	5	5	1	-	-
	White-----M--	10	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-
	F--	19	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	3	2	4	1	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	112	2	-	-	-	-	-	-	-	-	-	-	3	2	3	11	10	17	19	16	17	9	6	1	-	-
	White-----M--	83	1	-	-	-	-	-	-	-	-	-	-	1	2	2	7	7	14	16	13	14	2	2	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	3	3	2	4	1	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	26	-	-	-	-	-	1	2	-	-	1	2	-	1	4	4	-	3	1	2	3	1	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	2	-	-	1	2	-	1	2	2	-	-	-	1	1	1	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	-	2	-	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	132	16	1	-	-	-	1	-	1	1	1	-	3	2	8	5	7	8	16	16	16	18	9	1	1	1
	White-----M--	71	11	-	-	-	-	-	-	1	-	1	-	1	-	2	2	3	4	9	12	8	12	4	1	-	-
	F--	53	4	1	-	-	-	1	-	-	1	-	-	2	1	6	3	3	3	6	3	7	6	5	-	1	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
543, 571, 572	Gastritis, etc.*--	90	28	6	3	2	-	3	-	-	2	-	-	-	5	-	2	4	4	2	6	4	6	9	3	1	-
	White-----M--	43	19	4	2	1	-	-	-	-	1	-	-	-	3	-	-	2	-	1	2	2	2	2	2	-	-
	F--	41	5	2	1	1	-	3	-	-	1	-	-	-	1	-	2	2	4	1	4	2	4	6	1	1	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	109	-	-	-	-	-	-	-	-	-	1	2	6	7	7	14	11	13	17	10	13	5	2	1	-	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	2	3	5	5	12	7	10	14	5	6	2	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	2	3	5	6	3	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	49	1	1	-	-	-	1	-	-	-	1	1	1	2	3	2	1	2	6	10	8	4	2	2	1	-
	White-----M--	32	1	1	-	-	-	1	-	-	-	1	1	-	1	3	2	1	2	4	5	4	2	2	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	4	4	2	-	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	111	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	10	20	23	29	13	8	1	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	10	18	23	28	13	8	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	22	...	...	...	...	...	...	-	2	7	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	...	...	...	-	2	7	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	21	...	...	...	...	...	...	-	2	6	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	2	6	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	303	226	17	9	2	2	8	2	3	4	2	1	4	5	4	2	5	2	1	3	-	-	1	-	-	-
	White-----M--	160	118	9	8	1	1	5	2	-	2	1	-	1	4	2	1	-	1	1	3	-	-	-	-	-	-
	F--	131	100	7	-	1	1	3	-	3	1	1	1	3	1	2	1	4	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	9	6	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	738	738	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	287	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	292	18	2	2	-	-	-	-	1	2	3	3	5	12	15	14	15	25	25	25	30	38	26	19	9	3
	White-----M--	174	7	1	1	-	-	-	-	1	-	2	2	3	11	10	11	12	19	18	10	17	22	17	5	3	2
	F--	96	9	1	1	-	-	-	-	-	1	1	1	2	1	5	2	2	4	5	12	8	14	8	12	6	1
	Nonwhite--M--	11	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	3	2	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	1	2	-	-
Residual	All other diseases	974	56	8	8	7	6	9	5	7	6	15	18	11	29	33	53	68	98	94	134	117	91	62	31	6	-
	White-----M--	524	28	4	4	4	2	6	2	4	3	7	11	7	10	13	30	40	61	56	85	59	39	33	13	3	-
	F--	399	21	4	3	3	4	2	3	3	4	8	6	4	17	17	19	21	32	34	47	51	50	26	17	3	-
	Nonwhite--M--	28	5	-	-	-	-	1	-	-	1	-	1	-	-	2	2	1	3	3	1	5	2	1	-	-	-
	F--	23	2	-	1	-	-	-	-	-	-	-	-	-	2	1	2	6	2	1	1	2	-	2	1	-	-
E800-E962	Accidents---------	1,307	37	21	17	11	9	39	36	108	100	91	71	58	57	62	68	60	56	68	69	62	79	67	39	18	4
	White-----M--	825	15	11	10	7	2	24	23	90	77	67	49	46	40	45	47	34	33	46	45	44	28	25	13	4	-
	F--	413	17	8	5	3	6	13	11	17	15	19	15	10	9	13	17	21	21	21	21	18	49	41	26	13	4
	Nonwhite--M--	45	5	1	1	1	-	1	2	1	5	4	4	1	5	1	3	5	2	-	2	-	1	-	-	-	-
	F--	24	-	1	1	-	1	1	-	-	3	1	3	1	3	3	1	-	-	1	1	-	1	1	-	1	-
E810-E835	Motor-vehicle accidents--------	557	4	9	5	4	3	17	10	70	71	55	45	39	21	33	31	31	26	30	22	14	8	4	4	-	1
	White-----M--	370	3	7	5	1	-	9	3	55	53	42	26	27	12	21	18	13	13	21	15	14	5	4	3	-	-
	F--	156	-	1	-	2	3	7	6	14	12	10	15	10	7	10	11	15	13	9	7	-	2	-	1	-	1
	Nonwhite--M--	22	1	-	-	1	-	-	1	1	4	2	3	1	1	1	2	3	-	-	-	-	1	-	-	-	-
	F--	9	-	1	-	-	-	1	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	750	33	12	12	7	6	22	26	38	29	36	26	19	36	29	37	29	30	38	47	48	71	63	35	18	3
	White-----M--	455	12	4	5	6	2	15	20	35	24	25	23	19	28	24	29	21	20	25	30	30	23	21	10	4	-
	F--	257	17	7	5	1	3	6	5	3	3	9	-	-	2	3	6	6	8	12	14	18	47	41	25	13	3
	Nonwhite--M--	23	4	1	1	-	-	1	1	-	1	2	1	-	4	-	1	2	2	-	2	-	-	-	-	-	-
	F--	15	-	-	1	-	1	-	-	-	1	-	2	-	2	2	1	-	-	1	1	-	1	1	-	1	-
E963, E970-E979	Suicide----------	268	-	-	-	-	-	-	1	3	11	8	17	15	33	28	29	32	25	16	14	20	13	3	-	-	-
	White-----M--	215	-	-	-	-	-	-	1	3	8	3	13	13	27	25	23	20	19	14	13	18	12	3	-	-	-
	F--	51	-	-	-	-	-	-	-	-	3	4	4	2	6	3	6	11	6	2	1	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	51	1	-	-	-	-	2	-	1	6	6	7	4	3	4	3	4	2	3	3	1	-	1	-	-	-
	White-----M--	22	1	-	-	-	-	2	-	-	1	1	2	2	1	2	2	2	1	2	1	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	1	2	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	3	5	2	2	2	1	-	1	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES------	27,635	2,413	178	95	65	60	183	154	298	326	385	469	579	851	1,048	1,458	1,715	2,284	2,804	3,262	3,497	2,888	1,739	685	152	47
	White-----M--	14,020	1,274	70	48	26	24	99	94	189	206	221	253	314	443	559	783	904	1,256	1,400	1,670	1,731	1,391	747	257	50	11
	F--	10,465	879	89	36	36	31	71	44	83	83	116	136	180	261	302	398	496	700	1,057	1,279	1,493	1,330	893	373	87	12
	Nonwhite--M--	1,734	145	11	8	-	3	9	14	11	22	32	49	45	85	104	141	191	195	204	167	133	80	48	22	5	10
	F--	1,416	115	8	3	3	2	4	2	15	15	16	31	40	62	83	136	124	133	143	146	140	87	51	33	10	14
001-019	Tuberculosis, all forms--------	632	5	5	5	3	1	1	3	16	12	34	33	44	50	51	52	61	64	59	51	42	27	12	1	-	-
	White-----M--	310	3	2	5	1	-	-	2	7	2	13	14	21	21	29	28	40	35	28	26	24	6	3	-	-	-
	F--	222	1	2	-	2	1	1	1	6	5	17	13	13	14	11	15	16	17	21	21	17	18	9	1	-	-
	Nonwhite--M--	59	-	1	-	-	-	-	-	1	2	1	3	6	9	7	6	5	7	7	3	-	1	-	-	-	-
	F--	41	1	-	-	-	-	-	-	2	3	3	3	4	6	4	3	-	5	3	1	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	576	-	2	1	-	-	-	1	13	12	31	32	40	46	47	50	58	63	55	49	39	25	11	1	-	-
	White-----M--	287	-	-	1	-	-	-	1	6	2	12	14	21	20	28	26	39	35	27	25	21	6	3	-	-	-
	F--	199	-	1	-	-	-	-	-	4	5	15	12	11	14	10	15	14	17	19	20	17	16	8	1	-	-
	Nonwhite--M--	54	-	1	-	-	-	-	-	1	2	1	3	5	7	6	6	5	7	6	3	-	1	-	-	-	-
	F--	36	-	-	-	-	-	-	-	2	3	3	3	3	5	3	3	-	4	3	1	1	2	-	-	-	-
010-019	Tuberculosis, other forms------	56	5	3	4	3	1	1	2	3	-	3	1	4	4	4	2	3	1	4	2	3	2	1	-	-	-
	White-----M--	23	3	2	4	1	-	-	1	1	-	1	-	-	1	1	2	1	-	1	1	3	-	-	-	-	-
	F--	23	1	1	-	2	1	1	1	2	-	2	1	2	-	1	-	2	-	2	1	-	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	75	3	-	-	-	-	-	-	-	-	-	2	2	2	9	7	10	9	10	10	6	3	1	1	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	3	7	6	4	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	-	2	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	6	1	1	-	3	-	-	-	-
	F--	14	2	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	1	3	-	-	-	1	-	-
040	Typhoid fever------	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	27	16	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	1	2	-	1	-	1	1	-	-
	White-----M--	15	10	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
	F--	10	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	11	1	-	-	-	1	1	1	1	-	-	-	1	-	-	2	-	-	-	1	-	1	1	-	-	-
	White-----M--	5	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	18	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	41	16	8	3	3	1	2	3	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	23	8	5	2	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	17	8	3	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	30	2	2	2	4	4	4	4	-	1	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	1	1	2	2	-	2	3	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	1	1	-	2	4	2	1	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	7	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	120	19	4	6	4	2	7	4	1	3	5	6	3	2	8	4	9	5	7	7	8	2	3	-	1	-
	White-----M--	45	8	-	3	1	1	4	1	-	2	1	1	-	-	3	2	4	2	3	1	6	-	2	-	-	-
	F--	57	11	4	2	3	1	2	3	1	1	4	3	2	2	3	1	1	-	2	5	2	2	1	-	1	-
	Nonwhite--M--	12	-	-	1	-	-	1	-	-	-	-	1	1	-	2	1	2	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*----	3,641	9	9	5	10	5	17	8	22	18	29	56	107	144	209	308	334	448	465	509	434	323	128	36	4	4
	White-----M--	1,625	5	4	2	5	4	7	2	12	6	11	22	38	46	84	128	149	208	210	259	208	149	55	8	2	1
	F--	1,683	4	4	3	5	1	6	4	8	9	15	32	59	81	101	131	142	202	214	212	203	157	64	23	2	1
	Nonwhite--M--	164	-	-	-	-	-	2	2	-	2	-	-	2	6	9	25	24	23	26	17	10	8	7	1	-	-
	F--	169	-	1	-	-	-	2	-	2	1	3	2	8	11	15	24	19	15	15	21	13	9	2	4	-	2
140-148	Of buccal cavity and pharynx------	81	-	-	-	-	1	1	-	-	1	-	1	-	3	4	7	11	12	9	8	14	3	4	2	-	-
	White-----M--	50	-	-	-	-	1	-	-	-	1	-	1	-	2	2	5	7	8	7	5	6	1	3	1	-	-
	F--	20	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	1	2	1	7	2	-	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,272	1	1	-	1	-	1	-	-	-	6	10	22	26	48	71	96	165	203	224	180	150	52	12	-	3
	White-----M--	597	-	-	-	1	-	1	-	-	-	2	4	13	13	29	35	47	78	96	118	82	61	15	2	-	-
	F--	564	1	-	-	-	-	-	-	-	-	3	6	5	9	14	25	32	73	88	93	91	81	34	8	-	1
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	9	7	12	3	2	4	3	1	-	-
	F--	56	-	1	-	-	-	-	-	-	-	1	-	3	2	3	2	8	7	7	10	5	4	-	1	-	2
160-164	Of respiratory system----------	411	-	-	-	-	-	-	-	2	-	1	7	5	16	34	60	58	70	54	47	33	18	3	3	-	-
	White-----M--	285	-	-	-	-	-	-	-	1	-	1	5	2	10	27	42	47	55	37	31	18	9	-	-	-	-
	F--	78	-	-	-	-	-	-	-	-	-	-	2	3	3	3	8	4	10	11	10	13	7	1	3	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	7	5	4	3	1	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	-	2	3	1	1	1	-	-	-
170	Of breast---------	322	-	-	-	-	-	-	-	-	-	-	3	15	20	31	37	44	44	33	32	29	17	11	6	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	-	-	-	-	-	-	-	-	-	-	2	14	18	30	36	39	42	33	32	28	17	11	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	2	-	1	-	-	3	-	-	-
171-179	Of genital organs-	633	-	1	-	-	-	-	1	1	2	6	12	28	36	38	60	43	61	66	98	89	61	25	4	1	-
	White-----M--	236	-	-	-	-	-	-	-	-	-	1	2	1	-	2	7	4	16	20	61	57	43	19	2	1	-
	F--	321	-	1	-	-	-	-	1	1	4	10	23	33	30	41	33	39	37	26	24	13	3	2	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	3	5	5	5	2	2	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	1	-	4	3	6	11	5	3	4	6	3	3	1	-	-	-
180, 181	Of urinary organs-	142	1	-	1	1	-	-	-	-	-	-	-	3	3	6	16	17	21	13	20	19	17	3	1	-	-
	White-----M--	68	1	-	-	-	-	-	-	-	-	-	-	1	2	2	11	8	13	1	11	7	9	1	1	-	-
	F--	61	-	-	1	1	-	-	-	-	-	-	-	2	-	2	3	7	8	10	7	10	8	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	2	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	486	4	4	-	4	2	5	2	6	6	4	14	21	25	30	34	47	49	50	51	50	43	26	5	3	1
	White-----M--	234	3	3	-	2	1	1	-	3	2	1	5	12	10	13	17	27	25	26	19	28	18	16	-	1	1
	F--	217	1	1	-	2	1	2	2	3	3	3	8	8	13	14	10	17	18	20	29	21	24	10	5	2	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	3	5	3	3	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	2	-	-	1	-	1	-	2	1	3	-	1	1	-	1	1	-	-	-	-	-
204	Leukemia and aleukemia----------	148	3	2	2	4	2	7	4	7	5	6	5	5	9	4	7	10	11	16	16	10	9	2	2	-	-
	White-----M--	82	1	1	2	2	2	4	1	5	3	3	3	3	5	2	2	4	7	12	8	4	6	1	1	-	-
	F--	57	2	1	-	2	-	2	2	2	2	3	2	2	3	2	3	5	4	4	7	5	2	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	146	-	1	2	-	-	3	1	6	4	6	4	8	6	14	16	8	15	21	13	10	5	2	1	-	-
	White-----M--	73	-	-	-	-	-	1	1	3	-	3	2	6	4	7	9	5	6	11	6	6	2	-	1	-	-
	F--	60	-	1	2	-	-	1	-	2	3	2	2	2	1	5	4	3	7	9	7	4	3	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	-	1	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	72	6	2	1	-	1	5	1	-	3	3	2	5	9	10	4	1	2	5	3	4	4	-	1	-	-
	White-----M--	28	4	-	-	-	1	2	1	-	-	2	-	2	-	4	1	-	1	1	1	4	4	-	-	-	-
	F--	30	2	2	1	-	-	3	-	-	2	1	2	1	4	4	2	-	-	3	2	-	-	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	-	1	5	2	-	1	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	380	-	-	-	-	-	2	1	-	2	4	7	5	11	16	21	28	44	71	58	58	39	12	-	-	1
	White-----M--	144	-	-	-	-	-	1	1	-	1	3	5	5	4	7	3	8	15	28	22	23	16	2	-	-	-
	F--	195	-	-	-	-	-	1	-	-	1	1	1	-	2	6	6	18	23	38	34	33	23	8	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	-	1	1	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	-	2	1	9	1	6	4	1	2	-	2	-	-	1
290-293	Anemias----------	92	4	1	2	-	1	-	1	-	1	2	-	1	1	3	8	2	3	11	17	15	10	8	1	-	-
	White-----M--	33	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	5	7	6	2	-	-	-
	F--	43	2	1	1	-	1	-	1	-	-	1	-	-	-	-	3	1	-	5	12	7	3	5	-	-	-
	Nonwhite--M--	7	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	-	-	-	-
	F--	9	1	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	1	-	1	1	-	-
340	Nonmeningococcal meningitis*------	58	24	5	3	5	1	1	1	-	-	1	2	-	7	2	2	-	2	1	1	-	-	-	-	-	-
	White-----M--	37	15	4	2	3	-	1	1	-	-	-	1	-	6	-	2	-	1	1	-	-	-	-	-	-	-
	F--	19	9	1	1	2	1	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,916	13	3	2	3	-	14	20	33	44	47	107	133	323	438	700	924	1,314	1,742	2,078	2,333	1,941	1,166	426	90	22
	White-----M--	6,959	4	2	2	-	-	5	13	16	17	22	52	80	179	243	388	488	727	893	1,060	1,126	946	491	171	28	6
	F--	5,307	5	1	-	3	-	8	5	15	24	20	30	32	84	107	170	236	381	623	796	1,008	878	611	216	49	5
	Nonwhite--M--	851	3	-	-	-	-	-	2	-	-	4	16	8	30	46	67	109	120	125	114	102	49	29	17	4	6
	F--	799	1	-	-	-	-	1	-	2	3	1	9	13	30	42	75	91	86	101	108	97	68	35	22	9	5
330-334, 400-468	Diseases of cardiovascular system-	13,499	13	3	2	3	-	12	18	31	38	40	98	127	308	426	673	899	1,289	1,702	2,020	2,251	1,890	1,131	417	88	20
	White-----M--	6,770	4	2	2	-	-	4	12	14	15	17	50	79	173	239	375	479	716	872	1,034	1,087	919	477	166	28	6
	F--	5,165	5	1	-	3	-	7	4	15	21	18	25	29	80	105	161	230	371	608	778	981	862	594	214	48	5
	Nonwhite--M--	809	3	-	-	-	-	-	2	-	-	4	14	8	28	43	65	107	116	123	109	90	46	26	17	3	5
	F--	755	1	-	-	-	-	1	-	2	2	1	9	11	27	39	72	83	86	99	99	93	63	34	20	9	4
330-334	Vascular lesions, etc.*----------	3,170	7	2	1	1	-	4	2	3	8	7	15	28	49	96	122	179	275	401	514	580	479	275	95	23	4
	White-----M--	1,463	2	2	1	-	-	3	1	1	4	3	7	11	20	36	52	69	133	197	259	278	232	111	34	6	1
	F--	1,323	3	-	-	1	-	1	1	2	3	3	5	12	16	30	39	54	95	153	210	280	216	154	50	13	2
	Nonwhite--M--	178	1	-	-	-	-	-	-	-	-	1	1	1	5	15	12	30	28	22	19	17	13	5	6	2	-
	F--	206	1	-	-	-	-	-	-	1	-	2	4	8	15	19	26	19	29	26	25	18	5	5	2	1
400-402	Rheumatic fever---	34	-	-	-	1	-	2	14	1	2	2	3	-	1	1	-	-	3	1	-	2	1	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	10	1	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	F--	12	-	-	-	1	-	1	2	-	2	2	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart-	9,297	4	1	1	1	-	5	2	26	26	29	71	93	239	314	526	892	967	1,217	1,397	1,474	1,207	702	250	43	10
	White-----M--	4,834	2	-	1	-	-	1	1	11	11	12	39	64	149	198	309	397	557	643	719	712	582	300	106	17	3
	F--	3,418	1	1	-	1	-	4	1	13	15	13	14	16	54	71	117	172	262	423	528	642	562	361	123	22	2
	Nonwhite--M--	559	1	-	-	-	-	-	-	-	-	3	11	6	20	24	51	70	85	86	82	63	27	16	10	1	3
	F--	486	-	-	-	-	-	-	-	2	-	1	7	7	16	21	49	53	63	65	68	57	36	25	11	3	2
410-416	Chronic rheumatic heart disease----	315	-	-	-	-	-	1	1	13	18	10	17	12	25	21	22	33	29	30	31	25	16	8	2	1	-
	White-----M--	160	-	-	-	-	-	-	-	7	9	2	9	8	13	12	12	14	18	14	20	10	7	5	-	-	-
	F--	137	-	-	-	-	-	1	1	6	9	7	7	4	11	9	7	15	9	13	9	14	9	3	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,203	-	-	-	1	-	1	-	4	3	10	29	57	138	195	326	432	596	747	800	765	606	351	120	19	3
	White-----M--	3,034	-	-	-	-	-	-	-	-	1	5	18	45	109	143	225	289	375	449	443	412	306	150	53	10	1
	F--	1,766	-	-	-	1	-	1	-	3	2	4	4	7	14	31	59	88	171	236	292	316	273	194	62	8	-
	Nonwhite--M--	238	-	-	-	-	-	-	-	-	-	1	5	3	12	13	24	38	29	33	35	25	12	3	4	-	1
	F--	165	-	-	-	-	-	-	-	1	-	-	2	2	3	8	18	17	21	29	30	12	15	4	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,146	-	-	-	-	-	2	-	-	-	2	4	3	9	10	31	44	64	102	173	249	232	150	54	14	3
	White-----M--	518	-	-	-	-	-	1	-	-	-	1	2	2	4	6	14	22	31	46	83	102	112	62	23	6	1
	F--	472	-	-	-	-	-	1	-	-	-	-	-	1	3	2	9	12	18	40	56	114	105	79	25	7	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	4	8	12	16	16	7	3	1	1	1
	F--	81	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	6	7	4	18	17	8	6	5	-	1
430-434	Other diseases of heart---------	759	4	1	1	-	-	1	1	7	2	6	13	7	26	35	58	57	86	75	103	96	100	49	24	5	2
	White-----M--	379	2	-	1	-	-	-	1	3	1	3	8	3	12	21	30	36	44	35	51	42	47	28	10	-	1
	F--	261	1	1	-	-	-	1	-	3	1	2	1	4	9	6	17	11	21	26	35	39	51	16	12	3	1
	Nonwhite--M--	71	1	-	-	-	-	-	-	-	-	-	1	-	3	6	8	3	15	7	12	8	2	3	2	-	-
	F--	48	-	-	-	-	-	-	-	1	-	1	3	-	2	2	3	7	6	7	5	7	-	2	-	2	-
440-443	Hypertension with heart dis.--	1,874	-	-	-	-	-	-	-	2	3	1	8	14	41	53	89	126	192	263	290	339	253	144	50	4	2
	White-----M--	743	-	-	-	-	-	-	-	1	-	1	2	6	11	16	28	36	89	99	122	146	110	55	20	1	-
	F--	782	-	-	-	-	-	-	-	1	3	-	2	-	17	23	25	46	43	108	136	159	124	69	22	3	1
	Nonwhite--M--	167	-	-	-	-	-	-	-	-	-	-	3	3	4	4	17	23	33	32	17	14	6	7	3	-	1
	F--	182	-	-	-	-	-	-	-	-	-	-	1	5	9	10	19	21	27	24	15	20	13	13	5	-	-
444-447	Hypertension without mention of heart----------	251	-	-	-	-	-	-	-	-	1	1	5	5	12	8	12	7	14	20	33	46	45	28	11	2	1
	White-----M--	108	-	-	-	-	-	-	-	-	-	1	2	4	2	2	8	1	8	6	13	23	21	13	4	-	-
	F--	107	-	-	-	-	-	-	-	-	1	-	3	-	5	2	-	3	5	9	16	20	22	12	7	2	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	1	3	1	1	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	-	-	2	3	2	1	2	-	-	-
450	General arteriosclerosis--------	589	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	14	36	59	131	145	111	60	20	5
	White-----M--	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	13	35	63	77	46	22	5	2
	F--	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	13	19	51	57	60	33	11	1
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	4	8	4	3	1	-	1
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	1	9	7	2	4	4	1
451-468	Other diseases of circulatory sys.-	158	2	-	-	-	-	1	-	1	1	1	4	1	7	7	11	15	16	27	17	18	13	15	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	1	-	1	1	-	2	2	4	11	9	13	8	11	7	7	-	-	-
	F--	56	1	-	-	-	-	1	-	-	-	-	3	1	4	2	5	-	6	9	5	7	4	7	1	-	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	4	3	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	1	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	417	-	-	-	-	-	2	2	2	6	7	9	6	15	12	27	25	25	40	58	82	51	35	9	2	2
	White-----M--	189	-	-	-	-	-	1	1	2	2	5	2	1	6	4	13	9	11	21	26	39	27	14	5	-	-
	F--	142	-	-	-	-	-	1	1	-	3	2	5	3	4	2	9	6	10	15	18	27	16	17	2	1	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	2	4	2	5	12	3	3	-	1	1
	F--	44	-	-	-	-	-	-	-	-	1	-	-	2	3	3	3	8	-	2	9	4	5	1	2	-	1
480-493	Influenza and pneumonia, etc.*-	1,373	265	54	11	7	4	18	7	16	5	3	9	14	16	29	36	38	65	77	130	154	173	143	72	20	7
	White-----M--	637	131	18	5	1	-	10	2	9	3	-	4	2	8	11	15	25	32	36	60	74	83	71	29	8	-
	F--	555	104	29	6	6	3	7	2	4	1	1	2	6	5	6	3	5	19	28	58	61	85	61	40	11	2
	Nonwhite--M--	102	16	5	-	-	1	1	3	-	-	1	1	5	3	7	9	6	8	8	6	9	3	6	1	-	3
	F--	79	14	2	-	-	-	-	-	3	1	1	2	1	-	5	9	2	6	5	6	10	2	5	2	1	2
480-483	Influenza---------	353	44	5	-	-	-	5	2	5	-	1	-	1	4	7	8	10	19	19	36	51	62	45	25	3	1
	White-----M--	157	24	2	-	-	-	2	1	2	-	-	-	-	3	1	3	6	6	6	14	27	27	19	12	2	-
	F--	158	17	2	-	-	-	2	1	2	-	1	-	1	1	4	1	2	9	11	18	17	33	23	12	1	-
	Nonwhite--M--	18	1	1	-	-	-	1	-	-	-	-	-	-	-	1	2	1	3	2	1	3	1	-	-	-	1
	F--	20	2	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	-	3	4	1	3	1	-	-
490-493	Pneumonia, etc.*--	1,020	221	49	11	7	4	13	5	11	5	2	9	13	12	22	28	28	46	58	94	103	111	98	47	17	6
	White-----M--	480	107	16	5	1	-	8	1	7	3	-	4	2	5	10	12	19	26	30	46	47	56	52	17	6	-
	F--	397	87	27	6	6	3	5	1	2	1	-	2	5	4	2	2	3	10	17	40	44	52	38	28	10	2
	Nonwhite--M--	84	15	4	-	-	1	-	3	-	-	1	1	5	3	6	7	5	5	6	5	6	2	6	1	-	2
	F--	59	12	2	-	-	-	-	-	2	1	1	2	1	-	4	7	1	5	5	3	6	1	2	1	1	2
500-502	Bronchitis---------	70	18	8	4	-	1	1	-	-	-	-	1	1	-	-	2	4	6	4	6	3	7	3	1	-	-
	White-----M--	35	12	4	2	-	1	1	-	-	-	-	1	1	-	-	1	1	3	2	1	1	3	1	-	-	-
	F--	25	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	3	2	1	-	-
	Nonwhite--M--	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	134	1	-	-	-	-	-	-	-	-	4	4	6	9	9	16	13	18	14	18	14	5	2	1	-	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	2	3	5	9	7	9	10	16	11	10	9	2	1	-	-	-
	F--	31	1	-	-	-	-	-	-	-	-	2	1	1	-	2	4	1	1	3	7	5	2	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	42	-	-	-	-	-	2	3	-	3	1	-	-	2	1	4	4	4	4	9	2	-	2	-	-	1
	White-----M--	26	-	-	-	-	-	1	3	-	2	1	-	-	2	-	2	3	4	1	4	1	-	2	-	-	-
	F--	13	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	3	5	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
560, 561, 570	Hernia, intestinal obstruction--	134	19	1	-	-	-	-	1	1	2	-	1	-	5	8	7	7	10	10	19	23	8	10	1	1	-
	White-----M--	75	15	-	-	-	-	-	1	1	1	-	1	-	2	4	3	2	7	6	10	15	4	4	-	-	-
	F--	44	4	-	-	-	-	-	1	-	1	-	-	-	3	2	1	4	2	1	7	7	3	6	1	1	-
	Nonwhite--M--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	*2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543, 571, 572	Gastritis, etc.*--	226	131	17	-	1	3	1	-	1	2	3	1	2	2	5	6	3	7	5	8	8	9	9	2	-	-
	White-----M--	109	67	8	-	-	1	1	-	1	2	2	-	1	-	2	3	-	3	1	4	5	5	3	1	-	-
	F--	88	46	9	-	1	1	-	-	-	1	1	-	1	1	2	2	1	2	3	4	3	4	5	1	-	-
	Nonwhite--M--	11	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	18	10	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	1	-	-	-
581	Cirrhosis of liver	206	1	-	-	-	1	-	1	-	1	2	8	7	20	21	34	24	19	21	22	11	8	4	-	1	-
	White-----M--	128	-	-	-	-	-	-	1	-	-	1	4	1	12	14	23	17	11	12	18	6	6	1	-	1	-
	F--	62	1	-	-	-	1	-	-	-	1	1	2	6	7	6	7	3	5	8	4	5	2	3	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	61	-	-	1	-	-	5	-	2	3	3	2	2	2	7	5	1	4	8	4	1	6	3	2	-	-
	White-----M--	33	-	-	-	-	-	4	-	2	2	1	1	1	-	4	3	-	2	6	2	1	2	1	1	-	-
	F--	17	-	-	1	-	-	1	-	-	1	1	1	-	2	1	2	-	-	1	1	-	3	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
610	Hyperplasia of prostate---------	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	14	18	27	24	17	2	-	-
	White-----M--	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	11	17	26	23	17	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	63	...	...	...	...	...	...	1	5	9	13	13	10	10	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	54	...	...	...	...	...	...	1	2	9	11	11	9	9	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	57	...	...	...	...	...	...	1	4	9	12	10	9	10	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	50	...	...	...	...	...	...	1	2	9	11	8	8	9	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	419	337	14	9	2	3	13	6	4	3	6	3	1	3	3	1	3	1	3	4	-	-	-	-	-	-
	White-----M--	226	189	5	3	-	2	8	1	2	3	3	1	-	1	2	1	1	1	-	3	-	-	-	-	-	-
	F--	158	124	7	3	2	1	5	3	2	-	1	2	1	2	1	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	15	9	1	1	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	20	15	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,268	1,268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	663	663	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	519	519	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	620	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	449	55	3	2	2	1	3	3	2	2	4	2	8	8	11	19	10	15	23	37	46	62	59	48	18	6
	White-----M--	236	29	1	-	2	1	3	1	1	1	3	1	3	6	9	10	7	10	12	23	30	32	27	14	8	2
	F--	171	20	2	2	-	-	-	1	1	1	1	-	3	2	2	4	1	4	7	10	12	26	29	31	9	3
	Nonwhite--M--	28	5	-	-	-	-	1	-	-	-	-	1	2	-	-	4	2	-	1	4	3	2	1	1	1	-
	F--	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	2	2	2	-	1
Residual	All other diseases	1,370	82	12	15	3	7	27	22	17	15	24	30	47	54	61	86	102	111	129	139	183	99	68	31	6	-
	White-----M--	670	43	6	8	-	2	16	15	8	6	9	11	24	28	27	51	51	71	54	74	91	38	25	11	1	-
	F--	553	28	2	4	2	4	10	6	9	5	14	12	16	18	26	24	40	26	61	54	77	53	38	19	5	-
	Nonwhite--M--	89	5	2	2	-	1	1	1	-	3	-	4	3	5	4	6	8	9	10	10	7	5	2	1	-	-
	F--	58	6	2	1	1	-	-	-	-	1	1	3	4	3	4	5	3	5	4	1	8	3	3	-	-	-
E800-E962	Accidents----------	2,094	95	25	23	16	22	58	60	157	159	153	135	128	108	97	90	94	95	87	96	106	133	84	58	11	4
	White-----M--	1,363	55	6	11	9	9	32	43	120	138	116	104	95	82	74	71	65	70	46	47	51	62	35	20	2	-
	F--	548	33	16	10	6	11	21	13	29	14	21	13	18	13	10	12	17	13	28	40	48	67	48	37	9	1
	Nonwhite--M--	138	5	1	2	-	1	4	4	7	6	13	14	10	11	11	5	10	9	12	5	1	4	1	1	-	1
	F--	45	2	2	-	1	1	1	-	1	1	3	4	5	2	2	2	2	3	1	4	6	-	-	-	-	2
E810-E835	Motor-vehicle accidents---------	827	7	7	9	4	11	29	23	106	103	94	67	65	44	38	38	45	33	31	30	18	13	10	2	-	-
	White-----M--	583	5	-	5	2	6	17	14	80	87	66	51	49	30	27	30	30	24	15	22	8	7	8	-	-	-
	F--	171	1	7	3	2	4	10	7	22	11	17	5	11	8	5	6	12	5	11	8	9	4	2	1	-	-
	Nonwhite--M--	62	1	-	1	-	-	2	2	4	5	9	9	2	5	6	2	3	4	4	-	-	2	-	1	-	-
	F--	11	-	-	-	-	1	-	-	-	1	2	2	3	1	-	-	-	-	1	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,267	88	18	14	12	11	29	37	51	56	59	68	63	64	59	52	49	62	56	66	88	120	74	56	11	4
	White-----M--	780	50	6	6	7	3	15	29	40	51	50	53	46	52	47	41	35	46	31	25	43	55	27	20	2	-
	F--	377	32	9	7	4	7	11	6	7	3	4	8	7	5	5	6	5	8	17	32	39	63	46	36	9	1
	Nonwhite--M--	76	4	1	1	-	1	2	2	3	1	4	5	8	6	5	3	7	5	8	5	1	2	1	-	-	1
	F--	34	2	2	-	1	-	1	-	1	1	1	2	2	1	2	2	2	3	-	4	5	-	-	-	-	2
E963, E970-E979	Suicide----------	273	-	-	-	-	-	-	1	10	11	16	12	21	29	31	31	28	24	26	12	14	4	3	-	-	-
	White-----M--	220	-	-	-	-	-	-	1	5	6	15	9	17	26	24	25	17	23	21	11	14	3	3	-	-	-
	F--	45	-	-	-	-	-	-	-	5	3	1	3	4	3	6	6	8	1	3	1	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	211	3	-	-	-	-	-	1	9	27	25	30	28	33	16	11	11	5	5	4	1	-	-	-	-	2
	White-----M--	112	1	-	-	-	-	-	-	4	15	13	17	17	10	8	8	6	2	4	4	1	-	-	-	-	2
	F--	22	2	-	-	-	-	-	1	-	2	1	4	4	7	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	3	7	11	8	6	15	7	3	5	1	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	2	3	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES------	25,273	2,752	187	110	72	69	210	167	278	336	347	423	560	913	1,142	1,741	1,946	2,337	2,949	2,861	2,369	1,869	1,023	412	127	73
	White-----M--	8,845	686	32	29	13	15	65	50	98	157	122	144	198	309	457	632	778	894	1,045	1,072	910	638	341	123	28	9
	F--	6,010	482	32	24	16	12	43	27	42	37	48	76	105	175	203	254	341	510	655	789	779	711	404	190	46	9
	Nonwhite--M--	5,584	865	61	26	18	20	54	59	90	92	100	101	131	234	260	455	438	505	680	545	354	291	127	45	15	18
	F--	4,834	719	62	31	25	22	48	31	48	50	77	102	126	195	222	400	389	428	569	455	326	229	151	54	38	37
001-019	Tuberculosis, all forms--------	378	1	1	4	2	1	1	2	8	9	19	18	24	26	19	53	46	50	36	28	21	5	3	-	-	1
	White-----M--	128	-	-	2	-	-	-	-	-	1	2	1	5	11	8	21	21	15	15	15	8	3	-	-	-	-
	F--	50	-	-	-	1	-	-	1	-	2	1	-	4	4	1	4	6	7	5	3	7	1	3	-	-	-
	Nonwhite--M--	124	-	1	1	1	1	1	1	-	4	9	9	8	6	8	14	13	21	14	6	4	1	-	-	-	1
	F--	76	1	-	1	-	-	-	-	8	2	7	8	7	5	2	14	6	7	2	4	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	343	-	-	1	-	-	-	-	6	7	16	15	23	24	18	51	43	47	36	26	21	5	3	-	-	1
	White-----M--	121	-	-	-	-	-	-	-	-	1	2	1	5	9	8	21	21	13	15	14	8	3	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	2	1	-	4	4	1	4	5	7	5	3	7	1	3	-	-	-
	Nonwhite--M--	109	-	-	1	-	-	-	-	-	2	8	8	7	6	7	12	12	21	14	5	4	1	-	-	-	1
	F--	66	-	-	-	-	-	-	-	6	2	5	6	7	5	2	14	5	6	2	4	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	35	1	1	3	2	1	1	2	2	2	3	3	1	2	1	2	3	3	-	2	-	-	-	-	-	-
	White-----M--	7	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	1	-	1	1	1	1	-	2	1	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-
	F--	10	1	-	1	-	-	-	-	2	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	211	1	-	1	1	1	-	-	1	1	2	-	9	17	26	28	33	35	25	18	11	-	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	1	-	-	-	-	2	1	5	10	12	3	6	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	3	-	-	-	-	-
	Nonwhite--M--	107	-	-	1	-	-	-	-	-	-	-	-	6	9	21	16	14	14	16	4	6	-	-	-	-	-
	F--	53	1	-	-	1	1	-	-	-	1	2	-	3	6	4	6	7	7	6	6	1	-	1	-	-	-
040	Typhoid fever-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	26	12	3	-	-	-	1	-	-	-	-	-	1	-	1	1	-	2	-	2	-	2	1	-	-	-
	White-----M--	7	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	9	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	42	15	7	4	-	3	2	2	2	1	-	-	1	-	1	1	-	1	1	-	-	1	-	-	-	-
	White-----M--	14	5	3	1	-	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	12	3	-	-	-	1	1	2	1	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	8	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	1	-	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	115	22	4	7	4	4	7	2	2	-	8	7	3	4	5	5	7	7	5	4	5	1	2	-	-	-
	White-----M--	23	3	-	2	1	-	-	-	1	-	1	2	1	3	1	1	-	2	1	2	1	1	-	-	-	-
	F--	23	2	1	1	1	1	2	-	-	-	1	2	1	-	1	1	3	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	40	12	2	2	2	1	3	1	-	-	2	2	-	1	1	1	2	3	2	1	2	-	-	-	-	-
	F--	29	5	1	2	-	2	2	1	1	-	4	1	1	-	2	2	2	1	-	-	-	-	2	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,487	6	3	4	7	5	19	17	16	24	30	46	83	184	246	345	380	446	535	468	313	193	86	21	7	3
	White-----M--	1,354	4	-	4	3	2	8	7	7	17	14	16	24	49	101	121	129	189	198	200	145	70	38	5	2	1
	F--	1,017	-	1	-	3	-	8	5	5	3	10	13	25	72	73	85	93	121	144	127	103	83	28	12	2	1
	Nonwhite--M--	578	2	-	-	-	1	2	4	4	3	1	4	15	25	37	65	80	69	115	77	37	22	10	4	-	1
	F--	538	-	2	-	1	2	1	1	-	1	5	13	19	38	35	74	78	67	78	64	28	18	10	-	3	-
140-148	Of buccal cavity and pharynx------	90	-	-	-	-	-	-	-	-	-	-	1	1	4	5	9	9	14	16	10	8	4	4	3	2	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	8	8	10	7	6	-	4	1	2	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	4	1	1	1	-	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	2	2	1	3	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,139	-	1	-	-	-	-	-	1	1	3	8	16	42	71	102	135	126	198	183	126	84	32	6	2	2
	White-----M--	419	-	-	-	-	-	-	-	-	1	2	5	7	12	29	31	37	51	71	75	55	30	12	1	-	-
	F--	316	-	1	-	-	-	-	-	1	-	1	1	2	7	17	15	24	40	44	53	50	40	14	5	-	1
	Nonwhite--M--	257	-	-	-	-	-	-	-	-	-	-	1	7	14	18	31	49	20	55	35	10	12	4	-	-	1
	F--	147	-	-	-	-	-	-	-	-	-	-	1	-	9	7	25	25	15	28	20	11	2	2	-	2	-
160-164	Of respiratory system----------	504	-	-	-	-	-	-	1	1	1	3	3	7	17	45	60	61	102	76	77	30	11	7	1	-	1
	White-----M--	335	-	-	-	-	-	-	-	1	1	-	1	4	9	37	38	41	74	47	52	20	5	4	-	-	1
	F--	59	-	-	-	-	-	-	1	-	-	1	2	-	4	1	3	3	8	13	10	4	6	2	1	-	-
	Nonwhite--M--	94	-	-	-	-	-	-	-	-	-	-	-	3	4	6	17	12	19	15	12	6	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	5	1	1	3	-	-	1	-	-	-
170	Of breast---------	248	-	-	-	-	-	-	-	-	1	3	12	29	25	38	26	23	33	21	11	19	7	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	-	-	-	-	-	-	-	-	1	1	9	19	21	25	18	15	22	16	9	14	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	2	3	9	4	13	8	8	11	5	2	5	3	-	-	-	-
171-179	Of genital organs-	563	-	-	-	-	-	-	-	3	-	9	13	22	31	34	55	49	76	78	74	65	32	16	5	1	-
	White-----M--	101	-	-	-	-	-	-	-	1	-	2	2	-	1	1	3	2	7	17	16	25	14	9	1	-	-
	F--	203	-	-	-	-	-	-	-	1	-	5	5	8	17	18	22	27	30	23	21	17	7	1	1	-	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	4	13	18	11	14	5	4	3	-	-
	F--	183	-	-	-	-	-	-	-	-	-	1	6	14	13	14	29	16	26	20	26	9	6	2	-	1	-
180, 181	Of urinary organs-	178	1	-	-	2	1	1	-	-	-	1	2	6	13	16	17	23	25	26	23	12	7	2	-	-
	White-----M--	93	1	-	-	1	-	-	-	-	-	1	2	1	7	10	9	13	14	13	13	4	3	1	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	4	7	5	8	7	2	1	-	-
	Nonwhite--M--	27	-	-	-	-	1	-	-	-	-	-	-	1	2	3	2	4	4	6	2	-	2	-	-	-
	F--	18	-	-	-	1	-	1	-	-	-	-	-	1	4	2	4	2	-	2	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	467	2	-	2	2	3	4	8	5	9	7	6	12	34	35	38	45	54	72	54	35	23	12	3	2	-
	White-----M--	189	2	-	2	1	1	2	2	1	5	6	1	5	12	14	21	17	21	19	23	17	10	6	1	-	-
	F--	143	-	-	-	1	-	2	2	3	2	1	1	2	15	13	9	13	16	24	15	9	7	5	1	2	-
	Nonwhite--M--	68	-	-	-	-	-	-	3	1	1	-	1	3	3	6	5	7	7	16	9	3	2	-	1	-	-
	F--	67	-	-	-	-	2	-	1	-	1	-	3	2	4	2	3	8	10	13	7	6	4	1	-	-	-
204	Leukemia and aleukemia----------	154	2	2	2	3	-	12	8	5	8	3	5	5	11	6	12	14	12	17	11	8	7	1	-	-	-
	White-----M--	82	1	-	2	1	-	5	5	3	6	2	2	1	6	3	5	4	4	11	8	6	7	-	-	-	-
	F--	35	-	-	-	2	-	5	2	-	-	-	1	2	3	-	6	3	2	4	3	2	-	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	2	1	2	2	-	2	2	1	-	1	2	3	1	-	-	-	-	-	-	-
	F--	17	-	2	-	-	-	-	-	-	-	1	-	-	1	3	-	5	3	1	-	-	-	1	-	-	-
200-203, 205	Lymphomas, etc.*--	144	1	-	-	-	1	2	-	1	5	4	6	6	10	12	15	24	16	20	12	7	1	-	1	-	-
	White-----M--	75	-	-	-	-	1	1	-	1	4	2	4	4	4	7	7	11	11	9	6	3	-	-	-	-	-
	F--	33	-	-	-	-	-	1	-	-	1	1	1	2	4	2	3	3	4	3	3	3	1	-	1	-	-
	Nonwhite--M--	21	1	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	-	4	2	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	6	1	4	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	121	5	2	2	-	-	4	4	1	-	4	6	5	10	14	13	11	14	13	8	3	-	2	-	-	-
	White-----M--	38	1	-	-	-	-	-	4	-	-	-	1	1	3	3	5	4	6	4	3	1	-	2	-	-	-
	F--	35	2	-	-	-	-	-	-	-	-	-	3	2	5	7	3	6	2	3	1	1	-	-	-	-	-
	Nonwhite--M--	20	1	-	2	-	-	1	-	1	-	1	2	-	1	-	3	1	1	4	1	1	-	-	-	-	-
	F--	28	1	2	-	-	-	3	-	-	-	3	-	2	1	4	2	-	5	2	3	-	-	-	-	-	-
260	Diabetes mellitus-	426	-	-	-	-	-	1	1	-	1	7	3	7	5	16	29	44	54	80	82	46	35	11	4	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	2	-	3	1	4	6	7	11	12	15	10	9	4	-	-	-
	F--	183	-	-	-	-	-	-	-	-	-	1	1	2	-	3	6	16	23	42	36	29	17	5	2	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	3	-	-	1	1	3	4	6	6	10	2	5	1	1	-	-	-
	F--	115	-	-	-	-	-	1	1	-	-	1	2	2	3	8	14	17	14	20	21	5	4	1	1	-	-
280-293	Anemias----------	54	4	-	1	-	-	3	2	1	4	4	2	2	3	2	3	2	5	4	6	3	3	-	-	-	-
	White-----M--	11	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	3	-	3	-	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	1	1	-	4	2	-	2	1	-	-	-	1	-	1	1	-	-	-	-	-
	F--	15	2	-	1	-	-	1	-	-	-	2	2	-	1	1	-	-	2	1	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	64	30	6	4	2	1	6	2	3	-	1	-	2	-	3	1	1	-	-	-	-	1	1	-	-	-
	White-----M--	12	7	-	-	1	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	12	3	2	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	24	14	2	1	-	1	2	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F--	16	6	2	3	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	12,448	25	8	-	4	1	13	20	27	41	38	118	165	392	527	908	1,099	1,367	1,811	1,863	1,608	1,313	687	276	92	45
	White-----M--	4,500	7	-	-	1	-	5	3	2	15	10	37	59	140	223	326	450	506	651	688	623	434	216	80	20	4
	F--	3,087	3	-	-	1	1	1	2	5	3	6	15	15	54	60	112	168	281	374	532	507	496	287	126	34	4
	Nonwhite--M--	2,444	8	5	-	1	-	3	6	9	9	13	28	41	97	116	238	241	296	407	344	239	216	81	26	10	10
	F--	2,417	7	3	-	1	-	4	9	11	14	9	38	50	101	128	232	240	284	379	299	239	167	103	44	28	27
330-334, 400-468	Diseases of cardiovascular system-	12,072	25	7	-	2	-	11	17	25	37	35	109	155	369	518	883	1,079	1,332	1,758	1,815	1,577	1,265	663	263	84	43
	White-----M--	4,413	7	-	-	1	-	4	2	1	13	10	34	58	136	221	320	445	499	637	677	616	427	204	77	20	4
	F--	2,989	3	-	-	-	-	-	2	5	2	5	15	14	50	57	108	164	271	366	517	500	475	280	120	32	3
	Nonwhite--M--	2,349	8	5	-	1	-	3	5	9	9	13	25	37	91	115	232	236	285	385	332	232	204	78	25	9	10
	F--	2,321	7	2	-	-	-	4	8	10	13	7	35	46	92	125	223	234	277	370	289	229	159	101	41	23	26
330-334	Vascular lesions, etc.*----------	2,536	8	2	-	-	-	2	5	5	10	9	20	31	73	94	168	231	272	375	397	330	290	146	42	17	9
	White-----M--	717	2	-	-	-	-	-	1	1	6	3	9	8	19	23	30	57	68	106	121	113	90	38	16	6	-
	F--	865	-	-	-	-	-	-	-	-	-	1	1	3	18	9	27	46	67	81	115	101	110	68	12	5	1
	Nonwhite--M--	517	3	1	-	-	-	1	2	1	1	3	5	6	16	27	51	58	58	87	76	52	47	16	5	-	1
	F--	637	3	1	-	-	-	1	2	3	3	2	5	14	20	35	60	70	79	101	85	64	43	24	9	6	7
400-402	Rheumatic fever----	18	-	-	-	1	-	6	4	1	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
410-443	Diseases of heart-	8,727	15	3	-	1	-	2	7	16	24	20	71	106	270	396	669	801	998	1,280	1,324	1,151	873	444	180	52	24
	White-----M--	3,462	4	-	-	-	-	1	1	-	7	5	25	47	115	190	277	374	413	500	529	466	305	140	50	11	2
	F--	2,136	3	-	-	-	-	-	1	4	1	4	11	9	30	45	77	110	193	271	379	373	331	185	86	21	2
	Nonwhite--M--	1,644	5	2	-	1	-	1	1	6	6	7	15	28	68	77	165	163	216	264	233	164	138	51	18	8	7
	F--	1,485	3	1	-	-	-	-	4	6	10	4	20	22	57	84	150	154	176	245	183	148	99	68	26	12	13
410-416	Chronic rheumatic heart disease----	161	-	-	-	-	-	1	2	7	7	5	12	7	14	17	16	11	10	14	10	13	8	3	4	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	4	1	5	3	3	3	4	2	4	5	3	5	2	1	1	-	-
	F--	35	-	-	-	-	-	-	-	1	-	2	2	1	5	6	5	3	3	-	2	2	1	1	1	-	-
	Nonwhite--M--	38	-	-	-	-	-	1	-	4	1	2	-	2	4	4	3	2	2	4	1	2	5	-	1	-	-
	F--	42	-	-	-	-	-	-	2	2	2	-	5	1	2	4	4	4	1	5	4	4	-	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,270	3	-	-	-	-	-	-	1	11	5	28	61	169	239	413	499	638	797	843	660	508	256	100	28	11
	White-----M--	2,589	1	-	-	-	-	-	-	-	1	3	14	39	98	157	225	298	337	373	400	308	207	91	32	5	-
	F--	1,320	-	-	-	-	-	-	-	-	1	-	3	4	19	25	38	68	125	182	252	218	204	117	48	14	2
	Nonwhite--M--	776	1	-	-	-	-	-	-	-	3	1	7	12	35	33	92	78	110	124	112	74	59	24	6	4	1
	F--	585	1	-	-	-	-	-	-	1	6	1	4	6	17	24	58	55	56	118	79	60	38	24	14	5	8
421, 422	Nonrheumatic chronic endocarditis, etc.*--	910	2	2	-	-	-	-	2	1	1	1	5	13	14	19	42	57	92	130	121	135	137	77	40	13	6
	White-----M--	269	1	-	-	-	-	-	1	-	-	-	1	4	2	8	11	15	25	40	31	51	39	23	13	3	1
	F--	217	-	-	-	-	-	-	1	1	-	-	2	1	1	1	3	3	11	21	32	41	49	26	19	5	-
	Nonwhite--M--	220	1	2	-	-	-	-	-	-	1	-	2	4	3	7	16	19	26	40	33	22	27	8	5	1	3
	F--	204	-	-	-	-	-	-	-	-	-	1	-	4	8	3	12	20	30	29	25	21	22	20	3	4	2
430-434	Other diseases of heart---------	508	10	1	-	1	-	1	3	6	2	5	13	6	17	28	44	41	43	59	85	69	35	22	8	4	3
	White-----M--	142	2	-	-	-	-	1	-	-	1	-	4	-	4	4	10	14	7	24	31	20	11	7	-	2	-
	F--	110	3	-	-	-	-	-	-	1	-	2	-	1	-	3	5	6	9	11	23	24	10	8	4	-	-
	Nonwhite--M--	138	3	-	-	1	-	-	1	2	-	1	4	4	6	11	14	11	13	16	22	11	10	4	2	1	1
	F--	116	2	1	-	-	-	-	2	3	1	2	5	1	7	10	15	10	14	8	9	14	4	3	2	1	2
440-443	Hypertension with heart dis.--	1,880	-	-	-	-	-	-	-	1	3	4	13	19	56	93	134	193	215	280	265	274	185	86	28	7	4
	White-----M--	416	-	-	-	-	-	-	-	-	1	1	1	1	8	18	27	45	40	58	64	82	46	18	4	1	1
	F--	454	-	-	-	-	-	-	-	1	-	-	4	2	5	10	26	30	45	57	70	88	67	33	14	2	-
	Nonwhite--M--	472	-	-	-	-	-	-	-	-	1	3	2	6	20	22	40	53	65	80	65	55	37	15	4	2	2
	F--	538	-	-	-	-	-	-	-	1	-	-	6	10	23	43	61	65	65	85	66	49	35	20	6	2	1
444-447	Hypertension without mention of heart----------	255	-	-	-	-	-	-	-	-	1	4	13	12	16	18	18	19	16	34	33	26	20	12	9	3	1
	White-----M--	48	-	-	-	-	-	-	-	-	1	-	2	1	5	3	3	4	5	9	3	5	4	3	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	5	1	6	2	7	4	4	3	2	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	1	3	4	2	6	8	7	6	2	13	10	9	7	2	1	-	-
	F--	90	-	-	-	-	-	-	-	-	-	-	8	7	9	5	8	5	9	10	12	7	4	2	2	1	1
450	General arteriosclerosis--------	384	-	-	-	-	-	-	-	-	-	-	-	1	2	4	12	[illegible]	[illegible]	49	46	58	73	57	31	12	8
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	[illegible]	17	15	28	24	21	7	3	1
	F--	112	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	[illegible]	3	16	15	27	21	19	4	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	6	16	10	5	10	8	1	1	2
	F--	77	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	4	7	13	5	10	12	7	4	4	5
451-468	Other diseases of circulatory sys.-	152	2	2	-	-	-	1	1	3	1	1	5	4	8	5	14	19	24	20	15	12	9	4	1	-	1
	White-----M--	55	1	-	-	-	-	1	-	-	-	-	-	1	[illegible]	2	6	10	9	9	3	6	[illegible]	1	1	-	1
	F--	37	-	-	-	-	-	-	-	-	1	-	2	1	[illegible]	1	2	3	6	5	5	4	3	2	-	-	-
	Nonwhite--M--	33	-	2	-	-	-	-	-	2	-	-	1	1	1	1	4	5	3	5	3	2	2	1	-	-	-
	F--	27	1	-	-	-	-	1	1	-	1	2	1	4	1	1	2	1	6	1	4	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	376	-	1	-	2	1	2	3	2	4	3	9	10	23	9	25	20	35	53	48	31	48	24	13	8	2
	White-----M--	87	-	-	-	-	-	1	1	1	2	-	3	1	4	2	6	5	7	14	11	7	7	12	3	-	-
	F--	98	-	-	-	1	1	1	-	-	1	1	-	1	4	3	4	4	10	8	15	7	21	7	6	2	1
	Nonwhite--M--	95	-	-	-	-	-	-	1	-	-	-	3	4	6	1	6	5	11	22	12	7	12	3	1	1	-
	F--	96	-	1	-	1	-	-	-	1	1	2	3	4	9	3	9	6	7	9	10	10	8	2	3	5	1
480-493	Influenza and pneumonia, etc.*-	1,125	306	46	20	10	13	23	10	12	7	9	8	14	24	[illegible]	[illegible]	38	52	85	87	104	[illegible]	78	36	5	1
	White-----M--	240	32	4	4	-	3	2	-	2	-	3	1	3	4	5	[illegible]	12	15	19	26	36	[illegible]	23	11	1	-
	F--	199	28	4	8	2	1	5	3	1	-	-	-	4	1	4	1	7	9	13	13	25	[illegible]	23	17	1	-
	Nonwhite--M--	373	119	27	3	6	6	11	4	4	4	1	2	4	13	9	18	10	19	32	24	24	10	16	6	1	-
	F--	313	127	11	5	2	3	5	3	5	3	5	5	3	6	8	5	9	9	21	24	19	14	16	2	2	1
480-483	Influenza---------	260	48	15	3	2	3	5	2	3	1	3	2	2	3	7	5	8	15	32	[illegible]	25	19	25	7	1	-
	White-----M--	36	2	2	1	-	-	-	-	-	1	-	-	-	-	-	1	1	2	4	[illegible]	6	4	5	1	-	-
	F--	41	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	4	[illegible]	7	7	9	4	-	-
	Nonwhite--M--	94	22	8	-	1	3	4	-	1	1	-	-	1	1	-	2	3	9	14	8	7	2	5	2	-	-
	F--	89	20	5	2	1	-	1	1	2	-	2	2	1	2	6	2	3	2	10	9	5	6	6	-	1	-
490-493	Pneumonia, etc.*--	865	258	31	17	8	10	18	8	9	6	6	6	12	21	19	29	30	37	53	63	79	58	53	29	4	1
	White-----M--	204	30	2	3	-	3	2	-	2	-	2	1	3	4	5	9	11	13	15	20	30	20	18	10	1	-
	F--	158	24	4	8	2	1	5	2	1	-	-	-	4	1	3	1	6	7	9	12	18	22	14	13	1	-
	Nonwhite--M--	279	97	19	3	5	3	7	4	3	3	1	2	3	12	9	16	7	10	18	16	17	8	11	4	1	-
	F--	224	107	6	3	1	3	4	2	3	3	3	3	2	4	2	3	6	7	11	15	14	8	10	2	1	1
500-502	Bronchitis--------	67	14	2	2	2	1	1	2	-	-	-	-	-	-	2	1	6	3	5	10	5	6	1	3	1	-
	White-----M--	25	1	-	-	1	-	-	1	-	-	-	-	-	-	2	1	1	3	3	6	2	2	-	2	-	-
	F--	16	4	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-
	Nonwhite--M--	19	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	2	-	2	-	-	-	-
	F--	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	115	1	-	-	-	-	-	-	2	-	-	2	5	6	6	12	9	18	26	11	12	2	2	-	-	-
	White-----M--	68	1	-	-	-	-	-	-	-	-	-	1	3	2	5	8	4	12	16	8	5	1	2	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	2	4	1	3	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	1	1	3	-	2	4	3	4	1	3	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-
550-553	Appendicitis------	37	-	1	-	-	2	-	2	1	1	1	1	-	4	3	3	3	5	3	2	1	2	2	-	-	-
	White-----M--	15	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	1	1	1	2	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	-	1	-	1	-	-	-
	Nonwhite--M--	8	-	1	-	-	1	-	1	-	1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-
	F--	9	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	165	28	3	2	1	-	3	2	-	1	1	1	2	2	6	10	15	17	17	16	18	10	6	3	1	-
	White-----M--	50	9	1	-	-	-	2	-	-	-	-	-	1	-	2	2	5	6	4	7	4	5	1	-	1	-
	F--	53	9	-	1	-	-	1	-	-	-	1	1	-	2	1	2	[illegible]	4	6	4	8	2	2	3	-	-
	Nonwhite--M--	38	9	-	1	-	-	-	1	-	1	-	-	-	-	1	4	[illegible]	4	3	4	3	2	3	-	-	-
	F--	24	1	2	-	1	-	-	1	-	-	-	-	1	-	2	2	[illegible]	3	4	1	3	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543, 571, 572	Gastritis, etc.*--	204	112	15	3	2	2	7	1	2	1	1	1	-	-	10	5	4	6	10	8	8	4	2	-	-	-
	White-----M--	33	13	5	-	-	-	-	-	-	-	-	1	-	-	3	2	2	-	2	2	2	1	-	-	-	-
	F--	32	8	1	-	-	-	2	-	1	-	-	-	-	-	3	1	-	2	3	3	4	2	2	-	-	-
	Nonwhite--M--	69	44	4	1	1	1	3	-	1	1	-	-	-	-	2	2	1	3	3	2	-	-	-	-	-	-
	F--	70	47	5	2	1	1	2	1	-	-	1	-	-	-	2	-	1	1	2	1	2	1	-	-	-	-
581	Cirrhosis of liver	217	4	1	-	-	-	-	-	2	3	4	14	19	18	35	32	26	21	13	12	9	3	1	-	-	-
	White-----M--	131	1	-	-	-	-	-	-	1	1	1	8	13	9	19	22	19	14	10	7	5	-	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	1	1	5	3	3	4	3	2	4	2	4	4	3	-	-	-	-
	Nonwhite--M--	30	2	-	-	-	-	-	-	-	1	1	-	3	3	9	4	4	2	1	-	-	-	-	-	-	-
	F--	17	1	1	-	-	-	-	-	1	-	1	1	-	3	3	3	1	1	-	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	69	5	2	-	-	1	5	3	5	1	2	1	2	4	2	1	7	3	3	10	5	2	4	-	1	-
	White-----M--	15	2	-	-	-	-	2	-	2	-	-	-	-	1	-	-	2	-	1	3	1	-	1	-	-	-
	F--	18	2	-	-	-	1	-	1	1	-	-	1	1	-	1	-	2	1	-	2	3	1	1	-	-	-
	Nonwhite--M--	19	-	2	-	-	-	1	1	-	-	1	-	-	3	-	1	1	1	2	2	1	1	1	-	1	-
	F--	17	1	-	-	-	-	2	1	2	1	1	-	1	-	1	-	2	1	-	3	-	-	1	-	-	-
610	Hyperplasia of prostate---------	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	15	12	17	13	9	3	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	3	9	9	9	3	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	9	8	4	-	-	-	-
640-689	Complications of pregnancy, etc.*-	69	...	...	...	...	...	...	-	9	7	10	19	19	3	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	...	...	...	...	...	...	-	2	4	3	9	9	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	40	...	...	...	...	...	...	-	7	3	7	10	10	2	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	8	...	...	...	...	...	...	-	1	-	-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
640-648, 660-689	All other complications-------	61	...	...	...	...	...	...	-	8	7	10	16	16	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	...	...	...	...	...	...	-	1	4	3	8	8	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	35	...	...	...	...	...	...	-	7	3	7	8	8	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	416	302	24	15	3	3	8	5	7	7	4	1	8	6	4	7	6	3	1	1	1	-	-	-	-	-
	White-----M--	144	114	5	4	-	-	2	1	1	3	2	-	4	2	1	1	3	-	1	-	-	-	-	-	-	-
	F--	118	82	9	5	-	2	3	1	1	2	-	1	3	1	2	2	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	85	58	5	4	2	1	2	2	2	1	1	-	1	1	-	3	1	1	-	-	-	-	-	-	-	-
	F--	69	48	5	2	1	-	1	1	3	1	1	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,619	1,619	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	492	492	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	392	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	627	627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	827	827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	267	267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	380	51	4	1	1	-	2	2	2	2	3	1	3	9	6	17	13	29	40	37	31	49	29	22	12	14
	White-----M--	78	4	-	-	-	-	1	-	-	2	-	-	1	2	3	1	5	9	6	6	7	14	8	6	2	1
	F--	58	2	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	4	7	2	6	11	7	7	6	1
	Nonwhite--M--	144	32	1	-	-	-	1	1	2	-	-	-	1	2	2	8	4	9	16	19	10	15	8	6	2	5
	F--	100	13	2	1	-	-	-	1	-	-	3	1	1	5	-	7	3	7	11	10	8	9	6	3	2	7
Residual	All other diseases	1,170	85	15	12	6	7	25	16	20	21	33	29	44	48	66	89	98	105	127	93	84	78	46	18	2	3
	White-----M--	394	17	4	5	1	3	11	4	6	8	4	9	13	11	20	29	45	39	45	35	26	32	17	8	1	1
	F--	326	19	3	2	-	1	6	4	3	4	8	7	12	10	23	19	16	29	30	28	43	31	19	8	-	1
	Nonwhite--M--	239	25	3	1	2	2	2	3	7	4	9	6	8	11	13	24	28	29	23	21	6	6	5	1	-	-
	F--	211	24	5	4	3	1	6	5	4	5	12	7	11	16	10	17	9	8	29	9	9	9	5	1	1	1
E800-E962	Accidents----------	1,745	92	37	26	24	24	72	70	129	165	117	117	105	105	87	103	68	64	71	72	56	62	44	25	6	4
	White-----M--	788	19	10	6	5	5	28	27	67	96	74	63	52	43	45	51	34	34	30	26	19	26	18	7	1	2
	F--	314	19	8	4	4	4	9	8	16	15	10	19	16	16	10	7	8	9	14	26	26	27	20	14	3	2
	Nonwhite--M--	437	29	7	8	2	4	19	29	42	40	27	28	28	40	25	32	19	14	17	14	5	4	2	1	1	-
	F--	206	25	12	8	13	11	16	6	4	14	6	7	9	6	7	13	7	7	10	6	6	5	4	3	1	-
E810-E835	Motor-vehicle accidents--------	691	8	7	9	7	10	26	26	69	96	57	54	64	48	37	44	32	24	27	20	10	12	3	-	1	-
	White-----M--	369	4	2	2	2	3	13	12	41	56	37	29	36	18	20	22	15	15	15	11	5	8	3	-	-	-
	F--	113	3	3	4	2	2	5	2	10	12	7	12	10	10	4	5	6	3	6	3	3	1	-	-	-	-
	Nonwhite--M--	160	-	2	1	1	3	2	10	15	21	11	12	15	16	12	11	8	5	4	6	2	2	-	-	1	-
	F--	49	1	-	2	2	2	6	2	3	7	2	1	3	4	1	6	3	1	2	-	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,054	84	30	17	17	14	46	44	60	69	60	63	41	57	50	59	36	40	44	52	46	50	41	25	5	4
	White-----M--	419	15	8	4	3	2	15	15	26	40	37	34	16	25	25	29	19	19	15	15	14	18	15	7	1	2
	F--	201	16	5	-	2	2	4	6	6	3	3	7	6	6	6	2	2	6	8	23	23	26	20	14	3	2
	Nonwhite--M--	277	29	5	7	1	1	17	19	27	19	16	16	13	24	13	21	11	9	13	8	3	2	2	1	-	-
	F--	157	24	12	6	11	9	10	4	1	7	4	6	6	2	6	7	4	6	8	6	6	4	4	3	1	-
E963, E970-E979	Suicide----------	172	-	-	-	-	-	-	1	7	14	10	9	20	17	22	18	15	12	12	8	5	-	2	-	-	-
	White-----M--	118	-	-	-	-	-	-	1	6	10	4	4	16	12	13	14	14	6	9	6	2	-	1	-	-	-
	F--	33	-	-	-	-	-	-	-	1	2	4	3	3	2	6	2	1	4	2	1	1	-	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	2	1	1	3	2	1	-	2	1	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	220	1	-	-	-	-	2	1	21	25	39	28	22	24	21	16	6	5	3	2	-	1	1	-	-	2
	White-----M--	44	1	-	-	-	-	-	-	1	3	4	6	4	8	4	5	4	3	-	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	3	1	1	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	137	-	-	-	-	-	1	1	16	18	27	17	13	13	16	8	1	1	3	1	-	-	-	-	-	1
	F--	29	-	-	-	-	-	1	-	1	3	7	5	4	2	1	2	-	1	-	-	-	-	1	-	-	1
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES------	9,920	578	47	23	18	13	53	47	71	90	74	105	132	208	271	406	614	809	1,130	1,305	1,465	1,279	794	306	69	13
	White-----M--	5,540	324	23	12	11	9	36	34	49	71	44	64	70	134	169	258	388	499	662	743	807	624	354	121	23	11
	F--	4,346	251	24	11	7	4	17	12	22	17	28	39	59	74	100	147	225	307	465	558	655	652	439	185	46	2
	Nonwhite--M--	16	2	-	-	-	-	-	1	-	-	2	1	1	-	2	-	-	2	1	2	1	1	-	-	-	-
	F--	18	1	-	-	-	-	-	-	-	2	-	1	2	-	-	1	1	1	2	2	2	2	1	-	-	-
001-019	Tuberculosis, all forms--------	91	2	2	2	-	-	1	1	1	5	2	5	2	10	3	8	6	8	9	10	7	7	-	-	-	-
	White-----M--	62	2	2	-	-	-	-	1	-	-	1	4	2	6	2	6	5	8	7	9	3	4	-	-	-	-
	F--	28	-	-	2	-	-	1	-	1	4	1	1	-	4	1	2	1	-	2	1	4	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	80	1	-	-	-	-	-	1	1	4	2	5	1	10	3	8	6	7	8	10	7	6	-	-	-	-
	White-----M--	56	1	-	-	-	-	-	1	-	-	1	4	1	6	2	6	5	7	6	9	3	4	-	-	-	-
	F--	23	-	-	-	-	-	-	-	1	3	1	1	-	4	1	2	1	-	2	1	4	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	1	2	2	-	-	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-
	White-----M--	6	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	3	3	1	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	3	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	8	-	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	1	-	1	-	1	-	-	1	1	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	1	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	26	4	-	-	1	-	1	-	-	-	1	-	1	1	1	4	3	2	-	1	3	2	-	1	-	-
	White-----M--	16	2	-	-	1	-	1	-	-	-	1	-	-	1	1	3	2	-	-	-	2	1	-	1	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
140-205	Malignant neoplasms, etc.*----	1,580	-	1	3	-	-	4	3	6	9	10	23	30	46	80	89	140	184	213	244	239	159	76	18	1	2
	White-----M--	783	-	-	1	-	-	2	3	2	4	4	10	8	11	38	40	77	92	110	136	119	81	35	8	1	1
	F--	790	-	1	2	-	-	2	-	4	5	6	13	22	35	41	48	63	92	102	107	119	76	41	10	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-
140-148	Of buccal cavity and pharynx------	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	6	3	3	5	2	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	1	2	4	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	634	-	-	1	-	-	-	-	-	-	3	6	6	11	18	30	53	63	89	111	120	76	36	9	1	1
	White-----M--	332	-	-	-	-	-	-	-	-	-	1	2	1	4	9	12	32	34	51	66	64	38	13	3	1	1
	F--	300	-	-	1	-	-	-	-	-	-	2	4	5	7	9	18	21	29	38	45	55	37	23	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
160-164	Of respiratory system----------	159	-	-	-	-	-	-	-	-	-	-	3	2	11	14	21	24	26	29	19	5	4	1	-	-
	White-----M--	129	-	-	-	-	-	-	-	-	-	-	2	1	11	13	18	21	22	25	9	3	3	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	4	4	10	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	131	-	-	-	-	-	-	-	-	-	-	1	3	12	13	10	11	10	16	20	17	10	6	1	-	1
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	129	-	-	-	-	-	-	-	-	-	-	1	3	12	13	10	11	10	15	20	17	9	6	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
171-179	Of genital organs-	280	-	-	-	-	-	1	-	1	-	-	5	11	11	12	13	19	35	34	42	39	37	15	5	-	-
	White-----M--	110	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	9	11	22	23	26	8	3	-	-
	F--	170	-	-	-	-	-	1	-	1	-	1	4	11	11	11	11	15	26	23	20	16	11	7	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	73	-	-	1	-	-	-	-	-	-	-	1	2	1	5	7	8	9	11	10	5	9	3	1	-	-
	White-----M--	43	-	-	1	-	-	-	-	-	-	-	-	1	1	4	4	7	6	6	5	2	3	2	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	5	5	3	6	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	153	-	-	-	-	-	2	-	3	5	2	4	3	2	13	8	11	18	21	17	18	17	9	-	-	-
	White-----M--	89	-	-	-	-	-	1	-	1	1	2	3	3	1	8	5	6	9	13	10	10	9	7	-	-	-
	F--	63	-	-	-	-	-	1	-	2	4	-	1	-	1	5	3	5	9	8	6	8	8	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	51	-	1	1	-	-	-	2	1	3	-	2	-	2	3	4	7	7	5	3	7	1	1	1	-	-
	White-----M--	25	-	-	-	-	-	-	2	1	2	-	1	-	1	2	2	4	3	2	-	4	-	1	-	-	-
	F--	26	-	1	1	-	-	-	-	-	1	-	1	-	1	1	2	3	4	3	3	3	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	74	-	-	-	-	-	2	1	1	1	4	4	2	4	4	3	7	12	8	9	9	2	1	-	-	-
	White-----M--	37	-	-	-	-	-	1	1	-	1	1	3	1	2	2	2	4	5	4	6	3	1	-	-	-	-
	F--	37	-	-	-	-	-	1	-	1	-	3	1	1	2	2	1	3	7	4	3	6	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	33	-	1	-	-	-	1	-	2	1	2	2	-	4	3	4	2	2	4	1	2	2	-	-	-	-
	White-----M--	15	-	-	-	-	-	1	-	1	-	1	1	-	2	1	1	1	2	3	-	1	-	-	-	-	-
	F--	18	-	1	-	-	-	-	-	1	1	1	1	-	2	2	3	1	-	1	1	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	138	-	-	-	-	-	-	-	-	-	1	3	4	2	2	4	11	10	22	29	31	15	4	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	5	5	5	10	12	4	2	-	-	-
	F--	84	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	6	4	17	19	19	11	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	29	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	6	6	2	-	-	-
	White-----M--	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	4	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	14	4	1	2	-	-	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-
	White-----M--	10	2	-	2	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	5,755	3	-	-	-	-	2	1	6	4	3	17	41	66	119	203	342	486	743	857	1,031	931	595	244	52	9
	White-----M--	3,201	2	-	-	-	-	2	-	2	3	2	7	28	49	79	140	224	318	445	489	581	450	262	94	16	8
	F--	2,542	1	-	-	-	-	-	1	4	1	1	10	11	17	40	63	117	167	297	365	448	480	332	150	36	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	1	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	5,587	3	-	-	-	-	1	4	3	3	14	37	63	116	193	337	471	724	837	1,004	908	573	237	50	9
	White-----M--	3,127	2	-	-	-	-	-	1	2	2	6	27	46	79	134	223	311	437	479	569	444	252	90	15	8
	F--	2,449	1	-	-	-	-	1	3	1	1	8	8	17	37	59	113	159	286	355	433	463	321	147	35	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	1,259	1	-	-	-	-	-	3	1	1	5	4	8	18	30	67	86	147	184	261	240	132	58	12	1
	White-----M--	591	1	-	-	-	-	-	1	-	1	2	2	6	6	17	27	42	77	86	134	115	54	15	4	1
	F--	666	-	-	-	-	-	-	2	1	-	3	2	2	12	13	40	44	70	98	126	124	78	43	8	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
410-443	Diseases of heart-	3,891	2	-	-	-	-	-	1	1	2	2	6	33	54	92	159	261	367	545	607	674	567	351	131	30	6
	White-----M--	2,310	1	-	-	-	-	-	-	-	2	1	3	25	39	70	114	191	258	337	371	393	279	157	56	8	5
	F--	1,572	1	-	-	-	-	-	1	1	-	1	3	6	15	22	45	69	108	207	233	280	288	194	75	22	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	128	-	-	-	-	-	-	-	1	2	1	1	2	3	7	14	14	11	17	18	19	8	9	1	-	-
	White-----M--	72	-	-	-	-	-	-	-	-	2	-	-	2	1	3	4	6	9	10	13	14	3	5	-	-	-
	F--	55	-	-	-	-	-	-	-	1	-	1	1	-	2	4	10	8	2	7	4	5	5	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,642	1	-	-	-	-	-	-	-	-	1	4	23	47	66	125	198	283	400	424	429	364	194	69	11	3
	White-----M--	1,671	1	-	-	-	-	-	-	-	-	1	2	19	37	56	97	152	208	250	264	264	197	88	29	3	3
	F--	966	-	-	-	-	-	-	-	-	-	-	2	3	10	10	28	45	74	150	158	165	167	106	40	8	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	545	-	-	-	-	-	-	1	-	-	-	-	5	-	5	7	23	27	44	73	110	117	86	35	11	1
	White-----M--	298	-	-	-	-	-	-	-	-	-	-	-	3	-	3	5	16	15	29	50	68	46	39	20	4	-
	F--	247	-	-	-	-	-	-	1	-	-	-	-	2	-	2	2	7	12	15	23	42	71	47	15	7	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	111	1	-	-	-	-	-	-	-	-	-	-	3	-	6	-	4	9	16	20	22	11	12	4	3	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	5	13	16	11	4	4	2	-	-
	F--	47	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	3	4	10	7	8	2	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.---	465	-	-	-	-	-	-	-	-	-	-	1	-	4	8	13	22	37	68	72	94	67	50	22	5	2
	White-----M--	207	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	15	21	35	28	36	29	21	5	1	2
	F--	257	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	7	16	32	44	58	38	29	17	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	102	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	7	10	14	18	20	17	6	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	6	6	8	12	11	9	3	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	4	6	6	9	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis-------	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	14	20	35	77	70	41	8	2
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	9	21	37	31	15	3	2
	F--	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	11	14	40	39	26	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	61	-	-	-	-	-	-	-	-	-	-	3	-	-	3	1	2	8	8	12	16	4	3	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	7	5	9	2	1	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	5	1	7	7	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	168	-	-	-	-	-	2	-	2	1	-	3	4	3	3	10	5	15	19	20	27	23	22	7	2	-
	White-----M--	74	-	-	-	-	-	2	-	1	1	-	1	1	3	-	6	1	7	8	10	12	6	10	4	1	-
	F--	93	-	-	-	-	-	-	-	1	-	-	2	3	-	3	4	4	8	11	10	15	17	11	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	283	59	7	3	3	2	4	5	1	-	2	3	1	9	4	9	11	7	23	24	29	36	29	7	5	-
	White-----M--	153	35	3	1	-	2	2	3	-	-	1	2	-	8	2	6	5	3	13	10	19	21	13	3	1	-
	F--	130	24	4	2	3	-	2	2	1	-	1	1	1	1	2	3	6	4	10	14	10	15	16	4	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	42	10	1	-	1	-	1	1	-	-	-	-	-	-	-	2	3	1	1	4	6	4	6	-	1	-
	White-----M--	20	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	2	3	-	-	-
	F--	22	2	1	-	1	-	1	1	-	-	-	-	-	-	-	2	1	1	1	2	3	2	3	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	241	49	6	3	2	2	3	4	1	-	2	3	1	9	4	7	8	6	22	20	23	32	23	7	4	-
	White-----M--	133	27	3	1	-	2	2	3	-	-	1	2	-	8	2	6	3	3	13	8	16	19	10	3	1	-
	F--	108	22	3	2	2	-	1	1	1	-	1	1	1	1	2	1	5	3	9	12	7	13	13	4	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	17	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	2	5	-	-	-	-
	White-----M--	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	56	-	-	-	-	-	-	-	-	-	1	2	-	4	3	3	5	3	7	10	7	5	6	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	1	2	-	4	2	3	4	1	7	8	6	3	5	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	17	-	-	-	-	-	-	3	1	-	2	-	-	1	-	1	1	1	1	4	1	1	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	3	1	-	1	-	-	1	-	1	1	1	1	3	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	56	5	1	1	-	-	-	-	-	-	-	-	1	1	-	2	3	-	8	8	13	8	4	1	-	-
	White-----M--	29	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	5	5	2	2	-	-	-
	F--	27	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	3	8	6	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Continued																										
543,	Gastritis, etc.*--	33	12	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	1	2	4	3	1	4	-	-	-
571,	White-----M--	13	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	1	-	-	-	-	-
572	F--	20	5	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	2	2	2	1	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	62	-	-	-	-	-	1	-	-	-	-	1	3	3	4	12	10	4	9	6	1	6	1	-	1	-
	White-----M--	45	-	-	-	-	-	1	-	-	-	-	1	3	2	4	10	7	2	7	4	1	3	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	2	-	3	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	17	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	2	2	-	4	3	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	-	-	1	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	7	8	6	5	3	1	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	7	8	6	5	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	9	...	...	...	...	...	...	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	9	...	...	...	...	...	...	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	...	...	...	-	-	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	133	105	6	1	-	1	4	-	2	2	-	1	-	2	1	4	-	2	-	1	1	-	-	-	-	-
	White-----M--	69	56	2	-	-	1	1	-	2	1	-	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	F--	63	48	4	1	-	-	3	-	-	1	-	-	-	1	-	2	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	71	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	7	3	9	13	11	12	2	-
795	White-----M--	41	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	3	6	4	5	5	1	-
	F--	29	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	9	6	7	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	416	19	9	1	1	1	6	4	6	6	7	10	8	7	13	28	38	55	40	50	39	38	22	6	4	-
sid-	White-----M--	229	11	4	1	1	-	3	2	3	5	2	4	5	2	8	19	19	29	23	29	23	19	13	2	2	-
ual	F--	187	8	5	-	-	1	3	2	3	1	5	6	3	5	5	9	19	24	17	21	16	19	9	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	544	27	11	8	10	9	26	28	42	55	26	20	25	33	17	18	25	21	20	24	24	27	30	14	2	2
E962	White-----M--	388	15	8	5	7	6	21	21	34	53	21	18	16	31	14	13	23	16	15	13	9	14	8	5	-	2
	F--	151	11	3	3	3	3	5	6	8	1	4	1	9	2	3	5	2	5	5	11	15	13	22	9	2	-
	Nonwhite--M--	4	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	202	3	5	4	5	4	13	14	30	32	12	10	14	13	8	7	6	6	5	4	2	2	3	-	-	-
	White-----M--	153	-	4	3	3	2	9	11	24	30	9	9	7	13	7	4	4	5	3	1	1	2	2	-	-	-
	F--	45	3	1	1	2	2	4	2	6	1	2	-	7	-	1	3	2	1	2	3	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	342	24	6	4	5	5	13	14	12	23	14	10	11	20	9	11	19	15	15	20	22	25	27	14	2	2
E802,	White-----M--	235	15	4	2	4	4	12	10	10	23	12	9	9	18	7	9	19	11	12	12	8	12	6	5	-	2
E840-	F--	106	8	2	2	1	1	1	4	2	-	2	1	2	2	2	2	-	4	3	8	14	13	21	9	2	-
E962	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide-----------	119	-	-	-	-	-	-	-	2	5	12	11	7	13	11	9	7	13	7	9	6	5	1	-	1	-
E970-	White-----M--	91	-	-	-	-	-	-	-	2	4	7	8	3	11	10	7	5	10	6	9	4	3	1	-	1	-
E979	F--	28	-	-	-	-	-	-	-	-	1	5	3	4	2	1	2	2	3	1	-	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	13	-	1	-	-	-	-	1	-	-	2	3	1	2	2	1	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E985	F--	8	-	1	-	-	-	-	1	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES------	23,617	1,741	118	84	59	41	133	92	168	218	279	403	548	833	1,114	1,505	1,889	2,326	2,693	2,835	2,570	2,061	1,272	485	113	37
	White-----M--	10,671	671	42	40	19	20	62	40	87	117	106	161	243	371	522	702	956	1,215	1,328	1,294	1,148	832	487	163	30	15
	F--	8,431	532	32	20	16	12	40	22	40	44	64	89	128	184	276	366	517	682	907	1,171	1,179	1,048	700	284	68	10
	Nonwhite--M--	2,511	292	29	16	15	3	18	20	24	38	65	88	91	145	178	231	259	242	248	199	139	96	44	20	6	5
	F--	2,004	246	15	8	9	6	13	10	17	19	44	65	86	133	138	206	157	187	210	171	104	85	41	18	9	7
001-019	Tuberculosis, all forms--------	417	4	6	3	-	-	-	1	3	14	18	24	34	40	44	40	48	42	42	22	16	10	4	1	-	1
	White-----M--	175	-	2	1	-	-	-	-	-	5	3	4	7	16	19	15	29	27	27	8	5	4	2	1	-	-
	F--	60	2	1	1	-	-	-	-	-	-	2	7	6	3	2	5	4	3	4	8	5	5	2	-	-	-
	Nonwhite--M--	127	1	1	1	-	-	-	1	1	4	7	7	12	16	19	14	14	10	9	4	4	1	-	-	-	1
	F--	55	1	2	-	-	-	-	-	2	5	6	6	9	5	4	6	1	2	2	2	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	383	2	2	-	-	-	-	-	3	13	15	23	32	38	43	37	45	42	38	19	16	9	4	1	-	1
	White-----M--	161	-	1	-	-	-	-	-	-	5	3	4	6	14	19	14	27	27	24	6	5	3	2	1	-	-
	F--	54	1	-	-	-	-	-	-	-	-	1	7	6	3	2	5	4	3	3	7	5	5	2	-	-	-
	Nonwhite--M--	119	1	-	-	-	-	-	-	1	3	6	7	11	18	18	13	14	10	9	4	4	1	-	-	-	1
	F--	49	-	1	-	-	-	-	-	2	5	5	5	9	5	4	5	-	2	2	2	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	34	2	4	3	-	-	-	1	-	1	3	1	2	2	1	3	3	-	4	3	-	1	-	-	-	-
	White-----M--	14	-	1	1	-	-	-	-	-	-	-	-	1	2	-	1	2	-	3	2	-	1	-	-	-	-
	F--	6	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	1	1	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	6	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	124	1	-	-	-	-	-	-	-	-	-	3	5	13	13	14	24	20	13	10	4	4	-	-	-	-
	White-----M--	46	1	-	-	-	-	-	-	-	-	-	-	4	3	5	5	5	9	9	6	3	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	-	2	-	1	-	-	-	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	1	2	4	7	7	13	7	3	2	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	2	2	4	3	2	4	1	1	-	-	1	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	22	10	3	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	3	2	2	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	25	-	-	1	1	1	4	6	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	1	1	2	3	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	1	-	-	2	3	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	66	16	4	2	-	-	4	1	1	1	6	1	4	2	1	5	5	2	4	2	4	-	1	-	-	-
	White-----M--	31	5	3	1	-	-	3	1	-	-	1	-	2	1	1	-	4	1	2	2	3	-	1	-	-	-
	F--	14	5	-	-	-	-	-	-	1	1	2	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	9	4	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	12	2	-	-	-	-	1	-	-	-	2	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*----	3,519	4	6	10	8	6	20	7	11	22	23	53	84	156	228	321	376	531	496	456	347	222	105	22	5	-
	White-----M--	1,484	2	2	5	3	2	8	2	6	13	6	21	25	48	73	127	158	254	223	186	171	96	42	10	1	-
	F--	1,561	2	3	3	4	3	11	3	1	8	10	22	44	74	110	130	155	198	212	224	156	113	60	11	4	-
	Nonwhite--M--	246	-	-	1	1	-	-	2	2	1	1	3	4	10	17	32	39	45	35	30	15	7	-	1	-	-
	F--	228	-	1	1	-	1	1	-	2	-	6	7	11	24	28	32	24	34	26	16	5	6	3	-	-	-
140-148	Of buccal cavity and pharynx------	90	-	-	-	-	1	-	-	-	1	1	-	2	4	7	9	12	12	10	14	7	6	2	1	1	-
	White-----M--	62	-	-	-	-	1	-	-	-	1	-	-	1	3	4	5	6	9	9	9	6	6	1	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	3	-	3	-	-	1	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,217	-	-	-	-	-	-	2	-	1	2	6	23	28	57	92	132	200	189	176	153	102	44	10	-	-
	White-----M--	539	-	-	-	-	-	-	1	-	1	2	4	12	18	23	43	47	96	89	70	75	36	17	5	-	-
	F--	528	-	-	-	-	-	-	1	-	-	-	2	7	6	20	31	57	72	81	92	68	60	26	5	-	-
	Nonwhite--M--	87	-	-	-	-	-	-	-	-	-	-	-	2	3	6	12	17	17	9	10	8	3	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	2	1	8	6	11	15	10	4	2	3	1	-	-	-
160-164	Of respiratory system----------	457	1	-	-	-	-	-	-	1	-	1	3	4	17	22	60	76	103	66	60	23	16	2	2	-	-
	White-----M--	347	1	-	-	-	-	-	-	-	-	-	2	3	6	17	42	61	82	51	45	22	11	2	2	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	5	2	6	-	8	8	8	1	4	-	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	1	-	-	-	-	5	3	12	13	11	6	5	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	2	1	2	-	-	-	-	-	-
170	Of breast---------	352	-	-	-	-	-	-	-	-	1	1	7	13	24	40	31	39	37	44	43	26	21	21	3	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	308	-	-	-	-	-	-	-	-	1	-	6	10	21	31	28	34	32	33	42	25	21	20	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	1	3	3	8	3	4	4	10	-	1	-	1	-	-	-
171-179	Of genital organs-	563	-	-	-	-	-	-	-	1	3	4	9	23	46	45	57	43	67	77	74	63	35	14	1	1	-
	White-----M--	146	-	-	-	-	-	-	-	1	1	-	2	3	3	3	2	3	10	21	29	31	23	12	1	1	-
	F--	311	-	-	-	-	-	-	-	-	2	3	4	16	29	33	37	33	43	44	30	27	8	2	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	8	8	4	1	-	-	-	-
	F--	74	-	-	-	-	-	-	-	-	-	1	3	4	14	8	18	4	7	4	7	1	3	-	-	-	-
180, 181	Of urinary organs-	168	-	1	2	-	-	1	-	-	1	1	1	3	1	8	15	10	26	28	28	21	11	9	-	1	-
	White-----M--	86	-	1	-	-	-	1	-	-	1	-	-	3	1	3	7	6	11	18	12	13	4	5	-	-	-
	F--	61	-	-	1	-	-	-	-	-	-	-	1	-	-	2	6	4	7	8	14	6	7	4	-	1	-
	Nonwhite--M--	14	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	366	2	1	5	2	1	7	2	3	5	6	11	5	21	28	31	39	43	47	31	38	21	11	5	1	-
	White-----M--	156	1	-	2	2	-	1	-	1	3	2	6	1	10	11	15	22	20	18	12	15	10	3	1	-	-
	F--	167	1	1	2	-	1	5	1	-	1	4	3	3	8	11	10	12	20	26	14	23	10	7	3	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	1	-	1	-	-	1	-	4	4	3	3	3	2	-	1	-	1	-	-
	F--	19	-	-	1	-	-	1	-	2	-	-	2	-	3	2	2	2	-	-	3	-	-	1	-	-	-
204	Leukemia and aleukemia----------	138	1	4	3	5	4	8	1	4	4	5	5	3	4	9	9	8	16	15	16	8	5	1	-	-	-
	White-----M--	63	-	1	3	1	1	5	-	3	3	1	2	2	1	2	4	6	11	6	5	3	2	1	-	-	-
	F--	56	1	2	-	3	2	3	1	1	1	2	1	1	1	6	4	1	3	5	11	5	2	-	-	-	-
	Nonwhite--M--	11	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	1	1	3	-	-	1	-	-	-	-
	F--	8	-	1	-	-	1	-	-	-	-	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	168	-	-	-	1	-	4	2	2	6	2	11	8	11	12	17	17	27	20	14	8	5	1	-	-	-
	White-----M--	81	-	-	-	-	-	1	1	1	3	1	5	-	6	9	9	6	14	10	4	6	4	1	-	-	-
	F--	69	-	-	-	1	-	3	-	-	3	1	5	7	3	2	6	9	10	7	10	1	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	1	1	-	-	1	-	1	1	2	1	-	3	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	90	5	1	1	1	-	4	1	-	2	5	3	4	4	12	7	12	10	8	3	2	3	2	-	-	-
	White-----M--	36	1	-	1	-	-	2	-	-	1	3	1	1	2	4	2	4	5	4	2	1	2	-	-	-	-
	F--	35	-	1	-	-	-	1	-	-	1	1	-	2	2	6	3	7	3	4	-	1	1	2	-	-	-
	Nonwhite--M--	8	2	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	11	2	-	-	-	-	1	-	-	-	1	2	1	-	1	1	1	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	448	1	-	-	-	-	1	-	-	1	6	5	4	9	15	28	50	72	72	72	61	34	12	4	1	-
	White-----M--	126	1	-	-	-	-	1	-	-	1	5	2	2	2	1	5	14	17	24	23	13	9	4	1	1	-
	F--	253	-	-	-	-	-	-	-	-	-	-	2	1	5	9	13	26	41	41	38	44	23	7	3	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	5	-	3	3	1	1	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	1	-	1	2	4	7	9	9	7	8	1	1	-	-	-	-	-
290-293	Anemias----------	44	1	1	-	-	-	2	1	-	-	1	1	1	1	4	2	5	2	5	7	7	1	2	-	-	-
	White-----M--	13	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	4	-	1	2	2	-	-	-	-	-
	F--	22	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	1	2	4	4	4	1	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	33	10	1	2	-	1	3	1	-	1	1	1	-	1	1	3	1	-	-	2	2	1	1	-	-	-
	White-----M--	11	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	-	-	-
	F--	10	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	Nonwhite--M--	7	1	-	1	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	12,967	10	2	3	1	-	9	14	14	28	45	96	180	333	507	793	1,052	1,314	1,713	1,938	1,850	1,551	996	399	91	28
	White-----M--	5,954	3	1	2	-	-	3	4	6	15	12	37	85	163	282	402	541	696	844	889	822	611	378	124	23	11
	F--	4,869	5	-	-	-	-	3	4	6	10	11	22	33	55	87	154	257	367	561	785	851	807	548	241	54	8
	Nonwhite--M--	1,107	2	1	1	-	-	1	4	2	2	15	19	32	51	64	106	158	130	157	136	91	71	38	17	5	4
	F--	1,037	-	-	-	1	-	2	2	-	1	7	18	30	64	74	131	96	121	151	128	86	62	32	17	9	5
330-334, 400-468	Diseases of cardiovascular system-	12,691	10	2	3	1	-	8	10	10	22	38	91	161	320	496	771	1,033	1,289	1,689	1,908	1,821	1,526	972	393	89	28
	White-----M--	5,851	3	1	2	-	-	3	4	4	11	10	36	80	159	279	394	536	689	839	874	805	599	367	122	23	11
	F--	4,777	5	-	-	-	-	2	1	5	9	10	19	24	52	83	147	250	358	555	777	845	798	539	238	52	8
	Nonwhite--M--	1,064	2	1	1	-	-	1	4	1	2	12	19	27	49	63	104	155	125	148	133	86	70	36	16	5	4
	F--	999	-	-	-	1	-	2	1	-	-	6	17	30	60	71	126	92	117	147	124	85	59	30	17	9	5
330-334	Vascular lesions, etc.*----------	2,071	4	-	1	1	-	2	2	2	3	2	18	20	55	49	117	143	197	261	333	345	272	160	66	14	4
	White-----M--	770	3	-	1	-	-	1	-	-	1	1	5	7	14	11	35	56	86	107	135	135	92	58	16	4	2
	F--	945	1	-	-	-	-	1	1	2	2	-	6	3	14	17	44	51	67	91	157	177	165	94	45	7	-
	Nonwhite--M--	156	-	-	-	-	-	-	1	-	-	-	2	1	10	10	12	17	18	28	20	17	9	6	2	1	2
	F--	200	-	-	-	1	-	-	-	-	-	1	5	9	17	11	26	19	26	35	21	16	6	2	3	2	-
400-402	Rheumatic fever---	35	-	-	2	-	-	3	6	2	1	-	1	1	8	2	4	1	-	-	1	1	1	-	-	-	1
	White-----M--	14	-	-	1	-	-	1	3	1	-	-	1	1	3	1	-	-	-	-	1	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	1	-	-	-	-	-	4	-	1	-	-	-	-	-	1	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
410-443	Diseases of heart-	9,760	5	2	-	-	-	3	1	3	15	28	55	127	233	427	616	840	1,037	1,356	1,482	1,367	1,107	717	264	55	20
	White-----M--	4,741	-	1	-	-	-	1	-	2	8	7	27	70	134	261	343	460	570	700	696	618	454	282	84	15	8
	F--	3,501	4	-	-	-	-	1	-	1	6	7	9	17	31	64	95	190	281	439	591	625	560	366	156	32	6
	Nonwhite--M--	810	1	1	-	-	-	1	1	-	1	11	11	21	35	48	84	126	100	113	105	64	48	25	11	2	1
	F--	708	-	-	-	-	-	-	-	-	-	3	8	19	33	54	94	64	86	104	90	60	45	24	13	6	5
410-416	Chronic rheumatic heart disease----	276	-	-	-	-	-	1	1	2	9	7	19	24	28	37	40	27	24	23	16	8	5	4	1	-	-
	White-----M--	127	-	-	-	-	-	-	-	1	5	2	12	13	11	16	23	12	10	10	7	1	2	1	1	-	-
	F--	110	-	-	-	-	-	1	-	1	4	4	3	8	8	15	12	13	12	12	8	6	2	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	-	-	-	3	1	2	3	3	2	2	-	1	1	-	2	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	1	2	7	3	2	-	-	1	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,020	-	-	-	-	-	1	-	1	3	7	20	60	135	259	361	486	600	746	742	703	477	302	88	20	10
	White-----M--	2,954	-	-	-	-	-	1	-	1	1	3	13	47	106	202	254	331	389	448	394	358	220	133	38	11	4
	F--	1,591	-	-	-	-	-	-	-	-	1	1	2	1	9	17	46	96	153	229	295	310	224	154	42	7	4
	Nonwhite--M--	278	-	-	-	-	-	-	-	-	1	3	4	5	14	25	33	42	34	32	31	19	20	10	4	-	1
	F--	197	-	-	-	-	-	-	-	-	-	-	1	7	6	14	28	17	24	37	22	16	13	5	4	2	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,039	2	1	-	-	-	1	-	-	1	5	3	8	10	18	58	98	149	235	354	332	363	243	129	22	7
	White-----M--	823	-	-	-	-	-	-	-	-	1	-	1	4	5	8	23	41	64	105	161	144	137	87	35	4	3
	F--	878	1	-	-	-	-	-	-	-	-	1	2	2	3	4	7	19	43	72	135	146	198	145	85	15	-
	Nonwhite--M--	191	1	1	-	-	-	1	-	-	-	3	-	2	-	4	15	27	27	27	36	26	13	5	2	1	-
	F--	147	-	-	-	-	-	-	-	-	-	1	-	-	2	2	13	11	15	31	22	16	15	6	7	2	4
430-434	Other diseases of heart---------	212	3	1	-	-	-	-	-	-	1	2	3	4	8	14	14	29	22	20	25	28	16	15	4	1	2
	White-----M--	103	-	1	-	-	-	-	-	-	-	1	1	2	3	6	7	17	8	11	13	17	6	9	-	-	1
	F--	60	3	-	-	-	-	-	-	-	1	-	1	1	-	5	1	5	6	5	7	7	9	5	3	-	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	1	1	2	-	4	6	5	4	4	3	1	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	3	-	1	1	-	1	-	1	-
440-443	Hypertension with heart dis.--	2,213	-	-	-	-	-	-	-	-	1	7	10	31	52	100	143	200	242	332	345	296	246	153	42	12	1
	White-----M--	734	-	-	-	-	-	-	-	-	1	1	-	4	9	29	36	59	99	126	121	98	89	52	10	-	-
	F--	862	-	-	-	-	-	-	-	-	-	1	1	5	11	23	29	57	67	121	146	156	127	81	26	10	1
	Nonwhite--M--	287	-	-	-	-	-	-	-	-	-	4	3	12	17	16	29	49	32	50	33	15	14	8	4	1	-
	F--	330	-	-	-	-	-	-	-	-	-	1	6	10	15	32	49	35	44	35	45	27	16	12	2	1	-
444-447	Hypertension without mention of heart----------	201	-	-	-	-	-	-	-	-	2	1	10	7	18	12	14	13	20	19	21	21	25	12	5	1	-
	White-----M--	89	-	-	-	-	-	-	-	-	1	-	1	1	5	2	5	4	8	6	9	11	8	4	4	-	-
	F--	59	-	-	-	-	-	-	-	-	1	-	2	2	5	1	3	2	4	7	6	7	11	6	1	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	5	4	3	4	3	2	3	1	2	1	5	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	2	-	5	5	3	5	5	5	4	2	1	1	-	-	-
450	General arteriosclerosis--------	471	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	16	18	35	51	74	114	79	57	17	3
	White-----M--	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	9	17	22	35	40	23	17	4	-
	F--	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	13	16	30	60	50	36	10	2
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	4	4	5	3	8	3	3	2	1
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	8	6	6	3	1	1	-
451-468	Other diseases of circulatory sys.-	153	1	-	-	-	-	-	1	3	1	7	7	6	6	5	14	20	17	18	20	13	7	4	1	2	-
	White-----M--	85	-	-	-	-	-	-	1	1	1	2	2	1	3	4	9	13	16	9	11	6	5	-	1	-	-
	F--	38	-	-	-	-	-	-	-	1	-	3	2	2	1	-	1	3	1	5	7	5	2	3	-	2	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	1	-	1	1	1	1	1	2	2	-	2	1	1	-	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	2	2	1	-	2	2	-	2	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.* ----------	276	-	-	-	-	-	1	4	4	6	7	5	19	13	11	22	19	25	24	30	29	25	24	6	2	-
	White-----M--	103	-	-	-	-	-	-	-	2	4	2	1	5	4	3	8	5	7	5	15	17	12	11	2	-	-
	F--	92	-	-	-	-	-	1	3	1	1	1	3	9	3	4	7	7	9	6	8	6	9	9	3	2	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	1	-	3	-	5	2	1	2	3	5	9	3	5	1	2	1	-	-
	F--	38	-	-	-	-	-	-	1	-	1	1	1	-	4	3	5	4	4	4	4	1	3	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	688	124	22	13	8	2	3	5	5	7	7	15	19	20	32	31	27	41	52	69	57	61	41	23	3	1
	White-----M--	270	37	6	3	1	1	3	1	2	2	1	2	6	3	14	11	13	21	20	29	30	31	18	13	1	1
	F--	190	36	5	5	5	1	-	-	2	-	3	1	3	6	4	3	1	5	15	27	21	19	16	8	2	-
	Nonwhite--M--	129	26	8	4	1	-	-	2	-	3	1	6	4	7	11	11	9	8	7	8	3	7	1	2	-	-
	F--	99	25	3	1	1	-	-	2	1	2	2	6	6	4	3	6	4	7	10	5	3	4	4	-	-	-
480-483	Influenza---------	82	9	-	1	2	-	-	1	-	-	2	-	1	-	4	2	4	5	9	12	11	8	8	3	-	-
	White-----M--	27	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	4	8	3	1	1	-	-
	F--	35	4	-	1	2	-	-	-	-	-	2	-	1	-	1	-	-	2	4	6	1	4	5	2	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	-	-	-
	F--	11	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	2	1	2	-	1	-	-	-
490-493	Pneumonia, etc.*--	606	115	22	12	6	2	3	4	5	7	5	15	18	20	28	29	23	36	43	57	46	53	33	20	3	1
	White-----M--	243	35	6	3	1	1	3	1	2	2	1	2	6	3	12	11	12	18	18	25	22	28	17	12	1	1
	F--	155	32	5	4	3	1	-	-	2	-	1	1	2	6	3	3	1	3	11	21	20	15	13	6	2	-
	Nonwhite--M--	120	24	8	4	1	-	-	2	-	3	1	6	4	7	10	10	8	8	6	7	3	6	-	2	-	-
	F--	88	24	3	1	1	-	-	1	1	2	2	6	6	4	3	5	2	7	8	4	1	4	3	-	-	-
500-502	Bronchitis---------	69	13	1	2	2	1	4	-	1	-	-	2	1	-	4	5	4	8	5	6	6	3	1	-	-	-
	White-----M--	43	8	1	-	-	-	2	-	1	-	-	1	1	-	3	3	3	7	2	4	5	1	1	-	-	-
	F--	12	2	-	-	1	1	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	1	-	-	-	-
	Nonwhite--M--	7	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	7	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	126	1	-	-	-	-	1	1	-	-	-	1	7	2	8	7	18	17	27	13	10	10	1	1	-	1
	White-----M--	96	-	-	-	-	-	1	-	-	-	-	1	6	1	4	5	15	13	24	9	7	8	1	1	-	1
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	-	3	3	2	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	2	3	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	29	-	-	-	-	-	1	1	1	-	1	2	3	-	3	3	3	1	4	2	2	2	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	1	3	2	1	1	-	-	-	-
	F--	8	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	140	23	3	-	-	-	-	-	2	1	2	3	-	6	8	8	5	8	13	21	18	12	4	1	2	-
	White-----M--	58	10	1	-	-	-	-	-	-	-	1	2	-	1	4	2	3	4	5	11	7	5	2	1	-	-
	F--	50	6	1	-	-	-	-	-	1	-	-	-	-	-	2	3	2	3	5	7	10	7	2	-	1	-
	Nonwhite--M--	14	3	1	-	-	-	-	-	-	1	-	-	-	1	1	3	-	-	1	2	-	-	-	-	1	-
	F--	17	4	-	-	-	-	-	-	1	-	1	1	-	4	1	-	-	1	2	1	1	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543,	Gastritis, etc.*--	87	39	5	3	1	-	-	-	-	-	1	2	1	1	5	1	3	6	4	5	4	5	1	-	-	-
571,	White-----M--	28	8	3	2	1	-	-	-	-	-	1	2	-	1	-	-	-	4	1	1	1	3	-	-	-	-
572	F--	28	3	2	1	-	-	-	-	-	-	-	-	1	-	4	1	3	2	3	2	3	2	1	-	-	-
	Nonwhite--M--	20	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	297	-	-	-	-	1	2	1	1	1	5	12	14	27	39	50	52	35	27	17	6	5	2	-	-	-
	White-----M--	162	-	-	-	-	1	-	-	-	-	3	5	4	14	16	27	39	23	18	11	2	2	-	-	-	-
	F--	79	-	-	-	-	-	-	-	1	-	2	5	4	9	12	11	6	6	9	5	4	3	2	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	1	1	-	-	2	1	1	1	10	6	5	5	-	-	-	-	-	-	-	-
	F--	23	-	-	-	-	-	1	-	-	1	1	1	5	3	1	6	2	1	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	58	-	-	-	-	2	2	1	2	3	1	1	2	5	2	4	2	6	8	4	8	2	3	-	-	-
	White-----M--	18	-	-	-	-	1	1	1	1	1	1	-	-	-	-	2	2	2	1	2	1	-	2	-	-	-
	F--	15	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	2	2	5	1	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	1	-	-	1	1	-	-	1	2	-	1	-	-	4	-	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	4	1	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	10	12	10	9	11	1	1	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	11	7	8	10	1	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	3	1	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	25	...	...	...	...	...	...	-	1	7	3	4	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	1	5	-	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	...	...	...	-	-	2	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	...	...	...	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	19	...	...	...	...	...	...	-	1	4	1	3	6	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	...	...	...	...	...	...	-	1	3	-	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	...	...	...	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	345	261	14	8	7	9	7	3	4	-	6	2	3	2	5	2	6	4	1	-	-	-	-	-	-	1
	White-----M--	155	119	4	6	4	5	5	2	2	-	-	-	-	1	4	-	2	1	-	-	-	-	-	-	-	-
	F--	137	104	7	2	2	-	2	1	-	-	6	-	1	1	1	2	4	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	29	20	2	-	1	2	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	18	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
760-	Certain diseases																										
776	of early infancy-	1,055	1,054	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	319	318	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	465	465	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	519	518	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	165	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	79	12	1	1	1	-	-	-	1	1	-	1	1	5	2	-	2	9	3	5	9	6	13	5	1	-
795	White-----M--	28	3	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	6	-	3	4	1	5	2	-	-
	F--	28	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	2	4	7	2	1	-
	Nonwhite--M--	12	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	-	2	1	1	1	-	-	-
	F--	11	2	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	2	1	-	1	-	1	-	-	-
Re-	All other diseases	1,044	111	19	9	8	6	15	4	17	9	21	25	48	64	64	73	101	107	101	89	70	45	27	7	2	2
sid-	White-----M--	494	38	9	6	1	3	6	2	6	4	11	6	24	25	24	28	57	65	62	47	32	20	12	4	1	1
ual	F--	292	25	2	2	1	3	6	1	5	4	5	8	10	14	17	17	27	25	23	30	28	20	14	3	1	1
	Nonwhite--M--	153	29	6	1	4	-	2	1	2	-	3	5	7	14	13	18	8	14	12	4	8	2	-	-	-	-
	F--	105	19	2	-	2	-	1	-	4	1	2	6	7	11	10	10	9	3	4	8	2	3	1	-	-	-
E800-	Accidents----------	1,364	34	27	22	19	10	50	37	84	88	83	101	83	92	74	74	64	71	67	72	65	73	43	21	7	3
E962	White-----M--	714	8	8	9	5	4	25	20	55	61	40	56	55	59	39	42	39	44	41	37	24	26	9	5	2	1
	F--	324	11	7	4	3	3	10	8	14	10	14	9	8	5	9	12	14	14	16	29	34	37	31	16	5	1
	Nonwhite--M--	237	7	7	5	6	-	12	6	11	12	22	28	14	24	21	20	6	12	8	6	5	3	2	-	-	-
	F--	89	8	5	4	5	3	3	3	4	5	7	8	6	4	5	-	5	1	2	-	2	7	1	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	494	1	3	6	7	2	14	10	43	63	35	61	42	35	22	32	21	27	29	19	9	9	2	2	-	-
	White-----M--	291	-	2	2	3	2	6	5	27	47	13	33	28	26	12	17	14	15	18	11	4	4	1	1	-	-
	F--	91	-	-	2	-	-	4	3	11	7	8	5	5	2	4	7	5	5	7	7	3	4	1	1	-	-
	Nonwhite--M--	92	1	1	2	2	-	4	-	3	7	11	19	7	7	5	8	1	6	4	1	2	1	-	-	-	-
	F--	20	-	-	-	2	-	-	2	2	2	3	4	2	-	1	-	1	1	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	870	33	24	16	12	8	36	27	41	25	48	40	41	57	52	42	43	44	38	53	56	64	41	19	7	3
E802,	White-----M--	423	8	6	7	2	2	19	15	28	14	27	23	27	33	27	25	25	29	23	26	20	22	8	4	2	1
E840-	F--	233	11	7	2	3	3	6	5	3	3	6	4	3	3	5	5	9	9	9	22	31	33	30	15	5	1
E962	Nonwhite--M--	145	6	6	3	4	-	8	6	8	5	11	9	7	17	16	12	5	6	4	5	3	2	2	-	-	-
	F--	69	8	5	4	3	3	3	1	2	3	4	4	4	4	4	-	4	-	2	-	2	7	1	-	-	1
E963,	Suicide----------	249	-	-	-	-	-	-	2	8	14	20	25	23	32	29	25	21	14	14	8	11	2	1	-	-	-
E970-	White-----M--	187	-	-	-	-	-	-	1	4	8	15	16	17	25	24	18	20	11	12	8	6	2	-	-	-	-
E979	F--	44	-	-	-	-	-	-	1	3	2	4	5	4	5	4	5	1	2	2	-	5	-	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	3	1	4	2	2	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	134	2	-	-	-	1	-	5	5	15	20	18	19	14	13	8	6	2	4	-	1	-	1	-	-	-
E980-	White-----M--	31	1	-	-	-	1	-	1	-	4	2	4	5	2	4	5	1	1	-	-	-	-	-	-	-	-
E985	F--	19	1	-	-	-	-	-	-	2	1	3	3	1	1	1	-	2	1	2	-	-	-	1	-	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	2	2	9	12	9	11	10	8	3	2	-	2	-	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	2	1	1	3	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES------	51,827	2,321	154	90	73	75	211	146	225	277	347	494	748	1,184	1,674	2,612	3,861	5,408	6,361	7,049	7,021	6,006	3,587	1,426	337	140
	White-----M--	27,365	1,276	80	43	47	41	126	93	155	183	215	279	422	678	996	1,581	2,379	3,319	3,593	3,704	3,403	2,633	1,450	489	104	76
	F--	23,554	955	64	47	23	32	79	52	61	81	119	200	304	472	630	971	1,415	1,988	2,666	3,237	3,523	3,320	2,098	925	232	60
	Nonwhite--M--	546	44	7	-	2	1	5	1	7	9	8	12	11	21	34	33	48	70	62	67	54	28	16	4	1	1
	F--	362	46	3	-	1	1	1	-	2	4	5	3	11	13	14	27	19	31	40	41	41	25	23	8	-	3
001-018	Tuberculosis, all forms--------	541	1	2	1	-	-	-	-	3	11	16	19	30	50	42	60	49	71	79	45	43	13	3	2	-	1
	White-----M--	379	-	2	1	-	-	-	-	1	5	5	10	15	23	32	49	40	55	62	32	33	9	3	1	-	1
	F--	133	1	-	-	-	-	-	-	2	4	8	7	14	23	8	7	7	13	15	12	7	4	-	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	1	1	1	-	4	2	4	2	2	1	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	1	1	-	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	502	-	-	1	-	-	-	-	2	9	15	16	27	46	38	58	47	66	77	39	42	13	3	2	-	1
	White-----M--	359	-	-	1	-	-	-	-	1	4	5	8	15	21	30	47	39	53	60	29	32	9	3	1	-	1
	F--	120	-	-	-	-	-	-	-	1	4	8	7	12	21	6	7	7	11	15	9	7	4	-	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	-	-	4	2	4	1	1	1	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-
010-019	Tuberculosis, other forms------	39	1	2	-	-	-	-	-	1	2	1	3	3	4	4	2	2	5	2	6	1	-	-	-	-	-
	White-----M--	20	-	2	-	-	-	-	-	-	1	-	2	-	2	2	2	1	2	2	3	1	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	1	-	-	-	2	2	2	-	-	2	-	3	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	89	-	-	-	-	-	-	-	-	1	-	-	1	-	4	7	14	15	17	12	13	2	2	1	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	1	-	-	1	-	3	6	10	12	13	7	10	2	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	4	3	-	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1
	White-----M--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	7	3	1	-	1	3	2	4	-	-	-	-	1	-	3	1	-	-	-	1	-	-	-	-	-
	White-----M--	13	3	3	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
	F--	14	4	-	1	-	1	1	2	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	25	1	1	-	-	1	2	2	2	3	4	2	5	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	16	1	1	-	-	-	2	2	2	-	2	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	1	-	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	110	11	3	-	2	4	5	3	3	3	3	6	7	4	8	11	9	7	6	4	3	6	1	1	-	-
	White-----M--	58	4	1	-	2	2	1	2	1	1	2	2	2	3	5	4	7	5	5	2	3	3	-	1	-	-
	F--	48	7	2	-	-	2	4	1	-	2	1	4	5	1	2	6	2	2	1	2	-	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*----	8,840	5	10	10	13	7	40	16	16	36	43	90	156	261	411	627	952	1,218	1,297	1,307	1,068	751	371	100	16	19
	White-----M--	4,418	4	6	5	9	4	25	7	5	21	26	34	67	93	161	267	477	657	704	711	527	355	175	40	4	14
	F--	4,260	1	4	5	4	3	15	8	9	14	16	53	89	164	241	325	462	544	571	576	524	388	191	57	12	4
	Nonwhite--M--	93	-	-	-	-	-	-	1	2	1	-	3	-	2	6	9	7	15	12	15	12	4	1	2	-	1
	F--	49	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	6	2	10	5	5	4	4	1	-	-
140-148	Of buccal cavity and pharynx------	230	-	-	-	-	-	-	-	-	1	-	2	4	3	17	13	22	24	31	44	29	27	9	3	-	1
	White-----M--	194	-	-	-	-	-	-	-	-	1	-	1	3	3	13	11	21	22	28	38	22	23	7	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	2	3	6	6	4	2	2	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,501	-	-	-	-	-	1	-	-	1	6	16	33	54	121	212	354	483	551	600	484	359	167	42	7	10
	White-----M--	1,824	-	-	-	-	-	1	-	-	-	3	6	15	26	56	111	199	276	318	330	228	161	71	15	2	6
	F--	1,613	-	-	-	-	-	-	-	-	1	3	8	18	26	61	99	149	200	224	259	243	193	96	25	5	3
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	3	7	5	9	9	3	-	2	-	1
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	4	2	4	2	-	-	-	-
160-164	Of respiratory system----------	962	1	-	-	-	-	-	-	2	1	1	5	15	20	47	107	141	180	159	157	82	35	19	4	1	5
	White-----M--	791	1	-	-	-	-	-	-	2	-	1	4	10	16	42	87	123	157	132	113	60	20	14	3	1	5
	F--	155	-	-	-	-	-	-	-	-	-	-	1	5	4	5	15	17	21	23	24	21	14	4	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1	2	4	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
170	Of breast----------	869	-	-	-	-	-	-	-	-	-	3	11	24	64	62	88	110	120	98	97	83	57	34	14	4	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	1	-	2	-	-
	F--	847	-	-	-	-	-	-	-	-	-	3	11	24	64	62	87	107	118	96	92	80	55	32	12	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	-	-	-
171-179	Of genital organs-	1,191	-	1	-	-	-	1	2	1	4	6	13	29	45	70	76	113	138	157	169	149	127	77	11	1	1
	White-----M--	448	-	1	-	-	-	1	2	-	1	4	1	5	6	2	8	17	34	51	81	88	89	50	5	1	1
	F--	727	-	-	-	-	-	-	-	1	3	2	11	24	38	67	67	94	103	102	86	60	38	25	6	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	4	-	-	1	1	-	-	-
180, 181	Of urinary organs-	423	-	2	1	-	1	2	-	-	2	1	1	3	2	9	22	39	54	58	79	74	43	19	10	1	-
	White-----M--	263	-	2	-	-	1	-	-	-	1	1	-	2	2	6	12	28	39	37	48	44	23	10	7	-	-
	F--	152	-	-	1	-	-	2	-	-	1	-	1	1	-	3	9	11	13	20	28	30	20	9	2	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	964	2	2	3	2	-	9	7	6	14	13	19	23	41	50	69	97	127	143	119	105	58	38	14	1	2
	White-----M--	475	1	1	3	-	-	6	1	1	10	8	10	14	19	21	30	46	71	81	63	50	15	17	5	-	2
	F--	474	1	1	-	2	-	3	6	5	4	4	9	9	21	26	36	51	55	59	54	55	42	21	9	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	342	1	5	6	10	6	23	7	4	4	4	7	8	9	17	15	36	41	46	23	34	29	5	1	1	-
	White-----M--	205	1	2	2	8	3	15	4	2	2	3	4	6	6	13	10	21	26	24	14	20	14	4	1	-	-
	F--	130	-	3	4	2	3	8	2	1	2	1	3	2	3	4	4	13	13	22	9	14	15	1	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	358	1	-	-	1	-	4	-	3	9	9	16	17	23	18	25	40	51	54	39	28	16	3	1	-	-
	White-----M--	205	1	-	-	1	-	2	-	-	6	6	8	12	15	8	18	20	31	31	21	13	9	2	1	-	-
	F--	148	-	-	-	-	-	2	-	2	3	3	8	5	8	10	6	19	19	22	18	15	7	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	178	5	1	-	1	-	4	4	2	3	7	8	10	13	14	19	15	19	17	12	9	9	6	-	-	-
	White-----M--	80	2	1	-	1	-	4	3	1	1	1	4	4	3	5	7	7	9	9	5	4	7	2	-	-	-
	F--	94	3	-	-	-	-	-	1	1	2	5	4	6	10	8	11	8	10	7	7	5	2	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	930	-	1	-	-	-	4	1	4	4	6	11	10	15	23	38	72	127	161	169	131	95	39	11	5	3
	White-----M--	351	-	-	-	-	-	2	-	2	1	3	5	6	10	12	19	32	42	49	59	47	36	16	6	3	1
	F--	560	-	1	-	-	-	2	1	2	3	3	6	4	4	10	17	38	83	111	104	80	59	23	5	2	2
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	5	2	-	-	-	-	-
290-293	Anemias----------	109	2	-	-	1	-	1	1	1	1	2	2	4	1	2	1	3	6	12	14	23	17	11	3	1	-
	White-----M--	52	2	-	-	1	-	-	1	1	1	2	2	-	1	1	1	-	4	5	7	9	8	5	2	-	-
	F--	57	-	-	-	-	-	1	1	-	-	1	-	2	1	1	-	3	2	7	7	14	9	6	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	41	8	6	-	-	1	2	1	-	1	-	1	1	-	2	1	2	6	3	3	1	1	1	-	-	-
	White-----M--	21	3	4	-	-	-	2	-	-	1	-	-	-	-	1	1	1	4	2	1	1	-	-	-	-	-
	F--	15	5	1	-	-	1	-	1	-	-	-	1	-	-	1	-	1	-	1	1	-	1	1	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	29,947	11	4	3	4	4	10	18	24	31	81	138	260	463	780	1,271	2,114	3,080	3,914	4,546	4,784	4,267	2,687	1,106	258	89
	White-----M--	15,556	10	3	2	2	3	8	14	12	14	54	93	166	317	531	830	1,391	1,935	2,220	2,379	2,264	1,794	1,036	366	71	41
	F--	13,962	1	-	1	2	-	2	4	11	14	25	41	88	131	234	414	687	1,085	1,637	2,109	2,458	2,436	1,620	731	186	45
	Nonwhite--M--	244	-	1	-	-	-	-	-	-	3	2	2	1	9	11	12	27	39	31	35	34	20	14	2	1	-
	F--	185	-	-	-	-	1	-	-	1	-	-	2	5	6	4	15	9	21	26	23	28	17	17	7	-	3
330-334, 400-468	Diseases of cardiovascular system-	29,501	9	4	3	2	4	7	15	16	26	75	129	241	450	762	1,246	2,073	3,036	3,871	4,490	4,729	4,216	2,658	1,099	255	85
	White-----M--	15,331	8	3	2	1	3	5	11	10	12	48	86	156	311	521	819	1,369	1,912	2,198	2,352	2,238	1,772	1,021	363	70	40
	F--	13,748	1	-	1	1	-	2	4	5	12	25	40	80	124	227	400	668	1,064	1,616	2,080	2,430	2,407	1,607	727	184	43
	Nonwhite--M--	240	-	1	-	-	-	-	-	-	2	2	2	1	9	10	12	27	39	31	35	33	20	13	2	1	-
	F--	182	-	-	-	-	1	-	-	1	-	-	1	4	6	4	15	9	21	26	23	28	17	17	7	-	2
330-334	Vascular lesions, etc.*----------	5,732	1	3	2	1	1	2	7	4	3	10	18	38	64	136	202	307	526	709	926	1,037	928	562	195	38	12
	White-----M--	2,428	1	2	1	-	1	2	6	2	2	8	11	12	29	61	88	129	264	324	411	453	351	186	70	8	6
	F--	3,208	-	-	1	1	-	-	1	2	1	2	7	25	33	71	108	170	243	371	503	568	571	371	123	30	6
	Nonwhite--M--	54	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	2	15	7	10	9	4	1	1	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	4	7	2	7	2	4	1	-	-
400-402	Rheumatic fever---	36	-	-	-	-	1	1	5	2	1	2	2	3	1	1	3	4	2	5	-	2	1	-	-	-	-
	White-----M--	16	-	-	-	-	1	1	4	-	1	2	1	-	1	-	-	1	1	2	-	1	1	-	-	-	-
	F--	17	-	-	-	-	-	-	1	2	-	-	1	3	-	1	3	2	-	3	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart-	21,746	4	1	1	1	2	4	1	10	19	56	100	190	368	595	995	1,691	2,395	2,981	3,346	3,372	2,910	1,783	700	162	59
	White-----M--	11,989	4	1	1	1	2	2	1	8	9	36	68	140	268	438	705	1,200	1,582	1,779	1,839	1,637	1,253	714	229	46	26
	F--	9,467	-	-	-	-	-	2	-	1	8	19	29	46	87	148	271	467	778	1,161	1,467	1,696	1,628	1,049	464	115	31
	Nonwhite--M--	164	-	-	-	-	-	-	-	-	2	1	2	1	9	7	10	22	21	23	21	19	15	9	1	1	-
	F--	126	-	-	-	-	-	-	-	1	-	-	1	3	4	2	9	2	14	18	19	20	14	11	6	-	2
410-416	Chronic rheumatic heart disease-----	784	-	-	-	-	-	1	1	7	11	31	34	43	68	80	90	112	82	74	52	45	32	13	5	-	3
	White-----M--	346	-	-	-	-	-	1	1	5	6	18	17	17	34	34	31	54	33	33	26	12	16	5	-	-	3
	F--	430	-	-	-	-	-	-	-	1	4	13	16	25	33	45	59	58	48	41	26	33	15	8	5	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	15,762	-	-	-	-	-	2	-	1	2	15	47	116	252	410	748	1,291	1,830	2,248	2,501	2,458	2,039	1,185	478	101	38
	White-----M--	9,361	-	-	-	-	-	1	-	1	1	10	37	103	211	350	589	990	1,290	1,422	1,452	1,266	926	501	162	32	17
	F--	6,219	-	-	-	-	-	1	-	-	1	4	9	11	33	56	148	283	515	806	1,019	1,170	1,092	672	311	69	19
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	1	1	1	6	3	5	16	14	10	13	12	9	4	1	-	-
	F--	86	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	2	11	10	17	10	12	8	4	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,206	1	-	-	-	1	-	-	1	2	3	6	11	16	30	39	82	146	224	296	381	408	368	138	46	7
	White-----M--	968	1	-	-	-	1	-	-	1	1	3	4	8	4	12	27	48	75	123	137	162	163	140	45	11	2
	F--	1,204	-	-	-	-	-	-	-	-	1	-	2	2	10	16	10	33	69	95	156	211	243	225	92	34	5
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	4	3	3	2	3	-	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	5	-	-	1	-	-
430-434	Other diseases of heart---------	525	3	1	1	1	1	1	-	1	4	6	7	8	11	14	30	37	63	76	70	81	61	27	15	2	4
	White-----M--	304	3	1	1	1	1	-	-	1	1	4	5	6	6	12	15	21	41	47	42	50	27	12	5	-	2
	F--	212	-	-	-	-	-	1	-	-	2	2	2	2	4	2	14	14	21	29	26	30	34	15	10	2	2
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	2,469	-	-	-	-	-	-	-	-	-	1	6	12	21	61	88	169	274	359	427	407	370	190	64	13	7
	White-----M--	1,010	-	-	-	-	-	-	-	-	-	1	5	6	13	30	43	87	143	154	182	147	121	56	17	3	2
	F--	1,402	-	-	-	-	-	-	-	-	-	-	-	6	7	29	40	79	125	190	240	252	244	129	46	10	5
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	9	4	3	3	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	6	1	5	2	3	1	-	-
444-447	Hypertension without mention of heart----------	333	-	-	-	-	-	-	-	-	-	-	2	4	6	13	21	20	22	27	44	61	65	32	11	5	-
	White-----M--	150	-	-	-	-	-	-	-	-	-	-	1	2	3	11	11	8	9	10	16	27	30	15	4	3	-
	F--	175	-	-	-	-	-	-	-	-	-	-	1	2	3	1	8	11	12	17	27	33	35	16	7	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-
450	General arteriosclerosis--------	1,294	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	6	10	37	90	126	209	288	272	190	48	12
	White-----M--	546	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	5	23	48	66	93	124	103	58	13	7
	F--	732	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	13	40	58	112	162	165	132	35	5
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3	1	3	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	360	4	-	-	-	-	2	-	3	6	6	4	10	16	19	41	54	59	48	48	24	9	3	2	2
	White-----M--	202	3	-	-	-	-	-	-	-	2	4	2	9	10	12	26	33	35	20	27	13	3	2	-	1
	F--	149	1	-	-	-	-	2	-	3	4	2	2	1	6	7	13	18	24	25	20	11	6	1	2	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	446	2	-	-	2	-	3	3	8	5	6	9	19	13	18	25	41	44	43	56	55	51	29	7	3	4
	White-----M--	225	2	-	-	1	-	3	3	2	2	6	7	10	6	10	11	22	23	22	27	28	22	15	3	1	1
	F--	214	-	-	-	1	-	-	-	6	2	-	1	8	7	7	14	19	21	21	29	28	29	13	4	2	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	1,299	159	23	4	4	7	10	9	7	6	11	9	14	38	28	51	59	78	111	143	156	184	116	54	15	3
	White-----M--	723	84	10	2	2	5	7	5	4	3	6	6	8	31	16	29	41	58	70	74	87	95	48	22	7	3
	F--	535	63	11	2	2	2	3	4	3	3	5	3	3	6	10	18	17	16	40	66	64	87	67	32	8	-
	Nonwhite--M--	26	6	1	-	-	-	-	-	-	-	-	-	3	1	-	3	-	3	1	2	4	2	-	-	-	-
	F--	15	6	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	-	1	-	-	-
480-483	Influenza---------	47	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	3	6	7	8	7	3	1	-
	White-----M--	16	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	3	1	2	3	-	1	-
	F--	30	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	6	6	4	3	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,252	155	22	4	4	7	10	9	7	6	11	9	13	38	28	50	56	76	108	137	149	176	109	51	14	3
	White-----M--	707	83	9	2	2	5	7	5	4	3	6	6	7	31	16	29	39	58	69	71	86	93	45	22	6	3
	F--	505	61	11	2	2	2	3	4	3	3	5	3	3	6	10	17	16	14	38	63	58	81	63	29	8	-
	Nonwhite--M--	25	5	1	-	-	-	-	-	-	-	-	-	3	1	-	3	-	3	1	2	4	2	-	-	-	-
	F--	15	6	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	-	1	-	-	-
500-502	Bronchitis--------	96	11	1	3	-	-	3	-	-	-	-	-	-	-	1	2	8	14	9	14	8	11	3	6	2	-
	White-----M--	73	7	1	3	-	-	3	-	-	-	-	-	-	-	1	2	7	14	6	12	6	6	1	3	1	-
	F--	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	5	2	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	408	1	-	-	-	-	-	-	-	-	2	5	6	16	16	44	48	63	56	51	53	30	11	4	1	1
	White-----M--	321	1	-	-	-	-	-	-	-	-	2	3	4	12	12	43	37	54	43	39	46	20	4	-	1	-
	F--	82	-	-	-	-	-	-	-	-	-	-	2	2	4	3	1	11	8	12	11	7	9	7	4	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	85	1	1	2	1	1	3	1	1	-	5	5	5	4	4	7	5	8	7	9	6	6	2	1	-	-
	White-----M--	53	1	1	1	1	-	2	1	1	-	3	1	4	3	3	3	5	4	5	4	5	5	-	-	-	-
	F--	27	-	-	1	-	1	1	-	-	-	2	4	1	1	-	4	-	3	2	3	-	1	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	334	29	-	-	1	-	-	1	-	1	-	2	4	6	8	9	26	38	46	43	52	41	17	9	-	1
	White-----M--	175	17	-	-	1	-	-	1	-	1	-	-	3	2	5	3	13	31	19	18	27	23	7	4	-	-
	F--	153	11	-	-	-	-	-	-	-	-	-	2	1	3	2	6	13	7	25	25	25	17	10	5	-	1
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543, 571, 572	Gastritis, etc.*--	182	25	9	-	1	-	1	-	2	4	6	1	2	7	6	10	13	15	20	19	19	8	9	2	2	1
	White-----M--	96	13	7	-	-	-	-	-	1	2	2	-	1	3	3	8	7	11	10	10	7	4	4	1	1	1
	F--	83	10	2	-	-	-	1	-	1	2	4	1	1	4	3	2	6	4	10	9	12	4	5	1	1	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	703	-	-	-	-	-	-	-	1	1	5	12	34	69	82	93	87	105	77	62	41	20	10	3	-	1
	White-----M--	423	-	-	-	-	-	-	-	1	-	3	5	20	36	44	62	52	64	54	41	24	11	3	3	-	-
	F--	272	-	-	-	-	-	-	-	-	1	1	7	14	33	37	29	34	40	22	20	17	9	7	-	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	70	1	-	-	2	-	2	-	2	1	-	3	1	5	7	7	6	4	8	7	4	6	3	1	-	-
	White-----M--	42	-	-	-	1	-	1	-	1	1	-	1	-	1	5	5	4	3	5	4	4	4	2	-	-	-
	F--	27	1	-	-	1	-	1	-	1	-	-	2	-	4	2	2	2	1	3	3	-	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	188	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	14	21	35	32	35	29	6	4	2
	White-----M--	186	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	14	20	34	32	35	29	6	4	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	35	...	...	...	...	...	...	-	-	4	7	11	8	4	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	34	...	...	...	...	...	...	-	-	3	7	11	8	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	32	...	...	...	...	...	...	-	-	3	6	10	8	4	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	31	...	...	...	...	...	...	-	-	2	6	10	8	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	570	422	22	20	5	4	16	9	9	5	2	6	7	6	6	5	3	7	2	3	5	4	1	-	-	1
	White-----M--	291	206	13	8	4	2	7	5	5	3	2	4	3	3	6	3	1	5	2	1	3	4	1	-	-	-
	F--	267	207	9	12	1	2	8	4	4	2	-	2	3	3	-	2	1	2	-	2	2	-	-	-	-	1
	Nonwhite--M--	7	5	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,441	1,438	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	818	816	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	566	565	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	582	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	362	362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	792	789	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	418	416	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	338	337	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	249	16	2	1	1	-	1	-	-	-	1	4	5	5	9	12	15	18	24	28	34	37	16	15	4	1
	White-----M--	103	8	-	1	-	-	1	-	-	-	1	1	2	-	5	8	9	11	12	9	8	14	5	6	1	1
	F--	144	8	2	-	1	-	-	-	-	-	-	3	3	4	4	4	6	7	12	19	26	22	11	9	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Residual	All other diseases	2,258	101	28	15	11	13	24	15	21	26	30	48	64	89	109	149	176	268	287	285	231	165	69	20	9	5
	White-----M--	1,231	54	11	8	5	5	10	9	15	12	18	24	32	43	60	83	104	171	162	149	119	87	39	6	2	3
	F--	970	40	15	7	6	8	14	6	5	14	11	23	29	42	44	63	70	90	119	127	109	76	29	14	7	2
	Nonwhite--M--	37	5	1	-	-	-	-	-	1	-	1	1	1	2	4	2	2	6	4	4	1	1	1	-	-	-
	F--	20	2	1	-	-	-	-	-	-	-	-	-	2	2	1	1	-	1	2	5	2	1	-	-	-	-
E800-E962	Accidents----------	2,651	64	35	28	26	30	77	58	112	116	86	91	85	95	80	131	129	185	151	208	293	288	176	79	20	8
	White-----M--	1,515	39	15	10	18	20	47	40	93	99	66	70	60	71	64	91	86	120	90	86	126	104	65	20	9	6
	F--	1,081	23	16	18	6	9	25	18	17	14	18	17	20	21	13	39	37	62	57	119	167	183	110	59	11	2
	Nonwhite--M--	46	-	3	-	1	1	4	-	2	2	2	4	5	2	3	1	6	2	4	3	-	1	-	-	-	-
	F--	9	2	1	-	1	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
E810-E835	Motor-vehicle accidents--------	589	4	6	7	15	10	24	13	52	67	36	33	31	25	21	32	36	40	27	36	41	25	5	1	1	1
	White-----M--	412	3	2	2	12	7	15	7	42	57	28	24	21	22	14	21	26	23	18	21	25	15	4	1	1	1
	F--	166	1	4	5	3	3	7	6	10	10	7	9	8	3	5	11	9	17	8	14	16	9	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	-	-	1	-	2	-	2	-	1	-	1	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	2,062	60	29	21	11	20	53	45	60	49	50	58	54	70	59	99	93	145	124	172	252	263	171	78	19	7
	White-----M--	1,103	36	13	8	6	13	32	33	51	42	38	46	39	49	50	70	60	97	72	65	101	89	61	19	8	5
	F--	915	22	12	13	3	6	18	12	7	4	11	8	12	18	8	28	28	45	49	105	151	174	109	59	11	2
	Nonwhite--M--	36	-	3	-	1	1	3	-	2	2	1	4	3	2	1	1	5	2	3	2	-	-	-	-	-	-
	F--	8	2	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
E963, E970-E979	Suicide----------	349	-	-	-	-	-	-	1	5	13	25	16	24	29	28	41	42	41	32	25	10	9	4	2	-	2
	White-----M--	264	-	-	-	-	-	-	1	4	13	15	11	16	20	19	28	36	35	24	18	10	7	3	2	-	2
	F--	79	-	-	-	-	-	-	-	1	-	9	4	8	9	7	13	5	6	8	6	-	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	51	1	-	1	-	1	1	3	5	4	5	2	4	2	3	7	6	-	2	3	-	-	-	-	-	1
	White-----M--	30	1	-	1	-	-	1	2	3	1	3	2	2	2	1	5	4	-	1	1	-	-	-	-	-	-
	F--	12	-	-	-	-	1	-	1	1	-	1	-	1	-	-	2	1	-	1	2	-	-	-	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES------	62,171	4,731	320	212	142	123	442	332	487	597	718	953	1,262	1,753	2,619	3,529	4,900	6,293	7,516	7,311	7,158	5,638	3,399	1,391	282	63
	White-----M--	33,683	2,337	161	109	61	64	242	193	300	365	394	484	629	884	1,427	1,988	2,964	3,852	4,378	4,132	3,818	2,762	1,432	561	102	24
	F--	23,826	1,701	112	84	57	48	172	110	128	158	210	305	417	570	851	1,053	1,485	2,001	2,710	2,902	3,157	2,728	1,893	781	167	26
	Nonwhite--M--	2,652	394	24	10	13	10	16	16	35	42	71	98	108	175	194	288	268	256	253	149	90	77	40	9	8	8
	F--	2,010	299	23	9	11	1	12	13	24	32	43	66	108	124	147	200	183	184	175	128	93	71	34	20	5	5
001-019	Tuberculosis, all forms--------	603	3	7	-	4	1	7	1	5	16	20	41	34	54	52	54	70	75	52	47	33	13	7	7	-	-
	White-----M--	323	1	1	-	2	1	3	-	-	2	6	11	8	20	29	31	40	57	37	34	22	8	6	4	-	-
	F--	129	1	4	-	2	-	3	1	-	4	5	9	9	18	15	6	14	8	7	7	10	3	1	2	-	-
	Nonwhite--M--	109	1	1	-	-	-	-	-	4	3	5	13	13	10	7	13	14	9	7	5	1	2	-	1	-	-
	F--	42	-	1	-	-	-	1	-	1	7	4	8	4	6	1	4	2	1	1	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	535	-	3	-	2	-	2	-	5	12	15	35	31	49	47	52	65	66	47	45	33	12	7	7	-	-
	White-----M--	302	-	1	-	1	-	1	-	-	1	4	11	7	20	28	30	38	52	35	33	22	8	6	4	-	-
	F--	105	-	1	-	1	-	-	-	-	4	4	8	9	16	11	5	13	6	5	6	10	3	1	2	-	-
	Nonwhite--M--	97	-	-	-	-	-	-	-	4	3	4	11	12	8	7	13	12	8	7	5	1	1	-	1	-	-
	F--	31	-	1	-	-	-	1	-	1	4	3	5	3	5	1	4	2	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	68	3	4	-	2	1	5	1	-	4	5	6	3	5	5	2	5	9	5	2	-	1	-	-	-	-
	White-----M--	21	1	-	-	1	1	2	-	-	1	2	-	1	-	1	1	2	5	2	1	-	-	-	-	-	-
	F--	24	1	3	-	1	-	3	1	-	-	1	1	-	2	4	1	1	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	12	1	1	-	-	-	-	-	-	-	1	2	1	2	-	-	2	1	-	-	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	3	1	3	1	1	-	-	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	197	1	-	-	-	-	-	1	1	-	3	1	5	5	18	22	32	24	38	17	16	7	4	2	-	-
	White-----M--	112	-	-	-	-	-	-	-	-	-	1	-	1	-	9	11	21	15	23	11	12	4	3	1	-	-
	F--	32	-	-	-	-	-	-	1	1	-	1	1	-	2	1	1	3	3	5	5	4	2	1	1	-	-
	Nonwhite--M--	41	1	-	-	-	-	-	-	-	-	1	-	4	3	5	9	7	5	5	-	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	5	1	-	-	-	-	-	-
040	Typhoid fever------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	16	7	-	-	2	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
	White-----M--	7	3	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	6	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	10	1	-	-	1	-	2	2	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	6	1	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	11	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	67	18	12	10	5	2	6	-	6	1	1	1	1	-	-	-	-	2	1	-	-	1	-	-	-	-
	White-----M--	41	12	9	6	5	1	3	-	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	18	6	2	2	-	1	1	-	2	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	106	2	2	5	-	4	21	13	8	10	19	12	3	2	3	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	56	1	-	3	-	4	10	6	3	5	11	6	3	-	2	-	1	-	-	-	1	-	-	-	-	-
	F--	47	-	2	2	-	-	10	6	5	5	8	6	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	16	4	3	1	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	2	1	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	136	14	4	3	1	4	11	6	1	5	6	4	3	6	12	9	6	10	11	7	6	6	1	-	-	-
	White-----M--	65	5	-	1	-	3	6	4	-	1	3	2	2	1	3	5	3	7	10	1	4	3	1	-	-	-
	F--	57	7	4	1	1	1	5	2	-	3	2	2	-	5	5	3	2	2	1	6	2	3	-	-	-	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*-----	9,924	18	14	16	20	25	56	43	39	57	61	138	223	370	598	842	1,130	1,328	1,487	1,257	1,075	677	333	96	16	5
	White-----M--	4,983	6	8	6	7	16	36	23	21	34	23	53	80	128	223	364	567	728	815	695	602	359	136	49	3	1
	F--	4,335	10	6	9	12	8	16	17	17	21	29	73	119	197	319	373	475	521	607	515	440	302	189	44	12	4
	Nonwhite--M--	321	2	-	-	-	1	2	-	1	2	3	6	6	18	31	55	55	46	40	27	12	9	4	1	-	-
	F--	285	-	-	1	1	-	2	3	-	-	6	6	18	27	25	50	33	33	25	20	21	7	4	2	1	-
140-148	Of buccal cavity and pharynx------	198	-	-	-	-	-	-	-	-	-	-	2	4	2	10	17	26	35	26	25	26	15	6	4	-	-
	White-----M--	146	-	-	-	-	-	-	-	-	-	-	2	3	2	5	11	20	30	21	16	21	8	4	3	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	3	2	8	4	7	2	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,715	2	-	-	1	2	2	-	2	4	9	26	38	93	170	270	403	514	620	560	492	295	163	43	5	1
	White-----M--	1,994	2	-	-	-	1	2	-	-	3	4	13	18	50	89	134	224	301	344	314	272	146	57	20	-	-
	F--	1,487	-	-	-	1	1	-	-	2	-	3	10	14	33	63	100	142	176	242	220	208	143	102	22	4	1
	Nonwhite--M--	147	-	-	-	-	-	-	-	-	1	-	2	1	5	12	24	27	22	22	17	6	5	2	1	-	-
	F--	87	-	-	-	-	-	-	-	-	-	2	1	5	5	6	12	10	15	12	9	6	1	2	-	1	-
160-164	Of respiratory system----------	1,095	-	1	-	-	1	1	-	1	-	3	3	12	41	82	123	173	204	188	121	76	47	13	4	1	-
	White-----M--	897	-	-	-	-	1	1	-	1	-	1	3	7	29	63	97	145	175	167	96	65	32	11	3	-	-
	F--	133	-	1	-	-	-	-	-	-	-	1	-	5	6	11	13	14	18	17	18	11	14	2	1	1	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	-	6	8	12	12	9	5	4	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	3	-	-	-	-	-	-
170	Of breast---------	919	-	-	-	-	-	-	-	-	2	5	14	41	66	99	114	124	100	99	80	78	53	30	8	4	2
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-	-	-	-
	F--	866	-	-	-	-	-	-	-	-	2	4	14	38	59	95	105	117	92	95	77	75	49	30	8	4	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	1	-	3	7	4	7	6	6	2	1	3	4	-	-	-	-
171-179	Of genital organs-	1,533	-	-	-	-	-	2	4	10	10	27	48	76	106	121	135	176	218	204	193	128	59	14	1	1	
	White-----M--	540	-	-	-	-	-	1	2	7	3	5	7	3	3	6	24	40	83	107	117	88	34	8	1	1	
	F--	865	-	-	-	-	-	-	2	3	5	20	33	60	92	91	94	122	123	90	68	35	22	5	-	-	
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	6	7	2	3	3	2	-	-	-	
	F--	93	-	-	-	-	-	1	-	-	2	2	8	13	9	19	12	8	5	5	5	2	1	1	-	-	
180, 181	Of urinary organs-	516	2	-	-	2	5	7	1	-	1	2	3	8	12	26	28	60	66	91	68	62	44	19	6	2	1
	White-----M--	336	1	-	-	2	3	1	-	-	-	1	1	3	6	12	16	42	47	67	44	41	32	12	4	1	-
	F--	151	1	-	-	2	2	3	-	-	1	1	1	3	5	9	8	16	16	19	24	18	12	6	2	1	1
	Nonwhite--M--	13	-	-	-	-	1	-	-	-	-	-	1	-	1	2	3	2	2	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	-	-	2	-	3	1	-	1	1	4	-	3	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,073	5	4	5	6	3	18	15	14	15	17	24	37	53	55	87	120	136	148	107	80	73	31	17	3	-
	White-----M--	543	1	3	1	4	1	7	6	7	10	6	8	22	22	31	52	59	68	66	58	47	40	12	11	1	-
	F--	482	4	1	4	2	2	9	8	7	4	9	15	14	25	21	26	56	62	78	46	30	33	19	5	2	-
	Nonwhite--M--	32	-	-	-	-	-	2	-	-	1	2	-	1	5	3	5	4	5	3	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	1	-	-	-	1	-	1	-	4	1	1	1	2	3	-	-	1	-	-
204	Leukemia and aleukemia----------	435	8	9	9	10	11	26	17	8	7	4	13	16	16	16	35	36	40	45	50	36	14	9	-	-	-
	White-----M--	270	2	5	4	2	8	21	8	6	7	1	7	9	11	7	20	18	29	33	35	22	10	5	-	-	-
	F--	146	4	4	5	7	3	4	8	2	-	3	5	4	5	7	11	15	11	12	15	13	4	4	-	-	-
	Nonwhite--M--	10	2	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	-	-	-	1	-	-	-	-	-
	F--	9	-	-	-	1	-	1	1	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	440	1	-	2	1	3	2	8	10	18	11	26	19	11	34	47	53	57	52	42	32	8	3	-	-	-
	White-----M--	249	-	-	1	1	3	2	7	5	7	7	14	11	5	13	26	34	36	33	23	17	3	1	-	-	-
	F--	167	1	-	-	-	-	-	1	4	11	3	8	7	4	18	16	17	21	19	17	13	5	2	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	1	3	1	1	2	3	2	-	-	2	2	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	230	7	-	1	1	1	2	2	-	5	9	18	23	19	21	28	17	26	17	7	12	6	7	1	-	-
	White-----M--	75	3	-	-	-	-	1	1	-	1	5	5	7	2	6	7	10	10	8	3	4	1	1	-	-	-
	F--	117	4	-	1	1	-	1	1	-	4	4	7	10	9	11	16	6	13	8	3	8	4	6	-	-	-
	Nonwhite--M--	14	-	-	-	-	1	-	-	-	-	-	3	2	2	-	3	-	1	1	1	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	3	4	6	4	2	1	2	-	-	-	1	-	1	-	-
260	Diabetes mellitus-	1,405	-	-	1	-	-	2	3	5	6	8	20	22	20	34	49	146	226	278	231	180	119	47	7	1	-
	White-----M--	543	-	-	1	-	-	-	1	4	3	5	12	15	8	20	22	66	80	86	83	70	45	20	2	-	-
	F--	805	-	-	-	-	-	2	2	-	2	3	5	5	9	11	20	69	137	181	143	109	74	27	5	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	1	2	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	1	1	-	1	2	2	3	6	8	8	9	5	1	-	-	-	-	-	-
290-293	Anemias----------	188	4	2	2	-	1	1	1	3	4	2	1	3	3	4	5	9	12	28	19	28	32	16	7	1	-
	White-----M--	87	2	1	-	-	-	-	-	1	2	-	-	2	-	1	3	8	4	16	10	12	13	7	5	-	-
	F--	90	1	-	1	-	-	1	1	1	1	1	1	1	3	3	1	1	7	12	7	16	19	9	2	1	-
	Nonwhite--M--	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	8	1	1	-	-	-	-	-	1	1	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	84	28	5	7	2	1	4	1	-	-	3	4	3	3	-	3	6	4	4	3	3	-	-	-	-	-
	White-----M--	50	15	3	6	1	-	3	1	-	-	3	3	-	2	-	1	4	2	2	2	2	-	-	-	-	-
	F--	29	11	2	-	1	1	1	-	-	-	-	1	2	1	-	2	2	2	1	1	1	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	32,326	28	9	6	4	8	30	35	41	61	100	205	394	667	1,191	1,746	2,550	3,554	4,448	4,712	4,803	3,992	2,493	1,007	207	35
	White-----M--	17,678	19	3	4	2	3	13	16	17	27	49	107	202	378	729	1,073	1,643	2,235	2,602	2,652	2,462	1,904	1,045	399	82	12
	F--	12,653	3	4	2	1	5	14	15	17	21	35	59	113	168	297	444	658	1,048	1,560	1,886	2,210	1,983	1,393	589	113	15
	Nonwhite--M--	1,061	4	1	-	1	-	2	1	3	11	11	19	33	61	89	126	134	150	168	86	67	47	30	5	8	4
	F--	934	2	1	-	-	-	1	3	4	2	5	20	46	60	76	103	115	121	118	88	64	58	25	14	4	4
330-334, 400-468	Diseases of cardiovascular system-	31,625	27	9	4	2	5	24	27	36	49	78	188	359	645	1,150	1,706	2,490	3,476	4,362	4,636	4,740	3,917	2,459	998	205	35
	White-----M--	17,341	18	3	3	1	2	11	13	14	19	37	98	184	371	712	1,051	1,616	2,204	2,558	2,619	2,422	1,869	1,029	394	81	12
	F--	12,365	3	4	1	1	3	10	10	17	17	29	55	103	157	283	436	638	1,010	1,524	1,845	2,188	1,944	1,375	585	112	15
	Nonwhite--M--	1,024	4	1	-	-	-	2	1	3	11	8	16	31	57	85	121	128	145	166	86	66	46	30	5	8	4
	F--	895	2	1	-	-	-	1	3	2	2	4	19	41	58	70	98	108	117	114	86	64	58	25	14	4	4
330-334	Vascular lesions, etc.*----------	7,145	13	3	1	2	1	6	9	8	12	13	32	61	103	201	279	455	679	946	1,183	1,220	1,052	594	216	45	11
	White-----M--	3,337	10	2	1	1	-	4	4	2	3	8	13	25	45	82	117	216	338	465	582	589	489	240	79	19	3
	F--	3,354	1	1	-	1	1	2	3	5	5	2	13	24	43	85	121	183	260	411	550	595	544	341	135	21	7
	Nonwhite--M--	221	2	-	-	-	-	-	1	3	1	-	4	7	16	17	36	44	35	24	14	6	6	1	3	1	
	F--	233	-	-	-	-	-	-	2	-	1	2	6	8	8	18	24	20	37	35	27	22	13	7	1	2	-
400-402	Rheumatic fever---	62	1	-	2	-	1	8	13	5	2	1	2	3	5	2	7	2	5	2	-	1	-	-	-	-	-
	White-----M--	36	-	-	2	-	-	4	5	2	2	-	1	1	2	1	6	2	5	2	-	1	-	-	-	-	-
	F--	21	-	-	-	-	1	2	7	2	-	1	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart-	22,341	7	5	1	-	2	8	5	20	30	58	135	270	498	907	1,357	1,946	2,648	3,250	3,227	3,179	2,517	1,529	605	117	20
	White-----M--	12,949	4	1	-	-	1	3	4	9	13	29	76	149	313	613	899	1,339	1,763	2,003	1,908	1,660	1,211	654	243	46	8
	F--	8,052	2	2	1	-	1	5	-	9	10	21	34	69	101	182	294	436	711	1,045	1,207	1,437	1,226	838	351	64	6
	Nonwhite--M--	728	-	1	-	-	-	-	1	1	6	7	16	21	42	63	94	86	97	125	56	44	38	20	3	5	2
	F--	612	1	1	-	-	-	-	-	1	1	1	9	31	42	49	70	85	77	77	56	38	42	17	8	2	4
410-416	Chronic rheumatic heart disease----	849	-	-	-	-	-	-	2	14	8	25	41	55	58	95	95	105	111	74	63	38	35	22	7	1	-
	White-----M--	418	-	-	-	-	-	-	2	6	1	11	23	23	18	56	49	49	60	38	37	21	16	5	3	-	-
	F--	385	-	-	-	-	-	-	-	7	7	13	12	26	33	36	41	49	44	35	25	17	19	17	3	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	5	3	5	2	3	3	5	1	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	-	-	1	3	2	1	2	4	2	-	1	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	15,090	1	-	-	-	1	1	-	1	11	18	56	144	339	621	988	1,439	1,936	2,394	2,253	2,043	1,544	873	349	63	15
	White-----M--	9,580	1	-	-	-	1	-	-	1	7	10	42	103	253	472	739	1,092	1,370	1,575	1,406	1,154	782	392	145	29	6
	F--	4,834	-	-	-	-	-	1	-	-	1	5	7	24	48	93	162	255	482	712	786	843	724	459	199	29	4
	Nonwhite--M--	396	-	-	-	-	-	-	-	-	3	3	4	12	24	31	55	51	51	62	34	26	21	12	2	3	2
	F--	280	-	-	-	-	-	-	-	-	-	-	3	5	14	25	32	41	33	45	27	20	17	10	3	2	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,670	1	4	-	-	-	1	-	1	5	6	11	17	24	33	61	91	191	279	379	481	499	387	159	36	4
	White-----M--	1,323	-	1	-	-	-	-	-	-	4	3	3	10	15	17	29	57	118	161	213	221	239	159	59	12	2
	F--	1,228	-	1	-	-	-	1	-	-	-	2	6	3	7	10	24	28	60	99	148	250	246	221	97	23	2
	Nonwhite--M--	63	-	1	-	-	-	-	-	1	1	1	1	2	-	4	5	1	9	12	9	5	5	4	1	1	-
	F--	56	1	1	-	-	-	-	-	-	-	-	1	2	2	2	3	5	4	7	9	5	9	3	2	-	-
430-434	Other diseases of heart---------	939	5	1	1	-	1	6	2	4	6	8	9	16	17	36	57	72	94	127	142	142	102	62	26	3	-
	White-----M--	504	3	-	-	-	-	3	1	2	1	5	4	5	10	22	27	39	56	71	91	76	47	27	13	1	-
	F--	340	2	1	1	-	1	3	-	2	2	1	3	5	4	11	17	19	29	37	45	62	48	32	13	2	-
	Nonwhite--M--	54	-	-	-	-	-	-	1	-	2	1	2	2	2	2	8	8	4	13	1	2	4	2	-	-	-
	F--	41	-	-	-	-	-	-	-	-	1	1	-	4	1	1	5	6	5	6	5	2	3	1	-	-	-
440-443	Hypertension with heart dis.--	2,793	-	-	-	-	-	-	1	-	-	1	18	38	60	122	156	239	316	376	390	475	337	185	64	14	1
	White-----M--	1,124	-	-	-	-	-	-	1	-	-	-	4	8	17	46	55	102	159	158	161	188	127	71	23	4	-
	F--	1,265	-	-	-	-	-	-	-	-	-	-	6	11	9	32	50	85	96	162	203	265	189	109	39	9	-
	Nonwhite--M--	187	-	-	-	-	-	-	-	-	-	1	4	2	11	24	23	23	28	37	12	11	8	2	-	1	-
	F--	217	-	-	-	-	-	-	-	-	-	-	4	17	23	20	28	29	33	19	14	11	13	3	2	-	1
444-447	Hypertension without mention of heart----------	407	-	-	-	-	-	-	-	-	-	3	10	13	22	22	28	34	27	36	37	60	54	39	19	2	1
	White-----M--	174	-	-	-	-	-	-	-	-	-	-	3	5	4	7	12	18	20	16	20	21	24	16	7	1	-
	F--	176	-	-	-	-	-	-	-	-	-	2	5	1	4	8	7	10	6	17	16	36	30	22	11	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	5	7	5	6	4	-	2	1	2	-	1	-	-	1
	F--	23	-	-	-	-	-	-	-	-	-	1	2	2	7	2	3	2	1	1	-	1	-	-	1	-	-
450	General arteriosclerosis--------	1,276	-	-	-	-	-	-	-	-	-	1	2	-	2	1	9	12	43	84	140	235	271	282	153	41	2
	White-----M--	625	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	8	23	48	83	129	138	112	62	15	-
	F--	623	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	4	18	33	54	99	128	166	87	26	2
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	2	3	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	3	-	-
451-468	Other diseases of circulatory sys.-	392	6	1	-	-	1	2	-	3	5	2	7	12	13	17	26	41	74	44	49	45	23	15	5	-	1
	White-----M--	220	4	-	-	-	1	-	-	1	1	-	3	4	5	8	15	33	55	24	26	22	7	7	3	-	1
	F--	139	-	1	-	-	-	1	-	1	2	2	2	7	6	7	8	5	15	18	18	21	16	8	1	-	-
	Nonwhite--M--	20	1	-	-	-	-	1	-	-	2	-	-	1	1	1	2	2	2	2	3	2	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	2	-	2	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*----------	701	1	-	2	2	3	6	8	5	12	22	17	35	24	41	40	60	78	86	76	63	75	34	9	2	-
	White-----M--	337	1	-	1	1	1	2	3	3	8	12	9	18	7	17	22	27	31	44	33	40	35	16	5	1	-
	F--	288	-	-	1	-	2	4	5	-	4	6	4	10	11	14	8	20	38	36	41	22	39	18	4	1	-
	Nonwhite--M--	37	-	-	-	1	-	-	-	-	-	3	3	2	4	4	5	6	5	2	-	1	1	-	-	-	-
	F--	39	-	-	-	-	-	-	-	2	-	1	1	5	2	6	5	7	4	4	2	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,761	370	51	22	6	7	21	11	14	14	16	20	32	40	51	70	87	127	121	176	172	143	131	69	8	2
	White-----M--	963	179	25	11	4	3	12	5	8	7	6	9	14	23	27	32	53	88	79	112	103	73	53	31	5	1
	F--	602	123	18	11	1	2	8	5	4	3	5	6	7	9	12	14	22	22	31	52	65	65	77	36	3	1
	Nonwhite--M--	136	33	4	-	-	2	-	1	2	2	2	4	9	7	9	19	10	12	6	7	2	3	1	1	-	-
	F--	80	35	4	-	1	-	1	-	-	2	3	1	2	1	3	5	2	5	5	5	2	2	-	1	-	-
480-483	Influenza---------	239	38	6	3	1	1	6	-	1	1	1	-	2	4	6	3	8	12	22	22	30	34	24	12	2	-
	White-----M--	136	25	5	3	-	-	3	-	1	1	-	-	2	3	2	1	2	9	14	13	18	15	11	6	2	-
	F--	88	11	1	-	-	-	2	-	-	-	-	-	-	1	2	2	4	3	7	7	12	17	13	6	-	-
	Nonwhite--M--	8	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	1	-	-	-	-	-
	F--	7	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	1,542	332	45	19	5	6	15	11	13	13	15	20	30	36	45	67	79	115	99	154	142	109	107	57	6	2
	White-----M--	827	154	20	8	4	3	9	5	7	6	6	9	12	20	25	31	51	79	65	99	85	58	42	25	3	1
	F--	514	112	17	11	1	2	6	5	4	3	5	6	7	8	10	12	18	19	24	45	53	48	64	30	3	1
	Nonwhite--M--	128	33	4	-	-	1	-	1	2	2	2	4	9	7	7	19	9	12	5	5	2	2	1	1	-	-
	F--	73	33	4	-	-	-	-	-	-	2	2	1	2	1	3	5	1	5	5	5	2	1	-	1	-	-
500-502	Bronchitis--------	129	34	12	1	1	-	4	1	-	1	2	2	1	1	2	3	10	9	8	5	15	8	4	5	-	-
	White-----M--	79	15	6	1	-	-	1	-	-	1	1	1	1	-	1	3	8	8	7	4	13	4	-	4	-	-
	F--	40	15	2	-	1	-	3	1	-	-	-	1	-	-	1	-	2	1	1	1	2	4	4	1	-	-
	Nonwhite--M--	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	412	6	1	-	-	-	-	-	1	-	6	3	16	19	24	29	60	68	57	47	40	24	9	1	-	1
	White-----M--	328	1	-	-	-	-	-	-	1	-	5	3	14	13	18	23	50	55	44	40	32	18	9	1	-	1
	F--	58	2	1	-	-	-	-	-	-	-	-	-	-	4	3	3	7	11	8	6	8	5	-	-	-	-
	Nonwhite--M--	19	3	-	-	-	-	-	-	-	-	1	-	2	2	1	2	2	2	3	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	1	-	-	-	-
550-553	Appendicitis------	118	2	2	1	1	3	4	2	7	4	3	2	6	8	7	9	4	14	15	7	11	2	2	2	-	-
	White-----M--	71	-	1	-	-	3	2	-	6	1	2	2	5	4	5	7	3	8	9	4	8	-	1	-	-	-
	F--	35	1	1	1	1	-	1	2	1	1	1	-	-	2	1	-	-	6	5	3	3	2	1	2	-	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	359	39	6	2	1	1	2	-	-	3	4	6	3	15	12	17	22	26	43	48	41	36	26	6	-	-
	White-----M--	173	18	4	1	-	-	2	-	-	-	-	2	1	6	4	8	9	16	20	25	23	18	11	5	-	-
	F--	151	15	2	1	1	1	-	-	-	2	2	3	2	5	4	7	8	10	20	21	16	17	13	1	-	-
	Nonwhite--M--	23	6	-	-	-	-	-	-	-	-	2	-	-	2	3	1	4	-	2	1	1	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	1	1	1	1	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543, 571, 572	Gastritis, etc.*--	302	148	15	3	5	-	1	-	4	4	1	4	2	9	7	7	16	11	20	11	15	8	4	6	1	-
	White-----M--	143	68	9	1	3	-	1	-	2	3	-	-	1	5	5	4	6	6	12	3	9	3	1	1	-	-
	F--	121	54	5	2	-	-	-	-	1	1	1	3	1	2	2	2	10	3	7	8	6	4	3	5	1	-
	Nonwhite--M--	23	18	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	F--	15	8	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	724	3	2	-	-	-	2	1	-	2	10	15	48	57	85	91	106	92	77	56	43	23	6	5	-	-
	White-----M--	452	1	1	-	-	-	2	-	-	-	3	3	20	34	46	56	64	70	64	39	30	15	1	3	-	-
	F--	224	1	1	-	-	-	-	1	-	1	6	9	22	16	29	29	38	20	12	13	13	8	4	1	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	-	-	1	1	2	3	4	2	3	2	1	2	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	-	2	4	4	6	4	1	-	-	2	-	-	1	1	-	-
590, 591	Acute nephritis, etc.*----------	119	3	2	-	3	1	7	5	6	-	4	5	7	7	6	6	9	4	8	9	16	8	2	1	-	-
	White-----M--	63	-	1	-	3	1	3	5	2	-	1	1	4	3	3	4	5	3	3	6	12	2	1	-	-	-
	F--	37	2	1	-	-	-	3	-	1	-	1	3	1	1	3	1	2	1	4	2	4	6	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	1	-	2	-	1	1	1	3	-	1	2	-	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
610	Hyperplasia of prostate---------	236	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	15	27	47	52	55	19	14	-	2
	White-----M--	225	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	12	25	46	52	52	19	14	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	3	-	-	-	1
640-689	Complications of pregnancy, etc.*-	79	...	...	...	...	...	...	-	6	13	18	13	22	4	1	-	1	-	-	-	1	-	-	-	-	-
	White-----F--	56	...	...	...	...	...	...	-	1	9	11	11	18	3	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	23	...	...	...	...	...	...	-	5	4	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	13	...	...	...	...	...	...	-	-	3	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	-	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	66	...	...	...	...	...	...	-	6	10	13	10	20	4	1	-	1	-	-	-	1	-	-	-	-	-
	White-----F--	48	...	...	...	...	...	...	-	1	8	8	8	17	3	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	...	...	...	-	5	2	5	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	958	730	47	24	14	3	17	18	12	8	8	6	8	10	8	7	10	13	4	6	3	1	1	-	-	-
	White-----M--	489	377	24	10	3	1	9	10	4	3	5	2	4	7	3	4	4	7	3	4	3	1	1	-	-	-
	F--	391	296	17	12	7	2	8	6	7	3	3	4	4	3	5	3	5	3	1	2	-	-	-	-	-	-
	Nonwhite--M--	45	36	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F--	33	21	3	1	3	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	2,818	2,818	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,380	1,380	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	990	990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,259	1,259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	633	633	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,412	1,412	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	659	659	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	505	505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	622	43	7	1	5	1	-	1	3	5	7	7	11	26	33	36	52	44	64	49	50	56	66	31	18	6
	White-----M--	357	23	3	-	3	1	-	-	1	1	5	3	6	14	25	25	41	28	50	35	23	24	24	16	5	1
	F--	201	9	1	-	1	-	-	-	1	1	1	1	-	4	3	5	8	14	12	11	26	31	41	15	13	3
	Nonwhite--M--	47	9	2	-	1	-	-	1	-	2	1	1	3	6	3	5	2	2	1	3	1	1	1	-	-	2
	F--	17	2	1	1	-	-	-	-	1	1	-	2	2	2	2	1	1	-	1	-	-	-	-	-	-	-
Residual	All other diseases	2,881	195	32	24	15	14	41	25	31	34	58	78	66	96	155	192	258	308	370	294	268	193	76	50	6	2
	White-----M--	1,527	99	16	13	6	5	26	15	14	22	15	34	24	35	79	95	153	186	219	160	152	97	36	23	2	1
	F--	1,122	75	10	8	5	9	14	9	11	11	28	34	27	41	58	66	84	102	139	123	109	92	37	26	4	-
	Nonwhite--M--	128	14	3	2	3	-	1	-	1	1	6	5	5	11	8	17	10	12	8	8	6	3	2	1	-	1
	F--	104	7	3	1	1	-	-	1	5	-	9	5	10	9	10	14	11	8	4	3	1	1	1	-	-	-
E800-E982	Accidents----------	4,368	192	82	76	50	40	192	155	268	295	271	263	231	217	210	213	214	222	265	221	238	210	138	74	23	8
	White-----M--	2,773	100	43	41	21	20	105	100	203	222	205	176	158	142	131	153	146	167	184	136	136	103	50	23	4	4
	F--	1,288	66	27	28	21	15	76	39	49	57	47	52	58	50	54	35	53	48	76	80	99	100	85	51	19	3
	Nonwhite--M--	222	11	9	4	5	4	5	12	13	9	17	26	10	23	19	21	12	6	4	4	-	7	1	-	-	-
	F--	85	15	3	3	3	1	6	4	3	7	2	9	5	2	6	4	3	1	1	1	3	-	2	-	-	1
E810-E835	Motor-vehicle accidents--------	2,035	19	22	32	15	17	87	64	176	212	180	170	137	130	120	102	108	116	116	92	74	31	9	5	1	-
	White-----M--	1,375	8	13	15	9	9	48	36	134	163	134	112	85	82	73	68	68	89	80	62	56	23	3	4	1	-
	F--	531	11	7	14	6	5	32	22	37	41	34	36	41	37	38	22	34	23	33	27	18	6	6	1	-	-
	Nonwhite--M--	99	-	2	3	-	3	3	3	4	5	10	15	8	10	7	9	6	4	3	2	-	2	-	-	-	-
	F--	30	-	-	-	-	-	4	3	1	3	2	7	3	1	2	3	-	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	2,333	173	60	44	35	23	105	91	92	83	91	93	94	87	90	111	106	106	149	129	164	179	129	69	22	8
	White-----M--	1,398	92	30	26	12	11	57	64	69	59	71	64	73	60	58	85	78	78	104	74	80	80	47	19	3	4
	F--	757	55	20	14	15	10	44	17	12	16	13	16	17	13	16	13	19	25	43	53	81	94	79	50	19	3
	Nonwhite--M--	123	11	7	1	5	1	2	9	9	4	7	11	2	13	12	12	6	2	1	2	-	5	1	-	-	-
	F--	55	15	3	3	3	1	2	1	2	4	-	2	2	1	4	1	3	1	1	-	3	-	2	-	-	1
E963, E970-E979	Suicide----------	713	-	-	-	-	-	-	2	14	26	48	57	65	65	63	77	66	74	65	32	33	18	6	-	1	1
	White-----M--	546	-	-	-	-	-	-	2	9	20	32	43	48	51	49	52	52	56	55	25	29	15	6	-	1	1
	F--	139	-	-	-	-	-	-	-	5	4	12	11	12	12	10	21	12	17	10	6	4	3	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	3	3	4	2	4	4	2	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	230	6	1	4	1	3	4	-	11	23	29	27	29	29	18	14	14	5	7	3	1	-	-	-	-	1
	White-----M--	75	5	1	3	-	-	2	-	2	10	7	5	8	7	6	5	4	3	3	2	1	-	-	-	-	1
	F--	35	1	-	1	-	2	-	-	3	3	3	3	6	4	1	1	3	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	99	-	-	-	1	1	2	-	6	8	16	13	11	17	9	7	6	-	2	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	2	3	6	4	1	2	1	1	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES------	29,454	1,839	124	87	85	54	151	167	194	208	254	300	411	599	841	1,338	1,815	2,604	3,445	3,757	3,912	3,720	2,300	1,013	205	31
	White-----M--	17,053	1,057	69	43	46	31	91	107	142	150	172	189	249	359	510	833	1,162	1,656	2,111	2,184	2,207	1,977	1,141	465	89	13
	F--	12,074	748	53	41	38	22	57	57	50	56	75	103	150	231	320	480	628	908	1,302	1,533	1,679	1,722	1,148	542	115	16
	Nonwhite--M--	196	18	-	2	-	1	-	2	1	-	4	8	6	3	2	13	17	26	24	30	14	12	6	5	1	1
	F--	131	16	2	1	1	-	3	1	1	2	3	-	6	6	9	12	8	14	8	10	12	9	5	1	-	1
001-019	Tuberculosis, all forms--------	204	1	-	1	2	-	-	1	-	1	6	3	12	11	14	18	20	26	25	24	23	7	9	-	-	-
	White-----M--	141	1	-	-	1	-	-	1	-	1	3	2	5	6	11	13	15	18	16	19	19	3	7	-	-	-
	F--	57	-	-	1	1	-	-	-	-	-	3	1	5	5	2	4	5	7	9	5	4	3	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	197	1	-	-	1	-	-	-	-	1	6	2	11	11	13	17	18	25	22	23	23	6	7	-	-	-
	White-----M--	130	1	-	-	-	-	-	-	-	1	3	1	5	6	11	13	13	17	14	18	19	3	5	-	-	-
	F--	52	-	-	-	1	-	-	-	-	-	3	1	5	5	1	3	5	7	8	5	4	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	17	-	-	1	1	-	-	1	-	-	-	-	1	1	-	1	1	2	1	3	1	-	1	2	-	-
	White-----M--	11	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	2	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	77	-	-	-	-	-	-	-	1	-	-	-	1	-	3	3	7	13	25	9	8	5	2	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	10	19	6	5	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	5	3	2	1	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*------------	4	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	14	3	4	-	-	-	1	-	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	7	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	7	1	2	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	90	1	2	2	2	2	7	15	5	11	14	12	7	6	2	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	53	-	1	2	1	1	4	10	3	8	7	4	3	5	2	-	2	-	-	-	-	-	-	-	-	-
	F--	37	1	1	-	1	1	3	5	2	3	7	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	1	2	2	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	2	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	64	6	3	1	1	1	1	3	1	-	2	2	3	2	2	6	4	5	8	6	2	1	1	1	-	-
	White-----M--	36	3	2	1	1	1	1	-	1	-	2	1	2	1	1	4	2	5	4	2	1	-	1	-	-	-
	F--	26	4	1	-	-	-	-	2	-	-	-	1	1	1	1	2	2	-	4	4	1	1	-	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*----	4,722	8	7	7	14	8	22	19	10	18	37	35	77	129	189	320	422	597	762	672	602	475	218	70	3	1
	White-----M--	2,481	3	3	2	9	5	17	14	3	11	22	16	32	53	84	123	196	336	425	381	331	263	107	43	1	1
	F--	2,195	5	4	5	5	3	5	5	7	7	15	19	44	76	103	188	221	250	333	286	266	210	109	27	2	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	4	7	2	4	4	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	4	2	1	1	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	78	-	-	-	-	-	-	-	-	-	1	-	1	3	3	5	8	9	14	9	10	7	4	4	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	7	8	12	6	8	6	3	3	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,870	1	-	-	-	1	-	-	1	3	5	8	21	28	48	104	132	219	313	307	310	226	112	30	1	-
	White-----M--	1,030	-	-	-	-	-	-	-	-	2	4	5	11	14	30	53	67	135	178	184	166	112	54	15	-	-
	F--	816	1	-	-	-	1	-	-	1	1	1	3	9	14	17	48	61	78	134	122	140	112	57	15	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	5	-	1	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	1	-	-	-
160-164	Of respiratory system----------	391	-	-	-	-	-	-	1	-	2	2	1	1	12	25	31	50	70	85	39	33	24	10	4	-	1
	White-----M--	323	-	-	-	-	-	-	1	-	2	2	1	1	9	20	26	43	64	74	27	24	19	5	4	-	1
	F--	64	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	7	6	9	12	8	5	5	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	485	-	-	-	-	-	-	-	-	-	3	9	16	23	47	69	59	66	61	47	42	24	16	3	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-
	F--	477	-	-	-	-	-	-	-	-	-	3	9	16	22	47	67	58	65	61	44	42	24	16	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
171-179	Of genital organs-	696	-	-	-	-	-	-	-	1	1	5	4	10	20	24	43	62	74	108	106	86	98	41	13	-	-
	White-----M--	329	-	-	-	-	-	-	-	-	1	1	-	3	1	3	1	12	23	47	62	61	72	30	12	-	-
	F--	359	-	-	-	-	-	-	-	1	-	4	4	7	19	20	40	50	49	61	42	25	26	10	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	262	-	1	-	-	-	1	2	-	-	2	-	3	2	8	13	24	37	46	47	25	34	10	6	1	-
	White-----M--	186	-	-	-	-	-	1	2	-	-	1	-	1	-	8	7	17	34	35	33	15	22	6	3	1	-
	F--	74	-	1	-	-	-	-	-	-	-	1	-	2	2	-	5	7	2	11	14	10.	12	4	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	458	1	1	2	2	1	11	8	7	3	5	4	9	20	13	34	44	54	68	61	51	35	15	9	-	-
	White-----M--	260	-	1	-	1	1	8	6	2	1	3	3	6	12	7	21	29	35	40	28	28	18	5	5	-	-
	F--	197	1	-	2	1	-	3	2	5	2	2	1	3	8	6	13	15	19	27	33	23	17	10	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	258	6	5	4	11	5	8	6	1	2	7	4	7	10	10	14	16	27	32	33	24	18	6	1	1	-
	White-----M--	155	3	2	2	7	3	6	4	1	1	4	3	4	5	8	9	8	14	21	22	14	11	2	1	-	-
	F--	103	3	3	2	4	2	2	2	-	1	3	1	3	5	2	5	8	13	11	11	10	7	4	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	224	-	-	1	1	1	2	2	-	7	7	5	9	11	11	7	27	41	35	23	21	9	4	-	-	-
	White-----M--	129	-	-	-	1	1	2	1	-	4	6	4	5	8	5	3	12	22	18	17	15	3	2	-	-	-
	F--	92	-	-	1	-	-	-	1	-	3	1	1	4	3	6	4	14	17	17	6	6	6	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	96	3	1	-	-	-	1	3	4	1	-	4	4	7	9	8	10	11	4	9	8	5	3	1	-	-
	White-----M--	40	-	1	-	-	-	1	2	1	1	-	1	2	2	4	3	5	3	1	5	2	3	2	1	-	-
	F--	55	3	-	-	-	-	-	1	2	-	-	3	2	5	5	5	5	8	3	4	6	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	531	-	-	-	1	-	2	2	1	2	6	7	8	11	13	22	33	73	80	100	72	69	20	9	-	-
	White-----M--	227	-	-	-	-	-	1	-	1	2	4	2	3	10	5	7	13	28	29	36	36	39	8	3	-	-
	F--	300	-	-	-	1	-	1	2	-	-	2	5	5	1	7	15	20	43	51	64	35	30	12	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
290-293	Anemias----------	86	3	-	-	-	-	1	-	-	-	1	2	-	1	-	1	3	3	11	7	16	19	14	4	-	-
	White-----M--	38	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	7	4	9	6	5	1	-	-
	F--	45	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	2	2	3	3	7	12	9	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	31	8	2	4	-	1	1	-	-	-	1	-	1	2	1	5	1	-	1	2	1	-	-	-	-	-
	White-----M--	16	4	1	-	-	1	1	-	-	-	-	-	1	2	1	1	1	-	1	1	1	-	-	-	-	-
	F--	13	4	1	4	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,041	6	-	1	7	3	8	18	11	25	31	63	128	221	362	683	956	1,445	2,030	2,372	2,615	2,555	1,637	702	145	17
	White-----M--	9,313	4	-	1	1	1	3	6	8	10	17	41	82	142	242	503	673	965	1,265	1,390	1,467	1,317	805	304	59	7
	F--	6,593	2	-	-	6	2	4	11	3	14	13	20	41	74	114	172	269	461	751	959	1,132	1,230	824	395	86	10
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	9	14	13	17	7	5	4	2	-	-
	F--	53	-	-	-	-	-	1	1	-	1	-	-	3	4	4	5	5	5	1	6	9	3	4	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	15,806	5	-	1	2	3	5	16	7	20	24	51	119	213	354	669	944	1,419	1,998	2,342	2,598	2,537	1,622	696	144	17
	White-----M--	9,190	3	-	1	-	1	2	6	5	8	13	34	75	136	240	493	667	951	1,254	1,376	1,457	1,304	795	303	59	7
	F--	6,486	2	-	-	2	2	2	9	2	11	10	15	40	72	108	168	264	450	731	944	1,125	1,225	819	390	85	10
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	8	13	12	16	7	5	4	2	-	-
	F--	52	-	-	-	-	-	1	1	-	1	-	-	2	4	4	5	5	5	1	6	9	3	4	1	-	-
330-334	Vascular lesions, etc.*----------	3,835	5	-	-	2	-	-	1	1	6	3	8	12	53	61	118	176	291	442	583	672	740	453	175	30	3
	White-----M--	1,951	3	-	-	-	-	-	1	1	4	2	4	5	22	20	62	108	159	249	319	339	347	223	72	11	-
	F--	1,842	2	-	-	2	-	-	-	-	2	1	3	5	30	39	53	63	127	189	257	325	391	228	103	19	3
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	3	4	4	5	4	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	2	4	-	1	-	-	-
400-402	Rheumatic fever---	30	-	-	-	-	2	3	9	1	-	-	2	1	1	1	1	1	5	-	-	1	1	-	1	-	-
	White-----M--	15	-	-	-	-	1	1	3	-	-	-	1	1	1	-	1	1	3	-	-	1	-	-	1	-	-
	F--	13	-	-	-	-	1	1	5	1	-	-	1	-	-	1	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart-	10,754	-	-	1	-	1	2	4	3	12	20	34	93	148	271	527	722	1,066	1,481	1,627	1,767	1,550	938	402	77	10
	White-----M--	6,618	-	-	1	-	-	1	1	2	4	11	26	63	109	206	412	532	755	969	985	1,026	833	462	179	36	5
	F--	4,057	-	-	-	-	1	1	3	1	7	8	7	29	34	61	110	183	299	504	627	733	712	471	220	41	5
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	4	8	7	11	3	2	3	2	-	-
	F--	33	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	3	4	1	4	5	3	2	1	-	-
410-416	Chronic rheumatic heart disease----	410	-	-	-	-	-	-	1	3	7	6	10	24	19	32	43	52	42	54	42	35	27	9	3	1	-
	White-----M--	203	-	-	-	-	-	-	1	2	2	3	8	12	8	16	25	26	20	29	15	15	16	3	2	-	-
	F--	199	-	-	-	-	-	-	-	1	4	3	2	11	10	16	17	25	19	25	27	20	11	6	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,537	-	-	-	-	-	1	1	-	2	6	19	54	111	207	391	541	811	1,102	1,196	1,214	1,012	580	235	44	8
	White-----M--	5,006	-	-	-	-	-	-	-	-	1	5	16	44	95	171	332	432	618	763	781	753	561	300	105	24	5
	F--	2,481	-	-	-	-	-	1	1	-	1	2	3	10	15	33	56	106	185	332	403	457	449	276	128	20	3
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	5	6	9	1	-	2	2	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	3	3	2	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,172	-	-	1	-	-	-	-	-	-	3	2	3	4	8	28	26	60	92	140	226	260	197	100	21	1
	White-----M--	649	-	-	1	-	-	-	-	-	-	1	1	1	1	4	23	16	37	56	81	131	151	94	43	8	-
	F--	517	-	-	-	-	-	-	-	-	-	2	-	2	2	4	5	9	23	36	58	95	109	102	56	13	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
430-434	Other diseases of heart---------	309	-	-	-	-	1	1	2	-	2	1	2	6	4	6	18	15	23	38	48	55	45	29	11	2	-
	White-----M--	160	-	-	-	-	-	1	-	-	1	-	1	3	3	3	9	11	8	24	23	32	20	15	5	1	-
	F--	144	-	-	-	-	1	-	2	-	1	1	1	3	1	2	9	4	14	14	23	23	24	14	6	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,326	-	-	-	-	-	-	-	-	1	2	1	6	8	18	47	88	130	195	201	237	206	123	53	9	1
	White-----M--	600	-	-	-	-	-	-	-	-	-	2	-	3	2	12	23	47	72	97	85	95	85	50	24	3	-
	F--	716	-	-	-	-	-	-	-	-	1	-	1	3	6	6	23	39	58	97	116	138	119	73	29	6	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
444-447	Hypertension without mention of heart----------	247	-	-	-	-	-	-	-	-	-	-	2	8	7	12	5	17	20	23	25	38	46	34	8	2	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	5	2	7	4	10	9	11	13	20	22	14	1	-	-
	F--	126	-	-	-	-	-	-	-	-	-	-	2	3	4	5	1	6	11	12	12	18	23	20	7	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	732	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	12	23	78	97	186	187	107	32	4
	White-----M--	372	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	7	13	43	57	94	92	48	11	2
	F--	359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	35	40	92	94	59	21	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	208	-	-	-	-	-	-	2	2	2	1	5	5	6	6	17	26	25	29	29	23	14	10	3	3	-
	White-----M--	116	-	-	-	-	-	-	1	2	-	-	3	1	2	4	13	15	18	12	16	14	8	4	2	1	-
	F--	89	-	-	-	-	-	-	1	-	2	1	2	3	4	2	4	11	6	16	13	9	6	6	1	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	235	1	-	-	5	-	3	2	4	5	7	12	9	8	8	14	12	26	32	30	17	18	15	6	1	-
	White-----M--	123	1	-	-	1	-	1	-	3	2	4	7	7	6	2	10	6	14	11	14	10	13	10	1	-	-
	F--	107	-	-	-	4	-	2	2	1	3	3	5	1	2	6	4	5	11	20	15	7	5	5	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,040	109	21	7	7	3	12	4	10	4	5	8	6	13	15	24	42	37	78	108	134	155	130	84	21	3
	White-----M--	602	68	12	4	7	-	5	2	6	4	1	5	4	9	12	14	29	26	45	57	75	95	66	45	11	-
	F--	418	36	8	2	-	3	5	2	4	-	4	2	2	3	3	10	13	10	30	49	57	59	64	39	10	3
	Nonwhite--M--	11	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	1	1	-	-	-	-
	F--	9	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
480-483	Influenza---------	208	13	2	4	2	2	3	3	4	-	2	1	1	1	7	3	4	6	9	20	38	37	27	14	4	1
	White-----M--	113	8	1	2	2	-	2	2	2	-	-	1	1	-	5	1	3	5	6	10	14	22	16	9	2	-
	F--	93	5	1	2	-	2	-	1	2	-	2	1	-	1	2	2	1	1	3	10	23	15	11	5	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	832	96	19	3	5	1	9	1	6	4	3	7	5	12	8	21	38	31	69	88	96	118	103	70	17	2
	White-----M--	489	60	11	2	5	-	3	-	4	4	1	5	3	9	7	13	26	21	39	47	61	73	50	36	9	-
	F--	325	31	7	-	-	1	5	1	2	-	2	1	2	2	1	8	12	9	27	39	34	44	53	34	8	2
	Nonwhite--M--	11	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	1	1	-	-	-	-
	F--	7	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
500-502	Bronchitis--------	67	15	3	1	-	1	3	-	-	-	-	3	1	-	-	1	3	3	7	5	9	5	3	3	1	-
	White-----M--	38	4	2	1	-	1	2	-	-	-	-	2	-	-	-	1	3	3	6	3	6	-	1	2	1	-
	F--	26	9	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	2	3	5	1	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	166	-	1	-	-	-	-	-	-	-	1	4	3	6	8	6	15	23	22	25	22	20	8	2	-	-
	White-----M--	139	-	-	-	-	-	-	-	-	-	1	4	2	5	8	6	14	20	21	19	20	13	5	1	-	-
	F--	26	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	6	2	6	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	46	-	-	2	-	-	3	2	-	-	2	1	-	1	1	3	5	6	6	8	2	3	1	-	-	-
	White-----M--	29	-	-	2	-	-	2	1	-	-	1	1	-	1	-	3	5	1	4	6	1	1	-	-	-	-
	F--	15	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	5	2	1	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	173	22	1	-	2	-	-	1	1	-	2	-	2	3	2	6	7	17	19	21	22	28	9	8	-	-
	White-----M--	89	12	1	-	1	-	-	1	1	-	2	-	2	1	-	3	3	11	13	7	13	13	2	3	-	-
	F--	81	10	-	-	1	-	-	-	-	-	-	-	-	1	2	3	4	6	5	13	9	15	7	5	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
543,	Gastritis, etc.*--	96	22	5	2	1	-	-	1	-	1	-	3	2	2	1	9	9	4	11	5	6	4	3	3	2	-
571,	White-----M--	49	14	4	1	1	-	-	1	-	-	-	-	2	1	-	5	6	3	4	2	2	2	-	1	-	-
572	F--	42	6	1	-	-	-	-	-	-	1	-	3	-	1	1	4	3	1	6	2	4	2	3	2	2	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	232	2	-	-	1	-	1	1	2	1	3	1	9	15	31	29	29	28	27	23	18	7	3	-	1	-
	White-----M--	146	-	-	-	-	-	-	1	1	1	1	-	7	10	17	18	22	21	18	13	8	5	2	-	1	-
	F--	85	2	-	-	1	-	1	-	1	-	2	1	2	5	14	11	7	7	9	9	10	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	26	1	1	1	-	2	1	-	1	1	1	-	1	1	1	2	3	1	3	1	1	2	-	-	1	-
	White-----M--	18	1	1	-	-	1	-	-	1	1	-	-	1	-	1	2	2	1	3	1	-	2	-	-	-	-
	F--	7	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	14	20	24	29	18	6	5	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	14	19	24	29	18	5	5	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	20	...	...	...	...	...	...	-	-	2	3	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	-	2	3	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	18	...	...	...	...	...	...	-	-	2	2	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	17	...	...	...	...	...	...	-	-	2	2	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	494	365	25	17	4	3	10	13	7	4	6	3	3	5	9	7	3	5	2	1	-	2	-	-	-	-
	White-----M--	235	177	10	7	1	2	5	5	6	2	4	-	3	1	3	4	1	2	2	-	-	-	-	-	-	-
	F--	253	183	15	10	3	1	5	8	1	2	2	3	-	4	6	3	2	2	-	1	-	2	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,138	1,138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	684	684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	437	437	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied------------	599	599	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	194	14	1	1	-	-	-	-	-	1	2	-	3	6	6	4	11	5	10	5	24	35	28	26	10	2
795	White-----M--	117	8	1	-	-	-	-	-	-	1	1	-	1	3	4	2	11	5	7	4	16	25	10	13	4	1
	F--	74	5	-	1	-	-	-	-	-	-	1	-	2	3	2	2	-	-	3	1	7	9	18	13	6	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Re-	All other diseases	1,449	52	8	8	12	2	16	13	14	18	20	28	22	42	62	68	93	154	155	189	174	158	94	38	9	-
sid-	White-----M--	804	32	4	4	6	1	5	6	9	8	13	16	9	24	34	34	56	83	99	109	90	89	52	16	5	-
ual	F--	629	20	4	4	6	1	11	7	5	10	6	12	13	18	28	33	34	69	53	78	84	67	42	21	3	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	1	-	1	1	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-
E800-	Accidents----------	1,868	54	36	29	30	28	58	68	118	105	94	96	88	76	74	80	101	104	109	116	119	125	91	55	7	7
E962	White-----M--	1,309	38	22	16	17	17	43	55	93	92	79	78	71	57	57	58	71	81	76	78	72	63	44	26	2	3
	F--	523	16	13	13	13	10	15	12	24	13	11	13	15	18	16	18	27	22	29	35	47	61	47	28	5	2
	Nonwhite--M--	23	-	-	-	-	1	-	1	1	-	3	5	-	1	-	3	2	-	3	1	-	-	-	1	-	1
	F--	13	-	1	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	1	2	-	1	-	-	-	1
E810-	Motor-vehicle																										
E835	accidents--------	693	3	8	8	12	14	25	18	71	67	51	48	38	39	43	30	41	40	48	32	33	12	10	2	-	-
	White-----M--	491	2	4	3	5	9	16	15	52	56	41	36	26	27	30	17	25	28	35	22	26	7	7	2	-	-
	F--	187	1	4	5	7	5	9	3	18	11	9	10	10	11	12	12	15	12	10	8	7	5	3	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	1	2	-	1	-	1	1	-	2	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,175	51	28	21	18	14	33	50	47	38	43	48	50	37	31	50	60	64	61	84	86	113	81	53	7	7
E802,	White-----M--	818	36	18	13	12	8	27	40	41	36	38	42	45	30	27	41	46	53	41	56	46	56	37	24	2	3
E840-	F--	336	15	9	8	6	5	6	9	6	2	2	3	5	7	4	6	12	10	19	27	40	56	44	28	5	2
E962	Nonwhite--M--	13	-	-	-	-	1	-	1	-	-	2	3	-	-	-	2	1	-	1	-	-	-	-	1	-	1
	F--	8	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	1	-	-	-	1
E963,	Suicide----------	298	-	-	-	-	-	-	2	2	9	15	13	17	28	28	33	33	33	33	22	10	11	7	1	-	1
E970-	White-----M--	235	-	-	-	-	-	-	2	2	5	11	11	14	22	19	26	25	24	30	19	9	8	6	1	-	1
E979	F--	63	-	-	-	-	-	-	-	-	4	4	2	3	6	9	7	8	9	3	3	1	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	45	2	-	1	-	-	-	1	3	3	2	4	4	7	8	-	1	3	1	4	-	-	1	-	-	-
E980-	White-----M--	22	-	-	1	-	-	-	-	3	2	2	2	2	4	3	-	-	3	-	1	-	-	-	-	-	-
E985	F--	19	2	-	-	-	-	-	1	-	-	-	2	1	2	5	-	1	-	1	3	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES------	20,556	2,549	214	116	84	63	159	144	268	301	323	406	478	704	868	1,190	1,387	1,522	2,080	2,302	2,105	1,687	974	364	154	114
	White-----M--	5,706	454	28	20	17	12	37	47	72	75	78	109	110	187	258	322	461	505	628	711	702	504	245	94	28	2
	F--	3,843	360	25	13	11	8	28	17	33	27	32	45	76	90	127	165	199	255	368	471	548	497	292	114	35	7
	Nonwhite--M--	5,874	922	104	46	30	24	49	59	101	113	99	123	114	200	245	383	386	409	608	617	490	362	204	88	48	50
	F--	5,133	813	57	37	26	19	45	21	62	86	114	129	178	227	238	320	341	353	476	503	365	324	233	68	43	55
001-019	Tuberculosis, all forms--------	298	1	3	2	-	-	2	1	11	25	29	20	23	16	23	26	17	25	20	25	19	6	4	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	2	-	2	2	5	4	6	9	8	6	7	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	3	2	4	3	3	4	4	3	1	3	-	-	-	-
	Nonwhite--M--	126	-	2	1	-	-	1	1	7	13	16	9	9	5	10	11	6	9	4	12	8	-	2	-	-	-
	F--	88	1	1	1	-	-	1	-	4	12	11	10	9	7	4	8	2	3	4	4	3	2	1	-	-	-
001-008	Tuberculosis of respiratory system----------	282	1	1	1	-	-	1	1	10	25	28	19	21	14	22	25	16	25	20	24	19	6	3	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	2	-	2	2	5	4	6	9	8	6	7	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	3	2	4	3	3	4	4	3	1	3	-	-	-	-
	Nonwhite--M--	120	-	1	1	-	-	1	1	7	13	16	9	8	4	9	11	5	9	4	11	8	-	2	-	-	-
	F--	78	1	-	-	-	-	-	-	3	12	10	9	8	6	4	7	2	3	4	4	3	2	-	-	-	-
010-019	Tuberculosis, other forms-------	16	-	2	1	-	-	1	-	1	-	1	1	2	2	1	1	1	-	-	1	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-
	F--	10	-	1	1	-	-	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-
020-029	Syphilis and its sequelae----------	78	1	-	-	1	-	-	-	1	-	2	1	2	4	14	12	10	9	13	4	-	2	1	-	-	1
	White-----M--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	3	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	45	1	-	-	1	-	-	-	-	-	-	-	-	2	7	8	8	3	11	2	-	1	-	-	-	1
	F--	22	-	-	-	-	-	-	-	-	-	2	1	2	2	4	4	2	3	1	-	-	1	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	51	29	5	2	2	-	-	-	-	1	-	-	-	1	-	1	-	-	1	3	-	4	-	1	-	1
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-
	Nonwhite--M--	24	13	1	2	2	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	1
	F--	18	15	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	6	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	14	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	22	2	3	4	1	-	4	2	-	-	2	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	White-----M--	5	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	9	2	1	-	1	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	10	5	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	19	3	6	2	2	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	87	16	3	6	1	2	3	5	1	2	2	4	5	4	4	8	3	5	5	4	1	2	1	-	-	-
	White-----M--	25	4	1	3	-	1	-	1	-	-	-	1	2	1	-	1	2	2	3	1	-	2	-	-	-	-
	F--	11	-	-	1	-	-	1	-	-	-	-	1	1	-	1	2	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	26	8	2	1	-	1	1	2	1	1	2	1	-	1	1	-	-	1	1	-	1	-	1	-	-	-
	F--	25	4	-	1	1	-	1	2	-	1	-	1	2	2	2	5	-	2	-	1	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*----	2,208	4	1	5	6	4	5	6	7	22	17	42	62	104	140	200	263	245	288	292	241	143	84	17	5	5
	White-----M--	691	-	1	1	3	2	2	4	3	6	5	15	15	23	25	45	95	78	89	104	85	59	20	9	2	-
	F--	647	1	-	2	2	-	-	1	3	4	4	14	23	30	52	63	67	66	74	73	82	50	30	4	1	1
	Nonwhite--M--	424	1	-	1	-	1	1	1	1	4	-	5	5	16	24	38	47	50	68	74	46	20	17	3	-	1
	F--	446	2	-	1	1	1	2	-	-	8	8	8	19	35	39	54	54	51	57	41	28	14	17	1	2	3
140-148	Of buccal cavity and pharynx------	51	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	5	7	4	7	5	7	2	3	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	2	2	3	6	-	2	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	-	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	717	1	-	-	1	-	-	-	-	3	1	7	12	27	32	46	94	75	123	110	95	48	31	5	4	2
	White-----M--	214	-	-	-	1	-	-	-	-	-	1	4	4	5	9	10	29	24	33	41	28	16	6	2	1	-
	F--	198	-	-	-	-	-	-	-	-	1	-	1	4	7	8	12	19	17	32	24	36	21	12	2	1	1
	Nonwhite--M--	194	1	-	-	-	-	-	-	-	1	-	2	1	9	9	16	24	25	35	33	21	9	7	1	-	-
	F--	111	-	-	-	-	-	-	-	-	1	-	-	3	6	6	8	22	9	23	12	10	2	6	-	2	1
160-164	Of respiratory system----------	223	-	-	-	1	1	-	-	-	-	1	2	5	11	16	26	39	38	30	21	19	5	6	2	-	-
	White-----M--	130	-	-	-	-	-	-	-	-	-	1	1	3	6	5	17	28	23	15	13	13	1	3	1	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	6	6	3	4	2	1	1	-	-
	Nonwhite--M--	45	-	-	-	-	1	-	-	-	-	-	1	1	3	5	6	5	6	8	4	1	2	2	-	-	-
	F--	17	-	-	-	1	-	-	-	-	-	-	-	1	2	3	1	3	3	1	1	1	-	-	-	-	-
170	Of breast---------	166	-	-	-	-	-	-	-	-	2	3	6	9	15	18	23	18	19	7	17	14	8	6	-	-	1
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	-	-	-	-	-	-	-	-	-	1	5	7	9	16	11	12	12	4	11	11	4	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	59	-	-	-	-	-	-	-	-	2	2	1	2	6	2	12	6	7	3	6	3	3	3	-	-	1
171-179	Of genital organs-	487	-	-	-	-	-	-	-	1	6	5	10	13	23	36	55	43	44	67	73	55	34	16	4	-	2
	White-----M--	92	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	3	5	13	21	21	16	7	2	-	-
	F--	138	-	-	-	-	-	-	-	-	1	-	5	6	9	13	27	16	13	15	16	11	6	2	-	-	-
	Nonwhite--M--	94	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	9	18	22	16	6	3	2	-	1
	F--	163	-	-	-	-	-	-	-	-	3	5	5	7	14	20	22	15	17	23	14	7	6	4	-	-	1
180, 181	Of urinary organs-	75	-	-	-	-	1	2	-	-	-	-	-	2	3	4	3	5	8	11	10	12	8	6	-	-	-
	White-----M--	38	-	-	-	-	1	1	-	-	-	-	-	1	2	3	1	3	3	5	6	6	5	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	1	2	3	4	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	-	1	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	340	1	1	1	1	2	1	1	4	3	5	6	13	16	19	26	44	39	32	44	29	33	15	3	1	-
	White-----M--	124	-	1	-	1	1	-	-	1	2	2	3	5	5	3	7	20	13	15	15	9	15	3	2	1	-
	F--	106	-	-	-	-	-	-	-	2	1	2	2	4	4	9	7	11	11	9	14	10	14	6	-	-	-
	Nonwhite--M--	50	-	-	1	-	-	-	1	1	-	-	-	1	2	4	5	7	7	4	9	5	1	2	-	-	-
	F--	60	1	-	-	-	1	1	-	-	-	1	1	3	5	3	7	6	8	4	6	5	3	4	1	-	-
204	Leukemia and aleukemia----------	84	2	-	3	2	-	2	3	2	5	-	6	3	4	9	6	8	6	8	5	9	-	1	-	-	-
	White-----M--	34	-	-	1	-	-	1	2	1	1	-	3	-	3	2	2	3	4	3	3	5	-	-	-	-	-
	F--	25	1	-	1	2	-	-	1	1	1	-	1	-	1	1	1	3	1	4	1	4	-	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	1	-	1	1	-	3	2	1	-	1	-	-	-	-	-	-	-
	F--	14	1	-	1	-	-	-	-	-	2	-	1	2	-	3	1	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	65	-	-	1	1	-	-	2	-	3	2	5	5	3	4	8	7	9	6	5	3	-	1	-	-	-
	White-----M--	32	-	-	-	1	-	-	2	-	1	1	4	2	2	2	4	6	1	3	3	-	-	-	-	-	-
	F--	18	-	-	1	-	-	-	-	-	-	1	-	1	-	2	2	-	4	2	1	3	-	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	-	1	1	1	-	2	1	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	85	1	1	2	-	-	3	1	1	-	4	4	9	6	6	9	8	7	10	5	5	1	2	-	-	-
	White-----M--	21	-	-	-	-	-	1	-	-	-	-	1	1	-	1	3	1	2	5	4	2	-	-	-	-	-
	F--	24	-	1	1	-	-	2	-	-	-	2	-	2	3	1	1	1	2	3	-	3	-	2	-	-	-
	Nonwhite--M--	11	1	-	-	-	-	-	1	1	-	-	-	1	1	1	2	-	2	-	1	-	-	-	-	-	-
	F--	29	-	-	1	-	-	-	-	-	-	2	3	5	2	3	3	6	1	2	-	-	1	-	-	-	-
260	Diabetes mellitus-	253	-	-	-	1	-	-	1	1	1	2	3	3	9	17	19	23	30	38	49	28	19	7	1	1	-
	White-----M--	51	-	-	-	-	-	-	1	1	-	1	1	-	1	1	3	1	5	7	10	5	7	6	2	-	-
	F--	85	-	-	-	1	-	-	-	-	1	1	-	-	1	3	2	5	12	11	21	13	9	3	1	1	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	2	1	7	10	5	4	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	1	3	7	9	10	11	10	10	13	3	-	2	-	-	-
290-293	Anemias----------	50	4	-	2	-	2	2	2	2	5	3	3	2	-	2	1	3	1	2	4	4	3	1	2	-	-
	White-----M--	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	1	-	-
	Nonwhite--M--	12	1	-	1	-	-	1	1	1	4	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	20	3	-	1	-	2	1	-	1	1	3	2	1	-	2	1	1	-	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis*------	37	14	6	1	2	2	3	3	-	-	-	1	1	-	1	-	-	2	-	-	-	1	-	-	-	-
	White-----M--	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	22	9	3	1	1	-	2	2	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	11	4	3	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,228	14	2	4	2	2	9	20	26	37	50	97	146	279	391	586	723	908	1,251	1,418	1,308	1,071	546	204	83	51
	White-----M--	2,915	1	-	-	-	-	1	5	6	6	7	21	38	76	130	172	247	316	389	469	467	340	147	55	22	-
	F--	1,890	3	-	-	-	-	4	4	4	4	3	9	17	30	39	60	87	148	220	295	354	322	190	73	20	4
	Nonwhite--M--	2,258	5	2	2	-	1	2	5	6	8	11	32	27	71	106	190	206	234	346	347	268	214	92	40	23	20
	F--	2,165	5	-	2	2	1	2	6	10	19	29	35	64	102	116	164	183	210	296	307	219	195	117	36	18	27
330-334, 400-468	Diseases of cardiovascular system-	8,821	14	1	2	1	2	8	18	23	28	41	84	135	260	366	562	692	880	1,212	1,356	1,265	1,031	517	195	79	49
	White-----M--	2,830	1	-	-	-	-	1	4	5	2	3	17	35	73	125	166	241	310	382	459	460	332	138	55	21	-
	F--	1,824	3	-	-	-	-	3	4	4	4	3	9	16	28	36	59	84	146	217	283	340	311	183	69	18	4
	Nonwhite--M--	2,121	5	1	1	-	1	2	4	6	7	10	26	25	64	100	179	193	224	334	324	253	201	85	36	22	18
	F--	2,046	5	-	1	1	1	2	6	8	15	25	32	59	95	105	158	174	200	279	290	212	187	111	35	18	27
330-334	Vascular lesions, etc.*----------	2,413	7	1	1	-	-	1	-	5	3	10	21	29	69	97	165	165	230	328	411	340	309	136	48	28	9
	White-----M--	596	1	-	-	-	-	-	-	2	1	-	5	7	9	16	23	35	61	73	116	103	98	33	9	4	-
	F--	538	2	-	-	-	-	1	-	1	-	1	2	5	13	17	24	27	37	63	87	110	86	40	15	7	-
	Nonwhite--M--	611	2	1	1	-	-	-	-	-	1	3	5	5	16	30	58	50	65	99	108	63	60	27	7	8	2
	F--	668	2	-	-	-	-	-	-	2	1	6	9	12	31	34	60	53	67	93	100	64	65	36	17	9	7
400-402	Rheumatic fever---	31	1	-	1	1	-	4	13	3	3	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	1	1	-	1	5	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
410-443	Diseases of heart-	5,789	4	-	-	-	2	3	5	14	17	28	51	91	170	240	370	495	607	618	679	849	627	317	129	38	35
	White-----M--	2,066	-	-	-	-	-	1	2	1	1	3	7	27	61	97	139	198	238	288	332	326	198	94	41	12	-
	F--	1,139	1	-	-	-	-	-	-	3	3	2	5	9	13	16	32	56	100	139	177	219	195	114	45	7	3
	Nonwhite--M--	1,349	-	-	-	-	1	1	2	4	2	7	17	14	42	61	105	131	150	217	200	167	130	48	26	10	14
	F--	1,235	3	-	-	-	1	1	1	6	11	16	22	41	54	66	94	110	119	174	170	137	104	61	17	9	18
410-416	Chronic rheumatic heart disease----	172	-	-	-	-	-	1	1	9	7	6	4	10	9	9	9	5	14	16	22	20	11	10	4	2	3
	White-----M--	56	-	-	-	-	-	-	1	1	-	1	1	4	4	3	4	2	7	7	8	7	3	2	1	-	-
	F--	25	-	-	-	-	-	-	-	2	1	-	1	2	1	-	2	1	3	-	4	3	3	-	1	1	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	3	1	-	1	-	3	1	1	2	3	2	4	8	4	6	1	-	-
	F--	51	-	-	-	-	-	1	-	3	5	5	1	4	1	5	2	-	1	7	6	2	1	2	1	1	3
420	Arteriosclerotic heart dis., etc.*	2,796	1	-	-	-	-	-	1	2	5	7	19	41	86	132	212	269	332	419	420	399	255	122	50	15	9
	White-----M--	1,343	-	-	-	-	-	-	-	-	-	-	3	20	45	80	101	145	168	202	205	195	106	47	20	6	-
	F--	549	-	-	-	-	-	-	-	-	1	-	2	5	7	7	19	31	62	74	96	96	81	49	16	2	1
	Nonwhite--M--	514	-	-	-	-	-	-	1	-	-	3	6	7	18	20	49	54	62	89	70	69	38	12	9	4	3
	F--	390	1	-	-	-	-	-	-	2	4	4	8	9	16	25	43	39	40	54	49	39	30	14	5	3	5
421, 422	Nonrheumatic chronic endocarditis, etc.*--	847	1	-	-	-	1	-	-	-	1	5	4	7	6	13	32	42	68	106	143	149	128	76	43	15	7
	White-----M--	216	-	-	-	-	-	-	-	-	-	1	1	1	1	1	7	6	15	20	46	48	33	17	14	5	-
	F--	193	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	7	18	22	45	43	30	18	2	2
	Nonwhite--M--	229	-	-	-	-	1	-	-	-	-	1	2	1	1	7	13	19	22	37	38	29	33	14	5	3	3
	F--	209	1	-	-	-	-	-	-	-	-	2	1	5	4	4	11	15	24	31	37	27	19	15	6	5	2
430-434	Other diseases of heart---------	454	2	-	-	-	1	2	2	3	3	6	9	8	17	20	26	41	44	73	57	56	46	26	6	4	2
	White-----M--	147	-	-	-	-	-	1	1	-	1	1	1	-	8	4	10	18	18	19	21	19	14	10	-	1	-
	F--	84	1	-	-	-	-	-	-	1	-	1	2	1	2	2	3	2	6	13	10	13	18	4	4	1	-
	Nonwhite--M--	119	-	-	-	-	-	1	1	1	1	1	2	4	4	7	6	11	15	25	10	14	9	2	2	1	-
	F--	104	1	-	-	-	1	-	-	1	1	3	4	3	3	7	7	10	5	16	16	10	5	10	-	-	1
440-443	Hypertension with heart dis.---	1,520	-	-	-	-	-	-	1	-	1	4	15	25	52	66	91	138	149	204	237	225	187	83	26	2	14
	White-----M--	304	-	-	-	-	-	-	-	-	-	-	1	2	3	9	17	27	30	40	52	57	42	18	6	-	-
	F--	288	-	-	-	-	-	-	-	-	-	-	-	1	3	6	7	20	22	34	45	62	50	31	6	1	-
	Nonwhite--M--	447	-	-	-	-	-	-	-	-	-	2	6	2	16	26	36	45	48	64	78	47	46	14	9	1	7
	F--	481	-	-	-	-	-	-	1	-	1	2	8	20	30	25	31	46	49	66	62	59	49	20	5	-	7
444-447	Hypertension without mention of heart----------	254	-	-	-	-	-	-	-	1	3	2	4	13	14	21	15	18	21	26	30	27	31	17	6	3	2
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	1	2	7	2	3	3	6	1	9	11	3	1	1	-
	F--	53	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	6	3	12	1	14	6	4	1	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	1	2	-	3	5	4	8	10	7	6	9	7	11	4	4	-	1	-
	F--	68	-	-	-	-	-	-	-	-	1	2	-	5	8	3	2	8	6	8	10	6	2	4	1	-	2
450	General arteriosclerosis--------	235	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	11	17	27	45	60	41	12	10	2
	White-----M--	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	7	20	25	8	4	4	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	9	14	19	5	3	1
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	5	6	11	7	5	3	3	1
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	8	5	14	9	-	-	-
451-468	Other diseases of circulatory sys.--	99	2	-	-	-	-	-	-	-	2	1	8	1	7	7	8	8	10	22	9	3	4	6	-	-	1
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	4	-	1	5	1	4	3	10	3	1	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	-	2	7	1	1	2	4	-	-	-
	Nonwhite--M--	20	2	-	-	-	-	-	-	-	1	-	1	1	2	-	4	2	3	4	3	1	-	1	-	-	1
	F--	17	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	2	1	2	-	2	1	-	-	-
592-594	Chronic nephritis, etc.*----------	407	-	1	2	1	-	1	2	3	9	9	13	11	19	25	24	31	28	39	62	43	40	29	9	4	2
	White-----M--	85	-	-	-	-	-	-	1	1	4	4	4	3	3	5	6	6	6	7	10	7	8	9	-	1	-
	F--	66	-	-	-	-	-	1	-	-	-	-	-	1	2	3	1	3	2	3	12	14	11	7	4	2	-
	Nonwhite--M--	137	-	1	1	-	-	-	1	-	1	1	6	2	7	6	11	13	10	12	23	15	13	7	4	1	2
	F--	119	-	-	1	1	-	-	-	2	4	4	3	5	7	11	6	9	10	17	17	7	8	6	1	-	-
480-493	Influenza and pneumonia, etc.*-	919	183	39	14	5	7	14	8	4	9	11	4	8	18	22	36	40	38	78	83	83	88	74	33	13	7
	White-----M--	190	18	4	2	-	-	-	-	-	1	3	-	-	5	10	8	8	6	17	18	28	25	26	8	2	1
	F--	148	12	3	2	1	1	2	2	1	1	2	1	-	-	1	-	4	2	11	20	16	25	20	15	6	-
	Nonwhite--M--	311	83	20	5	3	2	7	4	1	5	5	-	3	10	3	16	17	10	30	23	19	23	11	5	3	3
	F--	270	70	12	5	1	4	5	2	2	2	1	3	5	3	8	12	11	20	20	22	20	15	17	5	2	3
480-483	Influenza---------	343	43	15	4	2	4	6	3	2	2	3	-	1	6	7	15	16	16	30	34	38	31	38	18	5	4
	White-----M--	66	4	-	-	-	-	-	-	-	-	1	-	-	2	1	4	3	1	3	7	15	9	8	6	1	1
	F--	42	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	2	-	3	5	3	6	11	5	2	-
	Nonwhite--M--	113	22	7	1	2	2	3	1	1	1	1	-	1	2	1	5	4	3	15	10	8	10	8	3	1	1
	F--	122	16	8	3	-	2	2	1	1	-	-	-	-	2	5	6	7	12	9	12	12	6	11	4	1	2
490-493	Pneumonia, etc.*--	576	140	24	10	3	3	8	5	2	7	8	4	7	12	15	21	24	22	48	49	45	57	36	15	8	3
	White-----M--	124	14	4	2	-	-	-	-	-	1	2	-	-	3	9	4	5	5	14	11	13	16	18	2	1	-
	F--	106	11	3	2	1	1	1	1	1	-	1	1	-	-	1	-	2	2	8	15	13	19	9	10	4	-
	Nonwhite--M--	198	61	13	4	1	-	4	3	-	4	4	-	2	8	2	11	13	7	15	13	11	13	3	2	2	2
	F--	148	54	4	2	1	2	3	1	1	2	1	3	5	1	3	6	4	8	11	10	8	9	6	1	1	1
500-502	Bronchitis--------	38	9	3	-	1	-	1	-	-	-	-	-	-	-	1	-	1	2	1	8	1	4	4	1	1	-
	White-----M--	16	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	1	3	-	1	-
	F--	10	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-	-
	Nonwhite--M--	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	68	1	-	-	-	-	-	-	1	-	1	1	2	5	6	6	11	6	7	9	4	4	3	1	-	-
	White-----M--	30	1	-	-	-	-	-	-	-	-	1	-	1	3	2	1	6	5	2	2	2	2	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	2	1	4	3	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	35	-	-	-	-	1	2	-	1	3	2	-	5	1	3	3	3	2	2	7	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	1	-	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	1	2	-	1	3	2	-	1	-	1	1	1	-	-	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	120	19	2	-	1	-	2	-	1	-	2	-	-	4	6	11	11	14	14	7	18	4	2	1	-	1
	White-----M--	34	6	-	-	-	-	1	-	-	-	1	-	-	-	1	3	3	3	5	3	3	2	2	1	-	-
	F--	18	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	1	5	-	-	-	-	-
	Nonwhite--M--	38	6	2	-	1	-	1	-	1	-	-	-	-	1	2	5	2	4	4	1	6	1	-	-	-	1
	F--	30	4	-	-	-	-	-	-	-	-	1	-	-	3	1	2	4	6	2	2	4	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543, 571, 572	Gastritis, etc.*--	203	140	21	5	2	-	3	1	3	-	-	1	2	2	3	1	2	1	5	3	2	2	3	-	1	-
	White-----M--	15	5	1	1	-	-	-	-	1	-	-	1	-	1	1	1	-	-	1	2	-	-	-	-	-	-
	F--	28	12	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	1	2	2	2	-	-	-
	Nonwhite--M--	79	55	13	3	2	-	2	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	F--	81	68	4	1	-	-	1	1	1	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-
581	Cirrhosis of liver	104	1	-	-	-	-	-	-	-	-	1	2	3	12	13	10	12	7	12	14	9	6	1	1	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	2	5	5	6	7	3	7	9	4	2	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	3	2	2	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	1	-	1	3	2	1	1	1	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	1	1	5	1	-	1	2	1	-	1	2	-	-	-	-
590, 591	Acute nephritis, etc.*----------	65	4	2	2	3	1	1	1	-	3	4	2	3	4	5	7	2	6	4	4	4	2	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	28	1	2	-	-	1	-	1	-	1	1	-	2	2	3	3	-	4	2	2	2	1	-	1	-	-
	F--	25	3	-	2	3	-	1	-	-	-	2	1	1	1	-	4	2	1	2	2	-	-	-	-	-	-
610	Hyperplasia of prostate---------	94	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	13	22	18	15	12	4	1	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	7	10	5	3	2	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	15	8	10	9	2	1	-
640-689	Complications of pregnancy, etc.*-	116	...	...	...	...	...	...	-	19	8	19	31	21	13	4	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	...	...	...	...	...	...	-	4	3	3	4	7	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	93	...	...	...	...	...	...	-	15	5	16	27	14	12	4	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	111	...	...	...	...	...	...	-	19	7	17	31	19	13	4	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	...	...	...	...	...	...	-	4	2	2	4	6	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	91	...	...	...	...	...	...	-	15	5	15	27	13	12	4	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	247	193	9	3	6	2	3	4	2	4	-	1	3	5	2	3	2	1	1	-	2	-	1	-	-	-
	White-----M--	77	57	3	1	4	1	1	1	-	2	-	-	-	2	-	2	1	-	-	-	2	-	-	-	-	-
	F--	82	65	2	-	1	1	-	2	2	2	-	-	1	3	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	53	42	2	2	-	-	1	1	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-	-	-	-
	F--	35	29	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,225	1,225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	678	678	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	2,224	478	27	18	9	6	11	3	20	21	24	26	31	50	62	95	125	108	181	204	211	203	153	75	44	39
	White-----M--	247	19	1	1	1	-	-	-	1	1	1	2	4	7	17	18	28	18	21	24	26	27	18	11	1	-
	F--	127	9	-	-	-	1	-	-	2	1	1	4	1	-	2	3	6	6	11	8	17	33	11	6	5	-
	Nonwhite--M--	978	231	18	10	4	3	5	1	9	4	6	9	10	21	20	46	48	56	91	87	97	67	63	32	19	21
	F--	872	219	8	7	4	2	6	2	8	15	16	11	16	22	23	28	43	28	58	85	71	76	61	26	19	18
Residual	All other diseases	817	83	13	11	8	5	10	5	12	22	14	23	36	45	36	58	56	46	67	69	88	56	37	12	1	4
	White-----M--	238	22	2	4	2	1	2	4	3	4	2	8	2	10	11	9	17	15	33	18	34	19	12	4	-	-
	F--	191	18	2	1	1	1	3	-	3	2	2	3	9	8	4	17	14	7	12	18	28	18	14	5	-	1
	Nonwhite--M--	199	27	5	3	5	2	2	1	1	1	1	6	2	4	9	15	11	17	15	13	10	18	14	11	3	3	-	-
	F--	189	16	4	3	-	1	3	-	5	8	8	8	16	12	10	15	10	11	12	15	12	8	8	-	1	3
E800-E962	Accidents----------	1,505	107	60	32	30	28	76	80	141	108	94	87	70	82	76	70	57	37	58	58	52	49	35	10	4	4
	White-----M--	563	15	11	4	6	5	26	30	54	51	44	44	34	38	30	33	30	23	25	21	19	9	7	3	-	1
	F--	209	13	6	5	3	4	14	7	14	6	11	6	3	7	6	9	2	2	7	16	16	26	17	6	2	1
	Nonwhite--M--	506	34	26	11	11	11	18	38	62	39	31	30	23	29	33	21	21	11	16	14	13	7	3	1	2	1
	F--	227	45	17	12	10	8	18	5	11	12	8	7	10	8	7	7	4	1	10	7	4	7	8	-	-	1
E810-E835	Motor-vehicle accidents--------	540	8	12	3	7	10	31	20	65	61	51	40	33	39	38	25	26	17	20	19	8	3	1	1	-	2
	White-----M--	256	1	5	2	2	1	16	8	32	33	26	21	15	19	12	12	14	11	8	11	4	2	-	-	-	1
	F--	73	2	4	-	1	4	5	4	8	5	7	5	3	3	6	6	1	2	2	2	1	1	1	-	-	-
	Nonwhite--M--	170	1	1	1	2	4	6	7	19	20	17	11	12	14	17	6	11	3	8	6	2	-	-	1	-	1
	F--	41	4	2	-	2	1	4	1	6	3	1	3	3	3	3	1	-	1	2	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	965	99	48	29	23	18	45	60	76	47	43	47	37	43	38	45	31	20	38	39	44	46	34	9	4	2
	White-----M--	307	14	6	2	4	4	10	22	22	18	18	23	19	19	18	21	16	12	17	10	15	7	7	3	-	-
	F--	136	11	2	5	2	-	9	3	6	1	4	1	-	4	-	3	1	-	5	14	15	25	16	6	2	1
	Nonwhite--M--	336	33	25	10	9	7	12	31	43	19	14	19	11	15	16	15	10	8	8	8	11	7	3	-	2	-
	F--	186	41	15	12	8	7	14	4	5	9	7	4	7	5	4	6	4	-	8	7	3	7	8	-	-	1
E963, E970-E979	Suicide----------	104	-	-	-	-	-	-	-	-	2	8	15	11	11	13	15	4	6	5	7	5	2	-	-	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	7	10	5	8	8	13	2	6	4	7	4	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	2	-	2	4	1	4	-	2	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	3	1	2	1	2	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	219	-	-	-	1	-	-	-	11	28	32	35	30	28	17	11	7	10	3	2	-	3	-	-	1	
	White-----M--	24	-	-	-	-	-	-	-	1	2	3	3	2	5	3	-	1	2	-	1	-	-	1	-	-	-
	F--	10	-	-	-	1	-	-	-	-	-	3	-	3	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	150	-	-	-	-	-	-	-	7	23	21	24	18	19	11	10	6	6	3	1	-	-	-	-	-	1
	F--	35	-	-	-	-	-	-	-	3	3	5	8	7	3	2	1	-	1	-	-	-	-	2	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES------	45,394	2,558	164	99	79	56	230	172	294	324	417	485	731	1,075	1,607	2,344	3,082	4,157	5,277	5,822	6,023	5,493	3,298	1,283	254	70
	White-----M--	23,234	1,236	67	51	30	32	119	100	175	184	202	219	339	533	839	1,247	1,740	2,385	2,912	3,043	2,993	2,679	1,462	531	87	29
	F--	17,550	853	58	36	33	21	87	57	86	99	120	145	209	314	453	659	874	1,284	1,846	2,361	2,728	2,636	1,710	708	154	19
	Nonwhite--M--	2,588	253	26	6	10	-	13	12	21	24	57	78	100	129	175	241	264	278	316	231	159	94	63	22	7	9
	F--	2,022	216	13	6	6	3	11	3	12	17	38	43	83	99	140	197	204	210	203	187	143	64	63	22	6	13
001-019	Tuberculosis, all forms--------	613	2	6	4	1	-	1	1	4	13	14	26	37	44	44	53	70	74	88	55	36	26	12	2	-	-
	White-----M--	372	-	3	3	-	-	-	1	2	7	2	10	12	18	24	42	48	50	64	37	23	18	8	-	-	-
	F--	107	-	2	-	-	-	-	-	1	3	7	5	13	8	6	-	6	10	13	12	9	8	3	1	-	-
	Nonwhite--M--	92	1	1	-	1	-	-	-	1	1	3	6	10	11	10	9	11	13	8	2	3	-	1	-	-	-
	F--	42	1	-	1	-	-	1	-	-	2	2	5	2	7	4	2	5	1	3	4	1	-	-	1	-	-
001-008	Tuberculosis of respiratory system----------	571	1	2	1	-	-	-	1	3	11	12	25	34	42	41	51	65	72	67	50	34	25	12	2	-	-
	White-----M--	352	-	1	1	-	-	-	1	1	6	2	10	10	18	23	40	47	49	63	33	22	17	8	-	-	-
	F--	104	-	1	-	-	-	-	-	1	3	7	5	13	7	5	-	6	10	13	12	9	8	3	1	-	-
	Nonwhite--M--	82	1	-	-	-	-	-	-	1	-	1	6	10	10	9	9	10	12	8	2	2	-	1	-	-	-
	F--	33	-	-	-	-	-	-	-	-	2	2	4	1	7	4	2	2	1	3	3	1	-	-	1	-	-
010-019	Tuberculosis, other forms------	42	1	4	3	1	-	1	-	1	2	2	1	3	2	3	2	5	2	1	5	2	1	-	-	-	-
	White-----M--	20	-	2	2	-	-	-	-	1	1	-	-	2	-	1	2	1	1	1	4	1	1	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	1	-	1	-	-	-	-	1	2	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	F--	9	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	3	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	239	4	1	-	-	-	-	-	-	1	1	1	6	13	14	30	39	40	27	28	19	10	4	1	-	-
	White-----M--	120	-	-	-	-	-	-	-	-	-	-	1	2	3	6	17	18	20	15	15	13	8	2	-	-	-
	F--	46	-	-	-	-	-	-	-	-	1	1	-	2	-	2	4	6	8	4	9	4	2	2	1	-	-
	Nonwhite--M--	53	2	1	-	-	-	-	-	-	-	-	-	2	7	5	8	9	8	7	2	2	-	-	-	-	-
	F--	20	2	-	-	-	-	-	-	-	-	-	-	-	3	1	1	6	4	1	2	-	-	-	-	-	-
040	Typhoid fever-----	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	15	6	1	-	-	-	-	-	-	1	1	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-
	White-----M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	19	1	-	-	1	1	2	-	2	-	1	1	1	2	1	1	-	2	1	1	-	-	1	-	-	-
	White-----M--	10	1	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	1	1	1	-	-	1	-	-	-
	F--	9	-	-	-	1	1	2	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	8	5	3	-	1	6	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	15	6	3	-	-	-	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	10	2	2	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	27	1	-	2	-	1	4	4	3	2	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	1	-	1	-	-	3	2	2	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	1	-	1	1	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	24	9	1	1	1	1	6	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	10	4	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	5	1	-	-	1	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	109	12	3	3	3	-	4	3	1	4	5	1	3	4	7	5	7	6	8	8	9	4	7	1	1	-
	White-----M--	51	5	2	2	3	-	2	-	1	-	1	-	2	1	4	2	4	5	3	4	5	1	3	1	-	-
	F--	40	5	1	1	-	-	2	2	-	3	1	1	-	3	-	1	1	1	5	3	2	3	4	-	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*----	6,751	10	8	10	13	5	32	15	19	32	41	65	133	228	326	504	673	857	959	951	891	604	273	89	11	2
	White-----M--	3,231	5	5	5	5	5	18	9	9	18	18	29	38	75	127	207	330	426	475	470	447	324	144	36	5	1
	F--	3,021	5	2	4	6	-	13	6	7	13	20	32	76	131	155	239	273	357	419	423	409	258	120	47	6	-
	Nonwhite--M--	264	-	1	-	2	-	1	-	2	1	2	1	4	8	18	22	40	40	45	38	17	14	4	3	-	1
	F--	235	-	-	1	-	-	-	-	1	-	1	3	15	14	26	36	30	34	20	20	18	8	5	3	-	-
140-148	Of buccal cavity and pharynx------	160	-	-	-	-	-	1	-	-	-	-	-	1	4	5	6	20	24	20	21	19	27	9	3	-	-
	White-----M--	128	-	-	-	-	-	1	-	-	-	-	-	-	2	2	4	19	17	18	18	17	22	5	3	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	4	2	1	2	5	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,533	-	-	-	1	-	-	-	-	4	10	10	28	53	75	139	214	299	420	408	422	281	122	40	5	2
	White-----M--	1,242	-	-	-	-	-	-	-	-	4	4	7	10	24	32	69	117	149	209	209	198	138	56	14	1	1
	F--	1,086	-	-	-	1	-	-	-	-	-	6	3	16	22	27	47	74	116	172	173	212	131	60	22	4	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	-	-	-	-	3	7	12	15	18	29	19	7	10	2	2	-	1
	F--	80	-	-	-	-	-	-	-	-	-	-	-	2	4	9	11	8	16	10	7	5	2	4	2	-	-
160-164	Of respiratory system----------	774	1	-	-	-	-	-	1	1	2	1	5	9	19	60	70	132	158	114	90	61	39	8	2	1	-
	White-----M--	596	1	-	-	-	-	-	1	-	2	-	5	5	12	42	59	105	130	91	67	45	23	6	2	-	-
	F--	122	-	-	-	-	-	-	-	1	-	-	-	3	3	10	7	10	21	16	21	13	14	2	-	1	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	1	-	3	5	4	16	6	6	2	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	1	-	-	-	-
170	Of breast---------	592	-	-	-	-	-	-	-	-	2	4	21	41	47	72	70	72	77	65	63	34	14	10	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	3	-	-	-	-	-
	F--	559	-	-	-	-	-	-	-	-	2	4	19	39	43	65	65	70	74	63	58	34	13	10	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	2	2	2	7	4	1	3	2	2	-	1	-	-	-
171-179	Of genital organs-	1,081	-	-	-	-	-	-	-	1	5	7	17	37	55	56	81	91	130	123	162	141	101	57	15	2	-
	White-----M--	385	-	-	-	-	-	-	-	1	2	3	3	1	5	3	5	7	26	43	71	88	72	41	12	2	-
	F--	575	-	-	-	-	-	-	-	-	3	3	13	26	45	43	60	68	87	69	73	42	25	16	2	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	5	10	3	1	-	-	-	-
	F--	89	-	-	-	-	-	-	-	-	-	1	1	10	5	9	15	10	12	6	8	8	3	-	1	-	-
180, 181	Of urinary organs-	318	-	-	-	3	-	2	-	-	2	1	-	3	5	13	20	32	36	58	45	41	28	22	6	1	-
	White-----M--	199	-	-	-	1	-	-	-	1	1	-	-	2	-	11	11	20	23	39	29	25	21	13	2	1	-
	F--	102	-	-	-	2	-	2	-	-	-	1	-	1	4	1	5	7	10	19	14	16	6	9	4	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	754	2	2	5	4	1	10	6	9	9	10	14	21	26	49	60	72	84	83	93	84	61	34	13	2	-
	White-----M--	375	2	1	1	2	1	4	5	3	5	4	7	13	14	22	33	37	48	42	39	38	31	19	3	1	-
	F--	339	-	1	3	1	-	5	1	4	4	6	6	6	11	22	27	31	30	37	49	43	27	15	9	1	-
	Nonwhite--M--	29	-	-	-	1	-	1	-	2	-	-	1	2	-	3	-	2	4	4	4	2	2	-	1	-	-
	F--	11	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	1	1	1	-	-	-	-
204	Leukemia and aleukemia----------	280	6	5	4	4	3	17	6	3	5	2	7	3	9	10	27	17	23	30	37	34	22	6	-	-	-
	White-----M--	163	1	4	4	2	3	11	2	1	2	1	5	1	7	4	12	11	14	19	25	19	12	3	-	-	-
	F--	103	5	-	-	1	-	6	4	2	2	1	1	2	2	5	12	6	7	10	12	13	10	2	-	-	-
	Nonwhite--M--	7	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	-	1	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	259	1	1	1	1	1	2	2	5	5	8	8	10	16	11	29	25	31	34	30	26	11	1	-	-	-
	White-----M--	136	1	-	-	-	1	2	1	4	2	6	2	6	11	9	14	13	18	14	12	14	5	1	-	-	-
	F--	111	-	1	1	1	-	-	1	-	3	1	5	2	4	2	14	11	12	20	17	10	6	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	128	6	-	-	-	2	3	3	1	2	1	10	5	13	13	13	10	11	10	6	8	5	3	3	-	-
	White-----M--	38	1	-	-	-	1	-	1	1	-	-	1	3	2	2	3	3	1	5	3	6	2	1	2	-	-
	F--	69	3	-	-	-	1	3	1	-	1	1	6	2	8	8	6	7	9	4	3	1	3	1	1	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	1	-	2	-	2	2	3	-	-	-	-	1	-	1	-	-	-
260	Diabetes mellitus-	687	1	-	1	-	-	1	1	2	1	7	6	8	11	18	38	63	80	105	126	96	79	37	6	-	-
	White-----M--	288	-	-	-	-	-	1	1	-	1	4	3	3	4	10	15	18	33	36	50	38	34	17	-	-	-
	F--	362	1	-	1	-	-	-	-	2	-	3	2	4	4	2	16	36	35	63	71	55	44	17	6	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	-	-	3	3	2	2	1	-	2	1	1	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	1	3	3	4	7	10	5	5	1	-	2	-	-	-	-
290-293	Anemias----------	111	4	2	-	1	-	1	1	4	-	-	-	4	1	4	2	7	7	8	14	19	19	10	1	2	-
	White-----M--	52	2	-	-	1	-	1	1	1	-	-	-	2	-	1	-	3	5	6	5	9	8	5	1	2	-
	F--	50	-	1	-	-	-	1	-	1	-	-	-	1	1	2	2	3	2	2	8	10	11	5	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	57	18	4	1	1	1	4	-	-	-	-	1	2	1	1	4	5	3	5	1	4	-	1	-	-	-
	White-----M--	27	8	1	1	1	1	1	-	-	-	-	-	-	1	1	4	2	1	3	-	1	-	1	-	-	-
	F--	14	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	10	5	-	-	-	-	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	24,681	21	3	2	1	3	20	22	25	22	53	92	213	364	703	1,072	1,589	2,305	3,177	3,717	4,015	3,861	2,320	889	171	41
	White-----M--	12,631	12	1	1	-	2	8	12	13	9	18	37	110	193	389	579	928	1,373	1,786	1,942	1,942	1,838	996	367	57	18
	F--	9,875	5	2	-	-	1	9	8	9	11	24	26	41	74	157	250	385	673	1,076	1,509	1,860	1,903	1,236	500	104	12
	Nonwhite--M--	1,137	4	-	-	1	-	1	1	-	1	5	19	24	48	81	127	136	136	179	138	107	61	46	12	6	4
	F--	1,038	-	-	1	-	-	2	1	3	1	6	10	38	49	76	116	120	123	136	128	106	59	42	10	4	7
330-334, 400-468	Diseases of cardiovascular system-	23,911	19	3	2	-	3	16	19	18	21	41	86	193	353	667	1,034	1,528	2,253	3,085	3,620	3,897	3,741	2,246	862	164	40
	White-----M--	12,286	11	1	1	-	2	6	10	8	9	12	35	100	188	374	564	915	1,351	1,743	1,907	1,888	1,774	962	355	52	18
	F--	9,584	4	2	-	-	1	7	7	7	10	19	23	36	71	149	243	374	656	1,040	1,466	1,812	1,854	1,203	486	102	12
	Nonwhite--M--	1,083	4	-	-	-	-	1	1	-	1	1	5	19	23	47	76	119	129	132	174	129	100	57	44	12	6	4
	F--	958	-	-	1	-	-	2	1	3	1	5	9	34	47	68	108	110	114	128	118	97	56	37	9	4	6
330-334	Vascular lesions, etc.*----------	5,316	4	1	1	-	1	2	2	3	6	6	17	38	69	127	178	248	446	692	854	999	898	508	171	32	13
	White-----M--	2,451	4	1	1	-	1	1	2	1	4	1	3	12	25	47	74	110	232	334	431	462	403	203	65	9	5
	F--	2,432	-	-	-	-	-	-	-	1	2	4	8	8	24	45	62	92	164	279	376	480	468	292	101	21	5
	Nonwhite--M--	220	-	-	-	-	-	-	-	-	-	1	2	6	5	18	23	21	27	50	23	24	11	6	2	1	-
	F--	233	-	-	-	-	-	1	-	-	-	-	4	12	15	17	19	25	23	29	24	33	16	7	3	1	3
400-402	Rheumatic fever---	47	1	1	-	-	1	7	8	2	1	2	3	2	3	3	2	3	3	4	-	-	-	1	-	-	-
	White-----M--	17	-	-	-	-	-	3	2	1	-	2	2	1	-	2	-	1	-	2	-	-	-	1	-	-	-
	F--	24	1	1	-	-	1	3	4	1	1	-	1	-	2	-	2	2	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart-	16,830	11	1	1	-	1	5	8	10	13	27	59	137	266	501	799	1,221	1,724	2,216	2,541	2,637	2,514	1,471	550	95	22
	White-----M--	9,022	5	-	-	-	1	2	5	6	5	5	26	81	154	314	469	766	1,077	1,319	1,361	1,305	1,224	628	226	32	11
	F--	6,388	3	1	-	-	-	2	3	2	6	15	14	25	43	92	169	271	466	698	1,005	1,205	1,211	785	310	57	5
	Nonwhite--M--	771	3	-	-	-	-	1	-	-	1	3	15	13	40	50	87	102	96	107	93	70	41	33	8	4	4
	F--	649	-	-	1	-	-	-	-	2	1	4	4	18	29	45	74	82	85	92	82	57	38	25	6	2	2
410-416	Chronic rheumatic heart disease----	590	-	-	-	-	-	2	4	4	5	10	13	20	26	53	68	75	51	66	55	63	39	29	5	-	2
	White-----M--	260	-	-	-	-	-	1	2	1	2	2	7	12	15	22	28	30	27	30	23	32	15	9	2	-	-
	F--	262	-	-	-	-	-	1	2	1	3	7	3	7	10	28	29	34	18	27	20	27	23	19	3	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	2	1	-	2	4	6	2	6	9	1	-	1	-	-	1
	F--	33	-	-	-	-	-	-	-	2	-	1	1	-	1	1	7	5	4	3	3	3	1	-	-	-	1
420	Arteriosclerotic heart dis., etc.*	10,110	1	-	-	-	-	2	-	3	4	5	22	75	155	312	508	821	1,173	1,488	1,575	1,590	1,367	700	260	38	11
	White-----M--	6,042	-	-	-	-	-	-	-	3	2	2	13	57	115	243	359	601	808	964	901	840	691	315	108	13	7
	F--	3,507	1	-	-	-	-	1	-	-	2	2	5	9	18	39	85	147	299	442	596	693	643	354	145	24	2
	Nonwhite--M--	302	-	-	-	-	-	1	-	-	-	-	1	4	15	14	33	40	30	45	42	33	20	18	3	1	2
	F--	259	-	-	-	-	-	-	-	-	-	1	3	5	7	16	31	33	36	37	36	24	13	13	4	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,897	6	1	1	-	1	1	2	1	1	1	6	7	18	28	48	80	167	255	415	493	632	484	199	43	7
	White-----M--	1,384	4	-	-	-	1	1	1	-	-	-	1	4	8	16	24	40	91	141	205	236	311	205	78	13	4
	F--	1,320	1	1	-	-	-	-	1	1	1	-	3	-	4	7	12	21	51	86	179	234	305	266	118	27	2
	Nonwhite--M--	125	1	-	-	-	-	-	-	-	-	-	2	2	3	4	10	15	18	17	17	14	10	7	3	2	-
	F--	68	-	-	1	-	-	-	-	-	-	1	-	1	3	1	2	4	7	11	14	9	6	6	-	1	1
430-434	Other diseases of heart---------	710	4	-	-	-	-	-	2	2	3	9	8	18	24	36	42	58	69	84	102	88	83	47	28	1	2
	White-----M--	362	1	-	-	-	-	-	2	2	1	1	2	5	10	14	17	25	35	48	72	41	43	24	19	-	-
	F--	226	1	-	-	-	-	-	-	-	-	4	2	3	2	8	10	20	14	21	28	44	38	21	8	1	1
	Nonwhite--M--	82	2	-	-	-	-	-	-	-	1	3	4	5	8	7	14	10	11	9	1	2	2	1	1	-	1
	F--	40	-	-	-	-	-	-	-	-	1	1	-	5	4	7	1	3	9	6	1	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	2,523	-	-	-	-	-	-	-	-	-	2	10	17	43	72	133	187	264	323	394	403	393	211	58	13	-
	White-----M--	974	-	-	-	-	-	-	-	-	-	-	3	3	6	19	41	70	116	136	160	156	164	75	19	6	-
	F--	1,073	-	-	-	-	-	-	-	-	-	2	1	6	9	10	33	49	84	122	182	207	202	125	36	5	-
	Nonwhite--M--	227	-	-	-	-	-	-	-	-	-	-	6	1	14	23	26	31	35	30	24	20	9	6	1	1	-
	F--	249	-	-	-	-	-	-	-	-	-	-	-	7	14	20	33	37	29	35	28	20	18	5	2	1	-
444-447	Hypertension without mention of heart----------	379	-	-	-	-	-	-	-	-	-	4	3	10	9	15	17	18	24	42	63	59	50	37	21	5	2
	White-----M--	149	-	-	-	-	-	-	-	-	-	2	1	3	5	1	4	8	11	23	28	19	20	14	7	1	2
	F--	156	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	5	7	13	27	33	26	20	14	4	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	1	1	3	1	4	5	3	3	4	5	3	3	2	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	1	1	3	3	5	7	2	3	2	3	4	1	1	-	-	-
450	General arteriosclerosis--------	1,055	-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	13	26	82	123	180	257	219	113	30	3
	White-----M--	519	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	10	15	45	64	91	114	112	56	9	-
	F--	485	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	9	28	45	83	140	100	55	19	2
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	7	3	2	3	2	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	7	3	1	4	-	1	1	
451-468	Other diseases of circulatory sys.-	284	3	-	-	-	-	2	1	3	1	2	3	5	6	20	32	25	30	49	39	22	22	10	7	2	-
	White-----M--	148	2	-	-	-	-	-	1	-	-	2	2	2	4	10	16	20	16	20	23	11	13	4	1	1	-
	F--	99	-	-	-	-	-	2	-	3	1	-	-	2	2	6	7	3	7	20	13	11	9	6	6	1	-
	Nonwhite--M--	23	1	-	-	-	-	-	-	-	-	-	1	-	-	4	4	1	4	7	1	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	1	3	2	2	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	770	2	-	-	1	-	4	3	7	1	12	6	20	11	36	38	41	52	92	97	118	120	74	27	7	1
	White-----M--	345	1	-	-	-	-	2	2	5	-	6	2	10	5	15	15	13	22	43	35	54	64	34	12	5	-
	F--	291	1	-	-	-	-	2	1	2	1	5	3	5	3	8	7	11	17	36	43	48	49	33	14	2	-
	Nonwhite--M--	54	-	-	-	1	-	-	-	-	-	-	-	1	1	5	8	7	4	5	9	7	4	2	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	1	1	4	2	8	8	10	9	8	10	9	3	5	1	-	1
480-493	Influenza and pneumonia, etc.*-	1,910	164	30	9	5	7	22	10	9	3	7	12	19	29	54	71	89	103	155	218	244	268	237	119	22	4
	White-----M--	932	77	13	7	1	3	8	6	6	2	1	5	7	11	29	43	42	51	84	111	128	128	107	54	6	2
	F--	734	52	10	1	3	3	12	2	1	1	6	3	3	8	6	10	21	23	46	86	109	132	121	60	15	-
	Nonwhite--M--	143	19	5	-	-	-	1	2	1	-	-	2	4	5	11	8	19	17	16	16	6	2	4	4	1	-
	F--	101	16	2	1	1	1	1	-	1	-	-	2	5	5	8	10	7	12	9	5	1	6	5	1	-	2
480-483	Influenza---------	486	26	3	1	-	-	2	1	2	1	2	2	2	3	8	12	17	29	34	60	70	85	77	43	5	1
	White-----M--	224	14	-	1	-	-	1	1	2	-	-	1	1	3	4	8	6	13	16	26	35	34	37	19	1	1
	F--	230	8	3	-	-	-	1	-	-	1	2	-	1	-	3	2	9	12	12	29	32	50	38	23	4	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	1	1	-	-	-
	F--	18	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	4	2	-	-	1	1	-	
490-493	Pneumonia, etc.*--	1,424	138	27	8	5	7	20	9	7	2	5	10	17	26	46	59	72	74	121	158	174	183	160	76	17	3
	White-----M--	708	63	13	6	1	3	7	5	4	2	1	4	6	8	25	35	36	38	68	85	93	94	70	35	5	1
	F--	504	44	7	1	3	3	11	2	1	-	4	3	2	8	3	8	12	11	34	57	77	82	83	37	11	-
	Nonwhite--M--	129	19	5	-	-	-	1	2	1	-	-	2	4	5	11	7	18	15	14	13	3	1	3	4	1	-
	F--	83	12	2	1	1	1	1	-	1	-	-	1	5	5	7	9	6	10	5	3	1	6	4	-	-	2
500-502	Bronchitis---------	69	12	5	1	1	-	2	-	-	-	-	-	-	2	3	3	6	7	4	9	10	13	7	2	2	-
	White-----M--	41	6	-	1	1	-	1	-	-	-	-	-	-	2	2	3	3	6	2	6	2	3	3	-	-	-
	F--	36	4	2	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	3	8	9	3	2	1	-
	Nonwhite--M--	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	
540, 541	Ulcer of stomach and duodenum-----	237	1	-	1	-	-	-	-	-	2	-	2	5	9	13	27	27	29	40	27	33	11	7	3	-	-
	White-----M--	182	1	-	1	-	-	-	-	-	-	-	1	3	8	9	21	24	22	30	23	25	8	3	3	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	4	6	2	8	3	4	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	1	3	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-
550-553	Appendicitis------	90	1	-	2	1	1	1	3	1	2	2	2	5	2	5	7	12	4	14	9	10	2	3	1	-	-
	White-----M--	55	-	-	1	1	1	-	3	1	-	2	-	4	1	4	3	9	1	7	8	7	-	2	-	-	-
	F--	29	-	-	1	-	-	1	-	-	1	-	2	1	-	1	3	2	3	7	1	2	2	1	1	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	284	25	-	-	1	-	1	1	1	2	2	5	2	6	14	14	24	24	35	36	39	28	14	7	1	2
	White-----M--	133	11	-	-	1	-	1	1	-	-	-	1	-	2	5	7	11	12	19	14	20	18	5	5	-	-
	F--	127	11	-	-	-	-	-	-	1	2	1	3	2	3	7	7	10	8	12	18	19	10	9	2	1	1
	Nonwhite--M--	16	2	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	3	3	2	-	-	-	-	-	1
	F--	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543, 571, 572	Gastritis, etc.*--	215	86	7	3	2	1	2	1	1	2	4	4	1	4	6	8	7	8	17	14	17	11	8	1	-	-
	White-----M--	102	43	3	2	-	1	1	-	-	1	1	1	-	3	2	2	5	5	8	5	8	5	6	-	-	-
	F--	75	18	2	1	2	-	1	-	1	1	2	2	1	-	3	4	1	3	7	9	9	5	2	1	-	-
	Nonwhite--M--	23	14	1	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	1	-	-	1	-	-	-	-
	F--	15	11	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	443	-	1	-	-	-	-	2	1	1	6	7	22	39	43	60	47	68	46	44	32	15	7	2	-	-
	White-----M--	277	-	-	-	-	-	-	-	1	-	3	1	11	26	29	42	34	44	28	30	17	8	2	1	-	-
	F--	119	-	1	-	-	-	-	1	-	1	1	3	6	8	8	10	7	20	13	13	14	7	5	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	1	-	-	2	2	3	2	2	4	3	3	4	1	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	88	-	-	-	-	-	2	-	-	-	1	5	7	3	5	4	10	3	6	6	14	10	7	5	-	-
	White-----M--	38	-	-	-	-	-	1	-	-	-	-	1	3	1	3	2	5	1	1	3	9	4	4	-	-	-
	F--	39	-	-	-	-	-	1	-	-	-	1	3	3	1	1	2	4	1	3	2	5	5	3	4	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-
610	Hyperplasia of prostate---------	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	14	23	33	43	54	28	6	1	2
	White-----M--	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	20	26	40	50	28	6	1	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	7	3	4	-	-	-	1
640-689	Complications of pregnancy, etc.*-	55	...	...	...	...	...	...	-	7	10	7	12	10	8	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	41	...	...	...	...	...	...	-	5	9	4	7	9	6	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	2	1	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	50	...	...	...	...	...	...	-	6	9	7	11	9	7	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	...	...	...	-	4	9	4	6	8	5	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	2	-	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	477	376	18	6	5	5	7	3	1	6	3	1	7	3	9	9	4	2	5	4	1	1	1	-	-	-
	White-----M--	232	184	11	2	1	1	3	2	1	2	1	-	4	2	4	6	3	1	2	2	-	-	-	-	-	-
	F--	196	157	3	4	3	3	2	1	-	3	1	1	3	1	5	3	-	1	2	2	-	1	-	-	-	-
	Nonwhite--M--	26	17	2	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	23	18	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
760-776	Certain diseases of early infancy-	1,542	1,541	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	750	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	508	507	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	657	656	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	237	236	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	768	768	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	680	38	2	3	3	2	2	2	1	1	4	3	4	24	24	44	50	64	69	77	71	59	64	42	17	10
	White-----M--	373	15	-	2	1	-	1	1	-	1	2	2	1	18	20	31	38	44	44	39	39	29	23	12	6	4
	F--	219	8	1	1	2	1	1	1	1	-	2	1	2	1	4	8	6	11	14	29	25	26	35	24	11	4
	Nonwhite--M--	51	10	1	-	-	-	-	-	-	-	-	-	1	1	-	4	3	8	7	7	4	2	1	2	-	-
	F--	37	5	-	-	-	1	-	-	-	-	-	-	-	4	-	1	3	1	4	2	3	2	5	4	-	2
Residual	All other diseases	2,068	133	25	15	8	4	23	12	21	19	37	40	60	69	101	157	173	192	249	246	192	157	86	43	6	-
	White-----M--	1,023	63	9	4	3	3	12	5	8	6	12	14	32	37	46	77	85	116	122	131	97	78	43	17	3	-
	F--	784	40	8	9	5	1	7	6	10	7	11	13	14	19	40	52	65	53	97	98	88	74	41	23	3	-
	Nonwhite--M--	148	16	7	1	-	-	-	1	1	5	5	8	10	10	19	13	14	22	5	4	4	2	1	-	-	-
	F--	113	14	1	1	-	-	4	1	2	5	9	8	6	3	5	9	10	9	8	12	3	1	-	2	-	-
E800-E962	Accidents----------	2,839	73	41	32	30	21	82	83	177	170	155	131	120	135	134	144	125	194	169	149	198	240	152	56	20	8
	White-----M--	1,640	34	16	17	10	14	50	52	126	119	109	88	70	89	84	95	79	114	109	81	101	101	50	22	7	3
	F--	867	22	15	10	10	7	24	25	43	35	23	21	22	27	26	26	27	50	41	55	84	129	97	34	12	2
	Nonwhite--M--	224	9	4	5	5	-	6	5	6	12	14	18	21	16	16	19	15	22	10	7	7	2	3	-	-	2
	F--	108	8	6	-	5	-	2	1	2	4	9	4	7	3	8	4	4	8	9	6	6	8	2	-	1	1
E810-E835	Motor-vehicle accidents---------	1,067	5	12	7	10	10	28	24	110	111	97	82	66	62	67	53	55	86	63	42	33	29	13	-	1	1
	White-----M--	677	2	5	4	4	9	16	12	72	74	64	56	36	36	36	34	36	52	44	30	25	22	6	-	1	1
	F--	271	2	4	2	4	1	8	11	36	26	20	15	13	16	20	13	13	26	14	8	6	7	6	-	-	-
	Nonwhite--M--	92	1	1	1	2	-	3	1	2	7	9	8	14	8	7	5	6	7	4	4	1	-	1	-	-	-
	F--	27	-	2	-	-	-	1	-	-	4	4	3	3	2	4	1	-	1	1	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,772	68	29	25	20	11	54	59	67	59	58	49	54	73	67	91	70	108	106	107	165	211	139	56	19	7
	White-----M--	963	32	11	13	6	5	34	40	54	45	45	32	34	53	48	61	43	62	65	51	76	79	44	22	6	2
	F--	596	20	11	8	6	6	16	14	7	9	3	6	9	11	6	13	14	24	27	47	78	122	91	34	12	2
	Nonwhite--M--	132	8	3	4	3	-	3	4	4	5	5	10	7	8	9	14	9	15	6	3	6	2	2	-	-	2
	F--	81	8	4	-	5	-	1	1	2	-	5	1	4	1	4	3	4	7	8	6	5	8	2	-	1	1
E963, E970-E979	Suicide----------	441	-	-	-	-	-	-	-	2	12	27	23	28	36	46	43	48	51	51	34	18	10	8	4	-	-
	White-----M--	336	-	-	-	-	-	-	-	2	8	20	13	25	25	32	32	35	38	40	31	14	10	7	4	-	-
	F--	86	-	-	-	-	-	-	-	-	4	5	7	2	8	13	10	11	10	9	2	4	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	1	3	1	3	1	-	1	2	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	224	4	-	-	-	-	1	2	10	14	32	31	26	25	18	26	8	4	4	9	4	5	-	-	-	1
	White-----M--	74	2	-	-	-	-	1	2	-	7	4	9	4	9	5	11	5	3	1	6	2	3	-	-	-	-
	F--	22	1	-	-	-	-	-	-	1	1	3	3	1	2	2	4	-	-	-	2	1	1	-	-	-	-
	Nonwhite--M--	114	1	-	-	-	-	-	-	9	5	22	18	19	14	11	9	2	1	1	1	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	3	1	2	-	-	2	1	-	2	-	1	-	-	-	-	1
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES------	6,154	480	35	21	27	13	49	39	67	64	73	96	147	161	209	289	346	611	778	780	721	582	379	141	40	6
	White-----M--	3,788	239	17	11	12	7	25	20	46	43	46	51	87	104	148	207	239	430	522	499	439	317	187	73	16	3
	F--	2,102	173	10	7	11	1	22	15	15	13	19	33	48	49	50	76	90	172	237	268	270	251	181	65	23	3
	Nonwhite--M--	146	33	3	-	2	2	2	1	5	7	4	5	8	4	8	4	10	6	9	6	9	11	5	2	-	-
	F--	118	35	5	3	2	3	-	3	1	1	4	7	4	4	3	2	7	3	10	7	3	3	6	1	1	-
001-019	Tuberculosis, all forms--------	75	1	1	1	2	2	1	1	-	1	1	4	5	6	3	3	7	9	8	11	5	3	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	6	6	11	5	1	-	-	-	-
	F--	13	-	-	-	1	-	-	-	-	1	1	1	3	1	1	-	-	2	-	-	-	2	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	1	1	-	-	-	-	1	1	2	-	-	1	1	1	-	-	-	-	-	-	-
	F--	12	-	1	1	1	1	-	1	-	-	-	2	-	2	-	-	2	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	59	-	-	-	1	1	1	-	-	-	1	4	4	4	3	3	6	8	7	9	4	3	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	5	5	9	4	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	2	-	-	-	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	1	1	-	-	-	-	-	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	1	1	1	1	1	-	1	-	1	-	-	1	2	-	-	1	1	1	2	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	4	3	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	-	-	-	-	-	2	2	-	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	2	1	-	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	19	3	-	-	-	1	4	-	1	-	-	1	-	1	-	1	-	-	-	2	2	2	-	1	-	-
	White-----M--	12	1	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	1	2	2	-	1	-	-
	F--	6	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*----	809	1	1	3	3	1	1	2	2	6	7	11	22	21	38	48	74	120	147	103	95	62	25	14	2	-
	White-----M--	453	1	-	1	1	1	1	-	1	5	3	4	7	8	18	26	40	60	96	72	55	36	8	9	-	-
	F--	341	-	1	2	2	-	-	2	1	1	4	6	15	13	20	22	30	60	45	30	39	25	16	5	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	1	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx-------	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	1	1	-	2	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	-	-	2	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	292	1	-	-	-	-	-	-	-	-	1	1	4	4	12	11	29	44	54	43	41	27	13	5	2	-
	White-----M--	174	1	-	-	-	-	-	-	-	-	-	-	3	3	9	8	19	24	34	27	25	16	3	2	-	-
	F--	111	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	8	20	18	16	16	10	9	3	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system----------	113	-	-	-	-	-	-	-	-	-	-	-	1	4	6	10	11	21	26	21	8	5	-	-	-	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	-	-	-	4	6	8	10	18	25	20	8	4	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	56	-	-	-	-	-	-	-	-	-	2	1	5	3	10	2	5	8	6	2	4	4	3	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	2	1	5	3	10	2	5	8	6	1	4	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	133	-	-	-	-	-	-	-	-	1	-	5	5	4	3	11	10	14	27	16	22	10	3	2	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	14	11	12	5	2	2	-	-
	F--	78	-	-	-	-	-	-	-	-	-	-	4	4	4	2	10	9	13	12	5	9	5	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	7	7	3	5	3	2	2	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	5	3	2	1	1	2	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	77	-	1	2	-	-	-	2	2	1	1	1	3	4	1	3	7	11	11	9	10	3	3	2	-	-
	White-----M--	36	-	-	1	-	-	-	-	1	1	-	1	1	-	1	2	1	5	7	4	6	2	2	1	-	-
	F--	36	-	1	1	-	-	-	2	1	-	1	-	2	4	-	1	4	6	1	5	4	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	52	-	-	1	3	1	1	-	-	1	1	1	3	1	2	3	6	8	5	4	3	7	1	-	-	-
	White-----M--	29	-	-	-	1	1	1	-	-	1	1	-	1	-	2	2	5	3	3	2	1	7	-	-	-	-
	F--	22	-	-	1	2	-	-	-	-	-	-	1	2	1	2	1	1	5	2	1	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	37	-	-	-	-	-	-	-	-	3	2	2	1	1	3	5	-	6	9	2	1	2	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	2	2	2	1	1	-	2	-	2	7	2	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	-	4	2	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	18	1	-	-	-	-	-	1	1	-	1	-	-	2	-	2	2	3	1	1	-	2	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-
	F--	12	1	-	-	-	-	-	1	-	-	1	-	-	2	-	2	2	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	90	-	-	-	-	-	1	-	1	1	-	1	3	1	-	5	4	11	19	10	15	13	3	2	-	-
	White-----M--	38	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	2	3	9	5	5	7	-	2	-	-
	F--	50	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	2	8	9	5	10	6	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
290-293	Anemias-----------	17	2	-	-	-	-	4	-	-	-	-	-	1	-	-	-	1	-	2	2	4	-	1	-	-	-
	White-----M--	10	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	10	3	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,053	8	1	-	-	-	3	9	5	4	26	36	47	84	148	174	328	447	500	474	389	264	77	25	4	-
	White-----M--	1,918	4	-	-	-	-	1	7	1	2	11	23	36	64	111	127	253	291	310	286	210	133	37	10	1	-
	F--	1,072	4	1	-	-	-	2	2	2	1	12	11	10	18	32	42	71	149	182	161	172	124	39	14	3	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	2	-	2	-	1	1	3	4	2	4	2	5	6	3	1	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	2	3	6	2	1	4	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,987	7	1	-	-	-	3	7	5	3	25	34	44	82	144	172	323	434	493	463	385	259	74	25	4	-
	White-----M--	1,880	3	-	-	-	-	1	5	1	1	11	22	33	63	109	126	249	286	307	281	206	129	36	10	1	-
	F--	1,044	4	1	-	-	-	2	2	2	1	11	10	10	17	30	41	70	141	178	175	172	123	37	14	3	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	2	-	2	-	1	1	3	4	2	4	2	5	6	3	1	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	2	3	6	2	1	4	-	1	-	-
330-334	Vascular lesions, etc.*----------	641	4	-	-	-	-	-	-	-	1	1	2	6	6	8	18	31	55	100	104	109	112	64	15	3	2
	White-----M--	361	1	-	-	-	-	-	-	1	-	1	5	3	5	9	19	37	60	65	64	53	30	6	2	-	-
	F--	266	3	-	-	-	-	-	-	-	1	1	1	3	2	9	9	17	38	38	43	57	33	8	1	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	1	-	-	-	-
400-402	Rheumatic fever---	5	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
410-443	Diseases of heart-	2,115	2	1	-	-	-	-	1	6	3	2	20	25	35	73	122	136	260	318	359	311	227	152	41	19	2
	White-----M--	1,394	2	-	-	-	-	-	1	5	-	1	9	17	29	58	98	105	207	217	221	191	130	74	21	7	1
	F--	679	-	1	-	-	-	-	-	1	2	-	8	6	5	14	19	28	50	96	132	115	93	75	20	12	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	2	-	1	1	3	1	2	4	-	3	4	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	1	1	6	2	-	2	-	-	-
410-416	Chronic rheumatic heart disease----	84	-	-	-	-	-	-	1	2	2	-	7	5	3	7	8	12	13	5	7	5	3	3	-	1	-
	White-----M--	46	-	-	-	-	-	-	1	2	-	-	1	5	3	3	6	7	8	1	3	3	2	1	-	-	-
	F--	35	-	-	-	-	-	-	-	-	1	-	5	-	-	4	2	5	4	4	4	2	1	2	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,327	-	-	-	-	-	-	2	-	1	9	15	24	51	84	93	190	221	227	174	137	71	21	7	-	
	White-----M--	949	-	-	-	-	-	-	1	-	-	6	10	19	44	71	78	155	162	154	120	84	32	11	2	-	
	F--	358	-	-	-	-	-	-	1	-	-	1	3	4	6	9	15	34	58	71	51	52	38	10	5	-	
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	-	1	1	-	2	1	1	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	2	1	-	-	-	-	
421, 422	Nonrheumatic chronic endocarditis, etc.*--	335	1	1	-	-	-	-	-	1	-	-	1	1	2	3	11	10	28	36	58	66	44	53	11	7	1
	White-----M--	196	1	-	-	-	-	-	-	1	-	-	1	1	2	1	6	5	21	24	31	37	21	30	8	5	1
	F--	133	-	1	-	-	-	-	-	-	-	-	-	-	-	2	5	4	6	11	26	29	22	22	3	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	200	1	-	-	-	-	-	-	1	1	1	3	3	5	11	11	17	14	34	30	30	23	11	2	2	-
	White-----M--	128	1	-	-	-	-	-	-	1	-	1	1	1	4	9	10	14	11	21	18	16	12	7	1	-	-
	F--	61	-	-	-	-	-	-	-	-	1	-	2	2	1	2	1	3	3	10	9	12	9	3	1	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	169	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	4	15	22	37	36	20	14	7	2	1
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	12	9	15	15	11	4	1	-	-
	F--	92	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	13	22	21	9	10	6	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	36	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	4	2	10	6	4	3	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	2	6	2	1	2	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	4	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	20	28	38	35	15	2	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	15	20	23	7	1	-
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	13	17	9	8	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
451-468	Other diseases of circulatory sys.-	42	1	-	-	-	-	-	1	-	-	2	-	2	1	4	4	4	4	8	5	2	3	-	1	-	
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	7	5	1	1	-	-	
	F--	21	1	-	-	-	-	-	1	-	-	2	-	2	1	2	2	2	3	1	-	1	2	-	1	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
592-594	Chronic nephritis, etc.*----------	66	1	-	-	-	-	-	2	-	1	1	2	3	2	4	2	5	13	7	11	4	5	3	-	-	
	White-----M--	38	1	-	-	-	-	-	2	-	1	-	1	3	1	2	1	4	5	3	5	4	4	1	-	-	
	F--	28	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	8	4	6	-	1	2	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
480-493	Influenza and pneumonia, etc.*-	245	46	3	-	1	-	5	1	2	2	2	1	4	9	8	8	7	11	18	25	24	27	25	15	2	1
	White-----M--	124	14	1	-	-	-	-	1	2	1	-	4	5	6	6	4	8	12	15	15	13	11	5	-	1	
	F--	96	17	1	-	1	-	5	1	-	-	-	1	-	4	1	-	2	3	6	9	9	12	12	10	2	-
	Nonwhite--M--	7	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	18	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	2	-	-	-
480-483	Influenza----------	53	8	1	-	-	-	1	1	1	1	-	-	-	1	1	1	2	1	6	6	5	5	4	7	1	-
	White-----M--	23	1	1	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	4	3	5	2	1	1	-	-
	F--	25	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	1	2	3	-	2	3	6	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	192	38	2	-	1	-	4	-	1	1	2	1	4	8	7	5	5	10	12	19	19	22	21	8	1	1
	White-----M--	101	13	-	-	-	-	-	-	-	1	1	-	4	5	5	5	3	8	8	12	10	11	10	4	-	1
	F--	71	14	1	-	1	-	4	-	-	-	-	1	-	3	1	-	1	2	4	6	9	10	9	4	1	-
	Nonwhite--M--	6	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	2	-	-	-
500-502	Bronchitis--------	13	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-
	White-----M--	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
	F--	5	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	42	2	-	-	-	-	-	-	-	-	-	1	2	1	1	5	4	8	9	1	5	3	-	-	-	-
	White-----M--	27	1	-	-	-	-	-	-	-	-	-	1	-	1	1	5	2	5	5	-	4	2	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	2	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	2	6	-	-	2	-	-	-	-	-
	White-----M--	12	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	6	-	-	2	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	36	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	4	3	4	4	2	-	-	-
	White-----M--	19	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	2	2	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	2	2	2	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543,	Gastritis, etc.*--	26	14	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	3	-	2	-	-	-	-	-
571,	White-----M--	12	2	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	2	-	1	-	-	-	-	-
572	F--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	50	-	-	-	-	-	1	1	-	-	-	2	6	4	1	7	3	5	10	5	2	-	1	1	1	-
	White-----M--	33	-	-	-	-	-	-	1	-	-	-	-	4	2	1	5	2	2	9	5	-	-	-	1	1	-
	F--	15	-	-	-	-	-	1	-	-	-	-	2	2	1	-	2	-	3	1	-	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	13	-	-	1	-	-	-	-	1	-	2	1	1	2	-	-	1	2	-	1	-	-	1	-	-	-
	White-----M--	9	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	1	2	-	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	4	4	6	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	4	4	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	69	58	4	1	-	1	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	36	32	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	23	1	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	230	11	1	-	2	1	-	-	-	-	-	-	4	8	7	6	15	15	30	34	18	27	25	19	7	-
795	White-----M--	151	7	-	-	1	-	-	-	-	-	-	-	4	7	6	6	12	15	22	17	14	16	13	8	3	-
	F--	66	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	-	7	16	3	9	11	9	4	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-
	F--	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
Re-	All other diseases	280	10	4	1	5	-	3	3	3	2	3	6	10	14	18	14	17	32	41	34	28	17	11	2	2	-
sid-	White-----M--	178	3	2	1	2	-	2	2	2	2	1	2	5	7	11	10	12	19	34	23	18	9	8	2	1	-
ual	F--	88	4	1	-	1	-	1	1	1	-	2	3	4	7	4	4	5	11	7	11	9	8	3	-	1	-
	Nonwhite--M--	10	3	-	-	2	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
E800-	Accidents----------	569	20	12	11	13	5	23	20	44	37	38	28	41	32	29	30	21	37	26	31	24	24	12	10	-	1
E962	White-----M--	392	7	9	7	7	3	14	14	30	25	30	21	30	28	21	24	16	28	18	21	15	11	4	8	-	1
	F--	127	8	2	3	5	-	8	4	9	7	4	3	5	4	5	5	3	7	8	8	7	12	8	2	-	-
	Nonwhite--M--	36	2	1	-	-	1	1	1	4	5	2	2	5	-	3	1	1	2	-	2	2	1	-	-	-	-
	F--	14	3	-	1	1	1	-	1	1	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	233	3	4	2	7	1	6	4	24	30	22	11	20	11	15	11	13	14	13	11	6	3	1	1	-	-
	White-----M--	155	2	3	1	5	1	2	2	12	22	16	8	14	9	11	8	8	9	10	6	5	-	-	1	-	-
	F--	59	-	1	1	2	-	3	2	8	5	3	2	3	2	4	3	3	5	3	4	1	3	1	-	-	-
	Nonwhite--M--	15	1	-	-	-	-	1	-	3	3	2	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	336	17	8	9	6	4	17	16	20	7	16	17	21	21	14	19	8	23	13	20	16	21	11	9	-	1
E802,	White-----M--	237	5	6	6	2	2	12	12	18	3	14	13	16	19	10	16	8	19	8	15	10	11	4	7	-	1
E840-	F--	68	8	1	2	3	-	5	2	1	2	1	1	2	2	1	2	-	2	5	4	6	9	7	2	-	-
E962	Nonwhite--M--	21	1	1	-	-	1	-	1	1	2	-	1	3	-	3	1	-	2	-	1	2	1	-	-	-	-	-
	F--	10	3	-	1	1	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	102	-	-	-	-	-	-	-	2	4	9	5	7	9	15	8	7	8	7	8	8	4	-	-	1	-
E970-	White-----M--	83	-	-	-	-	-	-	-	2	3	5	3	5	6	15	5	7	8	7	7	7	2	-	-	1	-
E979	F--	17	-	-	-	-	-	-	-	-	1	3	2	2	3	-	3	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	22	-	-	-	-	-	-	-	-	1	1	3	4	1	2	-	3	3	1	1	1	-	1	-	-	-
E980-	White-----M--	17	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	3	3	1	1	1	-	1	-	-	-
E985	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES------	13,380	799	70	35	28	35	79	78	93	107	104	140	172	283	375	558	837	1,130	1,500	1,703	1,843	1,715	1,065	502	115	14
	White-----M--	7,568	412	40	27	12	20	45	47	64	67	55	90	106	170	235	342	546	713	917	962	1,010	867	544	229	41	7
	F--	5,500	347	26	8	15	15	33	28	27	30	37	44	58	101	128	197	264	382	552	713	804	827	516	268	74	6
	Nonwhite--M--	173	19	1	-	1	-	-	2	-	6	3	4	4	8	6	11	15	23	18	22	17	8	2	3	-	-
	F--	139	21	3	-	-	-	1	1	2	4	9	2	4	4	6	8	12	12	13	6	12	13	3	2	-	1
001-019	Tuberculosis, all forms--------	74	-	5	3	-	-	1	-	-	3	5	3	2	5	1	5	4	10	7	10	3	3	2	-	2	-
	White-----M--	40	-	1	3	-	-	1	-	-	-	1	3	1	-	1	3	2	5	6	8	1	2	1	-	1	-
	F--	22	-	2	-	-	-	-	-	-	1	3	-	1	3	-	1	1	4	2	2	2	-	1	-	1	-
	Nonwhite--M--	9	-	1	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	-	-	1	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	67	-	3	2	-	-	-	-	-	3	4	3	2	5	1	5	3	10	7	10	3	3	1	-	2	-
	White-----M--	38	-	1	2	-	-	-	-	-	-	1	3	1	-	1	3	2	5	6	8	1	2	1	-	1	-
	F--	20	-	1	-	-	-	-	-	-	1	3	-	1	3	-	1	1	4	2	2	-	-	-	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	28	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	3	5	3	3	-	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	5	2	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	10	-	1	-	1	-	1	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	33	2	-	-	-	-	1	1	1	4	2	1	1	2	2	2	3	1	2	1	2	3	2	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	-	2	1	-	1	2	1	2	2	1	2	-	1	1	1	-	-	-
	F--	15	1	-	-	-	-	1	1	1	2	1	1	-	-	1	-	1	-	-	1	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*	2,229	5	6	7	5	8	9	8	5	6	15	18	31	66	95	141	219	258	339	312	337	210	98	29	2	-
	White—M	1,149	2	2	7	2	3	6	6	3	4	7	10	15	28	48	54	104	146	186	151	192	99	58	16	-	-
	F	1,052	3	4	-	3	5	3	2	2	2	5	8	16	38	47	84	113	104	148	159	142	110	39	13	2	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	4	2	2	3	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	4	3	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx	40	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	4	4	6	8	4	2	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	3	3	4	5	7	3	2	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	858	1	-	-	-	-	-	-	-	-	2	2	4	15	22	45	67	91	140	141	151	115	48	14	-	-
	White—M	473	1	-	-	-	-	-	-	-	-	1	2	3	10	11	23	39	60	74	74	87	51	28	9	-	-
	F	377	-	-	-	-	-	-	-	-	-	1	-	1	5	11	21	27	30	66	66	61	63	20	5	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system	215	-	-	-	-	-	-	-	-	-	3	2	2	5	13	11	35	29	44	29	24	12	5	1	-	-
	White—M	172	-	-	-	-	-	-	-	-	-	1	2	2	5	11	10	30	23	38	20	19	8	2	1	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	5	6	5	9	5	4	3	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	213	-	-	-	-	-	-	-	-	-	-	1	5	14	15	31	20	25	28	25	28	12	5	4	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	210	-	-	-	-	-	-	-	-	-	-	1	5	14	15	31	20	23	27	25	28	12	5	4	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
171-179	Of genital organs	366	-	-	-	-	-	-	-	-	1	4	2	10	13	13	18	39	34	49	50	72	32	22	6	1	-
	White—M	155	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	5	12	19	21	49	22	17	4	-	-
	F	203	-	-	-	-	-	-	-	-	1	1	2	9	13	11	16	34	20	28	28	23	10	4	2	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-
180, 181	Of urinary organs	119	-	1	-	-	-	2	-	-	-	-	-	1	4	3	2	14	19	26	15	20	9	2	1	-	-
	White—M	79	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	9	16	19	8	14	6	1	-	-	-
	F	40	-	-	-	-	-	2	-	-	-	-	-	-	2	2	1	5	3	7	7	6	3	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	223	1	4	2	3	2	5	4	-	2	2	2	4	10	18	23	18	28	27	21	17	18	9	2	1	-
	White—M	126	-	1	2	1	1	5	2	1	1	1	1	4	8	15	9	8	18	16	12	10	6	5	1	-	-
	F	92	1	3	-	2	1	-	2	1	1	2	1	-	2	3	12	9	10	9	9	7	12	4	1	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	103	3	-	4	2	6	1	3	2	1	-	3	2	2	5	3	7	12	13	17	8	5	3	1	-	-
	White—M	58	1	-	4	1	2	1	3	1	1	-	1	1	2	4	2	4	5	11	7	3	2	2	1	-	-
	F	44	2	-	-	1	4	-	-	1	-	-	3	1	-	1	1	3	6	2	10	5	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	92	-	1	1	-	-	1	1	3	2	4	5	2	2	5	5	14	16	8	8	9	3	2	-	-	-
	White—M	52	-	-	1	-	-	-	1	2	2	4	4	2	-	4	4	6	9	4	4	3	1	1	-	-	-
	F	38	-	1	-	-	-	1	-	1	-	-	1	-	2	1	1	8	5	4	4	6	2	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	48	1	-	-	-	1	2	2	1	2	3	2	5	5	2	5	5	2	7	1	2	-	-	-	-	-
	White—M	18	1	-	-	-	1	-	1	1	1	1	1	1	-	-	4	3	1	3	-	1	-	-	-	-	-
	F	28	-	-	-	-	-	2	2	-	2	1	1	3	5	2	1	2	1	4	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	285	1	-	-	-	1	-	-	-	1	5	4	5	2	9	6	18	29	48	63	39	42	8	3	1	-
	White—M	123	1	-	-	-	-	-	-	-	1	-	3	2	2	6	4	7	10	21	26	24	11	4	1	-	-
	F	157	-	-	-	-	1	-	-	-	-	5	-	3	-	3	2	11	19	24	37	15	30	4	2	1	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias	36	-	1	-	-	-	1	-	2	-	-	-	-	1	-	2	3	4	3	6	4	5	2	2	-	-
	White—M	22	-	1	-	-	-	1	-	1	-	-	-	-	-	-	2	2	4	1	5	2	3	1	1	-	-
	F	14	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	2	1	2	2	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	14	3	1	3	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	1	-	1	-	-	-	-
	White—M	7	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
	F	6	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,189	4	1	1	-	1	4	2	8	7	13	20	51	100	150	272	431	630	867	1,058	1,202	1,180	740	360	77	10
	White—M	4,134	2	1	1	-	1	2	1	6	2	9	10	33	68	106	201	310	418	534	614	637	610	372	164	27	5
	F	2,911	2	-	-	-	-	2	1	2	3	3	9	15	27	37	62	102	193	315	421	549	555	366	193	50	4
	Nonwhite—M	76	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	10	12	10	17	8	5	2	2	-	-
	F	68	-	-	-	-	-	-	-	-	2	1	1	2	3	4	5	9	7	8	6	8	10	-	1	-	1
330-334, 400-468	Diseases of cardiovascular system	7,040	4	1	1	-	-	3	2	5	7	9	16	46	94	144	261	429	618	849	1,044	1,181	1,169	723	347	77	10
	White—M	4,043	2	1	1	-	-	1	1	3	2	5	9	29	66	103	194	308	410	523	605	629	601	361	157	27	5
	F	2,860	2	-	-	-	-	2	1	2	3	3	7	14	25	35	58	102	189	308	417	538	553	360	187	50	4
	Nonwhite—M	73	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	12	10	16	7	5	2	2	-	-
	F	64	-	-	-	-	-	-	-	-	2	1	-	2	2	3	5	9	7	8	6	7	10	-	1	-	1
330-334	Vascular lesions, etc.*	1,706	1	-	-	-	-	1	-	1	3	2	12	15	21	37	73	123	199	270	344	327	176	89	12	-	
	White—M	848	-	-	-	-	-	-	-	-	2	1	8	8	10	19	42	67	102	126	165	161	95	38	4	-	
	F	821	1	-	-	-	-	1	-	1	-	1	4	6	10	16	26	50	91	137	175	163	81	50	8	-	
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	5	1	1	-	1	-	
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	
400-402	Rheumatic fever	12	-	-	-	-	-	1	1	3	-	1	-	-	1	1	2	2	2	3	2	3	2	-	-	-	
	White—M	7	-	-	-	-	-	1	1	2	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	
	F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart-	4,805	3	-	1	-	-	2	-	1	4	5	14	32	69	115	213	332	468	614	722	771	741	435	201	56	6
	White-----M--	2,909	2	-	1	-	-	-	-	1	1	2	8	21	50	89	166	246	327	401	450	431	384	212	96	19	2
	F--	1,807	1	-	-	-	-	2	-	-	1	3	6	9	17	22	40	72	130	203	258	332	347	221	103	37	3
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	7	6	6	10	4	4	2	1	-	-
	F--	41	-	-	-	-	-	-	-	-	2	-	-	2	1	1	3	7	5	4	4	4	6	-	1	-	1
410-416	Chronic rheumatic heart disease----	158	-	-	-	-	-	-	-	1	5	7	5	14	5	15	14	28	16	10	15	17	2	4	-	-
	White-----M--	84	-	-	-	-	-	-	-	-	2	4	3	7	3	6	8	15	11	6	7	8	2	2	-	-
	F--	71	-	-	-	-	-	-	-	-	3	3	2	7	2	9	6	13	5	3	7	9	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,040	-	-	-	-	-	1	-	-	-	-	4	17	46	88	158	244	333	443	473	452	428	226	96	27	4
	White-----M--	2,004	-	-	-	-	-	-	-	-	-	-	3	15	39	74	136	194	250	306	310	269	232	117	50	8	1
	F--	976	-	-	-	-	-	1	-	-	-	-	1	1	5	10	20	38	76	130	153	178	188	108	45	19	3
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	6	5	6	8	2	4	1	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	6	2	1	2	3	4	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	732	-	-	-	-	-	1	-	-	-	-	3	4	1	1	10	27	34	63	113	133	143	112	68	19	-
	White-----M--	375	-	-	-	-	-	-	-	-	-	-	1	2	-	1	6	14	17	39	66	67	72	50	30	10	-
	F--	348	-	-	-	-	-	1	-	-	-	-	2	2	1	-	3	13	15	23	45	65	70	61	38	9	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
430-434	Other diseases of heart--------	298	3	-	1	-	-	-	-	1	1	-	-	3	7	15	10	22	27	37	36	50	34	38	8	3	2
	White-----M--	175	2	-	1	-	-	-	-	1	1	-	-	1	4	10	7	15	22	19	22	29	20	17	3	-	1
	F--	118	1	-	-	-	-	-	-	-	-	-	-	2	3	5	3	6	4	17	14	21	14	21	4	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
440-443	Hypertension with heart dis.--	577	-	-	-	-	-	-	-	-	2	-	-	3	1	6	20	25	46	55	90	121	119	57	25	7	-
	White-----M--	271	-	-	-	-	-	-	-	-	-	-	-	-	-	1	11	15	23	26	46	59	52	26	11	1	-
	F--	294	-	-	-	-	-	-	-	-	1	-	-	2	1	5	5	9	22	28	43	61	66	31	14	6	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	1	-	1	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	93	-	-	-	-	-	-	-	-	-	-	-	-	5	3	4	6	8	7	11	15	12	15	7	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	4	5	2	5	9	5	7	2	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	5	5	7	8	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
450	General arteriosclerosis--------	327	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	10	32	44	78	91	47	9	2
	White-----M--	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	17	20	47	44	21	4	2
	F--	155	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	15	23	29	47	26	5	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
451-468	Other diseases of circulatory sys.-	97	-	1	-	-	-	-	-	1	2	-	-	2	5	3	5	15	10	17	9	7	10	5	3	-	2
	White-----M--	64	-	1	-	-	-	-	-	-	1	-	-	-	4	1	5	13	7	13	7	4	4	3	-	-	1
	F--	31	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	3	4	2	3	6	2	3	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	149	-	-	-	-	1	1	-	3	-	4	4	5	6	6	11	2	12	18	14	21	11	17	13	-	-
	White-----M--	91	-	-	-	-	1	1	-	3	-	4	1	4	2	3	7	2	8	11	9	8	9	11	7	-	-
	F--	51	-	-	-	-	-	-	-	-	-	-	2	1	2	2	4	-	4	7	4	11	2	6	6	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	510	49	12	6	2	5	7	3	3	4	3	8	-	6	8	10	16	23	29	50	61	79	76	40	8	2
	White-----M--	251	21	7	4	-	3	4	2	1	2	1	5	-	3	4	1	9	11	21	31	38	33	32	15	2	1
	F--	239	21	4	2	2	2	3	-	2	2	1	3	-	2	4	7	5	10	7	19	22	45	44	25	6	1
	Nonwhite--M--	11	4	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-
	F--	9	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
480-483	Influenza--------	120	6	1	-	1	3	2	-	-	-	-	3	-	2	-	3	7	4	5	11	20	18	24	8	1	1
	White-----M--	56	2	-	-	-	3	2	-	-	-	-	2	-	1	-	-	3	-	4	7	15	6	9	2	-	-
	F--	56	3	-	-	1	-	-	-	-	-	-	1	-	1	-	3	2	2	1	4	4	11	15	6	1	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	F--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	390	43	11	6	1	2	5	3	3	4	3	5	-	4	8	7	9	19	24	39	41	61	52	32	7	1
	White-----M--	195	19	7	4	-	-	2	2	1	2	1	3	-	2	4	1	6	11	17	24	23	27	23	13	2	1
	F--	183	18	4	2	1	2	3	-	2	2	1	2	-	1	4	4	3	8	6	15	18	34	29	19	5	-
	Nonwhite--M--	7	4	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis--------	26	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	4	2	-	1	-
	White-----M--	16	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	-	1	-
	F--	10	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	96	1	-	-	-	-	-	-	-	-	-	3	3	3	4	4	6	9	16	19	10	12	4	2	-	-
	White-----M--	68	-	-	-	-	-	-	-	-	-	-	2	2	2	3	2	5	7	13	14	6	7	3	2	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	3	5	4	5	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	32	-	-	1	-	-	1	4	1	1	1	2	1	-	3	2	1	5	2	1	2	2	1	1	-	-
	White-----M--	17	-	-	1	-	-	-	1	-	-	-	1	-	-	2	2	1	3	1	-	2	1	1	1	-	-
	F--	14	-	-	-	-	-	1	3	1	1	-	1	1	-	1	-	-	2	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	63	6	3	-	-	-	-	-	-	1	1	1	2	-	6	6	6	5	9	6	11	10	6	4	-	-
	White-----M--	51	4	3	-	-	-	-	-	-	-	1	-	1	-	4	5	4	3	6	3	6	6	5	-	-	-
	F--	29	2	-	-	-	-	-	-	-	1	-	1	1	-	2	-	2	2	2	3	5	4	1	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543, 571, 572	Gastritis, etc.*--	51	16	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	3	1	6	7	2	5	2	-	-
	White-----M--	20	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	1	2	2	3	1	-	-
	F--	26	7	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	1	5	5	-	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	81	-	-	-	-	-	-	-	-	-	-	2	3	7	7	8	8	15	13	6	9	3	-	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	2	1	4	4	7	7	12	10	5	6	2	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	3	3	1	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	26	-	1	1	1	2	-	1	-	1	-	1	3	-	1	2	3	-	3	3	-	2	-	1	-	-
	White-----M--	9	-	1	-	-	1	-	-	-	1	-	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-
	F--	17	-	-	1	1	1	-	1	-	-	-	-	2	-	1	1	2	-	1	3	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	9	16	11	14	8	1	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	8	16	11	14	8	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	20	...	...	...	...	...	...	-	1	1	6	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	...	...	...	...	...	...	-	1	1	5	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	2	...	...	...	...	...	...	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications------	18	...	...	...	...	...	...	-	-	1	6	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	-	1	5	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	174	142	7	4	2	1	3	2	2	2	1	-	2	2	-	-	1	2	-	1	-	-	-	-	-	-
	White-----M--	83	67	3	3	1	-	1	2	-	2	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	F--	90	74	4	1	1	1	2	-	2	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	493	493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	94	2	-	-	-	-	1	-	-	-	-	-	1	1	2	2	5	7	12	11	20	10	10	9	1	
	White-----M--	54	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2	3	7	7	7	10	4	5	5	-	
	F--	35	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	5	1	9	5	5	4	1	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	
Residual	All other diseases	592	29	10	3	3	4	8	4	2	3	7	12	11	21	26	36	42	50	70	74	64	55	36	16	6	-
	White-----M--	327	10	5	2	1	3	4	1	2	2	2	8	9	14	12	12	25	28	44	45	39	27	22	7	3	-
	F--	252	17	5	1	2	1	4	3	-	1	5	4	2	6	13	23	16	22	25	28	23	27	13	8	3	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	
	F--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-
E800-E962	Accidents---------	889	30	19	6	14	10	38	44	61	63	33	43	30	35	39	35	44	54	44	48	52	59	56	23	8	1
	White-----M--	579	12	12	4	8	8	25	30	46	46	25	34	26	26	29	26	40	37	32	30	24	29	21	7	1	1
	F--	284	17	7	2	5	2	12	12	14	12	6	7	3	8	7	9	3	15	12	18	25	30	35	16	7	-
	Nonwhite--M--	18	-	-	-	1	-	-	1	-	5	1	2	-	1	3	-	1	1	-	-	2	-	-	-	-	-
	F--	8	1	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	340	8	3	2	5	2	17	11	43	44	19	20	17	17	13	15	19	23	20	13	10	13	5	1	-	-
	White-----M--	238	5	1	1	3	2	9	5	29	32	14	15	17	10	9	8	18	16	15	9	6	9	4	1	-	-
	F--	92	3	2	1	2	-	7	6	14	10	3	4	-	6	4	7	1	5	5	4	3	4	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	549	22	16	4	9	8	21	33	18	19	14	23	13	18	26	20	25	31	24	35	42	46	51	22	8	1
	White-----M--	341	7	11	3	5	6	16	25	17	14	11	19	9	16	20	18	22	21	17	21	18	20	17	6	1	1
	F--	192	14	5	1	3	2	5	6	-	2	3	3	3	2	3	2	2	10	7	14	22	26	34	16	7	-
	Nonwhite--M--	11	-	-	-	1	-	-	1	-	3	-	1	-	-	3	-	1	-	-	-	1	-	-	-	-	-
	F--	5	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide----------	150	-	-	-	-	-	3	4	2	6	12	11	19	14	10	15	12	14	10	4	11	2	1	-	-	
	White-----M--	124	-	-	-	-	-	3	4	1	5	7	10	16	13	10	13	10	11	8	2	8	2	1	-	-	
	F--	23	-	-	-	-	-	-	-	-	1	3	1	3	1	-	2	2	3	2	2	3	-	-	-	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E964, E980-E985	Homicide----------	27	1	-	-	-	-	1	1	-	3	2	3	4	5	1	1	-	1	1	1	1	-	1	-	-	
	White-----M--	17	1	-	-	-	-	-	-	-	3	1	2	3	2	1	1	-	1	-	1	1	-	-	-	-	
	F--	6	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES------	1,889	174	13	7	7	2	9	12	14	27	39	36	62	65	115	122	144	192	201	204	185	142	72	23	9	13
	White-----M--	1,188	80	4	2	2	1	4	8	10	16	19	13	41	42	78	83	99	150	145	125	120	80	41	10	5	10
	F--	531	59	4	2	3	-	2	3	3	7	9	12	15	8	32	33	34	36	48	70	59	50	27	11	3	1
	Nonwhite--M--	100	22	3	2	1	-	1	1	1	1	9	5	3	9	2	5	4	6	5	5	3	8	2	-	1	1
	F--	70	13	2	1	1	1	2	-	-	3	2	6	3	6	3	1	7	-	3	4	3	4	2	2	-	1
001-019	Tuberculosis, all forms--------	29	-	-	-	-	1	3	-	-	1	3	-	2	1	1	5	1	4	3	2	2	-	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	3	3	2	2	-	-	-	-	-
	F--	4	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	25	-	-	-	-	1	-	-	-	-	3	-	2	1	1	5	1	4	3	2	2	-	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	3	3	2	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	11	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	4	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	4	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*----	253	2	-	2	-	1	1	2	-	-	1	3	7	7	17	20	23	44	37	31	27	16	11	-	-	1
	White-----M--	153	2	-	-	-	1	1	1	-	-	1	-	4	5	10	14	8	30	27	17	15	8	8	-	-	1
	F--	90	-	-	1	-	-	-	1	-	-	-	3	3	2	6	5	14	13	9	14	10	6	3	-	-	-
	Nonwhite--M--	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	88	-	-	-	-	-	-	-	-	-	-	-	3	5	5	8	4	14	13	18	8	5	4	-	-	1
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	3	11	8	11	3	3	3	-	-	1
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	5	7	5	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	10	11	2	4	3	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	10	11	2	4	2	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast---------	21	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	4	1	2	3	1	3	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	4	1	2	3	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	30	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	5	3	5	3	3	2	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	2	2	2	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	1	3	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-
	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	33	-	-	-	-	1	-	1	-	-	1	-	2	-	3	1	4	7	2	2	7	1	1	-	-	-
	White-----M--	17	-	-	-	-	1	-	-	-	-	1	-	2	-	2	1	1	1	1	2	4	-	1	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	3	6	-	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	13	-	-	1	-	-	1	1	-	-	-	1	-	-	1	2	-	1	2	-	1	1	1	-	-	-
	White-----M--	9	-	-	-	-	-	1	1	-	-	-	-	-	-	1	2	-	1	1	-	-	1	1	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	1	2	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	9	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	1	1	-	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	23	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	5	2	2	4	5	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	2	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
280-293	Anemias----------	6	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	F--	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	838	1	1	1	-	-	-	2	1	2	3	5	16	17	52	49	76	95	114	126	109	95	43	18	7	5
	White-----M--	543	1	-	1	-	-	-	-	1	2	2	2	11	12	32	33	56	79	76	75	69	54	22	9	3	3
	F--	249	-	-	-	-	-	-	1	-	-	1	1	5	1	17	14	14	14	34	44	38	35	18	8	3	1
	Nonwhite--M--	24	-	1	-	-	-	-	1	-	-	-	1	-	2	2	2	1	2	2	4	-	4	1	-	1	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	5	-	2	3	2	2	2	1	-	1
330-334, 400-468	Diseases of cardiovascular system-	821	1	1	-	-	-	-	2	1	1	2	5	16	16	52	48	74	95	110	124	107	93	43	18	7	5
	White-----M--	533	1	-	-	-	-	-	-	1	1	1	2	11	11	32	33	56	79	74	74	68	52	22	9	3	3
	F--	244	-	-	-	-	-	-	1	-	-	1	1	5	1	17	13	13	14	33	43	37	35	18	8	3	1
	Nonwhite--M--	23	-	1	-	-	-	-	1	-	-	-	1	-	2	2	2	1	2	1	4	-	4	1	-	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	4	-	2	3	2	2	2	1	-	1
330-334	Vascular lesions, etc.*----------	167	1	1	-	-	-	-	-	-	-	2	1	4	2	16	4	13	9	17	24	34	23	7	5	2	2
	White-----M--	91	1	-	-	-	-	-	-	-	-	1	-	3	1	7	1	7	7	9	11	23	13	3	2	1	1
	F--	65	-	-	-	-	-	-	-	-	-	1	1	1	-	8	3	3	2	8	11	11	8	3	3	1	1
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	2	1	-	-	-
400-402	Rheumatic fever----	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart-	612	-	-	-	-	-	-	1	1	1	-	3	10	13	36	43	60	83	90	97	66	63	29	9	4	3
	White-----M--	421	-	-	-	-	-	-	-	1	1	-	2	7	9	25	31	48	69	64	63	42	35	15	6	1	2
	F--	163	-	-	-	-	-	-	-	-	-	-	-	3	1	9	10	10	12	23	30	23	25	12	3	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	2	1	2	-	3	1	-	1	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	2	2	1	-	1	-	-	1
410-416	Chronic rheumatic heart disease----	20	-	-	-	-	-	-	-	1	-	-	2	2	-	4	2	2	3	1	2	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	3	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	411	-	-	-	-	-	-	-	-	-	-	1	6	11	25	32	43	55	67	67	36	46	12	7	1	2
	White-----M--	296	-	-	-	-	-	-	-	-	-	-	1	5	9	19	24	36	46	44	47	27	26	7	4	-	1
	F--	99	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	6	8	21	18	9	18	4	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	-	2	1	-	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	79	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	11	11	8	16	12	11	2	1	1
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	10	11	4	6	7	6	2	-	1
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	10	4	5	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	39	-	-	-	-	-	-	1	-	1	-	-	-	1	5	3	5	3	5	6	5	1	2	-	1	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	-	-	-	-	5	3	3	3	5	4	5	-	1	-	1	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
440-443	Hypertension with heart dis.--	63	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	8	11	6	14	8	4	4	-	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	7	4	8	4	2	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	1	5	3	2	3	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	3	3	2	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	3	2	1	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	-	-	3	-	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	-	-	1	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	17	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	2	-	4	2	2	2	-	-	-	-
	White-----M--	10	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	2	1	1	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	45	12	2	-	-	-	-	-	-	-	-	1	2	-	3	4	3	1	2	4	4	4	3	-	-	-
	White-----M--	28	4	2	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	2	4	3	1	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	3	1	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	38	10	2	-	-	-	-	-	-	-	-	1	2	-	2	4	2	1	1	2	4	4	3	-	-	-
	White-----M--	23	4	2	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	2	3	1	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	3	1	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	5	-	1	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	5	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
543, 571, 572	Gastritis, etc.*--	9	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	33	-	-	-	-	-	-	-	-	-	1	2	4	5	5	3	1	4	3	4	1	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	4	2	3	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	4	-	4	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	3	3	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*-	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	2	...	...	...	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	20	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	66	1	-	-	-	-	-	-	-	1	3	2	1	2	1	7	5	3	3	6	7	9	7	4	2	2
	White-----M--	43	1	-	-	-	-	-	-	-	1	-	-	1	1	1	7	3	3	3	5	5	5	5	1	2	1
	F--	11	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	1	2	1	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	1	2	1	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Residual	All other diseases	91	6	-	1	-	-	-	-	-	-	1	3	4	4	2	6	8	14	11	13	11	5	1	-	-	1
	White-----M--	55	2	-	1	-	-	-	-	-	-	-	-	2	1	1	1	7	9	9	10	8	3	-	-	-	1
	F--	33	4	-	-	-	-	-	-	-	-	1	3	1	2	1	5	1	4	2	3	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	225	15	8	2	4	-	4	4	11	18	22	13	15	19	16	14	13	13	10	5	8	5	3	-	-	3
	White-----M--	150	3	2	-	1	-	2	4	8	10	13	7	14	14	16	11	12	10	8	3	6	3	-	-	-	3
	F--	33	6	2	1	1	-	-	-	2	5	3	1	-	1	-	1	-	2	-	2	2	1	3	-	-	-
	Nonwhite--M--	26	3	2	1	1	-	2	-	1	1	5	4	1	3	-	1	1	1	1	-	-	-	-	-	-	-
	F--	16	3	2	-	1	-	2	-	-	2	1	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents--------	117	2	2	2	1	-	2	1	8	17	17	9	8	10	6	6	6	5	7	2	2	2	1	-	-	1
	White-----M--	78	-	-	-	-	-	1	1	6	9	10	5	8	8	6	4	5	5	5	1	2	1	-	-	-	1
	F--	17	1	1	1	1	-	-	-	2	5	2	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
	Nonwhite--M--	14	-	1	1	-	-	1	-	-	1	4	3	-	2	-	-	1	-	1	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	1	-	-	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	108	13	6	-	3	-	2	3	3	1	5	4	7	9	10	8	7	8	3	3	6	3	2	-	-	2
	White-----M--	72	3	2	-	1	-	1	3	2	1	3	2	6	6	10	7	7	5	3	2	4	2	-	-	-	2
	F--	16	5	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	2	-	1	2	-	2	-	-	-
	Nonwhite--M--	12	3	1	-	1	-	-	-	1	1	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	8	2	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	Suicide----------	46	-	-	-	-	-	-	-	-	1	2	3	7	4	8	4	5	5	1	2	1	2	-	-	-	1
	White-----M--	38	-	-	-	-	-	-	-	-	1	2	1	5	3	7	4	4	4	1	2	1	2	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	11	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	1	1	2	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES------	6,103	281	19	17	7	8	23	18	34	33	42	48	76	115	183	296	411	507	676	796	921	795	508	215	54	20
	White-----M--	3,451	179	12	11	3	6	15	14	27	19	27	23	47	81	119	206	288	310	380	451	490	389	240	77	18	9
	F--	2,646	101	7	6	4	2	8	4	7	14	15	25	28	34	64	89	123	195	286	345	431	406	267	138	36	11
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	34	-	-	-	-	-	-	-	-	-	-	3	1	1	2	2	7	4	4	5	3	1	1	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	7	3	4	1	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	32	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	6	4	4	5	3	1	1	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	6	3	4	1	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	3	3	2	-	-	-	-	1
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	3	1	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	3	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	8	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	2	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*----	986	-	-	1	-	-	2	3	-	3	5	7	21	23	39	87	97	104	145	144	145	94	47	15	2	2
	White-----M--	512	-	-	-	-	-	-	2	-	-	2	-	12	11	15	45	54	55	73	77	85	46	26	7	1	1
	F--	474	-	-	1	-	-	2	1	-	3	3	7	9	12	24	42	43	49	72	67	60	48	21	8	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	4	4	3	2	1	-	1
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2	2	2	1	1	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	395	-	-	-	-	-	-	-	-	-	1	-	6	8	8	31	33	44	65	59	68	46	19	7	-	-
	White-----M--	222	-	-	-	-	-	-	-	-	-	-	-	4	5	3	18	23	24	34	37	40	23	9	2	-	-
	F--	173	-	-	-	-	-	-	-	-	-	1	-	2	3	5	13	10	20	31	22	28	23	10	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	99	-	-	-	-	-	-	-	-	1	-	-	-	3	6	16	14	11	14	15	8	6	3	2	-	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	-	-	-	2	6	14	13	10	11	12	7	2	1	1	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	3	3	1	4	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	80	-	-	-	-	-	-	-	-	-	1	-	1	3	7	9	9	7	14	11	6	6	3	2	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	1	-	1	3	7	9	9	7	14	11	5	6	3	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	160	-	-	-	-	-	1	-	-	-	2	5	5	9	7	13	19	27	20	27	14	7	2	1	1
	White-----M--	63	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	4	12	7	18	10	6	2	1	-
	F--	97	-	-	-	-	-	-	-	-	-	2	4	5	9	6	13	15	15	13	9	4	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	46	-	-	1	-	-	-	-	-	-	1	-	-	1	1	5	7	6	7	6	4	2	6	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	5	5	3	1	5	-	-	-
	F--	15	-	-	1	-	-	-	-	-	-	1	-	-	1	1	3	1	2	2	1	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	108	-	-	-	-	-	1	-	-	1	1	2	4	3	3	10	8	9	12	14	21	12	6	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	1	-	3	3	3	5	5	8	6	7	10	6	4	1	-	-
	F--	46	-	-	-	-	-	1	-	-	1	-	2	1	-	-	5	3	1	6	7	11	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	30	-	-	-	-	-	1	-	-	-	1	2	2	-	2	2	5	1	-	10	2	2	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	-	5	2	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	3	-	-	5	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	44	-	-	-	-	-	2	-	1	1	-	3	-	3	6	7	4	3	5	5	3	1	-	-	-	-
	White-----M--	22	-	-	-	-	-	1	-	-	-	-	3	-	2	3	4	1	2	2	2	2	-	-	-	-	-
	F--	22	-	-	-	-	-	1	-	1	1	-	-	-	1	3	3	3	1	3	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	19	-	-	1	-	-	-	-	-	-	-	1	-	1	-	3	3	1	1	1	3	3	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-
	F--	12	-	-	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	1	1	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	111	1	-	-	-	-	-	-	-	2	1	1	2	1	6	5	3	18	16	24	18	8	2	3	-	-
	White-----M--	53	1	-	-	-	-	-	-	-	-	1	1	2	1	3	5	1	6	6	13	7	5	-	1	-	-
	F--	58	-	-	-	-	-	-	-	-	2	-	-	-	-	3	-	2	12	10	11	11	3	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	19	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	4	2	3	1	4	1	-	-
	White-----M--	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	2	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,599	-	-	-	-	1	1	-	-	3	7	17	23	59	81	142	216	295	411	518	628	590	384	167	43	13
	White-----M--	1,975	-	-	-	-	1	-	-	-	1	6	8	12	44	58	110	157	185	250	285	318	286	176	58	15	5
	F--	1,619	-	-	-	-	-	1	-	-	2	1	9	10	15	23	31	59	108	161	233	310	304	207	109	28	8
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,535	-	-	-	-	-	-	-	-	3	6	17	21	59	76	138	213	290	403	505	621	583	380	164	43	13
	White-----M--	1,951	-	-	-	-	-	-	-	-	1	5	8	11	44	55	108	156	184	248	278	318	283	175	57	15	5
	F--	1,579	-	-	-	-	-	-	-	-	2	1	9	9	15	21	29	57	104	155	227	303	300	204	107	28	8
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	719	-	-	-	-	-	-	-	-	-	1	2	2	9	15	19	29	45	73	123	144	148	70	31	6	2
	White-----M--	344	-	-	-	-	-	-	-	-	-	1	-	-	4	5	11	16	23	47	61	63	68	32	11	2	-
	F--	375	-	-	-	-	-	-	-	-	-	-	2	2	5	10	8	13	22	26	62	81	80	38	20	4	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart-	2,529	-	-	-	-	-	-	-	-	-	5	14	17	47	57	113	178	241	315	355	432	371	256	98	23	7
	White-----M--	1,473	-	-	-	-	-	-	-	-	-	4	8	11	37	46	95	138	159	196	203	232	180	118	33	9	4
	F--	1,053	-	-	-	-	-	-	-	-	-	1	6	6	10	11	17	40	80	119	152	200	191	138	65	14	3
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease-----	84	-	-	-	-	-	-	-	-	-	2	3	4	7	5	10	11	9	10	8	10	4	-	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	1	-	1	3	4	7	6	4	4	5	4	1	-	1	-	-
	F--	43	-	-	-	-	-	-	-	-	-	1	3	3	4	1	3	5	5	6	3	6	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,805	-	-	-	-	-	-	-	-	-	1	5	12	36	37	87	129	176	228	260	321	244	182	66	17	4
	White-----M--	1,137	-	-	-	-	-	-	-	-	-	1	4	9	32	31	78	107	124	152	158	183	130	92	25	8	3
	F--	666	-	-	-	-	-	-	-	-	-	-	1	3	4	6	8	22	51	76	102	138	114	90	41	9	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	236	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	3	13	23	28	47	55	37	13	5	-
	White-----M--	109	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	2	10	13	14	20	26	13	2	1	-
	F--	126	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	10	14	27	29	24	11	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	85	-	-	-	-	-	-	-	-	-	2	2	1	1	2	3	9	8	10	15	9	15	4	2	1	1
	White-----M--	51	-	-	-	-	-	-	-	-	-	2	-	1	-	2	2	8	6	8	7	6	6	3	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	2	8	3	9	1	2	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	319	-	-	-	-	-	-	-	-	-	-	3	-	2	8	8	26	35	44	44	45	53	33	16	-	2
	White-----M--	135	-	-	-	-	-	-	-	-	-	-	3	-	2	6	4	15	15	19	19	19	17	10	5	-	1
	F--	184	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	11	20	25	25	26	36	23	11	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	46	-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	4	2	1	4	11	7	7	1	1	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	3	4	2	4	-	-	-
	F--	28	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	2	1	1	7	5	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	202	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	11	18	29	50	41	33	13	4
	White-----M--	97	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	10	15	29	19	12	4	1
	F--	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	8	14	21	21	21	9	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	37	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	1	3	5	4	7	6	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	1	3	4	2	1	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	3	4	1	3	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	64	-	-	-	-	1	1	-	-	-	1	-	2	-	5	4	3	5	8	13	7	7	4	3	-	-
	White-----M--	24	-	-	-	-	1	-	-	-	-	1	-	1	-	3	2	1	1	2	7	-	3	1	1	-	-
	F--	40	-	-	-	-	-	1	-	-	-	-	-	1	-	2	2	2	4	6	6	7	4	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	160	17	5	3	1	1	4	2	2	1	-	-	2	1	4	4	7	9	9	14	17	25	20	10	2	-
	White-----M--	92	8	2	3	-	1	3	2	2	-	-	-	-	1	2	3	6	6	3	11	11	15	6	4	1	-
	F--	68	9	3	-	1	-	1	-	-	1	-	-	2	-	2	1	1	3	6	3	6	10	12	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	15	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	2	1	-	-
	White-----M--	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-
	F--	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	145	16	2	2	1	1	4	2	2	1	-	-	2	1	4	3	7	8	9	13	16	22	18	9	2	-
	White-----M--	85	7	1	2	-	1	3	2	2	-	-	-	-	1	2	3	6	5	3	11	11	13	7	4	1	-
	F--	60	9	1	-	1	-	1	-	-	1	-	-	2	-	2	-	1	3	6	2	5	9	11	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	14	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	2	2	2	-
	White-----M--	9	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	48	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	6	5	3	8	8	1	3	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	5	3	6	7	-	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	12	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	3	-	3	2	-	-	-
	White-----M--	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	37	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	3	4	4	3	8	7	3	-	-	-
	White-----M--	18	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	3	1	1	4	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
543, 571, 572	Gastritis, etc.*	25	4	-	1	-	1	-	-	-	-	-	-	1	1	-	2	2	2	3	2	2	1	1	-	1	1
	White----M	15	3	-	1	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	1	1	-	-	-	-
	F	10	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	1	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	61	-	-	-	-	-	-	-	1	-	-	1	4	4	9	7	9	6	8	4	5	1	2	-	-	-
	White----M	40	-	-	-	-	-	-	-	-	-	-	1	3	1	6	5	7	4	6	2	3	1	1	-	-	-
	F	21	-	-	-	-	-	-	-	1	-	-	-	1	3	3	2	2	2	2	2	2	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-
	White----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	12	3	8	-	-	-
	White----M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	12	3	8	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	...	...	...	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	5	...	...	...	...	...	...	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	5	...	...	...	...	...	...	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F	5	...	...	...	...	...	...	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	94	78	5	1	-	2	3	-	1	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-
	White----M	58	47	3	1	-	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F	36	31	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	26	1	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	1	2	4	3	1	2	3	-	1
	White----M	16	1	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	1	3	2	1	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	3	-	1
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	266	6	3	3	2	-	-	2	3	3	5	3	2	4	11	12	34	30	42	32	30	26	7	5	-	1
	White----M	161	5	3	2	-	-	-	2	3	1	3	1	1	3	8	9	22	22	23	22	18	9	3	2	-	1
	F	105	1	-	1	2	-	-	2	-	2	2	2	1	1	3	3	12	8	19	10	12	17	4	3	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	290	12	3	6	2	1	7	10	23	18	15	8	11	10	19	13	10	13	14	17	22	23	18	8	6	1
	White----M	201	11	2	3	2	1	6	9	19	16	12	6	8	9	16	9	10	9	8	12	11	8	9	3	1	1
	F	89	1	1	3	-	-	1	1	4	2	3	2	3	1	3	4	-	4	6	5	11	15	9	5	5	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	92	1	1	2	-	-	4	3	12	8	12	6	4	4	8	2	5	5	5	6	2	2	-	-	-	-
	White----M	72	1	-	1	-	-	4	3	9	7	9	5	3	3	7	2	5	5	3	4	1	-	-	-	-	-
	F	20	-	1	1	-	-	-	-	3	1	3	1	1	1	1	-	-	-	2	2	1	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	198	11	2	4	2	1	3	7	11	10	3	2	7	6	11	11	5	8	9	11	20	21	18	8	6	1
	White----M	129	10	2	2	2	1	2	6	10	9	3	1	5	6	9	7	5	4	5	8	10	8	9	3	1	1
	F	69	1	-	2	-	-	1	1	1	1	-	1	2	-	2	4	-	4	4	3	10	13	9	5	5	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	60	-	-	-	-	-	-	-	2	-	5	2	5	6	4	6	5	4	3	7	4	5	1	1	-	-
	White----M	52	-	-	-	-	-	-	-	1	-	3	1	5	6	2	6	5	3	2	7	4	5	1	1	-	-
	F	8	-	-	-	-	-	-	-	1	-	2	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	White----M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES------	52,939	2,638	165	86	95	64	204	137	217	363	441	598	947	1,558	2,180	3,358	4,734	5,755	7,024	6,814	6,357	4,947	2,881	1,103	235	38
	White-----M--	27,186	1,301	78	33	53	41	117	81	118	193	228	271	461	810	1,174	1,850	2,735	3,380	4,021	3,536	2,997	2,057	1,197	377	67	10
	F--	21,709	874	58	37	28	15	55	41	57	102	124	177	319	513	726	1,098	1,592	2,025	2,645	2,933	3,116	2,727	1,595	676	156	20
	Nonwhite--M--	2,203	242	16	7	7	5	23	9	18	37	53	91	93	116	152	247	227	204	191	186	131	88	35	19	2	4
	F--	1,841	221	13	9	7	3	9	6	24	31	36	59	74	119	128	163	180	146	167	159	113	75	54	31	10	4
001-019	Tuberculosis, all forms---------	685	5	6	2	2	-	2	2	6	11	26	31	39	52	66	71	84	75	84	53	37	16	13	2	-	-
	White-----M--	392	2	2	1	1	-	-	-	2	4	4	7	14	25	37	45	60	50	58	38	24	11	7	-	-	-
	F--	146	-	1	-	1	-	2	-	1	2	13	7	9	9	13	16	9	12	18	9	13	5	5	1	-	-
	Nonwhite--M--	97	-	2	1	-	-	-	-	-	1	5	12	11	11	11	8	13	8	6	6	-	-	1	1	-	-
	F--	50	3	1	-	-	-	-	2	3	4	4	5	5	7	5	2	2	5	2	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	631	1	1	-	1	-	1	2	5	10	23	27	37	48	60	68	81	69	80	51	36	16	12	2	-	-
	White-----M--	376	-	1	-	1	-	-	-	2	3	3	7	14	22	36	44	60	49	56	37	23	11	7	-	-	-
	F--	132	-	-	-	-	-	1	-	1	2	13	6	9	9	10	14	8	11	17	8	13	5	4	1	-	-
	Nonwhite--M--	81	-	-	-	-	-	-	-	-	1	4	9	9	10	9	8	12	6	5	6	-	-	1	1	-	-
	F--	42	1	-	-	-	-	-	2	2	4	3	5	5	7	5	2	1	3	2	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	54	4	5	2	1	-	1	-	1	1	3	4	2	4	6	3	3	6	4	2	1	-	1	-	-	-
	White-----M--	16	2	1	1	-	-	-	-	-	1	1	-	-	3	1	1	-	1	2	1	1	-	-	-	-	-
	F--	14	-	1	-	1	-	1	-	-	-	-	1	-	-	3	2	1	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	16	-	2	1	-	-	-	-	-	-	1	3	2	1	2	-	1	2	1	-	-	-	-	-	-	-
	F--	8	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	154	2	-	-	-	-	-	-	1	-	-	1	4	5	11	17	26	33	26	13	6	6	1	2	-	-
	White-----M--	72	-	-	-	-	-	-	-	1	-	-	-	1	1	3	8	13	20	15	5	1	3	-	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	4	3	5	4	2	-	1	-	-
	Nonwhite--M--	38	2	-	-	-	-	-	-	-	-	-	1	2	2	4	4	5	8	7	2	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	1	1	-	1	1	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	9	2	-	2	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
	White-----M--	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	30	12	3	4	2	3	2	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	5	1	4	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	7	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	38	-	-	-	1	1	10	6	1	2	8	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	-	-	-	1	1	9	1	1	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	5	-	1	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	97	11	2	1	2	-	3	2	1	2	6	3	3	5	2	7	10	5	10	8	7	5	2	-	-	-
	White-----M--	46	6	1	1	1	-	1	1	1	-	2	-	2	4	-	4	7	2	1	6	4	1	1	-	-	-
	F--	39	4	1	-	1	-	-	1	-	1	2	2	1	-	2	2	1	2	9	2	3	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*----	9,365	5	10	7	20	11	23	21	24	40	57	102	219	334	521	836	1,169	1,348	1,467	1,213	996	603	255	72	9	3
	White-----M--	4,685	3	5	4	13	8	13	13	7	17	38	38	80	119	220	358	589	751	829	642	507	273	129	26	2	1
	F--	4,137	2	5	3	6	2	8	8	14	21	16	50	112	176	253	389	503	543	568	515	460	314	118	44	7	-
	Nonwhite--M--	292	-	-	-	-	1	2	-	-	2	2	4	13	12	25	49	39	31	43	34	21	10	2	1	-	1
	F--	251	-	-	-	1	-	-	-	3	-	1	10	14	27	23	40	38	23	27	22	8	6	6	1	-	1
140-148	Of buccal cavity and pharynx------	208	-	-	-	-	-	-	-	-	-	-	1	1	4	6	24	27	32	25	34	29	12	11	2	-	-
	White-----M--	168	-	-	-	-	-	-	-	-	-	-	1	-	2	5	17	21	28	19	31	25	11	8	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	4	4	3	3	1	3	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,699	1	-	-	-	-	-	-	2	4	10	22	52	75	140	261	400	558	653	574	489	294	125	32	5	2
	White-----M--	1,898	1	-	-	-	-	-	-	-	2	6	10	23	37	70	114	214	314	367	308	235	121	66	8	1	1
	F--	1,593	-	-	-	-	-	-	-	1	2	2	9	21	27	56	116	156	221	253	240	242	164	56	23	4	-
	Nonwhite--M--	122	-	-	-	-	-	-	-	-	-	1	1	5	4	8	23	14	14	21	15	9	5	1	-	-	1
	F--	86	-	-	-	-	-	-	-	1	-	1	2	3	7	6	8	16	9	12	11	3	4	2	1	-	-
160-164	Of respiratory system----------	1,283	-	-	-	-	-	-	-	2	2	2	6	26	46	78	142	227	242	232	138	92	38	9	1	-	-
	White-----M--	1,018	-	-	-	-	-	-	-	1	1	2	4	19	29	59	117	187	200	202	95	69	27	5	1	-	-
	F--	193	-	-	-	-	-	-	-	1	1	-	1	4	10	7	16	28	33	24	33	22	10	3	-	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	-	2	6	11	8	9	8	4	10	1	1	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	2	-	-	-	-	-	-	-
170	Of breast---------	849	-	-	-	-	-	-	-	-	-	2	14	30	59	81	117	129	86	101	69	66	61	22	9	3	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-
	F--	802	-	-	-	-	-	-	-	-	-	2	12	27	57	77	105	124	83	98	62	63	60	20	9	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	2	3	2	4	11	5	2	2	4	1	1	2	-	-	-
171-179	Of genital organs-	1,259	-	-	-	-	-	1	-	1	4	8	17	43	72	82	109	142	148	170	148	147	103	48	16	-	-
	White-----M--	393	-	-	-	-	-	-	-	-	3	5	4	2	2	4	6	21	37	69	62	81	59	27	11	-	-
	F--	749	-	-	-	-	-	1	-	1	1	2	10	34	56	67	89	108	101	81	77	58	39	20	4	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	9	6	6	4	-	1	-	-
	F--	82	-	-	-	-	-	-	-	-	-	-	3	7	14	10	13	9	8	11	3	2	1	1	-	-	-
180, 181	Of urinary organs-	476	1	2	1	2	1	-	-	-	1	-	4	3	10	22	28	44	68	95	78	58	37	17	4	-	-
	White-----M--	327	-	2	1	2	1	-	-	-	-	-	3	2	7	17	16	33	51	64	50	40	23	13	2	-	-
	F--	130	1	-	-	-	-	-	-	-	1	-	1	1	1	4	9	8	14	26	27	17	14	4	2	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	891	3	1	3	4	2	9	11	7	8	10	21	35	34	65	89	118	133	100	106	65	41	19	6	1	-
	White-----M--	483	2	1	1	3	2	7	5	1	3	7	9	17	20	37	49	64	75	55	57	30	25	8	4	1	-
	F--	366	1	-	2	1	-	1	6	6	5	3	11	17	11	26	30	45	54	44	45	30	16	10	2	-	-
	Nonwhite--M--	30	-	-	-	-	-	1	-	-	-	-	1	1	2	2	8	6	3	1	2	3	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	2	2	-	1	-	-	-
204	Leukemia and aleukemia----------	330	-	7	3	13	7	11	7	9	7	13	7	6	15	21	21	27	35	52	28	24	10	4	2	-	1
	White-----M--	181	-	2	2	7	4	5	6	3	4	11	2	3	8	14	12	16	19	30	16	11	4	2	-	-	-
	F--	132	-	5	1	5	2	5	1	4	3	2	3	2	7	5	7	10	15	21	11	13	6	2	2	-	-
	Nonwhite--M--	9	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	2	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1
200-203, 205	Lymphomas, etc.*---	370	-	-	-	1	1	2	3	3	14	12	10	23	19	26	45	55	46	39	38	26	7	-	-	-	-
	White-----M--	210	-	-	-	1	1	1	2	2	4	7	5	14	14	14	27	33	26	22	20	14	3	-	-	-	-
	F--	142	-	-	-	-	-	1	1	1	8	5	3	5	5	10	14	21	18	17	17	12	4	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	-	1	4	-	2	2	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	193	5	1	-	-	1	4	2	1	3	5	4	16	22	19	18	26	23	16	13	8	4	-	2	-	-
	White-----M--	77	3	1	-	-	1	3	2	-	2	1	1	4	5	4	7	11	14	8	5	3	1	-	1	-	-
	F--	92	1	-	-	-	-	1	-	1	1	3	2	6	13	12	10	13	7	7	7	5	3	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-
	F--	18	1	-	-	-	-	-	-	-	-	-	1	5	4	2	1	2	-	-	1	-	-	-	1	-	-
260	Diabetes mellitus-	1,092	1	1	-	-	-	2	2	2	10	-	8	11	16	19	65	101	164	223	194	143	96	22	10	2	-
	White-----M--	348	-	1	-	-	-	1	1	-	4	-	4	4	7	5	29	35	48	61	62	49	24	9	3	1	-
	F--	674	-	-	-	-	-	1	1	1	6	-	3	4	6	9	29	55	105	149	120	94	70	13	7	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	1	3	2	-	-	-	-	-	-
	F--	55	1	-	-	-	-	-	1	-	-	-	1	2	1	4	5	8	10	10	10	-	2	-	-	-	-
290-293	Anemias----------	119	6	2	-	1	-	2	1	1	2	2	4	2	6	3	6	8	7	16	21	12	12	4	1	-	-
	White-----M--	46	1	1	-	1	-	-	1	-	1	1	-	-	2	2	2	3	2	9	11	3	4	2	-	-	-
	F--	51	1	-	-	-	-	1	-	1	1	-	2	-	2	-	2	4	5	5	7	9	8	2	1	-	-
	Nonwhite--M--	15	3	1	-	-	-	-	-	-	-	-	2	1	-	-	2	1	-	2	3	-	-	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	44	6	2	2	1	-	2	2	1	3	2	1	4	1	5	4	3	2	3	-	-	-	-	-	-	-
	White-----M--	19	2	1	-	-	-	2	2	-	2	1	1	1	-	3	2	-	-	2	-	-	-	-	-	-	-
	F--	15	3	1	1	1	-	-	-	1	-	-	-	1	-	1	2	3	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	30,320	16	2	3	1	4	13	11	25	54	91	178	317	672	1,045	1,745	2,604	3,301	4,297	4,534	4,410	3,680	2,232	879	183	23
	White-----M--	15,491	8	-	-	1	2	5	5	7	30	39	89	174	389	641	1,064	1,559	1,974	2,458	2,314	1,994	1,494	887	298	53	6
	F--	12,885	6	2	1	-	1	6	4	9	16	34	45	88	180	272	469	795	1,116	1,621	1,984	2,229	2,054	1,275	542	121	15
	Nonwhite--M--	1,004	1	-	1	-	-	1	1	4	4	10	24	28	45	70	123	137	116	103	118	98	71	29	16	2	2
	F--	940	1	-	1	-	1	1	1	5	4	8	20	27	58	62	89	113	95	115	118	89	61	41	23	7	-
330-334, 400-468	Diseases of cardiovascular system-	29,777	15	2	3	-	3	9	10	24	45	70	156	299	649	1,014	1,701	2,545	3,252	4,249	4,466	4,367	3,634	2,198	863	180	23
	White-----M--	15,241	8	-	-	2	3	5	7	24	27	81	166	379	626	1,045	1,535	1,948	2,434	2,286	1,971	1,476	870	290	52	6	
	F--	12,663	5	2	1	-	-	4	3	8	14	29	38	80	174	263	452	767	1,098	1,602	1,949	2,209	2,032	1,260	538	120	15
	Nonwhite--M--	972	1	-	1	-	-	1	1	4	4	8	20	27	42	66	115	132	115	102	116	98	70	29	16	2	2
	F--	901	1	-	1	-	1	1	1	5	3	6	17	26	54	59	89	111	91	111	115	89	56	39	19	6	-
330-334	Vascular lesions, etc.*----------	5,232	8	-	2	-	1	5	2	3	9	10	16	38	87	131	233	381	540	766	836	875	703	400	160	26	-
	White-----M--	2,240	5	-	-	-	1	2	1	2	5	4	6	16	30	53	97	161	251	368	407	366	266	150	43	6	-
	F--	2,590	2	-	1	-	-	3	-	-	3	4	4	13	38	50	89	163	243	339	381	477	411	239	110	20	-
	Nonwhite--M--	180	-	-	-	-	-	-	-	-	1	-	2	5	5	10	19	29	21	28	21	17	16	4	2	-	-
	F--	222	1	-	1	-	-	-	1	1	-	2	4	4	14	18	28	28	25	31	27	15	10	7	5	-	-
400-402	Rheumatic fever---	39	-	-	-	-	-	3	4	4	2	3	1	2	7	4	4	1	2	1	-	-	-	-	-	1	-
	White-----M--	16	-	-	-	-	-	1	3	1	-	1	-	1	3	1	2	1	1	1	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	1	1	2	2	1	-	1	3	3	1	-	1	-	-	-	-	-	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart-	22,860	5	1	-	-	1	1	4	17	28	49	124	244	524	842	1,413	2,089	2,601	3,312	3,418	3,224	2,664	1,569	584	126	20
	White-----M--	12,254	3	-	-	-	-	-	1	4	17	20	67	142	334	557	919	1,331	1,631	1,973	1,780	1,495	1,092	638	206	38	5
	F--	9,261	2	1	-	-	-	-	2	6	7	21	32	62	122	200	349	582	819	1,194	1,471	1,586	1,479	879	353	81	13
	Nonwhite--M--	722	-	-	-	-	-	-	1	4	2	5	14	20	34	51	86	97	91	69	64	73	51	25	11	2	2
	F--	623	-	-	-	-	1	1	-	3	2	3	11	20	34	34	59	79	60	76	83	70	42	26	14	5	-
410-416	Chronic rheumatic heart disease----	798	-	-	-	-	-	-	2	10	12	23	46	68	87	107	122	96	65	52	52	20	22	9	5	-	-
	White-----M--	337	-	-	-	-	-	-	1	2	7	8	24	28	36	49	45	44	28	24	22	6	8	4	1	-	-
	F--	404	-	-	-	-	-	-	1	3	4	15	17	32	44	52	69	45	35	27	26	13	13	4	4	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	3	-	-	2	3	4	2	3	2	2	1	2	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	2	1	-	3	5	3	4	5	5	-	-	2	1	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	14,697	2	1	-	-	-	-	3	6	13	57	119	325	527	959	1,487	1,808	2,294	2,218	1,997	1,591	907	313	62	8	
	White-----M--	8,617	1	-	-	-	-	-	2	3	8	35	84	246	402	709	1,018	1,218	1,446	1,230	989	702	386	113	21	4	
	F--	5,393	1	1	-	-	-	-	-	1	2	1	12	16	44	78	171	361	506	779	898	953	844	495	188	38	4
	Nonwhite--M--	405	-	-	-	-	-	-	-	-	1	3	8	10	18	29	50	59	52	41	50	34	30	12	6	2	-
	F--	282	-	-	-	-	-	-	-	-	-	1	2	9	17	18	29	49	32	28	40	21	15	14	6	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,191	1	-	-	-	1	1	-	-	4	4	8	25	55	98	141	240	346	487	625	733	672	487	204	51	8
	White-----M--	2,101	1	-	-	-	-	-	-	-	3	4	4	20	29	64	89	148	211	290	323	340	283	203	74	14	1
	F--	1,822	-	-	-	-	-	-	-	-	-	-	2	3	17	23	34	70	109	162	266	343	364	267	121	34	7
	Nonwhite--M--	142	-	-	-	-	-	-	-	-	-	-	1	2	5	8	13	16	17	12	16	30	11	8	3	-	-
	F--	126	-	-	-	-	1	1	-	-	1	-	1	-	4	3	5	6	9	23	20	20	14	9	6	3	-
430-434	Other diseases of heart---------	438	2	-	-	-	-	-	1	4	5	3	4	9	18	16	37	37	56	60	68	41	46	20	7	1	3
	White-----M--	227	1	-	-	-	-	-	-	-	3	-	2	3	10	8	20	21	37	40	37	19	21	4	1	-	-
	F--	164	1	-	-	-	-	-	-	2	1	1	-	4	4	5	11	11	17	16	26	19	24	16	3	1	2
	Nonwhite--M--	32	-	-	-	-	-	-	1	1	1	1	2	1	2	3	5	3	1	4	2	1	1	-	2	-	1
	F--	15	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	2	1	-	3	2	-	-	1	-	-
440-443	Hypertension with heart dis.---	2,736	-	-	-	-	-	-	1	-	1	6	9	23	39	94	154	229	326	419	455	433	333	146	55	12	1
	White-----M--	972	-	-	-	-	-	-	-	-	1	-	2	7	13	34	56	100	137	173	168	141	78	42	17	3	-
	F--	1,478	-	-	-	-	-	-	1	-	-	4	1	7	13	42	64	95	152	210	255	258	234	97	37	8	-
	Nonwhite--M--	119	-	-	-	-	-	-	-	-	-	-	1	1	4	5	9	15	17	19	11	14	8	9	5	-	-	1
	F--	167	-	-	-	-	-	-	-	-	-	1	5	5	8	9	19	17	18	25	18	26	12	2	1	1	-
444-447	Hypertension without mention of heart-----------	366	-	-	-	-	-	-	-	-	3	3	5	6	14	20	19	31	31	36	50	65	40	27	15	1	-
	White-----M--	152	-	-	-	-	-	-	-	-	1	1	2	3	6	6	9	18	13	18	20	23	16	12	3	1	-
	F--	169	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	9	15	18	28	38	22	14	10	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	1	2	2	2	4	5	1	1	-	2	3	2	-	2	-	-
	F--	17	-	-	-	-	-	-	-	-	1	1	1	-	2	5	-	3	2	-	-	1	-	1	-	-	-
450	General arteriosclerosis--------	968	-	-	-	-	-	-	-	-	1	-	3	1	3	2	8	14	35	83	116	173	209	191	100	26	3
	White-----M--	411	-	-	-	-	-	-	-	-	1	-	2	-	1	1	4	6	23	47	52	71	83	66	36	7	1
	F--	512	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	9	31	53	95	112	121	63	18	2
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	7	4	1	-	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	4	3	3	4	-	1	-
451-468	Other diseases of circulatory sys.-	312	2	1	1	-	1	-	-	-	2	5	7	8	14	15	24	29	43	51	46	30	18	11	4	-	-
	White-----M--	168	-	-	-	-	1	-	-	-	-	1	4	4	5	8	14	18	29	27	27	16	9	3	2	-	-
	F--	114	1	1	-	-	-	-	-	-	2	3	2	2	6	5	7	8	11	20	16	13	8	7	2	-	-
	Nonwhite--M--	16	1	-	1	-	-	-	-	-	-	1	1	-	-	-	3	3	1	2	2	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	2	2	1	-	1	1	-	-	-
592-594	Chronic nephritis, etc.*----------	543	1	-	-	1	1	4	1	1	9	21	22	18	23	31	44	59	49	48	68	43	46	34	16	3	-
	White-----M--	250	-	-	-	1	-	2	-	-	6	12	8	8	10	15	19	24	26	24	28	23	18	17	8	1	-
	F--	222	1	-	-	-	1	2	1	1	2	5	7	8	6	9	17	28	18	19	35	20	22	15	4	1	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	2	4	1	3	4	8	5	1	1	2	-	1	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	1	2	3	1	4	3	-	2	4	4	3	-	5	2	4	1	-
480-493	Influenza and pneumonia, etc.*-	1,261	171	33	9	9	1	13	12	9	9	12	15	24	39	41	66	80	89	105	135	142	110	80	44	12	1
	White-----M--	590	65	19	3	5	-	6	5	6	2	5	6	10	25	25	28	49	52	58	71	71	38	29	9	3	-
	F--	511	56	6	4	1	1	5	5	2	3	4	2	7	8	9	22	23	31	40	57	63	70	51	32	9	-
	Nonwhite--M--	100	26	6	2	3	-	2	1	-	3	2	4	5	4	2	14	7	4	5	4	5	-	-	1	-	-
	F--	60	24	2	-	-	-	-	1	1	1	1	3	2	2	5	2	1	2	2	3	3	2	-	2	-	1
480-483	Influenza---------	54	3	1	-	1	-	1	1	-	1	1	-	1	1	1	3	5	3	4	7	5	5	7	3	-	-
	White-----M--	23	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	3	2	1	5	2	1	3	1	-	-
	F--	25	2	1	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	1	3	3	4	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	1,207	168	32	9	8	1	12	11	9	8	11	15	23	38	40	63	75	86	101	128	137	105	73	41	12	1
	White-----M--	567	65	19	3	4	-	5	4	6	2	5	6	9	24	25	28	46	50	57	66	69	37	28	8	3	-
	F--	486	54	5	4	1	1	5	5	2	3	4	2	7	8	8	19	21	30	38	56	60	67	47	30	9	-
	Nonwhite--M--	97	26	6	2	3	-	2	1	-	2	1	4	5	4	2	14	7	4	5	3	5	-	-	1	-	-
	F--	57	23	2	-	-	-	-	1	1	1	1	3	2	2	5	2	1	2	1	3	3	1	-	2	-	1
500-502	Bronchitis--------	99	12	7	3	3	3	2	-	-	-	-	1	-	3	-	1	8	5	12	6	17	6	5	4	1	-
	White-----M--	58	4	5	1	1	2	-	-	-	-	-	-	-	1	-	1	7	4	9	5	9	3	3	3	-	-
	F--	28	7	2	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	2	1	6	2	2	-	1	-
	Nonwhite--M--	7	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	390	4	-	-	-	-	-	-	-	1	3	7	4	28	33	40	37	62	61	47	36	11	13	1	2	-
	White-----M--	318	2	-	-	-	-	-	-	-	1	3	6	3	21	25	33	32	54	51	43	25	7	11	-	1	-
	F--	53	1	-	-	-	-	-	-	-	-	-	-	1	5	5	3	2	7	8	4	10	4	2	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	1	1	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
550-553	Appendicitis------	93	-	-	-	1	-	3	2	2	-	-	2	5	7	8	7	11	11	10	10	6	5	3	-	-	-
	White-----M--	51	-	-	-	1	-	2	1	1	-	-	-	3	4	5	4	7	5	8	4	2	2	2	-	-	-
	F--	26	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	-	6	2	5	3	3	1	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	1	-	-	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	323	34	2	-	1	-	-	-	-	1	5	2	3	9	9	15	27	28	42	33	49	41	18	3	1	-
	White-----M--	149	15	-	-	1	-	-	-	-	-	2	-	3	2	1	8	14	12	24	16	23	22	6	-	-	-
	F--	154	16	2	-	-	-	-	-	-	-	1	2	-	4	7	5	13	15	17	17	22	19	11	2	1	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	14	1	-	-	-	-	-	-	-	1	1	-	-	3	1	2	-	-	-	-	3	-	1	1	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543, 571, 572	Gastritis, etc.*--	187	39	4	1	1	1	3	-	-	1	3	6	4	11	7	13	6	22	19	11	11	14	6	4	-	-
	White-----M--	90	13	1	1	1	1	1	-	-	-	1	2	1	7	5	7	5	10	10	8	5	7	2	2	-	-
	F--	68	5	2	-	-	-	1	-	-	1	2	3	3	3	2	4	1	12	8	3	6	6	4	2	-	-
	Nonwhite--M--	15	10	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	F--	14	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	741	-	-	-	-	-	-	-	-	4	5	19	52	73	82	90	116	107	91	59	27	12	3	1	-	-
	White-----M--	449	-	-	-	-	-	-	-	-	-	2	10	25	42	41	47	78	78	60	38	21	5	2	-	-	-
	F--	247	-	-	-	-	-	-	-	-	1	3	7	21	27	31	37	33	25	27	20	6	7	1	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	-	1	3	1	5	4	3	3	3	1	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	-	1	3	3	5	2	2	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	81	3	3	2	1	1	4	3	2	1	2	2	6	5	4	6	6	5	5	4	8	4	2	2	-	-
	White-----M--	39	-	1	1	1	1	2	1	1	1	1	-	4	1	2	4	4	4	2	2	3	1	2	-	-	-
	F--	33	2	2	-	-	-	1	2	1	-	-	1	2	4	2	1	2	1	1	2	4	3	-	2	-	-
	Nonwhite--M--	7	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	249	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	8	14	44	37	56	39	32	10	1	2
	White-----M--	239	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	8	12	42	34	56	37	32	10	1	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	2	-	-	-	-
640-689	Complications of pregnancy, etc.*-	53	...	...	...	...	...	...	-	3	16	8	10	10	4	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	35	...	...	...	...	...	...	-	-	8	6	8	8	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	...	...	...	-	3	8	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	47	...	...	...	...	...	...	-	2	14	6	9	10	4	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	...	...	...	...	...	...	-	-	7	5	8	8	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	...	...	...	-	2	7	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	631	467	28	16	10	7	15	5	7	5	2	6	7	14	11	8	6	9	1	4	1	1	1	-	-	-
	White-----M--	333	250	15	5	6	3	9	3	3	2	1	3	4	8	5	2	4	6	1	2	-	-	1	-	-	-
	F--	251	183	11	10	3	3	5	2	3	3	1	3	2	4	4	5	2	3	-	2	1	1	-	-	-	-
	Nonwhite--M--	21	14	1	1	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	26	20	1	-	1	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,636	1,636	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	819	819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	518	518	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.[4]----------	776	776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	765	765	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	355	355	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	150	9	-	2	1	-	1	-	1	-	2	5	2	4	6	5	6	4	8	6	13	26	21	16	9	3
	White-----M--	55	6	-	1	-	-	1	-	-	-	2	1	-	-	1	2	4	2	4	1	7	10	8	4	1	-
	F--	78	2	-	-	1	-	-	-	1	-	-	1	1	2	2	2	2	2	4	3	5	16	13	11	7	3
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	3	1	2	2	1	-	-	-	2	-	-	-	-	-	-
	F--	6	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-
Residual	All other diseases	2,085	107	27	9	12	10	25	14	15	36	45	53	77	93	121	155	200	215	274	224	191	107	54	16	3	2
	White-----M--	1,102	59	12	4	6	4	17	8	7	17	15	21	33	49	54	78	116	129	165	125	104	53	20	5	1	-
	F--	805	35	11	4	4	4	7	5	5	14	14	18	29	32	48	60	73	70	100	94	82	51	33	10	1	1
	Nonwhite--M--	100	9	2	-	1	1	1	-	1	4	7	10	7	9	10	9	6	10	6	3	1	2	1	-	-	-
	F--	78	4	2	1	1	1	-	1	2	1	9	4	8	3	9	8	5	6	3	2	4	1	-	1	1	1
E800-E962	Accidents----------	2,204	72	32	20	23	20	68	47	89	127	120	95	92	111	108	118	138	160	156	158	157	136	107	34	12	4
	White-----M--	1,289	31	12	4	11	15	39	33	65	92	84	63	64	77	62	78	92	106	100	80	73	49	39	15	4	1
	F--	652	19	10	10	7	3	11	7	14	16	14	12	15	15	29	19	38	42	49	69	80	84	61	19	8	1
	Nonwhite--M--	183	12	3	-	1	1	13	7	8	15	19	15	10	13	14	18	5	11	5	8	1	1	2	-	-	1
	F--	80	10	7	6	4	1	5	-	2	4	3	5	3	6	3	3	3	1	2	1	3	2	5	-	-	1
E810-E835	Motor-vehicle accidents--------	780	3	8	5	11	8	20	17	52	77	69	44	43	49	41	52	57	61	53	58	33	16	2	-	1	-
	White-----M--	528	1	4	1	8	6	15	10	34	54	51	28	28	34	22	35	37	43	37	38	25	15	1	-	1	-
	F--	172	1	3	4	-	2	3	4	13	12	8	7	7	9	15	13	19	13	14	16	7	1	1	-	-	-
	Nonwhite--M--	58	1	-	-	1	-	-	3	3	9	9	7	6	3	3	4	-	4	1	3	1	-	-	-	-	-
	F--	22	-	1	-	2	-	2	-	2	2	1	2	2	3	1	-	1	1	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,424	69	24	15	12	12	48	30	37	50	51	51	49	62	67	66	81	99	103	100	124	120	105	34	11	4
	White-----M--	761	30	8	3	3	9	24	23	31	38	33	35	36	43	40	43	55	63	63	42	48	34	38	15	3	1
	F--	480	18	7	6	7	1	8	3	1	4	6	5	8	6	14	6	19	29	35	53	73	83	60	19	8	1
	Nonwhite--M--	125	11	3	-	-	1	13	4	5	6	10	8	4	10	11	14	5	7	4	5	-	1	2	-	-	1
	F--	58	10	6	6	2	1	3	-	-	2	2	3	1	3	2	3	2	-	1	-	3	2	5	-	-	1
E963, E970-E979	Suicide----------	459	-	-	-	-	-	-	3	10	20	23	19	27	34	46	51	52	56	49	31	23	9	6	-	-	-
	White-----M--	331	-	-	-	-	-	-	3	9	13	16	15	23	18	27	35	38	42	42	24	13	9	4	-	-	-
	F--	116	-	-	-	-	-	-	-	1	4	7	3	4	13	19	13	14	12	7	7	10	-	2	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	-	1	-	3	-	3	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	138	8	-	3	2	-	6	1	11	14	14	18	15	10	10	6	2	9	4	-	1	3	1	-	-	-
	White-----M--	46	2	-	2	1	-	3	-	5	4	6	1	5	3	5	-	-	2	3	-	-	3	1	-	-	-
	F--	31	5	-	1	1	-	3	-	2	2	-	3	1	1	2	3	2	4	-	-	1	-	-	-	-	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	2	4	5	11	7	6	2	2	-	3	-	-	-	-	-	-	-	-
	F--	19	1	-	-	-	-	-	1	2	4	3	3	2	-	1	1	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES------	5,578	1,147	94	53	26	25	56	51	82	147	118	123	146	206	219	262	307	404	466	442	468	374	237	76	33	16
	White-----M--	2,927	535	34	20	9	7	27	26	35	101	62	66	75	110	125	139	184	242	280	252	251	175	122	35	11	4
	F--	2,006	376	28	18	11	12	19	18	33	25	33	41	54	79	73	101	101	136	154	155	193	174	109	37	18	8
	Nonwhite--M--	336	114	14	8	2	5	5	5	8	13	13	11	10	7	9	15	15	7	21	16	14	14	4	1	2	3
	F--	309	122	18	7	4	1	5	2	6	8	10	5	7	10	12	7	7	19	11	19	10	11	2	3	2	1
001-019	Tuberculosis, all forms--------	125	5	6	4	2	2	2	2	3	3	10	5	10	10	9	7	8	8	10	9	6	2	2	-	-	-
	White-----M--	57	1	2	-	-	-	-	1	-	2	3	2	3	8	5	1	7	5	7	3	5	2	-	-	-	-
	F--	36	1	1	1	1	-	-	1	2	-	1	2	4	2	2	5	1	2	3	5	-	-	2	-	-	-
	Nonwhite--M--	17	2	-	1	1	2	-	-	-	-	3	1	2	-	2	1	-	-	-	1	1	-	-	-	-	-
	F--	15	1	3	2	-	-	2	-	1	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	97	2	2	2	-	1	1	-	2	2	7	5	5	10	9	7	8	8	8	9	5	2	2	-	-	-
	White-----M--	49	1	1	-	-	-	-	-	-	1	2	2	2	8	5	1	7	5	5	3	4	2	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	1	2	3	2	2	5	1	2	3	5	-	-	2	-	-	-
	Nonwhite--M--	11	1	-	1	-	1	-	-	-	-	2	1	-	-	2	1	-	-	-	1	1	-	-	-	-	-
	F--	8	-	1	1	-	-	1	-	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	28	3	4	2	2	1	1	2	1	1	3	-	5	-	-	-	-	-	2	-	1	-	-	-	-	-
	White-----M--	8	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	7	1	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	2	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	20	4	-	-	-	-	-	-	-	-	-	-	1	4	-	3	2	1	2	1	1	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	29	21	1	-	-	1	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
	White-----M--	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	17	12	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	6	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	1	-	-	1	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	14	4	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	22	6	-	1	1	-	-	2	1	2	-	-	1	4	-	-	1	1	1	1	-	-	-	-	-	-
	White-----M--	8	2	-	1	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*----	590	2	3	7	1	1	2	1	6	5	7	17	15	27	49	51	55	71	79	66	70	34	17	2	1	1
	White-----M--	278	-	2	5	1	-	-	-	2	4	2	5	5	8	20	16	28	39	39	34	40	20	6	1	1	-
	F--	275	-	1	2	-	1	2	1	3	-	5	9	10	18	26	32	25	29	34	28	26	12	10	1	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	4	1	3	-	1	-	-	-
	F--	21	1	-	-	-	-	-	-	-	1	-	2	-	1	3	2	-	2	2	3	1	2	-	-	-	1
140-148	Of buccal cavity and pharynx------	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	2	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	212	-	-	-	-	-	-	-	1	-	1	2	3	6	12	16	20	26	36	25	35	18	8	2	-	1
	White-----M--	114	-	-	-	-	-	-	-	1	-	1	-	2	2	8	5	10	18	18	15	19	11	3	1	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	1	1	4	4	9	9	7	15	10	13	6	5	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	1	-	-	-	1
160-164	Of respiratory system----------	53	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	4	5	11	4	13	2	1	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	3	5	9	4	11	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	50	-	-	-	-	-	-	-	-	-	-	3	2	1	8	6	2	10	5	8	3	1	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	3	2	1	7	6	2	9	4	8	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
171-179	Of genital organs-	111	-	-	-	-	-	-	-	-	-	4	4	5	10	11	8	12	13	11	17	9	3	3	-	1	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	2	5	9	7	2	2	-	1	-
	F--	64	-	-	-	-	-	-	-	-	-	3	2	5	9	6	7	9	10	4	6	1	1	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	2	-	-	-	-	-	-
180, 181	Of urinary organs-	19	-	-	-	-	1	1	-	-	-	-	-	-	1	1	2	3	1	2	1	3	3	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	2	-	-	-	-
	F--	8	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	86	-	1	2	1	-	1	-	2	1	2	6	3	3	9	10	8	8	6	9	4	6	4	-	-	-
	White-----M--	42	-	-	2	1	-	-	-	-	1	-	2	2	1	3	4	8	6	2	4	2	3	1	-	-	-
	F--	39	-	1	-	-	-	1	-	1	-	2	3	1	2	6	6	-	2	4	4	2	2	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
204	Leukemia and aleukemia----------	29	2	2	5	-	-	-	-	2	2	-	-	-	2	-	2	3	2	4	1	1	1	-	-	-	-
	White-----M--	13	-	2	3	-	-	-	-	1	1	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-
	F--	13	-	-	2	-	-	-	-	1	-	-	-	-	1	-	2	2	-	3	-	1	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	17	-	-	-	-	-	-	1	1	2	-	2	1	-	-	3	2	4	1	-	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	2	-	2	1	-	-	2	2	4	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	21	2	1	-	-	-	-	1	1	-	-	2	2	-	3	-	2	1	-	2	3	-	-	-	1	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	1	1	-	-	1	1	-	3	-	1	-	-	2	1	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	41	-	-	-	-	-	-	1	1	1	-	-	-	3	1	2	8	2	4	7	2	7	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	4	1	3	5	2	2	2	-	-	-
	F--	16	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	5	1	1	2	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	10	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	6	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	16	6	-	1	-	1	2	-	2	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	7	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	5	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,841	7	1	2	1	-	4	4	12	11	14	23	31	47	78	113	152	191	248	217	264	217	142	41	11	10
	White-----M--	1,013	6	-	1	-	-	2	1	3	8	6	12	17	29	44	60	94	114	156	127	135	97	81	16	2	2
	F--	732	-	1	1	1	-	1	2	6	3	7	11	11	16	25	44	47	71	78	78	121	111	60	25	7	5
	Nonwhite--M--	50	-	-	-	-	-	1	1	2	-	1	-	1	-	2	6	6	2	9	6	4	5	-	-	1	3
	F--	46	1	-	-	-	-	-	-	1	-	-	-	2	2	7	3	5	4	5	6	4	4	1	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	1,755	6	1	1	1	-	2	4	8	6	10	14	24	46	74	111	146	190	238	211	255	208	139	40	10	10
	White-----M--	973	5	-	1	-	-	-	1	3	4	4	9	13	29	43	59	93	114	151	123	131	92	79	15	2	2
	F--	698	-	1	-	1	-	1	2	4	2	6	5	8	15	24	43	44	70	76	77	116	108	59	25	6	5
	Nonwhite--M--	44	-	-	-	-	-	1	1	1	-	-	-	1	-	2	6	5	2	7	6	4	4	-	-	1	3
	F--	40	1	-	-	-	-	-	-	-	-	-	-	2	2	5	3	4	4	4	5	4	4	1	-	1	-
330-334	Vascular lesions, etc.*----------	399	-	1	-	1	-	-	-	4	3	-	1	4	8	10	25	32	33	38	65	69	55	31	11	4	4
	White-----M--	186	-	-	-	-	-	-	-	2	2	-	1	2	-	3	9	15	14	26	32	34	25	17	2	1	1
	F--	191	-	1	-	1	-	-	-	1	1	-	-	1	7	5	12	14	18	12	29	33	30	14	9	2	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	2	1	-	-	-	-	2
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	2	1	-	-	-	1	-
400-402	Rheumatic fever----	9	-	-	-	-	-	1	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart-	1,234	5	-	1	-	-	1	-	2	2	6	11	20	35	61	84	104	149	187	136	177	133	90	22	3	5
	White-----M--	732	5	-	1	-	-	-	-	-	1	2	8	11	29	39	48	72	97	118	84	93	60	53	10	-	1
	F--	449	-	-	-	-	-	-	-	2	1	4	3	7	6	17	31	26	48	61	46	79	65	36	12	2	3
	Nonwhite--M--	30	-	-	-	-	-	1	-	-	-	-	-	1	-	1	4	4	2	5	3	3	4	-	-	1	1
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	3	3	2	4	1	-	-	-
410-416	Chronic rheumatic heart disease----	78	-	-	-	-	-	1	-	-	1	2	3	10	11	9	13	5	6	4	5	6	1	-	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	1	-	2	6	9	3	5	4	2	2	3	2	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	2	1	4	2	5	6	1	4	2	2	4	1	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	745	2	-	-	-	-	-	-	-	1	1	5	6	20	41	48	76	99	124	86	96	76	48	11	2	3
	White-----M--	508	2	-	-	-	-	-	-	-	-	1	4	4	17	29	35	54	73	91	58	60	38	36	5	-	1
	F--	218	-	-	-	-	-	-	-	-	1	-	1	1	3	10	13	20	25	31	24	34	35	12	6	1	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	-	-	1	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	2	1	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	159	1	-	-	-	-	-	-	-	-	2	1	3	2	2	5	2	13	17	17	35	25	26	7	-	1
	White-----M--	71	1	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	7	6	9	13	12	12	3	-	-
	F--	83	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	-	6	10	7	21	13	14	4	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430-434	Other diseases of heart--------	106	2	-	1	-	-	-	-	1	-	1	1	-	1	6	6	9	14	20	12	15	8	8	-	1	-
	White-----M--	62	2	-	1	-	-	-	-	-	-	-	1	-	1	4	3	6	9	12	8	8	5	2	-	-	-
	F--	36	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	2	4	7	4	6	2	5	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
440-443	Hypertension with heart dis.--	146	-	-	-	-	-	-	-	1	-	-	1	1	1	3	12	12	17	22	16	25	23	8	3	-	1
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	6	7	6	10	5	3	2	-	-
	F--	77	-	-	-	-	-	-	-	1	-	-	1	1	-	1	6	3	9	11	9	14	14	5	1	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	2	-	-	-	-
444-447	Hypertension without mention of heart----------	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	2	4	2	5	3	2	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	2	5	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	6	4	13	12	5	3	1
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	5	7	3	1	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	5	2	2	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	32	1	-	-	-	-	-	-	1	-	2	2	-	1	1	2	6	5	3	-	3	2	3	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	2	2	-	2	2	2	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	2	2	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	86	1	-	1	-	-	2	-	4	5	4	9	7	1	4	2	6	1	10	6	9	9	3	1	1	-
	White-----M--	40	1	-	-	-	-	2	-	-	4	2	3	4	-	1	1	1	-	5	4	4	5	2	1	-	-
	F--	34	-	-	1	-	-	-	-	2	1	1	6	3	1	1	1	3	1	2	1	5	3	1	-	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	310	122	16	7	5	3	1	2	2	2	5	-	2	6	4	3	8	11	24	22	18	22	16	5	3	1
	White-----M--	138	47	5	1	1	1	-	-	1	1	2	-	2	1	1	2	5	5	13	13	11	12	7	4	2	1
	F--	112	40	6	3	3	2	1	2	1	-	1	-	-	4	1	1	2	4	9	7	6	8	9	1	1	-
	Nonwhite--M--	25	15	2	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-
	F--	35	20	3	1	1	-	-	-	-	-	2	-	-	-	1	-	1	2	1	1	1	1	-	-	-	-
480-483	Influenza--------	70	20	2	2	-	-	-	-	-	-	3	-	-	2	1	1	2	3	7	5	9	5	5	3	-	-
	White-----M--	34	10	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	2	6	4	2	3	-	-
	F--	27	5	2	1	-	-	-	-	-	-	1	-	-	2	-	-	1	2	4	3	2	1	3	-	-	-
	Nonwhite--M--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	240	102	14	5	5	3	1	2	2	2	2	-	2	4	3	2	6	8	17	17	9	17	11	2	3	1
	White-----M--	104	37	5	1	1	1	-	-	1	1	1	-	2	1	-	1	4	4	11	11	5	8	5	1	2	1
	F--	85	35	4	2	3	2	1	2	1	-	-	-	-	2	1	1	1	2	5	4	4	7	6	1	1	-
	Nonwhite--M--	21	12	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-
	F--	30	18	3	1	1	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-
500-502	Bronchitis--------	21	10	2	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	11	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	25	-	-	-	-	-	-	-	-	-	-	-	1	6	4	1	2	2	2	5	1	-	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	2	1	2	3	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	2	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	22	-	-	-	-	1	4	1	1	1	-	-	1	1	2	1	2	2	1	3	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	1	2	1	-	-	-	-	-	1	1	-	1	2	1	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	38	11	-	-	-	1	-	-	-	1	-	-	1	3	1	2	6	3	-	4	3	2	-	-	-	-
	White-----M--	17	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	2	2	2	-	-	-	-
	F--	17	3	-	-	-	1	-	-	-	1	-	-	-	2	1	1	3	2	-	2	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
543, 571, 572	Gastritis, etc.*--	186	160	13	1	1	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-
	White-----M--	57	50	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	52	47	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	33	26	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	44	37	3	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	54	-	-	-	-	-	-	-	-	-	3	1	4	5	3	4	10	6	6	5	3	1	3	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	2	1	3	3	1	4	9	3	5	1	3	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	1	4	-	1	3	-	-	-
	Nonwhite--M--	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	13	-	-	-	-	1	1	-	-	1	3	-	-	2	1	1	-	2	1	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	1	1	-	-	1	1	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	7	3	-	2	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	7	3	-	2	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	22	...	...	...	...	...	...	-	3	8	1	4	2	3	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	2	7	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
650-652	Abortion----------	5	...	...	...	...	...	...	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	17	...	...	...	...	...	...	-	1	7	1	3	1	3	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	-	6	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
750-759	Congenital malformations--------	119	101	6	-	1	-	1	1	1	-	-	1	-	2	1	-	-	3	1	-	-	-	-	-	-	-
	White-----M--	64	53	3	-	1	-	-	-	1	-	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-
	F--	47	40	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	514	514	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	446	96	9	5	3	2	4	1	1	1	2	6	5	9	10	18	9	38	34	43	35	47	32	20	14	2
	White-----M--	212	42	2	2	-	-	2	-	-	-	1	3	2	4	7	14	6	18	17	22	21	22	14	8	5	-
	F--	139	27	2	1	1	1	-	1	1	-	1	2	1	3	2	3	2	10	12	11	10	17	14	8	7	2
	Nonwhite--M--	41	13	1	1	-	1	1	-	-	-	-	1	1	-	-	1	1	2	4	3	2	4	3	1	1	-
	F--	54	14	4	1	2	-	1	-	-	1	-	-	1	2	1	-	-	8	1	7	2	4	1	3	1	-
Residual	All other diseases	296	26	8	3	-	1	7	2	6	4	10	5	17	19	11	21	18	29	33	20	26	19	7	4	-	-
	White-----M--	162	15	3	1	-	1	3	-	4	2	4	-	9	10	5	13	8	22	23	15	9	8	4	3	-	-
	F--	118	10	3	2	-	-	3	1	2	2	5	4	8	7	6	7	10	5	9	5	15	10	3	1	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	1	-	-	1	1	-	1	-	1	-	1	-	-	2	1	-	-	-	-
	F--	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
E800-E962	Accidents----------	636	42	21	12	7	8	20	30	39	96	48	49	35	42	28	29	19	20	15	25	23	13	11	1	1	2
	White-----M--	408	23	11	6	2	3	12	20	20	76	34	36	25	24	24	20	11	13	10	16	10	5	6	-	-	1
	F--	142	14	5	3	3	4	5	6	13	9	6	7	7	14	1	5	2	5	2	6	11	6	5	1	1	1
	Nonwhite--M--	64	3	4	1	1	1	2	3	4	9	5	5	3	2	3	3	6	1	3	2	1	2	-	-	-	-
	F--	22	2	1	2	1	-	1	1	2	2	3	1	-	2	-	1	-	1	-	1	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	315	5	7	3	4	4	10	17	23	55	34	32	17	23	17	16	10	12	8	8	6	2	2	-	-	-
	White-----M--	210	1	3	3	2	2	7	11	9	45	22	24	12	13	14	11	6	8	7	4	4	-	2	-	-	-
	F--	65	3	2	-	1	1	3	4	10	7	5	6	4	8	1	3	1	2	1	1	2	-	-	-	-	-
	Nonwhite--M--	26	1	2	-	-	1	-	1	2	2	4	1	1	-	2	1	3	1	-	2	-	2	-	-	-	-
	F--	14	-	-	-	1	-	-	1	2	1	3	1	-	2	-	1	-	1	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	321	37	14	9	3	4	10	13	16	41	14	17	18	19	11	13	9	8	7	17	17	11	9	1	1	2
	White-----M--	198	22	8	3	-	1	5	9	11	31	12	12	13	11	10	9	5	5	3	12	6	5	4	-	-	1
	F--	77	11	3	3	2	3	2	2	3	2	1	1	3	6	-	2	1	3	1	5	9	6	5	1	1	1
	Nonwhite--M--	38	2	2	1	1	-	2	2	2	7	1	4	2	2	1	2	3	-	3	-	1	-	-	-	-	-
	F--	8	2	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide----------	71	-	-	-	-	-	-	1	2	5	8	5	8	9	9	3	4	9	2	2	2	-	2	-	-	-
	White-----M--	54	-	-	-	-	-	-	1	1	4	4	4	5	6	9	3	3	9	1	2	1	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	3	-	3	1	-	-	1	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	32	-	-	1	1	-	1	-	-	5	4	4	7	3	4	1	-	-	-	-	-	-	-	-	1	-
	White-----M--	13	-	-	-	-	-	1	-	-	2	2	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	8	-	-	1	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES	163,914	8,008	521	318	277	197	697	438	696	1,037	1,435	1,876	2,822	4,496	6,878	10,269	14,057	17,978	21,456	21,395	19,912	15,885	8,874	3,447	788	157
	White	84,929	3,959	243	159	130	106	380	234	419	597	667	804	1,229	2,238	3,774	5,722	8,291	10,687	12,161	11,283	9,755	6,959	3,595	1,242	229	66
	M	68,478	2,762	191	122	110	63	235	147	197	276	449	651	1,023	1,549	2,290	3,463	4,761	6,317	8,390	9,378	9,664	8,573	5,124	2,127	535	81
	Nonwhite	5,742	707	45	17	27	15	43	30	43	99	187	219	320	378	437	626	576	572	501	378	240	172	65	30	11	4
	M	4,765	580	42	20	10	13	39	27	37	65	132	202	250	331	377	458	429	402	404	356	253	181	90	48	13	6
001-019	Tuberculosis, all forms	2,143	10	14	9	11	1	5	5	15	38	72	118	148	173	223	227	226	252	248	154	113	49	25	6	1	-
	White	1,218	2	1	4	3	-	2	2	6	8	12	26	45	80	132	146	156	177	187	108	75	29	14	3	-	-
	M	412	1	3	1	4	-	1	-	3	15	16	33	42	43	42	24	30	33	32	29	31	16	9	3	1	-
	Nonwhite	347	3	2	1	3	-	1	1	1	7	23	36	41	36	39	44	29	31	24	15	4	4	2	-	-	-
	M	166	4	8	3	1	1	1	2	5	8	21	23	20	14	10	13	11	11	5	2	3	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,976	5	3	4	3	1	3	2	13	32	60	107	136	163	206	217	220	236	236	142	110	47	23	6	1	-
	White	1,162	2	1	2	1	-	1	1	5	8	9	25	42	77	127	138	154	170	180	102	72	29	13	3	-	-
	M	359	1	-	-	-	-	1	-	3	12	16	31	36	38	34	22	27	28	28	25	31	14	8	3	1	-
	Nonwhite	319	1	1	1	2	-	-	-	1	6	19	29	41	35	36	44	28	28	23	14	4	4	2	-	-	-
	M	136	1	1	1	-	1	1	1	4	6	16	22	17	13	9	13	11	10	5	1	3	-	-	-	-	-
010-019	Tuberculosis, other forms	167	5	11	5	8	-	2	3	2	6	12	11	12	10	17	10	6	16	12	12	3	2	2	-	-	-
	White	56	-	-	2	2	-	1	1	1	-	3	1	3	3	5	8	2	7	7	6	3	-	1	-	-	-
	M	53	-	3	1	4	-	-	-	-	3	-	2	6	5	8	2	3	5	4	4	-	2	1	-	-	-
	Nonwhite	28	2	1	-	1	-	1	1	-	1	4	7	-	1	3	-	1	3	1	1	-	-	-	-	-	-
	M	30	3	7	2	1	-	-	1	1	2	5	1	3	1	1	-	-	1	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	452	1	-	-	-	-	-	-	-	1	-	5	9	27	32	62	60	72	83	48	32	12	5	3	-	-
	White	236	-	-	-	-	-	-	-	-	-	-	1	1	6	14	28	39	45	52	21	20	6	1	2	-	-
	M	85	-	-	-	-	-	-	-	-	1	-	-	1	2	4	5	12	12	15	15	10	4	4	-	-	-
	Nonwhite	94	-	-	-	-	-	-	-	-	-	-	-	5	12	12	21	5	13	15	7	1	2	-	1	-	-
	M	37	1	-	-	-	-	-	-	-	-	-	4	2	7	2	8	4	2	1	5	1	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	12	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	1	-	3	2	1	-	-	-	-	-
	White	7	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	2	1	1	-	-	-	-	-
	M	5	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	20	4	-	1	-	1	2	-	-	-	1	2	-	1	2	3	1	1	-	-	1	-	-	-	-	-
	White	11	3	-	1	-	-	1	-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	M	7	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	11	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	83	23	7	6	7	4	6	2	2	5	1	1	4	3	2	1	-	4	1	2	1	1	-	-	-	-
	White	44	16	3	2	3	2	3	-	2	3	-	1	1	2	2	-	-	2	1	-	-	1	-	-	-	-
	M	35	7	3	4	4	2	3	2	-	2	-	-	2	-	-	1	-	2	-	2	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	119	-	3	4	4	3	24	11	11	6	14	19	11	5	1	2	-	-	1	-	-	-	-	-	-	-
	White	74	-	1	2	2	1	17	6	9	4	9	9	5	5	1	2	-	-	1	-	-	-	-	-	-	-
	M	42	-	2	2	2	2	5	4	2	2	5	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	8	-	3	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	325	39	13	9	3	1	15	7	14	7	20	6	12	20	28	22	29	26	15	16	7	8	4	4	-	-
	White	170	22	10	5	-	-	6	4	10	2	6	3	6	8	13	11	15	15	10	13	7	2	2	-	-	-
	M	112	12	3	2	1	-	8	2	2	5	9	-	5	7	9	9	9	10	4	3	-	6	2	4	-	-
	Nonwhite	22	1	-	1	2	1	1	-	1	-	2	1	1	4	2	2	2	1	-	-	-	-	-	-	-	-
	M	21	4	-	1	-	-	-	1	1	-	3	2	-	1	4	-	3	-	1	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*	28,703	30	21	33	38	23	103	59	76	99	201	323	612	1,062	1,677	2,577	3,553	4,181	4,429	3,838	3,000	1,781	741	207	28	11
	White—M	14,186	13	10	20	23	16	62	26	43	49	88	114	199	334	666	1,109	1,804	2,259	2,444	2,090	1,570	831	313	91	8	4
	F	12,986	12	10	12	13	6	35	24	27	41	88	178	349	602	859	1,240	1,520	1,721	1,802	1,621	1,372	902	416	111	19	6
	Nonwhite—M	785	4	1	1	1	1	5	5	4	5	9	5	19	47	65	127	129	121	99	76	31	25	4	1	-	-
	F	746	1	-	-	1	-	1	4	2	4	16	26	45	79	87	101	100	80	84	51	27	23	8	4	1	1
140-148	Of buccal cavity and pharynx	597	-	-	-	-	-	2	-	-	2	1	-	11	22	36	58	72	86	94	80	65	41	22	4	1	-
	White—M	464	-	-	-	-	-	1	-	-	1	1	-	5	13	24	46	60	67	73	70	55	30	14	3	1	-
	F	97	-	-	-	-	-	1	-	-	1	-	-	5	7	7	6	5	13	14	9	10	10	8	1	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	6	5	7	1	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	11,324	3	-	1	-	-	3	-	4	12	28	45	124	261	461	839	1,310	1,690	1,902	1,805	1,462	900	353	98	15	8
	White—M	5,890	-	-	1	-	-	1	-	3	7	13	18	49	118	221	417	695	961	1,060	964	754	428	131	44	2	3
	F	4,874	2	-	-	-	-	1	-	1	3	11	21	57	109	191	337	534	642	761	783	682	452	219	52	12	4
	Nonwhite—M	324	1	-	-	-	-	-	-	-	1	-	2	8	17	25	57	52	51	48	38	13	10	1	-	-	-
	F	236	-	-	-	-	-	1	-	-	1	4	4	10	17	24	28	29	36	33	20	13	10	2	2	1	1
160-164	Of respiratory system	3,783	3	1	-	-	-	3	-	1	-	6	15	37	115	236	411	661	736	679	488	264	89	35	3	-	-
	White—M	3,088	1	1	-	-	-	1	-	1	-	3	9	26	77	175	331	559	623	574	405	209	70	21	2	-	-
	F	502	1	-	-	-	-	1	-	-	-	3	2	10	26	36	47	61	78	86	70	53	15	12	1	-	-
	Nonwhite—M	167	1	-	-	-	-	1	-	-	-	-	1	1	10	24	30	38	28	16	10	2	4	1	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	3	-	2	1	3	3	7	3	3	-	-	1	-	-	-
170	Of breast	2,782	-	-	-	-	-	-	-	1	4	6	55	115	211	287	339	365	339	320	271	202	166	71	25	4	1
	White—M	32	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	5	2	7	2	3	2	3	1	-	-
	F	2,624	-	-	-	-	-	-	-	1	3	6	50	98	191	266	316	344	329	307	261	194	162	67	24	4	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	124	-	-	-	-	-	-	-	1	-	5	15	20	19	19	19	16	8	5	8	5	2	1	-	-	-
171-179	Of genital organs	3,788	-	-	1	-	-	2	1	4	16	36	56	107	187	244	359	406	486	549	474	443	269	112	32	2	2
	White—M	1,199	-	-	1	-	-	2	-	3	6	10	11	8	4	9	32	56	107	210	233	254	156	75	20	1	1
	F	2,301	-	-	-	-	-	-	1	-	10	22	34	84	150	202	290	310	349	306	220	174	100	36	11	1	1
	Nonwhite—M	71	-	-	-	-	-	-	-	1	-	-	-	1	3	1	4	8	16	6	13	10	7	1	-	-	-
	F	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	1,428	1	2	-	1	2	9	1	2	2	2	6	14	26	61	101	169	190	262	218	184	109	52	12	2	-
	White—M	921	1	1	-	1	1	3	-	1	1	1	2	10	12	37	53	124	133	186	155	106	56	28	8	1	-
	F	447	-	-	-	1	1	6	-	1	1	1	3	2	11	18	36	38	52	68	58	74	50	22	4	1	-
	Nonwhite—M	37	-	1	-	-	-	-	1	-	-	-	-	1	3	2	8	4	3	6	3	3	2	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	3	2	2	2	1	1	2	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,744	10	7	12	12	10	27	24	24	17	46	53	85	135	202	299	333	367	347	277	211	149	66	27	4	-
	White—M	1,370	5	1	8	6	7	16	8	13	10	23	25	36	60	106	138	173	212	194	132	97	66	22	9	3	-
	F	1,219	3	6	3	4	3	10	10	11	5	19	27	44	67	87	134	136	140	132	129	112	78	42	16	1	-
	Nonwhite—M	82	2	-	1	1	-	1	2	-	2	2	1	4	3	4	16	14	8	9	9	1	1	-	1	-	-
	F	73	-	-	1	1	-	-	4	-	-	2	-	1	5	5	11	10	7	12	7	1	4	2	1	-	-
204	Leukemia and aleukemia	1,071	12	9	16	24	11	50	27	21	17	31	29	50	46	53	65	100	123	116	118	97	32	20	4	-	-
	White—M	602	6	5	8	15	8	31	13	12	9	15	16	25	22	30	36	61	67	63	73	55	15	15	2	-	-
	F	427	5	4	8	9	2	16	12	8	5	13	13	23	17	20	27	35	51	52	43	41	17	4	2	-	-
	Nonwhite—M	29	-	-	-	-	1	3	2	1	2	1	-	1	4	2	1	3	4	1	1	1	-	1	-	-	-
	F	13	1	-	-	-	-	-	-	-	1	2	-	1	3	1	1	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	1,186	1	2	3	1	-	7	6	19	29	45	64	69	59	97	106	137	164	160	107	72	26	10	2	-	-
	White—M	620	-	2	2	1	-	7	5	10	15	22	33	38	28	63	52	71	87	77	56	37	8	4	2	-	-
	F	495	1	-	1	-	-	-	1	5	13	13	28	26	24	32	47	57	67	76	48	32	18	6	-	-	-
	Nonwhite—M	39	-	-	-	-	-	-	-	2	-	6	1	2	5	1	5	4	6	5	1	1	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	2	1	4	2	3	2	1	2	5	4	2	2	2	-	-	-	-	-
210-239	Benign and unspecified neoplasms	561	5	5	2	5	1	10	7	4	7	18	16	31	43	55	66	66	55	51	44	32	25	9	3	1	-
	White—M	241	2	2	1	2	1	7	2	-	3	7	8	8	12	14	22	41	29	31	24	11	9	3	2	-	-
	F	273	3	2	1	1	-	2	3	4	4	9	5	15	26	33	36	23	24	20	20	20	14	6	1	1	-
	Nonwhite—M	17	-	1	-	1	-	1	1	-	-	-	-	2	2	2	4	1	1	-	-	1	-	-	-	-	-
	F	30	-	-	-	1	-	-	1	-	-	2	3	6	3	6	4	1	1	-	-	-	2	-	-	-	-
260	Diabetes mellitus	3,251	2	3	1	3	-	6	6	10	12	26	37	39	56	96	164	315	518	601	541	461	240	102	12	-	-
	White—M	1,095	1	3	-	1	-	2	2	4	8	13	19	18	24	44	52	97	183	184	177	149	74	37	3	-	-
	F	1,974	1	-	1	2	-	3	3	6	2	10	14	11	21	38	86	193	310	396	348	300	160	60	9	-	-
	Nonwhite—M	57	-	-	-	-	-	-	1	-	-	2	-	4	3	2	8	7	14	4	5	3	2	2	-	-	-
	F	125	-	-	-	-	-	1	-	-	2	1	4	6	8	12	18	18	11	17	11	9	4	3	-	-	-
290-293	Anemias	267	4	3	1	2	2	7	-	3	2	3	7	5	6	10	14	22	17	28	41	38	32	11	8	1	-
	White—M	91	1	2	-	2	1	2	-	1	-	1	2	1	1	3	5	7	6	10	18	12	12	2	2	-	-
	F	162	1	-	-	-	-	4	-	2	2	1	4	3	4	5	9	15	10	18	22	26	20	9	6	1	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	10	2	1	-	-	1	1	-	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	193	44	22	11	10	2	13	7	2	3	4	2	5	12	10	3	10	12	7	7	5	2	-	-	-	-
	White—M	94	20	8	5	5	2	7	5	1	-	3	-	2	6	4	1	4	7	5	4	4	1	-	-	-	-
	F	57	14	8	5	4	-	3	2	-	-	1	1	1	2	2	2	3	2	2	3	1	1	-	-	-	-
	Nonwhite—M	25	9	4	-	1	-	1	-	1	2	-	-	-	2	3	-	1	1	-	-	-	-	-	-	-	-
	F	17	1	2	1	-	-	2	-	-	1	-	1	2	2	1	-	2	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	93,814	41	16	7	10	12	34	44	86	137	249	455	860	1,715	3,045	5,108	7,585	10,373	13,390	14,252	13,997	11,960	6,886	2,790	644	118
	White—M	48,610	24	5	2	2	5	13	16	37	65	113	216	433	1,009	1,914	3,140	4,706	6,308	7,560	7,339	6,671	5,094	2,731	968	187	52
	F	40,712	13	9	3	2	6	14	20	36	55	97	156	256	433	784	1,423	2,347	3,510	5,279	6,416	6,963	6,606	4,033	1,755	438	58
	Nonwhite—M	2,257	4	2	1	3	1	1	4	4	9	19	38	85	138	168	291	287	300	288	232	172	120	51	25	11	3
	F	2,235	-	-	1	3	-	6	4	9	8	20	45	86	135	179	254	245	255	263	265	191	140	71	42	8	5
330-334, 400-468	Diseases of cardiovascular system	92,412	41	15	5	7	6	25	37	71	114	215	398	805	1,648	2,956	4,979	7,464	10,231	13,216	14,112	13,873	11,848	6,817	2,771	641	117
	White—M	47,952	24	4	1	2	3	7	14	30	52	98	192	417	975	1,873	3,066	4,649	6,240	7,467	7,279	6,617	5,040	2,706	959	186	51
	F	40,093	13	9	2	1	2	13	16	28	49	84	135	233	414	754	1,380	2,301	3,445	5,202	6,341	6,893	6,550	3,989	1,745	436	58
	Nonwhite—M	2,196	4	2	1	1	1	-	3	4	7	15	35	74	133	163	284	277	296	287	228	172	119	51	25	11	3
	F	2,171	-	-	1	3	-	5	4	9	6	18	36	81	126	166	249	237	250	260	264	191	139	71	42	8	5
330-334	Vascular lesions, etc.*	14,748	15	6	2	1	1	5	6	16	17	31	57	115	201	327	604	967	1,392	1,964	2,378	2,492	2,326	1,276	440	95	14
	White—M	6,384	12	2	1	-	-	2	4	7	7	13	18	38	71	137	272	453	676	950	1,090	1,076	902	482	147	18	6
	F	7,721	2	4	-	-	1	3	2	7	8	12	26	46	81	151	259	445	631	938	1,216	1,364	1,383	774	286	76	6
	Nonwhite—M	285	1	-	-	-	-	-	-	-	1	3	5	16	12	11	25	31	50	40	34	24	17	10	3	1	1
	F	358	-	-	1	1	-	-	-	2	1	3	8	15	37	28	48	38	35	36	38	28	24	10	4	-	1
400-402	Rheumatic fever	125	1	-	1	1	3	12	19	7	9	8	11	12	7	8	6	9	3	4	3	1	-	-	-	-	-
	White—M	51	-	-	-	-	2	3	5	4	3	3	6	7	3	3	2	6	2	1	1	-	-	-	-	-	-
	F	55	1	-	1	-	-	6	9	1	4	4	4	5	4	4	3	2	1	3	2	1	-	-	-	-	-
	Nonwhite—M	11	-	-	-	1	1	-	2	2	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	3	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
410-443	Diseases of heart-	72,528	22	9	2	4	2	7	7	39	76	156	298	630	1,367	2,508	4,219	6,285	8,512	10,809	11,108	10,638	8,581	4,789	1,948	425	87
	White-----M--	39,142	10	2	-	1	1	1	3	18	41	77	159	353	871	1,671	2,703	4,070	5,378	6,281	5,853	5,183	3,709	1,907	681	129	40
	F--	28,935	9	5	1	1	1	4	2	13	28	61	88	168	307	569	1,074	1,795	2,698	4,084	4,853	5,165	4,671	2,798	1,217	282	41
	Nonwhite--M--	1,781	3	2	1	-	-	-	1	1	5	10	26	54	109	139	249	232	234	233	186	138	95	33	18	8	2
	F--	1,670	-	-	-	2	-	2	1	7	2	8	25	55	80	129	193	188	202	211	214	152	106	51	32	6	4
410-416	Chronic rheumatic heart disease----	2,524	1	2	-	1	-	2	5	25	53	90	140	173	285	316	366	313	252	218	123	89	43	14	12	1	-
	White-----M--	1,082	-	1	-	-	-	-	2	10	26	38	65	67	118	141	154	139	112	99	48	32	19	8	3	-	-
	F--	1,290	1	1	-	-	-	1	1	10	24	44	58	88	140	156	190	159	135	115	71	56	24	6	9	1	-
	Nonwhite--M--	63	-	-	-	-	-	-	1	1	2	5	7	9	9	8	10	7	2	2	-	-	-	-	-	-	-
	F--	89	-	-	-	1	-	1	1	4	1	3	10	9	18	11	12	8	3	2	4	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	53,742	6	3	1	2	-	1	1	5	9	43	100	320	850	1,702	3,082	4,799	6,693	8,473	8,468	7,987	6,229	3,339	1,316	267	66
	White-----M--	31,341	3	-	-	-	-	-	-	3	5	29	78	240	670	1,333	2,251	3,412	4,519	5,212	4,687	4,113	2,829	1,376	465	83	33
	F--	20,430	2	2	1	1	-	1	1	-	2	9	10	49	101	242	574	1,158	1,916	2,976	3,520	3,682	3,262	1,904	812	176	29
	Nonwhite--M--	1,096	1	1	-	-	-	-	-	-	2	3	7	21	55	74	148	145	148	154	125	96	73	22	16	4	1
	F--	875	-	-	-	1	-	-	-	2	-	2	5	10	24	53	89	84	110	131	136	96	65	37	23	4	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,866	1	2	1	-	1	1	-	3	7	8	17	27	48	127	177	262	458	690	1,004	1,193	1,330	924	447	122	16
	White-----M--	3,038	-	-	-	-	-	-	-	1	5	3	4	8	23	66	70	130	248	346	492	559	535	346	159	37	6
	F--	3,476	1	1	-	-	1	-	-	1	2	2	7	11	14	42	72	101	161	293	460	602	769	565	280	82	9
	Nonwhite--M--	193	-	1	1	-	-	-	-	-	-	1	4	2	8	12	24	18	29	27	25	20	12	6	1	1	1
	F--	159	-	-	-	-	-	1	-	1	-	2	2	6	3	7	11	13	20	24	27	12	14	7	7	2	-
430-434	Other diseases of heart---------	720	14	2	-	1	1	3	1	5	4	7	14	18	31	24	56	70	82	92	93	81	55	48	14	3	1
	White-----M--	412	7	1	-	1	1	1	1	3	3	4	6	11	20	16	36	46	58	63	47	36	20	25	4	1	1
	F--	280	5	1	-	-	-	2	-	2	-	3	5	6	6	4	16	22	22	28	44	45	34	23	10	2	-
	Nonwhite--M--	22	2	-	-	-	-	-	-	-	1	-	2	1	4	2	4	2	1	1	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	8,676	-	-	-	-	-	-	-	1	3	8	27	92	153	339	558	841	1,027	1,336	1,420	1,288	924	464	159	32	4
	White-----M--	3,269	-	-	-	-	-	-	-	1	2	3	6	27	40	115	192	343	441	561	579	443	306	152	50	8	-
	F--	4,459	-	-	-	-	-	-	-	-	-	3	8	14	46	125	222	355	464	672	758	780	582	300	106	21	3
	Nonwhite--M--	407	-	-	-	-	-	-	-	-	-	1	6	21	33	43	63	60	54	49	36	22	10	5	1	3	-
	F--	541	-	-	-	-	-	-	-	-	1	1	7	30	34	56	81	83	68	54	47	43	26	7	2	-	1
444-447	Hypertension without mention of heart----------	1,118	-	-	-	-	-	-	-	-	2	10	13	27	44	51	62	72	115	133	151	162	140	80	39	13	4
	White-----M--	500	-	-	-	-	-	-	-	-	-	3	3	11	16	25	35	35	46	52	80	87	63	46	14	3	1
	F--	502	-	-	-	-	-	-	-	-	2	2	5	3	12	13	16	25	54	70	66	88	76	33	24	10	3
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	1	3	4	9	8	5	4	7	6	1	4	-	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	-	4	2	9	7	5	6	8	8	5	4	3	1	1	1	-	-
450	General arteriosclerosis--------	3,075	-	-	-	-	-	-	-	-	-	1	1	1	5	10	18	47	82	195	362	504	751	647	332	107	12
	White-----M--	1,399	-	-	-	-	-	-	-	-	-	-	-	-	3	4	9	26	45	114	191	248	345	265	110	35	4
	F--	1,581	-	-	-	-	-	-	-	-	-	1	1	1	1	5	7	12	31	70	161	243	393	365	214	68	8
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	7	3	6	4	6	6	8	3	2	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	6	7	7	9	5	2	-
451-468	Other diseases of circulatory sys.-	818	3	-	-	1	-	1	5	9	10	9	18	20	24	52	70	84	127	111	110	76	50	25	12	1	-
	White-----M--	476	2	-	-	1	-	1	2	1	1	2	6	8	11	33	45	59	93	69	64	43	21	6	7	1	-
	F--	299	1	-	-	-	-	-	3	7	7	4	11	10	9	12	21	22	30	37	43	32	27	19	4	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	-	-	1	-	2	3	4	2	2	2	1	-	1	-	1	-	-
	F--	23	-	-	-	-	-	-	-	-	2	3	-	2	2	4	-	1	2	3	2	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*	1,402	-	1	2	3	6	9	7	15	23	34	57	55	67	89	129	121	142	174	140	124	112	69	19	3	1
	White-----M--	658	-	1	1	-	2	6	2	7	13	15	24	16	34	41	74	57	68	93	60	54	54	25	9	1	1
	F--	619	-	-	1	1	4	1	4	8	6	13	21	23	19	30	43	46	65	77	75	70	56	44	10	2	-
	Nonwhite--M--	61	-	-	-	2	-	1	1	-	2	4	3	11	5	5	7	10	4	1	4	-	1	-	-	-	-
	F--	64	-	-	-	-	-	1	-	-	2	2	9	5	9	13	5	8	5	3	1	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	4,630	590	121	69	38	16	61	19	19	32	56	79	85	141	166	213	261	343	352	475	497	479	363	103	45	7
	White-----M--	2,319	265	54	32	17	9	30	8	5	11	15	27	29	72	96	128	147	226	215	263	236	228	151	40	13	2
	F--	1,779	185	47	28	17	2	23	9	6	15	19	25	32	35	37	41	77	90	110	190	246	240	209	61	30	5
	Nonwhite--M--	329	77	14	4	2	5	2	2	4	4	16	20	18	18	22	31	25	19	16	16	7	6	-	1	-	-
	F--	203	63	6	5	2	-	6	-	4	2	6	7	6	16	11	13	12	8	11	6	8	5	3	1	2	-
480-483	Influenza---------	241	21	6	5	2	2	2	1	3	4	6	5	5	5	7	6	13	10	20	22	32	23	23	13	5	-
	White-----M--	113	13	-	1	1	1	1	1	-	-	1	2	3	4	4	4	4	6	11	13	18	9	10	6	-	-
	F--	116	7	5	4	1	-	1	-	2	2	3	3	2	1	3	1	8	4	8	9	14	14	13	6	5	-
	Nonwhite--M--	10	-	1	-	-	1	-	-	1	2	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
490-493	Pneumonia, etc.*--	4,389	568	115	64	36	14	59	18	16	28	50	74	80	136	159	207	248	333	332	453	465	456	340	90	40	7
	White-----M--	2,206	252	54	31	16	8	29	7	5	11	14	25	26	68	92	124	143	220	204	250	218	219	141	34	13	2
	F--	1,663	178	42	24	16	2	22	9	4	13	16	22	30	34	34	40	69	86	102	181	232	226	196	55	25	5
	Nonwhite--M--	319	77	13	4	2	4	2	2	3	2	14	20	18	18	22	30	24	19	15	16	7	6	-	1	-	-
	F--	201	62	6	5	2	-	6	-	4	2	6	7	6	16	11	13	12	8	11	6	8	5	3	-	2	-
500-502	Bronchitis--------	325	54	16	6	5	5	5	1	2	2	-	1	7	3	6	13	21	27	35	40	31	23	11	8	1	2
	White-----M--	206	28	12	1	3	2	3	1	-	-	-	-	3	2	3	6	18	24	27	28	19	17	6	2	1	2
	F--	104	20	3	4	2	2	2	-	2	1	-	1	4	1	3	6	3	3	8	11	11	6	5	6	-	-
	Nonwhite--M--	12	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1,223	4	1	1	-	-	-	-	-	2	8	15	26	60	85	129	159	188	169	144	123	78	28	8	2	-
	White-----M--	943	-	1	1	-	-	-	-	-	1	5	10	20	42	61	103	131	152	141	113	84	52	20	4	2	-
	F--	211	2	-	-	-	-	-	-	-	1	1	3	4	10	14	20	17	23	24	26	37	17	7	4	-	-
	Nonwhite--M--	49	2	-	-	-	-	-	-	-	-	2	2	1	3	5	5	11	10	2	3	2	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	5	5	1	-	3	2	2	-	1	-	-	-	-
550-553	Appendicitis-------	286	2	2	2	3	3	10	6	7	3	10	5	10	14	22	31	25	34	31	25	21	16	2	2	-	-
	White-----M--	178	1	-	1	1	-	8	2	7	1	5	4	6	6	14	22	16	22	20	17	13	10	1	1	-	-
	F--	89	-	2	1	2	3	2	4	-	-	4	1	-	7	5	8	7	10	11	7	8	6	1	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	2	1	-	3	1	-	-	1	1	-	1	-	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	896	81	5	1	-	1	4	2	1	1	6	6	15	25	35	54	64	91	123	115	112	89	47	14	4	-
	White-----M--	449	42	1	-	-	1	1	1	1	-	4	2	2	9	19	26	31	52	65	68	55	45	19	3	2	-
	F--	392	27	1	1	-	-	3	-	-	1	1	2	10	12	14	27	27	34	52	43	55	42	27	11	2	-
	Nonwhite--M--	28	7	2	-	-	-	-	1	-	-	-	-	1	1	1	-	3	3	4	3	1	1	-	-	-	-
	F--	27	5	1	-	-	-	-	-	-	-	1	2	2	3	1	1	3	2	2	1	1	1	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
543, 571, 572	Gastritis, etc.*--	562	148	23	4	8	2	8	3	3	6	8	11	11	17	24	26	31	40	41	55	39	27	17	10	-	-
	White-----M--	285	77	11	2	5	1	8	-	1	3	4	5	4	7	10	13	19	23	27	30	15	9	7	4	-	-
	F--	229	39	8	1	2	1	-	2	2	3	4	6	6	10	13	11	12	13	14	25	24	18	9	6	-	-
	Nonwhite--M--	28	19	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	1	-	-	-
	F--	20	13	1	1	-	-	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,312	3	1	-	-	-	2	3	3	6	12	52	104	208	289	343	332	309	281	174	105	61	19	4	1	-
	White-----M--	1,390	1	-	-	-	-	-	2	3	1	6	22	37	112	170	191	226	210	187	111	58	37	12	4	-	-
	F--	793	1	1	-	-	-	2	1	-	4	5	14	51	74	96	129	96	90	89	62	46	24	7	-	1	-
	Nonwhite--M--	72	1	-	-	-	-	-	-	-	-	-	8	6	9	13	17	6	7	4	1	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	1	1	8	10	13	10	6	4	2	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	177	3	2	5	5	6	10	7	3	7	13	4	9	10	5	17	12	15	14	10	14	4	2	-	-	-
	White-----M--	94	3	2	5	2	3	7	3	-	4	2	3	5	4	2	10	8	10	9	4	8	-	-	-	-	-
	F--	64	-	-	-	3	3	3	2	2	1	6	1	1	4	1	6	3	5	5	6	6	4	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	2	-	2	1	-	3	1	2	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	589	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	20	41	101	109	128	99	69	15	2	1
	White-----M--	567	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	18	38	94	107	123	97	68	15	2	1
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	2	5	2	1	-	-	-
640-689	Complications of pregnancy, etc.*-	172	...	...	...	...	...	...	-	8	24	41	49	35	13	-	-	-	1	-	-	1	-	-	-	-	-
	White-----F--	118	...	...	...	...	...	...	-	7	14	26	32	27	11	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	54	...	...	...	...	...	...	-	1	10	15	17	8	2	-	-	-	-	-	-	1	-	-	-	-	-
650-652	Abortion----------	36	...	...	...	...	...	...	-	3	5	13	7	6	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	2	2	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	22	...	...	...	...	...	...	-	1	3	7	6	3	1	-	-	-	-	-	-	1	-	-	-	-	-
640-649, 660-689	All other complications-------	136	...	...	...	...	...	...	-	5	19	28	42	29	12	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	104	...	...	...	...	...	...	-	5	12	20	31	24	11	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	...	...	...	...	...	...	-	-	7	8	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	1,764	1,291	81	36	13	17	41	22	19	24	17	23	16	30	23	28	24	19	16	9	8	5	1	-	1	-
	White-----M--	886	656	38	17	4	7	19	10	8	18	6	12	10	16	10	12	9	14	10	3	4	2	-	-	1	-
	F--	738	534	35	14	9	7	16	11	9	5	9	9	6	12	12	15	13	4	4	6	4	3	1	-	-	-
	Nonwhite--M--	68	50	4	2	-	1	1	1	-	-	2	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-
	F--	72	51	4	3	-	2	5	-	2	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	5,041	5,038	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,498	2,497	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,688	1,686	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	465	465	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	2,341	2,341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,209	1,209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	825	825	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,395	2,392	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,154	1,153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	760	758	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	839	88	11	2	6	1	7	6	21	44	58	49	55	57	62	74	43	42	50	34	21	26	36	29	10	7
	White-----M--	374	46	4	1	3	-	4	3	8	14	21	9	14	25	25	50	25	25	31	19	13	11	10	10	2	1
	F--	285	28	-	1	2	-	1	1	4	11	10	15	18	20	24	20	13	14	13	12	6	14	26	19	7	6
	Nonwhite--M--	116	6	4	-	1	-	1	-	6	15	20	16	13	8	10	4	2	1	4	2	2	1	-	-	-	-
	F--	64	8	3	-	-	1	1	2	3	4	7	9	10	4	3	-	3	2	2	1	-	-	-	1	-	-
Residual	All other diseases	6,120	290	60	33	27	30	80	42	68	87	121	155	225	293	395	470	573	715	749	632	537	326	149	51	10	2
	White-----M--	3,230	153	32	19	13	18	34	18	40	41	43	50	88	141	184	239	347	427	432	351	307	159	66	23	5	-
	F--	2,409	96	20	12	13	10	34	20	21	27	51	59	84	108	159	183	194	248	298	270	224	166	79	27	4	2
	Nonwhite--M--	285	22	4	1	-	-	9	1	4	12	13	25	34	26	33	25	22	25	13	8	4	1	2	1	-	-
	F--	196	19	4	1	1	2	3	3	3	7	14	21	19	18	19	23	10	15	6	3	2	-	2	-	1	-
E800-E962	Accidents----------	7,269	191	83	70	74	61	235	165	278	396	343	298	339	340	394	438	475	459	509	534	526	521	329	166	37	8
	White-----M--	4,372	82	40	36	36	37	142	117	209	319	247	196	217	218	251	295	321	329	328	297	256	211	117	62	6	3
	F--	2,279	71	31	26	26	16	63	32	53	50	51	46	53	63	91	105	110	111	158	224	255	298	208	103	31	4
	Nonwhite--M--	436	25	3	4	11	5	20	11	11	21	36	39	54	45	36	31	35	14	14	5	6	7	2	-	-	1
	F--	182	13	9	4	1	3	10	5	5	6	9	17	15	14	16	7	9	5	9	8	9	5	2	1	-	-
E810-E835	Motor-vehicle accidents--------	2,403	12	19	28	33	20	101	67	157	281	186	132	143	133	135	148	159	149	168	137	94	77	22	4	-	-
	White-----M--	1,666	9	12	14	18	13	67	43	113	233	134	96	102	88	78	97	105	105	109	98	68	48	15	3	-	-
	F--	559	1	6	12	10	6	24	17	38	37	33	21	20	33	35	43	38	35	54	38	24	27	6	1	-	-
	Nonwhite--M--	137	1	-	-	4	1	9	4	3	8	15	11	17	11	18	6	14	6	4	-	2	2	1	-	-	-
	F--	41	1	1	-	1	-	1	3	3	3	4	4	4	3	4	2	2	3	1	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	4,866	179	64	44	41	41	134	98	121	115	157	166	196	207	259	290	316	310	341	397	432	444	307	162	37	8
	White-----M--	2,706	73	28	22	18	24	75	74	96	86	113	100	115	132	173	198	216	224	219	199	188	163	102	59	6	3
	F--	1,720	70	25	14	16	10	39	15	15	13	18	25	33	30	56	62	72	76	104	186	231	271	202	102	31	4
	Nonwhite--M--	299	24	3	4	7	4	11	7	8	13	21	28	37	34	18	25	21	8	10	5	4	5	1	-	-	1
	F--	141	12	8	4	-	3	9	2	2	3	5	13	11	11	12	5	7	2	8	7	9	5	2	1	-	-
E963, E970-E979	Suicide----------	1,302	-	-	-	-	-	-	3	21	40	63	87	96	112	154	156	135	129	114	90	58	26	14	4	-	-
	White-----M--	916	-	-	-	-	-	-	3	14	27	42	53	63	77	107	99	99	96	81	75	42	21	14	3	-	-
	F--	343	-	-	-	-	-	-	-	6	9	17	28	28	31	40	49	33	32	33	15	16	5	-	1	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	3	4	5	5	4	6	5	2	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	434	15	2	3	2	2	8	7	20	45	70	48	50	49	36	23	13	13	14	4	3	2	4	-	-	1
	White-----M--	134	4	-	1	2	-	2	2	10	14	14	9	11	18	12	8	6	7	7	2	2	1	1	-	-	1
	F--	85	6	2	2	-	1	6	3	3	5	9	6	7	11	5	4	3	4	2	1	1	1	3	-	-	-
	Nonwhite--M--	166	3	-	-	-	-	-	2	6	19	34	24	25	17	16	9	3	2	5	1	-	-	-	-	-	-
	F--	49	2	-	-	-	1	-	-	1	7	13	9	7	3	3	2	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES------	31,797	3,658	254	142	121	97	278	229	422	545	605	733	947	1,342	1,555	2,086	2,253	2,850	3,282	3,275	3,077	2,273	1,127	470	128	48
	White-----M--	12,554	1,075	66	44	35	32	103	97	168	232	226	278	345	484	685	813	967	1,250	1,356	1,413	1,325	968	401	155	33	3
	F--	8,622	756	63	30	33	22	74	49	79	82	98	113	135	228	279	377	453	690	902	1,116	1,203	1,004	522	242	65	7
	Nonwhite--M--	5,884	1,011	77	34	31	26	60	50	106	138	176	196	247	348	327	496	484	536	570	413	275	148	79	34	13	9
	F--	4,737	816	48	34	22	17	41	33	69	93	105	146	220	282	264	400	349	374	454	333	274	153	125	39	17	29
001-019	Tuberculosis, all forms--------	408	4	3	3	2	1	3	3	11	12	27	26	36	38	35	49	40	32	35	20	19	6	2	1	-	-
	White-----M--	114	-	-	1	-	-	-	-	-	-	4	7	4	9	18	12	15	14	11	7	7	4	1	-	-	-
	F--	47	1	-	-	1	-	-	-	1	1	1	-	4	6	-	5	5	2	8	4	6	2	-	-	-	-
	Nonwhite--M--	139	-	3	-	-	1	3	2	4	2	9	10	13	13	13	18	14	11	14	6	3	-	-	-	-	-
	F--	108	3	-	2	1	-	-	1	6	9	13	9	15	10	4	14	6	5	2	3	3	-	1	1	-	-
001-008	Tuberculosis of respiratory system----------	366	2	1	3	1	-	1	3	11	11	27	22	32	33	31	45	40	28	31	19	17	5	2	1	-	-
	White-----M--	105	-	-	1	-	-	-	-	-	-	4	5	3	9	17	12	15	12	10	7	6	3	1	-	-	-
	F--	46	-	-	-	1	-	-	-	1	1	1	-	4	6	-	5	5	2	8	4	6	2	-	-	-	-
	Nonwhite--M--	116	-	1	-	-	-	1	2	4	2	9	9	11	10	11	15	14	9	11	5	2	-	-	-	-	-
	F--	99	2	-	2	-	-	-	1	6	8	13	8	14	8	3	13	6	5	2	3	3	-	1	1	-	-
010-019	Tuberculosis, other forms------	42	2	2	-	1	1	2	-	-	1	-	4	4	5	4	4	-	4	4	1	2	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	2	1	-	1	1	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	-	2	-	-	1	2	-	-	-	-	1	2	3	2	3	-	2	3	1	1	-	-	-	-	-
	F--	9	1	-	-	1	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	78	1	-	-	-	-	-	-	-	1	1	2	2	9	9	12	12	11	8	7	1	1	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	4	4	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	1	-	-	-	-
	Nonwhite--M--	38	1	-	-	-	-	-	-	-	1	-	1	1	4	7	7	6	6	2	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	-	5	2	-	1	-	-	1	-	-	-	-	-	-
040	Typhoid fever------	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	19	9	1	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	1	-	1	-	1	-	-
	White-----M--	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	16	2	-	-	1	2	2	1	1	-	2	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	8	1	-	-	-	2	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	9	1	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	33	8	4	2	2	2	5	2	3	2	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	2	2	2	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	3	2	-	-	1	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	34	3	-	-	1	1	6	10	5	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	2	-	-	-	-	4	5	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	1	-	-	1	-	2	5	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	19	5	3	-	1	2	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	10	3	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	99	22	8	4	2	3	6	5	4	7	-	4	2	4	4	-	8	5	3	1	5	2	-	-	-	-
	White-----M--	31	6	-	1	-	1	2	1	1	4	-	2	1	2	-	-	2	3	1	-	3	1	-	-	-	-
	F--	25	6	3	2	2	-	2	1	1	-	-	-	1	-	1	-	2	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	26	4	5	-	-	1	1	2	2	3	-	-	-	1	2	-	1	2	1	-	-	1	-	-	-	-
	F--	17	6	-	1	-	1	1	1	-	-	-	2	-	1	1	-	3	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	3,570	15	11	12	8	13	37	18	33	34	47	65	95	195	258	353	414	443	445	417	320	215	84	29	5	4
	White-----M--	1,325	6	2	4	4	7	17	5	14	15	15	12	34	60	69	114	153	180	173	173	136	95	28	8	1	-
	F--	1,407	6	5	4	1	1	10	7	13	10	19	26	35	79	117	134	145	176	158	166	135	99	40	16	3	2
	Nonwhite--M--	368	1	3	1	2	4	4	4	5	7	8	4	9	13	26	33	60	44	58	38	22	11	8	3	-	-
	F--	470	2	1	3	1	1	6	2	1	2	5	23	17	43	46	72	56	43	56	40	27	10	8	2	1	2
140-148	Of buccal cavity and pharynx------	97	-	-	-	-	-	-	-	1	-	1	-	3	-	7	18	9	18	10	10	10	6	3	1	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	3	-	3	11	5	9	6	7	7	4	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	9	3	3	3	1	2	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,080	2	1	-	-	1	3	-	4	2	9	7	11	35	65	74	135	134	153	180	125	92	31	10	3	3
	White-----M--	395	1	-	-	-	1	2	-	1	-	2	1	4	21	20	28	45	56	54	73	43	32	7	4	-	-
	F--	416	-	1	-	-	-	-	-	3	-	3	3	4	11	19	22	46	40	55	74	62	48	18	4	2	1
	Nonwhite--M--	140	-	-	-	-	-	-	-	-	1	3	1	2	1	13	12	25	19	28	17	9	6	2	1	-	-
	F--	129	1	-	-	-	-	1	-	-	1	1	2	1	2	13	12	19	19	16	16	11	6	4	1	1	2
160-164	Of respiratory system----------	330	-	-	-	-	-	-	-	-	1	-	2	5	19	33	41	60	49	50	30	21	12	4	3	-	-
	White-----M--	226	-	-	-	-	-	-	-	-	-	-	1	3	11	23	28	44	39	38	23	10	4	1	1	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	2	6	5	7	6	8	4	6	7	2	2	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	1	-	1	1	5	3	6	8	4	4	3	3	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	2	-	-	-	-	-
170	Of breast----------	325	-	-	-	-	-	-	-	-	1	4	11	15	36	34	43	34	44	40	26	19	9	5	3	1	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
	F--	247	-	-	-	-	-	-	-	-	1	3	4	11	25	26	28	30	39	28	21	15	8	4	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	1	7	4	11	8	14	3	4	12	4	3	1	1	-	-	-
171-179	Of genital organs-	729	1	-	-	-	-	1	-	1	5	9	19	20	49	56	83	77	83	96	90	69	44	22	3	1	-
	White-----M--	182	1	-	-	-	-	-	-	-	3	2	2	3	2	-	2	8	17	29	35	35	29	13	-	1	-
	F--	305	-	-	-	-	-	-	-	1	1	4	6	7	26	41	48	35	39	30	33	19	9	5	1	-	-
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	10	11	16	12	7	4	4	1	-	-
	F--	175	-	-	-	-	-	1	-	-	1	3	11	9	21	15	32	24	16	21	10	8	2	-	1	-	-
180, 181	Of urinary organs-	158	1	2	-	2	3	5	-	1	-	-	1	3	10	6	16	20	20	18	16	18	13	3	-	-	-
	White-----M--	62	1	1	-	1	1	2	-	1	-	-	-	1	3	3	5	10	5	4	8	9	7	-	-	-	-
	F--	57	-	-	-	-	-	2	-	-	-	-	1	2	3	2	3	5	9	8	5	8	6	3	-	-	-
	Nonwhite--M--	25	-	1	-	-	2	-	-	-	-	-	-	-	2	1	4	4	5	5	1	-	-	-	-	-	-
	F--	14	-	-	-	1	-	1	-	-	-	-	-	-	2	-	4	1	1	1	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	489	4	6	7	3	2	7	9	14	15	11	12	19	29	35	51	53	51	37	38	39	27	10	9	-	1
	White-----M--	221	2	1	2	1	1	1	3	6	6	6	1	11	16	12	24	28	30	21	12	17	14	3	3	-	-
	F--	180	2	4	3	-	-	4	3	5	6	5	8	4	6	13	19	14	16	12	15	19	13	3	5	-	1
	Nonwhite--M--	42	-	1	1	2	-	1	2	2	3	-	1	2	2	3	4	6	2	1	5	2	-	1	1	-	-
	F--	46	-	-	1	-	1	1	1	1	-	-	2	2	5	7	4	5	3	3	6	1	-	3	-	-	-
204	Leukemia and aleukemia----------	209	5	2	5	3	6	15	6	6	4	8	6	8	10	15	12	14	22	23	17	12	6	4	-	-	-
	White-----M--	96	1	-	2	2	3	8	1	3	3	4	2	3	3	5	4	7	10	16	7	9	-	3	-	-	-
	F--	71	3	-	1	1	1	4	2	1	-	3	2	4	4	6	3	5	9	5	8	2	6	1	-	-	-
	Nonwhite--M--	24	-	1	-	-	2	1	2	2	1	1	1	1	2	3	3	1	3	-	-	-	-	-	-	-	-
	F--	18	1	1	2	-	-	2	1	-	-	-	1	-	1	1	2	1	-	2	2	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	153	2	-	-	-	1	6	3	6	6	5	7	11	7	7	15	12	22	18	10	7	6	2	-	-	-
	White-----M--	83	-	-	-	-	1	4	1	3	3	1	5	6	4	3	11	6	13	5	7	5	5	-	-	-	-
	F--	47	1	-	-	-	-	-	2	3	2	1	2	3	2	2	1	3	9	9	3	1	1	2	-	-	-
	Nonwhite--M--	21	1	-	-	-	-	2	-	-	1	3	-	2	1	2	2	-	4	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	125	6	2	-	2	-	8	5	1	3	3	4	9	21	11	15	9	10	6	2	2	5	-	-	-	1
	White-----M--	48	5	-	-	1	-	2	4	1	1	1	2	2	2	5	4	4	5	4	-	1	4	-	-	-	-
	F--	38	1	-	-	-	-	5	-	-	2	2	1	3	8	3	4	1	3	2	1	1	1	-	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	-	-	-	-	-	1	-	2	1	2	2	-	-	-	-	-	-	-	-	-
	F--	30	-	1	-	1	-	1	1	-	-	-	-	4	9	2	5	2	2	-	1	-	-	-	-	-	1
260	Diabetes mellitus-	436	-	-	-	1	-	1	3	8	1	17	16	16	16	24	32	36	57	72	53	44	23	12	4	-	-
	White-----M--	135	-	-	-	-	1	-	-	1	8	4	8	4	7	10	10	16	17	22	15	7	5	-	-	-	-
	F--	166	-	-	-	1	-	-	2	4	-	5	4	1	2	5	8	9	19	34	24	25	14	6	3	-	-
	Nonwhite--M--	58	-	-	-	-	-	1	2	-	2	2	5	3	6	5	4	7	10	10	1	2	-	-	-	-	-
	F--	77	-	-	-	-	-	-	2	-	2	2	3	4	4	7	10	10	12	11	6	2	2	1	1	-	-
290-293	Anemias----------	68	6	1	-	1	-	1	4	4	1	-	3	4	3	1	2	3	7	7	6	7	3	3	-	1	-
	White-----M--	20	1	-	-	-	-	1	1	2	-	-	-	-	-	-	2	-	3	1	2	3	1	2	-	1	-
	F--	22	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	1	3	3	4	3	2	1	-	-	-
	Nonwhite--M--	13	2	-	-	1	-	-	2	-	-	-	-	1	1	-	-	2	-	3	-	1	-	-	-	-	-
	F--	13	3	1	-	-	-	-	1	2	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	49	17	4	5	2	1	1	3	1	1	-	3	-	2	-	1	-	1	4	2	-	1	-	-	-	-
	White-----M--	12	1	-	2	1	1	1	1	-	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	10	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-
	Nonwhite--M--	14	7	3	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	7	1	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,358	33	12	6	1	2	17	24	38	88	106	194	363	640	837	1,188	1,328	1,858	2,213	2,301	2,231	1,633	807	323	87	28
	White-----M--	6,793	8	2	1	-	-	4	7	9	21	30	66	115	258	399	472	603	853	928	1,003	953	691	286	102	21	1
	F--	4,619	10	4	2	1	1	5	7	9	22	16	24	46	78	100	155	212	390	578	761	870	733	375	170	47	3
	Nonwhite--M--	2,647	5	4	1	-	1	4	3	5	21	29	54	106	177	190	316	295	365	380	298	208	95	52	24	9	5
	F--	2,299	10	2	2	-	-	4	7	15	24	31	50	96	147	148	245	218	270	327	239	200	114	94	27	10	19
330-334, 400-468	Diseases of cardiovascular system-	15,816	33	11	5	1	2	14	18	28	72	91	180	340	607	800	1,151	1,279	1,817	2,164	2,246	2,175	1,587	777	308	84	26
	White-----M--	6,622	8	2	1	-	-	4	5	8	17	23	61	107	229	390	459	591	820	913	984	958	674	270	96	21	1
	F--	4,477	10	3	1	1	1	4	5	5	15	14	22	42	75	95	148	204	383	569	747	848	710	365	162	45	3
	Nonwhite--M--	2,535	5	4	1	-	1	3	3	4	20	25	52	105	167	179	306	276	354	368	287	197	92	49	24	8	5
	F--	2,182	10	2	2	-	-	3	5	11	20	29	45	86	136	136	238	208	260	314	228	192	111	93	26	10	17
330-334	Vascular lesions, etc.*----------	4,114	10	4	2	-	1	1	1	4	13	27	40	74	136	175	300	309	433	568	606	621	464	221	70	30	4
	White-----M--	1,404	3	-	-	-	-	-	1	5	5	14	11	27	41	68	84	154	185	244	258	195	77	22	10	-	-
	F--	1,323	4	1	1	-	1	-	1	2	1	6	6	16	26	33	54	64	108	170	213	247	217	100	39	13	-
	Nonwhite--M--	711	1	2	1	-	-	-	-	-	4	5	12	22	49	51	93	82	91	105	77	60	29	19	6	1	1
	F--	676	2	1	-	-	-	1	-	1	3	11	8	25	34	50	85	79	80	108	72	56	23	25	3	6	3
400-402	Rheumatic fever---	60	2	-	2	1	1	6	11	7	3	3	8	1	2	6	2	1	1	1	-	2	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	2	3	2	1	2	4	-	1	4	-	1	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	1	-	-	2	1	1	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	14	1	-	-	-	1	2	3	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	1	-	2	-	-	2	3	2	1	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart-	10,657	21	7	-	-	-	6	6	16	49	53	114	236	436	580	788	909	1,324	1,480	1,517	1,414	985	470	189	40	17
	White-----M--	4,847	5	2	-	-	-	2	2	5	10	16	39	89	191	333	376	481	646	678	686	633	414	168	60	10	1
	F--	2,834	6	2	-	-	-	3	2	2	11	7	14	19	46	55	81	131	263	373	497	540	436	226	95	22	3
	Nonwhite--M--	1,641	3	2	-	-	-	1	-	2	14	17	31	75	104	117	196	178	248	244	193	119	54	20	15	6	2
	F--	1,335	7	1	-	-	-	-	2	7	14	13	30	53	95	75	135	119	167	185	141	122	81	56	19	2	11
410-416	Chronic rheumatic heart disease----	324	-	-	-	-	-	2	1	5	19	12	15	22	31	25	27	32	32	25	23	24	12	10	6	1	-
	White-----M--	127	-	-	-	-	-	-	-	1	5	4	7	10	15	11	10	14	14	11	9	10	4	1	-	1	-
	F--	113	-	-	-	-	-	2	1	2	6	3	3	7	10	9	5	11	10	7	9	8	7	7	6	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	1	5	2	2	2	4	2	4	2	6	3	4	3	1	-	-	-	-
	F--	43	-	-	-	-	-	-	-	1	3	3	3	3	2	3	8	5	2	4	1	3	-	2	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,730	4	1	-	-	-	2	-	3	10	17	47	109	234	343	444	547	773	848	838	724	479	211	68	18	10
	White-----M--	3,176	2	1	-	-	-	2	-	1	2	8	19	58	144	254	281	355	461	469	428	355	219	91	22	3	1
	F--	1,487	-	-	-	-	-	-	-	-	3	3	4	6	16	25	40	71	151	220	295	285	223	98	34	11	2
	Nonwhite--M--	634	-	-	-	-	-	-	-	-	2	3	13	31	50	37	77	77	100	98	67	46	16	6	7	3	1
	F--	433	2	-	-	-	-	-	-	2	3	3	11	14	24	27	46	44	61	61	48	38	21	16	5	1	6
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,218	1	2	-	-	-	-	2	1	2	2	9	12	14	32	35	51	108	137	206	225	187	113	66	10	3
	White-----M--	447	-	1	-	-	-	-	2	1	1	-	4	2	4	15	10	22	39	41	74	93	76	39	21	2	-
	F--	431	1	-	-	-	-	-	-	-	1	-	3	-	3	2	2	6	25	40	73	87	90	53	36	8	1
	Nonwhite--M--	180	-	1	-	-	-	-	-	-	-	1	1	3	3	9	14	16	25	38	30	21	10	5	3	-	-
	F--	160	-	-	-	-	-	-	-	-	-	1	1	1	7	4	6	9	7	19	18	29	24	11	16	6	-	2
430-434	Other diseases of heart---------	906	16	4	-	-	-	2	3	6	14	15	23	32	62	59	66	81	108	100	100	104	58	36	14	3	-
	White-----M--	379	3	-	-	-	-	-	-	1	2	4	8	11	17	25	30	35	49	46	57	45	29	8	7	2	-
	F--	176	5	2	-	-	-	1	1	-	1	1	2	3	5	3	7	8	20	18	19	33	19	22	5	1	-
	Nonwhite--M--	198	3	1	-	-	-	1	-	1	5	6	4	14	19	21	17	21	26	24	16	11	4	2	2	-	-
	F--	153	5	1	-	-	-	-	2	4	6	4	9	4	21	10	12	17	13	12	8	15	6	4	-	-	-
440-443	Hypertension with heart dis.---	2,479	-	-	-	-	-	-	-	1	4	7	20	61	95	121	216	198	303	370	350	337	249	100	35	8	4
	White-----M--	718	-	-	-	-	-	-	-	1	-	-	1	8	11	28	45	55	83	111	118	130	86	29	10	2	-
	F--	627	-	-	-	-	-	-	-	-	-	-	2	3	12	16	27	35	57	88	101	127	97	46	14	2	-
	Nonwhite--M--	588	-	-	-	-	-	-	-	-	2	5	11	25	28	48	84	62	91	81	76	38	23	7	3	3	1
	F--	546	-	-	-	-	-	-	-	-	2	2	6	25	44	29	60	46	72	90	55	42	43	18	8	1	3
444-447	Hypertension without mention of heart----------	315	-	-	-	-	-	-	-	-	1	4	10	16	23	26	31	23	19	49	24	37	21	23	6	1	1
	White-----M--	81	-	-	-	-	-	-	-	-	-	-	-	2	4	9	7	9	3	16	5	15	8	2	1	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	2	2	11	9	15	11	13	3	1	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	1	1	7	7	12	8	9	8	7	10	6	4	2	2	1	-	1
	F--	72	-	-	-	-	-	-	-	-	-	3	3	4	6	6	13	4	7	12	4	3	-	6	1	-	-
450	General arteriosclerosis--------	457	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	13	19	33	74	83	110	59	41	12	4
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	5	16	33	26	52	21	12	1	-
	F--	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	9	23	38	44	24	24	8	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	4	10	9	7	8	2	1	1
	F--	52	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	4	8	10	7	6	3	2	3
451-468	Other diseases of circulatory sys.-	213	-	-	1	-	-	1	-	1	6	4	7	13	9	12	24	24	21	33	25	18	7	4	2	1	-
	White-----M--	98	-	-	1	-	-	-	-	-	1	-	3	5	6	2	8	13	12	17	16	6	5	2	1	-	-
	F--	57	-	-	-	-	-	1	-	-	2	1	2	4	2	3	8	4	6	6	5	7	2	2	1	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	1	1	-	-	1	3	5	4	-	5	1	5	-	-	-	-	-
	F--	32	-	-	-	-	-	-	-	1	2	2	2	4	-	4	3	3	3	5	3	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	542	-	1	1	-	-	3	6	10	16	15	14	23	33	37	37	49	41	49	55	56	46	30	15	3	2
	White-----M--	171	-	-	-	-	-	-	2	1	4	7	5	8	9	9	13	12	13	15	19	15	17	16	6	-	-
	F--	142	-	1	1	-	-	1	2	4	7	2	2	4	3	5	7	8	7	9	14	22	23	10	8	2	-
	Nonwhite--M--	112	-	-	-	-	-	1	-	1	1	4	2	1	10	11	10	19	11	12	11	11	3	3	-	1	-
	F--	117	-	-	-	-	-	1	2	4	4	2	5	10	11	12	7	10	10	13	11	8	3	1	1	-	2
480-493	Influenza and pneumonia, etc.*-	1,538	453	68	27	15	13	25	11	16	8	15	20	34	33	29	54	57	65	109	114	136	124	62	32	15	3
	White-----M--	417	70	16	9	4	2	3	5	3	1	3	3	7	8	8	20	12	17	44	34	56	51	23	11	6	1
	F--	357	70	13	2	2	2	8	1	3	2	2	1	3	3	3	5	13	11	22	40	52	50	30	14	5	-
	Nonwhite--M--	407	168	21	11	5	6	10	3	3	1	3	9	14	15	11	16	14	27	24	17	9	10	5	2	2	1
	F--	357	145	18	5	4	3	4	2	7	4	7	7	10	7	7	13	18	10	19	23	19	13	4	5	2	1
480-483	Influenza---------	347	59	7	3	2	3	7	2	4	2	3	2	10	12	8	14	12	12	33	36	43	39	20	9	4	1
	White-----M--	111	12	2	1	2	-	1	1	1	-	-	-	1	4	3	6	3	3	14	9	18	15	11	2	1	1
	F--	97	14	2	1	-	1	4	-	1	1	-	-	2	-	1	1	3	1	5	13	17	17	8	4	1	-
	Nonwhite--M--	67	18	2	-	-	1	1	1	1	-	-	1	4	4	3	4	2	6	7	5	1	3	1	1	1	-
	F--	72	15	1	1	-	1	1	-	1	1	3	1	3	4	1	3	4	2	7	9	7	4	-	2	1	-
490-493	Pneumonia, etc.*--	1,191	394	61	24	13	10	18	9	12	6	12	18	24	21	21	40	45	53	76	78	93	85	42	23	11	2
	White-----M--	306	58	14	8	2	2	2	4	2	1	3	3	6	4	5	14	9	14	30	25	38	36	12	9	5	-
	F--	260	56	11	1	2	1	4	1	2	1	2	1	1	3	2	4	10	10	17	27	35	33	22	10	4	-
	Nonwhite--M--	340	150	19	11	5	5	9	2	2	1	3	8	10	11	8	12	12	21	17	12	8	7	4	1	1	1
	F--	285	130	17	4	4	2	3	2	6	3	4	6	7	3	6	10	14	8	12	14	12	9	4	3	1	1
500-502	Bronchitis--------	60	24	4	2	2	-	-	1	-	1	-	-	-	-	2	1	4	1	2	4	3	6	-	2	1	-
	White-----M--	24	6	2	1	2	-	-	1	-	1	-	-	-	-	2	1	3	1	1	2	-	1	-	-	-	-
	F--	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	-	1	1	-
	Nonwhite--M--	9	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	F--	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	146	2	1	-	-	-	-	-	1	-	6	1	6	7	14	16	15	27	16	12	11	6	5	-	-	-
	White-----M--	81	-	-	-	-	-	-	-	1	-	1	-	2	3	5	9	9	16	13	8	8	3	3	-	-	-
	F--	21	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	5	2	2	3	3	1	-	-	-
	Nonwhite--M--	33	2	-	-	-	-	-	-	-	-	3	1	1	3	6	6	2	6	1	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	2	-	-	-	-	-	1	-	-	-
550-553	Appendicitis------	40	-	1	1	-	-	2	1	1	3	6	1	1	2	1	1	3	5	4	3	3	1	-	-	-	-
	White-----M--	17	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	1	2	3	1	1	2	1	-	-	-
	F--	8	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	1	1	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	158	22	5	1	1	-	3	1	-	4	2	6	4	7	6	8	8	12	22	17	13	12	3	1	-	-
	White-----M--	50	8	1	-	-	-	1	-	-	-	-	1	2	2	3	2	1	5	6	6	5	4	2	1	-	-
	F--	41	3	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	2	8	8	7	6	1	-	-	-
	Nonwhite--M--	38	7	3	1	-	-	2	-	-	1	2	1	1	1	1	1	4	5	4	2	1	1	-	-	-	-
	F--	29	4	1	-	1	-	-	1	-	2	-	3	1	2	1	5	2	-	4	1	-	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*--	281	205	10	5	7	3	1	-	2	1	3	3	3	3	2	2	3	4	6	6	5	2	4	1	-	-
	White-----M--	40	19	2	1	1	-	-	-	2	-	1	1	2	1	-	-	2	-	5	1	1	1	-	-	-	-
	F--	39	11	2	1	2	1	1	-	-	1	1	-	-	1	-	2	1	2	1	5	3	1	2	1	-	-
	Nonwhite--M--	110	94	5	-	4	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-
	F--	92	81	1	3	-	2	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-	-	-
581	Cirrhosis of liver	202	-	-	-	-	-	-	1	-	-	4	6	9	22	34	30	28	18	20	15	6	5	4	-	-	-
	White-----M--	115	-	-	-	-	-	-	-	-	-	2	4	4	12	24	19	15	9	11	9	2	2	2	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	2	6	6	4	8	6	2	5	3	3	2	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	1	2	4	2	6	4	1	6	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	1	2	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	81	1	2	2	3	2	7	-	2	6	2	3	3	9	3	7	7	4	4	3	6	1	3	1	-	-
	White-----M--	24	-	-	-	-	1	2	-	1	1	-	2	-	-	2	3	3	1	2	1	4	1	-	-	-	-
	F--	17	-	-	1	1	-	1	-	1	2	1	-	1	1	-	-	1	-	2	1	2	-	2	-	-	-
	Nonwhite--M--	20	1	2	-	1	1	2	-	-	-	-	-	1	3	1	2	2	-	-	-	-	1	1	-	-	-
	F--	20	-	-	1	1	-	2	-	-	3	1	1	1	5	-	2	1	1	-	1	-	-	-	-	-	-
610	Hyperplasia of prostate---------	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	16	18	19	24	7	3	-	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	12	12	20	5	3	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	8	6	7	4	2	-	-	-
640-689	Complications of pregnancy, etc.*-	109	...	...	...	...	...	...	-	13	23	17	23	22	8	2	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	45	...	...	...	...	...	...	-	4	10	10	11	5	4	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	64	...	...	...	...	...	...	-	9	13	7	12	17	4	2	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	18	...	...	...	...	...	...	-	1	7	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	...	...	...	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	...	...	...	...	...	...	-	1	4	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	91	...	...	...	...	...	...	-	12	16	14	20	18	8	2	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	39	...	...	...	...	...	...	-	4	7	8	11	4	4	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	52	...	...	...	...	...	...	-	8	9	6	9	14	4	2	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	470	359	21	13	7	4	8	9	7	8	3	3	6	4	3	4	3	3	1	1	1	-	2	-	-	-
	White-----M--	203	160	4	4	2	1	4	6	2	2	1	1	3	1	1	3	3	-	1	1	1	-	2	-	-	-
	F--	161	118	13	6	3	2	3	2	1	4	1	-	2	1	2	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	68	54	1	2	-	1	-	1	3	2	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F--	38	27	3	1	2	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,990	1,989	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	661	660	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	431	431	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	494	494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	718	717	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	275	274	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,123	1,123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	688	160	12	9	2	4	7	2	6	6	11	7	16	25	20	33	32	43	44	44	48	52	45	35	16	9
	White-----M--	186	26	1	-	1	1	1	-	-	-	2	3	5	9	5	10	9	15	16	14	18	21	13	13	3	-
	F--	140	25	1	1	-	1	-	-	2	1	-	-	1	5	-	7	6	5	7	8	10	15	16	20	8	1
	Nonwhite--M--	195	61	5	5	1	2	2	-	2	4	3	1	2	5	9	11	8	14	11	16	11	11	6	1	1	3
	F--	167	48	5	3	-	-	4	2	2	1	6	3	8	6	6	5	9	9	10	6	9	5	10	1	4	5
Residual	All other diseases	1,451	124	21	15	14	3	25	23	30	19	37	60	82	80	88	101	111	117	145	130	95	76	33	20	1	1
	White-----M--	561	48	8	6	4	-	7	7	9	9	13	21	28	27	37	32	53	48	55	57	40	28	12	10	1	1
	F--	431	27	4	2	4	2	10	6	8	1	7	18	16	8	18	25	25	38	54	55	43	36	16	8	-	-
	Nonwhite--M--	257	24	4	4	4	1	4	5	5	2	9	16	19	29	16	28	20	20	20	13	3	8	2	1	-	-
	F--	202	25	5	3	2	-	4	5	8	7	8	5	19	16	17	16	13	11	16	5	9	4	3	1	-	-
E800-E962	Accidents----------	2,463	177	57	31	42	40	106	96	204	249	208	173	147	137	113	115	94	86	83	78	90	70	47	17	2	1
	White-----M--	1,243	36	24	11	12	15	46	50	112	158	119	102	89	69	61	61	49	50	41	39	48	31	13	7	-	-
	F--	411	34	13	5	10	10	20	18	26	20	18	13	9	17	13	18	9	20	14	24	32	29	30	8	1	-
	Nonwhite--M--	602	70	14	7	13	7	27	22	55	58	65	43	37	39	25	29	31	13	22	9	6	6	2	1	1	-
	F--	207	37	6	8	7	8	13	6	11	13	6	15	12	12	14	7	5	3	6	6	4	4	2	1	-	1
E810-E835	Motor-vehicle accidents--------	1,161	7	19	10	17	21	56	39	125	161	120	102	89	86	57	52	41	43	35	35	24	17	5	-	-	-
	White-----M--	682	3	12	7	7	8	31	23	75	102	71	64	58	46	30	25	20	26	21	22	17	10	4	-	-	-
	F--	154	1	2	2	4	6	9	8	19	14	12	8	7	12	7	13	4	7	5	6	4	3	1	-	-	-
	Nonwhite--M--	259	1	3	1	5	4	12	7	23	37	35	23	21	21	13	12	15	7	7	6	3	3	-	-	-	-
	F--	66	2	2	-	1	3	4	1	8	8	2	7	3	7	7	2	2	3	2	1	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,302	170	38	21	25	19	50	57	79	88	88	71	58	51	56	63	53	43	48	43	66	53	42	17	2	1
	White-----M--	561	33	12	4	5	7	15	27	37	56	48	38	31	23	31	36	29	24	20	17	31	21	9	7	-	-
	F--	257	33	11	3	6	4	11	10	7	6	6	5	2	5	6	5	5	13	9	18	28	26	29	8	1	-
	Nonwhite--M--	343	69	11	6	8	3	15	15	32	21	30	20	16	18	12	17	16	6	15	3	3	3	2	1	1	-
	F--	141	35	4	8	6	5	9	5	3	5	4	8	9	5	7	5	3	-	4	5	4	3	2	1	-	1
E963, E970-E979	Suicide----------	322	-	-	-	-	-	-	1	8	18	24	39	31	37	33	43	25	22	11	15	12	1	2	-	-	-
	White-----M--	230	-	-	-	-	-	-	-	4	9	14	26	25	26	25	32	13	21	9	14	10	-	2	-	-	-
	F--	49	-	-	-	-	-	-	-	2	2	6	7	2	6	7	6	7	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	1	4	3	5	4	5	1	5	5	-	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	361	5	-	1	2	-	-	3	23	47	62	61	54	38	22	14	11	8	4	4	-	1	-	-	-	1
	White-----M--	76	2	-	-	-	-	-	-	2	5	9	15	12	9	12	2	3	2	1	2	-	-	-	-	-	-
	F--	22	2	-	1	1	-	-	-	2	-	3	4	3	-	1	-	2	1	-	1	-	-	-	-	-	1
	Nonwhite--M--	215	1	-	-	-	-	-	3	18	31	38	38	30	23	9	10	5	4	3	1	-	1	-	-	-	-
	F--	48	-	-	-	1	-	-	-	1	11	12	4	9	6	-	2	1	1	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES------	5,204	452	37	21	16	8	37	33	54	76	50	49	78	139	170	224	289	411	613	672	690	562	328	146	44	5
	White-----M--	3,144	245	23	8	10	5	22	21	36	48	39	29	49	88	91	142	187	270	386	419	424	325	175	80	19	3
	F--	1,932	180	9	11	6	3	15	11	13	25	11	19	25	46	73	79	96	137	217	239	253	231	146	82	23	2
	Nonwhite--M--	72	16	3	1	-	-	-	-	-	3	-	-	1	4	4	1	2	3	6	10	6	5	3	4	-	-
	F--	56	11	2	1	-	-	-	1	5	-	-	1	3	1	2	2	4	1	4	4	7	1	4	-	2	-
001-019	Tuberculosis, all forms--------	29	1	1	2	-	-	-	-	2	-	-	1	2	-	2	2	3	2	6	3	1	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	-	1	1	-	-	-	-
	F--	12	-	-	1	-	-	-	-	1	-	-	1	1	-	-	1	1	-	3	3	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	23	-	-	2	-	-	-	-	1	-	-	1	2	-	1	2	2	2	5	3	1	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	1	1	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	3	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	12	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	4	-	3	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	4	-	3	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	4	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	2	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	-	-	1	-	-	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	2	3	-	-	1	-	1	-	1	2	-	1	1	1	1	1	-	3	1	1	-	-	-	-	-
	White-----M--	12	-	2	-	-	1	-	1	-	-	1	-	-	1	1	1	1	-	2	-	1	-	-	-	-	-
	F--	8	2	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	743	1	2	2	1	1	6	4	5	1	7	2	9	27	41	47	67	86	103	122	112	58	26	12	1	-
	White-----M--	416	-	2	-	1	-	4	2	3	1	7	1	5	8	10	19	35	46	54	78	78	38	15	8	1	-
	F--	319	1	-	1	-	1	2	2	2	-	-	1	3	19	31	28	31	40	48	43	31	20	11	4	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	3	2	1	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	313	-	-	-	-	-	2	-	-	-	1	-	3	4	15	20	23	37	42	62	58	27	10	8	1	-
	White-----M--	189	-	-	-	-	-	1	-	-	-	1	-	2	3	6	9	12	23	21	40	39	18	6	7	1	-
	F--	124	-	-	-	-	-	1	-	-	-	-	-	1	1	9	11	11	14	21	22	19	9	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	63	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	9	9	18	9	6	2	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	8	7	15	8	4	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast---------	61	-	-	-	-	-	-	-	-	-	-	-	1	7	8	7	6	9	7	5	4	5	-	2	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	-	-	-	-	-	-	-	-	-	-	-	1	7	8	7	6	9	7	5	4	5	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	122	-	-	-	-	-	-	1	-	-	-	-	-	6	5	5	9	12	16	25	24	10	9	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	6	20	20	9	7	-	-	-
	F--	52	-	-	-	-	-	-	1	-	-	-	-	-	5	5	5	7	8	10	5	3	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs-	32	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	7	5	5	5	4	-	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	5	3	3	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	1	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	69	1	-	1	-	-	2	2	2	-	1	1	3	4	4	4	9	4	8	6	10	3	4	-	-	-
	White-----M--	34	-	-	-	-	-	1	1	2	-	1	1	1	1	-	3	5	3	3	1	7	2	2	-	-	-
	F--	31	1	-	1	-	-	1	1	-	-	-	-	1	3	4	1	4	1	5	4	1	1	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	39	-	2	1	1	1	1	1	3	-	2	-	1	1	-	1	4	3	5	5	1	5	1	-	-	-
	White-----M--	22	-	2	-	1	-	1	1	1	-	2	-	1	-	-	1	2	2	3	2	1	2	-	-	-	-
	F--	16	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	2	1	2	3	-	3	1	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	32	-	-	-	-	-	1	-	-	1	3	1	-	1	2	6	5	5	1	4	1	-	1	-	-	-
	White-----M--	20	-	-	-	-	-	1	-	-	1	3	-	-	1	-	3	4	3	1	2	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	2	-	2	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	20	-	-	-	-	-	1	1	-	2	-	-	2	-	3	-	2	2	3	1	2	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-
	F--	13	-	-	-	-	-	1	1	-	1	-	-	2	-	3	-	-	2	2	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	96	-	-	-	-	-	-	-	-	2	1	3	3	-	2	3	8	9	8	19	23	10	5	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	2	1	2	3	-	1	4	2	3	10	12	5	1	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	7	5	9	11	5	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	16	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	-	1	4	4	-	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	4	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White-----M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,746	2	-	-	-	-	3	9	2	7	8	9	22	57	66	112	153	248	381	441	439	406	243	100	36	2
	White-----M--	1,685	1	-	-	-	-	3	3	1	4	4	5	14	41	42	77	106	173	246	275	267	225	132	49	16	1
	F--	1,025	1	-	-	-	-	-	6	-	3	4	4	8	13	23	34	45	73	129	159	167	177	109	49	20	1
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	3	6	2	3	1	2	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	3	1	3	1	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,696	2	-	-	-	-	3	8	2	4	6	9	21	53	63	109	150	241	376	437	436	399	242	98	35	2
	White-----M--	1,656	1	-	-	-	-	3	2	1	3	4	5	13	38	42	75	105	168	244	273	285	219	132	47	15	1
	F--	1,005	1	-	-	-	-	-	6	-	1	2	4	8	13	20	33	43	71	126	157	166	176	108	49	20	1
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	6	2	3	1	2	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	3	1	3	1	1	-	-	-
330-334	Vascular lesions, etc.*----------	684	1	-	-	-	-	-	1	1	1	1	1	8	10	14	26	29	47	102	105	118	132	55	28	4	-
	White-----M--	382	-	-	-	-	-	-	1	1	1	1	1	2	7	9	12	12	31	61	62	69	73	27	11	3	-
	F--	297	1	-	-	-	-	-	1	-	-	-	1	6	3	5	13	16	15	41	43	48	58	28	17	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
400-402	Rheumatic fever----	12	-	-	-	-	-	3	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	3	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
410-443	Diseases of heart-	1,784	-	-	-	-	-	-	2	-	2	2	7	13	40	45	79	118	176	254	304	279	225	153	57	26	2
	White-----M--	1,133	-	-	-	-	-	-	-	-	1	1	5	11	28	31	61	91	123	171	195	173	124	81	27	9	1
	F--	625	-	-	-	-	-	-	2	-	1	1	2	2	10	13	18	26	52	78	102	102	100	70	28	17	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	6	2	1	1	2	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	73	-	-	-	-	-	-	2	-	1	2	3	4	10	6	11	4	7	9	9	2	1	1	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	1	1	3	6	2	6	1	3	3	5	1	-	-	-	-	-
	F--	41	-	-	-	-	-	-	2	-	1	1	2	1	4	4	5	3	4	6	4	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,183	-	-	-	-	-	-	-	-	-	-	4	6	19	31	53	84	125	180	207	194	142	89	37	12	-
	White-----M--	806	-	-	-	-	-	-	-	-	-	-	4	6	16	25	47	69	94	124	145	125	79	50	19	3	-
	F--	359	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	15	30	53	57	67	62	37	17	9	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	4	1	1	1	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	203	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	10	23	25	37	35	31	14	11	2
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	17	11	23	19	14	5	5	1
	F--	95	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	5	6	14	14	16	17	8	6	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	115	-	-	-	-	-	-	-	-	1	-	-	1	5	3	1	4	14	15	22	18	17	12	1	1	-
	White-----M--	70	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	3	10	13	14	11	6	7	-	1	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	4	2	7	6	11	5	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	210	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	20	20	27	41	28	30	20	4	2	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	2	3	2	7	13	11	14	20	13	20	10	3	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	9	11	20	14	10	10	1	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	36	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	8	5	6	5	3	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	6	1	2	4	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	15	29	34	31	12	5	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	11	16	19	23	9	3	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	13	13	8	3	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	41	1	-	-	-	-	-	-	-	1	1	-	-	-	2	2	1	6	6	7	5	5	3	1	-	-
	White-----M--	24	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	6	3	3	2	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	4	2	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	50	-	-	-	-	-	-	1	-	3	2	-	1	4	3	3	3	7	5	4	3	7	1	2	1	-
	White-----M--	29	-	-	-	-	-	-	1	-	1	-	-	1	3	-	2	1	5	2	2	2	6	-	2	1	-
	F--	20	-	-	-	-	-	-	-	-	2	2	-	-	-	3	1	2	2	3	2	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	187	32	4	-	-	-	2	-	2	1	1	2	-	4	-	2	5	6	22	19	25	34	14	9	3	-
	White-----M--	98	12	3	-	-	-	1	-	1	-	-	-	-	3	-	1	2	5	16	10	10	20	6	7	1	-
	F--	75	14	1	-	-	-	1	-	1	1	1	2	-	1	-	-	3	1	5	8	13	12	7	2	2	-
	Nonwhite--M--	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
480-483	Influenza---------	50	7	-	-	-	-	1	-	-	1	1	1	-	-	-	-	2	2	5	3	9	9	5	3	1	-
	White-----M--	21	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	3	1	2	4	2	3	1	-
	F--	27	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	-	2	2	6	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	137	25	4	-	-	-	1	-	2	-	-	1	-	4	-	2	3	4	17	16	16	25	9	6	2	-
	White-----M--	77	10	3	-	-	-	-	-	1	-	-	-	-	3	-	1	2	3	13	9	8	16	4	4	-	-
	F--	48	9	1	-	-	1	-	-	1	-	-	1	-	1	-	-	1	1	3	6	7	7	5	2	2	-
	Nonwhite--M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis---------	7	3	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	4	5	5	-	-	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	4	3	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	-	-	-	-	1	-	-	-	1	-	1	-	1	-	2	1	1	3	2	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	33	7	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	3	3	3	6	3	-	1	1	-
	White-----M--	18	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	4	3	-	1	-	-
	F--	12	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*--	24	8	1	-	-	-	-	-	-	2	-	1	-	1	1	1	-	1	1	2	3	2	-	-	-	-
	White-----M--	11	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	-	-	-	-	-
	F--	10	3	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	32	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	4	7	6	2	4	1	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	3	5	5	2	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	4	4	3	4	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	4	3	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
640-689	Complications of pregnancy, etc.*-	10	...	...	...	...	...	...	-	1	1	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	10	...	...	...	...	...	...	-	1	1	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	...	...	...	-	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	102	85	4	5	-	-	-	-	-	1	-	-	1	-	2	1	-	-	1	1	-	1	-	-	-	-
	White-----M--	49	42	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-
	F--	48	39	2	4	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	63	4	-	1	-	-	-	-	-	-	-	-	-	1	2	1	3	-	6	4	8	9	14	8	2	-
	White-----M--	37	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	3	6	7	7	4	-	-
	F--	20	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	2	4	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Residual	All other diseases	242	17	2	5	4	2	3	3	1	6	5	9	7	6	14	22	12	18	29	22	27	10	10	6	-	2
	White-----M--	140	10	-	4	2	2	-	1	1	3	2	5	4	2	9	14	7	11	19	12	16	4	7	4	-	1
	F--	92	6	1	1	2	-	3	2	-	3	3	3	2	3	4	8	5	6	10	9	10	6	3	1	-	1
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-
E800-E962	Accidents----------	413	22	18	5	9	2	17	13	38	46	23	12	23	28	24	11	18	15	24	14	21	14	10	4	1	1
	White-----M--	302	11	11	3	5	1	12	13	29	35	22	11	19	24	16	9	15	13	19	10	10	7	3	2	1	1
	F--	95	9	4	2	4	1	5	-	7	9	1	1	4	3	5	2	1	2	5	3	11	7	7	2	-	-
	Nonwhite--M--	12	1	2	-	-	-	-	-	-	2	-	-	-	1	3	-	2	-	-	1	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	178	4	9	2	4	2	5	5	18	31	15	9	12	11	12	7	6	6	9	3	4	2	2	-	-	-
	White-----M--	132	1	6	1	2	1	4	5	12	22	15	8	9	9	6	6	5	4	7	2	4	2	1	-	-	-
	F--	38	3	2	1	2	1	1	-	5	7	-	1	3	2	3	1	1	2	2	-	-	-	1	-	-	-
	Nonwhite--M--	7	-	1	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	235	18	9	3	5	-	12	8	20	15	8	3	11	17	12	4	12	9	15	11	17	12	8	4	1	1
	White-----M--	170	10	5	2	3	-	8	8	17	13	7	3	10	15	10	3	10	9	12	8	6	5	2	2	1	1
	F--	57	6	2	1	2	-	4	-	2	2	1	-	1	1	2	1	-	-	3	3	11	7	6	2	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	52	-	-	-	-	-	-	-	1	2	2	4	3	6	8	6	3	5	6	-	3	2	1	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	1	-	2	3	1	5	8	6	2	5	5	-	3	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	7	1	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES------	86,175	5,533	372	215	196	153	409	332	563	680	891	1,075	1,471	2,236	3,334	4,523	6,447	8,255	9,929	10,972	10,985	9,325	5,514	2,194	442	129
	White-----M--	45,180	2,736	170	101	90	79	209	197	382	409	446	524	745	1,173	1,810	2,483	3,800	4,885	5,625	5,856	5,573	4,455	2,399	833	148	52
	F--	34,556	2,053	154	90	83	55	169	109	133	164	285	361	472	697	1,032	1,391	2,026	2,777	3,743	4,586	5,014	4,564	2,970	1,289	280	59
	Nonwhite--M--	3,672	405	27	14	10	9	16	15	22	64	103	103	131	207	251	378	363	387	331	294	218	179	73	39	5	8
	F--	2,767	339	21	10	13	10	15	11	26	43	57	87	123	159	241	271	236	206	230	236	180	127	72	33	9	10
001-019	Tuberculosis, all forms--------	991	7	9	2	8	4	4	2	3	17	41	59	45	81	93	81	103	128	121	88	49	29	14	2	1	-
	White-----M--	560	1	1	1	3	2	3	-	1	2	11	16	14	33	52	50	75	88	94	60	29	16	6	1	1	-
	F--	213	4	6	1	3	-	-	-	1	5	14	24	12	18	17	8	15	21	14	17	16	11	6	-	-	-
	Nonwhite--M--	143	1	-	-	-	1	-	1	-	2	11	5	15	18	17	21	12	16	9	10	2	1	1	-	-	-
	F--	75	1	2	-	2	1	1	1	1	8	5	14	4	12	7	2	1	3	4	1	2	1	1	1	-	-
001-008	Tuberculosis of respiratory system----------	880	1	2	1	3	3	-	-	2	15	31	52	42	68	84	77	95	120	110	85	47	27	12	2	1	-
	White-----M--	526	-	-	1	2	2	-	-	1	2	9	15	14	29	49	50	73	85	86	58	29	14	5	1	1	-
	F--	178	-	1	-	-	-	-	-	-	4	12	23	11	14	15	6	11	19	14	17	14	11	6	-	-	-
	Nonwhite--M--	121	-	-	-	-	1	-	-	-	2	8	4	13	17	14	19	10	14	7	9	2	1	-	-	-	-
	F--	55	1	1	-	1	-	-	-	1	7	2	10	4	8	6	2	1	2	3	1	2	1	1	1	-	-
010-019	Tuberculosis, other forms------	111	6	7	1	5	1	4	2	1	2	10	7	3	13	9	4	8	8	11	3	2	2	2	-	-	-
	White-----M--	34	1	1	-	1	-	3	-	-	-	2	1	-	4	3	-	2	3	8	2	-	2	1	-	-	-
	F--	35	4	5	1	3	-	-	-	1	1	2	1	1	4	2	2	4	2	-	-	2	-	-	-	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	1	-	-	3	1	2	1	3	2	2	2	2	1	-	-	1	-	-	-
	F--	20	-	1	-	1	1	1	1	-	1	3	4	-	4	1	-	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	369	-	-	-	-	-	-	-	-	1	-	4	8	14	29	40	51	64	61	51	28	12	4	1	-	1
	White-----M--	188	-	-	-	-	-	-	-	-	1	-	-	1	3	11	17	28	38	34	26	19	5	4	1	-	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	2	1	4	6	8	6	14	14	16	3	2	-	-	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	1	3	4	5	8	15	9	11	5	4	3	-	-	-	1
	F--	36	-	-	-	-	-	-	-	-	-	-	1	3	3	7	7	2	3	2	4	2	2	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	8	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	15	-	-	-	1	-	1	-	1	-	-	2	-	-	1	1	2	-	4	1	1	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	-	3	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	18	10	3	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	94	22	20	14	3	5	3	7	3	3	2	1	-	1	-	1	3	2	1	2	1	-	-	-	-	-
	White-----M--	54	14	16	3	1	2	2	4	2	2	2	-	-	1	-	1	-	2	-	1	1	-	-	-	-	-
	F--	38	8	4	11	2	2	-	3	1	1	-	1	-	-	-	-	3	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	95	3	4	3	7	1	27	12	11	7	7	6	4	1	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	51	2	2	2	4	1	15	7	7	6	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	40	1	2	-	3	-	10	5	4	1	5	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	18	5	3	2	-	2	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	White-----M--	13	5	3	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	204	19	8	5	2	3	10	7	3	5	8	5	13	8	7	15	16	15	18	12	10	8	4	2	1	-
	White-----M--	102	13	1	2	-	1	4	3	2	1	3	1	7	5	3	10	10	9	7	6	7	4	3	-	-	-
	F--	79	4	7	3	2	2	5	3	1	2	4	3	3	2	3	1	5	5	9	4	3	4	1	2	1	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	-	-	-	-	-	1	1	3	1	1	1	1	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	1	-	2	1	1	3	-	-	1	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*----	13,411	11	23	18	31	28	64	41	41	53	109	147	280	441	743	1,025	1,494	1,741	1,923	1,927	1,596	1,031	474	130	25	15
	White-----M--	6,541	8	13	10	15	12	35	24	19	28	56	53	101	152	298	392	742	900	1,034	1,011	819	524	225	55	6	9
	F--	6,027	3	9	6	15	14	28	15	17	22	44	71	142	242	369	502	622	728	795	844	726	482	236	72	18	5
	Nonwhite--M--	451	-	-	2	1	-	1	1	3	1	6	7	11	16	31	60	88	70	58	43	27	15	8	2	-	-
	F--	392	-	1	-	-	2	-	1	2	2	3	16	26	31	45	71	42	43	36	29	24	10	5	1	1	1
140-148	Of buccal cavity and pharynx------	278	-	-	-	-	1	1	-	-	-	-	1	1	7	16	16	40	51	37	38	32	27	10	-	-	-
	White-----M--	221	-	-	-	-	-	1	-	-	-	-	1	1	5	12	13	32	43	32	30	22	22	7	-	-	-
	F--	44	-	-	-	-	1	-	-	-	-	-	-	-	-	3	1	6	6	4	8	7	5	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	3	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	5,077	-	-	-	-	1	2	1	3	5	10	20	58	94	170	304	523	663	830	867	738	481	231	57	11	8
	White-----M--	2,612	-	-	-	-	1	2	1	1	1	5	9	26	43	85	134	283	367	459	454	388	233	96	19	1	4
	F--	2,160	-	-	-	-	-	-	-	1	2	5	10	27	42	68	125	185	246	326	374	328	241	129	38	10	3
	Nonwhite--M--	200	-	-	-	-	-	-	-	1	1	-	1	2	5	11	28	43	31	30	26	12	5	4	-	-	-
	F--	105	-	-	-	-	-	-	-	-	1	-	-	3	4	6	17	12	19	15	13	10	2	2	-	-	1
160-164	Of respiratory system----------	1,519	-	-	-	-	-	-	-	-	2	6	8	21	49	99	151	258	284	252	184	114	59	20	6	2	4
	White-----M--	1,157	-	-	-	-	-	-	-	-	2	3	3	11	32	66	117	210	230	207	139	81	40	10	3	-	3
	F--	259	-	-	-	-	-	-	-	-	-	2	1	5	7	22	17	24	41	33	43	32	16	10	3	2	1
	Nonwhite--M--	89	-	-	-	-	-	-	-	-	-	1	3	4	7	9	13	21	13	12	2	1	3	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	-	-	-	-	-	-	-	-	-
170	Of breast----------	1,169	-	-	-	-	-	-	-	-	-	4	14	49	71	135	133	140	123	128	131	118	69	39	12	3	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	1	-	1	-	-	-	-	-
	F--	1,087	-	-	-	-	-	-	-	-	-	4	12	40	65	121	121	129	117	121	130	112	64	37	12	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	-	-	-	-	-	-	-	-	-	-	2	9	6	12	12	7	5	6	1	5	5	2	-	1	-
171-179	Of genital organs-	2,176	-	-	-	-	-	1	-	-	1	8	23	44	58	98	130	180	202	246	270	304	287	204	91	26	2	1
	White-----M--	770	-	-	-	-	-	1	-	-	1	3	9	9	9	4	6	8	23	48	109	158	157	136	67	20	2	-
	F--	1,226	-	-	-	-	-	-	-	-	-	5	12	26	40	80	103	139	165	179	145	127	117	61	21	5	-	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	8	7	9	7	5	3	1	-	-
	F--	128	-	-	-	-	-	-	-	-	-	2	9	9	14	20	29	7	11	9	10	6	2	-	-	-	-	-
180, 181	Of urinary organs-	608	1	2	1	4	1	4	-	-	-	1	2	7	10	27	40	62	67	86	104	102	63	18	5	1	-
	White-----M--	380	1	1	1	2	1	1	-	-	-	1	1	3	6	18	23	42	49	55	69	61	35	8	2	-	-
	F--	188	-	1	-	2	-	3	-	-	-	-	1	1	4	5	10	10	17	25	32	37	27	10	2	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	3	-	2	5	5	1	4	2	3	1	-	1	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	-	2	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,455	6	7	9	7	10	19	20	17	19	28	20	48	55	108	96	150	174	189	178	133	84	52	19	5	2
	White-----M--	752	5	6	5	3	5	10	8	6	10	16	8	24	31	69	45	74	84	104	97	67	33	28	10	2	2
	F--	632	1	1	4	4	4	8	12	9	9	9	9	19	20	34	44	67	79	79	73	64	49	23	8	3	-
	Nonwhite--M--	38	-	-	-	-	-	1	-	1	-	2	1	1	2	3	4	6	9	3	4	-	1	-	-	-	-
	F--	33	-	-	-	-	1	-	-	1	-	1	2	4	2	2	3	3	2	3	4	2	1	1	1	-	-
204	Leukemia and aleukemia----------	556	3	8	6	17	12	22	11	14	6	16	16	20	20	23	51	42	52	67	59	48	28	10	3	-	-
	White-----M--	301	1	5	4	7	3	11	10	7	2	9	11	15	10	14	24	24	30	31	33	28	15	7	-	-	-
	F--	231	2	3	2	9	8	11	1	5	4	5	4	5	10	7	24	14	18	35	26	20	13	2	3	-	-
	Nonwhite--M--	16	-	-	2	1	-	-	-	1	-	2	-	-	-	1	2	3	2	1	-	-	-	1	-	-	-
	F--	8	-	-	-	1	-	-	-	1	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	573	1	6	-	3	2	16	9	6	13	21	22	18	37	35	54	77	81	64	62	24	16	3	2	1	-
	White-----M--	339	1	1	-	3	1	10	5	4	10	13	11	12	21	26	28	50	48	36	31	14	10	2	1	1	-
	F--	200	-	4	-	-	1	6	2	2	2	7	8	5	14	6	21	22	25	27	31	9	6	1	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	-	-	1	2	1	1	3	4	2	5	-	-	1	-	-	-	-	-
	F--	13	-	1	-	-	-	-	1	-	1	-	1	-	1	-	1	3	3	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	260	4	5	-	4	1	6	5	1	6	10	17	19	23	26	21	17	22	19	21	15	13	3	2	-	-
	White-----M--	103	2	1	-	2	1	3	2	-	2	6	5	4	5	10	9	10	11	11	6	4	7	2	-	-	-
	F--	135	2	2	-	1	-	2	2	1	3	4	10	12	13	14	12	7	10	8	13	10	6	1	2	-	-
	Nonwhite--M--	7	-	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	F--	15	-	1	-	1	-	-	-	-	1	-	1	3	4	2	-	1	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	1,949	1	2	-	1	1	1	4	4	3	8	16	13	40	56	97	179	297	362	334	287	174	53	15	1	-
	White-----M--	672	-	2	-	-	-	1	2	-	1	3	9	7	16	22	38	66	95	118	110	93	66	14	8	1	-
	F--	1,163	1	-	-	1	1	-	2	3	2	5	6	5	15	21	47	100	187	225	214	183	100	38	7	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	1	-	4	3	3	3	6	2	5	5	4	-	-	-	-
	F--	78	-	-	-	-	-	-	1	-	-	-	-	1	5	10	9	10	9	17	5	6	4	1	-	-	-
290-293	Anemias----------	231	5	6	-	1	1	7	4	2	3	3	4	3	2	4	6	15	17	21	29	49	30	13	4	2	-
	White-----M--	113	3	3	-	-	-	2	1	2	2	2	3	-	1	2	5	9	16	16	25	14	5	2	-	-	-
	F--	106	-	3	-	1	1	4	3	-	1	-	1	1	1	2	3	9	8	4	13	23	16	8	2	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	9	2	-	-	-	-	1	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	104	26	9	3	3	3	4	4	2	1	1	4	3	5	6	9	3	5	2	8	1	1	-	1	-	-
	White-----M--	45	10	2	2	2	2	2	1	1	1	1	-	-	3	2	4	1	4	1	5	-	-	-	1	-	-
	F--	34	11	5	1	1	1	2	3	-	-	-	1	-	-	1	1	2	-	1	3	-	1	-	-	-	-
	Nonwhite--M--	16	4	1	-	-	-	-	-	-	-	-	2	2	1	1	3	-	1	-	-	1	-	-	-	-	-
	F--	9	1	1	-	-	-	-	-	1	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	46,635	33	10	5	9	7	20	38	45	86	141	237	444	860	1,469	2,231	3,335	4,553	5,877	7,004	7,432	6,860	4,132	1,601	329	77
	White-----M--	24,606	16	5	3	2	2	5	21	28	41	57	111	243	520	885	1,349	2,069	2,827	3,339	3,727	3,711	3,157	1,760	592	111	25
	F--	19,266	12	5	2	7	1	13	13	10	30	55	95	128	201	358	566	945	1,409	2,231	2,950	3,458	3,298	2,273	955	209	42
	Nonwhite--M--	1,504	2	-	-	-	2	-	1	2	11	17	14	36	79	107	174	175	196	181	168	140	115	46	32	3	3
	F--	1,259	3	-	-	-	2	2	3	5	4	12	17	37	60	119	142	146	121	126	159	123	90	53	22	6	7
330-334, 400-468	Diseases of cardiovascular system-	45,777	32	10	4	7	5	19	26	36	73	113	215	419	824	1,426	2,175	3,268	4,481	5,789	6,905	7,323	6,567	4,073	1,582	329	76
	White-----M--	24,194	16	5	2	2	2	5	11	23	32	44	103	234	500	868	1,327	2,050	2,789	3,298	3,675	3,665	3,107	1,736	584	111	25
	F--	18,915	11	5	2	5	-	12	11	8	27	41	83	119	190	344	545	929	1,385	2,192	2,912	3,400	3,260	2,240	946	209	41
	Nonwhite--M--	1,454	2	-	-	-	1	-	1	1	10	16	12	31	77	104	168	169	194	175	163	137	111	46	30	3	3
	F--	1,214	3	-	-	-	2	2	3	4	4	12	17	35	57	110	135	140	115	124	155	121	89	51	22	6	7
330-334	Vascular lesions, etc.*----------	10,341	13	4	1	2	-	4	4	5	16	26	44	62	131	249	407	577	862	1,219	1,667	1,914	1,670	1,021	362	62	19
	White-----M--	4,736	6	4	-	-	-	1	3	3	8	12	13	23	50	97	161	269	432	583	809	886	786	425	132	23	10
	F--	4,962	4	-	1	2	-	3	1	2	4	6	24	28	53	103	176	239	353	554	767	961	837	575	224	37	8
	Nonwhite--M--	312	1	-	-	-	-	-	-	-	3	4	2	3	14	18	35	27	43	43	49	35	21	10	3	-	1
	F--	331	2	-	-	-	-	-	-	-	1	4	5	8	14	31	35	42	34	39	42	32	26	11	3	2	-
400-402	Rheumatic fever---	82	2	-	-	3	2	6	14	7	6	5	2	6	4	7	1	6	5	2	1	1	1	1	-	-	-
	White-----M--	38	-	-	-	1	-	1	7	3	2	2	1	3	3	5	1	3	2	1	1	1	1	-	-	-	-
	F--	34	2	-	-	2	-	4	6	2	2	2	1	3	-	2	-	3	3	1	-	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
410-443	Diseases of heart-	31,538	11	4	3	2	3	7	7	23	43	73	145	317	645	1,097	1,655	2,543	3,406	4,246	4,788	4,763	4,128	2,488	918	185	38
	White-----M--	17,587	7	-	2	1	2	3	1	17	19	25	82	194	425	734	1,108	1,682	2,230	2,530	2,632	2,454	1,959	1,068	339	82	11
	F--	12,203	2	4	1	1	-	4	3	3	18	30	48	77	132	217	337	644	969	1,516	1,960	2,153	2,036	1,361	546	119	22
	Nonwhite--M--	995	1	-	-	-	-	-	1	-	4	11	8	24	55	77	120	130	132	122	93	85	81	27	21	2	1
	F--	753	1	-	-	-	1	-	2	3	2	7	7	22	33	69	90	87	75	78	103	71	52	32	12	2	4
410-416	Chronic rheumatic heart disease----	1,183	1	-	-	-	-	-	2	12	24	30	55	73	92	116	120	140	127	117	116	68	50	29	10	1	-
	White-----M--	548	-	-	-	-	-	-	-	7	12	6	23	28	43	61	61	70	67	55	57	25	22	8	3	-	-
	F--	558	-	-	-	-	-	-	-	3	8	19	27	36	45	48	47	64	57	56	50	43	27	21	6	1	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	3	2	2	4	3	3	6	2	2	2	5	-	1	-	1	-	-
	F--	41	1	-	-	-	-	-	2	2	1	3	3	5	1	4	6	4	1	4	4	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	20,712	4	2	-	-	-	1	-	4	8	19	57	181	421	750	1,180	1,846	2,468	3,025	3,277	3,051	2,446	1,356	501	98	17
	White-----M--	12,684	3	-	-	-	-	-	-	3	3	12	43	142	329	574	902	1,330	1,741	1,942	1,893	1,678	1,237	604	210	34	4
	F--	7,153	1	2	-	-	-	1	-	-	4	3	10	24	49	111	177	400	616	972	1,275	1,291	1,141	728	275	62	11
	Nonwhite--M--	557	-	-	-	-	-	-	-	-	-	4	3	9	34	43	69	72	78	71	57	46	43	15	11	1	1
	F--	318	-	-	-	-	-	-	-	1	1	-	1	6	9	22	32	44	33	40	52	36	25	9	5	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	4,256	3	2	1	-	1	2	1	3	5	9	7	12	28	66	91	160	273	395	602	772	865	632	255	57	14
	White-----M--	2,089	2	-	-	-	1	1	-	3	2	2	6	4	12	37	46	97	165	206	330	388	393	284	87	19	4
	F--	1,943	1	2	1	-	-	1	1	-	3	4	1	5	12	15	23	43	85	160	248	353	448	331	161	37	8
	Nonwhite--M--	119	-	-	-	-	-	-	-	-	-	1	-	2	1	6	13	13	14	18	10	16	15	5	4	1	-
	F--	105	-	-	-	-	-	-	-	-	-	2	-	1	3	8	9	7	9	11	14	15	9	12	3	-	2
430-434	Other diseases of heart---------	1,137	3	-	2	2	2	4	3	3	3	4	12	22	43	43	52	69	116	135	138	165	155	105	44	10	2
	White-----M--	597	2	-	2	1	1	2	1	3	1	2	2	11	21	19	23	43	65	79	83	92	78	53	9	3	1
	F--	445	-	-	-	1	-	2	2	-	2	1	8	7	14	13	16	18	38	46	47	67	73	48	33	7	1
	Nonwhite--M--	61	1	-	-	-	-	-	-	-	-	1	1	1	5	6	6	8	10	9	3	4	3	2	1	-	-
	F--	34	-	-	-	-	1	-	-	-	-	-	1	3	3	5	7	-	2	1	5	2	1	2	1	-	-
440-443	Hypertension with heart dis.--	4,250	-	-	-	-	-	-	1	1	3	11	14	29	61	122	212	328	422	574	655	707	612	366	108	19	5
	White-----M--	1,669	-	-	-	-	-	-	-	1	1	3	8	9	20	43	76	142	192	248	269	271	229	119	30	6	2
	F--	2,104	-	-	-	-	-	-	-	-	1	3	2	5	12	30	74	119	172	282	340	399	347	233	71	12	2
	Nonwhite--M--	222	-	-	-	-	-	-	1	-	1	3	2	8	12	19	26	35	28	22	18	19	19	5	4	-	-
	F--	255	-	-	-	-	-	-	-	-	-	2	2	7	17	30	36	32	30	22	28	18	17	9	3	1	1
444-447	Hypertension without mention of heart----------	732	-	-	-	-	-	-	-	-	2	2	8	23	26	37	39	48	51	73	89	100	113	84	32	4	1
	White-----M--	325	-	-	-	-	-	-	-	-	-	1	1	8	13	13	17	20	27	31	42	49	51	32	18	2	-
	F--	318	-	-	-	-	-	-	-	-	1	-	4	7	2	11	14	16	20	36	41	41	62	49	12	2	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	1	-	-	4	5	4	6	5	4	4	4	3	-	3	-	-	-
	F--	46	-	-	-	-	-	-	-	-	-	1	3	4	6	9	2	7	-	2	2	7	-	-	2	-	1
450	General arteriosclerosis--------	2,534	-	-	-	-	-	-	-	-	1	-	1	3	-	5	22	33	79	173	296	478	620	463	264	78	18
	White-----M--	1,194	-	-	-	-	-	-	-	-	-	-	-	3	-	2	8	22	46	105	153	241	293	202	91	24	4
	F--	1,210	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	7	21	59	121	215	307	249	162	51	11
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	2	10	5	16	11	9	5	6	1	1
	F--	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	4	6	11	11	7	5	2	2
451-468	Other diseases of circulatory sys.-	550	6	2	-	-	-	2	1	1	5	7	15	8	18	31	51	61	78	76	64	67	35	16	6	-	-
	White-----M--	314	3	1	-	-	-	-	-	-	3	4	6	3	9	17	32	34	52	48	38	34	17	9	4	-	-
	F--	188	3	1	-	-	-	1	1	1	1	3	6	4	3	10	13	20	17	26	23	30	18	5	2	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	1	-	-	1	-	3	4	2	5	5	1	1	3	-	1	-	-	-
	F--	21	-	-	-	-	-	1	-	-	-	-	2	1	3	-	4	2	4	1	2	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	858	1	-	1	2	2	1	12	9	13	28	22	25	36	43	56	67	72	88	99	109	93	59	19	-	1
	White-----M--	412	-	-	1	-	-	-	10	5	9	13	8	9	20	17	22	39	38	41	52	46	50	24	8	-	-
	F--	351	1	-	-	2	1	1	2	2	3	14	12	9	11	14	21	16	26	39	38	58	38	33	9	-	1
	Nonwhite--M--	50	-	-	-	-	1	-	-	1	1	1	2	5	2	3	6	6	2	6	5	3	4	-	2	-	-
	F--	45	-	-	-	-	-	-	-	1	-	-	-	2	3	9	7	6	6	2	4	2	1	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	2,646	440	68	28	11	6	19	12	14	19	21	18	49	53	67	88	144	164	202	235	296	329	214	114	25	10
	White-----M--	1,303	197	26	8	6	3	8	8	6	9	6	6	23	32	36	49	92	97	123	126	150	149	93	37	10	3
	F--	1,033	173	28	14	4	2	8	4	6	7	8	8	13	13	13	21	27	46	58	87	133	163	109	70	13	5
	Nonwhite--M--	199	43	9	3	-	1	-	-	1	2	3	3	10	6	12	14	16	18	11	15	7	13	8	2	1	1
	F--	111	27	5	3	1	-	3	-	1	1	4	1	3	2	6	4	9	3	10	7	6	4	4	5	1	1
480-483	Influenza---------	534	42	12	2	1	-	2	1	1	2	2	1	7	5	8	18	20	34	44	57	70	100	63	30	8	4
	White-----M--	242	14	6	-	-	-	-	1	1	-	2	-	4	1	4	10	18	20	23	29	27	42	26	10	3	1
	F--	263	25	5	1	1	-	2	-	-	1	-	1	2	3	4	4	1	11	16	24	42	57	35	20	5	3
	Nonwhite--M--	17	1	1	1	-	-	-	-	-	1	-	-	1	-	-	3	-	2	2	2	-	1	2	-	-	-
	F--	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,112	398	56	26	10	6	17	11	13	17	19	17	42	48	59	70	124	130	158	178	226	229	151	84	17	6
	White-----M--	1,061	183	20	8	6	3	8	7	5	9	4	6	19	31	32	39	74	77	100	97	123	107	67	27	7	2
	F--	770	148	23	13	3	2	6	4	6	6	6	7	11	10	9	17	26	35	42	63	91	106	74	50	8	2
	Nonwhite--M--	182	42	8	2	-	1	-	-	1	1	3	3	9	6	12	11	16	16	9	13	7	12	6	2	1	1
	F--	99	25	5	3	1	-	3	-	1	1	4	1	3	1	6	3	8	2	7	5	5	4	4	5	1	1
500-502	Bronchitis---------	207	27	9	8	2	1	7	1	2	-	1	1	4	3	2	9	13	14	17	23	21	19	17	4	2	-
	White-----M--	106	7	5	5	2	-	4	-	1	-	-	-	2	3	1	7	10	9	12	15	10	6	7	-	-	-
	F--	78	13	2	3	-	1	3	1	1	-	-	-	1	-	1	1	2	5	7	9	12	9	4	2	-	-
	Nonwhite--M--	14	6	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	1	1	-	-	-
	F--	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	529	10	-	-	-	-	-	-	-	4	5	4	14	32	37	39	67	66	88	61	57	28	12	5	-	-
	White-----M--	391	4	-	-	-	-	-	-	-	4	2	2	12	23	28	27	53	53	70	46	37	16	12	2	-	-
	F--	91	3	-	-	-	-	-	-	-	-	1	1	1	1	5	3	8	12	13	13	16	11	-	3	-	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	-	-	2	1	1	7	4	8	6	1	4	1	3	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	-	-	-	-
550-553	Appendicitis------	125	4	-	1	3	1	2	2	3	1	4	3	3	6	15	14	8	17	5	9	12	6	6	-	-	-
	White-----M--	80	4	-	1	2	-	1	2	3	1	3	3	2	4	10	8	5	10	4	5	4	5	3	-	-	-
	F--	38	-	-	-	1	1	1	-	-	-	1	-	1	2	3	5	2	5	1	3	8	1	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	526	51	5	-	-	-	2	-	1	-	5	8	9	9	14	28	35	45	60	69	71	64	39	8	3	-
	White-----M--	235	28	4	-	-	-	2	-	-	-	2	3	2	2	5	11	15	23	28	26	33	27	18	4	2	-
	F--	247	18	1	-	-	-	-	-	1	-	2	2	5	6	5	11	17	17	27	41	34	35	20	4	1	-
	Nonwhite--M--	26	4	-	-	-	-	-	-	-	-	1	1	-	1	1	3	2	5	4	1	1	1	1	-	-	-
	F--	18	1	-	-	-	-	-	-	-	-	-	2	2	-	3	3	1	-	1	1	3	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543, 571, 572	Gastritis, etc.*--	353	139	15	4	3	2	3	2	1	2	2	11	8	12	13	12	14	16	17	21	15	20	9	10	1	1
	White-----M--	153	55	6	1	1	-	-	-	-	1	1	5	3	5	5	9	8	4	10	10	6	12	7	3	1	-
	F--	164	69	8	3	2	2	3	2	1	1	-	5	3	4	5	3	4	10	5	10	9	7	1	7	-	-
	Nonwhite--M--	13	6	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	1
	F--	23	9	-	-	-	-	-	-	-	-	1	1	1	3	2	-	2	1	2	-	-	-	1	-	-	-
581	Cirrhosis of liver	966	2	-	-	-	-	1	1	1	2	10	18	48	73	115	119	148	115	114	78	81	27	9	2	1	-
	White-----M--	626	-	-	-	-	-	-	-	-	1	2	12	25	35	82	74	106	82	86	53	51	12	3	2	-	-
	F--	294	1	-	-	-	-	1	1	1	1	4	5	17	34	27	33	37	31	26	23	30	15	6	-	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	1	1	1	1	8	5	2	2	2	-	-	-	-	-	-
	F--	21	1	-	-	-	-	-	-	-	-	3	-	5	3	5	4	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	155	1	1	-	2	1	4	2	3	6	3	3	4	12	11	6	9	18	16	11	22	9	7	4	-	-
	White-----M--	79	-	-	-	-	1	1	-	2	4	2	2	1	2	4	5	4	14	9	6	14	4	4	-	-	-
	F--	53	1	1	-	1	-	2	2	-	1	1	1	1	5	5	-	2	4	7	4	7	4	2	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	-	1	3	2	-	3	-	-	-	1	-	-	-	-	-
	F--	12	-	-	-	1	-	1	-	-	1	-	-	1	2	-	1	-	-	-	1	-	1	1	2	-	-
610	Hyperplasia of prostate----------	399	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	23	52	72	80	90	47	24	1	-
	White-----M--	379	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	22	48	67	78	84	47	23	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	2	6	-	1	-	-
640-689	Complications of pregnancy, etc.*-	98	...	...	...	...	...	...	1	8	19	21	24	17	5	1	-	1	1	-	-	-	-	-	-	-	-
	White-----F--	78	...	...	...	...	...	...	-	4	12	18	21	15	5	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	20	...	...	...	...	...	...	1	4	7	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	7	...	...	...	...	...	...	1	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	91	...	...	...	...	...	...	-	8	18	19	21	17	5	1	-	1	1	-	-	-	-	-	-	-	-
	White-----F--	74	...	...	...	...	...	...	-	4	12	16	19	15	5	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	17	...	...	...	...	...	...	-	4	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,126	875	40	19	9	12	25	12	13	6	14	15	8	14	12	14	18	5	4	4	1	4	2	-	-	-
	White-----M--	565	440	21	6	5	5	13	6	10	4	4	8	4	6	8	5	9	3	3	1	1	2	1	-	-	-
	F--	499	389	16	12	3	5	11	6	3	2	10	6	3	7	4	8	7	2	1	3	-	1	-	-	-	-
	Nonwhite--M--	33	22	2	1	-	1	1	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	1	-	-	-
	F--	29	24	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,360	3,358	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,678	1,678	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,189	1,187	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,635	1,635	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	841	841	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	568	568	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,529	1,527	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	741	741	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	551	549	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	785	67	8	4	2	2	7	5	7	7	16	10	18	29	33	51	42	60	62	72	57	73	66	64	21	2
	White-----M--	346	29	4	1	-	-	5	3	5	3	7	2	4	13	17	22	18	32	30	33	34	27	26	27	3	1
	F--	272	18	3	3	1	1	2	-	2	3	6	1	5	7	5	12	12	13	13	23	17	38	35	36	16	-
	Nonwhite--M--	92	6	1	-	-	-	-	1	-	-	1	3	6	7	5	11	5	11	12	8	4	4	4	1	1	1
	F--	75	14	-	-	1	1	-	1	-	1	2	4	3	2	6	6	7	4	7	8	2	4	1	-	1	-
Residual	All other diseases	4,034	246	44	25	17	21	37	40	39	40	71	88	117	165	218	263	347	462	468	426	395	302	128	67	5	3
	White-----M--	2,109	128	17	14	8	13	11	23	21	21	20	28	56	71	94	145	204	272	262	241	224	148	58	27	2	1
	F--	1,533	78	23	10	7	8	26	12	9	9	36	36	38	63	83	76	105	159	181	162	157	145	66	39	3	2
	Nonwhite--M--	222	21	2	1	2	-	-	3	4	3	8	11	8	13	17	32	27	22	16	15	9	5	2	1	-	-
	F--	170	19	2	-	-	-	2	5	7	7	13	15	18	24	10	11	9	9	8	5	4	2	-	-	-	-
E800-E962	Accidents----------	5,163	157	78	70	72	46	147	123	330	320	277	257	235	237	241	234	260	304	302	328	357	361	253	134	24	16
	White-----M--	3,189	82	36	38	34	30	88	84	256	237	200	195	175	176	156	170	174	198	194	183	181	139	94	48	10	11
	F--	1,565	52	27	20	27	10	43	32	62	48	45	34	38	37	58	45	64	80	85	126	166	208	156	84	14	4
	Nonwhite--M--	292	12	9	7	7	3	10	6	8	28	25	24	18	18	25	16	18	19	13	9	7	9	-	-	-	1
	F--	117	11	6	5	4	3	6	1	4	7	7	4	4	6	2	3	4	7	10	10	3	5	3	2	-	-
E810-E835	Motor-vehicle accidents--------	2,113	16	19	25	31	26	68	44	232	224	175	153	130	134	116	110	126	119	114	103	82	36	15	7	1	7
	White-----M--	1,464	7	8	16	18	15	42	34	176	166	125	112	97	96	73	69	78	77	80	69	57	27	9	7	1	5
	F--	500	7	9	6	10	9	23	9	52	38	33	28	17	27	33	34	36	36	27	29	22	7	6	-	-	2
	Nonwhite--M--	117	-	1	2	3	2	-	-	4	16	12	10	13	9	10	6	11	4	5	4	3	2	-	-	-	-
	F--	32	2	1	1	-	-	3	1	-	4	5	3	3	2	-	1	1	2	2	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,050	141	59	45	41	20	79	79	98	96	102	104	105	103	125	124	134	185	188	225	275	325	238	127	23	9
	White-----M--	1,725	75	28	22	16	15	46	50	80	71	75	83	78	80	83	101	96	121	114	114	124	112	85	41	9	6
	F--	1,065	45	18	14	17	1	20	23	10	10	12	6	21	10	25	11	28	44	58	97	144	201	150	84	14	2
	Nonwhite--M--	175	12	8	5	4	1	10	6	4	12	13	14	5	9	15	10	7	15	8	5	4	7	-	-	-	1
	F--	85	9	5	4	4	3	3	-	4	3	2	1	1	4	2	2	3	5	8	9	3	5	3	2	-	-
E963, E970-E979	Suicide----------	956	-	-	-	-	-	-	4	13	34	61	56	71	73	91	92	102	91	103	76	47	32	8	-	-	2
	White-----M--	744	-	-	-	-	-	-	3	8	26	39	41	48	55	68	69	79	78	87	67	39	28	7	-	-	2
	F--	180	-	-	-	-	-	-	-	5	7	16	13	19	14	20	22	22	11	14	8	5	4	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	-	1	5	1	3	4	3	1	-	2	1	1	3	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	338	6	-	2	1	3	3	3	12	34	49	57	34	36	29	24	13	8	8	9	3	3	-	-	-	1
	White-----M--	124	2	-	2	1	1	2	3	7	11	14	18	11	7	11	7	9	3	3	7	2	3	-	-	-	-
	F--	46	4	-	-	-	2	1	-	-	5	6	8	4	2	5	2	2	2	1	1	-	-	-	-	-	1
	Nonwhite--M--	134	-	-	-	-	-	-	-	3	16	22	24	13	23	13	12	2	2	2	1	1	-	-	-	-	-
	F--	34	-	-	-	-	-	-	-	2	2	7	7	6	4	-	3	-	1	2	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES------	19,848	1,461	117	60	49	40	115	101	168	198	251	264	308	513	748	943	1,290	1,635	2,088	2,426	2,648	2,402	1,317	531	129	46
	White-----M--	10,463	651	56	32	20	19	57	51	100	129	124	126	153	260	400	536	778	950	1,149	1,303	1,414	1,230	612	249	51	13
	F--	6,998	492	32	22	19	14	46	32	39	41	80	82	89	141	212	247	353	486	686	883	1,052	1,033	600	246	61	10
	Nonwhite--M--	1,334	189	19	3	4	1	7	11	22	14	26	28	38	45	65	79	99	121	125	141	101	93	59	22	9	13
	F--	1,053	129	10	3	6	6	5	7	7	14	21	28	28	67	71	81	60	78	128	99	81	46	46	14	8	10
001-019	Tuberculosis, all forms--------	253	3	3	-	-	1	1	1	5	3	8	12	14	18	21	20	25	35	27	15	23	14	4	-	-	-
	White-----M--	119	-	-	-	-	-	1	-	1	-	2	1	5	5	10	6	18	23	16	7	11	11	2	-	-	-
	F--	54	1	1	-	-	-	-	-	2	-	3	2	2	4	3	6	-	6	6	7	9	1	1	-	-	-
	Nonwhite--M--	43	1	2	-	-	-	-	-	2	-	-	4	5	3	3	3	6	5	3	1	3	2	-	-	-	-
	F--	37	1	-	-	-	1	-	1	-	3	3	5	2	6	5	5	1	1	2	-	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	239	1	2	-	-	1	-	1	5	3	7	10	13	18	21	20	24	33	24	15	23	14	4	-	-	-
	White-----M--	115	-	-	-	-	-	-	-	1	-	2	1	5	5	10	6	17	21	16	7	11	11	2	-	-	-
	F--	52	-	1	-	-	-	-	-	2	-	3	2	2	4	3	6	-	6	5	7	9	1	1	-	-	-
	Nonwhite--M--	38	1	1	-	-	-	-	-	2	-	-	3	4	3	3	3	6	5	1	1	3	2	-	-	-	-
	F--	34	-	-	-	-	1	-	1	-	3	2	4	2	6	5	5	1	1	2	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	14	2	1	-	-	-	1	-	-	-	1	2	1	-	-	-	1	2	3	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	80	1	-	-	-	-	-	1	-	1	-	-	2	9	7	8	7	10	11	12	5	5	1	-	-	-
	White-----M--	43	1	-	-	-	-	-	1	-	-	-	-	1	3	4	3	4	8	5	7	3	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	3	2	-	1	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	2	2	1	2	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	1	2	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms---------	21	12	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	2	1	-	-
	White-----M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	F--	6	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	3	1	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	15	-	3	-	1	-	3	2	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	8	-	2	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	16	5	-	3	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	74	15	2	4	1	-	1	-	2	1	2	3	3	2	2	2	4	4	1	12	3	7	1	2	-	-
	White-----M--	33	7	-	1	-	-	-	-	1	1	1	3	1	-	2	1	3	1	1	4	1	4	-	1	-	-
	F--	27	3	1	3	1	-	1	-	1	-	1	-	-	2	-	-	-	1	-	7	2	2	1	1	-	-
	Nonwhite--M--	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*-----	2,934	2	5	8	4	5	16	16	14	23	25	33	48	106	194	219	321	339	386	386	364	254	126	28	8	4
	White-----M--	1,415	2	3	6	3	2	8	8	7	14	6	9	19	34	80	102	155	164	191	195	192	137	59	14	4	1
	F--	1,252	-	2	2	1	3	7	5	6	7	18	21	23	53	88	94	139	142	156	160	149	103	55	14	3	1
	Nonwhite--M--	116	-	-	-	-	-	-	1	1	2	-	-	3	4	7	12	13	16	16	16	9	7	7	-	-	2
	F--	151	-	-	-	-	-	1	2	-	-	1	3	3	15	19	11	14	17	23	15	14	7	5	-	1	-
140-148	Of buccal cavity and pharynx------	69	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	11	9	9	6	9	9	5	1	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	7	6	5	5	4	7	4	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	-	4	1	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	947	-	-	-	-	-	-	-	-	2	4	3	9	25	42	50	94	98	144	148	147	111	56	11	1	2
	White-----M--	492	-	-	-	-	-	-	-	-	-	2	2	3	8	25	29	50	53	72	76	82	58	24	6	1	1
	F--	376	-	-	-	-	-	-	-	-	1	1	1	6	10	9	15	36	36	59	61	59	48	29	5	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	1	-	-	-	4	5	5	3	8	6	4	3	2	3	-	-	1
	F--	34	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	5	1	7	7	3	3	-	-	-	-
160-164	Of respiratory system----------	316	-	-	1	-	-	-	-	-	-	-	2	5	10	24	40	63	48	32	44	26	17	2	-	2	-
	White-----M--	243	-	-	1	-	-	-	-	-	-	-	1	4	7	19	37	51	39	24	32	16	11	-	-	1	-
	F--	51	-	-	-	-	-	-	1	-	-	-	1	-	3	2	1	7	6	6	9	8	5	2	-	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	1	3	2	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-
170	Of breast---------	231	-	-	-	-	-	-	-	-	-	2	4	2	15	39	27	28	28	21	17	32	7	6	1	2	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	206	-	-	-	-	-	-	-	-	-	2	4	2	11	35	26	25	25	17	17	29	6	5	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	3	2	4	-	2	1	1	-	1	-
171-179	Of genital organs-	542	-	-	-	-	-	-	-	-	3	10	11	11	20	37	40	44	55	72	82	73	53	26	2	1	2
	White-----M--	195	-	-	-	-	-	-	-	-	3	3	1	-	1	2	3	14	27	40	49	34	15	2	1	-	-
	F--	272	-	-	-	-	-	-	-	-	-	7	7	8	15	27	33	37	34	32	32	19	15	5	-	-	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	6	5	3	1	3	-	-	1
	F--	50	-	-	-	-	-	-	-	-	-	-	-	3	5	8	5	1	5	7	5	2	3	3	-	-	-
180, 181	Of urinary organs-	109	-	1	-	-	-	-	-	-	-	-	-	2	3	13	2	11	13	12	19	16	13	3	1	-	-
	White-----M--	63	-	1	-	-	-	-	-	-	-	-	-	1	-	10	2	7	9	6	11	9	7	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	2	3	6	7	7	6	3	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	443	-	2	2	1	2	4	4	7	5	6	7	11	21	22	36	42	58	59	44	39	34	23	12	2	-
	White-----M--	216	-	-	2	1	-	3	-	3	3	1	2	5	13	13	16	22	24	33	19	18	18	13	6	1	-
	F--	191	-	2	-	-	2	1	2	3	2	5	5	5	7	9	15	18	27	20	20	16	15	10	6	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	3	2	-	1	-	-	-	-
	F--	25	-	-	-	-	-	-	2	-	-	-	-	-	1	-	3	2	6	3	3	5	-	-	-	-	-
204	Leukemia and aleukemia----------	161	2	2	4	2	3	10	10	6	4	2	2	5	6	6	3	16	15	22	16	16	6	3	-	-	-
	White-----M--	90	2	2	3	1	2	4	7	3	3	-	-	4	3	4	3	7	8	15	7	8	2	2	-	-	-
	F--	62	-	-	1	1	1	6	2	3	-	2	2	-	1	1	-	9	6	7	9	6	4	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	116	-	-	1	1	-	2	2	1	9	1	3	3	5	8	16	12	15	15	10	6	4	2	-	-	-
	White-----M--	70	-	-	-	1	-	1	1	1	5	-	2	2	3	6	10	8	10	9	5	5	-	1	-	-	-
	F--	38	-	-	1	-	-	-	1	-	4	1	1	1	2	2	4	3	4	5	5	1	3	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	55	4	1	-	-	-	3	1	-	2	-	3	3	4	6	3	5	6	4	2	6	2	-	-	-	-
	White-----M--	17	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	3	2	-	4	1	-	-	-	-
	F--	29	2	1	-	-	-	3	-	-	2	-	3	3	-	4	1	3	3	1	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	319	1	-	-	-	-	2	1	3	1	2	2	5	3	11	13	30	25	50	60	50	44	14	1	1	-
	White-----M--	127	1	-	-	-	-	1	-	2	1	2	1	2	2	3	3	10	5	16	19	24	27	7	-	1	-
	F--	144	-	-	-	-	-	1	1	1	-	-	1	1	1	5	4	12	15	23	36	22	15	5	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	1	1	1	2	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	4	8	4	3	1	-	-	-	-
290-293	Anemias----------	65	3	-	-	-	1	2	-	1	1	-	1	2	1	3	-	2	3	6	9	9	9	7	4	-	1
	White-----M--	24	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	3	4	6	4	1	1	-	-
	F--	32	1	-	-	-	-	1	-	1	1	-	1	2	1	3	-	-	1	3	4	2	4	5	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	* -	1
340	Nonmeningococcal meningitis*------	32	13	3	-	1	-	1	3	-	-	-	-	-	1	1	2	2	-	2	1	-	2	-	-	-	-
	White-----M--	13	5	2	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-
	F--	13	6	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,869	9	5	1	3	2	5	11	10	11	35	53	83	174	277	445	661	901	1,238	1,459	1,667	1,540	855	325	75	24
	White-----M--	5,424	2	2	1	1	1	-	3	5	6	17	22	43	108	171	285	430	556	704	822	898	767	387	156	31	6
	F--	3,509	4	2	-	1	1	4	5	3	3	13	18	19	39	58	90	142	240	391	511	677	691	410	148	33	6
	Nonwhite--M--	525	-	1	-	-	-	-	2	1	1	4	7	8	9	22	35	57	67	76	70	54	54	29	15	6	7
	F--	411	3	-	-	1	-	1	1	1	1	1	6	13	18	26	35	32	38	67	56	38	28	29	6	5	5
330-334, 400-468	Diseases of cardiovascular system-	9,538	9	4	1	3	2	5	8	9	8	32	45	78	160	268	427	638	881	1,200	1,415	1,622	1,484	825	319	73	22
	White-----M--	5,255	2	2	1	1	1	-	1	5	3	17	18	42	103	166	278	420	544	687	800	875	731	369	153	31	5
	F--	3,410	4	1	-	1	1	4	4	2	3	11	15	17	32	55	85	136	235	381	497	663	677	402	145	33	6
	Nonwhite--M--	493	-	1	-	-	-	-	2	1	1	3	6	7	9	22	34	53	67	68	66	50	51	26	15	4	7
	F--	380	3	-	-	1	-	1	1	1	1	1	6	12	16	25	30	29	35	64	52	34	25	28	6	5	4
330-334	Vascular lesions, etc.*----------	2,482	5	1	-	2	-	1	-	4	-	5	8	16	23	53	89	129	205	285	357	504	454	231	87	18	5
	White-----M--	1,142	-	1	-	1	-	-	2	-	-	2	5	7	10	26	37	68	90	127	167	261	199	90	39	9	1
	F--	1,069	2	-	-	-	-	1	-	1	-	3	1	5	7	15	27	43	84	115	147	216	229	123	42	6	2
	Nonwhite--M--	141	-	-	-	-	-	-	-	-	-	-	-	1	1	6	12	9	17	22	24	16	16	11	4	1	1
	F--	130	3	-	-	1	-	-	-	1	-	-	2	3	5	6	13	9	14	21	19	11	10	7	2	2	1
400-402	Rheumatic fever---	19	-	-	-	-	1	3	3	-	1	1	1	1	-	1	1	1	1	1	-	-	3	-	-	-	-
	White-----M--	7	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart-	6,345	4	2	1	-	-	1	5	4	4	26	34	56	125	199	326	481	639	856	980	1,002	875	485	179	46	15
	White-----M--	3,753	2	1	1	-	-	-	-	3	2	14	13	33	87	134	234	336	429	530	587	547	460	230	89	18	3
	F--	2,061	2	-	-	-	-	1	3	-	1	8	11	10	22	38	57	86	144	245	324	403	374	226	80	22	4
	Nonwhite--M--	311	-	1	-	-	-	-	2	1	-	3	6	6	7	13	18	40	47	43	39	30	29	12	6	3	5
	F--	220	-	-	-	-	-	-	-	-	1	1	4	7	9	14	17	19	19	38	30	22	12	17	4	3	3
410-416	Chronic rheumatic heart disease----	154	-	-	-	-	-	-	-	1	1	10	9	7	10	14	16	18	11	12	13	14	10	7	1	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	5	5	3	5	7	6	14	5	1	5	5	5	4	-	-	-
	F--	64	-	-	-	-	-	-	-	-	1	3	4	3	4	6	5	4	5	8	8	6	4	2	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	-	2	-	1	-	1	3	-	1	2	-	2	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,192	2	1	-	-	-	-	1	1	-	11	15	32	74	144	234	356	456	617	702	662	502	260	95	21	6
	White-----M--	2,704	1	1	-	-	-	-	-	1	-	7	7	24	60	108	182	266	325	412	445	381	285	135	53	9	2
	F--	1,250	1	-	-	-	-	-	-	-	-	3	3	3	10	22	36	56	97	171	225	261	198	112	38	11	3
	Nonwhite--M--	145	-	-	-	-	-	-	1	-	-	-	5	2	2	7	7	25	26	19	19	12	13	4	1	1	1
	F--	93	-	-	-	-	-	-	-	-	-	1	-	3	2	7	9	9	8	15	13	8	6	9	3	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	644	1	-	-	-	-	-	2	1	-	2	-	4	7	8	10	28	48	54	81	110	140	93	43	8	4
	White-----M--	323	1	-	-	-	-	-	-	1	-	-	-	2	3	2	6	17	26	30	49	56	67	40	20	3	-
	F--	236	-	-	-	-	-	-	2	-	-	1	-	-	2	2	2	3	8	13	20	44	66	49	21	3	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	5	11	5	4	6	4	1	1	-	2
	F--	42	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	3	6	8	4	3	3	1	2	2
430-434	Other diseases of heart---------	554	1	1	1	-	-	1	2	-	3	3	6	7	21	16	35	38	61	65	70	78	73	41	18	9	4
	White-----M--	323	-	-	1	-	-	-	-	-	2	2	1	4	13	13	24	22	44	36	40	41	44	23	8	4	1
	F--	172	1	-	-	-	-	1	1	-	-	1	3	2	4	1	7	11	13	19	23	32	24	15	10	3	1
	Nonwhite--M--	40	-	1	-	-	-	-	1	-	-	-	-	1	3	1	1	3	4	6	6	3	5	3	-	1	1
	F--	19	-	-	-	-	-	-	-	-	1	-	2	-	1	1	3	2	-	4	1	2	-	-	-	1	1
440-443	Hypertension with heart dis.--	801	-	-	-	-	-	-	-	1	-	-	4	6	13	17	31	41	63	108	114	138	150	84	22	8	1
	White-----M--	333	-	-	-	-	-	-	-	1	-	-	-	-	6	4	16	17	29	51	48	64	59	28	8	2	-
	F--	339	-	-	-	-	-	-	-	-	-	-	1	2	2	7	7	12	21	34	48	60	82	48	10	5	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	1	2	2	2	6	7	5	11	10	7	6	3	4	1	1
	F--	61	-	-	-	-	-	-	-	-	-	-	2	2	3	4	2	5	8	12	8	7	3	5	-	-	-
444-447	Hypertension without mention of heart----------	194	-	-	-	-	-	-	-	-	-	-	-	3	7	6	4	7	17	18	16	38	38	24	16	-	-
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	5	10	4	8	22	12	12	10	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	5	8	8	14	22	9	6	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	2	3	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	4	-	-	1	2	-	-	-
450	General arteriosclerosis--------	387	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	8	12	26	46	67	103	74	36	9	2
	White-----M--	202	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	10	16	28	39	53	30	15	4	1
	F--	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	9	12	25	45	41	16	5	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	2	3	1	5	-	1
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	-	-	-
451-468	Other diseases of circulatory sys.-	111	-	1	-	1	1	-	-	1	2	-	2	2	5	7	6	12	7	14	16	11	11	11	1	-	-
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	8	4	9	10	6	6	7	-	-	-
	F--	42	-	1	-	1	1	-	-	1	2	-	2	1	2	1	1	3	2	4	6	5	5	3	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	331	-	1	-	-	-	-	3	1	3	3	8	5	14	9	18	23	20	38	44	45	56	30	6	2	2
	White-----M--	169	-	-	-	-	-	-	2	-	3	-	4	1	5	5	7	10	12	17	22	23	36	18	3	-	1
	F--	99	-	1	-	-	-	-	1	1	-	2	3	2	7	3	5	6	5	10	14	14	14	8	3	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	4	-	8	4	4	3	3	-	2	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	3	3	3	4	4	3	1	-	-	1
480-493	Influenza and pneumonia, etc.*-	845	128	17	10	7	3	9	2	9	2	8	5	7	11	18	12	23	37	49	84	118	132	93	46	11	4
	White-----M--	346	30	6	3	2	2	3	-	2	1	3	-	2	6	10	5	15	17	25	34	54	62	45	15	2	2
	F--	332	37	5	7	3	1	5	2	5	-	3	3	3	2	4	4	6	10	15	28	49	65	40	27	7	1
	Nonwhite--M--	101	39	5	-	-	-	1	-	2	1	1	1	1	-	3	1	1	6	5	18	5	2	5	2	1	1
	F--	66	22	1	-	2	-	-	-	-	-	1	1	1	3	1	2	1	4	4	4	10	3	3	2	1	-
480-483	Influenza---------	258	22	5	3	1	1	3	1	4	-	1	-	-	6	6	2	11	15	16	26	39	42	31	19	3	1
	White-----M--	113	9	1	1	-	-	1	-	1	-	-	-	-	4	2	-	6	4	7	12	16	21	19	7	1	1
	F--	98	5	3	2	1	1	2	1	1	-	1	-	-	-	2	1	3	5	3	9	18	19	10	10	1	-
	Nonwhite--M--	28	6	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	4	4	4	2	1	1	1	1	-
	F--	19	2	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	2	1	3	1	1	1	-	-
490-493	Pneumonia, etc.*--	587	106	12	7	6	2	6	1	5	2	7	5	7	5	12	10	12	22	33	58	79	90	62	27	8	3
	White-----M--	233	21	5	2	2	2	2	-	1	1	3	-	2	2	8	5	9	13	18	22	38	41	26	8	1	1
	F--	234	32	2	5	2	-	3	1	4	-	2	3	3	2	2	3	3	5	12	19	31	46	30	17	6	1
	Nonwhite--M--	73	33	5	-	-	-	1	-	-	1	1	1	1	-	2	1	-	2	1	14	3	1	4	1	-	1
	F--	47	20	-	-	2	-	-	-	-	-	1	1	1	1	-	1	-	2	2	3	7	2	2	1	1	-
500-502	Bronchitis--------	31	8	4	1	-	-	2	1	1	-	-	-	-	-	1	1	-	2	2	2	1	3	2	-	-	-
	White-----M--	21	3	3	1	-	-	1	1	1	-	-	-	-	-	-	1	-	2	1	2	1	2	2	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	102	-	-	-	-	-	-	-	-	-	1	3	6	4	5	8	13	11	19	11	13	7	1	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	1	3	5	4	3	4	10	10	15	5	11	5	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	3	3	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
550-553	Appendicitis------	43	-	1	-	2	-	1	1	2	-	3	-	1	5	2	2	3	3	3	3	4	3	4	-	-	-
	White-----M--	27	-	1	-	2	-	1	1	2	-	1	-	-	3	1	-	3	2	3	2	2	2	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	2	1	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	126	12	-	-	-	-	1	-	-	-	3	1	3	4	1	4	6	10	14	15	19	20	12	1	-	-
	White-----M--	64	5	-	-	-	-	1	-	-	-	1	-	1	1	-	2	2	6	4	8	11	13	8	1	-	-
	F--	44	3	-	-	-	-	-	-	-	-	2	-	1	2	1	1	3	3	7	5	6	7	3	-	-	-
	Nonwhite--M--	7	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	1	-	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543, 571, 572	Gastritis, etc.*--	84	35	7	3	-	1	2	1	-	-	1	2	-	-	2	3	1	3	3	5	5	9	1	-	-	-
	White-----M--	37	16	3	2	-	-	1	1	-	-	-	1	-	-	1	2	-	1	1	3	1	4	-	-	-	-
	F--	26	6	2	1	-	1	1	-	-	-	1	1	-	-	-	-	1	1	2	-	3	5	1	-	-	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	11	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
581	Cirrhosis of liver	127	1	-	-	-	-	-	-	-	-	-	1	4	6	10	19	13	22	13	10	14	11	1	1	-	1
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	-	1	1	5	12	12	14	7	3	9	5	1	1	-	-
	F--	38	1	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	6	6	7	3	5	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	1	-	-	-	-	1
590, 591	Acute nephritis, etc.*----------	35	-	-	-	1	-	-	2	2	1	-	2	-	2	-	1	6	3	4	3	3	4	-	-	-	1
	White-----M--	13	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	3	1	2	2	-	-	-	1
	F--	13	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1	3	1	1	1	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	8	17	30	25	16	8	-	-
	White-----M--	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	6	14	29	20	14	8	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	5	2	-	-	-
640-689	Complications of pregnancy, etc.*-	34	...	...	...	...	...	...	-	1	6	13	6	6	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	-	3	7	1	4	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	17	...	...	...	...	...	...	-	1	3	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	3	...	...	...	...	...	...	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	31	...	...	...	...	...	...	-	1	4	12	6	6	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	-	2	6	1	4	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	1	2	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	253	198	10	5	6	-	1	-	4	2	2	4	1	4	2	3	1	1	3	3	-	2	1	-	-	-
	White-----M--	121	92	7	3	3	-	1	-	2	1	-	3	-	1	1	1	-	-	3	2	-	-	1	-	-	-
	F--	110	90	3	2	2	-	-	-	1	1	1	-	1	3	1	1	1	1	-	-	2	-	-	-	-	-
	Nonwhite--M--	13	9	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	9	7	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	851	851	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	413	413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	385	385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	626	40	2	-	1	2	3	1	1	4	6	1	7	12	22	27	24	39	58	57	88	91	57	59	16	8
	White-----M--	301	11	-	-	1	1	1	-	-	1	2	-	3	5	14	15	16	22	32	31	40	49	22	27	6	2
	F--	204	9	-	-	-	-	1	1	-	2	4	1	1	-	4	5	5	9	10	15	37	38	26	25	9	2
	Nonwhite--M--	62	10	1	-	-	-	-	-	-	1	-	-	2	1	2	3	3	5	6	7	5	3	6	3	1	3
	F--	59	10	1	-	-	1	1	-	1	-	-	-	1	6	2	4	-	3	10	4	6	1	3	4	-	1
Residual	All other diseases	1,048	56	12	6	5	8	13	12	5	9	14	21	22	25	48	53	58	93	106	137	127	122	57	27	11	1
	White-----M--	546	28	9	4	1	5	8	5	2	6	7	9	8	10	23	28	35	53	58	71	61	66	30	14	4	1
	F--	368	19	1	1	3	-	5	4	2	2	5	6	11	11	14	15	16	30	36	54	52	45	19	11	6	-
	Nonwhite--M--	82	2	1	1	1	-	-	2	-	1	-	3	1	2	6	5	5	6	8	9	10	8	7	1	1	-
	F--	52	7	-	-	-	2	-	1	1	-	2	3	2	2	5	5	2	4	4	3	4	3	1	1	-	-
E800-E962	Accidents----------	1,468	53	35	16	12	15	42	42	98	112	97	82	59	90	82	70	64	54	66	102	92	89	60	28	6	2
	White-----M--	907	26	17	9	4	5	27	27	70	87	65	57	47	61	51	49	45	36	41	55	48	40	27	11	2	-
	F--	373	11	11	4	5	8	11	8	15	15	14	15	6	15	15	11	15	10	19	36	35	44	31	16	3	-
	Nonwhite--M--	125	12	4	-	2	-	3	6	11	6	12	7	6	11	10	6	4	6	2	6	5	5	-	1	-	-
	F--	63	4	3	3	1	2	1	1	2	4	6	3	-	3	6	4	-	2	4	5	4	-	2	-	1	2
E810-E835	Motor-vehicle accidents--------	581	8	13	9	6	4	11	11	61	67	60	52	36	33	33	26	25	20	27	41	23	8	5	2	-	-
	White-----M--	379	4	5	7	3	-	7	6	42	48	38	34	26	22	25	14	17	14	14	25	18	7	2	1	-	-
	F--	130	2	5	2	1	3	4	2	11	12	11	11	5	5	4	9	7	4	10	14	4	1	2	1	-	-
	Nonwhite--M--	48	2	1	-	2	-	-	2	6	4	6	5	5	5	1	3	1	1	1	2	1	-	-	-	-	-
	F--	24	-	2	-	-	1	-	1	2	3	5	2	-	1	3	-	-	1	2	-	-	-	1	-	-	-
E800-E802, E840-E962	All ot. accidents-	887	45	22	7	6	11	31	31	37	45	37	30	23	57	49	44	39	34	39	61	69	81	55	28	6	2
	White-----M--	528	22	12	2	1	5	20	21	28	39	27	23	21	39	26	35	28	22	27	30	30	33	25	10	2	-
	F--	243	9	6	2	4	5	7	6	4	3	3	4	1	10	11	2	8	6	9	22	31	43	29	15	3	-
	Nonwhite--M--	77	10	3	-	-	-	3	4	5	2	6	2	1	6	9	3	3	5	1	4	4	5	-	1	-	-
	F--	39	4	1	3	1	1	1	-	-	1	1	1	-	2	3	4	-	1	2	5	4	-	1	-	1	2
E963, E970-E979	Suicide----------	185	-	-	-	-	-	-	1	4	8	16	14	15	15	18	18	15	21	11	16	5	5	2	-	1	-
	White-----M--	141	-	-	-	-	-	-	-	3	5	11	10	9	12	15	13	12	15	10	13	5	5	2	-	1	-
	F--	39	-	-	-	-	-	-	1	1	3	4	4	4	3	2	5	3	5	1	3	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	114	1	-	-	-	1	2	1	4	9	12	13	14	16	15	10	4	3	3	4	2	-	-	-	-	-
	White-----M--	37	-	-	-	-	1	-	-	1	5	3	6	4	4	4	2	1	2	2	1	1	-	-	-	-	-
	F--	16	1	-	-	-	-	1	1	-	-	1	2	3	1	4	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	1	-	3	2	8	4	6	8	4	5	2	-	1	2	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	2	-	1	1	3	3	2	1	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES------	14,553	926	61	34	24	30	81	71	113	104	148	208	257	383	604	773	1,000	1,357	1,658	1,883	1,860	1,521	975	367	88	27
	White-----M--	8,734	504	36	20	17	18	46	49	76	78	106	130	168	245	388	493	659	913	1,104	1,144	1,043	814	483	159	29	12
	F--	5,569	384	24	13	6	11	33	22	32	23	35	67	78	125	198	254	323	423	535	720	802	698	485	207	56	14
	Nonwhite--M--	149	18	-	1	-	-	1	-	3	2	3	7	3	10	12	19	15	16	14	8	4	4	5	1	2	1
	F--	101	20	1	-	1	1	1	-	2	1	4	4	8	3	6	7	3	5	5	11	11	4	2	-	1	-
001-019	Tuberculosis, all forms--------	118	-	-	-	-	-	1	-	1	1	-	2	6	10	13	9	15	12	20	15	6	4	3	-	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	1	4	8	7	8	12	9	15	8	6	3	2	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	3	3	6	-	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	2	1	-	-	1	-	-	-
	F--	5	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	107	-	-	-	-	-	-	-	-	1	-	1	5	9	13	8	14	12	20	13	6	4	1	-	-	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	4	7	7	7	11	9	15	7	6	3	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	3	3	5	-	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	-	-	-	-	1	-	1	-	-	1	1	1	-	1	1	-	-	2	-	-	2	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	43	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	8	5	10	6	4	2	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	6	4	8	4	3	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	6	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	34	1	1	1	-	-	2	1	-	-	-	2	5	1	-	2	2	2	4	1	4	1	3	1	-	-
	White-----M--	19	1	1	1	-	-	1	1	-	-	-	1	1	1	-	1	2	1	3	-	2	-	2	-	-	-
	F--	14	-	-	-	-	-	1	-	-	-	-	1	3	-	-	1	-	1	1	1	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
140-205	Malignant neoplasms, etc.*	2,203	5	7	3	4	4	15	10	5	8	20	33	40	78	139	150	248	276	315	306	261	164	77	23	7	5
	White—M	1,163	4	4	3	4	1	10	3	2	5	12	12	18	29	54	65	131	163	171	190	137	91	40	11	1	2
	F	1,007	1	3	-	-	3	5	7	2	3	8	20	21	46	81	83	114	109	140	111	122	70	37	12	6	3
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	3	-	2	-	-	-	-
	F	16	-	-	-	-	-	-	-	1	-	-	1	1	2	3	-	-	1	2	2	2	1	-	-	-	-
140-148	Of buccal cavity and pharynx	35	-	-	-	-	-	1	-	-	-	-	1	-	2	2	3	6	4	4	5	3	1	2	1	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	2	4	2	1	1	-	-	-
	F	11	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	2	2	1	1	-	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	803	-	-	-	-	-	-	-	-	1	2	7	8	18	33	39	77	103	128	145	111	78	39	8	4	2
	White—M	461	-	-	-	-	-	-	-	-	-	-	2	6	11	16	18	42	64	75	100	59	43	20	3	1	1
	F	326	-	-	-	-	-	-	-	-	1	2	5	2	7	16	20	32	37	51	41	51	33	19	5	3	1
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-
160-164	Of respiratory system	236	-	-	-	-	-	-	-	-	-	-	1	2	4	18	25	35	54	37	22	25	11	2	-	-	-
	White—M	193	-	-	-	-	-	-	-	-	-	-	-	2	4	13	21	30	48	29	17	22	6	1	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	6	8	5	3	5	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	205	-	-	-	-	-	-	-	-	-	1	5	4	7	19	24	27	19	25	25	26	14	8	1	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-
	F	200	-	-	-	-	-	-	-	-	-	1	5	4	7	19	24	26	18	25	25	26	12	7	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	324	-	-	-	-	-	-	-	-	-	3	8	11	15	20	16	34	33	46	49	43	23	16	5	-	2
	White—M	138	-	-	-	-	-	-	-	-	-	3	4	2	1	-	-	6	11	16	31	27	19	14	4	-	-
	F	181	-	-	-	-	-	-	-	-	-	-	4	8	13	20	16	28	21	30	17	15	4	2	1	-	2
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	85	-	1	-	-	-	1	-	1	-	1	-	2	1	7	4	9	14	13	16	6	6	1	1	-	1
	White—M	60	-	1	-	-	-	1	-	1	-	-	-	2	1	5	2	6	12	9	12	4	3	1	-	-	1
	F	23	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	1	3	4	2	3	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	275	1	6	2	-	2	5	5	2	2	5	3	6	17	23	22	23	26	35	26	28	21	8	4	3	-
	White—M	127	-	3	2	-	1	2	2	-	2	3	2	3	4	10	13	14	12	16	13	10	12	2	1	-	-
	F	142	1	3	-	-	1	3	3	1	-	2	1	3	11	12	9	9	14	18	13	18	8	6	3	3	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	131	4	-	1	4	2	7	2	1	2	2	4	5	7	5	4	16	10	17	13	13	8	1	3	-	-
	White—M	87	4	-	1	4	-	6	-	1	2	1	1	1	3	2	2	13	7	16	9	8	3	-	3	-	-
	F	44	-	-	-	-	2	1	2	-	-	1	3	4	4	3	2	3	3	1	4	5	5	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	109	-	-	-	-	-	1	3	1	3	6	4	2	7	12	13	21	13	10	5	6	2	-	-	-	-
	White—M	68	-	-	-	-	-	1	1	1	1	5	3	2	3	6	6	14	6	8	4	5	2	-	-	-	-
	F	40	-	-	-	-	-	-	2	-	2	1	-	-	4	6	7	7	7	2	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	38	1	-	-	-	-	1	1	1	1	2	3	-	5	2	-	1	4	4	3	2	4	3	-	-	-
	White—M	19	1	-	-	-	-	-	1	1	1	2	1	-	-	1	-	-	3	3	2	-	1	2	-	-	-
	F	19	-	-	-	-	-	1	-	-	-	-	2	-	5	1	-	1	1	1	1	2	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	198	-	1	-	-	-	1	2	-	2	1	6	5	3	7	15	18	34	39	28	22	9	4	-	1	
	White—M	78	-	1	-	-	-	-	-	-	1	1	4	-	-	2	5	9	10	18	12	10	5	-	-	-	
	F	119	-	-	-	-	-	1	2	-	1	-	2	5	3	4	10	9	24	21	16	12	4	4	-	1	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
290-293	Anemias	34	3	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
	White—M	16	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	5	2	5	-	7	3	-	-	-	
	F	16	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	1	4	-	4	1	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	3	2	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
340	Nonmeningococcal meningitis*	16	4	-	1	-	1	3	1	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	
	White—M	10	3	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-	
	F	6	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,908	2	1	1	-	1	-	2	12	7	17	41	56	121	233	388	527	821	1,037	1,243	1,289	1,064	704	267	63	11
	White—M	4,747	1	-	-	-	1	-	-	8	3	10	21	41	89	167	270	371	567	718	736	716	555	341	108	20	4
	F	3,068	1	1	1	-	-	-	2	4	4	6	19	12	28	58	104	148	243	309	496	562	505	358	158	42	7
	Nonwhite—M	51	-	-	-	-	-	-	-	-	-	-	-	1	3	6	8	6	7	8	3	3	1	3	1	1	-
	F	42	-	-	-	-	-	-	-	-	-	1	1	2	1	2	6	2	4	2	8	8	3	2	-	-	-
330-334, 400-468	Diseases of cardiovascular system	7,769	2	1	1	-	1	-	1	8	6	13	36	51	110	228	379	513	807	1,024	1,230	1,275	1,055	690	264	63	11
	White—M	4,676	1	-	-	-	1	-	-	6	2	7	19	39	83	165	265	362	561	713	731	709	550	333	105	20	4
	F	3,010	1	1	1	-	-	-	1	2	4	6	17	10	24	55	101	144	236	302	488	556	502	352	158	42	7
	Nonwhite—M	47	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	6	6	7	3	2	1	3	1	1	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	1	4	2	8	8	2	2	-	-	-
330-334	Vascular lesions, etc.*	1,696	-	-	1	-	-	-	1	1	3	5	7	11	18	31	65	80	136	179	271	317	293	191	71	15	-
	White—M	854	-	-	-	-	-	-	-	1	1	3	3	9	7	15	32	37	75	110	141	160	143	89	24	4	-
	F	816	-	-	1	-	-	-	1	-	2	2	4	2	10	14	31	40	58	67	124	153	148	101	47	11	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	3	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	3	3	2	1	-	-	-
400-402	Rheumatic fever	12	-	-	-	-	-	-	-	3	-	1	-	-	-	3	2	1	1	-	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	2	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

352870 O - 55 - 21

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON--Contined																										
410-443	Diseases of heart-	5,466	2	-	-	-	1	-	-	4	3	5	23	38	86	181	291	412	636	792	894	852	656	401	146	34	9
	White-----M--	3,475	1	-	-	-	1	-	-	3	1	3	14	29	73	139	218	309	461	566	552	488	348	194	59	12	4
	F--	1,942	1	-	-	-	-	-	-	1	2	2	9	7	12	37	63	99	168	219	337	360	307	205	87	21	5
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	3	5	5	-	1	1	1	-	1	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	2	2	5	3	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	228	-	-	-	-	-	-	-	3	2	4	7	8	11	19	25	29	33	23	26	19	11	7	1	1	-
	White-----M--	129	-	-	-	-	-	-	-	2	1	3	1	5	5	11	12	18	18	18	16	11	4	4	-	-	-
	F--	98	-	-	-	-	-	-	-	1	1	1	6	3	6	8	12	11	14	5	10	8	7	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,773	-	-	-	-	-	-	-	1	-	1	14	26	60	138	218	291	473	576	650	570	420	227	80	23	5
	White-----M--	2,581	-	-	-	-	-	-	-	1	-	-	12	22	57	118	177	232	374	440	412	350	230	109	34	10	3
	F--	1,166	-	-	-	-	-	-	-	-	-	1	2	2	3	17	33	56	96	135	236	219	189	116	46	13	2
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	2	3	-	-	1	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	2	-	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	358	-	-	-	-	-	-	-	-	-	-	1	-	2	2	8	16	20	39	55	67	68	48	25	4	3
	White-----M--	203	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	13	13	29	34	37	37	24	9	1	-
	F--	153	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	7	10	21	29	31	24	16	3	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
430-434	Other diseases of heart---------	280	2	-	-	-	1	-	-	-	1	-	-	1	7	4	12	16	28	45	48	43	28	32	10	1	1
	White-----M--	189	1	-	-	-	1	-	-	-	1	-	-	-	6	4	11	13	23	28	31	27	17	19	7	-	1
	F--	89	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	5	15	17	16	11	13	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	826	-	-	-	-	-	-	-	-	-	-	1	3	6	18	28	60	82	109	115	153	129	87	30	5	-
	White-----M--	373	-	-	-	-	-	-	-	-	-	-	-	2	4	5	15	33	33	51	59	63	60	38	9	1	-
	F--	436	-	-	-	-	-	-	-	-	-	-	1	1	2	11	12	26	46	54	53	88	69	49	21	3	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	-	-	-	-	-	1	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	-	-	-	-	-
444-447	Hypertension without mention of heart----------	71	-	-	-	-	-	-	-	-	-	-	-	-	3	8	4	6	3	7	3	11	14	11	1	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	3	1	5	1	5	8	4	1	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	2	5	6	7	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	397	-	-	-	-	-	-	-	-	-	-	1	1	-	-	6	4	12	27	43	80	85	78	44	14	2
	White-----M--	224	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	3	8	19	25	48	48	42	21	4	-
	F--	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	18	31	37	35	22	10	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	127	-	1	-	-	-	-	-	-	-	2	5	1	3	5	11	10	19	19	19	14	7	9	2	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	10	16	13	12	8	3	4	-	-	-
	F--	45	-	1	-	-	-	-	-	-	-	2	4	1	1	1	3	-	3	6	7	6	4	4	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	139	-	-	-	-	-	-	1	4	1	4	5	5	11	5	9	14	14	13	13	14	9	14	3	-	-
	White-----M--	71	-	-	-	-	-	-	-	2	1	3	2	2	6	2	5	9	6	5	5	7	5	8	3	-	-
	F--	58	-	-	-	-	-	-	1	2	-	-	2	2	4	3	3	4	7	7	8	6	3	6	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	444	59	6	4	1	1	5	4	3	3	4	5	4	11	9	17	19	20	30	45	58	59	49	21	6	1
	White-----M--	273	31	4	2	-	1	2	2	1	1	3	4	1	4	6	11	15	14	26	32	41	30	27	14	1	-
	F--	158	24	2	2	-	-	3	2	2	2	-	1	3	6	3	4	3	6	4	13	16	29	22	7	3	1
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-
	F--	6	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
480-483	Influenza---------	44	2	1	-	-	1	-	-	2	-	-	1	-	2	2	1	3	5	1	3	6	4	4	5	-	1
	White-----M--	21	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	4	1	2	4	1	2	2	-	-
	F--	22	2	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	1	-	1	2	3	2	3	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	400	57	5	4	1	-	5	4	1	3	4	4	4	9	7	16	16	15	29	42	52	55	45	16	6	-
	White-----M--	252	31	3	2	-	-	2	2	1	1	3	3	1	4	5	11	14	10	25	30	37	29	25	12	1	-
	F--	136	22	2	2	-	-	3	2	-	2	-	1	3	5	2	3	1	5	4	12	14	26	20	4	3	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-
	F--	6	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
500-502	Bronchitis--------	49	14	1	-	-	-	1	-	-	-	-	-	1	1	2	-	3	2	7	4	3	5	3	1	1	-
	White-----M--	34	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	5	4	1	4	1	1	1	-
	F--	14	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	71	-	-	-	-	-	-	-	-	-	-	1	4	4	5	6	6	7	9	9	12	4	3	1	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	3	2	4	2	4	6	8	5	9	4	3	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	1	1	4	3	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	21	-	-	-	1	-	1	-	2	1	-	1	-	-	1	-	-	2	8	-	3	-	1	-	-	-
	White-----M--	15	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	2	5	-	2	-	1	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	76	7	-	-	-	1	-	-	-	-	-	1	2	3	-	7	1	6	13	8	11	8	6	2	-	-
	White-----M--	41	3	-	-	-	1	-	-	-	-	-	-	1	-	-	4	1	4	8	4	7	5	2	1	-	-
	F--	33	4	-	-	-	-	-	-	-	-	-	1	-	3	-	3	-	2	5	3	4	3	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Continued																										
543, 571, 572	Gastritis, etc.*--	43	9	-	-	-	-	-	-	-	-	1	-	2	2	3	3	2	2	3	1	3	3	8	-	1	-
	White-----M--	20	4	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	1	2	-	-	1	4	-	-	-
	F--	23	5	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	1	3	2	4	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	116	-	-	-	-	-	-	-	-	-	-	5	5	10	24	14	8	13	11	12	6	5	2	1	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	4	3	8	15	6	3	7	8	8	2	4	1	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	2	2	9	8	3	6	3	4	4	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	11	2	-	-	-	-	1	-	2	-	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	10	1	-	-	-	-	1	-	2	-	1	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	11	12	11	5	2	1	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	11	12	11	5	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	16	...	...	...	...	...	...	-	1	4	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	1	4	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	15	...	...	...	...	...	...	-	1	3	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	1	3	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	221	165	9	3	3	3	6	1	-	1	1	3	2	3	5	3	1	3	3	2	1	1	2	-	-	-
	White-----M--	112	81	4	1	2	2	2	1	-	-	-	2	2	2	3	2	-	2	2	2	-	-	2	-	-	-
	F--	101	76	5	2	1	1	4	-	-	1	1	1	-	1	2	1	1	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	545	545	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	229	18	2	-	1	-	-	1	-	1	1	2	3	4	4	13	8	6	13	15	29	37	36	26	7	2
	White-----M--	151	12	2	-	1	-	-	1	-	1	1	-	2	3	4	11	5	6	11	12	20	22	19	15	3	1
	F--	73	3	-	-	-	-	-	-	-	1	-	2	1	1	-	2	3	-	2	3	8	14	17	11	4	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	654	43	4	3	4	2	8	5	9	3	4	7	24	20	39	42	47	68	69	91	62	61	27	7	2	3
	White-----M--	394	22	2	1	2	1	4	3	4	3	2	7	8	9	25	23	34	46	51	60	37	33	9	3	2	3
	F--	249	20	2	2	2	1	4	2	3	1	2	-	15	10	12	18	13	22	17	30	25	28	17	4	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	1	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	1,090	44	26	15	8	15	32	41	68	64	71	60	67	65	84	77	52	56	43	49	61	51	27	11	-	3
	White-----M--	809	27	15	10	6	10	25	34	53	55	60	50	60	57	70	60	39	42	29	30	32	26	14	4	-	1
	F--	254	15	10	4	2	4	6	7	14	8	9	5	6	6	13	14	12	11	14	19	29	25	13	7	-	1
	Nonwhite--M--	22	1	-	1	-	-	1	-	1	1	2	4	-	2	1	3	1	3	-	-	-	-	-	-	-	1
	F--	5	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	416	5	8	7	3	4	5	10	37	35	34	31	26	20	32	30	27	24	20	23	19	7	7	1	-	1
	White-----M--	297	3	4	4	2	3	4	8	27	28	25	25	22	17	25	19	18	16	13	14	11	3	5	1	-	-
	F--	107	1	4	3	1	1	1	2	9	6	7	4	4	3	7	9	8	6	7	9	8	4	2	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	1	2	2	-	-	-	2	1	2	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	674	39	18	8	5	11	27	31	31	29	37	29	41	45	52	47	25	32	23	26	42	44	20	10	-	2
	White-----M--	512	24	11	6	4	7	21	26	26	27	35	25	38	40	45	41	21	26	16	16	21	23	9	3	-	1
	F--	147	14	6	1	1	3	5	5	5	2	2	1	2	3	6	5	4	5	7	10	21	21	11	7	-	-
	Nonwhite--M--	11	1	-	1	-	-	1	-	-	-	-	2	-	2	1	1	-	1	-	-	-	-	-	-	-	1
	F--	4	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	253	-	-	-	-	-	2	5	6	13	21	18	31	34	24	27	25	16	15	5	7	3	-	-	-	1
	White-----M--	200	-	-	-	-	-	2	2	5	10	15	13	27	26	17	21	21	15	12	4	7	2	-	-	-	1
	F--	49	-	-	-	-	-	-	3	-	3	6	5	3	8	6	6	3	1	3	1	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	48	-	-	-	1	-	1	-	1	2	8	12	5	3	2	6	1	2	3	1	-	-	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	2	3	7	2	2	2	4	1	1	1	-	-	-	-	-	-	-
	F--	14	-	-	-	1	-	1	-	1	-	3	2	2	1	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES	112,620	6,145	397	237	194	155	475	372	575	790	1,018	1,262	1,933	3,085	4,596	6,437	9,072	11,782	14,252	14,915	14,271	11,197	6,465	2,371	513	111
	White--M	58,235	3,003	185	116	91	75	258	219	345	451	522	599	970	1,629	2,539	3,561	5,238	6,800	8,028	7,684	7,093	5,105	2,698	847	146	33
	F	46,348	2,235	160	78	75	57	172	117	157	200	320	434	668	1,028	1,459	2,049	3,002	4,151	5,474	6,572	6,712	5,805	3,575	1,455	338	55
	Nonwhite--M	4,460	472	27	24	15	14	21	21	46	75	99	113	158	221	340	461	498	500	431	370	266	151	88	26	9	12
	F	3,577	435	25	19	13	9	24	15	27	64	77	116	137	207	258	366	334	331	319	289	198	136	104	43	20	11
001-019	Tuberculosis, all forms	1,578	4	9	4	9	2	4	7	9	30	49	75	82	134	166	167	184	177	168	135	80	61	20	1	-	1
	White--M	939	1	3	3	3	-	-	2	1	7	13	20	37	69	94	94	123	131	127	98	55	45	13	-	-	-
	F	285	-	5	-	3	1	3	2	1	5	14	24	22	32	18	18	21	23	30	22	19	15	6	1	-	-
	Nonwhite--M	254	-	1	-	2	1	-	1	2	8	11	18	13	24	47	43	32	22	11	10	5	1	1	-	-	1
	F	100	3	-	1	1	-	1	2	5	10	11	13	10	9	7	12	8	1	-	5	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,441	1	4	-	1	2	1	3	6	22	48	69	72	125	161	159	169	168	156	123	71	59	19	1	-	1
	White--M	884	-	1	-	1	-	-	1	-	4	13	17	34	64	93	91	120	125	120	93	51	43	13	-	-	-
	F	250	-	2	-	-	1	-	1	1	4	14	23	19	30	17	18	19	20	25	19	16	15	5	1	-	-
	Nonwhite--M	225	-	1	-	-	1	-	-	1	6	10	16	11	22	44	39	26	22	11	8	4	1	1	-	-	1
	F	82	1	-	-	-	-	1	1	4	8	11	13	8	9	7	11	4	1	-	3	-	-	-	-	-	-
010-019	Tuberculosis, other forms	137	3	5	4	8	-	3	4	3	8	1	6	10	9	5	8	15	9	12	12	9	2	1	-	-	-
	White--M	55	1	2	3	2	-	-	1	1	3	-	3	3	5	1	3	3	6	7	5	4	2	-	-	-	-
	F	35	-	3	-	3	-	3	1	-	1	-	1	3	2	1	-	2	3	5	3	3	-	1	-	-	-
	Nonwhite--M	29	-	-	-	2	-	-	1	1	2	1	2	2	2	3	4	6	-	-	2	1	-	-	-	-	-
	F	18	2	-	1	1	-	-	1	1	2	-	-	2	-	-	1	4	-	-	2	1	-	-	-	-	-
020-029	Syphilis and its sequelae	438	-	-	-	-	-	1	-	1	-	1	1	11	19	35	55	70	72	65	55	38	11	3	-	-	-
	White--M	251	-	-	-	-	-	-	-	1	-	-	1	5	9	12	31	40	44	44	35	19	9	1	-	-	-
	F	70	-	-	-	-	-	1	-	-	-	-	-	2	3	4	7	8	8	10	12	12	2	1	-	-	-
	Nonwhite--M	79	-	-	-	-	-	-	-	-	-	1	-	3	5	11	11	13	13	9	6	6	-	1	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	-	1	2	8	6	9	7	2	2	1	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-
	White--M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
050, 051	Scarlet fever, etc.*	18	1	-	-	-	1	1	1	2	-	-	1	-	1	3	2	-	1	1	-	2	-	1	-	-	-
	White--N	8	1	-	-	-	1	-	1	1	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	-	1	-	-	-	-	1	1	2	-	1	-	-	2	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	6	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	15	11	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	76	26	9	10	5	5	5	3	3	1	-	2	-	2	1	-	1	3	-	-	-	-	-	-	-	-
	White--M	40	12	6	4	1	3	3	3	-	1	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-	-
	F	27	12	2	2	4	1	1	-	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	53	-	-	1	2	3	12	6	10	5	7	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	32	-	-	1	2	1	8	5	4	3	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	1	4	-	6	2	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	22	4	4	3	1	1	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	14	2	3	1	1	-	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases	282	42	17	3	-	3	11	5	6	7	11	11	15	16	12	16	19	16	20	22	17	7	5	1	-	-
	White--M	137	15	7	2	-	1	7	3	5	4	3	4	7	4	6	11	8	9	14	11	12	2	2	-	-	-
	F	94	14	8	1	-	2	4	2	-	2	2	5	5	9	1	2	8	3	4	9	5	4	3	1	-	-
	Nonwhite--M	26	5	2	-	-	-	-	-	1	-	4	-	1	2	3	2	3	1	1	1	-	-	-	-	-	-
	F	25	8	-	-	-	-	-	-	-	1	2	2	2	1	2	1	-	3	1	1	-	1	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*——	17,468	13	23	15	30	27	67	49	58	77	119	211	387	654	953	1,426	2,003	2,465	2,624	2,436	1,948	1,184	528	143	24	4
	White——M——	8,438	3	9	9	15	12	42	22	30	46	61	78	134	218	374	597	988	1,269	1,383	1,226	1,033	567	265	49	7	1
	F——	7,949	9	13	6	15	14	21	26	22	22	50	111	212	365	486	672	866	1,037	1,107	1,110	842	587	249	91	13	3
	Nonwhite——M——	561	-	1	-	-	1	2	1	4	4	-	4	14	24	50	76	82	97	77	54	42	17	8	2	1	-
	F——	520	1	-	-	-	-	2	-	2	5	6	18	27	47	43	81	67	62	57	46	31	13	6	1	3	-
140-148	Of buccal cavity and pharynx——	379	-	-	-	-	-	-	-	-	1	1	2	5	11	14	29	49	62	66	57	39	24	17	2	-	-
	White——M——	288	-	-	-	-	-	-	-	-	1	1	-	4	6	6	20	33	50	59	45	28	19	15	2	-	-
	F——	62	-	-	-	-	-	-	-	-	-	1	2	-	3	6	4	8	6	6	10	10	4	2	-	-	-
	Nonwhite——M——	25	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	7	5	1	2	1	1	-	-	-	-
	F——	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	6,816	-	-	2	-	-	2	3	7	6	16	32	79	160	272	455	740	1,017	1,109	1,121	909	569	236	66	13	2
	White——M——	3,506	-	-	2	-	-	2	2	4	2	9	12	36	66	149	224	396	550	596	577	492	257	107	19	4	-
	F——	2,916	-	-	-	-	-	-	1	3	1	7	17	36	75	99	177	281	396	463	505	387	294	119	45	8	2
	Nonwhite——M——	229	-	-	-	-	-	-	-	-	1	-	1	4	9	17	27	38	45	28	23	18	10	7	1	-	-
	F——	165	-	-	-	-	-	-	-	-	2	-	2	3	10	7	27	25	26	22	16	12	8	3	1	1	-
160-164	Of respiratory system——	1,970	1	-	-	-	-	-	1	3	3	2	18	25	73	123	231	314	351	349	230	161	57	22	5	1	-
	White——M——	1,517	-	-	-	-	-	-	-	2	1	2	14	15	46	85	178	258	298	279	173	116	35	13	2	-	-
	F——	318	1	-	-	-	-	-	1	1	1	-	4	5	18	19	27	39	31	55	48	38	20	7	3	-	-
	Nonwhite——M——	113	-	-	-	-	-	-	-	-	1	-	-	4	4	17	22	17	21	14	6	5	1	1	-	-	-
	F——	22	-	-	-	-	-	-	-	-	-	-	-	1	5	2	4	-	1	1	3	2	1	1	-	1	-
170	Of breast——	1,473	-	1	-	-	-	-	1	-	1	7	33	75	107	136	146	173	184	176	165	126	80	42	17	2	1
	White——M——	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	1	-	-	-
	F——	1,371	-	1	-	-	-	-	1	-	1	2	28	70	98	123	139	159	171	165	158	120	77	40	17	1	1
	Nonwhite——M——	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F——	90	-	-	-	-	-	-	-	-	-	5	5	5	7	12	7	12	12	9	7	5	2	1	-	1	-
171-179	Of genital organs——	2,663	-	1	-	-	-	-	-	3	4	9	18	41	68	135	165	226	269	315	374	347	352	204	111	17	4	-
	White——M——	855	-	-	-	-	-	-	-	1	3	5	5	6	3	4	4	9	40	62	145	152	207	124	75	9	1	-
	F——	1,600	-	1	-	-	-	-	-	2	1	3	12	28	57	114	148	192	203	228	197	167	128	75	35	7	2	-
	Nonwhite——M——	65	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	9	17	13	11	4	-	1	1	-
	F——	143	-	-	-	-	-	-	-	-	1	1	7	7	15	12	24	22	16	15	15	6	1	1	-	-	-
180, 181	Of urinary organs——	836	1	3	-	4	2	5	1	-	-	2	1	6	17	31	59	89	113	116	149	108	84	34	11	-	-
	White——M——	535	1	1	-	-	1	4	-	-	-	1	1	5	9	24	36	59	80	77	92	66	46	25	7	-	-
	F——	264	-	2	-	4	1	1	1	-	-	1	-	1	6	4	19	23	29	35	49	37	38	9	4	-	-
	Nonwhite——M——	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	3	2	5	3	-	-	-	-	-
	F——	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	3	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	1,955	4	9	4	9	6	22	16	18	23	24	42	64	84	127	182	214	264	262	226	170	115	49	16	4	1
	White——M——	969	1	6	1	6	1	12	8	8	13	14	19	33	46	62	80	112	143	124	104	92	55	21	5	2	1
	F——	886	3	3	3	3	5	8	8	9	9	9	19	24	29	57	78	93	112	125	117	72	59	28	11	2	-
	Nonwhite——M——	52	-	-	-	-	-	1	-	-	1	-	2	2	2	3	15	5	7	7	4	3	-	-	-	-	-
	F——	48	-	-	-	-	1	-	1	1	-	1	2	5	7	5	9	4	2	6	1	3	1	-	-	-	-
204	Leukemia and aleukemia——	663	6	7	7	17	18	29	18	15	13	25	16	28	24	32	41	70	65	76	68	43	29	9	7	-	-
	White——M——	341	1	2	4	9	9	16	6	8	8	12	9	17	11	18	19	37	33	42	37	14	19	5	5	-	-
	F——	291	4	5	3	8	8	11	11	4	2	12	7	9	11	12	19	31	29	32	29	29	9	4	2	-	-
	Nonwhite——M——	17	1	-	-	-	1	1	1	3	1	-	1	-	-	1	1	1	3	2	1	-	1	-	-	-	-
	F——	14	1	-	-	-	-	1	-	1	2	1	-	2	2	1	2	1	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	713	1	2	2	-	1	8	7	11	21	24	26	37	43	53	57	85	94	96	73	40	22	8	2	-	-
	White——M——	419	-	-	2	-	1	8	5	5	16	18	17	21	30	25	31	52	52	59	46	17	11	3	-	-	-
	F——	241	1	2	-	-	-	-	2	4	5	6	6	10	11	18	17	29	35	29	27	21	11	5	2	-	-
	Nonwhite——M——	32	-	-	-	-	-	-	-	1	-	-	1	3	2	8	4	2	4	6	-	1	-	-	-	-	-
	F——	21	-	-	-	-	-	-	-	1	-	-	2	3	-	2	5	2	3	2	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	429	9	2	3	5	2	16	9	8	11	17	18	25	28	51	38	39	36	31	30	27	15	8	1	-	-
	White——M——	188	6	2	3	2	2	10	6	3	3	7	3	11	5	14	18	21	27	10	9	15	6	5	-	-	-
	F——	209	2	-	-	3	-	6	3	3	7	9	10	12	17	34	15	15	8	19	21	12	9	3	1	-	-
	Nonwhite——M——	9	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	1	2	-	-	-	-	-	-	-
	F——	23	1	-	-	-	-	-	-	2	1	1	3	2	5	2	4	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	2,631	-	4	2	-	1	4	4	6	15	21	32	28	36	72	148	248	391	485	457	373	204	80	19	1	-
	White——M——	812	-	2	1	-	-	1	-	1	7	14	16	13	17	18	53	69	114	141	137	118	60	26	5	-	-
	F——	1,650	-	2	1	-	1	3	4	5	6	5	11	9	14	43	79	150	251	321	306	241	134	49	14	1	-
	Nonwhite——M——	58	-	-	-	-	-	-	-	1	1	1	2	2	2	1	2	10	9	11	4	6	5	1	-	-	-
	F——	111	-	-	-	-	-	-	-	-	1	1	3	4	3	10	14	19	17	12	10	8	5	4	-	-	-
290-293	Anemias——	239	5	5	1	2	1	4	2	7	2	3	3	4	6	6	13	9	15	23	34	42	25	21	5	1	-
	White——M——	102	2	3	-	2	1	2	-	1	1	1	1	2	3	1	7	2	5	14	13	19	11	11	1	-	-
	F——	122	1	1	-	-	1	2	1	5	2	1	1	-	5	5	5	7	10	8	21	23	14	10	4	1	-
	Nonwhite——M——	8	1	1	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F——	7	1	-	1	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*——	109	36	10	5	5	1	2	3	1	2	1	3	5	6	3	5	4	7	6	1	3	-	1	-	-	-
	White——M——	57	18	5	4	3	1	1	1	1	1	-	1	1	4	1	2	2	6	5	-	3	-	-	-	-	-
	F——	31	10	3	1	2	-	1	1	-	-	1	-	1	2	1	3	1	1	1	-	-	-	1	-	-	-
	Nonwhite——M——	12	4	1	-	-	1	-	1	-	-	1	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F——	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	63,850	42	15	9	8	10	43	56	57	108	197	343	717	1,267	2,181	3,512	4,853	6,723	8,780	9,724	9,946	8,245	4,928	1,812	403	71
	White——M——	32,899	17	4	2	3	5	22	23	27	44	96	171	390	749	1,341	1,969	2,901	3,927	4,946	4,975	4,808	3,691	2,005	652	111	20
	F——	27,290	15	8	6	4	3	15	25	21	42	70	114	226	334	579	933	1,515	2,330	3,361	4,314	4,828	4,354	2,777	1,109	268	39
	Nonwhite——M——	1,946	5	2	-	-	-	3	4	4	12	20	29	48	85	135	215	252	264	261	237	170	100	67	20	8	5
	F——	1,715	5	1	1	1	2	3	4	5	10	11	29	53	99	126	195	185	202	212	198	140	100	79	31	16	7
330-334, 400-468	Diseases of cardiovascular system——	62,388	40	14	8	6	6	38	48	41	86	166	313	668	1,209	2,104	3,214	4,717	6,566	8,615	9,537	9,791	8,108	4,848	1,776	398	71
	White——M——	32,201	15	3	1	2	3	20	20	19	32	75	159	365	722	1,312	1,927	2,839	3,852	4,858	4,892	4,729	3,629	1,959	638	110	20
	F——	26,701	15	8	6	3	2	13	21	15	34	62	101	212	316	547	900	1,459	2,264	3,303	4,227	4,766	4,290	2,745	1,089	264	39
	Nonwhite——M——	1,858	5	2	-	-	-	2	3	3	12	19	28	43	79	128	205	243	253	253	228	161	93	66	19	8	5
	F——	1,628	5	1	1	1	1	3	4	4	8	10	25	48	92	117	182	176	197	201	190	135	96	78	30	16	7
330-334	Vascular lesions, etc.*——	11,961	14	8	5	3	2	8	4	6	10	19	40	104	164	319	542	743	1,111	1,727	1,995	2,101	1,715	950	307	59	5
	White——M——	5,194	4	2	-	2	1	5	2	1	4	10	19	42	66	122	212	351	510	818	905	913	718	365	107	13	2
	F——	5,998	6	4	5	-	1	2	2	3	4	5	15	43	68	148	235	309	495	786	989	1,132	954	558	192	39	3
	Nonwhite——M——	379	2	1	-	-	-	-	1	1	2	2	4	8	13	24	42	44	60	64	51	22	22	12	2	3	-
	F——	390	2	1	-	1	-	1	-	1	-	2	2	11	17	25	53	39	46	59	50	34	21	15	6	4	-
400-402	Rheumatic fever——	149	3	-	1	1	3	15	27	7	5	5	10	6	13	5	12	7	8	12	6	-	2	-	1	-	-
	White——M——	71	1	-	-	-	1	7	9	5	4	1	4	4	5	3	7	1	7	7	3	-	2	-	-	-	-
	F——	60	1	-	-	1	1	5	14	1	-	3	5	1	8	2	5	5	1	4	2	-	-	-	1	-	-
	Nonwhite——M——	6	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F——	12	-	-	1	-	1	2	2	-	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA--Continued																										
410-443	Diseases of heart-	45,944	20	5	1	1	1	14	13	23	59	117	234	515	985	1,696	2,545	3,812	5,210	6,550	6,942	6,942	5,540	3,236	1,179	261	43
	White-----M--	24,839	8	-	1	-	1	8	7	10	20	58	125	309	637	1,152	1,640	2,409	3,214	3,849	3,648	3,418	2,499	1,310	430	75	11
	F--	18,652	7	4	-	1	-	5	3	9	25	42	75	152	224	368	635	1,087	1,680	2,394	2,999	3,308	2,906	1,820	715	172	21
	Nonwhite--M--	1,346	2	1	-	-	-	1	1	1	10	12	18	29	62	93	146	187	179	178	165	123	67	46	15	5	5
	F--	1,107	3	-	-	-	-	-	2	3	4	5	16	25	62	83	124	129	137	129	130	93	68	60	19	9	6
410-416	Chronic rheumatic heart disease-----	1,739	1	-	-	1	1	-	7	17	31	62	80	122	162	208	213	208	170	152	103	109	53	25	12	2	-
	White-----M--	768	-	-	-	-	1	-	4	9	11	24	30	53	63	90	97	97	93	74	46	42	25	7	2	-	-
	F--	871	1	-	-	1	-	-	2	6	17	31	45	61	87	102	107	101	68	72	52	62	28	17	10	1	-
	Nonwhite--M--	58	-	-	-	-	-	-	1	-	1	3	4	3	8	9	5	7	5	4	4	3	-	1	-	-	-
	F--	42	-	-	-	-	-	-	-	2	2	4	1	5	4	7	4	3	4	2	1	2	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	29,395	4	-	1	-	-	6	3	2	12	31	94	282	597	1,134	1,759	2,725	3,700	4,550	4,607	4,281	3,145	1,725	588	115	24
	White-----M--	17,576	-	-	1	-	-	4	2	1	6	22	69	212	470	882	1,287	1,896	2,463	2,860	2,581	2,242	1,537	766	233	36	6
	F--	10,539	1	-	-	-	-	1	-	-	3	3	13	49	73	176	329	659	1,066	1,509	1,865	1,936	1,538	895	340	74	9
	Nonwhite--M--	752	2	-	-	-	-	1	-	-	3	6	7	15	27	43	85	108	99	111	98	68	37	29	7	3	3
	F--	528	1	-	-	-	-	-	1	1	-	-	5	6	27	33	58	62	72	70	63	45	33	35	8	2	6
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,939	4	2	-	-	-	1	1	2	7	13	28	36	60	94	159	280	463	743	975	1,318	1,296	937	400	107	13
	White-----M--	3,246	4	-	-	-	-	-	-	-	1	7	9	18	30	53	89	143	252	392	499	644	550	375	144	32	4
	F--	3,347	-	1	-	-	-	1	1	1	2	4	10	10	17	21	39	102	174	314	426	633	723	542	247	71	8
	Nonwhite--M--	184	-	1	-	-	-	-	-	1	2	2	5	4	4	9	16	24	20	22	27	24	9	7	4	2	1
	F--	162	-	-	-	-	-	-	-	-	2	-	4	4	9	11	15	11	17	15	23	17	14	13	5	2	-
430-434	Other diseases of heart---------	1,462	11	3	-	-	-	7	2	2	7	7	13	24	53	60	94	117	163	188	193	222	178	91	38	7	2
	White-----M--	770	4	-	-	-	-	4	1	-	2	3	8	11	28	41	52	71	103	116	103	107	81	25	8	1	1
	F--	603	5	3	-	-	-	3	-	2	2	3	1	10	15	11	26	36	50	61	79	106	91	63	29	6	1
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	3	-	-	2	5	7	7	5	9	8	6	4	3	2	-	-	-
	F--	48	2	-	-	-	-	-	1	-	-	1	4	1	5	1	9	5	1	3	5	5	3	1	1	-	-
440-443	Hypertension with heart dis.--	6,389	-	-	-	-	-	-	-	-	2	4	19	51	113	200	320	482	714	917	1,064	1,002	868	458	141	30	4
	White-----M--	2,479	-	-	-	-	-	-	-	-	-	2	9	15	46	86	115	202	303	407	419	383	306	137	43	6	-
	F--	3,292	-	-	-	-	-	-	-	-	1	1	6	22	32	58	134	189	322	438	577	571	526	303	89	20	3
	Nonwhite--M--	291	-	-	-	-	-	-	-	-	1	1	2	5	18	25	33	43	46	33	30	24	18	7	4	-	1
	F--	327	-	-	-	-	-	-	-	-	-	-	2	9	17	31	38	48	43	39	38	24	18	11	5	4	-
444-447	Hypertension without mention of heart----------	635	-	-	-	-	-	-	1	-	2	10	17	28	24	41	52	52	61	84	117	111	133	74	18	8	2
	White-----M--	360	-	-	-	-	-	-	-	-	1	5	4	4	7	12	31	21	22	37	56	60	64	30	2	3	1
	F--	376	-	-	-	-	-	-	1	-	-	1	4	12	7	17	11	24	29	39	55	49	66	43	15	3	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	3	4	4	2	7	8	3	3	3	3	1	1	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	1	1	5	8	8	5	2	4	7	5	3	1	2	1	1	2	1
450	General arteriosclerosis--------	2,820	-	-	-	-	-	-	-	-	-	1	3	-	5	5	5	35	83	170	378	554	662	563	267	70	19
	White-----M--	1,360	-	-	-	-	-	-	-	-	-	-	3	-	2	5	2	18	43	97	219	293	319	239	96	19	5
	F--	1,382	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	13	32	62	148	244	335	314	165	50	14
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	5	6	11	3	8	2	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	5	6	5	2	4	1	-
451-468	Other diseases of circulatory sys.-	679	3	1	1	1	-	1	3	5	10	14	9	15	18	38	58	68	93	72	99	83	56	25	4	-	2
	White-----M--	377	2	1	-	-	-	-	2	3	3	1	4	6	5	18	35	39	56	50	61	45	27	15	3	-	1
	F--	233	1	-	1	1	-	1	1	2	5	10	2	4	6	12	13	21	27	18	34	33	29	10	1	-	1
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	2	2	2	2	4	7	6	5	3	2	4	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	2	1	1	3	5	4	3	2	5	1	2	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,462	2	1	1	2	4	5	8	16	22	31	30	49	58	77	98	136	157	165	187	155	137	80	36	5	-
	White-----M--	698	2	1	1	1	2	2	3	8	12	21	12	25	27	29	42	62	75	88	83	79	82	46	14	1	-
	F--	589	-	-	-	1	1	2	4	6	8	8	13	14	18	32	33	56	66	58	87	62	64	32	20	4	-
	Nonwhite--M--	88	-	-	-	-	-	1	1	1	-	1	1	5	6	7	10	9	11	8	9	9	7	1	1	-	-
	F--	87	-	-	-	-	1	-	-	1	2	1	4	5	7	9	13	9	5	11	8	5	4	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	3,092	455	68	28	14	9	16	10	13	20	28	32	41	81	113	127	184	209	281	342	351	316	220	99	23	10
	White-----M--	1,570	200	22	14	6	4	8	6	4	7	9	14	13	43	57	73	95	135	172	194	183	156	104	39	9	3
	F--	1,136	165	35	7	4	5	8	4	7	7	11	6	12	16	26	14	56	44	89	127	156	153	111	55	13	5
	Nonwhite--M--	246	42	4	4	2	-	1	-	1	3	4	7	14	16	20	28	29	24	18	14	5	5	3	1	-	1
	F--	140	48	7	3	2	-	1	-	1	3	4	5	2	6	10	12	4	6	2	7	7	2	2	4	1	1
480-483	Influenza---------	458	36	6	3	1	1	1	3	1	2	5	4	2	6	9	18	21	31	39	57	82	72	54	17	7	-
	White-----M--	232	13	4	2	1	1	-	2	-	2	2	2	-	4	4	12	10	20	19	36	33	32	26	5	2	-
	F--	204	19	2	1	-	-	1	1	1	-	3	1	1	2	5	2	8	8	18	21	27	40	27	11	5	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	-	1	-	-	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	1	-	1	1	-	-	-
490-493	Pneumonia, etc.*--	2,634	419	62	25	13	8	17	7	12	18	23	28	39	75	104	109	163	178	242	285	289	244	166	82	16	10
	White-----M--	1,338	187	18	12	5	3	8	4	4	5	7	12	13	39	53	61	85	115	153	158	150	124	78	34	7	3
	F--	932	146	33	6	4	5	7	3	6	7	8	5	11	14	21	12	48	36	71	106	129	113	84	44	8	5
	Nonwhite--M--	234	40	4	4	2	-	1	-	1	3	4	7	13	16	20	27	26	22	16	14	4	5	3	1	-	1
	F--	130	46	7	3	2	-	1	-	1	3	4	4	2	6	10	9	4	5	2	7	6	2	1	3	1	1
500-502	Bronchitis--------	195	30	10	6	6	3	2	1	1	3	2	1	3	3	6	5	6	13	24	18	19	18	8	5	1	1
	White-----M--	106	13	7	3	3	1	1	1	1	-	-	-	1	1	2	4	4	12	17	9	10	10	3	2	-	1
	F--	71	14	3	2	2	-	-	-	-	1	1	-	1	1	3	1	1	1	6	9	9	8	4	3	1	-
	Nonwhite--M--	10	-	-	1	1	2	1	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	646	3	1	-	3	-	-	-	-	2	3	11	9	39	48	70	77	96	98	81	55	31	11	8	-	-
	White-----M--	491	1	1	-	2	-	-	-	-	1	3	9	7	29	38	52	56	78	87	60	37	19	7	4	-	-
	F--	117	1	-	-	1	-	-	-	-	-	-	1	2	7	8	12	12	9	7	21	17	11	4	4	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	6	7	2	-	1	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	-	-	1	-	-	-	-
550-553	Appendicitis------	161	1	1	1	-	-	7	7	5	2	4	6	6	7	14	13	14	10	17	21	15	7	1	2	-	-
	White-----M--	98	-	1	1	-	-	2	4	4	1	2	4	4	7	10	5	12	7	10	11	9	2	1	1	-	-
	F--	48	1	-	-	-	-	3	2	-	1	2	1	2	-	2	6	2	2	7	6	5	5	-	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	1	-	-	1	-	-	1	2	-	1	-	4	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	739	79	6	2	1	1	2	1	2	3	5	9	11	12	25	41	50	90	80	103	92	74	34	14	2	-
	White-----M--	345	42	3	1	-	-	2	1	-	1	1	6	7	5	10	16	26	42	39	39	41	41	15	6	1	-
	F--	337	20	3	1	1	-	-	-	2	2	2	3	3	7	9	16	19	43	38	60	50	31	18	8	1	-
	Nonwhite--M--	31	11	-	-	-	1	-	-	-	-	-	-	1	-	3	5	3	3	1	2	-	-	1	-	-	-
	F--	26	6	-	-	-	-	-	-	-	-	2	-	-	-	3	4	2	2	2	2	1	2	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
543, 571, 572	Gastritis, etc.*--	406	114	11	4	5	1	4	4	3	6	6	10	11	20	20	16	14	18	30	32	29	32	10	5	1	-
	White-----M--	189	50	8	2	2	1	3	2	-	2	2	2	5	7	13	12	7	8	17	15	12	14	5	-	-	-
	F--	166	37	2	2	2	-	-	-	2	3	3	7	6	10	4	4	6	9	13	16	15	15	5	4	1	-
	Nonwhite--M--	27	15	-	-	-	-	-	1	1	1	1	1	-	1	1	-	1	-	-	-	2	2	-	-	-	-
	F--	24	12	1	-	1	-	1	1	-	-	-	-	-	2	2	-	1	-	1	-	1	-	1	-	-	-
581	Cirrhosis of liver	1,202	2	-	-	-	1	-	1	2	1	12	23	51	90	111	161	161	150	154	124	88	35	13	2	-	-
	White-----M--	735	1	-	-	-	-	-	-	-	-	3	10	34	56	57	98	128	104	97	75	51	18	2	1	-	-
	F--	393	1	-	-	-	-	-	-	-	1	8	10	12	25	43	49	47	39	51	45	33	17	11	1	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	1	1	-	-	1	3	2	6	9	4	5	2	3	2	-	-	-	-	-
	F--	35	-	-	-	-	1	-	-	1	-	1	2	2	7	5	5	2	2	4	1	2	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	199	3	-	1	3	2	4	3	-	8	9	5	6	10	8	12	19	22	18	16	22	16	10	1	1	-
	White-----M--	100	2	-	-	3	2	3	2	-	4	4	1	4	5	2	8	10	8	10	9	12	6	4	1	-	-
	F--	82	1	-	1	-	-	1	1	-	2	1	3	-	3	5	4	8	13	8	7	9	9	5	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	-	-	1	-	-	-
610	Hyperplasia of prostate----------	393	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	7	16	52	74	95	79	46	16	2	1
	White-----M--	375	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	11	50	68	94	77	45	16	2	1
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	6	1	2	1	-	-	-
640-689	Complications of pregnancy, etc.*-	129	...	...	...	...	...	...	-	8	26	26	31	26	11	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	99	...	...	...	...	...	...	-	5	16	23	24	19	11	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	30	...	...	...	...	...	...	-	3	10	3	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	23	...	...	...	...	...	...	-	1	9	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	...	...	...	...	...	...	-	-	4	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	...	...	...	-	1	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	106	...	...	...	...	...	...	-	7	17	20	26	24	11	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	85	...	...	...	...	...	...	-	5	12	17	21	18	11	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	21	...	...	...	...	...	...	-	2	5	3	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	1,285	951	68	28	20	8	26	17	16	10	5	11	12	11	21	13	27	14	13	4	4	4	2	-	-	-
	White-----M--	640	491	25	7	13	5	13	5	11	5	3	5	5	8	12	5	11	7	4	2	2	1	-	-	-	-
	F--	553	403	34	14	6	3	10	10	4	4	2	6	6	3	7	6	14	6	7	2	1	3	2	-	-	-
	Nonwhite--M--	55	35	5	3	1	-	2	1	1	1	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-
	F--	37	22	4	4	-	-	1	1	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,822	3,820	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,869	1,869	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,350	1,348	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,675	1,675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	880	880	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	517	517	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,911	1,909	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	888	888	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	741	739	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	731	50	6	5	1	-	3	2	3	2	5	7	11	24	32	41	49	71	69	73	71	82	62	42	16	4
	White-----M--	397	26	2	3	1	-	1	1	2	-	1	2	6	12	17	30	32	47	44	49	43	32	30	12	4	-
	F--	261	18	3	2	-	-	1	1	-	1	3	4	4	6	8	3	9	14	19	20	26	47	32	27	12	1
	Nonwhite--M--	44	2	-	-	-	-	-	-	-	1	1	-	1	4	5	5	6	8	3	2	2	2	-	-	-	2
	F--	29	4	1	-	-	-	1	-	1	-	-	1	-	2	2	3	2	2	3	2	-	1	-	3	-	1
Residual	All other diseases	5,333	251	43	30	19	17	56	25	38	69	93	86	137	208	288	354	566	690	731	629	470	311	147	56	10	9
	White-----M--	3,025	137	32	14	9	8	27	13	21	30	31	37	54	102	150	189	362	461	483	361	256	161	58	21	7	1
	F--	1,917	83	8	12	7	7	27	9	13	23	43	33	57	81	99	129	158	199	223	243	199	143	80	33	3	5
	Nonwhite--M--	218	19	2	3	2	1	-	2	2	6	8	7	14	11	24	18	27	15	16	15	12	6	4	2	-	2
	F--	173	12	1	1	1	1	2	1	2	10	11	9	12	14	15	18	19	15	9	10	3	1	5	-	-	1
E800-E962	Accidents----------	5,758	183	82	70	50	53	172	139	288	305	305	238	234	278	286	268	308	358	402	426	431	419	295	132	28	8
	White-----M--	3,527	92	39	41	20	27	95	108	216	248	226	174	180	200	211	192	224	247	249	233	217	160	88	31	5	4
	F--	1,752	66	27	15	17	16	57	22	49	37	40	32	26	46	42	43	58	83	130	181	200	242	201	97	23	2
	Nonwhite--M--	315	10	7	10	6	5	11	6	20	15	28	20	19	28	22	27	17	21	12	8	11	9	1	1	-	1
	F--	164	15	9	4	7	5	9	3	3	5	11	12	9	4	11	6	9	7	11	4	3	8	5	3	-	1
E810-E835	Motor-vehicle accidents--------	1,863	14	16	16	24	20	79	52	156	208	165	107	107	119	105	94	95	114	110	107	89	46	17	2	-	1
	White-----M--	1,318	8	5	9	12	11	43	38	120	178	123	78	76	86	69	61	66	81	70	74	62	34	12	1	-	1
	F--	418	6	10	4	8	5	32	13	35	23	29	18	13	22	24	19	25	29	37	28	24	8	5	1	-	-
	Nonwhite--M--	96	-	-	2	1	4	2	1	1	6	8	8	13	9	9	12	3	3	3	5	3	3	-	-	-	-
	F--	31	-	1	1	3	-	2	-	-	1	5	3	5	2	3	2	1	1	-	-	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,895	169	66	54	26	33	93	87	132	97	140	131	127	159	181	174	213	244	292	319	342	373	278	130	28	7
	White-----M--	2,209	84	34	32	8	16	52	70	96	70	103	96	104	114	142	131	158	166	179	159	155	126	76	30	5	3
	F--	1,334	60	17	11	9	11	25	9	14	14	11	14	13	24	18	24	33	54	93	153	176	234	196	96	23	2
	Nonwhite--M--	219	10	7	8	5	1	9	5	19	9	20	12	6	19	13	15	14	18	9	3	8	6	1	1	-	1
	F--	133	15	8	3	4	5	7	3	3	4	6	9	4	2	8	4	8	6	11	4	3	7	5	3	-	1
E963, E970-E979	Suicide----------	1,003	-	-	-	-	-	-	7	14	41	56	49	71	94	108	112	114	110	76	68	48	20	9	6	-	-
	White-----M--	750	-	-	-	-	-	-	5	10	28	35	27	43	65	79	87	94	94	62	49	41	17	8	6	-	-
	F--	225	-	-	-	-	-	-	1	4	10	17	20	24	26	27	23	16	15	14	18	7	2	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	2	3	2	4	2	1	2	4	1	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	296	9	-	3	3	3	3	8	13	34	33	39	28	27	28	17	20	8	4	6	5	-	2	1	-	2
	White-----M--	86	2	-	-	-	2	2	4	1	7	4	8	6	8	12	6	11	4	2	2	3	-	-	-	-	2
	F--	60	4	-	1	2	1	1	2	4	5	8	5	3	9	4	1	3	1	1	2	1	-	1	1	-	-
	Nonwhite--M--	108	1	-	1	1	-	-	1	6	18	15	16	15	8	6	9	6	2	-	2	1	-	-	-	-	-
	F--	42	2	-	1	-	-	-	1	2	4	6	10	4	2	6	1	-	1	1	-	-	-	1	-	-	-
E965, E990-E999	Operations of war-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES------	8,286	434	20	10	14	9	32	29	41	44	47	70	109	182	290	418	650	863	1,071	1,158	1,117	896	525	208	39	10
	White-----M--	4,309	252	11	5	6	4	20	21	23	25	27	39	62	110	168	272	399	498	610	575	521	377	199	64	18	3
	F--	3,807	166	9	5	7	4	10	8	17	16	16	28	45	65	115	136	237	349	436	562	577	509	319	143	21	7
	Nonwhite--M--	93	9	-	-	-	-	2	-	-	2	1	2	1	3	4	6	9	12	14	12	9	5	2	-	-	-
	F--	77	7	-	-	1	1	-	-	1	1	3	1	1	4	3	4	5	4	11	9	10	5	5	1	-	-
001-019	Tuberculosis, all forms--------	93	-	-	-	-	-	-	-	2	3	3	2	3	10	7	13	7	7	14	7	6	8	1	-	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	2	1	2	6	5	11	6	6	11	6	4	2	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	3	1	1	1	3	1	1	1	-	3	1	1	6	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	87	-	-	-	-	-	-	-	1	2	3	2	3	10	6	12	7	7	14	7	5	7	1	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	2	1	2	6	4	10	6	6	11	6	4	2	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	2	1	1	1	3	1	1	1	-	3	1	-	5	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	3	9	3	2	1	-	1	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	3	7	3	-	1	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	8	2	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	16	-	-	-	-	-	6	3	1	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	4	3	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases----	18	3	-	-	1	-	-	1	-	-	-	2	1	-	-	2	-	1	2	3	1	-	1	-	-	-
	White-----M--	8	2	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*----	1,437	2	1	1	1	1	4	4	8	7	8	17	26	49	66	101	163	198	207	212	168	123	55	14	-	1
	White-----M--	703	1	1	1	-	1	2	3	2	5	4	8	12	18	25	55	80	102	111	111	87	50	19	5	-	-
	F--	717	1	-	-	1	-	2	1	6	2	4	9	14	30	41	45	81	94	93	97	78	73	35	9	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	37	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	4	11	7	2	5	1	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	8	7	1	5	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	573	-	-	-	-	-	1	-	-	1	3	3	5	15	14	38	75	80	77	99	69	61	25	7	-	-
	White-----M--	298	-	-	-	-	-	-	-	-	-	2	2	3	6	8	27	36	46	41	54	36	23	11	3	-	-
	F--	268	-	-	-	-	-	1	-	-	1	1	1	2	8	6	11	38	33	34	44	32	38	14	4	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
160-164	Of respiratory system----------	156	-	-	-	-	-	-	-	-	-	-	1	3	9	12	13	23	29	25	17	16	4	3	1	-	-
	White-----M--	130	-	-	-	-	-	-	-	-	-	-	-	3	9	12	13	19	25	20	15	10	2	1	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	4	5	2	6	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	144	-	-	-	-	-	-	-	-	-	-	3	3	9	16	9	12	23	19	15	12	12	9	2	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	F--	140	-	-	-	-	-	-	-	-	-	-	3	3	9	16	9	12	21	17	15	12	12	9	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	175	-	-	-	-	-	-	-	-	-	2	1	6	7	7	13	19	16	25	32	26	16	4	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	11	16	15	7	1	1	-	-
	F--	111	-	-	-	-	-	-	-	-	-	2	1	5	7	6	11	15	13	14	16	10	9	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
180, 181	Of urinary organs-	59	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	9	16	8	4	7	4	-	-	1
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	6	11	6	2	4	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	2	2	3	3	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	178	1	-	-	1	-	1	3	3	2	1	2	4	5	6	14	23	21	15	25	27	14	7	3	-	-
	White-----M--	79	-	-	-	1	-	-	2	1	2	1	1	2	3	-	5	13	7	7	10	14	8	3	-	-	-
	F--	97	1	-	-	1	-	1	1	2	-	-	1	2	2	6	9	10	14	8	13	13	6	4	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	52	1	1	1	-	1	2	1	2	2	-	2	1	2	5	1	3	6	9	3	6	2	1	-	-	-
	White-----M--	32	1	1	1	-	1	2	1	1	1	-	1	-	-	1	2	5	6	1	5	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	1	-	1	1	2	5	-	1	1	3	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	63	-	-	-	-	-	-	-	3	2	2	5	3	1	2	5	5	10	10	6	6	2	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	2	1	4	2	-	-	2	3	7	5	2	4	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	3	-	1	1	1	1	2	2	2	3	5	3	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	35	1	-	-	-	-	-	-	1	-	1	3	2	1	3	2	9	3	2	4	-	1	1	1	-	-
	White-----M--	11	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	1	2	-	1	-	1	-	-
	F--	22	-	-	-	-	-	-	-	1	-	1	1	2	-	3	2	6	2	1	2	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	245	-	-	-	-	-	-	-	-	1	1	5	2	3	2	6	25	36	43	51	39	21	8	2	-	-
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	6	8	19	11	10	6	1	-	-	-
	F--	164	-	-	-	-	-	-	-	-	-	-	4	-	-	1	3	17	26	24	37	29	14	7	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	3	-	1	-	-	-	-
290-293	Anemias----------	15	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	5	2	1	1	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	4	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	7	2	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,798	2	-	1	-	1	-	4	4	3	10	9	38	73	127	220	349	523	660	766	764	658	386	164	28	8
	White-----M--	2,456	2	-	-	-	1	-	4	2	2	4	4	23	50	82	146	240	324	379	365	344	278	144	46	13	3
	F--	2,250	-	-	1	-	-	-	-	2	1	5	5	15	18	42	67	101	189	265	388	405	372	236	118	15	5
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	4	8	8	7	8	4	2	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	2	8	6	7	4	4	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	4,708	2	-	-	-	1	-	2	4	1	8	9	36	69	122	216	346	515	649	752	753	646	380	161	28	8
	White-----M--	2,415	2	-	-	-	1	-	2	2	1	3	4	21	47	80	144	239	321	373	359	340	271	143	46	13	3
	F--	2,204	-	-	-	-	-	-	-	2	-	4	5	15	18	40	65	99	184	260	380	398	367	232	115	15	5
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	4	8	8	7	8	4	2	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	2	8	6	7	4	3	-	-	-
330-334	Vascular lesions, etc.*----------	861	2	-	-	-	1	-	1	2	-	1	-	7	10	20	28	48	80	108	145	154	135	87	23	8	1
	White-----M--	387	2	-	-	-	1	-	1	1	-	-	-	3	7	9	17	25	39	47	65	70	59	33	4	3	1
	F--	459	-	-	-	-	-	-	-	1	-	1	-	4	2	11	10	22	39	55	79	82	75	54	19	5	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	4	1	1	1	-	-	-	-
400-402	Rheumatic fever---	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
410-443	Diseases of heart-	3,571	-	-	-	-	-	-	-	1	-	7	8	26	56	101	179	287	420	520	560	558	457	251	118	16	6
	White-----M--	1,899	-	-	-	-	-	-	-	1	-	3	4	18	37	70	123	207	273	317	269	249	186	96	36	8	2
	F--	1,600	-	-	-	-	-	-	-	-	-	3	4	8	16	29	50	73	139	194	280	296	264	150	82	8	4
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	4	6	5	7	7	4	2	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	4	4	6	3	3	-	-	-
410-416	Chronic rheumatic heart disease----	103	-	-	-	-	-	-	1	-	-	2	3	8	8	15	6	15	14	12	6	8	4	-	1	-	-
	White-----M--	47	-	-	-	-	-	-	1	-	-	-	1	2	5	7	3	7	9	5	2	1	4	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	2	2	6	3	8	3	8	5	7	4	7	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,656	-	-	-	-	-	-	-	-	-	4	4	14	38	75	136	215	316	400	428	414	332	179	86	9	6
	White-----M--	1,508	-	-	-	-	-	-	-	-	-	3	2	14	29	57	104	163	217	252	212	200	150	72	25	6	2
	F--	1,098	-	-	-	-	-	-	-	-	-	-	2	-	8	16	28	49	91	140	208	206	178	104	61	3	4
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	3	6	4	6	4	2	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	4	2	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	299	-	-	-	-	-	-	-	-	-	1	-	3	3	1	6	18	17	37	42	39	58	49	19	6	-
	White-----M--	134	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	11	12	24	26	12	14	20	7	2	-
	F--	157	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	5	5	13	16	24	42	29	12	4	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	55	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	5	8	8	11	6	4	1	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	5	4	5	2	2	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	5	4	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	458	-	-	-	-	-	-	-	-	-	-	1	1	7	8	28	32	68	63	76	86	57	19	11	1	-
	White-----M--	180	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	21	31	31	25	31	16	2	4	-	-
	F--	266	-	-	-	-	-	-	-	-	-	-	-	-	2	4	17	9	37	31	49	54	40	15	7	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	2	-	-	-
444-447	Hypertension without mention of heart----------	68	-	-	-	-	-	-	-	1	1	-	1	1	2	1	2	5	3	6	8	12	11	12	1	1	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	3	2	1	4	5	7	4	-	1	-
	F--	37	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	2	1	5	4	7	4	8	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	30	26	41	28	18	3	1
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	14	14	17	9	6	1	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	15	12	24	19	12	2	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	42	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	3	8	9	8	3	2	2	1	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	6	2	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	5	4	2	1	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	90	-	-	1	-	-	-	2	-	2	2	-	2	4	5	4	3	8	11	14	11	12	6	3	-	-
	White-----M--	41	-	-	-	-	-	-	2	-	1	1	-	2	3	2	2	1	3	6	6	4	7	1	-	-	-
	F--	46	-	-	1	-	-	-	-	-	1	1	-	-	-	2	2	2	5	5	8	7	5	4	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	141	11	-	-	1	-	1	2	-	2	3	3	2	3	7	5	3	6	12	22	17	15	16	5	4	1
	White-----M--	90	9	-	-	-	-	1	-	-	1	1	2	1	1	6	4	2	4	8	16	10	9	9	3	3	-
	F--	46	2	-	-	1	-	-	2	-	1	1	1	1	2	-	-	1	2	3	6	7	6	7	1	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
480-483	Influenza---------	5	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*---	136	10	-	-	-	-	1	2	-	1	3	3	2	3	7	5	3	6	10	22	17	15	16	5	4	1
	White-----M--	88	8	-	-	-	-	1	-	-	1	1	2	1	1	6	4	2	4	7	16	10	9	9	3	3	-
	F--	43	2	-	-	-	-	-	2	-	-	1	1	1	2	-	-	1	2	2	6	7	6	7	1	1	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
500-502	Bronchitis---------	25	8	2	-	1	1	1	-	-	-	-	-	-	-	-	1	1	2	1	2	3	1	1	-	-	-
	White-----M--	16	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	-	-	-	-
	F--	8	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	63	1	-	-	-	-	-	-	-	-	-	-	1	1	5	4	8	9	7	8	11	5	3	-	-	-
	White-----M--	48	1	-	-	-	-	-	-	-	-	-	-	1	1	5	3	6	6	7	6	9	2	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	2	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	10	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	4	-	-	-	1	-	-	-
	White-----M--	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	38	5	-	-	-	-	-	1	-	-	-	1	-	-	2	2	2	4	5	4	4	4	4	-	-	-
	White-----M--	17	3	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	1	2	3	-	2	1	-	-	-
	F--	20	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	4	2	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*--	27	4	-	-	-	-	1	-	-	-	1	-	-	1	3	2	1	1	1	4	2	5	1	-	-	-
	White-----M--	18	2	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	3	2	4	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	90	-	-	-	-	-	-	-	-	-	1	1	4	6	18	10	12	15	11	6	4	2	-	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	1	3	5	11	5	9	8	6	3	2	1	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	-	1	1	6	5	3	7	3	3	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	16	-	-	1	-	-	-	1	-	-	1	-	3	-	-	1	1	1	2	1	1	3	-	-	-	-
	White-----M--	9	-	-	1	-	-	-	1	-	-	1	-	2	-	-	-	1	1	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	9	3	4	1	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	9	3	4	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	6	...	...	...	...	...	...	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	5	...	...	...	...	...	...	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	112	90	6	-	-	3	1	3	-	-	2	-	-	2	2	1	-	1	-	1	-	-	-	-	-	-
	White-----M--	62	54	2	-	-	1	-	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	48	34	4	-	-	2	1	2	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	287	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.4----------	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	22	2	-	-	-	-	1	-	-	1	-	-	-	-	-	1	3	2	2	1	2	1	2	2	2	-
	White-----M--	9	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	2	1	2	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	342	19	6	2	1	2	7	4	3	5	5	6	5	11	26	21	33	31	59	26	38	15	10	7	-	-
	White-----M--	199	15	3	-	-	1	5	2	2	2	3	2	1	6	14	18	19	21	30	16	22	9	5	3	-	-
	F--	138	4	3	2	1	1	1	2	1	2	2	4	4	5	11	3	14	10	28	10	16	5	5	4	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
E800-E962	Accidents----------	332	13	2	4	8	1	8	5	20	14	8	14	12	12	11	19	16	14	17	23	41	27	29	10	4	-
	White-----M--	205	10	1	3	5	-	6	4	15	12	8	13	10	8	8	15	15	8	11	12	17	6	13	4	1	-
	F--	121	2	1	1	3	-	1	1	5	2	-	1	-	4	3	4	1	6	6	10	24	21	16	6	3	-
	Nonwhite--M--	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	83	-	-	2	4	1	2	-	12	10	5	11	2	1	3	7	6	1	4	4	6	1	-	1	-	-
	White-----M--	62	-	-	1	1	-	2	-	8	8	5	11	2	1	2	5	6	-	3	1	4	1	-	1	-	-
	F--	20	-	-	1	3	-	-	-	4	2	-	-	-	-	1	2	-	1	1	3	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	249	13	2	2	4	-	6	5	8	4	3	3	10	11	8	12	10	13	13	19	35	26	29	9	4	-
	White-----M--	143	10	1	2	4	-	4	4	7	4	3	2	8	7	6	10	9	8	8	11	13	5	13	3	1	-
	F--	101	2	1	-	-	-	1	1	1	-	-	1	-	4	2	2	1	5	5	7	22	21	16	6	3	-
	Nonwhite--M--	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	62	-	-	-	-	-	-	1	-	3	1	2	7	8	4	5	10	2	8	4	4	2	1	-	-	-
	White-----M--	42	-	-	-	-	-	-	1	-	1	1	2	4	8	2	4	3	1	7	3	3	1	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	2	-	-	3	-	2	1	6	1	1	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA																										
	ALL CAUSES------	18,579	2,192	182	103	83	72	157	162	262	328	379	505	627	830	1,032	1,472	1,652	1,805	1,846	1,690	1,426	963	488	205	52	66
	White-----M--	5,898	515	28	19	24	16	38	44	68	124	101	115	144	263	303	400	540	643	677	651	575	377	160	59	12	2
	F--	4,006	377	25	13	18	8	24	27	33	35	36	51	92	117	142	211	272	301	407	534	549	408	211	89	19	7
	Nonwhite--M--	4,694	751	68	41	21	31	55	57	101	105	149	197	212	237	289	458	435	451	405	278	158	88	55	21	8	23
	F--	3,981	549	61	30	20	17	40	34	60	64	93	142	179	213	298	403	405	410	357	227	144	90	62	36	13	34
001-019	Tuberculosis, all forms--------	270	5	5	3	-	1	1	2	12	14	21	25	24	25	24	26	22	17	18	12	2	11	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	1	-	2	3	4	8	5	7	6	8	5	1	3	-	-	-	-
	F--	27	-	-	-	-	-	-	-	1	-	-	2	1	2	3	3	2	2	-	2	1	8	-	-	-	-
	Nonwhite--M--	116	2	2	2	-	-	-	7	8	10	12	15	17	7	12	7	8	4	3	-	-	-	-	-	-	-
	F--	74	3	3	1	-	1	1	2	4	5	11	9	5	2	6	6	6	1	6	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	243	1	1	1	-	-	-	2	11	13	19	24	23	24	23	21	22	17	18	10	2	11	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	-	1	-	2	3	4	8	5	7	6	8	5	1	3	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	2	2	-	1	1	8	-	-	-	-
	Nonwhite--M--	104	-	1	-	-	-	-	7	7	10	12	14	16	6	9	7	8	4	3	-	-	-	-	-	-	-
	F--	61	1	-	1	-	-	-	2	4	5	9	8	5	2	6	4	6	1	6	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	27	4	4	2	-	1	1	-	1	1	2	1	1	1	1	5	-	-	-	2	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	2	1	2	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-
	F--	13	2	3	-	-	1	1	-	-	-	2	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	70	4	1	-	-	-	-	1	-	-	-	3	3	2	8	12	12	5	7	8	3	1	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	4	4	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	36	1	1	-	-	-	-	-	-	-	-	2	2	-	6	9	7	1	2	3	2	-	-	-	-	-
	F--	10	2	-	-	-	-	-	1	-	-	-	1	1	1	-	1	2	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	11	2	-	1	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	11	5	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	5	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	15	1	2	1	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	36	6	6	2	4	1	8	4	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	7	2	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	2	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	1	2	-	1	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	2	1	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	-	-	-	3	3	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	65	7	3	4	2	3	7	5	2	3	-	9	4	1	2	1	3	1	3	2	2	1	-	-	-	-
	White-----M--	13	1	-	-	1	-	1	1	-	-	-	3	-	-	-	1	1	-	1	1	1	1	-	-	-	-
	F--	8	1	1	-	-	-	-	-	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	3	-	2	-	1	5	4	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	23	2	2	2	1	2	1	-	1	2	-	1	2	1	1	-	2	-	1	1	1	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	1,942	5	3	5	7	4	9	11	14	10	29	46	75	123	171	229	244	240	220	197	162	86	34	8	5	5
	White-----M--	614	1	1	2	3	1	3	5	5	5	12	13	15	24	45	54	81	75	71	72	68	35	17	5	1	-
	F--	667	2	1	-	2	-	1	2	3	2	5	12	25	42	52	71	82	87	70	79	69	39	12	3	4	2
	Nonwhite--M--	273	1	-	-	2	1	4	2	1	1	6	3	7	21	16	40	37	38	42	26	15	7	3	-	-	1
	F--	388	1	1	3	2	1	4	-	4	2	6	18	28	36	58	64	44	40	37	20	10	5	2	-	-	2
140-148	Of buccal cavity and pharynx------	42	-	-	-	-	-	-	-	-	-	1	-	-	1	3	12	5	2	8	2	3	3	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	4	2	2	1	1	2	2	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	5	1	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	589	1	-	-	-	-	1	1	-	-	2	4	7	15	27	39	60	79	82	75	61	66	46	14	4	3	2
	White-----M--	182	-	-	-	-	-	-	1	-	-	-	1	2	4	8	11	14	22	22	26	25	22	15	6	2	1	-
	F--	187	-	-	-	-	-	-	-	-	-	1	-	2	4	7	12	6	22	25	18	24	33	22	6	2	2	1
	Nonwhite--M--	119	-	-	-	-	-	1	-	-	-	1	1	1	3	6	9	23	21	18	20	5	5	4	1	-	-	-
	F--	101	1	-	-	-	-	-	-	-	-	-	2	2	4	6	7	17	14	17	11	7	6	5	1	-	-	1
160-164	Of respiratory system----------	207	-	1	-	-	-	-	-	-	-	1	-	3	2	18	19	24	43	37	17	24	12	5	1	-	-	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	-	2	2	9	14	14	31	30	12	12	9	2	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2	2	9	3	3	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	1	-	-	7	2	6	5	3	2	3	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	4	2	1	-	-	-	-	-	-	-	-
170	Of breast---------	178	-	-	-	-	-	-	-	-	-	2	7	12	18	17	30	24	21	17	12	10	5	1	-	-	2	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	-	-	-	-	-	-	-	-	-	1	2	6	14	10	20	20	16	14	11	10	5	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	433	-	-	1	-	-	1	1	2	3	1	5	6	4	7	10	4	5	3	1	-	-	-	-	-	1	-
	White-----M--	83	-	-	-	-	-	1	-	1	1	1	1	2	1	-	2	3	6	7	15	23	14	5	2	-	-	-
	F--	148	-	-	-	-	-	-	1	1	1	2	1	1	1	2	2	4	10	11	11	6	3	-	-	-	1	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	1	1	2	1	2	1	2	2	4	10	11	11	6	3	-	-	-	-	1
	F--	150	-	-	1	-	-	1	1	-	1	2	8	12	21	29	21	15	12	15	6	4	-	1	-	-	-	-
180, 181	Of urinary organs-	76	-	-	-	-	-	1	1	-	-	-	-	1	2	4	6	11	11	10	19	6	-	3	1	-	-	-
	White-----M--	26	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	3	3	7	3	-	1	1	-	-
	F--	26	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	7	5	6	3	-	2	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	258	2	1	2	2	-	4	2	7	3	9	5	11	12	29	33	26	31	32	21	16	4	5	-	1	-
	White-----M--	100	1	1	2	1	-	1	1	4	2	6	3	3	4	10	11	13	10	12	6	5	2	2	-	-	-
	F--	79	1	-	-	1	-	1	1	1	1	1	1	2	3	8	13	5	13	8	8	9	2	1	-	1	-
	Nonwhite--M--	37	-	-	-	-	-	1	-	2	1	1	1	2	3	2	3	4	6	8	2	2	-	2	-	-	-
	F--	42	-	-	-	1	-	1	-	2	1	1	-	4	2	9	6	4	2	4	5	-	-	-	-	-	-
204	Leukemia and aleukemia----------	81	2	1	2	3	2	2	3	1	1	1	6	7	4	3	8	10	4	8	8	4	1	-	-	-	-
	White-----M--	23	-	-	-	1	-	-	1	-	1	1	2	2	-	1	2	2	1	5	2	3	-	-	-	-	-
	F--	32	1	1	-	2	1	-	2	1	1	1	2	3	1	1	1	8	2	2	6	1	1	-	-	-	-
	Nonwhite--M--	13	1	-	-	-	1	1	-	-	-	1	1	1	3	-	2	-	1	1	-	-	-	-	-	-	-	-
	F--	13	-	-	2	1	-	1	2	1	1	1	1	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	78	-	-	-	2	1	2	4	1	1	5	4	6	3	8	8	9	4	5	8	6	-	-	-	-	-	-
	White-----M--	41	-	-	-	2	1	1	3	1	1	2	3	2	1	7	3	4	1	4	4	2	-	-	-	-	-	-
	F--	23	-	-	-	-	-	1	1	-	-	2	1	3	1	-	2	5	2	1	4	3	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	69	4	1	-	-	2	-	3	1	-	3	6	9	12	3	5	7	7	2	1	1	-	-	-	-	1
	White-----M--	12	1	1	-	-	-	-	1	-	-	1	1	1	3	1	-	3	2	-	-	1	-	-	-	-	-	-
	F--	22	1	-	-	-	1	-	1	-	-	1	1	5	3	1	3	1	3	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	18	2	-	-	-	1	-	1	1	-	-	1	2	2	1	2	3	-	1	1	-	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	2	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	264	-	-	-	-	-	1	3	1	1	6	5	5	5	16	15	25	28	38	39	34	25	11	4	1	-	1
	White-----M--	78	-	-	-	-	-	-	1	1	1	2	1	2	1	2	3	5	3	15	13	18	7	3	1	-	-	2
	F--	79	-	-	-	-	-	1	1	-	-	2	1	1	2	3	5	3	15	13	18	7	3	1	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	10	12	14	10	14	8	2	1	-	-	-
	F--	77	-	-	-	-	-	-	2	-	-	1	1	3	1	4	6	3	2	5	1	-	-	1	-	-	-	1
290-293	Anemias----------	55	9	3	4	1	1	1	1	1	2	3	1	2	4	8	10	13	12	9	7	5	4	-	-	-	-	1
	White-----M--	10	1	1	-	1	-	-	-	-	1	2	-	1	4	1	2	5	3	2	4	-	3	-	-	-	-	-
	F--	10	1	1	-	-	1	-	-	-	-	1	-	-	1	1	-	2	1	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	17	7	-	3	-	-	1	1	1	1	-	-	-	2	1	-	2	-	-	2	-	1	-	-	-	-	-
	F--	18	2	2	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	35	16	4	2	2	2	-	2	2	2	2	-	2	-	1	2	-	2	1	-	-	-	-	-	-	-	-
	White-----M--	10	4	1	-	2	-	-	1	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	6	2	1	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,311	11	4	4	2	2	11	22	26	30	60	143	260	380	561	839	1,037	1,177	1,251	1,194	1,035	699	353	139	39	32
	White-----M--	3,172	4	2	3	-	-	1	5	6	5	7	25	50	123	162	230	347	429	467	465	419	269	104	41	9	1
	F--	2,103	-	-	2	1	1	1	5	4	3	7	15	31	34	59	100	128	154	263	375	396	293	161	57	12	2
	Nonwhite--M--	2,054	2	1	1	-	1	4	6	6	8	24	49	90	111	164	278	293	303	268	193	111	67	39	15	8	12
	F--	1,982	5	1	-	-	-	5	8	10	14	22	54	89	112	176	251	269	291	253	161	109	70	49	26	10	17
330-334, 400-468	Diseases of cardiovascular system-	8,964	11	4	4	-	2	9	20	19	27	51	126	245	351	539	819	1,001	1,137	1,216	1,163	1,003	678	339	133	35	32
	White-----M--	3,087	4	2	3	-	-	1	5	4	1	7	21	48	118	157	226	338	424	462	452	408	260	100	38	7	1
	F--	2,042	1	-	1	-	1	1	5	6	1	7	15	29	29	59	99	122	150	259	371	384	287	156	56	10	2
	Nonwhite--M--	1,952	2	1	1	-	1	4	6	8	18	45	82	106	159	272	283	286	251	184	105	65	34	13	8	12
	F--	1,883	5	1	-	-	-	4	4	6	14	19	45	86	98	164	222	258	277	244	156	106	66	49	26	10	17
330-334	Vascular lesions, etc.*----------	2,519	2	-	2	-	-	2	5	3	3	11	32	71	107	156	247	294	295	348	323	288	174	97	38	11	10
	White-----M--	637	1	-	2	-	-	1	1	1	1	1	2	5	21	19	38	68	79	108	97	97	57	26	14	1	-
	F--	617	-	-	-	-	-	1	2	1	1	1	3	9	11	25	37	33	44	71	115	127	79	45	12	2	1
	Nonwhite--M--	628	1	-	-	-	-	-	1	1	1	4	14	27	36	55	100	95	80	88	58	51	17	9	3	3	3
	F--	637	1	-	-	-	-	1	1	-	1	6	13	30	39	57	72	98	92	81	53	33	21	17	9	5	6
400-402	Rheumatic fever---	27	-	-	-	-	1	6	1	2	1	1	2	1	2	1	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	1	3	1	2	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart-	5,747	8	3	2	-	1	1	5	12	19	35	84	151	220	359	526	645	766	790	762	617	426	199	79	19	18
	White-----M--	2,227	3	1	1	-	-	-	1	4	1	7	18	41	93	132	181	254	323	326	320	265	173	59	18	5	1
	F--	1,275	-	-	-	-	1	-	-	-	1	5	9	13	17	32	58	83	101	173	243	230	177	89	36	7	-
	Nonwhite--M--	1,141	2	1	1	-	-	-	1	3	6	12	29	46	61	95	149	165	177	146	106	60	37	23	9	3	9
	F--	1,104	3	1	-	-	-	1	3	5	11	11	28	51	49	100	138	143	165	145	93	62	39	28	16	4	8
410-416	Chronic rheumatic heart disease----	148	-	-	-	-	-	-	2	3	9	11	18	9	15	8	10	13	12	8	10	7	7	3	1	1	1
	White-----M--	38	-	-	-	-	-	-	-	-	2	4	1	7	1	4	6	5	-	2	2	3	1	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	1	2	5	1	-	5	1	3	-	1	3	3	2	1	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	2	3	2	2	2	5	1	2	2	2	4	2	1	1	1	-	1	1
	F--	47	-	-	-	-	-	-	2	1	5	5	7	5	3	1	3	2	5	3	3	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,097	1	1	-	-	-	-	2	2	1	10	36	79	132	200	308	345	423	483	441	312	196	85	29	5	6
	White-----M--	1,575	-	-	-	-	-	-	1	1	-	3	13	32	71	112	143	191	250	249	222	154	95	27	8	2	1
	F--	708	-	-	-	-	-	-	-	-	-	1	1	7	14	16	36	46	62	118	148	121	81	42	13	2	-
	Nonwhite--M--	460	-	1	-	-	-	-	1	-	-	3	13	21	26	36	74	72	61	66	46	16	11	9	2	-	2
	F--	354	1	-	-	-	-	-	-	1	1	3	9	19	21	36	55	36	50	50	25	21	9	7	6	1	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	693	2	-	1	-	-	-	-	2	3	1	7	10	16	30	50	68	70	85	93	102	82	40	23	6	2
	White-----M--	212	1	-	1	-	-	-	-	1	-	-	-	1	2	3	5	20	18	30	28	46	33	13	7	3	-
	F--	179	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	6	11	11	33	37	36	21	12	2	-
	Nonwhite--M--	143	1	-	-	-	-	-	-	-	-	1	4	4	6	16	18	15	23	16	17	11	7	2	-	1	1
	F--	159	-	-	-	-	-	-	-	1	3	-	2	4	6	9	23	27	18	28	15	8	6	4	4	-	1
430-434	Other diseases of heart----------	336	5	2	1	-	1	-	1	4	2	5	9	16	19	28	22	46	49	38	25	30	19	6	4	1	3
	White-----M--	94	2	1	-	-	-	-	-	2	-	1	1	4	6	5	5	11	11	13	8	13	9	2	-	-	-
	F--	44	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1	6	4	6	5	7	7	2	2	-	-
	Nonwhite--M--	109	1	-	1	-	-	-	-	1	1	2	5	2	8	11	12	16	22	10	6	6	1	2	-	1	1
	F--	89	2	1	-	-	-	-	1	1	1	1	3	8	5	12	4	13	12	9	6	4	2	-	2	-	2
440-443	Hypertension with heart dis.---	1,473	-	-	-	-	-	1	-	1	4	8	14	37	38	93	136	173	212	176	193	166	122	65	22	6	6
	White-----M--	308	-	-	-	-	-	-	-	-	1	1	-	3	7	11	24	26	39	34	60	50	33	16	3	-	-
	F--	315	-	-	-	-	-	-	-	-	-	1	2	2	1	9	16	22	24	37	54	62	51	23	8	3	-
	Nonwhite--M--	395	-	-	-	-	-	-	-	-	2	4	5	17	16	31	43	60	69	50	35	26	17	9	7	-	4
	F--	455	-	-	-	-	-	1	-	1	1	2	7	15	14	42	53	65	80	55	44	28	21	17	4	3	2
444-447	Hypertension without mention of heart----------	197	-	-	-	-	-	-	-	-	2	2	6	15	10	12	19	17	28	21	17	26	12	5	2	1	2
	White-----M--	42	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	3	8	4	7	8	3	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	3	8	3	9	7	3	2	-	1
	Nonwhite--M--	67	-	-	-	-	-	-	-	-	1	1	2	6	4	4	8	10	12	5	5	4	2	1	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	1	3	4	4	5	6	3	5	4	2	5	-	1	-	1	1
450	General arteriosclerosis--------	381	-	-	-	-	-	-	-	-	-	-	-	1	5	2	20	34	37	43	54	66	62	37	14	4	2
	White-----M--	141	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	9	16	25	34	26	14	6	1	-
	F--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	8	16	22	19	6	1	-
	Nonwhite--M--	86	-	-	-	-	-	-	-	-	-	-	-	1	3	1	12	10	13	11	13	10	8	1	1	2	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	13	14	10	8	6	6	3	1	-	2
451-468	Other diseases of circulatory sys.-	93	1	1	-	-	-	-	2	2	2	2	2	6	7	9	7	11	11	13	6	6	4	1	-	-	-
	White-----M--	37	-	1	-	-	-	-	-	-	-	-	-	1	1	4	3	5	5	8	3	4	1	1	-	-	-
	F--	20	-	-	-	-	-	2	-	-	-	1	1	4	-	1	1	2	1	1	2	2	2	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	4	1	1	-	1	-	-	-	-
	F--	18	1	-	-	-	-	-	2	2	1	1	1	4	1	-	1	1	3	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	347	-	-	-	2	-	2	2	7	3	9	17	15	29	22	20	36	40	35	31	32	21	14	6	4	-
	White-----M--	85	-	-	-	-	-	-	2	1	1	-	4	2	5	5	4	9	5	5	13	11	9	4	3	2	-
	F--	61	-	-	-	2	-	1	-	4	2	-	-	2	5	-	1	6	4	4	4	12	6	5	1	2	-
	Nonwhite--M--	102	-	-	-	-	-	-	-	-	-	6	4	8	5	5	6	10	17	17	9	6	2	5	2	-	-
	F--	99	-	-	-	-	-	1	-	2	-	3	9	3	14	12	9	11	14	9	5	3	4	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	905	232	46	18	17	4	19	5	13	9	6	21	11	23	34	49	49	59	59	54	58	48	38	24	4	5
	White-----M--	177	25	5	4	5	1	3	1	1	2	-	-	3	4	5	7	7	14	21	14	18	14	15	8	-	-
	F--	153	18	5	6	4	-	-	1	3	1	-	2	-	-	3	-	4	3	8	18	22	27	14	11	2	1
	Nonwhite--M--	309	118	20	3	5	1	12	1	6	1	4	9	6	10	13	21	19	21	17	6	6	1	4	2	-	3
	F--	266	71	16	5	3	2	4	2	3	5	2	10	2	9	13	21	19	21	13	16	12	6	5	3	2	1
480-483	Influenza---------	276	46	12	2	5	-	6	1	3	3	2	8	4	8	11	19	12	28	22	20	19	15	13	10	4	3
	White-----M--	53	3	-	-	2	-	1	-	-	-	-	-	1	-	1	4	2	6	9	7	3	6	4	4	-	-
	F--	49	2	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	3	2	6	11	7	5	4	2	1
	Nonwhite--M--	90	30	6	2	1	-	2	-	2	-	1	3	2	3	3	8	6	8	6	2	2	-	1	1	-	1
	F--	84	11	3	-	1	-	3	1	-	3	1	4	1	5	7	7	4	11	5	5	3	2	3	1	2	1
490-493	Pneumonia, etc.*---	629	186	34	16	12	4	13	4	10	6	4	13	7	15	23	30	37	31	37	34	39	33	25	14	-	2
	White-----M--	124	22	5	4	3	1	2	1	1	2	-	-	2	4	4	3	5	8	12	7	15	8	11	4	-	-
	F--	104	16	2	6	3	-	-	1	2	1	-	1	-	-	3	-	4	-	6	12	11	20	9	7	-	-
	Nonwhite--M--	219	88	14	1	4	1	10	1	4	1	3	6	4	7	10	13	13	13	11	4	4	1	3	1	-	2
	F--	162	60	13	5	2	2	1	1	3	2	1	6	1	4	6	14	15	10	8	11	9	4	2	2	-	-
500-502	Bronchitis--------	35	15	1	-	1	-	1	-	-	-	-	1	-	1	3	3	1	1	3	3	-	1	-	-	-	-
	White-----M--	16	2	1	-	1	-	1	-	-	-	-	-	-	-	3	1	1	1	2	2	-	1	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	79	1	1	-	-	-	-	-	2	-	1	3	5	2	4	14	14	13	8	5	4	1	1	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	1	-	1	1	2	1	2	8	8	5	7	1	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	4	1	-	-	-	-	-
	Nonwhite--M--	23	1	-	-	-	-	-	-	1	-	-	2	2	-	2	5	4	4	1	-	1	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-
550-553	Appendicitis------	20	-	-	-	-	-	1	1	2	1	1	-	1	-	-	2	3	3	2	2	-	-	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	74	12	3	-	1	-	1	-	3	1	3	2	2	4	5	4	2	7	5	8	5	6	-	-	-	-
	White-----M--	26	4	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	3	6	4	4	-	-	-	-
	F--	14	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	1	2	-	-	-	-
	Nonwhite--M--	14	4	1	-	-	-	1	-	1	-	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-
	F--	20	1	2	-	-	-	-	-	1	1	2	1	2	1	2	3	1	2	1	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*---	192	122	15	8	6	2	1	2	-	-	2	4	-	3	-	1	4	3	6	1	1	7	2	2	-	-
	White-----M--	28	14	1	2	1	-	-	1	-	-	-	1	-	1	-	-	-	2	1	-	-	2	1	1	-	-
	F--	24	12	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	1	1	-	-
	Nonwhite--M--	72	50	7	5	1	1	-	-	-	-	-	2	-	1	-	-	2	-	3	-	-	-	-	-	-	-
	F--	68	46	5	1	4	-	1	1	-	-	2	1	-	1	-	1	1	1	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	100	1	-	-	-	-	-	-	1	1	-	5	6	14	9	17	13	10	10	4	3	3	3	-	-	-
	White-----M--	45	1	-	-	-	-	-	-	-	1	-	-	3	5	7	8	4	5	3	4	-	2	2	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	6	3	4	-	3	1	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	2	1	2	1	4	1	1	2	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	-	2	-	3	-	3	2	1	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	51	1	1	2	1	1	3	2	3	2	4	3	1	2	3	3	3	4	3	-	4	1	3	1	-	-
	White-----M--	9	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	2	-	1	-	1	1	-	-	-	-
	F--	14	-	-	-	-	-	1	1	1	-	2	-	-	-	1	1	-	3	-	-	2	-	1	1	-	-
	Nonwhite--M--	10	-	1	-	-	1	-	-	-	1	1	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-
	F--	18	1	-	2	1	-	1	1	1	1	1	-	1	1	2	1	1	-	2	-	-	-	1	-	-	-
610	Hyperplasia of prostate---------	78	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	12	14	16	13	13	3	2	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	6	7	10	2	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	10	10	6	3	1	2	-	-
640-689	Complications of pregnancy, etc.*-	72	...	...	...	...	...	...	-	16	12	11	17	14	1	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	21	...	...	...	...	...	...	-	5	5	2	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	51	...	...	...	...	...	...	-	11	7	9	15	7	1	-	-	-	-	-	-	-	-	-	-	-	1
650-652	Abortion----------	6	...	...	...	...	...	...	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	66	...	...	...	...	...	...	-	16	11	11	14	12	1	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	21	...	...	...	...	...	...	-	5	5	2	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	45	...	...	...	...	...	...	-	11	6	9	12	5	1	-	-	-	-	-	-	-	-	-	-	-	1
750-759	Congenital malformations-------	227	157	16	5	6	4	3	5	2	5	1	1	4	2	1	1	2	2	5	1	4	-	-	-	-	-
	White-----M--	83	55	6	2	3	2	-	2	-	2	1	-	2	-	-	-	2	1	2	1	2	-	-	-	-	-
	F--	80	58	2	1	3	1	-	2	-	3	-	-	2	2	-	1	-	-	3	-	2	-	-	-	-	-
	Nonwhite--M--	37	26	4	1	-	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	27	18	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,220	1,220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	349	349	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	265	265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	458	458	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	650	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	750	195	17	8	2	6	4	5	5	6	19	20	29	40	37	70	55	68	51	38	12	24	13	13	1	12
	White-----M--	110	16	-	1	-	1	1	1	-	-	2	1	2	9	7	6	12	11	12	9	4	9	5	1	-	-
	F--	40	4	1	1	-	-	-	1	-	-	-	1	-	4	3	1	4	4	2	1	2	4	2	5	-	-
	Nonwhite--M--	337	103	6	2	2	4	1	3	2	3	10	13	21	16	16	30	20	32	19	14	5	5	4	2	-	4
	F--	263	72	10	4	-	1	2	-	3	3	7	5	6	11	11	33	19	21	18	14	1	6	2	5	1	8
Residual	All other diseases	726	49	12	6	8	5	12	4	16	18	22	33	42	46	42	57	56	75	81	62	45	21	8	4	2	-
	White-----M--	247	14	3	1	-	2	4	1	5	5	5	5	7	15	18	18	19	32	32	25	19	12	4	-	1	-
	F--	188	5	2	1	3	-	3	-	3	3	5	5	10	10	7	15	17	14	24	25	20	7	4	4	1	-
	Nonwhite--M--	171	19	3	2	4	3	2	3	4	6	7	15	11	12	9	12	9	19	16	9	5	1	-	-	-	-
	F--	120	11	4	2	1	-	3	-	4	4	5	8	14	9	8	12	11	10	9	3	1	1	-	-	-	-
E800-E962	Accidents----------	1,513	91	34	28	18	28	64	76	118	164	133	116	90	87	87	73	62	48	45	40	41	26	24	11	1	8
	White-----M--	604	21	6	3	4	9	19	24	44	90	58	51	42	48	31	34	22	28	19	12	18	8	8	3	1	1
	F--	208	14	7	3	1	3	15	11	10	11	11	4	4	7	10	8	9	7	12	15	13	13	12	6	-	2
	Nonwhite--M--	514	24	16	19	8	9	18	29	54	56	54	52	33	24	37	23	19	7	9	10	5	4	2	-	-	2
	F--	187	32	5	3	5	7	12	12	10	7	10	9	11	8	9	8	12	6	5	3	5	1	2	2	-	3
E810-E835	Motor-vehicle accidents--------	706	2	6	6	9	14	36	33	64	108	86	64	46	39	47	36	28	25	19	16	10	7	2	-	-	3
	White-----M--	340	1	2	1	4	6	13	9	31	66	47	30	25	20	13	19	8	18	9	7	7	3	-	-	-	1
	F--	84	-	1	-	-	1	11	7	7	6	6	1	3	5	8	6	7	5	5	3	-	1	1	-	-	-
	Nonwhite--M--	228	-	2	4	4	6	9	11	21	33	27	29	14	9	23	8	9	2	5	6	2	3	-	-	-	1
	F--	54	1	1	1	1	1	3	6	5	3	6	4	4	5	3	3	4	-	-	1	-	1	-	-	-	1
E800-E802, E840-E962	All ot. accidents-	807	89	28	22	9	14	28	43	54	56	47	52	44	48	40	37	34	23	26	24	31	19	22	11	1	5
	White-----M--	264	20	4	2	-	3	6	15	13	24	11	21	17	28	18	15	14	10	10	5	11	5	8	3	1	-
	F--	124	14	6	3	1	2	4	4	3	5	5	3	1	2	2	2	2	2	7	12	13	12	11	6	-	2
	Nonwhite--M--	286	24	14	15	4	3	9	18	33	23	27	23	19	15	14	15	10	5	4	4	3	1	2	-	-	1
	F--	133	31	4	2	4	6	9	6	5	4	4	5	7	3	6	5	8	6	5	3	4	1	1	2	-	2
E963, E970-E979	Suicide----------	124	-	-	-	-	-	-	-	3	7	14	9	9	11	9	22	16	9	7	3	4	-	1	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	1	4	6	5	6	9	7	17	11	8	4	3	4	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	1	2	2	1	2	1	2	2	-	2	-	-	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	5	1	1	-	1	2	3	1	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	220	1	-	1	-	-	-	1	16	33	38	33	27	29	10	13	11	3	2	1	1	-	-	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	2	5	6	3	5	11	2	4	3	1	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	3	-	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	140	1	-	-	-	-	-	-	11	19	26	27	18	15	8	7	5	1	1	-	1	-	-	-	-	-
	F--	27	-	-	1	-	-	-	1	2	6	6	2	4	1	-	1	1	1	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES------	5,841	441	39	21	20	18	39	32	63	68	72	67	86	128	173	238	332	501	652	732	787	690	413	183	41	5
	White-----M--	3,376	246	17	8	9	10	18	17	37	39	40	36	44	70	109	160	225	329	403	419	440	365	223	94	17	1
	F--	2,158	144	16	7	7	5	14	12	19	14	21	20	33	45	55	60	93	160	221	289	322	304	182	89	22	4
	Nonwhite--M--	183	32	3	4	2	3	3	-	3	8	7	7	6	8	7	12	7	7	18	15	17	12	2	-	-	-
	F--	124	19	3	2	2	-	4	3	4	7	4	4	3	5	2	6	7	5	10	9	8	9	6	-	2	-
001-019	Tuberculosis, all forms--------	64	3	1	2	3	-	1	1	1	5	4	5	4	2	1	5	3	4	4	8	3	3	1	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	1	-	2	1	-	5	2	3	3	3	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	14	2	1	-	1	-	-	-	-	-	1	3	1	-	1	-	1	-	-	2	1	-	-	-	-	-
	F--	22	1	-	2	2	-	1	1	1	5	1	2	1	1	-	-	-	1	1	1	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	56	1	-	-	2	-	1	1	1	4	4	5	4	2	1	5	3	4	3	8	3	3	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	-	2	1	-	5	2	3	2	3	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	12	1	-	-	1	-	-	-	-	-	1	3	1	-	1	-	1	-	-	2	1	-	-	-	-	-
	F--	17	-	-	-	1	-	1	1	1	4	1	2	1	1	-	-	-	1	1	1	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	8	2	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	-	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases----	12	2	-	-	-	-	2	1	-	-	-	1	1	2	-	-	-	-	2	-	-	-	-	1	-	-
	White-----M--	8	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*----	935	1	3	2	3	2	5	6	7	2	10	8	21	22	41	59	77	108	148	139	136	83	38	10	3	1
	White-----M--	497	1	1	1	2	2	3	3	4	1	6	4	6	4	14	38	39	60	82	70	76	51	19	8	2	-
	F--	414	-	1	1	1	-	2	3	3	1	4	4	14	17	27	18	36	45	62	66	57	30	18	2	1	1
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	2	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	1	1	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	13	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2	1	1	3	1	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	1	3	1	1	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	336	-	-	-	-	-	-	-	-	-	1	3	1	3	6	18	28	33	55	68	58	34	21	4	2	1
	White-----M--	184	-	-	-	-	-	-	-	-	-	1	1	-	1	1	12	16	20	27	34	33	22	11	3	2	-
	F--	141	-	-	-	-	-	-	-	-	-	-	2	1	2	5	4	11	11	26	34	23	11	9	1	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-
160-164	Of respiratory system----------	89	-	-	-	-	-	-	-	-	-	-	-	1	1	6	9	12	16	24	9	9	1	1	-	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	11	14	18	5	8	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	3	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	82	-	-	-	-	-	-	-	-	-	1	1	5	4	9	7	6	11	9	11	10	5	1	1	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	1	1	4	4	8	7	6	11	8	11	10	5	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	146	-	1	-	-	-	1	-	1	2	1	5	5	7	6	12	10	23	15	25	24	6	2	-	-	-
	White-----M--	74	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	3	11	12	18	18	5	2	-	-	-
	F--	69	-	-	-	-	-	1	-	1	1	-	4	5	7	4	12	7	12	3	6	5	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs-	55	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	3	9	7	11	13	4	2	2	-	-
	White-----M--	29	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	3	4	4	4	7	2	-	2	-	-
	F--	25	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	6	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	122	1	1	-	1	1	4	3	1	-	3	-	4	6	7	6	11	10	18	17	13	9	5	1	-	-
	White-----M--	65	1	-	-	1	1	2	1	1	-	2	-	2	1	4	5	6	6	13	8	3	6	1	1	-	-
	F--	53	-	1	-	-	-	2	2	-	-	1	-	2	4	3	1	4	4	5	7	10	3	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	44	-	1	1	1	-	1	1	1	-	1	1	4	2	4	3	-	6	5	4	3	4	1	-	-	-
	White-----M--	33	-	-	1	1	-	1	1	1	-	1	1	2	-	1	3	-	6	5	4	3	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	3	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	48	-	-	-	-	-	1	4	1	2	2	1	1	1	8	4	11	6	3	2	1	-	-	-	-	-
	White-----M--	29	-	-	-	-	-	1	1	1	1	1	-	1	1	7	2	6	3	2	1	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	3	-	1	1	-	-	-	1	2	5	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	19	-	-	-	1	-	-	1	-	2	-	-	2	1	-	2	1	1	1	2	-	3	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	2	-	2	2	-	-	-
	F--	9	-	-	-	1	-	-	-	-	2	-	-	1	1	-	2	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	117	-	-	-	-	-	1	-	1	2	1	4	1	4	3	3	5	7	22	20	20	15	6	2	-	-
	White-----M--	59	-	-	-	-	-	1	-	-	2	1	3	-	4	2	-	1	3	12	7	13	7	2	1	-	-
	F--	55	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	3	4	10	13	7	8	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	20	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	4	7	2	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	4	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	3	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	9	3	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,972	3	-	-	3	-	3	2	4	4	6	11	23	39	80	105	178	289	381	435	505	471	282	126	21	1
	White-----M--	1,755	2	-	-	2	-	-	1	1	2	1	4	15	31	55	76	133	194	238	259	276	240	152	62	10	1
	F--	1,136	1	-	-	1	-	3	1	3	1	4	6	6	8	22	21	39	92	128	167	214	219	126	64	10	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	1	-	-	2	-	2	5	4	1	12	5	9	9	1	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	2	3	4	6	3	3	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	2,913	3	-	-	2	-	2	2	4	4	5	9	21	34	75	103	177	285	376	426	493	467	280	123	21	1
	White-----M--	1,720	2	-	-	1	-	-	1	1	2	1	2	15	28	50	74	132	193	236	253	270	238	150	60	10	1
	F--	1,116	1	-	-	1	-	2	1	3	1	3	6	5	6	22	21	39	89	127	165	208	217	126	63	10	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	4	1	10	5	9	9	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	2	2	3	3	6	3	3	-	1	-
330-334	Vascular lesions, etc.*----------	703	1	-	-	-	-	-	-	1	2	1	2	2	7	15	20	32	54	80	109	129	138	76	30	4	-
	White-----M--	366	-	-	-	-	-	-	-	-	1	-	-	2	5	5	10	18	29	44	65	57	67	45	14	4	-
	F--	325	1	-	-	-	-	-	-	1	-	1	2	-	2	8	8	14	25	34	42	71	69	31	16	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	2	1	1	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
400-402	Rheumatic fever---	10	-	-	-	1	-	1	2	1	-	1	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA--Continued																										
410-443	Diseases of heart-	1,994	2	-	-	1	-	-	-	1	2	3	7	15	26	54	77	141	216	277	296	334	283	167	78	13	1
	White-----M--	1,235	2	-	-	-	-	-	-	1	1	1	2	10	23	42	61	112	155	179	176	194	148	80	41	6	1
	F--	700	-	-	-	1	-	-	-	-	1	2	4	4	3	11	10	24	58	89	114	126	126	83	37	7	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	7	4	8	7	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	2	2	6	2	3	-	-	-
410-416	Chronic rheumatic heart disease----	72	-	-	-	-	-	-	-	1	-	1	3	3	1	10	8	9	7	11	12	2	2	2	-	-	-
	White-----M--	39	-	-	-	-	-	-	-	1	-	-	-	1	1	4	7	5	3	5	9	-	1	2	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	3	2	-	5	1	3	4	5	3	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,358	-	-	-	1	-	-	-	-	1	1	3	10	20	38	58	113	159	203	208	230	172	98	33	9	1
	White-----M--	902	-	-	-	-	-	-	-	-	1	1	1	8	18	34	47	95	121	139	131	142	96	47	17	3	1
	F--	419	-	-	-	1	-	-	-	-	-	-	1	1	2	4	6	16	37	59	73	78	71	48	16	6	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	5	3	5	5	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	-	1	5	-	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	259	-	-	-	-	-	-	-	-	1	1	-	1	1	2	3	8	16	18	36	44	57	40	28	3	-
	White-----M--	130	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	8	12	17	24	24	19	16	2	-
	F--	124	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	4	8	6	19	19	30	21	12	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart----------	93	2	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	10	20	10	13	13	10	6	1	-
	White-----M--	54	2	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	6	14	5	5	8	4	3	1	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	6	4	5	3	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
440-443	Hypertension with heart dis.--	212	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	9	24	25	30	45	39	17	11	-	-
	White-----M--	110	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	8	17	9	14	23	19	8	5	-	-
	F--	98	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	16	15	21	20	9	6	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	41	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	8	3	5	6	7	5	2	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	4	2	2	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	1	1	4	4	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	10	12	18	38	31	13	4	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	13	20	23	5	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	7	5	18	8	8	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
451-468	Other diseases of circulatory sys.-	34	-	-	-	-	-	1	-	1	-	-	-	1	-	4	3	2	5	5	4	6	1	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	5	5	3	4	1	1	-	-	-
	F--	10	-	-	-	-	-	1	-	1	-	-	-	-	-	2	2	1	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	59	-	-	-	1	-	1	-	-	-	1	2	2	5	5	2	1	4	5	9	12	4	2	3	-	-
	White-----M--	35	-	-	-	1	-	-	-	-	-	-	2	-	3	5	2	1	1	2	6	6	2	2	2	-	-
	F--	20	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	-	3	1	2	6	2	-	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	207	41	8	3	-	1	7	1	-	1	2	-	3	3	2	5	3	6	9	24	13	27	30	14	3	1
	White-----M--	94	15	4	1	-	-	1	1	-	-	1	-	1	-	1	3	2	4	5	10	9	12	16	7	1	-
	F--	78	10	1	2	-	-	2	-	-	1	1	-	2	1	1	1	1	2	12	3	13	14	7	2	1
	Nonwhite--M--	22	11	1	-	-	1	2	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	-	-
	F--	13	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
480-483	Influenza----------	47	5	2	-	-	1	1	1	-	-	1	-	1	-	1	2	1	2	2	7	3	6	8	2	1	-
	White-----M--	20	1	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	2	1	4	2	2	4	-	1	-
	F--	23	3	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	-	1	2	1	4	4	2	-	-
	Nonwhite--M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	160	36	6	3	-	-	6	-	-	1	1	-	2	3	1	3	2	4	7	17	10	21	22	12	2	1
	White-----M--	74	14	4	1	-	-	1	-	-	-	-	-	1	-	1	2	2	2	4	6	7	10	12	7	-	-
	F--	55	7	-	2	-	-	1	-	-	1	1	-	1	1	-	-	-	1	1	10	2	9	10	5	2	1
	Nonwhite--M--	20	10	1	-	-	-	2	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	-	-	-
	F--	11	5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
500-502	Bronchitis--------	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-
	White-----M--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	23	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	6	3	1	1	3	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	3	1	-	3	2	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	12	1	-	1	-	1	1	-	1	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-
	White-----M--	10	1	-	1	-	1	-	-	1	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	30	7	-	1	-	-	-	-	-	-	-	1	-	1	3	1	1	-	2	3	6	2	2	-	-	-
	White-----M--	16	6	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	1	3	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	3	-	2	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*--	25	8	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	3	1	2	-	-	-
	White-----M--	13	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	2	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	31	-	-	-	-	-	-	-	-	-	1	-	2	1	3	6	-	5	3	5	4	1	-	-	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	-	4	3	4	2	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	11	-	1	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	1	1	2	-	-	-	-
	White-----M--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	5	11	12	5	1	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	5	11	12	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	7	...	...	...	...	...	...	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	7	...	...	...	...	...	...	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	...	...	...	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	100	77	4	2	-	1	2	-	2	-	1	3	1	-	1	2	1	-	-	1	1	-	-	-	-	1
	White-----M--	54	43	3	1	-	-	1	-	-	-	1	2	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	F--	40	29	1	1	-	1	1	-	1	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	1
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	89	5	2	-	-	-	-	1	1	1	2	-	3	-	1	1	4	4	6	9	10	12	10	7	10	-
	White-----M--	37	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	4	2	1	2	6	7	7	2	2	-
	F--	29	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	4	2	2	5	7	-
	Nonwhite--M--	15	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	2	3	-	1	1	-	-	-
	F--	8	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-
Residual	All other diseases	281	12	4	-	1	3	4	3	2	2	3	3	4	10	14	14	24	29	35	32	38	21	11	7	4	1
	White-----M--	160	7	1	-	-	1	2	1	-	2	1	3	3	3	9	8	16	19	26	19	21	10	5	4	2	-
	F--	102	3	3	-	-	1	2	2	2	1	1	2	1	3	3	5	6	10	8	13	14	10	6	3	2	1
	Nonwhite--M--	10	1	-	-	1	1	-	-	-	-	-	-	-	2	1	1	-	-	1	-	2	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	-	-	1	-	1	-	-	-	-
E800-E962	Accidents----------	468	11	11	10	8	7	12	14	42	47	35	21	16	28	12	23	20	24	14	31	26	25	17	14	-	-
	White-----M--	308	4	5	4	5	4	9	8	31	32	25	15	10	18	11	17	16	18	13	21	15	12	8	7	-	-
	F--	118	6	6	3	3	3	3	5	7	8	4	3	3	6	-	5	2	5	1	8	9	13	8	7	-	-
	Nonwhite--M--	31	1	-	3	-	-	-	-	3	6	5	2	1	3	1	1	2	-	-	1	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-	1	-	1	-	-	1	-	-	-
E810-E835	Motor-vehicle accidents--------	192	1	2	2	3	5	2	7	27	33	20	11	12	13	6	12	6	9	4	9	3	4	1	-	-	-
	White-----M--	133	-	-	-	2	4	2	3	22	20	14	7	8	7	6	9	5	6	4	7	2	4	1	-	-	-
	F--	36	-	2	2	1	1	-	4	2	8	1	2	3	3	-	3	-	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	3	5	4	2	1	3	-	-	1	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	276	10	9	8	5	2	10	7	15	14	15	10	4	15	6	11	14	15	10	22	23	21	16	14	-	-
	White-----M--	175	4	5	4	3	-	7	5	9	12	11	8	2	11	5	8	11	12	9	14	13	8	7	7	-	-
	F--	82	6	4	1	2	2	3	1	5	-	3	1	-	3	-	2	2	3	1	6	9	13	8	7	-	-
	Nonwhite--M--	11	-	-	3	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-
E963, E970-E979	Suicide----------	60	-	-	-	-	-	-	1	1	-	3	7	2	7	7	3	6	10	6	3	3	-	2	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	3	4	1	4	6	2	4	9	5	3	3	-	2	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	2	1	3	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	7	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES------	29,309	2,522	167	98	75	56	184	169	299	352	417	546	711	972	1,304	1,637	1,994	2,556	3,141	3,489	3,449	2,872	1,525	577	144	53
	White-----M--	12,932	1,060	62	38	23	17	89	86	170	178	204	232	296	413	584	658	874	1,223	1,390	1,572	1,596	1,274	624	213	41	15
	F--	9,598	737	52	33	25	23	61	50	65	78	86	143	181	225	289	373	479	680	961	1,290	1,412	1,261	712	299	69	14
	Nonwhite--M--	3,570	379	34	14	19	8	15	23	40	58	61	91	123	183	213	322	332	368	413	317	232	172	101	29	14	9
	F--	3,209	346	19	13	8	8	19	10	24	38	66	80	111	151	218	284	309	285	377	310	209	165	88	36	20	15
001-019	Tuberculosis, all forms--------	682	6	7	6	7	1	2	3	10	16	29	38	46	41	44	55	55	69	74	70	62	27	12	2	-	-
	White-----M--	290	2	2	1	1	-	1	-	1	3	9	9	21	24	22	22	25	34	37	27	32	10	6	1	-	-
	F--	203	2	1	3	3	-	-	1	4	2	7	11	14	3	9	12	12	20	23	32	24	13	6	1	-	-
	Nonwhite--M--	111	2	3	2	2	1	-	1	3	4	3	9	7	9	8	18	12	9	8	5	2	3	-	-	-	-
	F--	78	-	1	-	1	-	1	1	2	7	10	9	4	5	5	3	6	6	6	6	4	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	622	3	2	3	2	-	-	3	5	14	28	34	40	37	42	50	54	66	69	67	62	27	12	2	-	-
	White-----M--	276	1	1	1	-	-	-	-	-	3	9	9	19	23	21	22	24	33	35	26	32	10	6	1	-	-
	F--	187	1	-	1	1	-	-	1	3	2	7	10	12	3	9	10	12	19	22	30	24	13	6	1	-	-
	Nonwhite--M--	92	1	1	1	1	-	-	1	1	3	3	6	6	8	8	15	12	8	7	5	2	3	-	-	-	-
	F--	67	-	-	-	-	-	-	1	1	6	9	9	3	3	4	3	6	6	5	6	4	1	-	-	-	-
010-019	Tuberculosis, other forms------	60	3	5	3	5	1	2	-	5	2	1	4	6	4	2	5	1	3	5	3	-	-	-	-	-	-
	White-----M--	14	1	1	-	1	-	1	-	1	-	-	-	2	1	1	-	1	1	2	1	-	-	-	-	-	-
	F--	16	1	1	2	2	-	-	-	1	-	-	1	2	-	-	2	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	19	1	2	1	1	1	-	-	2	1	-	3	1	1	-	3	-	1	1	-	-	-	-	-	-	-
	F--	11	-	1	-	1	-	1	-	1	1	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	94	1	-	-	-	-	-	-	-	-	-	2	2	4	7	8	21	19	12	12	3	2	-	1	-	-
	White-----M--	31	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	4	9	5	2	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	4	1	1	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	12	7	1	1	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	5	2	2	-	-	-	1	-	-
040	Typhoid fever-----	3	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	34	20	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	3	-	2	3	-	2	-	-	-
	White-----M--	18	12	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	2	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	9	1	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	White-----M--	5	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	3	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	10	8	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	28	13	2	2	-	1	3	2	1	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	White-----M--	15	7	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	10	5	-	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	19	1	-	1	-	1	5	4	3	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	1	-	-	3	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	15	3	2	3	-	-	4	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	1	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	114	26	2	4	3	2	3	4	2	3	3	3	5	9	8	9	5	4	4	4	5	4	2	-	-	-
	White-----M--	40	7	2	1	2	1	-	1	1	1	-	1	3	1	4	3	3	1	1	2	3	1	1	-	-	-
	F--	37	8	-	2	-	-	3	2	-	1	2	1	2	3	1	3	1	2	2	-	1	3	-	-	-	-
	Nonwhite--M--	22	7	-	1	1	-	-	1	1	1	-	1	-	2	2	2	-	1	1	-	1	-	-	-	-	-
	F--	15	4	-	-	-	1	-	-	-	-	1	-	-	3	1	1	1	-	-	2	-	-	1	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*----	3,687	6	5	8	5	9	24	20	16	23	35	68	107	181	252	333	383	436	500	473	374	272	119	31	3	4
	White-----M--	1,529	3	3	4	3	6	12	6	10	10	13	23	34	67	88	104	133	193	226	216	168	127	63	13	3	1
	F--	1,556	2	2	3	1	2	10	12	4	8	13	34	48	77	113	139	160	172	189	197	176	126	49	16	-	3
	Nonwhite--M--	272	1	-	-	1	-	1	2	2	2	2	1	6	14	13	41	39	40	45	33	12	11	4	2	-	-
	F--	330	-	-	1	-	1	1	-	-	3	7	10	19	23	38	49	51	31	40	27	18	8	3	-	-	-
140-148	Of buccal cavity and pharynx------	113	1	-	-	-	-	1	-	-	-	-	-	-	3	10	10	10	7	18	20	16	8	6	2	-	1
	White-----M--	66	-	-	-	-	-	1	-	-	-	-	-	-	1	8	7	8	5	8	14	7	3	4	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	7	5	8	5	2	2	-	1
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,186	1	-	1	-	-	-	1	1	4	2	9	17	39	59	93	122	139	208	165	153	117	45	9	-	1
	White-----M--	515	-	-	1	-	-	-	1	1	1	-	4	5	16	24	36	45	71	97	79	64	46	18	6	-	-
	F--	471	1	-	-	-	-	-	-	-	1	1	2	4	10	20	32	46	44	73	72	76	62	24	2	-	1
	Nonwhite--M--	113	-	-	-	-	-	-	-	-	2	1	-	3	9	6	16	18	14	22	9	6	5	1	1	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	3	5	4	9	9	13	10	16	5	7	4	2	-	-	-
160-164	Of respiratory system----------	374	-	1	-	-	-	1	-	1	1	2	7	10	24	21	41	53	75	44	49	22	11	8	2	1	-
	White-----M--	270	-	1	-	-	-	1	-	-	-	2	4	8	18	16	26	40	53	33	36	14	9	6	2	1	-
	F--	61	-	-	-	-	-	-	-	1	1	-	2	2	4	3	4	7	8	8	9	8	2	2	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	4	13	3	3	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	1	-	-	-	-	-	-
170	Of breast----------	301	-	-	-	-	-	-	-	-	-	1	3	15	21	36	39	36	37	30	40	21	14	4	4	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	231	-	-	-	-	-	-	-	-	-	-	2	10	16	25	27	30	31	21	34	16	11	4	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	66	-	-	-	-	-	-	-	-	-	1	1	4	5	11	11	6	6	8	6	4	3	-	-	-	-
171-179	Of genital organs-	729	-	-	-	-	-	-	-	-	3	10	22	32	36	54	72	64	74	102	96	79	57	23	4	1	-
	White-----M--	204	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	3	15	36	41	41	39	15	3	1	-
	F--	358	-	-	-	-	-	-	-	-	-	3	16	22	25	43	48	33	43	43	36	30	12	4	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	7	12	11	5	5	3	1	-	-
	F--	110	-	-	-	-	-	-	-	-	3	6	5	7	9	9	18	20	9	11	8	3	1	1	-	-	-
180, 181	Of urinary organs-	146	1	1	-	1	-	2	-	1	-	-	1	2	2	7	11	14	13	23	34	15	13	4	1	-	-
	White-----M--	70	1	1	-	-	-	1	-	1	-	-	-	1	1	4	5	4	7	10	14	11	5	4	-	-	-
	F--	54	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	9	4	10	13	4	8	-	1	-	-
	Nonwhite--M--	12	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3	-	1	2	4	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	3	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	497	1	2	5	2	1	8	6	7	4	14	15	21	34	38	37	51	57	36	37	48	39	23	8	1	2
	White-----M--	219	-	1	2	2	1	3	1	5	3	7	6	11	20	16	11	15	26	20	14	20	18	13	2	1	1
	F--	221	1	1	2	-	-	5	5	1	1	6	8	8	11	15	16	24	24	13	18	24	21	10	6	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	1	1	-	3	-	3	6	3	2	3	1	-	-	-	-	-
	F--	33	-	-	1	-	-	-	-	-	-	-	-	2	-	7	7	6	4	1	2	3	-	-	-	-	-
204	Leukemia and aleukemia----------	185	2	1	2	2	7	10	9	5	7	4	4	3	12	14	12	18	13	17	19	13	6	4	1	-	-
	White-----M--	92	2	-	1	1	5	5	1	2	5	2	2	1	3	10	7	8	8	10	10	6	1	2	-	-	-
	F--	75	-	1	1	1	1	4	7	2	2	2	2	1	7	3	4	7	5	6	5	7	4	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	1	1	-	-	-	1	-	1	1	1	-	1	3	-	1	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	156	-	-	-	-	1	2	4	1	4	2	7	7	10	13	18	15	21	22	13	7	7	2	-	-	-
	White-----M--	90	-	-	-	-	-	1	3	1	1	1	6	4	7	8	10	10	8	11	8	4	6	1	-	-	-
	F--	47	-	-	-	-	1	-	-	-	3	1	1	1	3	2	3	3	11	8	5	3	1	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	-	-	-	2	-	2	3	1	2	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	101	2	2	2	1	-	1	2	2	3	1	6	13	13	13	9	6	4	5	6	4	4	2	-	-	-
	White-----M--	28	1	-	-	-	-	-	1	2	2	-	1	1	3	3	4	2	-	3	2	1	2	-	-	-	-
	F--	39	1	1	2	-	-	-	1	-	-	-	4	4	8	3	2	2	2	1	2	3	1	2	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
	F--	28	-	1	-	-	-	1	-	-	-	1	1	7	1	6	3	2	2	1	2	-	-	-	-	-	-
260	Diabetes mellitus-	306	-	1	-	-	-	-	-	4	4	3	2	4	11	16	21	33	35	49	49	38	28	7	1	-	-
	White-----M--	98	-	1	-	-	-	-	-	-	1	1	2	-	3	6	5	7	10	17	19	12	12	2	-	-	-
	F--	125	-	-	-	-	-	-	-	2	2	1	-	1	2	2	5	13	18	23	20	21	9	5	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	1	-	1	-	-	3	2	2	5	2	4	4	1	3	-	-	-	-
	F--	55	-	-	-	-	-	-	-	1	1	-	-	3	3	6	9	8	5	5	6	4	4	-	-	-	-
290-293	Anemias----------	52	-	4	-	-	-	-	2	1	1	4	1	1	-	1	5	3	4	3	8	7	5	2	-	-	-
	White-----M--	21	-	2	-	-	-	-	-	-	-	2	-	-	-	-	3	2	3	1	3	2	3	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	4	3	2	1	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-
	F--	5	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	44	13	5	3	4	1	1	1	-	1	-	-	1	1	-	3	3	1	4	-	1	-	1	-	-	-
	White-----M--	18	5	3	2	1	-	1	1	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	8	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	11	2	1	-	-	1	-	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-
	F--	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	14,344	18	3	1	2	1	14	15	23	38	59	112	210	346	581	759	999	1,434	1,867	2,206	2,265	1,905	993	384	86	23
	White-----M--	6,493	9	2	-	2	-	6	4	5	12	25	32	92	147	275	338	479	730	840	1,011	1,063	852	394	144	23	8
	F--	4,889	5	1	-	-	1	5	8	8	18	14	36	47	71	95	136	200	345	576	826	932	840	475	199	45	6
	Nonwhite--M--	1,498	1	-	-	-	-	1	2	2	4	8	23	33	64	96	149	168	192	231	188	140	109	61	18	6	2
	F--	1,464	3	-	1	-	-	2	1	8	4	12	21	38	64	115	136	152	167	220	181	130	104	63	23	12	7
330-334, 400-468	Diseases of cardiovascular system-	13,903	18	3	1	1	1	11	14	16	29	54	100	196	324	559	727	977	1,399	1,825	2,147	2,223	1,851	954	370	82	21
	White-----M--	6,335	9	2	-	1	-	4	4	2	9	24	31	85	136	268	328	472	717	826	992	1,049	826	383	140	21	6
	F--	4,739	5	1	-	-	1	4	7	5	15	11	28	44	64	90	132	193	332	562	805	917	822	459	193	43	6
	Nonwhite--M--	1,424	1	-	-	-	-	1	2	2	2	7	21	32	62	88	139	166	188	223	175	132	104	56	15	6	2
	F--	1,405	3	-	1	-	-	2	1	7	3	12	20	35	62	113	128	146	162	214	175	125	99	56	22	12	7
330-334	Vascular lesions, etc.*----------	3,727	3	1	1	1	-	1	2	1	4	18	20	32	55	130	191	230	353	465	619	661	561	250	102	21	5
	White-----M--	1,473	1	1	-	1	-	1	1	1	2	7	7	10	12	36	45	65	160	173	275	303	232	91	44	5	-
	F--	1,400	-	-	-	-	-	-	1	-	2	-	4	10	15	24	60	63	84	161	233	281	259	138	52	11	2
	Nonwhite--M--	391	1	-	-	-	-	-	-	-	-	5	7	6	11	25	38	50	51	58	54	39	34	10	1	1	-
	F--	463	1	-	1	-	-	-	-	-	6	2	6	17	45	48	52	58	73	57	38	36	11	5	4	3	
400-402	Rheumatic fever---	39	2	1	-	-	-	7	10	-	1	-	3	2	3	3	-	2	1	1	-	-	1	2	-	-	-
	White-----M--	16	-	1	-	-	-	2	3	-	1	-	1	1	3	2	-	1	-	1	-	-	-	-	-	-	-
	F--	11	2	-	-	-	-	2	4	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-

* For complete category title, see table 5A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE--Con.																										
410-443	Diseases of heart-	9,234	12	1	-	-	1	3	1	12	21	32	65	146	237	387	502	702	986	1,271	1,418	1,419	1,138	604	224	41	11
	White-----M--	4,469	8	-	-	-	-	1	-	1	5	15	22	70	111	214	268	386	534	612	679	670	526	253	78	12	4
	F--	3,009	2	1	-	-	1	2	1	4	11	11	21	27	44	61	67	121	235	382	524	583	499	271	117	21	3
	Nonwhite--M--	925	-	-	-	-	-	-	-	2	2	2	12	24	41	57	94	108	123	146	109	87	57	44	14	2	1
	F--	831	2	-	-	-	-	-	-	5	3	4	10	25	41	55	73	87	94	131	106	79	56	36	15	6	3
410-416	Chronic rheumatic heart disease----	298	-	-	-	-	-	2	-	6	11	8	17	22	22	36	20	22	25	30	23	21	22	7	3	1	-
	White-----M--	118	-	-	-	-	-	-	-	-	2	5	8	11	10	19	6	10	13	8	13	5	7	1	-	-	-
	F--	121	-	-	-	-	-	2	-	3	7	2	7	9	9	9	8	8	7	10	8	12	13	3	3	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	1	1	1	1	-	2	2	2	1	1	7	1	2	1	2	-	-	-
	F--	34	-	-	-	-	-	-	-	2	1	-	1	2	1	6	4	3	4	5	1	2	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,012	1	-	-	-	-	-	-	2	3	10	22	71	109	204	280	429	586	757	807	755	572	269	113	20	2
	White-----M--	2,829	1	-	-	-	-	-	-	1	1	6	11	44	71	140	187	292	367	420	437	383	280	135	49	3	1
	F--	1,588	-	-	-	-	-	-	-	-	1	2	5	11	17	29	32	72	139	231	296	317	256	113	53	13	1
	Nonwhite--M--	330	-	-	-	-	-	-	-	-	-	-	4	12	8	23	34	35	46	60	36	37	19	10	5	1	-
	F--	265	-	-	-	-	-	-	-	1	1	2	2	4	13	12	27	30	34	46	38	18	17	11	6	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,355	2	-	-	-	-	1	1	3	2	4	7	6	28	36	43	56	101	164	193	256	227	153	59	8	5
	White-----M--	527	2	-	-	-	-	1	-	-	-	1	-	2	11	13	22	18	40	68	76	105	96	54	13	5	-
	F--	512	-	-	-	-	-	-	1	1	-	2	3	1	4	4	5	12	21	44	79	112	101	82	35	3	2
	Nonwhite--M--	164	-	-	-	-	-	-	-	-	1	-	2	-	5	11	11	12	25	24	23	19	16	7	7	-	1
	F--	152	-	-	-	-	-	-	-	2	1	1	2	3	8	8	5	14	15	28	15	20	14	10	4	-	2
430-434	Other diseases of heart---------	678	9	1	-	-	1	-	-	-	4	8	10	22	27	41	48	60	81	77	87	84	69	38	8	2	1
	White-----M--	334	5	-	-	-	-	-	-	-	2	3	3	11	12	23	23	24	46	43	44	46	30	15	2	1	1
	F--	167	2	1	-	-	1	-	-	-	2	5	-	4	8	4	7	9	16	19	23	20	25	15	5	1	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	-	-	3	4	5	10	11	21	11	9	8	7	7	4	1	-	-
	F--	76	2	-	-	-	-	-	-	-	-	-	4	3	2	4	7	6	8	6	12	11	7	4	-	-	-
440-443	Hypertension with heart dis.--	1,891	-	-	-	-	-	-	-	1	1	2	9	25	51	70	111	135	193	243	308	303	248	137	41	10	3
	White-----M--	661	-	-	-	-	-	-	-	-	-	-	-	2	7	19	30	42	68	73	109	131	113	48	14	3	2
	F--	821	-	-	-	-	-	-	-	-	1	-	6	2	6	15	15	20	52	78	118	122	104	58	21	3	-
	Nonwhite--M--	305	-	-	-	-	-	-	-	1	-	1	2	8	21	11	36	39	40	46	41	22	14	21	1	1	-
	F--	304	-	-	-	-	-	-	-	-	-	1	1	13	17	25	30	34	33	46	40	28	17	10	5	3	1
444-447	Hypertension without mention of heart----------	310	-	-	-	-	-	-	-	1	-	1	7	12	16	26	18	23	23	34	30	44	46	18	6	5	-
	White-----M--	124	-	-	-	-	-	-	-	-	-	-	-	2	5	10	6	11	10	12	11	26	23	5	2	1	-
	F--	79	-	-	-	-	-	-	-	-	-	-	1	5	2	2	4	3	3	5	13	14	13	10	3	1	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	1	1	5	3	4	4	8	11	2	1	5	-	-	1	-
	F--	61	-	-	-	-	-	-	-	1	-	1	5	4	4	11	4	5	2	6	4	3	5	3	1	2	-
450	General arteriosclerosis--------	418	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	20	30	54	86	91	72	37	13	5
	White-----M--	168	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	13	17	41	39	30	15	2	2
	F--	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	8	23	35	44	37	21	9	1
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	7	8	5	7	2	-	2	1	
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	6	5	1	3	1	-	1
451-468	Other diseases of circulatory sys.-	175	1	-	-	-	-	-	1	2	3	3	5	3	13	11	13	16	16	24	26	13	14	8	1	2	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	2	1	2	5	4	8	7	9	15	10	9	6	4	1	1	-
	F--	57	1	-	-	-	-	-	1	1	2	-	2	1	3	2	-	6	5	6	12	4	7	3	-	1	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	5	3	3	3	-	1	2	-	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	1	2	-	-	2	2	-	2	2	2	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	441	-	-	-	1	-	3	1	7	9	5	12	14	22	22	32	22	35	42	59	42	54	39	14	4	2
	White-----M--	158	-	-	-	1	-	2	-	3	3	1	1	7	11	7	10	7	13	14	19	14	26	11	4	2	2
	F--	150	-	-	-	-	-	1	1	3	3	3	8	3	7	5	4	7	13	14	21	15	18	16	6	2	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	2	1	2	1	2	8	10	2	4	8	13	8	5	5	3	-	-
	F--	59	-	-	-	-	-	-	-	1	1	-	1	3	2	2	8	6	5	6	6	5	5	7	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,316	150	26	14	11	4	5	9	10	12	8	8	21	23	26	31	57	94	109	126	184	198	114	48	18	10
	White-----M--	478	60	9	7	1	-	2	6	2	4	2	1	8	5	6	6	18	31	36	50	82	74	44	16	6	2
	F--	456	34	10	4	4	2	3	1	4	3	5	3	4	5	7	7	11	25	28	40	66	94	56	28	8	4
	Nonwhite--M--	199	27	4	1	4	-	-	2	4	3	-	1	2	6	9	7	12	25	27	17	16	16	12	2	2	-
	F--	183	29	3	2	2	2	-	-	-	2	1	3	7	7	4	11	16	13	18	19	20	14	2	2	2	4
480-483	Influenza---------	415	23	5	-	2	1	-	4	1	1	1	1	7	4	4	11	17	38	41	55	71	69	32	14	9	4
	White-----M--	123	8	2	-	-	-	-	2	-	1	-	-	-	2	-	-	4	11	12	16	25	26	8	3	2	1
	F--	157	7	3	-	1	-	-	1	-	-	1	1	1	-	1	3	3	11	11	18	29	32	20	10	4	-
	Nonwhite--M--	62	3	-	-	1	-	-	1	1	-	-	-	1	1	2	2	2	10	11	8	5	7	4	1	2	-
	F--	73	5	-	-	-	1	-	-	-	-	-	-	5	1	1	6	8	6	7	13	12	4	-	-	1	3
490-493	Pneumonia, etc.*--	901	127	21	14	9	3	5	5	9	11	7	7	14	19	22	20	40	56	68	71	113	129	82	34	9	6
	White-----M--	355	52	7	7	1	-	2	4	2	3	2	1	8	3	6	6	14	20	24	34	57	48	36	13	4	1
	F--	299	27	7	4	3	2	3	-	4	3	4	2	3	5	6	4	8	14	17	22	37	62	36	18	4	4
	Nonwhite--M--	137	24	4	1	3	-	-	1	3	3	-	1	1	5	7	5	10	15	16	9	11	9	8	1	-	-
	F--	110	24	3	2	2	1	-	-	-	2	1	3	2	6	3	5	8	7	11	6	8	10	2	2	1	1
500-502	Bronchitis--------	59	13	4	1	2	-	2	-	-	-	-	1	1	-	2	2	2	4	2	6	5	7	4	1	-	-
	White-----M--	25	5	2	-	1	-	1	-	-	-	-	1	1	-	-	-	2	1	2	2	3	3	1	-	-	-
	F--	15	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	2	-	-	-
	Nonwhite--M--	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	1	-	-	-	-
	F--	9	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-
540, 541	Ulcer of stomach and duodenum-----	135	2	-	-	-	-	-	1	-	-	4	2	4	7	9	10	16	11	12	23	22	7	4	1	-	-
	White-----M--	83	-	-	-	-	-	-	-	-	-	2	-	4	4	5	8	14	8	8	12	12	4	2	-	-	-
	F--	30	1	-	-	-	-	-	-	-	-	2	1	-	1	-	1	2	-	4	8	5	3	1	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	1	-	-	-	1	-	1	3	1	-	2	-	3	4	-	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
550-553	Appendicitis-------	39	-	1	1	-	-	3	2	3	1	2	3	1	-	2	3	5	2	2	3	3	2	-	-	-	-
	White-----M--	21	-	1	1	-	-	2	1	1	1	1	3	-	-	1	3	1	2	-	1	2	-	-	-	-	-
	F--	9	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	160	16	1	-	-	-	-	-	2	1	1	1	2	5	6	9	12	16	21	21	20	10	13	2	1	-
	White-----M--	49	6	1	-	-	-	-	-	-	1	-	-	1	1	3	4	5	4	5	6	5	1	6	-	-	-
	F--	71	6	-	-	-	-	-	-	1	-	1	-	-	3	1	4	3	6	7	13	12	6	6	2	-	-
	Nonwhite--M--	29	3	-	-	-	-	-	-	1	-	-	1	-	1	2	-	2	6	8	1	2	1	1	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	1	2	-	-	1	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543,	Gastritis, etc.*--	149	85	9	2	2	1	1	-	-	-	1	-	2	1	2	3	5	5	3	9	6	6	5	-	1	-
571,	White-----M--	43	26	4	-	1	-	1	-	-	-	-	-	-	-	1	-	1	2	-	2	3	1	1	-	-	-
572	F--	59	30	2	2	-	-	-	-	-	-	1	-	1	-	-	2	2	2	3	4	2	4	3	-	1	-
	Nonwhite--M--	25	17	2	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-
	F--	22	12	1	-	-	1	-	-	-	-	-	-	1	-	1	1	1	1	-	3	-	-	-	-	-	-
581	Cirrhosis of liver	187	3	-	-	-	-	-	-	1	-	-	6	8	15	15	25	23	25	20	14	14	9	7	1	1	-
	White-----M--	115	1	-	-	-	-	-	-	-	-	-	6	6	7	12	13	14	17	11	10	9	4	3	1	1	-
	F--	53	1	-	-	-	-	-	-	1	-	-	-	2	4	1	8	5	6	8	4	5	5	3	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	1	1	-	-	-	1	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	77	1	3	3	1	-	2	-	2	-	2	-	4	7	4	5	6	11	8	4	4	4	4	2	-	-
	White-----M--	32	-	2	1	-	-	1	-	1	-	1	-	1	2	2	-	6	3	3	1	3	3	2	-	-	-
	F--	15	1	-	-	-	-	1	-	1	-	-	-	1	2	1	1	-	3	1	1	-	-	1	1	-	-
	Nonwhite--M--	11	-	1	1	1	-	-	-	-	-	-	-	-	2	-	1	-	2	1	1	-	-	1	-	-	-
	F--	19	-	-	1	-	-	-	-	-	-	1	-	2	1	1	3	-	3	3	1	1	1	-	1	-	-
610	Hyperplasia of																										
	prostate---------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	11	22	31	26	9	8	-	-
	White-----M--	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	10	17	26	24	7	8	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	1	5	5	2	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	72	...	...	...	...	...	...	-	6	13	17	13	13	9	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	35	...	...	...	...	...	...	-	1	7	8	8	6	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	37	...	...	...	...	...	...	-	5	6	9	5	7	5	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	11	...	...	...	...	...	...	-	1	3	-	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	...	...	...	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	...	...	...	-	1	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	61	...	...	...	...	...	...	-	5	10	17	10	12	6	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	31	...	...	...	...	...	...	-	1	5	8	6	6	4	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	30	...	...	...	...	...	...	-	4	5	9	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	404	312	17	7	3	5	9	9	3	2	6	10	2	2	2	6	2	4	1	1	1	-	-	-	-	-
	White-----M--	186	142	6	2	-	2	6	5	1	1	3	6	-	2	2	4	1	3	-	-	-	-	-	-	-	-
	F--	160	121	10	4	1	3	3	3	2	-	2	3	1	-	-	2	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	41	33	1	1	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	16	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,360	1,360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	619	619	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	388	388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	529	529	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	741	741	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,931	310	25	14	1	2	16	6	9	12	13	38	41	58	96	122	125	147	183	188	169	160	111	55	19	11
795	White-----M--	636	90	4	4	-	1	4	3	3	2	2	9	9	22	28	33	34	57	45	68	74	75	46	17	5	1
	F--	415	72	7	4	-	1	3	-	1	5	1	8	3	3	12	12	12	15	33	43	55	52	38	27	7	1
	Nonwhite--M--	445	73	7	3	-	-	6	2	1	3	2	6	20	20	33	39	38	43	52	33	23	13	15	6	2	5
	F--	435	75	7	3	1	-	3	1	4	2	8	15	9	13	23	38	41	32	53	44	17	20	12	5	5	4
Re-	All other diseases	1,317	90	16	3	12	5	21	17	25	26	24	27	36	59	76	73	116	124	142	136	121	89	53	16	9	1
sid-	White-----M--	533	38	4	-	3	1	9	6	12	10	7	11	14	18	36	24	52	54	64	63	52	30	18	5	1	1
ual	F--	488	29	5	2	5	1	9	6	8	6	7	9	11	19	18	24	35	42	42	57	57	51	30	11	4	-
	Nonwhite--M--	166	13	6	-	3	3	-	4	3	7	4	4	6	11	12	13	16	16	19	10	8	3	1	-	4	-
	F--	130	10	1	1	1	-	3	1	2	3	6	3	5	11	10	12	13	12	17	6	4	5	4	-	-	-
E800-	Accidents----------	1,942	62	31	22	18	21	66	71	158	154	139	137	123	115	102	106	90	67	89	84	96	99	58	24	6	4
E962	White-----M--	1,136	22	12	11	6	5	37	47	117	114	103	99	69	76	61	59	55	39	53	40	34	42	23	8	2	2
	F--	430	21	9	6	7	10	15	15	22	20	17	17	25	14	19	10	14	11	18	24	43	44	33	12	4	-
	Nonwhite--M--	265	8	7	4	3	3	7	6	17	18	17	17	27	17	19	27	12	14	8	12	12	7	-	1	-	2
	F--	111	11	3	1	2	3	7	3	2	2	2	4	2	8	3	10	9	3	10	8	7	6	2	3	-	-
E810-	Motor-vehicle																										
E835	accidents--------	837	4	5	6	8	7	33	27	98	111	80	72	70	56	44	42	42	27	38	26	21	15	4	-	-	1
	White-----M--	559	2	3	3	5	2	17	16	76	80	60	54	40	35	22	26	26	19	26	19	15	9	3	-	-	1
	F--	154	2	2	2	2	4	9	9	16	17	11	10	17	8	14	4	9	5	6	4	1	2	-	-	-	-
	Nonwhite--M--	92	-	-	-	-	1	3	1	5	13	8	6	12	7	7	8	6	3	4	1	3	4	-	-	-	-
	F--	32	-	-	1	1	-	4	1	1	1	1	2	1	6	1	4	1	-	2	2	2	-	1	-	-	-
E800-	All ot. accidents-	1,105	58	26	16	10	14	33	44	60	43	59	65	53	59	58	64	48	40	51	58	75	84	54	24	6	3
E802,	White-----M--	577	20	9	8	1	3	20	31	41	34	43	45	29	41	39	33	29	20	27	21	19	33	20	8	2	1
E840-	F--	276	19	7	4	5	6	6	6	6	3	6	7	8	6	5	6	5	6	12	20	42	42	33	12	4	-
E962	Nonwhite--M--	173	8	7	4	3	2	4	5	12	5	9	11	15	10	12	19	6	11	4	11	9	3	-	1	-	2
	F--	79	11	3	-	1	3	3	2	1	1	1	2	1	2	2	6	8	3	8	6	5	6	1	3	-	-
E963,	Suicide----------	227	-	-	-	-	-	-	-	6	10	27	15	26	19	18	15	14	25	16	18	9	7	2	-	-	-
E970-	White-----M--	165	-	-	-	-	-	-	-	4	6	21	11	14	12	14	12	11	22	15	10	7	4	2	-	-	-
E979	F--	48	-	-	-	-	-	-	-	2	3	4	4	9	4	4	2	3	3	-	7	1	2	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	-	3	3	-	1	-	-	1	1	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	263	-	-	-	-	-	-	1	9	29	37	51	36	42	20	21	5	5	4	2	-	1	-	-	-	-
E980-	White-----M--	103	-	-	-	-	-	-	-	5	8	12	16	16	15	11	10	2	3	3	1	-	1	-	-	-	-
E985	F--	12	-	-	-	-	-	-	-	-	3	-	2	1	2	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	120	-	-	-	-	-	-	1	4	13	19	24	15	22	8	9	2	1	1	1	-	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	5	6	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES------	66,271	8,069	642	297	211	151	520	417	777	1,005	1,157	1,216	1,598	2,262	3,002	3,999	4,818	5,646	6,638	6,959	6,747	5,514	2,886	1,279	338	123
	White-----M--	33,057	3,758	280	125	96	64	275	201	441	573	608	591	756	1,088	1,567	1,988	2,555	3,059	3,574	3,544	3,318	2,630	1,300	515	113	38
	F--	22,130	2,816	247	116	85	58	161	134	197	207	287	321	433	597	746	944	1,209	1,533	1,964	2,550	2,772	2,440	1,389	694	192	38
	Nonwhite--M--	6,223	862	67	34	11	12	44	47	85	129	145	168	217	298	360	588	635	613	634	492	361	246	108	36	11	20
	F--	4,861	633	48	22	19	17	40	35	54	96	117	136	192	279	329	479	419	441	466	373	296	198	89	34	22	27
001-019	Tuberculosis, all forms--------	1,039	19	27	11	6	1	12	6	20	39	56	43	60	81	91	84	91	107	97	78	61	32	13	4	-	-
	White-----M--	555	12	19	6	2	1	7	3	8	16	14	7	29	41	44	55	48	61	62	51	41	17	8	3	-	-
	F--	306	7	5	4	2	-	5	1	9	16	26	25	17	21	24	12	24	29	22	21	16	14	5	1	-	-
	Nonwhite--M--	115	-	1	1	1	-	-	2	-	4	7	4	5	14	14	13	17	15	9	6	2	-	-	-	-	-
	F--	63	-	2	-	1	-	-	-	3	3	9	7	9	5	9	4	2	2	4	-	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	936	8	12	1	1	-	3	4	17	37	53	41	56	76	81	81	89	101	93	75	59	31	13	4	-	-
	White-----M--	501	5	10	-	1	-	1	1	8	15	14	6	28	40	39	55	46	58	59	48	40	16	8	3	-	-
	F--	277	3	2	-	-	-	2	1	6	15	26	25	14	19	22	12	24	28	22	21	15	14	5	1	-	-
	Nonwhite--M--	105	-	-	1	-	-	-	2	-	4	5	4	5	13	13	11	17	14	8	6	2	-	-	-	-	-
	F--	53	-	-	-	-	-	-	-	3	3	8	6	9	4	7	3	2	1	4	-	2	1	-	-	-	-
010-019	Tuberculosis, other forms------	103	11	15	10	5	1	9	2	3	2	3	2	4	5	10	3	2	6	4	3	2	1	-	-	-	-
	White-----M--	54	7	9	6	1	1	6	2	-	1	-	1	1	1	5	-	2	3	3	3	1	1	-	-	-	-
	F--	29	4	3	4	2	-	3	-	3	1	-	-	3	2	2	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	10	-	1	-	1	-	-	-	-	-	2	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-
	F--	10	-	2	-	1	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	298	9	-	-	-	-	-	-	1	-	3	5	6	20	19	46	49	49	44	20	16	6	4	1	-	-
	White-----M--	134	4	-	-	-	-	-	-	-	-	1	2	2	7	5	15	23	23	30	11	8	2	1	-	-	-
	F--	35	3	-	-	-	-	-	-	-	-	1	-	-	-	3	2	3	7	1	5	5	1	3	1	-	-
	Nonwhite--M--	91	1	-	-	-	-	-	-	1	-	-	-	3	9	7	20	17	13	11	4	2	3	-	-	-	-
	F--	38	1	-	-	-	-	-	-	-	-	1	3	1	4	4	9	6	6	2	-	1	-	-	-	-	-
040	Typhoid fever------	8	-	-	-	-	1	-	-	-	2	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	266	185	31	11	1	-	3	1	-	1	-	1	1	1	1	3	2	1	4	6	3	3	5	1	1	-
	White-----M--	117	84	14	1	-	-	1	-	-	1	-	-	1	-	-	3	1	1	1	4	2	1	2	-	-	-
	F--	114	79	13	7	1	-	1	-	-	-	-	1	-	1	-	-	1	-	2	2	1	1	3	-	1	-
	Nonwhite--M--	21	15	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	14	7	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
050, 051	Scarlet fever, etc.*----------	23	6	1	-	2	-	2	2	1	1	1	-	1	1	1	-	-	-	1	-	-	2	-	-	1	-
	White-----M--	9	1	1	-	1	-	1	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	11	3	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	15	1	2	2	-	1	3	1	2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	7	1	1	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	19	14	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	53	19	5	1	3	1	6	1	3	3	-	-	1	1	3	3	2	-	-	1	-	-	-	-	-	-
	White-----M--	26	12	2	1	-	1	3	-	2	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	16	4	2	-	2	-	-	1	1	1	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	2	-	-	-	-	3	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis-----------	57	6	6	5	-	2	10	3	8	4	9	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	26	2	3	3	-	-	6	2	4	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	28	3	2	2	-	2	4	1	4	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	56	16	17	7	1	2	8	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	12	9	2	1	1	3	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	16	2	6	5	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	9	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	1	-	1	2	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	269	82	10	5	8	11	20	7	8	8	5	15	11	8	4	11	7	12	8	13	5	5	4	1	1	-
	White-----M--	127	37	4	1	4	5	8	4	2	2	2	7	8	2	2	7	2	8	6	5	5	3	2	1	-	-
	F--	85	25	4	4	4	3	7	-	3	3	1	3	3	3	1	3	3	2	2	6	-	2	2	-	1	-
	Nonwhite--M--	35	13	1	-	-	1	2	3	2	1	2	2	-	3	1	-	2	-	-	2	-	-	-	-	-	-
	F--	22	7	1	-	-	2	3	-	1	2	-	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
140-205	Malignant neoplasms, etc.*----	8,826	23	18	23	15	22	59	32	50	61	103	127	237	430	631	792	1,013	1,177	1,151	1,080	891	550	252	70	14	5
	White-----M--	4,041	8	5	10	6	8	32	16	27	34	49	57	82	134	234	302	486	560	579	537	430	281	122	36	3	3
	F--	3,651	13	11	11	8	12	24	11	14	21	41	49	113	194	279	342	382	461	435	442	392	236	118	31	10	1
	Nonwhite--M--	557	1	1	1	1	1	1	3	6	3	9	11	14	34	39	68	81	76	85	59	39	16	6	1	-	1
	F--	577	1	1	1	-	1	2	2	3	3	4	10	28	68	79	80	64	80	52	42	30	17	6	2	1	-
140-148	Of buccal cavity and pharynx------	211	-	-	-	-	-	1	1	-	-	2	4	1	11	9	22	33	29	24	32	18	17	6	-	-	1
	White-----M--	133	-	-	-	-	-	-	-	-	-	1	4	-	8	6	13	23	24	15	17	8	10	3	-	-	1
	F--	52	-	-	-	-	-	1	1	-	-	-	-	-	2	1	6	4	2	5	13	9	5	3	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	3	3	2	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,749	3	-	-	-	1	1	-	4	9	16	22	51	87	164	233	300	357	421	387	346	220	104	19	2	2
	White-----M--	1,256	1	-	-	-	1	-	-	2	6	5	10	21	37	76	104	137	156	205	189	143	111	46	5	-	1
	F--	1,113	1	-	-	-	-	-	-	1	1	7	8	23	24	50	75	108	153	166	162	171	96	51	13	2	1
	Nonwhite--M--	224	1	-	-	-	-	1	-	1	1	3	4	4	10	18	32	35	31	32	24	15	8	4	-	-	-
	F--	156	-	-	-	-	-	-	-	-	1	1	-	3	16	20	22	20	17	18	12	17	5	3	1	-	-
160-164	Of respiratory system----------	1,098	-	-	-	-	-	-	1	2	5	2	10	25	44	92	110	201	183	173	114	77	42	13	3	1	-
	White-----M--	811	-	-	-	-	-	-	1	2	4	-	6	17	30	58	84	160	148	132	79	54	27	7	2	-	-
	F--	168	-	-	-	-	-	-	-	-	1	2	2	5	7	17	10	17	17	26	25	19	14	4	1	1	-
	Nonwhite--M--	95	-	-	-	-	-	-	-	-	-	-	2	2	5	12	13	22	17	12	8	1	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	2	1	3	2	3	1	1	-	-	-
170	Of breast----------	688	1	-	-	-	-	-	-	-	2	7	13	31	72	95	91	77	82	71	68	35	32	7	3	1	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
	F--	582	-	-	-	-	-	-	-	-	1	5	10	26	63	77	72	65	66	63	59	34	30	7	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	98	-	-	-	-	-	-	-	-	1	1	3	5	8	18	19	12	15	7	8	1	-	-	-	-	-
171-179	Of genital organs-	1,433	-	-	-	-	-	-	-	1	5	18	23	49	85	110	128	140	189	151	176	170	116	48	21	1	2
	White-----M--	453	-	-	-	-	-	-	-	-	2	8	5	4	2	2	5	17	39	62	88	100	72	31	14	1	1
	F--	742	-	-	-	-	-	-	-	-	3	7	16	33	57	83	96	101	113	62	64	52	34	16	5	-	-
	Nonwhite--M--	87	-	-	-	-	-	-	-	-	-	2	-	-	2	-	8	5	11	20	17	13	6	1	1	-	1
	F--	151	-	-	-	-	-	-	-	1	-	1	2	12	24	25	19	17	26	7	7	5	4	-	1	-	-
180, 181	Of urinary organs-	372	2	1	2	2	-	6	-	1	1	-	5	8	9	16	22	35	54	54	51	47	30	19	6	1	-
	White-----M--	225	1	-	1	-	-	3	-	1	1	-	1	5	4	8	13	24	42	34	36	23	15	10	3	-	-
	F--	102	1	1	1	1	-	3	-	-	-	1	1	2	5	6	5	8	12	12	20	11	9	3	-	-	-
	Nonwhite--M--	25	-	-	-	1	-	-	-	-	-	3	1	2	-	1	4	4	4	1	3	1	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	4	2	1	3	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*----------	1,412	9	8	9	2	7	15	7	13	12	31	35	41	84	96	120	135	204	163	169	124	64	41	17	6	-
	White-----M--	676	4	2	4	2	2	10	2	7	7	19	20	17	34	52	54	69	97	80	76	61	26	19	11	1	-
	F--	574	4	6	3	-	4	5	3	3	4	10	11	15	27	34	48	51	80	64	79	57	35	20	6	5	-
	Nonwhite--M--	67	-	-	1	-	-	-	1	2	1	2	1	3	10	5	7	8	7	10	6	3	-	-	-	-	-
	F--	95	1	-	1	-	1	-	1	1	-	-	3	6	13	5	11	7	20	9	8	3	3	2	-	-	-
204	Leukemia and aleukemia----------	467	8	6	9	9	12	30	19	20	13	10	9	12	18	32	23	35	36	49	41	48	15	12	-	1	-
	White-----M--	257	1	2	4	3	3	16	10	11	6	5	7	7	6	24	11	24	23	29	24	26	9	6	-	-	-
	F--	180	7	2	5	6	8	13	6	6	5	3	1	5	9	6	11	11	11	16	16	20	6	6	-	1	-
	Nonwhite--M--	16	-	1	-	-	1	-	2	2	1	2	-	-	1	-	-	-	1	2	1	2	-	-	-	-	-
	F--	14	-	1	-	-	-	1	1	1	1	-	1	-	2	2	1	-	1	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	396	-	3	3	2	2	6	4	9	14	17	6	19	20	17	43	57	43	45	42	26	14	2	1	1	-
	White-----M--	224	-	1	1	1	2	3	3	4	8	10	4	11	13	8	18	32	30	22	27	15	9	-	1	1	-
	F--	138	-	2	2	1	-	2	1	4	6	7	-	5	3	6	18	20	11	21	12	10	5	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	1	-	-	1	3	2	2	6	3	2	1	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	2	-	1	3	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	294	8	4	1	1	2	12	8	5	9	8	12	16	24	40	24	22	25	14	20	19	11	5	4	-	-
	White-----M--	113	4	1	1	-	1	8	3	3	6	4	4	2	4	6	8	10	13	7	11	4	7	3	3	-	-
	F--	132	3	2	-	-	-	4	4	1	2	3	5	6	14	27	12	8	11	4	8	12	3	2	1	-	-
	Nonwhite--M--	19	1	1	-	-	-	-	-	1	-	-	1	2	-	3	1	2	1	2	-	3	1	-	-	-	-
	F--	30	-	-	-	1	1	-	1	-	1	1	2	6	6	4	3	2	-	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	852	-	-	1	2	-	1	3	6	6	7	10	12	30	35	56	94	120	131	113	107	77	30	8	2	1
	White-----M--	324	-	-	1	2	-	-	-	2	2	5	5	7	13	14	18	31	33	54	45	33	35	18	4	1	1
	F--	390	-	-	-	-	-	-	2	1	3	1	4	3	8	9	13	42	61	64	61	66	38	10	4	-	-
	Nonwhite--M--	50	-	-	-	-	-	1	-	-	-	1	-	2	4	4	7	9	10	3	2	4	2	1	-	-	-
	F--	88	-	-	-	-	-	-	1	3	1	-	1	-	5	8	18	12	16	10	5	4	2	1	-	1	-
290-293	Anemias----------	181	13	7	3	1	-	2	4	2	3	5	4	9	7	6	9	8	11	17	16	17	29	3	4	1	-
	White-----M--	61	4	1	1	-	-	1	1	-	1	1	-	3	1	1	1	4	4	7	7	7	15	1	-	-	-
	F--	83	3	5	1	1	-	1	1	1	1	2	1	3	3	3	4	2	4	9	8	9	14	2	4	1	-
	Nonwhite--M--	17	3	1	-	-	-	-	1	1	-	-	2	2	1	2	1	1	2	-	-	-	-	-	-	-	-
	F--	20	3	-	1	-	-	-	1	-	1	2	1	1	2	-	3	1	1	1	1	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	121	43	13	9	7	2	8	2	-	4	2	1	3	5	6	4	2	2	3	-	4	1	-	-	-	-
	White-----M--	55	21	5	5	2	-	4	1	-	1	1	1	1	2	2	2	2	1	2	-	2	-	-	-	-	-
	F--	44	11	8	3	5	1	3	-	-	3	1	-	1	1	2	2	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	14	7	-	1	-	1	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	30,256	49	10	8	3	5	30	39	62	89	131	217	425	799	1,281	2,003	2,576	3,157	3,985	4,346	4,412	3,645	1,910	829	189	58
	White-----M--	15,419	21	4	5	1	4	14	14	24	28	47	93	206	418	746	1,041	1,423	1,808	2,165	2,207	2,174	1,718	850	331	63	14
	F--	9,920	19	3	2	1	1	13	17	28	25	43	54	82	150	216	337	523	715	1,120	1,585	1,831	1,646	936	452	106	15
	Nonwhite--M--	2,649	3	2	1	-	-	2	3	6	16	15	25	62	106	168	343	358	373	383	305	222	154	61	22	7	12
	F--	2,268	6	1	-	1	-	1	5	4	20	26	45	73	125	151	282	272	261	317	249	185	127	63	24	13	17
330-334, 400-468	Diseases of cardiovascular system-	29,253	47	8	7	2	4	19	30	47	76	112	192	388	756	1,237	1,924	2,504	3,073	3,866	4,221	4,296	3,542	1,858	809	182	53
	White-----M--	15,019	20	3	4	1	3	11	9	17	25	36	82	194	406	728	1,008	1,397	1,778	2,108	2,162	2,128	1,678	826	321	61	13
	F--	9,616	19	2	2	-	1	6	15	22	22	41	48	77	134	209	322	506	689	1,090	1,544	1,789	1,606	913	443	103	13
	Nonwhite--M--	2,499	3	2	1	-	-	2	2	4	13	14	22	59	98	156	324	349	363	360	282	206	142	59	22	6	10
	F--	2,119	5	1	-	1	-	-	4	4	16	21	40	58	118	144	270	252	243	308	233	173	116	60	23	12	17
330-334	Vascular lesions, etc.*----------	6,937	18	1	2	1	3	4	6	10	13	24	41	65	138	233	367	504	611	938	1,101	1,178	938	478	206	44	13
	White-----M--	2,872	8	1	1	1	2	2	1	5	5	11	16	21	46	86	100	186	264	427	470	529	416	181	79	14	-
	F--	2,732	5	-	1	-	1	2	5	5	5	6	11	20	33	59	109	139	186	298	459	527	449	262	121	27	2
	Nonwhite--M--	626	2	-	-	-	-	-	-	-	2	4	5	14	22	42	78	83	80	105	88	53	33	8	3	-	4
	F--	707	3	-	-	-	-	-	-	-	1	3	9	10	37	46	80	96	81	108	84	69	40	27	3	3	7
400-402	Rheumatic fever---	54	1	-	2	-	-	5	13	2	4	4	2	4	1	2	2	5	5	1	1	-	-	-	-	-	-
	White-----M--	22	-	-	1	-	-	1	4	-	-	2	-	2	-	1	2	4	4	1	-	-	-	-	-	-	-
	F--	21	-	-	1	-	-	3	6	2	2	2	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	2	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
410-443	Diseases of heart-	20,220	27	6	3	1	1	8	10	31	54	64	130	288	561	932	1,473	1,895	2,301	2,723	2,862	2,806	2,284	1,141	487	103	29
	White-----M--	11,171	12	2	2	-	1	6	4	12	19	17	80	160	343	602	876	1,146	1,439	1,580	1,557	1,454	1,113	528	197	32	9
	F--	6,114	14	1	-	-	-	1	3	11	12	25	32	48	81	141	197	350	461	742	1,004	1,124	1,007	540	256	57	7
	Nonwhite--M--	1,686	1	2	1	-	-	1	1	4	11	8	15	41	63	100	227	253	255	227	169	139	99	43	16	5	5
	F--	1,249	-	1	-	1	-	-	2	4	12	14	23	39	74	89	173	146	146	174	132	89	65	30	18	9	8
410-416	Chronic rheumatic heart disease----	453	1	2	-	1	-	2	3	16	18	23	14	28	31	29	50	53	42	41	29	23	32	11	4	-	-
	White-----M--	225	1	2	-	-	-	2	1	10	8	3	9	14	16	12	28	33	21	20	14	8	17	6	-	-	-
	F--	155	-	-	-	-	-	-	-	3	5	14	4	10	9	14	15	13	15	11	12	12	11	4	3	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	1	2	2	3	1	1	3	2	3	5	4	8	2	2	2	-	-	-	-
	F--	32	-	-	-	1	-	-	1	1	3	3	-	3	3	1	4	2	2	2	1	1	2	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	13,104	4	-	2	-	-	-	4	5	14	21	65	174	377	673	1,007	1,315	1,632	1,867	1,926	1,746	1,348	610	243	53	18
	White-----M--	8,040	1	-	1	-	-	-	3	1	2	7	32	119	274	513	684	900	1,131	1,199	1,108	968	677	289	108	17	6
	F--	3,701	2	-	-	-	-	-	1	3	3	5	13	16	46	72	118	220	313	488	679	679	601	287	122	29	4
	Nonwhite--M--	800	1	-	1	-	-	-	-	-	4	3	8	25	26	52	119	124	121	108	72	61	42	20	7	3	3
	F--	563	-	-	-	-	-	-	-	1	5	6	12	14	31	36	86	71	67	72	67	38	28	14	6	4	5
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,041	5	2	-	-	-	-	-	2	3	6	9	10	15	40	81	93	150	210	271	390	362	239	128	19	6
	White-----M--	960	2	-	-	-	-	-	-	-	2	2	5	5	5	15	27	39	66	107	132	198	191	108	47	7	2
	F--	737	3	1	-	-	-	-	-	1	-	2	2	2	3	12	15	20	29	58	92	157	140	117	71	9	3
	Nonwhite--M--	201	-	-	-	-	-	-	-	-	1	1	-	1	2	5	27	24	35	21	28	22	19	10	4	1	-
	F--	143	-	1	-	-	-	-	-	1	-	1	2	2	5	8	12	10	20	24	19	13	12	4	6	2	1
430-434	Other diseases of heart---------	1,912	17	2	1	-	1	4	3	8	15	8	26	44	65	82	151	168	207	253	241	236	203	108	48	17	4
	White-----M--	957	8	-	1	-	1	2	-	1	6	4	12	18	30	42	83	79	115	119	137	117	103	50	23	5	1
	F--	502	9	-	-	-	-	1	2	4	4	2	8	11	9	13	11	31	35	63	62	79	77	48	22	11	-
	Nonwhite--M--	297	-	2	-	-	-	1	-	2	3	1	2	8	15	16	36	39	43	46	30	28	14	7	2	-	2
	F--	156	-	-	-	-	-	-	1	1	2	1	4	7	11	11	21	19	14	25	12	12	9	3	1	1	1
440-443	Hypertension with heart dis.--	2,710	-	-	-	-	-	2	-	-	4	6	16	32	73	108	184	266	270	352	395	411	339	173	64	14	1
	White-----M--	989	-	-	-	-	-	2	-	-	1	1	2	4	18	20	54	95	106	135	166	163	125	75	19	3	-
	F--	1,019	-	-	-	-	-	-	-	-	-	2	5	9	14	30	38	66	69	122	159	197	178	84	38	8	-
	Nonwhite--M--	347	-	-	-	-	-	-	-	-	1	-	4	6	17	25	42	61	52	44	37	26	22	6	3	1	-
	F--	355	-	-	-	-	-	-	-	-	2	3	5	13	24	33	50	44	43	51	33	25	14	8	4	2	1
444-447	Hypertension without mention of heart----------	559	-	-	-	-	-	-	-	-	-	7	6	13	29	36	34	43	51	64	64	79	71	43	17	2	-
	White-----M--	235	-	-	-	-	-	-	-	-	-	2	1	4	6	20	9	27	26	26	28	30	32	19	4	1	-
	F--	185	-	-	-	-	-	-	-	-	-	2	-	3	7	4	6	7	13	14	21	40	33	21	13	1	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	1	2	2	10	8	10	3	7	13	7	3	3	2	-	-	-
	F--	68	-	-	-	-	-	-	-	-	-	2	3	4	6	4	9	6	5	11	8	6	3	1	-	-	-
450	General arteriosclerosis--------	1,050	-	-	-	-	-	-	-	-	-	1	1	-	5	6	14	14	56	87	144	186	218	180	96	31	11
	White-----M--	498	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	20	40	78	93	104	90	40	14	4
	F--	423	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	16	24	43	77	100	84	52	16	4
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	13	9	14	10	7	4	2	1	1
	F--	56	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	7	14	9	6	7	2	2	-	2
451-468	Other diseases of circulatory sys.--	433	1	1	-	-	-	2	1	4	5	12	12	18	22	28	34	43	49	53	49	47	31	16	3	2	-
	White-----M--	221	-	-	-	-	-	2	-	-	1	4	5	7	9	17	16	28	25	34	29	22	13	8	1	-	-
	F--	141	-	1	-	-	-	-	1	4	3	5	4	6	11	3	7	9	12	12	16	21	17	6	1	2	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	-	-	1	-	2	1	5	5	5	8	6	4	1	-	2	1	-	-
	F--	30	1	-	-	-	-	-	-	-	1	2	3	3	1	3	6	1	4	1	-	3	1	-	-	-	-
592-594	Chronic nephritis, etc.* ----------	1,003	2	2	1	1	1	11	9	15	13	19	25	35	43	44	79	72	84	119	125	116	103	52	20	7	5
	White-----M--	400	1	1	1	-	1	3	5	7	3	11	11	12	12	18	33	26	30	57	45	46	40	24	10	2	1
	F--	304	-	1	-	1	-	7	2	6	3	2	6	5	16	7	15	17	26	30	41	42	40	23	9	3	2
	Nonwhite--M--	150	-	-	-	-	-	-	1	2	3	1	3	3	8	12	19	9	10	23	23	16	12	2	-	1	2
	F--	149	1	-	-	-	-	1	1	-	4	5	5	15	7	7	12	20	18	9	16	12	11	3	1	1	-
480-493	Influenza and pneumonia, etc.*-	2,906	777	107	43	23	12	33	20	19	22	27	38	29	49	59	85	108	128	205	246	268	277	183	94	38	16
	White-----M--	1,248	323	40	16	9	4	17	7	6	4	16	11	11	21	27	35	40	48	91	119	130	132	81	37	17	6
	F--	998	250	37	14	12	5	7	10	7	9	7	13	8	11	14	22	22	32	56	80	93	120	88	55	18	8
	Nonwhite--M--	365	106	15	8	-	1	4	2	3	5	1	9	7	15	8	12	30	27	31	25	27	14	12	2	1	-
	F--	295	98	15	5	2	2	5	1	3	4	3	5	3	2	10	16	16	21	27	22	18	11	2	-	2	2
480-483	Influenza---------	713	108	18	5	4	3	7	5	5	8	2	7	6	11	11	33	30	30	73	77	85	81	57	30	12	5
	White-----M--	299	53	8	1	-	-	5	1	1	-	1	1	2	5	3	11	9	12	28	31	43	40	24	12	6	2
	F--	253	27	7	2	4	1	1	4	2	5	1	3	2	2	6	12	7	7	22	28	26	35	25	18	4	2
	Nonwhite--M--	85	11	2	2	-	1	1	-	2	2	-	1	1	4	1	4	6	5	12	9	10	4	7	-	-	-
	F--	76	17	1	-	-	1	-	-	-	1	-	2	1	-	1	6	8	6	11	9	6	2	1	-	2	1
490-493	Pneumonia, etc.*--	2,193	669	89	38	19	9	26	15	14	14	25	31	23	38	48	52	78	98	132	169	183	196	126	64	26	11
	White-----M--	949	270	32	15	9	4	12	6	5	4	15	10	9	16	24	24	31	36	63	88	87	92	57	25	11	4
	F--	745	223	30	12	8	4	6	6	5	4	6	10	6	9	8	10	15	25	34	52	67	85	63	37	14	6
	Nonwhite--M--	280	95	13	6	-	-	3	2	1	3	1	8	6	11	7	8	24	22	19	16	17	10	5	2	1	-
	F--	219	81	14	5	2	1	5	1	3	3	3	3	2	2	9	10	8	15	16	13	12	9	1	-	-	1
500-502	Bronchitis--------	153	44	9	3	2	4	-	-	1	1	3	1	2	2	6	4	6	5	13	12	17	8	6	2	2	-
	White-----M--	74	19	4	1	1	1	-	-	1	1	-	-	-	1	2	-	5	4	8	6	10	5	5	-	-	-
	F--	55	14	3	1	1	2	-	-	-	-	2	1	1	1	1	2	1	1	4	5	7	3	1	2	2	-
	Nonwhite--M--	14	5	1	1	-	1	-	-	-	-	1	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-
	F--	10	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	279	8	-	-	-	-	-	-	1	-	4	3	8	22	23	30	31	31	36	24	33	22	2	1	-	-
	White-----M--	194	2	-	-	-	-	-	-	1	-	4	3	5	14	13	24	23	26	29	13	21	15	1	-	-	-
	F--	53	5	-	-	-	-	-	-	-	-	-	-	2	4	2	3	5	4	4	7	10	5	1	1	-	-
	Nonwhite--M--	21	1	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2	-	3	2	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	1	1	-	2	1	-	-	-	-	-
550-553	Appendicitis------	101	-	-	3	-	1	7	8	2	4	3	2	10	7	6	9	4	4	7	10	10	3	-	-	-	1
	White-----M--	50	-	-	2	-	1	4	3	1	2	-	2	3	3	3	3	2	2	5	4	9	1	-	-	-	-
	F--	21	-	-	-	-	-	1	3	1	-	-	-	1	-	1	1	1	2	2	5	1	2	-	-	-	-
	Nonwhite--M--	18	-	-	1	-	-	1	1	-	2	2	-	3	1	2	3	1	-	-	-	-	-	-	-	-	1
	F--	12	-	-	-	-	-	1	1	-	-	1	-	3	3	-	2	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	375	48	4	3	2	-	-	2	4	3	2	11	7	13	21	18	27	28	47	42	39	26	17	8	1	1
	White-----M--	154	29	1	3	2	-	-	2	1	1	2	2	2	3	6	4	8	9	24	19	13	13	7	3	-	-
	F--	150	11	1	-	-	-	-	-	1	-	-	7	3	5	7	8	14	13	15	15	21	13	10	5	1	-
	Nonwhite--M--	37	6	1	-	-	-	-	-	1	-	-	-	1	3	4	-	2	3	6	7	2	-	-	-	-	1
	F--	34	2	1	-	-	-	-	-	1	2	-	2	1	2	4	7	3	3	2	1	3	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Continued																										
543, 571, 572	Gastritis, etc.*--	1,162	870	65	14	11	2	9	-	4	5	4	3	7	7	6	13	4	18	12	27	25	17	12	5	2	-
	White-----M--	508	387	38	4	5	2	5	-	2	4	-	1	-	1	3	1	1	9	5	14	9	10	4	2	1	-
	F--	465	336	32	7	4	-	4	-	2	1	2	1	7	5	2	4	3	5	5	13	14	6	8	3	1	-
	Nonwhite--M--	102	81	9	2	1	-	-	-	-	-	-	1	-	-	1	3	-	1	1	-	1	1	-	-	-	-
	F--	87	66	6	1	1	-	-	-	-	-	2	-	-	1	-	5	-	3	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	561	4	2	1	1	-	-	-	2	3	3	16	31	43	58	72	73	55	60	62	33	28	9	4	-	1
	White-----M--	329	2	1	-	1	-	-	-	-	-	1	5	16	27	39	45	48	39	29	34	16	15	8	2	-	1
	F--	181	2	1	1	-	-	-	-	2	3	1	5	10	14	15	20	16	12	26	23	14	13	1	2	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	2	3	1	-	5	8	2	4	4	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	4	2	1	4	2	1	2	1	1	2	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	155	5	2	1	1	2	7	2	7	6	7	4	7	14	8	7	8	15	9	19	14	6	3	1	-	-
	White-----M--	48	1	-	-	1	-	3	1	3	1	1	1	1	3	2	1	3	5	3	5	7	3	2	1	-	-
	F--	49	3	1	1	-	1	2	-	1	3	1	2	3	5	2	1	2	4	3	8	3	3	-	-	-	-
	Nonwhite--M--	28	1	1	-	-	1	1	-	-	1	-	1	1	4	1	3	2	3	3	3	2	-	-	-	-	-
	F--	30	-	-	-	-	-	1	1	3	1	5	-	2	2	3	2	1	3	-	3	2	-	1	-	-	-
610	Hyperplasia of prostate---------	257	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	18	26	50	61	53	28	7	1	-
	White-----M--	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	11	20	44	52	49	24	5	1	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	7	6	6	9	4	4	2	-	-
640-689	Complications of pregnancy, etc.*-	205	...	...	...	...	...	...	1	33	29	44	40	42	15	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	133	...	...	...	...	...	...	-	21	20	24	29	30	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	72	...	...	...	...	...	...	1	12	9	20	11	12	7	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	26	...	...	...	...	...	...	-	3	4	7	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	...	...	...	-	2	3	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	...	...	...	...	...	...	-	1	1	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	179	...	...	...	...	...	...	1	30	25	37	31	40	14	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	118	...	...	...	...	...	...	-	19	17	22	23	28	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	61	...	...	...	...	...	...	1	11	8	15	8	12	6	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,049	855	47	13	13	5	26	15	5	4	7	11	10	3	3	13	6	4	5	1	2	1	-	-	-	-
	White-----M--	501	410	21	3	7	1	15	5	1	2	4	4	7	3	3	5	2	3	5	-	-	-	-	-	-	-
	F--	435	360	20	6	4	4	7	8	1	1	3	5	3	-	-	7	2	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	69	52	4	4	-	-	2	1	2	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F--	44	33	2	-	2	-	2	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	4,195	4,195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,038	2,038	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,409	1,409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	443	443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,526	1,526	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	803	803	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	496	496	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	2,296	2,296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,067	1,067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	798	798	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	2,020	253	29	9	8	4	7	10	8	11	22	21	29	35	71	82	122	131	182	209	179	252	159	111	50	26
	White-----M--	904	98	9	3	5	3	2	4	4	3	9	10	14	26	35	41	66	65	87	107	89	106	56	42	15	5
	F--	608	77	14	4	3	1	4	4	3	1	4	3	3	5	10	9	21	23	43	51	51	94	79	61	29	11
	Nonwhite--M--	283	39	6	1	-	-	-	1	5	5	5	5	5	2	10	21	29	25	32	26	17	31	13	5	3	2
	F--	225	39	-	1	-	-	1	2	-	2	4	3	7	2	16	11	6	18	20	25	22	21	11	3	3	8
Residual	All other diseases	3,209	265	77	33	28	20	59	40	34	50	68	75	93	156	159	198	221	244	338	320	296	231	119	67	15	3
	White-----M--	1,491	114	38	16	15	7	30	18	15	13	24	26	24	59	76	90	107	124	193	173	137	107	51	28	4	2
	F--	1,187	89	29	12	8	10	20	13	9	20	32	30	40	57	51	64	68	83	99	115	128	104	60	36	9	1
	Nonwhite--M--	294	42	4	2	3	1	4	4	6	8	7	9	12	16	22	21	27	23	29	21	17	7	7	2	-	-
	F--	237	20	6	3	2	2	5	5	4	9	5	10	17	24	10	23	19	14	17	11	14	13	1	1	2	-
E800-E962	Accidents----------	5,528	249	125	82	72	50	194	203	413	499	469	396	376	307	319	295	237	222	191	202	217	207	115	57	20	11
	White-----M--	3,589	107	59	35	31	23	111	113	286	382	348	267	249	210	218	190	152	134	118	95	105	76	49	17	8	6
	F--	1,322	74	45	30	28	15	50	54	75	57	59	58	69	53	51	56	52	54	42	81	94	117	59	35	12	2
	Nonwhite--M--	569	37	15	9	5	4	18	25	39	43	57	46	34	37	41	24	27	22	17	9	9	3	2	-	3	
	F--	248	31	6	8	8	8	15	11	13	17	19	14	12	10	13	8	9	7	9	9	9	5	4	3	-	-
E810-E835	Motor-vehicle accidents--------	2,471	33	45	31	25	13	76	61	236	290	298	204	196	156	148	152	127	111	101	80	52	24	10	1	-	1
	White-----M--	1,625	19	24	12	14	8	47	32	162	214	218	135	117	103	93	98	83	68	68	47	36	16	9	1	-	1
	F--	530	11	17	18	10	4	18	21	54	34	42	34	47	33	29	37	29	28	22	26	11	5	-	-	-	-
	Nonwhite--M--	233	1	4	1	-	1	6	5	13	31	29	28	23	15	20	12	11	12	9	6	3	2	1	-	-	-
	F--	83	2	-	-	1	-	5	3	7	11	9	7	9	5	6	5	4	3	2	1	2	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,057	216	80	51	47	37	118	142	177	209	171	192	180	151	171	143	110	111	90	122	165	183	105	56	20	10
	White-----M--	1,764	88	35	23	17	15	64	81	124	168	130	132	132	107	125	92	69	66	50	48	69	60	40	16	8	5
	F--	792	63	28	12	18	11	32	33	21	23	17	24	22	20	22	19	23	26	20	55	83	112	59	35	12	2
	Nonwhite--M--	336	36	11	8	5	3	12	20	26	12	14	29	23	19	17	29	13	15	13	11	6	7	2	2	-	3
	F--	165	29	6	8	7	8	10	8	6	6	10	7	3	5	7	3	5	4	7	8	7	4	4	3	-	-
E963, E970-E979	Suicide----------	715	-	-	-	-	-	-	-	24	40	50	45	69	78	71	86	70	66	47	32	14	17	6	-	-	-
	White-----M--	556	-	-	-	-	-	-	-	18	33	29	37	46	55	57	70	53	57	40	27	12	17	5	-	-	-
	F--	132	-	-	-	-	-	-	-	6	7	16	8	19	22	14	13	9	7	5	5	1	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	3	-	4	1	-	3	8	1	2	-	1	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	755	3	-	4	-	1	1	6	50	98	112	110	95	101	69	44	28	15	4	7	3	3	1	-	-	-
	White-----M--	302	-	-	2	-	-	-	3	26	33	41	43	34	38	26	22	12	10	3	5	2	2	-	-	-	-
	F--	82	3	-	1	-	1	-	1	5	7	11	16	5	10	9	5	4	1	-	1	1	-	1	-	-	-
	Nonwhite--M--	287	-	-	-	-	-	1	1	16	39	48	38	42	45	28	15	9	4	-	1	-	-	-	-	-	-
	F--	84	-	-	1	-	-	-	1	3	19	12	13	14	8	6	2	3	-	1	-	-	1	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES------	5,274	551	35	16	22	10	52	35	60	95	82	94	114	171	196	246	323	457	593	574	622	489	295	108	24	10
	White-----M--	3,004	303	14	12	14	5	30	24	37	64	51	57	72	109	136	161	207	288	353	333	336	221	124	42	7	4
	F--	2,119	223	17	3	6	5	20	11	18	27	22	28	39	55	56	79	109	160	222	229	278	261	167	64	17	3
	Nonwhite--M--	95	8	2	1	1	-	1	-	2	2	6	7	3	6	4	3	6	7	14	10	4	3	4	1	-	-
	F--	56	17	2	-	1	-	1	-	3	2	3	2	-	1	-	3	1	2	4	2	4	4	-	1	-	3
001-019	Tuberculosis, all forms--------	37	-	-	-	-	-	-	-	-	2	2	2	-	3	3	3	4	4	5	3	2	1	-	2	-	1
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	3	4	5	-	2	1	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
001-008	Tuberculosis of respiratory system----------	33	-	-	-	-	-	-	-	-	2	1	2	-	3	3	2	4	3	5	3	1	1	-	2	-	1
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	3	3	5	-	1	1	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	11	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	2	1	-	2	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	4	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	12	-	-	-	-	-	3	2	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	14	5	2	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	1	-	-	-	-	-
	White-----M--	10	4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-
	F--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
140-205	Malignant neoplasms, etc.*----	684	2	2	-	3	2	5	4	3	9	7	10	18	24	43	48	64	89	108	88	90	47	12	5	1	-
	White-----M--	366	2	-	-	1	2	1	2	2	6	4	3	6	6	21	20	25	53	69	51	54	27	7	3	1	-
	F--	296	-	2	-	2	-	3	2	1	3	1	7	12	17	20	25	38	33	36	36	33	19	4	2	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	-	1	1	1	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	-	1	1	1	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	3	1	3	-	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	3	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	245	-	-	-	-	-	-	1	-	2	2	2	3	3	10	14	21	36	46	30	44	22	7	2	-	-
	White-----M--	132	-	-	-	-	-	-	-	-	1	-	1	2	-	5	7	8	22	30	17	24	11	3	1	-	-
	F--	100	-	-	-	-	-	-	1	-	1	-	1	1	2	4	6	13	12	13	13	19	10	3	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
160-164	Of respiratory system----------	69	-	-	-	-	-	-	-	-	-	-	-	-	4	7	4	11	12	15	5	5	5	-	1	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	10	11	15	4	4	4	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	61	-	-	-	-	-	-	-	-	-	-	-	-	6	4	7	10	11	6	6	6	2	3	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	6	4	7	10	11	6	6	4	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	90	-	-	-	-	-	-	-	1	-	-	3	1	5	4	8	10	12	9	15	11	9	2	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	5	5	8	9	7	2	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	3	1	5	4	6	9	7	4	7	1	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	30	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	6	8	5	3	2	2	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	4	2	2	2	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	95	1	2	-	1	-	1	-	2	1	3	1	5	4	7	8	6	8	14	14	12	2	-	2	1	-
	White-----M--	48	1	-	-	-	-	1	-	1	1	3	-	1	-	5	6	1	4	6	8	7	-	-	2	1	-
	F--	45	-	2	-	1	-	-	-	1	-	-	1	4	4	2	1	5	4	8	5	5	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	48	1	-	-	2	1	2	2	1	3	1	2	2	1	5	2	2	2	3	9	5	2	-	-	-	-
	White-----M--	32	1	-	-	1	1	-	1	1	1	-	2	2	1	4	1	2	2	1	5	4	2	-	-	-	-
	F--	15	-	-	-	1	-	1	1	-	2	1	-	-	-	1	1	-	-	2	4	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	32	-	-	-	-	1	1	1	-	1	1	2	1	3	1	-	1	5	4	3	5	2	-	-	-	-
	White-----M--	22	-	-	-	-	1	-	1	-	1	1	-	1	2	-	-	1	5	3	2	3	1	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	1	1	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	20	1	-	-	-	-	1	-	-	1	1	1	2	2	2	5	-	1	-	1	1	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2	-	1	-	-	-	1	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	88	-	-	-	-	-	-	2	1	2	2	1	-	3	2	1	5	9	15	20	17	4	4	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	2	-	1	-	3	-	1	2	5	3	7	5	1	1	-	-	-
	F--	56	-	-	-	-	-	-	2	1	-	2	-	-	-	2	-	3	4	11	13	12	3	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	16	3	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	1	2	-	2	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,402	2	1	1	-	2	2	3	4	12	17	22	28	56	68	113	154	242	322	348	393	325	199	73	13	2
	White-----M--	1,304	2	-	1	-	-	1	2	1	6	8	14	20	34	51	76	108	149	180	197	203	135	80	30	5	1
	F--	1,064	-	1	-	-	2	1	1	3	6	8	7	8	20	17	35	44	91	133	142	189	187	117	43	8	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	6	8	1	1	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	3	1	-	2	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,335	2	1	1	-	2	1	3	4	7	14	19	27	53	67	109	150	237	317	338	384	316	196	72	13	2
	White-----M--	1,266	2	-	1	-	-	1	2	1	3	6	11	19	32	50	74	105	145	177	193	198	130	80	30	5	1
	F--	1,037	-	1	-	-	2	-	1	3	4	7	7	8	19	17	33	43	90	132	137	185	183	114	42	8	1
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	5	7	1	1	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	3	1	-	2	-	-	-	-
330-334	Vascular lesions, etc.*----------	468	1	-	-	-	-	-	-	-	1	1	-	5	4	10	16	24	44	62	70	87	79	45	15	3	1
	White-----M--	209	1	-	-	-	-	-	-	-	-	-	-	3	1	8	6	9	22	30	39	36	25	19	8	1	1
	F--	254	-	-	-	-	-	-	-	-	1	1	-	2	3	2	10	15	22	31	27	51	54	26	7	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	17	-	-	-	-	2	1	2	1	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	1	1	1	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	2	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
410-443	Diseases of heart-	1,695	1	1	-	-	-	-	1	3	3	9	14	18	45	53	83	117	186	238	253	273	213	129	46	8	1
	White-----M--	966	1	-	-	-	-	-	1	-	1	4	7	15	28	39	60	90	120	136	145	150	93	55	18	3	-
	F--	704	-	1	-	-	-	-	-	3	2	4	7	3	15	14	21	25	64	95	104	122	117	73	28	5	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	2	4	3	1	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	2	-	-	-	-
410-416	Chronic rheumatic heart disease----	122	-	-	-	-	-	-	1	2	3	4	10	6	13	15	13	11	19	11	7	1	6	-	-	-	-
	White-----M--	58	-	-	-	-	-	-	1	-	1	-	4	4	6	7	7	7	8	6	3	-	4	-	-	-	-
	F--	64	-	-	-	-	-	-	-	2	2	4	6	2	7	8	6	4	11	5	4	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	994	1	-	-	-	-	-	-	-	-	1	3	9	21	30	54	76	118	157	163	164	105	60	24	7	1
	White-----M--	638	1	-	-	-	-	-	-	-	-	1	3	9	16	26	45	69	89	101	94	102	46	24	9	3	-
	F--	343	-	-	-	-	-	-	-	-	-	-	-	-	4	4	8	6	28	52	67	61	58	35	15	4	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	249	-	-	-	-	-	-	-	-	-	-	1	2	5	2	6	6	12	25	37	45	54	41	12	1	-
	White-----M--	117	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	7	10	21	23	25	19	2	-	-
	F--	126	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	3	5	13	15	22	27	22	10	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-
430-434	Other diseases of heart---------	80	-	1	-	-	-	-	1	-	-	3	-	1	2	2	5	8	9	10	6	15	10	3	4	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	2	-	1	2	2	4	5	7	6	5	8	5	2	2	-	-
	F--	28	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	3	2	4	1	7	5	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	250	-	-	-	-	-	-	-	-	-	1	-	-	4	4	5	16	28	35	40	48	38	25	6	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	6	9	13	22	17	13	10	5	-	-
	F--	143	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	18	21	17	31	25	15	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	24	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	2	5	1	3	3	2	1	2	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	2	1	1	-	1	-	2	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	7	14	19	18	8	2	-
	White-----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	4	8	10	4	2	1	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	9	14	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	53	-	-	1	-	-	-	-	-	-	-	2	2	2	2	9	6	1	9	5	7	3	3	1	-	-
	White-----M--	32	-	-	1	-	-	-	-	-	-	-	1	-	2	1	7	4	1	4	4	4	1	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	5	1	3	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	67	-	-	-	-	1	-	-	5	3	3	1	3	1	4	4	5	5	10	9	9	3	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	3	2	3	1	2	1	2	3	4	3	4	5	5	-	-	-	-	-
	F--	27	-	-	-	-	1	-	-	2	1	-	-	1	-	2	1	1	1	5	4	4	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	141	25	6	1	-	-	4	1	3	3	1	2	3	5	2	3	6	9	8	10	14	24	9	1	-	1
	White-----M--	74	15	4	-	-	-	1	-	1	3	-	1	1	4	2	1	3	5	4	8	6	10	4	-	-	1
	F--	59	7	1	1	-	-	3	1	2	-	1	1	2	1	-	2	3	4	3	2	6	13	5	1	-	-
	Nonwhite--M--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza---------	21	7	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	4	1	1	-	-
	White-----M--	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	1	-	-	-
	F--	8	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	120	18	6	-	-	-	3	1	3	3	1	2	3	5	1	3	5	8	7	10	12	20	8	-	-	1
	White-----M--	63	10	4	-	-	-	1	-	1	3	-	1	1	4	1	1	3	4	3	8	6	8	3	-	-	1
	F--	51	6	1	-	-	-	2	1	2	-	1	1	2	1	-	2	2	4	3	2	4	12	5	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis--------	15	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	White-----M--	11	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	F--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	36	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	3	6	4	6	6	2	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	6	4	4	6	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	15	-	-	-	1	-	3	1	3	-	-	1	-	-	-	-	1	-	-	2	-	1	2	-	-	-
	White-----M--	9	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	35	4	-	-	1	-	-	-	-	1	1	1	1	1	1	2	3	1	6	4	3	1	3	1	-	-
	White-----M--	17	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	3	1	-	1	1	-	-
	F--	17	2	-	-	1	-	-	-	-	1	1	1	1	-	-	-	1	-	3	1	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Continued																										
543, 571, 572	Gastritis, etc.*--	22	13	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-	-	-
	White-----M--	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	9	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	36	-	-	-	-	-	1	-	-	-	-	1	1	4	4	4	7	5	1	3	2	1	2	-	-	-
	White-----M--	23	-	-	-	-	-	1	-	-	-	-	1	-	2	3	3	5	3	-	2	2	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	1	1	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	7	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	3	5	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	3	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	4	...	...	...	...	...	...	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 680-689	All other complications-------	3	...	...	...	...	...	...	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	104	86	4	2	-	-	1	1	2	3	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	48	41	1	1	-	-	1	-	1	3	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F--	55	44	3	1	-	-	-	1	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	336	19	1	-	1	-	1	-	3	-	2	3	7	13	17	18	17	26	44	28	34	44	28	19	7	4
	White-----M--	186	9	-	-	-	-	-	-	1	-	-	1	4	8	14	16	13	17	30	18	15	20	13	6	1	-
	F--	128	6	-	-	-	-	-	-	-	-	2	1	2	5	3	2	3	8	11	10	18	23	14	13	6	1
	Nonwhite--M--	11	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	1	-	3	-	1	-	1	-	-	-
	F--	11	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3
Residual	All other diseases	294	17	6	1	3	1	2	-	5	7	5	4	15	12	18	14	19	31	43	36	24	19	8	1	3	-
	White-----M--	190	7	4	1	3	1	2	-	2	5	2	1	11	8	13	9	12	20	28	23	18	13	7	-	-	-
	F--	100	9	2	-	-	-	-	-	3	2	2	3	4	4	4	5	6	11	15	13	6	6	1	1	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents----------	487	13	7	8	8	3	27	20	31	45	36	32	32	38	18	22	27	21	26	12	22	13	18	6	-	2
	White-----M--	351	7	3	6	6	1	17	17	25	36	32	23	24	30	14	20	21	17	20	8	12	5	4	2	-	1
	F--	115	6	4	1	1	2	10	3	5	7	1	3	6	6	4	2	6	4	5	4	9	7	14	4	-	1
	Nonwhite--M--	16	-	-	1	-	-	-	-	-	2	3	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
E810-E835	Motor-vehicle accidents--------	205	1	2	3	4	2	13	4	16	30	19	18	12	13	7	12	9	11	10	4	8	2	3	1	-	1
	White-----M--	141	1	-	2	2	-	7	3	11	25	15	11	6	11	5	10	5	7	8	3	4	2	2	1	-	-
	F--	49	-	2	-	1	2	6	1	4	4	1	2	5	1	2	2	4	4	2	1	3	-	1	-	-	1
	Nonwhite--M--	11	-	-	1	-	-	-	-	-	1	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	282	12	5	5	4	1	14	16	15	15	17	14	20	25	11	10	18	10	16	8	14	11	15	5	-	1
	White-----M--	210	6	3	4	4	1	10	14	14	11	17	12	18	19	9	10	16	10	12	5	8	3	2	1	-	1
	F--	66	6	2	1	-	-	4	2	1	3	-	1	1	5	2	-	2	-	3	3	6	7	13	4	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide----------	59	-	-	-	-	-	-	1	3	3	2	5	4	6	4	5	8	7	2	7	-	2	-	-	-	-
	White-----M--	51	-	-	-	-	-	-	1	1	3	2	5	4	6	2	3	7	7	2	6	-	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	16	-	-	-	-	-	-	-	-	3	2	4	1	1	1	2	-	1	1	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES------	4,036	230	15	7	4	5	28	19	23	30	32	43	49	73	121	164	247	352	422	541	590	535	322	134	37	13
	White-----M--	2,206	137	9	4	1	3	14	10	14	25	23	33	25	49	79	106	164	211	243	298	302	245	144	54	10	3
	F--	1,821	91	6	3	3	2	14	8	9	5	9	10	23	24	42	58	83	139	179	240	288	290	178	80	27	10
	Nonwhite--M--	8	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	44	-	-	-	-	-	-	-	-	-	1	-	4	2	1	6	5	3	6	5	9	2	-	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	1	-	1	2	-	5	5	3	5	4	7	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	43	-	-	-	-	-	-	-	-	-	1	-	4	2	1	5	5	3	6	5	9	2	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	5	3	5	4	7	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	1	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	8	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*----	630	-	1	-	-	-	7	3	2	2	2	6	12	17	28	35	64	67	101	98	76	63	31	13	2	-
	White-----M--	301	-	1	-	-	-	2	1	1	1	2	2	4	6	10	16	31	37	52	50	36	31	12	5	1	-
	F--	329	-	-	-	-	-	5	2	1	1	-	4	8	11	18	19	33	30	49	48	40	32	19	8	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	5	1	1	1	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	1	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	241	-	-	-	-	-	-	-	-	1	-	1	3	1	3	13	22	27	41	48	34	28	12	7	-	-
	White-----M--	111	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	10	15	23	25	16	8	3	3	-	-
	F--	130	-	-	-	-	-	-	-	-	1	-	-	1	1	2	9	12	12	18	23	18	20	9	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	51	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	8	7	13	4	5	1	1	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	8	6	11	4	2	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	2	-	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	47	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	8	1	10	6	4	5	3	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	8	1	10	6	4	5	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	120	-	-	-	-	-	-	-	-	-	2	1	4	5	10	3	12	11	13	20	14	17	5	2	1	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	3	4	6	8	8	14	4	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	4	4	10	3	9	7	7	12	6	3	1	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	30	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	6	4	2	4	4	1	-	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	3	2	3	2	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	76	-	1	-	-	-	3	2	-	1	-	-	1	4	4	6	8	11	10	8	6	5	4	1	1	-
	White-----M--	38	-	1	-	-	-	-	1	-	1	-	-	1	2	2	3	5	5	5	6	3	3	-	-	1	-
	F--	38	-	-	-	-	-	3	2	-	-	-	-	-	2	2	3	3	6	5	2	3	2	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	24	-	-	-	-	-	4	-	1	-	-	-	-	1	1	1	2	-	6	3	2	2	1	-	-	-
	White-----M--	12	-	-	-	-	-	2	-	1	-	-	-	-	-	1	1	1	-	3	1	-	1	1	-	-	-
	F--	12	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	3	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	26	-	-	-	-	-	1	1	-	-	-	1	2	2	2	3	3	4	2	1	4	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	3	3	-	-	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	13	-	1	-	-	-	2	-	-	-	-	-	2	-	1	1	-	1	-	3	1	-	1	-	-	-
	White-----M--	6	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	73	1	-	1	-	-	-	-	-	1	-	-	1	2	2	1	4	7	15	10	13	9	4	2	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	6	4	5	6	1	1	-	-
	F--	43	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	6	9	6	8	3	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-283	Anemias----------	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	3	2	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 492-494	Major cardiovascular-renal diseases----------	2,302	1	-	-	-	1	2	3	2	4	3	9	11	25	56	85	135	216	243	356	419	383	220	94	24	10
	White-----M--	1,237	1	-	-	-	1	2	1	-	3	-	6	9	17	41	62	98	127	144	192	217	166	99	40	8	3
	F--	1,060	-	-	-	-	-	-	1	2	1	3	3	2	8	15	23	37	87	99	162	202	217	121	54	16	7
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,253	1	-	-	-	1	1	2	1	3	2	8	11	22	54	83	133	211	235	350	415	379	218	91	23	9
	White-----M--	1,209	1	-	-	-	1	1	-	-	2	-	6	9	15	39	61	97	125	140	187	214	164	98	40	7	2
	F--	1,039	-	-	-	-	-	-	1	1	1	2	2	2	7	15	22	36	84	95	161	201	215	120	51	16	7
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	485	-	-	-	-	-	1	-	-	2	-	2	1	3	10	13	18	36	47	84	96	92	59	14	6	1
	White-----M--	224	-	-	-	-	-	1	-	-	1	-	1	1	2	7	7	9	15	26	41	43	42	21	5	2	-
	F--	261	-	-	-	-	-	-	-	-	1	-	1	-	1	3	6	9	21	21	43	53	50	38	9	4	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-392	Rheumatic fever----	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT--Con.																										
410-443	Diseases of heart-	1,582	-	-	-	-	-	-	1	1	-	2	6	10	18	40	67	111	164	177	241	285	246	132	64	11	6
	White-----M--	895	-	-	-	-	-	-	-	-	-	-	5	8	12	30	51	87	106	108	130	151	106	66	29	5	1
	F--	682	-	-	-	-	-	-	-	1	-	2	1	2	6	10	16	24	56	69	109	134	140	66	35	6	5
	Nonwhite--M--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	63	-	-	-	-	-	-	-	1	-	1	4	1	9	5	9	6	10	5	5	2	4	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	3	-	4	4	5	4	6	2	-	1	2	1	-	-	-
	F--	31	-	-	-	-	-	-	-	1	-	1	1	1	5	1	4	2	4	3	5	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,092	-	-	-	-	-	-	1	-	-	1	2	6	8	29	47	90	120	139	178	186	152	80	43	7	3
	White-----M--	673	-	-	-	-	-	-	-	-	-	-	2	5	7	22	41	71	84	88	105	109	75	39	21	4	-
	F--	417	-	-	-	-	-	-	-	-	-	1	-	1	1	7	6	19	35	51	73	77	77	41	22	3	3
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	241	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	14	20	25	55	57	35	17	3	2
	White-----M--	110	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	7	13	9	28	20	14	8	1	-
	F--	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	7	15	27	37	21	9	2	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	39	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	6	3	5	4	3	6	2	1	-
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	3	3	2	1	1	4	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	3	3	2	2	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	147	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	14	10	28	38	30	10	2	-	1
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	2	14	12	8	8	-	-	1
	F--	86	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	7	8	13	26	22	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	32	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	2	3	8	3	4	4	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	5	2	1	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	3	1	3	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	120	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	17	19	35	23	8	6	2
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	11	8	13	10	5	-	1
	F--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	6	11	22	13	3	6	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	32	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	4	6	5	7	3	-	1	-	-
	White-----M--	21	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	3	3	7	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	49	-	-	-	-	-	1	1	1	1	1	1	-	3	2	2	2	5	8	6	4	4	2	3	1	1
	White-----M--	28	-	-	-	-	-	1	1	-	1	-	-	-	2	2	1	1	2	4	5	3	2	1	-	1	1
	F--	21	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	3	4	1	1	2	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	95	14	2	-	-	-	1	1	-	-	-	-	-	-	1	1	2	6	7	9	13	16	12	8	1	1
	White-----M--	46	8	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	4	6	6	8	5	1	-	-
	F--	49	6	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	3	3	7	8	7	7	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	85	12	2	-	-	-	1	1	-	-	-	-	-	-	1	1	2	6	7	8	11	13	10	8	1	1
	White-----M--	41	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	4	4	5	5	6	5	1	-	-
	F--	44	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	3	3	6	7	5	7	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	2	5	6	2	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	2	4	3	1	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	26	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	3	3	5	4	1	1	-	-
	White-----M--	15	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	3	2	1	1	-	-
	F--	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543,	Gastritis, etc.*--	20	2	2	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	3	1	5	1	1	1	-
571,	White-----M--	9	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	2	-	1	-	-
572	F--	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	22	-	-	-	-	-	-	1	-	-	-	1	1	4	5	1	2	1	1	3	2	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	-	1	1	2	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	4	4	2	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	4	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	40	29	1	1	1	-	1	1	-	2	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	White-----M--	21	16	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	18	12	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	38	1	-	-	-	-	-	-	-	-	-	-	2	-	4	-	1	5	2	4	4	3	5	5	2	-
795	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	4	-	3	3	1	2	-	-	-
	F--	19	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	2	3	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	197	15	4	2	-	1	3	1	-	1	6	1	4	4	8	8	10	23	22	30	17	14	15	3	3	2
sid-	White-----M--	116	10	3	2	-	1	1	-	-	1	3	1	2	4	5	5	6	16	12	18	10	8	6	2	-	-
ual	F--	81	5	1	-	-	-	2	1	-	-	3	-	2	-	3	3	4	7	10	12	7	6	9	1	3	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	233	10	4	2	2	3	8	9	14	14	12	20	8	10	5	13	12	9	9	6	15	22	20	3	3	-
E962	White-----M--	149	7	3	2	-	1	3	6	9	14	11	18	4	9	4	7	9	7	6	4	5	10	9	-	1	-
	F--	83	3	1	-	2	2	5	3	5	-	1	2	3	1	1	6	3	2	3	2	10	12	11	3	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	66	1	-	-	1	1	1	2	10	7	7	9	4	3	2	2	6	1	1	1	2	2	2	1	-	-
	White-----M--	48	1	-	-	-	1	1	1	6	7	7	8	2	2	1	-	4	-	1	-	2	2	2	-	-	-
	F--	18	-	-	-	1	-	-	1	4	-	-	1	2	1	1	2	2	1	-	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	167	9	4	2	1	2	7	7	4	7	5	11	4	7	3	11	6	8	8	5	13	20	18	2	3	-
E802,	White-----M--	101	6	3	2	-	-	2	5	3	7	4	10	2	7	3	7	5	7	5	4	3	8	7	-	1	-
E840-	F--	65	3	1	-	1	2	5	2	1	-	1	1	1	-	-	4	1	1	3	1	10	12	11	2	2	-
E962	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	53	-	-	-	-	-	-	-	2	3	5	2	1	7	5	6	5	7	4	1	1	3	1	-	-	-
E970-	White-----M--	47	-	-	-	-	-	-	-	2	3	4	2	1	6	4	4	4	7	4	1	1	3	1	-	-	-
E979	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES------	30,007	2,966	162	101	85	59	206	168	293	412	480	576	777	1,102	1,323	1,876	2,268	2,774	3,208	3,359	3,183	2,496	1,349	527	167	90
	White-----M--	12,170	1,099	53	34	33	24	80	79	132	200	183	202	278	421	537	708	974	1,236	1,394	1,383	1,349	1,001	519	181	55	15
	F--	8,879	756	38	24	24	18	63	41	48	62	97	138	157	205	246	378	498	613	869	1,151	1,301	1,143	651	253	80	25
	Nonwhite--M--	5,045	621	38	29	16	8	36	34	72	89	118	125	212	284	306	444	461	511	504	459	303	194	94	48	14	25
	F--	3,913	490	33	14	12	9	27	14	41	61	82	111	130	192	234	346	335	414	441	366	230	158	85	45	18	25
001-019	Tuberculosis, all forms--------	518	5	6	-	4	1	3	2	11	16	27	23	29	50	37	48	44	54	56	52	24	20	4	-	-	2
	White-----M--	173	1	1	-	2	1	-	-	1	1	4	5	5	19	10	9	20	22	26	27	7	11	1	-	-	-
	F--	85	-	-	-	-	-	-	-	1	3	6	7	2	10	4	4	5	7	10	9	7	8	2	-	-	-
	Nonwhite--M--	158	2	3	-	-	-	2	-	3	6	6	6	14	12	17	23	13	18	15	10	6	-	1	-	-	1
	F--	102	2	2	-	2	-	1	2	6	6	11	5	8	9	6	12	6	7	5	6	4	1	-	-	-	1
001-008	Tuberculosis of respiratory system----------	462	1	2	-	2	-	1	2	7	14	23	22	26	45	35	46	40	47	54	49	22	18	4	-	-	2
	White-----M--	152	-	-	-	1	-	-	-	-	1	2	5	5	15	9	8	19	20	25	26	5	10	1	-	-	-
	F--	79	-	-	-	-	-	-	-	1	3	6	7	1	9	4	4	4	6	10	8	7	7	2	-	-	-
	Nonwhite--M--	138	-	-	-	-	-	1	-	1	4	6	5	13	12	16	23	12	14	14	9	6	-	1	-	-	1
	F--	93	1	2	-	1	-	-	2	5	6	9	5	7	9	6	11	5	7	5	6	4	1	-	-	-	1
010-019	Tuberculosis, other forms------	56	4	4	-	2	1	2	-	4	2	4	1	3	5	2	2	4	7	2	3	2	2	-	-	-	-
	White-----M--	21	1	1	-	1	1	-	-	1	-	2	-	-	4	1	1	1	2	1	1	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	20	2	3	-	-	-	1	-	2	2	-	1	1	-	1	-	1	4	1	1	-	-	-	-	-	-
	F--	9	1	-	-	1	-	1	-	1	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	163	1	-	-	-	-	-	-	-	-	-	5	4	11	18	26	26	30	19	10	7	2	3	-	1	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	13	7	2	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	2	1	1	-	1	-
	Nonwhite--M--	81	1	-	-	-	-	-	-	-	-	-	3	1	5	7	18	16	13	8	5	3	1	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	3	5	7	3	3	2	3	3	-	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	20	16	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	4	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	9	7	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	48	14	4	5	4	-	8	3	1	3	2	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
	White-----M--	15	4	-	2	2	-	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	20	6	4	1	2	-	2	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	7	2	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis-----------	34	2	1	1	2	2	7	6	5	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	1	-	1	-	-	4	2	3	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	1	2	2	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases----	90	20	2	2	2	1	6	6	3	1	3	5	4	6	5	5	2	6	4	2	-	4	1	-	-	-
	White-----M--	36	8	2	1	1	-	1	2	-	-	2	1	-	2	3	2	1	4	-	2	-	3	1	-	-	-
	F--	20	5	-	-	1	-	3	2	1	1	1	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	20	3	-	-	-	1	2	2	1	-	-	2	3	1	-	2	-	2	-	-	-	1	-	-	-	-
	F--	14	4	-	1	-	-	-	-	1	-	-	2	1	1	1	-	1	-	2	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,644	4	9	3	11	5	28	14	8	21	42	74	108	159	211	317	414	463	502	454	377	272	102	31	4	10
	White-----M--	1,413	1	2	-	6	4	20	7	6	7	14	23	30	41	76	107	144	197	212	183	162	118	38	12	2	1
	F--	1,469	2	4	3	5	1	8	6	1	8	18	39	49	72	81	120	161	149	182	188	170	126	53	18	2	3
	Nonwhite--M--	403	-	2	-	-	-	-	1	-	1	5	2	8	14	29	47	69	69	58	47	28	12	8	-	-	3
	F--	359	1	1	-	-	-	-	-	1	5	5	10	22	32	25	43	40	48	50	36	17	16	3	1	-	3
140-148	Of buccal cavity and pharynx------	85	-	-	-	-	-	-	-	-	-	-	3	-	7	9	7	8	8	13	6	9	12	2	-	-	1
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	4	5	3	4	5	7	4	4	8	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	2	-	4	2	5	3	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1
150-156A, 157-159	Of digestive organs and peritoneum-------	1,234	-	1	-	-	-	-	1	-	-	5	14	19	24	48	105	141	166	203	169	167	114	45	8	-	4
	White-----M--	470	-	-	-	-	-	-	1	-	-	1	5	8	4	18	37	47	73	87	69	63	42	12	2	-	1
	F--	473	-	1	-	-	-	-	-	-	-	3	4	7	7	13	38	48	44	69	71	77	55	29	5	-	2
	Nonwhite--M--	174	-	-	-	-	-	-	-	-	-	-	-	-	7	13	20	34	32	23	16	19	6	3	-	-	1
	F--	117	-	-	-	-	-	-	-	-	-	1	5	4	6	4	10	12	17	24	13	8	11	1	1	-	-
160-164	Of respiratory system----------	413	-	-	-	-	-	-	-	-	-	2	3	11	16	31	47	72	75	56	39	40	14	5	2	-	-
	White-----M--	266	-	-	-	-	-	-	-	-	-	-	1	6	12	20	31	41	56	42	24	23	6	2	2	-	-
	F--	69	-	-	-	-	-	-	-	-	-	1	2	2	2	3	4	9	6	7	9	13	8	3	-	-	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	1	-	3	2	6	12	19	12	7	5	4	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	1	-	-	-	-	-	-
170	Of breast---------	294	-	-	-	-	-	-	-	-	2	1	5	18	25	21	24	31	33	47	34	26	15	5	7	1	1
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	242	-	-	-	-	-	-	-	-	2	1	4	12	19	19	18	25	30	37	27	23	12	5	7	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	1	6	6	2	6	5	3	8	7	3	1	-	-	-	-	1
171-179	Of genital organs-	663	-	-	-	-	-	-	-	1	2	6	14	32	51	43	54	71	70	74	92	61	60	21	7	1	3
	White-----M--	174	-	-	-	-	-	-	-	-	1	-	-	3	3	2	3	9	15	19	30	37	34	11	6	1	-
	F--	304	-	-	-	-	-	-	-	-	1	5	10	20	32	24	35	42	32	30	31	16	20	5	1	-	-
	Nonwhite--M--	68	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	8	14	21	5	5	3	-	-	2
	F--	117	-	-	-	-	-	-	-	1	1	1	4	9	15	16	13	15	15	11	10	3	1	2	-	-	1
180, 181	Of urinary organs-	154	-	4	-	2	-	2	1	-	-	-	1	3	6	4	11	17	22	17	22	19	16	5	2	-	-
	White-----M--	77	-	1	-	2	-	2	1	-	-	-	-	2	3	-	4	10	13	8	12	9	8	1	1	-	-
	F--	51	-	1	-	-	-	-	-	-	-	-	1	-	2	1	4	2	6	4	9	9	*7	4	1	-	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	4	1	-	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	459	-	3	1	2	2	6	8	3	6	8	19	13	16	32	41	43	53	58	63	33	27	14	5	2	1
	White-----M--	217	-	1	-	2	1	4	4	3	1	3	9	5	9	20	21	14	23	27	29	17	14	8	1	1	-
	F--	171	-	1	1	-	1	2	4	-	1	5	8	4	5	10	9	22	14	20	27	14	12	5	4	1	1
	Nonwhite--M--	40	-	1	-	-	-	-	-	-	1	-	2	2	-	2	5	6	10	7	3	-	-	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	3	-	-	2	2	-	6	1	6	4	4	2	1	-	-	-	-
204	Leukemia and aleukemia----------	161	2	1	2	7	3	15	3	2	4	7	3	5	5	11	11	12	19	16	13	9	8	3	-	-	-
	White-----M--	69	1	-	2	3	3	10	-	2	3	4	1	2	1	2	2	7	4	12	7	3	2	1	-	-	-
	F--	66	1	1	2	5	-	5	2	-	-	1	2	2	1	6	4	5	9	2	5	6	6	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	1	-	1	1	-	1	1	3	2	-	2	1	1	-	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	-	4	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	181	2	-	-	-	-	5	1	2	7	13	12	8	9	12	17	19	17	18	16	13	8	2	-	-	-
	White-----M--	92	-	-	-	-	-	4	1	1	2	6	7	4	5	9	6	11	8	8	8	6	4	2	-	-	-
	F--	69	1	-	-	-	-	1	-	1	4	2	5	2	3	3	7	6	8	9	7	7	3	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	3	-	1	1	-	2	2	1	1	-	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	104	6	2	-	2	1	6	1	1	2	4	5	10	10	7	12	9	7	6	2	4	5	1	1	-	-
	White-----M--	28	3	1	-	2	-	2	-	-	-	2	3	1	3	-	1	3	2	2	-	1	1	-	1	-	-
	F--	41	2	1	-	-	-	4	-	1	-	-	1	5	4	2	3	5	1	4	2	2	3	1	-	-	-
	Nonwhite--M--	13	1	-	-	-	1	-	1	-	2	-	-	1	1	1	1	1	1	-	-	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	2	1	3	2	4	7	-	3	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	360	-	-	-	-	1	1	1	1	3	4	14	5	15	12	32	27	42	51	58	52	26	10	3	1	1
	White-----M--	115	-	-	-	-	1	-	1	-	2	2	6	-	3	5	8	8	13	14	20	19	9	2	1	1	-
	F--	140	-	-	-	-	-	-	-	-	1	-	3	3	6	3	6	8	15	21	28	25	13	6	2	-	-
	Nonwhite--M--	33	-	-	-	-	-	1	-	-	-	2	-	5	1	5	1	4	3	5	3	1	2	-	-	-
	F--	72	-	-	-	-	-	-	-	1	-	2	3	2	1	3	13	10	10	13	5	5	3	-	-	-	1
290-293	Anemias----------	54	1	2	1	1	-	2	1	2	2	2	-	4	2	2	2	2	2	6	6	4	6	3	1	-	-
	White-----M--	24	-	-	-	-	-	-	1	-	2	1	-	1	-	2	2	-	1	2	2	2	5	2	1	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	1	2	1	1	-	-	-
	Nonwhite--M--	14	1	2	1	1	-	2	-	1	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	3	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	54	21	-	4	-	2	1	1	1	1	1	1	2	2	-	1	4	4	3	2	1	2	-	-	-	-
	White-----M--	19	5	-	2	-	-	1	1	-	1	-	-	-	1	-	1	2	2	3	-	-	-	-	-	-	-
	F--	13	6	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	Nonwhite--M--	13	5	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	2	-	-	1	-	-	-	-	-
	F--	9	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	15,840	11	8	3	2	4	11	15	28	39	90	125	236	457	660	1,014	1,333	1,737	2,084	2,305	2,282	1,830	1,000	401	118	47
	White-----M--	6,443	6	1	2	-	1	2	5	12	15	27	33	70	174	264	384	587	765	901	942	971	719	383	136	34	9
	F--	4,840	-	3	1	-	2	5	5	5	4	29	26	41	54	94	176	242	354	531	776	924	834	473	188	58	15
	Nonwhite--M--	2,416	3	2	-	1	1	-	2	6	10	15	32	76	126	156	240	268	316	333	321	217	158	69	42	11	11
	F--	2,141	2	2	-	1	-	4	3	5	10	19	34	49	103	146	214	236	302	319	266	170	119	75	35	15	12
330-334, 400-468	Diseases of cardiovascular system-	15,399	10	8	2	2	3	9	9	20	32	78	109	223	437	618	987	1,305	1,693	2,044	2,266	2,228	1,786	975	396	114	45
	White-----M--	6,287	5	1	1	-	-	2	1	8	12	23	28	67	167	255	376	578	751	886	927	956	699	371	133	32	8
	F--	4,719	-	3	1	-	2	3	4	4	4	23	24	37	51	85	172	238	341	522	765	906	815	463	186	56	14
	Nonwhite--M--	2,331	3	2	-	1	1	-	1	4	9	15	30	73	117	143	231	261	309	325	316	204	155	67	42	11	11
	F--	2,062	2	2	-	1	-	4	3	4	7	17	27	46	102	135	208	228	292	311	258	162	117	74	35	15	12
330-334	Vascular lesions, etc.*----------	3,859	4	3	-	-	1	1	2	3	4	15	18	57	112	168	229	290	418	522	598	569	461	241	106	24	13
	White-----M--	1,249	1	-	-	-	-	-	1	3	4	4	9	30	33	55	83	136	171	214	224	155	85	36	4	1
	F--	1,326	-	3	-	-	1	-	2	1	1	5	5	10	16	33	54	59	100	165	222	228	227	126	46	16	6
	Nonwhite--M--	633	3	-	-	-	-	-	-	1	-	3	2	22	31	45	57	71	94	85	83	59	46	15	12	1	3
	F--	651	-	-	-	-	-	1	-	-	-	3	7	16	35	57	63	77	88	101	79	58	33	15	12	3	3
400-402	Rheumatic fever---	32	-	-	-	1	1	6	3	3	1	1	5	1	3	2	1	1	1	1	-	-	-	1	-	-	-
	White-----M--	9	-	-	-	-	-	1	1	2	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	2	1	-	-	-	1	-	-	1	1	1	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	3	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA— Con.																										
410-443	Diseases of heart-	10,328	6	5	1	1	1	2	3	13	21	48	67	152	286	409	709	945	1,186	1,402	1,490	1,491	1,136	625	230	71	28
	White-----M--	4,625	4	1	-	-	-	1	-	5	8	15	19	57	124	210	310	464	580	674	655	668	473	243	84	23	7
	F--	3,033	-	-	1	-	1	1	1	3	3	13	14	24	32	46	105	168	226	330	500	620	512	288	107	31	7
	Nonwhite--M--	1,458	-	2	-	1	-	-	-	2	7	10	17	47	74	84	162	178	193	210	190	115	85	44	21	9	7
	F--	1,212	2	2	-	-	-	-	2	3	3	10	17	24	56	69	132	135	187	188	145	88	66	50	18	8	7
410-416	Chronic rheumatic heart disease----	339	-	-	-	-	-	-	2	6	7	17	13	23	24	25	31	32	29	32	36	21	23	10	4	2	2
	White-----M--	129	-	-	-	-	-	-	-	2	2	5	4	6	8	8	12	15	11	14	18	9	8	5	1	-	1
	F--	131	-	-	-	-	-	-	-	1	2	7	6	8	8	8	14	13	13	12	10	10	11	4	2	2	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	2	3	1	1	5	2	3	1	3	2	4	3	1	1	1	-	-	-
	F--	46	-	-	-	-	-	2	1	-	4	2	4	6	6	4	1	3	2	5	1	3	-	1	-	1	
420	Arteriosclerotic heart dis., etc.*	6,016	-	-	-	-	-	1	-	2	6	18	31	82	164	279	486	629	742	863	869	856	576	295	99	27	11
	White-----M--	3,301	-	-	-	-	-	1	-	1	4	9	13	46	96	185	261	378	452	503	456	443	270	125	45	10	3
	F--	1,585	-	-	-	-	-	-	-	1	1	2	4	9	15	24	49	104	137	191	262	331	245	132	42	13	3
	Nonwhite--M--	670	-	-	-	-	-	-	-	-	1	5	8	20	39	45	91	93	77	97	78	49	33	21	8	2	3
	F--	460	-	-	-	-	-	-	-	-	-	2	6	7	14	25	65	54	76	72	53	33	28	17	4	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,515	1	1	-	1	1	1	-	2	4	2	3	8	19	27	47	63	122	171	226	274	255	178	80	23	6
	White-----M--	487	1	-	-	-	-	-	-	1	1	-	1	1	4	5	9	12	33	56	65	96	97	69	24	10	2
	F--	547	-	-	-	-	1	1	-	1	-	-	1	-	1	3	10	10	19	38	79	126	118	87	42	9	1
	Nonwhite--M--	272	-	-	-	1	-	-	-	-	2	1	-	4	7	15	15	23	40	39	49	30	25	8	8	3	2
	F--	209	-	1	-	-	-	-	-	-	1	1	1	3	7	4	13	18	30	38	33	22	15	14	6	1	1
430-434	Other diseases of heart---------	440	5	4	1	-	-	-	1	3	3	5	5	8	18	11	38	27	35	59	68	67	48	21	7	5	1
	White-----M--	152	3	1	-	-	-	-	-	1	1	-	1	-	6	3	7	12	12	23	27	23	22	7	3	-	-
	F--	128	-	-	1	-	-	-	1	-	-	3	1	4	2	2	11	4	5	16	22	27	19	7	2	-	1
	Nonwhite--M--	86	-	2	-	-	-	-	-	-	1	-	2	4	8	1	11	5	12	11	10	11	3	3	-	2	-
	F--	74	2	1	-	-	-	-	-	2	1	2	1	-	2	5	9	6	6	9	9	6	4	4	2	3	-
440-443	Hypertension with heart dis.--	2,018	-	-	-	-	-	-	-	-	1	6	15	31	61	67	127	194	258	277	291	273	234	121	40	14	8
	White-----M--	556	-	-	-	-	-	-	-	-	-	1	-	4	10	9	21	47	72	78	89	97	76	37	11	3	1
	F--	642	-	-	-	-	-	-	-	-	-	1	2	3	6	9	21	37	52	73	107	126	119	58	19	7	2
	Nonwhite--M--	397	-	-	-	-	-	-	-	-	-	3	6	14	18	20	44	54	62	59	50	24	23	11	5	2	2
	F--	423	-	-	-	-	-	-	-	-	1	1	7	10	27	29	41	56	72	67	45	26	16	15	5	2	3
444-447	Hypertension without mention of heart----------	312	-	-	-	-	-	-	-	-	-	7	11	10	24	19	30	29	28	31	44	28	30	8	10	3	-
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	2	-	6	4	4	9	9	11	16	8	10	1	2	2	-
	F--	83	-	-	-	-	-	-	-	-	-	3	-	2	3	3	8	6	6	7	11	10	13	5	6	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	-	-	2	7	4	6	6	10	5	10	8	8	9	5	1	2	1	-
	F--	61	-	-	-	-	-	-	-	-	-	2	2	4	9	6	8	9	3	5	9	1	2	1	-	-	-
450	General arteriosclerosis--------	651	-	-	-	-	-	-	-	-	1	-	-	-	-	3	5	17	35	61	109	115	143	94	49	16	3
	White-----M--	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	10	13	29	40	55	38	11	3	-
	F--	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	14	25	42	55	41	26	9	1
	Nonwhite--M--	123	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	6	7	21	32	21	17	7	7	-	1
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	11	13	23	12	16	8	5	4	1
451-468	Other diseases of circulatory sys.-	217	-	-	1	-	-	-	1	1	5	7	8	3	12	17	13	23	25	27	25	25	16	6	1	-	1
	White-----M--	114	-	-	1	-	-	-	-	-	1	3	1	1	5	8	6	16	16	17	13	16	6	4	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	2	4	1	-	1	3	3	2	5	7	6	8	2	1	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	-	3	-	6	6	1	1	4	1	3	-	2	-	-	-	-
	F--	30	-	-	-	-	-	-	1	1	3	2	-	1	1	2	3	3	3	4	2	3	-	-	-	-	1
592-594	Chronic nephritis, etc.*----------	441	1	-	1	-	1	2	6	8	7	12	16	13	20	42	27	28	44	40	39	54	44	25	5	4	2
	White-----M--	156	1	-	1	-	1	-	4	4	3	4	5	3	7	9	8	9	14	15	15	15	20	12	3	2	1
	F--	121	-	-	-	-	-	2	1	1	-	6	2	4	3	9	4	4	13	9	11	18	19	10	2	2	1
	Nonwhite--M--	85	-	-	-	-	-	-	1	2	1	-	2	3	9	13	9	7	7	8	5	13	3	2	-	-	-
	F--	79	-	-	-	-	-	-	-	1	3	2	7	3	1	11	6	8	10	9	8	8	2	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,233	282	32	9	11	5	12	7	11	10	11	25	22	24	37	59	62	71	81	117	115	109	72	32	8	9
	White-----M--	394	74	10	1	5	1	4	1	3	3	3	6	6	7	12	19	17	27	29	40	39	48	23	11	4	1
	F--	333	52	6	2	3	3	3	4	1	1	2	2	6	2	4	4	9	10	18	36	49	49	44	16	4	3
	Nonwhite--M--	295	84	8	5	3	1	2	1	3	1	4	11	8	10	14	25	26	24	17	19	17	4	4	1	-	3
	F--	211	72	8	1	-	3	1	4	5	2	6	2	5	7	11	10	10	17	22	10	8	1	4	-	2	
480-483	Influenza----------	310	37	6	2	2	3	3	-	3	5	3	6	6	4	13	14	18	16	21	44	35	34	18	10	5	2
	White-----M--	88	12	2	-	-	1	1	-	1	1	-	1	1	-	3	3	4	2	10	13	11	13	5	2	2	-
	F--	103	6	2	1	2	2	-	-	-	1	2	2	1	1	-	1	3	5	4	16	16	16	12	6	3	1
	Nonwhite--M--	62	10	-	1	-	-	-	-	1	-	1	1	2	2	6	7	8	6	4	6	4	-	1	1	-	1
	F--	57	9	2	-	-	-	2	-	1	3	-	2	2	1	4	3	3	3	3	9	4	5	-	1	-	-
490-493	Pneumonia, etc.*--	923	245	26	7	9	2	9	7	8	5	8	19	16	20	24	45	44	55	60	73	80	75	54	22	3	7
	White-----M--	306	62	8	1	5	-	3	1	2	2	3	5	5	7	9	16	13	25	19	27	28	35	18	9	2	1
	F--	230	46	4	1	1	1	3	4	1	-	-	-	5	1	4	3	6	5	14	20	33	33	32	10	1	2
	Nonwhite--M--	233	74	8	4	3	1	2	1	2	1	3	10	6	8	8	18	18	18	13	13	13	4	3	-	-	2
	F--	154	63	6	1	-	-	1	1	3	2	2	4	-	4	3	8	7	7	14	13	6	3	1	3	-	2
500-502	Bronchitis--------	40	10	-	1	1	-	1	-	-	-	-	-	-	1	-	1	2	2	6	2	4	6	2	-	1	-
	White-----M--	19	3	-	1	1	-	1	-	-	-	-	-	-	-	-	1	2	1	3	1	1	3	-	-	1	-
	F--	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	2	-	-	-
	Nonwhite--M--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	146	-	-	-	-	-	-	2	-	-	-	3	3	7	10	20	22	22	22	12	10	8	3	1	1	-
	White-----M--	88	-	-	-	-	-	-	2	-	-	-	1	1	1	6	10	15	14	15	8	7	4	2	1	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	2	2	2	3	1	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	4	6	3	1	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	2	1	-	-	-	-	-	-
550-553	Appendicitis------	36	-	-	1	-	-	2	-	-	1	2	-	4	5	1	1	4	2	4	4	2	3	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	2	1	2	1	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	2	2	2	2	-	-	-	-
	Nonwhite--M--	9	-	-	1	-	-	1	-	-	-	-	-	4	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	173	23	-	1	-	-	1	1	-	1	8	2	4	1	10	11	13	19	18	17	18	12	8	2	2	1
	White-----M--	56	11	-	-	-	-	1	-	-	-	2	-	1	-	2	1	6	7	4	9	6	4	2	-	-	-
	F--	63	7	-	-	-	-	-	1	-	1	1	-	1	-	4	2	3	5	9	4	9	8	5	2	1	-
	Nonwhite--M--	34	5	-	1	-	-	-	-	-	-	4	-	1	1	2	3	4	5	4	2	1	-	-	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	1	2	1	-	2	5	-	2	1	2	2	-	1	-	-	1

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543, 571, 572	Gastritis, etc.*--	205	120	10	2	5	3	1	-	2	2	4	2	1	3	2	7	7	6	4	10	5	3	6	-	-	-
	White-----M--	46	22	1	-	-	-	-	-	1	1	3	-	-	-	1	1	4	1	4	2	2	2	1	-	-	-
	F--	52	23	2	1	1	-	-	-	1	1	-	1	1	2	-	3	1	2	-	5	3	-	5	-	-	-
	Nonwhite--M--	53	39	4	1	2	-	-	-	-	-	1	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-
	F--	54	36	3	-	2	3	1	-	-	-	1	-	-	-	-	1	-	3	-	3	-	1	-	-	-	-
581	Cirrhosis of liver	204	-	-	-	-	-	2	1	-	3	4	9	13	21	20	33	25	18	26	18	8	1	1	1	-	-
	White-----M--	125	-	-	-	-	-	-	1	-	1	-	6	6	16	14	20	17	11	17	11	5	-	-	-	-	-
	F--	51	-	-	-	-	-	-	-	-	1	4	2	2	3	4	9	5	5	5	6	2	1	1	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	3	1	3	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	2	-	-	1	-	-	2	-	1	1	-	1	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	80	-	-	3	2	-	1	1	4	2	2	3	3	5	5	5	8	8	5	14	4	3	2	-	-	-
	White-----M--	20	-	-	1	1	-	-	-	1	1	-	-	1	2	1	1	1	3	-	4	1	2	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	3	1	-	3	-	1	2	-	-	-
	Nonwhite--M--	22	-	-	2	1	-	1	-	1	-	1	-	1	1	1	2	1	3	2	4	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	1	2	1	2	-	-	2	3	1	3	1	3	3	3	-	-	-	-	-
610	Hyperplasia of prostate---------	121	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	8	19	18	28	19	18	3	-	1
	White-----M--	84	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	12	9	22	16	15	3	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	9	6	3	3	-	-	1
640-689	Complications of pregnancy, etc.*-	70	...	...	...	...	...	...	1	6	13	19	15	12	2	1	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	27	...	...	...	...	...	...	1	2	5	6	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	43	...	...	...	...	...	...	-	4	8	13	10	6	-	1	-	-	-	-	-	-	-	-	-	-	1
650-652	Abortion----------	6	...	...	...	...	...	...	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	64	...	...	...	...	...	...	1	5	13	15	15	11	2	1	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	26	...	...	...	...	...	...	1	1	5	6	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	38	...	...	...	...	...	...	-	4	8	9	10	5	-	1	-	-	-	-	-	-	-	-	-	-	1
750-759	Congenital malformations-------	472	364	26	10	6	5	8	8	7	4	4	5	5	5	-	2	4	3	2	2	1	1	-	-	-	-
	White-----M--	196	146	15	6	2	-	5	3	4	1	1	3	3	1	-	1	4	1	-	-	-	-	-	-	-	-
	F--	166	134	6	1	3	2	1	2	2	1	2	2	2	2	-	1	-	-	1	2	1	1	-	-	-	-
	Nonwhite--M--	65	50	3	3	-	1	2	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	34	2	-	1	2	-	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,764	1,764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	703	703	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	444	444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	802	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	824	824	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	299	299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	333	63	8	5	1	-	-	2	2	6	6	5	14	10	10	26	9	19	20	17	29	26	24	11	12	8
	White-----M--	104	18	2	1	-	-	-	1	-	-	1	-	1	6	4	8	1	12	8	3	8	10	10	2	7	1
	F--	82	12	1	1	1	-	-	1	-	1	1	2	3	2	1	4	3	2	3	5	10	7	12	4	3	3
	Nonwhite--M--	87	20	4	1	-	-	-	-	-	3	4	2	6	2	5	9	3	3	7	3	4	5	1	3	1	1
	F--	60	13	1	2	-	-	-	2	-	2	-	1	4	-	-	5	2	2	2	6	7	4	1	2	1	3
Residual	All other diseases	1,430	109	9	10	6	6	28	21	27	31	31	56	66	81	109	89	98	122	147	140	114	65	38	19	5	3
	White-----M--	585	47	2	2	2	4	6	10	7	13	7	12	20	33	41	35	44	58	72	75	50	20	17	7	1	-
	F--	450	28	2	3	2	2	10	6	9	5	8	20	9	15	29	21	29	34	45	46	54	40	18	11	4	-
	Nonwhite--M--	214	11	2	-	1	-	9	3	6	5	4	14	26	20	21	14	15	21	17	13	5	1	3	1	-	2
	F--	181	23	3	5	1	-	3	2	5	8	12	10	11	13	18	19	10	9	13	6	5	4	-	-	-	1
E800-E962	Accidents----------	2,108	115	41	37	25	22	71	67	155	188	144	127	150	141	103	114	108	82	93	80	84	70	50	21	14	6
	White-----M--	1,087	43	16	13	9	11	27	38	87	130	85	79	93	71	53	54	60	45	45	34	38	23	21	6	4	2
	F--	395	31	8	10	5	5	23	8	20	21	9	14	13	13	10	14	12	17	21	28	31	40	23	11	7	1
	Nonwhite--M--	472	23	8	10	7	3	12	18	43	32	42	27	34	49	33	37	29	11	18	14	9	5	3	1	1	3
	F--	154	18	9	4	4	3	9	3	5	5	8	7	10	8	7	9	7	9	9	4	6	2	3	3	2	-
E810-E835	Motor-vehicle accidents--------	879	6	11	9	11	8	32	25	93	124	88	62	59	58	54	52	52	32	40	27	25	4	6	-	1	-
	White-----M--	491	2	5	4	5	3	11	14	56	87	56	36	35	25	26	28	33	15	20	12	15	1	2	-	-	-
	F--	156	3	2	4	3	3	16	6	17	18	7	11	5	5	8	8	6	9	6	10	6	3	-	-	-	-
	Nonwhite--M--	184	1	4	-	3	1	2	4	17	17	22	10	15	24	16	13	10	4	11	4	2	-	3	-	1	-
	F--	48	-	-	1	-	1	3	1	3	2	3	5	4	4	4	3	3	4	3	1	2	-	1	-	-	-
E800-E962	All ot. accidents-	1,229	109	30	28	14	14	39	42	62	64	56	65	91	83	49	62	56	50	53	53	59	66	44	21	13	6
E802, E840-E962	White-----M--	596	41	11	9	4	8	16	24	31	43	29	43	58	46	27	26	27	30	25	22	23	22	19	6	4	2
	F--	239	28	6	6	2	2	7	2	3	3	2	3	8	8	2	6	6	8	15	18	25	37	23	11	7	1
	Nonwhite--M--	288	22	4	10	4	2	10	14	26	15	20	17	19	25	17	24	19	7	7	10	7	5	-	1	-	3
	F--	106	18	9	3	4	2	6	2	2	3	5	2	6	4	3	6	4	5	6	3	4	2	2	3	2	-
E963, E970-E979	Suicide----------	363	-	-	-	-	-	-	2	9	25	28	29	38	41	40	36	32	36	23	13	8	2	1	-	-	-
	White-----M--	261	-	-	-	-	-	-	1	6	17	20	17	27	35	30	29	24	27	14	8	4	2	-	-	-	-
	F--	72	-	-	-	-	-	-	-	1	7	5	10	6	5	6	4	7	5	7	4	4	-	1	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	2	-	4	1	4	3	-	3	2	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	1	2	1	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	276	7	-	-	-	1	2	4	8	37	40	40	33	42	23	12	6	9	6	2	2	1	-	-	-	1
	White-----M--	61	2	-	-	-	1	1	1	1	3	7	5	8	2	8	9	3	5	2	-	2	-	-	-	-	1
	F--	17	1	-	-	-	-	1	1	-	-	1	1	3	5	1	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	154	2	-	-	-	-	-	2	6	27	28	20	18	28	12	3	2	1	2	2	-	1	-	-	-	-
	F--	44	2	-	-	-	-	-	-	1	7	4	14	4	7	2	-	1	1	1	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES------	23,341	1,563	102	70	49	40	115	93	154	172	227	261	423	639	873	1,120	1,508	2,080	2,829	3,100	3,061	2,469	1,569	653	123	28
	White-----M--	13,733	876	41	40	27	24	57	56	99	104	123	145	254	412	551	748	1,002	1,381	1,806	1,866	1,683	1,306	796	282	47	7
	F--	8,936	564	46	27	16	14	53	33	47	54	83	90	138	198	283	336	464	648	964	1,186	1,333	1,150	760	360	75	14
	Nonwhite--M--	421	74	7	1	5	-	1	3	3	10	13	16	16	17	20	23	29	33	42	34	31	26	7	6	1	3
	F--	251	49	8	2	1	2	4	1	5	4	8	10	15	12	19	13	13	18	17	14	14	7	6	5	-	4
001-019	Tuberculosis, all forms--------	180	1	-	-	5	2	3	-	4	3	6	7	13	13	18	15	19	19	17	20	7	4	2	2	-	-
	White-----M--	108	-	-	-	-	1	1	-	1	1	1	3	7	5	13	10	16	15	13	14	4	1	1	1	-	-
	F--	41	-	-	-	2	-	-	-	2	2	1	4	4	5	3	2	2	2	3	4	1	3	1	-	-	-
	Nonwhite--M--	14	1	-	-	2	-	-	-	-	-	-	-	1	-	2	1	1	2	-	2	1	-	-	1	-	-
	F--	17	-	-	-	1	1	2	-	1	-	4	-	1	3	-	2	-	-	1	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	152	1	-	-	1	1	1	-	3	3	4	5	10	13	15	14	16	18	12	20	7	4	2	2	-	-
	White-----M--	95	-	-	-	-	-	-	-	-	1	-	1	5	5	12	10	14	15	11	14	4	1	1	1	-	-
	F--	34	-	-	-	-	-	-	-	2	2	1	4	3	5	2	2	1	2	1	4	1	3	1	-	-	-
	Nonwhite--M--	10	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	1	-	-	1	-	-
	F--	13	-	-	-	-	1	1	-	1	-	3	-	1	3	-	2	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	28	-	-	-	4	1	2	-	1	-	2	2	3	-	3	1	3	1	5	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	1	1	-	1	-	1	2	2	-	1	-	2	-	2	-	-	-	-	-	-	-
	F--	7	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	65	1	-	-	-	-	-	-	-	1	-	-	-	3	5	2	8	12	12	10	6	3	2	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	6	10	8	8	5	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	2	4	1	-	1	2	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*------------	7	-	-	-	-	-	1	-	-	1	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	6	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	21	5	2	4	-	1	2	1	1	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	11	2	-	4	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	10	3	2	-	-	1	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis-----------	17	-	1	-	-	-	2	2	3	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	1	-	-	-	2	1	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles-----------	12	1	3	5	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	2	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria-----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	59	8	3	2	-	1	-	2	1	1	3	3	1	2	2	5	4	4	4	6	-	4	2	-	1	-
	White-----M--	30	7	1	1	-	1	-	2	-	1	1	2	-	1	1	1	1	1	4	4	-	-	1	-	-	-
	F--	26	1	1	1	-	-	-	-	1	-	2	1	1	1	1	2	3	3	-	2	-	4	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*	3,614	5	5	6	11	9	21	15	20	18	20	46	70	133	195	232	332	440	587	545	433	272	146	48	5	-
	White—M	1,950	3	1	2	5	5	13	6	14	13	8	18	22	58	99	113	172	245	330	296	247	162	91	26	1	-
	F	1,587	1	3	4	5	4	8	9	5	5	12	24	46	73	93	119	148	184	242	242	177	104	54	21	4	-
	Nonwhite—M	49	1	1	-	1	-	-	-	1	-	-	1	-	1	-	-	8	8	10	4	6	5	1	1	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	4	3	5	3	3	1	-	-	-	-
140-148	Of buccal cavity and pharynx	59	-	-	-	-	-	-	1	-	-	-	-	-	2	4	4	4	10	11	9	7	4	2	1	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	4	6	8	6	5	3	2	1	-	-
	F	14	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	4	3	2	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,334	-	2	-	-	-	-	1	2	3	4	8	12	33	56	61	105	149	214	237	212	133	72	29	1	-
	White—M	773	-	-	-	-	-	-	-	1	3	1	5	4	23	32	36	59	93	130	133	126	72	41	13	1	-
	F	524	-	1	-	-	-	-	1	1	-	3	2	8	10	22	25	41	52	77	99	79	58	30	15	-	-
	Nonwhite—M	24	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	3	4	2	1	1	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	1	2	3	1	-	-	-	-
160-164	Of respiratory system	394	-	-	-	-	-	-	-	-	1	-	2	6	12	22	37	52	77	83	46	33	16	4	3	-	-
	White—M	319	-	-	-	-	-	-	-	-	1	-	1	3	11	18	33	45	64	65	36	24	12	4	2	-	-
	F	63	-	-	-	-	-	-	-	-	-	-	1	2	1	4	4	3	9	17	10	8	3	-	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	-	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
170	Of breast	319	-	-	-	-	-	-	-	-	-	2	10	14	23	29	30	39	33	46	42	30	10	7	2	2	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	1	-	-	-	-	-
	F	307	-	-	-	-	-	-	-	-	-	2	8	13	23	27	30	38	30	45	41	29	10	7	2	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	567	-	-	1	-	-	-	-	1	4	2	6	14	26	26	37	42	68	100	86	63	56	29	6	-	-
	White—M	245	-	-	1	-	-	-	-	1	3	2	1	2	1	2	4	9	17	42	49	39	42	25	5	-	-
	F	316	-	-	-	-	-	-	-	-	1	-	5	12	24	24	33	32	50	56	37	24	13	4	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
180, 181	Of urinary organs	192	-	-	1	-	-	1	1	-	-	-	-	1	7	7	11	18	30	40	34	19	11	9	1	1	-
	White—M	135	-	-	1	-	-	1	1	-	-	-	-	-	4	4	9	13	23	31	22	13	6	7	1	-	-
	F	53	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	5	7	7	12	5	4	2	-	1	-
	Nonwhite—M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	418	3	2	2	5	-	9	5	9	3	6	12	16	13	36	29	42	39	51	50	37	28	17	5	1	-
	White—M	239	2	1	-	2	-	5	2	8	2	3	8	10	9	26	16	26	21	26	29	16	16	8	3	-	-
	F	172	-	1	2	2	-	4	3	1	1	3	3	6	4	9	13	16	18	22	21	21	10	9	2	1	-
	Nonwhite—M	5	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	174	2	1	2	5	9	10	8	5	4	1	4	4	7	9	11	9	11	23	18	17	8	6	-	-	-
	White—M	98	1	-	-	2	5	7	3	3	3	1	1	2	4	6	5	5	6	16	7	11	6	4	-	-	-
	F	75	1	1	2	3	4	3	5	1	1	-	3	2	3	3	6	4	5	7	11	6	2	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	157	-	-	-	1	-	1	-	2	3	5	4	3	10	6	12	21	23	19	23	15	8	-	1	-	-
	White—M	91	-	-	-	1	-	1	-	1	1	1	2	1	4	5	7	11	13	11	14	12	5	-	1	-	-
	F	63	-	-	-	-	-	-	-	1	2	4	2	2	5	1	5	9	9	8	9	3	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	67	3	-	-	-	-	-	1	-	2	2	-	3	4	9	1	11	10	5	6	3	5	1	1	-	-
	White—M	31	1	-	-	-	-	-	-	-	1	2	-	-	2	3	-	6	6	3	3	1	3	-	-	-	-
	F	35	2	-	-	-	-	-	1	-	1	-	-	2	2	6	1	5	4	2	3	2	2	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	378	-	-	-	2	-	1	1	-	1	7	7	3	11	11	15	22	44	54	76	57	42	18	6	-	-
	White—M	164	-	-	-	2	-	-	-	-	1	3	6	3	5	4	6	12	17	22	32	21	20	6	4	-	-
	F	205	-	-	-	-	-	1	1	-	-	4	1	-	6	7	8	10	24	32	42	33	22	12	2	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
290-293	Anemias	57	-	-	-	-	-	-	1	-	2	-	2	-	-	1	1	2	3	6	10	8	10	6	5	-	-
	White—M	26	-	-	-	-	-	-	1	-	2	-	-	-	-	1	1	1	3	4	4	4	4	2	2	-	-
	F	29	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	2	6	3	6	4	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	23	7	1	1	2	1	-	2	-	-	1	1	-	1	2	-	1	1	1	-	-	1	-	-	-	-
	White—M	18	5	1	1	2	1	-	2	-	-	1	1	-	-	2	-	1	1	-	-	-	1	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,722	11	1	1	1	1	10	10	13	20	32	51	112	228	388	557	819	1,214	1,726	2,002	2,112	1,760	1,109	442	87	15
	White—M	7,571	4	-	-	1	1	4	5	6	7	18	28	72	173	260	403	572	849	1,144	1,216	1,131	907	550	184	33	3
	F	4,927	3	1	1	-	-	6	5	6	11	13	18	33	47	111	137	229	341	550	759	959	833	550	251	53	10
	Nonwhite—M	148	3	-	-	-	-	-	-	1	1	1	1	4	6	9	12	11	14	24	22	15	15	5	2	1	1
	F	76	1	-	-	-	-	-	-	-	1	-	4	3	2	8	5	7	10	8	5	7	5	4	5	-	1
330-334, 400-468	Diseases of cardiovascular system	12,527	10	1	1	-	1	9	8	11	12	23	49	104	216	376	544	808	1,195	1,703	1,982	2,094	1,742	1,096	441	86	15
	White—M	7,477	4	-	-	-	1	3	5	6	4	12	28	69	169	254	397	567	841	1,132	1,203	1,121	900	542	183	33	3
	F	4,831	2	1	1	-	-	6	3	4	6	10	16	29	40	105	131	224	330	540	752	951	822	545	251	52	10
	Nonwhite—M	146	3	-	-	-	-	-	-	1	1	1	1	4	5	9	12	10	14	24	22	15	15	5	2	1	1
	F	73	1	-	-	-	-	-	-	-	1	-	4	2	2	8	4	7	10	7	5	7	5	4	5	-	1
330-334	Vascular lesions, etc.*	2,785	4	1	1	-	-	1	1	1	2	7	8	14	28	62	76	133	225	347	468	551	451	293	92	15	4
	White—M	1,403	1	-	-	-	-	1	1	1	1	3	4	8	13	30	40	65	132	203	248	252	217	138	38	7	-
	F	1,326	-	1	1	-	-	-	-	-	1	3	4	5	14	30	30	64	88	134	211	293	228	155	54	8	2
	Nonwhite—M	37	2	-	-	-	-	-	-	-	-	1	-	-	-	1	4	2	1	8	7	5	5	-	-	-	1
	F	19	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	2	2	1	1	-	-	-	1
400-402	Rheumatic fever	25	-	-	-	-	-	4	4	1	2	1	1	1	1	3	1	-	1	1	2	-	-	2	-	-	-
	White—M	10	-	-	-	-	-	1	2	-	-	1	-	-	-	3	-	-	1	-	2	-	-	2	-	-	-
	F	13	-	-	-	-	-	3	2	1	1	-	1	1	-	-	1	-	-	1	-	-	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 63A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
410-443	Diseases of heart-	8,858	4	-	-	-	1	4	3	7	5	10	37	84	181	292	451	641	914	1,284	1,415	1,397	1,114	676	277	53	8
	White-----M--	5,578	3	-	-	-	1	1	2	4	2	6	23	59	151	212	344	479	673	884	889	779	588	339	117	19	3
	F--	3,137	1	-	-	-	-	3	1	2	2	4	10	22	25	67	97	149	226	382	508	602	516	328	154	33	5
	Nonwhite--M--	95	-	-	-	-	-	-	-	1	1	-	1	2	5	6	8	8	11	13	15	10	7	5	1	1	-
	F--	48	-	-	-	-	-	-	-	-	-	-	3	1	-	7	2	5	4	5	3	6	3	4	5	-	-
410-416	Chronic rheumatic heart disease----	306	-	-	-	-	-	1	2	4	4	5	13	15	24	28	35	43	36	37	23	16	11	7	2	-	-
	White-----M--	171	-	-	-	-	-	1	1	2	2	3	6	5	16	17	16	23	23	27	13	7	5	4	-	-	-
	F--	132	-	-	-	-	-	-	1	2	1	2	7	10	8	10	18	20	13	10	10	9	6	3	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,317	1	-	-	-	1	-	-	-	-	3	14	52	127	208	334	475	696	986	1,018	995	773	424	170	33	7
	White-----M--	4,258	-	-	-	-	1	-	-	-	-	3	10	42	115	171	277	381	538	703	671	597	426	230	76	14	3
	F--	1,971	1	-	-	-	-	-	-	-	-	-	2	9	11	31	50	85	150	269	334	387	340	190	90	18	4
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	-	-	1	1	1	3	5	6	6	12	12	8	5	2	1	1	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	2	2	1	3	2	2	3	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	902	-	-	-	-	-	2	-	-	1	1	5	3	7	18	32	42	71	99	155	151	139	112	53	10	1
	White-----M--	479	-	-	-	-	-	-	-	-	-	-	3	3	5	8	21	23	43	57	92	73	72	53	23	3	-
	F--	401	-	-	-	-	-	2	-	-	1	1	-	-	1	9	11	18	23	41	61	76	64	56	29	7	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	1	1	-	2	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	2	1	1	1	-	-
430-434	Other diseases of heart--------	388	3	-	-	-	-	1	-	3	-	1	2	7	9	6	10	30	27	51	59	54	59	39	22	5	-
	White-----M--	231	3	-	-	-	-	-	-	2	-	-	2	7	7	3	9	23	18	32	38	27	33	17	9	1	-
	F--	150	-	-	-	-	-	1	-	-	-	1	-	-	1	3	1	7	8	18	21	26	26	21	12	4	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
440-443	Hypertension with heart dis.--	945	-	-	-	-	-	-	1	-	-	-	3	7	14	32	40	51	84	111	160	181	132	94	30	5	-
	White-----M--	439	-	-	-	-	-	-	1	-	-	-	2	2	8	13	21	29	51	65	75	75	52	35	9	1	-
	F--	483	-	-	-	-	-	-	-	-	-	-	1	3	4	14	17	19	32	44	82	104	80	58	21	4	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-	2	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	1	2	1	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	152	-	-	-	-	-	-	-	-	1	2	2	2	4	8	8	13	17	21	15	21	22	10	5	1	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	1	1	1	3	1	7	7	10	9	8	13	11	4	2	1	-
	F--	64	-	-	-	-	-	-	-	-	1	1	-	-	1	5	1	6	5	9	7	8	11	6	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	524	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	17	26	55	100	130	107	63	17	3
	White-----M--	283	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	8	17	34	63	70	57	25	6	-
	F--	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	9	21	37	56	50	37	11	3
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.--	183	2	-	-	-	-	-	-	2	2	3	1	3	2	9	7	18	21	24	27	25	25	8	4	-	-
	White-----M--	124	-	-	-	-	-	-	-	1	1	1	-	1	2	6	6	15	17	19	22	14	14	4	1	-	-
	F--	56	1	-	-	-	-	-	-	1	1	2	1	1	-	3	1	3	3	5	5	11	11	4	3	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	195	1	-	-	1	-	1	2	2	8	9	2	8	12	12	13	11	19	23	20	18	18	13	1	1	-
	White-----M--	94	-	-	-	1	-	1	-	-	3	6	-	3	4	6	6	5	8	12	13	10	7	8	1	-	-
	F--	96	1	-	-	-	-	-	2	2	5	3	2	4	7	6	6	5	11	10	7	8	11	5	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	751	138	17	9	2	-	6	3	5	2	4	5	12	15	18	25	26	31	50	73	83	97	72	43	12	3
	White-----M--	444	74	9	7	-	-	2	2	2	1	1	3	7	11	11	18	17	21	32	52	51	48	42	26	7	-
	F--	247	31	5	2	2	-	4	1	3	-	3	2	4	3	4	6	6	7	17	18	30	46	29	17	5	2
	Nonwhite--M--	43	23	1	-	-	-	-	-	-	1	-	-	1	1	2	-	3	3	1	2	2	2	1	-	-	-
	F--	17	10	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	1
480-483	Influenza--------	74	3	2	1	-	-	1	-	-	1	-	-	-	3	-	3	2	4	5	5	6	9	15	5	2	1	1
	White-----M--	37	2	1	1	-	-	-	1	-	1	-	-	-	2	-	2	2	1	2	3	2	5	6	3	2	1	-
	F--	33	-	1	-	-	-	1	1	3	-	-	-	-	1	-	1	-	3	2	2	4	4	9	1	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
490-493	Pneumonia, etc.*--	677	135	15	8	2	-	5	1	2	1	4	5	9	15	15	23	22	26	45	67	74	82	67	41	11	2
	White-----M--	407	72	8	6	-	-	2	1	2	-	1	3	5	11	9	16	16	19	29	50	46	42	39	24	6	-
	F--	214	31	4	2	2	-	3	-	-	-	3	2	3	3	3	6	3	5	15	14	26	37	28	17	5	2
	Nonwhite--M--	40	22	1	-	-	-	-	-	-	1	-	-	1	1	2	-	3	2	1	2	2	2	-	-	-	-
	F--	16	10	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-
500-502	Bronchitis--------	38	9	3	-	-	-	-	-	-	-	-	-	-	1	2	4	-	1	1	3	2	6	5	1	-	-
	White-----M--	20	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	3	1	3	4	-	-	-
	F--	15	3	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	3	1	1	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	164	-	-	-	-	-	-	-	-	-	1	4	2	3	10	13	21	24	22	22	20	14	4	4	-	-
	White-----M--	125	-	-	-	-	-	-	-	-	-	-	2	1	3	7	11	19	20	16	18	15	9	2	2	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	3	5	4	5	5	2	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	26	1	-	-	-	-	-	-	-	2	-	-	1	2	3	1	3	2	2	3	2	1	2	1	-	-
	White-----M--	17	1	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	2	2	3	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	1	-	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	117	14	-	-	-	-	2	-	-	-	-	1	2	3	-	2	3	7	16	14	21	19	9	4	-	-
	White-----M--	65	11	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	4	10	8	13	10	3	2	-	-
	F--	50	3	-	-	-	-	1	-	-	-	-	1	2	2	-	1	2	3	5	6	8	9	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543, 571, 572	Gastritis, etc.*--	86	15	3	-	-	-	-	1	1	2	3	-	2	4	1	4	-	3	5	10	10	9	10	2	1	-
	White-----M--	38	5	2	-	-	-	-	1	-	1	1	-	1	2	1	3	-	2	3	4	4	5	2	1	-	-
	F--	37	5	-	-	-	-	-	-	1	-	2	-	-	2	-	1	-	1	1	6	5	3	8	1	1	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	6	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	194	1	-	-	-	-	-	-	-	-	3	3	9	15	25	15	22	21	29	17	18	8	5	3	-	-
	White-----M--	112	1	-	-	-	-	-	-	-	-	-	2	4	9	13	7	12	14	17	8	12	6	4	3	-	-
	F--	74	-	-	-	-	-	-	-	-	-	1	1	4	6	10	7	9	7	11	9	6	2	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	18	2	-	1	-	-	-	-	-	1	2	1	2	-	1	2	1	1	2	1	-	-	1	-	-	-
	White-----M--	10	1	-	1	-	-	-	-	-	1	-	-	2	-	-	1	-	1	2	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	14	28	17	11	6	-	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	7	13	27	17	11	5	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-
640-689	Complications of pregnancy, etc.*-	20	...	...	...	...	...	...	-	2	7	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	...	...	...	-	2	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	6	...	...	...	...	...	...	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	...	...	...	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	14	...	...	...	...	...	...	-	2	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	...	...	...	-	2	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	340	245	17	8	8	3	10	5	5	3	5	2	3	6	3	5	4	4	2	2	-	-	-	-	-	-
	White-----M--	188	143	3	5	6	2	3	2	3	-	2	2	-	4	2	3	3	3	1	1	-	-	-	-	-	-
	F--	141	97	12	3	2	1	6	2	2	3	2	-	2	2	1	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	964	962	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	539	537	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	458	457	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	264	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn---------	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	467	466	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	248	247	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	206	5	2	-	-	-	1	1	-	1	-	1	5	-	4	7	11	12	20	25	28	20	34	21	4	4
	White-----M--	114	3	-	-	-	-	-	1	-	-	-	-	2	-	2	5	10	5	13	20	17	9	18	7	2	-
	F--	84	1	-	-	-	-	1	-	-	-	1	-	2	-	1	2	1	7	6	5	11	11	16	14	2	2
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2
Residual	All other diseases	1,072	55	15	8	6	6	13	4	7	5	15	20	33	41	50	67	72	105	134	115	125	89	61	22	4	-
	White-----M--	629	34	8	5	3	2	4	2	4	3	6	9	19	19	29	49	54	66	83	74	71	46	29	9	1	-
	F--	410	16	6	2	1	4	9	2	3	2	9	8	12	20	19	17	16	34	49	39	54	42	31	12	3	-
	Nonwhite--M--	20	2	1	1	2	-	-	-	-	-	-	2	1	1	-	1	1	4	1	1	-	1	-	1	-	-
	F--	13	3	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	1	-	-	1	-	-	-
E800-E962	Accidents----------	1,533	68	29	23	10	16	38	42	85	78	82	68	91	97	87	88	74	82	87	94	78	96	64	42	9	5
	White-----M--	1,021	35	15	12	7	11	27	30	63	62	59	49	73	79	71	68	56	62	60	58	41	41	26	10	3	3
	F--	432	26	11	10	3	4	10	10	17	11	15	12	12	11	11	14	14	18	25	34	35	53	38	32	6	-
	Nonwhite--M--	50	3	2	-	-	-	2	1	5	8	7	1	5	2	3	3	3	-	1	1	2	2	-	-	-	-
	F--	30	4	1	1	-	1	1	-	4	-	-	-	5	2	3	3	1	2	1	1	-	-	-	-	-	2
E810-E835	Motor-vehicle accidents--------	544	2	10	8	2	6	12	13	54	50	37	32	38	30	26	37	27	38	36	40	22	14	7	2	-	1
	White-----M--	375	2	1	5	1	5	8	8	36	37	25	21	25	23	22	27	19	26	23	28	12	11	7	2	-	1
	F--	141	-	8	3	1	-	3	4	14	10	10	8	9	6	4	7	7	11	13	11	9	3	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	1	-	3	2	3	1	1	-	2	-	-	-	1	1	-	-	-	-	-
	F--	13	-	1	-	-	1	1	-	4	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	989	66	19	15	8	10	26	29	31	28	45	36	53	67	61	51	47	44	51	54	56	82	57	40	9	4
	White-----M--	646	33	14	7	6	6	19	22	27	25	34	28	48	56	49	41	37	36	37	30	29	30	19	8	3	2
	F--	291	26	3	7	2	4	7	6	3	1	5	4	3	5	7	7	7	7	12	23	26	50	38	32	6	-
	Nonwhite--M--	35	3	2	-	-	-	-	1	1	2	6	4	-	4	2	1	3	-	1	-	1	2	-	-	-	2
	F--	17	4	-	1	-	-	-	-	-	-	-	-	2	2	3	2	-	1	1	1	-	-	-	-	-	-
E963, E970-E979	Suicide----------	410	-	-	-	-	-	-	1	7	10	24	22	44	46	32	51	42	32	33	31	18	12	5	-	-	-
	White-----M--	314	-	-	-	-	-	-	1	3	6	16	15	32	32	24	41	34	25	28	26	15	12	4	-	-	-
	F--	86	-	-	-	-	-	-	-	4	4	7	7	10	11	6	10	8	7	5	4	2	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	74	2	-	2	-	-	1	1	-	9	8	9	8	10	4	7	6	2	4	1	-	-	-	-	-	-
	White-----M--	38	2	-	1	-	-	-	1	-	3	4	3	5	3	2	3	5	2	4	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	1	-	-	2	2	3	1	5	2	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	3	2	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES------	16,635	1,387	102	70	47	35	120	95	189	191	229	280	345	534	748	929	1,086	1,466	1,783	1,944	2,022	1,627	890	346	94	76
	White-----M--	9,065	743	48	42	23	17	73	48	110	111	140	154	190	306	414	518	615	846	1,047	1,056	1,105	818	417	155	45	22
	F--	6,308	543	47	26	22	17	39	41	59	61	58	99	121	169	253	278	342	469	603	777	850	754	440	170	45	25
	Nonwhite--M--	718	59	4	2	1	1	4	6	12	16	22	5	20	36	34	62	73	104	81	60	43	36	18	6	1	12
	F--	544	42	3	-	1	-	4	-	8	3	9	22	14	23	47	71	56	47	52	49	24	19	15	15	3	17
001-019	Tuberculosis, all forms--------	267	3	3	-	-	-	-	1	1	3	7	28	14	28	30	23	26	30	25	19	15	8	2	1	-	-
	White-----M--	152	2	-	-	-	-	-	1	1	2	-	10	11	16	20	14	13	24	15	11	9	4	-	1	-	-
	F--	78	1	3	-	-	-	-	-	-	1	4	13	2	6	8	3	7	5	6	7	6	4	2	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	1	-	-	2	1	1	5	1	3	6	1	3	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	1	4	-	1	1	3	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	251	2	-	-	-	-	-	1	1	3	7	28	13	26	28	21	25	29	25	19	15	7	-	1	-	-
	White-----M--	146	1	-	-	-	-	-	-	-	2	-	10	10	15	19	13	13	23	15	11	9	4	-	1	-	-
	F--	69	1	-	-	-	-	-	-	-	1	4	13	2	5	7	3	6	5	6	7	6	3	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	1	-	-	2	1	1	5	1	3	6	1	3	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	1	4	-	1	1	2	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	16	1	3	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	1	2	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F--	9	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	64	1	-	-	-	-	-	1	-	-	-	1	2	5	9	6	9	7	9	11	1	2	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	-	1	2	6	2	5	6	6	9	1	2	-	-	-	-
	F--	9	1	-	-	-	-	-	1	-	-	-	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	6	3	5	1	-	1	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	12	4	2	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	21	1	2	-	2	2	4	3	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	-	-	1	1	4	2	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	1	2	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	44	8	2	-	-	-	6	1	1	-	1	2	3	3	1	2	-	2	2	1	5	-	2	2	-	-
	White-----M--	23	5	1	-	-	-	4	-	-	-	-	-	1	2	1	1	-	2	-	1	3	-	-	2	-	-
	F--	20	3	1	-	-	-	2	1	1	-	1	1	2	1	-	1	-	-	2	-	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*----	2,176	5	3	4	6	4	13	8	8	15	27	40	56	87	155	186	217	286	307	279	242	152	67	16	3	10
	White------M--	1,030	2	1	3	4	3	8	5	2	6	9	16	19	27	61	76	104	125	161	140	140	81	29	7	-	1
	F--	992	3	1	1	2	1	4	3	5	7	14	22	34	50	79	87	95	118	126	127	97	67	36	8	2	3
	Nonwhite--M--	85	-	1	-	-	-	-	-	1	2	4	1	2	5	6	7	10	16	12	12	1	3	-	-	-	2
	F--	69	-	-	-	-	-	1	-	-	-	-	1	1	5	9	16	8	7	8	-	4	1	2	1	1	4
140-148	Of buccal cavity and pharynx------	42	-	-	-	-	-	-	-	2	-	1	-	-	2	1	1	2	7	8	5	5	4	2	2	-	-
	White------M--	27	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	1	5	7	5	2	1	1	2	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	2	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	747	1	1	1	-	-	-	-	2	-	3	7	10	17	45	48	74	104	114	121	109	59	25	3	1	2
	White------M--	382	1	-	1	-	-	-	-	1	-	1	5	5	8	21	19	44	51	61	63	64	30	7	-	-	-
	F--	323	-	-	-	-	-	-	-	1	-	2	2	4	9	20	20	26	46	47	53	42	29	18	3	-	1
	Nonwhite--M--	28	-	1	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	4	5	1	-	-	-	-	1
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	-	-	-	1	-
160-164	Of respiratory system----------	243	-	-	-	-	-	-	-	-	1	1	1	5	7	20	36	38	32	41	25	16	13	4	2	-	1
	White------M--	177	-	-	-	-	-	-	-	-	-	1	-	5	5	16	32	26	23	32	18	8	8	1	2	-	-
	F--	39	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	6	2	6	5	8	3	3	-	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	7	2	2	-	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
170	Of breast---------	157	-	-	-	-	-	-	-	-	-	-	3	6	17	19	17	17	11	21	16	13	8	7	1	-	1
	White------M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	141	-	-	-	-	-	-	-	-	-	-	3	6	17	16	14	16	9	18	16	13	8	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	420	-	1	-	-	-	1	-	1	6	8	16	22	24	31	36	31	48	45	43	50	38	13	2	1	1
	White------M--	145	-	-	-	-	-	1	-	-	3	2	4	1	2	-	4	2	10	19	19	38	27	10	2	-	3
	F--	241	-	1	-	-	-	-	-	-	3	6	12	20	18	26	26	26	33	24	22	11	9	3	-	1	1
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	2	2	-	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	3	3	-	-	1	1	-	-	-	2
180, 181	Of urinary organs-	87	-	-	1	1	1	-	1	-	-	2	-	-	1	4	6	12	13	17	14	6	3	3	2	-	-
	White------M--	48	-	-	1	1	1	-	-	-	-	-	-	-	1	4	2	9	7	10	6	2	2	2	-	-	-
	F--	33	-	-	-	-	-	-	1	-	-	2	-	-	-	-	2	3	6	4	7	4	1	1	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	280	-	1	-	-	2	5	3	2	3	7	5	7	10	20	31	25	25	34	34	26	22	12	3	1	2
	White------M--	138	-	1	-	-	1	2	2	1	1	3	3	6	6	9	14	10	12	17	17	15	11	7	-	-	-
	F--	123	-	-	-	-	1	2	1	1	1	2	2	-	1	10	16	13	11	14	16	11	11	5	3	1	1
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	1	2	-	1	2	-	-	1	2	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	1
204	Leukemia and aleukemia----------	97	4	-	1	4	1	6	2	1	3	1	3	3	3	6	6	5	10	14	10	12	2	-	-	-	-
	White------M--	52	1	-	1	3	1	4	1	-	1	-	1	1	1	4	2	2	6	7	7	8	1	-	-	-	-
	F--	42	3	-	-	1	-	2	1	1	1	1	1	2	2	2	4	3	4	7	2	4	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	103	-	-	1	1	-	1	2	-	2	4	5	3	6	9	5	13	16	13	11	5	3	1	1	-	1
	White------M--	59	-	-	-	-	-	1	2	-	1	2	3	1	3	5	2	10	11	7	5	3	1	1	1	-	-
	F--	37	-	-	1	1	-	-	-	-	1	-	2	2	3	3	3	1	5	5	6	2	2	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	52	1	-	-	-	-	-	1	2	-	2	1	6	3	9	3	4	2	6	3	5	3	1	-	-	-
	White------M--	22	1	-	-	-	-	-	1	2	-	2	-	1	1	3	2	2	2	4	1	2	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	4	2	3	1	1	-	2	2	3	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	222	1	-	-	-	-	2	1	2	2	6	1	3	4	10	7	20	23	40	45	31	18	5	1	-	-
	White------M--	73	1	-	-	-	-	-	1	2	1	3	1	2	1	2	3	6	5	13	16	8	5	2	1	-	-
	F--	131	-	-	-	-	-	1	-	-	-	2	-	-	1	6	4	11	17	25	26	23	12	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	1	-	3	-	-	-	-	-	-	-
290-293	Anemias----------	48	4	3	-	-	-	-	2	-	2	-	-	-	1	2	2	1	3	5	6	6	5	3	1	1	-
	White------M--	21	1	1	-	-	-	-	1	-	2	-	-	-	1	2	3	1	3	5	6	6	5	3	1	1	-
	F--	23	2	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	4	1	3	3	2	-	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	5	3	2	1	1	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	34	13	2	1	3	2	2	-	-	-	2	1	1	1	-	2	-	-	1	3	-	-	-	-	-	-
	White------M--	15	7	1	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F--	14	5	1	-	2	1	1	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	8,429	6	1	2	-	-	8	14	23	26	26	52	92	186	315	458	557	847	1,095	1,278	1,363	1,125	619	240	59	37
	White------M--	4,577	2	-	1	-	-	3	8	9	14	11	26	52	104	174	270	329	503	650	696	731	561	286	105	32	10
	F--	3,242	2	1	1	-	-	5	6	10	10	9	20	31	61	99	120	168	257	364	507	587	522	307	119	26	10
	Nonwhite--M--	324	2	-	-	-	-	-	-	2	1	2	-	5	12	18	28	28	60	48	34	32	28	14	4	-	6
	F--	286	-	-	-	-	-	-	-	2	1	4	6	4	9	24	40	32	27	33	41	13	14	12	12	1	11
330-334, 400-468	Diseases of cardiovascular system-	8,195	6	1	2	-	-	6	10	21	22	23	48	84	174	302	441	543	824	1,073	1,244	1,333	1,098	608	236	59	37
	White------M--	4,464	2	-	1	-	-	3	5	9	10	11	24	50	98	166	261	324	491	640	679	716	548	282	102	32	10
	F--	3,135	2	1	1	-	-	3	5	8	10	7	18	25	56	95	114	159	247	355	491	573	509	302	118	26	10
	Nonwhite--M--	318	2	-	-	-	-	-	-	2	1	1	-	5	11	18	27	28	59	47	34	31	28	14	4	-	6
	F--	278	-	-	-	-	-	-	-	2	1	4	6	4	9	23	39	32	27	31	40	13	13	10	12	1	11
330-334	Vascular lesions, etc.*----------	1,923	2	-	-	-	-	2	-	4	4	5	11	16	36	60	80	96	154	269	307	359	296	156	51	8	7
	White------M--	900	-	-	-	-	-	1	-	1	2	3	4	9	14	21	29	43	70	136	156	189	134	62	20	4	2
	F--	871	1	-	-	-	-	1	-	1	1	1	5	5	15	32	33	41	62	104	135	163	149	89	26	4	3
	Nonwhite--M--	72	1	-	-	-	-	-	-	1	1	1	-	2	4	2	5	3	13	19	7	5	5	1	2	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	2	-	3	5	13	9	9	10	9	2	8	4	3	-	2
400-402	Rheumatic fever---	25	1	-	-	-	-	2	6	6	1	2	-	2	-	1	-	-	1	1	2	-	-	-	-	-	-
	White------M--	11	-	-	-	-	-	1	3	3	1	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	12	1	-	-	-	-	1	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart-	5,662	2	1	1	-	-	2	4	11	15	12	29	60	128	222	334	417	629	764	870	878	702	374	145	39	23
	White-----M--	3,255	1	-	1	-	-	1	2	5	6	6	17	38	79	137	219	264	407	476	492	475	353	186	64	19	7
	F--	2,021	-	1	-	-	-	1	2	4	9	5	11	16	36	57	72	109	164	240	329	371	325	170	74	19	6
	Nonwhite--M--	225	1	-	-	-	-	-	-	1	-	-	-	3	7	16	22	25	40	27	21	23	20	12	2	-	5
	F--	161	-	-	-	-	-	-	-	1	-	1	1	3	6	12	21	19	18	21	28	9	4	6	5	1	5
410-416	Chronic rheumatic heart disease----	213	-	-	-	-	-	1	4	5	9	3	14	13	14	17	18	18	16	22	13	24	12	5	3	1	1
	White-----M--	104	-	-	-	-	-	-	2	3	2	1	5	8	7	6	8	10	11	12	7	14	4	3	1	-	-
	F--	99	-	-	-	-	-	1	2	1	7	2	8	5	7	8	8	8	4	9	6	9	8	2	2	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,414	-	-	-	-	-	-	1	4	5	11	32	75	135	227	279	436	495	552	508	373	183	70	15	13
	White-----M--	2,184	-	-	-	-	-	-	-	3	3	9	23	61	103	172	205	300	340	342	295	190	85	37	10	6
	F--	1,039	-	-	-	-	-	-	1	1	1	2	4	10	23	32	55	102	130	187	197	169	86	32	5	2
	Nonwhite--M--	121	-	-	-	-	-	-	-	-	-	-	3	3	5	13	12	24	14	12	13	11	8	-	-	3
	F--	70	-	-	-	-	-	-	-	-	-	1	-	2	1	4	10	7	10	11	11	3	3	4	1	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	803	-	1	-	-	-	1	-	-	1	1	1	6	5	14	14	34	59	99	123	147	144	95	44	12	2
	White-----M--	394	-	-	-	-	-	1	-	-	-	-	1	3	2	6	5	12	30	57	62	70	72	52	16	4	1
	F--	365	-	1	-	-	-	-	-	-	1	1	-	3	2	6	7	17	22	35	54	72	71	40	24	8	1
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	4	2	3	1	3	2	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	5	2	-	-	2	-	-
430-434	Other diseases of heart---------	331	2	-	1	-	-	-	-	5	1	3	2	5	7	20	19	23	31	31	41	50	47	24	11	6	2
	White-----M--	185	1	-	1	-	-	-	-	2	1	2	2	2	5	11	12	15	22	16	22	24	25	15	4	3	-
	F--	123	-	-	-	-	-	-	-	2	-	1	-	3	2	5	4	6	7	13	18	24	20	8	6	2	2
	Nonwhite--M--	14	1	-	-	-	-	-	-	1	-	-	-	-	-	3	2	1	2	1	-	1	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	1	1	1	-
440-443	Hypertension with heart dis.--	901	-	-	-	-	-	-	-	-	-	-	1	4	27	36	56	63	87	117	141	149	126	67	17	5	5
	White-----M--	388	-	-	-	-	-	-	-	-	-	-	-	2	4	11	22	22	44	51	59	72	62	31	6	2	-
	F--	395	-	-	-	-	-	-	-	-	-	-	1	1	15	15	21	23	29	53	64	69	57	34	10	3	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	10	8	7	7	6	6	1	-	-	2
	F--	57	-	-	-	-	-	-	-	-	-	-	-	1	4	6	7	8	6	6	11	2	1	1	1	-	3
444-447	Hypertension without mention of heart----------	159	-	-	-	-	-	-	-	-	-	1	3	3	5	9	14	10	21	7	15	24	17	19	6	2	3
	White-----M--	76	-	-	-	-	-	-	-	-	-	1	1	-	3	2	5	8	5	6	5	16	11	9	2	1	1
	F--	60	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	-	12	1	9	7	5	9	4	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	2	1	-	4	4	2	-	-	1	1	-	-	-	-	2
450	General arteriosclerosis--------	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	22	38	59	71	56	32	9	4
	White-----M--	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	15	18	28	40	23	15	7	-
	F--	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	14	27	28	33	13	2	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	-	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	4	-	2
451-468	Other diseases of circulatory sys.-	123	1	-	1	-	-	-	-	-	2	3	5	3	5	10	11	16	13	10	12	13	12	3	2	1	-
	White-----M--	69	1	-	-	-	-	-	-	-	1	1	2	2	2	6	7	6	6	6	7	8	10	2	1	1	-
	F--	44	-	-	1	-	-	-	-	-	-	1	2	1	3	2	4	8	6	4	3	5	2	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	234	-	-	-	-	-	2	4	2	4	3	4	8	12	13	17	14	23	22	34	30	27	11	4	-	-
	White-----M--	113	-	-	-	-	-	-	3	-	4	-	2	2	6	8	9	5	12	10	17	15	13	4	3	-	-
	F--	107	-	-	-	-	-	2	1	2	-	2	2	6	5	4	6	9	10	9	16	14	13	5	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	744	122	29	12	8	1	6	7	4	2	3	6	7	13	13	20	25	33	67	74	96	99	61	24	8	4
	White-----M--	348	47	13	6	4	-	3	2	2	1	1	3	2	11	2	8	12	16	39	40	48	47	27	10	2	2
	F--	330	59	16	5	3	1	3	5	1	1	1	3	4	2	9	3	8	9	22	30	42	50	33	13	5	2
	Nonwhite--M--	43	13	-	1	-	-	-	-	1	-	1	-	-	-	1	2	4	6	4	4	3	1	1	-	1	-
	F--	23	3	-	-	1	-	-	-	-	-	-	-	1	-	1	7	1	2	2	-	3	1	-	1	-	-
480-483	Influenza----------	217	16	5	2	2	-	1	2	2	1	-	1	3	3	4	2	4	12	16	28	37	44	20	8	3	1
	White-----M--	101	6	3	-	2	-	-	1	1	-	-	-	1	3	-	-	2	3	12	14	22	18	9	2	1	1
	F--	103	9	2	1	-	-	1	1	1	1	-	1	2	-	4	1	1	4	4	13	13	26	11	5	2	-
	Nonwhite--M--	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	-
490-493	Pneumonia, etc.*--	527	106	24	10	6	1	5	5	2	1	3	5	4	10	9	18	21	21	51	46	59	55	41	16	5	3
	White-----M--	247	41	10	6	2	-	3	1	1	1	1	3	1	8	2	8	10	13	27	26	26	28	18	8	1	1
	F--	227	50	14	4	3	1	2	4	-	-	1	2	2	2	5	2	7	5	18	17	29	24	22	8	3	2
	Nonwhite--M--	35	12	-	-	-	-	-	-	1	-	1	-	-	-	1	2	3	3	4	3	2	1	1	-	1	-
	F--	18	3	-	-	1	-	-	-	-	-	-	-	1	-	1	6	1	-	2	-	2	1	-	-	-	-
500-502	Bronchitis--------	40	5	5	1	3	1	2	-	-	-	-	-	-	-	1	1	3	2	2	1	4	5	3	1	-	-
	White-----M--	21	2	2	-	2	-	1	-	-	-	-	-	-	-	1	1	2	1	2	1	2	3	1	-	-	-
	F--	16	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	77	-	-	-	1	-	-	-	-	-	-	-	5	6	5	14	4	6	11	10	7	6	1	-	-	1
	White-----M--	53	-	-	-	1	-	-	-	-	-	-	-	2	4	3	11	1	5	10	7	6	3	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-	1	2	1	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	28	-	-	-	1	-	3	1	1	1	2	-	-	1	5	-	2	4	2	3	2	-	-	-	-	-
	White-----M--	20	-	-	-	1	-	3	-	-	-	1	-	-	-	5	-	2	2	2	3	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	79	9	-	1	-	-	1	-	-	-	1	1	2	2	2	4	9	11	7	10	8	3	6	1	1	-
	White-----M--	35	3	-	1	-	-	1	-	-	-	-	1	1	1	1	1	6	3	4	6	2	-	3	-	1	-
	F--	37	5	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	6	2	3	6	3	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543, 571, 572	Gastritis, etc.*--	108	71	4	3	1	-	1	-	-	1	2	-	1	-	-	-	1	3	1	5	6	6	1	1	-	-
	White-----M--	47	27	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	-	1	-	-
	F--	49	33	-	1	1	-	-	-	-	1	1	-	1	-	-	-	1	2	-	1	4	2	1	-	-	-
	Nonwhite--M--	8	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	137	1	-	-	-	-	-	1	2	-	-	1	9	16	15	22	9	21	11	11	8	7	2	-	-	1
	White-----M--	86	-	-	-	-	-	-	1	1	-	-	-	6	14	8	11	5	12	11	8	4	2	2	-	-	1
	F--	42	1	-	-	-	-	-	-	-	-	-	1	3	1	6	9	3	8	-	2	4	4	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	39	1	-	-	-	-	-	1	2	-	2	2	-	-	1	4	5	1	6	6	4	2	2	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	1	-	1	-	-	-	1	3	2	-	2	3	2	1	1	-	-	-
	F--	18	1	-	-	-	-	-	1	1	-	-	2	-	-	-	1	2	-	4	3	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
610	Hyperplasia of prostate---------	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	10	16	10	15	7	5	2	1
	White-----M--	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	10	16	10	14	7	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
640-689	Complications of pregnancy, etc.*-	26	...	...	...	...	...	...	-	5	4	3	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	...	...	...	...	...	...	-	5	4	3	4	2	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	25	...	...	...	...	...	...	-	4	4	3	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	...	...	...	-	4	4	3	4	2	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	268	206	8	9	2	4	6	3	3	2	-	5	1	4	3	2	1	3	-	2	1	2	-	-	-	1
	White-----M--	142	107	4	6	1	2	3	1	3	1	-	2	-	2	2	2	1	2	-	1	-	1	-	-	-	1
	F--	120	94	4	3	1	2	2	2	-	1	-	3	1	2	1	-	-	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	756	756	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	439	439	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	352	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	399	57	6	3	2	1	-	2	-	-	3	-	3	3	9	6	13	16	21	22	37	41	61	44	27	15	7
	White-----M--	228	39	4	2	1	1	-	-	-	1	-	1	1	5	5	6	6	14	14	19	25	31	29	16	6	2
	F--	140	15	2	1	1	-	-	2	-	2	-	1	2	4	1	6	6	2	5	14	13	28	12	10	8	5
	Nonwhite--M--	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	2	1	2	-	-	-
	F--	15	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	1	1	1	1	1	-	-
Residual	All other diseases	845	52	12	9	3	4	14	9	11	15	16	27	28	40	46	53	74	100	85	59	89	53	30	14	-	2
	White-----M--	483	30	7	4	2	1	11	3	7	7	6	13	10	20	30	30	51	63	48	26	61	31	18	4	-	-
	F--	291	18	4	5	1	3	2	5	4	7	7	11	13	14	13	18	16	23	29	30	25	21	12	8	-	2
	Nonwhite--M--	47	3	1	-	-	-	1	1	-	-	-	1	2	4	2	5	4	11	5	2	3	-	-	2	-	-
	F--	24	1	-	-	-	-	-	-	-	1	3	2	3	2	1	-	3	3	3	1	-	1	-	-	-	-
E800-E962	Accidents----------	1,289	47	16	18	12	16	49	38	105	95	101	75	87	76	77	69	77	61	49	51	62	51	34	12	5	6
	White-----M--	859	21	7	12	3	9	29	21	71	68	91	60	65	64	58	49	51	41	34	33	34	21	10	3	1	3
	F--	334	19	7	6	8	7	18	14	25	16	6	13	13	7	14	12	12	15	12	15	26	29	23	9	4	2
	Nonwhite--M--	76	5	1	-	1	-	2	3	8	9	4	1	7	4	3	8	10	4	2	1	1	-	1	-	-	1
	F--	20	2	1	-	-	-	-	-	1	-	-	1	2	1	2	-	4	1	1	2	1	1	-	-	-	-
E810-E835	Motor-vehicle accidents--------	459	3	3	4	2	7	20	11	65	61	48	32	33	24	23	21	27	22	21	14	10	5	1	1	-	1
	White-----M--	323	2	-	3	1	4	12	6	44	40	45	23	26	22	16	15	14	12	14	9	8	4	1	1	-	1
	F--	106	1	3	1	1	3	6	5	16	15	3	8	3	2	5	4	9	8	6	4	2	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	2	-	5	6	-	-	2	-	1	2	2	2	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot./accidents-	830	44	13	14	10	9	29	27	40	34	53	43	54	52	54	48	50	39	28	37	52	46	33	11	5	5
	White-----M--	536	19	7	9	2	5	17	15	27	28	46	37	39	42	42	34	37	29	20	24	26	17	9	2	1	2
	F--	228	18	4	5	7	4	12	9	9	3	3	5	10	5	9	8	3	7	6	11	24	28	23	9	4	2
	Nonwhite--M--	53	5	1	-	1	-	-	3	3	3	4	1	5	4	2	6	8	2	1	1	1	-	1	-	-	1
	F--	13	2	1	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	1	1	1	1	-	-	-	-
E963, E970-E979	Suicide----------	218	-	-	-	-	-	-	2	7	10	16	13	13	22	26	25	19	14	17	14	13	4	-	-	-	3
	White-----M--	171	-	-	-	-	-	-	2	5	4	12	12	10	19	19	17	13	13	15	14	10	4	-	-	-	2
	F--	38	-	-	-	-	-	-	-	1	4	2	1	3	3	7	6	4	1	2	-	3	-	-	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	109	1	-	1	-	-	1	-	8	8	11	12	10	22	14	9	4	2	1	-	2	-	-	-	-	3
	White-----M--	54	-	-	-	-	-	-	-	4	3	3	7	6	12	9	6	2	2	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	2	3	4	2	2	4	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	19	-	-	1	-	-	-	-	-	1	4	-	1	3	3	3	-	-	1	-	1	-	-	-	-	1
	F--	17	1	-	-	-	-	1	-	2	1	-	3	1	3	1	-	1	-	-	-	1	-	-	-	-	2
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES------	34,917	2,079	167	103	83	69	192	158	241	305	299	368	474	791	1,166	1,626	2,340	3,216	4,127	4,576	4,681	3,977	2,589	1,024	240	26
	White-----M--	19,718	1,172	83	50	56	34	119	85	175	215	194	207	260	467	705	1,042	1,494	2,023	2,405	2,544	2,561	2,024	1,219	461	110	13
	F--	14,681	815	74	47	21	31	69	67	64	75	90	145	187	294	425	550	811	1,154	1,683	1,986	2,095	1,937	1,359	560	129	13
	Nonwhite--M--	282	50	5	2	6	3	-	5	1	11	7	12	13	17	15	16	19	24	20	25	15	5	9	2	-	-
	F--	236	42	5	4	-	1	4	1	1	4	8	4	14	13	21	18	16	15	19	21	10	11	2	1	1	-
001-019	Tuberculosis, all forms--------	215	1	2	3	1	-	1	2	1	2	7	9	16	10	18	19	21	15	26	20	23	10	7	1	-	-
	White-----M--	147	1	1	1	-	-	1	1	-	2	3	3	8	7	10	11	19	14	22	17	15	8	3	-	-	-
	F--	55	-	-	2	1	-	-	-	1	-	2	5	7	3	5	6	2	-	4	3	7	2	4	1	-	-
	Nonwhite--M--	9	-	1	-	-	-	-	1	-	-	-	1	-	-	2	2	-	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	197	1	1	2	-	-	1	-	1	2	7	8	14	9	16	18	19	15	25	19	22	9	7	1	-	-
	White-----M--	140	1	1	-	-	-	1	-	-	2	3	3	8	7	9	11	18	14	21	16	14	8	3	-	-	-
	F--	47	-	-	2	-	-	-	-	1	-	2	4	5	2	5	5	1	-	4	3	7	1	4	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	18	-	1	1	1	-	-	2	-	-	-	1	2	1	2	1	2	-	1	1	1	1	-	-	-	-
	White-----M--	7	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	65	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	9	14	14	9	4	6	-	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	11	8	9	3	6	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	6	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	26	11	3	4	-	1	3	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	18	7	2	2	-	1	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	22	2	-	1	1	-	1	4	-	5	3	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	12	1	-	-	-	-	-	1	-	3	2	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	1	-	1	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	4	2	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	4	1	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	84	8	-	2	1	-	2	2	2	5	1	7	2	5	3	3	6	7	7	7	7	4	3	-	-	-
	White-----M--	49	5	-	2	1	-	2	1	1	2	-	4	2	2	1	1	4	5	6	1	6	2	1	-	-	-
	F--	31	3	-	-	-	-	-	1	1	2	-	2	-	3	2	2	2	1	1	6	1	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*----	5,684	5	6	16	11	14	31	20	17	22	42	74	106	195	277	374	550	738	859	837	746	460	233	44	7	-
	White-----M--	2,971	3	4	5	7	4	17	7	10	13	21	30	42	72	104	185	280	391	480	462	408	264	132	26	4	-
	F--	2,657	2	2	11	3	9	14	13	7	9	20	43	62	118	168	184	264	341	371	370	333	193	100	17	3	-
	Nonwhite--M--	27	-	-	-	1	1	-	-	-	-	1	1	1	-	1	1	4	4	4	2	4	-	1	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	5	4	4	2	2	4	3	1	3	-	-	-	-
140-148	Of buccal cavity and pharynx------	105	-	-	-	-	-	-	-	1	-	-	1	1	2	3	5	11	10	16	19	13	8	10	4	1	-
	White-----M--	81	-	-	-	-	-	-	-	1	-	-	1	-	2	3	5	7	10	16	13	6	6	9	3	1	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	-	-	6	7	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	2,451	-	1	-	1	-	-	-	1	1	5	13	33	53	78	115	201	322	410	408	403	259	124	22	1	-
	White-----M--	1,428	-	1	-	-	-	-	-	1	1	4	8	18	26	40	70	121	196	252	238	229	145	65	13	-	-
	F--	1,003	-	-	-	1	-	-	-	-	-	1	5	14	25	37	44	77	124	156	168	171	113	58	8	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	2	-	1	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	2	1	1	-	-	-	-
160-164	Of respiratory system----------	439	-	-	-	-	-	-	-	1	-	-	1	3	13	30	61	66	78	75	50	39	17	5	-	-	-
	White-----M--	355	-	-	-	-	-	-	-	1	-	-	1	3	9	22	54	56	69	57	40	27	12	5	-	-	-
	F--	79	-	-	-	-	-	-	-	-	-	-	-	-	4	8	7	10	6	17	9	12	5	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
170	Of breast---------	529	-	-	-	-	-	1	-	-	-	3	13	16	45	65	49	59	77	58	65	43	16	13	5	1	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	1	-	-	-	-	-	-
	F--	517	-	-	-	-	-	1	-	-	-	3	13	14	43	62	48	57	76	58	64	43	16	13	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	861	-	-	1	-	-	-	1	2	4	8	16	23	26	38	54	65	107	121	139	119	88	39	7	3	-
	White-----M--	359	-	-	-	-	-	-	-	1	3	2	3	1	4	2	5	8	29	47	80	78	59	27	7	3	-
	F--	486	-	-	1	-	-	-	1	1	1	6	13	22	20	33	46	56	78	71	58	40	27	12	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	3	-	2	-	-	-	-	-
180, 181	Of urinary organs-	283	-	1	-	-	3	1	1	-	-	1	-	3	7	11	9	31	44	58	48	36	14	12	3	-	-
	White-----M--	205	-	1	-	-	2	1	1	-	-	-	-	2	7	10	7	22	34	43	33	23	8	9	2	-	-
	F--	78	-	-	-	-	1	-	-	-	-	1	-	1	-	1	2	9	10	15	15	13	6	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	533	2	2	3	5	4	10	7	10	7	7	13	14	28	28	45	65	57	55	62	50	34	21	3	1	-
	White-----M--	264	1	1	-	4	1	7	1	6	3	1	6	9	12	13	25	31	28	27	31	23	19	14	1	-	-
	F--	262	1	1	3	1	2	3	6	4	4	5	6	5	16	15	20	34	28	27	30	26	15	7	2	1	-
	Nonwhite--M--	7	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	245	1	2	12	4	7	15	7	2	8	5	6	5	7	14	11	21	19	33	19	24	16	7	-	-	-
	White-----M--	133	1	1	5	2	1	5	3	1	5	3	4	2	4	9	8	14	9	19	12	12	11	2	-	-	-
	F--	109	-	1	7	1	6	10	4	1	3	2	2	3	3	5	3	6	10	13	7	12	5	5	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	238	2	-	-	1	-	4	4	-	2	13	11	8	14	10	25	31	24	33	27	19	8	2	-	-	-
	White-----M--	138	1	-	-	1	-	4	2	-	1	11	7	6	9	3	11	19	15	19	14	10	4	1	-	-	-
	F--	99	1	-	-	-	-	-	2	-	1	2	4	2	5	7	14	11	9	14	13	9	4	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	103	-	2	-	2	-	4	4	2	2	3	6	7	2	7	5	15	11	11	4	8	3	5	-	-	-
	White-----M--	42	-	1	-	2	-	-	2	1	-	3	2	1	-	1	2	4	7	8	1	3	2	2	-	-	-
	F--	56	-	1	-	-	-	4	2	1	2	-	3	5	2	5	3	11	4	2	3	4	1	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	649	-	-	-	-	-	-	1	5	7	4	12	5	9	19	28	59	79	110	121	97	59	29	4	1	-
	White-----M--	273	-	-	-	-	-	-	-	2	4	3	7	2	9	9	15	21	25	47	53	39	21	12	3	1	-
	F--	368	-	-	-	-	-	-	1	3	3	1	5	1	-	8	11	37	53	63	68	58	38	17	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	108	2	2	-	-	-	-	1	1	1	-	-	-	2	4	1	7	7	11	16	17	24	7	4	-	-
	White-----M--	54	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	5	3	6	10	9	13	3	-	-	-
	F--	52	2	1	-	-	-	-	-	1	1	-	-	-	1	2	1	2	4	5	6	8	11	4	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	41	17	1	5	2	3	1	2	-	-	1	-	1	-	1	-	1	2	1	2	-	-	1	-	-	-
	White-----M--	21	6	1	2	1	3	1	1	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	-	-	-
	F--	16	8	-	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	19,490	6	4	1	3	2	10	16	18	31	36	86	134	280	511	830	1,265	1,818	2,509	3,009	3,183	2,892	1,891	757	179	19
	White-----M--	10,886	4	-	1	-	1	7	7	10	19	18	55	81	190	355	579	867	1,183	1,443	1,639	1,726	1,420	859	334	79	9
	F--	8,404	2	4	-	2	1	3	7	8	11	15	29	42	81	138	238	376	614	1,043	1,333	1,441	1,461	1,024	422	99	10
	Nonwhite--M--	102	-	-	-	1	-	-	2	-	1	1	1	3	8	8	4	11	10	11	20	9	5	7	-	-	-
	F--	98	-	-	-	-	-	-	-	-	-	2	1	8	1	10	9	11	11	12	17	7	6	1	1	1	-
330-334, 400-468	Diseases of cardiovascular system-	19,156	6	4	1	2	2	6	15	13	25	24	71	122	269	497	803	1,240	1,779	2,474	2,978	3,147	2,867	1,870	745	177	19
	White-----M--	10,693	4	-	1	-	1	3	6	6	15	13	47	77	186	349	561	853	1,163	1,422	1,617	1,704	1,405	847	326	78	9
	F--	8,272	2	4	-	2	1	3	7	7	9	8	23	36	74	131	230	365	597	1,029	1,324	1,428	1,451	1,015	418	98	10
	Nonwhite--M--	98	-	-	-	-	-	-	2	-	1	1	-	3	8	8	4	11	9	11	20	8	5	7	-	-	-
	F--	93	-	-	-	-	-	-	-	-	-	2	1	6	1	9	8	11	10	12	17	7	6	1	1	1	-
330-334	Vascular lesions, etc.*----------	4,387	2	-	-	1	-	1	1	2	6	5	15	24	80	82	141	256	348	566	742	796	724	409	150	34	2
	White-----M--	2,083	1	-	-	-	-	1	1	-	3	2	8	11	41	36	63	138	171	265	367	398	341	162	64	10	-
	F--	2,251	1	-	-	1	-	-	-	2	3	2	7	9	37	38	74	111	173	294	370	393	380	245	86	23	2
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	3	2	1	2	3	3	2	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	-	4	-	3	4	4	2	6	3	2	-	-	-	1	-
400-402	Rheumatic fever---	33	-	-	-	-	2	3	11	1	-	1	2	-	-	1	3	2	2	2	1	1	1	-	-	-	-
	White-----M--	12	-	-	-	-	1	1	3	-	-	-	1	-	-	1	1	-	1	1	1	-	1	-	-	-	-
	F--	18	-	-	-	-	1	2	6	1	-	-	1	-	-	-	2	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart-	13,392	4	4	1	1	-	2	3	7	15	13	50	85	178	386	630	941	1,369	1,790	2,068	2,156	1,875	1,215	468	117	14
	White----M--	7,893	3	-	1	-	-	1	2	4	9	8	37	60	139	295	478	690	949	1,081	1,156	1,208	936	565	205	58	8
	F--	5,375	1	4	-	1	-	1	1	3	6	5	12	23	32	84	144	236	405	693	862	938	932	645	262	59	6
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	1	6	2	4	8	7	10	17	5	2	4	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	7	8	6	13	5	5	1	1	-	-
410-416	Chronic rheumatic heart disease----	548	-	-	-	1	-	-	2	3	10	6	16	20	32	46	70	68	59	75	49	53	16	15	7	-	-
	White-----M--	279	-	-	-	-	-	-	1	2	5	2	8	11	19	26	30	41	35	34	24	24	9	6	2	-	-
	F--	263	-	-	-	1	-	-	1	1	5	4	7	9	10	19	40	27	24	41	25	29	7	8	5	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,933	-	2	1	-	-	-	-	2	4	5	27	57	125	283	462	713	1,012	1,323	1,441	1,413	1,082	683	236	60	2
	White-----M--	5,657	-	-	1	-	-	-	-	1	3	4	25	46	107	239	387	549	745	850	847	831	555	332	103	32	-
	F--	3,201	-	2	-	-	-	-	-	1	1	1	2	10	14	40	69	154	260	460	575	577	523	350	132	28	2
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	7	4	9	11	3	-	-	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	4	8	2	4	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,200	-	-	-	-	-	1	1	1	-	-	3	3	3	12	30	60	100	162	297	403	530	355	184	46	9
	White-----M--	1,152	-	-	-	-	-	1	1	-	-	-	1	2	2	7	21	39	66	89	158	214	269	171	82	22	7
	F--	1,032	-	-	-	-	-	-	-	1	-	-	2	1	1	5	9	21	32	70	136	186	259	181	102	24	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
430-434	Other diseases of heart---------	312	4	2	-	-	-	1	-	1	-	2	2	2	4	15	18	15	35	41	43	42	42	30	9	3	1
	White-----M--	174	3	-	-	-	-	-	-	1	-	2	2	-	3	12	12	11	21	21	26	24	18	11	5	2	-
	F--	138	1	2	-	-	-	1	-	-	-	-	-	2	1	3	6	4	14	20	17	18	24	19	4	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,399	-	-	-	-	-	-	-	-	1	-	2	3	14	30	50	85	163	189	238	245	205	132	32	8	2
	White-----M--	631	-	-	-	-	-	-	-	-	1	-	1	1	8	11	28	50	82	87	101	115	85	45	13	2	1
	F--	741	-	-	-	-	-	-	-	-	-	-	1	1	6	17	20	30	75	102	129	128	119	87	19	6	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	4	-	3	2	1	-	-	-	-
444-447	Hypertension without mention of heart----------	266	-	-	-	-	-	-	-	2	-	3	2	5	4	15	13	17	17	34	34	45	35	25	15	-	-
	White-----M--	125	-	-	-	-	-	-	-	1	-	2	1	2	3	10	8	8	11	19	14	12	14	12	8	-	-
	F--	136	-	-	-	-	-	-	-	1	-	-	1	2	1	4	5	9	6	15	18	33	21	13	7	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
450	General arteriosclerosis--------	886	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	17	52	98	130	222	215	111	25	3
	White-----M--	465	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	14	37	58	75	109	105	49	9	1
	F--	419	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	15	40	55	112	109	62	16	2
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	192	-	-	-	-	-	-	-	1	4	2	2	8	7	10	13	17	26	30	35	19	10	6	1	1	-
	White-----M--	115	-	-	-	-	-	-	-	1	3	1	-	4	3	6	9	12	17	19	21	11	4	3	-	1	-
	F--	73	-	-	-	-	-	-	-	-	-	1	2	2	4	3	4	5	9	11	14	8	6	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	334	-	-	-	1	-	4	1	5	6	12	15	12	11	14	27	25	39	35	31	36	25	21	12	2	-
	White-----M--	193	-	-	-	-	-	4	1	4	4	5	8	4	4	6	18	14	20	21	22	22	15	12	8	1	-
	F--	132	-	-	-	-	-	-	-	1	2	7	6	6	7	7	8	11	17	14	9	13	10	9	4	1	-
	Nonwhite--M--	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,026	156	38	11	11	3	7	9	4	8	5	8	12	11	26	24	33	55	69	78	135	139	116	57	11	-
	White-----M--	541	75	18	6	7	2	2	4	3	3	-	4	9	5	15	14	25	41	46	53	61	67	49	26	6	-
	F--	447	64	16	4	3	1	4	4	1	3	5	4	3	6	10	7	7	12	23	23	74	71	66	31	5	-
	Nonwhite--M--	20	7	3	1	1	-	-	1	-	2	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-
	F--	18	10	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	1	-	-	-
480-483	Influenza---------	199	20	5	3	-	-	1	-	-	1	-	5	1	5	3	2	4	4	11	22	32	33	33	14	-	-
	White-----M--	97	10	1	3	-	-	-	-	-	-	-	3	-	-	2	1	4	3	6	15	16	17	9	7	-	-
	F--	98	10	3	-	-	-	1	-	-	1	-	2	1	5	1	1	-	-	5	5	16	16	24	7	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	827	136	33	8	11	3	6	9	4	7	5	3	11	6	23	22	29	51	58	56	103	106	83	43	11	-
	White-----M--	444	65	17	3	7	2	2	4	3	3	-	1	9	5	13	13	21	38	40	38	45	50	40	19	6	-
	F--	349	54	13	4	3	1	3	4	1	2	5	2	2	1	9	6	7	12	18	18	58	55	42	24	5	-
	Nonwhite--M--	17	7	2	1	1	-	-	1	-	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F--	17	10	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	-	-	-
500-502	Bronchitis--------	65	17	4	3	2	1	3	1	1	-	1	1	1	1	-	-	3	4	1	8	6	3	1	3	-	-
	White-----M--	37	7	2	1	2	1	2	1	-	-	-	1	1	1	-	-	3	2	1	6	4	2	-	-	-	-
	F--	26	9	2	1	-	-	1	-	1	-	1	-	-	-	-	-	-	2	-	2	2	1	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	216	-	-	-	-	-	-	1	-	-	1	-	6	5	12	23	25	28	41	20	26	13	13	2	-	-
	White-----M--	172	-	-	-	-	-	-	-	-	-	1	-	4	5	10	20	21	23	32	15	20	10	10	1	-	-
	F--	39	-	-	-	-	-	-	1	-	-	-	-	2	-	2	2	2	4	9	4	6	3	3	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	48	-	-	1	1	2	1	1	-	2	5	-	3	2	1	3	2	7	4	6	4	2	1	-	-	-
	White-----M--	35	-	-	-	-	1	-	-	-	2	4	-	3	2	1	3	2	4	4	4	2	2	1	-	-	-
	F--	13	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	3	-	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	216	20	2	1	1	1	-	2	1	1	2	2	1	8	9	12	19	18	28	29	27	18	10	4	-	-
	White-----M--	130	16	2	1	1	1	-	1	1	-	1	2	1	3	4	5	12	9	19	20	13	11	4	3	-	-
	F--	83	3	-	-	-	-	-	1	-	1	1	-	-	4	5	6	7	9	9	9	14	7	6	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543,	Gastritis, etc.*--	177	57	12	1	-	-	2	1	1	1	1	-	5	2	7	4	9	9	9	10	19	14	9	2	2	-
571,	White-----M--	91	20	8	-	-	-	2	-	1	1	-	-	1	2	5	3	4	7	7	3	11	10	4	2	-	-
572	F--	72	23	4	1	-	-	-	1	-	-	1	-	4	-	2	1	5	2	2	7	8	4	5	-	2	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	296	-	-	-	-	-	-	-	-	-	3	2	10	28	31	32	38	56	41	18	19	12	4	-	2	-
	White-----M--	168	-	-	-	-	-	-	-	-	-	1	2	6	16	19	19	28	35	26	13	13	7	2	-	1	-
	F--	104	-	-	-	-	-	-	-	-	-	2	-	4	11	12	13	10	20	14	5	6	4	2	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	38	-	-	-	1	3	1	2	1	1	3	1	-	1	2	1	4	1	4	3	2	4	2	1	-	-
	White-----M--	20	-	-	-	1	3	-	-	1	1	1	1	-	1	-	-	2	1	2	1	2	2	1	-	-	-
	F--	18	-	-	-	-	-	1	2	-	-	2	-	-	-	2	1	2	-	2	2	-	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	189	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	15	18	28	33	42	28	14	3	1
	White-----M--	187	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	14	17	28	33	42	28	14	3	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	39	...	...	...	...	...	...	-	1	4	7	9	11	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	...	...	...	...	...	...	-	1	4	6	8	11	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	37	...	...	...	...	...	...	-	1	4	6	9	10	7	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	34	...	...	...	...	...	...	-	1	4	5	8	10	6	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	512	370	34	10	6	8	16	10	8	6	3	3	3	5	6	7	4	5	2	2	4	-	-	-	-	-
	White-----M--	285	207	14	8	5	6	10	7	3	3	-	1	1	4	-	6	3	3	1	1	2	-	-	-	-	-
	F--	217	155	19	2	1	2	6	3	4	3	3	2	2	1	6	1	1	2	1	1	2	-	-	-	-	-
	Nonwhite--M--	7	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,265	1,264	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	733	732	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	554	554	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	666	665	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	382	381	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	229	3	2	-	2	1	1	-	-	1	-	2	1	2	3	6	7	7	12	12	17	38	55	40	15	2
795	White-----M--	112	2	2	-	1	-	1	-	-	-	-	1	1	1	1	5	3	4	9	8	9	16	23	14	10	1
	F--	114	1	-	-	1	1	-	-	-	1	-	1	-	1	2	1	4	3	2	4	6	22	32	26	5	1
	Nonwhite--M--	1	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Re-	All other diseases	1,490	66	19	17	10	6	21	11	15	20	22	38	38	70	81	87	109	147	193	179	141	100	69	25	6	-
sid-	White-----M--	807	42	12	5	7	2	9	6	10	10	13	13	16	40	48	44	64	101	107	91	71	48	35	12	1	-
ual	F--	652	23	6	10	3	4	11	4	4	7	8	23	20	27	29	40	43	46	83	87	70	52	34	13	5	-
	Nonwhite--M--	13	-	-	1	-	-	-	1	-	1	-	2	2	-	2	2	-	-	2	-	-	-	-	-	-	-
	F--	18	1	1	1	-	-	1	-	1	2	1	-	3	2	1	2	-	-	1	1	-	-	-	-	-	-
E800-	Accidents----------	2,152	64	31	26	27	23	85	66	149	161	132	81	76	105	98	108	106	125	109	123	149	126	99	65	14	4
E962	White-----M--	1,505	37	13	16	20	8	61	44	121	135	112	64	56	80	80	86	81	98	76	78	98	63	46	25	5	2
	F--	598	23	16	8	5	12	23	21	28	21	16	11	17	18	17	19	25	24	32	45	51	63	52	40	9	2
	Nonwhite--M--	32	3	-	-	2	2	-	-	-	4	3	5	1	6	-	2	-	3	-	-	-	-	1	-	-	-
	F--	17	1	2	2	-	1	1	1	-	1	1	1	2	1	1	1	-	-	1	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	900	7	8	8	14	11	31	18	92	121	83	53	43	58	50	44	44	58	42	46	40	17	11	1	-	-
	White-----M--	669	5	4	6	10	3	20	11	71	103	67	42	27	41	40	31	31	41	30	30	33	16	6	1	-	-
	F--	211	1	4	2	3	8	11	6	21	17	13	9	14	12	9	12	13	16	12	16	7	1	4	-	-	-
	Nonwhite--M--	15	1	-	-	1	-	-	-	-	1	2	2	1	5	-	-	-	1	-	-	-	-	1	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,252	57	23	18	13	12	54	48	57	40	49	28	33	47	48	64	62	67	67	77	109	109	88	64	14	4
E802,	White-----M--	836	32	9	10	10	5	41	33	50	32	45	22	29	39	40	55	50	57	46	48	65	47	40	24	5	2
E840-	F--	387	22	12	6	2	4	12	15	7	4	3	2	3	6	8	7	12	8	20	29	44	62	48	40	9	2
E962	Nonwhite--M--	17	2	-	-	1	2	-	-	-	3	1	3	-	1	-	2	-	2	-	-	-	-	-	-	-	-
	F--	12	1	2	2	-	1	1	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
E963,	Suicide----------	408	-	-	-	-	-	-	2	11	19	13	22	27	35	46	46	39	45	44	32	14	7	5	1	-	-
E970-	White-----M--	318	-	-	-	-	-	-	1	9	14	8	14	19	24	38	35	32	38	35	27	13	7	3	1	-	-
E979	F--	88	-	-	-	-	-	-	1	2	5	5	7	7	11	8	11	7	7	9	5	1	-	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	41	2	1	-	-	-	1	-	-	4	3	2	4	4	2	6	3	2	3	2	-	1	1	-	-	-
E980-	White-----M--	19	1	-	-	-	-	-	-	-	2	2	-	2	1	1	3	1	1	2	1	-	1	1	-	-	-
E985	F--	12	1	1	-	-	-	1	-	-	-	-	2	-	1	-	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	2	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES------	2,349	243	11	8	5	8	18	17	43	29	34	40	51	60	96	129	157	243	263	261	241	209	120	49	10	4
	White-----M--	1,487	132	6	6	3	6	13	10	25	23	23	26	33	36	68	91	109	174	186	166	141	114	65	29	1	1
	F--	800	101	4	1	1	2	5	7	17	5	9	12	13	20	26	35	45	65	68	91	96	92	54	19	9	3
	Nonwhite--M--	30	5	-	1	-	-	-	-	-	-	1	-	2	2	1	2	2	2	3	3	4	1	1	-	-	-
	F--	32	5	1	-	1	-	-	-	1	1	1	2	3	2	1	1	1	2	6	1	-	2	-	1	-	-
001-019	Tuberculosis, all forms--------	13	-	-	1	-	-	1	-	-	-	1	1	-	2	-	-	3	2	1	-	-	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	11	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	3	2	-	-	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

[1]For category numbers, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*----	288	-	-	-	-	1	-	-	4	-	-	1	4	7	15	23	30	38	42	49	32	27	13	2	-	-
	White-----M--	155	-	-	-	-	1	-	-	2	-	-	-	3	3	7	11	16	20	26	22	19	18	6	1	-	-
	F--	132	-	-	-	-	-	-	-	2	-	-	1	1	4	8	12	14	18	15	27	13	9	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	2	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	94	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	8	6	15	18	17	13	5	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	4	11	10	8	10	3	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	2	3	8	9	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system----------	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	5	6	-	1	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	5	5	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	4	8	1	-	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	3	8	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	52	-	-	-	-	-	-	-	-	-	-	-	2	-	5	1	6	7	8	13	5	3	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	5	5	3	1	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	3	6	7	8	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	2	2	1	1	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	1	2	-	1	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	32	-	-	-	-	1	-	-	2	-	-	-	1	2	2	3	2	3	3	1	4	6	2	-	-	-
	White-----M--	18	-	-	-	-	1	-	-	1	-	-	-	1	1	1	2	2	2	1	1	2	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	2	-	2	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	2	1	2	1	1	1	-	-
	White-----M--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	2	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	14	-	-	-	-	-	-	-	1	-	-	-	-	1	2	4	3	2	-	-	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	7	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	43	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	3	9	7	4	10	3	3	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	2	2	1	-	-
	F--	25	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	7	3	2	7	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,107	1	-	-	-	-	2	3	2	3	4	7	12	15	41	61	81	129	156	156	157	149	78	39	8	3
	White-----M--	709	-	-	-	-	-	2	1	-	-	1	3	7	9	34	47	56	97	112	102	89	80	44	23	1	1
	F--	375	1	-	-	-	-	-	2	2	2	2	4	3	5	7	13	23	31	38	52	65	68	33	15	7	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	3	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	-	5	-	-	1	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system-	1,075	1	-	-	-	-	2	2	-	2	4	7	12	15	40	61	79	125	151	152	155	142	77	37	8	3
	White-----M--	695	-	-	-	-	-	2	-	-	-	1	3	7	9	34	47	56	94	110	99	88	78	43	22	1	1
	F--	360	1	-	-	-	-	-	2	-	1	2	4	3	5	6	13	22	30	37	51	64	63	33	14	7	2
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	3	-	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	3	-	-	1	-	1	-	-
330-334	Vascular lesions, etc.*----------	222	-	-	-	-	-	1	-	-	-	-	-	1	1	4	12	9	19	32	35	41	38	20	9	-	-
	White-----M--	133	-	-	-	-	-	1	-	-	-	-	-	1	1	3	9	6	14	20	18	21	21	13	5	-	-
	F--	87	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	12	17	19	16	7	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
400-402	Rheumatic fever---	4	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* For complete category title, see table 53A.

Table 53B. Deaths From 64 Selected Causes,

(By place of residence. Exclusive of fetal deaths

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
410-443	Diseases of heart-	776	1	-	-	-	-	-	1	-	1	4	6	10	12	35	44	67	103	114	103	107	89	47	24	6	2
	White-----M--	522	-	-	-	-	-	-	-	-	-	1	3	6	7	30	35	49	78	85	71	65	49	25	17	1	-
	F--	239	1	-	-	-	-	-	1	-	-	2	3	3	5	5	8	17	24	25	30	40	40	21	7	5	2
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	38	-	-	-	-	-	-	1	-	-	2	4	4	1	4	2	6	-	6	4	2	2	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	1	1	-	4	1	3	-	2	4	1	2	-	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	1	3	2	1	-	1	3	-	4	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	502	-	-	-	-	-	-	-	-	-	1	2	6	6	26	36	51	78	78	63	70	54	17	11	2	1
	White-----M--	377	-	-	-	-	-	-	-	-	-	-	2	5	5	24	31	40	60	65	45	47	36	8	9	-	-
	F--	122	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	10	18	13	18	22	18	9	2	2	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	137	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	10	16	22	17	20	26	9	3	1
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	8	11	12	6	6	16	5	-	-
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	3	8	11	14	10	4	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	28	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	6	5	5	2	3	1	2	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	5	4	2	1	-	1	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	71	-	-	-	-	-	-	-	-	-	1	-	-	3	1	4	3	9	9	9	16	10	3	2	1	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	2	6	9	4	1	2	1	-
	F--	30	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	4	5	3	6	6	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	12	10	3	2	1
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	5	-	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	6	5	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.-	26	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	1	2	3	8	2	1	-	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	8	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	32	-	-	-	-	-	1	2	1	-	-	-	-	1	-	2	4	5	4	2	7	1	2	-	-	-
	White-----M--	14	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	2	3	1	2	1	1	-	-	-
	F--	15	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	1	1	1	1	5	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	83	13	1	-	-	2	1	-	-	1	2	1	2	3	3	4	3	7	5	9	10	5	8	3	-	-
	White-----M--	48	9	1	-	-	-	-	-	-	-	1	-	1	2	2	1	2	5	5	6	8	2	2	1	-	-
	F--	28	3	-	-	-	2	1	-	-	1	1	1	-	1	-	2	1	-	-	3	2	2	6	2	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
480-483	Influenza----------	24	-	1	-	-	1	-	-	-	-	2	-	-	1	1	2	-	2	2	1	3	1	4	3	-	-
	White-----M--	11	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	2	-	1	1	-	-
	F--	12	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	1	1	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	59	13	-	-	-	1	1	-	-	1	-	1	2	2	2	2	3	5	3	8	7	4	4	-	-	-
	White-----M--	37	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	4	3	5	6	2	1	-	-
	F--	16	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	1	-	-	3	1	1	3	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	20	1	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	1	2	4	4	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	4	4	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	7	-	-	-	-	-	2	-	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	19	4	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	3	2	1	1	1	-	-	-	-
	White-----M--	10	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	-	1	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A.

by Age, Race, and Sex: Each State, 1953—Continued

and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543,	Gastritis, etc.*--	10	8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
571,	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
572	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	24	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	4	5	-	4	2	2	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	3	-	4	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	3	...	...	...	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications-------	3	...	...	...	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	3	...	...	...	...	...	...	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations-------	43	35	1	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	16	1	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied-------------	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	24	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	2	5	7	1	-	-
795	White-----M--	18	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	2	2	4	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	120	8	2	-	2	2	1	2	2	1	-	3	1	6	5	6	8	16	20	16	8	3	6	-	2	-
sid-	White-----M--	81	5	-	-	2	2	1	1	-	1	-	2	1	5	3	5	5	14	12	12	6	-	4	-	-	-
ual	F--	35	2	2	-	-	-	-	1	2	-	-	-	-	1	2	1	3	2	7	3	2	3	2	-	2	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents----------	277	11	4	5	1	2	7	7	30	21	16	20	23	17	17	17	14	23	12	6	9	10	3	2	-	-
E962	White-----M--	217	5	3	4	1	2	6	7	20	20	14	16	16	13	14	14	13	20	10	4	7	6	1	1	-	-
	F--	50	6	1	1	-	-	1	-	9	1	2	3	6	3	2	2	1	2	1	1	1	4	2	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	126	3	2	3	1	1	4	2	17	14	11	9	11	9	10	5	6	8	3	2	4	1	-	-	-	-
	White-----M--	96	2	2	3	1	1	3	2	10	13	9	7	7	5	7	3	5	8	2	2	3	1	-	-	-	-
	F--	25	1	-	-	-	-	1	-	7	1	2	1	3	3	2	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	151	8	2	2	-	1	3	5	13	7	5	11	12	8	7	12	8	15	9	4	5	9	3	2	-	-
E802,	White-----M--	121	3	1	1	-	1	3	5	10	7	5	9	9	8	7	11	8	12	8	2	4	5	1	1	-	-
E840-	F--	25	5	1	1	-	-	-	-	2	-	-	2	3	-	-	-	-	2	-	1	1	4	2	1	-	-
E962	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E963,	Suicide----------	48	-	-	-	-	-	-	2	-	4	3	4	6	3	7	5	3	3	5	2	-	-	-	-	-	1
E970-	White-----M--	35	-	-	-	-	-	-	2	-	4	2	2	2	2	5	4	3	2	5	2	-	-	-	-	-	-
E979	F--	12	-	-	-	-	-	-	-	-	-	1	1	4	1	2	1	-	1	-	-	-	-	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	9	1	-	-	-	-	-	-	-	3	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
E980-	White-----M--	6	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E985	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 53A. NOTE.—The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported for these causes.

Table 54. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Smallpox 084	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 086-096, 120-138
1	UNITED STATES------	1,517,541	19,544	17,814	1,730	5,273	52	882	295	156	270	1,325	1,450	1	462	30	32	4,190
2	Alabama----------	26,890	468	423	45	105	1	28	3	10	4	45	25	-	5	-	1	97
3	Arizona----------	8,127	302	266	36	34	-	37	4	-	4	9	20	-	10	-	-	34
4	Arkansas----------	15,383	381	364	17	49	7	26	7	3	10	14	18	-	24	-	-	60
5	California----------	110,005	1,383	1,289	94	397	1	37	12	6	13	110	154	-	25	-	1	272
6	Colorado----------	13,496	196	184	12	39	1	10	3	1	6	13	6	-	13	-	-	59
7	Connecticut----------	20,468	207	192	15	51	-	1	3	-	-	18	16	-	-	-	-	46
8	Delaware----------	3,776	58	55	3	14	-	1	1	-	1	2	3	-	-	1	-	8
9	District of Columbia-------	9,200	155	136	19	53	-	1	-	-	2	18	10	-	1	1	-	17
10	Florida----------	32,218	312	286	26	159	1	18	4	12	4	28	48	-	6	2	-	150
11	Georgia----------	30,993	439	385	54	126	1	41	11	19	6	48	11	-	7	4	3	146
12	Idaho----------	4,918	28	25	3	8	-	1	-	1	-	3	5	-	1	-	-	19
13	Illinois----------	95,129	1,235	1,124	111	242	1	19	14	1	4	59	99	-	17	1	2	209
14	Indiana----------	41,163	404	368	36	134	-	19	4	3	9	34	32	-	12	-	2	134
15	Iowa----------	26,765	126	115	11	80	1	6	8	-	1	19	26	-	10	-	-	59
16	Kansas----------	19,360	100	90	10	73	-	7	4	-	2	14	21	-	10	-	1	47
17	Kentucky----------	27,336	625	570	55	72	3	29	9	3	18	41	23	-	10	-	-	120
18	Louisiana----------	25,408	383	348	35	211	1	27	3	3	9	42	7	-	7	2	1	121
19	Maine----------	9,823	87	76	11	18	-	1	-	-	2	8	10	-	1	-	1	26
20	Maryland----------	23,800	446	412	34	127	1	4	1	-	1	21	18	-	2	3	-	67
21	Massachusetts----------	51,904	547	508	39	93	1	8	4	2	2	24	27	-	2	-	-	110
22	Michigan----------	61,827	596	530	66	203	1	16	10	2	11	69	103	-	16	-	-	133
23	Minnesota----------	29,888	212	194	18	79	2	1	4	1	3	14	66	-	10	-	-	66
24	Mississippi----------	20,333	279	263	16	80	2	52	3	6	14	22	10	-	20	1	-	81
25	Missouri----------	45,689	599	558	41	230	2	16	21	1	4	27	26	-	27	-	2	111
26	Montana----------	6,102	64	49	15	15	-	4	2	3	3	3	13	-	4	-	-	21
27	Nebraska----------	13,335	72	64	8	25	-	1	1	-	2	6	9	-	4	-	-	31
28	Nevada----------	2,086	24	19	5	12	-	5	-	-	1	2	4	-	2	-	1	4
29	New Hampshire----------	6,184	36	34	2	16	-	-	3	-	-	8	6	-	-	-	-	10
30	New Jersey----------	51,567	666	617	49	142	-	8	3	3	4	31	37	-	-	2	-	89
31	New Mexico----------	5,678	125	101	24	17	-	28	3	-	5	6	3	-	13	-	-	22
32	New York----------	164,071	2,148	1,983	165	463	3	13	20	4	11	84	116	-	9	-	1	331
33	North Carolina----------	31,618	442	403	39	76	3	20	16	9	8	31	33	-	19	5	-	94
34	North Dakota----------	5,138	29	23	6	12	-	2	2	1	-	10	10	-	-	1	-	19
35	Ohio----------	85,835	983	876	107	374	2	7	15	4	17	92	94	-	17	-	-	199
36	Oklahoma----------	19,200	247	232	15	79	-	21	6	1	9	9	12	-	16	-	1	70
37	Oregon----------	14,551	108	95	11	42	-	-	8	3	3	5	6	-	3	-	-	35
38	Pennsylvania----------	112,285	1,573	1,428	145	431	2	7	19	6	15	74	56	-	21	-	2	288
39	Rhode Island----------	8,235	87	81	6	24	-	-	2	-	-	8	16	-	-	-	-	16
40	South Carolina----------	18,412	266	239	27	69	2	20	5	16	14	37	13	-	5	2	3	66
41	South Dakota----------	5,790	63	56	7	16	-	1	-	1	2	3	11	-	4	-	-	11
42	Tennessee----------	30,402	708	642	66	103	3	34	9	3	11	33	31	-	15	1	1	127
43	Texas----------	66,404	1,049	948	101	301	8	268	23	15	19	52	65	1	56	3	9	267
44	Utah----------	5,382	35	32	3	11	-	2	1	-	-	9	13	-	1	-	-	17
45	Vermont----------	4,057	41	39	2	2	-	-	-	-	-	3	6	-	2	-	-	7
46	Virginia----------	29,696	499	444	55	167	1	21	5	4	8	44	31	-	3	1	-	84
47	Washington----------	23,499	203	173	30	64	-	4	6	6	1	21	17	-	13	-	-	58
48	West Virginia----------	16,695	275	259	16	63	1	7	6	1	5	26	21	-	5	-	-	47
49	Wisconsin----------	34,862	222	204	18	60	-	3	6	1	1	22	20	-	12	-	-	84
50	Wyoming----------	2,358	13	12	1	12	-	-	1	1	1	4	3	-	2	-	-	1

United States and Each State, 1953

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues	Malignant neoplasm of buccal cavity and pharynx	Malignant neoplasm of digestive organs and peritoneum	Malignant neoplasm of respir-atory system	Malignant neoplasm of breast	Malignant neoplasm of genital organs	Malignant neoplasm of urinary organs	Malignant neoplasm of other and unspeci-fied sites	Leu-kemia and aleu-kemia	Lympho-sarcoma and other neoplasms of lym-phatic and hemato-poietic tissues	Benign neo-plasms and neo-plasms of un-speci-fied nature	Dia-betes mel-litus	Ane-mias	Menin-gitis, except menin-gococ-cal and tuber-culous	Major cardio-vas-cular-renal diseases	Diseases of cardio-vas-cular system	Vas-cular lesions af-fecting central nervous system	
140-205	140-148	150-156A, 157-159	160-164	170	171-179	180,181	156B,165, 190-199	204	200-203, 205	210-239	260	290-293	340	330-334, 400-468, 592-594	330-334, 400-468	330-334	
229,079	5,079	84,444	26,388	20,566	36,241	10,915	25,870	9,918	9,658	5,263	25,798	3,580	2,059	814,662	795,888	169,800	1
3,082	94	963	287	219	681	108	471	154	105	81	341	63	39	13,139	12,618	3,452	2
851	9	279	116	66	147	52	101	49	32	22	78	19	21	3,055	2,964	596	3
1,932	45	652	182	125	404	68	286	108	62	59	189	29	20	7,702	7,356	1,894	4
17,165	411	6,020	2,105	1,657	2,571	883	1,893	816	809	376	1,211	208	167	59,553	58,695	11,666	5
2,020	33	724	237	193	331	101	201	98	102	51	154	23	14	6,479	6,320	1,356	6
3,680	97	1,422	438	394	486	186	387	124	146	90	418	32	23	11,540	11,368	2,224	7
526	8	174	59	52	86	21	63	30	33	14	83	8	8	2,076	2,021	357	8
1,556	33	504	202	153	238	80	164	73	109	52	117	17	24	4,638	4,567	795	9
4,527	102	1,486	566	351	836	232	604	178	172	99	453	86	66	16,598	16,176	3,685	10
3,705	98	1,147	412	318	763	150	517	175	127	114	425	67	70	15,857	15,227	4,609	11
663	7	256	62	47	100	31	94	42	24	21	77	18	6	2,478	2,414	486	12
14,955	352	5,717	1,870	1,408	2,281	769	1,371	609	578	278	1,475	221	109	54,605	53,216	10,050	13
5,898	118	2,217	624	526	1,045	275	636	224	233	128	730	123	46	22,989	22,462	5,257	14
4,233	81	1,595	412	389	661	199	486	215	195	102	423	85	20	15,241	14,938	3,921	15
2,904	72	1,040	267	251	503	140	319	173	139	62	334	66	23	10,357	9,978	2,427	16
3,550	78	1,255	398	317	617	138	464	145	138	75	374	94	55	13,733	13,325	3,131	17
3,545	91	1,162	516	251	570	180	477	154	144	120	429	54	65	12,497	12,117	2,544	18
1,526	22	624	152	127	269	70	151	44	67	33	136	29	16	5,753	5,585	1,252	19
3,566	90	1,233	464	361	570	166	387	139	156	96	449	46	30	13,045	12,764	2,073	20
9,031	238	3,555	986	878	1,213	436	985	369	371	183	929	112	40	29,821	29,368	5,734	21
9,837	194	3,688	1,078	908	1,531	512	1,064	431	431	221	1,409	192	80	32,230	31,522	7,129	22
4,908	85	1,933	418	483	705	274	502	269	239	107	538	86	33	16,164	15,927	3,842	23
2,109	50	689	203	166	487	67	328	71	48	80	251	48	34	9,167	8,762	2,394	24
6,872	162	2,546	784	607	1,106	329	788	280	270	136	695	114	59	24,767	23,983	5,334	25
774	12	289	99	57	129	37	68	48	35	17	89	18	10	3,022	2,958	636	26
2,210	39	855	205	214	358	126	218	103	92	47	280	37	13	7,194	7,046	1,720	27
234	6	87	36	20	28	6	27	13	11	8	26	5	1	922	905	184	28
971	24	389	93	84	164	46	100	30	41	21	115	19	7	3,638	3,576	725	29
8,826	192	3,562	1,196	813	1,213	445	802	282	321	157	1,059	118	39	29,937	29,404	5,177	30
560	14	214	58	51	107	19	77	27	13	21	44	9	14	1,869	1,787	393	31
29,112	618	11,402	3,850	2,802	3,840	1,446	2,813	1,109	1,232	586	3,244	269	195	93,627	92,224	14,683	32
3,554	96	1,077	333	324	737	156	477	206	148	130	432	70	50	16,358	15,817	4,100	33
738	11	312	61	63	123	32	63	39	34	16	93	16	7	2,702	2,653	678	34
13,375	274	5,060	1,525	1,165	2,163	605	1,453	561	569	257	1,947	226	113	46,432	45,582	10,332	35
2,798	63	916	298	225	525	105	421	146	99	53	309	64	31	9,615	9,290	2,425	36
2,201	40	800	240	198	325	90	265	134	109	41	199	33	16	7,914	7,779	1,698	37
17,555	377	6,840	1,983	1,492	2,649	845	1,976	672	721	439	2,625	235	111	63,544	62,089	11,892	38
1,383	30	555	153	140	170	59	164	45	67	34	244	12	7	4,827	4,746	863	39
1,886	40	579	198	167	430	70	249	77	76	58	263	55	33	9,257	8,912	2,502	40
899	13	330	84	81	145	52	107	40	47	18	118	19	9	2,963	2,904	700	41
3,933	116	1,234	415	309	763	160	539	211	186	116	314	56	52	14,686	14,224	3,806	42
8,880	217	2,760	1,105	698	1,435	377	1,421	467	400	291	859	183	121	30,290	29,280	6,951	43
713	14	251	73	64	91	33	95	54	38	21	91	16	7	2,421	2,352	469	44
622	16	244	51	47	115	25	76	21	27	13	72	13	4	2,336	2,289	492	45
3,505	84	1,204	388	274	646	148	449	145	167	90	351	54	53	15,763	15,332	3,833	46
3,626	56	1,338	394	322	564	188	426	179	159	66	378	55	24	12,784	12,585	2,812	47
2,175	47	739	248	156	417	90	287	97	94	51	230	44	30	8,452	8,217	1,935	48
5,628	103	2,435	438	527	853	275	530	234	233	105	653	110	40	19,506	19,176	4,381	49
280	7	91	26	26	50	13	28	10	9	7	43	4	4	1,119	1,088	225	50

Table 54. Deaths From 64 Selected Causes:

(By place of occurrence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES	1,523	570,275	19,587	373,597	73,330	22,612	81,149	12,387	32,351	9,552	18,774	52,238	9,460	42,778	3,073	9,240	2,398
2	Alabama	34	8,239	257	4,258	1,138	618	1,968	360	379	154	521	1,330	393	937	54	104	52
3	Arizona	9	2,124	104	1,398	283	104	235	66	124	45	91	443	45	398	51	38	14
4	Arkansas	9	4,983	153	2,926	478	433	993	139	249	82	346	777	244	533	37	63	28
5	California	78	42,345	1,568	31,024	3,963	766	5,024	684	3,006	916	858	3,163	189	2,974	189	882	111
6	Colorado	38	4,444	251	3,112	500	69	512	85	270	127	159	824	106	718	40	123	22
7	Connecticut	14	8,397	270	6,256	718	124	1,029	146	400	187	172	410	20	390	40	150	24
8	Delaware	2	1,498	40	897	222	45	294	42	86	36	55	114	20	94	3	16	1
9	District of Columbia	12	3,464	109	1,791	706	96	760	80	133	83	71	293	16	277	13	57	18
10	Florida	23	11,372	388	7,563	1,042	821	1,558	304	563	229	422	1,053	236	817	62	213	43
11	Georgia	49	9,484	226	5,160	1,081	732	2,285	408	483	194	630	1,431	427	1,004	55	126	54
12	Idaho	10	1,763	79	1,116	259	81	228	29	99	27	64	162	45	117	7	31	8
13	Illinois	59	40,253	1,224	25,181	7,288	1,765	4,795	808	1,611	435	1,389	3,330	283	3,047	189	604	161
14	Indiana	42	15,427	540	9,738	2,041	691	2,417	384	1,181	191	527	1,401	310	1,091	74	198	83
15	Iowa	36	9,878	313	6,795	1,301	405	1,064	233	711	159	303	957	285	672	48	168	42
16	Kansas	13	6,714	229	4,371	950	288	876	193	488	143	379	709	235	474	32	108	24
17	Kentucky	36	9,187	303	5,127	1,126	759	1,872	236	587	148	408	1,373	349	1,024	69	135	39
18	Louisiana	18	8,761	165	5,281	909	515	1,891	252	383	159	380	1,126	261	865	65	115	37
19	Maine	1	3,902	129	2,645	550	113	465	103	270	57	168	276	42	234	16	56	17
20	Maryland	35	9,821	273	5,047	2,085	206	2,210	202	479	154	281	687	78	609	60	125	29
21	Massachusetts	36	21,605	800	15,653	2,180	519	2,453	333	1,297	363	453	1,290	46	1,244	97	413	86
22	Michigan	63	22,266	835	15,044	2,650	942	2,795	400	1,279	385	708	1,785	242	1,543	123	417	120
23	Minnesota	33	10,834	433	7,605	1,161	313	1,322	248	741	229	237	1,056	208	848	65	174	51
24	Mississippi	32	5,751	166	2,793	843	449	1,500	254	235	96	405	919	342	577	38	62	35
25	Missouri	49	16,870	590	10,104	2,928	714	2,534	381	1,054	295	784	1,909	484	1,425	88	250	92
26	Montana	5	2,099	79	1,315	333	205	167	36	146	36	64	244	52	192	13	42	12
27	Nebraska	12	4,801	162	3,030	737	300	572	91	329	93	148	515	119	396	26	96	31
28	Nevada	3	679	19	468	88	44	60	11	18	10	17	47	8	39	3	17	7
29	New Hampshire	2	2,562	82	1,845	234	83	318	47	205	35	62	161	15	146	15	44	11
30	New Jersey	39	22,602	743	14,532	4,200	441	2,686	357	953	276	533	1,220	50	1,170	96	381	94
31	New Mexico	11	1,266	78	770	158	111	149	28	54	35	82	302	71	231	21	24	24
32	New York	126	72,416	2,509	53,678	6,842	696	8,691	1,119	3,063	817	1,403	4,646	241	4,405	329	1,233	284
33	North Carolina	60	10,679	322	5,758	1,209	925	2,465	319	458	201	541	1,535	351	1,184	59	148	39
34	North Dakota	14	1,744	66	1,155	192	114	217	39	138	40	49	181	50	131	8	27	12
35	Ohio	78	31,345	1,179	20,532	4,256	1,135	4,243	739	2,537	551	850	2,619	532	2,087	205	523	128
36	Oklahoma	18	6,168	149	4,073	627	555	764	189	384	106	325	814	248	566	27	98	41
37	Oregon	12	5,470	229	3,766	364	276	835	68	396	135	135	443	45	398	49	74	21
38	Pennsylvania	146	45,697	1,818	29,126	6,921	1,472	6,360	838	2,822	694	1,455	3,109	460	2,649	197	636	157
39	Rhode Island	4	3,598	99	2,670	308	54	467	70	165	46	81	138	4	134	25	64	10
40	South Carolina	28	5,712	144	3,077	690	335	1,466	196	382	92	345	895	275	620	35	74	20
41	South Dakota	7	1,988	71	1,356	263	92	206	41	135	33	59	206	48	158	8	24	10
42	Tennessee	39	9,447	314	5,118	1,379	688	1,948	316	429	187	462	1,340	414	926	60	148	43
43	Texas	54	20,228	461	13,099	2,055	1,906	2,707	565	1,050	432	1,010	2,902	716	2,186	157	280	100
44	Utah	17	1,702	127	998	249	77	251	24	80	60	69	143	19	124	16	36	15
45	Vermont	3	1,613	62	1,100	256	42	153	35	115	31	47	101	10	91	8	29	5
46	Virginia	31	10,286	337	5,990	1,526	429	2,004	304	651	227	431	1,234	311	923	44	143	34
47	Washington	26	8,892	303	6,337	903	395	954	149	527	179	199	766	73	693	38	162	26
48	West Virginia	24	5,671	206	3,431	788	337	909	156	299	130	235	746	218	528	45	77	27
49	Wisconsin	30	13,436	545	8,975	2,211	302	1,403	268	874	187	330	1,027	199	828	67	214	48
50	Wyoming	3	792	38	513	137	30	74	10	33	25	31	86	25	61	7	18	8

NOTE.—The list of 64 selected causes includes Cholera (043) and Plague (058). There were no deaths reported from these causes.

United States and Each State, 1953—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
8,727	8,510	16,399	2,789	6,173	2,385	294	2,091	20,012	63,444	28,263	4,187	30,994	21,693	67,406	95,032	37,955	57,077	15,947	7,640	34	1
128	175	137	74	122	112	8	104	357	1,603	626	124	853	1,370	1,230	1,913	849	1,064	228	364	-	2
54	220	79	14	28	16	-	16	147	573	198	68	307	249	601	910	411	499	136	54	-	3
84	122	107	49	89	39	5	34	187	628	212	56	360	533	675	1,183	456	727	130	122	-	4
543	521	2,165	128	356	127	28	99	1,506	4,557	2,455	247	1,855	339	4,849	7,101	3,475	3,626	1,888	486	3	5
86	125	141	19	58	19	3	16	232	765	387	49	329	66	699	914	360	554	206	68	1	6
107	72	342	19	61	16	1	15	266	655	369	21	265	68	884	979	299	680	218	31	1	7
20	13	55	10	8	6	1	5	53	156	65	17	74	15	158	283	116	167	42	19	-	8
87	37	195	20	25	14	3	11	142	552	317	23	212	11	418	487	109	378	87	81	1	9
208	202	357	76	134	62	6	56	336	1,499	646	75	778	801	1,541	2,345	966	1,379	359	354	-	10
158	243	187	126	138	119	17	102	418	1,728	683	170	875	613	1,514	2,239	952	1,287	278	465	1	11
35	13	22	8	19	8	1	7	69	255	98	7	150	72	241	533	205	328	80	26	-	12
530	405	1,119	186	429	80	3	77	1,051	3,160	1,897	215	1,048	567	3,361	5,087	2,082	3,005	927	415	2	13
219	225	410	76	203	40	2	38	562	1,597	590	110	897	212	1,729	2,876	1,318	1,558	429	128	-	14
160	78	143	64	122	26	3	23	314	856	422	40	394	142	1,248	1,661	603	1,058	270	25	1	15
134	91	109	46	106	23	1	22	303	716	346	51	319	288	990	1,344	590	754	262	49	1	16
126	224	206	58	103	63	6	57	402	1,266	528	130	608	448	1,333	2,183	914	1,269	264	210	-	17
169	201	222	69	81	68	8	60	409	1,611	624	163	824	368	1,172	1,774	705	1,069	172	222	-	18
51	33	64	17	38	9	-	9	124	331	161	21	149	69	407	536	190	346	118	14	-	19
136	89	298	55	60	23	6	17	371	1,030	461	68	501	79	1,040	1,411	516	895	243	141	-	20
340	187	700	76	191	37	3	34	607	1,448	585	68	795	247	2,287	2,580	538	2,042	336	45	1	21
360	300	712	120	238	81	14	67	949	2,798	1,243	144	1,411	616	2,874	4,268	1,928	2,340	709	228	-	22
178	105	239	32	129	21	2	19	523	1,146	492	49	605	190	1,499	1,829	665	1,164	295	41	1	23
117	207	109	67	94	118	6	112	235	1,227	453	98	676	2,232	802	1,484	553	931	112	216	-	24
286	218	450	95	219	56	7	49	514	1,593	680	116	797	677	2,077	2,792	1,051	1,741	446	218	-	25
37	25	48	13	20	3	-	3	69	277	119	16	142	233	279	605	253	352	99	21	-	26
80	49	74	28	80	20	2	18	168	492	214	17	261	94	587	888	349	539	148	27	-	27
11	10	34	3	15	2	-	2	20	105	60	1	44	69	101	314	161	153	62	15	-	28
45	24	67	7	28	5	-	5	94	150	83	5	62	27	276	311	101	210	65	4	-	29
305	177	702	78	248	51	5	46	557	1,597	750	91	756	140	2,007	2,204	816	1,388	453	135	1	30
39	192	54	12	23	23	5	18	111	490	146	37	307	474	293	728	427	301	75	33	1	31
904	569	2,326	179	588	172	36	136	1,783	5,057	2,354	310	2,393	847	6,103	7,089	2,233	4,856	1,290	432	4	32
158	279	196	79	95	110	16	94	472	1,986	722	150	1,114	690	1,437	2,501	1,184	1,317	319	365	-	33
34	25	33	1	22	8	-	8	102	262	131	17	114	62	242	404	169	235	50	7	-	34
533	355	956	152	396	98	7	91	1,134	3,361	1,623	194	1,544	783	4,054	5,085	2,094	2,991	960	337	2	35
115	79	123	35	109	33	3	30	241	840	382	47	411	613	1,018	1,374	534	840	182	115	2	36
76	41	109	10	50	16	1	15	220	549	276	26	247	227	650	1,093	423	670	262	46	-	37
737	404	1,208	200	394	131	23	108	1,326	3,818	1,679	238	1,901	725	5,348	5,598	1,780	3,818	995	294	5	38
36	26	95	11	31	7	1	6	107	270	97	11	162	21	338	324	75	249	67	5	-	39
76	195	100	52	75	72	6	66	214	1,202	452	110	640	753	710	1,528	739	789	127	214	-	40
32	24	32	11	43	9	-	9	88	250	121	15	114	90	288	471	186	285	60	6	-	41
168	161	196	82	134	69	11	58	447	1,421	555	94	772	1,987	1,405	2,012	886	1,126	222	268	3	42
378	1,148	565	158	257	202	26	176	1,064	4,214	1,536	374	2,304	2,015	3,239	5,497	2,417	3,080	715	752	1	43
38	20	35	8	17	6	2	4	109	350	162	11	177	341	301	511	226	285	60	18	-	44
21	21	24	5	15	3	-	3	34	143	74	6	63	36	193	247	77	170	50	1	-	45
178	206	196	79	121	71	7	64	446	1,699	755	136	808	334	1,399	2,184	909	1,275	364	279	1	46
117	88	198	19	91	20	6	14	333	973	461	39	473	208	1,081	1,568	536	1,032	405	79	1	47
73	105	139	42	77	28	1	27	262	778	354	59	365	404	835	1,290	457	833	217	111	-	48
205	172	298	36	186	40	2	38	501	1,259	552	44	663	226	1,485	2,167	906	1,261	416	42	-	49
15	9	23	5	7	3	-	3	33	151	67	9	75	22	108	327	166	161	49	12	-	50

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
1	UNITED STATES	1,517,541	19,544	5,273	1,450	7,685	229,079	84,444	26,388	118,247	25,796	814,662	795,888	169,800	1,523	570,275	19,587
2	Metropolitan counties	886,219	12,405	3,348	784	3,513	143,627	53,286	17,961	72,380	15,766	481,054	471,765	91,665	839	348,508	12,717
3	Nonmetropolitan counties	631,322	7,139	1,925	666	4,182	85,452	31,158	8,427	45,867	10,030	333,608	324,123	78,135	684	221,767	6,870
4	ALABAMA	27,116	482	107	25	190	3,149	978	302	1,869	337	13,195	12,664	3,470	35	8,259	260
5	Metropolitan counties	9,802	210	46	13	52	1,231	376	147	708	114	4,858	4,698	1,151	11	3,170	87
6	Nonmetropolitan counties	17,314	272	61	12	138	1,918	602	155	1,161	223	8,337	7,966	2,319	24	5,089	173
7	Autauga	174	3	1	-	2	11	9	-	2	1	75	74	20	-	45	1
8	Baldwin	367	4	2	-	4	42	13	4	25	9	164	182	49	1	116	1
9	Barbour	291	3	1	1	1	26	10	2	14	5	144	142	38	-	95	2
10	Bibb	172	1	1	1	1	16	4	2	10	4	90	88	28	2	56	2
11	Blount	191	3	-	-	-	23	6	2	15	1	105	102	25	-	66	7
12	Bullock	178	3	1	1	3	15	7	-	8	2	85	84	18	-	64	2
13	Butler	280	3	1	-	-	24	9	3	12	4	147	143	35	-	93	2
14	Calhoun	685	18	2	1	5	93	27	9	57	8	321	310	101	1	190	8
15	Anniston	306	6	2	1	3	43	10	5	28	5	141	137	42	1	87	5
16	Balance of county	379	12	-	-	2	50	17	4	29	3	180	173	59	-	103	3
17	Chambers	358	-	-	1	1	44	14	1	29	6	197	192	59	-	124	6
18	Cherokee	118	1	1	-	-	15	6	-	9	1	61	56	22	-	29	-
19	Chilton	236	-	1	-	2	42	14	2	26	3	113	113	33	1	77	1
20	Choctaw	164	4	-	-	3	13	6	-	7	1	76	76	27	1	40	11
21	Clarke	230	1	-	1	1	32	8	1	23	3	105	103	23	-	74	1
22	Clay	151	2	1	-	-	17	4	-	13	3	75	71	17	-	51	3
23	Cleburne	98	2	-	-	-	12	4	-	8	1	54	52	10	-	38	1
24	Coffee	197	1	3	-	3	12	3	-	9	-	98	93	35	-	54	5
25	Colbert	379	6	-	-	3	41	17	3	21	3	158	150	38	-	105	5
26	Sheffield	128	2	-	-	1	20	8	2	10	1	39	38	7	-	27	-
27	Balance of county	251	4	-	-	2	21	9	1	11	2	119	112	31	-	78	5
28	Conecuh	197	2	-	-	2	16	6	-	10	2	109	104	26	1	60	1
29	Coosa	107	1	-	-	-	17	8	-	9	3	52	51	7	-	40	2
30	Covington	310	-	-	-	3	38	10	6	22	6	157	152	37	1	104	3
31	Crenshaw	167	1	-	-	2	18	8	3	7	1	91	88	27	-	58	3
32	Cullman	340	5	-	-	2	48	17	5	26	5	187	178	53	1	111	12
33	Dale	183	2	-	-	1	20	9	-	11	3	91	86	24	-	58	3
34	Dallas	715	17	6	-	2	64	20	7	37	10	329	306	97	-	186	6
35	Selma	321	10	6	-	-	44	16	4	24	4	153	148	52	-	89	2
36	Balance of county	394	7	-	-	2	20	4	3	13	6	176	158	45	-	97	4
37	De Kalb	313	2	1	-	4	37	11	1	25	9	158	151	41	1	95	3
38	Elmore	258	3	1	-	2	29	11	2	16	3	122	118	35	-	78	1
39	Escambia	263	1	2	-	6	38	11	3	24	5	110	102	28	-	69	1
40	Etowah	688	14	-	1	2	98	34	10	54	5	293	286	55	2	208	2
41	Gadsden	385	10	-	-	-	42	12	7	23	3	173	170	34	-	123	1
42	Balance of county	303	4	-	1	2	56	22	3	31	2	120	116	21	2	85	1
43	Fayette	153	1	-	-	1	26	4	1	21	-	87	85	22	-	56	-
44	Franklin	220	4	-	-	3	25	8	4	13	2	107	101	34	-	56	4
45	Geneva	198	1	-	-	1	20	2	3	15	2	112	108	36	-	67	2
46	Greene	207	6	-	-	2	15	9	1	5	2	91	88	36	-	44	1
47	Hale	255	7	-	-	1	16	3	3	10	3	131	127	38	-	84	2
48	Henry	171	4	-	-	2	11	4	-	7	1	87	82	28	-	50	-
49	Houston	414	1	3	-	1	38	9	5	24	7	210	201	75	-	117	3
50	Dothan	205	-	3	-	-	18	4	2	12	1	108	104	38	-	63	-
51	Balance of county	209	1	-	-	1	20	5	3	12	6	102	97	37	-	54	3
52	Jackson	291	10	-	-	2	36	7	4	25	3	138	135	48	-	75	1
53	Jefferson	5,232	125	29	5	21	678	198	77	403	74	2,601	2,525	624	5	1,678	54
54	Birmingham	3,177	67	19	4	14	430	125	51	254	39	1,551	1,503	366	4	1,016	35
55	Bessemer	344	15	3	-	4	29	6	4	19	6	176	171	38	-	113	4
56	Fairfield	130	2	1	-	-	16	6	2	8	-	74	73	19	-	47	1
57	Homewood	99	1	-	-	-	19	6	4	9	1	47	46	16	-	25	-
58	Balance of county	1,482	40	6	1	3	184	55	16	113	28	753	732	185	1	477	14
59	Lamar	123	1	-	-	4	14	2	3	9	2	52	51	14	1	32	-
60	Lauderdale	380	8	-	-	6	47	14	3	30	5	185	175	35	1	125	7
61	Florence	178	5	-	-	2	18	-	3	15	2	105	101	21	1	71	3
62	Balance of county	202	3	-	-	4	29	14	-	15	3	80	74	14	-	54	4
63	Lawrence	179	6	1	-	2	20	8	-	12	3	77	75	28	-	42	1
64	Lee	333	4	3	1	2	27	6	2	19	4	180	172	40	3	117	2
65	Auburn	60	-	-	-	-	8	1	-	7	-	36	34	11	-	20	1
66	Opelika	107	4	2	1	1	6	-	1	5	-	58	54	4	1	43	1
67	Balance of county	166	-	1	-	1	13	5	1	7	4	86	84	25	2	54	-
68	Limestone	286	6	1	-	-	33	10	2	21	7	127	121	23	1	85	2
69	Lowndes	149	1	1	-	1	12	5	1	6	2	52	50	17	-	28	7
70	Macon	271	8	1	2	2	24	2	2	20	2	155	147	64	2	74	2
71	Madison	704	17	2	-	7	63	19	7	37	9	339	326	88	1	215	9
72	Huntsville	303	8	-	-	4	30	11	5	14	4	141	137	41	-	87	3
73	Balance of county	401	9	2	-	3	33	8	2	23	5	198	189	47	1	128	6
74	Marengo	355	1	3	-	2	28	6	4	18	-	183	171	74	-	88	2
75	Marion	168	6	-	-	3	19	5	2	12	2	81	76	17	-	57	1
76	Marshall	370	7	2	-	1	49	15	2	32	8	156	143	28	-	111	3
77	Mobile	2,012	48	7	1	20	266	88	40	138	12	1,030	985	190	-	737	22
78	Mobile	1,234	27	5	1	9	172	54	27	91	6	661	631	123	-	472	9
79	Prichard	218	11	1	-	2	28	5	3	20	2	98	91	21	-	64	4
80	Balance of county	560	10	1	-	9	66	29	10	27	4	271	263	46	-	201	9
81	Monroe	219	1	2	-	1	18	4	-	14	2	107	104	35	-	68	-
82	Montgomery	1,430	18	9	6	7	154	45	15	94	17	741	715	216	3	441	8
83	Montgomery	1,120	12	8	5	7	126	38	12	76	13	602	583	180	1	362	5
84	Balance of county	310	6	1	1	-	28	7	3	18	4	139	132	36	2	79	3
85	Morgan	450	13	2	1	3	71	23	5	43	6	223	212	71	1	126	4
86	Decatur	203	3	-	1	1	28	7	4	17	5	111	108	42	-	58	2
87	Balance of county	247	10	2	-	2	43	16	1	26	1	112	104	29	1	68	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
373,597	81,149	95,942	12,387	32,351	9,552	18,774	52,238	9,240	8,510	16,399	2,789	2,385	20,012	63,444	21,693	37,955	57,077	15,947	7,640	98,713	1
236,637	47,779	51,375	6,844	18,161	5,748	9,289	27,160	6,019	4,013	12,212	1,355	1,074	11,721	35,965	8,264	18,110	29,995	9,072	4,500	56,262	2
136,960	33,370	44,567	5,543	14,149	3,804	9,485	25,078	3,221	4,497	4,187	1,434	1,311	8,291	27,479	13,429	19,845	27,082	6,875	3,140	42,451	3
4,271	1,964	1,764	365	377	158	531	1,343	107	177	146	76	116	362	1,613	1,368	870	1,064	228	376	1,785	4
1,748	728	607	142	163	61	160	391	38	44	72	25	30	142	656	325	270	323	88	189	685	5
2,523	1,236	1,157	223	214	97	371	952	69	133	74	51	86	220	957	1,043	600	741	140	187	1,100	6
28	8	8	4	5	-	1	19	1	1	1	1	-	2	7	20	4	8	-	3	14	7
58	22	35	3	9	4	2	20	2	1	-	-	4	8	21	18	16	6	1	5	20	8
52	33	8	3	4	2	2	28	-	2	1	-	1	3	11	24	11	12	-	3	14	9
32	18	4	-	1	1	2	10	1	5	1	1	1	1	17	3	5	7	-	-	6	10
27	16	16	3	5	3	3	12	-	-	2	1	-	4	9	4	9	5	1	1	11	11
28	17	17	-	2	-	1	6	-	1	1	1	1	3	6	27	5	8	1	-	8	12
41	33	17	10	5	-	4	18	-	4	3	2	2	-	9	21	12	5	3	1	21	13
89	26	67	5	8	5	11	24	4	6	3	2	1	12	50	36	17	20	14	9	39	14
34	12	36	4	2	1	4	10	1	5	1	2	-	3	15	18	9	6	5	5	25	15
55	14	31	1	6	4	7	14	3	1	2	-	1	9	35	18	8	14	9	4	14	16
69	33	16	4	3	2	5	9	3	2	5	-	2	10	22	10	10	13	4	3	16	17
12	5	12	2	2	1	5	10	-	-	-	1	-	-	3	12	4	4	1	-	4	18
49	12	15	1	-	1	-	12	2	-	1	-	-	3	15	7	6	9	6	1	13	19
17	7	5	5	3	-	-	11	1	1	1	2	2	1	6	20	3	10	-	3	6	20
27	31	15	2	3	1	2	13	2	-	-	2	2	1	10	20	10	11	-	1	15	21
35	6	7	2	-	1	4	6	1	-	-	1	-	4	6	6	1	14	1	3	10	22
28	4	5	1	3	-	2	4	1	-	-	-	-	3	3	1	3	6	3	-	5	23
27	11	11	2	1	1	5	15	1	2	2	-	-	1	13	8	16	6	1	1	14	24
48	27	25	3	4	-	8	21	2	2	6	4	-	7	29	20	13	27	3	5	29	25
10	6	11	2	2	-	1	6	-	1	4	1	-	3	11	5	3	10	-	5	16	26
38	21	14	1	2	-	7	15	2	1	2	3	-	4	18	15	10	17	3	-	13	27
27	16	16	5	10	2	5	6	1	1	-	2	-	-	5	17	6	9	1	3	15	28
20	11	7	1	1	2	1	2	-	1	-	-	-	3	2	3	8	8	1	2	4	29
55	33	13	5	3	2	5	10	-	1	-	-	2	-	17	23	7	20	6	-	20	30
22	11	22	2	-	1	3	11	-	-	1	-	-	1	7	9	6	7	1	2	9	31
47	21	31	5	5	3	9	20	1	-	2	2	-	8	14	5	10	9	4	2	16	32
28	11	16	2	1	1	5	10	-	-	-	-	1	1	14	5	16	7	2	1	9	33
77	50	53	7	9	7	23	33	5	8	2	1	2	3	48	88	25	26	4	6	36	34
35	22	30	1	3	3	5	13	2	3	1	-	1	-	21	19	13	10	3	2	16	35
42	28	23	6	6	4	18	20	3	5	1	1	1	3	27	69	12	16	1	4	20	36
42	21	29	5	7	2	7	11	1	3	1	1	-	5	23	14	14	7	5	-	17	37
35	22	20	-	4	1	4	13	2	2	1	1	3	5	13	20	4	13	1	3	17	38
29	34	5	-	2	3	8	17	4	2	1	2	2	2	19	2	9	12	1	4	24	39
120	37	49	10	9	2	7	29	-	4	5	1	3	9	47	42	28	34	6	9	58	40
78	17	27	7	5	1	3	16	-	2	2	1	2	6	25	25	15	19	4	5	35	41
42	20	22	3	4	1	4	13	-	2	3	-	1	3	22	17	13	15	2	4	23	42
32	5	19	1	5	1	2	6	-	1	-	1	-	-	10	2	3	-	3	3	9	43
32	5	15	3	4	4	6	13	1	1	-	1	1	7	9	12	9	9	1	1	14	44
48	12	5	4	-	1	4	9	-	1	2	-	1	2	10	5	10	9	-	3	10	45
23	7	13	2	5	1	3	12	-	1	1	-	-	1	3	50	3	5	-	2	13	46
25	18	39	1	3	1	4	7	2	1	1	-	3	2	8	37	10	7	1	2	16	47
27	6	17	3	1	-	5	9	1	2	1	-	6	2	15	8	6	7	2	-	7	48
50	17	47	4	3	2	9	19	-	3	3	-	3	6	31	12	12	17	3	8	37	49
28	9	26	1	1	1	4	11	-	1	1	-	1	3	18	5	3	6	-	5	21	50
22	8	21	3	2	1	5	8	-	2	2	-	2	3	13	7	9	11	3	3	16	51
45	12	17	6	5	1	3	23	3	2	-	1	1	1	14	17	13	9	1	2	15	52
881	365	378	84	93	41	76	201	26	22	30	6	11	75	336	183	135	159	58	110	347	53
534	234	213	37	57	23	48	123	16	10	25	5	4	40	215	133	69	90	39	77	207	54
64	23	22	12	7	1	5	17	1	3	-	1	1	4	17	5	14	10	1	6	31	55
28	9	9	4	-	3	1	7	-	-	1	-	-	-	13	3	2	3	-	1	7	56
17	3	5	2	2	1	1	2	-	-	2	-	1	5	8	3	1	1	1	1	6	57
238	96	129	29	27	13	21	52	9	9	2	-	5	26	83	39	49	55	17	25	96	58
15	6	11	-	2	2	1	6	-	1	-	1	1	2	8	4	3	7	-	2	15	59
60	41	17	8	3	3	10	15	1	3	2	-	1	7	26	12	7	21	4	1	29	60
33	26	9	4	2	2	4	1	-	1	1	-	-	6	12	4	3	9	2	1	6	61
27	15	8	4	1	1	6	14	1	2	1	-	1	1	14	8	4	12	2	-	23	62
18	16	7	2	2	1	2	13	1	1	1	-	2	1	6	10	10	9	2	3	11	63
65	36	14	7	4	1	8	17	1	5	-	1	-	4	24	17	8	14	3	2	16	64
9	9	1	-	2	1	2	1	-	-	-	-	-	1	4	2	-	3	-	-	5	65
23	13	6	4	2	-	4	6	1	-	-	-	-	2	8	5	2	2	1	2	6	66
33	14	7	3	-	-	2	10	-	5	-	1	-	1	12	10	6	9	2	-	5	67
30	25	28	8	3	1	6	18	1	2	-	-	1	2	14	15	11	16	4	4	24	68
12	3	6	4	1	-	2	9	1	2	-	-	4	-	6	37	3	8	-	2	8	69
33	21	18	-	3	4	8	10	1	3	1	1	-	3	6	15	5	8	-	3	21	70
115	49	42	7	11	4	13	41	7	11	4	3	6	8	34	30	32	35	3	4	49	71
46	22	16	5	2	2	4	18	4	7	2	1	3	2	13	10	18	13	-	2	23	72
69	27	26	2	9	2	9	23	3	4	2	2	3	6	21	20	14	22	3	2	26	73
36	22	28	1	2	6	12	31	1	1	1	1	3	3	16	26	7	22	2	7	17	74
32	18	6	-	2	-	5	13	-	1	1	-	-	2	10	3	8	3	1	1	14	75
53	23	32	-	4	-	13	20	-	1	1	3	-	6	29	20	12	13	6	7	29	76
398	212	105	25	24	9	45	72	4	5	19	7	8	37	147	25	61	73	8	34	128	77
264	135	64	15	15	6	30	37	3	2	13	2	1	20	78	17	31	43	6	23	77	78
27	25	8	4	-	2	7	9	-	2	2	3	2	4	16	1	5	10	1	5	16	79
107	52	33	6	9	1	8	26	1	1	4	2	5	13	53	7	25	20	1	6	35	80
43	15	10	1	-	-	3	11	-	-	-	2	5	2	10	13	19	12	2	3	9	81
296	82	55	20	30	5	26	63	6	7	16	9	5	15	89	39	31	45	11	26	118	82
251	66	40	16	19	5	19	47	6	4	14	5	2	13	77	13	13	36	8	23	86	83
45	16	15	4	11	-	7	16	-	3	2	4	3	2	12	26	18	9	3	3	30	84
77	28	17	8	5	1	11	17	2	5	2	2	2	3	17	19	11	14	3	4	30	85
41	11	4	5	3	-	3	7	-	2	1	1	-	-	5	8	5	6	1	2	16	86
36	17	13	3	2	1	8	10	2	3	1	1	2	3	12	11	6	8	2	2	14	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ALABAMA—Continued																
1	Perry	192	3	1	-	3	18	6	1	11	2	85	84	28	-	49	-
2	Pickens	199	4	1	-	3	14	6	-	8	1	108	100	25	-	65	1
3	Pike	310	6	-	-	3	37	17	2	18	2	149	144	52	2	81	3
4	Randolph	216	2	1	1	3	27	9	1	17	2	108	107	22	1	77	3
5	Russell	440	5	1	-	2	35	11	5	19	6	193	187	66	1	106	1
6	Phenix City	207	5	1	-	1	22	8	3	11	2	96	94	29	-	54	1
7	Balance of county	233	-	-	-	1	13	3	2	8	4	97	93	37	1	52	-
8	St. Clair	236	8	1	-	3	27	7	-	20	3	105	99	23	-	63	2
9	Shelby	273	7	2	-	2	36	17	1	18	3	120	115	35	-	73	3
10	Sumter	261	4	4	-	-	25	5	4	16	3	108	101	35	1	60	1
11	Talladega	561	10	-	-	3	71	17	12	42	10	245	229	52	-	152	1
12	Talladega	132	1	-	-	1	17	6	2	9	-	58	54	8	-	39	-
13	Balance of county	429	9	-	-	2	54	11	10	33	10	187	175	44	-	113	1
14	Tallapoosa	294	3	1	-	4	33	10	3	20	5	141	129	34	-	88	-
15	Tuscaloosa	758	10	-	-	6	78	22	6	50	6	368	350	97	-	227	7
16	Tuscaloosa	401	6	-	-	3	50	16	3	31	3	191	180	48	-	121	2
17	Balance of county	357	4	-	-	3	28	6	3	19	3	177	170	49	-	106	5
18	Walker	490	7	2	-	1	89	32	9	48	6	210	204	58	-	137	2
19	Washington	108	-	1	-	1	14	5	2	7	-	45	44	10	-	32	1
20	Wilcox	277	4	1	-	5	24	10	2	12	4	114	86	28	-	52	3
21	Winston	121	2	-	1	1	10	2	2	6	2	57	57	16	-	40	-
22	ARIZONA	7,750	276	30	21	97	857	281	119	457	76	2,912	2,827	580	9	2,008	102
23	Metropolitan counties	3,349	117	7	16	31	405	126	63	216	32	1,375	1,341	277	2	951	53
24	Nonmetropolitan counties	4,401	159	23	5	66	452	155	56	241	44	1,537	1,486	303	7	1,057	49
25	Apache	212	9	1	-	9	11	5	-	6	3	21	21	5	1	13	1
26	Cochise	371	9	4	-	4	53	21	4	28	4	171	166	40	-	117	5
27	Coconino	256	16	-	2	1	16	9	1	6	-	54	51	13	-	36	3
28	Gila	240	6	2	-	3	26	6	4	16	1	89	87	20	-	57	2
29	Graham	122	2	-	-	2	18	6	5	7	3	40	40	6	-	29	-
30	Greenlee	86	2	-	-	-	9	4	2	3	4	28	28	4	-	23	-
31	Maricopa	3,349	117	7	16	31	405	126	63	216	32	1,375	1,341	277	2	951	53
32	Phoenix	1,410	46	3	6	10	182	55	43	84	15	625	606	127	-	432	25
33	Mesa	174	2	1	-	1	15	5	3	7	1	95	94	19	-	62	3
34	Balance of county	1,765	69	3	10	20	208	66	17	125	16	655	641	131	2	457	25
35	Mohave	83	-	1	-	-	8	1	3	4	-	35	33	6	-	27	-
36	Navajo	311	15	2	-	8	22	11	3	8	2	60	59	10	-	45	5
37	Pima	1,519	61	7	3	18	190	61	21	108	14	584	555	117	3	393	20
38	Tucson	674	23	4	1	3	93	29	13	51	6	300	283	62	1	199	7
39	Balance of county	845	38	3	2	15	97	32	8	57	8	284	272	55	2	194	13
40	Pinal	509	26	2	-	16	29	8	2	19	5	146	141	28	2	98	3
41	Santa Cruz	90	-	1	-	-	14	5	4	5	3	38	38	8	-	30	-
42	Yavapai	321	5	1	-	3	29	8	2	19	1	168	165	27	-	112	6
43	Yuma	281	8	2	-	2	27	10	5	12	4	103	102	19	1	77	4
44	ARKANSAS	15,497	383	56	21	155	1,930	657	172	1,101	185	7,728	7,380	1,898	10	4,990	153
45	Metropolitan counties	1,776	51	9	4	25	250	80	24	146	22	915	885	225	1	579	27
46	Nonmetropolitan counties	13,721	332	47	17	130	1,680	577	148	955	163	6,813	6,495	1,673	9	4,411	126
47	Arkansas	197	6	-	-	2	31	9	2	20	4	87	85	24	-	58	3
48	Ashley	157	5	1	1	3	19	12	-	7	1	62	59	23	-	32	2
49	Baxter	77	1	-	-	1	5	2	-	3	-	41	35	11	-	23	-
50	Benton	388	8	1	-	2	62	25	8	29	5	213	205	57	-	128	4
51	Boone	142	7	1	1	1	15	7	2	6	2	73	72	25	-	45	1
52	Bradley	122	4	-	-	1	10	5	1	4	1	66	64	19	-	43	2
53	Calhoun	56	1	1	-	-	10	3	-	7	-	31	30	6	-	23	1
54	Carroll	116	-	-	-	-	23	7	2	14	3	70	62	17	-	42	4
55	Chicot	186	6	2	-	1	30	11	1	18	4	81	77	18	-	56	1
56	Clark	185	6	-	-	-	23	8	1	14	3	100	98	32	-	60	2
57	Clay	194	10	-	-	3	20	6	2	12	2	103	96	26	-	66	1
58	Cleburne	86	1	-	-	-	15	10	-	5	-	49	43	12	1	27	1
59	Cleveland	92	1	1	-	-	7	4	-	3	1	51	46	12	-	32	-
60	Columbia	172	1	-	-	2	21	10	4	7	4	85	78	23	-	47	1
61	Conway	172	4	-	-	2	17	5	-	12	2	92	87	25	-	60	-
62	Craighead	396	13	-	-	3	52	16	3	33	2	190	181	50	-	124	7
63	Jonesboro	164	6	-	-	-	20	4	1	15	2	81	79	19	-	56	5
64	Balance of county	232	7	-	-	3	32	12	2	18	-	109	102	31	-	68	2
65	Crawford	213	3	-	-	3	15	5	-	10	5	120	117	25	-	83	3
66	Crittenden	468	17	2	2	3	46	15	2	29	3	190	188	47	-	128	1
67	Cross	166	5	2	-	-	27	10	3	14	1	82	78	19	-	57	-
68	Dallas	89	-	1	-	-	9	4	-	5	1	59	55	13	-	35	3
69	Desha	210	7	2	-	8	17	5	1	11	2	93	89	18	-	68	-
70	Drew	117	3	1	-	2	10	4	-	6	3	64	61	11	-	43	1
71	Faulkner	174	3	-	2	-	18	7	3	8	2	80	80	22	-	50	-
72	Franklin	111	-	-	-	1	15	6	1	8	2	52	49	17	1	26	2
73	Fulton	63	2	-	-	-	4	2	1	1	-	38	32	7	-	25	-
74	Garland	515	6	-	1	-	86	25	12	49	7	288	275	53	-	207	7
75	Hot Springs	412	3	-	-	-	70	20	11	39	4	240	228	48	-	167	7
76	Balance of county	103	3	-	1	-	16	5	1	10	3	48	47	5	-	40	-
77	Grant	52	2	-	-	-	6	1	1	4	-	30	28	8	-	20	1
78	Greene	176	1	-	-	2	15	5	3	7	6	92	90	18	1	59	2
79	Hempstead	220	8	-	-	-	27	9	-	18	2	113	110	38	-	68	2
80	Hot Spring	158	4	-	-	1	24	4	-	20	-	77	75	18	1	51	-
81	Howard	103	3	1	-	1	12	4	1	7	3	54	54	14	-	36	1
82	Independence	165	3	-	-	1	20	5	5	10	2	100	94	23	-	63	1
83	Izard	58	4	-	-	-	4	1	-	3	2	25	25	6	-	17	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
15	7	27	7	-	-	1	19	-	6	-	-	3	4	7	7	8	8	2	5	11	1
24	30	10	7	2	1	8	9	-	1	-	-	2	1	12	11	6	6	1	4	15	2
40	15	23	7	2	-	5	20	-	4	2	1	1	3	19	10	10	14	4	5	20	3
31	33	10	4	2	1	1	13	-	1	-	-	1	-	6	10	11	14	2	1	13	4
53	32	20	3	7	4	6	26	2	6	2	2	3	6	37	36	15	12	5	10	36	5
27	15	11	2	5	4	2	11	1	3	1	1	-	3	16	10	7	4	3	4	16	6
26	17	9	1	2	-	4	15	1	3	1	1	3	3	21	26	8	8	2	6	20	7
32	13	16	1	10	2	6	12	2	3	1	-	1	2	18	21	5	9	-	1	14	8
38	12	20	3	2	2	5	12	3	-	3	-	2	3	9	29	7	11	2	6	16	9
25	20	16	2	3	-	7	20	-	-	1	-	1	2	14	35	6	8	3	3	24	10
74	42	35	10	9	6	16	40	-	5	2	1	2	9	37	19	14	42	6	9	36	11
19	12	8	2	4	1	4	7	-	2	-	-	-	-	11	3	4	14	2	2	10	12
55	30	27	8	5	5	12	33	-	3	2	1	2	9	26	16	10	28	4	7	26	13
36	30	22	1	5	1	12	16	-	1	-	-	1	5	16	9	11	18	4	1	25	14
151	42	27	17	7	2	18	56	3	10	4	2	1	14	49	16	23	40	4	12	56	15
81	25	13	7	2	2	11	23	1	5	4	1	1	4	30	5	7	19	3	5	40	16
70	17	14	10	5	-	7	33	2	5	-	1	-	10	19	11	16	21	1	7	16	17
80	31	24	4	3	2	6	25	2	2	1	1	-	9	24	31	21	18	4	6	31	18
23	7	1	2	-	-	1	1	1	1	-	1	1	4	14	10	5	4	-	2	3	19
20	17	12	5	1	-	28	14	-	5	3	1	4	7	15	24	8	12	2	4	26	20
16	13	11	1	-	-	-	5	-	1	1	-	-	2	12	4	13	3	-	2	5	21
1,309	224	373	64	122	44	85	424	40	220	82	14	17	150	564	239	354	439	127	54	757	22
620	118	160	33	53	25	34	168	17	59	34	3	4	75	227	85	122	173	54	16	329	23
689	106	213	31	69	19	51	256	23	161	48	11	13	75	337	154	232	266	73	38	428	24
3	2	7	-	1	1	-	24	-	30	1	1	2	5	13	22	22	16	1	1	20	25
77	10	25	5	4	-	5	14	4	2	4	-	3	2	24	5	10	15	8	2	33	26
18	4	11	-	-	2	3	22	3	25	1	2	3	10	26	12	23	20	1	-	19	27
40	6	9	1	8	1	2	14	-	9	2	-	-	3	24	2	16	18	6	1	18	28
20	7	2	2	3	-	-	7	-	2	-	1	-	3	13	1	8	13	3	1	5	29
13	2	8	-	1	-	-	5	1	-	2	-	-	-	11	5	7	4	2	1	5	30
620	118	160	33	53	25	34	168	17	59	34	3	4	75	227	85	122	173	54	16	329	31
289	48	70	15	23	9	19	69	7	13	22	-	2	23	67	53	43	54	28	10	132	32
51	2	6	4	7	2	1	5	2	1	3	-	-	6	11	3	2	8	1	1	16	33
280	68	84	14	23	14	14	94	8	45	9	3	2	46	149	29	77	111	25	5	181	34
18	2	7	-	-	-	2	5	-	2	-	-	-	2	5	3	2	5	2	2	11	35
18	7	15	3	-	1	1	29	-	35	2	-	1	4	31	27	13	29	3	4	24	36
295	34	44	9	23	10	29	79	9	23	25	4	1	31	98	30	56	69	26	7	184	37
150	19	23	5	11	5	17	30	4	4	13	1	-	9	25	4	25	37	12	3	77	38
145	15	21	4	12	5	12	49	5	19	12	3	1	22	73	26	31	32	14	4	107	39
60	10	25	5	8	-	5	27	4	22	2	2	3	6	53	33	31	44	5	13	40	40
13	4	13	-	-	-	-	10	1	2	4	-	-	-	3	-	3	1	2	-	8	41
67	10	29	5	18	3	3	11	1	3	2	1	-	2	13	8	17	13	9	2	32	42
47	8	18	1	3	1	1	9	-	6	3	-	-	7	23	6	24	19	5	4	29	43
2,926	1,007	904	139	254	89	348	779	67	123	113	51	39	200	649	544	457	755	130	118	1,034	44
413	88	51	22	48	10	30	78	3	11	17	2	-	31	97	21	37	56	11	21	115	45
2,513	919	853	117	206	79	318	701	64	112	96	49	39	169	552	523	420	679	119	97	919	46
36	5	14	2	1	-	2	7	-	-	6	-	1	1	9	12	3	10	1	2	15	47
17	6	7	1	2	1	3	8	-	1	-	1	-	2	6	9	1	15	3	4	15	48
14	4	5	-	1	-	6	3	-	1	1	-	-	-	4	2	5	4	-	-	9	49
95	12	17	2	12	6	8	14	5	1	3	-	-	4	7	7	8	11	6	1	30	50
30	7	7	1	1	-	1	6	1	-	1	2	-	1	7	3	1	6	2	-	12	51
22	8	11	-	-	2	2	3	2	1	-	-	-	2	3	2	4	9	3	1	10	52
12	7	3	-	1	-	1	3	-	-	-	-	-	3	-	3	1	1	-	-	2	53
28	5	5	2	-	1	8	4	-	-	2	-	1	-	-	1	2	2	1	-	7	54
32	10	13	1	-	2	4	7	-	4	-	-	-	1	6	14	5	12	-	1	12	55
38	15	5	-	4	2	2	8	-	1	2	4	2	2	8	1	3	10	2	-	10	56
37	17	11	1	3	-	7	11	-	1	2	1	-	1	5	6	9	5	1	1	13	57
12	10	4	2	1	-	6	4	-	-	-	1	-	-	3	3	4	3	-	-	3	58
17	6	9	-	2	-	5	7	-	-	-	-	1	1	1	1	7	2	-	1	10	59
29	11	6	1	4	1	9	6	-	4	-	1	2	3	7	4	7	13	1	1	10	60
27	6	27	2	-	-	5	12	-	1	-	1	-	3	5	4	5	10	3	1	10	61
67	23	27	3	1	3	9	19	1	5	3	-	1	10	26	9	14	14	5	1	28	62
26	16	9	2	1	1	2	6	1	1	3	-	-	2	12	2	9	3	1	1	14	63
41	7	18	1	-	2	7	13	-	4	-	-	1	8	14	7	5	11	4	-	14	64
61	13	6	1	8	-	3	15	1	-	-	1	-	3	7	13	2	6	5	-	14	65
45	39	43	4	5	4	2	23	2	7	1	1	-	5	30	55	23	23	1	5	29	66
34	14	9	1	1	-	4	7	1	1	-	-	-	2	8	7	7	7	1	-	8	67
15	5	12	2	4	1	4	3	-	1	-	-	-	1	6	-	1	2	-	-	5	68
25	29	14	2	-	1	4	10	5	3	2	1	1	2	9	14	2	12	-	2	18	69
25	8	9	1	6	-	3	7	1	2	-	1	-	1	1	2	4	4	3	-	8	70
31	8	11	4	2	2	-	5	2	-	4	1	-	5	7	6	8	7	2	-	22	71
15	3	6	2	1	2	3	13	1	-	1	1	-	-	4	4	4	11	-	1	1	72
18	3	4	-	-	-	6	2	1	1	-	-	-	-	2	4	2	2	2	-	3	73
126	45	29	7	4	4	13	20	2	1	5	2	2	6	20	9	9	15	2	7	27	74
98	38	24	5	4	4	12	11	2	1	5	2	2	3	17	5	6	14	1	5	21	75
28	7	5	2	-	-	1	9	-	-	-	-	-	3	3	4	3	1	1	2	6	76
15	1	3	-	-	-	2	2	-	-	1	-	-	-	-	1	1	5	1	-	3	77
32	14	11	3	7	2	2	13	-	-	2	2	1	3	4	4	3	14	2	-	12	78
51	7	8	1	3	-	3	10	1	-	-	-	-	5	11	1	10	15	4	-	13	79
34	11	6	1	2	2	2	4	-	2	2	-	-	2	10	3	8	6	1	3	11	80
28	5	2	2	2	-	-	7	1	-	-	-	2	1	2	1	3	2	-	1	9	81
37	16	9	3	3	2	6	9	3	-	2	3	-	2	4	1	5	4	-	-	6	82
12	1	3	-	1	1	-	5	1	1	-	1	-	-	1	4	-	3	-	-	7	83

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ARKANSAS—Continued																
1	Jackson	217	4	2	-	2	23	12	-	11	1	102	95	24	-	67	3
2	Jefferson	781	19	2	1	7	79	25	6	48	7	386	358	86	-	258	12
3	Pine Bluff	523	14	1	-	3	52	18	4	30	6	269	247	61	-	180	6
4	Balance of county	258	5	1	1	4	27	7	2	18	1	117	111	25	-	78	6
5	Johnson	144	4	-	-	2	20	5	2	13	3	69	63	20	-	38	-
6	Lafayette	78	3	-	-	2	9	3	-	6	-	35	33	8	-	24	-
7	Lawrence	147	4	-	-	1	21	8	-	13	-	78	74	24	1	46	-
8	Lee	213	4	1	-	1	19	4	-	15	-	110	106	22	-	74	2
9	Lincoln	110	3	2	-	1	9	4	-	5	1	43	39	9	-	28	-
10	Little River	110	3	1	-	2	11	3	1	7	-	61	59	22	-	33	1
11	Logan	159	5	-	-	1	25	11	1	13	4	81	78	31	-	45	4
12	Lonoke	213	5	1	2	6	21	7	5	9	5	102	95	26	-	66	1
13	Madison	81	2	-	-	1	14	3	1	10	2	44	40	13	-	22	2
14	Marion	52	3	-	-	1	6	3	2	1	-	23	22	7	-	15	1
15	Miller	310	10	2	-	4	38	10	3	25	5	141	140	38	-	93	-
16	Texarkana[1]	211	5	2	-	3	24	5	2	17	3	97	96	27	-	65	-
17	Balance of county	99	5	-	-	1	14	5	1	8	2	44	44	12	-	28	-
18	Mississippi	562	9	5	-	12	52	24	2	26	6	247	242	58	-	170	8
19	Blytheville	169	1	1	-	1	20	7	1	12	2	89	88	22	-	57	2
20	Balance of county	393	8	4	-	11	32	17	1	14	4	158	154	36	-	113	6
21	Monroe	168	5	-	-	2	15	6	2	7	2	80	75	16	-	56	1
22	Montgomery	38	-	-	-	-	12	3	1	8	-	21	21	4	-	15	1
23	Nevada	140	-	1	-	-	23	11	2	10	7	77	77	35	1	37	2
24	Newton	45	-	-	-	1	4	2	-	2	-	22	22	6	-	15	2
25	Quachita	286	6	2	-	3	45	16	4	25	1	143	138	35	-	92	2
26	Camden	126	2	2	-	2	18	6	2	10	1	62	61	10	-	44	1
27	Balance of county	160	4	-	-	1	27	10	2	15	-	81	77	25	-	48	1
28	Perry	48	-	-	-	-	5	1	-	4	-	22	21	7	-	12	-
29	Phillips	430	9	2	-	6	36	6	3	27	4	192	180	31	-	144	-
30	Helena	139	1	1	-	-	14	-	2	12	1	70	67	16	-	48	-
31	Balance of county	291	8	1	-	6	22	6	1	15	3	122	113	15	-	96	-
32	Pike	55	2	-	-	-	6	2	1	3	1	29	27	6	-	17	1
33	Poinsett	259	14	-	1	7	31	12	4	15	1	106	103	27	-	73	-
34	Polk	126	4	-	-	-	17	6	1	10	4	67	63	13	-	49	4
35	Pope	178	7	1	-	1	26	9	1	16	4	81	70	18	-	43	2
36	Prairie	95	4	-	-	1	13	2	2	9	-	45	42	12	-	28	-
37	Pulaski	1,776	51	9	4	25	250	80	24	146	22	915	885	225	1	579	27
38	Little Rock	1,084	35	5	2	15	158	57	17	84	13	583	568	138	-	382	18
39	North Little Rock	348	10	3	1	4	50	17	4	29	4	183	175	44	1	119	4
40	Balance of county	344	6	1	1	8	42	6	3	33	5	149	142	43	-	78	5
41	Randolph	116	1	-	-	1	18	5	1	12	-	54	53	21	1	26	-
42	St. Francis	325	6	2	1	7	36	15	4	17	2	146	142	47	-	89	6
43	Saline	181	2	-	-	3	21	3	4	14	-	92	83	19	-	57	1
44	Scott	28	-	1	-	-	2	2	-	-	-	13	12	3	-	8	-
45	Searcy	64	1	-	-	-	9	2	1	6	-	35	34	7	-	26	1
46	Sebastian	560	11	2	2	2	75	19	13	43	7	296	289	63	1	203	4
47	Fort Smith	470	8	1	2	2	58	13	10	35	6	253	248	52	1	175	1
48	Balance of county	90	3	1	-	-	17	6	3	8	1	43	41	11	-	28	3
49	Sevier	103	2	-	-	1	9	2	1	6	1	65	63	15	-	38	1
50	Sharp	59	-	-	-	-	8	2	-	6	1	33	31	5	-	22	-
51	Stone	45	3	-	-	-	3	2	-	1	-	22	22	5	-	14	2
52	Union	405	7	4	1	6	57	21	7	29	5	195	179	46	1	123	2
53	El Dorado	192	5	1	1	2	28	9	2	17	4	93	90	23	-	64	2
54	Balance of county	213	2	3	-	4	29	12	5	12	1	102	89	23	1	59	-
55	Van Buren	66	2	-	-	1	7	3	-	4	2	34	29	6	-	21	-
56	Washington	408	5	-	2	-	68	26	3	39	7	228	224	48	-	160	5
57	Fayetteville	123	2	-	-	-	17	10	-	7	2	71	71	16	-	50	2
58	Balance of county	285	3	-	2	-	51	16	3	32	5	157	153	32	-	110	3
59	White	280	6	-	-	2	45	17	8	20	2	130	127	26	-	97	-
60	Woodruff	113	8	-	-	-	15	4	1	10	1	47	46	11	-	28	-
61	Yell	127	4	-	-	-	12	4	2	6	2	65	62	15	-	37	-
62	CALIFORNIA	109,903	1,383	396	158	471	17,088	6,005	2,092	8,991	1,205	59,436	58,588	11,653	77	42,270	1,553
63	Metropolitan counties	89,090	1,139	325	117	338	14,129	4,971	1,695	7,463	952	48,951	48,298	9,682	59	34,709	1,310
64	Nonmetropolitan counties	20,813	244	71	41	133	2,959	1,034	397	1,528	253	10,485	10,290	1,971	18	7,561	243
65	Alameda	7,517	81	32	1	30	1,164	413	157	594	91	4,266	4,217	770	3	3,178	106
66	Oakland	4,237	58	16	1	14	643	225	98	320	48	2,406	2,369	402	2	1,805	66
67	Berkeley	1,054	8	2	-	1	155	51	14	90	13	670	667	150	1	475	13
68	Alameda	589	2	5	-	3	64	24	9	51	6	343	340	55	-	269	13
69	San Leandro	305	2	2	-	2	51	17	8	26	3	172	169	37	-	123	7
70	Albany	129	-	1	-	2	25	9	4	12	2	72	71	16	-	49	1
71	Hayward	263	1	1	-	4	38	20	2	16	5	134	132	26	-	99	1
72	Piedmont	104	-	3	-	-	24	10	3	11	1	61	61	12	-	42	-
73	Balance of county	836	10	2	-	4	144	57	19	68	13	408	408	72	-	316	5
74	Alpine	8	-	-	-	1	1	-	-	1	-	2	1	-	-	1	-
75	Amador	101	1	-	-	-	15	2	3	10	-	57	57	12	1	35	1
76	Butte	757	3	2	4	2	114	50	12	52	11	412	405	75	-	290	8
77	Chico	204	-	-	1	-	27	14	5	8	3	121	117	27	-	77	2
78	Balance of county	553	3	2	3	2	87	36	7	44	8	291	288	48	-	213	6
79	Calaveras	113	6	1	-	2	10	2	1	7	1	58	58	7	-	45	-
80	Colusa	176	2	-	-	2	28	7	4	17	4	76	76	15	-	56	-
81	Contra Costa	1,999	16	12	7	19	323	101	31	191	24	931	917	164	2	674	29
82	Richmond	571	6	4	-	6	79	22	6	51	6	267	261	46	1	193	8
83	Antioch	86	1	1	-	2	13	3	-	10	2	35	34	9	-	21	-
84	El Cerrito	127	-	1	-	2	19	5	2	12	1	73	72	15	-	50	4
85	Pittsburg	118	1	1	-	2	21	5	3	13	3	43	41	9	-	28	1
86	San Pablo	111	4	1	2	1	19	6	1	12	-	53	52	14	-	36	2
87	Balance of county	986	4	4	5	6	172	60	19	93	12	460	457	71	1	346	14

[1] Includes data for Texarkana, Ark., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
36	17	11	1	3	-	7	16	-	2	-	2	1	2	16	7	10	13	1	1	12	1
117	64	65	7	5	2	28	44	3	13	5	-	3	10	35	27	24	49	7	10	50	2
79	48	47	3	2	1	22	29	3	10	4	-	3	8	23	18	14	30	5	5	26	3
38	16	18	4	3	1	6	15	-	3	1	-	-	2	12	9	10	19	2	5	24	4
28	4	6	2	1	2	6	7	-	3	-	1	-	2	5	1	4	6	2	-	15	5
18	4	2	-	1	-	2	11	-	-	1	-	-	-	-	3	3	5	-	1	5	6
33	7	6	-	3	-	4	5	1	-	1	-	1	4	10	4	2	5	1	-	9	7
30	10	32	5	3	2	4	19	1	3	1	-	-	2	9	10	-	14	1	4	14	8
20	5	3	1	1	-	4	5	1	-	-	-	-	1	3	13	5	14	3	3	3	9
17	8	7	-	3	1	2	4	1	-	-	-	-	1	5	7	4	5	1	-	4	10
19	3	19	2	-	-	3	8	1	2	1	-	1	1	2	9	-	7	1	-	10	11
34	20	11	2	1	-	7	8	-	1	6	-	-	1	9	10	5	11	-	2	18	12
11	3	6	1	4	-	4	4	1	-	-	1	-	1	1	1	1	3	1	-	4	13
10	1	3	-	-	-	1	11	-	1	-	-	1	-	-	1	1	-	-	1	3	14
54	21	18	4	4	-	1	10	3	5	2	1	1	6	16	12	7	19	1	4	23	15
37	16	12	3	1	-	1	6	3	1	2	-	1	4	14	9	6	13	-	3	15	16
17	5	6	1	3	-	-	4	-	4	-	1	-	2	2	3	1	6	1	1	8	17
86	37	39	9	5	-	5	34	2	12	5	3	3	10	30	19	33	42	2	4	32	18
30	10	15	7	2	-	1	6	2	4	4	2	1	1	7	5	4	10	-	-	9	19
56	27	24	2	3	-	4	28	-	8	1	1	2	9	23	14	29	32	2	4	23	20
24	26	5	-	-	3	5	14	2	5	-	-	2	1	2	5	2	18	-	3	10	21
8	2	4	-	2	-	-	2	-	-	-	-	-	-	-	1	-	2	-	-	-	22
24	4	7	1	2	1	-	10	-	1	-	-	-	1	5	2	4	1	3	-	5	23
10	2	1	-	-	1	-	1	-	-	-	-	1	-	2	3	1	4	-	-	6	24
61	12	17	2	5	4	5	10	2	-	3	1	-	2	8	8	10	11	1	4	26	25
32	5	6	1	2	4	1	6	2	-	1	-	-	1	5	2	5	5	-	2	10	26
29	7	11	1	3	-	4	4	-	-	2	1	-	1	3	6	5	6	1	2	16	27
4	2	6	-	2	-	1	3	-	-	-	-	-	1	3	3	1	6	-	1	3	28
73	48	23	2	2	1	12	22	1	6	1	2	2	5	19	50	6	29	2	7	29	29
26	14	8	-	2	1	3	9	-	1	-	1	-	3	4	10	2	10	-	2	10	30
47	34	15	2	-	-	9	13	1	5	1	1	2	2	15	40	4	19	2	5	19	31
11	5	-	1	2	1	2	2	-	-	1	-	-	-	1	1	3	2	-	-	7	32
49	9	15	-	2	1	3	6	-	4	4	-	-	4	21	10	16	14	-	1	19	33
16	14	15	-	1	-	4	11	-	-	-	-	-	1	8	3	4	3	1	-	3	34
29	8	4	3	4	2	11	7	2	-	1	2	-	2	7	6	5	7	3	-	16	35
17	9	2	-	-	2	3	4	-	-	2	-	-	-	6	7	5	6	-	1	1	36
413	88	51	22	48	10	30	78	3	11	17	2	-	31	97	21	37	56	11	21	115	37
281	52	31	13	30	5	15	41	-	7	11	1	-	15	57	9	20	25	7	13	67	38
87	19	9	2	6	3	8	12	-	1	4	1	-	9	18	2	4	17	1	2	22	39
45	17	11	7	12	2	7	25	3	3	2	-	-	7	22	10	13	14	3	6	26	40
19	6	1	1	3	1	1	6	-	-	1	1	-	-	4	7	5	7	2	-	9	41
41	20	22	-	3	3	4	20	1	2	2	1	1	6	15	25	7	16	1	2	26	42
36	8	12	-	7	-	9	13	-	-	1	1	-	5	6	1	12	9	4	-	11	43
5	3	-	-	-	1	1	5	-	-	-	-	1	-	1	-	2	-	1	-	2	44
18	4	3	-	-	1	1	3	-	-	2	1	-	1	3	1	1	1	1	-	5	45
138	42	19	7	10	5	7	16	3	5	9	1	1	14	20	9	15	23	4	5	40	46
117	40	17	6	9	5	5	14	3	5	8	1	1	13	19	7	13	18	2	4	32	47
21	2	2	1	1	-	2	2	-	-	1	-	-	1	1	2	2	5	2	1	8	48
27	5	5	1	9	-	2	4	-	-	-	-	-	-	3	1	1	8	-	-	8	49
14	5	3	2	2	-	2	4	-	-	-	-	-	2	-	-	2	-	3	2	4	50
10	1	1	1	2	-	-	3	-	-	-	-	-	2	3	5	-	-	1	-	3	51
55	30	36	4	3	2	16	23	1	3	1	2	2	3	20	9	17	19	3	3	24	52
30	16	16	1	1	1	3	13	1	1	-	1	2	3	11	3	5	4	3	2	9	53
25	14	20	3	2	1	13	10	-	2	1	1	-	-	9	6	12	15	-	1	15	54
11	1	9	2	-	-	5	5	-	-	-	1	-	-	-	-	4	2	1	3	4	55
90	34	31	1	13	2	4	17	3	2	1	-	1	2	13	9	12	8	6	-	24	56
30	9	9	-	4	1	-	3	-	2	1	-	-	1	6	1	3	2	2	-	10	57
60	25	22	1	9	1	4	14	3	-	-	-	1	1	7	8	9	6	4	-	14	58
53	28	16	-	3	1	3	11	1	2	2	1	2	1	12	11	5	17	5	1	24	59
19	4	5	1	5	1	1	8	-	1	-	2	1	2	3	5	5	4	3	-	10	60
21	9	7	2	8	-	3	8	3	-	3	2	-	1	3	7	5	4	1	1	6	61
30,955	5,005	4,757	682	2,990	916	848	3,172	877	524	2,154	130	127	1,505	4,573	355	3,518	3,647	1,895	487	6,802	62
25,480	4,108	3,611	582	2,533	733	653	2,456	729	387	1,873	102	106	1,207	3,581	196	2,507	2,627	1,540	382	5,446	63
5,475	897	946	100	457	183	195	716	148	137	281	28	21	298	992	159	1,011	1,020	355	105	1,356	64
2,084	381	607	50	155	61	49	174	53	24	166	8	7	93	293	41	179	199	138	33	444	65
1,159	236	344	29	97	34	37	104	36	13	107	2	5	48	145	23	95	114	75	18	266	66
333	52	77	9	21	11	3	16	8	2	9	3	-	10	40	3	21	23	18	4	48	67
165	27	64	1	10	5	3	15	3	4	17	1	-	5	27	4	15	16	7	2	30	68
79	17	20	3	5	1	3	7	2	-	6	1	-	3	10	2	10	5	5	3	19	69
36	7	5	-	4	2	1	-	-	-	4	-	-	1	6	-	1	1	2	2	10	70
66	9	23	2	5	-	2	3	-	1	5	-	1	10	21	-	10	7	5	-	17	71
31	5	6	4	2	1	-	-	2	1	-	-	-	-	2	-	-	3	3	-	4	72
215	28	68	2	11	7	-	29	2	3	18	1	1	16	42	9	27	30	23	4	50	73
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	74
28	-	6	-	8	1	-	2	2	-	2	-	-	-	4	-	4	3	3	2	6	75
208	26	48	7	21	12	7	34	5	3	6	2	2	11	28	1	23	34	9	3	48	76
50	8	17	3	7	3	4	11	-	1	1	-	-	3	9	1	3	5	3	-	15	77
158	18	31	4	14	9	3	23	5	2	5	2	2	8	19	-	20	29	6	3	33	78
33	-	12	2	3	1	-	4	-	1	4	-	-	1	4	1	3	6	2	1	8	79
25	19	12	1	4	-	-	5	1	-	1	-	1	2	5	1	13	24	-	1	10	80
505	71	69	18	36	23	14	54	19	17	32	1	5	43	128	6	77	111	32	12	130	81
143	29	13	7	10	4	6	12	4	7	8	-	1	18	51	3	23	25	9	6	36	82
18	2	1	-	2	2	1	4	2	-	-	-	-	3	7	-	6	4	1	-	5	83
39	3	4	4	1	2	1	4	2	-	1	-	-	3	6	-	1	5	3	-	6	84
24	3	-	-	2	2	2	4	2	1	2	-	1	-	7	1	3	15	1	2	8	85
28	3	3	-	2	-	1	-	1	-	1	-	-	1	6	-	1	10	1	2	8	86
253	31	48	7	19	13	3	30	8	9	20	1	3	18	51	2	43	52	17	2	67	87

352870 O - 55 - 25

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Del Norte	105	-	-	1	1	10	5	2	3	2	55	52	14	-	36	1
2	El Dorado	206	2	1	-	1	23	6	1	16	1	126	124	25	-	90	-
3	Fresno	2,562	40	15	2	19	341	116	43	182	43	1,270	1,245	253	3	917	25
4	Fresno	1,128	18	8	1	10	169	58	23	88	22	598	587	111	1	440	13
5	Balance of county	1,434	22	7	1	9	172	58	20	94	21	672	658	142	2	477	12
6	Glenn	175	2	1	-	2	19	8	2	9	3	105	102	13	-	85	1
7	Humboldt	805	5	-	2	1	118	50	18	50	8	411	406	61	1	275	7
8	Eureka	308	2	-	1	-	41	15	6	20	4	181	180	23	1	119	4
9	Balance of county	497	3	-	1	1	77	35	12	30	4	230	226	38	-	156	3
10	Imperial	523	9	1	1	6	52	21	8	23	4	179	174	34	1	130	4
11	Brawley	115	3	-	-	2	11	7	2	2	2	42	40	12	-	26	1
12	El Centro	88	2	-	-	1	13	8	-	5	1	32	31	7	-	22	-
13	Balance of county	320	4	1	1	3	28	6	6	16	1	105	103	15	1	82	3
14	Inyo	118	3	-	-	5	9	3	1	5	1	50	48	3	-	41	-
15	Kern	1,774	32	3	5	16	256	75	42	139	12	736	716	118	3	552	28
16	Bakersfield	485	9	-	-	5	77	22	14	41	3	224	219	38	-	169	6
17	Balance of county	1,289	23	3	5	11	179	53	28	98	9	512	497	80	3	383	22
18	Kings	397	5	3	-	2	54	22	7	25	4	183	178	46	-	121	2
19	Hanford	137	4	1	-	-	21	8	3	10	3	64	61	15	-	43	-
20	Balance of county	260	1	2	-	2	33	14	4	15	1	119	117	31	-	78	2
21	Lake	177	2	1	-	-	22	2	9	11	1	101	101	26	-	68	-
22	Lassen	146	1	2	-	1	18	6	2	10	-	56	52	16	-	34	1
23	Los Angeles	44,881	530	138	38	163	7,284	2,548	845	3,891	456	25,473	25,147	5,173	30	17,683	683
24	Long Beach	2,868	24	7	1	11	437	151	50	236	27	1,745	1,730	357	-	1,232	38
25	Los Angeles	22,525	331	79	8	76	3,692	1,326	412	1,954	246	12,752	12,598	2,656	15	8,765	320
26	Pasadena	1,548	9	5	1	2	241	88	27	126	5	1,011	1,001	235	-	660	21
27	Alhambra	608	8	2	1	-	86	31	8	47	5	378	374	86	1	250	11
28	Burbank	614	5	2	3	1	104	28	15	61	12	355	352	54	-	269	14
29	Glendale	1,198	11	1	-	-	227	86	18	123	11	752	746	141	1	526	29
30	Santa Monica	927	5	-	-	-	141	47	10	84	11	580	576	119	-	389	11
31	South Gate	384	2	-	-	-	62	17	14	31	1	241	240	46	-	177	11
32	Belvedere (twp)[2] [3]	161	2	1	-	2	34	15	8	11	2	69	68	15	-	50	3
33	Beverly Hills	320	2	1	-	-	63	18	6	39	6	198	196	42	-	141	7
34	Compton	439	3	2	2	3	70	24	12	34	5	220	218	42	1	159	9
35	Huntington Park	359	3	-	-	1	70	20	11	39	4	215	214	40	-	159	5
36	Inglewood	495	3	1	-	4	83	27	13	43	4	300	295	46	-	224	9
37	Lynwood	209	1	-	-	1	46	16	7	23	3	109	109	19	-	81	5
38	Pomona	423	5	2	-	-	68	25	4	39	3	240	239	36	2	181	8
39	Redondo Beach	360	3	1	-	-	49	19	7	23	2	200	198	31	-	143	8
40	Arcadia	285	1	-	1	2	44	15	6	23	-	180	175	37	-	118	4
41	Azusa	86	1	-	-	-	17	5	2	10	4	33	33	3	-	27	-
42	Bell	171	1	-	-	-	27	8	1	18	1	95	92	14	1	70	7
43	Culver City	183	2	2	-	1	33	9	5	19	1	94	92	12	-	68	3
44	Gardena	117	2	-	-	1	10	4	1	5	1	75	73	11	-	58	2
45	Hawthorne	140	1	-	-	1	21	8	3	10	1	77	74	20	-	52	2
46	Hermosa Beach	124	-	-	1	-	21	9	2	10	1	73	72	13	-	49	4
47	Manhattan Beach	160	1	1	-	1	23	11	2	10	1	85	84	15	-	62	8
48	Maywood	140	-	-	-	-	27	8	4	15	-	79	78	15	-	59	6
49	Monrovia	254	1	1	-	-	39	16	3	20	3	157	155	43	-	88	2
50	Montebello	168	2	-	-	-	28	6	4	18	3	86	85	18	1	62	-
51	Monterey Park	196	1	-	1	-	28	7	2	19	2	114	112	23	-	82	7
52	San Fernando	145	3	1	-	2	24	5	2	17	2	66	64	7	-	44	5
53	San Gabriel	205	3	-	-	-	27	9	4	14	2	124	122	25	-	83	4
54	San Marino	98	-	-	-	-	17	5	1	11	1	60	60	14	-	36	1
55	South Pasadena	217	4	-	-	1	25	11	2	12	-	143	141	28	-	94	4
56	Torrance	219	4	1	1	3	34	15	3	16	3	113	110	25	-	81	6
57	Whittier	327	2	1	3	2	56	14	3	39	4	181	177	37	1	122	4
58	Balance of county	8,208	84	27	15	48	1,310	445	173	692	79	4,273	4,194	848	7	3,020	105
59	Madera	282	5	1	2	4	41	8	6	27	7	114	111	18	-	84	6
60	Madera	125	1	1	1	2	16	3	3	10	3	56	56	4	-	46	2
61	Balance of county	157	4	-	1	2	25	5	3	17	4	58	55	14	-	38	4
62	Marin	778	4	2	3	3	134	43	22	69	10	422	416	92	-	296	10
63	San Rafael	186	2	1	1	-	32	12	4	16	1	106	103	23	-	72	4
64	Balance of county	592	2	1	2	3	102	31	18	53	9	316	313	69	-	224	6
65	Mariposa	52	-	-	-	1	9	2	1	6	-	28	28	3	-	25	1
66	Mendocino	449	6	2	-	4	56	27	4	25	6	217	205	49	-	145	2
67	Merced	569	9	2	1	5	84	35	10	39	8	260	257	46	-	200	4
68	Merced	164	2	-	-	2	27	10	3	14	1	71	71	13	-	53	1
69	Balance of county	405	7	2	1	3	57	25	7	25	7	189	186	33	-	147	3
70	Modoc	81	2	-	-	-	9	3	-	6	-	44	43	7	-	34	-
71	Mono	19	2	-	-	-	3	2	1	-	1	10	10	-	-	7	1
72	Monterey	1,038	16	5	5	6	137	54	22	61	13	491	477	96	1	342	10
73	Monterey	158	3	-	-	-	25	7	10	8	3	89	87	17	-	61	3
74	Salinas	192	1	-	1	1	26	16	1	9	3	101	98	18	-	73	2
75	Balance of county	688	12	5	4	5	86	31	11	44	7	301	292	61	1	208	5
76	Napa	504	5	1	-	2	94	33	13	48	9	284	280	52	1	201	5
77	Napa	216	2	-	-	-	55	14	10	31	5	103	101	22	-	65	-
78	Balance of county	288	3	1	-	2	39	19	3	17	4	181	179	30	1	136	5
79	Nevada	268	7	1	-	-	42	15	9	18	1	159	156	23	-	121	2
80	Orange	2,357	18	8	4	6	364	124	32	208	30	1,280	1,266	274	1	928	41
81	Santa Ana	563	4	2	1	-	91	36	8	47	7	319	316	65	1	236	9
82	Anaheim	175	1	-	-	2	37	15	3	19	3	92	91	20	-	66	6
83	Fullerton	181	2	-	2	-	27	10	1	16	1	101	99	20	-	72	2
84	Newport Beach	102	-	1	-	-	17	4	4	9	2	63	63	20	-	39	3
85	Orange	122	2	-	-	-	17	8	3	6	3	71	70	19	-	47	2
86	Balance of county	1,214	9	5	1	4	175	51	13	111	14	634	627	130	-	468	19

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
22	4	9	1	1	-	3	3	-	1	1	2	-	2	6	1	2	10	-	-	8	1
67	6	17	1	6	2	2	8	1	-	3	-	-	1	4	1	4	15	3	1	11	2
680	77	135	11	44	17	25	109	23	28	32	7	4	30	155	5	146	106	35	15	137	3
336	37	54	4	22	9	11	44	14	1	13	4	1	6	57	4	43	29	15	5	66	4
344	40	81	7	22	8	14	65	9	27	19	3	3	24	98	1	103	77	20	10	71	5
68	7	9	1	3	-	3	2	-	1	1	-	-	1	3	3	12	9	3	-	8	6
227	16	25	2	61	6	5	17	9	3	11	-	1	21	38	2	37	63	13	3	42	7
96	6	13	1	32	4	1	3	1	1	7	-	-	5	12	2	11	11	5	2	19	8
131	10	12	1	29	2	4	14	8	2	4	-	1	16	26	-	26	52	8	1	23	9
86	14	26	2	5	2	5	28	1	19	11	-	1	9	41	5	53	54	10	4	35	10
12	4	9	1	1	-	2	6	-	7	3	-	-	3	10	3	14	3	1	-	5	11
15	2	5	-	2	-	1	4	-	3	1	-	-	-	11	-	7	5	2	-	6	12
59	8	12	1	2	2	2	18	1	9	7	-	1	6	20	2	32	46	7	4	24	13
33	5	3	-	3	1	2	3	-	1	1	-	-	4	4	-	13	9	2	1	12	14
366	100	58	6	21	16	20	76	16	17	29	1	6	34	128	5	154	90	37	12	109	15
107	37	19	3	6	3	5	24	5	4	9	-	-	8	26	-	29	23	8	3	28	16
259	63	39	3	15	13	15	52	11	13	20	1	6	26	102	5	125	67	29	9	81	17
106	5	8	5	5	1	5	14	4	5	2	1	-	7	25	3	22	33	5	3	22	18
40	-	3	1	1	1	3	5	1	-	-	-	-	2	9	-	4	9	2	1	11	19
66	5	5	4	4	-	2	9	3	5	2	1	-	5	16	3	18	24	3	2	11	20
52	7	9	-	7	-	-	5	1	1	1	-	-	2	2	4	8	11	5	1	9	21
26	3	4	-	-	2	4	10	3	1	2	2	-	1	11	-	9	8	7	1	13	22
13,246	2,075	1,679	304	1,646	311	326	1,055	374	158	936	56	59	615	1,660	72	1,128	1,019	766	173	2,728	23
975	108	110	17	101	23	15	49	22	11	48	2	2	36	85	11	58	74	40	8	170	24
6,433	1,114	898	169	833	160	154	562	189	83	586	22	31	278	750	41	527	462	353	96	1,361	25
507	74	58	9	86	11	10	37	10	4	21	3	1	6	28	1	24	26	21	1	91	26
184	34	21	5	24	8	4	16	8	-	10	2	1	3	12	3	11	10	11	1	40	27
209	24	22	6	20	3	3	9	2	2	9	2	-	8	27	3	16	6	14	3	31	28
375	66	56	6	62	10	6	15	5	7	16	-	-	12	30	2	17	16	15	-	61	29
301	53	24	5	56	7	4	10	12	3	17	1	1	7	26	-	17	19	17	1	59	30
141	14	11	3	9	5	1	7	1	2	7	-	-	7	10	-	10	5	6	-	23	31
25	13	9	-	3	-	1	7	2	2	3	1	-	-	9	-	2	5	3	3	14	32
105	20	9	-	11	2	2	2	3	-	3	1	-	2	4	-	7	8	8	-	12	33
117	15	18	4	6	6	2	12	6	3	5	-	-	9	35	-	14	7	5	6	32	34
128	11	15	3	9	3	1	10	3	1	9	-	-	5	8	-	9	4	3	1	13	35
176	21	18	5	18	2	5	5	7	2	12	-	-	4	6	1	13	5	11	2	32	36
61	10	5	1	7	1	-	5	1	1	2	-	-	6	7	-	4	7	2	3	11	37
142	17	14	3	13	4	1	11	1	1	3	-	-	3	20	-	15	18	6	2	25	38
112	17	6	2	18	4	2	10	4	1	7	-	-	7	22	-	8	12	8	1	25	39
82	16	16	1	14	5	5	5	1	-	6	-	1	3	9	-	9	6	6	-	11	40
21	5	1	1	1	1	-	2	1	1	3	-	1	-	5	-	5	2	3	-	8	41
50	10	3	3	4	-	3	5	2	1	4	-	-	3	5	-	12	8	1	-	6	42
53	5	7	-	10	2	2	2	3	-	5	-	-	2	19	-	3	5	2	2	7	43
45	4	7	-	3	1	2	4	1	1	-	-	-	3	10	-	-	2	2	-	5	44
43	5	2	-	2	-	3	4	3	1	2	-	-	3	3	1	3	3	6	-	10	45
35	6	4	2	8	-	1	5	2	-	1	-	-	1	4	-	-	4	4	-	7	46
45	3	6	1	6	-	1	-	-	3	2	-	2	6	12	-	2	5	7	-	9	47
46	5	2	-	4	-	1	4	1	-	2	-	-	-	6	-	7	5	1	-	8	48
68	10	8	3	20	1	2	9	-	-	3	1	2	1	10	1	4	2	5	2	13	49
47	7	8	2	2	-	1	5	-	-	5	-	-	4	9	-	6	1	2	-	17	50
59	8	8	2	3	2	2	9	-	-	3	1	1	3	7	-	2	4	4	-	16	51
32	4	3	-	13	-	2	9	-	2	2	1	-	2	7	-	7	4	2	1	10	52
63	8	8	3	6	5	2	3	3	-	3	-	-	4	10	-	7	7	1	-	11	53
33	1	3	4	4	-	-	2	-	-	2	-	-	-	2	1	2	4	1	-	6	54
77	7	6	1	15	3	2	5	-	-	2	-	-	1	5	1	-	4	3	3	20	55
64	6	5	2	2	-	3	4	3	-	2	1	-	7	12	-	5	9	5	1	11	56
98	17	3	3	13	1	4	4	1	2	3	-	-	4	18	-	8	10	6	-	22	57
2,294	336	285	38	240	41	79	207	77	24	128	18	16	175	428	6	294	250	182	36	531	58
60	11	7	-	4	5	3	5	3	3	4	1	-	6	19	-	19	17	4	5	22	59
36	5	3	-	2	4	-	2	-	3	3	-	-	2	14	-	4	2	1	3	11	60
24	6	4	-	2	1	3	3	3	-	1	1	-	4	5	-	15	15	3	2	11	61
218	30	38	5	11	12	6	14	9	6	9	1	-	7	30	1	17	48	9	2	47	62
52	5	11	3	2	3	3	7	1	3	2	-	-	-	5	-	2	11	-	-	12	63
166	25	27	2	9	9	3	7	8	3	7	1	-	7	25	1	15	37	9	2	35	64
22	1	1	-	-	-	-	1	-	-	1	-	-	-	-	1	2	5	-	1	3	65
123	7	13	-	10	1	12	21	5	3	6	-	-	7	23	8	24	27	9	1	24	66
152	17	27	3	6	2	3	15	1	7	6	-	1	10	34	1	40	46	6	6	27	67
41	4	7	2	2	1	-	7	-	2	2	-	-	2	12	-	8	13	3	3	9	68
111	13	20	1	4	1	3	8	1	5	4	-	1	8	22	1	32	33	3	3	18	69
26	1	7	-	2	-	1	4	-	-	2	-	-	-	5	-	6	3	-	2	4	70
5	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	71
228	42	62	5	21	12	14	16	7	6	17	3	4	26	68	4	55	47	24	7	81	72
37	8	13	3	3	3	2	-	2	1	3	-	-	3	4	-	1	5	-	-	19	73
47	8	16	-	4	3	3	3	1	1	2	-	-	5	12	1	8	7	5	1	13	74
144	26	33	2	14	6	9	13	4	4	12	3	4	18	52	3	46	35	19	6	49	75
147	22	27	3	23	-	4	10	3	1	5	2	-	5	17	3	11	16	10	1	25	76
49	6	10	2	12	-	2	4	1	1	2	1	-	2	8	1	6	9	3	-	13	77
98	16	17	1	11	-	2	6	2	-	3	1	-	3	9	2	5	7	7	1	12	78
59	42	18	2	7	3	3	5	1	-	4	2	-	-	5	3	9	11	4	-	14	79
684	106	97	13	40	10	14	69	13	12	34	1	2	28	111	13	88	82	42	6	146	80
174	24	29	5	8	1	3	23	3	2	7	1	1	6	22	2	11	15	13	-	33	81
49	5	6	-	5	-	1	2	-	2	2	-	-	2	6	1	8	8	3	-	6	82
57	11	2	3	3	1	2	4	-	2	3	-	-	3	17	2	5	4	-	1	7	83
32	4	-	1	1	2	-	1	-	-	4	-	-	-	1	-	-	3	4	-	6	84
28	5	12	-	3	1	1	5	-	-	-	-	-	1	2	-	2	5	3	-	11	85
344	57	48	4	20	5	7	34	10	6	18	-	1	16	63	8	62	47	19	5	83	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	CALIFORNIA—Continued																
1	Placer	413	9	6	1	-	69	22	16	31	2	199	195	29	-	160	3
2	Plumas	123	2	-	-	1	12	3	4	5	1	58	55	5	-	47	3
3	Riverside	1,954	17	6	2	5	257	80	29	148	28	1,009	997	209	1	721	24
4	Riverside	617	6	-	-	1	80	29	4	47	11	342	339	76	1	241	9
5	Corona	84	-	-	-	-	19	3	2	14	1	37	37	5	-	28	-
6	Balance of county	1,253	11	6	2	4	158	48	23	87	16	630	621	128	-	452	15
7	Sacramento	3,162	79	11	6	12	474	171	46	257	27	1,695	1,675	330	2	1,252	44
8	Sacramento	2,024	64	6	2	4	314	116	29	167	19	1,113	1,099	223	1	813	25
9	Balance of county	1,138	15	5	4	8	160	53	17	90	8	582	576	107	1	439	19
10	San Benito	158	2	1	-	2	17	6	2	9	4	78	77	19	-	53	2
11	San Bernardino	2,892	53	10	5	14	429	143	74	212	36	1,361	1,330	262	-	969	48
12	San Bernardino	803	16	3	2	5	118	48	26	44	12	392	383	84	-	266	16
13	Colton	144	3	1	-	2	23	4	4	15	1	66	63	14	-	45	3
14	Ontario	266	3	2	-	2	35	7	4	24	4	129	126	22	-	98	2
15	Redlands	243	7	1	1	-	55	18	9	28	5	111	111	22	-	82	4
16	Balance of county	1,436	24	3	2	5	198	66	31	101	14	663	647	120	-	478	23
17	San Diego	5,582	58	21	29	20	845	270	96	479	66	2,896	2,839	591	4	2,033	95
18	San Diego	3,336	28	14	21	12	503	157	58	288	41	1,814	1,777	358	4	1,267	57
19	Chula Vista	164	1	1	-	1	29	8	3	18	3	78	77	12	-	57	4
20	Coronado	113	-	-	-	1	18	3	3	12	-	50	50	14	-	34	4
21	La Mesa	148	2	-	-	-	34	13	3	18	1	72	71	15	-	50	2
22	National City	186	2	-	1	2	18	10	3	5	-	95	92	21	-	64	3
23	Oceanside	153	4	-	-	-	17	5	2	10	2	74	72	17	-	51	2
24	Balance of county	1,482	21	6	7	4	226	74	24	128	19	713	700	154	-	510	23
25	San Francisco, coextensive with San Francisco (city)	9,579	154	45	12	19	1,565	601	198	766	90	5,216	5,154	968	9	3,817	120
26	San Joaquin	2,021	51	11	-	11	273	98	43	132	23	1,062	1,052	179	2	797	29
27	Stockton	966	29	5	-	7	129	43	25	61	13	518	511	89	2	384	13
28	Lodi	183	2	-	-	-	26	12	2	12	2	122	121	24	-	91	5
29	Balance of county	872	20	6	-	4	118	43	16	59	8	422	420	66	-	322	11
30	San Luis Obispo	613	4	3	-	6	95	44	9	42	7	313	309	55	1	228	8
31	San Luis Obispo	159	2	1	-	-	26	12	-	14	3	91	91	15	1	67	3
32	Balance of county	454	2	2	-	6	69	32	9	28	4	222	218	40	-	161	5
33	San Mateo	2,045	15	11	4	6	339	135	38	166	19	1,110	1,095	203	-	813	30
34	Redwood City	283	6	1	-	1	45	24	7	14	2	156	155	38	-	112	3
35	San Mateo	380	2	5	1	2	73	28	7	38	6	210	207	43	-	151	4
36	Burlingame	194	-	2	-	-	36	14	4	18	4	123	122	22	-	88	1
37	Daly City	153	1	1	-	-	26	7	4	15	1	78	76	15	-	55	2
38	Menlo Park	181	1	-	-	-	36	13	2	21	2	94	89	14	-	70	4
39	San Bruno	94	2	-	-	-	19	6	4	9	-	50	50	10	-	37	3
40	San Carlos	98	1	-	-	-	14	9	-	5	2	53	53	9	-	41	2
41	South San Francisco	109	-	-	-	2	9	3	2	4	-	56	54	6	-	44	-
42	Balance of county	553	2	2	3	1	81	31	8	42	2	290	289	46	-	215	11
43	Santa Barbara	1,012	12	3	4	5	155	56	19	80	12	534	527	111	-	374	15
44	Santa Barbara	552	4	2	2	3	82	33	8	41	8	320	319	73	-	216	9
45	Santa Maria	106	1	-	-	-	14	5	2	7	1	54	52	12	-	37	1
46	Balance of county	354	7	1	2	2	59	18	9	32	3	160	156	26	-	121	5
47	Santa Clara	2,937	34	8	5	13	487	178	54	255	25	1,581	1,561	344	1	1,086	34
48	San Jose	1,086	10	4	2	4	200	74	24	102	12	605	601	123	-	423	12
49	Palo Alto	297	3	1	-	1	50	17	7	26	1	170	167	50	-	104	7
50	Santa Clara	107	1	1	-	1	16	6	2	8	2	63	61	13	-	44	1
51	Balance of county	1,447	20	2	3	7	221	81	21	119	10	743	732	158	1	515	14
52	Santa Cruz	956	7	2	-	4	145	47	25	73	17	612	607	101	1	461	9
53	Santa Cruz	428	1	1	-	-	56	21	7	28	6	305	302	56	-	223	6
54	Watsonville	156	4	-	-	1	25	2	8	15	4	84	84	12	1	64	-
55	Balance of county	372	2	1	-	3	64	24	10	30	7	223	221	33	-	174	3
56	Shasta	384	3	-	-	-	68	23	7	38	3	197	196	31	-	151	4
57	Redding	135	1	-	-	-	21	6	1	14	1	71	71	13	-	54	1
58	Balance of county	249	2	-	-	-	47	17	6	24	2	126	125	18	-	97	3
59	Sierra	32	-	-	-	-	6	1	-	5	-	17	17	5	-	12	-
60	Siskiyou	326	4	1	-	4	46	16	6	24	7	170	165	41	1	105	8
61	Solano	778	6	1	1	3	107	30	16	61	12	388	384	79	2	266	16
62	Vallejo	334	2	1	-	-	47	15	6	26	10	177	176	34	1	124	8
63	Balance of county	444	4	-	1	3	60	15	10	35	2	211	208	45	1	142	8
64	Sonoma	1,334	9	4	3	4	211	84	20	107	10	746	731	136	3	553	15
65	Petaluma	140	1	-	1	1	19	6	2	11	1	77	76	20	-	54	-
66	Santa Rosa	292	2	-	1	-	52	23	4	25	2	169	165	32	1	120	1
67	Balance of county	902	6	4	1	3	140	55	14	71	7	500	490	84	2	379	14
68	Stanislaus	1,197	11	3	3	12	171	60	18	93	17	613	600	136	1	430	13
69	Modesto	296	3	-	1	5	39	11	4	24	1	158	155	40	-	109	3
70	Balance of county	901	8	3	2	7	132	49	14	69	16	455	445	96	1	321	10
71	Sutter	260	3	1	-	1	34	9	6	19	1	153	152	34	-	111	6
72	Tehama	209	3	-	-	-	32	9	2	21	1	121	120	34	-	81	3
73	Trinity	55	1	1	-	1	4	2	-	2	2	28	28	3	-	22	1
74	Tulare	1,183	8	3	6	14	166	55	22	89	25	558	545	90	1	413	16
75	Tulare	141	2	1	1	-	28	12	4	12	5	62	62	9	-	46	3
76	Visalia	114	-	-	-	-	19	9	2	8	1	60	58	10	-	44	3
77	Balance of county	928	6	2	5	14	119	34	16	69	19	436	425	71	1	323	10
78	Tuolumne	160	2	2	-	1	19	5	-	14	2	85	84	12	-	62	3
79	Ventura	880	12	3	-	2	122	38	18	66	11	419	414	93	1	293	20
80	Oxnard	149	4	-	-	1	17	3	5	9	1	61	60	14	1	41	6
81	San Buenaventura	180	-	-	-	-	24	7	1	16	2	100	99	24	-	72	4
82	Santa Paula	102	-	2	-	1	8	1	1	6	2	50	49	10	-	35	2
83	Balance of county	449	8	1	-	-	73	27	11	35	6	208	206	45	-	145	8
84	Yolo	455	8	2	1	5	81	24	13	44	4	217	213	34	-	169	1
85	Yuba	266	2	3	-	2	25	12	3	10	2	144	141	34	-	97	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
107	21	29	-	2	4	4	27	2	1	6	-	1	8	15	1	16	18	6	2	24	1
36	2	6	1	2	-	3	7	3	1	1	1	-	5	5	-	10	4	2	-	10	2
513	112	72	14	38	14	12	94	12	8	29	-	-	30	86	17	83	90	30	11	140	3
169	39	24	2	12	7	3	23	4	3	8	-	-	12	18	6	20	21	2	4	56	4
17	9	2	-	4	-	-	6	1	1	1	-	-	1	3	1	3	2	3	-	5	5
327	64	46	12	22	7	9	65	7	4	20	-	-	17	65	10	60	67	25	7	79	6
899	167	142	13	54	24	20	103	20	9	79	-	2	40	141	3	102	98	43	24	194	7
588	113	87	6	36	20	14	66	15	3	56	-	1	20	65	3	50	60	28	16	119	8
311	54	55	7	18	4	6	37	5	6	23	-	1	20	76	-	52	38	15	8	75	9
31	9	11	-	2	3	1	3	2	2	4	-	-	3	9	1	7	7	3	1	12	10
716	108	97	19	53	27	31	158	27	26	47	4	6	32	133	9	148	100	50	13	231	11
194	37	19	6	22	5	9	43	8	6	14	2	3	8	34	1	33	29	16	1	57	12
35	3	4	-	1	3	3	7	1	-	1	-	-	3	7	-	6	3	2	3	15	13
70	13	13	1	3	2	3	11	3	1	7	-	-	3	11	1	16	13	1	1	23	14
54	8	16	3	2	2	-	17	2	1	1	-	-	1	2	1	11	4	7	-	16	15
363	47	45	9	25	15	16	80	13	18	24	2	3	17	79	6	82	51	24	8	120	16
1,438	289	211	31	125	55	57	164	40	27	79	7	11	103	340	8	194	244	106	22	302	17
895	185	130	20	90	38	37	96	24	15	54	4	7	52	179	6	86	128	57	9	186	18
44	3	6	-	6	2	1	4	-	1	2	-	-	6	15	1	7	4	2	1	8	19
23	5	2	-	2	-	-	1	2	-	3	-	-	1	14	-	5	10	1	-	7	20
34	9	5	1	3	2	1	4	-	1	-	-	-	3	10	-	4	3	8	-	6	21
52	6	3	2	4	1	3	9	4	-	2	-	1	7	22	-	2	7	-	1	13	22
31	11	7	2	1	1	2	-	-	1	3	-	-	6	25	-	10	4	2	1	4	23
359	70	58	6	19	11	13	50	10	9	15	3	3	28	75	1	80	88	36	10	78	24
2,886	459	352	65	190	105	62	324	96	24	355	10	2	92	243	15	138	349	190	57	583	25
590	98	80	10	55	9	10	85	17	20	24	1	3	23	73	13	81	83	28	12	127	26
287	42	42	7	24	5	7	41	9	7	17	-	2	12	28	5	36	36	10	6	56	27
58	17	11	-	5	1	1	4	1	-	-	-	-	1	3	2	2	5	3	-	10	28
245	39	27	3	26	3	2	40	7	13	7	1	1	10	42	6	43	42	15	6	61	29
161	26	33	4	19	2	4	24	3	2	8	-	1	8	29	3	21	32	16	1	32	30
45	10	9	1	7	-	-	7	2	-	2	-	-	2	3	1	4	4	2	-	9	31
116	16	24	3	12	2	4	17	6	2	6	-	1	6	26	2	17	28	14	1	23	32
567	103	113	14	35	30	15	39	18	7	25	1	3	40	96	2	53	76	43	6	132	33
88	12	9	-	2	3	1	4	3	1	3	-	-	6	10	1	6	7	10	-	21	34
103	16	28	3	6	4	3	4	1	-	4	-	-	5	19	-	6	9	6	1	26	35
62	11	14	1	6	5	1	3	3	-	2	-	-	2	2	-	3	3	3	1	7	36
40	6	7	2	4	-	2	3	4	-	6	-	-	2	10	-	5	5	2	1	8	37
53	7	6	1	4	-	5	5	3	-	2	-	1	3	11	-	3	4	4	-	12	38
23	7	4	-	1	2	-	2	-	-	1	-	-	1	4	-	5	4	2	-	4	39
31	3	5	1	2	-	-	2	-	-	1	1	1	2	6	-	3	5	1	1	5	40
28	6	10	-	1	3	2	3	1	1	3	-	-	5	11	-	5	2	1	1	9	41
139	35	30	6	9	13	1	13	3	5	3	-	1	14	23	1	17	37	14	1	40	42
252	58	49	3	28	11	7	29	13	10	14	-	2	13	40	4	37	28	23	3	71	43
155	35	17	2	21	7	1	16	6	7	8	-	1	3	16	1	12	11	11	1	38	44
24	4	8	-	3	-	2	3	1	-	2	-	1	3	5	1	4	6	3	-	7	45
73	19	24	1	4	4	4	10	6	3	4	-	-	7	19	2	21	11	9	2	26	46
776	118	158	24	71	35	20	86	17	29	42	4	1	44	131	7	110	70	44	5	194	47
295	50	66	11	28	16	4	30	3	9	16	1	-	7	32	4	32	23	17	2	73	48
75	5	17	2	10	1	3	6	1	3	3	-	-	5	11	-	13	7	5	1	16	49
39	3	1	1	2	1	2	3	1	-	-	-	-	1	3	-	3	6	-	-	6	50
367	60	74	10	31	17	11	47	12	17	23	3	1	31	85	3	62	34	22	2	99	51
335	42	75	4	25	15	5	17	3	5	12	2	-	2	15	1	22	27	12	2	49	52
149	22	46	2	13	8	3	7	3	1	6	1	-	1	3	-	4	8	3	-	22	53
50	4	10	-	5	2	-	2	-	4	3	1	-	1	5	1	7	4	3	-	7	54
136	16	19	2	7	5	2	8	-	-	3	-	-	-	7	-	11	15	6	2	20	55
123	16	8	3	8	3	1	9	-	3	8	-	-	2	14	4	18	24	6	1	24	56
42	7	4	1	2	1	-	2	-	-	4	-	-	1	7	1	8	7	1	-	10	57
81	9	4	2	6	2	1	7	-	3	4	-	-	1	7	3	10	17	5	1	14	58
7	3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	1	1	2	-	2	59
70	9	18	-	17	1	5	9	3	1	-	-	-	4	9	2	20	17	4	2	23	60
191	26	33	5	18	14	4	22	3	-	13	1	1	17	47	1	46	42	14	2	51	61
87	12	17	3	7	7	1	9	1	-	10	-	1	5	13	-	14	16	4	1	23	62
104	14	16	2	11	7	3	13	2	-	3	1	-	12	34	1	32	26	10	1	28	63
399	77	62	4	22	13	15	30	7	3	17	2	-	10	40	39	28	46	24	-	101	64
38	7	9	1	1	-	1	5	1	-	2	-	-	2	4	3	4	3	4	-	12	65
87	20	12	1	7	4	4	2	1	2	5	-	-	3	9	7	7	8	4	-	18	66
274	50	41	2	14	9	10	23	5	1	10	2	-	5	27	29	17	35	16	-	71	67
345	43	28	5	15	13	13	59	5	7	21	1	-	17	60	6	51	39	11	5	85	68
85	16	5	3	2	1	3	14	1	-	8	-	-	5	10	2	9	8	7	-	25	69
260	27	24	2	13	12	10	45	4	7	13	1	-	12	50	4	42	31	4	5	60	70
84	8	13	1	5	1	1	6	3	1	2	-	1	-	13	1	13	9	3	2	13	71
57	7	14	1	2	2	1	11	-	2	1	-	-	2	4	-	10	5	6	-	11	72
17	2	2	-	2	1	-	1	-	1	-	-	-	-	-	-	5	4	4	-	3	73
288	50	59	8	19	14	13	37	12	11	15	3	-	19	76	7	56	60	20	5	82	74
30	5	8	2	3	2	-	1	3	1	3	1	-	1	12	1	3	6	-	-	10	75
34	3	4	2	1	1	2	2	2	2	2	-	-	2	6	-	5	5	2	-	6	76
224	42	47	4	15	11	11	34	7	8	10	2	-	16	58	6	48	49	18	5	66	77
46	3	10	2	4	4	1	7	1	-	5	-	-	3	7	1	8	7	1	1	8	78
216	29	28	6	15	6	5	40	7	4	5	2	-	14	55	1	53	35	13	6	76	79
27	4	4	1	3	-	1	9	-	1	1	1	-	6	21	-	6	8	1	-	11	80
52	8	8	2	-	1	3	5	2	1	1	-	-	2	8	-	13	5	3	-	14	81
27	2	4	1	1	2	1	7	-	-	-	-	-	1	8	-	7	3	2	3	8	82
110	15	12	2	11	3	2	19	5	2	3	1	-	5	18	1	27	19	7	3	43	83
141	16	11	1	4	5	4	7	2	1	7	1	-	5	20	19	15	15	9	3	29	84
78	9	5	1	6	3	3	8	2	1	5	-	-	3	21	3	10	9	4	3	19	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	COLORADO	12,963	160	35	5	102	1,905	698	209	998	155	6,294	6,135	1,298	32	4,337	238
2	Metropolitan counties	6,749	97	16	2	45	1,067	386	126	555	74	3,200	3,135	648	21	2,223	125
3	Nonmetropolitan counties	6,214	63	19	3	57	838	312	83	443	81	3,094	3,000	650	11	2,114	113
4	Adams	280	2	1	-	3	45	21	7	17	4	107	100	25	1	70	4
5	Aurora (part)	55	2	1	-	-	6	3	1	2	1	23	20	5	-	14	-
6	Aurora (total)	101	2	1	-	-	17	6	2	9	1	41	38	8	-	29	-
7	Balance of county	225	-	-	-	3	39	18	6	15	3	84	80	20	1	56	4
8	Alamosa	84	1	-	-	1	5	3	1	1	-	38	36	4	-	29	2
9	Arapahoe	465	8	-	-	3	61	23	4	34	10	218	214	41	1	157	7
10	Aurora (part)	46	-	-	-	-	11	3	1	7	-	18	18	3	-	15	-
11	Englewood	239	5	-	-	1	26	11	2	13	8	123	119	27	1	82	5
12	Balance of county	180	3	-	-	2	24	9	1	14	2	77	77	11	-	60	2
13	Archuleta	21	-	-	-	1	1	1	-	-	2	9	8	4	-	4	-
14	Baca	60	-	-	-	-	8	1	-	7	3	29	29	5	-	23	3
15	Bent	60	1	1	-	-	5	2	-	3	-	35	33	9	-	21	-
16	Boulder	488	9	2	-	5	66	24	5	37	15	264	261	51	-	196	17
17	Boulder	224	5	1	-	2	29	8	3	18	9	127	126	25	-	95	8
18	Balance of county	264	4	1	-	3	37	16	2	19	6	137	135	26	-	101	9
19	Chaffee	106	2	-	-	1	12	5	1	6	-	63	61	16	-	42	1
20	Cheyenne	23	-	-	-	-	8	-	3	5	-	8	8	1	-	7	-
21	Clear Creek	30	-	-	-	-	8	2	1	5	-	11	11	1	-	10	1
22	Conejos	51	1	-	-	1	9	5	-	4	1	20	20	1	2	11	1
23	Costilla	21	-	1	-	-	1	1	-	-	1	8	8	4	-	4	1
24	Crowley	37	-	-	-	-	5	2	-	3	-	16	15	2	-	12	-
25	Custer	10	-	-	-	-	1	-	-	1	-	8	8	2	-	6	-
26	Delta	187	-	1	-	1	22	10	1	11	1	102	100	18	-	79	5
27	Denver, coextensive with Denver (city)	4,653	68	12	-	26	764	278	93	393	43	2,281	2,244	460	13	1,590	84
28	Dolores	9	1	-	-	-	-	-	-	-	-	4	4	1	-	3	-
29	Douglas	38	-	-	-	-	3	2	-	1	-	27	25	5	1	15	-
30	Eagle	47	-	-	-	1	7	2	1	4	1	16	16	2	-	12	-
31	Elbert	37	-	-	-	-	5	3	-	2	1	19	19	1	-	17	-
32	El Paso	818	18	1	1	5	128	41	15	72	7	412	402	75	-	282	14
33	Colorado Springs	720	15	1	1	5	111	35	15	61	6	369	361	68	-	253	13
34	Balance of county	98	3	-	-	-	17	6	-	11	1	43	41	7	-	29	1
35	Fremont	255	1	2	-	-	31	7	6	18	2	145	141	43	-	96	4
36	Garfield	100	1	-	-	1	5	3	-	2	-	71	69	10	-	52	3
37	Gilpin	20	-	-	-	-	2	1	-	1	-	8	8	1	-	7	1
38	Grand	24	-	-	-	-	2	2	-	-	-	9	9	7	-	2	1
39	Gunnison	31	1	-	-	1	3	-	-	3	-	18	17	4	-	12	1
40	Hinsdale	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
41	Huerfano	108	3	2	-	-	11	4	2	5	4	47	47	9	-	27	1
42	Jackson	19	-	1	-	-	2	1	-	1	-	7	6	-	-	6	-
43	Jefferson	474	7	-	-	1	83	23	8	52	7	221	220	46	1	160	10
44	Kiowa	17	-	-	-	-	1	1	-	-	-	8	7	1	-	5	1
45	Kit Carson	53	-	-	-	-	7	2	-	5	2	34	32	7	-	25	-
46	Lake	71	1	-	-	1	8	1	-	7	1	19	19	8	-	10	2
47	La Plata	163	1	-	-	7	17	6	3	8	1	66	62	18	-	41	2
48	Larimer	370	1	2	-	1	47	15	5	27	3	227	220	57	-	150	8
49	Fort Collins	168	1	1	-	-	15	8	-	7	-	111	109	24	-	78	5
50	Balance of county	202	-	1	-	1	32	7	5	20	3	116	111	33	-	72	3
51	Las Animas	260	2	-	1	3	43	18	4	21	3	108	105	30	1	67	6
52	Trinidad	152	-	-	-	3	26	12	2	12	2	64	61	21	-	35	4
53	Balance of county	108	2	-	1	-	17	6	2	9	1	44	44	9	1	32	2
54	Lincoln	42	-	-	-	-	6	2	1	3	-	23	22	4	-	17	-
55	Logan	147	1	-	-	2	27	11	3	13	1	68	65	14	-	46	1
56	Mesa	373	1	-	-	1	52	17	3	32	1	195	187	42	-	128	6
57	Grand Junction	198	1	-	-	1	28	8	3	17	-	97	92	22	-	60	3
58	Balance of county	175	-	-	-	-	24	9	-	15	1	98	95	20	-	68	3
59	Mineral	3	-	-	-	-	-	-	-	-	-	3	3	-	1	2	-
60	Moffat	31	-	1	-	-	2	1	-	1	-	14	14	1	-	12	1
61	Montezuma	76	-	2	-	-	6	2	-	4	2	27	27	8	-	14	1
62	Montrose	141	1	-	1	2	28	15	3	10	3	46	45	12	1	28	1
63	Morgan	171	1	-	-	-	27	8	3	16	4	81	79	14	1	56	2
64	Otero	270	3	-	-	6	40	15	4	21	7	144	135	22	-	105	4
65	Ourey	25	-	-	-	-	3	2	-	1	-	12	12	3	-	9	-
66	Park	24	-	1	-	-	1	-	-	1	1	9	9	-	-	9	1
67	Phillips	43	-	-	-	-	8	3	-	5	1	22	21	6	-	13	-
68	Pitkin	21	-	-	-	-	1	1	-	-	-	13	13	6	-	6	-
69	Prowers	125	2	-	-	3	16	10	-	4	2	67	58	11	1	46	1
70	Pueblo	877	12	3	2	12	114	41	14	59	10	373	357	76	5	246	20
71	Pueblo	785	12	3	2	11	99	33	14	52	9	339	324	68	5	222	19
72	Balance of county	92	-	-	-	1	15	8	-	7	1	34	33	8	-	24	1
73	Rio Blanco	23	-	-	-	-	2	1	1	-	-	11	11	2	-	7	-
74	Rio Grande	139	1	-	-	3	13	6	-	7	1	38	37	10	-	26	3
75	Routt	47	-	-	-	-	9	5	2	2	-	25	24	5	-	18	1
76	Saguache	53	-	-	-	2	5	1	2	2	-	18	18	2	-	13	1
77	San Juan	9	-	-	-	1	1	-	-	1	-	2	2	-	-	2	-
78	San Miguel	21	-	-	-	1	5	2	-	3	-	8	8	1	-	7	-
79	Sedgwick	44	1	-	-	-	4	3	-	1	2	22	22	6	-	10	1
80	Summit	13	-	-	-	1	1	1	-	-	-	5	5	-	-	4	-
81	Teller	33	-	-	-	-	7	-	1	6	1	14	14	2	-	11	2
82	Washington	62	-	-	-	-	9	5	1	3	2	29	28	3	1	23	3
83	Weld	581	8	2	-	3	87	33	9	45	4	287	282	65	1	195	7
84	Greeley	245	4	-	-	1	36	13	4	19	2	131	130	33	1	86	2
85	Balance of county	336	4	2	-	2	51	20	5	26	2	156	152	32	-	109	5
86	Yuma	76	-	-	-	2	5	3	2	-	1	54	52	14	1	33	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
3,035	492	572	86	264	118	159	792	122	112	127	20	19	208	746	66	347	533	205	65	945	1
1,634	268	196	51	125	67	65	419	71	47	97	5	9	112	401	30	143	247	119	39	509	2
1,401	224	376	35	139	51	94	373	51	65	30	15	10	96	345	36	204	286	86	26	436	3
55	6	5	-	-	4	7	13	3	-	3	1	3	9	38	-	16	10	8	-	14	4
11	1	2	-	-	1	3	1	-	-	1	-	-	1	12	-	1	3	2	-	1	5
22	4	3	-	-	1	3	1	1	1	1	-	-	3	15	-	1	5	3	1	7	6
44	5	3	-	-	3	4	12	3	-	2	1	3	8	26	-	15	7	6	-	13	7
14	3	10	-	3	-	2	7	1	3	-	-	1	1	13	-	3	4	1	-	5	8
122	19	9	-	11	4	4	15	6	4	8	-	1	12	32	1	16	22	11	2	35	9
11	3	1	-	-	-	-	-	1	1	-	-	-	2	3	-	-	2	1	1	6	10
64	10	3	-	6	3	4	11	3	1	6	-	1	4	15	1	5	10	5	1	13	11
47	6	5	-	5	1	-	4	2	2	-	-	-	6	14	-	11	10	5	-	16	12
2	-	2	-	-	-	1	3	-	1	-	-	-	-	1	-	1	-	-	-	2	13
13	5	2	1	-	-	-	4	-	-	-	-	-	2	1	1	3	6	-	-	3	14
11	2	8	2	1	-	2	7	1	2	-	-	-	-	2	1	1	2	-	-	2	15
136	19	24	4	7	3	3	28	3	-	2	-	1	9	12	2	6	16	5	1	42	16
67	9	11	1	3	2	1	12	1	-	1	-	-	2	7	-	2	5	1	-	20	17
69	10	13	3	4	1	2	16	2	-	1	-	1	7	5	2	4	11	4	1	22	18
20	1	20	-	2	1	2	5	-	-	1	-	-	2	1	1	3	7	3	1	4	19
5	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	3	20
5	2	2	-	-	-	-	1	-	-	-	-	-	-	2	-	2	1	1	-	4	21
7	1	2	-	6	-	-	2	-	4	-	-	-	-	-	1	1	3	-	-	8	22
2	1	-	-	-	-	-	2	1	-	-	-	-	-	3	-	-	-	-	-	4	23
10	1	1	-	-	1	1	6	-	1	-	-	-	3	-	-	2	2	-	-	2	24
5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	25
43	13	18	-	3	-	2	12	6	1	-	1	-	4	3	1	7	9	2	-	14	26
1,181	192	133	39	92	50	37	303	52	17	76	2	-	70	221	25	81	149	74	29	360	27
3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	28
14	-	1	-	1	3	2	2	-	-	-	-	-	-	-	-	2	-	1	-	3	29
7	-	5	-	2	-	-	2	-	2	-	1	-	2	4	2	1	5	1	1	1	30
15	1	1	1	-	-	-	2	-	-	-	1	-	1	1	-	3	1	2	-	1	31
205	31	32	5	28	12	10	23	4	3	6	1	1	17	62	4	25	32	16	4	48	32
186	27	27	4	27	9	8	20	2	3	5	1	1	17	55	4	18	27	15	3	41	33
19	4	5	1	1	3	2	3	2	-	1	-	-	-	7	-	7	5	1	1	7	34
58	4	30	-	1	1	4	19	2	1	4	1	-	4	5	-	4	11	4	-	19	35
24	2	23	1	5	1	2	1	1	-	-	-	-	2	4	-	2	5	-	1	6	36
4	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-	3	-	-	-	3	37
1	-	-	-	1	-	-	3	1	-	-	-	-	-	1	-	1	3	-	1	3	38
8	1	2	-	1	-	1	-	-	-	-	-	-	1	2	-	-	4	-	-	1	39
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	40
19	3	4	1	10	-	-	10	3	3	2	-	-	2	6	2	2	3	2	1	5	41
5	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	2	4	-	-	-	42
110	22	18	4	6	3	1	12	7	6	4	-	2	7	34	-	15	21	10	4	33	43
3	1	-	1	-	-	1	-	-	1	-	-	-	1	1	1	1	3	-	-	-	44
20	4	1	-	-	-	2	2	-	-	-	-	-	1	1	-	-	3	1	-	2	45
2	2	4	-	-	1	-	11	-	1	-	-	1	-	10	1	5	1	2	-	9	46
21	5	13	1	1	1	4	8	2	5	1	-	-	3	17	2	3	10	3	1	16	47
110	11	21	1	10	2	7	19	5	-	1	1	-	2	8	1	10	13	2	-	27	48
54	8	11	1	4	2	2	6	2	-	1	-	-	1	3	-	2	8	1	-	16	49
56	3	10	-	6	-	5	13	3	-	-	1	-	1	5	1	8	5	1	-	11	50
36	5	20	1	6	-	3	24	1	3	3	-	1	6	15	3	11	6	5	-	22	51
17	2	12	1	4	-	3	12	-	1	3	-	-	3	11	1	5	4	3	-	14	52
19	3	8	-	2	-	-	12	1	2	-	-	1	3	4	2	6	2	2	-	8	53
9	2	6	-	-	1	1	3	-	-	-	-	-	1	1	-	1	2	1	1	3	54
35	5	5	1	4	-	3	8	-	-	-	-	-	3	9	-	7	7	1	-	13	55
79	21	22	2	13	2	8	17	4	3	-	2	1	4	29	4	14	11	9	1	24	56
36	11	10	2	7	1	5	9	2	3	-	1	1	3	17	4	5	7	4	-	15	57
43	10	12	-	6	1	3	8	2	-	-	1	-	1	12	-	9	4	5	1	9	58
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
11	-	-	-	1	-	-	-	-	-	2	-	-	-	3	1	3	1	1	-	3	60
7	-	6	-	2	3	-	5	2	1	-	-	-	2	5	-	3	8	1	2	10	61
16	2	9	1	2	1	1	9	-	1	2	-	-	3	11	2	4	11	2	1	14	62
42	5	7	1	5	2	2	10	1	2	-	1	-	1	11	-	9	8	1	2	12	63
69	11	21	-	5	3	9	15	1	-	2	-	1	1	18	-	7	6	5	-	14	64
3	1	5	-	-	-	-	2	-	-	-	-	-	-	2	-	1	4	-	-	1	65
7	-	1	-	-	-	-	1	-	2	1	-	-	-	2	-	2	1	-	-	3	66
9	1	3	-	2	-	1	3	1	-	-	2	-	1	2	-	2	1	-	-	-	67
6	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	3	-	1	68
32	5	8	-	-	-	9	8	-	1	-	1	-	1	4	-	5	10	2	-	3	69
166	29	31	8	16	6	16	76	3	20	6	2	3	14	76	4	15	45	16	4	67	70
146	27	30	7	16	6	15	65	3	17	6	2	3	11	66	3	14	40	12	4	64	71
20	2	1	1	-	-	1	11	-	3	-	-	-	3	10	1	1	5	4	-	3	72
5	1	1	1	1	-	-	-	-	-	-	-	-	2	2	-	3	3	-	-	-	73
17	4	2	1	-	-	1	21	1	14	-	-	1	1	14	2	7	3	2	5	12	74
12	1	4	-	1	-	1	1	-	-	-	-	-	3	2	-	-	3	2	-	2	75
8	3	1	2	1	-	-	3	-	5	-	-	1	3	4	-	3	6	-	-	3	76
1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	-	-	-	77
3	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-	-	2	78
8	1	-	4	1	1	-	2	-	-	-	-	1	1	3	1	2	3	-	-	2	79
2	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-	1	2	-	-	-	80
5	-	4	-	-	1	-	4	1	-	-	-	-	-	2	-	-	3	-	-	1	81
16	4	-	-	-	1	1	5	1	-	-	-	-	-	4	1	3	7	-	-	1	82
143	31	14	2	10	9	5	41	3	7	-	1	-	5	36	2	17	20	5	3	50	83
64	12	8	1	4	5	1	16	-	1	-	1	-	4	18	2	2	6	1	-	20	84
79	19	6	1	6	4	4	25	3	6	-	-	-	1	18	-	15	14	4	3	30	85
26	3	2	1	3	-	2	3	2	-	1	-	-	-	1	-	4	1	-	-	2	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	CONNECTICUT	20,695	207	52	16	72	3,747	1,434	449	1,864	410	11,633	11,457	2,228	14	8,477	285
2	Metropolitan counties	16,239	172	44	14	57	3,007	1,148	354	1,505	339	9,014	8,887	1,708	13	6,622	232
3	Nonmetropolitan counties	4,456	35	8	2	15	740	286	95	359	71	2,619	2,570	520	1	1,855	53
4	Fairfield	4,980	53	16	5	10	916	342	124	450	105	2,757	2,712	547	4	1,960	65
5	Bridgeport	1,611	23	4	-	5	291	120	44	127	34	902	890	182	-	648	19
6	Stamford	655	9	3	1	-	119	43	12	64	16	323	321	69	1	224	9
7	Norwalk	503	5	2	2	-	83	34	13	36	17	265	261	58	-	180	12
8	Stratford (town)[2]	329	3	1	-	1	64	27	10	27	3	192	187	37	1	138	1
9	Danbury	357	3	1	-	-	72	21	11	40	9	198	194	37	-	144	4
10	Shelton	103	1	-	-	-	15	4	2	9	5	65	63	10	-	46	-
11	Balance of county	1,422	9	5	2	4	272	93	32	147	21	812	796	154	2	580	20
12	Hartford	5,312	65	13	7	22	980	363	112	505	120	2,902	2,871	534	4	2,168	71
13	Hartford	1,848	36	7	2	4	335	139	46	150	47	983	978	156	1	772	27
14	New Britain	714	9	3	-	2	124	46	14	64	19	389	383	72	-	295	12
15	Bristol	310	1	-	1	1	55	17	7	31	8	170	166	35	-	124	2
16	East Hartford (town)[2]	248	3	-	1	3	48	18	3	27	7	128	127	25	-	93	2
17	West Hartford (town)[2]	469	1	1	-	2	114	48	12	54	9	256	252	54	2	180	7
18	Balance of county	1,723	15	2	3	10	304	95	30	179	30	976	965	192	1	704	21
19	Litchfield	1,117	10	3	-	3	201	74	25	102	20	614	610	132	-	429	14
20	Torrington	288	1	-	-	1	54	23	6	25	7	158	157	27	-	109	5
21	Balance of county	829	9	3	-	2	147	51	19	77	13	456	453	105	-	320	9
22	Middlesex	743	8	2	-	1	102	39	13	50	14	460	447	99	-	324	12
23	Middletown	276	2	-	-	1	35	13	4	18	5	170	166	31	-	127	5
24	Balance of county	467	6	2	-	-	67	26	9	32	9	290	281	68	-	197	7
25	New Haven	5,947	54	15	2	25	1,111	443	118	550	114	3,355	3,304	627	5	2,494	96
26	New Haven	1,900	24	4	1	7	325	141	34	150	30	1,109	1,094	186	4	856	38
27	Waterbury	1,091	13	4	-	6	205	81	22	102	26	568	555	114	-	406	21
28	Meriden	518	3	1	-	1	117	56	10	51	9	298	290	56	-	216	3
29	West Haven (town)[2]	345	2	1	-	2	73	23	12	38	4	191	190	39	-	144	3
30	Ansonia	253	4	1	-	1	41	20	3	18	3	140	135	32	-	94	4
31	Derby	101	-	-	-	-	20	10	1	9	3	54	54	8	-	45	-
32	Naugatuck	175	-	-	-	1	38	10	5	23	3	88	87	15	-	68	1
33	Wallingford	240	2	-	1	1	35	13	7	15	6	146	146	30	-	110	1
34	Balance of county	1,324	6	4	-	6	257	89	24	144	30	761	753	147	1	555	25
35	New London	1,515	13	2	-	7	247	87	34	126	27	908	883	169	1	632	14
36	New London	369	4	-	-	1	65	22	12	31	4	215	214	43	-	142	3
37	Norwich	376	2	2	-	3	57	20	7	30	5	231	215	45	-	156	1
38	Balance of county	770	7	-	-	3	125	45	15	65	18	462	454	81	1	334	10
39	Tolland	401	2	1	1	3	71	34	11	26	6	231	229	47	-	166	4
40	Windham	680	2	-	1	1	119	52	12	55	4	406	401	73	-	304	9
41	Willimantic	177	-	-	-	1	24	10	5	9	-	108	107	22	-	79	4
42	Balance of county	503	2	-	1	-	95	42	7	46	4	298	294	51	-	225	5
43	DELAWARE	3,576	55	15	3	12	482	158	51	273	79	1,981	1,932	331	2	1,439	42
44	Metropolitan counties	2,305	30	7	2	8	338	113	34	191	52	1,284	1,247	211	2	937	34
45	Nonmetropolitan counties	1,271	25	8	1	4	144	45	17	82	27	697	685	120	-	502	8
46	Kent	472	9	3	1	-	44	9	7	28	13	273	269	46	-	193	2
47	New Castle	2,305	30	7	2	8	338	113	34	191	52	1,284	1,247	211	2	937	34
48	Wilmington	1,446	19	5	-	5	214	70	26	118	37	823	798	136	1	597	23
49	Balance of county	859	11	2	2	3	124	43	8	73	15	461	449	75	1	340	11
50	Sussex	799	16	5	-	4	100	36	10	54	14	424	416	74	-	309	6
51	DISTRICT OF COLUMBIA	8,545	183	50	1	34	1,316	460	170	686	115	4,493	4,433	778	8	3,358	86
52	FLORIDA	30,668	317	155	48	229	4,548	1,469	579	2,500	416	15,380	14,976	3,480	24	10,418	375
53	Metropolitan counties	15,285	188	81	26	86	2,534	818	365	1,351	201	7,768	7,610	1,675	14	5,379	208
54	Nonmetropolitan counties	15,383	129	74	22	143	2,014	651	214	1,149	215	7,612	7,366	1,805	10	5,039	167
55	Alachua	479	3	-	-	1	56	23	5	28	11	229	221	61	-	149	9
56	Gainesville	232	1	-	-	1	25	8	2	15	5	104	100	26	-	69	4
57	Balance of county	247	2	-	-	-	31	15	3	13	6	125	121	35	-	80	5
58	Baker	59	2	-	-	1	4	1	-	3	1	23	23	9	-	11	-
59	Bay	302	2	1	-	9	48	21	5	22	2	139	132	36	-	87	6
60	Panama City	201	-	1	-	6	33	16	3	14	2	98	91	20	-	65	3
61	Balance of county	101	2	-	-	3	15	5	2	8	-	41	41	16	-	22	3
62	Bradford	109	1	-	-	-	12	2	2	8	-	60	59	10	-	45	1
63	Brevard	325	2	4	2	3	50	18	7	25	5	160	159	46	-	108	3
64	Broward	1,026	10	5	-	11	160	59	15	86	18	491	477	110	1	336	15
65	Fort Lauderdale	501	2	2	-	7	90	31	10	49	9	249	240	51	-	172	8
66	Hollywood	174	1	1	-	-	26	10	2	14	3	99	98	30	-	59	2
67	Balance of county	351	7	2	-	4	44	18	3	23	6	143	139	29	1	105	5
68	Calhoun	72	1	1	-	1	8	2	-	6	-	30	29	6	-	21	1
69	Charlotte	80	1	-	-	-	16	7	2	7	-	41	40	12	-	24	2
70	Citrus	69	-	1	-	2	13	2	5	6	-	31	28	9	-	17	-
71	Clay	123	-	-	1	1	9	4	-	5	2	67	66	14	-	47	-
72	Collier	70	1	-	-	1	8	2	2	4	-	20	20	5	-	13	2
73	Columbia	197	1	1	-	2	19	6	1	12	3	103	102	34	-	62	1
74	Dade	5,328	77	26	5	24	944	334	149	461	86	2,604	2,564	488	3	1,864	102
75	Miami	2,889	48	14	2	16	495	175	79	241	58	1,412	1,395	270	2	999	58
76	Miami Beach	539	5	4	-	1	92	38	11	43	3	334	330	49	-	263	12
77	Coral Gables	190	1	1	-	1	36	11	8	17	2	100	96	16	1	75	4
78	Hialeah	214	2	-	-	-	52	17	8	27	3	89	88	12	-	70	4
79	North Miami	99	1	1	-	2	13	7	1	5	1	52	52	14	-	34	1
80	Balance of county	1,397	20	6	3	4	256	86	42	128	19	617	603	127	-	423	23

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
6,296	1,035	861	150	401	187	176	408	153	71	346	22	18	274	661	75	301	682	216	32	1,299	1
4,909	826	655	115	277	152	127	312	120	52	294	17	16	204	535	65	215	548	160	27	1,027	2
1,387	209	206	35	124	35	49	96	33	19	52	5	2	70	126	10	86	134	56	5	272	3
1,504	219	172	40	106	55	45	106	37	17	91	5	6	60	162	29	74	164	42	9	316	4
520	60	49	10	33	17	12	39	11	2	38	-	-	21	48	10	20	50	10	2	101	5
171	22	22	7	12	8	2	10	4	7	13	1	3	6	35	5	6	29	10	3	52	6
140	17	11	5	13	5	4	11	3	2	8	-	1	6	27	5	10	16	1	1	38	7
99	22	16	2	7	2	5	2	2	1	5	-	-	3	8	2	6	12	4	-	20	8
97	18	25	4	6	3	4	11	4	1	8	1	1	4	7	-	5	8	3	1	20	9
37	5	4	2	4	1	2	1	-	-	-	1	-	-	5	1	2	3	-	-	4	10
440	75	45	10	31	19	16	32	13	4	19	2	1	20	32	6	25	46	14	2	81	11
1,651	274	192	30	84	51	31	93	39	19	105	3	4	68	179	10	70	193	57	10	352	12
600	87	58	10	23	16	5	36	21	7	42	1	-	19	56	2	20	70	14	6	140	13
196	52	35	2	7	7	6	12	2	3	32	-	2	10	27	1	8	19	4	2	46	14
102	14	6	1	1	5	4	6	1	-	6	1	-	5	15	-	5	8	5	-	22	15
74	10	7	2	5	2	1	3	-	3	4	-	-	6	13	-	2	9	-	1	17	16
150	15	8	1	8	7	4	11	3	-	4	1	-	5	13	2	5	18	5	-	19	17
509	96	78	14	40	14	11	25	12	6	18	-	2	23	55	5	30	69	29	1	108	18
309	56	50	13	21	15	4	16	9	4	13	3	-	22	30	-	27	38	13	1	90	19
85	14	5	11	5	5	1	4	2	1	4	-	-	4	9	-	4	8	2	-	29	20
224	42	45	2	16	10	3	12	7	3	9	3	-	18	21	-	23	30	11	1	61	21
255	38	19	3	19	2	13	17	8	7	7	-	1	10	17	1	10	25	13	1	39	22
94	21	7	3	4	1	4	9	5	5	3	-	-	2	4	1	3	7	5	1	18	23
161	17	12	-	15	1	9	8	3	2	4	-	1	8	13	-	7	18	8	-	21	24
1,774	333	291	45	87	46	51	113	44	16	97	9	6	76	194	26	71	191	61	8	359	25
602	117	99	8	25	15	15	32	15	7	39	-	1	23	56	7	19	62	15	4	120	26
258	77	50	13	13	9	13	29	8	3	23	4	2	16	35	6	16	44	14	-	69	27
172	25	16	4	10	4	8	6	1	-	9	1	2	10	6	1	9	9	4	1	30	28
113	18	10	2	4	1	1	11	4	-	2	-	-	3	10	2	1	14	9	1	15	29
58	11	21	-	7	2	5	3	3	-	7	-	-	3	14	1	-	6	1	-	25	30
26	8	11	1	-	-	-	2	1	-	2	1	-	1	5	-	1	3	1	-	7	31
47	9	11	2	1	1	1	5	1	-	3	1	1	2	12	1	2	2	2	-	13	32
98	9	2	3	3	-	-	7	3	1	2	-	-	2	7	-	3	7	2	-	15	33
400	59	71	12	24	14	8	18	8	5	10	2	-	16	49	8	20	44	13	2	65	34
485	62	71	11	55	15	25	38	6	5	21	1	-	22	40	2	31	47	16	2	80	35
108	22	9	3	22	4	1	10	2	3	5	-	-	5	14	1	4	14	5	2	15	36
123	10	22	2	8	4	16	10	1	1	5	-	-	7	7	-	9	6	2	-	28	37
254	30	40	6	25	7	8	18	3	1	11	1	-	10	19	1	18	27	9	-	37	38
123	19	20	1	14	1	2	4	4	1	4	-	-	9	15	3	6	11	8	1	20	39
215	34	46	7	15	2	5	21	6	2	7	1	1	7	24	4	12	13	6	-	43	40
54	11	10	3	3	-	1	6	1	-	3	1	1	3	6	1	3	3	2	-	14	41
161	23	36	4	12	2	4	15	5	2	4	-	-	4	18	3	9	10	4	-	29	42
858	277	262	41	85	34	49	111	14	14	45	9	7	54	158	16	105	140	41	19	216	43
588	172	143	21	52	24	37	71	11	6	32	4	1	38	100	7	51	80	21	8	154	44
270	105	119	20	33	10	12	40	3	8	13	5	6	16	58	9	54	60	20	11	62	45
99	45	47	13	1	5	4	16	2	1	7	2	-	7	19	3	18	22	6	4	22	46
588	172	143	21	52	24	37	71	11	6	32	4	1	38	100	7	51	80	21	8	154	47
371	117	86	14	35	15	25	49	6	3	18	3	-	21	51	4	22	52	9	3	102	48
217	55	57	7	17	9	12	22	5	3	14	1	1	17	49	3	29	28	12	5	52	49
171	60	72	7	21	5	8	24	1	7	6	3	6	9	39	6	36	38	14	7	40	50
1,737	733	802	77	134	78	60	283	50	36	176	16	10	98	442	13	134	381	82	81	551	51
6,748	1,529	1,766	295	544	215	404	1,020	210	203	344	75	66	347	1,501	774	901	1,261	343	344	2,186	52
3,624	755	792	135	296	111	158	426	119	89	211	35	24	178	630	284	368	567	204	153	1,113	53
3,124	774	974	160	248	104	246	594	91	114	133	40	42	169	871	490	533	694	139	191	1,073	54
76	22	42	4	7	-	8	21	1	5	3	1	2	3	24	26	20	13	5	12	43	55
36	9	20	3	2	-	4	9	1	2	1	-	-	2	19	13	7	9	3	4	26	56
40	13	22	1	5	-	4	12	-	3	2	1	2	1	5	13	13	4	2	8	17	57
5	1	5	1	2	-	-	4	-	-	1	-	-	-	5	4	6	-	-	3	5	58
38	25	18	3	5	1	7	6	-	-	3	-	2	6	30	11	9	14	2	4	14	59
29	19	14	2	4	-	7	6	-	-	1	-	2	4	16	9	5	8	1	3	6	60
9	6	4	1	1	1	-	-	-	-	2	-	-	2	14	2	4	6	1	1	8	61
31	6	7	3	1	-	1	3	1	-	1	1	-	-	6	2	4	5	1	3	9	62
67	13	25	3	2	-	1	8	4	-	2	-	1	5	20	1	16	22	1	3	16	63
244	36	41	13	10	7	14	47	8	4	13	1	-	12	56	7	28	39	13	20	83	64
116	20	28	8	6	3	9	17	6	2	5	1	-	4	23	4	8	19	6	10	37	65
49	4	4	4	2	3	1	3	1	-	4	-	-	1	5	-	5	4	2	1	18	66
79	12	9	1	2	1	4	27	1	2	4	-	-	7	28	3	15	16	5	9	28	67
11	3	6	-	1	1	1	3	1	-	3	-	-	-	5	1	2	5	2	-	9	68
16	2	4	2	2	-	1	6	-	-	-	-	-	-	3	3	2	5	-	-	3	69
9	6	2	1	1	-	3	2	-	-	3	-	-	-	3	2	3	4	-	1	4	70
25	7	15	2	2	1	1	9	2	1	2	-	-	2	2	1	6	9	-	1	8	71
5	2	4	-	2	-	-	6	-	4	1	-	1	1	7	3	4	6	-	-	7	72
43	10	8	1	5	-	1	11	1	3	1	1	3	5	9	8	6	7	2	-	11	73
1,380	198	184	53	120	36	40	144	42	31	92	11	7	68	218	69	142	189	81	58	410	74
704	116	121	29	77	18	17	82	23	18	58	5	3	30	99	39	75	94	49	26	243	75
225	15	11	4	10	4	4	7	5	3	9	-	1	4	4	2	8	12	9	1	35	76
52	11	8	1	2	1	4	4	-	1	6	1	1	-	7	2	2	7	3	1	14	77
53	8	5	3	3	-	1	10	2	1	-	-	-	3	11	7	7	11	2	1	13	78
30	1	2	1	1	2	-	2	1	-	2	-	-	3	7	1	3	2	2	-	6	79
316	47	37	15	27	11	14	39	11	8	17	5	2	28	90	18	47	63	16	29	99	80

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	De Soto	102	1	1	-	-	14	5	1	8	3	56	54	14	-	37	1
2	Dixie	32	-	-	-	-	6	1	-	5	-	9	9	-	-	7	-
3	Duval	3,051	49	30	8	20	472	136	55	281	34	1,463	1,412	368	6	944	20
4	Jacksonville	2,464	43	27	6	18	377	117	44	216	30	1,184	1,137	307	6	749	16
5	Balance of county	587	6	3	2	2	95	19	11	65	4	279	275	61	-	195	4
6	Escambia	968	5	3	1	14	111	25	9	77	11	398	379	82	3	275	3
7	Pensacola	531	4	3	-	7	58	11	6	41	8	235	223	47	2	165	2
8	Balance of county	437	1	-	1	7	53	14	3	36	3	163	156	35	1	110	1
9	Flagler	43	-	-	-	-	7	2	2	3	1	23	23	9	-	11	-
10	Franklin	72	1	1	-	-	13	4	3	6	-	32	30	9	-	20	-
11	Gadsden	316	4	2	-	6	27	6	1	20	5	149	145	46	-	94	-
12	Gilchrist	32	-	-	-	1	8	2	1	5	-	16	15	1	-	14	-
13	Glades	20	-	-	-	-	3	-	3	-	-	10	10	2	-	8	-
14	Gulf	57	1	1	-	2	3	1	1	1	1	18	18	7	-	11	-
15	Hamilton	96	1	2	-	-	8	-	-	8	3	43	39	16	-	18	1
16	Hardee	105	3	1	-	3	11	5	-	6	3	51	49	11	-	34	1
17	Hendry	55	-	1	-	-	6	1	1	4	1	25	24	5	-	17	1
18	Hernando	68	3	-	-	-	10	5	1	4	-	27	25	11	-	13	-
19	Highlands	155	1	2	-	2	16	3	2	11	2	88	80	28	-	43	1
20	Hillsborough	2,639	26	12	2	17	412	129	67	216	41	1,254	1,220	239	2	903	28
21	Tampa	1,939	17	8	2	14	308	96	56	156	29	913	887	175	1	651	18
22	Balance of county	700	9	4	-	3	104	33	11	60	12	341	333	64	1	252	10
23	Holmes	120	1	-	-	3	9	3	-	6	-	55	54	14	-	36	1
24	Indian River	132	-	1	-	3	23	8	2	13	2	69	67	6	-	54	3
25	Jackson	307	1	-	-	5	36	14	1	21	3	149	140	49	-	80	-
26	Jefferson	128	2	-	-	3	7	3	1	3	1	69	62	25	-	33	-
27	Lafayette	18	-	-	-	-	3	-	-	3	-	7	7	2	-	5	-
28	Lake	409	2	2	1	5	54	15	4	35	8	218	214	37	-	164	5
29	Lee	285	1	2	1	1	42	12	8	22	7	138	138	28	1	93	4
30	Fort Myers	190	1	2	1	1	26	7	4	15	6	91	91	20	1	58	2
31	Balance of county	95	-	-	-	-	16	5	4	7	1	47	47	8	-	35	2
32	Leon	437	4	-	-	2	51	16	7	28	2	183	172	38	1	109	3
33	Tallahassee	285	2	-	-	1	35	12	5	18	2	117	114	28	1	67	3
34	Balance of county	152	2	-	-	1	16	4	2	10	-	66	58	10	-	42	-
35	Levy	109	-	-	-	1	19	8	-	11	1	48	47	15	-	32	1
36	Liberty	33	-	-	-	-	4	-	1	3	1	16	16	4	-	12	-
37	Madison	150	-	2	-	1	17	5	1	11	2	70	67	26	1	37	-
38	Manatee	512	2	7	-	4	69	27	11	31	12	293	283	56	-	203	6
39	Bradenton	252	1	4	-	1	33	18	4	11	7	154	149	34	-	100	3
40	Balance of county	260	1	3	-	3	36	9	7	20	5	139	134	22	-	103	3
41	Marion	451	7	4	-	6	57	18	2	37	6	216	209	52	-	146	2
42	Ocala	165	4	1	-	4	24	7	2	15	3	72	70	19	-	45	-
43	Balance of county	286	3	3	-	2	33	11	-	22	3	144	139	33	-	101	2
44	Martin	98	1	1	-	-	10	5	1	4	1	55	55	16	-	37	-
45	Monroe	245	1	-	6	2	32	7	6	19	-	107	104	18	-	70	1
46	Key West	218	1	-	6	2	28	7	4	17	-	96	94	17	-	63	1
47	Balance of county	27	-	-	-	-	4	-	2	2	-	11	10	1	-	7	-
48	Nassau	128	1	-	-	-	13	-	-	13	3	66	62	21	-	32	1
49	Okaloosa	194	1	-	-	2	14	8	1	5	2	81	76	22	-	51	2
50	Okeechobee	47	1	-	-	1	4	-	1	3	-	30	29	2	-	20	-
51	Orange	1,433	19	7	10	12	240	76	33	131	12	738	728	170	1	523	13
52	Orlando	892	12	7	7	5	151	51	20	80	5	479	474	113	1	337	5
53	Balance of county	541	7	-	3	7	89	25	13	51	7	259	254	57	-	186	8
54	Osceola	219	3	1	-	1	21	9	2	10	3	131	130	35	-	82	2
55	Palm Beach	1,363	19	9	4	6	222	80	32	110	25	665	658	160	-	463	20
56	West Palm Beach	575	6	4	2	1	99	28	18	53	13	298	292	57	-	221	6
57	Lake Worth	206	1	2	-	-	43	21	1	21	4	121	120	41	-	76	3
58	Balance of county	582	12	3	2	5	80	31	13	36	8	246	246	62	-	166	11
59	Pasco	258	2	1	-	1	34	14	2	18	2	145	137	30	1	97	1
60	Pinellas	2,834	17	6	1	13	466	143	61	262	28	1,709	1,686	410	2	1,145	45
61	St. Petersburg	1,824	11	3	1	7	303	94	42	167	24	1,110	1,096	275	2	731	27
62	Clearwater	261	1	-	-	1	47	14	4	29	2	156	155	35	-	108	6
63	Balance of county	749	5	3	-	5	116	35	15	66	2	443	435	100	-	306	12
64	Polk	1,254	7	3	1	11	154	50	19	85	8	650	635	142	1	446	14
65	Lakeland	431	2	1	-	2	58	16	7	35	2	247	242	50	-	179	4
66	Balance of county	823	5	2	1	9	96	34	12	50	6	403	393	92	1	267	10
67	Putnam	268	3	-	-	-	27	8	3	16	7	135	119	23	-	91	9
68	St. Johns	297	4	-	-	4	52	14	7	31	9	141	135	23	-	101	1
69	St. Augustine	216	2	-	-	3	42	11	5	26	8	102	99	15	-	77	-
70	Balance of county	81	2	-	-	1	10	3	2	5	1	39	36	8	-	24	1
71	St. Lucie	241	2	2	-	2	27	5	5	17	4	123	118	30	1	80	5
72	Fort Pierce	213	2	2	-	2	23	4	3	16	4	108	103	24	1	72	4
73	Balance of county	28	-	-	-	-	4	1	2	1	-	15	15	6	-	8	1
74	Santa Rosa	164	3	-	1	2	20	8	-	12	3	82	80	16	-	62	1
75	Sarasota	445	1	2	2	-	74	27	3	44	4	256	244	42	-	185	13
76	Sarasota	315	1	-	2	-	49	17	2	30	3	186	174	29	-	133	10
77	Balance of county	130	-	2	-	-	25	10	1	14	1	70	70	13	-	52	3
78	Seminole	320	3	2	-	2	44	11	3	30	2	160	155	40	-	104	1
79	Sanford	150	1	2	-	-	24	6	-	18	1	73	70	15	-	51	-
80	Balance of county	170	2	-	-	2	20	5	3	12	1	87	85	25	-	53	1
81	Sumter	120	-	1	-	3	13	5	3	5	2	68	68	24	-	41	-
82	Suwannee	157	2	1	1	2	16	3	2	11	1	72	72	17	-	49	4
83	Taylor	110	3	2	-	1	13	6	2	5	1	52	49	14	-	28	1
84	Union	43	-	-	-	-	3	1	-	2	-	28	28	9	-	17	2
85	Volusia	1,010	5	3	1	9	152	44	13	95	17	563	549	139	-	375	16
86	Daytona Beach	409	2	1	1	4	58	19	2	37	10	231	224	54	-	155	9
87	Balance of county	601	3	2	-	5	94	25	11	58	7	332	325	85	-	220	7
88	Wakulla	40	-	-	-	-	4	1	-	3	1	13	13	2	-	9	-
89	Walton	136	1	-	-	-	19	5	2	12	2	69	68	19	-	41	-
90	Washington	103	2	1	-	-	9	4	-	5	1	50	50	16	-	32	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
26	3	7	1	2	-	2	1	-	3	-	-	-	1	9	2	2	2	1	1	5	1
6	1	-	-	-	2	-	3	-	-	-	-	-	-	6	2	3	2	-	-	1	2
595	191	138	25	48	21	51	125	24	17	39	5	4	46	178	23	63	129	26	43	253	3
471	157	105	21	38	16	47	102	22	14	31	3	2	35	142	21	40	100	22	36	209	4
124	34	33	4	10	5	4	23	2	3	8	2	2	11	36	2	23	29	4	7	44	5
149	57	66	4	9	6	19	35	6	17	7	-	4	16	98	73	37	58	6	8	60	6
78	37	48	2	4	3	12	15	4	7	2	-	3	8	50	38	17	35	2	5	30	7
71	20	18	2	5	3	7	20	2	10	5	-	1	8	48	35	20	23	4	3	30	8
8	-	3	1	2	-	-	2	-	-	-	-	-	-	2	1	2	4	1	-	-	9
16	1	3	-	1	-	2	3	-	-	1	-	-	-	3	5	1	7	-	1	4	10
55	25	14	3	1	1	4	19	-	6	-	-	2	4	15	16	8	21	5	4	23	11
8	3	3	-	-	-	1	-	-	1	-	1	-	-	1	1	1	1	-	-	1	12
3	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	1	13
7	3	1	-	-	-	-	5	1	-	1	1	-	1	3	2	4	6	1	1	5	14
13	1	3	4	1	-	4	5	2	2	-	-	1	1	4	6	2	5	1	-	10	15
28	3	2	1	2	1	2	2	-	1	2	-	1	-	10	2	1	3	1	-	10	16
9	3	4	-	2	-	1	8	-	-	-	-	-	2	7	-	2	-	-	-	3	17
8	1	4	-	1	-	2	-	-	-	-	-	-	-	3	1	9	5	-	1	9	18
31	5	6	1	3	5	8	3	-	1	1	-	1	-	6	2	3	4	1	4	18	19
500	206	169	31	32	13	34	68	20	16	41	11	8	24	136	147	84	88	33	29	170	20
367	142	124	27	25	10	26	49	17	9	34	9	4	16	106	120	51	59	28	22	124	21
133	64	45	4	9	3	8	19	3	7	7	2	4	8	30	27	33	29	5	7	46	22
17	5	13	3	-	1	1	4	1	-	1	1	1	1	7	5	11	7	2	-	11	23
32	16	3	-	6	1	2	2	-	-	1	-	-	-	3	6	6	8	1	1	6	24
35	18	27	3	6	2	9	14	2	2	3	3	-	2	15	10	13	24	1	2	22	25
10	19	4	2	-	2	7	6	1	1	-	-	2	1	9	6	4	6	-	1	9	26
1	3	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	3	27
109	30	20	4	8	1	4	13	1	5	-	-	2	3	24	10	16	13	4	1	27	28
71	6	12	5	6	5	-	14	2	2	1	-	-	1	13	6	13	13	1	5	22	29
44	4	8	5	4	3	-	10	-	1	-	-	-	1	7	4	9	9	1	2	18	30
27	2	4	-	2	2	-	4	2	1	1	-	-	-	6	2	4	4	-	3	4	31
59	23	24	10	9	5	11	21	5	4	1	7	4	6	34	26	12	20	7	5	43	32
44	8	12	5	8	5	3	14	5	2	1	5	3	5	23	11	8	11	5	4	31	33
15	15	12	5	1	-	8	7	-	2	-	2	1	1	11	15	4	9	2	1	12	34
18	2	11	-	-	-	1	4	2	1	2	-	-	1	7	4	4	8	1	-	6	35
6	4	2	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	-	1	2	36
26	8	3	3	-	-	3	7	-	2	1	-	1	-	12	7	2	9	-	3	14	37
134	18	45	6	18	-	10	15	3	-	1	2	2	1	15	13	11	18	2	3	39	38
70	5	22	3	12	-	5	2	2	-	-	-	-	1	6	2	6	8	2	2	21	39
64	13	23	3	6	-	5	13	1	-	1	2	2	-	9	11	5	10	-	1	18	40
80	35	29	1	6	4	7	13	3	4	4	1	2	7	23	19	16	20	2	9	32	41
26	11	8	-	3	3	2	3	-	1	3	1	-	5	13	5	6	7	1	4	8	42
54	24	21	1	3	1	5	10	3	3	1	-	2	2	10	14	10	13	1	5	24	43
25	3	9	1	-	1	-	1	-	2	-	-	-	4	4	3	3	2	1	3	7	44
51	4	14	7	7	2	3	11	2	1	5	1	-	3	19	16	6	11	3	3	16	45
44	4	14	6	6	2	2	11	2	1	4	1	-	3	18	12	5	9	2	1	16	46
7	-	-	1	1	-	1	-	-	-	1	-	-	-	1	4	1	2	1	2	-	47
15	8	8	2	6	1	4	4	-	1	4	3	-	2	5	3	2	6	3	-	12	48
27	4	18	-	1	2	5	6	3	4	-	-	1	3	21	12	18	7	4	3	12	49
17	3	-	1	5	1	1	-	-	-	-	-	-	-	1	1	1	5	2	1	-	50
296	46	168	6	15	13	10	41	15	13	9	2	1	26	56	32	42	48	16	12	82	51
192	28	112	3	11	9	5	27	6	8	8	1	1	14	29	18	18	29	11	9	47	52
104	18	56	3	4	4	5	14	9	5	1	1	-	12	27	14	24	19	5	3	35	53
60	6	14	2	9	2	1	5	1	-	1	1	-	3	7	4	2	14	2	1	18	54
300	60	83	11	11	13	7	44	11	13	18	4	1	16	57	19	45	52	17	21	95	55
141	30	44	1	9	4	6	16	3	1	7	1	1	5	18	10	20	20	8	9	33	56
53	7	13	2	-	1	1	2	2	-	4	-	-	2	2	1	1	4	3	-	14	57
106	23	26	8	2	8	-	26	6	12	7	3	-	9	37	8	24	28	6	12	48	58
55	18	23	5	4	-	8	4	1	1	3	1	-	2	5	11	14	12	-	4	15	59
853	114	133	20	81	28	23	48	18	12	30	6	4	14	42	13	37	113	48	11	198	60
552	74	78	11	57	20	14	34	13	8	20	5	3	8	25	9	26	62	28	7	117	61
70	17	15	2	7	3	1	3	1	2	5	-	-	-	6	2	2	5	5	1	22	62
231	23	40	7	17	5	8	11	4	2	5	1	1	6	11	2	9	46	15	3	59	63
301	61	70	17	22	7	15	46	8	6	5	3	2	16	81	44	56	39	9	19	86	64
127	24	24	5	5	3	5	16	2	3	3	1	-	5	22	1	14	12	4	4	32	65
174	37	46	12	17	4	10	30	6	3	2	2	2	11	59	43	42	27	5	15	54	66
37	9	36	2	1	2	16	18	1	1	1	1	1	4	15	2	6	19	1	6	20	67
55	34	11	5	4	2	6	9	3	-	5	-	-	2	7	16	6	13	3	3	20	68
43	28	6	4	3	-	3	6	3	-	2	-	-	-	7	10	3	9	3	1	15	69
12	6	5	1	1	2	3	3	-	-	3	-	-	2	-	6	3	4	-	2	5	70
63	4	8	1	1	5	5	12	2	2	4	-	-	2	25	4	5	10	1	3	11	71
58	3	7	1	1	4	5	11	2	2	4	-	-	2	22	4	4	7	1	3	10	72
5	1	1	-	-	1	-	1	-	-	-	-	-	-	3	-	1	3	-	-	1	73
38	7	16	-	1	1	2	8	-	2	1	-	-	2	11	4	5	11	-	-	9	74
113	20	39	3	8	6	12	4	3	2	4	-	-	5	14	8	13	18	7	2	26	75
82	16	25	2	7	3	12	3	3	1	1	-	-	1	7	8	10	15	6	1	18	76
31	4	14	1	1	3	-	1	-	1	3	-	-	4	7	-	3	3	1	1	8	77
59	25	19	4	1	6	5	23	1	5	2	1	-	4	12	-	18	13	3	6	19	78
28	15	8	2	1	1	3	7	1	3	2	-	-	2	7	-	9	6	2	2	8	79
31	10	11	2	-	5	2	16	-	2	-	1	-	2	5	-	9	7	1	4	11	80
21	10	10	1	1	1	-	4	2	-	-	-	1	1	3	4	3	6	1	-	8	81
22	15	8	2	4	-	-	11	-	1	4	-	1	3	5	7	3	10	2	1	14	82
20	2	5	4	2	1	3	12	-	-	-	-	-	-	6	2	5	3	3	2	5	83
10	1	4	-	2	-	-	2	-	1	-	-	-	1	-	-	3	1	1	-	3	84
264	35	60	4	26	5	14	29	6	2	13	3	1	9	54	3	21	32	12	12	63	85
116	14	16	2	11	2	7	11	2	-	5	1	-	2	27	-	8	10	4	6	26	86
148	21	44	2	15	3	7	18	4	2	8	2	1	7	27	3	13	22	8	6	37	87
3	3	3	2	-	-	-	1	-	-	1	1	-	1	1	12	2	1	-	-	2	88
17	7	17	1	7	-	1	10	-	-	1	1	-	1	10	9	1	5	-	-	7	89
16	7	9	-	2	-	-	5	-	1	1	-	1	2	5	7	2	8	-	1	7	90

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	GEORGIA	30,846	439	129	9	288	3,632	1,128	402	2,102	425	15,775	15,146	4,581	47	9,439	221
2	Metropolitan counties	11,712	209	61	4	95	1,530	470	197	863	197	5,990	5,786	1,664	17	3,707	109
3	Nonmetropolitan counties	19,134	230	68	5	193	2,102	658	205	1,239	228	9,785	9,360	2,917	30	5,732	112
4	Appling	99	1	-	-	-	8	1	-	7	-	49	48	13	1	30	-
5	Atkinson	48	-	-	-	1	6	3	1	2	1	22	21	9	-	11	3
6	Bacon	71	-	1	-	-	9	2	2	5	-	41	40	12	-	26	1
7	Baker	53	3	-	-	1	5	1	-	4	-	31	31	11	-	18	-
8	Baldwin	165	5	1	-	4	22	6	3	13	-	81	78	15	1	50	1
9	Banks	57	-	-	-	-	4	1	-	3	-	36	35	12	-	21	-
10	Barrow	90	1	-	-	-	8	1	1	6	1	52	49	15	-	25	1
11	Bartow	178	1	-	-	3	23	9	3	11	-	82	79	13	-	57	4
12	Ben Hill	150	1	-	-	2	15	3	1	11	3	87	84	22	-	59	2
13	Berrien	99	-	-	-	-	14	4	1	9	-	51	49	18	-	28	-
14	Bibb	1,161	19	7	1	6	150	45	23	82	22	607	582	181	2	359	5
15	Macon	944	17	5	-	4	125	37	17	71	18	492	468	154	2	282	4
16	Balance of county	217	2	2	1	2	25	8	6	11	4	115	114	27	-	77	1
17	Bleckley	86	1	1	-	-	6	2	-	4	-	42	37	11	-	17	2
18	Brantley	48	1	-	-	1	7	2	1	4	-	22	20	5	-	14	-
19	Brooks	175	1	-	-	2	21	5	1	15	1	81	76	31	-	42	-
20	Bryan	54	-	1	-	-	7	3	2	2	2	27	27	10	-	17	-
21	Bulloch	202	-	-	-	3	17	7	1	9	1	115	109	33	-	65	2
22	Burke	253	5	4	-	7	26	7	5	14	4	113	109	41	-	56	-
23	Butts	87	-	-	-	1	14	3	1	10	-	36	34	3	-	27	3
24	Calhoun	111	1	-	-	2	9	5	-	4	-	64	63	11	-	50	-
25	Camden	74	1	-	-	2	5	1	-	4	2	39	39	15	-	19	1
26	Candler	80	1	1	-	-	8	3	-	5	1	49	46	17	2	19	-
27	Carroll	248	4	2	-	-	37	14	3	20	3	132	124	30	1	84	1
28	Catoosa	96	2	-	-	-	14	3	3	8	-	45	44	12	-	30	2
29	Charlton	45	-	-	-	-	4	1	-	3	-	26	25	10	-	14	-
30	Chatham	1,724	32	7	1	15	223	74	28	121	32	876	851	278	5	534	18
31	Savannah	1,444	28	7	1	13	195	67	27	101	28	744	723	241	4	448	12
32	Balance of county	280	4	-	-	2	28	7	1	20	4	132	128	37	1	86	6
33	Chattahoochee	29	-	-	-	-	2	-	1	1	-	7	7	3	-	4	-
34	Chattooga	141	4	-	-	1	14	3	1	10	2	75	73	22	1	47	1
35	Cherokee	158	1	-	-	4	21	9	-	12	4	77	73	23	1	46	-
36	Clarke	307	3	-	-	3	39	20	2	17	3	172	144	42	-	95	-
37	Athens	249	2	-	-	3	34	17	1	16	1	133	112	34	-	71	-
38	Balance of county	58	1	-	-	-	5	3	1	1	2	39	32	8	-	24	-
39	Clay	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Clayton	158	6	-	-	1	16	2	1	13	4	70	68	19	-	46	1
41	College Park (part)	12	1	-	-	-	2	-	-	2	-	1	1	-	-	1	-
42	Balance of county	146	5	-	-	1	14	2	1	11	4	69	67	19	-	45	1
43	Clinch	73	-	-	-	1	6	2	1	3	1	33	33	10	-	20	-
44	Cobb	475	5	2	-	6	81	26	14	41	1	236	230	57	1	161	9
45	Marietta	169	1	1	-	2	23	4	5	14	-	87	84	24	-	57	4
46	Balance of county	306	4	1	-	4	58	22	9	27	1	149	146	33	1	104	5
47	Coffee	196	1	3	-	2	22	3	1	18	2	90	87	29	-	54	3
48	Colquitt	271	1	1	-	4	20	9	1	10	3	141	138	49	-	76	2
49	Moultrie	138	-	1	-	3	12	5	-	7	-	68	68	29	-	31	-
50	Balance of county	133	1	-	-	1	8	4	1	3	3	73	70	20	-	45	2
51	Columbia	108	2	-	-	-	10	3	1	6	1	53	52	11	-	38	-
52	Cook	107	2	-	-	2	10	3	1	6	5	47	44	13	-	24	-
53	Coweta	245	2	2	-	2	38	10	4	24	4	130	125	38	-	72	-
54	Crawford	63	1	-	-	2	9	4	-	5	-	34	34	10	-	23	-
55	Crisp	175	6	-	-	2	23	5	2	16	4	77	76	17	1	49	-
56	Dade	54	-	-	-	1	4	-	-	4	-	28	26	4	-	22	1
57	Dawson	30	-	-	-	1	7	2	-	5	-	13	13	4	-	8	1
58	Decatur	239	1	2	-	5	23	12	1	10	2	122	119	47	-	64	-
59	De Kalb	984	11	9	1	8	153	48	19	86	21	515	507	129	1	336	4
60	Atlanta (part)	278	4	2	-	1	43	16	7	20	9	155	154	35	-	111	2
61	Decatur	259	-	3	-	5	49	13	4	32	7	127	123	32	-	79	1
62	Balance of county	447	7	4	1	2	61	19	8	34	5	233	230	62	1	146	1
63	Dodge	162	-	-	-	-	13	3	1	9	1	87	87	32	-	45	-
64	Dooly	156	2	1	-	-	11	4	-	7	2	80	69	26	-	36	3
65	Dougherty	439	4	2	-	6	59	16	7	36	4	206	202	64	2	122	3
66	Albany	377	3	2	-	5	55	15	6	34	3	176	172	55	-	106	3
67	Balance of county	62	1	-	-	1	4	1	1	2	1	30	30	9	2	16	-
68	Douglas	94	1	-	1	1	14	5	2	7	1	49	46	22	-	22	1
69	Early	134	2	-	-	-	7	3	-	4	2	69	68	11	-	53	-
70	Echols	22	-	-	-	-	4	1	1	2	1	12	12	3	-	9	-
71	Effingham	93	1	-	-	1	5	2	-	3	2	51	51	21	2	27	-
72	Elbert	165	5	-	-	3	26	8	2	16	1	71	64	21	-	34	1
73	Emanuel	170	2	1	-	3	21	2	3	16	2	81	78	22	-	49	-
74	Evans	56	-	-	-	-	8	3	-	5	-	28	28	10	-	17	1
75	Fannin	102	1	-	-	-	12	4	2	6	-	47	43	19	-	19	-
76	Fayette	68	-	1	1	-	4	2	1	1	1	40	39	13	-	19	-
77	Floyd	491	14	1	-	2	66	22	5	39	5	257	248	62	1	160	2
78	Rome	299	7	-	-	2	40	12	3	25	4	159	152	39	1	98	-
79	Balance of county	192	7	1	-	-	26	10	2	14	1	98	96	23	-	62	2
80	Forsyth	64	1	-	-	-	6	2	-	4	1	37	37	9	-	27	-
81	Franklin	135	1	-	-	-	22	7	1	14	5	66	66	23	-	43	1
82	Fulton	4,932	97	26	-	37	646	190	87	369	82	2,557	2,455	678	7	1,583	52
83	Atlanta (part)	4,295	86	24	-	34	556	171	70	315	75	2,234	2,141	601	4	1,379	46
84	Atlanta (total)	4,573	90	26	-	35	599	187	77	335	84	2,389	2,295	636	4	1,490	48
85	College Park (part)	122	-	-	-	1	13	3	2	8	4	67	67	22	2	34	-
86	College Park (total)	134	1	-	-	1	15	3	2	10	4	68	68	22	2	35	-
87	East Point	146	1	1	-	-	34	7	10	17	1	71	71	20	-	47	1
88	Balance of county	369	10	1	-	2	43	9	5	29	2	185	176	35	1	123	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hyper-tension with heart disease	Other forms of diseases of heart	Hyper-tension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
5,144	2,264	1,810	405	482	192	629	1,431	129	238	184	123	113	420	1,723	628	943	1,306	278	468	2,165	1
2,105	907	586	138	174	86	204	397	47	70	82	25	23	184	659	118	302	495	112	193	919	2
3,039	1,357	1,224	267	308	106	425	1,034	82	168	102	98	90	236	1,064	510	641	811	166	275	1,246	3
16	6	8	-	3	1	1	12	-	1	-	1	1	1	7	3	3	4	-	1	7	4
5	1	2	-	1	-	1	5	-	1	-	-	-	-	4	1	2	2	1	-	2	5
17	4	4	-	1	1	1	-	-	-	1	-	-	1	8	1	2	2	1	-	4	6
9	5	4	1	-	1	-	-	-	-	-	-	-	1	3	1	1	2	1	1	3	7
33	6	10	3	8	1	3	16	-	1	-	-	-	-	11	-	1	8	2	7	6	8
8	6	7	1	-	1	1	4	1	-	-	-	-	-	1	-	3	2	1	1	4	9
17	5	2	7	2	-	3	9	1	-	-	-	-	1	4	1	4	2	2	1	3	10
28	19	6	5	3	1	3	14	-	1	-	-	-	2	15	7	5	12	2	1	10	11
37	12	8	1	2	-	3	8	1	1	-	-	-	3	9	2	1	5	-	2	10	12
15	7	6	1	1	1	2	3	-	1	1	-	-	1	4	2	6	2	3	5	6	13
191	101	62	17	16	7	25	37	3	10	6	1	3	11	54	31	28	47	10	21	87	14
145	85	48	13	13	4	24	31	3	10	5	1	2	8	43	24	22	42	6	18	68	15
46	16	14	4	3	3	1	6	-	-	1	-	1	3	11	7	6	5	4	3	19	16
12	-	3	4	5	-	5	10	-	1	1	-	-	-	7	2	3	8	-	2	2	17
5	5	4	-	1	-	2	3	-	-	-	1	-	1	2	-	2	3	1	-	4	18
29	9	4	1	2	-	5	16	-	-	2	-	-	3	9	5	4	12	1	4	13	19
10	4	3	-	-	-	-	2	-	1	2	-	-	1	4	-	1	3	1	-	2	20
35	14	14	8	1	2	6	11	1	2	-	2	1	2	16	1	6	9	1	-	14	21
28	10	18	4	4	4	4	17	-	2	-	1	1	-	17	16	8	11	1	5	15	22
12	6	6	1	3	-	2	10	1	-	-	1	-	-	5	1	5	3	-	1	9	23
27	16	7	1	1	-	1	6	1	1	-	-	1	-	11	2	1	2	3	2	5	24
9	6	3	2	3	-	-	4	-	-	-	-	-	1	4	2	4	1	3	2	4	25
12	3	4	2	6	-	3	2	-	-	-	2	-	1	3	1	4	-	1	1	5	26
46	14	23	3	6	-	8	14	1	1	1	-	-	5	7	1	8	7	3	1	21	27
20	1	7	-	2	-	1	7	-	1	-	1	-	2	8	4	5	1	-	3	3	28
7	1	6	-	1	-	1	3	-	-	-	-	-	1	4	-	1	3	-	3	-	29
331	99	86	11	14	9	25	70	3	6	6	11	7	17	131	7	48	86	9	31	106	30
277	89	70	10	13	7	21	59	3	5	5	9	7	16	105	5	35	53	7	27	92	31
54	10	16	1	1	2	4	11	-	1	1	2	-	1	26	2	13	33	2	4	14	32
1	1	2	-	-	-	-	1	-	-	-	-	-	-	11	-	2	5	-	-	1	33
25	12	9	1	-	2	2	5	2	1	-	-	-	1	6	4	5	3	1	1	16	34
29	11	6	1	2	-	4	10	3	2	1	1	1	1	12	2	4	3	3	1	7	35
49	29	17	5	2	-	28	13	2	3	2	2	-	3	14	3	10	9	3	3	18	36
34	23	14	5	2	-	21	12	2	3	2	2	-	4	15	3	7	8	2	3	15	37
15	6	3	-	-	-	7	1	-	-	-	-	-	1	1	-	3	1	1	-	3	38
5	6	4	1	2	1	1	4	-	-	-	-	1	2	3	2	1	2	1	-	2	39
29	5	11	1	1	1	2	6	1	1	-	-	-	3	11	7	5	10	1	2	14	40
-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	1	-	41
29	5	10	1	1	1	2	6	1	1	-	-	-	2	9	7	5	7	-	1	14	42
11	6	3	2	1	-	-	6	-	3	-	-	-	-	7	1	5	3	-	4	3	43
91	38	23	8	2	1	6	15	1	4	3	1	1	9	30	11	21	14	-	3	31	44
31	15	7	3	-	-	3	2	1	1	1	1	-	3	16	5	7	5	-	1	12	45
60	23	16	5	2	1	3	13	-	3	2	-	1	6	14	6	14	9	-	2	19	46
28	7	16	1	2	1	3	9	3	1	3	-	1	1	12	7	11	7	4	7	10	47
41	26	7	2	10	1	3	25	-	2	4	1	3	3	14	4	7	8	4	8	18	48
20	8	3	-	7	1	-	16	-	1	3	-	2	2	6	2	4	4	2	4	8	49
21	18	4	2	3	-	3	9	-	1	1	1	1	1	8	2	3	4	2	4	10	50
19	15	4	2	-	1	1	9	1	1	-	-	-	4	8	4	4	5	1	1	4	51
11	2	11	2	3	2	3	8	-	2	-	1	-	-	9	-	6	5	-	1	9	52
40	15	17	9	5	1	5	4	-	2	1	1	1	2	9	10	8	7	1	7	14	53
12	8	3	1	-	-	-	4	-	-	-	-	-	1	-	4	1	1	1	-	5	54
32	6	11	7	2	-	1	4	1	4	1	2	1	-	17	8	3	5	2	2	13	55
16	-	5	-	-	-	2	4	-	2	2	-	-	1	2	1	3	1	1	1	3	56
4	3	-	-	1	-	-	1	1	-	-	-	1	1	1	-	2	-	-	-	2	57
30	19	15	4	3	1	3	14	-	1	1	-	-	2	13	3	10	14	-	9	17	58
208	69	55	12	23	6	8	20	1	3	9	1	1	26	47	7	27	29	15	9	71	59
62	27	20	2	3	3	1	4	-	1	5	1	-	4	9	1	9	6	5	1	18	60
56	10	12	6	5	1	4	6	-	1	1	-	-	7	14	2	5	5	2	4	21	61
90	32	23	4	15	2	3	10	1	1	3	-	1	15	24	4	13	18	8	4	32	62
22	8	15	3	7	-	-	6	-	2	2	1	-	-	8	7	6	5	1	1	22	63
19	2	12	4	3	-	11	13	1	1	1	1	2	1	5	4	9	6	-	4	12	64
74	29	16	4	6	4	4	21	3	6	7	2	3	5	34	9	10	19	2	12	25	65
64	23	16	4	4	3	4	18	2	5	7	2	3	4	29	7	7	15	2	11	21	66
10	6	-	-	2	1	-	3	1	1	-	-	-	1	5	2	3	4	-	1	4	67
13	5	3	-	1	1	1	3	2	-	-	-	-	1	5	-	3	6	2	4	4	68
24	21	8	2	-	2	1	18	1	2	1	1	-	1	8	4	2	5	5	1	5	69
6	3	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-	70
6	8	13	-	-	1	-	1	-	2	1	1	1	1	2	7	6	8	-	-	3	71
18	8	7	5	3	1	7	9	-	3	-	6	1	2	6	3	3	14	2	-	10	72
15	9	25	4	2	1	3	12	2	2	-	-	-	3	2	11	6	9	-	3	10	73
9	2	5	-	-	1	-	-	-	1	1	-	-	-	2	1	3	7	-	2	3	74
10	3	6	2	3	-	4	11	2	1	1	-	-	4	5	2	4	6	-	-	6	75
15	2	2	-	7	-	1	-	1	-	-	-	-	-	2	3	3	5	1	1	5	76
85	36	37	8	13	4	9	11	2	2	2	-	2	9	29	8	16	23	7	6	29	77
51	23	24	3	8	3	7	5	1	2	2	-	1	6	20	4	7	16	4	3	16	78
34	15	13	5	5	1	2	6	1	-	-	-	1	3	9	4	9	7	3	3	13	79
9	14	4	1	-	-	-	1	-	-	1	-	-	3	1	4	4	3	-	-	2	80
26	11	5	-	-	-	-	7	-	1	-	5	2	1	4	3	7	3	-	1	7	81
856	440	235	59	76	52	102	158	30	26	41	10	7	67	241	31	106	188	57	91	434	82
738	389	206	48	59	50	93	141	25	20	36	10	6	55	208	24	89	156	48	84	394	83
800	416	226	50	62	53	94	145	25	21	41	11	6	59	217	25	98	162	53	85	402	84
17	11	6	4	4	1	-	2	1	2	2	-	-	3	6	2	-	8	3	1	7	85
17	11	7	4	4	1	-	2	1	2	2	-	-	4	8	2	-	11	4	2	7	86
27	10	9	2	2	-	-	3	1	-	1	-	-	2	9	-	6	3	1	2	10	87
74	30	14	5	11	1	9	12	3	4	2	-	1	7	18	5	11	21	5	4	33	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Gilmer	71	1	1	-	1	4	1	-	3	-	44	44	14	-	28	-
2	Glascock	44	1	-	-	-	5	1	-	4	1	26	24	9	-	14	1
3	Glynn	277	5	1	-	2	34	11	5	18	4	143	134	34	-	94	-
4	Brunswick	189	5	1	-	2	26	7	3	16	3	96	89	27	-	61	-
5	Balance of county	88	-	-	-	-	8	4	2	2	1	47	45	7	-	33	-
6	Gordon	128	1	-	-	-	14	6	1	7	2	66	65	11	-	48	1
7	Grady	162	-	1	1	-	9	3	3	3	1	90	87	26	-	52	-
8	Greene	151	4	-	1	1	12	4	1	7	5	84	79	12	-	61	-
9	Gwinnett	260	3	2	-	4	35	9	4	22	5	140	137	43	-	84	2
10	Habersham	116	1	-	-	-	16	8	1	7	3	64	60	14	-	40	1
11	Hall	258	4	2	-	1	33	11	6	16	5	123	118	35	1	70	1
12	Gainesville	138	1	2	-	1	11	5	3	3	1	74	72	21	-	43	1
13	Balance of county	120	3	-	-	-	22	6	3	13	4	49	46	14	1	27	-
14	Hancock	101	1	-	-	-	12	4	1	7	1	40	40	12	1	22	-
15	Haralson	102	-	-	-	3	16	6	2	8	3	54	53	12	-	39	1
16	Harris	96	-	1	-	-	11	3	2	6	1	52	51	23	-	25	1
17	Hart	128	2	-	-	1	14	3	1	10	-	63	61	18	-	39	1
18	Heard	62	-	1	-	-	7	1	-	6	-	30	30	10	1	16	-
19	Henry	161	2	-	-	1	18	5	1	12	2	88	85	17	-	57	1
20	Houston	173	1	-	-	1	23	9	-	14	2	68	66	23	-	36	-
21	Irwin	91	1	-	-	-	12	7	1	4	1	42	39	15	-	22	-
22	Jackson	152	-	-	-	3	17	5	-	12	7	64	62	22	-	35	-
23	Jasper	76	1	-	-	3	6	2	-	4	-	42	42	15	-	20	-
24	Jeff Davis	77	2	-	-	-	7	2	1	4	1	42	41	14	-	27	-
25	Jefferson	181	3	1	-	2	18	6	-	12	6	100	97	33	-	57	1
26	Jenkins	123	3	-	-	7	6	2	-	4	2	54	51	21	-	29	-
27	Johnson	78	1	-	-	-	7	3	3	1	-	42	35	9	-	26	1
28	Jones	48	2	-	-	-	11	5	1	5	-	25	19	9	-	10	-
29	Lamar	105	2	-	-	1	10	2	-	8	2	62	58	13	-	41	-
30	Lanier	23	-	-	-	-	-	-	-	-	-	15	14	5	-	5	-
31	Laurens	320	1	1	-	1	23	8	3	12	3	164	152	40	-	100	1
32	Dublin	147	-	1	-	-	10	1	1	8	2	79	75	21	-	48	1
33	Balance of county	173	1	-	-	1	13	7	2	4	1	85	77	19	-	52	-
34	Lee	62	1	-	-	-	10	3	2	5	-	30	29	5	1	22	2
35	Liberty	96	-	2	-	-	11	3	-	8	1	39	38	17	-	21	5
36	Lincoln	51	1	-	-	-	7	1	-	6	-	28	28	11	-	14	1
37	Long	40	1	-	-	-	6	2	1	3	-	20	19	3	-	15	-
38	Lowndes	344	4	1	-	3	34	11	3	20	3	169	167	51	-	100	-
39	Valdosta	236	1	1	-	2	22	7	2	13	3	122	120	39	-	67	-
40	Balance of county	108	3	-	-	1	12	4	1	7	-	47	47	12	-	33	-
41	Lumpkin	54	1	-	-	1	5	1	-	4	2	28	27	8	-	15	-
42	McDuffie	144	2	1	-	-	11	4	1	6	1	69	67	16	-	48	1
43	McIntosh	82	1	1	-	4	6	3	-	3	-	42	41	5	-	36	-
44	Macon	133	3	-	-	1	17	3	1	13	3	68	67	16	1	49	1
45	Madison	94	2	-	-	-	13	6	2	5	-	52	49	20	-	28	-
46	Marion	75	-	-	-	2	7	5	-	2	2	47	36	23	-	13	1
47	Meriwether	196	2	1	-	-	25	7	4	14	3	103	101	35	-	64	-
48	Miller	66	-	1	-	1	11	4	1	6	-	40	39	14	-	21	-
49	Mitchell	126	1	-	-	3	14	4	3	7	1	93	90	31	1	51	2
50	Monroe	105	4	-	-	-	12	4	-	8	-	54	54	16	-	31	1
51	Montgomery	62	1	-	-	-	5	1	1	3	-	36	31	10	-	20	-
52	Morgan	142	3	1	-	5	14	2	1	11	3	75	72	24	1	37	2
53	Murray	65	3	-	-	-	8	1	-	7	-	30	30	7	-	21	1
54	Muscogee	908	18	5	1	5	99	32	8	59	14	442	424	134	1	249	5
55	Columbus	787	15	5	1	4	81	24	6	51	11	384	366	113	1	218	5
56	Balance of county	121	3	-	-	1	18	8	2	8	3	58	58	21	-	31	-
57	Newton	197	3	-	-	1	24	9	4	11	-	100	96	31	-	61	1
58	Oconee	69	1	-	-	-	9	3	-	6	1	44	38	13	-	19	-
59	Oglethorpe	83	-	2	-	-	8	2	-	6	1	50	49	16	-	31	-
60	Paulding	75	1	-	-	1	13	6	-	7	2	40	38	16	-	20	1
61	Peach	114	-	1	-	2	13	3	2	8	2	52	52	8	-	43	-
62	Pickens	66	1	1	-	-	9	2	2	5	-	30	29	15	-	12	-
63	Pierce	86	1	-	-	2	4	1	1	2	3	44	44	10	-	31	2
64	Pike	78	-	1	-	-	8	3	-	5	-	42	41	16	-	22	-
65	Polk	236	2	-	-	4	32	11	1	20	5	114	108	29	1	68	1
66	Pulaski	100	-	-	-	1	11	4	-	7	1	43	41	8	-	26	-
67	Putnam	73	-	1	-	1	16	5	2	9	1	29	28	8	-	19	1
68	Quitman	21	1	-	-	-	-	-	-	-	-	12	12	2	-	8	-
69	Rabun	57	1	-	-	-	10	1	-	9	-	26	25	6	-	19	-
70	Randolph	117	3	-	-	1	7	2	-	5	1	60	59	25	-	33	2
71	Richmond	1,074	20	5	-	15	123	38	15	70	23	557	545	153	-	361	14
72	Augusta	898	19	5	-	11	102	32	10	60	19	475	465	127	-	312	12
73	Balance of county	176	1	-	-	4	21	6	5	10	4	82	80	26	-	49	2
74	Rockdale	72	1	-	-	1	7	2	1	4	2	34	34	5	1	26	-
75	Schley	44	-	2	-	-	1	1	-	-	-	24	22	7	-	15	-
76	Screven	193	1	-	-	6	14	3	1	10	5	80	75	27	-	44	3
77	Seminole	58	2	-	-	3	3	1	-	2	3	25	24	10	-	14	-
78	Spalding	330	5	1	-	2	37	8	3	26	4	171	157	66	1	84	-
79	Griffin	212	5	1	-	1	23	4	2	17	1	107	96	40	1	51	-
80	Balance of county	118	-	-	-	1	14	4	1	9	3	64	61	26	-	33	-
81	Stephens	145	-	1	-	-	15	5	3	7	1	87	84	16	-	64	1
82	Stewart	86	1	1	-	1	6	3	-	3	1	48	48	16	-	22	-
83	Sumter	258	5	1	-	4	18	7	-	11	4	137	135	57	-	74	2
84	Americus	149	4	-	-	1	13	3	-	10	2	82	80	37	-	43	2
85	Balance of county	109	1	1	-	3	5	4	-	1	2	55	55	20	-	31	-
86	Talbot	61	1	-	-	1	5	3	-	2	-	37	36	20	-	16	-
87	Taliaferro	37	-	-	-	-	3	-	1	2	-	20	20	8	-	9	-
88	Tattnall	116	2	1	-	-	14	5	1	8	2	59	57	14	-	39	-
89	Taylor	83	-	-	-	-	7	2	1	4	-	51	51	22	1	23	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
9	14	5	2	-	-	-	1	1	-	1	-	-	1	2	2	4	2	2	-	4	1
1	2	10	1	-	-	2	1	1	-	-	-	-	-	2	1	2	-	-	-	4	2
43	22	29	3	1	2	9	8	2	2	4	-	3	4	19	3	7	16	2	4	14	3
26	14	21	-	1	1	7	6	1	2	3	-	3	2	15	3	4	8	2	2	5	4
17	8	8	3	1	1	2	2	1	-	1	-	-	2	4	-	3	8	-	2	9	5
30	6	11	1	2	3	1	7	1	1	2	2	-	3	8	-	5	6	2	-	8	6
23	17	12	4	3	2	3	6	-	1	2	3	1	2	12	9	3	5	-	3	13	7
28	30	3	3	2	1	5	9	2	1	-	-	-	2	4	3	6	5	-	-	12	8
59	9	14	2	6	2	3	13	2	-	-	1	1	3	9	4	11	9	3	1	14	9
20	12	7	1	3	2	4	4	2	1	1	1	-	1	5	-	7	2	-	1	7	10
35	21	13	5	7	-	5	10	4	-	2	-	-	1	15	11	19	8	4	4	12	11
20	14	8	3	5	-	2	4	1	-	-	-	-	-	10	8	7	5	3	3	7	12
15	7	5	2	2	-	3	6	3	-	2	-	-	1	5	3	12	3	1	1	5	13
13	4	5	1	2	2	-	7	-	2	1	-	2	1	5	5	2	5	3	3	11	14
22	10	6	-	2	-	1	2	1	-	-	-	-	1	4	-	3	3	1	3	8	15
13	8	3	-	1	2	1	6	-	1	-	1	1	1	2	-	3	1	-	3	12	16
24	7	7	3	1	-	2	7	-	1	-	11	1	-	3	2	4	6	1	-	12	17
9	2	5	2	-	1	-	3	-	-	1	1	-	1	2	2	2	6	1	-	5	18
30	16	10	6	4	1	3	14	1	1	-	-	-	1	12	4	2	5	-	-	10	19
13	9	14	1	5	1	2	3	-	4	1	-	1	6	12	4	6	22	1	1	17	20
16	3	3	-	1	1	3	5	-	-	-	1	2	2	5	3	2	3	-	1	11	21
28	6	1	2	3	-	2	9	2	-	5	1	2	5	6	1	9	5	1	2	13	22
13	3	4	1	4	2	-	5	-	-	-	1	1	1	6	2	1	1	-	1	5	23
19	2	6	-	-	-	1	6	-	1	-	3	1	1	6	-	1	3	-	1	2	24
32	15	9	3	4	-	3	5	2	2	3	1	-	-	8	11	1	9	1	1	7	25
7	3	19	1	-	-	3	8	-	3	1	2	2	-	7	9	2	5	-	1	11	26
15	6	4	-	-	-	7	5	-	-	-	1	-	2	5	3	5	2	-	2	3	27
8	1	1	-	-	-	6	2	-	1	-	1	-	-	2	1	-	2	-	-	1	28
25	12	4	2	1	1	4	3	-	2	-	1	-	1	5	1	2	5	3	-	5	29
2	-	3	3	1	-	1	1	-	-	-	-	-	1	2	1	-	-	-	-	3	30
40	40	19	7	5	-	12	32	2	4	2	1	3	1	25	11	7	15	1	6	17	31
18	21	8	4	2	-	4	12	1	1	2	1	2	-	17	3	2	7	-	3	4	32
22	19	11	3	3	-	8	20	1	3	-	-	1	1	8	8	5	8	1	3	13	33
7	6	7	1	-	-	1	6	-	-	1	-	-	-	1	6	-	1	1	1	4	34
4	3	9	-	-	-	1	5	2	-	-	-	-	2	8	5	9	4	1	1	6	35
5	5	3	2	1	-	-	3	-	2	-	-	-	-	1	2	1	3	-	-	3	36
8	3	4	-	1	-	1	4	-	-	-	-	-	-	4	-	-	2	-	1	2	37
46	28	26	8	7	1	2	18	1	9	1	1	-	7	26	3	7	17	2	9	29	38
28	22	17	7	6	1	2	13	-	8	1	1	-	3	16	2	5	9	1	5	21	39
18	6	9	1	1	-	-	5	1	1	-	-	-	4	10	1	2	8	1	4	8	40
9	2	4	1	1	2	1	5	-	-	-	-	-	3	3	-	2	1	-	-	3	41
20	11	16	1	2	-	2	11	-	1	-	1	2	2	9	5	6	7	-	4	12	42
29	1	6	-	-	-	1	3	1	-	-	1	1	2	4	1	2	8	-	3	2	43
24	16	8	-	-	1	1	11	-	1	-	2	1	1	1	5	8	-	1	-	10	44
18	6	2	-	2	1	3	2	1	1	1	1	-	1	4	2	4	3	1	1	5	45
10	1	1	-	-	-	11	5	-	-	-	1	-	1	2	3	2	1	-	-	2	46
27	23	14	1	1	-	2	14	1	1	2	-	4	2	4	4	6	8	2	4	10	47
11	7	3	2	-	2	1	-	-	-	1	-	-	-	1	1	-	4	-	1	5	48
24	13	12	2	4	1	3	5	-	2	1	-	1	4	28	9	9	10	2	-	13	49
10	9	11	2	2	3	-	2	1	2	1	-	1	-	7	4	3	3	1	3	5	50
9	5	6	1	-	-	5	5	1	-	1	-	-	1	1	2	3	2	1	-	3	51
13	14	8	6	4	-	3	8	1	1	-	-	2	4	6	4	2	3	-	1	9	52
18	2	-	-	2	-	-	10	1	-	-	-	-	1	2	-	4	3	-	-	3	53
139	64	41	19	16	5	18	32	3	8	3	1	2	26	73	7	26	50	11	13	69	54
124	57	32	18	11	5	18	27	3	8	3	1	2	20	62	6	25	47	9	12	61	55
15	7	9	1	5	-	-	5	-	-	-	-	-	6	11	1	1	3	2	1	8	56
29	15	16	1	2	1	4	13	1	2	-	1	4	5	7	4	3	8	2	1	18	57
8	5	6	4	2	-	6	1	-	-	-	-	-	-	3	1	3	3	-	1	2	58
12	12	7	1	1	-	1	1	-	1	1	1	-	2	2	5	1	2	1	-	5	59
11	3	5	1	1	-	2	2	1	2	1	-	-	2	2	1	1	2	1	-	3	60
13	25	5	-	-	1	-	7	-	1	-	-	1	1	8	3	4	7	-	2	10	61
11	-	1	-	2	-	1	4	-	-	-	-	-	-	3	-	8	3	2	-	5	62
16	8	5	1	2	-	-	7	-	1	-	-	2	2	6	-	3	4	-	-	7	63
9	6	7	1	2	-	1	8	1	1	-	-	-	2	2	3	3	1	-	2	4	64
45	16	6	3	6	1	6	8	3	1	1	2	-	2	12	1	8	18	1	3	19	65
16	5	5	5	1	1	2	6	-	2	1	-	-	3	8	6	3	4	1	1	9	66
6	7	5	1	-	-	1	7	-	1	-	-	1	-	1	2	6	3	-	-	4	67
2	3	3	-	2	-	-	2	-	-	-	-	-	-	4	-	-	1	-	-	1	68
11	6	2	-	-	-	1	8	-	-	-	-	-	-	5	1	1	2	-	-	3	69
11	10	10	1	-	-	1	5	1	3	-	-	1	1	9	8	2	5	-	1	9	70
213	76	58	8	21	2	12	53	5	8	11	-	1	15	44	10	30	45	8	24	77	71
182	68	50	7	18	1	10	45	5	8	7	-	1	11	28	8	29	37	6	18	64	72
31	8	8	1	3	1	2	8	-	-	4	-	-	4	16	2	1	8	2	6	13	73
18	2	6	1	1	-	-	2	-	-	-	-	-	-	9	1	2	3	1	2	7	74
7	6	2	-	-	-	2	2	-	-	-	1	-	2	2	-	-	3	1	1	5	75
17	7	17	1	1	2	5	13	1	3	1	1	2	4	9	25	8	7	2	2	9	76
2	2	10	-	-	-	1	2	-	1	-	-	2	1	-	-	5	4	1	-	6	77
55	14	15	1	2	3	14	15	-	7	1	1	-	2	26	3	8	16	3	6	22	78
33	6	12	1	1	2	11	9	-	5	-	-	-	-	21	2	5	9	2	3	18	79
22	8	3	-	1	1	3	6	-	2	1	1	-	2	5	1	3	7	1	3	4	80
37	16	10	-	3	1	3	9	-	-	-	-	2	2	9	-	7	3	1	2	6	81
14	5	3	5	4	1	-	8	-	3	-	2	-	1	-	1	2	1	1	2	7	82
36	19	17	3	1	-	2	11	1	5	3	1	-	4	13	10	4	18	3	1	15	83
19	13	9	-	-	-	2	8	1	1	1	1	-	3	4	5	3	9	2	-	9	84
17	6	8	3	1	-	-	3	-	4	2	-	-	1	9	5	1	9	1	1	6	85
8	2	6	-	-	-	1	7	-	-	-	-	-	2	5	1	-	1	-	1	-	86
6	3	-	1	1	1	-	4	-	-	-	-	-	1	2	1	1	1	-	1	3	87
22	11	6	2	2	-	2	3	1	2	1	-	-	-	3	2	4	10	1	1	10	88
17	1	5	-	4	1	-	3	1	1	-	-	-	-	7	4	2	2	-	-	5	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Telfair	111	2	1	-	-	12	1	2	9	-	67	65	22	-	36	1
2	Terrell	174	1	-	-	4	12	6	1	5	1	80	79	22	1	50	1
3	Thomas	303	3	1	-	3	30	11	4	15	2	170	161	69	-	80	1
4	Thomasville	159	1	-	-	1	14	5	2	7	1	92	88	34	-	46	1
5	Balance of county	144	2	1	-	2	16	6	2	8	1	78	73	35	-	34	-
6	Tift	197	4	2	-	3	27	8	3	16	1	105	103	27	-	71	2
7	Toombs	153	-	1	-	1	23	4	7	12	3	76	68	21	1	40	1
8	Towns	19	-	-	-	-	2	1	-	1	-	10	9	2	-	7	1
9	Treutlen	42	-	1	-	-	3	1	1	1	1	18	19	6	-	12	-
10	Troup	455	6	-	-	4	38	9	4	25	4	252	239	85	1	145	4
11	La Grange	241	6	-	-	1	23	7	2	14	2	129	123	40	-	79	3
12	Balance of county	214	-	-	-	3	15	2	2	11	2	123	116	45	1	66	1
13	Turner	93	3	-	-	-	11	7	-	4	1	51	51	17	-	33	-
14	Twiggs	74	1	-	-	1	4	1	-	3	-	35	34	13	-	19	-
15	Union	43	1	-	-	1	4	3	-	1	1	22	21	5	-	14	-
16	Upson	184	1	-	-	1	18	6	2	10	3	112	107	32	-	71	1
17	Walker	252	6	-	-	2	30	8	2	20	-	125	119	28	-	84	2
18	Walton	155	1	-	-	1	16	5	2	9	-	79	74	26	-	43	3
19	Ware	267	3	1	-	2	35	8	6	21	3	141	134	42	-	88	1
20	Waycross	208	3	1	-	2	25	5	5	15	3	111	105	34	-	69	1
21	Balance of county	59	-	-	-	-	10	3	1	6	-	30	29	8	-	19	-
22	Warren	75	1	-	-	-	7	2	1	4	1	48	38	7	1	24	2
23	Washington	199	1	1	-	-	18	6	1	11	1	107	104	33	1	57	-
24	Wayne	154	1	-	1	5	19	3	4	12	1	68	66	26	-	38	-
25	Webster	28	-	-	-	-	1	1	-	-	-	13	13	4	-	7	-
26	Wheeler	55	-	-	-	-	4	2	1	1	1	31	29	10	-	18	-
27	White	47	-	-	-	-	15	2	3	10	-	18	17	1	-	13	-
28	Whitfield	285	3	-	-	2	42	14	3	25	3	121	115	39	1	68	4
29	Dalton	155	1	-	-	1	20	6	2	12	3	68	64	22	-	39	1
30	Balance of county	130	2	-	-	1	22	8	1	13	-	53	51	17	1	29	3
31	Wilcox	77	1	-	-	-	12	4	3	5	-	35	32	4	-	28	1
32	Wilkes	126	-	2	-	1	20	8	3	9	4	62	59	19	-	34	1
33	Wilkinson	96	-	-	-	2	9	4	1	4	1	43	40	13	-	23	-
34	Worth	164	1	-	-	1	16	7	2	7	1	81	76	26	-	44	-
35	IDAHO	5,033	33	9	5	26	709	270	64	375	79	2,547	2,481	512	10	1,803	84
36	Nonmetropolitan counties	5,033	33	9	5	26	709	270	64	375	79	2,547	2,481	512	10	1,803	84
37	Ada	640	2	-	-	2	112	42	11	59	9	357	351	74	-	254	9
38	Boise City	505	2	-	-	1	89	34	8	47	7	276	272	67	-	189	7
39	Balance of county	135	-	-	-	1	23	8	3	12	2	81	79	7	-	65	2
40	Adams	22	1	-	-	-	3	-	1	2	-	9	9	-	-	8	-
41	Bannock	323	1	1	-	2	36	9	5	22	5	140	136	18	2	107	13
42	Pocatello (part)	254	1	-	-	2	28	6	3	19	5	113	111	16	1	86	12
43	Pocatello (total)	255	1	-	-	2	28	6	3	19	5	114	112	16	1	87	12
44	Balance of county	69	-	1	-	-	8	3	2	3	-	27	25	2	1	21	1
45	Bear Lake	56	-	-	-	-	4	1	-	3	-	36	36	5	-	30	1
46	Benewah	58	1	-	-	-	13	8	1	4	-	22	22	6	-	13	1
47	Bingham	170	1	2	-	2	20	9	1	10	1	64	62	13	1	40	2
48	Blaine	39	-	-	-	-	2	1	-	1	-	29	28	6	-	19	-
49	Boise	18	-	-	-	-	1	-	1	-	2	10	8	3	-	4	-
50	Bonner	152	2	-	-	1	27	12	3	12	3	82	80	27	-	47	-
51	Bonneville	239	3	1	1	1	28	8	3	17	3	103	98	26	-	67	4
52	Idaho Falls	181	2	1	-	1	22	6	3	13	2	75	71	20	-	48	3
53	Balance of county	58	1	-	1	-	6	2	-	4	1	28	27	6	-	19	1
54	Boundary	46	-	-	-	-	5	1	1	3	-	22	22	1	-	21	-
55	Butte	11	-	-	-	-	1	1	-	-	-	4	3	-	-	3	-
56	Camas	5	-	-	-	-	1	1	-	-	-	2	2	1	-	-	-
57	Canyon	455	4	-	-	2	66	29	6	33	7	256	253	49	2	195	5
58	Caldwell	113	3	-	-	2	19	9	2	8	2	52	52	6	-	45	2
59	Nampa	184	-	-	-	-	24	9	3	12	3	109	108	22	1	79	2
60	Balance of county	158	1	-	-	-	25	11	1	13	2	95	93	21	1	71	1
61	Caribou	32	-	-	-	1	3	1	-	2	1	15	14	4	-	9	1
62	Cassia	112	-	-	-	-	18	10	1	7	4	59	57	10	-	44	-
63	Clark	13	-	-	-	-	-	-	-	-	1	6	5	1	-	4	-
64	Clearwater	81	2	-	-	-	10	3	1	6	2	43	43	13	-	25	2
65	Custer	30	1	-	-	1	5	2	-	3	-	12	11	3	-	8	-
66	Elmore	80	-	-	-	-	12	4	2	6	3	28	27	8	-	16	-
67	Franklin	57	-	-	-	-	6	1	-	5	3	32	31	12	-	17	1
68	Fremont	75	3	-	-	-	8	4	1	3	2	27	26	6	-	20	1
69	Gem	100	-	-	-	-	14	3	4	7	-	54	53	6	-	45	5
70	Gooding	66	1	-	-	1	10	3	-	7	1	26	25	4	-	19	-
71	Idaho	124	2	1	-	-	12	3	-	9	-	59	54	11	1	40	4
72	Jefferson	56	-	-	-	-	6	1	1	4	2	29	29	10	-	19	1
73	Jerome	86	1	-	-	-	11	2	1	8	-	40	39	8	-	28	1
74	Kootenai	281	1	-	-	1	33	13	2	18	2	184	182	38	-	139	1
75	Coeur d'Alene	170	1	-	-	-	21	10	2	9	1	115	113	19	-	90	-
76	Balance of county	111	-	-	-	1	12	3	-	9	1	69	69	19	-	49	1
77	Latah	167	-	2	-	1	22	6	-	16	3	85	85	19	-	58	6
78	Moscow	80	-	1	-	1	11	5	-	6	-	43	43	12	-	28	1
79	Balance of county	87	-	1	-	-	11	1	-	10	3	42	42	7	-	30	5
80	Lemhi	66	1	-	1	-	10	4	2	4	3	36	33	7	-	24	1
81	Lewis	40	-	-	-	1	1	-	-	1	3	19	18	2	-	15	3
82	Lincoln	34	1	-	-	-	6	3	-	3	-	14	13	5	-	7	-
83	Madison	61	-	-	1	-	10	3	1	6	1	20	19	4	1	12	-
84	Minidoka	61	-	-	-	-	16	7	1	8	2	41	41	5	-	35	-
85	Nez Perce	253	-	1	-	-	41	22	2	17	3	123	123	29	1	82	4
86	Lewiston	196	-	1	-	-	37	19	2	16	2	94	94	22	1	64	4
87	Balance of county	57	-	-	-	-	4	3	-	1	1	29	29	7	-	18	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
19	6	12	1	2	2	2	2	-	-	1	1	-	1	3	2	3	5	1	3	7	1
24	12	13	2	3	1	1	13	1	-	1	2	2	-	12	11	8	9	2	1	14	2
56	14	9	4	6	2	9	14	1	2	2	-	2	5	19	4	6	13	3	4	19	3
32	9	4	3	5	-	4	7	1	-	-	-	-	5	8	-	3	8	3	2	13	4
24	5	5	1	1	2	5	7	-	2	2	-	2	-	11	4	3	5	-	2	6	5
40	24	5	4	-	1	2	8	-	3	1	-	-	3	7	4	9	8	1	1	10	6
20	12	7	1	3	2	8	8	-	1	1	-	1	1	9	5	6	7	2	-	8	7
1	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	-	-	3	8
7	4	1	1	-	-	-	2	-	-	-	-	-	-	2	-	5	3	-	1	5	9
93	22	26	1	5	2	13	16	1	5	-	2	1	6	22	10	15	17	8	17	31	10
50	9	17	1	2	1	6	6	1	2	-	1	-	4	12	9	3	10	5	7	20	11
43	13	9	-	3	1	7	10	-	3	-	1	1	2	10	1	12	7	3	10	11	12
27	4	2	-	1	-	-	4	-	2	2	1	1	1	3	1	-	3	-	3	6	13
4	4	11	1	1	-	1	8	-	-	1	1	1	1	3	7	2	4	-	1	4	14
4	2	8	2	-	-	1	3	-	-	-	-	-	-	2	2	2	1	2	-	2	15
34	24	12	1	1	2	5	3	1	-	-	-	-	4	7	4	6	6	1	2	15	16
62	10	10	3	1	3	6	8	1	1	2	-	-	7	16	10	8	9	1	-	26	17
22	9	9	2	2	1	5	8	-	1	1	2	-	2	14	2	7	5	4	1	11	18
42	27	18	2	1	1	7	7	1	2	1	-	-	4	15	8	10	9	2	3	20	19
31	21	16	-	1	1	6	5	1	1	1	-	-	3	10	6	8	8	2	2	16	20
11	6	2	2	-	-	1	2	-	1	-	-	-	1	5	2	2	1	-	1	4	21
17	2	3	1	2	3	10	5	-	1	-	-	-	1	5	-	3	1	1	1	-	22
25	11	21	3	8	2	3	5	-	-	-	2	2	4	14	5	6	11	-	6	16	23
22	9	7	2	-	-	2	11	-	1	-	-	1	2	12	3	6	12	1	1	9	24
7	-	-	1	-	1	-	1	-	-	-	-	-	1	6	-	3	2	-	-	1	25
8	2	8	1	-	-	2	6	-	-	-	1	1	-	3	1	2	3	1	-	1	26
4	6	3	2	1	-	1	-	-	-	-	-	1	2	2	-	1	2	2	-	4	27
41	8	15	-	6	1	6	13	-	4	-	-	2	7	18	2	15	22	2	2	27	28
23	5	10	-	3	-	4	6	-	3	-	-	1	3	9	1	9	12	2	2	14	29
18	3	5	-	3	1	2	7	-	1	-	-	1	4	9	1	6	10	-	-	13	30
10	6	11	-	-	-	3	2	-	1	2	-	1	-	4	8	2	1	-	1	7	31
13	8	12	1	5	-	3	8	-	1	1	-	-	-	1	6	1	3	2	2	12	32
12	4	7	1	3	-	3	7	-	-	1	-	-	-	2	11	2	7	1	-	10	33
23	7	14	3	3	-	5	10	-	1	2	2	2	1	14	5	5	8	-	4	10	34
1,137	241	341	29	102	25	66	167	31	15	25	8	8	73	272	71	198	285	81	25	366	35
1,137	241	341	29	102	25	66	167	31	15	25	8	8	73	272	71	198	285	81	25	366	36
173	39	33	3	16	4	6	11	4	1	6	-	1	12	18	6	20	23	13	1	42	37
130	31	21	1	13	2	4	7	3	1	6	-	1	8	16	4	16	18	13	1	36	38
43	8	12	2	3	2	2	4	1	-	-	-	-	4	2	2	4	5	-	-	6	39
6	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	2	-	-	3	40
60	15	19	2	6	1	4	10	5	2	-	-	1	8	26	11	18	22	4	2	29	41
52	13	9	2	5	1	2	7	4	1	-	-	1	8	20	8	12	17	4	1	22	42
53	13	9	2	5	1	2	7	4	1	-	-	1	8	20	8	12	17	4	1	22	43
8	2	10	-	1	-	2	3	1	1	-	-	-	-	6	3	6	5	-	1	7	44
15	6	8	-	-	1	-	-	1	-	-	1	1	-	6	2	-	2	2	-	1	45
8	2	2	-	1	2	-	4	-	-	1	-	-	1	6	-	3	3	1	-	3	46
28	4	6	2	6	-	2	10	-	1	-	-	-	3	10	11	14	10	2	1	18	47
11	4	4	-	2	1	1	1	1	-	-	-	-	1	2	-	-	-	-	-	3	48
1	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-	2	49
25	6	16	1	5	-	2	-	1	-	2	-	-	-	8	1	1	14	-	2	8	50
43	12	8	1	2	2	5	8	1	-	2	1	-	4	21	2	10	22	8	3	17	51
29	9	7	-	2	1	4	7	1	-	2	1	-	4	16	2	7	16	6	-	16	52
14	3	1	1	-	1	1	1	-	-	-	-	-	-	5	-	3	6	2	3	1	53
6	2	13	-	-	-	-	4	-	-	-	1	-	1	4	-	5	3	-	-	1	54
2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-	-	-	2	55
-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	56
125	29	36	1	6	-	3	27	1	2	2	1	-	5	8	2	14	21	5	3	27	57
31	5	7	-	1	-	-	6	1	1	-	-	-	2	5	-	3	4	1	-	12	58
44	17	16	1	5	-	1	15	-	1	-	-	-	1	2	2	5	12	1	1	8	59
50	7	13	-	-	-	2	6	-	-	2	1	-	2	1	-	6	5	3	2	7	60
1	-	7	-	-	1	1	-	1	-	-	-	-	-	4	-	1	4	-	-	2	61
29	3	12	-	3	-	2	2	-	1	1	-	1	2	7	-	4	2	-	-	11	62
4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	2	-	-	1	63
16	1	6	-	4	1	-	1	-	1	-	-	-	1	3	2	3	4	-	-	9	64
5	1	2	-	-	-	1	1	-	-	-	-	-	-	2	1	1	3	2	-	1	65
13	2	1	-	3	-	1	4	-	-	-	-	-	3	9	1	5	5	2	1	7	66
10	3	3	-	2	-	1	4	-	-	-	-	-	-	3	1	-	3	1	-	4	67
12	2	5	-	-	-	1	1	1	-	-	1	-	2	6	-	4	7	2	-	11	68
28	5	7	1	-	1	1	3	-	1	2	-	-	-	4	3	3	10	1	-	5	69
14	-	5	-	1	1	1	5	-	1	-	-	-	2	5	-	2	4	2	-	6	70
27	4	5	1	1	-	5	5	-	1	-	1	-	1	12	-	8	9	2	1	10	71
4	6	8	-	-	-	-	1	1	-	1	-	-	-	5	-	4	2	-	-	5	72
23	3	1	-	1	2	1	3	-	-	1	1	-	1	12	2	-	4	4	-	6	73
72	36	30	3	1	1	2	3	-	2	-	-	-	1	11	3	10	11	4	-	15	74
46	20	24	3	1	-	2	2	-	1	-	-	-	-	8	2	4	3	3	-	9	75
26	16	6	-	-	1	-	1	-	1	-	-	-	1	3	1	6	8	1	-	6	76
32	3	17	3	5	-	-	5	2	1	-	-	-	6	5	3	8	8	2	1	13	77
12	2	13	1	2	-	-	4	1	-	-	-	-	2	1	3	3	3	-	-	7	78
20	1	4	2	3	-	-	1	1	1	-	-	-	4	4	-	5	5	2	1	6	79
14	1	8	-	2	-	3	1	-	-	-	-	-	-	4	1	-	2	-	-	7	80
9	1	2	1	-	-	1	2	-	-	-	-	1	-	3	1	1	3	-	-	5	81
6	1	-	1	-	-	1	1	1	-	-	-	1	1	1	-	2	5	-	-	1	82
7	1	4	-	2	-	1	2	1	-	-	-	1	2	7	-	1	7	-	1	7	83
25	3	7	-	1	-	-	1	2	-	1	-	-	2	5	-	6	-	-	1	4	84
57	13	8	6	3	2	-	15	3	1	1	-	-	-	17	-	12	13	4	2	17	85
45	9	6	3	2	2	-	10	3	1	-	-	-	-	16	-	6	7	2	2	15	86
12	4	2	3	1	-	-	5	-	-	1	-	-	-	1	-	6	6	2	-	2	87

352870 O - 55 - 26

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IDAHO—Continued																
1	Oneida	40	-	-	-	-	2	1	1	-	1	23	21	3	-	16	4
2	Owyhee	42	-	-	-	-	9	4	1	4	1	17	17	2	-	13	-
3	Payette	110	-	1	1	2	12	5	-	7	-	65	63	12	-	46	2
4	Power	28	-	-	-	-	4	2	-	2	3	11	11	4	-	7	-
5	Pocatello (part)	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
6	Balance of county	27	-	-	-	-	4	2	-	2	3	10	10	4	-	6	-
7	Shoshone	199	2	-	-	1	29	15	3	11	3	90	88	13	1	68	2
8	Teton	23	-	-	-	-	1	-	1	-	-	15	15	1	-	14	-
9	Twin Falls	332	3	-	1	5	55	20	2	33	5	172	166	30	1	122	8
10	Twin Falls	162	1	-	-	3	30	11	1	18	3	80	78	16	-	59	2
11	Balance of county	170	2	-	1	2	25	9	1	15	2	92	88	14	1	63	6
12	Valley	29	-	-	-	1	6	2	-	4	-	13	13	3	-	10	2
13	Washington	101	-	-	-	1	16	4	4	8	-	53	49	10	-	33	-
14	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	ILLINOIS	96,636	1,263	241	104	338	15,136	5,783	1,897	7,456	1,501	55,260	53,852	10,166	61	40,729	1,263
16	Metropolitan counties	69,109	1,049	176	69	216	11,153	4,205	1,497	5,451	1,021	39,102	38,189	6,688	43	29,746	973
17	Nonmetropolitan counties	27,527	214	65	35	122	3,983	1,578	400	2,005	480	16,158	15,663	3,478	18	10,983	290
18	Adams	925	10	4	-	5	143	54	22	67	24	557	543	121	-	381	8
19	Quincy	611	8	2	-	3	102	34	15	53	16	366	354	81	-	242	5
20	Balance of county	314	2	2	-	2	41	20	7	14	8	191	189	40	-	139	3
21	Alexander	309	8	2	1	1	36	11	4	21	3	175	157	28	-	113	18
22	Cairo	203	7	1	1	1	22	9	2	11	2	116	103	18	-	72	12
23	Balance of county	106	1	1	-	-	14	2	2	10	1	59	54	10	-	41	6
24	Bond	163	1	2	-	3	21	7	4	10	3	99	94	22	-	62	1
25	Boone	176	2	-	-	1	34	13	3	18	3	87	86	24	-	56	-
26	Brown	106	3	-	-	-	17	9	-	8	3	63	58	20	-	33	1
27	Bureau	463	7	1	2	2	75	35	5	35	3	268	255	69	-	171	8
28	Calhoun	59	-	-	-	1	5	-	1	4	1	41	41	15	-	23	2
29	Carroll	238	-	-	-	1	31	13	3	15	4	148	145	37	-	98	5
30	Cass	206	3	3	2	1	29	11	-	18	3	125	123	21	-	91	1
31	Champaign	760	7	3	1	4	109	51	12	46	16	410	400	87	-	294	8
32	Champaign	280	1	1	1	2	40	16	6	18	4	150	149	32	-	113	3
33	Urbana	204	2	1	-	1	33	19	3	11	6	120	118	24	-	85	2
34	Balance of county	276	4	1	-	1	36	16	3	17	6	140	133	31	-	94	3
35	Christian	454	6	1	-	1	69	26	10	33	8	255	246	53	-	178	3
36	Clark	226	1	1	-	-	24	11	1	12	3	142	140	36	1	91	1
37	Clay	195	-	-	-	-	27	12	1	14	3	108	106	28	1	75	3
38	Clinton	230	2	-	-	-	36	22	2	12	5	139	135	36	-	83	2
39	Centralia (part)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1
40	Balance of county	228	2	-	-	-	36	22	2	12	5	138	134	36	-	82	1
41	Coles	460	4	-	-	3	56	18	7	31	6	277	256	63	-	177	5
42	Mattoon	202	-	-	-	2	36	13	6	17	3	113	112	32	-	72	1
43	Balance of county	258	4	-	-	1	20	5	1	14	3	164	144	31	-	105	4
44	Cook	50,896	883	132	25	144	8,236	3,211	1,147	3,878	729	29,346	28,664	4,715	32	22,762	725
45	Chicago	42,389	827	113	12	123	6,713	2,638	962	3,113	532	24,570	23,993	3,864	27	19,174	603
46	Berwyn	528	6	1	-	-	107	42	10	55	14	311	303	43	-	250	7
47	Cicero	681	1	1	1	1	134	51	21	62	20	400	389	64	3	305	9
48	Evanston	761	5	5	2	3	145	54	14	77	17	450	437	69	-	341	7
49	Oak Park	787	1	4	1	1	155	61	16	78	12	487	481	107	-	355	10
50	Elgin (part)	18	-	-	-	-	1	-	-	1	-	10	10	3	-	7	-
51	Maywood	277	3	1	-	1	55	19	5	31	3	158	154	36	-	111	3
52	Blue Island	212	1	-	-	1	40	16	3	21	8	118	117	13	-	98	-
53	Brookfield	131	1	-	-	-	21	11	2	8	1	83	81	12	-	66	1
54	Calumet City	141	-	-	1	-	30	13	2	15	2	70	69	19	-	48	1
55	Chicago Heights	272	5	1	-	-	35	16	2	17	9	150	145	27	-	111	4
56	Des Plaines	194	4	-	-	1	29	8	7	14	1	106	102	22	-	74	6
57	Elmwood Park	143	3	-	-	-	30	13	-	17	4	77	76	8	-	67	4
58	Evergreen Park	91	1	-	-	-	19	9	2	8	-	51	49	8	-	39	4
59	Forest Park	173	-	2	-	1	25	13	4	8	5	96	94	18	-	70	2
60	Harvey	192	1	1	-	-	25	9	6	10	10	113	112	17	-	89	3
61	La Grange	167	1	-	-	-	32	8	3	21	3	94	93	19	-	69	3
62	Melrose Park	144	1	-	-	-	30	8	7	15	3	73	72	17	-	49	4
63	Park Ridge	166	-	-	1	-	35	9	4	22	8	96	91	19	-	67	3
64	River Forest	107	-	-	-	1	22	12	2	8	3	66	66	11	-	51	2
65	Skokie	150	1	-	-	1	32	10	2	20	4	74	70	11	-	57	3
66	Wilmette	193	1	-	-	-	40	17	2	21	2	113	111	22	-	81	3
67	Winnetka	90	-	-	-	-	19	7	1	11	3	57	57	11	-	42	1
68	Balance of county	2,889	20	3	7	10	462	167	70	225	65	1,523	1,492	275	2	1,141	42
69	Crawford	269	1	-	-	1	49	19	8	22	5	152	135	24	-	104	4
70	Cumberland	112	1	1	-	-	17	6	-	11	1	66	63	17	-	40	2
71	De Kalb	422	1	-	1	2	53	17	2	34	4	249	228	58	1	150	5
72	De Kalb	111	1	-	-	-	14	6	-	8	1	70	67	16	1	43	2
73	Balance of county	311	-	-	1	2	39	11	2	26	3	179	161	42	-	107	3
74	De Witt	200	1	-	-	1	30	11	1	18	3	123	118	21	-	91	1
75	Douglas	182	1	1	-	3	26	7	5	14	4	107	99	27	-	63	3
76	Du Page	1,508	10	1	9	6	275	98	34	143	27	753	732	151	1	545	24
77	Downers Grove	163	2	-	-	2	31	11	4	16	3	75	74	22	-	48	2
78	Elmhurst	223	2	-	-	-	39	15	4	20	7	112	108	17	1	84	1
79	Wheaton	112	2	-	1	-	17	5	1	11	3	58	58	13	-	43	3
80	Balance of county	1,010	4	1	8	4	188	67	25	96	14	508	492	99	-	370	18
81	Edgar	302	-	-	-	2	38	17	5	16	6	181	169	48	-	108	3
82	Edwards	124	-	-	-	-	14	6	3	5	2	74	73	20	-	48	1
83	Effingham	238	-	-	-	1	27	11	3	13	3	134	128	27	-	89	2
84	Fayette	307	1	-	-	1	55	25	4	26	5	173	168	45	2	108	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
8	-	4	-	1	1	2	-	-	-	-	-	-	1	2	2	2	3	-	1	3	1
8	2	3	-	1	1	-	-	-	-	-	-	-	-	1	3	1	5	2	-	3	2
29	5	10	-	4	1	2	1	1	-	-	1	-	1	4	2	5	4	2	-	8	3
4	2	1	-	-	-	-	3	-	-	-	-	-	-	2	1	-	1	-	-	3	4
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
3	2	1	-	-	-	-	3	-	-	-	-	-	-	2	1	-	1	-	-	3	6
51	3	12	1	5	-	2	5	1	-	2	-	1	3	14	1	11	15	6	5	10	7
13	-	1	-	-	-	-	1	-	-	-	-	-	1	3	-	-	2	-	-	-	8
81	14	19	1	11	1	6	13	2	-	3	-	-	5	7	3	9	15	6	-	28	9
45	8	4	1	2	-	2	10	1	-	-	-	-	1	5	2	4	6	3	-	13	10
36	6	15	-	9	1	4	3	1	-	3	-	-	4	2	1	5	9	3	-	15	11
8	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	3	1	-	1	12
24	2	7	1	5	-	4	4	1	-	-	-	-	2	2	4	3	5	3	-	7	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
25,508	4,839	9,119	823	1,623	450	1,408	3,374	610	421	1,143	176	88	1,072	3,200	579	2,227	3,142	934	412	5,415	15
18,570	3,466	6,737	547	839	326	913	2,492	469	308	951	117	62	771	2,450	441	1,474	2,139	626	373	3,650	16
6,938	1,373	2,382	276	784	124	495	882	141	113	192	59	26	301	750	138	753	1,003	308	39	1,765	17
255	39	79	5	32	4	14	14	5	3	4	-	1	15	25	4	7	30	16	4	54	18
150	28	59	4	23	4	12	9	3	3	2	-	-	11	17	4	3	18	7	2	35	19
105	11	20	1	9	-	2	5	2	-	2	-	1	4	8	-	4	12	9	2	19	20
51	18	26	1	13	2	18	13	1	-	1	1	1	8	11	-	16	12	-	1	18	21
30	12	18	1	10	2	13	10	1	-	-	-	1	6	8	-	11	5	-	1	10	22
21	6	8	-	3	-	5	3	-	-	1	1	-	2	3	-	5	7	-	-	8	23
40	6	15	3	4	3	5	6	1	-	1	-	-	-	4	2	5	5	2	-	8	24
44	6	6	1	5	-	1	10	1	-	-	-	-	4	9	2	2	8	3	-	10	25
26	1	5	4	-	1	5	2	-	-	-	-	-	-	3	1	3	6	1	-	4	26
115	14	34	1	12	2	13	11	1	3	6	2	-	6	10	-	9	18	1	-	38	27
12	5	4	-	3	-	-	2	1	-	-	-	-	-	-	-	3	1	-	-	4	28
66	4	23	3	7	-	3	9	1	3	-	2	-	3	6	1	5	7	2	-	15	29
67	9	14	3	6	2	2	6	-	-	1	-	-	2	7	-	6	4	3	-	11	30
188	40	58	4	9	6	10	18	5	2	7	1	-	15	36	2	20	29	10	4	61	31
71	16	25	-	2	-	1	7	2	1	2	1	-	6	13	1	9	9	2	4	24	32
56	13	14	1	5	3	2	3	2	-	3	-	-	3	5	1	3	6	3	-	12	33
61	11	19	3	2	3	7	8	1	1	2	-	-	6	18	-	8	14	5	-	25	34
120	16	39	5	8	2	9	14	5	-	5	1	-	6	10	3	14	13	6	1	36	35
51	11	28	2	7	3	2	4	1	1	1	-	-	-	4	2	14	10	4	1	13	36
48	7	17	1	-	1	2	8	1	1	3	-	-	5	3	1	8	11	6	-	10	37
36	11	34	8	6	2	4	7	-	3	3	-	-	3	4	1	5	9	1	-	12	38
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	39
36	11	34	8	6	2	4	7	-	2	3	-	-	3	4	1	5	9	1	-	12	40
106	19	47	5	11	-	21	17	2	1	3	-	-	4	16	3	13	16	1	-	38	41
46	9	16	3	5	-	1	9	1	-	2	-	-	1	6	1	4	5	-	-	19	42
60	10	31	2	6	-	20	8	1	1	1	-	-	3	10	2	9	11	1	-	19	43
14,105	2,561	5,371	406	518	231	682	1,898	340	220	742	71	48	489	1,681	296	899	1,508	431	319	2,459	44
11,767	2,135	4,669	336	401	191	577	1,658	298	175	652	65	37	370	1,368	251	692	1,288	346	301	1,998	45
178	29	36	1	6	3	8	13	2	-	6	-	-	4	12	1	5	12	9	1	24	46
209	34	53	3	7	7	11	14	4	4	12	1	2	7	13	3	9	6	7	-	41	47
218	45	71	7	13	7	13	21	4	3	2	1	1	10	22	1	5	18	5	-	41	48
209	46	90	2	12	5	6	18	4	3	7	-	-	6	11	6	9	12	4	-	46	49
5	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	3	50
70	14	24	3	4	-	4	12	1	1	2	1	-	-	6	-	8	8	1	-	16	51
85	7	6	3	2	1	1	5	1	-	6	-	-	3	7	1	2	7	1	2	9	52
37	14	14	1	2	-	2	3	-	1	2	-	-	3	2	-	1	4	2	1	6	53
32	1	14	1	1	-	1	7	2	-	4	-	1	1	3	1	4	5	4	-	6	54
64	14	29	3	4	-	5	11	1	5	3	-	1	3	7	1	10	5	2	5	18	55
42	7	19	-	5	1	4	4	1	-	4	-	-	6	10	2	3	7	-	-	16	56
40	10	13	-	1	-	1	5	-	-	1	-	-	5	1	2	3	3	4	-	5	57
23	4	8	-	-	2	2	3	-	-	2	-	-	2	5	-	5	1	1	-	1	58
40	12	16	1	5	-	2	6	1	1	3	-	-	4	6	1	2	5	2	1	12	59
70	8	8	3	2	1	1	5	1	2	1	-	-	3	8	-	7	4	1	-	10	60
53	7	6	1	4	-	1	4	-	1	1	-	-	3	10	-	4	3	-	1	10	61
33	5	7	2	4	-	1	3	1	3	1	-	-	2	9	-	9	3	1	-	5	62
46	3	15	1	4	-	5	2	3	2	-	-	-	2	2	1	4	2	1	1	6	63
28	8	13	2	2	-	-	3	-	2	1	-	-	1	1	-	2	3	-	-	2	64
37	10	7	1	1	-	4	-	1	1	4	1	-	-	10	2	2	2	2	-	13	65
48	7	23	3	3	2	2	4	1	-	-	-	-	-	7	1	1	10	3	-	10	66
32	2	7	2	1	1	-	1	-	1	-	-	-	-	2	-	3	-	1	-	3	67
739	138	222	30	34	10	31	95	14	16	27	2	6	54	158	22	107	100	34	6	158	68
60	11	29	3	4	-	17	10	2	-	1	1	1	5	7	-	8	4	3	1	18	69
26	4	8	1	4	1	3	3	-	1	-	1	-	1	1	1	2	4	2	-	10	70
110	13	22	8	8	3	21	16	6	-	-	-	-	7	13	2	14	17	7	1	29	71
31	4	6	2	4	1	3	5	1	-	-	-	-	2	2	-	4	3	-	-	8	72
79	9	16	6	4	2	18	11	5	-	-	-	-	5	11	2	10	14	7	1	21	73
58	10	22	1	4	1	5	2	-	-	3	-	-	2	6	1	7	8	3	-	10	74
41	8	11	6	3	-	8	5	1	2	-	3	-	4	4	-	3	10	1	-	7	75
345	70	106	13	18	4	21	47	15	9	19	1	-	21	52	31	55	46	19	2	110	76
30	11	5	1	1	2	1	3	3	1	-	1	-	2	10	4	5	5	3	-	13	77
56	8	19	3	3	-	4	7	4	-	-	-	-	3	6	7	12	7	2	-	15	78
23	7	10	-	1	1	-	4	-	1	2	-	-	4	4	2	1	6	-	-	7	79
236	44	72	9	13	1	16	33	8	7	17	-	-	12	32	18	37	28	14	2	75	80
77	7	21	3	8	2	12	14	3	2	4	-	-	4	6	-	8	7	6	1	20	81
21	9	17	-	5	-	1	9	1	4	2	-	-	-	2	-	4	2	1	-	9	82
61	8	18	1	10	1	6	7	1	2	2	1	2	6	7	-	5	7	7	-	26	83
60	9	38	2	8	3	5	13	2	1	2	-	1	3	5	1	8	8	5	4	19	84

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS--Continued																
1	Ford	170	1	-	-	2	29	9	2	18	2	100	97	18	1	69	3
2	Franklin	536	8	2	-	3	92	41	15	36	4	306	295	66	-	206	4
3	West Frankfort	137	1	1	-	-	26	10	4	12	1	79	76	17	-	55	2
4	Balance of county	399	7	1	-	3	66	31	11	24	3	227	219	49	-	151	2
5	Fulton	484	2	2	2	5	54	21	4	29	11	298	287	73	1	193	11
6	Canton	156	1	1	-	3	19	5	1	13	1	95	89	23	-	63	3
7	Balance of county	328	1	1	2	2	35	16	3	16	10	203	198	50	1	130	8
8	Gallatin	114	3	-	-	-	18	11	2	5	-	63	59	10	-	43	-
9	Greene	233	-	-	-	3	33	17	2	14	10	131	130	36	1	89	2
10	Grundy	209	-	-	-	1	28	15	2	11	5	116	114	22	-	86	2
11	Hamilton	138	2	-	-	-	25	7	2	16	3	86	86	22	-	57	3
12	Hancock	322	3	1	-	1	40	17	3	20	3	199	193	46	-	132	2
13	Hardin	74	2	-	-	-	11	4	-	7	1	34	32	8	-	17	1
14	Henderson	86	-	-	-	-	12	5	1	6	2	50	50	10	-	37	-
15	Henry	505	5	4	1	3	76	35	7	34	6	305	297	60	-	220	3
16	Kewanee	193	3	3	-	1	33	15	4	14	2	109	104	14	-	83	-
17	Balance of county	312	2	1	1	2	43	20	3	20	4	196	193	46	-	137	3
18	Iroquois	301	1	-	1	2	53	24	4	25	5	166	163	30	-	127	4
19	Jackson	421	1	1	-	4	59	18	10	31	6	234	225	44	-	163	4
20	Carbondale	115	-	-	-	1	14	4	1	9	1	64	63	16	-	43	1
21	Balance of county	306	1	1	-	3	45	14	9	22	5	170	162	28	-	120	3
22	Jasper	137	1	-	1	-	16	9	2	5	6	87	84	21	-	57	2
23	Jefferson	376	5	-	-	3	53	25	6	22	5	188	179	40	-	118	4
24	Mount Vernon	199	2	-	-	2	28	12	5	12	3	102	98	23	-	63	1
25	Balance of county	177	3	-	-	1	24	13	1	10	2	87	81	17	-	55	3
26	Jersey	172	-	1	-	1	30	10	4	16	6	90	88	21	-	56	1
27	Jo Daviess	253	1	-	-	-	34	10	1	23	4	158	156	40	-	105	3
28	Johnson	123	1	1	-	-	16	5	3	8	1	58	57	19	-	34	3
29	Kane	1,669	9	2	9	3	277	93	30	154	24	912	887	193	2	649	19
30	Aurora	666	5	1	-	1	105	28	17	60	13	372	363	75	1	270	8
31	Elgin (part)	472	2	-	4	-	85	30	9	46	5	273	269	58	-	194	4
32	Elgin (total)	490	2	-	4	-	86	30	9	47	5	283	279	61	-	201	4
33	Balance of county	531	2	1	5	2	87	35	4	48	6	267	255	60	1	185	7
34	Kankakee	625	5	4	-	-	99	38	13	48	15	358	352	57	-	271	6
35	Kankakee	292	2	2	-	-	44	16	9	19	6	170	166	22	-	129	4
36	Balance of county	333	3	2	-	-	55	22	4	29	9	188	186	35	-	142	2
37	Kendall	147	-	-	-	-	23	9	5	9	1	89	77	20	-	51	1
38	Knox	670	4	1	-	3	109	37	11	61	6	417	409	96	-	278	11
39	Galesburg	417	1	-	-	1	73	20	10	43	3	263	260	69	-	174	6
40	Balance of county	253	3	1	-	2	36	17	1	18	3	154	149	27	-	104	5
41	Lake	1,645	18	4	5	6	275	101	30	144	20	840	819	136	-	642	27
42	Waukegan	400	7	3	-	1	68	22	10	36	2	196	192	31	-	152	9
43	Highland Park	146	3	-	1	1	31	14	1	16	1	86	85	18	-	60	-
44	Balance of county	1,099	8	1	4	4	176	65	19	92	17	558	542	87	-	430	18
45	La Salle	1,187	11	2	2	5	194	76	24	94	19	663	646	143	-	470	6
46	La Salle	159	1	1	1	-	27	13	3	11	1	91	89	19	-	67	-
47	Ottawa	213	5	-	-	-	41	14	5	22	3	115	114	25	-	87	2
48	Streator (part)	219	1	-	-	2	26	13	3	10	8	132	126	30	-	85	3
49	Streator (total)	220	1	-	-	2	26	13	3	10	8	133	127	30	-	86	3
50	Balance of county	596	4	1	1	3	100	36	13	51	7	325	317	69	-	231	1
51	Lawrence	238	5	2	-	-	31	9	6	16	4	152	142	44	-	86	3
52	Lee	380	3	2	1	1	59	32	2	25	8	219	214	39	-	168	1
53	Dixon	161	3	1	-	-	20	8	1	11	2	95	95	18	-	75	1
54	Balance of county	219	-	1	1	1	39	24	1	14	6	124	119	21	-	93	-
55	Livingston	408	1	-	1	1	58	19	4	35	7	264	260	62	-	181	-
56	Streator (part)	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
57	Balance of county	407	1	-	1	1	58	19	4	35	7	263	259	62	-	180	-
58	Logan	338	1	3	1	1	47	15	4	28	7	208	205	37	1	146	3
59	Lincoln	163	1	1	-	-	25	7	3	15	4	98	98	15	-	69	-
60	Balance of county	175	-	2	1	1	22	8	1	13	3	110	107	22	1	77	3
61	McDonough	334	2	-	1	1	55	14	5	36	5	176	168	44	-	110	4
62	Macomb	130	1	-	1	-	19	4	3	12	1	67	64	17	-	44	3
63	Balance of county	204	1	-	-	1	36	10	2	24	4	109	104	27	-	66	1
64	McHenry	610	3	-	1	-	91	43	5	43	5	356	352	56	-	272	9
65	McLean	875	8	2	-	6	131	51	11	69	15	541	533	117	-	375	7
66	Bloomington	446	4	2	-	4	70	23	6	41	9	262	262	49	-	191	1
67	Balance of county	429	4	-	-	2	61	28	5	28	6	279	271	68	-	184	6
68	Macon	1,047	7	3	9	4	168	50	23	95	18	583	577	119	1	431	14
69	Decatur	790	5	2	6	4	127	34	19	74	13	444	440	90	-	327	13
70	Balance of county	257	2	1	3	-	41	16	4	21	5	139	137	29	1	104	1
71	Macoupin	568	-	-	-	3	83	35	10	38	10	339	334	64	-	241	4
72	Madison	1,688	20	3	1	8	254	74	32	148	35	920	899	197	1	648	17
73	Alton	370	5	-	-	1	67	22	7	38	9	206	202	52	-	142	1
74	Granite City	296	9	3	-	1	37	10	6	21	6	149	145	30	1	109	2
75	Collinsville (part)	138	-	-	-	-	17	5	1	11	-	85	85	17	-	62	-
76	Collinsville (total)	147	-	-	-	-	18	5	1	12	1	89	89	20	-	63	-
77	Wood River	72	1	-	-	-	13	4	2	7	1	38	36	5	-	30	-
78	Balance of county	812	5	-	1	6	120	33	16	71	19	442	431	93	-	305	14
79	Marion	469	9	2	1	2	66	28	8	30	19	262	257	56	1	182	4
80	Centralia (part)	179	3	1	-	1	21	8	7	6	7	115	113	28	1	77	1
81	Centralia (total)	181	3	1	-	1	21	8	7	6	7	116	114	28	1	78	2
82	Balance of county	290	6	1	1	1	45	20	1	24	12	147	144	28	-	105	3
83	Marshall	164	1	-	-	-	29	15	-	14	2	106	100	26	-	70	7
84	Mason	187	1	-	-	1	34	15	2	17	2	105	99	23	-	71	2
85	Massac	187	5	-	-	1	24	12	2	10	3	105	103	17	-	77	1
86	Menard	111	-	-	-	2	21	7	2	12	1	65	63	8	-	52	-
87	Mercer	201	-	-	-	-	26	9	-	17	9	128	121	26	-	87	1
88	Monroe	153	-	-	-	-	22	12	-	10	1	98	98	13	-	70	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
45	2	19	3	6	-	3	4	-	-	-	1	-	4	3	-	2	10	3	-	9	1
135	26	41	6	16	1	11	21	2	6	7	1	-	3	8	6	6	12	6	-	43	2
43	7	3	3	1	-	3	9	1	1	1	-	-	-	1	1	2	2	1	-	10	3
92	19	38	3	15	1	8	12	1	5	6	1	-	3	7	5	4	10	5	-	33	4
101	26	55	10	9	1	11	18	1	1	2	2	-	7	13	2	4	17	12	1	30	5
30	9	21	-	3	-	6	4	-	-	1	1	-	-	7	-	3	8	2	-	10	6
71	17	34	10	6	1	5	14	1	1	1	1	-	7	6	2	1	9	10	1	20	7
20	10	13	-	6	-	4	6	2	-	-	-	-	1	2	-	6	5	-	-	8	8
36	14	37	-	2	2	1	14	-	-	2	-	-	3	8	1	8	4	2	-	14	9
57	9	18	2	4	-	2	7	5	2	3	-	-	3	2	-	9	8	3	1	16	10
30	14	10	1	4	2	-	4	2	-	-	-	-	-	3	3	3	2	-	-	5	11
86	6	38	1	13	1	6	12	-	-	3	-	1	1	7	1	13	11	5	1	20	12
9	-	7	1	6	-	2	2	1	-	-	2	-	3	4	1	3	6	-	-	4	13
23	-	14	2	1	-	-	5	1	1	-	1	-	-	1	1	1	5	-	-	6	14
157	25	35	5	12	-	8	13	2	2	2	1	1	7	10	2	12	15	8	-	30	15
62	9	12	2	5	-	5	8	-	1	1	1	-	4	3	-	5	8	2	-	9	16
95	16	23	3	7	-	3	5	2	1	1	-	1	3	7	2	7	7	6	-	21	17
79	18	26	1	4	1	3	7	1	-	-	-	1	2	6	7	16	12	2	-	19	18
114	16	29	3	15	-	9	19	1	-	2	4	-	4	14	2	11	27	4	2	26	19
29	3	10	1	3	-	1	3	1	-	-	1	-	3	4	2	2	12	2	1	4	20
85	13	19	2	12	-	8	16	-	-	2	3	-	1	10	-	9	15	2	1	22	21
27	8	20	1	4	1	3	5	-	2	1	-	-	1	2	-	2	2	-	-	11	22
65	19	30	4	16	1	10	15	2	2	5	2	-	8	14	8	11	13	5	-	36	23
33	11	18	3	8	1	4	10	1	2	3	-	-	4	7	4	5	5	-	-	20	24
32	8	12	1	8	-	6	5	1	-	2	2	-	4	7	4	6	8	5	-	16	25
31	5	19	-	10	1	2	8	1	1	-	-	-	2	9	-	3	10	3	-	7	26
57	12	33	4	4	3	2	9	-	1	-	2	1	1	4	4	2	16	1	-	15	27
22	1	8	-	4	-	1	5	1	1	-	1	-	1	7	-	8	6	2	1	13	28
426	69	135	9	18	16	25	54	11	7	18	7	1	25	55	8	52	66	19	4	106	29
168	28	66	3	8	6	9	16	3	2	9	1	1	9	18	5	20	34	6	3	42	30
139	16	35	2	8	7	4	10	3	3	4	2	-	5	16	1	13	10	6	-	30	31
144	17	36	2	8	7	4	11	3	3	4	2	-	5	17	1	15	10	6	-	33	32
119	25	34	4	2	3	12	28	5	2	5	4	-	11	21	2	19	22	7	1	34	33
197	36	32	4	19	1	6	33	3	3	4	-	-	5	27	2	24	13	2	1	27	34
107	8	10	1	14	-	4	19	2	2	2	-	-	3	13	1	7	8	1	1	9	35
90	28	22	3	5	1	2	14	1	1	2	-	-	2	14	1	17	5	1	-	18	36
29	9	12	-	3	3	12	6	-	2	-	-	-	1	1	-	5	5	-	-	14	37
191	31	45	7	25	3	8	13	2	5	4	-	1	6	20	-	14	15	7	-	43	38
119	18	31	4	12	1	3	8	2	3	2	-	-	5	13	-	5	7	4	-	27	39
72	13	14	3	13	2	5	5	-	2	2	-	1	1	7	-	9	8	3	-	16	40
429	81	105	13	22	6	21	48	5	14	26	4	-	34	72	10	65	57	22	5	115	41
104	25	14	3	4	2	4	12	1	6	8	-	-	6	22	1	10	15	6	2	34	42
45	8	7	2	5	-	1	3	-	-	1	-	-	3	-	1	2	5	-	-	8	43
280	48	84	8	13	4	16	33	4	8	17	4	-	25	50	8	53	37	16	3	73	44
311	63	90	8	19	6	17	33	10	5	8	3	1	14	45	2	47	46	9	-	68	45
49	8	10	-	2	1	2	2	1	-	4	1	-	4	6	-	6	5	1	-	7	46
58	7	20	-	1	1	1	6	2	1	1	-	-	4	8	-	5	8	1	-	13	47
49	18	15	3	6	2	6	6	-	1	1	-	1	2	7	1	10	4	3	-	14	48
49	18	16	3	6	2	6	6	-	1	1	-	1	2	7	1	10	4	3	-	14	49
155	30	45	5	10	2	8	19	7	3	2	2	-	4	24	1	26	29	4	-	34	50
58	8	17	2	9	1	10	6	1	2	2	-	-	-	5	-	8	7	3	-	10	51
100	21	46	1	6	-	5	8	1	1	4	-	-	5	14	1	11	15	4	-	23	52
51	3	20	1	1	-	-	3	-	-	3	-	-	3	10	-	6	8	1	-	6	53
49	18	26	-	5	-	5	5	1	1	1	-	-	2	4	1	5	7	3	-	17	54
103	23	55	5	8	4	4	8	1	1	1	-	1	5	10	1	8	12	2	-	26	55
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
103	23	54	5	8	4	4	8	1	1	1	-	1	5	10	1	8	12	2	-	26	57
81	20	42	4	12	5	3	10	1	1	1	-	-	3	4	5	14	7	4	1	19	58
43	14	12	3	8	3	-	3	1	1	1	-	-	2	3	1	5	4	1	1	11	59
38	6	30	1	4	2	3	7	-	-	-	-	-	1	1	4	9	3	3	-	8	60
66	9	31	5	6	3	8	13	2	-	1	1	-	3	7	1	7	25	4	-	30	61
21	3	17	1	1	1	3	8	2	-	-	1	-	2	2	-	2	6	2	-	16	62
45	6	14	4	5	2	5	5	-	-	1	-	-	1	5	1	5	19	2	-	14	63
154	56	53	6	16	2	4	26	4	2	3	3	1	4	14	5	30	15	13	-	34	64
246	62	60	12	26	3	8	17	3	3	11	2	2	7	18	3	17	32	9	-	48	65
114	44	32	7	12	3	-	8	3	2	6	-	1	5	8	2	9	18	5	-	28	66
132	18	28	5	14	-	8	9	-	1	5	2	1	2	10	1	8	14	4	-	20	67
262	74	81	7	12	7	6	29	12	3	10	3	-	20	39	6	31	24	13	3	62	68
200	56	58	6	10	7	4	21	9	3	9	2	-	11	27	5	21	18	9	2	52	69
62	18	23	1	2	-	2	8	3	-	1	1	-	9	12	1	10	6	4	1	10	70
146	39	52	3	21	5	5	14	3	1	8	2	-	3	14	3	9	22	6	1	47	71
360	93	178	5	38	10	21	55	9	8	18	1	3	34	74	5	58	63	16	5	98	72
81	28	32	-	7	1	4	9	2	1	2	-	-	6	16	-	7	15	2	1	21	73
50	15	42	2	2	1	4	6	2	-	3	-	-	4	17	-	19	16	3	1	20	74
46	7	9	1	4	1	-	4	-	-	2	-	-	4	5	1	5	7	1	-	7	75
47	7	9	1	4	1	-	4	-	-	2	-	-	4	7	1	5	8	1	-	7	76
17	5	8	-	-	1	2	2	-	1	2	-	-	3	4	-	-	2	1	-	4	77
166	38	87	2	25	6	11	34	5	6	9	1	3	17	32	4	27	23	9	3	46	78
117	19	42	5	11	2	5	16	4	2	4	1	-	4	13	2	14	16	4	-	28	79
57	6	13	1	5	1	2	4	1	-	1	-	-	1	3	-	4	7	2	-	8	80
57	6	13	1	5	1	2	4	1	1	1	-	-	1	3	-	4	7	2	-	8	81
60	13	29	4	6	1	3	12	3	2	3	1	-	3	10	2	10	9	2	-	20	82
46	6	11	-	4	-	6	3	-	1	-	1	-	3	1	-	2	7	2	-	6	83
43	8	18	4	1	-	6	3	1	1	3	-	1	3	1	1	9	7	2	-	12	84
27	29	20	3	6	-	2	8	-	-	-	1	2	1	6	3	6	9	3	-	10	85
34	8	10	-	3	-	2	1	-	1	1	-	-	-	3	-	2	7	2	1	4	86
57	14	15	1	6	1	7	8	-	-	1	-	-	-	5	1	8	7	2	2	4	87
59	4	6	1	14	-	-	2	1	1	-	-	-	-	3	2	5	3	2	-	13	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Montgomery	412	2	1	-	5	58	22	5	31	4	243	235	53	-	172	-
2	Morgan	409	1	2	1	4	51	19	4	28	2	261	255	72	-	161	4
3	Jacksonville	247	-	2	1	3	32	10	4	18	1	159	155	44	-	96	3
4	Balance of county	162	1	-	-	1	19	9	-	10	1	102	100	28	-	65	1
5	Moultrie	162	2	-	1	1	24	7	1	16	5	101	99	21	-	74	3
6	Ogle	340	2	1	1	3	58	27	3	28	9	190	186	30	2	141	1
7	Peoria	1,730	18	9	1	7	288	98	43	147	26	935	918	175	-	665	32
8	Peoria	1,223	15	7	-	5	194	68	26	100	16	671	662	113	-	495	27
9	Balance of county	507	3	2	1	2	94	30	17	47	10	264	256	62	-	170	5
10	Perry	207	3	1	1	-	33	14	4	15	2	123	120	23	-	88	4
11	Piatt	154	-	-	1	2	21	8	2	11	1	86	84	15	-	61	1
12	Pike	273	1	-	1	-	30	10	4	16	5	171	170	35	-	120	5
13	Pope	63	-	-	-	-	6	4	1	1	1	38	38	11	-	23	2
14	Pulaski	163	1	-	-	1	13	5	1	7	4	99	93	3J	-	53	-
15	Putnam	57	-	1	-	-	11	3	3	5	1	36	36	4	-	28	-
16	Randolph	367	-	-	-	1	50	20	4	26	9	212	203	40	2	132	5
17	Richland	162	1	-	-	-	23	9	4	10	1	94	94	26	-	57	1
18	Rock Island	1,402	10	3	2	6	231	82	31	118	16	787	777	178	-	541	17
19	Moline	449	3	-	-	3	73	25	11	37	5	272	266	64	-	181	4
20	Rock Island	575	5	1	2	1	94	26	15	53	6	321	318	69	-	227	11
21	East Moline	128	1	1	-	-	29	15	2	12	3	53	53	10	-	39	1
22	Balance of county	250	1	1	-	2	35	16	3	16	2	141	140	35	-	94	1
23	St.Clair	2,423	37	5	2	11	342	128	35	179	40	1,302	1,242	265	2	911	20
24	East St.Louis	1,153	22	4	-	5	138	52	17	69	22	643	603	118	-	454	10
25	Belleville	445	4	-	1	1	86	28	8	50	6	231	228	50	-	168	3
26	Collinsville (part)	9	-	-	-	-	1	-	-	1	1	4	4	3	-	1	-
27	Balance of county	816	11	1	1	5	117	48	10	59	11	424	407	94	2	288	7
28	Saline	422	7	1	-	1	52	15	6	31	9	261	252	41	1	190	3
29	Harrisburg	137	4	-	-	-	17	3	1	13	3	84	80	13	1	61	1
30	Balance of county	285	3	1	-	1	35	12	5	18	6	177	172	28	-	129	2
31	Sangamon	1,533	7	7	1	7	259	84	30	145	23	857	854	155	-	658	19
32	Springfield	1,040	4	6	-	4	183	53	23	107	16	598	596	107	-	462	14
33	Balance of county	493	3	1	1	3	76	31	7	38	7	259	258	48	-	196	5
34	Schuyler	111	-	-	1	-	19	6	3	10	4	73	73	18	-	48	3
35	Scott	92	2	-	-	-	9	3	2	4	1	53	51	12	-	35	1
36	Shelby	284	3	-	2	-	43	15	3	25	8	167	160	46	-	104	5
37	Stark	80	-	-	-	-	18	7	2	9	-	49	49	10	-	35	-
38	Stephenson	467	3	2	2	-	61	22	3	36	9	283	271	55	-	191	5
39	Freeport	288	2	2	2	-	40	14	3	23	9	164	156	34	-	110	4
40	Balance of county	179	1	-	-	-	21	8	-	13	-	119	115	21	-	81	1
41	Tazewell	648	2	2	1	3	103	28	15	60	11	334	321	63	-	235	14
42	Pekin	238	1	-	-	-	46	14	5	27	5	127	121	20	-	93	4
43	Balance of county	410	1	2	1	3	57	14	10	33	6	207	200	43	-	142	10
44	Union	200	1	-	1	1	24	6	3	15	2	115	113	25	1	75	2
45	Vermilion	1,097	6	6	-	1	158	62	21	75	16	661	648	123	-	471	10
46	Danville	561	4	4	-	-	80	32	10	38	5	337	331	70	-	233	6
47	Balance of county	536	2	2	-	1	78	30	11	37	11	324	317	53	-	238	4
48	Wabash	191	-	-	-	-	30	14	1	15	4	101	98	16	1	79	1
49	Warren	236	-	-	-	2	32	10	1	21	4	144	140	31	-	100	2
50	Monmouth	147	-	-	-	1	22	8	1	13	2	93	89	17	-	66	1
51	Balance of county	89	-	-	-	1	10	2	-	8	2	51	51	14	-	34	1
52	Washington	154	2	1	-	-	21	7	2	12	5	75	74	25	-	41	-
53	Wayne	225	1	-	-	2	29	12	2	15	6	131	129	31	1	85	3
54	White	219	3	-	-	1	32	20	3	9	8	119	118	33	-	75	2
55	Whiteside	529	2	-	3	4	65	24	8	33	9	298	292	46	-	231	8
56	Sterling	168	-	-	-	1	25	6	5	14	3	101	99	17	-	79	-
57	Balance of county	361	2	-	3	3	40	18	3	19	6	197	193	29	-	152	8
58	Will	1,416	14	4	2	8	202	81	21	100	25	763	744	147	3	550	14
59	Joliet	749	4	2	1	4	116	47	15	54	14	392	382	72	3	282	9
60	Balance of county	667	10	2	1	4	86	34	6	46	11	371	362	75	-	268	5
61	Williamson	593	15	-	-	3	81	21	12	48	8	359	353	88	-	231	4
62	Marion	163	4	-	-	2	20	2	5	13	2	100	98	18	-	67	2
63	Balance of county	430	11	-	-	1	61	19	7	35	6	259	255	70	-	164	2
64	Winnebago	1,504	14	1	2	3	243	77	26	140	27	770	755	194	1	509	31
65	Rockford	1,094	13	1	1	2	181	60	20	101	16	567	555	143	1	371	23
66	Balance of county	410	1	-	1	1	62	17	6	39	11	203	200	51	-	138	8
67	Woodford	226	1	-	-	1	29	15	2	12	3	141	138	36	-	88	4
68	INDIANA	41,355	402	145	29	226	6,006	2,223	655	3,128	728	23,074	22,538	5,253	44	15,474	541
69	Metropolitan counties	17,767	210	68	16	106	2,699	948	329	1,422	325	9,512	9,298	2,049	18	6,516	260
70	Nonmetropolitan counties	23,588	192	77	13	120	3,307	1,275	326	1,706	403	13,562	13,240	3,204	26	8,958	281
71	Adams	220	-	2	-	1	27	7	-	20	2	134	134	36	-	84	6
72	Allen	1,793	20	6	1	16	278	96	40	142	43	943	911	204	3	637	28
73	Fort Wayne	1,444	13	6	1	16	229	76	33	120	33	769	742	166	3	5.4	20
74	Balance of county	349	7	-	-	-	49	20	7	22	10	174	169	38	-	113	8
75	Bartholomew	348	2	-	-	2	39	16	1	22	5	195	191	49	-	119	8
76	Columbus	181	1	-	-	-	16	6	1	9	3	109	105	27	-	66	5
77	Balance of county	167	1	-	-	2	23	10	-	13	2	86	86	22	-	53	3
78	Benton	109	-	2	-	1	13	6	1	6	5	57	57	13	-	44	-
79	Blackford	169	-	-	-	-	21	2	2	17	3	110	109	42	-	61	2
80	Boone	288	2	-	1	1	43	21	3	19	3	180	174	34	-	120	8
81	Brown	47	1	1	-	-	7	3	1	3	2	21	21	2	-	18	1
82	Carroll	190	2	-	-	1	26	14	-	12	3	112	109	26	-	74	2
83	Cass	487	6	-	-	1	64	14	8	42	11	278	273	44	1	206	9
84	Logansport	298	4	-	-	1	45	9	8	28	7	166	165	20	1	126	6
85	Balance of county	189	2	-	-	-	19	5	-	14	4	112	108	24	-	80	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
93	15	64	3	5	2	8	21	2	1	9	-	-	6	8	2	6	12	4	-	28	1
113	19	25	5	15	2	6	10	2	-	3	-	1	2	10	-	18	21	2	1	17	2
71	7	15	4	11	-	4	8	1	-	2	-	1	2	5	-	8	11	1	-	10	3
42	12	10	1	4	2	2	2	1	-	1	-	-	-	5	-	10	10	1	1	7	4
57	4	10	-	4	-	2	2	-	1	1	1	-	3	1	1	7	5	1	-	5	5
81	19	40	6	5	2	4	7	2	1	6	1	-	4	11	2	5	12	5	-	20	6
453	81	99	14	51	13	17	60	14	6	18	3	-	25	74	4	40	51	22	10	119	7
338	62	68	7	35	12	9	50	9	2	14	2	-	12	50	4	25	38	13	9	87	8
115	19	31	7	16	1	8	10	5	4	4	1	-	13	24	-	15	13	9	1	32	9
61	12	11	1	7	1	3	8	1	-	-	-	-	1	7	5	4	6	1	-	11	10
36	4	20	2	5	1	2	1	-	1	1	1	-	-	9	2	7	7	1	-	13	11
80	18	17	3	12	-	1	12	1	3	2	-	-	3	7	2	7	11	5	-	12	12
11	3	7	2	2	-	-	3	2	-	-	-	-	1	2	-	2	3	-	-	5	13
25	6	22	2	7	-	6	7	-	1	1	-	-	1	9	1	2	8	-	-	15	14
22	1	5	-	4	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	3	15
71	21	35	3	24	2	9	9	7	1	1	-	1	3	9	4	10	14	4	-	32	16
43	6	7	1	10	-	-	6	1	-	1	-	-	-	9	-	6	3	3	1	12	17
395	44	85	11	44	3	10	46	15	6	11	6	3	12	56	2	40	57	13	4	76	18
125	19	33	5	14	2	6	12	4	1	3	2	1	4	17	1	14	13	4	2	15	19
174	18	24	4	17	1	3	18	6	2	4	2	1	3	16	1	18	23	7	1	43	20
32	-	6	-	4	-	-	3	3	1	1	2	-	1	11	-	1	7	-	1	10	21
64	7	22	2	9	-	1	13	2	2	3	-	1	4	12	-	7	14	2	-	8	22
522	125	244	17	34	13	60	99	12	8	31	9	3	33	111	43	60	99	15	14	147	23
266	71	107	8	15	8	40	65	4	4	14	4	3	13	41	20	32	44	7	12	56	24
98	16	51	2	6	2	3	7	2	-	8	3	-	7	25	10	4	17	3	-	30	25
1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	26
157	38	86	7	13	3	17	27	6	4	9	2	-	13	43	13	24	37	5	2	61	27
99	62	26	4	13	3	9	15	1	-	2	1	-	-	7	1	14	15	3	1	31	28
29	20	11	1	3	1	4	2	-	-	1	-	-	-	3	1	5	4	1	-	12	29
70	42	15	3	10	2	5	13	1	-	1	1	-	-	4	-	9	11	2	1	19	30
493	71	75	12	22	7	3	31	3	10	20	2	1	20	48	23	34	54	16	3	107	31
343	56	49	9	16	2	2	22	1	6	14	2	1	14	25	16	22	31	10	1	64	32
150	15	26	3	6	5	1	9	2	4	6	-	-	6	23	7	12	23	6	2	43	33
31	3	11	2	5	-	-	5	1	-	-	-	1	-	-	-	2	1	1	-	3	34
23	4	7	2	2	-	2	1	-	-	-	-	-	3	2	-	5	11	-	-	4	35
45	14	40	3	7	-	7	5	-	-	-	-	-	3	7	1	12	12	3	-	18	36
24	5	6	2	1	1	-	4	-	-	1	1	-	1	-	-	2	1	1	-	2	37
122	35	29	12	11	2	12	16	3	2	5	-	1	4	12	6	5	16	7	-	30	38
76	17	13	6	5	1	8	12	3	2	4	-	-	3	8	2	1	9	2	-	23	39
46	18	16	6	6	1	4	4	-	-	1	-	1	1	4	4	4	7	5	-	7	40
160	22	39	7	14	2	13	26	4	-	3	2	1	10	37	4	27	27	9	1	41	41
60	8	21	3	5	-	6	5	1	-	2	2	-	1	7	1	12	8	4	-	16	42
100	14	18	4	9	2	7	21	3	-	1	-	1	9	30	3	15	19	5	1	25	43
45	11	17	1	10	1	2	8	2	2	2	-	-	2	7	-	7	9	-	-	17	44
342	53	66	13	36	5	13	41	4	2	8	2	-	13	30	1	17	37	13	2	79	45
179	25	25	8	18	2	6	19	2	-	4	1	-	8	18	1	6	16	6	2	48	46
163	30	41	5	18	3	7	22	2	2	4	1	-	5	12	-	11	21	7	-	31	47
51	9	18	-	1	1	3	14	3	-	-	-	-	4	2	-	6	10	-	-	17	48
51	6	41	6	2	1	4	8	-	3	3	-	1	3	9	-	3	8	4	1	11	49
33	5	27	4	1	1	4	5	-	1	2	-	1	1	5	-	3	3	-	-	8	50
18	1	14	2	1	-	-	3	-	2	1	-	-	2	4	-	-	5	4	1	3	51
27	4	10	3	5	-	1	5	-	1	2	-	-	-	6	5	5	10	5	-	11	52
52	9	21	3	9	-	2	7	1	2	1	-	-	2	7	1	5	9	4	1	16	53
51	14	8	1	9	-	1	13	1	4	-	-	1	3	8	-	6	11	-	2	7	54
138	27	58	3	9	3	6	16	2	4	4	3	-	12	21	1	16	21	6	-	42	55
48	10	21	1	-	2	2	5	1	3	1	1	-	4	8	1	4	4	1	-	5	56
90	17	37	2	9	1	4	11	1	1	3	2	-	8	13	-	12	17	5	-	37	57
266	113	157	12	26	6	19	44	10	10	14	5	1	23	78	4	54	35	17	2	101	58
123	63	87	9	13	3	10	24	6	3	9	2	-	15	52	1	19	24	10	1	50	59
143	50	70	3	13	3	9	20	4	7	5	3	1	8	26	3	35	11	7	1	51	60
182	23	22	6	25	3	6	10	4	4	5	3	1	4	11	2	20	24	6	-	33	61
55	1	9	4	9	-	2	2	1	1	1	1	-	-	2	1	6	10	1	-	9	62
127	22	13	2	16	3	4	8	3	3	4	2	1	4	9	1	14	14	5	-	24	63
354	62	62	21	22	8	15	55	19	7	21	3	1	25	73	5	59	52	14	1	109	64
265	49	34	18	17	5	12	34	16	3	19	3	1	15	45	4	41	37	11	-	84	65
89	13	28	3	5	3	3	21	3	4	2	-	-	10	28	1	18	15	3	1	25	66
64	5	15	1	11	2	3	5	1	-	2	-	-	2	11	3	5	7	2	-	13	67
9,761	2,428	2,744	381	1,188	198	536	1,402	204	221	417	79	39	571	1,590	225	1,244	1,572	422	124	2,635	68
4,231	1,025	1,000	174	459	82	214	604	90	107	247	33	19	280	819	89	479	655	162	91	1,156	69
5,530	1,403	1,744	207	729	116	322	798	114	114	170	46	20	291	771	136	765	917	260	33	1,479	70
57	12	9	1	13	-	-	9	1	1	-	1	-	1	6	2	11	10	1	-	11	71
409	94	106	12	46	9	32	63	7	17	17	1	2	35	91	5	47	56	13	3	129	72
336	81	87	7	34	8	27	47	6	16	16	1	2	27	71	3	33	38	10	2	105	73
73	13	19	5	12	1	5	16	1	1	1	-	-	8	20	2	14	18	3	1	24	74
84	18	9	1	18	4	4	16	3	2	3	3	-	6	15	2	15	17	6	-	17	75
44	14	3	1	9	2	4	8	3	-	1	3	-	2	5	1	9	8	2	-	10	76
40	4	6	-	9	2	-	8	-	2	2	-	-	4	10	1	6	9	4	-	7	77
32	4	8	-	-	-	-	4	-	-	2	1	-	1	4	1	6	4	1	-	7	78
46	4	9	1	4	1	1	1	-	1	-	-	-	2	1	2	8	11	3	-	6	79
78	15	19	4	12	4	6	7	2	-	2	-	-	2	8	1	6	8	1	-	21	80
14	3	-	-	1	-	-	3	2	-	-	-	-	2	2	-	1	2	-	-	3	81
44	14	14	-	7	2	3	4	-	1	-	-	-	1	4	2	6	10	4	-	14	82
132	27	38	1	18	3	5	20	3	2	5	-	-	6	14	2	17	20	5	1	32	83
85	13	22	1	15	2	1	11	2	1	3	-	-	2	7	1	14	11	1	1	21	84
47	14	16	-	3	1	4	9	1	1	2	-	-	4	7	1	3	9	4	-	11	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Clark	469	7	1	-	1	59	18	4	37	7	248	240	57	2	162	4
2	Jeffersonville	201	5	-	-	-	23	6	3	14	2	103	101	19	-	74	2
3	Balance of county	268	2	1	-	1	36	12	1	23	5	145	139	38	2	88	2
4	Clay	306	2	1	1	2	42	20	2	20	7	180	174	36	-	128	1
5	Clinton	337	3	1	-	1	50	18	6	26	6	189	187	40	-	132	1
6	Frankfort	178	-	1	-	-	25	10	4	11	4	97	96	22	-	68	1
7	Balance of county	159	3	-	-	1	25	8	2	15	2	92	91	18	-	63	-
8	Crawford	116	-	-	-	-	13	4	-	9	3	73	70	27	-	40	3
9	Daviess	295	3	-	-	2	43	18	4	21	4	173	170	29	1	122	3
10	Washington	127	1	-	-	-	23	9	2	12	3	76	76	11	-	55	-
11	Balance of county	168	2	-	-	2	20	9	2	9	1	97	94	18	1	67	3
12	Dearborn	253	2	2	-	3	39	20	1	18	5	134	129	37	-	84	-
13	Decatur	207	1	-	1	-	18	9	1	8	4	145	144	36	-	94	3
14	De Kalb	299	-	-	-	-	44	20	3	21	4	167	159	41	-	101	2
15	Delaware	912	9	5	3	6	131	53	4	74	12	496	489	119	2	334	9
16	Muncie	660	6	3	2	6	84	33	1	50	11	353	347	81	2	238	6
17	Balance of county	252	3	2	1	-	47	20	3	24	1	143	142	38	-	96	3
18	Dubois	232	1	1	-	-	37	14	2	21	2	115	115	33	-	77	5
19	Elkhart	896	7	1	2	1	130	54	10	66	20	515	499	112	-	328	9
20	Elkhart	428	5	1	-	-	56	26	7	23	6	255	244	45	-	171	5
21	Goshen	143	-	-	-	-	29	11	2	16	1	80	79	21	-	47	1
22	Balance of county	325	2	-	2	1	45	17	1	27	13	180	176	46	-	110	3
23	Fayette	223	3	-	-	3	37	13	4	20	2	124	122	29	2	77	5
24	Connersville	141	2	-	-	2	23	6	4	13	2	80	79	19	1	49	4
25	Balance of county	82	1	-	-	1	14	7	-	7	-	44	43	10	1	28	1
26	Floyd	458	3	1	-	2	63	28	7	28	7	261	258	60	-	185	5
27	New Albany	347	3	1	-	-	55	25	6	24	5	199	197	48	-	137	4
28	Balance of county	111	-	-	-	2	8	3	1	4	2	62	61	12	-	48	1
29	Fountain	210	4	-	-	1	36	20	4	12	4	105	102	24	-	65	1
30	Franklin	165	2	-	-	4	27	15	1	11	2	95	90	16	-	71	2
31	Fulton	207	3	-	-	-	27	16	2	9	2	124	119	26	-	91	2
32	Gibson	375	1	4	-	1	44	13	4	27	7	241	238	67	-	162	-
33	Grant	693	6	4	-	1	105	27	14	64	16	402	397	119	-	241	6
34	Marion	370	3	1	-	1	53	13	6	34	9	212	210	66	-	129	3
35	Balance of county	323	3	3	-	-	52	14	8	30	7	190	187	53	-	112	3
36	Greene	335	2	2	-	3	47	18	3	26	9	195	191	37	-	142	4
37	Hamilton	308	2	-	-	2	42	15	6	21	3	187	182	47	-	128	1
38	Hancock	236	2	-	-	-	36	16	5	15	2	144	142	29	-	102	2
39	Harrison	195	4	1	-	3	24	12	-	12	4	118	110	17	-	85	1
40	Hendricks	259	4	1	-	3	33	13	1	19	4	149	146	33	-	103	4
41	Henry	401	7	2	-	3	64	22	7	35	5	218	215	56	2	140	2
42	New Castle	175	4	-	-	-	25	8	2	15	2	99	97	25	2	60	2
43	Balance of county	226	3	2	-	3	39	14	5	20	3	119	118	31	-	80	-
44	Howard	549	7	6	-	3	60	20	9	31	4	321	315	85	2	204	7
45	Kokomo	402	6	5	-	2	37	11	8	18	4	226	220	60	2	145	4
46	Balance of county	147	1	1	-	1	23	9	1	13	-	95	95	25	-	59	3
47	Huntington	360	4	1	-	2	50	25	1	24	4	222	221	61	-	124	1
48	Huntington	179	2	1	-	1	29	16	-	13	4	106	106	27	-	65	1
49	Balance of county	181	2	-	-	1	21	9	1	11	-	116	115	34	-	59	-
50	Jackson	304	2	2	-	1	40	13	2	25	8	171	169	31	1	119	5
51	Jasper	178	1	1	-	2	19	11	3	5	3	105	102	24	-	71	2
52	Jay	284	3	1	-	2	26	10	1	15	4	160	158	43	-	100	4
53	Jefferson	252	4	2	-	1	42	17	7	18	1	128	125	36	-	69	2
54	Jennings	133	2	1	-	-	13	5	-	8	4	78	76	33	-	39	-
55	Johnson	359	1	-	-	3	51	21	9	21	3	215	212	51	1	147	-
56	Knox	502	3	2	-	2	65	31	12	22	12	291	283	66	-	187	8
57	Vincennes	239	-	2	-	1	32	16	6	10	6	135	131	29	-	86	-
58	Balance of county	263	3	-	-	1	33	15	6	12	6	156	152	37	-	101	8
59	Kosciusko	400	4	-	1	3	55	23	4	28	8	238	233	42	1	159	4
60	Lagrange	165	3	-	-	2	30	10	2	18	1	91	87	18	1	61	-
61	Lake	3,396	36	17	5	19	518	204	65	249	69	1,676	1,634	362	3	1,174	56
62	Gary	1,366	14	5	-	8	196	80	29	87	26	652	628	158	-	432	23
63	East Chicago	548	6	3	2	3	88	31	14	43	13	258	252	41	1	196	8
64	Hammond	765	10	4	2	2	121	48	10	63	13	402	395	88	-	286	15
65	Hobart	89	-	1	1	1	9	3	1	5	2	43	42	9	-	27	-
66	Balance of county	628	6	4	-	5	104	42	11	51	15	321	317	66	2	233	10
67	La Porte	791	6	3	1	1	132	46	20	66	14	422	413	92	-	292	9
68	Michigan City	283	2	2	-	1	47	20	5	22	4	153	151	38	-	104	3
69	La Porte	242	1	-	-	-	46	15	6	25	3	137	132	24	-	92	1
70	Balance of county	266	3	1	1	-	39	11	9	19	7	132	130	30	-	96	5
71	Lawrence	371	3	3	-	3	61	18	10	33	8	199	198	42	1	146	7
72	Bedford	154	-	1	-	-	29	5	6	18	5	87	87	11	1	72	2
73	Balance of county	217	3	2	-	3	32	13	4	15	3	112	111	31	-	74	5
74	Madison	993	10	3	-	2	147	54	13	80	17	541	530	121	-	371	10
75	Anderson	510	2	2	-	1	78	23	10	45	6	262	253	60	-	175	4
76	Elwood	139	4	-	-	-	21	9	1	11	4	82	81	20	-	56	3
77	Balance of county	344	4	1	-	1	48	22	2	24	7	197	196	41	-	140	3
78	Marion	5,981	85	19	3	33	902	304	115	483	112	3,270	3,205	759	4	2,195	91
79	Indianapolis	5,277	79	17	3	33	791	277	98	416	97	2,845	2,787	666	4	1,896	77
80	Balance of county	704	6	2	-	-	111	27	17	67	15	425	418	93	-	299	14
81	Marshall	324	2	1	-	1	50	18	5	27	5	192	185	43	-	125	4
82	Martin	99	1	-	-	-	7	3	1	3	2	64	62	7	-	53	2
83	Miami	349	3	2	-	1	48	16	6	26	1	225	225	51	2	159	8
84	Peru	185	2	1	-	1	27	7	3	17	1	121	121	32	-	79	8
85	Balance of county	164	1	1	-	-	21	9	3	9	-	104	104	19	2	80	-
86	Monroe	381	2	-	-	3	60	27	8	25	7	211	205	48	1	143	10
87	Bloomington	242	1	-	-	3	34	18	3	13	6	135	131	34	-	86	4
88	Balance of county	139	1	-	-	-	26	9	5	12	1	76	74	14	1	57	6

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
101	30	27	2	17	-	8	19	1	6	5	1	-	8	16	2	23	18	6	1	40	1
45	19	8	1	7	-	2	15	1	2	2	1	-	5	6	2	7	6	4	-	17	2
56	11	19	1	10	-	6	4	-	4	3	-	-	3	10	-	16	12	2	1	23	3
60	50	17	6	4	-	6	9	1	-	-	1	-	5	9	3	9	12	2	1	19	4
78	18	35	4	10	1	2	10	1	3	2	4	1	3	6	3	6	14	8	-	26	5
41	7	20	1	3	1	1	7	-	2	2	3	1	1	3	3	2	7	5	-	15	6
37	11	15	3	7	-	1	3	1	1	-	1	-	2	3	-	4	7	3	-	11	7
25	1	11	-	3	-	3	3	-	1	-	-	-	4	3	-	2	6	1	-	7	8
66	19	34	2	15	1	3	12	3	2	2	-	-	4	5	-	6	15	3	1	17	9
30	12	13	1	8	1	-	3	1	2	-	-	-	-	2	-	-	6	1	1	8	10
36	7	21	1	7	-	3	9	2	-	2	-	-	4	3	-	6	9	2	-	9	11
55	9	20	-	7	1	5	13	-	1	1	-	-	3	6	-	8	5	7	1	23	12
62	14	15	1	12	1	1	4	1	-	3	1	-	3	5	1	-	10	1	-	9	13
56	20	23	1	13	3	8	14	1	1	2	1	-	4	6	5	13	12	5	-	20	14
249	41	35	10	20	4	7	22	2	2	7	1	1	10	43	12	31	36	7	5	71	15
177	29	26	6	18	2	6	16	2	1	5	1	1	8	35	10	26	28	3	4	55	16
72	12	9	4	2	2	1	6	-	1	2	-	-	2	8	2	5	8	4	1	16	17
40	10	22	1	4	-	-	13	1	2	5	-	-	1	12	-	6	11	4	1	20	18
228	43	48	11	41	7	16	24	3	5	7	1	-	15	41	3	34	20	9	1	57	19
118	23	25	7	17	4	11	11	1	2	4	-	-	5	24	1	20	10	3	-	24	20
34	8	4	1	10	-	1	5	-	1	1	1	-	2	6	-	2	2	2	-	11	21
76	12	19	3	14	3	4	8	2	2	2	-	-	8	11	2	12	8	4	1	22	22
58	5	9	8	5	1	2	5	1	1	1	1	-	4	3	1	4	9	2	-	22	23
42	1	2	6	4	-	1	2	1	-	1	1	-	3	2	1	2	3	2	-	14	24
16	4	7	2	1	1	1	3	-	1	-	-	-	1	1	-	2	6	-	-	8	25
100	50	30	2	9	2	3	21	2	1	4	2	-	4	28	1	6	15	3	-	34	26
78	41	14	2	8	2	2	17	2	1	4	-	-	3	19	1	2	7	2	-	26	27
22	9	16	-	1	-	1	4	-	-	-	2	-	1	9	-	4	8	1	-	8	28
43	11	10	3	10	-	3	1	2	1	1	-	1	2	8	3	7	10	2	-	22	29
40	8	21	1	1	1	5	7	-	1	1	-	-	3	1	2	4	4	1	-	11	30
42	31	16	1	1	-	5	4	1	1	1	-	1	1	5	-	5	8	3	-	21	31
87	26	49	3	6	-	3	18	1	1	-	-	1	6	15	1	7	12	1	1	13	32
155	52	28	10	24	3	5	17	3	5	3	1	1	9	23	3	17	27	9	-	41	33
88	30	8	5	10	-	2	12	3	3	2	-	1	7	15	-	10	14	3	-	21	34
67	22	20	5	14	3	3	5	-	2	1	1	-	2	8	3	7	13	6	-	20	35
68	32	38	3	7	2	4	9	3	3	1	-	1	5	3	2	8	9	7	1	25	36
81	17	29	2	4	1	5	11	-	1	1	-	-	4	6	3	13	7	5	1	20	37
60	11	29	1	9	1	2	5	1	3	-	-	-	2	5	-	11	8	3	-	14	38
43	27	14	1	5	2	8	5	1	2	1	-	-	1	4	2	3	8	1	-	13	39
66	17	16	1	9	-	3	11	1	1	4	-	1	2	13	-	8	9	-	1	14	40
89	22	27	2	12	3	3	15	4	5	5	3	-	2	13	2	11	14	5	1	22	41
36	9	13	2	7	1	2	4	2	3	2	2	-	2	6	2	6	5	2	-	10	42
53	13	14	-	5	2	1	11	2	3	3	1	-	-	7	-	5	9	3	1	12	43
138	22	37	6	13	5	6	23	3	2	5	-	1	8	19	2	18	26	7	4	30	44
105	16	20	3	7	3	6	20	3	-	4	-	1	8	17	1	16	22	4	4	22	45
33	6	17	3	6	2	-	3	-	2	1	-	-	-	2	1	2	4	3	-	8	46
59	10	54	4	32	-	1	14	1	2	2	2	-	9	5	5	8	12	2	-	15	47
36	5	23	1	13	-	-	4	-	2	1	-	-	8	1	3	3	5	-	-	9	48
23	5	31	3	19	-	1	10	1	-	1	2	-	1	4	2	5	7	2	-	6	49
47	46	21	3	15	-	2	13	2	1	6	-	-	2	9	4	13	10	3	-	17	50
47	8	14	1	6	-	3	10	1	2	2	-	-	1	3	-	10	7	1	-	10	51
60	10	26	5	8	2	2	16	1	-	2	2	-	4	10	9	20	10	3	-	11	52
46	6	15	1	19	-	3	6	-	1	1	1	-	5	8	5	12	6	6	-	23	53
32	4	3	-	3	1	2	4	1	-	1	-	-	3	3	-	3	11	-	-	9	54
113	22	12	-	13	-	3	14	-	3	2	-	-	2	29	3	14	4	4	2	9	55
111	32	36	8	19	3	8	15	3	1	5	-	2	6	10	2	21	25	2	-	35	56
53	16	17	3	12	1	4	10	1	-	3	-	-	4	6	-	9	12	1	-	17	57
58	16	19	5	7	2	4	5	2	1	2	-	-	2	4	2	12	13	1	-	18	58
97	25	33	12	18	1	5	6	4	-	2	-	1	4	12	2	24	9	-	1	26	59
43	8	10	1	6	-	4	4	3	1	1	-	-	-	4	-	3	10	1	-	11	60
792	158	168	40	38	17	42	152	22	24	59	9	5	59	197	25	104	147	28	25	200	61
292	56	61	21	12	5	24	70	11	9	23	8	2	25	94	18	42	53	12	14	84	62
126	35	27	4	4	6	6	29	4	10	11	-	1	8	37	2	12	28	4	4	25	63
185	43	43	8	9	4	7	30	4	5	16	1	2	9	33	1	20	35	6	2	47	64
19	-	8	3	3	-	1	2	-	-	3	-	-	5	8	1	1	8	1	-	3	65
170	24	29	4	10	2	4	21	3	-	6	-	-	12	25	3	29	23	5	5	41	66
192	43	48	8	20	1	9	22	-	1	8	-	2	10	40	3	29	38	11	-	48	67
76	11	14	2	7	-	2	7	-	1	6	-	-	-	11	2	9	17	4	-	17	68
57	16	18	5	10	1	5	7	-	-	-	-	-	2	14	-	6	11	4	-	11	69
59	16	16	1	3	-	2	8	-	-	2	-	2	8	15	1	14	10	3	-	20	70
62	26	51	2	6	1	1	19	-	4	1	-	-	3	10	1	10	13	6	1	26	71
33	10	27	1	2	-	-	5	-	3	1	-	-	1	1	-	4	3	5	-	9	72
29	16	24	1	4	1	1	14	-	1	-	-	-	2	9	1	6	10	1	1	17	73
233	54	74	5	27	6	11	37	5	4	8	5	-	15	39	3	34	41	16	4	62	74
106	21	44	2	12	4	9	23	1	2	5	3	-	10	26	1	16	23	9	1	39	75
35	9	9	1	4	-	1	1	1	2	2	-	-	-	4	-	7	4	2	1	4	76
92	24	21	2	11	2	1	13	3	-	1	2	-	5	9	2	11	14	5	2	19	77
1,424	374	306	56	164	27	65	181	33	38	97	7	8	93	244	14	145	237	55	36	369	78
1,246	313	260	52	148	21	58	165	31	38	95	7	8	86	228	13	126	211	43	35	326	79
178	61	46	4	16	6	7	16	2	-	2	-	-	7	16	1	19	26	12	1	43	80
76	22	23	2	13	2	7	9	2	1	3	1	-	5	7	2	14	12	2	-	15	81
23	12	16	-	2	-	2	10	-	1	-	-	-	-	4	-	2	4	1	-	3	82
109	21	21	1	10	2	-	14	-	-	1	2	1	3	16	-	5	7	2	-	18	83
52	9	10	1	8	1	-	7	-	-	1	2	-	-	8	-	2	-	-	-	12	84
57	12	11	-	2	1	-	7	-	-	-	-	1	3	8	-	3	7	2	-	6	85
79	41	13	5	8	-	6	9	3	3	2	1	1	7	15	4	14	11	2	2	24	86
43	30	9	3	8	-	4	6	-	2	2	1	1	5	11	2	9	7	2	2	13	87
36	11	4	2	-	-	2	3	3	1	-	-	-	2	4	2	5	4	-	-	11	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Montgomery	355	6	1	-	2	51	22	3	26	5	213	205	55	2	134	3
2	Crawfordsville	173	4	1	-	1	28	12	2	14	2	98	92	24	1	62	1
3	Balance of county	182	2	-	-	1	23	10	1	12	3	115	113	31	1	72	2
4	Morgan	252	3	-	1	2	37	13	2	22	4	130	127	38	-	79	4
5	Newton	101	-	-	-	-	17	7	1	9	3	55	54	20	-	31	1
6	Noble	321	1	-	2	1	43	25	2	16	2	190	184	37	-	124	6
7	Ohio	48	1	1	-	-	5	1	-	4	2	30	28	7	-	17	-
8	Orange	197	1	-	1	2	25	13	2	10	5	114	111	36	-	53	2
9	Owen	134	2	2	-	-	25	11	-	14	2	75	74	14	-	57	2
10	Parke	183	1	-	-	1	23	13	5	5	4	115	107	20	-	84	2
11	Perry	169	2	-	-	2	30	10	1	19	4	65	63	16	-	42	4
12	Pike	182	1	-	-	-	22	5	1	16	4	102	99	33	-	62	2
13	Porter	394	3	1	-	2	57	17	5	35	4	211	197	45	-	139	5
14	Valparaiso	126	-	-	-	1	14	5	1	8	-	68	63	20	-	39	3
15	Balance of county	268	3	1	-	1	43	12	4	27	4	143	134	25	-	100	2
16	Posey	225	-	-	-	2	36	9	4	23	-	130	127	29	-	81	2
17	Pulaski	133	-	-	-	1	17	8	2	7	2	80	76	15	-	59	2
18	Putnam	228	2	1	-	-	35	7	7	21	8	125	125	37	-	72	2
19	Randolph	324	4	3	-	2	33	15	3	15	13	187	179	40	-	133	5
20	Ripley	236	2	1	-	-	31	13	4	14	4	139	133	38	-	83	3
21	Rush	218	1	-	-	-	29	12	-	17	5	126	124	35	-	82	1
22	St. Joseph	1,820	19	4	1	9	315	112	41	162	29	965	949	184	2	686	36
23	South Bend	1,106	14	3	-	6	191	73	25	93	18	585	573	111	-	414	21
24	Mishawaka	300	2	-	-	-	58	19	7	32	5	150	150	29	-	115	7
25	Balance of county	414	3	1	1	3	66	20	9	37	6	230	226	44	2	157	8
26	Scott	114	-	2	-	4	14	4	-	10	-	57	56	12	-	42	2
27	Shelby	324	7	-	-	-	44	13	5	26	3	202	197	52	1	135	2
28	Shelbyville	138	2	-	-	-	21	3	4	14	1	82	81	25	-	53	1
29	Balance of county	186	5	-	-	-	23	10	1	12	2	120	116	27	1	82	1
30	Spencer	169	1	-	-	2	28	11	1	16	3	95	94	25	1	64	1
31	Starke	190	-	-	-	2	37	14	8	15	6	97	96	24	1	69	3
32	Steuben	191	-	-	-	1	18	8	6	4	4	109	108	31	1	65	1
33	Sullivan	290	1	-	-	1	37	13	2	22	6	180	175	45	-	120	5
34	Switzerland	83	-	-	-	-	6	3	-	3	2	54	52	16	-	35	2
35	Tippecanoe	704	3	2	-	7	100	39	11	50	6	396	389	90	2	263	6
36	Lafayette	431	2	1	-	3	50	14	8	28	4	252	246	58	2	164	3
37	West Lafayette	77	-	-	-	1	22	8	2	12	-	38	38	7	-	29	1
38	Balance of county	196	1	1	-	3	28	17	1	10	2	106	105	25	-	70	2
39	Tipton	162	1	1	1	1	20	6	2	12	5	84	81	32	-	46	1
40	Union	66	-	-	-	1	10	3	1	6	-	42	40	12	-	23	-
41	Vanderburgh	1,621	24	8	2	15	239	78	27	134	26	887	878	164	2	615	16
42	Evansville	1,434	20	7	2	13	217	71	25	121	25	791	784	146	2	546	14
43	Balance of county	187	4	1	-	2	22	7	2	13	1	96	94	18	-	69	2
44	Vermillion	229	2	1	-	-	28	13	7	8	6	144	139	30	1	98	4
45	Vigo	1,317	7	7	1	5	194	55	26	113	20	766	734	140	-	528	15
46	Terre Haute	935	6	7	1	3	132	42	19	71	14	551	533	100	-	386	11
47	Balance of county	382	1	-	-	2	62	13	7	42	6	215	201	40	-	142	4
48	Wabash	328	4	2	1	3	52	21	6	25	9	198	193	58	-	125	4
49	Wabash	141	4	2	1	1	21	9	2	10	2	83	81	22	-	53	1
50	Balance of county	187	-	-	-	2	31	12	4	15	7	115	112	36	-	72	3
51	Warren	96	-	-	-	-	15	6	-	9	1	59	58	8	-	48	1
52	Warrick	230	2	-	-	1	32	15	2	15	2	126	125	39	1	70	2
53	Washington	159	-	-	-	1	15	7	2	6	2	103	100	22	-	75	2
54	Wayne	730	5	5	-	6	105	35	8	62	9	408	398	75	-	286	7
55	Richmond	457	2	4	-	5	59	19	6	34	6	260	254	48	-	185	3
56	Balance of county	273	3	1	-	1	46	16	2	28	3	146	144	27	-	101	4
57	Wells	209	-	1	-	-	29	3	7	19	4	133	130	37	-	90	3
58	White	198	1	-	-	1	31	18	3	10	2	109	108	29	-	72	4
59	Whitley	216	2	-	-	-	36	14	4	18	7	127	120	21	-	92	9
60	IOWA	26,787	123	81	25	108	4,236	1,607	403	2,226	435	15,260	14,959	3,896	38	9,919	319
61	Metropolitan counties	7,104	49	43	3	27	1,150	405	138	607	107	3,902	3,846	952	7	2,593	95
62	Nonmetropolitan counties	19,683	74	38	22	79	3,086	1,202	265	1,619	328	11,358	11,113	2,944	31	7,326	224
63	Adair	126	-	-	1	-	15	6	2	7	3	73	69	19	-	47	5
64	Adams	90	-	-	-	-	21	10	1	10	-	47	44	14	-	24	1
65	Allamakee	185	1	-	-	1	32	10	5	17	1	101	99	27	1	59	6
66	Appanoose	253	2	1	-	1	36	14	3	19	3	150	147	45	-	98	4
67	Audubon	101	-	-	-	-	18	7	2	9	4	54	52	16	-	35	1
68	Benton	261	2	1	1	2	48	16	8	24	2	147	146	39	2	96	-
69	Black Hawk	862	4	3	-	5	116	38	15	63	15	497	486	137	1	311	8
70	Waterloo	617	4	3	-	4	87	25	11	51	11	353	345	98	1	213	5
71	Cedar Falls	123	-	-	-	1	12	5	1	6	3	79	77	19	-	56	2
72	Balance of county	122	-	-	-	-	17	8	3	6	1	65	64	20	-	42	1
73	Boone	302	1	2	-	3	55	17	6	32	5	180	180	45	-	122	2
74	Boone	171	-	1	-	2	31	10	4	17	3	106	106	26	-	72	-
75	Balance of county	131	1	1	-	1	24	7	2	15	2	74	74	19	-	50	2
76	Bremer	182	1	1	-	-	31	17	-	14	4	115	112	35	1	70	2
77	Buchanan	195	-	-	-	-	20	8	-	12	4	120	114	27	-	76	3
78	Buena Vista	229	-	-	-	-	38	15	1	22	3	121	119	30	-	77	4
79	Butler	175	-	-	2	-	19	9	2	8	3	121	119	30	-	82	2
80	Calhoun	183	4	1	-	1	27	7	5	15	5	107	105	36	-	62	3
81	Carroll	216	2	1	-	2	40	13	3	24	3	111	109	35	-	55	2
82	Cass	197	-	-	-	3	38	14	2	22	7	105	101	23	-	73	4
83	Cedar	181	1	-	1	-	27	13	-	14	-	117	117	32	-	79	4
84	Cerro Gordo	413	4	-	1	2	62	24	5	33	5	242	238	53	-	167	6
85	Mason City	287	4	-	1	2	44	16	5	23	3	168	165	38	-	116	5
86	Balance of county	126	-	-	-	-	18	8	-	10	2	74	73	15	-	51	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
100	16	15	8	6	-	8	11	4	1	3	-	-	4	6	1	10	17	5	-	15	1
44	10	7	2	3	-	6	5	2	-	1	-	-	1	5	1	8	7	3	-	6	2
56	6	8	6	3	-	2	6	2	1	2	-	-	3	1	-	2	10	2	-	9	3
39	11	25	-	6	4	3	15	1	2	4	1	-	1	7	2	8	14	2	-	18	4
26	1	3	-	3	-	1	3	1	-	-	-	-	2	4	-	8	5	1	-	2	5
80	16	22	5	17	1	6	8	-	1	1	1	-	2	13	3	17	13	2	1	20	6
10	6	2	1	2	1	2	2	-	-	1	1	-	-	-	-	-	2	-	-	3	7
32	8	11	4	17	1	3	9	1	-	1	-	-	3	6	6	1	11	2	-	9	8
31	13	11	1	2	-	1	4	-	1	-	-	-	2	2	2	1	6	1	-	9	9
47	13	22	1	2	-	8	5	-	-	1	-	-	2	5	1	1	6	3	-	15	10
17	5	16	-	4	1	2	10	-	-	1	-	-	4	9	2	10	11	-	1	18	11
38	7	15	-	4	-	3	8	1	-	3	-	-	1	8	-	5	8	3	-	16	12
88	16	30	3	7	3	14	18	2	1	4	-	-	6	14	4	20	10	4	-	33	13
27	4	5	-	2	2	5	7	1	-	1	-	-	2	6	1	7	3	3	-	12	14
61	12	25	3	5	1	9	11	1	1	3	-	-	4	8	3	13	7	1	-	21	15
53	11	15	7	6	4	3	6	2	2	1	-	-	2	9	-	10	9	1	-	15	16
35	4	18	-	2	-	4	2	3	4	1	1	-	1	5	-	4	4	2	-	6	17
51	13	6	5	8	3	-	11	1	-	-	-	-	4	11	-	8	9	3	-	10	18
71	26	31	2	3	1	8	14	2	6	2	1	1	7	13	2	5	11	3	-	15	19
50	13	17	1	10	1	6	4	1	2	-	1	-	3	7	-	13	5	3	1	19	20
63	10	8	2	1	4	2	5	1	-	3	-	-	3	9	2	9	10	2	-	13	21
506	73	71	15	53	9	16	52	8	8	25	3	2	32	89	14	53	53	20	4	115	22
304	45	44	8	33	7	12	38	5	3	19	2	1	21	42	6	25	35	11	3	78	23
89	10	9	2	4	-	-	5	2	2	2	1	-	5	26	-	9	9	5	1	18	24
113	18	18	5	16	2	4	9	1	3	4	-	1	6	21	8	19	9	4	-	19	25
26	2	12	-	1	1	1	5	-	1	1	-	-	1	8	-	5	3	1	-	12	26
84	30	19	1	6	2	5	12	1	1	1	-	2	2	8	1	11	14	1	-	14	27
32	13	7	1	1	1	1	5	-	-	-	-	1	-	5	-	4	6	1	-	10	28
52	17	12	-	5	1	4	7	1	1	1	-	1	2	3	1	7	8	-	-	4	29
40	10	13	-	4	-	1	8	-	1	4	-	-	-	5	2	7	5	3	-	5	30
50	3	13	-	2	-	1	11	-	-	1	-	-	3	9	1	8	6	-	1	8	31
49	7	8	2	7	2	1	5	-	-	2	1	-	1	4	4	7	9	4	1	21	32
76	15	24	1	8	1	5	7	3	1	2	-	-	1	13	1	7	12	3	1	14	33
22	2	9	-	1	-	2	2	-	-	-	-	-	1	-	1	2	4	-	-	10	34
153	35	69	5	24	5	7	25	3	2	7	-	1	12	35	1	9	27	12	-	56	35
93	21	47	2	17	3	6	16	3	2	5	-	1	7	18	-	5	15	7	-	40	36
18	3	7	-	2	-	-	1	-	-	-	-	-	3	5	-	2	3	1	-	1	37
42	11	15	3	5	2	1	8	-	-	2	-	-	2	12	1	2	9	4	-	15	38
35	4	6	1	1	1	3	7	-	2	-	-	-	3	5	1	6	8	1	-	16	39
13	1	9	-	4	1	2	-	-	-	-	-	-	3	-	-	1	3	1	-	5	40
354	142	103	16	72	9	9	57	4	4	19	4	-	26	75	6	43	47	19	13	103	41
321	121	90	15	66	9	7	48	4	4	16	2	-	21	63	6	38	40	18	13	86	42
33	21	13	1	6	-	2	9	-	-	3	2	-	5	12	-	5	7	1	-	17	43
62	16	16	3	7	-	5	5	2	1	1	-	-	2	6	1	5	6	4	-	15	44
296	65	154	21	40	5	32	37	11	7	14	5	1	13	36	10	27	46	11	4	95	45
204	50	121	15	29	3	18	24	8	4	12	4	1	7	27	6	17	31	9	4	67	46
92	13	33	6	11	2	14	13	3	3	2	1	-	6	9	4	10	15	2	-	28	47
77	16	28	4	4	2	5	4	3	-	2	-	-	3	4	-	13	17	2	-	11	48
37	6	9	1	4	1	2	1	2	-	1	-	-	2	3	-	8	8	1	-	1	49
40	10	19	3	-	1	3	3	1	-	1	-	-	1	1	-	5	9	1	-	10	50
32	10	5	-	2	-	1	2	-	-	-	-	-	-	5	-	3	2	2	1	6	51
33	15	20	3	9	3	1	7	2	1	3	-	-	2	10	3	7	10	6	1	15	52
49	7	17	-	3	-	3	5	-	-	2	1	-	-	4	-	4	6	1	-	15	53
177	50	52	9	23	5	8	27	7	6	11	3	-	12	21	3	16	34	7	-	47	54
115	34	33	6	12	3	6	15	3	4	7	2	-	5	17	2	10	24	5	-	27	55
62	16	19	3	11	2	2	12	4	2	4	1	-	7	4	1	6	10	2	-	20	56
60	18	9	-	3	-	3	5	-	2	-	1	-	3	6	1	3	9	3	-	9	57
47	7	14	3	2	2	1	3	3	2	2	-	-	2	8	-	11	15	1	-	9	58
58	15	10	1	5	1	7	4	1	1	-	1	-	2	5	-	4	8	2	-	16	59
6,852	1,048	1,700	226	712	168	301	940	170	77	142	64	25	317	844	150	601	1,061	271	28	1,831	60
1,860	259	379	59	187	48	56	230	58	20	51	15	10	92	264	38	152	286	70	17	520	61
4,992	789	1,321	167	525	120	245	710	112	57	91	49	15	225	580	112	449	775	201	11	1,311	62
27	5	10	1	2	-	4	4	-	-	-	1	-	1	4	4	-	4	1	-	15	63
17	2	4	2	4	-	3	3	1	-	-	-	-	-	6	-	1	4	-	-	7	64
31	5	17	-	11	1	2	12	-	2	-	-	-	1	6	-	4	12	-	-	12	65
56	12	26	-	3	1	3	7	1	1	2	4	-	3	5	2	6	10	3	1	15	66
26	3	5	-	1	-	2	2	-	-	-	-	-	1	4	-	3	4	3	-	8	67
64	6	26	2	6	1	1	9	2	-	-	-	-	3	6	1	5	6	3	-	23	68
217	22	64	7	25	5	11	23	6	3	6	3	1	14	36	9	21	36	3	1	60	69
150	18	40	7	22	4	8	15	5	2	4	1	-	10	24	7	12	25	3	1	46	70
39	1	14	-	2	-	2	4	-	1	1	1	1	3	8	1	1	3	-	-	4	71
28	3	10	-	1	1	1	4	1	-	1	1	-	1	4	1	8	8	-	-	10	72
66	35	19	2	9	2	-	13	-	-	6	-	-	2	9	2	3	5	1	-	15	73
41	20	11	1	6	1	-	5	-	-	3	-	-	-	7	2	1	1	-	-	9	74
25	15	8	1	3	1	-	8	-	-	3	-	-	2	2	-	2	4	1	-	6	75
55	6	7	4	2	-	3	4	-	1	-	-	-	2	5	-	5	7	-	-	6	76
53	2	18	4	6	1	6	8	-	2	1	2	-	1	5	3	2	8	2	-	17	77
59	3	11	1	6	5	2	16	1	-	1	-	-	1	12	-	10	9	1	-	16	78
53	8	19	2	3	2	2	4	2	1	-	-	-	1	2	1	2	6	-	-	11	79
43	8	8	1	4	2	2	3	1	-	-	-	1	4	5	-	2	8	2	-	12	80
37	7	9	1	13	5	2	5	1	3	1	1	-	2	10	-	3	9	2	-	20	81
46	9	14	1	4	-	4	6	-	1	-	-	-	-	4	-	6	8	5	-	14	82
51	7	17	1	4	1	-	9	3	-	1	-	-	-	2	-	4	3	-	-	13	83
128	18	15	4	8	6	4	12	3	1	1	-	-	9	11	1	9	14	8	1	27	84
90	11	10	4	3	4	3	10	3	1	1	-	-	6	10	1	5	10	3	1	14	85
38	7	5	-	5	2	1	2	-	-	-	-	-	3	1	-	4	4	5	-	13	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Cherokee	175	-	1	-	1	35	13	3	19	1	97	94	25	-	58	2
2	Chickasaw	164	1	-	-	-	23	7	2	14	3	110	108	31	1	71	2
3	Clarke	120	-	1	-	-	14	9	1	4	1	79	75	21	-	50	1
4	Clay	161	-	-	-	1	23	10	-	13	2	99	99	23	2	70	-
5	Clayton	219	1	-	-	2	30	11	3	16	3	117	110	24	-	78	3
6	Clinton	501	1	1	-	2	79	30	6	43	7	282	279	76	2	187	10
7	Clinton	334	1	1	-	2	49	17	4	28	5	187	187	57	2	119	7
8	Balance of county	167	-	-	-	-	30	13	2	15	2	95	92	19	-	68	3
9	Crawford	190	-	1	-	-	38	19	3	16	4	101	97	28	1	53	1
10	Dallas	277	1	1	-	1	34	10	5	19	1	157	153	36	-	108	1
11	Davis	101	-	2	-	-	16	5	1	10	1	62	62	18	-	41	1
12	Decatur	154	-	-	-	-	20	9	3	8	3	92	91	29	-	55	1
13	Delaware	175	-	-	-	-	24	10	2	12	3	114	111	40	-	66	4
14	Des Moines	471	4	1	-	2	64	23	3	38	11	259	253	59	-	176	1
15	Burlington	354	3	1	-	1	50	19	2	29	7	193	189	48	-	125	1
16	Balance of county	117	1	-	-	1	14	4	1	9	4	66	64	11	-	51	-
17	Dickinson	120	-	-	-	-	21	9	1	11	1	71	71	15	-	51	2
18	Dubuque	753	5	1	2	2	140	51	18	71	4	389	383	81	1	275	10
19	Dubuque	568	4	1	1	1	101	33	14	54	4	306	302	54	-	226	7
20	Balance of county	185	1	-	1	1	39	18	4	17	-	83	81	27	1	49	3
21	Emmet	132	-	1	-	1	26	7	1	18	2	72	72	13	-	53	-
22	Fayette	309	-	1	2	-	45	22	4	19	6	177	174	45	1	120	4
23	Floyd	217	1	-	1	-	35	15	2	18	7	134	133	45	1	77	1
24	Charles City	106	1	-	-	-	25	12	2	11	7	55	54	18	-	31	1
25	Balance of county	111	-	-	1	-	10	3	-	7	-	79	79	27	1	46	-
26	Franklin	129	-	1	-	-	29	8	2	19	1	67	67	17	-	42	2
27	Fremont	146	-	-	-	3	13	8	1	4	6	88	87	19	-	60	2
28	Greene	160	3	-	-	-	21	10	1	10	3	91	89	9	1	73	-
29	Grundy	114	-	-	-	-	17	5	-	12	-	69	66	14	-	47	1
30	Guthrie	171	-	-	-	-	31	10	1	20	-	101	99	27	-	65	1
31	Hamilton	222	1	-	1	-	33	12	-	21	5	135	132	42	1	83	-
32	Hancock	138	1	1	-	1	21	6	2	13	4	89	86	30	-	48	3
33	Hardin	270	-	2	1	1	47	18	5	24	3	155	149	42	2	96	2
34	Harrison	218	1	-	2	1	31	9	1	21	4	129	126	36	1	77	8
35	Henry	220	1	-	-	4	30	11	1	18	7	134	128	26	-	97	5
36	Howard	153	1	-	-	-	21	10	-	11	2	96	94	29	-	53	2
37	Humboldt	130	-	-	-	1	21	11	1	9	5	68	67	23	-	36	1
38	Ida	89	-	1	-	-	10	4	2	4	1	48	48	14	-	31	1
39	Iowa	154	-	-	-	2	24	11	2	11	3	95	94	22	-	69	2
40	Jackson	220	1	-	-	1	48	20	5	23	5	121	119	27	-	80	2
41	Jasper	303	2	3	-	-	49	23	3	23	6	158	155	36	-	102	3
42	Newton	114	2	2	-	-	15	7	1	7	2	67	66	15	-	41	1
43	Balance of county	189	-	1	-	-	34	16	2	16	4	91	89	21	-	61	2
44	Jefferson	181	2	-	-	-	30	11	3	16	1	105	105	38	-	65	3
45	Johnson	369	2	-	1	2	59	23	6	30	5	212	208	56	-	139	2
46	Iowa City	238	1	-	1	1	42	17	4	21	4	135	133	38	-	87	1
47	Balance of county	131	1	-	-	1	17	6	2	9	1	77	75	18	-	52	1
48	Jones	180	-	-	-	1	23	12	2	9	3	108	105	24	1	68	2
49	Keokuk	224	-	1	-	1	35	14	3	18	6	124	124	39	-	74	3
50	Kossuth	223	1	1	-	-	37	16	4	17	3	134	134	24	1	95	1
51	Lee	519	1	1	1	3	69	30	6	33	7	308	296	83	2	212	3
52	Fort Madison	179	1	-	-	-	28	9	3	16	5	106	99	21	-	70	1
53	Keokuk	220	-	1	1	2	27	14	3	10	2	129	124	28	2	86	1
54	Balance of county	120	-	-	-	1	14	7	-	7	-	73	73	14	-	56	1
55	Linn	1,094	9	9	-	5	189	75	17	97	17	601	592	154	2	380	12
56	Cedar Rapids	770	5	9	-	2	145	58	16	71	13	409	404	101	1	264	10
57	Balance of county	324	4	-	-	3	44	17	1	26	4	192	188	53	1	116	2
58	Louisa	121	-	-	-	-	14	6	1	7	4	71	71	14	-	51	1
59	Lucas	172	-	-	-	3	29	11	4	14	3	81	78	31	-	38	4
60	Lyon	108	-	-	-	-	18	4	2	12	1	52	52	15	-	37	-
61	Madison	152	1	-	-	-	20	8	-	12	1	95	94	20	-	70	2
62	Mahaska	304	1	1	-	2	47	20	6	21	5	175	168	53	-	95	1
63	Oskaloosa	169	1	1	-	-	30	11	4	15	2	99	94	35	-	47	-
64	Balance of county	135	-	-	-	2	17	9	2	6	3	76	74	18	-	48	1
65	Marion	228	1	1	-	1	30	14	3	13	3	137	135	43	-	82	3
66	Marshall	365	-	1	-	1	63	20	11	32	9	218	213	52	1	146	2
67	Marshalltown	225	-	-	-	-	40	13	10	17	5	140	136	31	1	96	1
68	Balance of county	140	-	1	-	1	23	7	1	15	4	78	77	21	-	50	1
69	Mills	133	2	-	-	-	13	4	2	7	2	79	78	28	-	45	1
70	Mitchell	148	-	-	-	-	22	14	2	6	6	88	87	20	-	55	2
71	Monona	153	-	-	-	2	25	9	-	16	5	83	82	29	-	51	1
72	Monroe	158	1	-	-	2	23	11	5	7	3	80	70	33	-	35	2
73	Montgomery	179	1	1	-	1	27	12	3	12	-	110	109	35	-	70	3
74	Muscatine	397	3	-	1	-	54	12	8	34	8	242	239	61	1	165	2
75	Muscatine	264	3	-	1	-	35	6	6	23	4	158	156	37	1	112	-
76	Balance of county	133	-	-	-	-	19	6	2	11	4	84	83	24	-	53	2
77	O'Brien	164	-	1	-	-	29	9	2	18	3	93	89	15	1	66	2
78	Osceola	78	-	-	1	-	13	5	2	6	2	45	44	8	-	35	1
79	Page	256	4	1	-	1	39	17	4	18	6	161	160	35	-	115	7
80	Palo Alto	144	-	-	-	1	23	4	1	18	1	80	79	27	-	44	1
81	Plymouth	225	-	-	-	1	42	16	2	24	2	116	112	26	-	80	5
82	Pocahontas	146	-	-	-	1	33	11	1	21	2	69	69	21	-	40	2
83	Polk	2,354	20	15	-	5	412	136	53	223	33	1,253	1,235	311	2	836	40
84	Des Moines	2,050	20	13	-	5	356	116	49	191	30	1,084	1,067	257	2	734	37
85	Balance of county	304	-	2	-	-	56	20	4	32	3	169	168	54	-	102	3
86	Pottawattamie	703	3	3	1	3	100	36	12	52	5	425	423	106	-	287	14
87	Council Bluffs	509	2	2	-	2	77	25	11	41	3	315	313	79	-	215	10
88	Balance of county	194	1	1	1	1	23	11	1	11	2	110	110	27	-	72	4

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
34	6	16	1	6	4	3	7	-	-	-	2	-	1	3	1	3	7	2	-	14	1
38	15	16	2	2	1	2	4	-	-	1	-	-	1	4	1	3	6	1	-	6	2
34	3	12	4	-	-	4	5	1	-	-	-	-	2	2	1	3	3	1	1	6	3
58	5	7	-	3	1	-	6	1	-	3	-	1	4	6	1	8	2	-	-	4	4
41	14	20	3	3	2	7	12	1	2	-	1	1	3	7	-	7	15	3	-	14	5
121	16	40	2	9	3	3	19	3	1	1	2	-	7	15	-	10	28	4	-	39	6
76	10	26	2	5	2	-	14	2	1	-	2	-	4	10	-	7	19	3	-	27	7
45	6	14	-	4	1	3	5	1	-	1	-	-	3	5	-	3	9	1	-	12	8
43	3	6	-	11	4	4	10	-	1	-	1	-	2	4	3	5	7	1	-	12	9
72	13	22	1	7	1	4	7	2	1	-	1	1	3	7	1	6	13	6	-	31	10
19	4	17	2	1	-	-	5	2	1	-	-	-	1	1	2	1	1	-	-	6	11
41	11	2	-	6	1	1	7	-	-	1	-	1	1	2	2	6	10	1	-	8	12
46	3	13	1	3	1	3	2	-	-	-	2	-	3	2	1	-	9	2	-	13	13
131	29	15	2	16	-	6	24	5	2	1	1	1	4	18	3	15	17	2	1	36	14
93	19	12	2	14	-	4	17	3	2	1	1	1	3	16	2	8	13	1	-	31	15
38	10	3	-	2	-	2	7	2	-	-	-	-	1	2	1	7	4	1	1	5	16
37	3	9	2	2	1	-	2	1	2	-	1	-	3	3	2	2	7	-	-	4	17
181	24	60	4	17	5	6	24	8	2	4	2	1	14	32	4	19	41	6	-	53	18
152	21	46	4	16	2	4	17	7	2	2	2	-	8	21	2	13	34	4	-	38	19
29	3	14	-	1	3	2	7	1	-	2	-	1	6	11	2	6	7	2	-	15	20
43	3	7	2	4	-	-	6	-	-	-	-	-	2	2	3	2	9	-	-	6	21
79	18	19	1	7	-	3	4	3	1	3	1	-	8	10	-	7	10	3	-	28	22
57	8	11	3	7	-	1	4	1	-	1	1	-	-	7	-	9	5	3	-	8	23
26	1	3	1	4	-	1	2	1	-	1	1	-	-	4	-	5	-	1	-	3	24
51	7	8	2	3	-	-	2	-	-	-	-	-	-	3	-	4	5	2	-	5	25
33	3	4	4	4	-	-	7	-	1	-	-	-	1	3	-	1	3	3	-	12	26
26	13	19	3	2	3	1	6	-	3	-	-	-	1	5	2	1	7	1	-	10	27
39	11	23	2	4	-	2	5	2	1	-	1	-	2	9	-	3	8	2	-	9	28
34	5	7	3	2	-	3	1	1	-	-	-	-	1	9	2	2	1	4	-	7	29
41	9	14	2	5	-	2	5	-	1	-	-	-	3	3	1	-	13	3	-	10	30
66	7	10	1	4	1	3	9	2	-	3	-	-	-	5	1	6	7	2	-	12	31
36	2	7	3	4	1	3	3	1	2	1	1	-	2	2	-	3	2	1	-	3	32
73	7	14	3	4	2	6	8	1	-	-	1	1	5	5	1	6	9	6	-	18	33
45	7	17	1	9	2	3	9	2	-	-	-	-	1	5	-	5	8	4	-	16	34
57	19	16	-	4	1	6	6	-	-	1	-	1	1	9	-	4	6	1	-	15	35
37	2	12	1	10	1	2	6	-	-	1	-	-	-	8	-	3	5	5	-	5	36
27	1	7	2	5	1	1	6	-	1	-	-	-	2	9	-	4	2	4	-	7	37
22	6	2	-	2	1	-	5	1	-	-	-	1	3	1	2	1	7	2	-	6	38
40	7	20	-	3	-	1	3	1	1	1	-	-	1	1	1	3	7	2	-	9	39
53	13	12	1	10	1	2	6	-	-	1	-	-	4	9	-	8	7	2	-	7	40
70	13	16	2	13	2	3	6	-	1	1	1	-	1	17	1	11	15	3	-	28	41
28	7	5	1	8	1	1	3	-	-	1	-	-	1	5	-	2	4	-	-	10	42
42	6	11	1	5	1	2	3	-	1	-	1	-	-	12	1	9	11	3	-	18	43
46	5	11	1	1	-	-	7	2	-	1	-	-	-	3	1	6	11	1	1	10	44
92	17	28	3	7	3	4	5	1	2	-	-	-	3	10	3	8	9	4	2	41	45
55	13	18	2	4	2	2	4	-	2	-	-	-	2	7	2	5	5	2	-	25	46
37	4	10	1	3	1	2	1	1	-	-	-	-	1	3	1	3	4	2	2	16	47
51	5	10	2	8	2	3	5	1	-	2	-	-	3	12	2	2	6	3	1	8	48
55	4	12	2	8	1	-	10	4	1	1	-	-	1	5	1	4	11	1	-	18	49
55	14	25	-	14	-	-	9	1	-	-	-	-	1	5	1	7	13	1	-	9	50
130	13	66	3	13	3	12	29	3	5	6	-	-	-	18	1	15	22	3	1	26	51
47	1	21	3	4	1	7	7	1	1	-	-	-	-	5	1	3	5	1	1	13	52
53	8	24	-	7	1	5	16	1	4	2	-	-	-	8	-	9	8	2	-	8	53
30	4	21	-	2	1	-	6	1	-	3	-	-	-	5	-	3	9	-	-	5	54
275	41	52	11	35	10	9	31	8	2	9	1	1	5	27	5	29	39	22	1	84	55
192	29	33	9	21	8	5	22	3	2	8	1	1	2	22	2	21	27	16	1	59	56
83	12	19	2	14	2	4	9	5	-	1	-	-	3	5	3	8	12	6	-	25	57
30	11	9	2	2	2	-	10	-	-	2	1	-	1	2	-	3	6	3	-	4	58
17	5	12	2	4	3	3	12	-	1	3	1	1	-	2	1	3	7	4	-	21	59
18	5	14	-	-	-	-	5	3	-	-	-	-	2	4	-	4	6	-	-	13	60
57	8	3	1	2	1	1	4	2	1	2	1	-	2	1	1	4	6	1	-	10	61
65	5	24	3	14	3	7	10	-	-	1	-	-	5	10	3	5	14	3	-	22	62
31	3	13	2	9	1	5	5	-	-	1	-	-	1	3	3	2	4	2	-	15	63
34	2	11	1	5	2	2	5	-	-	-	-	-	4	7	-	3	10	1	-	7	64
59	11	9	3	7	-	2	13	3	1	2	1	-	3	6	-	2	8	3	-	13	65
101	24	19	5	8	1	5	8	4	1	2	2	-	4	9	2	9	9	5	-	18	66
65	17	13	2	6	-	4	4	4	1	1	1	-	3	6	1	3	3	4	-	9	67
36	7	6	3	2	1	1	4	-	-	1	1	-	1	3	1	6	6	1	-	9	68
30	5	9	1	1	3	1	5	1	-	-	-	-	3	1	-	7	8	1	-	11	69
45	4	4	2	9	1	1	4	-	-	-	1	-	3	2	2	3	6	1	-	10	70
36	5	9	-	2	-	1	3	-	-	1	-	-	3	4	-	4	7	2	-	14	71
21	2	10	1	1	-	10	9	-	2	-	3	-	1	1	13	-	8	-	-	12	72
59	2	6	1	3	-	1	12	2	2	-	1	-	1	4	-	4	4	1	-	8	73
115	23	25	3	7	2	3	11	2	-	3	1	1	7	8	-	11	18	5	-	22	74
76	18	18	1	4	1	2	9	1	-	2	-	1	4	8	-	4	13	1	-	20	75
39	5	7	2	3	1	1	2	1	-	1	1	-	3	-	-	7	5	4	-	2	76
51	6	7	-	7	-	4	13	1	-	1	-	-	2	3	4	2	4	2	-	6	77
30	2	2	1	-	-	1	6	-	-	1	-	-	-	2	-	1	4	1	-	2	78
73	12	23	4	6	-	1	8	1	-	1	2	1	1	6	1	3	4	2	-	14	79
34	5	4	-	6	2	1	4	1	-	1	1	-	3	8	1	4	7	-	1	8	80
63	5	7	1	4	1	4	7	2	-	1	-	-	7	8	1	6	10	1	-	21	81
27	4	7	4	3	1	-	8	2	-	2	-	-	1	3	3	3	7	1	-	11	82
626	82	88	22	45	19	18	78	25	9	16	5	2	38	70	12	50	93	19	10	189	83
546	76	75	17	41	16	17	66	22	7	15	5	2	36	61	12	44	80	15	10	167	84
80	6	13	5	4	3	1	12	3	2	1	-	-	2	9	-	6	13	4	-	22	85
213	21	39	5	21	4	2	27	3	-	3	1	2	12	19	3	14	27	5	1	46	86
162	17	26	2	15	2	2	20	2	-	2	1	1	10	13	1	8	16	3	1	30	87
51	4	13	3	6	2	-	7	1	-	1	-	1	2	6	2	6	11	2	-	16	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Poweshiek	210	2	-	-	1	25	8	3	14	2	119	113	33	-	74	4
2	Ringgold	109	-	1	-	-	15	2	-	13	2	60	60	28	-	29	-
3	Sac	161	1	-	-	3	25	10	2	13	1	91	89	29	-	54	-
4	Scott	982	7	4	2	6	163	59	19	85	14	528	520	118	2	376	9
5	Davenport	775	5	3	-	5	128	41	16	71	11	427	421	103	1	305	6
6	Balance of county	207	2	1	2	1	35	18	3	14	3	101	99	15	1	71	3
7	Shelby	135	-	-	-	-	27	12	1	14	5	63	62	13	-	45	3
8	Sioux	207	-	-	-	3	40	21	2	17	7	96	95	21	-	61	2
9	Story	343	1	-	-	2	47	18	5	24	3	209	207	48	2	139	4
10	Ames	145	-	-	-	-	19	9	1	9	1	84	83	25	1	54	1
11	Balance of county	198	1	-	-	2	28	9	4	15	2	125	124	23	1	85	3
12	Tama	233	1	-	1	1	34	10	3	21	3	140	138	35	-	92	3
13	Taylor	139	-	1	-	-	22	6	2	14	3	88	87	20	-	63	-
14	Union	198	1	-	-	-	29	12	2	15	2	123	121	31	-	83	4
15	Van Buren	125	1	-	-	1	18	9	1	8	3	82	79	19	-	56	1
16	Wapello	519	2	1	-	-	77	28	9	40	7	304	296	74	2	205	5
17	Ottumwa	399	2	1	-	-	57	22	6	29	5	236	231	63	-	155	5
18	Balance of county	120	-	-	-	-	20	6	3	11	2	68	65	11	2	50	-
19	Warren	181	-	-	-	-	30	12	2	16	2	115	114	32	-	73	1
20	Washington	212	-	-	-	-	28	9	1	18	4	141	139	31	-	91	3
21	Wayne	147	-	-	-	-	29	15	-	14	6	88	82	29	-	49	2
22	Webster	449	-	-	1	1	79	30	12	37	7	232	224	58	1	143	2
23	Fort Dodge	277	-	-	-	1	53	18	9	26	5	142	137	35	1	91	2
24	Balance of county	172	-	-	1	-	26	12	3	11	2	90	87	23	-	52	-
25	Winnebago	116	1	-	-	1	14	6	1	7	3	77	75	29	-	41	3
26	Winneshiek	202	1	-	1	-	35	19	2	14	4	118	114	18	-	78	2
27	Woodbury	1,109	6	9	-	3	170	61	22	87	23	598	590	126	-	403	12
28	Sioux City	921	6	8	-	3	143	49	20	74	19	486	479	103	-	324	9
29	Balance of county	188	-	1	-	-	27	12	2	13	4	112	111	23	-	79	3
30	Worth	96	-	-	-	-	11	7	-	4	2	63	62	20	-	40	1
31	Wright	209	-	-	-	2	44	19	4	21	4	116	113	38	1	67	-
32	KANSAS	19,325	97	67	18	83	2,855	1,012	267	1,576	333	10,392	10,015	2,433	16	6,744	229
33	Metropolitan counties	5,391	40	15	7	26	798	260	86	452	78	2,637	2,533	613	4	1,692	62
34	Nonmetropolitan counties	13,934	57	52	11	57	2,057	752	181	1,124	255	7,755	7,482	1,820	12	5,052	167
35	Allen	240	-	1	1	3	36	11	6	19	3	141	138	39	-	90	1
36	Anderson	110	-	-	-	-	16	6	4	6	2	68	65	17	-	45	3
37	Atchison	275	-	1	-	1	31	10	2	19	6	181	176	37	-	131	6
38	Atchison	183	-	1	-	-	21	6	1	14	3	119	115	25	-	86	2
39	Balance of county	92	-	-	-	1	10	4	1	5	3	62	61	12	-	45	4
40	Barber	80	-	-	-	-	7	2	-	5	2	44	44	7	-	34	1
41	Barton	230	-	2	-	-	42	12	2	28	5	105	102	20	-	73	3
42	Great Bend	93	-	-	-	-	18	7	1	10	3	42	42	7	-	34	1
43	Balance of county	137	-	2	-	-	24	5	1	18	2	63	60	13	-	39	2
44	Bourbon	269	1	1	-	-	29	9	1	19	2	187	172	34	-	133	5
45	Fort Scott	175	1	1	-	-	20	4	1	15	1	121	110	23	-	84	3
46	Balance of county	94	-	-	-	-	9	5	-	4	1	66	62	11	-	49	2
47	Brown	172	1	2	-	-	30	11	2	17	3	100	95	15	-	71	1
48	Butler	323	1	2	-	2	36	12	2	22	3	180	171	55	1	97	5
49	El Dorado	125	1	1	-	1	13	5	1	7	1	67	66	24	-	35	3
50	Balance of county	198	-	1	-	1	23	7	1	15	2	113	105	31	1	62	2
51	Chase	54	1	-	-	-	8	3	-	5	1	33	33	4	-	26	1
52	Chautauqua	95	-	1	-	1	15	4	-	11	3	46	38	10	-	27	1
53	Cherokee	277	9	1	-	2	41	15	5	21	5	153	150	31	-	105	5
54	Cheyenne	55	-	-	-	1	9	6	-	3	3	33	33	3	-	30	-
55	Clark	27	-	-	-	1	6	2	1	3	-	15	14	5	-	9	1
56	Clay	137	-	-	1	-	24	10	3	11	-	75	75	15	-	52	1
57	Cloud	197	1	-	-	-	37	11	-	26	-	120	117	29	-	86	1
58	Coffey	134	1	-	-	1	22	6	2	14	5	69	69	15	-	42	1
59	Comanche	38	-	-	-	-	10	4	3	3	-	17	16	3	-	12	-
60	Cowley	414	1	-	2	1	60	25	7	28	6	243	241	45	1	166	3
61	Arkansas City	134	1	-	-	1	31	12	5	14	-	69	68	14	-	49	-
62	Winfield	163	-	-	1	-	20	9	1	10	4	96	95	14	-	69	2
63	Balance of county	117	-	-	1	-	9	4	1	4	2	78	78	17	1	48	1
64	Crawford	532	3	1	-	2	89	39	8	42	11	313	304	68	-	220	7
65	Pittsburg	251	2	1	-	2	46	21	3	22	5	140	137	29	-	99	3
66	Balance of county	281	1	-	-	-	43	18	5	20	6	173	167	39	-	121	4
67	Decatur	51	1	-	-	-	11	5	1	5	-	30	29	5	-	21	1
68	Dickinson	272	1	-	-	-	40	17	2	21	3	163	158	35	-	106	1
69	Doniphan	113	-	-	-	-	10	6	2	2	4	76	74	25	-	42	-
70	Douglas	302	4	4	-	-	66	23	7	36	4	167	161	29	-	116	1
71	Lawrence	205	2	4	-	-	44	19	5	20	2	114	112	15	-	88	1
72	Balance of county	97	2	-	-	-	22	4	2	16	2	53	49	14	-	28	-
73	Edwards	51	-	-	-	1	7	2	-	5	2	28	28	4	-	23	1
74	Elk	65	-	-	-	-	11	3	-	8	2	40	40	4	-	33	2
75	Ellis	130	-	-	-	-	18	2	2	14	6	58	55	10	-	41	4
76	Ellsworth	92	-	-	-	1	17	8	-	9	5	51	49	13	-	33	-
77	Finney	120	1	-	-	-	16	8	1	7	1	58	56	8	-	47	2
78	Garden City	104	1	-	-	-	13	5	1	7	1	51	49	8	-	40	2
79	Balance of county	16	-	-	-	-	3	3	-	-	-	7	7	-	-	7	-
80	Ford	171	1	1	-	2	24	11	-	13	4	93	90	19	1	63	4
81	Dodge City	121	1	1	-	1	16	7	-	9	2	65	62	15	1	42	1
82	Balance of county	50	-	-	-	1	8	4	-	4	2	28	28	4	-	21	3
83	Franklin	219	1	2	-	-	32	15	1	16	5	127	116	26	-	87	1
84	Ottawa	128	-	1	-	-	17	7	1	9	3	77	69	16	-	52	1
85	Balance of county	91	1	1	-	-	15	8	-	7	2	50	47	10	-	35	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
53	5	12	1	3	2	6	9	1	-	1	-	1	1	5	2	5	9	3	-	24	1
13	-	16	-	2	1	-	8	-	-	1	-	-	-	2	-	1	5	3	-	11	2
38	7	9	1	3	2	2	4	2	1	-	-	1	5	4	3	6	6	2	-	6	3
256	39	72	8	13	3	8	34	8	3	9	2	1	18	44	2	16	40	8	2	71	4
206	35	58	4	7	1	6	26	7	2	9	2	1	8	33	2	12	31	7	2	54	5
50	4	14	4	6	2	2	8	1	1	-	-	-	10	11	-	4	9	1	-	17	6
27	3	12	-	3	1	1	9	-	-	1	-	-	1	8	-	8	6	-	-	7	7
41	5	13	4	9	-	1	9	2	-	1	-	-	6	8	3	8	10	1	-	13	8
108	3	24	3	12	3	2	11	2	2	1	-	-	9	7	2	10	13	2	-	22	9
46	-	7	1	1	1	1	4	-	2	1	-	-	6	6	1	2	6	1	-	12	10
62	3	17	2	11	2	1	7	2	-	-	-	-	3	1	1	8	7	1	-	10	11
69	10	10	-	9	2	2	8	-	-	3	-	-	3	7	-	8	7	5	-	12	12
46	3	14	-	4	-	1	3	1	-	-	-	-	1	1	-	4	2	4	1	8	13
56	6	17	1	3	3	2	7	3	-	-	-	-	4	3	-	5	7	-	-	14	14
34	6	15	1	2	1	3	1	-	-	-	-	-	-	2	-	3	3	2	-	9	15
167	18	15	5	7	3	8	16	2	2	1	3	-	5	23	5	13	22	6	-	30	16
129	14	7	4	7	2	5	8	2	1	1	1	-	5	19	4	12	19	5	-	21	17
38	4	8	1	-	1	3	8	-	1	-	2	-	-	4	1	1	3	1	-	9	18
37	20	15	2	6	1	1	5	1	-	-	-	-	1	4	2	1	5	1	-	14	19
53	9	26	4	12	1	2	10	1	-	1	-	-	1	4	1	5	5	2	-	8	20
25	10	12	1	3	-	6	4	-	-	-	-	-	-	1	-	2	5	-	-	12	21
103	17	21	4	15	3	8	17	4	2	3	3	-	9	23	2	9	23	4	-	30	22
69	11	9	2	7	1	5	9	3	2	3	1	-	5	16	2	4	14	2	-	15	23
34	6	12	2	8	2	3	8	1	-	-	2	-	4	7	-	5	9	2	-	15	24
29	6	3	-	4	1	2	2	-	-	-	-	-	-	6	-	-	3	1	-	8	25
66	5	5	7	11	-	4	7	1	-	-	-	-	-	6	1	2	9	1	-	16	26
273	54	64	6	48	7	8	37	8	3	8	3	3	5	68	7	22	51	13	2	70	27
219	46	50	5	41	6	7	36	6	2	7	3	1	5	63	4	18	46	11	2	52	28
54	8	14	1	7	1	1	1	2	1	1	-	2	-	5	3	4	5	2	-	18	29
29	6	4	1	1	-	1	2	-	1	-	-	-	1	4	-	3	2	1	-	6	30
52	9	6	3	4	-	3	5	2	1	1	-	-	3	4	-	4	4	3	-	16	31
4,383	884	1,248	183	499	140	377	713	112	90	109	49	22	303	738	292	557	750	268	51	1,426	32
1,181	215	234	59	125	40	104	208	43	35	48	10	9	119	278	175	142	199	78	26	420	33
3,202	669	1,014	124	374	100	273	505	69	55	61	39	13	184	460	117	415	551	190	25	1,006	34
51	12	26	2	7	-	3	10	1	-	3	1	-	1	5	-	6	5	6	1	16	35
37	3	2	3	-	-	1	4	1	-	1	-	-	1	1	2	2	3	-	-	11	36
69	22	34	1	6	1	5	8	-	-	-	2	-	4	7	-	4	14	4	1	11	37
43	18	23	1	2	1	4	7	-	-	-	1	-	3	6	-	2	8	2	1	9	38
26	4	11	-	4	-	1	1	-	-	-	1	-	1	1	-	2	6	2	-	2	39
22	8	3	-	3	-	-	1	-	-	-	-	-	2	7	-	4	8	2	-	3	40
44	7	19	1	6	2	3	3	3	2	1	-	1	4	16	2	10	12	4	1	17	41
21	1	11	-	-	1	-	1	2	-	-	-	-	1	8	-	3	7	1	-	7	42
23	6	8	1	6	1	3	2	1	2	1	-	1	3	8	2	7	5	3	1	10	43
87	36	5	1	4	-	15	8	1	-	1	-	-	3	5	1	8	9	4	1	8	44
55	26	-	1	2	-	11	5	1	-	-	-	-	2	5	-	3	7	1	1	6	45
32	10	5	-	2	-	4	3	-	-	1	-	-	1	-	1	5	2	3	-	2	46
57	4	9	1	4	4	5	9	1	1	-	1	-	5	1	-	4	2	-	1	11	47
73	6	13	2	13	3	9	11	1	3	1	-	1	9	12	2	13	20	5	1	20	48
29	2	1	-	4	3	1	3	1	1	-	-	-	4	6	1	4	11	3	-	7	49
44	4	12	2	9	-	8	8	-	2	1	-	1	5	6	1	9	9	2	1	13	50
22	2	1	2	1	-	-	3	1	-	-	-	-	-	1	-	1	1	1	-	3	51
22	2	2	-	1	-	8	3	2	-	-	-	-	1	2	-	3	9	-	-	9	52
72	11	17	5	7	2	3	8	1	1	1	2	-	4	6	1	7	9	4	1	21	53
19	5	6	-	-	-	-	-	1	-	-	-	-	1	-	2	1	4	-	-	2	54
7	-	1	-	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-	-	-	55
36	4	11	3	4	1	-	8	-	3	1	-	-	2	2	2	3	3	2	-	11	56
41	19	25	-	1	1	3	6	-	-	1	1	-	2	7	2	-	5	4	-	11	57
24	7	10	1	10	1	-	4	1	1	-	-	-	2	3	4	6	2	3	1	9	58
10	-	2	-	1	-	1	2	-	-	1	-	-	-	3	-	-	1	-	-	4	59
126	23	14	5	20	4	2	10	4	-	4	-	1	2	12	3	11	16	3	-	35	60
40	9	-	1	3	1	1	5	-	-	1	-	1	-	3	-	3	6	1	-	12	61
54	7	6	2	7	3	1	2	4	-	2	-	-	1	7	3	3	5	-	-	15	62
32	7	8	2	10	-	-	3	-	-	1	-	-	1	2	-	5	5	2	-	8	63
120	27	66	7	6	3	9	27	2	3	1	3	-	7	6	2	10	11	9	2	30	64
64	11	21	4	4	1	3	13	2	2	-	-	-	5	2	2	4	3	4	2	16	65
56	16	45	3	2	2	6	14	-	1	1	3	-	2	4	-	6	8	5	-	14	66
7	6	7	-	3	-	1	2	-	1	-	-	-	-	-	-	1	3	1	-	1	67
64	12	29	2	12	3	5	7	1	1	3	1	-	2	12	2	11	9	1	-	15	68
24	6	12	-	6	1	2	2	-	2	-	-	-	1	-	2	3	5	2	1	5	69
80	17	18	1	12	3	6	7	3	-	-	-	-	-	5	4	4	12	2	-	20	70
64	13	10	1	6	2	2	5	2	-	-	-	-	-	4	1	2	7	2	-	16	71
16	4	8	-	6	1	4	2	1	-	-	-	-	-	1	3	2	5	-	-	4	72
17	1	4	-	-	1	-	2	-	-	-	1	1	-	2	1	1	-	2	-	3	73
26	3	2	-	2	1	-	4	-	-	-	-	-	-	1	-	1	4	-	-	2	74
19	8	10	-	3	1	3	5	2	-	-	-	-	4	13	1	5	5	-	-	13	75
22	3	8	-	3	-	2	2	-	1	1	-	-	2	3	-	1	1	1	-	6	76
31	8	6	-	-	1	2	4	-	1	1	-	-	3	9	-	9	4	3	-	10	77
25	7	6	-	-	1	2	4	-	1	1	-	-	1	9	-	8	4	2	-	8	78
6	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	2	79
39	10	10	2	2	3	3	7	-	-	-	-	-	3	10	3	-	8	1	1	13	80
25	8	8	1	1	2	3	7	-	-	-	-	-	1	7	3	-	4	1	1	11	81
14	2	2	1	1	1	-	-	-	-	-	-	-	2	3	-	-	4	-	-	2	82
46	12	28	2	1	-	11	4	-	2	-	-	-	2	4	2	7	9	5	-	17	83
28	7	16	1	-	-	8	-	-	1	-	-	-	2	3	1	3	6	3	-	11	84
18	5	12	1	1	-	3	4	-	1	-	-	-	-	1	1	4	3	2	-	6	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Geary	170	-	2	-	1	23	7	3	13	2	84	81	18	-	57	2
2	Junction City	127	-	2	-	1	17	3	3	11	2	68	66	14	-	46	2
3	Balance of county	43	-	-	-	-	6	4	-	2	-	16	15	4	-	11	-
4	Gove	37	-	-	-	-	3	-	2	1	2	24	23	6	-	17	1
5	Graham	47	1	-	-	-	4	2	-	2	1	29	26	6	-	19	1
6	Grant	16	-	-	-	-	4	1	1	2	-	6	5	1	-	3	-
7	Gray	33	-	-	-	-	4	-	-	4	-	15	15	3	-	12	-
8	Greeley	19	-	-	-	-	1	-	-	1	1	6	6	-	-	6	-
9	Greenwood	156	1	1	-	-	21	10	2	9	1	89	87	18	1	62	1
10	Hamilton	24	-	-	-	-	1	-	-	1	-	11	11	2	-	9	-
11	Harper	122	1	-	-	-	16	6	1	9	3	63	58	17	-	37	-
12	Harvey	195	1	-	-	2	38	10	3	25	2	111	111	29	-	73	-
13	Newton	106	1	-	-	1	21	8	2	11	1	60	60	18	-	40	-
14	Balance of county	89	-	-	-	1	17	2	1	14	1	51	51	11	-	33	-
15	Haskell	11	-	-	-	-	4	-	1	3	1	2	2	-	-	2	-
16	Hodgeman	32	-	-	-	-	2	-	1	1	-	18	17	5	-	10	-
17	Jackson	144	-	-	-	1	16	7	1	8	3	90	87	11	-	69	-
18	Jefferson	135	-	-	-	1	22	8	3	11	2	75	75	28	1	39	1
19	Jewell	105	-	-	1	-	21	10	2	9	1	61	58	23	-	33	-
20	Johnson	498	3	1	3	-	87	35	5	47	8	244	238	59	-	152	11
21	Kearny	22	-	-	-	1	2	2	-	-	-	10	10	3	-	5	-
22	Kingman	100	-	-	-	-	15	5	-	10	1	62	58	12	-	42	1
23	Kiowa	37	-	-	-	-	12	6	-	6	-	17	17	7	-	9	-
24	Labette	363	3	3	-	1	57	12	8	37	8	190	185	56	1	110	2
25	Parsons	177	3	1	-	-	32	5	7	20	4	92	91	27	-	53	-
26	Balance of county	186	-	2	-	1	25	7	1	17	4	98	94	29	1	57	2
27	Kane	13	-	-	-	-	1	1	-	-	-	6	6	3	-	3	-
28	Leavenworth	397	3	2	-	3	54	20	9	25	7	219	210	53	1	141	4
29	Leavenworth	265	1	2	-	2	34	16	6	12	6	156	148	39	1	97	3
30	Balance of county	132	2	-	-	1	20	4	3	13	1	63	62	14	-	44	1
31	Lincoln	79	-	2	-	-	11	2	2	7	2	47	42	5	-	35	-
32	Linn	121	1	-	-	-	21	8	1	12	2	63	57	15	-	33	1
33	Logan	42	-	-	-	-	7	3	-	4	1	24	23	7	-	16	-
34	Lyon	262	1	1	-	1	50	17	10	23	8	146	138	35	1	89	4
35	Emporia	181	1	-	-	-	38	12	8	16	4	105	100	25	1	65	4
36	Balance of county	81	-	1	-	1	14	5	2	7	4	41	38	10	-	24	-
37	McPherson	237	-	1	1	2	33	9	1	23	1	130	128	37	-	75	1
38	Marion	164	-	-	1	-	26	15	-	11	1	95	91	21	-	68	-
39	Marshall	215	-	-	1	-	32	11	2	19	5	125	119	29	-	87	2
40	Meade	39	-	-	-	-	1	-	-	1	1	21	21	6	-	14	1
41	Miami	217	-	-	-	-	35	13	4	18	5	117	106	26	-	72	3
42	Mitchell	123	-	1	-	-	8	6	1	1	3	78	77	18	-	53	1
43	Montgomery	540	2	4	-	3	75	27	5	43	5	308	286	80	1	174	8
44	Coffeyville	195	1	1	-	1	31	14	3	14	2	121	115	22	1	77	1
45	Independence	158	1	3	-	1	20	6	1	13	1	86	79	30	-	45	4
46	Balance of county	187	-	-	-	1	24	7	1	16	2	101	92	28	-	52	3
47	Morris	100	-	2	-	-	11	2	-	9	-	67	67	19	-	45	2
48	Morton	14	-	-	-	-	4	2	-	2	-	5	5	2	-	3	-
49	Nemaha	152	-	-	1	3	19	9	2	8	4	89	85	14	-	53	3
50	Neosho	257	2	-	-	1	41	15	4	22	3	142	137	29	-	102	2
51	Chanute	134	1	-	-	1	18	5	-	13	1	73	70	17	-	51	1
52	Balance of county	123	1	-	-	-	23	10	4	9	2	69	67	12	-	51	1
53	Ness	63	1	-	-	1	14	6	1	7	1	28	28	6	-	17	-
54	Norton	104	1	-	-	-	18	7	2	9	2	59	55	19	-	29	-
55	Osage	163	1	-	-	-	28	13	1	14	3	92	89	22	-	59	-
56	Osborne	77	1	1	-	1	11	5	2	4	-	39	38	8	1	26	1
57	Ottawa	100	-	-	-	-	17	9	1	7	2	58	56	22	-	27	5
58	Pawnee	85	-	-	-	-	11	3	2	6	2	51	51	10	-	36	1
59	Phillips	102	1	-	-	-	13	4	1	8	1	65	64	18	-	42	4
60	Pottawatomie	129	-	1	-	-	16	5	1	10	3	75	74	22	-	50	2
61	Pratt	122	1	-	-	-	10	3	2	5	4	73	72	17	-	48	2
62	Rawlins	53	-	-	-	1	8	4	-	4	2	18	18	4	-	14	1
63	Reno	546	1	4	1	3	77	26	7	44	10	286	283	72	-	181	8
64	Hutchinson	371	1	4	1	1	47	16	5	26	4	188	186	47	-	122	6
65	Balance of county	175	-	-	-	2	30	10	2	18	6	98	97	25	-	59	2
66	Republic	138	-	-	-	-	26	10	2	14	1	81	79	23	-	52	1
67	Rice	150	-	1	-	-	20	9	1	10	6	83	80	22	-	50	8
68	Riley	228	1	1	-	-	30	11	3	16	5	120	114	29	1	75	2
69	Manhattan	142	-	-	-	-	21	7	3	11	3	71	70	20	1	47	2
70	Balance of county	86	1	1	-	-	9	4	-	5	2	49	44	9	-	28	-
71	Rooks	75	-	-	1	1	9	2	2	5	3	37	36	6	-	25	1
72	Rush	82	1	-	-	-	13	8	-	5	2	37	36	13	-	23	3
73	Russell	98	-	-	-	1	17	2	2	13	5	50	49	12	-	26	-
74	Saline	342	-	1	-	2	48	20	4	24	5	159	154	41	-	97	4
75	Salina	276	-	1	-	1	41	18	3	20	5	125	121	35	-	75	3
76	Balance of county	66	-	-	-	1	7	2	1	4	-	34	33	6	-	22	1
77	Scott	37	1	-	-	-	5	-	1	4	2	11	11	2	-	9	-
78	Sedgwick	2,096	8	5	2	14	304	84	35	165	23	885	853	205	2	576	19
79	Wichita	1,886	8	4	2	13	278	77	33	168	20	792	765	189	2	510	17
80	Balance of county	210	-	1	-	1	26	7	2	17	3	93	88	16	-	66	2
81	Seward	76	-	-	-	1	4	-	-	4	1	43	43	13	-	28	3
82	Shawnee	1,103	7	3	-	5	147	47	14	86	13	615	595	155	-	382	18
83	Topeka	930	7	3	-	4	133	43	12	78	13	515	496	136	-	317	17
84	Balance of county	173	-	-	-	1	14	4	2	8	-	100	99	19	-	65	1
85	Sheridan	28	-	-	-	-	3	1	-	2	1	12	12	4	-	8	-
86	Sherman	55	-	2	-	-	8	2	-	6	1	28	27	6	-	17	2
87	Smith	93	-	-	-	-	17	6	2	9	-	59	54	16	-	34	1
88	Stafford	85	-	1	-	-	15	2	-	13	4	38	37	11	-	24	2
89	Stanton	15	-	-	-	2	-	-	-	-	-	7	7	3	-	4	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
35	8	12	1	1	4	3	8	-	1	2	-	1	3	11	2	10	10	-	1	9	1
31	8	5	1	1	4	2	7	-	1	2	-	1	2	6	1	4	6	-	-	7	2
4	-	7	-	-	-	1	1	-	-	-	-	-	1	5	1	6	4	-	1	2	3
9	2	5	-	-	-	1	-	-	-	-	1	1	1	1	-	1	1	-	-	2	4
11	2	5	1	-	-	3	1	-	-	-	-	-	2	-	-	-	2	-	-	7	5
3	-	-	-	-	1	1	1	-	-	-	-	-	-	2	-	1	-	2	-	-	6
9	2	1	-	-	-	-	2	-	-	-	1	-	2	1	1	1	4	-	-	2	7
3	1	2	-	-	-	-	-	-	1	-	-	-	-	3	-	6	-	-	-	1	8
43	6	12	-	6	-	2	6	1	-	-	1	-	1	4	1	6	6	5	-	12	9
7	-	2	-	-	-	-	1	-	-	-	1	-	1	2	-	2	2	-	-	3	10
29	1	7	2	1	1	5	4	-	1	1	-	-	-	4	-	9	6	3	-	11	11
48	8	17	1	8	-	-	3	1	3	-	-	-	1	9	3	2	3	1	-	15	12
25	4	11	-	2	-	-	1	1	1	-	-	-	-	6	2	2	2	-	-	7	13
23	4	6	1	6	-	-	2	-	2	-	-	-	1	3	1	-	1	1	-	8	14
1	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	15
8	1	1	-	2	-	1	4	-	-	-	-	-	-	5	-	-	2	-	-	1	16
32	13	24	4	3	-	3	6	2	-	-	-	-	3	2	2	5	4	3	-	7	17
28	3	7	1	4	2	-	4	2	-	-	-	-	3	2	-	4	5	2	-	13	18
15	9	9	-	1	1	3	4	2	-	-	-	-	1	2	-	1	5	-	-	6	19
105	16	20	5	18	4	6	16	4	1	3	2	2	14	23	3	20	15	8	2	39	20
3	-	2	-	2	-	-	1	-	1	-	-	-	-	2	1	1	1	-	-	2	21
32	4	5	1	2	1	4	2	-	1	3	1	1	2	-	1	-	4	1	-	6	22
7	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	2	1	-	-	3	23
72	18	18	5	12	1	5	13	4	1	1	1	-	3	15	1	14	12	5	-	31	24
37	7	9	3	8	-	1	5	1	1	-	-	-	2	7	-	4	7	4	-	14	25
35	11	9	2	4	1	4	8	3	-	1	1	-	1	8	1	10	5	1	-	17	26
1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	27
79	40	18	7	7	1	9	20	1	2	6	1	2	2	11	1	22	12	2	1	26	28
56	29	9	6	5	-	8	14	1	1	4	1	1	2	6	1	11	8	-	-	14	29
23	11	9	1	2	1	1	6	-	1	2	-	1	-	5	-	11	4	2	1	12	30
17	9	9	-	2	-	5	3	-	-	-	1	-	1	1	-	1	2	-	-	8	31
21	4	7	-	6	3	6	5	4	1	-	1	-	-	2	2	4	7	2	-	6	32
14	2	-	-	-	-	1	1	-	1	-	-	-	1	1	-	-	4	1	-	1	33
57	11	17	3	8	2	8	10	2	-	-	1	1	4	8	-	3	8	1	1	16	34
41	10	10	3	5	1	5	7	-	-	-	1	1	2	7	-	-	6	-	-	11	35
16	1	7	-	3	1	3	3	2	-	-	-	-	2	1	-	3	2	1	1	5	36
53	13	8	3	12	1	2	7	1	2	-	1	2	5	4	3	10	9	3	-	22	37
49	6	13	-	2	-	4	4	-	-	-	1	-	2	4	-	2	9	3	-	16	38
44	11	30	-	2	1	6	5	1	-	-	1	-	1	3	3	7	6	8	-	17	39
8	1	4	-	1	-	-	3	-	-	-	1	-	1	2	-	2	3	1	-	3	40
40	12	17	-	8	-	11	11	1	-	-	1	-	3	6	3	5	8	2	-	20	41
37	5	10	2	2	2	1	4	-	-	-	-	-	2	3	2	4	10	2	-	6	42
109	15	42	12	12	7	22	20	3	1	4	1	-	6	16	16	11	14	10	1	40	43
55	2	19	9	3	3	6	9	1	-	1	-	-	1	5	3	4	3	2	-	9	44
26	5	10	1	3	-	7	8	1	1	2	1	-	3	4	8	3	3	2	-	10	45
28	8	13	2	6	4	9	3	1	-	1	-	-	2	7	5	4	8	6	1	21	46
23	13	7	1	2	-	-	5	1	-	-	-	-	-	1	-	3	5	-	-	5	47
3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	48
31	2	17	2	14	2	4	4	1	1	-	1	-	1	5	-	2	6	2	-	13	49
66	8	26	-	5	1	5	15	1	-	1	-	-	2	8	3	2	17	4	-	15	50
33	6	11	-	1	1	3	9	1	-	1	-	-	2	6	3	1	6	2	-	9	51
33	2	15	-	4	-	2	6	-	-	-	-	-	-	2	-	1	11	2	-	6	52
11	3	3	-	3	2	-	5	-	-	-	-	-	-	3	-	5	3	-	-	2	53
18	5	6	3	4	-	4	2	-	1	-	1	-	1	2	-	3	7	1	-	6	54
45	8	6	1	7	-	3	5	2	1	1	-	-	-	5	-	4	10	-	-	11	55
16	3	6	-	3	-	1	1	-	-	-	-	1	2	1	1	3	5	-	-	10	56
17	2	3	2	2	3	2	4	-	-	-	-	-	-	1	2	5	3	2	-	6	57
27	3	5	2	2	1	-	1	1	1	-	-	-	2	1	-	2	7	1	1	4	58
30	5	3	1	3	-	1	3	-	1	1	-	-	1	2	2	1	3	-	-	8	59
35	6	7	-	2	-	1	9	-	-	1	-	-	1	6	-	1	4	1	-	11	60
28	8	10	-	2	5	1	3	-	-	-	-	-	2	3	2	7	6	3	2	6	61
8	1	4	-	-	-	-	4	-	-	1	-	1	3	5	-	1	3	2	-	4	62
116	34	23	3	24	3	3	29	1	1	1	1	-	5	28	3	16	25	9	-	47	63
79	20	17	3	12	2	2	25	1	-	1	-	-	1	21	3	12	18	8	-	35	64
37	14	6	-	12	1	1	4	-	1	-	1	-	4	7	-	4	5	1	-	12	65
32	2	17	1	2	1	2	4	-	1	-	1	-	2	3	-	-	4	2	-	13	66
28	4	10	2	4	2	3	5	1	1	2	-	1	3	4	1	4	3	3	-	12	67
49	11	13	2	5	2	6	12	1	3	-	1	-	3	11	2	7	8	2	-	21	68
36	6	3	1	1	-	1	7	1	3	-	1	-	-	10	1	5	7	-	-	12	69
13	5	10	1	4	2	5	5	-	-	-	-	-	3	1	1	2	1	2	-	9	70
13	4	7	1	4	-	1	2	1	-	1	-	-	3	4	1	3	4	2	-	3	71
15	2	3	-	-	-	1	3	-	1	-	1	-	-	5	-	4	5	1	-	9	72
17	4	5	4	7	-	1	2	1	-	1	-	-	1	2	-	5	4	1	-	8	73
65	6	22	2	10	4	5	18	1	-	1	2	-	7	27	4	21	15	4	1	26	74
50	4	18	-	9	2	4	15	1	-	1	2	-	6	23	4	12	13	3	1	22	75
15	2	4	2	1	2	1	3	-	-	-	-	-	1	4	-	9	2	1	-	4	76
5	2	2	-	-	-	-	-	-	-	2	-	-	-	3	2	4	2	-	-	5	77
414	75	68	17	38	15	32	94	20	20	20	5	5	54	153	128	66	70	33	11	176	78
363	69	61	16	35	13	27	81	19	16	20	5	3	50	144	113	59	62	28	9	160	79
51	6	7	1	3	2	5	13	1	4	-	-	2	4	9	15	7	8	5	2	16	80
20	1	4	1	1	-	-	-	-	1	-	-	-	3	11	-	2	4	-	4	2	81
281	30	53	17	33	8	20	28	5	4	9	1	1	19	42	31	29	42	15	-	87	82
240	26	34	13	24	6	19	21	5	2	8	1	1	16	28	26	22	38	12	-	75	83
41	4	19	4	9	2	1	7	-	2	1	-	-	3	14	5	7	4	3	-	12	84
5	-	3	-	-	-	-	2	-	-	-	-	-	-	2	1	3	1	1	-	2	85
7	2	6	2	1	1	1	1	-	-	-	1	-	1	2	3	1	2	1	-	4	86
23	1	9	-	2	2	5	2	-	1	-	-	-	-	2	-	1	4	1	-	6	87
18	2	2	-	2	-	1	3	2	1	-	-	-	2	3	1	4	-	2	-	9	88
3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	1	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Stevens	29	-	-	-	-	2	-	-	2	-	17	16	6	1	9	-
2	Sumner	289	1	2	-	3	37	15	6	16	7	136	131	34	-	90	3
3	Thomas	50	-	-	-	1	6	2	1	3	-	26	26	5	-	21	1
4	Trego	39	-	-	-	-	9	4	-	5	-	16	15	3	-	9	1
5	Wabaunsee	73	-	-	-	-	11	1	2	8	3	37	37	10	-	24	1
6	Wallace	24	-	-	-	-	3	2	-	1	1	13	13	4	-	8	-
7	Washington	116	-	-	-	-	19	8	1	10	2	62	61	18	-	38	-
8	Wichita	15	-	-	-	-	-	-	-	-	-	10	8	1	-	6	-
9	Wilson	192	2	-	-	-	29	13	1	15	3	111	109	26	-	69	2
10	Woodson	96	-	-	-	1	8	5	-	3	1	61	60	18	-	39	4
11	Wyandotte	1,694	22	6	2	7	260	94	32	134	34	893	847	194	2	582	14
12	Kansas City	1,507	21	6	1	5	223	81	28	114	30	798	753	173	2	516	14
13	Balance of county	187	1	-	1	2	37	13	4	20	4	95	94	21	-	66	-
14	KENTUCKY	27,635	632	75	30	232	3,641	1,272	411	1,958	380	13,916	13,499	3,170	34	9,297	315
15	Metropolitan counties	8,976	191	35	6	62	1,318	458	176	684	123	4,736	4,638	1,021	9	3,227	116
16	Nonmetropolitan counties	18,659	441	40	24	170	2,323	814	235	1,274	257	9,180	8,861	2,149	25	6,070	199
17	Adair	160	4	-	-	2	17	7	-	10	5	83	78	19	-	52	4
18	Allen	163	4	-	-	-	26	14	2	10	3	82	80	16	-	62	2
19	Anderson	108	3	1	-	-	17	4	1	12	3	57	53	16	1	34	2
20	Ballard	100	1	-	-	2	15	5	3	7	2	51	51	11	-	33	1
21	Barren	277	8	1	-	1	48	18	5	25	3	155	146	33	-	96	2
22	Bath	98	-	-	-	-	19	9	2	8	2	49	49	15	-	32	-
23	Bell	328	8	2	1	3	32	10	9	13	8	140	134	27	1	102	4
24	Middlesborough	107	5	2	-	1	9	4	3	2	3	55	54	13	1	39	-
25	Balance of county	221	3	-	1	2	23	6	6	11	5	85	80	14	-	63	4
26	Boone	158	1	-	-	2	25	12	1	12	6	69	64	14	-	41	2
27	Bourbon	213	1	1	-	2	24	9	5	10	3	123	117	20	1	88	2
28	Boyd	427	8	-	-	3	74	25	9	40	4	209	202	56	-	127	5
29	Ashland	301	5	-	-	2	53	17	7	29	4	151	144	38	-	88	3
30	Balance of county	126	3	-	-	1	21	8	2	11	-	58	58	18	-	39	2
31	Boyle	212	3	2	-	2	22	12	1	9	4	110	108	23	-	77	1
32	Bracken	116	1	-	-	-	16	6	-	10	-	65	59	20	-	36	1
33	Breathitt	120	6	-	-	6	11	4	-	7	2	41	41	11	1	29	2
34	Breckinridge	157	4	-	1	-	26	11	4	11	-	75	70	10	-	56	-
35	Bullitt	105	3	-	-	4	14	5	2	7	2	46	46	6	-	37	1
36	Butler	117	3	-	-	-	10	5	1	4	3	59	56	16	-	38	-
37	Caldwell	166	2	-	1	2	21	6	1	14	1	97	96	25	-	69	-
38	Calloway	188	2	1	-	1	26	7	-	19	3	108	107	38	-	65	5
39	Campbell	878	18	3	1	6	128	47	17	64	20	489	482	94	2	349	17
40	Newport	379	12	1	1	2	51	23	4	24	12	197	194	28	1	146	8
41	Fort Thomas	137	-	1	-	1	25	9	3	13	2	82	82	13	-	57	3
42	Balance of county	362	6	1	-	3	52	15	10	27	6	210	206	43	1	146	6
43	Carlisle	78	2	-	-	-	5	2	-	3	1	48	48	10	-	35	1
44	Carroll	91	3	-	-	1	8	4	-	4	3	46	46	14	-	28	1
45	Carter	157	2	-	-	1	19	8	2	9	-	68	64	18	-	41	-
46	Casey	145	5	-	-	2	15	5	2	8	-	62	61	20	-	38	1
47	Christian	443	7	2	1	3	57	21	4	32	4	225	208	28	-	159	6
48	Hopkinsville	205	1	-	-	2	22	7	1	14	3	122	110	14	-	85	2
49	Balance of county	238	6	2	1	1	35	14	3	18	1	103	96	14	-	74	4
50	Clark	214	5	2	-	5	28	11	1	16	1	112	105	34	-	61	2
51	Clay	122	7	-	-	2	12	2	2	8	3	39	39	5	-	28	-
52	Clinton	71	2	-	-	1	11	5	-	6	1	38	38	5	-	25	1
53	Crittenden	121	5	-	1	-	11	5	1	5	3	62	62	22	-	34	-
54	Cumberland	78	3	-	2	-	13	4	2	7	1	36	34	12	-	20	-
55	Daviess	577	8	1	5	4	72	25	7	40	10	310	300	80	3	219	2
56	Owensboro	414	7	1	2	3	54	17	6	31	9	222	218	64	1	154	2
57	Balance of county	163	1	-	3	1	18	8	1	9	1	88	82	16	1	65	-
58	Edmonson	79	2	-	-	1	14	3	1	10	1	37	37	10	-	26	-
59	Elliott	37	1	-	-	1	5	1	-	4	1	10	9	1	-	8	-
60	Estill	134	4	-	-	-	16	6	3	7	3	66	65	21	-	41	2
61	Fayette	1,006	21	2	-	6	127	47	11	69	7	579	566	130	1	371	6
62	Lexington	774	17	2	-	5	102	38	8	56	6	434	422	106	1	269	6
63	Balance of county	232	4	-	-	1	25	9	3	13	1	145	144	24	-	102	2
64	Fleming	137	2	1	-	2	14	4	2	8	2	82	75	15	-	53	4
65	Floyd	262	6	-	-	3	32	15	3	14	3	91	87	21	-	61	4
66	Franklin	270	5	1	-	2	41	9	3	29	6	141	133	43	-	83	1
67	Frankfort	162	4	1	-	-	21	7	1	13	5	96	88	23	-	60	1
68	Balance of county	108	1	-	-	2	20	2	2	16	1	48	45	20	-	23	-
69	Fulton	151	5	-	1	-	16	3	7	6	3	91	82	21	-	53	1
70	Gallatin	53	1	-	-	-	6	4	-	2	-	30	30	10	-	20	-
71	Garrard	100	5	-	-	1	12	4	1	7	-	50	47	18	-	26	-
72	Grant	107	2	1	-	1	15	3	1	11	2	57	57	9	-	44	3
73	Graves	316	7	-	-	-	48	21	4	23	6	175	171	53	-	108	5
74	Grayson	172	8	1	-	4	21	8	1	12	1	88	88	13	1	66	2
75	Green	94	6	-	-	3	11	5	-	6	3	44	44	15	-	27	-
76	Greenup	203	5	1	1	1	23	7	3	13	6	99	95	19	-	54	5
77	Hancock	63	1	-	1	1	8	4	-	4	2	41	40	9	-	30	-
78	Hardin	312	6	1	-	4	33	10	6	17	2	144	140	37	2	86	2
79	Harlan	453	10	-	-	3	52	17	10	25	7	181	177	42	-	124	5
80	Harrison	181	5	-	-	1	23	7	2	14	3	105	104	28	-	70	1
81	Hart	132	4	-	-	1	17	8	6	3	1	57	56	10	1	43	-
82	Henderson	326	1	1	1	-	34	7	3	24	5	169	165	46	-	114	6
83	Henderson	201	1	1	1	-	27	5	2	20	4	104	101	24	-	73	3
84	Balance of county	125	-	-	-	-	7	2	1	4	1	65	64	22	-	41	3
85	Henry	137	1	-	-	-	21	10	-	11	1	68	67	15	-	47	-
86	Hickman	75	3	-	-	1	8	1	-	7	-	44	44	11	-	33	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
9	-	-	-	-	-	1	1	-	-	-	-	-	2	1	-	1	1	-	-	4	1
53	8	26	2	2	3	5	10	-	-	1	-	-	6	12	2	11	14	4	-	23	2
15	5	-	-	-	-	-	2	-	-	1	-	-	3	1	-	4	1	2	-	3	3
4	1	3	-	3	-	1	4	1	-	-	-	-	1	1	-	-	-	3	-	4	4
17	1	5	1	2	-	-	3	-	-	-	-	-	3	1	2	1	4	-	-	8	5
6	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	2	1	-	2	6
24	5	9	3	2	-	1	5	-	-	2	-	-	1	1	2	2	5	2	-	13	7
1	1	4	-	-	1	2	2	-	-	-	1	-	-	-	-	-	1	-	-	1	8
38	9	20	3	10	1	2	5	-	1	3	-	-	1	5	-	4	7	5	1	15	9
23	-	12	1	-	2	1	4	1	-	1	1	-	2	1	2	1	-	2	-	10	10
381	94	93	20	36	13	46	70	14	10	16	2	1	32	60	13	27	72	22	13	118	11
337	81	84	19	31	12	45	64	14	10	15	2	1	28	54	12	20	63	18	12	110	12
44	13	9	1	5	1	1	6	-	-	1	-	-	4	6	1	7	9	4	1	8	13
5,203	1,874	1,905	251	589	158	417	1,373	134	226	206	61	63	419	1,268	449	827	1,267	273	211	1,952	14
1,968	666	477	76	250	55	98	328	49	68	113	10	8	130	402	63	198	366	81	60	629	15
3,235	1,208	1,428	175	339	103	319	1,045	85	158	93	51	55	289	866	386	629	901	192	151	1,323	16
24	9	15	-	6	1	5	13	3	-	-	-	-	4	5	1	2	6	2	-	13	17
30	12	18	-	2	-	2	14	-	1	-	-	1	2	4	5	2	4	-	-	15	18
23	4	5	-	2	-	4	9	-	-	1	2	-	-	2	2	5	1	-	-	5	19
21	7	4	1	6	-	-	5	-	-	-	1	-	-	6	3	6	2	-	-	6	20
51	26	17	8	8	1	9	11	-	3	2	-	1	3	8	4	7	4	-	-	18	21
18	5	9	-	2	-	-	3	-	-	1	-	1	-	5	1	5	9	-	-	3	22
60	12	26	1	3	-	6	16	2	5	1	-	-	7	13	19	9	22	2	8	30	23
28	6	5	-	1	-	1	3	-	-	-	-	-	-	3	4	3	6	1	2	10	24
32	6	21	1	2	-	5	13	2	5	1	-	-	7	10	15	6	16	1	6	20	25
24	7	8	2	5	2	5	5	2	-	2	-	1	1	10	9	3	9	2	-	11	26
44	18	24	-	6	2	6	2	1	3	1	1	-	1	7	5	3	10	3	1	21	27
88	19	15	2	15	2	7	25	-	2	3	2	-	4	11	4	13	27	3	2	33	28
67	10	8	2	14	2	7	14	-	2	3	2	-	2	8	4	8	19	-	1	23	29
21	9	7	-	1	-	-	11	-	-	-	-	-	2	3	-	5	8	3	1	10	30
39	11	26	3	3	2	2	9	1	3	1	1	-	2	5	4	9	7	2	1	24	31
18	4	13	-	2	-	7	6	-	1	-	1	-	1	1	1	3	8	2	-	10	32
12	6	9	-	-	-	-	12	-	1	-	1	-	2	8	1	3	9	3	4	10	33
20	3	33	-	2	2	5	10	-	1	-	-	-	2	11	2	6	7	-	2	10	34
31	2	3	1	2	-	-	9	-	-	-	-	-	2	4	1	4	3	1	1	11	35
17	7	14	-	1	1	3	6	-	-	1	1	-	1	5	2	6	10	-	1	9	36
40	14	15	-	2	-	1	5	2	1	-	1	-	2	3	6	4	5	3	1	9	37
35	13	12	1	3	-	1	12	1	2	1	1	-	2	5	3	5	5	1	1	8	38
217	54	61	8	36	3	7	31	1	4	12	-	-	8	34	3	14	31	10	4	61	39
82	25	31	-	17	2	3	18	-	2	4	-	-	5	20	1	4	10	3	4	32	40
45	6	3	5	7	-	-	3	-	-	4	-	-	2	3	-	-	4	4	-	6	41
90	23	27	3	12	1	4	10	1	2	4	-	-	1	11	2	10	17	3	-	23	42
21	3	10	1	2	-	-	1	1	2	1	-	-	1	1	4	-	5	1	1	4	43
20	3	2	1	4	1	-	2	-	1	2	-	1	2	3	1	-	10	2	-	6	44
20	8	13	3	2	-	4	9	-	2	-	1	-	3	13	5	13	9	2	1	10	45
13	10	14	-	3	-	1	12	1	-	-	-	1	3	9	3	6	12	2	2	8	46
90	41	22	3	15	3	17	25	1	3	1	-	1	10	20	2	28	16	4	5	28	47
54	25	4	2	7	2	12	8	-	1	1	-	-	3	7	-	10	11	1	3	10	48
36	16	18	1	8	1	5	17	1	2	-	-	1	7	13	2	18	5	3	2	18	49
40	8	14	2	4	1	7	10	1	3	-	-	2	6	7	3	2	7	1	1	18	50
20	7	2	2	3	-	-	8	-	-	1	-	-	4	9	11	11	4	-	1	10	51
7	13	4	6	2	-	-	6	-	-	-	-	-	-	4	-	2	3	-	-	3	52
19	2	16	2	1	-	-	5	-	1	-	1	1	1	6	5	3	4	2	2	8	53
9	12	1	-	-	-	2	6	-	-	-	-	-	-	5	-	3	2	2	-	5	54
157	32	28	8	8	3	10	12	3	5	6	1	-	11	28	9	14	27	6	3	42	55
115	18	19	8	5	3	7	7	2	4	5	1	-	7	16	6	9	15	6	2	36	56
42	14	9	-	3	-	3	5	1	1	1	-	-	4	12	3	5	12	-	1	6	57
10	8	8	-	-	1	-	4	1	1	-	-	-	-	5	2	1	4	-	-	6	58
4	3	1	-	-	-	1	3	-	1	1	-	-	1	1	2	3	1	2	1	3	59
27	3	9	2	1	-	1	7	-	3	-	-	1	1	5	4	2	7	2	2	11	60
196	65	102	7	49	8	13	38	8	7	10	1	1	14	36	12	18	36	14	10	59	61
136	54	73	4	34	8	12	28	6	6	9	1	1	13	32	9	9	27	9	10	48	62
60	11	29	3	15	-	1	10	2	1	1	-	-	1	4	3	9	9	5	-	11	63
35	7	7	-	3	2	9	5	-	5	-	-	-	4	5	4	1	6	1	-	3	64
39	7	11	3	-	2	4	28	-	10	1	-	-	8	16	7	16	21	2	-	18	65
61	5	16	3	3	1	9	10	2	3	5	-	1	1	9	4	3	15	2	3	15	66
44	4	11	1	3	1	8	5	1	-	2	-	1	-	4	1	3	6	1	2	9	67
17	1	5	2	-	-	1	5	1	3	3	-	-	1	5	3	-	9	1	1	6	68
25	16	11	2	4	2	1	9	1	2	1	-	1	2	7	2	6	5	1	-	6	69
16	3	1	-	-	-	-	2	2	-	-	-	-	-	2	-	2	3	1	-	4	70
13	2	11	-	3	-	3	4	-	1	2	-	2	1	2	2	-	7	3	1	7	71
30	2	9	-	4	-	-	6	1	1	-	1	-	1	2	-	1	3	-	1	12	72
47	21	35	5	4	1	4	13	2	1	4	1	1	4	10	6	6	10	3	2	17	73
18	32	14	2	6	-	-	10	1	1	-	2	1	4	4	6	4	6	1	1	8	74
13	4	10	1	1	-	-	6	1	-	-	-	-	2	1	3	1	5	2	-	6	75
27	12	20	1	10	1	4	15	1	1	1	-	1	1	11	3	7	7	4	1	14	76
16	5	9	1	-	-	1	1	-	-	-	-	-	2	-	1	1	1	-	-	3	77
36	24	24	7	6	2	4	23	2	1	2	-	1	11	24	5	13	19	1	1	19	78
74	24	21	2	8	1	4	26	2	4	6	1	2	14	32	8	19	41	4	10	31	79
38	11	20	1	4	1	1	10	2	-	1	-	2	1	2	2	3	7	5	-	9	80
12	9	22	2	-	-	1	14	-	1	-	1	-	4	5	4	7	6	1	1	8	81
68	28	12	1	2	2	4	17	-	-	4	-	1	4	18	2	15	20	4	5	25	82
46	13	11	1	2	1	3	10	-	-	2	-	1	2	12	1	7	10	1	3	14	83
22	15	1	-	-	1	1	7	-	-	2	-	-	2	6	1	8	10	3	2	11	84
25	9	13	-	5	-	1	4	1	1	1	1	-	1	4	2	1	9	4	1	16	85
26	4	3	-	-	-	-	1	-	2	2	-	1	-	1	2	2	2	3	1	2	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Hopkins	375	4	-	-	3	52	22	5	25	3	198	191	43	-	133	4
2	Madisonville	118	-	-	-	3	12	6	-	6	1	65	63	19	-	40	1
3	Balance of county	257	4	-	-	-	40	16	5	19	2	133	128	24	-	93	3
4	Jackson	68	3	-	-	2	8	2	-	6	1	29	29	5	1	20	2
5	Jefferson	5,426	133	26	5	36	802	281	117	404	76	2,787	2,723	613	5	1,906	63
6	Louisville	4,836	125	24	5	33	708	254	105	349	67	2,481	2,421	553	3	1,696	55
7	Balance of county	590	8	2	-	3	94	27	12	55	9	306	302	60	2	210	8
8	Jessamine	128	2	-	-	4	11	4	2	5	1	71	68	13	-	53	-
9	Johnson	216	5	-	-	3	23	9	2	12	3	100	97	17	-	69	2
10	Kenton	1,239	11	4	-	11	187	58	22	107	16	672	665	138	1	474	23
11	Covington	826	4	4	-	7	123	36	15	72	10	456	452	91	-	326	16
12	Balance of county	413	7	-	-	4	64	22	7	35	6	216	213	47	1	148	7
13	Knott	83	5	-	-	2	8	2	2	4	1	31	29	7	-	17	1
14	Knox	230	8	-	1	4	22	9	3	10	2	112	104	29	-	72	-
15	Larue	109	3	-	-	2	11	3	-	8	1	61	58	18	1	36	1
16	Laurel	160	1	1	-	-	29	11	2	16	1	89	88	18	-	69	2
17	Lawrence	131	4	-	1	-	15	5	1	9	2	66	65	16	-	41	-
18	Lee	59	1	2	-	3	7	-	1	6	-	26	24	7	-	12	2
19	Leslie	67	2	-	-	1	7	5	-	2	-	19	19	6	-	12	-
20	Letcher	274	14	-	-	5	25	6	8	11	2	112	109	24	2	79	3
21	Lewis	131	9	-	-	1	16	7	-	9	2	51	46	14	-	29	3
22	Lincoln	158	6	-	-	3	28	13	5	10	5	75	72	23	2	43	1
23	Livingston	80	3	-	-	-	11	4	-	7	2	37	35	11	-	21	2
24	Logan	234	6	1	-	1	32	13	6	13	3	120	117	7	-	106	1
25	Lyon	64	2	-	-	-	11	3	-	8	1	38	38	9	-	24	-
26	McCracken	629	10	2	-	1	75	15	8	52	6	304	293	77	-	202	5
27	Paducah	451	7	1	-	-	58	10	8	40	4	228	220	57	-	152	4
28	Balance of county	178	3	1	-	1	17	5	-	12	2	76	73	20	-	50	1
29	McCreary	111	4	1	-	1	10	1	2	7	2	41	41	10	-	29	3
30	McLean	105	1	1	-	-	19	2	2	15	-	58	58	17	-	36	-
31	Madison	290	9	1	-	3	35	11	3	21	8	140	139	32	1	99	-
32	Richmond	110	4	-	-	2	13	5	2	6	3	60	60	13	1	43	-
33	Balance of county	180	5	1	-	1	22	6	1	15	5	80	79	19	-	56	-
34	Magoffin	82	2	-	-	1	5	2	-	3	2	39	39	16	-	23	-
35	Marion	166	5	-	-	3	21	9	2	10	2	70	70	24	-	39	2
36	Marshall	123	4	-	-	-	17	4	-	13	1	60	59	18	-	37	1
37	Martin	72	2	-	-	2	5	2	-	3	1	21	20	8	-	12	-
38	Mason	206	4	1	-	-	22	6	4	12	2	117	116	19	1	91	2
39	Meade	74	4	-	-	1	8	-	-	8	1	28	28	10	-	17	-
40	Menifee	44	-	-	-	2	5	3	-	2	3	21	21	9	-	10	1
41	Mercer	161	5	-	-	1	30	10	4	16	4	82	81	19	-	59	2
42	Metcalfe	74	2	-	-	-	8	4	-	4	-	46	43	17	-	24	1
43	Monroe	99	2	-	-	1	14	3	1	10	1	55	54	10	1	32	-
44	Montgomery	148	-	-	-	3	22	8	2	12	1	79	75	14	-	53	3
45	Morgan	103	1	-	-	2	12	4	-	8	3	47	47	8	1	38	2
46	Muhlenberg	323	9	2	-	2	44	13	-	31	1	163	147	36	-	99	2
47	Nelson	191	8	-	-	4	20	11	1	8	2	98	96	11	1	78	2
48	Nicholas	73	-	-	-	-	11	7	2	2	-	40	38	14	-	17	-
49	Ohio	187	3	-	-	1	25	10	2	13	1	102	95	21	1	67	2
50	Oldham	98	-	1	-	-	10	3	1	6	1	54	53	20	-	28	1
51	Owen	100	1	-	-	1	13	5	1	7	-	62	61	9	1	38	3
52	Owsley	35	1	-	-	3	4	-	1	3	-	17	17	3	-	13	2
53	Pendleton	118	1	-	-	-	18	5	4	9	1	67	67	13	-	50	1
54	Perry	256	10	-	1	2	27	10	6	11	2	95	91	19	-	65	3
55	Pike	395	10	-	1	3	45	11	5	29	1	152	142	46	-	88	5
56	Powell	66	1	-	-	-	13	7	1	5	4	27	26	3	-	21	1
57	Pulaski	297	5	-	-	2	38	17	3	18	1	148	144	37	-	99	8
58	Robertson	38	-	-	-	1	1	-	-	1	1	25	24	2	-	20	-
59	Rockcastle	103	4	-	-	-	14	8	2	4	3	43	42	8	1	32	1
60	Rowan	97	4	-	-	2	11	5	1	5	4	41	41	10	-	24	2
61	Russell	109	3	-	-	-	8	3	-	5	-	62	59	14	-	40	1
62	Scott	186	2	1	-	-	20	8	1	11	3	110	105	30	-	59	4
63	Shelby	200	2	-	-	1	21	9	1	11	1	108	105	35	-	60	-
64	Simpson	142	6	1	-	-	20	9	2	9	3	62	58	16	-	40	-
65	Spencer	40	1	-	-	-	7	3	-	4	-	11	9	2	-	6	-
66	Taylor	157	3	-	-	2	13	3	1	9	1	79	73	20	-	49	3
67	Todd	123	2	-	2	-	19	6	2	11	2	71	70	19	1	44	7
68	Trigg	93	4	-	-	1	14	4	-	10	-	53	52	9	-	42	-
69	Trimble	39	3	-	-	-	1	-	-	1	-	24	24	5	-	15	1
70	Union	171	1	-	-	2	23	8	2	13	1	79	77	17	-	55	2
71	Warren	449	21	2	1	7	65	20	6	39	11	216	207	45	-	155	6
72	Bowling Green	252	12	-	1	4	37	11	3	23	6	122	117	26	-	88	6
73	Balance of county	197	9	2	-	3	28	9	3	16	5	94	90	19	-	67	-
74	Washington	105	1	-	-	-	12	2	1	9	2	58	56	16	-	35	2
75	Wayne	110	1	-	-	1	16	5	1	10	1	62	59	7	-	42	1
76	Webster	181	-	1	-	-	26	14	3	9	1	92	88	31	-	52	2
77	Whitley	266	4	1	1	1	31	5	6	20	3	126	123	22	-	92	6
78	Wolfe	65	2	-	-	2	6	3	-	3	-	17	17	4	-	11	-
79	Woodford	117	2	1	-	1	13	5	-	8	4	54	52	15	-	28	1
80	LOUISIANA	25,273	378	211	7	209	3,487	1,139	504	1,844	426	12,448	12,072	2,536	18	8,727	161
81	Metropolitan parishes	10,575	184	135	4	60	1,545	487	259	799	226	5,374	5,234	1,009	9	3,857	63
82	Nonmetropolitan parishes	14,698	194	76	3	149	1,942	652	245	1,045	200	7,074	6,838	1,527	9	4,870	98
83	Acadia	367	12	1	-	8	53	15	10	28	9	167	162	48	-	105	3
84	Crowley	114	2	-	-	3	15	5	3	7	3	57	57	17	-	37	1
85	Balance of parish	253	10	1	-	5	38	10	7	21	6	110	105	31	-	68	2
86	Allen	145	5	-	-	2	12	9	1	2	2	69	65	18	-	45	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
58	38	33	1	10	4	7	18	2	1	1	3	-	4	10	7	10	26	5	1	27	1
23	5	11	1	2	1	2	9	2	-	1	-	-	2	3	3	1	7	1	1	7	2
35	33	22	-	8	3	5	9	-	1	-	3	-	2	7	4	9	19	4	-	20	3
6	6	6	1	2	-	-	4	-	-	-	-	1	-	5	2	2	5	-	1	5	4
1,146	472	225	44	119	36	64	190	31	50	70	6	6	88	273	31	125	214	43	43	391	5
1,014	426	201	37	101	31	60	170	29	45	67	6	5	78	251	27	106	194	36	41	338	6
132	46	24	7	18	5	4	20	2	5	3	-	1	10	22	4	19	20	7	2	53	7
32	12	9	-	1	1	3	4	-	1	-	1	-	2	7	2	3	4	4	1	10	8
34	14	19	3	6	2	3	19	1	2	1	-	-	3	13	2	10	9	-	1	21	9
321	56	74	15	31	6	7	44	9	5	18	1	1	16	48	13	28	58	11	1	85	10
213	39	58	10	21	4	4	32	5	5	13	1	-	12	30	10	13	34	7	1	59	11
108	17	16	5	10	2	3	12	4	-	5	-	1	4	18	3	15	24	4	-	26	12
9	2	5	1	3	1	2	6	-	-	-	1	1	-	6	2	7	5	1	2	5	13
42	11	19	-	1	2	8	17	2	4	-	3	-	2	14	3	13	5	3	2	13	14
21	7	7	1	2	-	3	6	-	-	-	-	-	1	5	3	1	3	-	-	12	15
34	26	7	-	1	-	1	7	1	1	1	-	-	1	4	1	5	8	1	2	7	16
24	10	7	1	6	1	1	10	-	-	-	-	-	3	12	1	1	3	-	4	9	17
7	-	3	3	2	-	2	3	-	1	-	-	-	-	3	3	1	4	-	2	3	18
7	2	3	-	1	-	-	2	1	3	-	-	2	2	5	1	9	7	-	3	3	19
37	23	16	1	1	2	3	17	2	1	-	-	2	9	26	11	7	11	-	4	26	20
12	8	6	-	1	2	5	15	1	3	-	1	-	1	10	1	3	7	2	-	8	21
15	4	23	2	2	-	3	3	-	1	1	1	-	2	7	2	3	8	2	-	11	22
10	3	6	-	3	-	2	10	2	-	-	-	-	-	1	2	1	2	1	-	8	23
55	27	23	2	1	1	3	5	-	3	1	1	-	4	13	12	4	10	2	3	13	24
19	3	2	2	1	2	-	3	-	-	-	-	-	-	2	-	2	4	-	-	1	25
128	35	34	6	7	1	11	30	4	6	5	4	3	9	30	15	29	30	5	8	53	26
91	27	30	5	5	1	8	20	2	4	4	3	3	7	20	10	17	19	5	8	31	27
37	8	4	1	2	-	3	10	2	2	1	1	-	2	10	5	12	11	-	-	22	28
13	3	10	1	-	1	-	9	-	2	-	-	1	3	10	5	6	6	1	3	6	29
17	11	8	4	1	-	-	1	-	-	-	-	-	1	4	-	5	6	1	-	8	30
57	19	23	1	2	4	1	19	4	3	1	1	1	2	9	7	10	7	6	3	21	31
23	8	12	-	1	2	-	9	2	-	-	-	-	1	2	1	3	3	2	-	5	32
34	11	11	1	1	2	1	10	2	3	1	1	1	1	7	6	7	4	4	3	16	33
12	6	5	-	-	-	-	8	1	-	-	-	1	3	4	4	2	3	-	1	6	34
24	3	10	2	4	1	-	13	-	3	-	-	-	5	12	2	4	9	1	-	16	35
24	6	6	1	3	-	1	8	-	1	-	-	1	2	7	1	4	3	1	-	13	36
8	1	3	-	-	-	1	16	1	1	-	-	-	-	3	4	1	6	2	1	6	37
56	10	23	-	5	-	1	9	2	1	-	1	1	5	10	3	6	5	6	1	10	38
10	4	3	-	1	-	-	3	-	1	-	1	-	2	6	-	5	4	2	-	8	39
8	-	1	1	-	1	-	-	-	-	-	-	-	-	-	7	-	-	1	1	4	40
33	19	5	-	3	-	1	7	2	-	-	-	-	1	5	-	9	3	1	1	10	41
9	6	8	-	2	-	3	2	-	-	-	-	-	1	1	1	3	8	-	-	2	42
25	6	1	4	6	1	1	6	-	2	-	-	-	1	1	-	3	4	-	2	7	43
32	14	4	3	2	3	4	5	1	1	1	1	-	2	7	-	2	8	2	2	11	44
12	20	4	-	-	-	-	6	1	1	1	-	1	1	8	2	2	3	1	-	11	45
29	25	43	9	2	1	16	17	1	3	2	1	-	1	14	5	7	16	3	4	28	46
40	26	10	-	4	2	2	14	-	-	1	-	1	1	19	1	8	6	1	-	7	47
10	1	6	-	7	-	2	1	-	1	3	-	-	4	2	-	2	3	-	1	5	48
23	20	22	1	5	-	7	10	1	2	2	-	2	1	4	2	4	11	4	1	11	49
13	3	11	2	2	1	1	6	1	1	-	-	-	-	5	3	6	3	1	2	4	50
22	2	11	-	11	2	1	6	-	-	-	-	1	2	3	-	2	3	1	-	5	51
5	4	2	1	-	-	-	2	-	-	-	-	-	-	2	-	3	2	1	-	-	52
33	6	10	2	1	1	-	7	3	-	-	-	1	1	3	1	1	6	1	-	7	53
26	15	21	1	3	3	4	15	1	6	2	-	3	4	19	10	11	16	4	5	23	54
53	14	16	4	1	3	10	36	1	4	4	-	4	9	32	8	23	32	7	3	20	55
11	4	5	1	1	-	1	5	-	3	-	-	1	1	2	2	2	1	-	-	4	56
53	15	23	1	2	5	4	14	3	5	1	2	1	4	18	2	10	15	2	-	26	57
15	3	2	-	1	1	1	2	-	-	-	-	-	-	-	-	3	1	1	-	3	58
6	8	17	1	-	-	1	2	-	-	-	-	-	3	3	6	5	8	2	-	10	59
14	5	3	2	2	3	-	7	-	-	1	-	-	1	5	2	5	5	-	2	7	60
16	9	14	4	1	-	3	9	-	1	-	-	-	-	6	1	5	4	-	1	9	61
25	12	18	2	11	3	5	7	2	1	-	1	1	2	5	-	5	9	5	1	11	62
36	10	14	1	6	3	3	14	1	1	1	1	-	5	13	-	11	4	1	1	14	63
20	10	10	-	-	2	4	13	-	-	-	-	-	-	10	5	7	2	1	1	11	64
4	1	1	-	-	1	2	4	-	-	-	-	-	1	2	4	2	5	1	-	2	65
22	11	13	2	2	-	6	10	-	1	-	-	-	4	9	1	7	13	-	-	14	66
25	4	8	2	1	3	1	2	1	-	-	-	-	-	3	1	5	2	1	-	12	67
19	3	20	1	-	-	1	4	-	-	-	-	-	2	3	1	4	4	-	-	3	68
9	3	2	-	4	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	3	69
29	7	17	3	1	1	2	5	3	1	-	-	-	4	7	9	3	8	3	2	20	70
77	33	39	2	4	1	9	25	1	3	4	3	1	10	12	2	10	19	4	8	24	71
45	14	23	-	2	1	5	8	1	1	3	2	-	4	8	2	5	11	2	8	15	72
32	19	16	2	2	-	4	17	-	2	1	1	1	6	4	-	5	8	2	-	9	73
22	5	6	1	3	1	2	4	-	1	-	-	-	5	3	1	2	7	1	-	8	74
21	16	4	3	7	-	3	8	-	-	-	-	1	2	2	4	1	4	-	-	7	75
22	10	18	1	4	-	4	9	-	1	2	-	-	2	5	5	7	8	3	2	17	76
40	19	27	7	1	1	3	20	-	2	2	2	-	3	14	9	9	15	2	1	20	77
3	4	4	1	1	-	-	8	-	-	-	-	-	1	6	8	4	7	-	-	4	78
19	3	5	1	8	-	2	7	-	1	2	-	-	4	1	4	1	10	-	-	12	79
5,270	1,880	1,416	255	384	152	376	1,125	115	204	217	69	69	416	1,619	380	691	1,054	172	220	1,756	80
2,421	823	550	129	160	70	140	318	48	57	141	26	14	183	615	79	213	426	73	99	755	81
2,849	1,057	866	126	224	82	236	807	67	147	76	43	55	233	1,004	301	478	628	99	121	1,001	82
63	15	24	3	5	1	5	21	2	2	2	2	1	5	15	4	10	10	3	1	39	83
21	7	8	-	3	-	-	2	-	-	1	1	-	1	8	4	3	7	-	-	7	84
42	8	16	3	2	1	5	19	2	2	1	1	1	4	7	-	7	3	3	1	32	85
36	6	2	-	2	-	4	9	-	1	2	-	-	4	10	1	6	8	-	2	12	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	Ascension	214	-	1	-	3	20	5	4	11	4	107	104	24	-	77	-
2	Assumption	175	3	-	-	3	21	6	3	12	-	108	105	12	-	89	1
3	Avoyelles	317	1	1	-	4	48	22	4	22	3	168	166	39	-	117	2
4	Beauregard	177	3	1	-	2	30	12	5	13	2	76	71	8	-	56	-
5	Bienville	183	1	-	-	1	26	8	2	16	4	73	67	21	-	40	2
6	Bossier	294	6	1	-	1	37	8	1	28	5	122	117	42	1	71	4
7	Bossier City	103	2	-	-	-	17	3	1	13	2	38	38	13	-	24	2
8	Balance of parish	191	4	1	-	1	20	5	-	15	3	84	79	29	1	47	2
9	Caddo	1,638	23	14	-	16	228	64	42	122	24	790	768	204	-	514	8
10	Shreveport	1,245	21	9	-	10	176	47	31	98	22	614	597	158	-	401	8
11	Balance of parish	393	2	5	-	6	52	17	11	24	2	176	171	46	-	113	-
12	Calcasieu	731	5	5	-	11	111	35	13	63	10	315	303	58	-	225	1
13	Lake Charles	369	4	2	-	6	57	21	7	29	4	160	155	19	-	121	1
14	Balance of parish	362	1	3	-	5	54	14	6	34	6	155	148	39	-	104	-
15	Caldwell	65	1	-	-	-	9	3	-	6	2	32	30	7	-	19	-
16	Cameron	44	-	-	-	-	4	-	-	4	-	21	21	4	-	13	1
17	Catahoula	135	3	-	-	2	16	2	5	9	3	64	62	18	-	41	-
18	Claiborne	212	2	1	-	2	28	8	4	16	4	108	106	20	-	81	-
19	Concordia	196	4	-	-	-	18	7	2	9	3	101	99	26	-	66	1
20	De Soto	257	4	3	-	1	41	11	6	24	4	118	117	26	-	78	1
21	East Baton Rouge	1,226	14	10	-	6	148	51	21	76	16	634	619	141	2	390	7
22	Baton Rouge	977	10	8	-	6	118	44	19	55	12	509	495	109	1	322	5
23	Balance of parish	249	4	2	-	-	30	7	2	21	4	125	124	32	1	68	2
24	East Carroll	193	1	1	-	1	22	8	1	13	1	112	111	32	-	66	1
25	East Feliciana	166	4	3	-	4	21	8	-	13	2	69	60	12	-	46	-
26	Evangeline	254	7	-	-	6	41	16	10	15	5	110	108	22	-	80	-
27	Franklin	238	2	1	-	-	23	8	7	8	2	118	118	28	-	84	5
28	Grant	130	3	2	-	-	19	2	3	14	2	65	61	16	-	42	1
29	Iberia	324	8	-	-	-	47	18	6	23	4	161	153	27	1	110	5
30	New Iberia	141	3	-	-	-	19	6	4	9	2	73	68	15	-	49	1
31	Balance of parish	183	5	-	-	-	28	12	2	14	2	88	85	12	1	61	4
32	Iberville	282	1	2	-	3	35	9	7	19	3	155	141	34	-	104	-
33	Jackson	138	2	-	-	1	14	6	2	6	1	49	48	14	-	30	1
34	Jefferson	849	8	6	-	3	129	37	26	66	24	410	399	67	2	313	3
35	Gretna	140	1	1	-	-	17	6	3	8	6	74	73	13	1	57	2
36	Balance of parish	709	7	5	-	3	112	31	23	58	18	336	326	54	1	256	1
37	Jefferson Davis	208	3	2	-	-	38	13	5	20	5	93	91	22	-	61	1
38	Lafayette	496	9	2	-	5	71	18	11	42	6	235	227	62	2	153	8
39	Lafayette	322	7	2	-	4	58	16	11	31	2	145	142	37	-	102	4
40	Balance of parish	174	2	-	-	1	13	2	-	11	4	90	85	25	2	51	4
41	Lafourche	301	6	-	-	3	52	19	7	26	2	142	139	21	-	111	1
42	La Salle	128	6	-	-	-	17	6	3	8	3	63	61	12	-	44	1
43	Lincoln	237	4	-	-	2	29	10	1	18	1	112	108	36	-	66	2
44	Ruston	96	2	-	-	1	11	3	1	7	1	50	49	17	-	31	1
45	Balance of parish	141	2	-	-	1	18	7	-	11	-	62	59	19	-	35	1
46	Livingston	165	1	-	-	2	24	5	8	11	1	70	69	13	-	53	1
47	Madison	173	1	3	-	-	18	8	2	8	2	77	75	18	-	52	-
48	Morehouse	324	3	2	-	-	29	8	-	21	6	145	141	30	-	106	2
49	Bastrop	131	1	1	-	-	12	4	-	8	3	68	65	8	-	56	1
50	Balance of parish	193	2	1	-	-	17	4	-	13	3	77	76	22	-	50	1
51	Natchitoches	337	4	-	-	-	32	12	3	17	4	177	169	45	1	113	-
52	Orleans, coextensive with New Orleans	6,761	137	104	4	35	1,026	333	167	526	160	3,491	3,399	592	5	2,597	45
53	Ouachita	781	15	4	1	6	84	24	5	55	10	397	386	78	-	292	2
54	Monroe	448	8	1	1	6	43	16	2	25	6	242	236	46	-	179	-
55	West Monroe	126	5	3	-	-	22	4	1	17	2	55	55	17	-	35	-
56	Balance of parish	207	2	-	-	-	19	4	2	13	2	100	95	15	-	78	2
57	Plaquemines	112	1	2	-	1	24	5	5	14	-	43	43	8	-	34	-
58	Pointe Coupee	206	1	1	-	1	22	11	-	11	2	110	105	33	-	67	-
59	Rapides	851	8	9	-	7	107	46	11	50	15	413	395	71	-	290	5
60	Alexandria	397	3	4	-	3	49	18	8	24	10	203	195	29	-	143	3
61	Balance of parish	454	5	5	-	4	58	28	3	27	5	210	200	42	-	147	2
62	Red River	107	1	-	-	-	19	7	1	11	1	43	42	17	-	19	2
63	Richland	258	4	1	-	3	32	10	6	16	2	122	119	32	-	85	1
64	Sabine	153	2	1	-	3	18	4	2	12	1	81	81	18	1	57	-
65	St. Bernard	101	2	1	-	-	14	2	3	9	2	49	49	5	-	43	-
66	St. Charles	93	2	1	-	2	13	5	3	5	-	43	42	5	-	35	1
67	St. Helena	56	-	-	-	3	6	1	1	4	-	27	26	7	-	18	1
68	St. James	150	2	1	-	2	17	7	2	8	1	87	86	21	-	63	1
69	St. John the Baptist	140	-	4	-	4	22	12	2	8	4	71	69	18	-	48	2
70	St. Landry	621	7	2	-	11	74	25	9	40	11	268	260	55	1	188	3
71	Opelousas	145	2	1	-	1	17	5	1	11	5	57	54	9	-	43	2
72	Balance of parish	476	5	1	-	10	57	20	8	29	6	211	206	46	1	145	1
73	St. Martin	227	4	2	-	4	34	12	4	18	-	97	93	20	-	62	2
74	St. Mary	348	3	1	1	5	39	11	8	20	6	183	175	35	-	121	1
75	St. Tammany	262	4	3	-	1	34	11	6	17	3	146	140	21	-	107	1
76	Tangipahoa	518	6	3	1	8	65	22	7	36	9	271	261	63	-	183	9
77	Tensas	166	-	2	-	2	17	4	2	11	-	88	84	16	-	64	12
78	Terrebonne	334	2	2	-	5	57	22	12	23	3	163	158	24	-	125	2
79	Houma	139	1	1	-	1	24	11	5	8	-	70	68	10	-	55	1
80	Balance of parish	195	1	1	-	4	33	11	7	15	3	93	90	14	-	70	1
81	Union	152	-	-	-	3	20	3	3	14	-	84	82	19	-	57	1
82	Vermilion	279	3	-	-	1	51	22	3	26	13	136	135	24	1	97	-
83	Vernon	202	3	1	-	-	32	9	2	21	3	68	66	14	-	48	-
84	Washington	345	2	1	-	6	43	15	4	24	3	176	170	26	-	135	6
85	Bogalusa	191	-	1	-	2	25	9	-	16	2	106	102	17	-	82	3
86	Balance of parish	154	2	-	-	4	18	6	4	8	1	70	68	9	-	53	3
87	Webster	253	4	1	-	2	37	14	6	17	3	117	113	30	1	68	-
88	West Baton Rouge	125	3	1	-	-	17	7	3	7	2	69	67	21	-	44	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of disease of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
40	18	19	-	2	1	3	11	1	2	4	-	-	-	16	16	4	8	2	2	13	1
53	14	21	2	2	-	3	6	-	2	1	-	1	1	9	1	2	3	-	-	14	2
75	20	20	4	3	3	2	25	-	2	4	1	2	2	14	2	11	12	4	-	13	3
42	4	10	3	2	2	5	8	-	2	1	-	1	6	13	6	8	5	1	-	12	4
21	10	7	3	3	-	6	5	-	1	-	-	-	2	9	19	9	9	1	2	21	5
39	12	16	2	1	-	5	22	1	4	1	-	1	5	31	1	13	15	2	3	23	6
12	5	5	1	-	-	-	8	1	1	-	-	1	3	13	-	4	5	-	-	8	7
27	7	11	1	1	-	5	14	-	3	1	-	-	2	18	1	9	10	2	3	15	8
310	135	61	19	19	12	22	82	6	24	8	3	2	24	122	14	52	62	10	27	107	9
241	103	49	15	13	10	17	54	6	17	5	2	2	17	89	12	37	38	8	23	83	10
69	32	12	4	6	2	5	28	-	7	3	1	-	7	33	2	15	24	2	4	24	11
154	44	26	7	8	5	12	30	1	9	3	4	1	17	71	5	30	34	6	8	55	12
80	22	18	6	5	4	5	16	-	6	2	1	1	10	41	1	12	15	3	4	24	13
74	22	8	1	3	1	7	14	1	3	1	3	-	7	30	4	18	19	3	4	31	14
15	3	1	-	4	-	2	6	1	-	-	-	-	2	2	1	4	-	1	-	4	15
6	2	4	1	2	1	-	1	1	-	-	-	-	-	4	-	2	8	-	-	3	16
23	11	7	1	-	2	2	4	-	2	-	-	-	2	8	1	12	7	-	2	9	17
54	23	4	2	3	-	2	18	1	3	1	2	1	2	7	1	9	6	1	5	10	18
16	36	13	2	4	1	2	13	-	1	1	1	2	1	13	2	7	14	1	2	12	19
39	20	18	5	4	4	1	13	-	2	2	-	-	5	16	16	2	11	2	2	15	20
224	66	93	53	24	9	15	29	2	1	17	5	2	50	66	38	28	46	14	10	90	21
185	58	74	38	19	6	14	21	2	-	16	4	1	42	54	29	17	40	11	8	69	22
39	8	19	15	5	3	1	8	-	1	1	1	1	8	12	9	11	6	3	2	21	23
23	9	33	4	7	2	1	6	1	3	1	-	-	1	20	6	3	4	-	-	10	24
29	8	9	-	2	-	9	16	2	3	-	2	1	4	10	4	5	7	1	-	8	25
48	18	14	1	4	1	2	24	2	3	-	-	2	3	13	11	5	3	3	2	14	26
40	21	18	2	3	1	-	20	2	5	-	-	-	3	21	1	9	17	2	1	11	27
31	7	3	-	2	1	4	5	-	1	-	-	-	4	11	-	2	6	1	-	9	28
59	27	19	3	9	3	8	7	3	3	1	-	2	2	23	5	10	11	4	-	33	29
32	9	7	2	1	1	5	4	2	1	1	-	-	2	7	2	3	4	2	-	16	30
27	18	12	1	8	2	3	3	1	2	-	-	2	-	16	3	7	7	2	-	17	31
57	17	30	1	1	1	14	13	2	2	3	-	3	3	24	2	7	17	-	-	7	32
17	7	5	2	1	1	1	5	-	2	-	1	-	2	7	28	6	5	1	3	11	33
191	67	52	4	10	3	11	28	7	3	6	2	2	14	60	1	21	47	14	8	56	34
36	13	6	-	2	-	1	4	1	-	-	-	-	1	9	-	5	7	4	1	9	35
155	54	46	4	8	3	10	24	6	3	6	2	2	13	51	1	16	40	10	7	47	36
35	16	9	4	3	1	2	7	1	2	1	-	-	6	12	2	11	6	1	1	17	37
107	29	9	3	3	4	8	24	2	6	5	3	2	11	44	2	14	22	4	4	25	38
74	18	6	-	1	2	3	9	2	3	3	2	1	8	31	-	8	13	2	4	18	39
33	11	3	3	2	2	5	15	-	3	2	1	1	3	13	2	6	9	2	-	7	40
61	25	24	3	2	2	3	9	4	-	-	-	1	8	14	5	13	17	-	2	23	41
34	4	5	-	3	2	2	3	1	-	-	-	1	1	7	2	4	7	2	-	11	42
41	14	9	1	3	2	4	9	-	2	1	-	1	1	15	11	9	15	2	5	18	43
26	3	1	-	1	-	1	3	-	-	-	-	1	-	6	4	1	8	-	2	6	44
15	11	8	1	2	2	3	6	-	2	1	-	-	1	9	7	8	7	2	3	12	45
22	8	22	2	1	-	1	11	3	2	-	2	-	2	14	2	7	7	3	3	11	46
17	17	18	2	2	1	2	4	1	2	-	-	1	2	13	19	1	6	-	2	21	47
32	32	40	2	2	1	4	36	-	6	3	1	5	6	32	8	3	9	4	4	22	48
20	17	18	-	1	-	3	13	-	4	3	-	-	1	8	1	2	1	2	2	9	49
12	15	22	2	1	1	1	23	-	2	-	1	5	5	24	7	1	8	2	2	13	50
67	20	26	4	6	-	8	20	1	3	-	1	-	3	25	9	5	17	2	8	26	51
1,672	552	328	53	106	46	92	176	32	29	110	16	7	95	356	26	104	269	34	52	498	52
149	97	44	8	5	3	11	47	5	4	7	5	4	12	46	7	20	39	10	10	48	53
96	59	24	7	2	2	6	25	2	2	3	3	3	7	22	4	11	20	3	5	31	54
18	13	4	-	2	1	-	7	1	1	3	1	-	2	5	-	-	8	3	2	6	55
35	25	16	1	1	-	5	15	2	1	1	1	1	3	19	3	9	11	4	3	11	56
18	7	9	-	-	1	-	4	-	2	1	1	-	4	7	-	7	11	-	1	3	57
30	11	26	-	4	1	5	13	-	-	1	-	2	2	8	12	7	9	1	-	14	58
195	45	45	7	21	6	18	43	3	14	6	2	-	17	45	19	23	36	4	8	72	59
98	20	22	4	14	5	8	17	1	6	2	1	-	6	23	12	8	19	2	6	22	60
97	25	23	3	7	1	10	26	2	8	4	1	-	11	22	7	15	17	2	2	50	61
9	2	6	3	3	-	1	8	2	2	-	-	-	-	5	12	6	2	-	3	3	62
47	25	12	-	2	-	3	9	1	5	1	-	-	5	27	-	9	11	2	2	22	63
44	7	6	1	2	2	-	5	1	2	1	-	-	1	10	3	6	3	1	2	12	64
24	3	16	-	1	-	-	3	1	-	-	-	1	-	11	-	8	2	1	2	4	65
23	7	4	-	2	-	1	6	-	-	1	-	-	-	8	-	6	7	-	-	4	66
7	6	4	-	1	-	1	3	-	2	-	-	-	1	5	1	1	1	-	2	4	67
41	12	9	1	1	-	1	4	1	1	-	-	-	2	12	-	4	4	2	1	9	68
19	17	10	1	1	1	2	8	-	-	-	-	-	-	11	-	3	3	-	-	10	69
105	47	33	2	12	2	8	46	1	10	2	-	4	19	52	8	24	26	7	6	43	70
24	10	7	-	1	1	3	10	1	1	1	-	1	6	14	2	1	7	3	2	13	71
81	37	26	2	11	1	5	36	-	9	1	-	3	13	38	6	23	19	4	4	30	72
48	10	2	3	7	1	4	20	-	2	4	1	1	1	23	2	7	4	1	1	19	73
67	33	20	6	11	2	8	25	-	3	2	4	-	2	18	6	13	16	4	-	17	74
72	18	16	2	10	-	6	4	5	-	2	1	1	6	13	2	8	11	1	1	16	75
124	22	28	4	7	4	10	28	7	4	4	-	2	8	22	3	15	30	1	4	27	76
22	14	16	4	-	-	4	13	-	4	1	1	3	-	12	5	1	7	-	1	9	77
77	28	18	3	6	-	5	12	1	4	-	1	1	9	27	3	8	16	3	1	16	78
31	11	12	1	2	-	2	3	-	2	-	-	1	5	16	-	2	4	2	-	7	79
46	17	6	2	4	-	3	9	1	2	-	1	-	4	11	3	6	12	1	1	9	80
36	10	10	2	2	2	2	12	-	-	-	2	1	2	12	1	4	4	-	1	6	81
64	19	14	2	7	4	1	12	1	-	1	1	-	5	14	5	5	9	1	1	20	82
41	3	4	1	-	3	2	11	1	2	1	-	2	8	11	3	12	19	3	1	21	83
84	36	9	2	5	2	6	11	3	4	2	-	2	4	20	3	20	12	1	5	27	84
52	20	7	1	2	-	4	7	1	3	1	-	1	1	9	-	9	3	1	2	17	85
32	16	2	1	3	2	2	4	2	1	1	-	1	3	11	3	11	9	-	3	10	86
44	16	8	3	9	2	4	16	-	1	1	1	-	2	25	7	11	7	1	3	14	87
19	15	10	-	2	-	2	9	-	2	-	-	-	1	5	1	6	3	-	1	5	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-136	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	LOUISIANA—Continued																
1	West Carroll	147	1	-	-	1	22	8	1	13	1	60	59	20	-	38	-
2	West Feliciana	74	-	1	-	1	6	2	1	3	1	41	41	3	-	33	-
3	Winn	132	1	-	-	-	24	8	-	16	1	68	65	13	-	48	-
4	MAINE	9,920	91	18	11	39	1,580	634	159	787	138	5,755	5,587	1,259	1	3,891	128
5	Metropolitan counties	1,884	19	3	3	9	301	109	36	156	19	1,091	1,070	228	-	777	25
6	Nonmetropolitan counties	8,036	72	15	8	30	1,279	525	123	631	119	4,664	4,517	1,031	1	3,114	103
7	Androscoggin	925	3	1	4	9	156	68	10	78	11	528	511	126	-	345	8
8	Lewiston	413	2	-	2	6	78	37	5	36	3	232	224	46	-	161	6
9	Auburn	243	-	1	1	2	36	14	3	19	6	141	134	45	-	80	1
10	Balance of county	269	1	-	1	1	42	17	2	23	2	155	153	35	-	104	1
11	Aroostook	761	11	-	-	1	100	49	4	47	10	383	363	79	-	255	15
12	Cumberland	1,884	19	3	3	9	301	109	36	156	19	1,091	1,070	228	-	777	25
13	Portland	925	10	1	1	7	152	54	19	79	8	523	516	106	-	382	17
14	South Portland	205	-	1	-	-	41	15	5	21	2	116	114	27	-	77	3
15	Westbrook	121	-	-	-	-	17	8	1	8	1	75	74	23	-	43	1
16	Balance of county	633	9	1	2	2	91	32	11	48	8	377	366	72	-	275	4
17	Franklin	214	-	1	1	1	27	14	1	12	4	128	125	36	-	80	-
18	Hancock	375	4	-	-	-	65	27	2	36	6	229	224	59	-	153	5
19	Kennebec	979	6	5	3	1	168	62	19	87	15	571	550	120	-	389	7
20	Augusta	216	5	1	1	-	33	11	5	17	3	133	129	32	-	93	2
21	Waterville	261	-	4	1	1	50	24	4	22	7	141	138	33	-	98	3
22	Balance of county	502	1	-	1	-	85	27	10	48	5	297	283	55	-	198	2
23	Knox	361	5	1	-	3	68	25	7	36	8	226	219	56	-	146	6
24	Lincoln	247	1	2	-	-	37	12	5	20	4	135	126	26	-	86	2
25	Oxford	457	6	-	-	1	60	26	4	30	5	263	260	59	-	181	5
26	Penobscot	1,089	11	3	-	1	163	64	23	76	18	624	607	129	1	413	19
27	Bangor	336	4	2	-	-	56	18	7	31	9	198	196	36	-	135	3
28	Balance of county	753	7	1	-	1	107	46	16	45	9	426	411	93	1	278	16
29	Piscataquis	209	1	-	-	1	34	18	1	15	5	127	122	23	-	88	2
30	Sagadahoc	231	4	-	-	1	31	9	6	16	3	146	142	31	-	101	-
31	Bath	120	1	-	-	-	13	4	3	6	3	86	84	17	-	59	-
32	Balance of county	111	3	-	-	1	18	5	3	10	-	60	58	14	-	42	-
33	Somerset	455	6	-	-	2	79	28	11	40	8	249	246	46	-	179	9
34	Waldo	267	3	1	-	3	47	17	2	28	4	157	153	40	-	98	4
35	Washington	450	5	-	-	3	68	29	9	30	6	259	249	58	-	173	4
36	York	1,016	6	1	-	3	176	77	19	80	12	639	620	143	-	427	17
37	Biddeford	179	1	-	-	-	21	11	2	8	1	125	122	28	-	85	7
38	Saco	116	2	-	-	1	26	10	6	10	-	68	65	13	-	44	3
39	Balance of county	721	3	1	-	2	129	56	11	62	11	446	433	102	-	298	7
40	MARYLAND	23,617	417	124	25	102	3,519	1,217	457	1,845	448	12,967	12,691	2,071	35	9,760	276
41	Metropolitan counties	16,795	329	94	22	70	2,640	908	359	1,373	317	9,052	8,877	1,349	24	6,959	207
42	Nonmetropolitan counties	6,822	88	30	3	32	879	309	98	472	131	3,915	3,814	722	11	2,801	69
43	Allegany	895	3	4	-	3	130	58	13	59	17	532	515	85	2	381	20
44	Cumberland	439	2	3	-	1	60	20	8	32	9	265	253	40	1	184	9
45	Balance of county	456	1	1	-	2	70	38	5	27	8	267	262	45	1	197	11
46	Anne Arundel	948	10	8	2	4	133	39	20	74	24	507	492	73	3	377	8
47	Annapolis	238	2	3	-	1	35	10	7	18	7	132	128	18	-	101	3
48	Balance of county	710	8	5	2	3	98	29	13	56	17	375	364	55	3	276	5
49	Baltimore	2,308	23	5	8	11	402	148	47	207	55	1,229	1,205	159	4	975	34
50	District 12[2 3]	180	2	-	1	2	34	14	2	18	4	85	85	9	1	70	1
51	District 13[2 3]	122	1	-	-	-	23	6	4	13	5	77	77	14	-	61	1
52	Balance of county	2,006	20	5	7	9	345	128	41	176	46	1,067	1,043	136	3	844	32
53	Baltimore (city)	10,856	269	69	6	43	1,675	589	242	844	204	5,949	5,837	864	13	4,629	133
54	Calvert	136	1	1	-	1	10	2	2	6	2	69	68	13	-	51	-
55	Caroline	213	3	1	-	-	29	11	4	14	4	132	129	32	-	86	1
56	Carroll	494	11	2	1	-	65	19	7	39	13	293	287	55	-	203	2
57	Cecil	374	3	1	-	3	42	15	4	23	7	200	194	22	-	161	2
58	Charles	199	3	-	-	2	20	5	2	13	3	94	92	30	-	58	-
59	Dorchester	323	7	2	-	4	32	9	5	18	5	193	189	34	1	140	1
60	Cambridge	152	5	1	-	-	11	3	2	6	2	96	96	17	-	72	-
61	Balance of county	171	2	1	-	4	21	6	3	12	3	97	93	17	1	68	1
62	Frederick	634	8	4	-	2	83	36	4	43	15	394	391	80	-	292	9
63	Frederick	220	3	-	-	1	38	19	-	19	2	133	132	27	-	102	3
64	Balance of county	414	5	4	-	1	45	17	4	24	13	261	259	53	-	190	6
65	Garrett	174	1	1	-	1	23	11	2	10	3	113	113	11	-	98	5
66	Harford	482	12	-	-	2	56	16	7	33	10	251	245	40	-	190	2
67	Howard	186	4	-	-	3	29	10	5	14	2	98	93	14	1	73	1
68	Kent	158	1	2	-	-	20	4	5	11	4	101	101	18	-	76	6
69	Montgomery	1,396	12	8	4	5	226	71	19	136	20	730	715	156	3	499	18
70	Takoma Park (part)	122	-	-	1	1	23	5	1	17	-	68	68	13	-	44	1
71	Takoma Park (total)	135	-	-	1	1	25	5	1	19	-	79	79	14	-	53	1
72	Balance of county	1,274	12	8	3	4	203	66	18	119	20	662	647	143	3	455	17
73	Prince Georges	1,287	15	4	2	7	204	61	31	112	14	637	628	97	1	479	14
74	College Park	49	-	-	-	-	8	4	-	4	1	22	22	5	-	16	-
75	Hyattsville	198	2	2	1	-	34	7	9	18	2	91	91	16	1	65	-
76	Mount Rainier	77	1	-	-	-	11	4	2	5	1	38	38	6	-	29	-
77	Takoma Park (part)	13	-	-	-	-	2	-	-	2	-	11	11	1	-	9	-
78	Balance of county	950	12	2	1	7	149	46	20	83	10	475	466	69	-	360	14
79	Queen Annes	185	1	2	-	3	16	4	2	10	4	115	110	23	2	78	2
80	St. Marys	186	2	-	-	-	22	6	2	14	5	83	83	16	1	55	-
81	Somerset	265	8	-	-	2	31	5	5	21	3	168	158	40	-	111	1

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
19	8	11	-	1	-	1	13	1	1	-	1	2	3	11	3	7	3	-	1	16	1
16	15	2	2	3	-	-	10	-	-	-	-	1	1	5	-	1	2	-	1	3	2
33	10	5	-	1	3	3	4	1	-	1	2	-	2	7	2	1	7	2	-	9	3
2,642	465	656	102	273	61	168	283	56	33	62	17	9	133	328	71	202	342	119	13	620	4
574	96	82	9	46	10	21	64	14	10	16	2	-	21	66	15	31	60	24	6	110	5
2,068	369	574	93	227	51	147	219	42	23	46	15	9	112	262	56	171	282	95	7	510	6
255	42	40	11	24	5	17	26	8	2	6	2	1	16	33	4	14	33	14	1	53	7
117	23	15	5	10	2	8	10	3	1	4	1	-	8	10	2	3	20	2	1	25	8
61	12	6	3	4	2	7	8	2	-	2	-	1	2	10	-	5	4	5	-	17	9
77	7	19	3	10	1	2	8	3	1	-	1	-	6	13	2	6	9	7	-	11	10
151	35	54	9	17	3	20	32	3	3	7	1	4	15	62	5	22	42	8	1	51	11
574	96	82	9	46	10	21	64	14	10	16	2	-	21	66	15	31	60	24	6	110	12
293	39	33	5	17	6	7	28	6	5	9	2	-	12	25	9	15	33	14	5	60	13
58	6	10	1	8	1	2	7	1	1	1	-	-	2	10	-	1	6	3	-	13	14
32	6	4	2	6	-	1	4	1	-	-	-	-	-	8	-	3	5	1	-	6	15
191	45	35	1	15	3	11	25	6	4	6	-	-	7	23	6	12	16	6	1	31	16
70	4	6	4	4	1	3	12	-	1	1	-	-	3	8	3	3	4	3	-	14	17
95	19	34	2	6	4	5	6	1	3	-	1	-	3	7	5	4	14	5	-	22	18
267	39	76	9	28	4	21	35	4	1	7	3	-	12	22	4	22	32	12	2	54	19
63	19	9	3	-	1	4	7	-	-	3	-	-	2	4	2	6	6	3	-	7	20
74	9	12	-	7	-	3	7	-	1	1	-	-	7	6	-	5	11	3	-	16	21
130	11	55	6	21	3	14	21	4	-	3	3	-	3	12	2	11	15	6	2	31	22
85	20	35	4	10	3	7	4	1	-	2	1	-	2	4	1	1	15	3	-	16	23
61	7	16	6	5	3	9	12	3	1	-	2	-	3	4	2	5	6	5	2	21	24
131	21	24	7	9	4	3	8	2	-	-	-	1	13	19	2	8	23	9	-	37	25
265	46	85	13	44	7	17	31	9	4	12	1	-	16	42	13	29	36	6	-	70	26
94	17	21	5	17	3	2	5	-	2	4	-	-	1	12	4	10	8	2	-	19	27
169	29	64	8	27	4	15	26	9	2	8	1	-	15	30	9	19	28	4	-	51	28
50	16	20	2	4	5	5	4	-	1	-	-	-	-	7	5	7	5	3	-	9	29
70	19	12	1	9	-	4	8	1	2	3	-	-	2	3	1	4	6	4	-	12	30
43	9	7	-	8	-	2	3	-	1	2	-	-	-	1	1	1	2	2	-	4	31
27	10	5	1	1	-	2	5	1	1	1	-	-	2	2	-	3	4	2	-	8	32
113	15	42	4	16	1	3	9	3	3	2	1	1	6	13	-	15	16	8	-	34	33
56	16	22	5	9	1	4	7	1	1	-	-	-	5	6	1	5	4	2	-	19	34
104	17	48	6	10	2	10	14	1	-	-	1	2	5	13	6	13	9	7	1	37	35
297	53	60	10	32	8	19	11	5	1	5	2	-	11	19	4	19	35	6	-	61	36
51	11	16	1	8	-	3	2	2	-	2	-	-	3	6	1	1	7	1	-	6	37
34	5	2	2	6	-	3	1	-	-	-	-	-	3	2	-	2	3	1	-	7	38
212	37	42	7	18	8	13	8	3	1	3	2	-	5	11	3	16	25	4	-	48	39
5,020	2,213	2,251	201	471	153	276	688	126	87	297	58	25	345	1,055	79	494	870	249	134	1,508	40
3,493	1,720	1,539	141	298	108	175	493	93	52	261	33	15	262	756	47	310	570	172	107	1,100	41
1,527	493	712	60	175	45	101	195	33	35	36	25	10	83	299	32	184	300	77	27	408	42
177	61	123	11	28	8	17	22	8	1	10	2	2	14	23	7	11	29	11	2	64	43
79	32	64	6	17	5	12	13	4	-	5	2	-	6	6	7	4	12	7	-	33	44
98	29	59	5	11	3	5	9	4	1	5	-	2	8	17	-	7	17	4	2	31	45
217	74	78	4	28	7	15	29	5	8	6	4	3	17	50	6	28	38	9	2	55	46
67	15	16	1	4	4	4	9	1	3	2	2	-	2	11	-	3	9	1	-	15	47
150	59	62	3	24	3	11	20	4	5	4	2	3	15	39	6	25	29	8	2	40	48
528	210	203	17	36	14	24	47	10	8	21	2	4	47	127	6	36	85	22	10	150	49
34	20	15	1	3	1	-	3	2	1	4	-	-	3	13	1	2	11	1	1	10	50
30	14	16	-	1	1	-	1	-	-	1	-	1	-	4	-	1	-	-	-	8	51
464	176	172	16	32	12	24	43	8	7	16	2	3	44	110	5	33	74	21	9	132	52
2,156	1,216	1,124	95	168	68	112	341	63	28	204	20	6	128	434	24	169	350	82	75	719	53
28	12	11	1	2	1	1	5	-	1	2	1	1	2	9	4	9	9	-	1	8	54
51	15	19	1	8	2	3	4	2	-	-	1	-	2	5	1	3	9	1	-	16	55
92	42	67	3	20	6	6	14	1	2	1	3	-	8	16	1	9	18	8	-	28	56
90	44	25	-	8	3	6	6	5	1	1	2	1	4	24	3	20	21	6	3	21	57
29	17	12	1	3	-	2	10	-	3	1	-	-	4	14	5	14	13	3	-	10	58
76	37	26	4	9	1	4	9	-	3	3	3	-	2	10	2	10	12	1	2	23	59
42	25	5	1	6	-	-	5	-	3	3	1	-	1	3	1	3	6	1	-	10	60
34	12	21	3	3	1	4	4	-	-	-	2	-	1	7	1	7	6	-	2	13	61
164	37	82	2	17	-	3	13	2	2	4	4	-	5	16	-	12	22	8	4	36	62
70	10	19	-	3	-	1	5	2	1	1	2	-	1	8	-	4	8	-	2	9	63
94	27	63	2	14	-	2	8	-	1	3	2	-	4	8	-	8	14	8	2	27	64
43	5	45	1	3	-	-	6	1	-	-	-	-	4	2	-	4	6	-	-	9	65
116	25	47	5	9	1	6	19	2	5	1	-	3	5	39	-	16	24	9	1	27	66
37	17	18	1	3	1	5	3	1	2	-	1	-	3	9	-	5	6	2	3	15	67
41	7	22	4	1	2	-	3	-	1	-	-	-	-	4	-	5	4	5	-	8	68
349	64	68	16	32	9	15	40	8	4	14	5	1	34	66	6	29	52	26	9	97	69
31	5	7	3	5	3	-	5	1	-	1	1	-	3	7	-	2	3	-	2	4	70
36	7	9	3	6	3	-	5	1	-	1	1	-	3	7	-	2	3	-	2	4	71
318	59	61	13	27	6	15	35	7	4	13	4	1	31	59	6	27	49	26	7	93	72
243	156	66	9	32	10	9	36	7	6	16	2	1	36	79	5	48	45	33	11	79	73
13	1	2	1	-	-	-	1	-	-	1	-	-	5	3	-	1	1	4	-	2	74
39	19	7	-	7	2	-	8	3	-	3	-	1	8	21	-	3	4	3	-	12	75
18	8	3	1	1	1	-	1	-	-	2	-	-	2	7	-	2	2	3	1	6	76
5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
168	126	52	7	23	7	9	26	4	6	10	2	-	21	48	5	42	38	23	10	59	78
39	12	25	-	5	2	5	8	1	1	-	1	-	1	7	1	4	9	2	1	8	79
33	10	12	4	6	1	-	8	-	1	3	-	1	3	16	2	9	17	1	-	13	80
64	17	29	2	5	-	10	8	-	2	1	1	1	2	9	-	6	10	-	1	12	81

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MARYLAND—Continued																
1	Talbot	256	1	2	-	-	36	12	4	20	2	148	146	21	2	102	-
2	Washington	889	11	2	2	1	127	47	13	67	17	512	503	96	1	363	13
3	Hagerstown	485	10	1	1	1	78	31	10	37	10	289	285	44	1	205	8
4	Balance of county	404	1	1	1	-	49	16	3	30	7	243	238	52	-	158	5
5	Wicomico	496	7	6	-	2	65	23	7	35	11	276	266	58	1	190	4
6	Salisbury	255	4	2	-	2	35	9	5	21	8	135	130	25	-	99	1
7	Balance of county	241	3	4	-	-	30	14	2	14	3	141	136	33	1	91	3
8	Worcester	277	1	-	-	3	43	16	5	22	4	143	131	34	-	93	-
9	MASSACHUSETTS[4]	51,827	541	89	25	156	8,840	3,501	962	4,377	930	29,947	29,501	5,732	36	21,746	784
10	MICHIGAN	62,171	603	197	106	259	9,924	3,715	1,095	5,114	1,405	32,326	31,625	7,145	62	22,341	849
11	Metropolitan counties	39,280	468	151	67	144	6,573	2,454	757	3,362	978	19,818	19,377	4,149	41	13,943	595
12	Nonmetropolitan counties	22,891	135	46	39	115	3,351	1,261	338	1,752	527	12,508	12,248	2,996	21	8,398	254
13	Alcona	72	-	1	-	1	14	4	-	10	-	33	33	14	-	18	1
14	Alger	116	1	-	1	-	16	5	4	7	2	53	51	8	-	32	2
15	Allegan	527	-	-	-	2	75	35	4	36	13	299	292	73	1	201	3
16	Alpena	224	2	1	-	-	33	10	2	21	6	138	137	33	-	97	1
17	Alpena	141	1	1	-	-	23	7	2	14	4	84	83	21	-	57	1
18	Balance of county	83	1	-	-	-	10	3	-	7	2	54	54	12	-	40	-
19	Antrim	144	-	-	-	1	20	10	-	10	5	90	88	13	1	70	1
20	Arenac	102	2	-	-	-	18	7	3	8	1	58	58	14	-	43	1
21	Baraga	100	-	-	-	1	18	7	4	7	3	48	48	13	-	34	-
22	Barry	306	-	-	-	4	33	8	6	19	10	188	187	48	-	128	6
23	Bay	930	9	-	1	3	128	51	6	71	18	492	485	116	2	328	14
24	Bay City	644	8	-	-	1	89	40	2	47	10	348	342	81	1	229	8
25	Balance of county	286	1	-	1	2	39	11	4	24	8	144	143	35	1	99	6
26	Benzie	96	-	2	-	1	8	4	1	3	2	54	54	12	-	40	1
27	Berrien	1,286	7	2	2	9	200	73	29	98	22	704	687	141	-	480	15
28	Benton Harbor	228	3	-	-	-	36	11	6	19	3	121	121	25	-	87	3
29	Niles	151	-	1	-	2	19	8	2	9	1	97	87	11	-	62	2
30	St. Joseph	127	-	-	-	1	26	4	4	18	3	70	68	15	-	45	1
31	Balance of county	780	4	1	2	6	119	50	17	52	15	426	411	90	-	286	9
32	Branch	328	2	-	1	-	45	10	8	27	10	206	204	65	-	121	5
33	Calhoun	1,232	6	2	3	6	184	63	17	104	28	618	611	162	2	400	13
34	Battle Creek	605	4	1	2	3	88	28	10	50	13	290	288	81	1	184	6
35	Albion	109	-	1	-	1	17	5	2	10	1	65	64	21	-	40	1
36	Balance of county	518	2	-	1	2	79	30	5	44	14	263	259	60	1	176	6
37	Cass	371	2	1	2	1	50	20	6	21	7	216	215	51	1	152	7
38	Charlevoix	168	-	-	-	1	19	5	3	10	4	104	103	20	1	79	1
39	Cheboygan	157	1	-	-	3	26	8	3	15	1	84	83	14	-	66	1
40	Chippewa	315	3	2	1	-	43	18	6	19	8	153	147	35	-	103	6
41	Sault Ste. Marie	200	1	1	1	-	27	10	4	13	6	98	95	25	-	63	6
42	Balance of county	115	2	1	-	-	16	8	2	6	2	54	52	10	-	40	-
43	Clare	113	1	-	-	-	16	6	2	8	3	64	63	13	-	46	2
44	Clinton	297	-	1	-	-	38	14	3	21	9	169	163	32	-	109	1
45	Crawford	54	1	-	-	-	15	6	-	9	1	26	26	8	-	17	-
46	Delta	356	-	-	-	1	60	26	8	26	9	195	189	40	-	131	4
47	Escanaba	170	-	-	-	-	32	15	5	12	3	97	93	23	-	60	2
48	Balance of county	186	-	-	-	1	28	11	3	14	6	98	96	17	-	71	2
49	Dickinson	230	6	1	1	-	38	17	3	18	5	124	122	27	1	85	1
50	Eaton	435	1	-	-	2	73	17	7	49	7	238	232	52	-	155	6
51	Emmet	179	2	-	-	-	21	8	3	10	1	114	113	18	-	89	3
52	Genesee	2,503	16	9	4	7	368	126	37	205	43	1,218	1,186	271	2	795	29
53	Flint	1,608	11	8	2	5	249	86	25	138	23	831	805	192	2	530	21
54	Balance of county	895	5	1	2	2	119	40	12	67	20	387	381	79	-	265	8
55	Gladwin	95	-	-	-	1	19	8	1	10	-	52	52	14	-	35	-
56	Gogebic	353	6	1	1	2	54	22	9	23	9	194	193	42	-	147	1
57	Ironwood	150	2	-	1	1	31	12	5	14	2	75	74	23	-	51	-
58	Balance of county	203	4	1	-	1	23	10	4	9	7	119	119	19	-	96	1
59	Grand Traverse	249	-	1	-	2	39	16	6	17	8	133	131	25	-	94	2
60	Traverse City	150	-	1	-	-	20	9	2	9	4	84	82	15	-	58	1
61	Balance of county	99	-	-	-	2	19	7	4	8	2	49	49	10	-	36	1
62	Gratiot	370	1	-	-	1	54	25	4	25	8	216	210	53	1	140	4
63	Hillsdale	358	2	-	-	1	52	22	4	26	11	199	195	49	-	128	5
64	Houghton	560	2	3	1	1	84	38	7	39	14	506	500	82	-	204	4
65	Huron	371	3	-	-	-	53	26	6	21	7	204	199	54	-	131	1
66	Ingham	1,483	9	5	2	5	220	84	18	118	21	922	806	208	3	528	21
67	Lansing	861	7	4	2	3	132	51	13	68	10	493	485	123	2	314	13
68	East Lansing	99	-	-	-	-	20	8	-	12	3	42	42	10	-	28	-
69	Balance of county	523	2	1	-	2	68	23	5	38	8	287	279	75	1	186	8
70	Ionia	376	2	-	-	6	63	26	5	32	8	201	197	53	2	124	3
71	Iosco	137	1	-	-	1	20	6	2	12	4	77	75	24	-	46	2
72	Iron	212	4	1	-	-	34	16	4	14	4	112	109	31	-	74	2
73	Isabella	267	1	-	-	1	32	11	2	19	8	149	146	36	-	100	3
74	Mount Pleasant	105	-	-	-	-	17	6	-	11	4	54	53	13	-	38	1
75	Balance of county	162	1	-	-	1	15	5	2	8	4	95	93	23	-	62	2
76	Jackson	1,154	7	4	1	5	170	47	22	101	35	625	610	143	2	414	13
77	Jackson	673	6	3	-	3	105	28	16	61	23	365	355	92	-	234	4
78	Balance of county	481	1	1	1	2	65	19	6	40	12	260	255	51	2	180	9
79	Kalamazoo	1,131	5	-	2	4	180	74	20	86	20	621	605	132	1	427	18
80	Kalamazoo	649	5	-	1	2	109	42	14	53	11	366	358	80	-	256	9
81	Balance of county	482	-	-	1	2	71	32	6	33	9	255	247	52	1	171	9
82	Kalkaska	43	-	-	-	-	4	2	1	1	2	29	29	9	-	19	-
83	Kent	2,896	16	9	3	3	500	204	52	244	88	1,569	1,541	344	-	1,059	23
84	Grand Rapids	2,005	12	8	2	3	346	146	30	170	64	1,113	1,096	235	-	754	16
85	Balance of county	891	4	1	1	-	154	58	22	74	24	456	445	109	-	305	7

[4]Data for Massachusetts are shown only for the State as a whole. United States totals for metropolitan and nonmetropolitan counties include estimates for this area; for explanation, see text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
68	14	20	6	12	3	2	13	1	2	2	4	-	3	13	-	5	12	-	-	12	1
220	60	70	8	25	10	9	21	6	2	4	1	-	9	44	2	21	44	7	2	54	2
127	33	37	3	6	6	4	14	4	1	3	1	-	8	24	1	5	25	1	1	27	3
93	27	33	5	19	4	5	7	2	1	1	-	-	1	20	1	16	19	6	1	27	4
110	33	43	6	7	4	10	16	1	3	2	1	1	9	25	1	15	25	7	4	19	5
55	18	25	2	3	1	5	10	1	-	-	-	-	3	16	-	9	13	5	3	9	6
55	15	18	4	4	3	5	6	-	3	2	1	1	6	9	1	6	12	2	1	10	7
49	28	16	-	4	-	12	7	2	3	1	-	-	3	14	3	6	10	6	3	25	8
15,762	2,469	2,731	333	1,294	360	446	1,299	408	182	703	70	35	570	1,441	249	589	2,062	349	51	3,291	9
15,090	2,793	3,609	407	1,278	392	701	1,781	412	302	724	119	79	958	2,818	622	2,035	2,333	713	230	4,225	10
9,467	1,937	1,944	268	720	256	441	1,124	271	186	548	73	57	665	1,978	396	1,201	1,412	442	196	2,632	11
5,623	856	1,665	139	558	136	260	657	141	116	176	46	22	293	840	226	834	921	271	34	1,593	12
13	2	2	-	1	-	-	2	1	-	-	-	-	2	2	-	4	3	-	-	9	13
16	2	12	1	9	1	2	2	-	-	2	1	-	-	4	13	7	6	1	-	7	14
145	15	38	4	12	1	7	15	5	2	4	1	-	6	16	5	24	18	4	-	38	15
66	10	20	1	5	1	1	2	-	1	3	-	-	1	8	1	12	6	1	-	9	16
34	7	15	1	4	-	1	1	-	-	2	-	-	1	5	-	7	6	-	-	6	17
32	3	5	-	1	1	-	1	-	1	1	-	-	-	3	1	5	-	1	-	3	18
54	4	11	-	4	-	2	6	1	-	1	-	-	1	4	-	6	3	-	-	6	19
24	9	9	-	-	1	-	3	-	-	-	-	1	1	4	1	5	2	1	-	5	20
19	4	11	-	-	1	-	2	-	-	3	-	-	4	1	5	-	5	-	-	10	21
90	15	17	3	7	1	1	12	2	-	3	-	-	8	5	1	5	6	5	-	24	22
187	56	71	4	25	10	7	39	7	17	6	2	4	17	34	8	38	28	8	1	72	23
131	40	50	3	20	8	6	29	5	10	3	2	4	12	22	6	22	14	5	1	53	24
56	16	21	1	5	2	1	10	2	7	3	-	-	5	12	2	16	14	3	-	19	25
23	5	11	1	-	1	-	4	-	-	1	-	-	2	-	-	8	2	2	-	10	26
358	34	73	12	39	15	17	35	7	6	13	3	2	16	56	6	46	37	14	6	93	27
66	12	6	3	2	4	-	7	2	1	4	-	1	3	16	3	6	4	2	2	14	28
46	4	10	2	11	1	-	4	1	-	2	-	-	2	9	1	5	2	2	1	12	29
35	5	4	4	4	-	2	3	-	2	2	-	-	2	3	-	3	4	2	-	6	30
211	13	53	3	22	10	15	21	4	3	5	3	1	9	28	2	32	27	8	3	61	31
90	10	16	6	11	1	2	5	4	-	2	1	-	1	7	1	8	10	6	-	19	32
270	39	78	11	28	8	7	36	9	10	11	2	5	13	55	17	46	46	17	2	116	33
125	21	32	6	12	4	2	23	4	7	7	2	4	5	24	13	24	22	10	1	58	34
24	4	11	3	-	-	1	4	2	-	1	-	-	-	5	-	2	2	-	-	8	35
121	14	35	2	16	4	4	9	3	3	3	-	1	8	26	4	20	22	7	1	50	36
93	14	38	1	7	3	1	13	1	3	1	1	-	1	14	4	13	16	5	-	20	37
54	8	16	1	1	1	1	2	-	1	-	-	1	2	5	-	4	10	3	-	12	38
39	11	15	2	-	1	1	4	3	1	-	-	1	1	11	-	5	5	2	-	9	39
58	14	25	-	9	-	6	16	3	1	2	-	-	4	21	4	13	17	7	2	15	40
35	10	12	-	7	-	4	9	2	1	1	-	-	3	14	3	9	9	4	2	8	41
23	4	13	-	2	-	2	7	1	-	1	-	-	1	7	1	4	8	3	-	7	42
31	5	8	-	4	-	1	3	1	1	-	-	-	1	5	1	3	6	2	-	6	43
74	25	9	2	17	3	6	5	-	1	1	-	-	7	9	1	13	16	3	1	23	44
11	2	4	-	-	1	-	3	1	-	-	-	-	-	-	1	-	2	1	-	3	45
60	19	48	4	11	3	6	12	2	1	2	-	-	5	10	2	15	13	4	-	25	46
28	10	20	2	6	2	4	7	1	-	-	-	-	2	5	1	6	5	1	-	10	47
32	9	28	2	5	1	2	5	1	1	2	-	-	3	5	1	9	8	3	-	15	48
61	5	18	1	8	-	2	6	2	3	3	-	-	6	2	-	5	12	3	-	13	49
94	19	36	2	17	6	6	15	4	2	4	-	1	7	15	8	13	19	4	-	22	50
79	2	5	-	5	1	1	5	2	4	1	-	-	1	7	-	4	6	3	-	8	51
586	78	102	17	95	6	32	84	15	5	32	4	2	41	138	21	114	197	23	12	150	52
399	56	54	10	66	5	26	47	9	1	21	3	1	24	106	17	63	65	16	9	97	53
187	22	48	7	29	1	6	37	6	4	11	1	1	17	32	4	51	132	7	3	53	54
22	6	7	1	1	1	-	3	-	2	1	-	-	1	2	1	2	7	-	-	4	55
98	15	33	2	-	2	1	9	1	2	4	2	-	8	17	4	6	13	3	-	17	56
34	5	12	-	-	-	1	1	1	1	4	1	-	5	8	1	2	6	1	-	7	57
64	10	21	2	-	2	-	8	-	1	-	1	-	3	9	3	4	7	2	-	10	58
68	4	20	2	6	4	2	4	2	1	3	1	-	6	12	-	10	13	2	-	14	59
42	3	12	2	5	3	1	1	1	1	2	-	-	3	10	-	3	6	2	-	12	60
26	1	8	-	1	1	1	3	1	-	1	1	-	3	2	-	7	7	-	-	2	61
97	10	29	2	11	3	6	12	2	-	-	4	-	4	14	3	6	15	7	-	23	62
78	22	23	-	15	3	4	13	3	2	1	-	-	3	6	4	11	24	7	-	19	63
148	10	42	2	11	1	6	14	3	3	5	1	-	5	10	8	13	32	2	-	53	64
79	14	37	2	10	2	5	14	2	3	3	-	-	5	13	6	22	13	3	-	20	65
371	64	72	13	44	10	16	32	6	11	10	1	1	36	68	4	55	68	20	5	82	66
221	35	45	9	34	3	8	17	5	3	7	-	1	19	34	-	24	40	14	2	44	67
20	4	4	-	3	1	-	3	-	-	1	1	-	4	6	1	5	6	1	2	4	68
130	25	23	4	7	6	8	12	1	8	2	-	-	13	28	3	26	22	5	1	34	69
69	18	34	2	13	3	4	9	2	-	1	-	2	4	8	7	19	18	5	-	21	70
30	2	12	-	5	-	2	1	1	1	1	-	-	2	4	-	7	6	2	-	9	71
51	8	13	1	-	3	3	4	1	1	2	-	1	2	2	7	8	9	6	-	14	72
69	12	16	-	10	-	3	9	-	-	2	1	-	-	15	1	13	18	4	-	13	73
28	5	4	-	2	-	1	4	-	-	-	1	-	-	10	1	4	3	1	-	6	74
41	7	12	-	8	-	2	5	-	-	2	-	-	-	5	-	9	15	3	-	7	75
296	54	51	8	34	9	15	35	5	7	8	2	-	12	48	4	57	33	15	2	79	76
172	31	27	4	21	4	10	17	3	5	7	1	-	6	28	3	28	20	6	1	43	77
124	23	24	4	13	5	5	18	2	2	1	1	-	6	20	1	29	13	9	1	36	78
306	44	59	4	37	4	16	38	5	5	11	-	1	20	51	10	37	37	17	1	66	79
183	27	37	3	17	2	8	26	3	5	5	-	-	10	29	7	10	15	7	1	37	80
123	17	22	1	20	2	8	12	2	-	6	-	1	10	22	3	27	22	10	-	29	81
17	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	2	82
726	96	214	25	89	24	28	57	24	8	21	6	-	50	110	43	72	102	26	1	188	83
530	68	140	17	68	22	17	41	14	4	17	4	-	26	74	29	38	62	18	1	129	84
196	28	74	8	21	2	11	16	10	4	4	2	-	24	36	14	34	40	8	-	59	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Keweenaw	39	-	-	-	-	4	1	-	3	1	18	18	8	-	9	-
2	Lake	82	-	-	-	1	9	4	-	5	1	47	44	4	-	39	2
3	Lapeer	363	2	-	1	2	61	29	7	25	6	194	186	50	1	115	5
4	Leelanau	76	-	-	-	-	12	3	-	9	3	43	42	10	-	32	2
5	Lenawee	696	8	2	-	4	99	25	4	70	13	340	327	76	-	225	3
6	Adrian	203	3	1	-	1	24	7	1	16	5	100	98	27	-	65	1
7	Balance of county	493	5	1	-	3	75	18	3	54	8	240	229	49	-	160	2
8	Livingston	320	5	-	2	1	48	21	5	22	5	170	166	36	-	113	4
9	Luce	64	1	-	-	-	8	2	1	5	1	37	36	5	-	30	-
10	Mackinac	102	4	-	-	3	12	8	1	3	4	51	50	15	-	30	1
11	Macomb	1,596	13	4	5	3	240	83	26	131	56	760	742	168	2	544	23
12	East Detroit	166	2	-	2	-	28	9	4	15	7	76	74	13	-	59	2
13	Mount Clemens	224	1	-	2	1	33	11	3	19	11	116	111	30	-	77	1
14	Roseville	146	1	1	-	1	18	7	3	8	4	62	62	14	-	45	5
15	St. Clair Shores	167	1	-	-	-	29	9	2	18	7	76	73	16	-	55	6
16	Balance of county	893	8	3	1	1	132	47	14	71	27	430	422	95	2	308	9
17	Manistee	240	1	1	1	-	39	22	1	16	5	158	156	38	-	114	1
18	Marquette	557	5	-	4	-	81	38	7	36	16	283	277	81	-	176	7
19	Marquette	206	2	-	1	-	29	12	2	15	6	111	111	32	-	70	2
20	Balance of county	351	3	-	3	-	52	26	5	21	10	172	166	49	-	106	5
21	Mason	242	-	1	-	5	21	5	4	12	2	148	148	30	-	113	3
22	Mecosta	186	2	1	-	-	28	11	2	15	6	109	104	29	1	65	2
23	Menominee	258	2	-	1	1	45	16	5	24	9	143	142	29	-	107	4
24	Menominee	125	2	-	1	-	22	6	2	14	4	68	68	14	-	51	2
25	Balance of county	133	-	-	-	1	23	10	3	10	5	75	74	15	-	56	2
26	Midland	246	2	-	-	1	39	14	2	23	1	125	122	25	-	91	7
27	Midland	113	-	-	-	-	24	8	2	14	1	54	54	10	-	41	4
28	Balance of county	133	2	-	-	1	15	6	-	9	-	71	68	15	-	50	3
29	Missaukee	69	-	-	-	1	14	6	-	8	3	39	38	17	-	21	1
30	Monroe	706	6	-	1	1	114	42	15	57	17	350	346	71	1	259	1
31	Monroe	210	1	-	-	-	33	12	9	12	6	106	105	20	-	78	1
32	Balance of county	496	5	-	1	1	81	30	6	45	11	244	241	51	1	181	-
33	Montcalm	424	4	-	-	-	66	22	5	39	10	210	202	58	1	129	4
34	Montmorency	30	-	-	-	-	6	2	-	4	-	14	14	-	-	14	-
35	Muskegon	1,141	10	3	-	9	147	41	20	86	18	599	588	144	2	404	18
36	Muskegon	537	4	1	-	6	77	20	10	47	10	294	288	59	1	208	9
37	Muskegon Heights	144	3	-	-	1	15	3	2	10	2	78	78	19	-	53	4
38	Balance of county	460	3	2	-	2	55	18	8	29	6	227	222	66	1	143	5
39	Newaygo	248	1	-	-	1	40	15	5	20	8	122	117	24	-	88	4
40	Oakland	3,332	20	10	9	19	563	200	56	307	78	1,601	1,560	336	4	1,109	50
41	Pontiac	662	6	2	1	2	101	33	9	59	12	314	302	67	1	212	9
42	Ferndale	262	2	1	2	2	47	17	7	23	5	115	114	23	-	84	3
43	Royal Oak	406	3	1	2	1	63	22	6	35	15	207	200	42	2	139	7
44	Berkley	105	-	-	1	-	24	7	2	15	-	43	43	10	-	33	-
45	Birmingham	190	2	2	-	-	26	8	3	15	6	98	98	19	-	69	3
46	Hazel Park	147	1	-	1	-	19	9	6	4	7	66	63	8	-	52	1
47	Balance of county	1,560	6	4	2	14	283	104	23	156	33	758	740	167	1	520	27
48	Oceana	185	1	2	-	2	18	7	-	11	5	105	103	25	-	70	2
49	Ogemaw	113	-	-	-	-	11	4	1	6	5	62	60	18	-	39	3
50	Ontonagon	135	-	-	-	-	15	9	1	5	4	83	80	22	-	50	-
51	Osceola	195	2	2	-	-	25	12	3	10	9	121	117	36	-	72	2
52	Oscoda	26	-	-	-	-	5	2	2	1	-	13	13	3	-	10	-
53	Otsego	69	-	-	-	-	6	4	-	2	2	40	40	7	-	28	1
54	Ottawa	860	3	1	3	2	115	43	14	58	17	364	356	82	-	242	10
55	Holland	172	3	-	1	-	30	13	3	14	5	96	92	26	-	60	2
56	Balance of county	488	-	1	2	2	85	30	11	44	12	268	264	56	-	182	8
57	Presque Isle	98	-	-	-	-	15	6	1	8	2	54	54	18	-	34	3
58	Roscommon	70	2	-	-	-	15	7	2	6	2	35	33	6	-	24	2
59	Saginaw	1,567	8	8	3	8	244	85	28	131	30	809	787	181	3	532	13
60	Saginaw	972	4	6	3	5	154	56	17	81	19	516	499	117	2	336	7
61	Balance of county	595	4	2	-	3	90	29	11	50	11	293	288	64	1	196	6
62	St. Clair	1,058	3	4	4	14	149	56	12	81	29	567	561	119	1	411	11
63	Fort Huron	436	-	1	4	6	56	22	6	28	16	240	238	60	-	167	6
64	Balance of county	622	3	3	-	8	93	34	6	53	13	327	323	59	1	244	5
65	St. Joseph	414	1	4	1	2	55	12	5	38	12	241	231	76	-	138	6
66	Sanilac	350	2	-	1	2	43	14	3	26	12	217	213	54	-	144	2
67	Schoolcraft	105	-	-	-	-	19	7	3	9	4	52	52	12	1	36	-
68	Shiawassee	497	-	1	1	5	71	20	5	46	8	287	281	66	-	197	6
69	Owosso	165	-	-	-	3	31	8	4	19	2	82	82	23	-	54	2
70	Balance of county	332	-	1	1	2	40	12	1	27	6	205	199	43	-	143	4
71	Tuscola	434	-	-	1	4	56	26	5	25	9	250	243	81	1	152	3
72	Van Buren	523	3	5	1	2	80	26	7	47	13	311	303	72	1	209	3
73	Washtenaw	1,038	4	-	4	2	153	59	15	79	21	536	523	138	1	349	18
74	Ann Arbor	351	-	-	1	-	50	21	5	24	9	190	183	51	-	119	7
75	Ypsilanti	184	2	-	-	-	19	6	1	12	6	106	104	25	-	74	4
76	Balance of county	503	2	-	3	2	84	32	9	43	6	240	236	62	1	156	7
77	Wayne	22,688	365	102	37	87	3,960	1,500	492	1,968	491	11,301	11,055	2,250	22	8,207	391
78	Detroit	17,844	305	88	24	65	3,134	1,198	377	1,559	374	8,993	8,786	1,774	21	6,507	312
79	Dearborn	778	5	2	4	3	143	60	21	62	20	397	391	81	-	298	9
80	Hamtramck	431	8	-	-	2	78	28	19	31	17	208	203	40	-	159	5
81	Highland Park	512	5	3	1	2	95	32	10	53	9	259	254	55	-	185	5
82	Lincoln Park	198	4	-	-	-	36	13	6	17	5	70	69	17	-	49	3
83	Wyandotte	355	7	-	1	2	60	23	9	28	9	169	167	39	-	121	3
84	Allen Park	92	-	1	1	1	17	7	2	8	1	40	39	10	-	27	-
85	Ecorse	158	1	-	-	2	18	10	1	7	7	78	77	13	-	56	4
86	Grosse Pointe Park	94	-	-	-	-	16	8	1	7	3	56	55	11	-	43	2
87	Grosse Pointe Woods	76	-	1	-	-	17	5	2	10	3	45	45	10	-	30	3
88	Inkster	151	6	2	-	1	19	6	6	7	1	60	60	12	-	45	5
89	Livonia	163	-	-	1	-	25	9	1	15	1	84	83	14	-	65	4
90	River Rouge	189	3	-	-	1	30	13	2	15	4	88	85	22	-	59	2
91	Balance of county	1,647	21	5	5	8	272	88	35	149	37	754	741	152	1	563	34

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
4	2	3	-	1	-	-	-	-	-	1	-	-	-	-	4	5	2	1	1	2	1
18	6	13	-	-	1	3	4	1	-	1	-	-	1	1	-	1	4	1	1	9	2
80	8	22	3	15	2	8	15	1	-	-	1	1	3	15	3	13	15	3	-	27	3
9	14	7	-	-	-	1	1	-	-	-	-	-	2	-	-	2	1	3	-	9	4
147	23	52	5	16	5	13	14	5	7	2	1	2	11	30	25	26	25	8	3	71	5
38	9	17	2	3	1	2	5	1	2	1	-	2	3	5	12	8	7	3	1	19	6
109	14	35	3	13	4	11	9	4	5	1	1	-	8	25	13	18	18	5	2	52	7
88	3	18	3	11	3	4	16	3	-	1	-	-	1	13	3	10	11	3	-	28	8
17	3	10	-	1	-	1	4	-	1	1	-	-	-	1	-	3	1	1	2	3	9
20	2	7	1	4	-	1	2	-	-	1	-	-	3	2	1	3	7	-	-	9	10
339	79	103	6	12	10	18	44	14	10	16	3	5	41	110	11	54	72	30	7	98	11
41	6	10	1	1	-	2	3	2	-	2	-	-	6	15	3	5	5	2	1	7	12
42	14	20	-	3	1	5	6	-	2	3	-	1	2	11	4	6	10	4	2	9	13
26	8	6	1	1	1	-	4	-	1	2	-	-	10	14	1	6	5	1	2	13	14
35	6	8	1	-	1	3	4	4	2	-	1	-	1	22	-	3	4	2	-	11	15
195	45	59	3	7	7	8	27	8	5	9	2	4	22	48	3	34	48	21	2	58	16
96	7	10	1	2	1	2	4	1	-	1	-	-	3	4	1	6	6	3	-	6	17
97	14	58	5	12	3	6	17	5	5	8	-	-	8	22	3	14	31	6	1	48	18
44	4	20	5	2	2	-	4	3	2	3	-	-	2	10	1	5	12	1	1	13	19
53	10	38	-	10	1	6	13	2	3	5	-	-	6	12	2	9	19	5	-	35	20
91	7	12	-	3	2	-	8	3	1	1	2	1	4	8	3	10	8	1	-	15	21
42	5	16	1	8	-	5	4	-	-	3	-	-	-	4	3	5	4	2	-	15	22
65	8	30	2	2	2	1	7	2	3	-	-	-	1	7	1	9	9	3	-	15	23
36	3	10	1	1	1	-	2	1	-	-	-	-	1	4	-	5	6	2	-	7	24
29	5	20	1	1	1	1	5	1	3	-	-	-	-	3	1	4	3	1	-	8	25
54	12	18	-	5	1	3	7	1	1	2	-	-	9	12	1	14	5	8	-	18	26
26	5	6	-	2	1	-	1	1	-	1	-	-	4	7	1	7	3	2	-	7	27
28	7	12	-	3	-	3	6	-	1	1	-	-	5	5	-	7	2	6	-	11	28
12	-	8	-	-	-	1	1	1	-	-	-	-	-	-	-	4	5	-	-	1	29
170	40	48	5	6	4	4	22	3	8	13	-	-	13	43	4	25	27	13	-	46	30
56	13	8	3	2	2	1	9	2	2	4	-	-	5	7	2	7	5	2	-	19	31
114	27	40	2	4	2	3	13	1	6	9	-	-	8	36	2	18	22	11	-	27	32
78	11	36	-	13	1	8	11	2	1	3	4	-	8	18	3	21	24	4	-	35	33
8	1	5	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	6	34
299	35	52	10	21	7	11	43	14	8	10	4	-	16	63	13	34	55	7	2	86	35
148	19	32	4	15	1	6	20	8	5	3	2	-	6	24	5	10	24	-	1	37	36
38	4	7	2	1	3	-	5	2	-	4	-	-	1	10	2	2	5	-	-	14	37
113	12	13	4	5	3	5	18	4	3	3	2	-	9	29	6	22	26	7	1	35	38
48	11	25	-	5	-	5	10	1	2	1	1	1	7	4	3	8	12	4	-	22	39
745	118	196	29	63	19	41	118	20	18	29	7	8	61	241	19	129	110	40	19	213	40
158	26	39	9	12	1	12	21	6	8	9	1	1	15	50	3	24	24	6	10	46	41
57	6	18	3	1	3	1	11	2	1	2	1	3	4	21	3	7	8	3	1	21	42
94	12	26	3	13	1	7	11	1	2	3	-	-	3	32	1	15	11	5	-	30	43
25	3	5	-	-	-	-	2	1	-	1	-	1	4	15	1	3	1	-	-	8	44
51	5	10	1	8	1	-	3	1	-	2	-	-	4	19	-	8	7	2	-	10	45
37	4	10	1	2	-	3	4	2	2	-	2	-	4	14	2	4	4	1	2	12	46
343	62	88	12	27	13	18	66	7	5	12	3	3	27	90	9	68	55	23	6	86	47
35	10	23	2	6	-	2	4	2	1	-	2	-	1	10	6	9	7	-	-	10	48
28	1	7	1	1	1	2	3	1	1	-	-	1	1	4	-	10	4	-	-	10	49
42	3	5	3	4	1	3	3	-	1	2	-	-	1	2	2	3	8	-	-	11	50
37	14	19	2	5	2	4	4	2	1	3	-	-	1	5	-	3	9	-	-	8	51
8	-	2	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	1	-	1	52
23	1	3	-	4	1	-	3	-	-	1	1	1	-	4	-	4	1	1	-	5	53
167	31	34	-	29	3	8	14	5	4	2	1	1	3	19	7	29	25	6	2	37	54
45	5	8	-	5	1	4	1	3	1	-	-	-	-	3	5	9	3	3	-	9	55
122	26	26	-	24	2	4	13	2	3	2	1	1	3	16	2	20	22	3	2	28	56
28	2	1	-	2	-	-	2	-	1	-	1	-	3	2	1	5	3	2	-	7	57
18	3	1	-	3	-	2	1	1	-	-	-	-	-	2	-	3	4	2	-	3	58
359	47	113	16	48	7	22	26	10	10	20	4	1	22	98	10	58	57	14	5	122	59
229	30	70	11	29	4	17	18	4	6	11	4	1	9	61	7	30	35	5	4	70	60
130	17	43	5	19	3	5	8	6	4	9	-	-	13	37	3	28	22	9	1	52	61
267	62	71	7	16	7	6	34	2	6	12	1	-	15	45	9	36	44	11	3	70	62
110	31	20	4	5	2	2	14	-	2	10	-	-	7	20	2	9	11	4	1	33	63
157	31	51	3	11	5	4	20	2	4	2	1	-	8	25	7	27	33	7	2	37	64
93	12	27	3	9	5	10	12	3	-	4	-	-	3	10	-	16	14	4	-	32	65
96	10	36	2	11	2	4	8	1	-	-	1	-	4	11	1	9	10	4	-	24	66
26	2	8	1	2	-	-	2	1	-	1	1	-	1	3	3	3	6	-	1	8	67
139	28	24	3	13	2	6	16	2	3	5	1	-	4	13	-	16	18	8	-	38	68
40	8	4	1	3	1	-	5	1	1	5	-	-	-	6	-	7	5	2	-	15	69
99	20	20	2	10	1	6	11	1	2	-	1	-	4	7	-	9	13	6	-	23	70
97	16	36	1	5	3	7	10	2	3	4	1	-	8	16	-	22	14	7	1	26	71
135	19	52	5	13	3	8	10	3	4	4	2	-	5	13	7	13	23	4	1	23	72
236	30	65	5	29	1	13	30	5	6	9	2	-	13	63	6	52	37	16	5	74	73
79	8	25	-	12	1	7	12	2	-	3	2	-	2	15	3	9	17	8	1	27	74
54	5	11	1	4	-	2	4	1	1	3	-	-	2	12	2	8	4	2	1	11	75
103	17	29	4	13	-	4	14	2	5	3	-	-	9	36	1	35	16	6	3	36	76
5,552	1,301	963	146	273	157	246	651	165	95	395	44	35	365	1,080	266	587	708	249	143	1,562	77
4,382	1,044	769	134	224	126	207	533	129	79	330	35	26	253	806	224	393	529	184	122	1,218	78
217	43	29	2	5	5	6	13	3	1	11	1	1	14	36	4	25	26	9	3	57	79
102	29	23	1	2	1	5	12	-	3	7	-	1	11	17	8	9	13	2	2	33	80
137	28	15	1	9	4	5	9	4	-	13	2	-	3	18	7	17	21	13	-	31	81
32	11	3	1	2	-	1	6	1	3	1	-	1	9	14	2	9	9	4	1	23	82
83	14	21	-	5	2	2	12	4	1	3	-	1	13	22	3	14	8	3	1	22	83
21	2	4	1	-	1	1	3	-	-	1	-	-	2	9	1	7	2	1	-	5	84
32	15	5	1	5	2	1	1	2	1	-	1	1	3	10	1	11	7	1	1	12	85
32	5	4	-	1	-	1	2	3	-	1	-	-	-	1	2	1	-	2	-	7	86
22	4	1	1	4	-	-	-	1	-	-	1	-	2	3	-	1	2	-	-	-	87
19	14	7	-	1	2	-	5	3	2	1	-	2	5	15	1	6	4	1	3	14	88
49	7	5	-	2	2	1	1	2	-	-	-	-	8	13	2	5	7	5	1	8	89
36	13	8	1	1	2	3	6	-	-	3	-	-	4	10	-	9	16	-	2	13	90
388	72	69	3	12	10	13	48	13	5	24	4	2	38	106	11	80	64	24	7	119	91

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Wexford	233	2	-	-	1	36	17	2	17	6	122	120	33	-	81	5
2	Cadillac	136	2	-	-	-	24	12	2	10	4	67	67	19	-	44	3
3	Balance of county	97	-	-	-	1	12	5	-	7	2	55	53	14	-	37	2
4	MINNESOTA	29,454	204	77	90	98	4,722	1,870	391	2,461	531	16,041	15,806	3,835	30	10,754	410
5	Metropolitan counties	13,675	132	55	52	47	2,269	869	209	1,191	240	7,399	7,286	1,590	14	5,153	210
6	Nonmetropolitan counties	15,779	72	22	38	51	2,453	1,001	182	1,270	291	8,642	8,520	2,245	16	5,601	200
7	Aitkin	151	1	-	-	-	20	7	-	13	8	78	78	28	1	44	5
8	Anoka	253	1	1	-	2	27	15	2	10	3	142	139	31	-	95	1
9	Becker	249	1	1	1	-	36	14	2	20	5	139	136	26	-	108	4
10	Beltrami	259	1	-	-	1	35	17	2	16	6	141	138	38	-	93	1
11	Bemidji	132	-	-	-	-	18	10	1	7	4	75	73	20	-	50	1
12	Balance of county	127	1	-	-	1	17	7	1	9	2	66	65	18	-	43	-
13	Benton	102	-	-	1	2	14	6	-	8	2	58	58	13	-	43	4
14	St. Cloud (part)	9	-	-	-	-	1	1	-	-	-	4	4	-	-	4	-
15	Balance of county	93	-	-	1	2	13	5	-	8	2	54	54	13	-	39	4
16	Big Stone	107	1	-	1	-	18	5	3	10	4	58	58	15	-	40	-
17	Blue Earth	415	3	1	-	1	75	29	7	39	5	219	215	55	-	139	3
18	Mankato	219	-	1	-	-	36	14	-	22	3	117	115	28	-	78	2
19	Balance of county	196	3	-	-	1	39	15	7	17	2	102	100	27	-	61	1
20	Brown	264	2	1	-	-	35	12	4	19	4	159	159	48	-	99	2
21	Carlton	226	3	1	-	-	35	15	2	18	4	117	114	14	-	91	2
22	Carver	154	-	-	1	-	25	14	2	9	3	89	89	25	-	50	-
23	Cass	181	1	-	1	2	20	7	4	9	2	107	105	22	-	79	5
24	Chippewa	157	2	-	-	-	26	8	3	15	2	85	83	24	-	48	2
25	Chisago	199	1	2	-	-	27	11	7	9	4	125	124	44	-	67	3
26	Clay	246	1	-	1	-	39	12	3	24	4	138	138	43	-	85	5
27	Moorhead	116	1	-	-	-	15	4	2	9	1	65	65	21	-	41	2
28	Balance of county	130	-	-	1	-	24	8	1	15	3	73	73	22	-	44	3
29	Clearwater	95	2	-	-	1	10	3	1	6	2	51	50	8	-	37	1
30	Cook	28	-	-	-	-	3	1	-	2	-	14	14	5	-	8	-
31	Cottonwood	154	-	-	-	-	28	13	2	13	4	80	76	22	-	48	2
32	Crow Wing	300	1	-	-	1	37	14	3	20	5	183	177	34	3	126	2
33	Brainerd	138	-	-	-	-	16	6	-	10	2	87	83	19	1	58	1
34	Balance of county	162	1	-	-	1	21	8	3	10	3	96	94	15	2	68	1
35	Dakota	378	2	1	2	-	65	27	1	37	14	185	181	39	-	122	4
36	South St. Paul	127	-	-	-	-	27	14	-	13	4	59	59	14	-	38	1
37	Balance of county	251	2	1	2	-	38	13	1	24	10	126	122	25	-	84	3
38	Dodge	119	-	-	-	-	15	7	1	7	2	71	69	14	-	52	-
39	Douglas	203	2	-	-	-	35	12	1	22	2	112	108	25	-	74	2
40	Faribault	239	1	-	-	1	41	22	-	19	6	127	125	43	1	71	4
41	Fillmore	278	2	-	1	-	28	13	2	13	4	176	174	49	-	111	4
42	Freeborn	306	1	-	1	1	37	17	4	16	6	169	165	41	-	111	1
43	Albert Lea	155	-	-	1	-	19	8	2	9	4	82	81	18	-	57	1
44	Balance of county	151	1	-	-	1	18	9	2	7	2	87	84	23	-	54	-
45	Goodhue	368	1	1	-	2	65	31	7	27	10	194	193	51	1	119	1
46	Red Wing	120	-	-	-	1	20	10	2	8	5	60	60	16	-	36	1
47	Balance of county	248	1	1	-	1	45	21	5	19	5	134	133	35	1	83	-
48	Grant	97	2	-	-	-	8	6	1	1	3	57	57	15	-	39	-
49	Hennepin	6,951	71	20	18	29	1,200	467	109	624	117	3,771	3,718	858	9	2,611	104
50	Minneapolis	5,777	67	15	8	23	1,003	400	93	510	98	3,182	3,139	724	7	2,202	83
51	Richfield	82	1	2	3	-	13	5	-	8	1	28	28	8	-	20	-
52	Robbinsdale	98	-	-	-	1	16	5	-	11	1	61	61	15	-	43	2
53	St. Louis Park	153	-	-	-	-	22	7	1	15	2	79	79	16	-	59	4
54	Balance of county	841	3	3	7	5	145	50	15	80	13	421	411	95	2	287	15
55	Houston	169	-	1	-	-	25	12	-	13	3	95	94	29	-	56	1
56	Hubbard	118	-	2	-	-	14	5	3	6	5	78	73	15	1	55	1
57	Isanti	156	1	-	-	-	17	7	3	7	3	107	105	12	-	69	3
58	Itasca	303	-	-	-	1	48	13	6	23	3	152	150	30	-	109	7
59	Jackson	137	-	-	-	-	22	13	-	9	2	81	80	19	-	54	-
60	Kanabec	33	-	-	-	-	7	11	1	5	1	57	56	18	-	34	1
61	Kandiyohi	239	1	-	-	-	29	13	-	16	2	114	111	35	-	69	4
62	Kittson	91	-	-	-	-	11	4	1	7	3	52	52	7	-	31	1
63	Koochiching	183	1	-	-	-	7	8	2	12	4	100	100	28	-	72	-
64	Lac qui Parle	141	-	-	-	1	5	15	-	10	1	81	79	17	-	54	-
65	Lake	99	-	-	-	-	6	7	3	6	3	47	47	13	-	29	2
66	Lake of the Woods	48	1	-	-	-	3	3	1	2	-	26	26	12	-	12	-
67	Le Sueur	175	1	-	-	-	14	9	3	22	1	87	85	21	-	43	-
68	Lincoln	61	-	-	-	-	4	3	-	5	1	35	34	10	-	20	1
69	Lyon	109	-	-	1	-	23	13	2	13	5	102	100	33	-	59	4
70	McLeod	203	-	-	1	1	34	10	2	22	5	107	104	21	1	61	4
71	Mahnomen	56	-	-	-	-	4	2	1	6	4	28	26	7	1	16	3
72	Marshall	142	-	2	-	-	25	12	3	10	2	76	72	16	-	52	1
73	Martin	238	-	-	-	1	47	18	4	25	5	111	109	35	-	71	1
74	Meeker	169	1	-	-	-	29	15	2	12	5	102	101	33	-	60	-
75	Mille Lacs	204	1	-	1	1	29	9	2	18	1	109	109	29	1	72	1
76	Morrison	250	-	-	-	1	43	17	1	25	4	144	139	35	-	88	3
77	Mower	333	1	-	-	1	51	27	4	20	6	196	194	54	-	127	6
78	Austin	191	-	-	-	1	32	16	2	14	5	110	110	30	-	74	6
79	Balance of county	142	1	-	-	-	19	11	2	6	1	86	84	24	-	53	-
80	Murray	104	-	1	-	1	28	6	3	19	1	45	44	8	1	25	-
81	Nicollet	170	-	3	-	-	29	12	3	14	2	81	80	27	-	51	2
82	Nobles	176	-	-	-	-	22	9	3	10	1	101	99	35	-	54	1
83	Norman	121	-	-	-	-	23	10	1	12	5	59	59	22	-	34	3
84	Olmsted	456	3	1	2	3	78	23	8	47	4	233	231	68	-	142	6
85	Rochester	312	3	1	-	2	62	18	8	36	1	151	149	46	-	89	5
86	Balance of county	144	-	-	2	1	16	5	-	11	3	82	82	22	-	53	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
57	5	14	2	3	1	2	10	1	-	-	1	-	8	6	1	7	4	4	-	24	1
30	4	7	1	2	1	-	6	-	-	-	-	-	6	6	1	3	3	2	-	12	2
27	1	7	1	1	-	2	4	1	-	-	1	-	2	-	-	4	1	2	-	12	3
7,537	1,326	1,481	247	732	208	235	1,040	166	96	232	26	20	494	1,138	194	693	1,175	298	45	2,074	4
3,740	672	531	112	316	101	113	446	90	45	154	8	6	212	582	44	271	521	156	25	921	5
3,797	654	950	135	416	107	122	594	76	51	78	18	14	282	556	150	422	654	142	20	1,153	6
30	4	5	-	4	1	-	10	1	1	-	-	-	1	5	1	4	6	4	3	8	7
64	11	19	2	9	2	3	8	-	-	2	-	1	7	22	1	6	6	6	1	17	8
88	11	5	1	1	-	3	7	-	2	1	-	-	4	10	5	7	8	4	1	17	9
54	15	23	6	1	-	3	10	-	1	2	2	3	7	8	9	6	11	-	-	16	10
34	6	9	3	-	-	2	4	-	1	2	-	3	3	6	6	2	3	-	-	5	11
20	9	14	3	1	-	1	6	-	-	-	2	-	4	2	3	4	8	-	-	11	12
30	1	8	1	1	-	-	5	1	1	1	-	-	1	4	-	1	3	-	-	8	13
2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	14
28	1	6	1	1	-	-	5	1	1	-	-	-	1	4	-	1	3	-	-	5	15
27	7	6	-	1	2	-	4	-	-	1	1	-	2	4	-	2	5	-	-	6	16
90	16	30	2	13	6	4	15	1	1	1	-	-	8	10	3	9	21	1	-	41	17
51	12	13	1	8	-	2	8	-	-	-	-	-	3	9	2	4	13	1	-	22	18
39	4	17	1	5	6	2	7	1	1	1	-	-	5	1	1	5	8	-	-	19	19
60	21	16	-	10	2	-	6	1	1	3	-	-	5	12	-	4	8	1	-	22	20
64	11	14	-	8	1	3	11	1	2	2	-	1	7	7	1	5	13	3	-	13	21
35	8	7	4	10	-	-	3	3	2	-	-	-	3	5	-	4	6	-	-	10	22
54	8	12	-	3	1	2	7	-	1	-	-	1	4	6	-	8	8	-	1	12	23
25	9	12	3	6	2	2	3	-	-	1	1	-	4	8	-	4	9	-	-	12	24
47	4	13	2	7	4	1	3	-	-	1	-	-	1	3	3	4	11	2	-	12	25
50	10	20	7	3	-	-	7	-	2	-	-	-	10	9	1	7	16	-	1	10	26
27	2	10	2	1	-	-	3	-	1	-	-	-	7	7	-	3	8	-	1	4	27
23	8	10	5	2	-	-	4	-	1	-	-	-	3	2	1	4	8	-	-	6	28
17	4	15	4	1	-	1	1	1	-	-	-	-	2	1	6	3	7	1	-	7	29
6	1	1	-	1	-	-	2	-	-	-	-	-	-	2	1	3	2	-	-	1	30
35	3	8	1	1	4	4	10	1	-	-	-	-	2	4	-	2	5	1	-	17	31
88	14	22	2	5	7	6	6	2	1	4	2	-	2	16	3	10	5	2	-	20	32
35	5	17	2	1	2	4	4	1	-	-	1	-	1	6	-	5	2	-	-	13	33
53	9	5	-	4	5	2	2	1	1	4	1	-	1	10	3	5	3	2	-	7	34
96	13	9	5	12	3	4	12	2	4	3	-	-	6	14	1	10	18	4	-	35	35
31	3	3	-	4	3	-	4	-	2	1	-	-	-	6	-	2	9	1	-	12	36
65	10	6	5	8	-	4	8	2	2	2	-	-	6	8	1	8	9	3	-	23	37
31	11	10	1	2	-	2	3	1	-	1	-	-	1	3	1	3	6	2	-	10	38
56	3	13	1	7	1	4	4	1	-	1	1	-	2	7	-	5	10	2	-	19	39
45	7	15	1	8	1	2	8	-	1	3	-	-	-	12	1	5	11	4	-	16	40
81	8	18	5	8	1	2	5	2	2	1	-	-	3	5	2	7	8	4	2	28	41
74	17	19	5	7	1	4	9	2	2	-	-	-	10	6	2	13	14	6	-	27	42
38	5	13	3	3	-	1	6	1	1	-	-	-	7	5	1	2	8	3	-	15	43
36	12	6	2	4	1	3	3	1	1	-	-	-	3	1	1	11	6	3	-	12	44
77	19	22	3	15	4	1	17	-	1	-	-	-	4	17	3	6	10	7	-	30	45
20	7	8	1	5	2	-	9	-	1	-	-	-	2	7	1	1	2	2	-	9	46
57	12	14	2	10	2	1	8	-	-	-	-	-	2	10	2	5	8	5	-	21	47
33	2	4	1	2	-	-	1	-	1	-	-	-	1	3	1	2	7	1	-	10	48
1,977	257	273	62	143	35	53	206	47	23	81	2	3	119	285	23	132	251	80	6	467	49
1,675	213	231	53	124	29	43	181	44	18	72	1	2	81	209	21	97	196	60	6	393	50
17	2	1	-	-	-	-	1	-	-	-	-	-	4	11	-	3	7	1	-	7	51
36	2	3	1	1	1	-	-	1	1	1	-	-	2	5	-	2	1	-	-	6	52
43	6	6	1	3	-	-	4	-	2	1	-	-	7	9	1	3	8	2	-	10	53
206	34	32	7	15	5	10	20	2	2	7	1	1	25	51	1	27	39	17	-	51	54
37	3	15	3	5	1	1	9	1	-	-	-	-	2	1	4	4	6	1	-	17	55
40	6	8	4	3	1	-	3	2	-	-	-	-	1	1	1	3	3	-	-	4	56
48	7	11	-	4	-	2	8	1	1	-	-	1	2	1	-	2	4	2	1	6	57
75	17	10	4	7	-	2	15	1	3	1	1	1	9	12	3	16	22	4	-	11	58
47	2	5	-	5	2	1	3	1	-	1	-	-	-	5	-	6	7	3	-	6	59
20	4	9	-	4	-	1	1	-	-	-	-	-	-	3	-	-	2	-	-	2	60
48	2	15	2	3	3	2	14	-	-	1	-	-	5	10	11	9	12	6	-	25	61
24	14	2	2	2	-	-	4	1	-	-	1	-	1	2	1	1	5	-	-	8	62
55	7	10	-	6	-	-	10	1	-	3	-	-	3	4	1	6	12	3	-	11	63
34	8	12	2	-	-	2	6	1	-	1	2	-	3	5	-	3	6	1	-	5	64
21	5	1	-	5	-	-	5	1	-	-	1	-	1	4	-	3	6	3	-	9	65
11	-	1	-	2	-	-	3	1	-	-	-	-	1	2	-	-	6	-	-	3	66
36	5	8	1	13	1	2	8	1	-	-	-	-	3	2	2	4	8	-	-	14	67
17	1	1	1	2	1	1	2	-	-	1	-	-	1	6	-	3	7	-	-	11	68
37	8	10	-	8	-	2	10	2	-	-	-	-	2	14	1	5	9	1	-	9	69
44	6	7	2	18	1	3	7	-	-	2	-	2	3	6	3	10	5	3	3	11	70
11	-	2	1	1	-	2	2	1	-	-	-	-	2	2	-	-	-	2	-	5	71
28	8	15	-	4	-	4	7	3	1	-	-	-	1	2	-	4	7	1	-	10	72
58	6	6	1	-	2	2	19	-	3	2	-	-	6	10	2	4	7	3	-	18	73
47	5	8	-	7	1	1	2	-	2	1	-	-	3	5	-	2	4	1	-	12	74
55	6	10	-	7	-	-	9	-	1	1	-	-	3	13	4	6	9	3	-	13	75
62	7	16	3	9	4	5	12	-	-	2	-	-	4	9	-	10	7	1	-	13	76
89	13	19	4	8	1	2	7	2	-	-	1	-	12	10	5	17	7	3	-	14	77
53	7	8	2	3	1	-	2	1	-	-	1	-	9	5	2	8	4	1	-	10	78
36	6	11	2	5	-	2	5	1	-	-	-	-	3	5	3	9	3	2	-	4	79
18	5	2	2	6	2	1	5	-	-	-	-	-	2	4	-	2	4	-	-	11	80
33	6	10	1	1	-	1	6	-	-	1	-	-	6	8	1	4	8	6	-	15	81
34	8	11	2	6	2	2	9	-	1	-	-	-	4	8	1	5	5	2	-	17	82
27	3	1	-	3	-	-	6	1	-	-	-	-	2	3	1	4	6	-	-	11	83
103	20	13	8	6	7	2	17	6	-	2	-	-	16	15	7	11	20	3	2	33	84
56	11	7	6	4	4	2	9	6	-	1	-	-	11	10	6	5	12	3	2	27	85
37	9	6	2	2	3	-	8	-	-	1	-	-	5	5	1	6	8	-	-	6	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Otter Tail	435	4	-	-	2	65	28	1	36	14	222	221	74	1	130	6
2	Fergus Falls	113	-	-	-	1	17	5	-	12	1	63	63	18	-	43	2
3	Balance of county	322	4	-	-	1	48	23	1	24	13	159	158	56	1	87	4
4	Pennington	118	1	-	-	1	15	6	-	9	5	62	60	17	1	38	3
5	Pine	207	-	-	-	-	25	6	2	17	3	136	135	25	-	101	4
6	Pipestone	121	-	-	2	1	18	6	2	10	1	69	68	14	-	50	1
7	Polk	344	2	2	2	3	57	19	2	36	1	183	182	39	-	127	4
8	Pope	117	1	-	-	-	22	11	3	8	1	62	62	16	-	44	1
9	Ramsey	3,647	34	15	27	7	580	219	51	310	70	1,949	1,913	438	2	1,291	72
10	St. Paul	3,338	34	15	20	6	528	201	47	280	64	1,816	1,783	411	2	1,204	67
11	Balance of county	309	-	-	7	1	52	18	4	30	6	133	130	27	-	87	5
12	Red Lake	40	-	-	-	-	5	1	1	3	-	20	20	5	-	12	-
13	Redwood	163	-	-	-	1	33	11	3	19	2	77	75	18	-	48	2
14	Renville	217	2	-	1	2	39	13	2	24	6	113	113	37	2	58	7
15	Rice	325	1	-	1	2	47	21	4	22	6	201	200	50	-	137	2
16	Faribault	154	-	-	-	1	24	11	1	12	5	89	89	18	-	69	1
17	Balance of county	171	1	-	1	1	23	10	3	10	1	112	111	32	-	68	1
18	Rock	98	1	-	-	1	12	7	-	5	2	58	58	16	-	38	-
19	Roseau	135	1	-	-	2	21	12	-	9	1	72	71	15	-	51	4
20	St. Louis	2,446	24	18	5	9	397	141	46	210	36	1,352	1,335	224	3	1,034	29
21	Duluth	1,272	12	11	-	5	207	67	23	117	20	718	709	128	1	534	13
22	Hibbing	173	5	-	-	-	27	12	4	11	2	86	84	14	1	65	3
23	Virginia	167	2	2	1	-	30	11	3	16	3	87	87	12	-	69	-
24	Balance of county	834	5	5	4	4	133	51	16	66	11	461	455	70	1	366	13
25	Scott	162	1	-	-	-	24	10	3	11	-	93	90	18	-	57	1
26	Sherburne	105	-	1	-	1	13	3	1	9	1	59	59	15	-	42	-
27	St. Cloud (part)	11	-	-	-	1	2	-	-	2	-	6	6	-	-	6	-
28	Balance of county	94	-	1	-	-	11	3	1	7	1	53	53	15	-	36	-
29	Sibley	150	-	-	1	-	30	9	1	20	-	76	74	24	-	46	1
30	Stearns	652	6	-	5	2	98	42	8	48	8	340	337	87	-	226	11
31	St. Cloud (part)	230	1	-	1	1	34	12	2	20	3	116	115	27	-	84	3
32	St. Cloud (total)	250	1	-	1	2	37	13	2	22	3	126	125	27	-	94	3
33	Balance of county	422	5	-	4	1	64	30	6	28	5	224	222	60	-	142	8
34	Steele	204	-	2	-	-	38	17	4	17	4	111	108	23	-	77	1
35	Owatonna	120	-	2	-	-	22	10	4	8	3	67	65	14	-	47	1
36	Balance of county	84	-	-	-	-	16	7	-	9	1	44	43	9	-	30	-
37	Stevens	85	-	-	-	-	9	3	1	5	2	49	49	16	-	28	-
38	Swift	162	1	-	1	-	26	12	2	12	6	85	84	21	1	59	1
39	Todd	244	2	-	3	-	39	16	2	21	4	123	120	21	-	92	3
40	Traverse	87	-	-	-	-	8	4	-	4	4	57	57	18	-	34	3
41	Wabasha	183	1	-	2	-	39	17	4	18	2	94	94	21	-	71	2
42	Wadena	115	-	-	1	-	18	10	-	8	4	62	62	21	-	38	1
43	Waseca	155	1	-	1	-	24	10	1	13	6	84	84	16	-	60	2
44	Washington	347	1	-	1	1	59	18	5	36	5	190	186	54	-	127	4
45	Watonwan	139	1	-	-	1	20	10	1	9	6	69	68	20	-	46	7
46	Wilkin	92	-	-	1	-	20	9	1	10	3	51	50	8	-	38	5
47	Winona	407	3	-	1	-	54	20	2	32	5	237	236	71	-	149	7
48	Winona	281	2	-	-	-	40	14	2	24	3	159	158	46	-	101	5
49	Balance of county	126	1	-	1	-	14	6	-	8	2	78	78	25	-	48	2
50	Wright	298	2	-	1	3	57	17	3	37	9	158	155	37	-	111	6
51	Yellow Medicine	141	-	-	1	1	21	10	-	11	2	75	73	17	-	49	2
52	MISSISSIPPI	20,556	298	78	10	206	2,208	717	223	1,268	253	9,228	8,821	2,413	31	5,789	172
53	Metropolitan counties	1,335	26	7	-	10	157	44	21	92	12	630	597	155	2	396	12
54	Nonmetropolitan counties	19,221	272	71	10	196	2,051	673	202	1,176	241	8,598	8,224	2,258	29	5,393	160
55	Adams	373	8	3	-	3	40	17	7	16	3	170	163	48	3	95	4
56	Natchez	265	5	3	-	2	25	9	6	10	3	127	123	33	3	73	4
57	Balance of county	108	3	-	-	1	15	8	1	6	-	43	40	15	-	22	-
58	Alcorn	236	2	-	-	3	35	14	1	20	3	113	109	30	2	69	-
59	Amite	159	6	-	-	2	10	3	2	5	2	90	90	19	-	60	2
60	Attala	218	2	-	-	2	20	9	2	9	4	118	116	22	-	87	7
61	Benton	85	-	-	-	-	15	6	1	8	-	32	30	5	-	23	2
62	Bolivar	651	7	3	-	5	64	28	3	33	5	262	245	63	-	169	1
63	Calhoun	147	3	1	-	1	20	5	2	13	1	69	68	13	1	51	1
64	Carroll	141	2	-	-	2	16	6	2	8	4	59	57	19	-	27	1
65	Chickasaw	169	3	-	-	-	14	4	1	9	1	79	77	17	-	57	3
66	Choctaw	95	-	-	-	-	8	5	-	3	1	47	46	14	-	28	2
67	Claiborne	120	1	-	-	-	13	2	-	11	1	54	52	15	-	32	-
68	Clarke	195	3	-	-	1	25	6	4	15	4	93	90	24	2	60	1
69	Clay	154	2	-	1	2	14	4	-	10	6	74	72	14	-	54	2
70	Coahoma	535	11	2	1	6	51	17	6	28	5	229	219	68	2	135	4
71	Clarksdale	197	5	1	-	1	24	5	3	16	1	83	80	14	1	60	2
72	Balance of county	338	6	1	1	5	27	12	3	12	4	146	139	54	1	75	2
73	Copiah	314	4	-	-	5	46	14	6	26	3	148	139	25	-	106	4
74	Covington	128	-	1	-	-	18	8	-	10	2	68	64	15	1	45	1
75	De Soto	225	3	2	-	3	14	3	-	11	5	92	84	44	-	36	1
76	Forrest	380	8	4	-	1	40	10	7	23	2	188	175	48	-	113	1
77	Hattiesburg	249	4	4	-	1	25	6	3	16	2	122	117	33	-	74	1
78	Balance of county	131	4	-	-	-	15	4	4	7	-	66	58	15	-	39	-
79	Franklin	115	-	1	-	1	10	3	2	5	1	64	59	15	-	39	3
80	George	81	1	-	-	1	12	4	1	7	1	41	39	4	-	33	-
81	Greene	59	-	-	-	1	5	3	1	1	1	34	33	9	-	21	-
82	Grenada	183	4	-	-	1	20	6	5	9	3	82	81	38	-	36	-
83	Hancock	117	2	-	-	1	15	6	1	8	-	56	55	11	-	40	-
84	Harrison	794	7	7	-	7	91	32	14	45	6	335	325	60	-	245	4
85	Biloxi	288	2	3	-	3	33	7	5	21	3	101	99	19	-	78	1
86	Gulfport	248	5	1	-	2	29	11	6	12	-	115	111	20	-	79	2
87	Balance of county	258	-	3	-	2	29	14	3	12	3	119	115	21	-	88	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
90	16	18	3	11	2	1	30	2	2	2	-	-	5	19	1	8	15	7	1	36	1
26	7	8	-	2	-	-	10	2	-	1	-	-	2	3	-	2	3	-	-	8	2
64	9	10	3	11	-	1	20	-	2	1	-	-	3	16	1	6	12	7	1	28	3
26	5	4	-	1	3	2	3	-	-	-	-	-	2	7	-	2	7	3	-	10	4
69	8	20	1	6	2	1	3	1	-	1	-	-	2	5	4	5	9	2	-	11	5
28	7	14	2	1	1	1	4	1	1	-	-	1	2	4	3	2	3	-	-	9	6
76	20	27	4	8	4	1	9	2	-	3	1	-	6	13	4	7	16	2	1	30	7
33	2	8	-	2	-	-	6	-	-	1	-	-	4	6	1	4	1	1	-	8	8
866	219	134	36	105	41	36	160	24	12	44	3	1	50	167	16	63	133	36	10	246	9
811	200	126	31	98	37	33	142	20	11	43	3	-	47	134	16	55	115	33	10	226	10
55	19	8	5	7	4	3	18	4	1	1	-	1	3	33	-	8	18	3	-	20	11
10	-	2	-	2	1	-	-	-	-	-	-	-	1	7	-	2	2	-	-	3	12
34	8	4	4	3	2	2	3	1	1	-	-	1	8	6	-	6	5	2	-	17	13
36	9	6	1	13	2	-	10	1	-	-	-	-	2	5	2	9	6	-	-	19	14
79	24	32	3	9	1	1	3	1	-	4	-	-	5	10	2	3	11	3	1	24	15
35	14	19	-	2	-	-	2	-	-	3	-	-	4	4	1	1	6	1	1	12	16
44	10	13	3	7	1	1	1	1	-	1	-	-	1	6	1	2	5	2	-	12	17
30	3	5	1	2	1	-	8	1	-	1	-	-	-	-	1	2	2	-	-	9	18
35	3	9	1	2	2	1	4	-	-	-	-	-	2	6	-	5	8	1	-	12	19
737	172	96	7	47	20	17	60	17	6	24	3	1	30	94	3	60	113	30	8	156	20
366	113	42	5	27	14	9	37	10	4	10	2	-	13	41	2	26	57	13	3	81	21
48	6	8	1	2	1	2	3	1	-	5	-	-	2	13	-	8	9	-	-	12	22
57	7	5	-	3	3	-	4	2	-	3	-	-	3	5	-	6	9	3	1	6	23
266	46	41	1	15	2	6	16	4	2	6	1	1	12	35	1	20	38	14	4	57	24
43	6	7	1	13	1	3	10	-	-	-	-	1	2	10	1	4	5	-	-	11	25
29	9	4	-	2	-	-	7	-	1	-	-	-	1	2	1	3	4	2	1	8	26
4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	27
25	8	3	-	2	-	-	7	-	1	-	-	-	1	2	1	3	3	1	1	8	28
31	3	11	-	3	1	2	5	2	-	2	-	-	5	4	-	5	8	1	-	11	29
151	19	45	2	20	2	3	27	4	1	4	-	-	19	43	1	19	24	4	-	47	30
54	10	17	1	2	1	1	11	3	1	2	-	-	7	11	1	5	10	4	-	19	31
60	11	20	1	2	1	1	11	3	1	3	-	-	7	11	1	5	11	5	-	22	32
97	9	28	1	18	1	2	16	1	-	2	-	-	12	32	-	14	14	-	-	28	33
48	10	18	2	5	1	3	3	3	1	-	-	-	3	5	4	6	4	3	-	17	34
29	6	11	1	2	1	2	1	3	1	-	-	-	1	3	3	1	2	2	-	9	35
19	4	7	1	3	-	1	2	-	-	-	-	-	2	2	1	5	2	1	-	8	36
21	2	5	1	3	1	-	2	-	-	3	-	-	2	2	1	3	3	-	-	9	37
45	5	8	-	3	-	1	6	-	-	-	-	-	2	8	-	4	6	1	-	16	38
69	14	6	-	4	3	3	9	3	2	1	1	-	5	8	6	8	13	-	-	17	39
17	4	10	1	3	1	-	3	1	2	-	-	-	1	1	1	1	2	-	-	6	40
47	8	14	-	2	-	-	4	2	1	-	-	-	1	7	2	3	11	2	-	12	41
29	4	4	-	1	2	-	8	-	1	-	-	-	2	3	-	3	4	-	-	9	42
27	6	25	3	5	-	-	8	1	-	2	-	-	-	2	-	4	8	-	-	14	43
93	13	17	1	2	2	4	11	3	1	2	-	1	7	7	-	9	22	3	-	24	44
30	5	4	1	1	-	1	8	-	-	2	1	-	3	5	1	2	9	1	-	10	45
16	9	8	2	2	-	1	4	-	-	1	-	-	1	3	-	4	1	-	-	3	46
104	14	24	2	12	2	1	14	2	1	3	2	1	4	12	15	10	10	3	1	29	47
71	10	15	2	8	1	1	11	2	1	2	1	1	1	6	12	10	7	1	1	21	48
33	4	9	-	4	1	-	3	-	-	1	1	-	3	6	3	-	3	2	-	8	49
71	12	22	3	3	1	3	10	-	-	3	-	-	3	7	2	7	13	2	1	20	50
24	10	13	3	2	2	2	6	-	2	1	-	-	4	7	1	7	5	2	-	6	51
2,796	1,520	1,301	254	235	99	407	919	68	203	104	65	116	247	1,225	2,224	540	965	104	219	1,276	52
207	121	56	20	18	6	33	46	5	12	12	9	8	14	87	123	30	42	6	14	85	53
2,589	1,399	1,245	234	217	93	374	873	63	191	92	56	108	233	1,138	2,101	510	923	98	205	1,191	54
36	36	19	4	10	3	7	14	2	3	-	1	2	5	29	37	7	12	4	3	27	55
29	26	14	4	8	2	4	9	1	3	-	-	1	4	23	21	4	10	2	3	19	56
7	10	5	-	2	1	3	5	1	-	-	1	1	1	6	16	3	2	2	-	8	57
38	14	17	2	5	1	4	16	-	1	-	1	3	3	20	3	10	5	-	-	18	58
33	16	9	6	4	1	-	4	1	2	1	-	-	1	5	13	5	6	-	-	11	59
47	7	26	2	3	2	2	21	1	2	2	-	2	2	11	10	4	4	1	1	11	60
14	2	5	-	1	1	2	6	-	-	-	-	3	2	6	9	3	3	1	-	5	61
63	74	31	6	6	1	17	29	-	12	1	3	4	7	30	109	12	34	-	15	49	62
9	34	7	2	1	-	1	8	2	2	1	-	1	1	9	12	1	7	3	2	3	63
16	6	4	7	2	2	2	7	-	-	-	-	1	-	7	19	6	7	2	-	9	64
37	9	8	3	-	-	2	10	1	3	-	-	3	-	11	23	6	5	-	2	8	65
13	3	10	3	1	-	1	4	1	1	-	-	-	2	3	8	5	5	1	1	8	66
15	12	5	3	1	1	2	6	2	-	-	-	1	-	5	19	3	3	-	1	11	67
23	16	20	1	3	-	3	9	1	2	-	1	-	1	9	14	4	10	1	2	15	68
39	10	3	-	3	1	2	3	1	2	1	-	1	2	11	17	1	9	-	1	6	69
50	50	31	4	5	5	10	28	2	5	4	4	6	5	27	76	11	30	1	6	25	70
26	21	11	1	2	2	3	8	2	1	1	1	2	4	11	19	6	8	1	2	16	71
24	29	20	3	3	3	7	20	-	4	3	3	4	1	16	57	5	22	-	4	9	72
59	26	17	4	3	1	9	8	1	6	4	-	1	1	29	20	7	8	2	4	17	73
39	2	3	-	3	-	4	5	-	-	1	-	-	-	8	4	3	5	2	-	6	74
14	9	12	3	-	1	8	15	1	3	1	1	-	2	9	36	5	17	-	2	14	75
65	19	28	5	9	-	13	20	-	-	3	1	1	5	16	26	13	23	1	5	23	76
40	13	20	4	6	-	5	12	-	-	1	-	1	3	13	15	7	18	-	3	18	77
25	6	8	1	3	-	8	8	-	-	2	1	-	2	3	11	6	5	1	2	5	78
17	13	6	-	4	1	5	6	-	2	-	1	-	1	8	8	-	3	1	2	6	79
16	9	8	1	1	-	2	3	-	1	-	-	-	2	4	3	5	5	-	1	1	80
11	6	4	-	2	1	1	-	-	1	-	-	1	-	3	5	1	4	-	-	3	81
18	6	12	3	4	-	1	10	-	2	-	-	2	2	10	23	5	8	-	-	9	82
19	10	11	1	-	3	1	9	-	1	-	-	-	-	8	9	1	3	1	-	11	83
145	54	42	8	5	7	10	24	2	6	5	2	1	25	71	65	23	42	4	11	60	84
38	20	19	1	1	-	2	5	1	2	-	2	-	12	42	28	7	14	2	4	24	85
43	20	14	4	3	5	4	12	-	2	3	-	-	7	18	16	6	10	-	5	17	86
64	14	9	3	1	2	4	7	1	2	2	-	1	6	11	21	10	18	2	2	19	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-159A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148, 159B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSISSIPPI—Continued																
1	Hinds	1,376	20	7	-	14	157	43	21	92	14	600	597	155	2	396	12
2	Jackson	904	22	3	-	8	104	24	17	58	6	432	412	98	1	276	7
3	Balance of county	401	4	4	-	2	53	15	4	34	4	198	185	57	1	120	5
4	Holmes	338	10	-	1	1	70	18	-	51	3	145	140	36	1	80	4
5	Humphreys	236	5	3	1	5	19	-	2	17	2	73	74	21	-	47	5
6	Issaquena	43	1	-	-	1	5	1	1	3	-	14	14	5	-	8	1
7	Itawamba	116	3	-	-	2	21	3	-	18	4	59	59	12	-	43	4
8	Jackson	293	3	-	-	4	44	10	1	21	6	121	115	37	1	69	1
9	Pascagoula	96	2	-	-	3	12	4	1	7	3	57	56	11	-	24	-
10	Balance of county	197	1	-	-	1	32	6	3	14	3	84	79	26	1	45	1
11	Jasper	142	-	-	-	-	13	4	1	6	1	72	66	18	-	44	3
12	Jefferson	130	4	-	-	3	10	3	1	2	1	62	61	15	-	40	6
13	Jefferson Davis	153	1	-	-	3	15	4	3	8	2	71	65	22	-	39	-
14	Jones	440	9	1	-	5	67	21	8	38	10	197	191	54	3	120	3
15	Laurel	229	4	-	-	1	34	12	3	19	5	92	88	25	2	54	1
16	Balance of county	211	5	1	-	2	33	11	3	17	5	104	103	29	1	66	2
17	Kemper	128	3	1	-	2	8	1	1	6	-	50	47	14	-	28	9
18	Lafayette	168	2	1	-	1	16	5	-	11	3	83	80	24	1	50	-
19	Lamar	99	-	-	-	-	13	3	2	8	1	48	44	16	-	25	-
20	Lauderdale	654	6	2	-	7	73	18	1	54	13	318	308	73	-	221	9
21	Meridian	470	5	2	-	6	51	14	1	36	11	231	223	56	-	159	4
22	Balance of county	184	1	-	-	1	22	4	-	18	2	87	85	17	-	62	5
23	Lawrence	106	-	2	-	1	11	2	2	7	3	44	42	9	-	32	-
24	Leake	169	2	-	-	1	26	10	1	15	5	80	80	34	-	44	2
25	Lee	349	6	-	-	4	36	10	3	23	4	174	168	45	-	116	4
26	Tupelo	113	4	-	-	1	10	1	-	9	2	54	52	16	-	34	1
27	Balance of county	236	2	-	-	3	26	9	1	14	2	120	116	29	-	82	3
28	Leflore	598	8	3	1	13	58	12	7	19	7	228	219	69	-	138	7
29	Greenwood	221	3	-	-	1	16	6	2	8	5	105	104	23	-	75	1
30	Balance of county	377	5	3	1	12	22	6	5	11	2	123	115	46	-	63	6
31	Lincoln	265	7	-	-	1	36	8	2	16	2	136	131	29	-	86	1
32	Lowndes	387	4	-	-	3	26	7	-	19	3	188	178	61	1	101	-
33	Columbus	225	3	-	-	2	13	4	-	9	3	113	110	40	1	57	-
34	Balance of county	162	1	-	-	1	13	-	-	10	-	75	68	21	-	44	-
35	Madison	365	4	2	-	10	41	12	3	26	4	151	140	53	-	75	3
36	Marion	204	-	-	-	-	38	10	-	25	2	96	93	23	1	62	1
37	Marshall	238	4	1	-	2	21	6	-	15	3	113	112	27	-	81	1
38	Monroe	336	6	2	-	3	25	6	3	16	2	169	156	49	-	93	2
39	Montgomery	135	2	1	-	1	18	4	1	14	5	56	53	14	-	31	1
40	Neshoba	197	-	-	-	1	19	5	2	12	-	96	91	31	-	55	-
41	Newton	201	2	1	-	3	21	12	-	9	3	64	60	18	-	40	2
42	Noxubee	227	4	1	-	-	25	11	2	12	3	84	81	20	1	57	1
43	Oktibbeha	177	6	-	-	-	18	8	2	8	1	78	70	10	-	55	3
44	Panola	297	3	3	-	7	32	7	5	20	2	133	124	42	1	75	-
45	Pearl River	167	1	-	-	1	16	5	1	10	4	81	75	15	-	53	1
46	Perry	75	1	1	-	1	8	1	1	6	1	37	35	6	-	27	-
47	Pike	403	4	4	-	7	51	15	9	27	8	175	174	48	1	113	2
48	McComb	162	3	3	-	1	23	7	5	11	4	71	70	19	-	44	2
49	Balance of county	241	1	1	-	6	28	8	4	16	4	104	104	29	1	69	-
50	Pontotoc	164	-	1	-	1	20	5	-	15	-	94	92	25	1	61	4
51	Prentiss	174	2	-	-	-	16	6	2	8	3	92	89	24	1	62	2
52	Quitman	247	5	2	-	4	21	10	4	17	1	77	75	23	-	49	3
53	Rankin	223	1	1	-	1	20	10	1	9	7	101	97	34	1	61	2
54	Scott	193	2	-	-	3	32	7	3	22	-	89	87	29	2	51	2
55	Sharkey	132	2	1	-	3	12	7	-	5	1	46	42	12	-	26	-
56	Simpson	190	2	-	-	-	29	6	3	20	2	83	81	25	-	56	1
57	Smith	116	-	-	-	-	11	5	-	6	2	70	65	21	-	41	3
58	Stone	68	2	-	-	-	6	1	2	3	1	37	37	4	-	29	-
59	Sunflower	550	10	-	-	6	46	16	5	25	7	197	190	55	-	123	9
60	Tallahatchie	306	9	-	1	2	51	10	4	17	3	122	112	24	-	79	-
61	Tate	161	2	1	-	-	24	7	4	13	1	71	66	13	-	52	2
62	Tippah	114	2	-	1	-	13	1	2	10	2	61	59	9	-	47	1
63	Tishomingo	124	2	-	-	1	19	7	2	10	3	65	61	28	-	29	-
64	Tunica	245	9	-	-	3	15	4	-	11	-	101	94	25	-	63	1
65	Union	164	-	-	-	2	19	4	3	12	6	80	79	14	-	60	-
66	Walthall	100	-	1	-	1	10	1	1	8	2	52	51	13	-	33	-
67	Warren	555	12	2	-	5	53	17	5	31	2	214	204	62	-	129	3
68	Vicksburg	387	10	2	-	1	41	12	4	25	2	166	158	46	-	102	3
69	Balance of county	148	2	-	-	4	12	5	1	6	-	48	46	16	-	27	-
70	Washington	791	9	5	1	13	72	27	9	36	14	339	329	79	1	229	3
71	Greenville	352	5	3	-	5	56	13	4	21	8	161	157	35	-	111	1
72	Balance of county	439	4	2	1	10	34	14	5	15	6	178	172	44	1	118	2
73	Wayne	148	2	-	1	1	16	4	2	10	1	68	63	15	1	42	-
74	Webster	94	2	-	-	-	10	3	2	5	-	48	48	13	-	28	-
75	Wilkinson	161	-	-	-	2	15	8	2	5	1	71	70	28	-	36	-
76	Winston	179	2	-	-	-	22	10	-	12	2	96	80	29	-	47	3
77	Yalobusha	135	2	3	-	-	17	3	1	13	3	67	62	15	-	42	-
78	Yazoo	397	4	1	1	5	36	10	1	22	1	186	157	49	-	99	1
79	MISSOURI	45,594	613	239	27	204	6,751	2,533	774	4,444	687	24,681	23,911	5,316	47	16,830	590
80	Metropolitan counties	24,591	457	161	16	88	3,788	1,384	493	2,911	372	12,941	12,587	2,567	21	9,028	348
81	Nonmetropolitan counties	21,003	156	78	11	116	2,963	1,149	281	1,533	315	11,740	11,324	2,749	26	7,802	242
82	Adair	244	3	-	-	2	40	17	-	23	6	150	124	31	-	87	1
83	Kirksville	165	2	-	-	1	28	12	-	16	1	83	78	20	-	56	-
84	Balance of county	81	1	-	-	1	12	5	-	7	5	47	46	11	-	31	1
85	Andrew	127	-	-	-	-	11	8	-	3	3	78	76	18	-	53	1
86	Atchison	124	1	-	-	-	23	5	3	15	1	69	69	23	1	42	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
207	121	56	20	18	6	33	46	5	12	12	9	8	14	87	123	30	42	6	14	85	1
141	87	41	17	17	3	20	25	2	8	1	[illegible]	7	11	70	70	19	24	6	9	60	2
66	34	15	3	1	3	13	21	3	4	[illegible]	[illegible]	1	3	17	33	[illegible]	18	-	5	25	3
37	26	13	3	16	4	5	14	-	3	[illegible]	1	2	4	25	48	5	19	4	2	17	4
16	12	14	1	2	3	9	8	-	4	[illegible]	[illegible]	1	4	12	49	3	14	1	10	8	5
4	2	1	1	-	-	-	2	-	-	1	-	-	-	2	6	2	1	-	2	6	6
12	15	12	3	1	-	-	2	1	-	-	-	-	1	5	7	3	3	1	-	4	7
37	15	16	3	5	-	6	16	-	-	-	2	1	5	24	12	18	15	4	2	16	8
13	5	6	-	1	-	1	4	-	-	-	1	1	2	8	6	7	8	1	-	3	9
24	10	10	3	4	-	5	12	-	-	-	1	-	3	16	6	11	9	3	2	13	10
20	11	10	1	2	1	6	10	2	2	-	-	2	2	5	12	3	5	1	-	12	11
16	8	10	2	2	2	1	11	-	-	1	-	1	2	12	4	6	6	-	1	6	12
25	6	8	1	2	1	6	7	-	3	-	1	1	1	7	14	3	9	2	1	12	13
69	12	36	4	8	2	6	19	-	3	3	7	1	6	19	15	19	21	5	5	30	14
34	9	10	3	3	1	5	13	-	1	3	7	-	3	15	7	4	10	4	5	20	15
35	3	26	1	5	1	1	6	-	2	-	-	1	3	4	8	15	11	1	-	10	16
9	1	9	3	2	-	3	11	-	1	-	1	-	-	6	16	3	9	1	1	15	17
26	11	13	-	4	1	3	7	-	2	1	-	2	2	7	13	4	7	3	3	11	18
14	8	3	-	2	1	4	4	-	1	2	-	1	2	7	6	6	4	-	1	3	19
124	51	37	1	9	4	10	27	2	3	4	1	3	6	45	61	17	21	4	10	31	20
93	36	26	-	5	3	8	17	2	3	3	1	1	3	35	34	12	17	4	9	23	21
31	15	11	1	4	1	2	10	-	-	1	-	2	3	10	27	5	4	-	1	8	22
16	5	11	-	1	-	[illegible]	4	-	2	1	1	1	1	6	9	4	10	2	-	4	23
24	12	6	1	-	1	-	5	-	-	1	1	3	4	10	10	7	6	-	-	8	24
67	20	25	5	-	2	6	12	2	3	1	2	2	2	28	26	12	15	1	-	19	25
21	6	6	2	-	-	2	1	1	2	-	1	-	1	11	7	2	8	-	-	8	26
46	14	19	3	-	2	4	11	1	1	1	1	2	1	17	19	10	7	1	-	11	27
70	38	23	5	4	3	9	34	-	13	3	2	-	7	34	138	8	20	1	11	29	28
38	28	8	4	1	1	1	5	-	1	2	1	-	1	10	44	4	8	1	3	11	29
32	10	15	1	3	2	8	29	-	12	1	1	-	6	24	94	4	12	-	8	18	30
48	21	26	4	1	1	5	11	2	-	2	1	1	4	21	9	14	9	1	2	16	31
38	34	29	6	8	1	10	23	2	5	2	-	5	6	16	45	9	21	4	1	24	32
22	22	13	5	6	1	3	13	2	3	1	-	2	2	10	22	5	13	3	-	15	33
16	12	16	1	2	-	7	10	-	2	1	-	3	4	6	23	4	8	1	1	9	34
35	18	19	6	5	1	11	22	-	3	-	2	-	5	14	60	7	13	-	4	23	35
35	10	16	5	2	-	3	10	-	2	2	-	1	2	11	15	2	12	1	1	9	36
31	36	13	2	2	-	1	8	-	1	1	-	2	3	17	34	2	9	1	2	14	37
53	11	27	9	5	-	13	16	-	6	1	1	1	2	12	36	13	19	-	3	19	38
5	15	10	3	4	1	3	10	1	2	-	-	-	-	8	9	1	11	1	1	7	39
27	10	18	4	1	-	5	10	1	-	1	-	4	9	9	14	7	6	-	1	19	40
18	8	12	-	2	-	4	15	1	3	1	1	1	7	18	21	8	7	2	3	19	41
31	17	8	3	-	-	3	10	-	2	1	-	2	4	7	50	2	10	1	3	18	42
24	17	11	2	1	2	6	11	2	-	-	-	2	1	16	16	4	9	-	4	11	43
33	25	17	3	3	-	9	9	2	1	1	1	2	11	15	32	4	12	1	2	24	44
35	8	9	5	1	1	6	3	-	1	1	1	-	3	14	11	5	9	-	1	15	45
16	3	8	1	1	-	2	3	-	-	-	-	-	2	3	7	1	4	-	-	6	46
61	27	23	8	2	2	1	15	2	5	4	-	2	4	29	29	12	13	2	5	32	47
24	9	9	5	-	2	1	5	1	1	1	-	-	2	12	8	6	5	1	2	13	48
37	18	14	3	2	-	-	10	1	4	3	-	2	2	17	21	6	8	1	3	19	49
14	30	13	2	3	-	2	13	-	1	1	-	2	-	5	4	6	7	1	1	7	50
30	19	11	2	-	-	3	12	1	-	-	1	-	3	8	6	1	9	-	-	20	51
23	6	17	1	1	1	2	13	2	8	-	1	2	1	18	41	7	11	2	3	18	52
25	14	20	-	1	-	4	7	-	1	-	-	2	3	18	24	8	10	2	4	13	53
22	16	11	2	3	-	2	6	-	-	-	-	-	1	9	11	10	8	3	5	14	54
9	8	9	-	2	2	4	5	1	2	-	-	-	2	9	27	1	7	-	2	11	55
29	11	15	-	-	-	2	7	1	3	-	1	1	4	12	15	8	16	-	1	5	56
20	9	9	2	-	1	5	3	-	-	-	1	1	1	4	8	6	2	-	-	7	57
15	1	13	2	-	2	-	2	-	1	-	-	-	1	3	4	3	6	-	-	2	58
51	41	22	6	4	2	7	17	-	19	3	1	7	7	44	91	15	34	1	7	35	59
35	23	21	3	6	-	10	10	1	5	3	1	2	2	15	45	6	23	-	5	21	60
11	25	14	1	-	-	5	5	2	2	-	-	5	-	5	23	2	7	1	2	8	61
23	12	11	-	1	2	2	2	1	-	-	-	-	1	8	4	4	7	2	-	6	62
22	6	1	4	-	-	4	1	2	1	-	1	-	-	5	6	5	5	2	2	4	63
26	14	22	6	-	-	7	16	4	-	2	-	-	1	10	40	3	16	-	7	18	64
19	15	28	3	1	1	1	5	-	3	1	-	1	1	5	15	5	8	2	2	11	65
12	4	17	2	3	-	1	5	-	1	-	-	-	2	16	3	-	2	-	2	3	66
57	57	12	4	5	4	10	14	4	1	1	1	1	1	30	79	15	54	2	5	39	67
48	41	10	3	4	3	8	8	3	1	1	1	-	1	26	51	9	36	2	3	23	68
9	16	2	1	1	1	2	6	1	-	-	-	1	-	4	28	6	18	-	2	16	69
84	61	81	12	1	7	10	39	3	7	3	2	4	10	52	119	21	28	5	6	39	70
40	27	43	8	1	2	4	22	3	2	3	-	1	6	20	36	7	6	4	3	21	71
42	34	38	4	-	5	6	17	-	5	-	2	3	4	32	83	14	22	1	3	18	72
22	15	5	4	-	1	5	8	-	-	3	1	1	4	8	10	12	4	1	-	7	73
17	9	2	3	3	1	-	6	-	-	2	-	1	2	5	1	2	4	1	1	9	74
18	10	8	6	-	-	1	11	-	1	2	-	-	2	5	30	1	13	-	-	4	75
27	6	11	2	1	1	6	6	-	1	1	-	-	2	15	15	4	9	1	2	11	76
20	13	9	2	3	-	5	9	1	-	1	-	1	-	7	6	2	7	-	3	6	77
46	18	34	2	5	2	9	17	2	6	2	1	-	1	21	74	3	19	3	4	30	78
10,110	2,523	3,607	379	1,055	284	770	1,910	237	215	443	88	55	477	1,542	680	1,067	1,772	441	224	3,041	79
5,668	1,408	1,604	213	579	179	354	860	146	98	322	28	24	281	916	431	536	915	217	166	1,728	80
4,442	1,115	2,003	166	476	105	416	1,050	91	117	121	60	31	196	626	249	531	857	224	58	1,313	81
62	5	19	2	3	1	6	13	-	1	-	2	-	1	3	3	9	5	4	-	22	82
44	3	9	-	2	-	5	9	-	1	-	1	-	1	2	2	8	3	3	-	18	83
18	2	10	2	1	1	1	4	-	-	-	1	-	-	1	1	1	2	1	-	4	84
27	9	13	2	3	-	2	5	1	1	1	-	-	1	1	1	1	8	4	1	5	85
25	8	9	-	2	1	-	4	1	-	-	-	-	-	4	1	3	11	3	-	2	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Audrain	274	5	3	-	1	52	21	2	29	6	148	142	32	-	101	2
2	Mexico	139	3	3	-	1	30	11	2	17	1	80	77	16	-	56	1
3	Balance of county	135	2	-	-	-	22	10	-	12	5	68	65	16	-	45	1
4	Barry	212	4	-	-	2	34	18	1	15	2	112	109	25	1	81	6
5	Barton	146	1	-	-	1	18	6	2	10	5	86	81	23	-	58	-
6	Bates	232	3	2	1	-	39	19	2	18	4	124	113	28	1	76	3
7	Benton	116	1	-	-	-	15	5	4	6	2	67	62	20	-	34	1
8	Bollinger	95	-	1	-	1	12	5	1	6	1	58	58	10	-	46	2
9	Boone	401	5	3	-	1	64	28	4	32	4	219	211	51	1	144	7
10	Columbia	209	3	1	-	-	34	14	2	18	3	115	109	29	-	76	3
11	Balance of county	192	2	2	-	1	30	14	2	14	1	104	102	22	1	68	4
12	Buchanan	1,115	12	8	1	5	174	55	17	102	16	684	673	180	2	452	25
13	St. Joseph	945	12	7	1	3	141	43	15	83	12	589	579	152	2	391	21
14	Balance of county	170	-	1	-	2	33	12	2	19	4	95	94	28	-	61	4
15	Butler	367	7	1	-	1	48	16	6	26	4	186	181	46	1	129	2
16	Poplar Bluff	183	3	1	-	1	23	5	2	16	1	93	92	24	-	66	2
17	Balance of county	184	4	-	-	-	25	11	4	10	3	93	89	22	1	63	-
18	Caldwell	129	2	-	-	-	20	7	1	12	-	70	67	24	-	42	1
19	Callaway	249	3	2	-	1	39	14	4	21	4	138	133	31	-	96	3
20	Fulton	109	2	1	-	1	14	6	1	7	2	59	59	17	-	40	-
21	Balance of county	140	1	1	-	-	25	8	3	14	2	79	74	14	-	56	3
22	Camden	80	1	-	-	-	11	8	-	3	2	48	43	8	1	33	4
23	Cape Girardeau	335	4	-	-	2	45	23	1	21	4	191	187	52	-	124	2
24	Cape Girardeau	188	2	-	-	2	24	11	-	13	1	112	111	33	-	72	2
25	Balance of county	147	2	-	-	-	21	12	1	8	3	79	76	19	-	52	-
26	Carroll	209	-	1	-	-	35	17	3	15	2	114	108	41	-	62	2
27	Carter	49	-	1	-	-	5	1	2	2	1	24	22	5	-	17	-
28	Cass	243	-	-	-	-	40	13	5	22	6	135	130	36	-	86	3
29	Cedar	141	1	-	-	2	15	11	1	3	5	84	81	18	-	61	3
30	Chariton	202	2	4	-	2	36	11	3	22	5	101	99	29	-	62	-
31	Christian	124	2	1	-	-	21	11	4	6	4	73	72	21	-	37	2
32	Clark	110	-	1	-	-	15	7	-	8	-	61	58	23	-	32	-
33	Clay	462	5	2	-	1	62	30	6	26	6	250	248	77	2	135	4
34	Kansas City (part)	61	2	-	-	-	11	8	-	3	1	28	28	5	-	22	-
35	Balance of county	401	3	2	-	1	51	22	6	23	5	222	220	72	2	113	4
36	Clinton	194	1	1	-	2	33	7	4	22	3	115	113	26	-	80	2
37	Cole	320	5	1	1	-	43	15	7	21	4	193	190	26	-	154	3
38	Jefferson City	231	5	1	1	-	32	12	5	15	3	138	137	18	-	111	1
39	Balance of county	89	-	-	-	-	11	3	2	6	1	55	53	8	-	43	2
40	Cooper	183	3	2	-	2	31	15	3	13	2	101	94	20	1	63	1
41	Crawford	162	1	-	-	4	33	12	4	17	1	76	75	22	-	46	3
42	Dade	123	2	-	-	-	21	6	2	13	4	74	72	27	-	36	1
43	Dallas	101	1	-	-	1	13	4	1	8	3	63	60	11	-	45	1
44	Daviess	133	2	-	-	1	21	12	1	8	1	69	65	21	-	43	-
45	De Kalb	86	-	-	-	-	9	3	-	6	2	53	53	8	-	45	1
46	Dent	109	1	-	-	-	16	5	-	11	5	72	71	28	-	37	2
47	Douglas	108	2	-	-	-	14	5	1	8	1	61	57	13	-	40	2
48	Dunklin	335	5	1	-	3	38	12	4	22	6	158	151	32	-	117	2
49	Franklin	445	3	-	1	4	64	30	4	30	5	244	238	43	1	161	4
50	Gasconade	129	-	-	-	1	30	10	4	16	1	70	70	23	-	44	-
51	Gentry	165	1	-	-	1	21	5	1	15	2	98	95	30	-	60	1
52	Greene	1,073	12	6	-	7	146	53	19	74	17	625	614	128	2	434	15
53	Springfield	759	10	6	-	5	109	39	14	56	13	439	435	83	-	316	9
54	Balance of county	314	2	-	-	2	37	14	5	18	4	186	179	45	2	118	6
55	Grundy	194	2	1	-	1	28	18	2	8	3	113	111	17	-	72	4
56	Harrison	192	1	-	-	2	29	13	-	16	3	119	113	24	-	83	2
57	Henry	270	3	2	-	1	32	12	3	17	6	159	146	26	-	109	3
58	Hickory	60	3	-	-	-	9	2	2	5	2	28	28	6	-	17	-
59	Holt	133	1	2	-	-	11	4	-	7	3	86	84	30	-	51	1
60	Howard	168	-	1	-	-	26	13	2	11	2	94	90	26	-	55	-
61	Howell	215	4	1	-	1	28	12	4	12	3	116	116	26	-	86	3
62	Iron	120	1	1	-	3	16	6	3	7	1	67	67	21	-	40	-
63	Jackson	6,538	102	39	4	27	981	351	129	501	92	3,323	3,221	706	4	2,204	96
64	Kansas City (part)	5,601	90	36	3	25	849	298	114	437	81	2,792	2,706	594	3	1,841	85
65	Kansas City (total)	5,662	92	36	3	25	860	306	114	440	82	2,820	2,734	599	3	1,863	85
66	Independence	383	4	1	-	-	57	25	5	27	6	210	205	41	1	149	5
67	Balance of county	554	8	2	1	2	75	28	10	37	5	321	310	71	-	214	6
68	Jasper	1,001	32	8	-	5	134	41	17	76	8	568	547	103	2	412	11
69	Joplin (part)	479	18	2	-	3	67	19	7	41	5	268	263	42	1	200	6
70	Joplin (total)	491	18	2	-	3	67	19	7	41	5	276	271	44	1	206	6
71	Carthage	172	2	2	-	-	23	8	3	12	-	104	98	20	1	74	1
72	Balance of county	350	12	4	-	2	44	14	7	23	3	196	186	41	-	138	4
73	Jefferson	418	5	1	1	3	55	23	8	24	7	224	214	53	-	143	2
74	Johnson	289	1	1	-	-	34	13	-	21	2	174	167	28	-	122	4
75	Knox	121	1	-	-	1	18	7	2	9	1	71	69	18	-	49	1
76	Laclede	180	-	-	-	-	22	13	-	9	2	104	100	23	-	74	4
77	Lafayette	312	2	2	-	-	52	16	6	30	5	171	163	39	-	115	3
78	Lawrence	279	6	1	-	1	33	12	2	19	8	154	148	44	-	95	6
79	Lewis	138	-	-	-	1	14	6	-	8	1	86	80	24	-	51	1
80	Lincoln	189	-	-	-	-	33	12	2	19	4	114	112	17	1	86	1
81	Linn	238	2	-	-	1	38	14	3	21	2	147	137	41	-	85	1
82	Livingston	213	2	1	-	2	27	15	2	10	2	117	114	35	-	68	5
83	McDonald	159	5	-	-	-	21	11	3	7	2	101	93	23	1	62	3
84	Macon	232	-	1	-	1	34	12	2	20	7	119	111	36	-	73	-
85	Madison	111	2	1	-	2	21	6	3	12	1	52	51	17	-	33	1
86	Maries	55	-	-	-	-	7	3	-	4	1	32	32	3	-	26	1
87	Marion	388	2	1	-	2	60	15	9	36	6	228	223	57	-	146	4
88	Hannibal (part)	273	2	1	-	1	40	9	7	24	3	158	155	33	-	109	1
89	Hannibal (total)	274	2	1	-	1	40	9	7	24	3	158	155	33	-	109	1
90	Balance of county	115	-	-	-	1	20	6	2	12	3	70	68	24	-	37	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
49	23	27	2	3	4	6	11	3	2	3	-	2	4	10	1	2	5	2	1	13	1
30	15	10	1	2	2	3	7	2	-	-	-	1	-	5	-	-	-	1	-	5	2
19	8	17	1	1	2	3	4	1	2	3	-	1	4	5	1	2	5	1	1	8	3
43	16	16	1	1	-	3	11	1	-	2	-	1	4	2	4	6	2	4	1	20	4
38	6	14	-	-	-	5	6	-	1	-	-	1	-	4	4	2	7	4	-	8	5
43	7	23	3	3	2	11	9	2	4	-	3	1	5	1	3	4	12	2	-	12	6
26	6	1	1	4	3	5	9	-	-	3	-	-	3	1	4	1	4	-	-	6	7
32	6	6	-	2	-	-	6	1	-	-	-	-	-	1	-	3	2	-	-	9	8
87	22	28	7	7	1	8	19	3	1	4	-	-	3	11	-	13	14	2	1	34	9
46	15	12	3	1	-	6	10	-	-	2	-	-	1	6	-	3	8	2	1	20	10
41	7	16	4	6	1	2	9	3	1	2	-	-	2	5	-	10	6	-	-	14	11
291	52	84	4	29	6	11	37	3	3	6	4	2	8	28	3	13	31	8	3	66	12
248	43	79	3	26	5	10	30	3	3	5	3	2	5	22	3	12	25	5	3	59	13
43	9	5	1	3	1	1	7	-	-	1	1	-	3	6	3	1	6	3	-	7	14
75	20	32	-	4	1	5	21	-	6	1	1	2	4	13	3	13	32	1	4	19	15
38	13	13	-	1	1	1	9	-	1	-	1	1	3	10	-	4	16	1	3	13	16
37	7	19	-	3	-	4	12	-	5	1	-	1	1	3	3	9	16	-	1	6	17
29	1	11	-	1	-	3	10	-	-	1	-	-	1	2	2	5	8	-	-	8	18
52	17	24	1	4	1	5	17	-	-	-	1	-	3	8	2	11	7	3	-	10	19
24	10	6	-	2	-	-	6	-	-	-	1	-	2	5	-	6	5	1	-	4	20
28	7	18	1	2	1	5	11	-	-	-	-	-	1	3	2	5	2	2	-	6	21
15	7	7	-	-	1	5	5	-	-	-	-	-	3	1	-	3	2	3	-	4	22
64	25	33	4	3	4	4	13	1	-	-	1	-	1	3	2	3	2	3	-	4	23
34	16	20	1	1	4	1	6	-	2	-	1	-	3	14	4	9	20	1	-	20	24
30	9	13	3	2	-	3	7	1	1	-	-	-	3	9	1	7	10	-	-	9	25
32	9	19	-	2	-	3	10	-	1	-	-	-	-	5	3	2	10	1	-	11	26
8	6	3	-	5	-	6	5	-	-	-	-	-	6	3	1	4	14	-	-	10	27
62	5	16	1	-	1	2	14	-	-	1	-	-	-	1	1	1	4	-	-	5	28
32	5	21	-	6	-	5	12	-	-	1	2	-	1	6	4	7	10	4	3	11	29
31	8	23	2	2	-	3	4	1	1	2	2	-	-	3	-	3	1	2	1	7	30
24	4	7	6	6	1	2	4	-	-	-	2	-	-	6	1	2	8	6	2	19	31
21	2	9	1	7	-	1	4	-	-	-	2	-	-	5	1	-	2	3	-	5	32
106	8	17	2	2	1	3	4	-	-	-	-	-	-	6	3	4	7	2	-	7	33
21	-	1	-	29	3	2	14	1	1	1	3	-	7	19	5	15	22	10	3	36	34
85	8	16	2	29	1	2	1	-	-	-	-	-	1	3	1	6	4	1	-	2	35
38	7	33	-	6	2	2	13	1	1	3	3	-	6	16	4	9	18	9	3	34	36
101	27	23	2	6	2	3	8	-	-	3	2	-	1	5	2	4	3	5	-	8	37
82	16	12	2	4	2	1	12	1	-	2	2	-	1	12	1	8	16	1	-	18	38
19	11	11	-	2	-	2	10	1	-	1	2	-	-	8	1	7	9	1	-	13	39
33	7	22	2	8	-	2	2	-	-	2	1	-	1	4	-	1	7	-	-	5	40
27	8	8	1	6	-	7	4	1	-	1	2	-	1	4	2	1	7	3	-	14	41
18	7	10	-	6	3	1	4	1	-	2	2	-	2	5	1	2	9	4	1	8	42
31	8	5	-	3	1	2	3	-	-	1	2	-	3	5	3	2	3	1	-	7	43
23	5	15	-	1	-	3	5	-	-	1	1	-	-	1	3	2	3	1	-	6	44
21	5	18	-	-	-	4	10	2	-	1	1	-	2	1	1	2	7	3	-	1	45
26	2	7	1	4	1	1	8	-	-	1	1	-	-	7	1	6	6	3	1	5	46
17	4	17	2	1	1	1	3	-	-	1	1	-	-	1	1	1	2	4	1	4	47
68	18	29	1	-	1	4	5	2	-	2	1	-	1	2	-	2	3	3	-	9	48
107	12	58	1	11	1	7	14	1	-	3	1	-	1	6	7	16	17	2	2	25	49
28	5	11	1	1	1	6	28	4	-	3	2	-	-	21	2	13	20	5	-	27	50
41	3	15	1	4	1	-	5	1	-	2	2	-	1	3	1	1	5	2	-	5	51
297	71	51	7	42	1	3	12	1	-	1	-	-	4	-	1	1	8	4	-	7	52
219	52	36	5	30	1	11	41	4	7	4	3	-	3	4	1	2	41	21	1	61	53
78	19	15	2	12	1	4	28	4	4	3	1	-	12	39	8	20	25	14	1	43	54
26	21	21	-	21	1	2	13	-	3	1	2	-	1	28	5	14	25	14	1	43	55
43	9	29	1	4	1	6	13	1	-	2	1	-	1	11	3	6	16	7	-	18	56
61	11	34	2	5	1	13	11	-	2	1	4	-	1	3	1	3	6	2	1	13	57
9	2	6	2	2	1	-	7	-	-	1	1	-	-	4	2	7	4	-	-	9	58
34	6	10	-	3	-	2	1	3	1	1	2	-	3	4	1	6	11	3	-	21	59
34	9	12	4	4	1	4	6	2	1	3	2	-	-	2	2	1	3	1	-	3	60
39	16	28	2	1	1	-	10	2	1	2	2	-	2	5	1	2	2	2	-	9	61
21	2	17	1	5	-	-	9	1	2	-	-	-	1	8	2	4	5	3	-	14	62
1,483	310	315	63	184	60	102	309	43	34	92	2	5	80	223	217	157	6	2	2	19	63
1,236	270	250	54	159	55	86	274	36	33	83	2	4	69	188	196	130	229	67	44	468	64
1,257	270	251	54	159	56	86	275	36	33	83	2	4	70	191	197	136	212	61	43	394	65
95	20	29	2	9	3	5	21	2	1	4	-	1	3	14	9	11	216	62	43	396	66
152	20	36	7	16	2	11	14	5	-	5	-	-	8	21	12	16	9	2	-	28	67
233	65	103	6	18	6	21	55	9	4	6	1	-	1	34	5	20	8	4	1	46	68
121	28	45	6	10	4	5	21	3	1	6	-	-	1	21	2	12	39	12	3	57	69
126	29	45	6	10	4	5	22	3	1	6	-	-	1	22	2	13	15	8	2	24	70
40	16	17	-	3	-	6	9	2	1	-	-	-	-	2	1	4	15	8	2	25	71
72	21	41	-	5	2	10	25	4	2	-	1	-	-	11	2	4	9	1	-	12	72
88	19	34	7	8	3	10	15	1	4	5	-	-	10	13	2	13	15	3	1	21	73
80	12	26	3	13	1	7	16	1	1	2	-	-	6	8	1	8	21	4	-	33	74
20	14	14	2	-	-	2	6	-	2	-	-	-	1	3	-	1	11	2	-	21	75
40	15	15	-	2	1	4	10	-	-	2	-	-	2	5	-	1	5	2	-	6	76
60	23	29	1	7	1	8	11	1	-	3	1	-	1	3	3	5	10	1	1	14	77
57	12	20	2	6	1	6	12	-	3	1	3	-	1	11	2	7	16	3	-	23	78
34	8	8	2	3	-	6	10	-	-	1	1	-	2	5	3	8	10	2	-	27	79
46	14	25	1	5	2	2	8	1	-	1	2	-	2	5	-	1	7	1	-	10	80
49	16	19	5	6	-	10	8	-	1	2	1	-	-	5	3	6	4	3	-	8	81
29	6	28	3	7	1	3	10	2	1	-	3	1	4	7	1	5	8	2	-	13	82
30	7	22	1	4	2	8	6	-	-	-	1	-	2	4	-	5	9	3	2	16	83
49	7	17	-	2	-	8	13	1	2	-	2	-	2	4	1	3	6	2	-	10	84
16	4	12	1	-	-	1	7	1	-	-	-	-	2	1	-	3	7	6	-	24	85
14	6	5	-	3	-	-	2	-	-	-	-	1	1	-	-	5	2	1	1	11	86
103	11	28	1	15	4	5	15	1	-	1	2	-	4	11	4	6	16	3	3	23	87
74	9	25	1	10	2	3	10	1	-	1	2	-	4	9	3	3	11	2	2	20	88
74	9	25	1	10	2	3	10	1	-	1	2	-	4	9	3	3	12	2	2	20	89
29	2	3	-	5	2	2	5	-	-	-	-	-	-	2	1	3	5	1	1	3	90

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Mercer	74	-	-	1	-	12	7	-	5	-	47	44	6	-	35	-
2	Miller	146	-	3	-	2	20	7	1	12	2	88	84	21	-	56	1
3	Mississippi	220	3	1	-	4	26	16	5	5	2	98	94	24	-	67	3
4	Moniteau	138	3	-	-	-	16	9	3	4	-	78	75	18	1	39	2
5	Monroe	139	2	-	-	-	15	5	2	8	3	84	83	29	-	48	2
6	Montgomery	163	2	-	-	-	22	8	2	12	3	101	98	19	-	72	-
7	Morgan	128	3	-	-	-	14	6	1	7	1	74	73	19	-	39	3
8	New Madrid	324	7	2	-	4	33	12	4	17	2	149	140	39	2	89	1
9	Sikeston (part)	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
10	Balance of county	319	6	2	-	4	33	12	4	17	2	148	139	39	2	89	1
11	Newton	285	7	1	-	3	37	13	3	21	3	165	159	36	1	108	8
12	Joplin (part)	12	-	-	-	-	-	-	-	-	-	8	8	2	-	6	-
13	Balance of county	273	7	1	-	3	37	13	3	21	3	157	151	34	1	102	8
14	Nodaway	281	4	-	-	1	35	11	5	19	5	154	152	52	-	93	2
15	Oregon	101	3	-	-	-	13	8	1	4	2	55	54	5	1	44	2
16	Osage	113	2	-	-	-	15	8	2	5	5	62	60	11	-	43	-
17	Ozark	79	-	-	-	-	19	7	-	12	-	38	34	14	-	18	-
18	Pemiscot	416	5	1	1	8	53	14	8	31	6	174	170	40	2	116	9
19	Perry	135	1	-	-	-	21	6	2	13	2	72	67	16	-	49	4
20	Pettis	403	5	7	-	1	53	17	2	34	8	244	238	54	-	173	2
21	Sedalia	297	2	7	-	-	41	13	1	27	5	179	174	37	-	129	1
22	Balance of county	106	3	-	-	1	12	4	1	7	3	65	64	17	-	44	1
23	Phelps	224	2	1	-	1	28	10	3	15	4	129	123	31	1	88	1
24	Pike	260	-	1	-	2	32	15	2	15	2	177	171	23	-	142	6
25	Platte	175	1	-	-	-	27	13	5	9	7	90	87	18	-	58	2
26	Polk	215	2	-	-	-	30	7	4	19	1	135	134	32	-	84	6
27	Pulaski	143	3	-	-	2	19	6	2	11	-	72	72	14	-	53	7
28	Putnam	113	2	-	-	-	21	5	-	16	2	71	67	22	1	42	-
29	Ralls	97	-	-	1	-	9	3	-	6	1	57	55	11	-	41	-
30	Hannibal (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	Balance of county	96	-	-	1	-	9	3	-	6	1	57	55	11	-	41	-
32	Randolph	332	-	1	2	-	53	21	10	22	5	173	172	36	-	119	2
33	Moberly	186	-	1	2	-	35	13	8	14	3	93	93	21	-	61	1
34	Balance of county	146	-	-	-	-	18	8	2	8	2	80	79	15	-	58	1
35	Ray	219	2	-	-	1	30	13	4	13	4	130	129	36	-	78	4
36	Reynolds	62	1	-	-	-	4	2	-	2	-	35	32	11	-	16	-
37	Ripley	83	-	-	-	1	7	4	-	3	2	54	52	13	-	35	-
38	St. Charles	334	3	1	-	1	54	27	6	21	8	185	183	28	-	135	1
39	St. Charles	180	2	1	-	-	26	15	3	8	2	102	102	18	-	71	1
40	Balance of county	154	1	-	-	1	28	12	3	13	6	83	81	10	-	64	-
41	St. Clair	132	-	-	-	1	11	5	3	3	1	83	74	12	-	57	4
42	St. Francois	375	10	1	-	3	57	25	5	27	5	196	191	44	-	139	3
43	St. Louis	3,769	36	13	5	9	652	231	91	330	63	1,928	1,881	363	2	1,435	43
44	University City	389	2	-	-	1	85	25	12	48	8	206	203	30	-	165	4
45	Clayton	156	1	2	-	-	31	12	3	16	4	89	89	18	-	68	2
46	Ferguson	94	-	1	-	-	15	3	2	10	2	48	48	9	-	36	3
47	Jennings	132	-	1	-	-	23	10	2	11	4	65	65	11	-	51	1
48	Kirkwood	245	1	1	-	1	47	20	6	21	2	115	111	24	-	79	1
49	Maplewood	132	3	-	-	-	20	10	-	10	4	71	69	12	-	56	2
50	Overland	208	3	2	1	1	28	11	4	13	1	109	107	26	-	78	3
51	Richmond Heights	153	1	-	-	1	25	4	6	15	2	53	83	19	-	59	2
52	Webster Groves	254	2	-	-	-	54	18	8	28	2	144	140	33	1	98	3
53	Balance of county	2,006	23	6	4	5	324	118	48	158	34	995	966	181	1	745	22
54	St. Louis (city)	11,100	187	92	6	38	1,719	637	225	857	170	5,946	5,767	1,085	9	4,233	164
55	Ste. Genevieve	125	3	-	-	2	11	5	-	6	2	78	77	14	-	61	1
56	Saline	311	4	3	-	2	44	24	2	18	2	167	161	36	-	103	3
57	Schuyler	78	-	-	-	-	10	4	3	3	3	48	46	8	-	36	-
58	Scotland	105	2	1	-	-	15	3	1	11	-	66	62	13	-	45	1
59	Scott	279	4	-	-	1	33	9	2	22	4	136	134	22	-	105	6
60	Sikeston (part)	105	2	-	-	-	15	2	1	12	2	52	50	7	-	42	3
61	Sikeston (total)	110	3	-	-	-	15	2	1	12	2	53	51	7	-	42	3
62	Balance of county	174	2	-	-	1	18	7	1	10	2	84	84	15	-	63	3
63	Shannon	76	1	-	-	-	8	5	-	3	-	41	40	12	-	24	-
64	Shelby	163	-	-	-	-	25	12	2	11	1	91	83	25	-	53	1
65	Stoddard	266	2	-	-	2	35	11	2	22	3	149	144	34	-	107	3
66	Stone	75	-	-	-	1	10	2	1	7	3	37	36	11	-	22	3
67	Sullivan	170	1	3	-	1	32	10	3	19	6	88	84	25	1	54	4
68	Taney	105	2	-	-	2	20	6	3	11	1	63	61	16	-	43	3
69	Texas	166	4	1	1	-	20	8	3	9	4	101	100	21	1	76	1
70	Vernon	259	1	-	-	3	46	16	8	22	3	160	156	38	1	111	-
71	Warren	93	-	-	-	-	20	10	1	9	-	56	53	12	-	38	1
72	Washington	148	4	-	-	1	11	3	4	4	3	72	69	23	1	40	1
73	Wayne	94	3	-	-	-	11	3	-	8	5	52	51	9	-	36	1
74	Webster	183	5	-	1	1	39	10	4	25	1	92	92	25	-	58	3
75	Worth	67	-	1	-	1	7	4	1	2	1	38	37	8	-	25	-
76	Wright	189	3	-	-	3	22	10	2	10	2	113	108	29	1	75	4
77	MONTANA	6,154	75	15	14	38	809	292	113	404	90	3,053	2,987	641	5	2,115	84
78	Nonmetropolitan counties	6,154	75	15	14	38	809	292	113	404	90	3,053	2,987	641	5	2,115	84
79	Beaverhead	100	1	-	-	-	12	4	3	5	1	49	49	10	-	35	1
80	Big Horn	91	3	-	-	1	11	4	2	5	3	36	35	10	-	21	2
81	Blaine	79	1	-	-	2	11	3	3	5	-	34	34	9	-	24	1
82	Broadwater	33	-		-	1	3	1	-	2	-	18	17	4	-	13	1
83	Carbon	98	-	-	-	-	14	6	1	7	1	65	65	15	-	43	2
84	Carter	30	-	-	-	-	-	-	-	-	-	20	20	3	1	9	-
85	Cascade	555	5	1	-	2	87	33	10	44	8	240	234	30	-	183	11
86	Great Falls	440	4	1	-	1	70	27	8	35	5	199	193	25	-	150	8
87	Balance of county	115	1	-	-	1	17	6	2	9	3	41	41	5	-	33	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
23	6	6	-	2	1	3	2	-	-	1	-	-	1	2	1	3	-	-	-	4	1
31	14	10	-	7	-	4	6	1	2	-	-	-	-	3	1	1	4	2	-	11	2
46	4	14	1	2	-	4	16	2	3	-	1	1	4	13	4	8	16	3	1	14	3
17	4	16	4	13	-	3	13	1	1	-	1	-	2	5	1	7	2	1	-	7	4
29	3	14	1	5	-	1	9	-	-	-	-	-	-	3	1	2	12	2	1	5	5
39	17	16	3	2	2	3	10	-	1	-	2	-	2	2	4	4	2	2	1	5	6
23	7	6	5	9	1	1	9	2	1	1	1	-	1	4	1	4	6	1	-	5	7
46	10	32	6	3	1	9	15	2	5	4	2	-	7	28	10	13	16	6	3	16	8
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	9
46	10	32	5	3	1	9	15	2	5	4	2	-	6	28	10	13	16	5	3	15	10
55	21	24	2	9	3	6	13	-	-	1	-	1	1	13	3	3	11	4	-	19	11
5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	12
50	20	24	2	9	3	6	12	-	-	1	-	1	1	12	3	2	11	4	-	18	13
54	13	24	3	3	1	2	10	3	2	2	-	2	-	8	4	2	18	3	-	28	14
29	5	8	1	3	-	1	5	-	1	2	1	-	1	5	-	2	5	1	-	5	15
26	9	8	1	4	1	2	6	1	1	-	-	1	-	7	1	2	5	1	-	4	16
10	3	5	-	2	-	4	4	-	-	-	-	-	2	2	3	-	4	-	-	5	17
68	21	20	3	4	3	4	16	1	3	1	-	2	7	25	31	16	18	3	7	38	18
30	5	10	1	1	-	5	10	-	-	3	-	-	1	7	1	2	5	4	-	6	19
79	21	71	-	7	4	6	24	1	1	1	2	-	3	5	1	11	11	4	2	19	20
58	11	59	-	5	3	5	18	1	1	1	2	-	3	4	1	8	5	1	2	16	21
21	10	12	-	2	1	1	6	-	-	-	-	-	-	1	-	3	6	3	-	3	22
51	20	16	1	2	-	6	12	-	-	2	1	-	5	9	-	9	5	1	-	15	23
71	32	33	1	4	1	6	11	-	2	2	-	1	1	3	1	7	11	2	-	5	24
42	7	7	2	8	1	3	13	-	1	-	-	-	5	1	-	6	7	4	-	13	25
42	7	29	3	15	-	1	8	1	-	2	-	-	-	3	5	7	8	2	-	11	26
27	11	8	-	4	1	-	3	-	1	-	-	-	5	15	2	10	4	-	1	6	27
23	10	9	1	1	-	4	3	1	-	-	1	-	1	2	1	1	3	1	-	3	28
24	2	15	2	1	-	2	4	1	1	-	-	-	3	2	1	4	4	2	1	6	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	30
24	2	15	2	1	-	2	4	1	1	-	-	-	3	2	1	4	3	2	1	6	31
58	17	42	2	14	1	1	17	-	1	2	1	-	2	13	9	8	14	3	2	26	32
32	10	18	2	8	1	-	6	-	-	1	-	-	1	9	5	4	8	1	2	15	33
26	7	24	-	6	-	1	11	-	1	1	1	-	1	4	4	4	6	2	-	11	34
30	11	25	1	11	3	1	11	2	2	1	1	-	2	6	2	6	10	2	-	7	35
12	1	3	2	2	1	3	3	-	-	-	-	-	2	2	-	1	9	1	-	4	36
20	3	12	2	1	1	2	6	-	-	1	-	-	1	2	-	3	2	1	-	3	37
83	26	25	5	15	-	2	8	1	1	1	1	-	4	13	1	13	11	5	-	22	38
48	14	8	4	9	-	-	5	1	-	1	-	1	2	7	-	7	8	4	-	11	39
35	12	17	1	6	-	2	3	-	1	-	1	-	2	6	1	6	3	1	-	11	40
33	5	15	1	4	-	9	6	-	-	1	-	-	2	1	3	5	4	3	-	11	41
98	17	21	3	4	1	5	19	1	1	4	-	-	2	12	-	15	12	4	2	31	42
870	206	316	23	37	21	47	113	29	13	40	3	2	64	162	146	83	118	30	9	251	43
121	17	23	3	3	2	3	9	4	1	3	1	-	3	11	10	5	6	5	-	29	44
48	7	11	1	1	1	-	2	-	1	2	-	-	1	1	3	2	6	2	-	9	45
22	10	1	-	1	2	-	-	-	-	2	-	-	3	4	2	3	5	-	-	9	46
31	7	12	2	1	-	-	1	2	-	1	-	-	3	2	9	-	8	1	1	11	47
51	10	17	1	4	3	4	11	1	1	-	-	-	4	17	14	2	11	1	-	16	48
41	7	6	1	-	-	2	12	1	-	-	-	-	4	3	7	-	3	-	-	4	49
41	13	21	-	2	1	2	4	4	1	5	-	-	2	13	10	4	6	1	-	13	50
40	7	10	2	2	1	3	7	1	-	4	-	-	-	5	5	2	3	-	-	11	51
62	11	22	2	5	1	4	7	-	-	-	-	-	2	7	5	7	6	2	1	15	52
413	117	193	11	18	10	29	60	16	9	23	2	2	42	99	81	58	64	18	7	134	53
2,538	735	796	109	243	88	179	338	65	39	176	18	13	106	402	51	235	463	76	106	324	54
30	4	26	-	2	-	1	2	1	1	-	-	-	2	2	-	3	6	-	1	11	55
62	21	17	4	17	1	6	20	2	1	2	3	-	1	9	3	6	13	4	-	25	56
19	5	12	-	2	-	2	3	1	1	-	1	1	-	3	-	2	2	1	-	2	57
24	2	18	2	1	1	4	4	-	-	1	-	1	-	-	2	-	4	1	-	8	58
45	18	36	1	4	2	2	20	3	4	-	1	1	3	17	-	9	16	1	2	24	59
17	7	15	-	-	1	2	7	3	4	-	-	-	3	3	-	1	6	1	-	6	60
17	7	15	1	-	1	2	7	3	4	-	-	-	4	3	-	1	6	2	-	7	61
28	11	21	1	4	1	-	13	-	-	-	1	1	-	14	-	8	10	-	2	18	62
17	3	4	-	4	-	1	8	-	-	-	-	1	1	3	2	2	3	2	-	4	63
35	7	10	2	3	-	8	10	2	1	2	-	-	-	2	5	4	8	3	-	9	64
51	13	40	1	1	1	5	14	3	2	2	-	2	1	15	5	7	12	1	2	9	65
13	3	3	-	3	-	1	3	-	-	-	-	-	-	1	1	-	5	1	-	13	66
33	4	13	1	1	2	4	9	-	1	-	1	-	1	2	4	3	8	1	1	8	67
30	3	7	1	1	-	2	4	-	-	-	-	-	1	-	1	2	3	-	-	6	68
48	17	10	2	-	-	1	8	-	1	-	-	-	1	4	2	2	6	2	-	9	69
63	19	29	-	5	1	4	10	-	-	1	-	-	2	4	3	4	8	1	-	13	70
17	7	13	2	1	-	3	2	1	1	1	-	-	1	3	1	3	-	-	-	4	71
23	6	10	-	4	1	3	16	1	2	1	-	-	-	7	1	7	7	1	-	14	72
18	4	13	3	3	-	1	2	1	3	-	-	-	-	1	5	-	7	-	-	4	73
36	12	7	1	4	4	-	11	1	1	-	-	-	2	2	1	3	10	-	-	13	74
19	2	4	1	3	-	1	6	1	-	-	-	-	-	4	1	2	-	1	-	4	75
44	9	18	1	1	1	5	9	-	2	-	3	-	3	8	2	2	8	1	-	8	76
1,327	169	535	36	148	42	66	245	42	26	50	13	3	69	278	230	233	336	102	22	411	77
1,327	169	535	36	148	42	66	245	42	26	50	13	3	69	278	230	233	336	102	22	411	78
14	1	19	-	2	2	-	4	-	1	-	-	-	-	6	9	1	10	2	-	4	79
16	-	3	-	2	2	1	4	-	1	1	-	-	1	6	6	4	4	1	-	9	80
14	1	8	-	1	-	-	2	1	-	-	-	-	1	2	4	4	11	2	-	4	81
5	-	7	-	-	-	1	1	1	-	-	-	-	-	1	1	1	3	1	-	2	82
26	2	13	-	5	2	-	1	-	-	1	-	-	1	1	2	3	3	1	-	5	83
4	3	2	3	4	-	-	2	-	-	-	-	-	1	-	1	1	2	-	-	3	84
97	26	47	4	13	4	6	25	6	5	5	2	1	10	25	52	16	18	14	2	31	85
80	27	35	4	10	4	6	15	6	3	5	1	1	8	18	44	13	11	9	2	24	86
17	1	12	-	3	-	-	10	-	2	-	1	-	2	7	8	3	7	5	-	7	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MONTANA—Continued																
1	Chouteau	74	-	-	-	-	14	4	1	9	1	44	44	7	-	35	2
2	Custer	127	1	-	3	-	22	9	3	10	3	58	56	9	-	42	1
3	Daniels	21	-	-	-	-	2	-	1	1	-	9	9	-	-	9	-
4	Dawson	73	-	-	-	-	15	5	1	9	-	35	34	8	-	23	1
5	Deer Lodge	194	2	-	2	1	16	6	6	4	3	109	107	22	1	81	3
6	Anaconda	167	2	-	1	1	15	6	6	3	3	99	98	19	1	75	3
7	Balance of county	27	-	-	1	-	1	-	-	1	-	10	9	3	-	6	-
8	Fallon	27	-	-	-	-	5	3	1	1	-	14	14	2	-	10	-
9	Fergus	159	2	-	-	-	22	8	-	14	1	87	85	18	-	61	-
10	Flathead	310	3	-	1	2	40	10	7	23	1	153	151	38	-	101	3
11	Gallatin	168	-	2	-	-	20	7	-	13	2	93	90	24	-	60	1
12	Bozeman	98	-	1	-	-	11	5	-	6	1	59	57	15	-	36	1
13	Balance of county	70	-	1	-	-	9	2	-	7	1	34	33	9	-	24	-
14	Garfield	21	-	-	-	-	2	1	-	1	-	8	8	2	-	6	-
15	Glacier	111	7	-	-	4	12	3	1	8	2	37	37	6	-	29	-
16	Golden Valley	10	-	-	-	-	1	1	-	-	1	4	4	1	-	2	-
17	Granite	37	1	-	-	-	4	1	1	2	-	17	17	1	-	15	1
18	Hill	147	2	1	-	1	13	5	1	7	2	72	71	12	-	55	2
19	Jefferson	38	-	-	1	-	8	5	2	1	-	15	15	4	-	11	-
20	Judith Basin	34	-	-	-	1	5	1	-	4	-	19	19	9	-	9	-
21	Lake	143	2	-	-	1	14	5	2	7	2	68	66	14	-	50	1
22	Lewis and Clark	302	1	1	1	2	36	14	9	13	9	174	168	39	-	116	3
23	Helena	229	-	-	-	2	30	11	7	12	6	128	123	29	-	85	3
24	Balance of county	73	1	1	1	-	6	3	2	1	3	46	45	10	-	31	-
25	Liberty	10	-	-	-	-	-	-	-	-	-	5	5	-	-	5	1
26	Lincoln	80	1	-	-	-	7	1	1	5	1	42	40	6	-	33	5
27	McCone	28	-	-	-	-	3	1	1	1	-	12	11	5	-	6	1
28	Madison	58	1	-	-	-	5	-	-	5	-	27	25	4	-	18	1
29	Meagher	27	1	-	-	-	4	1	-	3	1	10	10	2	-	8	-
30	Mineral	23	1	-	-	-	5	2	1	2	1	6	6	2	-	2	-
31	Missoula	331	2	1	-	4	46	18	9	19	-	182	179	53	-	118	1
32	Missoula	266	1	1	-	1	40	14	8	18	-	142	139	43	-	89	1
33	Balance of county	65	1	-	-	3	6	4	1	1	-	40	40	10	-	29	-
34	Musselshell	59	-	-	-	-	7	2	2	3	2	26	26	11	-	15	-
35	Park	138	-	-	1	-	22	11	3	8	4	75	73	11	-	50	2
36	Petroleum	8	-	-	-	-	2	-	1	1	-	4	4	1	-	3	-
37	Phillips	60	-	-	-	2	10	4	3	3	2	24	24	7	-	16	-
38	Pondera	65	1	1	1	1	7	5	1	1	1	32	32	7	-	24	1
39	Powder River	12	-	-	-	-	1	-	-	1	-	6	6	-	-	6	-
40	Powell	83	2	1	-	-	10	3	2	5	1	48	48	9	-	32	1
41	Prairie	23	-	-	-	-	1	-	1	-	-	11	11	4	-	7	1
42	Ravalli	111	1	-	-	-	15	4	4	7	2	56	56	8	-	45	-
43	Richland	81	-	-	-	1	10	3	-	7	-	42	40	7	-	29	4
44	Roosevelt	115	5	2	-	1	15	8	1	6	2	42	40	7	1	31	1
45	Rosebud	56	2	-	-	-	6	2	-	4	-	26	26	4	-	19	-
46	Sanders	90	2	-	-	-	6	2	1	3	-	52	51	13	-	32	-
47	Sheridan	64	-	-	-	-	12	2	1	9	2	30	30	6	-	23	2
48	Silver Bow	725	16	1	-	4	90	34	12	44	9	379	367	78	1	266	12
49	Butte	650	15	1	-	4	77	31	11	35	9	344	333	68	1	244	11
50	Balance of county	75	1	-	-	-	13	3	1	9	-	35	34	10	-	22	1
51	Stillwater	62	-	-	2	1	7	4	-	3	2	38	37	10	-	26	1
52	Sweet Grass	40	-	-	-	1	5	1	-	4	1	21	17	7	-	8	-
53	Teton	47	-	-	-	-	10	3	1	6	2	19	18	3	-	14	-
54	Toole	65	-	-	-	-	6	2	2	2	4	22	22	8	-	13	1
55	Treasure	8	-	-	-	-	1	-	-	1	-	5	5	1	-	4	1
56	Valley	115	1	1	-	2	14	8	-	6	1	51	50	6	-	36	1
57	Wheatland	35	1	-	-	-	3	1	-	2	2	18	18	1	-	11	-
58	Wibaux	21	-	-	-	1	2	-	-	2	-	7	7	1	-	5	1
59	Yellowstone	531	7	3	2	2	88	31	11	46	10	257	254	62	1	167	10
60	Billings	412	6	3	2	2	68	21	8	39	9	198	196	48	1	129	9
61	Balance of county	119	1	-	-	-	20	10	3	7	1	59	58	14	-	38	1
62	Yellowstone Nat. Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	NEBRASKA	13,380	74	28	10	47	2,229	858	215	1,156	285	7,189	7,040	1,706	12	4,805	158
64	Metropolitan counties	4,320	39	14	1	11	738	260	94	384	77	2,309	2,269	549	3	1,546	64
65	Nonmetropolitan counties	9,060	35	14	9	36	1,491	598	121	772	208	4,880	4,771	1,157	9	3,259	94
66	Adams	286	2	1	-	1	54	24	2	28	10	131	127	27	-	97	1
67	Hastings	223	2	1	-	1	41	18	2	21	6	103	99	22	-	76	-
68	Balance of county	63	-	-	-	-	13	6	-	7	4	28	28	5	-	21	1
69	Antelope	115	-	-	-	-	13	6	1	6	2	70	69	18	-	49	1
70	Arthur	4	-	-	-	-	-	-	-	-	-	3	2	1	-	1	-
71	Banner	8	-	-	-	-	1	1	-	-	1	5	5	-	-	5	-
72	Blaine	7	-	-	-	-	1	1	-	-	-	5	5	2	-	3	-
73	Boone	113	-	-	1	-	17	8	-	9	-	69	69	20	-	44	2
74	Box Butte	106	1	-	-	-	20	5	1	14	1	53	53	11	1	37	-
75	Boyd	59	-	-	-	-	15	6	2	7	-	29	27	9	-	15	-
76	Brown	56	-	-	-	-	14	7	-	7	4	20	19	2	-	14	-
77	Buffalo	249	-	-	-	-	38	13	5	20	2	140	139	20	-	104	1
78	Kearney	134	-	-	-	-	16	9	2	5	2	76	75	10	-	58	1
79	Balance of county	115	-	-	-	-	22	4	3	15	-	64	64	10	-	46	-
80	Burt	129	1	-	-	1	17	5	2	10	6	76	73	14	-	51	5
81	Butler	125	-	-	-	-	24	12	2	10	6	66	63	18	1	38	2
82	Cass	185	-	-	-	-	34	11	3	20	1	99	95	25	-	65	3
83	Cedar	135	-	-	1	-	26	12	2	12	5	69	68	11	-	52	4
84	Chase	39	-	-	-	-	4	1	-	3	-	26	25	6	-	17	-
85	Cherry	80	-	-	-	-	15	4	2	9	-	45	44	11	-	32	2
86	Cheyenne	104	-	-	1	1	15	7	1	7	5	47	47	11	1	32	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
26	5	2	1	1	-	-	-	-	-	-	1	-	-	6	1	2	3	-	-	2	1
32	3	6	1	3	1	2	7	1	1	4	-	-	3	5	2	3	6	1	1	6	2
4	-	5	-	-	-	-	2	-	1	-	-	-	-	2	-	-	1	1	-	3	3
13	1	8	-	3	-	1	2	-	-	-	-	-	-	7	1	6	2	-	-	5	4
50	7	21	-	2	1	2	7	3	1	1	-	-	2	10	7	6	5	5	2	12	5
46	7	19	-	2	1	1	5	3	1	1	-	-	1	7	6	4	1	5	2	10	6
4	-	2	-	-	-	1	2	-	-	-	-	-	1	3	1	2	4	-	-	2	7
7	1	2	-	2	-	-	2	-	-	1	-	-	-	-	-	1	-	-	1	3	8
40	7	14	1	2	3	2	8	-	-	1	1	-	2	9	1	3	10	-	-	13	9
72	3	23	-	11	1	2	12	2	1	2	1	-	3	16	3	17	23	4	-	26	10
46	3	10	1	4	1	3	7	1	-	1	1	-	1	10	2	4	11	2	2	9	11
27	2	6	1	4	1	2	4	1	-	-	1	-	1	4	-	1	5	2	1	6	12
19	1	4	-	-	-	1	3	-	-	1	-	-	-	6	2	3	6	-	1	3	13
3	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	-	-	4	14
15	1	13	1	1	-	-	8	-	1	3	-	-	1	8	3	8	8	-	1	8	15
2	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	16
10	2	2	-	1	-	-	2	-	-	-	-	-	-	2	1	-	4	1	-	5	17
41	2	10	1	3	-	1	8	1	-	-	-	-	-	9	10	6	15	2	-	4	18
5	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	6	3	-	-	3	19
7	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	1	2	-	2	20
33	4	12	-	-	2	2	8	3	-	-	-	-	1	4	13	11	7	2	1	6	21
58	9	46	1	12	-	6	12	5	1	-	-	-	1	9	7	4	15	5	-	19	22
42	6	34	1	8	-	5	11	4	1	-	-	-	1	7	5	3	10	4	-	17	23
16	3	12	-	4	-	1	1	1	-	-	-	-	-	2	2	1	5	1	-	2	24
3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	25
16	9	3	1	-	-	2	2	-	1	-	-	-	-	7	-	5	6	1	1	6	26
1	1	3	-	-	-	1	3	-	-	-	-	-	-	-	3	3	2	1	-	1	27
12	-	5	-	2	1	2	1	-	-	1	-	-	-	3	6	3	1	2	2	6	28
2	-	6	-	-	-	-	2	-	-	-	-	-	-	-	3	2	2	-	-	2	29
2	-	-	-	2	-	-	2	-	1	-	-	-	-	1	-	1	2	-	-	3	30
88	11	18	3	4	1	3	11	3	-	4	-	-	2	11	13	10	15	5	1	21	31
67	9	12	3	3	1	3	9	2	-	4	-	-	2	11	9	10	10	5	-	19	32
21	2	6	-	1	-	-	2	1	-	-	-	-	-	-	4	-	5	-	1	2	33
14	1	-	-	-	-	-	8	-	1	2	-	-	1	2	1	2	3	3	-	1	34
41	1	6	1	10	1	2	3	-	-	2	-	-	1	7	2	3	8	2	-	8	35
2	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	36
11	1	4	1	-	-	-	3	-	1	-	-	-	-	5	1	1	6	1	-	4	37
19	2	2	-	1	-	-	1	-	1	1	-	-	2	4	1	5	2	-	-	4	38
3	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	39
27	1	3	-	3	4	-	2	2	-	-	-	-	1	2	3	5	1	2	-	3	40
4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	3	2	1	-	2	41
38	3	4	-	3	-	-	1	-	-	-	-	-	2	3	16	3	4	1	1	6	42
20	1	4	-	3	1	2	3	1	-	-	-	-	2	3	1	3	5	1	-	9	43
17	4	9	-	-	1	2	8	1	1	1	1	-	1	12	1	4	10	1	2	5	44
10	1	8	-	3	-	-	4	-	1	-	-	-	-	3	1	3	4	-	-	6	45
26	-	6	-	5	1	1	1	-	-	-	-	-	-	2	7	3	5	4	-	4	46
17	-	4	1	-	-	-	1	2	-	-	-	-	-	1	4	-	-	5	3	-	47
121	20	113	4	10	8	12	28	8	1	11	3	1	9	19	20	16	35	11	1	63	48
112	18	103	4	8	8	11	24	7	1	11	2	1	9	17	18	13	31	8	1	57	49
9	2	10	-	2	-	1	4	1	-	-	1	-	-	2	2	3	4	3	-	6	50
17	2	6	-	1	-	1	2	-	-	1	-	-	-	-	-	-	2	3	1	3	51
6	1	1	-	2	-	4	3	-	-	-	-	-	-	2	-	1	2	-	-	4	52
7	3	4	-	-	1	1	2	-	-	-	1	-	-	2	1	6	1	1	-	2	53
7	1	4	1	-	-	-	3	-	-	-	-	-	-	3	10	6	5	1	-	5	54
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	55
29	4	2	1	6	1	1	6	-	-	-	-	-	3	5	1	12	4	1	1	12	56
7	-	4	4	1	1	-	2	-	1	-	-	-	-	1	2	1	3	-	-	1	57
3	-	1	-	1	-	-	3	-	-	-	-	-	1	1	-	-	2	-	-	4	58
114	13	30	4	18	2	3	12	1	4	4	2	-	10	29	9	17	31	9	2	32	59
88	12	20	3	14	1	2	8	1	3	4	2	-	5	25	5	11	25	9	2	24	60
26	1	10	1	4	1	1	4	-	1	-	-	-	5	4	4	6	6	-	-	8	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	62
3,040	577	1,030	93	327	97	149	510	96	51	81	26	20	174	493	94	340	549	150	27	907	63
1,067	174	241	40	102	29	40	156	29	20	40	9	6	71	191	34	64	159	36	15	301	64
1,973	403	789	53	225	68	109	354	67	31	41	17	14	103	302	60	276	390	114	12	606	65
66	7	23	-	2	1	4	7	1	-	1	-	1	2	16	4	12	18	3	-	22	66
52	5	19	-	-	1	4	6	1	-	1	-	1	2	12	3	9	16	3	-	15	67
14	2	4	-	2	-	-	1	-	-	-	-	-	-	4	1	3	2	-	-	7	68
27	9	12	-	2	-	1	5	2	-	-	-	-	2	4	-	-	7	-	-	10	69
-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	71
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	72
32	3	7	-	4	1	-	3	-	2	1	-	-	1	2	3	1	2	1	-	10	73
30	4	3	1	2	1	-	4	-	3	-	-	-	1	1	-	7	5	2	-	8	74
10	2	3	-	2	1	2	3	1	-	-	-	-	1	4	-	1	2	-	-	3	75
12	-	2	-	2	1	1	4	-	-	1	-	-	-	1	-	-	4	4	-	4	76
74	10	19	-	13	2	1	11	5	1	1	1	-	2	7	4	10	8	2	1	16	77
38	5	14	-	6	1	1	8	2	1	-	-	-	1	5	3	5	4	2	1	8	78
36	5	5	-	7	1	-	3	3	-	1	1	-	1	2	1	5	4	-	-	8	79
33	6	7	4	3	1	3	4	1	-	-	-	-	3	5	-	2	9	-	-	4	80
26	5	5	-	4	2	3	8	-	-	-	-	-	-	4	2	1	5	1	-	8	81
39	10	13	1	4	-	4	6	-	-	2	-	-	4	7	1	7	12	1	-	11	82
29	5	14	-	2	3	1	12	-	-	1	-	-	-	5	1	5	2	1	-	7	83
12	2	3	-	2	-	1	-	-	-	-	-	-	1	2	-	1	1	-	1	3	84
21	3	6	-	1	-	1	3	-	-	1	-	-	3	1	1	3	5	-	-	3	85
11	4	14	-	2	1	-	2	-	1	2	-	-	2	8	-	6	2	1	2	9	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Clay	114	-	-	-	-	20	11	-	9	1	65	65	13	-	49	1
2	Colfax	102	-	-	-	1	24	16	1	7	-	49	46	6	-	32	-
3	Cuming	108	1	-	-	-	20	7	4	9	4	54	54	9	-	40	2
4	Custer	183	1	1	-	-	26	11	1	14	3	106	104	25	-	75	2
5	Dakota	89	-	1	-	1	13	4	3	6	3	44	43	6	-	29	-
6	Dawes	97	-	-	-	-	13	6	3	4	2	58	56	10	-	40	-
7	Dawson	197	-	2	1	1	30	12	2	16	2	108	103	21	2	75	4
8	Deuel	19	-	-	-	-	1	-	1	-	1	13	13	7	-	4	-
9	Dixon	84	2	-	-	-	13	5	1	7	1	44	42	15	-	23	-
10	Dodge	285	2	1	-	-	54	11	5	38	7	146	146	29	-	105	3
11	Fremont	195	2	1	-	-	33	7	2	23	4	102	102	19	-	76	1
12	Balance of county	90	-	-	-	-	21	4	2	15	3	44	44	10	-	29	2
13	Douglas	3,018	35	12	1	6	502	186	64	252	48	1,619	1,593	371	2	1,115	47
14	Omaha	2,745	35	12	1	6	451	166	57	228	43	1,480	1,459	343	1	1,024	42
15	Balance of county	273	-	-	-	-	51	20	7	24	5	139	134	28	1	91	5
16	Dundy	38	-	-	-	-	6	1	-	5	3	19	17	2	-	14	-
17	Fillmore	112	-	-	-	-	22	7	2	12	5	52	51	16	-	32	1
18	Franklin	73	-	-	-	-	16	5	-	11	4	36	33	4	1	23	-
19	Frontier	47	-	-	-	1	7	2	1	4	3	28	28	8	-	18	-
20	Furnas	114	-	-	-	1	16	5	3	8	4	69	69	9	-	48	1
21	Gage	303	1	-	-	1	51	21	3	27	12	169	168	52	2	106	3
22	Beatrice	156	-	-	-	-	28	11	1	16	3	84	83	29	1	48	2
23	Balance of county	147	1	-	-	1	23	10	2	11	9	85	85	23	1	58	1
24	Garden	33	-	-	-	-	5	2	-	3	-	17	14	1	-	13	2
25	Garfield	25	-	-	-	-	3	1	-	2	1	15	15	4	-	11	-
26	Gosper	19	-	-	-	-	2	1	-	1	-	9	9	1	-	7	-
27	Grant	9	-	-	-	-	-	-	-	-	1	7	7	1	-	5	1
28	Greeley	55	-	-	-	-	3	3	-	-	1	34	33	11	-	17	-
29	Hall	350	-	1	-	1	64	22	9	33	8	178	173	40	1	125	3
30	Grand Island	247	-	1	-	-	43	13	5	25	3	120	116	27	-	85	1
31	Balance of county	103	-	-	-	1	21	9	4	8	2	58	57	13	1	40	2
32	Hamilton	119	1	1	-	-	20	5	2	13	3	76	72	29	-	36	-
33	Harlan	62	-	-	-	-	12	3	3	6	-	38	38	11	-	23	-
34	Hayes	12	-	-	-	1	4	2	-	2	-	5	5	-	-	5	-
35	Hitchcock	50	-	-	-	2	5	4	-	1	-	31	31	8	-	21	1
36	Holt	127	-	-	-	1	14	7	-	7	6	60	58	14	-	41	4
37	Hooker	12	-	-	-	-	4	3	1	-	-	7	7	4	-	3	-
38	Howard	69	1	-	-	-	13	4	-	9	-	37	36	12	-	22	1
39	Jefferson	146	1	-	-	3	20	10	1	9	2	87	86	26	-	49	2
40	Johnson	77	1	-	-	-	11	2	-	8	3	41	40	10	-	27	1
41	Kearney	50	-	-	-	1	7	4	-	3	1	27	27	6	-	20	-
42	Keith	61	1	-	-	-	14	7	2	5	2	26	25	5	-	20	1
43	Keya Paha	11	-	-	-	-	2	1	-	1	-	6	6	1	-	5	-
44	Kimball	40	-	-	-	-	8	5	1	2	-	20	20	5	-	14	-
45	Knox	126	1	-	-	3	19	8	1	10	4	72	72	23	-	46	1
46	Lancaster	1,190	4	2	-	5	216	69	28	119	25	638	624	164	-	398	16
47	Lincoln	1,071	3	1	-	4	199	60	27	112	22	574	561	144	-	358	13
48	Balance of county	119	1	1	-	1	17	9	1	7	3	64	63	20	-	40	3
49	Lincoln	238	-	1	-	1	31	13	2	16	5	122	119	24	-	83	1
50	North Platte	173	-	1	-	1	23	8	2	13	4	87	85	14	-	61	1
51	Balance of county	65	-	-	-	-	8	5	-	3	1	35	34	10	-	22	-
52	Logan	15	-	-	-	-	3	2	-	1	-	6	6	3	-	3	-
53	Loup	15	-	-	-	-	1	-	-	1	3	7	7	1	-	5	-
54	McPherson	3	-	-	-	-	2	1	-	1	-	2	2	1	-	1	-
55	Madison	235	-	-	-	-	42	21	4	17	-	139	137	30	-	99	4
56	Norfolk	121	-	-	-	-	24	10	3	11	-	72	72	14	-	55	3
57	Balance of county	114	-	-	-	-	18	11	1	6	-	67	65	16	-	44	1
58	Merrick	101	-	-	-	-	18	7	1	10	4	54	54	22	-	29	-
59	Morrill	70	-	-	-	1	7	3	-	4	-	38	36	11	-	22	2
60	Nance	72	-	-	-	-	17	8	-	9	-	42	41	6	-	31	1
61	Nemaha	118	-	-	1	2	20	6	3	11	3	60	59	8	-	51	-
62	Nuckolls	102	-	-	-	-	10	5	2	3	1	63	63	14	-	42	1
63	Otoe	166	-	1	1	-	29	11	3	15	3	82	82	18	-	61	5
64	Pawnee	71	-	-	-	-	9	2	2	5	1	40	39	7	-	31	1
65	Perkins	29	-	-	-	-	6	1	-	5	-	14	14	4	-	9	-
66	Phelps	103	-	-	-	-	22	10	2	10	1	60	60	15	-	43	2
67	Pierce	77	-	-	-	1	4	3	-	1	2	47	46	12	-	32	-
68	Platte	173	1	-	-	1	27	10	4	13	3	99	97	19	-	70	1
69	Polk	95	1	-	-	1	13	5	-	8	3	53	50	21	-	24	1
70	Red Willow	132	2	-	-	-	19	6	2	11	2	74	73	11	-	52	-
71	Richardson	200	-	1	-	2	31	9	5	17	7	118	115	34	-	73	1
72	Rock	34	-	-	-	-	6	3	-	3	-	16	16	6	-	9	1
73	Saline	193	-	-	-	-	32	14	-	18	7	103	100	26	-	64	-
74	Sarpy	112	-	-	-	-	20	5	2	13	4	52	52	14	1	33	1
75	Saunders	177	-	-	-	-	25	14	1	10	2	101	97	32	-	57	2
76	Scotts Bluff	309	8	1	1	4	48	20	6	22	7	136	135	35	-	91	1
77	Scottsbluff	144	3	1	-	3	28	10	4	14	4	61	60	13	-	41	-
78	Balance of county	165	5	-	1	1	20	10	2	8	3	75	75	22	-	50	1
79	Seward	163	-	-	1	1	39	13	-	26	4	84	84	23	-	56	1
80	Sheridan	93	-	-	-	-	19	8	-	11	3	44	42	10	-	31	1
81	Sherman	59	-	-	-	-	13	8	-	5	1	31	28	7	-	20	-
82	Sioux	20	-	-	-	-	4	2	-	2	-	11	11	2	-	9	-
83	Stanton	45	-	-	-	-	9	6	-	3	2	26	25	5	-	16	1
84	Thayer	110	1	-	1	-	13	1	3	9	5	53	53	16	-	35	3
85	Thomas	14	-	-	-	-	2	1	-	1	2	10	9	4	-	5	2
86	Thurston	93	5	-	-	-	14	6	-	8	-	41	41	9	-	28	-
87	Valley	68	-	-	-	-	7	6	-	1	1	39	37	8	-	22	-
88	Washington	113	-	-	-	-	18	9	-	9	2	59	58	14	-	41	-
89	Wayne	79	-	-	-	-	10	4	1	5	2	44	44	10	-	33	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-758	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
32	6	10	-	2	1	-	2	2	-	1	-	-	1	1	-	3	3	2	-	13	1
15	7	10	2	2	4	3	5	-	-	1	-	-	1	3	3	4	3	4	-	4	2
26	2	10	-	5	-	-	2	-	1	-	-	-	1	6	-	3	5	2	1	8	3
47	4	22	-	4	-	2	6	4	1	3	-	-	1	4	1	-	14	3	-	9	4
19	5	5	1	6	1	1	5	2	-	-	-	1	-	2	-	2	7	-	-	8	5
22	12	6	-	4	2	2	1	-	-	1	1	-	3	1	-	1	6	1	-	9	6
52	4	15	-	4	1	5	3	2	1	-	2	2	3	4	-	10	9	3	-	14	7
3	-	1	-	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	8
15	1	7	-	3	1	2	8	-	-	-	1	-	-	6	-	4	-	2	-	3	9
66	16	18	4	8	-	-	13	1	-	3	-	1	4	5	2	13	13	4	-	16	10
46	13	16	1	6	-	-	11	1	-	2	-	1	2	3	1	10	10	2	-	10	11
20	5	2	3	2	-	-	2	-	-	1	-	-	2	2	1	3	3	2	-	6	12
803	124	141	28	58	19	26	100	17	14	26	6	5	52	143	28	47	111	21	14	211	13
732	116	134	28	47	16	21	88	16	12	26	5	4	46	125	26	39	103	20	13	194	14
71	8	7	-	11	3	5	12	1	2	-	1	1	6	18	2	8	8	1	1	17	15
5	3	6	1	-	-	2	3	-	-	1	1	-	-	3	-	-	1	-	-	1	16
12	3	16	-	3	-	1	5	-	1	-	-	-	-	3	-	4	5	3	-	12	17
13	4	6	-	4	1	3	1	-	-	1	1	-	-	3	-	5	3	-	-	3	18
8	4	6	-	2	-	-	3	-	-	-	-	-	-	2	-	-	1	-	-	2	19
29	9	9	1	7	4	-	5	2	-	-	-	-	3	1	-	2	4	1	-	6	20
71	15	17	2	2	4	1	19	3	-	1	-	-	3	6	-	7	12	4	-	14	21
34	7	5	1	-	4	1	15	1	-	-	-	-	1	3	-	5	6	1	-	9	22
37	8	12	1	2	-	-	4	2	-	1	-	-	2	3	-	2	6	3	-	5	23
7	3	1	-	-	-	3	1	-	-	-	-	-	-	2	-	-	1	1	-	6	24
7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	25
4	-	3	-	1	-	-	2	1	-	-	-	-	-	1	-	1	1	1	-	1	26
1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	27
9	2	6	-	5	-	1	-	-	-	-	-	-	-	6	-	3	4	1	-	3	28
81	7	34	1	3	3	5	17	7	-	1	1	1	2	21	1	9	14	4	-	23	29
55	6	23	1	2	1	4	15	5	-	1	1	-	1	19	1	5	12	2	-	18	30
26	1	11	-	1	2	1	2	2	-	-	-	1	1	2	-	4	2	2	-	5	31
17	4	15	1	6	-	4	3	-	-	-	-	2	-	1	-	3	2	-	-	7	32
13	4	6	-	3	1	-	-	-	-	-	-	-	1	1	-	2	3	-	-	5	33
3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	34
15	1	4	1	1	-	-	1	1	-	-	-	-	-	3	-	1	6	-	-	-	35
21	5	11	2	1	-	2	6	-	-	2	1	-	5	5	1	2	7	2	-	15	36
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	37
11	2	8	-	1	1	1	3	-	-	-	-	-	-	-	6	1	1	-	-	7	38
23	8	16	1	5	5	1	8	1	-	-	-	-	1	5	-	1	4	1	-	12	39
16	2	8	-	3	-	1	3	-	3	-	-	-	-	3	-	1	3	1	-	7	40
11	4	5	-	-	1	-	2	-	-	-	1	-	-	1	-	3	4	1	-	2	41
15	2	2	-	-	-	1	-	1	-	-	-	-	2	7	-	-	3	1	-	4	42
4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	43
5	7	2	-	1	-	-	1	-	-	-	-	-	-	3	-	1	6	-	-	1	44
27	7	11	-	3	-	-	2	-	-	1	-	-	-	1	4	3	1	5	-	10	45
238	48	96	10	43	9	14	53	12	5	11	3	-	16	45	5	13	41	13	1	82	46
212	43	90	10	40	9	13	50	12	5	10	3	-	13	43	4	12	37	10	-	69	47
26	5	6	-	3	-	1	3	-	-	1	-	-	3	2	1	1	4	3	1	13	48
42	15	25	2	7	3	3	10	-	1	-	-	-	2	12	4	9	19	3	1	17	49
29	11	20	2	5	3	2	6	-	1	-	-	-	1	11	2	6	13	2	1	14	50
13	4	5	-	2	-	1	4	-	-	-	-	-	1	1	2	3	6	1	-	3	51
1	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	3	52
1	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	53
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	54
67	6	22	1	5	2	2	9	2	-	1	-	-	1	6	1	5	11	2	-	16	55
37	5	10	-	2	1	-	5	1	-	1	-	-	-	2	1	3	5	-	-	7	56
30	1	12	1	3	1	2	4	1	-	-	-	-	1	4	-	2	6	2	-	9	57
17	4	8	1	1	1	-	3	-	-	-	-	-	-	-	-	4	8	-	-	10	58
12	3	5	-	3	-	2	1	1	1	-	-	1	-	3	-	-	5	1	-	11	59
19	4	7	2	2	-	1	4	-	-	1	-	-	2	-	-	2	1	1	-	3	60
35	4	12	-	-	-	1	8	-	-	1	-	-	1	1	-	2	4	1	-	14	61
31	2	8	2	2	3	-	3	1	-	-	1	-	2	8	1	4	1	1	-	6	62
42	4	10	-	2	1	-	7	-	3	1	-	1	4	5	2	2	7	6	-	12	63
18	5	7	-	1	-	1	6	2	-	-	-	-	-	2	-	1	4	2	-	4	64
7	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	3	-	1	-	3	65
19	4	18	-	2	-	-	2	1	-	-	-	-	-	1	-	3	4	1	-	8	66
15	7	10	-	2	-	1	6	3	-	1	-	-	2	1	-	1	3	-	-	6	67
41	14	14	1	4	3	2	4	-	1	-	-	-	3	9	2	5	5	2	-	11	68
12	1	10	2	3	-	3	4	1	1	-	-	-	-	3	-	7	4	1	-	3	69
37	7	8	3	5	2	1	4	4	-	-	-	1	2	4	1	4	6	1	-	8	70
44	24	4	1	5	2	3	8	-	-	1	-	-	3	4	-	5	7	3	-	10	71
7	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	-	3	-	-	5	72
31	6	27	3	7	-	3	10	1	2	1	1	-	4	2	2	2	8	5	-	13	73
26	2	4	2	1	1	-	3	-	1	3	-	1	3	3	1	4	7	2	-	8	74
39	7	9	-	8	-	4	8	1	-	-	1	-	7	4	-	7	9	2	-	10	75
52	11	27	1	6	2	1	10	2	4	1	-	-	5	15	3	24	11	5	3	21	76
21	7	13	-	4	2	1	8	1	1	1	-	-	1	8	1	10	3	2	1	7	77
31	4	14	1	2	-	-	2	1	3	-	-	-	4	7	2	14	8	3	2	14	78
35	5	15	3	2	-	-	7	-	1	-	-	-	2	6	-	7	2	1	-	8	79
23	3	4	-	1	-	2	2	-	-	-	-	1	-	11	1	2	1	1	1	7	80
15	1	4	-	1	-	3	3	1	-	-	-	1	1	3	-	-	2	1	-	2	81
6	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	3	82
4	2	9	2	2	-	1	-	-	-	-	-	1	-	2	-	1	2	-	-	2	83
21	5	6	1	1	-	-	4	3	-	1	-	-	2	-	4	4	9	2	2	6	84
1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
17	2	9	1	2	1	-	2	-	1	-	-	-	1	3	1	3	4	2	-	5	86
22	-	-	-	7	-	2	2	2	-	-	-	-	-	4	-	-	9	-	-	4	87
18	10	13	1	1	1	1	15	-	-	-	-	-	-	3	1	5	2	1	-	6	88
21	4	6	-	1	-	-	2	2	-	2	-	-	1	1	-	6	-	3	-	6	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Webster	95	-	-	-	-	19	7	2	10	2	52	50	18	-	29	-
2	Wheeler	13	-	-	-	-	1	1	-	-	-	10	10	4	-	4	-
3	York	153	-	-	-	1	31	10	4	17	2	94	89	17	-	69	2
4	NEVADA	1,889	29	11	3	14	253	88	41	124	23	838	821	167	3	612	20
5	Nonmetropolitan counties	1,889	29	11	3	14	253	88	41	124	23	838	821	167	3	612	20
6	Churchill	83	2	-	1	-	12	4	3	5	1	41	41	11	-	28	-
7	Clark	532	7	2	1	8	62	17	13	32	7	215	209	36	2	165	9
8	Las Vegas	343	7	2	1	4	42	12	5	25	6	151	145	25	1	115	7
9	Balance of county	189	-	-	-	4	20	5	8	7	1	64	64	11	1	50	2
10	Douglas	28	-	1	-	1	4	3	-	1	-	15	15	6	-	8	-
11	Elko	125	3	2	-	2	16	7	1	8	-	51	48	15	-	27	-
12	Esmeralda	8	-	-	-	-	1	1	-	-	-	4	4	2	-	2	-
13	Eureka	21	1	-	-	-	5	2	-	3	-	4	4	-	-	4	-
14	Humboldt	81	2	-	-	1	2	-	-	2	3	35	35	2	-	32	-
15	Lander	16	-	-	-	-	2	1	1	-	-	5	5	1	-	4	-
16	Lincoln	38	-	-	1	-	5	1	2	2	-	16	16	3	-	13	2
17	Lyon	51	1	-	-	-	9	3	2	4	-	25	25	5	-	20	-
18	Mineral	74	1	-	-	-	10	4	-	6	1	17	16	4	-	12	1
19	Nye	55	1	1	-	-	7	4	1	2	2	23	23	6	-	17	-
20	Ormsby	43	1	-	-	-	9	3	1	5	-	21	20	4	-	13	-
21	Pershing	40	-	1	-	-	8	3	3	2	-	17	17	1	-	14	-
22	Storey	10	-	-	-	-	1	-	-	1	-	4	4	3	-	1	-
23	Washoe	585	8	4	-	1	89	31	13	45	7	306	301	60	1	226	8
24	Reno	431	6	4	-	-	74	25	12	37	4	228	227	49	1	165	6
25	Balance of county	154	2	-	-	1	15	6	1	8	3	78	74	11	-	61	2
26	White Pine	99	2	-	-	1	11	4	1	6	2	39	38	8	-	26	-
27	NEW HAMPSHIRE	6,103	34	16	5	18	986	395	99	492	111	3,599	3,535	719	2	2,529	84
28	Metropolitan counties	1,748	11	6	1	5	279	128	19	132	35	1,032	1,011	207	1	719	30
29	Nonmetropolitan counties	4,355	23	10	4	13	707	267	80	360	76	2,567	2,524	512	1	1,810	54
30	Belknap	341	1	-	-	1	49	21	5	23	5	211	210	40	-	155	4
31	Laconia	168	1	-	-	1	23	13	3	7	2	105	104	23	-	74	1
32	Balance of county	173	-	-	-	-	26	8	2	16	3	106	106	17	-	81	3
33	Carroll	226	-	2	1	-	28	7	3	18	2	127	127	31	-	88	4
34	Cheshire	466	-	-	-	1	71	25	7	39	12	279	274	59	-	189	6
35	Keene	163	-	-	-	-	25	8	4	13	1	101	100	22	-	66	4
36	Balance of county	303	-	-	-	1	46	17	3	26	11	178	174	37	-	123	2
37	Coos	392	2	1	2	3	63	23	11	29	6	216	214	48	-	155	4
38	Berlin	171	1	-	-	1	22	15	1	6	1	94	94	19	-	71	1
39	Balance of county	221	1	1	2	2	41	8	10	23	5	122	120	29	-	84	3
40	Grafton	539	1	-	-	3	83	32	5	46	7	320	317	83	-	197	8
41	Hillsborough	1,748	11	6	1	5	279	128	19	132	35	1,032	1,011	207	1	719	30
42	Manchester	934	8	3	1	5	158	78	12	68	25	540	533	102	1	393	17
43	Nashua	368	1	3	-	-	59	26	2	31	6	203	198	44	-	131	1
44	Balance of county	446	2	-	-	-	62	24	5	33	4	289	280	61	-	195	12
45	Merrimack	724	7	3	-	2	114	48	11	55	11	450	439	72	-	340	10
46	Concord	304	4	2	-	1	47	21	6	20	4	193	187	32	-	145	2
47	Balance of county	420	3	1	-	1	67	27	5	35	7	257	252	40	-	195	8
48	Rockingham	855	5	3	-	1	156	54	19	83	18	505	495	96	1	349	9
49	Portsmouth	218	-	1	-	-	33	8	-	25	5	127	123	27	-	88	5
50	Balance of county	637	5	2	-	1	123	46	19	58	13	378	372	69	1	261	4
51	Strafford	511	4	1	1	2	95	37	13	45	8	281	274	53	-	198	5
52	Dover	166	2	-	-	1	35	12	5	18	2	97	95	22	-	63	1
53	Rochester	145	1	1	1	1	24	7	3	14	3	82	81	16	-	61	2
54	Balance of county	200	1	-	-	-	36	18	5	13	3	102	98	15	-	74	2
55	Sullivan	301	3	-	-	-	48	20	6	22	7	178	174	30	-	139	4
56	Claremont	144	1	-	-	-	23	9	4	10	3	92	90	14	-	73	2
57	Balance of county	157	2	-	-	-	25	11	2	12	4	86	84	16	-	66	2
58	NEW JERSEY	52,939	685	154	38	148	9,365	3,699	1,283	4,383	1,092	30,320	29,777	5,232	39	22,860	798
59	Metropolitan counties	46,783	637	133	37	133	8,356	3,306	1,164	3,886	980	26,662	26,180	4,614	37	20,125	708
60	Nonmetropolitan counties	6,156	48	21	1	15	1,009	393	119	497	112	3,658	3,597	618	2	2,735	90
61	Atlantic	1,923	21	11	-	4	302	119	33	150	50	1,160	1,144	186	-	882	27
62	Atlantic City	1,041	17	8	-	2	158	60	13	85	33	635	624	116	-	465	17
63	Pleasantville	153	-	-	-	-	30	11	3	16	1	81	79	10	-	64	2
64	Balance of county	729	4	3	-	2	114	48	17	49	16	444	441	60	-	353	8
65	Bergen	5,268	39	13	8	10	1,040	420	150	470	85	3,005	2,959	524	3	2,244	86
66	Garfield	238	2	3	1	1	47	23	7	17	7	128	125	18	-	103	3
67	Hackensack	343	4	2	1	1	66	35	8	23	5	189	187	31	-	133	3
68	Teaneck (twp.)[2] [3]	296	-	1	-	-	69	26	12	31	1	159	158	38	-	110	4
69	Bergenfield	154	1	-	2	-	20	8	4	8	3	92	91	15	-	70	4
70	Cliffside Park	190	-	-	-	-	32	12	4	16	5	113	113	17	-	90	2
71	Dumont	104	1	1	-	1	20	7	4	9	3	67	67	7	1	56	3
72	East Paterson	102	-	-	-	-	23	13	2	8	2	54	54	11	-	42	2
73	Englewood	251	3	1	-	2	38	19	6	13	3	159	156	29	-	117	5
74	Fair Lawn	159	1	-	-	1	40	14	6	20	2	82	80	13	-	60	2
75	Fort Lee	132	2	-	-	-	26	12	3	11	1	71	70	16	-	51	2
76	Lodi	130	1	-	1	-	24	9	6	9	4	79	78	23	1	50	1
77	Lyndhurst (twp.)[2] [3]	194	2	-	-	-	44	22	7	15	-	110	109	17	-	91	3
78	North Arlington	112	1	-	-	-	21	6	5	10	1	61	60	5	-	51	6

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
16	3	10	-	1	2	2	3	-	-	-	2	-	2	2	2	3	2	2	-	4	1
2	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2
29	3	35	2	1	-	5	2	1	1	1	1	-	-	2	1	4	4	-	-	8	3
411	63	118	11	17	11	17	45	14	9	33	5	2	20	104	66	117	108	46	11	138	4
411	63	118	11	17	11	17	45	14	9	33	5	2	20	104	66	117	108	46	11	138	5
16	2	10	-	2	-	-	3	-	1	-	-	-	1	2	2	9	3	-	-	5	6
120	8	28	3	3	-	6	20	8	4	9	2	2	7	40	10	38	31	17	4	38	7
81	7	20	2	2	-	6	12	7	2	7	1	2	6	20	6	19	9	11	3	25	8
39	1	8	1	1	-	-	8	1	2	2	1	-	1	20	4	19	22	6	1	13	9
5	3	-	-	1	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	1	10
17	1	9	-	4	2	3	2	-	-	2	1	-	2	7	5	11	6	2	1	12	11
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	12
4	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	5	2	-	1	13
10	6	16	-	-	1	-	1	-	-	2	-	-	-	2	2	5	13	3	1	9	14
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	5	15
6	3	2	-	-	-	-	1	1	-	-	-	-	1	4	2	-	5	1	-	1	16
10	-	10	-	-	-	-	-	-	-	-	-	-	1	1	4	4	4	-	-	2	17
8	2	1	-	-	-	1	1	-	1	1	-	-	1	8	12	9	2	5	1	4	18
11	-	6	-	-	-	-	1	-	-	2	-	-	-	-	9	5	1	-	1	2	19
9	-	4	3	-	-	1	-	-	-	1	1	-	1	3	-	-	2	1	-	3	20
9	4	1	2	-	-	-	1	1	-	1	-	-	1	-	-	3	1	2	-	4	21
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	22
162	31	25	3	4	7	5	10	3	3	12	1	-	3	29	7	13	28	13	3	45	23
123	20	16	3	3	6	1	7	1	2	10	-	-	2	21	4	9	18	7	3	31	24
39	11	9	-	1	1	4	3	2	1	2	1	-	1	8	3	4	10	6	-	14	25
20	3	3	-	3	1	1	2	1	-	3	-	-	2	5	5	13	6	1	-	6	26
1,805	319	321	46	202	37	64	160	48	25	61	6	5	94	153	26	92	198	60	5	401	27
487	84	118	15	62	7	21	47	14	10	26	2	1	38	42	6	21	50	12	1	109	28
1,318	235	203	31	140	30	43	113	34	15	35	4	4	56	111	20	71	148	48	4	292	29
126	17	8	4	9	2	1	10	1	2	3	-	-	5	10	-	6	14	2	-	21	30
64	6	3	1	4	2	1	3	-	1	2	-	-	3	8	-	4	6	1	-	8	31
62	11	5	3	5	-	-	7	1	1	1	-	-	2	2	-	2	8	1	-	13	32
56	14	14	1	6	1	-	8	3	-	2	-	1	6	3	-	8	7	2	1	25	33
135	21	27	5	17	4	5	12	1	-	3	1	-	3	14	5	5	14	8	-	37	34
46	6	10	4	6	2	1	6	1	-	1	-	-	1	2	2	2	7	1	-	13	35
89	15	17	1	11	2	4	6	-	-	2	1	-	2	12	3	3	7	7	-	24	36
111	21	19	4	7	-	2	11	3	1	4	1	1	6	14	3	6	17	5	-	27	37
54	7	9	1	3	-	-	5	2	-	3	1	-	5	7	2	5	5	1	-	16	38
57	14	10	3	4	-	2	6	1	1	1	-	1	1	7	1	1	12	4	-	11	39
149	27	13	2	29	6	3	15	9	1	2	-	-	8	18	11	6	18	6	-	31	40
487	84	118	15	62	7	21	47	14	10	26	2	1	38	42	6	21	50	12	1	109	41
280	52	44	8	26	3	7	25	6	6	17	2	-	13	22	2	12	29	5	1	54	42
80	12	38	5	15	3	5	8	2	4	4	-	1	15	15	1	5	10	1	-	30	43
127	20	36	2	21	1	9	14	6	-	5	-	-	10	5	3	4	11	6	-	25	44
241	47	42	6	15	6	11	19	4	4	9	-	1	8	11	1	5	24	5	2	44	45
106	19	18	3	6	1	6	5	1	1	2	-	-	3	2	1	1	6	4	-	27	46
135	28	24	3	9	5	5	14	3	3	7	-	1	5	9	-	4	18	1	2	17	47
246	50	44	4	37	8	10	17	9	4	1	1	1	6	18	-	15	29	11	1	54	48
56	16	11	-	5	3	4	3	4	2	-	-	-	2	9	-	3	7	3	-	19	49
190	34	33	4	32	5	6	14	5	2	1	1	1	4	9	-	12	22	8	1	35	50
147	23	23	3	18	2	7	16	3	3	8	1	-	8	12	-	11	11	6	-	40	51
47	7	8	1	9	-	2	2	1	-	4	-	-	2	3	-	6	1	-	-	10	52
44	7	8	-	3	1	1	7	-	2	1	-	-	1	3	-	2	2	4	-	10	53
56	9	7	2	6	1	4	7	2	1	3	1	-	5	6	-	3	8	2	-	20	54
107	15	13	2	2	1	4	5	1	-	3	-	-	6	11	-	9	14	3	-	13	55
56	10	5	1	1	1	2	1	1	-	-	-	-	3	8	-	3	4	2	-	3	56
51	5	8	1	1	-	2	4	-	-	3	-	-	3	3	-	6	10	1	-	10	57
14,697	2,736	4,629	366	968	312	543	1,261	390	187	741	81	53	631	1,636	150	780	1,424	459	138	3,206	58
13,000	2,376	4,041	318	821	265	482	1,144	337	155	685	68	45	565	1,454	123	644	1,268	403	117	2,837	59
1,697	360	588	48	147	47	61	117	53	32	56	13	8	66	182	27	136	156	56	21	369	60
595	96	164	18	41	17	16	36	9	6	20	2	-	17	49	6	34	55	20	6	115	61
305	50	93	15	20	8	11	15	5	5	14	2	-	3	24	3	6	28	13	3	67	62
42	12	8	2	3	-	2	8	-	-	1	-	-	5	3	-	8	8	2	-	6	63
248	34	63	1	18	9	3	13	4	1	5	-	-	9	22	3	20	19	5	3	42	64
1,563	248	347	34	122	32	46	124	45	18	68	8	1	73	163	14	70	118	38	13	315	65
69	11	20	1	1	2	3	4	4	1	2	-	-	2	9	-	-	7	1	3	16	66
95	8	27	3	12	8	2	6	1	2	5	2	-	5	11	2	6	8	-	1	26	67
85	11	10	3	7	-	1	9	1	-	6	-	-	3	10	1	2	5	2	1	26	68
51	7	8	-	5	1	1	7	-	2	1	1	-	3	6	-	4	4	-	-	8	69
69	6	13	1	4	1	-	6	5	-	5	-	-	1	5	-	2	4	3	-	9	70
39	4	11	-	3	-	-	4	-	1	1	-	-	-	3	-	-	-	-	-	2	71
27	3	10	-	1	-	-	3	2	-	-	1	-	5	2	-	1	1	1	-	7	72
74	16	20	2	6	2	3	10	3	-	3	-	-	2	3	-	2	5	3	1	13	73
38	10	10	2	4	1	2	3	-	1	1	-	-	5	12	1	1	2	-	-	7	74
39	4	6	-	2	1	1	4	1	-	1	1	-	1	6	1	1	5	1	-	10	75
36	3	10	-	2	2	1	2	3	2	-	1	-	4	4	2	-	-	1	-	2	76
67	8	13	-	-	1	1	2	1	-	2	-	-	3	6	-	6	4	3	-	11	77
34	5	6	-	4	-	1	5	1	-	6	-	-	1	2	1	-	2	1	-	9	78

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1960,

	AREA	Total	Tuber-culosis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	NEW JERSEY—Continued																
	Bergen—Continued																
1	Ridgefield Park	133	-	-	-	-	31	14	1	16	1	84	79	14	-	46	-
2	Ridgewood	205	1	-	-	-	50	15	5	30	2	119	118	23	-	87	1
3	Rutherford	219	-	-	-	-	44	18	1	25	4	141	137	27	-	102	4
4	Balance of county	2,306	20	5	3	4	445	167	69	209	41	1,297	1,277	220	1	985	41
5	Burlington	1,306	23	4	-	6	200	78	26	96	30	756	743	144	-	547	17
6	Burlington	156	-	1	-	1	30	14	4	12	3	92	87	15	-	63	3
7	Balance of county	1,150	23	3	-	5	170	64	22	84	27	664	656	129	-	484	14
8	Camden	3,299	50	6	-	15	594	234	63	297	54	1,900	1,849	343	3	1,410	59
9	Camden	1,436	31	2	-	4	225	90	28	107	24	818	788	140	1	608	25
10	Collingswood	195	-	-	-	-	32	16	3	13	4	137	135	25	-	101	3
11	Gloucester City	160	2	1	-	1	29	13	2	14	-	93	91	18	-	72	1
12	Haddonfield	173	-	2	-	-	39	17	4	18	3	100	98	16	-	77	2
13	Pennsauken (twp.)[2 3]	183	1	-	-	2	38	12	6	20	1	104	101	14	1	82	2
14	Balance of county	1,152	16	1	-	8	231	86	20	125	22	648	636	130	1	470	26
15	Cape May	596	6	1	-	2	95	41	8	46	11	352	346	67	-	248	4
16	Cumberland	1,074	7	6	-	2	172	64	21	87	15	623	611	109	-	460	16
17	Bridgeton	265	1	-	-	1	51	21	3	27	3	156	151	30	-	112	1
18	Millville	189	1	2	-	-	34	7	8	19	3	120	119	25	-	86	6
19	Balance of county	600	5	4	-	1	87	36	10	41	9	347	341	54	-	262	9
20	Essex	10,163	157	31	6	23	1,790	725	245	820	215	5,747	5,626	983	5	4,364	161
21	Newark	5,245	113	18	-	12	854	364	110	380	119	2,916	2,857	495	3	2,205	91
22	East Orange	999	13	2	1	-	189	66	28	95	17	586	576	101	-	451	13
23	Irvington	617	4	-	-	-	108	35	20	53	9	374	370	67	-	291	8
24	Belleville	289	2	1	1	-	59	22	9	28	9	169	166	24	-	138	1
25	Bloomfield	479	2	2	-	1	84	45	8	31	13	274	261	46	-	208	8
26	Montclair	504	2	4	1	-	96	27	16	53	6	288	281	52	-	215	12
27	Nutley	238	2	-	-	-	45	22	2	21	4	137	134	21	-	104	4
28	Orange	448	7	1	-	4	84	39	12	33	16	240	232	47	2	177	6
29	West Orange	280	-	1	1	1	57	23	8	28	7	154	154	21	-	122	3
30	Maplewood (twp.)[2 3]	251	3	1	-	-	44	14	7	23	2	151	148	25	-	120	6
31	Millburn (twp.)[2 3]	104	2	-	-	1	25	9	7	9	1	56	55	10	-	42	1
32	South Orange	152	2	-	1	1	28	9	4	15	3	99	96	19	-	72	2
33	Verona	105	1	-	-	-	19	10	1	8	2	64	63	13	-	45	1
34	Balance of county	452	4	1	1	3	98	40	13	45	7	239	233	42	-	176	5
35	Gloucester	999	12	2	1	1	129	53	15	61	14	581	569	99	1	442	10
36	Woodbury	115	-	-	-	-	13	3	2	8	-	65	63	11	-	50	3
37	Balance of county	884	12	2	1	1	116	50	13	53	14	518	506	88	1	392	7
38	Hudson	7,171	107	18	4	22	1,248	492	211	545	155	4,179	4,122	616	16	3,333	118
39	Jersey City	3,459	60	13	1	16	584	228	105	251	62	1,969	1,930	296	13	1,543	50
40	Bayonne	734	7	1	1	1	127	48	21	58	12	457	451	75	2	356	16
41	Hoboken	674	14	2	-	1	115	45	13	57	21	376	369	42	-	319	7
42	Union City	634	3	-	-	2	99	46	11	42	20	388	383	48	-	316	11
43	Kearny	378	4	1	1	-	65	27	10	28	4	243	240	28	-	205	9
44	North Bergen (twp.)[2 3]	386	2	-	1	-	78	28	15	35	13	226	226	45	-	172	5
45	West New York	370	7	1	-	1	78	31	14	33	12	213	210	26	-	178	11
46	Harrison	130	2	-	-	-	16	6	4	6	4	74	72	10	-	56	2
47	Weehawken (twp.)[2 3]	174	2	-	-	1	36	15	5	16	5	103	103	19	-	82	2
48	Balance of county	232	6	-	-	-	50	18	13	19	2	138	138	27	1	106	5
49	Hunterdon	521	4	3	-	3	82	35	7	40	10	306	302	69	-	216	3
50	Mercer	2,539	55	5	2	7	423	151	72	200	52	1,455	1,401	270	1	1,062	36
51	Trenton	1,562	42	3	2	3	251	90	45	116	38	878	857	190	-	626	22
52	Princeton	111	-	-	-	-	16	5	2	9	-	66	65	8	-	53	1
53	Balance of county	866	13	2	-	4	156	56	25	75	14	481	479	72	1	383	13
54	Middlesex	2,687	35	8	2	13	513	202	77	234	61	1,440	1,416	256	1	1,097	42
55	New Brunswick	390	4	1	-	2	76	27	10	39	10	210	204	39	-	155	6
56	Perth Amboy	440	9	1	1	1	92	44	12	36	8	240	235	40	-	190	4
57	Woodbridge (twp.)[2 3]	261	3	-	-	1	52	17	9	26	2	147	143	22	-	114	2
58	Carteret	141	-	-	-	1	25	8	4	13	4	81	81	17	-	62	5
59	Sayreville	94	-	1	-	1	16	5	3	8	-	53	51	9	1	37	-
60	South River	107	2	1	-	-	19	6	6	7	6	50	49	13	-	34	-
61	Balance of county	1,254	17	4	1	7	233	95	33	105	31	659	653	116	-	505	25
62	Monmouth	2,754	20	8	1	5	454	168	52	234	49	1,656	1,634	239	1	1,274	53
63	Asbury Park	257	2	2	-	-	34	12	1	21	5	157	154	24	-	117	4
64	Long Branch	282	2	-	-	-	58	23	5	30	7	165	164	27	-	123	7
65	Neptune (twp.)[2 3]	212	1	1	-	-	34	15	3	16	3	128	127	19	-	99	3
66	Red Bank	163	1	1	-	-	32	15	3	14	1	90	89	9	1	74	3
67	Balance of county	1,840	14	4	1	5	296	103	40	153	33	1,116	1,100	160	-	861	36
68	Morris	1,702	20	6	5	7	304	108	39	157	33	971	963	175	-	739	21
69	Dover	133	1	-	-	1	22	4	4	14	2	74	74	15	-	56	2
70	Madison	121	-	1	-	2	27	15	1	11	5	67	67	17	-	47	3
71	Morristown	216	3	1	-	-	44	15	2	27	7	124	124	29	-	89	2
72	Balance of county	1,232	16	4	5	4	211	74	32	105	19	706	698	114	-	547	14
73	Ocean	802	5	1	-	2	153	67	23	63	22	471	459	92	-	345	8
74	Passaic	3,789	41	15	7	12	735	321	89	325	105	2,112	2,073	384	3	1,558	57
75	Paterson	1,706	21	8	1	4	304	124	36	144	56	970	952	171	-	712	26
76	Clifton	601	5	3	3	-	139	64	17	58	14	317	312	57	-	240	12
77	Passaic	649	7	2	1	2	127	68	15	44	20	374	365	79	1	266	7
78	Hawthorne	156	1	1	-	1	38	15	2	21	3	83	81	11	-	61	1
79	Balance of county	677	7	1	2	5	127	50	19	58	12	368	363	66	2	279	11
80	Salem	491	5	3	-	2	92	30	10	52	9	260	255	43	-	197	5
81	Somerset	889	14	1	-	1	150	50	23	77	26	502	490	131	-	323	12
82	North Plainfield	127	-	-	-	-	26	8	6	12	2	79	75	24	-	47	1
83	Somerville	138	2	-	-	-	22	8	2	12	6	83	82	23	-	55	3
84	Balance of county	624	12	1	-	1	102	34	15	53	18	340	333	84	-	221	8
85	Sussex	409	6	2	-	1	53	18	8	27	5	250	245	42	1	192	6

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
33	6	7	-	19	-	5	2	1	-	2	-	-	-	3	-	-	3	1	-	5	1
68	6	12	2	6	-	1	5	3	1	2	-	-	4	7	-	4	4	-	-	3	2
66	9	23	3	3	2	4	3	1	-	1	-	-	3	4	1	-	4	2	-	11	3
674	129	141	17	43	11	20	49	18	8	30	2	1	31	70	5	41	60	19	7	150	4
359	77	94	10	33	9	13	23	8	3	4	2	2	27	53	3	35	37	12	2	76	5
39	16	5	2	5	2	5	1	1	-	1	-	-	2	6	-	4	4	-	-	10	6
320	61	89	8	28	7	8	22	7	3	3	2	2	25	47	3	31	33	12	2	66	7
871	226	254	31	44	18	51	96	17	7	27	6	4	41	97	12	58	89	23	7	196	8
380	98	105	11	19	9	30	51	7	5	15	2	2	22	43	8	28	40	13	5	91	9
67	16	15	2	6	1	2	4	-	-	1	-	-	1	2	-	1	3	1	-	9	10
48	10	13	-	-	1	2	9	1	-	-	-	-	1	3	1	1	5	1	1	11	11
47	10	18	3	1	1	2	3	-	-	2	-	-	2	6	1	2	4	2	-	7	12
49	19	12	1	2	1	3	3	-	1	2	1	-	3	9	-	3	5	1	-	9	13
280	73	91	14	16	5	12	26	9	1	7	3	2	12	34	2	23	32	5	1	69	14
128	54	82	6	18	7	6	16	4	1	5	1	1	4	14	10	10	7	8	1	45	15
263	58	123	12	25	5	12	14	10	16	3	3	3	15	41	7	31	33	6	3	64	16
59	19	33	4	2	3	5	5	1	7	-	1	1	5	14	3	5	6	2	1	22	17
54	4	22	4	3	1	1	3	2	-	-	1	-	1	4	1	6	2	-	-	9	18
150	35	68	4	20	1	6	6	7	9	3	1	2	9	23	3	20	25	4	2	33	19
2,903	541	759	71	146	57	121	200	75	40	179	12	10	114	333	21	100	360	91	41	618	20
1,513	285	316	48	82	24	59	109	32	19	116	6	5	54	199	10	57	204	50	34	318	21
273	55	110	3	18	3	10	20	10	3	18	-	1	13	24	5	9	29	6	3	50	22
209	27	47	-	9	3	4	6	5	1	9	-	-	7	18	1	7	16	5	-	47	23
97	22	18	-	1	3	3	6	1	2	2	-	-	3	9	-	3	4	3	1	14	24
135	18	49	2	2	3	13	10	5	1	4	1	-	9	19	-	6	16	2	2	28	25
133	21	47	3	6	7	7	11	6	4	4	-	-	1	13	4	3	24	5	-	32	26
75	13	12	1	7	1	3	4	2	-	4	-	-	2	10	-	2	5	3	-	18	27
105	21	45	2	3	1	8	11	-	2	9	1	-	5	11	-	3	19	4	-	31	28
78	13	28	2	5	4	-	4	3	2	4	1	-	3	8	-	3	11	3	-	17	29
70	21	23	1	1	1	3	5	1	1	2	-	-	3	1	1	3	9	3	-	21	30
27	5	9	1	-	2	1	1	1	-	1	-	1	1	2	-	1	3	3	-	5	31
44	10	16	2	3	-	3	-	1	-	5	-	-	-	3	-	1	2	1	-	5	32
23	9	12	2	3	-	1	4	1	2	-	-	-	-	4	-	-	1	1	-	6	33
121	23	27	4	6	5	6	9	7	3	1	3	3	13	12	-	2	17	2	1	26	34
276	81	75	7	18	2	12	30	11	6	9	5	1	18	41	3	31	36	3	4	61	35
37	3	7	1	1	-	-	2	2	-	-	1	-	2	12	-	4	6	1	1	8	36
239	78	68	6	17	2	12	28	9	6	9	4	1	16	29	3	27	30	2	3	53	37
1,729	325	1,161	47	80	30	57	209	54	27	147	11	4	69	184	12	61	165	55	10	430	38
789	128	578	25	37	16	29	119	29	14	67	5	3	31	102	6	31	87	28	6	236	39
254	49	37	3	10	5	6	17	4	4	14	1	-	7	15	2	7	18	3	2	34	40
129	37	146	1	7	-	7	18	4	5	28	1	1	8	10	1	8	16	6	2	37	41
144	26	135	11	7	1	5	20	4	3	7	2	-	11	19	1	7	6	5	-	37	42
116	30	50	1	5	1	3	6	6	-	7	1	-	4	6	-	-	10	2	-	18	43
90	12	65	2	4	3	2	10	1	-	5	-	-	3	6	-	2	10	4	-	23	44
85	15	69	1	5	-	3	10	1	1	5	-	-	3	13	1	2	6	2	-	17	45
28	7	19	1	3	2	2	2	3	-	7	-	-	1	4	1	1	5	1	-	9	46
41	7	32	1	1	-	-	4	-	-	4	-	-	-	4	-	1	4	3	-	7	47
55	16	30	1	1	2	-	3	2	-	3	1	-	4	5	-	2	3	1	-	12	48
148	27	38	3	9	5	4	8	6	2	3	1	1	9	11	-	14	13	7	-	38	49
715	145	166	11	45	12	34	81	18	9	47	5	6	27	89	4	39	60	18	8	149	50
434	86	84	6	26	9	21	60	13	6	36	5	3	21	48	1	17	30	11	8	86	51
42	6	4	-	3	1	1	2	1	-	-	-	1	-	6	-	1	2	2	-	14	52
239	53	78	5	16	2	12	19	4	3	11	-	2	6	35	3	21	28	5	-	49	53
756	113	186	11	37	14	24	67	14	9	33	5	4	41	90	9	60	81	33	5	164	54
111	13	25	1	5	4	6	16	2	2	5	-	-	-	13	-	11	11	5	2	20	55
131	24	31	2	2	1	5	11	3	4	5	-	2	3	11	1	7	11	7	1	22	56
76	18	18	2	3	2	4	6	2	1	4	1	-	1	10	1	3	12	3	-	12	57
47	1	9	-	1	1	-	6	1	-	-	1	-	2	4	-	-	5	-	-	11	58
23	5	9	-	2	2	2	1	-	-	2	-	-	1	4	-	4	3	1	-	7	59
22	4	8	-	1	1	1	3	-	-	2	1	-	3	4	-	6	3	2	-	5	60
346	48	86	6	23	3	6	24	6	2	15	2	2	31	44	7	29	36	15	2	87	61
808	161	252	19	80	21	22	56	26	8	37	7	1	28	82	8	58	70	21	13	146	62
72	25	16	4	7	2	3	7	3	1	4	3	-	3	11	-	2	4	2	2	15	63
84	19	13	2	9	3	1	7	-	1	6	-	-	6	15	-	3	2	-	-	10	64
65	9	22	2	5	2	1	5	6	1	3	-	1	2	9	1	2	2	-	3	11	65
39	13	19	-	3	2	1	4	1	-	6	-	-	1	5	-	3	7	-	1	10	66
548	95	182	11	56	12	16	33	16	5	18	4	-	16	42	7	48	55	19	8	100	67
525	66	127	7	31	11	8	33	14	4	27	1	2	16	54	4	29	44	19	4	105	68
40	4	10	-	1	2	-	4	1	-	2	-	-	1	2	1	4	3	2	1	12	69
28	2	14	-	3	-	-	-	-	1	1	-	1	1	2	-	1	-	-	-	12	70
68	7	12	1	3	2	-	5	3	-	2	-	-	2	6	-	4	1	-	1	13	71
389	53	91	6	24	7	8	24	10	3	22	1	1	12	44	3	20	40	17	2	68	72
219	37	61	5	11	6	12	14	4	3	6	1	1	4	26	1	19	19	6	3	41	73
1,061	192	248	27	78	23	39	94	32	10	59	5	4	50	103	16	51	83	40	3	212	74
453	99	134	14	44	11	18	45	14	5	30	4	1	15	50	6	22	42	21	-	87	75
181	21	26	2	12	1	5	15	4	2	8	1	1	10	23	4	7	11	4	1	29	76
192	31	36	5	13	1	9	13	3	-	12	-	1	8	10	4	9	13	8	2	33	77
40	5	15	1	5	3	2	4	2	-	2	-	-	3	1	-	-	1	-	-	16	78
195	36	37	5	4	7	5	17	9	3	7	-	1	14	19	2	13	16	7	-	47	79
131	22	39	6	6	3	5	19	3	1	4	-	-	6	25	1	4	16	2	3	36	80
207	36	68	11	18	7	12	24	9	1	11	1	-	14	24	7	15	19	6	1	63	81
38	3	5	2	1	1	4	2	1	-	1	-	-	3	2	1	2	3	-	-	5	82
40	3	9	1	1	2	1	-	3	-	-	-	-	-	5	-	4	2	-	1	10	83
129	30	54	8	16	4	7	22	5	1	10	1	-	11	17	6	9	14	6	-	48	84
131	23	32	3	4	3	5	7	3	2	2	-	1	6	8	1	4	14	8	1	35	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY—Continued																
1	Union	3,871	52	10	1	10	728	283	93	352	77	2,195	2,158	402	4	1,600	46
2	Elizabeth	1,214	23	3	-	2	208	83	28	97	27	683	673	122	1	496	12
3	Linden	243	7	-	-	1	43	17	8	18	4	127	122	16	-	94	5
4	Plainfield	484	3	-	1	-	101	47	11	43	10	288	285	64	-	204	2
5	Union (twp.)[2 3]	279	3	-	-	2	56	15	8	33	10	149	146	22	-	112	6
6	Cranford (twp.)[2 3]	158	1	-	-	2	41	10	8	23	2	87	86	25	-	56	2
7	Hillside (twp.)[2 3]	178	1	1	-	-	36	23	1	12	2	114	112	23	1	77	4
8	Rahway	231	4	1	-	1	51	23	6	22	5	129	127	25	-	97	1
9	Roselle	160	3	-	-	-	24	8	3	13	2	94	93	15	-	73	4
10	Roselle Park	104	1	-	-	1	14	5	1	8	1	68	68	9	-	55	2
11	Summit	212	1	2	-	-	41	10	5	26	2	127	124	18	1	97	-
12	Westfield	188	4	2	-	-	31	8	4	19	1	106	105	21	1	76	1
13	Balance of county	420	1	1	-	1	82	34	10	38	11	223	217	42	-	163	7
14	Warren	686	6	-	1	-	108	40	18	50	14	419	412	58	-	327	11
15	Phillipsburg	236	3	-	-	-	39	19	9	11	3	147	141	15	-	119	7
16	Balance of county	450	3	-	1	-	69	21	9	39	11	272	271	43	-	208	4
17	NEW MEXICO	5,578	125	20	7	79	590	212	53	325	41	1,841	1,755	399	9	1,234	78
18	Metropolitan counties	1,240	31	4	1	9	146	44	12	90	6	440	419	85	2	296	19
19	Nonmetropolitan counties	4,338	94	16	6	70	444	168	41	235	35	1,401	1,336	314	7	938	59
20	Bernalillo	1,240	31	4	1	9	146	44	12	90	6	440	419	85	2	296	19
21	Albuquerque	957	25	3	1	8	117	37	9	71	4	358	341	67	2	241	12
22	Balance of county	283	6	1	-	1	29	7	3	19	2	82	78	18	-	55	7
23	Catron	24	-	-	-	-	1	1	-	-	-	10	9	1	-	7	-
24	Chaves	328	8	1	-	8	36	15	3	18	1	118	115	29	1	79	5
25	Roswell	233	5	-	-	7	25	11	2	12	1	100	97	22	1	69	4
26	Balance of county	95	3	1	-	1	11	4	1	6	-	18	18	7	-	10	1
27	Colfax	154	5	-	-	5	15	7	1	7	1	55	54	14	1	35	4
28	Curry	156	1	-	-	1	16	2	4	10	2	61	58	17	1	38	2
29	Clovis	121	1	-	-	1	15	1	4	10	2	46	43	14	-	27	2
30	Balance of county	35	-	-	-	-	1	1	-	-	-	15	15	3	1	11	-
31	De Baca	23	-	-	-	1	3	2	-	1	-	12	12	6	-	6	-
32	Dona Ana	300	5	-	1	4	36	13	3	20	1	112	109	28	-	74	1
33	Las Cruces	140	2	-	1	1	15	8	1	6	1	55	54	13	-	35	-
34	Balance of county	160	3	-	-	3	21	5	2	14	-	57	55	15	-	39	1
35	Eddy	288	3	-	1	7	45	13	8	24	1	89	85	26	-	57	1
36	Carlsbad	149	3	-	1	4	28	8	5	15	1	49	48	13	-	34	-
37	Balance of county	139	-	-	-	3	17	5	3	9	-	40	37	13	-	23	1
38	Grant	154	2	1	-	2	26	11	1	14	2	53	50	14	-	33	2
39	Guadalupe	50	1	-	-	1	5	1	1	3	-	16	15	3	1	11	1
40	Harding	16	-	-	-	-	3	2	1	-	-	9	9	1	-	8	-
41	Hidalgo	46	3	1	-	2	3	1	-	2	1	7	6	1	1	3	-
42	Lea	218	1	2	2	1	20	6	2	12	3	70	67	11	-	51	2
43	Hobbs	106	1	2	1	1	17	5	2	10	2	31	30	4	-	26	2
44	Balance of county	112	-	-	1	-	3	1	-	2	1	39	37	7	-	25	-
45	Lincoln	51	2	1	-	1	5	2	1	2	-	17	17	2	-	14	1
46	Los Alamos	33	-	-	-	1	7	3	-	4	-	8	8	1	-	7	1
47	Luna	87	4	1	-	2	10	3	2	5	1	32	31	7	-	22	1
48	McKinley	301	20	3	1	7	18	10	3	5	2	43	42	8	-	30	2
49	Mora	78	1	-	-	-	7	1	-	6	-	21	19	6	-	12	4
50	Otero	139	-	-	-	4	17	8	1	8	1	49	44	11	-	28	1
51	Quay	105	1	-	-	-	12	5	1	6	1	45	45	3	-	38	-
52	Rio Arriba	201	3	-	-	3	15	8	-	7	4	50	46	8	-	36	7
53	Roosevelt	105	-	1	-	1	9	4	-	5	1	49	44	16	1	24	1
54	Sandoval	114	1	-	1	1	3	1	-	2	2	25	23	8	-	15	-
55	San Juan	275	10	3	-	6	15	7	2	6	1	58	53	16	1	35	3
56	San Miguel	238	6	1	-	-	25	9	2	14	-	64	62	10	-	47	4
57	Santa Fe	273	5	-	-	3	37	10	2	25	3	107	104	26	-	70	10
58	Santa Fe	211	5	-	-	2	30	7	2	21	2	80	78	21	-	52	8
59	Balance of county	62	-	-	-	1	7	3	-	4	1	27	26	5	-	18	2
60	Sierra	80	2	-	-	2	9	6	-	3	1	40	34	10	-	22	3
61	Socorro	77	2	1	-	1	6	2	-	4	-	34	32	4	-	27	1
62	Taos	109	5	-	-	3	10	3	1	6	2	21	21	4	-	16	-
63	Torrance	57	1	-	-	-	3	2	-	1	-	28	28	4	-	22	-
64	Union	81	1	-	-	2	9	3	-	6	1	30	29	6	-	23	2
65	Valencia	177	1	-	-	1	18	7	2	9	3	68	65	13	-	48	-
66	NEW YORK	163,914	2,143	452	119	467	28,703	11,324	3,783	13,596	3,251	93,814	92,412	14,748	125	72,528	2,524
67	Metropolitan counties	135,000	1,926	384	63	381	24,457	9,696	3,350	11,411	2,701	76,566	75,487	11,241	110	60,356	2,220
68	Nonmetropolitan counties	28,914	217	68	56	86	4,246	1,628	433	2,185	550	17,248	16,925	3,507	15	12,172	304
69	Albany	3,060	46	7	2	10	510	186	72	252	71	1,820	1,800	286	3	1,416	38
70	Albany	1,852	32	6	-	5	311	111	49	151	46	1,079	1,066	156	2	843	24
71	Cohoes	288	5	-	-	2	36	13	2	21	3	179	178	26	-	148	4
72	Watervliet	202	1	-	-	3	41	14	11	16	2	126	125	22	-	93	3
73	Balance of county	718	8	1	2	-	122	48	10	64	20	436	431	82	1	332	7
74	Allegany	509	1	-	3	1	66	24	8	34	10	307	301	74	-	197	4
75	Broome	1,928	10	3	2	4	292	114	33	145	43	1,153	1,136	221	-	839	34
76	Binghamton	991	6	2	-	1	148	61	16	71	20	600	590	114	-	439	17
77	Endicott	210	1	-	-	1	46	20	7	19	10	118	118	23	-	91	5
78	Johnson City	215	-	-	-	1	22	9	3	10	1	142	140	32	-	101	4
79	Balance of county	512	3	1	2	1	76	24	7	45	12	293	288	52	-	208	8
80	Cattaraugus	907	7	3	1	1	145	57	12	76	15	521	516	106	-	373	13
81	Olean	251	2	-	1	-	45	14	-	31	6	147	146	31	-	105	2
82	Balance of county	656	5	3	-	1	100	43	12	45	9	374	370	75	-	268	11

[2] Classified as urban under a special rule.
[3] Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,089	172	293	20	103	29	37	88	24	13	46	5	7	48	137	11	38	84	35	9	253	1
343	53	88	8	40	6	10	28	8	3	20	3	1	12	46	5	12	27	7	3	93	2
67	4	18	3	6	3	5	3	2	1	3	-	2	5	13	3	2	3	5	3	16	3
143	22	37	-	10	7	3	14	1	3	7	-	1	2	13	2	4	9	1	-	24	4
76	11	19	1	9	2	3	2	3	2	1	-	-	3	11	-	5	4	4	3	21	5
36	4	14	-	4	1	1	6	2	-	1	-	-	3	3	-	-	2	-	-	8	6
54	8	11	1	9	1	2	2	4	1	1	-	-	1	2	-	1	2	3	-	7	7
66	10	20	-	2	3	2	4	1	1	2	-	2	3	6	1	3	5	2	-	10	8
50	9	10	-	4	1	1	4	1	1	3	-	-	3	8	-	2	4	1	-	10	9
37	10	6	2	1	1	-	2	-	-	1	-	-	-	3	-	1	4	-	-	8	10
59	15	23	1	7	-	3	8	-	-	-	-	-	2	7	-	1	7	3	-	11	11
45	13	17	2	4	1	1	1	2	-	2	2	1	5	4	-	4	6	4	-	13	12
113	13	30	2	7	3	6	14	-	1	5	-	-	9	21	-	3	11	5	-	32	13
220	36	60	7	19	1	7	20	4	1	4	-	-	4	12	-	19	21	8	1	44	14
81	12	19	3	3	1	6	6	4	-	2	-	-	2	5	-	1	5	2	1	16	15
139	24	41	4	16	-	1	14	-	1	2	-	-	2	7	-	18	16	6	-	28	16
745	146	265	28	53	32	86	310	25	186	54	13	22	119	514	446	315	321	71	32	447	17
200	37	40	11	14	11	21	57	8	32	12	7	11	36	122	81	56	50	22	5	104	18
545	109	225	17	39	21	65	253	17	154	42	6	11	83	392	365	259	271	49	27	343	19
200	37	40	11	14	11	21	57	8	32	12	7	11	36	122	81	56	50	22	5	104	20
172	30	27	9	11	11	17	36	7	20	8	4	9	28	85	48	47	39	21	4	85	21
28	7	13	2	3	-	4	21	1	12	4	3	2	8	37	33	9	11	1	1	19	22
5	1	1	-	1	-	1	2	-	-	-	-	1	1	1	4	2	-	-	-	2	23
56	5	13	3	3	-	3	4	2	6	-	1	-	12	39	10	14	46	1	-	21	24
49	4	12	3	2	-	3	2	2	4	-	1	-	9	28	8	11	14	1	-	15	25
7	1	1	-	1	-	-	2	-	2	-	-	-	3	11	2	3	32	-	-	6	26
17	6	8	-	2	2	1	6	-	4	3	-	1	4	9	6	3	11	2	2	22	27
31	1	4	-	2	-	3	7	-	1	4	-	-	4	14	4	5	12	1	2	21	28
22	1	2	-	2	-	3	6	-	1	4	-	-	2	10	4	1	8	-	1	19	29
9	-	2	-	-	-	-	1	-	-	-	-	-	2	4	-	4	4	1	1	2	30
3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	1	31
49	10	14	2	2	3	3	12	2	6	3	-	-	6	35	19	21	16	3	1	17	32
25	3	7	1	2	3	1	4	1	4	2	-	-	4	17	6	8	5	1	1	12	33
24	7	7	1	-	-	2	8	1	2	1	-	-	2	18	13	13	11	2	-	5	34
35	9	12	1	-	1	4	15	3	11	2	-	1	7	25	5	23	22	2	2	24	35
24	4	6	1	-	-	1	11	2	2	1	-	-	3	13	2	7	7	1	2	12	36
11	5	6	-	-	1	3	4	1	9	1	-	1	4	12	3	16	15	1	-	12	37
14	3	14	1	1	1	3	7	-	5	3	-	-	3	14	6	7	10	2	-	11	38
6	2	2	-	-	-	1	1	-	2	-	-	-	-	5	6	2	6	1	-	4	39
5	-	3	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	40
2	-	1	1	-	-	1	3	-	2	-	-	-	2	5	5	3	5	-	-	4	41
35	8	6	1	3	1	3	8	-	3	2	-	1	5	26	10	20	22	2	5	15	42
19	2	3	-	-	-	1	3	-	1	-	-	-	2	10	7	8	11	2	2	5	43
16	6	3	1	3	1	2	5	-	2	2	-	1	3	16	3	12	11	-	3	10	44
10	-	3	1	-	-	-	2	-	1	-	-	-	2	-	3	6	3	2	1	5	45
6	-	-	-	-	-	-	-	-	-	-	-	1	2	7	1	1	1	-	-	4	46
13	3	5	-	2	-	1	1	1	-	1	-	-	-	9	3	8	5	-	-	9	47
22	1	5	-	4	-	1	31	1	26	6	2	1	6	36	30	22	18	3	2	23	48
2	2	4	-	-	1	2	8	1	3	-	1	-	1	4	19	3	2	1	-	6	49
16	4	7	1	3	1	5	8	-	2	-	-	-	2	14	4	16	8	1	-	13	50
24	1	13	-	3	1	-	8	-	3	-	1	-	1	5	6	6	6	5	1	4	51
14	5	10	-	1	1	4	12	-	8	3	-	1	5	10	43	14	11	1	-	18	52
13	3	7	-	2	1	5	2	-	-	1	-	-	5	5	3	7	4	3	2	12	53
7	5	3	-	-	-	2	11	-	6	1	-	1	1	12	32	5	5	1	1	5	54
17	6	9	-	1	-	5	32	1	39	1	-	-	3	37	19	21	16	3	2	8	55
20	8	15	-	4	1	2	24	-	10	6	-	-	4	24	35	9	10	1	1	18	56
33	6	21	2	4	2	3	14	2	5	3	-	2	1	19	20	10	7	6	3	26	57
25	3	15	1	2	2	2	12	2	5	3	-	1	-	16	12	8	5	4	3	21	58
7	3	6	1	2	-	1	2	-	-	-	-	1	1	3	8	2	2	2	-	5	59
12	2	5	1	-	1	6	5	-	1	1	-	-	1	2	4	7	-	-	-	5	60
15	4	7	1	-	-	2	8	-	1	1	-	-	3	5	4	3	2	1	-	5	61
9	2	5	-	-	1	-	6	-	1	1	-	1	1	8	32	3	7	-	-	8	62
9	4	9	-	-	2	-	2	-	-	-	-	-	-	5	4	4	1	2	1	6	63
9	1	11	-	-	-	1	8	1	4	-	-	-	-	6	1	3	3	2	-	10	64
36	6	6	2	1	1	3	6	3	3	-	-	-	1	10	26	9	9	3	1	15	65
53,742	8,676	7,586	1,118	3,075	818	1,402	4,630	1,223	562	2,312	177	172	1,764	5,041	839	2,403	4,866	1,302	434	9,240	66
45,275	7,308	5,553	870	2,239	671	1,079	4,002	1,023	448	2,068	134	143	1,441	4,139	745	1,751	3,850	992	409	7,377	67
8,467	1,368	2,033	248	836	147	323	628	200	114	244	43	29	323	902	94	652	1,016	310	25	1,863	68
1,064	156	158	28	49	18	20	67	24	8	31	3	1	34	91	16	48	65	25	3	178	69
651	100	68	20	32	13	13	47	16	1	25	3	1	21	60	12	26	36	14	2	109	70
100	17	27	1	2	1	1	8	4	-	2	-	-	5	6	2	2	14	3	-	17	71
55	15	20	5	5	-	1	1	1	3	2	-	-	2	5	-	1	3	-	1	10	72
258	24	43	2	10	4	5	11	3	4	2	-	-	6	20	2	19	12	8	-	42	73
142	17	34	2	25	3	6	15	5	-	4	-	-	5	21	8	19	14	3	-	27	74
672	67	66	13	51	12	17	43	15	6	25	-	1	26	85	3	38	51	15	4	109	75
357	34	31	5	26	6	10	23	7	2	11	-	-	10	49	1	19	26	6	1	59	76
75	6	5	1	2	1	-	2	-	-	1	-	1	4	10	-	3	3	1	-	9	77
78	10	9	3	3	1	2	5	1	1	6	-	-	1	9	1	2	8	4	1	10	78
162	17	21	4	20	4	5	13	7	3	7	-	-	11	17	1	14	14	4	2	31	79
214	37	109	12	22	3	5	24	8	4	8	1	1	13	25	2	15	35	9	1	68	80
78	10	15	2	7	1	1	6	1	-	2	-	-	4	8	2	1	5	-	1	20	81
136	27	94	10	15	2	4	18	7	4	6	1	1	9	17	-	14	30	9	-	48	82

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Cayuga	849	5	2	-	-	116	46	8	62	15	534	532	112	2	359	8
2	Auburn	455	5	1	-	-	56	23	3	30	11	280	278	67	1	188	3
3	Balance of county	394	-	1	-	-	60	23	5	32	4	254	254	45	1	171	5
4	Chautauqua	1,636	9	7	3	2	261	106	25	130	35	978	959	198	2	683	20
5	Jamestown	524	1	5	1	1	88	37	11	40	11	317	315	67	-	231	6
6	Dunkirk	228	-	-	-	-	40	13	7	20	10	124	122	16	-	90	2
7	Balance of county	884	8	2	2	1	133	56	7	70	14	537	522	115	2	362	12
8	Chemung	1,054	9	-	2	4	152	52	16	84	18	639	629	171	-	422	15
9	Elmira	680	5	-	1	1	103	42	10	51	11	398	392	93	-	276	11
10	Balance of county	374	4	-	1	3	49	10	6	33	7	241	237	78	-	146	4
11	Chenango	496	3	-	1	4	81	32	8	41	10	287	265	36	-	214	4
12	Clinton	558	1	-	-	5	86	31	12	43	12	318	306	49	-	241	6
13	Plattsburgh	187	-	-	-	1	26	11	3	12	2	113	109	21	-	81	-
14	Balance of county	371	1	-	-	4	60	20	9	31	10	205	197	28	-	160	6
15	Columbia	565	6	3	-	1	70	16	10	44	13	374	371	51	-	293	7
16	Hudson	151	1	1	-	1	19	3	3	13	4	101	100	10	-	82	4
17	Balance of county	414	5	2	-	-	51	13	7	31	9	273	271	41	-	211	3
18	Cortland	443	3	2	-	-	57	20	4	33	11	263	257	48	-	195	6
19	Cortland	232	-	-	-	-	33	12	3	18	8	138	136	27	-	101	3
20	Balance of county	211	3	2	-	-	24	8	1	15	3	125	121	21	-	94	3
21	Delaware	533	3	-	3	-	64	26	5	33	8	319	316	67	-	224	4
22	Dutchess	1,458	16	2	8	-	247	103	31	113	31	878	866	179	2	623	12
23	Poughkeepsie	526	9	1	2	-	108	44	15	49	13	315	311	67	1	220	6
24	Beacon	144	1	-	-	-	17	11	2	4	8	93	92	18	1	60	-
25	Balance of county	788	6	1	6	-	122	48	14	60	10	470	463	94	-	343	6
26	Erie	9,852	133	34	8	25	1,593	603	235	755	206	5,469	5,381	1,019	8	4,072	123
27	Buffalo	6,807	113	26	5	18	1,078	410	170	498	158	3,762	3,702	703	8	2,800	75
28	Lackawanna	228	4	1	-	1	40	17	7	16	5	111	106	22	-	72	2
29	Kenmore	204	-	1	-	-	41	11	5	25	2	117	115	24	-	89	3
30	Tonawanda	211	1	1	1	-	35	15	4	16	5	121	118	19	-	93	4
31	Balance of county	2,402	15	5	2	6	399	150	49	200	36	1,358	1,340	251	-	1,018	39
32	Essex	444	8	1	2	-	58	21	5	32	7	245	239	44	-	173	6
33	Franklin	463	7	2	-	2	52	19	6	27	14	281	275	72	-	185	9
34	Fulton	661	6	-	-	3	98	38	14	46	13	409	404	75	-	300	11
35	Gloversville	325	4	-	-	2	43	16	6	21	9	209	207	43	-	146	7
36	Johnstown	147	-	-	-	-	26	6	3	17	2	90	90	16	-	68	2
37	Balance of county	189	2	-	-	1	29	16	5	8	2	110	107	16	-	86	2
38	Genesee	558	3	1	-	2	74	26	8	40	10	330	329	82	-	216	9
39	Batavia	246	-	1	-	1	41	15	7	19	4	139	138	36	-	88	4
40	Balance of county	312	3	-	-	1	33	11	1	21	6	191	191	46	-	128	5
41	Greene	445	5	3	1	1	78	29	16	33	7	263	258	51	-	181	5
42	Hamilton	57	-	-	-	1	7	1	1	5	2	31	31	8	-	19	-
43	Herkimer	765	3	1	1	2	124	44	19	61	15	463	451	105	1	304	12
44	Jefferson	1,094	9	1	-	3	155	56	16	83	26	616	607	115	1	445	3
45	Watertown	452	5	1	-	2	75	30	7	38	15	239	237	39	-	186	2
46	Balance of county	642	4	-	-	1	80	26	9	45	11	377	370	76	1	259	1
47	Lewis	254	-	-	-	-	43	18	3	22	3	151	146	36	-	97	-
48	Livingston	492	3	1	2	4	61	19	8	34	7	324	319	86	1	208	14
49	Madison	604	3	4	2	1	94	29	7	58	9	360	353	73	1	256	10
50	Oneida	175	2	1	1	1	27	3	2	22	2	102	98	19	-	71	4
51	Balance of county	429	1	3	1	-	67	26	5	36	7	258	255	54	1	185	6
52	Monroe	5,417	46	7	1	16	929	333	113	483	90	3,250	3,213	607	2	2,327	73
53	Rochester	3,998	41	7	-	11	665	242	86	337	71	2,425	2,402	437	2	1,774	49
54	Irondequoit (town)[2]	263	-	-	-	1	39	12	3	24	3	167	164	24	-	119	5
55	Balance of county	1,156	5	-	1	4	225	79	24	122	16	658	647	146	-	434	19
56	Montgomery	722	3	1	1	1	114	43	12	59	19	430	411	93	1	292	6
57	Amsterdam	363	3	1	1	-	55	24	5	26	9	208	198	34	1	149	2
58	Balance of county	359	-	-	-	1	59	19	7	33	10	222	213	59	-	143	4
59	Nassau	6,515	47	12	6	15	1,211	432	185	594	115	3,593	3,542	546	8	2,804	118
60	Hempstead	326	3	1	-	1	66	26	8	32	5	177	174	30	1	131	6
61	Valley Stream	293	2	-	-	-	51	17	9	25	8	174	169	20	-	144	5
62	Floral Park	189	1	-	-	-	39	12	6	21	3	105	104	14	-	83	2
63	Freeport	279	-	-	-	-	46	15	7	24	8	169	167	27	2	129	2
64	Garden City	173	-	1	-	1	31	15	5	11	2	105	104	26	-	70	2
65	Glen Cove	185	2	2	-	1	32	18	6	8	4	93	92	26	1	59	2
66	Long Beach	164	1	1	-	1	36	11	5	20	3	89	88	11	-	71	2
67	Lynbrook	217	1	-	-	-	34	11	6	17	10	138	133	25	-	101	3
68	Mineola	132	2	-	-	1	14	5	2	7	1	77	77	12	-	62	3
69	Rockville Centre	259	1	1	-	1	44	18	5	21	4	158	157	24	1	125	4
70	Balance of county	4,298	34	6	6	9	818	284	126	408	67	2,308	2,277	331	3	1,829	87
71	New York City	85,672	1,463	278	31	244	16,027	6,506	2,235	7,286	1,711	48,058	47,419	6,279	74	39,015	1,508
72	Bronx Bor. (Bronx)	14,564	174	48	8	40	2,951	1,255	422	1,274	371	8,185	8,081	969	14	6,755	264
73	Brooklyn Bor. (Kings)	28,374	424	62	7	70	5,269	2,144	700	2,425	638	16,295	16,065	2,181	18	13,197	508
74	Manhattan Bor. (N. Y.)	25,479	698	132	8	94	4,408	1,720	636	2,052	426	13,778	13,615	1,851	20	11,124	377
75	Queens Bor. (Queens)	15,125	147	33	6	37	2,996	1,219	418	1,359	247	8,534	8,413	1,101	20	6,935	323
76	Richmond Bor. (Richmond)	2,130	20	3	2	3	403	168	59	176	29	1,266	1,245	177	2	1,004	36
77	Niagara	1,880	17	7	1	9	311	101	44	166	43	1,056	1,033	180	2	798	25
78	Niagara Falls	809	10	6	1	4	161	51	30	80	16	414	403	71	1	312	8
79	Lockport	325	-	1	-	1	40	14	2	24	9	199	196	39	-	147	6
80	North Tonawanda	238	4	-	-	1	28	10	3	15	5	145	142	21	-	111	5
81	Balance of county	508	3	-	-	3	82	26	9	47	13	298	292	49	1	228	6
82	Oneida	2,493	24	2	1	4	361	150	40	171	56	1,517	1,493	257	1	1,168	32
83	Utica	1,235	9	1	-	1	178	71	20	87	33	758	742	131	-	582	16
84	Rome	404	1	-	-	1	68	36	6	26	8	249	246	38	1	198	4
85	Balance of county	854	14	1	1	2	115	43	14	58	15	510	505	88	-	388	12
86	Onondaga	3,791	43	11	3	8	592	242	57	293	84	2,248	2,206	427	-	1,639	51
87	Syracuse	2,513	28	8	1	5	388	151	46	191	53	1,529	1,501	287	-	1,115	34
88	Balance of county	1,278	15	3	2	3	204	91	11	102	31	719	705	140	-	524	17

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E960-E985	All other causes Residual	
234	35	82	9	46	4	2	19	5	4	11	2	1	6	34	1	22	21	8	1	42	1
138	14	33	7	15	-	2	6	3	2	9	1	1	3	21	1	11	12	4	-	28	2
96	21	49	2	31	4	-	13	2	2	2	1	-	3	13	-	11	9	4	1	14	3
427	75	161	11	58	7	19	25	15	11	12	3	2	14	41	6	28	61	13	-	110	4
155	23	47	3	12	2	2	7	5	4	2	2	-	3	12	2	7	22	3	-	31	5
50	17	21	3	12	1	2	3	1	1	2	-	1	3	9	1	3	10	1	-	19	6
222	35	93	5	34	4	15	15	9	6	8	1	1	8	20	3	18	29	9	-	60	7
331	35	41	4	25	7	10	20	12	2	11	-	-	16	45	-	12	29	9	1	73	8
216	24	25	3	16	4	6	14	10	-	9	-	-	10	28	-	7	21	7	-	55	9
115	11	16	1	9	3	4	6	2	2	2	-	-	6	17	-	5	8	2	1	18	10
132	26	52	2	9	4	22	11	2	3	5	-	1	6	18	1	10	17	2	-	34	11
167	31	37	1	14	1	12	15	4	1	1	1	3	7	23	1	19	24	5	-	32	12
68	8	5	1	5	1	4	3	1	1	-	-	1	3	7	1	8	7	-	-	13	13
99	23	32	-	9	-	8	12	3	-	1	1	2	4	16	-	11	17	5	-	19	14
207	46	33	7	14	6	3	10	3	3	6	2	-	2	9	3	16	16	3	-	25	15
53	20	5	2	4	2	1	3	-	-	3	-	-	1	1	-	5	4	-	-	7	16
154	26	28	5	10	4	2	7	3	3	3	2	-	1	8	3	11	12	3	-	18	17
145	26	18	4	9	1	6	12	2	2	4	4	-	3	16	3	12	13	5	-	31	18
74	16	8	1	6	1	2	9	2	1	2	2	-	2	7	1	3	5	1	-	18	19
71	10	10	3	3	-	4	3	-	1	2	2	-	1	9	2	9	8	4	-	13	20
171	24	25	4	19	2	3	17	4	2	4	1	-	6	21	1	12	21	10	1	36	21
493	68	50	14	46	2	12	23	7	4	12	-	-	18	30	3	33	43	21	1	81	22
187	19	8	4	19	-	4	7	1	1	4	-	-	7	11	1	3	7	4	1	31	23
40	10	10	3	10	-	1	2	3	-	1	-	-	1	2	1	3	4	-	-	8	24
266	39	32	7	17	2	7	14	3	3	7	-	-	10	17	1	27	32	17	-	42	25
2,912	456	581	66	163	53	88	219	89	42	141	22	7	135	357	20	205	371	79	20	677	26
2,033	322	370	48	103	40	60	156	64	29	106	17	5	84	239	14	115	241	54	14	509	27
50	9	11	3	9	-	5	7	3	-	4	-	-	3	13	-	7	12	1	-	16	28
65	11	10	-	1	1	2	1	2	-	3	1	-	3	3	-	4	6	4	1	15	29
63	7	19	-	3	3	3	1	2	-	3	-	-	4	5	-	5	11	-	-	16	30
701	107	171	15	47	9	18	54	18	13	25	4	2	41	97	6	74	101	20	5	121	31
128	17	22	3	16	3	6	19	3	-	1	-	1	7	16	1	11	17	11	1	35	32
140	16	20	2	14	2	6	16	-	2	4	1	-	4	13	-	17	20	2	1	25	33
191	29	69	9	14	6	5	20	8	4	5	-	-	10	16	1	8	20	7	-	33	34
97	12	30	9	7	2	2	10	6	1	2	-	-	6	7	-	3	6	1	-	16	35
42	7	17	-	5	1	-	3	2	1	1	-	-	1	5	-	2	7	2	-	5	36
52	10	22	-	2	3	3	7	-	2	2	-	-	3	4	1	3	7	4	-	12	37
149	32	26	6	21	4	1	15	2	4	5	-	-	7	11	-	30	25	3	-	36	38
57	16	11	3	9	2	1	4	1	3	4	-	-	6	4	-	11	10	3	-	14	39
92	16	15	3	12	2	-	11	1	1	1	-	-	1	7	-	19	15	-	-	22	40
133	13	30	6	19	1	5	13	5	4	2	2	1	1	9	4	3	12	4	-	27	41
9	4	6	1	2	1	-	3	-	1	1	-	-	-	1	-	-	2	3	1	4	42
185	30	77	9	20	12	12	9	9	5	8	-	-	7	19	2	15	20	11	1	50	43
307	65	70	6	36	4	9	20	5	8	12	5	1	10	55	10	15	43	16	1	83	44
141	21	22	2	9	1	2	6	3	4	5	1	1	4	26	5	5	15	6	-	34	45
166	44	48	4	27	3	7	14	2	4	7	4	-	6	29	5	10	28	10	1	49	46
71	6	20	1	11	1	5	2	5	-	1	-	-	3	9	1	8	11	2	-	15	47
141	13	40	2	18	4	5	6	6	-	3	-	1	3	11	-	11	14	4	2	29	48
162	18	66	7	15	1	7	17	3	5	5	-	1	6	21	1	21	16	4	1	30	49
47	2	18	4	4	-	4	5	2	1	2	-	-	1	9	1	5	4	-	-	9	50
115	16	48	3	11	1	3	12	1	4	3	-	1	5	12	-	16	12	4	1	21	51
1,808	179	267	36	202	39	37	128	45	24	55	6	2	62	159	5	98	136	52	8	298	52
1,381	135	209	22	141	26	23	96	35	15	41	5	1	37	109	3	65	101	38	7	225	53
96	11	7	4	11	6	3	7	2	3	2	-	-	7	13	-	6	6	1	-	6	54
331	33	51	10	50	7	11	25	8	6	12	1	1	18	37	2	27	29	13	1	67	55
189	51	46	8	15	2	19	9	4	1	3	-	-	13	19	2	18	23	10	-	51	56
95	30	22	3	11	-	10	5	1	1	2	-	-	8	14	1	9	10	4	-	31	57
94	21	24	5	4	2	9	4	3	-	1	-	-	5	5	1	9	13	6	-	20	58
2,152	324	210	37	102	45	51	154	38	17	88	13	6	108	301	70	97	192	67	15	350	59
95	15	15	1	7	4	3	10	1	-	3	1	-	4	14	2	1	14	5	1	17	60
109	22	8	2	3	-	5	7	2	1	4	-	-	2	13	2	5	4	5	-	13	61
68	9	4	4	3	-	1	4	1	1	5	-	-	5	6	2	3	4	2	2	6	62
96	21	10	1	7	1	2	5	-	1	3	-	-	4	12	1	3	9	3	-	15	63
51	12	5	2	6	-	1	2	-	1	3	-	1	5	4	2	5	4	-	-	6	64
38	13	6	2	3	1	1	4	2	-	6	-	-	2	9	3	1	9	3	1	11	65
59	6	4	1	3	2	1	-	3	2	4	-	-	1	6	-	1	3	5	-	8	66
71	11	16	1	5	1	5	7	1	-	1	1	-	2	4	2	-	6	6	-	4	67
48	7	4	1	2	-	-	2	-	1	3	1	-	1	7	2	4	5	-	-	11	68
101	12	8	2	4	1	1	3	4	1	3	-	-	4	8	1	3	4	2	-	17	69
1,416	196	150	20	59	35	31	110	24	9	53	10	5	78	218	53	71	130	36	11	242	70
29,521	4,947	3,039	515	1,181	355	639	2,943	640	255	1,420	61	97	779	2,424	553	847	2,468	571	337	4,465	71
5,341	701	449	99	180	64	104	468	113	43	198	9	16	124	331	105	121	384	97	54	724	72
9,794	1,831	1,064	166	413	90	230	1,000	207	80	423	16	26	252	893	105	284	648	133	88	1,454	73
8,368	1,381	998	144	354	122	163	1,018	158	83	532	20	44	201	723	240	253	948	178	153	1,384	74
5,193	937	482	84	201	72	121	394	147	47	241	15	11	178	414	89	165	431	150	40	803	75
825	97	46	22	33	7	21	63	15	2	26	1	-	24	63	14	24	57	13	2	100	76
569	84	120	14	31	8	23	31	15	3	31	2	4	36	79	5	41	51	18	-	120	77
225	39	40	7	9	3	11	18	5	2	18	-	1	14	43	-	16	23	8	-	49	78
104	12	25	-	7	3	3	4	3	1	6	1	3	6	9	1	6	11	2	-	22	79
87	7	12	2	7	1	3	3	3	-	3	-	-	5	15	1	2	4	4	-	15	80
153	26	43	5	8	1	6	6	4	-	4	1	-	11	12	3	17	13	4	-	34	81
680	184	272	17	42	8	24	57	14	13	29	7	5	36	66	8	58	69	14	1	151	82
367	74	125	6	19	4	16	28	8	7	15	4	1	19	31	3	24	32	7	-	76	83
92	51	51	5	4	-	3	6	1	1	6	-	2	5	9	2	10	11	1	-	23	84
221	59	96	6	19	4	5	23	5	5	8	3	2	12	26	3	24	26	6	1	52	85
1,336	102	150	28	90	22	42	72	33	23	45	3	3	52	157	7	65	79	35	3	225	86
913	68	100	23	62	14	28	46	18	15	35	2	3	26	90	5	39	52	14	2	154	87
423	34	50	5	28	8	14	26	15	8	10	1	-	26	67	2	26	27	21	1	71	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Ontario	680	3	-	1	5	108	44	13	51	8	394	390	78	-	286	5
2	Geneva	184	-	-	-	1	26	14	2	10	1	109	106	26	-	72	2
3	Balance of county	496	3	-	1	4	82	30	11	41	7	285	284	52	-	214	3
4	Orange	1,797	17	5	3	2	255	106	25	124	25	1,069	1,054	206	-	766	20
5	Newburgh	446	3	-	1	1	57	26	4	27	10	275	270	52	-	189	-
6	Middletown	276	1	1	1	-	34	13	4	17	2	170	168	37	-	126	7
7	Balance of county	1,075	13	4	1	1	164	67	17	80	13	624	616	117	-	451	13
8	Orleans	377	7	1	-	2	61	23	6	32	10	210	206	39	-	152	4
9	Oswego	946	9	1	-	4	123	54	12	57	19	584	579	126	1	416	10
10	Fulton	158	2	-	-	2	25	11	2	12	4	89	89	21	-	64	-
11	Oswego	277	2	1	-	1	38	19	7	12	5	166	164	40	-	107	2
12	Balance of county	511	5	-	-	1	60	24	3	33	10	329	326	65	1	245	8
13	Otsego	655	3	1	1	1	101	38	9	54	14	385	376	97	1	247	3
14	Oneonta	179	1	-	1	-	33	13	6	14	8	98	96	20	-	68	2
15	Balance of county	476	2	1	-	1	68	25	3	40	6	287	280	77	1	179	1
16	Putnam	262	3	-	-	1	53	18	7	28	7	150	143	25	-	103	2
17	Rensselaer	1,713	12	6	-	4	285	115	37	133	32	1,051	1,024	184	-	754	26
18	Troy	974	8	4	-	4	162	62	20	80	17	587	570	102	-	424	15
19	Rensselaer	129	2	1	-	-	23	7	4	12	3	75	75	7	-	58	2
20	Balance of county	610	2	1	-	-	100	46	13	41	12	389	379	75	-	272	9
21	Rockland	818	6	1	2	2	164	73	15	76	18	460	451	76	1	351	13
22	St. Lawrence	1,188	5	2	2	13	152	51	12	89	16	692	681	141	-	498	10
23	Massena	110	-	1	1	2	16	3	3	10	1	61	59	8	-	44	1
24	Ogdensburg	207	1	-	-	1	26	11	1	14	2	118	115	33	-	78	4
25	Balance of county	871	4	1	1	10	110	37	8	65	13	513	507	100	-	376	5
26	Saratoga	920	7	3	-	4	127	44	16	67	11	549	530	109	-	386	9
27	Saratoga Springs	231	2	2	-	1	32	15	-	17	3	137	132	26	-	96	2
28	Balance of county	689	5	1	-	3	95	29	16	50	8	412	398	83	-	290	7
29	Schenectady	1,603	9	-	-	9	258	100	27	131	35	1,008	996	185	1	727	20
30	Schenectady	1,129	8	-	-	4	178	59	22	97	29	712	703	128	-	519	15
31	Balance of county	474	1	-	-	5	80	41	5	34	6	296	293	57	1	208	5
32	Schoharie	303	1	1	-	-	48	20	5	23	6	188	185	32	1	128	1
33	Schuyler	194	-	1	4	-	27	12	1	14	1	123	118	31	-	84	1
34	Seneca	359	1	1	1	1	47	14	4	29	8	220	216	38	-	165	1
35	Steuben	1,095	9	4	7	3	152	62	13	77	19	630	626	135	1	443	11
36	Corning	222	2	-	-	-	38	15	4	19	6	125	125	24	-	90	3
37	Hornell	195	2	2	-	2	35	17	5	13	3	106	105	27	-	69	1
38	Balance of county	678	5	2	7	1	79	30	4	45	10	399	396	84	1	284	7
39	Suffolk	3,119	22	1	2	10	544	208	82	254	53	1,828	1,802	289	3	1,397	48
40	Sullivan	583	11	5	-	1	92	41	8	43	18	331	317	50	-	255	3
41	Tioga	367	2	2	3	2	54	22	4	28	9	234	233	59	-	158	4
42	Tompkins	561	2	1	3	2	76	24	8	44	14	335	322	53	-	246	4
43	Ithaca	274	-	-	-	1	38	12	6	20	7	169	160	22	-	125	1
44	Balance of county	287	2	1	3	1	38	12	2	24	7	166	162	31	-	121	3
45	Ulster	1,334	8	4	1	5	243	101	24	118	27	776	760	152	1	567	18
46	Kingston	426	2	4	-	2	78	33	5	40	12	247	241	51	1	181	7
47	Balance of county	908	6	-	1	3	165	68	19	78	15	529	519	101	-	386	11
48	Warren	522	6	2	-	2	83	35	7	41	5	302	300	50	-	239	11
49	Glens Falls	289	4	1	-	1	45	20	4	21	3	179	178	29	-	143	5
50	Balance of county	233	2	1	-	1	38	15	3	20	2	123	122	21	-	96	6
51	Washington	572	6	1	-	1	82	39	4	39	15	331	324	54	-	236	3
52	Wayne	759	3	-	1	1	104	38	10	56	17	465	460	92	-	331	11
53	Newark	109	-	-	-	-	16	6	1	9	2	72	72	13	-	51	4
54	Balance of county	650	3	-	1	1	88	32	9	47	15	393	388	79	-	280	7
55	Westchester	6,374	45	14	3	19	1,256	489	156	611	129	3,592	3,540	580	6	2,745	99
56	Yonkers	1,498	12	2	2	5	275	122	30	123	32	850	834	135	1	644	25
57	Mount Vernon	740	8	2	-	4	154	53	25	76	20	398	391	47	1	320	9
58	New Rochelle	657	7	1	-	2	149	55	22	72	18	348	343	74	1	254	10
59	White Plains	486	2	1	-	1	91	42	10	39	12	273	270	50	-	203	8
60	Mamaroneck	154	1	-	-	1	38	11	10	17	1	78	77	16	-	55	-
61	Ossining	170	-	-	-	-	28	10	-	18	5	99	95	18	-	71	3
62	Peekskill	198	2	-	-	-	41	14	2	25	2	112	109	16	-	80	4
63	Port Chester	248	1	1	-	-	39	14	3	22	6	155	155	25	1	119	4
64	Rye	99	-	1	-	1	14	4	3	7	1	57	57	6	1	48	-
65	Scarsdale	138	1	1	-	-	26	12	2	12	1	89	87	18	-	66	2
66	Balance of county	1,986	11	5	1	5	401	152	49	200	31	1,133	1,122	175	1	885	34
67	Wyoming	376	1	-	-	-	51	20	6	25	4	254	250	72	-	160	1
68	Yates	262	3	-	-	-	28	10	4	14	2	168	165	42	-	110	-
69	NORTH CAROLINA	31,797	408	78	34	210	3,570	1,080	330	2,160	436	16,358	15,816	4,114	60	10,657	324
70	Metropolitan counties	7,090	85	24	5	34	938	277	102	559	103	3,833	3,728	901	10	2,588	82
71	Nonmetropolitan counties	24,707	323	54	29	176	2,632	803	228	1,601	333	12,525	12,088	3,213	50	8,069	242
72	Alamance	458	9	1	-	2	64	20	5	39	6	245	234	55	1	164	10
73	Burlington	150	1	1	-	1	22	6	1	15	1	87	83	17	-	61	3
74	Balance of county	308	8	-	-	1	42	14	4	24	5	158	151	38	1	103	7
75	Alexander	94	1	-	1	-	10	5	-	5	-	45	44	16	-	24	1
76	Alleghany	72	-	-	2	-	10	4	1	5	1	40	36	13	-	22	4
77	Anson	246	2	1	-	1	28	14	1	13	-	122	117	34	1	78	3
78	Ashe	134	1	-	-	-	19	9	1	9	2	64	60	18	1	34	-
79	Avery	82	1	-	-	-	7	2	2	3	1	30	30	12	-	15	2
80	Beaufort	373	2	-	1	1	32	6	6	20	5	178	171	44	-	123	2
81	Bertie	219	3	1	-	2	24	6	-	18	3	100	92	41	-	44	1
82	Bladen	231	1	-	1	2	28	9	4	15	2	106	101	20	-	77	1
83	Brunswick	169	2	1	-	1	16	2	1	13	2	78	73	18	-	52	1
84	Buncombe	1,039	11	4	2	1	149	42	21	86	14	568	557	129	3	389	16
85	Asheville	569	7	3	-	1	83	27	8	48	8	317	309	81	2	202	11
86	Balance of county	470	4	1	2	-	66	15	13	38	6	251	248	48	1	187	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
199	28	54	7	9	10	4	24	3	6	6	2	2	8	26	-	21	12	1	-	50	1
42	7	21	4	1	3	3	7	-	1	2	2	-	5	7	-	2	3	-	-	18	2
157	21	33	3	8	7	1	17	3	5	4	-	2	3	19	-	19	9	1	-	32	3
582	81	85	21	56	5	15	32	12	5	29	1	2	14	59	12	30	62	23	3	137	4
165	9	15	9	19	1	5	1	4	2	16	-	-	2	14	6	3	16	5	1	29	5
98	9	12	1	3	1	2	11	2	1	2	-	-	3	6	1	5	12	1	-	23	6
319	63	56	11	34	3	8	20	6	2	11	1	2	9	39	5	22	34	17	2	85	7
94	24	30	1	10	4	4	6	1	-	2	-	-	9	10	-	11	17	4	-	26	8
268	56	82	9	24	3	5	21	5	3	10	3	-	12	30	-	22	42	12	2	44	9
33	7	24	1	2	1	-	3	2	1	3	-	-	1	9	-	4	8	2	-	3	10
68	18	19	4	12	1	2	6	2	1	3	2	-	5	7	-	3	15	3	-	17	11
167	31	39	4	10	1	3	12	1	1	4	1	-	6	14	-	15	19	7	2	24	12
183	34	27	4	22	5	9	24	5	2	6	-	-	9	12	6	14	20	12	-	38	13
50	10	6	1	6	1	2	6	3	-	4	-	-	1	5	-	3	3	2	-	11	14
133	24	21	3	16	4	7	18	2	2	2	-	-	8	7	6	11	17	10	-	28	15
63	8	30	5	8	2	7	5	2	-	2	-	-	4	6	-	4	8	3	-	14	16
553	77	98	16	53	17	27	20	17	10	23	4	1	16	49	5	18	60	5	1	94	17
311	35	63	12	21	11	17	11	12	8	19	1	-	10	30	3	4	36	3	1	54	18
45	8	3	1	8	1	-	1	1	1	3	-	-	2	8	-	-	1	1	-	7	19
197	34	32	3	24	5	10	8	4	1	1	3	1	4	11	2	14	23	1	-	33	20
263	51	24	9	10	4	9	16	3	3	5	3	3	3	30	-	17	26	10	2	44	21
340	80	68	9	26	7	11	31	8	10	7	1	4	20	46	2	27	42	13	-	95	22
29	7	7	2	4	1	2	4	-	1	1	-	1	3	7	-	-	4	-	-	7	23
55	14	5	1	2	1	3	5	2	-	2	-	1	4	13	1	2	10	-	-	19	24
256	59	56	6	20	5	6	22	6	9	4	1	2	13	26	1	25	28	13	-	69	25
279	44	54	5	23	7	19	16	5	1	6	2	4	15	25	10	25	34	14	-	62	26
70	17	7	1	8	1	5	7	2	1	1	-	2	2	6	5	3	9	2	-	14	27
209	27	47	4	15	6	14	9	3	-	5	2	2	13	19	5	22	25	12	-	48	28
556	68	83	13	58	12	12	33	12	2	24	1	1	18	46	6	23	34	14	1	69	29
394	44	66	9	37	10	9	24	9	1	19	-	-	11	31	4	17	27	11	1	43	30
162	24	17	4	21	2	3	9	3	1	5	1	1	7	15	2	6	7	3	-	26	31
87	11	29	1	22	1	3	6	1	-	2	-	-	2	8	-	9	9	3	-	19	32
52	14	17	1	2	-	5	6	-	1	2	-	-	1	4	1	5	4	1	-	13	33
94	20	50	5	5	3	4	5	5	1	1	-	1	5	11	2	10	15	3	-	21	34
294	44	94	15	30	2	4	23	11	3	7	5	1	13	45	5	20	46	15	1	76	35
56	13	18	2	7	2	-	4	4	2	3	2	-	1	11	1	3	5	3	-	12	36
54	5	9	4	5	-	1	5	3	-	1	-	-	-	7	1	3	7	1	-	17	37
184	26	67	9	18	-	3	14	4	1	3	3	1	12	27	3	14	34	11	1	47	38
1,068	149	132	31	63	19	26	59	20	10	37	2	5	44	95	7	101	70	29	8	172	39
181	22	49	3	4	5	14	8	4	4	4	1	1	3	19	-	11	23	10	-	37	40
117	12	25	1	14	1	1	6	-	2	2	-	-	3	5	-	10	10	2	-	21	41
180	27	35	4	14	5	13	6	3	2	5	1	-	13	17	1	15	23	6	-	36	42
96	15	13	2	8	3	9	4	3	2	4	1	-	5	6	1	4	11	3	-	15	43
84	12	22	2	6	2	4	2	-	-	1	-	-	8	11	-	11	12	3	-	21	44
413	65	71	9	28	3	16	33	11	4	10	4	-	7	30	2	20	58	11	1	79	45
140	24	10	2	6	-	6	9	3	-	5	1	-	2	9	-	6	14	3	-	29	46
273	41	61	7	22	3	10	24	8	4	5	3	-	5	21	2	14	44	8	1	50	47
168	14	46	7	3	1	2	10	6	1	6	-	-	7	22	1	11	21	5	-	32	48
98	11	29	5	1	-	1	2	2	1	4	-	-	3	9	-	4	11	3	-	17	49
70	3	17	2	2	1	1	8	4	-	2	-	-	4	13	1	7	10	2	-	15	50
169	25	39	4	26	4	7	9	2	-	8	-	1	5	25	2	12	26	7	-	39	51
224	44	52	7	22	8	5	23	5	-	5	1	-	6	23	1	16	25	3	4	56	52
30	6	11	-	6	2	-	2	-	-	-	-	-	1	4	-	2	4	-	-	6	53
194	38	41	7	16	6	5	21	5	-	5	1	-	5	19	1	14	21	3	4	50	54
1,936	434	276	38	124	47	52	151	49	27	106	7	7	85	181	38	80	158	47	5	375	55
436	122	61	9	34	11	16	41	9	5	26	-	2	23	43	7	15	43	16	-	90	56
223	47	41	6	13	4	7	19	4	1	14	3	2	5	34	1	4	16	6	1	44	57
178	41	25	1	6	7	5	16	4	4	14	-	-	5	22	-	12	19	4	-	32	58
141	32	22	4	11	2	3	12	3	2	4	1	2	3	18	3	3	13	3	2	37	59
41	10	4	1	2	3	1	7	2	1	2	-	-	3	5	3	1	1	1	-	9	60
53	8	7	-	5	1	4	4	2	-	3	-	-	2	6	1	2	6	1	-	11	61
59	7	10	-	12	1	3	7	1	-	1	-	-	3	5	1	4	4	2	1	12	62
80	21	14	4	5	1	-	3	-	1	5	-	-	5	6	-	6	5	-	-	15	63
39	4	5	-	1	1	-	2	-	-	2	1	-	2	3	-	3	1	1	-	10	64
48	8	8	2	-	1	2	1	-	-	3	-	-	2	1	2	2	1	2	-	6	65
638	134	79	11	35	15	11	39	24	13	32	2	1	32	38	20	28	49	11	1	109	66
121	20	18	2	15	1	4	1	-	1	3	-	-	5	11	-	12	11	3	1	18	67
76	11	23	7	5	1	3	2	3	3	1	-	-	2	4	-	7	11	5	1	22	68
5,730	2,479	2,124	315	457	213	542	1,538	146	281	202	81	109	470	1,990	688	1,161	1,302	322	361	2,052	69
1,512	579	415	78	93	58	105	269	46	33	45	25	22	103	389	55	221	223	74	104	459	70
4,218	1,900	1,709	237	364	155	437	1,269	100	248	157	56	87	367	1,601	633	940	1,079	248	257	1,593	71
93	30	31	2	6	6	11	28	3	2	3	3	2	8	21	6	12	16	3	4	20	72
36	11	11	1	2	2	4	5	1	-	2	2	2	1	5	1	4	3	2	1	8	73
57	19	20	1	4	4	7	23	2	2	1	1	-	7	16	5	8	13	1	3	12	74
15	4	4	1	3	-	1	1	1	1	-	-	-	-	8	12	5	1	2	1	5	75
9	2	7	-	-	1	4	2	-	-	-	-	2	1	2	3	3	1	-	-	5	76
37	22	16	3	-	1	5	18	-	2	1	1	1	1	10	16	9	18	2	6	7	77
10	9	15	1	5	1	4	7	1	-	1	-	2	2	3	18	4	4	-	-	6	78
4	3	6	1	1	1	-	7	-	-	-	-	-	3	2	11	4	4	2	2	8	79
68	18	35	2	-	2	7	44	-	5	1	1	6	1	30	9	8	20	4	4	21	80
24	4	15	5	2	-	8	12	-	1	2	1	2	2	20	14	5	4	-	4	19	81
34	25	17	-	2	2	5	13	-	3	2	-	3	2	15	5	18	11	4	7	8	82
19	17	15	2	1	-	5	4	2	1	-	-	2	5	12	9	5	14	-	3	12	83
254	65	54	10	16	10	11	50	10	4	6	2	-	13	42	3	35	36	15	9	65	84
128	35	28	6	11	7	8	25	4	2	5	1	-	10	18	-	16	18	8	7	36	85
126	30	26	4	5	3	3	25	6	2	1	1	-	3	24	3	19	18	7	2	29	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Burke	254	3	1	1	4	36	6	4	26	7	115	113	31	-	78	2
2	Cabarrus	428	3	2	-	2	58	20	1	37	3	224	220	50	1	156	4
3	Concord	146	-	2	-	-	20	8	-	12	-	77	75	17	1	51	-
4	Balance of county	282	3	-	-	2	38	12	1	25	3	147	145	33	-	105	4
5	Caldwell	283	4	1	5	1	42	12	4	26	7	138	135	38	2	87	1
6	Camden	55	1	-	-	2	2	-	-	2	1	30	29	9	-	20	-
7	Carteret	196	1	-	-	2	18	8	-	10	3	106	98	37	1	57	-
8	Caswell	145	4	-	-	2	14	3	2	9	2	80	76	23	1	41	1
9	Catawba	401	1	-	5	5	70	22	4	44	4	183	177	33	-	136	6
10	Hickory	142	1	-	1	1	23	7	1	15	2	62	60	10	-	48	2
11	Balance of county	259	-	-	4	4	47	15	3	29	2	121	117	23	-	88	4
12	Chatham	206	1	1	-	2	28	10	-	18	1	107	106	27	-	73	4
13	Cherokee	170	4	-	2	2	18	5	4	9	2	76	74	32	1	41	-
14	Chowan	117	5	-	-	1	17	3	2	12	2	56	55	24	-	23	-
15	Clay	41	-	-	-	1	7	3	-	4	-	21	20	3	-	14	-
16	Cleveland	433	4	2	-	-	54	25	4	25	3	223	222	54	3	159	4
17	Shelby	106	2	-	-	-	18	5	1	12	1	56	56	12	-	41	2
18	Balance of county	327	2	2	-	-	36	20	3	13	2	167	166	42	3	118	2
19	Columbus	403	4	1	1	2	27	4	3	20	6	197	191	51	1	131	3
20	Craven	431	9	1	-	-	36	12	4	20	4	199	192	67	1	115	2
21	New Bern	170	5	-	-	-	18	4	2	12	2	78	75	23	1	45	1
22	Balance of county	261	4	1	-	-	18	8	2	8	2	121	117	44	-	70	1
23	Cumberland	654	9	-	-	8	52	13	5	34	9	265	251	70	-	166	3
24	Fayetteville	307	4	-	-	4	20	4	3	13	3	131	123	33	-	81	2
25	Balance of county	347	5	-	-	4	32	9	2	21	6	134	128	37	-	85	1
26	Currituck	70	-	1	-	-	11	2	2	7	-	42	41	3	-	36	-
27	Dare	66	-	-	-	-	9	1	3	5	-	41	41	8	-	31	-
28	Davidson	421	5	1	1	5	62	17	6	39	4	218	214	57	-	132	6
29	Lexington	113	3	1	-	-	17	4	1	12	-	57	56	14	-	34	5
30	Thomasville	83	2	-	-	2	15	4	-	11	1	36	35	10	-	22	1
31	Balance of county	225	-	-	1	3	30	9	5	16	3	125	123	33	-	76	-
32	Davie	131	-	-	-	1	22	9	1	12	1	74	71	21	-	47	2
33	Duplin	331	5	1	-	2	35	7	3	25	2	183	177	61	1	103	5
34	Durham	780	11	4	-	2	102	29	12	61	13	436	426	105	1	290	5
35	Durham	560	9	3	-	2	78	21	10	47	9	312	304	77	-	209	4
36	Balance of county	220	2	1	-	-	24	8	2	14	4	124	122	28	1	81	1
37	Edgecombe	480	11	1	-	1	50	13	9	28	4	238	229	64	1	139	1
38	Rocky Mount (part)	129	2	1	-	-	21	5	7	9	2	65	63	15	-	43	-
39	Balance of county	351	9	-	-	1	29	8	2	19	2	173	166	49	1	96	1
40	Forsyth	1,246	16	3	-	9	143	43	9	91	18	708	679	175	2	460	29
41	Winston-Salem	902	11	3	-	6	100	32	5	63	13	504	478	115	1	336	18
42	Balance of county	344	5	-	-	3	43	11	4	28	5	204	201	60	1	124	11
43	Franklin	296	6	-	-	3	18	8	1	9	5	154	151	29	1	111	1
44	Gaston	698	2	1	-	3	81	30	4	47	17	381	370	93	4	256	10
45	Gastonia	216	1	-	-	-	32	10	3	19	5	115	113	25	1	80	2
46	Balance of county	482	1	1	-	3	49	20	1	28	12	266	257	68	3	176	8
47	Gates	81	-	-	-	-	2	-	-	2	-	45	45	16	-	26	-
48	Graham	43	-	-	-	-	3	2	-	1	-	21	21	7	-	14	-
49	Granville	274	1	-	-	2	18	6	1	11	4	162	143	30	-	103	-
50	Greene	114	4	-	-	3	7	-	2	5	3	62	58	16	-	38	1
51	Guilford	1,390	15	5	-	8	210	65	19	126	16	716	695	191	-	484	11
52	Greensboro	613	6	2	-	3	107	33	13	61	7	316	303	87	-	196	7
53	High Point	296	4	1	-	3	40	10	3	27	3	153	149	45	-	96	1
54	Balance of county	481	5	2	-	2	63	22	3	38	6	247	243	59	-	172	3
55	Halifax	517	15	2	-	2	47	14	7	26	2	278	271	107	1	144	5
56	Harnett	354	4	1	-	1	33	14	3	16	3	180	175	42	-	120	1
57	Haywood	262	2	1	-	1	35	10	4	21	3	143	142	37	1	96	6
58	Henderson	290	3	1	-	6	45	13	3	29	4	136	133	36	-	83	6
59	Hertford	173	-	-	-	5	16	4	1	11	3	85	82	22	-	49	1
60	Hoke	117	3	2	-	-	8	1	-	7	1	55	53	14	-	34	-
61	Hyde	65	-	-	-	-	5	5	-	-	-	39	38	10	-	27	-
62	Iredell	501	9	1	1	5	50	19	4	27	12	289	282	79	2	189	8
63	Statesville	167	6	1	-	2	20	7	3	10	3	94	92	16	-	73	3
64	Balance of county	334	3	-	1	3	30	12	1	17	9	195	190	63	2	116	5
65	Jackson	116	-	-	-	-	17	7	-	10	2	60	56	10	1	39	3
66	Johnston	443	10	-	-	-	46	7	4	35	9	203	196	43	-	143	1
67	Jones	71	1	-	-	-	8	-	1	7	2	39	36	10	-	26	-
68	Lee	166	1	-	-	1	12	5	-	7	1	90	88	25	-	55	1
69	Sanford	83	1	-	-	1	6	4	-	2	1	43	41	15	-	21	-
70	Balance of county	83	-	-	-	-	6	1	-	5	-	47	47	10	-	34	1
71	Lenoir	474	8	3	-	7	41	14	3	24	8	247	237	81	-	142	1
72	Kinston	244	6	2	-	3	27	10	1	16	4	128	122	51	-	67	1
73	Balance of county	230	2	1	-	4	14	4	2	8	4	119	115	30	-	75	-
74	Lincoln	216	1	-	1	-	21	6	1	14	2	133	127	36	-	81	3
75	McDowell	152	1	1	-	4	19	6	2	11	2	74	70	27	-	40	3
76	Macon	100	-	-	-	-	15	3	3	9	2	53	49	11	1	32	6
77	Madison	140	-	1	-	1	13	5	1	7	2	78	75	18	-	54	5
78	Martin	198	6	2	-	1	19	4	2	13	2	96	94	17	-	72	1
79	Mecklenburg	1,570	14	6	1	6	210	53	27	130	23	844	827	162	2	604	15
80	Charlotte	1,119	11	6	-	5	151	40	17	94	15	598	585	111	1	429	11
81	Balance of county	451	3	-	1	1	59	13	10	36	8	246	242	51	1	175	4
82	Mitchell	117	-	-	1	-	17	5	4	8	-	62	62	10	-	46	3
83	Montgomery	130	1	1	-	2	16	6	1	9	1	67	67	19	-	44	1
84	Moore	268	2	-	-	-	30	7	2	21	2	147	142	38	1	89	5
85	Nash	527	8	-	-	6	54	17	4	33	7	260	249	69	1	169	-
86	Rocky Mount (part)	155	2	-	-	1	21	5	2	14	4	79	74	21	-	50	-
87	Rocky Mount (total)	284	4	1	-	1	42	10	9	23	6	144	137	36	-	93	-
88	Balance of county	372	6	-	-	5	33	12	2	19	3	181	175	48	1	119	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
35	11	30	-	4	-	2	18	2	1	1	1	-	4	11	7	13	9	2	1	17	1
111	28	13	5	8	-	4	18	3	2	2	1	1	7	15	3	16	18	5	7	38	2
43	6	2	3	3	-	2	4	-	-	1	-	-	5	3	1	4	6	2	3	18	3
68	22	11	2	5	-	2	14	3	2	1	1	1	2	12	2	12	12	3	4	20	4
54	15	17	3	5	-	3	9	-	-	2	1	-	5	20	6	10	12	2	-	18	5
16	1	3	-	-	-	1	3	-	-	-	-	-	1	5	-	1	4	1	-	4	6
36	9	12	1	1	1	8	6	-	-	3	-	1	5	7	8	9	14	1	-	12	7
24	8	8	3	8	-	4	6	-	2	-	1	1	2	9	4	3	5	1	1	8	8
60	34	36	1	4	3	6	15	-	2	3	-	1	6	29	13	14	23	2	1	24	9
23	13	10	-	1	1	2	4	-	-	2	-	-	3	12	7	6	7	1	1	9	10
37	21	26	1	3	2	4	11	-	2	1	-	1	3	17	6	8	16	1	-	15	11
30	28	11	1	5	-	1	11	-	-	1	1	-	1	17	3	6	9	3	1	13	12
18	13	10	-	-	-	2	6	1	1	1	-	-	4	17	7	3	12	3	1	10	13
12	3	8	3	3	2	1	3	-	3	-	-	-	-	5	-	4	6	1	2	12	14
5	3	6	-	1	2	1	2	1	1	-	-	-	1	1	1	1	1	-	1	2	15
97	23	35	1	5	-	1	22	2	1	4	1	1	9	19	7	18	20	6	3	34	16
24	7	8	-	3	-	-	4	-	-	1	1	-	3	2	1	4	3	1	1	8	17
73	16	27	1	2	-	1	18	2	1	3	-	1	6	17	6	14	17	5	2	26	18
45	32	51	4	4	-	6	30	2	3	1	-	-	6	34	16	24	26	1	5	17	19
61	32	20	5	3	1	7	31	2	14	1	1	4	8	42	1	18	33	2	7	18	20
26	10	8	3	3	-	3	15	1	7	1	-	1	2	10	-	5	8	-	5	12	21
35	22	12	2	-	1	4	16	1	7	-	1	3	6	32	1	13	25	2	2	6	22
86	47	30	3	7	5	14	29	4	2	11	1	-	9	83	58	31	40	5	7	31	23
45	24	10	2	4	3	8	16	2	-	8	-	-	4	38	28	14	19	2	3	11	24
41	23	20	1	3	2	6	13	2	2	3	1	-	5	45	30	17	21	3	4	20	25
21	6	9	1	-	1	1	4	-	1	-	-	-	1	1	-	4	3	-	-	2	26
16	2	13	-	1	1	-	2	-	-	-	-	-	-	4	-	2	3	-	1	4	27
82	21	23	6	14	5	4	25	2	2	2	1	3	5	22	1	10	21	7	1	23	28
18	7	4	2	5	1	1	8	1	1	-	-	1	2	7	1	3	7	1	1	1	29
12	4	5	-	1	2	1	5	-	-	-	-	1	-	8	-	2	3	2	-	6	30
52	10	14	4	8	2	2	12	1	1	1	1	1	3	7	-	5	11	4	-	16	31
35	4	6	-	2	1	3	3	2	2	-	1	-	2	5	1	6	3	1	-	7	32
52	21	25	8	3	1	6	17	1	4	1	-	-	8	20	1	10	12	5	4	20	33
179	77	29	13	12	5	10	22	6	2	10	-	3	10	35	12	14	26	9	9	54	34
130	59	16	10	4	4	8	14	6	1	8	-	2	8	23	6	9	18	7	5	40	35
49	18	13	3	8	1	2	8	-	1	2	-	1	2	12	6	5	8	2	4	14	36
74	36	28	6	18	1	9	20	2	8	7	-	-	6	45	22	15	17	3	3	27	37
25	9	9	1	3	1	2	6	-	-	4	-	-	1	9	2	-	7	1	1	7	38
49	27	19	5	15	-	7	14	2	8	3	-	-	5	36	20	15	10	2	2	20	39
200	121	110	11	18	13	29	38	6	4	11	8	1	19	64	13	33	26	9	22	95	40
140	103	75	8	9	9	26	31	5	4	10	7	1	14	46	8	19	19	7	19	75	41
60	18	35	3	9	4	3	7	1	-	1	1	-	5	18	5	14	7	2	3	20	42
70	33	7	3	2	5	3	22	1	5	2	4	1	4	14	4	6	16	5	4	22	43
135	48	63	7	6	4	11	33	5	3	3	2	3	9	34	5	29	27	7	12	41	44
48	8	22	3	2	2	2	8	-	1	-	-	2	1	11	-	13	9	2	1	15	45
87	40	41	4	4	2	9	25	5	2	3	2	1	8	23	5	16	18	5	11	26	46
14	6	6	1	2	-	-	9	-	-	1	-	-	-	3	4	1	5	2	2	7	47
8	2	4	-	-	-	-	1	1	-	-	-	-	1	4	3	2	3	-	-	4	48
37	33	33	4	6	-	19	10	3	4	1	-	1	3	21	12	4	13	1	2	12	49
16	14	7	2	2	-	4	7	-	-	-	-	-	-	13	5	2	-	3	-	5	50
286	106	61	14	17	9	21	51	12	4	6	4	6	22	92	8	54	48	11	17	85	51
124	44	21	7	10	3	13	14	7	2	4	1	3	8	43	5	21	21	6	11	26	52
62	25	8	1	5	2	4	15	2	1	-	-	1	4	20	-	12	11	1	3	22	53
100	37	32	6	2	4	4	22	3	1	2	3	2	10	29	3	21	16	4	3	37	54
77	38	24	6	10	3	7	21	2	7	2	-	2	10	47	8	18	22	1	5	26	55
67	22	30	2	8	3	5	19	1	1	4	-	1	4	24	2	19	16	4	11	26	56
58	16	16	2	4	2	1	15	1	3	2	1	-	5	11	2	4	7	1	3	22	57
52	16	9	7	5	2	3	16	2	4	1	-	3	1	16	4	11	13	3	1	20	58
24	20	4	4	5	2	3	10	1	6	1	-	-	4	9	-	5	9	3	-	16	59
17	10	7	4	1	-	2	6	-	2	1	-	-	2	6	6	13	6	-	2	4	60
15	6	6	-	-	1	1	5	-	-	-	1	-	3	2	2	-	2	1	-	5	61
93	38	50	3	6	3	7	13	1	-	2	-	2	5	42	5	11	15	3	-	35	62
42	17	11	-	1	2	2	4	1	-	-	-	-	2	11	1	5	3	2	-	12	63
51	21	39	3	5	1	5	9	-	-	2	-	2	3	31	4	6	12	1	-	23	64
25	3	8	-	4	2	4	12	-	2	-	-	-	3	3	1	3	2	4	2	5	65
71	37	34	5	5	-	7	29	1	4	4	2	4	7	23	17	28	19	6	6	25	66
8	5	13	-	-	-	3	6	1	-	1	-	-	1	5	-	3	-	1	-	3	67
37	6	11	3	5	-	2	6	-	1	-	-	-	5	10	4	8	6	2	2	17	68
15	1	5	3	2	-	2	1	-	-	-	-	-	3	5	1	8	1	1	2	9	69
22	5	6	-	3	-	-	5	-	1	-	-	-	2	5	3	-	5	1	-	8	70
65	51	25	5	3	6	10	18	1	5	1	-	2	6	39	3	14	25	7	8	31	71
34	16	16	2	1	1	6	4	1	1	1	-	-	5	21	-	5	13	2	3	18	72
31	35	9	3	2	5	4	14	-	4	-	-	2	1	18	3	9	12	5	5	13	73
53	12	13	2	6	2	6	8	1	2	1	1	1	2	4	5	8	8	3	1	13	74
26	7	4	2	1	-	4	5	2	1	1	-	1	4	7	5	8	6	2	-	9	75
16	9	1	-	2	3	4	11	-	-	-	-	-	3	3	1	2	4	1	-	5	76
24	8	17	1	1	1	3	9	-	2	1	-	1	1	7	4	7	2	1	1	9	77
28	28	15	1	4	-	2	9	-	2	2	1	1	2	9	5	7	10	4	3	17	78
385	126	78	25	19	15	17	70	9	9	7	4	5	26	89	5	55	47	17	29	94	79
280	90	48	19	13	12	13	50	6	7	6	3	3	21	66	4	31	32	14	27	63	80
105	36	30	6	6	3	4	20	3	2	1	1	2	5	23	1	24	15	3	2	31	81
18	9	16	1	3	2	-	7	-	-	-	-	-	3	4	7	2	1	1	-	12	82
29	7	7	-	3	1	-	4	-	-	-	1	-	2	7	4	6	6	-	2	10	83
47	24	13	7	1	6	5	9	1	1	2	-	-	3	10	1	14	11	3	5	27	84
83	64	22	5	1	4	11	29	3	8	5	1	2	7	40	11	23	13	5	6	39	85
24	20	6	1	-	2	5	6	1	2	3	1	1	-	13	1	7	3	1	2	7	86
49	29	15	2	3	3	7	12	1	2	7	1	1	1	22	3	7	10	2	3	14	87
59	44	16	4	1	2	6	23	2	6	2	-	1	7	27	10	16	10	4	4	32	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	New Hanover	682	7	3	-	3	76	27	10	39	10	347	332	80	1	226	4
2	Wilmington	485	6	1	-	2	52	20	7	25	6	243	232	57	1	156	3
3	Balance of county	197	1	2	-	1	24	7	3	14	4	104	100	23	-	70	1
4	Northampton	240	8	2	-	3	23	7	2	14	3	125	119	39	-	70	1
5	Onslow	265	3	-	-	2	25	6	2	17	5	93	81	23	2	49	2
6	Orange	225	1	1	-	1	32	8	2	22	5	114	112	33	-	71	2
7	Pamlico	86	-	-	-	1	9	4	-	5	4	44	41	15	1	23	1
8	Pasquotank	240	6	-	-	-	28	10	4	14	1	126	123	35	1	79	2
9	Elizabeth City	167	6	-	-	-	21	9	3	9	1	88	85	21	1	55	2
10	Balance of county	73	-	-	-	-	7	1	1	5	-	38	38	14	-	24	-
11	Pender	171	2	1	-	2	8	1	1	6	1	86	84	24	-	58	-
12	Perquimans	72	1	-	-	-	7	3	-	4	1	36	36	17	-	16	1
13	Person	198	2	1	-	1	21	4	1	16	3	98	93	18	1	61	-
14	Pitt	535	12	1	-	8	50	13	9	28	4	266	261	59	1	194	4
15	Greenville	150	1	-	-	3	20	5	5	10	1	80	80	23	1	54	2
16	Balance of county	385	11	1	-	5	30	8	4	18	3	186	181	36	-	140	2
17	Polk	101	1	-	-	1	9	3	1	5	-	55	53	27	-	25	1
18	Randolph	353	3	-	-	2	43	7	4	32	4	202	198	43	1	139	7
19	Richmond	342	2	-	-	5	32	10	5	17	4	182	173	53	-	114	-
20	Robeson	733	9	1	-	7	60	8	5	47	8	298	291	76	-	200	3
21	Rockingham	482	3	2	-	1	49	16	3	30	7	273	268	64	2	187	4
22	Reidsville	128	-	1	-	1	14	6	-	8	-	70	70	12	-	50	-
23	Balance of county	354	3	1	-	-	35	10	3	22	7	203	198	52	2	137	4
24	Rowan	591	2	1	1	5	80	25	7	48	12	321	310	77	2	211	6
25	Salisbury	210	1	-	-	2	31	9	3	19	5	115	114	30	1	74	4
26	Balance of county	381	1	1	1	3	49	16	4	29	7	206	196	47	1	137	2
27	Rutherford	365	4	1	-	3	51	14	3	34	3	177	175	50	1	111	6
28	Sampson	409	7	2	-	5	32	10	3	19	-	214	209	42	-	162	3
29	Scotland	250	1	-	-	1	16	7	-	9	3	133	131	22	-	104	4
30	Stanly	233	1	-	1	1	24	10	-	14	6	99	95	20	-	67	-
31	Albemarle	78	-	-	1	-	10	5	-	5	1	32	31	4	-	24	-
32	Balance of county	155	1	-	-	1	14	5	-	9	5	67	64	16	-	43	-
33	Stokes	150	2	-	-	-	22	10	-	12	1	77	74	18	-	50	5
34	Surry	338	8	-	-	4	39	9	8	22	5	193	188	42	-	131	7
35	Swain	59	1	-	-	-	7	4	-	3	-	28	27	7	-	19	-
36	Transylvania	113	1	-	-	1	20	10	-	10	1	56	55	16	-	35	-
37	Tyrrell	46	1	-	-	-	3	1	-	2	-	24	23	6	-	17	-
38	Union	359	5	1	-	1	42	12	3	27	11	195	183	32	1	131	3
39	Monroe	90	2	1	-	1	10	4	-	6	7	53	53	9	-	37	1
40	Balance of county	269	3	-	-	-	32	8	3	21	4	142	130	23	1	94	2
41	Vance	274	6	-	-	1	38	11	3	24	4	129	125	29	1	86	-
42	Henderson	116	3	-	-	1	18	6	1	11	3	48	47	9	1	35	-
43	Balance of county	158	3	-	-	-	20	5	2	13	1	81	78	20	-	51	-
44	Wake	1,065	18	2	2	8	124	45	14	65	19	561	544	139	2	381	6
45	Raleigh	559	9	1	2	3	73	30	8	35	11	298	287	59	2	209	3
46	Balance of county	506	9	1	-	5	51	15	6	30	8	263	257	80	-	172	3
47	Warren	195	1	2	-	1	19	9	1	9	4	95	93	33	3	53	3
48	Washington	135	4	-	-	-	9	2	-	7	2	57	53	13	-	39	-
49	Watauga	118	-	-	-	-	14	7	1	6	6	55	49	13	1	32	3
50	Wayne	530	11	1	-	2	46	17	-	29	9	265	260	67	-	169	6
51	Goldsboro	213	4	-	-	1	22	12	-	10	4	102	99	22	-	64	1
52	Balance of county	317	7	1	-	1	24	5	-	19	5	163	161	45	-	105	5
53	Wilkes	343	4	-	4	1	21	6	3	12	6	187	184	28	-	149	13
54	Wilson	515	18	-	-	6	42	10	6	26	8	273	250	71	2	157	3
55	Wilson	254	8	-	-	4	28	5	4	19	4	131	118	23	-	85	-
56	Balance of county	261	10	-	-	2	14	5	2	7	4	142	132	48	2	72	3
57	Yadkin	161	-	-	-	-	20	9	-	11	4	91	90	13	-	71	4
58	Yancey	101	2	-	-	2	13	3	1	9	2	48	47	22	-	23	3
59	NORTH DAKOTA	5,204	29	12	8	34	743	313	63	367	96	2,746	2,696	684	12	1,784	73
60	Nonmetropolitan counties	5,204	29	12	8	34	743	313	63	367	96	2,746	2,696	684	12	1,784	73
61	Adams	32	-	-	-	-	4	2	-	2	-	17	17	7	-	8	1
62	Barnes	153	-	-	-	1	23	8	-	15	3	91	91	32	-	55	-
63	Benson	87	3	2	-	1	8	4	-	4	2	53	53	12	1	35	-
64	Billings	11	-	-	-	-	1	-	-	1	-	4	4	1	-	3	-
65	Bottineau	104	-	-	1	-	12	2	1	9	-	62	62	19	-	42	4
66	Bowman	38	-	-	-	1	7	3	1	3	1	16	15	4	-	11	1
67	Burke	62	-	-	-	3	15	6	2	7	3	25	23	7	-	15	-
68	Burleigh	194	-	1	2	2	34	15	3	16	2	90	90	23	1	60	2
69	Bismarck	155	-	1	1	2	30	13	3	14	-	69	69	18	1	46	1
70	Balance of county	39	-	-	1	-	4	2	-	2	2	21	21	5	-	14	1
71	Cass	503	2	2	-	4	77	33	7	37	12	272	271	71	-	174	7
72	Fargo	337	2	1	-	3	51	24	4	23	10	175	174	40	-	119	4
73	Balance of county	166	-	1	-	1	26	9	3	14	2	97	97	31	-	55	3
74	Cavalier	112	1	-	1	-	17	10	2	5	3	70	67	26	-	35	3
75	Dickey	87	-	-	-	1	12	6	-	6	1	50	50	16	-	30	1
76	Divide	64	1	-	1	-	8	3	-	5	1	38	38	8	-	29	-
77	Dunn	65	-	-	-	1	5	2	-	3	3	33	32	6	-	23	-
78	Eddy	49	-	-	-	-	7	3	2	2	1	24	23	3	1	17	-
79	Emmons	63	-	-	-	1	9	3	1	5	1	33	33	5	1	21	1
80	Foster	42	-	-	-	-	2	-	2	-	-	32	32	4	-	21	2
81	Golden Valley	31	-	-	-	1	6	3	-	3	-	16	16	6	-	10	1
82	Grand Forks	319	3	-	1	-	51	24	2	25	6	153	150	45	2	90	4
83	Grand Forks	212	2	-	1	-	27	13	-	14	3	108	106	34	2	59	1
84	Balance of county	107	1	-	-	-	24	11	2	11	3	45	44	11	-	31	3
85	Grant	45	1	-	-	-	7	4	-	3	-	23	22	9	-	13	-
86	Griggs	49	-	-	-	-	13	3	2	8	-	25	24	8	-	15	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
152	27	43	9	13	3	15	32	2	3	7	3	4	7	48	6	19	29	5	15	56	1
104	20	29	7	10	1	11	23	2	2	4	3	4	5	36	3	14	19	3	13	44	2
48	7	14	2	3	2	4	9	-	1	3	-	-	2	12	3	5	10	2	2	12	3
27	22	20	4	6	-	6	7	1	-	1	1	-	2	21	3	5	6	2	1	26	4
34	6	7	2	5	-	12	12	1	1	3	1	-	15	45	1	20	14	1	4	19	5
31	21	17	4	2	2	2	4	2	1	2	-	-	4	9	7	11	10	2	1	18	6
8	2	12	-	-	2	3	5	1	1	1	-	-	-	6	1	5	3	-	1	4	7
45	21	11	1	4	3	3	15	4	2	1	1	1	4	17	-	5	8	1	2	18	8
34	12	7	1	4	3	3	7	3	1	1	1	1	1	9	-	4	6	1	1	15	9
11	9	4	-	-	-	-	8	1	1	-	-	-	3	8	-	1	2	-	1	3	10
27	20	11	-	2	-	2	9	1	1	2	-	-	3	13	6	10	5	4	3	14	11
4	3	8	1	1	1	-	5	1	-	1	-	2	-	4	2	3	4	-	-	5	12
23	19	19	-	10	3	5	14	-	2	2	-	1	1	20	1	6	8	4	2	11	13
89	69	32	1	3	3	5	24	2	12	6	1	1	7	27	21	16	21	9	6	41	14
30	11	11	-	2	-	-	6	-	5	2	-	-	-	3	6	4	1	4	1	13	15
59	58	21	1	1	3	5	18	2	7	4	1	1	7	24	15	12	20	5	5	28	16
15	4	5	1	-	-	2	4	1	-	1	-	-	-	8	-	5	5	1	2	8	17
80	27	25	3	10	2	4	19	-	-	4	-	-	3	14	3	16	11	5	2	22	18
54	29	31	2	3	1	9	18	1	4	3	1	-	6	28	6	16	10	2	4	18	19
112	60	25	8	6	1	7	35	1	27	9	1	6	9	69	52	39	34	5	11	52	20
101	27	55	2	9	4	5	22	3	2	7	-	1	7	26	13	19	12	5	7	23	21
24	5	21	1	6	1	-	6	-	-	2	-	-	-	13	1	2	7	-	6	5	22
77	22	34	1	3	3	5	16	3	2	5	-	1	7	13	12	17	5	5	1	18	23
132	35	38	5	6	9	11	23	4	3	1	3	2	11	36	5	14	29	6	2	30	24
43	15	12	3	2	4	1	6	1	2	1	1	2	4	16	2	2	9	-	1	9	25
89	20	26	2	4	5	10	17	3	1	-	2	-	7	20	3	12	20	6	1	21	26
64	17	24	3	8	2	2	31	3	4	-	1	-	5	16	4	17	14	2	3	26	27
86	38	35	3	2	-	5	18	-	5	2	2	3	7	24	8	21	28	4	5	22	28
40	39	21	3	2	-	2	11	1	7	-	-	-	6	23	10	10	7	3	5	13	29
46	10	11	2	3	3	4	10	1	1	1	-	1	3	14	21	9	15	5	2	18	30
17	5	2	1	-	2	1	3	1	1	1	-	-	1	9	4	2	5	-	1	6	31
29	5	9	1	3	1	3	7	-	-	-	-	1	2	5	17	7	10	5	1	12	32
25	14	6	2	1	3	3	6	-	3	-	-	-	2	8	2	5	11	4	1	6	33
52	44	28	4	8	3	5	11	-	-	2	-	-	8	17	6	8	9	4	1	23	34
14	3	2	-	1	-	1	3	-	-	-	-	-	1	4	-	4	2	1	-	8	35
23	7	5	3	1	-	1	4	-	-	1	-	-	1	5	2	5	4	1	-	11	36
8	4	5	-	-	-	1	4	1	-	-	-	-	1	1	2	1	5	-	1	2	37
63	45	20	4	7	8	12	14	1	1	-	1	1	6	19	8	8	18	2	2	23	38
21	10	5	2	1	4	-	4	-	1	-	-	-	1	1	-	-	2	1		6	39
42	35	15	2	6	4	12	10	1	-	-	1	1	5	18	8	8	16	1	2	17	40
40	25	21	2	5	2	4	10	2	11	-	2	1	-	15	11	8	18	5	-	13	41
19	11	5	1	1	-	1	3	2	4	-	2	-	-	8	3	4	9	4	-	4	42
21	14	16	1	4	2	3	7	-	7	-	-	1	-	7	8	4	9	1	-	9	43
208	84	83	5	11	6	17	38	3	10	5	7	7	13	67	14	30	40	13	18	66	44
119	40	47	2	9	6	11	17	1	4	2	6	3	10	34	9	11	18	4	9	34	45
89	44	36	3	2	-	6	21	2	6	3	1	4	3	33	5	19	22	9	9	32	46
19	24	7	2	2	-	2	13	-	3	-	1	2	3	6	10	4	8	3	2	18	47
10	6	23	1	-	-	4	10	1	3	3	1	1	1	10	6	5	5	-	2	15	48
14	12	3	-	3	-	6	15	-	1	1	2	-	3	2	2	7	2	2	-	6	49
83	29	51	10	13	1	5	39	2	12	4	1	2	3	34	9	26	30	5	3	26	50
34	7	22	6	7	-	3	23	2	4	2	1	1	-	12	2	9	9	2	-	13	51
49	22	29	4	6	1	2	16	-	8	2	-	1	3	22	7	17	21	3	3	13	52
35	58	43	1	3	3	3	23	1	1	1	2	-	9	11	3	20	17	5	6	21	53
96	37	21	9	9	2	23	24	-	9	2	1	1	7	39	5	13	17	7	5	38	54
53	24	8	4	4	2	13	9	-	6	2	1	-	3	19	-	2	6	3	4	24	55
43	13	13	5	5	-	10	15	-	3	-	-	1	4	20	5	11	11	4	1	14	56
54	12	1	-	2	4	1	4	2	-	-	-	2	4	5	1	10	7	-	-	11	57
16	1	3	-	2	-	1	6	1	1	1	-	-	2	7	5	1	-	-	1	9	58
1,183	210	318	36	139	41	50	187	25	24	32	1	10	102	258	63	178	235	52	7	362	59
1,183	210	318	36	139	41	50	187	25	24	32	1	10	102	258	63	178	235	52	7	362	60
5	1	1	-	2	-	-	1	-	1	-	-	-	1	1	-	1	2	2	-	2	61
41	8	6	1	1	2	-	5	3	1	1	-	-	-	2	1	4	5	1	-	12	62
23	7	5	-	5	-	-	1	1	-	1	-	1	2	1	-	2	1	-	-	8	63
2	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	2	1	-	-	-	64
28	4	6	-	1	-	-	4	1	-	1	-	-	4	3	-	2	6	-	-	8	65
6	2	2	-	-	-	1	1	-	-	-	-	-	1	1	-	1	5	-	-	4	66
12	-	3	-	1	-	2	2	1	-	-	-	-	3	4	1	1	1	2	-	1	67
48	8	2	2	4	-	-	6	1	-	1	-	1	2	21	2	14	6	3	-	6	68
37	6	2	1	3	-	-	6	-	-	1	-	1	1	17	2	13	4	3	-	4	69
11	2	-	1	1	-	-	-	1	-	-	-	-	1	4	-	1	2	-	-	2	70
128	15	24	4	17	5	1	13	4	2	2	-	1	8	28	3	12	19	5	-	37	71
93	9	13	3	8	4	1	10	2	2	1	-	1	7	23	1	8	13	4	-	23	72
35	6	11	1	9	1	-	3	2	-	1	-	-	1	5	2	4	6	1	-	14	73
21	5	6	1	4	1	3	2	1	-	2	-	-	1	-	-	2	3	-	-	9	74
17	3	9	2	2	-	-	9	-	1	1	-	-	-	-	1	1	5	-	-	5	75
20	2	7	-	1	-	-	2	-	-	-	-	-	1	5	-	4	3	-	-	-	76
7	2	14	1	1	1	1	5	-	-	-	-	-	2	2	1	3	1	1	1	7	77
12	3	2	-	2	-	1	2	-	-	-	-	-	1	1	-	5	3	-	-	5	78
10	3	7	1	2	3	-	2	-	-	1	-	-	2	3	1	1	3	1	-	5	79
17	1	1	1	5	1	-	-	-	-	-	-	-	-	1	-	2	2	1	-	2	80
6	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	1	-	2	81
58	10	18	1	8	4	3	9	3	1	1	-	1	10	21	9	10	14	2	-	24	82
41	6	11	-	8	3	2	8	2	-	1	-	1	8	14	5	8	9	1	-	14	83
17	4	7	1	-	1	1	1	1	1	-	-	-	2	7	4	2	5	1	-	10	84
8	5	-	-	-	-	1	1	-	-	-	-	-	-	5	-	3	-	1	-	4	85
4	1	9	-	1	-	1	-	-	1	-	-	-	-	1	1	1	2	-	-	5	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH DAKOTA—Con.																
1	Hettinger	53	-	-	-	1	5	2	-	3	1	26	25	8	-	15	2
2	Kidder	38	-	-	-	-	5	3	-	2	1	20	19	-	-	18	1
3	La Moure	67	-	-	-	-	9	2	3	4	1	38	38	8	-	28	2
4	Logan	50	-	-	-	2	10	3	2	5	1	20	19	2	1	16	2
5	McHenry	116	1	-	-	1	14	4	-	10	4	61	61	15	-	40	-
6	McIntosh	57	-	-	-	-	9	7	1	1	-	35	35	7	1	24	1
7	McKenzie	62	-	-	-	1	7	3	-	4	-	30	28	4	-	22	1
8	McLean	129	1	-	1	-	20	4	4	12	3	58	57	11	-	45	1
9	Mercer	61	2	-	-	1	3	1	1	1	1	31	30	5	-	22	-
10	Morton	130	-	1	-	-	19	9	1	9	2	61	59	11	-	46	2
11	Mountrail	110	-	-	1	1	14	2	-	12	2	52	52	12	-	39	1
12	Nelson	77	-	-	-	1	12	9	-	3	1	44	42	12	-	26	1
13	Oliver	10	-	-	-	-	2	1	-	1	-	7	7	3	1	3	-
14	Pembina	99	-	-	-	-	10	5	-	5	3	55	54	13	-	39	2
15	Pierce	67	-	1	-	1	14	7	-	7	-	34	34	2	1	27	1
16	Ramsey	121	-	-	-	-	9	4	1	4	2	79	76	28	-	42	3
17	Ransom	78	-	1	-	-	13	4	1	8	2	50	50	12	-	35	2
18	Renville	48	1	-	-	-	1	-	1	-	1	31	31	8	-	18	1
19	Richland	155	1	-	-	-	23	10	3	10	4	101	100	18	-	71	6
20	Rolette	102	3	-	-	-	11	6	2	3	2	42	42	7	-	30	1
21	Sargent	70	-	-	-	-	11	7	-	4	-	45	44	9	-	33	1
22	Sheridan	44	-	-	-	-	6	1	1	4	-	25	24	9	-	14	1
23	Sioux	33	2	-	-	-	4	1	-	3	1	12	11	2	-	9	-
24	Slope	10	-	-	-	-	4	3	-	1	-	6	5	2	-	3	-
25	Stark	133	-	-	-	1	23	8	2	13	2	62	60	17	1	38	1
26	Steele	40	-	-	-	-	7	6	-	1	-	23	23	7	-	14	-
27	Stutsman	176	-	-	-	2	21	7	3	11	-	103	100	22	-	65	2
28	Jamestown	103	-	-	-	1	12	4	-	8	-	65	62	12	-	41	2
29	Balance of county	73	-	-	-	1	9	3	3	3	-	38	38	10	-	24	-
30	Towner	56	2	-	-	1	9	6	-	3	2	28	26	7	-	17	-
31	Traill	99	2	-	-	-	13	4	3	6	2	52	50	18	-	29	-
32	Walsh	175	1	2	-	-	24	9	1	14	2	107	102	22	-	74	3
33	Ward	335	2	2	-	3	52	26	5	21	8	148	147	42	1	88	5
34	Minot	222	1	2	-	1	37	19	4	14	4	94	94	26	1	54	2
35	Balance of county	113	1	-	-	2	15	7	1	7	4	54	53	16	-	34	3
36	Wells	88	-	-	-	-	14	6	1	7	5	37	37	10	-	24	-
37	Williams	205	-	-	-	2	27	9	2	16	4	96	95	19	-	63	2
38	OHIO	86,175	991	369	95	363	13,411	5,077	1,519	6,815	1,949	46,635	45,777	10,341	82	31,538	1,183
39	Metropolitan counties	56,963	770	278	59	230	9,196	3,469	1,125	4,602	1,301	30,119	29,565	6,359	53	20,718	855
40	Nonmetropolitan counties	29,212	221	91	36	133	4,215	1,608	394	2,213	648	16,516	16,212	3,982	29	10,820	328
41	Adams	222	4	-	1	3	30	12	1	17	5	127	126	39	-	79	6
42	Allen	907	14	5	3	4	140	50	19	71	15	471	459	116	-	301	5
43	Lima	609	9	5	1	4	97	35	15	47	13	304	297	68	-	199	4
44	Balance of county	298	5	-	2	-	43	15	4	24	2	167	162	48	-	102	1
45	Ashland	343	2	1	-	1	55	21	7	27	10	178	176	35	-	120	2
46	Ashland	170	1	1	-	-	26	7	4	15	4	84	82	16	-	54	-
47	Balance of county	173	1	-	-	1	29	14	3	12	6	94	94	19	-	66	2
48	Ashtabula	1,036	4	2	-	6	162	71	16	75	25	566	554	117	-	396	10
49	Ashtabula	306	1	-	-	1	46	14	4	28	11	162	161	31	-	120	5
50	Conneaut	149	-	1	-	2	21	10	3	8	3	86	84	24	-	49	2
51	Balance of county	581	3	1	-	3	95	47	9	39	11	318	309	62	-	227	3
52	Athens	453	-	1	1	4	74	37	7	30	1	248	242	62	-	167	6
53	Athens	104	-	-	1	-	23	9	4	10	-	54	52	17	-	34	-
54	Balance of county	349	-	1	-	4	51	28	3	20	1	194	190	45	-	133	6
55	Auglaize	336	3	-	-	3	54	19	5	30	9	189	183	40	-	131	3
56	Belmont	975	7	2	1	6	139	55	15	69	26	574	550	151	1	364	19
57	Bellaire	154	1	-	-	1	28	8	5	15	6	89	80	18	-	59	4
58	Martins Ferry	156	-	2	1	-	24	10	2	12	5	83	82	20	-	57	2
59	Balance of county	665	6	-	-	5	87	37	8	42	15	402	388	113	1	248	13
60	Brown	276	3	2	-	4	41	11	4	26	6	166	163	42	1	112	3
61	Butler	1,395	19	6	5	10	194	69	22	103	25	762	748	165	5	501	23
62	Hamilton	661	14	2	1	4	96	39	9	48	11	348	340	66	1	241	9
63	Middletown	302	2	3	2	2	36	11	3	22	9	170	169	40	3	107	7
64	Balance of county	432	3	1	2	4	62	19	10	33	5	244	239	59	1	153	7
65	Carroll	208	1	-	1	1	26	4	3	19	3	130	130	35	-	83	3
66	Champaign	329	3	2	1	2	43	12	3	28	15	185	181	56	-	117	6
67	Clark	1,191	19	4	-	4	169	58	20	91	36	675	661	163	1	434	16
68	Springfield	893	15	4	-	4	135	45	18	72	30	484	474	118	1	306	12
69	Balance of county	298	4	-	-	-	34	13	2	19	6	191	187	45	-	128	4
70	Clermont	489	4	1	-	2	64	27	4	33	14	283	278	57	-	204	5
71	Clinton	339	-	1	-	2	50	15	4	31	5	215	214	43	-	156	6
72	Columbiana	1,081	8	1	1	1	166	60	22	84	29	629	622	141	3	413	13
73	East Liverpool	276	3	-	1	-	43	18	5	20	8	154	152	28	-	99	3
74	Salem	162	1	-	-	-	25	7	5	13	6	92	92	27	-	58	-
75	Balance of county	643	4	1	-	1	98	35	12	51	15	383	378	86	3	256	10
76	Coshocton	403	2	-	-	4	61	15	6	40	9	217	213	48	-	147	5
77	Coshocton	180	2	-	-	2	36	8	3	25	5	95	93	15	-	71	1
78	Balance of county	223	-	-	-	2	25	7	3	15	4	122	120	33	-	76	4
79	Crawford	486	5	3	1	1	77	36	3	38	10	266	262	91	1	158	3
80	Bucyrus	144	3	1	-	-	22	8	1	13	4	78	78	25	-	52	1
81	Balance of county	342	2	2	1	1	55	28	2	25	6	188	184	66	1	106	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	1	2	-	1	1	1	2	-	-	-	-	1	1	4	1	4	3	2	-	2	1
10	2	5	-	1	-	1	-	-	-	-	-	-	2	2	1	5	1	-	-	1	2
16	5	5	-	1	1	-	2	-	1	-	-	-	-	3	2	1	4	1	-	5	3
9	1	4	-	-	-	1	1	1	-	-	1	-	1	3	2	1	2	-	-	5	4
32	4	4	1	4	1	-	3	-	-	-	-	-	3	5	1	4	8	3	-	8	5
13	1	9	1	1	1	-	2	-	-	3	-	1	-	1	2	1	2	-	-	1	6
20	-	1	-	2	-	2	2	-	-	-	-	-	2	2	-	3	6	1	-	8	7
41	2	1	-	1	-	1	6	-	2	-	-	-	2	6	-	4	10	3	-	13	8
14	4	4	2	1	-	1	3	-	-	1	-	-	1	3	10	1	-	-	-	4	9
25	10	9	-	2	-	2	7	-	-	2	-	1	4	12	2	4	7	-	1	7	10
25	7	6	-	-	1	-	10	1	1	-	-	-	4	4	2	2	5	-	-	11	11
10	6	9	1	2	1	2	2	-	-	-	-	-	2	1	1	3	2	1	-	7	12
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13
21	6	10	-	2	-	1	4	1	1	-	-	-	-	4	-	4	5	1	2	9	14
14	9	3	-	4	-	-	1	-	-	-	-	-	2	5	-	3	2	-	-	4	15
30	6	3	1	4	1	3	2	-	-	1	-	-	4	5	1	6	6	1	-	5	16
21	4	8	1	2	-	-	3	-	-	-	-	-	-	2	-	3	1	1	-	2	17
13	1	3	3	2	-	-	1	-	-	-	-	1	1	2	1	1	3	-	-	4	18
45	7	13	-	8	3	1	5	-	-	2	-	-	1	4	1	3	3	2	-	5	19
22	3	4	-	4	1	-	9	-	2	1	-	1	2	6	1	6	7	-	-	9	20
22	1	9	-	1	1	1	1	-	-	-	-	-	1	5	-	-	3	-	-	4	21
10	-	3	-	1	-	1	1	-	1	-	-	-	-	1	-	3	2	1	-	4	22
8	1	-	-	-	-	1	3	-	1	-	-	-	-	-	5	-	1	-	1	3	23
2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
27	6	4	2	1	1	2	3	-	1	1	-	1	1	14	-	3	6	1	-	14	25
9	3	2	-	1	1	-	1	-	-	-	-	-	3	-	1	-	4	-	-	1	26
45	11	7	1	9	3	3	8	1	-	2	-	-	4	8	1	3	6	3	-	14	27
28	8	3	1	5	3	3	4	-	-	2	-	-	3	3	1	2	2	-	-	8	28
17	3	4	-	4	-	-	4	1	-	-	-	-	1	5	-	1	4	3	-	6	29
11	2	4	-	2	-	2	1	-	1	-	-	-	2	2	1	2	1	-	-	4	30
18	6	5	1	2	-	2	5	-	-	-	-	-	2	1	2	4	6	2	-	8	31
39	7	25	4	2	-	5	5	2	1	-	-	-	4	5	-	5	7	2	-	8	32
65	7	11	2	9	5	1	11	2	3	5	-	-	9	25	3	15	20	1	1	25	33
44	4	4	2	6	5	-	5	2	3	4	-	-	9	17	-	10	12	-	-	21	34
21	3	7	-	3	-	1	6	-	-	1	-	-	-	8	3	5	8	1	1	4	35
18	3	3	-	2	1	-	6	1	-	2	-	-	2	4	-	5	3	4	-	5	36
42	4	15	2	10	1	1	9	1	2	1	-	-	4	18	2	6	15	2	1	15	37
20,712	4,250	5,393	732	2,534	550	858	2,646	529	353	965	155	98	1,126	3,360	785	2,113	3,050	956	338	5,888	38
13,803	2,958	3,102	488	1,558	389	554	1,730	372	228	776	95	58	760	2,437	589	1,222	1,920	611	276	3,936	39
6,909	1,292	2,291	244	976	161	304	916	157	125	189	60	40	366	923	196	891	1,130	345	62	1,952	40
52	7	14	1	6	1	1	5	-	-	-	-	-	2	6	1	10	8	5	1	14	41
197	38	61	7	27	8	12	30	8	7	1	4	-	6	34	9	33	45	12	-	66	42
127	26	42	4	21	5	7	19	7	4	-	4	-	5	24	5	25	33	7	-	43	43
70	12	19	3	6	3	5	11	1	3	1	-	-	1	10	4	8	12	5	-	23	44
76	20	22	7	12	2	2	12	3	3	3	-	-	7	13	-	16	11	5	-	23	45
40	5	9	5	5	2	2	8	2	2	2	-	-	5	10	-	6	5	1	-	13	46
36	15	13	2	7	-	-	4	1	1	1	-	-	2	3	-	10	6	4	-	10	47
283	33	70	6	28	7	12	25	3	6	8	-	1	15	39	8	49	47	13	2	55	48
94	5	16	1	7	2	1	3	-	1	4	-	-	7	13	4	16	15	2	-	20	49
33	4	10	2	6	3	2	2	1	2	1	-	-	3	4	1	6	7	3	1	5	50
156	24	44	3	15	2	9	20	2	3	3	-	1	5	22	3	27	25	8	1	30	51
93	24	44	5	7	1	6	17	3	3	4	2	2	4	11	6	7	20	7	1	37	52
20	2	12	-	1	-	2	2	-	1	2	1	-	-	2	-	2	5	1	-	10	53
73	22	32	5	6	1	4	15	3	2	2	1	2	4	9	6	5	15	6	1	27	54
85	21	22	4	8	-	6	13	2	1	1	1	-	-	7	1	10	11	5	-	26	55
226	55	64	7	24	3	24	35	2	1	12	-	-	14	30	3	12	36	9	2	64	56
43	6	6	-	2	1	9	-	-	-	1	-	-	3	5	-	4	5	2	-	9	57
31	11	13	2	3	-	1	7	-	1	3	-	-	4	9	-	-	5	1	1	10	58
152	38	45	5	19	2	14	28	2	-	8	-	-	7	16	3	8	26	6	1	45	59
77	13	19	-	7	1	3	6	2	-	3	-	1	-	6	-	7	7	5	1	16	60
370	71	37	19	48	10	14	32	8	16	15	2	1	32	61	9	41	52	13	5	87	61
184	25	23	9	22	1	8	18	3	9	9	-	1	17	37	4	19	23	3	3	39	62
77	18	5	7	11	1	1	7	2	-	2	2	-	7	10	3	9	12	4	-	20	63
109	28	9	3	15	8	5	7	3	7	4	-	-	8	14	2	13	17	6	2	28	64
48	9	23	-	11	1	-	4	-	-	1	1	-	1	7	3	7	4	3	1	14	65
79	14	18	-	8	-	4	9	2	-	2	-	-	7	16	-	8	15	4	1	14	66
301	59	58	12	39	12	14	51	9	2	9	-	2	15	38	7	31	45	12	4	59	67
215	43	36	10	29	10	10	43	7	2	7	-	-	12	34	6	22	30	7	4	47	68
98	16	22	2	10	2	4	8	2	-	2	-	2	3	4	1	9	15	5	-	12	69
135	24	40	3	10	4	5	22	2	3	6	-	-	3	18	2	19	12	2	1	31	70
109	9	32	5	10	-	1	12	1	-	1	-	-	2	4	4	5	12	4	1	20	71
314	48	38	8	45	12	7	26	5	5	7	1	1	18	40	2	31	36	12	2	60	72
71	11	14	4	14	7	2	2	2	2	2	-	1	4	18	-	6	4	2	1	23	73
52	4	2	2	5	-	-	2	2	-	4	-	-	3	4	1	10	3	2	-	7	74
191	33	22	2	26	5	5	22	1	3	1	1	-	11	18	1	15	29	8	1	30	75
87	6	49	-	15	3	4	30	4	-	4	2	2	3	9	2	9	20	4	-	21	76
46	1	23	-	6	1	2	10	1	-	1	1	1	-	4	-	1	9	1	-	11	77
41	5	26	-	9	2	2	20	3	-	3	1	1	3	5	2	8	11	3	-	10	78
110	19	26	3	8	1	4	14	1	3	2	1	2	7	25	-	8	19	1	1	39	79
39	5	7	-	1	-	-	8	-	-	1	1	-	2	5	-	3	7	-	-	9	80
71	14	19	3	7	1	4	6	1	3	1	-	2	5	20	-	5	12	1	1	30	81

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Cuyahoga	14,924	220	64	12	52	2,509	1,022	327	1,160	362	7,707	7,594	1,495	9	5,543	265
2	Cleveland	10,508	199	52	4	44	1,674	691	212	771	271	5,327	5,241	1,043	7	3,812	172
3	Cleveland Heights	597	1	-	-	-	110	52	11	47	9	359	355	71	-	257	12
4	Lakewood	754	1	2	-	2	151	59	19	73	16	441	436	83	1	316	14
5	East Cleveland	383	1	1	2	-	78	37	9	32	10	204	202	40	-	150	6
6	Euclid	351	4	1	3	3	68	28	7	33	11	169	168	41	-	119	8
7	Parma	260	-	-	-	-	58	18	15	25	5	123	123	17	-	91	10
8	Shaker Heights	275	-	3	-	-	68	27	9	32	11	136	134	23	-	101	4
9	Berea	91	1	2	-	-	11	2	3	6	1	40	40	11	1	26	1
10	Garfield Heights	170	3	2	-	-	33	12	7	14	4	85	83	10	-	70	2
11	Maple Heights	108	-	-	-	-	18	11	1	6	2	58	57	6	-	44	2
12	Rocky River	92	-	-	-	-	18	5	3	10	1	61	60	7	-	49	4
13	South Euclid	105	2	-	-	-	19	8	1	10	2	51	50	5	-	44	4
14	University Heights	97	-	-	1	-	22	8	3	11	2	57	57	14	-	41	2
15	Balance of county	1,133	8	1	2	3	181	64	27	90	17	596	588	124	-	423	24
16	Darke	469	4	3	1	3	63	23	3	37	9	286	280	61	1	204	3
17	Defiance	326	2	1	2	-	48	24	5	19	9	170	162	37	1	114	3
18	Defiance	153	1	-	-	-	21	10	3	8	-	82	76	20	-	51	3
19	Balance of county	173	1	1	2	-	27	14	2	11	9	88	86	17	1	63	-
20	Delaware	318	3	-	1	2	42	14	4	24	7	173	168	49	-	102	3
21	Delaware	124	3	-	-	-	17	5	1	11	1	63	62	16	-	40	2
22	Balance of county	194	-	-	1	2	25	9	3	13	6	110	106	33	-	62	1
23	Erie	635	7	3	1	4	114	43	12	59	10	330	324	87	2	194	4
24	Sandusky	388	5	2	-	3	77	28	7	42	8	187	182	51	-	105	3
25	Balance of county	247	2	1	1	1	37	15	5	17	2	143	142	36	2	89	1
26	Fairfield	560	9	1	-	6	88	33	9	46	12	328	323	88	1	199	4
27	Lancaster	274	4	-	-	4	44	17	5	22	8	156	153	43	-	89	1
28	Balance of county	286	5	1	-	2	44	16	4	24	4	172	170	45	1	110	3
29	Fayette	280	2	2	-	1	35	6	2	27	9	165	165	36	-	103	6
30	Washington Court House	170	1	2	-	1	24	4	1	19	7	98	98	20	-	64	4
31	Balance of county	110	1	-	-	-	11	2	1	8	2	67	67	16	-	39	2
32	Franklin	5,397	64	29	6	15	880	284	97	499	129	2,858	2,792	634	4	1,915	65
33	Columbus	4,183	56	21	6	9	685	233	83	369	95	2,236	2,183	489	3	1,503	46
34	Bexley	123	1	-	-	2	24	7	2	15	4	69	69	15	-	48	2
35	Balance of county	1,091	7	8	-	4	171	44	12	115	30	553	540	90	1	364	17
36	Fulton	278	1	-	-	-	36	10	3	23	5	155	153	59	-	101	7
37	Gallia	251	2	1	-	4	34	9	4	21	3	140	134	29	-	90	4
38	Geauga	252	1	-	-	-	40	18	5	17	5	149	147	29	1	104	2
39	Greene	524	8	1	-	4	65	27	10	28	10	280	275	66	1	183	4
40	Xenia	172	5	1	-	2	19	10	3	6	4	97	93	23	-	66	-
41	Balance of county	352	3	-	-	2	46	17	7	22	6	183	182	43	1	117	4
42	Guernsey	514	1	2	-	2	69	26	10	33	7	293	289	76	1	188	4
43	Cambridge	215	-	1	-	2	28	10	5	13	2	123	122	35	-	81	1
44	Balance of county	299	1	1	-	-	41	16	5	20	5	170	167	41	1	107	3
45	Hamilton	8,547	144	52	8	38	1,380	499	164	717	181	4,569	4,486	979	7	3,029	141
46	Cincinnati	6,496	126	46	4	26	1,019	367	123	529	136	3,466	3,404	747	5	2,287	100
47	Norwood	345	2	-	-	1	66	23	8	35	7	186	182	43	-	119	6
48	Balance of county	1,706	16	6	4	11	295	109	33	153	38	917	900	189	2	623	35
49	Hancock	564	5	3	4	4	80	26	9	45	14	322	319	66	-	223	5
50	Findlay	312	5	1	2	3	36	9	6	21	7	179	176	38	-	120	5
51	Fostoria (part)	43	-	-	-	-	15	5	-	10	-	21	21	6	-	15	-
52	Balance of county	209	-	2	2	1	29	12	3	14	7	122	122	22	-	88	-
53	Hardin	344	-	-	1	-	50	16	4	30	11	191	187	52	-	127	6
54	Harrison	219	-	1	-	1	32	12	1	19	1	123	121	43	-	67	2
55	Henry	267	2	-	1	5	46	17	5	24	5	137	134	33	-	87	5
56	Highland	366	5	3	2	1	39	16	3	20	7	206	201	54	-	128	6
57	Hocking	219	2	-	-	3	21	6	3	12	5	133	131	32	1	90	1
58	Holmes	194	2	-	-	1	28	17	-	11	4	104	103	39	-	49	1
59	Huron	480	2	1	-	1	71	20	8	43	8	272	270	59	-	194	6
60	Jackson	320	3	1	-	2	51	21	4	26	5	170	167	47	-	103	4
61	Jefferson	1,019	16	4	-	8	141	59	16	66	23	584	576	127	2	418	14
62	Steubenville	424	9	2	-	4	66	30	5	31	10	229	225	45	1	166	5
63	Balance of county	595	7	2	-	4	75	29	11	35	13	355	351	82	1	252	9
64	Knox	378	5	1	-	-	57	19	5	33	7	219	217	66	-	127	3
65	Mount Vernon	167	4	1	-	-	25	9	1	15	4	102	101	28	-	66	1
66	Balance of county	211	1	-	-	-	32	10	4	18	3	117	116	38	-	61	2
67	Lake	692	7	3	-	2	119	33	13	73	14	345	335	71	1	241	7
68	Painesville	167	1	2	-	-	19	6	1	12	2	88	85	18	-	61	2
69	Balance of county	525	6	1	-	2	100	27	12	61	12	257	250	53	1	180	5
70	Lawrence	483	10	5	-	6	69	35	2	32	7	260	244	65	-	155	4
71	Ironton	206	5	2	-	1	29	15	1	13	5	114	106	25	-	70	1
72	Balance of county	277	5	3	-	5	40	20	1	19	2	146	138	40	-	85	3
73	Licking	841	6	3	-	3	118	44	13	61	13	459	452	95	-	299	9
74	Newark	450	3	2	-	2	58	23	6	29	9	241	238	53	-	146	2
75	Balance of county	391	3	1	-	1	60	21	7	32	4	218	214	42	-	153	7
76	Logan	396	1	-	-	-	57	20	2	35	9	225	219	58	-	150	8
77	Bellefontaine	130	1	-	-	-	19	4	1	14	2	68	63	13	-	45	5
78	Balance of county	266	-	-	-	-	38	16	1	21	7	157	156	45	-	105	3
79	Lorain	1,432	13	6	-	4	223	86	28	109	34	744	726	147	-	529	17
80	Lorain	573	7	6	-	1	97	39	11	47	15	296	289	56	-	215	6
81	Elyria	323	3	-	-	1	43	18	7	18	8	163	161	45	-	108	3
82	Balance of county	536	3	-	-	2	83	29	10	44	11	285	276	46	-	206	8
83	Lucas	4,392	50	32	9	19	782	278	105	399	88	2,310	2,271	504	8	1,568	52
84	Toledo	3,873	44	30	9	14	694	248	93	353	80	2,048	2,014	448	5	1,387	47
85	Balance of county	519	6	2	-	5	88	30	12	46	8	262	257	56	3	181	5
86	Madison	218	1	1	-	-	31	9	3	19	5	132	131	38	-	83	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3,708	922	648	127	322	98	113	423	110	41	257	25	13	164	626	319	285	465	138	97	1,035	1
2,493	693	454	86	224	69	86	332	82	32	194	19	10	110	444	279	195	324	93	95	728	2
195	29	21	7	16	4	4	15	1	2	9	2	2	2	8	4	6	15	4	-	48	3
232	41	29	9	22	5	5	15	4	2	10	-	-	10	15	4	12	21	6	-	42	4
98	25	21	2	10	-	2	7	3	-	7	-	-	3	16	3	7	12	3	1	25	5
78	13	20	1	4	3	1	5	2	1	7	-	-	7	15	4	14	11	4	-	22	6
70	3	8	6	8	-	-	3	5	3	4	1	-	2	23	4	1	6	4	1	17	7
71	17	9	-	5	5	2	6	-	-	4	-	-	1	11	3	5	10	3	-	14	8
21	-	4	-	1	1	-	-	1	-	2	-	-	1	9	1	6	8	1	-	7	9
46	10	12	1	1	1	2	1	2	-	1	2	-	4	12	-	1	7	1	-	12	10
28	8	6	3	1	3	1	-	-	-	-	-	-	5	9	1	3	4	1	-	7	11
36	5	4	-	4	-	1	1	-	-	-	-	-	-	2	-	2	1	3	-	3	12
31	6	3	-	1	-	1	4	-	-	2	-	-	3	4	-	2	1	1	-	14	13
26	7	6	-	2	-	-	2	1	-	-	-	-	1	2	-	-	2	1	-	6	14
283	65	51	12	22	7	8	32	9	1	17	1	1	15	56	16	31	43	13	-	90	15
117	49	35	5	7	2	6	6	2	1	4	2	1	4	12	-	20	18	5	-	25	16
67	14	30	5	4	1	8	9	1	-	-	1	-	4	15	3	15	15	6	-	25	17
29	6	13	3	1	1	6	6	-	-	-	1	-	2	11	2	6	4	3	-	14	18
38	8	17	2	3	-	2	3	1	-	-	-	-	2	4	1	9	11	3	-	11	19
65	18	16	3	12	2	5	14	3	2	2	1	-	2	11	1	13	11	6	-	24	20
26	7	5	2	3	1	1	4	1	-	-	1	-	1	6	1	3	6	4	-	13	21
39	11	11	1	9	1	4	10	2	2	2	-	-	1	5	-	10	5	2	-	11	22
129	28	33	6	29	6	6	20	8	4	2	-	2	15	8	6	25	28	7	2	39	23
67	15	20	4	19	3	5	13	6	2	1	-	1	12	4	5	13	18	3	2	26	24
62	13	13	2	10	3	1	7	2	2	1	-	1	3	4	1	12	10	4	-	13	25
136	21	38	7	24	4	5	20	-	3	5	-	2	7	14	2	6	15	8	4	30	26
67	6	15	3	15	3	3	7	-	2	3	-	-	5	10	1	1	8	2	3	16	27
69	15	23	4	9	1	2	13	-	1	2	-	2	2	4	1	5	7	6	1	14	28
73	5	19	7	18	1	-	10	1	-	1	-	-	2	8	4	7	9	4	2	18	29
47	3	10	3	10	1	-	5	1	-	1	-	-	1	5	2	5	5	1	1	10	30
26	2	9	4	8	-	-	5	-	-	-	-	-	1	3	2	2	4	3	1	8	31
1,204	323	323	50	144	45	66	160	38	26	54	6	3	72	221	47	117	214	63	12	383	32
940	265	252	42	108	38	53	125	31	18	44	6	3	54	162	34	85	165	43	9	296	33
35	4	7	3	2	1	-	2	1	2	1	-	-	-	1	1	1	3	3	-	8	34
229	54	64	5	34	6	13	33	6	6	9	-	-	18	58	12	31	46	17	3	79	35
57	19	18	-	11	2	2	6	4	1	2	1	1	3	8	2	7	17	2	-	27	36
60	7	19	7	7	1	6	11	2	1	2	1	1	1	10	1	6	4	2	1	24	37
66	14	22	2	9	2	2	9	1	-	-	-	-	4	11	1	9	4	5	-	13	38
137	22	20	6	12	7	5	13	3	5	5	1	2	15	30	2	16	29	6	-	29	39
48	10	8	-	2	2	4	1	1	1	3	-	1	5	10	2	2	8	1	-	9	40
89	12	12	6	10	5	1	12	2	4	2	1	1	10	20	-	14	21	5	-	20	41
132	23	29	5	17	2	4	28	5	-	4	1	-	8	13	4	11	28	6	1	31	42
56	12	12	1	5	-	1	8	1	-	3	-	-	4	9	2	7	13	2	1	9	43
76	11	17	4	12	2	3	20	4	-	1	1	-	4	4	2	4	15	4	-	22	44
2,104	359	425	96	307	68	83	276	49	30	138	13	6	98	323	43	145	266	99	47	642	45
1,593	279	315	76	237	52	62	225	40	28	112	11	5	67	235	33	101	212	68	43	493	46
81	11	21	6	12	2	4	8	-	-	4	1	-	4	12	1	7	9	4	1	32	47
430	69	89	14	58	14	17	43	9	2	22	1	1	27	76	9	37	45	27	3	117	48
138	29	51	3	25	2	3	19	3	3	6	2	-	9	19	5	19	14	2	-	31	49
77	9	29	1	16	1	3	10	1	3	4	-	-	6	10	3	8	12	1	-	21	50
5	4	6	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	1	51
56	16	16	2	9	1	-	8	2	-	1	1	-	2	7	2	11	2	1	-	9	52
85	17	19	-	7	1	4	13	2	4	1	-	1	7	8	1	9	12	4	2	27	53
39	6	20	1	10	-	2	6	3	2	2	-	-	3	8	8	4	10	3	-	12	54
40	5	37	4	8	2	3	6	3	3	1	1	1	6	6	6	6	6	6	-	20	55
72	17	33	3	16	-	5	20	5	1	-	-	1	2	12	2	9	19	-	-	32	56
56	4	29	1	6	1	2	12	-	1	-	-	-	4	6	-	6	7	3	-	16	57
32	6	10	1	13	1	1	11	1	-	3	1	-	4	4	-	6	6	3	-	16	58
112	27	49	1	12	4	2	17	3	4	1	-	2	4	19	3	14	26	5	1	26	59
68	21	10	2	11	4	3	23	2	3	5	1	-	5	7	1	5	12	7	-	17	60
260	58	86	1	24	4	8	27	1	4	13	2	3	9	32	8	25	46	15	6	52	61
103	19	39	-	12	1	4	12	-	1	9	-	1	5	18	2	5	10	10	2	29	62
157	39	47	1	12	3	4	15	1	3	4	2	2	4	14	6	20	36	5	4	23	63
84	16	24	3	18	3	2	9	2	1	3	2	-	8	13	2	7	12	2	1	27	64
42	10	13	2	5	-	1	4	1	-	-	1	-	3	5	1	2	3	2	1	8	65
42	6	11	1	13	3	1	5	1	1	3	1	-	5	8	1	5	9	-	-	19	66
169	30	35	5	17	-	10	17	5	1	8	-	-	16	32	11	31	30	5	1	45	67
44	9	6	1	5	-	3	6	-	-	3	-	-	4	14	2	9	7	1	-	9	68
125	21	29	4	12	-	7	11	5	1	5	-	-	12	18	9	22	23	4	1	36	69
94	24	33	9	11	4	16	19	2	1	2	-	1	5	19	1	15	16	6	4	35	70
38	12	19	3	6	2	8	7	2	-	2	-	-	2	8	-	3	6	-	1	19	71
56	12	14	6	5	2	8	12	-	1	-	-	1	3	11	1	12	10	6	3	16	72
202	33	55	7	45	6	7	21	9	5	4	1	1	9	27	12	23	33	9	1	84	73
95	20	29	5	30	4	3	11	6	3	2	-	-	6	18	9	8	18	6	1	47	74
107	13	26	2	15	2	4	10	3	2	2	1	1	3	9	3	15	15	3	-	37	75
85	24	33	2	7	2	6	14	-	-	-	1	1	5	8	5	8	20	10	1	31	76
24	6	10	-	4	1	5	9	-	-	-	-	1	1	3	3	-	7	4	-	12	77
61	18	23	2	3	1	1	5	-	-	-	1	-	4	5	2	8	13	6	1	19	78
350	70	92	8	40	2	18	35	7	10	20	3	1	33	79	15	27	48	29	3	98	79
142	29	38	4	13	1	7	16	3	4	10	2	-	13	28	3	3	22	15	2	30	80
68	9	28	2	5	1	2	8	-	4	5	-	-	10	20	4	6	8	9	-	31	81
140	32	26	2	22	-	9	11	4	2	5	1	1	10	31	8	18	18	5	1	37	82
970	221	325	29	127	35	39	105	40	20	55	10	9	55	192	16	90	147	37	23	303	83
838	210	292	25	121	28	34	87	36	15	50	8	7	47	170	14	78	126	31	23	262	84
132	11	33	4	6	7	5	18	4	5	5	2	2	8	22	2	12	21	6	-	41	85
54	5	22	2	6	2	1	3	2	-	1	1	-	3	2	1	5	8	2	1	19	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	OHIO—Continued																
1	Mahoning	2,757	30	10	2	7	466	188	77	201	72	1,460	1,429	321	2	1,024	46
2	Youngstown (part)	2,013	23	9	1	5	341	131	61	149	56	1,053	1,032	231	2	746	39
3	Youngstown (total)	2,022	23	9	1	5	341	131	61	149	56	1,058	1,037	231	2	751	40
4	Campbell	118	1	-	-	-	25	9	8	8	3	52	50	7	-	42	1
5	Struthers	103	-	-	-	-	18	10	2	6	3	56	54	13	-	38	1
6	Balance of county	523	6	1	1	2	82	38	6	38	10	299	293	70	-	198	5
7	Marion	594	4	6	-	2	93	40	5	48	8	316	307	87	-	175	4
8	Marion	394	2	4	-	-	68	31	2	35	7	202	196	58	-	114	3
9	Balance of county	200	2	2	-	2	25	9	3	13	1	114	111	29	-	61	1
10	Medina	471	-	1	-	1	67	28	9	30	10	282	279	65	-	199	9
11	Meigs	230	3	-	-	2	34	16	2	16	5	144	137	49	1	83	-
12	Mercer	279	4	-	-	2	50	23	6	21	6	154	149	31	1	105	3
13	Miami	727	6	1	4	2	97	45	12	40	15	447	444	98	-	301	12
14	Piqua	242	2	-	-	2	31	17	2	12	5	153	152	32	-	109	2
15	Troy	132	3	-	3	-	21	8	2	11	2	79	78	19	-	50	4
16	Balance of county	353	1	1	1	-	45	20	8	17	8	215	214	47	-	142	6
17	Monroe	182	1	-	-	1	22	11	-	11	5	122	111	27	-	70	1
18	Montgomery	3,985	66	8	3	16	597	197	71	329	73	2,146	2,113	431	4	1,480	55
19	Dayton	3,074	61	6	2	12	456	143	51	262	65	1,582	1,556	324	3	1,072	39
20	Balance of county	911	5	2	1	4	141	54	20	67	8	564	557	107	1	408	16
21	Morgan	147	1	-	-	-	20	6	3	11	2	98	98	20	1	66	2
22	Morrow	213	-	-	1	3	33	12	1	20	4	129	127	39	-	73	-
23	Muskingum	908	11	4	-	3	127	48	9	70	25	515	508	120	1	349	12
24	Zanesville	545	10	2	-	1	78	30	5	43	14	305	301	67	1	215	4
25	Balance of county	363	1	2	-	2	49	18	4	27	11	210	207	53	-	134	8
26	Noble	139	-	-	-	-	16	4	-	12	2	99	97	26	-	67	2
27	Ottawa	292	-	-	2	4	42	16	3	23	7	152	149	30	-	114	5
28	Paulding	185	3	-	-	-	30	11	1	18	8	94	90	12	-	66	3
29	Perry	313	2	1	-	2	44	11	1	32	7	194	190	50	-	126	7
30	Pickaway	305	2	1	-	2	41	17	2	22	8	173	168	40	-	113	3
31	Pike	170	3	-	-	-	29	21	1	7	2	73	71	19	-	42	3
32	Portage	614	5	2	2	2	86	37	10	39	10	351	349	102	2	224	9
33	Kent	94	-	2	-	-	22	9	6	7	2	50	50	12	-	37	1
34	Balance of county	520	5	-	2	2	64	28	4	32	8	301	299	90	2	187	8
35	Preble	305	-	-	-	2	46	16	3	25	9	186	179	30	1	134	4
36	Putnam	287	3	-	-	2	39	21	5	13	7	166	166	38	-	111	3
37	Richland	951	8	6	1	3	133	55	22	56	22	500	493	131	-	321	10
38	Mansfield	557	6	4	-	3	89	36	17	36	8	286	280	82	-	173	7
39	Balance of county	394	2	2	1	-	44	19	5	20	14	214	213	49	-	148	3
40	Ross	574	10	4	1	1	81	37	9	35	9	307	300	87	2	187	6
41	Chillicothe	285	3	2	1	-	38	23	2	13	5	159	155	48	-	95	3
42	Balance of county	289	7	2	-	1	43	14	7	22	4	148	145	39	2	92	3
43	Sandusky	604	5	4	1	2	77	37	7	33	16	328	325	66	1	235	6
44	Fremont	233	3	4	1	-	31	13	4	14	5	127	125	21	-	93	4
45	Balance of county	371	2	-	-	2	46	24	3	19	11	201	200	45	1	142	2
46	Scioto	921	17	6	-	2	150	55	16	79	26	453	433	109	2	285	12
47	Portsmouth	467	10	5	-	-	75	19	9	47	13	248	236	57	1	160	7
48	Balance of county	454	7	1	-	2	75	36	7	32	13	205	197	52	1	125	5
49	Seneca	614	5	1	-	3	90	38	11	41	14	353	346	69	1	249	4
50	Fostoria (part)	134	2	-	-	2	19	9	1	9	4	76	75	22	-	47	1
51	Fostoria (total)	177	2	-	-	2	34	14	1	19	4	97	96	28	-	62	1
52	Tiffin	240	3	1	-	-	45	19	6	20	5	133	131	18	-	105	2
53	Balance of county	240	-	-	-	1	26	10	4	12	5	144	140	29	1	97	1
54	Shelby	299	1	2	-	-	38	15	6	17	9	171	169	45	-	116	-
55	Sidney	146	1	2	-	-	18	4	3	11	3	85	84	27	-	55	-
56	Balance of county	153	-	-	-	-	20	11	3	6	6	86	85	18	-	61	-
57	Stark	2,886	26	13	3	12	441	198	44	199	77	1,509	1,489	330	5	1,049	44
58	Canton	1,378	18	9	-	5	216	94	20	102	35	710	695	160	1	486	20
59	Alliance	296	-	2	-	-	42	18	4	20	8	154	153	31	2	112	5
60	Massillon	410	5	-	2	-	61	26	8	27	15	221	219	45	-	151	5
61	Balance of county	802	3	2	1	7	122	60	12	50	19	424	422	94	2	300	14
62	Summit	3,886	37	26	6	15	637	244	62	331	89	2,043	2,003	437	1	1,410	49
63	Akron	2,746	29	21	4	9	466	187	47	232	66	1,451	1,421	309	-	1,002	28
64	Barberton	289	3	-	-	2	41	9	5	27	10	137	135	24	-	100	3
65	Cuyahoga Falls	258	1	2	-	1	45	15	4	26	3	135	132	29	-	93	9
66	Balance of county	593	4	3	2	3	85	33	6	46	10	320	315	75	1	215	9
67	Trumbull	1,571	20	8	1	8	245	87	33	125	40	822	814	157	2	574	29
68	Youngstown (part)	9	-	-	-	-	-	-	-	-	-	5	5	-	-	5	1
69	Warren	550	8	5	-	3	85	33	11	41	11	288	286	49	1	204	8
70	Girard	124	2	-	-	-	20	6	2	12	2	71	70	17	-	48	9
71	Niles	193	2	-	-	-	38	10	7	21	9	95	95	22	-	66	-
72	Balance of county	695	8	3	1	5	102	38	13	51	18	363	358	69	1	251	11
73	Tuscarawas	811	3	3	2	3	122	31	10	81	22	459	454	112	-	309	5
74	New Philadelphia	171	-	1	1	-	35	7	4	24	3	98	98	28	-	61	1
75	Balance of county	640	3	2	1	3	87	24	6	57	19	361	356	84	-	248	4
76	Union	234	1	-	-	-	36	13	5	18	6	139	133	43	-	84	2
77	Van Wert	324	2	-	-	3	31	7	7	17	13	214	209	54	1	140	7
78	Van Wert	130	1	-	-	1	12	3	2	7	6	84	81	15	-	57	2
79	Balance of county	194	1	-	-	2	19	4	5	10	7	130	128	39	1	83	5
80	Vinton	115	2	-	-	2	18	6	2	10	4	56	56	17	-	35	2
81	Warren	381	2	1	-	-	59	19	4	36	5	202	199	48	-	133	2
82	Washington	546	3	1	1	2	71	26	3	42	11	337	331	89	-	212	5
83	Marietta	193	-	-	-	-	30	12	1	17	2	123	120	32	-	76	3
84	Balance of county	353	3	1	1	2	41	14	2	25	9	214	211	57	-	136	2
85	Wayne	576	2	3	1	2	83	29	9	45	11	309	305	64	1	198	7
86	Wooster	126	-	-	-	1	17	6	2	9	2	73	73	19	-	43	3
87	Balance of county	450	2	3	1	1	66	23	7	36	9	236	232	45	1	155	4
88	Williams	325	2	1	-	2	35	11	1	23	9	204	201	40	-	144	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
722	133	123	13	51	18	31	99	24	15	27	3	2	42	117	2	36	87	23	18	215	1
512	102	93	7	34	12	21	67	22	11	22	3	2	33	78	1	25	62	19	15	165	2
516	102	93	7	34	12	21	68	22	11	23	3	2	33	78	1	25	64	19	15	165	3
32	5	4	-	-	1	2	3	-	3	1	-	-	1	11	1	1	4	-	1	11	4
27	4	6	1	1	1	2	5	-	-	3	-	-	-	8	-	-	6	-	-	4	5
151	22	20	5	16	4	6	24	2	1	1	-	-	8	20	-	10	15	4	2	35	6
121	27	23	12	27	6	9	15	4	3	6	1	1	10	18	1	25	24	4	2	51	7
76	21	14	8	12	4	6	11	1	3	4	1	-	6	10	-	19	16	2	1	37	8
45	6	9	4	15	2	3	4	3	-	2	-	1	4	8	1	6	8	2	1	14	9
132	21	37	1	10	4	3	13	1	1	6	3	1	4	19	4	12	12	7	3	24	10
45	13	25	1	3	-	7	8	1	2	-	-	-	3	2	-	3	9	5	-	9	11
61	16	25	1	9	2	5	4	2	1	2	-	1	3	21	-	6	5	1	-	17	12
191	53	45	8	31	6	3	20	4	1	4	2	-	8	21	4	20	19	5	-	47	13
71	20	16	5	4	2	1	11	1	-	3	-	-	2	6	1	6	5	1	-	13	14
34	5	7	1	5	3	1	2	1	-	1	1	-	-	-	2	4	4	-	-	9	15
96	28	22	2	22	1	1	7	2	1	-	1	-	6	15	1	10	10	4	-	25	16
39	4	26	1	12	1	11	5	-	1	-	-	-	-	2	-	4	10	1	-	8	17
948	214	263	29	142	27	33	97	18	16	60	4	5	62	222	19	108	137	41	22	265	18
659	164	210	26	108	23	26	78	16	14	54	3	5	50	194	16	84	108	31	19	218	19
289	50	53	3	34	4	7	19	2	2	6	1	-	12	28	3	24	29	10	3	47	20
41	9	14	1	9	1	-	3	-	1	-	1	-	-	2	2	4	3	4	-	6	21
48	12	13	2	12	1	2	3	-	-	-	-	-	1	5	3	9	8	2	-	12	22
189	42	106	4	31	3	7	29	3	3	6	1	1	8	24	11	24	34	8	2	69	23
110	24	77	-	18	-	4	14	2	2	4	1	-	8	19	4	14	20	3	-	44	24
79	18	29	4	13	3	3	15	1	1	2	-	1	-	5	7	10	14	5	2	25	25
39	10	16	-	4	-	2	4	-	-	1	-	-	2	-	2	1	5	-	-	7	26
65	24	20	-	4	1	3	4	1	1	2	1	-	12	9	5	14	16	1	-	19	27
38	9	16	1	11	-	4	7	-	2	-	-	-	2	7	2	9	3	4	1	13	28
68	5	46	5	8	1	4	7	3	3	-	-	1	2	8	-	7	11	1	3	17	29
64	14	32	-	15	-	5	7	1	1	-	1	-	4	7	4	8	19	6	1	19	30
24	3	12	1	9	-	2	9	2	1	-	-	2	2	8	3	4	10	6	1	15	31
144	22	49	8	11	2	2	21	2	4	4	-	-	10	26	1	23	22	8	1	34	32
23	3	10	1	-	-	-	2	-	1	-	-	-	2	3	-	3	3	1	1	2	33
121	19	39	7	11	2	2	19	2	3	4	-	-	8	23	1	20	19	7	-	32	34
86	15	29	3	10	1	7	10	2	-	1	-	-	2	9	1	7	15	2	-	13	35
75	11	22	2	13	2	-	11	-	1	2	-	1	4	8	4	11	11	2	-	15	36
173	47	91	7	26	8	7	29	2	4	10	3	3	9	36	8	29	40	14	2	89	37
97	15	54	6	17	2	6	16	1	4	7	2	2	4	21	5	14	24	10	2	49	38
76	32	37	1	9	6	1	13	1	-	3	1	1	5	15	3	15	16	4	-	40	39
111	17	53	4	19	1	7	21	1	3	7	3	-	8	23	-	19	22	4	3	47	40
61	10	21	3	9	-	4	7	1	-	7	3	-	6	11	-	5	13	1	1	22	41
50	7	32	1	10	1	3	14	-	3	-	-	-	2	12	-	14	9	3	2	25	42
151	19	59	6	15	2	3	15	3	2	4	1	1	10	28	3	29	25	10	-	40	43
67	7	15	2	8	1	2	4	2	-	3	1	-	5	17	1	4	10	2	-	13	44
84	12	44	4	7	1	1	11	1	2	1	-	1	5	11	2	25	15	8	-	27	45
170	24	79	5	26	6	20	37	6	8	3	3	-	8	32	1	29	47	14	5	74	46
98	11	44	2	12	4	12	18	3	2	1	1	-	5	10	-	8	18	4	3	43	47
72	13	35	3	14	2	8	19	3	6	2	2	-	3	22	1	21	29	10	2	31	48
184	29	32	3	22	2	7	10	9	4	3	3	-	10	16	4	9	27	8	2	43	49
31	4	11	-	5	1	1	-	-	-	-	3	-	2	6	1	1	7	2	-	9	50
36	8	17	-	5	1	1	1	-	-	1	4	-	3	8	1	1	7	2	-	10	51
81	15	7	1	6	1	2	7	2	2	1	-	-	5	4	1	3	12	1	-	15	52
72	10	14	2	11	-	4	3	7	2	2	-	-	3	6	2	5	8	5	2	19	53
72	11	33	2	3	3	2	13	1	2	5	3	-	3	11	1	13	11	-	-	15	54
39	4	12	-	-	2	1	8	1	2	2	1	-	1	3	-	6	5	-	-	8	55
33	7	21	2	3	1	1	5	-	-	3	2	-	2	3	1	7	6	-	-	7	56
733	118	154	18	71	16	20	124	16	14	34	5	4	53	121	19	66	89	39	15	206	57
345	54	67	9	27	12	15	61	9	5	13	4	1	29	62	11	29	37	11	8	105	58
73	14	20	1	5	2	1	15	1	2	6	-	2	4	15	3	3	8	4	-	27	59
106	18	22	2	20	1	2	19	1	-	5	-	1	5	14	-	8	18	5	1	29	60
209	32	45	6	19	1	2	29	5	7	10	1	-	15	30	5	26	26	19	6	45	61
941	165	255	30	105	20	40	133	28	12	51	12	4	52	180	56	93	107	43	10	252	62
675	122	177	20	78	12	30	90	21	9	37	11	2	32	128	35	59	69	26	5	176	63
68	11	18	2	6	3	2	10	1	2	6	-	1	4	15	7	12	11	2	2	23	64
63	5	16	2	5	3	3	8	1	1	3	1	-	8	15	4	3	5	4	2	16	65
135	27	44	6	16	2	5	25	5	-	5	-	1	8	22	10	19	22	11	1	37	66
369	76	100	22	47	12	8	54	4	7	15	5	2	17	80	3	51	61	21	7	100	67
4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	68
132	30	34	10	18	4	2	12	-	2	5	2	2	9	29	1	15	21	5	4	43	69
25	6	8	-	5	-	1	3	-	1	2	1	-	1	4	-	3	7	-	-	7	70
50	4	12	1	4	2	-	11	-	2	-	-	-	2	8	1	7	4	4	-	10	71
158	36	46	11	20	6	5	27	4	2	7	2	-	5	39	1	26	27	12	3	40	72
204	29	71	4	25	4	5	24	7	1	6	-	2	9	28	3	31	25	13	-	48	73
43	1	16	2	7	-	-	3	1	-	-	-	-	1	5	2	4	4	1	-	12	74
161	28	55	2	18	4	5	21	6	1	6	-	2	8	23	1	27	21	12	-	36	75
65	12	5	1	5	-	6	4	-	3	1	-	-	4	5	-	3	11	3	-	18	76
85	13	35	3	9	2	5	6	2	1	1	1	-	5	7	-	8	12	3	-	15	77
31	6	18	3	4	2	3	3	2	-	-	1	-	3	3	-	3	5	2	-	4	78
54	7	17	-	5	-	2	3	-	1	1	-	-	2	4	-	5	7	1	-	11	79
23	5	5	-	3	1	-	-	-	-	1	1	-	-	2	4	8	6	5	-	6	80
78	30	23	8	9	1	3	13	-	1	4	1	-	8	17	1	19	15	3	-	30	81
166	15	26	6	19	5	6	22	-	2	8	-	1	8	11	3	12	20	6	2	25	82
62	7	4	1	8	3	3	8	-	1	2	-	1	4	5	-	3	5	1	1	7	83
104	8	22	5	11	2	3	14	-	1	6	-	-	4	6	3	9	15	5	1	18	84
136	14	41	8	29	5	4	13	6	2	2	4	-	7	25	11	29	19	6	2	39	85
27	4	9	-	8	3	-	2	3	1	2	1	-	1	5	1	2	3	2	1	9	86
109	10	32	8	21	2	4	11	3	1	-	3	-	6	20	10	27	16	4	1	30	87
79	20	42	5	11	1	3	4	1	-	-	-	-	2	9	7	12	9	2	-	26	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Wood	644	4	1	-	1	84	38	7	39	16	369	364	79	1	254	5
2	Bowling Green	98	-	-	-	-	12	3	1	8	1	65	64	15	-	43	-
3	Balance of county	546	4	1	-	1	72	35	6	31	15	304	300	64	1	211	5
4	Wyandot	242	1	1	1	-	38	17	-	21	4	139	134	27	-	91	1
5	OKLAHOMA	19,848	253	80	15	138	2,934	947	316	1,671	319	9,869	9,538	2,482	19	6,345	154
6	Metropolitan counties	5,273	49	26	4	28	810	221	102	487	77	2,545	2,471	644	5	1,638	37
7	Nonmetropolitan counties	14,575	204	54	11	110	2,124	726	214	1,184	242	7,324	7,067	1,838	14	4,707	117
8	Adair	151	7	2	-	3	17	2	3	12	3	65	61	14	-	42	1
9	Alfalfa	99	1	-	-	2	15	3	2	10	2	52	51	15	-	36	-
10	Atoka	95	3	2	1	2	15	3	2	10	2	52	49	16	-	29	-
11	Beaver	51	-	-	-	-	4	1	-	3	-	31	31	3	-	26	3
12	Beckham	190	-	2	-	-	32	13	1	18	4	107	103	31	1	67	-
13	Blaine	116	2	-	-	1	18	7	1	10	-	57	55	12	1	37	-
14	Bryan	271	3	-	-	1	32	5	4	23	4	135	127	27	-	97	-
15	Durant	130	2	-	-	1	15	3	1	11	3	66	62	8	-	53	-
16	Balance of county	141	1	-	-	-	17	2	3	12	1	69	65	19	-	44	-
17	Caddo	286	4	-	-	4	46	14	2	30	2	135	133	36	-	84	3
18	Canadian	220	3	1	-	2	24	8	-	16	4	124	123	27	-	89	1
19	El Reno	134	3	-	-	2	15	5	-	10	2	75	74	15	-	55	1
20	Balance of county	86	-	1	-	-	9	3	-	6	2	49	49	12	-	34	-
21	Carter	373	4	4	-	1	43	10	6	27	6	188	184	55	-	113	1
22	Ardmore	222	2	4	-	1	24	5	3	16	3	121	120	43	-	88	-
23	Balance of county	151	2	-	-	-	19	5	3	11	3	67	64	12	-	45	1
24	Cherokee	167	8	-	-	1	29	9	3	17	4	81	77	24	-	44	-
25	Choctaw	193	6	-	1	1	23	10	3	10	3	91	82	25	-	54	3
26	Cimarron	25	-	-	-	-	4	3	-	1	1	12	12	6	-	5	1
27	Cleveland	222	1	2	-	1	32	7	1	24	5	111	106	39	-	61	2
28	Norman	146	-	2	-	1	15	4	1	10	4	77	75	23	-	47	1
29	Balance of county	76	1	-	-	-	17	3	-	14	1	34	31	16	-	14	1
30	Coal	78	-	-	-	2	16	8	1	7	1	38	38	13	-	22	1
31	Comanche	381	4	3	1	3	59	18	2	39	7	168	165	35	-	122	1
32	Lawton	268	3	3	1	3	43	13	2	28	2	107	106	23	-	78	1
33	Balance of county	113	1	-	-	-	16	5	-	11	5	61	59	12	-	44	-
34	Cotton	92	1	-	-	-	17	7	-	10	2	51	48	12	1	31	2
35	Craig	196	1	-	-	2	31	12	1	18	6	91	88	31	-	49	1
36	Creek	449	5	1	-	7	66	26	14	26	9	221	208	64	2	135	2
37	Sapulpa	163	1	-	-	5	26	6	5	15	4	80	77	23	-	52	2
38	Balance of county	286	4	1	-	2	40	20	9	11	5	141	131	41	2	83	-
39	Custer	203	2	-	1	-	31	8	5	18	2	97	94	15	-	72	2
40	Delaware	139	4	-	-	2	17	3	1	13	1	74	68	19	-	43	2
41	Dewey	74	-	-	-	-	13	5	1	7	3	37	35	9	-	25	2
42	Ellis	59	-	-	-	1	12	2	2	8	1	35	35	15	-	20	-
43	Garfield	447	5	1	-	2	64	28	5	31	9	240	234	57	-	159	3
44	Enid	334	4	1	-	1	51	21	5	25	9	170	166	41	-	113	1
45	Balance of county	113	1	-	-	1	13	7	-	6	-	70	68	16	-	46	2
46	Garvin	233	5	-	-	1	22	9	5	8	7	141	137	30	-	100	4
47	Grady	293	3	3	-	5	43	12	8	23	5	148	143	34	-	90	1
48	Chickasha	174	2	-	-	2	22	7	2	13	2	91	87	21	-	52	1
49	Balance of county	119	1	3	-	3	21	5	6	10	3	57	56	13	-	38	-
50	Grant	116	-	-	-	-	18	5	-	13	4	63	62	26	-	32	-
51	Greer	101	-	-	-	-	17	8	2	7	1	48	46	13	-	31	2
52	Harmon	54	2	-	-	-	8	4	2	2	-	31	29	10	-	16	-
53	Harper	55	1	-	-	1	7	1	1	5	2	26	26	5	-	18	1
54	Haskell	94	5	1	-	-	12	5	3	4	2	44	43	17	-	26	2
55	Hughes	146	5	1	-	1	17	6	-	11	3	76	75	16	1	50	-
56	Jackson	168	3	2	-	2	26	13	2	11	2	72	68	12	1	50	3
57	Jefferson	121	-	-	-	-	17	4	1	12	4	62	61	17	-	36	-
58	Johnston	89	1	-	-	1	8	2	-	6	2	54	53	16	-	35	-
59	Kay	484	1	3	1	1	71	27	8	36	7	265	249	45	1	190	2
60	Ponca City	176	1	1	-	-	23	12	2	9	1	100	99	20	1	76	1
61	Balance of county	308	-	2	1	1	48	15	6	27	6	165	150	25	-	114	1
62	Kingfisher	105	1	-	-	1	13	4	1	8	2	57	54	9	-	38	-
63	Kiowa	165	1	2	1	2	35	11	4	20	4	74	71	17	-	53	-
64	Latimer	64	1	-	-	1	8	3	3	2	1	32	32	7	-	20	-
65	Le Flore	309	5	-	-	-	42	13	4	25	4	157	153	48	-	97	2
66	Lincoln	208	4	1	-	-	34	8	3	23	4	107	103	20	-	76	3
67	Logan	270	3	1	-	1	38	16	2	20	5	143	136	52	-	75	7
68	Guthrie	176	3	1	-	-	24	9	2	13	3	89	84	28	-	50	4
69	Balance of county	94	-	-	-	1	14	7	-	7	2	54	52	24	-	25	3
70	Love	59	1	-	-	-	14	6	1	7	1	22	22	3	-	17	1
71	McClain	100	-	-	-	1	14	5	3	6	1	49	48	9	-	36	-
72	McCurtain	306	4	-	1	7	45	12	3	30	5	156	149	35	1	108	3
73	McIntosh	156	2	-	-	1	14	6	2	6	2	73	71	17	-	47	-
74	Major	81	-	-	-	-	18	5	-	13	2	44	42	16	-	24	1
75	Marshall	77	1	-	-	1	13	4	-	9	2	37	36	11	-	24	1
76	Mayes	200	3	-	-	-	25	7	-	18	5	98	96	28	-	61	4
77	Murray	115	2	-	-	1	9	3	1	5	-	79	78	22	-	54	3
78	Muskogee	656	12	4	1	2	90	32	8	50	10	307	300	61	1	205	4
79	Muskogee	450	7	1	1	1	62	23	6	33	7	220	215	37	-	152	1
80	Balance of county	206	5	3	-	1	28	9	2	17	3	87	85	24	1	53	3
81	Noble	122	3	1	-	-	12	5	1	6	2	62	61	18	-	34	-
82	Nowata	136	-	-	-	1	18	9	3	6	1	70	67	22	-	40	-
83	Okfuskee	150	3	-	-	4	19	7	2	10	5	69	63	16	-	33	2
84	Oklahoma	2,899	29	12	1	17	453	129	54	270	47	1,376	1,346	368	2	889	20
85	Oklahoma City	2,382	26	11	1	12	378	110	46	222	39	1,134	1,106	310	2	722	16
86	Midwest City	52	-	-	-	1	10	2	1	7	-	22	22	7	-	14	2
87	Balance of county	465	3	1	-	4	65	17	7	41	8	220	218	51	-	153	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
167	33	49	8	17	5	5	19	2	5	3	-	1	8	23	2	15	35	7	3	46	1
34	6	3	-	3	3	1	2	-	-	-	-	-	1	4	1	1	5	-	-	6	2
133	27	46	8	14	2	4	17	2	5	3	-	1	7	19	1	14	30	7	3	40	3
58	9	23	4	12	-	5	4	1	-	4	2	1	2	4	2	9	14	3	-	12	4
4,192	801	1,198	194	387	111	331	845	102	84	127	35	34	253	851	626	581	887	185	114	1,516	5
1,142	140	319	40	114	30	74	196	26	23	32	10	8	84	315	186	170	222	50	47	365	6
3,050	661	879	154	273	81	257	649	76	61	95	25	26	169	536	440	411	665	135	67	1,151	7
27	7	7	1	3	1	4	9	-	2	2	-	1	1	5	6	2	7	2	1	16	8
27	2	7	-	-	-	1	2	-	-	-	-	-	-	3	1	6	3	3	-	9	9
14	7	8	-	3	1	3	1	-	1	-	-	-	-	2	2	2	4	-	-	6	10
16	4	3	1	1	-	-	2	1	-	1	-	-	1	4	-	1	2	-	-	4	11
39	17	11	-	3	1	4	5	1	1	1	1	-	2	3	8	5	10	1	-	7	12
27	2	8	-	3	2	2	4	1	-	3	-	-	-	3	2	7	5	2	-	11	13
71	7	19	1	1	1	8	17	1	2	2	1	-	2	21	14	9	10	1	-	16	14
41	4	8	-	1	-	4	2	1	-	1	-	-	1	15	4	5	4	1	-	9	15
30	3	11	1	-	1	4	15	-	2	1	1	-	1	6	10	4	6	-	-	7	16
50	6	25	6	7	-	2	13	-	2	1	1	1	2	13	13	7	9	3	1	29	17
65	9	14	-	7	-	1	7	-	1	1	-	1	3	3	11	9	6	2	-	18	18
40	6	8	-	4	-	1	5	-	-	-	-	1	2	1	5	4	4	1	-	14	19
25	3	6	-	3	-	-	2	-	1	1	-	-	1	2	6	5	2	1	-	4	20
64	15	33	4	7	5	4	17	2	-	5	1	1	3	26	10	6	21	3	2	30	21
36	8	24	2	6	1	1	12	2	-	3	1	-	2	12	5	1	11	2	1	15	22
28	7	9	2	1	4	3	5	-	-	2	-	1	1	14	5	5	10	1	1	15	23
25	4	15	5	2	2	4	11	-	1	1	-	-	4	3	2	7	4	3	-	8	24
32	11	8	1	2	-	9	13	2	1	-	1	-	5	6	13	5	11	1	1	9	25
1	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	3	26
48	4	7	1	4	1	5	12	1	1	1	-	-	2	14	3	6	4	4	1	21	27
40	4	2	1	3	1	2	6	-	1	1	-	-	2	12	2	3	2	2	1	15	28
8	-	5	-	1	-	3	6	1	-	-	-	-	-	2	1	3	2	2	-	6	29
18	1	2	-	-	3	-	1	1	-	-	-	-	1	2	3	5	4	-	-	4	30
83	22	16	4	3	1	3	22	-	1	5	1	1	8	27	11	7	16	7	1	29	31
56	15	6	4	1	-	1	18	-	-	4	-	1	7	23	10	3	13	5	1	21	32
27	7	10	-	2	1	2	4	-	1	1	1	-	1	4	1	4	3	2	-	8	33
24	2	3	1	3	-	3	1	-	-	-	-	-	1	2	2	3	3	-	-	9	34
29	7	12	1	5	2	3	10	-	2	1	-	-	5	8	5	10	10	3	-	11	35
79	21	33	5	2	-	13	28	1	5	3	1	-	3	21	9	12	17	6	2	32	36
34	6	10	1	1	-	3	11	-	2	1	-	-	2	9	1	7	6	-	1	7	37
45	15	23	4	1	-	10	17	1	3	2	1	-	1	12	8	5	11	6	1	25	38
49	10	11	2	5	-	3	11	2	1	1	-	-	2	14	5	7	5	2	1	19	39
27	7	7	-	5	1	6	6	2	-	-	1	-	-	1	6	2	8	2	-	13	40
13	3	7	-	1	-	2	6	-	-	-	-	-	1	1	1	3	2	-	-	7	41
11	6	3	-	-	-	-	-	-	-	1	1	-	-	-	2	2	2	-	-	2	42
108	20	28	3	13	2	6	14	1	-	2	-	-	5	20	4	9	21	6	2	42	43
80	13	19	2	9	1	4	10	1	-	2	-	-	4	17	2	8	18	3	2	31	44
28	7	9	1	4	1	2	4	-	-	-	-	-	1	3	2	1	3	3	-	11	45
67	17	12	2	5	-	4	8	-	1	1	-	-	1	8	2	9	11	1	1	14	46
53	16	20	6	9	4	5	10	1	1	2	-	-	3	9	3	8	15	1	1	32	47
29	12	10	4	6	4	4	6	1	1	1	-	-	2	6	2	4	11	-	1	20	48
24	4	10	2	3	-	1	4	-	-	1	-	-	1	3	1	4	4	1	-	12	49
27	-	5	-	4	-	1	2	1	1	1	-	-	-	3	-	6	5	1	1	10	50
22	1	6	-	1	1	2	2	1	-	2	-	-	1	2	7	3	11	-	-	6	51
11	-	5	-	3	-	2	1	-	1	-	-	-	-	1	2	2	3	-	-	3	52
9	3	5	-	3	-	-	1	-	-	-	-	-	-	2	2	2	4	-	-	7	53
9	7	8	-	-	-	1	3	-	-	-	-	-	3	3	3	6	4	-	-	8	54
32	11	7	4	3	1	1	4	-	1	2	2	1	1	6	7	1	4	1	-	13	55
36	3	8	3	2	-	4	7	-	-	1	-	-	5	5	5	7	11	3	1	16	56
31	2	3	6	1	1	1	5	-	-	1	-	-	3	2	5	3	8	2	-	9	57
26	2	7	-	-	2	1	4	-	1	-	-	-	1	2	2	1	3	1	-	8	58
119	28	41	3	6	4	16	21	5	-	5	-	1	9	18	7	11	16	2	1	39	59
52	18	5	-	1	1	1	10	1	-	2	-	-	2	7	1	2	8	-	-	17	60
67	10	36	3	5	3	15	11	4	-	3	-	1	7	11	6	9	8	2	1	22	61
27	3	8	2	4	1	3	5	-	-	-	-	1	1	4	1	2	6	-	-	11	62
43	4	6	-	1	-	3	5	-	-	2	-	-	-	3	7	4	8	5	2	10	63
11	2	7	-	2	3	-	5	-	-	-	-	-	-	1	4	4	1	-	1	5	64
70	11	14	5	3	-	4	13	-	2	-	-	1	-	3	17	7	11	17	4	24	65
49	14	10	1	6	-	4	8	1	1	1	-	1	-	4	3	3	5	11	1	15	66
38	13	17	2	3	4	7	10	3	2	2	-	-	1	7	8	3	13	2	2	26	67
26	9	11	-	2	4	5	3	2	2	2	-	-	1	5	4	2	12	-	2	21	68
12	4	6	2	1	-	2	7	1	-	-	-	-	-	2	4	1	1	2	-	5	69
9	-	7	-	-	2	-	4	-	1	-	-	-	1	1	5	1	3	1	-	4	70
28	5	3	1	2	-	1	5	1	-	-	-	-	-	5	-	12	5	-	-	7	71
67	13	25	2	2	1	7	18	1	4	1	-	1	4	2	8	9	16	2	2	20	72
30	7	10	5	-	2	2	14	1	1	1	-	1	3	6	11	3	14	-	-	10	73
15	1	7	-	2	-	2	4	1	-	-	-	-	-	1	-	1	5	-	-	5	74
13	6	4	1	-	-	1	6	-	-	1	-	-	1	2	6	2	4	1	-	-	75
40	10	7	3	4	-	2	6	-	1	-	-	-	3	6	13	8	10	2	3	17	76
36	7	8	1	1	-	1	4	-	-	1	1	-	-	6	1	1	2	-	-	8	77
126	32	43	12	16	5	7	21	7	3	1	1	-	3	5	36	28	21	36	9	4	55	78
96	26	29	8	15	3	5	8	4	-	1	1	-	2	4	26	16	14	20	7	4	41	79
30	6	14	4	1	2	2	13	3	-	-	-	-	1	1	10	12	7	16	2	-	14	80
25	6	3	3	6	-	1	6	1	-	-	-	-	-	1	9	5	6	1	1	12	81
27	3	10	-	4	1	3	6	2	-	1	-	-	-	6	8	2	7	1	-	13	82
19	3	9	5	7	2	6	12	2	-	2	-	-	1	2	6	-	10	2	-	13	83
586	80	203	22	49	16	30	110	14	13	11	6	2	42	178	110	97	130	28	17	206	84
473	67	166	19	39	14	28	88	14	12	10	4	2	32	142	93	71	103	22	14	174	85
10	-	2	1	-	-	-	-	-	-	-	-	-	2	1	1	4	2	-	1	8	86
103	13	35	2	10	2	2	22	-	1	1	2	-	8	35	16	22	25	6	2	24	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OKLAHOMA—Continued																
1	Okmulgee	428	8	-	-	6	60	24	5	31	4	210	203	45	-	147	1
2	Okmulgee	175	2	-	-	2	23	9	2	12	1	89	85	18	-	80	-
3	Balance of county	253	6	-	-	4	37	15	3	19	3	121	118	27	-	87	1
4	Osage	285	3	2	-	1	44	17	4	23	5	125	123	31	1	80	1
5	Ottawa	324	15	2	1	3	43	17	6	20	4	164	160	37	-	112	2
6	Miami	128	3	-	-	1	15	9	1	5	-	77	76	17	-	55	1
7	Balance of county	196	12	2	1	2	28	8	5	15	4	87	84	20	-	57	1
8	Pawnee	146	2	2	-	1	26	6	8	12	3	62	59	10	-	47	1
9	Payne	303	2	-	1	1	46	14	4	28	6	142	134	33	1	91	4
10	Stillwater	114	1	-	1	-	18	7	3	8	4	50	47	12	-	31	1
11	Balance of county	189	1	-	-	1	28	7	1	20	2	92	87	21	1	60	3
12	Pittsburg	391	3	1	-	3	72	23	13	36	4	195	191	65	1	118	5
13	McAlester	178	2	-	-	-	29	13	6	10	-	101	98	34	1	60	3
14	Balance of county	213	1	1	-	3	43	10	7	26	4	94	93	31	-	58	2
15	Pontotoc	280	1	-	-	1	52	17	4	31	4	140	139	40	-	92	2
16	Ada	169	1	-	-	-	37	11	3	23	2	84	84	22	-	55	1
17	Balance of county	111	-	-	-	1	15	6	1	8	2	56	55	18	-	37	1
18	Pottawatomie	425	6	1	1	2	74	24	7	43	4	235	229	65	-	137	6
19	Shawnee	251	3	-	1	1	46	17	5	24	3	142	136	47	-	75	4
20	Balance of county	174	3	1	-	1	28	7	2	19	1	93	93	18	-	62	2
21	Pushmataha	101	2	-	-	2	12	5	3	4	-	48	45	19	-	20	-
22	Roger Mills	48	-	-	-	-	17	5	2	10	-	20	20	3	-	14	-
23	Rogers	217	3	1	-	3	27	12	1	14	4	105	100	28	-	67	3
24	Seminole	316	4	-	-	3	38	20	4	14	3	149	137	37	-	88	-
25	Seminole	68	1	-	-	-	9	2	2	5	1	31	28	9	-	17	-
26	Balance of county	248	3	-	-	3	29	18	2	9	2	118	109	28	-	72	-
27	Sequoyah	175	5	3	-	1	23	5	2	16	4	98	94	18	-	73	1
28	Stephens	280	2	-	-	-	41	13	4	24	5	150	147	32	-	100	2
29	Duncan	132	1	-	-	-	19	4	1	14	3	70	69	20	-	46	-
30	Balance of county	148	1	-	-	-	22	9	3	10	2	80	78	12	-	54	2
31	Texas	88	1	-	-	3	14	4	1	9	1	44	43	15	-	23	-
32	Tillman	155	2	2	-	-	28	8	2	18	4	64	63	15	-	44	1
33	Tulsa	2,374	20	14	3	11	357	92	48	217	30	1,169	1,125	276	3	749	17
34	Tulsa	1,950	17	14	3	7	290	66	39	185	22	954	918	230	3	613	16
35	Balance of county	424	3	-	-	4	67	26	9	32	8	215	207	46	-	136	1
36	Wagoner	147	5	1	-	-	14	5	1	8	3	76	71	20	-	46	4
37	Washington	275	2	2	-	3	40	14	7	19	1	144	139	33	-	97	2
38	Bartlesville	170	2	2	-	1	23	9	5	9	-	88	86	24	-	56	2
39	Balance of county	105	-	-	-	2	17	5	2	10	1	56	53	9	-	41	-
40	Washita	129	1	-	-	-	22	10	2	10	3	70	69	16	1	47	2
41	Woods	142	-	-	-	3	27	14	-	13	2	70	69	15	-	49	2
42	Woodward	112	1	-	-	1	17	5	1	11	2	54	51	9	-	36	1
43	OREGON	14,553	118	43	5	55	2,203	803	236	1,164	198	7,908	7,769	1,896	12	5,466	229
44	Metropolitan counties	6,706	70	22	2	15	1,070	384	127	559	74	3,779	3,716	808	5	2,654	112
45	Nonmetropolitan counties	7,847	48	21	3	40	1,133	419	109	605	124	4,129	4,053	888	7	2,812	117
46	Baker	190	3	-	-	-	23	8	2	13	1	108	106	27	-	68	2
47	Benton	186	1	-	-	-	34	13	1	20	6	107	106	25	-	74	1
48	Corvallis	115	1	-	-	-	20	6	-	14	5	71	70	18	-	46	1
49	Balance of county	71	-	-	-	-	14	7	1	6	1	36	36	7	-	28	-
50	Clackamas	747	3	1	-	2	129	49	7	73	9	402	395	76	-	295	6
51	Clatsop	319	3	-	-	-	41	17	4	20	7	201	200	48	-	137	4
52	Astoria	138	2	-	-	-	22	8	1	13	2	83	82	17	-	61	1
53	Balance of county	181	1	-	-	-	19	9	3	7	5	118	118	31	-	76	3
54	Columbia	205	1	-	-	1	28	11	1	16	2	114	112	24	1	86	5
55	Coos	400	-	1	-	3	60	20	7	33	9	165	164	35	-	120	2
56	Crook	70	-	-	-	2	9	4	-	5	-	27	26	8	1	16	-
57	Curry	76	1	-	-	1	7	3	-	4	-	43	43	7	-	32	1
58	Deschutes	170	1	-	-	3	22	9	3	10	-	90	86	17	-	61	4
59	Bend	96	1	-	-	2	13	8	2	3	-	51	49	11	-	35	1
60	Balance of county	74	-	-	-	1	9	1	1	7	-	39	37	6	-	26	3
61	Douglas	499	4	1	1	1	65	22	7	36	5	229	224	51	1	148	6
62	Gilliam	18	-	-	-	-	2	-	-	2	-	8	7	-	-	4	-
63	Grant	68	2	2	-	-	10	4	1	5	-	30	29	4	-	23	3
64	Harney	56	-	-	-	1	9	4	-	5	1	30	29	5	1	23	1
65	Hood River	113	-	-	-	1	16	6	1	9	1	65	64	21	-	31	-
66	Jackson	570	1	6	1	5	90	29	9	52	11	310	303	64	-	220	9
67	Medford	227	-	1	-	4	34	10	3	21	3	128	126	24	-	95	3
68	Balance of county	343	1	5	1	1	56	19	6	31	8	182	177	40	-	125	6
69	Jefferson	32	-	-	-	-	6	2	-	4	-	10	9	4	-	5	-
70	Josephine	273	2	-	-	2	26	7	3	16	3	154	150	33	-	106	4
71	Klamath	308	1	2	-	4	42	16	6	20	4	137	135	32	-	93	3
72	Klamath Falls	195	-	2	-	2	27	10	5	12	2	94	92	22	-	62	1
73	Balance of county	113	1	-	-	2	15	6	1	8	2	43	43	10	-	31	2
74	Lake	58	-	-	-	1	10	5	1	4	-	29	29	3	-	23	1
75	Lane	967	5	5	-	4	138	51	18	69	14	494	488	91	1	363	14
76	Eugene	440	2	2	-	1	65	22	9	34	7	244	239	40	-	183	8
77	Springfield	96	2	1	-	-	16	5	-	11	3	45	45	9	-	32	2
78	Balance of county	431	1	2	-	3	57	24	9	24	4	205	204	42	1	148	4
79	Lincoln	204	1	-	-	2	36	9	4	23	5	111	111	39	-	66	3
80	Linn	465	4	-	-	3	84	29	8	47	5	240	237	46	1	169	4
81	Albany	133	2	-	-	1	16	7	1	8	1	73	72	9	-	57	3
82	Balance of county	332	2	-	-	2	68	22	7	39	4	167	165	37	1	112	1
83	Malheur	138	1	-	-	-	17	5	2	10	4	72	70	16	-	48	3
84	Marion	878	9	1	1	4	124	47	13	64	16	492	485	98	1	334	11
85	Salem (part)	473	5	1	1	2	63	24	8	31	8	272	270	61	-	179	8
86	Salem (total)	489	5	1	1	2	66	25	8	33	10	281	279	64	-	185	8
87	Balance of county	405	4	-	-	2	61	23	5	33	8	220	215	37	1	155	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
96	21	29	4	5	2	7	27	2	1	3	1	2	7	21	12	7	16	7	-	34	1
40	5	15	3	4	-	4	7	1	1	-	1	1	2	10	6	-	5	4	-	20	2
56	16	14	1	1	2	3	20	1	-	3	-	1	5	11	6	7	11	3	-	14	3
53	5	21	2	6	3	2	16	1	-	7	2	-	3	13	4	2	19	4	8	26	4
77	14	19	4	4	3	4	13	3	-	4	1	-	3	12	8	11	12	4	1	20	5
41	7	6	2	1	1	1	3	2	-	1	1	-	2	5	1	5	4	1	-	7	6
36	7	13	2	3	2	3	10	1	-	3	-	-	1	7	7	6	8	3	1	13	7
32	6	8	-	1	1	3	10	-	-	1	-	-	1	5	5	2	8	1	2	15	8
55	15	17	2	7	-	8	12	2	3	2	1	-	3	10	18	5	15	7	-	27	9
24	3	3	1	3	-	3	4	1	1	1	1	-	1	4	3	3	10	1	-	10	10
31	12	14	1	4	-	5	8	1	2	1	-	-	2	6	15	2	5	6	-	17	11
78	15	20	6	-	1	4	14	1	-	3	-	1	6	14	10	8	11	4	4	37	12
41	10	6	3	-	-	3	3	-	-	-	-	-	3	9	3	1	7	3	3	14	13
37	5	14	3	-	1	1	11	1	-	3	-	1	3	5	7	7	4	1	1	23	14
69	13	8	2	4	1	1	12	2	-	1	-	1	4	6	5	11	12	2	2	24	15
39	8	7	2	4	1	-	8	1	-	-	-	1	3	5	1	4	7	1	1	13	16
30	5	1	-	-	-	1	4	1	-	1	-	-	1	1	4	7	5	1	1	11	17
95	16	20	5	19	3	6	10	2	1	2	-	2	4	14	6	9	20	-	3	29	18
51	10	10	3	9	2	6	5	1	1	-	-	2	2	10	3	3	13	-	1	14	19
44	6	10	2	10	1	-	5	1	-	2	-	-	2	4	3	6	7	-	2	15	20
13	3	4	-	6	-	3	4	1	-	-	-	1	3	6	7	3	3	-	-	9	21
10	2	2	1	1	1	-	2	-	-	-	-	1	-	1	1	-	3	-	-	3	22
39	12	13	1	3	1	5	14	3	2	3	-	1	6	5	7	6	5	1	2	19	23
64	17	8	6	4	1	12	22	2	4	2	-	1	3	13	19	16	13	2	2	20	24
14	1	2	-	1	1	3	5	-	2	1	-	1	1	1	2	4	4	-	1	4	25
50	16	6	6	3	-	9	17	2	2	1	-	-	2	12	17	12	9	2	1	16	26
39	11	22	-	2	1	4	2	-	1	2	-	1	3	4	5	5	3	-	2	13	27
63	17	18	7	8	-	3	11	3	-	3	1	-	3	6	8	7	10	2	-	28	28
29	11	6	3	-	-	1	3	1	-	1	-	-	-	3	4	5	4	1	-	17	29
34	6	12	4	8	-	2	8	2	-	2	1	-	3	3	4	2	6	1	-	11	30
19	3	1	4	1	-	1	2	4	-	-	-	-	1	-	-	8	5	-	-	5	31
30	6	7	2	2	-	1	11	1	3	-	1	-	1	9	4	7	10	-	-	8	32
556	60	116	18	65	14	44	86	12	10	21	4	6	42	137	76	73	92	22	30	159	33
454	44	99	11	53	8	36	69	9	7	19	3	6	34	120	62	62	72	20	27	133	34
102	16	17	7	12	6	8	17	3	3	2	1	-	8	17	14	11	20	2	3	26	35
26	8	8	2	1	2	5	10	1	-	1	-	-	2	5	4	1	11	-	2	11	36
58	22	15	3	4	2	5	15	2	3	1	2	1	6	7	2	5	13	-	2	24	37
34	14	6	2	3	1	2	14	-	2	-	2	1	2	5	1	3	10	-	1	13	38
24	8	9	1	1	1	3	1	2	1	1	-	-	4	2	1	2	3	-	1	11	39
27	11	7	-	4	1	1	1	2	1	-	-	-	2	3	2	4	7	5	1	5	40
25	11	11	-	5	-	1	6	-	-	1	1	-	3	4	6	4	10	-	-	5	41
20	6	9	-	5	1	3	3	1	-	-	-	-	1	5	4	3	4	2	-	14	42
3,773	826	638	71	397	127	139	444	71	43	116	11	16	221	545	229	416	674	253	48	936	43
1,808	462	272	23	161	65	63	193	41	20	59	3	9	100	204	124	144	221	117	15	424	44
1,965	364	366	48	236	62	76	251	30	23	57	8	7	121	341	105	272	453	136	33	512	45
42	6	18	4	5	2	2	9	-	-	1	-	-	4	6	1	9	8	2	1	14	46
48	10	15	2	3	2	1	6	-	-	1	-	-	4	1	-	7	4	2	-	13	47
31	6	8	1	3	2	1	2	-	-	-	-	-	3	1	-	4	1	1	-	6	48
17	4	7	1	-	-	-	4	-	-	1	-	-	1	-	-	3	3	1	-	7	49
177	89	23	1	18	5	7	17	3	-	3	-	2	13	35	17	22	30	7	-	54	50
101	15	17	2	11	2	1	8	-	-	1	1	-	1	11	5	3	13	5	1	18	51
46	10	4	-	4	-	1	4	-	-	-	1	-	-	4	1	2	7	1	1	8	52
55	5	13	2	7	2	-	4	-	-	1	-	-	1	7	4	1	6	4	-	10	53
50	19	12	-	1	-	2	8	-	-	3	1	-	1	6	3	4	9	6	1	17	54
82	15	21	1	4	4	1	16	2	2	5	-	-	8	24	7	12	48	4	4	30	55
13	2	1	-	1	-	1	2	-	-	-	1	-	1	8	2	2	9	2	1	4	56
23	1	7	1	3	-	-	2	-	-	-	-	-	-	2	2	4	12	-	-	2	57
44	3	10	1	6	1	4	7	-	-	1	1	-	2	4	10	3	12	5	-	9	58
26	2	6	-	2	1	2	4	-	-	1	1	-	1	4	3	2	4	5	-	4	59
18	1	4	1	4	-	2	3	-	-	-	-	-	1	-	7	1	8	-	-	5	60
115	7	20	6	16	2	5	26	3	1	4	-	1	5	36	4	31	41	11	4	26	61
2	1	1	-	3	-	1	3	-	-	-	-	-	-	1	1	-	1	2	-	-	62
14	2	4	-	2	-	1	3	-	-	1	-	-	-	2	-	5	2	2	1	8	63
13	2	7	-	-	-	1	1	1	-	-	-	-	1	2	3	1	3	1	1	1	64
24	5	2	-	9	3	1	5	-	-	-	-	-	-	5	4	5	1	2	1	7	65
148	39	24	3	12	4	7	17	1	5	4	-	1	12	16	3	16	27	8	1	35	66
62	12	18	2	3	2	2	6	-	3	3	-	-	3	6	1	6	10	2	-	17	67
86	27	6	1	9	2	5	11	1	2	1	-	1	9	10	2	10	17	6	1	18	68
5	-	-	-	-	-	1	2	-	1	1	-	-	1	4	1	1	2	-	-	3	69
59	20	23	-	10	1	4	5	3	4	1	-	-	1	11	4	7	19	7	-	24	70
60	19	11	1	7	2	2	14	2	-	8	-	-	7	14	1	15	23	8	4	22	71
36	15	10	1	6	1	2	10	-	-	7	-	-	6	7	1	8	14	3	1	11	72
24	4	1	-	1	1	-	4	2	-	1	-	-	1	7	-	7	9	5	3	11	73
18	3	1	-	3	-	-	3	-	-	-	-	-	2	4	-	1	5	1	-	2	74
281	37	31	5	18	10	6	19	2	2	4	-	2	16	53	4	36	65	18	2	84	75
147	19	9	-	10	6	5	9	1	1	1	-	1	9	22	2	12	15	7	1	38	76
22	3	5	-	3	1	-	4	-	-	-	-	-	3	7	-	1	6	1	-	7	77
112	15	17	5	5	3	1	6	1	1	3	-	1	4	24	2	23	44	10	1	39	78
55	6	2	-	4	2	-	6	-	-	2	1	-	1	10	2	8	8	2	1	8	79
113	27	25	4	14	3	3	10	1	-	2	-	-	12	16	8	17	27	10	2	24	80
33	17	4	1	4	1	1	4	-	-	2	-	-	4	4	6	4	6	1	-	9	81
80	10	21	3	10	2	2	6	1	-	-	-	-	8	12	2	13	21	9	2	15	82
35	-	10	1	4	1	2	6	-	-	1	-	-	2	4	4	8	5	5	-	9	83
253	46	24	1	41	10	7	33	8	5	6	1	-	20	41	6	24	28	9	1	49	84
129	27	15	1	23	6	2	17	4	5	5	1	-	6	20	5	12	13	3	1	29	85
134	27	16	1	23	6	2	17	4	5	6	1	-	6	20	5	12	13	4	1	29	86
124	19	9	-	18	4	5	16	4	-	1	-	-	14	21	1	12	15	6	-	20	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	OREGON—Continued																
1	Morrow	45	-	-	-	-	4	1	2	1	1	27	26	8	-	16	2
2	Multnomah	5,434	66	21	2	12	857	302	109	446	60	3,070	3,021	666	5	2,138	96
3	Portland	4,881	59	16	1	9	776	273	99	404	55	2,777	2,737	607	5	1,934	89
4	Balance of county	553	7	5	1	3	81	29	10	42	5	293	284	59	-	204	7
5	Polk	204	1	1	-	-	31	14	1	16	4	108	106	26	-	76	2
6	Salem (part)	16	-	-	-	-	3	1	-	2	2	9	9	3	-	6	-
7	Balance of county	188	1	1	-	-	28	13	1	14	2	99	97	23	-	70	2
8	Sherman	7	-	-	-	-	-	-	-	-	-	4	4	-	-	3	-
9	Tillamook	164	-	-	-	1	19	6	1	12	3	101	101	29	-	63	4
10	Umatilla	344	4	1	-	-	57	19	4	34	7	169	165	27	-	114	10
11	Pendleton	106	1	1	-	-	23	8	2	13	2	54	52	10	-	33	1
12	Balance of county	238	3	-	-	-	34	11	2	21	5	115	113	17	-	81	9
13	Union	211	1	-	-	-	36	15	4	17	4	117	108	21	-	78	5
14	Wallowa	62	-	-	-	-	5	4	1	-	2	39	39	7	-	25	1
15	Wasco	180	-	-	-	-	21	9	-	12	1	100	98	24	-	64	3
16	Washington	525	1	-	-	1	84	33	11	40	5	307	300	66	-	221	10
17	Wheeler	21	-	-	-	-	2	1	1	-	1	7	7	1	-	2	-
18	Yamhill	346	2	1	-	1	59	29	4	26	7	191	186	47	-	121	9
19	PENNSYLVANIA	112,620	1,578	438	53	430	17,468	6,816	1,970	8,682	2,631	63,850	62,388	11,961	149	45,944	1,739
20	Metropolitan counties	87,666	1,328	365	37	332	13,890	5,396	1,642	6,852	2,050	49,467	48,352	9,079	122	35,947	1,391
21	Nonmetropolitan counties	24,954	250	73	16	98	3,578	1,420	328	1,830	581	14,383	14,036	2,882	27	9,997	348
22	Adams	447	3	2	1	2	60	23	2	35	10	274	256	59	-	183	5
23	Allegheny	15,794	223	56	5	48	2,642	1,045	341	1,256	314	8,773	8,610	1,700	21	6,355	274
24	Pittsburgh	8,251	140	32	1	27	1,382	543	185	654	158	4,568	4,479	926	9	3,293	153
25	McKeesport	633	5	1	-	5	95	38	13	44	13	360	351	61	2	269	3
26	Mount Lebanon (twp.)[2] [3]	227	-	-	-	-	46	18	4	24	2	134	132	24	-	100	4
27	Wilkinsburg	330	2	-	-	1	54	25	5	24	8	213	209	34	-	158	6
28	Bellevue	137	2	-	-	-	19	7	2	10	1	90	90	22	-	62	2
29	Bethel	64	-	-	-	-	14	4	3	7	1	33	32	11	-	20	-
30	Braddock	172	7	-	-	-	28	12	4	12	1	95	92	18	1	69	5
31	Brentwood	71	-	1	-	1	8	5	1	2	2	47	46	13	-	33	1
32	Carnegie	158	3	-	1	-	21	13	3	5	4	95	91	17	-	68	2
33	Clairton	140	2	-	-	-	21	12	5	4	3	77	72	23	-	46	1
34	Coraopolis	128	1	-	-	-	23	8	3	12	5	69	68	10	-	48	2
35	Dormont	128	-	-	-	-	29	11	2	16	1	78	78	14	-	58	3
36	Duquesne	179	5	-	-	-	36	16	5	15	10	86	84	10	2	69	4
37	Harrison (twp.)[2] [3]	117	-	1	-	-	19	10	4	5	2	56	55	11	-	41	5
38	Homestead	147	5	-	-	-	17	5	2	10	3	77	76	10	-	57	3
39	McKees Rocks	220	5	2	-	-	37	21	5	11	6	114	114	22	-	81	1
40	Munhall	163	2	-	-	-	33	13	5	15	-	86	85	17	-	62	4
41	North Braddock	136	-	-	-	-	26	11	-	15	3	75	73	16	1	52	1
42	Shaler (twp.)[2] [3]	74	-	-	-	1	11	7	-	4	2	45	45	10	-	33	-
43	Stowe (twp.)[2] [3]	51	1	-	-	-	10	2	2	6	-	25	25	7	-	17	-
44	Swissvale	159	-	1	-	-	32	13	6	13	1	86	83	16	-	65	1
45	Turtle Creek	123	1	-	-	-	20	10	2	8	1	60	60	2	-	55	2
46	West Mifflin	77	1	-	-	-	12	5	2	5	2	45	45	11	-	33	1
47	Balance of county	3,909	41	18	3	13	649	236	78	335	85	2,159	2,125	395	6	1,566	70
48	Armstrong	757	12	3	1	4	115	47	8	60	23	420	413	81	-	307	9
49	Beaver	1,598	16	8	2	5	275	119	39	117	36	818	798	204	2	520	25
50	Aliquippa	258	4	4	-	-	41	19	4	18	6	134	131	34	-	86	3
51	Ambridge	169	3	1	-	-	37	18	10	9	4	76	74	13	-	57	2
52	Beaver Falls	196	2	-	2	-	35	13	5	17	5	103	100	24	-	69	4
53	Ellwood City (part)	9	-	-	-	-	2	-	-	2	1	3	3	-	-	3	-
54	Balance of county	966	7	3	-	5	160	69	20	71	20	502	490	133	2	305	16
55	Bedford	411	2	-	-	2	66	38	6	22	11	217	202	34	2	140	4
56	Berks	2,934	30	13	-	8	424	143	34	247	100	1,730	1,706	366	5	1,225	47
57	Reading	1,464	21	8	-	5	208	74	23	111	50	870	860	180	2	627	23
58	Balance of county	1,470	9	5	-	3	216	69	11	136	50	860	846	186	3	598	24
59	Clair	1,518	5	6	-	5	214	77	13	124	38	986	959	171	3	683	20
60	Altoona	874	3	2	-	4	135	49	7	79	24	557	546	89	3	399	10
61	Balance of county	644	2	4	-	1	79	28	6	45	14	429	413	82	-	284	10
62	Bradford	632	5	1	1	1	87	38	5	44	8	382	375	47	1	291	10
63	Bucks	1,524	12	5	1	3	232	80	30	122	31	902	879	167	3	637	25
64	Bristol	155	1	-	-	1	25	9	3	13	3	83	81	13	-	63	1
65	Balance of county	1,369	11	5	1	2	207	71	27	109	28	819	798	154	3	574	24
66	Butler	963	8	2	-	7	156	51	20	85	20	520	514	135	1	344	20
67	Butler	261	3	-	-	-	50	20	7	23	5	144	144	28	-	112	6
68	Balance of county	702	5	2	-	7	106	31	13	62	15	376	370	107	1	232	14
69	Cambria	2,038	27	4	2	10	280	113	29	138	47	1,110	1,080	224	4	785	34
70	Johnstown	876	11	1	-	3	118	44	13	61	15	502	484	106	-	347	17
71	Balance of county	1,162	16	3	2	7	162	69	16	77	32	608	596	118	4	438	17
72	Cameron	85	-	-	-	-	13	4	1	8	-	49	49	16	-	30	1
73	Carbon	627	5	2	-	5	101	48	6	47	17	362	346	53	-	277	16
74	Centre	550	6	1	1	1	89	38	8	43	18	307	303	53	-	219	4
75	State College	72	1	-	-	-	15	6	1	8	3	39	39	6	-	29	-
76	Balance of county	478	5	1	1	1	74	32	7	35	15	268	264	47	-	190	4
77	Chester	1,685	18	10	-	8	229	88	23	118	29	968	927	177	2	679	43
78	Coatesville	166	1	1	-	1	22	7	3	12	7	103	93	15	-	71	6
79	Phoenixville	124	2	2	-	2	20	9	1	10	2	77	77	12	-	63	1
80	West Chester	249	5	2	-	-	25	10	3	12	2	146	142	33	-	101	7
81	Balance of county	1,126	10	5	-	5	162	62	16	84	18	642	615	117	2	444	29
82	Clarion	380	1	-	-	-	49	23	4	22	8	211	206	44	-	137	10
83	Clearfield	841	4	1	2	7	117	57	9	51	27	491	481	92	1	346	7
84	Du Bois	156	-	-	1	1	15	10	1	4	5	101	98	11	-	78	-
85	Balance of county	685	4	1	1	6	102	47	8	47	22	390	383	81	1	268	7

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9	3	2	-	2	-	1	1	-	-	-	-	-	-	2	1	3	2	2	-	2	1
1,470	348	224	22	134	56	49	163	35	17	53	2	7	78	151	103	112	173	101	14	337	2
1,337	309	199	21	119	51	40	141	32	15	46	2	6	71	139	87	101	150	91	11	296	3
133	39	25	1	15	5	9	22	3	2	7	-	1	7	12	16	11	23	10	3	41	4
42	19	13	1	3	-	2	9	-	-	3	-	-	2	5	2	3	12	8	1	14	5
5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	6
37	19	12	1	3	-	2	9	-	-	2	-	-	2	5	2	3	12	7	1	14	7
2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	8
44	9	6	-	7	2	-	3	2	-	-	-	-	3	3	4	4	9	3	1	8	9
77	10	17	2	19	3	4	7	-	1	4	1	-	4	19	13	16	13	4	3	21	10
25	3	4	1	6	2	2	2	-	-	1	-	-	2	3	2	3	3	-	1	8	11
52	7	13	1	13	1	2	5	-	1	3	1	-	2	16	11	13	10	4	2	13	12
59	4	10	2	5	2	9	5	1	1	-	1	-	3	8	3	5	11	2	-	13	13
14	8	2	-	7	-	-	2	-	-	-	-	1	1	-	-	2	5	1	-	4	14
50	7	4	1	7	2	2	6	1	-	2	-	-	1	8	3	7	9	2	1	18	15
161	25	25	-	9	4	7	13	3	3	3	1	-	9	20	4	10	18	9	1	33	16
1	1	-	3	1	-	-	-	-	-	1	-	-	-	1	1	2	5	-	-	1	17
69	18	25	7	7	4	5	7	3	1	1	-	2	6	13	3	11	15	2	1	20	18
29,395	6,389	8,421	835	2,820	679	1,462	3,092	646	406	1,202	199	129	1,285	3,822	731	1,863	3,895	1,003	296	7,603	19
23,103	5,111	6,342	647	2,037	520	1,115	2,431	520	310	1,012	156	95	971	3,009	577	1,312	2,988	749	264	5,803	20
6,292	1,278	2,079	188	783	159	347	661	126	96	190	43	34	314	813	154	551	907	254	32	1,800	21
89	39	50	6	7	1	18	9	-	4	3	1	-	3	17	3	8	14	4	-	29	22
4,683	697	701	98	358	78	163	427	108	56	220	21	22	180	576	293	205	506	167	40	912	23
2,425	355	360	50	160	41	89	277	60	28	121	12	9	89	313	191	97	236	69	33	448	24
196	35	35	-	19	-	9	17	5	5	7	1	1	4	21	11	7	18	5	-	52	25
81	8	7	1	6	1	2	2	3	-	7	-	-	3	4	3	2	7	3	-	11	26
119	12	21	4	12	1	4	8	1	-	3	-	-	1	1	4	4	8	4	1	17	27
47	9	4	2	2	2	-	4	1	3	1	-	1	1	1	1	-	3	2	-	7	28
19	1	-	-	1	-	1	2	1	1	-	-	-	2	3	-	1	2	2	-	2	29
49	11	4	1	3	-	3	5	3	-	4	-	-	-	4	-	1	8	1	-	15	30
28	3	1	-	-	-	1	-	1	-	2	-	-	-	2	-	-	2	2	-	3	31
50	5	11	1	4	1	4	4	1	1	6	1	-	-	5	2	2	5	2	-	5	32
33	6	6	-	2	1	5	4	-	-	3	-	-	1	8	1	2	6	2	-	10	33
31	7	8	1	8	1	1	1	-	-	3	-	-	1	8	3	3	4	1	-	6	34
47	5	3	1	5	-	-	4	1	1	-	-	-	3	2	-	1	3	-	-	5	35
43	14	8	-	3	-	2	3	-	-	2	-	-	1	6	5	4	6	1	-	14	36
27	4	5	1	2	-	1	5	-	-	2	-	-	-	7	3	5	6	1	-	10	37
47	2	5	1	6	2	1	9	2	1	1	-	-	1	7	5	1	5	3	-	10	38
58	8	14	3	6	2	-	9	2	1	5	-	-	4	5	4	1	10	-	-	15	39
47	5	6	-	4	2	1	10	2	-	1	-	-	2	6	1	3	7	2	1	7	40
37	8	6	2	1	1	2	2	1	-	4	-	-	2	4	2	2	4	5	-	6	41
27	5	1	-	2	-	-	1	-	-	-	-	-	1	4	2	1	3	1	-	2	42
16	-	1	1	-	-	-	2	-	-	1	-	-	-	1	3	-	1	1	1	5	43
41	15	8	-	1	1	3	2	1	-	4	-	-	2	8	2	1	3	4	-	12	44
41	4	8	-	3	-	-	3	-	1	1	1	1	2	8	5	1	4	4	-	10	45
28	2	2	-	-	1	-	4	-	-	-	-	-	-	1	-	3	7	1	-	1	46
1,146	173	177	29	108	21	34	89	23	14	42	6	10	60	147	45	63	148	51	4	239	47
181	28	89	6	15	4	7	31	1	2	5	-	-	15	29	3	15	19	9	3	47	48
361	63	71	9	59	4	20	54	12	7	22	2	2	26	67	22	32	67	16	10	99	49
66	5	12	1	8	2	3	6	2	-	5	-	-	8	9	3	7	11	2	4	12	50
48	2	5	-	3	1	2	6	-	2	3	-	-	2	7	1	2	7	1	1	16	51
37	15	13	3	4	-	3	7	-	2	2	-	-	4	9	1	4	9	2	2	7	52
3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	53
207	41	41	5	44	1	12	35	10	3	12	2	2	12	41	17	19	38	11	3	64	54
72	11	53	2	22	2	15	11	4	1	2	1	-	7	18	5	17	16	3	-	28	55
832	136	210	33	57	20	24	58	13	11	20	4	2	26	82	23	50	110	28	7	195	56
441	70	93	22	20	9	10	32	6	3	15	3	1	11	37	13	23	55	11	2	90	57
391	66	117	11	37	11	14	26	7	8	5	1	1	15	45	10	27	55	17	5	105	58
494	59	110	17	77	8	27	33	4	6	8	2	-	10	39	5	23	39	16	3	76	59
308	26	55	6	45	4	11	22	3	5	7	2	-	5	21	3	7	20	10	2	42	60
186	33	55	11	32	4	16	11	1	1	1	-	-	5	18	2	16	19	6	1	34	61
157	48	76	4	30	2	7	21	1	1	5	1	-	9	22	-	17	17	10	-	43	62
389	98	125	5	57	10	23	39	8	3	15	2	2	19	60	2	27	50	12	3	96	63
34	13	15	-	3	2	2	8	-	1	4	-	-	-	11	1	2	4	1	-	10	64
355	85	110	5	54	8	21	31	8	2	11	2	2	19	49	1	25	46	11	3	86	65
243	40	41	2	26	6	6	24	5	9	4	-	1	13	43	4	33	37	5	1	71	66
84	9	13	-	2	2	-	4	2	2	1	-	1	1	13	2	5	6	1	-	21	67
159	31	28	2	24	4	6	20	3	7	3	-	-	12	30	2	28	31	4	1	50	68
502	64	185	15	38	14	30	80	14	10	20	2	2	27	92	12	38	74	21	1	165	69
225	32	73	6	19	6	18	32	5	5	7	1	-	12	39	5	8	35	5	-	72	70
277	32	112	9	19	8	12	48	9	5	13	1	2	15	53	7	30	39	16	1	93	71
16	-	13	1	1	1	-	4	-	1	-	-	-	-	3	-	3	6	-	1	5	72
155	38	68	2	12	2	16	10	2	3	8	1	1	7	16	3	10	17	2	-	55	73
148	26	41	6	22	3	4	8	5	1	-	-	1	5	24	5	15	21	5	-	37	74
20	4	5	1	3	-	-	-	2	-	-	-	-	-	4	1	-	3	2	-	2	75
128	22	36	5	19	3	4	8	3	1	-	-	1	5	20	4	15	18	3	-	35	76
389	126	121	18	41	10	41	45	11	1	19	2	-	25	67	8	45	61	6	4	109	77
36	22	7	4	2	1	10	2	1	-	-	-	-	-	8	-	4	5	-	-	11	78
24	22	16	-	2	-	-	5	-	-	3	-	-	-	1	-	-	4	-	-	6	79
65	9	20	2	5	1	4	6	-	1	5	1	-	8	17	-	5	12	1	-	13	80
264	73	78	12	32	8	27	32	10	-	11	1	-	17	41	8	36	40	5	4	79	81
66	21	40	3	21	1	5	7	2	4	-	-	2	4	9	3	11	23	7	-	19	82
250	38	51	10	22	10	10	16	4	2	4	4	1	15	29	2	28	18	6	-	63	83
63	8	7	3	5	1	3	2	1	1	1	1	-	-	5	1	5	5	-	-	11	84
187	30	44	7	17	9	7	14	3	1	3	3	1	15	24	1	23	13	6	-	52	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Clinton	379	4	1	-	-	47	19	8	20	11	223	214	41	-	156	4
2	Lock Haven	129	1	1	-	-	18	6	4	8	3	72	69	13	-	51	-
3	Balance of county	250	3	-	-	-	29	13	4	12	8	151	145	28	-	105	4
4	Columbia	566	1	2	-	2	76	30	6	40	23	336	326	66	1	214	4
5	Berwick	141	-	-	-	-	22	8	2	12	4	83	82	19	-	51	-
6	Bloomsburg	123	-	-	-	2	22	6	2	14	6	73	73	11	1	53	1
7	Balance of county	302	1	2	-	-	32	16	2	14	13	180	171	36	-	110	3
8	Crawford	908	3	6	1	2	128	57	11	60	16	513	509	81	-	389	13
9	Meadville	263	-	2	-	-	40	19	3	18	4	154	153	25	-	121	2
10	Balance of county	645	3	4	1	2	88	38	8	42	12	359	356	56	-	268	11
11	Cumberland	942	12	4	-	2	147	55	9	83	25	581	565	112	1	414	10
12	Carlisle	195	4	2	-	1	24	5	3	16	4	133	127	29	-	89	1
13	Balance of county	747	8	2	-	1	123	50	6	67	21	448	438	83	1	325	9
14	Dauphin	2,167	43	10	1	10	311	106	40	165	58	1,246	1,224	204	6	942	25
15	Harrisburg	1,183	26	10	1	3	171	62	19	90	30	690	674	121	3	507	17
16	Steelton	149	5	-	-	3	17	7	2	8	2	83	83	9	1	69	2
17	Balance of county	835	12	-	-	4	123	37	19	67	26	473	467	74	2	366	6
18	Delaware	4,001	41	15	-	11	688	259	86	343	101	2,234	2,179	358	5	1,658	65
19	Chester	749	14	4	-	1	120	53	18	49	23	392	375	53	-	289	17
20	Upper Darby (twp)[2 3]	647	5	1	-	-	110	38	14	58	19	395	389	71	1	297	9
21	Haverford (twp)[2 3]	303	2	1	-	1	61	24	8	29	8	163	162	24	-	124	5
22	Darby	129	1	1	-	2	22	10	4	8	1	65	61	10	-	46	-
23	Lansdowne	145	-	1	-	-	25	8	1	16	2	93	93	14	-	71	5
24	Yeadon	92	-	-	-	-	14	4	-	10	1	59	58	11	-	45	1
25	Balance of county	1,936	19	7	-	7	336	122	41	173	47	1,067	1,041	175	4	786	28
26	Elk	338	3	-	-	1	60	25	4	31	15	178	175	26	-	137	8
27	Erie	2,355	26	7	1	20	391	148	43	200	46	1,279	1,260	269	4	922	49
28	Erie	1,522	19	4	-	15	260	104	29	127	32	812	800	164	2	607	30
29	Balance of county	833	7	3	1	5	131	44	14	73	14	467	460	105	2	315	19
30	Fayette	1,940	29	10	1	3	255	112	24	119	50	1,100	1,063	224	5	777	28
31	Connellsville	184	1	2	-	-	21	10	1	10	11	112	111	18	-	90	2
32	Uniontown	324	7	2	-	-	50	18	8	24	7	172	165	40	-	112	5
33	Balance of county	1,432	21	6	1	3	184	64	15	65	32	816	787	166	5	575	21
34	Forest	68	-	-	-	-	13	4	2	7	2	39	38	13	-	21	3
35	Franklin	827	15	5	-	5	119	43	9	67	12	482	470	105	3	318	14
36	Chambersburg	199	2	1	-	1	30	13	3	14	6	122	119	24	1	84	3
37	Waynesboro	139	4	2	-	-	17	9	1	7	4	83	82	16	-	59	2
38	Balance of county	489	9	2	-	4	72	21	5	46	2	277	269	65	2	175	9
39	Fulton	110	1	-	-	-	15	7	1	7	3	62	59	13	-	39	1
40	Greene	428	4	-	-	3	76	31	6	39	5	244	229	48	-	165	3
41	Huntingdon	446	7	-	-	2	60	20	5	35	14	269	266	47	3	186	4
42	Indiana	728	11	2	2	3	90	44	5	41	10	438	428	99	-	296	10
43	Indiana	153	1	-	-	1	26	14	2	10	2	96	94	19	-	72	2
44	Balance of county	575	10	2	2	2	64	30	3	31	8	342	334	80	-	224	8
45	Jefferson	563	4	3	-	2	69	26	5	38	21	328	323	79	-	222	1
46	Juniata	152	1	-	-	-	15	5	2	8	2	95	91	25	-	62	-
47	Lackawanna	3,116	46	6	3	9	449	219	37	193	56	1,789	1,756	305	8	1,329	45
48	Scranton	1,655	23	3	-	4	225	104	21	100	21	996	978	174	5	728	30
49	Carbondale	243	2	-	-	1	42	21	2	19	4	123	119	21	-	95	1
50	Dunmore	188	2	1	1	-	29	14	3	12	7	113	111	23	-	76	4
51	Balance of county	1,030	19	2	2	4	153	80	11	62	24	557	548	87	3	430	10
52	Lancaster	2,517	33	6	1	15	400	124	40	236	57	1,442	1,415	263	5	1,019	28
53	Lancaster	906	16	5	1	4	146	37	20	89	26	512	508	89	-	380	8
54	Columbia	161	2	-	-	2	31	13	5	13	4	76	74	16	-	57	2
55	Balance of county	1,450	15	1	-	9	223	74	15	134	27	854	833	158	5	582	18
56	Lawrence	1,053	10	2	-	3	174	63	23	88	17	581	557	121	1	379	14
57	New Castle	559	6	1	-	1	86	35	13	38	11	321	310	67	-	219	12
58	Ellwood City (part)	103	1	1	-	1	25	10	2	13	2	50	47	15	-	28	2
59	Ellwood City (total)	112	1	1	-	1	27	10	2	15	3	53	50	15	-	31	2
60	Balance of county	391	3	-	-	1	83	18	8	37	4	210	200	39	1	132	-
61	Lebanon	883	7	3	-	-	139	47	22	70	22	527	508	83	-	393	8
62	Lebanon	379	1	1	-	-	60	16	9	35	10	227	219	38	-	170	4
63	Balance of county	504	6	2	-	-	79	31	13	35	12	300	289	45	-	223	4
64	Lehigh	2,033	17	13	-	4	313	110	41	162	57	1,210	1,194	219	2	887	27
65	Allentown	1,153	9	8	-	3	179	61	24	94	28	696	686	120	2	502	13
66	Bethlehem (part)	176	-	1	-	-	22	6	6	10	8	105	105	22	-	80	2
67	Balance of county	704	8	4	-	1	112	43	11	58	21	409	403	77	-	305	12
68	Luzerne	4,223	89	13	3	10	632	290	69	273	93	2,321	2,252	361	10	1,713	75
69	Wilkes-Barre	961	27	4	3	2	146	68	17	61	27	531	519	70	2	412	22
70	Hazleton	375	2	4	-	-	67	27	7	33	6	212	209	47	1	149	7
71	Hanover (twp)[2 3]	124	3	1	-	-	16	7	1	8	5	67	64	10	-	50	2
72	Kingston	238	1	-	-	1	42	19	1	22	4	126	120	19	1	91	-
73	Nanticoke	238	4	1	-	-	35	19	9	7	3	119	113	16	-	86	5
74	Pittston	164	4	-	-	-	29	14	3	12	5	83	81	13	1	61	1
75	Plains (twp)[2 3]	111	2	-	-	1	14	7	3	4	4	62	57	12	-	41	1
76	Plymouth	164	4	-	-	-	25	12	1	12	2	87	84	7	-	73	4
77	Balance of county	1,848	42	3	-	6	258	117	27	114	37	1,034	1,005	167	5	750	33
78	Lycoming	1,128	14	4	-	3	173	56	19	98	17	675	669	153	-	451	17
79	Williamsport	591	4	3	-	2	84	22	13	49	9	374	373	69	-	271	12
80	Balance of county	537	10	1	-	1	89	34	6	49	8	301	296	84	-	180	5
81	McKean	619	2	1	-	5	82	26	8	48	6	381	378	102	-	244	5
82	Bradford	219	2	1	-	2	36	11	3	22	3	127	127	30	-	84	2
83	Balance of county	400	-	-	-	3	46	15	5	26	3	254	251	72	-	160	3
84	Mercer	1,207	13	5	6	7	188	74	18	96	26	683	676	152	1	482	18
85	Sharon	284	2	1	2	-	49	22	4	23	9	142	141	35	-	99	2
86	Farrell	131	1	2	1	2	26	11	2	13	1	75	74	20	-	51	3
87	Balance of county	792	10	2	3	5	113	41	12	60	16	466	461	97	1	332	13

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
95	17	40	-	15	2	9	6	3	-	2	4	1	6	15	3	6	20	3	1	23	1
33	8	10	-	4	1	3	3	3	-	2	1	-	3	5	2	-	5	1	-	9	2
62	9	30	-	11	1	6	3	-	-	-	3	1	3	10	1	6	15	2	1	14	3
155	19	36	5	34	6	10	12	1	1	4	-	-	10	11	3	15	15	7	-	47	4
38	6	7	1	10	1	1	3	-	-	1	-	-	2	2	-	-	7	-	-	17	5
39	3	10	-	7	1	-	2	1	-	-	-	-	-	5	1	1	4	1	-	5	6
78	10	19	4	17	4	9	7	-	1	3	-	-	8	4	2	14	4	6	-	25	7
213	54	109	13	22	4	4	22	5	2	10	-	2	9	36	3	21	40	17	1	71	8
67	22	30	1	5	1	1	4	2	-	6	-	-	3	12	1	3	9	4	-	19	9
146	32	79	12	17	3	3	18	3	2	4	-	2	6	24	2	18	31	13	1	52	10
270	67	67	4	33	1	16	25	4	3	10	3	-	6	19	1	12	32	2	2	52	11
61	12	15	1	8	-	6	3	-	-	3	1	-	1	4	-	1	5	2	-	7	12
209	55	52	3	25	1	10	22	4	3	7	2	-	5	15	1	11	27	-	2	45	13
643	151	123	13	39	20	22	59	12	8	14	6	3	25	61	8	38	85	25	5	139	14
346	80	64	6	26	11	16	29	7	3	9	1	2	9	38	3	19	48	14	3	67	15
50	12	5	2	1	1	-	6	1	1	2	1	-	2	3	-	3	9	-	1	10	16
247	59	54	5	12	8	6	24	4	4	3	4	1	14	20	5	16	28	11	1	62	17
1,047	271	275	30	102	26	55	99	23	15	43	8	3	53	183	8	48	111	34	13	270	18
165	39	48	8	18	7	17	26	5	1	11	2	1	7	40	1	11	28	9	7	46	19
192	49	47	6	10	4	6	8	2	2	7	2	-	4	21	2	4	14	4	1	46	20
82	27	10	2	10	2	1	5	1	2	2	-	-	1	11	1	3	9	1	-	31	21
16	12	18	-	4	1	4	2	1	1	2	1	-	3	10	-	-	3	1	-	13	22
47	11	8	1	6	1	-	4	-	-	2	-	-	-	6	-	-	3	2	-	7	23
28	10	6	-	1	1	1	4	-	-	2	-	-	-	6	-	1	-	-	-	5	24
497	123	138	13	53	10	26	50	14	9	17	3	2	38	89	4	29	54	17	5	122	25
95	18	16	-	6	6	3	3	2	-	3	-	1	6	15	3	7	11	2	-	28	26
544	130	199	16	36	13	19	57	9	8	25	2	1	30	121	12	66	85	19	4	146	27
347	102	128	5	13	9	12	35	7	4	19	1	-	21	88	7	33	45	15	3	102	28
197	28	71	11	23	4	7	22	2	4	6	1	1	9	33	5	33	40	4	1	44	29
583	79	87	14	34	9	37	59	8	8	22	3	3	28	78	14	45	83	20	5	116	30
72	11	5	1	1	1	1	3	-	1	4	-	-	5	4	3	4	4	2	-	7	31
84	14	9	3	8	2	7	10	1	1	7	-	1	5	14	-	10	16	4	-	17	32
427	54	73	10	25	6	29	46	7	6	11	3	2	18	60	11	31	63	14	5	92	33
13	1	4	-	3	1	1	1	-	-	1	1	-	1	1	-	1	3	1	-	4	34
201	52	51	11	31	2	12	21	2	3	6	-	3	16	17	1	16	33	14	-	57	35
62	11	8	3	6	1	3	2	1	1	2	-	-	4	2	-	3	7	2	-	13	36
37	10	10	2	4	1	1	7	-	-	1	-	-	1	-	1	2	2	2	-	13	37
102	31	33	6	21	-	8	12	1	2	3	-	3	11	15	-	11	24	10	-	31	38
27	7	4	1	3	3	3	8	-	-	-	-	-	-	1	-	5	10	1	-	4	39
104	20	38	2	12	2	15	14	2	2	3	-	-	9	12	1	9	21	1	2	20	40
104	31	47	4	25	1	3	12	4	3	3	-	1	5	14	1	10	7	1	-	33	41
187	28	71	5	25	3	10	20	4	2	6	-	3	12	22	1	24	33	10	-	35	42
55	3	12	1	2	-	2	2	3	-	2	-	-	-	3	-	2	5	4	-	6	43
132	25	59	4	23	3	8	18	1	2	4	-	3	12	19	1	22	28	6	-	29	44
123	21	77	1	17	4	5	13	3	2	5	1	-	8	25	1	11	18	5	2	42	45
37	8	17	-	4	-	4	6	1	-	2	-	-	2	8	4	2	7	2	-	5	46
777	157	350	22	85	7	33	87	23	12	35	9	2	29	74	13	41	126	14	1	292	47
437	79	182	18	50	3	18	41	13	6	17	3	1	12	39	9	18	65	7	-	152	48
45	21	28	2	1	-	4	12	3	-	4	1	1	5	8	1	5	12	1	-	18	49
45	11	16	1	10	1	2	4	2	-	2	-	-	2	3	-	1	6	1	-	14	50
250	46	124	1	24	3	9	30	5	6	12	5	-	10	24	3	17	43	5	1	108	51
697	128	166	21	94	13	27	72	4	5	13	6	2	36	87	5	41	98	26	3	165	52
263	52	57	11	22	6	4	29	1	1	8	-	-	8	37	2	11	31	7	1	60	53
37	6	12	-	1	-	2	8	1	-	3	-	1	4	8	1	3	6	1	-	10	54
397	70	97	10	71	7	21	35	2	4	2	6	1	24	42	2	27	61	18	2	95	55
278	33	54	5	47	4	24	40	5	6	9	4	1	13	46	7	17	32	9	2	75	56
168	14	25	4	18	2	11	24	2	3	4	4	1	8	23	2	6	14	2	2	38	57
19	2	5	-	3	1	3	-	2	1	-	-	-	-	5	3	3	3	-	-	6	58
22	2	5	-	3	1	3	-	2	1	-	-	-	-	6	3	3	5	-	-	6	59
91	17	24	1	26	1	10	16	1	2	5	-	-	5	18	2	8	15	7	-	31	60
246	63	76	9	18	5	19	14	6	8	4	1	2	8	30	1	17	29	5	1	59	61
108	22	36	3	5	3	8	6	4	3	3	1	1	5	7	1	4	8	2	-	35	62
138	41	40	6	13	2	11	8	2	5	1	-	1	3	23	-	13	21	3	1	24	63
589	139	132	12	65	9	16	36	19	8	21	2	-	23	59	-	35	53	23	1	139	64
334	80	75	9	48	5	10	16	10	4	12	-	-	15	33	-	19	30	14	1	76	65
66	7	5	-	1	2	-	3	4	1	-	-	-	1	8	-	4	5	2	-	12	66
189	52	52	3	16	2	6	17	5	3	9	2	-	7	18	-	12	18	7	-	51	67
1,021	271	346	35	112	21	69	93	23	12	44	10	2	49	110	24	54	136	27	3	475	68
247	63	80	13	18	4	12	18	6	3	9	2	-	9	26	1	12	24	7	-	104	69
70	41	31	2	7	3	3	6	1	1	3	1	-	6	13	-	6	8	-	1	38	70
25	7	16	-	3	1	3	1	-	-	-	-	-	4	1	-	1	3	2	-	20	71
63	17	11	3	6	-	6	8	4	1	2	-	-	2	6	-	1	11	2	-	27	72
51	13	17	1	9	1	6	2	1	1	1	1	-	3	6	3	3	12	1	-	42	73
33	13	14	3	3	-	2	7	-	-	-	-	-	2	5	3	2	6	-	-	18	74
29	5	6	-	4	-	5	2	-	-	2	-	-	3	1	1	2	6	2	1	8	75
45	10	14	1	2	1	3	4	-	-	3	-	-	1	2	5	4	4	-	-	23	76
458	102	157	12	60	11	29	45	11	6	24	6	2	19	50	11	23	62	13	1	195	77
296	72	66	7	42	16	6	19	10	2	12	1	2	16	32	3	20	38	7	2	78	78
184	46	29	5	21	7	1	9	7	-	4	1	1	9	16	-	10	12	3	1	42	79
112	26	37	2	21	9	5	10	3	2	8	-	1	7	16	3	10	26	4	1	36	80
170	21	48	4	24	4	3	18	4	3	4	-	-	9	26	3	11	21	6	-	37	81
60	9	13	1	10	2	-	5	2	1	1	-	-	1	15	2	2	5	1	-	13	82
110	12	35	3	14	2	3	13	2	2	3	-	-	8	11	1	9	16	5	-	24	83
302	70	92	11	20	10	7	47	5	2	13	3	2	16	34	6	27	34	15	1	74	84
68	14	15	4	-	3	1	16	3	2	2	1	-	6	9	3	5	7	3	-	22	85
31	13	4	1	1	1	1	-	-	-	2	-	-	-	5	-	4	3	1	-	8	86
203	43	73	6	19	6	5	31	2	-	9	2	2	10	20	3	18	24	11	1	44	87

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Mifflin	430	2	3	-	1	60	16	7	37	16	247	239	45	1	167	13
2	Lewistown	171	1	2	-	-	27	7	2	18	4	97	93	18	1	63	2
3	Balance of county	259	1	1	-	1	33	9	5	19	12	150	146	27	-	104	11
4	Monroe	406	4	1	1	3	64	25	3	36	8	251	250	36	-	191	16
5	Montgomery	3,607	32	11	-	14	553	208	51	294	93	2,186	2,151	398	5	1,590	61
6	Abington (twp.)[2 3]	267	3	-	-	1	33	11	-	22	6	172	170	29	-	128	4
7	Lower Merion (twp.)[2 3]	425	4	2	-	3	77	29	8	40	7	261	258	58	-	181	7
8	Norristown	460	2	1	-	-	66	30	5	31	15	287	282	40	3	220	10
9	Cheltenham (twp.)[2 3]	187	-	1	-	-	31	12	3	16	7	120	119	21	-	95	3
10	Conshohocken	108	2	-	-	1	16	6	-	10	1	64	64	10	-	49	1
11	Pottstown	248	3	2	-	-	42	17	7	18	6	147	144	31	-	96	3
12	Balance of county	1,912	18	5	-	9	288	103	28	157	51	1,135	1,114	209	2	821	33
13	Montour	181	3	-	-	-	32	9	4	19	2	108	107	18	-	81	6
14	Northampton	1,995	25	7	-	4	326	124	30	172	52	1,194	1,175	203	4	900	30
15	Bethlehem (part)	559	7	1	-	-	99	38	9	52	18	330	322	53	-	250	8
16	Bethlehem (total)	735	7	2	-	-	121	44	15	62	26	435	427	75	-	330	10
17	Easton	490	4	5	-	1	73	24	4	45	8	309	304	54	2	230	8
18	Balance of county	946	14	1	-	3	154	62	17	75	26	555	549	96	2	420	14
19	Northumberland	1,268	18	4	-	5	152	69	13	70	37	725	712	124	3	529	11
20	Mount Carmel	150	1	1	-	1	20	13	2	5	5	78	78	12	-	58	2
21	Shamokin	229	5	-	-	-	32	11	5	16	13	130	128	18	1	103	2
22	Sunbury	171	1	-	-	-	17	7	2	8	3	103	100	15	-	79	1
23	Balance of county	718	11	3	-	4	83	38	4	41	16	414	406	79	2	289	6
24	Perry	259	2	-	-	2	37	13	3	21	7	154	152	27	1	105	3
25	Philadelphia, coextensive with Philadelphia (city)	24,557	562	126	6	112	3,986	1,535	539	1,912	601	13,526	13,165	2,250	24	10,081	388
26	Pike	122	2	-	-	-	14	5	2	7	-	83	82	20	-	55	1
27	Potter	222	2	3	-	1	28	12	4	12	2	130	128	18	1	99	6
28	Schuylkill	2,316	38	5	2	9	339	132	31	176	63	1,261	1,229	225	1	891	38
29	Mahanoy City	135	4	-	-	-	25	9	1	15	2	77	74	15	-	51	2
30	Pottsville	306	1	-	-	2	46	19	5	22	8	181	177	27	-	128	1
31	Shenandoah	203	6	1	-	1	28	11	4	13	4	99	96	30	-	62	2
32	Tamaqua	146	2	-	-	-	22	4	4	14	6	86	86	16	-	65	4
33	Balance of county	1,526	25	4	2	6	218	89	17	112	43	818	796	137	1	585	29
34	Snyder	200	1	1	1	-	18	3	1	14	3	131	131	27	-	97	2
35	Somerset	813	9	3	1	1	117	45	7	65	16	454	441	98	1	316	18
36	Sullivan	62	-	-	-	1	5	4	1	-	2	39	39	9	1	24	-
37	Susquehanna	370	3	-	-	1	58	26	5	27	10	211	206	42	-	152	5
38	Tioga	394	-	1	1	3	51	18	2	31	9	224	223	63	1	151	4
39	Union	211	-	-	-	1	23	10	3	10	5	133	131	30	-	94	2
40	Venango	713	4	1	-	2	115	42	7	66	9	393	386	124	-	238	6
41	Franklin	153	2	-	-	-	28	10	4	14	1	84	81	30	-	47	1
42	Oil City	244	1	-	-	-	41	15	-	26	2	136	136	40	-	88	4
43	Balance of county	316	1	1	-	2	46	17	3	26	6	173	169	54	-	103	1
44	Warren	443	1	-	-	3	50	17	3	30	7	274	267	63	-	193	3
45	Warren	189	-	-	-	-	21	6	-	15	6	123	118	29	-	86	2
46	Balance of county	254	1	-	-	3	29	11	3	15	1	151	149	34	-	107	1
47	Washington	2,051	18	15	-	6	306	131	43	132	57	1,178	1,158	278	1	798	26
48	Washington	347	3	3	-	2	55	27	9	19	5	196	193	55	-	127	1
49	Canonsburg	117	-	-	-	-	15	8	1	6	6	72	71	16	1	47	1
50	Donora	117	-	3	-	1	21	8	4	9	5	64	62	11	-	48	3
51	Balance of county	1,470	15	9	-	3	215	88	29	98	41	846	832	196	-	576	21
52	Wayne	359	5	3	1	3	52	19	6	27	9	208	200	44	-	139	5
53	Westmoreland	2,902	25	10	2	12	463	182	44	237	68	1,600	1,571	337	2	1,142	39
54	New Kensington	229	2	3	-	1	39	14	5	20	9	110	107	26	-	78	2
55	Arnold	94	1	-	-	-	10	3	2	5	1	52	52	14	-	37	-
56	Greensburg	202	-	-	-	-	44	13	3	28	4	117	117	24	-	88	1
57	Jeannette	135	2	-	-	-	27	12	2	13	4	75	74	13	-	59	5
58	Latrobe	132	1	-	-	2	21	8	3	10	6	58	57	13	-	41	3
59	Monessen	183	2	-	-	1	31	16	4	11	5	108	103	25	-	76	2
60	Balance of county	1,927	17	7	2	8	291	116	25	150	39	1,080	1,061	222	2	763	26
61	Wyoming	189	3	-	-	-	36	18	4	14	4	107	106	27	-	68	4
62	York	2,109	6	12	3	8	324	121	36	167	49	1,257	1,211	263	3	870	19
63	York	818	1	5	-	3	133	47	17	69	15	489	472	91	1	346	8
64	Hanover	176	-	3	-	1	17	3	3	11	1	115	110	21	1	81	5
65	Balance of county	1,115	5	4	3	4	174	71	16	87	33	653	629	151	1	443	6
66	RHODE ISLAND	8,286	93	25	16	27	1,437	573	156	708	245	4,798	4,708	861	5	3,571	103
67	Metropolitan counties	7,301	82	23	16	24	1,273	508	144	621	218	4,248	4,171	753	4	3,168	97
68	Nonmetropolitan counties	985	11	2	-	3	164	65	12	87	27	550	537	108	1	403	6
69	Bristol	290	2	1	2	1	52	21	5	26	11	164	164	36	-	115	6
70	Bristol (town)[2]	125	1	1	1	1	20	9	2	9	6	77	77	12	-	61	5
71	Balance of county	165	1	-	1	-	32	12	3	17	5	87	87	24	-	54	1
72	Kent	853	5	1	1	5	149	52	20	77	27	481	470	76	-	357	8
73	Warwick	459	2	1	1	5	86	30	13	43	14	254	246	33	-	198	5
74	West Warwick (town)[2]	186	1	-	-	-	31	13	3	15	7	109	108	21	-	76	2
75	Balance of county	208	2	-	-	-	32	9	4	19	6	118	116	22	-	83	1
76	Newport	586	7	-	-	3	104	38	9	57	11	320	314	74	1	229	3
77	Newport	367	5	-	-	1	66	20	7	39	5	209	207	55	1	146	2
78	Balance of county	219	2	-	-	2	38	18	2	18	6	111	107	19	-	83	1

[2]Classified as urban under a special rule.
[3]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
109	18	27	3	16	7	8	10	2	2	4	-	-	7	24	2	10	10	-	1	29	1
46	9	6	2	5	4	4	3	2	2	2	-	-	2	9	2	4	4	-	-	10	2
63	9	21	1	11	3	4	7	-	-	2	-	-	5	15	-	6	6	-	1	19	3
116	25	34	3	19	1	1	10	3	1	6	-	-	3	7	2	7	11	3	2	19	4
977	246	306	29	108	23	35	69	31	8	27	8	6	41	117	12	55	98	33	4	209	5
89	13	22	3	10	-	2	5	4	-	2	-	1	4	8	-	4	9	1	-	14	6
126	28	20	5	11	3	3	12	6	-	4	1	-	1	6	-	4	8	4	2	23	7
124	45	41	3	12	4	5	7	-	1	4	3	-	5	20	1	9	10	1	1	27	8
59	12	21	-	2	1	1	5	1	1	4	-	-	3	3	-	-	3	1	-	7	9
28	5	15	-	5	-	-	1	3	-	-	-	-	2	3	2	2	4	-	-	7	10
54	16	23	2	13	2	3	4	1	-	1	1	-	1	10	2	3	5	4	-	16	11
497	127	164	16	53	13	21	35	16	6	12	3	5	25	67	7	33	59	22	1	115	12
43	10	22	3	3	2	1	4	-	1	1	-	-	3	5	3	-	4	4	1	10	13
584	138	148	10	43	15	19	35	13	8	22	3	2	23	43	9	26	62	24	4	113	14
177	38	27	6	9	4	8	8	4	2	7	-	-	9	17	3	5	17	4	1	27	15
243	45	32	6	10	6	8	11	8	3	7	-	-	10	25	3	9	22	6	1	39	16
141	42	39	2	13	3	5	11	1	2	12	-	1	4	8	2	3	14	4	1	27	17
266	58	82	2	21	8	6	16	8	4	3	3	1	10	18	4	18	31	16	2	59	18
295	73	150	12	38	6	13	27	7	4	3	3	5	9	28	23	23	49	17	3	126	19
28	15	13	1	4	3	-	1	2	-	-	-	-	-	3	4	2	8	1	-	23	20
60	12	29	1	5	-	2	1	1	2	-	-	1	2	4	6	4	6	3	-	19	21
45	10	23	-	5	1	3	4	2	1	1	-	-	1	5	2	3	4	4	2	18	22
162	36	85	10	24	2	8	21	2	1	2	3	4	6	16	11	14	31	9	1	66	23
75	10	17	6	11	2	2	14	1	1	1	-	-	5	8	1	2	7	2	1	14	24
5,974	1,748	1,971	206	425	179	361	758	147	101	343	49	30	241	856	88	270	877	149	136	1,593	25
34	11	9	2	5	-	1	3	-	-	1	-	-	1	2	-	1	2	2	-	11	26
60	17	16	1	7	2	2	11	-	3	1	-	1	2	8	3	4	4	4	-	15	27
545	146	162	20	75	17	32	49	10	6	28	9	2	16	43	25	37	97	18	-	259	28
28	14	7	4	3	1	3	1	-	4	2	1	-	2	2	-	-	4	1	-	14	29
92	25	10	5	14	3	4	12	3	2	2	-	-	3	3	5	5	10	1	-	22	30
32	11	17	-	2	2	3	6	-	-	3	2	-	1	-	4	2	7	-	-	39	31
53	3	5	1	4	-	-	4	-	1	-	-	-	2	2	2	2	6	2	-	9	32
340	93	123	10	52	11	22	26	7	3	21	6	2	8	36	14	28	70	14	-	175	33
51	17	27	2	3	2	-	14	2	1	2	-	-	2	6	-	4	3	4	-	7	34
191	51	56	6	15	5	13	26	9	2	8	2	2	10	21	4	22	34	10	1	61	35
16	3	5	-	3	2	-	1	-	-	1	-	-	1	-	-	3	3	-	1	5	36
98	19	30	1	10	1	5	11	5	1	-	1	-	6	6	1	5	18	6	-	27	37
93	16	38	2	5	1	1	10	-	1	4	-	1	3	9	4	18	12	9	-	34	38
34	8	50	1	4	2	2	5	-	2	1	1	-	3	9	1	4	8	4	-	11	39
154	29	49	3	17	4	7	28	8	1	5	3	-	8	30	3	18	31	8	-	46	40
29	7	10	1	3	-	3	5	4	1	2	1	-	2	7	1	1	3	1	-	10	41
55	12	17	1	6	1	-	7	1	-	1	-	-	2	15	2	6	10	2	-	18	42
70	10	22	1	8	3	4	16	3	-	2	2	-	4	8	-	11	18	5	-	18	43
124	22	44	2	7	2	7	25	1	1	2	2	-	3	13	-	8	23	6	-	26	44
58	10	16	1	-	2	5	10	-	-	1	1	-	-	4	-	1	4	1	-	17	45
66	12	28	1	7	-	2	13	1	1	1	1	-	3	9	-	7	19	5	-	9	46
537	85	150	13	60	8	20	48	10	8	23	3	3	19	71	6	39	80	28	5	128	47
92	16	18	3	7	1	3	11	3	2	4	-	1	2	17	1	6	9	2	2	23	48
30	3	13	-	6	1	1	5	1	1	2	-	-	2	3	-	1	2	1	-	6	49
26	7	12	2	-	1	2	5	-	-	2	-	-	2	4	-	1	4	-	-	5	50
389	59	107	8	47	5	14	27	6	5	15	3	2	13	47	5	31	65	25	3	94	51
88	14	32	3	12	2	8	7	2	-	2	-	-	5	10	7	6	14	2	-	23	52
822	131	150	14	65	11	29	111	10	9	35	4	5	34	97	12	68	111	33	8	185	53
53	7	16	-	3	-	3	8	-	-	9	-	-	5	9	3	4	7	1	-	19	54
32	1	4	-	-	1	-	1	-	-	1	-	-	2	3	-	-	6	1	4	12	55
72	10	5	1	3	1	-	4	1	-	4	1	-	1	8	-	2	5	3	1	7	56
43	7	4	-	1	1	1	3	-	-	2	-	-	4	5	-	-	5	1	-	7	57
34	3	1	2	-	1	1	10	-	-	2	1	1	2	7	-	6	7	-	-	8	58
50	18	6	1	1	-	5	4	1	-	3	-	-	-	4	1	4	8	2	1	8	59
538	85	114	10	57	7	19	81	8	9	14	2	4	20	61	8	52	73	25	2	124	60
53	7	4	1	8	2	1	5	1	1	1	1	-	1	6	2	7	2	3	2	7	61
478	85	288	10	50	15	46	73	8	7	12	3	2	23	73	4	50	59	21	5	110	62
192	36	110	4	21	9	17	28	3	3	5	-	2	7	28	2	18	18	8	-	48	63
45	10	21	-	7	-	5	5	1	-	4	-	-	1	7	-	4	7	2	-	8	64
241	39	157	6	22	6	24	40	4	2	3	3	-	15	38	2	28	34	11	5	54	65
2,656	458	354	68	161	42	90	141	63	27	90	16	6	112	267	22	83	249	62	5	502	66
2,344	416	311	66	143	37	77	125	59	24	82	13	6	93	220	20	74	213	54	5	429	67
312	42	43	2	18	5	13	16	4	3	8	3	-	19	47	2	9	36	8	-	73	68
82	16	11	2	8	3	-	5	1	3	4	-	-	2	3	-	4	11	1	-	23	69
37	13	6	1	2	1	-	3	-	1	1	-	-	-	1	-	1	4	-	-	7	70
45	3	5	1	6	2	-	2	1	2	3	-	-	2	2	-	3	7	1	-	16	71
271	48	30	15	15	7	11	13	15	1	6	1	-	12	33	8	11	21	4	1	58	72
153	22	18	8	5	2	8	9	10	-	3	-	-	9	18	-	6	13	2	-	26	73
59	11	4	4	6	1	1	3	1	1	2	-	-	-	6	1	-	8	2	1	13	74
59	15	8	3	4	4	2	1	4	-	1	1	-	3	9	7	5	-	-	-	19	75
185	21	20	1	6	3	6	14	2	2	6	1	-	11	33	2	4	18	4	-	44	76
124	15	5	1	4	-	2	11	1	1	4	1	-	6	22	-	1	12	2	-	20	77
61	6	15	-	2	3	4	3	1	1	2	-	-	5	11	2	3	6	2	-	24	78

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	RHODE ISLAND—Continued																
1	Providence	6,158	75	21	13	18	1,072	435	119	518	180	3,603	3,537	641	4	2,696	83
2	Providence	2,750	38	12	7	10	482	207	57	218	89	1,570	1,547	285	2	1,189	34
3	Cranston	484	3	1	-	1	89	27	11	51	16	285	275	62	-	203	7
4	Pawtucket	950	12	4	-	3	168	63	20	85	21	576	566	116	1	400	12
5	Woonsocket	506	8	2	1	-	100	42	8	50	10	293	288	35	-	237	5
6	East Providence (town)[2]	395	4	1	2	2	64	24	3	37	15	235	231	36	-	182	7
7	Central Falls	238	2	-	1	-	31	14	4	13	3	153	147	21	-	117	4
8	Cumberland (town)[2]	110	2	-	-	-	11	4	2	5	2	68	68	8	1	53	3
9	Johnston (town)[2]	109	-	-	-	-	25	10	2	13	3	60	58	15	-	40	1
10	Lincoln (town)[2]	111	-	-	-	1	15	8	3	4	4	67	64	9	-	52	1
11	North Providence (town)[2]	125	3	-	1	-	14	8	3	3	6	73	71	10	-	57	3
12	Balance of county	380	3	1	1	1	73	28	6	39	11	223	222	44	-	166	6
13	Washington	399	4	2	-	-	60	27	3	30	16	230	223	34	-	174	3
14	Westerly (town)[2]	112	4	2	-	-	15	6	-	9	9	65	64	10	-	53	3
15	Balance of county	287	-	-	-	-	45	21	3	21	7	165	159	24	-	121	-
16	SOUTH CAROLINA	18,579	270	70	11	186	1,942	589	207	1,146	264	9,311	8,964	2,519	27	5,747	148
17	Metropolitan counties	4,802	75	28	2	34	568	152	78	338	75	2,235	2,157	520	10	1,443	45
18	Nonmetropolitan counties	13,777	195	42	9	132	1,374	437	129	808	189	7,076	6,807	1,999	17	4,304	103
19	Abbeville	219	4	1	-	2	22	6	4	12	2	118	114	34	-	66	2
20	Aiken	607	17	2	-	5	54	12	6	36	9	297	282	72	3	183	3
21	Allendale	142	-	-	-	1	9	3	1	5	-	84	84	16	-	65	1
22	Anderson	732	9	3	1	11	81	23	8	50	13	371	354	92	-	241	4
23	Anderson	296	5	-	-	5	34	10	5	19	8	140	134	33	-	95	-
24	Balance of county	436	4	3	1	6	47	13	3	31	5	231	220	59	-	146	4
25	Bamberg	147	3	1	-	-	12	2	-	10	3	71	71	23	-	39	1
26	Barnwell	172	3	-	-	2	13	2	-	11	2	87	85	30	-	47	2
27	Beaufort	260	-	2	-	8	28	10	3	15	1	116	112	45	-	63	-
28	Berkeley	254	8	-	-	3	23	9	-	14	2	108	102	29	-	68	-
29	Calhoun	129	1	-	-	3	15	5	3	7	-	58	57	14	-	40	1
30	Charleston	1,499	24	13	1	10	182	57	30	95	23	600	577	155	3	367	12
31	Charleston	774	14	10	-	8	116	41	20	55	16	339	329	90	2	206	8
32	Balance of county	725	10	3	1	2	66	16	10	40	7	261	248	65	1	161	4
33	Cherokee	255	2	-	-	1	32	11	2	19	3	127	123	26	-	89	3
34	Chester	282	5	2	-	1	24	7	3	14	-	172	169	49	-	105	2
35	Chesterfield	292	3	-	-	2	42	13	1	28	1	145	141	36	-	92	1
36	Clarendon	289	3	1	-	3	15	5	1	9	1	148	143	45	2	87	1
37	Colleton	227	2	1	-	1	21	8	1	12	3	111	106	21	1	79	2
38	Darlington	480	11	3	-	6	42	11	3	28	5	240	228	61	2	144	5
39	Dillon	326	9	-	-	5	28	4	1	23	2	162	156	45	-	103	7
40	Dorchester	190	4	1	-	4	14	2	2	10	5	99	92	20	1	61	2
41	Edgefield	159	-	-	-	4	22	10	3	9	1	91	87	37	-	43	1
42	Fairfield	217	2	-	-	1	20	6	3	11	3	112	109	32	-	67	1
43	Florence	706	13	3	-	7	54	20	6	28	6	355	341	109	1	214	8
44	Florence	260	3	1	-	3	18	3	3	12	5	139	133	46	-	81	5
45	Balance of county	446	10	2	-	4	36	17	3	16	1	216	208	63	1	133	3
46	Georgetown	291	9	1	-	1	28	7	4	17	4	136	126	54	-	66	3
47	Greenville	1,406	17	10	1	6	188	45	22	121	29	683	664	142	1	471	13
48	Greenville	690	12	7	-	3	87	22	10	55	6	324	316	69	-	225	5
49	Balance of county	716	5	3	1	3	101	23	12	66	23	359	348	73	1	246	8
50	Greenwood	342	2	-	-	3	51	12	9	30	5	163	157	47	-	96	5
51	Greenwood	147	2	-	-	-	24	4	5	15	-	75	73	25	-	43	-
52	Balance of county	195	-	-	-	3	27	8	4	15	5	88	84	22	-	53	5
53	Hampton	204	3	3	-	-	21	8	4	9	3	114	109	31	-	70	-
54	Horry	409	3	1	-	3	36	12	3	21	-	192	182	62	-	110	3
55	Jasper	115	2	-	-	4	5	3	-	2	1	56	53	26	-	24	-
56	Kershaw	321	3	-	1	3	27	8	2	17	9	179	176	47	-	119	6
57	Lancaster	306	4	1	1	-	28	6	3	19	8	162	154	23	-	124	2
58	Laurens	396	6	-	-	1	42	9	3	30	7	213	194	51	-	125	2
59	Lee	210	2	1	2	3	17	11	-	6	6	93	92	17	-	65	-
60	Lexington	410	3	1	-	1	47	15	4	28	12	224	220	68	-	135	3
61	McCormick	111	5	-	-	2	9	3	-	6	3	37	36	4	-	27	-
62	Marion	328	2	1	-	3	32	9	2	21	4	159	151	64	-	81	8
63	Marlboro	315	5	1	-	6	23	9	2	12	2	181	180	47	2	118	3
64	Newberry	268	1	1	-	-	30	11	1	18	5	164	160	49	1	96	-
65	Oconee	283	1	-	-	3	25	11	-	14	4	164	159	50	1	99	2
66	Orangeburg	676	11	3	-	7	73	31	7	35	5	326	316	109	1	189	2
67	Orangeburg	154	4	1	-	-	12	4	3	5	-	83	83	28	-	51	1
68	Balance of county	522	7	2	-	7	61	27	4	30	5	243	233	81	1	138	1
69	Pickens	314	4	-	1	1	32	13	4	15	4	163	159	40	1	100	2
70	Richland	1,290	17	3	-	13	144	38	20	86	14	655	634	151	3	422	17
71	Columbia	960	13	2	-	8	119	29	19	71	12	475	462	106	2	317	12
72	Balance of county	330	4	1	-	5	25	9	1	15	2	180	172	45	1	105	5
73	Saluda	143	2	-	-	-	15	2	3	10	2	81	78	30	-	42	1
74	Spartanburg	1,128	12	7	-	10	137	45	16	76	20	633	613	155	1	420	8
75	Spartanburg	408	7	1	-	5	48	14	5	19	4	227	214	44	1	155	3
76	Balance of county	720	5	6	-	5	89	31	11	47	16	406	399	111	-	265	5
77	Sumter	542	12	2	-	5	58	18	5	35	14	243	232	74	1	145	2
78	Sumter	188	8	2	-	5	23	4	5	14	5	76	72	22	-	46	-
79	Balance of county	354	4	-	-	-	35	14	-	21	9	137	160	52	1	99	2
80	Union	248	3	-	3	3	27	9	3	15	4	143	137	56	-	67	2
81	Williamsburg	365	9	-	-	1	22	4	4	14	7	175	165	51	-	101	-
82	York	574	9	1	-	7	72	24	5	43	7	300	284	80	2	172	5
83	Rock Hill	203	3	-	-	2	27	8	3	16	5	104	98	34	-	55	3
84	Balance of county	371	6	1	-	5	45	16	2	27	2	196	186	46	2	117	2

[2]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,991	352	270	49	120	27	66	107	43	20	72	12	6	79	184	12	59	181	49	4	348	1
912	132	111	20	36	15	23	46	18	9	44	4	1	32	86	6	26	80	25	3	162	2
160	19	17	2	7	1	10	10	1	-	3	-	-	4	14	3	4	12	9	-	29	3
288	67	33	12	32	5	10	15	6	3	7	2	1	10	23	1	10	30	8	-	50	4
162	38	32	3	11	2	5	5	4	1	5	-	-	9	8	-	11	22	1	-	26	5
129	23	23	3	8	2	4	3	6	2	4	1	-	3	15	-	4	9	1	-	24	6
80	20	13	3	6	-	6	8	4	-	3	1	1	4	6	-	-	6	-	1	14	7
35	9	6	1	4	1	-	4	-	1	1	-	-	3	5	-	-	4	-	-	9	8
30	5	4	2	1	-	2	1	-	1	1	-	1	3	3	-	2	5	1	-	3	9
36	8	7	1	2	-	3	7	1	-	-	-	-	4	3	-	-	2	2	-	5	10
41	8	5	1	3	-	2	2	1	-	-	-	-	3	8	-	-	3	1	-	10	11
118	23	19	1	10	1	1	6	2	3	4	4	2	4	13	2	2	8	1	-	16	12
127	21	23	1	12	2	7	2	2	1	2	2	-	8	14	-	5	18	4	-	29	13
32	11	7	-	1	-	1	-	1	-	1	1	-	2	2	-	-	5	-	-	5	14
95	10	16	1	11	2	6	2	1	1	1	1	-	6	12	-	5	13	4	-	24	15
3,097	1,473	1,029	197	381	93	347	905	79	192	100	51	72	227	1,220	750	706	807	124	220	1,092	16
797	397	204	54	103	27	78	200	29	49	38	14	11	71	319	305	163	207	35	56	288	17
2,300	1,076	825	143	278	66	269	705	50	143	62	37	61	156	901	445	543	600	89	164	804	18
42	14	8	5	9	-	4	13	1	-	2	-	-	2	18	1	11	8	1	3	10	19
89	54	37	11	11	2	15	29	2	6	5	3	4	11	29	5	25	48	9	6	41	20
27	26	11	-	3	-	-	11	1	1	-	-	-	2	9	6	3	4	1	1	9	21
118	75	44	14	6	1	17	39	3	5	4	2	2	8	38	7	31	32	7	10	55	22
48	30	17	3	2	1	6	15	2	2	2	1	1	3	18	3	15	9	3	8	22	23
70	45	27	11	4	-	11	24	1	3	2	1	1	5	20	4	16	23	4	2	33	24
20	12	6	2	6	1	-	7	1	-	-	-	4	-	13	6	7	7	1	1	10	25
23	11	11	-	6	2	2	10	-	2	-	-	1	2	15	7	8	6	1	2	11	26
21	14	28	-	3	1	4	17	-	4	-	3	2	1	21	21	7	15	1	3	10	27
27	17	24	1	3	1	6	16	-	1	-	-	2	5	16	26	11	11	5	4	13	28
10	23	6	-	3	-	1	5	-	-	-	1	-	1	5	13	9	8	-	2	8	29
205	106	44	15	27	10	23	50	10	11	9	7	2	17	87	273	31	61	7	18	63	30
119	55	24	6	17	8	10	21	6	5	6	4	1	6	35	103	12	22	4	8	38	31
86	51	20	9	10	2	13	29	4	6	3	3	1	11	52	170	19	39	3	10	25	32
56	19	11	2	6	-	4	13	2	1	-	1	-	6	21	2	9	10	2	5	18	33
63	26	14	3	9	3	3	9	1	2	2	1	1	1	13	12	4	16	3	-	13	34
58	25	8	2	9	2	4	13	-	4	2	3	-	4	18	4	10	18	1	1	21	35
34	23	29	4	4	1	5	19	-	1	-	1	-	3	23	28	11	14	3	5	10	36
41	14	22	-	5	-	5	9	1	2	-	-	-	-	6	15	21	15	1	3	15	37
87	26	26	7	13	1	12	31	1	10	3	4	2	6	41	3	15	17	4	10	26	38
43	36	17	4	3	1	6	14	2	8	4	-	3	2	36	4	10	12	2	9	14	39
36	16	7	6	3	1	7	8	-	4	2	-	-	4	7	11	4	11	2	1	9	40
25	9	8	3	3	1	4	5	-	3	1	-	-	-	6	7	2	4	-	2	11	41
31	16	19	6	3	1	3	14	-	1	1	1	2	3	14	3	7	14	5	4	10	42
106	55	45	5	9	3	14	34	5	13	3	4	1	12	59	23	26	35	4	7	42	43
42	18	16	2	3	1	6	11	2	5	2	1	-	2	17	9	9	9	2	3	19	44
64	37	29	3	6	2	8	23	3	8	1	3	1	10	42	14	17	26	2	4	23	45
37	11	15	1	3	2	10	8	1	2	2	1	3	6	22	10	26	19	1	4	7	46
261	132	65	16	28	6	19	64	10	8	12	4	4	28	94	14	50	50	10	17	107	47
125	65	30	8	11	3	8	23	7	4	7	3	2	16	50	8	28	26	3	15	59	48
136	67	35	8	17	3	11	41	3	4	5	1	2	12	44	6	22	24	7	2	48	49
54	27	10	4	7	3	6	15	1	2	-	-	1	10	20	7	12	16	6	5	23	50
28	12	3	2	2	1	2	9	1	-	-	-	-	7	3	4	6	5	2	2	7	51
28	15	7	2	5	2	4	6	-	2	-	-	1	3	17	3	6	11	4	3	16	52
41	21	8	-	7	1	5	12	1	2	-	1	-	-	9	3	10	13	-	1	8	53
60	16	31	3	7	-	10	32	-	7	3	1	4	4	35	19	17	26	2	8	16	54
10	9	5	1	1	1	3	1	1	-	1	-	2	-	6	15	1	9	-	1	10	55
64	23	26	1	9	-	3	19	1	1	1	-	-	8	23	4	9	12	2	1	18	56
81	28	13	4	2	1	8	11	2	2	1	-	1	3	14	2	23	12	3	3	25	57
71	24	28	3	14	1	19	29	1	1	1	1	2	1	18	7	13	13	1	6	33	58
35	23	7	4	5	1	1	12	1	4	3	1	2	1	15	12	12	8	1	2	12	59
63	22	47	4	10	3	4	11	2	2	2	-	1	4	22	13	15	17	2	2	29	60
12	10	5	-	4	1	1	7	-	-	-	-	3	2	15	12	6	3	-	-	7	61
42	10	21	3	2	1	8	18	1	7	1	2	1	-	26	12	15	14	2	5	23	62
60	39	16	3	9	1	1	13	-	13	4	-	-	-	23	3	9	8	-	4	20	63
54	31	11	8	3	3	4	12	2	3	-	-	1	4	8	6	7	6	1	5	12	64
55	13	29	3	5	1	5	20	1	1	1	-	3	2	12	2	13	8	2	4	17	65
90	69	28	6	5	6	10	29	1	7	7	2	4	9	54	29	26	34	3	7	39	66
20	24	6	1	1	2	-	4	-	3	5	-	-	2	10	2	7	8	1	3	9	67
70	45	22	5	4	4	10	25	1	4	2	2	4	7	44	27	19	26	2	4	30	68
59	15	24	5	7	6	4	17	2	2	1	1	1	4	20	3	15	9	3	2	29	69
242	105	58	12	37	9	21	57	7	24	12	-	1	15	109	13	57	48	9	15	77	70
184	82	39	10	20	7	13	42	5	16	11	-	1	15	89	8	35	38	6	8	57	71
58	23	19	2	17	2	8	15	2	8	1	-	-	-	20	5	22	10	3	7	20	72
25	13	3	1	4	1	3	5	-	3	-	-	1	-	5	2	5	7	1	1	13	73
274	103	35	8	22	7	20	47	8	6	7	2	4	10	62	15	30	41	3	11	63	74
92	49	11	1	11	2	13	12	3	2	3	1	-	5	26	4	9	18	2	6	25	75
182	54	24	7	11	5	7	35	5	4	4	1	4	5	36	11	21	23	1	5	38	76
52	40	51	7	4	1	11	47	1	6	-	2	3	10	42	22	20	22	4	7	22	77
25	6	15	4	-	-	4	6	1	2	-	2	1	3	14	5	9	12	2	3	9	78
27	34	36	3	4	1	7	41	-	4	-	-	2	7	28	17	11	10	2	4	13	79
41	16	8	-	12	2	6	5	-	2	1	-	-	5	12	4	8	8	3	-	17	80
42	23	36	3	8	2	10	23	4	4	-	1	3	6	27	34	19	13	1	6	10	81
110	33	24	7	22	1	16	25	1	4	2	1	1	5	32	10	26	25	4	6	36	82
35	14	3	1	8	-	6	9	-	1	2	-	1	3	7	8	7	9	1	2	12	83
75	19	21	6	14	1	10	16	1	3	-	1	-	2	25	2	19	16	3	4	24	84

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	SOUTH DAKOTA	5,841	64	13	7	23	935	336	89	510	117	2,972	2,913	703	10	1,994	72
2	Metropolitan counties	595	3	2	-	1	100	37	7	56	13	319	310	75	-	212	8
3	Nonmetropolitan counties	5,246	61	11	7	22	835	299	82	454	104	2,653	2,603	628	10	1,782	64
4	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Aurora	44	1	-	-	-	8	3	-	5	-	25	24	6	-	18	1
6	Beadle	186	1	1	-	-	38	9	1	28	3	100	97	29	-	65	2
7	Huron	125	-	-	-	-	26	6	1	19	2	64	62	24	-	37	-
8	Balance of county	61	1	1	-	-	12	3	-	9	1	36	35	5	-	28	2
9	Bennett	24	3	-	-	-	3	1	2	-	-	10	10	2	-	6	1
10	Bon Homme	76	2	-	-	-	11	-	2	9	2	34	34	13	-	18	1
11	Brookings	146	-	1	-	-	20	6	2	12	4	79	79	15	1	59	1
12	Brown	284	1	-	1	1	38	14	5	19	6	166	163	37	-	116	4
13	Aberdeen	180	-	-	1	1	24	9	3	12	3	100	100	23	-	74	2
14	Balance of county	104	1	-	-	-	14	5	2	7	3	66	63	14	-	42	2
15	Brule	70	1	-	-	-	7	1	-	6	1	28	27	9	-	18	1
16	Buffalo	11	-	-	-	-	1	-	-	1	-	7	7	-	-	7	-
17	Butte	61	-	-	-	-	6	3	-	3	-	31	31	7	-	23	-
18	Campbell	26	-	-	-	2	4	1	-	3	2	9	9	1	-	6	-
19	Charles Mix	126	1	-	-	-	14	2	1	11	1	63	62	12	-	43	2
20	Clark	81	-	-	-	-	16	8	-	8	1	52	51	13	-	36	1
21	Clay	95	-	-	-	-	21	6	1	14	1	58	58	12	-	41	2
22	Codington	177	3	-	1	-	26	6	3	17	5	104	102	20	-	76	2
23	Watertown	144	3	-	-	-	22	6	3	13	4	84	82	17	-	60	2
24	Balance of county	33	-	-	1	-	4	-	-	4	1	20	20	3	-	16	-
25	Corson	51	3	-	1	-	2	1	-	1	1	23	23	7	1	14	-
26	Custer	54	1	-	-	1	8	1	2	5	1	25	25	6	1	18	1
27	Davison	178	1	2	-	-	36	13	6	17	1	98	96	20	-	69	1
28	Mitchell	153	1	2	-	-	32	10	6	16	1	83	81	15	-	62	1
29	Balance of county	25	-	-	-	-	4	3	-	1	-	15	15	5	-	7	-
30	Day	108	1	-	-	-	15	5	2	8	2	57	56	17	1	36	1
31	Deuel	57	-	-	-	3	11	3	2	6	-	22	22	7	-	15	-
32	Dewey	47	1	-	-	1	4	2	-	2	-	20	20	2	-	18	3
33	Douglas	59	-	-	-	-	12	8	-	4	-	35	35	10	-	20	-
34	Edmunds	41	-	-	-	1	6	4	1	1	2	20	20	7	-	12	1
35	Fall River	146	1	-	-	2	16	8	1	7	3	73	73	22	-	50	3
36	Faulk	35	-	-	-	-	5	1	1	3	-	17	16	2	-	14	-
37	Grant	76	1	-	-	-	7	1	2	4	1	41	40	19	1	18	1
38	Gregory	95	1	-	-	-	18	10	1	7	5	38	38	6	-	31	1
39	Haakon	28	-	-	-	-	3	1	-	2	-	13	13	1	-	12	-
40	Hamlin	49	-	1	-	-	7	2	-	5	2	27	27	4	-	21	-
41	Hand	55	-	-	1	-	10	4	1	5	2	30	28	7	-	19	1
42	Hanson	30	-	-	-	-	6	-	2	4	1	9	9	6	-	3	1
43	Harding	25	-	-	-	-	4	2	-	2	-	16	16	2	-	12	-
44	Hughes	83	2	-	1	1	14	4	1	9	1	39	38	4	-	29	-
45	Hutchinson	100	2	-	-	-	17	8	1	8	1	54	54	17	1	33	1
46	Hyde	26	-	-	-	-	3	-	-	3	-	15	15	2	-	12	-
47	Jackson	16	-	-	-	-	3	-	-	3	-	10	10	2	-	8	-
48	Jerauld	47	1	-	-	-	5	2	-	3	3	22	22	5	-	15	-
49	Jones	21	-	-	-	-	-	-	-	-	-	14	14	3	1	9	-
50	Kingsbury	96	-	-	1	-	18	11	2	5	4	53	53	14	-	35	1
51	Lake	110	-	2	-	-	24	8	2	14	3	51	50	11	-	37	1
52	Lawrence	158	-	-	-	-	29	10	1	18	1	87	84	18	-	63	5
53	Lincoln	117	1	-	-	1	21	6	-	15	4	62	57	14	-	37	-
54	Lyman	51	-	-	-	-	8	2	1	5	1	22	21	7	-	12	-
55	McCook	75	-	-	-	1	14	7	-	7	-	39	37	9	-	25	-
56	McPherson	42	-	-	-	-	8	2	2	4	1	24	23	7	1	12	1
57	Marshall	55	-	-	-	-	5	-	3	2	-	37	37	6	-	26	1
58	Meade	75	-	-	-	2	14	4	3	7	3	29	28	4	-	20	1
59	Mellette	34	3	-	-	-	4	2	1	1	-	14	14	4	-	6	-
60	Miner	60	-	-	-	-	9	2	2	5	-	39	39	5	1	26	2
61	Minnehaha	595	3	2	-	1	100	37	7	56	13	319	310	75	-	212	8
62	Sioux Falls	463	2	2	-	1	84	31	7	46	10	242	236	54	-	163	7
63	Balance of county	132	1	-	-	-	16	6	-	10	3	77	74	21	-	49	1
64	Moody	74	-	-	-	-	12	3	1	8	1	43	40	11	-	27	-
65	Pennington	313	2	1	1	-	57	24	3	30	4	115	113	28	-	74	3
66	Rapid City	244	2	1	1	-	50	21	2	27	3	89	87	19	-	58	1
67	Balance of county	69	-	-	-	-	7	3	1	3	1	26	26	9	-	16	2
68	Perkins	59	-	-	-	-	12	5	1	6	-	37	37	11	1	23	3
69	Potter	60	-	1	-	-	11	5	1	5	4	24	24	9	-	14	1
70	Roberts	182	2	-	-	1	32	17	1	14	6	82	80	19	-	54	3
71	Sanborn	47	-	-	-	-	5	-	-	5	1	27	27	7	-	19	-
72	Shannon	64	8	-	-	1	7	3	1	3	2	13	12	1	-	8	-
73	Spink	121	-	-	-	-	18	8	2	8	2	69	67	15	-	38	-
74	Stanley	16	-	-	-	-	3	2	1	-	1	10	10	-	-	9	-
75	Tully	12	-	-	-	1	2	1	-	1	1	5	5	-	-	4	-
76	Todd	61	6	1	-	-	5	1	1	3	-	15	15	2	-	11	2
77	Tripp	72	2	-	-	1	16	6	3	7	1	33	33	7	-	26	1
78	Turner	118	-	-	-	-	21	11	4	6	5	66	66	17	-	43	2
79	Union	90	1	-	-	-	10	4	1	5	-	50	49	9	-	35	1
80	Walworth	66	-	-	-	-	15	6	1	8	1	33	32	12	-	18	3
81	Washabaugh	14	3	-	-	-	2	1	-	1	-	1	1	-	-	1	-
82	Yankton	151	2	1	-	-	24	8	4	12	6	81	81	26	-	54	-
83	Ziebach	19	3	-	-	2	4	-	-	4	-	8	6	1	-	5	-
84	TENNESSEE	29,309	682	94	19	218	3,687	1,186	374	2,127	306	14,344	13,903	3,727	39	9,234	298
85	Metropolitan counties	12,672	281	55	3	72	1,660	515	176	969	156	6,002	5,860	1,522	15	3,926	132
86	Nonmetropolitan counties	16,637	401	39	16	146	2,027	671	198	1,158	150	8,342	8,043	2,205	24	5,308	166
87	Anderson	319	8	2	-	3	38	5	7	26	3	133	132	38	-	86	8
88	Bedford	219	3	-	1	2	18	6	3	9	5	121	118	38	-	72	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,358	212	352	41	131	34	59	207	23	25	31	11	7	100	257	89	192	276	60	7	425	1
163	21	20	3	13	7	9	18	3	1	4	1	-	11	29	4	19	20	7	-	40	2
1,195	191	332	38	118	27	50	189	20	24	27	10	7	89	228	85	173	256	53	7	385	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
15	-	2	-	-	-	1	-	1	-	-	-	-	1	2	-	1	2	-	-	3	5
51	3	9	-	2	1	3	7	-	1	-	-	1	4	3	2	7	3	4	-	11	6
31	2	4	-	1	-	2	6	-	1	-	-	1	3	2	1	6	1	2	-	10	7
20	1	5	-	1	1	1	1	-	-	-	-	-	1	1	1	1	2	2	-	1	8
3	-	2	-	-	2	-	1	-	-	-	1	-	2	1	-	1	1	-	-	1	9
13	1	3	1	2	-	-	1	-	2	2	-	-	1	3	4	2	5	-	-	7	10
42	9	7	1	2	1	-	4	2	2	1	-	-	4	8	-	6	6	1	-	8	11
89	5	18	1	7	2	3	10	3	-	3	-	-	4	10	3	12	8	3	-	15	12
55	4	13	-	2	1	-	6	3	-	2	-	-	3	8	2	8	4	3	-	12	13
34	1	5	1	5	1	3	4	-	-	1	-	-	2	1	1	4	4	-	-	3	14
8	2	7	-	-	-	1	3	1	-	2	1	-	1	4	1	3	6	1	-	10	15
4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	16
11	1	11	-	1	-	-	4	-	-	-	1	-	1	9	4	1	2	-	-	2	17
4	-	2	-	2	-	-	3	1	-	-	-	-	-	-	2	1	2	-	-	-	18
28	3	10	4	3	-	1	4	1	2	-	-	-	1	9	2	7	12	3	1	5	19
29	2	4	1	1	-	1	-	-	-	-	-	-	1	3	1	1	1	-	-	5	20
30	2	7	-	1	2	2	1	-	-	-	-	-	1	-	-	2	3	2	-	6	21
47	15	12	3	1	2	2	3	-	-	-	-	-	3	12	1	6	5	1	-	7	22
35	12	11	3	1	1	2	2	-	-	-	-	-	3	10	1	6	3	-	-	6	23
12	3	1	-	-	1	-	1	-	-	-	-	-	-	2	-	-	2	1	-	1	24
11	-	3	-	1	-	-	3	-	1	-	-	-	1	6	1	3	1	1	1	3	25
12	1	4	-	-	-	-	3	-	-	-	-	-	-	5	1	-	6	-	-	3	26
53	7	8	-	7	-	2	2	1	3	2	-	-	-	4	1	6	6	3	-	12	27
47	6	8	-	4	-	2	2	1	2	2	-	-	-	2	1	5	5	2	-	12	28
6	1	-	-	3	-	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	29
21	3	11	1	1	-	1	3	1	1	2	-	-	1	3	-	2	11	-	-	9	30
9	-	6	-	-	-	-	5	-	-	-	-	-	1	3	-	-	4	-	-	8	31
7	3	5	-	-	-	-	2	-	-	1	-	-	-	3	1	6	4	-	1	3	32
18	-	2	2	3	-	-	1	-	-	-	-	-	1	3	-	2	1	-	-	4	33
9	1	1	-	-	1	-	-	-	-	-	-	-	-	4	1	1	2	2	-	2	34
34	5	8	-	-	1	-	3	2	3	1	-	-	1	6	1	3	10	1	1	19	35
11	3	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	2	-	-	5	36
15	1	1	-	2	-	1	5	-	-	-	-	-	1	3	2	3	3	1	-	9	37
20	3	7	-	-	1	-	9	-	1	-	-	-	2	4	2	3	3	1	-	8	38
8	3	1	-	-	-	-	1	-	-	-	-	-	2	1	-	2	2	-	-	4	39
16	2	3	-	2	-	-	1	-	-	-	-	-	1	3	-	-	1	1	-	4	40
10	5	3	1	1	-	2	2	-	-	-	-	-	1	2	-	-	1	1	-	5	41
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	4	42
9	1	2	-	1	1	-	-	-	1	-	-	-	1	-	-	-	2	-	-	1	43
20	7	2	1	4	-	1	4	-	1	-	1	-	2	3	1	3	7	-	-	3	44
18	8	6	-	2	1	-	4	-	-	-	-	1	1	4	-	2	5	-	-	9	45
7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	46
7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	47
13	1	1	1	-	1	-	5	-	-	-	-	-	-	2	1	-	4	-	-	4	48
3	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	2	3	-	-	1	49
26	3	5	-	4	-	-	3	2	-	-	-	-	1	2	2	1	1	2	-	6	50
16	10	10	1	1	-	1	3	1	-	-	1	-	-	2	2	2	2	2	1	14	51
37	5	16	2	1	-	3	4	-	1	-	-	-	-	3	8	1	4	5	-	15	52
31	2	4	2	4	-	5	3	1	-	1	-	-	1	5	3	3	3	-	-	8	53
4	3	5	-	2	-	1	1	-	-	-	-	-	1	4	1	5	4	-	-	4	54
14	6	5	2	1	-	2	3	-	-	-	-	-	1	2	2	3	5	-	-	5	55
10	1	-	-	2	1	1	1	-	-	-	1	-	-	3	-	-	-	-	-	4	56
16	1	8	-	3	2	-	2	-	-	1	-	-	1	1	1	1	3	1	-	2	57
13	1	5	-	2	2	1	4	-	1	-	-	-	-	7	1	4	5	2	-	3	58
3	-	3	-	3	1	-	1	-	-	-	-	1	-	3	4	1	-	-	-	3	59
13	4	7	2	4	1	-	1	2	-	-	1	-	-	-	-	2	1	1	-	4	60
163	21	20	3	13	7	9	18	3	1	4	1	-	11	29	4	19	20	7	-	40	61
124	17	15	2	11	6	6	14	2	1	3	1	-	9	27	3	12	13	6	-	31	62
39	4	5	1	2	1	3	4	1	-	1	-	-	2	2	1	7	7	1	-	9	63
13	9	5	-	2	-	3	5	-	-	-	-	-	1	3	1	1	2	2	-	3	64
53	9	9	2	7	2	2	12	-	-	2	-	1	12	25	5	13	25	4	-	34	65
44	8	5	2	6	2	2	8	-	-	2	-	-	8	19	5	8	16	4	-	28	66
9	1	4	-	1	-	-	4	-	-	-	-	1	4	6	-	5	9	-	-	6	67
12	4	4	-	2	-	-	-	-	-	2	-	1	1	1	-	3	-	1	-	1	68
5	1	7	-	1	-	-	3	-	-	-	-	-	1	2	1	2	6	-	-	5	69
33	4	14	1	5	1	2	14	-	1	2	-	-	4	7	5	5	5	1	1	14	70
12	4	3	-	1	-	-	1	-	-	-	-	-	1	1	-	3	2	1	-	5	71
7	-	1	-	3	-	1	7	-	2	-	-	-	-	4	4	3	3	-	1	9	72
20	3	15	1	13	-	2	3	-	-	-	-	-	1	3	2	3	6	2	-	12	73
8	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	74
4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	75
6	2	1	1	1	-	-	6	-	1	-	-	-	1	6	12	5	1	-	-	2	76
22	2	1	-	-	-	-	1	-	-	1	-	-	5	1	1	4	1	2	-	3	77
31	2	8	1	5	-	-	3	1	-	-	-	-	3	-	-	5	6	2	-	6	78
23	4	7	3	2	-	1	2	-	-	1	-	-	2	3	-	4	11	2	-	4	79
11	1	3	1	1	-	1	2	-	-	1	-	-	1	4	2	-	4	1	-	2	80
-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	4	-	1	-	81
41	5	8	1	-	-	-	8	-	-	1	2	-	2	4	-	3	6	2	-	9	82
4	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	83
5,012	1,891	2,033	310	418	175	441	1,316	135	149	187	77	72	404	1,360	1,931	637	1,105	227	263	1,896	84
2,146	804	844	138	177	82	142	456	63	51	98	30	28	183	663	1,023	316	440	88	149	855	85
2,866	1,087	1,189	172	241	93	299	860	72	98	89	47	44	221	697	908	521	665	139	114	1,041	86
51	12	15	1	5	2	1	14	1	-	3	1	-	14	23	15	18	19	5	3	16	87
47	9	16	4	3	1	3	9	-	1	2	-	-	3	9	3	7	10	2	2	21	88

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Benton	106	5	-	-	-	6	4	-	2	1	68	67	18	-	45	3
2	Bledsoe	59	2	-	-	1	6	3	1	2	-	24	23	6	-	16	2
3	Blount	343	7	1	-	2	45	12	2	31	3	188	181	54	-	109	4
4	Bradley	291	12	-	-	6	37	15	4	18	3	147	145	30	-	104	1
5	Cleveland	169	7	-	-	4	18	10	2	6	2	87	86	23	-	58	1
6	Balance of county	122	5	-	-	2	19	5	2	12	1	60	59	7	-	46	-
7	Campbell	242	2	-	-	2	24	8	2	14	1	97	92	27	3	56	-
8	Cannon	65	2	-	-	-	10	3	1	6	-	33	32	4	-	27	-
9	Carroll	258	5	1	1	2	31	13	2	16	4	135	129	42	-	67	-
10	Carter	260	3	-	-	7	33	8	2	23	4	114	107	35	-	67	5
11	Elizabethton	81	1	-	-	1	15	4	1	10	2	38	38	15	-	22	3
12	Balance of county	179	2	-	-	6	18	4	1	13	2	76	69	20	-	45	2
13	Cheatham	79	3	1	-	-	9	2	1	6	2	45	45	14	-	29	2
14	Chester	80	-	-	-	-	8	1	1	6	5	39	39	9	-	20	-
15	Claiborne	191	8	-	-	1	21	7	1	13	2	86	78	10	-	58	1
16	Clay	53	5	-	-	1	2	1	-	1	-	25	24	2	-	21	1
17	Cocke	195	2	-	-	-	21	9	2	10	-	96	89	27	-	51	3
18	Coffee	213	10	1	-	1	32	10	3	19	1	96	92	34	-	55	6
19	Crockett	137	3	-	-	1	11	6	-	5	2	90	82	29	-	50	1
20	Cumberland	114	2	-	-	2	20	12	-	8	2	52	50	20	-	29	-
21	Davidson	3,104	74	10	1	19	434	127	41	266	35	1,446	1,405	407	5	899	29
22	Nashville	2,488	60	10	1	16	317	93	36	188	26	1,149	1,111	321	4	715	23
23	Balance of county	616	14	-	-	3	117	34	5	78	9	297	294	86	1	184	6
24	Decatur	82	1	-	-	1	17	5	2	10	-	39	36	17	-	18	2
25	De Kalb	94	2	-	-	2	12	3	-	9	-	55	55	6	-	49	1
26	Dickson	181	2	1	-	2	28	10	1	17	1	91	85	23	-	57	2
27	Dyer	320	10	-	-	4	42	12	3	27	2	165	156	40	-	115	2
28	Dyersburg	150	5	-	-	2	16	5	1	10	1	86	82	21	-	60	1
29	Balance of county	170	5	-	-	2	26	7	2	17	1	79	74	19	-	55	1
30	Fayette	217	3	-	-	1	16	6	-	10	1	101	96	33	-	58	5
31	Fentress	92	3	-	-	4	13	3	2	8	-	38	36	13	2	19	2
32	Franklin	233	3	-	-	2	37	13	7	17	1	116	115	39	-	75	-
33	Gibson	479	12	1	-	9	60	20	5	35	2	250	244	70	-	159	3
34	Giles	275	11	1	-	-	28	9	5	14	3	150	143	39	-	93	1
35	Grainger	116	5	-	-	1	11	5	2	4	-	61	58	16	-	41	1
36	Greene	349	13	-	-	1	46	12	7	27	8	178	177	43	-	124	3
37	Grundy	100	3	-	-	1	11	3	1	7	2	54	54	13	-	37	-
38	Hamblen	206	5	-	-	-	15	4	2	9	2	109	104	22	-	76	4
39	Morristown	103	3	-	-	-	6	2	-	4	1	57	53	13	-	38	1
40	Balance of county	103	2	-	-	-	9	2	2	5	1	52	51	9	-	38	3
41	Hamilton	2,033	68	5	-	16	256	84	32	140	25	913	888	214	3	597	18
42	Chattanooga	1,561	54	5	-	14	188	60	20	108	19	685	663	165	2	439	14
43	Balance of county	472	14	-	-	2	68	24	12	32	6	228	225	49	1	158	4
44	Hancock	97	3	-	-	-	8	2	1	5	2	44	43	10	-	26	-
45	Hardeman	203	5	2	-	1	30	12	4	14	-	97	94	21	-	58	2
46	Hardin	141	1	2	-	1	17	5	1	11	1	74	72	17	-	52	2
47	Hawkins	242	9	-	-	4	27	7	1	19	-	130	117	33	-	78	3
48	Haywood	266	5	-	-	3	25	5	5	15	2	102	93	38	-	48	-
49	Henderson	150	1	-	-	2	19	7	1	11	2	83	81	30	-	44	-
50	Henry	251	4	1	-	2	36	11	2	23	2	138	137	33	-	96	6
51	Hickman	114	3	-	-	2	13	4	-	9	1	56	54	19	-	33	-
52	Houston	47	2	-	-	2	2	1	-	1	-	23	21	4	-	17	2
53	Humphreys	101	5	-	1	-	9	2	1	6	-	60	60	12	-	44	-
54	Jackson	95	-	-	-	-	9	2	1	6	2	57	56	20	-	32	3
55	Jefferson	166	3	1	-	-	23	3	1	19	2	82	75	30	-	44	2
56	Johnson	83	-	-	1	2	12	5	1	6	-	40	35	13	-	17	-
57	Knox	1,889	38	5	2	8	242	73	30	139	24	1,002	976	238	2	663	19
58	Knoxville	1,215	24	3	1	4	158	39	21	98	14	658	640	157	2	431	15
59	Balance of county	674	14	2	1	4	84	34	9	41	10	344	336	81	-	232	4
60	Lake	93	-	-	-	-	11	-	3	8	1	41	40	11	1	27	-
61	Lauderdale	234	4	2	-	1	36	14	6	16	4	113	105	23	1	74	1
62	Lawrence	204	6	-	-	2	29	8	3	18	1	101	97	28	1	60	-
63	Lewis	47	3	-	-	-	5	3	-	2	-	21	20	5	-	15	1
64	Lincoln	231	5	-	2	-	20	7	5	8	3	123	122	34	-	85	1
65	Loudon	204	5	1	-	2	32	11	3	18	2	84	81	22	-	54	2
66	McMinn	285	10	1	1	1	36	12	2	22	2	128	125	33	-	91	5
67	McNairy	169	3	1	-	2	14	3	2	9	-	80	77	28	1	41	1
68	Macon	121	7	-	-	-	20	5	1	14	-	62	62	15	-	43	1
69	Madison	591	9	2	-	11	62	27	6	29	3	307	296	91	1	183	2
70	Jackson	362	6	2	-	5	37	18	5	14	2	212	205	68	-	125	2
71	Balance of county	229	3	-	-	6	25	9	1	15	1	95	91	23	1	58	-
72	Marion	169	3	-	-	3	20	9	1	10	2	84	84	20	-	61	3
73	Marshall	189	5	-	1	1	24	9	3	12	3	112	110	19	-	85	1
74	Maury	424	12	1	-	4	46	13	6	27	2	238	232	60	1	154	3
75	Columbia	170	2	-	-	1	24	4	3	17	-	99	95	27	-	60	-
76	Balance of county	254	10	1	-	3	22	9	3	10	2	139	137	33	1	94	3
77	Meigs	42	1	-	-	-	6	-	-	6	-	17	17	5	-	11	-
78	Monroe	187	5	-	-	2	24	9	2	13	1	74	70	23	-	45	-
79	Montgomery	390	9	2	-	1	42	12	6	24	-	184	174	48	-	114	3
80	Clarksville	192	3	1	-	1	22	4	4	14	-	89	84	20	-	58	1
81	Balance of county	198	6	1	-	-	20	8	2	10	-	95	90	28	-	56	2
82	Moore	28	1	-	-	-	2	1	-	1	1	11	11	2	-	6	-
83	Morgan	98	3	-	-	1	7	5	-	2	-	55	55	16	-	33	2
84	Obion	300	3	2	-	4	34	9	6	19	3	191	186	52	1	128	2
85	Overton	146	4	-	-	2	28	8	-	20	5	63	59	12	-	47	1
86	Perry	65	1	-	-	1	9	4	-	5	2	29	28	6	-	22	2
87	Pickett	38	3	-	-	-	9	3	-	6	-	15	14	1	-	12	1
88	Polk	118	4	1	-	3	18	6	-	12	-	55	53	16	-	36	1
89	Putnam	229	5	-	-	1	34	11	5	18	2	99	94	22	-	63	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
11	17	14	2	2	-	1	4	-	1	1	-	-	1	2	2	4	-	-	-	11	1
11	1	2	-	1	-	1	1	1	-	-	-	1	-	4	3	3	5	1	1	6	2
64	24	17	7	10	1	7	11	1	1	5	-	-	7	16	11	4	10	-	3	28	3
69	25	9	1	9	1	2	10	1	6	1	-	1	2	13	12	18	5	3	-	14	4
37	14	6	-	4	1	1	5	1	6	-	-	1	1	8	5	12	2	2	-	8	5
32	11	3	1	5	-	1	5	-	-	1	-	-	1	5	7	6	3	1	-	6	6
31	14	11	-	5	1	5	20	3	5	4	-	1	12	15	24	4	12	1	4	11	7
20	6	1	-	1	-	1	1	-	1	-	1	-	-	-	4	3	3	-	1	6	8
32	11	24	13	7	-	6	15	2	2	-	-	-	4	9	16	5	12	3	3	8	9
44	9	9	2	3	-	7	16	2	2	-	2	1	4	15	19	14	7	2	-	15	10
16	2	1	-	1	-	-	6	-	-	-	1	1	1	5	-	4	3	-	-	3	11
28	7	8	2	2	-	7	10	2	2	-	1	-	3	10	19	10	4	2	-	12	12
12	4	11	-	2	-	-	2	-	-	1	-	1	2	1	2	2	4	1	-	3	13
11	6	3	2	7	1	-	9	-	-	-	1	-	-	1	6	-	3	1	1	6	14
34	5	18	1	7	2	8	14	1	1	1	-	2	1	3	24	8	9	1	1	7	15
6	9	5	1	-	-	1	7	-	-	-	-	1	-	1	-	2	4	1	1	3	16
16	16	16	2	7	2	7	6	-	-	1	-	-	3	9	17	16	9	1	-	14	17
37	4	8	-	2	1	4	11	3	1	4	1	-	3	9	5	7	12	2	-	14	18
27	8	14	1	2	-	8	9	-	-	1	-	1	1	6	1	1	2	1	-	7	19
20	6	3	-	-	1	2	3	2	2	-	2	-	2	4	11	3	3	-	-	4	20
515	168	187	28	47	19	41	121	14	11	15	10	10	29	154	204	89	103	29	55	241	21
390	140	162	22	34	15	38	99	12	9	15	9	4	22	139	172	70	86	21	50	201	22
125	28	25	6	13	4	3	22	2	2	-	1	6	7	15	32	19	17	8	5	40	23
11	4	1	1	-	-	3	5	1	-	-	-	-	-	2	8	1	4	-	-	3	24
19	8	21	-	-	-	-	4	2	-	-	-	-	2	1	1	3	5	2	-	3	25
25	12	18	2	-	3	6	6	-	-	1	-	-	4	8	7	2	9	3	2	14	26
60	28	25	-	1	-	9	9	2	1	1	1	3	2	18	14	14	14	1	1	16	27
31	13	15	-	1	-	4	6	1	-	1	-	2	1	8	3	8	1	1	1	7	28
29	15	10	-	-	-	5	3	1	1	-	1	1	1	10	11	6	13	-	-	9	29
23	8	22	2	3	-	5	19	1	1	-	-	2	3	8	40	4	6	1	2	8	30
9	5	3	-	1	1	2	4	-	1	-	-	1	-	8	5	4	3	-	1	7	31
45	16	14	-	1	-	1	11	1	2	3	-	-	3	15	6	4	7	2	2	18	32
86	35	35	7	7	1	6	21	2	2	2	2	1	3	29	15	21	24	4	2	17	33
46	17	29	1	7	3	7	17	1	-	2	3	-	3	4	13	9	10	1	1	18	34
13	12	15	-	1	-	3	9	-	1	-	-	-	1	1	7	2	4	1	-	12	35
71	30	20	3	6	1	1	18	3	1	1	2	1	3	11	25	7	10	3	1	17	36
31	4	2	1	2	1	-	2	1	1	1	-	-	1	1	4	4	7	1	1	5	37
45	15	12	3	3	-	5	12	2	1	-	-	-	4	9	14	13	3	3	1	13	38
25	9	3	2	-	-	4	5	1	1	-	-	-	2	5	6	5	-	2	-	9	39
20	6	9	1	3	-	1	7	1	-	-	-	-	2	4	8	8	3	1	1	4	40
399	96	84	18	35	21	25	89	10	10	18	2	3	33	114	150	52	86	14	34	135	41
280	81	64	16	26	15	22	67	9	6	15	2	3	28	87	131	34	65	11	28	110	42
119	15	20	2	9	6	3	22	1	4	3	-	-	5	27	19	18	21	3	6	25	43
17	2	7	3	2	2	1	6	-	-	1	-	-	2	6	15	2	2	-	-	6	44
33	12	11	3	10	2	3	8	3	3	-	3	1	-	9	16	6	5	2	-	12	45
32	10	8	3	-	-	2	3	-	-	-	-	-	2	2	14	4	3	6	2	9	46
44	12	19	-	3	3	13	13	2	1	-	1	-	3	13	11	6	6	1	-	15	47
17	26	5	6	1	-	9	30	1	3	1	2	2	2	7	47	4	12	2	3	13	48
19	13	12	4	3	-	2	5	1	-	-	-	-	3	8	11	4	3	-	2	6	49
51	17	22	4	3	1	1	12	1	1	-	1	-	2	5	9	3	14	2	3	15	50
15	4	14	-	2	-	2	1	3	-	1	-	1	-	6	6	4	3	5	2	7	51
3	5	7	-	-	-	2	4	1	1	-	-	-	-	1	2	-	3	-	1	5	52
21	18	5	3	1	-	-	4	-	-	-	-	-	1	2	1	4	2	2	2	8	53
18	9	2	2	1	1	1	6	-	1	1	-	-	1	4	5	2	3	-	1	5	54
18	7	17	-	1	-	7	13	-	-	-	-	-	2	1	10	5	12	1	-	11	55
6	1	10	-	2	3	5	5	-	-	2	1	-	-	2	7	3	1	-	-	7	56
342	111	191	23	34	16	26	57	13	3	21	5	4	27	77	112	51	60	17	19	102	57
222	70	124	16	23	11	18	40	9	2	12	3	3	11	44	74	27	41	8	15	64	58
120	41	67	7	11	5	8	17	4	1	9	2	1	16	33	38	24	19	9	4	38	59
11	9	7	1	-	-	1	4	1	3	1	-	-	1	7	2	8	6	-	1	6	60
40	22	11	2	2	3	8	17	1	1	3	1	1	1	10	4	11	10	1	2	11	61
32	11	17	3	4	1	4	9	-	2	1	-	1	1	11	11	7	4	-	2	16	62
5	4	5	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	13	63
35	11	38	1	1	1	1	7	-	2	1	1	1	5	12	13	8	5	4	2	18	64
27	15	10	2	2	1	3	14	1	3	1	1	1	3	12	13	2	9	3	1	14	65
46	25	15	-	1	-	3	16	-	2	5	1	-	4	8	10	19	14	2	2	23	66
25	3	12	3	3	1	3	6	-	1	2	-	1	-	7	24	8	6	-	1	13	67
23	11	8	1	2	1	-	3	-	-	1	-	-	-	5	8	1	6	-	1	7	68
103	50	28	9	7	5	11	22	1	4	4	2	1	8	17	59	12	25	2	5	35	69
74	35	14	5	3	4	7	10	-	2	2	2	-	5	10	24	7	12	1	2	21	70
29	15	14	4	4	1	4	12	1	2	2	-	1	3	7	35	5	13	1	3	14	71
38	13	7	1	1	1	-	7	-	3	-	-	-	1	6	8	6	13	1	2	10	72
49	12	23	4	2	-	2	12	-	1	-	1	2	2	6	-	1	5	1	3	9	73
68	45	38	9	5	3	6	29	2	1	1	-	-	6	16	11	13	19	4	2	17	74
32	17	11	2	5	1	4	12	1	-	-	-	-	1	9	6	4	4	2	2	3	75
36	28	27	7	-	2	2	17	1	1	1	-	-	5	7	5	9	15	2	-	14	76
4	4	3	-	-	1	-	1	2	-	-	1	-	-	1	4	1	6	-	-	2	77
26	15	4	2	-	-	4	21	-	-	-	1	-	2	12	3	6	11	2	3	20	78
60	10	41	2	7	3	10	17	-	1	-	1	3	8	26	20	14	25	4	9	24	79
32	6	19	1	3	2	5	6	-	-	-	1	2	3	16	6	5	18	2	6	11	80
28	4	22	1	4	1	5	11	-	1	-	-	1	5	10	14	9	7	2	3	13	81
3	2	1	-	2	1	-	1	-	-	-	-	-	-	3	2	-	-	-	-	7	82
19	3	9	2	4	-	-	5	-	1	3	-	-	1	4	1	5	7	-	-	5	83
78	27	21	1	3	1	5	11	-	-	2	1	-	3	13	2	5	14	2	-	10	84
23	12	11	-	-	-	4	5	-	-	1	-	-	1	9	5	9	1	2	-	11	85
11	5	4	-	-	-	1	5	-	-	-	-	1	1	4	1	2	2	-	-	7	86
8	1	2	1	-	-	1	3	-	-	-	-	-	-	-	1	2	-	-	-	5	87
22	9	4	1	-	-	2	3	1	1	2	-	-	3	4	5	2	5	2	-	9	88
33	10	15	3	4	2	5	13	1	2	2	-	-	7	4	15	20	7	1	1	15	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Rhea	172	4	-	-	1	17	5	1	11	1	81	76	18	1	52	-
2	Roane	289	4	-	2	-	32	9	1	22	2	143	138	27	1	100	9
3	Robertson	261	6	1	-	2	37	13	4	20	5	134	129	27	-	94	2
4	Rutherford	354	6	2	-	3	35	11	3	21	2	202	198	62	-	126	2
5	Murfreesboro	141	2	-	-	1	11	-	1	10	-	91	89	26	-	59	1
6	Balance of county	213	4	2	-	2	24	11	2	11	2	111	109	36	-	67	1
7	Scott	119	4	-	-	1	11	4	1	6	-	55	54	16	1	35	-
8	Sequatchie	45	4	-	-	1	11	7	-	4	-	16	15	6	-	9	-
9	Sevier	178	6	-	-	3	16	7	1	8	3	83	82	19	-	59	4
10	Shelby	4,984	86	32	-	24	645	214	64	367	66	2,320	2,278	571	5	1,572	54
11	Memphis	4,393	78	30	-	21	581	199	60	322	63	2,062	2,024	489	5	1,414	48
12	Balance of county	591	8	2	-	3	64	15	4	45	3	258	254	82	-	158	6
13	Smith	146	6	-	-	1	21	9	1	11	3	84	83	25	-	52	1
14	Stewart	89	2	-	-	-	15	7	2	6	-	39	37	17	-	16	-
15	Sullivan	620	13	2	1	3	96	29	18	49	6	272	261	53	3	174	6
16	Bristol[5]	145	1	1	-	1	21	8	1	12	4	76	73	10	-	56	1
17	Kingsport	164	5	-	-	-	25	10	4	11	2	68	63	21	-	34	1
18	Balance of county	311	7	1	1	2	50	11	13	26	-	128	125	22	3	84	4
19	Sumner	322	9	1	1	2	42	14	3	25	4	182	177	53	-	107	3
20	Tipton	279	6	-	-	2	35	13	3	19	3	118	115	35	1	75	3
21	Trousdale	40	1	-	-	-	3	-	1	2	1	23	23	2	-	20	-
22	Unicoi	95	3	-	-	1	15	4	1	10	1	48	47	15	-	25	2
23	Union	53	1	-	-	-	6	3	1	2	-	30	27	6	-	19	2
24	Van Buren	31	-	-	-	-	1	-	-	1	-	15	15	2	-	12	-
25	Warren	222	4	-	1	1	34	11	5	18	1	101	101	30	-	70	1
26	Washington	497	10	2	2	7	61	16	6	39	4	250	239	64	3	156	13
27	Johnson City	262	5	1	-	2	33	9	4	20	4	132	128	32	1	87	6
28	Balance of county	235	5	1	2	5	28	7	2	19	-	118	111	32	2	69	7
29	Wayne	88	4	-	-	2	9	4	-	5	2	40	39	10	-	29	1
30	Weakley	241	3	1	-	-	35	13	2	20	2	144	137	29	1	97	3
31	White	127	2	2	-	-	11	5	-	6	1	62	61	18	1	39	1
32	Williamson	224	4	1	-	-	35	14	2	19	2	105	102	26	-	73	1
33	Wilson	281	7	2	1	1	26	5	3	18	2	167	166	54	-	102	3
34	TEXAS	66,271	1,039	298	57	722	8,826	2,749	1,098	4,979	852	30,256	29,253	6,937	54	20,220	453
35	Metropolitan counties	30,583	520	150	31	221	4,243	1,293	591	2,359	408	13,884	13,486	3,102	31	9,402	227
36	Nonmetropolitan counties	35,688	519	148	26	501	4,583	1,456	507	2,620	444	16,372	15,767	3,835	23	10,818	226
37	Anderson	336	-	3	1	3	50	19	3	28	6	177	162	41	1	114	7
38	Palestine	174	-	1	1	1	26	8	2	16	6	92	83	22	1	59	1
39	Balance of county	162	-	2	-	2	24	11	1	12	-	85	79	19	-	55	6
40	Andrews	19	1	-	-	-	3	-	1	2	-	4	4	-	-	4	-
41	Angelina	290	2	2	-	3	51	13	4	34	3	153	151	26	-	111	1
42	Lufkin	149	2	1	-	2	23	7	2	14	1	77	76	14	-	51	1
43	Balance of county	141	-	1	-	1	28	6	2	20	2	76	75	12	-	60	-
44	Aransas	47	3	-	-	-	10	4	2	4	-	20	19	3	-	14	1
45	Archer	49	-	-	-	-	5	1	-	4	1	16	15	8	-	6	-
46	Armstrong	18	-	-	-	1	3	1	-	2	-	12	11	3	-	7	-
47	Atascosa	171	2	-	-	3	15	7	1	7	3	76	76	18	-	57	-
48	Austin	170	3	1	-	-	25	9	1	15	1	95	93	33	-	59	-
49	Bailey	41	-	-	-	-	5	3	1	1	-	21	21	6	-	15	-
50	Bandera	44	1	-	1	-	6	2	2	2	3	16	16	4	-	9	-
51	Bastrop	210	8	3	-	-	36	9	4	23	2	96	93	23	-	66	3
52	Baylor	60	2	1	-	-	7	2	1	4	-	35	34	10	-	23	-
53	Bee	186	6	-	-	7	13	4	1	8	1	74	73	27	-	41	2
54	Bell	506	10	1	-	4	65	22	5	38	11	217	212	52	1	144	3
55	Temple	242	5	1	-	3	31	12	2	17	6	107	103	18	1	76	2
56	Balance of county	264	5	-	-	1	34	10	3	21	5	110	109	34	-	68	1
57	Bexar	4,297	109	23	6	23	608	196	65	347	76	1,878	1,803	419	3	1,254	24
58	San Antonio	3,912	109	22	2	21	569	187	63	319	68	1,719	1,650	385	2	1,148	23
59	Balance of county	385	-	1	4	2	39	9	2	28	8	159	153	34	1	106	1
60	Blanco	42	-	-	-	-	12	5	2	5	1	16	16	5	-	7	-
61	Borden	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
62	Bosque	127	-	1	-	2	16	4	4	8	1	70	67	18	-	45	1
63	Bowie	516	9	1	-	3	89	34	3	52	5	252	241	56	1	167	2
64	Texarkana[6]	252	4	1	-	2	40	17	1	22	-	133	126	25	1	93	2
65	Balance of county	264	5	-	-	1	49	17	2	30	5	119	115	31	-	74	-
66	Brazoria	365	5	2	1	4	56	14	7	35	3	159	155	42	-	104	2
67	Brazos	319	1	-	1	5	19	5	5	9	4	149	140	34	1	100	1
68	Bryan	195	1	-	1	3	11	2	3	6	2	91	87	22	-	62	1
69	Balance of county	124	-	-	-	2	8	3	2	3	2	58	53	12	1	38	-
70	Brewster	59	1	1	-	2	7	-	2	5	2	23	23	6	-	16	-
71	Briscoe	27	-	-	-	1	2	2	-	-	1	8	7	-	-	6	-
72	Brooks	53	2	-	-	1	10	4	-	6	1	18	17	5	-	12	-
73	Brown	276	1	1	-	2	30	7	6	17	3	152	146	30	-	105	3
74	Brownwood	187	1	-	-	2	22	4	3	15	2	101	95	20	-	65	2
75	Balance of county	89	-	1	-	-	8	3	3	2	1	51	51	10	-	40	1
76	Burleson	135	1	1	-	2	13	3	2	8	1	69	64	15	-	47	-
77	Burnet	84	1	-	-	1	13	4	2	7	-	48	48	22	-	24	-
78	Caldwell	197	5	3	-	3	17	5	4	8	4	80	71	10	-	57	3
79	Calhoun	77	1	-	-	-	14	3	4	7	1	25	24	3	-	18	-
80	Callahan	85	-	-	-	-	15	4	3	8	1	46	45	13	-	26	2
81	Cameron	1,142	39	1	3	56	86	28	6	52	6	299	291	71	1	195	4
82	Brownsville	355	10	1	-	5	26	7	3	16	2	110	106	27	1	70	1
83	Harlingen	220	5	-	1	8	23	8	1	14	-	56	56	15	-	36	-
84	San Benito	104	7	-	-	7	11	2	1	8	1	35	34	10	-	20	1
85	Balance of county	463	17	-	2	36	26	11	1	14	3	98	95	19	-	69	2

[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	8	29	-	4	1	5	7	-	2	2	1	2	3	10	8	7	13	-	1	12	1
49	17	25	5	2	3	5	15	-	2	1	1	-	8	24	10	9	13	2	3	20	2
58	5	29	4	2	2	5	14	2	1	2	2	-	3	8	5	10	8	6	-	15	3
82	25	17	2	5	3	4	14	1	-	-	-	-	3	22	10	12	15	3	4	20	4
38	11	9	1	1	2	2	3	-	-	-	-	-	1	8	3	7	5	1	1	7	5
44	14	8	1	4	1	2	11	1	-	-	-	-	2	14	7	5	10	2	3	13	6
23	7	5	2	-	-	1	9	2	3	1	1	-	3	5	4	2	5	-	3	10	7
5	2	2	-	-	-	1	5	-	-	-	-	-	-	-	3	1	2	-	1	1	8
30	16	9	2	1	1	1	11	1	-	1	1	2	1	12	11	4	7	4	-	12	9
775	393	350	61	46	23	42	164	24	26	36	12	11	75	279	531	102	162	23	35	333	10
701	358	307	55	41	20	38	140	23	18	34	10	10	63	242	446	86	139	22	29	296	11
74	35	43	6	5	3	4	24	1	8	2	2	1	10	37	85	16	23	1	6	37	12
25	6	20	1	4	1	1	6	-	-	-	-	-	2	3	3	1	5	-	-	11	13
5	3	8	3	-	1	2	10	2	1	1	-	-	-	2	7	1	3	-	-	6	14
115	30	23	10	12	9	11	34	4	4	-	1	1	14	36	18	16	36	4	5	54	15
40	11	4	3	2	2	3	9	1	1	-	-	-	1	3	-	2	8	2	1	13	16
22	5	6	2	4	2	5	10	-	2	-	-	-	7	15	3	2	10	2	2	11	17
53	14	13	5	6	5	3	15	3	1	-	1	1	6	18	15	12	18	-	2	30	18
66	25	13	6	8	3	5	16	2	-	-	1	-	2	13	8	12	4	4	-	19	19
46	15	11	-	3	1	3	13	-	2	3	-	1	6	19	31	7	11	1	2	19	20
10	10	-	-	1	-	-	1	-	-	-	-	-	-	2	4	-	1	-	-	4	21
19	-	4	3	3	1	1	2	1	1	1	-	-	4	3	-	1	3	2	2	7	22
9	2	6	1	1	-	3	1	-	1	-	-	-	1	4	4	1	3	-	-	1	23
5	4	3	1	-	-	-	3	-	-	-	-	-	2	4	4	-	-	-	-	2	24
33	9	27	-	1	-	-	9	-	-	1	-	-	3	6	32	6	5	4	-	14	25
96	22	25	4	6	6	11	31	1	2	7	1	2	14	16	12	8	23	1	6	37	26
62	9	10	1	3	4	4	11	-	1	3	1	2	8	12	5	5	9	1	3	24	27
34	13	15	3	3	2	7	20	1	1	4	-	-	6	4	7	3	14	-	3	13	28
10	7	11	-	-	-	1	10	-	-	-	-	-	1	3	8	1	1	-	-	7	29
58	21	15	2	6	2	7	9	-	1	1	-	1	2	3	7	9	7	2	-	14	30
20	11	7	-	3	-	1	6	-	2	-	2	-	2	11	6	3	6	2	-	9	31
47	7	18	-	2	1	3	12	1	4	3	-	1	-	8	12	6	8	7	1	14	32
45	26	28	1	8	1	1	8	2	2	-	2	-	5	6	17	6	11	3	5	8	33
13,104	2,710	3,953	559	1,050	433	1,003	2,906	279	1,162	561	155	205	1,049	4,195	2,020	2,471	3,057	715	755	4,691	34
6,503	1,208	1,464	255	470	226	398	1,181	139	399	334	51	87	615	2,301	547	1,092	1,399	354	472	2,155	35
6,601	1,502	2,489	304	580	207	605	1,725	140	763	227	104	118	434	1,894	1,473	1,379	1,658	361	283	2,536	36
59	16	32	1	2	3	15	16	1	2	-	4	2	3	5	18	4	13	2	1	25	37
36	8	14	1	-	-	9	7	-	1	-	2	1	2	2	8	1	7	1	1	14	38
23	8	18	-	2	3	6	9	1	1	-	2	1	1	3	10	3	6	1	-	11	39
4	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	1	1	1	2	40
54	26	30	6	8	-	2	6	2	1	1	3	1	3	15	9	12	7	2	1	13	41
28	8	14	6	5	-	1	3	2	1	-	1	1	2	10	6	6	2	1	1	7	42
26	18	16	-	3	-	1	3	-	-	1	2	-	1	5	3	6	5	1	-	6	43
12	1	-	1	-	1	1	2	-	1	-	-	1	-	3	3	2	2	-	-	-	44
4	2	-	1	-	-	1	7	-	-	-	-	-	3	1	2	3	4	1	1	5	45
4	-	3	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	46
34	2	21	-	1	-	-	7	1	5	-	-	1	4	13	10	5	7	2	2	15	47
28	9	22	-	-	1	2	9	-	3	-	-	-	1	4	4	2	7	3	-	12	48
14	-	1	-	-	-	-	-	1	-	1	-	-	-	5	-	2	1	1	-	4	49
9	-	-	1	2	-	-	1	-	-	1	-	-	-	1	3	3	3	1	-	4	50
39	16	8	1	2	1	3	13	-	3	2	2	-	1	5	7	5	6	3	2	16	51
13	5	5	-	-	1	1	1	-	-	-	1	-	1	4	1	4	1	-	-	2	52
27	1	11	1	1	3	1	20	-	5	1	-	-	3	10	15	6	7	3	2	13	53
103	13	25	5	8	2	5	11	4	7	3	-	1	7	35	34	27	24	6	3	36	54
57	10	7	2	4	2	4	4	3	5	2	-	-	4	11	20	11	11	2	2	14	55
46	3	18	3	4	-	1	7	1	2	1	-	1	3	24	14	16	13	4	1	22	56
833	173	224	28	67	32	75	222	25	121	43	8	16	98	373	44	128	139	43	46	268	57
757	163	205	26	61	28	69	206	22	114	40	8	13	89	323	40	105	119	38	44	241	58
76	10	19	2	6	4	6	16	3	7	3	-	3	9	50	4	23	20	5	2	27	59
3	-	4	-	3	1	-	3	-	-	-	-	1	-	1	1	5	1	-	-	1	60
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	61
35	3	6	1	2	1	3	7	2	1	1	-	1	-	6	3	2	7	3	-	4	62
80	39	46	5	8	4	11	16	4	7	4	-	-	3	17	12	24	19	6	7	38	63
51	20	20	3	4	-	7	5	2	4	2	-	-	1	9	6	7	10	2	3	21	64
29	19	26	2	4	4	4	11	2	3	2	-	-	2	8	6	17	9	4	4	17	65
62	18	22	4	4	1	4	10	1	3	3	-	-	7	30	18	15	21	6	3	18	66
44	26	29	3	-	2	9	17	-	6	2	5	1	7	26	23	8	17	1	5	22	67
32	14	15	1	-	2	4	12	-	4	1	3	1	5	17	12	5	11	1	2	12	68
12	12	14	2	-	-	5	5	-	2	1	2	-	2	9	11	3	6	-	3	10	69
10	2	4	-	1	-	-	2	-	-	-	-	1	-	4	-	2	4	2	1	7	70
4	-	2	1	-	-	1	2	-	-	-	1	-	1	3	-	1	1	-	-	6	71
11	1	-	-	-	-	1	2	-	2	-	-	-	2	-	-	5	8	-	-	2	72
66	11	25	5	6	-	6	12	1	4	3	-	-	3	5	13	3	14	3	1	25	73
42	9	12	5	5	-	6	8	1	2	3	-	-	1	3	10	2	9	2	1	17	74
24	2	13	-	1	-	-	4	-	2	-	-	-	2	2	3	1	5	1	-	8	75
14	24	9	-	1	1	5	7	-	2	1	1	-	2	7	14	2	3	-	3	6	76
18	3	3	-	2	-	-	3	-	1	1	-	-	-	2	3	3	2	1	-	5	77
27	7	20	-	2	2	9	18	1	9	-	2	1	-	13	6	7	8	1	3	16	78
13	1	4	-	3	-	1	1	-	6	2	1	-	1	5	-	9	3	2	-	6	79
16	2	6	2	4	-	1	-	1	-	-	-	-	-	-	2	5	7	2	-	6	80
119	21	51	3	17	4	8	88	4	99	7	3	10	19	113	113	30	70	13	16	67	81
53	8	8	1	5	2	4	36	-	29	4	1	3	4	35	40	4	14	5	5	21	82
19	4	13	-	5	-	-	14	2	19	1	-	-	5	28	16	5	9	2	5	21	83
9	-	10	2	1	1	1	9	-	10	-	-	2	2	3	3	2	6	2	-	4	84
38	9	20	-	6	1	3	29	2	41	2	2	5	8	47	54	19	41	4	6	21	85

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Camp	104	1	1	-	1	15	7	-	8	3	52	49	13	-	29	3
2	Carson	43	-	-	-	1	6	1	-	5	2	15	15	-	-	11	-
3	Cass	253	5	1	-	-	38	15	5	18	6	111	104	30	1	87	2
4	Castro	27	-	-	-	-	1	-	-	1	-	18	18	2	-	16	2
5	Chambers	78	-	2	-	1	12	1	1	10	-	35	33	6	-	25	-
6	Cherokee	310	-	3	-	3	41	15	5	21	8	156	151	55	-	85	1
7	Childress	88	-	-	-	-	9	2	2	5	2	44	43	10	-	33	-
8	Clay	97	2	-	-	-	7	2	2	3	1	73	72	22	-	40	-
9	Cochran	34	1	-	-	-	4	-	-	4	-	15	14	3	-	10	-
10	Coke	36	-	-	-	1	8	4	2	2	-	17	16	2	-	9	-
11	Coleman	142	2	-	-	-	26	7	-	19	1	81	78	24	-	52	3
12	Collin	396	8	-	-	3	62	18	6	38	7	205	198	36	-	150	6
13	McKinney	139	3	-	-	-	18	6	2	10	3	75	72	7	-	57	1
14	Balance of county	257	5	-	-	3	44	12	4	28	4	130	126	29	-	93	5
15	Collingsworth	75	1	-	-	1	9	4	-	5	-	43	40	7	-	30	-
16	Colorado	201	2	-	1	3	27	8	3	16	2	96	94	33	-	54	2
17	Comal	146	4	2	-	2	23	8	3	12	4	64	61	17	-	41	-
18	New Braunfels	112	3	1	-	-	18	4	3	11	3	51	48	13	-	32	-
19	Balance of county	34	1	1	-	2	5	4	-	1	1	13	13	4	-	9	-
20	Comanche	152	1	1	-	1	24	5	4	15	1	75	74	21	-	46	-
21	Concho	30	-	-	-	-	8	3	-	5	-	14	14	5	-	8	1
22	Cooke	207	4	-	-	5	25	10	5	10	5	117	115	31	-	75	1
23	Gainesville	134	3	-	-	1	19	8	4	7	3	73	71	19	-	47	1
24	Balance of county	73	1	-	-	4	6	2	1	3	2	44	44	12	-	28	-
25	Coryell	135	1	1	-	-	25	7	2	16	3	71	69	19	-	49	2
26	Cottle	57	-	-	-	1	5	-	-	5	-	22	21	5	-	14	-
27	Crane	15	-	-	-	-	2	1	1	-	1	4	2	-	-	2	-
28	Crockett	25	-	-	-	1	2	-	-	2	-	10	10	3	-	7	-
29	Crosby	74	1	1	1	-	13	4	-	9	2	31	30	8	-	20	1
30	Culberson	19	-	-	-	3	1	-	-	1	-	3	3	1	-	2	-
31	Dallam	54	-	-	-	1	9	2	3	4	-	22	22	6	-	15	-
32	Dallas	5,306	64	27	8	38	758	204	111	443	80	2,646	2,587	585	4	1,840	36
33	Dallas	4,258	55	23	5	33	584	150	83	351	68	2,145	2,094	482	3	1,489	31
34	Garland	73	1	-	1	1	15	2	-	13	-	25	25	4	-	21	-
35	Grand Prairie	113	-	1	1	1	10	3	2	5	3	44	44	6	-	35	-
36	Highland Park	103	1	-	-	-	17	8	4	5	2	60	59	12	-	41	1
37	University Park	154	-	2	-	-	38	11	6	21	3	85	85	18	-	62	1
38	Balance of county	605	7	1	1	3	94	30	16	48	4	287	280	63	1	192	3
39	Dawson	127	1	1	1	5	11	4	1	6	1	56	55	13	-	38	2
40	Lamesa	96	1	1	1	1	7	4	-	3	1	43	42	11	-	28	2
41	Balance of county	31	-	-	-	4	4	-	1	3	-	13	13	2	-	10	-
42	Deaf Smith	72	2	-	-	1	13	6	3	4	1	32	31	4	-	22	1
43	Delta	81	1	-	-	-	11	4	1	6	1	48	48	9	1	35	-
44	Denton	351	4	3	-	4	54	23	6	25	7	186	184	47	-	122	3
45	Denton	168	1	1	-	2	27	10	4	13	4	87	87	23	-	61	-
46	Balance of county	183	3	2	-	2	27	13	2	12	3	99	97	24	-	61	3
47	De Witt	244	3	2	-	1	30	5	5	20	3	124	124	25	1	83	2
48	Dickens	46	-	-	-	-	14	1	3	10	1	15	15	3	-	11	-
49	Dimmit	95	6	-	-	3	13	4	1	8	2	31	31	4	-	24	-
50	Donley	72	-	-	-	1	9	2	1	6	-	38	35	13	-	19	-
51	Duval	104	5	-	-	2	12	5	-	7	1	33	32	4	-	26	1
52	Eastland	252	1	1	-	1	44	14	6	24	2	119	116	33	-	78	3
53	Ector	280	1	-	-	5	34	12	7	15	-	86	86	19	-	60	4
54	Odessa	263	1	-	-	5	31	11	7	13	-	81	81	17	-	58	4
55	Balance of county	17	-	-	-	-	3	1	-	2	-	5	5	2	-	2	-
56	Edwards	12	-	-	-	-	-	-	-	-	-	8	8	1	-	7	-
57	Ellis	459	3	2	-	8	58	21	2	35	7	254	245	61	-	173	-
58	Waxahachie	137	-	-	-	1	15	3	1	11	2	80	76	21	-	50	-
59	Balance of county	322	3	2	-	7	43	18	1	24	5	174	169	40	-	123	-
60	El Paso	1,626	36	5	3	11	207	78	21	108	11	597	562	133	9	376	28
61	El Paso	1,315	32	5	2	8	171	65	18	88	9	499	468	111	9	310	23
62	Balance of county	311	4	-	1	3	36	13	3	20	2	98	94	22	-	66	5
63	Erath	180	-	-	-	-	24	4	4	16	3	96	93	16	-	69	1
64	Falls	275	6	-	-	2	33	13	1	19	4	124	117	36	1	69	1
65	Fannin	351	3	2	-	4	32	6	2	24	2	220	212	50	-	140	4
66	Fayette	248	2	1	-	2	31	10	5	16	4	122	114	35	-	64	2
67	Fisher	78	-	-	-	1	12	6	-	6	1	39	37	5	-	30	1
68	Floyd	94	1	-	-	-	13	3	1	9	1	34	34	9	-	20	3
69	Foard	34	-	-	-	-	6	2	1	3	-	18	18	4	-	12	-
70	Fort Bend	283	-	-	-	6	39	22	2	15	2	121	119	29	-	78	-
71	Franklin	55	1	-	-	-	6	3	-	3	-	30	29	8	-	20	-
72	Freestone	154	1	1	-	1	20	11	4	5	-	77	75	20	-	50	-
73	Frio	92	9	1	-	5	9	3	-	6	-	28	28	4	-	23	1
74	Gaines	59	-	-	1	-	3	1	-	2	1	26	24	3	-	17	-
75	Galveston	1,137	18	13	-	6	143	47	25	71	15	600	590	125	3	415	8
76	Galveston	801	14	8	-	5	95	31	18	46	11	445	437	87	2	311	4
77	Texas City	132	2	2	-	-	16	6	2	8	1	58	57	16	-	37	-
78	Balance of county	204	2	3	-	1	32	10	5	17	3	97	96	22	1	67	4
79	Garza	38	2	-	-	-	8	3	1	4	-	21	21	5	-	14	-
80	Gillespie	105	2	-	-	2	19	8	1	10	1	59	59	13	1	40	1
81	Glasscock	4	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
82	Goliad	51	3	-	-	-	8	4	2	2	-	23	23	8	-	13	-
83	Gonzales	238	7	-	-	2	25	9	1	15	5	118	116	25	-	80	1
84	Gray	190	-	-	-	1	27	4	6	17	1	77	74	20	-	47	1
85	Pampa	140	-	-	-	1	18	1	5	12	1	59	56	12	-	38	1
86	Balance of county	50	-	-	-	-	9	3	1	5	-	18	18	8	-	9	-
87	Grayson	687	7	4	1	2	90	25	15	50	9	364	355	96	-	224	6
88	Denison	210	1	2	-	1	28	7	5	16	2	107	105	28	-	64	1
89	Sherman	205	3	1	-	-	22	4	3	15	1	117	113	31	-	74	2
90	Balance of county	272	3	1	1	1	40	14	7	19	6	140	137	37	-	86	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
21	3	2	-	7	-	3	3	-	1	-	-	-	-	5	4	1	1	2	1	13	1
6	1	4	-	3	1	-	-	-	-	-	-	-	1	3	1	1	5	1	-	7	2
37	14	14	1	3	2	7	14	1	1	2	-	-	4	7	15	17	8	2	1	20	3
8	2	4	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	2	4
12	7	6	1	1	-	2	3	-	-	-	1	-	1	4	2	3	6	2	1	5	5
52	13	19	4	4	3	5	17	-	3	1	1	1	5	5	4	13	18	-	1	30	6
18	5	10	-	-	-	1	2	-	-	1	1	-	-	6	3	4	6	1	-	9	7
30	5	5	1	9	-	1	4	-	1	-	-	-	1	1	2	1	1	1	-	2	8
10	-	-	1	-	-	1	2	-	-	-	-	-	1	5	1	1	1	1	-	2	9
9	-	-	-	5	-	1	3	-	1	-	-	-	2	2	-	1	-	-	-	1	10
35	8	6	1	1	-	3	8	-	-	1	1	1	1	4	1	2	2	1	-	10	11
109	13	22	4	5	3	7	13	1	5	1	-	1	3	8	13	10	24	3	3	26	12
38	10	8	3	2	3	3	7	-	1	1	-	-	-	3	4	5	9	-	-	10	13
71	3	14	1	3	-	4	6	1	4	-	-	-	1	3	5	9	5	15	3	3	16	14
19	4	7	1	2	-	3	3	1	-	-	-	-	-	-	2	1	6	-	-	8	15
33	6	13	3	2	2	2	3	2	2	3	-	-	1	4	6	13	6	10	1	4	15	16
24	7	10	2	1	-	3	7	-	2	2	-	-	1	4	3	1	8	5	1	-	13	17
19	7	6	2	1	-	3	5	-	1	1	-	-	-	3	3	-	6	5	1	-	11	18
5	-	4	-	-	-	-	2	-	1	1	-	-	1	1	-	1	2	-	-	-	2	19
33	3	10	3	3	1	1	4	4	1	2	-	-	-	1	3	4	7	9	3	-	11	20
7	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	4	21
56	8	10	1	7	1	2	2	-	-	2	-	-	-	5	-	6	12	9	-	1	14	22
36	2	8	-	4	1	2	2	-	-	-	-	-	-	4	-	4	9	6	-	-	10	23
20	6	2	1	3	-	-	-	-	-	2	-	-	-	1	-	2	3	3	-	1	4	24
31	5	11	-	1	-	2	4	2	1	-	-	-	-	1	6	3	4	6	2	1	4	25
12	-	2	1	-	1	1	9	-	2	-	-	-	-	-	5	2	2	4	1	1	3	26
1	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	1	-	3	2	-	-	27
4	2	1	-	-	-	-	1	-	1	-	-	-	-	1	2	-	1	3	-	-	3	28
14	4	1	-	2	-	1	4	-	1	1	-	-	-	1	5	1	3	4	1	1	3	29
2	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	2	1	1	-	2	30
13	1	1	-	1	-	-	1	1	-	-	1	-	-	-	3	2	2	3	3	-	6	31
1,429	219	156	43	83	32	59	149	30	41	62	10	6	92	320	47	163	207	52	97	409	32
1,151	185	122	33	61	26	51	114	28	30	53	8	5	71	252	42	125	167	40	86	324	33
18	2	1	-	-	-	-	1	1	-	-	-	-	1	12	-	8	1	1	-	5	34
29	2	4	1	2	-	-	6	-	2	-	-	-	4	11	-	4	9	5	1	11	35
38	2	-	1	3	2	1	2	-	1	2	1	-	-	1	-	3	3	1	1	8	36
51	5	5	2	3	-	-	2	-	3	1	-	-	2	1	-	1	4	-	1	11	37
142	23	24	6	14	4	7	24	1	5	6	1	1	14	43	5	22	23	5	8	50	38
22	6	8	-	2	2	1	7	-	3	1	-	-	3	10	2	8	9	2	1	7	39
15	5	6	-	2	1	1	4	-	2	1	-	-	3	8	2	5	9	2	-	6	40
7	1	2	-	-	1	-	1	-	1	1	-	-	-	2	-	3	-	-	1	1	41
17	1	3	-	2	3	1	2	-	1	2	-	-	1	5	2	3	3	-	1	3	42
23	3	9	-	2	1	-	4	-	-	-	1	-	2	2	1	2	5	-	-	3	43
87	18	14	9	6	-	2	6	1	-	1	-	-	3	10	6	19	22	1	1	25	44
44	8	9	3	-	-	-	2	-	-	-	-	-	2	7	3	10	7	-	1	14	45
43	10	5	6	6	-	2	4	1	-	1	-	-	1	3	3	9	15	1	-	9	46
42	17	22	1	8	6	-	12	-	5	2	2	1	2	11	10	9	7	1	2	17	47
8	2	1	1	-	-	-	4	1	1	-	-	-	-	1	1	2	3	-	-	3	48
14	5	5	1	2	-	-	7	-	10	-	-	-	-	2	5	4	8	1	1	2	49
16	1	2	-	3	-	3	2	-	-	-	-	-	-	2	3	2	-	5	4	6	50
9	6	10	1	1	-	1	4	-	2	2	-	1	4	7	5	4	7	2	2	11	51
51	6	18	2	1	2	3	15	1	1	1	-	-	3	2	13	9	9	5	-	25	52
43	5	8	1	6	-	-	10	3	3	5	2	-	11	31	13	29	23	3	6	15	53
42	5	7	-	6	-	-	9	3	3	5	2	-	11	30	13	26	19	3	6	15	54
1	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	3	4	-	-	-	55
5	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	56
126	21	26	7	3	1	9	14	3	6	1	2	-	5	21	16	12	12	4	4	27	57
40	3	7	4	1	-	4	4	1	1	1	2	-	2	8	6	6	1	1	1	5	58
86	18	19	3	2	1	5	10	2	5	-	-	-	3	13	10	6	11	3	3	22	59
212	52	84	14	21	9	35	88	8	29	23	4	6	45	182	44	61	83	20	9	154	60
176	43	68	14	18	6	31	65	7	21	19	4	5	33	136	39	42	64	14	7	133	61
36	9	16	-	3	3	4	23	1	8	4	-	1	12	46	5	19	19	6	2	21	62
45	4	19	-	7	1	3	5	2	-	1	-	1	3	3	6	1	10	4	-	21	63
50	7	11	3	7	1	7	16	3	4	4	-	1	1	13	15	4	15	2	2	26	64
76	11	49	10	8	4	8	22	1	3	-	2	-	1	6	5	9	12	3	1	23	65
38	10	14	2	10	3	8	20	-	-	-	-	-	1	2	21	5	4	5	-	28	66
17	6	6	-	1	1	2	1	-	1	1	-	-	-	6	2	-	8	2	-	4	67
14	1	2	1	3	1	-	4	-	3	-	-	-	1	11	3	5	11	-	2	5	68
10	1	1	2	-	-	-	1	1	-	-	-	-	-	2	-	-	5	-	-	1	69
45	17	16	1	7	4	2	14	1	5	2	1	1	14	17	21	15	9	1	3	11	70
16	3	1	-	1	-	1	2	1	-	1	-	-	2	2	4	-	4	-	-	2	71
18	8	24	-	4	1	2	9	1	1	-	-	1	2	8	6	3	11	2	1	9	72
18	1	3	-	-	1	-	3	1	5	3	1	-	2	7	4	3	5	-	-	6	73
7	5	5	2	1	1	2	-	-	-	-	-	-	-	3	1	5	12	-	-	7	74
311	50	46	12	21	14	10	40	11	8	14	-	-	20	60	6	44	46	11	8	74	75
228	41	38	9	15	13	8	27	9	8	11	-	-	13	37	2	19	30	9	5	53	76
30	4	3	-	3	1	1	6	2	-	2	-	-	3	8	1	11	7	1	1	11	77
53	5	5	3	3	-	1	7	-	-	1	-	-	4	15	3	14	9	1	2	10	78
13	-	1	-	2	-	-	2	-	1	-	-	-	-	1	-	1	-	-	-	2	79
18	7	14	-	4	1	-	4	-	-	-	-	-	-	5	2	2	4	-	-	5	80
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	81
8	2	3	-	2	-	-	2	-	2	-	-	-	1	1	1	1	3	2	-	4	82
48	6	25	3	5	3	2	10	2	3	2	-	-	1	6	8	7	7	16	2	3	14	83
34	6	6	2	3	2	3	11	2	-	2	-	-	-	2	17	6	14	11	2	1	16	84
26	6	5	2	2	2	3	8	1	-	2	-	-	1	14	3	12	7	1	-	12	85
8	-	1	-	1	-	-	3	1	-	-	-	-	1	3	3	2	4	1	1	4	86
135	30	53	6	20	9	9	25	3	6	7	-	2	6	31	34	19	22	7	5	43	87
34	11	18	2	9	2	2	5	-	2	2	-	1	2	10	19	3	7	2	1	15	88
51	12	9	1	2	5	4	7	1	3	3	-	-	2	12	2	5	7	5	3	11	89
50	7	26	3	9	2	3	13	2	1	2	-	1	2	9	13	11	8	-	1	17	90

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Gregg	518	3	6	-	6	72	23	12	37	9	239	229	60	1	158	3
2	Longview	234	-	4	-	3	28	12	1	15	4	116	113	34	-	76	2
3	Balance of county	284	3	2	-	3	44	11	11	22	5	123	116	26	1	82	1
4	Grimes	188	2	-	-	1	16	6	2	8	3	102	94	21	-	67	-
5	Guadalupe	247	2	1	1	4	31	13	3	15	2	103	95	25	-	62	2
6	Hale	228	4	2	1	4	27	9	2	16	1	73	73	19	-	49	1
7	Plainview	122	2	-	1	1	17	6	2	9	1	41	41	10	-	28	1
8	Balance of county	106	2	2	-	3	10	3	-	7	-	32	32	9	-	21	-
9	Hall	72	2	-	-	-	8	1	1	6	2	32	31	12	-	18	-
10	Hamilton	95	1	-	-	1	12	4	3	5	1	59	59	15	-	40	-
11	Hansford	18	-	-	-	-	4	2	-	2	1	9	8	2	-	6	-
12	Hardeman	92	1	-	1	-	11	3	2	6	3	52	52	16	1	34	1
13	Hardin	157	1	-	1	-	30	8	4	18	2	69	67	25	-	40	2
14	Harris	6,813	120	37	3	51	968	301	161	506	64	3,111	3,037	672	4	2,142	51
15	Houston	5,837	109	35	3	49	842	262	138	442	52	2,672	2,609	593	2	1,823	40
16	Baytown	154	1	-	-	1	22	6	4	12	4	76	75	15	1	58	1
17	Bellaire	70	-	1	-	-	6	2	2	2	-	36	35	8	-	24	-
18	Pasadena	132	2	-	-	-	15	2	2	11	-	57	53	11	1	38	4
19	West University Place	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
20	Balance of county	619	8	1	-	1	83	29	15	39	8	269	264	45	-	197	6
21	Harrison	416	2	3	-	1	50	22	5	23	5	214	194	53	-	133	4
22	Marshall	227	1	2	-	-	32	13	1	18	2	119	107	35	-	67	4
23	Balance of county	189	1	1	-	1	18	9	4	5	3	95	87	18	-	66	-
24	Hartley	21	1	-	-	-	2	-	-	2	1	12	12	2	-	10	-
25	Haskell	119	1	-	-	4	14	8	1	5	3	50	48	12	-	31	2
26	Hays	145	3	1	-	2	15	5	3	7	1	52	51	10	-	38	-
27	Hemphill	25	1	-	-	-	4	1	1	2	1	10	10	4	-	5	1
28	Henderson	207	-	1	-	1	30	8	2	20	3	121	116	29	-	80	1
29	Hidalgo	1,361	31	5	2	87	108	35	9	64	4	375	360	80	2	262	4
30	Edinburg	132	2	-	1	7	17	6	1	10	1	31	31	6	-	25	-
31	McAllen	181	2	-	-	9	13	4	-	9	1	68	64	15	-	44	1
32	Mercedes	103	1	-	-	2	9	3	1	5	-	30	28	11	-	17	-
33	Mission	96	6	-	-	7	11	3	-	8	-	32	31	11	-	20	-
34	Balance of county	849	20	5	1	62	58	19	7	32	2	214	206	37	2	156	3
35	Hill	337	2	-	-	2	50	17	9	24	3	183	176	34	-	131	3
36	Hockley	132	2	-	-	1	12	4	-	8	-	47	47	13	-	31	-
37	Hood	56	1	-	-	2	5	2	1	2	-	34	34	11	-	21	1
38	Hopkins	218	1	1	-	3	31	11	1	19	5	129	124	26	-	93	-
39	Houston	223	6	-	-	3	28	11	3	14	1	127	126	28	-	91	1
40	Howard	220	4	-	-	3	30	7	4	19	3	79	77	13	-	62	2
41	Big Spring	185	2	-	-	2	27	6	4	17	3	66	65	11	-	52	1
42	Balance of county	35	2	-	-	1	3	1	-	2	-	13	12	2	-	10	1
43	Hudspeth	24	1	1	-	-	2	1	-	1	-	1	1	-	-	1	1
44	Hunt	431	6	3	1	1	62	24	6	32	6	241	233	34	-	184	4
45	Greenville	200	3	3	-	1	31	12	3	16	1	114	112	13	-	90	3
46	Balance of county	231	3	-	1	-	31	12	3	16	5	127	121	21	-	94	1
47	Hutchinson	155	1	1	1	2	21	7	2	12	1	57	56	7	-	41	3
48	Borger	112	1	1	1	2	17	7	2	8	1	39	38	6	-	26	3
49	Balance of county	43	-	-	-	-	4	-	-	4	-	18	18	1	-	15	-
50	Irion	9	-	-	-	-	1	-	1	-	-	5	5	2	-	1	-
51	Jack	77	-	-	-	-	11	1	2	8	1	31	25	3	-	15	1
52	Jackson	131	4	1	-	-	12	2	-	10	2	74	74	17	1	53	2
53	Jasper	173	3	-	-	1	24	3	3	18	4	65	82	32	-	47	-
54	Jeff Davis	13	-	-	-	1	1	1	-	-	-	4	4	-	-	4	-
55	Jefferson	1,549	15	7	2	13	239	69	38	132	26	710	678	154	-	472	6
56	Beaumont	857	7	4	-	7	132	37	23	72	9	429	407	99	-	280	2
57	Port Arthur	480	7	3	1	6	74	22	7	45	14	197	191	43	-	133	3
58	Balance of county	212	1	-	1	-	33	10	8	15	3	84	80	12	-	59	1
59	Jim Hogg	39	-	-	-	2	7	2	1	4	1	11	11	4	-	7	-
60	Jim Wells	227	5	1	-	2	24	6	1	17	3	80	79	23	-	49	-
61	Alice	155	5	1	-	2	15	3	1	11	1	48	48	17	-	30	-
62	Balance of county	72	-	-	-	-	9	3	-	6	2	32	31	6	-	19	-
63	Johnson	355	3	4	-	3	50	12	7	31	5	190	190	57	-	126	3
64	Cleburne	183	1	3	-	2	29	7	3	19	3	96	96	29	-	62	-
65	Balance of county	172	2	1	-	1	21	5	4	12	2	94	94	28	-	64	3
66	Jones	188	1	2	1	-	23	10	2	11	1	105	104	22	-	75	3
67	Karnes	144	6	1	1	6	13	7	1	5	2	49	49	12	1	33	-
68	Kaufman	344	5	5	-	6	38	14	2	22	3	171	169	39	1	117	1
69	Terrell	141	1	3	-	-	17	5	-	12	2	66	65	14	-	49	-
70	Balance of county	203	4	2	-	6	21	9	2	10	1	105	104	25	1	68	1
71	Kendall	57	1	-	-	-	8	3	1	4	-	31	31	6	-	22	-
72	Kenedy	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73	Kent	10	-	-	-	-	3	-	-	3	-	5	5	3	-	2	-
74	Kerr	142	7	2	-	1	18	3	2	13	2	74	72	18	-	49	1
75	Kimble	37	-	-	-	-	3	2	-	1	2	17	15	3	-	12	-
76	King	5	-	-	-	-	-	-	-	-	-	4	4	1	-	3	-
77	Kinney	17	1	-	-	-	2	-	1	1	1	5	5	1	-	4	-
78	Kleberg	187	5	1	-	2	22	8	1	13	4	61	57	13	-	41	-
79	Kingsville	163	4	1		2	20	7	1	12	4	54	50	12	-	35	-
80	Balance of county	24	1	-	-	-	2	1	-	1	-	7	7	1	-	6	-
81	Knox	81	-	-	-	2	6	-	5	1	-	32	31	13	-	15	-
82	Lamar	426	2	-	1	2	52	13	10	29	1	242	233	61	-	162	2
83	Paris	260	2	-	1	-	30	7	3	20	1	152	147	43	-	101	-
84	Balance of county	166	-	-	-	2	22	6	7	9	-	90	86	18	-	61	2
85	Lamb	143	1	1	-	2	21	9	2	10	3	55	52	9	1	42	2
86	Lampasas	85	-	-	-	2	18	6	2	10	-	48	48	14	-	28	-
87	La Salle	60	3	-	-	2	9	5	-	4	1	18	18	6	-	11	-
88	Lavaca	245	1	-	-	2	36	11	5	20	2	126	110	22	-	82	1
89	Lee	92	1	1	-	2	10	1	2	7	1	49	47	12	-	34	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
119	17	19	6	3	1	10	14	1	4	5	2	4	9	18	21	31	28	3	4	39	1
58	7	9	3	-	-	3	11	-	1	1	-	1	4	9	5	13	11	-	2	21	2
61	10	10	3	3	1	7	3	1	3	4	2	3	5	9	16	18	17	3	2	18	3
21	13	33	3	3	-	8	9	-	6	1	-	1	-	5	8	5	11	-	4	14	4
45	1	14	2	5	1	8	12	-	12	-	3	1	5	17	11	17	8	1	2	14	5
30	4	14	2	2	1	-	12	-	12	2	2	-	9	20	8	10	16	2	1	22	6
18	-	9	1	1	1	-	6	-	7	1	1	-	6	7	5	2	10	-	1	13	7
12	4	5	1	1	-	-	6	-	5	1	1	-	3	13	3	8	6	2	-	9	8
13	4	1	-	1	-	1	3	1	1	-	-	1	-	4	2	1	5	2	1	7	9
23	8	9	-	3	1	-	2	2	-	-	-	-	1	1	-	4	3	-	-	8	10
4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	11
24	2	7	-	-	1	-	5	1	-	-	-	-	-	4	2	3	1	-	-	8	12
20	11	7	1	1	-	2	7	-	1	3	-	-	2	3	17	1	8	-	3	9	13
1,319	297	475	78	89	52	74	221	28	40	85	10	29	154	519	146	258	287	87	152	443	14
1,102	264	417	70	79	42	63	185	26	38	76	9	27	123	430	130	209	236	74	134	378	15
43	6	8	-	1	-	1	2	1	-	1	-	1	2	13	3	5	5	-	-	17	16
22	1	1	-	1	2	1	1	-	-	1	-	-	1	12	-	3	1	2	2	4	17
28	5	2	-	1	1	4	5	-	-	1	-	-	6	20	2	11	3	-	1	9	18
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
123	21	47	8	7	7	5	28	1	2	6	1	1	22	44	11	30	42	11	15	35	20
75	21	33	4	-	4	20	34	2	3	2	2	3	2	14	10	10	19	3	5	32	21
37	12	14	2	-	3	12	12	1	2	2	-	1	1	8	4	5	11	2	3	19	22
38	9	19	2	-	1	8	22	1	1	-	2	2	1	6	6	5	8	1	2	13	23
6	1	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	24
26	2	1	3	2	-	2	7	-	3	-	-	-	2	3	5	1	9	1	-	16	25
26	1	11	-	3	-	1	10	-	14	3	1	-	1	15	5	6	4	1	-	11	26
4	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	3	1	2	-	-	27
45	5	29	2	5	-	5	5	2	-	2	-	1	-	6	10	3	9	1	-	12	28
112	33	113	4	9	3	15	118	2	131	7	6	10	16	143	83	58	53	13	19	90	29
15	6	4	-	-	-	-	9	-	16	1	1	2	2	17	4	5	3	1	1	12	30
22	5	16	-	3	2	4	15	-	10	1	-	2	-	11	14	12	10	-	1	12	31
8	1	8	-	-	-	2	7	1	12	-	-	1	3	11	12	2	1	2	-	9	32
11	-	9	-	-	-	1	5	-	6	-	-	2	1	10	3	6	3	-	-	4	33
56	21	76	4	6	1	8	82	1	87	6	5	3	10	94	50	33	36	10	17	53	34
70	12	46	1	6	4	7	14	1	2	-	1	-	2	13	6	8	15	2	2	31	35
25	2	4	-	2	1	-	6	-	6	-	-	-	2	18	5	13	10	3	2	5	36
12	2	6	1	1	-	-	-	-	-	-	-	-	-	1	-	5	3	-	1	4	37
56	13	24	-	4	1	5	6	-	-	-	-	1	1	5	6	1	8	3	-	16	38
53	10	27	1	6	-	1	13	-	2	1	2	1	2	7	10	5	3	2	1	9	39
44	5	11	1	1	-	2	5	-	5	4	1	-	6	25	1	10	20	3	3	18	40
41	2	8	1	1	-	1	4	-	4	4	-	-	5	24	1	4	19	2	3	15	41
3	3	3	-	-	-	1	1	-	1	-	1	-	1	1	-	6	1	1	-	3	42
-	-	-	-	-	-	-	2	-	1	1	-	-	2	3	4	1	3	2	-	-	43
124	29	27	1	14	-	8	12	1	4	3	1	1	5	11	7	13	18	3	6	26	44
60	17	10	-	9	-	2	3	-	2	3	1	1	1	4	1	6	10	-	2	14	45
64	12	17	1	5	-	6	9	1	2	-	1	-	4	7	6	7	8	3	4	12	46
32	2	4	2	3	3	1	5	-	-	-	-	-	2	18	2	16	11	3	3	11	47
20	1	2	1	3	2	1	5	-	-	-	-	-	1	15	2	13	8	1	1	4	48
12	1	2	1	-	1	-	-	-	-	-	-	-	1	3	-	3	3	2	2	7	49
1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	50
8	4	2	5	1	1	6	3	-	-	1	2	-	-	4	3	1	9	3	-	8	51
35	7	9	2	1	-	-	1	-	6	-	-	1	1	9	3	5	2	-	1	9	52
36	5	6	1	2	-	3	4	1	-	1	-	1	2	5	5	5	11	2	4	15	53
3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	2	54
309	83	74	17	22	13	32	45	5	10	12	5	4	32	128	13	66	66	18	13	120	55
190	47	41	12	14	2	22	28	1	7	6	4	3	17	64	8	30	32	8	8	53	56
76	28	26	2	6	7	6	12	4	2	5	-	1	10	38	3	21	22	5	5	50	57
43	8	7	3	2	4	4	5	-	1	1	1	-	5	26	2	15	12	5	-	17	58
7	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	1	-	1	-	6	59
26	4	19	3	2	2	1	15	-	5	-	-	1	6	36	11	11	9	5	2	13	60
14	4	12	1	-	-	-	11	-	5	-	-	1	6	25	7	9	3	4	2	10	61
12	-	7	2	2	2	1	2	-	-	-	-	-	-	11	4	2	6	1	-	3	62
76	17	30	-	4	3	-	7	1	2	-	-	1	4	17	15	9	13	3	2	26	63
42	7	13	-	2	3	-	6	-	2	-	-	-	2	7	9	3	8	2	1	9	64
34	10	17	-	2	-	-	1	1	-	-	-	1	2	10	6	6	5	1	1	17	65
53	5	14	3	1	3	1	9	-	3	2	-	-	4	6	2	5	9	1	-	14	66
16	3	14	2	-	1	-	10	-	5	1	-	2	1	12	6	4	7	3	-	15	67
76	22	18	2	8	2	2	21	2	5	3	1	1	2	14	13	9	17	3	4	21	68
32	10	7	-	2	-	1	8	-	3	1	-	1	-	8	6	4	8	2	-	11	69
44	12	11	2	6	2	1	13	2	2	2	1	-	2	6	7	5	9	1	4	10	70
17	3	2	-	2	1	-	-	1	-	-	-	1	1	-	2	5	1	4	-	2	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	72
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	73
35	3	10	-	2	3	2	2	2	1	-	-	-	1	5	3	6	7	1	-	10	74
7	3	2	-	-	-	2	3	-	-	-	-	1	1	-	4	4	-	-	-	2	75
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	76
3	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	-	2	77
23	8	10	-	2	1	4	8	-	5	1	-	-	3	23	9	10	14	5	1	13	78
21	7	7	-	2	1	4	7	-	5	1	-	-	3	17	9	7	12	5	-	12	79
2	1	3	-	-	-	-	1	-	-	-	-	-	-	6	-	3	2	-	1	1	80
13	1	1	2	1	-	1	3	-	3	1	1	-	-	5	3	5	14	1	1	3	81
81	37	42	6	4	-	9	31	1	3	2	-	-	4	14	12	7	12	3	3	34	82
51	21	29	3	-	-	5	20	-	2	2	-	-	4	8	5	5	9	2	1	16	83
30	16	13	3	4	-	4	11	1	1	1	-	-	-	6	7	2	3	1	2	18	84
27	7	6	-	-	-	3	12	1	2	1	1	-	2	12	2	9	9	1	-	8	85
19	4	5	2	4	-	-	1	-	1	-	-	-	-	3	1	3	3	-	-	5	86
8	1	2	1	-	-	-	3	-	1	-	1	-	-	5	6	1	2	1	-	6	87
39	25	17	3	2	1	16	11	1	1	-	1	1	4	9	11	3	5	2	2	24	88
21	7	6	-	-	1	2	6	1	1	1	-	-	1	2	2	2	3	2	-	7	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Leon	139	4	-	-	-	13	6	1	6	2	76	72	24	1	42	1
2	Liberty	271	4	-	-	3	42	10	6	26	6	100	94	16	-	75	3
3	Limestone	254	8	2	-	3	29	9	5	15	4	123	116	26	-	80	-
4	Lipscomb	27	-	-	-	-	3	-	-	3	-	12	11	6	-	3	-
5	Live Oak	86	1	-	-	-	9	3	1	5	-	40	38	5	-	31	2
6	Llano	57	1	-	-	-	9	2	2	5	-	30	29	8	-	20	-
7	Loving	2	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
8	Lubbock	693	8	2	-	6	83	26	9	48	10	260	255	67	1	174	6
9	Lubbock	525	6	2	-	2	65	21	7	37	5	207	203	51	1	141	4
10	Balance of county	168	2	-	-	4	18	5	2	11	5	53	52	16	-	33	2
11	Lynn	66	1	1	-	-	10	4	3	3	2	21	20	8	-	9	1
12	McCulloch	138	1	-	-	1	28	12	1	15	2	62	61	16	-	44	-
13	McLennan	1,206	18	6	1	6	154	53	13	88	9	516	500	155	-	306	9
14	Waco	871	17	3	-	3	112	34	10	68	7	357	342	100	-	216	9
15	Balance of county	335	1	3	1	3	42	19	3	20	2	159	158	55	-	90	-
16	McMullen	13	1	-	-	-	1	-	-	1	-	3	2	-	-	2	-
17	Madison	93	2	-	-	-	15	4	2	9	1	50	48	12	-	32	-
18	Marion	110	1	-	-	1	20	5	2	13	3	62	59	15	-	41	-
19	Martin	45	-	-	-	-	7	3	-	4	1	15	15	4	-	10	1
20	Mason	46	1	-	-	-	10	3	3	4	1	21	18	4	-	12	-
21	Matagorda	185	-	1	-	1	25	4	4	17	5	79	78	13	3	58	-
22	Maverick	93	2	1	-	2	6	4	-	2	1	32	30	9	-	13	-
23	Medina	133	4	-	-	1	17	3	2	12	1	55	53	14	-	37	-
24	Menard	40	2	-	-	-	5	3	1	1	-	24	24	4	-	15	-
25	Midland	221	2	-	-	3	21	7	-	14	2	63	60	10	-	43	-
26	Midland	206	2	-	-	3	16	6	-	10	2	58	55	10	-	38	-
27	Balance of county	15	-	-	-	-	5	1	-	4	-	5	5	-	-	5	-
28	Milam	237	2	1	1	3	32	11	2	19	1	103	99	24	-	67	-
29	Mills	52	-	1	-	-	7	3	2	2	1	33	33	6	-	19	-
30	Mitchell	81	-	-	-	2	12	6	1	5	2	34	32	4	-	20	-
31	Montague	175	1	-	-	-	18	7	-	11	5	102	96	27	-	63	-
32	Montgomery	230	3	2	-	4	23	7	4	12	2	111	105	25	-	76	1
33	Moore	38	1	-	-	1	5	-	-	5	-	15	14	5	-	9	-
34	Morris	89	4	-	-	1	14	2	1	11	3	47	47	9	-	37	1
35	Motley	26	1	-	-	-	5	1	1	3	-	17	16	5	-	10	-
36	Nacogdoches	236	5	3	-	2	30	12	1	17	5	128	123	35	-	75	4
37	Nacogdoches	104	2	3	-	2	12	7	-	5	1	55	52	19	-	26	2
38	Balance of county	132	3	-	-	-	18	5	1	12	4	73	71	16	-	49	2
39	Navarro	410	5	1	-	6	52	20	2	30	4	214	209	78	-	115	1
40	Corsicana	227	2	-	-	3	28	11	-	17	2	124	121	50	-	61	1
41	Balance of county	183	3	1	-	3	24	9	2	13	2	90	88	28	-	54	-
42	Newton	77	1	1	-	1	5	3	-	2	1	37	34	8	-	25	2
43	Nolan	165	3	1	1	-	26	7	3	16	2	72	69	9	-	56	-
44	Sweetwater	116	2	-	1	-	18	4	1	13	-	51	50	4	-	43	-
45	Balance of county	49	1	1	-	-	8	3	2	3	2	21	19	5	-	13	-
46	Nueces	1,165	31	6	2	13	153	42	23	88	14	421	411	91	1	291	12
47	Corpus Christi	854	16	3	2	10	113	32	17	64	10	318	308	63	1	221	10
48	Balance of county	331	15	3	-	3	40	10	6	24	4	103	103	28	-	70	2
49	Ochiltree	35	1	-	-	-	2	1	-	1	2	22	18	3	-	14	1
50	Oldham	14	-	-	-	-	1	-	-	1	1	8	8	2	-	6	1
51	Orange	261	6	1	-	-	37	8	3	26	1	107	105	18	-	82	1
52	Orange	170	3	-	-	-	21	4	1	16	-	66	64	9	-	51	-
53	Balance of county	91	3	1	-	-	16	4	2	10	1	41	41	9	-	31	1
54	Palo Pinto	206	2	-	-	-	35	12	3	20	1	92	88	24	1	58	3
55	Panola	123	1	-	-	-	16	6	2	8	-	61	57	17	-	36	1
56	Parker	213	1	2	-	-	42	19	1	22	2	100	94	29	-	60	1
57	Parmer	32	-	-	-	1	8	2	1	5	-	12	11	1	-	10	2
58	Pecos	71	-	-	-	1	8	1	-	7	1	18	18	8	-	9	-
59	Polk	139	-	-	-	-	19	7	2	10	1	72	67	14	-	48	-
60	Potter	660	10	5	-	5	76	24	9	43	11	311	305	67	2	211	8
61	Amarillo (part)	641	10	5	-	5	74	24	8	42	11	301	295	66	2	202	8
62	Amarillo (total)	662	10	6	-	5	78	25	10	43	11	305	299	66	2	206	8
63	Balance of county	19	-	-	-	-	2	-	1	1	-	10	10	1	-	9	-
64	Presidio	41	1	-	-	-	8	1	-	7	1	12	12	4	-	8	-
65	Rains	46	-	-	-	-	5	1	-	4	1	22	21	2	-	16	-
66	Randall	65	-	1	-	-	8	4	2	2	2	34	34	5	-	28	-
67	Amarillo (part)	21	-	1	-	-	4	1	2	1	-	4	4	-	-	4	-
68	Balance of county	44	-	-	-	-	4	3	-	1	2	30	30	5	-	24	-
69	Reagan	11	-	-	-	1	-	-	-	-	-	6	6	1	-	3	-
70	Real	26	-	-	-	-	3	2	-	1	-	15	15	7	-	8	-
71	Red River	191	-	1	-	-	28	11	2	15	3	104	99	25	-	73	-
72	Reeves	150	1	-	-	6	7	-	1	6	1	29	27	3	-	21	1
73	Refugio	78	1	-	-	-	10	5	-	5	-	33	29	5	-	20	-
74	Roberts	2	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-
75	Robertson	232	3	2	-	1	32	9	5	18	3	107	97	28	-	61	-
76	Rockwall	57	-	-	-	-	8	4	1	3	1	30	28	6	-	17	1
77	Runnels	137	-	-	-	1	24	8	2	14	3	66	64	15	-	46	1
78	Rusk	324	3	1	-	3	42	17	7	18	2	172	162	29	-	124	2
79	Sabine	66	-	-	-	1	11	3	1	7	1	32	31	5	-	26	-
80	San Augustine	82	-	-	-	-	9	2	2	5	-	32	30	10	-	17	-
81	San Jacinto	68	1	-	-	1	6	3	-	3	1	36	35	9	-	23	1
82	San Patricio	323	11	2	1	5	31	7	3	21	3	105	99	18	-	71	-
83	San Saba	83	-	-	-	1	13	7	1	5	1	36	36	3	-	30	-
84	Schleicher	22	-	-	-	-	-	-	-	-	1	10	10	2	-	8	-
85	Scurry	128	4	-	-	-	15	1	1	13	1	52	49	9	-	36	1
86	Snyder	91	4	-	-	-	10	1	1	8	1	32	30	6	-	23	-
87	Balance of county	37	-	-	-	-	5	-	-	5	-	20	19	3	-	13	1
88	Shackelford	40	-	-	-	-	4	1	-	3	2	18	18	4	-	13	-
89	Shelby	242	1	2	-	2	33	4	7	22	1	148	140	30	-	102	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
16	13	12	1	2	2	4	5	-	1	1	1	-	1	4	9	6	6	3	-	7	1
41	11	20	1	1	1	6	12	1	3	3	-	1	6	20	13	13	16	5	7	16	2
53	13	14	2	7	1	7	11	-	3	1	1	1	1	9	14	11	15	1	2	15	3
2	-	1	-	1	1	1	-	-	-	3	-	1	-	1	-	2	3	-	-	2	4
14	4	11	-	1	1	2	3	2	5	1	-	-	-	9	3	7	1	-	-	5	5
12	4	4	-	1	-	1	1	1	-	1	-	-	-	2	1	3	-	2	1	5	6
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
131	19	18	1	5	7	5	29	1	19	6	1	5	15	69	14	41	34	10	15	65	8
104	16	17	1	5	4	4	21	-	11	5	-	4	13	51	12	30	19	7	15	50	9
27	3	1	-	-	3	1	8	1	8	1	1	1	2	18	2	11	15	3	-	15	10
5	1	2	-	1	2	1	4	-	2	2	-	-	2	3	4	3	4	1	-	6	11
27	6	11	1	-	1	1	5	3	5	-	-	-	-	8	7	3	3	-	-	10	12
198	46	53	12	18	9	16	42	1	17	6	1	4	8	63	58	45	162	6	8	75	13
149	28	30	9	11	6	15	28	1	10	5	-	3	6	42	45	32	138	4	6	52	14
49	18	23	3	7	3	1	14	-	7	1	1	1	2	21	13	13	24	2	2	23	15
2	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1	1	1	-	-	2	16
22	5	5	1	3	-	2	1	1	2	-	-	-	1	4	3	5	1	-	-	7	17
29	4	8	1	2	-	3	5	1	1	-	-	-	-	2	4	1	2	-	1	6	18
7	-	2	-	-	1	-	1	-	2	-	-	-	1	4	2	1	5	2	1	3	19
7	1	4	1	1	-	3	2	-	-	-	-	-	-	-	2	6	-	1	-	2	20
36	11	11	2	1	1	1	5	1	7	3	-	-	5	11	4	10	12	1	-	15	21
10	2	1	-	7	1	2	20	-	2	-	-	-	5	7	2	2	3	-	-	8	22
21	4	12	1	1	-	2	6	1	5	2	1	2	3	9	3	4	3	4	2	10	23
14	1	-	1	3	1	-	3	-	1	-	-	-	-	-	1	2	2	-	-	-	24
34	5	4	3	2	2	3	17	-	6	2	-	-	6	24	6	23	16	6	10	14	25
29	5	4	3	2	2	3	17	-	6	2	-	-	5	23	6	22	15	6	10	13	26
5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	27
36	10	21	3	3	2	4	28	1	3	2	-	3	1	10	13	5	7	4	2	15	28
16	1	2	1	7	-	-	2	-	-	-	-	-	1	2	-	1	-	-	-	4	29
16	2	2	3	4	1	2	2	1	2	1	-	1	1	3	3	3	4	1	1	8	30
45	8	10	1	4	1	6	9	-	-	-	-	1	1	7	9	5	5	-	-	13	31
44	9	22	2	1	1	6	7	1	1	4	1	2	1	22	9	13	7	5	3	9	32
4	2	3	-	-	-	1	-	-	-	-	-	1	-	3	-	4	3	-	-	5	33
28	1	7	-	-	1	-	3	-	1	-	-	1	-	1	3	2	1	-	2	6	34
9	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	35
35	10	26	1	10	2	5	12	1	1	-	1	-	1	4	8	11	9	4	2	9	36
14	5	5	-	5	2	3	8	-	1	-	1	-	-	3	1	3	3	2	2	5	37
21	5	21	1	5	-	2	4	1	-	-	-	-	1	1	7	8	6	2	-	4	38
70	14	30	7	7	2	5	17	1	6	1	3	-	4	14	18	12	11	4	2	35	39
34	10	16	6	3	1	3	12	-	5	1	1	-	4	8	7	6	5	1	1	17	40
36	4	14	1	4	1	2	5	1	1	-	2	-	-	6	11	6	6	3	1	18	41
14	4	5	-	1	-	3	7	-	-	-	-	-	-	2	1	4	3	2	2	10	42
50	2	4	-	2	2	3	3	4	2	-	-	-	2	8	6	5	8	2	1	19	43
39	2	2	-	1	2	1	-	3	-	-	-	-	2	8	3	3	7	2	1	15	44
11	-	2	-	1	-	2	3	1	2	-	-	-	-	-	3	2	1	-	-	4	45
219	32	28	2	19	7	10	76	8	35	17	3	2	19	129	27	59	62	14	21	73	46
167	23	21	2	16	5	10	51	6	9	13	2	2	13	95	13	44	46	13	20	55	47
52	9	7	-	3	2	-	25	2	26	4	1	-	6	34	14	15	16	1	1	18	48
8	-	5	-	-	1	4	1	-	-	-	-	-	1	2	-	-	1	-	-	3	49
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	50
45	6	30	2	-	3	2	6	1	3	-	4	-	8	24	7	12	23	3	3	15	51
24	5	22	1	-	3	2	4	1	3	-	3	-	6	18	6	5	16	2	3	13	52
21	1	8	1	-	-	-	2	-	-	-	1	-	2	6	1	7	7	1	-	2	53
40	4	11	2	2	1	4	4	2	2	2	1	-	1	13	8	12	7	1	-	23	54
21	7	7	-	3	1	4	3	2	-	-	1	1	1	4	6	6	10	-	-	11	55
43	3	13	-	5	-	6	4	1	2	3	-	-	7	9	5	8	8	-	1	18	56
8	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	5	1	1	-	2	57
7	1	1	-	1	-	-	5	-	1	1	-	2	1	13	1	5	5	2	-	7	58
19	14	15	2	2	1	5	5	-	-	3	1	-	-	4	9	11	2	-	-	12	59
149	17	37	6	16	3	6	15	-	5	9	2	3	18	41	12	31	34	12	13	47	60
143	17	34	6	16	3	6	14	-	5	9	2	3	18	38	12	30	34	11	12	47	61
147	17	34	6	16	3	6	14	-	5	9	3	3	18	42	13	32	36	12	12	48	62
6	-	3	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	1	1	-	63
5	-	3	-	-	-	-	1	-	1	1	-	1	-	1	3	2	4	1	1	3	64
8	4	4	2	-	1	1	6	-	-	2	-	-	-	-	1	-	1	2	-	6	65
20	3	5	-	-	1	-	-	-	-	-	1	-	2	4	3	3	2	1	-	4	66
4	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2	2	1	-	1	67
16	3	5	-	-	1	-	-	-	-	-	-	-	2	-	2	1	-	-	-	3	68
2	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	69
6	2	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	-	-	-	2	70
41	25	7	1	-	-	5	11	-	2	1	1	1	1	10	3	5	6	1	-	13	71
15	1	4	-	1	2	2	10	-	29	1	-	-	2	18	6	16	8	2	1	13	72
14	1	5	2	2	-	4	2	-	3	-	-	-	2	7	4	4	3	-	-	9	73
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
26	11	24	2	5	1	10	7	-	7	1	5	2	1	10	10	2	12	-	3	24	75
13	1	2	5	1	-	1	5	-	1	-	-	-	1	-	4	1	3	1	-	2	76
34	7	4	-	2	1	2	9	1	1	1	1	-	2	8	2	6	5	-	1	6	77
65	31	26	5	4	-	10	14	-	2	1	-	2	1	8	18	12	23	2	1	17	78
16	5	5	-	-	-	1	3	-	-	-	-	1	1	1	-	5	7	-	-	4	79
10	6	1	-	2	1	2	6	-	1	-	1	1	1	8	6	3	4	1	1	8	80
12	-	10	-	3	-	1	9	-	-	-	-	1	-	2	7	1	3	-	-	-	81
46	11	14	5	2	3	6	19	-	24	1	-	3	3	36	16	15	9	3	4	32	82
16	4	10	3	-	-	-	4	2	3	1	-	-	-	4	9	2	3	-	-	5	83
5	2	1	-	-	-	-	1	1	1	1	-	-	-	1	2	1	-	-	-	3	84
25	3	7	1	1	2	3	14	1	1	1	-	-	-	4	3	13	12	1	-	6	85
17	2	4	-	-	1	2	12	1	1	1	-	-	-	4	2	11	8	1	-	3	86
8	1	3	1	1	1	1	2	-	-	-	-	-	-	-	1	2	4	-	-	3	87
9	2	2	-	1	-	-	1	-	-	-	-	-	1	6	4	-	-	-	-	4	88
62	23	16	1	6	1	8	10	1	-	1	-	1	1	6	3	11	10	2	-	9	89

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuber-culo-sis, all forms 001-019	Syph-ilis and its seque-lae 020-029	Acute polio-mye-litis 080	All other infec-tive and para-sitic dis-eases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues 140-205	Malignant neoplasm of digestive organs and peri-toneum 150-156A, 157-159	Malignant neoplasm of respir-atory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Dia-betes mel-litus 260	Major cardio-vas-cular-renal diseases 330-334, 400-468, 592-594	Dis-eases of cardio-vas-cular system 330-334, 400-468	Vas-cular lesions af-fecting central nervous system 330-334	Rheu-matic fever 400-402	Dis-eases of heart 410-443	Chron-ic rheu-matic heart dis-ease 410-416
	TEXAS—Continued																
1	Sherman	19	-	-	-	-	3	2	-	1	-	10	9	1	-	7	-
2	Smith	644	13	3	-	2	94	39	9	46	12	313	299	75	-	193	4
3	Tyler	325	5	2	-	1	47	15	4	28	7	162	155	31	-	106	2
4	Balance of county	319	8	1	-	1	47	24	5	18	5	151	144	44	-	87	2
5	Somervell	31	1	-	-	-	7	2	1	4	-	16	15	1	-	14	-
6	Starr	107	6	-	-	4	8	5	1	2	-	29	29	2	-	24	-
7	Stephens	90	1	-	-	-	18	7	4	7	-	41	38	5	-	30	-
8	Sterling	8	-	-	-	-	1	-	-	1	-	3	3	-	-	3	-
9	Stonewall	30	1	-	-	-	-	-	-	-	-	14	14	3	-	11	-
10	Sutton	33	-	1	-	1	7	3	-	4	3	10	10	3	-	7	-
11	Swisher	60	1	-	-	2	6	1	1	4	-	23	23	4	-	18	-
12	Tarrant	3,254	36	6	1	22	478	129	71	276	57	1,581	1,533	355	4	1,066	20
13	Fort Worth	2,669	32	6	1	18	378	99	56	223	51	1,324	1,281	305	4	882	19
14	White Settlement	28	-	-	-	-	5	1	1	3	-	10	9	-	-	8	-
15	Balance of county	557	4	-	-	4	95	29	14	52	6	247	243	50	-	176	1
16	Taylor	444	2	2	-	3	65	15	4	46	9	213	209	48	-	144	4
17	Abilene	349	2	2	-	3	48	10	3	35	7	163	160	36	-	110	3
18	Balance of county	95	-	-	-	-	17	5	1	11	2	50	48	12	-	34	1
19	Terrell	15	-	-	-	-	2	1	-	1	-	7	7	2	-	5	-
20	Terry	96	1	-	-	3	11	3	1	7	2	29	28	6	-	22	-
21	Throckmorton	23	-	-	-	-	4	1	-	3	1	16	15	3	-	12	-
22	Titus	132	1	2	-	2	16	4	1	11	2	65	64	13	-	49	-
23	Tom Green	477	6	-	1	2	53	16	7	30	5	215	210	50	-	140	5
24	San Angelo	437	4	-	1	2	48	15	6	27	5	201	196	46	-	132	5
25	Balance of county	40	2	-	-	-	5	1	1	3	-	14	14	4	-	8	-
26	Travis	1,138	16	5	3	7	168	53	18	97	14	543	528	134	-	352	6
27	Austin	991	12	4	3	7	141	48	14	79	12	482	469	117	-	314	6
28	Balance of county	147	4	1	-	-	27	5	4	18	2	61	59	17	-	38	-
29	Trinity	111	-	2	-	4	14	2	4	8	1	53	51	14	-	33	1
30	Tyler	117	1	-	-	2	12	5	-	7	1	66	62	12	-	46	3
31	Upshur	197	1	1	-	-	28	10	3	15	1	110	108	23	-	80	-
32	Upton	26	2	-	-	-	2	-	-	2	-	10	10	2	-	6	1
33	Uvalde	157	2	-	-	5	19	3	4	12	2	62	61	14	-	43	1
34	Val Verde	178	7	1	-	7	25	11	3	11	3	67	66	18	-	42	1
35	Del Rio	167	7	1	-	6	23	10	2	11	2	64	63	18	-	40	1
36	Balance of county	11	-	-	-	1	2	1	1	-	1	3	3	-	-	2	-
37	Van Zandt	210	3	1	-	1	40	16	3	21	1	99	93	18	-	67	2
38	Victoria	305	6	1	-	6	40	14	5	21	9	106	103	27	-	70	2
39	Victoria	202	4	1	-	4	27	8	4	15	6	69	67	20	-	43	2
40	Balance of county	103	2	-	-	2	13	6	1	6	3	37	36	7	-	27	-
41	Walker	149	2	1	-	2	17	1	4	12	2	64	62	16	-	38	-
42	Waller	112	-	-	-	1	18	7	1	10	2	57	57	17	-	35	-
43	Ward	92	-	-	-	2	10	3	1	6	1	31	29	1	-	28	2
44	Washington	225	4	-	-	2	23	5	4	14	5	111	105	22	-	78	1
45	Webb	484	27	2	-	14	57	16	11	30	5	126	124	24	-	93	4
46	Laredo	466	27	2	-	14	56	16	10	30	4	120	118	23	-	88	4
47	Balance of county	18	-	-	-	-	1	-	1	-	1	6	6	1	-	5	-
48	Wharton	293	4	3	-	7	36	8	1	27	7	131	130	44	-	75	1
49	Wheeler	78	-	-	-	1	7	3	2	2	1	42	40	7	-	31	8
50	Wichita	693	6	5	1	4	90	35	7	48	9	335	329	56	-	242	4
51	Wichita Falls	511	5	3	1	4	62	26	6	30	7	245	240	44	-	180	1
52	Balance of county	182	1	2	-	-	28	9	1	18	2	90	89	22	-	62	3
53	Wilbarger	131	2	2	-	1	18	8	2	8	-	71	70	23	-	43	1
54	Vernon	101	2	1	-	1	13	7	1	5	-	56	55	18	-	34	1
55	Balance of county	30	-	1	-	-	5	1	1	3	-	15	15	5	-	9	-
56	Willacy	172	6	1	-	16	13	4	1	8	2	50	50	8	-	39	-
57	Williamson	408	9	1	-	5	56	10	6	40	5	203	188	44	-	127	2
58	Wilson	156	1	1	-	2	23	5	6	12	2	71	69	28	-	39	-
59	Winkler	53	1	1	-	1	5	-	2	3	-	20	19	2	-	15	1
60	Wise	189	1	-	-	2	25	6	4	15	2	109	105	19	-	82	2
61	Wood	193	3	1	-	-	27	10	2	15	2	98	94	15	-	71	1
62	Yoakum	34	-	-	-	-	4	-	-	4	-	10	10	1	-	9	-
63	Young	146	-	1	-	-	17	4	3	10	1	81	77	15	-	59	4
64	Zapata	14	1	-	-	-	3	2	-	1	-	3	3	-	-	3	-
65	Zavala	74	2	-	-	2	12	2	-	10	-	23	22	9	-	12	-
66	UTAH	5,274	37	11	12	28	684	245	69	370	88	2,402	2,335	468	17	1,695	122
67	Metropolitan counties	2,946	26	9	5	14	394	133	36	225	60	1,372	1,337	278	11	950	74
68	Nonmetropolitan counties	2,328	11	2	7	14	290	112	33	145	28	1,030	998	190	6	745	48
69	Beaver	33	-	-	-	-	5	4	-	1	-	20	20	3	-	14	1
70	Box Elder	140	1	-	-	-	18	4	3	11	1	50	49	9	1	36	2
71	Cache	208	-	-	-	2	23	11	2	10	3	109	107	32	-	69	1
72	Logan	98	-	-	-	2	12	8	-	4	1	48	48	12	-	33	1
73	Balance of county	110	-	-	-	-	11	3	2	6	2	61	59	20	-	36	-
74	Carbon	153	-	-	1	2	18	10	2	6	2	52	50	5	1	43	4
75	Daggett	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	Davis	194	-	-	2	-	32	12	3	17	3	73	73	12	-	56	7
77	Duchesne	46	1	-	-	-	3	1	1	1	1	23	23	4	-	19	2
78	Emery	57	-	-	-	1	4	1	2	1	-	29	27	9	-	17	2
79	Garfield	26	-	-	-	-	3	1	-	2	-	8	8	-	-	7	-
80	Grand	16	-	-	-	1	3	1	-	2	-	5	4	-	-	4	-
81	Iron	62	-	-	-	1	8	2	1	5	1	27	25	1	-	22	1
82	Juab	54	-	-	-	-	9	-	1	8	1	23	23	4	-	16	1
83	Kane	21	-	-	-	-	2	2	-	-	3	7	7	1	-	6	-
84	Millard	64	-	-	-	-	7	4	1	2	-	30	30	11	-	16	2
85	Morgan	18	-	-	-	-	5	3	1	1	-	8	8	2	-	6	-
86	Piute	19	1	-	-	-	1	-	-	1	-	9	9	3	-	6	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	2	1	-	2	1
117	41	31	10	18	3	14	31	3	3	7	2	2	4	40	10	14	27	4	10	50	2
71	20	13	9	8	1	7	11	3	3	5	1	-	4	25	3	7	5	3	8	23	3
46	21	18	1	10	2	7	20	-	-	2	1	2	-	15	7	7	22	1	2	27	4
8	4	2	-	-	-	1	1	-	-	-	-	-	-	2	2	1	-	-	-	1	5
18	-	6	-	2	1	-	10	-	1	-	1	2	1	8	17	10	6	-	-	4	6
21	3	6	-	2	1	3	2	1	1	2	-	-	1	3	6	5	4	1	-	4	7
3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	8
8	1	2	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	6	-	3	9
3	1	3	-	-	-	-	1	-	1	1	-	-	-	-	-	3	1	-	1	3	10
14	1	3	-	1	-	-	2	-	2	1	-	1	-	10	-	1	1	-	1	9	11
786	124	136	25	58	25	48	109	11	20	34	3	8	54	207	57	90	140	46	74	220	12
663	98	102	22	48	20	43	99	7	18	25	2	7	43	155	41	79	108	34	64	177	13
7	1	-	-	-	1	1	1	-	-	-	-	-	1	9	-	-	-	-	-	2	14
116	25	34	3	10	4	4	9	4	2	9	1	1	10	43	16	11	32	12	10	41	15
103	21	16	4	12	1	4	18	3	9	5	-	-	4	18	14	18	20	6	4	31	16
75	20	12	4	9	1	3	17	3	7	4	-	-	4	14	11	12	19	5	3	25	17
28	1	4	-	3	-	1	1	-	2	1	-	-	-	4	3	6	1	1	1	6	18
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	19
15	4	3	-	-	-	1	7	-	8	-	-	1	2	8	3	12	9	-	-	-	20
8	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	21
23	9	17	2	-	-	1	8	-	-	1	-	1	1	3	9	3	5	1	1	11	22
101	10	24	4	14	2	5	16	2	15	3	-	-	9	43	12	30	30	9	3	23	23
96	8	23	3	13	2	5	15	2	11	3	-	-	9	40	10	26	27	8	3	22	24
5	2	1	1	1	-	-	1	-	4	-	-	-	-	3	2	4	3	1	-	1	25
263	38	45	8	27	7	15	51	7	14	8	2	-	29	62	22	27	38	13	9	100	26
236	33	39	7	25	6	13	44	6	14	8	2	-	26	49	21	21	32	12	7	88	27
27	5	6	1	2	1	2	7	1	-	-	-	-	3	13	1	6	6	1	2	12	28
14	9	9	3	1	-	2	8	-	1	1	-	-	-	2	7	2	4	-	1	11	29
31	2	10	1	3	-	4	3	1	1	2	1	1	-	9	4	2	2	1	1	7	30
43	10	27	2	1	2	2	8	2	3	-	2	-	1	5	8	13	4	1	-	9	31
2	3	-	2	-	-	-	3	-	-	-	-	-	-	2	2	3	-	-	-	2	32
29	6	7	1	2	1	1	14	-	7	1	-	1	4	10	2	5	8	1	1	15	33
27	5	9	3	3	-	1	10	2	11	1	-	-	3	13	5	5	7	1	1	9	34
25	5	9	3	2	-	1	10	2	11	1	-	-	3	13	5	4	6	-	-	9	35
2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	36
39	9	17	1	5	2	6	10	-	1	2	1	-	1	3	6	9	12	2	-	18	37
44	10	14	3	2	1	3	14	1	6	2	3	1	7	28	15	18	18	5	4	15	38
31	3	7	2	2	-	2	10	1	5	2	1	1	3	21	9	11	13	2	3	9	39
13	7	7	1	-	1	1	4	-	1	-	2	-	4	7	6	7	5	3	1	6	40
22	7	9	3	3	2	2	11	1	1	1	-	-	2	4	16	1	5	1	3	15	41
14	4	17	1	2	2	-	4	-	-	-	-	1	-	4	4	5	5	-	4	7	42
18	2	6	-	-	-	2	4	-	1	1	-	-	-	9	4	9	10	3	-	7	43
31	17	29	3	2	-	6	15	2	1	4	-	-	2	4	14	3	9	3	-	23	44
47	10	32	4	2	1	2	60	1	21	9	1	3	5	44	28	17	30	3	1	30	45
44	9	31	4	2	1	2	58	1	21	9	1	2	4	43	27	16	28	3	1	29	46
3	1	1	-	-	-	-	2	-	-	-	-	1	1	1	1	1	2	-	-	1	47
52	5	17	1	9	1	1	14	1	2	1	-	2	4	26	9	6	9	2	5	24	48
14	2	7	-	1	1	2	4	-	1	-	-	-	1	2	2	5	3	1	2	6	49
176	35	27	1	8	12	6	18	1	4	3	-	1	15	57	14	29	39	9	3	50	50
137	28	14	1	5	10	5	11	-	4	3	-	1	14	48	8	21	26	8	2	38	51
39	7	13	-	3	2	1	7	1	-	-	-	-	1	9	6	8	13	1	1	12	52
31	3	8	2	2	-	1	4	-	3	-	-	-	5	4	2	5	5	-	-	9	53
26	3	4	1	2	-	1	3	-	2	-	-	-	4	4	-	4	3	-	-	8	54
5	-	4	1	-	-	-	1	-	1	-	-	-	1	-	2	1	2	-	-	1	55
24	3	12	1	2	-	-	18	-	17	-	-	2	1	10	6	5	9	2	5	9	56
65	17	43	1	10	6	15	17	2	7	4	1	1	6	20	11	9	15	4	3	29	57
14	6	19	2	-	-	2	5	-	3	1	1	1	2	8	12	5	4	1	-	13	58
8	2	4	2	-	-	1	2	-	-	-	-	-	2	5	2	4	4	2	-	4	59
53	12	15	1	2	1	4	7	-	-	-	-	-	-	8	7	9	7	1	-	11	60
41	8	21	3	5	-	4	15	2	2	-	-	-	1	6	6	7	8	2	-	13	61
9	-	-	-	-	-	-	2	-	1	-	-	-	-	2	2	8	1	-	-	4	62
36	5	14	-	2	1	4	5	-	-	1	-	-	1	4	5	5	6	2	1	16	63
1	-	2	-	-	-	-	2	-	1	-	-	-	-	-	3	1	-	-	-	-	64
6	1	5	-	1	-	1	5	1	10	-	-	-	1	2	6	2	4	-	-	4	65
994	250	329	24	78	53	67	141	36	22	36	7	4	104	345	336	205	262	59	16	419	66
590	137	149	15	50	33	35	73	19	5	21	4	-	53	172	226	84	135	33	8	233	67
404	113	180	9	28	20	32	68	17	17	15	3	4	51	173	110	121	147	26	8	186	68
4	2	7	2	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	5	69
24	3	7	-	1	2	1	6	1	-	-	-	-	3	8	14	10	13	3	1	11	70
43	18	7	-	2	4	2	4	1	-	1	-	-	8	10	11	9	16	1	1	9	71
18	11	3	-	2	1	-	1	1	-	-	-	-	3	8	5	5	8	-	-	4	72
25	7	4	-	-	3	2	3	-	-	1	-	-	5	2	6	4	8	1	1	5	73
21	8	10	-	1	-	2	3	1	2	1	1	-	2	17	5	5	15	5	-	21	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	75
28	17	4	-	2	3	-	6	1	2	2	-	-	3	27	8	9	11	2	1	12	76
13	1	3	-	-	-	-	2	-	-	1	-	-	2	4	2	1	2	1	-	3	77
4	1	10	-	1	-	2	3	-	-	-	-	-	-	2	1	2	9	1	1	4	78
5	-	2	-	1	-	-	-	-	-	1	-	1	1	2	1	2	4	1	-	2	79
4	-	-	-	-	-	1	1	-	-	-	-	-	2	2	-	-	1	-	-	1	80
14	3	4	1	-	1	2	-	1	2	1	-	-	-	3	1	4	5	-	1	7	81
8	3	4	1	2	-	-	3	-	-	-	-	-	1	2	5	3	2	-	-	5	82
3	1	2	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	4	83
11	-	3	-	1	2	-	2	2	-	-	-	-	2	1	7	2	5	-	-	6	84
3	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	85
1	1	4	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	86

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	UTAH--Continued																
1	Rich	11	-	-	-	-	1	1	-	-	-	7	7	2	-	5	-
2	Salt Lake	2,280	23	7	4	9	295	98	24	173	46	1,073	1,043	227	7	728	61
3	Salt Lake City	1,721	17	5	2	6	234	82	18	134	38	809	790	171	4	542	43
4	Balance of county	559	6	2	2	3	61	16	6	39	8	264	253	56	3	186	18
5	San Juan	33	3	-	-	-	3	2	-	1	-	4	3	-	-	3	1
6	Sanpete	136	-	-	-	1	22	9	4	9	1	78	77	14	-	61	2
7	Sevier	124	-	-	-	1	20	9	-	11	1	52	50	16	-	30	1
8	Summit	50	1	-	-	1	4	2	1	1	-	24	24	1	-	21	1
9	Tooele	113	1	1	1	1	19	2	4	13	2	31	31	8	1	21	2
10	Uintah	97	2	-	1	-	11	8	-	3	1	36	35	3	-	29	2
11	Utah	508	-	1	2	2	52	18	6	28	8	258	246	43	3	187	14
12	Provo	173	-	-	1	-	17	3	3	11	1	90	87	18	2	64	5
13	Balance of county	335	-	1	1	2	35	15	3	17	7	168	159	25	1	123	9
14	Wasatch	47	1	-	-	-	3	-	1	2	-	27	26	-	-	25	1
15	Washington	79	-	-	-	1	10	4	-	6	-	33	28	5	-	21	1
16	Wayne	17	-	-	-	-	4	1	-	3	-	7	7	2	-	5	-
17	Weber	666	3	2	1	5	99	35	12	52	14	299	294	51	4	222	13
18	Ogden	535	3	2	1	3	78	31	6	41	8	245	243	43	3	182	6
19	Balance of county	131	-	-	-	2	21	4	6	11	6	54	51	8	1	40	7
20	VERMONT	4,036	44	2	6	14	630	241	51	338	73	2,302	2,253	485	2	1,582	63
21	Nonmetropolitan counties	4,036	44	2	6	14	630	241	51	338	73	2,302	2,253	485	2	1,582	63
22	Addison	210	2	-	-	1	35	6	1	28	6	124	118	21	-	86	3
23	Bennington	280	1	-	-	-	42	20	2	20	1	182	177	43	-	119	3
24	Caledonia	294	4	-	2	-	50	23	2	25	3	178	171	33	1	125	4
25	Chittenden	598	4	1	-	6	92	39	8	45	12	335	333	70	1	241	14
26	Burlington	326	2	1	-	6	50	25	4	21	4	187	186	34	-	139	8
27	Balance of county	272	2	-	-	-	42	14	4	24	8	148	147	36	1	102	6
28	Essex	55	-	-	-	-	4	-	-	4	-	40	39	5	-	30	1
29	Franklin	323	8	1	-	1	48	12	5	31	6	164	161	44	-	101	6
30	Grand Isle	35	1	-	-	-	9	2	-	7	-	13	11	-	-	10	-
31	Lamoille	108	1	-	-	-	17	8	3	6	5	57	54	15	-	33	1
32	Orange	157	-	-	-	1	18	4	2	12	3	94	93	20	-	65	3
33	Orleans	248	-	-	1	-	44	23	3	18	9	134	131	28	-	91	3
34	Rutland	512	6	-	-	-	84	35	7	42	9	302	299	64	-	217	3
35	Rutland	231	2	-	-	-	33	17	3	13	2	146	145	34	-	103	1
36	Balance of county	281	4	-	-	-	51	18	4	29	7	156	154	30	-	114	2
37	Washington	438	13	-	2	-	72	27	6	39	6	243	237	56	-	161	9
38	Barre	127	6	-	-	-	21	5	2	14	2	61	57	12	-	44	5
39	Balance of county	311	7	-	2	-	51	22	4	25	4	182	180	44	-	117	4
40	Windham	325	3	-	1	2	47	15	2	30	6	187	183	36	-	129	7
41	Windsor	453	1	-	-	3	68	27	10	31	7	249	246	50	-	174	6
42	VIRGINIA[7]	30,007	518	163	34	180	3,644	1,234	413	1,997	360	15,840	15,399	3,859	32	10,328	339
43	Metropolitan counties	10,571	173	66	9	51	1,427	494	164	769	148	5,542	5,422	1,297	11	3,702	116
44	Nonmetropolitan counties	19,436	345	97	25	129	2,217	740	249	1,228	212	10,298	9,977	2,562	21	6,626	223
45	Accomack	390	9	1	-	3	46	14	2	30	3	209	203	53	-	134	4
46	Albemarle	242	2	-	-	-	27	12	1	14	4	138	138	39	-	90	2
47	Alleghany	84	3	-	1	-	10	4	3	3	2	42	42	4	1	37	-
48	Amelia	86	1	1	-	1	4	2	-	2	-	48	45	15	-	24	1
49	Amherst	175	3	3	-	2	27	12	4	11	-	86	84	25	-	49	1
50	Appomattox	81	1	-	-	1	8	4	-	4	-	46	43	9	-	29	-
51	Arlington[2]	819	9	3	1	3	136	47	20	69	9	403	393	75	2	292	5
52	Augusta	308	7	1	1	2	37	10	5	22	4	162	160	36	-	117	3
53	Bath	82	-	1	-	1	4	-	-	4	2	40	36	8	1	23	1
54	Bedford	250	1	2	-	2	25	11	3	11	7	129	121	43	-	70	6
55	Bland	37	-	-	-	-	7	4	1	2	-	15	15	4	-	9	1
56	Botetourt	167	2	2	-	-	20	8	1	11	-	96	94	20	-	67	-
57	Brunswick	170	-	-	-	4	18	7	1	10	4	95	94	28	-	62	1
58	Buchanan	211	5	-	-	1	15	3	1	11	-	68	66	18	-	45	2
59	Buckingham	127	-	1	-	2	17	5	3	9	2	68	68	21	-	45	3
60	Campbell	230	7	2	1	3	25	7	3	15	2	123	116	40	-	66	-
61	Caroline	155	1	-	-	-	13	7	1	5	-	89	88	25	-	58	1
62	Carroll	212	5	2	-	-	29	9	-	20	3	108	105	23	1	77	5
63	Charles City	50	2	-	-	-	5	2	1	2	2	28	26	12	-	14	1
64	Charlotte	137	3	1	-	-	17	9	1	7	1	74	74	22	-	43	1
65	Chesterfield	292	3	-	-	2	46	10	6	30	1	147	147	38	1	96	3
66	Clarke	73	2	-	-	-	7	2	1	4	-	45	44	11	-	31	-
67	Craig	20	-	1	-	-	1	-	-	1	-	14	12	2	-	8	1
68	Culpeper	181	1	1	-	-	18	7	2	9	1	116	114	26	-	75	6
69	Cumberland	93	3	-	-	1	10	4	-	6	1	38	37	14	2	19	1
70	Dickenson	130	3	-	-	1	11	3	1	7	1	53	51	13	-	38	-
71	Dinwiddie	179	6	-	1	1	10	5	-	5	2	98	95	28	-	60	1
72	Essex	86	1	1	-	1	9	3	1	5	1	40	40	8	1	28	1
73	Fairfax	514	4	2	-	1	71	15	11	45	10	237	233	50	-	170	7
74	Fauquier	219	1	2	-	1	34	12	6	16	2	114	111	23	-	77	1
75	Floyd	107	2	-	-	-	12	4	2	6	-	57	56	12	2	42	-
76	Fluvanna	70	-	-	-	1	10	6	1	3	-	45	44	6	-	37	-
77	Franklin	224	2	-	-	-	29	11	2	16	5	114	112	26	-	73	-
78	Frederick	158	2	-	-	4	15	4	1	10	3	91	88	26	-	59	4
79	Giles	143	2	1	-	2	17	6	-	9	2	72	67	14	-	50	-
80	Gloucester	120	-	-	-	-	12	1	2	9	-	74	72	13	-	51	-
81	Goochland	85	1	1	-	-	7	2	3	2	2	51	48	18	-	24	-

[2]Classified as urban under a special rule.
[7]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1
446	98	123	13	43	25	30	55	17	5	15	4	-	37	124	199	70	86	24	6	181	2
344	75	80	13	39	21	19	41	14	4	12	2	-	26	86	154	52	61	18	4	136	3
102	23	43	-	4	4	11	14	3	1	3	2	-	11	38	45	18	25	6	2	45	4
2	-	-	-	-	-	1	1	-	2	-	-	-	-	2	10	2	4	-	-	2	5
25	12	22	1	-	1	1	2	1	-	-	-	-	1	9	6	3	3	-	-	9	6
17	2	10	-	3	1	2	2	2	4	-	-	-	4	7	7	7	5	1	-	11	7
6	5	9	-	-	2	-	1	2	1	1	-	-	-	2	3	1	3	2	-	4	8
8	3	8	-	1	-	-	7	-	2	1	-	1	4	11	3	8	5	2	1	12	9
11	9	7	-	1	2	1	9	-	-	-	1	1	3	8	5	7	8	-	-	4	10
111	21	41	4	7	2	12	14	3	2	5	1	1	13	36	14	25	22	3	2	44	11
39	6	14	1	1	1	3	4	-	1	2	-	-	3	17	6	12	6	-	1	12	12
72	15	27	3	6	1	9	10	3	1	3	1	1	10	19	8	13	16	3	1	32	13
22	-	2	-	1	-	1	-	-	-	-	-	-	-	5	3	2	4	-	-	2	14
12	1	7	-	3	-	4	-	1	-	1	-	-	1	4	3	12	5	3	-	5	15
-	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	2	16
144	39	26	2	7	8	5	18	2	-	6	-	-	16	48	27	14	49	9	2	52	17
120	33	23	2	6	7	2	13	2	-	5	-	-	11	37	24	11	41	7	2	42	18
24	6	3	-	1	1	3	5	-	-	1	-	-	5	11	3	3	8	2	-	10	19
1,092	147	280	32	120	32	49	95	27	20	22	5	3	40	143	38	66	167	53	1	285	20
1,092	147	280	32	120	32	49	95	27	20	22	5	3	40	143	38	66	167	53	1	285	21
49	13	21	1	9	1	6	6	-	-	-	1	-	1	6	-	7	6	3	-	12	22
86	8	22	3	8	4	5	7	1	-	1	1	-	-	7	4	3	9	4	-	17	23
102	5	14	-	11	1	7	2	3	-	1	1	-	4	10	-	2	16	-	-	18	24
172	20	35	6	10	5	2	13	5	1	2	-	-	6	25	5	14	27	9	-	41	25
96	14	21	4	4	5	1	4	3	1	1	-	-	3	11	3	4	19	3	-	24	26
76	6	14	2	6	-	1	9	2	-	1	-	-	3	14	2	10	8	6	-	17	27
18	2	9	2	2	-	1	2	-	-	2	-	-	-	1	-	-	3	3	-	-	28
65	15	15	2	12	2	3	16	1	5	3	-	-	5	10	1	6	16	3	-	29	29
6	1	3	-	1	-	2	1	-	-	-	-	-	-	2	3	2	1	-	-	3	30
26	2	4	1	2	3	3	3	1	-	-	1	-	1	5	1	-	6	-	-	10	31
45	6	11	4	4	-	1	2	3	-	-	-	1	5	2	-	2	4	2	-	20	32
64	6	18	3	8	1	3	8	-	2	2	-	-	1	12	2	1	9	6	-	17	33
172	13	29	3	13	2	3	8	6	2	2	1	2	7	17	6	7	17	3	1	32	34
82	7	13	2	5	1	1	3	3	2	-	-	2	3	6	2	3	7	1	-	16	35
90	6	16	1	8	1	2	5	3	-	2	1	-	4	11	4	4	10	2	1	16	36
109	12	31	1	14	5	6	8	1	5	2	-	-	3	18	2	7	16	6	-	34	37
23	3	13	-	1	-	4	2	-	3	-	-	-	1	9	-	2	5	3	-	12	38
86	9	18	1	13	5	2	6	1	2	2	-	-	2	9	2	5	11	3	-	22	39
71	21	30	5	10	3	4	8	5	1	3	-	-	2	8	6	6	14	6	-	20	40
107	23	38	1	16	5	3	11	1	4	4	-	-	5	20	8	9	23	8	-	32	41
6,016	2,018	1,955	312	651	217	441	1,233	146	205	204	80	70	472	1,764	333	879	1,229	363	276	2,014	42
2,326	694	566	107	222	83	120	358	61	69	93	31	23	175	657	95	278	395	132	114	674	43
3,690	1,324	1,389	205	429	134	321	875	85	136	111	49	47	297	1,107	238	601	834	231	162	1,340	44
84	13	33	9	4	3	6	14	2	4	3	2	-	1	22	7	16	15	6	2	25	45
50	20	18	1	6	2	-	8	1	1	2	-	-	8	9	1	4	10	2	2	23	46
26	6	5	-	-	-	-	2	2	1	2	-	-	-	3	-	1	6	1	-	8	47
18	1	4	1	5	-	3	5	-	1	-	-	-	1	5	-	6	6	-	2	5	48
27	14	7	2	5	3	2	8	-	1	-	-	1	3	8	3	4	7	3	-	16	49
14	9	6	1	3	1	3	2	1	1	-	-	-	4	5	1	1	5	-	1	4	50
227	38	22	7	9	8	10	16	3	2	15	1	1	15	54	4	23	29	22	3	67	51
62	26	26	3	4	-	2	19	1	1	3	1	1	3	9	3	10	10	7	1	25	52
8	6	8	-	4	-	4	1	-	-	-	-	-	-	2	-	2	2	1	1	5	53
36	16	12	3	4	1	8	15	-	4	3	-	-	3	14	1	10	13	4	2	15	54
6	1	1	-	2	-	-	3	1	1	-	-	-	-	3	-	-	-	-	-	7	55
28	21	18	3	2	2	2	10	2	1	-	-	1	2	4	1	10	7	2	-	7	56
36	18	7	1	3	-	1	6	-	-	-	-	1	4	11	1	9	4	2	2	9	57
25	11	7	2	1	-	2	13	3	9	1	1	3	2	22	8	8	25	3	1	23	58
30	8	4	1	1	-	-	4	-	4	1	-	-	2	9	1	2	3	1	-	10	59
43	10	13	-	7	3	7	12	-	1	1	-	-	7	15	4	5	5	-	1	16	60
25	12	20	1	3	1	1	7	1	1	-	1	-	5	9	2	4	10	1	2	9	61
35	7	30	1	3	-	3	13	1	1	1	-	-	4	6	3	14	5	1	-	16	62
5	3	5	-	-	-	2	3	-	1	1	-	-	-	1	1	1	2	1	-	2	63
20	8	14	1	8	-	-	4	1	1	-	2	-	1	8	6	4	3	-	-	11	64
61	19	13	4	7	1	-	9	1	1	1	1	-	4	26	2	7	14	8	1	18	65
22	2	7	2	-	-	1	3	-	1	-	-	-	1	5	-	2	-	-	1	6	66
2	3	2	-	1	1	2	1	-	-	-	-	-	-	-	-	-	1	1	-	1	67
37	11	21	3	9	1	2	16	-	-	1	-	-	2	8	1	4	7	2	-	3	68
7	6	5	-	1	1	1	12	-	1	-	-	-	1	5	-	3	9	1	1	7	69
19	13	6	-	-	-	2	12	1	2	-	-	-	2	11	3	6	10	3	2	9	70
43	8	8	3	4	-	1	6	-	3	-	-	2	2	12	3	9	8	-	1	17	71
15	3	9	-	3	-	-	4	1	1	-	1	-	1	4	4	7	4	-	-	6	72
116	32	15	4	4	5	4	19	5	2	1	-	1	10	42	7	31	19	14	2	36	73
38	20	18	2	8	1	3	10	-	-	1	1	-	4	15	1	6	8	3	1	15	74
23	10	9	-	-	-	1	5	1	-	-	-	1	-	8	-	4	2	8	1	6	75
16	3	18	-	1	-	1	1	1	1	-	-	-	-	1	2	1	3	-	1	3	76
42	19	12	3	7	3	2	10	-	-	-	-	-	4	10	5	9	9	3	1	23	77
36	7	12	1	2	-	3	9	1	1	1	-	-	1	6	-	7	4	4	1	8	78
34	4	12	-	2	1	5	9	-	1	2	-	-	5	8	-	7	5	-	-	10	79
21	15	15	1	5	2	2	4	-	1	-	3	1	2	6	-	5	5	1	3	3	80
10	2	12	1	5	-	3	7	1	2	-	-	1	-	1	2	4	2	1	-	2	81

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[7]—Continued																
1	Grayson	189	1	-	1	-	22	9	2	11	1	105	101	17	-	81	4
2	Greene	53	1	-	-	-	6	3	-	3	1	30	29	12	-	17	-
3	Greensville	147	3	-	-	2	11	2	-	9	2	66	66	15	-	46	1
4	Halifax	417	5	1	-	5	39	16	2	21	5	214	210	58	1	135	2
5	Hanover	203	4	-	-	1	26	10	2	14	2	127	123	24	-	86	2
6	Henrico	412	5	-	1	1	61	23	3	35	8	222	221	47	-	154	7
7	Henry	241	-	3	-	1	25	7	1	17	3	96	95	24	-	63	-
8	Highland	58	1	-	-	1	10	3	-	7	-	32	32	11	-	20	3
9	Isle of Wight	133	6	1	-	2	24	6	2	16	-	63	61	22	-	34	1
10	James City	70	3	-	-	1	8	1	4	3	-	31	31	10	1	17	1
11	King and Queen	57	-	-	-	-	9	5	1	3	-	36	34	10	-	18	1
12	King George	66	-	-	-	1	4	1	-	3	-	36	36	14	-	17	1
13	King William	88	1	-	-	1	5	2	1	2	2	60	58	19	-	35	-
14	Lancaster	101	2	-	-	-	12	4	3	5	1	46	46	11	-	31	1
15	Lee	285	17	1	-	2	37	18	5	14	1	126	123	23	-	94	8
16	Loudoun	256	6	1	1	1	29	9	3	17	5	142	135	29	-	94	4
17	Louisa	165	4	-	-	2	13	4	1	8	2	93	92	21	-	57	1
18	Lunenburg	128	4	-	-	1	14	8	1	5	1	68	68	15	-	48	-
19	Madison	65	-	-	-	-	10	3	1	6	1	40	40	14	-	25	1
20	Mathews	109	2	2	-	-	17	4	1	12	-	67	66	15	-	45	1
21	Mecklenburg	282	4	1	-	1	28	6	1	21	2	163	161	47	-	99	6
22	Middlesex	93	1	1	-	2	15	3	3	9	1	48	45	14	-	28	-
23	Montgomery	253	3	-	-	4	28	10	5	13	1	137	128	33	1	88	3
24	Nansemond	334	5	2	-	3	33	17	3	13	3	162	156	56	3	82	4
25	Nelson	138	1	1	-	-	12	6	1	5	1	88	85	18	-	60	1
26	New Kent	41	1	-	-	-	2	1	-	1	-	25	24	10	-	10	-
27	Norfolk	591	9	1	-	5	61	15	6	40	5	303	296	90	-	192	8
28	Northampton	244	5	-	1	1	27	5	4	18	3	123	117	42	-	59	1
29	Northumberland	114	-	-	-	-	14	3	-	11	1	71	71	13	-	43	-
30	Nottoway	190	2	3	1	-	15	4	2	9	2	92	90	24	-	57	1
31	Orange	138	2	-	-	2	14	4	1	9	1	80	77	12	-	53	1
32	Page	135	3	-	-	3	11	4	2	5	1	80	76	12	-	57	3
33	Patrick	142	1	-	1	2	15	3	-	12	1	71	71	17	1	49	4
34	Pittsylvania	486	13	1	-	5	51	19	5	27	2	260	252	72	2	162	8
35	Powhatan	46	1	1	-	-	6	1	-	5	-	27	27	8	-	16	-
36	Prince Edward	172	8	1	-	2	11	6	-	5	3	95	89	27	-	54	-
37	Prince George	99	3	-	-	1	7	3	-	4	2	51	50	14	-	32	2
38	Prince William	189	1	-	-	2	24	5	4	15	4	86	83	26	-	54	3
39	Princess Anne	342	3	2	1	4	43	15	10	18	2	171	165	45	-	115	6
40	Pulaski	216	2	-	-	1	31	12	2	17	1	124	120	21	-	94	2
41	Rappahannock	68	1	-	-	-	6	1	1	4	1	43	42	9	-	33	1
42	Richmond	56	-	-	-	-	7	3	-	4	1	42	41	9	-	24	1
43	Roanoke	307	1	-	-	3	35	13	2	20	1	172	166	41	-	118	6
44	Rockbridge	227	2	-	2	1	27	8	5	14	3	122	119	22	-	83	5
45	Rockingham	328	9	-	1	2	45	15	5	25	2	195	180	49	-	120	4
46	Russell	204	5	-	-	-	25	10	2	13	4	92	89	33	-	49	-
47	Scott	191	5	-	1	3	19	7	2	10	3	93	87	20	-	65	1
48	Shenandoah	248	6	1	-	1	28	14	1	13	3	152	143	37	-	95	2
49	Smyth	227	7	-	-	1	21	4	3	14	1	119	117	31	-	77	3
50	Southampton	244	6	2	-	1	25	13	2	10	1	129	127	28	-	84	3
51	Spotsylvania	107	1	2	-	-	12	1	2	9	3	68	65	17	-	42	3
52	Stafford	124	-	1	-	2	14	7	4	3	1	68	67	12	-	50	1
53	Surry	80	4	1	-	-	8	5	-	3	1	46	45	17	-	25	1
54	Sussex	135	5	-	-	3	16	6	1	9	1	67	67	17	-	43	2
55	Tazewell	438	5	3	-	2	65	18	11	36	10	191	178	30	-	132	3
56	Warren	127	2	1	-	1	11	4	1	6	-	81	79	18	-	53	1
57	Washington	316	5	3	5	2	28	8	4	16	6	163	157	58	-	82	2
58	Westmoreland	113	2	1	-	1	17	10	-	7	1	68	68	27	-	34	-
59	Wise	448	11	6	1	3	50	13	6	31	2	189	184	45	-	133	18
60	Wythe	214	4	1	-	1	27	7	4	16	1	115	110	30	1	76	4
61	York	101	3	1	-	-	19	5	1	13	3	41	41	6	-	29	2
	Independent Cities[8]																
62	Alexandria	581	7	3	1	4	88	41	9	38	13	282	279	59	2	197	8
63	Bristol[9]	100	5	-	-	2	14	7	1	6	1	46	44	9	-	33	2
64	Buena Vista	33	1	-	-	-	5	1	1	3	-	19	18	5	-	12	1
65	Charlottesville	256	3	2	-	1	47	18	4	25	-	145	139	33	-	98	-
66	Clifton Forge	78	-	-	-	-	11	1	-	10	2	50	50	10	-	37	1
67	Colonial Heights	42	-	-	-	-	13	1	6	6	-	20	20	6	-	12	-
68	Covington[10]	92	2	3	-	2	12	3	-	5	1	47	47	7	-	37	-
69	Danville	406	3	2	-	-	53	10	6	37	6	215	211	53	-	147	4
70	Falls Church	125	-	-	-	1	18	4	2	12	-	60	58	8	-	47	2
71	Fredericksburg	105	1	1	-	1	16	6	4	6	2	58	55	11	-	37	1
72	Hampton[11]	506	7	3	2	-	57	21	10	26	8	272	260	51	-	191	5
73	Harrisonburg	110	-	1	-	-	18	4	5	9	1	66	62	15	-	44	2
74	Hopewell	107	-	-	-	1	17	3	7	7	2	65	60	13	-	42	2
75	Lynchburg	470	5	1	1	3	74	22	9	43	5	257	251	66	1	166	7
76	Martinsville	116	5	1	-	-	14	6	1	7	1	45	44	14	1	27	2
77	Newport News	529	13	5	-	3	56	20	10	26	5	244	239	64	-	152	6
78	Norfolk	2,103	48	26	1	10	264	93	31	140	32	1,078	1,051	277	1	668	19
79	Petersburg	385	8	4	-	3	37	7	8	22	6	209	201	54	1	130	4
80	Portsmouth	786	22	6	1	1	80	17	9	54	6	436	420	124	1	273	7
81	Radford	73	1	-	-	1	5	2	1	2	-	45	45	9	-	32	-
82	Richmond	2,637	40	18	-	9	358	144	41	173	40	1,469	1,440	307	4	1,017	26
83	Roanoke	901	21	4	3	3	143	49	10	84	21	481	473	113	-	312	10
84	South Norfolk	161	1	1	-	4	23	8	4	11	-	81	80	23	-	51	2

[7] Independent cities have the same status as counties and are listed after counties.
[8] Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
27	11	39	2	1	-	4	5	-	2	1	1	1	4	9	5	6	4	4	-	17	1
8	1	8	-	-	-	1	1	-	-	1	-	-	2	-	1	-	4	1	-	5	2
17	12	16	3	2	-	-	8	-	4	-	1	-	3	10	9	5	14	-	-	9	3
76	36	21	1	9	6	4	26	2	2	2	-	2	4	24	10	14	15	6	6	35	4
46	15	23	5	6	2	4	5	-	1	3	-	-	3	5	2	1	8	3	2	10	5
90	33	24	7	9	4	1	8	1	2	2	-	1	13	25	3	10	15	6	3	25	6
33	21	9	4	3	1	1	22	1	1	-	2	1	7	24	-	19	10	5	6	15	7
10	4	3	-	1	-	-	2	1	-	-	-	-	1	2	3	3	3	-	-	-	8
21	9	3	2	2	1	2	6	-	1	1	-	-	1	3	3	4	8	-	2	8	9
11	3	2	1	2	-	-	4	-	1	2	-	-	-	2	6	3	3	-	-	6	10
9	5	3	3	2	1	2	3	-	-	-	-	-	-	2	-	2	2	1	1	1	11
11	4	1	-	5	-	-	6	-	-	-	-	1	4	5	3	2	1	-	-	3	12
19	9	7	3	1	-	2	4	1	-	-	-	-	-	3	-	2	2	-	3	4	13
12	8	10	-	2	2	-	5	-	-	1	1	-	-	11	4	8	2	3	1	4	14
33	18	35	2	2	2	3	16	1	3	1	-	2	2	20	9	5	12	3	4	23	15
53	23	14	4	7	1	7	12	-	-	2	-	-	4	13	3	2	17	5	-	13	16
29	10	17	4	9	1	1	6	-	2	-	1	-	3	7	4	4	8	1	-	15	17
29	6	13	3	1	1	-	6	-	2	-	-	-	-	7	2	5	6	2	2	8	18
14	7	3	-	1	-	-	1	-	-	-	-	-	2	2	-	2	2	1	-	4	19
26	9	9	-	5	1	1	2	-	-	-	-	1	2	-	-	2	7	-	1	6	20
48	20	25	2	10	3	2	14	-	1	2	-	2	1	14	6	10	12	4	7	10	21
17	5	6	-	2	1	3	3	1	-	1	-	1	2	2	3	1	4	-	-	7	22
54	19	12	2	4	-	9	17	1	-	1	-	1	2	14	3	12	9	1	2	17	23
45	17	16	8	5	2	6	21	6	4	2	1	3	3	23	4	13	19	1	11	15	24
44	6	9	1	6	-	3	4	-	1	1	-	-	2	4	-	4	7	2	-	10	25
4	1	5	1	2	1	1	3	-	-	-	-	-	1	2	-	5	2	-	-	-	26
134	24	26	6	6	2	7	24	3	6	5	6	-	14	52	3	24	29	8	8	25	27
37	9	12	6	8	2	6	14	-	1	-	3	1	5	19	3	6	9	2	3	18	28
21	11	11	2	13	-	-	3	-	1	1	-	1	1	7	1	2	3	1	1	6	29
36	6	14	3	4	2	2	5	-	-	3	1	-	2	21	1	13	7	1	5	16	30
28	9	15	2	9	1	3	4	-	-	-	-	-	2	2	5	5	1	3	1	16	31
18	9	27	2	3	2	4	4	1	-	-	-	-	3	9	1	4	5	2	-	8	32
16	10	19	1	3	-	-	7	2	-	-	-	-	5	7	1	8	5	1	2	13	33
83	37	34	3	11	2	8	13	2	5	2	3	2	16	30	2	19	20	5	4	31	34
11	2	3	1	2	-	-	2	-	-	-	1	-	-	3	-	1	1	-	-	3	35
34	9	11	-	7	1	6	7	-	1	1	-	1	3	15	2	4	5	2	-	11	36
18	6	6	1	2	1	1	3	-	1	-	-	1	2	7	-	4	5	-	3	9	37
33	8	10	1	2	-	3	5	2	1	2	-	-	4	17	2	10	14	6	1	7	38
66	15	28	1	4	-	6	11	-	1	4	2	1	11	32	1	21	10	2	6	14	39
46	28	18	2	1	2	4	12	1	1	1	-	2	-	14	-	6	4	4	1	11	40
22	3	7	-	-	-	1	3	-	-	-	-	-	-	3	-	1	4	-	1	5	41
13	6	4	-	7	1	1	-	-	-	-	-	-	-	1	-	2	2	-	-	I	42
73	14	25	3	3	1	6	10	1	2	3	1	2	8	21	2	15	9	3	1	17	43
59	8	11	5	8	1	3	11	4	1	1	2	-	2	10	4	6	8	3	-	16	44
47	28	41	4	5	2	15	8	-	1	-	-	1	4	14	3	6	12	7	1	17	45
33	7	9	1	5	1	3	15	1	-	1	-	-	5	12	6	5	16	2	1	14	46
38	12	14	-	2	-	6	16	-	2	-	-	-	7	9	3	8	4	2	1	15	47
57	22	14	3	8	-	9	9	4	-	1	-	-	2	9	2	4	10	6	1	9	48
50	13	11	1	3	5	2	6	-	-	2	1	1	6	30	-	8	8	2	1	13	49
48	18	15	6	7	2	2	15	1	1	1	-	1	1	15	1	5	12	1	7	19	50
27	1	11	2	4	-	3	4	-	1	-	-	-	5	1	-	1	4	1	-	4	51
28	4	17	-	3	2	1	2	-	2	-	-	-	-	5	1	9	8	2	-	9	52
11	7	6	1	2	-	1	-	-	-	-	-	1	1	6	1	2	4	1	-	4	53
16	19	6	1	5	1	-	5	-	3	2	1	1	2	6	5	5	3	1	-	9	54
76	33	20	5	5	6	13	17	-	2	-	-	-	5	34	5	20	34	8	1	36	55
26	14	12	2	3	3	2	3	2	1	1	1	-	2	7	-	3	1	4	-	6	56
45	14	21	7	9	1	6	18	3	1	2	-	-	6	22	2	7	11	2	5	25	57
14	6	14	-	4	3	-	7	-	1	1	-	-	-	4	-	1	1	-	-	8	58
65	28	22	2	3	1	5	32	3	9	5	1	1	8	40	5	10	27	5	2	38	59
46	9	17	-	1	2	5	7	1	2	-	-	-	2	14	2	9	10	2	1	15	60
14	10	3	1	4	1	-	2	-	1	1	-	-	-	9	1	4	5	2	1	8	61
134	43	12	6	9	6	3	15	7	-	10	2	-	10	44	15	12	24	7	3	34	62
22	5	4	1	-	1	2	10	1	-	-	-	1	2	4	1	2	3	1	1	6	63
9	2	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	4	-	-	1	64
66	13	19	1	6	1	6	6	1	2	5	-	-	1	8	1	8	9	3	-	14	65
27	8	1	1	1	1	-	3	-	-	1	-	-	1	1	-	-	1	1	-	7	66
11	1	-	1	1	-	-	-	1	-	-	-	-	2	2	-	-	-	1	-	3	67
27	4	6	1	1	1	-	2	-	-	1	-	-	-	3	1	9	1	2	-	6	68
61	60	22	3	3	5	4	20	1	2	5	1	1	9	16	4	5	15	6	3	39	69
35	7	3	-	2	1	2	3	-	1	2	-	1	5	11	3	6	5	1	-	8	70
30	3	3	3	2	2	3	2	-	1	-	-	-	4	6	-	1	4	2	-	6	71
122	41	23	5	8	5	12	14	2	1	2	5	1	6	35	4	6	26	5	7	43	72
17	18	7	-	2	1	4	2	1	-	-	-	-	3	3	-	1	4	4	-	6	73
23	12	5	2	2	1	5	1	1	1	1	1	-	1	7	-	2	4	1	-	2	74
92	25	42	3	10	5	6	15	3	3	4	-	1	5	12	4	12	20	9	3	33	75
15	4	6	-	2	-	1	12	-	-	2	1	2	2	6	4	4	6	-	2	9	76
105	29	12	7	13	3	5	18	3	6	7	1	-	12	44	4	10	29	3	10	56	77
398	120	131	31	60	14	27	88	17	23	13	8	6	32	142	23	42	84	10	33	123	78
86	24	16	6	9	1	8	20	4	3	2	2	1	4	20	3	6	9	2	6	36	79
150	57	59	7	4	11	16	31	5	8	3	3	2	10	55	3	20	27	6	7	54	80
9	11	12	-	4	-	-	2	-	-	-	-	-	1	5	-	5	5	2	-	1	81
604	240	147	18	73	21	29	87	10	13	24	5	6	25	115	22	56	96	34	35	175	82
204	42	56	10	31	7	8	32	7	5	8	1	2	15	25	7	10	26	9	9	69	83
34	10	5	3	1	2	1	5	1	3	2	1	-	3	13	-	1	8	2	3	9	84

[9] Includes data for Bristol, Va., only.
[10] Covington (city) reorganized from a city in Alleghany County to an independent city in 1953.
[11] Elizabeth City County incorporated into the independent city of Hampton in 1952.

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[7]—Continued																
	Independent Cities[8]—Con.																
1	Staunton	162	1	4	-	1	12	2	1	9	2	99	99	24	-	66	2
2	Suffolk	152	3	1	-	1	13	3	1	9	2	98	93	25	-	60	2
3	Warwick[12]	241	2	1	2	1	20	5	1	14	2	110	106	21	-	79	2
4	Waynesboro	86	2	-	-	1	10	4	-	6	2	43	43	8	-	33	2
5	Williamsburg	40	2	-	-	-	5	-	-	5	-	29	29	5	-	24	-
6	Winchester	147	4	1	1	-	17	6	2	9	2	87	78	29	-	47	2
7	WASHINGTON	23,341	180	65	17	111	3,614	1,334	394	1,886	378	12,722	12,527	2,785	25	8,858	306
8	Metropolitan counties	13,501	118	30	4	61	2,144	797	240	1,107	228	7,422	7,330	1,570	12	5,245	172
9	Nonmetropolitan counties	9,840	62	35	13	50	1,470	537	154	779	150	5,300	5,197	1,215	13	3,613	134
10	Adams	60	-	-	-	-	13	4	2	7	-	32	32	5	-	23	1
11	Asotin	122	-	1	1	2	12	6	-	6	-	68	68	9	-	52	2
12	Benton	268	2	-	-	3	30	12	4	14	2	126	125	22	2	95	-
13	Kennewick	99	-	-	-	1	14	4	2	8	1	44	43	7	-	33	-
14	Balance of county	169	2	-	-	2	16	8	2	6	1	82	82	15	2	62	-
15	Chelan	365	3	1	2	2	35	14	3	18	10	225	221	59	1	137	3
16	Wenatchee	167	1	-	-	-	15	6	1	8	5	105	103	33	1	62	1
17	Balance of county	198	2	1	2	2	20	8	2	10	5	120	118	26	-	75	2
18	Clallam	272	2	-	-	1	24	11	5	8	2	161	152	38	2	99	2
19	Port Angeles	121	1	-	-	1	11	6	-	5	-	73	68	20	1	45	1
20	Balance of county	151	1	-	-	-	13	5	5	3	2	88	84	18	1	54	1
21	Clark	750	2	1	-	5	101	38	13	50	19	416	413	92	3	286	7
22	Vancouver	368	1	-	-	3	44	16	4	24	8	214	213	53	1	142	3
23	Balance of county	382	1	1	-	2	57	22	9	26	11	202	200	39	2	144	4
24	Columbia	58	-	-	-	-	9	1	2	6	2	34	34	8	-	24	1
25	Cowlitz	417	3	-	-	-	67	20	6	41	4	220	215	39	-	160	14
26	Longview	143	1	-	-	-	21	6	-	15	1	69	68	17	-	45	8
27	Balance of county	274	2	-	-	-	46	14	6	26	3	151	147	22	-	115	6
28	Douglas	75	1	-	-	-	11	5	-	6	1	38	37	5	-	27	1
29	Ferry	34	1	-	-	-	6	4	-	2	-	13	13	4	-	8	-
30	Franklin	126	-	1	-	-	22	8	1	13	2	61	61	16	-	42	4
31	Pasco	102	-	1	-	-	20	7	-	13	2	49	49	13	-	33	3
32	Balance of county	24	-	-	-	-	2	1	1	-	-	12	12	3	-	9	1
33	Garfield	38	-	-	-	1	7	4	1	2	-	20	20	5	-	14	-
34	Grant	133	1	-	1	2	15	5	4	6	1	53	51	6	-	43	4
35	Grays Harbor	581	7	1	-	7	93	41	10	42	9	301	291	61	1	210	4
36	Aberdeen	225	4	1	-	3	28	18	1	9	4	121	118	27	-	81	2
37	Hoquiem	127	1	-	-	-	23	7	1	15	2	72	67	14	1	52	2
38	Balance of county	229	2	-	-	4	42	16	8	18	3	108	106	20	-	77	-
39	Island	109	-	-	-	1	16	4	1	11	2	61	59	16	-	40	-
40	Jefferson	91	-	-	-	-	14	4	2	8	1	51	51	12	-	38	1
41	King	7,774	69	13	1	32	1,291	484	158	649	142	4,216	4,153	924	6	2,966	106
42	Seattle	6,030	59	9	1	26	989	373	117	499	114	3,258	3,213	737	5	2,275	85
43	Renton	131	1	1	-	1	26	9	3	14	3	63	63	18	-	40	-
44	Balance of county	1,613	9	3	-	5	276	102	38	136	25	895	877	169	1	651	21
45	Kitsap	649	1	-	-	2	99	35	14	50	7	355	344	83	2	240	7
46	Bremerton	227	-	-	-	-	29	14	2	13	3	119	113	23	2	82	3
47	Balance of county	422	1	-	-	2	70	21	12	37	4	236	231	60	-	158	4
48	Kittitas	205	-	2	-	1	23	12	1	10	6	119	114	37	-	71	8
49	Klickitat	129	-	2	1	1	16	5	1	10	3	65	64	15	1	40	2
50	Lewis	437	5	3	-	3	71	27	8	36	13	237	234	51	-	173	4
51	Lincoln	76	1	-	-	1	17	5	-	12	2	36	36	8	-	23	-
52	Mason	138	-	1	-	1	29	13	4	12	1	70	67	13	-	49	3
53	Okanogan	223	3	1	-	1	27	9	1	17	8	114	111	23	-	75	2
54	Pacific	186	1	2	1	1	30	10	3	17	5	98	97	25	-	66	4
55	Pend Oreille	74	-	-	1	-	9	2	2	5	-	43	41	10	-	29	-
56	Pierce	2,566	24	9	1	11	394	162	30	202	36	1,434	1,417	292	2	1,041	31
57	Tacoma	1,721	19	5	-	6	272	115	18	139	29	966	956	197	2	702	20
58	Puyallup	145	-	-	-	-	29	9	1	19	2	92	90	24	-	58	2
59	Balance of county	700	5	4	1	5	93	38	11	44	5	376	371	71	-	281	9
60	San Juan	36	-	-	-	-	9	5	-	4	-	20	20	6	-	14	-
61	Skagit	444	1	1	1	2	72	28	11	33	8	240	235	67	1	153	3
62	Skamania	39	1	-	-	-	4	1	-	3	1	22	22	3	-	17	-
63	Snohomish	1,289	6	2	-	4	214	76	17	121	15	709	698	174	-	473	20
64	Everett	490	3	1	-	1	96	39	7	50	5	263	261	65	-	174	7
65	Balance of county	799	3	1	-	3	118	37	10	71	10	446	437	109	-	299	13
66	Spokane	2,411	23	7	2	13	358	113	39	206	31	1,356	1,347	262	1	952	28
67	Spokane	1,924	19	5	1	13	287	86	33	168	25	1,088	1,081	205	1	763	20
68	Balance of county	487	4	2	1	-	71	27	6	38	6	268	266	57	-	189	8
69	Stevens	193	1	2	-	-	24	11	3	10	1	106	103	25	-	69	5
70	Thurston	407	7	2	1	2	62	21	7	34	6	199	197	48	-	140	7
71	Olympia	177	4	-	-	1	29	9	2	18	3	81	80	20	-	57	5
72	Balance of county	230	3	2	1	1	33	12	5	16	3	118	117	28	-	83	2
73	Wahkiakum	39	-	1	-	-	4	2	1	1	-	16	16	4	1	9	1
74	Walla Walla	385	2	1	-	3	61	21	10	30	7	221	215	58	-	138	3
75	Walla Walla	281	1	1	-	1	43	15	8	20	4	170	164	43	-	106	2
76	Balance of county	104	1	-	-	2	18	6	2	10	3	51	51	15	-	32	1
77	Whatcom	716	3	3	-	3	105	36	10	59	7	426	423	105	-	295	11
78	Bellingham	473	2	1	-	2	68	20	9	39	6	277	274	61	-	197	7
79	Balance of county	243	1	2	-	1	37	16	1	20	1	149	149	44	-	98	4
80	Whitman	215	1	1	-	-	37	16	4	17	6	111	109	18	-	84	3
81	Pullman	48	-	-	-	-	7	2	-	5	1	23	23	4	-	19	-
82	Balance of county	167	1	1	-	-	30	14	4	12	5	88	86	14	-	65	3
83	Yakima	1,211	9	7	4	6	183	59	16	108	18	629	621	137	2	443	14
84	Yakima	541	1	-	2	2	90	24	5	61	5	303	300	68	1	209	6
85	Balance of county	670	8	7	2	4	93	35	11	47	13	326	321	69	1	234	8

[7]Independent cities have the same status as counties and are listed after counties.
[8]Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News,

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of disease of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
50	8	6	3	2	4	-	9	1	-	4	-	-	3	6	-	1	6	2	-	11	1
33	15	10	4	2	2	5	5	-	1	-	-	-	3	5	-	1	8	-	4	7	2
60	12	5	2	2	2	4	8	2	3	2	3	-	9	31	4	9	10	3	2	17	3
22	4	5	-	1	1	-	2	-	-	1	-	-	1	9	1	-	2	-	2	10	4
16	3	5	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	5
32	1	12	-	1	1	9	3	1	2	-	-	-	-	7	4	1	9	1	-	7	6
6,317	945	1,290	152	524	183	195	751	164	86	194	18	20	340	964	206	544	989	410	74	1,494	7
3,791	556	726	83	317	103	92	465	109	47	140	9	12	179	538	99	270	484	261	55	826	8
2,526	389	564	69	207	80	103	286	55	39	54	9	8	161	426	107	274	505	149	19	668	9
10	11	1	-	4	-	-	2	1	-	-	-	-	1	-	-	1	3	2	-	5	10
35	13	2	-	3	4	-	3	2	-	1	-	-	3	5	2	3	4	1	-	14	11
81	8	6	-	3	3	1	10	2	2	-	-	-	9	26	2	14	17	2	1	20	12
28	4	1	-	1	2	1	4	-	-	-	-	-	1	12	2	5	7	1	-	7	13
53	4	5	-	2	1	-	6	2	2	-	-	-	8	14	-	9	10	1	1	13	14
101	15	18	3	15	6	4	2	2	1	2	2	-	4	12	5	8	22	5	-	22	15
50	4	7	-	6	1	2	1	2	1	2	1	-	3	4	2	4	7	2	-	12	16
51	11	11	3	9	5	2	1	-	-	-	1	-	1	8	3	4	15	3	-	10	17
73	6	18	7	6	-	9	7	1	2	2	-	-	4	11	4	4	18	7	-	22	18
38	1	5	2	-	-	5	3	1	2	1	-	-	1	5	2	1	6	3	-	10	19
35	5	13	5	6	-	4	4	-	-	1	-	-	3	6	2	3	12	4	-	12	20
210	43	26	1	28	3	3	28	6	1	9	-	-	7	37	6	33	26	4	2	47	21
118	13	8	1	15	1	1	13	3	1	6	-	-	3	21	-	13	13	3	1	21	22
92	30	18	-	13	2	2	15	3	-	3	-	-	4	16	6	20	13	1	1	26	23
18	5	-	-	1	1	-	1	-	1	1	-	-	2	-	-	-	4	1	-	3	24
117	12	17	6	4	6	5	11	1	-	1	1	-	8	27	5	8	23	6	-	32	25
31	2	4	2	1	3	1	3	1	-	-	-	-	6	14	-	4	10	2	-	11	26
86	10	13	4	3	3	4	8	-	-	1	1	-	2	13	5	4	13	4	-	21	27
20	2	4	1	3	1	1	2	-	-	-	-	-	1	3	-	5	6	1	-	6	28
4	3	1	-	1	-	-	-	-	-	-	-	1	1	2	-	1	7	-	-	2	29
31	6	1	-	3	-	-	6	-	-	1	-	-	4	9	-	3	6	3	-	8	30
26	4	-	-	3	-	-	4	-	-	1	-	-	3	6	-	2	3	3	-	8	31
5	2	1	-	-	-	-	2	-	-	-	-	-	1	3	-	1	3	-	-	-	32
9	2	3	-	-	1	-	2	-	-	-	-	-	-	-	2	1	2	1	-	2	33
33	5	1	-	1	1	2	6	-	-	2	-	-	2	12	-	15	10	4	-	9	34
149	15	42	4	11	4	10	14	3	5	5	-	1	7	24	7	8	29	6	3	51	35
58	4	17	4	5	1	3	4	1	-	3	-	1	2	8	3	5	11	3	2	21	36
41	4	5	-	-	-	5	2	1	1	-	-	-	3	7	1	1	7	1	-	5	37
50	7	20	-	6	3	2	8	1	4	2	-	-	2	9	3	2	11	2	1	25	38
32	5	3	-	1	2	2	6	-	-	1	-	-	2	7	1	-	6	1	-	5	39
21	7	9	1	-	-	-	7	-	-	-	-	-	3	4	-	2	6	-	-	3	40
2,021	327	512	53	129	75	63	312	62	34	99	5	8	107	276	31	122	284	169	36	465	41
1,565	247	378	44	90	62	45	253	53	26	78	5	6	86	202	22	87	219	138	32	367	42
23	5	12	2	3	-	-	5	3	1	1	-	-	-	12	2	3	3	2	-	4	43
433	75	122	7	36	13	18	54	6	7	20	-	2	21	62	7	32	62	29	4	94	44
186	24	23	4	12	3	11	23	5	-	6	1	1	12	32	5	14	31	11	2	42	45
63	7	9	1	3	2	6	8	-	-	4	-	1	5	19	3	2	11	5	1	17	46
123	17	14	3	9	1	5	15	5	-	2	1	-	7	13	2	12	20	6	1	25	47
44	3	16	2	4	-	5	7	-	-	1	-	-	-	8	1	3	11	4	-	19	48
28	2	8	-	7	1	1	1	-	-	-	-	-	6	9	2	2	11	3	-	7	49
110	20	39	5	4	1	3	10	2	-	1	-	-	7	12	7	9	20	7	-	30	50
18	3	2	1	3	1	-	-	1	-	1	2	-	-	4	1	4	2	1	1	2	51
34	7	5	-	5	-	3	3	3	-	-	-	-	-	6	-	4	4	4	-	12	52
46	14	13	1	8	4	3	4	2	6	1	-	1	5	4	1	14	14	3	1	13	53
46	10	6	1	4	1	1	4	-	2	2	-	2	3	8	2	3	11	3	-	8	54
27	-	2	1	-	1	2	-	1	1	-	-	1	2	2	-	5	2	-	-	7	55
808	103	99	16	54	12	17	69	20	4	19	2	1	35	106	48	59	87	29	9	169	56
554	63	65	13	33	9	10	40	12	3	14	2	1	23	71	26	35	52	19	5	121	57
40	8	8	-	5	3	2	1	3	-	2	-	-	1	5	3	3	2	-	-	2	58
214	32	26	3	16	-	5	28	5	1	3	-	-	11	30	19	21	33	10	4	46	59
10	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	2	60
107	17	26	1	10	3	5	20	1	-	2	-	1	3	19	7	12	9	7	1	37	61
13	2	2	-	1	1	-	-	-	-	-	-	-	-	3	1	1	4	2	-	-	62
308	53	92	14	28	9	11	46	4	5	8	1	-	20	41	18	33	52	19	1	91	63
118	23	26	3	13	6	2	12	-	3	4	1	-	6	16	5	10	23	5	-	36	64
190	30	66	11	15	3	9	34	4	2	4	-	-	14	25	13	23	29	14	1	55	65
752	83	89	13	106	13	9	56	21	8	13	2	3	30	119	14	56	87	59	8	145	66
614	62	67	9	94	9	7	42	15	6	13	2	2	23	97	9	44	68	44	7	114	67
138	21	22	4	12	4	2	14	6	2	-	-	1	7	22	5	12	19	15	1	31	68
40	8	16	3	5	1	3	5	1	3	1	-	-	-	11	2	7	13	3	1	12	69
106	16	11	1	5	3	2	16	6	2	6	1	-	5	16	9	13	21	9	1	23	70
41	7	4	-	3	-	1	6	3	2	6	1	-	3	4	3	5	11	5	-	10	71
65	9	7	1	2	3	1	10	3	-	-	-	-	2	12	6	8	10	4	1	13	72
6	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	1	10	1	-	5	73
101	12	22	-	17	2	6	10	2	2	-	-	-	3	11	1	11	23	2	-	25	74
79	9	16	-	13	2	6	5	1	2	-	-	-	1	7	1	7	18	2	-	17	75
22	3	6	-	4	-	-	5	1	-	-	-	-	2	4	-	4	5	-	-	8	76
192	23	69	3	15	5	3	18	7	2	3	-	-	9	22	12	15	22	11	-	48	77
128	12	50	1	11	4	3	12	5	1	3	-	-	6	20	8	9	16	8	-	29	78
64	11	19	2	4	1	-	6	2	1	-	-	-	3	2	4	6	6	3	-	19	79
61	10	10	1	5	1	2	3	1	2	-	-	-	3	12	1	8	9	7	-	13	80
17	1	1	-	-	-	-	1	-	-	-	-	-	-	7	1	3	2	2	-	1	81
44	9	9	1	5	1	2	2	1	2	-	-	-	3	5	-	5	7	5	-	12	82
309	46	74	9	17	13	8	37	7	2	6	1	-	31	62	8	41	73	12	7	68	83
147	29	27	5	10	7	3	13	5	-	3	-	-	11	29	3	12	26	5	4	27	84
162	17	47	4	7	6	5	24	2	2	3	1	-	20	33	5	29	47	7	3	41	85

Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.

[12]Warwick County incorporated as the independent city of Warwick in 1952.

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	WEST VIRGINIA	16,635	267	64	21	87	2,176	747	243	1,186	222	8,429	8,195	1,923	25	5,662	213
2	Metropolitan counties	5,350	81	22	5	21	700	240	93	367	74	2,738	2,664	603	10	1,883	62
3	Nonmetropolitan counties	11,285	186	42	16	66	1,476	507	150	819	148	5,691	5,531	1,320	15	3,779	151
4	Barbour	165	2	2	-	4	25	12	2	11	1	85	85	31	-	41	-
5	Berkeley	322	3	2	-	1	44	21	5	18	5	186	175	31	-	130	3
6	Martinsburg	190	1	1	-	-	23	11	3	9	2	118	111	24	-	77	-
7	Balance of county	132	2	1	-	1	21	10	2	9	3	68	64	7	-	53	3
8	Boone	209	5	-	-	1	32	11	6	15	6	85	85	22	1	57	1
9	Braxton	146	1	-	-	-	19	8	2	9	-	75	70	12	-	53	3
10	Brooke	239	4	-	1	1	36	12	5	19	1	130	125	22	1	94	1
11	Weirton (part)	25	1	-	-	-	5	-	-	5	-	12	12	3	-	9	-
12	Balance of county	214	3	-	1	1	31	12	5	14	1	118	113	19	1	85	1
13	Cabell	959	11	5	-	6	120	37	17	66	13	520	513	106	2	371	14
14	Huntington (part)	793	10	3	-	5	107	31	15	61	10	431	427	90	2	304	11
15	Huntington (total)	829	11	3	-	5	116	36	15	65	11	451	447	94	2	319	11
16	Balance of county	166	1	2	-	1	13	6	2	5	3	89	86	16	-	67	3
17	Calhoun	70	1	-	-	-	6	2	2	2	1	27	27	9	-	17	-
18	Clay	92	2	-	-	1	12	4	2	6	-	33	30	8	-	21	1
19	Doddridge	79	3	-	-	-	8	4	-	4	-	45	44	14	-	28	-
20	Fayette	643	10	4	-	4	71	23	13	35	5	295	290	73	1	195	7
21	Gilmer	90	2	-	-	-	9	5	2	2	2	50	49	16	-	29	2
22	Grant	82	1	-	-	1	11	4	1	6	-	34	34	4	-	25	1
23	Greenbrier	359	3	1	1	4	49	19	4	26	6	175	169	42	1	117	12
24	Hampshire	113	2	-	-	-	15	7	1	7	1	61	56	14	-	40	1
25	Hancock	290	5	1	1	-	55	19	10	26	8	133	132	40	1	84	3
26	Weirton (part)	147	4	-	-	-	29	10	4	15	5	65	65	18	-	43	2
27	Weirton (total)	172	5	-	-	-	34	10	4	20	5	77	77	21	-	52	2
28	Balance of county	143	1	1	1	-	26	9	6	11	1	68	67	22	1	41	1
29	Hardy	92	-	-	-	-	9	3	-	6	-	55	53	15	-	32	2
30	Harrison	737	8	2	-	2	110	41	7	62	15	397	389	81	1	287	8
31	Clarksburg	335	4	-	-	-	55	22	3	30	7	179	176	45	-	123	6
32	Balance of county	402	4	2	-	2	55	19	4	32	8	218	213	36	1	164	2
33	Jackson	131	1	-	1	2	18	7	-	11	3	76	72	26	-	37	5
34	Jefferson	221	5	3	-	1	23	9	2	12	3	124	119	19	-	91	2
35	Kanawha	1,813	37	5	2	6	219	75	28	116	24	864	846	175	2	615	14
36	Charleston	786	17	4	1	3	99	34	13	52	10	409	401	87	1	293	7
37	South Charleston	111	-	-	-	1	18	3	2	13	1	45	44	7	-	30	1
38	Balance of county	916	20	1	1	2	102	38	13	51	13	410	401	81	1	292	6
39	Lewis	216	6	1	-	-	27	15	1	11	3	110	109	32	-	65	3
40	Lincoln	163	5	-	-	2	25	8	5	12	2	75	70	21	-	43	-
41	Logan	515	14	4	2	4	51	6	9	36	2	183	176	46	1	112	8
42	McDowell	664	13	2	1	6	81	24	12	45	7	298	297	65	2	215	5
43	Marion	643	7	2	-	4	96	36	11	49	9	359	348	86	-	218	8
44	Fairmont	286	1	-	-	4	41	14	5	22	3	163	160	33	-	105	2
45	Balance of county	357	6	2	-	-	55	22	6	27	6	196	188	53	-	113	6
46	Marshall	334	5	2	-	2	55	12	11	32	9	170	164	44	-	104	4
47	Moundsville	125	3	1	-	-	20	6	3	11	3	64	63	19	-	37	1
48	Balance of county	209	2	1	-	2	35	6	8	21	6	106	101	25	-	67	3
49	Mason	199	5	1	-	2	20	4	2	14	3	93	91	22	-	62	2
50	Mercer	677	11	2	1	5	89	25	7	57	9	342	337	75	1	239	6
51	Bluefield[13]	239	1	-	1	1	40	10	5	25	4	122	120	29	1	81	2
52	Balance of county	438	10	2	-	4	49	15	2	32	5	220	217	46	-	158	4
53	Mineral	201	2	1	1	-	30	12	2	16	3	112	108	24	-	79	1
54	Mingo	335	9	2	-	3	38	6	3	29	2	141	134	23	-	102	6
55	Monongalia	459	2	4	1	1	66	25	10	31	7	262	258	60	1	169	7
56	Morgantown	229	1	1	-	-	40	17	6	17	-	133	130	27	-	87	4
57	Balance of county	230	1	3	1	1	26	8	4	14	7	129	128	33	1	82	3
58	Monroe	116	3	-	1	-	19	6	2	11	1	58	58	13	-	42	1
59	Morgan	108	4	-	-	1	20	3	2	15	-	56	56	18	1	35	1
60	Nicholas	187	3	1	-	4	21	9	3	9	5	79	77	12	1	60	1
61	Ohio	799	4	5	-	1	107	45	8	54	12	492	475	109	3	342	16
62	Wheeling	720	4	4	-	1	97	39	8	50	12	443	428	100	3	305	12
63	Balance of county	79	-	1	-	-	10	6	-	4	-	49	47	9	-	37	4
64	Pendleton	83	-	-	-	-	8	2	-	6	1	46	46	11	-	30	-
65	Pleasants	67	2	-	-	-	12	3	-	9	-	32	31	10	-	16	-
66	Pocahontas	108	1	-	-	-	16	5	-	11	-	68	66	21	-	41	2
67	Preston	228	3	-	1	-	28	6	3	19	7	116	115	30	-	76	6
68	Putnam	181	2	1	1	-	27	10	5	12	6	86	82	24	-	51	-
69	Raleigh	642	13	4	-	3	74	27	5	42	1	317	304	54	1	225	9
70	Beckley	156	5	1	-	-	21	8	1	12	1	82	80	9	-	68	1
71	Balance of county	486	8	3	-	3	53	18	4	30	-	235	224	45	1	157	8
72	Randolph	260	3	-	-	3	36	9	3	24	4	131	124	32	1	79	5
73	Ritchie	137	1	-	-	-	14	7	-	7	2	74	71	23	-	42	3
74	Roane	155	3	-	-	1	18	4	1	13	5	75	72	22	1	43	4
75	Summers	195	3	3	1	1	18	7	5	6	4	96	96	23	-	67	1
76	Taylor	172	3	-	-	-	23	10	1	12	1	92	90	18	-	68	5
77	Tucker	82	3	-	-	-	11	3	1	7	-	54	53	17	-	34	2
78	Tyler	115	2	-	-	-	19	7	3	9	2	69	67	13	-	53	-
79	Upshur	195	3	-	1	2	24	7	1	16	1	94	92	23	1	62	4
80	Wayne	273	5	-	1	1	37	17	1	19	4	134	119	34	-	78	3
81	Huntington (part)	36	1	-	-	-	9	5	-	4	1	20	20	4	-	15	-
82	Balance of county	237	4	-	1	1	28	12	1	15	3	114	99	30	-	63	3
83	Webster	115	2	-	-	-	11	7	-	4	-	61	57	15	1	38	2
84	Wetzel	208	4	1	1	1	35	13	3	19	4	102	97	22	-	70	1
85	Wirt	45	2	-	-	-	6	3	1	2	3	23	23	7	-	16	-
86	Wood	697	10	2	1	4	99	32	8	59	8	401	394	103	-	263	15
87	Parkersburg	474	8	2	-	-	75	23	6	46	5	286	282	73	-	188	11
88	Balance of county	223	2	-	1	4	24	9	2	13	3	115	112	30	-	75	4
89	Wyoming	209	3	1	1	2	24	9	5	10	3	78	75	11	-	59	2

[13] Includes data for Bluefield, W. Va., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
3,414	901	1,134	159	303	123	234	744	77	108	137	39	26	268	756	399	459	830	218	109	1,199	1
1,268	266	287	46	88	34	74	243	26	34	48	14	7	101	254	69	151	261	59	30	412	2
2,146	635	847	113	215	89	160	501	51	74	89	25	19	167	502	330	308	569	159	79	787	3
26	6	9	5	6	2	-	9	-	1	1	-	-	2	7	2	7	4	4	2	7	4
83	15	49	4	8	2	11	12	3	1	4	1	-	5	7	9	4	13	1	2	19	5
41	10	26	2	6	2	7	7	1	1	4	-	-	1	2	8	1	6	1	-	13	6
22	5	23	2	2	-	4	5	2	-	-	1	-	4	5	1	3	7	-	2	6	7
44	7	5	1	3	1	-	9	-	5	3	1	1	4	9	8	7	16	1	4	12	8
25	13	12	3	1	1	5	10	1	-	1	-	-	5	8	9	1	7	2	-	7	9
62	10	21	1	5	2	5	7	3	-	1	1	-	5	5	2	5	14	3	-	20	10
8	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	3	11
54	10	20	1	5	2	5	7	3	-	1	1	-	4	4	2	5	12	3	-	17	12
276	44	37	13	16	5	7	45	1	5	6	2	3	24	45	10	27	29	11	5	71	13
234	37	22	13	14	4	4	28	1	4	6	2	3	19	34	8	21	25	10	5	61	14
247	38	23	13	15	4	4	28	1	4	6	2	3	19	34	9	23	26	10	5	62	15
42	7	15	-	2	1	3	17	-	1	-	-	-	5	11	2	6	4	1	-	10	16
10	2	5	-	-	1	-	3	-	-	-	-	-	1	2	19	2	4	-	-	4	17
9	4	7	-	1	-	3	5	-	-	-	-	-	1	3	5	8	11	1	2	8	18
21	1	6	-	1	1	1	4	2	2	-	-	-	-	1	-	2	4	1	1	6	19
125	28	35	4	15	2	5	41	-	10	8	-	-	13	36	14	17	41	3	7	64	20
15	6	6	1	3	-	1	2	-	-	1	1	-	-	3	5	1	2	2	1	9	21
17	1	6	3	1	1	-	8	2	1	1	-	-	3	-	4	3	8	2	-	3	22
69	19	17	1	5	3	6	13	1	-	3	1	-	3	13	10	11	28	5	1	31	23
17	6	16	-	2	-	5	15	1	-	-	1	-	1	6	1	3	3	2	-	1	24
61	8	12	2	2	3	1	7	1	1	2	1	-	3	9	3	8	21	5	3	25	25
30	6	5	2	1	1	-	-	-	1	1	-	-	1	7	2	6	10	1	2	13	26
38	6	6	2	1	1	-	-	-	1	1	-	-	2	8	2	6	12	1	2	16	27
31	2	7	-	1	2	1	7	1	-	1	1	-	2	2	1	2	11	4	1	12	28
16	9	5	4	2	-	2	5	-	-	1	-	-	-	-	10	5	3	-	-	4	29
154	49	76	6	6	8	8	30	1	5	5	-	1	8	18	9	20	33	16	3	54	30
71	22	24	2	1	5	3	13	-	-	4	-	-	3	12	3	6	16	8	-	25	31
83	27	52	4	5	3	5	17	1	5	1	-	1	5	6	6	14	17	8	3	29	32
18	2	12	1	6	2	4	7	2	-	2	1	-	-	-	3	2	3	-	-	10	33
50	24	15	2	5	2	5	11	1	4	1	-	2	1	9	4	4	7	2	2	14	34
409	109	83	14	27	13	18	92	16	13	15	1	4	37	110	22	74	111	19	9	133	35
205	52	29	9	7	4	8	43	6	7	10	-	2	9	36	10	15	42	12	4	47	36
21	4	4	1	4	2	1	6	1	-	1	-	-	4	8	1	6	9	-	1	9	37
183	53	50	4	16	7	9	43	9	6	4	1	2	24	66	11	53	60	7	4	77	38
38	4	20	1	6	5	1	9	1	-	3	2	-	4	5	6	3	11	4	4	17	39
20	13	10	2	2	2	5	10	-	1	1	-	2	6	11	2	6	6	3	1	5	40
51	26	27	6	7	4	7	26	2	11	6	2	2	17	44	36	17	48	6	7	31	41
120	54	36	6	6	3	1	21	3	8	2	1	2	12	49	13	30	40	8	13	54	42
142	34	34	10	24	10	11	20	4	3	5	3	-	9	26	5	10	23	13	1	44	43
68	18	17	3	12	7	3	6	3	-	3	2	-	7	15	-	6	8	5	1	18	44
74	16	17	7	12	3	8	14	1	3	2	1	-	2	11	5	4	15	8	-	26	45
66	16	18	4	8	4	6	12	-	1	4	2	-	5	10	2	4	18	10	2	21	46
27	6	3	2	4	1	1	4	-	-	1	1	-	3	4	2	1	3	6	-	9	47
39	10	15	2	4	3	5	8	-	1	3	1	-	2	6	-	3	15	4	2	12	48
32	7	21	2	4	1	2	15	-	1	1	2	-	4	3	4	7	14	3	2	19	49
124	56	53	8	10	4	5	21	3	3	8	2	1	8	41	10	19	26	10	7	59	50
45	23	11	2	5	2	2	8	-	1	4	-	-	2	15	3	6	5	4	3	19	51
79	33	42	6	5	2	3	13	3	2	4	2	1	6	26	7	13	21	6	4	40	52
33	17	28	1	3	1	4	6	3	-	-	-	-	2	7	1	5	7	3	-	18	53
59	16	21	3	4	2	7	18	-	7	3	2	1	4	27	19	6	16	3	5	29	54
104	16	42	4	20	4	4	22	5	1	6	-	1	2	13	3	12	14	6	1	30	55
60	8	15	3	11	2	3	9	2	-	5	-	1	-	7	2	5	3	3	-	17	56
44	8	27	1	9	2	1	13	3	1	1	-	-	2	6	1	7	11	3	1	13	57
25	5	11	2	1	-	-	9	2	-	1	-	-	-	5	3	4	3	2	-	5	58
22	2	10	-	2	-	-	2	-	-	1	-	-	-	4	1	4	4	4	1	6	59
37	12	10	2	1	1	2	6	1	-	1	-	-	4	13	16	7	14	-	-	12	60
226	34	66	8	11	2	17	21	4	2	10	6	-	8	31	5	10	19	7	2	53	61
205	31	57	7	11	2	15	21	4	1	10	5	-	6	31	4	10	17	2	-	48	62
21	3	9	1	-	-	2	-	-	1	-	1	-	2	-	1	-	2	5	2	5	63
18	3	9	-	5	-	-	4	-	-	-	-	-	1	3	4	3	3	4	-	6	64
15	-	1	-	5	-	1	3	-	-	-	-	-	2	5	-	4	2	-	-	5	65
30	1	8	1	2	1	2	8	-	1	-	-	-	2	1	2	1	3	2	1	2	66
32	14	24	3	6	-	1	7	-	1	1	-	-	3	10	15	6	11	2	-	17	67
24	7	20	1	5	1	4	8	1	1	1	-	-	1	6	6	5	9	2	3	15	68
130	58	28	9	7	8	13	28	4	7	7	-	2	10	35	11	17	32	11	8	58	69
48	13	6	1	1	1	2	4	1	-	6	-	-	3	11	-	2	3	3	-	13	70
82	45	22	8	6	7	11	24	3	7	1	-	2	7	24	11	15	29	8	8	45	71
45	14	15	2	6	4	7	7	-	3	2	1	-	2	7	11	10	17	3	-	20	72
24	4	11	3	1	2	3	6	1	1	-	1	-	1	3	9	-	11	2	1	10	73
19	6	14	-	5	1	3	12	1	-	1	-	-	3	8	5	6	5	2	-	10	74
43	10	13	3	3	-	-	14	-	1	1	1	-	8	13	2	2	15	4	-	8	75
31	11	21	1	3	-	2	8	2	2	2	-	-	6	5	1	6	6	-	1	14	76
24	5	3	1	1	-	1	2	-	-	1	-	-	-	1	-	1	1	3	-	5	77
34	4	15	1	-	-	2	2	1	-	2	-	-	1	2	2	1	3	5	-	4	78
31	7	20	1	3	2	2	13	-	-	-	-	1	3	6	18	5	7	3	2	12	79
43	17	15	-	4	3	15	18	1	2	2	1	-	6	8	11	6	8	1	2	25	80
13	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	81
30	16	14	-	3	3	15	18	1	2	2	1	-	6	8	10	4	7	1	2	24	82
22	6	8	-	1	2	4	3	-	-	1	-	-	4	10	2	4	5	-	-	12	83
44	9	16	1	1	3	5	7	1	1	3	-	1	-	7	9	4	8	3	-	16	84
9	3	4	-	-	-	-	3	-	-	-	-	-	-	1	-	2	1	2	-	2	85
174	35	39	5	19	4	7	28	1	1	5	1	-	13	25	8	13	35	7	-	35	86
122	27	28	2	16	3	4	12	1	-	2	1	-	11	14	4	7	19	4	-	23	87
52	8	11	3	3	1	3	16	-	1	3	-	-	2	11	4	6	16	3	-	12	88
36	12	9	3	2	-	3	10	1	2	1	1	1	1	20	8	8	23	-	3	18	89

352870 O - 55 - 32

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	WISCONSIN	34,917	215	65	22	133	5,684	2,451	439	2,794	649	19,490	19,156	4,387	33	13,392	548
2	Metropolitan counties	13,587	118	32	12	47	2,436	1,042	220	1,174	258	7,411	7,316	1,506	11	5,324	255
3	Nonmetropolitan counties	21,330	97	33	10	86	3,248	1,409	219	1,620	391	12,079	11,840	2,881	22	8,068	293
4	Adams	116	-	1	-	2	19	6	-	13	4	60	58	13	-	41	2
5	Ashland	251	3	1	-	3	36	17	2	17	4	157	152	27	-	109	4
6	Ashland	161	2	1	-	3	27	13	2	12	1	102	100	14	-	77	2
7	Balance of county	90	1	-	-	-	9	4	-	5	3	55	52	13	-	32	2
8	Barron	359	1	-	-	2	55	22	6	27	7	197	193	51	1	124	4
9	Bayfield	171	3	-	-	1	23	8	1	14	-	99	96	25	1	65	2
10	Brown	946	7	1	-	2	134	57	10	67	20	531	523	121	1	373	18
11	Green Bay	541	4	1	-	2	84	33	7	44	12	294	289	70	-	203	6
12	Balance of county	405	3	-	-	-	50	24	3	23	8	237	234	51	1	170	12
13	Buffalo	142	-	-	-	-	22	12	2	8	4	75	73	28	-	39	-
14	Burnett	111	-	-	1	-	14	9	-	5	1	68	66	13	-	51	-
15	Calumet	170	-	-	-	1	26	18	-	8	4	91	88	24	1	58	1
16	Chippewa	403	4	-	-	3	49	18	1	30	12	241	237	64	-	152	5
17	Eau Claire (part)	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
18	Chippewa Falls	121	1	-	-	-	15	7	-	8	2	77	76	17	-	52	3
19	Balance of county	279	3	-	-	3	34	11	1	22	10	163	161	47	-	100	2
20	Clark	285	-	1	-	1	36	18	2	16	4	181	179	48	-	110	2
21	Columbia	414	-	-	-	2	67	32	4	31	4	216	216	47	-	147	4
22	Crawford	151	1	-	-	-	18	12	-	6	5	89	88	24	-	60	1
23	Dane	1,454	2	1	-	3	273	120	26	127	32	758	748	151	2	536	48
24	Madison	788	1	1	-	1	154	65	18	71	24	388	382	78	-	268	14
25	Balance of county	666	1	-	-	2	119	55	8	56	8	370	366	73	2	268	34
26	Dodge	597	-	-	-	1	107	48	9	50	11	346	338	70	1	249	5
27	Beaver Dam	137	-	-	-	-	26	14	2	10	3	74	72	13	-	58	2
28	Watertown (part)	38	-	-	-	-	4	1	1	2	5	23	23	7	-	14	2
29	Balance of county	422	-	-	-	1	77	33	6	38	3	249	243	50	1	177	1
30	Door	257	-	-	-	1	38	13	-	25	2	154	150	51	-	90	8
31	Douglas	555	9	1	-	2	83	39	5	39	13	314	310	71	-	224	5
32	Superior	437	8	-	-	2	71	31	5	35	12	245	242	58	-	174	4
33	Balance of county	118	1	1	-	-	12	8	-	4	1	69	68	13	-	50	1
34	Dunn	249	2	-	-	-	48	13	3	32	2	151	146	48	-	84	8
35	Eau Claire	551	3	-	-	2	71	20	5	46	19	327	322	66	2	240	10
36	Eau Claire (part)	361	3	-	-	1	52	17	5	30	15	209	204	39	2	158	7
37	Eau Claire (total)	364	3	-	-	1	52	17	5	30	15	210	204	39	2	158	7
38	Balance of county	190	-	-	-	1	19	3	-	16	4	118	118	27	-	82	3
39	Florence	44	-	-	-	-	1	1	-	-	1	30	29	8	1	19	-
40	Fond du Lac	724	4	-	-	4	112	44	11	57	9	403	393	99	-	255	10
41	Fond du Lac	371	3	-	-	1	65	26	7	32	5	195	191	53	-	121	6
42	Balance of county	353	1	-	-	3	47	18	4	25	4	208	202	46	-	134	4
43	Forest	98	1	-	-	-	13	6	-	7	-	52	51	13	-	32	3
44	Grant	442	1	1	-	2	64	23	8	33	12	244	238	65	-	161	3
45	Green	267	1	1	-	-	26	11	3	12	4	179	175	35	-	132	5
46	Green Lake	168	-	-	-	-	33	14	-	19	4	88	86	16	-	62	1
47	Iowa	252	2	-	-	2	41	15	5	21	3	126	124	28	-	84	4
48	Iron	110	3	-	-	-	16	7	2	7	2	60	59	16	-	42	-
49	Jackson	186	1	-	-	1	28	15	-	13	8	96	95	30	-	60	5
50	Jefferson	542	4	1	-	2	88	50	3	35	4	303	296	65	-	201	13
51	Watertown (part)	123	-	1	-	-	23	12	2	9	2	74	74	17	-	49	1
52	Watertown (total)	161	-	1	-	-	27	13	3	11	7	97	97	24	-	63	3
53	Balance of county	419	4	-	-	2	65	38	1	26	2	229	222	48	-	152	12
54	Juneau	199	2	-	-	1	22	10	3	9	3	121	120	17	1	93	3
55	Kenosha	698	4	3	2	3	111	42	14	55	18	372	367	79	1	267	17
56	Kenosha	542	3	3	-	2	85	30	13	42	16	289	288	60	1	213	11
57	Balance of county	156	1	-	2	1	26	12	1	13	2	83	79	19	-	54	6
58	Kewaunee	183	-	-	-	-	27	14	1	12	5	99	97	28	-	55	4
59	La Crosse	655	4	3	-	2	113	45	9	59	12	374	364	95	2	245	14
60	La Crosse	493	3	3	-	1	91	38	8	45	6	280	273	80	1	175	8
61	Balance of county	162	1	-	-	1	22	7	1	14	6	94	91	15	1	70	6
62	Lafayette	208	1	-	-	-	29	11	3	15	6	117	117	25	-	86	3
63	Langlade	198	1	1	-	3	25	10	3	12	4	111	100	31	-	60	3
64	Lincoln	253	-	-	-	1	47	22	5	20	2	133	130	40	-	75	2
65	Manitowoc	666	3	-	1	3	101	41	6	54	16	367	358	92	-	247	8
66	Manitowoc	299	2	-	1	1	52	21	2	29	10	166	161	37	-	116	3
67	Two Rivers	87	-	-	-	1	13	6	1	6	2	43	40	15	-	22	2
68	Balance of county	280	1	-	-	1	36	14	3	19	4	158	157	40	-	109	3
69	Marathon	707	5	3	1	5	120	43	9	68	7	402	396	90	1	283	10
70	Wausau	315	3	2	1	2	58	22	4	32	3	190	188	49	1	127	3
71	Balance of county	392	2	1	-	3	62	21	5	36	4	212	208	41	-	156	7
72	Marinette	344	3	2	1	-	54	26	2	26	9	200	193	48	-	128	9
73	Marinette	167	1	1	1	-	20	5	1	14	7	99	97	27	-	61	3
74	Balance of county	177	2	1	-	-	34	21	1	12	2	101	96	21	-	67	6
75	Marquette	112	-	-	-	-	15	6	1	8	2	67	67	14	-	39	3
76	Milwaukee	8,809	91	23	9	31	1,642	705	148	789	150	4,827	4,770	952	6	3,528	149
77	Milwaukee	6,861	75	19	5	25	1,276	536	122	618	127	3,738	3,694	751	3	2,716	119
78	Wauwatosa	372	7	-	2	1	68	33	4	31	6	229	225	33	2	176	8
79	West Allis	387	2	1	-	-	78	36	5	37	4	219	215	40	-	164	6
80	Cudahy	102	1	-	-	-	21	12	-	9	2	42	41	12	-	28	3
81	Shorewood	157	-	-	1	-	24	10	2	12	1	97	96	25	-	65	5
82	South Milwaukee	114	1	1	-	-	16	10	2	4	3	66	65	11	-	51	2
83	Whitefish Bay	118	-	-	-	-	33	12	3	18	-	64	63	11	-	48	1
84	Balance of county	698	5	2	1	5	126	56	10	60	7	372	371	69	1	280	5
85	Monroe	301	-	-	-	-	49	19	2	28	5	160	156	25	1	124	1
86	Oconto	270	2	-	-	2	49	25	4	20	8	136	132	27	-	90	2
87	Oneida	225	1	1	-	-	30	13	4	13	1	128	123	20	-	93	5
88	Outagamie	753	3	1	1	3	100	43	9	48	13	421	410	83	1	294	10
89	Appleton	364	1	-	1	1	41	20	2	19	7	216	211	34	1	152	5
90	Balance of county	389	2	1	-	2	59	23	7	29	6	205	199	49	-	142	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease	Hypertension with heart disease	Other forms of diseases of heart	Hypertension without mention of heart	General arterio-sclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia, except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
420	440-443	421-434	444-447	450	451-468	592-594	480-493	540, 541	543,571, 572	581	590,591	640-689	750-759	760-776	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
8,953	1,399	2,512	266	886	192	334	1,026	216	177	296	38	39	512	1,265	229	900	1,252	408	41	2,260	1
3,736	548	785	104	278	93	95	342	114	78	156	15	13	214	570	29	303	391	152	19	877	2
5,197	851	1,727	162	608	99	239	684	102	99	140	23	26	298	695	200	597	861	256	22	1,383	3
21	4	14	1	3	-	2	7	2	-	-	-	-	-	-	5	1	5	3	1	6	4
60	14	31	2	14	-	5	6	-	1	5	-	2	4	6	1	5	4	3	-	10	5
44	7	24	-	9	-	2	4	-	1	2	-	2	2	2	-	1	2	2	-	7	6
16	7	7	2	5	-	3	2	-	-	3	-	-	2	4	1	4	2	1	-	3	7
85	12	23	7	9	1	4	14	2	1	2	3	-	4	12	3	12	16	6	-	22	8
43	9	11	-	5	-	3	8	-	4	2	-	-	-	3	1	3	13	1	-	10	9
251	39	65	2	23	3	8	19	5	6	13	2	1	19	45	5	18	45	10	1	62	10
142	19	36	2	12	2	5	10	3	1	9	1	1	5	33	4	9	24	2	-	42	11
109	20	29	-	11	1	3	9	2	5	4	1	-	14	12	1	9	21	8	1	20	12
25	6	8	1	5	-	2	10	1	-	2	-	-	1	5	1	3	5	4	-	9	13
29	9	13	-	1	1	2	7	-	1	1	-	-	1	4	-	4	1	-	-	8	14
39	8	10	1	2	2	3	1	1	-	3	-	-	1	10	-	5	11	3	-	13	15
110	10	27	8	13	-	4	6	3	4	1	1	-	3	17	6	14	16	7	-	16	16
-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	17
42	4	3	2	5	-	1	-	1	1	-	-	-	2	4	1	6	3	1	-	7	18
68	6	24	6	8	-	2	5	2	2	1	1	-	1	13	5	8	13	6	-	9	19
71	12	25	2	18	1	2	4	2	1	1	-	-	6	3	4	10	13	-	-	18	20
103	9	31	2	19	1	-	25	-	1	6	-	-	7	13	7	11	26	3	-	26	21
25	16	18	2	2	-	1	3	-	-	1	-	-	-	5	2	7	4	3	-	13	22
347	63	78	13	35	11	10	48	14	8	12	1	2	26	53	9	49	49	21	-	93	23
185	40	29	11	19	6	6	23	11	4	10	1	1	12	31	6	25	28	9	-	58	24
162	23	49	2	16	5	4	25	3	4	2	-	1	14	22	3	24	21	12	-	35	25
126	30	88	3	11	4	8	14	3	2	5	-	-	4	14	4	17	19	5	-	45	26
38	4	14	1	-	-	2	7	-	1	2	-	-	-	3	-	3	7	2	-	9	27
4	3	5	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	4	28
84	23	69	2	10	3	6	7	3	-	3	-	-	4	11	4	14	11	3	-	32	29
54	9	19	2	6	1	4	9	1	1	1	-	1	2	11	1	4	7	3	2	19	30
150	32	37	1	12	2	4	14	2	2	8	1	-	5	18	-	12	25	4	-	42	31
116	21	33	-	8	2	3	12	2	1	8	1	-	5	16	-	7	15	1	-	31	32
34	11	4	1	4	-	1	2	-	1	1	-	-	-	2	-	5	10	3	-	11	33
49	15	12	4	9	1	5	7	-	2	1	-	-	2	7	2	8	7	1	-	9	34
161	26	43	2	9	3	5	13	2	2	3	-	-	16	11	6	15	16	4	-	41	35
105	21	25	1	3	1	5	7	1	2	2	-	-	10	7	6	10	8	3	-	25	36
105	21	25	1	3	1	6	8	1	3	2	-	-	10	7	6	10	8	3	-	25	37
56	5	18	1	6	2	-	6	1	-	1	-	-	6	4	-	5	8	1	-	16	38
13	1	5	-	1	-	1	1	1	-	-	-	-	2	-	1	2	1	1	-	2	39
138	39	68	5	30	4	10	10	5	5	3	2	2	13	20	11	18	34	14	-	55	40
56	23	36	1	13	3	4	3	2	3	3	1	1	9	12	5	8	21	6	-	28	41
82	16	32	4	17	1	6	7	3	2	-	1	1	4	8	6	10	13	8	-	27	42
18	6	5	1	4	1	1	5	1	-	1	1	-	1	5	-	2	7	-	-	9	43
118	8	32	2	10	-	6	12	-	1	4	1	1	3	16	8	7	23	5	-	37	44
77	16	34	2	4	2	4	6	-	1	4	-	1	-	5	1	5	10	6	-	17	45
29	3	29	3	5	-	2	5	1	1	-	-	1	3	7	-	7	5	1	-	12	46
52	11	17	2	8	2	2	10	3	2	2	-	1	5	13	3	1	12	4	-	22	47
25	4	13	-	1	-	1	3	1	2	-	-	-	1	1	1	3	10	1	1	5	48
47	1	7	1	4	-	1	10	-	-	-	-	-	1	6	13	5	10	-	-	7	49
130	13	45	6	20	4	7	13	3	2	7	1	1	4	14	3	16	18	13	-	45	50
29	3	16	4	3	1	-	1	-	1	-	-	-	-	1	-	1	3	-	-	14	51
33	6	21	4	4	2	-	1	-	2	2	-	-	-	1	-	1	4	-	-	18	52
101	10	29	2	17	3	7	12	3	1	5	1	1	4	13	3	15	15	13	-	31	53
58	9	23	2	7	-	1	7	-	-	-	-	1	1	4	2	10	10	3	-	12	54
182	25	43	4	6	10	5	17	7	7	9	1	1	24	22	-	18	24	6	4	45	55
150	19	33	4	4	6	1	11	6	7	8	1	-	18	19	-	14	19	3	2	36	56
32	6	10	-	2	4	4	6	1	-	1	-	1	6	3	-	4	5	3	2	9	57
34	4	13	-	13	1	2	7	-	1	-	-	1	5	7	-	7	9	-	-	15	58
177	32	22	5	11	6	10	19	6	1	4	-	1	8	28	2	11	25	6	-	36	59
128	21	18	4	9	4	7	13	4	-	4	-	1	2	20	2	9	22	6	-	26	60
49	11	4	1	2	2	3	6	2	1	-	-	-	6	8	-	2	3	-	-	10	61
51	11	21	4	1	1	-	12	3	-	1	-	-	2	9	5	6	7	1	-	9	62
35	12	10	4	3	2	11	8	2	2	2	-	1	1	9	1	4	10	1	-	12	63
35	7	31	3	11	1	3	13	-	-	1	-	-	5	8	3	9	11	3	1	16	64
177	17	45	5	11	3	9	22	4	6	2	-	1	10	22	3	27	20	10	4	44	65
86	8	19	1	7	-	5	14	2	3	-	-	-	2	4	1	9	5	4	2	21	66
17	2	1	1	1	1	3	-	1	-	-	-	1	2	4	-	8	3	-	2	7	67
74	7	25	3	3	2	1	8	1	3	2	-	-	6	14	2	10	12	6	-	16	68
214	23	36	6	14	2	6	21	4	2	1	-	1	11	26	6	16	28	8	-	40	69
107	9	8	5	6	-	2	5	2	1	1	-	-	6	12	1	2	12	2	-	12	70
107	14	28	1	8	2	4	16	2	1	-	-	1	5	14	5	14	16	6	-	28	71
91	10	18	2	13	2	7	11	-	2	2	2	-	3	12	3	5	17	-	-	18	72
41	6	11	-	8	1	2	5	-	-	-	-	-	2	3	3	4	12	-	-	9	73
50	4	7	2	5	1	5	6	-	2	2	2	-	1	9	-	1	5	-	-	9	74
25	4	7	5	8	1	-	5	-	2	-	-	-	3	1	1	3	4	2	-	7	75
2,538	344	497	78	149	57	57	213	78	49	103	8	9	117	381	12	175	220	95	11	565	76
1,934	290	373	68	114	42	44	177	63	37	90	6	6	83	296	10	130	172	72	11	443	77
140	7	21	1	10	3	4	8	5	2	1	-	-	6	12	-	2	5	4	-	14	78
120	12	26	2	8	1	4	5	2	-	7	-	-	8	16	-	6	5	2	-	32	79
19	1	5	-	-	1	1	2	-	2	-	2	-	2	4	1	5	4	1	-	13	80
51	4	5	1	3	2	1	1	-	2	-	-	-	4	7	1	3	5	3	-	8	81
31	2	16	1	2	-	1	5	3	-	-	-	-	1	9	-	1	2	-	-	6	82
40	4	3	-	2	2	1	1	-	1	-	-	-	1	6	-	1	3	3	-	5	83
203	24	48	5	10	6	1	14	5	5	5	-	3	12	31	-	27	24	10	-	44	84
85	14	24	2	3	1	4	16	-	1	-	-	-	6	6	6	7	18	3	1	23	85
49	17	22	3	9	3	4	9	2	-	1	-	-	5	9	4	12	8	6	-	17	86
66	10	12	3	6	1	5	10	-	1	3	1	-	4	10	3	5	10	-	-	17	87
164	37	83	6	19	7	11	15	5	5	8	1	2	25	39	6	19	38	4	1	43	88
82	20	45	5	16	3	5	5	3	3	3	-	1	8	22	2	5	20	3	1	21	89
82	17	38	1	3	4	6	10	2	2	5	1	1	17	17	4	14	18	1	-	22	90

Table 55. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Data are shown for each urban place with a population of 10,000 or more in 1950,

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum 150-156A, 157-159	Malignant neoplasm of respiratory system 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Ozaukee	246	-	-	-	2	38	16	7	15	6	117	115	36	1	71	3
2	Pepin	89	2	-	-	2	10	6	1	3	-	60	60	15	-	44	2
3	Pierce	201	-	1	-	1	25	9	1	15	1	125	122	39	-	65	4
4	Polk	258	2	1	1	1	47	23	1	23	4	147	145	44	-	98	3
5	Portage	343	2	-	-	3	52	20	1	31	4	195	194	38	-	144	4
6	Stevens Point	172	-	-	-	3	30	11	-	19	2	98	97	23	-	69	2
7	Balance of county	171	2	-	-	-	22	9	1	12	2	97	97	15	-	75	2
8	Price	170	-	-	-	1	31	14	-	17	6	88	88	33	-	42	1
9	Racine	1,125	5	3	1	6	193	79	17	97	25	609	598	132	1	396	18
10	Racine	778	4	1	-	2	146	57	14	75	19	418	410	86	-	279	12
11	Balance of county	347	1	2	1	4	47	22	3	22	6	191	188	46	1	117	6
12	Richland	192	2	-	-	-	24	10	1	13	1	116	115	36	-	73	1
13	Rock	922	8	1	-	5	139	51	7	81	10	526	517	126	2	353	14
14	Beloit	288	3	-	-	2	49	13	2	34	5	148	147	33	-	102	2
15	Janesville	272	3	-	-	2	39	16	1	22	2	163	159	44	1	104	6
16	Balance of county	362	2	1	-	1	51	22	4	25	3	215	211	49	1	147	6
17	Rusk	158	1	-	-	-	19	9	-	10	3	90	89	22	-	62	2
18	St. Croix	251	2	2	-	1	35	16	2	17	4	147	146	45	-	87	4
19	Sauk	416	1	2	-	1	59	28	5	26	5	235	229	64	1	153	4
20	Sawyer	119	1	-	-	-	20	7	2	11	1	66	65	10	-	50	2
21	Shawano	345	1	-	1	3	46	27	1	18	5	195	189	50	-	129	3
22	Sheboygan	907	5	-	-	4	159	81	9	69	17	505	494	138	-	331	7
23	Sheboygan	532	3	-	-	3	93	47	6	40	9	288	284	69	-	198	3
24	Balance of county	375	2	-	-	1	66	34	3	29	8	217	210	69	-	133	4
25	Taylor	190	-	-	-	-	22	10	2	10	4	109	107	25	1	70	-
26	Trempealeau	253	2	1	-	2	26	11	4	11	8	133	131	36	-	84	2
27	Vernon	272	-	1	-	-	44	25	2	17	2	161	158	32	-	117	2
28	Vilas	115	-	-	-	1	21	8	3	10	1	59	59	12	-	39	2
29	Walworth	523	-	-	-	1	78	28	3	47	15	317	315	52	1	229	6
30	Washburn	118	-	-	-	-	16	4	3	9	1	76	75	16	-	51	2
31	Washington	330	1	-	-	2	42	15	4	23	11	194	192	44	-	137	12
32	Waukesha	822	5	3	2	1	152	58	9	85	11	450	442	103	-	308	18
33	Waukesha	222	-	-	2	1	39	17	1	21	4	125	124	35	-	80	5
34	Balance of county	600	5	3	-	-	113	41	8	64	7	325	318	68	-	228	13
35	Waupaca	402	2	1	-	-	85	43	5	37	9	213	209	53	1	140	2
36	Waushara	176	-	1	-	-	22	15	1	6	2	114	112	22	1	84	2
37	Winnebago	944	1	1	-	5	130	58	12	60	26	540	531	120	1	379	8
38	Oshkosh	470	1	1	-	1	65	26	5	34	17	278	277	57	1	206	4
39	Menasha	116	-	-	-	2	24	14	4	6	3	55	52	12	-	37	2
40	Neenah	132	-	-	-	1	16	7	-	9	3	73	72	18	-	49	-
41	Balance of county	226	-	-	-	1	25	11	3	11	3	134	130	33	-	87	2
42	Wood	434	-	1	1	-	74	37	5	32	11	232	230	61	-	149	6
43	Marshfield	102	-	-	-	-	20	8	2	10	1	57	57	21	-	30	1
44	Wisconsin Rapids	125	-	-	1	-	19	10	2	7	5	68	67	16	-	48	2
45	Balance of county	207	-	1	-	-	35	19	1	15	5	107	106	24	-	71	3
46	WYOMING	2,349	13	11	3	11	288	94	27	167	43	1,107	1,075	222	4	776	38
47	Nonmetropolitan counties	2,349	13	11	3	11	288	94	27	167	43	1,107	1,075	222	4	776	38
48	Albany	138	-	1	-	1	19	10	1	8	-	64	62	7	-	48	1
49	Laramie	111	-	1	-	-	17	10	1	6	-	52	50	6	-	38	1
50	Balance of county	27	-	-	-	1	2	-	-	2	-	12	12	1	-	10	-
51	Big Horn	82	-	1	-	1	7	3	1	3	4	39	37	8	1	28	1
52	Campbell	44	-	-	-	-	5	2	1	2	-	24	24	6	-	17	-
53	Carbon	148	1	2	-	1	15	6	1	8	1	72	72	12	-	55	2
54	Converse	66	-	-	-	-	5	2	-	3	2	38	34	9	-	23	1
55	Crook	36	-	-	-	-	5	2	-	3	1	15	12	4	-	8	-
56	Fremont	172	2	-	-	2	19	8	3	8	2	66	64	9	-	50	2
57	Goshen	98	-	-	-	1	11	1	-	10	1	52	52	16	-	30	2
58	Hot Springs	63	1	-	-	-	7	1	1	5	-	28	28	2	-	25	-
59	Johnson	60	-	-	-	-	11	3	-	8	-	36	35	12	-	18	-
60	Laramie	322	3	1	-	2	36	13	7	16	11	142	140	31	-	94	7
61	Cheyenne	266	3	1	-	2	29	11	4	14	11	118	116	27	-	76	5
62	Balance of county	56	-	-	-	-	7	2	3	2	-	24	24	4	-	18	2
63	Lincoln	72	-	-	-	-	9	5	1	3	1	38	37	4	-	31	3
64	Natrona	259	3	2	-	1	35	7	2	26	4	108	99	26	1	70	1
65	Casper	235	2	2	-	1	34	6	2	26	4	97	89	24	1	62	1
66	Balance of county	24	1	-	-	-	1	1	-	-	-	11	10	2	-	8	-
67	Niobrara	48	-	-	-	-	8	5	-	3	2	21	21	1	-	20	-
68	Park	101	-	1	-	1	15	3	5	7	1	51	50	12	-	37	-
69	Platte	66	1	-	-	-	5	-	1	4	-	34	34	16	-	18	-
70	Sheridan	162	1	1	1	-	25	8	1	16	5	83	81	15	-	58	6
71	Sheridan	116	1	-	-	-	16	5	1	10	4	68	67	13	-	48	5
72	Balance of county	46	-	1	1	-	9	3	-	6	1	15	14	2	-	10	1
73	Sublette	18	-	-	-	-	4	1	-	3	1	9	9	2	-	6	-
74	Sweetwater	211	1	-	2	-	26	7	-	19	4	105	103	18	1	79	10
75	Rock Springs	135	1	-	1	-	17	2	-	15	2	68	67	11	1	52	7
76	Balance of county	76	-	-	1	-	9	5	-	4	2	37	36	7	-	27	3
77	Teton	19	-	1	-	-	-	-	-	-	1	6	6	-	-	6	1
78	Uinta	64	-	1	-	1	6	1	-	5	1	31	31	4	-	25	-
79	Washakie	49	-	-	-	-	6	4	1	1	1	21	21	3	1	14	1
80	Weston	49	-	-	-	-	9	2	1	6	-	22	22	4	-	15	-
81	Yellowstone Nat. Park (part)	2	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-
82	Yellowstone Nat. Park (total)	3	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-

NOTES:

The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950 except in New England where the counties are those in the "metropolitan State economic areas," also defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include all incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1953—Con.

except those in Massachusetts; for explanation, see text in Volume I. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540,541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
46	11	11	1	5	1	2	5	-	1	1	-	1	2	19	-	10	17	4	-	23	1
32	6	4	-	1	-	-	2	-	-	-	-	-	2	-	1	2	7	-	-	1	2
47	3	11	5	12	1	3	7	1	-	-	2	-	5	2	6	6	8	3	-	8	3
68	11	16	2	-	1	2	6	-	-	-	-	1	3	7	-	11	9	4	1	13	4
99	15	26	2	8	2	1	12	-	1	3	-	-	3	11	1	11	16	1	-	28	5
46	13	8	2	3	-	1	6	-	1	2	-	-	1	5	-	4	7	1	-	12	6
53	2	18	-	5	2	-	6	-	-	1	-	-	2	6	1	7	9	-	-	16	7
25	2	14	1	12	-	-	7	1	2	2	-	-	2	1	3	2	7	2	2	13	8
268	45	65	6	53	10	11	31	8	6	11	2	-	23	51	3	31	28	16	3	70	9
194	31	42	6	31	8	8	21	5	2	8	1	-	17	31	2	15	21	16	2	47	10
74	14	23	-	22	2	3	10	3	4	3	1	-	6	20	1	16	7	-	1	23	11
61	3	8	-	6	-	1	14	1	3	-	-	1	2	5	1	4	5	6	-	7	12
257	28	54	5	27	4	9	26	7	4	7	-	-	13	41	7	27	35	5	3	58	13
79	5	16	3	6	3	-	10	3	-	4	-	-	7	18	-	6	8	1	1	23	14
75	12	11	-	9	1	4	7	3	-	2	-	-	3	9	2	6	14	1	-	16	15
103	11	27	2	12	-	4	9	1	4	1	-	-	3	14	5	15	13	3	2	19	16
49	2	9	2	2	1	1	9	-	-	2	-	-	3	3	3	4	8	2	-	11	17
54	5	24	1	9	4	1	11	-	2	4	1	-	2	7	1	7	11	1	1	12	18
98	15	36	2	8	1	6	18	4	2	2	-	-	3	12	12	13	18	7	-	22	19
33	10	5	-	5	-	1	3	2	-	-	1	-	-	1	-	6	7	2	-	9	20
76	16	34	1	8	1	6	16	1	2	2	-	1	5	14	2	12	15	2	2	20	21
215	33	76	4	18	3	11	32	6	5	3	1	-	16	26	3	18	23	13	-	71	22
129	24	42	3	13	1	4	20	5	4	3	1	-	9	15	3	10	15	8	-	43	23
86	9	34	1	5	2	7	12	1	1	-	-	-	7	11	-	8	8	5	-	28	24
23	12	35	1	10	-	2	7	-	-	3	-	-	5	7	3	2	10	2	-	16	25
49	12	21	2	8	1	2	8	1	-	-	2	-	2	16	2	9	7	7	-	27	26
74	12	29	3	4	2	3	11	2	1	1	-	-	6	10	1	9	5	2	-	16	27
27	6	4	-	7	1	-	3	1	1	1	-	-	-	4	-	1	8	4	-	10	28
180	19	24	2	28	3	2	8	2	-	7	-	-	4	9	1	21	19	14	-	27	29
41	1	7	1	5	2	1	4	-	-	-	-	1	-	2	1	2	6	1	-	8	30
87	12	26	6	3	2	2	8	1	2	1	-	2	3	14	-	15	15	4	-	15	31
181	30	79	5	23	3	8	25	2	3	4	1	-	14	27	6	34	21	12	1	48	32
56	6	13	2	6	1	1	5	1	1	1	1	-	6	9	1	10	2	3	-	11	33
125	24	66	3	17	2	7	20	1	2	3	-	-	8	18	5	24	19	9	1	37	34
79	2	57	3	9	3	4	12	5	3	4	1	-	2	5	2	4	19	6	-	29	35
53	7	22	1	4	-	2	7	-	1	1	-	-	3	3	1	1	8	3	1	8	36
241	58	72	1	27	3	9	21	5	7	9	1	1	20	34	11	28	35	8	-	61	37
131	34	37	1	10	2	1	8	3	1	4	1	-	7	12	9	15	16	4	-	27	38
25	-	10	-	3	-	3	4	-	-	2	-	-	8	1	-	-	7	1	-	9	39
35	4	10	-	5	-	1	4	2	2	2	-	-	3	12	-	3	1	-	-	10	40
50	20	15	-	9	1	4	5	-	4	1	-	1	2	9	2	10	11	3	-	15	41
93	22	28	2	17	1	2	18	2	1	3	-	-	5	17	3	12	14	3	-	37	42
19	3	7	-	6	-	-	3	-	-	1	-	-	1	3	-	2	3	2	-	9	43
30	9	7	1	2	-	1	4	-	-	-	-	-	3	6	-	3	4	-	-	12	44
44	10	14	1	9	1	1	11	2	1	2	-	-	1	8	3	7	7	1	-	16	45
502	71	165	11	36	26	32	83	20	10	24	4	3	43	155	24	126	151	48	9	173	46
502	71	165	11	36	26	32	83	20	10	24	4	3	43	155	24	126	151	48	9	173	47
37	2	8	1	3	3	2	4	2	-	4	-	-	1	10	1	13	3	5	1	9	48
28	2	7	-	3	3	2	4	2	-	4	-	-	1	6	1	10	2	5	1	5	49
9	-	1	1	-	-	-	-	-	-	-	-	-	-	4	-	3	1	-	-	4	50
21	3	3	-	-	-	2	4	1	-	1	-	-	-	1	5	6	6	-	1	5	51
14	2	1	-	-	1	-	1	-	1	-	-	-	1	2	-	2	5	1	-	2	52
29	4	20	3	2	-	-	2	2	-	3	1	-	1	8	1	10	14	3	-	11	53
10	6	6	-	2	-	4	-	1	-	1	-	-	2	2	-	4	2	3	-	6	54
5	1	2	-	-	-	3	2	-	-	-	-	-	-	1	-	2	4	2	-	4	55
31	1	16	-	3	2	2	11	3	2	-	1	1	6	14	-	12	13	2	-	16	56
24	-	4	1	5	-	-	5	-	1	1	-	-	2	7	-	5	4	1	1	6	57
20	2	3	-	1	-	-	1	1	-	2	-	-	3	3	-	5	4	3	1	4	58
12	-	6	2	3	-	1	2	-	-	-	-	-	-	3	-	3	1	-	-	4	59
64	9	14	2	6	7	2	16	2	3	5	1	-	14	30	2	7	16	7	-	24	60
50	9	12	2	5	6	2	11	2	3	4	1	-	11	25	1	7	14	6	-	17	61
14	-	2	-	1	1	-	5	-	-	1	-	-	3	5	1	-	2	1	-	7	62
14	5	9	1	-	1	1	2	-	-	1	-	-	-	3	5	1	4	2	-	6	63
45	7	17	-	1	1	9	12	4	-	1	-	2	4	17	-	13	25	5	1	22	64
39	5	17	-	1	1	8	12	3	-	1	-	2	4	16	-	11	22	5	1	18	65
6	2	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	3	-	-	4	66
5	7	8	-	-	-	-	1	-	-	-	-	-	2	2	-	5	2	1	-	4	67
28	-	9	-	1	-	1	2	-	1	-	-	-	1	5	4	6	7	2	1	3	68
6	3	9	-	-	-	-	2	-	-	1	-	-	1	3	-	5	6	1	2	5	69
47	1	4	-	3	5	2	8	3	1	2	-	-	1	6	-	8	5	1	-	11	70
39	1	3	-	3	3	1	8	2	-	-	-	-	-	3	-	2	4	1	-	7	71
8	-	1	-	-	2	1	-	1	1	2	-	-	1	3	-	6	1	-	-	4	72
5	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	73
47	13	9	-	2	3	2	6	-	-	-	-	-	2	14	3	8	12	7	1	20	74
30	9	6	-	1	2	1	3	-	-	-	-	-	1	11	3	6	7	5	1	9	75
17	4	3	-	1	1	1	3	-	-	-	-	-	1	3	-	2	5	2	-	11	76
5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	-	-	2	77
14	3	8	-	-	2	-	2	-	-	-	-	-	-	7	-	4	5	2	-	4	78
10	1	2	1	1	1	-	-	-	-	-	2	-	1	8	-	2	6	-	-	2	79
8	1	6	-	2	-	1	-	1	1	-	-	1	-	8	1	2	1	-	-	3	80
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	82

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953

(By place of residence. Exclusive of deaths among armed forces overseas. States and counties are listed in which there was one death (or more) from a specified cause. Includes data for urban places shown in table 56B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
UNITED STATES	52
ALABAMA	1
Chilton	1
ARKANSAS	6
Chicot	1
Craighead	1
Drew	1
Lawrence	1
Monroe	1
Pulaski	1
CALIFORNIA	1
Alameda	1
COLORADO	1
Saguache	1
FLORIDA	1
Brevard	1
GEORGIA	1
Marion	1
ILLINOIS	1
St. Clair	1
IOWA	1
Boone	1
KENTUCKY	3
Clinton	1
Harrison	1
Knox	1
LOUISIANA[1]	1
Caddo	1
MARYLAND	1
Prince Georges	1
MASSACHUSETTS[2]	1
MICHIGAN	1
Saginaw	1
MINNESOTA	2
Hennepin	2
MISSISSIPPI	2
Sunflower	2
MISSOURI	3
Barry	1
St. Clair	1
St. Louis (independent city)	1
NEW YORK	3
New York City[3]	3
NORTH CAROLINA	3
Nash	1
Transylvania	1
Wilson	1
OHIO	2
Cuyahoga	1
Van Wert	1
PENNSYLVANIA	2
Allegheny	1
Indiana	1
SOUTH CAROLINA	2
Charleston	1
Lee	1
TENNESSEE	3
Bedford	1
Carroll	1
Obion	1
TEXAS	8
El Paso	1
Fayette	1
Hockley	1
Lubbock	1
Milam	1
Reeves	1
Rusk	1
Starr	1
VIRGINIA	1
Wise	1
WEST VIRGINIA	1
Wetzel	1
DYSENTERY, ALL FORMS (045-048)	
UNITED STATES	882
ALABAMA	27
Bullock	1
Choctaw	1
Dale	1
Escambia	1
Franklin	1
Houston	1
Jefferson	1
Lamar	2
Lee	2
Mobile	3
Monroe	1
Pickens	3
Russell	1
St. Clair	3
Talladega	1
Tallapoosa	2
Tuscaloosa	1
Wilcox	1
ARIZONA	38
Apache	5
Cochise	3
Coconino	1
Gila	2
Graham	1
Maricopa	9
Navajo	3
Pima	2
Pinal	11
Yuma	1
ARKANSAS	27
Ashley	1
Desha	1
Howard	1
Jackson	1
Jefferson	2
Johnson	1
Lafayette	2
Lee	1
Madison	1
Miller	1
Mississippi	4
Monroe	1
Phillips	2
Poinsett	3
Pulaski	2
St. Francis	1
Union	1
Van Buren	1
CALIFORNIA	37
Alameda	2
Colusa	1
Contra Costa	3
El Dorado	1
Fresno	1
Imperial	2
Inyo	2
Kern	1
Los Angeles	13
Madera	1
Riverside	1
Sacramento	2
San Benito	1
CALIFORNIA—Continued	
San Diego	1
San Francisco	1
San Luis Obispo	1
Santa Clara	2
Siskiyou	1
COLORADO	10
Denver	3
Garfield	1
Logan	1
Montrose	1
Otero	2
Pueblo	1
Yuma	1
CONNECTICUT	1
Hartford	1
DELAWARE	1
Sussex	1
DISTRICT OF COLUMBIA	2
FLORIDA	19
Bay	1
Broward	1
Dade	1
Duval	1
Gulf	1
Highlands	1
Hillsborough	2
Jackson	2
Lake	1
Manatee	1
Polk	3
Seminole	2
Sumter	1
Suwannee	1
GEORGIA	43
Baldwin	1
Ben Hill	1
Bibb	1
Burke	3
Chatham	1
Clay	2
Cobb	1
Colquitt	1
Crawford	1
Crisp	1
Decatur	1
Douglas	1
Elbert	1
Floyd	1
Fulton	2
Glynn	1
Gwinnett	1
Jasper	1
Jenkins	2
Laurens	1
McIntosh	3
Morgan	3
Paulding	1
Richmond	1
Rockdale	1
Sumter	1
Terrell	4
Toombs	1
Union	1
Whitfield	1
Wilkes	1
ILLINOIS	19
Bureau	1
Champaign	1
Cook	10
Douglas	1
Henry	1
Montgomery	1
Morgan	1
St. Clair	1
Warren	1
Whiteside	1
INDIANA	20
Grant	1
Harrison	1
Lake	2
Marion	5
Morgan	2
INDIANA—Continued	
Orange	1
St. Joseph	2
Scott	3
Union	1
Vanderburgh	2
IOWA	6
Appanoose	1
Monroe	1
Page	1
Tama	1
Winnebago	1
Wright	1
KANSAS	8
Edwards	1
Jefferson	1
Nemaha	2
Osborne	1
Sedgwick	1
Seward	1
Wyandotte	1
KENTUCKY	27
Adair	1
Bell	1
Boyle	1
Breathitt	1
Campbell	2
Daviess	1
Floyd	2
Green	1
Greenup	1
Hardin	1
Harlan	1
Jackson	1
Jefferson	3
Johnson	1
Lewis	1
Lincoln	1
Marion	1
Martin	1
Muhlenberg	1
Owsley	2
Pike	1
Union	1
LOUISIANA[1]	26
Acadia	1
Caddo	2
Calcasieu	2
Catahoula	1
East Feliciana	2
Orleans	4
Ouachita	4
Rapides	2
Richland	1
St. Helena	1
St. Landry	3
Tangipahoa	2
Vermilion	1
MAINE	1
Sagadahoc	1
MARYLAND	5
Anne Arundel	1
Baltimore (independent city)	2
Frederick	1
Wicomico	1
MASSACHUSETTS[2]	8
MICHIGAN	16
Allegan	1
Barry	1
Benzie	1
Berrien	1
Lapeer	1
Mackinac	1
Muskegon	1
Newaygo	1
Oakland	1
Oceana	1
Saginaw	1
St. Clair	1
Van Buren	1
Wayne	3

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
MINNESOTA	1
Hennepin	1
MISSISSIPPI	51
Adams	1
Attala	2
Bolivar	2
Coahoma	2
Copiah	2
De Soto	1
Hinds	3
Holmes	1
Itawamba	1
Jackson	1
Leake	1
Lee	1
Leflore	7
Madison	2
Monroe	2
Newton	1
Panola	3
Perry	1
Pontotoc	1
Quitman	1
Scott	1
Sharkey	2
Sunflower	1
Tallahatchie	1
Tunica	1
Washington	6
Wayne	1
Yazoo	2
MISSOURI	15
Audrain	1
Crawford	1
Jackson	3
New Madrid	2
Pemiscot	4
Pulaski	1
St. Charles	1
Sullivan	1
Wright	1
MONTANA	4
Big Horn	1
Blaine	1
Glacier	1
Yellowstone	1
NEBRASKA	1
Burt	1
NEVADA	5
Clark	5
NEW JERSEY	9
Bergen	1
Burlington	1
Hunterdon	1
Middlesex	1
Morris	2
Passaic	2
Somerset	1
NEW MEXICO	29
Bernalillo	3
Chaves	1
Curry	1
De Baca	1
Dona Ana	2
Eddy	2
Grant	2
Guadalupe	1
Lincoln	1
Otero	2
Rio Arriba	3
Roosevelt	1
Sandoval	1
San Juan	3
Sierra	1
Socorro	1
Taos	3
NEW YORK	12
Chautauqua	1
Erie	1
New York City[3]	5
NEW YORK—Continued	
Niagara	1
Suffolk	1
Ulster	1
Westchester	2
NORTH CAROLINA	19
Brunswick	1
Cabarrus	1
Catawba	1
Cumberland	1
Davie	1
Franklin	1
Halifax	1
Hertford	2
Lenoir	2
Martin	1
New Hanover	1
Northampton	1
Pitt	1
Robeson	1
Wilson	2
Yancey	1
NORTH DAKOTA	2
Barnes	1
Benson	1
OHIO	8
Darke	1
Gallia	2
Hamilton	1
Henry	1
Lucas	1
Richland	1
Scioto	1
OKLAHOMA	21
Atoka	1
Blaine	1
Caddo	3
Cherokee	1
Craig	1
Garvin	1
Jackson	1
Johnston	1
McCurtain	2
Okfuskee	1
Oklahoma	1
Okmulgee	1
Payne	1
Seminole	2
Sequoyah	1
Texas	1
Tulsa	1
PENNSYLVANIA	7
Allegheny	4
Lycoming	1
Philadelphia	2
SOUTH CAROLINA	20
Beaufort	2
Berkeley	1
Chesterfield	1
Darlington	1
Dillon	1
Edgefield	1
Florence	1
Georgetown	1
Greenwood	1
Jasper	2
McCormick	1
Marion	2
Oconee	1
Pickens	1
Richland	1
Sumter	1
York	1
SOUTH DAKOTA	1
Ziebach	1
TENNESSEE	34
Bradley	1
Carter	1
Clay	1
Davidson	2
De Kalb	1
Dyer	2
Fentress	3
TENNESSEE—Continued	
Gibson	1
Hamilton	3
Haywood	1
Hickman	1
Houston	1
Knox	1
Lauderdale	1
McNairy	1
Obion	2
Overton	2
Polk	1
Rhea	1
Rutherford	2
Sevier	1
Shelby	4
TEXAS	266
Anderson	1
Atascosa	2
Bee	4
Bell	1
Bexar	4
Bosque	1
Brazoria	1
Brazos	3
Brewster	2
Brooks	1
Caldwell	2
Cameron	35
Camp	1
Cherokee	1
Collin	2
Crockett	1
Culberson	1
Dallas	9
Deaf Smith	1
Denton	1
Dimmit	3
Donley	1
Duval	1
Ector	1
Ellis	2
El Paso	1
Fannin	2
Fayette	1
Fort Bend	5
Gillespie	2
Gonzales	1
Grayson	1
Gregg	1
Guadalupe	3
Hale	3
Hamilton	1
Harris	3
Haskell	1
Hays	1
Hidalgo	66
Houston	2
Jefferson	2
Jim Hogg	1
Jim Wells	2
Johnson	1
Kaufman	3
Knox	1
Lamar	1
Lamb	1
La Salle	2
Limestone	1
Lubbock	3
McLennan	1
Matagorda	1
Maverick	2
Medina	1
Milam	1
Mitchell	1
Montgomery	1
Nacogdoches	2
Navarro	3
Nueces	4
Reeves	2
Robertson	1
Sabine	1
San Patricio	2
Shelby	1
Starr	2
Swisher	1
Tarrant	1
Terry	1
Tom Green	1
Trinity	1
Uvalde	1
Val Verde	3
Victoria	3
Waller	1
Ward	1
Washington	1
TEXAS—Continued	
Webb	9
Wharton	1
Wilbarger	1
Willacy	15
Williamson	2
Wilson	1
Wise	1
Zavala	1
UTAH	2
Salt Lake	1
Washington	1
VIRGINIA[4]	20
Accomack	2
Amelia	1
Amherst	1
Appomattox	1
Campbell	1
Dickenson	1
Dinwiddie	1
Halifax	2
King George	1
Northampton	1
Orange	2
Independent Cities	
Fredericksburg	1
Lynchburg	2
Norfolk	2
Petersburg	1
WASHINGTON	5
King	1
Lewis	1
Pierce	1
Walla Walla	1
Whatcom	1
WEST VIRGINIA	6
Barbour	1
Fayette	1
Mercer	2
Mingo	1
Wayne	1
WISCONSIN	3
Brown	1
Jefferson	1
Milwaukee	1
DIPHTHERIA (055)	
UNITED STATES	156
ALABAMA	10
Autauga	1
Calhoun	1
Hale	1
Henry	1
Madison	1
Mobile	2
Montgomery	3
ARKANSAS	3
Craighead	1
Jefferson	1
White	1
CALIFORNIA	7
Contra Costa	1
Fresno	2
Los Angeles	2
San Francisco	1
Stanislaus	1
COLORADO	1
Larimer	1
FLORIDA	12
Bay	2
Dade	1
Duval	1
Gadsden	2
Jackson	1
Lake	1
Okeechobee	2
Orange	1
Pinellas	1

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
DIPHTHERIA (055)—Continued	
GEORGIA	20
Bibb	1
Chatham	2
Cherokee	2
Clayton	1
Cook	1
De Kalb	1
Gwinnett	2
Hall	1
Henry	1
Houston	1
Jasper	2
Polk	1
Richmond	1
Sumter	1
Walton	1
Wayne	1
IDAHO	1
Twin Falls	1
ILLINOIS	1
Rock Island	1
INDIANA	3
Jasper	1
Marion	1
Perry	1
KENTUCKY	3
Grayson	1
Hardin	1
Johnson	1
LOUISIANA[1]	3
Calcasieu	1
St. Mary	1
Terrebonne	1
MASSACHUSETTS[2]	2
MICHIGAN	2
Baraga	1
Wayne	1
MINNESOTA	1
Hennepin	1
MISSISSIPPI	6
Calhoun	1
Jackson	1
Kemper	1
Newton	1
Scott	1
Wilkinson	1
MISSOURI	1
Jackson	1
MONTANA	3
Roosevelt	1
Silver Bow	1
Valley	1
NEW JERSEY	3
Mercer	1
Middlesex	1
Morris	1
NEW YORK	4
Albany	1
Livingston	1
New York City[3]	1
Westchester	1
NORTH CAROLINA	9
Caswell	1
Guilford	1
Henderson	1
Lenoir	1
Mecklenburg	1
Polk	1
Robeson	1
Vance	1
Wilson	1
NORTH DAKOTA	1
Cass	1
OHIO	4
Holmes	1
Jackson	1
Licking	1
Stark	1
OKLAHOMA	1
Delaware	1
OREGON	3
Josephine	1
Klamath	1
Multnomah	1
PENNSYLVANIA	6
McKean	1
Montgomery	1
Philadelphia	4
SOUTH CAROLINA	15
Anderson	1
Beaufort	1
Charleston	1
Darlington	1
Dillon	1
Florence	1
Greenwood	1
Kershaw	1
Laurens	1
Marion	1
Marlboro	2
Spartanburg	3
SOUTH DAKOTA	1
Ziebach	1
TENNESSEE	3
Gibson	1
Polk	1
Sullivan	1
TEXAS	15
Atascosa	1
Cameron	1
El Paso	1
Galveston	1
Harris	1
Hidalgo	1
Houston	1
Liberty	1
Nueces	1
San Saba	1
Smith	1
Tarrant	2
Van Zandt	1
Willacy	1
VIRGINIA	4
Chesterfield	1
Southampton	1
Sussex	1
Wise	1
WASHINGTON	6
Grays Harbor	1
King	1
Okanogan	1
Skagit	1
Spokane	2
WEST VIRGINIA	1
Fayette	1
WISCONSIN	1
Bayfield	1
WHOOPING COUGH (056)	
UNITED STATES	270
ALABAMA	4
Choctaw	1
Lauderdale	1
Morgan	1
Wilcox	1
ARIZONA	4
Cochise	1
Maricopa	1
Pima	2
ARKANSAS	11
Arkansas	1
Crittenden	1
Greene	1
Lincoln	1
Mississippi	1
Phillips	3
Poinsett	1
St. Francis	1
Union	1
CALIFORNIA	13
Los Angeles	8
Orange	1
Plumas	1
Santa Clara	1
Santa Cruz	1
Stanislaus	1
COLORADO	6
Chaffee	1
El Paso	1
Mesa	1
Otero	1
Pueblo	2
DELAWARE	1
New Castle	1
DISTRICT OF COLUMBIA	1
FLORIDA	4
Citrus	1
Dade	1
Hillsborough	1
Orange	1
GEORGIA	6
Dougherty	1
Jenkins	1
Muscogee	1
Richmond	1
Screven	1
Tift	1
ILLINOIS	4
De Kalb	1
Edgar	1
Macon	1
Ogle	1
INDIANA	9
Allen	2
Daviess	1
Dearborn	1
Franklin	1
Lake	1
Marion	1
Vanderburgh	1
Wayne	1
IOWA	1
Lee	1
KANSAS	2
Jackson	1
Kearny	1
KENTUCKY	18
Boyle	1
Breathitt	2
Clark	1
Fayette	1
Floyd	1
Johnson	1
Letcher	2
McCreary	1
Marion	1
Meade	1
Morgan	1
Nelson	1
Pulaski	1
Taylor	1
Warren	1
Woodford	1
LOUISIANA[1]	9
Assumption	1
East Baton Rouge	1
Livingston	1
St. Helena	1
St. Landry	2
Tensas	1
Union	1
Washington	1
MAINE	2
Androscoggin	2
MARYLAND	2
Baltimore (independent city)	1
Prince Georges	1
MASSACHUSETTS[2]	2
MICHIGAN	11
Branch	1
Calhoun	1
Genesee	1
Muskegon	1
Oakland	1
St. Clair	3
Wayne	2
Wexford	1
MINNESOTA	3
Mille Lacs	1
Polk	1
St. Louis	1
MISSISSIPPI	14
Amite	1
Hinds	1
Jefferson Davis	1
Leflore	1
Madison	1
Pike	1
Sharkey	1
Sunflower	5
Warren	1
Wilkinson	1
MISSOURI	4
Jasper	1
Jefferson	1
Mississippi	2
MONTANA	3
Blaine	1
Glacier	2
NEBRASKA	2
Dakota	1
Douglas	1
NEVADA	1
Douglas	1
NEW JERSEY	4
Atlantic	1
Essex	1
Monmouth	1
Sussex	1
NEW MEXICO	5
Chaves	1
Hidalgo	1
McKinley	1
San Juan	1
Sante Fe	1
NEW YORK	11
Albany	1
Erie	2
Herkimer	1
New York City[3]	5
St. Lawrence	1
Westchester	1
NORTH CAROLINA	7
Anson	1
Carteret	1
Franklin	1
Greene	2
Mecklenburg	1
Robeson	1

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
OHIO	18
Belmont	1
Brown	1
Columbiana	1
Cuyahoga	5
Erie	3
Hamilton	1
Lawrence	1
Lucas	1
Montgomery	1
Summit	1
Tuscarawas	1
Vinton	1
OKLAHOMA	9
Adair	1
Creek	1
Kiowa	1
McCurtain	2
Oklahoma	2
Okmulgee	1
Pontotoc	1
OREGON	3
Harney	1
Multnomah	2
PENNSYLVANIA	15
Allegheny	1
Beaver	1
Blair	2
Cambria	3
Chester	1
Cumberland	1
Franklin	1
Philadelphia	2
Union	1
Wayne	1
York	1
SOUTH CAROLINA	14
Anderson	1
Calhoun	1
Charleston	1
Chester	1
Clarendon	1
Edgefield	1
Fairfield	1
Greenville	1
Horry	2
Orangeburg	1
Spartanburg	1
Sumter	1
York	1
SOUTH DAKOTA	2
Brown	1
Roberts	1
TENNESSEE	10
De Kalb	1
Gibson	1
Henderson	1
Lawrence	1
Marion	2
Perry	1
Shelby	1
Unicoi	1
Washington	1
TEXAS	19
Colorado	1
Dawson	2
Ector	1
Harris	1
Hidalgo	1
Howard	1
Karnes	1
Limestone	1
McCulloch	1
Nueces	1
Pecos	1
Reeves	1
Travis	1
Tyler	1
Val Verde	1
TEXAS—Continued	
Victoria	1
Wharton	1
Winkler	1
VIRGINIA[4]	9
Buckingham	2
Cumberland	1
Greensville	1
Page	1
Patrick	1
Prince Edward	1
Princess Anne	1
Independent City	
Richmond	1
WASHINGTON	1
Clark	1
WEST VIRGINIA	4
Boone	1
Greenbrier	1
Marion	1
Mingo	1
WISCONSIN	1
La Crosse	1
WYOMING	1
Fremont	1
MENINGOCOCCAL INFECTIONS (057)	
UNITED STATES	1,325
ALABAMA	44
Baldwin	1
Barbour	1
Bibb	1
Bullock	1
Calhoun	2
Choctaw	1
Colbert	1
Conecuh	1
Covington	1
Crenshaw	1
De Kalb	1
Escambia	4
Etowah	1
Geneva	1
Greene	1
Lamar	1
Lauderdale	3
Madison	2
Marengo	2
Mobile	8
Montgomery	2
Morgan	1
Perry	1
Randolph	1
Russell	1
Tuscaloosa	2
Washington	1
ARIZONA	8
Apache	1
Maricopa	2
Navajo	1
Pima	2
Yavapai	2
ARKANSAS	14
Clay	1
Desha	1
Jefferson	1
Little River	1
Lonoke	2
Mississippi	1
Poinsett	1
Pulaski	2
Randolph	1
St. Francis	2
Union	1
CALIFORNIA	108
Alameda	9
Alpine	1
Butte	1
Colusa	1
Contra Costa	6
Del Norte	1
Fresno	2
Glenn	1
Humboldt	1
Imperial	2
Inyo	1
Kern	4
Kings	1
Los Angeles	32
Madera	1
Marin	1
Mendocino	2
Merced	2
Monterey	2
Orange	1
Riverside	2
Sacramento	2
San Bernardino	3
San Diego	6
San Francisco	4
San Joaquin	2
San Luis Obispo	2
San Mateo	2
Santa Barbara	1
Santa Clara	4
Santa Cruz	1
Solano	1
Sonoma	1
Stanislaus	1
Tulare	3
Yolo	1
COLORADO	13
Arapahoe	1
Archuleta	1
Denver	3
El Paso	1
Gunnison	1
La Plata	2
Otero	1
Pueblo	3
CONNECTICUT	18
Fairfield	3
Hartford	7
Litchfield	1
New Haven	5
New London	1
Windham	1
DELAWARE	2
New Castle	2
DISTRICT OF COLUMBIA	15
FLORIDA	32
Bay	3
Broward	1
Dade	4
Duval	6
Escambia	6
Gadsden	1
Hillsborough	4
Holmes	1
Indian River	1
Monroe	1
Orange	1
Polk	2
Volusia	1
GEORGIA	46
Baldwin	1
Bibb	1
Calhoun	1
Camden	1
Chatham	5
Clarke	1
Clay	1
Cobb	2
Crawford	1
De Kalb	2
Emanuel	1
Fulton	12
Haralson	1
Hart	1
Lowndes	1
Miller	1
GEORGIA—Continued	
Mitchell	1
Muscogee	2
Putman	1
Richmond	4
Upson	1
Ware	1
Wayne	2
Worth	1
IDAHO	3
Bannock	1
Gooding	1
Lewis	1
ILLINOIS	64
Bond	2
Champaign	2
Cook	35
De Kalb	1
Douglas	1
Du Page	1
Edgar	1
Fayette	1
Iroquois	1
Kane	1
Lake	1
McLean	1
Macoupin	1
Menard	1
Peoria	1
Rock Island	1
St. Clair	3
Sangamon	1
Tazewell	1
Warren	1
Whiteside	1
Will	3
Winnebago	2
INDIANA	34
Allen	2
Bartholomew	1
Clay	1
Dearborn	1
Delaware	2
Franklin	1
Greene	2
Hamilton	1
Johnson	1
Lake	4
Lawrence	1
Marion	7
Monroe	1
Tippecanoe	1
Vanderburgh	3
Vigo	1
Wabash	1
Wayne	3
IOWA	19
Black Hawk	2
Cass	1
Cherokee	1
Des Moines	1
Emmet	1
Fremont	1
Harrison	1
Iowa	1
Jackson	1
Marion	1
Monona	1
Scott	4
Story	1
Webster	1
Woodbury	1
KANSAS	12
Allen	1
Butler	1
Coffey	1
Montgomery	1
Neosho	1
Reno	1
Rooks	1
Sedgwick	1
Stanton	1
Woodson	1
Wyandotte	2

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
KENTUCKY	41
Boone	1
Breathitt	2
Bullitt	1
Campbell	2
Carlstian	1
Clay	2
Daviess	1
Fayette	2
Grayson	1
Jefferson	7
Jessamine	2
Kenton	4
Knox	1
Lee	1
Letcher	1
Magoffin	1
Menifee	2
Montgomery	1
Ohio	1
Owen	1
Owsley	1
Perry	1
Rowan	1
Warren	3
LOUISIANA[1]	42
Acadia	4
Ascension	1
Assumption	1
Avoyelles	2
Beauregard	1
Caddo	2
Calcasieu	4
De Soto	1
East Baton Rouge	1
Evangeline	3
Jackson	1
Jefferson	1
Lafayette	2
Orleans	8
St. John the Baptist	1
St. Landry	2
St. Martin	2
Tangipahoa	1
Terrebonne	1
Washington	2
Webster	1
MAINE	8
Androscoggin	4
Cumberland	1
Franklin	1
Oxford	1
York	1
MARYLAND	22
Anne Arundel	2
Baltimore	1
Baltimore (independent city)	8
Calvert	1
Cecil	1
Harford	1
Howard	1
Montgomery	2
Prince Georges	2
Queen Annes	2
Wicomico	1
MASSACHUSETTS[2]	27
MICHIGAN	67
Barry	1
Berrien	2
Cheboygan	1
Delta	1
Eaton	1
Genesee	2
Galdwin	1
Gogebic	2
Grand Traverse	1
Ingham	2
Ionia	3
Iosco	1
Isabella	1
Jackson	2
Kalamazoo	1
Lapeer	1
Macomb	2
Midland	1
Muskegon	1
Oakland	2
MICHIGAN—Continued	
Saginaw	2
St. Clair	3
St. Joseph	1
Shiawassee	1
Tuscola	2
Wayne	29
MINNESOTA	14
Goodhue	1
Itasca	1
Mower	1
Olmsted	1
Otter Tail	1
Pennington	1
Polk	2
Ramsey	3
St. Louis	3
MISSISSIPPI	22
Amite	1
Carroll	1
Copiah	1
Hancock	1
Harrison	3
Hinds	1
Holmes	1
Humphreys	2
Jackson	1
Jefferson	1
Jones	1
Lincoln	1
Madison	1
Panola	3
Quitman	1
Warren	1
Washington	1
MISSOURI	27
Franklin	2
Jackson	3
Jasper	1
Jefferson	1
Madison	1
Marion	1
Pemiscot	2
Ray	1
Ripley	1
St. Francois	1
St. Louis	2
St. Louis (independent city)	9
Ste. Genevieve	1
Stoddard	1
MONTANA	2
Broadwater	1
Deer Lodge	1
NEBRASKA	6
Colfax	1
Douglas	1
Furnas	1
Jefferson	1
Lincoln	1
Morrill	1
NEVADA	1
Clark	1
NEW HAMPSHIRE	7
Cheshire	1
Coos	2
Grafton	1
Hillsborough	3
NEW JERSEY	30
Burlington	1
Camden	2
Cumberland	1
Essex	8
Hudson	4
Mercer	1
Middlesex	7
Morris	1
Passaic	2
Union	3
NEW MEXICO	6
Bernalillo	2
Colfax	1
Eddy	1
Luna	1
Otero	1
NEW YORK	83
Albany	4
Cattaraugus	1
Chenango	2
Erie	4
Fulton	2
Greene	1
Hamilton	1
Monroe	5
Nassau	3
New York City[3]	44
Niagara	2
Oneida	2
Onondaga	1
Orleans	2
St. Lawrence	2
Saratoga	1
Schenectady	3
Seneca	1
Suffolk	1
Ulster	1
NORTH CAROLINA	33
Alamance	1
Bertie	2
Burke	1
Columbus	1
Davidson	1
Forsyth	3
Gaston	1
Greene	1
Guilford	1
Henderson	2
Hertford	2
Iredell	1
Lenoir	2
McDowell	1
Madison	1
Nash	1
Pitt	1
Richmond	1
Rutherford	2
Sampson	1
Scotland	1
Surry	1
Wake	2
Wilson	2
NORTH DAKOTA	9
Cass	1
Hettinger	1
Mercer	1
Mountrail	1
Nelson	1
Ward	2
Williams	2
OHIO	94
Adams	1
Ashtabula	3
Athens	1
Auglaize	1
Belmont	3
Brown	1
Butler	3
Clark	1
Coshocton	1
Crawford	1
Cuyahoga	11
Darke	1
Franklin	1
Gallia	1
Guernsey	1
Hamilton	16
Hancock	1
Harrison	1
Jackson	1
Jefferson	1
Lawrence	3
Licking	1
Lorain	3
Lucas	9
Mahoning	3
Meigs	1
Montgomery	6
Morrow	1
Muskingum	1
Ottawa	1
Perry	1
Portage	1
Preble	2
Richland	1
Scioto	1
OHIO—Continued	
Seneca	1
Summit	1
Trumbull	1
Tuscarawas	1
Van Wert	1
Vinton	1
Washington	1
Williams	1
OKLAHOMA	10
Alfalfa	1
Atoka	1
Garfield	1
Grady	1
Oklahoma	4
Okmulgee	1
Osage	1
OREGON	7
Lane	3
Multnomah	2
Washington	1
Yamhill	1
PENNSYLVANIA	76
Allegheny	9
Armstrong	1
Beaver	1
Bedford	1
Berks	1
Bucks	1
Cambria	1
Chester	3
Clearfield	5
Crawford	1
Delaware	3
Elk	1
Erie	2
Fayette	1
Lackawanna	4
Lancaster	2
Lehigh	1
Luzerne	1
Lycoming	2
McKean	2
Mercer	4
Mifflin	1
Montgomery	1
Northumberland	1
Philadelphia	17
Schuylkill	1
Venango	2
Warren	1
Washington	1
Westmoreland	2
York	2
RHODE ISLAND	8
Kent	3
Newport	1
Providence	4
SOUTH CAROLINA	36
Aiken	3
Anderson	5
Beaufort	1
Calhoun	1
Charleston	1
Darlington	1
Dillon	1
Edgefield	1
Florence	1
Greenville	2
Oconee	1
Orangeburg	1
Richland	8
Spartanburg	1
Sumter	3
Union	2
Williamsburg	1
York	2
SOUTH DAKOTA	3
Lincoln	1
McCook	1
Meade	1
TENNESSEE	28
Anderson	2
Bradley	1
Campbell	1
Carter	1
Cumberland	1

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
TENNESSEE—Continued	
Davidson	2
Dyer	1
Greene	1
Hamilton	2
Houston	1
Johnson	1
Knox	1
Madison	1
Maury	2
Putnam	1
Sequatchie	1
Shelby	4
Smith	1
Washington	3
TEXAS	53
Bexar	2
Brazoria	1
Cameron	2
Dallas	8
Dawson	1
Duval	1
Ellis	1
El Paso	1
Fannin	1
Galveston	1
Harris	11
Haskell	1
Hidalgo	1
Hunt	1
Jefferson	3
Kerr	1
Lee	1
McLennan	2
Mitchell	1
Montgomery	1
Reagan	1
Smith	1
Tarrant	2
Travis	2
Walker	2
Webb	1
Wichita	1
Wise	1
UTAH	10
Carbon	2
Iron	1
Salt Lake	1
Sevier	1
Summit	1
Weber	4
VERMONT	4
Chittenden	2
Windsor	2
VIRGINIA[4]	48
Augusta	1
Bedford	1
Brunswick	1
Frederick	3
Giles	1
Halifax	1
James City	1
Loudoun	1
Lunenburg	1
Middlesex	1
Montgomery	1
Norfolk	4
Page	1
Pittsylvania	4
Prince William	1
Princess Anne	1
Roanoke	1
Scott	1
Sussex	1
Tazewell	1
Warren	1
Wise	1
Independent Cities	
Alexandria	2
Bristol	2
Charlottesville	1
Norfolk	1
Petersburg	1
Richmond	3
Roanoke	2
VIRGINIA[4]—Continued	
Independent Cities—Continued	
South Norfolk	3
Suffolk	1
Waynesboro	1
Warwick[5]	1
WASHINGTON	21
Clark	1
Grant	1
Grays Harbor	2
Island	1
King	8
Lewis	1
Pierce	4
Spokane	2
Walla Walla	1
WEST VIRGINIA	20
Greenbrier	2
Kanawha	3
McDowell	5
Mason	2
Mercer	2
Mingo	1
Randolph	1
Summers	1
Upshur	2
Wood	1
WISCONSIN	26
Barron	2
Douglas	1
Fond du Lac	1
Grant	1
Iowa	1
Jackson	1
La Crosse	1
Lincoln	1
Marathon	4
Milwaukee	7
Oconto	1
Pepin	1
Portage	1
Rock	1
Sheboygan	1
Vilas	1
WYOMING	2
Fremont	1
Park	1
MEASLES (085)	
UNITED STATES	462
ALABAMA	5
Fayette	1
Franklin	1
Lauderdale	1
Marion	1
Winston	1
ARIZONA	9
Apache	1
Gila	1
Maricopa	2
Navajo	3
Pima	2
ARKANSAS	25
Ashley	2
Clay	1
Crawford	2
Desha	5
Greene	1
Hot Spring	1
Independence	1
Marion	1
Mississippi	4
Newton	1
Ouachita	1
Poinsett	1
Saline	2
Sebastian	1
White	1
CALIFORNIA	25
Alameda	1
Contra Costa	1
Imperial	2
Lassen	1
Los Angeles	8
CALIFORNIA—Continued	
Merced	1
Sacramento	3
San Francisco	2
San Joaquin	1
Solano	1
Stanislaus	2
Tulare	1
Ventura	1
COLORADO	13
Conejos	1
La Plata	1
Las Animas	1
Otero	1
Prowers	1
Pueblo	2
Rio Grande	1
San Juan	1
San Miguel	1
Weld	2
Yuma	1
DISTRICT OF COLUMBIA	2
FLORIDA	6
Broward	1
Clay	1
Columbia	1
Lake	1
Lee	1
Orange	1
GEORGIA	7
Bulloch	1
Butts	1
Clinch	1
Decatur	1
Dougherty	1
Jackson	1
Jenkins	1
IDAHO	1
Bingham	1
ILLINOIS	21
Coles	1
Cook	4
De Witt	1
Grundy	1
Jefferson	1
Lake	1
La Salle	1
McLean	2
Madison	1
Massac	1
St. Clair	1
Sangamon	3
Wayne	1
Williamson	1
Woodford	1
INDIANA	12
Clay	1
Clinton	1
Delaware	1
Lake	2
Madison	1
Marion	1
Monroe	1
Perry	1
St. Joseph	1
Tippecanoe	1
Vanderburgh	1
IOWA	11
Allamakee	1
Black Hawk	2
Dallas	1
Fremont	1
Hardin	1
Henry	1
Johnson	1
Poweshiek	1
Sac	2
KANSAS	10
Allen	1
Crawford	1
Leavenworth	1
Sedgwick	3
Shawnee	2
Wyandotte	2
KENTUCKY	9
Boyd	1
Caldwell	1
Carter	1
Elliott	1
Knott	1
Montgomery	1
Morgan	1
Union	1
Wayne	1
LOUISIANA[1]	7
Allen	1
Avoyelles	1
Jefferson	1
Sabine	1
St. Landry	1
Tangipahoa	1
Washington	1
MAINE	1
Androscoggin	1
MARYLAND	1
Garrett	1
MASSACHUSETTS[2]	2
MICHIGAN	16
Bay	1
Berrien	1
Cheboygan	1
Genesee	1
Lenawee	1
Oakland	4
Saginaw	1
St. Clair	1
Shiawassee	3
Washtenaw	1
Wayne	1
MINNESOTA	9
Hennepin	3
McLeod	1
Ramsey	1
St. Louis	1
Washington	1
Wright	1
Yellow Medicine	1
MISSISSIPPI	19
Alcorn	2
Coahoma	1
Harrison	2
Hinds	1
Itawamba	1
Kemper	1
Lauderdale	1
Lee	1
Lowndes	2
Madison	2
Sunflower	1
Union	1
Warren	2
Washington	1
MISSOURI	24
Cedar	1
Clay	1
Crawford	2
Daviess	1
Greene	1
Harrison	1
Jackson	3
Jasper	2
Jefferson	1
St. Louis	3
St. Louis (independent city)	3
Scott	1
Stoddard	1
Vernon	1
Washington	1
Webster	1
MONTANA	4
Flathead	1
Hill	1
Phillips	1
Pondera	1
NEBRASKA	4
Cheyenne	1
Scotts Bluff	3

See footnotes on p. 502.

Table 56A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1953—Continued

(See headnote on p. 496)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
NEVADA	2
Elko	1
Washoe	1
NEW MEXICO	14
Bernalillo	1
Chaves	3
Colfax	1
Dona Ana	1
Eddy	1
Lea	1
McKinley	3
San Juan	1
Sierra	1
Valencia	1
NEW YORK	8
Albany	2
Erie	1
Monroe	1
New York City[3]	4
NORTH CAROLINA	19
Catawba	1
Chowan	1
Davidson	2
Granville	1
Iredell	1
Lee	1
Lenoir	1
Montgomery	1
Northampton	1
Onslow	1
Richmond	1
Robeson	2
Rowan	2
Sampson	1
Union	1
Wake	1
OHIO	18
Allen	1
Auglaize	2
Butler	1
Delaware	1
Franklin	3
Greene	1
Hocking	1
OHIO—Continued	
Muskingum	1
Pickaway	1
Portage	1
Ross	1
Stark	2
Summit	1
Trumbull	1
OKLAHOMA	16
Adair	1
Bryan	1
Canadian	1
Comanche	1
McCurtain	1
Okmulgee	1
Pottawatomie	1
Pushmataha	1
Rogers	1
Texas	1
Tulsa	2
Washington	2
Woods	1
Woodward	1
OREGON	3
Jackson	1
Lane	1
Linn	1
PENNSYLVANIA	22
Armstrong	1
Butler	4
Cambria	4
Centre	1
Clearfield	1
Crawford	1
Cumberland	1
Fayette	1
Greene	1
Mercer	1
Montgomery	1
Northampton	1
Schuylkill	1
Westmoreland	3
SOUTH CAROLINA	5
Berkeley	1
Cherokee	1
Edgefield	1
Spartanburg	2
SOUTH DAKOTA	4
Campbell	2
Deuel	1
Dewey	1
TENNESSEE	15
Crockett	1
Dickson	1
Dyer	1
Gibson	4
Hardin	1
Haywood	1
McNairy	1
Madison	2
Monroe	1
Shelby	1
Wayne	1
TEXAS	56
Bell	1
Bexar	3
Brazoria	1
Brazos	1
Caldwell	1
Cameron	4
Cherokee	1
Culberson	1
Dallam	1
Dallas	2
Dawson	1
Ector	2
El Paso	1
Falls	1
Fisher	1
Gray	1
Gregg	1
Guadalupe	1
Hale	1
Harris	2
Hidalgo	4
Hutchinson	1
Jefferson	1
Karnes	2
Kaufman	1
Lamb	1
Lubbock	2
Midland	2
Moore	1
Navarro	1
Parmer	1
Reeves	1
Runnels	1
Starr	1
Tarrant	1
TEXAS—Continued	
Taylor	1
Uvalde	4
Val Verde	1
Victoria	1
UTAH	1
Salt Lake	1
VERMONT	2
Addison	1
Chittenden	1
VIRGINIA[4]	3
Wythe	1
Independent Cities	
Richmond	1
Covington[6]	1
WASHINGTON	12
Benton	1
Clark	1
Grays Harbor	2
King	2
Lewis	1
Mason	1
Snohomish	2
Yakima	2
WEST VIRGINIA	5
Fayette	1
Logan	2
Marshall	1
Monongalia	1
WISCONSIN	12
Dane	1
Kenosha	1
Manitowoc	1
Milwaukee	2
Oconto	1
Outagamie	1
Ozaukee	1
Pierce	1
Portage	2
Racine	1
WYOMING	2
Laramie	1
Natrona	1

[1]Divisions of Louisiana known as parishes.
[2]Data are shown only for the State as a whole; for explanation, see text in Volume I.
[3]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[4]Independent cities have the same status as counties and are listed after the counties.
[5]Warwick County incorporated as the independent city of Warwick in 1952.
[6]Covington (city) reorganized from a city in Alleghany County to an independent city in 1953.

Table 56B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1953

(By place of residence. Exclusive of deaths among armed forces overseas. Urban places with populations of 10,000 or more in 1950 are listed in which there was one death (or more) from a specified cause. Counties in which urban places are located are shown in parentheses. Data for Massachusetts are excluded; for explanation, see text in Volume I. Numbers after causes of deaths are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
ARKANSAS	
Little Rock (Pulaski)	1
CALIFORNIA	
Hayward (Alameda)	1
MINNESOTA	
Minneapolis (Hennepin)	2
MISSOURI	
St. Louis (independent city)	1
NEW YORK	
New York City[1]	3
OHIO	
Cleveland (Cuyahoga)	1
PENNSYLVANIA	
McKeesport (Allegheny)	1
SOUTH CAROLINA	
Charleston (Charleston)	1
TEXAS	
El Paso (El Paso)	1
Lubbock (Lubbock)	1
DYSENTERY, ALL FORMS (045-048)	
ALABAMA	
Birmingham (Jefferson)	1
Mobile (Mobile)	3
Opelika (Lee)	1
Talladega (Talladega)	1
ARIZONA	
Phoenix (Maricopa)	4
ARKANSAS	
Little Rock (Pulaski)	1
Pine Bluff (Jefferson)	2
CALIFORNIA	
Bakersfield (Kern)	1
Brawley (Imperial)	1
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	9
Madera (Madera)	1
Oakland (Alameda)	1
Pittsburg (Contra Costa)	1
Richmond (Contra Costa)	1
San Diego (San Diego)	1
San Fernando (Los Angeles)	1
San Francisco (San Francisco)	1
San Jose (Santa Clara)	1
Santa Clara (Santa Clara)	1
COLORADO	
Denver (Denver)	3
Pueblo (Pueblo)	1
DISTRICT OF COLUMBIA	
Washington, D. C.	2
FLORIDA	
Coral Gables (Dade)	1
Fort Lauderdale (Broward)	1
Jacksonville (Duval)	1
Tampa (Hillsborough)	1
GEORGIA	
Atlanta (Fulton)	1
Brunswick (Glynn)	1
College Park (Fulton)	1
Dalton (Whitfield)	1
Macon (Bibb)	1
Moultrie (Colquitt)	1
Rome (Floyd)	1
Savannah (Chatham)	1
ILLINOIS	
Chicago (Cook)	8
Evanston (Cook)	1
Jacksonville (Morgan)	1
Urbana (Champaign)	1
INDIANA	
Evansville (Vanderburgh)	2
Hammond (Lake)	1
Indianapolis (Marion)	5
Marion (Grant)	1
South Bend (St. Joseph)	1
KANSAS	
Kansas City (Wyandotte)	1
Wichita (Sedgwick)	1
KENTUCKY	
Louisville (Jefferson)	3
LOUISIANA	
Lake Charles (Calcasieu)	1
Monroe (Ouachita)	4
New Orleans (Orleans)	4
Shreveport (Caddo)	1
MARYLAND	
Baltimore (independent city)	2
Salisbury (Wicomico)	1
MICHIGAN	
Detroit, (Wayne)	2
Muskegon (Muskegon)	1
Port Huron (St. Clair)	1
Royal Oak (Oakland)	1
Saginaw (Saginaw)	1
MINNESOTA	
Robbinsdale (Hennepin)	1
MISSISSIPPI	
Greenville (Washington)	1
Jackson (Hinds)	3
Natchez (Adams)	1
Pascagoula (Jackson)	1
Tupelo (Lee)	1
MISSOURI	
Kansas City (Jackson)	3
Mexico (Audrain)	1
MONTANA	
Billings (Yellowstone)	1
NEVADA	
Las Vegas (Clark)	3
NEW JERSEY	
Englewood (Bergen)	1
Madison (Morris)	1
Paterson (Passaic)	1
NEW MEXICO	
Albuquerque (Bernalillo)	2
Clovis (Curry)	1
Roswell (Chaves)	1
NEW YORK	
Buffalo (Erie)	1
Jamestown (Chautauqua)	1
Mount Vernon (Westchester)	1
New York City[1]	5
Niagara Falls (Niagara)	1
NORTH CAROLINA	
Fayetteville (Cumberland)	1
Greenville (Pitt)	1
Wilmington (New Hanover)	1
Wilson (Wilson)	2
OHIO	
Cincinnati (Hamilton)	1
Mansfield (Richland)	1
Toledo (Lucas)	1
OKLAHOMA	
Tulsa (Tulsa)	1
PENNSYLVANIA	
Philadelphia (Philadelphia)	2
Pittsburgh (Allegheny)	3
SOUTH CAROLINA	
Sumter (Sumter)	1
TENNESSEE	
Chattanooga (Hamilton)	2
Dyersburg (Dyer)	1
Memphis (Shelby)	2
Murfreesboro (Rutherford)	1
Nashville (Davidson)	2
TEXAS	
Alice (Jim Wells)	2
Beaumont (Jefferson)	2
Brownsville (Cameron)	3
Bryan (Brazos)	3
Cleburne (Johnson)	1
Corpus Christi (Nueces)	3
Corsicana (Navarro)	2
Dallas (Dallas)	9
Del Rio (Val Verde)	3
Denison (Grayson)	1
Denton (Denton)	1
Edinburg (Hidalgo)	6
Fort Worth (Tarrant)	1
Harlingen (Cameron)	3
Houston (Harris)	2
Laredo (Webb)	9
Lubbock (Lubbock)	1
McAllen (Hidalgo)	7
Mercedes (Hidalgo)	2
Mission (Hidalgo)	6
Nacogdoches (Nacogdoches)	2
Odessa (Ector)	1
Palestine (Anderson)	1
San Angelo (Tom Green)	1
San Antonio (Bexar)	4
San Benito (Cameron)	6
Temple (Bell)	1
Vernon (Wilbarger)	1
Victoria (Victoria)	3
UTAH	
Salt Lake City (Salt Lake)	1
VIRGINIA	
Lynchburg (independent city)	2
Norfolk (independent city)	2
Petersburg (independent city)	1
WASHINGTON	
Seattle (King)	1
Tacoma (Pierce)	1
WISCONSIN	
Green Bay (Brown)	1
Milwaukee (Milwaukee)	1
DIPHTHERIA (055)	
ALABAMA	
Anniston (Calhoun)	1
Montgomery (Montgomery)	3
CALIFORNIA	
Fresno (Fresno)	1
Pittsburg (Contra Costa)	1
San Francisco (San Francisco)	1
FLORIDA	
Miami (Dade)	1
Orlando (Orange)	1
Panama City (Bay)	2
St. Petersburg (Pinellas)	1
GEORGIA	
Augusta (Richmond)	1
Gainesville (Hall)	1
Savannah (Chatham)	2
INDIANA	
Indianapolis (Marion)	1
MICHIGAN	
Inkster (Wayne)	1
MINNESOTA	
Minneapolis (Hennepin)	1
MISSOURI	
Kansas City (Jackson)	1
MONTANA	
Butte (Silver Bow)	1
NEW JERSEY	
Trenton (Mercer)	1
NEW YORK	
New York City[1]	1
Watervliet (Albany)	1
Yonkers (Westchester)	1
NORTH CAROLINA	
Charlotte (Mecklenburg)	1
Henderson (Vance)	1
High Point (Guilford)	1
Kinston (Lenoir)	1
Wilson (Wilson)	1
NORTH DAKOTA	
Fargo (Cass)	1
OREGON	
Klamath Falls (Klamath)	1
Portland (Multnomah)	1
PENNSYLVANIA	
Philadelphia (Philadelphia)	4
SOUTH CAROLINA	
Charleston (Charleston)	1
TENNESSEE	
Bristol (Sullivan)[2]	1
TEXAS	
Edinburg (Hidalgo)	1
El Paso (El Paso)	1
Fort Worth (Tarrant)	2
Galveston (Galveston)	1
Houston (Harris)	1
Tyler (Smith)	1
WASHINGTON	
Seattle (King)	1
Spokane (Spokane)	2
WHOOPING COUGH (056)	
ALABAMA	
Decatur (Morgan)	1
ARIZONA	
Mesa (Maricopa)	1
CALIFORNIA	
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	4
Whittier (Los Angeles)	1
COLORADO	
Colorado Springs (El Paso)	1
Grand Junction (Mesa)	1
Pueblo (Pueblo)	2
DISTRICT OF COLUMBIA	
Washington, D. C.	1

See footnotes on p. 505.

Table 56B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1953—Continued

(See headnote on p. 503)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
FLORIDA	
Miami (Dade)	1
Tampa (Hillsborough)	1
GEORGIA	
Albany (Dougherty)	1
ILLINOIS	
Decatur (Macon)	1
INDIANA	
Evansville (Vanderburgh)	1
Fort Wayne (Allen)	2
Gary (Lake)	1
Indianapolis (Marion)	1
Richmond (Wayne)	1
KENTUCKY	
Bowling Green (Warren)	1
Lexington (Fayette)	1
LOUISIANA	
Baton Rouge (East Baton Rouge)	1
Bogalusa (Washington)	1
MAINE	
Auburn (Androscoggin)	1
Lewiston (Androscoggin)	1
MARYLAND	
Baltimore (independent city)	1
MICHIGAN	
Battle Creek (Calhoun)	1
Detroit (Wayne)	2
Flint (Genesee)	1
MISSISSIPPI	
Vicksburg (Warren)	1
NEBRASKA	
Omaha (Douglas)	1
NEW JERSEY	
Newark (Essex)	1
NEW MEXICO	
Roswell (Chaves)	1
Santa Fe (Santa Fe)	1
NEW YORK	
Buffalo (Erie)	1
Cohoes (Albany)	1
Lackawanna (Erie)	1
New York City[2]	5
Yonkers (Westchester)	1
NORTH CAROLINA	
Charlotte (Mecklenburg)	1
OHIO	
Akron (Summit)	1
Cincinnati (Hamilton)	1
Cleveland (Cuyahoga)	5
Dayton (Montgomery)	1
Sandusky (Erie)	3
Toledo (Lucas)	1
OKLAHOMA	
Oklahoma City (Oklahoma)	2
Sapulpa (Creek)	1
OREGON	
Portland (Multnomah)	2
PENNSYLVANIA	
Altoona (Blair)	2
Johnstown (Cambria)	1
Philadelphia (Philadelphia)	2
SOUTH CAROLINA	
Charleston (Charleston)	1
Sumter (Sumter)	1
SOUTH DAKOTA	
Aberdeen (Brown)	1
TENNESSEE	
Memphis (Shelby)	1
TEXAS	
Austin (Travis)	1
Corpus Christi (Nueces)	1
Houston (Harris)	1
Odessa (Ector)	1
VIRGINIA	
Richmond (independent city)	1
WEST VIRGINIA	
Fairmont (Marion)	1
MENINGOCOCCAL INFECTIONS (057)	
ALABAMA	
Anniston (Calhoun)	1
Huntsville (Madison)	1
Mobile (Mobile)	2
Montgomery (Montgomery)	2
Phenix City (Russell)	1
Prichard (Mobile)	1
Sheffield (Colbert)	1
Tuscaloosa (Tuscaloosa)	1
ARIZONA	
Tucson (Pima)	1
ARKANSAS	
El Dorado (Union)	1
Little Rock (Pulaski)	1
North Little Rock (Pulaski)	1
CALIFORNIA	
Alameda (Alameda)	3
Antioch (Contra Costa)	1
Arcadia (Los Angeles)	1
Belvedere (twp.) (Los Angeles)[3 4]	1
Burbank (Los Angeles)	1
Chula Vista (San Diego)	1
Coronado (San Diego)	1
El Centro (Imperial)	1
El Cerrito (Contra Costa)	1
Fresno (Fresno)	2
Gardena (Los Angeles)	1
Hayward (Alameda)	1
Huntington Park (Los Angeles)	1
Inglewood (Los Angeles)	2
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	10
National City (San Diego)	1
Oakland (Alameda)	4
Petaluma (Sonoma)	1
Richmond (Contra Costa)	3
Riverside (Riverside)	1
San Bernardino (San Bernardino)	1
San Diego (San Diego)	2
San Fernando (Los Angeles)	1
San Francisco (San Francisco)	4
San Jose (Santa Clara)	1
Santa Barbara (Santa Barbara)	1
South San Francisco (San Mateo)	1
Torrance (Los Angeles)	1
COLORADO	
Colorado Springs (El Paso)	1
Denver (Denver)	3
Pueblo (Pueblo)	3
CONNECTICUT	
Bridgeport (Fairfield)	3
Bristol (Hartford)	1
East Hartford (town) (Hartford)[3]	2
Hartford (Hartford)	1
New Haven (New Haven)	3
Waterbury (New Haven)	1
West Hartford (town) (Hartford)[3]	1
Willimantic (Windham)	1
DELAWARE	
Wilmington (New Castle)	1
DISTRICT OF COLUMBIA	
Washington, D. C.	15
FLORIDA	
Fort Lauderdale (Broward)	1
Jacksonville (Duval)	5
Key West (Monroe)	1
Miami (Dade)	3
North Miami (Dade)	1
Panama City (Bay)	2
Pensacola (Escambia)	1
Tampa (Hillsborough)	4
GEORGIA	
Athens (Clarke)	1
Atlanta (Fulton)	11
Augusta (Richmond)	3
Columbus (Muscogee)	2
Decatur (De Kalb)	2
Macon (Bibb)	1
Savannah (Chatham)	5
Waycross (Ware)	1
IDAHO	
Pocatello (Bannock)	1
ILLINOIS	
Aurora (Kane)	1
Belleville (St. Clair)	1
Bloomington (McLean)	1
Champaign (Champaign)	1
Chicago (Cook)	32
Des Plaines (Cook)	1
Joliet (Will)	2
Monmouth (Warren)	1
Peoria (Peoria)	1
Rockford (Winnebago)	1
Rock Island (Rock Island)	1
Springfield (Sangamon)	1
INDIANA	
Bloomington (Monroe)	1
East Chicago (Lake)	1
Evansville (Vanderburgh)	2
Fort Wayne (Allen)	2
Gary (Lake)	1
Hobart (Lake)	1
Indianapolis (Marion)	7
Lafayette (Tippecanoe)	1
Muncie (Delaware)	2
Richmond (Wayne)	3
Terre Haute (Vigo)	1
IOWA	
Cedar Falls (Black Hawk)	1
Davenport (Scott)	3
Fort Dodge (Webster)	1
Sioux City (Woodbury)	1
Waterloo (Black Hawk)	1
KANSAS	
Chanute (Neosho)	1
El Dorado (Butler)	1
Independence (Montgomery)	1
Kansas City (Wyandotte)	1
Wichita (Sedgwick)	1
KENTUCKY	
Covington (Kenton)	3
Fort Thomas (Campbell)	1
Hopkinsville (Christian)	1
Lexington (Fayette)	1
Louisville (Jefferson)	7
Newport (Campbell)	1
Owensboro (Daviess)	1
LOUISIANA	
Baton Rouge (East Baton Rouge)	1
Crowley (Acadia)	2
Lafayette (Lafayette)	2
Lake Charles (Calcasieu)	2
New Orleans (Orleans)	8
Shreveport (Caddo)	1
MAINE	
Lewiston (Androscoggin)	3
Portland (Cumberland)	1
Saco (York)	1
MARYLAND	
Baltimore (independent city)	8
Salisbury (Wicomico)	1
MICHIGAN	
Detroit (Wayne)	19
Ecorse (Wayne)	2
Flint (Genesee)	2
Highland Park (Wayne)	2
Ironwood (Gogebic)	1
Jackson (Jackson)	1
Lansing (Ingham)	1
Mount Clemens (Macomb)	1
Muskegon (Muskegon)	1
Niles (Berrien)	1
Owosso (Shiawassee)	1
Pontiac (Oakland)	1
Port Huron (St. Clair)	1
Saginaw (Saginaw)	2
Wyandotte (Wayne)	1
MINNESOTA	
Austin (Mower)	1
Duluth (St. Louis)	2
St. Paul (Ramsey)	3
MISSISSIPPI	
Biloxi (Harrison)	1
Gulfport (Harrison)	2
Jackson (Hinds)	1
Pascagoula (Jackson)	1
MISSOURI	
Kansas City (Jackson)	2
Richmond Heights (St. Louis)	1
St. Louis (independent city)	9
MONTANA	
Anaconda (Deer Lodge)	1
NEBRASKA	
North Platte (Lincoln)	1
Omaha (Douglas)	1
NEW HAMPSHIRE	
Berlin (Coos)	1
Manchester (Hillsborough)	3
NEW JERSEY	
Bloomfield (Essex)	1
Bridgeton (Cumberland)	1
Carteret (Middlesex)	1
Cranford (twp.) (Union)[3 4]	1
Dover (Morris)	1
Hoboken (Hudson)	1
Jersey City (Hudson)	2
Newark (Essex)	3
Orange (Essex)	2
Pennsauken (twp.) (Camden)[3 4]	1
Perth Amboy (Middlesex)	1
Sayreville (Middlesex)	1
South Orange (Essex)	1
Trenton (Mercer)	1
Union City (Hudson)	1
Union (twp.) (Union)[3 4]	1
NEW MEXICO	
Albuquerque (Bernalillo)	2
Carlsbad (Eddy)	1
NEW YORK	
Albany (Albany)	1
Buffalo (Erie)	4
Cohoes (Albany)	1
Gloversville (Fulton)	1
Kingston (Ulster)	1
Lockport (Niagara)	1
New York City[2]	44
Ogdensburg (St. Lawrence)	1
Rochester (Monroe)	4
Rockville Centre (Nassau)	1
Rome (Oneida)	1
Schenectady (Schenectady)	2
Syracuse (Onondaga)	1
Watervliet (Albany)	2

See footnotes on p. 505.

Table 56B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1953—Continued

(See headnote on p. 503)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
NORTH CAROLINA	
Burlington (Alamance)	1
Kinston (Lenoir)	1
Statesville (Iredell)	1
Wilson (Wilson)	1
Winston-Salem (Forsyth)	1
NORTH DAKOTA	
Fargo (Cass)	1
Minot (Ward)	1
OHIO	
Bellaire (Belmont)	1
Cambridge (Guernsey)	1
Cincinnati (Hamilton)	14
Cleveland (Cuyahoga)	9
Conneaut (Ashtabula)	2
Coshocton (Coshocton)	1
Dayton (Montgomery)	3
Elyria (Lorain)	1
Euclid (Cuyahoga)	1
Findlay (Hancock)	1
Hamilton (Butler)	2
Lorain (Lorain)	1
Mansfield (Richland)	1
Newark (Licking)	1
Norwood (Hamilton)	1
Springfield (Clark)	1
Steubenville (Jefferson)	1
Toledo (Lucas)	7
Warren (Trumbull)	1
Youngstown (Mahoning)	1
OKLAHOMA	
Oklahoma City (Oklahoma)	4
OREGON	
Eugene (Lane)	1
Portland (Multnomah)	1
PENNSYLVANIA	
Allentown (Lehigh)	1
Bradford (McKean)	1
Carbondale (Lackawanna)	1
Chester (Delaware)	1
Conshohocken (Montgomery)	1
Darby (Delaware)	1
Du Bois (Clearfield)	1
Erie (Erie)	2
Farrell (Mercer)	1
Lancaster (Lancaster)	1
McKeesport (Allegheny)	2
Monessen (Westmoreland)	1
Philadelphia (Philadelphia)	17
Phoenixville (Chester)	1
Pittsburgh (Allegheny)	3
Pottsville (Schuylkill)	1
Reading (Berks)	1
Washington (Washington)	1
Williamsport (Lycoming)	2
York (York)	1
RHODE ISLAND	
East Providence (town) (Providence)[3]	1
Newport (Newport)	1
Pawtucket (Providence)	1
Providence (Providence)	2
Warwick (Kent)	3
SOUTH CAROLINA	
Anderson (Anderson)	2
Charleston (Charleston)	1
Columbia (Richland)	6
Florence (Florence)	1
Greenville (Greenville)	1
Rock Hill (York)	1
Spartanburg (Spartanburg)	1
Sumter (Sumter)	3
TENNESSEE	
Chattanooga (Hamilton)	1
Cleveland (Bradley)	1
Columbia (Maury)	1
Elizabethton (Carter)	1
Jackson (Madison)	1
Johnson City (Washington)	1
Memphis (Shelby)	3
Nashville (Davidson)	2
TEXAS	
Austin (Travis)	2
Beaumont (Jefferson)	2
Brownsville (Cameron)	1
Dallas (Dallas)	7
El Paso (El Paso)	1
Fort Worth (Tarrant)	1
Galveston (Galveston)	1
Garland (Dallas)	1
Greenville (Hunt)	1
Houston (Harris)	11
Laredo (Webb)	1
Port Arthur (Jefferson)	1
San Antonio (Bexar)	1
San Benito (Cameron)	1
Waco (McLennan)	2
Wichita Falls (Wichita)	1
UTAH	
Ogden (Weber)	2
VERMONT	
Burlington (Chittenden)	2
VIRGINIA	
Alexandria (independent city)	2
Bristol (independent city)[5]	2
Charlottesville (independent city)	1
Norfolk (independent city)	1
Petersburg (independent city)	1
Richmond (independent city)	3
Roanoke (independent city)	2
South Norfolk (independent city)	3
Suffolk (independent city)	1
Warwick (independent city)[6]	1
Waynesboro (independent city)	1
WASHINGTON	
Aberdeen (Grays Harbor)	1
Renton (King)	1
Seattle (King)	5
Spokane (Spokane)	2
Tacoma (Pierce)	2
Walla Walla (Walla Walla)	1
WEST VIRGINIA	
Bluefield (Mercer)[7]	1
Charleston (Kanawha)	1
South Charleston (Kanawha)	1
WISCONSIN	
Fond du Lac (Fond du Lac)	1
La Crosse (La Crosse)	1
Milwaukee (Milwaukee)	6
Sheboygan (Sheboygan)	1
Stevens Point (Portage)	1
Superior (Douglas)	1
Wausau (Marathon)	2
MEASLES (085)	
ALABAMA	
Florence (Lauderdale)	1
ARKANSAS	
Fort Smith (Sebastian)	1
CALIFORNIA	
Brawley (Imperial)	1
Compton (Los Angeles)	1
Long Beach (Los Angeles)	2
Los Angeles (Los Angeles)	1
Merced (Merced)	1
CALIFORNIA—Continued	
Modesto (Stanislaus)	2
Oakland (Alameda)	1
Oxnard (Ventura)	1
Sacramento (Sacramento)	2
San Francisco (San Francisco)	2
San Pablo (Contra Costa)	1
Stockton (San Joaquin)	1
Torrance (Los Angeles)	1
COLORADO	
Pueblo (Pueblo)	2
Trinidad (Las Animas)	1
DISTRICT OF COLUMBIA	
Washington, D, C.	2
FLORIDA	
Fort Myers (Lee)	1
GEORGIA	
Albany (Dougherty)	1
ILLINOIS	
Bloomington (McLean)	1
Chicago (Cook)	4
East St. Louis (St. Clair)	1
Mattoon (Coles)	1
Springfield (Sangamon)	1
INDIANA	
Bloomington (Monroe)	1
East Chicago (Lake)	1
Evansville (Vanderburgh)	1
Gary (Lake)	1
Indianapolis (Marion)	1
Muncie (Delaware)	1
South Bend (St. Joseph)	1
IOWA	
Waterloo (Black Hawk)	2
KANSAS	
Kansas City (Wyandotte)	1
Pittsburg (Crawford)	1
Topeka (Shawnee)	1
Wichita (Sedgwick)	3
KENTUCKY	
Ashland (Boyd)	1
MAINE	
Lewiston (Androscoggin)	1
MICHIGAN	
Detroit (Wayne)	1
Niles (Berrien)	1
Owosso (Shiawassee)	1
MINNESOTA	
Minneapolis (Hennepin)	1
MISSISSIPPI	
Biloxi (Harrison)	1
Columbus (Lowndes)	1
Meridian (Lauderdale)	1
MISSOURI	
Joplin (Jasper)	2
Kansas City (Jackson)	3
St. Louis (independent city)	2
Springfield (Greene)	1
NEBRASKA	
Scottsbluff (Scotts Bluff)	2
NEW MEXICO	
Albuquerque (Bernalillo)	1
Carlsbad (Eddy)	1
Hobbs (Lea)	1
Roswell (Chaves)	3
NEW YORK	
Albany (Albany)	2
Irondequoit (town) (Monroe)[3]	1
New York City[1]	4
NORTH CAROLINA	
Hickory (Catawba)	1
Kinston (Lenoir)	1
Monroe (Union)	1
Salisbury (Rowan)	1
Sanford (Lee)	1
Thomasville (Davidson)	1
OHIO	
Barberton (Summit)	1
Canton (Stark)	1
Columbus (Franklin)	2
Lima (Allen)	1
Warren (Trumbull)	1
Zanesville (Muskingum)	1
OKLAHOMA	
Bartlesville (Washington)	1
Durant (Bryan)	1
El Reno (Canadian)	1
Lawton (Comanche)	1
Shawnee (Pottawatomie)	1
Tulsa (Tulsa)	1
OREGON	
Albany (Linn)	1
PENNSYLVANIA	
Abington (twp.) (Montgomery)[3,4]	1
Carlisle (Cumberland)	1
Johnstown (Cambria)	1
New Kensington (Westmoreland)	1
Pottsville (Schuylkill)	1
SOUTH CAROLINA	
Spartanburg (Spartanburg)	2
TENNESSEE	
Dyersburg (Dyer)	1
Memphis (Shelby)	1
TEXAS	
Abilene (Taylor)	1
Beaumont (Jefferson)	1
Borger (Hutchinson)	1
Dallas (Dallas)	1
Del Rio (Val Verde)	1
El Paso (El Paso)	1
Fort Worth (Tarrant)	1
Grand Prairie (Dallas)	1
Harlingen (Cameron)	2
Houston (Harris)	2
Longview (Gregg)	1
McAllen (Hidalgo)	1
Midland (Midland)	2
Mission (Hidalgo)	1
Odessa (Ector)	2
Pampa (Gray)	1
Plainview (Hale)	1
San Antonio (Bexar)	3
Temple (Bell)	1
VERMONT	
Burlington (Chittenden)	1
VIRGINIA	
Richmond (independent city)	1
WASHINGTON	
Aberdeen (Grays Harbor)	1
Everett (Snohomish)	1
Seattle (King)	1
Vancouver (Clark)	1
Yakima (Yakima)	1
WISCONSIN	
Kenosha (Kenosha)	1
Milwaukee (Milwaukee)	1
Racine (Racine)	1
Stevens Point (Portage)	2
WYOMING	
Casper (Natrona)	1
Cheyenne (Laramie)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties. [2]Includes data for Bristol, Tenn., only. [3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data maybe understated or overstated. [5]Includes data for Bristol, Va., only.
[6]Warwick County incorporated as the independent city of Warwick in 1952. [7]Includes data for Bluefield, W. Va., only.

NOTES:

Urban places listed in this table are incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Atlanta, Ga.; College Park, Ga.; Joplin, Mo.; Kansas City, Mo.; Pocatello, Idaho; and Youngstown, Ohio.

U. S. GOVERNMENT PRINTING OFFICE : 1955 O - 352870