VITAL STATISTICS OF THE UNITED STATES

1982

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS
Hyattsville, Maryland: 1986

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GARRIE J. LOSEE, *Associate Director for Data Processing and Services*
ALVAN O. ZARATE, Ph.D., *Assistant Director for International Statistics*
PETER L. HURLEY, *Acting Associate Director for Interview and Examination Statistics*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GAIL F. FISHER, Ph.D., *Associate Director for Program Planning, Evaluation, and Coordination*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
PETER L. HURLEY, *Associate Director for Vital and Health Care Statistics*
ALICE HAYWOOD, *Information Officer*

VITAL AND HEALTH CARE STATISTICS PROGRAM

PETER L. HURLEY, *Associate Director*
GLORIA KAPANTAIS, *Assistant to the Director for Data Policy, Planning, and Analysis*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Computer Applications Staff*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1982,* Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 86-1114. Public Health Service, Washington. U.S. Government Printing Office, 1986.

DHHS Publication No. (PHS) 86-1114

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1982

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Deaths, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1982*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1982. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	170	196	485	490	528
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-deaths ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1] Deaths by place of occurrence and place of residence.
[2] Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

	TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
	PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29
Geographic area:														
Guam		1	2	3			6	7	8		110	11	12	13
Puerto Rico		1	2		4			7	8	19		11	12	13
Municipios										19				
Virgin Islands		1	2	3		5		7	8		110	11	12	13
Islands											110			
Specified urban place											110			
Years:														
1940–82		1												
1982 only			2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:														
Death rates		1												
Number of deaths		1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths										9	10			
Number of infant deaths				3	4	5	6			9	10	11	12	13
Number of neonatal deaths										9	10	11	12	13
Number of postneonatal deaths														13
Characteristics:														
Age:														
10-year age groups				3	4	5	6							
Detailed age groups (under 1 day–11 months)													12	
Cause of death:														
61 selected causes of infant mortality														13
72 selected causes					4	5	6							
Motor vehicle accidents								7						
Nontransport accidents									8					
Person injured								7						
Month			2									11		
Place of accident									8					
Race[2]			2	3		5	6	7	8		10	11	12	13
Sex			2	3	4	5	6	7	8				12	

[1] Deaths by place of occurrence and place of residence.
[2] Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1982	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1982	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1982	100
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States: 1982	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1982	170
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1982	196
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1982	485
8–8.	Deaths from 72 selected causes for standard metropolitan statistical areas of the United States: 1982	490
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1982	528

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,977,957	1,974,797	42,401	28,335	32,694
White	1,731,849	1,729,085	29,659	19,959	23,316
All other	246,108	245,712	12,742	8,376	9,378
Black	226,632	226,513	11,642	7,744	8,274
Alabama	34,729	35,002	831	557	665
White	25,144	25,397	401	286	349
All other	9,585	9,605	430	271	316
Black	9,568	9,586	430	271	315
Autauga	130	223	5	2	6
White	92	161	3	1	3
All other	38	62	2	1	3
Black	38	62	2	1	3
Prattville, part	---	105	2	1	4
White	---	88	2	1	2
All other	---	17	-	-	2
Black	---	17	-	-	2
Prattville, total	---	107	2	1	4
White	---	90	2	1	2
All other	---	17	-	-	2
Black	---	17	-	-	2
Balance of county	---	118	3	1	2
White	---	73	1	-	1
All other	---	45	2	1	1
Black	---	45	2	1	1
Baldwin	640	701	20	17	12
White	541	597	15	14	10
All other	99	104	5	3	2
Black	99	104	5	3	2
Barbour	231	265	9	5	6
White	116	132	1	-	3
All other	115	133	8	5	3
Black	115	133	8	5	3
Eufaula	---	111	3	2	2
White	---	70	1	-	2
All other	---	41	2	2	-
Black	---	41	2	2	-
Balance of county	---	154	6	3	4
White	---	62	-	-	1
All other	---	92	6	3	3
Black	---	92	6	3	3
Bibb	98	165	7	5	-
White	71	131	5	5	-
All other	27	34	2	-	-
Black	27	34	2	-	-
Blount	159	298	2	-	4
Bullock	83	136	4	-	7
White	27	45	2	-	1
All other	56	91	2	-	6
Black	56	91	2	-	6
Butler	232	235	11	6	6
White	151	152	2	2	3
All other	81	83	9	4	3
Black	81	83	9	4	3
Calhoun	949	1,006	22	15	19
White	755	800	13	9	12
All other	194	206	9	6	7
Black	194	206	9	6	7
Anniston	---	493	13	7	5
White	---	339	6	2	1
All other	---	154	7	5	4
Black	---	154	7	5	4
Balance of county	---	513	9	8	14
White	---	461	7	7	11
All other	---	52	2	1	3
Black	---	52	2	1	3
Chambers	332	389	10	6	12
White	234	282	5	3	5
All other	98	107	5	3	7
Black	98	107	5	3	7
Cherokee	132	178	2	2	5
Chilton	245	344	4	2	1
White	210	304	3	2	1
All other	35	40	1	-	-
Black	35	40	1	-	-
Choctaw	79	140	3	1	4
White	50	84	1	-	1
All other	29	56	2	1	3
Black	29	56	2	1	3
Clarke	250	278	4	3	5
White	121	152	-	-	2
All other	129	126	4	3	3
Black	129	126	4	3	3
Clay	133	168	1	1	1
White	119	151	1	1	1
All other	14	15	-	-	-
Black	14	15	-	-	-
Alabama-Con.					
Cleburne	64	120	-	-	-
Coffee	256	334	8	6	7
White	217	282	4	4	3
All other	39	52	4	2	4
Black	39	52	4	2	4
Enterprise, part	---	139	5	4	5
White	---	105	2	2	2
All other	---	34	3	2	3
Black	---	34	3	2	3
Enterprise, total	---	140	5	4	5
White	---	106	2	2	2
All other	---	34	3	2	3
Black	---	34	3	2	3
Balance of county	---	195	3	2	2
White	---	177	2	2	1
All other	---	18	1	-	1
Black	---	18	1	-	1
Colbert	400	456	5	4	10
White	327	383	4	4	5
All other	73	73	1	-	5
Black	73	73	1	-	5
Sheffield	---	116	1	1	2
White	---	92	1	1	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	340	4	3	8
White	---	291	3	3	4
All other	---	49	1	-	4
Black	---	49	1	-	4
Conecuh	98	176	4	2	4
White	52	105	-	-	2
All other	46	71	4	2	2
Black	46	71	4	2	2
Coosa	39	102	4	4	3
White	28	82	3	3	2
All other	11	20	1	1	1
Black	11	20	1	1	1
Covington	390	434	7	5	5
White	341	387	7	5	3
All other	49	47	-	-	2
Black	49	47	-	-	2
Andalusia	---	108	1	1	1
White	---	90	1	1	-
All other	---	18	-	-	1
Black	---	18	-	-	1
Balance of county	---	326	6	4	4
White	---	297	6	4	3
All other	---	29	-	-	1
Black	---	29	-	-	1
Crenshaw	126	174	2	1	3
White	89	135	1	-	-
All other	37	39	1	1	3
Black	37	38	1	1	3
Cullman	432	522	5	4	8
Cullman	---	130	2	2	2
Balance of county	---	392	3	2	6
Dale	219	300	9	6	6
White	184	251	7	5	3
All other	35	49	2	1	3
Black	35	49	2	1	3
Dothan, part	---	-	-	-	-
Enterprise, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	112	1	-	2
White	---	84	1	-	-
All other	---	28	-	-	2
Black	---	28	-	-	2
Balance of county	---	187	8	6	4
White	---	166	6	5	3
All other	---	21	2	1	1
Black	---	21	2	1	1
Dallas	593	546	24	14	11
White	275	231	7	3	2
All other	318	315	17	11	9
Black	318	315	17	11	9
Selma	---	322	12	7	6
White	---	140	2	1	1
All other	---	182	10	6	5
Black	---	182	10	6	5
Balance of county	---	224	12	7	5
White	---	91	5	2	1
All other	---	133	7	5	4
Black	---	133	7	5	4
De Kalb	367	485	5	3	9
Fort Payne	---	101	-	-	1
Balance of county	---	384	5	3	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Elmore	307	443	8	6	1
White	232	343	4	4	1
All other	75	100	4	2	–
Black	75	100	4	2	–
Prattville, part	---	2	–	–	–
White	---	2	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	441	8	6	1
White	---	341	4	4	1
All other	---	100	4	2	–
Black	---	100	4	2	–
Escambia	341	360	2	1	7
White	238	247	2	1	3
All other	103	113	–	–	4
Black	102	111	–	–	4
Etowah	1,042	1,055	16	13	15
White	874	869	9	8	7
All other	168	186	7	5	8
Black	167	185	7	5	8
Gadsden	---	638	10	8	8
White	---	480	3	3	1
All other	---	158	7	5	7
Black	---	157	7	5	7
Balance of county	---	417	6	5	7
Fayette	158	207	3	2	3
White	126	163	2	2	3
All other	32	44	1	–	–
Black	32	44	1	–	–
Franklin	280	308	11	10	7
Geneva	134	276	8	4	4
White	110	236	6	4	2
All other	24	40	2	–	2
Black	24	40	2	–	2
Greene	89	129	6	4	4
White	16	26	–	–	–
All other	73	103	6	4	4
Black	73	103	6	4	4
Hale	116	191	1	1	2
White	49	87	1	1	–
All other	67	104	–	–	2
Black	67	104	–	–	2
Henry	83	174	2	1	5
White	55	110	–	–	3
All other	28	64	2	1	2
Black	28	64	2	1	2
Houston	963	621	14	10	12
White	719	460	4	3	4
All other	244	161	10	7	8
Black	243	161	10	7	8
Dothan, part	---	409	9	6	5
White	---	272	2	2	2
All other	---	137	7	4	3
Black	---	137	7	4	3
Dothan, total	---	409	9	6	5
White	---	272	2	2	2
All other	---	137	7	4	3
Black	---	137	7	4	3
Balance of county	---	212	5	4	7
White	---	188	2	1	2
All other	---	24	3	3	5
Black	---	24	3	3	5
Jackson	339	446	8	6	5
Scottsboro	---	126	2	2	1
Balance of county	---	320	6	4	4
Jefferson	8,169	6,568	140	92	94
White	5,499	4,176	50	36	50
All other	2,670	2,392	90	56	44
Black	2,668	2,390	90	56	44
Bessemer	---	412	12	6	6
White	---	198	2	2	5
All other	---	214	10	4	1
Black	---	214	10	4	1
Birmingham	---	3,195	78	53	55
White	---	1,513	15	11	18
All other	---	1,682	63	42	37
Black	---	1,680	63	42	37
Fairfield	---	143	3	2	–
White	---	61	–	–	–
All other	---	82	3	2	–
Black	---	82	3	2	–
Homewood	---	198	5	3	3
Hoover, part	---	90	2	–	2
Hoover, total	---	90	2	–	2
Hueytown	---	151	3	2	2
Mountain Brook	---	178	3	1	2
Vestavia Hills	---	108	–	–	–
Balance of county	---	2,095	34	25	24
White	---	1,722	23	18	19
All other	---	373	11	7	5
Black	---	373	11	7	5
Lamar	142	195	5	2	1
White	129	179	5	2	1
All other	13	16	–	–	–
Black	13	16	–	–	–
Lauderdale	688	646	17	13	12
White	616	572	16	12	11
All other	72	74	1	1	1
Black	72	74	1	1	1
Florence	---	345	8	8	5
White	---	279	7	7	5
All other	---	66	1	1	–
Black	---	66	1	1	–
Balance of county	---	301	9	5	7
Lawrence	187	257	3	2	5
White	154	211	2	1	3
All other	33	46	1	1	2
Black	33	46	1	1	2
Lee	467	463	10	4	11
White	290	302	7	3	4
All other	177	161	3	1	7
Black	177	160	3	1	7
Auburn	---	116	2	1	2
White	---	82	1	1	–
All other	---	34	1	–	2
Black	---	33	1	–	2
Opelika	---	194	6	3	6
White	---	125	5	2	2
All other	---	69	1	1	4
Black	---	69	1	1	4
Phenix City, part	---	1	–	–	–
Balance of county	---	152	2	–	3
White	---	94	1	–	2
All other	---	58	1	–	1
Black	---	58	1	–	1
Limestone	289	361	3	3	2
White	242	302	3	3	1
All other	47	59	–	–	1
Black	47	59	–	–	1
Athens	---	150	1	1	–
White	---	125	1	1	–
All other	---	25	–	–	–
Black	---	25	–	–	–
Balance of county	---	211	2	2	2
White	---	177	2	2	1
All other	---	34	–	–	1
Black	---	34	–	–	1
Lowndes	34	115	8	6	6
White	7	36	1	1	1
All other	27	79	7	5	5
Black	27	79	7	5	5
Macon	442	276	6	5	6
White	133	46	1	1	–
All other	309	230	5	4	6
Black	308	230	5	4	6
Tuskegee	---	109	2	2	1
White	---	12	–	–	–
All other	---	97	2	2	1
Black	---	97	2	2	1
Balance of county	---	167	4	3	5
White	---	34	1	1	–
All other	---	133	3	2	5
Black	---	133	3	2	5
Madison	1,624	1,314	30	22	30
White	1,351	1,059	15	11	21
All other	273	255	15	11	9
Black	272	253	15	11	8
Huntsville	---	979	25	19	22
White	---	777	12	10	13
All other	---	202	13	9	9
Black	---	200	13	9	8
Balance of county	---	335	5	3	8
White	---	282	3	1	8
All other	---	53	2	2	–
Black	---	53	2	2	–
Marengo	205	244	5	2	4
White	83	100	1	1	1
All other	122	144	4	1	3
Black	122	144	4	1	3
Marion	214	283	6	5	5
Marshall	582	620	12	9	6
Albertville	---	102	3	2	–
Balance of county	---	518	9	7	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Mobile	3,199	2,982	105	80	87
White	2,075	1,948	41	33	47
All other	1,124	1,034	64	47	40
Black	1,119	1,029	64	47	40
Mobile	---	1,837	57	45	43
White	---	1,165	16	14	21
All other	---	672	41	31	22
Black	---	668	41	31	22
Prichard	---	323	16	12	11
White	---	100	3	3	2
All other	---	223	13	9	9
Black	---	223	13	9	9
Balance of county	---	822	32	23	33
White	---	683	22	16	24
All other	---	139	10	7	9
Black	---	138	10	7	9
Monroe	188	219	4	2	5
White	127	148	1	1	4
All other	61	71	3	1	1
Black	61	71	3	1	1
Montgomery	2,263	1,693	67	35	52
White	1,445	1,047	26	15	11
All other	818	646	41	20	41
Black	816	645	41	20	41
Montgomery	---	1,545	60	33	46
White	---	973	23	14	11
All other	---	572	37	19	35
Black	---	571	37	19	35
Balance of county	---	148	7	2	6
White	---	74	3	1	-
All other	---	74	4	1	6
Black	---	74	4	1	6
Morgan	718	753	16	8	17
White	625	657	13	6	13
All other	93	96	3	2	4
Black	92	95	3	2	4
Decatur	---	364	4	-	7
White	---	287	3	-	4
All other	---	77	1	-	3
Black	---	76	1	-	3
Balance of county	---	389	12	8	10
Perry	80	131	4	3	3
White	31	55	-	-	1
All other	49	76	4	3	2
Black	49	76	4	3	2
Pickens	175	255	5	4	6
White	101	150	-	-	3
All other	74	105	5	4	3
Black	74	105	5	4	3
Pike	204	254	6	4	2
White	138	160	3	2	1
All other	66	94	3	2	1
Black	65	93	3	2	1
Troy	---	128	1	1	-
White	---	80	1	1	-
All other	---	48	-	-	-
Black	---	47	-	-	-
Balance of county	---	126	5	3	2
White	---	80	2	1	1
All other	---	46	3	2	1
Black	---	46	3	2	1
Randolph	156	219	6	4	7
White	115	161	1	-	3
All other	41	58	5	4	4
Black	41	58	5	4	4
Russell	428	498	17	12	9
White	255	279	6	3	4
All other	173	219	11	9	5
Black	173	219	11	9	5
Phenix City, part	---	332	9	6	6
White	---	200	3	1	3
All other	---	132	6	5	3
Black	---	132	6	5	3
Phenix City, total	---	333	9	6	6
White	---	201	3	1	3
All other	---	132	6	5	3
Black	---	132	6	5	3
Balance of county	---	166	8	6	3
White	---	79	3	2	1
All other	---	87	5	4	2
Black	---	87	5	4	2
St. Clair	243	345	5	4	5
White	210	312	5	4	5
All other	33	34	-	-	-
Black	33	34	-	-	-
Shelby	348	458	14	7	7
White	305	385	11	4	4
All other	43	73	3	3	3
Black	43	72	3	3	3
Hoover, part	---	-	-	-	-
Balance of county	---	458	14	7	7
White	---	385	11	4	4
All other	---	73	3	3	3
Black	---	72	3	3	3
Sumter	110	184	10	9	9
White	31	60	2	2	3
All other	79	124	8	7	6
Black	79	124	8	7	6
Talladega	574	684	18	9	12
White	425	500	4	3	6
All other	149	184	14	6	6
Black	149	184	14	6	6
Sylacauga	---	165	6	3	2
White	---	121	-	-	1
All other	---	44	6	3	1
Black	---	44	6	3	1
Talladega	---	187	4	3	4
White	---	127	2	2	1
All other	---	60	2	1	3
Black	---	60	2	1	3
Balance of county	---	332	8	3	6
White	---	252	2	1	4
All other	---	80	6	2	2
Black	---	80	6	2	2
Tallapoosa	323	376	6	5	4
White	247	285	3	3	2
All other	76	91	3	2	2
Black	76	91	3	2	2
Alexander City	---	134	2	2	2
White	---	91	1	1	2
All other	---	43	1	1	-
Black	---	43	1	1	-
Balance of county	---	242	4	3	2
White	---	194	2	2	-
All other	---	48	2	1	2
Black	---	48	2	1	2
Tuscaloosa	1,294	1,022	22	19	24
White	894	728	9	8	10
All other	400	294	13	11	14
Black	399	293	13	11	14
Northport	---	125	1	-	2
White	---	98	-	-	2
All other	---	27	1	-	-
Black	---	27	1	-	-
Tuscaloosa	---	573	14	14	17
White	---	368	4	4	4
All other	---	205	10	10	13
Black	---	204	10	10	13
Balance of county	---	324	7	5	5
White	---	262	5	4	4
All other	---	62	2	1	1
Black	---	62	2	1	1
Walker	506	671	10	6	6
Jasper	---	123	3	1	-
White	---	102	2	1	-
All other	---	21	1	-	-
Black	---	21	1	-	-
Balance of county	---	548	7	5	6
Washington	75	154	5	3	1
White	56	109	2	1	-
All other	19	45	3	2	1
Black	19	45	3	2	1
Wilcox	105	178	8	4	7
White	39	72	1	1	2
All other	66	106	7	3	5
Black	66	106	7	3	5
Winston	168	200	2	2	1
Alaska [1]	1,782	1,785	125	73	86
White	1,220	1,224	76	48	57
All other	562	561	49	25	29
Black	48	49	9	5	6
Aleutian Islands	33	33	1	1	1
White	10	7	-	-	1
All other	23	26	1	1	-
Black	1	-	-	-	-
Anchorage, coext. with Anchorage city	682	590	41	27	37
White	510	494	29	20	27
All other	172	96	12	7	10
Black	32	30	7	5	4
Bethel	52	58	8	5	-
White	11	9	-	-	-
All other	41	49	8	5	-
Black	-	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Bristol Bay borough	1	6	1	–	–
White	–	2	–	–	–
All other	1	4	1	–	–
Black	–	–	–	–	–
Dillingham	38	39	2	2	2
White	13	11	2	2	–
All other	25	28	–	–	2
Black	1	1	–	–	–
Fairbanks North Star borough	228	229	17	11	11
White	174	192	15	10	9
All other	54	37	2	1	2
Black	10	11	1	–	2
Fairbanks	– – –	211	15	9	10
White	– – –	176	14	9	8
All other	– – –	35	1	–	2
Black	– – –	11	1	–	2
Balance of area	– – –	18	2	2	1
White	– – –	16	1	1	1
All other	– – –	2	1	1	–
Black	– – –	–	–	–	–
Haines borough	4	4	–	–	2
White	4	4	–	–	2
All other	–	–	–	–	–
Black	–	–	–	–	–
Juneau, coext. with Juneau city	78	85	2	2	1
White	57	66	2	2	1
All other	21	19	–	–	–
Black	–	1	–	–	–
Kenai Peninsula borough	109	128	7	4	4
Ketchikan Gateway borough	80	83	3	1	–
White	59	66	3	1	–
All other	21	17	–	–	–
Black	–	1	–	–	–
Kobuk	38	43	5	2	3
White	6	2	–	–	1
All other	32	41	5	2	2
Black	–	–	–	–	–
Kodiak Island borough	47	46	3	1	6
White	26	23	1	1	3
All other	21	23	2	–	3
Black	3	3	1	–	–
Matanuska-Susitna borough	82	87	6	3	2
Nome	46	60	6	3	–
White	12	11	–	–	–
All other	34	49	6	3	–
Black	–	–	–	–	–
North Slope borough	23	26	4	2	2
White	7	2	–	–	–
All other	16	24	4	2	2
Black	–	–	–	–	–
Prince of Wales-Outer Ketchikan	26	23	3	1	1
White	16	8	2	1	1
All other	10	15	1	–	–
Black	–	–	–	–	–
Sitka borough	47	37	–	–	5
White	28	23	–	–	4
All other	19	14	–	–	1
Black	–	–	–	–	–
Skagway-Yakutat-Angoon	24	24	1	1	1
White	14	9	1	1	–
All other	10	15	–	–	1
Black	–	–	–	–	–
Southeast Fairbanks	20	25	3	–	–
White	14	17	3	–	–
All other	6	8	–	–	–
Black	1	1	–	–	–
Valdez-Cordova	38	44	5	3	2
White	31	34	4	3	1
All other	7	10	1	–	1
Black	–	–	–	–	–
Wade Hampton	14	21	2	1	2
White	3	–	–	–	1
All other	11	21	2	1	1
Black	–	–	–	–	–
Wrangell-Petersburg	33	44	–	–	3
White	29	35	–	–	2
All other	4	9	–	–	1
Black	–	–	–	–	–
Yukon-Koyukuk	39	50	5	3	1
White	16	9	2	1	–
All other	23	41	3	2	1
Black	–	–	–	–	–
Arizona	22,655	21,969	491	299	422
White	21,254	20,462	405	268	324
All other	1,401	1,507	86	31	98
Black	496	487	22	15	27
Apache	238	330	20	6	21
White	56	51	2	2	1
All other	182	279	18	4	20
Black	1	–	–	–	–
Cochise	519	654	16	11	12
Douglas	– – –	118	1	1	2
White	– – –	115	1	1	2
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Sierra Vista	– – –	84	1	1	2
White	– – –	83	1	1	2
All other	– – –	1	–	–	–
Black	– – –	1	–	–	–
Balance of county	– – –	452	14	9	8
White	– – –	440	12	8	4
All other	– – –	12	2	1	4
Black	– – –	7	1	1	3
Coconino	385	342	14	8	18
White	262	245	9	7	9
All other	123	97	5	1	9
Black	5	7	–	–	2
Flagstaff	– – –	138	8	6	9
White	– – –	123	8	6	5
All other	– – –	15	–	–	4
Black	– – –	7	–	–	2
Balance of county	– – –	204	6	2	9
White	– – –	122	1	1	4
All other	– – –	82	5	1	5
Black	– – –	–	–	–	–
Gila	356	417	13	8	6
White	312	358	10	7	3
All other	44	59	3	1	3
Black	3	4	–	–	–
Graham	117	166	4	2	3
White	111	142	3	2	3
All other	6	24	1	–	–
Black	1	1	–	–	–
Greenlee	60	74	5	5	4
Maricopa	13,168	12,203	265	172	201
White	12,587	11,738	239	158	183
All other	581	465	26	14	18
Black	317	305	15	11	13
Chandler	– – –	204	11	8	7
White	– – –	195	9	7	6
All other	– – –	9	2	1	1
Black	– – –	4	1	1	–
Glendale	– – –	638	18	14	15
White	– – –	629	17	13	13
All other	– – –	9	1	1	2
Black	– – –	4	1	1	1
Mesa	– – –	1,402	33	23	28
White	– – –	1,385	31	22	25
All other	– – –	17	2	1	3
Black	– – –	8	1	–	2
Paradise Valley	– – –	40	2	1	–
Peoria	– – –	188	4	3	2
White	– – –	186	4	3	2
All other	– – –	2	–	–	–
Black	– – –	1	–	–	–
Phoenix	– – –	5,887	149	101	107
White	– – –	5,566	133	91	99
All other	– – –	321	16	10	8
Black	– – –	260	11	9	8
Scottsdale	– – –	892	4	3	5
Tempe	– – –	470	9	4	10
Balance of county	– – –	2,482	35	15	27
White	– – –	2,394	31	15	23
All other	– – –	88	4	–	4
Black	– – –	20	1	–	2
Mohave	475	626	12	6	6
Lake Havasu City	– – –	137	1	1	2
Balance of county	– – –	489	11	5	4
Navajo	296	394	18	8	17
White	190	212	7	4	3
All other	106	182	11	4	14
Black	4	3	–	–	–
Pima	4,847	4,271	75	44	89
White	4,634	4,054	62	40	68
All other	213	217	13	4	21
Black	94	95	3	1	8
Tucson	– – –	3,021	55	36	68
White	– – –	2,905	50	34	51
All other	– – –	116	5	2	17
Black	– – –	97	3	1	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Balance of county	---	1,250	20	8	21
White	---	1,149	12	6	17
All other	---	101	8	2	4
Black	---	8	-	-	-
Pinal	466	735	20	8	22
White	405	652	14	7	17
All other	61	83	6	1	5
Black	23	24	2	1	1
Casa Grande	---	122	5	3	4
White	---	119	4	2	3
All other	---	3	1	1	1
Black	---	3	1	1	-
Balance of county	---	613	15	5	18
White	---	533	10	5	14
All other	---	80	5	-	4
Black	---	21	1	-	1
Santa Cruz	99	136	3	2	4
Nogales	---	74	2	1	2
White	---	72	2	1	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Balance of county	---	62	1	1	2
White	---	62	1	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Yavapai	832	888	10	6	8
Prescott	---	347	2	-	1
Balance of county	---	541	8	6	7
Yuma	797	733	16	13	11
Yuma	---	415	11	10	4
White	---	389	10	9	4
All other	---	26	1	1	-
Black	---	23	1	1	-
Balance of county	---	318	5	3	7
White	---	286	5	3	5
All other	---	32	-	-	2
Black	---	10	-	-	-
Arkansas	22,325	22,419	357	204	246
White	18,627	18,613	211	126	163
All other	3,698	3,806	146	78	83
Black	3,639	3,774	146	78	77
Arkansas	275	273	7	3	4
White	216	212	2	1	3
All other	59	61	5	2	1
Black	59	61	5	2	1
Stuttgart	---	114	5	1	1
White	---	77	1	-	-
All other	---	37	4	1	1
Black	---	37	4	1	1
Balance of county	---	159	2	2	3
White	---	135	1	1	3
All other	---	24	1	1	-
Black	---	24	1	1	-
Ashley	170	266	2	1	1
White	125	184	1	-	-
All other	45	82	1	1	1
Black	45	82	1	1	1
Baxter	354	421	2	2	5
Benton	716	742	8	3	6
Rogers	---	201	3	1	3
Springdale, part	---	1	-	-	-
Balance of county	---	540	5	2	3
Boone	317	264	2	1	4
Bradley	149	155	-	-	4
White	110	114	-	-	1
All other	39	41	-	-	3
Black	39	41	-	-	3
Calhoun	45	74	1	-	1
White	36	53	-	-	1
All other	9	21	1	-	-
Black	9	21	1	-	-
Carroll	158	183	-	-	2
Chicot	175	163	2	2	1
White	78	66	-	-	1
All other	97	97	2	2	-
Black	97	96	2	2	-
Clark	167	222	2	1	1
White	141	183	2	1	1
All other	26	39	-	-	-
Black	26	39	-	-	-
Arkadelphia	---	73	1	1	-
White	---	63	1	1	-
All other	---	10	-	-	-
Black	---	10	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Balance of county	---	149	1	-	1
White	---	120	1	-	1
All other	---	29	-	-	-
Black	---	29	-	-	-
Clay	174	259	-	-	-
Cleburne	150	197	-	-	2
Cleveland	26	73	-	-	1
White	18	58	-	-	-
All other	8	15	-	-	1
Black	8	15	-	-	1
Columbia	268	304	4	3	4
White	172	204	2	2	3
All other	96	100	2	1	1
Black	96	100	2	1	1
Magnolia	---	113	1	-	2
White	---	89	-	-	2
All other	---	24	1	-	-
Black	---	24	1	-	-
Balance of county	---	191	3	3	2
White	---	115	2	2	1
All other	---	76	1	1	1
Black	---	76	1	1	1
Conway	178	208	1	1	1
White	154	173	1	1	1
All other	24	33	-	-	-
Black	24	33	-	-	-
Craighead	705	563	6	6	5
Jonesboro	---	289	3	3	4
Balance of county	---	274	3	3	1
Crawford	258	344	3	1	4
Van Buren	---	156	-	-	1
Balance of county	---	188	3	1	3
Crittenden	391	444	15	10	11
White	225	243	3	1	3
All other	166	201	12	9	8
Black	166	200	12	9	8
West Memphis	---	236	4	4	6
White	---	145	1	1	2
All other	---	91	3	3	4
Black	---	90	3	3	4
Balance of county	---	208	11	6	5
White	---	98	2	-	1
All other	---	110	9	6	4
Black	---	110	9	6	4
Cross	187	210	3	3	2
White	143	163	2	2	1
All other	44	47	1	1	1
Black	44	47	1	1	1
Dallas	109	147	2	1	-
White	63	92	-	-	-
All other	46	55	2	1	-
Black	46	55	2	1	-
Desha	191	202	6	1	2
White	108	117	-	-	1
All other	83	85	6	1	1
Black	83	85	6	1	1
Drew	96	142	4	3	1
White	72	101	1	-	-
All other	24	41	3	3	1
Black	23	40	3	3	1
Faulkner	274	359	7	6	6
Conway	---	151	3	2	2
Balance of county	---	208	4	4	4
Franklin	104	154	1	1	-
Fulton	160	134	1	-	1
Garland	907	894	8	4	5
Hot Springs	---	652	5	2	5
White	---	592	3	1	1
All other	---	60	2	1	4
Black	---	57	2	1	2
Balance of county	---	242	3	2	-
Grant	55	110	-	-	1
Greene	324	302	5	4	2
Paragould	---	192	1	1	-
Balance of county	---	110	4	3	2
Hempstead	206	269	2	2	1
White	144	187	1	1	-
All other	62	82	1	1	1
Black	62	82	1	1	1
Hope	---	131	1	1	1
White	---	89	-	-	-
All other	---	42	1	1	1
Black	---	42	1	1	1
Balance of county	---	138	1	1	-
White	---	98	1	1	-
All other	---	40	-	-	-
Black	---	40	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Hot Spring	223	278	–	–	6
White	203	253	–	–	6
All other	20	25	–	–	–
Black	20	25	–	–	–
Malvern	---	145	–	–	3
White	---	122	–	–	3
All other	---	23	–	–	–
Black	---	23	–	–	–
Balance of county	---	133	–	–	3
Howard	139	159	3	1	–
White	112	139	2	1	–
All other	27	20	1	–	–
Black	27	20	1	–	–
Independence	325	324	2	1	1
Izard	99	144	–	–	1
Jackson	187	215	3	1	1
White	151	173	1	1	1
All other	36	42	2	–	–
Black	36	42	2	–	–
Jefferson	821	820	19	13	7
White	507	484	5	2	1
All other	314	336	14	11	6
Black	314	336	14	11	5
Pine Bluff	---	680	12	8	6
White	---	365	3	1	1
All other	---	265	9	7	5
Black	---	265	9	7	5
Balance of county	---	190	7	5	1
White	---	119	2	1	–
All other	---	71	5	4	1
Black	---	71	5	4	–
Johnson	155	199	3	2	1
Lafayette	88	126	4	2	2
White	44	66	–	–	–
All other	44	60	4	2	2
Black	44	60	4	2	2
Lawrence	157	223	4	1	–
Lee	123	171	2	2	1
White	35	65	1	1	1
All other	88	106	1	1	–
Black	88	106	1	1	–
Lincoln	51	127	–	–	1
White	31	89	–	–	–
All other	20	38	–	–	1
Black	20	38	–	–	1
Little River	86	122	2	2	2
White	58	86	1	1	1
All other	28	36	1	1	1
Black	28	36	1	1	1
Logan	169	230	3	1	2
Lonoke	98	272	9	6	6
White	82	225	9	6	6
All other	16	47	–	–	–
Black	16	46	–	–	–
Madison	81	106	2	1	1
Marion	143	134	1	–	3
Miller	428	329	6	1	7
White	344	253	6	1	5
All other	84	76	–	–	2
Black	84	76	–	–	2
Texarkana [2]	---	233	4	1	2
White	---	175	4	1	2
All other	---	58	–	–	–
Black	---	58	–	–	–
Balance of county	---	96	2	–	5
White	---	78	2	–	3
All other	---	18	–	–	2
Black	---	18	–	–	2
Mississippi	480	562	8	3	12
White	345	402	3	2	7
All other	135	160	5	1	5
Black	135	160	5	1	5
Blytheville	---	223	3	1	4
White	---	145	2	1	1
All other	---	78	1	–	3
Black	---	78	1	–	3
Balance of county	---	339	5	2	8
White	---	257	1	1	6
All other	---	82	4	1	2
Black	---	82	4	1	2
Monroe	118	173	4	1	2
White	69	97	2	1	1
All other	49	76	2	–	1
Black	49	76	2	–	1
Montgomery	37	88	2	2	1
Nevada	117	135	2	1	–
White	83	100	2	1	–
All other	34	35	–	–	–
Black	34	35	–	–	–
Newton	34	68	1	–	–
Ouachita	331	378	3	1	8
White	201	232	–	–	4
All other	130	146	3	1	4
Black	129	146	3	1	4
Camden	---	200	–	–	5
White	---	126	–	–	3
All other	---	74	–	–	2
Black	---	74	–	–	2
Balance of county	---	178	3	1	3
White	---	106	–	–	1
All other	---	72	3	1	2
Black	---	72	3	1	2
Perry	30	83	1	–	1
Phillips	323	396	15	9	9
White	135	177	3	2	2
All other	188	219	12	7	7
Black	188	219	12	7	7
West Helena	---	99	4	3	1
White	---	58	2	1	–
All other	---	41	2	2	1
Black	---	41	2	2	1
Balance of county	---	297	11	6	8
White	---	119	1	1	2
All other	---	178	10	5	6
Black	---	178	10	5	6
Pike	111	119	–	–	–
Poinsett	115	278	5	4	4
Polk	179	214	4	1	3
Pope	309	303	5	2	4
Russellville	---	145	3	1	2
Balance of county	---	158	2	1	2
Prairie	46	115	–	–	1
White	40	98	–	–	–
All other	6	17	–	–	1
Black	6	17	–	–	1
Pulaski	4,447	2,797	68	40	37
White	3,421	2,090	30	19	21
All other	1,026	707	38	21	16
Black	1,020	705	38	21	16
Jacksonville	---	137	7	4	1
White	---	126	6	4	1
All other	---	11	1	–	–
Black	---	11	1	–	–
Little Rock	---	1,622	37	21	25
White	---	1,178	11	7	13
All other	---	444	26	14	12
Black	---	443	26	14	12
North Little Rock	---	719	15	8	8
White	---	540	7	4	5
All other	---	179	8	4	3
Black	---	179	8	4	3
Sherwood	---	41	–	–	–
Balance of county	---	278	9	7	3
White	---	207	6	4	2
All other	---	71	3	3	1
Black	---	70	3	3	1
Randolph	142	191	1	–	2
St. Francis	245	302	12	3	4
White	132	161	2	–	1
All other	113	141	10	3	3
Black	113	141	10	3	3
Forrest City	---	147	5	2	1
White	---	76	1	–	1
All other	---	71	4	2	–
Black	---	71	4	2	–
Balance of county	---	155	7	1	3
White	---	85	1	–	–
All other	---	70	6	1	3
Black	---	70	6	1	3
Saline	276	374	4	4	6
Benton	---	200	2	2	3
Balance of county	---	174	2	2	3
Scott	67	117	2	2	1
Searcy	37	79	1	1	–
Sebastian	1,443	865	16	8	8
Fort Smith	---	694	14	7	4
Balance of county	---	171	2	1	4
Sevier	205	170	4	–	–
Sharp	98	186	2	1	–
Stone	67	87	5	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	536	527	8	5	8
White	381	368	3	3	3
All other	155	159	5	2	5
Black	154	158	5	2	4
El Dorado	---	292	3	2	6
White	---	203	-	-	2
All other	---	89	3	2	4
Black	---	88	3	2	4
Balance of county	---	235	5	3	2
White	---	165	3	3	1
All other	---	70	2	-	1
Black	---	70	2	-	-
Van Buren	114	138	1	-	-
Washington	1,058	817	15	10	8
Fayetteville	---	259	4	4	4
Springdale, part	---	228	5	4	2
Springdale, total	---	229	5	4	2
Balance of county	---	390	6	2	2
White	441	445	3	3	3
Searcy	---	125	-	-	1
Balance of county	---	320	3	3	2
Woodruff	104	161	5	3	2
White	65	104	-	-	1
All other	39	57	5	3	1
Black	39	56	5	3	1
Yell	153	196	3	3	1
California	169,081	166,471	4,251	2,690	3,311
White	170,005	169,427	3,294	2,083	2,548
All other	19,076	19,044	957	607	763
Black	13,897	13,904	709	444	495
Alameda	9,630	9,441	170	109	157
White	7,610	7,376	90	66	77
All other	2,020	2,065	80	43	80
Black	1,688	1,733	63	35	63
Alameda	---	624	8	5	9
White	---	581	7	5	3
All other	---	43	1	-	6
Black	---	17	-	-	6
Albany	---	175	-	-	1
White	---	163	-	-	1
All other	---	12	-	-	-
Black	---	6	-	-	-
Berkeley	---	875	7	5	7
White	---	565	4	3	4
All other	---	310	3	2	3
Black	---	277	3	2	3
Fremont	---	693	14	10	16
White	---	657	11	9	13
All other	---	36	3	1	3
Black	---	11	1	-	-
Hayward	---	962	23	16	15
White	---	897	15	10	12
All other	---	65	8	6	3
Black	---	41	7	5	2
Livermore	---	271	11	6	-
Newark	---	145	3	1	5
White	---	137	3	1	5
All other	---	8	-	-	-
Black	---	4	-	-	-
Oakland	---	3,665	78	47	76
White	---	2,192	21	17	16
All other	---	1,473	57	30	60
Black	---	1,326	48	26	49
Piedmont	---	99	-	-	1
Pleasanton	---	169	3	2	3
San Leandro	---	890	6	5	7
White	---	868	5	5	6
All other	---	22	1	-	1
Black	---	7	1	-	1
Union City	---	170	6	4	7
White	---	139	5	4	7
All other	---	31	1	-	-
Black	---	7	-	-	-
Balance of county	---	703	11	8	10
White	---	653	8	5	7
All other	---	50	3	3	3
Black	---	31	2	2	1
Alpine	7	6	-	-	-
White	7	5	-	-	-
All other	-	1	-	-	-
Black	-	1	-	-	-
Amador	174	221	2	1	1
Butte	1,450	1,436	17	9	18
Chico	---	396	4	3	9
Paradise	---	361	5	3	1
Balance of county	---	679	8	3	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Calaveras	170	229	3	2	2
Colusa	92	133	1	-	4
Contra Costa	4,805	4,946	96	56	89
White	4,316	4,457	72	41	60
All other	489	489	24	15	29
Black	430	413	21	14	23
Antioch	---	295	4	2	10
White	---	292	4	2	9
All other	---	3	-	-	1
Black	---	3	-	-	1
Concord	---	654	20	11	12
El Cerrito	---	244	3	2	-
White	---	222	2	2	-
All other	---	22	1	-	-
Black	---	12	1	-	-
Lafayette	---	181	1	1	-
Martinez	---	219	3	2	3
Moraga Town	---	47	-	-	-
Pinole	---	107	3	3	-
White	---	101	3	3	-
All other	---	6	-	-	-
Black	---	4	-	-	-
Pittsburg	---	321	11	9	16
White	---	262	6	5	9
All other	---	59	5	4	7
Black	---	52	4	3	7
Pleasant Hill	---	197	3	-	2
Richmond	---	745	19	12	18
White	---	430	3	1	6
All other	---	315	16	11	12
Black	---	295	16	11	11
San Pablo	---	276	6	3	6
White	---	260	6	3	3
All other	---	16	-	-	3
Black	---	13	-	-	3
Walnut Creek	---	759	6	2	2
Balance of county	---	901	17	9	20
White	---	876	17	9	17
All other	---	25	-	-	3
Black	---	16	-	-	1
Del Norte	177	198	2	1	5
El Dorado	521	610	16	8	14
South Lake Tahoe	---	90	4	2	2
Balance of county	---	520	12	6	12
Fresno	4,418	4,036	101	67	88
White	4,077	3,719	76	45	69
All other	341	317	25	22	19
Black	233	221	14	12	16
Clovis	---	221	7	2	6
White	---	215	6	1	6
All other	---	6	1	1	-
Black	---	4	-	-	-
Fresno	---	2,699	68	46	61
White	---	2,448	46	27	42
All other	---	251	22	19	19
Black	---	198	13	11	16
Reedley	---	138	1	1	2
White	---	131	-	-	2
All other	---	7	1	1	-
Black	---	-	-	-	-
Sanger	---	165	4	3	6
White	---	157	4	3	6
All other	---	8	-	-	-
Black	---	1	-	-	-
Selma	---	144	4	1	1
White	---	135	4	1	1
All other	---	9	-	-	-
Black	---	5	-	-	-
Balance of county	---	669	17	14	12
White	---	633	16	13	12
All other	---	36	1	1	-
Black	---	13	1	1	-
Glenn	136	218	2	1	2
Humboldt	929	933	14	6	10
Arcata	---	104	1	-	-
Eureka	---	393	8	4	5
Balance of county	---	436	5	2	5
Imperial	595	633	23	16	21
Brawley	---	135	4	2	1
White	---	127	2	1	1
All other	---	8	2	1	-
Black	---	6	2	1	-
Calexico	---	81	6	5	6
White	---	79	6	5	6
All other	---	2	-	-	-
Black	---	2	-	-	-
El Centro	---	164	5	4	6
White	---	142	4	4	6
All other	---	22	1	-	-
Black	---	19	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	253	8	5	8
White	---	228	7	4	7
All other	---	25	1	1	1
Black	---	10	–	–	–
Inyo	198	198	5	4	–
Kern	3,197	3,349	82	49	62
White	2,926	3,092	76	47	54
All other	271	257	6	2	8
Black	231	231	4	1	6
Bakersfield	---	1,932	42	24	46
White	---	1,746	38	22	39
All other	---	186	4	2	7
Black	---	179	3	1	6
Delano	---	131	7	3	3
White	---	97	7	3	3
All other	---	34	–	–	–
Black	---	19	–	–	–
Ridgecrest	---	118	3	2	1
Balance of county	---	1,168	30	20	12
White	---	1,131	28	20	12
All other	---	37	2	–	–
Black	---	33	1	–	–
Kings	489	556	23	15	19
Hanford	---	289	9	7	11
White	---	269	7	6	9
All other	---	20	2	1	2
Black	---	14	1	1	2
Balance of county	---	267	14	8	8
White	---	243	12	7	8
All other	---	24	2	1	–
Black	---	22	1	–	–
Lake	380	577	2	–	4
Lassen	116	163	7	3	2
Los Angeles	61,088	59,776	1,503	983	1,116
White	51,875	50,598	1,064	699	820
All other	9,213	9,178	439	284	296
Black	7,470	7,460	374	239	224
Alhambra	---	651	11	10	4
White	---	618	8	7	3
All other	---	33	3	3	1
Black	---	4	–	–	–
Arcadia	---	484	6	5	8
Artesia	---	122	2	1	–
White	---	119	2	1	–
All other	---	3	–	–	–
Black	---	2	–	–	–
Azusa	---	239	9	5	6
White	---	234	8	5	5
All other	---	5	1	–	1
Black	---	–	–	–	–
Baldwin Park	---	336	14	10	5
White	---	324	13	9	5
All other	---	12	1	1	–
Black	---	4	–	–	–
Bell	---	229	6	2	5
White	---	224	6	2	4
All other	---	5	–	–	1
Black	---	2	–	–	–
Bellflower	---	492	10	5	3
White	---	485	10	5	3
All other	---	7	–	–	–
Black	---	2	–	–	–
Bell Gardens	---	201	13	9	2
White	---	197	13	9	2
All other	---	4	–	–	–
Black	---	3	–	–	–
Beverly Hills	---	413	5	4	2
Burbank	---	836	11	8	11
White	---	826	11	8	11
All other	---	10	–	–	–
Black	---	3	–	–	–
Carson	---	445	15	11	15
White	---	321	6	4	7
All other	---	124	9	7	8
Black	---	88	7	6	6
Cerritos	---	144	5	3	4
White	---	112	3	2	1
All other	---	32	2	1	3
Black	---	8	–	–	1
Claremont	---	231	4	2	1
White	---	219	2	2	1
All other	---	12	2	–	–
Black	---	6	2	–	–
Commerce	---	59	3	2	4
White	---	51	3	2	4
All other	---	2	–	–	–
Black	---	2	–	–	–
Compton	---	707	41	30	28
White	---	179	12	8	14
All other	---	528	29	22	14
Black	---	516	27	21	14
Covina	---	447	8	7	7
Cudahy	---	105	2	1	2
White	---	101	1	1	2
All other	---	4	1	–	–
Black	---	2	1	–	–
Culver City	---	352	1	1	6
White	---	326	1	1	5
All other	---	26	–	–	1
Black	---	14	–	–	–
Downey	---	673	11	8	6
White	---	664	10	7	5
All other	---	9	1	1	1
Black	---	3	–	–	–
Duarte	---	217	3	3	3
White	---	193	3	3	2
All other	---	24	–	–	1
Black	---	18	–	–	1
El Monte	---	564	27	14	21
White	---	550	27	14	20
All other	---	14	–	–	1
Black	---	2	–	–	–
El Segundo	---	82	4	3	1
Gardena	---	537	12	8	9
White	---	380	7	5	4
All other	---	157	5	3	5
Black	---	52	3	2	4
Glendale	---	1,335	17	14	6
White	---	1,310	15	12	6
All other	---	25	2	2	–
Black	---	–	–	–	–
Glendora	---	364	6	3	4
Hawaiian Gardens	---	50	–	–	3
White	---	45	–	–	3
All other	---	5	–	–	–
Black	---	1	–	–	–
Hawthorne	---	447	11	7	11
White	---	418	9	5	9
All other	---	29	2	2	2
Black	---	19	2	2	2
Hermosa Beach	---	88	1	1	3
Huntington Park	---	422	11	6	17
White	---	409	11	6	17
All other	---	13	–	–	–
Black	---	7	–	–	–
Inglewood	---	761	36	23	30
White	---	527	13	9	17
All other	---	234	23	14	13
Black	---	222	23	14	12
La Canada Flintridge	---	59	–	–	–
Lakewood	---	484	9	6	4
White	---	479	9	6	4
All other	---	5	–	–	–
Black	---	3	–	–	–
La Mirada	---	241	7	3	3
White	---	238	7	3	3
All other	---	3	–	–	–
Black	---	1	–	–	–
Lancaster	---	472	11	5	10
La Puente	---	341	17	9	19
White	---	325	16	9	17
All other	---	16	1	–	2
Black	---	9	1	–	1
La Verne	---	198	1	1	1
White	---	194	1	1	1
All other	---	4	–	–	–
Black	---	3	–	–	–
Lawndale	---	132	7	4	1
White	---	126	6	4	1
All other	---	6	1	–	–
Black	---	3	1	–	–
Lomita	---	181	1	1	–
White	---	175	1	1	–
All other	---	6	–	–	–
Black	---	1	–	–	–
Long Beach	---	3,995	58	35	57
White	---	3,704	33	22	39
All other	---	291	25	13	18
Black	---	224	22	12	11
Los Angeles	---	26,814	707	458	515
White	---	20,443	439	284	340
All other	---	6,371	268	174	175
Black	---	5,503	238	150	144
Lynwood	---	364	28	20	14
White	---	290	18	12	7
All other	---	74	10	8	7
Black	---	67	8	6	7
Manhattan Beach	---	174	6	5	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Maywood	---	128	8	5	5
White	---	127	7	4	5
All other	---	1	1	1	-
Black	---	-	-	-	-
Monrovia	---	277	10	4	4
White	---	249	9	4	3
All other	---	28	1	-	1
Black	---	23	1	-	1
Montebello	---	379	8	4	3
White	---	347	8	4	2
All other	---	32	-	-	1
Black	---	-	-	-	-
Monterey Park	---	380	7	3	8
White	---	293	5	3	7
All other	---	87	2	-	1
Black	---	2	-	-	-
Norwalk	---	572	13	8	12
White	---	561	13	8	12
All other	---	11	-	-	-
Black	---	3	-	-	-
Palmdale	---	236	8	6	1
White	---	217	7	5	1
All other	---	19	1	1	-
Black	---	17	1	1	-
Palos Verdes Estates	---	68	1	-	-
Paramount	---	243	10	4	9
White	---	235	8	3	9
All other	---	8	2	1	-
Black	---	4	2	1	-
Pasadena	---	1,372	29	19	11
White	---	1,128	18	11	8
All other	---	244	11	8	3
Black	---	205	11	8	3
Pico Rivera	---	368	17	16	8
White	---	364	16	15	8
All other	---	4	1	1	-
Black	---	3	1	1	-
Pomona	---	806	36	28	22
White	---	714	26	21	14
All other	---	92	10	7	8
Black	---	85	10	7	5
Rancho Palos Verdes	---	167	2	2	1
White	---	157	2	2	1
All other	---	10	-	-	-
Black	---	3	-	-	-
Redondo Beach	---	396	8	5	10
White	---	390	8	5	10
All other	---	6	-	-	-
Black	---	4	-	-	-
Rosemead	---	331	8	3	13
White	---	303	7	3	12
All other	---	28	1	-	1
Black	---	2	-	-	-
San Dimas	---	154	5	3	7
White	---	148	5	3	6
All other	---	6	-	-	1
Black	---	3	-	-	-
San Fernando	---	186	9	4	7
White	---	177	9	4	7
All other	---	9	-	-	-
Black	---	7	-	-	-
San Gabriel	---	455	6	5	5
White	---	439	4	3	4
All other	---	16	2	2	1
Black	---	3	-	-	-
San Marino	---	118	1	1	-
Santa Fe Springs	---	93	4	4	5
White	---	91	4	4	5
All other	---	2	-	-	-
Black	---	1	-	-	-
Santa Monica	---	964	5	3	17
White	---	931	5	3	15
All other	---	33	-	-	2
Black	---	27	-	-	-
Sierra Madre	---	109	3	-	1
South El Monte	---	78	2	2	-
White	---	78	2	2	-
All other	---	-	-	-	-
Black	---	-	-	-	-
South Gate	---	566	15	11	16
White	---	557	14	10	16
All other	---	9	1	1	-
Black	---	7	1	1	-
South Pasadena	---	174	1	1	3
White	---	165	1	1	2
All other	---	9	-	-	1
Black	---	3	-	-	-
Temple City	---	287	2	1	6
White	---	282	2	1	6
All other	---	5	-	-	-
Black	---	-	-	-	-
Torrance	---	1,090	25	19	9
White	---	1,036	24	19	8
All other	---	54	1	-	1
Black	---	12	-	-	1
West Covina	---	449	8	6	15
White	---	411	7	5	8
All other	---	38	1	1	7
Black	---	22	1	1	4
Whittier	---	1,099	24	19	12
White	---	1,085	21	17	12
All other	---	14	3	2	-
Black	---	4	1	-	-
Balance of county	---	2,749	71	44	52
White	---	2,494	59	37	40
All other	---	255	12	7	12
Black	---	187	9	5	7
Madera	391	554	14	8	12
Madera	---	314	8	4	7
White	---	274	8	4	7
All other	---	40	-	-	-
Black	---	34	-	-	-
Balance of county	---	240	6	4	5
White	---	229	6	4	5
All other	---	11	-	-	-
Black	---	8	-	-	-
Marin	1,662	1,662	20	14	20
White	1,609	1,606	16	10	19
All other	53	56	4	4	1
Black	34	37	2	2	-
Larkspur	---	43	-	-	1
Mill Valley	---	223	2	1	2
Novato	---	291	3	2	3
San Anselmo	---	112	1	1	2
San Rafael	---	477	6	4	7
Balance of county	---	516	8	6	5
Mariposa	72	118	2	1	4
Mendocino	661	640	9	7	10
Ukiah	---	241	1	1	2
Balance of county	---	399	8	6	8
Merced	811	997	28	16	27
White	747	855	24	13	24
All other	64	82	4	3	3
Black	48	61	3	3	2
Atwater	---	110	4	4	7
White	---	102	4	4	7
All other	---	8	-	-	-
Black	---	5	-	-	-
Los Banos	---	92	2	-	3
White	---	84	2	-	3
All other	---	8	-	-	-
Black	---	8	-	-	-
Merced	---	397	11	7	11
White	---	362	8	5	8
All other	---	35	3	2	3
Black	---	32	2	2	2
Balance of county	---	338	11	5	6
White	---	307	10	4	6
All other	---	31	1	1	-
Black	---	16	1	1	-
Modoc	77	104	4	1	3
Mono	50	32	1	1	-
Monterey	1,959	2,049	52	26	46
White	1,807	1,880	46	24	32
All other	152	169	6	2	14
Black	70	77	5	2	10
Marina	---	57	5	1	3
White	---	43	3	1	2
All other	---	14	2	-	1
Black	---	10	2	-	-
Monterey	---	250	3	-	4
White	---	236	3	-	3
All other	---	14	-	-	1
Black	---	7	-	-	-
Pacific Grove	---	194	-	-	-
Salinas	---	745	22	11	14
White	---	693	21	11	13
All other	---	52	1	-	1
Black	---	13	-	-	-
Seaside	---	171	8	3	12
White	---	115	6	2	1
All other	---	56	2	1	11
Black	---	41	2	1	10
Balance of county	---	632	14	11	13
White	---	605	13	10	13
All other	---	27	1	1	-
Black	---	5	1	1	-
Napa	1,102	925	7	2	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California-Con.					
Napa	---	631	5	-	7
Balance of county	---	294	2	2	3
White	---	290	2	2	3
All other	---	4	-	-	-
Black	---	3	-	-	-
Nevada	527	532	6	1	7
Orange	12,088	12,680	316	200	255
White	11,758	12,325	287	184	240
All other	330	355	29	16	15
Black	116	122	5	2	3
Anaheim	---	1,607	52	33	38
White	---	1,580	49	33	36
All other	---	27	3	-	2
Black	---	12	1	-	1
Brea	---	181	4	3	4
Buena Park	---	373	7	6	18
White	---	362	5	5	16
All other	---	11	2	1	2
Black	---	3	-	-	1
Costa Mesa	---	564	17	12	11
White	---	549	15	11	11
All other	---	15	2	1	-
Black	---	4	1	-	-
Cypress	---	192	4	2	4
White	---	188	4	2	4
All other	---	4	-	-	-
Black	---	-	-	-	-
Fountain Valley	---	220	5	3	4
White	---	205	3	3	4
All other	---	15	2	-	-
Black	---	1	-	-	-
Fullerton	---	654	17	12	13
White	---	638	17	12	11
All other	---	16	-	-	2
Black	---	5	-	-	-
Garden Grove	---	856	30	17	12
White	---	827	27	15	10
All other	---	29	3	2	2
Black	---	7	1	-	-
Huntington Beach	---	940	22	17	14
White	---	919	20	15	14
All other	---	21	2	2	-
Black	---	4	-	-	-
Irvine	---	195	6	3	8
White	---	188	4	2	8
All other	---	7	2	1	-
Black	---	2	-	-	-
Laguna Beach	---	172	4	2	1
La Habra	---	324	8	5	5
White	---	317	7	4	5
All other	---	7	1	1	-
Black	---	3	-	-	-
La Palma	---	42	1	-	1
White	---	37	1	-	1
All other	---	5	-	-	-
Black	---	2	-	-	-
Los Alamitos	---	129	-	-	2
White	---	128	-	-	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Newport Beach	---	486	4	3	4
Orange	---	615	18	8	10
White	---	600	16	7	10
All other	---	15	2	1	-
Black	---	8	-	-	-
Placentia	---	155	3	3	7
White	---	151	3	3	7
All other	---	4	-	-	-
Black	---	1	-	-	-
San Clemente	---	249	4	3	4
San Juan Capistrano	---	154	3	1	1
Santa Ana	---	1,419	61	40	53
White	---	1,327	57	37	47
All other	---	92	4	3	6
Black	---	45	1	1	1
Seal Beach	---	500	1	-	1
Stanton	---	150	7	3	5
White	---	144	7	3	5
All other	---	6	-	-	-
Black	---	2	-	-	-
Tustin	---	343	8	5	8
White	---	320	5	3	8
All other	---	23	3	2	-
Black	---	10	1	1	-
Westminster	---	451	13	8	10
White	---	430	10	6	9
All other	---	21	3	2	1
Black	---	1	-	-	-
Yorba Linda	---	109	2	2	1
Balance of county	---	1,600	15	9	16
White	---	1,580	15	9	16
All other	---	20	-	-	-
Black	---	6	-	-	-
Placer	1,036	1,016	24	18	11
Roseville	---	287	5	5	3
Balance of county	---	729	19	13	8
Plumas	160	177	2	-	1
Riverside	6,132	6,819	143	96	83
White	5,855	6,504	129	85	74
All other	277	315	14	11	9
Black	238	275	12	9	7
Banning	---	200	2	2	3
White	---	178	1	1	2
All other	---	22	1	1	1
Black	---	18	1	1	1
Corona	---	306	13	13	5
White	---	303	13	13	5
All other	---	3	-	-	-
Black	---	3	-	-	-
Hemet	---	1,076	10	5	5
Indio	---	220	10	4	7
White	---	201	9	3	7
All other	---	19	1	1	-
Black	---	18	1	1	-
Norco	---	81	4	3	2
White	---	81	4	3	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Palm Desert	---	203	2	1	1
Palm Springs	---	531	7	3	3
White	---	513	5	2	2
All other	---	18	2	1	1
Black	---	14	1	-	1
Riverside	---	1,563	50	33	18
White	---	1,472	43	28	15
All other	---	91	7	5	3
Black	---	85	7	5	1
Balance of county	---	2,639	45	32	39
White	---	2,483	42	29	35
All other	---	156	3	3	4
Black	---	133	2	2	4
Sacramento	6,398	6,145	133	81	103
White	5,785	5,517	87	53	73
All other	613	628	46	28	30
Black	394	413	32	19	20
Folsom	---	101	-	-	-
White	---	101	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Sacramento	---	4,288	89	53	68
White	---	3,734	52	29	43
All other	---	554	37	24	25
Black	---	376	27	17	18
Balance of county	---	1,756	44	28	35
White	---	1,682	35	24	30
All other	---	74	9	4	5
Black	---	37	5	2	2
San Benito	165	167	4	1	6
Hollister	---	149	3	1	4
White	---	143	3	1	4
All other	---	6	-	-	-
Black	---	4	-	-	-
Balance of county	---	38	1	-	2
White	---	37	1	-	2
All other	---	1	-	-	-
Black	---	-	-	-	-
San Bernardino	8,036	7,320	214	139	119
White	7,630	6,983	183	115	86
All other	406	337	31	24	33
Black	347	291	26	20	19
Barstow	---	204	6	4	4
White	---	190	5	3	4
All other	---	14	1	1	-
Black	---	8	1	1	-
Chino	---	259	11	9	3
White	---	248	9	7	3
All other	---	11	2	2	-
Black	---	8	2	2	-
Colton	---	207	7	5	-
White	---	203	7	5	-
All other	---	4	-	-	-
Black	---	2	-	-	-
Fontana	---	482	17	8	5
White	---	448	17	8	5
All other	---	34	-	-	-
Black	---	32	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Loma Linda	---	111	2	1	2
White	---	107	1	-	-
All other	---	4	1	1	2
Black	---	1	-	-	-
Montclair	---	173	4	1	1
White	---	168	4	1	1
All other	---	5	-	-	-
Black	---	5	-	-	-
Ontario	---	608	29	15	10
White	---	587	27	13	6
All other	---	21	2	2	4
Black	---	17	1	1	3
Rancho Cucamonga	---	115	2	2	-
White	---	112	2	2	-
All other	---	3	-	-	-
Black	---	-	-	-	-
Redlands	---	428	10	7	2
White	---	415	7	5	2
All other	---	13	3	2	-
Black	---	11	3	2	-
Rialto	---	309	12	6	11
White	---	279	7	3	7
All other	---	30	5	3	4
Black	---	29	5	3	3
San Bernardino	---	1,380	45	33	27
White	---	1,236	34	25	20
All other	---	144	11	8	7
Black	---	140	10	7	7
Upland	---	340	7	2	7
White	---	336	7	2	6
All other	---	4	-	-	1
Black	---	3	-	-	1
Victorville	---	169	8	5	4
White	---	158	6	4	2
All other	---	11	2	1	2
Black	---	9	1	1	2
Balance of county	---	2,535	54	41	43
White	---	2,496	50	37	30
All other	---	39	4	4	13
Black	---	26	3	3	3
San Diego	14,154	13,851	310	209	261
White	13,365	13,087	232	154	197
All other	789	764	78	55	64
Black	536	518	56	36	36
Carlsbad	---	235	1	1	2
White	---	233	1	1	1
All other	---	2	-	-	1
Black	---	1	-	-	1
Chula Vista	---	823	15	11	18
White	---	794	13	9	15
All other	---	29	2	2	3
Black	---	10	-	-	2
Coronado	---	165	1	-	-
El Cajon	---	872	17	12	10
Escondido	---	830	13	5	12
White	---	820	12	5	11
All other	---	10	1	-	1
Black	---	2	1	-	-
Imperial Beach	---	118	5	3	7
White	---	117	5	3	5
All other	---	1	-	-	2
Black	---	1	-	-	-
La Mesa	---	611	8	6	7
Lemon Grove	---	178	1	1	5
White	---	177	1	1	3
All other	---	1	-	-	2
Black	---	1	-	-	2
National City	---	315	7	2	6
White	---	282	6	2	3
All other	---	33	1	-	3
Black	---	11	1	-	-
Oceanside	---	661	33	21	20
White	---	632	28	17	17
All other	---	29	5	4	3
Black	---	24	5	4	3
San Diego	---	6,327	154	111	124
White	---	5,742	92	66	80
All other	---	585	62	45	44
Black	---	437	45	30	27
San Marcos	---	229	2	2	4
Vista	---	449	7	4	9
White	---	443	6	4	9
All other	---	6	1	-	-
Black	---	2	1	-	-
Balance of county	---	2,038	46	30	37
White	---	1,994	44	28	33
All other	---	44	2	2	4
Black	---	15	-	-	-
San Francisco, coext. with San Francisco city	8,023	7,681	104	48	98
White	6,224	5,939	52	26	41
All other	1,799	1,742	52	22	57
Black	859	851	25	9	26
San Joaquin	3,150	3,193	64	35	53
White	2,816	2,853	54	27	44
All other	334	340	10	8	9
Black	157	158	6	5	7
Lodi	---	481	7	5	8
Manteca	---	244	3	1	6
White	---	241	3	1	6
All other	---	3	-	-	-
Black	---	1	-	-	-
Stockton	---	1,898	35	21	28
White	---	1,599	25	13	20
All other	---	299	10	8	8
Black	---	149	6	5	7
Tracy	---	219	11	3	3
White	---	216	11	3	3
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	351	8	5	8
White	---	332	8	5	8
All other	---	19	-	-	-
Black	---	3	-	-	-
San Luis Obispo	1,338	1,387	15	9	17
Arroyo Grande	---	160	-	-	3
Atascadero	---	154	4	2	1
San Luis Obispo	---	252	3	3	1
Balance of county	---	821	8	4	12
White	---	805	7	3	12
All other	---	16	1	1	-
Black	---	6	1	1	-
San Mateo	4,348	4,486	76	46	59
White	4,045	4,080	53	33	45
All other	303	406	23	13	14
Black	161	240	10	5	6
Belmont	---	166	2	1	1
Burlingame	---	311	-	-	3
Daly City	---	508	13	7	15
White	---	416	6	3	9
All other	---	92	7	4	6
Black	---	31	2	2	2
Foster City	---	93	3	2	2
White	---	84	2	1	2
All other	---	9	1	1	-
Black	---	3	-	-	-
Hillsborough	---	70	-	-	-
White	---	69	-	-	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Menlo Park	---	404	4	3	4
White	---	349	2	2	4
All other	---	55	2	1	-
Black	---	49	2	1	-
Millbrae	---	177	1	1	1
White	---	172	-	-	1
All other	---	5	1	1	-
Black	---	1	-	-	-
Pacifica	---	199	13	8	6
White	---	179	7	4	4
All other	---	20	6	4	2
Black	---	10	4	2	-
Redwood City	---	597	9	8	7
White	---	576	8	7	7
All other	---	21	1	1	-
Black	---	16	-	-	-
San Bruno	---	212	5	2	1
White	---	203	4	2	-
All other	---	9	1	-	1
Black	---	2	-	-	1
San Carlos	---	197	4	2	2
San Mateo	---	752	6	3	4
White	---	700	6	3	4
All other	---	52	-	-	-
Black	---	27	-	-	-
South San Francisco	---	344	4	2	6
White	---	318	2	1	5
All other	---	26	2	1	1
Black	---	8	-	-	-
Balance of county	---	456	12	7	7
White	---	353	10	7	4
All other	---	103	2	-	3
Black	---	88	2	-	3
Santa Barbara	2,416	2,359	41	23	33
White	2,339	2,278	37	19	28
All other	77	81	4	4	5
Black	46	52	3	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Carpinteria	---	109	–	–	2
White	---	108	–	–	2
All other	---	1	–	–	–
Black	---	–	–	–	–
Lompoc	---	246	7	4	4
White	---	236	5	2	4
All other	---	10	2	2	–
Black	---	9	2	2	–
Santa Barbara	---	1,215	16	8	10
White	---	1,182	15	7	7
All other	---	33	1	1	3
Black	---	26	1	1	1
Santa Maria	---	450	7	5	12
White	---	431	7	5	11
All other	---	19	–	–	1
Black	---	6	–	–	–
Balance of county	---	339	11	6	5
White	---	321	10	5	4
All other	---	18	1	1	1
Black	---	11	–	–	1
Santa Clara	8,504	7,836	188	114	148
White	7,885	7,337	150	89	115
All other	619	499	38	25	33
Black	287	188	18	9	9
Campbell	---	269	2	–	2
White	---	262	2	–	2
All other	---	7	–	–	–
Black	---	1	–	–	–
Cupertino	---	241	1	1	2
White	---	233	1	1	2
All other	---	8	–	–	–
Black	---	2	–	–	–
Gilroy	---	160	10	6	4
White	---	149	10	6	4
All other	---	11	–	–	–
Black	---	5	–	–	–
Los Altos	---	249	2	1	3
Los Gatos	---	326	1	1	2
Milpitas	---	134	4	–	4
White	---	118	4	–	2
All other	---	16	–	–	2
Black	---	9	–	–	1
Morgan Hill	---	105	1	–	2
White	---	100	1	–	2
All other	---	5	–	–	–
Black	---	2	–	–	–
Mountain View	---	401	6	5	5
White	---	370	4	4	4
All other	---	31	2	1	1
Black	---	7	1	–	–
Palo Alto	---	463	3	1	2
White	---	443	3	1	2
All other	---	20	–	–	–
Black	---	8	–	–	–
San Jose	---	3,763	124	74	99
White	---	3,463	93	54	75
All other	---	300	31	20	24
Black	---	124	15	7	7
Santa Clara	---	604	12	8	9
White	---	570	10	7	9
All other	---	34	2	1	–
Black	---	9	–	–	–
Saratoga	---	212	2	1	–
Sunnyvale	---	727	16	13	6
White	---	684	14	11	3
All other	---	43	2	2	3
Black	---	9	1	1	–
Balance of county	---	182	4	3	8
White	---	167	4	3	5
All other	---	15	–	–	3
Black	---	9	–	–	1
Santa Cruz	1,616	1,671	36	24	24
Santa Cruz	---	767	14	8	5
Watsonville	---	375	15	12	14
White	---	362	13	11	12
All other	---	13	2	1	2
Black	---	3	2	1	–
Balance of county	---	529	7	4	5
White	---	526	7	4	5
All other	---	3	–	–	–
Black	---	2	–	–	–
Shasta	1,161	1,102	18	12	18
Redding	---	606	11	7	9
Balance of county	---	496	7	5	9
Sierra	15	16	–	–	–
Siskiyou	336	404	6	4	6
Solano	1,641	1,668	41	25	23
White	1,425	1,431	30	18	11
All other	216	237	11	7	12
Black	152	167	9	5	6
Benicia	---	93	2	1	2
White	---	91	2	1	1
All other	---	2	–	–	1
Black	---	1	–	–	–
Fairfield	---	306	12	7	4
White	---	273	11	6	2
All other	---	33	1	1	2
Black	---	23	1	1	1
Suisun City	---	55	4	1	2
White	---	42	3	1	1
All other	---	13	1	–	1
Black	---	3	1	–	1
Vacaville	---	251	6	6	7
White	---	234	4	4	4
All other	---	17	2	2	3
Black	---	13	2	2	3
Vallejo	---	833	14	8	7
White	---	662	7	4	2
All other	---	171	7	4	5
Black	---	127	5	2	1
Balance of county	---	130	3	2	1
White	---	129	3	2	1
All other	---	1	–	–	–
Black	---	–	–	–	–
Sonoma	2,838	2,928	40	23	37
White	2,794	2,889	39	23	37
All other	44	39	1	–	–
Black	28	24	–	–	–
Petaluma	---	375	5	2	4
Rohnert Park	---	135	4	3	–
Santa Rosa	---	1,308	15	12	12
Balance of county	---	1,110	16	6	21
White	---	1,096	15	6	21
All other	---	14	1	–	–
Black	---	6	–	–	–
Stanislaus	2,476	2,368	54	38	43
White	2,427	2,326	53	37	36
All other	51	42	1	1	7
Black	27	22	1	1	3
Ceres	---	162	8	6	4
White	---	160	8	6	4
All other	---	2	–	–	–
Black	---	–	–	–	–
Modesto	---	1,274	35	24	30
White	---	1,244	34	23	24
All other	---	30	1	1	6
Black	---	20	1	1	2
Turlock	---	366	3	3	5
White	---	359	3	3	4
All other	---	7	–	–	1
Black	---	–	–	–	1
Balance of county	---	566	8	5	4
White	---	563	8	5	4
All other	---	3	–	–	–
Black	---	2	–	–	–
Sutter	353	435	5	3	8
Yuba City	---	319	4	2	5
White	---	298	4	2	4
All other	---	21	–	–	1
Black	---	6	–	–	–
Balance of county	---	116	1	1	3
White	---	112	1	1	3
All other	---	4	–	–	–
Black	---	2	–	–	–
Tehama	349	436	8	4	7
Trinity	93	98	1	–	2
Tulare	1,845	2,082	68	43	36
White	1,784	2,006	66	41	34
All other	61	76	2	2	2
Black	41	47	2	2	1
Porterville	---	422	12	5	9
White	---	417	12	5	9
All other	---	5	–	–	–
Black	---	2	–	–	–
Tulare	---	300	11	4	3
White	---	281	11	4	3
All other	---	19	–	–	–
Black	---	17	–	–	–
Visalia	---	524	14	11	10
White	---	516	14	11	10
All other	---	8	–	–	–
Black	---	4	–	–	–
Balance of county	---	836	31	23	14
White	---	792	29	21	12
All other	---	44	2	2	2
Black	---	24	2	2	1
Tuolumne	298	315	4	2	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Ventura	3,033	3,374	92	69	80
White	2,959	3,298	87	64	76
All other	74	76	5	5	4
Black	46	47	3	3	1
Camarillo	---	339	7	6	4
White	---	334	7	6	4
All other	---	5	–	–	–
Black	---	2	–	–	–
Oxnard	---	701	28	21	26
White	---	656	27	20	22
All other	---	45	1	1	4
Black	---	29	1	1	1
Port Hueneme	---	139	2	2	2
White	---	132	1	1	2
All other	---	7	1	1	–
Black	---	4	–	–	–
San Buenaventura (Ventura)	---	727	13	8	13
White	---	722	12	7	13
All other	---	5	1	1	–
Black	---	4	–	–	–
Santa Paula	---	195	6	3	6
White	---	194	6	3	6
All other	---	1	–	–	–
Black	---	1	–	–	–
Simi Valley	---	346	14	13	8
Thousand Oaks	---	282	10	7	4
Balance of county	---	645	12	9	17
White	---	640	10	7	17
All other	---	5	2	2	–
Black	---	3	2	2	–
Yolo	782	803	18	11	15
Davis	---	140	1	1	5
White	---	131	1	1	5
All other	---	9	–	–	–
Black	---	5	–	–	–
Woodland	---	275	6	3	5
White	---	268	6	3	5
All other	---	7	–	–	–
Black	---	6	–	–	–
Balance of county	---	388	11	7	5
White	---	371	10	6	5
All other	---	17	1	1	–
Black	---	6	–	–	–
Yuba	411	422	14	6	4
Colorado	20,189	19,649	499	311	541
White	19,432	18,931	458	283	487
All other	757	718	41	28	54
Black	578	562	34	23	41
Adams	1,099	1,304	52	30	60
White	1,046	1,263	48	26	57
All other	53	41	4	4	3
Black	30	26	4	4	2
Arvada, part	---	7	–	–	–
White	---	6	–	–	–
All other	---	1	–	–	–
Black	---	–	–	–	–
Aurora, part	---	140	5	2	12
White	---	125	4	1	11
All other	---	15	1	1	1
Black	---	14	1	1	1
Brighton, part	---	111	–	–	2
White	---	108	–	–	2
All other	---	3	–	–	–
Black	---	–	–	–	–
Brighton, total	---	113	1	1	2
White	---	110	1	1	2
All other	---	3	–	–	–
Black	---	–	–	–	–
Broomfield, part	---	6	–	–	1
Commerce City	---	170	8	7	3
White	---	166	8	7	3
All other	---	4	–	–	–
Black	---	3	–	–	–
Northglenn	---	117	2	1	5
Thornton	---	150	7	3	7
Westminster, part	---	190	7	2	11
Westminster, total	---	203	7	2	15
Balance of county	---	413	23	15	19
White	---	402	21	13	18
All other	---	11	2	2	1
Black	---	6	2	2	1
Alamosa	87	84	3	2	1
Arapahoe	1,246	1,458	60	40	56
White	1,208	1,416	56	37	48
All other	38	42	4	3	8
Black	27	27	3	3	7

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Aurora, part	---	623	38	27	37
White	---	593	34	24	30
All other	---	30	4	3	7
Black	---	20	3	3	6
Aurora, total	---	763	43	29	49
White	---	718	38	25	41
All other	---	45	5	4	8
Black	---	34	4	4	7
Englewood	---	336	7	4	6
Littleton, part	---	261	6	5	9
Littleton, total	---	262	6	5	9
Balance of county	---	238	9	4	4
Archuleta	26	32	–	–	2
Baca	27	48	1	1	4
Bent	76	57	–	–	1
Boulder	924	998	18	11	25
Boulder	---	406	7	5	6
Broomfield, part	---	38	1	–	–
Broomfield, total	---	54	3	1	1
Longmont	---	300	3	3	6
Balance of county	---	254	7	3	13
Chaffee	102	107	3	3	1
Cheyenne	22	21	–	–	1
Clear Creek	17	48	1	–	–
Conejos	39	51	2	–	3
Costilla	15	21	–	–	2
Crowley	14	39	–	–	1
Custer	14	18	–	–	–
Delta	170	209	1	–	5
Denver, coext. with Denver city	6,332	4,489	85	57	88
White	5,878	4,070	68	47	69
All other	454	419	17	10	19
Black	389	380	16	10	14
Dolores	7	19	–	–	–
Douglas	65	106	–	–	4
Littleton, part	---	1	–	–	–
Balance of county	---	105	–	–	4
Eagle	39	46	3	1	6
Elbert	22	48	–	–	2
El Paso	1,813	1,770	62	34	64
White	1,727	1,669	51	27	48
All other	86	101	11	7	16
Black	67	79	10	6	14
Colorado Springs	---	1,483	47	29	44
White	---	1,405	40	23	31
All other	---	78	7	6	13
Black	---	61	7	6	12
Balance of county	---	287	15	5	20
White	---	264	11	4	17
All other	---	23	4	1	3
Black	---	18	3	–	2
Fremont	390	410	7	4	4
Canon City	---	240	3	2	3
Balance of county	---	170	4	2	1
Garfield	134	140	5	2	8
Gilpin	12	19	1	–	–
Grand	44	43	3	–	1
Gunnison	46	47	3	2	1
Hinsdale	3	–	–	–	1
Huerfano	66	94	1	–	1
Jackson	6	11	–	–	–
Jefferson	1,586	2,000	58	42	63
Arvada, part	---	366	15	12	18
Arvada, total	---	373	15	12	18
Broomfield, part	---	10	2	1	–
Golden	---	42	1	1	4
Lakewood	---	802	20	14	20
Westminster, part	---	13	–	–	4
Wheat Ridge	---	287	–	–	3
Balance of county	---	480	20	14	14
Kiowa	21	20	–	–	–
Kit Carson	38	60	–	–	2
Lake	26	35	–	–	–
La Plata	218	189	3	3	5
Durango	---	94	1	1	3
White	---	91	1	1	3
All other	---	3	–	–	–
Black	---	–	–	–	–
Balance of county	---	95	2	2	2
White	---	88	1	1	2
All other	---	7	1	1	–
Black	---	–	–	–	–
Larimer	837	881	27	16	19
Fort Collins	---	400	13	7	8
Loveland	---	245	7	6	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Balance of county	---	236	7	3	7
Las Animas	154	173	2	1	5
Lincoln	74	66	1	1	-
Logan	141	162	2	2	5
Sterling	---	112	1	1	3
Balance of county	---	50	1	1	2
Mesa	812	727	18	9	25
Grand Junction	---	404	9	3	10
Balance of county	---	323	9	6	15
Mineral	4	3	1	1	-
Moffat	68	67	3	2	3
Montezuma	131	140	3	2	2
White	118	128	3	2	2
All other	13	12	-	-	-
Black	-	-	-	-	-
Montrose	208	206	4	1	2
Morgan	209	229	9	8	-
Otero	244	262	3	3	4
Ouray	5	16	1	1	-
Park	32	28	1	1	1
Phillips	59	76	-	-	1
Pitkin	35	38	1	-	1
Prowers	122	155	5	4	4
Pueblo	1,196	1,083	16	14	18
Pueblo	---	965	9	7	16
White	---	940	9	7	16
All other	---	25	-	-	-
Black	---	23	-	-	-
Balance of county	---	118	7	7	2
White	---	118	7	7	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Rio Blanco	35	37	2	-	1
Rio Grande	107	103	-	-	5
Routt	62	66	2	1	3
Saguache	11	25	-	-	1
San Juan	4	7	-	-	-
San Miguel	7	13	1	-	1
Sedgwick	33	36	1	1	2
Summit	21	28	2	-	-
Teller	26	49	1	-	4
Washington	39	51	1	1	1
Weld	670	772	19	10	19
Brighton, part	---	2	1	1	-
Greeley	---	398	10	5	13
White	---	397	10	5	13
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	372	8	4	6
White	---	366	8	4	6
All other	---	6	-	-	-
Black	---	1	-	-	-
Yuma	95	109	1	-	2
Connecticut	26,981	26,838	450	348	307
White	25,563	25,424	342	268	235
All other	1,418	1,414	108	80	72
Black	1,373	1,371	106	79	66
Fairfield	6,499	6,836	115	87	94
White	6,077	6,380	79	62	69
All other	422	456	36	25	25
Black	411	444	35	24	23
Bridgeport	---	1,618	51	37	32
White	---	1,402	34	24	18
All other	---	216	17	13	14
Black	---	211	17	13	14
Danbury	---	472	11	8	8
Darien town#	---	119	-	-	3
Fairfield town#	---	518	4	2	5
Greenwich town#	---	485	1	1	7
Norwalk	---	677	9	5	4
White	---	597	5	3	1
All other	---	80	4	2	3
Black	---	79	4	2	3
Shelton	---	196	2	1	3
Stamford	---	895	22	18	11
White	---	801	14	12	6
All other	---	94	8	6	5
Black	---	93	8	6	5
Stratford town#	---	527	4	4	4
Trumbull town#	---	235	2	2	-
Westport town#	---	169	-	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Balance of county	---	925	9	9	15
White	---	921	9	9	15
All other	---	4	-	-	-
Black	---	3	-	-	-
Hartford	7,120	6,909	130	99	72
White	6,709	6,510	97	76	51
All other	411	399	33	23	21
Black	400	389	32	23	19
Bristol	---	432	7	6	2
East Hartford town#	---	450	6	3	3
Enfield town#	---	287	8	7	2
Hartford	---	1,285	47	34	31
White	---	991	21	17	14
All other	---	294	26	17	17
Black	---	292	26	17	16
Manchester town#	---	447	6	5	4
New Britain	---	736	14	13	4
White	---	700	12	11	2
All other	---	36	2	2	2
Black	---	35	2	2	2
Newington town#	---	227	1	1	1
Plainville town#	---	147	2	2	3
Rocky Hill town#	---	133	1	-	-
Southington town#	---	222	3	3	1
West Hartford town#	---	763	7	5	8
Wethersfield town#	---	258	2	2	-
Windsor town#	---	230	6	5	-
White	---	220	5	4	-
All other	---	10	1	1	-
Black	---	9	1	1	-
Windsor Locks town#	---	101	2	1	-
Balance of county	---	1,191	18	12	13
White	---	1,169	18	12	12
All other	---	22	-	-	1
Black	---	21	-	-	-
Litchfield	1,226	1,367	14	12	14
Torrington	---	315	3	3	3
Balance of county	---	1,052	11	9	11
Middlesex	1,050	1,070	11	8	10
Middletown	---	336	4	3	7
White	---	316	2	1	6
All other	---	20	2	2	1
Black	---	20	2	2	1
Balance of county	---	734	7	5	3
New Haven	7,941	7,216	119	95	71
White	7,465	6,765	88	70	49
All other	476	451	31	25	22
Black	468	444	31	25	20
Ansonia	---	214	4	3	1
Branford town#	---	236	5	4	2
Derby	---	127	-	-	-
East Haven town#	---	220	3	3	1
Hamden town#	---	513	7	7	4
Meriden	---	558	7	3	8
Milford	---	434	11	9	3
Naugatuck	---	215	1	1	3
New Haven	---	1,355	32	26	16
White	---	1,067	9	7	6
All other	---	288	23	19	10
Black	---	285	23	19	9
North Haven town#	---	153	4	2	-
Orange town#	---	108	-	-	2
Wallingford town#	---	337	3	2	2
Waterbury	---	1,145	19	18	15
White	---	1,069	15	14	7
All other	---	76	4	4	8
Black	---	74	4	4	8
West Haven	---	505	11	8	2
White	---	473	9	7	2
All other	---	32	2	1	-
Black	---	31	2	1	-
Balance of county	---	1,096	12	9	12
New London	1,873	1,971	38	29	26
White	1,813	1,905	33	25	24
All other	60	66	5	4	2
Black	50	57	5	4	2
Groton	---	247	8	7	6
New London	---	302	7	5	7
White	---	278	4	3	6
All other	---	24	3	2	1
Black	---	23	3	2	1
Norwich	---	420	5	4	4
Balance of county	---	1,002	18	13	9
Tolland	481	694	12	9	14
Vernon town#	---	226	6	3	7
Balance of county	---	468	6	6	7
White	---	464	5	5	7
All other	---	4	1	1	-
Black	---	3	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windham	791	775	11	9	6
Willimantic [a]	---	2	–	–	–
Balance of county	---	773	11	9	6
Delaware	5,144	5,104	129	95	83
White	4,267	4,261	79	61	54
All other	877	843	50	34	29
Black	867	832	49	33	27
Kent	644	728	18	13	12
White	531	609	8	6	11
All other	113	119	10	7	1
Black	111	116	10	7	1
Dover	---	196	7	7	6
White	---	151	2	2	5
All other	---	45	5	5	1
Black	---	44	5	5	1
Balance of county	---	532	11	6	6
White	---	458	6	4	6
All other	---	74	5	2	–
Black	---	72	5	2	–
New Castle	3,479	3,296	88	66	56
White	2,891	2,754	57	46	33
All other	588	542	31	20	23
Black	583	537	30	19	21
Newark	---	270	15	12	6
Wilmington	---	1,361	40	30	22
White	---	956	17	15	8
All other	---	405	23	15	14
Black	---	404	23	15	14
Balance of county	---	1,665	33	24	28
White	---	1,551	29	22	22
All other	---	114	4	2	6
Black	---	111	3	1	4
Sussex	1,021	1,080	23	16	15
White	845	898	14	9	10
All other	176	182	9	7	5
Black	173	179	9	7	5
District of Columbia	8,567	6,713	197	145	111
White	3,411	1,884	13	6	12
All other	5,156	4,829	184	139	99
Black	5,079	4,789	180	136	96
Florida	109,799	108,584	1,857	1,305	1,463
White	98,269	97,122	1,075	766	893
All other	11,530	11,462	782	539	570
Black	11,367	11,300	771	533	553
Alachua	1,923	923	25	17	31
White	1,506	669	18	14	21
All other	417	254	7	3	10
Black	412	249	7	3	10
Gainesville	---	511	14	11	15
White	---	367	11	9	9
All other	---	144	3	2	6
Black	---	139	3	2	6
Balance of county	---	412	11	6	16
White	---	302	7	5	12
All other	---	110	4	1	4
Black	---	110	4	1	4
Baker	118	118	3	3	2
White	92	94	2	2	–
All other	26	24	1	1	2
Black	25	23	1	1	2
Bay	971	816	25	20	17
White	819	691	16	12	10
All other	152	125	9	8	7
Black	146	119	9	8	6
Panama City	---	475	14	11	10
White	---	372	8	6	3
All other	---	103	6	5	7
Black	---	100	6	5	6
Balance of county	---	341	11	9	7
Bradford	116	178	6	4	4
White	93	145	5	3	3
All other	23	33	1	1	1
Black	23	33	1	1	1
Brevard	2,460	2,613	50	35	31
White	2,292	2,436	40	30	20
All other	168	177	10	5	11
Black	160	171	10	5	10
Cocoa	---	174	6	5	9
White	---	138	3	3	3
All other	---	36	3	2	6
Black	---	35	3	2	5
Cocoa Beach	---	120	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Melbourne	---	505	5	4	2
White	---	465	4	4	1
All other	---	40	1	–	1
Black	---	40	1	–	1
Palm Bay	---	159	5	2	1
Rockledge	---	114	4	2	1
White	---	105	3	2	–
All other	---	9	1	–	1
Black	---	9	1	–	1
Titusville	---	348	7	5	3
White	---	326	4	3	3
All other	---	22	3	2	–
Black	---	22	3	2	–
Balance of county	---	1,193	21	15	14
White	---	1,126	19	14	11
All other	---	67	2	1	3
Black	---	63	2	1	3
Broward	11,521	12,361	174	132	119
White	10,655	11,455	80	58	64
All other	866	906	94	74	55
Black	850	888	91	72	52
Cooper City	---	71	–	–	1
Coral Springs	---	186	3	1	4
Dania	---	207	3	2	2
White	---	144	2	2	–
All other	---	63	1	–	2
Black	---	63	1	–	2
Davie	---	152	7	4	2
Deerfield Beach	---	632	5	4	8
White	---	577	–	–	4
All other	---	55	5	4	4
Black	---	55	5	4	4
Fort Lauderdale	---	2,252	51	40	28
White	---	1,950	16	13	10
All other	---	302	35	27	18
Black	---	300	35	27	16
Hallandale, part	---	764	3	3	1
White	---	721	1	1	–
All other	---	43	2	2	1
Black	---	43	2	2	1
Hallandale, total	---	768	3	3	1
White	---	725	1	1	–
All other	---	43	2	2	1
Black	---	43	2	2	1
Hollywood	---	1,749	12	8	20
Lauderdale Lakes	---	411	4	1	5
White	---	399	–	–	2
All other	---	12	4	1	3
Black	---	12	4	1	3
Lauderhill	---	341	5	5	1
White	---	330	1	1	1
All other	---	11	4	4	–
Black	---	11	4	4	–
Lighthouse Point	---	185	1	–	–
Margate	---	436	3	2	2
Miramar	---	287	3	3	7
North Lauderdale	---	78	1	1	2
Oakland Park	---	155	3	2	–
Pembroke Pines	---	344	4	4	2
Plantation	---	402	6	5	1
Pompano Beach	---	963	12	10	12
White	---	856	4	4	1
All other	---	107	8	6	11
Black	---	106	8	6	11
Sunrise	---	487	4	3	3
Tamarac	---	521	1	1	2
Wilton Manors	---	191	4	3	–
Balance of county	---	1,547	39	30	16
White	---	1,318	12	7	4
All other	---	229	27	23	12
Black	---	223	25	22	12
Calhoun	110	107	3	1	2
White	103	101	2	1	–
All other	7	6	1	–	2
Black	7	6	1	–	2
Charlotte	995	994	6	2	4
Citrus	770	878	7	7	4
Clay	429	482	12	10	11
Collier	1,043	948	16	12	15
Naples	---	300	–	–	–
Balance of county	---	648	16	12	15
White	---	608	12	9	11
All other	---	40	4	3	4
Black	---	39	4	3	4
Columbia	472	293	10	5	6
White	352	230	8	4	2
All other	120	63	2	1	4
Black	120	63	2	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Dade	17,939	16,551	325	236	297
White	15,611	14,323	133	99	146
All other	2,328	2,228	192	137	151
Black	2,295	2,197	190	137	149
Coral Gables	---	407	9	7	3
Hallandale, part	---	4	–	–	–
Hialeah	---	1,155	16	10	26
White	---	1,138	16	10	25
All other	---	17	–	–	1
Black	---	16	–	–	1
Homestead	---	201	10	8	6
White	---	167	6	5	3
All other	---	34	4	3	3
Black	---	33	4	3	3
Miami	---	4,577	118	88	97
White	---	3,724	32	24	33
All other	---	853	86	64	64
Black	---	845	86	64	64
Miami Beach	---	2,469	4	4	8
Miami Springs	---	171	3	3	–
North Miami	---	693	5	4	9
North Miami Beach	---	1,077	4	2	6
Opa-locka	---	167	11	9	7
White	---	64	2	1	–
All other	---	103	9	8	7
Black	---	103	9	8	7
South Miami	---	73	1	1	3
White	---	49	–	–	–
All other	---	24	1	1	3
Black	---	24	1	1	3
Balance of county	---	5,557	144	100	132
White	---	4,428	58	44	62
All other	---	1,129	86	56	70
Black	---	1,111	84	56	69
De Soto	197	210	7	4	7
White	171	177	6	4	6
All other	26	33	1	–	1
Black	26	33	1	–	1
Dixie	32	79	1	–	1
White	23	67	1	–	–
All other	9	12	–	–	1
Black	9	12	–	–	1
Duval	5,328	5,087	154	102	114
White	3,970	3,724	74	54	66
All other	1,358	1,363	80	48	48
Black	1,337	1,343	79	48	47
Jacksonville	---	4,758	141	93	110
White	---	3,497	63	45	65
All other	---	1,321	78	48	45
Black	---	1,303	77	48	44
Jacksonville Beach	---	155	5	5	–
Balance of county	---	174	8	4	4
White	---	147	6	4	1
All other	---	27	2	–	3
Black	---	25	2	–	3
Escambia	2,161	1,765	49	35	36
White	1,742	1,378	26	21	16
All other	419	387	23	14	20
Black	409	379	23	14	19
Pensacola	---	585	13	9	11
White	---	372	2	2	5
All other	---	213	11	7	6
Black	---	213	11	7	5
Balance of county	---	1,180	36	26	25
White	---	1,006	24	19	11
All other	---	174	12	7	14
Black	---	166	12	7	14
Flagler	88	124	1	–	–
White	79	114	–	–	–
All other	9	10	1	–	–
Black	9	10	1	–	–
Franklin	61	98	2	2	1
White	51	83	1	1	–
All other	10	15	1	1	1
Black	10	15	1	1	1
Gadsden	242	367	13	10	11
White	109	167	–	–	2
All other	133	200	13	10	9
Black	133	200	13	10	9
Gilchrist	36	56	–	–	1
Glades	20	56	–	–	1
White	18	47	–	–	1
All other	2	9	–	–	–
Black	2	8	–	–	–
Gulf	50	94	1	–	1
White	37	70	–	–	1
All other	13	24	1	–	–
Black	13	24	1	–	–
Hamilton	67	89	2	2	2
White	52	59	1	1	2
All other	15	30	1	1	–
Black	15	30	1	1	–
Hardee	131	182	7	6	2
Hendry	164	171	4	3	2
White	113	126	2	1	2
All other	51	45	2	2	–
Black	50	43	2	2	–
Hernando	516	692	7	4	4
Highlands	733	759	6	4	7
White	671	689	3	1	5
All other	62	70	3	3	2
Black	60	68	3	3	2
Hillsborough	6,353	5,838	149	96	99
White	5,566	5,088	103	65	67
All other	787	750	46	31	32
Black	779	740	46	31	32
Plant City	---	193	6	5	3
White	---	152	1	–	2
All other	---	41	5	5	1
Black	---	41	5	5	1
Tampa	---	3,138	76	48	59
White	---	2,513	39	26	33
All other	---	625	37	22	26
Black	---	618	37	22	26
Temple Terrace	---	71	–	–	–
Balance of county	---	2,436	67	43	37
White	---	2,353	63	39	32
All other	---	83	4	4	5
Black	---	80	4	4	5
Holmes	101	185	3	2	1
Indian River	790	752	6	3	6
White	722	687	4	2	3
All other	68	65	2	1	3
Black	68	65	2	1	3
Vero Beach	---	251	2	–	–
Balance of county	---	501	4	3	6
White	---	440	2	2	3
All other	---	61	2	1	3
Black	---	61	2	1	3
Jackson	297	400	9	5	6
White	225	291	4	3	4
All other	72	109	5	2	2
Black	72	109	5	2	2
Jefferson	40	98	6	6	1
White	19	49	–	–	–
All other	21	49	6	6	1
Black	21	49	6	6	1
Lafayette	11	34	–	–	1
Lake	1,505	1,498	14	8	16
White	1,365	1,381	13	8	12
All other	140	117	1	–	4
Black	139	116	1	–	4
Leesburg	---	198	–	–	2
White	---	164	–	–	–
All other	---	34	–	–	2
Black	---	34	–	–	2
Balance of county	---	1,300	14	8	14
White	---	1,217	13	8	12
All other	---	83	1	–	2
Black	---	82	1	–	2
Lee	2,541	2,559	36	24	31
White	2,409	2,424	24	17	24
All other	132	135	12	7	7
Black	128	130	11	6	7
Cape Coral	---	439	3	1	5
Fort Myers	---	483	15	9	12
White	---	389	8	5	6
All other	---	94	7	4	6
Black	---	93	7	4	6
Balance of county	---	1,637	18	14	14
Leon	1,249	843	34	22	18
White	877	608	14	9	12
All other	372	235	20	13	6
Black	370	233	19	13	6
Tallahassee	---	543	21	14	11
White	---	379	6	4	5
All other	---	164	15	10	6
Black	---	163	14	10	6
Balance of county	---	300	13	8	7
White	---	229	8	5	7
All other	---	71	5	3	–
Black	---	70	5	3	–
Levy	187	238	2	1	7
White	162	206	2	1	4
All other	25	32	–	–	3
Black	25	32	–	–	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Liberty	12	47	–	–	–
White	11	44	–	–	–
All other	1	3	–	–	–
Black	1	3	–	–	–
Madison	92	155	5	3	10
White	61	94	–	–	3
All other	31	61	5	3	7
Black	31	61	5	3	7
Manatee	2,309	2,310	25	19	19
White	2,203	2,193	18	13	14
All other	106	117	7	6	5
Black	106	117	7	6	5
Bradenton	– – –	656	7	6	8
White	– – –	606	3	3	5
All other	– – –	50	4	3	3
Black	– – –	50	4	3	3
Balance of county	– – –	1,654	18	13	11
Marion	1,408	1,467	26	17	24
White	1,243	1,277	15	10	14
All other	165	190	11	7	10
Black	165	190	11	7	10
Ocala	– – –	484	13	9	11
White	– – –	386	7	5	4
All other	– – –	98	6	4	7
Black	– – –	98	6	4	7
Balance of county	– – –	983	13	8	13
White	– – –	891	8	5	10
All other	– – –	92	5	3	3
Black	– – –	92	5	3	3
Martin	970	894	6	5	9
Monroe	470	545	8	2	12
Key West	– – –	199	1	1	5
White	– – –	180	–	–	4
All other	– – –	19	1	1	1
Black	– – –	19	1	1	1
Balance of county	– – –	346	7	1	7
Nassau	132	211	8	4	4
White	104	177	4	2	2
All other	28	34	4	2	2
Black	28	34	4	2	2
Okaloosa	671	680	20	16	20
White	626	630	16	12	15
All other	45	50	4	4	5
Black	41	46	4	4	5
Fort Walton Beach	– – –	165	2	2	4
White	– – –	141	1	1	3
All other	– – –	24	1	1	1
Black	– – –	24	1	1	1
Balance of county	– – –	515	18	14	16
White	– – –	489	15	11	12
All other	– – –	26	3	3	4
Black	– – –	22	3	3	4
Okeechobee	176	231	7	3	5
Orange	4,653	3,998	100	69	69
White	4,122	3,496	69	51	45
All other	531	502	31	18	24
Black	523	499	31	18	21
Orlando	– – –	1,538	33	20	28
White	– – –	1,205	16	13	9
All other	– – –	333	17	7	19
Black	– – –	333	17	7	17
Winter Park	– – –	393	3	–	3
White	– – –	369	3	–	3
All other	– – –	24	–	–	–
Black	– – –	23	–	–	–
Balance of county	– – –	2,067	64	49	36
White	– – –	1,922	50	38	33
All other	– – –	145	14	11	5
Black	– – –	143	14	11	4
Osceola	648	641	13	10	4
Kissimmee	– – –	200	6	3	3
White	– – –	181	2	1	3
All other	– – –	19	4	2	–
Black	– – –	17	4	2	–
Balance of county	– – –	441	7	7	1
Palm Beach	7,535	7,741	110	81	93
White	6,860	7,053	64	47	51
All other	675	688	46	34	42
Black	672	683	45	33	41
Belle Glade	– – –	161	10	7	9
White	– – –	70	1	–	2
All other	– – –	91	9	7	7
Black	– – –	90	9	7	7
Boca Raton	– – –	703	6	4	2
Boynton Beach	– – –	597	9	8	11
White	– – –	557	5	5	7
All other	– – –	40	4	3	4
Black	– – –	40	4	3	4
Delray Beach	– – –	598	7	7	8
White	– – –	521	2	2	3
All other	– – –	77	5	5	5
Black	– – –	77	5	5	5
Lake Worth	– – –	646	7	4	5
North Palm Beach	– – –	142	–	–	–
Palm Beach Gardens	– – –	120	3	2	1
Riviera Beach	– – –	273	10	8	10
White	– – –	138	1	1	1
All other	– – –	135	9	7	9
Black	– – –	134	9	7	9
West Palm Beach	– – –	1,053	22	12	19
White	– – –	878	12	6	10
All other	– – –	175	10	6	9
Black	– – –	175	10	6	9
Balance of county	– – –	3,448	36	29	28
White	– – –	3,294	30	24	24
All other	– – –	154	6	5	4
Black	– – –	153	6	5	4
Pasco	2,626	3,071	22	18	18
New Port Richey	– – –	298	3	3	–
Balance of county	– – –	2,773	19	15	18
Pinellas	12,063	11,643	96	76	86
White	11,645	11,236	71	56	62
All other	418	407	25	20	24
Black	409	402	23	18	23
Clearwater	– – –	1,543	18	14	9
Dunedin	– – –	525	2	2	2
Gulfport	– – –	248	–	–	3
Largo	– – –	890	7	5	4
Pinellas Park	– – –	436	1	1	4
St. Petersburg	– – –	4,354	40	30	40
White	– – –	4,037	22	16	22
All other	– – –	317	18	14	18
Black	– – –	313	16	12	17
Tarpon Springs	– – –	181	4	4	–
White	– – –	167	3	3	–
All other	– – –	14	1	1	–
Black	– – –	14	1	1	–
Balance of county	– – –	3,466	24	20	24
Polk	3,323	3,234	73	46	56
White	2,948	2,832	46	24	35
All other	375	402	27	22	21
Black	373	401	27	22	21
Bartow	– – –	172	6	5	2
White	– – –	116	1	–	2
All other	– – –	56	5	5	–
Black	– – –	56	5	5	–
Haines City	– – –	105	6	5	3
White	– – –	67	–	–	–
All other	– – –	38	6	5	3
Black	– – –	38	6	5	3
Lakeland	– – –	618	14	8	11
White	– – –	517	10	5	7
All other	– – –	101	4	3	4
Black	– – –	101	4	3	4
Winter Haven	– – –	324	6	5	6
White	– – –	262	2	2	1
All other	– – –	62	4	3	5
Black	– – –	62	4	3	5
Balance of county	– – –	2,015	41	23	34
White	– – –	1,870	33	17	25
All other	– – –	145	8	6	9
Black	– – –	144	8	6	9
Putnam	440	569	14	5	4
White	350	460	5	1	3
All other	90	109	9	4	1
Black	89	109	9	4	1
Palatka	– – –	119	4	2	2
White	– – –	77	2	1	1
All other	– – –	42	2	1	1
Black	– – –	42	2	1	1
Balance of county	– – –	450	10	3	2
White	– – –	383	3	–	2
All other	– – –	67	7	3	–
Black	– – –	67	7	3	–
St. Johns	495	580	5	4	8
White	406	479	2	2	6
All other	89	101	3	2	2
Black	89	101	3	2	2
St. Augustine	– – –	231	1	–	4
White	– – –	177	–	–	2
All other	– – –	54	1	–	2
Black	– – –	54	1	–	2
Balance of county	– – –	349	4	4	4
White	– – –	302	2	2	4
All other	– – –	47	2	2	–
Black	– – –	47	2	2	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
St. Lucie	915	1,049	24	13	16
White	748	865	8	5	8
All other	167	184	16	8	8
Black	167	183	16	8	7
Fort Pierce	---	477	19	10	9
White	---	312	5	3	2
All other	---	165	14	7	7
Black	---	165	14	7	6
Port St. Lucie	---	210	1	1	2
Balance of county	---	362	4	2	5
White	---	345	2	1	4
All other	---	17	2	1	1
Black	---	17	2	1	1
Santa Rosa	218	380	6	4	9
Sarasota	3,246	3,178	33	31	16
White	3,164	3,098	20	19	13
All other	82	80	13	12	3
Black	81	77	13	12	3
Sarasota	---	866	17	15	8
White	---	798	6	5	5
All other	---	68	11	10	3
Black	---	67	11	10	3
Venice	---	305	-	-	1
Balance of county	---	2,007	16	16	7
Seminole	1,229	1,339	23	19	18
White	1,065	1,158	17	13	13
All other	164	181	6	6	5
Black	162	177	6	6	5
Altamonte Springs	---	155	-	-	3
Casselberry	---	112	2	2	2
Longwood	---	84	3	2	1
Sanford	---	291	3	3	4
White	---	200	1	1	1
All other	---	91	2	2	3
Black	---	91	2	2	3
Winter Springs	---	74	2	2	1
Balance of county	---	623	13	10	7
Sumter	93	284	8	3	8
White	78	232	2	-	7
All other	15	52	6	3	1
Black	15	51	6	3	1
Suwannee	169	245	6	4	3
White	136	198	3	3	3
All other	33	47	3	1	-
Black	33	47	3	1	-
Taylor	133	177	3	1	2
White	100	136	2	1	1
All other	33	41	1	-	1
Black	33	41	1	-	1
Union	46	90	1	1	-
White	31	65	1	1	-
All other	15	25	-	-	-
Black	15	24	-	-	-
Volusia	3,644	3,807	30	20	24
White	3,352	3,502	22	17	16
All other	292	305	8	3	8
Black	290	302	8	3	8
Daytona Beach	---	898	8	4	4
White	---	730	2	1	1
All other	---	168	6	3	3
Black	---	167	6	3	3
De Land	---	271	1	1	2
White	---	228	1	1	2
All other	---	43	-	-	-
Black	---	43	-	-	-
New Smyrna Beach	---	274	2	1	3
White	---	247	1	1	2
All other	---	27	1	-	1
Black	---	27	1	-	1
Ormond Beach	---	422	4	2	1
Port Orange	---	201	4	3	-
South Daytona	---	138	-	-	-
Balance of county	---	1,603	11	9	14
Wakulla	74	101	2	2	-
White	60	87	-	-	-
All other	14	14	2	2	-
Black	14	14	2	2	-
Walton	139	237	4	4	4
White	127	218	4	4	4
All other	12	19	-	-	-
Black	12	19	-	-	-
Washington	103	144	4	2	3
White	86	122	2	2	2
All other	17	22	2	-	1
Black	15	20	2	-	1
Georgia	44,847	44,179	1,142	751	1,243
White	32,254	31,713	546	367	642
All other	12,593	12,466	596	384	601
Black	12,538	12,414	588	379	594
Appling	97	144	2	-	1
White	85	120	1	-	-
All other	12	24	1	-	1
Black	12	24	1	-	1
Atkinson	19	75	4	3	1
White	12	59	1	1	1
All other	7	16	3	2	-
Black	7	16	3	2	-
Bacon	60	68	2	-	3
White	50	59	-	-	2
All other	10	9	2	-	1
Black	10	9	2	-	1
Baker	4	36	1	1	2
White	2	21	-	-	-
All other	2	15	1	1	2
Black	2	15	1	1	2
Baldwin	491	299	9	5	10
White	300	182	2	1	5
All other	191	117	7	4	5
Black	191	117	7	4	5
Milledgeville	---	138	8	5	4
White	---	67	1	1	3
All other	---	71	7	4	1
Black	---	71	7	4	1
Balance of county	---	161	1	-	6
White	---	115	1	-	2
All other	---	46	-	-	4
Black	---	46	-	-	4
Banks	13	71	-	-	4
Barrow	138	189	2	1	3
White	119	161	-	-	1
All other	19	28	2	1	2
Black	19	28	2	1	2
Bartow	264	346	9	9	8
White	232	300	8	8	6
All other	32	46	1	1	2
Black	32	46	1	1	2
Ben Hill	233	201	4	-	-
White	154	132	1	-	-
All other	79	69	3	-	-
Black	79	69	3	-	-
Fitzgerald, part	---	147	1	-	-
White	---	92	-	-	-
All other	---	55	1	-	-
Black	---	55	1	-	-
Fitzgerald, total	---	148	1	-	-
White	---	93	-	-	-
All other	---	55	1	-	-
Black	---	55	1	-	-
Balance of county	---	54	3	-	-
White	---	40	1	-	-
All other	---	14	2	-	-
Black	---	14	2	-	-
Berrien	66	118	5	4	2
White	56	104	3	3	2
All other	10	14	2	1	-
Black	10	14	2	1	-
Bibb	1,736	1,404	35	26	30
White	1,119	882	15	13	10
All other	617	522	20	13	20
Black	614	521	20	13	20
Macon, part	---	1,241	30	21	27
White	---	748	11	9	8
All other	---	493	19	12	19
Black	---	492	19	12	19
Macon, total	---	1,246	30	21	27
White	---	750	11	9	8
All other	---	496	19	12	19
Black	---	495	19	12	19
Balance of county	---	163	5	5	3
White	---	134	4	4	2
All other	---	29	1	1	1
Black	---	29	1	1	1
Bleckley	90	101	3	2	4
White	72	83	-	-	1
All other	18	18	3	2	3
Black	18	18	3	2	3
Brantley	20	71	-	-	1
Brooks	147	177	5	4	4
White	114	113	1	1	2
All other	33	64	4	3	2
Black	33	64	4	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Bryan	7	67	2	2	2
White	6	48	2	2	1
All other	1	19	–	–	1
Black	1	19	–	–	1
Bulloch	284	303	5	5	8
White	196	219	3	3	3
All other	88	84	2	2	5
Black	88	83	2	2	5
Statesboro	---	162	4	4	5
White	---	115	3	3	–
All other	---	47	1	1	5
Black	---	47	1	1	5
Balance of county	---	141	1	1	3
White	---	104	–	–	3
All other	---	37	1	1	–
Black	---	36	1	1	–
Burke	141	196	6	4	4
White	70	92	2	1	1
All other	71	104	4	3	3
Black	71	104	4	3	3
Butts	130	143	3	2	2
White	88	97	2	2	1
All other	42	46	1	–	1
Black	42	46	1	–	1
Calhoun	63	73	–	–	2
White	29	34	–	–	1
All other	34	39	–	–	1
Black	34	39	–	–	1
Camden	62	103	1	1	3
White	44	70	1	1	1
All other	18	33	–	–	2
Black	18	33	–	–	2
Candler	154	99	–	–	–
White	114	79	–	–	–
All other	40	20	–	–	–
Black	39	19	–	–	–
Carroll	435	465	18	14	13
White	380	396	10	7	11
All other	55	69	8	7	2
Black	55	69	8	7	2
Carrollton	---	123	3	2	1
White	---	98	1	–	–
All other	---	25	2	2	1
Black	---	25	2	2	1
Balance of county	---	342	15	12	12
White	---	298	9	7	11
All other	---	44	6	5	1
Black	---	44	6	5	1
Catoosa	511	248	2	–	5
Charlton	58	60	3	1	3
White	48	44	–	–	1
All other	10	16	3	1	2
Black	10	16	3	1	2
Chatham	2,166	1,853	51	33	62
White	1,364	1,123	17	11	17
All other	802	730	34	22	45
Black	797	727	34	22	45
Savannah	---	1,537	44	29	50
White	---	847	12	8	7
All other	---	690	32	21	43
Black	---	687	32	21	43
Balance of county	---	316	7	4	12
White	---	276	5	3	10
All other	---	40	2	1	2
Black	---	40	2	1	2
Chattahoochee	117	28	1	1	3
White	89	17	1	1	3
All other	28	11	–	–	–
Black	26	10	–	–	–
Chattooga	168	241	2	1	1
Cherokee	230	347	16	8	8
Clarke	897	452	10	5	7
White	652	286	5	3	4
All other	245	166	5	2	3
Black	245	166	5	2	3
Athens	---	322	5	2	3
White	---	191	2	1	1
All other	---	131	3	1	2
Black	---	131	3	1	2
Balance of county	---	130	5	3	4
White	---	95	3	2	3
All other	---	35	2	1	1
Black	---	35	2	1	1
Clay	59	51	–	–	–
White	37	25	–	–	–
All other	22	28	–	–	–
Black	22	26	–	–	–
Clayton	587	756	24	15	26
White	543	698	18	12	18
All other	44	58	6	3	8
Black	42	55	5	3	8
College Park, part	---	36	2	2	2
White	---	26	2	2	–
All other	---	10	–	–	2
Black	---	10	–	–	2
Forest Park	---	147	3	2	5
Balance of county	---	573	19	11	19
Clinch	49	63	–	–	2
White	31	44	–	–	1
All other	18	19	–	–	1
Black	18	18	–	–	1
Cobb	1,495	1,547	57	40	61
White	1,394	1,436	49	33	57
All other	101	111	8	7	4
Black	100	107	8	7	4
Marietta	---	348	12	9	21
White	---	291	9	6	18
All other	---	57	3	3	3
Black	---	55	3	3	3
Smyrna	---	161	8	4	6
Balance of county	---	1,038	37	27	34
Coffee	223	256	15	10	8
White	164	184	8	5	6
All other	59	72	7	5	2
Black	59	72	7	5	2
Douglas	---	139	5	3	1
White	---	92	1	–	1
All other	---	47	4	3	–
Black	---	47	4	3	–
Balance of county	---	117	10	7	7
White	---	92	7	5	5
All other	---	25	3	2	2
Black	---	25	3	2	2
Colquitt	247	343	10	6	10
White	206	278	6	5	7
All other	41	65	4	1	3
Black	41	65	4	1	3
Moultrie	---	185	6	3	4
White	---	135	2	2	2
All other	---	50	4	1	2
Black	---	50	4	1	2
Balance of county	---	158	4	3	6
White	---	143	4	3	5
All other	---	15	–	–	1
Black	---	15	–	–	1
Columbia	60	231	7	3	16
White	42	183	4	1	14
All other	18	48	3	2	2
Black	18	48	3	2	2
Cook	133	119	4	2	5
White	104	97	1	–	5
All other	29	22	3	2	–
Black	29	22	3	2	–
Coweta	346	375	5	1	12
White	249	265	1	–	4
All other	97	110	4	1	8
Black	97	110	4	1	8
Newnan	---	132	–	–	6
White	---	78	–	–	1
All other	---	54	–	–	5
Black	---	54	–	–	5
Balance of county	---	243	5	1	6
White	---	187	1	–	3
All other	---	56	4	1	3
Black	---	56	4	1	3
Crawford	22	54	1	–	3
White	12	31	1	–	1
All other	10	23	–	–	2
Black	10	23	–	–	2
Crisp	228	225	6	2	11
White	148	142	1	1	3
All other	80	83	5	1	8
Black	80	83	5	1	8
Cordele	---	147	4	1	6
White	---	73	–	–	2
All other	---	74	4	1	4
Black	---	74	4	1	4
Balance of county	---	78	2	1	5
White	---	69	1	1	1
All other	---	9	1	–	4
Black	---	9	1	–	4
Dade	42	80	2	2	–
Dawson	16	39	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Decatur	203	239	5	2	11
White	115	132	2	–	1
All other	88	107	3	2	10
Black	87	106	3	2	10
Bainbridge	---	122	1	1	3
White	---	62	–	–	1
All other	---	60	1	1	2
Black	---	59	1	1	2
Balance of county	---	117	4	1	8
White	---	70	2	–	–
All other	---	47	2	1	8
Black	---	47	2	1	8
De Kalb	2,963	2,824	88	61	72
White	2,493	2,161	38	27	42
All other	470	663	48	34	30
Black	461	657	48	34	27
Atlanta, part	---	462	15	8	16
White	---	190	1	1	6
All other	---	272	14	7	10
Black	---	272	14	7	10
Decatur	---	496	25	19	17
White	---	244	6	4	9
All other	---	252	19	15	8
Black	---	252	19	15	7
Balance of county	---	1,866	46	34	39
White	---	1,727	31	22	27
All other	---	139	15	12	12
Black	---	133	15	12	10
Dodge	167	175	7	4	5
White	117	129	1	–	3
All other	50	46	6	4	2
Black	50	46	6	4	2
Dooly	99	134	3	1	6
White	56	82	–	–	1
All other	43	52	3	1	5
Black	43	52	3	1	5
Dougherty	928	708	26	18	39
White	540	409	6	5	14
All other	388	299	20	13	25
Black	388	298	20	13	25
Albany	---	632	24	16	34
White	---	352	5	4	9
All other	---	280	19	12	25
Black	---	280	19	12	25
Balance of county	---	76	2	2	5
White	---	57	1	1	5
All other	---	19	1	1	–
Black	---	18	1	1	–
Douglas	340	333	8	2	12
Early	107	141	5	4	1
White	56	77	–	–	–
All other	51	64	5	4	1
Black	51	64	5	4	1
Echols	6	11	–	–	–
White	4	9	–	–	–
All other	2	2	–	–	–
Black	2	2	–	–	–
Effingham	72	130	5	4	5
White	55	103	2	2	4
All other	17	27	3	2	1
Black	17	27	3	2	1
Elbert	134	208	5	2	10
White	91	143	1	–	4
All other	43	65	4	2	6
Black	43	65	4	2	6
Emanuel	185	228	6	3	11
White	131	169	3	2	5
All other	54	59	3	1	6
Black	54	59	3	1	6
Evans	88	81	–	–	2
White	68	61	–	–	2
All other	20	20	–	–	–
Black	20	20	–	–	–
Fannin	94	167	2	1	3
Fayette	34	143	3	1	3
Floyd	943	746	16	13	19
White	818	640	14	11	11
All other	125	106	2	2	8
Black	125	106	2	2	8
Rome	---	400	11	9	7
White	---	308	9	7	1
All other	---	92	2	2	6
Black	---	92	2	2	6
Balance of county	---	346	5	4	12
Forsyth	186	214	4	3	2
Franklin	148	137	3	3	1
White	124	122	1	1	–
All other	24	15	2	2	1
Black	24	15	2	2	1
Fulton	7,277	5,510	135	93	134
White	4,292	2,943	30	20	36
All other	2,985	2,567	105	73	98
Black	2,973	2,558	103	72	96
Atlanta, part	---	4,039	100	64	104
White	---	1,691	15	8	18
All other	---	2,348	85	56	86
Black	---	2,341	83	55	85
Atlanta, total	---	4,501	115	72	120
White	---	1,881	16	9	24
All other	---	2,620	99	63	96
Black	---	2,613	97	62	95
College Park, part	---	218	10	8	6
White	---	145	2	1	4
All other	---	73	8	7	2
Black	---	73	8	7	2
College Park, total	---	254	12	10	8
White	---	171	4	3	4
All other	---	83	8	7	4
Black	---	83	8	7	4
East Point	---	372	12	11	7
White	---	285	3	3	3
All other	---	87	9	8	4
Black	---	87	9	8	4
Roswell	---	109	1	1	–
Balance of county	---	772	12	9	17
White	---	718	10	8	11
All other	---	54	2	1	6
Black	---	52	2	1	5
Gilmer	70	117	2	2	2
Glascock	5	29	–	–	–
White	3	23	–	–	–
All other	2	6	–	–	–
Black	2	6	–	–	–
Glynn	544	489	14	9	20
White	365	335	5	3	5
All other	179	154	9	6	15
Black	179	154	9	6	15
Brunswick	---	227	12	8	13
White	---	117	4	2	2
All other	---	110	8	6	11
Black	---	110	8	6	11
Balance of county	---	262	2	1	7
White	---	218	1	1	3
All other	---	44	1	–	4
Black	---	44	1	–	4
Gordon	204	268	5	1	3
Grady	136	200	4	3	4
White	83	130	1	1	1
All other	53	70	3	2	3
Black	53	70	3	2	3
Greene	97	121	9	8	10
White	53	62	–	–	3
All other	44	59	9	8	7
Black	44	59	9	8	7
Gwinnett	527	811	30	26	29
Habersham	175	193	2	1	4
Hall	736	596	11	8	12
Gainesville	---	187	4	2	9
White	---	154	2	1	7
All other	---	33	2	1	2
Black	---	33	2	1	2
Balance of county	---	409	7	6	3
Hancock	41	98	7	5	4
White	12	34	–	–	1
All other	29	64	7	5	3
Black	29	64	7	5	3
Haralson	120	154	–	–	5
Harris	61	158	2	–	1
White	31	86	1	–	1
All other	30	72	1	–	–
Black	30	72	1	–	–
Hart	117	179	10	9	2
White	93	138	5	4	2
All other	24	41	5	5	–
Black	24	41	5	5	–
Heard	45	69	2	1	1
White	38	64	–	–	–
All other	7	5	2	1	1
Black	7	5	2	1	1
Henry	249	311	8	4	6
White	196	242	5	2	2
All other	53	69	3	2	4
Black	53	69	3	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Houston	403	464	14	11	18
White	313	369	13	10	16
All other	90	95	1	1	2
Black	90	94	1	1	2
Warner Robins	---	258	9	8	14
White	---	223	8	7	12
All other	---	35	1	1	2
Black	---	34	1	1	2
Balance of county	---	206	5	3	4
White	---	146	5	3	4
All other	---	60	-	-	-
Black	---	60	-	-	-
Irwin	50	83	2	2	-
White	35	64	1	1	-
All other	15	19	1	1	-
Black	15	19	1	1	-
Fitzgerald, part	---	1	-	-	-
Balance of county	---	82	2	2	-
White	---	63	1	1	-
All other	---	19	1	1	-
Black	---	19	1	1	-
Jackson	138	251	6	4	6
White	124	222	6	4	4
All other	14	29	-	-	2
Black	14	29	-	-	2
Jasper	41	68	-	-	1
White	24	41	-	-	-
All other	17	27	-	-	1
Black	16	26	-	-	1
Jeff Davis	61	100	5	1	4
White	49	84	1	-	4
All other	12	16	4	1	-
Black	12	16	4	1	-
Jefferson	141	180	5	4	4
White	71	95	2	2	-
All other	70	85	3	2	4
Black	70	85	3	2	4
Jenkins	87	123	3	3	4
White	54	79	1	1	-
All other	33	44	2	2	4
Black	33	44	2	2	4
Johnson	41	104	2	2	4
White	28	76	1	1	2
All other	13	28	1	1	2
Black	13	28	1	1	2
Jones	74	121	4	3	10
White	56	81	1	-	8
All other	18	40	3	3	2
Black	18	40	3	3	2
Macon, part	---	5	-	-	-
White	---	2	-	-	-
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	116	4	3	10
White	---	79	1	-	8
All other	---	37	3	3	2
Black	---	37	3	3	2
Lamar	61	137	4	3	2
White	48	101	3	2	1
All other	13	36	1	1	1
Black	13	36	1	1	1
Lanier	46	52	3	2	1
White	30	37	1	1	-
All other	16	15	2	1	1
Black	16	15	2	1	1
Laurens	538	372	10	7	13
White	372	246	1	1	5
All other	166	126	9	6	8
Black	166	125	9	6	8
Dublin	---	190	6	5	9
White	---	110	-	-	2
All other	---	80	6	5	7
Black	---	80	6	5	7
Balance of county	---	182	4	2	4
White	---	136	1	1	3
All other	---	46	3	1	1
Black	---	45	3	1	1
Lee	7	61	-	-	5
White	3	42	-	-	2
All other	4	19	-	-	3
Black	4	19	-	-	3
Liberty	108	193	17	10	9
White	68	122	9	5	4
All other	40	71	8	5	5
Black	39	70	8	5	5
Hinesville	---	94	13	7	4
White	---	75	7	4	2
All other	---	19	6	3	2
Black	---	19	6	3	2
Balance of county	---	99	4	3	5
White	---	47	2	1	2
All other	---	52	2	2	3
Black	---	51	2	2	3
Lincoln	33	69	-	-	-
White	20	41	-	-	-
All other	13	28	-	-	-
Black	13	28	-	-	-
Long	3	32	2	-	3
White	3	22	1	-	1
All other	-	10	1	-	2
Black	-	10	1	-	2
Lowndes	551	491	13	7	15
White	366	314	5	2	6
All other	185	177	8	5	9
Black	184	176	8	5	9
Valdosta	---	307	12	7	11
White	---	170	4	2	3
All other	---	137	8	5	8
Black	---	137	8	5	8
Balance of county	---	184	1	-	4
White	---	144	1	-	3
All other	---	40	-	-	1
Black	---	39	-	-	1
Lumpkin	80	87	1	1	2
McDuffie	167	172	2	2	9
White	91	117	-	-	3
All other	76	55	2	2	6
Black	76	55	2	2	6
McIntosh	33	81	4	2	3
White	25	44	2	1	2
All other	8	37	2	1	1
Black	8	37	2	1	1
Macon	115	148	5	2	3
White	53	68	-	-	2
All other	62	80	5	2	1
Black	62	80	5	2	1
Madison	26	140	3	2	1
White	21	121	2	1	1
All other	5	19	1	1	-
Black	5	19	1	1	-
Marion	40	49	-	-	1
White	19	28	-	-	1
All other	21	21	-	-	-
Black	21	21	-	-	-
Meriwether	125	205	2	1	5
White	79	115	-	-	3
All other	46	90	2	1	2
Black	46	90	2	1	2
Miller	67	51	1	-	1
White	45	40	1	-	-
All other	22	11	-	-	1
Black	22	11	-	-	1
Mitchell	159	221	7	1	6
White	99	134	2	-	1
All other	60	87	5	1	5
Black	60	87	5	1	5
Monroe	149	130	2	2	2
White	109	86	-	-	2
All other	40	44	2	2	-
Black	40	44	2	2	-
Montgomery	8	57	-	-	-
White	5	43	-	-	-
All other	3	14	-	-	-
Black	3	14	-	-	-
Vidalia, part	---	1	-	-	-
Balance of county	---	56	-	-	-
White	---	43	-	-	-
All other	---	13	-	-	-
Black	---	13	-	-	-
Morgan	59	103	1	-	1
White	29	64	-	-	-
All other	30	39	1	-	1
Black	30	39	1	-	1
Murray	77	136	1	-	2
Muscogee	1,602	1,433	55	38	47
White	963	894	25	18	19
All other	639	539	30	20	28
Black	637	536	28	19	27
Columbus	---	1,382	48	32	45
White	---	865	22	15	18
All other	---	517	26	17	27
Black	---	514	24	16	26
Balance of county	---	51	7	6	2
Newton	218	279	8	6	11
White	162	207	7	5	3
All other	56	72	1	1	8
Black	56	72	1	1	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Covington	---	118	3	3	4
White	---	77	2	2	-
All other	---	41	1	1	4
Black	---	41	1	1	4
Balance of county	---	161	5	3	7
White	---	130	5	3	3
All other	---	31	-	-	4
Black	---	31	-	-	4
Oconee	25	69	1	1	1
White	19	62	1	1	-
All other	6	7	-	-	1
Black	6	7	-	-	1
Oglethorpe	13	74	1	1	-
White	11	56	1	1	-
All other	2	18	-	-	-
Black	2	18	-	-	-
Paulding	131	199	6	4	3
Peach	132	164	5	2	4
White	73	93	2	1	1
All other	59	71	3	1	3
Black	59	71	3	1	3
Pickens	108	136	1	-	1
Pierce	82	124	5	2	-
White	66	99	2	1	-
All other	16	25	3	1	-
Black	16	25	3	1	-
Pike	13	74	1	-	1
White	10	58	-	-	-
All other	3	16	1	-	1
Black	3	16	1	-	1
Polk	211	327	10	6	12
White	183	287	10	6	8
All other	28	40	-	-	4
Black	28	40	-	-	4
Pulaski	103	97	1	-	1
White	74	63	-	-	-
All other	29	34	1	-	1
Black	29	34	1	-	1
Putnam	110	98	-	-	3
White	67	65	-	-	1
All other	43	33	-	-	2
Black	43	33	-	-	2
Quitman	12	37	-	-	-
White	3	17	-	-	-
All other	9	20	-	-	-
Black	9	20	-	-	-
Rabun	104	104	-	-	-
Randolph	98	122	2	2	3
White	42	51	1	1	1
All other	56	71	1	1	2
Black	56	71	1	1	2
Richmond	2,858	1,432	32	22	46
White	1,875	868	16	10	17
All other	983	564	16	12	29
Black	977	560	16	12	29
Augusta	---	765	12	10	23
White	---	384	4	3	6
All other	---	381	8	7	17
Black	---	378	8	7	17
Balance of county	---	667	20	12	23
White	---	484	12	7	11
All other	---	183	8	5	12
Black	---	182	8	5	12
Rockdale	222	224	8	6	3
Schley	8	32	-	-	-
White	6	20	-	-	-
All other	2	12	-	-	-
Black	2	12	-	-	-
Screven	81	110	1	1	10
White	44	65	-	-	4
All other	37	45	1	1	6
Black	37	45	1	1	6
Seminole	85	120	1	1	5
White	57	87	1	1	2
All other	28	33	-	-	3
Black	28	33	-	-	3
Spalding	437	441	8	6	8
White	328	331	4	2	5
All other	109	110	4	4	3
Black	109	110	4	4	3
Griffin	---	294	6	5	4
White	---	204	3	2	3
All other	---	90	3	3	1
Black	---	90	3	3	1
Balance of county	---	147	2	1	4
White	---	127	1	-	2
All other	---	20	1	1	2
Black	---	20	1	1	2
Stephens	203	205	1	1	-
White	177	175	1	1	-
All other	26	30	-	-	-
Black	26	30	-	-	-
Stewart	36	60	2	1	3
White	16	30	-	-	2
All other	20	30	2	1	1
Black	20	30	2	1	1
Sumter	345	286	5	3	9
White	199	158	1	-	1
All other	146	128	4	3	8
Black	146	128	4	3	8
Americus	---	175	2	1	2
White	---	97	1	-	-
All other	---	78	1	1	2
Black	---	78	1	1	2
Balance of county	---	111	3	2	7
White	---	61	-	-	1
All other	---	50	3	2	6
Black	---	50	3	2	6
Talbot	19	65	1	-	-
White	6	27	-	-	-
All other	13	38	1	-	-
Black	13	38	1	-	-
Taliaferro	4	31	1	-	-
White	2	13	-	-	-
All other	2	18	1	-	-
Black	2	18	1	-	-
Tattnall	116	178	2	-	1
White	81	137	1	-	-
All other	35	41	1	-	1
Black	35	41	1	-	1
Taylor	23	87	5	3	-
White	11	43	-	-	-
All other	12	44	5	3	-
Black	12	44	5	3	-
Telfair	121	144	2	2	6
White	87	98	2	2	1
All other	34	46	-	-	5
Black	34	46	-	-	5
Terrell	72	108	2	1	6
White	36	50	-	-	2
All other	36	58	2	1	4
Black	36	58	2	1	4
Thomas	451	388	13	6	12
White	281	235	2	1	5
All other	170	153	11	5	7
Black	170	153	11	5	7
Thomasville	---	216	4	1	4
White	---	125	1	-	2
All other	---	91	3	1	2
Black	---	91	3	1	2
Balance of county	---	172	9	5	8
White	---	110	1	1	3
All other	---	62	8	4	5
Black	---	62	8	4	5
Tift	333	279	5	4	12
White	249	198	1	1	10
All other	84	81	4	3	2
Black	84	81	4	3	2
Tifton	---	129	4	3	5
White	---	100	-	-	3
All other	---	29	4	3	2
Black	---	29	4	3	2
Balance of county	---	150	1	1	7
White	---	98	1	1	7
All other	---	52	-	-	-
Black	---	52	-	-	-
Toombs	232	226	6	3	8
White	179	170	3	1	4
All other	53	56	3	2	4
Black	53	56	3	2	4
Vidalia, part	---	81	2	2	5
White	---	45	-	-	1
All other	---	36	2	2	4
Black	---	36	2	2	4
Vidalia, total	---	82	2	2	5
White	---	45	-	-	1
All other	---	37	2	2	4
Black	---	37	2	2	4
Balance of county	---	145	4	1	3
White	---	125	3	1	3
All other	---	20	1	-	-
Black	---	20	1	-	-
Towns	54	59	1	-	1
Treutlen	23	54	-	-	2
White	12	37	-	-	-
All other	11	17	-	-	2
Black	11	17	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Troup	569	500	8	8	14
White	398	350	2	2	6
All other	171	150	6	6	8
Black	171	150	6	6	8
La Grange	---	276	7	7	9
White	---	174	2	2	4
All other	---	102	5	5	5
Black	---	102	5	5	5
Balance of county	---	224	1	1	5
White	---	176	–	–	2
All other	---	48	1	1	3
Black	---	48	1	1	3
Turner	85	108	2	2	2
White	63	84	1	1	–
All other	22	24	1	1	2
Black	22	24	1	1	2
Twiggs	40	85	1	–	2
White	23	53	1	–	2
All other	17	32	–	–	–
Black	17	32	–	–	–
Union	86	93	1	–	1
Upson	380	303	8	8	6
White	265	221	5	5	4
All other	115	82	3	3	2
Black	114	81	3	3	2
Walker	97	484	4	2	7
Walton	213	288	6	4	10
White	163	224	2	2	4
All other	50	64	4	2	6
Black	50	64	4	2	6
Ware	411	337	6	6	12
White	336	261	1	1	8
All other	75	76	5	5	4
Black	72	74	4	4	3
Waycross	---	224	6	6	9
White	---	154	1	1	6
All other	---	70	5	5	3
Black	---	68	4	4	2
Balance of county	---	113	–	–	3
Warren	18	85	2	–	1
White	7	37	–	–	1
All other	11	48	2	–	–
Black	11	48	2	–	–
Washington	172	200	8	5	6
White	101	115	1	1	2
All other	71	85	7	4	4
Black	71	85	7	4	4
Wayne	229	204	5	3	2
White	165	161	3	2	1
All other	64	43	2	1	1
Black	64	43	2	1	1
Webster	10	22	1	–	–
White	4	11	–	–	–
All other	6	11	1	–	–
Black	6	11	1	–	–
Wheeler	55	72	–	–	1
White	39	58	–	–	1
All other	16	14	–	–	–
Black	16	14	–	–	–
White	37	82	1	–	3
Whitfield	553	471	10	6	16
Dalton	---	215	1	–	5
White	---	201	1	–	3
All other	---	14	–	–	2
Black	---	14	–	–	2
Balance of county	---	256	9	6	11
Wilcox	30	81	2	2	2
White	17	53	1	1	–
All other	13	28	1	1	2
Black	13	28	1	1	2
Wilkes	116	133	2	1	5
White	61	67	–	–	3
All other	55	66	2	1	2
Black	55	66	2	1	2
Wilkinson	38	102	2	1	3
White	23	53	–	–	1
All other	15	49	2	1	2
Black	15	49	2	1	2
Worth	104	143	3	2	5
White	62	95	2	2	3
All other	42	48	1	–	2
Black	42	48	1	–	2
Hawaii	5,495	5,188	164	107	218
White	1,901	1,688	40	24	61
All other	3,594	3,500	124	83	157
Black	53	42	11	6	16
Hawaii-Con.					
Hawaii	558	601	15	6	26
White	217	210	3	1	8
All other	341	391	12	5	18
Black	4	2	–	–	–
Hilo#	---	263	8	3	12
White	---	73	2	–	2
All other	---	190	6	3	10
Black	---	2	–	–	–
Balance of county	---	338	7	3	14
White	---	137	1	1	6
All other	---	201	6	2	8
Black	---	–	–	–	–
Honolulu	4,209	3,817	128	87	172
White	1,426	1,260	31	19	47
All other	2,783	2,557	97	68	125
Black	48	39	10	5	16
Aiea#	---	134	7	4	6
White	---	34	–	–	4
All other	---	100	7	4	2
Black	---	3	1	–	–
Ewa Beach#	---	105	6	4	8
White	---	32	2	2	2
All other	---	73	4	2	6
Black	---	–	–	–	1
Honolulu#	---	2,226	47	28	72
White	---	755	12	7	14
All other	---	1,471	35	21	58
Black	---	18	5	2	4
Kailua#	---	211	2	2	9
White	---	129	–	–	3
All other	---	82	2	2	6
Black	---	1	–	–	1
Kaneohe#	---	231	7	5	14
White	---	77	–	–	2
All other	---	154	7	5	12
Black	---	3	1	1	1
Mililani Town#	---	37	–	–	5
White	---	14	–	–	3
All other	---	23	–	–	2
Black	---	–	–	–	1
Mokapu# [4]	---	–	–	–	6
White	---	–	–	–	4
All other	---	–	–	–	2
Black	---	–	–	–	2
Pearl City#	---	122	7	4	9
White	---	17	1	–	3
All other	---	105	6	4	6
Black	---	4	2	1	–
Schofield Barracks#	---	19	4	4	6
White	---	14	4	4	3
All other	---	5	–	–	3
Black	---	3	–	–	3
Wahiawa#	---	104	4	3	11
White	---	19	2	1	4
All other	---	85	2	2	7
Black	---	1	–	–	3
Waipahu#	---	135	14	12	10
White	---	21	1	1	2
All other	---	114	13	11	8
Black	---	–	–	–	–
Balance of county [4]	---	493	30	21	16
White	---	148	9	4	3
All other	---	345	21	17	13
Black	---	6	1	1	–
Kalawao	1	2	–	–	–
White	–	–	–	–	–
All other	1	2	–	–	–
Black	–	–	–	–	–
Kauai	273	282	9	7	7
White	75	59	1	1	2
All other	198	223	8	6	5
Black	1	1	1	1	–
Maui	454	486	12	7	13
White	183	159	5	3	4
All other	271	327	7	4	9
Black	–	–	–	–	–
Kahului#	---	105	3	2	–
White	---	22	–	–	–
All other	---	83	3	2	–
Black	---	–	–	–	–
Wailuku#	---	71	1	–	2
White	---	18	–	–	–
All other	---	53	1	–	2
Black	---	–	–	–	–
Balance of county	---	310	8	5	11
White	---	119	5	3	4
All other	---	191	3	2	7
Black	---	–	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho	6,597	6,957	195	123	140
White	6,488	6,847	193	122	136
All other	109	110	2	1	4
Black	9	8	1	1	2
Ada	1,333	1,108	32	16	21
Boise City	---	908	25	12	17
Balance of county	---	200	7	4	4
Adams	15	29	-	-	-
Bannock	475	439	12	10	10
Pocatello	---	353	11	9	9
Balance of county	---	76	1	1	1
Bear Lake	59	60	-	-	2
Benewah	45	69	4	3	5
Bingham	148	223	7	3	6
Blackfoot	---	84	-	-	3
Balance of county	---	139	7	3	3
White	---	122	7	3	2
All other	---	17	-	-	1
Black	---	-	-	-	-
Blaine	61	64	1	-	1
Boise	10	16	-	-	-
Bonner	168	206	7	6	9
Bonneville	499	386	18	11	9
Idaho Falls	---	305	12	8	6
Balance of county	---	81	6	3	3
Boundary	44	47	1	-	3
Butte	39	32	2	2	2
Camas	4	7	-	-	-
Canyon	640	672	24	15	7
Caldwell	---	161	8	6	2
White	---	161	8	6	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Nampa	---	300	5	3	3
Balance of county	---	211	11	6	2
Caribou	43	47	3	3	1
Cassia	128	139	11	7	7
Clark	6	6	-	-	-
Clearwater	67	72	2	2	2
Custer	17	31	-	-	-
Elmore	94	122	10	5	-
Franklin	62	80	1	1	1
Fremont	56	75	3	2	7
Gem	90	97	2	1	2
Gooding	102	130	1	-	4
Idaho	123	134	1	-	1
Jefferson	57	110	5	3	1
Jerome	73	104	4	1	1
Kootenai	417	471	9	7	6
Coeur d'Alene	---	265	1	1	4
Balance of county	---	206	8	6	2
Latah	188	206	5	5	3
Moscow	---	113	4	4	1
Balance of county	---	93	1	1	2
Lemhi	59	72	-	-	-
Lewis	14	44	2	2	-
Lincoln	25	30	-	-	3
Madison	66	97	5	3	1
Rexburg	---	49	2	1	1
Balance of county	---	48	3	2	-
Minidoka	101	143	3	3	5
Nez Perce	321	322	6	4	1
Lewiston	---	276	6	4	1
Balance of county	---	46	-	-	-
White	---	38	-	-	-
All other	---	8	-	-	-
Black	---	-	-	-	-
Oneida	30	39	2	2	2
Owyhee	35	67	-	-	2
Payette	69	157	3	2	1
Power	50	48	-	-	-
Shoshone	133	161	2	1	2
Teton	16	23	-	-	1
Twin Falls	494	454	7	3	7
Twin Falls	---	256	5	2	3
Balance of county	---	198	2	1	4
Valley	53	30	-	-	2
Washington	68	88	-	-	2
Illinois	97,773	100,501	2,500	1,716	1,620
White	83,927	86,435	1,514	1,078	1,051
All other	13,846	14,066	986	638	569
Black	13,518	13,730	960	620	544
Illinois-Con.					
Adams	931	829	17	16	6
Quincy	---	621	12	11	6
Balance of county	---	208	5	5	-
Alexander	97	174	3	1	2
White	54	116	-	-	-
All other	43	58	3	1	2
Black	43	58	3	1	2
Bond	144	167	3	2	2
Boone	188	200	1	1	1
Belvidere	---	121	-	-	-
Balance of county	---	79	1	1	1
Brown	15	57	1	1	-
Bureau	465	440	5	4	5
Calhoun	31	69	1	1	1
Carroll	121	217	2	2	6
Cass	124	167	2	2	2
Champaign	1,235	900	30	20	23
White	1,139	813	25	16	17
All other	96	87	5	4	6
Black	93	84	4	3	5
Champaign	---	327	6	4	9
White	---	272	4	2	4
All other	---	55	2	2	5
Black	---	53	1	1	5
Rantoul	---	66	6	3	3
White	---	60	5	3	3
All other	---	6	1	-	-
Black	---	5	1	-	-
Urbana	---	229	11	10	4
White	---	211	9	8	3
All other	---	18	2	2	1
Black	---	18	2	2	-
Balance of county	---	278	7	3	7
Christian	341	434	10	8	7
Taylorville	---	158	2	1	3
Balance of county	---	276	8	7	4
Clark	104	204	4	3	1
Clay	158	206	7	3	4
Clinton	187	276	5	2	2
Centralia, part	---	34	-	-	-
Balance of county	---	242	5	2	2
Coles	481	475	12	8	8
Charleston	---	145	2	2	5
Mattoon	---	232	5	2	2
Balance of county	---	98	5	4	1
Cook	47,318	47,898	1,391	935	867
White	35,803	36,322	603	424	420
All other	11,515	11,576	788	511	447
Black	11,253	11,316	771	500	433
Alsip	---	103	2	1	2
Arlington Heights, part	---	462	4	3	7
Arlington Heights, total	---	463	4	3	7
Bartlett, part	---	36	1	1	2
Bellwood	---	138	3	3	2
White	---	112	1	1	-
All other	---	26	2	2	2
Black	---	23	2	2	2
Bensenville, part	---	4	-	-	-
Berwyn	---	651	6	5	2
Blue Island	---	229	8	6	6
White	---	215	5	4	4
All other	---	14	3	2	2
Black	---	14	3	2	2
Bridgeview	---	132	2	2	-
Brookfield	---	201	-	-	1
Buffalo Grove, part	---	67	4	3	-
Buffalo Grove, total	---	82	4	3	1
Burbank	---	199	6	4	4
Calumet City	---	381	8	5	2
Chicago, part	---	29,505	1,033	671	629
White	---	18,926	326	217	234
All other	---	10,579	707	454	395
Black	---	10,373	691	444	387
Chicago, total	---	29,505	1,033	671	629
White	---	18,926	326	217	234
All other	---	10,579	707	454	395
Black	---	10,373	691	444	387
Chicago Heights	---	329	17	13	9
White	---	256	9	7	2
All other	---	73	8	6	7
Black	---	73	8	6	7
Chicago Ridge	---	119	2	1	7
Cicero	---	771	14	9	8
Country Club Hills	---	50	1	-	-
White	---	45	-	-	-
All other	---	5	1	-	-
Black	---	5	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Crestwood	---	85	-	-	3
Deerfield, part	---	3	-	-	-
Des Plaines	---	656	8	6	6
Dolton	---	221	5	4	-
Elgin, part	---	43	3	2	1
White	---	40	1	-	1
All other	---	3	2	2	-
Black	---	3	2	2	-
Elk Grove Village, part	---	129	5	5	5
Elk Grove Village, total	---	129	5	5	5
Elmwood Park	---	309	3	3	-
Evanston	---	767	9	5	5
White	---	618	5	2	5
All other	---	149	4	3	-
Black	---	148	4	3	-
Evergreen Park	---	291	4	3	2
Forest Park	---	195	4	4	2
White	---	190	3	3	2
All other	---	5	1	1	-
Black	---	4	1	1	-
Franklin Park	---	162	3	3	2
Glenview	---	303	5	4	3
Glenwood	---	97	1	1	1
White	---	93	1	1	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Hanover Park, part	---	63	4	4	4
Hanover Park, total	---	80	10	9	6
Harvey	---	271	14	12	11
White	---	141	1	1	-
All other	---	130	13	11	11
Black	---	130	13	11	11
Hazel Crest	---	112	3	2	5
White	---	97	1	1	3
All other	---	15	2	1	2
Black	---	15	2	1	2
Hickory Hills	---	83	4	3	2
Hinsdale, part	---	24	1	1	-
Hoffman Estates	---	154	6	5	1
Homewood	---	196	4	3	3
Justice	---	65	3	1	-
White	---	61	1	-	-
All other	---	4	2	1	-
Black	---	4	2	1	-
La Grange	---	174	-	-	1
La Grange Park	---	153	-	-	1
Lansing	---	225	2	2	1
Lincolnwood	---	97	-	-	-
Markham	---	92	4	2	1
White	---	23	-	-	-
All other	---	69	4	2	1
Black	---	69	4	2	1
Matteson	---	56	-	-	3
White	---	52	-	-	2
All other	---	4	-	-	1
Black	---	4	-	-	1
Maywood	---	213	8	6	5
White	---	88	-	-	1
All other	---	125	8	6	4
Black	---	124	8	6	4
Melrose Park	---	196	4	4	2
Midlothian	---	126	3	3	-
Morton Grove	---	169	2	2	-
Mount Prospect	---	316	6	4	3
Niles	---	392	5	4	-
Norridge	---	191	-	-	-
Northbrook	---	262	5	3	-
Northlake	---	115	3	2	3
Oak Forest	---	129	9	8	1
Oak Lawn	---	624	4	3	3
Oak Park	---	535	10	8	6
White	---	516	8	6	3
All other	---	19	2	2	3
Black	---	18	2	2	3
Orland Park	---	126	4	4	4
Palatine	---	244	4	2	5
Palos Heights	---	123	1	1	1
Palos Hills	---	123	3	3	1
Park Forest, part	---	127	6	5	3
White	---	121	4	3	1
All other	---	6	2	2	2
Black	---	6	2	2	2
Park Forest, total	---	134	6	5	3
White	---	128	4	3	1
All other	---	6	2	2	2
Black	---	6	2	2	2
Park Ridge	---	392	5	4	2
Prospect Heights	---	56	-	-	4
Riverdale	---	160	3	3	-
River Forest	---	118	1	1	1
River Grove	---	98	-	-	1
Rolling Meadows	---	110	2	1	2
Roselle, part	---	7	2	1	2
Sauk Village	---	30	-	-	3
Schaumburg, part	---	259	8	5	7
Schaumburg, total	---	261	8	5	7
Schiller Park	---	68	3	1	2
Skokie	---	583	5	2	3
South Holland	---	200	2	1	2
Streamwood	---	79	2	1	6
Summit	---	86	2	1	2
White	---	75	2	1	-
All other	---	11	-	-	2
Black	---	11	-	-	2
Tinley Park, part	---	175	5	3	3
Tinley Park, total	---	176	5	3	3
Westchester	---	174	2	2	-
Western Springs	---	93	1	-	-
Wheeling, part	---	139	7	6	6
Wheeling, total	---	139	7	6	6
Wilmette	---	247	2	2	-
Winnetka	---	77	1	-	-
Worth	---	94	5	3	-
Balance of county	---	2,219	50	34	40
White	---	1,998	32	23	35
All other	---	221	18	11	5
Black	---	218	18	11	4
Crawford	191	281	5	5	4
Cumberland	34	109	3	3	2
De Kalb	507	517	16	15	7
De Kalb	---	158	6	5	1
Balance of county	---	359	10	10	6
De Witt	104	159	2	2	3
Douglas	118	182	4	2	2
Du Page	3,684	3,837	97	65	70
White	3,625	3,789	94	64	64
All other	59	48	3	1	6
Black	44	26	3	1	4
Addison	---	122	9	9	3
Aurora, part	---	3	-	-	-
Bartlett, part	---	14	1	-	-
Bartlett, total	---	50	2	1	2
Batavia, part	---	-	-	-	-
Bensenville, part	---	130	2	-	2
Bensenville, total	---	134	2	-	2
Bloomingdale	---	165	2	1	3
Bolingbrook, part	---	4	-	-	-
White	---	4	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Carol Stream	---	65	6	5	3
Chicago, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Darien	---	75	-	-	4
Downers Grove	---	342	3	2	5
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	362	7	5	2
Glendale Heights	---	67	6	3	5
White	---	64	6	3	5
All other	---	3	-	-	-
Black	---	-	-	-	-
Glen Ellyn	---	156	6	5	1
Hanover Park, part	---	17	6	5	2
Hinsdale, part	---	98	-	-	1
Hinsdale, total	---	122	1	1	1
Lisle	---	78	7	5	3
Lombard	---	227	8	7	6
Naperville, part	---	242	2	1	3
Naperville, total	---	244	3	2	3
Roselle, part	---	55	4	1	2
Roselle, total	---	62	6	2	4
St. Charles, part	---	-	-	-	-
Schaumburg, part	---	2	-	-	-
Villa Park	---	174	4	3	5
West Chicago	---	113	3	1	1
White	---	110	3	1	1
All other	---	3	-	-	-
Black	---	2	-	-	-
Westmont	---	199	3	1	-
Wheaton	---	268	6	5	7
Wood Dale	---	85	2	1	2
Woodridge	---	58	2	2	1
Balance of county	---	716	8	3	9
Edgar	241	292	3	2	1
Edwards	35	88	-	-	2
Effingham	373	308	3	1	2
Effingham	---	133	-	-	-
Balance of county	---	175	3	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Fayette	191	245	3	2	2
Ford	160	172	–	–	2
Franklin	468	598	8	4	5
Fulton	348	426	8	4	5
Canton	---	149	2	1	2
Balance of county	---	277	6	3	3
Gallatin	23	83	1	1	2
Greene	151	207	1	–	2
Grundy	214	241	7	5	10
Hamilton	97	129	1	–	2
Hancock	168	254	3	3	1
Hardin	69	84	1	1	–
Henderson	25	98	1	1	–
Henry	396	512	5	4	4
Kewanee	---	187	2	2	3
Balance of county	---	325	3	2	1
Iroquois	253	346	8	6	4
Jackson	455	388	7	5	8
White	401	340	4	4	5
All other	54	48	3	1	3
Black	53	47	2	–	3
Carbondale	---	115	2	2	3
White	---	87	2	2	1
All other	---	28	–	–	2
Black	---	28	–	–	2
Balance of county	---	273	5	3	5
Jasper	46	126	3	3	3
Jefferson	390	395	8	7	6
Mount Vernon	---	236	5	4	3
Balance of county	---	159	3	3	3
Jersey	197	208	4	2	3
Jo Daviess	95	189	3	3	5
Johnson	38	105	–	–	1
Kane	2,438	2,138	74	55	45
White	2,351	2,052	62	46	36
All other	87	86	12	9	9
Black	83	80	11	8	8
Aurora, part	---	734	33	23	15
White	---	680	24	16	9
All other	---	54	9	7	6
Black	---	52	8	6	6
Aurora, total	---	737	33	23	15
White	---	683	24	16	9
All other	---	54	9	7	6
Black	---	52	8	6	6
Batavia, part	---	133	3	3	1
Batavia, total	---	133	3	3	1
Carpentersville	---	127	9	5	10
Elgin, part	---	510	11	8	11
White	---	490	10	8	9
All other	---	20	1	–	2
Black	---	17	1	–	2
Elgin, total	---	553	14	10	12
White	---	530	11	8	10
All other	---	23	3	2	2
Black	---	20	3	2	2
St. Charles, part	---	136	6	6	4
St. Charles, total	---	136	6	6	4
Balance of county	---	498	12	10	4
Kankakee	887	873	29	21	13
White	774	752	12	9	5
All other	113	121	17	12	8
Black	111	119	16	11	8
Bourbonnais	---	66	2	2	–
Bradley	---	116	2	2	1
Kankakee	---	326	12	11	9
White	---	269	1	1	3
All other	---	57	11	10	6
Black	---	56	10	9	6
Balance of county	---	365	13	6	3
White	---	302	7	4	1
All other	---	63	6	2	2
Black	---	62	6	2	2
Kendall	91	199	4	4	6
Knox	725	660	6	3	8
Galesburg	---	398	4	2	3
Balance of county	---	262	2	1	5
Lake	2,979	2,592	71	46	46
White	2,814	2,439	51	34	43
All other	165	153	20	12	3
Black	160	147	19	11	2
Arlington Heights, part	---	1	–	–	–
Buffalo Grove, part	---	15	–	–	1
Deerfield, part	---	90	–	–	2
Deerfield, total	---	93	–	–	2
Highland Park	---	162	2	1	2
Lake Forest	---	93	2	2	1
Libertyville	---	136	1	–	–
Mundelein	---	87	4	4	2
North Chicago	---	124	8	8	–
White	---	73	2	2	–
All other	---	51	6	6	–
Black	---	51	6	6	–
Round Lake Beach	---	55	2	1	–
Waukegan	---	545	17	10	11
White	---	471	6	5	10
All other	---	74	11	5	1
Black	---	73	10	4	–
Wheeling, part	---	–	–	–	–
Zion	---	137	4	2	7
White	---	122	2	1	6
All other	---	15	2	1	1
Black	---	14	2	1	1
Balance of county	---	1,147	31	18	20
La Salle	1,058	1,137	17	14	14
La Salle	---	135	3	3	2
Ottawa	---	242	6	5	4
Peru	---	97	2	2	1
Streator, part	---	222	2	2	1
Streator, total	---	222	2	2	1
Balance of county	---	441	4	2	6
Lawrence	161	217	2	1	1
Lee	309	328	7	5	2
Dixon	---	160	5	4	2
Balance of county	---	168	2	1	–
Livingston	297	360	7	4	2
Pontiac	---	111	2	–	2
White	---	110	2	–	2
All other	---	1	–	–	–
Black	---	1	–	–	–
Streator, part	---	–	–	–	–
Balance of county	---	249	5	4	–
Logan	290	339	1	1	4
Lincoln	---	197	1	1	2
Balance of county	---	142	–	–	2
McDonough	292	293	1	1	1
Macomb	---	156	1	1	1
Balance of county	---	137	–	–	–
McHenry	882	1,110	32	21	15
Crystal Lake	---	150	5	4	–
McHenry	---	156	6	4	1
Woodstock	---	134	1	1	1
Balance of county	---	670	20	12	13
McLean	856	902	27	21	13
Bloomington	---	471	12	11	5
Normal	---	148	3	2	3
Balance of county	---	283	12	8	5
Macon	1,335	1,158	32	21	20
White	1,264	1,076	26	18	14
All other	71	82	6	3	6
Black	70	81	6	3	6
Decatur	---	972	27	17	15
White	---	892	21	14	9
All other	---	80	6	3	6
Black	---	79	6	3	6
Balance of county	---	186	5	4	5
Macoupin	341	559	6	4	5
Madison	1,947	2,292	45	34	36
White	1,820	2,135	37	28	33
All other	127	157	8	6	3
Black	125	155	8	6	1
Alton	---	425	12	9	8
White	---	350	7	6	7
All other	---	75	5	3	1
Black	---	75	5	3	–
Collinsville, part	---	235	1	1	1
Collinsville, total	---	247	1	1	1
Edwardsville	---	146	1	1	2
Granite City	---	360	6	6	3
Wood River	---	131	1	1	–
Balance of county	---	995	24	16	22
Marion	492	495	5	3	5
Centralia, part	---	208	4	3	3
White	---	181	2	1	3
All other	---	27	2	2	–
Black	---	27	2	2	–
Centralia, total	---	242	4	3	3
White	---	215	2	1	3
All other	---	27	2	2	–
Black	---	27	2	2	–
Balance of county	---	287	1	–	2
Marshall	61	133	1	1	2
Mason	91	186	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Massac	142	178	2	1	3
Menard	77	163	1	–	2
Mercer	110	175	6	5	3
Monroe	65	172	3	2	3
Montgomery	394	357	4	1	1
Morgan	420	361	7	5	4
Jacksonville	---	248	4	3	4
Balance of county	---	113	3	2	–
Moultrie	104	163	4	2	–
Ogle	256	388	6	5	3
Peoria	2,342	1,782	48	37	19
White	2,206	1,647	33	25	13
All other	136	135	15	12	6
Black	135	134	15	12	6
Pekin, part	---	–	–	–	–
Peoria	---	1,199	38	28	15
White	---	1,066	23	16	9
All other	---	133	15	12	6
Black	---	132	15	12	6
Balance of county	---	583	10	9	4
Perry	232	258	5	4	2
Piatt	112	180	3	3	1
Pike	177	242	1	1	2
Pope	9	42	1	1	–
Pulaski	28	104	2	2	5
White	22	74	2	2	4
All other	6	30	–	–	1
Black	6	30	–	–	1
Putnam	5	50	–	–	–
Randolph	418	358	–	–	5
Richland	280	194	5	3	1
Rock Island	1,562	1,528	25	15	20
White	1,511	1,472	21	13	18
All other	51	56	4	2	2
Black	47	53	4	2	2
East Moline	---	201	2	2	5
White	---	188	2	2	5
All other	---	13	–	–	–
Black	---	13	–	–	–
Moline	---	485	8	3	4
Rock Island	---	496	10	7	8
White	---	463	6	5	6
All other	---	33	4	2	2
Black	---	32	4	2	2
Balance of county	---	346	5	3	3
St. Clair	2,584	2,615	60	37	57
White	1,997	1,903	19	12	25
All other	587	712	41	25	32
Black	580	703	38	23	32
Belleville	---	644	6	3	6
Cahokia	---	148	4	2	4
Collinsville, part	---	12	–	–	–
East St. Louis	---	633	30	19	29
White	---	72	1	1	1
All other	---	561	29	18	28
Black	---	561	29	18	28
Fairview Heights	---	109	1	1	1
O'Fallon	---	97	–	–	1
Balance of county	---	972	19	12	16
White	---	844	8	5	13
All other	---	128	11	7	3
Black	---	124	8	5	3
Saline	467	449	3	2	3
Harrisburg	---	181	1	1	2
Balance of county	---	268	2	1	1
Sangamon	2,221	1,617	39	29	25
White	2,119	1,518	27	24	20
All other	102	99	12	5	5
Black	101	98	12	5	5
Springfield	---	1,132	32	23	20
White	---	1,035	20	18	15
All other	---	97	12	5	5
Black	---	96	12	5	5
Balance of county	---	485	7	6	5
Schuyler	135	104	1	1	–
Scott	19	57	1	1	1
Shelby	163	265	3	1	1
Stark	36	79	4	3	–
Stephenson	459	467	9	7	12
Freeport	---	301	6	4	9
White	---	286	5	4	8
All other	---	15	1	–	1
Black	---	15	1	–	1
Balance of county	---	166	3	3	3
Tazewell	736	1,021	16	15	7
East Peoria	---	167	3	2	1
Morton	---	104	–	–	1
Pekin, part	---	388	7	7	1
Pekin, total	---	388	7	7	1
Washington	---	79	2	2	1
Balance of county	---	283	4	4	3
Union	171	179	3	1	1
Vermilion	1,197	1,035	22	13	15
Danville	---	508	14	9	10
White	---	458	7	4	6
All other	---	50	7	5	4
Black	---	50	7	5	4
Balance of county	---	527	8	4	5
Wabash	172	184	1	–	2
Warren	186	208	4	3	1
Monmouth	---	105	1	1	1
Balance of county	---	103	3	2	–
Washington	140	181	4	2	1
Wayne	163	225	3	2	1
White	191	259	6	3	3
Whiteside	516	566	11	8	13
Rock Falls	---	101	1	1	2
Sterling	---	174	4	2	3
Balance of county	---	291	6	5	8
Will	1,729	2,051	69	47	39
White	1,594	1,902	49	32	26
All other	135	149	20	15	13
Black	133	147	19	15	12
Bolingbrook, part	---	93	6	2	3
White	---	87	5	1	–
All other	---	6	1	1	3
Black	---	6	1	1	3
Bolingbrook, total	---	97	6	2	3
White	---	91	5	1	–
All other	---	6	1	1	3
Black	---	6	1	1	3
Joliet	---	888	24	15	12
White	---	785	10	6	6
All other	---	103	14	9	6
Black	---	102	13	9	6
Naperville, part	---	2	1	1	–
Park Forest, part	---	7	–	–	–
White	---	7	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Romeoville	---	59	2	1	2
Tinley Park, part	---	1	–	–	–
Balance of county	---	1,001	36	28	22
White	---	962	31	23	18
All other	---	39	5	5	4
Black	---	38	5	5	3
Williamson	799	663	11	10	5
Herrin	---	162	2	2	2
Marion	---	194	3	2	1
Balance of county	---	307	6	6	2
Winnebago	2,253	2,062	34	23	20
White	2,132	1,940	25	20	16
All other	121	122	9	3	4
Black	119	119	9	3	3
Loves Park	---	102	4	4	–
Rockford	---	1,421	20	12	11
White	---	1,320	13	10	8
All other	---	101	7	2	3
Black	---	99	7	2	3
Balance of county	---	539	10	7	9
Woodford	160	256	5	4	5
Indiana	46,931	46,630	956	643	679
White	43,573	43,246	772	513	564
All other	3,358	3,384	184	130	115
Black	3,326	3,354	183	129	97
Adams	153	214	2	1	2
Allen	2,702	2,194	63	40	34
White	2,536	2,030	51	34	29
All other	166	164	12	6	5
Black	164	161	12	6	5
Fort Wayne	---	1,693	42	28	25
White	---	1,531	30	22	21
All other	---	162	12	6	4
Black	---	159	12	6	4
Balance of county	---	501	21	12	9
Bartholomew	554	498	5	3	7
Columbus	---	325	4	2	4
Balance of county	---	173	1	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Benton	46	108	1	1	2
Blackford	106	156	2	2	–
Boone	245	342	5	5	3
Lebanon	---	132	2	2	1
Balance of county	---	210	3	3	2
Brown	28	82	1	1	–
Carroll	58	185	1	1	3
Cass	313	337	8	5	7
Logansport	---	195	6	3	2
Balance of county	---	142	2	2	5
Clark	647	707	10	8	10
Clarksville	---	124	3	2	3
Jeffersonville	---	294	3	2	1
White	---	268	3	2	1
All other	---	26	–	–	–
Black	---	26	–	–	–
Balance of county	---	289	4	4	6
Clay	236	286	5	4	5
Clinton	290	357	6	3	3
Frankfort	---	204	5	3	3
Balance of county	---	153	1	–	–
Crawford	37	94	2	2	2
Daviess	*308*	*307*	*3*	*2*	*3*
Washington	---	169	2	1	–
Balance of county	---	138	1	1	3
Dearborn	331	341	3	3	4
Decatur	198	240	3	2	2
De Kalb	258	314	3	1	6
Delaware	1,133	987	19	13	17
Muncie	---	709	16	13	10
White	---	621	14	11	8
All other	---	88	2	2	2
Black	---	88	2	2	2
Balance of county	---	278	3	–	7
Dubois	306	246	6	5	1
Elkhart	1,046	1,028	26	20	16
Elkhart	---	423	14	12	3
White	---	388	11	10	2
All other	---	35	3	2	1
Black	---	35	3	2	1
Goshen	---	211	2	2	4
Balance of county	---	394	10	6	9
Fayette	212	275	7	2	3
Connersville	---	203	5	–	1
Balance of county	---	72	2	2	2
Floyd	508	479	8	4	8
New Albany	---	385	6	3	7
Balance of county	---	94	2	1	1
Fountain	54	168	2	1	4
Franklin	62	170	3	1	4
Fulton	133	200	3	1	3
Gibson	254	335	3	2	5
Grant	737	694	17	8	11
Marion	---	455	9	4	9
White	---	414	6	3	4
All other	---	41	3	1	5
Black	---	*40*	*3*	*1*	*5*
Balance of county	---	239	8	4	2
Greene	276	339	6	4	4
Hamilton	358	517	14	9	4
Carmel	---	124	4	2	–
Noblesville	---	119	8	6	2
Balance of county	---	274	2	1	2
Hancock	315	311	5	2	5
Greenfield	---	131	2	–	2
Balance of county	---	180	3	2	3
Harrison	170	235	5	2	6
Hendricks	404	468	9	5	6
Henry	407	518	3	2	9
New Castle	---	264	1	–	4
Balance of county	---	254	2	2	5
Howard	717	726	18	13	14
Kokomo	---	567	16	12	10
Balance of county	---	159	2	1	4
Huntington	254	362	5	5	2
Huntington	---	175	3	3	1
Balance of county	---	187	2	2	1
Jackson	292	347	5	4	6
Seymour	---	158	3	2	1
Balance of county	---	189	2	2	5
Jasper	146	196	2	2	6
Jay	134	212	2	1	3
Jefferson	266	254	2	2	1
Madison	---	142	–	–	1
Balance of county	---	112	2	2	–
Jennings	123	166	3	3	4
Johnson	517	576	11	7	10
Franklin	---	165	5	3	2
Greenwood	---	202	1	1	2
Balance of county	---	209	5	3	6
Knox	593	477	6	4	7
Vincennes	---	256	2	2	4
Balance of county	---	221	4	2	3
Kosciusko	312	438	7	3	7
Warsaw	---	93	1	1	4
Balance of county	---	345	6	2	3
Lagrange	138	169	7	5	4
Lake	4,609	4,264	121	83	82
White	3,611	3,221	75	49	50
All other	998	1,043	46	34	32
Black	*995*	*1,040*	*45*	*33*	*28*
Crown Point	---	201	6	3	5
East Chicago	---	408	17	12	7
White	---	269	11	7	4
All other	---	139	6	5	3
Black	---	139	6	5	3
Gary	---	1,351	44	32	27
White	---	489	10	8	5
All other	---	862	34	24	22
Black	---	862	34	24	21
Griffith	---	92	1	–	1
Hammond	---	818	21	15	15
White	---	789	17	11	11
All other	---	29	4	4	4
Black	---	29	4	4	3
Highland	---	153	1	1	–
Hobart	---	191	3	1	5
Lake Station	---	99	3	2	5
Merrillville	---	198	2	2	5
Munster	---	123	3	3	1
Schererville	---	47	1	1	2
Balance of county	---	583	19	11	9
La Porte	922	929	20	15	16
La Porte	---	257	1	–	3
Michigan City	---	407	11	9	7
White	---	363	8	6	5
All other	---	44	3	3	2
Black	---	43	3	3	2
Balance of county	---	265	8	6	6
Lawrence	385	406	6	3	3
Bedford	---	192	2	1	–
Balance of county	---	214	4	2	3
Madison	1,027	1,170	17	5	12
White	982	1,114	13	5	9
All other	45	56	4	–	3
Black	45	56	4	–	3
Anderson	---	686	14	5	5
White	---	634	10	5	2
All other	---	52	4	–	3
Black	---	52	4	–	3
Elwood, part	---	99	1	–	3
Elwood, total	---	99	1	–	3
Balance of county	---	385	2	–	4
Marion	8,394	6,672	185	132	105
White	7,038	5,346	107	74	67
All other	1,356	1,326	78	58	38
Black	1,346	1,318	78	58	32
Beech Grove	---	123	3	3	2
Indianapolis	---	6,344	177	126	100
White	---	5,024	100	69	63
All other	---	1,320	77	57	37
Black	---	1,312	77	57	32
Lawrence	---	33	1	1	–
White	---	33	1	1	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Speedway	---	47	1	1	1
Balance of county	---	125	3	1	2
Marshall	331	355	3	1	3
Martin	28	94	3	2	–
Miami	227	322	8	4	6
Peru	---	171	4	2	4
Balance of county	---	151	4	2	2
Monroe	591	527	12	10	6
Bloomington	---	329	9	8	2
Balance of county	---	198	3	2	4
Montgomery	287	335	6	4	1
Crawfordsville	---	191	4	3	1
Balance of county	---	144	2	1	–
Morgan	285	384	8	6	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Martinsville	---	151	2	2	-
Balance of county	---	233	6	4	4
Newton	105	147	2	2	1
Noble	238	319	8	4	5
Ohio	11	46	1	1	-
Orange	130	151	1	-	2
Owen	66	130	4	2	1
Parke	76	173	5	3	-
Perry	154	194	3	-	6
Pike	62	163	2	2	-
Porter	736	756	26	21	14
Portage	---	150	7	6	4
Valparaiso	---	241	11	10	2
Balance of county	---	365	8	5	8
Posey	82	234	4	4	2
Pulaski	106	133	5	3	2
Putnam	215	259	2	2	1
Randolph	171	264	2	1	1
Ripley	167	219	3	2	1
Rush	165	203	4	4	2
St. Joseph	2,465	2,211	41	31	26
White	2,303	2,064	29	19	19
All other	162	147	12	12	7
Black	159	145	12	12	3
Mishawaka	---	382	8	6	6
South Bend	---	1,280	26	20	14
White	---	1,139	15	9	9
All other	---	141	11	11	5
Black	---	141	11	11	3
Balance of county	---	549	7	5	6
Scott	139	176	4	1	6
Shelby	267	347	7	3	6
Shelbyville	---	157	4	3	2
Balance of county	---	190	3	-	4
Spencer	80	192	1	-	1
Starke	159	195	1	1	3
Steuben	176	202	3	3	1
Sullivan	200	269	2	2	-
Switzerland	39	71	-	-	1
Tippecanoe	1,187	811	20	14	14
Lafayette	---	449	7	3	6
West Lafayette	---	133	7	7	4
Balance of county	---	229	6	4	4
Tipton	106	123	2	2	1
Elwood, part	---	-	-	-	-
Balance of county	---	123	2	2	1
Union	23	56	1	-	1
Vanderburgh	2,446	1,717	17	7	25
White	2,306	1,585	13	6	22
All other	140	132	4	1	3
Black	140	132	4	1	3
Evansville	---	1,620	17	7	22
White	---	1,490	13	6	19
All other	---	130	4	1	3
Black	---	130	4	1	3
Balance of county	---	97	-	-	3
Vermillion	205	230	2	-	1
Vigo	1,395	1,189	29	23	18
Terre Haute	---	813	15	12	13
Balance of county	---	376	14	11	5
Wabash	286	332	3	1	4
Wabash	---	133	1	1	-
Balance of county	---	199	2	-	4
Warren	67	86	1	1	2
Warrick	196	315	4	4	4
Washington	165	206	-	-	2
Wayne	763	738	19	14	8
Richmond	---	505	15	11	6
Balance of county	---	233	4	3	2
Wells	285	197	2	-	3
White	156	248	6	4	7
Whitley	181	215	3	2	4
Iowa	26,621	26,890	456	281	286
White	26,265	26,555	429	265	271
All other	356	335	27	16	15
Black	300	289	22	14	12
Adair	67	103	1	1	3
Adams	60	75	-	-	-
Allamakee	171	166	1	-	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Appanoose	135	168	-	-	2
Audubon	82	117	3	3	3
Benton	131	207	1	1	2
Black Hawk	1,238	1,056	35	23	11
Cedar Falls	---	236	3	2	4
Waterloo	---	660	26	16	7
White	---	608	18	11	4
All other	---	52	8	5	3
Black	---	52	8	5	3
Balance of county	---	160	6	5	-
Boone	264	322	3	2	-
Boone	---	192	3	2	-
Balance of county	---	130	-	-	-
Bremer	185	188	3	3	2
Buchanan	132	218	3	2	1
Buena Vista	189	218	5	5	1
Butler	67	186	2	2	2
Calhoun	158	174	-	-	-
Carroll	238	252	5	3	3
Cass	202	211	2	1	1
Cedar	95	168	1	1	-
Cerro Gordo	641	476	5	4	5
Mason City	---	320	4	4	3
Balance of county	---	156	1	-	2
Cherokee	172	171	2	1	3
Chickasaw	94	116	2	1	2
Clarke	67	83	4	3	1
Clay	177	166	3	3	4
Spencer	---	111	3	3	4
Balance of county	---	55	-	-	-
Clayton	157	234	1	1	1
Clinton	537	537	8	3	6
Clinton	---	363	3	1	3
Balance of county	---	174	5	2	3
Crawford	142	182	3	2	4
Dallas	163	270	4	3	6
Davis	111	105	-	-	1
Decatur	133	136	-	-	1
Delaware	162	187	2	1	2
Des Moines	584	489	6	3	5
Burlington	---	356	4	2	3
Balance of county	---	133	2	1	2
Dickinson	143	173	1	-	-
Dubuque	933	797	16	10	9
Dubuque	---	641	13	8	6
Balance of county	---	156	3	2	3
Emmet	138	137	5	5	2
Fayette	199	289	4	1	3
Floyd	205	227	-	-	-
Franklin	107	131	4	2	-
Fremont	116	126	1	-	-
Greene	128	135	2	-	-
Grundy	96	147	-	-	1
Guthrie	121	176	2	-	2
Hamilton	118	200	3	3	2
Hancock	84	132	2	1	3
Hardin	166	232	4	3	2
Harrison	130	203	2	-	1
Henry	171	197	1	1	3
Howard	112	133	1	-	1
Humboldt	93	129	-	-	-
Ida	101	104	2	1	3
Iowa	134	179	2	1	2
Jackson	164	220	2	1	3
Jasper	209	310	4	4	2
Newton	---	162	1	1	1
Balance of county	---	148	3	3	1
Jefferson	151	168	1	-	1
Johnson	1,437	404	17	8	7
Iowa City	---	243	8	4	4
Balance of county	---	161	9	4	3
Jones	118	172	2	1	3
Keokuk	79	154	2	2	3
Kossuth	134	230	3	2	1
Lee	386	406	11	7	7
Fort Madison	---	138	3	3	1
Keokuk	---	164	5	3	1
Balance of county	---	104	3	1	5
Linn	1,341	1,225	44	27	19

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Cedar Rapids	---	863	28	15	13
Marion	---	146	10	9	1
Balance of county	---	216	6	3	5
Louisa	63	123	3	3	1
Lucas	86	131	1	1	1
Lyon	69	105	2	1	–
Madison	106	128	1	1	–
Mahaska	215	244	3	3	5
Oskaloosa	---	148	3	3	3
Balance of county	---	96	–	–	2
Marion	250	277	3	2	4
Marshall	428	424	10	8	3
Marshalltown	---	288	6	5	3
Balance of county	---	136	4	3	–
Mills	64	144	2	2	–
Mitchell	148	153	–	–	1
Monona	154	159	–	–	–
Monroe	85	117	1	–	–
Montgomery	178	173	–	–	1
Muscatine	295	364	12	7	8
Muscatine	---	219	7	4	6
Balance of county	---	145	5	3	2
O'Brien	181	216	4	3	1
Osceola	82	81	–	–	–
Page	223	243	1	1	4
Palo Alto	127	147	1	–	2
Plymouth	174	244	6	4	1
Pocahontas	143	177	1	1	3
Polk	3,218	2,376	44	26	34
White	3,091	2,253	36	21	30
All other	127	123	8	5	4
Black	114	113	5	4	4
Ankeny	---	52	1	1	4
Des Moines	---	1,800	35	21	20
White	---	1,684	27	16	16
All other	---	116	8	5	4
Black	---	108	5	4	4
Urbandale	---	54	2	1	4
West Des Moines	---	172	1	1	1
Balance of county	---	298	5	2	5
Pottawattamie	687	758	25	14	7
Council Bluffs	---	572	16	9	4
Balance of county	---	186	9	5	3
Poweshiek	179	193	4	2	1
Ringgold	85	75	–	–	–
Sac	116	189	1	1	1
Scott	1,095	1,088	25	13	13
Bettendorf	---	112	–	–	1
Davenport	---	827	21	10	8
Balance of county	---	149	4	3	4
Shelby	139	148	–	–	5
Sioux	189	234	3	1	2
Story	488	404	5	4	–
Ames	---	169	1	1	–
Balance of county	---	235	4	3	–
Tama	82	187	2	–	1
Taylor	52	127	2	2	–
Union	165	170	2	1	–
Van Buren	68	109	1	1	–
Wapello	436	441	–	–	2
Ottumwa	---	335	–	–	2
Balance of county	---	106	–	–	–
Warren	117	224	1	–	1
Indianola	---	95	–	–	–
Balance of county	---	129	1	–	1
Washington	144	186	3	1	4
Wayne	75	98	1	–	2
Webster	471	490	10	4	4
Fort Dodge	---	344	8	3	3
Balance of county	---	146	2	1	1
Winnebago	103	136	3	2	–
Winneshiek	153	180	–	–	1
Woodbury	1,390	1,013	24	16	20
Sioux City	---	849	20	13	19
Balance of county	---	164	4	3	1
Worth	54	101	3	2	–
Wright	176	196	3	2	–
Kansas	21,289	21,804	426	283	335
White	20,199	20,726	359	241	271
All other	1,090	1,078	67	42	64
Black	1,007	991	61	38	57

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Allen	177	201	4	3	1
Anderson	121	131	2	1	–
Atchison	186	202	1	1	4
Atchison	---	138	1	1	4
White	---	126	1	1	2
All other	---	12	–	–	2
Black	---	12	–	–	2
Balance of county	---	64	–	–	–
Barber	89	101	2	2	–
Barton	307	308	7	3	7
Great Bend	---	170	6	2	4
Balance of county	---	138	1	1	3
Bourbon	273	224	2	2	2
Brown	117	157	5	3	–
Butler	325	414	9	7	7
El Dorado	---	158	3	2	1
Balance of county	---	256	6	5	6
Chase	35	63	–	–	1
Chautauqua	112	95	–	–	1
Cherokee	179	285	–	–	2
Cheyenne	29	39	–	–	1
Clark	31	38	–	–	–
Clay	104	120	–	–	3
Cloud	185	164	–	–	–
Coffey	64	118	–	–	1
Comanche	29	36	–	–	–
Cowley	414	435	8	4	4
Arkansas City	---	206	1	–	1
Winfield	---	130	4	2	1
Balance of county	---	99	3	2	2
Crawford	444	485	2	2	5
Pittsburg	---	252	–	–	2
Balance of county	---	233	2	2	3
Decatur	51	60	–	–	–
Dickinson	198	255	6	4	–
Doniphan	39	98	–	–	–
Douglas	350	350	14	11	8
Lawrence	---	249	12	10	7
White	---	231	8	7	7
All other	---	18	4	3	–
Black	---	15	4	3	–
Balance of county	---	101	2	1	1
Edwards	43	63	–	–	1
Elk	12	53	–	–	–
Ellis	265	180	7	6	2
Hays	---	94	6	6	–
Balance of county	---	86	1	–	2
Ellsworth	102	111	1	–	–
Finney	204	156	4	3	10
Garden City	---	129	2	2	9
White	---	129	2	2	5
All other	---	–	–	–	4
Black	---	–	–	–	–
Balance of county	---	27	2	1	1
Ford	208	189	6	3	4
Dodge City	---	132	5	3	3
Balance of county	---	57	1	–	1
Franklin	201	256	4	1	4
Ottawa	---	143	2	–	1
Balance of county	---	113	2	1	3
Geary	187	197	18	5	9
White	161	169	12	2	4
All other	26	28	6	3	5
Black	23	25	5	2	5
Junction City	---	150	10	5	8
White	---	126	6	2	4
All other	---	24	4	3	4
Black	---	21	3	2	4
Balance of county	---	47	8	–	1
White	---	43	6	–	–
All other	---	4	2	–	1
Black	---	4	2	–	1
Gove	37	45	2	–	1
Graham	31	47	1	1	–
Grant	62	53	1	1	2
Gray	18	37	2	1	3
Greeley	11	17	–	–	–
Greenwood	109	136	1	1	3
Hamilton	25	28	–	–	–
Harper	108	119	2	1	1
Harvey	398	271	3	2	6
Newton	---	171	2	1	4
Balance of county	---	100	1	1	2
Haskell	20	30	1	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Hodgeman	29	33	–	–	–
Jackson	72	118	4	3	–
Jefferson	133	176	–	–	1
Jewell	29	77	–	–	1
Johnson	1,322	1,630	41	29	21
Leawood	– – –	90	1	1	–
Lenexa	– – –	96	4	2	1
Merriam	– – –	65	1	1	–
Olathe	– – –	162	11	8	8
Overland Park	– – –	490	9	6	3
Prairie Village	– – –	180	4	3	–
Shawnee	– – –	119	3	2	3
Balance of county	– – –	428	8	6	6
Kearny	14	28	–	–	–
Kingman	79	100	1	–	–
Kiowa	39	30	2	1	–
Labette	260	269	4	3	5
Parsons	– – –	160	2	1	3
White	– – –	148	2	1	3
All other	– – –	12	–	–	–
Black	– – –	11	–	–	–
Balance of county	– – –	109	2	2	2
Lane	15	24	–	–	–
Leavenworth	529	453	9	7	6
White	459	409	8	6	3
All other	70	44	1	1	3
Black	66	39	1	1	3
Leavenworth	– – –	311	7	6	4
White	– – –	271	7	6	2
All other	– – –	40	–	–	2
Black	– – –	37	–	–	2
Balance of county	– – –	142	2	1	2
Lincoln	43	57	–	–	–
Linn	41	99	1	1	–
Logan	31	36	1	1	–
Lyon	332	311	7	3	11
Emporia	– – –	230	5	1	7
Balance of county	– – –	81	2	2	4
McPherson	255	258	2	2	2
McPherson	– – –	116	1	1	–
Balance of county	– – –	142	1	1	2
Marion	135	168	–	–	1
Marshall	157	193	4	3	2
Meade	62	69	2	1	–
Miami	188	216	6	4	5
Mitchell	141	118	1	1	1
Montgomery	445	491	10	6	5
Coffeyville	– – –	176	3	2	2
White	– – –	161	3	2	1
All other	– – –	15	–	–	1
Black	– – –	14	–	–	1
Independence	– – –	149	2	2	1
White	– – –	137	2	2	1
All other	– – –	6	–	–	–
Black	– – –	6	–	–	–
Balance of county	– – –	172	5	2	2
Morris	59	77	2	2	–
Morton	24	26	–	–	1
Nemaha	115	118	1	–	–
Neosho	221	245	1	1	–
Chanute	– – –	152	1	1	–
Balance of county	– – –	93	–	–	–
Ness	47	66	1	1	–
Norton	79	93	–	–	2
Osage	116	167	2	1	1
Osborne	61	86	–	–	1
Ottawa	63	80	1	1	1
Pawnee	80	94	3	3	2
Phillips	78	91	–	–	1
Pottawatomie	118	121	7	5	–
Manhattan, part	– – –	1	–	–	–
Balance of county	– – –	120	7	5	–
Pratt	104	104	2	–	1
Rawlins	31	44	–	–	–
Reno	607	672	12	9	8
Hutchinson	– – –	486	9	7	5
Balance of county	– – –	186	3	2	3
Republic	116	136	–	–	–
Rice	111	146	1	1	7
Riley	236	244	4	2	10
White	232	238	4	2	9
All other	4	5	–	–	1
Black	4	4	–	–	1
Kansas-Con.					
Manhattan, part	– – –	165	2	1	8
Manhattan, total	– – –	166	2	1	8
Balance of county	– – –	79	2	1	2
White	– – –	78	2	1	2
All other	– – –	1	–	–	–
Black	– – –	–	–	–	–
Rooks	66	106	1	–	2
Rush	34	55	–	–	2
Russell	95	121	4	3	1
Saline	487	424	3	1	10
Salina	– – –	383	3	1	8
Balance of county	– – –	41	–	–	2
Scott	58	64	–	–	3
Sedgwick	3,355	2,773	68	45	45
White	3,101	2,521	49	34	31
All other	254	252	19	11	14
Black	231	229	17	10	12
Wichita	– – –	2,444	58	37	39
White	– – –	2,197	39	26	25
All other	– – –	247	19	11	14
Black	– – –	225	17	10	12
Balance of county	– – –	329	10	8	6
Seward	149	127	3	2	4
Liberal	– – –	118	3	2	4
White	– – –	114	3	2	2
All other	– – –	4	–	–	2
Black	– – –	3	–	–	2
Balance of county	– – –	9	–	–	–
Shawnee	1,724	1,322	34	26	23
White	1,608	1,212	27	20	17
All other	116	110	7	6	6
Black	105	103	7	6	6
Topeka	– – –	1,178	33	25	21
White	– – –	1,071	26	19	16
All other	– – –	107	7	6	5
Black	– – –	100	7	6	5
Balance of county	– – –	144	1	1	2
Sheridan	33	37	–	–	–
Sherman	51	60	1	1	–
Smith	66	77	–	–	2
Stafford	71	83	2	1	1
Stanton	21	24	–	–	2
Stevens	34	41	–	–	–
Sumner	258	314	6	4	2
Thomas	77	76	–	–	3
Trego	35	34	–	–	1
Wabaunsee	36	93	1	1	–
Wallace	6	18	–	–	–
Washington	71	106	2	2	–
Wichita	20	27	–	–	1
Wilson	133	147	–	–	1
Woodson	32	67	1	1	1
Wyandotte	1,860	1,677	53	37	41
White	1,475	1,277	33	24	24
All other	385	400	20	13	17
Black	379	397	20	13	17
Kansas City	– – –	1,570	50	35	41
White	– – –	1,175	31	23	24
All other	– – –	395	19	12	17
Black	– – –	392	19	12	17
Balance of county	– – –	107	3	2	–
Kentucky	32,556	32,990	680	443	503
White	30,058	30,460	584	378	438
All other	2,498	2,530	96	65	65
Black	2,477	2,513	95	64	63
Adair	126	159	4	3	3
Allen	111	157	2	1	–
Anderson	37	107	–	–	–
Ballard	45	123	1	1	–
Barren	480	391	5	5	–
Glasgow	– – –	189	1	1	–
Balance of county	– – –	202	4	4	–
Bath	34	109	–	–	–
Bell	338	349	3	2	5
Middlesborough	– – –	156	2	1	3
Balance of county	– – –	193	1	1	2
Boone	308	287	8	7	8
Florence	– – –	103	–	–	5
Balance of county	– – –	184	8	7	3
Bourbon	128	177	4	–	4
White	109	149	4	–	3
All other	17	28	–	–	1
Black	17	28	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Boyd	550	544	5	4	6
Ashland	---	341	3	3	2
Balance of county	---	203	2	1	4
Boyle	257	219	8	7	5
Danville	---	131	2	1	5
White	---	108	1	–	4
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	88	6	6	–
Bracken	30	104	2	2	–
Breathitt	77	123	4	1	5
Breckinridge	148	188	1	–	1
Bullitt	55	181	6	4	3
Butler	51	106	1	–	2
Caldwell	147	196	2	2	4
Calloway	299	307	4	1	1
Murray	---	127	2	1	1
Balance of county	---	180	2	–	–
Campbell	920	825	14	8	14
Fort Thomas	---	177	3	3	1
Newport	---	241	3	2	5
Balance of county	---	407	8	3	8
Carlisle	14	63	–	–	1
Carroll	97	110	1	–	1
Carter	96	224	9	5	2
Casey	74	139	5	3	2
Christian	587	520	22	15	17
White	458	390	14	9	5
All other	129	130	8	6	12
Black	128	130	8	6	12
Hopkinsville	---	319	7	6	6
White	---	235	3	3	3
All other	---	84	4	3	3
Black	---	84	4	3	3
Balance of county	---	201	15	9	11
White	---	155	11	6	2
All other	---	46	4	3	9
Black	---	46	4	3	9
Clark	218	221	5	3	14
Winchester	---	147	4	2	5
White	---	136	4	2	4
All other	---	11	–	–	1
Black	---	11	–	–	1
Balance of county	---	74	1	1	9
Clay	147	152	8	4	2
Clinton	56	84	1	1	5
Crittenden	82	118	3	2	1
Cumberland	74	100	2	1	1
Daviess	845	746	15	9	10
Owensboro	---	546	9	4	7
Balance of county	---	200	6	5	3
Edmonson	40	101	–	–	1
Elliott	29	69	–	–	1
Estill	92	131	4	2	1
Fayette, coext. with Lexington-Fayette	2,981	1,440	37	26	32
White	2,659	1,187	26	17	26
All other	322	253	11	9	6
Black	319	251	11	9	6
Fleming	107	127	–	–	1
Floyd	400	423	11	6	9
Franklin	333	336	11	9	7
Frankfort	---	242	10	8	5
White	---	217	10	8	2
All other	---	25	–	–	3
Black	---	25	–	–	3
Balance of county	---	94	1	1	2
Fulton	124	149	1	1	4
White	106	126	1	1	3
All other	18	23	–	–	1
Black	18	23	–	–	1
Gallatin	16	45	–	–	1
Garrard	85	116	1	1	–
Grant	93	148	–	–	2
Graves	330	430	4	4	7
Mayfield	---	168	–	–	2
White	---	148	–	–	2
All other	---	20	–	–	–
Black	---	20	–	–	–
Balance of county	---	262	4	4	5
Grayson	153	188	3	1	3
Green	93	104	3	2	–
Greenup	241	317	10	9	5
Hancock	13	65	–	–	–
Hardin	501	465	27	17	20
White	473	426	20	12	20
All other	28	39	7	5	–
Black	28	37	6	4	–
Elizabethtown	---	136	3	1	4
Radcliff	---	59	7	4	4
White	---	50	2	–	4
All other	---	9	5	4	–
Black	---	8	4	3	–
Balance of county	---	270	17	12	12
White	---	248	16	11	12
All other	---	22	1	1	–
Black	---	21	1	1	–
Harlan	379	414	11	6	6
Harrison	203	201	3	2	2
Hart	99	173	2	1	3
Henderson	400	393	10	4	6
Henderson	---	262	6	4	3
White	---	249	7	4	3
All other	---	33	1	–	–
Black	---	33	1	–	–
Balance of county	---	111	2	–	3
Henry	53	135	2	2	–
Hickman	73	80	1	–	–
White	65	70	–	–	–
All other	8	10	1	–	–
Black	8	10	1	–	–
Hopkins	636	474	9	5	7
Madisonville	---	218	6	4	1
White	---	199	6	4	1
All other	---	19	–	–	–
Black	---	19	–	–	–
Balance of county	---	256	3	1	6
Jackson	37	112	3	2	1
Jefferson	7,448	6,426	124	84	91
White	6,340	5,342	78	55	70
All other	1,108	1,084	46	29	21
Black	1,096	1,076	46	29	20
Jeffersontown	---	87	1	1	2
Louisville	---	3,868	82	55	52
White	---	2,906	44	31	33
All other	---	962	38	24	19
Black	---	957	38	24	19
St. Matthews	---	189	1	1	2
Shively	---	164	–	–	–
Balance of county	---	2,118	40	27	35
White	---	2,008	33	23	33
All other	---	110	7	4	2
Black	---	108	7	4	1
Jessamine	66	191	3	2	5
Nicholasville	---	105	2	1	4
Balance of county	---	86	1	1	1
Johnson	167	237	6	4	1
Kenton	1,118	1,267	26	19	17
Covington	---	595	13	10	12
Erlanger	---	113	4	2	1
Balance of county	---	559	9	7	4
Knott	70	139	6	3	1
Knox	181	271	3	1	6
Larue	63	113	2	1	1
Laurel	296	290	6	4	6
Lawrence	235	169	6	3	1
Lee	38	95	6	3	–
Leslie	63	89	3	2	2
Letcher	221	295	7	5	4
Lewis	39	126	3	1	5
Lincoln	144	197	3	1	–
Livingston	97	101	1	1	1
Logan	201	250	2	1	6
Lyon	27	64	–	–	–
McCracken	1,062	664	8	5	2
White	994	597	7	5	2
All other	68	67	1	–	–
Black	68	67	1	–	–
Paducah	---	442	5	2	–
White	---	379	4	2	–
All other	---	63	1	–	–
Black	---	63	1	–	–
Balance of county	---	222	3	3	2
McCreary	59	159	6	3	3
McLean	71	109	–	–	1
Madison	361	341	6	3	6
Richmond	---	141	3	–	3
White	---	129	3	–	2
All other	---	12	–	–	1
Black	---	12	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kentucky-Con.					
Balance of county	---	200	3	3	3
Magoffin	47	101	2	2	4
Marion	140	134	1	-	-
Marshall	225	286	4	4	1
Martin	31	86	1	-	1
Mason	249	214	4	2	-
Meade	62	120	4	2	1
Menifee	14	53	1	1	-
Mercer	134	176	2	1	4
Metcalfe	16	93	2	2	-
Monroe	117	138	2	-	5
Montgomery	192	172	4	4	3
Morgan	100	99	3	2	1
Muhlenberg	298	359	8	7	5
Nelson	171	229	3	3	8
Nicholas	52	61	-	-	1
Ohio	194	225	2	1	1
Oldham	65	143	5	4	3
Owen	81	109	4	3	3
Owsley	30	56	-	-	-
Pendleton	31	125	2	2	-
Perry	328	313	9	4	4
Pike	693	663	16	10	8
Powell	34	90	2	1	1
Pulaski	523	438	7	3	6
Somerset	---	150	2	1	1
Balance of county	---	288	5	2	5
Robertson	5	19	-	-	-
Rockcastle	107	149	3	1	3
Rowan	265	141	3	2	-
Russell	107	133	1	1	1
Scott	144	187	6	4	4
Georgetown	---	101	5	3	1
White	---	88	4	3	-
All other	---	13	1	-	1
Black	---	13	1	-	1
Balance of county	---	86	1	1	3
Shelby	238	209	4	4	5
White	220	192	3	3	4
All other	18	17	1	1	1
Black	18	17	1	1	1
Simpson	96	140	5	4	-
White	82	119	4	3	-
All other	14	21	1	1	-
Black	14	21	1	1	-
Spencer	13	53	1	1	1
Taylor	185	177	2	1	3
Todd	38	118	2	1	2
White	33	100	1	-	1
All other	5	18	1	1	1
Black	5	18	1	1	1
Trigg	92	112	2	2	3
White	81	94	-	-	3
All other	11	18	2	2	-
Black	11	18	2	2	-
Trimble	20	49	-	-	2
Union	98	155	4	2	2
White	88	140	3	2	2
All other	10	15	1	-	-
Black	10	15	1	-	-
Warren	752	576	14	10	9
Bowling Green	---	388	9	5	9
White	---	350	8	4	8
All other	---	38	1	1	1
Black	---	38	1	1	1
Balance of county	---	188	5	5	-
Washington	44	99	3	2	2
White	40	92	2	1	2
All other	4	7	1	1	-
Black	4	7	1	1	-
Wayne	86	136	-	-	2
Webster	49	186	3	1	-
Whitley	265	295	9	7	4
Wolfe	40	83	4	4	1
Woodford	118	132	1	1	4
Louisiana	36,190	35,776	1,097	708	854
White	24,735	24,380	492	330	406
All other	11,455	11,396	605	378	448
Black	11,360	11,307	595	371	441

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana-Con.					
Acadia	383	505	13	7	17
White	321	411	10	5	11
All other	62	94	3	2	6
Black	61	93	3	2	6
Crowley	---	173	2	2	4
White	---	126	-	-	4
All other	---	47	2	2	-
Black	---	47	2	2	-
Eunice, part	---	5	-	-	-
Balance of parish	---	327	11	5	13
White	---	280	10	5	7
All other	---	47	1	-	6
Black	---	46	1	-	6
Allen	201	235	3	2	3
White	153	175	2	2	3
All other	48	60	1	-	-
Black	46	59	1	-	-
Ascension	255	337	11	7	8
White	187	247	7	4	4
All other	68	90	4	3	4
Black	68	90	4	3	4
Assumption	113	202	3	2	7
White	76	119	1	1	3
All other	37	83	2	1	4
Black	37	83	2	1	4
Avoyelles	344	447	7	5	9
White	269	348	3	3	3
All other	75	99	4	2	6
Black	74	98	4	2	6
Beauregard	206	226	5	3	4
White	176	194	3	1	4
All other	30	32	2	2	-
Black	30	32	2	2	-
De Ridder, part	---	86	5	3	1
White	---	57	3	1	1
All other	---	29	2	2	-
Black	---	29	2	2	-
De Ridder, total	---	88	5	3	1
White	---	59	3	1	1
All other	---	29	2	2	-
Black	---	29	2	2	-
Balance of parish	---	140	-	-	3
Bienville	99	194	3	2	2
White	59	120	1	1	-
All other	40	74	2	1	2
Black	40	74	2	1	2
Bossier	412	515	14	7	20
White	326	385	8	5	12
All other	86	130	6	2	8
Black	86	130	6	2	8
Bossier City	---	294	8	4	12
White	---	249	7	4	9
All other	---	45	1	-	3
Black	---	45	1	-	3
Shreveport, part	---	-	-	-	1
Balance of parish	---	221	6	3	7
White	---	136	1	1	3
All other	---	85	5	2	4
Black	---	85	5	2	4
Caddo	3,513	2,520	76	49	64
White	2,170	1,545	29	20	19
All other	1,343	975	47	29	45
Black	1,342	974	47	29	45
Shreveport, part	---	2,172	64	41	57
White	---	1,330	21	15	17
All other	---	842	43	26	40
Black	---	841	43	26	40
Shreveport, total	---	2,172	64	41	58
White	---	1,330	21	15	17
All other	---	842	43	26	41
Black	---	841	43	26	41
Balance of parish	---	348	12	8	7
White	---	215	8	5	2
All other	---	133	4	3	5
Black	---	133	4	3	5
Calcasieu	1,308	1,233	37	27	25
White	1,019	942	23	18	17
All other	289	291	14	9	8
Black	288	290	13	8	8
Lake Charles	---	641	14	10	11
White	---	423	3	3	6
All other	---	218	11	7	5
Black	---	217	10	6	5
Sulphur	---	157	4	1	2
Balance of parish	---	435	19	16	12
White	---	372	16	14	9
All other	---	63	3	2	3
Black	---	63	3	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Caldwell	90	111	5	3	–
White	78	97	3	2	–
All other	12	14	2	1	–
Black	12	14	2	1	–
Cameron	35	61	3	1	–
Catahoula	85	99	4	1	4
White	50	63	–	–	3
All other	35	36	4	1	1
Black	35	36	4	1	1
Claiborne	181	232	4	3	4
White	110	130	1	–	–
All other	71	102	3	3	4
Black	71	102	3	3	4
Concordia	148	202	4	4	5
White	80	119	3	3	2
All other	68	83	1	1	3
Black	68	83	1	1	3
De Soto	160	260	5	3	12
White	97	136	1	–	7
All other	63	124	4	3	5
Black	63	124	4	3	5
East Baton Rouge	3,000	2,432	98	66	64
White	1,939	1,531	38	30	32
All other	1,061	901	60	36	32
Black	1,054	895	60	36	32
Baker	---	90	4	3	6
White	---	77	2	2	6
All other	---	13	2	1	–
Black	---	13	2	1	–
Baton Rouge	---	1,958	81	52	48
White	---	1,161	26	19	19
All other	---	797	55	33	29
Black	---	791	55	33	29
Balance of parish	---	384	13	11	10
White	---	293	10	9	7
All other	---	91	3	2	3
Black	---	91	3	2	3
East Carroll	98	122	4	2	3
White	26	32	–	–	2
All other	72	90	4	2	1
Black	72	90	4	2	1
East Feliciana	172	182	3	2	6
White	86	87	1	1	–
All other	86	95	2	1	6
Black	86	95	2	1	6
Evangeline	287	327	10	4	4
White	220	257	4	2	1
All other	67	70	6	2	3
Black	67	70	6	2	3
Franklin	175	241	7	5	5
White	107	159	2	2	3
All other	68	82	5	3	2
Black	68	82	5	3	2
Grant	72	192	4	2	3
White	53	156	4	2	3
All other	19	36	–	–	–
Black	19	36	–	–	–
Iberia	493	515	18	13	12
White	342	365	11	8	5
All other	151	150	7	5	7
Black	150	149	7	5	7
New Iberia	---	286	13	10	4
White	---	213	7	6	2
All other	---	73	6	4	2
Black	---	72	6	4	2
Balance of parish	---	229	5	3	8
White	---	152	4	2	3
All other	---	77	1	1	5
Black	---	77	1	1	5
Iberville	236	340	6	5	8
White	124	172	–	–	2
All other	112	168	6	5	6
Black	112	168	6	5	6
Jackson	142	189	7	3	1
White	86	125	4	1	–
All other	56	64	3	2	1
Black	56	64	3	2	1
Jefferson	3,060	3,166	106	64	66
White	2,635	2,741	57	39	49
All other	425	425	49	25	17
Black	409	411	49	25	16
Gretna	---	372	10	4	6
White	---	302	5	3	3
All other	---	70	5	1	3
Black	---	70	5	1	2
Harahan	---	66	2	1	2
Kenner	---	288	22	16	6
White	---	225	13	10	4
All other	---	63	9	6	2
Black	---	63	9	6	2
Westwego	---	148	5	2	1
White	---	121	1	1	1
All other	---	27	4	1	–
Black	---	27	4	1	–
Balance of parish	---	2,292	67	41	51
White	---	2,027	36	24	39
All other	---	265	31	17	12
Black	---	251	31	17	12
Jefferson Davis	232	259	6	5	9
White	183	202	6	5	8
All other	49	57	–	–	1
Black	49	57	–	–	1
Jennings	---	107	–	–	1
White	---	72	–	–	1
All other	---	35	–	–	–
Black	---	35	–	–	–
Balance of parish	---	152	6	5	8
White	---	130	6	5	7
All other	---	22	–	–	1
Black	---	22	–	–	1
Lafayette	1,366	951	34	24	31
White	967	725	14	10	18
All other	399	226	20	14	13
Black	397	225	20	14	13
Lafayette	---	627	21	16	21
White	---	455	6	5	9
All other	---	172	15	11	12
Black	---	172	15	11	12
Balance of parish	---	324	13	8	10
White	---	270	8	5	9
All other	---	54	5	3	1
Black	---	53	5	3	1
Lafourche	604	642	21	13	19
White	526	548	18	10	14
All other	78	94	3	3	5
Black	76	92	3	3	5
Thibodaux	---	177	9	8	10
White	---	140	6	5	6
All other	---	37	3	3	4
Black	---	37	3	3	4
Balance of parish	---	465	12	5	9
La Salle	151	176	3	2	1
White	133	154	2	1	1
All other	18	22	1	1	–
Black	17	21	1	1	–
Lincoln	261	281	9	7	7
White	181	172	4	4	3
All other	80	109	5	3	4
Black	80	109	5	3	4
Ruston	---	139	6	5	1
White	---	90	4	4	–
All other	---	49	2	1	1
Black	---	49	2	1	1
Balance of parish	---	142	3	2	6
White	---	82	–	–	3
All other	---	60	3	2	3
Black	---	60	3	2	3
Livingston	210	362	8	7	10
Madison	140	188	1	1	8
White	47	71	–	–	2
All other	93	117	1	1	6
Black	92	116	1	1	6
Tallulah	---	152	1	1	6
White	---	47	–	–	1
All other	---	105	1	1	5
Black	---	104	1	1	5
Balance of parish	---	36	–	–	2
White	---	24	–	–	1
All other	---	12	–	–	1
Black	---	12	–	–	1
Morehouse	322	338	12	9	4
White	192	187	3	2	2
All other	130	151	9	7	2
Black	130	151	9	7	2
Bastrop	---	195	6	3	–
White	---	111	3	2	–
All other	---	84	3	1	–
Black	---	84	3	1	–
Balance of parish	---	143	6	6	4
White	---	76	–	–	2
All other	---	67	6	6	2
Black	---	67	6	6	2
Natchitoches	300	395	6	4	9
White	178	241	1	–	3
All other	122	154	5	4	6
Black	122	154	5	4	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Natchitoches	---	182	5	4	5
White	---	91	-	-	1
All other	---	91	5	4	4
Black	---	91	5	4	4
Balance of parish	---	213	1	-	4
White	---	150	1	-	2
All other	---	63	-	-	2
Black	---	63	-	-	2
Orleans, coext. with New Orleans city	7,373	6,019	172	113	139
White	4,126	3,122	23	12	32
All other	3,247	2,897	149	101	107
Black	3,217	2,871	142	96	106
Ouachita	1,273	1,080	29	22	16
White	817	702	10	7	10
All other	456	378	19	15	6
Black	456	378	19	15	6
Monroe	---	615	20	15	7
White	---	318	5	4	2
All other	---	297	15	11	5
Black	---	297	15	11	5
West Monroe	---	194	2	2	5
White	---	161	1	1	4
All other	---	33	1	1	1
Black	---	33	1	1	1
Balance of parish	---	271	7	5	4
White	---	223	4	2	4
All other	---	48	3	3	-
Black	---	48	3	3	-
Plaquemines	98	195	10	7	7
White	69	136	6	4	4
All other	29	59	4	3	3
Black	25	54	4	3	3
Pointe Coupee	156	208	5	4	3
White	77	108	3	2	1
All other	79	100	2	2	2
Black	79	100	2	2	2
Rapides	1,641	1,195	30	16	28
White	1,136	804	17	12	10
All other	505	391	13	4	18
Black	505	391	13	4	18
Alexandria	---	582	15	8	18
White	---	307	7	5	3
All other	---	275	8	3	15
Black	---	275	8	3	15
Pineville	---	169	2	1	3
White	---	135	1	1	2
All other	---	34	1	-	1
Black	---	34	1	-	1
Balance of parish	---	444	13	7	7
White	---	362	9	6	5
All other	---	82	4	1	2
Black	---	82	4	1	2
Red River	121	124	3	2	7
White	88	89	1	-	2
All other	33	35	2	2	5
Black	33	35	2	2	5
Richland	274	239	2	1	6
White	201	165	2	1	2
All other	73	74	-	-	4
Black	73	74	-	-	4
Sabine	195	245	12	7	4
White	158	203	8	5	4
All other	37	42	4	2	-
Black	36	42	4	2	-
St. Bernard	418	553	15	12	9
St. Charles	155	238	16	8	9
White	112	173	12	6	5
All other	43	65	4	2	4
Black	43	65	4	2	4
St. Helena	65	78	3	1	1
White	39	41	1	1	-
All other	26	37	2	-	1
Black	26	37	2	-	1
St. James	159	190	6	5	4
White	96	100	2	1	-
All other	63	90	4	4	4
Black	63	90	4	4	4
St. John the Baptist	145	225	14	7	9
White	96	130	4	3	5
All other	49	95	10	4	4
Black	49	95	10	4	4
St. Landry	646	784	28	18	23
White	431	487	8	7	6
All other	215	297	20	11	17
Black	215	297	20	11	16
Louisiana-Con.					
Eunice, part	---	128	1	1	4
White	---	104	1	1	2
All other	---	24	-	-	2
Black	---	24	-	-	2
Eunice, total	---	133	1	1	4
White	---	109	1	1	2
All other	---	24	-	-	2
Black	---	24	-	-	2
Opelousas	---	209	8	5	8
White	---	107	2	2	1
All other	---	102	6	3	7
Black	---	102	6	3	6
Balance of parish	---	447	19	12	11
White	---	276	5	4	3
All other	---	171	14	8	8
Black	---	171	14	8	8
St. Martin	166	313	12	10	11
White	128	214	2	2	7
All other	38	99	10	8	4
Black	37	98	10	8	4
St. Mary	407	481	10	4	15
White	275	323	6	3	6
All other	132	158	4	1	9
Black	131	155	4	1	8
Morgan City	---	126	2	-	5
White	---	108	2	-	3
All other	---	18	-	-	2
Black	---	16	-	-	2
Balance of parish	---	355	8	4	10
White	---	215	4	3	3
All other	---	140	4	1	7
Black	---	139	4	1	6
St. Tammany	698	818	24	16	14
White	585	693	19	14	6
All other	113	125	5	2	8
Black	112	124	5	2	8
Slidell	---	186	5	5	4
Balance of parish	---	632	19	11	10
White	---	530	14	9	4
All other	---	102	5	2	6
Black	---	102	5	2	6
Tangipahoa	704	780	39	21	19
White	474	508	18	11	12
All other	230	272	21	10	7
Black	230	272	21	10	7
Hammond	---	157	4	2	4
White	---	84	2	2	2
All other	---	73	2	-	2
Black	---	73	2	-	2
Balance of parish	---	623	35	19	15
White	---	424	16	9	10
All other	---	199	19	10	5
Black	---	199	19	10	5
Tensas	68	116	7	4	-
White	22	45	1	-	-
All other	46	71	6	4	-
Black	46	71	6	4	-
Terrebonne	643	656	33	20	26
White	500	517	21	11	17
All other	143	139	12	9	9
Black	128	123	12	9	7
Houma	---	284	16	13	10
White	---	215	8	6	5
All other	---	69	8	7	5
Black	---	68	8	7	5
Balance of parish	---	372	17	7	16
White	---	302	13	5	12
All other	---	70	4	2	4
Black	---	55	4	2	2
Union	180	237	3	3	5
White	131	167	-	-	3
All other	49	70	3	3	2
Black	49	70	3	3	2
Vermilion	373	458	11	5	10
White	324	390	8	4	4
All other	49	68	3	1	6
Black	49	68	3	1	6
Abbeville	---	140	5	3	5
White	---	104	3	2	2
All other	---	36	2	1	3
Black	---	36	2	1	3
Balance of parish	---	318	6	2	5
Vernon	203	327	22	15	7
White	178	292	16	11	3
All other	25	35	6	4	4
Black	23	33	5	3	3
De Ridder, part	---	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Balance of parish	---	325	22	15	7
White	---	290	16	11	3
All other	---	35	6	4	4
Black	---	33	5	3	3
Washington	388	471	12	9	12
White	287	342	5	5	8
All other	101	129	7	4	4
Black	101	129	7	4	4
Bogalusa	---	213	4	4	3
White	---	155	2	2	1
All other	---	58	2	2	2
Black	---	58	2	2	2
Balance of parish	---	258	6	5	9
White	---	187	3	3	7
All other	---	71	5	2	2
Black	---	71	5	2	2
Webster	432	538	7	5	6
White	317	379	2	1	2
All other	115	159	5	4	4
Black	115	159	5	4	4
Minden	---	213	3	2	4
White	---	132	-	-	1
All other	---	81	3	2	3
Black	---	81	3	2	3
Balance of parish	---	325	4	3	2
White	---	247	2	1	1
All other	---	78	2	2	1
Black	---	78	2	2	1
West Baton Rouge	43	128	3	2	3
White	24	72	3	2	2
All other	19	56	-	-	1
Black	19	56	-	-	1
West Carroll	76	136	3	3	2
White	63	119	3	3	1
All other	13	17	-	-	1
Black	13	17	-	-	1
West Feliciana	61	62	3	2	3
White	30	29	2	1	-
All other	31	33	1	1	3
Black	31	33	1	1	3
Winn	175	205	3	2	2
White	133	150	3	2	2
All other	42	55	-	-	-
Black	42	55	-	-	-
Maine	10,446	10,472	150	103	118
White	10,409	10,432	147	102	115
All other	37	40	3	1	3
Black	12	15	2	1	-
Androscoggin	978	951	19	15	7
Auburn	---	254	3	2	1
Lewiston	---	463	12	10	1
Balance of county	---	234	4	3	5
Aroostook	699	741	12	10	12
Presque Isle	---	84	4	4	2
Balance of county	---	657	8	6	10
Cumberland	2,456	2,038	25	17	32
Portland	---	727	13	11	6
South Portland	---	244	3	3	5
Westbrook	---	146	2	1	3
Balance of county	---	921	7	2	18
Franklin	195	234	6	3	4
Hancock	392	442	4	2	1
Kennebec	1,309	1,028	19	14	14
Augusta	---	245	7	6	3
Waterville	---	222	3	3	2
Balance of county	---	561	9	5	9
Knox	368	346	2	1	3
Lincoln	215	290	2	2	2
Oxford	394	493	5	4	3
Penobscot	1,255	1,150	22	17	7
Bangor	---	351	7	5	-
Balance of county	---	799	15	12	7
Piscataquis	186	207	1	-	2
Sagadahoc	196	248	6	4	3
Bath	---	112	4	3	-
Balance of county	---	136	2	1	3
Somerset	342	383	7	4	6
Waldo	182	266	3	1	5
Washington	301	381	1	-	2
York	978	1,274	16	9	15
Biddeford	---	213	1	1	1
Saco	---	120	1	-	1
Maine-Con.					
Balance of county	---	941	14	8	13
Maryland	33,430	34,098	762	536	572
White	26,234	26,636	384	269	283
All other	7,196	7,462	378	267	289
Black	7,056	7,308	369	263	283
Allegany	1,071	958	9	7	9
Cumberland	---	407	2	2	2
Balance of county	---	551	7	5	7
Anne Arundel	1,732	2,319	50	35	35
White	1,493	2,028	34	23	29
All other	239	291	16	12	6
Black	232	284	16	12	6
Annapolis	---	282	7	5	5
White	---	199	4	3	5
All other	---	83	3	2	-
Black	---	81	3	2	-
Balance of county	---	2,037	43	30	30
White	---	1,829	30	20	24
All other	---	208	13	10	6
Black	---	203	13	10	6
Baltimore	4,751	5,561	84	57	74
White	4,308	5,210	68	44	51
All other	443	351	16	13	23
Black	432	329	13	11	23
Baltimore city	11,342	9,327	216	142	159
White	6,970	5,027	51	33	28
All other	4,372	4,300	165	109	131
Black	4,342	4,268	165	109	130
Calvert	177	215	3	2	5
White	139	157	3	2	3
All other	38	48	-	-	2
Black	38	48	-	-	2
Caroline	73	258	3	2	-
White	60	215	2	2	-
All other	13	43	1	-	-
Black	13	43	1	-	-
Carroll	559	704	15	11	17
Cecil	455	458	4	3	6
Charles	291	435	9	7	12
White	222	333	4	2	3
All other	69	102	5	5	9
Black	68	100	5	5	9
Dorchester	329	397	8	6	1
White	238	277	3	3	-
All other	91	120	5	3	1
Black	91	120	5	3	1
Cambridge	---	179	1	1	-
White	---	122	-	-	-
All other	---	57	1	1	-
Black	---	57	1	1	-
Balance of county	---	218	7	5	1
White	---	155	3	3	-
All other	---	63	4	2	1
Black	---	63	4	2	1
Frederick	696	810	6	3	9
Frederick	---	288	3	1	2
White	---	262	1	-	2
All other	---	26	2	1	-
Black	---	25	1	1	-
Balance of county	---	522	3	2	7
White	---	487	3	2	6
All other	---	35	-	-	1
Black	---	34	-	-	1
Garrett	239	229	8	6	7
Harford	846	935	24	17	22
White	762	834	19	15	18
All other	84	101	5	2	4
Black	82	100	5	2	4
Aberdeen	---	100	2	1	2
White	---	79	-	-	1
All other	---	21	2	1	1
Black	---	21	2	1	1
Balance of county	---	835	22	16	20
White	---	755	19	15	17
All other	---	80	3	1	3
Black	---	79	3	1	3
Howard	360	570	19	15	14
White	314	499	16	12	10
All other	46	71	3	3	4
Black	46	70	3	3	4
Kent	160	203	3	2	1
White	137	166	2	1	1
All other	23	37	1	1	-
Black	23	37	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Montgomery	3,997	3,873	70	43	45
White	3,613	3,555	45	30	36
All other	384	318	25	13	9
Black	331	263	21	11	7
Gaithersburg	---	202	8	6	6
White	---	199	6	5	6
All other	---	9	2	1	–
Black	---	6	1	–	–
Rockville	---	519	4	3	7
White	---	494	3	2	6
All other	---	25	1	1	1
Black	---	15	1	1	1
Takoma Park, part	---	107	4	4	–
White	---	82	2	2	–
All other	---	25	2	2	–
Black	---	21	2	2	–
Takoma Park, total	---	143	4	4	1
White	---	108	2	2	–
All other	---	35	2	2	1
Black	---	30	2	2	1
Balance of county	---	3,045	54	30	32
White	---	2,786	34	21	24
All other	---	259	20	9	8
Black	---	221	17	8	6
Prince George's	2,840	3,605	159	117	112
White	2,118	2,570	53	35	31
All other	722	1,035	106	82	81
Black	693	991	105	82	78
Bowie	---	121	4	2	1
College Park	---	104	–	–	2
White	---	97	–	–	2
All other	---	7	–	–	–
Black	---	6	–	–	–
Greenbelt	---	74	2	1	1
White	---	63	2	1	–
All other	---	11	–	–	1
Black	---	8	–	–	1
Hyattsville	---	388	20	12	9
White	---	324	7	3	1
All other	---	64	13	9	8
Black	---	61	12	9	7
Laurel	---	115	3	3	6
White	---	108	2	2	1
All other	---	7	1	1	5
Black	---	6	1	1	5
New Carrollton	---	31	4	4	2
White	---	24	–	–	1
All other	---	7	4	4	1
Black	---	6	4	4	1
Takoma Park, part	---	36	–	–	1
White	---	26	–	–	–
All other	---	10	–	–	1
Black	---	9	–	–	1
Balance of county	---	2,736	126	95	90
White	---	1,814	39	28	26
All other	---	922	87	67	64
Black	---	891	87	67	63
Queen Anne's	87	236	4	3	8
White	69	184	2	2	4
All other	18	52	2	1	4
Black	18	52	2	1	4
St. Mary's	291	361	22	18	16
White	232	284	17	13	11
All other	59	77	5	5	5
Black	58	76	5	5	5
Somerset	115	255	1	–	1
White	91	180	1	–	–
All other	24	75	–	–	1
Black	24	75	–	–	1
Talbot	586	363	12	8	–
White	463	284	4	3	–
All other	123	79	8	5	–
Black	123	79	8	5	–
Washington	1,127	1,033	12	12	8
Hagerstown	---	424	3	3	1
Balance of county	---	609	9	9	7
White	---	603	9	9	7
All other	---	6	–	–	–
Black	---	6	–	–	–
Wicomico	1,160	659	14	14	8
White	908	533	4	4	3
All other	252	126	10	10	5
Black	250	124	10	10	5
Salisbury	---	166	5	5	3
White	---	115	2	2	–
All other	---	51	3	3	3
Black	---	51	3	3	3
Balance of county	---	493	9	9	5
White	---	418	2	2	3
All other	---	75	7	7	2
Black	---	73	7	7	2
Worcester	146	334	7	6	3
White	109	248	5	5	–
All other	37	86	2	1	3
Black	37	86	2	1	3
Massachusetts	53,627	52,946	766	573	577
White	51,972	51,313	659	495	490
All other	1,655	1,633	107	78	87
Black	1,485	1,465	102	75	77
Barnstable	1,777	1,876	14	8	10
Barnstable town#	---	375	5	2	–
Balance of county	---	1,501	9	6	10
White	---	1,489	9	6	8
All other	---	12	–	–	2
Black	---	11	–	–	1
Berkshire	1,515	1,456	22	20	18
North Adams	---	203	2	2	2
Pittsfield	---	532	5	4	8
Balance of county	---	721	15	14	8
Bristol	4,185	4,552	61	44	50
White	4,122	4,481	60	43	45
All other	63	71	1	1	5
Black	56	64	1	1	4
Attleboro	---	290	2	2	4
Fairhaven town#	---	203	2	1	–
Fall River	---	1,073	13	7	13
New Bedford	---	1,120	22	20	15
White	---	1,066	22	20	11
All other	---	54	–	–	4
Black	---	52	–	–	4
North Attleborough town#	---	176	2	1	3
Somerset town#	---	161	1	–	–
Taunton	---	418	6	4	6
Balance of county	---	1,111	13	9	9
Dukes	89	99	1	–	3
Essex	5,879	6,102	92	68	60
White	5,840	6,063	89	65	54
All other	39	39	3	3	6
Black	33	32	3	3	5
Amesbury town#	---	130	2	1	–
Andover town#	---	173	–	–	–
Beverly	---	370	6	4	6
Danvers town#	---	211	2	2	–
Gloucester	---	312	1	–	–
Haverhill	---	505	13	9	5
Lawrence	---	708	21	13	12
White	---	706	21	13	12
All other	---	2	–	–	–
Black	---	2	–	–	–
Lynn	---	941	13	12	15
Lynnfield town#	---	62	–	–	–
Marblehead town#	---	191	1	1	1
Methuen town#	---	341	2	2	5
Newburyport	---	156	4	3	1
Peabody	---	394	6	5	3
Salem	---	418	8	5	4
Saugus town#	---	192	3	3	2
Swampscott town#	---	155	–	–	–
Balance of county	---	843	10	8	6
Franklin	479	580	6	5	8
Hampden	4,573	4,301	72	55	61
White	4,401	4,124	63	47	50
All other	172	177	9	8	11
Black	171	176	9	8	11
Agawam town#	---	214	4	2	2
Chicopee	---	542	10	6	5
Holyoke	---	578	8	6	4
White	---	572	8	6	4
All other	---	6	–	–	–
Black	---	6	–	–	–
Longmeadow town#	---	146	2	1	2
Springfield	---	1,580	37	31	31
White	---	1,416	28	23	20
All other	---	164	9	8	11
Black	---	164	9	8	11
Westfield	---	307	4	4	3
West Springfield town#	---	271	1	1	4
Balance of county	---	663	6	4	10
Hampshire	818	980	13	7	5
Amherst town#	---	76	2	2	–
Easthampton town#	---	134	1	1	2
Northampton	---	285	–	–	–
Balance of county	---	485	10	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Middlesex	10,843	11,524	137	105	137
White	10,682	11,349	132	102	127
All other	161	175	5	3	10
Black	137	150	3	2	9
Arlington town#	---	474	3	3	3
Belmont town#	---	275	–	–	1
Billerica town#	---	203	5	4	6
Burlington town#	---	117	–	–	3
Cambridge	---	784	8	6	8
White	---	705	8	6	5
All other	---	79	–	–	3
Black	---	74	–	–	3
Chelmsford town#	---	201	1	–	2
Dracut town#	---	159	4	4	1
Everett	---	407	5	3	4
Framingham town#	---	566	4	4	7
Hudson town#	---	115	–	–	2
Lexington town#	---	219	–	–	3
Lowell	---	1,050	15	7	9
Malden	---	573	7	5	5
Marlborough	---	255	9	7	7
Medford	---	601	15	15	6
Melrose	---	306	2	1	–
Natick town#	---	244	1	1	2
Newton	---	752	4	3	7
Reading town#	---	160	1	1	–
Somerville	---	779	3	3	8
Stoneham town#	---	182	2	2	5
Tewksbury town#	---	134	2	2	5
Wakefield town#	---	246	8	6	2
Waltham	---	447	5	4	6
Watertown town#	---	337	1	–	1
Wilmington town#	---	114	3	3	1
Winchester town#	---	193	–	–	–
Woburn	---	308	2	2	8
Balance of county	---	1,325	27	19	25
White	---	1,318	27	19	24
All other	---	7	–	–	1
Black	---	5	–	–	1
Nantucket	52	53	–	–	–
Norfolk	4,396	5,476	70	59	41
White	4,366	5,429	68	58	41
All other	30	47	2	1	–
Black	24	24	2	1	–
Braintree town#	---	398	6	4	2
Brookline town#	---	552	4	4	1
Dedham town#	---	209	4	4	–
Holbrook town#	---	89	1	1	2
Milton town#	---	318	1	1	2
Needham town#	---	230	2	2	1
Norwood town#	---	286	1	1	3
Quincy	---	992	10	6	5
Randolph town#	---	250	2	2	1
Stoughton town#	---	215	6	5	2
Wellesley town#	---	189	4	4	4
Westwood town#	---	106	–	–	–
Weymouth town#	---	510	2	2	5
Balance of county	---	1,132	27	23	13
White	---	1,126	25	22	13
All other	---	6	2	1	–
Black	---	6	2	1	–
Plymouth	3,022	3,312	56	41	29
White	2,974	3,255	52	37	22
All other	48	57	4	4	7
Black	47	54	3	3	4
Abington town#	---	132	2	1	3
Brockton	---	914	13	12	6
Plymouth town#	---	324	5	2	4
Rockland town#	---	143	4	3	1
Scituate town#	---	140	–	–	1
Whitman town#	---	101	4	2	–
Balance of county	---	1,556	28	21	14
Suffolk	10,090	6,739	141	103	107
White	9,075	5,794	64	49	68
All other	1,015	945	77	54	39
Black	905	859	76	53	37
Boston	---	5,702	132	96	97
White	---	4,764	55	42	58
All other	---	938	77	54	39
Black	---	852	76	53	37
Chelsea	---	337	5	4	4
Revere	---	454	2	2	6
Winthrop town#	---	246	2	1	–
Worcester	5,909	5,896	81	58	48
White	5,854	5,843	78	56	45
All other	55	53	3	2	3
Black	49	45	3	2	3
Clinton town#	---	125	4	3	1
Fitchburg	---	395	9	5	3
Gardner	---	208	4	2	1
Leominster	---	259	4	1	4
Milford town#	---	211	2	2	2
Shrewsbury town#	---	187	1	–	1
Webster town#	---	154	3	3	2
Worcester	---	1,858	26	19	12
Balance of county	---	2,499	28	23	22
Michigan	74,452	75,694	1,676	1,203	952
White	64,296	65,501	1,115	787	739
All other	10,156	10,193	561	416	213
Black	9,908	9,946	548	409	206
Alcona	50	113	1	1	2
Alger	94	100	–	–	1
Allegan	427	643	14	8	6
Holland, part	---	58	–	–	–
Balance of county	---	585	14	8	6
Alpena	332	304	5	4	1
Alpena	---	151	1	–	–
Balance of county	---	153	4	4	1
Antrim	93	188	2	2	2
Arenac	128	157	2	2	2
Baraga	108	100	1	1	1
Barry	312	376	7	4	5
Bay	911	962	14	13	15
Bangor twp#	---	111	2	1	1
Bay City	---	459	8	8	9
Midland, part	---	–	–	–	–
Balance of county	---	392	4	4	5
Benzie	93	123	2	2	3
Berrien	1,384	1,508	37	21	20
White	1,189	1,310	24	13	13
All other	195	198	13	8	7
Black	188	193	13	8	7
Benton Harbor	---	141	9	6	8
White	---	50	–	–	3
All other	---	91	9	6	5
Black	---	91	9	6	5
Niles	---	164	5	4	2
White	---	148	5	4	1
All other	---	16	–	–	1
Black	---	16	–	–	1
Balance of county	---	1,203	23	11	10
White	---	1,112	19	9	9
All other	---	91	4	2	1
Black	---	86	4	2	1
Branch	320	342	8	4	2
Calhoun	1,268	1,267	22	12	10
White	1,169	1,156	16	9	7
All other	99	111	6	3	3
Black	93	105	6	3	3
Albion	---	103	1	1	1
White	---	83	1	1	–
All other	---	20	–	–	1
Black	---	20	–	–	1
Battle Creek	---	443	16	8	6
White	---	356	10	5	4
All other	---	87	6	3	2
Black	---	84	6	3	2
Balance of county	---	721	5	3	3
Cass	209	394	13	6	7
Charlevoix	125	186	3	3	3
Cheboygan	195	247	1	–	2
Chippewa	237	277	1	1	2
Sault Ste. Marie	---	154	1	1	2
Balance of county	---	123	–	–	–
White	---	118	–	–	–
All other	---	5	–	–	–
Black	---	–	–	–	–
Clare	202	276	3	1	4
Clinton	151	315	5	3	5
Lansing, part	---	2	–	–	–
Balance of county	---	313	5	3	5
White	---	312	5	3	5
All other	---	1	–	–	–
Black	---	–	–	–	–
Crawford	198	86	1	1	2
Delta	316	373	8	8	6
Escanaba	---	201	5	5	3
Balance of county	---	172	3	3	3
Dickinson	380	282	5	5	4
Eaton	386	583	13	8	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan-Con.					
Lansing, part	---	10	1	1	1
White	---	7	–	–	1
All other	---	3	1	1	–
Black	---	3	1	1	–
Balance of county	---	573	12	7	7
Emmet	465	201	5	5	1
Genesee	3,471	3,328	81	51	36
White	3,002	2,841	49	29	28
All other	469	487	32	22	8
Black	457	475	31	22	8
Burton	---	206	6	3	2
Flint	---	1,541	49	32	16
White	---	1,086	23	13	11
All other	---	455	26	19	5
Black	---	451	25	19	5
Flint twp#	---	259	3	3	4
Genesee twp#	---	148	2	–	–
Mount Morris twp#	---	151	2	2	–
White	---	150	2	2	–
All other	---	1	–	–	–
Black	---	1	–	–	–
Balance of county	---	1,023	19	11	14
White	---	1,002	16	9	13
All other	---	21	3	2	1
Black	---	18	3	2	1
Gladwin	107	200	1	–	2
Gogebic	265	285	2	1	1
Grand Traverse	674	439	14	9	7
Traverse City	---	187	5	5	3
Balance of county	---	252	9	4	4
Gratiot	411	398	9	7	8
Hillsdale	243	369	6	5	3
Houghton	428	456	3	3	1
Huron	283	362	4	2	4
Ingham	2,075	1,614	46	29	36
White	1,955	1,503	38	24	31
All other	120	111	8	5	5
Black	112	106	7	5	4
East Lansing	---	127	7	3	4
Lansing, part	---	897	30	21	23
White	---	796	24	17	19
All other	---	101	6	4	4
Black	---	100	6	4	3
Lansing, total	---	909	31	22	24
White	---	805	24	17	20
All other	---	104	7	5	4
Black	---	103	7	5	3
Meridian twp#	---	189	1	1	3
Balance of county	---	401	8	4	6
Ionia	240	398	10	8	6
Iosco	251	278	5	2	6
Iron	148	172	–	–	1
Isabella	323	325	6	5	2
Mount Pleasant	---	115	3	2	–
Balance of county	---	210	3	3	2
Jackson	1,178	1,259	34	27	12
White	1,118	1,197	34	27	11
All other	60	62	–	–	1
Black	60	62	–	–	1
Jackson	---	487	15	12	5
White	---	430	15	12	4
All other	---	57	–	–	1
Black	---	57	–	–	1
Balance of county	---	772	19	15	7
Kalamazoo	1,934	1,465	47	40	26
White	1,799	1,376	31	26	17
All other	135	89	16	14	9
Black	131	84	14	12	7
Kalamazoo	---	648	24	20	15
White	---	566	10	8	10
All other	---	82	14	12	5
Black	---	78	13	11	4
Kalamazoo twp#	---	176	3	2	3
Portage	---	167	6	6	2
Balance of county	---	474	14	12	6
Kalkaska	62	99	1	–	1
Kent	3,982	3,380	86	60	43
White	3,739	3,142	66	48	33
All other	243	238	20	12	10
Black	225	222	17	11	9
East Grand Rapids	---	64	2	2	–
Grand Rapids	---	1,606	46	31	35
White	---	1,589	29	22	26
All other	---	217	17	9	9
Black	---	205	15	9	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan-Con.					
Grandville	---	66	1	1	1
Kentwood	---	140	6	4	1
Walker	---	74	1	–	–
Wyoming	---	374	10	9	–
Balance of county	---	856	20	13	6
Keweenaw	8	49	–	–	–
Lake	47	120	1	1	–
White	32	85	1	1	–
All other	15	35	–	–	–
Black	15	35	–	–	–
Lapeer	371	468	14	8	3
Leelanau	82	136	1	1	1
Lenawee	591	700	11	8	14
Adrian	---	215	3	2	6
Balance of county	---	485	8	6	8
Livingston	392	570	11	9	13
Luce	92	82	–	–	3
Mackinac	78	111	1	1	–
Macomb	3,528	4,746	96	75	49
White	3,451	4,669	88	71	48
All other	77	77	8	4	1
Black	72	61	7	3	1
Clinton twp#	---	301	7	5	3
East Detroit	---	377	3	2	3
Fraser	---	110	4	4	–
Harrison twp#	---	98	3	2	1
Mount Clemens	---	357	19	16	9
White	---	327	15	13	8
All other	---	30	4	3	1
Black	---	27	3	2	1
Roseville	---	398	9	8	2
St. Clair Shores	---	681	11	7	4
Shelby twp#	---	144	1	1	1
Sterling Heights	---	442	11	9	9
Warren	---	1,196	12	9	7
Balance of county	---	642	16	12	10
Manistee	219	246	2	2	2
Marquette	556	491	13	12	4
Marquette	---	167	4	4	1
Balance of county	---	324	9	8	3
Mason	252	263	4	3	3
Mecosta	159	222	8	7	6
Big Rapids	---	55	2	2	–
Balance of county	---	167	6	5	6
Menominee	257	266	5	1	2
Menominee	---	119	3	–	–
Balance of county	---	147	2	1	2
Midland	555	446	11	7	13
Midland, part	---	254	5	3	8
Midland, total	---	254	5	3	8
Balance of county	---	192	6	4	5
Missaukee	22	90	1	–	–
Monroe	612	988	13	9	16
Monroe	---	277	2	1	3
Balance of county	---	691	11	8	13
Montcalm	387	417	8	5	7
Montmorency	49	104	1	–	1
Muskegon	1,315	1,327	28	17	13
White	1,166	1,167	16	11	9
All other	149	160	12	6	4
Black	143	155	12	6	4
Muskegon	---	467	12	6	7
White	---	405	8	4	4
All other	---	62	4	2	3
Black	---	61	4	2	3
Muskegon Heights	---	163	7	4	3
White	---	84	1	1	2
All other	---	79	6	3	1
Black	---	78	6	3	1
Norton Shores	---	160	1	1	1
Balance of county	---	537	8	6	2
Newaygo	259	361	8	4	7
Oakland	7,999	7,427	152	115	102
White	7,539	7,121	127	96	92
All other	460	306	25	19	10
Black	433	284	25	19	8
Avon twp#	---	193	3	3	4
Berkley	---	141	2	2	2
Beverly Hills	---	87	–	–	–
Birmingham	---	223	1	1	3
Bloomfield twp#	---	211	5	3	2
Clawson	---	125	1	1	–
Farmington	---	125	–	–	–
Farmington Hills	---	395	6	3	5
Ferndale	---	317	6	3	3
Hazel Park	---	164	3	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Madison Heights	---	251	3	3	3
Novi	---	100	1	1	2
Oak Park	---	314	8	6	-
White	---	291	1	-	-
All other	---	23	7	6	-
Black	---	23	7	6	-
Pontiac	---	723	29	18	20
White	---	549	18	12	14
All other	---	174	11	6	6
Black	---	173	11	6	6
Royal Oak	---	630	16	13	8
Southfield	---	755	9	9	4
White	---	732	4	4	3
All other	---	23	5	5	1
Black	---	22	5	5	1
Troy	---	352	5	2	4
West Bloomfield twp#	---	144	4	3	1
Balance of county	---	2,177	50	43	37
White	---	2,146	50	43	35
All other	---	31	-	-	2
Black	---	22	-	-	1
Oceana	120	186	3	2	-
Ogemaw	227	204	1	1	4
Ontonagon	105	123	-	-	-
Osceola	153	172	4	4	4
Oscoda	45	95	1	-	-
Otsego	152	141	3	2	1
Ottawa	852	994	38	23	13
Georgetown twp#	---	99	7	5	-
Grand Haven	---	138	3	3	1
Holland, part	---	197	7	1	3
Holland, total	---	255	7	1	3
Balance of county	---	560	21	14	9
Presque Isle	122	161	-	-	1
Roscommon	49	223	1	1	-
Saginaw	1,909	1,652	41	30	26
White	1,690	1,429	23	14	20
All other	219	223	18	16	6
Black	213	216	17	16	6
Saginaw	---	729	19	16	10
White	---	540	6	4	5
All other	---	189	13	12	5
Black	---	187	13	12	5
Saginaw twp#	---	277	4	2	2
Balance of county	---	646	18	12	14
White	---	616	14	9	13
All other	---	30	4	3	1
Black	---	26	3	3	1
St. Clair	1,094	1,209	23	12	8
Port Huron	---	373	9	4	5
Balance of county	---	836	14	8	3
St. Joseph	428	512	7	3	11
Sanilac	285	403	7	4	6
Schoolcraft	97	103	-	-	2
Shiawassee	404	536	7	4	3
Owosso	---	175	3	2	2
Balance of county	---	361	4	2	1
Tuscola	274	447	8	3	5
Van Buren	408	589	7	3	12
Washtenaw	2,624	1,441	36	26	26
White	2,364	1,277	28	20	20
All other	260	164	8	6	6
Black	249	156	7	5	6
Ann Arbor	---	463	10	7	12
White	---	406	7	4	9
All other	---	57	3	3	3
Black	---	52	2	2	3
Ypsilanti	---	211	9	9	6
White	---	143	7	7	5
All other	---	68	2	2	1
Black	---	67	2	2	1
Ypsilanti twp#	---	212	9	5	3
White	---	193	7	4	2
All other	---	19	2	1	1
Black	---	18	2	1	1
Balance of county	---	555	8	5	5
White	---	535	7	5	4
All other	---	20	1	-	1
Black	---	19	1	-	1
Wayne	22,489	22,398	564	430	260
White	15,136	14,815	182	139	123
All other	7,353	7,583	382	291	137
Black	7,295	7,530	379	289	136
Allen Park	---	305	3	2	-
Canton twp#	---	159	7	5	5
Dearborn	---	1,025	15	12	10
Dearborn Heights	---	526	6	3	7
Detroit	---	13,185	402	311	152
White	---	6,275	50	38	30
All other	---	6,910	352	273	122
Black	---	6,874	349	271	121
Ecorse	---	133	2	-	2
White	---	68	-	-	-
All other	---	65	2	-	2
Black	---	65	2	-	2
Garden City	---	225	10	7	8
Grosse Pointe Farms	---	109	1	1	1
Grosse Pointe Park	---	124	1	1	-
Grosse Pointe Woods	---	190	1	-	-
Hamtramck	---	332	4	2	1
White	---	294	2	1	1
All other	---	38	2	1	-
Black	---	38	2	1	-
Harper Woods	---	228	1	1	-
Highland Park	---	324	10	7	-
White	---	109	-	-	-
All other	---	215	10	7	-
Black	---	215	10	7	-
Inkster	---	304	7	3	5
White	---	136	2	1	3
All other	---	168	5	2	2
Black	---	168	5	2	2
Lincoln Park	---	419	13	9	4
Livonia	---	772	8	8	4
Melvindale	---	111	2	1	1
Plymouth twp#	---	86	-	-	-
Redford twp#	---	521	5	5	3
River Rouge	---	140	6	4	4
White	---	93	3	3	3
All other	---	47	3	1	1
Black	---	47	3	1	1
Riverview	---	105	1	1	1
Romulus	---	171	4	2	2
White	---	136	4	2	-
All other	---	35	-	-	2
Black	---	35	-	-	2
Southgate	---	237	6	4	1
Taylor	---	470	11	10	7
Trenton	---	169	-	-	2
Wayne	---	177	3	2	3
Westland	---	576	5	3	8
Woodhaven	---	39	3	3	2
Wyandotte	---	367	6	5	3
Balance of county	---	869	21	18	24
Wexford	326	267	8	6	2
Cadillac	---	131	5	4	2
Balance of county	---	136	3	2	-
Minnesota	33,408	32,978	648	405	434
White	32,783	32,400	582	369	400
All other	625	578	66	36	34
Black	316	302	31	18	12
Aitkin	151	196	1	-	2
Anoka	706	737	22	13	15
Anoka	---	120	2	1	2
Blaine, part	---	53	5	4	1
Blaine, total	---	53	5	4	1
Columbia Heights	---	153	2	2	2
Coon Rapids	---	107	5	2	3
Fridley	---	137	1	1	2
Ramsey	---	22	1	1	-
Balance of county	---	145	6	2	5
Becker	276	305	8	7	6
Beltrami	246	232	10	8	-
White	214	199	5	5	-
All other	32	33	5	3	-
Black	1	-	-	-	-
Bemidji	---	104	3	3	-
Balance of county	---	128	7	5	-
White	---	98	3	3	-
All other	---	30	4	2	-
Black	---	-	-	-	-
Benton	109	200	3	1	3
St. Cloud, part	---	41	1	-	-
Balance of county	---	159	2	1	3
Big Stone	104	95	-	-	-
Blue Earth	475	414	7	5	4
Mankato, part	---	208	4	3	2
Mankato, total	---	219	5	4	2
Balance of county	---	206	3	2	2
Brown	313	293	4	2	5
New Ulm	---	146	3	1	2
Balance of county	---	147	1	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Carlton	260	268	2	1	4
Cloquet	---	121	–	–	2
Balance of county	---	147	2	1	2
Carver	211	248	7	3	4
Cass	128	251	5	3	5
Chippewa	133	160	2	–	3
Chisago	184	231	3	2	2
Clay	222	341	16	9	5
Moorhead	---	202	9	6	3
Balance of county	---	139	7	3	2
Clearwater	90	88	–	–	–
Cook	30	35	1	1	–
Cottonwood	132	150	3	3	1
Crow Wing	471	449	4	3	5
Brainerd	---	165	3	2	2
Balance of county	---	284	1	1	3
Dakota	561	862	23	15	15
Apple Valley	---	27	2	2	3
Burnsville	---	84	2	1	4
Eagan	---	50	2	–	–
Hastings, part	---	96	1	1	2
Hastings, total	---	96	1	1	2
Inver Grove Heights	---	80	4	3	–
Lakeville	---	37	3	2	–
Northfield, part	---	–	–	–	–
South St. Paul	---	161	2	2	–
West St. Paul	---	177	1	1	3
Balance of county	---	150	6	3	3
Dodge	51	113	4	4	5
Douglas	264	251	4	4	4
Faribault	188	219	2	1	1
Fillmore	175	256	2	2	5
Freeborn	364	380	8	7	4
Albert Lea	---	219	4	3	2
Balance of county	---	161	4	4	2
Goodhue	378	418	9	5	5
Red Wing	---	179	3	2	1
Balance of county	---	239	6	3	4
Grant	76	99	–	–	1
Hennepin	8,498	7,306	149	87	92
White	8,186	7,036	117	68	82
All other	312	270	32	19	10
Black	187	176	18	12	6
Bloomington	---	408	10	4	5
Brooklyn Center	---	189	6	4	3
Brooklyn Park	---	107	7	4	7
Crystal	---	128	3	2	1
Eden Prairie	---	41	2	2	3
Edina	---	380	2	2	2
Golden Valley	---	169	–	–	1
Hopkins	---	152	–	–	3
Maple Grove	---	45	5	3	2
Minneapolis	---	3,988	76	43	44
White	---	3,746	49	27	35
All other	---	242	27	16	9
Black	---	163	15	10	6
Minnetonka	---	189	1	–	1
New Hope	---	171	4	–	3
Plymouth	---	117	9	7	2
Richfield	---	254	5	3	4
Robbinsdale	---	142	1	1	–
St. Louis Park	---	380	5	3	2
Balance of county	---	446	13	9	9
Houston	117	183	3	3	1
Hubbard	165	137	3	2	–
Isanti	160	161	6	2	1
Itasca	371	389	11	8	3
Jackson	116	139	1	–	1
Kanabec	130	129	3	2	2
Kandiyohi	408	328	12	9	6
Willmar	---	152	7	4	2
Balance of county	---	176	5	5	4
Kittson	66	70	–	–	3
Koochiching	138	167	5	5	–
Lac qui Parle	108	130	2	2	1
Lake	81	104	1	1	1
Lake of the Woods	44	39	–	–	–
Le Sueur	109	218	6	5	2
Lincoln	107	98	–	–	2
Lyon	198	214	6	4	–
Marshall	---	62	2	2	–
Balance of county	---	152	4	2	–
McLeod	244	255	5	4	1
Mahnomen	49	63	–	–	1
White	37	51	–	–	–
All other	12	12	–	–	1
Black	–	–	–	–	–
Marshall	70	124	1	1	2
Martin	213	229	4	4	3
Fairmont	---	123	2	2	–
Balance of county	---	106	2	2	3
Meeker	208	225	4	3	4
Mille Lacs	207	193	1	1	5
Morrison	261	298	6	5	–
Mower	345	402	6	4	3
Austin	---	264	4	3	2
Balance of county	---	138	2	1	1
Murray	79	105	1	–	–
Nicollet	119	198	6	4	4
Mankato, part	---	11	1	1	–
Balance of county	---	187	5	3	4
Nobles	200	184	2	2	2
Worthington	---	99	–	–	1
Balance of county	---	85	2	2	1
Norman	72	107	–	–	1
Olmsted	1,535	594	12	9	12
Rochester	---	447	8	6	8
Balance of county	---	147	4	3	4
Otter Tail	542	615	3	3	6
Fergus Falls	---	204	1	1	–
Balance of county	---	411	2	2	6
Pennington	183	157	2	2	–
Pine	115	218	4	2	3
Pipestone	121	126	3	1	3
Polk	319	396	4	2	3
Pope	125	145	3	2	1
Ramsey	4,042	3,712	88	43	60
White	3,924	3,587	71	38	49
All other	118	125	17	5	11
Black	94	101	10	3	5
Blaine, part	---	–	–	–	–
Maplewood	---	211	7	7	5
Mounds View	---	25	1	1	1
New Brighton	---	118	8	6	2
North St. Paul	---	70	3	3	–
Roseville	---	212	2	1	1
St. Paul	---	2,723	54	21	43
White	---	2,606	38	16	32
All other	---	117	16	5	11
Black	---	95	10	3	5
Shoreview	---	47	3	–	4
White Bear Lake, part	---	128	1	–	3
White Bear Lake, total	---	130	1	–	3
Balance of county	---	178	9	4	1
Red Lake	36	62	1	1	–
Redwood	176	223	5	3	2
Renville	138	209	2	1	2
Rice	354	361	8	3	2
Faribault	---	182	4	1	1
Northfield, part	---	82	–	–	1
Northfield, total	---	82	–	–	1
Balance of county	---	97	4	2	–
Rock	74	78	–	–	2
Roseau	111	126	6	3	3
St. Louis	2,480	2,233	23	16	9
Duluth	---	1,135	8	7	9
Hibbing	---	219	2	2	–
Virginia	---	144	1	–	–
Balance of county	---	735	12	7	–
Scott	262	218	7	5	6
Sherburne	130	211	6	6	4
St. Cloud, part	---	55	1	1	–
Balance of county	---	156	5	5	4
Sibley	86	139	1	1	1
Stearns	841	607	12	7	22
St. Cloud, part	---	180	6	4	7
St. Cloud, total	---	276	8	5	7
Balance of county	---	427	6	3	15
Steele	238	263	6	5	2
Owatonna	---	169	3	2	2
Balance of county	---	94	3	3	–
Stevens	92	103	–	–	1
Swift	112	156	1	1	2
Todd	149	238	6	3	3
Traverse	57	52	1	1	3
Wabasha	182	175	2	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Wadena	209	190	7	5	–
Waseca	120	166	3	2	3
Washington	326	551	16	5	12
Cottage Grove	---	40	3	1	2
Hastings, part	---	–	–	–	–
Oakdale	---	43	3	–	–
Stillwater	---	147	2	1	1
White Bear Lake, part	---	2	–	–	–
Woodbury	---	41	–	–	1
Balance of county	---	278	8	3	8
Watonwan	121	137	–	–	4
Wilkin	159	85	–	–	2
Winona	327	363	8	7	5
Winona	---	221	4	3	3
Balance of county	---	142	4	4	2
Wright	318	431	11	6	8
Yellow Medicine	147	152	3	3	2
Mississippi	22,775	23,283	710	468	612
White	14,619	14,952	251	167	230
All other	8,156	8,331	459	301	382
Black	8,082	8,261	448	295	381
Adams	434	368	8	4	10
White	231	184	3	1	4
All other	203	184	5	3	6
Black	203	184	5	3	6
Natchez	---	270	6	3	5
White	---	134	2	1	1
All other	---	136	4	2	4
Black	---	136	4	2	4
Balance of county	---	98	2	1	5
White	---	50	1	–	3
All other	---	48	1	1	2
Black	---	48	1	1	2
Alcorn	272	301	3	3	2
White	235	261	2	2	2
All other	37	40	1	1	–
Black	37	40	1	1	–
Corinth	---	129	1	1	–
White	---	99	–	–	–
All other	---	30	1	1	–
Black	---	30	1	1	–
Balance of county	---	172	2	2	2
Amite	43	147	1	1	1
White	20	79	–	–	–
All other	23	68	1	1	1
Black	23	68	1	1	1
Attala	196	256	6	4	2
White	137	172	1	1	–
All other	59	84	5	3	2
Black	59	83	5	3	2
Benton	15	59	–	–	7
White	9	40	–	–	3
All other	6	19	–	–	4
Black	6	19	–	–	4
Bolivar	401	435	21	11	21
White	139	159	2	1	1
All other	262	276	19	10	20
Black	261	275	19	10	20
Cleveland	---	144	6	4	9
White	---	69	1	1	–
All other	---	75	5	3	9
Black	---	74	5	3	9
Balance of county	---	291	15	7	12
White	---	90	1	–	1
All other	---	201	14	7	11
Black	---	201	14	7	11
Calhoun	100	155	4	4	8
White	77	123	–	–	6
All other	23	32	4	4	2
Black	23	32	4	4	2
Carroll	22	79	3	2	1
White	13	47	1	1	1
All other	9	32	2	1	–
Black	8	31	2	1	–
Chickasaw	118	151	3	3	1
White	79	94	1	1	–
All other	39	57	2	2	1
Black	39	57	2	2	1
Choctaw	54	74	2	1	1
White	38	56	2	1	1
All other	16	18	–	–	–
Black	16	18	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Claiborne	71	104	3	3	1
White	19	32	2	2	–
All other	52	72	1	1	1
Black	52	72	1	1	1
Clarke	128	187	3	1	11
White	88	120	3	1	5
All other	40	67	–	–	6
Black	40	67	–	–	6
Clay	143	186	7	5	5
White	65	91	2	2	1
All other	78	95	5	3	4
Black	78	95	5	3	4
Coahoma	447	449	25	12	16
White	183	166	–	–	1
All other	264	283	25	12	15
Black	260	278	25	12	15
Clarksdale	---	302	11	6	8
White	---	119	–	–	–
All other	---	183	11	6	8
Black	---	180	11	6	8
Balance of county	---	147	14	6	8
White	---	47	–	–	1
All other	---	100	14	6	7
Black	---	98	14	6	7
Copiah	177	283	8	7	6
White	93	153	4	4	1
All other	84	130	4	3	5
Black	84	130	4	3	5
Covington	118	167	5	2	7
White	92	129	3	2	1
All other	26	38	2	–	6
Black	26	38	2	–	6
De Soto	121	327	11	6	1
White	83	250	9	5	–
All other	38	77	2	1	1
Black	38	76	2	1	1
Forrest	765	625	13	10	21
White	580	452	8	6	13
All other	185	173	5	4	8
Black	185	173	5	4	8
Hattiesburg, part	---	464	7	5	12
White	---	318	3	2	8
All other	---	146	4	3	4
Black	---	146	4	3	4
Hattiesburg, total	---	465	7	5	12
White	---	319	3	2	8
All other	---	146	4	3	4
Black	---	146	4	3	4
Balance of county	---	161	6	5	9
White	---	134	5	4	5
All other	---	27	1	1	4
Black	---	27	1	1	4
Franklin	80	92	1	1	2
White	49	58	1	1	1
All other	31	34	–	–	1
Black	31	34	–	–	1
George	100	135	4	2	3
Greene	37	89	3	1	3
White	33	73	1	–	1
All other	4	16	2	1	2
Black	4	16	2	1	2
Grenada	247	236	6	5	5
White	144	131	1	1	2
All other	103	105	5	4	3
Black	103	105	5	4	3
Grenada	---	168	5	4	5
White	---	90	1	1	2
All other	---	78	4	3	3
Black	---	78	4	3	3
Balance of county	---	68	1	1	–
White	---	41	–	–	–
All other	---	27	1	1	–
Black	---	27	1	1	–
Hancock	194	235	4	2	6
White	173	207	4	2	4
All other	21	28	–	–	2
Black	21	28	–	–	2
Harrison	1,558	1,311	39	29	34
White	1,277	1,069	20	12	30
All other	281	242	19	17	4
Black	274	234	16	14	4
Biloxi	---	354	17	13	10
White	---	285	6	3	10
All other	---	69	11	10	–
Black	---	64	8	7	–
Gulfport	---	490	13	10	8
White	---	373	6	4	5
All other	---	117	7	6	3
Black	---	115	7	6	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Balance of county	---	467	9	6	16
White	---	411	8	5	15
All other	---	56	1	1	1
Black	---	55	1	1	1
Hinds	3,678	2,085	74	51	56
White	2,167	1,190	18	13	12
All other	1,511	895	56	38	44
Black	1,502	895	56	38	44
Clinton	---	98	3	–	4
Jackson, part	---	1,723	60	43	45
White	---	992	14	11	6
All other	---	731	46	32	39
Black	---	731	46	32	39
Jackson, total	---	1,726	60	43	45
White	---	994	14	11	6
All other	---	732	46	32	39
Black	---	732	46	32	39
Balance of county	---	264	11	8	7
White	---	121	2	2	4
All other	---	143	9	6	3
Black	---	143	9	6	3
Holmes	185	243	13	9	4
White	61	72	1	1	1
All other	124	171	12	8	3
Black	123	169	12	8	3
Humphreys	83	130	12	6	1
White	31	52	3	1	–
All other	52	78	9	5	1
Black	52	78	9	5	1
Issaquena	2	10	–	–	1
White	1	1	–	–	–
All other	1	9	–	–	1
Black	1	9	–	–	1
Itawamba	107	177	3	1	1
Jackson	660	711	30	22	21
White	533	580	17	12	13
All other	127	131	13	10	8
Black	124	130	13	10	8
Moss Point	---	139	9	8	3
White	---	62	3	3	–
All other	---	77	6	5	3
Black	---	77	6	5	3
Ocean Springs	---	119	4	2	2
Pascagoula	---	202	8	6	5
White	---	167	5	3	3
All other	---	35	3	3	2
Black	---	34	3	3	2
Balance of county	---	251	9	6	11
Jasper	111	159	4	3	4
White	59	84	1	1	–
All other	52	75	3	2	4
Black	51	75	3	2	4
Jefferson	51	85	1	1	1
White	8	17	–	–	–
All other	43	68	1	1	1
Black	43	68	1	1	1
Jefferson Davis	89	143	4	2	4
White	44	73	1	–	2
All other	45	70	3	2	2
Black	45	70	3	2	2
Jones	621	661	28	23	4
White	449	500	15	13	2
All other	172	161	13	10	2
Black	170	158	13	10	2
Laurel	---	324	17	16	2
White	---	216	9	9	–
All other	---	108	8	7	2
Black	---	108	8	7	2
Balance of county	---	337	11	7	2
White	---	284	6	4	2
All other	---	53	5	3	–
Black	---	50	5	3	–
Kemper	55	96	3	3	2
White	32	49	–	–	–
All other	23	47	3	3	2
Black	22	45	3	3	2
Lafayette	203	197	5	3	6
White	160	149	1	–	2
All other	43	48	4	3	4
Black	43	48	4	3	4
Lamar	259	168	2	2	3
White	224	148	2	2	1
All other	35	20	–	–	2
Black	35	20	–	–	2
Hattiesburg, part	---	1	–	–	–
Lauderdale	987	738	19	16	18
White	684	522	9	7	9
All other	303	216	10	9	9
Black	297	215	10	9	9
Meridian	---	514	12	11	6
White	---	351	3	3	2
All other	---	163	9	8	4
Black	---	163	9	8	4
Balance of county	---	224	7	5	12
White	---	171	6	4	7
All other	---	53	1	1	5
Black	---	52	1	1	5
Lawrence	76	113	2	2	3
White	44	77	1	1	2
All other	32	36	1	1	1
Black	32	36	1	1	1
Leake	158	208	12	9	6
White	107	134	2	1	1
All other	51	74	10	8	5
Black	47	68	8	7	5
Lee	868	495	8	6	15
White	686	376	4	3	10
All other	182	119	4	3	5
Black	182	119	4	3	5
Tupelo	---	245	1	1	4
White	---	193	–	–	2
All other	---	52	1	1	2
Black	---	52	1	1	2
Balance of county	---	250	7	5	11
White	---	183	4	3	8
All other	---	67	3	2	3
Black	---	67	3	2	3
Leflore	535	483	21	14	12
White	239	204	4	3	2
All other	296	279	17	11	10
Black	295	278	17	11	10
Greenwood	---	299	11	7	8
White	---	128	3	2	2
All other	---	171	8	5	6
Black	---	170	8	5	6
Balance of county	---	184	10	7	4
White	---	76	1	1	–
All other	---	108	9	6	4
Black	---	108	9	6	4
Lincoln	281	308	10	7	7
White	209	222	3	3	4
All other	72	86	7	4	3
Black	72	86	7	4	3
Brookhaven	---	160	5	2	5
White	---	108	–	–	3
All other	---	52	5	2	2
Black	---	52	5	2	2
Balance of county	---	148	5	5	2
White	---	114	3	3	1
All other	---	34	2	2	1
Black	---	34	2	2	1
Lowndes	450	421	16	14	18
White	296	261	8	8	9
All other	154	160	8	6	9
Black	152	159	8	6	9
Columbus	---	268	10	9	11
White	---	154	5	5	6
All other	---	114	5	4	5
Black	---	113	5	4	5
Balance of county	---	153	6	5	7
White	---	107	3	3	3
All other	---	46	3	2	4
Black	---	46	3	2	4
Madison	197	328	15	10	15
White	67	146	7	5	4
All other	130	182	8	5	11
Black	130	181	8	5	11
Canton	---	134	3	3	5
White	---	51	–	–	–
All other	---	83	3	3	5
Black	---	83	3	3	5
Balance of county	---	194	12	7	10
White	---	95	7	5	4
All other	---	99	5	2	6
Black	---	98	5	2	6
Marion	201	262	6	1	5
White	135	183	1	–	1
All other	66	79	5	1	4
Black	66	79	5	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Marshall	150	252	6	3	11
White	67	125	1	1	3
All other	83	127	5	2	8
Black	83	127	5	2	8
Monroe	354	407	14	10	13
White	257	298	10	7	3
All other	97	109	4	3	10
Black	97	109	4	3	10
Montgomery	157	161	1	–	4
White	92	104	–	–	–
All other	65	57	1	–	4
Black	65	57	1	–	4
Neshoba	145	217	5	3	5
White	107	159	–	–	1
All other	39	58	5	3	4
Black	24	40	2	1	3
Newton	162	234	5	4	2
White	100	156	–	–	1
All other	62	78	5	4	1
Black	58	72	4	4	1
Noxubee	114	126	4	3	4
White	42	52	1	1	1
All other	72	74	3	2	3
Black	72	74	3	2	3
Oktibbeha	233	229	7	4	13
White	128	125	2	1	3
All other	105	104	5	3	10
Black	104	104	5	3	10
Starkville	– – –	120	3	2	7
White	– – –	83	2	1	3
All other	– – –	37	1	1	4
Black	– – –	37	1	1	4
Balance of county	– – –	109	4	2	6
White	– – –	42	–	–	–
All other	– – –	67	4	2	6
Black	– – –	67	4	2	6
Panola	224	260	10	7	10
White	120	140	1	1	2
All other	104	120	9	6	8
Black	104	120	9	6	8
Pearl River	214	285	5	2	8
White	174	234	3	1	6
All other	40	51	2	1	2
Black	40	51	2	1	2
Picayune	– – –	115	3	1	3
White	– – –	78	1	–	1
All other	– – –	37	2	1	2
Black	– – –	37	2	1	2
Balance of county	– – –	170	2	1	5
Perry	54	86	1	–	–
White	39	65	1	–	–
All other	15	21	–	–	–
Black	15	21	–	–	–
Pike	423	396	9	5	10
White	266	249	2	1	5
All other	157	147	7	4	5
Black	157	147	7	4	5
McComb	– – –	180	4	3	1
White	– – –	133	1	1	1
All other	– – –	47	3	2	–
Black	– – –	47	3	2	–
Balance of county	– – –	216	5	2	9
White	– – –	116	1	–	4
All other	– – –	100	4	2	5
Black	– – –	100	4	2	5
Pontotoc	148	205	1	–	3
White	137	189	–	–	3
All other	11	16	1	–	–
Black	11	16	1	–	–
Prentiss	137	227	5	4	2
White	120	204	5	4	2
All other	17	23	–	–	–
Black	17	23	–	–	–
Quitman	106	167	8	5	7
White	31	69	–	–	1
All other	75	98	8	5	6
Black	75	98	8	5	6
Rankin	359	508	15	10	5
White	258	381	5	2	5
All other	101	127	10	8	–
Black	101	126	10	8	–
Jackson, part	– – –	3	–	–	–
Pearl	– – –	93	1	–	2
White	– – –	90	1	–	2
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Balance of county	– – –	412	14	10	3
White	– – –	289	4	2	3
All other	– – –	123	10	8	–
Black	– – –	122	10	8	–
Scott	196	266	10	6	13
White	116	159	2	1	6
All other	80	107	8	5	7
Black	80	105	8	5	7
Sharkey	75	95	5	3	4
White	28	38	1	–	3
All other	47	57	4	3	1
Black	46	56	4	3	1
Simpson	227	288	9	6	–
White	180	224	6	3	–
All other	47	64	3	3	–
Black	46	64	3	3	–
Smith	85	162	2	1	6
White	68	142	1	–	4
All other	17	20	1	1	2
Black	17	20	1	1	2
Stone	57	88	2	1	2
White	48	76	1	1	–
All other	9	12	1	–	2
Black	9	12	1	–	2
Sunflower	279	342	15	5	11
White	110	142	1	–	3
All other	169	200	14	5	8
Black	166	198	14	5	8
Tallahatchie	107	175	1	–	2
White	52	91	–	–	–
All other	55	84	1	–	2
Black	55	84	1	–	2
Tate	129	180	5	3	10
White	79	114	3	1	4
All other	50	66	2	2	6
Black	50	65	2	2	6
Tippah	194	233	3	3	2
White	170	205	3	3	–
All other	24	28	–	–	2
Black	24	28	–	–	2
Tishomingo	145	227	3	3	2
Tunica	75	106	6	5	1
White	16	26	–	–	1
All other	59	80	6	5	–
Black	59	80	6	5	–
Union	219	218	2	–	6
White	186	185	1	–	4
All other	33	33	1	–	2
Black	33	33	1	–	2
Walthall	129	159	7	4	4
White	86	103	2	–	–
All other	43	56	5	4	4
Black	43	56	5	4	4
Warren	539	505	14	12	12
White	273	260	7	6	3
All other	266	245	7	6	9
Black	266	245	7	6	9
Vicksburg	– – –	333	7	6	8
White	– – –	157	3	3	1
All other	– – –	176	4	3	7
Black	– – –	176	4	3	7
Balance of county	– – –	172	7	6	4
White	– – –	103	4	3	2
All other	– – –	69	3	3	2
Black	– – –	69	3	3	2
Washington	717	681	29	19	30
White	285	262	4	3	1
All other	432	419	25	16	29
Black	430	417	25	16	29
Greenville	– – –	442	16	10	18
White	– – –	172	1	1	1
All other	– – –	270	15	9	17
Black	– – –	268	15	9	17
Balance of county	– – –	239	13	9	12
White	– – –	90	3	2	–
All other	– – –	149	10	7	12
Black	– – –	149	10	7	12
Wayne	157	170	5	1	2
White	96	109	5	1	–
All other	61	61	–	–	2
Black	60	61	–	–	2
Webster	91	109	5	3	3
White	73	88	2	1	1
All other	18	21	3	2	2
Black	18	21	3	2	2
Wilkinson	155	123	2	–	3
White	69	44	–	–	1
All other	86	79	2	–	2
Black	86	79	2	–	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Winston	173	226	7	4	8
White	126	154	2	1	2
All other	47	72	5	3	6
Black	45	70	3	3	6
Yalobusha	90	159	2	–	4
White	62	114	1	–	1
All other	28	45	1	–	3
Black	28	45	1	–	3
Yazoo	257	339	9	5	8
White	139	181	1	1	3
All other	118	158	8	4	5
Black	117	157	8	4	5
Yazoo City	---	203	5	3	1
White	---	95	–	–	–
All other	---	108	5	3	1
Black	---	107	5	3	1
Balance of county	---	136	4	2	7
White	---	86	1	1	3
All other	---	50	3	1	4
Black	---	50	3	1	4
Missouri	49,145	48,277	898	574	656
White	44,119	43,430	653	425	485
All other	5,026	4,847	245	149	171
Black	4,964	4,788	238	145	163
Adair	360	212	2	–	8
Kirksville	---	145	1	–	7
Balance of county	---	67	1	–	1
Andrew	64	143	3	2	3
Atchison	148	134	2	2	2
Audrain	303	263	–	–	1
Mexico	---	145	–	–	–
Balance of county	---	118	–	–	1
Barry	233	293	6	3	2
Barton	125	182	5	5	1
Bates	152	211	3	3	2
Benton	66	190	–	–	3
Bollinger	26	87	–	–	3
Boone	1,509	573	19	7	5
Columbia	---	352	13	3	4
White	---	311	9	3	3
All other	---	41	4	–	1
Black	---	40	3	–	1
Balance of county	---	221	6	4	1
Buchanan	1,214	1,087	18	14	6
St. Joseph	---	984	16	14	5
Balance of county	---	103	2	–	1
Butler	752	473	8	4	6
Poplar Bluff	---	265	4	3	2
Balance of county	---	208	4	1	4
Caldwell	63	142	2	–	1
Callaway	179	264	4	4	–
Fulton	---	115	–	–	–
White	---	104	–	–	–
All other	---	11	–	–	–
Black	---	11	–	–	–
Jefferson City, part	---	1	–	–	–
Balance of county	---	148	4	4	–
Camden	190	196	3	2	1
Cape Girardeau	736	488	6	5	4
Cape Girardeau	---	294	5	4	3
Balance of county	---	194	1	1	1
Carroll	85	152	2	2	–
Carter	23	58	2	1	–
Cass	224	388	14	7	5
Belton	---	74	3	2	–
Lee's Summit, part	---	–	–	–	–
Balance of county	---	314	11	5	5
Cedar	124	165	2	–	1
Charlton	82	145	2	2	–
Christian	70	189	2	2	3
Clark	40	99	1	–	2
Clay	947	856	18	10	8
Excelsior Springs, part	---	110	2	1	2
Excelsior Springs, total	---	113	2	1	3
Gladstone	---	131	1	1	1
Independence, part	---	–	–	–	–
Kansas City, part	---	336	11	6	3
Liberty	---	117	3	2	1
Balance of county	---	162	1	–	1
Clinton	176	159	–	–	3
Cole	671	415	6	5	4
Missouri-Con.					
Jefferson City, part	---	318	5	5	2
White	---	311	5	5	2
All other	---	7	–	–	–
Black	---	7	–	–	–
Jefferson City, total	---	319	5	5	2
White	---	312	5	5	2
All other	---	7	–	–	–
Black	---	7	–	–	–
Balance of county	---	97	1	–	2
Cooper	143	168	2	1	3
Crawford	159	192	5	1	1
Dade	73	108	1	1	–
Dallas	57	122	3	1	1
Daviess	60	121	1	1	1
De Kalb	45	88	4	2	–
Dent	111	168	4	2	2
Douglas	52	121	3	3	1
Dunklin	281	424	11	6	3
Kennett	---	137	4	3	1
Balance of county	---	287	7	3	2
Franklin	483	629	12	9	13
Gasconade	158	187	4	4	1
Gentry	103	111	1	1	2
Greene	2,604	1,628	30	20	25
Springfield	---	1,344	24	14	18
Balance of county	---	284	6	6	7
Grundy	153	168	1	1	2
Harrison	85	148	–	–	3
Henry	312	264	2	1	3
Hickory	22	82	1	1	–
Holt	31	94	3	2	1
Howard	78	126	1	1	2
Howell	328	320	2	1	6
Iron	158	132	1	1	–
Jackson	7,407	6,172	145	101	113
White	6,232	4,996	82	59	64
All other	1,175	1,176	63	42	49
Black	1,156	1,160	61	41	46
Blue Springs	---	84	1	1	8
Grandview	---	146	6	4	2
Independence, part	---	984	15	13	14
Independence, total	---	984	15	13	14
Kansas City, part	---	4,243	113	76	71
White	---	3,092	51	35	24
All other	---	1,151	62	41	47
Black	---	1,139	60	40	45
Kansas City, total	---	4,642	127	85	75
White	---	3,490	65	44	28
All other	---	1,152	62	41	47
Black	---	1,139	60	40	45
Lee's Summit, part	---	266	1	1	4
Lee's Summit, total	---	266	1	1	4
Raytown	---	248	4	2	4
Balance of county	---	201	5	4	10
Jasper	992	1,056	18	10	10
Carthage	---	163	3	1	1
Joplin, part	---	500	7	6	4
Joplin, total	---	528	7	6	4
Balance of county	---	393	8	3	5
Jefferson	496	908	19	14	17
Arnold	---	107	4	3	3
Balance of county	---	801	15	11	14
Johnson	242	264	5	2	2
Warrensburg	---	101	2	1	1
Balance of county	---	163	3	1	1
Knox	44	80	2	1	–
Laclede	222	229	2	2	1
Lafayette	258	352	4	1	4
Lawrence	358	330	3	3	1
Lewis	64	128	1	–	2
Lincoln	261	275	2	1	5
Linn	202	228	5	5	2
Livingston	245	218	2	–	2
McDonald	44	158	1	1	4
Macon	185	249	6	3	–
Madison	96	126	1	1	–
Maries	30	93	1	1	1
Marion	361	340	4	3	2
Hannibal, part	---	234	3	3	1
Hannibal, total	---	234	3	3	1
Balance of county	---	106	1	–	1
Mercer	46	69	1	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Miller	57	192	5	1	2
Mississippi	63	178	6	2	2
White	48	145	5	2	–
All other	15	33	1	–	2
Black	15	33	1	–	2
Moniteau	79	160	5	2	1
Monroe	59	107	2	1	1
Montgomery	77	157	1	–	2
Morgan	162	213	–	–	3
New Madrid	102	250	5	3	6
White	87	211	2	2	4
All other	15	39	3	1	2
Black	15	39	3	1	2
Sikeston, part	---	4	–	–	–
Balance of county	---	246	5	3	6
White	---	207	2	2	4
All other	---	39	3	1	2
Black	---	39	3	1	2
Newton	567	410	4	2	4
Joplin, part	---	28	–	–	–
Balance of county	---	382	4	2	4
Nodaway	180	249	6	6	1
Oregon	50	122	1	–	2
Osage	31	117	3	1	6
Ozark	24	73	–	–	1
Pemiscot	241	324	13	8	7
White	148	218	3	1	1
All other	93	106	10	7	6
Black	93	106	10	7	6
Perry	151	170	3	1	3
Pettis	417	397	12	8	8
Sedalia	---	294	8	7	6
Balance of county	---	103	4	1	2
Phelps	432	357	5	4	3
Rolla	---	145	3	3	1
Balance of county	---	212	2	1	2
Pike	185	207	1	1	3
Platte	112	244	6	5	5
Kansas City, part	---	63	3	3	1
Balance of county	---	181	3	2	4
Polk	100	218	3	2	2
Pulaski	151	195	10	6	5
White	147	187	7	4	5
All other	4	8	3	2	–
Black	3	5	2	2	–
Putnam	86	97	–	–	3
Ralls	26	83	3	2	1
Hannibal, part	---	–	–	–	–
Balance of county	---	83	3	2	1
Randolph	241	280	6	4	4
Moberly	---	192	5	3	3
Balance of county	---	88	1	1	1
Ray	154	210	2	1	4
Excelsior Springs, part	---	3	–	–	1
Balance of county	---	207	2	1	3
Reynolds	43	84	4	2	–
Ripley	99	166	1	1	1
St. Charles	758	744	22	20	15
St. Charles	---	270	5	5	4
St. Peters	---	55	5	4	2
Balance of county	---	419	12	11	9
St. Clair	123	113	2	1	2
Ste. Genevieve	112	150	1	1	2
St. Francois	533	514	7	6	9
St. Louis	7,714	7,576	157	101	83
White	7,120	6,985	102	67	55
All other	594	591	55	34	28
Black	582	578	55	34	26
Ballwin	---	76	3	3	3
Bellefontaine Neighbors	---	164	1	–	–
Berkeley	---	95	4	3	5
White	---	68	–	–	3
All other	---	27	4	3	2
Black	---	26	4	3	2
Bridgeton	---	113	2	2	–
Clayton	---	136	1	1	–
Crestwood	---	82	2	1	1
Creve Coeur	---	81	–	–	1
Ferguson	---	222	5	2	3
White	---	209	2	1	2
All other	---	13	3	1	1
Black	---	13	3	1	1
Florissant	---	382	7	3	4
Hazelwood	---	86	1	1	1
Jennings	---	208	2	2	2
White	---	194	1	1	–
All other	---	14	1	1	2
Black	---	14	1	1	2
Kirkwood	---	266	7	5	3
Maplewood	---	103	–	–	–
Overland	---	175	4	3	2
Richmond Heights	---	129	2	2	1
White	---	117	2	2	–
All other	---	12	–	–	1
Black	---	12	–	–	1
St. Ann	---	103	2	1	2
University City	---	432	11	7	5
White	---	325	4	2	2
All other	---	107	7	5	3
Black	---	106	7	5	3
Webster Groves	---	234	9	6	1
Balance of county	---	4,489	94	59	49
White	---	4,123	58	39	31
All other	---	366	36	20	18
Black	---	358	36	20	17
St. Louis city	7,959	6,354	118	65	116
White	5,443	4,030	32	15	48
All other	2,516	2,324	86	50	68
Black	2,504	2,319	86	50	68
Saline	240	304	4	2	3
Marshall	---	133	–	–	–
Balance of county	---	171	4	2	3
White	---	160	4	2	3
All other	---	11	–	–	–
Black	---	10	–	–	–
Schuyler	22	63	1	1	1
Scotland	83	94	–	–	2
Scott	511	380	7	4	4
Sikeston, part	---	202	3	2	1
White	---	172	2	1	1
All other	---	30	1	1	–
Black	---	30	1	1	–
Sikeston, total	---	206	3	2	1
White	---	176	2	1	1
All other	---	30	1	1	–
Black	---	30	1	1	–
Balance of county	---	178	4	2	3
White	---	168	4	2	3
All other	---	10	–	–	–
Black	---	10	–	–	–
Shannon	35	82	1	–	1
Shelby	63	108	–	–	–
Stoddard	242	338	1	1	8
Stone	67	174	3	1	1
Sullivan	86	114	–	–	–
Taney	226	261	2	2	2
Texas	199	243	1	1	2
Vernon	199	202	2	2	1
Warren	55	162	3	3	3
Washington	120	184	3	2	4
Wayne	72	151	4	2	–
Webster	85	211	2	1	2
Worth	21	51	–	–	2
Wright	120	204	6	5	3
Montana	6,535	6,631	147	95	93
White	6,225	6,319	131	87	78
All other	310	312	16	8	15
Black	9	9	1	1	1
Beaverhead	57	75	–	–	–
Big Horn	68	96	2	1	1
White	46	60	1	–	–
All other	22	36	1	1	1
Black	–	–	–	–	–
Blaine	33	59	–	–	1
White	18	40	–	–	1
All other	15	19	–	–	–
Black	–	–	–	–	–
Broadwater	22	33	–	–	1
Carbon	80	92	–	–	1
Carter	13	21	–	–	–
Cascade	742	629	14	11	13
Great Falls	---	557	12	9	11
Balance of county	---	72	2	2	2
Chouteau	46	74	3	3	2
Custer	183	123	1	–	1
Daniels	38	44	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Dawson	75	85	5	3	4
Deer Lodge, coext. with Anaconda-Deer Lodge	124	137	1	1	1
Fallon	14	25	–	–	–
Fergus	162	178	3	2	1
Flathead	401	397	14	9	2
Kalispell	---	148	5	2	–
Balance of county	---	249	9	7	2
Gallatin	240	258	4	2	6
Bozeman	---	152	4	2	3
Balance of county	---	106	–	–	3
Garfield	12	11	1	1	–
Glacier	87	116	5	2	2
White	37	51	1	1	1
All other	50	65	4	1	1
Black	–	–	–	–	–
Golden Valley	4	7	–	–	–
Granite	21	24	–	–	–
Hill	157	143	2	2	6
White	141	130	2	2	3
All other	16	13	–	–	3
Black	–	–	–	–	–
Havre	---	96	1	1	5
Balance of county	---	47	1	1	1
White	---	37	1	1	1
All other	---	10	–	–	–
Black	---	–	–	–	–
Jefferson	26	43	1	–	–
Judith Basin	5	19	1	1	1
Lake	159	196	3	1	4
White	133	165	1	–	4
All other	26	31	2	1	–
Black	–	–	–	–	–
Lewis and Clark	400	357	9	6	4
Helena	---	223	7	5	1
Balance of county	---	134	2	1	3
Liberty	24	24	–	–	–
Lincoln	92	124	1	1	1
McCone	23	20	1	1	–
Madison	58	53	–	–	–
Meagher	18	18	–	–	–
Mineral	21	30	2	2	–
Missoula	614	478	13	8	4
Missoula	---	317	8	4	3
Balance of county	---	161	5	4	1
Musselshell	31	42	–	–	–
Park	127	133	2	1	1
Petroleum	–	2	–	–	–
Phillips	46	57	–	–	–
Pondera	46	62	2	1	–
Powder River	19	23	–	–	1
Powell	49	55	–	–	2
Prairie	11	22	–	–	–
Ravalli	146	205	4	3	–
Richland	97	109	10	6	4
Roosevelt	86	113	2	–	–
White	60	71	1	–	–
All other	26	42	1	–	–
Black	–	–	–	–	–
Rosebud	54	79	3	1	8
White	46	61	1	–	1
All other	8	18	2	1	7
Black	–	–	–	–	–
Sanders	62	99	–	–	1
Sheridan	47	52	3	3	–
Silver Bow	463	449	6	5	3
Butte-Silver Bow	---	428	6	5	3
Balance of county	---	21	–	–	–
Stillwater	53	63	–	–	–
Sweet Grass	37	43	2	1	–
Teton	62	83	1	–	1
Toole	33	44	3	1	–
Treasure	2	8	–	–	–
Valley	77	91	–	–	1
Wheatland	29	35	–	–	–
Wibaux	9	19	–	–	–
Yellowstone	930	754	23	16	15
Billings	---	505	12	6	11
Balance of county	---	249	11	10	4
Montana-Con.					
Yellowstone National Park	–	–	–	–	–
Nebraska	14,672	14,577	270	185	229
White	14,241	14,141	240	166	194
All other	431	436	30	19	35
Black	355	356	22	11	26
Adams	386	327	6	4	4
Hastings	---	266	6	4	4
Balance of county	---	61	–	–	–
Antelope	83	107	–	–	1
Arthur	2	7	–	–	–
Banner	1	8	1	–	–
Blaine	5	7	–	–	–
Boone	77	99	2	1	2
Box Butte	118	126	3	2	2
Boyd	30	46	–	–	2
Brown	42	45	–	–	–
Buffalo	338	284	5	5	3
Kearney	---	144	4	4	3
Balance of county	---	140	1	1	–
Burt	80	113	2	1	2
Butler	92	105	1	1	1
Cass	87	177	2	1	1
Cedar	54	130	3	2	2
Chase	44	49	–	–	–
Cherry	71	69	2	2	–
Cheyenne	112	123	–	–	–
Clay	29	94	–	–	–
Colfax	93	117	1	1	1
Cuming	113	131	–	–	1
Custer	167	186	1	1	1
Dakota	53	153	4	3	3
Dawes	111	122	4	3	4
Dawson	199	212	4	2	6
Deuel	13	38	–	–	–
Dixon	62	94	–	–	–
Dodge	330	360	2	2	5
Fremont	---	219	2	2	4
Balance of county	---	141	–	–	1
Douglas	4,367	3,329	76	47	68
White	4,014	2,984	55	36	42
All other	353	345	21	11	26
Black	322	323	18	8	24
Omaha	---	3,122	68	42	61
White	---	2,778	47	31	36
All other	---	344	21	11	25
Black	---	322	18	8	23
Balance of county	---	207	8	5	7
Dundy	60	45	1	1	–
Fillmore	110	117	1	1	2
Franklin	49	72	1	1	–
Frontier	22	36	1	1	–
Furnas	79	95	1	–	1
Gage	254	291	5	4	2
Beatrice	---	158	5	4	1
Balance of county	---	133	–	–	1
Garden	45	42	1	1	–
Garfield	30	30	–	–	–
Gosper	5	19	–	–	–
Grant	3	9	–	–	–
Greeley	17	49	1	1	–
Hall	579	455	14	8	8
Grand Island	---	381	10	4	7
Balance of county	---	74	4	4	1
Hamilton	104	103	–	–	–
Harlan	45	53	–	–	–
Hayes	5	11	1	–	–
Hitchcock	17	49	1	–	2
Holt	125	151	4	3	2
Hooker	12	12	–	–	–
Howard	66	63	1	1	1
Jefferson	90	120	2	1	1
Johnson	73	84	–	–	1
Kearney	64	69	1	–	–
Keith	92	98	–	–	3
Keya Paha	–	9	–	–	1
Kimball	41	53	–	–	2
Knox	114	171	2	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Lancaster	1,640	1,326	30	20	32
Lincoln	---	1,223	28	19	32
Balance of county	---	103	2	1	-
Lincoln	273	297	3	3	7
North Platte	---	218	3	3	5
Balance of county	---	79	-	-	2
Logan	1	8	-	-	-
Loup	1	3	-	-	-
McPherson	2	4	-	-	-
Madison	363	337	13	11	3
Norfolk	---	209	10	9	3
Balance of county	---	128	3	2	-
Merrick	55	93	1	1	-
Morrill	44	60	2	-	1
Nance	57	73	-	-	1
Nemaha	82	108	-	-	3
Nuckolls	59	75	-	-	2
Otoe	161	185	1	1	-
Pawnee	41	57	1	-	-
Perkins	49	47	2	2	1
Phelps	133	134	4	3	4
Pierce	119	87	2	-	1
Platte	205	238	11	10	1
Columbus	---	174	6	6	1
Balance of county	---	64	5	4	-
Polk	64	93	-	-	1
Red Willow	124	128	2	-	3
Richardson	133	167	3	2	3
Rock	24	24	1	1	-
Saline	145	152	1	1	2
Sarpy	214	306	17	14	7
Bellevue	---	100	4	3	2
Balance of county	---	206	13	11	5
Saunders	115	181	2	1	2
Scotts Bluff	439	362	3	1	6
Scottsbluff	---	155	-	-	3
Balance of county	---	207	3	1	3
Seward	136	149	1	-	3
Sheridan	80	79	1	1	-
Sherman	28	52	1	1	-
Sioux	6	19	-	-	1
Stanton	10	52	1	1	-
Thayer	70	105	-	-	-
Thomas	1	6	-	-	1
Thurston	80	74	2	2	2
White	69	50	-	-	1
All other	11	24	2	2	1
Black	-	-	-	-	-
Valley	60	71	-	-	-
Washington	127	156	5	5	4
Wayne	59	71	1	1	1
Webster	60	70	-	-	-
Wheeler	3	5	-	-	-
York	149	159	2	1	2
Nevada	6,886	6,368	149	91	113
White	6,398	5,905	117	74	84
All other	488	463	32	17	29
Black	343	320	26	15	20
Carson City city	337	329	5	2	3
Churchill	112	126	1	-	1
Clark	3,867	3,620	90	63	67
White	3,528	3,292	65	47	42
All other	339	328	25	16	25
Black	299	289	24	15	20
Henderson	---	167	7	4	3
Las Vegas	---	1,726	41	32	38
White	---	1,530	29	24	22
All other	---	196	12	8	16
Black	---	173	11	7	14
North Las Vegas	---	278	12	5	9
White	---	187	5	2	2
All other	---	91	7	3	7
Black	---	89	7	3	6
Balance of county	---	1,449	30	22	17
White	---	1,410	24	17	16
All other	---	39	6	5	1
Black	---	25	6	5	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nevada-Con.					
Douglas	41	104	2	1	4
Elko	154	136	4	1	3
Esmeralda	8	12	1	-	1
Eureka	10	11	2	2	1
Humboldt	61	83	2	1	2
Lander	18	26	1	-	-
Lincoln	38	34	-	-	1
Lyon	75	146	8	4	1
Mineral	37	53	1	1	1
White	32	46	1	1	1
All other	5	7	-	-	-
Black	1	3	-	-	-
Nye	75	78	1	-	1
Pershing	24	27	-	-	-
Storey	7	12	-	-	-
Washoe	1,909	1,470	29	14	25
White	1,823	1,406	24	14	22
All other	86	64	5	-	3
Black	29	22	1	-	-
Reno	---	997	19	10	15
Sparks	---	300	4	2	2
Balance of county	---	173	6	2	8
White	---	160	4	2	7
All other	---	13	2	-	1
Black	---	2	-	-	-
White Pine	113	101	2	2	2
New Hampshire	7,436	7,616	155	121	97
White	7,411	7,597	152	120	96
All other	25	19	3	1	1
Black	22	16	3	1	1
Belknap	391	421	5	4	1
Laconia	---	174	3	3	1
Balance of county	---	247	2	1	-
Carroll	236	280	5	4	3
Cheshire	430	535	14	12	12
Keene	---	203	2	2	3
Balance of county	---	332	12	10	9
Coos	361	377	2	1	4
Berlin	---	176	1	1	2
Balance of county	---	201	1	-	2
Grafton	971	592	6	5	7
Lebanon	---	118	2	2	3
Balance of county	---	474	4	3	4
Hillsborough	2,310	2,194	60	44	30
Manchester	---	964	24	17	9
Nashua	---	478	16	13	11
Balance of county	---	752	20	14	10
Merrimack	888	876	15	10	14
Concord	---	378	7	5	4
Balance of county	---	498	8	5	10
Rockingham	998	1,371	27	24	19
Portsmouth	---	227	7	6	1
Balance of county	---	1,144	20	18	18
Strafford	620	661	14	10	5
Dover	---	213	6	4	2
Rochester	---	190	5	5	2
Somersworth	---	78	1	-	1
Balance of county	---	180	2	1	-
Sullivan	231	309	7	7	2
Claremont	---	143	3	3	-
Balance of county	---	166	4	4	2
New Jersey	65,992	67,621	1,159	805	817
White	58,677	60,158	737	541	557
All other	7,315	7,463	422	264	260
Black	7,087	7,225	402	249	251
Atlantic	2,704	2,402	35	23	29
White	2,293	1,992	15	12	13
All other	411	410	20	11	16
Black	404	404	20	11	16
Atlantic City	---	763	14	7	14
White	---	492	2	1	2
All other	---	271	12	6	12
Black	---	270	12	6	12
Hammonton	---	144	3	2	3
Pleasantville	---	184	6	3	5
White	---	131	1	1	2
All other	---	53	5	2	3
Black	---	53	5	2	3
Somers Point	---	128	2	2	-
Ventnor City	---	176	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,007	10	9	7
Bergen	6,218	7,638	64	51	70
White	5,938	7,317	56	44	66
All other	280	321	8	7	4
Black	254	290	6	5	4
Bergenfield	---	236	1	1	1
Cliffside Park	---	226	–	–	2
Dumont	---	182	1	1	2
Elmwood Park	---	181	2	2	–
Englewood	---	249	4	4	1
White	---	153	2	2	–
All other	---	96	2	2	1
Black	---	94	2	2	1
Fair Lawn	---	285	1	1	3
Fairview	---	103	3	1	1
Fort Lee	---	276	4	3	1
White	---	269	3	2	1
All other	---	7	1	1	–
Black	---	4	–	–	–
Garfield	---	315	2	2	3
Glen Rock	---	85	–	–	–
Hackensack	---	391	5	5	1
White	---	325	4	4	1
All other	---	66	1	1	–
Black	---	65	1	1	–
Hasbrouck Heights	---	124	1	1	–
Hillsdale	---	125	2	1	1
Lodi	---	202	1	1	4
Lyndhurst twp#	---	204	2	1	2
New Milford	---	161	–	–	1
North Arlington	---	184	2	2	2
Oakland	---	69	–	–	3
Palisades Park	---	119	–	–	2
Paramus	---	227	2	2	2
Ramsey	---	80	1	–	1
Ridgefield	---	116	1	1	1
Ridgefield Park	---	122	1	1	1
Ridgewood	---	230	1	1	–
River Edge	---	112	–	–	1
Rutherford	---	188	2	–	1
Saddle Brook twp#	---	111	2	2	–
Teaneck twp#	---	334	3	3	9
White	---	274	2	2	7
All other	---	60	1	1	2
Black	---	57	1	1	2
Tenafly	---	133	–	–	–
Waldwick	---	68	3	2	–
Wallington	---	110	2	2	3
Westwood	---	103	–	–	2
Wyckoff twp#	---	118	–	–	1
Balance of county	---	1,869	15	11	18
White	---	1,845	15	11	18
All other	---	24	–	–	–
Black	---	13	–	–	–
Burlington	2,583	2,598	62	43	41
White	2,324	2,325	44	28	28
All other	259	273	18	15	13
Black	246	255	16	13	13
Burlington	---	126	1	1	1
White	---	98	1	1	–
All other	---	28	–	–	1
Black	---	28	–	–	1
Cinnaminson twp#	---	116	1	1	–
Delran twp#	---	73	1	–	1
Maple Shade twp#	---	216	2	1	–
Moorestown twp#	---	158	–	–	4
Mount Holly twp#	---	128	1	1	5
White	---	114	1	1	5
All other	---	14	–	–	–
Black	---	13	–	–	–
Pemberton twp#	---	183	3	1	2
White	---	149	2	1	–
All other	---	34	1	–	2
Black	---	33	1	–	2
Willingboro twp#	---	213	13	12	6
White	---	137	6	5	4
All other	---	76	7	7	2
Black	---	73	7	7	2
Balance of county	---	1,385	40	26	22
White	---	1,310	30	18	15
All other	---	75	10	8	7
Black	---	70	8	6	7
Camden	4,146	4,238	98	67	54
White	3,543	3,634	63	46	35
All other	603	604	35	21	19
Black	589	586	34	21	18
Bellmawr	---	115	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Camden	---	915	32	22	18
White	---	506	8	5	5
All other	---	409	24	17	13
Black	---	407	24	17	12
Cherry Hill twp#	---	522	9	7	4
Collingswood	---	196	2	2	3
Gloucester twp#	---	222	6	4	3
Gloucester City	---	159	4	4	1
Haddon twp#	---	131	1	–	1
Haddonfield	---	126	1	–	–
Lindenwold	---	123	6	6	4
White	---	114	6	6	3
All other	---	9	–	–	1
Black	---	9	–	–	1
Pennsauken twp#	---	325	2	1	3
Voorhees twp#	---	61	1	–	1
White	---	57	–	–	–
All other	---	4	1	–	1
Black	---	3	–	–	1
Balance of county	---	1,343	33	20	15
White	---	1,226	24	16	12
All other	---	117	9	4	3
Black	---	114	9	4	3
Cape May	862	1,157	11	8	8
Ocean City	---	210	1	1	2
Balance of county	---	947	10	7	6
Cumberland	1,339	1,316	32	23	18
White	1,158	1,136	25	18	12
All other	181	180	7	5	6
Black	169	169	7	5	6
Bridgeton	---	254	11	6	7
White	---	186	5	2	4
All other	---	68	6	4	3
Black	---	67	6	4	3
Millville	---	320	11	8	7
Vineland	---	461	7	7	2
White	---	425	7	7	2
All other	---	36	–	–	–
Black	---	34	–	–	–
Balance of county	---	281	3	2	2
White	---	225	2	1	–
All other	---	56	1	1	2
Black	---	48	1	1	2
Essex	9,036	8,098	179	102	122
White	6,421	5,546	50	38	43
All other	2,615	2,552	129	64	79
Black	2,577	2,517	126	62	78
Belleville	---	351	5	3	5
Bloomfield	---	531	3	2	4
Cedar Grove twp#	---	109	1	1	–
East Orange	---	729	25	13	12
White	---	284	1	–	–
All other	---	445	24	13	12
Black	---	443	24	13	12
Irvington	---	635	16	14	9
White	---	543	3	3	6
All other	---	92	13	11	3
Black	---	91	13	11	3
Livingston twp#	---	210	5	5	1
Maplewood twp#	---	241	–	–	2
Millburn twp#	---	183	–	–	2
Montclair	---	430	9	5	4
White	---	291	4	4	2
All other	---	139	5	1	2
Black	---	137	5	1	2
Newark	---	2,972	94	46	69
White	---	1,283	21	13	17
All other	---	1,689	73	33	52
Black	---	1,671	73	33	52
Nutley	---	282	4	4	1
Orange	---	295	8	3	6
White	---	184	1	1	2
All other	---	111	7	2	4
Black	---	111	7	2	4
South Orange Village twp#	---	163	2	–	1
White	---	150	1	–	–
All other	---	13	1	–	1
Black	---	13	1	–	1
Verona	---	127	2	2	–
West Caldwell	---	85	1	1	1
West Orange	---	458	4	3	3
Balance of county	---	297	–	–	2
Gloucester	1,389	1,594	31	22	17
White	1,261	1,454	27	20	13
All other	128	140	4	2	4
Black	125	136	4	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Deptford twp#	---	111	2	2	1
White	---	105	2	2	1
All other	---	6	-	-	-
Black	---	6	-	-	-
Glassboro	---	116	4	4	1
White	---	88	2	2	-
All other	---	28	2	2	1
Black	---	28	2	2	1
Washington twp#	---	89	1	-	1
West Deptford twp#	---	98	1	1	1
Woodbury	---	151	1	1	3
White	---	136	1	1	1
All other	---	15	-	-	2
Black	---	15	-	-	2
Balance of county	---	1,029	22	14	10
White	---	943	20	14	9
All other	---	86	2	-	1
Black	---	84	2	-	1
Hudson	5,306	5,769	141	101	82
White	4,751	5,179	83	61	51
All other	555	590	58	40	31
Black	523	557	51	35	30
Bayonne	---	805	5	3	6
Harrison	---	136	-	-	1
Hoboken	---	357	12	8	5
White	---	345	9	6	4
All other	---	12	3	2	1
Black	---	10	2	1	1
Jersey City	---	2,445	92	63	41
White	---	1,926	42	28	17
All other	---	519	50	35	24
Black	---	497	46	33	24
Kearny	---	374	3	3	5
North Bergen twp#	---	535	6	6	5
Secaucus	---	146	1	1	-
Union City	---	443	11	9	8
White	---	437	10	8	8
All other	---	6	1	1	-
Black	---	5	-	-	-
Weehawken twp#	---	121	4	2	3
West New York	---	299	5	5	7
White	---	293	5	5	6
All other	---	6	-	-	1
Black	---	3	-	-	-
Balance of county	---	108	2	1	1
Hunterdon	569	661	9	6	6
Mercer	3,144	2,484	55	38	41
White	2,744	2,094	28	22	18
All other	400	390	27	16	23
Black	392	383	27	16	23
East Windsor twp#	---	100	7	6	1
Ewing twp#	---	19	2	2	3
White	---	19	2	2	2
All other	---	-	-	-	1
Black	---	-	-	-	1
Hamilton twp#	---	753	11	8	8
Princeton	---	110	-	-	4
White	---	105	-	-	3
All other	---	5	-	-	1
Black	---	5	-	-	1
Trenton	---	1,078	31	18	23
White	---	751	7	5	4
All other	---	327	24	13	19
Black	---	322	24	13	19
Balance of county	---	424	4	4	2
White	---	391	2	2	1
All other	---	33	2	2	1
Black	---	31	2	2	1
Middlesex	3,863	4,867	73	50	47
White	3,630	4,629	57	38	36
All other	233	238	16	12	11
Black	216	219	16	12	8
Carteret	---	206	2	2	3
East Brunswick twp#	---	477	6	4	-
Edison twp#	---	488	11	7	6
Highland Park	---	112	3	2	2
White	---	106	1	-	1
All other	---	6	2	2	1
Black	---	5	2	2	-
Metuchen	---	142	1	1	-
Middlesex	---	119	-	-	-
New Brunswick	---	317	9	6	8
White	---	235	3	2	4
All other	---	82	6	4	4
Black	---	82	6	4	4
North Brunswick twp#	---	148	4	3	3
Old Bridge twp#	---	262	5	5	2
Perth Amboy	---	453	7	4	3
White	---	436	6	4	2
All other	---	17	1	-	1
Black	---	17	1	-	1
Piscataway twp#	---	208	4	3	2
White	---	178	2	1	2
All other	---	30	2	2	-
Black	---	24	2	2	-
Sayreville	---	235	5	4	3
South Plainfield	---	139	2	2	6
South River	---	142	-	-	-
Woodbridge twp#	---	735	10	4	5
Balance of county	---	684	4	3	4
White	---	668	4	3	2
All other	---	16	-	-	2
Black	---	12	-	-	1
Monmouth	4,809	4,751	73	54	53
White	4,376	4,340	50	38	42
All other	433	411	23	16	11
Black	423	400	23	16	11
Aberdeen twp#	---	94	2	1	-
White	---	80	1	-	-
All other	---	14	1	1	-
Black	---	14	1	1	-
Asbury Park	---	289	9	5	4
White	---	199	2	1	2
All other	---	90	7	4	2
Black	---	90	7	4	2
Eatontown	---	101	2	1	2
White	---	95	1	-	2
All other	---	6	1	1	-
Black	---	6	1	1	-
Freehold	---	136	1	1	2
White	---	123	-	-	2
All other	---	13	1	1	-
Black	---	13	1	1	-
Hazlet twp#	---	157	2	2	2
Howell twp#	---	169	6	4	2
Keansburg	---	117	1	1	2
Long Branch	---	311	5	2	7
White	---	268	3	2	5
All other	---	43	2	-	2
Black	---	43	2	-	2
Middletown twp#	---	461	11	8	6
Neptune twp#	---	361	5	5	4
White	---	296	2	2	2
All other	---	65	3	3	2
Black	---	64	3	3	2
Ocean twp#	---	174	6	6	3
Red Bank	---	215	-	-	2
White	---	168	-	-	1
All other	---	47	-	-	1
Black	---	47	-	-	1
Balance of county	---	2,166	23	18	17
White	---	2,064	17	14	15
All other	---	102	6	4	2
Black	---	95	6	4	2
Morris	3,282	2,816	43	35	40
White	3,188	2,733	35	28	37
All other	94	83	8	7	3
Black	83	73	6	5	2
Denville twp#	---	148	1	-	1
Dover	---	174	4	2	1
Hanover twp#	---	85	1	1	-
Madison	---	97	1	-	2
Morris twp#	---	142	1	1	-
Morristown	---	208	4	2	7
White	---	174	2	1	5
All other	---	34	2	1	2
Black	---	34	2	1	2
Parsippany-Troy Hills twp#	---	252	5	5	3
Pequannock twp#	---	80	-	-	1
Balance of county	---	1,630	26	24	25
White	---	1,609	22	20	25
All other	---	21	4	4	-
Black	---	16	2	2	-
Ocean	4,256	4,572	42	32	35
White	4,191	4,493	35	27	34
All other	65	79	7	5	1
Black	56	71	6	4	-
Brick twp#	---	545	6	4	6
Dover twp#	---	793	5	5	7
Jackson twp#	---	194	2	2	1
Lakewood twp#	---	537	6	5	5
White	---	504	3	3	5
All other	---	33	3	2	-
Black	---	33	3	2	-
Manchester twp#	---	554	2	1	2
Point Pleasant	---	242	5	4	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,707	16	11	12
White	---	1,686	14	10	12
All other	---	21	2	1	-
Black	---	18	2	1	-
Passaic	4,330	4,157	75	49	60
White	3,963	3,770	54	35	41
All other	367	387	21	14	19
Black	361	385	21	14	19
Clifton	---	941	9	6	4
Hawthorne	---	216	4	4	2
Little Falls twp#	---	92	-	-	-
Passaic	---	506	13	8	5
White	---	440	11	8	4
All other	---	66	2	-	1
Black	---	66	2	-	1
Paterson	---	1,229	35	24	33
White	---	921	17	11	15
All other	---	308	18	13	18
Black	---	308	18	13	18
Pompton Lakes	---	77	1	1	-
Ringwood	---	58	-	-	3
Totowa	---	125	2	2	1
Wanaque	---	78	3	-	-
Wayne twp#	---	342	3	2	6
West Paterson	---	75	-	-	1
Balance of county	---	418	6	2	5
Salem	657	679	13	9	8
White	556	562	10	7	5
All other	101	117	3	2	3
Black	101	116	3	2	2
Somerset	1,340	1,475	17	16	21
White	1,295	1,409	16	15	20
All other	45	66	1	1	1
Black	41	59	1	1	1
Bridgewater twp#	---	175	2	2	1
Franklin twp#	---	221	3	2	4
White	---	181	2	1	3
All other	---	40	1	1	1
Black	---	39	1	1	1
Manville	---	112	-	-	1
North Plainfield	---	157	5	5	2
Somerville	---	164	1	1	3
White	---	155	1	1	3
All other	---	9	-	-	-
Black	---	8	-	-	-
Balance of county	---	646	6	6	10
White	---	634	6	6	10
All other	---	12	-	-	-
Black	---	9	-	-	-
Sussex	732	809	24	20	13
Hopatcong	---	64	3	3	2
Balance of county	---	745	21	17	11
Union	4,739	4,771	71	46	44
White	4,254	4,215	35	21	29
All other	485	556	36	25	15
Black	469	540	34	24	15
Berkeley Heights twp#	---	79	-	-	-
Clark twp#	---	119	-	-	-
Cranford twp#	---	229	2	2	1
Elizabeth	---	1,097	24	12	15
White	---	960	17	8	10
All other	---	137	7	4	5
Black	---	134	7	4	5
Hillside twp#	---	183	3	3	2
White	---	158	2	2	1
All other	---	25	1	1	1
Black	---	24	1	1	1
Linden	---	441	5	4	2
White	---	396	2	1	2
All other	---	45	3	3	-
Black	---	45	3	3	-
New Providence	---	96	1	-	-
Plainfield	---	377	16	10	10
White	---	217	-	-	4
All other	---	160	16	10	6
Black	---	159	16	10	6
Rahway	---	255	9	7	4
White	---	227	4	2	3
All other	---	28	5	5	1
Black	---	26	4	4	1
Roselle	---	179	1	1	1
White	---	147	-	-	-
All other	---	32	1	1	1
Black	---	31	1	1	1
Roselle Park	---	125	-	-	1
Scotch Plains twp#	---	151	1	1	-
White	---	130	-	-	-
All other	---	21	1	1	-
Black	---	21	1	1	-
Springfield twp#	---	165	3	2	-
Summit	---	185	2	1	-
Union twp#	---	604	2	1	3
Westfield	---	262	1	1	2
Balance of county	---	224	1	1	3
White	---	219	1	1	3
All other	---	5	-	-	-
Black	---	5	-	-	-
Warren	688	769	11	10	8
Phillipsburg	---	220	2	1	2
Balance of county	---	549	9	9	6
New Mexico	9,226	9,248	312	182	215
White	8,345	8,484	258	160	168
All other	880	764	54	22	47
Black	154	147	9	5	11
Bernalillo	3,481	2,772	81	50	60
White	3,293	2,684	76	49	49
All other	188	88	5	1	11
Black	66	56	2	1	6
Albuquerque	---	2,604	70	44	54
White	---	2,526	66	43	43
All other	---	78	4	1	11
Black	---	55	2	1	6
Balance of county	---	168	11	6	6
White	---	158	10	6	6
All other	---	10	1	-	-
Black	---	1	-	-	-
Catron	16	30	3	1	-
Chaves	500	494	14	10	5
Roswell	---	425	13	9	5
White	---	418	13	9	5
All other	---	7	-	-	-
Black	---	6	-	-	-
Balance of county	---	69	1	1	-
Cibola	115	141	8	5	5
White	86	100	6	3	3
All other	29	41	2	2	2
Black	2	1	-	-	-
Colfax	90	105	1	-	1
Curry	297	317	11	5	5
Clovis	---	278	8	3	5
White	---	261	6	2	5
All other	---	17	2	1	-
Black	---	16	2	1	-
Balance of county	---	39	3	2	-
White	---	39	3	2	-
All other	---	-	-	-	-
Black	---	-	-	-	-
De Baca	37	36	-	-	3
Dona Ana	432	523	22	15	13
Las Cruces	---	342	15	9	8
White	---	335	15	9	8
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	181	7	6	5
White	---	180	7	6	4
All other	---	1	-	-	1
Black	---	-	-	-	-
Eddy	401	418	17	11	8
Artesia	---	93	2	1	2
White	---	91	2	1	2
All other	---	2	-	-	-
Black	---	2	-	-	-
Carlsbad	---	261	13	9	4
White	---	255	13	9	4
All other	---	6	-	-	-
Black	---	5	-	-	-
Balance of county	---	64	2	1	2
White	---	64	2	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Grant	216	185	9	5	6
Guadalupe	39	41	2	1	1
Harding	4	13	1	1	-
Hidalgo	26	42	1	1	-
Lea	352	432	20	9	8
Hobbs	---	287	13	7	6
White	---	265	13	7	6
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	145	7	2	2
White	---	139	7	2	2
All other	---	6	-	-	-
Black	---	5	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Lincoln	108	104	5	3	2
Los Alamos	79	79	2	1	1
Luna	158	202	4	3	–
McKinley	389	339	26	12	18
White	104	107	7	5	3
All other	285	232	19	7	15
Black	1	3	–	–	2
Gallup	– – –	106	7	3	5
White	– – –	79	3	3	3
All other	– – –	27	4	–	2
Black	– – –	3	–	–	–
Balance of county	– – –	233	19	9	13
White	– – –	28	4	2	–
All other	– – –	205	15	7	13
Black	– – –	–	–	–	2
Mora	17	42	–	–	–
Otero	246	294	14	6	10
White	227	271	9	4	6
All other	19	23	5	2	4
Black	7	8	4	2	3
Alamogordo	– – –	186	7	4	3
White	– – –	179	5	2	1
All other	– – –	7	2	2	2
Black	– – –	6	2	2	2
Balance of county	– – –	108	7	2	7
White	– – –	92	4	2	5
All other	– – –	16	3	–	2
Black	– – –	2	2	–	1
Quay	91	113	1	1	2
Rio Arriba	176	232	8	7	2
White	162	200	6	6	2
All other	14	32	2	1	–
Black	1	1	–	–	–
Roosevelt	85	116	4	1	1
Sandoval	83	229	8	7	13
White	48	162	3	3	7
All other	35	67	5	4	6
Black	–	1	–	–	–
San Juan	478	497	26	15	15
White	298	331	14	13	10
All other	180	166	12	2	5
Black	2	2	–	–	–
Farmington	– – –	185	7	7	6
White	– – –	164	7	7	5
All other	– – –	21	–	–	1
Black	– – –	2	–	–	–
Balance of county	– – –	312	19	8	9
White	– – –	167	7	6	5
All other	– – –	145	12	2	4
Black	– – –	–	–	–	–
San Miguel	219	209	4	3	4
Las Vegas	– – –	136	2	1	–
White	– – –	136	2	1	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	73	2	2	4
White	– – –	73	2	2	4
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Santa Fe	530	496	4	3	16
Santa Fe	– – –	388	2	1	14
White	– – –	383	2	1	14
All other	– – –	5	–	–	–
Black	– – –	3	–	–	–
Balance of county	– – –	108	2	2	2
White	– – –	104	2	2	2
All other	– – –	4	–	–	–
Black	– – –	–	–	–	–
Sierra	115	147	1	–	4
Socorro	103	94	4	1	2
White	97	86	4	1	2
All other	6	8	–	–	–
Black	–	–	–	–	–
Taos	129	141	1	–	1
Torrance	35	58	1	–	2
Union	50	42	1	1	–
Valencia	129	265	8	4	7
White	124	256	8	4	5
All other	5	9	–	–	2
Black	1	2	–	–	–
New York	166,831	167,405	3,004	2,101	2,776
White	145,785	146,401	1,977	1,417	1,901
All other	21,046	21,004	1,027	684	875
Black	19,787	19,770	969	645	794

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Albany	3,658	2,793	39	32	42
White	3,507	2,666	32	27	35
All other	151	127	7	5	7
Black	149	126	7	5	6
Albany	– – –	1,259	15	14	22
White	– – –	1,142	9	9	16
All other	– – –	117	6	5	6
Black	– – –	116	6	5	5
Cohoes	– – –	206	3	3	1
Watervliet	– – –	156	1	1	2
Balance of county	– – –	1,172	20	14	17
Allegany	349	430	3	2	10
Broome	2,241	2,038	26	19	29
Binghamton	– – –	779	13	8	9
Endicott	– – –	182	–	–	1
Johnson City	– – –	222	3	3	3
Vestal town#	– – –	192	2	2	4
Balance of county	– – –	663	8	6	12
Cattaraugus	782	858	13	10	14
Olean	– – –	229	4	4	4
Balance of county	– – –	629	9	6	10
Cayuga	673	724	16	11	14
Auburn	– – –	381	8	6	6
Balance of county	– – –	343	8	5	8
Chautauqua	1,447	1,515	19	10	32
Dunkirk	– – –	214	5	3	3
Fredonia	– – –	70	–	–	1
Jamestown	– – –	461	2	–	11
Balance of county	– – –	770	12	7	17
Chemung	1,046	931	9	6	19
Elmira	– – –	393	5	3	9
White	– – –	377	5	3	8
All other	– – –	16	–	–	1
Black	– – –	16	–	–	1
Balance of county	– – –	538	4	3	10
Chenango	348	455	5	1	6
Clinton	598	514	15	11	17
Plattsburgh	– – –	177	9	7	8
Balance of county	– – –	337	6	4	9
Columbia	650	680	8	7	12
Cortland	423	379	–	–	14
Cortland	– – –	206	–	–	6
Balance of county	– – –	173	–	–	8
Delaware	511	536	10	8	5
Dutchess	2,061	2,022	40	31	29
White	1,934	1,915	31	26	22
All other	127	107	9	5	7
Black	122	102	8	4	6
Beacon	– – –	173	4	3	7
White	– – –	156	4	3	3
All other	– – –	17	–	–	4
Black	– – –	17	–	–	4
Poughkeepsie	– – –	393	16	12	8
White	– – –	333	9	9	5
All other	– – –	60	7	3	3
Black	– – –	60	7	3	2
Balance of county	– – –	1,456	20	16	14
White	– – –	1,426	18	14	14
All other	– – –	30	2	2	–
Black	– – –	25	1	1	–
Erie	10,489	10,086	143	112	145
White	9,501	9,117	108	86	116
All other	988	969	35	26	29
Black	949	927	34	26	25
Buffalo	– – –	4,592	67	51	69
White	– – –	3,698	34	26	43
All other	– – –	894	33	25	26
Black	– – –	878	33	25	24
Depew	– – –	142	3	3	2
Hamburg	– – –	94	3	2	–
Kenmore	– – –	218	3	2	6
Lackawanna	– – –	236	6	4	4
White	– – –	215	5	4	4
All other	– – –	21	1	–	–
Black	– – –	20	–	–	–
Lancaster	– – –	108	–	–	2
Tonawanda	– – –	172	4	4	1
West Seneca town#	– – –	381	5	4	5
Balance of county	– – –	4,143	52	42	56
White	– – –	4,094	51	41	53
All other	– – –	49	1	1	3
Black	– – –	25	1	1	1
Essex	290	409	6	5	3
Franklin	435	456	4	2	10
Fulton	491	605	8	5	9
Gloversville	– – –	263	2	1	4
Balance of county	– – –	342	6	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Genesee	585	509	4	2	10
Batavia	---	182	3	2	4
Balance of county	---	327	1	–	6
Greene	396	505	4	3	7
Hamilton	16	82	1	1	–
Herkimer	589	732	9	7	7
Jefferson	945	926	16	10	18
Watertown	---	394	10	8	9
Balance of county	---	532	6	2	9
Lewis	168	225	3	3	10
Livingston	334	446	4	2	6
Madison	450	531	17	16	6
Oneida	---	148	1	1	–
Balance of county	---	385	16	15	8
Monroe	6,286	5,898	118	83	114
White	5,889	5,510	89	63	76
All other	397	388	29	20	38
Black	382	375	28	19	35
Brighton town#	---	362	3	2	2
Gates town#	---	197	1	1	1
Greece town#	---	576	5	3	14
Henrietta town#	---	144	7	3	2
Irondequoit town#	---	575	7	4	3
Penfield town#	---	173	3	3	1
Rochester	---	2,778	73	54	73
White	---	2,428	52	40	37
All other	---	348	21	14	36
Black	---	341	21	14	34
Balance of county	---	1,095	19	13	18
White	---	1,081	19	13	17
All other	---	14	–	–	1
Black	---	11	–	–	1
Montgomery	533	624	4	3	5
Amsterdam	---	302	4	3	3
Balance of county	---	322	–	–	2
Nassau	11,355	11,613	155	120	157
White	10,663	10,917	105	80	124
All other	692	696	50	40	33
Black	648	648	46	36	30
East Rockaway	---	87	1	1	–
Floral Park	---	172	–	–	1
Freeport	---	314	6	3	10
White	---	256	2	2	4
All other	---	58	4	1	6
Black	---	55	4	1	6
Garden City	---	230	1	–	3
Glen Cove	---	253	3	2	5
White	---	239	1	–	5
All other	---	14	2	2	–
Black	---	11	–	–	–
Hempstead	---	411	21	19	14
White	---	228	4	4	2
All other	---	183	17	15	12
Black	---	182	16	14	12
Long Beach	---	563	3	3	3
White	---	533	2	2	3
All other	---	30	1	1	–
Black	---	29	1	1	–
Lynbrook	---	190	2	–	7
Massapequa Park	---	168	3	3	1
Mineola	---	198	7	6	4
Rockville Centre	---	257	1	–	1
Valley Stream	---	422	2	1	4
Westbury	---	139	6	6	4
White	---	121	2	2	2
All other	---	18	4	4	2
Black	---	17	4	4	2
Balance of county	---	8,209	99	76	100
White	---	7,838	77	59	87
All other	---	371	22	17	13
Black	---	334	21	16	10
New York city	73,009	73,210	1,553	1,058	1,288
White	56,655	56,859	789	558	672
All other	16,354	16,351	764	500	616
Black	15,396	15,410	722	472	559
Bronx borough, Bronx county	---	12,474	314	200	270
White	---	9,481	180	117	121
All other	---	2,993	134	83	149
Black	---	2,941	132	82	135
Brooklyn borough, Kings county	---	22,128	632	421	451
White	---	16,743	273	198	213
All other	---	5,385	359	223	238
Black	---	5,227	352	219	231
Manhattan borough, New York county	---	15,750	241	172	237
White	---	10,808	130	98	120
All other	---	4,942	111	74	117
Black	---	4,471	97	64	98
Queens borough, Queens county	---	19,883	314	225	273
White	---	17,043	167	116	174
All other	---	2,840	147	109	99
Black	---	2,608	128	96	84
Staten Island borough, Richmond county	---	2,975	52	40	57
White	---	2,784	39	29	44
All other	---	191	13	11	13
Black	---	163	13	11	11
Niagara	2,096	2,235	24	17	44
White	2,009	2,127	22	17	40
All other	87	108	2	–	4
Black	78	100	2	–	3
Lockport	---	341	4	4	10
Niagara Falls	---	828	8	4	14
White	---	751	6	4	11
All other	---	77	2	–	3
Black	---	73	2	–	3
North Tonawanda	---	331	3	2	9
Balance of county	---	735	9	7	11
White	---	722	9	7	10
All other	---	13	–	–	1
Black	---	9	–	–	–
Oneida	2,731	2,686	39	27	35
Rome	---	455	10	8	8
Utica	---	1,137	16	11	12
Balance of county	---	1,094	13	8	15
White	---	1,092	13	8	15
All other	---	2	–	–	–
Black	---	2	–	–	–
Onondaga	4,528	3,981	71	47	62
White	4,332	3,794	54	36	43
All other	196	187	17	11	19
Black	161	157	13	9	17
Syracuse	---	1,956	38	22	30
White	---	1,802	24	14	15
All other	---	154	14	8	15
Black	---	144	12	8	15
Balance of county	---	2,025	33	25	32
White	---	1,992	30	22	28
All other	---	33	3	3	4
Black	---	13	1	1	2
Ontario	852	758	10	6	14
Canandaigua	---	145	1	–	–
Geneva, part	---	175	3	2	3
Geneva, total	---	175	3	2	3
Balance of county	---	438	6	4	11
White	---	434	6	4	11
All other	---	4	–	–	–
Black	---	2	–	–	–
Orange	2,357	2,374	41	28	46
White	2,253	2,259	35	23	37
All other	104	115	6	5	9
Black	99	110	6	5	9
Middletown	---	261	9	7	4
White	---	247	8	6	4
All other	---	14	1	1	–
Black	---	14	1	1	–
Newburgh	---	345	9	5	9
White	---	280	7	4	3
All other	---	65	2	1	6
Black	---	63	2	1	6
Balance of county	---	1,768	23	16	33
White	---	1,732	20	13	30
All other	---	36	3	3	3
Black	---	33	3	3	3
Orleans	279	348	7	4	7
Oswego	694	939	18	9	15
Fulton	---	163	2	1	2
Oswego	---	215	3	2	2
Balance of county	---	561	13	6	11
White	---	557	13	6	11
All other	---	4	–	–	–
Black	---	1	–	–	–
Otsego	672	597	3	2	6
Oneonta	---	142	–	–	–
Balance of county	---	455	3	2	6
White	---	454	3	2	6
All other	---	1	–	–	–
Black	---	1	–	–	–
Putnam	457	579	11	6	16
Carmel town#	---	182	5	3	9
Balance of county	---	397	6	3	7
White	---	397	6	3	7
All other	---	–	–	–	–
Black	---	–	–	–	–
Rensselaer	1,290	1,532	37	25	21
Troy	---	686	19	11	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Balance of county	---	846	18	14	6
White	---	841	18	14	6
All other	---	5	–	–	–
Black	---	4	–	–	–
Rockland	1,957	1,924	45	36	49
White	1,832	1,808	39	31	35
All other	125	116	6	5	14
Black	118	109	6	5	14
Spring Valley	---	185	10	9	8
White	---	142	5	5	2
All other	---	43	5	4	6
Black	---	41	5	4	6
Suffern	---	96	2	2	4
Balance of county	---	1,643	33	25	37
White	---	1,570	32	24	30
All other	---	73	1	1	7
Black	---	68	1	1	7
St. Lawrence	939	994	15	9	18
Massena	---	151	2	1	3
Ogdensburg	---	135	4	3	2
Potsdam	---	62	–	–	–
Balance of county	---	646	9	5	13
Saratoga	612	1,162	24	21	24
Saratoga Springs	---	256	4	4	3
Balance of county	---	906	20	17	21
Schenectady	1,780	1,622	22	18	24
Niskayuna town#	---	112	1	1	2
Rotterdam town#	---	257	2	2	2
Schenectady	---	919	17	13	17
Balance of county	---	334	2	2	3
Schoharie	240	292	4	3	–
Schuyler	146	179	3	1	3
Seneca	219	294	6	3	7
Geneva, part	---	–	–	–	–
Balance of county	---	294	6	3	7
White	---	292	6	3	7
All other	---	2	–	–	–
Black	---	2	–	–	–
Steuben	876	968	12	8	15
Corning	---	174	1	–	4
Hornell	---	147	2	2	4
Balance of county	---	647	9	6	7
Suffolk	10,042	9,607	147	93	161
White	9,526	9,114	126	84	135
All other	516	493	21	9	26
Black	486	469	21	9	25
Babylon	---	124	1	1	–
Lindenhurst	---	199	2	2	1
Patchogue	---	124	3	3	–
Balance of county	---	9,160	141	87	160
White	---	8,672	120	78	134
All other	---	488	21	9	26
Black	---	464	21	9	25
Sullivan	608	705	6	3	6
Tioga	181	360	8	5	3
Tompkins	526	553	12	9	7
Ithaca	---	224	4	4	3
White	---	211	4	4	3
All other	---	13	–	–	–
Black	---	13	–	–	–
Balance of county	---	329	8	5	4
Ulster	1,281	1,587	21	15	25
Kingston	---	398	4	3	3
Balance of county	---	1,189	17	12	22
Warren	867	532	5	3	1
Glens Falls	---	201	4	2	–
Balance of county	---	331	1	1	1
Washington	342	592	17	11	1
Wayne	532	701	20	13	15
Newark	---	107	2	2	2
Balance of county	---	594	18	11	13
Westchester	8,141	8,016	114	91	101
White	7,312	7,165	65	53	63
All other	829	851	49	38	38
Black	801	824	47	37	34
Dobbs Ferry	---	81	–	–	–
Harrison	---	135	1	1	2
Mamaroneck	---	160	1	1	4
Mount Vernon	---	675	20	15	20
White	---	417	4	4	2
All other	---	258	16	11	18
Black	---	255	16	11	18
New Rochelle	---	729	6	5	10
White	---	609	1	1	9
All other	---	120	5	4	1
Black	---	118	5	4	1
Ossining	---	183	2	1	4
White	---	163	1	1	4
All other	---	20	1	–	–
Black	---	20	1	–	–
Peekskill	---	245	2	1	2
White	---	220	1	1	1
All other	---	25	1	–	1
Black	---	25	1	–	–
Port Chester	---	252	5	5	5
White	---	222	4	4	2
All other	---	30	1	1	3
Black	---	28	1	1	3
Rye	---	143	1	1	2
Scarsdale	---	194	1	–	1
Tarrytown	---	107	2	2	2
White	---	102	1	1	1
All other	---	5	1	1	1
Black	---	4	1	1	1
White Plains	---	523	5	3	3
White	---	427	4	3	2
All other	---	96	1	–	1
Black	---	96	1	–	1
Yonkers	---	1,928	31	27	25
White	---	1,779	14	12	15
All other	---	149	17	15	10
Black	---	141	16	15	9
Yorktown town#	---	203	2	2	2
Balance of county	---	2,458	35	27	19
White	---	2,329	29	21	17
All other	---	129	6	6	2
Black	---	121	5	5	1
Wyoming	264	321	4	3	6
Yates	164	235	6	5	4
North Carolina	48,958	48,551	1,175	814	864
White	37,094	36,740	629	418	496
All other	11,864	11,811	546	396	368
Black	11,490	11,433	524	387	342
Alamance	767	939	25	19	13
White	631	751	16	12	6
All other	136	188	9	7	7
Black	136	188	9	7	7
Burlington	---	342	12	8	5
White	---	282	6	4	2
All other	---	60	6	4	3
Black	---	60	6	4	3
Balance of county	---	597	13	11	8
White	---	469	10	8	4
All other	---	128	3	3	4
Black	---	128	3	3	4
Alexander	76	157	3	1	2
Alleghany	83	91	3	1	–
Anson	182	258	5	3	4
White	105	148	1	1	1
All other	77	112	4	2	3
Black	77	112	4	2	3
Ashe	163	208	2	–	4
Avery	184	137	2	1	–
Beaufort	392	416	3	2	7
White	296	305	1	1	4
All other	96	111	2	1	3
Black	96	111	2	1	3
Bertie	103	231	3	2	2
White	50	116	–	–	–
All other	53	116	3	2	2
Black	53	116	3	2	2
Bladen	220	295	9	5	2
White	128	175	1	–	1
All other	92	120	8	5	1
Black	89	118	8	5	1
Brunswick	167	307	4	2	6
White	135	251	1	1	3
All other	32	56	3	1	3
Black	32	56	3	1	3
Buncombe	2,277	1,616	30	21	14
White	2,024	1,420	26	17	12
All other	253	196	4	4	2
Black	245	196	4	4	2
Asheville	---	791	9	6	4
White	---	615	5	2	3
All other	---	176	4	4	1
Black	---	176	4	4	1
Balance of county	---	825	21	15	10
Burke	565	584	12	6	8
Hickory, part	---	1	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina-Con.					
Morganton	---	166	1	-	1
White	---	151	1	-	-
All other	---	15	-	-	1
Black	---	15	-	-	1
Balance of county	---	417	11	6	7
Cabarrus	772	724	13	7	7
White	656	604	13	7	5
All other	116	120	-	-	2
Black	115	119	-	-	2
Concord	---	206	2	1	1
White	---	169	2	1	1
All other	---	37	-	-	-
Black	---	37	-	-	-
Balance of county	---	518	11	6	6
White	---	435	11	6	4
All other	---	83	-	-	2
Black	---	82	-	-	2
Caldwell	301	464	4	4	9
Lenoir	---	167	-	-	2
White	---	149	-	-	2
All other	---	18	-	-	-
Black	---	18	-	-	-
Balance of county	---	297	4	4	7
Camden	8	44	-	-	1
White	6	30	-	-	-
All other	2	14	-	-	1
Black	2	14	-	-	1
Elizabeth City, part	---	-	-	-	-
Balance of county	---	44	-	-	1
White	---	30	-	-	-
All other	---	14	-	-	1
Black	---	14	-	-	1
Carteret	396	396	9	6	3
White	342	345	6	6	3
All other	54	51	3	-	-
Black	54	51	3	-	-
Caswell	47	157	2	2	2
White	25	89	-	-	1
All other	22	68	2	2	1
Black	22	68	2	2	1
Catawba	815	801	23	16	19
White	745	720	17	11	14
All other	70	81	6	5	5
Black	68	79	6	5	5
Hickory, part	---	254	10	7	4
White	---	228	6	4	2
All other	---	26	4	3	2
Black	---	25	4	3	2
Hickory, total	---	255	10	7	4
White	---	229	6	4	2
All other	---	26	4	3	2
Black	---	25	4	3	2
Balance of county	---	547	13	9	15
Chatham	197	292	5	5	4
White	149	213	1	1	1
All other	48	79	4	4	3
Black	48	79	4	4	3
Cherokee	163	170	1	1	4
Chowan	186	140	1	1	1
White	106	84	1	1	-
All other	80	56	-	-	1
Black	80	56	-	-	1
Clay	28	70	-	-	-
Cleveland	750	713	14	9	18
White	608	564	8	6	12
All other	142	149	6	3	6
Black	141	148	6	3	6
Shelby	---	205	4	2	4
White	---	139	-	-	1
All other	---	66	4	2	3
Black	---	66	4	2	3
Balance of county	---	508	10	7	14
White	---	425	8	6	11
All other	---	83	2	1	3
Black	---	82	2	1	3
Columbus	367	502	15	10	11
White	269	360	6	5	4
All other	98	142	9	5	7
Black	93	135	9	5	6
Craven	629	510	26	21	14
White	430	345	14	10	12
All other	199	165	12	11	2
Black	199	165	12	11	2
Havelock	---	32	9	9	7
White	---	28	6	6	7
All other	---	4	3	3	-
Black	---	4	3	3	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina-Con.					
New Bern	---	173	6	6	1
White	---	106	1	1	1
All other	---	67	5	5	-
Black	---	67	5	5	-
Balance of county	---	305	11	6	6
White	---	211	7	3	4
All other	---	94	4	3	2
Black	---	94	4	3	2
Cumberland	1,460	1,220	72	55	68
White	924	820	30	21	28
All other	536	400	42	34	40
Black	488	376	41	33	39
Fayetteville	---	585	28	23	26
White	---	338	6	4	7
All other	---	227	22	19	19
Black	---	217	22	19	19
Balance of county	---	655	44	32	42
White	---	482	24	17	21
All other	---	173	20	15	21
Black	---	159	19	14	20
Currituck	25	89	6	3	5
White	21	76	6	3	5
All other	4	13	-	-	-
Black	4	13	-	-	-
Dare	65	125	1	-	2
Davidson	577	830	13	7	9
White	521	744	13	7	9
All other	56	86	-	-	-
Black	56	86	-	-	-
High Point, part	---	2	-	-	-
Lexington	---	163	2	1	-
White	---	122	2	1	-
All other	---	41	-	-	-
Black	---	41	-	-	-
Thomasville	---	149	3	3	1
White	---	122	3	3	1
All other	---	27	-	-	-
Black	---	27	-	-	-
Balance of county	---	516	8	3	8
Davie	125	170	1	-	1
White	110	152	1	-	1
All other	15	18	-	-	-
Black	15	18	-	-	-
Duplin	224	395	17	9	10
White	142	268	11	7	4
All other	82	127	6	2	6
Black	82	127	6	2	6
Durham	2,496	1,308	38	28	20
White	1,654	847	18	13	5
All other	842	461	20	15	15
Black	832	458	19	15	14
Chapel Hill, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	1,020	30	23	16
White	---	608	13	10	2
All other	---	412	17	13	14
Black	---	411	16	13	13
Balance of county	---	288	8	5	4
White	---	239	5	3	3
All other	---	49	3	2	1
Black	---	47	3	2	1
Edgecombe	369	566	14	9	11
White	191	299	3	2	2
All other	178	267	11	7	9
Black	178	267	11	7	9
Rocky Mount, part	---	181	6	5	4
White	---	54	-	-	-
All other	---	127	6	5	4
Black	---	127	6	5	4
Balance of county	---	385	8	4	7
White	---	245	3	2	2
All other	---	140	5	2	5
Black	---	140	5	2	5
Forsyth	3,141	2,099	50	41	15
White	2,451	1,527	25	21	10
All other	690	572	25	20	5
Black	688	571	25	20	5
Winston-Salem	---	1,331	36	29	12
White	---	806	11	9	7
All other	---	525	25	20	5
Black	---	524	25	20	5
Balance of county	---	768	14	12	3
Franklin	190	277	5	3	8
White	114	162	1	1	2
All other	76	115	4	2	6
Black	75	115	4	2	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Gaston	1,026	1,291	24	15	22
White	868	1,109	19	11	17
All other	158	182	5	4	5
Black	157	179	5	4	5
Gastonia	---	535	10	6	4
White	---	437	5	2	1
All other	---	98	5	4	3
Black	---	97	5	4	3
Balance of county	---	756	14	9	18
White	---	672	14	9	16
All other	---	84	-	-	2
Black	---	82	-	-	2
Gates	20	88	-	-	5
White	8	46	-	-	1
All other	12	42	-	-	4
Black	12	42	-	-	4
Graham	22	57	-	-	-
Granville	264	343	6	3	4
White	152	207	2	-	1
All other	112	136	4	3	3
Black	112	136	4	3	3
Greene	44	145	5	3	4
White	27	89	1	1	1
All other	17	56	4	2	3
Black	17	56	4	2	3
Guilford	2,842	2,555	49	32	31
White	2,246	1,984	20	11	17
All other	596	571	29	21	14
Black	590	566	29	21	13
Greensboro	---	1,295	28	19	13
White	---	916	10	5	5
All other	---	379	18	14	8
Black	---	377	18	14	8
High Point, part	---	656	16	10	10
White	---	524	7	4	5
All other	---	132	9	6	5
Black	---	129	9	6	5
High Point, total	---	658	16	10	10
White	---	526	7	4	5
All other	---	132	9	6	5
Black	---	129	9	6	5
Balance of county	---	604	5	3	8
White	---	544	3	2	7
All other	---	60	2	1	1
Black	---	60	2	1	-
Halifax	610	591	13	11	15
White	335	328	3	3	3
All other	275	263	10	8	12
Black	273	259	10	8	10
Roanoke Rapids	---	175	5	4	3
White	---	153	3	3	3
All other	---	22	2	1	-
Black	---	22	2	1	-
Balance of county	---	416	8	7	12
White	---	175	-	-	-
All other	---	241	8	7	12
Black	---	237	8	7	10
Harnett	458	590	14	7	5
White	351	450	6	3	3
All other	107	140	8	4	2
Black	104	138	8	4	2
Haywood	377	430	8	4	2
Henderson	607	636	7	3	6
Hertford	280	203	3	3	6
White	146	99	1	1	-
All other	134	104	2	2	6
Black	133	103	2	2	6
Hoke	96	124	7	5	3
White	51	64	-	-	-
All other	45	60	7	5	3
Black	40	52	4	2	2
Hyde	17	50	-	-	3
White	13	32	-	-	2
All other	4	18	-	-	1
Black	4	18	-	-	1
Iredell	663	718	10	8	14
White	570	605	7	5	8
All other	93	113	3	3	6
Black	93	113	3	3	6
Statesville	---	227	4	4	5
White	---	171	2	2	1
All other	---	56	2	2	4
Black	---	56	2	2	4
Balance of county	---	491	6	4	9
White	---	434	5	3	7
All other	---	57	1	1	2
Black	---	57	1	1	2
Jackson	158	183	2	1	3
White	147	163	2	1	2
All other	11	20	-	-	1
Black	7	9	-	-	-
Johnston	417	662	12	6	10
White	334	530	7	4	9
All other	83	132	5	2	1
Black	83	130	5	2	1
Jones	16	76	4	3	1
White	4	41	4	3	1
All other	12	35	-	-	-
Black	12	35	-	-	-
Lee	288	315	8	6	5
White	225	242	5	4	5
All other	63	73	3	2	-
Black	63	73	3	2	-
Sanford	---	139	2	2	1
White	---	93	1	1	1
All other	---	46	1	1	-
Black	---	46	1	1	-
Balance of county	---	178	6	4	4
White	---	149	4	3	4
All other	---	27	2	1	-
Black	---	27	2	1	-
Lenoir	563	588	19	10	10
White	357	356	4	2	6
All other	206	232	15	8	4
Black	206	232	15	8	4
Kinston	---	339	12	6	4
White	---	175	2	-	1
All other	---	164	10	6	3
Black	---	164	10	6	3
Balance of county	---	249	7	4	6
White	---	181	2	2	5
All other	---	68	5	2	1
Black	---	68	5	2	1
Lincoln	234	305	9	2	8
McDowell	206	274	5	3	7
Macon	172	206	3	2	1
Madison	86	158	-	-	1
Martin	181	239	5	4	3
White	96	133	1	1	-
All other	85	106	4	3	3
Black	85	106	4	3	3
Mecklenburg	3,574	2,902	100	75	66
White	2,623	2,050	40	28	37
All other	951	852	60	47	29
Black	944	848	58	47	27
Charlotte	---	2,376	87	65	54
White	---	1,597	30	20	26
All other	---	779	57	45	28
Black	---	776	55	45	26
Balance of county	---	526	13	10	12
White	---	453	10	8	11
All other	---	73	3	2	1
Black	---	72	3	2	1
Mitchell	105	149	2	2	2
Montgomery	153	203	8	3	-
White	120	167	5	2	-
All other	33	36	3	1	-
Black	33	36	3	1	-
Moore	714	550	4	2	7
White	558	433	2	1	3
All other	156	117	2	1	4
Black	150	115	2	1	4
Nash	716	633	24	20	14
White	427	398	6	4	7
All other	289	235	18	16	7
Black	288	235	18	16	7
Rocky Mount, part	---	255	7	7	6
White	---	177	2	2	4
All other	---	78	5	5	2
Black	---	78	5	5	2
Rocky Mount, total	---	436	13	12	10
White	---	231	2	2	4
All other	---	205	11	10	6
Black	---	205	11	10	6
Balance of county	---	378	17	13	8
White	---	221	4	2	3
All other	---	157	13	11	5
Black	---	157	13	11	5
New Hanover	1,185	915	13	10	14
White	870	657	7	5	9
All other	315	258	6	5	5
Black	313	257	6	5	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Wilmington	---	526	9	6	6
White	---	321	4	2	4
All other	---	205	5	4	2
Black	---	204	5	4	2
Balance of county	---	389	4	4	8
Northampton	63	268	2	1	4
White	27	120	-	-	-
All other	36	148	2	1	4
Black	36	148	2	1	4
Onslow	438	480	46	31	17
White	329	371	29	20	11
All other	109	109	17	11	6
Black	108	109	17	11	6
Jacksonville	---	169	15	13	4
White	---	115	9	8	2
All other	---	54	6	5	2
Black	---	54	6	5	2
Balance of county	---	311	31	18	13
White	---	256	20	12	9
All other	---	55	11	6	4
Black	---	55	11	6	4
Orange	900	432	10	9	8
White	564	309	6	5	5
All other	336	123	4	4	3
Black	331	122	4	4	3
Chapel Hill, part	---	124	5	5	1
White	---	96	2	2	1
All other	---	28	3	3	-
Black	---	28	3	3	-
Chapel Hill, total	---	124	5	5	1
White	---	96	2	2	1
All other	---	28	3	3	-
Black	---	28	3	3	-
Balance of county	---	308	5	4	7
White	---	213	4	3	4
All other	---	95	1	1	3
Black	---	94	1	1	3
Pamlico	24	99	1	1	1
White	15	68	1	1	-
All other	9	31	-	-	1
Black	9	31	-	-	1
Pasquotank	390	269	4	2	4
White	273	169	-	-	3
All other	117	100	4	2	1
Black	117	100	4	2	1
Elizabeth City, part	---	161	4	2	4
White	---	90	-	-	3
All other	---	71	4	2	1
Black	---	71	4	2	1
Elizabeth City, total	---	161	4	2	4
White	---	90	-	-	3
All other	---	71	4	2	1
Black	---	71	4	2	1
Balance of county	---	108	-	-	-
White	---	79	-	-	-
All other	---	29	-	-	-
Black	---	29	-	-	-
Pender	156	225	3	3	4
White	92	140	3	3	3
All other	64	85	-	-	1
Black	63	84	-	-	1
Perquimans	20	87	-	-	-
White	13	53	-	-	-
All other	7	34	-	-	-
Black	7	34	-	-	-
Person	186	241	3	3	10
White	139	176	2	2	6
All other	47	63	1	1	4
Black	47	63	1	1	4
Pitt	1,013	728	19	15	6
White	578	445	6	5	1
All other	435	283	13	10	5
Black	433	283	13	10	5
Greenville	---	239	6	4	1
White	---	135	1	-	-
All other	---	104	5	4	1
Black	---	104	5	4	1
Balance of county	---	489	13	11	5
White	---	310	5	5	1
All other	---	179	8	6	4
Black	---	179	8	6	4
Polk	192	186	2	-	-
Randolph	444	668	8	4	7
Asheboro	---	148	2	2	1
White	---	132	2	2	1
All other	---	16	-	-	-
Black	---	16	-	-	-
High Point, part	---	-	-	-	-
Balance of county	---	520	6	2	6
Richmond	305	446	11	8	10
White	214	310	4	2	6
All other	91	136	7	6	4
Black	91	135	7	6	4
Robeson	801	876	31	14	19
White	386	401	12	7	4
All other	415	475	19	7	15
Black	220	229	7	3	3
Lumberton	---	187	9	4	2
White	---	127	3	1	2
All other	---	60	6	3	-
Black	---	44	5	3	-
Balance of county	---	689	22	10	17
White	---	274	9	6	2
All other	---	415	13	4	15
Black	---	185	2	-	3
Rockingham	599	758	12	12	7
White	463	594	10	10	7
All other	136	164	2	2	-
Black	136	164	2	2	-
Eden	---	178	4	4	1
White	---	150	4	4	1
All other	---	28	-	-	-
Black	---	28	-	-	-
Reidsville	---	154	3	3	1
White	---	94	2	2	1
All other	---	60	1	1	-
Black	---	60	1	1	-
Balance of county	---	426	5	5	5
White	---	350	4	4	5
All other	---	76	1	1	-
Black	---	76	1	1	-
Rowan	1,019	929	9	8	16
White	819	775	6	5	13
All other	200	154	3	3	3
Black	199	153	3	3	3
Salisbury	---	331	4	4	3
White	---	240	1	1	-
All other	---	91	3	3	3
Black	---	90	3	3	3
Balance of county	---	598	5	4	13
White	---	535	5	4	13
All other	---	63	-	-	-
Black	---	63	-	-	-
Rutherford	478	533	14	8	7
White	436	475	12	7	5
All other	42	58	2	1	2
Black	42	58	2	1	2
Sampson	371	491	12	9	8
White	252	330	7	5	6
All other	119	161	5	4	2
Black	113	154	4	3	1
Scotland	254	253	9	6	5
White	149	151	1	1	2
All other	105	102	8	5	3
Black	89	98	8	5	1
Laurinburg	---	123	4	3	-
White	---	71	-	-	-
All other	---	52	4	3	-
Black	---	51	4	3	-
Balance of county	---	130	5	3	5
White	---	80	1	1	2
All other	---	50	4	2	3
Black	---	47	4	2	1
Stanly	320	420	7	5	5
White	283	373	7	5	5
All other	37	47	-	-	-
Black	37	47	-	-	-
Albemarle	---	123	2	1	1
White	---	109	2	1	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	297	5	4	4
White	---	264	5	4	4
All other	---	33	-	-	-
Black	---	33	-	-	-
Stokes	144	242	11	7	7
Surry	494	551	13	9	6
Swain	158	120	6	4	3
White	138	98	4	4	2
All other	20	22	2	-	1
Black	1	1	-	-	-
Transylvania	147	188	-	-	6
Tyrrell	19	54	-	-	-
White	16	38	-	-	-
All other	3	16	-	-	-
Black	3	16	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Union	371	491	9	8	12
White	299	400	6	5	8
All other	72	91	3	3	4
Black	72	91	3	3	4
Monroe	---	154	4	4	3
White	---	106	1	1	1
All other	---	48	3	3	2
Black	---	48	3	3	2
Balance of county	---	337	5	4	9
White	---	294	5	4	7
All other	---	43	-	-	2
Black	---	43	-	-	2
Vance	334	367	12	10	9
White	181	214	3	2	3
All other	153	153	9	8	6
Black	153	153	9	8	6
Henderson	---	209	3	2	4
White	---	120	-	-	2
All other	---	89	3	2	2
Black	---	89	3	2	2
Balance of county	---	158	9	8	5
White	---	94	3	2	1
All other	---	64	6	6	4
Black	---	64	6	6	4
Wake	2,133	1,859	67	53	47
White	1,569	1,342	30	21	23
All other	564	517	37	32	24
Black	561	514	37	32	24
Cary	---	83	5	3	3
Garner	---	52	2	2	1
Raleigh	---	1,071	38	31	26
White	---	733	15	11	11
All other	---	338	23	20	15
Black	---	336	23	20	15
Balance of county	---	653	22	17	17
White	---	488	10	6	9
All other	---	165	12	11	8
Black	---	165	12	11	8
Warren	106	200	8	6	6
White	46	72	1	1	3
All other	60	128	7	5	3
Black	59	127	7	5	3
Washington	131	154	2	2	5
White	73	84	-	-	1
All other	58	70	2	2	4
Black	58	70	2	2	4
Watauga	236	178	1	1	2
Boone	---	32	-	-	-
Balance of county	---	146	1	1	2
Wayne	786	827	23	17	31
White	525	534	11	8	15
All other	261	293	12	9	16
Black	260	292	12	9	16
Goldsboro	---	363	12	10	11
White	---	188	3	2	3
All other	---	175	9	8	8
Black	---	174	9	8	8
Balance of county	---	464	11	7	20
White	---	346	8	6	12
All other	---	118	3	1	8
Black	---	118	3	1	8
Wilkes	376	496	8	6	3
Wilson	756	587	13	7	6
White	469	352	4	1	3
All other	287	235	9	6	3
Black	287	235	9	6	3
Wilson	---	360	9	3	1
White	---	189	3	-	-
All other	---	171	6	3	1
Black	---	171	6	3	1
Balance of county	---	227	4	4	5
White	---	163	1	1	3
All other	---	64	3	3	2
Black	---	64	3	3	2
Yadkin	119	229	3	2	3
Yancey	71	139	1	-	4
North Dakota	5,691	5,390	134	86	87
White	5,507	5,220	113	76	72
All other	184	170	21	10	15
Black	1	2	2	2	2
Adams	58	41	1	1	-
Barnes	136	158	2	2	1
Benson	19	82	3	1	2
White	6	49	-	-	1
All other	13	33	3	1	1
Black	-	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Dakota-Con.					
Billings	2	1	-	-	-
Bottineau	74	95	2	1	1
Bowman	33	37	-	-	-
Burke	10	37	-	-	-
Burleigh	626	327	11	7	4
Bismarck	---	276	9	5	3
Balance of county	---	51	2	2	1
Cass	1,157	565	19	13	9
Fargo	---	418	15	11	8
West Fargo	---	36	2	-	1
Balance of county	---	111	2	2	-
Cavalier	68	80	2	1	1
Dickey	109	96	-	-	-
Divide	46	52	-	-	-
Dunn	12	30	1	-	1
Eddy	31	47	-	-	1
Emmons	46	65	-	-	1
Foster	48	45	1	1	1
Golden Valley	12	21	1	-	1
Grand Forks	573	386	14	10	7
Grand Forks	---	277	12	9	4
Balance of county	---	109	2	1	3
Grant	28	35	-	-	-
Griggs	23	40	-	-	-
Hettinger	8	37	1	1	-
Kidder	17	31	-	-	-
La Moure	17	77	-	-	1
Logan	5	32	-	-	-
McHenry	12	88	1	1	-
McIntosh	49	61	1	1	-
McKenzie	45	56	1	-	1
White	39	49	1	-	1
All other	6	7	-	-	-
Black	-	-	-	-	-
McLean	91	126	2	2	2
Mercer	44	68	3	2	2
Morton	93	183	6	5	4
Mandan	---	97	5	4	4
Balance of county	---	86	1	1	-
Mountrail	69	84	6	3	-
White	58	72	3	2	-
All other	11	12	3	1	-
Black	-	-	-	-	-
Nelson	54	88	1	-	-
Oliver	6	10	-	-	1
Pembina	82	93	-	-	1
Pierce	91	45	-	-	1
Ramsey	152	128	2	2	2
Ransom	56	91	-	-	-
Renville	14	29	-	-	-
Richland	88	186	4	3	4
Rolette	85	96	4	1	2
White	40	43	-	-	-
All other	45	53	4	1	2
Black	-	-	-	-	-
Sargent	11	61	2	2	1
Sheridan	6	26	-	-	1
Sioux	25	27	4	2	1
White	5	8	-	-	-
All other	20	19	4	2	1
Black	-	-	-	-	-
Slope	2	7	-	-	-
Stark	182	166	14	9	3
Dickinson	---	119	9	7	2
Balance of county	---	47	5	2	1
Steele	7	41	1	1	-
Stutsman	196	203	2	-	4
Jamestown	---	148	2	-	3
Balance of county	---	55	-	-	1
Towner	43	53	1	1	2
Traill	128	138	-	-	-
Walsh	127	169	4	2	6
Ward	506	378	11	8	13
Minot	---	282	5	5	8
Balance of county	---	96	6	3	5
Wells	71	84	-	-	-
Williams	198	188	6	3	5
Williston	---	128	4	2	5
Balance of county	---	60	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	94,366	94,473	1,895	1,300	1,369
White	84,680	84,751	1,441	989	1,080
All other	9,686	9,722	454	311	289
Black	9,555	9,594	439	301	281
Adams	202	260	8	4	–
Allen	1,125	886	20	11	14
White	1,073	832	17	10	12
All other	52	54	3	1	2
Black	50	51	3	1	2
Lima	---	528	10	5	10
White	---	479	8	5	8
All other	---	49	2	–	2
Black	---	47	2	–	2
Balance of county	---	358	10	6	4
Ashland	354	390	4	1	5
Ashland	---	195	2	–	2
Balance of county	---	195	2	1	3
Ashtabula	741	916	17	13	11
Ashtabula	---	245	7	7	4
Conneaut	---	124	–	–	2
Balance of county	---	547	10	6	5
Athens	384	430	6	5	4
Athens	---	82	2	1	–
White	---	79	2	1	–
All other	---	3	–	–	–
Black	---	2	–	–	–
Balance of county	---	348	4	4	4
Auglaize	348	413	6	5	8
Belmont	802	871	14	12	9
Brown	261	312	11	10	4
Butler	1,965	1,838	48	38	26
White	1,840	1,718	41	33	23
All other	125	120	7	5	3
Black	125	120	7	5	3
Fairfield	---	139	4	4	1
Hamilton	---	597	19	14	5
Middletown	---	449	8	5	9
White	---	398	4	2	7
All other	---	51	4	3	2
Black	---	51	4	3	2
Oxford	---	57	1	1	–
Balance of county	---	596	16	14	11
Carroll	75	217	3	3	5
Champaign	233	302	7	4	4
Urbana	---	112	2	2	–
Balance of county	---	190	5	2	4
Clark	1,353	1,417	40	27	12
White	1,186	1,235	30	19	12
All other	167	182	10	8	–
Black	164	179	10	8	–
Springfield	---	874	27	19	6
White	---	700	17	11	6
All other	---	174	10	8	–
Black	---	171	10	8	–
Balance of county	---	543	13	8	6
Clermont	492	813	20	11	20
Clinton	304	317	8	3	2
Wilmington	---	131	6	3	–
Balance of county	---	186	2	–	2
Columbiana	1,169	1,158	17	13	19
East Liverpool	---	271	3	3	6
Salem	---	146	1	1	2
Balance of county	---	741	13	9	11
Coshocton	288	335	4	2	2
Coshocton	---	158	3	1	–
Balance of county	---	177	1	1	2
Crawford	460	531	14	12	7
Bucyrus	---	155	5	5	3
Galion	---	156	5	4	2
Balance of county	---	220	4	3	2
Cuyahoga	16,344	15,477	304	224	221
White	13,047	12,236	162	116	117
All other	3,297	3,241	142	108	104
Black	3,260	3,208	140	106	103
Bay Village	---	120	4	2	2
Bedford	---	144	2	2	4
Bedford Heights	---	73	–	–	–
White	---	64	–	–	–
All other	---	9	–	–	–
Black	---	9	–	–	–
Berea	---	169	4	3	3
Brecksville	---	83	1	1	1
Broadview Heights	---	79	–	–	–
Brooklyn	---	135	2	2	–
Brook Park	---	146	1	1	7
Cleveland	---	6,972	186	133	124
White	---	4,286	76	52	44
All other	---	2,686	110	81	80
Black	---	2,670	110	81	80
Ohio-Con.					
Cleveland Heights	---	548	19	18	6
White	---	472	12	11	2
All other	---	76	7	7	4
Black	---	73	7	7	3
East Cleveland	---	342	16	13	10
White	---	106	1	1	–
All other	---	236	15	12	10
Black	---	236	15	12	10
Euclid	---	725	10	8	9
Fairview Park	---	220	4	3	–
Garfield Heights	---	359	2	2	2
White	---	336	2	2	2
All other	---	23	–	–	–
Black	---	22	–	–	–
Lakewood	---	617	7	4	6
Lyndhurst	---	188	–	–	1
Maple Heights	---	317	–	–	3
Mayfield Heights	---	286	1	1	–
Middleburg Heights	---	109	1	1	1
North Olmsted	---	227	7	6	6
North Royalton	---	109	1	1	2
Parma	---	836	8	2	8
Parma Heights	---	252	1	1	3
Richmond Heights	---	93	1	–	–
Rocky River	---	251	3	3	1
Seven Hills	---	122	1	1	–
Shaker Heights	---	277	2	2	3
White	---	226	–	–	2
All other	---	51	2	2	1
Black	---	50	2	2	1
Solon	---	82	1	–	3
South Euclid	---	268	4	4	3
Strongsville	---	136	3	2	3
University Heights	---	141	1	1	–
White	---	134	1	1	–
All other	---	7	–	–	–
Black	---	7	–	–	–
Warrensville Heights	---	100	4	3	1
White	---	45	–	–	–
All other	---	55	4	3	1
Black	---	54	4	3	1
Westlake	---	183	3	1	2
Balance of county	---	768	4	3	7
Darke	397	488	7	5	6
Greenville	---	192	1	1	1
Balance of county	---	296	6	4	5
Defiance	256	293	9	8	7
Defiance	---	132	4	4	5
Balance of county	---	161	5	4	2
Delaware	392	426	12	9	3
Delaware	---	180	4	1	1
Westerville, part	---	11	–	–	–
Balance of county	---	235	8	8	2
Erie	707	662	9	8	12
Sandusky	---	336	2	2	4
White	---	296	1	1	1
All other	---	40	1	1	3
Black	---	40	1	1	3
Vermilion, part	---	49	1	1	1
Vermilion, total	---	79	1	1	3
Balance of county	---	277	6	5	7
Fairfield	656	742	16	12	19
Columbus, part	---	–	–	–	–
Lancaster	---	365	11	8	7
Reynoldsburg, part	---	–	–	–	–
Balance of county	---	377	5	4	12
Fayette	309	296	2	1	5
Washington	---	193	–	–	3
Balance of county	---	103	2	1	2
Franklin	7,735	6,655	197	124	102
White	6,671	5,575	130	83	73
All other	1,064	1,080	67	41	29
Black	1,041	1,061	61	37	27
Bexley	---	100	–	–	–
Columbus, part	---	4,661	158	98	76
White	---	3,626	93	58	48
All other	---	1,035	65	40	28
Black	---	1,019	60	37	26
Columbus, total	---	4,661	158	98	76
White	---	3,626	93	58	48
All other	---	1,035	65	40	28
Black	---	1,019	60	37	26
Gahanna	---	94	2	2	1
Grove City	---	90	3	3	1
Reynoldsburg, part	---	110	2	–	1
Reynoldsburg, total	---	115	2	–	1
Upper Arlington	---	336	5	5	1
Westerville, part	---	135	5	3	2
Westerville, total	---	146	5	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Whitehall	---	141	2	2	2
Worthington	---	122	2	–	–
Balance of county	---	866	18	11	18
Fulton	223	315	5	3	6
Gallia	449	279	4	4	3
Geauga	399	477	15	9	5
Greene	745	774	29	19	11
White	682	716	24	16	8
All other	63	58	5	3	3
Black	62	56	5	3	3
Beavercreek	---	119	3	1	1
Dayton, part	---	–	–	–	–
Fairborn	---	178	8	4	6
Xenia	---	187	10	8	1
White	---	147	7	5	–
All other	---	40	3	3	1
Black	---	39	3	3	1
Balance of county	---	290	8	6	3
White	---	279	8	6	2
All other	---	11	–	–	1
Black	---	11	–	–	1
Guernsey	433	457	4	4	5
Cambridge	---	183	1	1	2
Balance of county	---	274	3	3	3
Hamilton	9,034	8,022	134	89	80
White	7,478	6,462	80	53	53
All other	1,556	1,560	54	36	27
Black	1,543	1,550	54	36	27
Cincinnati	---	4,446	75	48	63
White	---	3,159	32	17	37
All other	---	1,287	43	29	26
Black	---	1,281	43	29	26
Forest Park	---	57	1	–	–
White	---	45	–	–	–
All other	---	12	1	–	–
Black	---	12	1	–	–
Montgomery	---	41	1	1	–
North College Hill	---	129	1	–	–
Norwood	---	280	6	6	1
Reading	---	104	4	3	–
Sharonville	---	64	1	1	–
Springdale	---	63	1	1	–
Balance of county	---	2,838	44	31	16
White	---	2,592	34	24	15
All other	---	246	10	7	1
Black	---	242	10	7	1
Hancock	599	479	4	4	8
Findlay	---	301	3	3	4
Fostoria, part	---	21	–	–	–
Balance of county	---	157	1	1	4
Hardin	249	268	4	3	6
Harrison	142	184	1	1	2
Henry	172	248	4	2	2
Highland	279	388	7	4	5
Hocking	209	243	3	1	1
Holmes	220	199	8	6	6
Huron	422	473	7	5	16
Norwalk	---	167	5	4	4
Balance of county	---	306	2	1	12
Jackson	203	362	7	5	2
Jefferson	831	952	8	7	11
Steubenville	---	326	4	4	2
White	---	279	1	1	1
All other	---	47	3	3	1
Black	---	47	3	3	1
Balance of county	---	626	4	3	9
Knox	411	399	7	6	5
Mount Vernon	---	168	4	4	4
Balance of county	---	231	3	2	1
Lake	1,307	1,460	32	28	27
Eastlake	---	137	7	7	1
Mentor	---	263	6	6	6
Painesville	---	169	3	2	6
White	---	154	2	2	3
All other	---	15	1	–	3
Black	---	15	1	–	3
Wickliffe	---	129	1	1	–
Willoughby	---	183	4	4	5
Willowick	---	122	1	1	1
Balance of county	---	457	10	7	8
Lawrence	407	632	9	4	11
Ironton	---	217	2	1	3
Balance of county	---	415	7	3	8
Licking	883	1,018	18	12	14
Newark	---	501	6	3	8
Reynoldsburg, part	---	5	–	–	–
Balance of county	---	512	12	9	6
Logan	286	401	5	4	3
Bellefontaine	---	125	1	1	3
Balance of county	---	276	4	3	–
Lorain	1,892	1,924	49	34	48
White	1,767	1,787	42	28	38
All other	125	137	7	6	10
Black	123	135	7	6	10
Amherst	---	122	–	–	–
Avon Lake	---	68	1	–	2
Elyria	---	483	22	17	15
White	---	430	19	15	10
All other	---	53	3	2	5
Black	---	52	3	2	5
Lorain	---	606	9	6	15
White	---	554	6	3	10
All other	---	52	3	3	5
Black	---	51	3	3	5
North Ridgeville	---	77	4	2	3
Sheffield Lake	---	45	2	–	2
Vermilion, part	---	30	–	–	2
Balance of county	---	493	11	9	9
Lucas	5,392	4,488	80	47	55
White	4,837	3,942	53	32	40
All other	555	546	27	15	15
Black	546	540	27	15	15
Maumee	---	107	4	4	–
Oregon	---	146	3	2	2
Sylvania	---	111	4	3	1
Toledo	---	3,644	62	35	47
White	---	3,125	35	20	33
All other	---	519	27	15	14
Black	---	515	27	15	14
Balance of county	---	480	7	3	5
Madison	199	290	4	2	4
Mahoning	2,715	2,888	41	26	32
White	2,357	2,453	24	15	19
All other	358	435	17	11	13
Black	358	435	17	11	13
Alliance, part	---	–	–	–	–
Campbell	---	121	3	2	–
White	---	106	2	1	–
All other	---	15	1	1	–
Black	---	15	1	1	–
Struthers	---	132	–	–	–
Youngstown, part	---	1,419	25	14	21
White	---	1,022	10	5	8
All other	---	397	15	9	13
Black	---	397	15	9	13
Youngstown, total	---	1,422	25	14	21
White	---	1,025	10	5	8
All other	---	397	15	9	13
Black	---	397	15	9	13
Balance of county	---	1,216	13	10	11
Marion	621	579	18	11	8
Marion	---	376	12	9	4
Balance of county	---	203	6	2	4
Medina	707	674	15	13	15
Brunswick	---	98	5	4	4
Medina	---	135	3	2	4
Wadsworth	---	122	–	–	2
Balance of county	---	319	7	7	5
Meigs	142	247	3	2	4
Mercer	268	321	7	5	4
Miami	699	791	18	10	9
Piqua	---	203	2	1	3
Troy	---	172	3	2	3
Balance of county	---	416	13	7	3
Monroe	70	180	2	–	2
Montgomery	5,451	4,722	117	81	71
White	4,599	3,914	71	49	44
All other	852	808	46	32	27
Black	846	804	46	32	27
Centerville	---	82	–	–	–
Dayton, part	---	2,099	62	43	43
White	---	1,399	23	16	19
All other	---	700	39	27	24
Black	---	699	39	27	24
Dayton, total	---	2,099	62	43	43
White	---	1,399	23	16	19
All other	---	700	39	27	24
Black	---	699	39	27	24
Englewood	---	83	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Huber Heights	- - -	158	7	5	4
Kettering	- - -	462	8	7	2
Miamisburg	- - -	134	1	-	3
Vandalia	- - -	76	1	1	1
West Carrollton	- - -	68	2	2	2
Balance of county	- - -	1,560	36	23	16
White	- - -	1,468	29	18	13
All other	- - -	92	7	5	3
Black	- - -	92	7	5	3
Morgan	92	151	1	-	2
Morrow	143	207	5	3	3
Muskingum	1,069	829	14	10	17
Zanesville	- - -	420	7	4	8
White	- - -	390	6	3	7
All other	- - -	30	1	1	1
Black	- - -	29	-	-	1
Balance of county	- - -	409	7	6	9
Noble	56	126	1	1	1
Ottawa	229	385	3	2	4
Paulding	98	147	4	2	2
Perry	103	340	10	9	5
Pickaway	243	306	10	7	6
Circleville	- - -	110	2	2	4
Balance of county	- - -	196	8	5	2
Pike	158	234	8	6	3
Portage	706	888	20	16	13
Kent	- - -	142	1	1	2
Ravenna	- - -	157	1	-	2
Balance of county	- - -	589	18	15	9
Preble	133	318	5	4	4
Putnam	131	250	5	3	2
Richland	1,031	1,057	29	22	16
Mansfield	- - -	550	13	9	9
White	- - -	485	9	5	6
All other	- - -	65	4	4	3
Black	- - -	65	4	4	3
Balance of county	- - -	507	16	13	7
Ross	747	625	15	9	7
Chillicothe	- - -	323	6	2	3
Balance of county	- - -	302	9	7	4
Sandusky	447	542	9	5	11
Fremont	- - -	233	6	3	3
White	- - -	221	6	3	3
All other	- - -	12	-	-	-
Black	- - -	12	-	-	-
Balance of county	- - -	309	3	2	8
Scioto	959	946	12	7	12
Portsmouth	- - -	421	6	3	2
Balance of county	- - -	525	6	4	10
Seneca	290	447	6	4	8
Fostoria, part	- - -	113	1	-	1
White	- - -	108	1	-	-
All other	- - -	5	-	-	1
Black	- - -	5	-	-	1
Fostoria, total	- - -	142	1	-	1
White	- - -	135	1	-	-
All other	- - -	7	-	-	1
Black	- - -	7	-	-	1
Tiffin	- - -	154	3	3	3
Balance of county	- - -	160	2	1	4
Shelby	231	314	8	7	6
Sidney	- - -	160	6	5	5
Balance of county	- - -	154	2	2	1
Stark	3,589	3,307	53	34	47
White	3,404	3,107	43	27	41
All other	185	200	10	7	6
Black	184	199	10	7	6
Alliance, part	- - -	256	5	4	7
White	- - -	234	3	2	6
All other	- - -	22	2	2	1
Black	- - -	22	2	2	1
Alliance, total	- - -	256	5	4	7
White	- - -	234	3	2	6
All other	- - -	22	2	2	1
Black	- - -	22	2	2	1
Canton	- - -	1,072	16	7	11
White	- - -	943	9	3	8
All other	- - -	129	7	4	3
Black	- - -	129	7	4	3
Massillon	- - -	327	4	3	6
White	- - -	299	4	3	5
All other	- - -	28	-	-	1
Black	- - -	28	-	-	1
North Canton	- - -	123	2	2	4
Balance of county	- - -	1,529	26	18	19
Summit	4,871	4,826	85	58	73
White	4,451	4,384	61	44	59
All other	420	444	24	14	14
Black	413	439	23	14	12
Akron	- - -	2,496	46	26	38
White	- - -	2,091	23	12	27
All other	- - -	405	23	14	11
Black	- - -	402	23	14	11
Barberton	- - -	328	5	3	1
Cuyahoga Falls	- - -	455	10	10	9
Norton	- - -	76	1	-	-
Stow	- - -	151	4	3	3
Tallmadge	- - -	97	1	1	2
Balance of county	- - -	1,225	18	15	20
Trumbull	2,146	2,021	34	21	32
White	1,947	1,888	28	17	25
All other	199	133	6	4	7
Black	199	132	6	4	7
Girard	- - -	153	1	1	-
Niles	- - -	205	4	3	5
Warren	- - -	661	10	4	15
White	- - -	563	7	3	9
All other	- - -	98	3	1	6
Black	- - -	97	3	1	6
Youngstown, part	- - -	3	-	-	-
White	- - -	3	-	-	-
All other	- - -	-	-	-	-
Black	- - -	-	-	-	-
Balance of county	- - -	999	19	13	12
Tuscarawas	724	844	6	4	12
Dover	- - -	170	2	2	-
New Philadelphia	- - -	161	-	-	2
Balance of county	- - -	513	4	2	10
Union	211	236	5	3	4
Van Wert	252	285	3	2	6
Van Wert	- - -	119	-	-	-
Balance of county	- - -	166	3	2	6
Vinton	51	114	-	-	1
Warren	291	638	15	12	13
Franklin	- - -	110	5	5	3
Balance of county	- - -	528	10	7	10
Washington	493	542	9	7	11
Marietta	- - -	191	3	2	-
Balance of county	- - -	351	6	5	11
Wayne	524	677	17	8	16
Wooster	- - -	174	3	1	3
Balance of county	- - -	503	14	7	13
Williams	295	304	6	2	8
Wood	452	743	20	14	15
Bowling Green	- - -	112	4	2	1
Fostoria, part	- - -	8	-	-	-
Perrysburg	- - -	80	1	-	1
Balance of county	- - -	543	15	12	13
Wyandot	190	243	5	2	1
Oklahoma	28,443	29,350	722	434	463
White	25,608	26,449	577	346	348
All other	2,835	2,901	145	88	115
Black	1,863	1,893	90	58	70
Adair	136	221	3	2	4
White	108	169	-	-	1
All other	28	52	3	2	3
Black	-	-	-	-	-
Alfalfa	56	118	2	2	-
Atoka	104	154	-	-	2
White	98	140	-	-	1
All other	6	14	-	-	1
Black	2	4	-	-	1
Beaver	55	64	2	2	-
Beckham	255	274	14	6	7
Blaine	161	202	5	3	2
White	147	172	4	2	2
All other	14	30	1	1	-
Black	7	9	-	-	-
Bryan	262	373	3	2	3
Durant	- - -	180	1	1	2
White	- - -	178	1	1	1
All other	- - -	2	-	-	1
Black	- - -	1	-	-	-
Balance of county	- - -	193	2	1	1
Caddo	259	383	10	5	5
White	222	321	6	3	3
All other	37	62	4	2	2
Black	3	5	-	-	-
Canadian	218	382	12	9	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
El Reno	---	171	5	4	2
White	---	160	3	3	2
All other	---	11	2	1	-
Black	---	7	-	-	-
Oklahoma City, part	---	5	1	-	-
Yukon	---	114	5	4	4
Balance of county	---	92	1	1	3
Carter	482	497	13	6	4
White	430	435	11	5	3
All other	52	62	2	1	1
Black	42	52	2	1	-
Ardmore	---	324	10	4	1
White	---	285	9	4	-
All other	---	39	1	-	1
Black	---	33	1	-	-
Balance of county	---	173	3	2	3
White	---	150	2	1	3
All other	---	23	1	1	-
Black	---	19	1	1	-
Cherokee	266	294	7	5	5
White	189	233	3	2	2
All other	77	61	4	3	3
Black	3	6	1	1	-
Choctaw	172	250	5	3	2
White	142	204	4	3	1
All other	30	46	1	-	1
Black	23	37	1	-	1
Cimarron	23	36	-	-	-
Cleveland	674	730	32	17	27
Moore	---	154	14	6	10
Norman	---	434	11	8	14
Oklahoma City, part	---	21	-	-	-
Balance of county	---	121	7	3	3
Coal	76	90	1	-	-
White	73	86	1	-	-
All other	3	4	-	-	-
Black	2	2	-	-	-
Comanche	775	742	48	32	27
White	655	622	29	15	12
All other	120	120	19	17	15
Black	86	95	14	13	11
Lawton	---	598	41	27	24
White	---	494	27	14	9
All other	---	104	14	13	15
Black	---	90	12	11	11
Balance of county	---	144	7	5	3
White	---	128	2	1	3
All other	---	16	5	4	-
Black	---	5	2	2	-
Cotton	42	85	-	-	3
Craig	175	217	7	4	1
White	162	200	7	4	1
All other	13	17	-	-	-
Black	7	7	-	-	-
Creek	467	589	12	8	8
Sapulpa	---	238	3	1	2
White	---	215	2	1	2
All other	---	23	1	-	-
Black	---	15	1	-	-
Balance of county	---	351	9	7	6
Custer	325	283	11	9	8
Delaware	197	277	2	2	2
White	172	248	-	-	1
All other	25	29	2	2	1
Black	-	-	-	-	-
Dewey	41	77	1	1	1
Ellis	94	79	-	-	-
Garfield	768	656	16	9	7
Enid	---	545	14	8	6
Balance of county	---	111	2	1	1
Garvin	276	338	7	5	4
Grady	364	402	10	6	11
Chickasha	---	217	5	3	4
White	---	204	4	3	3
All other	---	13	1	-	1
Black	---	11	1	-	-
Balance of county	---	185	5	3	7
Grant	43	84	1	-	-
Greer	103	124	2	-	1
Harmon	73	86	1	-	-
Harper	58	64	1	1	-
Haskell	85	130	1	-	3
Hughes	161	192	-	-	1
White	141	166	-	-	1
All other	20	26	-	-	-
Black	8	5	-	-	-
Jackson	247	260	2	2	4
White	231	241	2	2	3
All other	16	19	-	-	1
Black	15	18	-	-	1
Altus	---	204	2	2	3
White	---	186	2	2	2
All other	---	18	-	-	1
Black	---	18	-	-	1
Balance of county	---	56	-	-	1
Jefferson	89	123	1	-	-
Johnston	84	111	2	2	-
White	80	106	2	2	-
All other	4	5	-	-	-
Black	1	-	-	-	-
Kay	585	621	17	11	9
Ponca City	---	332	10	8	6
Balance of county	---	289	7	3	3
Kingfisher	100	153	8	6	1
Kiowa	116	198	5	2	2
Latimer	56	90	6	5	1
White	51	80	4	4	1
All other	5	10	2	1	-
Black	-	1	-	-	-
Le Flore	314	464	6	3	3
White	285	440	6	3	2
All other	29	24	-	-	1
Black	7	8	-	-	-
Lincoln	179	267	6	5	3
Logan	222	299	2	-	2
White	196	269	1	-	1
All other	26	30	1	-	1
Black	25	28	1	-	1
Guthrie	---	188	2	-	1
White	---	170	1	-	1
All other	---	18	1	-	-
Black	---	17	1	-	-
Balance of county	---	111	-	-	1
White	---	99	-	-	-
All other	---	12	-	-	1
Black	---	11	-	-	1
Love	68	94	1	-	2
McClain	134	175	3	2	3
Oklahoma City, part	---	-	-	-	-
Balance of county	---	175	3	2	3
McCurtain	315	415	5	3	11
White	247	335	5	3	8
All other	68	80	-	-	3
Black	47	51	-	-	-
McIntosh	149	235	1	-	2
White	131	196	1	-	1
All other	18	39	-	-	1
Black	10	17	-	-	-
Major	80	105	3	2	-
Marshall	129	157	2	1	-
Mayes	284	353	7	6	1
White	273	322	6	5	1
All other	11	31	1	1	-
Black	1	1	-	-	-
Murray	142	156	3	3	2
Muskogee	1,035	794	17	9	11
White	847	633	13	8	4
All other	188	161	4	1	7
Black	163	145	2	1	4
Muskogee	---	557	10	6	7
White	---	432	7	5	1
All other	---	125	3	1	6
Black	---	120	2	1	3
Balance of county	---	237	7	3	4
White	---	201	6	3	3
All other	---	36	1	-	1
Black	---	25	-	-	1
Noble	102	134	2	1	-
Nowata	97	130	3	2	3
White	89	119	2	2	1
All other	8	11	1	-	2
Black	7	10	1	-	2
Okfuskee	72	157	-	-	1
White	40	113	-	-	1
All other	32	44	-	-	-
Black	13	28	-	-	-
Oklahoma	6,422	4,981	170	101	107
White	5,636	4,330	121	73	74
All other	786	651	49	28	33
Black	652	583	42	27	28
Bethany	---	176	5	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Del City	---	151	3	2	5
White	---	146	2	1	4
All other	---	5	1	1	1
Black	---	3	1	1	1
Edmond	---	204	12	7	10
Midwest City	---	335	12	5	3
White	---	318	8	3	2
All other	---	17	4	2	1
Black	---	14	4	2	1
Oklahoma City, part	---	3,838	126	77	76
White	---	3,277	84	53	50
All other	---	561	42	24	26
Black	---	506	36	23	24
Oklahoma City, total	---	3,864	127	77	76
White	---	3,303	85	53	50
All other	---	561	42	24	26
Black	---	506	36	23	24
The Village	---	-	-	-	-
Balance of county	---	277	12	7	9
White	---	215	11	6	7
All other	---	62	1	1	2
Black	---	58	1	1	2
Okmulgee	405	470	10	5	7
White	342	387	7	3	5
All other	63	83	3	2	2
Black	40	55	1	-	2
Okmulgee	---	235	7	5	6
White	---	180	5	3	4
All other	---	55	2	2	2
Black	---	38	-	-	2
Balance of county	---	235	3	-	1
White	---	207	2	-	1
All other	---	28	1	-	-
Black	---	17	1	-	-
Osage	207	336	5	2	2
White	181	297	5	2	2
All other	26	39	-	-	-
Black	9	13	-	-	-
Bartlesville, part	---	-	-	-	-
Sand Springs, part	---	1	-	-	-
Tulsa, part	---	3	-	-	-
White	---	3	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	332	5	2	2
White	---	293	5	2	2
All other	---	39	-	-	-
Black	---	13	-	-	-
Ottawa	312	380	7	4	5
White	294	356	5	2	1
All other	18	24	2	2	4
Black	-	-	-	-	-
Miami	---	180	1	1	2
White	---	173	1	1	-
All other	---	7	-	-	2
Black	---	-	-	-	-
Balance of county	---	200	6	3	3
White	---	183	4	1	1
All other	---	17	2	2	2
Black	---	-	-	-	-
Pawnee	124	190	4	-	1
Payne	412	440	12	10	8
Stillwater	---	207	7	5	4
Balance of county	---	233	5	5	4
Pittsburg	434	455	10	4	4
White	404	423	10	4	4
All other	30	32	-	-	-
Black	17	14	-	-	-
McAlester	---	245	5	2	1
White	---	226	5	2	1
All other	---	19	-	-	-
Black	---	12	-	-	-
Balance of county	---	210	5	2	3
White	---	197	5	2	3
All other	---	13	-	-	-
Black	---	2	-	-	-
Pontotoc	406	376	3	2	2
White	354	346	-	-	2
All other	52	30	3	2	-
Black	8	11	2	2	-
Ada	---	227	2	1	1
White	---	209	-	-	1
All other	---	18	2	1	-
Black	---	8	1	1	-
Balance of county	---	149	1	1	1
Pottawatomie	569	597	8	3	9
Oklahoma City, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	379	3	1	6
White	---	355	3	1	4
All other	---	24	-	-	2
Black	---	6	-	-	-
Balance of county	---	218	5	2	3
Pushmataha	102	133	4	3	1
White	99	125	2	2	1
All other	3	8	2	1	-
Black	-	1	-	-	-
Roger Mills	28	46	-	-	-
Rogers	278	333	9	5	6
White	243	317	8	5	2
All other	35	16	1	-	4
Black	1	1	-	-	-
Claremore	---	115	2	-	2
White	---	109	2	-	-
All other	---	6	-	-	2
Black	---	1	-	-	-
Balance of county	---	218	7	5	4
Seminole	232	361	5	2	5
White	187	291	2	-	4
All other	45	70	3	2	1
Black	29	38	2	1	-
Sequoyah	185	330	6	3	2
White	166	296	6	3	2
All other	19	34	-	-	-
Black	3	9	-	-	-
Stephens	401	468	9	6	5
Duncan	---	265	7	5	5
Balance of county	---	203	2	1	-
Texas	107	154	2	1	5
Tillman	114	156	3	2	2
White	97	137	3	2	2
All other	17	19	-	-	-
Black	16	18	-	-	-
Tulsa	4,730	3,918	93	60	61
White	4,238	3,495	79	52	47
All other	492	423	14	8	14
Black	392	367	11	7	13
Broken Arrow, part	---	222	11	6	5
Broken Arrow, total	---	231	11	6	5
Sand Springs, part	---	125	-	-	4
Sand Springs, total	---	126	-	-	4
Tulsa, part	---	3,186	72	46	47
White	---	2,786	59	38	33
All other	---	400	13	8	14
Black	---	359	11	7	13
Tulsa, total	---	3,189	72	46	47
White	---	2,789	59	38	33
All other	---	400	13	8	14
Black	---	359	11	7	13
Balance of county	---	385	10	8	5
White	---	373	10	8	5
All other	---	12	-	-	-
Black	---	2	-	-	-
Wagoner	151	233	4	2	10
White	135	206	2	2	9
All other	16	27	2	-	1
Black	16	24	2	-	1
Broken Arrow, part	---	9	-	-	-
Balance of county	---	224	4	2	10
White	---	197	2	2	9
All other	---	27	2	-	1
Black	---	24	2	-	1
Washington	516	480	11	6	6
Bartlesville, part	---	348	7	4	6
Bartlesville, total	---	348	7	4	6
Balance of county	---	132	4	2	-
White	---	122	3	1	-
All other	---	10	1	1	-
Black	---	6	-	-	-
Washita	132	184	2	1	2
Woods	123	144	4	1	1
Woodward	208	201	10	7	4
Woodward	---	140	9	6	3
Balance of county	---	61	1	1	1
Oregon	21,643	21,614	432	253	262
White	21,147	21,108	395	234	245
All other	496	506	37	19	17
Black	259	266	13	7	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Baker	176	195	3	2	3
Benton	450	384	6	4	4
Albany, part	---	7	-	-	-
White	---	7	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Corvallis	---	239	4	3	2
Balance of county	---	138	2	1	2
Clackamas	1,616	1,674	34	17	24
Lake Oswego, part	---	128	1	-	1
Lake Oswego, total	---	130	1	-	1
Milwaukie, part	---	248	2	2	4
Milwaukie, total	---	249	2	2	4
Oregon City	---	170	5	4	4
Portland, part	---	20	1	1	-
West Linn	---	74	2	-	2
Balance of county	---	1,034	23	10	13
Clatsop	295	331	4	2	3
Columbia	188	325	8	5	5
Coos	494	528	5	1	2
Coos Bay	---	151	4	1	1
Balance of county	---	377	1	-	1
Crook	100	110	3	2	1
Curry	121	177	2	1	1
Deschutes	497	444	9	3	4
Bend	---	161	3	-	3
Balance of county	---	283	6	3	1
Douglas	740	723	10	8	6
Roseburg	---	218	2	2	1
Balance of county	---	505	8	6	5
Gilliam	8	21	1	-	-
Grant	57	58	3	2	2
Harney	72	77	1	1	2
Hood River	108	123	5	3	5
Jackson	1,125	1,109	13	8	12
Ashland	---	121	-	-	4
Medford	---	417	5	4	2
Balance of county	---	571	8	4	6
Jefferson	77	101	3	3	3
White	62	81	1	1	2
All other	15	20	2	2	1
Black	1	-	-	-	-
Josephine	601	614	9	6	1
Grants Pass	---	233	3	3	1
Balance of county	---	381	6	3	-
Klamath	491	484	18	8	6
Klamath Falls	---	194	6	2	4
Balance of county	---	290	12	6	2
Lake	53	58	2	1	2
Lane	1,939	1,878	35	24	24
Eugene	---	724	10	7	11
Springfield	---	312	7	5	3
Balance of county	---	842	18	12	10
Lincoln	314	365	5	3	-
Linn	538	690	23	13	8
Albany, part	---	210	8	5	3
Albany, total	---	217	8	5	3
Lebanon	---	115	3	1	1
Balance of county	---	365	12	7	4
Malheur	271	230	8	5	4
Marion	1,801	1,779	44	25	19
Salem, part	---	852	21	13	8
Salem, total	---	984	23	15	9
Woodburn	---	164	2	1	1
White	---	164	2	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	763	21	11	10
Morrow	40	48	-	-	2
Multnomah	6,156	5,462	97	54	65
White	5,846	5,147	79	44	55
All other	310	315	18	10	10
Black	213	229	11	6	6
Gresham	---	248	4	3	3
Lake Oswego, part	---	1	-	-	-
Milwaukie, part	---	1	-	-	-
Portland, part	---	4,238	74	41	45
White	---	3,946	58	32	36
All other	---	292	16	9	9
Black	---	220	10	5	6
Portland, total	---	4,316	77	44	46
White	---	4,022	61	35	37
All other	---	294	16	9	9
Black	---	220	10	5	6
Balance of county	---	974	19	10	17
Polk	256	399	7	4	3
Salem, part	---	112	2	2	1
Balance of county	---	287	5	2	2
Sherman	4	15	1	1	-
Tillamook	189	231	2	2	3
Umatilla	431	529	18	10	11
Pendleton	---	153	7	5	2
Balance of county	---	376	11	5	9
Union	204	215	1	-	-
La Grande	---	143	1	-	-
Balance of county	---	72	-	-	-
Wallowa	56	69	-	-	-
Wasco	245	219	3	3	5
City of the Dalles	---	126	2	2	3
Balance of county	---	93	1	1	2
Washington	1,522	1,442	41	25	23
Beaverton	---	270	12	8	5
Forest Grove	---	118	1	1	3
Hillsboro	---	200	6	4	5
Lake Oswego, part	---	1	-	-	-
Portland, part	---	58	2	2	1
Tigard	---	161	2	-	3
Balance of county	---	634	18	10	6
Wheeler	9	14	-	-	-
Yamhill	399	475	8	7	9
McMinnville	---	147	2	1	3
Newberg	---	117	2	2	1
Balance of county	---	211	4	4	5
Pennsylvania	118,809	118,817	1,873	1,333	1,645
White	108,185	108,234	1,428	1,033	1,302
All other	10,624	10,583	445	300	343
Black	10,457	10,440	433	294	322
Adams	397	560	5	4	4
Allegheny	17,053	15,442	215	158	188
White	15,429	13,879	136	102	142
All other	1,624	1,563	79	56	46
Black	1,603	1,545	77	56	46
Baldwin	---	230	3	3	2
Bellevue	---	124	1	-	1
Bethel Park	---	237	8	6	5
Brentwood	---	147	-	-	-
Carnegie	---	122	2	2	1
Castle Shannon	---	100	1	1	-
Clairton	---	187	3	3	-
White	---	149	-	-	-
All other	---	38	3	3	-
Black	---	38	3	3	-
Dormont	---	124	-	-	-
Duquesne	---	123	4	2	7
White	---	113	1	1	3
All other	---	10	3	1	4
Black	---	10	3	1	4
Elizabeth twp#	---	148	3	3	2
Harrison twp#	---	153	3	3	1
McCandless twp#	---	184	2	2	1
McKeesport	---	452	11	6	7
White	---	406	8	6	5
All other	---	46	3	-	2
Black	---	46	3	-	2
Monroeville	---	191	4	2	3
Mount Lebanon twp#	---	332	2	1	3
Munhall	---	189	1	1	1
North Versailles twp#	---	131	-	-	3
Penn Hills twp#	---	419	2	2	5
White	---	393	2	2	4
All other	---	26	-	-	1
Black	---	26	-	-	1
Pittsburgh	---	5,623	98	75	74
White	---	4,447	40	31	42
All other	---	1,176	58	44	32
Black	---	1,166	58	44	32
Plum	---	127	4	3	3
Ross twp#	---	282	1	-	4
Scott twp#	---	228	-	-	-
Shaler twp#	---	270	2	2	4
South Park twp#	---	75	3	1	2
Swissvale	---	156	-	-	1
Upper St. Clair twp#	---	84	1	-	2
West Mifflin	---	260	1	1	2
Whitehall	---	156	2	2	1
Wilkinsburg	---	288	3	1	1
White	---	237	1	-	-
All other	---	51	2	1	1
Black	---	50	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	4,300	50	36	52
White	---	4,159	44	31	47
All other	---	141	6	5	5
Black	---	139	6	5	5
Armstrong	601	827	9	8	8
Beaver	1,568	1,945	18	15	39
White	1,459	1,821	15	12	33
All other	109	124	3	3	6
Black	109	124	3	3	6
Aliquippa	---	238	3	3	3
White	---	179	2	2	1
All other	---	59	1	1	2
Black	---	59	1	1	2
Beaver Falls	---	186	1	1	5
White	---	164	–	–	4
All other	---	22	1	1	1
Black	---	22	1	1	1
Balance of county	---	1,521	14	11	31
Bedford	330	470	12	9	5
Berks	2,894	3,001	38	29	46
Muhlenberg twp#	---	103	–	–	–
Reading	---	1,012	12	8	26
White	---	956	8	5	21
All other	---	56	4	3	5
Black	---	56	4	3	5
Balance of county	---	1,886	26	21	20
Blair	1,807	1,545	20	12	11
Altoona	---	738	8	5	5
Balance of county	---	807	12	7	6
Bradford	787	604	13	8	8
Bucks	3,511	3,514	59	46	62
White	3,439	3,448	56	43	56
All other	72	66	3	3	6
Black	71	63	3	3	6
Bensalem twp#	---	300	5	4	9
Bristol	---	154	3	2	4
Bristol twp#	---	343	10	7	12
Falls twp#	---	217	5	5	2
Lower Southampton twp#	---	139	–	–	2
Middletown twp#	---	189	3	2	3
Northampton twp#	---	141	5	4	–
Upper Southampton twp#	---	135	–	–	–
Warminster twp#	---	219	2	2	2
Balance of county	---	1,677	26	20	28
White	---	1,659	26	20	25
All other	---	18	–	–	3
Black	---	17	–	–	3
Butler	1,054	1,274	17	10	17
Butler	---	201	3	2	2
Balance of county	---	1,073	14	8	15
Cambria	1,850	1,885	30	23	17
Johnstown	---	568	11	7	3
Balance of county	---	1,317	19	16	14
Cameron	29	68	1	–	2
Carbon	438	665	4	4	6
Centre	730	663	13	8	15
State College	---	103	3	2	2
Balance of county	---	560	10	6	13
Chester	2,258	2,392	44	35	37
White	2,059	2,190	38	31	31
All other	199	202	6	4	6
Black	196	199	6	4	6
Coatesville	---	181	1	1	2
White	---	131	1	1	1
All other	---	50	–	–	1
Black	---	49	–	–	1
Phoenixville	---	173	4	4	1
Tredyffrin twp#	---	176	–	–	1
West Chester	---	204	4	3	1
White	---	168	4	3	1
All other	---	36	–	–	–
Black	---	36	–	–	–
West Goshen twp#	---	97	2	2	1
Balance of county	---	1,561	33	25	31
White	---	1,469	28	22	26
All other	---	92	5	3	5
Black	---	90	5	3	5
Clarion	289	419	9	8	9
Clearfield	803	835	10	7	16
Clinton	335	359	7	3	3
Columbia	583	605	8	6	5
Berwick	---	126	1	1	1
Bloomsburg	---	133	1	–	–
Balance of county	---	346	6	5	4
Crawford	727	820	22	15	12
Meadville	---	181	4	2	3
Balance of county	---	639	18	13	9
Cumberland	1,425	1,426	24	18	21
Carlisle	---	184	3	2	4
East Pennsboro twp#	---	166	1	–	3
Lower Allen twp#	---	92	1	1	3
Balance of county	---	984	19	15	11
Dauphin	2,954	2,349	47	29	39
White	2,695	2,078	38	23	23
All other	259	271	9	6	16
Black	254	265	8	5	14
Harrisburg	---	722	23	15	16
White	---	496	14	9	5
All other	---	226	9	6	11
Black	---	223	8	5	11
Lower Paxton twp#	---	265	3	3	4
Middletown	---	5	1	1	–
Susquehanna twp#	---	150	1	1	5
White	---	147	1	1	3
All other	---	3	–	–	2
Black	---	2	–	–	1
Swatara twp#	---	232	1	1	3
Balance of county	---	975	18	8	11
Delaware	5,353	5,682	62	48	75
White	4,879	5,210	42	33	54
All other	474	472	20	15	21
Black	468	466	20	15	19
Aston twp#	---	116	1	1	–
Chester	---	580	15	11	16
White	---	325	2	2	2
All other	---	255	13	9	14
Black	---	254	13	9	14
Darby	---	176	3	2	5
White	---	149	2	1	4
All other	---	27	1	1	1
Black	---	27	1	1	1
Darby twp#	---	38	–	–	2
White	---	21	–	–	1
All other	---	17	–	–	1
Black	---	17	–	–	1
Haverford twp#	---	498	3	2	1
Lansdowne	---	161	2	2	1
Marple twp#	---	226	1	1	1
Middletown twp#	---	186	1	1	–
Nether Providence twp#	---	138	1	–	1
Newtown twp#	---	108	–	–	–
Radnor twp#	---	214	2	1	–
Ridley twp#	---	234	3	2	5
Springfield twp#	---	249	2	2	1
Upper Chichester twp#	---	118	1	1	2
Upper Darby twp#	---	926	5	3	9
Yeadon	---	126	1	1	–
White	---	105	1	1	–
All other	---	21	–	–	–
Black	---	21	–	–	–
Balance of county	---	1,588	21	18	31
White	---	1,505	18	15	28
All other	---	83	3	3	3
Black	---	82	3	3	2
Elk	306	346	5	4	5
Erie	2,767	2,503	70	49	45
White	2,662	2,401	59	42	41
All other	105	102	11	7	4
Black	102	100	11	7	3
Erie	---	1,327	40	29	24
White	---	1,234	29	22	20
All other	---	93	11	7	4
Black	---	93	11	7	3
Millcreek twp#	---	309	4	3	1
Balance of county	---	867	26	17	20
Fayette	1,440	1,769	19	13	26
Connellsville	---	124	1	1	1
Uniontown	---	252	1	1	5
Balance of county	---	1,393	17	11	20
Forest	29	53	1	1	–
Franklin	930	979	14	13	10
Chambersburg	---	253	–	–	2
Balance of county	---	726	14	13	8
Fulton	99	113	–	–	1
Greene	276	395	10	8	2
Huntingdon	316	403	5	2	7
Indiana	646	797	20	15	16
Indiana	---	104	2	1	1
Balance of county	---	693	18	14	15
Jefferson	371	521	12	9	11
Juniata	99	173	6	3	1
Lackawanna	2,814	2,710	20	15	32
Carbondale	---	150	4	3	3
Dunmore	---	198	5	3	3
Scranton	---	1,284	6	6	17

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	1,078	5	3	9
Lancaster	3,099	3,091	65	44	57
Columbia	---	151	3	-	2
Ephrata	---	113	2	2	1
Lancaster	---	669	23	19	7
White	---	628	20	16	4
All other	---	41	3	3	3
Black	---	39	3	3	3
Lancaster twp#	---	128	1	-	-
Manheim twp#	---	236	-	-	4
Balance of county	---	1,794	36	23	43
Lawrence	1,051	1,078	11	4	15
New Castle	---	492	5	2	7
Balance of county	---	586	6	2	8
Lebanon	1,156	1,041	10	5	16
Lebanon	---	330	4	2	5
Balance of county	---	711	6	3	11
Lehigh	3,523	2,582	39	28	43
Allentown	---	1,232	22	15	22
Bethlehem, part	---	190	4	4	2
Emmaus	---	116	1	1	-
Salisbury twp#	---	64	1	1	-
Whitehall twp#	---	163	7	5	3
Balance of county	---	817	4	2	16
Luzerne	4,183	4,278	26	19	42
Hazleton	---	430	1	1	2
Kingston	---	206	2	2	3
Nanticoke	---	224	-	-	2
Wilkes-Barre	---	792	3	2	6
Balance of county	---	2,626	20	14	29
Lycoming	1,206	1,109	15	9	15
Williamsport	---	324	3	2	6
Balance of county	---	785	12	7	9
McKean	513	616	13	9	6
Bradford	---	196	3	1	3
Balance of county	---	420	10	8	3
Mercer	1,313	1,232	16	12	14
Sharon	---	207	1	1	2
Balance of county	---	1,025	15	11	12
Mifflin	475	450	7	2	5
Monroe	606	645	14	10	10
Montgomery	6,782	5,829	80	59	95
White	6,356	5,590	71	52	84
All other	426	239	9	7	11
Black	414	228	9	7	7
Abington twp#	---	604	6	6	8
Cheltenham twp#	---	432	3	3	2
East Norriton twp#	---	96	3	3	2
Hatfield twp#	---	71	2	2	-
Lansdale	---	210	4	1	2
Lower Merion twp#	---	628	5	5	5
Lower Moreland twp#	---	81	-	-	1
Lower Providence twp#	---	100	2	-	5
Norristown	---	419	8	7	12
White	---	351	5	4	8
All other	---	68	3	3	4
Black	---	68	3	3	3
Plymouth twp#	---	118	2	1	2
Pottstown	---	285	7	4	5
White	---	263	5	3	3
All other	---	22	2	1	2
Black	---	22	2	1	1
Springfield twp#	---	240	1	1	-
Towamencin twp#	---	48	1	1	2
Upper Dublin twp#	---	130	-	-	1
Upper Merion twp#	---	137	3	3	2
Upper Moreland twp#	---	187	2	1	1
West Norriton twp#	---	88	-	-	1
Whitemarsh twp#	---	145	1	-	-
Balance of county	---	1,810	30	21	44
White	---	1,769	28	19	39
All other	---	41	2	2	5
Black	---	39	2	2	3
Montour	839	192	1	1	4
Northampton	1,280	2,090	34	26	13
Bethlehem, part	---	509	10	6	2
Bethlehem, total	---	699	14	10	4
Easton	---	340	6	4	3
White	---	323	5	3	3
All other	---	17	1	1	-
Black	---	17	1	1	-
Palmer twp#	---	102	1	1	1
Balance of county	---	1,139	17	15	7
Northumberland	842	1,164	9	5	10
Shamokin	---	167	2	2	2
Sunbury	---	157	2	1	1
Balance of county	---	840	5	2	7
Perry	144	325	2	2	2
Philadelphia, coext. with Philadelphia city	20,394	20,194	454	309	319
White	13,748	13,372	181	129	124
All other	6,646	6,822	273	180	195
Black	6,566	6,756	266	175	189
Pike	138	220	3	2	2
Potter	175	163	1	1	-
Schuylkill	1,840	2,094	24	17	21
Pottsville	---	273	4	3	2
Balance of county	---	1,821	20	14	19
Snyder	143	311	5	1	5
Somerset	641	746	14	11	17
Sullivan	43	77	-	-	1
Susquehanna	249	335	6	6	8
Tioga	293	369	7	5	9
Union	346	268	1	-	6
Venango	725	699	11	8	9
Oil City	---	179	3	2	1
Balance of county	---	520	8	6	8
Warren	485	508	8	7	5
Warren	---	184	4	4	2
Balance of county	---	324	4	3	3
Washington	2,080	2,208	34	27	21
Canonsburg	---	164	3	3	-
Washington	---	261	7	7	1
White	---	244	7	7	1
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	1,783	24	17	20
Wayne	342	403	6	4	4
Westmoreland	3,385	3,665	40	28	39
Greensburg	---	242	5	3	2
Hempfield twp#	---	317	5	1	7
Jeannette	---	162	2	2	-
Latrobe	---	131	1	1	1
Lower Burrell	---	119	-	-	5
Monessen	---	187	4	4	-
White	---	171	4	4	-
All other	---	16	-	-	-
Black	---	16	-	-	-
Municipality of Murrysville	---	84	1	1	-
New Kensington	---	246	3	2	3
North Huntingdon twp#	---	225	3	3	2
Balance of county	---	1,952	16	11	19
Wyoming	177	196	5	2	1
York	2,472	2,527	43	35	30
White	2,412	2,465	36	32	29
All other	60	62	7	3	1
Black	56	58	7	3	1
Hanover	---	209	6	6	2
Springettsbury twp#	---	255	-	-	-
Spring Garden twp#	---	116	-	-	-
York	---	520	12	8	5
White	---	468	6	6	4
All other	---	52	6	2	1
Black	---	50	6	2	1
Balance of county	---	1,427	25	21	23
Rhode Island	9,101	8,988	125	100	112
White	8,851	8,735	105	85	95
All other	250	253	20	15	17
Black	217	220	15	10	13
Bristol	204	427	6	6	7
Barrington town#	---	114	1	1	1
Bristol town#	---	202	3	3	4
Warren town#	---	110	2	2	2
Balance of county	---	1	-	-	-
Kent	1,090	1,306	25	21	12
Coventry town#	---	184	7	4	1
Warwick	---	794	14	13	7
West Warwick town#	---	228	2	2	2
Balance of county	---	100	2	2	2
Newport	493	664	8	6	16
Middletown town#	---	95	-	-	1
Newport	---	287	6	4	7
White	---	258	4	3	6
All other	---	29	2	1	1
Black	---	29	2	1	1
Balance of county	---	282	2	2	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Rhode Island-Con.					
Providence	6,681	5,913	78	62	64
White	6,474	5,710	60	48	49
All other	207	203	18	14	15
Black	181	179	13	9	12
Central Falls	---	232	4	4	2
Cranston	---	755	6	5	6
Cumberland town#	---	213	5	3	7
East Providence	---	513	7	6	7
Johnston town#	---	183	2	2	–
North Providence town#	---	267	1	1	–
Pawtucket	---	842	10	9	4
Providence	---	1,778	32	24	21
White	---	1,625	15	11	13
All other	---	153	17	13	8
Black	---	138	12	8	5
Woonsocket	---	505	6	5	12
Balance of county	---	625	5	3	5
Washington	633	678	8	5	13
South Carolina	24,267	25,070	832	552	660
White	16,263	16,825	367	248	281
All other	8,004	8,245	465	304	379
Black	7,976	8,221	464	304	376
Abbeville	163	211	4	3	5
White	107	142	2	1	–
All other	56	69	2	2	5
Black	56	69	2	2	5
Aiken	585	913	21	12	22
White	396	646	9	4	9
All other	189	267	12	8	13
Black	188	266	12	8	13
Aiken	---	246	3	1	2
White	---	171	–	–	1
All other	---	75	3	1	1
Black	---	74	3	1	1
North Augusta	---	146	4	2	3
White	---	119	3	1	1
All other	---	27	1	1	2
Black	---	27	1	1	2
Balance of county	---	521	14	9	17
White	---	356	6	3	7
All other	---	165	8	6	10
Black	---	165	8	6	10
Allendale	107	116	5	5	4
White	43	41	–	–	–
All other	64	75	5	5	4
Black	64	75	5	5	4
Anderson	1,076	1,101	32	23	14
White	890	918	19	15	11
All other	186	183	13	8	3
Black	185	183	13	8	2
Anderson	---	416	9	5	3
White	---	329	3	1	1
All other	---	87	6	4	2
Black	---	87	6	4	1
Balance of county	---	685	23	18	11
White	---	589	16	14	10
All other	---	96	7	4	1
Black	---	96	7	4	1
Bamberg	106	132	3	3	3
White	46	70	–	–	–
All other	60	62	3	3	3
Black	60	62	3	3	3
Barnwell	143	182	6	2	3
White	70	94	2	1	1
All other	73	88	4	1	2
Black	73	88	4	1	2
Beaufort	397	444	26	14	28
White	226	247	11	8	12
All other	171	197	15	6	16
Black	170	196	15	6	15
Berkeley	189	512	34	25	27
White	115	331	22	15	16
All other	74	181	12	10	11
Black	74	181	12	10	11
Goose Creek	---	46	4	4	4
White	---	43	4	4	4
All other	---	3	–	–	–
Black	---	3	–	–	–
Hanahan	---	64	7	5	–
North Charleston, part	---	–	–	–	–
Balance of county	---	402	23	16	23
White	---	234	14	9	12
All other	---	168	9	7	11
Black	---	168	9	7	11

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Calhoun	50	110	3	2	2
White	21	40	1	1	1
All other	29	70	2	1	1
Black	29	70	2	1	1
Charleston	2,890	1,946	80	60	66
White	1,732	1,155	24	19	18
All other	1,158	791	56	41	48
Black	1,154	788	56	41	48
Charleston	---	788	24	17	27
White	---	413	5	5	4
All other	---	375	19	12	23
Black	---	374	19	12	23
Mount Pleasant	---	159	2	2	2
North Charleston, part	---	160	13	9	5
White	---	118	4	3	4
All other	---	42	9	6	1
Black	---	42	9	6	1
North Charleston, total	---	160	13	9	5
White	---	118	4	3	4
All other	---	42	9	6	1
Black	---	42	9	6	1
Balance of county	---	839	41	32	32
White	---	503	13	9	9
All other	---	336	28	23	23
Black	---	334	28	23	23
Cherokee	309	375	11	8	3
White	235	290	3	2	3
All other	74	85	8	6	–
Black	73	85	8	6	–
Gaffney	---	191	7	5	1
White	---	141	1	1	1
All other	---	50	6	4	–
Black	---	50	6	4	–
Balance of county	---	184	4	3	2
White	---	149	2	1	2
All other	---	35	2	2	–
Black	---	35	2	2	–
Chester	210	287	17	9	12
White	143	193	7	5	5
All other	67	94	10	4	7
Black	67	94	10	4	7
Chesterfield	236	348	12	6	9
White	160	245	3	1	2
All other	76	103	9	5	7
Black	76	103	9	5	7
Clarendon	192	237	8	4	8
White	82	104	2	2	1
All other	110	133	6	2	7
Black	110	132	5	2	7
Colleton	263	310	8	5	10
White	142	168	1	–	3
All other	121	142	7	5	7
Black	121	142	7	5	7
Darlington	492	586	19	10	6
White	311	367	6	4	1
All other	181	219	13	6	5
Black	181	218	13	6	5
Dillon	219	293	10	5	14
White	132	183	4	3	5
All other	87	110	6	2	9
Black	82	106	6	2	9
Dorchester	186	421	22	19	9
White	105	244	9	7	7
All other	81	177	13	12	2
Black	81	177	13	12	2
Edgefield	111	155	10	8	4
White	66	88	4	3	–
All other	45	67	6	5	4
Black	45	67	6	5	4
Fairfield	117	203	2	2	4
White	61	96	–	–	–
All other	56	107	2	2	4
Black	56	107	2	2	4
Florence	1,147	880	31	22	26
White	658	489	11	5	5
All other	489	391	20	17	21
Black	487	390	20	17	21
Florence	---	311	11	7	7
White	---	129	4	2	–
All other	---	182	7	5	7
Black	---	182	7	5	7
Balance of county	---	569	20	15	19
White	---	360	7	3	5
All other	---	209	13	12	14
Black	---	208	13	12	14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Georgetown	319	364	11	9	13
White	165	188	1	1	1
All other	154	176	10	8	12
Black	154	176	10	8	12
Georgetown	---	135	3	2	3
White	---	72	-	-	-
All other	---	63	3	2	3
Black	---	63	3	2	3
Balance of county	---	229	8	7	10
White	---	116	1	1	1
All other	---	113	7	6	9
Black	---	113	7	6	9
Greenville	2,380	2,177	55	39	50
White	1,954	1,776	37	27	31
All other	426	401	18	12	19
Black	424	399	18	12	18
Greenville	---	660	17	14	24
White	---	426	7	5	11
All other	---	234	10	9	13
Black	---	233	10	9	13
Greer, part	---	110	-	-	1
White	---	104	-	-	1
All other	---	6	-	-	-
Black	---	6	-	-	-
Greer, total	---	140	-	-	1
White	---	124	-	-	1
All other	---	16	-	-	-
Black	---	16	-	-	-
Balance of county	---	1,407	38	25	25
White	---	1,246	30	22	19
All other	---	161	8	3	6
Black	---	160	8	3	5
Greenwood	659	523	13	13	14
White	458	357	6	6	7
All other	201	166	7	7	7
Black	201	166	7	7	7
Greenwood	---	277	5	5	6
White	---	178	-	-	3
All other	---	99	5	5	3
Black	---	99	5	5	3
Balance of county	---	246	8	8	8
White	---	179	6	6	4
All other	---	67	2	2	4
Black	---	67	2	2	4
Hampton	108	153	5	3	6
White	43	72	-	-	1
All other	65	81	5	3	5
Black	65	81	5	3	5
Horry	848	829	29	18	19
White	666	650	18	10	8
All other	182	179	11	8	11
Black	180	178	11	8	11
Conway	---	110	1	1	2
White	---	68	1	1	-
All other	---	42	-	-	2
Black	---	42	-	-	2
Myrtle Beach	---	153	9	5	5
White	---	130	7	3	3
All other	---	23	2	2	2
Black	---	22	2	2	2
Balance of county	---	566	19	12	12
White	---	452	10	6	5
All other	---	114	9	6	7
Black	---	114	9	6	7
Jasper	91	139	10	6	6
White	38	63	4	3	-
All other	53	76	6	3	6
Black	53	76	6	3	6
Kershaw	238	314	6	3	11
White	154	201	4	2	5
All other	84	113	2	1	6
Black	84	113	2	1	6
Lancaster	341	401	10	3	11
White	246	291	7	3	7
All other	95	110	3	-	4
Black	95	110	3	-	4
Laurens	314	467	11	5	11
White	218	337	4	2	5
All other	96	130	7	3	6
Black	96	130	7	3	6
Laurens	---	129	3	1	6
White	---	82	-	-	2
All other	---	47	3	1	4
Black	---	47	3	1	4
Balance of county	---	338	8	4	5
White	---	255	4	2	3
All other	---	83	4	2	2
Black	---	83	4	2	2
Lee	81	143	9	6	4
White	29	58	2	2	1
All other	52	85	7	4	3
Black	52	85	7	4	3
Lexington	693	883	20	13	21
White	591	765	13	8	18
All other	102	118	7	5	3
Black	102	117	7	5	3
Cayce	---	80	1	1	-
White	---	62	-	-	-
All other	---	18	1	1	-
Black	---	18	1	1	-
West Columbia	---	150	6	3	2
White	---	141	5	3	2
All other	---	9	1	-	-
Black	---	9	1	-	-
Balance of county	---	653	13	9	19
White	---	562	8	5	16
All other	---	91	5	4	3
Black	---	90	5	4	3
McCormick	21	51	2	1	4
White	8	18	-	-	1
All other	13	33	2	1	3
Black	13	33	2	1	3
Marion	333	304	7	2	14
White	167	133	2	-	4
All other	166	171	5	2	10
Black	166	171	5	2	10
Marlboro	247	310	13	6	6
White	131	173	5	2	2
All other	116	137	8	4	4
Black	114	137	8	4	4
Newberry	230	312	6	5	5
White	157	220	3	2	2
All other	73	92	3	3	3
Black	73	92	3	3	3
Oconee	374	437	10	5	8
White	327	381	7	3	6
All other	47	56	3	2	2
Black	47	55	3	2	2
Orangeburg	718	722	24	15	21
White	348	357	9	5	6
All other	370	365	15	10	15
Black	370	365	15	10	15
Orangeburg	---	164	2	2	4
White	---	102	2	2	3
All other	---	62	-	-	1
Black	---	62	-	-	1
Balance of county	---	558	22	13	17
White	---	255	7	3	3
All other	---	303	15	10	14
Black	---	303	15	10	14
Pickens	423	551	17	11	10
Easley	---	149	6	4	1
White	---	123	5	3	1
All other	---	26	1	1	-
Black	---	26	1	1	-
Balance of county	---	402	11	7	9
Richland	3,096	2,193	62	44	50
White	1,946	1,311	18	12	17
All other	1,150	882	44	32	33
Black	1,145	879	44	32	33
Columbia	---	1,197	40	31	22
White	---	756	10	7	9
All other	---	441	30	24	13
Black	---	441	30	24	13
Balance of county	---	996	22	13	28
White	---	555	8	5	8
All other	---	441	14	8	20
Black	---	438	14	8	20
Saluda	85	163	6	5	4
White	61	121	4	4	1
All other	24	42	2	1	3
Black	24	42	2	1	3
Spartanburg	1,737	1,714	46	35	31
White	1,353	1,348	29	23	24
All other	384	366	17	12	7
Black	382	362	17	12	7
Greer, part	---	30	-	-	-
White	---	20	-	-	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Spartanburg	---	521	18	13	6
White	---	344	6	4	5
All other	---	177	12	9	1
Black	---	175	12	9	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	1,163	28	22	25
White	---	984	23	19	19
All other	---	179	5	3	6
Black	---	177	5	3	6
Sumter	563	643	31	18	26
White	288	337	11	8	11
All other	275	306	20	10	15
Black	275	306	20	10	15
Sumter	---	317	10	6	6
White	---	187	3	2	3
All other	---	130	7	4	3
Black	---	130	7	4	3
Balance of county	---	326	21	12	20
White	---	150	8	6	8
All other	---	176	13	6	12
Black	---	176	13	6	12
Union	263	331	16	11	6
White	190	240	6	5	2
All other	73	91	10	6	4
Black	73	91	10	6	4
Union	---	122	6	3	1
White	---	87	2	1	-
All other	---	35	4	2	1
Black	---	35	4	2	1
Balance of county	---	209	10	8	5
White	---	153	4	4	2
All other	---	56	6	4	3
Black	---	56	6	4	3
Williamsburg	221	305	18	7	10
White	75	110	1	1	-
All other	146	195	17	6	10
Black	146	195	17	6	10
York	696	879	31	22	20
White	531	678	20	13	12
All other	165	201	11	9	8
Black	165	201	11	9	8
Rock Hill	---	341	6	5	8
White	---	243	1	-	2
All other	---	98	5	5	6
Black	---	98	5	5	6
Balance of county	---	538	25	17	12
White	---	435	19	13	10
All other	---	103	6	4	2
Black	---	103	6	4	2
South Dakota [5]	6,528	6,595	131	90	100
White	6,137	6,164	92	69	75
All other	391	431	39	21	25
Black	3	5	1	1	1
Aurora	17	31	-	-	-
Beadle	211	210	1	-	3
Huron	---	155	-	-	-
Balance of county	---	55	1	-	3
Bennett	14	25	-	-	3
White	8	18	-	-	1
All other	6	7	-	-	2
Black	-	-	-	-	-
Bon Homme	89	97	3	2	-
Brookings	128	166	5	4	4
Brookings	---	103	2	1	3
Balance of county	---	63	3	3	1
Brown	386	300	3	3	9
Aberdeen	---	222	3	3	9
Balance of county	---	78	-	-	-
Brule	61	55	-	-	1
Buffalo	5	13	1	1	2
White	1	3	-	-	-
All other	4	10	1	1	2
Black	-	-	-	-	-
Butte	88	101	2	2	1
Campbell	7	25	-	-	-
Charles Mix	116	128	2	-	1
White	94	104	1	-	-
All other	22	24	1	-	1
Black	-	-	-	-	-
Clark	23	60	-	-	-
Clay	78	99	1	1	1
Vermillion	---	45	1	1	1
Balance of county	---	54	-	-	-
Codington	260	212	4	3	3
Watertown	---	179	4	3	3
Balance of county	---	33	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Corson	18	63	3	3	-
White	6	30	1	1	-
All other	12	33	2	2	-
Black	-	-	-	-	-
Custer	43	59	1	-	-
Davison	215	180	-	-	1
Mitchell	---	152	-	-	1
Balance of county	---	28	-	-	-
Day	75	109	1	-	-
Deuel	58	64	3	2	2
Dewey	26	44	3	-	3
White	4	15	2	-	1
All other	22	29	1	-	2
Black	-	-	-	-	-
Douglas	29	41	1	1	2
Edmunds	45	58	-	-	1
Fall River	148	134	-	-	-
Faulk	37	48	-	-	-
Grant	65	99	2	2	3
Gregory	74	73	2	2	1
Haakon	14	22	-	-	-
Hamlin	46	87	1	-	1
Hand	46	48	2	2	-
Hanson	6	25	-	-	-
Harding	5	13	1	1	1
Hughes	135	111	6	4	1
Pierre	---	95	5	4	-
Balance of county	---	16	1	-	1
Hutchinson	133	116	2	2	1
Hyde	9	19	-	-	-
Jackson	22	24	-	-	-
White	18	16	-	-	-
All other	4	8	-	-	-
Black	-	-	-	-	-
Jerauld	39	40	-	-	-
Jones	1	13	-	-	-
Kingsbury	103	121	4	4	1
Lake	88	109	2	2	-
Lawrence	149	173	4	2	2
Lincoln	92	144	4	4	-
Sioux Falls, part	---	-	-	-	-
Balance of county	---	144	4	4	-
Lyman	7	40	1	-	-
White	3	30	-	-	-
All other	4	10	1	-	-
Black	-	-	-	-	-
McCook	43	95	1	-	2
McPherson	46	56	1	1	-
Marshall	51	75	1	1	-
Meade	183	115	2	1	4
Mellette	16	29	-	-	1
White	11	16	-	-	-
All other	5	13	-	-	1
Black	-	-	-	-	-
Miner	10	42	-	-	1
Minnehaha	1,390	850	13	10	13
Sioux Falls, part	---	691	10	7	11
Sioux Falls, total	---	691	10	7	11
Balance of county	---	159	3	3	2
Moody	59	79	-	-	1
Pennington	617	549	17	11	9
Rapid City	---	405	8	5	5
Balance of county	---	144	9	6	4
Perkins	26	30	1	1	-
Potter	33	41	1	1	-
Roberts	98	130	2	-	-
White	81	115	-	-	-
All other	17	15	2	-	-
Black	-	-	-	-	-
Sanborn	11	37	-	-	1
Shannon	63	95	15	9	6
White	2	3	-	-	-
All other	61	92	15	9	6
Black	-	-	-	-	-
Spink	57	96	-	-	2
Stanley	4	11	-	-	-
Sully	7	19	-	-	-
Todd	46	68	3	1	5
White	7	15	-	-	1
All other	39	53	3	1	4
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Tripp	54	74	1	1	3
Turner	108	138	2	2	1
Union	43	108	–	–	–
Walworth	103	80	–	–	1
Yankton	220	165	4	4	2
Yankton	– – –	118	2	2	2
Balance of county	– – –	47	2	2	–
Ziebach	29	14	2	–	–
White	25	4	1	–	–
All other	4	10	1	–	–
Black	–	–	–	–	–
Tennessee [4]	42,893	40,292	807	535	551
White	35,456	33,265	521	341	382
All other	7,437	7,027	286	194	169
Black	7,390	6,988	283	192	166
Anderson	632	556	4	2	5
Oak Ridge, part	– – –	213	2	–	1
Oak Ridge, total	– – –	216	2	–	1
Balance of county	– – –	343	2	2	4
Bedford	251	300	6	4	2
White	226	267	5	3	1
All other	25	33	1	1	1
Black	25	33	1	1	1
Shelbyville	– – –	169	3	3	1
White	– – –	146	2	2	–
All other	– – –	23	1	1	1
Black	– – –	23	1	1	1
Balance of county	– – –	131	3	1	1
Benton	129	133	2	1	1
Bledsoe	53	66	1	–	–
Blount	593	655	8	6	7
Maryville	– – –	225	2	2	–
Balance of county	– – –	430	6	4	7
Bradley	489	462	5	4	5
Cleveland	– – –	266	4	3	4
Balance of county	– – –	196	1	1	1
Campbell	309	348	5	4	3
Cannon	95	115	1	1	–
Carroll	230	331	6	5	4
White	199	288	4	4	4
All other	31	43	2	1	–
Black	31	43	2	1	–
Carter	308	416	10	7	4
Elizabethton	– – –	140	4	3	–
Johnson City, part	– – –	–	–	–	–
Balance of county	– – –	276	6	4	4
Cheatham	63	147	8	3	6
Chester	51	123	6	4	–
White	42	101	4	3	–
All other	9	22	2	1	–
Black	9	22	2	1	–
Claiborne	196	238	1	1	2
Clay	50	88	1	–	–
Cocke	247	330	4	2	1
Coffee	304	334	6	1	2
Tullahoma, part	– – –	146	2	1	–
Tullahoma, total	– – –	148	2	1	–
Balance of county	– – –	188	4	–	2
Crockett	49	165	2	1	3
White	43	141	2	1	1
All other	6	24	–	–	2
Black	6	24	–	–	2
Cumberland	268	240	1	–	4
Davidson	5,734	4,053	98	64	63
White	4,578	3,052	59	40	47
All other	1,156	1,001	39	24	16
Black	1,148	994	39	24	16
Nashville-Davidson	– – –	3,981	95	62	45
White	– – –	2,985	57	38	32
All other	– – –	996	38	24	13
Black	– – –	990	38	24	13
Balance of county	– – –	72	3	2	18
Decatur	89	108	1	–	3
De Kalb	151	147	–	–	1
Dickson	269	266	7	6	–
Dyer	345	346	9	7	4
White	300	301	9	7	3
All other	45	45	–	–	1
Black	45	45	–	–	1
Tennessee-Con.					
Dyersburg	– – –	187	4	2	1
White	– – –	153	4	2	1
All other	– – –	34	–	–	–
Black	– – –	34	–	–	–
Balance of county	– – –	159	5	5	3
Fayette	121	167	9	5	3
White	60	81	1	–	–
All other	61	106	8	5	3
Black	61	106	8	5	3
Fentress	105	152	–	–	1
Franklin	283	292	7	6	3
Tullahoma, part	– – –	2	–	–	–
Balance of county	– – –	290	7	6	3
Gibson	487	581	9	8	6
White	398	472	4	4	4
All other	89	109	5	4	2
Black	89	109	5	4	2
Humboldt	– – –	131	1	1	2
White	– – –	89	1	1	1
All other	– – –	42	–	–	1
Black	– – –	42	–	–	1
Balance of county	– – –	450	8	7	4
White	– – –	383	3	3	3
All other	– – –	67	5	4	1
Black	– – –	67	5	4	1
Giles	208	276	5	4	2
White	179	237	5	4	–
All other	29	39	–	–	2
Black	29	39	–	–	2
Grainger	65	163	3	2	–
Greene	478	478	9	7	5
Greeneville	– – –	165	2	2	–
Balance of county	– – –	313	7	5	5
Grundy	71	124	1	–	3
Hamblen	457	417	15	9	8
Morristown	– – –	221	7	5	6
Balance of county	– – –	196	8	4	2
Hamilton	2,866	2,534	47	35	37
White	2,337	1,995	30	21	27
All other	529	539	17	14	10
Black	526	536	17	14	10
Chattanooga	– – –	1,755	32	25	28
White	– – –	1,227	15	11	18
All other	– – –	528	17	14	10
Black	– – –	525	17	14	10
East Ridge	– – –	158	2	2	–
Red Bank	– – –	100	–	–	–
Balance of county	– – –	521	13	8	9
Hancock	48	72	–	–	2
Hardeman	215	258	5	4	–
White	151	175	1	–	–
All other	64	83	4	4	–
Black	64	83	4	4	–
Hardin	192	239	1	–	2
Hawkins	174	369	8	5	5
Kingsport, part	– – –	1	–	–	1
White	– – –	1	–	–	1
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Balance of county	– – –	368	8	5	4
Haywood	183	215	2	2	5
White	109	122	1	1	1
All other	74	93	1	1	4
Black	74	93	1	1	4
Henderson	159	231	–	–	3
Henry	295	333	2	–	5
White	261	296	2	–	4
All other	34	37	–	–	1
Black	34	37	–	–	1
Paris	– – –	151	1	–	2
White	– – –	129	1	–	2
All other	– – –	22	–	–	–
Black	– – –	22	–	–	–
Balance of county	– – –	182	1	–	3
Hickman	97	131	2	–	2
Houston	87	63	2	2	1
Humphreys	85	159	1	1	2
Jackson	71	77	1	1	–
Jefferson	218	259	4	3	6
Johnson	103	132	1	–	1
Knox	3,664	2,752	39	28	33
White	3,312	2,423	31	21	28
All other	352	329	8	7	5
Black	345	326	7	6	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Knoxville	---	1,863	27	20	24
White	---	1,546	19	13	19
All other	---	317	8	7	5
Black	---	315	7	6	5
Balance of county	---	889	12	8	9
Lake	16	78	1	-	1
White	14	65	-	-	-
All other	2	13	1	-	1
Black	2	13	1	-	1
Lauderdale	171	254	6	4	2
White	123	184	2	2	2
All other	48	70	4	2	-
Black	48	70	4	2	-
Lawrence	293	333	6	4	2
Lawrenceburg	---	129	2	1	2
Balance of county	---	204	4	3	-
Lewis	60	78	4	2	-
Lincoln	209	283	5	4	1
White	180	240	5	4	1
All other	29	43	-	-	-
Black	29	43	-	-	-
Loudon	196	284	5	4	5
McMinn	379	374	5	2	5
Athens	---	124	-	-	-
Balance of county	---	250	5	2	5
McNairy	168	220	5	3	3
Macon	94	135	7	4	3
Madison	1,155	712	12	6	7
White	846	489	5	2	1
All other	309	223	7	4	6
Black	308	222	7	4	6
Jackson	---	519	12	6	5
White	---	359	5	2	-
All other	---	160	7	4	5
Black	---	160	7	4	5
Balance of county	---	193	-	-	2
White	---	130	-	-	1
All other	---	63	-	-	1
Black	---	62	-	-	1
Marion	183	240	4	2	-
Marshall	192	193	1	1	-
White	167	173	1	1	-
All other	25	20	-	-	-
Black	25	20	-	-	-
Maury	494	508	3	3	4
White	414	414	2	2	3
All other	80	94	1	1	1
Black	80	94	1	1	1
Columbia	---	266	3	3	1
White	---	218	2	2	1
All other	---	48	1	1	-
Black	---	48	1	1	-
Balance of county	---	242	-	-	3
White	---	196	-	-	2
All other	---	46	-	-	1
Black	---	46	-	-	1
Meigs	11	64	-	-	-
Monroe	174	242	5	3	1
Montgomery	475	541	29	19	16
White	392	431	20	12	13
All other	83	110	9	7	3
Black	82	107	9	7	3
Clarksville	---	344	22	13	15
White	---	260	14	7	12
All other	---	84	8	6	3
Black	---	82	8	6	3
Balance of county	---	197	7	6	1
White	---	171	6	5	1
All other	---	26	1	1	-
Black	---	25	1	1	-
Moore	1	35	1	1	-
Morgan	52	161	2	2	3
Obion	373	358	2	1	5
Union City	---	146	-	-	3
White	---	114	-	-	1
All other	---	32	-	-	2
Black	---	32	-	-	2
Balance of county	---	212	2	1	2
Overton	169	187	5	1	1
Perry	50	66	1	-	-
Pickett	4	37	-	-	1
Polk	83	110	-	-	2
Putnam	391	375	1	-	4
Cookeville	---	157	1	-	1
Balance of county	---	218	-	-	3
Rhea	153	234	4	2	-
Roane	339	392	7	3	10
Oak Ridge, part	---	3	-	-	-
Balance of county	---	389	7	3	10
Robertson	281	328	5	3	3
White	235	269	5	3	3
All other	46	59	-	-	-
Black	46	59	-	-	-
Springfield	---	141	1	1	1
White	---	99	1	1	1
All other	---	42	-	-	-
Black	---	42	-	-	-
Balance of county	---	187	4	2	2
Rutherford	559	549	13	8	10
White	490	470	6	2	7
All other	69	79	7	6	3
Black	69	79	7	6	3
Murfreesboro	---	266	7	4	7
White	---	220	3	1	5
All other	---	46	4	3	2
Black	---	46	4	3	2
Balance of county	---	293	6	4	3
Scott	160	144	2	1	4
Sequatchie	71	70	-	-	1
Sevier	298	346	5	5	7
Shelby	8,714	6,669	204	143	122
White	5,191	3,629	59	45	38
All other	3,523	3,040	145	98	84
Black	3,505	3,027	143	97	81
Bartlett	---	33	1	1	1
Germantown	---	63	2	1	2
Memphis	---	6,241	185	129	106
White	---	3,326	44	34	29
All other	---	2,915	141	95	77
Black	---	2,904	139	94	76
Millington	---	56	6	4	4
White	---	46	6	4	2
All other	---	10	-	-	2
Black	---	10	-	-	2
Balance of county	---	276	10	6	9
White	---	167	7	5	5
All other	---	109	3	3	4
Black	---	107	3	3	3
Smith	140	174	7	5	2
Stewart	27	91	2	1	-
Sullivan	1,592	1,145	17	9	19
Bristol [4]	---	250	4	2	5
Kingsport, part	---	345	2	1	4
Kingsport, total	---	346	2	1	5
Balance of county	---	550	11	6	10
Sumner	463	615	12	7	7
Gallatin	---	157	4	2	2
White	---	120	1	1	2
All other	---	37	3	1	-
Black	---	37	3	1	-
Hendersonville	---	137	2	2	3
Balance of county	---	321	6	3	2
Tipton	238	298	6	3	7
White	144	202	1	1	3
All other	94	96	5	2	4
Black	94	96	5	2	4
Trousdale	56	65	-	-	-
White	41	47	-	-	-
All other	15	18	-	-	-
Black	15	18	-	-	-
Unicoi	89	167	4	3	1
Union	48	101	1	1	1
Van Buren	8	37	-	-	2
Warren	254	298	2	1	3
McMinnville	---	139	1	-	1
Balance of county	---	159	1	1	2
Washington	1,269	741	16	11	9
Johnson City, part	---	416	5	5	3
Johnson City, total	---	416	5	5	3
Balance of county	---	325	11	6	6
Wayne	66	120	1	1	-
Weakley	288	384	4	3	3
White	140	168	2	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Williamson	338	402	9	6	4
Franklin	---	164	3	1	1
White	---	121	2	1	1
All other	---	43	1	-	-
Black	---	43	1	-	-
Balance of county	---	238	6	5	3
Wilson	332	425	9	7	11
Lebanon	---	169	2	1	2
White	---	141	1	-	2
All other	---	28	1	1	-
Black	---	28	1	1	-
Balance of county	---	256	7	6	9
Texas	113,405	111,319	3,231	2,086	2,457
White	98,165	96,158	2,524	1,643	1,974
All other	15,240	15,161	707	443	483
Black	14,868	14,826	672	417	454
Anderson	399	464	7	6	9
White	291	356	4	4	7
All other	108	108	3	2	2
Black	108	108	3	2	2
Palestine	---	240	3	2	6
White	---	177	1	1	4
All other	---	63	2	1	2
Black	---	63	2	1	2
Balance of county	---	224	4	4	3
White	---	179	3	3	3
All other	---	45	1	1	-
Black	---	45	1	1	-
Andrews	116	96	2	-	5
Andrews	---	84	2	-	5
White	---	79	1	-	5
All other	---	5	1	-	-
Black	---	4	1	-	-
Balance of county	---	12	-	-	-
Angelina	604	561	12	10	12
White	509	475	10	9	11
All other	95	86	2	1	1
Black	95	85	2	1	1
Lufkin	---	297	8	7	3
White	---	222	6	6	3
All other	---	75	2	1	-
Black	---	75	2	1	-
Balance of county	---	264	4	3	9
White	---	253	4	3	8
All other	---	11	-	-	1
Black	---	10	-	-	1
Aransas	68	144	3	3	2
Archer	46	68	2	2	-
Wichita Falls, part	---	-	-	-	-
Balance of county	---	68	2	2	-
White	---	68	2	2	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Armstrong	23	25	-	-	-
Atascosa	184	223	6	5	7
Austin	181	212	2	2	5
White	163	192	2	2	5
All other	18	20	-	-	-
Black	18	20	-	-	-
Bailey	62	54	1	-	1
Bandera	44	91	3	1	-
Bastrop	156	273	7	3	3
White	121	214	7	3	3
All other	35	59	-	-	-
Black	35	59	-	-	-
Baylor	65	61	-	-	1
Bee	112	147	8	6	2
Beeville	---	101	6	4	1
White	---	99	6	4	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	46	2	2	1
White	---	46	2	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Bell	1,680	1,055	58	36	41
White	1,448	911	40	26	26
All other	232	144	18	10	15
Black	226	140	17	9	13
Belton	---	92	3	2	-
White	---	83	3	2	-
All other	---	9	-	-	-
Black	---	9	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Killeen	---	221	23	16	25
White	---	177	15	11	19
All other	---	44	8	5	6
Black	---	41	8	5	5
Temple	---	457	9	4	3
White	---	390	6	4	1
All other	---	67	3	-	2
Black	---	67	3	-	2
Balance of county	---	285	23	14	13
White	---	261	16	9	6
All other	---	24	7	5	7
Black	---	23	6	4	6
Bexar	8,500	7,217	255	162	165
White	7,748	6,528	217	136	143
All other	752	689	38	26	22
Black	728	668	35	24	19
San Antonio	---	6,055	213	132	144
White	---	5,423	184	113	130
All other	---	632	29	19	14
Black	---	618	27	17	13
Universal City	---	54	5	4	-
White	---	50	4	3	-
All other	---	4	1	1	-
Black	---	3	1	1	-
Balance of county	---	1,108	37	26	21
White	---	1,055	29	20	13
All other	---	53	8	6	8
Black	---	47	7	6	6
Blanco	41	70	2	2	1
Borden	5	6	1	1	-
Bosque	223	228	1	-	4
Bowie	671	687	12	6	8
White	513	540	6	3	3
All other	158	147	6	3	5
Black	157	146	6	3	5
Texarkana [7]	---	419	8	4	4
White	---	315	5	3	1
All other	---	104	3	1	3
Black	---	103	3	1	3
Balance of county	---	268	4	2	4
White	---	225	1	-	2
All other	---	43	3	2	2
Black	---	43	3	2	2
Brazoria	733	1,056	48	27	22
White	659	944	45	26	19
All other	74	112	3	1	3
Black	74	111	3	1	3
Alvin	---	129	4	2	4
Angleton	---	127	5	3	2
White	---	105	5	3	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Freeport	---	92	4	3	1
White	---	80	4	3	1
All other	---	12	-	-	-
Black	---	12	-	-	-
Lake Jackson	---	104	6	5	-
Pearland, part	---	73	3	2	3
Pearland, total	---	75	3	2	3
Balance of county	---	531	26	12	12
White	---	459	24	11	9
All other	---	72	2	1	3
Black	---	71	2	1	3
Brazos	539	551	31	22	20
White	416	431	25	18	17
All other	123	120	6	4	3
Black	120	117	5	4	3
Bryan	---	395	24	16	13
White	---	303	19	12	11
All other	---	92	5	4	2
Black	---	91	5	4	2
College Station	---	80	3	2	7
Balance of county	---	76	4	4	-
White	---	67	4	4	-
All other	---	9	-	-	-
Black	---	8	-	-	-
Brewster	85	66	4	4	1
Briscoe	4	22	-	-	1
Brooks	75	76	1	1	5
Brown	360	365	7	3	5
Brownwood	---	222	4	2	3
White	---	208	3	1	3
All other	---	14	1	1	-
Black	---	14	1	1	-
Balance of county	---	143	3	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Burleson	118	189	4	–	1
White	99	139	2	–	–
All other	19	50	2	–	1
Black	19	50	2	–	1
Burnet	173	231	5	2	1
Caldwell	152	196	4	2	2
White	132	170	4	2	2
All other	20	26	–	–	–
Black	20	26	–	–	–
Calhoun	122	145	5	3	6
Port Lavaca	---	80	2	2	3
White	---	71	1	1	3
All other	---	9	1	1	–
Black	---	9	1	1	–
Balance of county	---	65	3	1	3
Callahan	87	151	–	–	2
Cameron	1,472	1,316	36	25	38
Brownsville	---	515	13	9	19
White	---	515	13	9	18
All other	---	–	–	–	1
Black	---	–	–	–	1
Harlingen	---	312	6	4	7
White	---	304	6	4	7
All other	---	8	–	–	–
Black	---	8	–	–	–
San Benito	---	148	4	3	8
White	---	148	4	3	8
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	341	13	9	4
White	---	339	13	9	4
All other	---	2	–	–	–
Black	---	1	–	–	–
Camp	114	122	3	3	1
White	86	86	2	2	–
All other	28	36	1	1	1
Black	28	36	1	1	1
Carson	26	64	2	2	–
Cass	277	346	2	1	6
White	220	272	2	1	4
All other	57	74	–	–	2
Black	57	74	–	–	2
Castro	47	62	3	3	1
Chambers	91	117	6	4	4
White	73	94	3	2	3
All other	18	23	3	2	1
Black	18	23	3	2	1
Baytown, part	---	–	–	–	–
Balance of county	---	117	6	4	4
White	---	94	3	2	3
All other	---	23	3	2	1
Black	---	23	3	2	1
Cherokee	410	441	7	7	12
White	332	363	5	5	10
All other	78	78	2	2	2
Black	78	78	2	2	2
Jacksonville	---	157	3	3	7
White	---	122	2	2	7
All other	---	35	1	1	–
Black	---	35	1	1	–
Balance of county	---	284	4	4	5
White	---	241	3	3	3
All other	---	43	1	1	2
Black	---	43	1	1	2
Childress	99	107	1	–	2
Clay	81	108	1	–	–
Cochran	18	33	–	–	3
Coke	37	55	–	–	–
Coleman	137	179	1	1	1
Collin	686	815	22	13	20
Carrollton, part	---	–	–	–	–
Dallas, part	---	5	–	–	–
Garland, part	---	–	–	–	–
McKinney	---	174	3	1	1
White	---	160	1	1	1
All other	---	14	2	–	–
Black	---	14	2	–	–
Plano, part	---	248	11	7	9
Plano, total	---	248	11	7	9
Richardson, part	---	29	–	–	1
Balance of county	---	359	8	5	9
Collingsworth	44	64	3	1	1
Colorado	259	228	3	3	4
White	207	177	1	1	2
All other	52	51	2	2	2
Black	52	51	2	2	2
Texas-Con.					
Comal	350	370	5	1	1
New Braunfels, part	---	253	5	1	1
White	---	250	5	1	1
All other	---	3	–	–	–
Black	---	3	–	–	–
New Braunfels, total	---	256	5	1	1
White	---	253	5	1	1
All other	---	3	–	–	–
Black	---	3	–	–	–
Balance of county	---	117	–	–	–
Comanche	146	177	1	1	1
Concho	36	47	1	1	–
Cooke	224	266	8	4	2
Gainesville	---	162	4	2	2
White	---	154	3	2	2
All other	---	8	1	–	–
Black	---	8	1	–	–
Balance of county	---	104	4	2	–
Coryell	128	233	9	5	6
White	124	224	8	5	3
All other	4	9	1	–	3
Black	4	7	1	–	3
Copperas Cove	---	69	7	4	4
White	---	61	6	4	2
All other	---	8	1	–	2
Black	---	6	1	–	2
Balance of county	---	164	2	1	2
White	---	163	2	1	1
All other	---	1	–	–	1
Black	---	1	–	–	1
Cottle	41	47	–	–	–
Crane	24	32	3	1	2
Crockett	39	44	2	1	–
Crosby	91	107	4	4	1
Culberson	27	19	–	–	–
Dallam	11	67	2	2	1
Dallas	12,126	10,853	315	214	265
White	9,816	8,750	204	143	177
All other	2,310	2,103	111	71	88
Black	2,259	2,059	107	70	84
Balch Springs	---	86	6	4	2
Carrollton, part	---	140	5	5	4
Carrollton, total	---	164	7	6	8
Dallas, part	---	7,533	207	137	158
White	---	5,563	103	70	83
All other	---	1,970	104	67	75
Black	---	1,943	100	66	72
Dallas, total	---	7,541	208	138	158
White	---	5,571	104	71	83
All other	---	1,970	104	67	75
Black	---	1,943	100	66	72
De Soto	---	64	1	1	4
Duncanville	---	121	5	4	2
Farmers Branch	---	119	4	3	6
Garland, part	---	593	22	16	28
White	---	548	21	15	23
All other	---	45	1	1	5
Black	---	39	1	1	5
Garland, total	---	594	22	16	28
White	---	549	21	15	23
All other	---	45	1	1	5
Black	---	39	1	1	5
Grand Prairie, part	---	335	17	11	18
White	---	311	14	10	15
All other	---	24	3	1	3
Black	---	23	3	1	3
Grand Prairie, total	---	382	20	12	18
White	---	349	16	11	15
All other	---	33	4	1	3
Black	---	32	4	1	3
Grapevine, part	---	–	–	–	–
Irving	---	536	17	10	19
Lancaster	---	128	2	1	4
White	---	125	2	1	3
All other	---	3	–	–	1
Black	---	3	–	–	1
Mesquite	---	348	17	13	6
Richardson, part	---	309	4	2	8
Richardson, total	---	338	4	2	9
University Park	---	162	–	–	2
Balance of county	---	379	8	7	4
White	---	350	8	7	4
All other	---	29	–	–	–
Black	---	28	–	–	–
Dawson	124	165	6	5	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Lamesa	---	141	6	5	1
White	---	129	6	5	1
All other	---	12	–	–	–
Black	---	12	–	–	–
Balance of county	---	24	–	–	1
White	---	24	–	–	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Deaf Smith	89	130	6	4	4
Hereford	---	105	5	3	4
White	---	104	5	3	4
All other	---	1	–	–	–
Black	---	1	–	–	–
Balance of county	---	25	1	1	–
White	---	25	1	1	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Delta	25	87	–	–	–
Denton	710	802	26	19	18
Carrollton, part	---	24	2	1	4
Dallas, part	---	3	1	1	–
Denton	---	325	12	8	1
White	---	296	9	6	1
All other	---	29	3	2	–
Black	---	27	3	2	–
Lewisville	---	152	4	4	7
Plano, part	---	–	–	–	–
The Colony	---	29	2	2	3
Balance of county	---	269	5	3	3
De Witt	225	257	1	–	2
White	196	225	1	–	2
All other	29	32	–	–	–
Black	29	32	–	–	–
Dickens	10	38	–	–	–
Dimmit	93	80	2	2	3
Donley	23	59	–	–	1
Duval	24	116	2	2	1
Eastland	275	304	4	1	2
Ector	870	843	35	20	20
Odessa	---	728	30	16	15
White	---	688	27	14	14
All other	---	40	3	2	1
Black	---	39	3	2	1
Balance of county	---	115	5	4	5
Edwards	5	21	1	–	1
Ellis	406	551	11	6	7
White	337	454	7	3	3
All other	69	97	4	3	4
Black	67	97	4	3	4
Ennis	---	150	4	1	–
White	---	120	2	–	–
All other	---	30	2	1	–
Black	---	30	2	1	–
Grand Prairie, part	---	–	–	–	–
Waxahachie	---	168	4	3	3
White	---	129	2	1	–
All other	---	39	2	2	3
Black	---	39	2	2	3
Balance of county	---	233	3	2	4
White	---	205	3	2	3
All other	---	28	–	–	1
Black	---	28	–	–	1
El Paso	2,934	2,656	119	72	89
White	2,832	2,562	111	68	80
All other	102	94	8	4	9
Black	85	79	8	4	9
El Paso	---	2,503	110	68	78
White	---	2,417	103	64	74
All other	---	86	7	4	4
Black	---	73	7	4	4
Balance of county	---	153	9	4	11
White	---	145	8	4	6
All other	---	8	1	–	5
Black	---	6	1	–	5
Erath	224	274	4	1	1
Stephenville	---	141	2	–	–
Balance of county	---	133	2	1	1
Falls	292	248	6	2	4
White	230	193	2	–	1
All other	62	55	4	2	3
Black	62	55	4	2	3
Fannin	300	341	1	1	1
Fayette	184	315	2	1	5
Fisher	66	84	2	2	1
Floyd	102	114	2	1	4
Foard	26	30	–	–	–
Fort Bend	459	650	33	23	27
White	384	533	24	17	22
All other	75	117	9	6	5
Black	74	110	8	5	5
Houston, part	---	19	1	1	1
White	---	14	1	1	–
All other	---	5	–	–	1
Black	---	5	–	–	1
Missouri City, part	---	64	6	3	3
White	---	54	2	1	2
All other	---	10	4	2	1
Black	---	7	4	2	1
Missouri City, total	---	69	6	3	4
White	---	55	2	1	3
All other	---	14	4	2	1
Black	---	11	4	2	1
Rosenberg	---	136	5	4	5
White	---	123	5	4	5
All other	---	13	–	–	–
Black	---	13	–	–	–
Balance of county	---	431	21	15	18
White	---	342	16	11	15
All other	---	89	5	4	3
Black	---	85	4	3	3
Franklin	89	98	1	1	1
Freestone	181	193	3	2	3
White	152	155	1	–	2
All other	29	38	2	2	1
Black	29	38	2	2	1
Frio	75	99	3	2	2
Gaines	43	76	2	–	2
Galveston	1,835	1,643	40	21	26
White	1,382	1,279	31	17	20
All other	453	364	9	4	6
Black	444	362	9	4	6
Friendswood, part	---	52	2	2	2
Friendswood, total	---	59	3	2	2
Galveston	---	705	6	2	9
White	---	472	3	1	5
All other	---	233	3	1	4
Black	---	233	3	1	4
La Marque	---	111	2	1	–
White	---	97	2	1	–
All other	---	14	–	–	–
Black	---	14	–	–	–
League City	---	79	4	2	4
Texas City	---	313	12	6	3
White	---	234	10	5	1
All other	---	79	2	1	2
Black	---	78	2	1	2
Balance of county	---	383	14	8	8
White	---	349	11	6	8
All other	---	34	3	2	–
Black	---	34	3	2	–
Garza	34	52	2	2	1
Gillespie	161	169	–	–	5
Glasscock	6	11	1	1	1
Goliad	40	54	1	–	–
Gonzales	167	239	7	2	5
White	136	199	7	2	5
All other	31	40	–	–	–
Black	31	40	–	–	–
Gray	240	265	7	5	6
Pampa	---	237	6	4	4
Balance of county	---	28	1	1	2
Grayson	1,144	995	17	9	18
Denison	---	259	5	4	6
White	---	225	4	3	5
All other	---	34	1	1	1
Black	---	33	1	1	1
Sherman	---	329	8	4	5
White	---	302	5	3	4
All other	---	27	3	1	1
Black	---	27	3	1	1
Balance of county	---	407	4	1	7
Gregg	1,048	959	23	14	10
White	848	764	16	9	8
All other	200	195	7	5	2
Black	199	193	7	5	2
Kilgore, part	---	102	–	–	–
White	---	93	–	–	–
All other	---	9	–	–	–
Black	---	9	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Kilgore, total	---	135	-	-	-
White	---	125	-	-	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Longview, part	---	589	18	11	8
White	---	466	13	8	6
All other	---	123	5	3	2
Black	---	122	5	3	2
Longview, total	---	594	18	11	8
White	---	471	13	8	6
All other	---	123	5	3	2
Black	---	122	5	3	2
Balance of county	---	268	5	3	2
White	---	205	3	1	2
All other	---	63	2	2	-
Black	---	62	2	2	-
Grimes	136	177	5	3	1
White	96	127	4	3	1
All other	40	50	1	-	-
Black	40	50	1	-	-
Guadalupe	295	403	11	7	3
New Braunfels, part	---	3	-	-	-
Seguin	---	200	7	4	3
White	---	164	5	3	2
All other	---	36	2	1	1
Black	---	36	2	1	1
Balance of county	---	200	4	3	-
Hale	333	354	11	7	12
Plainview	---	224	9	5	10
White	---	211	8	4	9
All other	---	13	1	1	1
Black	---	13	1	1	1
Balance of county	---	130	2	2	2
White	---	126	2	2	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Hall	84	87	-	-	-
Hamilton	137	135	3	2	2
Hansford	25	38	1	1	-
Hardeman	86	83	2	2	4
Hardin	192	333	8	4	7
White	165	293	5	2	6
All other	27	40	3	2	1
Black	24	40	3	2	1
Harris	18,185	15,328	593	389	491
White	14,154	11,596	395	263	354
All other	4,031	3,732	198	126	137
Black	3,867	3,587	184	115	124
Baytown, part	---	428	15	9	10
White	---	390	11	8	10
All other	---	38	4	1	-
Black	---	37	4	1	-
Baytown, total	---	428	15	9	10
White	---	390	11	8	10
All other	---	38	4	1	-
Black	---	37	4	1	-
Bellaire	---	128	3	3	1
Deer Park	---	92	3	1	-
Friendswood, part	---	7	1	-	-
Houston, part	---	11,787	461	301	382
White	---	8,245	283	188	253
All other	---	3,542	178	113	129
Black	---	3,421	165	103	118
Houston, total	---	11,807	462	302	383
White	---	8,260	284	189	253
All other	---	3,547	178	113	130
Black	---	3,426	165	103	119
La Porte	---	112	7	4	4
White	---	96	4	3	4
All other	---	16	3	1	-
Black	---	16	3	1	-
Missouri City, part	---	5	-	-	1
White	---	1	-	-	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Pasadena	---	644	27	18	15
White	---	642	27	18	13
All other	---	2	-	-	2
Black	---	2	-	-	-
Pearland, part	---	2	-	-	-
South Houston	---	77	5	3	5
White	---	77	5	3	5
All other	---	-	-	-	-
Black	---	-	-	-	-
West University Place	---	25	1	-	-
Balance of county	---	2,021	70	50	73
White	---	1,892	57	39	67
All other	---	129	13	11	6
Black	---	106	12	10	6
Harrison	453	568	12	9	7
White	289	360	6	4	5
All other	164	208	6	5	2
Black	164	208	6	5	2
Longview, part	---	5	-	-	-
Marshall	---	353	8	5	4
White	---	219	3	1	2
All other	---	134	5	4	2
Black	---	134	5	4	2
Balance of county	---	210	4	4	3
White	---	136	3	3	3
All other	---	74	1	1	-
Black	---	74	1	1	-
Hartley	66	37	2	-	-
Haskell	96	110	-	-	-
Hays	193	253	3	2	9
San Marcos	---	142	3	2	4
White	---	134	3	2	4
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	111	-	-	5
White	---	107	-	-	5
All other	---	4	-	-	-
Black	---	4	-	-	-
Hemphill	29	30	-	-	2
Henderson	324	508	6	6	12
White	301	463	4	4	11
All other	23	45	2	2	1
Black	23	45	2	2	1
Athens	---	153	2	2	2
White	---	130	1	1	1
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	355	4	4	10
Hidalgo	1,680	1,689	72	47	66
Edinburg	---	166	8	3	4
White	---	165	8	3	4
All other	---	1	-	-	-
Black	---	-	-	-	-
McAllen	---	377	11	8	9
White	---	376	11	8	9
All other	---	1	-	-	-
Black	---	1	-	-	-
Mercedes	---	100	2	2	3
White	---	100	2	2	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Mission	---	202	12	9	8
Pharr	---	126	6	4	7
White	---	126	6	4	7
All other	---	-	-	-	-
Black	---	-	-	-	-
Weslaco	---	155	4	3	9
White	---	154	4	3	9
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	563	29	18	26
White	---	561	29	18	26
All other	---	2	-	-	-
Black	---	1	-	-	-
Hill	308	363	2	-	3
White	284	339	2	-	3
All other	24	24	-	-	-
Black	23	24	-	-	-
Hockley	102	174	4	1	2
Levelland	---	122	3	1	-
White	---	117	3	1	-
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	52	1	-	2
White	---	51	1	-	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Hood	142	188	2	2	2
Hopkins	271	313	5	4	4
White	245	283	5	4	3
All other	26	30	-	-	1
Black	26	30	-	-	1
Sulphur Springs	---	190	1	1	1
White	---	167	1	1	1
All other	---	23	-	-	-
Black	---	23	-	-	-
Balance of county	---	123	4	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Houston	234	280	1	–	1
White	183	213	1	–	1
All other	51	67	–	–	–
Black	51	67	–	–	–
Howard	482	350	18	14	8
Big Spring	– – –	302	16	13	7
White	– – –	285	13	11	7
All other	– – –	17	3	2	–
Black	– – –	16	3	2	–
Balance of county	– – –	48	2	1	1
White	– – –	48	2	1	1
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Hudspeth	6	11	1	1	–
Hunt	475	579	10	6	6
White	422	515	9	6	3
All other	53	64	1	–	3
Black	52	63	1	–	3
Greenville	– – –	257	6	4	5
White	– – –	212	5	4	2
All other	– – –	45	1	–	3
Black	– – –	45	1	–	3
Balance of county	– – –	322	4	2	1
Hutchinson	185	251	11	7	5
Borger	– – –	154	6	3	4
Balance of county	– – –	97	5	4	1
Irion	8	12	–	–	–
Jack	86	107	1	1	–
Jackson	100	149	2	2	2
White	82	127	2	2	2
All other	18	22	–	–	–
Black	18	22	–	–	–
Jasper	271	333	4	–	2
White	222	272	3	–	1
All other	49	61	1	–	1
Black	49	61	1	–	1
Jeff Davis	5	13	–	–	–
Jefferson	2,591	2,303	54	36	59
White	1,964	1,649	20	12	24
All other	627	654	34	24	35
Black	621	646	28	18	34
Beaumont	– – –	1,138	24	15	34
White	– – –	749	7	3	14
All other	– – –	389	17	12	20
Black	– – –	388	16	11	20
Groves	– – –	135	2	1	4
Nederland	– – –	141	1	1	1
Port Arthur	– – –	696	24	19	16
White	– – –	444	7	7	2
All other	– – –	252	17	12	14
Black	– – –	245	12	7	13
Port Neches	– – –	69	–	–	1
Balance of county	– – –	124	3	–	3
White	– – –	114	3	–	2
All other	– – –	10	–	–	1
Black	– – –	10	–	–	1
Jim Hogg	14	51	3	1	–
Jim Wells	297	299	8	7	6
Alice	– – –	181	3	3	3
White	– – –	178	3	3	3
All other	– – –	3	–	–	–
Black	– – –	3	–	–	–
Balance of county	– – –	118	5	4	3
White	– – –	118	5	4	3
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Johnson	436	593	4	4	8
Burleson, part	– – –	73	–	–	2
Burleson, total	– – –	82	–	–	2
Cleburne	– – –	238	2	2	1
Balance of county	– – –	282	2	2	5
Jones	219	244	2	1	3
Abilene, part	– – –	3	–	–	–
Balance of county	– – –	241	2	1	3
White	– – –	236	2	1	2
All other	– – –	5	–	–	1
Black	– – –	5	–	–	1
Karnes	114	160	5	4	4
Kaufman	411	432	11	6	9
White	356	358	8	5	7
All other	55	74	3	1	2
Black	53	72	3	1	2
Dallas, part	– – –	–	–	–	–
Terrell	– – –	150	4	2	2
White	– – –	101	2	2	1
All other	– – –	49	2	–	1
Black	– – –	48	2	–	1
Balance of county	– – –	282	7	4	7
White	– – –	257	6	3	6
All other	– – –	25	1	1	1
Black	– – –	24	1	1	1
Kendall	72	128	1	1	2
Kenedy	12	8	–	–	–
Kent	5	12	–	–	1
Kerr	530	401	2	1	4
Kerrville	– – –	280	1	–	2
White	– – –	269	1	–	2
All other	– – –	11	–	–	–
Black	– – –	11	–	–	–
Balance of county	– – –	121	1	1	2
Kimble	36	45	–	–	–
King	1	3	–	–	–
Kinney	8	23	–	–	1
Kleberg	161	192	11	7	13
Corpus Christi, part	– – –	–	–	–	–
Kingsville	– – –	170	10	6	13
White	– – –	163	10	6	13
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	22	1	1	–
White	– – –	22	1	1	–
All other	– – –	–	–	–	–
Black	– – –	–	–	–	–
Knox	59	81	1	–	2
Lamar	645	528	12	7	10
White	545	444	6	3	8
All other	100	84	6	4	2
Black	99	84	6	4	2
Paris	– – –	388	10	5	6
White	– – –	315	4	1	4
All other	– – –	73	6	4	2
Black	– – –	73	6	4	2
Balance of county	– – –	140	2	2	4
Lamb	128	199	8	5	5
Lampasas	109	160	1	1	–
La Salle	15	42	1	–	–
Lavaca	265	281	3	3	2
Lee	94	125	–	–	2
White	80	109	–	–	2
All other	14	16	–	–	–
Black	14	16	–	–	–
Leon	101	157	3	1	–
White	71	116	2	1	–
All other	30	41	1	–	–
Black	30	41	1	–	–
Liberty	375	456	12	8	6
White	312	382	11	8	5
All other	63	74	1	–	1
Black	63	74	1	–	1
Limestone	207	299	4	1	5
White	161	228	–	–	4
All other	46	71	4	1	1
Black	46	71	4	1	1
Lipscomb	11	34	–	–	–
Live Oak	39	72	3	2	1
Llano	113	160	1	–	–
Loving	–	1	–	–	–
Lubbock	1,916	1,442	61	37	24
White	1,776	1,306	46	29	22
All other	140	136	15	8	2
Black	139	135	15	8	1
Lubbock	– – –	1,222	54	33	21
White	– – –	1,097	40	26	19
All other	– – –	125	14	7	2
Black	– – –	124	14	7	1
Balance of county	– – –	220	7	4	3
White	– – –	209	6	3	3
All other	– – –	11	1	1	–
Black	– – –	11	1	1	–
Lynn	43	75	1	1	1
McCulloch	130	149	1	1	1
McLennan	1,665	1,638	31	19	24
White	1,390	1,349	21	11	16
All other	275	289	10	8	8
Black	272	285	10	8	8
Waco	– – –	1,159	23	13	17
White	– – –	919	16	7	11
All other	– – –	240	7	6	6
Black	– – –	236	7	6	6
Balance of county	– – –	479	8	6	7
White	– – –	430	5	4	5
All other	– – –	49	3	2	2
Black	– – –	49	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
McMullen	5	12	–	–	–
Madison	109	99	2	1	–
White	89	80	1	1	–
All other	20	19	1	–	–
Black	20	19	1	–	–
Marion	85	131	4	2	–
White	43	76	2	1	–
All other	42	55	2	1	–
Black	42	55	2	1	–
Martin	45	44	1	–	2
Mason	29	45	1	1	–
Matagorda	301	337	11	9	11
White	257	290	10	8	8
All other	44	47	1	1	3
Black	43	46	1	1	3
Bay City	---	175	7	5	6
White	---	148	7	5	6
All other	---	27	–	–	–
Black	---	27	–	–	–
Balance of county	---	162	4	4	5
White	---	142	3	3	2
All other	---	20	1	1	3
Black	---	19	1	1	3
Maverick	137	154	10	7	7
Eagle Pass	---	128	7	6	5
White	---	128	7	6	5
All other	---	–	–	–	–
Black	---	–	–	–	–
Balance of county	---	26	3	1	2
White	---	26	3	1	2
All other	---	–	–	–	–
Black	---	–	–	–	–
Medina	136	200	5	4	4
Menard	18	37	1	1	1
Midland	566	606	26	17	16
Midland	---	534	22	14	15
White	---	460	18	11	14
All other	---	74	4	3	1
Black	---	73	4	3	1
Balance of county	---	72	4	3	1
Milam	206	279	3	2	1
White	184	244	2	2	1
All other	22	35	1	–	–
Black	22	35	1	–	–
Mills	52	63	–	–	–
Mitchell	101	109	1	–	1
Montague	176	209	3	2	4
Montgomery	589	906	30	22	24
Conroe	---	211	11	11	6
White	---	169	10	10	5
All other	---	42	1	1	1
Black	---	42	1	1	1
Houston, part	---	1	–	–	–
Balance of county	---	694	19	11	18
Moore	95	99	10	6	1
Dumas	---	77	7	5	1
Balance of county	---	22	3	1	–
Morris	161	172	2	2	5
White	125	131	1	1	–
All other	36	41	1	1	5
Black	36	41	1	1	5
Motley	2	25	–	–	–
Nacogdoches	497	417	6	2	7
White	389	315	4	1	4
All other	108	102	2	1	3
Black	107	101	2	1	3
Nacogdoches	---	228	4	2	3
White	---	152	2	1	2
All other	---	76	2	1	1
Black	---	75	2	1	1
Balance of county	---	189	2	–	4
White	---	163	2	–	2
All other	---	26	–	–	2
Black	---	26	–	–	2
Navarro	460	477	3	1	3
White	368	377	1	–	3
All other	92	100	2	1	–
Black	92	100	2	1	–
Corsicana	---	316	3	1	2
White	---	251	1	–	2
All other	---	65	2	1	–
Black	---	65	2	1	–
Balance of county	---	161	–	–	1
White	---	126	–	–	1
All other	---	35	–	–	–
Black	---	35	–	–	–
Newton	87	124	–	–	1
White	61	90	–	–	–
All other	26	34	–	–	1
Black	26	34	–	–	1
Nolan	166	205	4	3	4
Sweetwater	---	148	3	3	3
White	---	138	3	3	3
All other	---	10	–	–	–
Black	---	10	–	–	–
Balance of county	---	57	1	–	1
White	---	57	1	–	1
All other	---	–	–	–	–
Black	---	–	–	–	–
Nueces	2,297	1,940	48	34	42
White	2,166	1,813	47	34	40
All other	131	127	1	–	2
Black	127	125	1	–	2
Corpus Christi, part	---	1,709	41	28	39
White	---	1,585	40	28	37
All other	---	124	1	–	2
Black	---	122	1	–	2
Corpus Christi, total	---	1,709	41	28	39
White	---	1,585	40	28	37
All other	---	124	1	–	2
Black	---	122	1	–	2
Portland, part	---	1	–	–	–
Robstown	---	83	2	2	1
White	---	81	2	2	1
All other	---	2	–	–	–
Black	---	2	–	–	–
Balance of county	---	147	5	4	2
White	---	146	5	4	2
All other	---	1	–	–	–
Black	---	1	–	–	–
Ochiltree	81	82	3	1	1
Oldham	6	20	–	–	–
Orange	377	604	17	14	15
Orange	---	208	6	5	8
White	---	150	2	1	5
All other	---	58	4	4	3
Black	---	58	4	4	3
Vidor	---	144	3	3	–
Balance of county	---	252	8	6	7
Palo Pinto	233	280	7	4	2
Mineral Wells, part	---	180	6	3	–
White	---	171	5	3	–
All other	---	9	1	–	–
Black	---	8	1	–	–
Mineral Wells, total	---	180	6	3	–
White	---	171	5	3	–
All other	---	9	1	–	–
Black	---	8	1	–	–
Balance of county	---	100	1	1	2
Panola	174	213	3	3	3
White	135	172	2	2	1
All other	39	41	1	1	2
Black	39	41	1	1	2
Parker	252	380	6	4	5
Mineral Wells, part	---	–	–	–	–
White	---	–	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Weatherford	---	159	3	3	1
Balance of county	---	221	3	1	4
Parmer	71	84	5	3	6
Pecos	81	84	3	2	3
Polk	240	336	4	2	3
White	190	279	4	2	1
All other	50	57	–	–	2
Black	46	50	–	–	2
Potter	1,649	977	33	21	21
White	1,557	894	31	20	18
All other	92	83	2	1	3
Black	88	78	1	1	3
Amarillo, part	---	949	32	21	20
White	---	866	30	20	17
All other	---	83	2	1	3
Black	---	78	1	1	3
Amarillo, total	---	1,253	41	28	27
White	---	1,169	39	27	24
All other	---	84	2	1	3
Black	---	79	1	1	3
Balance of county	---	28	1	–	1
Presidio	20	46	–	–	–
Rains	10	57	1	1	2
Randall	150	390	11	7	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Amarillo, part	---	304	9	7	7
Canyon	---	44	1	-	1
Balance of county	---	42	1	-	-
Reagan	12	22	1	1	3
Real	8	31	-	-	-
Red River	169	241	1	-	1
White	142	199	1	-	-
All other	27	42	-	-	1
Black	27	42	-	-	1
Reeves	101	124	7	4	3
Pecos	---	105	6	4	3
White	---	96	6	4	3
All other	---	9	-	-	-
Black	---	9	-	-	-
Balance of county	---	19	1	-	-
White	---	19	1	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	78	100	2	1	2
Roberts	5	10	-	-	-
Robertson	168	226	3	3	3
White	117	159	3	3	1
All other	51	67	-	-	2
Black	51	67	-	-	2
Rockwall	48	97	1	1	4
Dallas, part	---	-	-	-	-
Garland, part	---	1	-	-	-
Balance of county	---	96	1	1	4
White	---	82	1	1	3
All other	---	14	-	-	1
Black	---	14	-	-	1
Runnels	94	136	4	2	-
Rusk	382	488	7	4	4
White	290	377	4	1	2
All other	92	111	3	3	2
Black	92	111	3	3	2
Henderson	---	138	1	-	1
White	---	108	1	-	-
All other	---	30	-	-	1
Black	---	30	-	-	1
Kilgore, part	---	33	-	-	-
Balance of county	---	317	6	4	3
White	---	237	3	1	2
All other	---	80	3	3	1
Black	---	80	3	3	1
Sabine	82	123	-	-	1
White	79	112	-	-	-
All other	3	11	-	-	1
Black	3	11	-	-	1
San Augustine	73	115	2	2	1
White	53	78	-	-	-
All other	20	37	2	2	1
Black	20	37	2	2	1
San Jacinto	17	105	1	1	-
White	14	86	1	1	-
All other	3	19	-	-	-
Black	3	19	-	-	-
San Patricio	279	424	15	10	8
Corpus Christi, part	---	-	-	-	-
Portland, part	---	33	-	-	2
Portland, total	---	34	-	-	2
Balance of county	---	391	15	10	6
White	---	380	15	10	6
All other	---	11	-	-	-
Black	---	10	-	-	-
San Saba	66	99	1	1	-
Schleicher	21	28	-	-	-
Scurry	128	162	6	3	1
Snyder	---	137	5	2	1
White	---	128	4	1	1
All other	---	9	1	1	-
Black	---	9	1	1	-
Balance of county	---	25	1	1	-
White	---	25	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shackelford	29	45	2	1	-
Shelby	184	284	5	3	1
White	149	234	3	2	1
All other	35	50	2	1	-
Black	35	50	2	1	-
Sherman	12	28	-	-	-
Smith	1,712	1,217	31	24	29
White	1,353	938	19	16	18
All other	359	279	12	8	11
Black	359	279	12	8	11
Texas-Con.					
Tyler	---	682	19	14	15
White	---	510	12	11	8
All other	---	172	7	3	7
Black	---	172	7	3	7
Balance of county	---	535	12	10	14
White	---	428	7	5	10
All other	---	107	5	5	4
Black	---	107	5	5	4
Somervell	29	37	1	1	-
Starr	96	142	7	6	9
Stephens	109	128	5	4	1
Sterling	14	13	1	-	-
Stonewall	22	30	-	-	1
Sutton	30	44	5	5	3
Swisher	56	85	4	3	4
Tarrant	6,909	6,390	218	151	142
White	6,068	5,538	160	111	114
All other	841	852	58	40	28
Black	823	833	56	38	25
Arlington	---	774	42	30	30
White	---	753	37	27	28
All other	---	21	5	3	2
Black	---	13	4	2	2
Bedford	---	96	5	4	6
Benbrook	---	60	2	-	3
Burleson, part	---	9	-	-	-
Euless	---	103	5	4	2
Forest Hill	---	79	2	2	2
White	---	61	1	1	-
All other	---	18	1	1	2
Black	---	18	1	1	2
Fort Worth	---	3,728	116	80	74
White	---	2,947	68	46	53
All other	---	781	48	34	21
Black	---	777	48	34	18
Grand Prairie, part	---	47	3	1	-
White	---	38	2	1	-
All other	---	9	1	-	-
Black	---	9	1	-	-
Grapevine, part	---	81	3	2	2
Grapevine, total	---	81	3	2	2
Haltom City	---	221	6	4	3
Hurst	---	167	7	5	5
North Richland Hills	---	130	5	4	3
Watauga	---	32	3	3	-
White Settlement	---	116	1	-	1
Balance of county	---	747	18	12	11
Taylor	1,074	893	33	21	18
Abilene, part	---	773	31	20	16
White	---	715	28	18	15
All other	---	58	3	2	1
Black	---	57	3	2	1
Abilene, total	---	776	31	20	16
White	---	718	28	18	15
All other	---	58	3	2	1
Black	---	57	3	2	1
Balance of county	---	120	2	1	2
Terrell	1	12	-	-	-
Terry	106	110	2	1	6
Brownfield	---	94	2	1	4
White	---	90	2	1	4
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	16	-	-	2
White	---	16	-	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Throckmorton	21	34	2	2	-
Titus	251	260	4	3	4
White	215	223	3	3	3
All other	36	37	1	-	1
Black	36	37	1	-	1
Mount Pleasant	---	158	2	1	1
White	---	129	1	1	1
All other	---	29	1	-	-
Black	---	29	1	-	-
Balance of county	---	102	2	2	3
Tom Green	932	810	26	20	16
San Angelo	---	726	24	18	13
White	---	686	23	17	13
All other	---	40	1	1	-
Black	---	40	1	1	-
Balance of county	---	84	2	2	3
Travis	2,932	2,584	69	41	51
White	2,505	2,178	54	30	44
All other	427	406	15	11	7
Black	421	399	14	10	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Austin, part	---	2,252	61	36	43
White	---	1,865	46	25	37
All other	---	387	15	11	6
Black	---	382	14	10	5
Austin, total	---	2,252	61	36	43
White	---	1,865	46	25	37
All other	---	387	15	11	6
Black	---	382	14	10	5
Round Rock, part	---	1	-	-	-
Balance of county	---	331	8	5	8
White	---	312	8	5	7
All other	---	19	-	-	1
Black	---	17	-	-	1
Trinity	104	175	3	1	2
White	73	135	2	1	-
All other	31	40	1	-	2
Black	31	40	1	-	2
Tyler	151	200	4	2	1
White	135	181	4	2	1
All other	16	19	-	-	-
Black	12	18	-	-	-
Upshur	135	275	6	5	3
White	109	215	5	4	3
All other	26	60	1	1	-
Black	26	60	1	1	-
Upton	26	44	2	1	-
Uvalde	151	201	7	3	6
Uvalde	---	142	5	2	3
White	---	142	5	2	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	59	2	1	3
White	---	59	2	1	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Val Verde	219	227	8	3	8
Del Rio	---	204	7	2	8
White	---	198	7	2	8
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	23	1	1	1
White	---	23	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Van Zandt	243	385	4	2	2
Victoria	689	542	24	16	4
Victoria	---	437	19	13	4
White	---	393	19	13	3
All other	---	44	-	-	1
Black	---	44	-	-	1
Balance of county	---	105	5	3	-
White	---	103	5	3	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Walker	273	245	4	4	5
White	198	170	3	3	5
All other	75	75	1	1	-
Black	74	74	1	1	-
Huntsville	---	138	3	3	2
White	---	100	2	2	2
All other	---	38	1	1	-
Black	---	37	1	1	-
Balance of county	---	107	1	1	3
White	---	70	1	1	3
All other	---	37	-	-	-
Black	---	37	-	-	-
Waller	129	163	4	2	5
White	87	116	3	2	3
All other	42	47	1	-	2
Black	42	47	1	-	2
Ward	71	118	6	5	3
Washington	334	301	8	3	4
White	266	236	2	1	4
All other	68	65	6	2	-
Black	68	65	6	2	-
Brenham	---	158	4	2	3
White	---	127	1	1	3
All other	---	31	3	1	-
Black	---	31	3	1	-
Balance of county	---	143	4	1	1
White	---	109	1	-	1
All other	---	34	3	1	-
Black	---	34	3	1	-
Webb	640	586	15	10	23
Laredo	---	579	14	10	22
Balance of county	---	7	1	-	1
Wharton	377	384	7	2	7
White	308	308	4	2	6
All other	71	76	3	-	1
Black	71	76	3	-	1
El Campo	---	124	2	-	4
White	---	107	2	-	3
All other	---	17	-	-	1
Black	---	17	-	-	1
Balance of county	---	260	5	2	3
White	---	201	2	2	3
All other	---	59	3	-	-
Black	---	59	3	-	-
Wheeler	70	83	2	-	2
Wichita	1,181	1,063	17	8	8
White	1,093	972	12	6	8
All other	88	91	5	2	-
Black	85	86	5	2	-
Burkburnett	---	81	-	-	1
Wichita Falls, part	---	831	14	6	7
White	---	743	9	4	7
All other	---	88	5	2	-
Black	---	83	5	2	-
Wichita Falls, total	---	831	14	6	7
White	---	743	9	4	7
All other	---	88	5	2	-
Black	---	83	5	2	-
Balance of county	---	151	3	2	-
Wilbarger	182	221	6	4	-
Vernon	---	200	5	3	-
White	---	186	5	3	-
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	21	1	1	-
Willacy	71	142	6	3	4
Williamson	473	582	7	3	11
Austin, part	---	-	-	-	-
Round Rock, part	---	100	1	1	5
White	---	95	1	1	5
All other	---	5	-	-	-
Black	---	5	-	-	-
Round Rock, total	---	101	1	1	5
White	---	96	1	1	5
All other	---	5	-	-	-
Black	---	6	-	-	-
Taylor	---	143	1	-	1
White	---	115	-	-	1
All other	---	28	1	-	-
Black	---	28	1	-	-
Balance of county	---	339	5	2	6
White	---	322	5	2	5
All other	---	17	-	-	-
Black	---	17	-	-	-
Wilson	94	149	2	1	1
Winkler	67	76	3	2	4
Wise	192	244	1	1	3
Wood	287	396	2	1	2
White	267	361	2	1	2
All other	20	35	-	-	-
Black	20	35	-	-	-
Yoakum	37	54	2	2	4
Young	255	282	4	2	1
Zapata	22	65	5	3	-
Zavala	9	80	7	2	3
Utah	8,860	8,515	457	282	273
White	8,652	8,319	436	275	252
All other	208	196	21	7	21
Black	60	58	7	3	2
Beaver	37	38	1	-	1
Box Elder	216	234	16	8	8
Brigham City	---	100	6	4	-
White	---	97	5	3	-
All other	---	3	1	1	-
Black	---	-	-	-	-
Balance of county	---	134	10	4	8
Cache	299	324	26	18	16
Logan	---	153	14	10	9
Balance of county	---	171	12	8	7
Carbon	171	187	6	3	4
Daggett	4	7	1	-	-
Davis	486	590	49	32	25
Bountiful	---	183	7	6	2
Clearfield	---	76	6	4	10
White	---	75	6	4	8
All other	---	1	-	-	2
Black	---	-	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah-Con.					
Layton	---	89	8	6	3
Balance of county	---	242	28	16	10
Duchesne	83	81	5	5	5
Emery	32	67	6	3	3
Garfield	33	30	1	–	1
Grand	50	52	2	–	3
Iron	104	95	7	4	3
Cedar City	---	60	6	4	3
Balance of county	---	35	1	–	–
Juab	30	45	1	1	–
Kane	46	40	–	–	–
Millard	70	82	3	3	2
Morgan	14	31	2	2	2
Piute	5	16	–	–	–
Rich	7	14	1	1	1
Salt Lake	4,312	3,660	174	106	100
White	4,224	3,590	167	105	91
All other	88	70	7	1	9
Black	28	26	2	–	–
Midvale	---	61	3	2	4
Murray	---	182	4	3	3
Salt Lake City	---	1,666	46	24	40
White	---	1,629	42	24	31
All other	---	37	4	–	9
Black	---	19	2	–	–
Sandy City	---	145	24	15	10
South Salt Lake	---	95	4	2	1
West Jordan	---	66	8	5	3
Balance of county	---	1,445	85	55	39
White	---	1,423	84	55	39
All other	---	22	1	–	–
Black	---	5	–	–	–
San Juan	51	59	3	1	3
White	30	29	1	1	–
All other	21	30	2	–	3
Black	–	–	–	–	–
Sanpete	79	133	4	2	6
Sevier	117	133	5	4	1
Summit	36	56	4	3	–
Tooele	108	126	5	1	1
Tooele	---	83	2	–	–
Balance of county	---	43	3	1	1
Uintah	89	152	10	5	8
Utah	1,056	1,035	81	48	51
American Fork	---	94	7	3	3
Orem	---	217	14	6	13
Pleasant Grove	---	43	3	–	1
Provo	---	318	32	25	17
Springville	---	84	7	3	8
Balance of county	---	279	18	11	9
Wasatch	73	73	6	6	3
Washington	186	176	4	4	7
St. George	---	83	4	4	3
Balance of county	---	93	–	–	4
Wayne	6	10	1	–	–
Weber	1,060	969	33	22	19
Ogden	---	610	18	12	14
White	---	584	15	9	13
All other	---	26	3	3	1
Black	---	21	2	2	–
Roy	---	77	3	2	1
South Ogden	---	55	–	–	1
Balance of county	---	227	12	8	3
Vermont	4,508	4,490	75	49	63
White	4,503	4,485	75	49	61
All other	5	5	–	–	2
Black	2	3	–	–	1
Addison	155	221	5	4	3
Bennington	396	361	4	2	2
Caledonia	206	253	5	4	3
Chittenden	1,005	722	15	10	10
Burlington	---	341	3	2	4
South Burlington	---	48	2	1	–
Balance of county	---	333	10	7	6
Essex	21	55	–	–	1
Franklin	273	322	5	5	4
Grand Isle	17	44	1	1	–
Lamoille	117	137	5	1	1
Orange	135	201	2	1	1
Orleans	203	212	6	4	2
Rutland	595	579	5	5	7
Vermont-Con.					
Rutland	---	247	4	4	2
Balance of county	---	332	1	1	5
Washington	512	504	10	7	7
Windham	382	372	4	1	12
Windsor	491	507	8	4	10
Virginia	41,196	41,904	1,039	755	1,001
White	32,093	32,841	642	457	626
All other	9,103	9,063	397	298	375
Black	8,959	8,907	387	289	359
Accomack	169	423	2	1	12
White	117	303	1	–	3
All other	52	120	1	1	9
Black	52	120	1	1	9
Albemarle	962	354	9	6	10
White	757	302	7	4	9
All other	205	52	2	2	1
Black	204	52	2	2	1
Alexandria city	867	838	26	20	19
White	720	673	15	11	14
All other	147	165	11	9	5
Black	138	158	10	8	5
Alleghany	260	139	1	1	3
Amelia	23	92	2	1	–
White	8	49	1	1	–
All other	15	43	1	–	–
Black	15	42	1	–	–
Amherst	115	246	3	–	1
White	94	189	2	–	–
All other	21	57	1	–	1
Black	21	57	1	–	1
Appomattox	39	110	2	2	3
White	25	86	1	1	3
All other	14	24	1	1	–
Black	14	24	1	1	–
Arlington#	1,270	1,104	26	19	21
White	1,112	993	17	13	16
All other	158	111	9	6	5
Black	141	93	7	5	3
Augusta	148	428	7	5	6
Bath	31	65	–	–	–
Bedford	92	308	8	6	4
White	80	264	5	4	4
All other	12	44	3	2	–
Black	12	44	3	2	–
Bedford city [6]	168	106	2	1	1
White	139	91	2	1	1
All other	29	15	–	–	–
Black	29	15	–	–	–
Bland	14	47	3	1	3
Botetourt	57	165	1	–	3
Bristol city [7]	204	223	2	2	–
Brunswick	34	153	2	2	5
White	15	77	1	1	–
All other	19	76	1	1	5
Black	19	76	1	1	5
Buchanan	227	276	8	5	9
Buckingham	47	108	–	–	5
White	26	62	–	–	3
All other	21	46	–	–	2
Black	21	46	–	–	2
Buena Vista city [8]	10	59	–	–	–
Campbell	101	316	11	9	6
White	86	262	8	7	3
All other	15	54	3	2	3
Black	15	54	3	2	3
Caroline	55	138	1	–	3
White	32	73	1	–	–
All other	23	65	–	–	3
Black	23	64	–	–	3
Carroll	63	230	1	1	7
Charles City	20	55	2	1	2
White	8	15	–	–	–
All other	12	40	2	1	2
Black	11	39	2	1	2
Charlotte	53	116	1	–	1
White	34	77	–	–	1
All other	19	39	1	–	–
Black	19	39	1	–	–
Charlottesville city	476	397	6	4	5
White	412	309	4	3	4
All other	64	88	2	1	1
Black	64	88	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Chesapeake city	551	803	20	16	31
White	405	561	10	7	12
All other	146	242	10	9	19
Black	143	239	10	9	19
Chesterfield	439	714	28	22	22
White	378	613	16	13	16
All other	61	101	12	9	6
Black	61	100	11	8	5
Clarke	39	116	1	–	2
White	28	94	1	–	2
All other	11	22	–	–	–
Black	11	22	–	–	–
Clifton Forge city [8]	47	80	–	–	–
White	39	70	–	–	–
All other	8	10	–	–	–
Black	8	10	–	–	–
Colonial Heights city	46	131	1	1	6
Covington city [8]	16	88	1	1	2
White	15	80	1	1	1
All other	1	8	–	–	1
Black	1	8	–	–	1
Craig	13	48	–	–	–
Culpeper	225	249	5	2	4
White	192	202	2	1	3
All other	33	47	3	1	1
Black	33	47	3	1	1
Cumberland	25	88	1	1	1
White	12	49	1	1	–
All other	13	39	–	–	1
Black	13	39	–	–	1
Danville city	908	547	4	4	19
White	652	403	2	2	7
All other	256	144	2	2	12
Black	255	144	2	2	12
Dickenson	52	162	8	7	6
Dinwiddie	135	174	6	4	4
White	74	107	2	–	2
All other	61	67	4	4	2
Black	60	67	4	4	2
Emporia city [8]	178	67	1	1	–
White	83	36	–	–	–
All other	95	31	1	1	–
Black	95	31	1	1	–
Essex	120	80	–	–	2
White	69	44	–	–	–
All other	51	36	–	–	2
Black	50	36	–	–	2
Fairfax	1,895	2,413	89	59	80
White	1,740	2,245	67	44	61
All other	155	168	22	15	19
Black	127	124	18	11	13
Herndon	– – –	33	3	1	–
White	– – –	30	2	1	–
All other	– – –	3	1	–	–
Black	– – –	3	1	–	–
Vienna	– – –	72	2	2	1
Balance of county	– – –	2,308	84	56	79
White	– – –	2,148	64	42	60
All other	– – –	160	20	14	19
Black	– – –	118	16	10	13
Fairfax city	230	161	3	2	5
Falls Church city [8]	22	100	5	3	1
Fauquier	268	305	7	4	10
White	220	246	5	4	7
All other	48	59	2	–	3
Black	46	59	2	–	3
Floyd	27	102	3	3	2
Fluvanna	37	107	2	2	2
White	28	81	1	1	1
All other	9	26	1	1	1
Black	9	26	1	1	1
Franklin	212	318	2	1	6
White	183	278	2	1	4
All other	29	40	–	–	2
Black	29	40	–	–	2
Franklin city [8]	134	77	2	2	3
White	77	36	–	–	1
All other	57	41	2	2	2
Black	57	41	2	2	2
Frederick	44	242	9	3	2
Fredericksburg city	476	176	4	3	3
White	395	139	3	2	1
All other	81	37	1	1	2
Black	81	37	1	1	2
Galax city [8]	291	79	–	–	–
Giles	120	190	6	2	4
Gloucester	236	199	4	1	2
White	191	166	2	1	–
All other	45	33	2	–	2
Black	45	33	2	–	2
Goochland	36	98	4	4	2
White	24	64	2	2	2
All other	12	34	2	2	–
Black	12	34	2	2	–
Grayson	53	181	1	1	2
Greene	31	58	1	1	2
Greensville	31	80	2	2	3
White	13	37	–	–	1
All other	18	43	2	2	2
Black	18	43	2	2	2
Halifax	65	289	3	2	4
White	49	179	1	1	1
All other	16	110	2	1	3
Black	16	110	2	1	3
Hampton city	895	813	31	22	28
White	524	545	14	11	15
All other	371	268	17	11	13
Black	362	262	17	11	13
Hanover	151	389	11	9	6
White	126	326	8	7	5
All other	25	63	3	2	1
Black	25	62	3	2	1
Harrisonburg city	567	146	–	–	1
Henrico	1,784	1,577	33	26	27
White	1,533	1,398	20	13	18
All other	251	179	13	13	9
Black	246	178	13	13	9
Henry	87	400	6	5	7
White	61	316	3	2	6
All other	26	84	3	3	1
Black	26	84	3	3	1
Highland	8	30	–	–	–
Hopewell city	250	213	7	6	7
White	193	178	5	4	6
All other	57	35	2	2	1
Black	55	34	2	2	1
Isle of Wight	47	200	3	3	3
White	26	121	2	2	–
All other	21	79	1	1	3
Black	20	79	1	1	3
James City	101	135	4	3	–
White	53	87	2	1	–
All other	48	48	2	2	–
Black	48	48	2	2	–
King and Queen	16	68	–	–	–
White	10	43	–	–	–
All other	6	25	–	–	–
Black	5	23	–	–	–
King George	26	92	5	5	2
White	19	73	3	3	2
All other	7	19	2	2	–
Black	7	19	2	2	–
King William	32	110	2	2	3
White	10	54	1	1	1
All other	22	56	1	1	2
Black	21	49	1	1	2
Lancaster	222	156	3	1	–
White	176	121	1	1	–
All other	46	35	2	–	–
Black	46	35	2	–	–
Lee	180	261	8	8	3
Lexington city [8]	138	70	–	–	1
White	124	59	–	–	1
All other	14	11	–	–	–
Black	14	11	–	–	–
Loudoun	263	313	9	7	6
Louisa	55	175	2	1	6
White	38	125	2	1	5
All other	17	50	–	–	1
Black	17	50	–	–	1
Lunenburg	42	145	1	1	1
White	27	100	1	1	–
All other	15	45	–	–	1
Black	15	45	–	–	1
Lynchburg city	1,295	744	8	8	13
White	1,020	573	3	3	7
All other	275	171	5	5	6
Black	275	171	5	5	6
Madison	58	104	1	–	3
White	46	82	1	–	2
All other	12	22	–	–	1
Black	12	22	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Manassas city	289	96	3	2	6
White	263	84	3	2	5
All other	26	12	–	–	1
Black	26	12	–	–	1
Manassas Park city [8]	1	18	–	–	1
Martinsville city	464	209	6	4	3
White	368	157	4	2	2
All other	96	52	2	2	1
Black	96	52	2	2	1
Mathews	28	105	1	1	1
White	23	84	–	–	–
All other	5	21	1	1	1
Black	5	21	1	1	1
Mecklenburg	333	326	1	1	7
White	200	196	–	–	4
All other	133	130	1	1	3
Black	133	130	1	1	3
Middlesex	50	104	–	–	3
White	30	76	–	–	2
All other	20	28	–	–	1
Black	20	28	–	–	1
Montgomery	273	314	11	8	6
Blacksburg	– – –	79	5	4	1
Christiansburg	– – –	81	2	1	3
Balance of county	– – –	154	4	3	2
White	– – –	145	4	3	–
All other	– – –	9	–	–	2
Black	– – –	9	–	–	2
Nelson	53	149	2	2	–
White	43	119	2	2	–
All other	10	30	–	–	–
Black	10	30	–	–	–
New Kent	23	62	1	–	–
White	15	40	1	–	–
All other	8	22	–	–	–
Black	6	20	–	–	–
Newport News city	1,265	1,013	34	27	28
White	875	615	14	12	15
All other	390	398	20	15	13
Black	385	394	20	15	12
Norfolk city	2,729	2,127	86	61	66
White	1,666	1,274	39	26	32
All other	1,063	853	47	35	34
Black	1,053	845	47	35	33
Northampton	342	187	6	3	5
White	220	108	3	2	3
All other	122	79	3	1	2
Black	122	79	3	1	2
Northumberland	46	142	1	1	–
White	30	104	–	–	–
All other	16	38	1	1	–
Black	16	38	1	1	–
Norton city [8]	159	48	–	–	1
Nottoway	87	165	3	3	4
White	44	98	2	2	4
All other	43	67	1	1	–
Black	43	67	1	1	–
Orange	72	198	4	2	2
White	52	158	3	2	–
All other	20	40	1	–	2
Black	20	40	1	–	2
Page	131	221	1	1	7
Patrick	125	136	4	3	3
Petersburg city	654	453	17	11	17
White	386	219	2	–	1
All other	268	234	15	11	16
Black	267	233	15	11	16
Pittsylvania	164	560	11	8	15
White	114	402	2	1	4
All other	50	158	9	7	11
Black	50	157	9	7	11
Poquoson city [8]	3	42	–	–	2
Portsmouth city	1,369	1,040	34	26	30
White	836	580	11	8	16
All other	533	460	23	18	14
Black	526	456	22	17	14
Powhatan	20	71	2	1	1
White	15	54	2	1	1
All other	5	17	–	–	–
Black	5	17	–	–	–
Prince Edward	213	157	4	3	3
White	136	91	1	–	1
All other	77	66	3	3	2
Black	76	66	3	3	2
Prince George	52	97	7	4	9
White	43	69	2	2	5
All other	9	28	5	2	4
Black	9	28	5	2	3
Prince William	282	539	38	27	29
White	247	477	31	23	25
All other	35	62	7	4	4
Black	34	58	7	4	4
Pulaski	211	169	–	–	5
Pulaski [10]	– – –	2	–	–	2
Balance of county	– – –	167	–	–	3
White	– – –	160	–	–	2
All other	– – –	7	–	–	1
Black	– – –	6	–	–	1
Radford city	152	92	–	–	2
Rappahannock	18	71	2	2	–
White	16	58	2	2	–
All other	2	13	–	–	–
Black	2	13	–	–	–
Richmond	25	78	1	1	1
White	21	57	–	–	–
All other	4	19	1	1	1
Black	4	19	1	1	1
Richmond city	4,054	2,654	71	58	70
White	2,456	1,444	18	15	12
All other	1,598	1,210	53	43	58
Black	1,588	1,205	53	43	58
Roanoke	280	558	8	6	11
Roanoke city	1,696	1,224	13	9	14
White	1,453	970	8	7	9
All other	243	254	5	2	5
Black	241	252	5	2	5
Rockbridge	57	164	–	–	3
Rockingham	143	421	5	2	13
Russell	139	260	6	5	4
Salem city [10]	856	334	6	5	–
Scott	71	239	4	3	3
Shenandoah	250	322	3	1	4
Smyth	326	309	4	3	6
Southampton	32	152	1	–	1
White	16	68	–	–	1
All other	16	84	1	–	–
Black	16	84	1	–	–
South Boston city [8]	292	84	–	–	8
White	186	58	–	–	3
All other	106	26	–	–	5
Black	106	26	–	–	5
Spotsylvania	77	196	9	7	6
White	65	168	9	7	3
All other	12	28	–	–	3
Black	11	27	–	–	3
Stafford	76	187	7	4	4
Staunton city	414	255	4	2	5
White	381	223	4	2	5
All other	33	32	–	–	–
Black	33	32	–	–	–
Suffolk city	432	481	8	7	15
White	229	235	3	3	6
All other	203	246	5	4	9
Black	202	245	5	4	9
Surry	11	46	3	3	2
White	5	17	–	–	1
All other	6	29	3	3	1
Black	6	29	3	3	1
Sussex	39	124	7	4	1
White	19	52	1	–	–
All other	20	72	6	4	1
Black	20	72	6	4	1
Tazewell	388	450	14	11	10
Virginia Beach city	1,004	1,251	54	39	46
White	873	1,100	42	30	36
All other	131	151	12	9	10
Black	124	136	12	9	7
Warren	179	199	5	3	3
Front Royal	– – –	121	1	–	2
Balance of county	– – –	78	4	3	1
White	– – –	76	4	3	1
All other	– – –	2	–	–	–
Black	– – –	2	–	–	–
Washington	387	429	13	10	8
Waynesboro city	239	139	2	2	3
Westmoreland	66	169	5	3	–
White	42	107	2	2	–
All other	24	62	3	1	–
Black	24	62	3	1	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Williamsburg city [1]	206	89	4	4	2
White	143	71	2	2	2
All other	63	18	2	2	–
Black	62	18	2	2	–
Winchester city	651	244	4	3	7
Wise	258	396	13	8	11
Wythe	184	223	1	1	5
York	32	159	2	2	1
White	25	117	1	1	1
All other	7	42	1	1	–
Black	7	40	–	–	–
Washington	32,534	32,300	740	418	501
White	31,190	30,979	639	365	431
All other	1,344	1,321	101	53	70
Black	606	605	53	33	34
Adams	94	111	4	3	1
Asotin	158	166	5	2	1
Benton	533	547	14	9	20
Kennewick	– – –	215	6	4	11
Richland	– – –	185	5	3	4
Balance of county	– – –	147	3	2	5
Chelan	580	483	16	9	6
Wenatchee	– – –	251	6	2	4
Balance of county	– – –	232	10	7	2
Clallam	427	463	8	4	4
Port Angeles	– – –	182	3	2	1
Balance of county	– – –	281	5	2	3
Clark	1,333	1,376	43	18	23
Vancouver	– – –	605	19	9	12
Balance of county	– – –	771	24	9	11
Columbia	45	50	1	–	1
Cowlitz	666	653	14	9	8
Kelso	– – –	140	4	3	2
Longview	– – –	314	8	6	4
Balance of county	– – –	199	2	–	2
Douglas	56	148	5	4	2
Ferry	26	39	3	2	1
White	20	31	2	2	–
All other	6	8	1	–	1
Black	–	–	–	–	–
Franklin	164	211	13	8	6
Pasco	– – –	160	10	6	5
White	– – –	146	9	5	3
All other	– – –	14	1	1	2
Black	– – –	13	1	1	2
Balance of county	– – –	51	3	2	1
Garfield	29	31	–	–	–
Grant	297	370	8	4	11
Moses Lake	– – –	85	–	–	5
White	– – –	78	–	–	5
All other	– – –	7	–	–	–
Black	– – –	7	–	–	–
Balance of county	– – –	285	8	4	6
Grays Harbor	581	650	13	6	8
Aberdeen	– – –	181	4	–	2
Balance of county	– – –	469	9	6	6
Island	186	275	3	2	8
Oak Harbor	– – –	47	–	–	4
White	– – –	47	–	–	3
All other	– – –	–	–	–	1
Black	– – –	–	–	–	1
Balance of county	– – –	228	3	2	4
Jefferson	141	169	4	4	–
King	10,513	9,753	174	97	145
White	9,817	9,082	137	72	117
All other	696	671	37	25	28
Black	366	361	26	17	16
Auburn	– – –	223	9	2	4
Bellevue	– – –	441	9	6	7
Kent	– – –	146	5	2	6
Kirkland	– – –	174	2	2	2
Mercer Island	– – –	104	1	–	1
Redmond	– – –	135	5	3	2
Renton	– – –	274	6	3	5
Seattle	– – –	5,311	74	49	73
White	– – –	4,736	42	26	54
All other	– – –	575	32	23	19
Black	– – –	328	22	16	13
Balance of county	– – –	2,945	63	30	45
White	– – –	2,891	60	29	38
All other	– – –	54	3	1	7
Black	– – –	22	3	1	3
Kitsap	1,039	1,107	28	16	16

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Washington-Con.					
Bremerton	– – –	388	8	4	7
White	– – –	376	8	4	4
All other	– – –	12	–	–	3
Black	– – –	9	–	–	1
Balance of county	– – –	719	20	12	9
Kittitas	151	173	2	2	3
Ellensburg	– – –	83	1	1	1
Balance of county	– – –	90	1	1	2
Klickitat	121	162	6	3	1
Lewis	481	560	12	6	3
Centralia	– – –	184	1	–	–
Balance of county	– – –	376	11	6	3
Lincoln	93	123	1	1	1
Mason	202	277	7	5	1
Okanogan	249	299	5	2	5
White	225	270	3	1	5
All other	24	29	2	1	–
Black	–	1	–	–	–
Pacific	171	212	5	1	2
Pend Oreille	96	97	2	1	–
Pierce	3,727	3,616	118	67	63
White	3,534	3,422	89	51	50
All other	193	194	29	16	13
Black	121	131	19	10	10
Puyallup	– – –	181	2	1	1
Tacoma	– – –	1,704	41	26	24
White	– – –	1,585	28	17	17
All other	– – –	119	13	9	7
Black	– – –	81	5	3	5
Balance of county	– – –	1,731	75	40	38
White	– – –	1,657	59	33	32
All other	– – –	74	16	7	6
Black	– – –	49	14	7	5
San Juan	42	63	1	1	–
Skagit	656	614	9	5	6
Mount Vernon	– – –	135	3	2	1
Balance of county	– – –	479	6	3	5
Skamania	22	36	–	–	1
Snohomish	2,089	2,360	59	39	41
White	2,053	2,325	55	37	39
All other	36	35	4	2	2
Black	7	6	2	2	–
Edmonds	– – –	256	4	4	4
Everett	– – –	639	17	12	10
Lynnwood	– – –	140	4	1	6
Mountlake Terrace	– – –	73	3	2	–
Balance of county	– – –	1,252	31	20	21
Spokane	3,407	2,865	72	45	40
White	3,324	2,797	68	43	36
All other	83	68	4	2	4
Black	34	32	3	2	2
Spokane	– – –	1,929	38	24	28
Balance of county	– – –	936	34	21	12
Stevens	171	247	9	3	4
Thurston	908	939	15	7	15
Lacey	– – –	154	2	1	1
Olympia	– – –	328	3	–	4
Balance of county	– – –	457	10	6	10
Wahkiakum	17	29	–	–	2
Walla Walla	540	391	3	1	7
Walla Walla	– – –	271	1	1	2
Balance of county	– – –	120	2	–	5
Whatcom	859	877	16	11	13
Bellingham	– – –	464	6	6	7
Balance of county	– – –	413	10	5	6
Whitman	184	236	2	2	6
Pullman	– – –	54	1	1	1
Balance of county	– – –	182	1	1	5
Yakima	1,480	1,522	40	19	26
Yakima	– – –	604	11	6	8
White	– – –	590	10	6	7
All other	– – –	14	1	–	1
Black	– – –	13	–	–	–
Balance of county	– – –	918	29	13	18
White	– – –	839	24	12	14
All other	– – –	79	5	1	4
Black	– – –	4	–	–	1
West Virginia	19,155	18,994	312	197	276
White	18,294	18,156	296	185	264
All other	861	838	16	12	12
Black	850	830	16	12	12
Barbour	130	178	5	3	–
Berkeley	681	449	4	3	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia-Con.					
Martinsburg	---	215	2	2	5
Balance of county	---	234	2	1	10
Boone	170	278	5	2	5
Braxton	100	164	4	2	1
Brooke	346	270	6	5	1
Weirton, part	---	49	-	-	-
Balance of county	---	221	6	5	1
Cabell	1,701	1,130	14	11	17
Huntington, part	---	773	10	7	11
Huntington, total	---	827	10	7	11
Balance of county	---	357	4	4	6
Calhoun	70	80	1	-	1
Clay	34	96	-	-	2
Doddridge	27	76	1	1	2
Fayette	453	654	7	3	5
Gilmer	37	92	4	2	1
Grant	113	82	5	1	-
Greenbrier	363	407	5	3	5
Hampshire	90	144	2	2	4
Hancock	62	373	6	5	7
Weirton, part	---	205	1	1	3
Weirton, total	---	254	1	1	3
Balance of county	---	168	5	4	4
Hardy	23	104	1	-	1
Harrison	985	869	11	8	8
Clarksburg	---	338	3	2	4
Balance of county	---	531	8	6	4
Jackson	197	234	4	4	2
Jefferson	196	253	6	4	2
Kanawha	2,677	2,237	30	22	32
White	2,528	2,085	29	21	29
All other	149	152	1	1	3
Black	149	151	1	1	3
Charleston	---	841	7	7	9
White	---	745	6	6	7
All other	---	96	1	1	2
Black	---	96	1	1	2
St. Albans	---	167	5	3	2
South Charleston	---	159	1	1	2
Balance of county	---	1,070	17	11	19
Lewis	191	228	3	3	4
Lincoln	85	217	1	-	5
Logan	432	490	12	6	12
McDowell	306	487	15	11	12
White	238	374	12	8	10
All other	68	113	3	3	2
Black	68	113	3	3	2
Marion	535	651	16	12	9
Fairmont	---	291	5	5	4
Balance of county	---	360	11	7	5
Marshall	314	369	2	2	5
Moundsville	---	168	-	-	2
Wheeling, part	---	2	-	-	-
Balance of county	---	199	2	2	3
Mason	235	266	7	4	3
Mercer	985	720	8	4	16
Bluefield [11]	---	205	2	-	4
White	---	170	1	-	3
All other	---	35	1	-	1
Black	---	35	1	-	1
Balance of county	---	515	6	4	12
Mineral	183	263	1	1	3
Mingo	221	376	10	5	8
Monongalia	1,146	543	4	1	11
Morgantown	---	254	1	-	3
Balance of county	---	289	3	1	8
Monroe	53	133	1	1	2
Morgan	97	120	3	1	2
Nicholas	183	238	6	2	5
Ohio	1,075	688	10	8	1
Wheeling, part	---	566	8	7	1
Wheeling, total	---	568	8	7	1
Balance of county	---	122	2	1	-
Pendleton	30	87	1	1	1
Pleasants	28	83	1	1	-
Pocahontas	101	130	1	-	-
Preston	200	299	7	6	3
Putnam	98	241	5	3	5
Raleigh	1,272	901	20	12	16
Beckley	---	340	3	2	2
White	---	270	2	2	2
All other	---	70	1	-	-
Black	---	70	1	-	-
Balance of county	---	561	17	10	14
Randolph	358	258	4	2	5
Ritchie	64	142	1	-	-
Roane	167	189	4	2	1
Summers	138	186	5	3	2
Taylor	156	202	-	-	2
Tucker	90	124	3	2	1
Tyler	73	114	3	2	2
Upshur	168	206	2	1	5
Wayne	264	363	3	1	8
Huntington, part	---	54	-	-	-
Balance of county	---	309	3	1	8
Webster	71	117	1	-	-
Wetzel	166	211	4	3	5
Wirt	13	39	2	-	-
Wood	1,085	855	23	15	9
Parkersburg	---	522	15	12	4
Vienna	---	96	1	1	1
Balance of county	---	237	7	2	4
Wyoming	117	288	2	1	2
Wisconsin	40,153	40,281	703	462	544
White	38,947	39,074	589	392	459
All other	1,206	1,207	114	70	85
Black	985	979	99	61	77
Adams	131	149	1	-	1
Ashland	222	196	1	1	2
Barron	407	405	8	5	9
Bayfield	99	152	1	1	4
Brown	1,533	1,250	23	16	24
Allouez town#	---	96	2	2	-
Ashwaubenon	---	84	2	2	1
De Pere	---	104	3	2	-
Green Bay	---	752	12	9	14
Balance of county	---	214	4	1	9
Buffalo	78	154	2	1	2
Burnett	94	146	5	4	1
Calumet	171	202	3	1	2
Appleton, part	---	11	-	-	1
Balance of county	---	191	3	1	1
Chippewa	419	485	6	4	1
Chippewa Falls	---	128	-	-	1
Eau Claire, part	---	4	-	-	-
Balance of county	---	353	6	4	-
Clark	216	367	6	3	5
Columbia	395	425	6	5	3
Crawford	137	160	1	1	-
Dane	2,559	1,863	53	30	33
White	2,504	1,822	43	23	32
All other	55	41	10	7	1
Black	42	32	8	6	-
Madison	---	1,079	38	23	20
Middleton	---	42	2	1	-
Sun Prairie	---	70	-	-	-
Balance of county	---	672	13	6	13
Dodge	740	725	13	8	12
Beaver Dam	---	161	1	-	2
Watertown, part	---	79	-	-	2
Balance of county	---	485	12	8	8
Door	224	272	8	7	-
Douglas	351	484	4	3	6
Superior	---	342	1	1	3
Balance of county	---	142	3	2	3
Dunn	202	265	9	5	5
Menomonie	---	114	1	1	1
Balance of county	---	151	8	4	4
Eau Claire	675	624	10	6	12
Eau Claire, part	---	438	7	4	8
Eau Claire, total	---	442	7	4	8
Balance of county	---	186	3	2	4
Florence	39	61	-	-	-
Fond du Lac	730	748	15	10	11
Fond du Lac	---	369	10	6	3
Balance of county	---	379	5	4	8
Forest	57	100	1	-	2
Grant	359	417	7	5	4
Green	361	290	3	3	2
Monroe	---	116	2	2	-
Balance of county	---	174	1	1	2
Green Lake	178	218	3	3	2
Iowa	154	162	1	-	3
Iron	55	103	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Jackson	159	189	2	1	1
Jefferson	394	569	5	3	11
Watertown, part	---	119	2	1	1
Watertown, total	---	198	2	1	3
Whitewater, part	---	2	-	-	-
Balance of county	---	448	3	2	10
Juneau	142	223	2	1	3
Kenosha	869	962	18	12	7
Kenosha	---	678	9	5	3
Balance of county	---	284	9	7	4
Kewaunee	138	194	3	3	3
La Crosse	1,175	764	18	12	7
La Crosse	---	508	6	3	4
Balance of county	---	256	12	9	3
Lafayette	103	173	2	2	3
Langlade	214	227	4	4	-
Lincoln	280	315	2	1	3
Manitowoc	704	781	5	4	10
Manitowoc	---	413	3	3	8
Two Rivers	---	123	-	-	1
Balance of county	---	245	2	1	1
Marathon	764	816	14	7	5
Marshfield, part	---	-	-	-	-
Wausau	---	393	5	3	2
Balance of county	---	423	9	4	3
Marinette	340	406	5	2	2
Marinette	---	151	-	-	-
Balance of county	---	255	5	2	2
Marquette	63	166	3	2	-
Menominee	17	33	-	-	1
White	5	5	-	-	1
All other	12	28	-	-	-
Black	-	-	-	-	-
Milwaukee	9,548	8,927	175	114	157
White	8,688	8,065	95	67	87
All other	860	862	80	47	70
Black	827	831	78	45	70
Brown Deer	---	69	-	-	2
Cudahy	---	161	1	1	-
Franklin	---	81	1	1	1
Glendale	---	198	1	1	-
Greendale	---	77	1	-	2
Greenfield	---	288	5	2	1
Milwaukee, part	---	6,015	144	92	131
White	---	5,178	64	45	61
All other	---	837	80	47	70
Black	---	814	78	45	70
Milwaukee, total	---	6,015	144	92	131
White	---	5,178	64	45	61
All other	---	837	80	47	70
Black	---	814	78	45	70
Oak Creek	---	78	1	1	2
St. Francis	---	75	2	2	3
Shorewood	---	144	-	-	1
South Milwaukee	---	170	2	2	4
Wauwatosa	---	599	5	4	2
West Allis	---	694	10	7	5
Whitefish Bay	---	95	1	1	-
Balance of county	---	183	1	-	3
Monroe	328	385	5	3	4
Oconto	228	304	1	1	1
Oneida	424	338	1	-	2
Outagamie	958	888	18	10	16
Appleton, part	---	436	7	4	8
Appleton, total	---	447	7	4	9
Kaukauna	---	84	1	-	3
Balance of county	---	368	10	6	5
Ozaukee	304	419	6	2	7
Mequon	---	110	-	-	2
Balance of county	---	309	6	2	5
Pepin	77	94	3	3	-
Pierce	107	218	3	3	5
Polk	356	367	7	4	5
Portage	364	405	6	2	5
Stevens Point	---	190	1	1	3
Balance of county	---	215	5	1	2
Price	164	192	1	1	2
Racine	1,278	1,327	31	24	22
White	1,226	1,266	22	16	18
All other	52	61	9	8	4
Black	51	59	9	8	4
Racine	---	760	17	14	12
White	---	707	8	6	9
All other	---	53	9	8	3
Black	---	52	9	8	3
Balance of county	---	567	14	10	10
Richland	162	177	1	-	3
Rock	1,120	1,174	22	15	18
Beloit	---	331	7	4	12
White	---	311	6	4	11
All other	---	20	1	-	1
Black	---	20	1	-	1
Janesville	---	388	8	6	3
Balance of county	---	455	7	5	3
Rusk	131	145	1	1	1
St. Croix	336	359	4	2	6
Sauk	410	420	10	7	5
Sawyer	141	160	2	2	2
White	132	146	2	2	1
All other	9	14	-	-	1
Black	-	-	-	-	-
Shawano	314	392	6	6	3
Sheboygan	830	876	16	12	12
Sheboygan	---	507	11	7	4
Balance of county	---	369	5	5	8
Taylor	174	196	6	6	3
Trempealeau	201	273	6	5	2
Vernon	241	255	4	3	1
Vilas	153	211	2	1	3
Walworth	476	645	10	5	9
Whitewater, part	---	51	1	1	1
Whitewater, total	---	53	1	1	1
Balance of county	---	594	9	4	8
Washburn	145	155	-	-	3
Washington	451	551	13	7	9
Germantown	---	37	2	2	2
Milwaukee, part	---	-	-	-	-
West Bend	---	177	5	2	5
Balance of county	---	337	6	3	2
Waukesha	1,775	1,761	31	21	13
Brookfield	---	237	5	4	1
Menomonee Falls	---	133	1	1	-
Muskego	---	100	2	-	-
New Berlin	---	121	3	2	-
Waukesha	---	369	6	5	4
Balance of county	---	801	14	9	8
Waupaca	483	606	9	5	1
Waushara	183	211	7	4	3
Winnebago	1,155	1,060	13	9	11
Appleton, part	---	-	-	-	-
Menasha	---	108	3	2	2
Neenah	---	177	-	-	1
Oshkosh	---	465	4	4	5
Balance of county	---	310	6	3	3
Wood	988	549	10	8	7
Marshfield, part	---	134	3	3	1
Marshfield, total	---	134	3	3	1
Wisconsin Rapids	---	198	3	1	2
Balance of county	---	217	4	4	4
Wyoming	3,035	3,191	109	65	92
White	2,970	3,118	104	62	91
All other	65	73	5	3	1
Black	11	13	2	1	-
Albany	144	149	3	3	3
Laramie	---	131	3	3	2
Balance of county	---	18	-	-	1
Big Horn	92	125	1	-	3
Campbell	92	118	6	4	6
Gillette	---	84	2	2	3
Balance of county	---	34	4	2	3
Carbon	123	145	9	4	3
Rawlins	---	87	6	4	1
White	---	87	6	4	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	58	3	-	2
Converse	64	80	2	1	4
Crook	16	28	-	-	2
Fremont	258	277	20	14	8
White	223	230	17	12	8
All other	35	47	3	2	-
Black	-	-	-	-	-
Goshen	109	136	2	1	2
Hot Springs	63	71	-	-	2
Johnson	63	65	1	-	3
Laramie	554	478	14	9	7
Cheyenne	---	413	11	7	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1982—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming-Con.					
Balance of county	---	65	3	2	4
Lincoln	65	82	4	2	5
Natrona	405	401	13	7	12
Casper	---	345	11	6	7
Balance of county	---	56	2	1	5
Niobrara	30	36	1	–	–
Park	175	169	3	2	–
Platte	70	89	3	3	1
Sheridan	255	239	7	4	3
Sheridan	---	177	6	4	2
Balance of county	---	62	1	–	1
Sublette	26	29	–	–	3
Sweetwater	191	228	7	4	15
Green River	---	47	2	1	5
Rock Springs	---	143	4	2	6
Balance of county	---	38	1	1	4
Teton	58	37	1	–	3
Uinta	76	77	9	5	4
Washakie	56	67	1	1	3
Weston	50	65	2	1	–

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for Texarkana, Ark., only.
[3] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[4] There are 12 deaths to residents of Mokapu included in balance of Honolulu County
[5] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[6] Includes data for Bristol, Tenn., only.
[7] Includes data for Texarkana, Tex., only.
[8] Independent city having population of less than 10,000 according to the 1980 census.
[9] Includes data for Bristol, Va., only.
[10] There are 117 deaths to residents of Pulaski included in Salem city.
[11] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	1,974,797	42,401	11.5	28,335	7.7	32,694	8.9
White	1,729,085	29,659	10.1	19,959	6.8	23,316	7.9
All other	245,712	12,742	17.3	8,376	11.3	9,378	12.7
Black	226,513	11,642	19.6	7,744	13.1	8,274	14.0
Urban places	1,135,065	25,701	12.2	17,423	8.3	19,143	9.1
White	954,849	16,235	10.4	11,080	7.1	12,467	8.0
All other	180,216	9,466	17.3	6,343	11.6	6,676	12.2
Black	168,439	8,797	19.6	5,922	13.2	5,959	13.3
Balance of area	839,732	16,700	10.6	10,912	6.9	13,551	8.6
White	774,236	13,424	9.7	8,879	6.4	10,849	7.8
All other	65,496	3,276	17.1	2,033	10.6	2,702	14.1
Black	58,074	2,845	19.8	1,822	12.7	2,315	16.1
Metropolitan counties	1,434,869	31,929	11.5	21,656	7.8	24,100	8.7
White	1,243,388	21,670	10.0	14,759	6.8	16,783	7.7
All other	191,481	10,259	17.2	6,897	11.5	7,317	12.2
Black	178,302	9,510	19.6	6,429	13.3	6,515	13.4
Urban places	1,019,726	23,339	12.2	15,831	8.3	17,286	9.0
White	852,483	14,474	10.3	9,885	7.1	11,083	7.9
All other	167,285	8,865	17.3	5,946	11.6	6,203	12.1
Black	158,321	8,247	19.6	5,553	13.2	5,539	13.2
Balance of area	415,141	8,590	10.0	5,825	6.8	6,814	8.0
White	390,925	7,196	9.3	4,874	6.3	5,700	7.4
All other	24,216	1,394	16.2	951	11.1	1,114	13.0
Black	21,981	1,263	19.5	876	13.6	976	15.1
Nonmetropolitan counties	539,928	10,472	11.5	6,679	7.3	8,594	9.4
White	485,697	7,989	10.3	5,200	6.7	6,533	8.5
All other	54,231	2,483	17.7	1,479	10.5	2,061	14.7
Black	48,211	2,132	19.8	1,315	12.2	1,759	16.3
Urban places [1]	115,337	2,362	12.2	1,592	8.2	1,857	9.6
White	102,386	1,761	11.1	1,195	7.5	1,384	8.7
All other	12,951	601	17.2	397	11.4	473	13.6
Black	12,118	550	19.2	369	12.9	420	14.7
Balance of area	424,591	8,110	11.3	5,087	7.1	6,737	9.4
White	383,311	6,228	10.1	4,005	6.5	5,149	8.4
All other	41,280	1,882	17.8	1,082	10.2	1,588	15.0
Black	36,093	1,582	20.0	946	11.9	1,339	16.9
Alabama	35,002	831	13.8	557	9.2	665	11.0
White	25,397	401	10.3	286	7.4	349	9.0
All other	9,605	430	20.0	271	12.6	316	14.7
Black	9,586	430	20.4	271	12.9	315	14.9
Urban places	15,218	391	14.7	264	9.9	290	10.9
White	9,774	139	9.9	99	7.0	117	8.3
All other	5,444	252	20.1	165	13.2	173	13.8
Black	5,430	252	20.5	165	13.4	172	14.0
Balance of area	19,784	440	13.0	293	8.7	375	11.1
White	15,623	262	10.5	187	7.5	232	9.3
All other	4,161	178	19.9	106	11.9	143	16.0
Black	4,156	178	20.2	106	12.0	143	16.2
Metropolitan counties	21,063	518	13.8	359	9.6	397	10.6
White	15,160	250	10.3	183	7.5	213	8.8
All other	5,883	268	20.2	176	13.3	184	13.9
Black	5,870	268	20.7	176	13.6	183	14.1
Urban places	12,261	329	15.5	225	10.6	241	11.4
White	7,742	113	10.5	82	7.6	97	9.0
All other	4,519	216	20.7	143	13.7	144	13.8
Black	4,508	216	21.2	143	14.0	143	14.0
Balance of area	8,802	189	11.5	134	8.2	156	9.5
White	7,438	137	10.1	101	7.5	116	8.6
All other	1,364	52	18.3	33	11.6	40	14.1
Black	1,362	52	18.8	33	11.9	40	14.5
Nonmetropolitan counties	13,939	313	13.7	198	8.7	268	11.8
White	10,217	151	10.4	103	7.1	136	9.3
All other	3,722	162	19.7	95	11.6	132	16.1
Black	3,716	162	20.0	95	11.7	132	16.3
Urban places	2,957	62	11.6	39	7.3	49	9.1
White	2,032	26	8.0	17	5.2	20	6.1
All other	925	36	17.1	22	10.4	29	13.7
Black	922	36	17.5	22	10.7	29	14.1
Balance of area	10,982	251	14.4	159	9.1	219	12.6
White	8,185	125	11.1	86	7.6	116	10.3
All other	2,797	126	20.7	73	12.0	103	16.9
Black	2,794	126	20.9	73	12.1	103	17.1

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Alaska	1,785	125	11.1	73	6.5	86	7.6
White	1,224	76	9.5	48	6.0	57	7.1
All other	561	49	14.9	25	7.6	29	8.8
Black	49	9	18.0	5	10.0	6	12.0
Urban places	886	58	8.9	38	5.8	48	7.4
White	736	45	8.7	31	6.0	36	6.9
All other	150	13	10.0	7	5.4	12	9.2
Black	42	8	17.9	5	11.2	6	13.4
Balance of area	899	67	14.0	35	7.3	38	7.9
White	488	31	11.0	17	6.1	21	7.5
All other	411	36	18.1	18	9.0	17	8.5
Black	7	1	18.9	–	–	–	–
Metropolitan census areas [2]	590	41	8.8	27	5.8	37	7.9
White	494	29	7.8	20	5.4	27	7.3
All other	96	12	12.8	7	7.5	10	10.6
Black	30	7	20.3	5	14.5	4	11.6
Urban places	590	41	8.8	27	5.8	37	7.9
White	494	29	7.8	20	5.4	27	7.3
All other	96	12	12.8	7	7.5	10	10.6
Black	30	7	20.3	5	14.5	4	11.6
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,195	84	12.7	46	6.9	49	7.4
White	730	47	11.0	28	6.5	30	7.0
All other	465	37	15.7	18	7.6	19	8.1
Black	19	2	12.9	–	–	2	12.9
Urban places	296	17	9.3	11	6.0	11	6.0
White	242	16	10.9	11	7.5	9	6.1
All other	54	1	2.8	–	–	2	5.5
Black	12	1	9.6	–	–	2	19.6
Balance of area	899	67	14.0	35	7.3	38	7.9
White	488	31	11.0	17	6.1	21	7.5
All other	411	36	18.1	18	9.0	17	8.5
Black	7	1	18.9	–	–	–	–
Arizona	21,969	491	9.3	299	5.7	422	8.0
White	20,462	405	9.1	268	6.1	324	7.3
All other	1,507	86	10.3	31	3.7	98	11.7
Black	487	22	9.5	15	6.5	27	11.7
Urban places	14,177	316	8.9	216	6.1	268	7.5
White	13,631	287	8.9	198	6.2	232	7.2
All other	546	29	8.5	18	5.3	36	10.5
Black	411	19	9.9	14	7.3	21	10.9
Balance of area	7,792	175	10.2	83	4.9	154	9.0
White	6,831	118	9.7	70	5.8	92	7.6
All other	961	57	11.5	13	2.6	62	12.5
Black	76	3	7.7	1	2.6	6	15.3
Metropolitan counties	16,474	340	9.0	216	5.7	290	7.7
White	15,792	301	8.9	198	5.8	251	7.4
All other	682	39	10.1	18	4.7	39	10.1
Black	400	18	9.3	12	6.2	21	10.9
Urban places	12,742	285	8.9	193	6.0	242	7.5
White	12,249	258	8.9	177	6.1	211	7.3
All other	493	27	8.7	16	5.1	31	10.0
Black	372	17	9.6	12	6.8	19	10.7
Balance of area	3,732	55	9.6	23	4.0	48	8.4
White	3,543	43	8.6	21	4.2	40	8.0
All other	189	12	16.4	2	2.7	8	10.9
Black	28	1	6.3	–	–	2	12.7
Nonmetropolitan counties	5,495	151	10.2	89	5.6	132	8.9
White	4,670	104	10.1	70	6.8	73	7.1
All other	825	47	10.3	13	2.9	59	13.0
Black	87	4	10.3	3	7.7	6	15.5
Urban places	1,435	31	8.9	23	6.6	28	7.5
White	1,382	29	9.1	21	6.6	21	6.6
All other	53	2	6.7	2	6.7	5	16.7
Black	39	2	13.0	2	13.0	2	13.0
Balance of area	4,060	120	10.6	60	5.3	106	9.3
White	3,288	75	10.6	49	6.9	52	7.3
All other	772	45	10.6	11	2.6	54	12.7
Black	48	2	8.5	1	4.3	4	17.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Arkansas	22,419	357	10.1	204	5.8	246	7.0
White	18,613	211	8.0	126	4.8	163	6.2
All other	3,806	146	16.1	78	8.6	83	9.2
Black	3,774	146	16.9	78	9.0	77	8.9
Urban places	8,448	145	10.2	84	5.9	103	7.2
White	6,719	76	7.9	45	4.7	59	6.1
All other	1,729	69	14.9	39	8.4	44	9.5
Black	1,718	69	15.6	39	8.8	40	9.1
Balance of area	13,971	212	10.0	120	5.7	143	6.8
White	11,894	135	8.1	81	4.9	104	6.2
All other	2,077	77	17.4	39	8.8	39	8.8
Black	2,056	77	18.2	39	9.2	37	8.7
Metropolitan counties	7,654	156	10.5	92	6.2	96	6.5
White	6,214	90	8.5	50	4.7	60	5.7
All other	1,440	66	15.6	42	9.9	36	8.5
Black	1,429	66	16.7	42	10.6	33	8.4
Urban places	5,357	107	10.7	64	6.4	65	6.5
White	4,235	59	6.8	36	5.4	38	5.7
All other	1,122	48	14.4	28	8.4	27	8.1
Black	1,116	48	15.2	28	8.9	25	7.9
Balance of area	2,297	49	10.3	28	5.9	31	6.5
White	1,979	31	8.0	14	3.6	22	5.7
All other	318	18	20.0	14	15.5	9	10.0
Black	313	18	22.7	14	17.6	8	10.1
Nonmetropolitan counties	14,765	201	9.8	112	5.4	150	7.3
White	12,399	121	7.7	76	4.8	103	6.5
All other	2,366	80	16.6	36	7.5	47	9.7
Black	2,345	80	17.0	36	7.6	44	9.3
Urban places	3,091	38	8.9	20	4.7	38	8.9
White	2,484	17	5.8	9	3.0	21	7.1
All other	607	21	16.2	11	8.5	17	13.1
Black	602	21	16.8	11	8.7	15	11.9
Balance of area	11,674	163	10.0	92	5.6	112	6.9
White	9,915	104	8.1	67	5.2	82	6.4
All other	1,759	59	16.7	25	7.1	30	8.5
Black	1,743	59	17.1	25	7.3	29	8.4
California	188,471	4,251	9.9	2,690	6.3	3,311	7.7
White	169,427	3,294	9.6	2,083	6.1	2,548	7.5
All other	19,044	957	10.8	607	6.9	763	8.6
Black	13,904	709	15.9	444	10.0	495	11.1
Urban places	154,810	3,574	10.0	2,265	6.3	2,763	7.7
White	137,077	2,677	9.7	1,696	6.1	2,061	7.4
All other	17,733	897	11.1	569	7.0	702	8.7
Black	13,099	672	16.0	420	10.0	470	11.2
Balance of area	33,661	677	9.4	425	5.9	548	7.6
White	32,350	617	9.5	387	6.0	487	7.5
All other	1,311	60	8.0	38	5.1	61	8.1
Black	805	37	13.5	24	8.8	25	9.1
Metropolitan counties	177,859	4,047	9.9	2,578	6.3	3,117	7.6
White	159,212	3,108	9.7	1,979	6.2	2,357	7.4
All other	18,647	939	10.9	599	6.9	760	8.7
Black	13,671	698	15.9	438	10.0	491	11.2
Urban places	151,685	3,501	10.0	2,219	6.4	2,693	7.7
White	134,133	2,613	9.7	1,654	6.1	1,998	7.4
All other	17,552	888	11.1	565	7.1	695	8.7
Black	12,962	666	16.1	416	10.0	466	11.2
Balance of area	26,174	546	9.3	359	6.1	424	7.2
White	25,079	495	9.5	325	6.2	359	7.1
All other	1,095	51	7.9	34	5.3	55	8.6
Black	709	32	12.6	22	8.7	25	9.8
Nonmetropolitan counties	10,612	204	9.2	112	5.1	194	8.8
White	10,215	186	9.2	104	5.2	181	9.0
All other	397	18	9.1	8	4.0	13	6.6
Black	233	11	17.7	6	9.7	4	6.4
Urban places	3,125	73	8.4	46	5.3	70	8.1
White	2,944	64	8.3	42	5.4	63	8.1
All other	181	9	10.0	4	4.4	7	7.8
Black	137	6	14.1	4	9.4	4	9.4
Balance of area	7,487	131	9.7	66	4.9	124	9.2
White	7,271	122	9.8	62	5.0	118	9.5
All other	216	9	8.4	4	3.7	6	5.6
Black	96	5	25.8	2	10.3	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	19,649	499	9.1	311	5.7	541	9.9
White	18,931	458	9.1	283	5.6	487	9.7
All other	718	41	8.9	28	6.0	54	11.7
Black	562	34	12.4	23	8.4	41	14.9
Urban places	13,208	315	9.4	206	6.2	346	10.4
White	12,588	282	9.5	183	6.2	300	10.1
All other	620	33	8.7	23	6.0	46	12.1
Black	520	29	11.9	21	8.6	36	14.8
Balance of area	6,441	184	8.6	105	4.9	195	9.1
White	6,343	176	8.6	100	4.9	187	9.1
All other	98	8	9.7	5	6.1	8	9.7
Black	42	5	15.8	2	6.3	5	15.8
Metropolitan counties	14,929	399	9.2	254	5.8	420	9.6
White	14,258	359	9.2	227	5.8	372	9.5
All other	671	40	9.1	27	6.1	48	10.9
Black	549	34	12.4	23	8.4	38	13.9
Urban places	12,358	301	9.4	199	6.2	327	10.2
White	11,743	268	9.5	176	6.2	283	10.0
All other	615	33	8.7	23	6.1	44	11.7
Black	518	29	11.9	21	8.6	35	14.4
Balance of area	2,571	98	8.5	55	4.8	93	8.1
White	2,515	91	8.4	51	4.7	89	8.2
All other	56	7	11.1	4	6.3	4	6.3
Black	31	5	16.6	2	6.6	3	9.9
Nonmetropolitan counties	4,720	100	8.9	57	5.1	121	10.8
White	4,673	99	9.0	56	5.1	115	10.5
All other	47	1	4.5	1	4.5	6	27.1
Black	13	–	–	–	–	3	142.9
Urban places	850	14	10.9	7	5.4	19	14.7
White	845	14	11.1	7	5.6	17	13.5
All other	5	–	–	–	–	2	60.6
Black	2	–	–	–	–	1	142.9
Balance of area	3,870	86	8.7	50	5.0	102	10.3
White	3,828	85	8.7	49	5.0	98	10.1
All other	42	1	5.3	1	5.3	4	21.3
Black	11	–	–	–	–	2	142.9
Connecticut	26,838	450	11.1	348	8.6	307	7.6
White	25,424	342	9.8	268	7.7	235	6.8
All other	1,414	108	18.9	80	14.0	72	12.6
Black	1,371	106	21.1	79	15.8	66	13.2
Urban places	19,597	358	12.5	276	9.6	231	8.1
White	18,247	251	10.8	197	8.5	162	7.0
All other	1,350	107	20.0	79	14.7	69	12.9
Black	1,319	105	21.8	78	16.2	64	13.3
Balance of area	7,241	92	7.8	72	6.1	76	6.4
White	7,177	91	7.9	71	6.2	73	6.4
All other	64	1	2.9	1	2.9	3	8.7
Black	52	1	4.8	1	4.8	2	9.6
Metropolitan counties	24,698	425	11.4	327	8.8	287	7.7
White	23,292	317	10.0	247	7.8	216	6.8
All other	1,404	108	19.1	80	14.2	71	12.6
Black	1,363	106	21.3	79	15.9	65	13.1
Urban places	19,280	355	12.6	273	9.7	228	8.1
White	17,932	248	10.8	194	8.5	159	7.0
All other	1,348	107	20.0	79	14.8	69	12.9
Black	1,318	105	21.9	78	16.3	64	13.3
Balance of area	5,418	70	7.8	54	6.0	59	6.6
White	5,360	69	7.9	53	6.1	57	6.6
All other	56	1	3.3	1	3.3	2	6.7
Black	45	1	5.6	1	5.6	1	5.6
Nonmetropolitan counties	2,142	25	7.7	21	6.5	20	6.2
White	2,132	25	7.9	21	6.6	19	6.0
All other	10	–	–	–	–	1	15.4
Black	8	–	–	–	–	1	24.4
Urban places	317	3	7.6	3	7.6	3	7.6
White	315	3	8.0	3	8.0	3	8.0
All other	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	1,825	22	7.7	18	6.3	17	6.0
White	1,817	22	7.9	18	6.4	16	5.7
All other	8	–	–	–	–	1	21.7
Black	7	–	–	–	–	1	33.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Delaware	5,104	129	14.1	95	10.9	83	9.0
White	4,261	79	11.2	61	8.7	54	7.7
All other	843	50	23.2	34	15.8	29	13.5
Black	832	49	23.9	33	16.1	27	13.2
Urban places	1,827	52	26.2	49	29.7	34	14.4
White	1,354	30	22.2	26	19.2	16	11.8
All other	473	32	31.6	23	22.7	18	17.8
Black	470	32	32.6	23	23.4	18	18.3
Balance of area	3,277	67	9.8	46	6.7	49	7.2
White	2,907	49	8.6	35	6.2	38	6.7
All other	370	18	15.8	11	9.6	11	9.6
Black	362	17	15.9	10	9.3	9	8.4
Metropolitan counties	3,286	88	14.8	66	11.1	56	9.4
White	2,754	57	12.2	46	9.8	33	7.0
All other	542	31	25.0	20	16.1	23	18.6
Black	537	30	25.6	19	18.2	21	17.9
Urban places	1,631	55	28.8	42	22.0	28	14.6
White	1,203	28	26.0	24	22.3	11	10.2
All other	428	27	32.3	18	21.5	17	20.3
Black	426	27	33.4	18	22.2	17	21.0
Balance of area	1,655	33	8.2	24	6.0	28	7.0
White	1,551	29	8.0	22	6.1	22	6.1
All other	114	4	10.0	2	5.0	6	14.9
Black	111	3	8.3	1	2.8	4	11.0
Nonmetropolitan counties	1,808	41	12.6	29	8.9	27	8.3
White	1,507	22	9.4	15	6.4	21	9.0
All other	301	19	20.7	14	15.3	6	6.6
Black	295	19	21.5	14	15.9	6	6.8
Urban places	196	7	15.5	7	15.5	6	13.3
White	151	2	7.3	2	7.3	5	18.2
All other	45	5	28.2	5	28.2	1	5.6
Black	44	5	28.9	5	28.9	1	5.8
Balance of area	1,612	34	12.2	22	7.9	21	7.5
White	1,356	20	9.7	13	6.3	16	7.8
All other	256	14	18.9	9	12.2	5	6.8
Black	251	14	19.7	9	12.7	5	7.1
District of Columbia	6,713	197	21.2	145	15.6	111	11.9
White	1,884	13	7.5	6	3.5	12	7.0
All other	4,829	184	24.3	139	18.3	99	13.1
Black	4,789	180	24.1	136	18.2	96	12.8
Urban places	6,713	197	21.2	145	15.6	111	11.9
White	1,884	13	7.5	6	3.5	12	7.0
All other	4,829	184	24.3	139	18.3	99	13.1
Black	4,789	180	24.1	136	18.2	96	12.8
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	6,713	197	21.2	145	15.6	111	11.9
White	1,884	13	7.5	6	3.5	12	7.0
All other	4,829	184	24.3	139	18.3	99	13.1
Black	4,789	180	24.1	136	18.2	96	12.8
Urban places	6,713	197	21.2	145	15.6	111	11.9
White	1,884	13	7.5	6	3.5	12	7.0
All other	4,829	184	24.3	139	18.3	99	13.1
Black	4,789	180	24.1	136	18.2	96	12.8
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Florida	108,564	1,857	12.8	1,305	9.0	1,463	10.1
White	97,122	1,075	10.1	766	7.2	893	8.4
All other	11,462	782	20.4	539	14.1	570	14.9
Black	11,300	771	21.1	533	14.6	553	15.1
Urban places	58,078	972	12.2	667	8.6	781	9.8
White	51,003	473	9.0	342	6.5	423	8.1
All other	7,075	499	18.3	345	12.6	358	13.1
Black	6,997	493	18.7	341	12.9	345	13.1
Balance of area	50,506	885	13.7	618	9.6	682	10.5
White	46,119	602	11.2	424	7.9	470	8.7
All other	4,387	283	25.9	194	17.7	212	19.4
Black	4,303	278	27.2	192	18.8	208	20.3
Metropolitan counties	94,337	1,628	12.9	1,168	9.2	1,274	10.1
White	84,564	943	10.2	687	7.4	789	8.3
All other	9,773	685	20.3	481	14.3	505	15.0
Black	9,624	674	20.9	475	14.8	490	15.2
Urban places	56,324	945	12.2	673	8.7	781	9.8
White	49,521	463	9.1	337	6.6	414	8.1
All other	6,803	482	18.2	336	12.7	347	13.1
Black	6,726	476	18.6	332	13.0	335	13.1
Balance of area	38,013	683	13.9	495	10.1	513	10.5
White	35,043	480	11.5	350	8.4	355	8.5
All other	2,970	203	27.9	145	20.0	158	21.7
Black	2,898	198	28.7	143	21.5	155	23.3
Nonmetropolitan counties	14,247	229	12.6	137	7.5	189	10.4
White	12,558	132	9.7	79	5.8	124	9.1
All other	1,689	97	21.3	58	12.8	65	14.3
Black	1,676	97	21.9	58	13.1	63	14.2
Urban places	1,754	27	10.8	14	5.6	20	8.0
White	1,482	10	6.1	5	3.1	9	5.5
All other	272	17	19.3	9	10.2	11	12.5
Black	271	17	19.8	9	10.5	10	11.6
Balance of area	12,493	202	12.9	123	7.9	169	10.8
White	11,076	122	10.2	74	6.2	115	9.6
All other	1,417	80	21.8	49	13.4	54	14.7
Black	1,405	80	22.4	49	13.7	53	14.8
Georgia	44,179	1,142	12.7	751	8.3	1,243	13.8
White	31,713	546	9.6	367	6.5	642	11.3
All other	12,466	596	17.9	384	11.5	601	18.1
Black	12,414	588	18.2	379	11.7	594	18.9
Urban places	16,980	485	15.4	331	10.5	510	16.2
White	9,803	155	11.6	105	7.8	179	13.4
All other	7,157	330	18.2	226	12.5	331	18.3
Black	7,134	325	18.4	223	12.6	327	18.5
Balance of area	27,219	657	11.2	420	7.2	733	12.5
White	21,910	391	9.0	262	6.0	463	10.6
All other	5,309	266	17.5	158	10.4	270	17.8
Black	5,280	263	17.9	156	10.6	267	18.2
Metropolitan counties	23,619	656	12.0	446	8.2	692	12.7
White	16,686	340	9.8	233	6.7	366	10.6
All other	6,933	316	15.7	213	10.6	326	16.2
Black	6,896	310	16.0	210	10.8	320	16.5
Urban places	12,648	363	14.9	249	10.2	384	15.7
White	8,956	112	11.4	78	7.9	130	13.2
All other	5,692	251	17.2	171	11.7	254	17.4
Black	5,672	247	17.3	169	11.9	251	17.6
Balance of area	10,971	293	9.7	197	6.5	308	10.2
White	9,730	228	9.2	155	6.3	236	9.5
All other	1,241	65	11.8	42	7.6	72	13.1
Black	1,224	69	12.3	41	8.0	69	13.5
Nonmetropolitan counties	20,560	486	13.7	305	8.6	551	15.5
White	15,027	206	9.2	134	6.0	276	12.4
All other	5,533	280	21.2	171	12.9	275	20.8
Black	5,518	278	21.4	169	13.0	274	21.0
Urban places	4,312	122	17.2	82	11.6	126	17.8
White	2,847	43	12.1	27	7.6	49	13.8
All other	1,465	79	22.3	55	15.5	77	21.8
Black	1,462	78	22.5	54	15.6	76	21.9
Balance of area	16,248	364	12.8	223	7.8	425	15.0
White	12,180	163	8.7	107	5.7	227	12.1
All other	4,068	201	20.9	116	12.0	198	20.5
Black	4,058	200	20.9	115	12.0	198	20.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[*Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.* Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Hawaii	5,188	164	8.8	107	5.7	218	11.7	Illinois	100,501	2,500	13.6	1,715	9.3	1,820	8.8
White	1,688	40	8.9	24	5.4	61	13.6	White	86,435	1,514	10.8	1,078	7.7	1,051	7.5
All other	3,500	124	8.7	83	5.8	157	11.0	All other	14,066	986	22.8	638	14.8	569	13.2
Black	42	11	15.9	6	8.6	16	23.1	Black	13,730	960	24.6	620	15.9	544	13.9
Urban places	3,763	110	8.6	71	5.6	170	13.3	Urban places	70,999	1,850	14.8	1,337	10.1	1,228	9.3
White	1,225	24	8.3	15	5.2	46	15.9	White	57,718	1,021	11.2	734	8.0	684	7.5
All other	2,538	86	8.7	56	5.7	124	12.5	All other	13,283	929	22.8	603	14.8	544	13.4
Black	35	9	16.3	4	7.2	16	29.0	Black	12,971	907	24.6	588	15.9	525	14.2
Balance of area	1,425	54	9.1	36	6.1	48	8.1	Balance of area	28,502	550	10.6	379	7.3	392	7.6
White	463	16	10.0	9	5.6	15	9.4	White	28,718	493	10.0	344	7.0	367	7.5
All other	962	38	8.8	27	6.2	33	7.6	All other	783	57	22.0	35	13.5	25	9.6
Black	7	2	14.1	2	14.1	–	–	Black	759	53	25.1	32	15.2	19	9.0
Metropolitan counties	3,817	128	8.9	87	6.0	172	11.9	Metropolitan counties	77,955	2,139	14.0	1,455	9.5	1,352	8.9
White	1,260	31	8.7	19	5.3	47	13.1	White	64,341	1,178	10.7	834	7.6	800	7.2
All other	2,557	97	8.9	68	6.3	125	11.5	All other	13,614	961	22.9	621	14.8	552	13.2
Black	39	10	14.8	5	7.4	16	23.7	Black	13,289	936	24.6	604	15.9	529	13.9
Urban places	3,324	98	8.4	66	5.7	156	13.4	Urban places	65,152	1,848	14.9	1,261	10.1	1,148	9.2
White	1,112	22	7.9	15	5.4	44	15.8	White	52,110	934	11.1	670	7.9	614	7.3
All other	2,212	76	8.6	51	5.8	112	12.6	All other	13,042	914	22.9	591	14.8	534	13.4
Black	33	9	16.4	4	7.3	16	29.1	Black	12,734	892	24.6	576	15.9	515	14.2
Balance of area	493	30	10.8	21	7.5	16	5.7	Balance of area	12,803	291	10.3	194	6.9	204	7.3
White	148	9	11.3	4	5.0	3	3.8	White	12,231	244	9.4	164	6.3	186	7.2
All other	345	21	10.6	17	8.6	13	6.5	All other	572	47	22.1	30	14.1	18	8.5
Black	6	1	7.9	1	7.9	–	–	Black	555	44	25.4	28	16.2	14	8.1
Nonmetropolitan counties	1,371	36	8.4	20	4.7	46	10.7	Nonmetropolitan counties	22,546	361	11.6	261	8.4	268	8.6
White	426	9	10.0	5	5.5	14	15.5	White	22,094	336	11.2	244	8.2	251	8.4
All other	943	27	8.0	15	4.4	32	9.5	All other	452	25	19.4	17	13.2	17	13.2
Black	3	1	55.6	1	55.6	–	–	Black	441	24	22.7	16	15.2	15	14.2
Urban places	439	12	10.6	5	4.4	14	12.4	Urban places	5,847	102	13.5	76	10.0	80	10.6
White	113	2	19.0	–	–	2	19.0	White	5,606	87	12.9	64	9.5	70	10.4
All other	326	10	9.7	5	4.9	12	11.7	All other	241	15	18.2	12	14.6	10	12.2
Black	2	–	–	–	–	–	–	Black	237	15	22.1	12	17.6	10	14.7
Balance of area	932	24	7.6	15	4.8	32	10.2	Balance of area	16,699	259	11.0	185	7.8	188	8.0
White	315	7	8.8	5	6.3	12	15.0	White	16,488	249	10.8	180	7.8	181	7.8
All other	617	17	7.2	10	4.3	20	8.5	All other	211	10	21.5	5	10.8	7	15.1
Black	1	1	62.5	1	62.5	–	–	Black	204	9	23.9	4	10.6	5	13.3
Idaho	6,957	195	9.9	123	6.3	140	7.1	Indiana	48,630	956	11.4	643	7.7	679	8.1
White	6,847	193	10.2	122	6.4	136	7.2	White	43,246	772	10.4	513	6.9	564	7.6
All other	110	2	3.0	1	1.5	4	6.1	All other	3,384	184	18.9	130	13.4	115	11.8
Black	8	1	9.1	1	9.1	2	18.2	Black	3,354	183	20.2	129	14.3	97	10.7
Urban places	3,080	79	10.7	50	6.7	50	6.7	Urban places	26,492	615	13.5	428	9.4	386	8.5
White	3,040	79	11.1	50	7.0	47	6.6	White	23,204	439	12.1	303	8.3	282	7.8
All other	40	–	–	–	–	3	10.3	All other	3,288	176	19.0	125	13.5	104	11.2
Black	7	–	–	–	–	2	34.5	Black	3,283	175	19.9	124	14.1	88	10.0
Balance of area	3,877	116	9.5	73	6.0	90	7.4	Balance of area	20,138	341	8.9	215	5.6	293	7.6
White	3,807	114	9.6	72	6.1	89	7.5	White	20,042	333	8.8	210	5.5	282	7.4
All other	70	2	5.4	1	2.7	1	2.7	All other	96	8	17.4	5	10.9	11	23.9
Black	1	1	19.2	1	19.2	–	–	Black	91	8	31.1	5	19.5	9	35.0
Metropolitan counties	1,108	32	9.7	16	4.8	21	6.4	Metropolitan counties	31,596	706	11.8	485	8.1	477	8.0
White	1,094	32	10.1	16	5.0	21	6.6	White	28,401	532	10.5	362	7.2	377	7.4
All other	14	–	–	–	–	–	–	All other	3,195	174	19.1	123	13.5	100	11.0
Black	3	–	–	–	–	–	–	Black	3,173	173	20.2	122	14.3	84	9.8
Urban places	908	25	11.6	12	5.6	17	7.9	Urban places	21,997	538	13.5	380	9.6	331	8.4
White	894	25	12.2	12	5.9	17	8.3	White	18,860	368	11.9	261	8.5	236	7.7
All other	14	–	–	–	–	–	–	All other	3,137	168	19.1	119	13.5	95	10.8
Black	3	–	–	–	–	–	–	Black	3,115	167	20.0	118	14.1	80	9.6
Balance of area	200	7	6.1	4	3.5	4	3.5	Balance of area	9,599	170	8.5	105	5.2	146	7.3
White	200	7	6.2	4	3.5	4	3.5	White	9,541	164	8.3	101	5.1	141	7.1
All other	–	–	–	–	–	–	–	All other	58	6	19.7	4	13.1	5	16.4
Black	–	–	–	–	–	–	–	Black	58	6	31.4	4	20.9	4	20.9
Nonmetropolitan counties	5,849	169	10.0	107	6.6	119	7.3	Nonmetropolitan counties	15,034	250	10.3	158	6.5	202	8.3
White	5,753	161	10.2	106	6.7	115	7.3	White	14,845	240	10.2	151	6.4	187	7.9
All other	96	2	3.7	1	1.9	4	7.5	All other	189	10	15.9	7	11.1	15	23.8
Black	5	1	11.6	1	11.6	2	23.3	Black	181	10	20.3	7	14.2	13	26.4
Urban places	2,172	54	10.3	38	7.2	33	6.3	Urban places	4,495	79	13.3	48	8.1	55	9.2
White	2,146	54	10.6	38	7.5	30	5.9	White	4,344	71	12.9	42	7.7	46	8.4
All other	26	–	–	–	–	3	16.5	All other	151	8	16.8	6	12.7	9	19.0
Black	4	–	–	–	–	2	57.1	Black	148	8	18.7	6	14.1	8	18.7
Balance of area	3,677	109	9.9	69	6.2	86	7.8	Balance of area	10,539	171	9.4	110	6.0	147	8.0
White	3,607	107	10.0	68	6.4	85	7.9	White	10,501	169	9.3	109	6.0	141	7.8
All other	70	2	5.7	1	2.8	1	2.8	All other	38	2	12.9	1	6.5	6	38.7
Black	1	1	19.6	1	19.6	–	–	Black	33	2	30.3	1	15.2	5	75.8

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Iowa	26,890	456	10.2	281	6.3	286	6.4
White	26,555	429	10.0	265	6.2	271	6.3
All other	335	27	15.9	16	9.4	15	8.8
Black	289	22	21.3	14	13.6	12	11.6
Urban places	10,631	235	12.0	145	7.4	129	6.6
White	10,333	211	11.8	132	7.3	117	6.4
All other	298	24	16.5	13	9.0	12	8.3
Black	269	19	19.5	11	11.3	11	11.3
Balance of area	16,259	221	8.8	136	5.4	157	6.2
White	16,222	218	8.8	133	5.3	154	6.2
All other	37	3	12.0	3	12.0	3	12.0
Black	20	3	49.2	3	49.2	1	16.4
Metropolitan counties	8,941	231	12.2	137	7.2	121	6.4
White	8,682	210	11.9	126	7.1	109	6.2
All other	259	21	16.3	11	8.6	12	9.3
Black	235	17	19.2	10	11.3	11	12.4
Urban places	7,322	184	12.5	110	7.5	96	6.5
White	7,067	163	12.1	99	7.3	85	6.3
All other	255	21	17.0	11	8.9	11	8.9
Black	233	17	19.6	10	11.5	10	11.5
Balance of area	1,619	47	11.1	27	6.4	25	5.9
White	1,615	47	11.2	27	6.4	24	5.7
All other	4	–	–	–	–	1	19.2
Black	2	–	–	–	–	1	47.6
Nonmetropolitan counties	17,949	225	8.7	144	5.6	165	6.4
White	17,873	219	8.6	139	5.5	162	6.4
All other	76	6	14.4	5	12.0	3	7.2
Black	54	5	34.2	4	27.4	1	6.8
Urban places	3,309	51	10.4	35	7.2	33	6.7
White	3,266	48	10.3	33	7.1	32	6.8
All other	43	3	13.8	2	9.2	1	4.6
Black	36	2	18.9	1	9.4	1	9.4
Balance of area	14,640	174	8.3	109	5.2	132	6.3
White	14,607	171	8.3	106	5.1	130	6.3
All other	33	3	15.1	3	15.1	2	10.1
Black	18	3	75.0	3	75.0	–	–
Kansas	21,804	426	10.4	283	6.9	335	8.2
White	20,726	359	9.9	241	6.7	271	7.5
All other	1,078	67	14.4	42	9.0	64	13.8
Black	991	61	17.7	38	11.0	57	16.6
Urban places	10,957	266	11.2	179	7.5	203	8.5
White	9,998	204	10.3	140	7.1	145	7.4
All other	959	62	15.4	39	9.7	58	14.4
Black	900	56	18.1	35	11.3	51	16.5
Balance of area	10,847	160	9.3	104	6.1	132	7.7
White	10,728	155	9.4	101	6.1	126	7.6
All other	119	5	8.0	3	4.8	6	9.6
Black	91	5	14.5	3	8.7	6	17.4
Metropolitan counties	8,509	221	11.4	156	8.1	147	7.6
White	7,703	171	10.6	123	7.6	108	6.7
All other	806	50	15.8	33	10.5	39	12.4
Black	763	48	19.7	32	13.2	37	15.2
Urban places	6,801	189	12.1	132	8.5	124	8.0
White	6,014	140	11.2	100	8.0	87	6.9
All other	787	49	16.1	32	10.5	37	12.1
Black	746	47	19.7	31	13.0	35	14.7
Balance of area	1,708	32	8.6	24	6.4	23	6.2
White	1,689	31	8.6	23	6.4	21	5.8
All other	19	1	9.5	1	9.5	2	19.0
Black	17	1	18.9	1	18.9	2	37.7
Nonmetropolitan counties	13,295	205	9.5	127	5.9	188	8.7
White	13,023	188	9.4	118	5.9	163	8.1
All other	272	17	11.4	9	6.0	25	16.8
Black	228	13	12.9	6	5.9	20	19.8
Urban places	4,156	77	9.4	47	5.8	79	9.7
White	3,984	64	8.9	40	5.6	58	8.1
All other	172	13	13.4	7	7.2	21	21.6
Black	154	9	12.6	4	5.6	16	22.3
Balance of area	9,139	128	9.6	80	6.0	109	8.1
White	9,039	124	9.6	78	6.1	105	8.2
All other	100	4	7.7	2	3.8	4	7.7
Black	74	4	13.7	2	6.8	4	13.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	32,990	660	12.0	443	7.8	503	8.9
White	30,460	584	11.4	378	7.4	438	8.6
All other	2,530	96	16.9	65	11.5	65	11.5
Black	2,513	95	18.3	64	12.3	63	12.1
Urban places	11,365	234	13.7	152	8.9	176	10.4
White	9,636	168	12.4	109	8.0	138	10.2
All other	1,729	66	18.7	43	12.2	40	11.4
Black	1,720	65	19.5	42	12.6	40	12.0
Balance of area	21,625	446	11.2	291	7.3	325	8.2
White	20,824	416	11.1	269	7.2	300	8.0
All other	801	30	14.0	22	10.2	25	11.6
Black	793	30	16.0	22	11.8	23	12.3
Metropolitan counties	13,997	301	11.7	203	7.9	243	9.5
White	12,284	232	10.7	158	7.3	197	9.1
All other	1,713	69	17.3	45	11.3	46	11.5
Black	1,702	69	18.7	45	12.2	44	11.9
Urban places	8,818	182	13.5	123	9.1	140	10.4
White	7,351	125	11.8	86	8.1	109	10.3
All other	1,467	57	19.7	37	12.8	31	10.7
Black	1,459	57	20.7	37	13.4	31	11.3
Balance of area	5,179	119	9.8	80	6.6	103	8.4
White	4,933	107	9.6	72	6.5	88	7.9
All other	246	12	11.0	8	7.4	15	13.8
Black	243	12	12.7	8	8.5	13	13.8
Nonmetropolitan counties	18,993	379	12.2	240	7.7	260	8.4
White	18,176	352	12.0	220	7.5	241	8.2
All other	817	27	16.0	20	11.9	19	11.3
Black	811	26	17.4	19	12.7	19	12.7
Urban places	2,547	52	14.5	29	8.1	36	10.6
White	2,285	43	14.6	23	7.8	29	9.8
All other	262	9	14.4	6	9.6	9	14.4
Black	261	8	14.0	5	8.8	9	15.8
Balance of area	16,446	327	11.9	211	7.7	222	8.1
White	15,891	309	11.7	197	7.4	212	8.0
All other	555	18	17.0	14	13.2	10	9.4
Black	550	18	19.4	14	15.1	10	10.8
Louisiana	35,776	1,097	13.0	708	8.4	854	10.1
White	24,380	492	9.4	330	6.3	406	7.8
All other	11,396	605	18.7	378	11.7	448	13.8
Black	11,307	595	19.2	371	11.9	441	14.2
Urban places	17,552	541	14.5	360	9.7	424	11.4
White	10,725	175	9.8	125	7.0	158	8.7
All other	6,827	366	18.9	235	12.1	268	13.8
Black	6,787	358	19.1	229	12.2	265	14.2
Balance of area	18,224	556	11.7	348	7.3	430	9.1
White	13,655	317	9.2	205	6.0	250	7.3
All other	4,569	239	18.4	143	11.0	180	13.8
Black	4,520	237	19.2	142	11.5	176	14.2
Metropolitan parishes [a]	22,039	668	12.8	439	8.4	506	9.7
White	14,914	273	8.7	192	6.1	232	7.4
All other	7,125	395	19.0	247	11.9	274	13.2
Black	7,071	386	19.4	241	12.1	272	13.7
Urban places	14,791	454	14.6	296	9.5	353	11.3
White	8,894	132	9.1	92	6.4	124	8.6
All other	5,897	322	19.2	204	12.2	229	13.7
Black	5,862	314	19.4	198	12.2	227	14.0
Balance of area	7,248	214	10.2	143	6.8	153	7.3
White	6,020	141	8.3	100	5.9	108	6.4
All other	1,228	73	18.3	43	10.8	45	11.3
Black	1,209	72	19.4	43	11.6	45	12.1
Nonmetropolitan parishes [a]	13,737	429	13.2	269	8.3	348	10.7
White	9,466	219	10.5	138	6.6	174	8.4
All other	4,271	210	18.0	131	11.3	174	14.9
Black	4,236	209	18.7	130	11.7	169	15.2
Urban places	2,761	97	14.4	64	10.6	71	11.7
White	1,831	43	12.6	33	9.6	32	9.3
All other	930	44	16.7	31	11.8	39	14.8
Black	925	44	17.5	31	12.3	38	15.1
Balance of area	10,976	342	12.9	205	7.8	277	10.5
White	7,635	176	10.1	105	6.0	142	8.2
All other	3,341	168	18.4	100	11.1	135	15.0
Black	3,311	165	19.1	99	11.5	131	15.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maine	10,472	150	9.0	103	6.2	118	7.1
White	10,432	147	9.0	102	6.2	115	7.0
All other	40	3	9.1	1	3.0	3	9.1
Black	15	2	21.1	1	10.5	–	–
Urban places	3,181	60	14.1	49	11.5	25	5.9
White	3,168	59	14.2	48	11.6	24	5.8
All other	13	1	10.8	1	10.8	1	10.6
Black	9	1	29.4	1	29.4	–	–
Balance of area	7,291	90	7.2	54	4.3	93	7.5
White	7,264	88	7.2	54	4.4	91	7.5
All other	27	2	8.4	–	–	2	8.4
Black	6	1	16.4	–	–	–	–
Metropolitan counties	5,661	88	9.4	62	6.6	64	6.9
White	5,641	86	9.4	61	6.7	61	6.7
All other	20	2	11.9	1	6.0	3	17.9
Black	11	2	37.0	1	18.5	–	–
Urban places	2,630	46	13.1	36	10.2	18	5.1
White	2,620	45	13.1	35	10.2	17	4.9
All other	10	1	12.5	1	12.5	1	12.5
Black	8	1	34.5	1	34.5	–	–
Balance of area	3,031	42	7.2	26	4.5	46	7.9
White	3,021	41	7.2	26	4.5	44	7.7
All other	10	1	11.4	–	–	2	22.7
Black	3	1	40.0	–	–	–	–
Nonmetropolitan counties	4,811	62	8.5	41	5.6	54	7.4
White	4,791	61	8.5	41	5.7	54	7.5
All other	20	1	6.2	–	–	–	–
Black	4	–	–	–	–	–	–
Urban places	551	14	19.4	13	18.0	7	9.7
White	548	14	19.7	13	18.3	7	9.9
All other	3	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	4,260	48	7.3	28	4.2	47	7.1
White	4,243	47	7.3	28	4.3	47	7.3
All other	17	1	6.7	–	–	–	–
Black	3	–	–	–	–	–	–
Maryland	34,098	762	11.9	536	8.4	572	9.0
White	26,636	384	8.9	269	6.3	283	6.6
All other	7,462	378	18.1	267	12.8	289	13.8
Black	7,308	369	19.3	263	13.7	283	14.8
Urban places	12,870	288	14.3	195	9.7	209	10.4
White	8,129	87	9.1	58	6.1	56	5.9
All other	4,741	201	19.0	137	13.0	153	14.5
Black	4,694	198	19.8	136	13.6	150	15.0
Balance of area	21,228	474	10.8	341	7.8	363	8.3
White	18,507	297	8.9	211	6.3	227	6.8
All other	2,721	177	17.2	130	12.6	136	13.2
Black	2,614	171	18.7	127	13.9	133	14.5
Metropolitan counties	29,778	671	11.9	466	8.3	513	9.1
White	23,125	329	8.9	226	6.1	246	6.6
All other	6,653	342	17.7	240	12.4	267	13.8
Black	6,504	334	18.9	236	13.4	261	14.8
Urban places	12,237	279	14.6	188	9.8	204	10.7
White	7,830	84	9.5	56	6.3	54	6.1
All other	4,607	195	19.0	132	12.9	150	14.6
Black	4,561	193	19.9	131	13.5	147	15.1
Balance of area	17,541	392	10.5	278	7.5	309	8.3
White	15,495	245	8.7	170	6.0	192	6.8
All other	2,046	147	16.3	108	12.0	117	13.0
Black	1,943	141	17.7	105	13.2	114	14.3
Nonmetropolitan counties	4,320	91	12.3	70	9.4	59	8.0
White	3,511	55	9.4	43	7.4	37	6.3
All other	809	36	22.6	27	17.0	22	13.8
Black	804	35	23.4	27	18.0	22	14.7
Urban places	633	9	9.1	7	7.1	5	5.1
White	489	3	4.4	2	2.9	2	2.9
All other	134	6	19.9	5	16.6	3	10.0
Black	133	5	17.7	5	17.7	3	10.6
Balance of area	3,687	82	12.7	63	9.8	54	8.4
White	3,012	52	10.1	41	8.0	35	6.8
All other	675	30	23.3	22	17.1	19	14.7
Black	671	30	24.7	22	18.1	19	15.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Massachusetts	52,946	766	10.1	579	7.6	577	7.6
White	51,313	659	9.6	495	7.2	490	7.1
All other	1,633	107	14.7	78	10.7	87	11.9
Black	1,465	102	18.6	75	13.7	77	14.0
Urban places	40,376	586	10.6	437	7.9	446	8.1
White	38,828	483	9.9	362	7.5	367	7.6
All other	1,548	103	15.4	75	11.2	79	11.8
Black	1,392	98	18.9	72	13.9	72	13.9
Balance of area	12,570	180	8.7	138	6.8	131	6.4
White	12,485	176	8.8	133	6.6	123	6.1
All other	85	4	6.9	3	5.2	8	13.9
Black	73	4	13.2	3	9.9	5	16.6
Metropolitan counties	50,338	745	10.2	560	7.7	556	7.6
White	48,742	639	9.7	482	7.3	472	7.2
All other	1,596	106	14.8	78	10.9	84	11.8
Black	1,432	102	18.9	75	13.9	76	14.1
Urban places	40,001	581	10.6	435	7.9	446	8.1
White	38,466	479	9.9	360	7.5	367	7.6
All other	1,535	102	15.3	75	11.2	79	11.8
Black	1,381	98	18.9	72	13.9	72	13.9
Balance of area	10,337	164	9.1	125	6.9	110	6.1
White	10,276	160	9.1	122	6.9	105	6.0
All other	61	4	8.7	3	6.5	5	10.9
Black	51	4	17.2	3	12.9	4	17.2
Nonmetropolitan counties	2,608	21	7.1	13	4.4	21	7.1
White	2,571	20	7.1	13	4.6	18	6.4
All other	37	1	7.4	–	–	3	22.1
Black	33	–	–	–	–	1	12.0
Urban places	375	5	11.8	2	4.7	–	–
White	362	4	9.9	2	4.9	–	–
All other	13	1	55.6	–	–	–	–
Black	11	–	–	–	–	–	–
Balance of area	2,233	16	6.3	11	4.3	21	8.3
White	2,209	16	6.6	11	4.5	18	7.4
All other	24	–	–	–	–	3	25.4
Black	22	–	–	–	–	1	14.5
Michigan	75,694	1,676	12.1	1,203	8.7	952	6.9
White	65,501	1,115	9.8	787	6.9	739	6.5
All other	10,193	561	22.9	416	17.0	213	8.7
Black	9,946	548	24.6	409	18.4	206	9.3
Urban places	45,584	1,120	14.1	822	10.3	565	7.1
White	35,996	589	10.3	426	7.5	373	6.5
All other	9,588	531	23.4	396	17.4	192	8.5
Black	9,447	521	24.6	391	18.5	188	8.8
Balance of area	30,110	556	9.5	381	6.5	387	6.6
White	29,505	526	9.3	361	6.4	366	6.4
All other	605	30	16.3	20	10.9	21	11.4
Black	499	27	23.8	18	15.9	20	17.7
Metropolitan counties	60,966	1,435	12.6	1,039	9.1	766	6.7
White	51,005	880	9.8	628	7.0	557	6.2
All other	9,961	555	23.3	411	17.2	209	8.8
Black	9,786	542	24.6	404	18.4	202	9.2
Urban places	43,777	1,083	14.1	794	10.3	540	7.0
White	34,215	553	10.2	399	7.3	349	6.4
All other	9,562	530	23.5	395	17.5	191	8.5
Black	9,436	520	24.7	390	18.5	185	8.8
Balance of area	17,189	352	9.6	245	6.6	226	6.1
White	16,790	327	9.2	229	6.4	208	5.8
All other	399	25	19.3	16	12.4	18	13.9
Black	350	22	24.2	14	15.4	17	18.7
Nonmetropolitan counties	14,728	241	9.9	164	6.7	186	7.6
White	14,496	235	9.9	159	6.7	182	7.7
All other	232	6	8.8	5	7.3	4	5.8
Black	160	6	22.1	5	18.4	4	14.7
Urban places	1,807	37	13.9	26	10.6	25	9.4
White	1,781	36	14.3	27	10.7	24	9.5
All other	26	1	7.4	1	7.4	1	7.4
Black	11	1	21.3	1	21.3	1	21.3
Balance of area	12,921	204	9.4	136	6.2	161	7.4
White	12,715	199	9.4	132	6.2	158	7.4
All other	206	5	9.1	4	7.3	3	5.5
Black	149	5	22.2	4	17.8	3	13.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	32,978	648	9.5	405	5.9	434	6.3
White	32,400	582	9.1	369	5.8	400	6.3
All other	578	66	14.0	36	7.6	34	7.2
Black	302	31	18.2	18	10.6	12	7.0
Urban places	17,105	340	9.4	201	5.6	218	6.0
White	16,671	287	8.9	172	5.3	192	5.9
All other	434	53	13.8	29	7.5	26	6.8
Black	291	29	17.4	16	9.6	12	7.2
Balance of area	15,873	308	9.5	204	6.3	216	6.7
White	15,729	295	9.4	197	6.3	208	6.6
All other	144	13	14.9	7	8.0	8	9.2
Black	11	2	55.6	2	55.6	–	–
Metropolitan counties	18,878	402	9.0	229	5.1	272	6.1
White	18,434	348	8.5	200	4.9	246	6.0
All other	444	54	13.8	29	7.4	26	6.6
Black	298	30	17.8	17	10.1	12	7.1
Urban places	14,394	292	9.2	168	5.3	195	6.1
White	13,973	240	8.5	140	5.0	169	6.0
All other	421	52	14.0	28	7.5	26	7.0
Black	291	29	17.5	16	9.7	12	7.2
Balance of area	4,484	110	8.6	61	4.7	77	6.0
White	4,461	108	8.5	60	4.7	77	6.1
All other	23	2	9.5	1	4.8	–	–
Black	6	1	37.0	1	37.0	–	–
Nonmetropolitan counties	14,100	246	10.4	176	7.4	162	6.8
White	13,966	234	10.2	169	7.4	154	6.7
All other	134	12	15.2	7	8.8	8	10.1
Black	6	1	43.5	1	43.5	–	–
Urban places	2,711	48	11.2	33	7.7	23	5.4
White	2,698	47	11.3	32	7.7	23	5.5
All other	13	1	7.9	1	7.9	–	–
Black	–	–	–	–	–	–	–
Balance of area	11,389	198	10.2	143	7.3	139	7.1
White	11,268	187	9.9	137	7.3	131	7.0
All other	121	11	16.6	6	9.0	8	12.0
Black	6	1	111.1	1	111.1	–	–
Mississippi	23,283	710	15.4	468	10.2	612	13.3
White	14,952	251	10.4	167	6.9	230	9.6
All other	8,331	459	20.9	301	13.7	382	17.4
Black	8,261	448	20.9	295	13.7	381	17.7
Urban places	8,036	248	16.1	179	11.6	197	12.8
White	4,911	76	10.6	56	7.8	63	8.8
All other	3,125	172	20.9	123	15.0	134	16.3
Black	3,108	169	21.0	120	14.9	134	16.6
Balance of area	15,247	462	15.1	289	9.5	415	13.6
White	10,041	175	10.4	111	6.6	167	9.9
All other	5,206	287	20.9	178	13.0	248	18.1
Black	5,153	279	20.7	175	13.0	247	18.3
Metropolitan counties	5,265	175	14.1	121	9.8	125	10.1
White	3,753	74	9.6	47	6.1	64	8.3
All other	1,512	101	21.7	74	15.9	61	13.1
Black	1,501	98	21.8	71	15.8	61	13.6
Urban places	3,221	115	15.2	82	10.8	79	10.4
White	2,162	41	10.0	26	6.3	30	7.3
All other	1,059	74	21.3	56	16.2	49	14.1
Black	1,051	71	21.2	53	15.8	49	14.6
Balance of area	2,044	60	12.5	39	8.1	46	9.6
White	1,591	33	9.1	21	5.8	34	9.4
All other	453	27	22.8	18	15.2	12	10.1
Black	450	27	23.6	18	15.7	12	10.5
Nonmetropolitan counties	18,018	535	15.9	347	10.3	487	14.5
White	11,199	177	10.9	120	7.4	166	10.2
All other	6,819	358	20.7	227	13.1	321	18.6
Black	6,760	350	20.6	224	13.2	320	18.8
Urban places	4,815	133	17.0	97	12.4	118	15.1
White	2,749	35	11.4	30	9.8	33	10.8
All other	2,066	98	20.7	67	14.1	85	17.9
Black	2,057	98	20.8	67	14.2	85	18.1
Balance of area	13,203	402	15.6	250	9.7	369	14.3
White	8,450	142	10.7	90	6.8	133	10.0
All other	4,753	260	20.8	160	12.8	236	18.8
Black	4,703	252	20.5	157	12.7	235	19.1
Missouri	48,277	898	11.7	574	7.5	656	8.5
White	43,430	653	10.1	425	6.6	485	7.5
All other	4,847	245	19.7	149	12.0	171	13.7
Black	4,788	238	20.6	145	12.6	163	14.1
Urban places	22,774	464	12.9	303	8.4	331	9.2
White	18,740	283	10.8	189	7.2	199	7.6
All other	4,034	181	18.6	114	11.7	132	13.6
Black	4,001	177	19.3	112	12.2	128	13.9
Balance of area	25,503	434	10.6	271	6.6	325	8.0
White	24,690	370	8.7	236	6.2	286	7.5
All other	813	64	23.4	35	12.8	39	14.3
Black	787	61	25.9	33	14.0	35	14.9
Metropolitan counties	29,167	607	11.7	390	7.5	435	8.4
White	24,895	397	9.8	262	6.4	284	7.0
All other	4,272	210	19.0	128	11.6	151	13.6
Black	4,224	205	19.8	126	12.1	144	13.8
Urban places	20,049	421	13.0	269	8.3	303	9.4
White	16,192	247	10.7	161	7.0	174	7.5
All other	3,857	174	18.7	108	11.6	129	13.9
Black	3,824	170	19.3	106	12.0	126	14.3
Balance of area	9,118	186	9.8	121	6.2	132	6.8
White	8,703	150	8.5	101	5.7	110	6.2
All other	415	36	20.3	20	11.3	22	12.4
Black	400	36	23.0	20	12.8	18	11.5
Nonmetropolitan counties	19,110	291	11.6	184	7.4	221	8.8
White	18,535	256	10.8	163	6.9	201	8.5
All other	575	35	25.5	21	15.3	20	14.6
Black	564	32	27.9	19	16.6	19	16.6
Urban places	2,725	43	12.1	34	9.6	28	7.9
White	2,548	36	11.5	28	8.9	25	8.0
All other	177	7	16.8	6	14.4	3	7.2
Black	177	7	19.5	6	16.7	2	5.6
Balance of area	16,385	248	11.6	150	7.0	193	9.0
White	15,987	220	10.7	135	6.6	176	8.6
All other	398	28	29.3	15	15.7	17	17.8
Black	387	25	31.8	13	16.5	17	21.6
Montana	6,631	147	10.1	95	6.5	93	6.4
White	6,319	131	10.2	67	6.8	78	6.1
All other	312	16	9.4	8	4.7	15	8.8
Black	9	1	14.5	1	14.5	1	14.5
Urban places	2,563	56	12.2	35	7.6	38	8.2
White	2,518	53	12.4	34	8.0	32	7.6
All other	45	3	8.8	1	2.9	6	17.7
Black	7	–	–	–	–	1	26.3
Balance of area	4,068	91	9.2	60	6.0	55	5.5
White	3,801	78	9.1	53	6.2	48	5.4
All other	267	13	9.6	7	5.2	9	6.6
Black	2	1	32.3	1	32.3	–	–
Metropolitan counties	1,383	37	10.8	27	7.9	28	8.2
White	1,357	33	10.4	24	7.6	26	8.2
All other	26	4	16.1	3	12.0	2	8.0
Black	5	1	17.9	1	17.9	–	–
Urban places	1,062	24	11.0	15	6.9	22	10.1
White	1,041	23	11.5	15	7.5	20	10.0
All other	21	1	5.4	–	–	2	10.9
Black	4	–	–	–	–	–	–
Balance of area	321	13	10.5	12	9.7	6	4.8
White	316	10	8.5	9	7.7	6	5.1
All other	5	3	46.2	3	46.2	–	–
Black	1	1	43.5	1	43.5	–	–
Nonmetropolitan counties	5,248	110	9.9	68	6.1	65	5.8
White	4,862	98	10.1	63	6.5	52	5.4
All other	286	12	8.3	5	3.5	13	9.0
Black	4	–	–	–	–	1	76.9
Urban places	1,501	32	13.2	20	8.3	16	6.6
White	1,477	30	13.2	19	8.4	12	5.3
All other	24	2	12.9	1	6.5	4	25.8
Black	3	–	–	–	–	1	200.0
Balance of area	3,747	78	9.0	48	5.5	49	5.6
White	3,485	68	9.2	44	5.9	40	5.4
All other	262	10	7.7	4	3.1	9	7.0
Black	1	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Nebraska	14,577	270	10.0	185	6.9	229	8.5
White	14,141	240	9.6	166	6.7	194	7.8
All other	436	30	14.9	19	9.4	35	17.4
Black	356	22	16.3	11	8.2	26	19.3
Urban places	6,369	146	11.9	100	8.2	126	10.3
White	5,996	121	11.3	85	7.9	96	9.0
All other	373	25	16.3	15	9.8	30	19.6
Black	342	19	15.9	9	7.5	25	20.9
Balance of area	8,208	124	8.4	85	5.8	103	7.0
White	8,145	119	8.4	81	5.7	98	6.9
All other	63	5	10.4	4	8.4	5	10.4
Black	14	3	20.0	2	13.3	1	6.7
Metropolitan counties	5,114	127	10.2	84	6.7	110	8.8
White	4,740	100	9.2	68	6.3	81	7.5
All other	374	27	16.3	16	9.7	29	17.6
Black	347	22	16.8	11	8.4	26	19.8
Urban places	4,445	100	11.2	64	7.1	95	10.6
White	4,083	76	10.1	50	6.7	67	8.9
All other	362	24	16.6	14	9.7	28	19.4
Black	336	19	16.1	9	7.6	25	21.2
Balance of area	669	27	7.7	20	5.7	15	4.3
White	657	24	7.3	18	5.4	14	4.2
All other	12	3	14.4	2	9.6	1	4.8
Black	9	3	22.4	2	14.9	1	7.5
Nonmetropolitan counties	9,463	143	9.9	101	7.0	119	8.2
White	9,401	140	9.9	98	6.9	113	8.0
All other	62	3	8.3	3	8.3	6	16.6
Black	9	–	–	–	–	–	–
Urban places	1,924	46	14.0	35	10.9	31	9.4
White	1,913	45	14.1	35	10.9	29	9.1
All other	11	1	11.0	1	11.0	2	22.0
Black	4	–	–	–	–	–	–
Balance of area	7,539	97	8.7	65	5.8	88	7.9
White	7,488	95	8.7	63	5.8	84	7.7
All other	51	2	7.4	2	7.4	4	14.8
Black	5	–	–	–	–	–	–
Nevada	6,368	149	10.2	91	6.3	113	7.8
White	5,805	117	9.7	74	6.1	84	6.9
All other	463	32	13.1	17	7.0	29	11.9
Black	320	26	18.5	15	10.7	20	14.3
Urban places	3,797	88	8.9	55	5.6	70	7.1
White	3,447	66	8.4	44	5.6	44	5.6
All other	350	22	11.1	11	5.5	26	13.1
Black	285	19	14.4	10	7.6	20	15.2
Balance of area	2,571	61	12.9	36	7.6	43	9.1
White	2,458	51	11.9	30	7.0	40	9.4
All other	113	10	22.2	6	13.3	3	6.7
Black	35	7	83.3	5	59.5	–	–
Metropolitan counties	5,090	119	10.1	77	6.5	92	7.8
White	4,698	89	9.2	61	6.3	64	6.6
All other	392	30	13.9	16	7.4	28	13.0
Black	311	25	18.1	15	10.9	20	14.5
Urban places	3,468	83	8.9	53	5.7	67	7.2
White	3,128	61	8.2	42	5.7	41	5.5
All other	340	22	11.3	11	5.7	26	13.4
Black	284	19	14.4	10	7.6	20	15.2
Balance of area	1,622	36	14.7	24	9.8	25	10.2
White	1,570	28	12.5	19	8.5	23	10.3
All other	52	8	36.5	5	22.8	2	9.1
Black	27	6	69.6	5	74.6	–	–
Nonmetropolitan counties	1,278	30	10.9	14	5.1	21	7.6
White	1,207	28	11.3	13	5.2	20	8.1
All other	71	2	7.3	1	3.6	1	3.6
Black	9	1	47.6	–	–	–	–
Urban places	329	5	10.2	2	4.1	3	6.1
White	319	5	11.2	2	4.5	3	6.7
All other	10	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	949	25	11.0	12	5.3	18	7.9
White	888	23	11.3	11	5.4	17	8.3
All other	61	2	8.7	1	4.3	1	4.3
Black	6	1	58.8	–	–	–	–
New Hampshire	7,616	155	11.0	121	8.6	97	6.9
White	7,597	152	11.0	120	8.7	96	6.9
All other	19	3	12.7	1	4.2	1	4.2
Black	16	3	29.7	1	9.9	1	9.9
Urban places	3,342	77	13.9	61	11.0	39	7.0
White	3,328	74	13.7	60	11.1	39	7.2
All other	14	3	20.5	1	6.8	–	–
Black	13	3	39.0	1	13.0	–	–
Balance of area	4,274	78	9.1	60	7.0	58	6.8
White	4,269	78	9.2	60	7.1	57	6.8
All other	5	–	–	–	–	1	11.0
Black	3	–	–	–	–	1	41.7
Metropolitan counties	4,226	101	11.5	78	8.9	54	6.1
White	4,212	98	11.4	77	8.9	53	6.1
All other	14	3	17.5	1	5.8	1	5.8
Black	14	3	37.0	1	12.3	1	12.3
Urban places	2,150	59	14.6	45	11.1	28	6.4
White	2,137	56	14.3	44	11.2	28	6.6
All other	13	3	25.2	1	8.4	–	–
Black	13	3	44.1	1	14.7	–	–
Balance of area	2,076	42	8.8	33	7.0	28	5.9
White	2,075	42	8.9	33	7.0	27	5.7
All other	1	–	–	–	–	1	19.2
Black	1	–	–	–	–	1	76.9
Nonmetropolitan counties	3,390	54	10.2	43	8.1	43	8.1
White	3,385	54	10.3	43	8.2	43	8.2
All other	5	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Urban places	1,192	18	11.9	16	10.6	13	8.6
White	1,191	18	12.2	16	10.8	13	8.8
All other	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	2,198	36	9.5	27	7.1	30	7.9
White	2,194	36	9.6	27	7.2	30	8.0
All other	4	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
New Jersey	67,621	1,159	11.7	805	8.2	617	8.3
White	60,158	737	9.6	541	7.1	557	7.3
All other	7,463	422	19.0	264	11.9	260	11.7
Black	7,225	402	20.4	249	12.6	251	12.7
Urban places	48,822	887	12.6	605	8.6	625	8.9
White	42,191	508	10.0	369	7.3	389	7.7
All other	6,631	381	19.3	236	12.0	236	12.0
Black	6,452	365	20.4	225	12.6	230	12.9
Balance of area	18,799	272	9.6	200	7.1	192	6.8
White	17,967	231	8.9	172	6.7	168	6.5
All other	832	41	16.6	28	11.3	24	9.7
Black	773	37	20.0	24	13.0	21	11.4
Metropolitan counties	60,422	1,073	11.9	739	8.2	755	8.4
White	53,095	659	9.6	481	7.0	497	7.3
All other	7,327	414	19.0	258	11.9	258	11.9
Black	7,097	395	20.5	244	12.6	250	12.9
Urban places	45,683	857	12.8	580	8.7	598	8.9
White	39,115	481	10.1	348	7.3	363	7.7
All other	6,568	376	19.3	232	11.9	235	12.1
Black	6,394	361	20.5	222	12.6	230	13.0
Balance of area	14,739	216	9.3	159	6.9	157	6.8
White	13,980	178	8.5	133	6.4	134	6.4
All other	759	38	16.9	26	11.5	23	10.2
Black	703	34	20.3	22	13.2	20	12.0
Nonmetropolitan counties	7,199	88	10.0	66	7.7	62	7.2
White	7,063	78	9.6	60	7.4	60	7.4
All other	136	8	17.0	6	12.7	2	4.2
Black	126	7	18.2	5	13.0	1	2.6
Urban places [1]	3,139	30	8.7	25	7.2	27	7.8
White	3,076	25	7.8	21	6.5	28	8.1
All other	63	5	20.2	4	16.2	1	4.0
Black	58	4	19.2	3	14.4	–	–
Balance of area	4,060	58	10.9	41	8.0	35	6.8
White	3,987	53	10.8	39	7.9	34	6.9
All other	73	3	13.4	2	8.9	1	4.5
Black	70	3	17.0	2	11.4	1	5.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Mexico	9,248	312	11.3	182	6.6	215	7.8
White	8,484	258	11.2	160	6.9	168	7.3
All other	764	54	11.5	22	4.7	47	10.0
Black	147	9	12.3	5	6.8	11	15.0
Urban places	5,291	159	10.7	98	6.6	112	7.5
White	5,092	147	11.0	94	7.0	96	7.2
All other	199	12	7.9	4	2.6	16	10.6
Black	127	6	10.8	4	7.2	8	14.5
Balance of area	3,957	153	11.9	84	6.6	103	8.0
White	3,392	111	11.5	66	6.8	72	7.5
All other	565	42	13.2	18	5.7	31	9.8
Black	20	3	16.6	1	5.5	3	16.6
Metropolitan counties	3,524	111	10.6	72	6.9	86	8.2
White	3,361	101	10.9	67	7.2	68	7.3
All other	163	10	8.3	5	4.1	18	14.9
Black	64	2	6.0	1	3.0	6	17.9
Urban places	2,946	85	10.2	53	6.4	62	7.4
White	2,861	81	10.7	52	6.9	51	6.7
All other	85	4	5.3	1	1.3	11	14.5
Black	62	2	7.0	1	3.5	6	20.9
Balance of area	578	26	12.2	19	8.9	24	11.2
White	500	20	11.8	15	8.9	17	10.1
All other	78	6	13.5	4	9.0	7	15.7
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	5,724	201	11.6	110	6.4	129	7.5
White	5,123	157	11.4	93	6.7	100	7.3
All other	601	44	12.7	17	4.9	29	8.3
Black	83	7	17.5	4	10.0	5	12.5
Urban places	2,345	74	11.2	45	6.8	50	7.6
White	2,231	66	11.3	42	7.2	45	7.7
All other	114	8	10.6	3	4.0	5	6.6
Black	65	4	15.0	3	11.3	2	7.5
Balance of area	3,379	127	11.9	65	6.1	79	7.4
White	2,892	91	11.4	51	6.4	55	6.9
All other	487	36	13.2	14	5.1	24	8.8
Black	18	3	22.6	1	7.5	3	22.6
New York	167,405	3,004	12.1	2,101	8.5	2,776	11.2
White	146,401	1,977	10.6	1,417	7.6	1,901	10.2
All other	21,004	1,027	16.8	684	11.2	875	14.3
Black	19,770	969	18.1	645	12.0	794	14.8
Urban places	111,191	2,183	13.8	1,526	9.6	1,922	12.1
White	91,616	1,228	12.0	891	8.7	1,120	10.9
All other	19,515	955	17.0	635	11.3	802	14.3
Black	18,483	906	18.0	603	12.0	733	14.6
Balance of area	56,274	821	9.3	575	6.5	854	9.6
White	54,785	749	9.0	526	6.3	781	9.3
All other	1,489	72	14.5	49	9.9	73	14.7
Black	1,287	64	18.5	42	12.1	61	17.6
Metropolitan counties	150,872	2,777	12.5	1,949	8.8	2,488	11.2
White	130,107	1,764	10.9	1,275	7.8	1,625	10.0
All other	20,765	1,013	16.8	674	11.2	863	14.3
Black	19,592	958	18.0	637	12.0	784	14.8
Urban places	107,121	2,123	13.8	1,482	9.6	1,847	12.0
White	87,671	1,173	12.0	851	8.7	1,049	10.7
All other	19,450	950	17.0	631	11.3	798	14.3
Black	18,423	900	18.0	599	12.0	729	14.6
Balance of area	43,751	654	9.5	467	6.8	641	9.3
White	42,436	591	9.1	424	6.6	576	8.9
All other	1,315	63	14.3	43	9.7	65	14.7
Black	1,169	58	18.3	38	12.0	55	17.3
Nonmetropolitan counties	16,533	227	9.2	152	6.2	288	11.7
White	16,294	213	9.0	142	6.0	276	11.6
All other	239	14	16.5	10	11.8	12	14.1
Black	178	11	21.5	8	15.7	10	19.6
Urban places	4,010	60	11.8	44	8.7	75	14.8
White	3,945	55	11.5	40	8.4	71	14.9
All other	65	5	16.1	4	12.9	4	12.9
Black	60	5	22.0	4	17.6	4	17.6
Balance of area	12,523	167	8.6	108	5.5	213	10.9
White	12,349	158	8.3	102	5.4	205	10.8
All other	174	9	16.6	6	11.1	8	14.8
Black	118	6	21.1	4	14.1	6	21.1
North Carolina	48,551	1,175	19.7	814	9.5	864	10.1
White	36,740	629	10.8	418	7.2	496	8.5
All other	11,811	546	19.7	396	14.3	368	13.3
Black	11,433	524	20.8	387	15.2	342	13.5
Urban places	18,532	469	16.9	352	12.7	262	9.5
White	11,331	181	11.6	125	8.0	119	7.7
All other	5,201	288	23.7	227	18.7	143	11.8
Black	5,156	284	24.8	227	19.6	140	12.1
Balance of area	32,019	706	12.1	462	7.9	602	10.3
White	25,409	448	10.5	293	6.8	377	8.8
All other	6,610	258	16.5	169	10.8	225	14.4
Black	6,277	240	17.3	160	11.5	202	14.6
Metropolitan counties	23,241	625	13.6	454	9.9	429	9.3
White	18,111	353	10.9	239	7.3	256	7.9
All other	5,130	273	20.4	216	16.1	173	12.9
Black	5,061	269	21.5	215	17.2	168	13.4
Urban places	12,343	357	16.9	271	12.8	198	9.4
White	8,630	145	12.0	100	8.3	85	7.1
All other	3,713	212	23.4	171	18.9	113	12.5
Black	3,686	209	24.3	171	19.9	110	12.8
Balance of area	10,898	269	10.8	183	7.4	231	9.3
White	9,481	208	10.2	139	6.7	171	8.4
All other	1,417	61	14.0	45	10.4	60	13.8
Black	1,395	60	15.3	44	11.2	58	14.8
Nonmetropolitan counties	25,310	549	13.7	360	9.0	435	10.9
White	18,629	276	10.7	180	7.0	240	9.3
All other	6,681	273	19.0	180	12.5	195	13.6
Black	6,352	255	19.8	172	13.3	174	13.5
Urban places	4,189	112	17.0	81	12.3	64	9.7
White	2,701	66	10.3	25	7.2	34	9.7
All other	1,488	76	24.6	56	18.1	30	9.7
Black	1,470	75	25.4	56	19.0	30	10.2
Balance of area	21,121	437	13.1	279	8.3	371	11.1
White	15,928	240	10.8	155	7.0	206	9.3
All other	5,193	197	17.5	124	11.0	165	14.6
Black	4,882	180	18.1	116	11.7	144	14.5
North Dakota	5,390	134	10.6	86	6.8	87	6.9
White	5,220	113	9.8	76	6.6	72	6.3
All other	170	21	18.5	10	8.8	15	13.2
Black	2	2	15.5	2	15.5	2	15.5
Urban places	1,781	63	12.2	43	8.3	38	7.3
White	1,767	60	12.2	41	8.3	37	7.5
All other	14	3	11.2	2	7.4	1	3.7
Black	1	1	20.8	1	20.8	–	–
Balance of area	3,609	71	9.5	43	5.8	49	6.6
White	3,453	53	8.1	35	5.3	35	5.3
All other	156	18	20.8	8	9.3	14	16.2
Black	1	1	12.3	1	12.3	2	24.7
Metropolitan counties	1,461	50	11.3	35	7.9	24	5.4
White	1,450	47	11.1	33	7.8	23	5.5
All other	11	3	13.8	2	9.2	1	4.6
Black	1	1	16.7	1	16.7	–	–
Urban places	1,104	43	13.1	29	8.8	20	6.1
White	1,094	40	12.9	27	8.6	19	6.1
All other	10	3	20.0	2	13.3	1	6.7
Black	1	1	50.0	1	50.0	–	–
Balance of area	357	7	6.0	6	5.2	4	3.5
White	356	7	6.4	6	5.5	4	3.7
All other	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	3,929	84	10.9	51	6.2	63	7.7
White	3,770	66	9.1	43	5.9	49	6.7
All other	159	18	19.7	8	8.7	14	15.3
Black	1	1	14.5	1	14.5	2	29.0
Urban places	677	20	10.5	14	7.3	18	9.4
White	673	20	11.2	14	7.8	18	10.1
All other	4	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,252	64	10.2	37	5.9	45	7.2
White	3,097	46	8.4	29	5.3	31	5.7
All other	155	18	22.6	8	10.1	14	17.6
Black	1	1	24.4	1	24.4	2	48.8

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	94,473	1,895	11.5	1,300	7.9	1,369	8.3
White	84,751	1,441	10.3	989	7.1	1,080	7.7
All other	9,722	454	18.5	311	12.7	289	11.8
Black	8,594	439	19.3	301	13.2	281	12.3
Urban places	56,750	1,190	12.8	811	8.7	831	8.9
White	47,845	771	10.8	526	7.4	562	7.9
All other	8,905	419	18.9	285	12.9	269	12.1
Black	8,810	408	19.5	278	13.3	263	12.6
Balance of area	37,723	705	9.9	489	6.8	538	7.5
White	36,906	670	9.7	463	6.7	518	7.5
All other	817	35	14.6	26	10.9	20	8.4
Black	784	31	16.9	23	12.5	18	9.8
Metropolitan counties	75,052	1,552	11.8	1,066	8.1	1,084	8.3
White	65,709	1,109	10.3	769	7.1	805	7.5
All other	9,349	443	18.8	303	12.9	279	11.9
Black	8,238	431	19.6	295	13.4	271	12.3
Urban places	50,515	1,082	12.9	733	8.7	745	8.9
White	41,842	670	10.7	453	7.3	484	7.8
All other	8,673	412	19.1	280	13.0	261	12.1
Black	8,585	402	19.7	274	13.4	255	12.5
Balance of area	24,537	470	10.0	333	7.1	339	7.2
White	23,861	439	9.7	316	6.9	321	7.1
All other	676	31	15.6	23	11.6	18	9.1
Black	653	29	18.1	21	13.1	16	10.0
Nonmetropolitan counties	19,421	343	10.2	234	7.0	285	8.5
White	19,048	332	10.2	226	6.9	275	8.4
All other	373	11	10.6	8	7.7	10	9.7
Black	356	8	10.5	6	7.9	10	13.2
Urban places	6,235	108	11.6	78	8.4	86	9.2
White	6,003	101	11.6	73	8.4	78	9.0
All other	232	7	11.2	5	8.0	8	12.8
Black	225	6	11.4	4	7.6	8	15.2
Balance of area	13,186	235	9.7	156	6.4	199	8.2
White	13,045	231	9.7	153	6.4	197	8.2
All other	141	4	9.8	3	7.3	2	4.9
Black	131	2	6.6	2	6.6	2	6.6
Oklahoma	29,350	722	12.3	434	7.4	483	7.9
White	26,449	577	12.3	346	7.4	348	7.4
All other	2,901	145	12.3	88	7.5	115	9.7
Black	1,883	90	16.8	58	10.8	70	13.1
Urban places	14,873	425	12.8	258	7.8	276	8.3
White	13,298	330	12.7	200	7.7	194	7.5
All other	1,575	95	13.2	58	8.1	82	11.4
Black	1,325	73	16.6	47	10.7	59	13.4
Balance of area	14,477	297	11.6	176	6.9	187	7.3
White	13,151	247	11.8	146	7.0	154	7.3
All other	1,326	50	10.8	30	6.5	33	7.1
Black	568	17	17.6	11	11.4	11	11.4
Metropolitan counties	14,819	431	12.1	262	7.4	282	7.9
White	13,299	338	12.0	204	7.3	209	7.4
All other	1,520	93	12.4	58	7.7	74	9.9
Black	1,177	71	17.2	48	11.6	55	13.3
Urban places	11,024	340	12.6	205	7.6	224	8.3
White	9,820	258	12.3	153	7.3	158	7.5
All other	1,204	82	13.6	52	8.6	66	11.0
Black	1,029	66	17.5	45	11.9	51	13.5
Balance of area	3,795	91	10.5	57	6.6	58	6.7
White	3,479	80	11.2	51	7.1	50	7.0
All other	316	11	7.5	6	4.1	8	5.4
Black	148	5	14.0	3	8.4	4	11.2
Nonmetropolitan counties	14,531	291	12.6	172	7.4	181	7.8
White	13,150	239	12.7	142	7.5	140	7.4
All other	1,381	52	12.0	30	6.9	41	9.5
Black	716	19	15.5	10	8.1	15	12.2
Urban places	3,849	85	13.7	53	8.5	52	8.4
White	3,478	72	14.3	47	9.3	36	7.2
All other	371	13	11.1	6	5.1	16	13.6
Black	286	7	11.3	2	3.2	8	12.9
Balance of area	10,682	206	12.1	119	7.0	129	7.6
White	9,672	167	12.1	95	6.9	104	7.5
All other	1,010	39	12.4	24	7.6	25	8.0
Black	420	12	19.7	8	13.1	7	11.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Oregon	21,614	432	10.5	253	6.2	262	6.4
White	21,108	385	10.4	234	6.2	245	6.5
All other	506	37	11.9	19	6.1	17	5.5
Black	266	13	13.3	7	7.1	7	7.1
Urban places	10,852	206	10.4	125	6.3	131	6.6
White	10,501	184	10.4	113	6.4	119	6.7
All other	351	22	10.3	12	5.6	12	5.6
Black	238	10	11.5	5	5.7	6	6.9
Balance of area	10,762	226	10.7	128	6.0	131	6.2
White	10,607	211	10.4	121	6.0	126	6.2
All other	155	15	15.6	7	7.3	5	5.2
Black	28	3	27.6	2	18.5	1	9.3
Metropolitan counties	13,743	271	10.2	157	5.9	170	6.4
White	13,341	244	10.1	143	5.9	157	6.5
All other	402	27	11.2	14	5.6	13	5.4
Black	251	12	13.0	7	7.6	6	6.5
Urban places	8,638	159	10.0	98	6.2	106	6.7
White	8,298	139	10.0	87	6.2	94	6.7
All other	340	20	10.4	11	5.7	12	6.2
Black	233	10	11.9	5	6.0	6	7.1
Balance of area	5,105	112	10.5	59	5.5	64	6.0
White	5,043	105	10.3	56	5.5	63	6.2
All other	62	7	14.8	3	6.3	1	2.1
Black	18	2	25.0	2	25.0	–	–
Nonmetropolitan counties	7,871	161	11.1	96	6.6	92	6.3
White	7,767	151	10.9	91	6.6	88	6.4
All other	104	10	14.4	5	7.2	4	5.7
Black	15	1	16.7	–	–	1	16.7
Urban places	2,214	47	11.9	27	6.8	25	6.3
White	2,203	45	12.0	26	6.9	25	6.7
All other	11	2	9.5	1	4.7	–	–
Black	5	–	–	–	–	–	–
Balance of area	5,657	114	10.8	69	6.5	67	6.3
White	5,564	106	10.5	65	6.4	63	6.2
All other	93	8	16.5	4	8.2	4	8.2
Black	10	1	35.7	–	–	1	35.7
Pennsylvania	118,817	1,873	11.6	1,333	8.2	1,645	10.2
White	106,234	1,428	10.3	1,033	7.4	1,302	9.4
All other	10,583	445	19.4	300	13.1	343	14.9
Black	10,440	433	20.8	294	14.1	322	15.4
Urban places	62,935	1,088	13.5	761	9.6	854	10.8
White	53,090	649	11.1	481	8.2	550	9.4
All other	9,845	419	20.1	280	13.5	304	14.6
Black	9,728	407	21.1	274	14.2	290	15.1
Balance of area	55,882	805	9.7	572	6.9	791	9.5
White	55,144	779	9.7	552	6.9	752	9.4
All other	738	26	11.9	20	9.2	39	17.9
Black	712	26	16.3	20	12.5	32	20.1
Metropolitan counties	97,138	1,551	11.7	1,118	8.4	1,362	10.3
White	86,744	1,110	10.1	819	7.4	1,023	9.3
All other	10,394	441	19.7	299	13.3	339	15.1
Black	10,259	430	21.0	293	14.3	319	15.6
Urban places	59,583	1,028	13.6	736	9.7	816	10.8
White	49,805	611	11.1	456	8.3	513	9.3
All other	9,778	417	20.3	280	13.6	303	14.7
Black	9,663	406	21.3	274	14.4	289	15.1
Balance of area	37,555	523	9.2	382	6.7	546	9.6
White	36,939	499	9.1	363	6.6	510	9.3
All other	616	24	13.1	19	10.3	36	19.6
Black	596	24	17.5	19	13.8	30	21.8
Nonmetropolitan counties	21,679	322	10.9	215	7.3	283	9.6
White	21,490	316	11.0	214	7.4	279	9.7
All other	189	4	7.2	1	1.8	4	7.2
Black	181	3	7.4	1	2.5	3	7.4
Urban places	3,352	40	11.3	25	7.1	38	10.7
White	3,285	38	11.4	25	7.5	37	11.1
All other	67	2	9.3	–	–	1	4.7
Black	65	1	5.4	–	–	1	5.4
Balance of area	18,327	282	10.9	190	7.3	245	9.5
White	18,205	280	11.0	189	7.4	242	9.5
All other	122	2	5.8	1	2.9	3	8.7
Black	116	2	9.0	1	4.5	2	9.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Rhode Island	8,988	125	10.0	100	8.0	112	9.0
White	8,735	105	9.3	85	7.6	95	8.5
All other	253	20	15.6	15	11.7	17	13.3
Black	220	15	18.4	10	12.3	13	16.0
Urban places	7,302	108	11.1	88	9.0	84	8.6
White	7,065	88	10.3	73	8.5	67	7.8
All other	237	20	16.5	15	12.3	17	14.0
Black	212	15	18.9	10	12.6	13	16.4
Balance of area	1,686	17	6.2	12	4.4	28	10.2
White	1,670	17	6.3	12	4.5	28	10.4
All other	16	–	–	–	–	–	–
Black	8	–	–	–	–	–	–
Metropolitan counties	8,324	117	10.3	94	8.3	96	8.4
White	8,105	99	9.7	80	7.9	80	7.9
All other	219	18	15.1	14	11.7	16	13.4
Black	186	13	17.1	9	11.9	12	15.8
Urban places	6,920	102	11.2	84	9.2	76	8.3
White	6,714	84	10.5	70	8.8	60	7.5
All other	206	18	15.8	14	12.3	16	14.0
Black	181	13	17.6	9	12.2	12	16.2
Balance of area	1,404	15	6.6	10	4.4	20	8.8
White	1,391	15	6.8	10	4.5	20	9.0
All other	13	–	–	–	–	–	–
Black	5	–	–	–	–	–	–
Nonmetropolitan counties	664	8	7.0	6	5.3	16	14.0
White	630	6	5.7	5	4.7	15	14.2
All other	34	2	23.5	1	11.8	1	11.8
Black	34	2	36.4	1	18.2	1	18.2
Urban places	382	6	9.1	4	6.1	8	12.2
White	351	4	6.9	3	5.2	7	12.1
All other	31	2	26.3	1	13.2	1	13.2
Black	31	2	38.5	1	19.2	1	19.2
Balance of area	282	2	4.1	2	4.1	8	16.5
White	279	2	4.2	2	4.2	8	16.8
All other	3	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
South Carolina	25,070	892	16.1	552	10.7	660	12.8
White	16,825	367	11.9	248	8.1	281	9.1
All other	8,245	465	22.2	304	14.5	379	18.1
Black	8,221	464	22.7	304	14.9	376	18.4
Urban places	7,172	217	17.0	153	12.0	151	11.8
White	4,763	79	11.9	52	7.9	62	9.4
All other	2,409	138	22.5	101	16.4	89	14.5
Black	2,403	138	23.1	101	16.9	88	14.7
Balance of area	17,898	675	15.8	399	10.3	509	13.1
White	12,062	288	11.9	196	8.1	219	9.1
All other	5,836	327	22.1	203	13.7	290	19.6
Black	5,818	326	22.5	203	14.0	288	19.9
Metropolitan counties	14,170	451	14.9	325	10.7	346	11.4
White	10,150	227	11.4	158	7.9	177	8.9
All other	4,020	224	21.6	167	16.1	169	16.3
Black	4,005	224	22.4	167	16.7	167	16.7
Urban places	5,574	171	16.7	123	12.0	117	11.4
White	3,716	63	11.7	42	7.8	47	8.7
All other	1,858	108	22.2	81	16.7	70	14.4
Black	1,853	108	22.9	81	17.2	69	14.7
Balance of area	8,596	280	14.0	202	10.1	229	11.4
White	6,434	164	11.3	116	8.0	130	9.0
All other	2,162	116	21.1	86	15.6	99	18.0
Black	2,152	116	21.8	86	16.2	98	18.5
Nonmetropolitan counties	10,900	381	17.8	227	10.6	314	14.7
White	6,675	140	12.9	90	8.3	104	9.6
All other	4,225	241	22.9	137	13.0	210	19.9
Black	4,216	240	23.0	137	13.2	209	20.1
Urban places	1,598	46	16.3	30	11.9	34	13.5
White	1,047	16	13.0	10	8.1	15	12.2
All other	551	30	23.3	20	15.6	19	14.8
Black	550	30	23.6	20	15.8	19	15.0
Balance of area	9,302	335	17.7	197	10.4	280	14.8
White	5,628	124	12.9	80	8.3	89	9.3
All other	3,674	211	22.8	117	12.6	191	20.6
Black	3,666	210	23.0	117	12.8	190	20.8
South Dakota [4]	6,595	131	10.2	90	7.0	100	7.8
White	6,164	92	8.4	69	6.3	75	6.9
All other	431	39	20.2	21	10.9	25	13.0
Black	5	1	11.5	1	11.5	1	11.5
Urban places	2,165	35	7.8	26	5.8	35	7.8
White	2,107	30	7.3	22	5.4	32	7.8
All other	58	5	13.6	4	11.0	3	8.3
Black	2	–	–	–	–	–	–
Balance of area	4,430	96	11.4	64	7.6	65	7.7
White	4,057	62	9.1	47	6.9	43	6.3
All other	373	34	21.8	17	10.9	22	14.1
Black	3	1	19.6	1	19.6	1	19.6
Metropolitan counties	850	13	6.8	10	5.2	13	6.8
White	843	13	7.0	10	5.4	12	6.5
All other	7	–	–	–	–	1	13.9
Black	1	–	–	–	–	–	–
Urban places	691	10	6.9	7	4.8	11	7.6
White	685	10	7.2	7	5.1	10	7.2
All other	6	–	–	–	–	1	14.7
Black	1	–	–	–	–	–	–
Balance of area	159	3	6.4	3	6.4	2	4.3
White	158	3	6.5	3	6.5	2	4.9
All other	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	5,745	118	10.8	80	7.3	87	8.0
White	5,321	79	8.7	59	6.5	63	6.9
All other	424	39	21.0	21	11.3	24	12.9
Black	4	1	13.0	1	13.0	1	13.0
Urban places	1,474	25	8.3	19	6.3	24	7.9
White	1,422	20	7.3	15	5.5	22	8.1
All other	52	5	16.9	4	13.6	2	6.8
Black	1	–	–	–	–	–	–
Balance of area	4,271	93	11.7	61	7.7	63	8.0
White	3,899	59	9.3	44	6.9	41	6.4
All other	372	34	21.8	17	10.9	22	14.1
Black	3	1	19.6	1	19.6	1	19.6
Tennessee [4]	40,292	807	12.0	535	8.0	551	8.2
White	33,265	521	10.1	341	6.6	382	7.4
All other	7,027	286	18.7	194	12.7	169	11.0
Black	6,988	283	19.3	192	13.1	166	11.3
Urban places	20,139	453	13.3	308	9.0	284	8.3
White	14,564	215	10.1	146	6.8	158	7.4
All other	5,575	238	18.7	162	12.7	126	9.9
Black	5,549	235	19.2	160	13.1	124	10.1
Balance of area	20,153	354	10.7	227	6.9	267	8.1
White	18,701	306	10.1	195	6.4	224	7.4
All other	1,452	48	18.3	32	12.2	43	16.4
Black	1,439	46	19.4	32	12.9	42	16.9
Metropolitan counties	24,039	558	12.7	378	8.6	371	8.4
White	18,484	317	10.1	213	6.8	240	7.6
All other	5,555	241	19.0	165	13.0	131	10.3
Black	5,522	238	19.6	163	13.4	128	10.5
Urban places	17,218	410	13.8	281	9.3	255	8.5
White	12,087	184	10.1	127	6.9	139	7.6
All other	5,131	226	19.1	154	13.0	116	9.8
Black	5,105	223	19.6	152	13.4	114	10.0
Balance of area	6,821	148	10.6	97	6.9	116	8.3
White	6,397	133	10.2	86	6.6	101	7.7
All other	424	15	17.1	11	12.5	15	17.1
Black	417	15	18.9	11	13.9	14	17.7
Nonmetropolitan counties	16,253	249	10.8	157	6.8	180	7.8
White	14,781	204	10.0	128	6.3	142	7.0
All other	1,472	45	17.2	29	11.1	38	14.5
Black	1,466	45	17.7	29	11.4	38	14.9
Urban places	2,921	49	11.0	27	6.9	29	7.4
White	2,477	31	10.2	19	6.3	19	6.3
All other	444	12	13.7	8	9.1	10	11.4
Black	444	12	14.0	8	9.3	10	11.7
Balance of area	13,332	206	10.8	130	6.8	151	7.9
White	12,304	173	10.0	109	6.3	123	7.1
All other	1,028	33	18.0	21	12.1	28	16.1
Black	1,022	33	19.6	21	12.5	28	16.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Texas	111,319	3,231	10.9	2,086	7.0	2,457	8.3
White	96,158	2,524	10.0	1,643	6.5	1,974	7.9
All other	15,161	707	15.2	443	9.5	483	10.4
Black	14,826	672	16.6	417	10.3	454	11.2
Urban places	71,425	2,333	11.3	1,513	7.3	1,742	8.4
White	59,760	1,747	10.4	1,147	6.8	1,361	8.1
All other	11,665	586	15.3	366	9.6	381	9.9
Black	11,396	556	16.7	344	10.3	355	10.7
Balance of area	39,894	898	9.9	573	6.3	715	7.8
White	36,398	777	9.4	496	6.0	613	7.4
All other	3,496	121	14.6	77	9.3	102	12.3
Black	3,430	116	16.2	73	10.2	99	13.9
Metropolitan counties	80,779	2,604	10.6	1,693	6.9	1,974	8.0
White	68,753	1,987	9.7	1,300	6.4	1,551	7.6
All other	12,026	617	15.0	393	9.5	423	10.3
Black	11,712	583	16.5	368	10.4	394	11.1
Urban places	64,154	2,136	11.1	1,391	7.2	1,600	8.3
White	53,325	1,583	10.2	1,044	6.7	1,231	7.9
All other	10,829	553	15.1	347	9.5	369	10.1
Black	10,565	523	16.5	325	10.3	343	10.8
Balance of area	16,625	468	8.7	302	5.6	374	7.0
White	15,428	404	8.3	256	5.2	320	6.5
All other	1,197	64	13.7	46	9.8	54	11.6
Black	1,147	60	16.2	43	11.6	51	13.8
Nonmetropolitan counties	30,540	627	12.0	393	7.5	483	9.2
White	27,405	537	11.5	343	7.3	423	9.0
All other	3,135	90	16.7	50	9.3	60	11.1
Black	3,114	89	17.6	49	9.7	60	11.9
Urban places	7,271	197	13.3	122	8.3	142	9.6
White	6,435	164	12.6	103	7.9	130	10.0
All other	836	33	18.6	19	10.7	12	6.8
Black	831	33	20.4	19	11.7	12	7.4
Balance of area	23,269	430	11.5	271	7.2	341	9.1
White	20,970	373	11.0	240	7.1	293	8.7
All other	2,299	57	15.8	31	8.6	48	13.3
Black	2,283	56	16.3	30	8.7	48	14.0
Utah	8,515	457	11.0	282	6.8	273	6.6
White	8,319	436	11.0	275	6.9	252	6.4
All other	196	21	10.9	7	3.6	21	10.9
Black	58	7	25.2	3	10.8	2	7.2
Urban places	4,540	226	11.1	140	6.8	149	7.3
White	4,444	213	11.0	135	7.0	136	7.0
All other	96	13	11.9	5	4.6	13	11.9
Black	45	5	25.6	2	10.3	1	5.1
Balance of area	3,975	231	11.0	142	6.7	124	5.9
White	3,875	223	11.0	140	6.9	116	5.7
All other	100	8	9.6	2	2.4	8	9.6
Black	13	2	24.1	1	12.0	1	12.0
Metropolitan counties	6,380	342	10.5	209	6.4	198	6.0
White	6,257	328	10.6	204	6.6	183	5.9
All other	123	14	9.4	5	3.4	13	8.8
Black	57	6	23.1	3	11.5	2	7.7
Urban places	4,144	196	10.6	118	6.4	134	7.2
White	4,054	185	10.6	114	6.5	122	7.0
All other	90	11	10.8	4	3.9	12	11.8
Black	44	4	21.7	2	10.9	1	5.4
Balance of area	2,236	146	10.5	91	6.5	62	4.4
White	2,203	143	10.6	90	6.7	61	4.5
All other	33	3	6.4	1	2.1	1	2.1
Black	13	2	26.3	1	13.2	1	13.2
Nonmetropolitan counties	2,135	115	12.6	73	8.0	77	8.5
White	2,062	108	12.5	71	8.2	69	8.0
All other	73	7	15.9	2	4.5	8	18.2
Black	1	1	55.6	–	–	–	–
Urban places	396	30	15.3	22	11.2	15	7.6
White	390	28	14.8	21	11.1	14	7.4
All other	6	2	27.4	1	13.7	1	13.7
Black	1	1	90.9	–	–	–	–
Balance of area	1,739	85	11.9	51	7.1	62	8.7
White	1,672	80	11.8	50	7.4	55	8.1
All other	67	5	13.6	1	2.7	7	19.1
Black	–	–	–	–	–	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Vermont	4,490	75	9.3	49	6.1	63	7.8
White	4,485	75	9.4	49	6.2	61	7.7
All other	5	–	–	–	–	2	28.2
Black	3	–	–	–	–	1	35.7
Urban places	636	9	10.4	7	8.1	6	6.9
White	634	9	10.5	7	8.2	6	7.0
All other	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,854	66	9.2	42	5.9	57	8.0
White	3,851	66	9.3	42	5.9	55	7.7
All other	3	–	–	–	–	2	32.3
Black	3	–	–	–	–	1	43.5
Metropolitan counties	722	15	8.8	10	5.8	10	5.8
White	719	15	8.8	10	5.9	9	5.3
All other	3	–	–	–	–	1	47.6
Black	1	–	–	–	–	1	125.0
Urban places	389	5	8.3	3	5.0	4	6.6
White	387	5	8.4	3	5.1	4	6.7
All other	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	333	10	9.0	7	6.3	6	5.4
White	332	10	9.1	7	6.4	5	4.6
All other	1	–	–	–	–	1	76.9
Black	1	–	–	–	–	1	250.0
Nonmetropolitan counties	3,768	60	9.5	39	6.2	53	8.4
White	3,766	60	9.6	39	6.2	52	8.3
All other	2	–	–	–	–	1	20.0
Black	2	–	–	–	–	–	–
Urban places	247	4	15.1	4	15.1	2	7.5
White	247	4	15.2	4	15.2	2	7.6
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,521	56	9.3	35	5.8	51	8.4
White	3,519	56	9.3	35	5.8	50	8.3
All other	2	–	–	–	–	1	20.4
Black	2	–	–	–	–	–	–
Virginia	41,904	1,039	12.8	755	9.3	1,001	12.3
White	32,841	642	10.7	457	7.6	626	10.4
All other	9,063	397	18.7	298	14.0	375	17.7
Black	8,907	387	20.1	289	15.0	359	18.7
Urban places	18,296	493	13.7	371	10.3	479	13.3
White	13,006	247	10.7	182	7.9	251	10.9
All other	5,290	246	18.9	189	14.6	228	17.6
Black	5,205	242	20.3	186	15.6	221	18.5
Balance of area	23,608	546	12.1	384	8.5	522	11.6
White	19,835	395	10.7	275	7.5	375	10.2
All other	3,773	151	18.3	109	13.2	147	17.8
Black	3,702	145	19.9	103	14.1	138	18.9
Metropolitan counties	27,081	774	13.0	573	9.6	707	11.8
White	20,576	437	10.3	316	7.4	413	9.7
All other	6,505	337	19.6	257	15.0	294	17.1
Black	6,366	327	21.4	248	16.2	279	18.3
Urban places	16,752	465	13.7	352	10.3	447	13.1
White	11,650	223	10.4	167	7.8	224	10.5
All other	5,102	242	19.2	185	14.6	223	17.7
Black	5,020	238	20.5	182	15.7	216	18.6
Balance of area	10,329	309	12.0	221	8.6	260	10.1
White	8,926	214	10.1	149	7.0	189	8.9
All other	1,403	95	21.0	72	15.9	71	15.7
Black	1,346	89	24.4	66	18.1	63	17.3
Nonmetropolitan counties	14,823	265	12.4	182	8.5	294	13.7
White	12,265	205	11.8	141	8.1	213	12.3
All other	2,558	60	14.7	41	10.1	81	19.9
Black	2,541	60	15.1	41	10.3	80	20.1
Urban places	1,544	28	14.1	19	9.6	32	16.2
White	1,356	24	14.7	15	9.2	27	16.5
All other	188	4	11.5	4	11.5	5	14.3
Black	185	4	12.2	4	12.2	5	15.3
Balance of area	13,279	237	12.2	163	8.4	262	13.5
White	10,909	181	11.5	126	8.0	186	11.8
All other	2,370	56	15.0	37	9.9	76	20.4
Black	2,356	56	15.4	37	10.1	76	20.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Washington	32,300	740	10.6	418	6.0	501	7.2	Wisconsin	40,281	703	9.5	462	6.2	544	7.3
White	30,979	639	10.5	365	6.0	431	7.1	White	39,074	589	8.7	392	5.8	459	6.8
All other	1,321	101	11.9	53	6.2	70	8.2	All other	1,207	114	17.1	70	10.5	85	12.8
Black	605	53	16.9	33	10.5	34	10.8	Black	979	99	20.2	61	12.5	77	15.7
Urban places	16,760	322	11.0	194	6.6	259	8.8	Urban places	20,233	370	10.0	245	6.6	300	8.1
White	15,854	259	10.6	152	6.2	212	8.7	White	19,208	264	8.5	180	5.8	220	7.1
All other	906	63	12.8	42	8.5	47	9.5	All other	1,025	106	18.0	65	11.0	80	13.6
Black	514	35	16.6	25	11.9	24	11.4	Black	947	97	20.3	59	12.3	76	15.9
Balance of area	15,540	418	10.4	224	5.6	242	6.0	Balance of area	20,048	333	8.9	217	5.8	244	6.5
White	15,125	380	10.4	213	5.8	219	6.0	White	19,866	325	8.9	212	5.8	239	6.5
All other	415	38	10.6	11	3.1	23	6.4	All other	182	8	10.5	5	6.6	5	6.6
Black	91	18	17.4	8	7.7	10	9.7	Black	32	2	18.9	2	18.9	1	9.4
Metropolitan counties	25,173	592	10.5	336	6.0	408	7.3	Metropolitan counties	24,792	478	9.7	307	6.2	368	7.4
White	24,004	505	10.4	287	5.9	344	7.1	White	23,728	368	8.5	241	5.6	288	6.8
All other	1,169	87	11.3	49	6.4	64	8.3	All other	1,064	110	18.2	66	10.9	80	13.3
Black	588	52	17.0	33	10.8	33	10.8	Black	862	98	20.2	60	12.4	76	15.7
Urban places	14,833	290	11.2	176	6.8	232	9.0	Urban places	18,013	343	10.2	226	6.7	275	8.1
White	13,947	230	10.9	136	6.4	187	8.8	White	16,994	237	8.5	161	5.8	196	7.0
All other	886	60	12.8	40	8.5	45	9.6	All other	1,019	106	18.3	65	11.2	79	13.6
Black	502	35	17.1	25	12.2	23	11.2	Black	944	97	20.4	59	12.4	75	15.7
Balance of area	10,340	302	9.9	160	5.3	176	5.8	Balance of area	6,779	135	8.6	81	5.2	93	5.9
White	10,057	275	10.0	151	5.5	157	5.7	White	6,734	131	8.5	80	5.2	92	6.0
All other	283	27	9.0	9	3.0	19	6.3	All other	45	4	17.4	1	4.3	1	4.3
Black	86	17	16.9	8	8.0	10	10.0	Black	18	1	13.2	1	13.2	1	13.2
Nonmetropolitan counties	7,127	148	11.1	82	6.2	93	7.0	Nonmetropolitan counties	15,489	225	9.0	155	6.2	176	7.1
White	6,975	134	10.8	78	6.3	87	7.0	White	15,346	221	9.1	151	6.2	171	7.0
All other	152	14	16.8	4	4.8	6	7.2	All other	143	4	6.4	4	6.4	5	8.0
Black	17	1	11.5	–	–	1	11.8	Black	17	1	18.5	1	18.5	1	18.5
Urban places	1,927	32	8.1	18	5.1	27	7.7	Urban places	2,220	27	8.4	19	5.9	25	7.7
White	1,907	29	8.9	16	4.9	25	7.7	White	2,214	27	8.6	19	6.1	24	7.8
All other	20	3	12.4	2	8.3	2	8.3	All other	6	–	–	–	–	1	11.0
Black	12	–	–	–	–	1	17.5	Black	3	–	–	–	–	1	41.7
Balance of area	5,200	116	11.8	64	6.5	66	6.7	Balance of area	13,269	198	9.1	136	6.3	151	7.0
White	5,068	105	11.4	62	6.7	62	6.7	White	13,132	194	9.2	132	6.2	147	6.9
All other	132	11	18.5	2	3.4	4	6.7	All other	137	4	7.5	4	7.5	4	7.5
Black	5	1	33.3	–	–	–	–	Black	14	1	33.3	1	33.3	–	–
West Virginia	18,994	312	11.4	197	7.2	276	10.1	Wyoming	3,191	109	9.8	65	5.9	92	8.3
White	18,156	296	11.4	185	7.1	264	10.1	White	3,118	104	9.9	62	5.9	91	8.6
All other	838	16	12.6	12	9.5	12	9.5	All other	73	5	9.5	3	5.7	1	1.9
Black	830	16	14.2	12	10.6	12	10.6	Black	13	2	18.5	1	9.3	–	–
Urban places	5,245	64	10.8	50	8.5	57	9.7	Urban places	1,427	45	9.8	29	6.3	29	8.3
White	4,676	58	11.0	46	8.8	50	9.5	White	1,412	43	9.8	28	6.3	29	6.6
All other	369	6	9.6	4	6.4	7	11.2	All other	15	2	11.0	1	5.5	–	–
Black	365	6	10.8	4	7.2	7	12.6	Black	11	2	23.3	1	11.6	–	–
Balance of area	13,749	248	11.6	147	6.9	219	10.2	Balance of area	1,764	64	9.9	36	5.6	63	9.7
White	13,280	238	11.5	139	6.7	214	10.3	White	1,706	61	10.0	34	5.5	62	10.1
All other	469	10	15.6	8	12.5	5	7.8	All other	58	3	8.6	2	5.8	1	2.9
Black	465	10	17.5	8	14.0	5	8.7	Black	2	–	–	–	–	–	–
Metropolitan counties	6,828	102	10.5	73	7.5	88	9.0	Metropolitan counties	401	13	7.6	7	4.1	12	7.0
White	6,550	98	10.5	69	7.4	82	8.8	White	397	12	7.2	6	3.6	11	6.6
All other	278	4	8.9	4	8.9	6	13.4	All other	4	1	23.8	1	23.8	1	23.8
Black	275	4	10.0	4	10.0	6	14.9	Black	3	1	50.0	1	50.0	–	–
Urban places	3,602	48	11.9	39	9.7	35	8.7	Urban places	345	11	8.6	6	4.7	7	5.5
White	3,386	44	11.9	35	9.5	30	8.1	White	341	10	8.1	5	4.1	7	5.7
All other	216	4	12.1	4	12.1	5	15.1	All other	4	1	25.0	1	25.0	–	–
Black	214	4	13.4	4	13.4	5	16.8	Black	3	1	50.0	1	50.0	–	–
Balance of area	3,226	54	9.4	34	5.9	53	9.3	Balance of area	56	2	4.6	1	2.3	5	11.4
White	3,164	54	9.6	34	6.1	52	9.3	White	56	2	4.6	1	2.3	4	9.2
All other	62	–	–	–	–	1	8.6	All other	0	0	.0	0	.0	1	500.0
Black	61	–	–	–	–	1	9.6	Black	–	–	–	–	–	–	–
Nonmetropolitan counties	12,166	210	12.0	124	7.1	188	10.7	Nonmetropolitan counties	2,790	96	10.3	58	6.2	80	8.5
White	11,606	198	11.8	116	6.9	182	10.9	White	2,721	92	10.4	56	6.3	80	9.0
All other	560	12	14.7	8	9.8	6	7.3	All other	69	4	8.2	2	4.1	0	.0
Black	555	12	16.5	8	11.0	6	8.3	Black	10	1	11.4	0	.0	0	.0
Urban places	1,643	16	8.6	11	5.9	22	11.9	Urban places	1,082	34	10.2	23	6.9	22	6.6
White	1,490	14	9.0	11	7.1	20	12.8	White	1,071	33	10.4	23	7.2	22	6.9
All other	153	2	6.8	–	–	2	6.8	All other	11	1	7.0	0	.0	0	.0
Black	151	2	7.8	–	–	2	7.8	Black	8	1	15.2	0	.0	0	.0
Balance of area	10,523	194	12.4	113	7.2	166	10.6	Balance of area	1,708	62	10.3	35	5.8	58	9.6
White	10,116	184	12.1	105	6.9	162	10.7	White	1,650	59	10.4	33	5.8	58	10.2
All other	407	10	19.0	8	15.2	4	7.6	All other	58	3	8.7	2	5.8	0	.0
Black	404	10	21.3	8	17.1	4	8.5	Black	2	0	.0	0	.0	0	.0

1 Includes data for Brick Township and Dover Township (Ocean County), New Jersey, which had 1980 populations of 53,629 and 64,455, respectively. Ocean county is not designated as metropolitan.
2 Areas shown are census areas, the nearest equivalent of counties.
3 County equivalent.
4 Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	1,974,797	42,401	7,910	9,625	41,971	49,310	58,305	123,089	287,014	485,820	521,959	366,727	666
Male	1,056,440	24,073	4,448	5,923	31,376	35,362	37,655	78,007	179,322	275,358	255,937	128,564	415
Female	918,357	18,328	3,462	3,702	10,595	13,948	20,650	45,082	107,692	190,462	266,022	238,163	251
White	1,729,085	29,659	5,895	7,528	34,060	36,877	44,496	98,685	243,663	410,587	474,510	342,651	474
Male	919,239	16,965	3,337	4,651	25,612	26,660	29,830	69,110	153,614	244,362	232,737	119,069	292
Female	809,846	12,694	2,558	2,877	8,448	10,217	15,666	35,575	90,049	166,225	241,773	223,582	182
All other	245,712	12,742	2,015	2,097	7,911	12,433	13,809	24,404	43,351	55,233	47,449	24,076	192
Male	137,201	7,108	1,111	1,272	5,764	8,702	8,825	14,897	25,708	30,996	23,200	9,495	123
Female	108,511	5,634	904	825	2,147	3,731	4,984	9,507	17,643	24,237	24,249	14,581	69
Black	226,513	11,642	1,787	1,866	6,902	11,306	12,660	22,531	40,564	51,525	43,688	21,075	167
Male	125,610	6,485	990	1,130	5,033	7,937	8,117	13,791	24,023	28,678	20,854	8,466	106
Female	100,903	5,157	797	736	1,869	3,369	4,543	8,740	16,541	22,847	22,834	13,409	61
Metropolitan counties	1,434,889	31,929	5,718	6,868	30,462	37,936	44,124	93,234	214,854	335,433	373,683	250,136	482
Male	758,913	18,123	3,193	4,175	22,654	27,089	28,320	58,618	133,143	195,325	179,081	88,895	297
Female	675,956	13,806	2,525	2,693	7,808	10,847	15,804	34,616	81,711	140,108	194,612	171,241	185
White	1,249,388	21,670	4,126	5,227	24,308	27,769	32,790	73,203	179,999	292,997	338,114	242,833	352
Male	652,010	12,364	2,317	3,174	18,179	19,976	21,106	46,436	112,542	171,649	161,813	82,239	215
Female	591,378	9,306	1,809	2,053	6,129	7,793	11,684	26,767	67,457	121,348	176,301	160,594	137
All other	181,481	10,259	1,592	1,641	6,154	10,167	11,334	20,031	34,855	42,436	35,579	17,303	130
Male	106,903	5,759	876	1,001	4,475	7,113	7,214	12,182	20,601	23,676	17,268	6,656	82
Female	84,578	4,500	716	640	1,679	3,054	4,120	7,849	14,254	18,760	18,311	10,647	48
Black	178,302	9,510	1,452	1,477	5,633	9,509	10,589	18,774	32,945	39,727	32,826	15,748	112
Male	98,952	5,339	802	903	4,113	6,692	6,771	11,458	19,436	21,950	15,497	6,921	70
Female	79,350	4,171	650	574	1,520	2,817	3,818	7,316	13,509	17,777	17,329	9,827	42
Nonmetropolitan counties	539,928	10,472	2,192	2,757	11,509	11,374	14,181	29,855	72,160	130,387	148,268	106,591	184
Male	297,527	5,950	1,255	1,748	8,722	8,273	9,335	19,389	46,179	80,033	76,856	39,669	118
Female	242,401	4,522	937	1,009	2,787	3,101	4,846	10,466	25,981	50,354	71,410	66,922	66
White	485,697	7,989	1,769	2,301	9,752	9,108	11,706	25,482	63,664	117,590	136,396	99,818	122
Male	267,229	4,601	1,020	1,477	7,433	6,684	7,724	16,674	41,072	72,713	70,924	36,830	77
Female	218,468	3,388	749	824	2,319	2,424	3,982	8,808	22,592	44,877	65,472	62,988	45
All other	54,231	2,483	423	456	1,757	2,266	2,475	4,373	8,496	12,797	11,870	6,773	62
Male	30,298	1,349	235	271	1,289	1,589	1,611	2,715	5,107	7,320	5,932	2,839	41
Female	23,933	1,134	188	185	468	677	864	1,658	3,389	5,477	5,938	3,934	21
Black	48,211	2,132	335	389	1,269	1,797	2,071	3,757	7,619	11,798	10,862	6,127	55
Male	26,858	1,148	188	227	920	1,245	1,346	2,333	4,587	6,728	5,357	2,545	36
Female	21,553	986	147	162	349	552	725	1,424	3,032	5,070	5,505	3,582	19
Alabama	35,002	831	150	206	812	890	1,133	2,347	5,323	8,726	9,108	5,471	5
Male	19,152	477	91	128	627	643	752	1,544	3,370	5,230	4,425	1,862	3
Female	15,850	354	59	78	185	247	381	803	1,953	3,496	4,683	3,609	2
White	25,397	401	88	140	573	536	739	1,576	3,886	6,380	6,863	4,234	1
Male	13,978	228	53	91	453	383	499	1,085	2,522	3,910	3,366	1,377	1
Female	11,419	173	35	49	120	143	240	491	1,364	2,450	3,497	2,857	-
All other	9,605	430	62	66	239	354	394	771	1,437	2,366	2,245	1,237	4
Male	5,174	249	38	37	174	250	253	459	848	1,320	1,059	485	2
Female	4,431	181	24	29	65	104	141	312	589	1,046	1,186	752	2
Black	9,586	430	62	64	239	352	393	768	1,433	2,363	2,242	1,236	4
Male	5,165	249	38	36	174	249	252	458	847	1,317	1,058	485	2
Female	4,421	181	24	28	65	103	141	310	586	1,046	1,184	751	2
Metropolitan counties	21,083	518	90	122	510	556	694	1,501	3,297	5,228	5,440	3,106	1
Male	11,536	311	55	82	396	395	461	980	2,070	3,125	2,834	1,026	1
Female	9,527	207	35	40	114	161	233	521	1,227	2,103	2,606	2,080	-
White	15,180	250	59	89	360	330	435	994	2,401	3,740	4,095	2,427	-
Male	8,330	144	37	62	286	240	301	680	1,539	2,285	1,992	784	-
Female	6,850	106	22	27	74	90	134	314	862	1,455	2,103	1,643	-
All other	5,883	268	31	33	150	226	259	507	896	1,488	1,345	679	1
Male	3,206	167	18	20	110	155	160	300	531	840	642	282	1
Female	2,677	101	13	13	40	71	99	207	365	648	703	417	-
Black	5,870	268	31	31	150	224	258	505	896	1,486	1,342	678	1
Male	3,200	167	18	19	110	154	159	300	531	838	641	282	1
Female	2,670	101	13	12	40	70	99	205	365	648	701	416	-
Nonmetropolitan counties	13,939	313	60	84	302	334	439	846	2,026	3,498	3,668	2,385	4
Male	7,616	166	36	48	231	248	291	564	1,300	2,105	1,791	836	2
Female	6,323	147	24	36	71	86	148	282	726	1,393	1,877	1,529	2
White	10,217	151	29	51	213	206	304	582	1,485	2,620	2,788	1,807	1
Male	5,648	84	16	29	167	153	198	405	983	1,625	1,374	613	1
Female	4,569	67	13	22	46	53	106	177	502	995	1,394	1,194	-
All other	3,722	162	31	33	89	128	135	264	541	878	900	558	3
Male	1,968	82	20	17	64	95	83	159	317	480	417	223	1
Female	1,754	80	11	16	25	33	42	105	224	398	483	335	2
Black	3,716	162	31	33	89	128	135	263	537	877	900	558	3
Male	1,965	82	20	17	64	95	93	158	316	479	417	223	1
Female	1,751	80	11	16	25	33	42	105	221	398	483	335	2

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	1,785	125	20	20	169	188	151	211	299	283	217	105	3
Male	1,166	69	12	11	130	145	109	125	211	176	123	53	2
Female	619	56	8	9	33	43	42	86	88	107	94	52	1
White	1,224	76	9	17	97	117	100	143	227	217	153	66	2
Male	819	48	7	8	79	89	76	88	165	143	84	30	2
Female	405	28	2	9	18	28	24	55	62	74	69	36	-
All other	561	49	11	3	66	71	51	68	72	66	64	39	1
Male	347	21	5	3	51	58	33	37	46	33	39	23	-
Female	214	28	6	-	15	15	18	31	26	33	25	16	1
Black	49	9	1	-	4	3	3	6	9	9	3	2	-
Male	25	3	-	-	3	2	1	3	7	4	2	-	-
Female	24	6	1	-	1	1	2	3	2	5	1	2	-
Metropolitan census areas [1]	590	41	4	8	43	55	54	81	112	92	74	26	-
Male	358	22	3	3	30	38	37	40	85	50	41	9	-
Female	232	19	1	5	13	17	17	41	27	42	33	17	-
White	494	29	2	7	37	43	41	67	101	83	64	20	-
Male	311	16	2	2	27	30	30	35	78	48	36	7	-
Female	183	13	-	5	10	13	11	32	23	35	28	13	-
All other	96	12	2	1	6	12	13	14	11	9	10	6	-
Male	47	6	1	1	3	6	7	5	7	2	5	2	-
Female	49	6	1	-	3	4	6	9	4	7	5	4	-
Black	30	7	1	-	3	2	1	3	3	5	3	2	-
Male	13	3	-	-	2	2	-	-	2	2	2	-	-
Female	17	4	1	-	1	-	1	3	1	3	1	2	-
Nonmetropolitan census areas [1]	1,195	84	16	12	120	133	97	130	187	191	143	79	3
Male	808	47	9	8	100	107	72	85	126	126	82	44	2
Female	387	37	7	4	20	26	25	45	61	65	61	35	1
White	730	47	7	10	60	74	59	76	126	134	89	46	2
Male	508	32	5	6	52	59	46	53	87	95	48	23	2
Female	222	15	2	4	8	15	13	23	39	39	41	23	-
All other	465	37	9	2	60	59	38	54	61	57	54	33	1
Male	300	15	4	2	48	48	26	32	39	31	34	21	-
Female	165	22	5	-	12	11	12	22	22	26	20	12	1
Black	19	2	-	-	1	1	2	3	6	4	-	-	-
Male	12	-	-	-	1	-	1	3	5	2	-	-	-
Female	7	2	-	-	-	1	1	-	1	2	-	-	-
Arizona	21,969	491	155	150	612	625	684	1,332	3,270	5,647	5,612	3,374	17
Male	12,601	298	82	78	445	468	458	831	2,086	3,437	3,037	1,366	15
Female	9,368	193	73	72	167	157	226	501	1,184	2,210	2,575	2,008	2
White	20,462	405	117	126	479	497	582	1,177	3,076	5,401	5,370	3,220	12
Male	11,675	246	61	64	346	371	390	737	1,966	3,293	2,903	1,287	11
Female	8,787	159	56	62	133	126	192	440	1,110	2,108	2,467	1,933	1
All other	1,507	86	38	24	133	128	102	155	194	246	242	154	5
Male	926	52	21	14	99	97	69	94	120	144	134	79	4
Female	581	34	17	10	34	31	34	61	74	102	108	75	1
Black	487	22	12	7	17	25	29	57	67	100	103	47	1
Male	305	14	5	3	11	23	21	39	43	62	63	20	1
Female	182	8	7	4	6	2	8	18	24	38	40	27	-
Metropolitan counties	16,474	340	101	97	403	411	472	971	2,421	4,212	4,351	2,690	5
Male	9,259	205	54	48	289	303	310	611	1,525	2,508	2,327	1,075	4
Female	7,215	135	47	49	114	108	162	360	896	1,704	2,024	1,615	1
White	15,792	301	82	87	371	370	432	899	2,319	4,077	4,223	2,627	4
Male	8,866	181	46	42	269	272	285	586	1,467	2,432	2,255	1,047	4
Female	6,926	120	36	45	102	98	147	333	852	1,645	1,968	1,580	-
All other	682	39	19	10	32	41	40	72	102	135	128	63	1
Male	393	24	8	6	20	31	25	45	58	76	72	28	-
Female	289	15	11	4	12	10	15	27	44	59	56	35	1
Black	400	18	12	7	12	18	22	51	54	82	83	41	-
Male	237	12	5	3	7	16	15	34	32	46	49	16	-
Female	163	6	7	4	5	2	7	17	22	34	34	25	-
Nonmetropolitan counties	5,495	151	54	53	209	214	212	361	849	1,435	1,261	684	12
Male	3,342	93	28	30	156	165	148	220	561	929	710	291	11
Female	2,153	58	26	23	53	49	64	141	288	506	551	393	1
White	4,670	104	35	39	108	127	150	278	757	1,324	1,147	593	8
Male	2,809	65	15	22	77	99	105	171	498	881	648	240	7
Female	1,861	39	20	17	31	28	45	107	258	463	499	353	1
All other	825	47	19	14	101	87	62	83	92	111	114	91	4
Male	533	28	13	8	79	66	43	49	62	68	62	51	4
Female	292	19	6	6	22	21	19	34	30	43	52	40	-
Black	87	4	-	-	5	7	7	6	13	16	20	6	1
Male	68	2	-	-	4	7	6	5	11	14	14	4	1
Female	19	2	-	-	1	-	1	1	2	4	6	2	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	22,419	357	87	124	427	451	589	1,293	3,065	5,614	6,231	4,179	8
Male	12,492	204	47	82	335	312	399	811	1,992	3,463	3,207	1,633	7
Female	9,927	153	40	42	92	139	184	482	1,073	2,151	3,024	2,546	1
White	18,613	211	48	80	324	334	463	1,058	2,532	4,733	5,255	3,562	5
Male	10,351	117	27	60	253	243	314	683	1,686	2,932	2,701	1,331	4
Female	8,262	94	21	20	71	91	149	373	846	1,801	2,554	2,231	1
All other	3,806	146	39	34	103	117	120	237	533	881	976	617	3
Male	2,141	87	20	22	82	69	85	128	306	531	506	302	3
Female	1,665	59	19	12	21	48	35	109	227	350	470	315	-
Black	3,774	146	39	33	102	115	118	234	524	875	971	614	3
Male	2,121	87	20	21	81	68	85	127	300	527	502	300	3
Female	1,653	59	19	12	21	47	33	107	224	348	469	314	-
Metropolitan counties	7,654	156	39	55	148	202	238	471	1,134	1,847	1,889	1,370	5
Male	4,216	93	20	35	118	137	157	293	745	1,128	980	506	4
Female	3,438	63	19	20	30	65	81	178	389	719	1,009	864	1
White	6,214	90	25	40	111	147	180	387	928	1,543	1,825	1,154	4
Male	3,414	53	13	25	87	102	115	237	628	950	905	398	3
Female	2,800	37	12	15	24	45	65	130	302	593	920	756	1
All other	1,440	66	14	15	37	55	58	104	206	304	364	216	1
Male	802	40	7	10	31	35	42	56	119	178	175	108	1
Female	638	26	7	5	6	20	16	48	87	126	189	108	-
Black	1,429	66	14	14	37	54	57	102	202	303	383	216	1
Male	794	40	7	9	31	34	42	55	116	177	174	108	1
Female	635	26	7	5	6	20	15	47	86	126	189	108	-
Nonmetropolitan counties	14,765	201	48	69	279	249	345	822	1,931	3,767	4,242	2,809	3
Male	8,276	111	27	47	217	175	242	518	1,247	2,335	2,227	1,127	3
Female	6,489	90	21	22	62	74	103	304	684	1,432	2,015	1,682	-
White	12,399	121	23	50	213	187	283	669	1,604	3,190	3,630	2,406	1
Male	6,937	64	14	35	166	141	199	446	1,060	1,982	1,896	933	1
Female	5,462	57	9	15	47	46	84	243	544	1,208	1,734	1,475	-
All other	2,366	80	25	19	66	62	62	133	327	577	612	401	2
Male	1,339	47	13	12	51	34	43	72	187	353	331	194	2
Female	1,027	33	12	7	15	28	19	61	140	224	281	207	-
Black	2,345	80	25	19	65	61	61	132	322	572	608	398	2
Male	1,327	47	13	12	50	34	43	72	184	350	328	192	2
Female	1,018	33	12	7	15	27	18	60	138	222	280	206	-
California	188,471	4,251	842	979	4,699	5,985	8,305	12,045	27,334	42,468	47,760	35,639	164
Male	100,348	2,412	485	598	3,544	4,337	4,104	7,578	16,810	24,677	23,833	12,271	99
Female	88,123	1,839	357	381	1,155	1,648	2,201	4,467	10,724	17,791	24,127	23,368	65
White	169,427	3,294	684	828	3,971	4,859	5,156	10,103	23,997	38,453	44,187	33,775	140
Male	89,367	1,858	395	502	3,020	3,566	3,367	6,398	14,625	22,306	21,703	11,543	84
Female	80,060	1,436	289	326	951	1,293	1,789	3,705	9,372	16,147	22,484	22,232	56
All other	19,044	957	158	151	728	1,126	1,149	1,942	3,337	4,015	3,573	1,864	24
Male	10,981	554	90	96	524	771	737	1,180	1,985	2,371	1,930	728	15
Female	8,063	403	68	55	204	355	412	762	1,352	1,644	1,643	1,136	9
Black	13,904	709	116	110	555	911	915	1,468	2,614	2,872	2,374	1,226	14
Male	7,825	408	68	69	405	638	600	914	1,547	1,607	1,128	434	7
Female	6,079	301	48	41	150	273	315	574	1,067	1,265	1,246	792	7
Metropolitan counties	177,859	4,047	790	915	4,433	5,666	5,981	11,493	25,786	39,701	45,071	33,832	144
Male	94,286	2,288	456	559	3,338	4,102	3,896	7,223	15,666	22,950	22,170	11,557	81
Female	83,573	1,759	334	356	1,095	1,564	2,085	4,270	10,120	16,751	22,901	22,275	63
White	159,212	3,108	633	764	3,722	4,558	4,849	9,581	22,522	35,776	41,567	32,011	121
Male	83,547	1,742	367	463	2,824	3,344	3,170	6,059	13,732	20,637	20,297	10,845	67
Female	75,665	1,366	266	301	898	1,214	1,679	3,522	8,790	15,139	21,270	21,166	54
All other	18,647	939	157	151	711	1,108	1,132	1,912	3,264	3,925	3,504	1,821	23
Male	10,739	546	89	96	514	758	726	1,164	1,934	2,313	1,873	712	14
Female	7,908	393	68	55	197	350	406	748	1,330	1,612	1,631	1,109	9
Black	13,671	698	116	110	547	901	905	1,471	2,574	2,814	2,324	1,197	14
Male	7,784	403	68	69	400	632	592	905	1,517	1,572	1,098	421	7
Female	5,887	295	48	41	147	269	313	566	1,057	1,242	1,226	776	7
Nonmetropolitan counties	10,612	204	52	64	268	319	324	552	1,548	2,767	2,689	1,807	20
Male	6,062	124	29	39	208	235	208	355	944	1,727	1,463	714	18
Female	4,550	80	23	25	60	84	116	197	604	1,040	1,226	1,093	2
White	10,215	186	51	64	249	301	307	522	1,475	2,677	2,600	1,764	19
Male	5,820	116	28	39	196	222	197	339	893	1,669	1,406	698	17
Female	4,395	70	23	25	53	79	110	183	582	1,008	1,194	1,066	2
All other	397	18	1	-	17	18	17	30	73	90	89	43	1
Male	242	8	1	-	10	13	11	16	51	58	57	16	1
Female	155	10	-	-	7	5	6	14	22	32	32	27	-
Black	233	11	-	-	8	10	10	17	40	58	50	29	-
Male	141	5	-	-	5	6	8	9	30	35	30	13	-
Female	92	6	-	-	3	4	2	8	10	23	20	16	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	19,649	499	121	105	585	759	702	1,254	2,626	4,122	4,825	4,056	1
Male	10,635	297	71	72	412	570	473	787	1,623	2,460	2,401	1,469	–
Female	9,014	202	50	33	173	189	229	467	1,003	1,662	2,424	2,587	1
White	18,931	458	112	97	556	685	646	1,165	2,519	4,001	4,711	3,980	1
Male	10,217	272	65	66	388	519	439	730	1,564	2,398	2,338	1,440	–
Female	8,714	186	47	31	168	166	207	435	955	1,605	2,373	2,540	1
All other	718	41	9	8	29	68	56	89	107	121	114	76	–
Male	418	25	6	6	24	51	34	57	59	64	63	29	–
Female	300	16	3	2	5	17	22	32	48	57	51	47	–
Black	562	34	7	8	20	54	39	70	83	103	87	57	–
Male	328	20	5	6	17	41	26	50	43	51	48	21	–
Female	234	14	2	2	3	13	13	20	40	52	39	36	–
Metropolitan counties	14,929	399	96	78	434	585	568	992	2,123	3,059	3,602	2,992	1
Male	8,023	237	56	52	307	436	388	622	1,302	1,811	1,773	1,041	–
Female	6,906	162	40	26	127	149	182	370	821	1,248	1,829	1,951	1
White	14,258	359	87	70	408	525	516	906	2,020	2,944	3,501	2,923	1
Male	7,635	213	50	46	284	391	354	567	1,246	1,753	1,717	1,014	–
Female	6,623	146	37	24	122	134	162	339	774	1,191	1,784	1,909	1
All other	671	40	9	8	28	60	52	86	103	115	101	69	–
Male	388	24	6	6	23	45	32	55	58	58	56	27	–
Female	283	16	3	2	5	15	20	31	47	57	45	42	–
Black	549	34	7	8	20	51	39	70	82	102	83	53	–
Male	318	20	5	6	17	38	26	50	42	50	45	19	–
Female	231	14	2	2	3	13	13	20	40	52	38	34	–
Nonmetropolitan counties	4,720	100	25	27	151	168	134	262	503	1,063	1,223	1,064	–
Male	2,612	60	15	20	105	134	87	165	321	649	628	428	–
Female	2,108	40	10	7	46	34	47	97	182	414	595	636	–
White	4,673	99	25	27	150	160	130	259	499	1,057	1,210	1,057	–
Male	2,582	59	15	20	104	128	85	163	318	643	621	426	–
Female	2,091	40	10	7	46	32	45	96	181	414	589	631	–
All other	47	1	–	–	1	8	4	3	4	6	13	7	–
Male	30	1	–	–	1	6	2	2	3	6	7	2	–
Female	17	–	–	–	–	2	2	1	1	–	6	5	–
Black	13	–	–	–	–	3	–	–	1	1	4	4	–
Male	10	–	–	–	–	3	–	–	1	1	3	2	–
Female	3	–	–	–	–	–	–	–	–	–	1	2	–
Connecticut	28,838	450	65	99	525	543	663	1,559	3,928	6,348	7,077	5,579	2
Male	13,945	250	38	60	394	364	419	861	2,436	3,732	3,424	1,886	1
Female	12,893	200	27	39	131	179	244	698	1,492	2,616	3,653	3,713	1
White	25,424	342	61	90	481	467	538	1,382	3,629	6,095	6,859	5,478	2
Male	13,123	191	35	52	361	315	333	848	2,245	3,586	3,321	1,835	1
Female	12,301	151	26	38	120	152	205	534	1,384	2,509	3,538	3,643	1
All other	1,414	108	4	9	44	76	125	177	299	253	218	101	–
Male	822	59	3	8	33	49	86	113	191	146	103	31	–
Female	592	49	1	1	11	27	39	64	108	107	115	70	–
Black	1,371	106	3	9	42	76	120	170	288	244	207	86	–
Male	793	58	2	8	32	49	82	107	191	140	94	30	–
Female	578	48	1	1	10	27	38	63	107	104	113	56	–
Metropolitan counties	24,696	425	60	87	479	503	612	1,443	3,645	5,611	6,499	5,130	2
Male	12,804	238	38	55	361	337	397	882	2,259	3,414	3,116	1,718	1
Female	11,892	187	24	32	118	166	225	561	1,386	2,397	3,383	3,412	1
White	23,292	317	56	78	435	427	487	1,268	3,346	5,558	6,288	5,030	2
Male	11,987	179	33	47	328	288	301	770	2,068	3,268	3,017	1,687	1
Female	11,305	138	23	31	107	139	186	498	1,278	2,290	3,271	3,343	1
All other	1,404	108	4	9	44	76	125	175	299	253	211	100	–
Male	817	59	3	8	33	49	86	112	191	146	99	31	–
Female	587	49	1	1	11	27	39	63	108	107	112	69	–
Black	1,363	106	3	9	42	76	120	168	288	244	202	95	–
Male	790	58	2	8	32	49	82	106	191	140	92	30	–
Female	573	48	1	1	10	27	38	62	107	104	110	65	–
Nonmetropolitan counties	2,142	25	5	12	46	40	51	116	283	537	578	449	–
Male	1,141	12	2	5	33	27	32	79	177	318	308	148	–
Female	1,001	13	3	7	13	13	19	37	106	219	270	301	–
White	2,132	25	5	12	46	40	51	114	283	537	571	448	–
Male	1,136	12	2	5	33	27	32	78	177	318	304	148	–
Female	996	13	3	7	13	13	19	36	106	219	267	300	–
All other	10	–	–	–	–	–	–	2	–	–	7	1	–
Male	5	–	–	–	–	–	–	1	–	–	4	–	–
Female	5	–	–	–	–	–	–	1	–	–	3	1	–
Black	8	–	–	–	–	–	–	2	–	–	5	1	–
Male	3	–	–	–	–	–	–	1	–	–	2	–	–
Female	5	–	–	–	–	–	–	1	–	–	3	1	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,104	129	17	19	132	117	152	356	832	1,235	1,257	858	-
Male	2,699	74	10	10	101	74	92	220	524	717	597	280	-
Female	2,405	55	7	9	31	43	60	136	308	518	660	578	-
White	4,261	79	10	14	105	89	105	278	671	1,051	1,094	765	-
Male	2,244	46	6	9	85	58	66	184	428	598	511	253	-
Female	2,017	33	4	5	20	31	39	94	243	453	583	512	-
All other	843	50	7	5	27	28	47	78	161	184	163	93	-
Male	455	28	4	1	16	16	26	38	96	119	86	27	-
Female	388	22	3	4	11	12	21	42	65	65	77	66	-
Black	832	49	7	5	27	28	46	77	160	179	182	92	-
Male	449	28	4	1	16	16	26	35	95	116	85	27	-
Female	383	21	3	4	11	12	20	42	65	63	77	65	-
Metropolitan counties	3,296	88	10	8	70	78	98	234	562	772	839	537	-
Male	1,706	52	4	6	52	42	52	144	351	441	383	179	-
Female	1,590	36	6	2	18	36	46	90	211	331	456	358	-
White	2,754	57	5	6	53	57	68	187	454	648	732	486	-
Male	1,406	32	2	5	44	31	36	121	286	382	326	161	-
Female	1,348	25	3	1	9	26	33	66	168	266	406	325	-
All other	542	31	5	2	17	21	29	47	108	124	107	51	-
Male	300	20	2	1	8	11	16	23	65	79	57	18	-
Female	242	11	3	1	9	10	13	24	43	45	50	33	-
Black	537	30	5	2	17	21	29	46	108	121	107	51	-
Male	296	20	2	1	8	11	16	22	65	76	57	18	-
Female	241	10	3	1	9	10	13	24	43	45	50	33	-
Nonmetropolitan counties	1,808	41	7	11	62	39	54	122	270	463	418	321	-
Male	993	22	6	4	49	32	40	76	173	276	214	101	-
Female	815	19	1	7	13	7	14	46	97	187	204	220	-
White	1,507	22	5	8	52	32	36	81	217	403	362	279	-
Male	838	14	4	4	41	27	30	63	142	236	185	92	-
Female	669	8	1	4	11	5	6	28	75	167	177	187	-
All other	301	19	2	3	10	7	18	31	53	60	56	42	-
Male	155	8	2	-	8	5	10	13	31	40	28	9	-
Female	146	11	-	3	2	2	8	18	22	20	27	33	-
Black	295	19	2	3	10	7	17	31	52	58	55	41	-
Male	153	8	2	-	8	5	10	13	30	40	28	9	-
Female	142	11	-	3	2	2	7	18	22	18	27	32	-
District of Columbia	6,713	197	26	16	109	306	336	574	1,182	1,554	1,484	913	16
Male	3,568	110	15	8	75	216	222	358	699	852	705	296	10
Female	3,145	87	11	8	34	88	114	216	483	702	779	617	6
White	1,884	13	4	4	12	37	45	71	185	443	584	480	6
Male	888	7	1	2	10	22	23	46	115	247	267	144	4
Female	996	6	3	2	2	15	22	25	70	196	317	336	2
All other	4,829	184	22	12	97	269	291	503	997	1,111	900	433	10
Male	2,680	103	14	6	65	195	199	312	584	605	438	152	6
Female	2,149	81	8	6	32	73	92	191	413	506	462	281	4
Black	4,789	180	22	12	97	267	287	501	992	1,104	889	428	10
Male	2,654	100	14	6	65	195	197	311	582	599	430	149	6
Female	2,135	80	8	6	32	72	90	190	410	505	459	279	4
Metropolitan counties	6,713	197	26	16	109	306	336	574	1,182	1,554	1,484	913	16
Male	3,568	110	15	8	75	216	222	358	699	852	705	296	10
Female	3,145	87	11	8	34	88	114	216	483	702	779	617	6
White	1,884	13	4	4	12	37	45	71	185	443	584	480	6
Male	888	7	1	2	10	22	23	46	115	247	267	144	4
Female	996	6	3	2	2	15	22	25	70	196	317	336	2
All other	4,829	184	22	12	97	269	291	503	997	1,111	900	433	10
Male	2,680	103	14	6	65	196	199	312	584	605	438	152	6
Female	2,149	81	8	6	32	73	92	191	413	506	462	281	4
Black	4,789	180	22	12	97	267	287	501	992	1,104	889	428	10
Male	2,654	100	14	6	65	195	197	311	582	599	430	149	6
Female	2,135	80	8	6	32	72	90	190	410	505	459	279	4
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	108,584	1,857	380	425	1,959	2,465	2,699	5,937	14,767	27,831	31,600	18,820	34
Male	60,767	1,054	223	252	1,454	1,791	1,736	3,795	9,243	16,854	16,938	7,601	26
Female	47,817	803	157	173	505	674	963	2,142	5,524	10,977	14,662	11,219	8
White	97,122	1,075	265	301	1,535	1,847	2,033	4,734	12,739	24,874	29,580	18,007	22
Male	54,169	603	157	180	1,153	1,342	1,324	3,053	8,012	15,125	15,932	7,290	18
Female	42,933	472	108	121	382	505	709	1,681	4,727	9,849	13,658	10,717	4
All other	11,462	782	125	124	424	618	666	1,203	2,028	2,957	2,010	813	12
Male	6,578	451	66	72	301	449	412	742	1,231	1,529	1,006	311	8
Female	4,884	331	59	52	123	169	254	461	797	1,128	1,004	502	4
Black	11,300	771	123	118	414	604	646	1,180	2,015	2,929	1,982	807	11
Male	6,478	442	65	69	293	440	398	730	1,225	1,515	985	308	8
Female	4,822	329	58	49	121	164	248	450	790	1,114	997	499	3
Metropolitan counties	94,337	1,628	331	380	1,696	2,180	2,356	5,169	12,676	23,523	27,718	16,674	26
Male	52,416	928	192	209	1,264	1,591	1,524	3,285	7,924	14,049	14,705	6,725	20
Female	41,921	700	139	151	432	589	832	1,884	4,752	9,474	13,013	9,949	6
White	84,564	943	219	259	1,318	1,632	1,780	4,128	10,931	21,294	26,026	16,016	18
Male	46,817	532	132	153	994	1,191	1,158	2,646	6,875	12,772	13,871	6,478	15
Female	37,747	411	87	106	324	441	622	1,482	4,056	8,522	12,155	9,538	3
All other	9,773	685	112	101	378	548	576	1,041	1,745	2,229	1,692	658	8
Male	5,599	396	60	56	270	400	366	639	1,049	1,277	834	247	5
Female	4,174	289	52	45	108	148	210	402	696	952	858	411	3
Black	9,624	674	110	95	368	535	558	1,022	1,732	2,205	1,668	652	7
Male	5,508	387	59	53	262	392	352	631	1,043	1,265	815	244	5
Female	4,116	287	51	42	106	143	206	391	689	940	851	408	2
Nonmetropolitan counties	14,247	229	59	65	263	285	343	768	2,091	4,108	3,882	2,146	8
Male	8,351	126	31	43	190	200	212	510	1,319	2,605	2,233	876	6
Female	5,896	103	28	22	73	85	131	258	772	1,503	1,649	1,270	2
White	12,558	132	46	42	217	215	253	606	1,808	3,660	3,564	1,991	4
Male	7,372	71	25	27	159	151	168	407	1,137	2,353	2,061	812	3
Female	5,186	61	21	15	58	64	87	199	671	1,327	1,503	1,179	1
All other	1,689	97	13	23	46	70	90	162	283	428	318	155	4
Male	979	55	6	16	31	49	46	103	182	252	172	64	3
Female	710	42	7	7	15	21	44	59	101	176	146	91	1
Black	1,676	97	13	23	46	69	88	158	283	424	316	155	4
Male	970	55	6	16	31	48	46	99	182	250	170	64	3
Female	706	42	7	7	15	21	42	59	101	174	146	91	1
Georgia	44,179	1,142	238	312	1,076	1,450	1,891	3,648	7,139	10,908	10,364	5,981	30
Male	24,025	612	124	160	762	1,011	1,227	2,270	4,609	6,431	4,844	1,936	19
Female	20,154	530	114	152	314	439	664	1,378	2,530	4,477	5,520	4,045	11
White	31,713	548	141	201	750	861	1,107	2,350	5,013	7,727	8,035	4,967	15
Male	17,394	296	73	122	550	622	737	1,526	3,332	4,718	3,836	1,574	8
Female	14,319	250	68	79	200	239	370	824	1,681	3,009	4,199	3,393	7
All other	12,466	594	97	111	326	589	784	1,298	2,126	3,181	2,329	1,014	15
Male	6,631	316	51	58	212	389	480	744	1,277	1,713	1,008	362	11
Female	5,835	280	46	53	114	200	304	554	849	1,468	1,321	652	4
Black	12,414	588	95	110	325	584	779	1,291	2,119	3,177	2,324	1,009	13
Male	6,613	314	51	57	211	387	488	740	1,276	1,711	1,006	362	10
Female	5,801	274	44	53	114	197	291	551	843	1,466	1,318	647	3
Metropolitan counties	23,619	656	136	171	619	854	1,127	2,132	3,970	5,629	5,184	3,113	16
Male	12,651	384	69	101	426	590	740	1,263	2,551	3,222	2,338	974	13
Female	10,968	272	67	70	193	264	387	869	1,419	2,407	2,856	2,139	5
White	16,686	340	74	116	440	517	621	1,337	2,737	3,920	3,978	2,598	8
Male	8,983	187	36	72	305	371	415	828	1,815	2,332	1,833	784	5
Female	7,703	153	38	44	135	146	206	509	922	1,588	2,145	1,814	3
All other	6,933	316	62	55	179	337	506	795	1,233	1,709	1,216	515	10
Male	3,668	177	33	29	121	219	325	435	736	890	605	190	8
Female	3,265	139	29	26	58	118	181	360	497	819	711	325	2
Black	6,896	310	60	54	179	335	502	790	1,228	1,705	1,212	512	9
Male	3,657	176	33	28	121	219	324	432	736	888	503	190	7
Female	3,239	134	27	26	58	116	178	358	492	817	709	322	2
Nonmetropolitan counties	20,560	486	102	141	457	596	764	1,516	3,169	5,279	5,170	2,868	12
Male	11,374	248	55	79	338	421	487	1,007	2,058	3,209	2,506	962	6
Female	9,188	238	47	62	121	175	277	509	1,111	2,070	2,664	1,906	6
White	15,027	206	67	85	310	344	486	1,013	2,276	3,807	4,057	2,369	7
Male	8,411	109	37	50	245	251	322	698	1,517	2,386	2,003	790	3
Female	6,616	97	30	35	65	93	164	315	759	1,421	2,054	1,579	4
All other	5,533	280	35	56	147	252	278	503	893	1,472	1,113	499	5
Male	2,963	139	18	29	91	170	165	309	541	823	503	172	3
Female	2,570	141	17	27	56	82	113	194	352	649	610	327	2
Black	5,518	278	35	56	146	249	277	501	891	1,472	1,112	497	4
Male	2,956	138	18	29	90	168	164	308	540	823	503	172	3
Female	2,562	140	17	27	56	81	113	193	351	649	609	325	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	5,188	184	24	40	163	170	212	390	822	1,153	1,198	848	4
Male	3,069	102	12	23	115	120	133	228	528	728	712	366	2
Female	2,119	82	12	17	48	50	79	162	294	425	486	482	2
White	1,688	40	5	12	59	68	85	112	274	397	381	253	2
Male	976	23	2	9	49	50	54	71	179	238	212	89	-
Female	712	17	3	3	10	18	31	41	95	159	169	164	2
All other	3,500	124	19	28	104	102	127	278	548	756	817	595	2
Male	2,093	79	10	14	66	70	79	157	349	490	500	277	2
Female	1,407	45	9	14	38	32	48	121	199	266	317	318	-
Black	42	11	-	2	5	5	1	3	6	3	2	3	1
Male	31	9	-	1	4	5	-	3	3	2	1	2	1
Female	11	2	-	1	1	-	1	-	3	1	1	1	-
Metropolitan counties	3,817	128	18	31	125	111	158	286	633	859	854	611	3
Male	2,238	82	11	18	90	77	101	162	401	539	508	247	2
Female	1,579	46	7	13	35	34	57	124	232	320	346	364	1
White	1,260	31	3	10	48	40	66	75	215	291	286	194	1
Male	722	15	2	8	40	29	45	46	136	177	162	62	-
Female	538	16	1	2	8	11	21	29	79	114	124	132	1
All other	2,557	97	15	21	77	71	92	211	418	568	568	417	2
Male	1,516	67	9	10	50	48	58	116	265	382	346	185	2
Female	1,041	30	6	11	27	23	36	95	153	206	222	232	-
Black	39	10	-	2	5	5	1	3	6	2	1	3	1
Male	30	9	-	1	4	5	-	3	3	1	1	2	1
Female	9	1	-	1	1	-	1	-	3	1	-	1	-
Nonmetropolitan counties	1,371	36	6	9	38	59	54	104	189	294	344	237	1
Male	831	20	1	5	25	43	32	66	127	189	204	119	-
Female	540	16	5	4	13	16	22	38	62	105	140	118	1
White	428	9	2	2	11	28	19	37	59	106	95	59	1
Male	254	6	-	1	9	21	9	25	43	61	50	27	-
Female	174	1	2	1	2	7	10	12	16	45	45	32	1
All other	943	27	4	7	27	31	35	67	130	188	249	178	-
Male	577	12	1	4	16	22	23	41	84	128	154	92	-
Female	366	15	3	3	11	9	12	26	46	60	95	86	-
Black	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Idaho	6,957	195	44	73	173	161	205	371	881	1,630	1,818	1,405	1
Male	3,963	124	24	46	129	113	129	236	569	1,021	1,017	554	1
Female	2,994	71	20	27	44	48	76	135	312	609	801	851	-
White	6,847	193	39	69	169	150	191	361	867	1,606	1,809	1,396	1
Male	3,889	122	22	42	125	107	118	239	562	1,009	1,008	550	1
Female	2,948	71	17	27	44	43	73	128	305	599	795	846	-
All other	110	2	5	4	4	11	14	10	14	22	15	9	-
Male	84	2	2	4	4	6	11	3	7	12	8	4	-
Female	46	-	3	-	-	5	3	7	7	10	6	5	-
Black	8	1	-	-	-	-	-	-	-	5	2	-	-
Male	5	1	-	-	-	-	-	-	-	3	1	-	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-
Metropolitan counties	1,108	32	10	16	28	27	42	66	143	242	281	220	1
Male	603	21	5	9	20	23	26	42	89	144	144	79	1
Female	505	11	5	7	8	4	16	24	54	98	137	141	-
White	1,094	32	8	13	28	25	42	66	143	239	279	220	1
Male	594	21	4	6	20	22	26	42	89	141	143	79	1
Female	500	11	2	7	8	3	16	24	54	98	136	141	-
All other	14	-	4	3	-	2	-	-	-	3	2	-	-
Male	9	-	1	3	-	1	-	-	-	3	1	-	-
Female	5	-	3	-	-	1	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,849	163	34	57	145	134	163	305	738	1,368	1,537	1,185	-
Male	3,380	103	19	37	109	90	103	194	480	877	873	475	-
Female	2,469	60	15	20	36	44	60	111	258	511	664	710	-
White	5,753	161	33	56	141	125	149	295	724	1,369	1,524	1,176	-
Male	3,305	101	18	36	105	85	92	191	473	868	865	471	-
Female	2,448	60	15	20	36	40	57	104	251	501	659	705	-
All other	96	2	1	1	4	9	14	10	14	19	13	9	-
Male	55	2	1	1	4	5	11	3	7	9	8	4	-
Female	41	-	-	-	-	4	3	7	7	10	5	5	-
Black	5	1	-	-	-	-	-	-	-	3	1	-	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	100,501	2,500	384	498	1,972	2,404	2,919	6,281	14,808	23,255	26,615	18,899	6
Male	52,780	1,422	223	317	1,491	1,759	1,847	3,961	9,331	13,465	12,602	6,358	4
Female	47,721	1,078	161	181	481	645	1,072	2,300	5,477	9,790	14,013	12,541	2
White	86,435	1,514	234	348	1,441	1,624	2,016	4,741	12,259	20,378	24,194	17,662	4
Male	44,809	879	140	225	1,093	1,197	1,277	2,970	7,823	11,826	11,458	5,918	3
Female	41,626	635	94	123	348	427	739	1,771	4,436	8,552	12,736	11,744	1
All other	14,066	986	150	150	531	780	903	1,520	2,549	2,877	2,421	1,217	2
Male	7,971	543	83	92	388	562	570	991	1,508	1,639	1,144	440	1
Female	6,095	443	47	58	133	218	333	529	1,041	1,238	1,277	777	1
Black	13,730	960	126	145	523	760	880	1,484	2,497	2,909	2,364	1,160	2
Male	7,780	528	81	89	395	549	559	969	1,479	1,597	1,103	430	1
Female	5,950	432	45	56	128	211	321	515	1,018	1,212	1,261	750	1
Metropolitan counties	77,955	2,139	317	414	1,614	2,055	2,516	5,246	12,090	18,101	19,982	13,475	6
Male	41,083	1,218	195	261	1,226	1,500	1,591	3,330	7,599	10,332	9,319	4,508	4
Female	36,872	921	122	153	388	555	925	1,916	4,491	7,769	10,663	8,967	2
White	64,341	1,178	190	266	1,093	1,297	1,622	3,760	9,605	15,315	17,656	12,355	4
Male	33,361	668	114	170	835	953	1,027	2,364	6,124	8,745	8,231	4,107	3
Female	30,980	490	76	96	258	344	595	1,396	3,481	6,570	9,425	8,248	1
All other	13,614	961	127	148	521	758	894	1,486	2,485	2,786	2,326	1,120	2
Male	7,722	530	81	91	391	547	584	966	1,475	1,587	1,088	401	1
Female	5,892	431	46	57	130	211	330	520	1,010	1,199	1,238	719	1
Black	13,269	936	123	143	513	740	871	1,452	2,434	2,720	2,271	1,084	2
Male	7,539	516	79	88	388	536	553	946	1,446	1,546	1,046	391	1
Female	5,751	420	44	55	125	204	318	506	988	1,174	1,223	693	1
Nonmetropolitan counties	22,546	361	47	84	358	349	403	1,015	2,718	5,154	6,633	5,424	-
Male	11,697	204	28	56	265	259	256	631	1,732	3,133	3,283	1,850	-
Female	10,849	157	19	28	93	90	147	384	986	2,021	3,350	3,574	-
White	22,094	336	44	82	348	327	394	981	2,654	5,063	6,538	5,327	-
Male	11,448	191	26	55	258	244	250	606	1,699	3,001	3,227	1,811	-
Female	10,646	145	18	27	90	83	144	375	955	1,982	3,311	3,516	-
All other	452	25	3	2	10	22	9	34	64	91	95	97	-
Male	249	13	2	1	7	15	6	25	33	52	56	39	-
Female	203	12	1	1	3	7	3	9	31	39	39	58	-
Black	441	24	3	2	10	20	9	32	63	89	93	96	-
Male	242	12	2	1	7	13	6	23	33	51	55	39	-
Female	199	12	1	1	3	7	3	9	30	38	38	57	-
Indiana	46,630	956	181	211	897	921	1,195	2,765	6,823	10,910	12,658	9,108	5
Male	24,455	545	99	131	656	636	752	1,745	4,300	6,422	6,079	3,086	4
Female	22,175	411	82	80	241	285	443	1,020	2,523	4,488	6,579	6,022	1
White	43,246	772	159	176	786	784	1,048	2,426	6,198	10,142	12,001	8,770	4
Male	22,504	450	85	104	568	521	657	1,532	3,936	5,966	5,742	2,940	3
Female	20,742	322	74	72	218	263	391	894	2,262	4,176	6,259	5,830	1
All other	3,384	184	22	35	111	137	147	339	625	768	657	338	1
Male	1,951	95	14	27	88	115	95	213	364	456	337	146	1
Female	1,433	89	8	8	23	42	52	126	261	312	320	192	-
Black	3,354	183	22	33	108	155	146	336	619	760	654	337	1
Male	1,993	94	14	26	86	115	94	212	361	450	335	145	1
Female	1,421	89	8	7	22	40	52	124	258	310	319	192	-
Metropolitan counties	31,596	706	119	144	624	698	839	1,981	4,783	7,337	8,375	5,986	4
Male	16,453	388	61	92	464	480	536	1,245	2,985	4,314	3,918	1,966	4
Female	15,143	318	58	52	160	218	303	736	1,798	3,023	4,457	4,020	-
White	28,401	532	88	113	515	548	699	1,657	4,194	6,612	7,766	5,664	3
Male	14,612	300	48	68	377	370	447	1,042	2,844	3,982	3,608	1,823	3
Female	13,789	232	50	45	138	178	252	615	1,550	2,730	4,158	3,841	-
All other	3,195	174	21	31	109	150	140	324	589	725	609	322	1
Male	1,841	88	13	24	67	110	89	203	341	432	310	143	1
Female	1,354	86	8	7	22	40	51	121	248	293	299	179	-
Black	3,173	173	21	31	106	148	139	322	585	719	606	322	1
Male	1,826	87	13	24	85	110	88	202	338	427	308	143	1
Female	1,347	86	8	7	21	38	51	120	247	292	298	179	-
Nonmetropolitan counties	15,034	250	62	67	273	223	356	784	2,040	3,573	4,283	3,122	1
Male	8,002	157	38	39	192	156	216	500	1,315	2,108	2,161	1,120	-
Female	7,032	93	24	28	81	67	140	284	725	1,465	2,122	2,002	1
White	14,846	240	61	63	271	216	349	769	2,004	3,530	4,235	3,106	1
Male	7,892	150	37	36	191	151	210	490	1,292	2,084	2,134	1,117	-
Female	6,953	90	24	27	80	65	139	279	712	1,446	2,101	1,989	1
All other	189	10	1	4	2	7	7	15	36	43	48	16	-
Male	110	7	1	3	1	5	6	10	23	24	27	3	-
Female	79	3	-	1	1	2	1	5	13	19	21	13	-
Black	181	10	1	2	2	7	7	14	34	41	48	15	-
Male	107	7	1	2	1	5	6	10	23	23	27	2	-
Female	74	3	-	-	1	2	1	4	11	18	21	13	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	26,880	456	89	102	442	416	495	1,167	3,017	5,857	7,663	7,173	3
Male	14,186	264	58	64	332	266	312	767	1,983	3,609	3,947	2,583	1
Female	12,704	192	41	38	110	150	183	400	1,034	2,248	3,716	4,590	2
White	26,555	429	86	100	426	397	478	1,143	2,962	5,780	7,612	7,129	3
Male	13,993	250	57	64	320	254	300	754	1,953	3,584	3,916	2,580	1
Female	12,562	179	39	36	106	143	178	389	1,009	2,216	3,696	4,569	2
All other	335	27	3	2	16	19	17	24	55	77	51	44	-
Male	193	14	1	-	12	12	12	13	30	45	31	23	-
Female	142	13	2	2	4	7	5	11	25	32	20	21	-
Black	289	22	2	2	14	11	13	21	52	71	42	39	-
Male	168	12	-	-	11	8	9	12	30	42	25	19	-
Female	121	10	2	2	3	3	4	9	22	29	17	20	-
Metropolitan counties	8,941	231	37	35	153	184	223	485	1,165	2,023	2,405	2,000	-
Male	4,687	141	19	24	111	118	144	316	749	1,217	1,182	686	-
Female	4,254	90	18	11	42	66	79	169	416	806	1,243	1,314	-
White	8,682	210	34	34	142	173	207	466	1,119	1,962	2,367	1,968	-
Male	4,535	128	18	24	103	112	132	305	723	1,179	1,140	671	-
Female	4,147	82	16	10	39	61	75	161	396	783	1,227	1,297	-
All other	259	21	3	1	11	11	16	19	46	61	38	32	-
Male	152	13	1	-	8	6	12	11	26	38	22	15	-
Female	107	8	2	1	3	5	4	8	20	23	16	17	-
Black	235	17	2	1	11	8	13	17	45	59	32	30	-
Male	139	11	-	-	8	5	9	10	28	37	19	14	-
Female	96	6	2	1	3	3	4	7	19	22	13	16	-
Nonmetropolitan counties	17,949	225	52	67	289	232	272	682	1,852	3,834	5,258	5,173	3
Male	9,499	123	39	40	221	148	168	451	1,234	2,392	2,765	1,897	1
Female	8,450	102	23	27	68	84	104	231	618	1,442	2,473	3,276	2
White	17,873	219	52	66	284	224	271	677	1,843	3,818	5,245	5,161	3
Male	9,458	122	39	40	217	142	168	449	1,230	2,365	2,776	1,889	1
Female	8,415	97	23	26	67	82	103	228	613	1,433	2,469	3,272	2
All other	76	6	-	1	5	8	1	5	9	16	13	12	-
Male	41	1	-	-	4	6	-	2	4	7	9	8	-
Female	35	5	-	1	1	2	1	3	5	9	4	4	-
Black	54	5	-	1	3	3	-	4	7	12	10	9	-
Male	29	1	-	-	3	3	-	2	4	5	6	5	-
Female	25	4	-	1	-	-	-	2	3	7	4	4	-
Kansas	21,804	426	112	76	395	429	507	1,040	2,583	4,647	6,234	5,355	-
Male	11,435	237	61	46	301	295	326	639	1,648	2,838	3,163	1,881	-
Female	10,369	189	51	30	94	134	181	401	935	1,809	3,071	3,474	-
White	20,726	359	91	69	364	388	447	957	2,421	4,426	5,997	5,207	-
Male	10,870	202	49	41	278	268	294	590	1,560	2,712	3,051	1,825	-
Female	9,856	157	42	28	86	120	153	367	861	1,714	2,946	3,382	-
All other	1,078	67	21	7	31	41	60	83	162	221	237	148	-
Male	565	35	12	5	23	27	32	49	88	126	112	56	-
Female	513	32	9	2	8	14	28	34	74	95	125	92	-
Black	991	61	17	6	28	36	47	75	149	203	225	144	-
Male	517	32	10	5	21	22	26	46	81	114	106	54	-
Female	474	29	7	1	7	14	21	29	68	89	119	90	-
Metropolitan counties	8,509	221	57	35	173	214	273	515	1,184	1,665	2,254	1,718	-
Male	4,453	119	30	20	132	147	167	312	735	1,147	1,100	644	-
Female	4,056	102	27	15	41	67	106	203	449	718	1,154	1,174	-
White	7,703	171	39	28	147	188	230	450	1,058	1,705	2,078	1,611	-
Male	4,035	93	20	15	114	129	146	273	665	1,052	1,024	604	-
Female	3,668	78	19	13	33	57	84	177	393	653	1,054	1,107	-
All other	806	50	18	7	26	26	43	65	126	160	176	107	-
Male	418	26	10	5	18	16	21	39	70	95	76	40	-
Female	388	24	8	2	8	10	22	26	56	65	100	67	-
Black	763	48	14	6	24	26	36	62	121	152	169	105	-
Male	395	25	8	5	17	16	18	38	67	89	73	39	-
Female	368	23	6	1	7	10	18	24	54	63	96	66	-
Nonmetropolitan counties	13,295	205	55	41	222	215	234	525	1,399	2,782	3,990	3,637	-
Male	6,982	116	31	26	169	148	159	327	913	1,691	2,063	1,337	-
Female	6,313	87	24	15	53	67	75	198	488	1,091	1,917	2,300	-
White	13,023	186	52	41	217	202	217	507	1,363	2,721	3,919	3,596	-
Male	6,835	109	29	26	164	139	148	317	895	1,660	2,027	1,321	-
Female	6,188	79	23	15	53	63	69	190	468	1,061	1,892	2,275	-
All other	272	17	3	-	5	13	17	18	36	61	61	41	-
Male	147	9	2	-	5	9	11	10	18	31	38	16	-
Female	125	8	1	-	-	4	6	8	18	30	25	25	-
Black	228	13	3	-	4	10	11	13	28	51	58	39	-
Male	122	7	2	-	4	6	8	8	14	25	33	15	-
Female	106	6	1	-	-	4	3	5	14	26	23	24	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	32,990	680	142	162	762	728	1,004	2,186	4,829	7,804	8,861	5,830	2
Male	18,039	383	65	103	564	531	657	1,433	3,049	4,755	4,349	2,110	-
Female	14,951	297	57	59	178	197	347	753	1,780	3,049	4,512	3,720	2
White	30,460	584	123	150	704	648	916	1,968	4,395	7,205	8,264	5,501	2
Male	16,693	327	78	97	543	479	601	1,322	2,795	4,407	4,071	1,973	-
Female	13,767	257	45	53	161	169	315	646	1,600	2,798	4,193	3,528	2
All other	2,530	96	19	12	58	80	88	218	434	599	597	329	-
Male	1,346	56	7	6	41	52	58	111	254	348	278	137	-
Female	1,184	40	12	6	17	28	32	107	180	251	319	192	-
Black	2,513	95	19	12	57	78	87	216	433	593	595	326	-
Male	1,339	56	7	6	40	51	58	111	253	345	277	137	-
Female	1,174	39	12	6	17	27	31	105	180	248	318	191	-
Metropolitan counties	13,997	301	63	57	270	303	397	964	2,260	3,285	3,642	2,453	2
Male	7,299	186	37	39	201	205	243	606	1,377	1,953	1,671	781	-
Female	6,698	115	26	18	69	98	154	358	883	1,332	1,971	1,672	2
White	12,284	232	53	49	235	246	339	812	1,935	2,875	3,254	2,252	2
Male	6,389	142	32	34	177	170	205	529	1,191	1,716	1,493	700	-
Female	5,895	90	21	15	58	76	134	283	744	1,159	1,761	1,552	2
All other	1,713	69	10	8	35	57	58	152	325	410	388	201	-
Male	910	44	5	5	24	35	38	77	188	237	178	81	-
Female	803	25	5	3	11	22	20	75	139	173	210	120	-
Black	1,702	69	10	8	34	56	57	151	324	406	388	201	-
Male	905	44	5	5	23	35	38	77	185	235	177	81	-
Female	797	25	5	3	11	21	19	74	139	171	209	120	-
Nonmetropolitan counties	18,993	379	79	105	492	425	607	1,222	2,569	4,519	5,219	3,377	-
Male	10,740	197	48	64	383	326	414	827	1,672	2,802	2,678	1,329	-
Female	8,253	182	31	41	109	99	193	395	897	1,717	2,541	2,048	-
White	18,176	352	70	101	469	402	577	1,156	2,460	4,330	5,010	3,249	-
Male	10,304	185	46	63	368	309	396	793	1,604	2,691	2,578	1,273	-
Female	7,872	167	24	38	103	93	181	363	856	1,639	2,432	1,976	-
All other	817	27	9	4	23	23	30	66	109	189	209	128	-
Male	436	12	2	1	17	17	18	34	68	111	100	56	-
Female	381	15	7	3	6	6	12	32	41	78	109	72	-
Black	811	26	9	4	23	22	30	65	109	187	209	127	-
Male	434	12	2	1	17	16	18	34	68	110	100	56	-
Female	377	14	7	3	6	6	12	31	41	77	109	71	-
Louisiana	35,776	1,097	224	255	1,126	1,258	1,381	2,628	5,548	8,437	8,888	4,908	48
Male	19,449	607	124	156	887	902	917	1,684	3,461	4,885	4,108	1,688	30
Female	16,327	490	100	99	239	356	464	944	2,085	3,552	4,760	3,220	18
White	24,380	492	121	163	720	688	819	1,649	3,888	5,812	6,480	3,713	35
Male	13,130	277	66	95	561	500	546	1,081	2,384	3,451	2,965	1,183	21
Female	11,250	215	55	68	159	188	273	568	1,304	2,361	3,515	2,530	14
All other	11,396	605	103	92	406	570	562	979	1,658	2,625	2,388	1,195	13
Male	6,319	330	58	61	326	402	371	603	1,077	1,434	1,143	505	9
Female	5,077	275	45	31	80	168	191	376	781	1,191	1,245	690	4
Black	11,307	595	98	89	398	562	553	967	1,848	2,618	2,378	1,190	13
Male	6,256	326	56	58	318	394	366	594	1,070	1,428	1,135	501	9
Female	5,051	269	42	31	79	168	187	373	778	1,188	1,243	689	4
Metropolitan parishes [1]	22,039	668	130	148	639	788	908	1,702	3,580	5,085	5,432	2,935	24
Male	11,772	367	71	96	495	555	593	1,081	2,220	2,879	2,436	965	14
Female	10,267	301	59	52	144	233	315	621	1,360	2,206	2,996	1,970	10
White	14,914	273	65	92	395	496	529	1,029	2,338	3,496	3,883	2,289	19
Male	7,823	146	35	54	300	293	350	668	1,496	2,018	1,747	708	10
Female	7,091	127	30	38	95	113	179	361	842	1,478	2,236	1,583	9
All other	7,125	395	65	56	244	382	379	673	1,242	1,589	1,449	646	5
Male	3,949	221	36	42	195	262	243	413	724	881	689	259	4
Female	3,176	174	29	14	49	120	136	260	518	728	760	387	1
Black	7,071	386	61	55	239	376	373	666	1,237	1,586	1,442	645	5
Male	3,912	217	34	41	191	258	239	408	721	859	684	258	4
Female	3,159	169	27	14	48	120	134	258	516	727	758	387	1
Nonmetropolitan parishes [1]	13,737	429	94	107	487	470	473	926	1,968	3,352	3,456	1,973	24
Male	7,677	240	53	60	392	347	324	603	1,241	2,006	1,672	723	16
Female	6,060	189	41	47	95	123	149	323	725	1,346	1,784	1,250	8
White	9,466	219	58	71	325	282	290	620	1,350	2,316	2,497	1,424	16
Male	5,307	131	31	41	261	207	196	413	888	1,433	1,218	477	11
Female	4,159	88	25	30	64	75	94	207	462	883	1,279	947	5
All other	4,271	210	36	36	162	188	183	306	618	1,036	939	549	8
Male	2,370	109	22	19	131	140	128	190	353	573	454	246	5
Female	1,901	101	16	17	31	48	55	116	263	463	485	303	3
Black	4,236	209	37	34	159	188	180	301	611	1,030	936	545	8
Male	2,344	109	22	17	128	138	127	186	349	569	451	243	5
Female	1,892	100	15	17	31	48	53	115	262	461	485	302	3

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	10,472	150	32	43	191	167	226	547	1,371	2,449	3,008	2,317	1
Male	5,367	83	19	25	115	128	148	347	858	1,437	1,429	780	–
Female	5,105	67	13	18	46	39	78	200	515	1,012	1,579	1,537	1
White	10,432	147	32	43	160	164	224	537	1,364	2,442	3,003	2,315	1
Male	5,344	80	19	25	114	125	148	341	852	1,434	1,426	780	–
Female	5,088	67	13	18	46	39	76	196	512	1,008	1,577	1,535	1
All other	40	3	–	–	1	3	2	10	7	7	5	2	–
Male	23	3	–	–	1	3	–	6	4	3	3	–	–
Female	17	–	–	–	–	–	2	4	3	4	2	2	–
Black	15	2	–	–	–	1	–	2	4	2	2	2	–
Male	9	2	–	–	–	1	–	1	2	1	2	–	–
Female	6	–	–	–	–	–	–	1	2	1	–	2	–
Metropolitan counties	5,681	88	14	24	84	91	130	315	745	1,318	1,616	1,238	–
Male	2,892	52	10	13	60	71	84	205	490	786	749	392	–
Female	2,789	36	4	11	24	20	46	110	255	550	867	846	–
White	5,641	88	14	24	84	89	130	311	741	1,314	1,612	1,236	–
Male	2,881	50	10	13	60	69	84	203	486	785	747	392	–
Female	2,760	38	4	11	24	20	46	108	253	549	865	844	–
All other	20	2	–	–	–	2	–	4	4	2	4	2	–
Male	11	2	–	–	–	2	–	2	2	1	2	–	–
Female	9	–	–	–	–	–	–	2	2	1	2	2	–
Black	11	2	–	–	–	–	–	1	3	1	2	2	–
Male	7	2	–	–	–	–	–	–	2	1	2	–	–
Female	4	–	–	–	–	–	–	1	1	–	–	2	–
Nonmetropolitan counties	4,811	62	18	19	77	76	96	232	626	1,133	1,392	1,079	1
Male	2,475	31	9	12	55	57	64	142	366	671	680	388	–
Female	2,336	31	9	7	22	19	32	90	260	462	712	691	1
White	4,791	61	18	19	76	75	94	226	623	1,128	1,391	1,079	1
Male	2,463	30	9	12	54	56	64	138	364	669	679	388	–
Female	2,328	31	9	7	22	19	30	88	259	459	712	691	1
All other	20	1	–	–	1	1	2	6	3	5	1	–	–
Male	12	1	–	–	1	1	–	4	2	2	1	–	–
Female	8	–	–	–	–	–	2	2	1	3	–	–	–
Black	4	–	–	–	–	1	–	1	1	1	–	–	–
Male	2	–	–	–	–	1	–	1	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Maryland	34,098	762	117	185	776	940	1,185	2,470	5,739	8,100	8,329	5,501	14
Male	18,022	432	67	108	554	655	722	1,545	3,514	4,731	3,898	1,785	11
Female	16,076	330	50	77	222	285	463	925	2,225	3,369	4,431	3,716	3
White	26,636	384	73	108	529	568	685	1,678	4,297	6,467	6,988	4,648	11
Male	13,826	221	45	65	388	400	431	1,056	2,655	3,794	3,241	1,523	9
Female	12,810	163	28	43	143	168	254	622	1,642	2,673	3,747	3,125	2
All other	7,462	378	44	77	247	372	480	792	1,442	1,633	1,341	653	3
Male	4,196	211	22	43	168	255	291	489	859	937	657	282	2
Female	3,266	167	22	34	79	117	189	303	583	696	684	391	1
Black	7,308	369	41	74	240	382	464	771	1,421	1,608	1,320	635	3
Male	4,101	204	20	41	165	248	282	477	846	923	641	252	2
Female	3,207	165	21	33	75	114	182	294	575	685	679	383	1
Metropolitan counties	29,778	671	101	166	704	844	1,027	2,203	5,117	7,019	7,194	4,718	14
Male	15,720	381	61	95	504	589	637	1,373	3,137	4,071	3,342	1,519	11
Female	14,058	290	40	71	200	255	390	830	1,980	2,948	3,852	3,199	3
White	23,125	329	63	94	467	501	579	1,466	3,810	5,588	6,036	4,161	11
Male	11,992	191	41	54	344	355	360	935	2,357	3,258	2,788	1,300	9
Female	11,133	138	22	40	123	146	219	551	1,453	2,330	3,248	2,861	2
All other	6,653	342	38	72	237	343	448	717	1,307	1,431	1,158	557	3
Male	3,728	190	20	41	160	234	277	438	780	813	554	219	2
Female	2,925	152	18	31	77	109	171	279	527	618	604	338	1
Black	8,504	334	36	69	230	333	433	696	1,286	1,407	1,137	540	3
Male	3,636	184	18	39	157	227	268	426	767	800	538	210	2
Female	2,888	150	18	30	73	106	165	270	519	607	599	330	1
Nonmetropolitan counties	4,320	91	16	19	72	96	138	267	622	1,081	1,135	783	–
Male	2,302	51	6	13	50	68	85	172	377	660	556	266	–
Female	2,018	40	10	6	22	30	53	95	245	421	579	517	–
White	3,511	55	10	14	62	67	106	192	487	879	952	687	–
Male	1,834	30	4	11	42	45	71	121	298	536	453	223	–
Female	1,677	25	6	3	20	22	35	71	189	343	499	464	–
All other	809	36	6	5	10	29	32	75	135	202	183	96	–
Male	468	21	2	2	8	21	14	51	79	124	103	43	–
Female	341	15	4	3	2	8	18	24	56	78	80	53	–
Black	804	35	6	5	10	29	31	75	135	201	183	95	–
Male	465	20	2	2	8	21	14	51	79	123	103	42	–
Female	339	15	3	3	2	8	17	24	56	78	80	53	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	52,946	766	113	154	752	909	1,119	2,916	7,240	12,386	14,692	11,889	10
Male	26,447	441	55	87	576	642	714	1,821	4,482	7,151	6,879	3,792	7
Female	26,499	325	58	67	176	267	405	1,095	2,758	5,235	8,013	8,097	3
White	51,313	659	103	132	694	820	1,029	2,742	6,965	12,060	14,415	11,685	9
Male	25,561	370	51	76	529	575	664	1,720	4,307	6,991	6,571	3,700	7
Female	25,752	289	52	56	165	245	365	1,022	2,658	5,069	7,844	7,985	2
All other	1,633	107	10	22	58	89	90	174	275	326	277	204	1
Male	686	71	4	11	47	67	50	101	175	160	108	92	–
Female	747	36	6	11	11	22	40	73	100	166	169	112	1
Black	1,485	102	10	17	49	82	82	165	239	294	245	179	1
Male	782	68	4	10	36	62	44	95	151	140	91	79	–
Female	683	34	6	7	11	20	38	70	88	154	154	100	1
Metropolitan counties	50,338	745	109	147	721	878	1,075	2,813	6,931	11,717	13,911	11,281	10
Male	25,093	429	52	82	557	625	686	1,752	4,293	6,761	6,271	3,578	7
Female	25,245	316	57	65	164	253	389	1,061	2,638	4,956	7,640	7,703	3
White	48,742	639	99	125	663	780	985	2,642	6,663	11,400	13,643	11,084	9
Male	24,225	359	48	71	510	559	636	1,652	4,121	6,603	6,169	3,490	7
Female	24,517	280	51	54	153	221	349	990	2,542	4,797	7,474	7,594	2
All other	1,596	106	10	22	58	88	90	171	268	317	268	197	1
Male	868	70	4	11	47	68	50	100	172	158	102	88	–
Female	728	36	6	11	11	22	40	71	96	159	166	109	1
Black	1,432	102	10	17	49	81	82	162	232	287	237	172	1
Male	766	68	4	10	38	61	44	94	148	138	86	75	–
Female	666	34	6	7	11	20	38	68	84	149	151	97	1
Nonmetropolitan counties	2,608	21	4	7	31	31	44	103	309	669	781	609	–
Male	1,354	12	3	5	19	17	28	69	189	390	408	214	–
Female	1,254	9	1	2	12	14	16	34	120	279	373	394	–
White	2,571	20	4	7	31	30	44	100	302	660	772	601	–
Male	1,336	11	3	5	19	16	28	68	188	388	402	210	–
Female	1,235	9	1	2	12	14	16	32	116	272	370	391	–
All other	37	1	–	–	–	1	–	3	7	9	9	7	–
Male	18	1	–	–	–	1	–	1	3	2	6	4	–
Female	19	–	–	–	–	–	–	2	4	7	3	3	–
Black	33	–	–	–	–	1	–	3	7	7	8	7	–
Male	16	–	–	–	–	1	–	1	3	2	5	4	–
Female	17	–	–	–	–	–	–	2	4	5	3	3	–
Michigan	75,884	1,676	280	382	1,488	2,024	2,309	5,004	11,474	17,681	19,463	13,910	3
Male	40,852	982	154	243	1,070	1,411	1,472	3,162	7,098	10,434	9,737	5,087	2
Female	34,842	694	126	139	418	613	837	1,842	4,376	7,247	9,726	8,823	1
White	65,501	1,115	202	295	1,171	1,321	1,667	3,971	9,580	15,431	17,726	13,019	3
Male	35,080	654	112	186	845	908	1,046	2,511	6,005	9,209	8,847	4,755	2
Female	30,421	461	90	109	326	413	621	1,460	3,575	6,222	8,879	8,264	1
All other	10,193	561	78	87	317	703	642	1,033	1,894	2,250	1,737	891	–
Male	5,772	328	42	57	225	503	426	651	1,093	1,225	890	332	–
Female	4,421	233	36	30	92	200	216	382	801	1,025	847	559	–
Black	9,848	548	77	78	306	687	622	1,009	1,863	2,191	1,693	872	–
Male	5,639	323	41	51	219	492	416	638	1,082	1,189	883	325	–
Female	4,307	225	36	27	87	195	206	371	781	1,002	830	547	–
Metropolitan counties	60,968	1,435	229	317	1,241	1,785	1,970	4,310	9,511	13,868	16,374	10,824	2
Male	32,587	847	123	195	884	1,241	1,250	2,728	5,856	8,033	7,531	3,898	1
Female	28,379	588	106	122	357	544	720	1,582	3,655	5,835	7,843	7,026	1
White	51,005	880	152	234	932	1,080	1,334	3,292	7,847	11,681	13,689	10,072	2
Male	26,951	523	82	142	664	744	827	2,096	4,783	6,847	6,669	3,583	1
Female	24,054	357	70	92	268	346	507	1,206	2,864	4,834	7,020	6,489	1
All other	9,961	555	77	83	309	695	636	1,018	1,664	2,187	1,685	852	–
Male	5,636	324	41	53	220	497	423	642	1,073	1,188	882	316	–
Female	4,325	231	36	30	89	198	213	376	791	1,001	823	537	–
Black	9,788	542	77	76	302	684	620	1,004	1,842	2,146	1,654	839	–
Male	5,548	319	41	49	218	490	416	634	1,067	1,160	842	310	–
Female	4,240	223	36	27	84	194	204	370	775	986	812	529	–
Nonmetropolitan counties	14,728	241	51	65	247	239	339	694	1,963	3,813	4,089	2,988	1
Male	8,265	135	31	48	188	170	222	434	1,242	2,401	2,206	1,169	1
Female	6,463	106	20	17	61	69	117	260	721	1,412	1,883	1,797	–
White	14,496	235	50	61	239	231	333	679	1,933	3,750	4,037	2,947	1
Male	8,129	131	30	44	181	164	219	425	1,222	2,362	2,178	1,172	1
Female	6,367	104	20	17	58	67	114	254	711	1,388	1,859	1,775	–
All other	232	6	1	4	8	8	6	15	30	63	52	39	–
Male	136	4	1	4	5	6	3	9	20	39	28	17	–
Female	96	2	–	–	3	2	3	6	10	24	24	22	–
Black	160	6	–	2	4	3	2	5	21	45	39	33	–
Male	93	4	–	2	1	2	–	4	15	29	21	15	–
Female	67	2	–	–	3	1	2	1	6	16	18	18	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	32,978	648	127	126	575	553	686	1,499	3,845	7,089	9,474	8,355	1
Male	17,770	366	75	81	431	405	433	943	2,491	4,387	4,969	3,189	–
Female	15,208	282	52	45	144	148	253	556	1,354	2,702	4,505	5,166	1
White	32,400	582	112	116	539	508	653	1,452	3,750	6,997	9,392	8,296	1
Male	17,421	329	67	73	404	372	415	915	2,434	4,329	4,920	3,163	–
Female	14,979	253	45	43	135	136	238	537	1,316	2,668	4,472	5,135	1
All other	578	66	15	10	36	45	33	47	95	92	82	57	–
Male	349	37	8	8	27	33	18	28	57	58	49	26	–
Female	229	29	7	2	9	12	15	19	38	34	33	31	–
Black	302	31	2	3	18	28	18	24	51	50	45	32	–
Male	181	16	2	1	14	23	12	12	31	28	26	16	–
Female	121	15	–	2	4	5	6	12	20	22	19	16	–
Metropolitan counties	18,878	402	81	75	355	368	462	946	2,375	4,022	5,257	4,535	–
Male	9,843	228	46	47	266	265	293	578	1,503	2,434	2,599	1,584	–
Female	9,035	174	35	28	89	103	169	368	872	1,588	2,658	2,951	–
White	18,434	348	70	67	330	328	433	906	2,304	3,955	5,198	4,494	–
Male	9,575	199	40	41	245	236	277	555	1,459	2,395	2,584	1,584	–
Female	8,859	149	30	26	85	93	156	351	845	1,560	2,634	2,930	–
All other	444	54	11	8	25	39	29	40	71	67	59	41	–
Male	268	29	6	6	21	29	16	23	44	38	35	20	–
Female	176	25	5	2	4	10	13	17	27	28	24	21	–
Black	296	30	2	3	18	27	18	24	51	49	44	30	–
Male	178	16	2	1	14	22	12	12	31	27	25	16	–
Female	118	14	–	2	4	5	6	12	20	22	19	14	–
Nonmetropolitan counties	14,100	246	46	51	220	185	224	553	1,470	3,067	4,217	3,820	1
Male	7,927	138	29	34	165	140	140	365	988	1,953	2,370	1,605	–
Female	6,173	108	17	17	55	45	84	188	482	1,114	1,847	2,215	1
White	13,966	234	42	49	209	179	220	546	1,446	3,042	4,194	3,804	1
Male	7,846	130	27	32	159	136	138	360	975	1,934	2,356	1,599	–
Female	6,120	104	15	17	50	43	82	186	471	1,108	1,838	2,205	1
All other	134	12	4	2	11	6	4	7	24	25	23	16	–
Male	81	8	2	2	6	4	2	5	13	19	14	6	–
Female	53	4	2	–	5	2	2	2	11	6	9	10	–
Black	6	1	–	–	–	1	–	–	–	1	1	2	–
Male	3	–	–	–	–	1	–	–	–	1	1	–	–
Female	3	1	–	–	–	–	–	–	–	–	–	2	–
Mississippi	23,283	710	134	174	604	620	793	1,546	3,313	5,475	6,033	3,841	40
Male	12,600	400	67	106	456	435	528	994	2,116	3,334	3,036	1,902	26
Female	10,683	310	67	69	148	185	265	552	1,197	2,141	2,997	2,539	14
White	14,952	251	64	92	345	337	438	940	2,125	3,668	4,043	2,634	15
Male	8,243	158	32	50	262	239	293	620	1,422	2,303	2,019	835	10
Female	6,709	93	32	42	83	98	145	320	703	1,365	2,024	1,799	5
All other	8,331	459	70	82	259	283	355	606	1,188	1,807	1,990	1,207	25
Male	4,557	242	35	56	194	198	235	374	694	1,031	1,017	467	16
Female	3,774	217	35	26	65	87	120	232	494	776	973	740	9
Black	8,261	448	70	80	246	281	349	597	1,179	1,801	1,983	1,202	25
Male	4,512	234	35	54	183	194	231	368	689	1,028	1,013	467	16
Female	3,749	214	35	26	63	87	118	229	490	773	970	735	9
Metropolitan counties	5,265	175	32	44	167	172	209	407	842	1,265	1,236	709	7
Male	2,926	93	13	28	118	130	137	275	554	753	610	210	5
Female	2,339	82	19	16	49	42	72	132	288	512	626	499	2
White	3,753	74	18	29	108	103	126	281	601	923	934	552	4
Male	2,094	42	8	16	78	79	84	193	408	561	459	163	3
Female	1,659	32	10	13	30	24	42	88	193	362	475	389	1
All other	1,512	101	14	15	59	69	83	126	241	342	302	157	3
Male	832	51	5	12	40	51	53	82	146	192	151	47	2
Female	680	50	9	3	19	18	30	44	95	150	151	110	1
Black	1,501	98	14	14	57	69	81	125	241	341	301	157	3
Male	826	49	5	11	39	51	53	81	146	191	151	47	2
Female	675	49	9	3	18	18	28	44	95	150	150	110	1
Nonmetropolitan counties	18,018	535	102	130	437	448	584	1,139	2,471	4,210	4,797	3,132	33
Male	9,874	307	54	78	338	305	391	719	1,562	2,581	2,426	1,092	21
Female	8,144	228	48	52	99	143	193	420	909	1,629	2,371	2,040	12
White	11,199	177	46	63	237	234	312	659	1,524	2,745	3,109	2,082	11
Male	6,149	116	24	34	184	160	209	427	1,014	1,742	1,560	672	7
Female	5,050	61	22	29	53	74	103	232	510	1,003	1,549	1,410	4
All other	6,819	358	56	67	200	214	272	480	947	1,465	1,688	1,050	22
Male	3,725	191	30	44	154	145	182	292	548	839	866	420	14
Female	3,094	167	26	23	46	69	90	188	399	626	822	630	8
Black	6,760	350	56	86	189	212	268	472	938	1,460	1,682	1,045	22
Male	3,686	185	30	43	144	143	178	287	543	837	862	420	14
Female	3,074	185	26	23	45	69	90	185	395	623	820	625	8

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	48,277	898	168	188	929	957	1,172	2,523	6,316	11,206	13,848	10,063	9
Male	25,407	490	97	112	693	650	716	1,561	4,015	6,703	6,668	3,497	7
Female	22,870	408	71	76	236	307	456	962	2,301	4,503	6,982	6,566	2
White	43,430	653	121	148	738	728	931	2,115	5,537	10,089	12,846	9,521	5
Male	22,698	358	75	85	539	492	567	1,316	3,563	6,072	6,368	3,288	3
Female	20,732	295	46	63	197	246	364	797	1,974	4,017	6,478	6,233	2
All other	4,847	245	47	40	193	229	241	408	779	1,117	1,002	542	4
Male	2,709	132	22	27	154	158	149	243	452	631	498	229	4
Female	2,138	113	25	13	39	61	92	165	327	486	504	313	-
Black	4,788	238	46	39	188	225	234	400	771	1,112	993	538	4
Male	2,674	127	21	26	150	165	144	240	449	627	493	226	4
Female	2,114	111	25	13	38	60	90	160	322	485	500	310	-
Metropolitan counties	29,167	607	118	116	626	659	790	1,712	4,137	6,884	8,066	5,633	9
Male	14,908	317	67	69	467	437	476	1,033	2,604	3,848	3,780	1,803	7
Female	14,259	290	51	47	159	222	314	679	1,533	2,846	4,286	3,830	2
White	24,895	397	79	78	448	441	569	1,335	3,433	5,715	7,198	5,197	5
Male	12,623	208	40	43	322	278	340	804	2,190	3,268	3,862	1,626	3
Female	12,272	189	30	35	126	163	229	531	1,243	2,447	3,336	3,571	2
All other	4,272	210	39	38	178	218	221	377	704	979	868	436	4
Male	2,385	109	18	26	145	159	138	229	414	550	418	177	4
Female	1,887	101	21	12	33	59	85	148	290	429	450	259	-
Black	4,224	206	39	37	174	214	216	371	697	974	860	432	4
Male	2,357	106	18	25	141	156	133	226	412	546	414	176	4
Female	1,867	100	21	12	33	58	83	145	285	428	446	256	-
Nonmetropolitan counties	19,110	291	50	72	303	298	382	811	2,179	4,512	5,782	4,430	-
Male	10,499	173	30	43	226	213	240	528	1,411	2,855	3,088	1,694	-
Female	8,611	118	20	29	77	85	142	283	768	1,657	2,696	2,736	-
White	18,535	256	42	70	288	287	382	780	2,104	4,374	5,648	4,324	-
Male	10,175	150	26	42	217	204	227	514	1,373	2,774	3,006	1,642	-
Female	8,360	106	16	28	71	83	135	266	731	1,600	2,642	2,682	-
All other	575	35	8	2	15	11	20	31	75	138	134	106	-
Male	324	23	4	1	9	9	13	14	38	81	80	52	-
Female	251	12	4	1	6	2	7	17	37	57	54	54	-
Black	564	32	7	2	14	11	16	29	74	138	133	106	-
Male	317	21	3	1	9	9	11	14	37	81	79	52	-
Female	247	11	4	1	5	2	7	15	37	57	54	54	-
Montana	6,631	147	38	45	185	192	199	393	884	1,484	1,655	1,397	2
Male	3,763	80	25	32	137	147	135	256	584	896	921	568	2
Female	2,868	67	13	13	58	45	64	137	320	588	734	829	-
White	6,319	131	33	41	157	174	179	344	829	1,437	1,620	1,378	2
Male	3,589	73	23	30	108	134	116	225	530	868	900	558	2
Female	2,750	58	10	11	49	40	55	119	299	569	720	820	-
All other	312	16	5	4	28	18	26	49	55	47	35	19	-
Male	194	7	2	2	29	13	17	31	34	28	21	10	-
Female	118	9	3	2	9	5	9	18	21	19	14	9	-
Black	9	1	-	-	-	1	1	-	-	1	4	1	-
Male	6	-	-	-	-	1	1	-	-	1	3	-	-
Female	3	1	-	-	-	-	-	-	-	-	1	1	-
Metropolitan counties	1,383	37	5	8	34	38	51	84	186	299	351	290	-
Male	780	17	3	6	21	28	33	58	113	176	199	108	-
Female	623	20	2	2	13	10	18	26	76	123	152	182	-
White	1,357	33	5	8	33	34	48	78	185	297	348	289	-
Male	748	16	3	6	21	25	30	56	112	174	197	108	-
Female	609	17	2	2	12	9	18	23	73	123	151	181	-
All other	26	4	-	-	1	2	5	5	3	2	3	1	-
Male	12	1	-	-	-	1	3	2	1	2	2	-	-
Female	14	3	-	-	1	1	2	3	2	-	1	1	-
Black	6	1	-	-	-	-	1	-	-	1	2	-	-
Male	4	-	-	-	-	-	1	-	-	1	2	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,248	110	33	37	161	156	148	309	698	1,185	1,304	1,107	2
Male	3,003	63	22	26	116	121	102	198	451	720	722	460	2
Female	2,245	47	11	11	45	35	46	111	245	465	582	647	-
White	4,962	98	28	33	124	140	127	265	644	1,140	1,272	1,089	2
Male	2,821	57	20	24	87	108	88	169	418	694	703	450	2
Female	2,141	41	8	9	37	31	39	96	226	446	569	639	-
All other	286	12	5	4	37	16	21	44	52	45	32	18	-
Male	182	6	2	2	29	12	14	29	33	26	19	10	-
Female	104	6	3	2	8	4	7	15	19	19	13	8	-
Black	4	-	-	-	-	1	-	-	-	-	2	1	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,577	270	48	64	216	241	308	679	1,660	3,069	4,240	3,782	-
Male	7,636	143	24	36	169	156	187	429	1,045	1,895	2,190	1,382	-
Female	6,941	127	24	28	47	85	121	250	615	1,174	2,050	2,420	-
White	14,141	240	46	52	197	215	282	631	1,580	2,993	4,162	3,733	-
Male	7,409	127	22	30	155	145	171	400	1,004	1,859	2,150	1,346	-
Female	6,732	113	24	22	42	70	111	231	586	1,134	2,012	2,387	-
All other	436	30	2	12	19	26	26	48	70	76	78	49	-
Male	227	16	2	6	14	11	16	29	41	36	40	16	-
Female	209	14	-	6	5	15	10	19	29	40	38	33	-
Black	356	22	2	11	15	19	18	36	58	63	67	44	-
Male	183	14	2	5	10	10	10	21	32	31	34	14	-
Female	173	8	-	6	5	9	8	15	26	32	33	30	-
Metropolitan counties	5,114	127	18	30	91	112	129	318	727	1,088	1,393	1,081	-
Male	2,642	69	9	14	70	69	73	202	434	655	693	354	-
Female	2,472	58	9	16	21	43	56	116	293	433	700	727	-
White	4,740	100	16	18	74	90	110	279	668	1,020	1,328	1,037	-
Male	2,450	54	7	8	58	58	63	177	402	623	661	339	-
Female	2,290	46	9	10	16	32	47	102	266	397	667	698	-
All other	374	27	2	12	17	22	19	39	59	68	65	44	-
Male	192	15	2	6	12	11	10	25	32	32	32	15	-
Female	182	12	-	6	5	11	9	14	27	36	33	29	-
Black	347	22	2	11	14	18	18	35	57	63	64	43	-
Male	178	14	2	5	9	10	9	21	31	31	32	14	-
Female	169	8	-	6	5	8	9	14	26	32	32	29	-
Nonmetropolitan counties	9,463	143	30	34	125	129	179	361	933	1,981	2,847	2,701	-
Male	4,994	74	15	22	99	87	114	227	611	1,240	1,497	1,008	-
Female	4,469	69	15	12	26	42	65	134	322	741	1,350	1,693	-
White	9,401	140	30	34	123	125	172	352	922	1,973	2,834	2,696	-
Male	4,959	73	15	22	97	87	108	223	602	1,236	1,489	1,007	-
Female	4,442	67	15	12	26	38	64	129	320	737	1,345	1,689	-
All other	62	3	-	-	2	4	7	9	11	8	13	5	-
Male	35	1	-	-	2	-	6	4	9	4	8	1	-
Female	27	2	-	-	-	4	1	5	2	4	5	4	-
Black	9	-	-	-	1	1	1	1	1	-	3	1	-
Male	5	-	-	-	1	-	1	-	1	-	2	-	-
Female	4	-	-	-	-	1	-	1	-	-	1	1	-
Nevada	6,368	149	38	34	244	306	294	550	1,124	1,572	1,383	671	3
Male	3,773	94	17	25	178	226	201	348	713	862	761	248	-
Female	2,595	55	21	9	66	80	93	202	411	610	622	423	3
White	5,905	117	28	28	204	266	259	502	1,042	1,485	1,328	645	3
Male	3,483	80	13	20	147	195	176	318	661	904	727	242	-
Female	2,422	37	15	8	57	71	83	184	381	581	599	403	3
All other	463	32	10	6	40	40	35	48	82	87	57	26	-
Male	290	14	4	5	31	31	25	30	52	58	34	6	-
Female	173	18	6	1	9	9	10	18	30	29	23	20	-
Black	320	26	7	5	26	27	23	35	58	62	35	16	-
Male	203	12	3	4	20	20	20	21	39	42	19	3	-
Female	117	14	4	1	6	7	3	14	19	20	16	13	-
Metropolitan counties	5,090	119	31	24	203	256	255	470	904	1,256	1,081	488	3
Male	3,046	74	13	19	147	187	182	294	571	784	594	181	-
Female	2,044	45	18	5	56	69	73	176	333	472	487	307	3
White	4,698	89	21	19	170	219	228	430	830	1,183	1,039	467	3
Male	2,795	60	9	14	122	159	160	270	522	733	571	175	-
Female	1,903	29	12	5	48	60	68	160	308	450	468	292	3
All other	392	30	10	5	33	37	27	40	74	73	42	21	-
Male	251	14	4	5	25	28	22	24	49	51	23	6	-
Female	141	16	6	-	8	9	5	16	25	22	19	15	-
Black	311	25	7	4	26	26	23	35	57	60	32	16	-
Male	189	12	3	4	20	19	20	21	38	42	17	3	-
Female	112	13	4	-	6	7	3	14	19	18	15	13	-
Nonmetropolitan counties	1,278	30	7	10	41	50	39	80	220	316	302	183	-
Male	727	20	4	6	31	39	19	54	142	178	167	67	-
Female	551	10	3	4	10	11	20	26	78	138	135	116	-
White	1,207	28	7	9	34	47	31	72	212	302	287	178	-
Male	688	20	4	6	25	36	16	48	139	171	156	67	-
Female	519	8	3	3	9	11	15	24	73	131	131	111	-
All other	71	2	-	1	7	3	8	8	8	14	15	5	-
Male	39	-	-	-	6	3	3	6	3	7	11	-	-
Female	32	2	-	1	1	-	5	2	5	7	4	5	-
Black	9	1	-	1	-	1	-	-	1	2	3	-	-
Male	4	-	-	-	-	1	-	-	1	-	2	-	-
Female	5	1	-	1	-	-	-	-	-	2	1	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	7,616	155	25	38	149	151	196	410	1,032	1,828	2,108	1,524	–
Male	4,028	100	15	25	104	114	122	261	642	1,132	1,019	494	–
Female	3,588	55	10	13	45	37	74	149	390	696	1,089	1,030	–
White	7,597	152	25	38	149	150	194	407	1,029	1,823	2,107	1,523	–
Male	4,016	98	15	25	104	113	120	259	639	1,130	1,019	494	–
Female	3,581	54	10	13	45	37	74	148	390	693	1,088	1,029	–
All other	19	3	–	–	–	1	2	3	3	5	1	1	–
Male	12	2	–	–	–	1	2	2	3	2	–	–	–
Female	7	1	–	–	–	–	–	1	–	3	1	1	–
Black	16	3	–	–	–	–	1	3	3	4	1	1	–
Male	9	2	–	–	–	–	1	2	3	1	–	–	–
Female	7	1	–	–	–	–	–	1	–	3	1	1	–
Metropolitan counties	4,226	101	18	26	87	88	125	255	577	1,021	1,123	805	–
Male	2,191	62	11	19	57	66	75	161	355	511	522	252	–
Female	2,035	39	7	7	30	22	50	94	222	410	601	553	–
White	4,212	98	18	26	87	88	124	252	575	1,018	1,122	804	–
Male	2,183	60	11	19	57	66	74	159	353	510	522	252	–
Female	2,029	38	7	7	30	22	50	93	222	408	600	552	–
All other	14	3	–	–	–	–	1	3	2	3	1	1	–
Male	8	2	–	–	–	–	1	2	2	1	–	–	–
Female	6	1	–	–	–	–	–	1	–	2	1	1	–
Black	14	3	–	–	–	–	1	3	2	3	1	1	–
Male	8	2	–	–	–	–	1	2	2	1	–	–	–
Female	6	1	–	–	–	–	–	1	–	2	1	1	–
Nonmetropolitan counties	3,390	54	7	12	62	63	71	155	455	807	985	719	–
Male	1,837	38	4	6	47	48	47	100	287	521	497	242	–
Female	1,553	16	3	6	15	15	24	55	168	286	488	477	–
White	3,385	54	7	12	62	62	70	155	454	805	985	719	–
Male	1,833	38	4	6	47	47	46	100	286	520	497	242	–
Female	1,552	16	3	6	15	15	24	55	168	285	488	477	–
All other	5	–	–	–	–	1	1	–	1	2	–	–	–
Male	4	–	–	–	–	1	1	–	1	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
New Jersey	67,621	1,159	200	276	1,081	1,366	1,810	4,300	10,409	16,686	17,843	12,342	49
Male	35,066	659	109	173	784	962	1,120	2,724	6,336	9,602	8,453	4,110	34
Female	32,555	500	91	103	297	404	690	1,576	4,073	7,084	9,490	8,232	15
White	60,158	797	136	202	867	975	1,332	3,408	8,980	15,027	16,735	11,730	29
Male	30,696	440	74	123	637	700	801	2,188	5,464	8,685	7,862	3,692	20
Female	29,262	297	62	79	230	275	531	1,220	3,516	6,332	8,873	7,838	9
All other	7,463	422	64	74	214	391	478	892	1,429	1,659	1,208	612	20
Male	4,170	219	35	50	147	262	319	536	872	907	591	218	14
Female	3,293	203	29	24	67	129	159	356	557	752	617	394	6
Black	7,225	402	62	66	206	378	459	862	1,396	1,615	1,167	593	19
Male	4,031	213	33	44	142	253	307	519	848	880	568	210	13
Female	3,194	189	29	22	64	125	152	343	547	735	599	383	6
Metropolitan counties	60,422	1,073	189	247	1,005	1,278	1,675	3,987	9,540	14,608	15,691	11,081	47
Male	31,203	602	103	158	723	897	1,036	2,524	5,833	8,388	7,247	3,682	34
Female	29,219	471	86	91	282	382	639	1,463	3,707	6,222	8,444	7,419	13
White	53,095	659	125	174	796	894	1,202	3,107	8,132	12,986	14,513	10,480	27
Male	27,106	388	68	107	580	640	721	1,995	4,973	7,496	6,670	3,448	20
Female	25,989	271	57	67	216	254	481	1,112	3,159	5,490	7,843	7,032	7
All other	7,327	414	64	73	209	385	473	880	1,408	1,622	1,178	601	20
Male	4,097	214	35	49	143	257	315	529	860	890	577	214	14
Female	3,230	200	29	24	66	128	158	351	548	732	601	387	6
Black	7,097	395	62	65	201	372	455	852	1,377	1,578	1,138	583	19
Male	3,962	208	33	43	138	248	304	514	838	863	554	206	13
Female	3,135	187	29	22	63	124	151	338	539	715	584	377	6
Nonmetropolitan counties	7,199	86	11	29	76	87	135	313	869	2,078	2,252	1,261	2
Male	3,863	57	6	17	61	65	84	200	503	1,216	1,206	448	–
Female	3,336	29	5	12	15	22	51	113	366	862	1,046	813	2
White	7,063	78	11	28	71	81	130	301	848	2,041	2,222	1,250	2
Male	3,790	52	6	16	57	60	80	193	491	1,199	1,192	444	–
Female	3,273	26	5	12	14	21	50	108	357	842	1,030	806	2
All other	136	8	–	1	5	6	5	12	21	37	30	11	–
Male	73	5	–	1	4	5	4	7	12	17	14	4	–
Female	63	3	–	–	1	1	1	5	9	20	16	7	–
Black	128	7	–	1	5	6	4	10	19	37	29	10	–
Male	69	5	–	1	4	5	3	5	11	17	14	4	–
Female	59	2	–	–	1	1	1	5	8	20	15	6	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	9,248	312	75	64	376	377	405	654	1,289	2,104	2,185	1,404	9
Male	5,312	197	35	44	283	286	298	399	782	1,284	1,162	536	6
Female	3,936	115	40	20	93	91	107	255	501	820	1,023	868	3
White	8,484	258	66	53	298	300	337	582	1,186	2,001	2,066	1,390	7
Male	4,840	162	31	35	223	231	246	356	727	1,228	1,097	499	5
Female	3,644	96	35	18	75	69	91	226	459	773	969	891	2
All other	764	54	9	11	78	77	68	72	97	103	119	74	2
Male	472	35	4	9	60	55	52	43	55	56	65	37	1
Female	292	19	5	2	18	22	16	29	42	47	54	37	1
Black	147	9	2	–	1	15	7	17	22	33	30	9	2
Male	87	5	1	–	–	11	6	11	12	18	18	4	1
Female	60	4	1	–	1	4	1	6	10	15	12	5	1
Metropolitan counties	3,524	111	19	21	105	131	148	245	503	843	858	536	4
Male	1,961	76	9	13	74	93	105	144	312	508	426	196	3
Female	1,563	35	10	8	31	38	43	101	191	335	432	338	1
White	3,361	101	18	20	93	120	135	230	478	818	825	519	4
Male	1,865	70	8	12	66	86	94	137	299	496	405	189	3
Female	1,496	31	10	8	27	34	41	93	179	322	420	330	1
All other	163	10	1	1	12	11	13	15	25	25	33	17	–
Male	96	6	1	1	8	7	11	7	13	12	21	9	–
Female	67	4	–	–	4	4	2	8	12	13	12	8	–
Black	64	2	1	–	1	6	3	8	12	13	14	4	–
Male	34	1	1	–	–	4	2	4	7	8	8	1	–
Female	30	1	–	–	1	2	1	4	5	7	6	3	–
Nonmetropolitan counties	5,724	201	56	43	271	246	257	409	780	1,261	1,327	868	5
Male	3,351	121	26	31	209	193	193	255	470	776	736	338	3
Female	2,373	80	30	12	62	53	64	154	310	485	591	530	2
White	5,123	157	48	33	205	180	202	352	708	1,183	1,241	811	3
Male	2,975	92	23	23	157	145	152	219	428	732	692	310	2
Female	2,148	65	25	10	48	35	50	133	280	451	549	501	1
All other	601	44	8	10	66	66	55	57	72	78	86	57	2
Male	376	29	3	8	52	48	41	36	42	44	44	28	1
Female	225	15	5	2	14	18	14	21	30	34	42	29	1
Black	83	7	1	–	–	9	4	9	10	20	16	5	2
Male	53	4	–	–	–	7	4	7	5	12	10	3	1
Female	30	3	1	–	–	2	–	2	5	8	6	2	1
New York	167,405	3,004	510	661	2,798	3,975	5,031	10,368	24,044	38,386	45,914	32,677	37
Male	85,963	1,683	276	398	2,120	2,677	3,229	6,416	14,466	21,736	21,505	11,240	17
Female	81,442	1,321	234	263	678	1,098	1,802	3,952	9,578	16,650	24,409	21,437	20
White	146,401	1,977	357	471	2,112	2,675	3,462	7,854	19,866	34,073	42,359	31,043	32
Male	74,460	1,130	192	276	1,616	1,955	2,244	4,897	12,178	18,477	19,840	10,541	14
Female	71,941	847	165	195	496	720	1,218	2,957	7,808	14,596	22,519	20,402	18
All other	21,004	1,027	153	190	686	1,300	1,569	2,514	4,058	4,313	3,555	1,634	5
Male	11,503	553	84	122	504	922	985	1,519	2,288	2,259	1,865	599	3
Female	9,501	474	69	68	182	378	584	995	1,770	2,054	1,690	1,035	2
Black	19,770	969	144	169	644	1,254	1,516	2,402	3,890	4,030	3,259	1,488	5
Male	10,707	521	80	110	472	883	951	1,443	2,182	2,087	1,451	514	3
Female	9,063	448	64	59	172	361	565	959	1,708	1,943	1,808	974	2
Metropolitan counties	150,672	2,777	461	577	2,509	3,748	4,691	9,528	21,860	34,396	41,167	29,103	33
Male	77,238	1,542	244	342	1,896	2,716	3,005	5,886	13,146	19,353	19,104	9,988	16
Female	73,434	1,235	217	235	613	1,032	1,686	3,642	8,714	15,045	22,063	19,115	17
White	130,107	1,764	309	390	1,835	2,456	3,132	7,045	17,843	30,130	37,674	27,501	28
Male	65,882	999	160	222	1,402	1,798	2,029	4,388	10,882	17,117	17,466	9,406	13
Female	64,225	765	149	168	433	658	1,103	2,657	6,961	13,013	20,208	18,095	15
All other	20,765	1,013	152	187	674	1,292	1,559	2,483	4,017	4,268	3,513	1,602	5
Male	11,356	543	84	120	494	918	976	1,498	2,264	2,236	1,638	582	3
Female	9,409	470	68	67	180	374	583	985	1,753	2,032	1,875	1,020	2
Black	19,582	958	143	166	637	1,247	1,507	2,379	3,859	3,998	3,227	1,466	5
Male	10,585	513	80	108	466	889	943	1,429	2,163	2,071	1,428	502	3
Female	8,997	445	63	58	171	358	564	950	1,696	1,927	1,799	964	2
Nonmetropolitan counties	16,533	227	49	84	289	227	340	840	2,184	3,988	4,727	3,574	4
Male	8,725	141	32	56	224	161	224	530	1,320	2,383	2,401	1,252	1
Female	7,808	86	17	28	65	66	116	310	864	1,605	2,326	2,322	3
White	16,294	213	49	81	277	219	330	809	2,143	3,943	4,685	3,542	4
Male	8,578	131	32	54	214	157	215	509	1,296	2,360	2,374	1,235	1
Female	7,716	82	16	27	63	62	115	300	847	1,583	2,311	2,307	3
All other	239	14	1	3	12	8	10	31	41	45	42	32	–
Male	147	10	–	2	10	4	9	21	24	23	27	17	–
Female	92	4	1	1	2	4	1	10	17	22	15	15	–
Black	178	11	1	3	7	7	9	23	31	32	32	22	–
Male	112	8	–	2	6	4	8	14	19	16	23	12	–
Female	66	3	1	1	1	3	1	9	12	16	9	10	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	48,551	1,175	180	267	1,085	1,361	1,765	3,749	6,077	12,175	11,588	7,124	5
Male	26,721	663	104	162	810	880	1,146	2,505	5,226	7,220	5,534	2,367	4
Female	21,830	512	76	105	275	381	619	1,244	2,851	4,955	6,054	4,757	1
White	36,740	629	100	167	799	802	1,127	2,681	5,909	9,264	9,254	6,006	2
Male	20,101	359	52	108	604	590	716	1,840	3,857	5,583	4,444	1,948	2
Female	16,639	270	48	61	195	212	411	841	2,052	3,681	4,810	4,058	-
All other	11,811	546	80	100	286	559	638	1,068	2,168	2,911	2,334	1,118	3
Male	6,620	304	52	56	206	390	430	665	1,369	1,637	1,090	419	2
Female	5,191	242	28	44	80	169	208	403	799	1,274	1,244	699	1
Black	11,433	524	77	94	274	529	615	1,027	2,097	2,828	2,277	1,090	3
Male	6,399	292	50	54	196	369	414	638	1,322	1,588	1,085	409	2
Female	5,034	232	27	40	78	160	201	389	775	1,238	1,212	681	1
Metropolitan counties	23,241	626	88	131	536	690	870	1,832	3,879	5,711	5,448	3,430	-
Male	12,537	338	53	76	396	493	538	1,177	2,487	3,382	2,536	1,081	-
Female	10,704	288	35	55	140	197	332	655	1,392	2,349	2,912	2,349	-
White	18,111	353	49	86	420	438	568	1,348	2,949	4,469	4,447	2,884	-
Male	9,712	197	24	51	313	320	334	697	1,913	2,659	2,076	828	-
Female	8,399	156	25	35	107	118	234	451	1,036	1,810	2,371	2,056	-
All other	5,130	273	39	45	116	252	302	484	930	1,242	1,001	446	-
Male	2,825	141	29	25	83	173	204	280	574	703	460	153	-
Female	2,305	132	10	20	33	79	98	204	356	539	541	293	-
Black	5,081	269	39	44	116	247	298	473	921	1,233	895	445	-
Male	2,803	140	28	25	83	170	202	274	569	699	459	153	-
Female	2,278	129	10	19	33	77	97	199	352	534	536	292	-
Nonmetropolitan counties	25,310	549	92	136	549	671	895	1,917	4,198	6,464	6,140	3,694	5
Male	14,184	325	51	86	414	487	608	1,328	2,739	3,858	2,998	1,286	4
Female	11,126	224	41	50	135	184	287	589	1,459	2,606	3,142	2,408	1
White	18,629	276	51	81	379	364	559	1,333	2,960	4,795	4,807	3,022	2
Male	10,389	162	28	55	291	270	382	943	1,944	2,924	2,368	1,020	2
Female	8,240	114	23	26	88	94	177	390	1,016	1,871	2,439	2,002	-
All other	6,681	273	41	55	170	307	336	584	1,238	1,669	1,333	672	3
Male	3,795	163	23	31	123	217	226	385	795	934	630	266	2
Female	2,886	110	18	24	47	90	110	199	443	735	703	406	1
Black	6,352	255	38	50	158	282	316	554	1,176	1,593	1,282	645	3
Male	3,596	152	21	29	113	199	212	364	753	889	606	256	2
Female	2,756	103	17	21	45	83	104	190	423	704	676	389	1
North Dakota	5,390	134	28	23	140	86	111	229	588	1,189	1,565	1,297	-
Male	3,068	78	18	14	114	69	77	149	383	767	868	551	-
Female	2,322	56	10	9	26	17	34	80	225	422	697	746	-
White	5,220	113	22	22	129	79	100	213	564	1,160	1,534	1,284	-
Male	2,967	63	15	14	105	64	70	138	352	750	850	546	-
Female	2,253	50	7	8	24	15	30	75	212	410	684	738	-
All other	170	21	6	1	11	7	11	16	24	29	31	13	-
Male	101	15	3	-	9	5	7	11	11	17	18	5	-
Female	69	6	3	1	2	2	4	5	13	12	13	8	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Metropolitan counties	1,461	50	10	6	45	26	31	57	158	320	412	346	-
Male	801	25	7	3	36	21	17	36	91	204	219	142	-
Female	660	25	3	3	9	5	14	21	67	116	193	204	-
White	1,450	47	10	6	45	25	31	57	153	320	411	345	-
Male	795	23	7	3	36	21	17	36	88	204	219	141	-
Female	655	24	3	3	9	4	14	21	65	116	192	204	-
All other	11	3	-	-	-	1	-	-	5	-	1	1	-
Male	6	2	-	-	-	-	-	-	3	-	-	1	-
Female	5	1	-	-	-	1	-	-	2	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	3,929	84	18	17	95	60	80	172	430	869	1,153	951	-
Male	2,267	53	11	11	78	48	60	113	272	563	649	409	-
Female	1,662	31	7	6	17	12	20	59	158	306	504	542	-
White	3,770	66	12	16	84	54	69	156	411	840	1,123	939	-
Male	2,172	40	8	11	69	43	53	102	264	546	631	405	-
Female	1,598	26	4	5	15	11	16	54	147	294	492	534	-
All other	159	18	6	1	11	6	11	16	19	29	30	12	-
Male	95	13	3	-	9	5	7	11	8	17	18	4	-
Female	64	5	3	1	2	1	4	5	11	12	12	8	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	94,473	1,895	333	441	1,750	1,925	2,325	5,992	14,446	22,755	24,618	17,782	11
Male	49,729	1,052	183	278	1,289	1,340	1,444	3,712	8,949	13,431	11,852	6,184	5
Female	44,744	843	150	163	461	585	881	2,280	5,497	9,324	12,966	11,588	6
White	84,751	1,441	251	358	1,479	1,509	1,882	4,907	12,645	20,579	22,663	16,832	5
Male	44,379	796	140	235	1,106	1,054	1,173	3,066	7,881	12,204	10,902	5,820	2
Female	40,372	645	111	123	373	455	709	1,841	4,764	8,375	11,961	11,012	3
All other	9,722	454	82	83	271	416	443	1,085	1,801	2,176	1,955	950	5
Male	5,350	256	43	43	183	286	271	646	1,068	1,227	950	374	3
Female	4,372	198	39	40	88	130	172	439	733	949	1,005	576	3
Black	9,594	439	79	77	268	414	436	1,088	1,784	2,153	1,936	940	4
Male	5,277	250	41	41	179	284	267	633	1,055	1,215	940	369	3
Female	4,317	189	38	36	87	130	169	433	729	936	996	571	1
Metropolitan counties	75,052	1,552	249	346	1,398	1,593	1,903	4,924	11,678	18,134	19,444	13,822	9
Male	39,308	869	137	213	1,017	1,103	1,185	3,032	7,184	10,629	9,172	4,763	4
Female	35,744	683	112	133	381	490	718	1,892	4,494	7,505	10,272	9,059	5
White	65,703	1,109	171	266	1,132	1,195	1,474	3,871	9,947	16,045	17,572	12,918	3
Male	34,173	615	96	173	837	828	922	2,406	6,161	9,451	8,268	4,415	1
Female	31,530	494	75	93	295	367	552	1,465	3,788	6,594	9,304	8,503	2
All other	9,349	443	78	80	266	398	429	1,053	1,731	2,089	1,872	904	6
Male	5,135	254	41	40	180	276	283	626	1,023	1,178	904	348	3
Female	4,214	189	37	40	86	123	166	427	708	911	968	556	3
Black	9,238	431	76	74	261	396	424	1,038	1,718	2,067	1,854	897	4
Male	5,073	249	40	38	176	273	261	615	1,013	1,166	895	344	3
Female	4,165	182	36	36	85	123	163	421	705	901	959	553	1
Nonmetropolitan counties	19,421	343	84	95	352	332	422	1,068	2,768	4,621	5,374	3,960	2
Male	10,421	183	46	65	272	237	259	660	1,765	2,802	2,680	1,431	1
Female	9,000	160	38	30	80	95	163	388	1,003	1,819	2,694	2,529	1
White	19,048	332	80	92	347	314	408	1,036	2,698	4,534	5,291	3,914	2
Male	10,206	181	44	62	269	226	251	660	1,720	2,753	2,634	1,405	1
Female	8,842	151	36	30	78	88	157	376	978	1,781	2,657	2,509	1
All other	373	11	4	3	5	18	14	32	70	87	83	46	-
Male	215	2	2	3	3	11	8	20	45	49	46	26	-
Female	158	9	2	-	2	7	6	12	25	38	37	20	-
Black	356	8	3	3	5	18	12	30	66	86	82	43	-
Male	204	1	1	3	3	11	6	18	42	49	45	25	-
Female	152	7	2	-	2	7	6	12	24	37	37	18	-
Oklahoma	29,350	722	143	212	837	857	928	1,712	3,873	6,581	7,922	5,538	27
Male	16,020	401	80	129	607	636	603	1,113	2,497	4,004	3,991	1,942	17
Female	13,330	321	63	83	230	221	323	599	1,376	2,577	3,931	3,596	10
White	26,449	577	116	181	709	700	791	1,447	3,465	5,964	7,293	5,185	21
Male	14,414	324	65	111	519	519	510	945	2,256	3,658	3,694	1,801	12
Female	12,035	253	51	70	190	181	281	502	1,209	2,306	3,599	3,384	9
All other	2,901	145	27	31	128	157	135	265	408	617	629	353	6
Male	1,606	77	15	18	88	117	93	168	241	346	297	141	5
Female	1,295	68	12	13	40	40	42	97	167	271	332	212	1
Black	1,883	90	20	23	65	88	80	166	252	417	432	256	4
Male	1,044	53	11	13	46	69	56	103	158	234	194	104	3
Female	849	37	9	10	19	19	24	63	94	183	238	152	1
Metropolitan counties	14,819	431	82	134	497	500	552	987	2,105	3,242	3,769	2,570	16
Male	7,967	242	48	76	310	376	363	618	1,347	1,920	1,819	836	12
Female	6,852	189	34	58	127	124	189	369	758	1,322	1,944	1,734	4
White	13,299	338	62	110	375	415	471	828	1,901	2,922	3,451	2,414	12
Male	7,116	190	37	61	268	312	307	525	1,214	1,746	1,571	777	8
Female	6,183	148	25	49	107	103	164	303	687	1,176	1,780	1,637	4
All other	1,520	93	20	24	82	85	81	159	204	320	312	156	4
Male	851	52	11	15	42	64	56	93	133	174	148	59	4
Female	669	41	9	9	20	21	25	66	71	146	164	97	-
Black	1,177	71	15	20	41	58	57	120	162	256	246	128	3
Male	654	41	8	13	29	44	41	69	110	139	111	46	3
Female	523	30	7	7	12	14	16	51	52	117	135	82	-
Nonmetropolitan counties	14,531	291	61	78	400	357	374	725	1,768	3,339	4,159	2,968	11
Male	8,053	159	32	53	297	260	240	495	1,150	2,084	2,172	1,106	5
Female	6,478	132	29	25	103	97	134	230	618	1,255	1,987	1,862	6
White	13,150	239	54	71	334	285	320	619	1,564	3,042	3,842	2,771	9
Male	7,298	134	28	50	251	207	203	420	1,042	1,912	2,023	1,024	4
Female	5,852	105	26	21	83	78	117	199	522	1,130	1,819	1,747	5
All other	1,381	52	7	7	66	72	54	106	204	297	317	197	2
Male	755	25	4	3	46	53	37	75	108	172	149	82	1
Female	626	27	3	4	20	19	17	31	96	125	168	115	1
Black	716	19	5	3	24	30	23	46	90	161	188	128	1
Male	390	12	3	-	17	25	15	34	48	95	83	58	-
Female	326	7	2	3	7	5	8	12	42	66	103	70	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	21,614	432	104	108	404	530	561	1,081	2,917	5,124	5,890	4,455	10
Male	11,776	249	54	70	292	383	353	649	1,819	3,161	3,118	1,619	9
Female	9,838	183	50	38	112	147	208	432	1,098	1,963	2,772	2,836	1
White	21,108	395	101	100	386	484	520	1,033	2,832	5,022	5,802	4,416	8
Male	11,481	227	52	67	279	349	329	621	1,761	3,102	3,068	1,601	7
Female	9,647	168	49	33	107	135	200	412	1,071	1,920	2,736	2,815	1
All other	506	37	3	6	18	46	32	48	85	102	88	39	2
Male	315	22	2	3	13	34	24	28	58	59	52	18	2
Female	191	15	1	3	5	12	8	20	27	43	36	21	–
Black	266	13	–	3	5	23	16	23	52	69	43	18	1
Male	161	7	–	2	4	14	13	15	35	40	26	4	1
Female	105	6	–	1	1	9	3	8	17	29	17	14	–
Metropolitan counties	13,743	271	58	63	256	344	333	678	1,842	3,167	3,763	2,960	8
Male	7,299	156	31	38	179	245	212	409	1,152	1,937	1,892	1,041	7
Female	6,444	115	27	25	77	99	121	269	690	1,230	1,871	1,919	1
White	13,341	244	58	58	243	310	310	641	1,776	3,077	3,690	2,927	7
Male	7,047	140	31	36	168	222	196	387	1,107	1,883	1,848	1,025	6
Female	6,294	104	27	22	75	88	114	254	669	1,194	1,844	1,902	1
All other	402	27	–	5	13	34	23	37	66	90	73	33	1
Male	252	16	–	2	11	23	16	22	45	54	46	16	1
Female	150	11	–	3	2	11	7	15	21	36	27	17	–
Black	251	12	–	3	5	23	15	22	48	63	42	18	–
Male	152	7	–	2	4	14	12	14	32	37	26	4	–
Female	99	5	–	1	1	9	3	8	16	26	16	14	–
Nonmetropolitan counties	7,871	161	46	43	148	186	228	403	1,075	1,957	2,127	1,495	2
Male	4,477	93	23	32	113	138	141	240	667	1,224	1,226	578	2
Female	3,394	68	23	11	35	48	87	163	408	733	901	917	–
White	7,767	151	43	42	143	174	219	392	1,056	1,945	2,112	1,489	1
Male	4,414	87	21	31	111	127	193	234	654	1,219	1,220	578	1
Female	3,353	64	22	11	32	47	86	158	402	726	892	913	–
All other	104	10	3	1	5	12	9	11	19	12	15	6	1
Male	63	6	2	1	2	11	8	6	13	5	6	2	1
Female	41	4	1	–	3	1	1	5	6	7	9	4	–
Black	15	1	–	–	–	–	1	1	4	6	1	–	1
Male	9	–	–	–	–	–	1	1	3	3	–	–	1
Female	6	1	–	–	–	–	–	–	1	3	1	–	–
Pennsylvania	118,817	1,873	284	402	1,747	1,974	2,842	5,730	16,152	30,266	32,619	22,095	33
Male	62,096	1,046	162	240	1,292	1,413	1,717	4,309	11,217	17,697	15,354	7,634	15
Female	56,721	827	122	162	455	561	925	2,421	6,935	12,569	17,265	14,461	18
White	108,234	1,428	220	327	1,518	1,543	2,110	5,624	16,116	27,769	30,496	21,072	21
Male	56,313	797	127	198	1,131	1,107	1,369	3,636	10,014	16,380	14,331	7,233	10
Female	51,921	631	93	129	387	436	741	1,988	6,102	11,409	16,155	13,839	11
All other	10,583	445	64	75	229	431	532	1,106	2,036	2,497	2,133	1,023	12
Male	5,783	249	35	42	161	306	348	673	1,203	1,337	1,023	401	5
Female	4,800	196	29	33	68	125	184	433	833	1,160	1,110	622	7
Black	10,440	433	62	73	229	422	518	1,089	2,008	2,475	2,109	1,010	12
Male	5,689	243	33	42	161	289	337	684	1,182	1,327	1,004	392	5
Female	4,751	190	29	31	68	133	181	425	826	1,148	1,105	618	7
Metropolitan counties	97,198	1,551	230	313	1,383	1,664	2,191	5,593	15,079	24,747	26,514	17,847	32
Male	50,628	867	132	184	1,018	1,188	1,418	3,559	9,323	14,437	12,371	6,116	15
Female	46,570	684	98	129	365	476	773	2,034	5,750	10,310	14,143	11,731	17
White	86,744	1,110	169	238	1,156	1,240	1,668	4,501	13,060	22,284	24,440	16,858	20
Male	44,943	619	99	142	858	888	1,077	2,880	8,134	13,123	11,376	5,727	10
Female	41,801	491	70	96	298	352	591	1,611	4,926	9,161	13,064	11,131	10
All other	10,394	441	61	75	227	424	523	1,092	2,013	2,463	2,074	989	12
Male	5,685	248	33	42	160	300	341	669	1,189	1,314	995	389	5
Female	4,709	193	28	33	67	124	182	423	824	1,149	1,079	600	7
Black	10,259	430	60	73	227	415	509	1,076	1,987	2,443	2,051	976	12
Male	5,596	242	32	42	160	293	330	660	1,169	1,306	977	380	5
Female	4,663	188	28	31	67	122	179	416	818	1,137	1,074	596	7
Nonmetropolitan counties	21,619	322	54	89	384	310	451	1,137	3,079	5,519	6,105	4,248	1
Male	11,468	179	30	56	274	225	299	750	1,894	3,260	2,983	1,518	–
Female	10,211	143	24	33	90	85	152	387	1,185	2,259	3,122	2,730	1
White	21,490	318	51	89	362	309	442	1,123	3,056	5,485	6,046	4,214	1
Male	11,370	178	26	56	273	219	282	746	1,880	3,237	2,955	1,506	–
Female	10,120	140	23	33	89	84	150	377	1,176	2,248	3,091	2,708	1
All other	189	4	3	–	2	7	9	14	23	34	59	34	–
Male	98	1	2	–	1	6	7	4	14	23	28	12	–
Female	91	3	1	–	1	1	2	10	9	11	31	22	–
Black	181	3	2	–	2	7	9	13	21	32	58	34	–
Male	93	1	1	–	1	6	7	4	13	21	27	12	–
Female	88	2	1	–	1	1	2	9	8	11	31	22	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	8,988	125	19	31	123	145	180	462	1,289	2,212	2,551	1,850	1
Male	4,583	65	7	17	86	100	109	292	818	1,296	1,185	610	-
Female	4,405	60	12	14	37	45	71	170	473	916	1,366	1,240	1
White	8,735	105	17	30	120	133	167	435	1,238	2,163	2,500	1,826	1
Male	4,454	52	6	17	85	93	100	278	785	1,274	1,165	599	-
Female	4,281	53	11	13	35	40	67	157	453	889	1,335	1,227	1
All other	253	20	2	1	3	12	13	27	51	49	51	24	-
Male	129	13	1	-	1	7	9	14	31	22	20	11	-
Female	124	7	1	1	2	5	4	13	20	27	31	13	-
Black	220	15	2	-	2	10	11	22	47	47	44	20	-
Male	108	10	1	-	1	6	7	10	29	20	15	10	-
Female	112	5	1	-	1	5	4	12	18	27	29	10	-
Metropolitan counties	8,324	117	17	29	114	133	160	420	1,198	2,048	2,355	1,734	1
Male	4,230	63	7	17	81	93	96	261	750	1,192	1,091	579	-
Female	4,094	54	10	12	33	40	64	159	448	854	1,264	1,155	1
White	8,105	99	15	28	111	123	150	395	1,153	2,005	2,312	1,713	1
Male	4,118	52	6	17	80	88	89	249	723	1,174	1,073	569	-
Female	3,987	47	9	11	31	37	61	146	430	831	1,239	1,144	1
All other	219	18	2	1	3	10	10	25	45	41	43	21	-
Male	112	11	1	-	1	7	7	12	27	18	18	10	-
Female	107	7	1	1	2	3	3	13	18	23	25	11	-
Black	188	13	2	-	2	8	8	20	41	39	38	17	-
Male	91	8	1	-	1	5	5	8	25	16	13	9	-
Female	95	5	1	-	1	3	3	12	16	23	23	8	-
Nonmetropolitan counties	664	8	2	2	9	12	20	42	91	166	196	116	-
Male	353	2	-	-	5	7	13	31	66	104	94	31	-
Female	311	6	2	2	4	5	7	11	25	62	102	85	-
White	630	6	2	2	9	10	17	40	85	158	188	113	-
Male	336	-	-	-	5	7	11	29	62	100	92	30	-
Female	294	6	2	2	4	3	6	11	23	58	96	83	-
All other	34	2	-	-	-	2	3	2	6	8	8	3	-
Male	17	2	-	-	-	-	2	2	4	4	2	1	-
Female	17	-	-	-	-	2	1	-	2	4	6	2	-
Black	34	2	-	-	-	2	3	2	6	8	8	3	-
Male	17	2	-	-	-	-	2	2	4	4	2	1	-
Female	17	-	-	-	-	2	1	-	2	4	6	2	-
South Carolina	25,070	832	120	157	635	803	1,058	1,990	4,456	6,495	5,515	3,009	-
Male	13,734	478	68	100	473	574	712	1,279	2,784	3,798	2,559	911	-
Female	11,336	356	52	57	162	229	346	711	1,672	2,697	2,956	2,098	-
White	16,825	367	67	85	406	445	574	1,219	2,843	4,289	4,123	2,407	-
Male	9,198	222	37	57	306	327	396	800	1,847	2,568	1,947	691	-
Female	7,627	145	30	28	100	118	178	419	996	1,721	2,176	1,716	-
All other	8,245	465	53	72	229	358	484	771	1,613	2,206	1,392	602	-
Male	4,536	254	31	43	167	247	316	479	937	1,230	612	220	-
Female	3,709	211	22	29	62	111	168	292	676	976	780	382	-
Black	8,221	464	53	72	225	354	482	769	1,611	2,203	1,386	602	-
Male	4,523	254	31	43	165	246	315	478	936	1,227	608	220	-
Female	3,698	210	22	29	60	106	167	291	675	976	778	382	-
Metropolitan counties	14,170	451	75	96	358	475	595	1,139	2,555	3,605	3,111	1,710	-
Male	7,729	252	38	62	264	340	401	744	1,591	2,108	1,430	499	-
Female	6,441	199	37	34	94	135	194	395	964	1,497	1,681	1,211	-
White	10,150	227	46	54	246	289	357	751	1,756	2,539	2,468	1,417	-
Male	5,529	139	23	37	179	211	253	503	1,131	1,519	1,142	392	-
Female	4,621	88	23	17	67	78	104	248	625	1,020	1,326	1,025	-
All other	4,020	224	29	42	112	186	238	368	799	1,066	643	293	-
Male	2,200	113	15	25	85	129	148	241	480	589	288	107	-
Female	1,820	111	14	17	27	57	90	147	339	477	355	186	-
Black	4,005	224	29	42	109	183	238	387	797	1,063	640	293	-
Male	2,191	113	15	25	84	128	148	241	459	586	285	107	-
Female	1,814	111	14	17	25	55	90	146	338	477	355	186	-
Nonmetropolitan counties	10,900	381	45	61	277	328	463	851	1,901	2,890	2,404	1,299	-
Male	6,005	224	30	38	209	234	311	535	1,193	1,690	1,129	412	-
Female	4,895	157	15	23	68	94	152	316	708	1,200	1,275	887	-
White	6,675	140	21	31	160	156	217	488	1,087	1,750	1,655	990	-
Male	3,669	83	14	20	127	116	143	297	716	1,049	805	299	-
Female	3,006	57	7	11	33	40	74	171	371	701	850	691	-
All other	4,225	241	24	30	117	172	246	383	814	1,140	749	309	-
Male	2,336	141	16	18	82	118	168	238	477	641	324	113	-
Female	1,889	100	8	12	35	54	78	145	337	499	425	196	-
Black	4,216	240	24	30	116	171	244	382	814	1,140	746	309	-
Male	2,332	141	16	18	81	118	167	237	477	641	323	113	-
Female	1,884	99	8	12	35	53	77	145	337	499	423	196	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,595	131	31	36	132	123	127	314	751	1,366	1,893	1,691	–
Male	3,597	82	14	29	99	93	64	207	487	839	1,006	677	–
Female	2,998	49	17	7	33	30	63	107	264	527	887	1,014	–
White	6,164	92	20	31	101	88	97	264	683	1,300	1,834	1,654	–
Male	3,346	54	9	25	77	65	52	174	447	807	972	664	–
Female	2,818	38	11	6	24	23	45	90	236	493	862	990	–
All other	431	39	11	5	31	35	30	50	68	66	59	37	–
Male	251	28	5	4	22	28	12	33	40	32	34	13	–
Female	180	11	6	1	9	7	18	17	28	34	25	24	–
Black	5	1	–	–	–	–	–	–	2	–	–	2	–
Male	4	1	–	–	–	–	–	–	2	–	–	1	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Metropolitan counties	850	13	3	7	10	15	17	36	94	179	252	224	–
Male	447	8	1	5	6	10	9	22	57	119	133	77	–
Female	403	5	2	2	4	5	8	14	37	60	119	147	–
White	843	13	3	7	9	14	16	36	94	179	249	223	–
Male	444	8	1	5	6	9	9	22	57	119	132	76	–
Female	399	5	2	2	3	5	7	14	37	60	117	147	–
All other	7	–	–	–	1	1	1	–	–	–	3	1	–
Male	3	–	–	–	–	1	–	–	–	–	1	1	–
Female	4	–	–	–	1	–	1	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,745	118	28	29	122	108	110	278	657	1,187	1,641	1,467	–
Male	3,150	74	13	24	93	69	55	185	430	720	873	600	–
Female	2,595	44	15	5	29	25	55	93	227	467	768	867	–
White	5,321	79	17	24	92	74	81	228	589	1,121	1,585	1,431	–
Male	2,902	46	8	20	71	56	43	152	390	688	840	588	–
Female	2,419	33	9	4	21	18	38	76	199	433	745	843	–
All other	424	39	11	5	30	34	29	50	68	66	56	36	–
Male	248	28	5	4	22	27	12	33	40	32	33	12	–
Female	176	11	6	1	8	7	17	17	28	34	23	24	–
Black	4	1	–	–	–	–	–	–	2	–	–	1	–
Male	3	1	–	–	–	–	–	–	2	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Tennessee	40,282	807	145	206	898	1,032	1,289	2,739	6,006	9,863	10,570	6,731	6
Male	22,006	451	88	125	695	743	834	1,787	3,847	5,852	5,179	2,304	1
Female	18,286	356	57	81	203	289	455	952	2,159	3,911	5,391	4,427	5
White	33,285	521	100	162	733	760	1,005	2,139	4,845	8,124	8,973	5,899	4
Male	18,213	290	61	97	568	563	681	1,424	3,193	4,959	4,406	1,970	1
Female	15,052	231	39	65	165	197	324	715	1,652	3,165	4,567	3,929	3
All other	7,027	286	45	44	165	272	284	600	1,161	1,739	1,597	832	2
Male	3,793	161	27	28	127	180	153	363	654	993	773	334	–
Female	3,234	125	18	16	38	92	131	237	507	746	824	498	2
Black	6,988	283	44	42	163	268	280	591	1,158	1,731	1,595	831	2
Male	3,770	159	26	26	125	177	153	358	653	988	772	333	–
Female	3,218	124	18	16	38	91	127	233	505	743	823	498	2
Metropolitan counties	24,039	558	102	111	535	690	901	1,718	3,715	5,799	6,061	3,945	4
Male	12,844	316	59	66	414	494	506	1,093	2,338	3,409	2,883	1,265	1
Female	11,195	242	43	45	121	196	295	625	1,377	2,390	3,178	2,680	3
White	18,484	317	63	78	399	463	567	1,216	2,783	4,430	4,838	3,327	3
Male	9,849	179	37	44	311	343	380	767	1,823	2,637	2,291	1,016	1
Female	8,635	138	26	34	88	120	187	429	960	1,793	2,547	2,311	2
All other	5,555	241	39	33	136	227	234	502	932	1,369	1,223	618	1
Male	2,995	137	22	22	103	151	128	306	515	772	592	249	–
Female	2,560	104	17	11	33	76	106	196	417	597	631	369	1
Black	5,522	238	38	31	134	224	231	495	931	1,361	1,221	617	1
Male	2,973	135	21	20	101	149	126	301	514	767	591	248	–
Female	2,549	103	17	11	33	75	105	194	417	594	630	369	1
Nonmetropolitan counties	16,253	249	43	95	383	342	488	1,021	2,291	4,064	4,509	2,786	2
Male	9,162	135	29	59	281	249	328	694	1,509	2,543	2,296	1,039	–
Female	7,091	114	14	36	82	93	160	327	782	1,521	2,213	1,747	2
White	14,781	204	37	84	334	297	438	923	2,062	3,694	4,135	2,572	1
Male	8,384	111	24	53	257	220	301	637	1,370	2,322	2,115	954	–
Female	6,417	93	13	31	77	77	137	286	692	1,372	2,020	1,618	1
All other	1,472	45	6	11	29	45	50	98	229	370	374	214	1
Male	798	24	5	6	24	29	27	57	139	221	181	85	–
Female	674	21	1	5	5	16	23	41	90	149	193	129	1
Black	1,466	45	6	11	29	44	49	96	227	370	374	214	1
Male	797	24	5	6	24	28	27	57	139	221	181	85	–
Female	669	21	1	5	5	16	22	39	88	149	193	129	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	111,319	3,231	731	724	3,654	4,078	4,158	7,782	16,206	24,708	27,900	18,123	12
Male	61,453	1,868	420	469	2,817	3,020	2,753	5,079	10,296	14,796	13,690	6,234	11
Female	49,866	1,363	311	255	837	1,058	1,405	2,713	5,912	9,912	14,210	11,889	1
White	98,158	2,524	582	614	3,142	3,263	3,335	6,901	13,601	21,429	24,725	16,630	12
Male	52,914	1,480	345	402	2,438	2,439	2,229	4,134	8,740	12,952	12,139	5,607	11
Female	43,244	1,044	237	212	706	824	1,106	2,167	4,861	8,477	12,586	11,023	1
All other	15,161	707	149	110	512	815	823	1,491	2,607	3,279	3,176	1,493	-
Male	8,539	388	75	67	381	581	524	945	1,556	1,844	1,551	627	-
Female	6,622	319	74	43	131	234	299	546	1,051	1,435	1,624	866	-
Black	14,826	672	141	109	494	779	780	1,455	2,549	3,231	3,139	1,477	-
Male	8,334	372	71	66	366	557	499	926	1,521	1,811	1,527	618	-
Female	6,492	300	70	43	128	222	281	529	1,028	1,420	1,612	859	-
Metropolitan counties	80,779	2,604	576	574	2,944	3,396	3,373	6,225	12,358	17,546	19,172	12,003	8
Male	44,459	1,494	322	361	2,260	2,510	2,235	4,052	7,787	10,309	9,120	4,002	7
Female	36,320	1,110	254	213	684	886	1,138	2,173	4,571	7,237	10,052	8,001	1
White	68,753	1,987	445	482	2,506	2,663	2,684	4,949	10,233	15,024	16,824	10,968	8
Male	37,849	1,155	258	310	1,932	1,991	1,788	3,245	8,511	8,892	7,980	3,580	7
Female	31,104	832	187	172	574	672	876	1,704	3,722	6,132	8,844	7,388	1
All other	12,026	617	131	92	438	733	709	1,276	2,125	2,522	2,348	1,035	-
Male	6,610	339	64	51	328	519	447	807	1,276	1,417	1,140	422	-
Female	5,216	278	67	41	110	214	262	469	849	1,105	1,208	613	-
Black	11,712	583	123	91	422	699	669	1,242	2,069	2,477	2,316	1,021	-
Male	6,619	323	60	50	314	497	425	790	1,241	1,386	1,119	414	-
Female	5,093	260	63	41	108	202	244	452	828	1,091	1,197	607	-
Nonmetropolitan counties	30,540	627	155	150	710	682	785	1,557	3,850	7,162	8,728	6,120	4
Male	16,994	374	98	108	557	510	518	1,027	2,509	4,487	4,570	2,232	4
Female	13,546	253	57	42	153	172	267	540	1,341	2,675	4,158	3,888	-
White	27,405	537	137	132	636	600	671	1,352	3,368	6,405	7,901	5,662	4
Male	15,265	325	87	92	504	448	441	889	2,229	4,060	4,159	2,027	4
Female	12,140	212	50	40	132	152	230	463	1,139	2,345	3,742	3,635	-
All other	3,135	90	18	18	74	82	114	215	482	757	827	458	-
Male	1,729	49	11	16	53	62	77	138	280	427	411	205	-
Female	1,406	41	7	2	21	20	37	77	202	330	416	253	-
Black	3,114	89	18	18	72	80	111	213	480	764	823	456	-
Male	1,715	49	11	16	52	60	74	136	280	425	408	204	-
Female	1,399	40	7	2	20	20	37	77	200	329	415	252	-
Utah	8,515	457	86	81	292	276	276	455	1,063	1,758	2,157	1,810	4
Male	4,610	263	46	44	207	198	176	281	680	1,062	1,056	614	3
Female	3,905	194	40	37	85	78	100	174	403	696	1,101	996	1
White	8,319	436	82	78	279	257	258	435	1,035	1,735	2,134	1,586	4
Male	4,492	250	43	44	186	188	165	264	642	1,051	1,042	604	3
Female	3,827	186	39	34	93	69	93	171	393	684	1,092	982	1
All other	196	21	4	3	13	19	18	20	28	23	23	24	-
Male	118	13	3	-	11	10	11	17	18	11	14	10	-
Female	78	8	1	3	2	9	7	3	10	12	9	14	-
Black	58	7	1	-	3	2	4	6	11	9	8	7	-
Male	33	4	1	-	3	1	2	5	7	3	4	3	-
Female	25	3	-	-	-	1	2	1	4	6	4	4	-
Metropolitan counties	6,380	342	80	57	214	206	213	355	819	1,318	1,582	1,211	3
Male	3,398	198	31	32	152	147	130	220	495	799	750	442	2
Female	2,982	144	29	25	62	59	83	135	324	519	832	769	1
White	6,257	328	58	57	208	200	202	345	797	1,301	1,565	1,193	3
Male	3,324	188	29	32	148	144	124	212	480	792	739	435	2
Female	2,933	139	29	25	62	56	78	133	317	509	826	758	1
All other	123	14	2	-	6	6	11	10	22	17	17	18	-
Male	74	9	2	-	6	3	6	8	15	7	11	7	-
Female	49	5	-	-	-	3	5	2	7	10	6	11	-
Black	57	6	1	-	3	2	4	6	11	9	8	7	-
Male	33	4	1	-	3	1	2	5	7	3	4	3	-
Female	24	2	-	-	-	1	2	1	4	6	4	4	-
Nonmetropolitan counties	2,135	115	26	24	78	70	63	100	244	440	575	399	1
Male	1,212	65	15	12	55	51	46	61	165	283	306	172	1
Female	923	50	11	12	23	19	17	39	79	177	269	227	-
White	2,062	108	24	21	71	57	58	90	238	434	569	393	1
Male	1,168	61	14	12	50	44	41	52	162	259	303	189	1
Female	894	47	10	9	21	13	15	38	76	175	266	224	-
All other	73	7	2	3	7	13	7	10	6	6	6	6	-
Male	44	4	1	-	5	7	5	9	3	4	3	3	-
Female	29	3	1	3	2	6	2	1	3	2	3	3	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,490	75	22	23	88	84	115	214	567	1,037	1,257	1,007	1
Male	2,366	37	11	14	68	67	78	137	348	627	638	340	1
Female	2,124	38	11	9	20	17	37	77	219	410	619	667	–
White	4,485	75	22	23	88	83	114	213	567	1,036	1,257	1,006	1
Male	2,363	37	11	14	68	66	77	136	348	627	638	340	1
Female	2,122	38	11	9	20	17	37	77	219	409	619	666	–
All other	5	–	–	–	–	1	1	1	–	1	–	1	–
Male	3	–	–	–	–	1	1	1	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Black	3	–	–	–	–	–	1	1	–	1	–	–	–
Male	2	–	–	–	–	–	1	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Metropolitan counties	722	15	4	2	14	20	22	41	98	183	195	128	–
Male	364	7	–	2	11	17	13	28	58	98	86	43	–
Female	358	8	4	–	3	3	9	12	40	85	109	85	–
White	719	15	4	2	14	19	21	41	98	183	195	127	–
Male	362	7	–	2	11	16	12	29	58	98	86	43	–
Female	357	8	4	–	3	3	9	12	40	85	109	84	–
All other	3	–	–	–	–	1	1	–	–	–	–	1	–
Male	2	–	–	–	–	1	1	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	3,768	60	18	21	74	64	93	173	469	854	1,062	879	1
Male	2,002	30	11	12	57	50	65	108	290	529	552	297	1
Female	1,766	30	7	9	17	14	28	65	179	325	510	582	–
White	3,766	60	18	21	74	64	93	172	469	853	1,062	879	1
Male	2,001	30	11	12	57	50	65	107	290	529	552	297	1
Female	1,765	30	7	9	17	14	28	65	179	324	510	582	–
All other	2	–	–	–	–	–	–	1	–	1	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Virginia	41,904	1,039	114	188	857	970	1,462	3,080	7,032	10,340	10,267	6,539	16
Male	22,702	574	65	112	623	670	942	1,985	4,584	6,085	4,930	2,113	9
Female	19,202	465	49	76	234	300	520	1,095	2,448	4,245	5,337	4,426	7
White	32,841	642	72	142	658	654	1,032	2,233	5,294	8,041	8,450	5,615	8
Male	17,606	347	43	91	474	453	672	1,455	3,492	4,767	4,055	1,752	5
Female	15,235	295	29	51	184	201	360	778	1,802	3,274	4,395	3,863	3
All other	9,063	397	42	46	199	316	430	847	1,738	2,299	1,817	924	8
Male	5,096	227	22	21	149	217	270	530	1,092	1,328	875	361	4
Female	3,967	170	20	25	50	99	160	317	646	971	942	563	4
Black	8,907	387	40	41	188	302	410	819	1,715	2,276	1,800	921	8
Male	5,009	221	21	20	139	210	259	516	1,080	1,316	863	360	4
Female	3,898	166	19	21	49	92	151	303	635	960	937	561	4
Metropolitan counties	27,081	774	79	125	572	667	963	2,056	4,762	6,555	6,462	4,057	9
Male	14,423	435	42	68	417	460	618	1,315	3,071	3,787	2,958	1,249	3
Female	12,658	339	37	57	155	207	345	741	1,691	2,768	3,504	2,808	6
White	20,576	437	47	94	424	432	647	1,431	3,438	4,914	5,232	3,476	4
Male	10,791	232	27	54	303	288	418	930	2,248	2,862	2,389	1,038	2
Female	9,785	205	20	40	121	144	229	501	1,190	2,052	2,843	2,438	2
All other	6,505	337	32	31	148	235	316	625	1,324	1,641	1,230	581	5
Male	3,632	203	15	14	114	172	200	385	823	925	569	211	1
Female	2,873	134	17	17	34	63	116	240	501	716	661	370	4
Black	6,366	327	31	26	138	222	296	600	1,303	1,618	1,221	579	5
Male	3,554	197	14	13	104	165	189	374	812	913	562	210	1
Female	2,812	130	17	13	34	57	107	226	491	705	659	369	4
Nonmetropolitan counties	14,823	265	35	63	285	303	499	1,024	2,270	3,785	3,805	2,482	7
Male	8,279	139	23	44	206	210	324	670	1,513	2,308	1,972	864	6
Female	6,544	126	12	19	79	93	175	354	757	1,477	1,833	1,618	1
White	12,265	205	25	48	234	222	385	802	1,856	3,127	3,218	2,139	4
Male	6,815	115	16	37	171	165	254	525	1,244	1,905	1,686	714	3
Female	5,450	90	9	11	63	57	131	277	612	1,222	1,552	1,425	1
All other	2,558	60	10	15	51	81	114	222	414	658	587	343	3
Male	1,464	24	7	7	35	45	70	145	289	403	306	150	3
Female	1,094	36	3	8	16	36	44	77	145	255	281	193	–
Black	2,541	60	9	15	50	80	114	219	412	658	579	342	3
Male	1,455	24	7	7	35	45	70	142	288	403	301	150	3
Female	1,086	36	2	8	15	35	44	77	144	255	278	192	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	32,300	740	140	162	685	823	916	1,813	4,401	7,620	8,332	6,663	5
Male	17,267	439	79	96	496	567	594	1,121	2,706	4,579	4,215	2,370	3
Female	15,033	301	61	66	189	256	322	692	1,693	3,041	4,117	4,293	2
White	30,979	639	122	153	600	719	832	1,676	4,171	7,384	8,131	6,547	5
Male	16,481	380	68	90	436	504	531	1,036	2,585	4,439	4,107	2,322	3
Female	14,498	259	54	63	164	215	301	640	1,606	2,945	4,024	4,225	2
All other	1,321	101	18	9	85	104	84	137	230	238	201	116	-
Male	788	59	11	6	60	63	63	85	143	140	108	48	-
Female	535	42	7	3	25	41	21	52	87	98	93	68	-
Black	605	53	13	7	28	47	41	58	126	117	78	37	-
Male	359	33	8	4	22	27	31	39	79	67	35	14	-
Female	246	20	5	3	6	20	10	19	47	50	43	23	-
Metropolitan counties	25,173	592	108	124	525	667	732	1,436	3,459	5,863	6,438	5,225	4
Male	13,297	357	64	73	374	451	468	893	2,118	3,484	3,202	1,810	3
Female	11,876	235	44	51	151	216	264	543	1,341	2,379	3,236	3,415	1
White	24,004	505	92	115	457	578	660	1,313	3,254	5,645	6,257	5,124	4
Male	12,597	308	53	67	327	397	414	814	1,991	3,352	3,104	1,767	3
Female	11,407	197	39	48	130	181	246	499	1,263	2,293	3,153	3,357	1
All other	1,169	87	16	9	68	89	72	123	205	218	181	101	-
Male	700	49	11	6	47	54	54	79	127	132	98	43	-
Female	469	38	5	3	21	35	18	44	78	86	83	58	-
Black	588	52	12	7	27	46	40	55	121	115	76	37	-
Male	350	33	8	4	21	27	31	36	76	66	34	14	-
Female	238	19	4	3	6	19	9	19	45	49	42	23	-
Nonmetropolitan counties	7,127	148	32	38	160	156	184	377	942	1,757	1,894	1,438	1
Male	3,970	82	15	23	122	116	126	226	590	1,095	1,013	560	-
Female	3,157	66	17	15	38	40	58	148	352	662	881	878	1
White	6,975	134	30	38	143	141	172	363	917	1,739	1,874	1,423	1
Male	3,884	72	15	23	109	107	117	222	574	1,067	1,003	556	-
Female	3,091	62	15	15	34	34	55	141	343	652	871	868	1
All other	152	14	2	-	17	15	12	14	25	18	20	15	-
Male	86	10	-	-	13	9	6	6	16	8	10	5	-
Female	66	4	2	-	4	6	3	8	9	10	10	10	-
Black	17	1	1	-	1	1	1	3	5	2	2	-	-
Male	9	-	-	-	1	-	-	3	3	1	1	-	-
Female	8	1	1	-	-	1	1	-	2	1	1	-	-
West Virginia	18,994	312	59	68	384	372	498	1,225	2,973	4,700	5,140	3,251	2
Male	10,414	182	31	41	290	279	347	787	1,991	2,825	2,524	1,222	1
Female	8,580	130	28	27	104	99	151	438	1,062	1,875	2,616	2,029	1
White	18,156	296	57	64	381	348	477	1,175	2,853	4,495	4,900	3,109	1
Male	9,963	175	29	38	284	259	336	753	1,818	2,712	2,395	1,163	1
Female	8,193	121	28	26	97	89	141	422	1,035	1,783	2,505	1,946	-
All other	838	16	2	4	13	24	21	50	120	205	240	142	1
Male	451	7	2	3	6	14	11	34	73	113	129	59	-
Female	387	9	-	1	7	10	10	16	47	92	111	83	1
Black	830	16	2	4	12	24	20	48	118	205	239	141	1
Male	446	7	2	3	6	14	11	32	72	113	128	58	-
Female	384	9	-	1	6	10	9	16	46	92	111	83	1
Metropolitan counties	6,828	102	24	22	119	145	162	439	1,094	1,717	1,844	1,159	1
Male	3,616	59	12	15	80	100	106	267	711	981	867	408	-
Female	3,212	43	12	7	29	45	56	172	383	736	977	751	1
White	6,550	98	22	20	115	138	158	418	1,052	1,650	1,765	1,118	-
Male	3,476	57	10	14	89	95	104	254	688	944	826	395	-
Female	3,074	41	12	6	26	41	54	164	364	706	939	721	-
All other	278	4	2	2	4	9	4	21	42	67	79	43	1
Male	140	2	2	1	1	5	2	13	23	37	41	13	-
Female	138	2	-	1	3	4	2	8	19	30	38	30	1
Black	275	4	2	2	3	9	4	21	42	67	78	42	1
Male	138	2	2	1	1	5	2	13	23	37	40	12	-
Female	137	2	-	1	2	4	2	8	19	30	38	30	1
Nonmetropolitan counties	12,166	210	35	46	275	227	336	786	1,879	2,863	3,296	2,092	1
Male	6,798	123	19	26	200	173	241	520	1,180	1,844	1,657	814	1
Female	5,368	87	16	20	75	54	95	266	699	1,139	1,639	1,278	-
White	11,606	198	35	44	288	212	319	757	1,801	2,845	3,135	1,993	1
Male	6,487	118	19	24	195	164	232	499	1,130	1,768	1,569	768	1
Female	5,119	80	16	20	71	48	87	258	671	1,077	1,566	1,225	-
All other	560	12	-	2	9	15	17	29	78	138	161	99	-
Male	311	5	-	2	5	9	9	21	50	76	88	46	-
Female	249	7	-	-	4	6	8	8	28	62	73	53	-
Black	555	12	-	2	9	15	16	27	76	138	161	99	-
Male	308	5	-	2	5	9	9	19	49	76	88	46	-
Female	247	7	-	-	4	6	7	8	27	62	73	53	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1982—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	40,281	703	148	159	748	699	836	2,055	4,954	9,213	11,557	9,209	–
Male	21,453	398	92	102	575	484	528	1,291	3,133	5,541	5,940	3,371	–
Female	18,828	305	56	57	173	215	310	764	1,821	3,672	5,617	5,838	–
White	39,074	589	122	144	699	630	760	1,909	4,764	8,971	11,369	9,117	–
Male	20,763	334	77	92	540	435	480	1,215	3,024	5,402	5,853	3,331	–
Female	18,291	255	45	52	159	195	280	694	1,740	3,569	5,516	5,786	–
All other	1,207	114	26	15	49	69	76	146	190	242	188	92	–
Male	670	64	15	10	35	49	48	76	109	139	87	40	–
Female	537	50	11	5	14	20	30	70	81	103	101	52	–
Black	979	99	19	14	34	58	68	124	159	181	149	74	–
Male	536	54	12	9	23	40	40	64	92	102	67	33	–
Female	443	45	7	5	11	18	28	60	67	79	82	41	–
Metropolitan counties	24,792	478	92	106	482	486	560	1,383	3,207	5,586	6,955	5,497	–
Male	12,896	268	55	68	373	323	347	854	2,010	3,292	3,398	1,907	–
Female	11,896	209	37	38	109	143	213	529	1,197	2,294	3,557	3,590	–
White	23,726	368	69	92	442	405	487	1,231	3,038	5,385	6,791	5,420	–
Male	12,312	208	42	59	345	261	304	787	1,911	3,178	3,324	1,873	–
Female	11,416	160	27	33	97	124	183	444	1,127	2,207	3,467	3,547	–
All other	1,066	110	23	14	40	81	73	152	169	201	164	77	–
Male	584	61	13	9	28	42	43	67	99	114	74	34	–
Female	480	49	10	5	12	19	30	85	70	87	90	43	–
Black	962	98	19	14	32	57	68	124	156	178	148	70	–
Male	526	54	12	9	21	39	40	64	91	100	65	31	–
Female	436	44	7	5	11	18	28	60	65	78	81	39	–
Nonmetropolitan counties	15,489	225	56	53	266	233	276	692	1,747	3,627	4,602	3,712	–
Male	8,557	129	37	34	202	161	179	437	1,123	2,249	2,542	1,464	–
Female	6,932	96	19	19	64	72	97	255	624	1,378	2,060	2,248	–
White	15,348	221	53	52	257	225	273	678	1,726	3,586	4,578	3,697	–
Male	8,471	126	35	33	195	154	176	428	1,113	2,224	2,528	1,458	–
Female	6,875	95	18	19	62	71	97	250	613	1,362	2,049	2,239	–
All other	143	4	3	1	9	8	3	14	21	41	24	15	–
Male	86	3	2	1	7	7	3	9	10	25	13	6	–
Female	57	1	1	–	2	1	–	5	11	16	11	9	–
Black	17	1	–	–	2	1	–	–	3	3	3	4	–
Male	10	–	–	–	2	1	–	–	1	2	2	2	–
Female	7	1	–	–	–	–	–	–	2	1	1	2	–
Wyoming	3,191	109	17	33	129	134	130	234	453	674	693	579	6
Male	1,865	58	7	21	89	103	91	145	305	432	362	242	–
Female	1,326	51	10	12	30	31	39	89	148	242	331	337	6
White	3,118	104	17	33	123	123	126	226	440	666	681	573	6
Male	1,826	58	7	21	94	95	89	140	299	427	359	239	–
Female	1,292	46	10	12	29	28	37	86	141	239	322	334	6
All other	73	5	–	–	6	11	4	8	13	8	12	6	–
Male	39	2	–	–	5	8	2	5	6	5	3	3	–
Female	34	3	–	–	1	3	2	3	7	3	9	3	–
Black	13	2	–	–	–	–	1	–	2	3	3	2	–
Male	5	1	–	–	–	–	1	–	–	1	–	2	–
Female	8	1	–	–	–	–	–	–	2	2	3	–	–
Metropolitan counties	401	13	2	3	18	16	17	38	57	76	98	65	–
Male	249	9	1	1	17	12	13	29	40	44	57	28	–
Female	152	4	1	2	1	4	4	7	17	32	41	39	–
White	397	12	2	3	18	16	17	38	56	76	96	65	–
Male	248	8	1	1	17	12	13	29	40	44	57	26	–
Female	149	4	1	2	1	4	4	7	16	32	39	39	–
All other	4	1	–	–	–	–	–	–	1	–	2	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	–	1	–	2	–	–
Black	3	1	–	–	–	–	–	–	1	–	1	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Nonmetropolitan counties	2,790	96	15	30	111	118	113	198	396	598	585	514	6
Male	1,616	49	6	20	82	91	78	116	265	388	305	216	–
Female	1,174	47	9	10	29	27	35	82	131	210	280	298	6
White	2,721	92	15	30	105	107	109	190	384	590	585	508	6
Male	1,578	48	6	20	77	83	76	111	259	383	302	213	–
Female	1,143	44	9	10	28	24	33	79	125	207	283	295	6
All other	69	4	–	–	6	11	4	8	12	8	10	6	–
Male	38	1	–	–	5	8	2	5	6	5	3	3	–
Female	31	3	–	–	1	3	2	3	6	3	7	3	–
Black	10	1	–	–	–	–	1	–	1	3	2	2	–
Male	4	–	–	–	–	–	1	–	–	1	–	2	–
Female	6	1	–	–	–	–	–	–	1	2	2	–	–

1 County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,434,869	31,929	5,718	6,868	30,462	37,936	44,124	93,234	214,854	335,433	373,893	280,136	482
Male	758,913	16,123	3,193	4,175	22,654	27,089	28,320	58,618	133,143	195,325	179,081	88,895	297
Female	675,956	13,806	2,525	2,693	7,808	10,847	15,804	34,616	81,711	140,108	194,812	171,241	185
White	1,243,388	21,670	4,126	5,227	24,308	27,769	32,790	73,203	179,999	292,997	338,114	242,833	352
Male	652,010	12,364	2,317	3,174	18,179	19,976	21,106	46,436	112,542	171,649	161,813	82,239	215
Female	591,378	9,306	1,809	2,053	6,129	7,793	11,684	26,767	67,457	121,348	176,301	160,594	137
All other	191,481	10,259	1,592	1,641	6,154	10,167	11,334	20,031	34,855	42,436	35,579	17,303	130
Male	106,903	5,759	876	1,001	4,475	7,113	7,214	12,182	20,601	23,676	17,268	6,656	82
Female	84,578	4,500	716	640	1,679	3,054	4,120	7,849	14,254	18,760	18,311	10,647	48
Black	178,302	9,510	1,452	1,477	5,633	9,509	10,589	18,774	32,945	39,727	32,826	15,748	112
Male	98,952	5,339	802	903	4,113	6,692	6,771	11,458	19,436	21,950	15,497	5,921	70
Female	79,350	4,171	650	574	1,520	2,817	3,818	7,316	13,509	17,777	17,329	9,827	42
Abilene, Tex	1,288	35	6	15	29	39	35	71	159	293	352	254	-
Male	682	16	3	10	27	23	27	42	87	195	168	84	-
Female	606	19	3	5	2	16	8	29	72	98	184	170	-
White	1,224	32	6	13	26	36	30	62	150	281	340	248	-
Male	651	15	3	8	24	22	23	37	84	188	165	82	-
Female	573	17	3	5	2	14	7	25	66	93	175	166	-
All other	64	3	-	2	3	3	5	9	9	12	12	6	-
Male	31	1	-	2	3	1	4	5	3	7	3	2	-
Female	33	2	-	-	-	2	1	4	6	5	9	4	-
Black	69	3	-	2	3	3	5	8	9	12	12	6	-
Male	31	1	-	2	3	1	4	5	3	7	3	2	-
Female	32	2	-	-	-	2	1	3	6	5	9	4	-
Akron, Ohio	5,716	105	13	31	113	126	135	363	889	1,399	1,487	1,075	-
Male	2,957	52	7	20	78	91	83	217	539	810	703	357	-
Female	2,759	53	6	11	35	35	52	146	350	589	784	718	-
White	5,251	81	9	23	94	108	116	311	806	1,289	1,380	1,034	-
Male	2,724	37	6	17	67	78	71	193	502	757	652	344	-
Female	2,527	44	3	6	27	30	45	118	304	532	728	690	-
All other	465	24	4	8	19	18	19	52	83	110	87	41	-
Male	233	15	1	3	11	13	12	24	37	53	51	13	-
Female	232	9	3	5	8	5	7	28	46	57	36	28	-
Black	456	23	4	7	19	17	19	51	81	110	84	41	-
Male	228	14	1	2	11	12	12	23	38	53	51	13	-
Female	228	9	3	5	8	5	7	28	45	57	33	28	-
Albany, Ga	769	26	2	8	19	37	34	57	152	186	165	83	-
Male	417	16	2	5	11	26	22	35	85	113	80	22	-
Female	352	10	-	3	8	11	12	22	67	73	85	61	-
White	451	6	-	4	11	19	14	32	88	122	100	55	-
Male	247	5	-	3	6	14	9	20	51	80	49	10	-
Female	204	1	-	1	5	5	5	12	37	42	51	45	-
All other	318	20	2	4	8	18	20	25	64	64	65	28	-
Male	170	11	2	2	5	12	13	15	34	33	31	12	-
Female	148	9	-	2	3	6	7	10	30	31	34	16	-
Black	317	20	2	4	8	17	20	25	64	64	65	28	-
Male	170	11	2	2	5	12	13	15	34	33	31	12	-
Female	147	9	-	2	3	5	7	10	30	31	34	16	-
Albany-Schenectady-Troy, N.Y	7,733	126	25	24	125	99	158	379	1,088	1,855	2,205	1,646	1
Male	3,967	74	10	14	99	70	102	241	657	1,068	1,079	553	-
Female	3,766	52	15	10	26	29	56	138	431	787	1,126	1,093	1
White	7,522	113	23	24	118	92	149	361	1,043	1,801	2,167	1,630	1
Male	3,857	67	10	14	97	65	98	228	633	1,041	1,058	546	-
Female	3,665	46	13	10	21	27	51	133	410	760	1,109	1,084	1
All other	211	13	2	-	7	7	9	18	45	54	38	16	-
Male	110	7	-	-	2	5	4	13	24	27	21	7	-
Female	101	6	2	-	5	2	5	5	21	27	17	11	-
Black	203	13	1	-	6	7	9	18	45	51	36	17	-
Male	105	7	-	-	2	5	4	13	24	25	19	6	-
Female	98	6	1	-	4	2	5	5	21	26	17	11	-
Albuquerque, N. Mex	3,001	89	14	14	89	115	134	210	442	699	735	456	4
Male	1,655	60	6	8	63	82	95	123	274	411	366	184	3
Female	1,346	29	8	6	26	33	39	87	168	288	369	292	1
White	2,646	79	13	13	77	104	122	196	420	675	704	439	4
Male	1,565	54	5	7	55	75	85	117	269	400	346	156	3
Female	1,281	25	8	6	22	29	37	79	157	275	358	284	1
All other	155	10	1	1	12	11	12	14	22	24	31	17	-
Male	90	6	1	1	8	7	10	6	11	11	20	9	-
Female	65	4	-	-	4	4	2	8	11	13	11	8	-
Black	57	2	1	-	1	6	3	7	9	12	12	4	-
Male	29	1	1	-	-	4	2	3	5	5	7	1	-
Female	28	1	-	-	1	2	1	4	4	7	5	3	-
Alexandria, La	1,387	34	10	5	38	38	56	84	219	342	354	206	1
Male	717	23	8	3	28	20	38	42	125	197	150	83	-
Female	670	11	2	2	10	18	18	42	94	145	204	125	1
White	960	21	7	2	23	22	32	53	151	245	249	154	1
Male	504	12	5	-	17	12	23	31	88	155	101	60	-
Female	456	9	2	2	6	10	9	22	63	90	148	94	1
All other	427	13	3	3	15	14	24	31	68	97	105	54	-
Male	213	11	3	3	11	8	15	11	37	42	49	23	-
Female	214	2	-	-	4	6	9	20	31	55	56	31	-
Black	427	13	3	3	15	14	24	31	68	97	105	54	-
Male	213	11	3	3	11	8	15	11	37	42	49	23	-
Female	214	2	-	-	4	6	9	20	31	55	56	31	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Allentown-Bethlehem-Easton, Pa.-N.J	6,106	88	20	23	85	78	116	310	699	1,604	1,731	1,151	1
Male	3,229	48	12	13	62	58	75	205	603	993	809	351	-
Female	2,877	40	8	10	23	20	41	105	296	611	922	800	1
White	6,041	86	17	22	83	76	112	303	884	1,589	1,723	1,145	1
Male	3,194	47	10	13	61	56	71	199	596	987	804	350	-
Female	2,847	39	7	9	22	20	41	104	288	602	919	795	1
All other	65	2	3	1	2	2	4	7	15	15	8	6	-
Male	35	1	2	-	1	2	4	6	7	6	5	1	-
Female	30	1	1	1	1	-	-	1	8	9	3	5	-
Black	62	2	3	1	2	2	4	7	14	15	7	5	-
Male	33	1	2	-	1	2	4	6	6	6	4	1	-
Female	29	1	1	1	1	-	-	1	8	9	3	4	-
Altoona, Pa	1,545	20	2	5	19	11	26	80	234	388	456	304	-
Male	777	6	1	4	15	8	19	48	139	232	203	102	-
Female	768	14	1	1	4	3	7	32	95	156	253	202	-
White	1,537	20	2	5	19	10	26	79	233	386	455	302	-
Male	773	6	1	4	15	7	19	48	138	231	203	101	-
Female	764	14	1	1	4	3	7	31	95	155	252	201	-
All other	8	-	-	-	-	1	-	1	1	2	1	2	-
Male	4	-	-	-	-	1	-	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	1	-	1	1	1	-
Black	7	-	-	-	-	-	-	1	1	2	1	2	-
Male	3	-	-	-	-	-	-	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	1	-	1	1	1	-
Amarillo, Tex	1,367	44	9	10	35	44	41	99	202	316	356	211	-
Male	761	30	4	8	31	33	22	61	124	197	178	72	-
Female	606	14	5	1	4	11	19	38	78	119	178	139	-
White	1,283	42	9	9	31	39	34	91	190	298	337	203	-
Male	705	29	4	8	27	30	17	56	115	184	167	68	-
Female	578	13	5	1	4	9	17	35	75	114	170	135	-
All other	84	2	-	1	4	5	7	8	12	18	19	8	-
Male	56	1	-	1	4	3	5	5	8	13	11	4	-
Female	28	1	-	-	-	2	2	3	3	5	8	4	-
Black	79	1	-	1	4	4	5	8	12	17	19	8	-
Male	53	1	-	1	4	3	3	5	9	12	11	4	-
Female	26	-	-	-	-	1	2	3	3	5	8	4	-
Anaheim-Santa Ana-Garden Grove, Calif	12,680	316	58	63	295	384	412	859	1,909	2,625	3,266	2,510	3
Male	6,431	163	34	34	214	254	261	527	1,158	1,467	1,465	855	1
Female	6,249	153	24	29	81	110	151	332	753	1,158	1,801	1,655	2
White	12,325	287	49	60	275	342	387	813	1,857	2,565	3,208	2,481	1
Male	6,235	143	28	31	200	241	241	506	1,122	1,436	1,440	846	1
Female	6,090	144	21	29	75	101	146	307	735	1,129	1,768	1,635	-
All other	355	29	8	3	20	22	25	46	52	60	58	29	2
Male	196	20	6	3	14	13	20	21	34	31	25	9	-
Female	159	9	3	-	6	9	5	25	18	29	33	20	2
Black	122	5	7	-	8	10	8	18	21	17	21	7	-
Male	60	4	6	-	5	6	6	7	13	5	6	2	-
Female	62	1	1	-	3	4	2	11	8	12	15	5	-
Anchorage, Alaska	590	41	4	8	43	55	54	81	112	92	74	26	-
Male	358	22	3	3	30	38	37	40	85	50	41	9	-
Female	232	19	1	5	13	17	17	41	27	42	33	17	-
White	494	29	2	7	37	43	41	67	101	83	64	20	-
Male	311	16	2	2	27	30	30	35	78	48	36	7	-
Female	183	13	-	5	10	13	11	32	23	35	28	13	-
All other	96	12	2	1	6	12	13	14	11	9	10	6	-
Male	47	6	1	1	3	8	7	5	7	2	5	2	-
Female	49	6	1	-	3	4	6	9	4	7	5	4	-
Black	30	7	1	-	3	2	1	3	3	5	3	2	-
Male	13	3	-	-	2	2	-	-	2	2	2	-	-
Female	17	4	1	-	1	-	1	3	1	3	1	2	-
Anderson, Ind	1,170	17	4	3	17	18	38	72	179	293	301	227	1
Male	603	7	-	2	12	11	25	52	105	166	158	64	1
Female	567	10	4	1	5	7	13	20	74	127	143	163	-
White	1,114	13	4	3	15	15	37	66	167	280	294	220	-
Male	572	6	-	2	11	8	25	48	101	159	153	59	-
Female	542	7	4	1	4	7	12	18	66	121	141	161	-
All other	56	4	-	-	2	3	1	6	12	13	7	7	1
Male	31	1	-	-	1	3	-	4	4	7	5	5	1
Female	25	3	-	-	1	-	1	2	8	6	2	2	-
Black	56	4	-	-	2	3	1	6	12	13	7	7	1
Male	31	1	-	-	1	3	-	4	4	7	5	5	1
Female	25	3	-	-	1	-	1	2	8	6	2	2	-
Anderson, S.C	1,101	32	4	8	23	31	41	90	188	295	244	147	-
Male	616	17	1	5	17	26	31	59	120	188	115	37	-
Female	485	15	3	3	6	5	10	31	68	107	129	110	-
White	918	19	3	4	19	24	33	73	149	239	218	137	-
Male	514	11	1	4	14	20	24	47	98	161	99	35	-
Female	404	8	2	-	5	4	9	26	51	78	119	102	-
All other	183	13	1	4	4	7	8	17	37	56	26	10	-
Male	102	6	-	1	3	6	7	12	22	27	16	2	-
Female	81	7	1	3	1	1	1	5	15	29	10	8	-
Black	183	13	1	4	4	7	8	17	37	56	28	10	-
Male	102	6	-	1	3	6	7	12	22	27	16	2	-
Female	81	7	1	3	1	1	1	5	15	29	10	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ann Arbor, Mich	1,441	36	3	5	29	40	46	111	220	271	366	314	-
Male	742	20	1	4	16	27	30	71	136	154	186	97	-
Female	699	16	2	1	13	13	16	40	84	117	180	217	-
White	1,277	28	3	3	24	33	40	96	189	245	326	290	-
Male	657	16	1	2	13	22	26	60	120	141	167	89	-
Female	620	12	2	1	11	11	14	36	69	104	159	201	-
All other	164	8	-	2	5	7	6	15	31	26	40	24	-
Male	85	4	-	2	3	5	4	11	16	13	19	8	-
Female	79	4	-	-	2	2	2	4	15	13	21	16	-
Black	156	7	-	2	5	7	6	15	30	25	36	23	-
Male	82	3	-	2	3	5	4	11	16	13	17	8	-
Female	74	4	-	-	2	2	2	4	14	12	19	15	-
Anniston, Ala	1,006	22	4	10	32	21	33	76	165	275	251	117	-
Male	556	13	2	7	23	13	22	44	102	171	121	38	-
Female	450	9	2	3	9	8	11	32	63	104	130	79	-
White	800	13	3	8	27	12	24	60	126	213	217	97	-
Male	450	6	2	7	20	8	18	36	78	133	110	32	-
Female	350	7	1	1	7	4	6	24	48	80	107	65	-
All other	206	9	1	2	5	9	9	16	39	62	34	20	-
Male	106	7	-	-	3	5	4	8	24	36	11	6	-
Female	100	2	1	2	2	4	5	8	15	24	23	14	-
Black	206	9	1	2	5	9	9	16	39	62	34	20	-
Male	106	7	-	-	3	5	4	8	24	36	11	6	-
Female	100	2	1	2	2	4	5	8	15	24	23	14	-
Appleton-Oshkosh, Wis	2,150	34	5	9	46	39	47	103	270	466	626	505	-
Male	1,107	18	3	6	40	27	26	63	157	288	304	175	-
Female	1,043	16	2	3	6	12	21	40	113	178	322	330	-
White	2,134	34	5	9	45	39	46	100	269	463	623	501	-
Male	1,101	18	3	6	40	27	26	62	156	286	303	174	-
Female	1,033	16	2	3	5	12	20	38	113	177	320	327	-
All other	16	-	-	-	1	-	1	3	1	3	3	4	-
Male	6	-	-	-	-	-	-	1	1	2	1	1	-
Female	10	-	-	-	1	-	1	2	-	1	2	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, N.C	1,774	30	3	10	29	35	53	117	263	425	445	364	-
Male	929	15	-	5	22	29	35	61	173	239	208	122	-
Female	845	15	3	5	7	6	18	36	90	186	237	242	-
White	1,577	26	3	9	27	29	44	96	235	370	398	340	-
Male	822	13	-	5	21	24	29	69	154	203	189	115	-
Female	755	13	3	4	6	5	15	27	81	167	209	225	-
All other	197	4	-	1	2	6	9	21	28	55	47	24	-
Male	107	2	-	-	1	5	6	12	19	36	19	7	-
Female	90	2	-	1	1	1	3	9	9	19	28	17	-
Black	197	4	-	1	2	6	9	21	28	55	47	24	-
Male	107	2	-	-	1	5	6	12	19	36	19	7	-
Female	90	2	-	1	1	1	3	9	9	19	28	17	-
Athens, Ga	912	20	10	6	28	21	38	77	130	220	210	152	-
Male	486	12	6	2	19	17	27	45	79	120	107	52	-
Female	426	8	4	4	9	4	11	32	51	100	103	100	-
White	691	14	5	5	20	15	20	48	97	169	171	127	-
Male	379	10	2	1	15	11	13	30	65	99	92	41	-
Female	312	4	3	4	5	4	7	18	32	70	79	86	-
All other	221	6	5	1	8	6	18	29	33	51	39	25	-
Male	107	2	4	1	4	6	14	15	14	21	15	11	-
Female	114	4	1	-	4	-	4	14	19	30	24	14	-
Black	221	6	5	1	8	6	18	29	33	51	39	25	-
Male	107	2	4	1	4	6	14	15	14	21	15	11	-
Female	114	4	1	-	4	-	4	14	19	30	24	14	-
Atlanta, Ga	13,929	402	79	107	365	529	746	1,280	2,273	3,179	3,018	1,940	10
Male	7,461	234	43	67	250	367	495	765	1,452	1,829	1,349	602	8
Female	6,468	168	36	40	115	162	251	515	821	1,350	1,670	1,338	2
White	10,159	219	46	74	266	333	426	832	1,624	2,295	2,370	1,670	4
Male	5,442	128	26	49	180	236	288	516	1,062	1,363	1,085	507	2
Female	4,717	91	20	25	86	97	138	316	562	932	1,285	1,163	2
All other	3,770	183	33	33	99	196	320	448	649	884	649	270	6
Male	2,019	106	17	18	70	131	207	249	390	466	264	95	6
Female	1,751	77	16	15	29	65	113	199	259	418	385	175	-
Black	3,747	179	32	32	99	196	318	444	646	881	647	266	5
Male	2,011	105	17	17	70	131	206	247	390	465	263	95	5
Female	1,736	74	15	15	29	65	112	197	256	416	384	173	-
Atlantic City, N.J	2,402	35	5	5	34	55	67	140	349	570	688	447	7
Male	1,211	16	3	2	19	39	39	86	192	324	331	154	6
Female	1,191	19	2	3	15	16	28	54	157	246	357	293	1
White	1,992	15	3	3	26	34	41	111	285	471	599	397	7
Male	993	7	1	1	16	24	21	71	161	269	286	130	6
Female	999	8	2	2	10	10	20	40	124	202	313	267	1
All other	410	20	2	2	8	21	26	29	64	99	89	50	-
Male	218	9	2	1	3	15	18	15	31	55	45	24	-
Female	192	11	-	1	5	6	8	14	33	44	44	26	-
Black	404	20	2	2	8	19	25	28	64	99	88	49	-
Male	212	9	2	1	3	13	17	14	31	55	44	23	-
Female	192	11	-	1	5	6	8	14	33	44	44	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Augusta, Ga.-S.C	2,576	60	15	22	78	97	98	216	462	652	555	318	3
Male	1,401	33	6	14	59	66	65	131	307	363	248	107	2
Female	1,175	27	9	8	19	31	33	85	155	289	307	211	1
White	1,697	29	8	10	47	52	49	135	312	412	408	234	1
Male	932	19	4	7	36	40	33	85	219	240	178	71	–
Female	765	10	4	3	11	12	16	50	93	172	230	163	1
All other	879	31	7	12	31	45	49	81	150	240	147	84	2
Male	469	14	2	7	23	26	32	46	86	123	70	36	2
Female	410	17	5	5	8	19	17	35	62	117	77	48	–
Black	874	31	7	12	31	44	48	81	149	239	146	84	2
Male	467	14	2	7	23	26	32	46	88	122	69	36	2
Female	407	17	5	5	8	18	16	35	61	117	77	48	–
Austin, Tex	3,419	79	23	17	144	150	140	245	455	718	853	595	–
Male	1,815	49	17	10	106	100	89	160	291	429	379	185	–
Female	1,604	30	6	7	38	50	51	85	164	289	474	410	–
White	2,951	63	16	16	130	128	118	201	389	606	759	526	–
Male	1,568	37	12	9	97	86	80	133	248	368	330	168	–
Female	1,383	26	4	7	33	42	38	68	141	238	428	358	–
All other	468	16	7	1	14	22	22	44	66	112	95	69	–
Male	247	12	5	1	9	14	9	27	43	61	49	17	–
Female	221	4	2	–	5	8	13	17	23	51	46	52	–
Black	461	15	7	1	12	22	22	44	64	111	94	69	–
Male	243	11	5	1	7	14	9	27	42	61	49	17	–
Female	218	4	2	–	5	8	13	17	22	50	45	52	–
Bakersfield, Calif	3,349	82	31	27	123	137	129	215	532	824	772	475	2
Male	1,911	48	13	18	92	108	88	139	333	504	422	145	1
Female	1,438	34	18	9	31	29	41	76	199	320	350	330	1
White	3,092	76	26	26	114	123	114	186	490	761	713	452	1
Male	1,759	44	12	17	87	96	77	127	314	463	385	137	–
Female	1,333	32	14	9	27	27	37	59	176	298	328	315	1
All other	257	6	5	1	9	14	15	19	42	63	59	23	1
Male	152	4	1	1	5	12	11	12	19	41	37	8	1
Female	105	2	4	–	4	2	4	7	23	22	22	15	–
Black	231	4	5	1	8	14	15	17	41	58	48	19	1
Male	133	2	1	1	5	12	11	11	19	36	28	6	1
Female	98	2	4	–	3	2	4	6	22	22	20	13	–
Baltimore, Md	19,416	408	82	111	440	545	665	1,395	3,404	4,689	4,728	2,959	10
Male	10,337	229	33	64	321	377	433	854	2,070	2,742	2,243	964	7
Female	9,079	179	29	47	119	168	232	541	1,334	1,947	2,485	1,995	3
White	14,283	293	59	58	258	299	347	872	2,343	3,529	3,794	2,534	7
Male	7,469	118	21	35	199	214	228	536	1,450	2,071	1,795	797	5
Female	6,814	85	18	23	59	85	119	336	893	1,458	1,999	1,737	2
All other	5,133	205	23	53	182	246	318	523	1,061	1,160	934	425	3
Male	2,868	111	12	29	122	169	205	318	620	671	448	187	2
Female	2,265	94	11	24	60	83	113	205	441	489	486	258	1
Black	5,088	202	23	51	181	241	315	519	1,053	1,152	927	421	3
Male	2,839	110	12	27	122	160	202	315	614	666	442	167	2
Female	2,249	92	11	24	59	81	113	204	439	486	485	254	1
Bangor, Maine	1,150	22	2	3	17	14	49	80	176	273	306	208	–
Male	618	14	1	2	11	12	32	56	110	164	156	60	–
Female	532	8	1	1	6	2	17	24	66	109	150	148	–
White	1,143	22	2	3	17	14	49	78	173	272	305	208	–
Male	615	14	1	2	11	12	32	54	109	164	156	60	–
Female	528	8	1	1	6	2	17	24	64	108	149	148	–
All other	7	–	–	–	–	–	–	2	3	1	1	–	–
Male	3	–	–	–	–	–	–	2	1	–	–	–	–
Female	4	–	–	–	–	–	–	–	2	1	1	–	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Baton Rouge, La	3,259	120	21	28	106	139	159	263	539	726	741	415	2
Male	1,776	68	11	21	89	96	101	174	337	413	328	136	2
Female	1,483	52	10	7	17	43	58	89	202	313	413	279	–
White	2,186	56	10	19	65	57	87	163	364	495	540	329	1
Male	1,163	29	4	14	64	42	58	113	238	283	231	96	1
Female	1,023	27	6	5	11	15	29	50	126	212	309	233	–
All other	1,073	64	11	9	41	82	72	100	175	231	201	86	1
Male	613	39	7	7	35	54	43	61	99	130	97	40	1
Female	460	25	4	2	6	28	29	39	76	101	104	46	–
Black	1,066	64	11	9	41	81	71	97	175	230	200	86	1
Male	608	39	7	7	35	53	42	59	99	130	96	40	1
Female	458	25	4	2	6	28	29	38	76	100	104	46	–
Battle Creek, Mich	1,643	29	6	6	28	29	53	94	243	381	434	340	–
Male	903	16	4	4	20	20	37	57	170	226	239	110	–
Female	740	13	2	2	8	9	16	37	73	155	195	230	–
White	1,531	23	5	6	22	26	47	81	221	354	412	332	–
Male	843	13	3	4	16	20	35	49	154	213	228	108	–
Female	688	10	2	2	6	6	12	32	67	141	184	224	–
All other	112	6	1	–	6	1	6	13	22	27	22	8	–
Male	60	3	1	–	4	–	2	8	16	13	11	2	–
Female	52	3	–	–	2	1	4	5	6	14	11	6	–
Black	106	6	1	–	6	1	6	13	21	23	21	8	–
Male	56	3	1	–	4	–	2	8	16	10	10	2	–
Female	50	3	–	–	2	1	4	5	5	13	11	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bay City, Mich	962	14	2	4	20	13	29	57	147	252	252	172	-
Male	511	7	2	3	15	9	21	32	90	147	133	52	-
Female	451	7	-	1	5	4	8	25	57	105	119	120	-
White	952	13	2	4	20	13	29	55	144	250	252	170	-
Male	508	7	2	3	15	9	21	30	89	147	133	52	-
Female	444	6	-	1	5	4	8	25	55	103	119	118	-
All other	10	1	-	-	-	-	-	2	3	2	-	2	-
Male	3	-	-	-	-	-	-	2	1	-	-	-	-
Female	7	1	-	-	-	-	-	-	2	2	-	2	-
Black	9	1	-	-	-	-	-	1	3	2	-	2	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	7	1	-	-	-	-	-	-	2	2	-	2	-
Beaumont-Port Arthur-Orange, Tex	3,240	79	24	20	82	88	101	242	503	810	844	446	-
Male	1,762	49	15	14	63	65	71	153	319	447	408	158	-
Female	1,478	30	9	6	19	24	30	89	184	363	436	288	-
White	2,487	38	17	13	63	65	68	163	346	633	694	387	-
Male	1,353	25	11	10	45	49	48	108	230	346	345	136	-
Female	1,134	13	6	3	18	16	20	55	116	287	349	251	-
All other	753	41	7	7	19	24	33	79	157	177	150	59	-
Male	409	24	4	4	18	16	23	45	89	101	63	22	-
Female	344	17	3	3	1	8	10	34	68	76	87	37	-
Black	745	35	7	7	19	24	33	78	157	176	150	59	-
Male	405	20	4	4	18	16	23	45	89	101	63	22	-
Female	340	15	3	3	1	8	10	33	68	75	87	37	-
Bellingham, Wash	877	16	7	3	27	26	20	41	94	218	212	213	-
Male	459	8	6	1	20	19	12	25	49	143	100	76	-
Female	418	8	1	2	7	7	8	16	45	75	112	137	-
White	848	15	5	3	22	23	20	33	90	217	210	210	-
Male	439	7	4	1	16	16	12	19	47	142	100	75	-
Female	409	8	1	2	6	7	8	14	43	75	110	135	-
All other	29	1	2	-	5	3	-	8	4	1	2	3	-
Male	20	1	2	-	4	3	-	6	2	1	-	1	-
Female	9	-	-	-	1	-	-	2	2	-	2	2	-
Black	2	-	1	-	-	-	-	-	-	-	1	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Benton Harbor, Mich	1,508	37	8	7	30	40	45	115	202	352	370	302	-
Male	810	20	3	7	22	24	22	83	135	202	173	119	-
Female	698	17	5	-	8	16	23	32	67	150	197	183	-
White	1,310	24	6	5	24	25	31	87	168	320	341	281	-
Male	697	13	2	5	20	15	16	61	114	185	156	110	-
Female	613	11	4	-	4	10	15	26	52	135	185	171	-
All other	198	13	2	2	6	15	14	28	36	32	29	21	-
Male	113	7	1	2	2	9	6	22	21	17	17	9	-
Female	85	6	1	-	4	6	8	6	15	15	12	12	-
Black	193	13	2	2	6	15	14	28	35	30	28	20	-
Male	109	7	1	2	2	9	6	22	20	15	16	9	-
Female	84	6	1	-	4	6	8	6	15	15	12	11	-
Billings, Mont	754	23	1	4	19	25	32	43	111	163	181	152	-
Male	432	11	1	3	11	18	24	26	72	99	108	59	-
Female	322	12	-	1	8	7	8	17	39	64	73	93	-
White	740	20	1	4	18	25	30	40	111	161	179	151	-
Male	425	10	1	3	11	18	23	25	72	97	106	59	-
Female	315	10	-	1	7	7	7	15	39	64	73	92	-
All other	14	3	-	-	1	-	2	3	-	2	2	1	-
Male	7	1	-	-	-	-	1	1	-	2	2	-	-
Female	7	2	-	-	1	-	1	2	-	-	-	1	-
Black	4	-	-	-	-	-	1	-	-	1	2	-	-
Male	4	-	-	-	-	-	1	-	-	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, Miss	1,634	45	10	11	65	59	59	124	264	390	372	233	2
Male	947	28	7	6	51	48	42	84	182	241	174	82	2
Female	687	17	3	5	14	11	17	40	82	149	198	151	-
White	1,352	25	6	7	45	48	41	110	212	325	329	204	2
Male	778	16	5	3	38	38	28	76	151	197	152	72	2
Female	574	9	1	4	7	8	13	34	61	128	177	132	-
All other	282	20	4	4	20	13	18	14	52	65	43	29	-
Male	169	12	2	3	13	10	14	8	31	44	22	10	-
Female	113	8	2	1	7	3	4	6	21	21	21	19	-
Black	274	17	4	3	19	13	17	14	52	64	42	29	-
Male	165	10	2	2	13	10	14	8	31	43	22	10	-
Female	109	7	2	1	6	3	3	6	21	21	20	19	-
Binghamton, N.Y.-Pa	2,733	40	11	15	51	34	43	143	351	653	779	612	1
Male	1,418	18	7	10	37	24	30	98	216	389	378	211	-
Female	1,315	22	4	5	14	10	13	45	135	264	401	401	1
White	2,712	38	11	15	51	33	42	143	348	646	774	610	1
Male	1,408	16	7	10	37	23	29	98	214	387	377	210	-
Female	1,304	22	4	5	14	10	13	45	134	259	397	400	1
All other	21	2	-	-	-	1	1	-	3	7	5	2	-
Male	10	2	-	-	-	1	1	-	2	2	1	1	-
Female	11	-	-	-	-	-	-	-	1	5	4	1	-
Black	16	2	-	-	-	1	1	-	3	4	5	2	-
Male	8	2	-	-	-	1	1	-	2	1	1	1	-
Female	9	-	-	-	-	-	-	-	1	3	4	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Birmingham, Ala	8,043	169	23	33	167	224	255	582	1,206	1,946	2,188	1,250	-
Male	4,343	95	14	20	135	159	170	393	762	1,115	1,076	404	-
Female	3,700	74	9	13	32	65	85	189	444	831	1,112	846	-
White	5,491	74	16	22	113	128	155	361	817	1,297	1,565	943	-
Male	2,967	40	10	15	94	91	107	255	542	762	765	286	-
Female	2,524	34	6	7	19	37	48	106	275	535	800	657	-
All other	2,552	95	7	11	54	96	100	221	389	649	623	307	-
Male	1,376	55	4	5	41	68	63	138	220	353	311	118	-
Female	1,176	40	3	6	13	28	37	83	169	296	312	189	-
Black	2,549	95	7	10	54	95	100	220	389	649	623	307	-
Male	1,375	55	4	5	41	67	63	138	220	353	311	118	-
Female	1,174	40	3	5	13	28	37	82	169	296	312	189	-
Bismarck, N.Dak	510	17	4	1	17	7	5	21	55	115	161	107	-
Male	283	9	3	-	14	7	1	11	32	69	88	49	-
Female	227	8	1	1	3	-	4	10	23	46	73	58	-
White	507	17	4	1	17	7	5	21	53	115	160	107	-
Male	282	9	3	-	14	7	1	11	31	69	88	49	-
Female	225	8	1	1	3	-	4	10	22	46	72	58	-
All other	3	-	-	-	-	-	-	-	2	-	1	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	527	12	3	1	11	13	14	40	63	121	146	103	-
Male	299	6	3	1	9	11	14	29	38	83	71	34	-
Female	228	6	-	-	2	2	-	11	25	38	75	69	-
White	522	12	3	1	11	13	13	40	62	120	145	102	-
Male	296	6	3	1	9	11	13	29	37	82	71	34	-
Female	226	6	-	-	2	2	-	11	25	38	74	68	-
All other	5	-	-	-	-	-	1	-	1	1	1	1	-
Male	3	-	-	-	-	-	1	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Bloomington-Normal, Ill	902	27	3	6	14	19	17	51	104	218	239	203	1
Male	443	16	2	5	7	15	10	30	70	114	112	62	-
Female	459	11	1	1	7	4	7	21	34	104	127	141	1
White	882	26	2	5	14	18	16	49	104	211	236	200	1
Male	428	15	1	4	7	14	9	29	70	110	110	59	-
Female	454	11	1	1	7	4	7	20	34	101	126	141	1
All other	20	1	1	1	-	1	1	2	-	7	3	3	-
Male	15	1	1	1	-	1	1	1	-	4	2	3	-
Female	5	-	-	-	-	-	-	1	-	3	1	-	-
Black	20	1	1	1	-	1	1	2	-	7	3	3	-
Male	15	1	1	1	-	1	1	1	-	4	2	3	-
Female	5	-	-	-	-	-	-	1	-	3	1	-	-
Boise City, Idaho	1,108	32	10	16	28	27	42	66	143	242	281	220	1
Male	603	21	5	9	20	23	26	42	89	144	144	79	1
Female	505	11	5	7	8	4	16	24	54	98	137	141	-
White	1,094	32	6	13	28	25	42	66	143	239	279	220	1
Male	594	21	4	6	20	22	26	42	89	141	143	79	1
Female	500	11	2	7	8	3	16	24	54	98	136	141	-
All other	14	-	4	3	-	2	-	-	-	3	2	-	-
Male	9	-	1	3	-	1	-	-	-	3	1	-	-
Female	5	-	3	-	-	1	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	33,153	496	66	88	461	615	712	1,922	4,572	7,676	9,127	7,393	5
Male	16,456	296	35	54	379	445	452	1,208	2,813	4,422	4,018	2,332	2
Female	16,697	200	31	34	102	170	260	714	1,759	3,254	5,109	5,061	3
White	31,890	405	58	71	430	542	643	1,784	4,362	7,425	8,916	7,240	4
Male	15,754	233	32	44	334	388	412	1,133	2,680	4,284	3,938	2,264	2
Female	16,136	172	26	27	96	154	231	651	1,682	3,131	4,978	4,976	2
All other	1,263	91	8	17	51	73	69	128	210	251	211	153	1
Male	702	63	3	10	45	57	40	75	133	128	80	68	-
Female	561	28	5	7	6	16	29	53	77	123	131	85	1
Black	1,119	87	8	14	42	68	62	122	179	225	184	129	1
Male	609	61	3	10	36	52	34	71	112	109	66	55	-
Female	510	26	5	4	6	14	28	51	67	116	118	74	1
Bradenton, Fla	2,310	25	7	-	21	32	46	90	247	584	709	538	1
Male	1,334	14	3	-	15	24	27	57	159	388	414	233	-
Female	976	11	4	-	6	8	19	33	88	206	295	305	1
White	2,193	18	5	-	20	28	42	78	220	562	692	527	1
Male	1,255	8	2	-	14	21	24	47	139	370	403	227	-
Female	938	10	3	-	6	7	18	31	81	192	289	300	1
All other	117	7	2	-	1	4	4	12	27	32	17	11	-
Male	79	6	1	-	1	3	3	10	20	18	11	6	-
Female	38	1	1	-	-	1	1	2	7	14	6	5	-
Black	117	7	2	-	1	4	4	12	27	32	17	11	-
Male	79	6	1	-	1	3	3	10	20	18	11	6	-
Female	38	1	1	-	-	1	1	2	7	14	6	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bremerton, Wash	1,107	28	4	7	23	36	31	53	177	241	288	219	-
Male	613	17	4	4	20	24	15	41	110	149	149	86	-
Female	494	11	-	3	3	12	16	12	67	98	139	133	-
White	1,080	28	4	6	22	30	29	48	172	239	285	217	-
Male	598	17	4	4	19	21	13	37	107	142	149	85	-
Female	482	11	-	2	3	9	16	11	65	97	136	132	-
All other	27	-	-	1	1	6	2	5	5	2	3	2	-
Male	15	-	-	-	1	3	2	4	3	1	-	1	-
Female	12	-	-	1	-	3	-	1	2	1	3	1	-
Black	14	-	-	1	1	5	1	1	2	-	3	-	-
Male	6	-	-	-	1	2	1	1	1	-	-	-	-
Female	8	-	-	1	-	3	-	-	1	-	3	-	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	6,836	115	19	17	127	140	159	411	994	1,607	1,813	1,433	1
Male	3,491	66	11	11	93	100	98	260	591	953	849	459	-
Female	3,345	49	8	6	34	40	61	151	403	654	964	974	1
White	6,380	79	17	15	116	115	119	351	906	1,519	1,749	1,393	1
Male	3,231	46	10	9	85	81	71	223	534	904	818	450	-
Female	3,149	33	7	6	31	34	48	128	372	615	931	943	1
All other	456	36	2	2	11	25	40	60	88	88	64	40	-
Male	260	20	1	2	8	19	27	37	57	49	31	9	-
Female	196	16	1	-	3	6	13	23	31	39	33	31	-
Black	444	35	1	2	10	25	38	58	88	87	63	36	-
Male	253	20	-	2	8	19	26	35	57	48	30	8	-
Female	191	15	1	-	2	6	13	23	31	39	33	28	-
Brownsville-Harlingen-San Benito, Tex	1,316	36	7	13	54	30	43	71	194	328	338	202	-
Male	761	25	3	6	44	27	33	39	129	200	184	71	-
Female	555	11	4	7	10	3	10	32	65	128	154	131	-
White	1,306	36	7	13	53	30	42	70	190	327	336	202	-
Male	755	25	3	6	43	27	32	38	128	199	183	71	-
Female	551	11	4	7	10	3	10	32	62	128	153	131	-
All other	10	-	-	-	1	-	1	1	4	1	2	-	-
Male	6	-	-	-	1	-	1	1	1	1	1	-	-
Female	4	-	-	-	-	-	-	-	3	-	1	-	-
Black	9	-	-	-	1	-	1	1	3	1	2	-	-
Male	6	-	-	-	1	-	1	1	1	1	1	-	-
Female	3	-	-	-	-	-	-	-	2	-	1	-	-
Bryan-College Station, Tex	551	31	4	4	14	28	13	35	65	111	145	101	-
Male	293	17	3	2	10	17	12	23	38	61	72	38	-
Female	258	14	1	2	4	11	1	12	27	50	73	63	-
White	431	25	2	4	12	24	10	29	46	80	115	84	-
Male	235	14	2	2	8	15	9	19	30	46	59	31	-
Female	196	11	-	2	4	9	1	10	16	34	56	53	-
All other	120	6	2	-	2	4	3	6	19	31	30	17	-
Male	58	3	1	-	2	2	3	4	8	15	13	7	-
Female	62	3	1	-	-	2	-	2	11	16	17	10	-
Black	117	5	2	-	2	4	3	6	17	31	30	17	-
Male	57	3	1	-	2	2	3	4	7	15	13	7	-
Female	60	2	1	-	-	2	-	2	10	16	17	10	-
Buffalo, N.Y	12,321	167	31	49	188	167	288	749	1,925	3,082	3,316	2,352	7
Male	6,393	96	17	33	146	126	179	458	1,163	1,778	1,595	797	5
Female	5,928	71	14	16	42	41	109	291	762	1,304	1,721	1,555	2
White	11,244	130	26	43	154	132	227	609	1,691	2,838	3,129	2,261	4
Male	5,756	76	14	28	122	98	139	372	1,020	1,628	1,499	767	3
Female	5,488	54	12	15	32	34	88	237	671	1,210	1,640	1,494	1
All other	1,077	37	5	6	34	35	61	140	234	244	187	91	3
Male	637	20	3	5	24	28	40	88	143	150	108	30	2
Female	440	17	2	1	10	7	21	54	91	94	81	61	1
Black	1,027	38	5	6	28	34	59	131	224	232	182	87	3
Male	604	20	3	5	19	27	38	80	137	141	104	28	2
Female	423	16	2	1	9	7	21	51	87	91	78	59	1
Burlington, N.C	939	25	4	8	24	25	29	79	152	222	217	154	-
Male	475	11	3	5	17	17	18	45	93	134	91	41	-
Female	464	14	1	3	7	8	11	34	59	88	126	113	-
White	751	16	3	6	19	14	22	59	117	175	179	141	-
Male	384	8	2	4	14	11	12	35	73	108	77	40	-
Female	367	8	1	2	5	3	10	24	44	67	102	101	-
All other	188	9	1	2	5	11	7	20	35	47	38	13	-
Male	91	3	1	1	3	6	6	10	20	26	14	1	-
Female	97	6	-	1	2	5	1	10	15	21	24	12	-
Black	188	9	1	2	5	11	7	20	35	47	38	13	-
Male	91	3	1	1	3	6	6	10	20	26	14	1	-
Female	97	6	-	1	2	5	1	10	15	21	24	12	-
Burlington, Vt	722	15	4	2	14	20	22	41	98	183	195	128	-
Male	364	7	-	2	11	17	13	29	58	98	86	43	-
Female	358	8	4	-	3	3	9	12	40	85	109	85	-
White	719	15	4	2	14	19	21	41	98	183	195	127	-
Male	362	7	-	2	11	16	12	29	58	98	86	43	-
Female	357	8	4	-	3	3	9	12	40	85	109	84	-
All other	3	-	-	-	-	1	1	-	-	-	-	1	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1990, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Canton, Ohio	3,524	56	12	10	52	71	78	184	548	825	986	691	-
Male	1,871	30	7	7	41	49	44	132	337	502	464	258	-
Female	1,653	26	5	3	11	22	34	52	212	323	522	433	-
White	3,324	46	10	8	43	62	68	176	510	776	952	673	-
Male	1,756	23	7	5	35	43	39	119	310	475	447	253	-
Female	1,568	23	3	3	8	19	29	57	200	301	505	420	-
All other	200	10	2	2	9	9	10	18	39	49	34	18	-
Male	115	7	-	2	6	6	5	13	27	27	17	5	-
Female	85	3	2	-	3	3	5	5	12	22	17	13	-
Black	199	10	2	2	9	9	10	18	39	49	34	17	-
Male	115	7	-	2	6	6	5	13	27	27	17	5	-
Female	84	3	2	-	3	3	5	5	12	22	17	12	-
Casper, Wyo	401	13	2	3	18	16	17	36	57	76	98	65	-
Male	249	9	1	1	17	12	13	29	40	44	57	26	-
Female	152	4	1	2	1	4	4	7	17	32	41	39	-
White	397	12	2	3	18	16	17	36	56	76	96	65	-
Male	248	8	1	1	17	12	13	29	40	44	57	26	-
Female	149	4	1	2	1	4	4	7	16	32	39	39	-
All other	4	1	-	-	-	-	-	-	1	-	2	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	2	-	-
Black	3	1	-	-	-	-	-	-	1	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Cedar Rapids, Iowa	1,225	44	7	4	26	25	31	64	152	253	339	280	-
Male	624	24	3	3	22	13	15	42	99	157	152	94	-
Female	601	20	4	1	4	12	16	22	53	96	187	186	-
White	1,212	43	7	4	26	25	30	64	149	249	337	278	-
Male	616	23	3	3	22	13	15	42	97	154	151	93	-
Female	596	20	4	1	4	12	15	22	52	95	186	185	-
All other	13	1	-	-	-	-	1	-	3	4	2	2	-
Male	8	1	-	-	-	-	-	-	2	3	1	1	-
Female	5	-	-	-	-	-	1	-	1	1	1	1	-
Black	13	1	-	-	-	-	1	-	3	4	2	2	-
Male	8	1	-	-	-	-	-	-	2	3	1	1	-
Female	5	-	-	-	-	-	1	-	1	1	1	1	-
Champaign-Urbana-Rantoul, Ill	900	30	6	10	11	14	35	57	134	188	224	191	-
Male	466	22	5	7	11	9	25	36	81	123	94	53	-
Female	434	8	1	3	-	5	10	21	53	65	130	138	-
White	813	25	6	7	11	10	28	46	121	171	207	181	-
Male	410	19	5	6	11	6	20	25	70	109	84	51	-
Female	403	6	1	1	-	4	8	17	51	62	123	130	-
All other	87	5	-	3	-	4	7	11	13	17	17	10	-
Male	56	3	-	1	-	3	5	7	11	14	10	2	-
Female	31	2	-	2	-	1	2	4	2	3	7	8	-
Black	84	4	-	3	-	4	7	11	13	15	17	10	-
Male	54	2	-	1	-	3	5	7	11	13	10	2	-
Female	30	2	-	2	-	1	2	4	2	2	7	8	-
Charleston-North Charleston, S.C	2,879	136	17	23	88	104	144	259	569	686	565	288	-
Male	1,583	73	10	13	65	77	95	164	333	390	254	89	-
Female	1,316	63	7	10	23	27	49	95	236	296	311	199	-
White	1,730	55	8	13	57	60	75	144	318	406	379	215	-
Male	943	34	4	9	41	44	54	90	194	239	174	60	-
Female	787	21	4	4	16	16	21	54	124	167	205	155	-
All other	1,149	81	9	10	31	44	69	115	251	280	186	73	-
Male	620	39	6	4	24	33	41	74	139	151	80	29	-
Female	529	42	3	6	7	11	28	41	112	129	106	44	-
Black	1,146	81	9	10	30	44	69	115	250	280	185	73	-
Male	619	39	6	4	24	33	41	74	139	151	79	29	-
Female	527	42	3	6	6	11	28	41	111	129	106	44	-
Charleston, W. Va	2,478	35	13	9	49	63	68	179	402	619	648	392	1
Male	1,351	19	7	5	33	44	46	110	280	385	299	143	-
Female	1,127	16	6	4	16	19	22	69	122	254	349	249	1
White	2,326	34	11	8	47	59	65	168	382	585	600	367	-
Male	1,274	18	5	5	33	40	44	104	270	347	273	135	-
Female	1,052	16	6	3	14	19	21	64	112	238	327	232	-
All other	152	1	2	1	2	4	3	11	20	34	48	25	1
Male	77	1	2	-	-	4	2	6	10	18	26	8	-
Female	75	-	-	1	2	-	1	5	10	16	22	17	1
Black	151	1	2	1	1	4	3	11	20	34	48	25	1
Male	77	1	2	-	-	4	2	6	10	16	26	8	-
Female	74	-	-	1	1	-	1	5	10	16	22	17	1
Charlotte-Gastonia, N.C	4,684	133	19	28	117	146	196	379	834	1,091	1,088	653	-
Male	2,498	69	12	18	88	107	105	240	520	637	499	203	-
Female	2,186	64	7	10	29	39	91	139	314	454	589	450	-
White	3,559	65	10	14	91	91	119	278	621	832	868	570	-
Male	1,892	35	6	8	70	67	60	183	394	495	400	174	-
Female	1,667	30	4	6	21	24	59	95	227	337	468	396	-
All other	1,125	68	9	14	26	55	77	101	213	259	220	83	-
Male	606	34	6	10	18	40	45	57	126	142	99	29	-
Female	519	34	3	4	8	15	32	44	87	117	121	54	-
Black	1,118	66	9	14	26	54	75	100	213	259	219	83	-
Male	603	34	6	10	18	39	43	57	126	142	99	29	-
Female	515	32	3	4	8	15	32	43	87	117	120	54	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlottesville, Va	916	18	2	1	17	27	23	50	137	250	250	141	–
Male	496	10	1	1	12	21	15	31	89	148	121	47	–
Female	420	8	1	–	5	6	8	19	48	102	129	94	–
White	744	13	1	1	15	21	20	36	110	203	209	115	–
Male	406	8	1	1	11	17	14	25	69	122	102	36	–
Female	338	5	–	–	4	4	6	11	41	81	107	79	–
All other	172	5	1	–	2	6	3	14	27	47	41	26	–
Male	90	2	–	–	1	4	1	6	20	26	19	11	–
Female	82	3	1	–	1	2	2	8	7	21	22	15	–
Black	172	5	1	–	2	6	3	14	27	47	41	26	–
Male	90	2	–	–	1	4	1	6	20	26	19	11	–
Female	82	3	1	–	1	2	2	8	7	21	22	15	–
Chattanooga, Tenn.-Ga	3,656	59	11	19	76	112	146	268	562	912	924	566	1
Male	1,957	34	8	13	55	85	95	167	365	532	420	182	1
Female	1,699	25	3	6	21	27	51	101	197	380	504	384	–
White	3,092	41	9	15	67	89	111	210	470	760	801	518	1
Male	1,646	21	6	9	50	68	73	132	311	444	364	167	1
Female	1,446	20	3	6	17	21	38	78	159	316	437	351	–
All other	564	18	2	4	9	23	35	58	92	152	123	48	–
Male	311	13	2	4	5	17	22	35	54	88	56	15	–
Female	253	5	–	–	4	6	13	23	38	64	67	33	–
Black	561	18	1	4	9	23	34	58	92	151	123	48	–
Male	310	13	1	4	5	17	22	35	54	88	56	15	–
Female	251	5	–	–	4	6	12	23	38	63	67	33	–
Chicago, Ill	59,626	1,734	239	307	1,288	1,704	2,047	4,154	9,597	13,646	14,891	9,816	3
Male	31,525	979	146	195	974	1,247	1,289	2,641	6,030	7,819	6,901	3,302	2
Female	28,101	755	93	112	314	457	758	1,513	3,567	6,027	7,990	6,514	1
White	47,613	891	135	189	814	1,029	1,250	2,818	7,366	11,425	12,853	8,841	2
Male	24,717	511	79	118	616	759	791	1,774	4,713	6,444	5,948	2,982	2
Female	22,896	380	56	71	198	270	459	1,044	2,653	4,981	6,905	5,879	–
All other	12,013	843	104	118	474	675	797	1,336	2,231	2,421	2,038	975	1
Male	6,808	468	67	77	358	488	498	867	1,317	1,375	953	340	–
Female	5,205	375	37	41	116	187	299	469	914	1,046	1,085	635	1
Black	11,716	823	100	114	467	657	777	1,304	2,184	2,364	1,985	940	1
Male	6,638	456	65	74	356	477	488	849	1,289	1,338	915	331	–
Female	5,078	367	35	40	111	180	289	455	895	1,026	1,070	609	1
Chico, Calif	1,436	17	7	4	31	34	29	46	182	368	410	308	–
Male	793	11	5	3	22	25	20	33	111	226	217	120	–
Female	643	6	2	1	9	9	9	13	71	142	193	188	–
White	1,404	17	7	4	31	31	26	43	177	363	401	304	–
Male	778	11	5	3	22	24	18	31	110	223	212	119	–
Female	626	6	2	1	9	7	8	12	67	140	189	185	–
All other	32	–	–	–	–	3	3	3	5	5	9	4	–
Male	15	–	–	–	–	1	2	2	1	3	5	1	–
Female	17	–	–	–	–	2	1	1	4	2	4	3	–
Black	21	–	–	–	–	–	2	2	4	3	8	4	–
Male	9	–	–	–	–	–	1	2	–	2	3	1	–
Female	12	–	–	–	–	–	1	–	4	1	5	3	–
Cincinnati, Ohio-Ky.-Ind	12,193	220	51	48	219	192	312	844	1,795	2,904	3,287	2,320	1
Male	6,147	117	28	29	157	125	185	520	1,085	1,652	1,518	731	–
Female	6,046	103	23	19	62	67	127	324	710	1,252	1,769	1,589	1
White	10,559	166	38	39	185	147	243	668	1,519	2,506	2,918	2,130	–
Male	5,320	91	22	25	136	97	144	429	933	1,457	1,336	856	–
Female	5,239	75	16	14	49	50	99	245	586	1,049	1,582	1,474	–
All other	1,634	54	13	9	34	45	69	176	276	398	369	190	1
Male	827	26	6	4	21	28	41	87	152	195	182	75	–
Female	807	28	7	5	13	17	28	79	124	203	187	115	1
Black	1,622	54	13	8	33	45	69	175	274	396	366	189	–
Male	823	26	6	4	21	28	41	96	151	195	181	74	–
Female	799	28	7	4	12	17	28	79	123	201	185	115	–
Clarksville-Hopkinsville, Tenn.-Ky	1,061	51	8	6	29	34	42	76	162	233	258	162	–
Male	570	23	3	4	28	21	23	49	85	155	126	53	–
Female	491	28	5	2	1	13	19	27	77	78	132	109	–
White	821	34	5	4	21	22	25	64	118	185	211	132	–
Male	439	14	2	2	20	13	16	40	65	119	106	42	–
Female	382	20	3	2	1	9	9	24	53	66	105	90	–
All other	240	17	3	2	8	12	17	12	44	48	47	30	–
Male	131	9	1	2	8	8	7	9	20	36	20	11	–
Female	109	8	2	–	–	4	10	3	24	12	27	19	–
Black	237	17	3	1	8	12	17	10	44	48	47	30	–
Male	128	9	1	1	8	8	7	7	20	36	20	11	–
Female	109	8	2	–	–	4	10	3	24	12	27	19	–
Cleveland, Ohio	18,088	366	57	70	280	393	448	1,245	2,940	4,503	4,562	3,221	3
Male	9,604	206	32	38	202	275	300	767	1,849	2,649	2,147	1,137	2
Female	8,484	160	25	32	78	118	148	478	1,091	1,854	2,415	2,084	1
White	14,807	220	33	44	193	231	295	840	2,306	3,775	3,953	2,916	1
Male	7,724	122	18	26	139	159	195	522	1,449	2,208	1,865	1,021	–
Female	7,083	98	15	18	54	72	100	318	857	1,567	2,088	1,895	1
All other	3,281	146	24	26	87	162	153	405	634	728	609	305	2
Male	1,880	84	14	12	63	116	105	245	400	441	282	116	2
Female	1,401	62	10	14	24	46	48	160	234	287	327	189	–
Black	3,242	143	23	23	84	162	150	402	629	717	603	304	2
Male	1,856	83	13	11	60	116	103	242	396	437	278	115	2
Female	1,386	60	10	12	24	46	47	160	233	280	325	189	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado Springs, Colo	1,819	63	15	11	73	79	63	123	277	362	392	360	1
Male	991	32	7	5	55	63	41	80	171	220	195	122	-
Female	828	31	8	6	18	16	22	43	106	142	197	238	1
White	1,718	52	14	9	62	66	62	108	263	346	383	352	1
Male	937	27	6	3	46	54	40	72	165	213	190	121	-
Female	781	25	8	6	16	12	22	36	98	133	193	231	1
All other	101	11	1	2	11	13	1	15	14	16	9	8	-
Male	54	5	1	2	9	9	1	8	6	7	5	1	-
Female	47	6	-	-	2	4	-	7	8	9	4	7	-
Black	79	10	-	2	9	12	1	8	8	16	6	7	-
Male	48	5	-	2	7	9	1	7	5	7	4	1	-
Female	31	5	-	-	2	3	-	1	3	9	2	6	-
Columbia, Mo	573	19	7	6	21	17	10	36	64	114	150	129	-
Male	285	7	4	3	15	12	6	22	38	61	72	45	-
Female	288	12	3	3	6	5	4	14	26	53	78	84	-
White	528	15	6	5	20	15	8	32	60	106	144	117	-
Male	266	5	4	2	14	11	4	19	37	59	71	40	-
Female	262	10	2	3	6	4	4	13	23	47	73	77	-
All other	45	4	1	1	1	2	2	4	4	8	6	12	-
Male	19	2	-	1	1	1	2	3	1	2	1	5	-
Female	26	2	1	-	-	1	-	1	3	6	5	7	-
Black	44	3	1	1	1	2	2	4	4	8	6	12	-
Male	18	1	-	1	1	1	2	3	1	2	1	5	-
Female	26	2	1	-	-	1	-	1	3	6	5	7	-
Columbia, S.C	3,076	82	16	17	91	118	153	242	559	774	647	377	-
Male	1,680	45	8	13	64	76	102	162	350	433	301	126	-
Female	1,396	37	8	4	27	42	51	80	209	341	346	251	-
White	2,076	31	9	10	57	69	81	141	348	534	497	299	-
Male	1,109	18	4	6	38	49	55	102	212	298	233	94	-
Female	967	13	5	4	19	20	26	39	136	236	264	205	-
All other	1,000	51	7	7	34	49	72	101	211	240	150	78	-
Male	571	27	4	7	26	27	47	60	138	135	68	32	-
Female	429	24	3	-	8	22	25	41	73	105	82	46	-
Black	996	51	7	7	34	48	72	101	210	238	150	78	-
Male	568	27	4	7	26	27	47	60	137	133	68	32	-
Female	428	24	3	-	8	21	25	41	73	105	82	46	-
Columbus, Ga.-Ala	1,908	66	11	7	45	48	76	174	363	530	407	178	2
Male	1,045	33	6	5	30	34	46	101	242	311	160	73	2
Female	863	33	5	2	15	14	28	73	121	219	247	108	-
White	1,161	29	2	6	33	23	31	69	231	319	284	132	2
Male	649	13	1	5	21	18	23	46	160	192	114	54	2
Female	512	16	1	1	12	5	8	23	71	127	170	78	-
All other	747	37	9	1	12	25	45	105	132	211	123	47	-
Male	396	20	5	-	9	16	25	55	82	119	46	19	-
Female	351	17	4	1	3	9	20	50	50	92	77	28	-
Black	743	35	9	1	12	25	45	105	132	211	121	47	-
Male	395	20	5	-	9	16	25	55	82	119	45	19	-
Female	348	15	4	1	3	9	20	50	50	92	76	28	-
Columbus, Ohio	8,419	239	42	43	211	250	263	599	1,360	1,936	1,995	1,479	2
Male	4,409	136	25	25	156	174	180	372	803	1,094	943	501	-
Female	4,010	103	17	18	55	76	83	227	557	842	1,052	978	2
White	7,315	171	28	31	170	195	207	491	1,142	1,697	1,789	1,394	-
Male	3,793	97	18	18	125	135	148	299	677	960	852	464	-
Female	3,522	74	10	13	45	60	59	192	465	737	937	930	-
All other	1,104	68	14	12	41	55	56	108	218	239	206	85	2
Male	616	39	7	7	31	39	32	73	128	134	91	37	-
Female	488	29	7	5	10	16	24	35	92	105	115	48	2
Black	1,085	62	14	12	41	54	55	105	216	235	205	85	1
Male	604	38	7	7	31	38	32	70	124	130	90	37	-
Female	481	24	7	5	10	16	23	35	92	105	115	48	1
Corpus Christi, Tex	2,364	63	21	19	97	126	87	173	349	534	594	301	-
Male	1,341	41	16	18	65	99	53	113	205	330	314	87	-
Female	1,023	22	5	1	32	27	34	60	144	204	280	214	-
White	2,226	62	19	16	92	118	81	156	329	493	568	292	-
Male	1,263	41	14	15	62	95	51	101	193	307	298	86	-
Female	963	21	5	1	30	23	30	55	136	186	270	206	-
All other	138	1	2	3	5	8	6	17	20	41	26	9	-
Male	78	-	2	3	3	4	2	12	12	23	16	1	-
Female	60	1	-	-	2	4	4	5	8	18	10	8	-
Black	135	1	2	3	5	8	5	17	20	40	25	9	-
Male	78	-	2	3	3	4	2	12	12	23	16	1	-
Female	57	1	-	-	2	4	3	5	8	17	9	8	-
Cumberland, Md.-W. Va	1,221	10	3	7	19	13	23	50	172	349	346	228	1
Male	635	6	2	5	14	11	15	34	109	204	148	86	1
Female	586	4	1	2	5	2	8	16	63	145	198	142	-
White	1,194	10	3	6	19	13	22	50	170	342	339	219	1
Male	622	6	2	4	14	11	15	34	109	201	145	81	1
Female	572	4	1	2	5	2	7	16	62	141	194	138	-
All other	27	-	-	1	-	-	1	-	2	7	7	9	-
Male	13	-	-	1	-	-	-	-	1	3	3	5	-
Female	14	-	-	-	-	-	1	-	1	4	4	4	-
Black	26	-	-	1	-	-	1	-	2	7	7	8	-
Male	12	-	-	1	-	-	-	-	1	3	3	4	-
Female	14	-	-	-	-	-	1	-	1	4	4	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	21,345	617	151	138	690	786	884	1,618	3,339	4,607	5,156	3,357	2
Male	11,404	351	91	83	519	563	554	1,048	2,088	2,697	2,380	1,051	1
Female	9,941	266	60	55	171	223	330	570	1,253	1,910	2,786	2,306	1
White	18,098	434	114	111	566	576	670	1,248	2,788	3,916	4,571	3,102	2
Male	9,585	250	70	69	427	420	427	810	1,769	2,310	2,086	946	1
Female	8,513	184	44	42	139	156	243	438	1,019	1,606	2,485	2,156	1
All other	3,247	183	37	27	124	210	214	370	551	691	585	255	-
Male	1,819	101	21	14	92	143	127	238	317	387	274	105	-
Female	1,428	82	16	13	32	67	87	132	234	304	311	150	-
Black	3,178	177	35	27	121	197	209	362	537	684	578	251	-
Male	1,773	100	20	14	89	133	123	232	307	382	270	103	-
Female	1,405	77	15	13	32	64	86	130	230	302	308	148	-
Danville, Va	1,107	15	5	4	19	20	23	77	195	287	285	176	1
Male	597	10	4	1	16	15	17	47	136	168	122	63	-
Female	510	5	1	3	3	5	6	30	59	121	163	113	1
White	805	4	1	4	13	9	11	54	129	208	219	153	-
Male	418	3	1	1	10	7	7	35	92	123	89	51	-
Female	388	1	-	3	3	2	4	19	37	85	130	102	-
All other	302	11	4	-	6	11	12	23	66	79	66	23	1
Male	178	7	3	-	6	8	10	12	44	43	33	12	-
Female	124	4	1	-	-	3	2	11	22	36	33	11	1
Black	301	11	4	-	6	11	12	22	66	79	66	23	1
Male	178	7	3	-	6	8	10	12	44	43	33	12	-
Female	123	4	1	-	-	3	2	10	22	36	33	11	1
Davenport-Rock Island-Moline, Iowa-Ill	3,128	55	10	12	50	52	70	181	387	734	878	699	-
Male	1,642	34	7	7	41	40	52	104	269	429	416	243	-
Female	1,486	21	3	5	9	12	18	77	118	305	462	456	-
White	3,035	49	10	11	46	48	61	170	370	718	863	689	-
Male	1,589	30	7	7	39	36	46	98	258	424	407	237	-
Female	1,446	19	3	4	7	12	15	72	112	294	456	452	-
All other	93	6	-	1	4	4	9	11	17	16	15	10	-
Male	53	4	-	-	2	4	6	6	11	5	9	6	-
Female	40	2	-	1	2	-	3	5	6	11	6	4	-
Black	88	6	-	-	4	4	7	11	17	16	13	10	-
Male	52	4	-	-	2	4	6	6	11	5	8	6	-
Female	36	2	-	-	2	-	1	5	6	11	5	4	-
Dayton, Ohio	6,605	169	25	42	147	166	179	485	1,057	1,528	1,704	1,103	-
Male	3,501	97	10	26	105	113	109	313	655	889	819	365	-
Female	3,104	72	15	16	42	53	70	172	402	639	885	738	-
White	5,711	116	18	32	119	129	144	372	870	1,350	1,541	1,020	-
Male	3,013	64	6	22	88	89	93	247	545	785	731	343	-
Female	2,698	52	12	10	31	40	51	125	325	565	810	677	-
All other	894	53	7	10	28	37	35	113	187	178	163	83	-
Male	488	33	4	4	17	24	16	66	110	104	88	22	-
Female	406	20	3	6	11	13	19	47	77	74	75	61	-
Black	886	53	6	9	28	37	34	112	186	176	162	83	-
Male	485	33	4	4	17	24	16	66	109	103	87	22	-
Female	401	20	2	5	11	13	18	46	77	73	75	61	-
Daytona Beach, Fla	3,807	30	5	12	39	67	60	183	511	947	1,157	795	1
Male	2,119	18	1	7	26	46	39	118	322	598	630	313	1
Female	1,688	12	4	5	13	21	21	65	189	349	527	482	-
White	3,502	22	4	11	32	56	48	151	462	849	1,093	773	1
Male	1,940	15	1	7	21	37	31	96	288	545	596	302	1
Female	1,562	7	3	4	11	19	17	55	174	304	497	471	-
All other	305	8	1	1	7	11	12	32	49	98	64	22	-
Male	179	3	-	-	5	9	8	22	34	53	34	11	-
Female	126	5	1	1	2	2	4	10	15	45	30	11	-
Black	302	8	1	1	7	10	12	32	49	97	63	22	-
Male	176	3	-	-	5	8	8	22	34	52	33	11	-
Female	126	5	1	1	2	2	4	10	15	45	30	11	-
Decatur, Ill	1,158	32	5	11	14	15	33	64	163	249	337	234	1
Male	576	15	3	6	10	11	24	39	95	136	185	71	1
Female	582	17	2	5	4	4	9	25	68	113	172	163	-
White	1,076	26	4	8	12	14	28	61	152	232	313	225	1
Male	541	12	2	6	9	10	19	38	92	127	158	67	1
Female	535	14	2	2	3	4	9	23	60	105	155	158	-
All other	82	6	1	3	2	1	5	3	11	17	24	9	-
Male	35	3	1	-	1	1	5	1	3	9	7	4	-
Female	47	3	-	3	1	-	-	2	8	8	17	5	-
Black	81	6	1	3	2	1	4	3	11	17	24	9	-
Male	34	3	1	-	1	1	4	1	3	9	7	4	-
Female	47	3	-	3	1	-	-	2	8	8	17	5	-
Denver-Boulder, Colo	10,374	274	64	54	281	433	404	721	1,501	2,101	2,480	2,061	-
Male	5,508	166	36	37	198	313	279	447	919	1,222	1,195	696	-
Female	4,866	108	28	17	83	120	125	274	582	879	1,285	1,365	-
White	9,837	246	58	49	264	386	355	652	1,422	2,010	2,395	2,002	-
Male	5,190	147	31	34	184	277	250	400	874	1,175	1,147	671	-
Female	4,647	99	25	15	80	109	105	252	548	835	1,248	1,331	-
All other	537	28	8	5	17	47	49	69	79	91	85	59	-
Male	318	19	5	3	14	36	29	47	45	47	48	25	-
Female	219	9	3	2	3	11	20	22	34	44	37	34	-
Black	445	24	7	5	11	39	36	60	67	80	71	45	-
Male	259	15	5	3	10	29	23	43	34	40	39	18	-
Female	186	9	2	2	1	10	13	17	33	40	32	27	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, Iowa	2,600	45	4	9	46	59	73	160	374	611	686	533	-
Male	1,355	27	-	6	28	38	55	106	247	374	305	169	-
Female	1,245	18	4	3	18	21	18	54	* 127	237	381	364	-
White	2,474	37	2	8	39	53	65	152	354	579	668	517	-
Male	1,277	21	-	6	23	35	48	101	234	350	298	163	-
Female	1,197	16	2	2	16	18	17	51	120	229	372	354	-
All other	126	8	2	1	7	6	8	8	20	32	18	16	-
Male	78	6	-	-	5	3	7	5	13	24	9	6	-
Female	48	2	2	1	2	3	1	3	7	8	9	10	-
Black	115	5	2	1	7	5	6	7	20	32	16	14	-
Male	72	4	-	-	5	3	5	5	13	24	8	5	-
Female	43	1	2	1	2	2	1	2	7	8	8	9	-
Detroit, Mich	36,818	860	135	171	743	1,246	1,295	2,709	6,073	8,445	8,970	6,171	-
Male	19,827	523	72	105	533	874	822	1,691	3,696	4,873	4,350	2,288	-
Female	16,991	337	63	66	210	372	473	1,018	2,377	3,572	4,620	3,883	-
White	28,823	444	75	110	501	651	765	1,917	4,581	6,656	7,642	5,481	-
Male	15,287	272	41	69	354	446	460	1,203	2,837	3,893	3,672	2,040	-
Female	13,536	172	34	41	147	205	305	714	1,744	2,763	3,970	3,441	-
All other	7,995	416	60	61	242	595	530	792	1,492	1,789	1,328	690	-
Male	4,540	251	31	36	179	428	362	488	859	980	678	248	-
Female	3,455	165	29	25	63	167	168	304	633	809	650	442	-
Black	7,901	412	60	58	239	589	518	786	1,479	1,768	1,310	682	-
Male	4,493	249	31	34	178	425	357	484	857	988	665	245	-
Female	3,408	163	29	24	61	164	161	302	622	800	645	437	-
Dubuque, Iowa	797	16	4	2	16	10	11	45	99	179	218	197	-
Male	384	10	3	-	12	6	7	25	56	95	102	68	-
Female	413	6	1	2	4	4	4	20	43	84	116	129	-
White	797	16	4	2	16	10	11	45	99	179	218	197	-
Male	384	10	3	-	12	6	7	25	56	95	102	68	-
Female	413	6	1	2	4	4	4	20	43	84	116	129	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth-Superior, Minn.-Wis	2,717	27	13	6	41	43	58	120	335	665	757	652	-
Male	1,425	17	7	4	33	28	29	84	202	397	384	240	-
Female	1,292	10	6	2	8	15	29	36	133	268	373	412	-
White	2,695	26	11	6	38	42	57	116	333	664	753	649	-
Male	1,415	17	7	4	30	27	28	84	201	396	380	240	-
Female	1,280	9	4	2	8	15	28	32	132	268	373	409	-
All other	22	1	2	-	3	1	1	4	2	1	4	3	-
Male	10	-	-	-	3	1	-	-	1	1	4	-	-
Female	12	1	2	-	-	-	1	4	1	-	-	3	-
Black	5	1	-	-	-	-	-	1	-	1	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	3	1	-	-	-	-	-	1	-	-	-	1	-
Eau Claire, Wis	1,109	16	4	8	23	19	21	54	127	244	309	284	-
Male	586	10	3	7	19	14	16	31	80	151	162	93	-
Female	523	6	1	1	4	5	5	23	47	93	147	191	-
White	1,108	16	4	8	23	19	21	54	127	244	308	284	-
Male	585	10	3	7	19	14	16	31	80	151	161	93	-
Female	523	6	1	1	4	5	5	23	47	93	147	191	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, Tex	2,656	119	20	15	95	105	101	212	421	567	598	403	-
Male	1,468	69	13	11	73	77	61	137	281	335	281	150	-
Female	1,188	50	7	4	22	28	40	75	160	232	317	253	-
White	2,562	111	19	14	89	96	94	202	402	551	587	397	-
Male	1,412	65	12	11	69	72	58	132	249	325	274	145	-
Female	1,150	46	7	3	20	24	36	70	153	226	313	252	-
All other	94	8	1	1	6	9	7	10	19	16	11	6	-
Male	56	4	1	-	4	5	3	5	12	10	7	5	-
Female	38	4	-	1	2	4	4	5	7	6	4	1	-
Black	79	8	-	1	4	8	7	7	17	14	9	4	-
Male	44	4	-	-	2	4	3	4	11	8	5	3	-
Female	35	4	-	1	2	4	4	3	6	6	4	1	-
Elkhart, Ind	1,028	26	5	9	16	21	25	55	134	226	262	249	-
Male	540	18	2	6	11	15	15	32	82	128	146	85	-
Female	488	8	3	3	5	6	10	23	52	98	116	164	-
White	991	23	5	8	15	18	25	51	125	217	258	246	-
Male	519	16	2	5	11	13	15	29	78	122	144	84	-
Female	472	7	3	3	4	5	10	22	47	95	114	162	-
All other	37	3	-	1	1	3	-	4	9	9	4	3	-
Male	21	2	-	1	-	2	-	3	4	6	2	1	-
Female	16	1	-	-	1	1	-	1	5	3	2	2	-
Black	37	3	-	1	1	3	-	4	9	9	4	3	-
Male	21	2	-	1	-	2	-	3	4	6	2	1	-
Female	16	1	-	-	1	1	-	1	5	3	2	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elmira, N.Y	931	9	4	2	10	9	20	38	121	194	282	241	1
Male	472	9	3	2	7	6	12	30	79	109	144	70	1
Female	459	–	1	–	3	3	8	8	42	85	138	171	–
White	914	9	3	2	9	9	19	35	119	190	279	239	1
Male	463	9	3	2	6	6	12	27	78	108	142	69	1
Female	451	–	–	–	3	3	7	8	41	82	137	170	–
All other	17	–	1	–	1	–	1	3	2	4	3	2	–
Male	9	–	–	–	1	–	–	3	1	1	2	1	–
Female	8	–	1	–	–	–	1	–	1	3	1	1	–
Black	17	–	1	–	1	–	1	3	2	4	3	2	–
Male	9	–	–	–	1	–	–	3	1	1	2	1	–
Female	8	–	1	–	–	–	1	–	1	3	1	1	–
Enid, Okla	656	16	4	6	31	18	22	41	65	134	187	132	–
Male	341	12	1	2	24	11	11	23	40	71	100	46	–
Female	315	4	3	4	7	7	11	18	25	63	87	86	–
White	633	16	4	5	27	15	22	36	64	130	184	130	–
Male	329	12	1	2	21	10	11	20	39	68	100	45	–
Female	304	4	3	3	6	5	11	16	25	62	84	85	–
All other	23	–	–	1	4	3	–	5	1	4	3	2	–
Male	12	–	–	–	3	1	–	3	1	3	–	1	–
Female	11	–	–	1	1	2	–	2	–	1	3	1	–
Black	18	–	–	1	2	1	–	4	1	4	3	2	–
Male	9	–	–	–	2	–	–	2	1	3	–	1	–
Female	9	–	–	1	–	1	–	2	–	1	3	1	–
Erie, Pa	2,503	70	8	8	39	48	64	155	400	615	625	472	1
Male	1,274	41	5	7	29	31	37	82	238	350	273	171	–
Female	1,229	29	3	1	10	15	27	63	162	265	352	301	1
White	2,401	59	6	8	38	39	58	144	378	594	610	456	1
Male	1,223	36	4	7	29	28	33	82	227	340	268	169	–
Female	1,178	23	2	1	9	11	25	62	151	254	342	287	1
All other	102	11	2	–	1	7	6	11	22	21	15	6	–
Male	51	5	1	–	–	3	4	10	11	10	5	2	–
Female	51	6	1	–	1	4	2	1	11	11	10	4	–
Black	100	11	2	–	1	7	5	11	22	21	14	6	–
Male	50	5	1	–	–	3	3	10	11	10	5	2	–
Female	50	6	1	–	1	4	2	1	11	11	9	4	–
Eugene-Springfield, Oreg	1,878	35	6	14	41	53	51	106	242	451	482	396	1
Male	1,002	21	2	9	25	34	33	69	144	283	232	149	1
Female	876	14	4	5	16	19	18	37	98	168	250	247	–
White	1,863	32	6	14	40	51	51	106	240	447	480	395	1
Male	991	18	2	9	24	32	33	69	142	281	231	149	1
Female	872	14	4	5	16	19	18	37	98	166	249	246	–
All other	15	3	–	–	1	2	–	–	2	4	2	1	–
Male	11	3	–	–	1	2	–	–	2	2	1	–	–
Female	4	–	–	–	–	–	–	–	–	2	1	1	–
Black	4	–	–	–	–	–	–	–	1	2	1	–	–
Male	2	–	–	–	–	–	–	–	1	–	1	–	–
Female	2	–	–	–	–	–	–	–	–	2	–	–	–
Evansville, Ind.-Ky	2,994	38	12	7	49	47	63	162	419	738	853	606	–
Male	1,516	20	5	5	34	37	35	102	241	437	395	205	–
Female	1,478	18	7	2	15	10	28	60	178	301	458	401	–
White	2,809	31	9	7	48	46	59	149	386	687	809	578	–
Male	1,423	16	3	5	34	36	34	96	225	410	370	194	–
Female	1,386	15	6	2	14	10	25	53	161	277	439	384	–
All other	185	7	3	–	1	1	4	13	33	51	44	28	–
Male	93	4	2	–	–	1	1	6	16	27	25	11	–
Female	92	3	1	–	1	–	3	7	17	24	19	17	–
Black	185	7	3	–	1	1	4	13	33	51	44	28	–
Male	93	4	2	–	–	1	1	6	16	27	25	11	–
Female	92	3	1	–	1	–	3	7	17	24	19	17	–
Fargo-Moorhead, N.Dak.-Minn	906	35	5	6	22	17	21	42	92	201	253	212	–
Male	493	19	3	4	17	14	10	27	52	133	129	85	–
Female	413	16	2	2	5	3	11	15	40	68	124	127	–
White	902	34	5	6	22	16	21	42	90	201	253	212	–
Male	491	18	3	4	17	14	10	27	51	133	129	85	–
Female	411	16	2	2	5	2	11	15	39	68	124	127	–
All other	4	1	–	–	–	1	–	–	2	–	–	–	–
Male	2	1	–	–	–	–	–	–	1	–	–	–	–
Female	2	–	–	–	–	1	–	–	1	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Fayetteville, N.C	1,220	72	6	10	62	56	58	127	232	271	223	103	–
Male	688	37	3	7	48	42	33	80	147	154	105	32	–
Female	532	35	3	3	14	14	25	47	85	117	118	71	–
White	820	30	1	8	48	32	35	88	151	177	168	82	–
Male	469	16	–	5	36	25	20	63	98	101	80	25	–
Female	351	14	1	3	12	7	15	25	53	76	88	57	–
All other	400	42	5	2	14	24	23	39	81	94	55	21	–
Male	219	21	3	2	12	17	13	17	49	53	25	7	–
Female	181	21	2	–	2	7	10	22	32	41	30	14	–
Black	376	41	5	2	14	22	22	34	74	89	52	21	–
Male	212	21	3	2	12	17	13	16	44	52	25	7	–
Female	164	20	2	–	2	5	9	18	30	37	27	14	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville-Springdale, Ark	1,559	23	7	15	30	34	42	68	218	407	426	289	-
Male	896	11	5	9	26	17	25	43	151	266	230	113	-
Female	663	12	2	6	4	17	17	25	67	141	196	176	-
White	1,547	23	7	15	30	33	40	67	215	404	425	288	-
Male	888	11	5	9	26	16	24	43	149	264	229	112	-
Female	659	12	2	6	4	17	16	24	66	140	196	176	-
All other	12	-	-	-	-	1	2	1	3	3	1	1	-
Male	8	-	-	-	-	1	1	-	2	2	1	1	-
Female	4	-	-	-	-	-	1	1	1	1	-	-	-
Black	5	-	-	-	-	-	1	-	1	2	-	1	-
Male	4	-	-	-	-	-	1	-	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Flint, Mich	3,864	88	14	30	83	111	129	303	606	872	1,005	623	-
Male	2,090	47	6	22	57	83	84	201	381	512	482	215	-
Female	1,774	41	8	8	26	28	45	102	225	360	523	408	-
White	3,374	56	11	22	67	73	95	242	515	771	918	604	-
Male	1,820	34	5	16	48	55	59	157	330	461	444	211	-
Female	1,554	22	6	6	19	18	36	85	185	310	474	393	-
All other	490	32	3	8	16	38	34	61	91	101	87	19	-
Male	270	13	1	6	9	28	25	44	51	51	38	4	-
Female	220	19	2	2	7	10	9	17	40	50	49	15	-
Black	478	31	3	5	15	35	33	61	90	99	87	19	-
Male	285	13	1	5	8	26	25	44	51	50	38	4	-
Female	213	18	2	-	7	9	8	17	39	49	49	15	-
Florence, Ala	1,102	22	3	11	39	25	32	83	162	261	290	174	-
Male	639	11	1	9	32	19	23	56	109	164	152	63	-
Female	463	11	2	2	7	6	9	27	53	97	138	111	-
White	955	20	3	11	35	24	27	65	142	224	254	150	-
Male	562	9	1	9	30	19	19	48	94	144	134	55	-
Female	393	11	2	2	5	5	8	17	48	80	120	95	-
All other	147	2	-	-	4	1	5	18	20	37	36	24	-
Male	77	2	-	-	2	-	4	8	15	20	18	8	-
Female	70	-	-	-	2	1	1	10	5	17	18	16	-
Black	147	2	-	-	4	1	5	18	20	37	36	24	-
Male	77	2	-	-	2	-	4	8	15	20	18	8	-
Female	70	-	-	-	2	1	1	10	5	17	18	16	-
Florence, S.C	880	31	4	9	21	32	37	79	149	245	179	94	-
Male	478	22	2	5	15	22	24	58	92	144	74	20	-
Female	402	9	2	4	6	10	13	21	57	101	105	74	-
White	489	11	4	4	9	8	17	47	87	125	108	71	-
Male	279	8	2	3	7	5	11	38	63	79	49	16	-
Female	210	3	2	1	2	1	6	11	24	46	59	55	-
All other	391	20	-	5	12	26	20	32	62	120	71	23	-
Male	199	14	-	2	8	17	13	22	29	65	25	4	-
Female	192	6	-	3	4	9	7	10	33	55	46	19	-
Black	390	20	-	5	12	25	20	32	62	120	71	23	-
Male	199	14	-	2	8	17	13	22	29	65	25	4	-
Female	191	6	-	3	4	8	7	10	33	55	46	19	-
Fort Collins, Colo	881	27	7	1	21	23	38	31	99	186	257	191	-
Male	473	15	6	-	12	20	22	20	59	114	135	70	-
Female	408	12	1	1	9	3	16	11	40	72	122	121	-
White	880	26	7	1	21	23	38	31	99	186	257	191	-
Male	473	15	6	-	12	20	22	20	59	114	135	70	-
Female	407	11	1	1	9	3	16	11	40	72	122	121	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Lauderdale-Hollywood, Fla	12,361	174	31	42	172	251	303	574	1,463	3,309	4,062	1,975	5
Male	6,968	106	18	27	128	171	208	355	888	1,972	2,248	842	5
Female	5,393	68	13	15	44	80	95	219	575	1,337	1,814	1,133	-
White	11,455	80	22	33	137	193	222	452	1,303	3,130	3,846	1,934	3
Male	6,417	49	13	23	101	134	153	281	790	1,858	2,186	826	3
Female	5,038	31	9	10	36	59	69	171	513	1,272	1,760	1,108	-
All other	906	94	9	9	35	58	81	122	160	179	116	41	2
Male	551	57	5	4	27	37	55	74	98	114	62	16	2
Female	355	37	4	5	8	21	26	48	62	65	54	25	-
Black	888	91	9	9	35	56	78	120	158	175	114	41	2
Male	549	55	5	4	27	35	52	73	97	113	61	16	2
Female	348	36	4	5	8	21	26	47	61	62	53	25	-
Fort Myers-Cape Coral, Fla	2,559	36	11	8	27	45	53	120	384	768	750	355	2
Male	1,510	13	5	3	17	35	37	76	249	479	440	154	2
Female	1,049	23	6	5	10	10	16	44	135	289	310	201	-
White	2,424	24	9	7	24	36	38	106	355	740	733	350	2
Male	1,428	9	5	2	16	28	27	68	231	461	428	151	2
Female	996	15	4	5	8	8	11	38	124	279	305	199	-
All other	135	12	2	1	3	9	15	14	29	28	17	5	-
Male	82	4	-	1	1	7	10	8	18	18	12	3	-
Female	53	8	2	-	2	2	5	6	11	10	5	2	-
Black	130	11	2	1	3	9	15	13	29	27	16	4	-
Male	77	3	-	1	1	7	10	7	18	17	11	2	-
Female	53	8	2	-	2	2	5	6	11	10	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla	2,003	31	6	16	35	55	60	129	287	470	507	407	-
Male	1,100	19	5	10	28	43	39	83	190	294	251	138	-
Female	903	12	1	6	7	12	21	46	97	176	256	269	-
White	1,888	30	5	14	31	51	54	123	277	442	491	380	-
Male	1,032	18	4	8	25	39	35	79	181	277	238	128	-
Female	856	12	1	6	6	12	19	44	96	165	243	252	-
All other	115	1	1	2	4	4	6	6	10	28	26	27	-
Male	68	1	1	2	3	4	4	4	9	17	13	10	-
Female	47	-	-	-	1	-	2	2	1	11	13	17	-
Black	73	1	1	1	2	1	4	4	5	19	17	18	-
Male	38	1	1	1	2	1	3	2	4	10	7	6	-
Female	35	-	-	-	-	-	1	2	1	9	10	12	-
Fort Walton Beach, Fla	680	20	3	3	23	19	30	75	121	160	143	83	-
Male	419	12	3	3	19	9	19	55	82	101	77	39	-
Female	261	8	-	-	4	10	11	20	39	59	66	44	-
White	630	16	3	2	21	18	25	68	111	150	136	80	-
Male	387	10	3	2	17	8	16	50	76	96	72	37	-
Female	243	6	-	-	4	10	9	18	35	54	64	43	-
All other	50	4	-	1	2	1	5	7	10	10	7	3	-
Male	32	2	-	1	2	1	3	5	6	5	5	2	-
Female	18	2	-	-	-	-	2	2	4	5	2	1	-
Black	48	4	-	1	2	-	4	7	9	10	6	3	-
Male	30	2	-	1	2	-	3	5	6	5	4	2	-
Female	18	2	-	-	-	-	1	2	3	5	2	1	-
Fort Wayne, Ind	2,919	70	16	14	61	48	78	147	403	628	830	624	-
Male	1,502	38	9	5	38	27	49	97	259	372	401	207	-
Female	1,417	32	7	9	23	21	29	50	144	256	429	417	-
White	2,755	58	14	11	47	40	67	129	376	601	796	616	-
Male	1,415	35	9	4	29	23	41	86	248	353	383	204	-
Female	1,340	23	5	7	18	17	26	43	128	248	413	412	-
All other	164	12	2	3	14	8	11	18	27	27	34	8	-
Male	87	3	-	1	9	4	8	11	11	19	18	3	-
Female	77	9	2	2	5	4	3	7	16	8	16	5	-
Black	161	12	2	3	12	8	11	18	27	26	34	8	-
Male	85	3	-	1	8	4	8	11	11	18	18	3	-
Female	76	9	2	2	4	4	3	7	16	8	16	5	-
Fresno, Calif	4,036	101	23	25	125	158	118	253	542	917	986	780	8
Male	2,227	58	15	19	89	113	79	155	326	554	523	288	8
Female	1,809	43	8	6	36	45	39	98	216	363	463	492	-
White	3,719	76	19	24	116	139	106	224	493	857	919	738	8
Male	2,060	44	11	18	87	102	72	141	298	525	483	271	8
Female	1,659	32	8	6	29	37	34	83	195	332	436	467	-
All other	317	25	4	1	9	19	12	29	49	60	67	42	-
Male	167	14	4	1	2	11	7	14	28	29	40	17	-
Female	150	11	-	-	7	8	5	15	21	31	27	25	-
Black	221	14	3	1	6	13	9	19	39	50	46	21	-
Male	120	9	3	1	1	9	5	8	22	25	28	9	-
Female	101	5	-	-	5	4	4	11	17	25	18	12	-
Gadsden, Ala	1,055	16	5	5	18	19	33	64	184	271	303	137	-
Male	580	8	4	3	11	15	27	39	115	160	153	45	-
Female	475	8	1	2	7	4	6	25	69	111	150	92	-
White	869	9	4	4	17	13	23	53	151	225	253	117	-
Male	482	4	3	3	11	10	17	32	98	140	128	36	-
Female	387	5	1	1	6	3	6	21	53	85	125	81	-
All other	186	7	1	1	1	6	10	11	33	46	50	20	-
Male	98	4	1	-	-	5	10	7	17	20	25	9	-
Female	88	3	-	1	1	1	-	4	16	26	25	11	-
Black	185	7	1	1	1	5	10	11	33	46	50	20	-
Male	98	4	1	-	-	5	10	7	17	20	25	9	-
Female	87	3	-	1	1	-	-	4	16	26	25	11	-
Gainesville, Fla	923	25	3	8	22	39	46	62	138	231	217	132	-
Male	522	14	1	3	15	23	30	37	86	148	119	48	-
Female	401	11	2	5	7	16	16	25	52	85	98	84	-
White	669	18	2	4	14	26	28	42	102	167	154	112	-
Male	380	11	1	2	10	14	18	25	66	105	86	42	-
Female	289	7	1	2	4	12	10	17	36	62	68	70	-
All other	254	7	1	4	8	13	18	20	36	64	63	20	-
Male	142	3	-	1	5	9	12	12	20	41	33	6	-
Female	112	4	1	3	3	4	6	8	16	23	30	14	-
Black	249	7	1	3	8	11	17	19	36	64	63	20	-
Male	140	3	-	1	5	8	11	12	20	41	33	6	-
Female	109	4	1	2	3	3	6	7	16	23	30	14	-
Galveston-Texas City, Tex	1,643	40	13	10	40	59	82	141	306	414	356	182	-
Male	931	26	7	4	27	37	54	96	193	252	175	60	-
Female	712	14	6	6	13	22	28	45	113	162	181	122	-
White	1,279	31	9	8	33	41	61	100	231	331	278	156	-
Male	719	21	6	4	25	22	42	73	145	199	129	53	-
Female	560	10	3	4	8	19	19	27	86	132	149	103	-
All other	364	9	4	2	7	18	21	41	75	83	78	26	-
Male	212	5	1	-	2	15	12	23	48	53	46	7	-
Female	152	4	3	2	5	3	9	18	27	30	32	19	-
Black	362	9	4	2	7	18	21	41	74	82	78	26	-
Male	210	5	1	-	2	15	12	23	47	52	46	7	-
Female	152	4	3	2	5	3	9	18	27	30	32	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gary-Hammond-East Chicago, Ind	5,020	147	23	38	145	172	166	373	909	1,259	1,099	686	2
Male	2,784	85	12	26	111	124	108	233	558	731	539	259	2
Female	2,236	62	11	13	34	48	60	140	353	528	560	427	-
White	3,973	99	14	23	103	96	109	255	715	1,022	928	607	2
Male	2,163	55	6	13	77	69	71	156	444	591	454	225	2
Female	1,810	44	8	10	26	27	38	99	271	431	474	382	-
All other	1,047	48	9	16	42	76	57	118	194	237	171	79	-
Male	621	30	6	13	34	55	35	77	112	140	85	34	-
Female	426	18	3	3	8	21	22	41	82	97	86	45	-
Black	1,043	47	9	16	42	75	57	118	194	235	171	79	-
Male	618	29	6	13	34	55	35	77	112	138	85	34	-
Female	425	18	3	3	8	20	22	41	82	97	86	45	-
Glens Falls, N.Y	1,124	22	-	6	22	11	34	58	153	263	310	245	-
Male	588	14	-	6	19	7	21	37	94	160	140	90	-
Female	536	8	-	-	3	4	13	21	59	103	170	155	-
White	1,117	22	-	6	22	11	33	58	152	261	307	245	-
Male	585	14	-	6	19	7	20	37	94	159	139	90	-
Female	532	8	-	-	3	4	13	21	58	102	168	155	-
All other	7	-	-	-	-	-	1	-	1	2	3	-	-
Male	3	-	-	-	-	-	1	-	-	1	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	2	-	-
Black	7	-	-	-	-	-	1	-	1	2	3	-	-
Male	3	-	-	-	-	-	1	-	-	1	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	2	-	-
Grand Forks, N.Dak.-Minn	782	18	3	1	15	15	17	23	89	147	226	228	-
Male	425	9	3	1	13	12	13	16	54	87	125	92	-
Female	357	9	-	-	2	3	4	7	35	60	101	136	-
White	775	15	3	1	15	15	17	22	87	147	226	227	-
Male	420	7	3	1	13	12	13	16	52	87	125	91	-
Female	355	8	-	-	2	3	4	6	35	60	101	136	-
All other	7	3	-	-	-	-	-	1	2	-	-	1	-
Male	5	2	-	-	-	-	-	-	2	-	-	1	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Rapids, Mich	4,374	124	23	25	90	85	110	251	572	984	1,179	950	1
Male	2,296	75	11	11	65	63	68	167	376	554	595	310	1
Female	2,078	49	12	14	25	22	42	84	196	410	584	640	-
White	4,128	104	19	24	82	79	93	225	520	909	1,146	926	1
Male	2,155	63	8	10	59	59	59	156	341	526	579	284	1
Female	1,973	41	11	14	23	20	34	69	179	383	567	632	-
All other	246	20	4	1	8	6	17	26	52	55	33	24	-
Male	141	12	3	1	6	4	9	11	35	28	16	16	-
Female	105	8	1	-	2	2	8	15	17	27	17	8	-
Black	227	17	4	1	8	6	17	21	49	51	30	23	-
Male	133	11	3	1	6	4	9	10	34	25	15	15	-
Female	94	6	1	-	2	2	8	11	15	26	15	8	-
Great Falls, Mont	629	14	4	4	15	11	19	41	77	136	170	138	-
Male	328	6	2	3	10	8	9	32	41	77	91	49	-
Female	301	8	2	1	5	3	10	9	36	59	79	89	-
White	617	13	4	4	15	9	16	39	74	136	169	138	-
Male	323	6	2	3	10	7	7	31	40	77	91	49	-
Female	294	7	2	1	5	2	9	8	34	59	78	89	-
All other	12	1	-	-	-	2	3	2	3	-	1	-	-
Male	5	-	-	-	-	1	2	1	1	-	-	-	-
Female	7	1	-	-	-	1	1	1	2	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Greeley, Colo	772	19	5	9	24	28	25	45	98	160	185	174	-
Male	424	12	3	7	17	24	19	26	60	93	99	64	-
Female	348	7	2	2	7	4	6	19	38	67	86	110	-
White	765	19	5	8	24	28	25	44	96	158	184	174	-
Male	420	12	3	6	17	24	19	26	59	92	98	64	-
Female	345	7	2	2	7	4	6	18	37	66	86	110	-
All other	7	-	-	1	-	-	-	1	2	2	1	-	-
Male	4	-	-	1	-	-	-	-	1	1	1	-	-
Female	3	-	-	-	-	-	-	1	1	1	-	-	-
Black	2	-	-	1	-	-	-	1	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Green Bay, Wis	1,250	23	6	9	33	27	27	58	162	284	378	243	-
Male	662	14	3	6	27	15	17	41	101	168	199	71	-
Female	588	9	3	3	6	12	10	17	61	116	179	172	-
White	1,226	18	6	9	32	27	27	58	157	275	374	243	-
Male	650	11	3	6	26	15	17	41	100	162	198	71	-
Female	576	7	3	3	6	12	10	17	57	113	176	172	-
All other	24	5	-	-	1	-	-	-	5	9	4	-	-
Male	12	3	-	-	1	-	-	-	1	6	1	-	-
Female	12	2	-	-	-	-	-	-	4	3	3	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro--Winston-Salem--High Point, N.C	6,623	134	25	35	116	188	236	517	1,053	1,679	1,608	1,032	-
Male	3,573	77	14	21	84	130	157	333	672	987	766	332	-
Female	3,050	57	11	14	32	58	79	184	381	692	842	700	-
White	5,309	80	15	22	99	123	146	387	845	1,352	1,324	918	-
Male	2,853	49	7	15	67	89	91	259	547	812	629	288	-
Female	2,456	31	8	7	32	34	55	128	298	540	695	628	-
All other	1,314	54	10	13	17	65	90	130	208	327	284	116	-
Male	720	28	7	6	17	41	66	74	125	175	137	44	-
Female	594	26	3	7	-	24	24	56	83	152	147	72	-
Black	1,308	54	10	13	17	64	90	129	207	325	284	115	-
Male	716	28	7	6	17	40	66	73	125	173	137	44	-
Female	592	26	3	7	-	24	24	56	82	152	147	71	-
Greenville-Spartanburg, S.C	4,442	118	24	26	88	131	158	325	783	1,182	1,057	570	-
Male	2,438	63	12	17	67	94	106	207	493	721	492	166	-
Female	2,004	55	12	9	21	37	52	118	270	461	565	404	-
White	3,613	82	18	17	72	91	110	240	603	939	933	508	-
Male	1,977	48	9	12	58	63	80	156	404	575	434	140	-
Female	1,636	34	9	5	16	28	30	84	199	364	499	368	-
All other	829	36	6	9	16	40	48	85	180	243	124	62	-
Male	461	15	3	5	11	31	26	51	89	146	58	26	-
Female	368	21	3	4	5	9	22	34	71	97	66	36	-
Black	823	38	6	9	14	39	48	84	160	242	123	62	-
Male	457	15	3	5	10	30	26	51	89	145	57	26	-
Female	366	21	3	4	4	9	22	33	71	97	66	36	-
Hagerstown, Md	1,033	12	3	3	12	13	23	52	181	240	289	205	-
Male	537	7	2	3	9	10	13	34	111	141	137	70	-
Female	496	5	1	-	3	3	10	18	70	99	152	135	-
White	1,007	11	3	3	11	13	23	50	173	237	281	202	-
Male	523	6	2	3	9	10	13	33	104	140	134	69	-
Female	484	5	1	-	2	3	10	17	69	97	147	133	-
All other	26	1	-	-	1	-	-	2	8	3	8	3	-
Male	14	1	-	-	-	-	-	1	7	1	3	1	-
Female	12	-	-	-	1	-	-	1	1	2	5	2	-
Black	25	1	-	-	-	-	-	2	8	3	8	3	-
Male	14	1	-	-	-	-	-	1	7	1	3	1	-
Female	11	-	-	-	-	-	-	1	1	2	5	2	-
Hamilton-Middletown, Ohio	1,838	48	8	16	38	35	53	130	280	403	499	328	-
Male	965	23	7	12	25	26	34	76	172	234	246	110	-
Female	873	25	1	4	13	9	19	54	108	169	253	218	-
White	1,718	41	8	15	35	34	41	120	263	379	465	317	-
Male	903	19	7	11	23	25	26	71	162	222	232	105	-
Female	815	22	1	4	12	9	15	49	101	157	233	212	-
All other	120	7	-	1	3	1	12	10	17	24	34	11	-
Male	62	4	-	1	2	1	8	5	10	12	14	5	-
Female	58	3	-	-	1	-	4	5	7	12	20	6	-
Black	120	7	-	1	3	1	12	10	17	24	34	11	-
Male	62	4	-	1	2	1	8	5	10	12	14	5	-
Female	58	3	-	-	1	-	4	5	7	12	20	6	-
Harrisburg, Pa	4,100	73	8	14	65	61	85	226	657	975	1,120	813	3
Male	2,128	47	5	6	51	41	59	151	416	577	515	280	-
Female	1,972	26	3	8	14	20	26	75	241	398	605	553	3
White	3,814	64	6	10	59	48	72	196	611	895	1,069	784	-
Male	1,949	40	5	4	47	31	48	130	385	527	485	247	-
Female	1,865	24	1	6	12	17	24	66	226	368	584	537	-
All other	286	9	2	4	6	13	13	30	46	80	51	29	3
Male	179	7	-	2	4	10	11	21	31	50	30	13	-
Female	107	2	2	2	2	3	2	9	15	30	21	16	3
Black	279	8	2	4	6	12	13	30	43	79	50	29	3
Male	173	6	-	2	4	9	11	21	29	49	29	13	-
Female	106	2	2	2	2	3	2	9	14	30	21	16	3
Hartford-New Britain-Bristol, Conn	8,673	153	19	38	180	185	210	529	1,282	2,052	2,245	1,779	1
Male	4,559	97	12	26	132	128	138	315	824	1,207	1,071	608	1
Female	4,114	56	7	12	48	57	72	214	458	845	1,174	1,171	-
White	8,242	117	19	34	159	155	169	479	1,193	1,974	2,167	1,755	1
Male	4,302	73	12	23	114	107	111	277	768	1,165	1,050	601	1
Female	3,940	44	7	11	45	48	58	202	425	809	1,137	1,154	-
All other	431	36	-	4	21	30	41	50	89	78	58	24	-
Male	257	24	-	3	18	21	27	38	56	42	21	7	-
Female	174	12	-	1	3	9	14	12	33	36	37	17	-
Black	418	35	-	4	21	30	39	48	88	75	55	23	-
Male	248	23	-	3	18	21	25	37	56	40	18	7	-
Female	170	12	-	1	3	9	14	11	32	35	37	16	-
Hickory, N.C	958	26	4	11	30	19	32	64	147	258	224	143	-
Male	544	12	3	4	23	16	21	46	97	168	109	45	-
Female	414	14	1	7	7	3	11	18	50	90	115	98	-
White	863	20	2	8	26	13	29	56	127	237	207	138	-
Male	484	8	2	3	20	11	19	39	81	154	103	44	-
Female	379	12	-	5	6	2	10	17	46	83	104	94	-
All other	95	6	2	3	4	6	3	8	20	21	17	5	-
Male	60	4	1	1	3	5	2	7	16	14	6	1	-
Female	35	2	1	2	1	1	1	1	4	7	11	4	-
Black	93	6	2	3	4	6	3	7	20	20	17	5	-
Male	58	4	1	1	3	5	2	6	16	13	6	1	-
Female	35	2	1	2	1	1	1	1	4	7	11	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Honolulu, Hawaii	3,617	128	16	31	125	111	158	286	633	859	854	611	3
Male	2,238	82	11	18	90	77	101	162	401	539	508	247	2
Female	1,579	46	7	13	35	34	57	124	232	320	346	364	1
White	1,260	31	3	10	48	40	66	75	215	291	286	194	1
Male	722	15	2	8	40	29	45	46	136	177	162	62	–
Female	538	16	1	2	8	11	21	29	79	114	124	132	1
All other	2,357	97	15	21	77	71	92	211	418	568	568	417	2
Male	1,516	67	9	10	50	48	56	116	265	362	346	185	2
Female	1,041	30	6	11	27	23	36	95	153	206	222	232	–
Black	39	10	–	2	5	5	1	3	6	2	1	3	1
Male	30	9	–	1	4	5	–	3	3	1	1	2	1
Female	9	1	–	1	1	–	1	–	3	1	–	1	–
Houston, Tex	18,559	720	162	167	926	1,168	1,068	1,790	3,055	3,753	3,694	2,055	1
Male	10,656	397	77	99	712	897	798	1,175	1,963	2,143	1,734	720	1
Female	7,903	323	85	68	214	271	330	615	1,092	1,610	1,960	1,335	–
White	14,393	505	118	136	754	846	782	1,329	2,289	2,939	2,957	1,737	1
Male	8,230	291	60	82	579	659	542	887	1,486	1,699	1,367	577	1
Female	6,163	214	58	54	175	187	240	442	803	1,240	1,590	1,160	–
All other	4,166	215	44	31	172	322	286	461	766	814	737	318	–
Male	2,426	106	17	17	133	238	196	288	477	444	367	143	–
Female	1,740	109	27	14	39	84	90	173	289	370	370	175	–
Black	4,013	200	40	30	165	308	262	444	739	790	722	313	–
Male	2,336	99	15	16	127	230	183	281	459	429	356	141	–
Female	1,677	101	25	14	38	78	79	163	280	361	366	172	–
Huntington-Ashland, W. Va.-Ky.-Ohio	2,986	41	7	10	53	61	72	185	470	745	816	526	–
Male	1,578	30	2	7	40	43	47	111	295	426	387	190	–
Female	1,408	11	5	3	13	18	25	74	175	319	429	336	–
White	2,862	38	7	9	53	58	72	173	446	717	797	512	–
Male	1,517	28	2	6	40	41	47	104	282	407	377	183	–
Female	1,365	10	5	3	13	17	25	69	164	310	420	329	–
All other	104	3	–	1	–	3	–	12	24	28	19	14	–
Male	61	2	–	1	–	2	–	7	13	19	10	7	–
Female	43	1	–	–	–	1	–	5	11	9	9	7	–
Black	102	3	–	1	–	3	–	12	24	28	18	13	–
Male	59	2	–	1	–	2	–	7	13	19	9	6	–
Female	43	1	–	–	–	1	–	5	11	9	9	7	–
Huntsville, Ala	2,285	45	12	16	57	68	73	167	384	568	578	327	–
Male	1,309	27	7	10	48	56	56	112	240	381	270	102	–
Female	986	18	5	6	9	12	17	55	144	187	308	225	–
White	1,962	30	6	13	47	56	55	139	328	497	507	284	–
Male	1,109	18	4	7	40	46	46	92	209	330	236	81	–
Female	853	12	2	6	7	10	9	47	119	167	271	203	–
All other	323	15	6	3	10	12	18	28	56	71	71	43	–
Male	200	9	3	3	8	10	10	20	31	51	34	21	–
Female	133	6	3	–	2	2	8	8	25	20	37	22	–
Black	331	15	6	3	10	12	18	28	56	70	70	43	–
Male	199	9	3	3	8	10	10	20	31	50	34	21	–
Female	132	6	3	–	2	2	8	8	25	20	36	22	–
Indianapolis, Ind	9,617	244	32	43	184	206	261	644	1,479	2,239	2,522	1,762	1
Male	4,950	131	19	29	135	141	174	391	925	1,306	1,144	554	1
Female	4,667	113	13	14	49	65	87	253	554	933	1,378	1,208	–
White	8,272	163	27	32	146	162	206	515	1,233	1,927	2,251	1,609	1
Male	4,167	91	16	20	102	107	136	307	775	1,116	1,009	487	1
Female	4,105	72	11	12	44	55	70	208	458	811	1,242	1,122	–
All other	1,345	81	5	11	38	44	55	129	246	312	271	153	–
Male	783	40	3	9	33	34	38	84	150	190	135	67	–
Female	562	41	2	2	5	10	17	45	96	122	136	86	–
Black	1,337	81	5	11	38	43	55	128	244	311	268	153	–
Male	778	40	3	9	33	34	38	83	148	190	133	67	–
Female	559	41	2	2	5	9	17	45	96	121	135	86	–
Iowa City, Iowa	404	17	2	5	7	22	11	23	41	84	100	92	–
Male	219	12	2	4	3	14	8	16	27	51	50	32	–
Female	185	5	–	1	4	8	3	7	14	33	50	60	–
White	397	17	1	5	7	22	11	23	40	79	100	92	–
Male	214	12	1	4	3	14	8	16	27	47	50	32	–
Female	183	5	–	1	4	8	3	7	13	32	50	60	–
All other	7	–	1	–	–	–	–	–	1	5	–	–	–
Male	5	–	1	–	–	–	–	–	–	4	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black	4	–	–	–	–	–	–	–	1	3	–	–	–
Male	3	–	–	–	–	–	–	–	–	3	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Jackson, Mich	1,259	34	3	4	26	30	27	81	187	295	327	245	–
Male	629	16	1	3	18	20	16	39	118	179	149	70	–
Female	630	18	2	1	8	10	11	42	69	116	178	175	–
White	1,197	34	2	4	24	27	27	76	169	281	311	242	–
Male	598	16	–	3	16	17	16	37	107	173	143	70	–
Female	599	18	2	1	8	10	11	39	62	108	168	172	–
All other	62	–	1	–	2	3	–	5	18	14	16	3	–
Male	31	–	1	–	2	3	–	2	11	6	6	–	–
Female	31	–	–	–	–	–	–	3	7	8	10	3	–
Black	62	–	1	–	2	3	–	5	18	14	16	3	–
Male	31	–	1	–	2	3	–	2	11	6	6	–	–
Female	31	–	–	–	–	–	–	3	7	8	10	3	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Miss	2,593	89	15	19	71	86	100	196	392	601	663	356	5
Male	1,383	43	5	13	48	63	65	127	248	345	332	91	3
Female	1,210	46	10	6	23	23	35	69	144	256	331	265	2
White	1,571	23	8	10	37	37	48	105	234	377	443	247	2
Male	840	11	3	6	26	27	34	68	151	231	223	59	1
Female	731	12	5	4	11	10	14	37	83	146	220	188	1
All other	1,022	66	7	9	34	49	52	91	158	224	220	109	3
Male	543	32	2	7	22	36	31	59	97	114	109	32	2
Female	479	34	5	2	12	13	21	32	61	110	111	77	1
Black	1,021	66	7	9	33	49	52	91	158	224	220	109	3
Male	542	32	2	7	21	36	31	59	97	114	109	32	2
Female	479	34	5	2	12	13	21	32	61	110	111	77	1
Jacksonville, Fla	6,478	182	41	41	194	186	197	486	1,155	1,580	1,555	860	1
Male	3,466	95	22	21	146	134	126	299	735	896	716	275	1
Female	3,012	87	19	20	48	52	71	187	420	684	839	585	-
White	4,922	94	24	28	147	120	132	343	867	1,184	1,249	733	1
Male	2,644	49	14	15	113	87	83	220	567	675	588	232	1
Female	2,278	45	10	13	34	33	49	123	300	509	661	501	-
All other	1,556	88	17	13	47	66	65	143	288	396	306	127	-
Male	822	46	8	6	33	47	43	79	168	221	128	43	-
Female	734	42	9	7	14	19	22	64	120	175	178	84	-
Black	1,533	87	17	12	44	65	61	139	287	393	301	127	-
Male	803	45	8	5	30	47	40	77	167	218	123	43	-
Female	730	42	9	7	14	18	21	62	120	175	178	84	-
Jacksonville, N.C	480	46	4	4	33	14	25	39	79	106	85	45	-
Male	284	28	1	1	29	11	15	20	54	63	46	16	-
Female	196	18	3	3	4	3	10	19	25	43	39	29	-
White	371	28	3	2	24	10	19	26	61	88	70	39	-
Male	223	18	1	1	22	8	13	14	41	54	37	14	-
Female	148	11	2	1	2	2	6	12	20	34	33	25	-
All other	109	17	1	2	9	4	6	13	18	18	15	6	-
Male	61	10	-	-	7	3	2	6	13	9	9	2	-
Female	48	7	1	2	2	1	4	7	5	9	6	4	-
Black	109	17	1	2	9	4	6	13	18	18	15	6	-
Male	61	10	-	-	7	3	2	6	13	9	9	2	-
Female	48	7	1	2	2	1	4	7	5	9	6	4	-
Janesville-Beloit, Wis	1,174	22	2	4	18	25	24	65	144	273	347	250	-
Male	595	13	-	3	15	18	15	42	88	156	173	74	-
Female	579	9	2	1	3	7	9	23	56	117	174	176	-
White	1,149	21	1	3	17	23	23	63	140	267	342	249	-
Male	580	12	-	2	14	17	14	41	83	154	170	73	-
Female	569	9	1	1	3	6	9	22	57	113	172	176	-
All other	25	1	1	1	1	2	1	2	4	6	5	1	-
Male	15	1	-	1	1	1	1	1	3	2	3	1	-
Female	10	-	1	-	-	1	-	1	1	4	2	-	-
Black	23	1	1	1	1	2	1	2	4	6	3	1	-
Male	13	1	-	1	1	1	1	1	3	2	1	1	-
Female	10	-	1	-	-	1	-	1	1	4	2	-	-
Jersey City, N.J	5,769	141	30	24	93	146	163	368	904	1,427	1,513	955	5
Male	2,997	81	18	16	66	107	111	236	554	815	679	309	5
Female	2,772	60	12	8	27	39	52	132	350	612	834	646	-
White	5,179	83	24	18	74	102	116	294	804	1,305	1,433	921	5
Male	2,655	51	13	12	57	76	76	187	490	741	646	301	5
Female	2,524	32	11	6	17	26	40	107	314	564	787	620	-
All other	590	58	6	6	19	44	47	74	100	122	80	34	-
Male	342	30	5	4	9	31	35	49	64	74	33	8	-
Female	248	28	1	2	10	13	12	25	36	48	47	26	-
Black	557	51	5	4	19	42	43	73	95	115	76	34	-
Male	323	29	4	3	9	29	33	49	61	67	31	8	-
Female	234	22	1	1	10	13	10	24	34	48	45	26	-
Johnson City-Kingsport-Bristol, Tenn.-Va	3,729	74	12	18	75	74	118	249	597	921	997	594	-
Male	2,113	47	7	8	57	52	82	162	398	573	508	221	-
Female	1,616	27	5	10	18	22	36	87	201	348	489	373	-
White	3,633	71	10	17	73	73	113	242	576	898	977	583	-
Male	2,068	45	7	8	55	51	80	157	386	562	500	217	-
Female	1,565	26	3	9	18	22	33	85	190	336	477	366	-
All other	96	3	2	1	2	1	5	7	21	23	20	11	-
Male	45	2	-	-	2	1	2	5	10	11	8	4	-
Female	51	1	2	1	-	-	3	2	11	12	12	7	-
Black	94	3	2	1	2	1	4	6	21	23	20	11	-
Male	44	2	-	-	2	1	2	4	10	11	8	4	-
Female	50	1	2	1	-	-	2	2	11	12	12	7	-
Johnstown, Pa	2,631	44	3	9	39	33	43	133	421	723	724	459	-
Male	1,451	25	1	7	26	24	30	80	269	436	350	191	-
Female	1,180	19	2	2	13	9	13	43	152	285	374	268	-
White	2,597	43	3	9	38	31	43	129	410	720	716	455	-
Male	1,433	24	1	7	26	22	30	88	262	437	347	189	-
Female	1,164	19	2	2	12	9	13	41	148	283	369	266	-
All other	34	1	-	-	1	2	-	4	11	3	8	4	-
Male	18	1	-	-	-	2	-	2	7	1	3	2	-
Female	16	-	-	-	1	-	-	2	4	2	5	2	-
Black	33	1	-	-	1	2	-	4	10	3	8	4	-
Male	17	1	-	-	-	2	-	2	6	1	3	2	-
Female	16	-	-	-	1	-	-	2	4	2	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, Mo	1,466	22	6	7	28	23	29	61	176	399	428	286	–
Male	759	17	3	3	23	14	12	36	108	247	203	93	–
Female	707	5	3	4	6	9	17	25	68	152	225	193	–
White	1,447	22	6	7	28	22	29	60	173	394	421	285	–
Male	750	17	3	3	22	13	12	35	106	245	201	93	–
Female	697	5	3	4	6	9	17	25	67	149	220	192	–
All other	19	–	–	–	1	1	–	1	3	5	7	1	–
Male	9	–	–	–	1	1	–	1	2	2	2	–	–
Female	10	–	–	–	–	–	–	–	1	3	5	1	–
Black	13	–	–	–	–	–	–	1	3	4	5	–	–
Male	6	–	–	–	–	–	–	1	2	1	2	–	–
Female	7	–	–	–	–	–	–	–	1	3	3	–	–
Kalamazoo-Portage, Mich	2,054	54	9	14	40	41	45	129	262	443	570	447	–
Male	1,053	30	4	11	29	24	32	92	152	246	286	147	–
Female	1,001	24	5	3	11	17	13	37	110	197	284	300	–
White	1,894	35	8	13	32	36	41	113	248	413	525	430	–
Male	956	18	3	10	25	22	30	78	145	231	252	142	–
Female	938	17	5	3	7	14	11	35	103	182	273	288	–
All other	160	19	1	1	8	5	4	16	14	30	45	17	–
Male	97	12	1	1	4	2	2	14	7	15	34	5	–
Female	63	7	–	–	4	3	2	2	7	15	11	12	–
Black	151	17	1	1	6	4	4	15	14	29	44	16	–
Male	91	11	1	1	4	1	2	13	7	14	33	4	–
Female	60	6	–	–	2	3	2	2	7	15	11	12	–
Kankakee, Ill	873	29	5	3	14	24	24	61	133	193	250	137	–
Male	463	19	2	1	9	14	9	33	80	122	124	50	–
Female	410	10	3	2	5	10	15	28	53	71	126	87	–
White	752	12	2	1	9	15	20	49	111	172	228	133	–
Male	396	9	–	–	6	10	7	25	68	109	113	49	–
Female	356	3	2	1	3	5	13	24	43	63	115	84	–
All other	121	17	3	2	5	9	4	12	22	21	22	4	–
Male	67	10	2	1	3	4	2	8	12	13	11	1	–
Female	54	7	1	1	2	5	2	4	10	8	11	3	–
Black	119	16	3	2	5	9	4	12	22	20	22	4	–
Male	66	10	2	1	3	4	2	8	12	12	11	1	–
Female	53	6	1	1	2	5	2	4	10	8	11	3	–
Kansas City, Mo.-Kans	11,177	279	59	49	244	285	323	688	1,706	2,520	2,896	2,125	3
Male	5,805	148	34	33	183	181	199	400	1,108	1,502	1,359	658	2
Female	5,372	131	25	16	61	104	124	288	600	1,018	1,537	1,467	1
White	9,564	196	39	35	178	229	245	541	1,408	2,187	2,554	1,950	2
Male	4,924	103	24	25	134	143	153	311	938	1,299	1,206	587	1
Female	4,640	93	15	10	44	86	92	230	470	888	1,348	1,363	1
All other	1,613	83	20	14	66	56	78	147	298	333	342	175	1
Male	881	45	10	8	49	38	46	89	168	203	153	71	1
Female	732	38	10	6	17	18	32	58	130	130	189	104	–
Black	1,584	81	20	12	63	55	75	145	295	330	334	173	1
Male	865	44	10	7	47	37	44	88	168	200	149	70	1
Female	719	37	10	5	16	18	31	57	127	130	185	103	–
Kenosha, Wis	962	18	1	3	23	13	20	56	128	218	277	204	–
Male	527	11	1	3	17	11	16	38	75	143	132	80	–
Female	435	7	–	–	6	2	4	18	54	75	145	124	–
White	949	17	1	3	22	12	19	52	128	217	275	203	–
Male	521	11	1	3	16	11	15	36	74	142	132	80	–
Female	428	6	–	–	6	1	4	16	54	75	143	123	–
All other	13	1	–	–	1	1	1	4	1	1	2	1	–
Male	6	–	–	–	1	–	1	2	1	1	–	–	–
Female	7	1	–	–	–	1	–	2	–	–	2	1	–
Black	13	1	–	–	1	1	1	4	1	1	2	1	–
Male	6	–	–	–	1	–	1	2	1	1	–	–	–
Female	7	1	–	–	–	1	–	2	–	–	2	1	–
Killeen-Temple, Tex	1,288	67	8	12	63	40	50	89	191	258	295	215	–
Male	742	43	5	5	49	28	32	67	122	167	159	85	–
Female	546	24	3	7	14	12	18	22	69	91	136	130	–
White	1,135	49	6	10	43	30	40	72	171	239	272	204	–
Male	652	28	5	4	34	21	27	55	114	155	148	61	–
Female	483	20	1	6	9	9	13	17	57	84	124	143	–
All other	153	19	2	2	20	10	10	17	20	19	23	11	–
Male	90	15	–	1	15	7	5	12	8	12	11	4	–
Female	63	4	2	1	5	3	5	5	12	7	12	7	–
Black	147	18	2	2	20	9	9	16	20	19	22	10	–
Male	87	14	–	1	15	7	5	11	8	12	10	4	–
Female	60	4	2	1	5	2	4	5	12	7	12	6	–
Knoxville, Tenn	4,064	52	17	21	83	110	118	273	606	1,008	1,074	702	–
Male	2,146	29	11	9	60	70	69	164	398	599	516	221	–
Female	1,918	23	6	12	23	40	49	109	208	409	558	481	–
White	3,684	42	15	17	72	89	107	239	546	905	989	663	–
Male	1,932	23	11	7	55	58	64	144	359	537	469	205	–
Female	1,752	19	4	10	17	31	43	95	187	368	520	458	–
All other	380	10	2	4	11	21	11	34	60	103	85	39	–
Male	214	6	–	2	5	12	5	20	39	62	47	16	–
Female	166	4	2	2	6	9	6	14	21	41	38	23	–
Black	375	9	2	4	11	21	11	32	60	101	85	39	–
Male	210	5	–	2	5	12	5	19	39	60	47	16	–
Female	165	4	2	2	6	9	6	13	21	41	38	23	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	849	20	1	6	15	16	27	72	112	193	207	180	-
Male	440	12	-	5	12	12	13	45	77	125	90	49	-
Female	409	8	1	1	3	4	14	27	35	68	117	131	-
White	821	20	1	6	15	15	23	69	109	189	198	176	-
Male	420	12	-	5	12	11	11	43	75	122	83	46	-
Female	401	8	1	1	3	4	12	26	34	67	115	130	-
All other	28	-	-	-	-	1	4	3	3	4	9	4	-
Male	20	-	-	-	-	1	2	2	2	3	7	3	-
Female	8	-	-	-	-	-	2	1	1	1	2	1	-
Black	27	-	-	-	-	1	4	3	3	3	9	4	-
Male	19	-	-	-	-	1	2	2	2	2	7	3	-
Female	8	-	-	-	-	-	2	1	1	1	2	1	-
La Crosse, Wis	764	18	4	3	9	12	16	35	100	159	222	186	-
Male	393	6	3	1	7	10	9	21	63	93	118	62	-
Female	371	12	1	2	2	2	7	14	37	66	104	124	-
White	763	18	4	3	9	12	16	34	100	159	222	186	-
Male	393	6	3	1	7	10	9	21	63	93	118	62	-
Female	370	12	1	2	2	2	7	13	37	66	104	124	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	951	34	9	12	40	41	53	89	158	220	199	95	1
Male	529	19	3	9	31	30	35	66	87	125	91	32	1
Female	422	15	6	3	9	11	18	23	71	95	108	63	-
White	725	14	7	10	30	33	37	61	112	179	168	74	-
Male	404	6	3	7	23	24	26	45	68	102	76	24	-
Female	321	8	4	3	7	9	11	16	44	77	92	50	-
All other	226	20	2	2	10	8	16	28	46	41	31	21	1
Male	125	13	-	2	8	6	9	21	19	23	15	8	1
Female	101	7	2	-	2	2	7	7	27	18	16	13	-
Black	225	20	2	2	9	8	16	28	46	41	31	21	1
Male	124	13	-	2	7	6	9	21	19	23	15	8	1
Female	101	7	2	-	2	2	7	7	27	18	16	13	-
Lafayette-West Lafayette, Ind	811	20	1	1	17	21	15	43	123	188	217	185	-
Male	409	14	-	1	15	17	11	27	77	92	97	58	-
Female	402	6	1	-	2	4	4	16	46	76	120	127	-
White	801	19	1	1	16	19	15	42	121	167	216	184	-
Male	404	13	-	1	14	15	11	27	76	92	97	58	-
Female	397	6	1	-	2	4	4	15	45	75	119	126	-
All other	10	1	-	-	1	2	-	1	2	1	1	1	-
Male	5	1	-	-	1	2	-	-	1	-	-	-	-
Female	5	-	-	-	-	-	-	1	1	1	1	1	-
Black	7	1	-	-	-	2	-	-	1	1	1	1	-
Male	4	1	-	-	-	2	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Lake Charles, La	1,233	37	6	13	35	47	46	113	203	288	290	155	-
Male	690	15	2	9	23	38	28	82	136	176	131	52	-
Female	543	21	4	4	12	9	18	31	70	112	159	103	-
White	942	23	4	8	22	30	32	77	146	223	242	135	-
Male	519	10	2	6	13	24	19	60	97	141	106	41	-
Female	423	13	2	2	9	6	13	17	49	82	136	94	-
All other	291	14	2	5	13	17	14	36	57	65	48	20	-
Male	171	6	-	3	10	14	9	22	36	35	25	11	-
Female	120	8	2	2	3	3	5	14	21	30	23	9	-
Black	290	13	2	5	13	17	14	36	57	65	48	20	-
Male	171	6	-	3	10	14	9	22	36	35	25	11	-
Female	119	7	2	2	3	3	5	14	21	30	23	9	-
Lakeland-Winter Haven, Fla	3,234	73	16	8	80	67	89	227	486	825	846	517	-
Male	1,835	40	8	8	53	54	53	146	315	514	453	191	-
Female	1,399	33	8	-	27	13	36	81	171	311	393	326	-
White	2,832	46	14	6	66	51	68	187	398	725	774	498	-
Male	1,602	26	7	6	46	40	40	122	264	455	415	191	-
Female	1,230	20	7	-	20	11	28	65	135	270	359	315	-
All other	402	27	2	2	14	16	21	40	87	100	72	21	-
Male	233	14	1	2	7	14	13	24	51	59	38	10	-
Female	169	13	1	-	7	2	8	16	36	41	34	11	-
Black	401	27	2	2	14	16	21	39	87	100	72	21	-
Male	232	14	1	2	7	14	13	23	51	59	38	10	-
Female	169	13	1	-	7	2	8	16	36	41	34	11	-
Lancaster, Pa	3,091	65	15	15	44	39	59	142	375	683	908	744	2
Male	1,548	33	7	13	37	26	41	89	233	375	439	254	1
Female	1,543	32	8	2	7	13	18	53	142	308	469	490	1
White	3,042	62	14	12	44	39	57	139	368	668	901	738	2
Male	1,515	31	7	10	37	26	39	88	227	384	434	251	1
Female	1,527	31	7	2	7	13	18	51	139	304	467	487	1
All other	49	3	1	3	-	-	2	3	9	15	7	6	-
Male	33	2	-	3	-	-	2	1	6	11	5	3	-
Female	16	1	1	-	-	-	-	2	3	4	2	3	-
Black	47	3	1	3	-	-	2	2	9	15	7	5	-
Male	32	2	-	3	-	-	2	1	6	11	5	2	-
Female	15	1	1	-	-	-	-	1	3	4	2	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing-East Lansing, Mich	2,910	74	16	24	56	63	83	191	404	597	794	608	–
Male	1,503	47	12	14	41	42	51	118	247	356	373	202	–
Female	1,407	27	4	10	15	21	32	73	157	241	421	406	–
White	2,793	65	14	21	54	57	76	174	382	573	776	601	–
Male	1,437	40	11	12	40	36	48	106	238	342	366	198	–
Female	1,356	25	3	9	14	21	28	68	144	231	410	403	–
All other	117	9	2	3	2	6	7	17	22	24	18	7	–
Male	66	7	1	2	1	6	3	12	9	14	7	4	–
Female	51	2	1	1	1	–	4	5	13	10	11	3	–
Black	110	8	2	3	1	6	5	17	22	22	17	7	–
Male	63	7	1	2	1	6	1	12	9	13	7	4	–
Female	47	1	1	1	–	–	4	5	13	9	10	3	–
Laredo, Tex	586	15	–	1	23	21	20	32	72	117	152	131	2
Male	321	10	–	–	19	17	15	20	43	62	77	58	2
Female	265	5	–	1	4	4	5	12	29	55	75	75	–
White	586	15	–	1	23	21	20	32	72	117	152	131	2
Male	321	10	–	–	19	17	15	20	43	62	77	56	2
Female	265	5	–	1	4	4	5	12	29	55	75	75	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Las Cruces, N.Mex	523	22	5	7	16	16	14	35	61	144	123	80	–
Male	306	16	3	5	11	11	10	21	38	97	69	34	–
Female	217	6	2	2	5	5	4	14	23	47	63	46	–
White	515	22	5	7	16	16	13	34	58	143	121	80	–
Male	300	16	3	5	11	11	9	20	36	96	59	34	–
Female	215	6	2	2	5	5	4	14	22	47	62	46	–
All other	8	–	–	–	–	–	1	1	3	1	2	–	–
Male	6	–	–	–	–	–	1	1	2	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Black	7	–	–	–	–	–	–	1	3	1	2	–	–
Male	5	–	–	–	–	–	–	1	2	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	–	1	–	–
Las Vegas, Nev	3,620	90	23	16	166	198	178	340	662	907	747	291	2
Male	2,198	55	9	11	120	143	130	218	418	572	416	106	–
Female	1,422	35	14	5	46	55	48	122	244	335	331	185	2
White	3,292	65	15	12	137	164	155	305	602	845	716	274	2
Male	1,985	44	5	7	97	117	110	196	377	529	400	103	–
Female	1,307	21	10	5	40	47	45	109	225	316	316	171	2
All other	328	25	8	4	29	34	23	35	60	62	31	17	–
Male	213	11	4	4	23	26	20	22	41	43	16	3	–
Female	115	14	4	–	6	8	3	13	19	19	15	14	–
Black	289	24	7	4	25	26	23	31	50	55	29	15	–
Male	186	11	3	4	19	19	20	19	34	39	15	3	–
Female	103	13	4	–	6	7	3	12	16	16	14	12	–
Lawrence, Kans	350	14	2	1	4	7	7	14	36	65	112	88	–
Male	192	7	1	–	4	4	4	11	21	39	64	37	–
Female	158	7	1	1	–	3	3	3	15	26	48	51	–
White	330	10	1	1	4	7	6	13	33	63	107	85	–
Male	182	5	–	–	4	4	4	10	19	38	61	37	–
Female	148	5	1	1	–	3	2	3	14	25	46	48	–
All other	20	4	1	–	–	–	1	1	3	2	5	3	–
Male	10	2	1	–	–	–	–	1	2	1	3	–	–
Female	10	2	–	–	–	–	1	–	1	1	2	3	–
Black	17	4	–	–	–	–	–	1	2	2	5	3	–
Male	8	2	–	–	–	–	–	1	1	1	3	–	–
Female	9	2	–	–	–	–	–	–	1	1	2	3	–
Lawton, Okla	742	48	1	11	16	29	18	66	110	180	160	103	–
Male	399	25	1	9	12	23	13	41	72	107	75	21	–
Female	343	23	–	2	4	6	5	25	38	73	85	82	–
White	622	29	1	11	8	20	13	49	93	154	145	99	–
Male	329	16	1	9	7	15	11	31	61	94	65	19	–
Female	293	13	–	2	1	5	2	18	32	60	80	80	–
All other	120	19	–	–	8	9	5	17	17	26	15	4	–
Male	70	9	–	–	5	8	2	10	11	13	10	2	–
Female	50	10	–	–	3	1	3	7	6	13	5	2	–
Black	95	14	–	–	4	9	5	13	13	20	14	3	–
Male	59	8	–	–	4	8	2	8	9	9	9	2	–
Female	36	6	–	–	–	1	3	5	4	11	5	1	–
Lewiston-Auburn, Maine	951	19	4	5	12	20	15	56	123	219	283	195	–
Male	491	14	3	2	10	13	8	38	91	128	121	63	–
Female	460	5	1	3	2	7	7	18	32	91	162	132	–
White	950	19	4	5	12	19	15	56	123	219	283	195	–
Male	490	14	3	2	10	12	8	38	91	128	121	63	–
Female	460	5	1	3	2	7	7	18	32	91	162	132	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lexington-Fayette, Ky	2,348	56	10	9	57	67	68	156	366	538	592	428	1
Male	1,269	34	9	5	44	47	46	104	226	321	278	155	-
Female	1,079	22	1	4	13	20	22	52	140	217	314	273	1
White	2,001	43	9	8	50	56	61	128	302	452	515	375	1
Male	1,082	27	8	5	40	40	40	88	191	275	239	131	-
Female	919	16	1	3	10	16	21	43	111	177	276	244	1
All other	347	13	1	1	7	11	7	27	64	86	77	53	-
Male	187	7	1	-	4	7	6	18	35	46	39	24	-
Female	160	6	-	1	3	4	1	9	29	40	38	29	-
Black	345	13	1	1	6	10	7	27	64	86	77	53	-
Male	186	7	1	-	3	7	6	18	35	46	39	24	-
Female	159	6	-	1	3	3	1	9	29	40	38	29	-
Lima, Ohio	1,634	34	8	9	28	32	37	89	256	420	520	403	-
Male	974	21	6	6	18	21	26	46	170	272	252	136	-
Female	860	13	2	3	8	11	11	43	86	148	268	267	-
White	1,778	31	7	8	22	30	35	80	246	409	513	398	-
Male	944	20	6	6	15	21	25	39	162	266	250	134	-
Female	835	11	1	2	7	9	10	41	84	143	263	264	-
All other	55	3	1	1	4	2	2	9	10	11	7	5	-
Male	30	1	-	-	3	-	1	7	8	6	2	2	-
Female	25	2	1	1	1	2	1	2	2	5	5	3	-
Black	51	3	1	1	4	2	2	7	10	11	6	4	-
Male	28	1	-	-	3	-	1	5	8	6	2	2	-
Female	23	2	1	1	1	2	1	2	2	5	4	2	-
Lincoln, Nebr	1,326	30	4	6	24	18	29	83	170	267	361	336	-
Male	688	19	2	2	19	12	18	43	103	169	187	114	-
Female	638	11	2	4	5	4	11	20	67	98	194	222	-
White	1,310	28	4	6	24	16	28	82	164	267	379	332	-
Male	680	18	2	2	19	12	18	42	99	169	186	113	-
Female	630	10	2	4	5	4	10	20	65	98	193	219	-
All other	16	2	-	-	-	-	1	1	6	-	2	4	-
Male	8	1	-	-	-	-	-	1	4	-	1	1	-
Female	8	1	-	-	-	-	1	-	2	-	1	3	-
Black	14	-	-	-	-	-	1	1	6	-	2	4	-
Male	7	-	-	-	-	-	-	1	4	-	1	1	-
Female	7	-	-	-	-	-	1	-	2	-	1	3	-
Little Rock-North Little Rock, Ark	3,171	72	17	19	66	93	105	227	486	750	812	520	4
Male	1,718	47	8	11	48	61	71	142	317	432	381	199	3
Female	1,453	25	11	8	18	32	34	85	169	318	431	321	1
White	2,449	34	11	12	48	68	72	168	388	585	634	427	4
Male	1,327	22	4	7	33	46	49	107	267	340	300	149	3
Female	1,122	12	7	5	15	20	23	61	121	245	334	278	1
All other	722	38	6	7	18	27	33	59	98	165	178	93	-
Male	391	25	2	4	15	15	22	35	50	92	61	50	-
Female	331	13	4	3	3	12	11	24	48	73	97	43	-
Black	720	38	6	7	18	27	33	58	97	165	178	93	-
Male	389	25	2	4	15	15	22	34	49	92	61	50	-
Female	331	13	4	3	3	12	11	24	48	73	97	43	-
Long Branch-Asbury Park, N.J	4,751	73	10	30	69	71	121	305	660	1,149	1,323	938	2
Male	2,388	43	3	16	47	50	70	188	400	648	608	313	2
Female	2,363	30	7	14	22	21	51	117	260	501	715	625	-
White	4,340	50	5	25	60	59	107	260	581	1,052	1,253	887	1
Male	2,173	30	1	14	42	39	61	167	359	590	573	296	1
Female	2,167	20	4	11	18	20	46	93	222	462	680	591	-
All other	411	23	5	5	9	12	14	45	79	97	70	51	1
Male	215	13	2	2	5	11	9	21	41	58	35	17	1
Female	196	10	3	3	4	1	5	24	38	39	35	34	-
Black	400	23	5	4	9	11	14	42	77	96	70	48	1
Male	209	13	2	2	5	10	9	21	39	57	35	15	1
Female	191	10	3	2	4	1	5	21	38	39	35	33	-
Longview-Marshall, Tex	1,527	35	10	4	47	38	54	120	218	390	384	229	-
Male	851	24	6	3	34	23	40	78	138	231	189	85	-
Female	676	11	4	1	13	15	14	42	78	159	195	144	-
White	1,124	22	5	3	30	26	39	85	155	289	280	190	-
Male	598	14	3	3	22	16	28	55	94	170	128	64	-
Female	526	8	2	-	8	10	10	30	61	119	152	126	-
All other	403	13	5	1	17	12	15	35	61	101	104	39	-
Male	253	10	3	-	12	7	11	23	44	61	61	21	-
Female	150	3	2	1	5	5	4	12	17	40	43	18	-
Black	401	13	5	1	17	11	14	35	61	101	104	39	-
Male	251	10	3	-	12	6	10	23	44	61	61	21	-
Female	150	3	2	1	5	5	4	12	17	40	43	18	-
Lorain-Elyria, Ohio	1,924	49	7	9	41	44	50	97	307	472	468	378	2
Male	1,007	28	3	5	30	31	31	62	193	286	210	129	1
Female	917	23	4	4	11	13	19	35	114	186	258	249	1
White	1,787	42	5	9	38	34	46	84	282	444	440	362	1
Male	934	23	2	5	28	23	28	54	177	270	202	122	-
Female	853	19	3	4	10	11	18	30	105	174	238	240	1
All other	137	7	2	-	3	10	4	13	25	28	28	16	1
Male	73	3	1	-	2	8	3	8	16	16	8	7	1
Female	64	4	1	-	1	2	1	5	9	12	20	9	-
Black	135	7	2	-	3	10	4	13	25	27	27	16	1
Male	72	3	1	-	2	8	3	8	16	15	6	7	1
Female	63	4	1	-	1	2	1	5	9	12	19	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, Calif	59,776	1,503	268	321	1,559	2,131	2,241	4,075	6,749	12,937	14,637	11,309	46
Male	31,130	851	162	187	1,195	1,565	1,459	2,599	5,308	7,332	6,875	3,573	24
Female	28,646	652	106	134	364	566	782	1,476	3,441	5,605	7,762	7,736	22
White	50,598	1,064	193	253	1,184	1,551	1,635	3,072	7,161	11,036	12,965	10,445	39
Male	25,913	604	125	144	918	1,165	1,080	1,961	4,356	6,250	6,042	3,249	19
Female	24,685	460	68	109	266	386	555	1,111	2,805	4,786	6,923	7,196	20
All other	9,178	439	75	68	375	580	606	1,003	1,588	1,901	1,672	864	7
Male	5,217	247	37	43	277	400	379	638	952	1,082	833	324	5
Female	3,961	192	38	25	98	180	227	365	636	819	839	540	2
Black	7,460	374	57	56	323	514	521	839	1,340	1,498	1,286	647	5
Male	4,168	213	30	37	243	357	330	537	794	815	586	223	3
Female	3,292	161	27	19	80	157	191	302	546	683	700	424	2
Louisville, Ky.-Ind	7,936	153	36	30	128	176	232	566	1,344	1,868	2,035	1,367	1
Male	4,043	98	19	22	90	112	133	383	822	1,095	894	395	–
Female	3,893	55	17	8	38	64	99	203	522	773	1,141	972	1
White	6,790	105	30	24	108	137	193	457	1,110	1,595	1,769	1,263	1
Male	3,440	66	16	18	76	91	110	310	687	934	776	356	–
Female	3,350	39	14	6	30	46	83	147	423	661	993	907	1
All other	1,146	48	6	6	22	39	39	109	234	273	266	104	–
Male	603	32	3	4	14	21	23	53	135	161	118	39	–
Female	543	16	3	2	8	18	16	56	99	112	148	65	–
Black	1,138	48	6	6	22	39	38	108	233	270	264	104	–
Male	600	32	3	4	14	21	23	53	134	160	117	39	–
Female	538	16	3	2	8	18	15	55	99	110	147	65	–
Lubbock, Tex	1,442	61	15	13	61	59	50	103	216	307	341	215	1
Male	792	30	14	10	46	39	35	71	133	169	163	60	1
Female	650	31	1	3	15	20	14	32	83	138	158	155	–
White	1,306	46	12	12	58	53	44	85	183	277	325	210	1
Male	707	21	11	9	45	36	33	60	108	151	172	60	1
Female	599	25	1	3	13	17	11	25	75	126	153	150	–
All other	136	15	3	1	3	6	6	18	33	30	16	5	–
Male	85	9	3	1	1	3	3	11	25	18	11	–	–
Female	51	6	–	–	2	3	3	7	8	12	5	5	–
Black	135	15	3	1	3	6	6	18	32	30	16	5	–
Male	85	9	3	1	1	3	3	11	25	18	11	–	–
Female	50	6	–	–	2	3	3	7	7	12	5	5	–
Lynchburg, Va	1,416	24	4	8	16	28	36	84	222	324	409	260	–
Male	751	12	1	5	12	20	19	63	154	186	197	82	–
Female	665	12	3	4	4	8	17	21	68	138	212	178	–
White	1,110	14	4	8	14	17	27	64	167	248	339	208	–
Male	571	8	1	4	10	11	14	49	117	135	154	68	–
Female	539	6	3	4	4	6	13	15	50	113	185	140	–
All other	306	10	–	1	2	11	9	20	55	76	70	52	–
Male	180	4	–	1	2	9	5	14	37	51	43	14	–
Female	126	6	–	–	–	2	4	6	18	25	27	38	–
Black	306	10	–	1	2	11	9	20	55	76	70	52	–
Male	180	4	–	1	2	9	5	14	37	51	43	14	–
Female	126	6	–	–	–	2	4	6	18	25	27	38	–
Macon, Ga	2,074	54	10	10	62	77	78	203	329	508	473	269	1
Male	1,080	23	2	4	42	48	48	123	201	292	217	79	–
Female	994	31	8	6	20	29	28	80	128	216	256	190	1
White	1,385	30	4	4	40	43	37	117	214	337	350	209	–
Male	746	10	–	1	28	30	24	79	134	208	170	62	–
Female	639	20	4	3	12	13	13	38	80	129	180	147	–
All other	689	24	6	6	22	34	41	86	115	171	123	60	1
Male	334	13	2	3	14	18	25	44	67	84	47	17	–
Female	355	11	4	3	8	16	16	42	48	87	76	43	1
Black	687	24	6	6	22	34	40	86	114	171	123	60	1
Male	334	13	2	3	14	18	25	44	67	84	47	17	–
Female	353	11	4	3	8	16	15	42	47	87	76	43	1
Madison, Wis	1,863	53	12	12	42	45	45	95	231	389	499	440	–
Male	968	29	8	8	31	31	29	57	153	225	237	160	–
Female	895	24	4	4	11	14	16	38	78	164	262	280	–
White	1,822	43	10	10	39	39	42	94	227	383	495	440	–
Male	938	21	7	7	29	25	27	57	149	221	235	160	–
Female	884	22	3	3	10	14	15	37	78	162	260	280	–
All other	41	10	2	2	3	6	3	1	4	6	4	–	–
Male	30	8	1	1	2	6	2	–	4	4	2	–	–
Female	11	2	1	1	1	–	1	1	–	2	2	–	–
Black	32	8	1	2	1	4	3	1	2	6	4	–	–
Male	23	7	1	1	–	4	2	–	2	4	2	–	–
Female	9	1	–	1	1	–	1	1	–	2	2	–	–
Manchester-Nashua, N.H	2,184	60	9	12	34	44	60	135	310	520	569	441	–
Male	1,132	37	7	6	18	34	33	86	199	314	260	138	–
Female	1,052	23	2	6	16	10	27	49	111	206	309	303	–
White	2,187	58	9	12	34	44	60	135	309	518	568	440	–
Male	1,130	36	7	6	18	34	33	86	198	314	260	138	–
Female	1,057	22	2	6	16	10	27	49	111	204	308	302	–
All other	7	2	–	–	–	–	–	–	1	2	1	1	–
Male	2	1	–	–	–	–	–	–	1	–	–	–	–
Female	5	1	–	–	–	–	–	–	–	2	1	1	–
Black	7	2	–	–	–	–	–	–	1	2	1	1	–
Male	2	1	–	–	–	–	–	–	1	–	–	–	–
Female	5	1	–	–	–	–	–	–	–	2	1	1	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, Ohio	1,057	29	2	8	15	26	28	69	151	276	284	169	-
Male	576	17	1	5	13	21	15	43	85	159	144	64	-
Female	481	12	1	3	2	5	13	26	56	118	140	105	-
White	984	23	1	7	12	17	23	58	142	260	274	167	-
Male	526	12	1	4	11	12	11	36	89	151	136	83	-
Female	458	11	-	3	1	5	12	22	53	109	138	104	-
All other	73	6	1	1	3	9	5	11	9	16	10	2	-
Male	50	5	-	1	2	9	4	7	6	7	8	1	-
Female	23	1	1	-	1	-	1	4	3	9	2	1	-
Black	71	5	1	1	3	9	5	10	9	16	10	2	-
Male	49	4	-	1	2	9	4	7	6	7	8	1	-
Female	22	1	1	-	1	-	1	3	3	9	2	1	-
McAllen-Pharr-Edinburg, Tex	1,689	72	13	13	54	57	55	93	210	378	470	273	1
Male	931	44	5	11	43	40	26	60	118	222	249	112	1
Female	758	28	8	2	11	17	29	33	92	156	221	161	-
White	1,683	72	13	13	54	57	55	93	209	377	466	273	1
Male	926	44	5	11	43	40	26	60	117	221	246	112	1
Female	757	28	8	2	11	17	29	33	92	156	220	161	-
All other	6	-	-	-	-	-	-	-	1	1	4	-	-
Male	5	-	-	-	-	-	-	-	1	1	3	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	1	2	-	-
Male	4	-	-	-	-	-	-	-	1	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Medford, Oreg	1,109	13	9	5	25	17	23	41	162	258	317	239	-
Male	625	6	4	4	15	13	15	26	97	180	178	87	-
Female	484	7	5	1	10	4	8	15	65	78	139	152	-
White	1,101	12	9	5	23	17	22	41	161	256	316	239	-
Male	617	5	4	4	13	13	14	26	96	178	177	87	-
Female	484	7	5	1	10	4	8	15	65	78	139	152	-
All other	8	1	-	-	2	-	1	-	1	2	1	-	-
Male	8	1	-	-	2	-	1	-	1	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	2,613	50	6	8	60	67	83	189	434	721	652	341	2
Male	1,481	31	4	4	49	46	44	122	278	429	351	122	1
Female	1,132	19	2	4	11	21	39	67	156	292	301	219	1
White	2,436	40	5	5	49	58	67	165	405	682	627	333	-
Male	1,384	25	3	3	42	43	34	107	261	408	338	120	-
Female	1,052	15	2	2	7	15	33	58	144	274	289	213	-
All other	177	10	1	3	11	9	16	24	29	39	25	8	2
Male	97	6	1	1	7	3	10	15	17	21	13	2	1
Female	80	4	-	2	4	6	6	9	12	18	12	6	1
Black	171	10	1	2	11	8	15	23	28	39	25	8	1
Male	95	6	1	-	7	3	10	15	16	21	13	2	1
Female	76	4	-	2	4	5	5	8	12	18	12	6	-
Memphis, Tenn.-Ark.-Miss	7,738	236	39	39	176	251	278	582	1,201	1,896	1,874	1,162	4
Male	4,099	141	23	26	140	182	169	361	703	1,094	878	381	1
Female	3,639	95	16	13	36	69	109	221	498	802	996	781	3
White	4,324	72	17	18	91	107	133	280	655	1,053	1,116	779	3
Male	2,256	43	10	11	72	87	88	180	421	613	508	222	1
Female	2,068	29	7	7	19	20	45	100	234	440	608	557	2
All other	3,414	164	22	21	85	144	145	302	546	843	758	383	1
Male	1,843	98	13	15	68	95	81	181	282	481	370	159	-
Female	1,571	66	9	6	17	49	64	121	264	362	388	224	1
Black	3,399	162	22	19	84	142	144	300	546	840	757	382	1
Male	1,833	97	13	13	67	94	81	180	282	478	370	158	-
Female	1,566	65	9	6	17	48	63	120	264	362	387	224	1
Miami, Fla	16,551	325	56	74	340	536	548	994	2,051	3,581	4,910	3,134	2
Male	9,052	182	33	45	250	405	369	643	1,296	2,040	2,459	1,334	2
Female	7,499	143	23	29	90	131	179	351	755	1,541	2,457	1,800	-
White	14,323	133	23	40	222	354	376	735	1,660	3,161	4,607	3,010	2
Male	7,743	70	17	25	169	266	261	483	1,056	1,793	2,307	1,294	2
Female	6,580	63	6	15	53	88	115	252	604	1,368	2,300	1,716	-
All other	2,228	192	33	34	118	182	172	259	391	420	303	124	-
Male	1,309	112	16	20	81	139	108	160	240	247	146	40	-
Female	919	80	17	14	37	43	64	99	151	173	157	84	-
Black	2,197	190	32	34	114	181	169	256	390	413	295	123	-
Male	1,290	111	15	20	78	138	105	159	239	244	141	40	-
Female	907	79	17	14	36	43	64	97	151	169	154	83	-
Midland, Tex	606	26	8	8	24	32	28	45	114	125	131	65	-
Male	355	14	3	4	19	25	20	30	77	74	68	21	-
Female	251	12	5	4	5	7	8	15	37	51	63	44	-
White	530	22	8	5	23	27	24	35	96	109	119	62	-
Male	301	10	3	3	18	20	17	22	68	63	59	20	-
Female	229	12	5	2	5	7	7	13	30	46	60	42	-
All other	76	4	-	3	1	5	4	10	18	16	12	3	-
Male	54	4	-	1	1	5	3	8	11	11	9	1	-
Female	22	-	-	2	-	-	1	2	7	5	3	2	-
Black	74	4	-	3	1	4	4	10	18	15	12	3	-
Male	52	4	-	1	1	4	3	8	11	10	9	1	-
Female	22	-	-	2	-	-	1	2	7	5	3	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee, Wis	11,656	225	42	47	212	211	267	718	1,570	2,678	3,228	2,460	–
Male	6,024	125	23	30	156	145	168	446	1,000	1,551	1,526	854	–
Female	5,634	100	19	17	56	66	99	272	570	1,127	1,702	1,606	–
White	10,787	143	25	37	185	162	205	601	1,429	2,512	3,096	2,392	–
Male	5,553	85	13	23	138	112	131	385	920	1,457	1,466	823	–
Female	5,234	58	12	14	47	50	74	216	509	1,055	1,630	1,569	–
All other	871	82	17	10	27	49	62	117	141	166	132	68	–
Male	471	40	10	7	18	33	37	61	80	94	60	31	–
Female	400	42	7	3	9	16	25	56	61	72	72	37	–
Black	834	79	16	10	26	48	59	113	137	156	125	65	–
Male	449	38	10	7	17	32	34	59	77	89	57	29	–
Female	385	41	6	3	9	16	25	54	60	67	68	36	–
Minneapolis-St. Paul, Minn.-Wis	14,655	330	57	55	274	295	387	749	1,666	3,058	4,052	3,510	–
Male	7,588	178	33	33	197	212	251	459	1,200	1,855	1,977	1,191	–
Female	7,069	152	24	22	77	83	136	290	666	1,203	2,075	2,319	–
White	14,242	280	48	48	252	258	359	715	1,619	2,993	3,997	3,473	–
Male	7,335	151	27	28	179	185	236	437	1,157	1,818	1,946	1,171	–
Female	6,907	129	21	20	73	73	123	278	662	1,175	2,051	2,302	–
All other	413	50	9	7	22	37	28	34	69	65	55	37	–
Male	251	27	6	5	18	27	15	22	43	37	31	20	–
Female	162	23	3	2	4	10	13	12	26	28	24	17	–
Black	287	28	2	2	18	26	18	22	51	48	43	29	–
Male	172	15	2	–	14	21	12	11	31	26	24	16	–
Female	115	13	–	2	4	5	6	11	20	22	19	13	–
Mobile, Ala	3,683	125	25	21	131	98	137	252	608	872	922	492	–
Male	2,052	80	14	16	104	68	85	164	367	526	456	172	–
Female	1,631	45	11	5	27	30	52	88	241	346	466	320	–
White	2,545	56	14	14	79	50	82	150	441	616	660	383	–
Male	1,417	38	8	10	63	33	52	106	261	383	328	135	–
Female	1,128	18	6	4	16	17	30	44	180	233	332	248	–
All other	1,138	69	11	7	52	48	55	102	167	256	262	109	–
Male	635	42	6	6	41	35	33	58	106	143	128	37	–
Female	503	27	5	1	11	13	22	44	61	113	134	72	–
Black	1,133	69	11	6	52	48	55	102	167	255	260	108	–
Male	632	42	6	5	41	35	33	58	106	142	127	37	–
Female	501	27	5	1	11	13	22	44	61	113	133	71	–
Modesto, Calif	2,368	54	6	17	70	57	68	158	328	551	598	461	–
Male	1,328	31	4	10	53	48	37	94	204	335	342	170	–
Female	1,040	23	2	7	17	9	31	64	124	216	256	291	–
White	2,326	53	5	17	67	56	66	156	319	545	587	455	–
Male	1,301	30	3	10	51	48	36	92	196	332	336	167	–
Female	1,025	23	2	7	16	8	30	64	123	213	251	288	–
All other	42	1	1	–	3	1	2	2	9	6	11	6	–
Male	27	1	1	–	2	–	1	2	8	3	6	3	–
Female	15	–	–	–	1	1	1	–	1	3	5	3	–
Black	22	1	–	–	1	1	–	1	6	4	6	2	–
Male	16	1	–	–	1	–	–	1	5	3	4	1	–
Female	6	–	–	–	–	1	–	–	1	1	2	1	–
Monroe, La	1,080	29	9	6	19	16	33	76	170	268	278	178	–
Male	556	15	4	5	14	9	18	43	108	155	121	64	–
Female	524	14	5	1	5	7	15	33	62	111	157	114	–
White	702	10	3	3	12	10	25	49	109	177	178	128	–
Male	356	4	1	2	9	6	14	30	63	110	73	44	–
Female	346	6	2	1	3	4	11	19	46	67	105	82	–
All other	378	19	6	3	7	6	8	27	61	89	100	52	–
Male	200	11	3	3	5	3	4	13	45	45	48	20	–
Female	178	8	3	–	2	3	4	14	16	44	52	32	–
Black	378	19	6	3	7	6	8	27	61	89	100	52	–
Male	200	11	3	3	5	3	4	13	45	45	48	20	–
Female	178	8	3	–	2	3	4	14	16	44	52	32	–
Montgomery, Ala	2,359	80	15	15	44	61	83	160	350	603	554	394	–
Male	1,220	55	10	9	30	38	46	103	214	349	252	120	–
Female	1,139	25	5	6	14	23	37	57	136	260	302	274	–
White	1,551	33	12	12	27	28	42	101	238	386	382	290	–
Male	796	21	8	7	19	19	24	66	154	222	175	81	–
Female	755	12	4	5	8	9	18	35	84	164	207	209	–
All other	808	47	3	3	17	33	41	59	112	217	172	104	–
Male	424	34	2	2	11	19	22	37	60	121	77	39	–
Female	384	13	1	1	6	14	19	22	52	96	95	65	–
Black	807	47	3	3	17	33	40	59	112	217	172	104	–
Male	423	34	2	2	11	19	21	37	60	121	77	39	–
Female	384	13	1	1	6	14	19	22	52	96	95	65	–
Muncie, Ind	987	19	3	3	20	26	23	60	140	227	285	181	–
Male	535	10	1	3	18	15	19	34	100	147	128	60	–
Female	452	9	2	–	2	11	4	26	40	80	157	121	–
White	898	17	1	3	17	20	22	49	129	210	261	169	–
Male	487	10	–	3	15	12	18	30	92	136	117	54	–
Female	411	7	1	–	2	8	4	19	37	74	144	115	–
All other	89	2	2	–	3	6	1	11	11	17	24	12	–
Male	48	–	1	–	3	3	1	4	8	11	11	6	–
Female	41	2	1	–	–	3	–	7	3	6	13	6	–
Black	89	2	2	–	3	6	1	11	11	17	24	12	–
Male	48	–	1	–	3	3	1	4	8	11	11	6	–
Female	41	2	1	–	–	3	–	7	3	6	13	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Muskegon-Norton Shores-Muskegon Heights, Mich	1,513	31	4	12	35	29	25	92	229	355	407	294	-
Male	832	19	3	7	26	14	16	60	144	215	212	116	-
Female	681	12	1	5	9	15	9	32	85	140	195	178	-
White	1,351	19	3	9	31	29	22	75	193	316	378	276	-
Male	731	12	2	4	23	14	13	49	119	188	200	107	-
Female	620	7	1	5	8	15	9	26	74	128	178	169	-
All other	162	12	1	3	4	-	3	17	36	39	29	18	-
Male	101	7	1	3	3	-	3	11	25	27	12	9	-
Female	61	5	-	-	1	-	-	6	11	12	17	9	-
Black	155	12	1	2	4	-	3	17	34	36	28	18	-
Male	95	7	1	2	3	-	3	11	23	25	11	9	-
Female	60	5	-	-	1	-	-	6	11	11	17	9	-
Nashville-Davidson, Tenn	6,785	161	26	30	163	189	200	489	1,057	1,580	1,705	1,185	-
Male	3,689	84	13	17	129	140	136	322	696	936	831	365	-
Female	3,116	77	13	13	34	49	64	167	361	644	874	820	-
White	5,469	109	17	26	127	144	155	364	817	1,273	1,409	1,026	-
Male	2,945	60	7	16	100	108	110	245	548	766	687	298	-
Female	2,524	49	10	10	27	36	45	119	269	507	722	730	-
All other	1,316	52	9	4	36	45	45	125	240	307	296	157	-
Male	724	24	6	1	29	32	26	77	148	170	144	67	-
Female	592	28	3	3	7	13	19	48	92	137	152	90	-
Black	1,309	52	9	4	35	44	44	125	239	305	285	157	-
Male	720	24	6	1	28	31	26	77	147	170	143	67	-
Female	589	28	3	3	7	13	18	48	92	135	152	90	-
Nassau-Suffolk, N.Y	21,220	302	63	91	345	400	572	1,474	3,393	4,767	5,642	4,157	14
Male	10,803	173	32	42	260	285	324	865	2,109	2,742	2,568	1,377	6
Female	10,417	129	31	49	85	115	248	589	1,284	2,025	3,074	2,780	8
White	20,031	231	56	75	308	334	471	1,299	3,179	4,541	5,469	4,055	13
Male	10,154	145	30	34	236	238	261	779	1,976	2,619	2,492	1,339	5
Female	9,877	86	26	41	72	96	210	520	1,203	1,922	2,977	2,716	8
All other	1,189	71	7	16	37	66	101	175	214	226	173	102	1
Male	649	28	2	8	24	47	63	106	133	123	76	38	1
Female	540	43	5	8	13	19	38	69	81	103	97	64	-
Black	1,117	67	7	13	37	65	97	166	201	211	157	95	1
Male	604	26	2	8	24	47	60	100	124	113	62	37	1
Female	513	41	5	5	13	18	37	66	77	98	95	58	-
New Bedford-Fall River, Mass	4,552	61	6	12	66	71	108	236	613	1,113	1,316	949	1
Male	2,305	34	3	3	48	48	72	153	391	630	613	311	1
Female	2,247	27	3	9	18	25	36	83	222	483	703	638	-
White	4,481	60	6	12	66	69	104	229	601	1,101	1,299	933	1
Male	2,259	34	3	3	48	45	69	148	382	621	603	302	1
Female	2,222	26	3	9	18	24	35	81	219	480	696	631	-
All other	71	1	-	-	-	2	4	7	12	12	17	16	-
Male	46	-	-	-	-	1	3	5	9	9	10	9	-
Female	25	1	-	-	-	1	1	2	3	3	7	7	-
Black	64	1	-	-	-	2	4	6	11	10	15	15	-
Male	42	-	-	-	-	1	3	4	8	8	9	9	-
Female	22	1	-	-	-	1	1	2	3	2	6	6	-
New Brunswick-Perth Amboy-Sayreville, N.J	4,867	73	13	18	85	83	116	353	904	1,240	1,214	767	1
Male	2,581	42	8	9	65	68	74	216	559	710	578	253	1
Female	2,286	31	5	9	20	17	42	137	345	530	636	514	-
White	4,629	57	13	17	77	70	102	323	867	1,179	1,170	754	-
Male	2,457	35	8	8	59	55	66	202	535	683	557	249	-
Female	2,172	22	5	9	18	15	36	121	332	496	613	505	-
All other	238	16	-	1	8	13	14	30	37	61	44	13	1
Male	124	7	-	1	6	11	8	14	24	27	21	4	1
Female	114	9	-	-	2	2	6	16	13	34	23	9	-
Black	219	16	-	1	8	12	13	27	34	56	39	13	-
Male	114	7	-	1	6	11	8	12	22	24	19	4	-
Female	105	9	-	-	2	1	5	15	12	32	20	9	-
New Haven-Waterbury-Meriden, Conn	7,216	119	10	25	135	136	189	381	1,071	1,699	1,929	1,522	-
Male	3,754	58	7	13	106	85	117	235	664	982	952	535	-
Female	3,462	61	3	12	29	51	72	146	407	717	977	987	-
White	6,765	88	8	22	124	120	150	324	962	1,627	1,851	1,489	-
Male	3,492	46	5	10	100	78	88	202	595	938	909	521	-
Female	3,273	42	3	12	24	42	62	122	367	689	942	968	-
All other	451	31	2	3	11	16	39	57	109	72	78	33	-
Male	262	12	2	3	6	7	29	33	69	44	43	14	-
Female	189	19	-	-	5	9	10	24	40	28	35	19	-
Black	444	31	2	3	10	16	38	56	109	70	76	33	-
Male	256	12	2	3	5	7	28	32	69	43	41	14	-
Female	188	19	-	-	5	9	10	24	40	27	35	19	-
New London-Norwich, Conn	1,971	38	12	7	37	42	54	122	298	453	512	396	-
Male	1,000	17	6	5	30	24	34	72	180	272	244	116	-
Female	971	21	6	2	7	18	20	50	118	181	268	280	-
White	1,905	33	12	7	36	37	49	114	285	438	501	393	-
Male	962	14	6	5	29	22	31	68	171	261	240	115	-
Female	943	19	6	2	7	15	18	46	114	177	261	278	-
All other	66	5	-	-	1	5	5	8	13	15	11	3	-
Male	38	3	-	-	1	2	3	4	9	11	4	1	-
Female	28	2	-	-	-	3	2	4	4	4	7	2	-
Black	57	5	-	-	1	5	4	6	13	12	8	3	-
Male	33	3	-	-	1	2	3	2	9	9	3	1	-
Female	24	2	-	-	-	3	1	4	4	3	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Orleans, La	10,556	317	58	58	302	419	433	800	1,758	2,450	2,640	1,303	18
Male	5,629	174	35	33	231	297	296	494	1,110	1,368	1,175	406	10
Female	4,927	143	23	25	71	122	137	306	648	1,082	1,465	897	8
White	7,090	110	25	34	173	208	244	457	1,135	1,649	1,862	1,078	15
Male	3,700	64	15	16	125	151	168	284	751	918	872	328	8
Female	3,390	46	10	18	48	57	76	173	384	731	1,090	750	7
All other	3,466	207	33	24	129	211	189	343	623	801	678	225	3
Male	1,929	110	20	17	106	146	128	210	359	450	303	78	2
Female	1,537	97	13	7	23	65	61	133	264	351	375	147	1
Black	3,422	199	29	23	125	206	184	339	618	799	673	224	3
Male	1,898	106	18	16	103	141	125	207	356	448	299	77	2
Female	1,524	93	11	7	22	65	59	132	262	351	374	147	1
New York, N.Y.-N.J	91,367	1,787	266	317	1,561	2,815	3,234	5,993	13,020	20,348	25,143	16,874	9
Male	46,708	965	136	192	1,167	2,057	2,122	3,729	7,725	11,221	11,522	5,868	4
Female	44,659	822	130	125	394	758	1,112	2,264	5,295	9,127	13,621	11,006	5
White	73,726	960	150	169	989	1,661	1,885	3,940	9,631	16,714	22,106	15,515	8
Male	37,123	517	69	88	736	1,245	1,268	2,494	5,857	9,336	10,118	5,379	4
Female	36,605	443	81	71	251	416	617	1,446	3,774	7,378	11,988	10,136	4
All other	17,639	827	116	148	572	1,154	1,349	2,053	3,389	3,634	3,037	1,359	1
Male	9,585	448	67	84	429	812	854	1,235	1,868	1,885	1,404	489	-
Female	8,054	379	49	54	143	342	495	818	1,521	1,749	1,633	870	1
Black	16,633	781	112	131	547	1,115	1,301	1,973	3,258	3,396	2,778	1,242	1
Male	8,925	424	65	82	408	787	825	1,183	1,783	1,740	1,212	416	-
Female	7,708	357	47	49	139	328	476	790	1,475	1,656	1,564	826	1
Newark, N.J	17,160	310	54	82	278	406	544	1,154	2,700	3,986	4,491	3,177	28
Male	8,861	189	26	52	201	280	334	730	1,648	2,265	2,085	1,031	20
Female	8,299	121	28	30	77	126	210	424	1,052	1,731	2,346	2,146	8
White	13,903	136	29	44	191	225	317	749	2,047	3,306	3,910	2,837	12
Male	7,048	91	14	26	138	162	186	487	1,249	1,904	1,934	947	8
Female	6,855	45	15	18	53	63	129	262	798	1,402	2,076	1,890	4
All other	3,257	174	25	38	87	181	227	405	653	680	521	240	16
Male	1,813	98	12	26	63	118	146	243	399	361	251	84	12
Female	1,444	76	13	12	24	63	81	162	254	329	270	156	4
Black	3,189	167	24	34	84	175	223	401	645	677	512	231	16
Male	1,774	95	11	22	61	115	144	240	392	354	247	81	12
Female	1,415	72	13	12	23	60	79	161	253	323	265	150	4
Newark, Ohio	1,018	18	1	4	24	18	25	68	194	229	247	190	-
Male	574	9	1	2	21	14	18	46	124	141	124	74	-
Female	444	9	-	2	3	4	7	22	70	88	123	116	-
White	1,000	18	1	4	24	17	25	64	190	225	244	188	-
Male	565	9	1	2	21	13	18	44	121	138	124	74	-
Female	435	9	-	2	3	4	7	20	69	87	120	114	-
All other	18	-	-	-	-	1	-	4	4	4	3	2	-
Male	9	-	-	-	-	1	-	2	3	3	-	-	-
Female	9	-	-	-	-	-	-	2	1	1	3	2	-
Black	16	-	-	-	-	1	-	2	4	4	3	2	-
Male	9	-	-	-	-	1	-	2	3	3	-	-	-
Female	7	-	-	-	-	-	-	-	1	1	3	2	-
Newburgh-Middletown, N.Y	2,374	41	9	12	35	43	68	146	348	580	642	450	-
Male	1,215	25	5	8	29	28	44	85	201	341	280	159	-
Female	1,159	16	4	4	6	15	24	51	147	239	362	291	-
White	2,259	35	6	11	29	41	66	130	325	554	621	441	-
Male	1,144	22	4	7	24	28	44	86	183	325	287	154	-
Female	1,115	13	2	4	5	13	22	44	142	229	354	287	-
All other	115	6	3	1	6	2	2	16	23	26	21	9	-
Male	71	3	1	1	5	-	-	9	18	16	13	5	-
Female	44	3	2	-	1	2	2	7	5	10	8	4	-
Black	110	6	3	1	6	2	2	14	22	26	19	9	-
Male	68	3	1	1	5	-	-	7	18	16	12	5	-
Female	42	3	2	-	1	2	2	7	4	10	7	4	-
Newport News-Hampton, Va	2,450	79	11	18	76	55	102	243	426	622	514	304	1
Male	1,360	44	5	9	58	43	57	154	279	367	245	97	1
Female	1,090	35	6	9	18	12	45	89	147	255	269	207	-
White	1,642	35	5	12	52	31	51	141	289	422	378	245	1
Male	896	17	2	7	42	25	30	87	182	248	180	75	1
Female	746	18	3	5	10	6	21	54	87	174	198	170	-
All other	808	44	6	6	23	24	51	102	157	200	136	59	-
Male	464	27	3	2	17	18	27	67	97	119	65	22	-
Female	344	17	3	4	6	6	24	35	60	81	71	37	-
Black	795	43	6	6	22	23	48	98	156	199	136	58	-
Male	458	27	3	2	16	18	28	64	97	118	65	22	-
Female	337	16	3	4	6	5	22	34	59	81	71	36	-
Norfolk-Virginia Beach-Portsmouth, Va.-N.C	5,791	208	20	26	110	149	200	449	1,126	1,498	1,273	727	5
Male	3,086	115	12	16	73	92	131	285	699	847	591	223	2
Female	2,705	93	8	10	37	57	69	164	427	651	682	504	3
White	3,625	111	12	20	64	88	108	292	691	971	907	561	1
Male	2,006	59	10	13	41	50	73	186	434	557	422	158	1
Female	1,620	52	2	7	23	38	35	104	257	414	485	403	-
All other	1,965	97	8	6	46	61	92	157	435	527	366	166	4
Male	1,080	56	2	3	32	42	58	97	265	290	169	65	1
Female	885	41	6	3	14	19	34	60	170	237	197	101	3
Black	1,934	96	8	4	44	57	87	155	429	523	361	166	4
Male	1,062	55	2	3	30	39	55	97	263	288	164	65	1
Female	872	41	6	1	14	18	32	58	166	235	197	101	3

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Northeast Pennsylvania	7,633	60	17	19	99	100	122	390	1,171	2,126	2,257	1,271	1
Male	3,904	32	5	11	72	71	77	253	714	1,246	1,021	402	-
Female	3,729	28	12	8	27	29	45	137	457	880	1,236	869	1
White	7,601	59	12	17	98	98	122	386	1,168	2,121	2,252	1,266	-
Male	3,884	31	3	9	71	69	77	249	712	1,242	1,020	401	-
Female	3,717	28	9	8	27	29	45	137	456	879	1,232	867	-
All other	32	1	5	2	1	2	-	4	3	5	5	3	1
Male	20	1	2	2	1	2	-	4	2	4	1	1	-
Female	12	-	3	-	-	-	-	-	1	1	4	2	1
Black	31	1	5	2	1	2	-	4	3	4	5	3	1
Male	19	1	2	2	1	2	-	4	2	3	1	1	-
Female	12	-	3	-	-	-	-	-	1	1	4	2	1
Ocala, Fla	1,467	26	7	6	40	39	40	81	213	423	408	183	1
Male	885	15	4	3	31	30	24	41	140	274	246	77	-
Female	582	11	3	3	9	9	16	40	73	149	162	106	1
White	1,277	15	4	5	33	31	35	69	188	370	364	163	-
Male	774	10	2	3	25	24	22	40	120	241	216	71	-
Female	503	5	2	2	8	7	13	29	68	129	148	92	-
All other	190	11	3	1	7	8	5	12	25	53	44	20	1
Male	111	6	2	-	6	6	2	1	20	33	30	6	-
Female	79	6	1	1	1	2	3	11	5	20	14	14	1
Black	190	11	3	1	7	8	5	12	25	53	44	20	1
Male	111	5	2	-	6	6	2	1	20	33	30	6	-
Female	79	6	1	1	1	2	3	11	5	20	14	14	1
Odessa, Tex	843	35	5	8	61	59	58	76	133	163	155	90	-
Male	526	21	4	6	52	48	46	62	92	106	69	30	-
Female	317	14	1	2	9	11	12	24	41	57	86	60	-
White	802	32	5	8	60	56	52	69	124	159	148	89	-
Male	498	19	4	6	51	45	42	46	85	108	64	30	-
Female	304	13	1	2	9	11	10	23	39	53	84	59	-
All other	41	3	-	-	1	3	6	7	9	4	7	1	-
Male	28	2	-	-	1	3	4	6	7	-	5	-	-
Female	13	1	-	-	-	-	2	1	2	4	2	1	-
Black	40	3	-	-	1	3	6	7	8	4	7	1	-
Male	27	2	-	-	1	3	4	6	6	-	5	-	-
Female	13	1	-	-	-	-	2	1	2	4	2	1	-
Oklahoma City, Okla	6,865	225	47	60	208	248	299	456	1,001	1,496	1,690	1,124	11
Male	3,705	134	26	31	151	186	198	291	644	874	801	361	8
Female	3,160	91	21	29	57	62	101	165	357	622	889	763	3
White	6,130	171	36	48	177	208	251	381	890	1,355	1,547	1,056	8
Male	3,276	100	19	25	128	156	163	248	572	797	729	334	5
Female	2,854	71	17	23	49	52	88	133	318	558	818	724	3
All other	735	54	11	12	31	40	48	75	111	141	143	68	3
Male	429	34	7	6	23	30	35	43	72	77	72	27	3
Female	306	20	4	6	8	10	13	32	39	64	71	39	-
Black	609	43	7	11	24	28	33	58	91	125	125	62	2
Male	351	28	4	5	16	21	24	34	61	71	61	24	2
Female	258	15	3	6	8	7	9	24	30	54	64	38	-
Olympia, Wash	939	15	3	1	22	22	36	63	132	209	244	192	-
Male	503	12	1	-	13	15	25	41	83	132	112	69	-
Female	436	3	2	1	9	7	11	22	49	77	132	123	-
White	923	14	3	1	21	18	34	61	129	207	243	192	-
Male	492	12	1	-	13	12	24	39	81	130	111	69	-
Female	431	2	2	1	8	6	10	22	48	77	132	123	-
All other	16	1	-	-	1	4	2	2	3	2	1	-	-
Male	11	-	-	-	-	3	1	2	2	2	1	-	-
Female	5	1	-	-	1	1	1	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Omaha, Nebr.-Iowa	4,393	118	18	26	74	100	112	284	631	984	1,187	859	-
Male	2,305	63	8	13	57	62	63	184	379	582	596	298	-
Female	2,088	55	10	13	17	38	49	100	252	402	591	561	-
White	4,030	93	16	14	57	77	93	245	577	915	1,124	819	-
Male	2,119	49	6	7	45	51	52	160	350	550	565	284	-
Female	1,911	44	10	7	12	26	41	85	227	365	559	535	-
All other	363	25	2	12	17	23	19	39	54	69	63	40	-
Male	186	14	2	6	12	11	11	24	29	32	31	14	-
Female	177	11	-	6	5	12	8	15	25	37	32	26	-
Black	336	22	2	11	14	18	17	35	52	64	62	39	-
Male	172	14	2	5	9	10	9	20	28	31	31	13	-
Female	164	8	-	6	5	8	8	15	24	33	31	26	-
Orlando, Fla	5,978	136	31	44	163	163	187	412	1,024	1,344	1,389	1,082	3
Male	3,279	82	23	23	126	120	118	261	631	807	713	373	2
Female	2,699	54	8	21	37	43	69	151	393	537	676	709	1
White	5,266	95	23	37	129	136	153	343	888	1,177	1,254	1,028	3
Male	2,876	58	16	18	99	100	98	218	555	718	643	350	2
Female	2,390	37	7	19	30	36	55	125	333	459	611	678	1
All other	712	41	8	7	34	27	34	69	136	167	135	54	-
Male	403	24	7	5	27	20	20	43	76	88	70	23	-
Female	309	17	1	2	7	7	14	26	60	79	65	31	-
Black	701	41	7	7	33	27	33	69	134	164	132	54	-
Male	398	24	7	5	26	20	19	43	75	87	69	23	-
Female	303	17	-	2	7	7	14	26	59	77	63	31	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Owensboro, Ky	746	15	1	5	18	16	19	48	97	167	221	139	–
Male	409	10	–	4	13	12	14	28	57	115	102	54	–
Female	337	5	1	1	5	4	5	20	40	52	119	85	–
White	706	14	1	5	18	16	18	42	92	159	210	131	–
Male	386	9	–	4	13	12	13	25	54	110	96	50	–
Female	320	5	1	1	5	4	5	17	38	49	114	81	–
All other	40	1	–	–	–	–	1	6	5	8	11	8	–
Male	23	1	–	–	–	–	1	3	3	5	6	4	–
Female	17	–	–	–	–	–	–	3	2	3	5	4	–
Black	39	1	–	–	–	–	1	6	5	7	11	8	–
Male	22	1	–	–	–	–	1	3	3	4	6	4	–
Female	17	–	–	–	–	–	–	3	2	3	5	4	–
Oxnard-Simi Valley-Ventura, Calif	3,374	92	24	28	92	90	125	214	479	779	885	566	2
Male	1,851	55	11	17	72	73	86	131	302	449	451	203	1
Female	1,523	37	13	9	20	17	39	83	177	330	434	363	1
White	3,298	87	23	25	86	82	118	209	466	768	873	561	2
Male	1,802	53	10	17	68	67	81	128	293	442	442	200	1
Female	1,496	34	13	8	18	15	37	81	173	324	431	361	1
All other	76	5	1	1	6	8	7	5	13	13	12	5	–
Male	49	2	1	–	4	6	5	3	9	7	9	3	–
Female	27	3	–	1	2	2	2	2	4	6	3	2	–
Black	47	3	–	1	5	6	6	3	9	7	4	3	–
Male	27	1	–	–	3	5	4	2	7	2	2	1	–
Female	20	2	–	1	2	1	2	1	2	5	2	2	–
Panama City, Fla	816	25	5	1	22	30	24	76	136	191	194	112	–
Male	473	11	3	–	15	25	15	48	90	113	105	48	–
Female	343	14	2	1	7	5	9	28	46	78	89	64	–
White	691	16	2	–	17	17	19	67	117	167	167	102	–
Male	402	6	2	–	11	15	12	43	80	101	89	43	–
Female	289	10	–	–	6	2	7	24	37	66	78	59	–
All other	125	9	3	1	5	13	5	9	19	24	27	10	–
Male	71	5	1	–	4	10	3	5	10	12	16	5	–
Female	54	4	2	1	1	3	2	4	9	12	11	5	–
Black	119	9	3	1	3	11	4	9	19	24	27	9	–
Male	69	5	1	–	3	10	2	5	10	12	16	5	–
Female	50	4	2	1	–	1	2	4	9	12	11	4	–
Parkersburg-Marietta, W. Va.-Ohio	1,436	34	5	4	21	19	31	82	223	326	411	280	–
Male	732	17	4	3	16	12	21	44	135	197	193	90	–
Female	704	17	1	1	5	7	10	38	88	129	218	190	–
White	1,418	34	5	4	21	19	31	80	221	324	405	274	–
Male	722	17	4	3	16	12	21	42	133	195	190	89	–
Female	696	17	1	1	5	7	10	38	88	129	215	185	–
All other	18	–	–	–	–	–	–	2	2	2	6	6	–
Male	10	–	–	–	–	–	–	2	2	2	3	1	–
Female	8	–	–	–	–	–	–	–	–	–	3	5	–
Black	18	–	–	–	–	–	–	2	2	2	6	6	–
Male	10	–	–	–	–	–	–	2	2	2	3	1	–
Female	8	–	–	–	–	–	–	–	–	–	3	5	–
Pascagoula-Moss Point, Miss	711	30	7	9	24	19	42	56	134	181	125	84	–
Male	396	15	1	5	14	12	26	42	92	105	61	23	–
Female	315	15	6	4	10	7	16	14	42	76	64	61	–
White	580	17	4	8	20	15	32	43	111	155	102	73	–
Male	327	10	–	4	10	9	20	33	78	90	50	23	–
Female	253	7	4	4	10	6	12	10	33	65	52	50	–
All other	131	13	3	1	4	4	10	13	23	26	23	11	–
Male	69	5	1	1	4	3	6	9	14	15	11	–	–
Female	62	8	2	–	–	1	4	4	9	11	12	11	–
Black	130	13	3	1	4	4	10	12	23	26	23	11	–
Male	68	5	1	1	4	3	6	8	14	15	11	–	–
Female	62	8	2	–	–	1	4	4	9	11	12	11	–
Paterson-Clifton-Passaic, N.J	4,157	75	9	18	68	107	103	258	627	938	1,133	821	–
Male	2,142	35	8	15	53	69	73	173	372	538	506	300	–
Female	2,015	40	1	3	15	38	30	85	255	400	627	521	–
White	3,770	54	5	9	50	74	81	204	546	858	1,089	800	–
Male	1,924	29	4	8	40	49	57	141	323	493	497	293	–
Female	1,846	25	1	1	10	25	24	63	223	365	602	507	–
All other	387	21	4	9	18	33	22	54	81	80	44	21	–
Male	218	6	4	7	13	20	16	32	49	45	19	7	–
Female	169	15	–	2	5	13	6	22	32	35	25	14	–
Black	385	21	4	9	18	33	22	54	80	80	43	21	–
Male	217	6	4	7	13	20	16	32	48	45	19	7	–
Female	168	15	–	2	5	13	6	22	32	35	24	14	–
Pensacola, Fla	2,145	55	7	17	43	74	83	170	368	535	477	315	1
Male	1,189	35	4	9	30	52	49	114	224	326	233	112	1
Female	956	20	3	8	13	22	34	56	144	209	244	203	–
White	1,742	32	4	14	36	61	58	128	305	441	388	274	1
Male	962	20	2	6	23	45	36	85	191	266	192	95	1
Female	780	12	2	8	13	16	22	43	114	175	196	179	–
All other	403	23	3	3	7	13	25	42	63	94	88	41	–
Male	227	15	2	3	7	7	13	28	33	60	41	17	–
Female	176	8	1	–	–	6	12	13	30	34	48	24	–
Black	393	23	3	3	7	13	23	40	61	90	89	41	–
Male	223	15	2	3	7	7	11	29	33	56	41	17	–
Female	170	8	1	–	–	6	12	11	28	32	48	24	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	3,059	69	11	22	46	55	60	167	388	737	864	640	–
Male	1,582	46	6	14	37	42	39	106	234	430	433	195	–
Female	1,477	23	5	8	9	13	21	61	154	307	431	445	–
White	2,923	54	9	19	43	44	55	153	365	705	845	631	–
Male	1,500	40	5	12	34	34	36	96	221	407	421	194	–
Female	1,423	14	4	7	9	10	19	57	144	298	424	437	–
All other	136	15	2	3	3	11	5	14	23	32	19	9	–
Male	82	6	1	2	3	8	3	10	13	23	12	1	–
Female	54	9	1	1	–	3	2	4	10	9	7	8	–
Black	134	15	2	3	2	11	5	14	22	32	19	9	–
Male	80	6	1	2	2	8	3	10	12	23	12	1	–
Female	54	9	1	1	–	3	2	4	10	9	7	8	–
Petersburg-Colonial Heights-Hopewell, Va	1,068	38	1	4	22	25	38	88	200	288	263	123	–
Male	576	23	–	1	15	15	25	57	122	163	116	39	–
Female	492	15	1	3	7	10	13	31	78	103	147	84	–
White	688	11	–	2	20	13	18	45	124	181	189	95	–
Male	380	5	–	1	14	7	14	32	80	110	84	33	–
Female	318	6	–	1	6	6	4	13	44	71	105	62	–
All other	370	27	1	2	2	12	20	43	76	85	74	28	–
Male	196	18	–	–	1	8	11	25	42	53	32	6	–
Female	174	9	1	2	1	4	9	18	34	32	42	22	–
Black	366	27	1	2	2	12	18	42	76	85	73	28	–
Male	194	18	–	–	1	8	11	24	42	53	31	6	–
Female	172	9	1	2	1	4	7	18	34	32	42	22	–
Philadelphia, Pa.-N.J	46,041	690	138	160	734	979	1,290	3,050	7,377	11,896	12,031	7,980	16
Male	23,814	474	77	99	535	686	839	1,921	4,525	6,504	5,512	2,634	8
Female	22,227	416	61	61	199	293	451	1,129	2,852	4,892	6,519	5,346	8
White	37,223	522	84	104	524	619	815	2,074	5,634	9,307	10,345	7,186	9
Male	19,002	279	47	65	380	436	527	1,330	3,487	5,383	4,721	2,342	5
Female	18,221	243	37	39	144	183	288	744	2,147	3,924	5,624	4,844	4
All other	8,818	168	54	56	210	360	475	976	1,743	2,089	1,686	794	7
Male	4,812	195	30	34	155	250	312	591	1,038	1,121	791	292	3
Female	4,006	173	24	22	55	110	163	385	705	968	895	502	4
Black	8,689	358	53	54	206	355	461	955	1,718	2,073	1,666	783	7
Male	4,728	189	29	34	153	246	301	578	1,019	1,114	778	284	3
Female	3,961	169	24	20	53	109	160	377	699	959	888	499	4
Phoenix, Ariz	12,203	265	86	71	304	314	360	707	1,767	3,116	3,214	1,997	2
Male	6,894	158	44	38	215	232	237	447	1,097	1,847	1,754	824	1
Female	5,309	107	42	33	89	82	123	260	670	1,269	1,460	1,173	1
White	11,738	239	72	63	285	284	333	654	1,708	3,025	3,123	1,951	1
Male	6,623	141	39	34	206	209	222	413	1,063	1,794	1,700	801	1
Female	5,115	98	33	29	79	75	111	241	645	1,231	1,423	1,150	–
All other	465	26	14	8	19	30	27	53	59	91	91	46	1
Male	271	17	5	4	9	23	15	34	34	53	54	23	–
Female	194	9	9	4	10	7	12	19	25	38	37	23	1
Black	305	15	8	7	9	13	14	44	39	61	65	30	–
Male	181	9	2	3	4	11	9	30	23	37	39	14	–
Female	124	6	6	4	5	2	5	14	16	24	26	16	–
Pine Bluff, Ark	820	19	6	6	13	16	21	45	121	188	218	166	1
Male	442	7	3	4	11	13	14	28	78	117	107	61	1
Female	378	12	3	2	2	3	7	17	45	71	111	105	–
White	484	5	2	4	3	3	13	29	67	125	135	98	–
Male	255	–	1	2	3	3	8	21	43	77	88	29	–
Female	229	5	1	2	–	–	5	8	24	48	67	69	–
All other	336	14	4	2	10	13	8	16	54	63	83	68	1
Male	187	7	2	2	8	10	6	7	33	40	39	32	1
Female	149	7	2	–	2	3	2	9	21	23	44	36	–
Black	336	14	4	2	10	13	8	16	54	63	83	68	1
Male	187	7	2	2	8	10	6	7	33	40	39	32	1
Female	149	7	2	–	2	3	2	9	21	23	44	36	–
Pittsburgh, Pa	23,260	307	41	66	291	376	467	1,287	3,782	6,139	6,215	4,280	9
Male	12,312	192	28	34	209	270	284	822	2,348	3,629	2,938	1,554	6
Female	10,948	115	13	32	82	106	183	465	1,434	2,510	3,279	2,726	3
White	21,427	220	33	55	259	308	400	1,130	3,456	5,709	5,793	4,058	6
Male	11,318	133	24	31	190	223	247	731	2,156	3,404	2,721	1,454	4
Female	10,109	87	9	24	69	85	153	399	1,300	2,305	3,072	2,604	2
All other	1,833	87	8	11	32	68	67	157	326	430	422	222	3
Male	994	59	4	3	19	47	37	91	182	225	215	100	2
Female	839	28	4	8	13	21	30	66	134	205	207	122	1
Black	1,813	85	8	11	32	67	67	154	324	426	416	220	3
Male	984	59	4	3	19	47	37	90	190	225	210	98	2
Female	829	26	4	8	13	20	30	64	134	201	206	122	1
Pittsfield, Mass	1,456	22	2	3	14	16	13	71	186	324	418	387	–
Male	729	12	–	2	13	10	8	40	117	187	212	128	–
Female	727	10	2	1	1	6	5	31	69	137	206	259	–
White	1,434	22	2	3	14	16	13	66	181	320	415	382	–
Male	715	12	–	2	13	10	8	37	112	185	211	125	–
Female	719	10	2	1	1	6	5	29	69	135	204	257	–
All other	22	–	–	–	–	–	–	5	5	4	3	5	–
Male	14	–	–	–	–	–	–	3	5	2	1	3	–
Female	8	–	–	–	–	–	–	2	–	2	2	2	–
Black	21	–	–	–	–	–	–	5	4	4	3	5	–
Male	13	–	–	–	–	–	–	3	4	2	1	3	–
Female	8	–	–	–	–	–	–	2	–	2	2	2	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, Maine	2,288	31	5	11	36	38	40	114	279	524	659	549	-
Male	1,128	17	3	6	26	30	26	69	183	293	299	176	-
Female	1,158	14	2	5	10	8	14	45	96	231	360	373	-
White	2,276	29	5	11	36	37	40	113	278	523	657	547	-
Male	1,122	15	3	6	26	29	26	69	182	292	298	176	-
Female	1,154	14	2	5	10	8	14	44	96	231	359	371	-
All other	10	2	-	-	-	1	-	1	1	1	2	2	-
Male	6	2	-	-	-	1	-	-	1	1	1	-	-
Female	4	-	-	-	-	-	-	1	-	-	1	2	-
Black	7	2	-	-	-	-	-	-	1	1	1	2	-
Male	5	2	-	-	-	-	-	-	1	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Portland, Oreg.-Wash	9,954	215	35	46	176	255	252	531	1,977	2,921	2,684	2,054	8
Male	5,242	123	20	28	122	185	161	314	883	1,394	1,336	689	7
Female	4,712	92	15	18	54	70	91	217	514	927	1,348	1,365	1
White	9,585	192	35	41	167	227	229	496	1,816	2,235	2,617	2,023	7
Male	5,014	111	20	26	115	167	145	293	822	1,341	1,295	673	6
Female	4,571	81	15	15	52	60	84	203	494	894	1,322	1,350	1
All other	369	23	-	5	9	28	23	35	61	86	67	31	1
Male	228	12	-	2	7	18	16	21	41	53	41	16	1
Female	141	11	-	3	2	10	7	14	20	33	26	15	-
Black	246	11	-	3	5	21	16	21	47	64	40	18	-
Male	150	6	-	2	4	13	13	14	31	39	24	4	-
Female	96	5	-	1	1	8	3	7	16	25	16	14	-
Portsmouth-Dover-Rochester, N.H.-Maine	3,306	57	12	19	72	63	91	185	434	801	922	650	-
Male	1,714	32	7	16	52	48	60	117	262	478	495	207	-
Female	1,592	25	5	3	20	15	31	68	172	323	487	443	-
White	3,297	56	12	19	72	63	90	181	433	800	921	650	-
Male	1,707	31	7	16	52	48	59	115	261	477	494	207	-
Female	1,590	25	5	3	20	15	31	66	172	323	487	443	-
All other	9	1	-	-	-	-	1	4	1	1	1	-	-
Male	7	1	-	-	-	-	1	2	1	1	1	-	-
Female	2	-	-	-	-	-	-	2	-	-	-	-	-
Black	9	1	-	-	-	-	1	4	1	1	1	-	-
Male	7	1	-	-	-	-	1	2	1	1	1	-	-
Female	2	-	-	-	-	-	-	2	-	-	-	-	-
Poughkeepsie, N.Y	2,022	40	9	8	34	35	57	130	283	515	526	385	-
Male	1,049	22	6	5	26	21	33	82	179	278	250	147	-
Female	973	18	3	3	8	14	24	48	104	237	276	238	-
White	1,915	31	7	8	28	32	49	114	268	494	510	374	-
Male	988	17	4	5	21	18	30	75	168	267	241	142	-
Female	927	14	3	3	7	14	19	39	100	227	269	232	-
All other	107	9	2	-	6	3	8	16	15	21	16	11	-
Male	61	5	2	-	5	3	3	7	11	11	9	5	-
Female	46	4	-	-	1	-	5	9	4	10	7	6	-
Black	102	8	2	-	6	3	8	15	15	20	16	9	-
Male	56	4	2	-	5	3	3	6	11	10	9	3	-
Female	46	4	-	-	1	-	5	9	4	10	7	6	-
Providence-Warwick-Pawtucket, R.I	8,324	117	17	29	114	133	160	420	1,198	2,046	2,355	1,734	1
Male	4,230	63	7	17	81	93	96	261	750	1,192	1,091	579	-
Female	4,094	54	10	12	33	40	64	159	448	854	1,264	1,155	1
White	8,105	99	15	28	111	123	150	395	1,153	2,005	2,312	1,713	1
Male	4,118	52	6	17	80	86	89	249	723	1,174	1,073	569	-
Female	3,987	47	9	11	31	37	61	146	430	831	1,239	1,144	1
All other	219	18	2	1	3	10	10	25	45	41	43	21	-
Male	112	11	1	-	1	7	7	12	27	18	18	10	-
Female	107	7	1	1	2	3	3	13	18	23	25	11	-
Black	186	13	2	-	2	8	8	20	41	39	36	17	-
Male	91	8	1	-	1	5	5	8	25	16	13	9	-
Female	95	5	1	-	1	3	3	12	16	23	23	8	-
Provo-Orem, Utah	1,035	81	8	8	44	44	32	47	108	217	265	181	-
Male	562	43	2	6	30	33	20	30	61	134	132	71	-
Female	473	38	6	2	14	11	12	17	47	83	133	110	-
White	1,031	80	8	8	44	44	32	47	106	216	265	181	-
Male	558	42	2	6	30	33	20	30	59	133	132	71	-
Female	473	38	6	2	14	11	12	17	47	83	133	110	-
All other	4	1	-	-	-	-	-	-	2	1	-	-	-
Male	4	1	-	-	-	-	-	-	2	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,083	16	5	3	35	22	38	72	148	250	288	206	-
Male	627	12	4	3	25	16	25	49	93	162	149	89	-
Female	456	4	1	-	10	6	13	23	55	88	139	117	-
White	1,058	16	5	3	35	22	36	71	140	244	282	204	-
Male	615	12	4	3	25	16	23	49	89	159	147	88	-
Female	443	4	1	-	10	6	13	22	51	85	135	116	-
All other	25	-	-	-	-	-	2	1	8	6	6	2	-
Male	12	-	-	-	-	-	2	-	4	3	2	1	-
Female	13	-	-	-	-	-	-	1	4	3	4	1	-
Black	23	-	-	-	-	-	2	1	7	6	6	1	-
Male	10	-	-	-	-	-	2	-	3	3	2	-	-
Female	13	-	-	-	-	-	-	1	4	3	4	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, Wis	1,327	31	6	8	31	36	34	68	177	293	332	311	-
Male	671	24	5	3	22	25	14	49	110	157	147	115	-
Female	656	7	1	5	9	11	20	19	67	136	185	196	-
White	1,286	22	5	7	27	34	30	64	165	284	320	308	-
Male	634	16	4	3	19	23	12	47	102	153	141	114	-
Female	652	6	1	4	8	11	18	17	63	131	179	194	-
All other	61	9	1	1	4	2	4	4	12	9	12	3	-
Male	37	6	1	-	3	2	2	2	8	4	6	1	-
Female	24	1	-	1	1	-	2	2	4	5	6	2	-
Black	59	9	1	1	3	2	4	4	12	9	11	3	-
Male	35	6	1	-	2	2	2	2	8	4	5	1	-
Female	24	1	-	1	1	-	2	2	4	5	6	2	-
Raleigh-Durham, N.C	3,599	115	15	16	75	123	133	272	597	883	857	513	-
Male	1,926	67	13	11	48	82	83	181	393	515	390	143	-
Female	1,673	48	2	5	27	41	50	91	204	368	467	370	-
White	2,498	54	8	10	48	62	78	172	402	615	642	407	-
Male	1,310	34	6	7	34	38	43	116	269	386	286	109	-
Female	1,188	20	2	3	14	24	35	54	133	249	356	298	-
All other	1,101	61	7	6	27	61	55	100	195	268	215	106	-
Male	616	33	7	4	14	44	40	63	124	149	104	34	-
Female	485	28	-	2	13	17	15	37	71	119	111	72	-
Black	1,094	60	7	5	27	60	55	99	195	267	213	106	-
Male	612	32	7	4	14	43	40	62	124	149	103	34	-
Female	482	28	-	1	13	17	15	37	71	118	110	72	-
Reading, Pa	3,001	38	7	11	45	48	53	148	412	782	854	604	1
Male	1,586	19	4	5	32	35	34	91	254	469	426	217	-
Female	1,415	19	3	6	13	13	19	55	158	313	428	387	1
White	2,929	32	7	11	43	42	49	136	398	770	842	598	1
Male	1,542	17	4	5	30	29	31	85	245	462	420	214	-
Female	1,387	15	3	6	13	13	18	53	151	308	422	384	1
All other	72	6	-	-	2	6	4	8	16	12	12	6	-
Male	44	2	-	-	2	6	3	6	9	7	6	3	-
Female	28	4	-	-	-	-	1	2	7	5	6	3	-
Black	69	6	-	-	2	5	4	8	15	11	12	6	-
Male	43	2	-	-	2	5	3	6	9	7	6	3	-
Female	26	4	-	-	-	-	1	2	6	4	6	3	-
Redding, Calif	1,102	18	4	3	23	26	32	72	180	280	296	168	-
Male	620	9	3	2	18	18	20	42	102	175	172	59	-
Female	482	9	1	1	5	8	12	30	78	105	124	109	-
White	1,086	18	4	3	22	26	32	69	175	275	294	168	-
Male	610	9	3	2	17	18	20	42	97	171	172	59	-
Female	476	9	1	1	5	8	12	27	78	104	122	109	-
All other	16	-	-	-	1	-	-	3	5	5	2	-	-
Male	10	-	-	-	1	-	-	-	5	4	-	-	-
Female	6	-	-	-	-	-	-	3	-	1	2	-	-
Black	8	-	-	-	-	-	-	1	3	3	1	-	-
Male	6	-	-	-	-	-	-	-	3	3	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Reno, Nev	1,470	29	8	8	37	58	77	130	242	349	334	197	1
Male	848	19	4	8	27	44	52	76	153	212	178	75	-
Female	622	10	4	-	10	14	25	54	89	137	156	122	1
White	1,406	24	6	7	33	55	73	125	228	338	323	193	1
Male	810	16	4	7	25	42	50	74	145	204	171	72	-
Female	596	8	2	-	8	13	23	51	83	134	152	121	1
All other	64	5	2	1	4	3	4	5	14	11	11	4	-
Male	38	3	-	1	2	2	2	2	8	8	7	3	-
Female	26	2	2	-	2	1	2	3	6	3	4	1	-
Black	22	1	-	-	1	-	-	4	7	5	3	1	-
Male	13	1	-	-	1	-	-	2	4	3	2	-	-
Female	9	-	-	-	-	-	-	2	3	2	1	1	-
Richland-Kennewick-Pasco, Wash	758	27	6	4	20	18	31	38	106	207	174	127	-
Male	424	18	4	3	17	10	19	24	61	125	89	54	-
Female	334	9	2	1	3	8	12	14	45	82	85	73	-
White	737	24	6	4	17	17	29	38	104	202	170	126	-
Male	408	17	4	3	14	9	17	24	59	122	85	54	-
Female	329	7	2	1	3	8	12	14	45	80	85	72	-
All other	21	3	-	-	3	1	2	-	2	5	4	1	-
Male	16	1	-	-	3	1	2	-	2	3	4	-	-
Female	5	2	-	-	-	-	-	-	-	2	-	1	-
Black	15	2	-	-	1	1	2	-	1	5	2	1	-
Male	10	-	-	-	1	1	2	-	1	3	2	-	-
Female	5	2	-	-	-	-	-	-	-	2	-	1	-
Richmond, Va	5,620	152	16	26	119	142	183	409	958	1,388	1,381	886	-
Male	2,940	80	8	19	88	96	118	265	617	781	608	250	-
Female	2,680	62	8	7	31	46	65	144	341	587	773	616	-
White	3,954	67	9	17	73	69	105	252	621	943	1,062	736	-
Male	1,899	38	4	12	51	39	69	165	401	548	467	205	-
Female	1,955	29	5	5	22	30	36	87	220	395	595	531	-
All other	1,666	85	7	9	46	73	78	157	337	425	319	130	-
Male	941	52	4	7	37	57	49	100	216	233	141	45	-
Female	725	33	3	2	9	16	29	57	121	192	178	85	-
Black	1,655	84	7	8	44	73	78	156	337	421	317	130	-
Male	934	51	4	6	35	57	49	100	216	231	140	45	-
Female	721	33	3	2	9	16	29	56	121	190	177	85	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Riverside-San Bernardino-Ontario, Calif	14,139	357	88	71	396	393	382	828	1,925	3,389	3,772	2,545	13
Male	7,867	196	40	45	309	281	247	539	1,174	2,013	2,030	983	10
Female	6,272	161	28	26	87	112	135	289	751	1,376	1,742	1,562	3
White	13,487	312	64	61	356	348	342	754	1,824	3,254	3,670	2,490	12
Male	7,490	169	38	40	261	248	226	492	1,115	1,835	1,974	962	10
Female	5,997	143	26	21	75	100	116	262	709	1,319	1,696	1,528	2
All other	652	45	4	10	40	45	40	74	101	135	102	55	1
Male	377	27	2	5	28	33	21	47	59	78	56	21	–
Female	275	18	2	5	12	12	19	27	42	57	46	34	1
Black	568	38	4	10	36	39	30	63	87	123	90	45	1
Male	326	21	2	5	25	30	16	42	50	71	47	17	–
Female	240	17	2	5	11	9	14	21	37	52	43	28	1
Roanoke, Va	2,329	28	2	3	47	38	75	150	390	534	644	418	–
Male	1,287	11	1	1	38	33	53	102	265	319	324	140	–
Female	1,042	17	1	2	9	5	22	48	125	215	320	278	–
White	2,017	22	1	3	42	31	59	113	328	466	577	375	–
Male	1,111	8	–	1	33	27	40	79	226	282	287	128	–
Female	906	14	1	2	9	4	19	34	102	184	290	247	–
All other	312	6	1	–	5	7	16	37	62	68	67	43	–
Male	176	3	1	–	5	6	13	23	39	37	37	12	–
Female	136	3	–	–	–	1	3	14	23	31	30	31	–
Black	309	6	1	–	4	6	15	37	62	68	67	43	–
Male	173	3	1	–	4	5	12	23	39	37	37	12	–
Female	136	3	–	–	–	1	3	14	23	31	30	31	–
Rochester, Minn	594	12	3	3	20	15	11	35	78	131	148	138	–
Male	307	7	1	2	17	10	7	14	54	75	71	49	–
Female	287	5	2	1	3	5	4	21	24	56	77	89	–
White	588	11	3	2	19	14	11	34	78	130	148	138	–
Male	302	7	1	1	16	9	7	13	54	74	71	49	–
Female	286	4	2	1	3	5	4	21	24	56	77	89	–
All other	6	1	–	1	1	1	–	1	–	1	–	–	–
Male	5	–	–	1	1	1	–	1	–	1	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	1	–	1	–	1	–	–	–	–	–
Male	3	–	–	1	–	1	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Rochester, N.Y	8,151	159	28	37	114	140	225	438	1,108	1,913	2,137	1,851	1
Male	4,131	93	18	22	83	102	140	263	664	1,134	1,016	598	–
Female	4,020	66	10	15	31	38	85	175	444	779	1,121	1,255	1
White	7,705	125	14	27	89	115	188	381	1,018	1,832	2,077	1,828	1
Male	3,857	74	11	14	72	79	119	223	606	1,091	996	582	–
Female	3,848	51	3	13	27	36	69	158	412	741	1,081	1,246	1
All other	446	34	14	10	15	25	37	57	90	81	60	23	–
Male	274	19	7	8	11	23	21	40	58	43	30	14	–
Female	172	15	7	2	4	2	16	17	32	38	30	9	–
Black	430	33	10	10	13	25	37	56	89	78	58	21	–
Male	266	18	5	8	10	23	21	39	57	43	29	13	–
Female	164	15	5	2	3	2	16	17	32	35	29	8	–
Rockford, Ill	2,262	35	13	8	43	40	74	141	304	505	612	487	–
Male	1,187	16	9	7	34	29	43	91	186	307	301	164	–
Female	1,075	19	4	1	9	11	31	50	118	198	311	323	–
White	2,140	26	9	8	40	36	65	125	285	480	591	475	–
Male	1,122	11	7	7	32	26	38	80	174	291	295	161	–
Female	1,018	15	2	1	8	10	27	45	111	189	296	314	–
All other	122	9	4	–	3	4	9	16	19	25	21	12	–
Male	65	5	2	–	2	3	5	11	12	16	6	3	–
Female	57	4	2	–	1	1	4	5	7	9	15	9	–
Black	119	9	4	–	3	4	9	15	18	24	21	12	–
Male	64	5	2	–	2	3	5	10	12	16	6	3	–
Female	55	4	2	–	1	1	4	5	6	8	15	9	–
Rock Hill, S.C	879	31	4	3	18	25	26	73	162	208	212	117	–
Male	472	18	1	2	12	18	20	50	103	121	102	27	–
Female	407	13	3	1	6	9	6	23	59	87	110	90	–
White	678	20	1	3	15	18	18	57	125	152	172	97	–
Male	366	12	–	2	9	12	14	41	79	89	84	24	–
Female	312	8	1	1	6	6	4	16	46	63	88	73	–
All other	201	11	3	–	3	7	8	16	37	56	40	20	–
Male	106	6	1	–	3	4	6	9	24	32	18	3	–
Female	95	5	2	–	–	3	2	7	13	24	22	17	–
Black	201	11	3	–	3	7	8	16	37	56	40	20	–
Male	106	6	1	–	3	4	6	9	24	32	18	3	–
Female	95	5	2	–	–	3	2	7	13	24	22	17	–
Sacramento, Calif	7,964	175	34	41	193	282	240	586	1,285	1,849	1,935	1,357	7
Male	4,418	104	19	32	135	191	160	379	772	1,096	1,023	504	3
Female	3,546	71	15	9	58	71	80	207	513	753	912	853	4
White	7,287	127	25	37	170	231	219	518	1,140	1,721	1,810	1,282	7
Male	4,034	70	12	30	118	174	151	336	695	1,011	957	474	3
Female	3,253	57	13	7	51	57	68	180	445	710	853	808	4
All other	677	48	9	4	23	31	21	68	145	128	125	75	–
Male	384	34	7	2	16	17	9	41	77	85	66	30	–
Female	293	14	2	2	7	14	12	27	68	43	59	45	–
Black	433	32	4	4	19	26	18	46	101	74	65	44	–
Male	243	23	3	2	13	15	8	29	57	49	27	17	–
Female	190	9	1	2	6	11	10	17	44	25	38	27	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw, Mich	1,852	41	3	12	38	38	57	116	211	421	432	283	–
Male	899	21	1	3	23	28	35	76	129	240	235	110	–
Female	753	20	2	9	15	12	22	40	82	181	197	173	–
White	1,429	23	1	10	28	20	43	92	167	379	400	266	–
Male	785	14	1	3	16	15	29	61	106	221	215	102	–
Female	644	9	–	7	12	5	14	31	59	158	185	164	–
All other	223	18	2	2	10	18	14	24	44	42	32	17	–
Male	114	7	–	–	7	11	6	15	21	19	20	8	–
Female	109	11	2	2	3	7	8	9	23	23	12	9	–
Black	216	17	2	2	10	17	13	23	44	41	31	16	–
Male	111	7	–	–	7	10	6	14	21	18	20	8	–
Female	105	10	2	2	3	7	7	9	23	23	11	8	–
St. Cloud, Minn	1,018	21	11	10	21	16	16	43	96	210	320	254	–
Male	575	17	6	6	19	13	11	26	62	131	182	102	–
Female	443	4	5	4	2	3	5	17	34	79	138	152	–
White	1,015	20	11	10	21	16	15	43	96	210	320	253	–
Male	573	16	6	6	19	13	10	26	62	131	182	102	–
Female	442	4	5	4	2	3	5	17	34	79	138	151	–
All other	3	1	–	–	–	–	1	–	–	–	–	1	–
Male	2	1	–	–	–	–	1	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Joseph, Mo	1,230	21	3	5	19	14	23	51	141	259	401	292	1
Male	599	9	2	1	12	9	13	26	88	146	197	96	–
Female	631	12	1	4	7	5	10	25	53	113	204	196	1
White	1,191	20	3	5	18	14	22	49	136	252	387	283	1
Male	580	9	2	1	12	9	12	26	85	144	188	92	–
Female	611	11	1	4	7	5	10	23	51	108	199	191	1
All other	39	1	–	–	–	–	1	2	5	7	14	8	–
Male	19	–	–	–	–	–	1	–	3	2	9	4	–
Female	20	1	–	–	–	–	–	2	2	5	5	5	–
Black	39	1	–	–	–	–	1	2	5	7	14	9	–
Male	19	–	–	–	–	–	1	–	3	2	9	4	–
Female	20	1	–	–	–	–	–	2	2	5	5	5	–
St. Louis, Mo.-Ill	21,566	441	91	88	470	502	616	1,295	3,056	5,048	5,936	4,017	6
Male	11,064	232	50	52	355	342	386	817	1,906	2,870	2,752	1,296	6
Female	10,502	209	41	36	115	160	230	478	1,150	2,178	3,184	2,721	–
White	17,743	251	51	44	314	288	406	965	2,463	4,128	5,193	3,638	2
Male	8,919	137	30	24	230	186	254	613	1,550	2,367	2,391	1,135	2
Female	8,824	114	21	20	84	102	152	352	913	1,761	2,802	2,503	–
All other	3,823	190	40	44	156	214	210	330	593	920	743	379	4
Male	2,145	95	20	28	125	156	132	204	356	503	361	161	4
Female	1,678	95	20	16	31	58	78	126	237	417	382	218	–
Black	3,790	187	40	44	155	212	208	326	586	913	738	377	4
Male	2,128	94	20	28	124	155	131	201	354	500	357	160	4
Female	1,662	93	20	16	31	57	77	125	232	413	381	217	–
Salem, Oreg	2,178	51	11	4	42	50	55	91	247	483	657	487	–
Male	1,195	33	6	2	35	35	33	61	158	302	349	181	–
Female	983	18	5	2	7	15	22	30	89	181	308	306	–
White	2,153	49	11	4	41	48	54	88	244	476	654	486	–
Male	1,179	32	6	2	34	32	32	59	158	299	346	181	–
Female	974	17	5	2	7	14	22	29	86	177	308	305	–
All other	25	2	–	–	1	4	1	3	3	7	3	1	–
Male	16	1	–	–	1	3	1	2	2	3	3	–	–
Female	9	1	–	–	–	1	–	1	1	4	–	1	–
Black	10	1	–	–	–	2	1	2	1	2	1	–	–
Male	7	1	–	–	–	1	1	1	1	1	1	–	–
Female	3	–	–	–	–	1	–	1	–	1	–	–	–
Salinas-Seaside-Monterey, Calif	2,049	52	11	9	73	79	76	106	271	431	530	408	3
Male	1,083	27	9	6	56	61	46	63	154	247	271	141	2
Female	966	25	2	3	17	18	30	43	117	184	259	267	1
White	1,880	46	9	8	66	62	66	90	240	395	503	392	3
Male	978	25	7	6	51	50	40	54	132	223	254	134	2
Female	902	21	2	2	15	12	26	36	108	172	249	258	1
All other	169	6	2	1	7	17	10	16	31	36	27	16	–
Male	105	2	2	–	5	11	6	9	22	24	17	7	–
Female	64	4	–	1	2	6	4	7	9	12	10	9	–
Black	77	5	1	–	5	12	5	10	15	12	8	4	–
Male	43	2	1	–	3	8	5	5	10	5	2	2	–
Female	34	3	–	–	2	4	–	5	5	7	6	2	–
Salisbury-Concord, N.C	1,653	22	4	4	26	45	40	126	280	419	426	261	–
Male	908	12	2	1	18	35	21	88	186	259	190	96	–
Female	745	10	2	3	8	10	19	38	94	160	236	165	–
White	1,379	19	2	3	22	35	29	102	219	354	373	221	–
Male	755	9	–	1	16	28	13	73	152	220	165	78	–
Female	624	10	2	2	6	7	16	29	67	134	208	143	–
All other	274	3	2	1	4	10	11	24	61	65	53	40	–
Male	153	3	2	–	2	7	8	15	34	39	25	18	–
Female	121	–	–	1	2	3	3	9	27	26	28	22	–
Black	272	3	2	1	4	10	11	23	60	65	53	40	–
Male	152	3	2	–	2	7	8	14	34	39	25	18	–
Female	120	–	–	1	2	3	3	9	26	26	28	22	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City-Ogden, Utah	5,345	261	52	49	170	162	181	308	711	1,101	1,317	1,030	3
Male	2,836	155	29	26	122	114	110	190	494	665	616	371	2
Female	2,509	106	23	23	48	48	71	118	277	436	699	659	1
White	5,226	248	50	49	164	156	170	288	691	1,085	1,300	1,012	3
Male	2,766	147	27	26	116	111	104	182	421	659	607	384	2
Female	2,460	101	23	23	48	45	66	116	270	426	693	648	1
All other	119	13	2	–	6	6	11	10	20	16	17	18	–
Male	70	8	2	–	6	3	6	8	13	6	11	7	–
Female	49	5	–	–	–	3	5	2	7	10	6	11	–
Black	57	6	1	–	3	2	4	6	11	9	8	7	–
Male	33	4	1	–	3	1	2	5	7	3	4	3	–
Female	24	2	–	–	–	1	2	1	4	6	4	4	–
San Angelo, Tex	810	26	4	4	19	24	25	45	109	175	227	152	–
Male	431	18	3	3	15	15	14	27	67	110	104	55	–
Female	379	8	1	1	4	9	11	18	42	65	123	97	–
White	768	25	3	4	18	24	23	44	101	164	215	147	–
Male	413	18	3	3	14	15	13	26	64	101	102	54	–
Female	355	7	–	1	4	9	10	18	37	63	113	93	–
All other	42	1	1	–	1	–	2	1	8	11	12	5	–
Male	18	–	–	–	1	–	1	1	3	9	2	1	–
Female	24	1	1	–	–	–	1	–	5	2	10	4	–
Black	42	1	1	–	1	–	2	1	8	11	12	5	–
Male	18	–	–	–	1	–	1	1	3	9	2	1	–
Female	24	1	1	–	–	–	1	–	5	2	10	4	–
San Antonio, Tex	7,990	271	44	59	241	274	282	534	1,148	1,735	2,029	1,373	–
Male	4,364	154	18	38	195	209	188	347	705	1,038	986	486	–
Female	3,626	117	26	21	46	65	94	187	443	697	1,043	887	–
White	7,251	230	38	53	222	242	250	461	1,010	1,592	1,860	1,293	–
Male	3,960	132	16	35	182	186	170	293	625	958	905	458	–
Female	3,291	98	22	18	40	56	80	168	385	634	955	835	–
All other	739	41	6	6	19	32	32	73	138	143	169	80	–
Male	404	22	2	3	13	23	18	54	80	80	81	28	–
Female	335	19	4	3	6	9	14	19	58	63	88	52	–
Black	718	38	6	6	18	31	27	73	133	140	167	79	–
Male	391	20	2	3	12	23	16	54	78	77	79	27	–
Female	327	18	4	3	6	8	11	19	55	63	88	52	–
San Diego, Calif	13,851	310	71	72	345	388	415	837	1,993	3,176	3,636	2,614	14
Male	7,361	175	37	45	265	254	255	537	1,207	1,866	1,804	907	9
Female	6,490	135	34	27	80	114	160	300	786	1,310	1,832	1,707	5
White	13,087	232	58	61	301	326	362	762	1,868	3,037	3,503	2,564	12
Male	6,920	131	30	35	234	224	222	498	1,130	1,784	1,740	884	8
Female	6,167	101	28	26	67	102	140	264	738	1,253	1,763	1,680	4
All other	764	78	12	11	44	42	53	75	125	139	133	50	2
Male	441	44	7	10	31	30	33	39	77	82	64	23	1
Female	323	34	5	1	13	12	20	36	48	57	69	27	1
Black	518	56	10	2	35	34	35	47	91	88	87	32	1
Male	294	32	7	1	25	24	25	24	57	51	35	13	–
Female	224	24	3	1	10	10	10	23	34	37	52	19	1
San Francisco-Oakland, Calif	28,216	466	71	109	492	858	989	1,812	4,150	6,291	7,299	5,652	27
Male	14,740	271	40	68	363	598	656	1,130	2,522	3,590	3,588	1,924	12
Female	13,476	195	31	41	129	260	333	682	1,628	2,701	3,733	3,728	15
White	23,458	283	49	73	372	622	726	1,384	3,255	5,215	6,342	5,137	20
Male	11,975	166	30	46	275	436	477	864	1,987	2,939	3,030	1,717	8
Female	11,483	117	19	27	97	186	249	500	1,268	2,276	3,312	3,420	12
All other	4,758	183	22	36	120	236	263	448	895	1,076	957	515	7
Male	2,765	105	10	22	88	162	179	266	535	651	536	207	4
Female	1,993	78	12	14	32	74	84	182	360	425	421	308	3
Black	3,274	122	17	27	75	186	213	338	699	718	558	313	8
Male	1,848	71	8	15	57	128	150	200	412	415	280	109	3
Female	1,426	51	9	12	18	58	63	139	287	303	279	204	3
San Jose, Calif	7,836	188	42	46	224	271	286	556	1,206	1,639	1,835	1,535	8
Male	4,061	108	22	29	160	192	182	329	739	928	869	499	4
Female	3,775	80	20	17	64	79	104	227	467	711	966	1,036	4
White	7,337	150	35	41	198	235	248	507	1,134	1,541	1,755	1,487	6
Male	3,777	82	15	26	140	167	154	303	709	869	827	483	2
Female	3,560	68	20	15	58	68	94	204	425	672	928	1,004	4
All other	499	38	7	5	26	36	38	49	72	98	80	48	2
Male	284	28	7	3	20	25	28	26	30	59	42	16	2
Female	215	12	–	2	6	11	10	23	42	39	38	32	–
Black	188	18	4	3	10	11	20	22	28	34	23	15	–
Male	107	11	4	2	7	10	14	12	16	16	8	7	–
Female	81	7	–	1	3	1	6	10	12	18	15	8	–
Santa Barbara-Santa Maria-Lompoc, Calif	2,359	41	10	9	59	63	62	131	273	491	645	574	1
Male	1,187	27	7	6	46	48	40	82	164	275	291	201	–
Female	1,172	14	3	3	13	15	22	49	109	216	354	373	1
White	2,278	37	8	8	55	58	57	123	262	476	629	564	1
Male	1,143	24	5	5	44	43	38	78	158	267	282	199	–
Female	1,135	13	3	3	11	15	19	45	104	209	347	365	1
All other	81	4	2	1	4	5	5	8	11	15	16	10	–
Male	44	3	2	1	2	5	2	4	6	8	9	2	–
Female	37	1	–	–	2	–	3	4	5	7	7	8	–
Black	52	3	1	1	4	3	3	3	9	10	8	7	–
Male	24	2	1	1	2	3	1	–	5	4	4	1	–
Female	28	1	–	–	2	–	2	3	4	6	4	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas; see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Cruz, Calif	1,671	36	7	7	33	48	45	64	181	359	492	387	2
Male	850	25	5	4	20	34	27	40	110	192	244	147	2
Female	821	11	2	3	13	14	18	24	81	167	248	240	-
White	1,642	31	7	7	30	47	43	61	187	357	488	382	2
Male	832	23	5	4	18	33	25	38	108	190	241	145	2
Female	810	8	2	3	12	14	18	23	79	167	247	237	-
All other	29	5	-	-	3	1	2	3	4	2	4	5	-
Male	18	2	-	-	2	1	2	2	2	2	3	2	-
Female	11	3	-	-	1	-	-	1	2	-	1	3	-
Black	12	5	-	-	1	-	1	2	2	-	1	-	-
Male	7	2	-	-	1	-	1	1	1	-	1	-	-
Female	5	3	-	-	-	-	-	1	1	-	-	-	-
Santa Rosa, Calif	2,928	40	13	10	50	52	55	149	328	767	917	645	1
Male	1,528	26	7	5	38	38	37	90	197	447	404	239	-
Female	1,400	14	6	5	12	14	18	59	132	320	413	406	1
White	2,889	39	13	9	47	49	55	144	324	759	909	640	1
Male	1,506	25	7	4	36	36	37	86	194	443	400	236	-
Female	1,383	14	6	5	11	13	18	58	130	316	409	402	1
All other	39	1	-	1	3	3	-	5	5	8	8	5	-
Male	22	1	-	1	2	2	-	4	3	4	4	1	-
Female	17	-	-	-	1	1	-	1	2	4	4	4	-
Black	24	-	-	1	1	2	-	4	4	5	4	3	-
Male	12	-	-	1	1	2	-	3	3	1	1	-	-
Female	12	-	-	-	-	-	-	1	1	4	3	3	-
Sarasota, Fla	3,178	33	6	4	30	39	38	100	359	803	1,110	656	-
Male	1,758	15	4	2	21	30	28	68	195	468	628	299	-
Female	1,420	18	2	2	9	9	10	32	164	335	482	357	-
White	3,098	20	6	3	26	37	32	96	345	788	1,097	648	-
Male	1,714	9	4	2	19	30	23	64	186	458	622	297	-
Female	1,384	11	2	1	7	7	9	32	159	330	475	351	-
All other	80	13	-	1	4	2	6	4	14	15	13	8	-
Male	44	6	-	-	2	-	5	4	9	10	6	2	-
Female	36	7	-	1	2	2	1	-	5	5	7	6	-
Black	77	13	-	-	4	2	6	4	14	15	11	8	-
Male	42	6	-	-	2	-	5	4	9	10	4	2	-
Female	35	7	-	-	2	2	1	-	5	5	7	6	-
Savannah, Ga	2,050	58	12	15	45	66	80	178	371	527	481	216	1
Male	1,080	35	6	8	33	51	45	98	243	290	212	59	-
Female	970	23	6	7	12	15	35	80	128	237	269	157	1
White	1,274	21	7	9	29	34	44	107	217	304	328	174	-
Male	653	12	2	4	23	25	23	61	146	170	146	41	-
Female	621	9	5	5	6	9	21	46	71	134	182	133	-
All other	776	37	5	6	16	32	36	71	154	223	153	42	1
Male	427	23	4	4	10	26	22	37	97	120	66	18	-
Female	349	14	1	2	6	6	14	34	57	103	87	24	1
Black	773	37	4	6	16	32	36	70	154	223	153	41	1
Male	426	23	4	4	10	26	22	36	97	120	66	18	-
Female	347	14	-	2	6	6	14	34	57	103	87	23	1
Seattle-Everett, Wash	12,113	233	48	61	216	332	378	681	1,654	2,753	3,103	2,656	-
Male	6,244	140	25	36	150	227	252	399	1,039	1,585	1,525	886	-
Female	5,869	93	21	25	66	105	126	282	615	1,168	1,578	1,790	-
White	11,407	192	40	58	189	299	338	609	1,518	2,611	2,968	2,585	-
Male	5,828	120	21	34	133	206	225	357	958	1,495	1,447	832	-
Female	5,579	72	19	24	56	93	113	252	560	1,116	1,521	1,753	-
All other	706	41	6	3	27	33	40	72	136	142	135	71	-
Male	416	20	4	2	17	21	27	42	81	90	78	34	-
Female	290	21	2	1	10	12	13	30	55	52	57	37	-
Black	367	28	4	2	13	16	24	39	89	75	52	25	-
Male	210	15	3	1	9	12	16	23	53	43	24	11	-
Female	157	13	1	1	4	4	8	16	36	32	28	14	-
Sharon, Pa	1,232	16	5	5	17	13	25	52	177	314	342	266	-
Male	636	11	4	1	11	11	14	32	110	192	160	90	-
Female	596	5	1	4	6	2	11	20	67	122	182	176	-
White	1,192	16	4	3	15	13	23	49	169	302	338	260	-
Male	617	11	3	1	11	11	13	29	106	186	160	66	-
Female	575	5	1	2	4	2	10	20	63	116	178	174	-
All other	40	-	1	2	2	-	2	3	8	12	4	6	-
Male	19	-	1	-	-	-	1	3	4	6	-	4	-
Female	21	-	-	2	2	-	1	-	4	6	4	2	-
Black	40	-	1	2	2	-	2	3	8	12	4	6	-
Male	19	-	1	-	-	-	1	3	4	6	-	4	-
Female	21	-	-	2	2	-	1	-	4	6	4	2	-
Sheboygan, Wis	876	16	1	1	17	13	15	37	116	206	253	201	-
Male	463	8	1	-	15	11	12	21	70	124	133	68	-
Female	413	8	-	1	2	2	3	16	46	82	120	133	-
White	871	14	1	1	16	13	15	37	116	205	252	201	-
Male	460	7	1	-	14	11	12	21	70	123	133	68	-
Female	411	7	-	1	2	2	3	16	46	82	119	133	-
All other	5	2	-	-	1	-	-	-	-	1	1	-	-
Male	3	1	-	-	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sherman-Denison, Tex	995	17	2	6	21	19	19	51	137	238	267	218	–
Male	519	12	1	4	17	15	11	38	90	128	134	69	–
Female	476	5	1	2	4	4	8	13	47	110	133	149	–
White	927	13	2	5	20	16	18	49	131	216	247	211	–
Male	478	8	1	3	16	12	11	36	87	115	124	65	–
Female	449	5	1	2	4	3	7	13	44	101	123	146	–
All other	68	4	–	1	1	4	1	2	6	22	20	7	–
Male	41	4	–	1	1	3	–	2	3	13	10	4	–
Female	27	–	–	–	–	1	1	–	3	9	10	3	–
Black	66	4	–	1	1	4	1	1	6	21	20	7	–
Male	39	4	–	1	1	3	–	1	3	12	10	4	–
Female	27	–	–	–	–	1	1	–	3	9	10	3	–
Shreveport, La	3,573	97	17	26	89	90	128	277	593	703	930	561	2
Male	1,875	52	8	16	78	65	77	180	320	445	440	192	1
Female	1,698	45	9	10	20	25	51	97	213	348	490	369	1
White	2,309	39	9	16	70	46	72	169	321	528	644	393	2
Male	1,177	21	5	9	59	34	42	105	191	309	288	113	1
Female	1,132	18	4	7	11	12	30	64	130	219	356	280	1
All other	1,264	58	8	10	29	44	56	108	212	265	286	168	–
Male	698	31	3	7	20	31	35	75	128	136	152	79	–
Female	566	27	5	3	9	13	21	33	83	129	134	109	–
Black	1,263	58	8	10	29	44	56	108	212	265	285	188	–
Male	698	31	3	7	20	31	35	75	129	136	152	79	–
Female	565	27	5	3	9	13	21	33	83	129	133	109	–
Sioux City, Iowa-Nebr	1,166	28	6	4	24	18	25	49	165	239	309	309	–
Male	630	15	4	3	18	11	10	32	101	148	165	123	–
Female	536	13	2	1	6	7	15	17	64	91	144	186	–
White	1,142	26	6	4	23	17	24	47	150	236	302	307	–
Male	617	14	4	3	17	10	10	31	99	147	161	121	–
Female	525	12	2	1	6	7	14	16	51	89	141	186	–
All other	24	2	–	–	1	1	1	2	5	3	7	2	–
Male	13	1	–	–	1	1	–	1	2	1	4	2	–
Female	11	1	–	–	–	–	1	1	3	2	3	–	–
Black	18	1	–	–	1	–	1	1	4	3	5	2	–
Male	10	1	–	–	1	–	–	–	2	1	3	2	–
Female	8	–	–	–	–	–	1	1	2	2	2	–	–
Sioux Falls, S. Dak	850	13	3	7	10	15	17	36	94	179	252	224	–
Male	447	8	1	5	6	10	9	22	57	119	133	77	–
Female	403	5	2	2	4	5	8	14	37	60	119	147	–
White	843	13	3	7	9	14	16	36	94	179	249	223	–
Male	444	8	1	5	6	9	9	22	57	119	132	76	–
Female	399	5	2	2	3	5	7	14	37	60	117	147	–
All other	7	–	–	–	1	1	1	–	–	–	3	1	–
Male	3	–	–	–	–	1	–	–	–	–	1	1	–
Female	4	–	–	–	1	–	1	–	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
South Bend, Ind	2,586	44	9	7	37	53	61	139	365	550	742	559	–
Male	1,291	19	5	4	27	36	33	74	232	322	347	192	–
Female	1,295	25	4	3	10	17	28	65	133	228	395	367	–
White	2,417	32	8	7	31	48	57	126	333	514	717	543	–
Male	1,212	14	4	4	22	32	30	68	212	304	336	186	–
Female	1,205	18	4	3	9	17	27	58	121	210	381	357	–
All other	169	12	1	–	6	4	4	13	32	36	25	16	–
Male	79	5	1	–	5	4	3	6	20	18	11	6	–
Female	70	7	–	–	1	–	1	7	12	18	14	10	–
Black	147	12	1	–	6	4	4	13	31	35	25	16	–
Male	77	5	1	–	5	4	3	6	19	17	11	6	–
Female	70	7	–	–	1	–	1	7	12	18	14	10	–
Spokane, Wash	2,865	72	12	19	62	59	67	153	385	643	726	654	3
Male	1,475	35	9	10	47	39	44	102	227	376	345	239	2
Female	1,390	37	3	9	15	20	23	51	158	267	381	415	1
White	2,797	68	12	17	59	53	64	147	382	626	718	648	3
Male	1,437	32	9	8	44	37	41	99	219	369	341	236	2
Female	1,360	36	3	9	15	16	23	48	163	257	377	412	1
All other	68	4	–	2	3	6	3	6	13	17	8	6	–
Male	38	3	–	2	3	2	3	3	8	7	4	3	–
Female	30	1	–	–	–	4	–	3	5	10	4	3	–
Black	32	3	–	1	3	2	1	2	5	7	5	3	–
Male	22	3	–	1	3	1	1	1	3	5	3	1	–
Female	10	–	–	–	–	1	–	1	2	2	2	2	–
Springfield, Ill	1,780	40	7	7	31	28	40	125	233	392	545	332	–
Male	957	23	6	5	25	22	27	79	145	246	253	126	–
Female	823	17	1	2	6	6	13	46	88	146	292	206	–
White	1,680	28	6	7	31	22	34	115	217	373	522	325	–
Male	891	15	5	5	25	17	23	72	134	233	240	122	–
Female	789	13	1	2	6	5	11	43	83	140	282	203	–
All other	100	12	1	–	–	6	6	10	16	19	23	7	–
Male	66	8	1	–	–	5	4	7	11	13	13	4	–
Female	34	4	–	–	–	1	2	3	5	6	10	3	–
Black	99	12	1	–	–	6	6	10	16	18	23	7	–
Male	65	8	1	–	–	5	4	7	11	12	19	4	–
Female	34	4	–	–	–	1	2	3	5	6	10	3	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, Mo	1,817	32	2	8	33	27	40	97	263	404	542	369	–
Male	945	18	2	5	21	19	22	54	174	243	271	116	–
Female	872	14	–	3	12	8	18	43	89	161	271	253	–
White	1,792	31	2	7	33	25	39	96	259	397	536	367	–
Male	931	17	2	4	21	18	22	54	170	239	269	115	–
Female	861	14	–	3	12	7	17	42	89	158	267	252	–
All other	25	1	–	1	–	2	1	1	4	7	6	2	–
Male	14	1	–	1	–	1	–	–	4	4	2	1	–
Female	11	–	–	–	–	1	1	1	–	3	4	1	–
Black	23	–	–	1	–	2	1	–	4	7	6	2	–
Male	13	–	–	1	–	1	–	–	4	4	2	1	–
Female	10	–	–	–	–	1	1	–	–	3	4	1	–
Springfield, Ohio	1,719	47	4	8	31	40	42	98	220	403	471	357	–
Male	872	27	2	6	23	25	25	53	133	234	225	119	–
Female	847	20	2	2	8	15	17	43	87	169	246	238	–
White	1,527	37	3	7	27	31	35	81	196	355	418	337	–
Male	768	20	1	5	21	20	19	44	121	205	199	113	–
Female	759	17	2	2	6	11	16	37	75	150	219	224	–
All other	192	10	1	1	4	9	7	15	24	48	53	20	–
Male	104	7	1	1	2	5	6	9	12	29	26	6	–
Female	88	3	–	–	2	4	1	6	12	19	27	14	–
Black	189	10	1	1	4	9	7	14	24	48	53	18	–
Male	103	7	1	1	2	5	6	9	12	29	26	5	–
Female	86	3	–	–	2	4	1	5	12	19	27	13	–
Springfield-Chicopee-Holyoke, Mass	5,281	85	13	22	78	97	117	295	735	1,236	1,389	1,211	3
Male	2,689	48	6	10	53	68	72	182	474	714	648	411	3
Female	2,592	37	7	12	25	29	45	113	261	522	741	800	–
White	5,094	74	12	20	71	86	105	273	701	1,196	1,360	1,193	3
Male	2,606	42	5	10	51	62	67	168	454	700	640	404	3
Female	2,488	32	7	10	20	24	38	105	247	496	720	789	–
All other	187	11	1	2	7	11	12	22	34	40	29	18	–
Male	83	6	1	–	2	6	5	14	20	14	8	7	–
Female	104	5	–	2	5	5	7	8	14	26	21	11	–
Black	183	11	1	2	7	11	12	22	32	38	29	18	–
Male	82	6	1	–	2	6	5	14	19	14	8	7	–
Female	101	5	–	2	5	5	7	8	13	24	21	11	–
State College, Pa	663	13	–	1	12	9	12	33	86	166	194	137	–
Male	333	6	–	1	9	7	7	22	51	90	93	47	–
Female	330	7	–	–	3	2	5	11	35	76	101	90	–
White	658	11	–	1	12	8	12	33	86	165	194	136	–
Male	330	4	–	1	9	7	7	22	51	90	93	46	–
Female	328	7	–	–	3	1	5	11	35	75	101	90	–
All other	5	2	–	–	–	1	–	–	–	1	–	1	–
Male	3	2	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	1	–	–	–	1	–	–	–
Black	4	1	–	–	–	1	–	–	–	1	–	1	–
Male	2	1	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	1	–	–	–	1	–	–	–
Steubenville-Weirton, Ohio-W. Va	1,595	20	1	3	22	32	34	107	266	448	413	249	–
Male	864	13	–	2	18	24	19	70	165	268	194	91	–
Female	731	7	1	1	4	8	15	37	101	180	219	158	–
White	1,523	17	1	3	21	28	31	104	252	428	395	243	–
Male	824	13	–	2	18	22	17	68	155	256	185	88	–
Female	699	4	1	1	3	6	14	36	97	172	210	155	–
All other	72	3	–	–	1	4	3	3	14	20	18	6	–
Male	40	–	–	–	–	2	2	2	10	12	9	3	–
Female	32	3	–	–	1	2	1	1	4	8	9	3	–
Black	72	3	–	–	1	4	3	3	14	20	18	6	–
Male	40	–	–	–	–	2	2	2	10	12	9	3	–
Female	32	3	–	–	1	2	1	1	4	8	9	3	–
Stockton, Calif	3,193	64	18	17	91	93	112	187	474	752	801	681	2
Male	1,851	39	8	8	69	69	74	102	301	482	450	247	2
Female	1,342	25	11	9	22	24	38	85	173	270	351	334	–
White	2,853	54	17	14	84	75	94	163	426	672	712	540	2
Male	1,608	33	7	6	69	55	60	89	270	424	376	223	2
Female	1,245	21	10	8	21	20	34	74	156	248	336	317	–
All other	340	10	2	3	7	18	18	24	48	80	89	41	–
Male	243	6	1	2	6	14	14	13	31	58	74	24	–
Female	97	4	1	1	1	4	4	11	17	22	15	17	–
Black	158	6	1	2	3	11	11	12	29	45	22	16	–
Male	104	3	1	2	2	11	10	6	16	31	15	7	–
Female	54	3	–	–	1	–	1	6	13	14	7	9	–
Syracuse, N.Y	5,451	105	18	19	104	84	113	267	803	1,298	1,462	1,177	–
Male	2,785	65	11	10	78	56	70	150	479	760	702	404	–
Female	2,666	41	7	9	26	28	43	117	324	538	760	773	–
White	5,255	89	15	17	94	72	99	245	753	1,261	1,443	1,167	–
Male	2,682	53	11	9	73	47	63	138	449	740	697	402	–
Female	2,573	36	4	8	21	25	36	107	304	521	746	765	–
All other	196	17	3	2	10	12	14	22	50	37	19	10	–
Male	103	12	–	1	5	9	7	12	30	20	5	2	–
Female	93	5	3	1	5	3	7	10	20	17	14	8	–
Black	161	13	3	1	6	7	11	17	45	35	15	8	–
Male	87	10	–	1	3	5	4	10	29	20	3	2	–
Female	74	3	3	–	3	2	7	7	16	15	12	6	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, Wash	3,816	118	19	16	83	109	89	224	511	867	944	636	–
Male	1,963	73	10	11	59	69	54	142	324	520	469	232	–
Female	1,853	45	9	5	24	40	35	82	187	347	475	404	–
White	3,422	89	12	13	69	81	74	206	485	838	930	625	–
Male	1,847	54	5	9	49	55	42	129	305	504	465	230	–
Female	1,575	35	7	4	20	26	32	77	180	334	465	395	–
All other	194	29	7	3	14	28	15	18	26	29	14	11	–
Male	116	19	5	2	10	14	12	13	19	16	4	2	–
Female	78	10	2	1	4	14	3	5	7	13	10	9	–
Black	131	19	6	3	8	21	9	11	18	20	11	5	–
Male	84	15	4	2	6	10	8	9	15	11	3	1	–
Female	47	4	2	1	2	11	1	2	3	9	8	4	–
Tallahassee, Fla	944	36	7	2	26	42	21	61	182	214	200	152	1
Male	508	27	4	–	17	33	15	38	117	116	101	39	1
Female	436	9	3	2	9	9	6	23	65	98	99	113	–
White	695	14	4	1	17	29	17	46	135	157	150	125	–
Male	375	7	3	–	13	22	14	31	88	85	79	33	–
Female	320	7	1	1	4	7	3	15	47	72	71	92	–
All other	249	22	3	1	9	13	4	15	47	57	50	27	1
Male	133	20	1	–	4	11	1	7	29	31	22	6	1
Female	116	2	2	1	5	2	3	8	18	26	28	21	–
Black	247	21	3	1	9	13	3	15	47	57	50	27	1
Male	132	19	1	–	4	11	1	7	29	31	22	6	1
Female	115	2	2	1	5	2	2	8	18	26	28	21	–
Tampa-St. Petersburg, Fla	20,552	267	59	66	287	319	361	936	2,476	5,162	6,458	4,157	4
Male	11,242	159	32	41	219	234	219	616	1,540	3,087	3,423	1,669	3
Female	9,310	108	27	25	68	85	142	320	936	2,075	3,035	2,488	1
White	18,356	196	45	52	247	266	309	794	2,266	4,881	6,225	4,071	4
Male	10,575	115	23	33	191	195	187	525	1,426	2,931	3,315	1,631	3
Female	8,781	81	22	19	56	71	122	269	840	1,950	2,910	2,440	1
All other	1,196	71	14	14	40	53	52	142	210	281	233	86	–
Male	667	44	9	8	28	39	32	91	114	156	108	38	–
Female	529	27	5	6	12	14	20	51	96	125	125	48	–
Black	1,180	59	14	12	40	51	52	139	208	280	231	84	–
Male	656	42	9	7	28	37	32	89	113	156	108	37	–
Female	524	27	5	5	12	14	20	50	95	124	126	47	–
Terre Haute, Ind	1,974	38	7	8	31	26	37	96	267	435	605	424	–
Male	985	22	5	4	25	14	23	66	166	249	272	139	–
Female	989	16	2	4	6	12	14	30	101	186	333	285	–
White	1,916	35	6	8	31	25	36	92	259	422	594	408	–
Male	954	21	4	4	25	13	22	64	160	245	265	131	–
Female	962	14	2	4	6	12	14	28	99	177	329	277	–
All other	58	3	1	–	–	1	1	4	8	13	11	16	–
Male	31	1	1	–	–	1	1	2	6	4	7	8	–
Female	27	2	–	–	–	–	–	2	2	9	4	8	–
Black	58	3	1	–	–	1	1	4	8	13	11	16	–
Male	31	1	1	–	–	1	1	2	6	4	7	8	–
Female	27	2	–	–	–	–	–	2	2	9	4	8	–
Texarkana, Tex.-Texarkana, Ark	1,138	29	7	6	16	26	32	67	168	288	299	209	–
Male	623	12	4	4	13	22	20	41	117	180	139	71	–
Female	515	8	3	2	3	4	12	26	51	108	160	138	–
White	879	13	1	3	14	17	24	46	130	235	224	172	–
Male	482	7	1	2	12	15	15	33	93	149	103	52	–
Female	397	6	–	1	2	2	9	13	37	86	121	120	–
All other	259	7	6	3	2	9	8	21	38	53	75	37	–
Male	141	5	3	2	1	7	5	8	24	31	36	19	–
Female	118	2	3	1	1	2	3	13	14	22	39	18	–
Black	258	7	6	3	2	9	8	21	38	53	74	37	–
Male	141	5	3	2	1	7	5	8	24	31	36	19	–
Female	117	2	3	1	1	2	3	13	14	22	38	18	–
Toledo, Ohio-Mich	6,899	121	20	31	146	114	164	407	894	1,623	1,935	1,342	2
Male	3,550	73	9	22	113	79	87	258	612	959	884	453	1
Female	3,349	48	11	9	33	35	77	149	282	664	1,051	889	1
White	6,323	92	17	27	127	95	135	343	905	1,483	1,816	1,281	2
Male	3,238	59	7	19	99	86	73	219	582	874	830	429	1
Female	3,085	33	10	8	28	29	62	124	343	609	986	852	1
All other	576	29	3	4	19	19	29	64	89	140	119	61	–
Male	312	14	2	3	14	13	14	39	50	85	54	24	–
Female	264	15	1	1	5	6	15	25	39	55	65	37	–
Black	567	28	3	4	18	19	29	63	88	138	117	60	–
Male	303	13	2	3	13	13	14	38	49	83	52	23	–
Female	264	15	1	1	5	6	15	25	39	55	65	37	–
Topeka, Kans	1,665	36	9	8	22	31	36	89	208	350	462	394	–
Male	861	20	3	4	17	25	23	55	120	218	247	129	–
Female	804	16	6	4	5	6	13	34	88	132	235	265	–
White	1,553	28	8	6	22	30	30	85	188	326	453	376	–
Male	808	18	2	2	17	24	20	54	108	208	233	122	–
Female	747	11	6	4	5	6	10	31	80	120	220	254	–
All other	112	7	1	2	–	1	6	4	20	24	29	18	–
Male	55	2	1	2	–	1	3	1	12	12	14	7	–
Female	57	5	–	–	–	–	3	3	8	12	15	11	–
Black	105	7	1	2	–	1	5	3	20	21	28	17	–
Male	52	2	1	2	–	1	2	1	12	11	13	7	–
Female	53	5	–	–	–	–	3	2	8	10	15	10	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,484	55	8	5	36	43	57	177	421	609	596	477	-
Male	1,279	25	6	2	23	32	33	114	266	385	258	157	-
Female	1,205	30	2	3	13	11	24	63	155	244	340	320	-
White	2,094	28	6	4	25	29	41	116	348	512	531	452	-
Male	1,056	14	4	2	16	21	21	76	222	311	221	148	-
Female	1,038	14	2	2	9	8	20	42	126	201	310	304	-
All other	390	27	2	1	11	14	16	59	73	97	65	25	-
Male	223	11	2	-	7	11	12	38	44	54	35	9	-
Female	167	16	-	1	4	3	4	21	29	43	30	16	-
Black	383	27	2	1	11	14	16	58	73	94	62	25	-
Male	217	11	2	-	7	11	12	37	44	52	32	9	-
Female	166	16	-	1	4	3	4	21	29	42	30	16	-
Tucson, Ariz	4,271	75	15	26	99	97	112	264	654	1,096	1,137	693	3
Male	2,365	47	10	10	74	71	73	164	428	661	573	251	3
Female	1,906	28	5	16	25	26	39	100	226	435	564	442	-
White	4,054	62	10	24	86	86	99	245	611	1,052	1,100	676	3
Male	2,243	40	7	8	63	63	63	153	404	638	555	246	3
Female	1,811	22	3	16	23	23	36	92	207	414	545	430	-
All other	217	13	5	2	13	11	13	19	43	44	37	17	-
Male	122	7	3	2	11	8	10	11	24	23	18	5	-
Female	95	6	2	-	2	3	3	8	19	21	19	12	-
Black	95	3	4	-	3	5	8	7	15	21	18	11	-
Male	56	3	3	-	3	5	6	4	9	11	10	2	-
Female	39	-	1	-	-	-	2	3	6	10	8	9	-
Tulsa, Okla	5,762	130	26	46	165	180	192	370	819	1,257	1,524	1,044	5
Male	3,061	66	18	30	111	138	128	223	512	755	732	344	4
Female	2,701	64	10	18	54	42	64	147	307	502	792	700	1
White	5,178	110	20	38	148	150	167	311	750	1,123	1,384	973	4
Male	2,763	57	15	22	101	116	111	189	469	687	673	320	3
Female	2,415	53	5	16	47	34	56	122	281	436	711	653	1
All other	584	20	6	10	17	30	25	59	69	134	140	71	1
Male	298	9	3	6	10	22	17	34	43	68	59	24	1
Female	286	11	5	2	7	8	8	25	26	66	81	47	-
Black	438	14	7	8	11	20	18	44	55	101	102	57	1
Male	222	5	3	6	7	15	14	24	37	50	40	18	1
Female	216	9	4	-	4	5	4	20	18	51	62	39	-
Tuscaloosa, Ala	1,022	22	1	10	10	29	30	75	154	268	250	172	1
Male	556	11	1	6	5	18	21	46	105	161	121	58	1
Female	466	11	-	2	5	11	9	29	49	107	129	114	-
White	728	9	1	5	8	15	21	53	101	188	191	136	-
Male	389	4	1	4	5	11	14	36	66	113	94	41	-
Female	339	5	-	1	3	4	7	17	35	75	97	95	-
All other	294	13	-	5	2	14	9	22	53	80	59	36	1
Male	167	7	-	4	-	7	7	10	39	48	27	17	1
Female	127	6	-	1	2	7	2	12	14	32	32	19	-
Black	293	13	-	5	2	14	9	21	53	80	59	36	1
Male	167	7	-	4	-	7	7	10	39	48	27	17	1
Female	126	6	-	1	2	7	2	11	14	32	32	19	-
Tyler, Tex	1,217	31	5	4	30	32	38	61	179	272	341	224	-
Male	641	14	2	3	21	23	26	43	115	164	161	69	-
Female	576	17	3	1	9	9	12	18	64	108	180	155	-
White	938	19	3	2	24	23	31	47	130	215	259	185	-
Male	499	10	1	2	18	16	20	32	86	137	123	54	-
Female	439	9	2	-	6	7	11	15	44	78	136	131	-
All other	279	12	2	2	6	9	7	14	49	57	82	39	-
Male	142	4	1	1	3	7	6	11	29	27	36	15	-
Female	137	8	1	1	3	2	1	3	20	30	44	24	-
Black	279	12	2	2	6	9	7	14	49	57	82	39	-
Male	142	4	1	1	3	7	6	11	29	27	36	15	-
Female	137	8	1	1	3	2	1	3	20	30	44	24	-
Utica-Rome, N.Y	3,418	48	8	15	46	45	54	171	469	675	918	769	-
Male	1,777	28	5	9	36	34	34	107	308	525	432	259	-
Female	1,641	20	3	6	10	11	20	64	161	350	486	510	-
White	3,356	43	6	10	45	43	53	162	455	663	910	766	-
Male	1,743	25	3	5	36	34	34	101	297	522	427	259	-
Female	1,613	18	3	5	9	9	19	61	158	341	483	507	-
All other	62	5	2	5	1	2	1	9	14	12	8	3	-
Male	34	3	2	4	-	-	-	6	11	3	5	-	-
Female	28	2	-	1	1	2	1	3	3	9	3	3	-
Black	57	5	2	4	1	2	1	7	14	11	8	2	-
Male	31	3	2	3	-	-	-	5	11	2	5	-	-
Female	26	2	-	1	1	2	1	2	3	9	3	2	-
Vallejo-Fairfield-Napa, Calif	2,593	48	8	13	59	80	74	147	392	617	692	461	2
Male	1,387	22	4	5	46	56	51	86	241	378	327	170	1
Female	1,206	26	4	8	13	24	23	61	151	239	365	291	1
White	2,344	36	6	10	51	62	64	127	345	549	649	443	2
Male	1,232	14	3	5	39	45	48	73	215	330	300	160	1
Female	1,112	22	3	5	12	17	16	54	129	219	349	283	1
All other	249	12	2	3	8	18	10	20	47	68	43	18	-
Male	155	8	1	-	7	11	5	13	25	48	27	10	-
Female	94	4	1	3	1	7	5	7	22	20	16	8	-
Black	172	9	2	-	7	13	7	15	34	48	26	11	-
Male	105	6	1	-	6	9	4	10	20	31	14	4	-
Female	67	3	1	-	1	4	3	5	14	17	12	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Victoria, Tex	542	24	2	4	20	18	12	45	80	121	143	72	1
Male	290	8	1	2	17	16	8	27	54	64	70	22	1
Female	252	16	1	2	3	2	4	18	26	57	73	50	-
White	496	24	1	4	20	16	11	42	74	107	132	64	1
Male	266	8	-	2	17	15	8	25	51	55	84	20	1
Female	230	16	1	2	3	1	3	17	23	52	68	44	-
All other	46	-	1	-	-	2	1	3	6	14	11	8	-
Male	24	-	1	-	-	1	-	2	3	9	6	2	-
Female	22	-	-	-	-	1	1	1	3	5	5	6	-
Black	46	-	1	-	-	2	1	3	6	14	11	8	-
Male	24	-	1	-	-	1	-	2	3	9	6	2	-
Female	22	-	-	-	-	1	1	1	3	5	5	6	-
Vineland-Millville-Bridgeton, N.J	1,316	32	7	7	24	36	56	84	195	309	331	234	1
Male	719	19	3	4	17	25	36	59	122	171	179	84	-
Female	597	13	4	3	7	11	20	25	73	138	152	150	1
White	1,136	25	6	4	20	27	34	59	162	280	306	212	1
Male	600	15	3	2	14	22	22	39	94	151	164	74	-
Female	536	10	3	2	6	5	12	20	68	129	142	138	1
All other	180	7	1	3	4	9	22	25	33	29	25	22	-
Male	119	4	-	2	3	3	14	20	28	20	15	10	-
Female	61	3	1	1	1	6	8	5	5	9	10	12	-
Black	169	7	1	3	4	9	21	24	33	28	21	20	-
Male	112	4	-	2	3	3	14	19	28	18	11	10	-
Female	57	3	1	1	1	6	7	5	5	8	10	10	-
Visalia-Tulare-Porterville, Calif	2,082	68	13	16	76	69	68	143	257	464	548	353	3
Male	1,177	35	9	11	58	50	51	91	162	273	303	133	1
Female	905	33	4	7	20	19	17	52	95	191	245	220	2
White	2,006	66	13	18	77	63	67	135	248	444	527	346	2
Male	1,136	35	9	11	58	48	50	86	156	263	290	130	-
Female	870	31	4	7	19	15	17	49	92	181	237	216	2
All other	76	2	-	-	1	6	1	8	9	20	21	7	1
Male	41	-	-	-	-	2	1	5	6	10	13	3	1
Female	35	2	-	-	1	4	-	3	3	10	8	4	-
Black	47	2	-	-	-	4	1	5	8	12	11	4	-
Male	23	-	-	-	-	2	1	3	6	4	6	1	-
Female	24	2	-	-	-	2	-	2	2	8	5	3	-
Waco, Tex	1,638	31	12	4	35	43	38	101	229	376	464	305	-
Male	834	15	7	3	27	31	25	61	147	230	195	93	-
Female	804	16	5	1	8	12	13	40	82	146	269	212	-
White	1,349	21	7	4	28	28	27	74	192	318	383	267	-
Male	691	11	5	3	21	20	19	48	131	195	165	73	-
Female	658	10	2	1	7	8	8	26	61	123	218	194	-
All other	289	10	5	-	7	15	11	27	37	58	81	38	-
Male	143	4	2	-	6	11	6	13	16	35	30	20	-
Female	146	6	3	-	1	4	5	14	21	23	51	18	-
Black	285	10	4	-	7	15	11	26	37	56	81	38	-
Male	141	4	2	-	6	11	6	13	16	33	30	20	-
Female	144	6	2	-	1	4	5	13	21	23	51	18	-
Washington, D.C.-Md.-Va	20,208	634	75	89	474	753	904	1,710	3,481	4,471	4,471	3,126	20
Male	10,543	363	48	43	331	530	565	1,068	2,139	2,494	2,005	945	12
Female	9,665	271	27	46	143	223	339	642	1,342	1,977	2,466	2,181	8
White	13,335	262	34	52	308	359	450	948	2,148	2,972	3,275	2,517	10
Male	6,723	148	24	25	216	245	269	600	1,344	1,684	1,439	723	6
Female	6,612	114	10	27	92	114	181	348	804	1,288	1,836	1,794	4
All other	6,873	372	41	37	166	394	454	762	1,333	1,499	1,196	609	10
Male	3,820	215	24	18	115	285	296	468	795	810	586	222	6
Female	3,053	157	17	19	51	109	158	294	538	689	630	387	4
Black	6,656	356	38	34	157	381	429	727	1,301	1,462	1,170	591	10
Male	3,691	203	21	18	108	278	282	451	777	789	548	210	6
Female	2,965	153	17	16	49	103	147	276	524	673	622	381	4
Waterloo-Cedar Falls, Iowa	1,056	35	4	6	13	23	29	54	135	247	283	227	-
Male	552	25	2	5	11	14	16	37	81	151	145	65	-
Female	504	10	2	1	2	9	13	17	54	96	138	162	-
White	1,003	27	4	6	11	21	27	49	123	236	278	221	-
Male	521	21	2	5	9	13	15	34	73	145	141	63	-
Female	482	6	2	1	2	8	12	15	50	91	137	158	-
All other	53	8	-	-	2	2	2	5	12	11	5	6	-
Male	31	4	-	-	2	1	1	3	8	6	4	2	-
Female	22	4	-	-	-	1	1	2	4	5	1	4	-
Black	53	8	-	-	2	2	2	5	12	11	5	6	-
Male	31	4	-	-	2	1	1	3	8	6	4	2	-
Female	22	4	-	-	-	1	1	2	4	5	1	4	-
Wausau, Wis	816	14	4	1	18	12	22	44	81	191	236	193	-
Male	450	8	2	1	16	6	13	22	53	127	129	73	-
Female	366	6	2	-	2	6	9	22	28	64	107	120	-
White	813	14	2	1	18	11	22	44	81	191	236	193	-
Male	449	8	1	1	16	6	13	22	53	127	129	73	-
Female	364	6	1	-	2	5	9	22	28	64	107	120	-
All other	3	-	2	-	-	1	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	2	-	1	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach-Boca Raton, Fla	7,741	110	30	16	107	165	147	333	928	2,135	2,481	1,287	2
Male	4,376	59	20	10	67	120	104	191	577	1,295	1,355	557	1
Female	3,365	51	10	6	20	45	43	142	351	840	1,126	730	1
White	7,053	64	20	11	81	115	111	258	803	1,963	2,370	1,257	-
Male	3,959	35	14	6	64	82	79	141	491	1,205	1,296	546	-
Female	3,094	29	6	5	17	33	32	117	312	758	1,074	711	-
All other	688	46	10	5	26	50	36	75	125	172	111	30	2
Male	417	24	6	4	23	38	25	50	86	90	59	11	1
Female	271	22	4	1	3	12	11	25	39	82	52	19	1
Black	683	45	10	5	26	50	36	74	124	172	110	29	2
Male	415	23	6	4	23	38	25	50	86	90	59	10	1
Female	268	22	4	1	3	12	11	24	38	82	51	19	1
Wheeling, W. Va.-Ohio	1,928	26	5	9	27	33	32	110	303	530	492	361	-
Male	1,026	13	3	8	22	21	19	66	181	319	224	140	-
Female	902	13	2	1	5	12	13	44	112	211	268	221	-
White	1,883	25	5	9	26	30	31	108	295	522	477	355	-
Male	1,004	13	3	8	21	21	18	65	184	315	218	138	-
Female	879	12	2	1	5	9	13	43	111	207	259	217	-
All other	45	1	-	-	1	3	1	2	8	8	15	6	-
Male	22	-	-	-	1	-	1	1	7	4	6	2	-
Female	23	1	-	-	-	3	-	1	1	4	9	4	-
Black	45	1	-	-	1	3	1	2	8	8	15	6	-
Male	22	-	-	-	1	-	1	1	7	4	6	2	-
Female	23	1	-	-	-	3	-	1	1	4	9	4	-
Wichita, Kans	3,187	77	20	10	74	94	126	202	453	686	810	635	-
Male	1,665	41	11	4	58	66	76	128	277	420	388	196	-
Female	1,522	36	9	6	16	28	50	74	176	266	422	439	-
White	2,934	58	15	10	63	80	107	176	416	637	768	604	-
Male	1,524	30	9	4	49	56	65	109	256	389	370	187	-
Female	1,410	28	6	6	14	24	42	67	160	248	398	417	-
All other	253	19	5	-	11	14	19	26	37	49	42	31	-
Male	141	11	2	-	9	10	11	19	21	31	18	9	-
Female	112	8	3	-	2	4	8	7	16	18	24	22	-
Black	230	17	2	-	10	12	14	24	34	46	41	30	-
Male	127	10	1	-	8	8	9	18	19	28	18	8	-
Female	103	7	1	-	2	4	5	6	15	18	23	22	-
Wichita Falls, Tex	1,171	18	5	5	31	40	33	86	170	254	307	222	-
Male	620	10	3	3	23	29	22	58	115	141	148	68	-
Female	551	8	2	2	8	11	11	28	55	113	159	154	-
White	1,078	13	5	4	27	34	29	77	161	238	288	212	-
Male	567	7	3	2	20	25	19	51	101	135	142	62	-
Female	511	6	2	2	7	9	10	26	50	103	146	150	-
All other	93	5	-	1	4	6	4	9	19	16	19	10	-
Male	53	3	-	1	3	4	3	7	14	6	6	6	-
Female	40	2	-	-	1	2	1	2	5	10	13	4	-
Black	88	5	-	1	3	5	3	8	19	16	19	9	-
Male	50	3	-	1	3	3	3	6	14	6	6	5	-
Female	38	2	-	-	-	2	-	2	5	10	13	4	-
Williamsport, Pa	1,109	15	2	2	15	21	19	51	149	273	312	250	-
Male	591	8	1	2	12	12	12	32	98	167	155	92	-
Female	518	7	1	-	3	9	7	19	51	106	157	158	-
White	1,100	14	2	2	15	21	17	50	147	272	310	250	-
Male	585	7	1	2	12	12	11	31	96	166	155	92	-
Female	515	7	1	-	3	9	6	19	51	106	155	158	-
All other	9	1	-	-	-	-	2	1	2	1	2	-	-
Male	6	1	-	-	-	-	1	1	2	1	-	-	-
Female	3	-	-	-	-	-	1	-	-	-	2	-	-
Black	9	1	-	-	-	-	2	1	2	1	2	-	-
Male	6	1	-	-	-	-	1	1	2	1	-	-	-
Female	3	-	-	-	-	-	1	-	-	-	2	-	-
Wilmington, Del.-N.J.-Md	4,433	105	13	12	100	99	123	310	759	1,070	1,111	730	1
Male	2,303	60	6	10	75	58	66	190	471	605	515	246	1
Female	2,130	45	7	2	25	41	57	120	288	465	596	484	-
White	3,749	71	7	7	83	73	90	248	625	905	979	660	1
Male	1,924	40	3	6	67	43	48	161	388	504	443	222	1
Female	1,825	31	4	1	16	30	42	87	239	401	536	438	-
All other	684	34	6	5	17	26	33	62	134	165	132	70	-
Male	379	20	3	4	8	15	18	29	85	101	72	24	-
Female	305	14	3	1	9	11	15	33	49	64	60	46	-
Black	677	33	6	5	17	25	33	61	133	162	132	70	-
Male	373	20	3	4	8	14	18	28	84	98	72	24	-
Female	304	13	3	1	9	11	15	33	49	64	60	46	-
Wilmington, N.C	1,222	17	4	5	20	36	67	105	230	333	251	154	-
Male	658	6	2	3	15	22	50	59	145	191	118	47	-
Female	564	11	2	2	5	14	17	46	85	142	133	107	-
White	808	8	2	4	12	26	46	78	162	249	197	124	-
Male	475	3	-	2	9	17	34	40	99	134	98	39	-
Female	433	5	2	2	3	9	12	38	63	115	99	85	-
All other	314	9	2	1	8	10	21	27	68	84	54	30	-
Male	183	3	2	1	6	5	16	19	46	57	20	8	-
Female	131	6	-	-	2	5	5	8	22	27	34	22	-
Black	313	9	2	1	8	10	21	28	68	84	54	30	-
Male	182	3	2	1	6	5	16	18	46	57	20	8	-
Female	131	6	-	-	2	5	5	8	22	27	34	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Worcester-Fitchburg-Leominster, Mass	5,896	81	22	22	82	79	125	209	825	1,388	1,661	1,341	1
Male	2,914	39	8	13	64	56	82	169	488	808	780	396	1
Female	2,982	42	14	9	18	23	43	120	327	560	881	945	-
White	5,843	78	21	19	82	77	120	280	818	1,358	1,653	1,336	1
Male	2,891	38	8	12	64	54	80	166	493	803	777	395	1
Female	2,952	40	13	7	18	23	40	114	325	555	876	941	-
All other	53	3	1	3	-	2	5	9	7	10	8	5	-
Male	23	1	-	1	-	2	2	3	5	5	3	1	-
Female	30	2	1	2	-	-	3	6	2	5	5	4	-
Black	45	3	1	1	-	2	4	7	6	10	6	5	-
Male	20	1	-	-	-	2	2	2	5	5	2	1	-
Female	25	2	1	1	-	-	2	5	1	5	4	4	-
Yakima, Wash	1,522	40	8	7	44	34	32	92	204	379	370	312	-
Male	851	27	4	3	30	26	17	58	115	238	210	123	-
Female	671	13	4	4	14	8	15	34	89	141	160	189	-
White	1,429	34	7	7	30	26	26	81	189	368	356	305	-
Male	794	23	4	3	21	19	12	50	106	232	203	121	-
Female	635	11	3	4	9	7	14	31	83	136	153	184	-
All other	93	6	1	-	14	8	6	11	15	11	14	7	-
Male	57	4	-	-	9	7	5	8	9	6	7	2	-
Female	36	2	1	-	5	1	1	3	6	5	7	5	-
Black	17	-	1	-	1	1	1	1	5	3	1	3	-
Male	9	-	-	-	1	1	1	1	2	1	1	1	-
Female	8	-	1	-	-	-	-	-	3	2	-	2	-
York, Pa	3,087	46	3	12	55	33	72	187	405	799	889	604	-
Male	1,656	29	2	7	46	26	43	123	257	477	421	225	-
Female	1,431	19	1	5	9	7	29	64	148	322	468	378	-
White	3,021	41	3	12	55	31	68	179	389	788	856	599	-
Male	1,615	25	2	7	46	24	39	116	249	472	413	222	-
Female	1,406	16	1	5	9	7	29	63	140	316	443	377	-
All other	66	7	-	-	-	2	4	8	16	11	13	5	-
Male	41	4	-	-	-	2	4	7	8	5	8	3	-
Female	25	3	-	-	-	-	-	1	8	6	5	2	-
Black	61	7	-	-	-	2	3	8	15	10	12	4	-
Male	39	4	-	-	-	2	3	7	8	5	7	3	-
Female	22	3	-	-	-	-	-	1	7	5	5	1	-
Youngstown-Warren, Ohio	4,909	75	11	21	89	95	120	303	787	1,252	1,262	884	-
Male	2,604	45	6	9	62	68	68	183	480	731	614	338	-
Female	2,305	30	5	12	27	27	52	120	317	521	648	546	-
White	4,341	52	5	15	77	77	92	246	693	1,138	1,121	825	-
Male	2,287	29	1	6	56	57	52	151	423	671	535	306	-
Female	2,054	23	4	9	21	20	40	95	270	467	586	519	-
All other	568	23	6	6	12	18	28	57	104	114	141	59	-
Male	317	16	5	3	6	11	16	32	57	60	79	32	-
Female	251	7	1	3	6	7	12	25	47	54	62	27	-
Black	567	23	6	6	12	18	28	56	104	114	141	59	-
Male	317	16	5	3	6	11	16	32	57	60	79	32	-
Female	250	7	1	3	6	7	12	24	47	54	62	27	-
Yuba City, Calif	857	19	2	7	22	33	23	55	139	195	219	143	-
Male	485	7	2	5	18	26	20	35	81	121	121	49	-
Female	372	12	-	2	4	7	3	20	58	74	98	94	-
White	816	17	2	5	20	30	22	51	131	188	210	140	-
Male	458	7	2	3	16	24	19	32	76	117	114	46	-
Female	358	10	-	2	4	6	3	19	55	71	96	92	-
All other	41	2	-	2	2	3	1	4	8	7	9	3	-
Male	27	-	-	2	2	2	1	3	5	4	7	1	-
Female	14	2	-	-	-	1	-	1	3	3	2	2	-
Black	18	1	-	1	-	2	-	3	4	5	2	-	-
Male	9	-	-	1	-	1	-	2	1	3	1	-	-
Female	9	1	-	-	-	1	-	1	3	2	1	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	1,974,797	42,401	3,122	2,058	1,567	1,163	50,311	4,514	5,111	17,041	24,930	24,589	24,721	26,333
Male	1,056,440	24,073	1,740	1,140	882	686	28,521	2,686	3,237	12,524	18,852	18,052	17,310	17,366
Female	918,357	18,328	1,382	918	685	477	21,790	1,828	1,874	4,517	6,078	6,537	7,411	8,967
White	1,729,085	29,659	2,309	1,515	1,193	878	35,554	3,443	4,085	14,138	19,922	18,668	18,209	19,967
Male	919,239	16,965	1,277	852	679	529	20,302	2,060	2,591	10,429	15,183	13,851	12,809	13,204
Female	809,846	12,694	1,032	663	514	349	15,252	1,383	1,494	3,709	4,739	4,817	5,400	6,763
All other	245,712	12,742	813	543	374	285	14,757	1,071	1,026	2,903	5,008	5,921	6,512	6,366
Male	137,201	7,108	463	288	203	157	8,219	626	646	2,095	3,669	4,201	4,501	4,162
Female	108,511	5,634	350	255	171	128	6,538	445	380	808	1,339	1,720	2,011	2,204
Black	226,513	11,642	721	470	339	257	13,429	956	910	2,478	4,424	5,372	5,934	5,822
Male	125,610	6,485	411	246	190	143	7,475	557	573	1,782	3,251	3,821	4,116	3,826
Female	100,903	5,157	310	224	149	114	5,954	399	337	696	1,173	1,551	1,818	1,996
Shigellosis and amebiasis (004,006)	16	3	-	-	-	-	3	-	-	-	1	-	1	-
Male	8	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	8	1	-	-	-	-	1	-	-	-	1	-	1	-
White	12	2	-	-	-	-	2	-	-	-	1	-	1	-
Male	5	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	7	1	-	-	-	-	1	-	-	-	1	-	1	-
All other	4	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	329	137	15	4	-	1	157	2	-	2	2	4	4	3
Male	148	68	12	2	-	-	82	1	-	2	1	2	2	2
Female	181	69	3	2	-	1	75	1	-	-	1	2	2	1
White	233	71	10	2	-	-	83	2	-	1	1	4	3	2
Male	103	36	8	1	-	-	45	1	-	1	-	2	2	2
Female	130	35	2	1	-	-	38	1	-	-	1	2	1	-
All other	96	66	5	2	-	1	74	-	-	1	1	-	1	1
Male	45	32	4	1	-	-	37	-	-	1	1	-	-	-
Female	51	34	1	1	-	1	37	-	-	-	-	-	1	1
Black	87	61	3	2	-	1	67	-	-	-	1	-	1	1
Male	39	28	3	1	-	-	32	-	-	-	1	-	-	-
Female	48	33	-	1	-	1	35	-	-	-	-	-	1	1
Tuberculosis (010-018)	1,607	3	1	-	2	-	6	1	3	2	6	24	42	49
Male	1,202	1	1	-	-	-	2	1	-	1	4	18	29	38
Female	605	2	-	-	2	-	4	-	3	1	2	6	13	11
White	1,135	1	1	-	1	-	3	1	1	-	2	9	11	16
Male	745	-	1	-	-	-	1	1	-	-	1	6	9	14
Female	390	1	-	-	1	-	2	-	1	-	1	3	2	2
All other	672	2	-	-	1	-	3	-	2	2	4	15	31	33
Male	457	1	-	-	-	-	1	-	-	1	3	10	20	24
Female	215	1	-	-	1	-	2	-	2	1	1	5	11	9
Black	587	2	-	-	-	-	2	-	1	2	4	15	31	29
Male	412	1	-	-	-	-	1	-	-	1	3	10	20	22
Female	175	1	-	-	-	-	1	-	1	1	1	5	11	7
Tuberculosis of respiratory system (010-012)	1,488	1	-	-	-	-	1	-	-	-	4	14	31	35
Male	1,014	-	-	-	-	-	-	-	-	-	2	10	22	29
Female	454	1	-	-	-	-	1	-	-	-	2	4	9	6
White	962	-	-	-	-	-	-	-	-	-	2	6	10	13
Male	647	-	-	-	-	-	-	-	-	-	1	4	8	12
Female	315	-	-	-	-	-	-	-	-	-	1	2	2	1
All other	526	1	-	-	-	-	1	-	-	-	2	9	21	22
Male	367	-	-	-	-	-	-	-	-	-	1	6	14	17
Female	159	1	-	-	-	-	1	-	-	-	1	2	7	5
Black	444	1	-	-	-	-	1	-	-	-	2	8	21	19
Male	328	-	-	-	-	-	-	-	-	-	1	6	14	15
Female	116	1	-	-	-	-	1	-	-	-	1	2	7	4
Other tuberculosis (013-018)	339	2	1	-	2	-	5	1	3	2	2	10	11	14
Male	188	1	1	-	-	-	2	1	-	1	2	6	7	9
Female	151	1	-	-	2	-	3	-	3	1	-	4	4	5
White	173	1	1	-	1	-	3	1	1	-	-	3	1	3
Male	98	-	1	-	-	-	1	1	-	-	-	2	1	2
Female	75	1	-	-	1	-	2	-	1	-	-	1	-	1
All other	166	1	-	-	1	-	2	-	2	2	2	7	10	11
Male	90	1	-	-	-	-	1	-	-	1	2	4	6	7
Female	76	-	-	-	1	-	1	-	2	1	-	3	4	4
Black	143	1	-	-	-	-	1	-	1	2	2	7	10	10
Male	84	1	-	-	-	-	1	-	-	1	2	4	6	7
Female	59	-	-	-	-	-	-	-	1	1	-	3	4	3
Whooping cough (033)	4	4	-	-	-	-	4	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	2	-	-	-	-	-	-	-
White	4	4	-	-	-	-	4	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	2	2	-	-	-	-	2	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	31,972	46,412	76,877	119,833	167,181	213,426	252,394	268,121	253,838	207,711	115,428	36,791	6,799	668
Male	20,289	28,342	48,665	75,332	103,990	129,819	145,539	141,221	114,716	79,716	37,156	10,093	1,599	415
Female	11,683	17,070	28,012	44,501	63,191	83,607	106,855	126,900	139,122	127,995	78,270	26,698	5,200	251
White	24,529	36,257	62,428	100,325	143,338	186,977	223,610	242,120	232,390	194,502	108,445	33,981	5,723	474
Male	15,626	23,059	40,051	63,681	89,933	114,655	129,707	127,905	104,832	74,037	34,598	9,156	1,278	282
Female	8,903	13,198	22,377	36,644	53,405	72,322	93,903	114,215	127,558	120,465	73,847	24,825	4,445	192
All other	7,443	10,155	14,249	19,508	23,843	26,449	28,784	26,001	21,448	13,209	6,981	2,810	1,076	192
Male	4,663	6,283	8,614	11,651	14,057	15,164	15,832	13,316	9,884	5,679	2,558	937	321	123
Female	2,780	3,872	5,635	7,857	9,788	11,285	12,952	12,685	11,564	7,530	4,423	1,873	755	69
Black	6,698	9,320	13,211	18,256	22,308	24,681	26,844	23,978	19,710	12,028	6,272	2,588	987	187
Male	4,291	5,784	8,007	10,941	13,082	14,088	14,590	11,973	8,681	5,125	2,220	835	286	106
Female	2,547	3,536	5,204	7,315	9,226	10,593	12,254	12,005	10,829	6,903	4,052	1,753	701	81
Shigellosis and amebiasis (004,006)	1	–	–	9	1	–	1	4	–	1	–	–	–	–
Male	1	–	–	1	1	–	1	1	–	1	–	–	–	–
Female	–	–	–	2	–	–	–	3	–	–	–	–	–	–
White	1	–	–	2	–	–	–	4	–	1	–	–	–	–
Male	1	–	–	1	–	–	–	1	–	1	–	–	–	–
Female	–	–	–	1	–	–	–	3	–	–	–	–	–	–
All other	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Female	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	10	4	1	6	14	12	15	27	23	22	16	5	1	–
Male	3	2	1	2	6	6	5	12	5	6	7	1	–	–
Female	7	2	–	3	8	6	10	15	18	16	9	4	1	–
White	9	2	–	3	13	9	12	26	21	21	16	5	–	–
Male	2	2	–	2	6	3	4	12	5	6	7	1	–	–
Female	7	–	–	1	7	6	8	14	16	15	9	4	–	–
All other	1	2	1	2	1	3	3	1	2	1	–	–	1	–
Male	1	–	1	–	–	3	1	–	–	–	–	–	–	–
Female	–	2	–	2	1	–	2	1	2	1	–	–	1	–
Black	1	2	1	2	1	3	3	1	2	–	–	–	1	–
Male	1	–	1	–	–	3	1	–	–	–	–	–	–	–
Female	–	2	–	2	1	–	2	1	2	–	–	–	1	–
Tuberculosis (010-018)	67	62	115	158	167	207	226	265	175	145	65	19	2	1
Male	51	51	90	124	120	136	152	169	105	73	29	11	–	–
Female	16	11	25	34	47	71	74	96	70	72	36	8	2	1
White	24	22	69	82	99	140	155	184	130	109	52	13	2	1
Male	15	18	54	65	72	99	100	125	78	54	25	8	–	–
Female	9	4	15	17	27	41	55	59	52	55	27	5	2	1
All other	43	40	46	76	68	67	71	71	45	36	13	6	–	–
Male	36	33	36	59	48	37	52	44	27	19	4	3	–	–
Female	7	7	10	17	20	30	19	27	18	17	9	3	–	–
Black	38	35	39	71	65	58	63	57	31	28	13	5	–	–
Male	34	29	33	58	46	31	48	36	20	15	4	3	–	–
Female	4	6	6	15	19	27	15	21	11	13	9	2	–	–
Tuberculosis of respiratory system (010-012)	52	51	93	129	139	178	184	219	140	126	52	18	2	–
Male	42	43	76	110	105	120	128	142	83	65	26	11	–	–
Female	10	8	17	19	34	58	56	77	57	61	26	7	2	–
White	20	20	57	69	97	124	134	162	105	97	41	13	2	–
Male	14	16	46	56	65	89	89	105	62	49	23	8	–	–
Female	6	4	11	13	22	35	45	57	43	48	18	5	2	–
All other	32	31	36	60	52	54	50	57	35	29	11	5	–	–
Male	28	27	30	54	40	31	39	37	21	16	3	3	–	–
Female	4	4	6	6	12	23	11	20	14	13	8	2	–	–
Black	29	26	33	55	50	49	45	44	23	24	11	5	–	–
Male	26	23	28	51	39	27	35	29	15	13	3	3	–	–
Female	3	3	5	4	11	21	10	15	8	11	8	2	–	–
Other tuberculosis (013-018)	15	11	22	29	28	29	42	46	35	19	13	1	–	1
Male	9	8	14	14	15	16	24	27	22	8	3	–	–	–
Female	6	3	8	15	13	13	18	19	13	11	10	1	–	1
White	4	2	12	13	12	16	21	32	25	12	11	–	–	1
Male	1	2	8	9	7	10	11	20	16	5	2	–	–	–
Female	3	–	4	4	5	6	10	12	9	7	9	–	–	1
All other	11	9	10	16	16	13	21	14	10	7	2	1	–	–
Male	8	6	6	5	6	6	13	7	6	3	1	–	–	–
Female	3	3	4	11	8	7	8	7	4	4	1	1	–	–
Black	9	9	8	18	15	10	18	13	8	4	2	–	–	–
Male	8	6	5	5	7	4	13	7	5	2	1	–	–	–
Female	1	3	1	11	8	6	5	6	3	2	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	18	–	1	1	–	–	2	–	–	–	–	1	3	–
Male	11	–	1	1	–	–	2	–	–	–	–	–	3	–
Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–
White	14	–	1	1	–	–	2	–	–	–	–	–	2	–
Male	8	–	1	1	–	–	2	–	–	–	–	–	2	–
Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	4	–	–	–	–	–	–	–	–	–	–	1	1	–
Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Meningococcal infection (036)	364	95	34	25	10	9	173	13	6	31	19	8	12	17
Male	177	59	17	16	6	4	102	7	1	16	12	2	6	8
Female	187	36	17	9	4	5	71	6	5	15	7	6	6	9
White	282	82	28	22	6	6	144	3	4	19	11	5	8	14
Male	132	51	16	13	2	3	85	1	–	8	7	2	4	6
Female	150	31	12	9	4	3	59	2	4	11	4	3	4	8
All other	82	13	6	3	4	3	29	10	2	12	8	3	4	3
Male	45	8	1	3	4	1	17	6	1	8	5	–	2	2
Female	37	5	5	–	–	2	12	4	1	4	3	3	2	1
Black	75	10	6	3	4	2	25	10	2	12	7	3	4	2
Male	44	7	1	3	4	1	16	6	1	8	5	–	2	2
Female	31	3	5	–	–	1	9	4	1	4	2	3	2	–
Septicemia (038)	11,493	274	34	28	9	10	355	15	13	33	39	70	96	110
Male	5,469	156	17	14	6	4	197	5	8	15	15	26	51	56
Female	6,024	118	17	14	3	6	158	10	5	18	24	44	45	54
White	9,192	170	27	21	6	9	233	12	8	22	27	39	56	64
Male	4,357	93	12	11	4	4	124	5	4	11	9	15	32	30
Female	4,835	77	15	10	2	5	109	7	4	11	18	24	24	34
All other	2,301	104	7	7	3	1	122	3	5	11	12	31	40	46
Male	1,112	63	5	3	2	–	73	–	4	4	6	11	19	26
Female	1,189	41	2	4	1	1	49	3	1	7	6	20	21	20
Black	2,162	95	7	6	3	1	112	3	5	10	11	29	39	43
Male	1,046	57	5	2	2	–	68	–	4	4	6	11	19	25
Female	1,116	38	2	4	1	1	46	3	1	6	5	18	20	18
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	814	12	7	1	3	2	25	1	4	19	41	45	43	32
Male	444	10	5	1	2	1	19	–	2	8	25	25	25	19
Female	370	2	2	–	1	1	6	1	2	11	16	20	18	13
White	646	12	4	1	3	1	21	–	4	14	24	27	30	23
Male	360	10	2	1	2	1	16	–	2	5	13	17	20	14
Female	286	2	2	–	1	–	5	–	2	9	11	10	10	9
All other	168	–	3	–	–	1	4	1	–	5	17	18	13	9
Male	84	–	3	–	–	–	3	–	–	3	12	8	5	5
Female	84	–	–	–	–	1	1	1	–	2	5	10	8	4
Black	125	–	1	–	–	1	2	1	–	4	16	17	11	5
Male	56	–	1	–	–	–	1	–	–	2	12	7	4	2
Female	69	–	–	–	–	1	1	1	–	2	4	10	7	3
Syphilis (090-097)	126	10	–	–	–	–	10	–	–	2	1	1	1	1
Male	76	6	–	–	–	–	6	–	–	2	–	1	1	–
Female	50	4	–	–	–	–	4	–	–	–	1	–	–	1
White	84	6	–	–	–	–	6	–	–	1	–	1	1	1
Male	47	4	–	–	–	–	4	–	–	1	–	1	1	–
Female	37	2	–	–	–	–	2	–	–	–	–	–	–	1
All other	42	4	–	–	–	–	4	–	–	1	1	–	–	–
Male	29	2	–	–	–	–	2	–	–	1	–	–	–	–
Female	13	2	–	–	–	–	2	–	–	–	1	–	–	–
Black	40	4	–	–	–	–	4	–	–	1	–	–	–	–
Male	28	2	–	–	–	–	2	–	–	1	–	–	–	–
Female	12	2	–	–	–	–	2	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	1	–	1	1	–	1	1	2	2	2	–	–
Male	–	1	1	–	–	–	–	1	–	1	1	1	–	–
Female	–	–	–	–	1	1	–	–	1	1	1	1	–	–
White	–	–	–	–	1	1	–	1	1	2	2	2	–	–
Male	–	–	–	–	–	–	–	1	–	1	1	1	–	–
Female	–	–	–	–	1	1	–	–	1	1	1	1	–	–
All other	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	12	5	6	7	15	13	9	9	5	1	1	1	1	–
Male	5	–	1	3	2	3	5	2	1	–	–	1	–	–
Female	7	5	5	4	13	10	4	7	4	1	1	–	1	–
White	11	4	5	7	12	12	7	8	4	1	1	1	1	–
Male	5	–	1	3	1	2	3	2	1	–	–	1	–	–
Female	6	4	4	4	11	10	4	6	3	1	1	–	1	–
All other	1	1	1	–	3	1	2	1	1	–	–	–	–	–
Male	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Female	1	1	1	–	2	–	–	1	1	–	–	–	–	–
Black	1	1	1	–	2	1	2	1	1	–	–	–	–	–
Male	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Female	1	1	1	–	1	–	–	1	1	–	–	–	–	–
Septicemia (038)	147	195	363	622	882	1,085	1,468	1,654	1,736	1,524	800	250	32	4
Male	75	102	209	347	523	578	780	771	745	612	271	75	6	2
Female	72	93	154	275	359	507	688	883	991	912	529	175	26	2
White	88	122	254	428	677	876	1,169	1,364	1,483	1,340	699	202	26	3
Male	51	61	152	249	404	475	624	641	641	524	234	64	5	2
Female	37	61	102	179	273	401	545	723	842	816	465	138	21	1
All other	59	73	109	194	205	209	299	290	253	184	101	48	6	1
Male	24	41	57	98	119	103	158	130	104	88	37	11	1	–
Female	35	32	52	96	86	106	143	160	149	96	64	37	5	1
Black	55	68	105	176	194	198	276	276	240	176	92	45	6	1
Male	20	40	55	93	112	97	145	124	97	83	35	9	1	–
Female	35	28	50	85	82	101	131	152	143	93	57	36	5	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
White	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	1	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	30	44	63	82	78	91	74	75	30	21	13	1	1	1
Male	17	23	38	41	41	48	39	44	12	11	5	–	1	1
Female	13	21	25	41	37	43	35	31	18	10	8	1	–	–
White	17	33	52	68	66	74	64	70	26	20	11	1	–	1
Male	10	16	31	38	35	41	36	41	11	10	3	–	–	1
Female	7	17	21	30	31	33	28	29	15	10	8	1	–	–
All other	13	11	11	14	12	17	10	5	4	1	2	–	1	–
Male	7	7	7	3	6	7	3	3	1	1	2	–	1	–
Female	6	4	4	11	6	10	7	2	3	–	–	–	–	–
Black	8	6	5	8	9	14	8	4	4	1	2	–	–	–
Male	3	3	3	1	4	6	2	2	1	1	2	–	–	–
Female	5	3	2	7	5	8	6	2	3	–	–	–	–	–
Syphilis (090-097)	3	2	3	10	9	10	19	19	19	10	5	–	1	–
Male	3	2	1	6	7	6	8	14	9	6	2	–	–	–
Female	–	–	2	2	2	4	11	5	10	4	3	–	1	–
White	2	–	3	5	5	7	14	13	13	7	4	–	1	–
Male	2	–	1	5	4	4	4	10	5	4	1	–	–	–
Female	–	–	2	–	1	3	10	3	8	3	3	–	1	–
All other	1	2	–	5	4	3	5	6	6	3	1	–	–	–
Male	1	2	–	3	3	2	4	4	4	2	1	–	–	–
Female	–	–	–	2	1	1	1	2	2	1	–	–	–	–
Black	1	2	–	5	4	3	5	6	5	3	1	–	–	–
Male	1	2	–	3	3	2	4	4	3	2	1	–	–	–
Female	–	–	–	2	1	1	1	2	2	1	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054, 056-066,071-088,098-139)	4,502	199	46	28	19	17	309	56	46	71	107	132	153	170
Male	2,351	113	25	15	8	7	168	31	20	50	50	69	90	108
Female	2,151	86	21	13	11	10	141	25	26	21	57	63	63	62
White	3,636	131	36	20	17	15	219	44	36	55	82	66	93	104
Male	1,881	74	19	11	6	6	116	25	15	37	39	41	59	67
Female	1,755	57	17	9	11	9	103	19	21	18	43	45	34	37
All other	866	68	10	8	2	2	90	12	10	16	25	46	60	66
Male	470	39	6	4	2	1	52	6	5	13	11	28	31	41
Female	396	29	4	4	–	1	38	6	5	3	14	18	29	25
Black	778	60	7	7	2	2	78	11	8	13	23	44	59	62
Male	416	36	4	3	2	1	46	6	4	10	11	28	30	38
Female	362	24	3	4	–	1	32	5	4	3	12	16	29	24
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	433,795	135	130	165	184	149	763	738	672	1,047	1,408	1,939	3,240	5,060
Male	233,864	67	78	78	109	80	412	451	383	627	607	1,034	1,498	2,223
Female	199,931	68	52	87	75	69	351	287	289	420	801	905	1,742	2,837
White	382,652	102	113	138	156	123	632	628	551	861	1,161	1,617	2,893	4,220
Male	204,477	53	67	67	92	70	349	384	319	513	666	889	1,267	1,882
Female	178,175	49	46	71	64	53	283	244	232	348	495	728	1,426	2,338
All other	51,143	33	17	27	28	26	131	110	121	186	227	322	547	840
Male	29,387	14	11	11	17	10	63	67	64	114	121	145	231	341
Female	21,756	19	6	16	11	16	68	43	57	72	106	177	316	499
Black	47,316	16	15	22	24	25	102	97	105	157	200	287	485	745
Male	27,226	7	10	7	15	10	49	58	57	94	104	127	198	304
Female	20,090	9	5	15	9	15	53	39	48	63	96	160	287	441
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,528	3	–	–	–	–	3	2	3	17	23	21	38	85
Male	5,856	1	–	–	–	–	1	1	2	11	14	16	28	59
Female	2,672	2	–	–	–	–	2	1	1	6	9	5	10	26
White	7,158	2	–	–	–	–	2	2	2	10	18	15	29	47
Male	4,833	1	–	–	–	–	1	1	1	6	10	12	20	31
Female	2,325	1	–	–	–	–	1	1	1	4	9	3	9	16
All other	1,370	1	–	–	–	–	1	–	1	7	4	6	9	38
Male	1,023	–	–	–	–	–	–	–	1	5	4	4	8	28
Female	347	1	–	–	–	–	1	–	–	2	–	2	1	10
Black	1,257	–	–	–	–	–	–	–	1	6	2	6	3	33
Male	945	–	–	–	–	–	–	–	1	4	2	4	3	25
Female	312	–	–	–	–	–	–	–	–	2	–	2	–	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	112,564	19	13	8	6	3	49	21	19	40	112	246	404	761
Male	58,950	11	8	6	1	1	27	14	14	15	59	147	241	447
Female	53,614	8	5	2	5	2	22	7	5	25	53	99	163	314
White	98,093	12	12	7	6	3	40	20	15	27	74	178	305	602
Male	50,774	8	7	6	1	1	23	13	10	11	37	110	182	351
Female	47,319	4	5	1	5	2	17	7	5	16	37	68	123	251
All other	14,471	7	1	1	–	–	9	1	4	13	38	68	99	159
Male	8,176	3	1	–	–	–	4	1	4	4	22	37	59	96
Female	6,295	4	–	1	–	–	5	–	–	9	16	31	40	63
Black	13,076	1	1	1	–	–	3	1	2	12	32	58	83	130
Male	7,329	1	1	–	–	–	2	1	2	3	17	31	51	81
Female	5,747	–	–	1	–	–	1	–	–	9	15	27	32	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	116,359	6	1	4	1	–	12	10	9	20	31	72	228	711
Male	83,027	3	–	3	1	–	7	8	5	14	19	44	139	439
Female	33,332	3	1	1	–	–	5	2	4	6	12	28	89	272
White	103,042	2	1	4	1	–	8	9	5	16	24	65	183	580
Male	72,924	1	–	3	1	–	5	7	2	10	14	40	110	348
Female	30,118	1	1	1	–	–	3	2	3	6	10	25	73	232
All other	13,317	4	–	–	–	–	4	1	4	4	7	7	45	131
Male	10,103	2	–	–	–	–	2	1	3	4	5	4	29	91
Female	3,214	2	–	–	–	–	2	–	1	–	2	3	16	40
Black	12,537	2	–	–	–	–	2	1	4	3	8	7	42	123
Male	9,545	1	–	–	–	–	1	1	3	3	5	4	27	86
Female	2,992	1	–	–	–	–	1	–	1	–	1	3	15	37
Malignant neoplasm of breast (174-175)	37,685	4	–	–	1	1	6	4	1	–	13	134	540	1,004
Male	271	–	–	–	–	–	–	–	–	–	–	–	–	6
Female	37,414	4	–	–	1	1	6	4	1	–	13	134	540	998
White	33,837	1	–	–	1	1	3	4	1	–	10	96	439	824
Male	236	–	–	–	–	–	–	–	–	–	–	–	–	5
Female	33,601	1	–	–	1	1	3	4	1	–	10	96	439	819
All other	3,848	3	–	–	–	–	3	–	–	–	3	38	101	180
Male	35	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	3,813	3	–	–	–	–	3	–	–	–	3	38	101	179
Black	3,602	1	–	–	–	–	1	–	–	–	3	37	94	162
Male	35	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	3,567	1	–	–	–	–	1	–	–	–	3	37	94	161
Malignant neoplasms of genital organs (179-187)	47,547	3	–	–	–	4	7	6	9	56	118	251	377	459
Male	24,715	–	–	–	–	3	3	3	1	28	65	92	83	51
Female	22,832	3	–	–	–	1	4	3	8	28	53	159	294	408
White	40,518	2	–	–	–	3	5	6	6	52	104	211	309	359
Male	20,688	–	–	–	–	3	3	3	1	28	59	66	78	45
Female	19,830	2	–	–	–	–	2	3	5	24	45	125	231	314
All other	7,029	1	–	–	–	1	2	–	3	4	14	40	68	100
Male	4,027	–	–	–	–	–	–	–	–	–	6	6	5	6
Female	3,002	1	–	–	–	1	2	–	3	4	8	34	63	94
Black	6,658	–	–	–	–	1	1	–	2	4	12	35	64	88
Male	3,875	–	–	–	–	–	–	–	–	–	4	4	4	6
Female	2,783	–	–	–	–	1	1	–	2	4	8	31	60	82

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	170	174	248	303	419	499	497	423	305	248	122	41	11	-
Male	91	95	140	162	242	261	255	217	144	102	37	17	2	-
Female	79	79	108	141	177	238	242	206	161	146	85	24	9	-
White	113	117	180	247	354	424	443	365	271	235	112	37	9	-
Male	59	69	113	137	206	221	225	186	125	93	33	14	1	-
Female	54	48	77	110	148	203	218	179	146	142	79	23	8	-
All other	57	57	68	56	65	75	54	58	34	13	10	4	2	-
Male	32	26	27	25	36	40	30	31	19	9	4	3	1	-
Female	25	31	29	31	29	35	24	27	15	4	6	1	1	-
Black	55	56	48	47	60	70	48	43	30	12	8	2	1	-
Male	30	25	22	20	36	36	26	20	16	6	2	1	1	-
Female	25	31	26	27	24	34	22	23	14	4	6	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,930	13,831	25,584	41,357	55,880	66,057	67,126	59,241	42,900	26,273	10,194	2,214	277	64
Male	3,563	6,694	13,311	22,416	31,548	38,044	38,568	32,854	21,974	12,224	4,240	866	92	37
Female	4,367	7,137	12,273	18,941	24,334	28,013	28,558	26,387	20,926	14,049	5,954	1,348	185	27
White	6,481	11,301	21,424	35,382	48,867	58,573	59,839	53,586	39,023	24,304	9,451	1,997	218	49
Male	2,866	5,372	10,972	18,950	27,216	33,467	34,115	29,530	19,802	11,146	3,978	762	70	22
Female	3,615	5,929	10,452	16,412	21,451	25,086	25,724	24,056	19,221	13,158	5,573	1,235	148	21
All other	1,449	2,530	4,160	5,995	7,213	7,484	7,287	5,655	3,877	1,969	743	217	59	21
Male	697	1,322	2,339	3,466	4,330	4,557	4,453	3,324	2,172	1,078	362	104	22	15
Female	752	1,208	1,821	2,529	2,883	2,927	2,834	2,331	1,705	891	381	113	37	6
Black	1,316	2,304	3,828	5,607	6,722	6,964	6,828	5,249	3,567	1,795	684	203	54	19
Male	641	1,225	2,173	3,267	4,034	4,249	4,157	3,059	1,980	987	333	97	20	13
Female	675	1,079	1,653	2,340	2,688	2,715	2,671	2,190	1,587	808	351	106	34	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	192	386	727	1,113	1,371	1,401	1,106	873	620	338	172	46	7	4
Male	146	261	537	824	969	1,000	785	554	376	184	84	17	5	2
Female	46	105	190	289	402	401	341	319	244	154	88	29	2	2
White	99	228	521	874	1,161	1,250	994	795	572	320	164	43	7	4
Male	73	159	370	643	816	884	674	509	346	175	79	14	5	2
Female	26	69	151	231	345	366	320	286	224	145	85	29	2	2
All other	93	138	206	239	210	151	112	78	48	18	8	3	-	-
Male	73	102	167	181	153	116	91	45	28	9	5	3	-	-
Female	20	36	39	58	57	35	21	33	20	9	3	-	-	-
Black	87	123	187	226	201	139	101	67	42	15	5	3	-	-
Male	68	91	159	172	147	110	82	36	26	8	3	3	-	-
Female	19	32	38	54	54	29	19	31	16	6	2	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,401	2,594	5,187	9,136	13,176	16,611	18,380	17,285	13,732	8,968	3,607	761	85	19
Male	801	1,568	3,085	5,462	7,758	9,481	10,028	8,608	6,074	3,579	1,252	233	27	10
Female	600	1,026	2,102	3,654	5,418	7,130	8,332	8,677	7,658	5,389	2,355	518	58	9
White	1,053	1,996	4,151	7,502	11,150	14,483	16,121	15,501	12,500	8,267	3,349	684	85	10
Male	593	1,183	2,454	4,508	6,521	8,233	8,781	7,664	5,466	3,253	1,144	211	20	6
Female	460	813	1,697	2,994	4,629	6,250	7,340	7,837	7,034	5,014	2,205	473	45	4
All other	348	598	1,036	1,634	2,026	2,128	2,259	1,784	1,232	701	258	67	20	9
Male	208	385	631	974	1,237	1,248	1,247	944	608	326	108	22	7	4
Female	140	213	405	660	789	880	992	840	624	375	150	45	13	5
Black	300	524	926	1,482	1,839	1,913	2,080	1,626	1,108	632	235	64	19	7
Male	185	342	568	886	1,112	1,116	1,140	843	532	282	95	21	7	2
Female	115	182	358	596	727	797	940	783	576	340	140	43	12	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,761	4,072	8,464	14,156	19,191	21,500	19,600	14,054	7,675	3,524	1,038	192	23	16
Male	1,093	2,675	5,761	9,839	13,638	15,606	14,508	10,536	5,537	2,387	628	101	12	11
Female	668	1,397	2,683	4,317	5,553	5,894	5,092	3,518	2,138	1,137	410	91	11	5
White	1,415	3,348	7,112	12,131	16,779	19,269	17,737	12,908	7,034	3,255	967	167	18	12
Male	874	2,151	4,775	8,326	11,798	13,860	12,992	9,638	5,082	2,209	579	88	9	7
Female	541	1,197	2,337	3,805	4,981	5,409	4,745	3,270	1,952	1,046	388	79	9	5
All other	346	724	1,352	2,025	2,412	2,231	1,863	1,146	641	269	71	25	5	4
Male	219	524	1,008	1,513	1,840	1,746	1,516	898	455	178	49	13	3	4
Female	127	200	346	512	572	485	347	248	186	91	22	12	2	-
Black	331	692	1,282	1,946	2,280	2,110	1,748	1,059	579	225	64	24	5	4
Male	209	504	960	1,458	1,744	1,649	1,427	829	415	156	44	13	3	4
Female	122	188	322	488	536	461	321	230	164	69	20	11	2	-
Malignant neoplasm of breast (174-175)	1,476	2,096	3,378	4,628	4,879	5,006	4,561	3,979	2,905	1,930	871	234	39	3
Male	4	6	10	28	30	40	45	42	41	16	4	2	-	-
Female	1,472	2,091	3,368	4,600	4,849	4,966	4,516	3,937	2,864	1,914	867	232	39	3
White	1,265	1,738	2,935	4,118	4,385	4,560	4,175	3,681	2,694	1,834	811	216	35	3
Male	4	5	10	21	25	35	42	38	34	14	3	-	-	-
Female	1,261	1,733	2,925	4,097	4,370	4,525	4,133	3,643	2,660	1,820	808	216	35	3
All other	211	358	443	508	494	446	386	298	211	96	60	18	4	-
Male	-	-	-	5	5	5	3	4	7	2	1	2	-	-
Female	211	358	443	503	479	441	383	294	204	94	59	16	4	-
Black	197	322	406	474	452	417	366	293	206	93	57	18	4	-
Male	-	-	-	5	5	5	3	4	7	2	1	2	-	-
Female	197	322	406	469	447	412	363	289	199	91	56	16	4	-
Malignant neoplasms of genital organs (179-187)	651	1,096	1,809	3,118	4,702	6,514	7,573	7,976	6,531	4,265	1,604	372	40	13
Male	44	84	272	770	1,713	3,144	4,384	5,123	4,485	2,974	1,140	265	23	8
Female	607	1,012	1,537	2,348	2,989	3,370	3,209	2,853	2,066	1,291	464	107	17	5
White	536	908	1,476	2,615	3,973	5,480	6,371	6,855	5,682	3,805	1,421	309	27	8
Male	36	65	209	601	1,366	2,545	3,570	4,320	3,816	2,620	1,004	216	14	3
Female	500	843	1,267	2,014	2,607	2,935	2,801	2,535	1,866	1,185	417	93	13	5
All other	115	188	333	503	729	1,034	1,202	1,121	849	460	183	63	13	5
Male	8	19	63	169	347	599	794	803	649	354	136	49	9	5
Female	107	169	270	334	382	435	408	318	200	106	47	14	4	-
Black	99	164	296	473	668	1,000	1,157	1,076	809	441	173	61	10	5
Male	8	19	61	164	335	585	766	776	616	337	131	47	7	5
Female	91	145	235	309	353	415	391	300	193	104	42	14	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	18,460	3	5	1	10	8	27	33	10	14	21	31	61	106
Male	12,090	2	5	–	6	2	15	19	5	8	8	15	40	68
Female	6,370	1	–	1	4	6	12	14	5	6	13	16	21	40
White	16,818	2	5	1	7	6	21	28	5	11	11	18	46	91
Male	11,125	1	5	–	5	1	12	13	2	8	5	9	29	60
Female	5,693	1	–	1	2	5	9	13	3	5	6	9	17	31
All other	1,642	1	–	–	3	2	6	7	5	3	10	13	15	17
Male	965	1	–	–	1	1	3	6	3	2	3	6	11	8
Female	677	–	–	–	2	1	3	1	2	1	7	7	4	9
Black	1,516	1	–	–	–	2	3	7	5	2	10	11	14	15
Male	885	1	–	–	–	1	2	6	3	1	3	5	10	6
Female	631	–	–	–	–	1	1	1	2	1	7	6	4	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	53,191	61	72	86	101	78	396	287	296	414	496	582	676	1,113
Male	27,928	32	41	37	53	42	215	160	152	248	300	356	550	654
Female	25,265	29	31	49	38	34	181	127	144	166	196	226	326	459
White	47,573	51	63	73	84	67	338	235	250	339	427	519	761	1,006
Male	24,844	26	34	31	52	40	183	134	134	203	263	317	485	589
Female	22,829	25	29	42	32	27	155	101	116	136	164	202	276	407
All other	5,618	10	9	13	17	9	58	52	46	75	69	63	115	107
Male	2,982	6	7	6	11	2	32	26	18	45	37	39	65	55
Female	2,636	4	2	7	6	7	26	26	28	30	32	24	50	52
Black	5,176	6	9	12	17	9	53	46	42	63	66	57	98	95
Male	2,747	3	7	5	11	2	28	22	16	37	34	38	55	50
Female	2,429	3	2	7	6	7	25	24	26	26	32	21	43	45
Leukemia (204-208)	16,704	33	37	55	58	50	233	306	260	358	333	294	347	404
Male	9,244	16	22	25	33	26	122	187	156	219	185	163	174	234
Female	7,460	17	15	30	25	24	111	119	104	137	148	131	173	170
White	15,152	28	30	43	51	37	189	267	213	299	277	253	298	353
Male	8,402	15	19	21	29	20	104	163	129	182	155	143	152	209
Female	6,750	13	11	22	22	17	85	104	85	117	122	110	146	144
All other	1,552	5	7	12	7	13	44	39	47	57	58	41	49	51
Male	842	1	3	4	4	6	18	24	28	37	30	20	22	25
Female	710	4	4	8	3	7	26	15	19	20	28	21	27	26
Black	1,378	5	5	9	6	12	37	36	40	45	47	33	42	46
Male	745	1	2	2	3	6	14	22	25	30	28	17	17	21
Female	633	4	3	7	3	6	23	14	15	15	19	16	25	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	22,757	3	2	11	7	7	30	69	65	130	261	308	369	415
Male	11,785	2	2	7	5	6	22	59	48	84	157	201	243	265
Female	10,972	1	–	4	2	1	8	10	17	46	104	107	126	150
White	20,461	2	2	10	6	6	26	59	54	107	235	262	323	358
Male	10,551	1	2	6	4	5	18	50	41	67	143	172	211	234
Female	9,910	1	–	4	2	1	8	9	13	40	92	90	112	124
All other	2,296	1	–	1	1	1	4	10	11	23	26	48	46	57
Male	1,234	1	–	1	1	1	4	9	7	17	14	29	32	31
Female	1,062	–	–	–	–	–	–	1	4	6	12	17	14	26
Black	2,116	–	–	–	1	1	2	6	9	22	22	43	45	53
Male	1,120	–	–	–	1	1	2	5	7	16	11	26	31	28
Female	996	–	–	–	–	–	–	–	2	6	11	17	14	25
Benign neoplasms, carcinoma *in situ*, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,460	60	18	17	12	9	116	57	36	60	73	82	94	122
Male	2,977	28	7	8	8	8	59	30	14	27	37	44	46	65
Female	3,483	32	11	9	4	1	57	27	22	33	36	38	48	57
White	5,654	42	15	15	8	7	87	45	25	52	54	67	75	97
Male	2,617	19	5	7	5	6	42	23	10	24	27	35	39	53
Female	3,037	23	10	8	3	1	45	22	15	28	27	32	36	44
All other	806	18	3	2	4	2	29	12	11	8	19	15	19	25
Male	360	9	2	1	3	2	17	7	4	3	10	9	7	12
Female	446	9	1	1	1	–	12	5	7	5	9	6	12	13
Black	748	14	3	2	4	–	23	11	10	8	18	15	18	21
Male	331	7	2	1	3	–	13	6	3	3	10	9	7	11
Female	417	7	1	1	1	–	10	5	7	5	8	6	11	10
Diabetes mellitus (250)	34,583	11	3	4	3	2	23	13	27	37	97	200	333	421
Male	14,171	6	2	1	–	1	10	3	12	15	58	100	169	242
Female	20,412	5	1	3	3	1	13	10	15	22	39	100	164	179
White	28,910	8	3	3	3	2	19	8	18	30	72	164	251	335
Male	12,092	4	2	1	–	1	8	2	9	13	46	83	138	192
Female	16,818	4	1	2	3	1	11	6	9	17	26	81	113	143
All other	5,673	3	–	1	–	–	4	5	9	7	25	38	82	86
Male	2,079	2	–	–	–	–	2	1	3	2	12	17	51	50
Female	3,594	1	–	1	–	–	2	4	6	5	13	19	31	36
Black	5,227	2	–	1	–	–	3	5	9	6	22	36	77	83
Male	1,878	2	–	–	–	–	2	1	3	2	11	17	48	49
Female	3,348	–	–	1	–	–	1	4	6	4	11	19	29	34
Nutritional deficiencies (260-269)	2,430	31	6	–	2	1	40	2	1	5	2	7	8	8
Male	994	16	1	–	–	1	18	1	1	1	1	2	5	3
Female	1,436	15	5	–	2	–	22	1	–	4	1	5	3	5
White	2,049	19	4	–	–	–	23	1	–	4	1	7	7	8
Male	818	10	1	–	–	–	11	–	–	1	1	2	4	2
Female	1,231	9	3	–	–	–	12	1	–	3	–	5	3	4
All other	381	12	2	–	2	1	17	1	1	1	1	–	1	2
Male	176	6	–	–	–	1	7	1	1	–	–	–	1	1
Female	205	6	2	–	2	–	10	–	–	1	1	–	–	1
Black	346	11	2	–	1	1	15	1	–	1	1	–	1	2
Male	159	6	–	–	–	1	7	1	–	–	–	–	1	1
Female	187	5	2	–	1	–	8	–	–	1	1	–	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	200	438	815	1,388	1,952	2,670	2,893	2,691	2,354	1,608	673	152	21	–
Male	141	304	585	983	1,343	1,887	2,006	1,939	1,428	884	333	83	6	–
Female	59	134	230	405	609	803	987	952	926	714	340	69	15	–
White	174	373	724	1,232	1,757	2,393	2,720	2,687	2,206	1,528	639	139	17	–
Male	124	263	530	892	1,235	1,683	1,838	1,814	1,360	847	322	75	6	–
Female	50	110	194	340	522	710	882	873	846	681	317	64	11	–
All other	26	65	91	156	195	277	273	204	148	80	34	13	4	–
Male	17	41	55	91	108	184	168	125	69	47	11	8	–	–
Female	9	24	36	65	87	93	105	79	80	33	23	5	4	–
Black	25	57	85	146	177	260	254	189	135	74	33	10	4	–
Male	17	35	50	85	98	174	156	116	60	42	11	5	–	–
Female	8	22	35	61	79	88	98	73	75	32	22	5	4	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,387	2,016	3,284	5,010	6,580	7,259	7,275	6,568	4,770	2,696	1,258	306	34	7
Male	786	1,123	1,913	2,809	3,747	4,039	3,828	3,235	2,066	1,100	424	106	10	5
Female	601	893	1,351	2,101	2,833	3,220	3,447	3,333	2,704	1,886	835	200	24	2
White	1,193	1,703	2,829	4,404	5,849	6,526	6,568	5,987	4,343	2,795	1,181	288	27	5
Male	680	951	1,648	2,553	3,336	3,640	3,462	2,958	1,876	1,010	395	103	8	4
Female	513	752	1,181	1,851	2,513	2,886	3,106	3,029	2,465	1,785	786	185	19	1
All other	194	313	455	606	731	733	707	581	427	201	78	18	7	2
Male	106	172	265	356	411	399	366	277	166	90	29	3	2	1
Female	88	141	170	250	320	334	341	304	239	111	49	15	5	1
Black	176	292	397	564	687	681	650	535	395	184	71	15	7	2
Male	95	161	240	334	385	376	333	254	176	84	28	3	2	1
Female	81	131	157	230	302	306	317	281	219	100	45	12	5	1
Leukemia (204-208)	359	455	677	883	1,457	1,924	2,178	2,332	1,869	1,261	552	88	17	–
Male	210	256	381	579	879	1,170	1,256	1,276	971	562	222	35	7	–
Female	148	199	296	404	578	754	922	1,056	898	699	330	53	10	–
White	304	402	585	869	1,295	1,772	2,007	2,158	1,775	1,214	527	82	15	–
Male	183	226	335	518	789	1,080	1,165	1,176	909	537	210	32	6	–
Female	121	176	250	351	506	692	842	980	866	677	317	50	9	–
All other	54	53	92	114	162	152	171	176	114	47	25	6	2	–
Male	27	30	46	61	90	90	91	100	62	25	12	3	1	–
Female	27	23	46	53	72	62	80	76	52	22	13	3	1	–
Black	46	42	79	102	151	139	160	160	102	43	22	4	2	–
Male	23	26	38	55	84	82	83	89	54	22	12	2	1	–
Female	23	16	41	47	67	57	77	71	48	21	10	2	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	504	698	1,263	1,827	2,572	3,172	3,480	3,283	2,424	1,383	418	73	11	2
Male	338	418	747	1,004	1,469	1,897	1,768	1,541	1,016	528	153	24	2	1
Female	166	280	516	823	1,103	1,475	1,712	1,742	1,408	855	265	49	9	1
White	442	605	1,091	1,617	2,308	2,840	3,146	3,016	2,217	1,288	392	69	7	1
Male	299	369	641	888	1,330	1,527	1,591	1,413	909	481	142	23	2	–
Female	143	236	450	729	978	1,313	1,555	1,603	1,308	805	250	46	5	1
All other	62	93	172	210	264	332	334	267	207	97	26	4	4	1
Male	39	49	106	116	139	170	177	128	107	47	11	1	–	1
Female	23	44	66	94	125	162	157	139	100	50	15	3	4	–
Black	55	88	158	194	247	305	312	244	191	88	24	4	3	1
Male	36	47	97	108	124	153	167	112	94	43	10	1	–	1
Female	19	41	61	86	123	152	145	132	97	45	14	3	3	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	122	199	279	434	629	769	892	921	756	537	232	42	7	1
Male	61	93	149	232	315	376	417	402	316	211	68	14	–	1
Female	61	106	130	202	314	393	475	519	440	326	164	28	7	–
White	99	165	229	357	535	674	791	830	699	506	221	39	6	1
Male	49	78	125	190	272	331	391	366	298	201	68	14	–	1
Female	50	87	104	167	263	343	410	464	411	305	153	25	6	–
All other	23	34	50	77	94	95	101	91	57	31	11	3	1	–
Male	12	15	24	42	43	45	38	36	28	10	–	–	–	–
Female	11	19	26	35	51	50	65	55	29	21	11	3	1	–
Black	21	28	45	73	87	89	98	86	55	28	11	1	1	–
Male	10	12	22	41	38	42	35	33	27	9	–	–	–	–
Female	11	17	23	32	49	47	63	53	28	19	11	1	1	–
Diabetes mellitus (250)	501	748	1,312	2,264	3,379	4,419	5,292	5,428	4,911	3,251	1,520	349	50	8
Male	295	411	675	1,115	1,567	2,012	2,250	2,161	1,669	928	368	82	8	–
Female	206	337	637	1,149	1,812	2,407	3,042	3,267	3,242	2,323	1,152	267	41	8
White	384	542	963	1,724	2,630	3,595	4,466	4,700	4,312	2,942	1,393	316	41	5
Male	230	307	534	900	1,303	1,717	1,969	1,897	1,483	837	345	73	6	–
Female	154	235	429	824	1,327	1,878	2,497	2,803	2,829	2,105	1,048	243	35	5
All other	117	206	349	540	749	824	826	728	599	309	127	33	9	3
Male	65	104	141	215	264	295	281	264	166	91	23	9	3	–
Female	52	102	208	325	485	529	545	464	419	218	104	24	6	3
Black	109	184	324	496	700	770	760	663	542	280	118	28	9	3
Male	59	93	130	197	238	273	252	231	159	82	19	9	3	–
Female	50	91	194	299	462	497	508	432	383	198	99	19	6	3
Nutritional deficiencies (260-269)	11	18	26	56	77	131	231	347	442	467	352	143	33	3
Male	8	7	16	30	43	70	123	162	183	155	128	27	8	2
Female	3	11	10	26	34	61	108	185	259	332	224	116	25	1
White	7	12	19	42	60	103	182	287	382	440	313	126	28	1
Male	5	5	11	25	35	58	98	125	156	141	107	24	7	–
Female	2	7	8	17	25	45	84	162	226	299	206	102	19	1
All other	4	6	7	14	17	28	49	60	60	47	39	17	7	2
Male	3	2	5	5	8	12	25	37	27	14	21	3	1	2
Female	1	4	2	9	9	16	24	23	33	33	18	14	6	–
Black	4	5	7	13	17	27	48	58	51	43	29	15	6	2
Male	3	2	5	5	8	12	24	38	20	12	17	2	1	2
Female	1	3	2	8	9	15	24	22	31	31	12	13	5	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,292	35	23	28	13	7	104	31	30	56	71	73	61	59
Male	1,452	20	9	12	6	3	50	17	18	34	41	43	33	23
Female	1,840	15	14	14	7	4	54	14	12	22	30	30	28	36
White	2,620	16	8	10	4	3	41	18	17	24	22	23	18	23
Male	1,132	9	2	3	2	–	16	10	10	14	10	17	7	10
Female	1,488	7	6	7	2	3	25	8	7	10	12	6	11	13
All other	672	19	15	16	9	4	63	13	13	32	49	50	43	36
Male	320	11	7	9	4	3	34	7	8	20	31	26	26	13
Female	352	8	8	7	5	1	29	6	5	12	18	24	17	23
Black	632	16	14	16	9	4	59	13	13	27	47	49	43	36
Male	296	9	7	9	4	3	32	7	6	16	30	25	26	13
Female	336	7	7	7	5	1	27	6	5	11	17	24	17	23
Meningitis (320-322)	1,282	331	95	57	23	12	518	25	21	13	16	28	26	26
Male	700	194	59	31	15	9	308	17	18	8	9	9	18	20
Female	582	137	36	26	8	3	210	8	3	5	7	19	8	6
White	912	207	74	47	15	10	353	20	17	9	9	18	12	11
Male	492	125	47	25	11	7	215	13	14	5	6	6	7	10
Female	420	82	27	22	4	3	138	7	3	4	3	12	5	1
All other	370	124	21	10	8	2	165	5	4	4	7	10	14	15
Male	208	69	12	6	4	2	93	4	4	3	3	3	11	10
Female	162	55	9	4	4	–	72	1	–	1	4	7	3	5
Black	339	109	18	10	6	2	145	5	4	3	7	10	13	13
Male	196	63	10	6	4	2	85	4	4	3	3	3	10	9
Female	143	46	8	4	2	–	60	1	–	–	4	7	3	4
Major cardiovascular diseases (390-448)	967,868	922	179	86	56	43	1,286	223	272	533	961	1,846	2,737	5,032
Male	489,179	549	97	52	30	25	753	111	140	340	548	1,043	1,814	3,537
Female	478,689	373	82	34	26	18	533	112	132	193	413	803	923	1,495
White	865,762	639	117	61	44	32	893	168	211	390	686	1,122	1,883	3,714
Male	437,281	397	66	35	23	20	541	83	108	258	404	731	1,303	2,703
Female	428,481	242	51	26	21	12	352	85	103	132	282	391	580	1,011
All other	102,106	283	62	25	12	11	393	55	61	143	275	524	854	1,318
Male	51,898	152	31	17	7	5	212	28	32	82	144	312	511	834
Female	50,208	131	31	8	5	6	181	27	29	61	131	212	343	484
Black	95,079	240	54	23	12	11	340	48	55	125	263	488	793	1,236
Male	47,632	129	25	15	7	5	181	24	29	73	137	288	473	778
Female	47,447	111	29	8	5	6	159	24	26	52	126	200	320	458
Diseases of heart (390-398,402,404-429)	755,592	769	156	74	43	38	1,080	166	194	394	718	1,202	2,021	3,993
Male	398,570	453	85	45	23	22	628	84	94	258	429	800	1,435	2,987
Female	357,022	316	71	29	20	16	452	82	100	136	289	402	586	1,006
White	678,837	543	101	50	34	29	757	121	148	284	503	825	1,403	3,016
Male	358,308	333	57	29	17	18	454	63	72	188	313	564	1,034	2,348
Female	320,529	210	44	21	17	11	303	58	76	96	190	261	369	668
All other	76,755	226	55	24	9	9	323	45	46	110	215	377	618	977
Male	40,262	120	28	16	6	4	174	21	22	70	116	236	401	639
Female	36,493	106	27	8	3	5	149	24	24	40	99	141	217	338
Black	71,468	191	47	22	9	9	278	40	41	93	204	349	570	918
Male	36,925	103	22	14	6	4	149	19	20	61	110	217	369	599
Female	34,543	88	25	8	3	5	129	21	21	32	94	132	201	319
Rheumatic fever and rheumatic heart disease (390-398)	7,053	6	1	2	3	1	13	8	7	24	39	63	77	96
Male	2,336	5	1	2	2	–	10	4	4	14	19	31	37	43
Female	4,717	1	–	–	1	1	3	4	3	10	20	32	40	55
White	6,504	5	1	2	3	1	12	4	4	14	26	39	50	75
Male	2,133	5	1	2	2	–	10	2	3	9	11	21	24	34
Female	4,371	–	–	–	1	1	2	2	1	5	15	18	26	41
All other	549	1	–	–	–	–	1	4	3	10	13	24	27	23
Male	203	–	–	–	–	–	–	2	1	5	6	10	13	9
Female	346	1	–	–	–	–	1	2	2	5	5	14	14	14
Black	458	–	–	–	–	–	–	4	2	7	9	20	21	16
Male	158	–	–	–	–	–	–	2	–	3	6	8	10	6
Female	300	–	–	–	–	–	–	2	2	4	3	12	11	10
Hypertensive heart disease (402)	20,779	3	1	–	–	–	4	1	–	6	13	46	85	156
Male	8,896	1	–	–	–	–	1	–	–	5	6	32	57	102
Female	11,883	2	1	–	–	–	3	1	–	1	7	14	28	54
White	15,392	2	1	–	–	–	3	1	–	3	6	15	29	60
Male	6,341	–	–	–	–	–	–	–	–	2	4	12	21	42
Female	9,051	2	1	–	–	–	3	1	–	1	2	3	8	18
All other	5,387	1	–	–	–	–	1	–	–	3	7	31	56	96
Male	2,555	1	–	–	–	–	1	–	–	3	2	20	36	60
Female	2,832	–	–	–	–	–	–	–	–	–	5	11	20	36
Black	5,197	1	–	–	–	–	1	–	–	3	7	31	56	91
Male	2,449	1	–	–	–	–	1	–	–	3	2	20	36	57
Female	2,748	–	–	–	–	–	–	–	–	–	5	11	20	34
Hypertensive heart and renal disease (404)	3,028	1	–	–	–	–	1	–	–	–	4	10	16	10
Male	1,222	–	–	–	–	–	–	–	–	–	3	4	13	8
Female	1,806	1	–	–	–	–	1	–	–	–	1	6	3	2
White	2,354	1	–	–	–	–	1	–	–	–	1	2	6	4
Male	948	–	–	–	–	–	–	–	–	–	1	–	5	4
Female	1,406	1	–	–	–	–	1	–	–	–	–	2	1	–
All other	674	–	–	–	–	–	–	–	–	–	3	6	10	6
Male	274	–	–	–	–	–	–	–	–	–	2	4	8	4
Female	400	–	–	–	–	–	–	–	–	–	1	4	2	2
Black	653	–	–	–	–	–	–	–	–	–	3	6	10	6
Male	266	–	–	–	–	–	–	–	–	–	2	4	6	4
Female	387	–	–	–	–	–	–	–	–	–	1	4	2	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	58	44	62	90	172	258	329	438	526	479	260	81	12	-
Male	29	22	29	44	84	126	153	212	214	168	86	18	1	-
Female	29	22	33	46	78	131	176	226	312	313	174	63	11	-
White	31	21	43	69	145	210	290	389	470	443	240	74	9	-
Male	14	10	21	34	81	108	138	188	197	151	81	16	1	-
Female	17	11	22	35	64	104	152	201	273	292	159	58	8	-
All other	27	23	19	21	27	46	39	49	56	36	20	7	3	-
Male	15	12	8	10	13	19	15	24	17	15	5	2	-	-
Female	12	11	11	11	14	27	24	25	39	21	15	5	3	-
Black	26	23	19	19	27	42	33	46	51	31	18	7	3	-
Male	14	12	8	9	13	18	12	22	16	11	4	2	-	-
Female	12	11	11	10	14	28	21	24	35	20	14	5	3	-
Meningitis (320-322)	30	33	49	61	77	75	74	75	53	58	22	2	-	-
Male	18	16	30	36	47	40	36	22	17	22	8	1	-	-
Female	12	17	19	25	30	35	38	53	36	36	14	1	-	-
White	24	19	31	45	64	61	60	56	42	53	16	2	-	-
Male	15	7	18	26	33	34	29	18	13	19	5	1	-	-
Female	9	12	13	19	21	27	31	40	29	34	11	1	-	-
All other	6	14	18	16	23	14	14	19	11	5	6	-	-	-
Male	3	9	12	10	14	6	7	6	4	3	3	-	-	-
Female	3	5	6	6	9	8	7	13	7	2	3	-	-	-
Black	6	14	17	14	23	12	14	19	10	4	6	-	-	-
Male	3	9	11	9	14	6	7	8	4	3	3	-	-	-
Female	3	5	6	5	9	6	7	13	6	1	3	-	-	-
Major cardiovascular diseases (390-448)	8,961	15,871	28,655	48,285	73,017	100,183	129,297	149,422	154,613	135,446	79,728	26,516	4,983	221
Male	6,429	11,551	20,751	33,955	49,022	63,601	74,862	75,962	65,422	48,007	23,850	6,680	1,080	121
Female	2,532	4,320	7,904	14,330	23,995	36,582	54,435	73,460	89,191	87,441	55,878	19,836	3,883	100
White	6,770	12,330	23,268	40,322	62,452	87,571	114,648	135,280	142,237	127,535	75,272	24,832	4,234	144
Male	5,062	9,323	17,489	29,156	42,839	55,607	67,033	69,182	60,211	44,927	22,157	6,105	875	74
Female	1,708	3,007	5,769	11,166	19,613	30,964	47,615	66,098	82,026	82,608	53,115	18,727	3,359	70
All other	2,191	3,541	5,387	7,963	10,565	12,612	14,649	14,142	12,376	7,913	4,454	1,684	729	77
Male	1,367	2,228	3,252	4,799	6,083	6,994	7,629	6,780	5,211	3,060	1,493	575	205	47
Female	824	1,313	2,135	3,164	4,482	5,618	7,020	7,362	7,165	4,853	2,961	1,309	524	30
Black	2,045	3,318	5,079	7,513	9,953	11,826	13,685	13,094	11,439	7,238	4,041	1,762	682	66
Male	1,259	2,081	3,040	4,501	5,683	6,496	6,995	6,060	4,695	2,788	1,300	524	188	39
Female	786	1,237	2,039	3,012	4,270	5,330	6,690	7,034	6,744	4,450	2,741	1,238	494	27
Diseases of heart (390-398,402,404-429)	7,457	13,400	24,534	41,511	62,122	82,986	103,708	115,577	115,423	98,782	57,515	19,074	3,549	176
Male	5,653	10,218	18,507	30,083	42,803	53,824	61,049	59,891	50,186	36,064	17,566	4,991	817	101
Female	1,804	3,182	6,027	11,428	19,319	29,172	42,659	55,686	65,237	62,718	39,947	14,083	2,732	75
White	6,601	10,650	20,297	35,160	53,607	73,324	92,683	105,291	106,504	93,080	54,372	17,688	3,012	111
Male	4,560	8,418	15,857	26,144	37,905	48,356	55,231	54,961	46,313	33,756	16,498	4,551	660	62
Female	1,241	2,232	4,440	9,016	15,902	24,968	37,452	50,330	60,191	59,324	37,874	13,137	2,352	49
All other	1,856	2,750	4,237	6,351	8,515	9,672	11,025	10,286	8,919	5,702	3,143	1,386	537	65
Male	1,093	1,800	2,650	3,939	4,998	5,468	5,818	5,030	3,873	2,308	1,070	440	157	39
Female	583	950	1,587	2,412	3,417	4,204	5,207	5,256	5,046	3,394	2,073	946	380	26
Black	1,538	2,577	3,992	5,995	7,924	9,057	10,285	9,522	8,243	5,232	2,854	1,294	507	55
Male	999	1,676	2,469	3,699	4,579	5,061	5,309	4,492	3,493	2,091	934	402	145	32
Female	539	901	1,523	2,296	3,345	3,996	4,976	5,030	4,750	3,141	1,920	892	362	23
Rheumatic fever and rheumatic heart disease (390-398)	163	228	361	597	885	1,052	1,182	1,021	636	396	142	48	3	2
Male	65	103	151	235	348	379	371	267	140	85	24	5	-	1
Female	98	125	210	362	537	673	821	754	496	311	118	43	3	1
White	131	191	321	532	811	995	1,138	982	613	379	137	45	3	2
Male	54	90	136	214	320	355	350	253	136	82	23	5	-	1
Female	77	101	185	318	491	640	788	729	477	297	114	40	3	1
All other	32	37	40	65	74	57	54	39	23	17	5	1	-	-
Male	11	13	15	21	28	24	21	14	4	3	1	-	-	-
Female	21	24	25	44	46	33	33	25	19	14	4	1	-	-
Black	28	30	35	51	62	46	50	38	22	16	4	1	-	-
Male	8	10	14	15	22	19	17	12	3	3	-	-	-	-
Female	18	20	21	36	40	27	33	24	19	13	4	1	-	-
Hypertensive heart disease (402)	295	570	874	1,416	1,990	2,408	2,850	3,120	3,022	2,418	1,188	358	47	14
Male	190	358	542	852	1,098	1,276	1,322	1,236	924	586	226	68	11	6
Female	105	212	332	564	792	1,132	1,528	1,884	2,098	1,832	962	290	36	8
White	133	270	482	836	1,255	1,740	2,048	2,493	2,481	2,121	1,071	301	28	6
Male	85	162	325	541	749	940	868	884	732	500	195	50	6	3
Female	48	88	157	295	506	800	1,080	1,509	1,759	1,621	876	251	22	3
All other	162	300	392	580	735	668	802	627	531	297	117	55	19	8
Male	105	176	217	311	349	338	354	252	192	86	31	18	5	3
Female	57	124	175	269	386	332	448	375	339	211	86	39	14	5
Black	160	294	385	569	810	648	771	602	502	278	109	53	19	7
Male	103	174	212	304	336	320	336	235	175	83	29	15	5	3
Female	57	120	173	265	274	328	435	367	327	198	80	38	14	4
Hypertensive heart and renal disease (404)	14	26	42	97	144	232	362	520	556	513	353	106	21	1
Male	9	17	24	56	77	95	171	249	189	159	110	35	2	1
Female	5	9	18	41	67	137	191	271	367	354	243	71	19	-
White	2	7	15	51	88	164	252	408	472	455	325	93	19	1
Male	1	4	9	35	50	65	136	195	165	144	101	31	1	1
Female	1	3	6	16	38	89	116	211	307	311	224	62	18	-
All other	12	19	27	46	56	78	110	114	84	58	28	13	2	-
Male	8	13	15	21	27	30	35	54	24	15	9	4	1	-
Female	4	6	12	25	29	48	75	60	60	43	19	9	1	-
Black	12	19	25	45	54	74	110	108	80	57	28	12	2	-
Male	8	13	14	20	26	29	35	51	23	15	9	4	1	-
Female	4	6	11	25	28	45	75	57	57	42	19	8	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	552,786	30	9	1	3	8	51	32	14	33	98	384	911	2,396
Male	300,820	18	5	–	1	4	28	16	7	23	71	314	746	1,963
Female	251,966	12	4	1	2	4	23	16	7	10	27	70	165	435
White	507,177	20	6	1	2	7	36	24	13	22	69	286	702	1,963
Male	276,601	13	3	–	1	3	20	11	6	14	49	239	592	1,649
Female	230,576	7	3	1	1	4	16	13	7	8	20	47	110	314
All other	45,609	10	3	–	1	1	15	8	1	11	29	98	209	435
Male	24,219	5	2	–	–	1	8	5	1	9	22	75	154	314
Female	21,390	5	1	–	1	–	7	3	–	2	7	23	55	121
Black	41,912	5	2	–	1	1	9	6	1	7	29	87	185	407
Male	21,802	3	1	–	–	1	5	3	1	6	22	66	136	292
Female	20,110	2	1	–	1	–	4	3	–	1	7	21	49	115
Acute myocardial infarction (410)	291,031	20	4	–	2	5	31	16	10	20	70	241	575	1,546
Male	170,372	13	2	–	–	1	16	10	5	13	49	196	462	1,266
Female	120,659	7	2	–	2	4	15	6	5	7	21	45	113	282
White	267,971	13	2	–	1	5	21	13	9	13	47	179	453	1,290
Male	157,748	9	1	–	–	1	11	8	4	7	32	149	372	1,090
Female	110,223	4	1	–	1	4	10	5	5	6	15	30	81	200
All other	23,060	7	2	–	1	–	10	3	1	7	23	62	122	256
Male	12,624	4	1	–	–	–	5	2	1	6	17	47	90	176
Female	10,436	3	1	–	1	–	5	1	–	1	6	15	32	82
Black	21,089	3	1	–	1	–	5	2	1	4	23	58	106	244
Male	11,345	2	–	–	–	–	2	1	1	4	17	42	78	166
Female	9,754	1	1	–	1	–	3	1	–	–	6	14	28	78
Other acute and subacute forms of ischemic heart disease (411)	4,120	–	–	–	–	–	–	–	–	3	3	12	19	48
Male	2,611	–	–	–	–	–	–	–	–	3	3	11	17	42
Female	1,509	–	–	–	–	–	–	–	–	–	–	1	2	6
White	3,488	–	–	–	–	–	–	–	–	2	3	10	12	40
Male	2,230	–	–	–	–	–	–	–	–	2	3	10	11	35
Female	1,258	–	–	–	–	–	–	–	–	–	–	–	1	5
All other	632	–	–	–	–	–	–	–	–	1	–	2	7	8
Male	381	–	–	–	–	–	–	–	–	1	–	1	6	7
Female	251	–	–	–	–	–	–	–	–	–	–	1	1	1
Black	598	–	–	–	–	–	–	–	–	1	–	2	7	7
Male	358	–	–	–	–	–	–	–	–	1	–	1	6	6
Female	242	–	–	–	–	–	–	–	–	–	–	1	1	1
Angina pectoris (413)	605	–	–	–	–	–	–	–	–	–	1	3	2	4
Male	311	–	–	–	–	–	–	–	–	–	1	2	2	1
Female	294	–	–	–	–	–	–	–	–	–	–	1	–	3
White	563	–	–	–	–	–	–	–	–	–	1	3	2	4
Male	295	–	–	–	–	–	–	–	–	–	1	2	2	1
Female	268	–	–	–	–	–	–	–	–	–	–	1	–	3
All other	42	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	38	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	25	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,030	10	5	1	1	3	20	16	4	10	24	128	315	798
Male	127,526	5	3	–	1	3	12	6	2	7	18	105	265	654
Female	129,504	5	2	1	–	–	8	10	2	3	6	23	50	144
White	235,155	7	4	1	1	2	15	11	4	7	18	94	235	629
Male	116,326	4	2	–	1	2	9	3	2	5	13	78	207	523
Female	118,827	3	2	1	–	–	6	8	2	2	5	16	28	106
All other	21,875	3	1	–	–	1	5	5	–	3	6	34	80	169
Male	11,198	1	1	–	–	1	3	3	–	2	5	27	58	131
Female	10,677	2	–	–	–	–	2	2	–	1	1	7	22	38
Black	20,177	2	1	–	–	1	4	4	–	2	6	29	72	156
Male	10,088	1	1	–	–	1	3	2	–	1	5	23	52	120
Female	10,089	1	–	–	–	–	1	2	–	1	1	6	20	36
Other diseases of endocardium (424)	7,799	16	5	3	1	1	28	3	9	14	31	44	56	79
Male	3,730	11	2	3	1	1	18	2	5	6	17	29	39	47
Female	4,063	5	3	–	–	–	8	1	4	6	14	15	17	26
White	7,065	14	4	1	1	1	21	2	6	10	20	31	38	61
Male	3,368	9	2	1	1	1	14	1	3	7	13	22	27	41
Female	3,697	5	2	–	–	–	7	1	3	3	7	9	11	20
All other	728	2	1	2	–	–	5	1	3	4	11	13	18	12
Male	362	2	–	2	–	–	4	1	2	1	4	7	12	6
Female	366	–	1	–	–	–	1	–	1	3	7	6	6	6
Black	654	–	1	2	–	–	3	1	3	4	10	13	14	12
Male	320	–	–	2	–	–	2	1	2	1	4	7	10	6
Female	334	–	1	–	–	–	1	–	1	3	6	6	4	6
All other forms of heart disease (415-423,425-429)	164,153	713	140	68	38	28	985	122	164	317	533	655	878	1,258
Male	81,566	418	77	40	19	17	571	62	78	208	313	390	543	824
Female	82,587	295	63	28	17	11	414	60	88	109	220	265	333	434
White	140,345	501	89	46	28	20	684	90	125	235	381	452	578	853
Male	68,917	306	51	26	13	14	410	49	60	156	235	270	365	578
Female	71,428	195	38	20	15	6	274	41	65	79	146	182	213	275
All other	23,808	212	51	22	8	8	301	32	39	82	152	203	298	405
Male	12,649	112	26	14	6	3	161	13	18	52	78	120	178	246
Female	11,159	100	25	8	2	5	140	19	21	30	74	83	120	159
Black	22,594	185	44	20	8	8	265	29	35	72	146	190	284	386
Male	11,930	99	21	12	6	3	141	13	17	48	74	112	169	234
Female	10,664	86	23	8	2	5	124	16	18	24	72	78	115	152

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	5,058	9,445	18,052	30,718	46,266	62,470	78,300	86,231	84,770	71,236	40,648	13,137	2,398	116
Male	4,090	7,605	14,164	23,093	32,797	41,620	47,233	45,860	37,832	26,558	12,688	3,476	569	67
Female	968	1,840	3,888	7,625	13,469	20,850	31,067	40,371	46,938	44,678	27,960	9,661	1,829	49
White	4,223	7,959	15,539	26,939	41,305	56,562	71,523	79,882	79,320	67,676	38,695	12,287	2,073	79
Male	3,508	6,600	12,549	20,674	29,879	38,256	43,632	42,692	35,431	25,074	12,012	3,198	474	42
Female	715	1,359	2,990	6,265	11,426	18,306	27,891	37,190	43,889	42,602	26,683	9,089	1,599	37
All other	835	1,486	2,513	3,779	4,961	5,908	6,777	6,349	5,450	3,560	1,953	850	325	37
Male	582	1,005	1,615	2,419	2,918	3,364	3,601	3,168	2,401	1,464	676	278	95	25
Female	253	481	898	1,360	2,063	2,544	3,176	3,181	3,049	2,076	1,277	572	230	12
Black	767	1,371	2,334	3,536	4,639	5,455	6,224	5,782	4,980	3,218	1,750	788	307	30
Male	522	909	1,463	2,246	2,683	3,054	3,220	2,765	2,132	1,320	577	252	89	19
Female	245	462	851	1,290	1,956	2,401	3,004	3,017	2,848	1,898	1,173	536	218	11
Acute myocardial infarction (410)	3,359	6,244	11,951	20,136	29,784	38,954	46,588	47,005	39,788	27,847	12,784	3,506	529	45
Male	2,724	5,068	9,410	15,113	21,220	26,056	28,378	25,339	18,475	11,059	4,337	1,004	147	27
Female	635	1,176	2,541	5,023	8,564	12,898	18,210	21,666	21,313	16,788	8,447	2,502	382	18
White	2,884	5,414	10,558	17,926	26,936	35,655	42,942	43,933	37,410	26,442	12,167	3,237	429	33
Male	2,390	4,501	8,531	13,683	19,572	24,188	26,422	23,797	17,388	10,437	4,116	908	117	19
Female	474	913	2,027	4,243	7,364	11,457	16,520	20,136	20,024	16,005	8,051	2,331	312	14
All other	495	830	1,393	2,210	2,848	3,299	3,646	3,072	2,378	1,405	617	269	100	12
Male	334	565	879	1,430	1,648	1,858	1,956	1,542	1,088	622	221	98	30	8
Female	161	265	514	780	1,200	1,441	1,690	1,530	1,289	783	396	171	70	4
Black	455	758	1,284	2,060	2,656	3,038	3,322	2,773	2,152	1,251	551	256	93	9
Male	299	507	797	1,325	1,521	1,692	1,729	1,328	966	557	187	94	27	5
Female	156	251	487	735	1,135	1,346	1,593	1,445	1,186	694	364	162	66	4
Other acute and subacute forms of ischemic heart disease (411)	84	159	253	401	474	521	600	500	447	339	187	57	10	3
Male	66	128	205	313	352	371	386	285	213	129	63	18	3	3
Female	18	31	48	88	122	150	214	215	234	210	124	39	7	-
White	63	120	193	321	398	440	532	429	399	299	171	50	5	1
Male	50	99	162	261	305	324	346	245	193	113	54	16	-	1
Female	13	21	31	60	93	116	186	184	206	186	117	34	5	-
All other	21	39	60	80	76	81	68	71	48	40	16	7	5	2
Male	16	29	43	52	47	47	40	40	20	16	9	2	3	2
Female	5	10	17	28	29	34	28	31	28	24	7	5	2	-
Black	20	38	57	75	72	76	63	68	46	39	15	7	4	1
Male	15	29	40	48	44	42	38	38	20	16	9	2	2	1
Female	5	9	17	27	28	34	27	30	26	23	6	5	2	-
Angina pectoris (413)	3	15	21	33	50	59	95	103	117	62	28	8	1	-
Male	1	8	12	16	32	40	60	56	43	24	12	1	-	-
Female	2	7	9	17	18	19	35	47	74	38	16	7	1	-
White	2	14	16	29	44	55	86	99	111	61	27	8	1	-
Male	1	8	10	14	29	37	57	55	42	23	12	1	-	-
Female	1	6	6	15	15	18	29	44	69	38	15	7	1	-
All other	1	1	5	4	6	4	9	4	6	1	1	-	-	-
Male	-	-	2	2	3	3	3	1	1	1	-	-	-	-
Female	1	1	3	2	3	1	6	3	5	-	1	-	-	-
Black	1	1	4	4	4	4	9	3	6	1	1	-	-	-
Male	-	-	1	2	1	3	3	1	1	1	-	-	-	-
Female	1	1	3	2	3	1	6	2	5	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,612	3,027	5,827	10,148	15,978	22,936	31,017	38,623	44,418	42,988	27,649	9,566	1,858	69
Male	1,299	2,409	4,537	7,651	11,193	15,153	18,409	20,180	19,101	15,346	8,276	2,453	419	37
Female	313	624	1,290	2,497	4,785	7,783	12,608	18,443	25,317	27,642	19,373	7,113	1,439	31
White	1,294	2,411	4,772	8,683	13,927	20,412	27,963	35,421	41,400	40,874	26,330	8,992	1,638	45
Male	1,067	1,992	3,846	6,716	9,973	13,697	16,807	18,595	17,810	14,501	7,830	2,275	357	22
Female	227	419	926	1,947	3,954	6,715	11,156	16,826	23,590	26,373	18,500	6,717	1,281	23
All other	318	616	1,055	1,465	2,051	2,524	3,054	3,202	3,018	2,114	1,319	574	220	23
Male	232	411	691	935	1,220	1,456	1,602	1,585	1,291	845	446	178	62	15
Female	86	205	364	550	831	1,068	1,452	1,617	1,727	1,269	873	396	158	8
Black	291	574	989	1,397	1,907	2,337	2,830	2,938	2,776	1,927	1,183	525	210	20
Male	208	373	645	871	1,117	1,317	1,452	1,398	1,145	746	381	156	60	13
Female	83	201	344	526	790	1,020	1,378	1,540	1,631	1,181	802	369	150	7
Other diseases of endocardium (424)	73	166	195	360	573	772	1,091	1,424	1,287	968	482	131	14	1
Male	45	109	134	234	347	452	587	658	508	335	127	28	1	-
Female	28	57	61	126	226	320	504	766	779	633	355	103	13	1
White	52	135	161	306	512	667	975	1,322	1,204	920	469	120	12	1
Male	32	91	114	206	314	409	522	615	473	318	122	23	1	-
Female	20	44	47	100	198	278	453	707	731	602	347	97	11	1
All other	21	31	34	54	61	85	116	102	83	48	13	11	2	-
Male	13	18	20	28	33	43	65	43	35	17	5	5	-	-
Female	8	13	14	26	28	42	51	59	48	31	8	6	2	-
Black	18	29	31	50	56	80	107	88	71	42	11	9	2	-
Male	11	18	18	25	32	40	57	33	27	16	5	5	-	-
Female	7	11	13	25	24	40	50	55	44	26	6	4	2	-
All other forms of heart disease (415-423,425-429)	1,854	2,985	5,010	8,323	12,344	16,062	19,913	23,261	25,152	23,251	14,702	5,298	1,066	42
Male	1,254	2,026	3,492	5,613	8,136	10,002	11,365	11,721	10,583	8,341	4,393	1,381	234	26
Female	600	959	1,518	2,710	4,208	6,060	8,548	11,540	14,569	14,910	10,309	3,917	832	16
White	1,260	2,088	3,779	6,498	9,836	13,186	16,747	20,206	22,404	21,529	13,675	4,842	977	22
Male	880	1,451	2,724	4,474	6,593	8,331	9,623	10,222	9,376	7,638	4,045	1,244	178	15
Female	380	637	1,055	2,022	3,243	4,855	7,124	9,984	13,028	13,891	9,630	3,598	699	7
All other	594	877	1,231	1,827	2,508	2,876	3,166	3,055	2,748	1,722	1,027	456	189	20
Male	374	575	768	1,139	1,543	1,671	1,742	1,499	1,217	703	348	137	56	11
Female	220	302	463	688	965	1,205	1,424	1,556	1,531	1,019	679	319	133	9
Black	555	834	1,182	1,744	2,403	2,754	3,023	2,906	2,588	1,620	952	431	177	18
Male	347	552	728	1,089	1,480	1,599	1,644	1,396	1,133	654	314	126	50	10
Female	208	282	454	655	923	1,155	1,379	1,510	1,455	968	638	305	127	8

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,571	5	–	–	–	–	5	3	1	3	8	16	33	51
Male	3,432	3	–	–	–	–	3	1	–	–	5	11	26	35
Female	4,139	2	–	–	–	–	2	2	1	3	3	5	7	16
White	6,006	1	–	–	–	–	1	2	1	2	5	8	13	24
Male	2,740	1	–	–	–	–	1	–	–	–	3	6	11	17
Female	3,266	–	–	–	–	–	–	2	1	2	2	2	2	7
All other	1,565	4	–	–	–	–	4	1	–	1	3	8	20	27
Male	692	2	–	–	–	–	2	1	–	–	2	5	15	18
Female	873	2	–	–	–	–	2	–	–	1	1	3	5	9
Black	1,489	4	–	–	–	–	4	1	–	1	2	8	18	24
Male	650	2	–	–	–	–	2	1	–	–	1	5	14	15
Female	839	2	–	–	–	–	2	–	–	1	1	3	4	9
Cerebrovascular diseases (430-438)	157,710	133	19	11	9	4	176	42	68	107	188	362	581	866
Male	63,855	82	11	6	5	2	106	20	40	63	89	197	290	438
Female	93,855	51	8	5	4	2	70	22	28	44	99	165	291	428
White	137,641	84	12	10	7	2	115	34	54	79	139	242	385	564
Male	54,726	54	8	5	4	1	72	15	31	51	67	136	204	280
Female	82,915	30	4	5	3	1	43	19	23	28	72	106	181	304
All other	20,069	49	7	1	2	2	61	8	14	28	49	120	196	282
Male	9,129	28	3	1	1	1	34	5	9	12	22	61	86	158
Female	10,940	21	4	–	1	1	27	3	5	16	27	59	110	124
Black	18,698	42	7	1	2	2	54	7	13	27	49	115	187	264
Male	8,414	23	3	1	1	1	29	4	8	12	22	57	82	146
Female	10,284	19	4	–	1	1	25	3	5	15	27	58	105	118
Intracerebral and other intracranial hemorrhage (431-432)	19,895	86	6	2	5	1	100	17	34	44	65	134	199	302
Male	9,071	54	3	–	3	–	60	11	20	26	33	82	118	181
Female	10,824	32	3	2	2	1	40	6	14	18	32	52	81	121
White	16,519	52	5	2	4	–	63	16	26	32	51	82	125	172
Male	7,323	34	3	–	3	–	40	11	15	23	25	53	72	94
Female	9,196	18	2	2	1	–	23	5	11	9	26	29	53	78
All other	3,376	34	1	–	1	1	37	1	8	12	14	52	74	130
Male	1,748	20	–	–	–	–	20	–	5	3	8	29	46	67
Female	1,628	14	1	–	1	1	17	1	3	9	6	23	28	43
Black	3,087	32	1	–	1	1	35	1	7	12	14	49	69	128
Male	1,571	19	–	–	–	–	19	–	4	3	8	27	44	85
Female	1,516	13	1	–	1	1	16	1	3	9	6	22	25	43
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28,381	12	4	1	–	1	18	6	4	7	16	12	38	40
Male	11,295	6	3	–	–	1	10	3	1	5	6	7	16	19
Female	17,066	6	1	1	–	–	8	3	3	2	10	5	20	21
White	25,494	8	2	1	–	1	12	5	4	5	14	8	25	29
Male	9,971	4	2	–	–	1	7	2	1	4	5	3	12	14
Female	15,483	4	–	1	–	–	5	3	3	1	9	5	13	15
All other	2,927	4	2	–	–	–	6	1	–	2	2	4	11	11
Male	1,324	2	1	–	–	–	3	1	–	1	1	4	4	5
Female	1,603	2	1	–	–	–	3	–	–	1	1	–	7	6
Black	2,726	2	2	–	–	–	4	1	–	2	2	4	10	10
Male	1,230	–	1	–	–	–	1	1	–	1	1	4	3	5
Female	1,496	2	1	–	–	–	3	–	–	1	1	–	7	5
Cerebral embolism (434.1)	759	–	–	–	–	–	–	–	–	–	4	1	4	2
Male	308	–	–	–	–	–	–	–	–	–	2	–	3	–
Female	451	–	–	–	–	–	–	–	–	–	2	1	1	2
White	702	–	–	–	–	–	–	–	–	–	3	1	2	2
Male	286	–	–	–	–	–	–	–	–	–	1	–	1	–
Female	416	–	–	–	–	–	–	–	–	–	2	1	1	2
All other	57	–	–	–	–	–	–	–	–	–	1	–	2	–
Male	22	–	–	–	–	–	–	–	–	–	1	–	2	–
Female	35	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	52	–	–	–	–	–	–	–	–	–	1	–	2	–
Male	19	–	–	–	–	–	–	–	–	–	1	–	2	–
Female	33	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	108,695	35	9	8	4	2	58	19	30	56	103	215	342	522
Male	43,181	22	5	6	2	1	36	6	19	32	48	108	153	238
Female	65,514	13	4	2	2	1	22	13	11	24	55	107	189	284
White	94,886	24	5	7	3	1	40	13	24	42	71	151	233	381
Male	37,146	16	3	5	1	–	25	2	15	24	36	80	119	172
Female	57,840	8	2	2	2	1	15	11	9	18	35	71	114	209
All other	13,709	11	4	1	1	1	18	6	6	14	32	64	109	141
Male	6,035	6	2	1	1	1	11	4	4	6	12	28	34	66
Female	7,674	5	2	–	–	–	7	2	2	8	20	36	75	75
Black	12,833	8	4	1	1	1	15	5	6	13	32	62	106	126
Male	5,594	4	2	1	1	1	9	3	4	8	12	26	33	56
Female	7,239	4	2	–	–	–	6	2	2	5	20	36	73	70
Atherosclerosis (440)	26,823	1	2	–	1	–	4	4	–	–	2	2	7	17
Male	10,583	1	–	–	–	–	1	1	–	–	1	1	6	11
Female	16,240	–	2	–	1	–	3	3	–	–	1	1	1	6
White	24,789	–	2	–	1	–	3	4	–	–	2	2	7	14
Male	9,689	–	–	–	–	–	–	1	–	–	1	1	6	10
Female	15,100	–	2	–	1	–	3	3	–	–	1	1	1	4
All other	2,034	1	–	–	–	–	1	–	–	–	–	–	–	3
Male	894	1	–	–	–	–	1	–	–	–	–	–	–	1
Female	1,140	–	–	–	–	–	–	–	–	–	–	–	–	2
Black	1,898	–	–	–	–	–	–	–	–	–	–	–	–	3
Male	826	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	1,072	–	–	–	–	–	–	–	–	–	–	–	–	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	59	118	216	341	553	718	1,021	1,155	1,240	1,110	683	197	37	3
Male	36	68	119	196	311	392	497	525	480	419	239	61	7	1
Female	23	50	97	145	242	326	524	630	760	691	444	136	30	2
White	29	57	118	220	380	534	781	942	1,035	1,008	633	181	29	3
Male	17	37	69	144	219	308	401	436	404	381	226	54	5	1
Female	12	20	49	76	161	226	380	506	631	627	407	127	24	2
All other	30	61	98	121	173	184	240	213	205	102	50	16	8	-
Male	19	31	50	52	92	84	96	89	76	38	13	7	2	-
Female	11	30	48	69	81	100	144	124	129	64	37	9	6	-
Black	28	59	97	117	166	181	231	204	191	95	42	13	7	-
Male	17	30	50	50	85	83	95	81	71	33	10	5	2	-
Female	11	29	47	67	81	98	136	123	120	62	32	8	5	-
Cerebrovascular diseases (430-438)	1,291	2,024	3,285	5,129	7,895	12,361	18,885	25,729	29,938	27,471	15,616	4,867	805	24
Male	636	1,050	1,709	2,781	4,167	6,542	9,450	11,415	11,054	8,515	4,072	1,061	147	13
Female	655	974	1,576	2,348	3,728	5,819	9,435	14,314	18,884	18,956	11,544	3,806	658	11
White	821	1,365	2,347	3,826	6,105	10,033	16,027	22,622	27,232	25,745	14,688	4,506	677	15
Male	401	695	1,234	2,077	3,245	5,383	8,028	10,028	10,016	7,931	3,772	963	111	6
Female	420	670	1,113	1,749	2,860	4,670	7,999	12,594	17,216	17,814	10,916	3,543	566	9
All other	470	659	938	1,303	1,790	2,328	2,858	3,107	2,706	1,726	928	361	128	9
Male	235	355	475	704	922	1,179	1,422	1,387	1,038	584	300	98	36	7
Female	235	304	463	599	868	1,149	1,436	1,720	1,668	1,142	628	263	92	2
Black	447	613	883	1,232	1,694	2,186	2,688	2,876	2,496	1,565	841	338	116	9
Male	226	333	448	656	862	1,109	1,327	1,241	928	526	265	94	32	7
Female	221	280	435	576	832	1,077	1,359	1,635	1,568	1,039	576	244	84	2
Intracerebral and other intracranial hemorrhage (431-432)	453	699	1,145	1,449	1,836	2,275	2,686	2,920	2,655	1,883	781	205	27	6
Male	252	393	602	807	949	1,155	1,318	1,237	987	585	216	31	5	3
Female	201	306	543	642	887	1,120	1,368	1,683	1,668	1,278	565	174	22	3
White	252	423	785	1,075	1,436	1,907	2,343	2,600	2,435	1,752	735	181	23	5
Male	138	230	405	592	734	975	1,147	1,098	893	550	209	24	4	2
Female	116	193	380	483	702	932	1,196	1,502	1,542	1,202	535	157	19	3
All other	201	276	360	374	400	368	343	320	220	111	46	24	4	1
Male	116	163	197	215	215	180	171	139	94	35	16	7	1	1
Female	85	113	163	159	185	188	172	181	126	76	30	17	3	-
Black	191	261	335	341	362	334	304	284	193	96	43	23	4	1
Male	111	155	181	180	192	166	146	112	75	29	15	7	1	1
Female	80	106	154	161	170	168	158	172	118	67	28	16	3	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	82	167	353	667	1,126	1,997	3,237	4,775	5,788	5,589	3,242	1,033	183	5
Male	49	114	207	422	671	1,137	1,633	2,115	2,126	1,678	825	220	29	2
Female	33	53	146	245	455	860	1,604	2,660	3,660	3,891	2,417	813	154	3
White	52	113	260	499	896	1,653	2,801	4,246	5,321	5,279	3,070	974	165	3
Male	29	79	165	323	553	956	1,412	1,867	1,944	1,589	776	208	22	-
Female	23	34	95	176	343	697	1,389	2,379	3,377	3,690	2,294	766	143	3
All other	30	54	93	168	230	344	436	529	465	290	172	59	18	2
Male	20	35	42	99	118	181	221	248	182	89	49	12	7	2
Female	10	19	51	69	112	163	215	281	283	201	123	47	11	-
Black	30	53	88	159	216	321	409	502	432	259	152	53	17	2
Male	20	34	40	85	110	168	205	230	171	76	45	11	7	2
Female	10	19	48	64	106	153	204	272	261	183	107	42	10	-
Cerebral embolism (434.1)	6	10	19	30	46	85	103	141	127	121	48	10	2	-
Male	1	4	7	17	24	47	52	63	44	30	11	3	-	-
Female	5	6	12	13	22	38	51	78	83	91	37	7	2	-
White	3	6	17	25	40	76	95	136	123	117	45	9	2	-
Male	1	4	5	12	22	43	49	62	44	28	11	3	-	-
Female	2	2	12	13	18	33	46	74	79	89	34	6	2	-
All other	3	4	2	5	6	9	8	5	4	4	3	1	-	-
Male	-	-	2	5	2	4	3	1	-	2	-	-	-	-
Female	3	4	-	-	4	5	5	4	4	2	3	1	-	-
Black	2	4	2	4	6	8	7	5	4	3	3	1	-	-
Male	-	-	2	4	2	4	2	1	-	1	-	-	-	-
Female	2	4	-	-	4	4	5	4	4	2	3	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	750	1,148	1,768	2,983	4,887	8,004	12,859	17,893	21,370	19,918	11,545	3,619	593	13
Male	334	539	893	1,535	2,523	4,203	6,447	8,000	7,897	6,222	3,020	807	113	8
Female	416	609	875	1,448	2,364	3,801	6,412	9,893	13,473	13,696	8,525	2,812	480	5
White	514	823	1,285	2,227	3,793	6,397	10,788	15,640	19,359	18,597	10,838	3,342	487	7
Male	235	382	659	1,150	1,936	3,389	5,420	7,001	7,135	5,784	2,785	728	85	4
Female	279	441	626	1,077	1,797	3,008	5,368	8,639	12,218	12,833	8,053	2,614	402	3
All other	236	325	483	756	1,154	1,607	2,071	2,253	2,017	1,321	707	277	106	6
Male	99	157	234	385	587	814	1,027	989	762	458	235	79	28	4
Female	137	168	249	371	567	793	1,044	1,254	1,255	863	472	198	78	2
Black	224	295	458	728	1,110	1,523	1,966	2,085	1,867	1,207	643	261	95	6
Male	95	144	225	367	558	771	974	888	682	420	205	76	24	4
Female	129	151	233	361	552	752	992	1,197	1,185	787	438	185	71	2
Atherosclerosis (440)	25	73	146	329	662	1,238	2,094	3,402	5,084	6,042	4,997	2,146	535	14
Male	18	53	99	212	413	759	1,163	1,686	2,043	2,057	1,443	509	103	4
Female	7	20	47	117	249	479	931	1,716	3,041	3,985	3,554	1,637	432	10
White	18	53	117	282	570	1,075	1,857	3,074	4,703	5,754	4,720	2,037	486	11
Male	15	42	80	191	365	664	1,031	1,518	1,889	1,940	1,355	484	93	3
Female	3	11	37	91	205	411	826	1,556	2,814	3,814	3,365	1,553	393	8
All other	7	20	29	47	92	163	237	328	381	288	277	109	49	3
Male	3	11	19	21	48	95	132	168	154	117	88	25	10	1
Female	4	9	10	26	44	68	105	160	227	171	189	84	39	2
Black	7	19	27	42	88	160	221	314	358	260	256	97	46	2
Male	3	11	18	18	44	94	122	162	141	109	76	18	9	-
Female	4	8	9	24	42	66	99	152	217	151	180	79	37	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	20,172	14	2	1	3	1	21	8	9	29	45	64	95	105
Male	12,739	10	1	1	2	1	15	5	6	19	24	34	57	66
Female	7,433	4	1	–	1	–	6	3	3	10	21	30	38	39
White	18,489	11	2	1	2	1	17	7	8	25	37	45	75	78
Male	11,818	9	1	1	2	1	14	4	5	19	20	24	48	48
Female	6,671	2	1	–	–	–	3	3	3	6	17	21	27	28
All other	1,683	3	–	–	1	–	4	1	1	4	8	19	20	29
Male	921	1	–	–	–	–	1	1	1	–	4	10	9	18
Female	762	2	–	–	1	–	3	–	–	4	4	9	11	11
Black	1,526	3	–	–	1	–	4	–	1	4	8	16	18	27
Male	817	1	–	–	–	–	1	–	1	–	4	9	8	17
Female	709	2	–	–	1	–	3	–	–	4	4	7	10	10
Acute bronchitis and bronchiolitis (466)	503	74	13	9	5	–	101	4	2	3	5	7	9	4
Male	250	47	10	6	3	–	66	1	2	2	4	4	7	3
Female	253	27	3	3	2	–	35	3	–	1	1	3	2	1
White	433	49	6	6	5	–	66	4	1	3	4	6	8	4
Male	205	29	5	4	3	–	41	1	1	2	4	3	5	3
Female	228	20	1	2	2	–	25	3	–	1	–	3	1	1
All other	70	25	7	3	–	–	35	–	1	–	1	1	3	–
Male	45	18	5	2	–	–	25	–	1	–	–	1	2	–
Female	25	7	2	1	–	–	10	–	–	–	1	–	1	–
Black	59	21	5	2	–	–	28	–	1	–	1	1	3	–
Male	36	15	4	1	–	–	20	–	1	–	–	1	2	–
Female	23	6	1	1	–	–	8	–	–	–	1	–	1	–
Pneumonia and influenza (480-487)	48,686	756	112	52	36	28	986	66	76	127	189	234	317	349
Male	25,325	425	60	31	18	19	553	42	41	72	111	137	206	205
Female	23,561	331	52	21	20	9	433	24	35	55	72	97	111	138
White	43,515	458	70	34	27	19	608	47	56	93	131	143	190	215
Male	22,100	263	35	22	14	14	348	31	30	53	81	84	124	117
Female	21,415	195	35	12	13	5	260	16	26	40	50	59	66	98
All other	5,371	298	42	18	11	9	378	19	20	34	52	91	127	128
Male	3,225	162	25	9	4	5	205	11	11	19	30	53	82	88
Female	2,146	136	17	9	7	4	173	8	9	15	22	38	45	40
Black	4,789	268	39	15	9	8	339	14	16	27	47	87	119	120
Male	2,884	148	23	7	3	4	185	8	9	16	25	49	78	87
Female	1,815	120	16	8	6	4	154	6	7	11	22	38	41	33
Pneumonia (480-486)	48,159	748	109	51	38	28	974	64	73	125	181	231	313	399
Male	25,030	422	58	30	18	19	547	40	40	72	110	136	205	208
Female	23,129	326	51	21	20	9	427	24	33	53	71	95	108	136
White	42,629	453	67	34	27	19	600	45	54	91	129	140	186	212
Male	21,827	260	33	22	14	14	343	29	29	53	80	83	123	115
Female	21,002	193	34	12	13	5	257	16	25	38	49	57	63	97
All other	5,330	295	42	17	11	9	374	19	19	34	52	91	127	127
Male	3,203	162	25	8	4	5	204	11	11	19	30	53	82	86
Female	2,127	133	17	9	7	4	170	8	8	15	22	38	45	39
Black	4,772	266	39	15	9	8	337	14	15	27	47	87	119	119
Male	2,869	148	23	7	3	4	185	8	9	16	25	49	78	87
Female	1,903	118	16	8	6	4	152	6	6	11	22	38	41	32
Influenza (487)	727	8	3	1	–	–	12	2	3	2	2	3	4	4
Male	295	3	2	1	–	–	6	2	1	–	1	1	1	2
Female	432	5	1	–	–	–	6	–	2	2	1	2	3	2
White	686	5	3	–	–	–	8	2	2	2	2	3	4	3
Male	273	3	2	–	–	–	5	2	1	–	1	1	1	2
Female	413	2	1	–	–	–	3	–	1	2	1	2	3	1
All other	41	3	–	1	–	–	4	–	1	–	–	–	–	1
Male	22	–	–	1	–	–	1	–	–	–	–	–	–	–
Female	19	3	–	–	–	–	3	–	1	–	–	–	–	1
Black	27	2	–	–	–	–	2	–	1	–	–	–	–	1
Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	12	2	–	–	–	–	2	–	1	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	59,869	61	31	17	6	5	120	35	52	92	109	94	129	189
Male	39,702	40	15	7	3	4	69	19	23	54	66	50	74	92
Female	20,167	21	16	10	3	1	51	16	29	38	43	44	55	77
White	55,887	39	19	8	3	4	73	24	28	59	65	61	81	109
Male	36,970	27	7	4	2	4	44	13	11	33	39	34	44	60
Female	18,917	12	12	4	1	–	29	11	17	26	26	27	37	49
All other	3,982	22	12	9	3	1	47	11	24	33	44	33	48	80
Male	2,732	13	8	3	1	–	25	6	12	21	27	16	30	32
Female	1,250	9	4	6	2	1	22	5	12	12	17	17	18	28
Black	3,631	21	12	8	3	1	45	10	24	31	40	33	44	57
Male	2,489	12	8	3	1	–	24	6	12	21	27	16	28	31
Female	1,142	9	4	5	2	1	21	4	12	10	13	17	16	26
Bronchitis, chronic and unspecified (490-491)	3,495	41	14	7	1	2	65	3	3	7	10	4	10	18
Male	2,126	24	5	2	1	1	33	2	1	4	6	3	6	7
Female	1,369	17	9	5	–	1	32	1	2	3	2	1	4	11
White	3,311	28	10	4	1	1	44	3	3	5	9	4	10	12
Male	2,010	16	3	1	1	1	22	2	1	3	7	3	6	4
Female	1,301	12	7	3	–	–	22	1	2	2	2	1	4	8
All other	184	13	4	3	–	1	21	–	–	2	1	–	–	6
Male	116	8	2	1	–	–	11	–	–	1	1	–	–	3
Female	68	5	2	2	–	1	10	–	–	1	–	–	–	3
Black	163	12	4	3	–	1	20	–	–	2	1	–	–	6
Male	102	7	2	1	–	–	10	–	–	1	1	–	–	3
Female	61	5	2	2	–	1	10	–	–	1	–	–	–	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-449)	129	256	474	975	1,785	2,670	3,589	3,559	2,928	2,049	915	292	37	4
Male	88	162	317	683	1,326	2,084	2,503	2,345	1,659	952	328	58	6	2
Female	43	94	157	292	457	786	1,086	1,214	1,269	1,091	587	174	31	2
White	101	205	389	834	1,590	2,605	3,300	3,351	2,763	1,949	859	220	30	4
Male	69	131	259	600	1,205	1,916	2,342	2,239	1,589	919	306	53	6	2
Female	32	74	130	234	385	689	958	1,112	1,174	1,029	553	167	24	2
All other	28	51	85	141	195	265	289	208	165	95	56	12	7	-
Male	17	31	58	83	123	168	161	106	70	33	22	5	-	-
Female	11	20	27	58	72	97	128	102	95	62	34	7	7	-
Black	25	50	80	127	183	242	262	178	151	66	48	10	6	-
Male	14	31	55	78	113	149	142	84	62	29	15	5	-	-
Female	11	19	25	49	70	93	120	94	89	57	33	5	6	-
Acute bronchitis and bronchiolitis (466)	8	5	16	11	26	27	32	57	59	61	48	15	3	-
Male	3	3	8	6	13	17	23	31	21	17	11	6	2	-
Female	5	2	8	5	13	10	9	26	38	44	37	9	1	-
White	8	4	12	10	23	20	31	52	55	61	47	14	2	-
Male	3	2	6	6	11	12	23	28	19	17	10	6	2	-
Female	5	2	6	4	12	8	8	24	36	44	37	8	-	-
All other	-	1	4	1	3	7	1	5	4	-	1	1	1	-
Male	-	1	2	-	2	5	-	3	2	-	1	-	-	-
Female	-	-	2	1	1	2	1	2	2	-	-	1	1	-
Black	-	1	4	1	2	6	1	4	3	-	1	1	1	-
Male	-	1	2	-	1	4	-	2	1	-	1	-	-	-
Female	-	-	2	1	1	2	1	2	2	-	-	1	1	-
Pneumonia and influenza (480-487)	432	568	893	1,475	2,141	3,022	4,855	6,584	8,543	9,131	6,275	2,342	477	16
Male	280	391	565	971	1,374	1,953	2,870	3,835	4,351	4,090	2,401	747	125	5
Female	152	177	328	504	767	1,069	1,785	2,749	4,192	5,041	3,874	1,595	352	11
White	264	342	665	1,135	1,740	2,600	4,051	6,024	7,927	8,648	5,984	2,219	421	12
Male	164	223	412	751	1,099	1,673	2,473	3,507	4,018	3,831	2,269	703	106	3
Female	100	119	253	384	641	927	1,578	2,517	3,909	4,817	3,715	1,516	315	9
All other	168	226	228	340	401	422	804	560	616	483	291	123	56	4
Male	116	168	153	220	275	280	397	328	333	259	132	44	19	2
Female	52	58	75	120	126	142	207	232	283	224	159	79	37	2
Black	159	216	215	318	374	382	546	488	542	418	216	109	43	4
Male	111	165	145	208	255	253	358	280	290	217	94	36	13	2
Female	48	51	70	110	119	129	188	208	252	201	122	73	30	2
Pneumonia (480-486)	423	562	884	1,462	2,114	2,986	4,805	6,494	8,438	8,975	6,142	2,291	469	16
Male	275	388	558	962	1,361	1,932	2,848	3,787	4,307	4,030	2,367	733	124	5
Female	148	174	326	500	753	1,054	1,757	2,707	4,129	4,945	3,775	1,558	345	11
White	256	339	657	1,124	1,717	2,567	4,003	5,943	7,823	8,495	5,853	2,170	413	12
Male	160	221	406	743	1,088	1,655	2,451	3,465	3,976	3,774	2,235	690	105	3
Female	96	118	251	381	629	912	1,552	2,478	3,847	4,721	3,618	1,480	308	9
All other	167	223	227	338	397	419	802	551	613	480	289	121	56	4
Male	115	167	152	219	273	277	397	322	331	256	132	43	19	2
Female	52	56	75	119	124	142	205	229	282	224	157	78	37	2
Black	158	214	214	317	370	378	546	482	540	417	214	109	43	4
Male	110	164	144	207	253	250	358	276	289	216	94	36	13	2
Female	48	50	70	110	117	129	188	206	251	201	120	73	30	2
Influenza (487)	9	6	9	13	27	36	50	90	107	156	133	51	8	-
Male	5	3	7	9	13	21	22	48	44	60	34	14	1	-
Female	4	3	2	4	14	15	28	42	63	96	99	37	7	-
White	8	3	8	11	23	33	48	81	104	153	131	49	8	-
Male	4	2	6	8	11	18	22	42	42	57	34	13	1	-
Female	4	1	2	3	12	15	26	39	62	96	97	36	7	-
All other	1	3	1	2	4	3	2	9	3	3	2	2	-	-
Male	1	1	1	1	2	3	-	6	2	3	-	1	-	-
Female	-	2	-	1	2	-	2	3	1	-	2	1	-	-
Black	1	2	1	1	4	3	-	6	2	1	2	-	-	-
Male	1	1	1	1	2	3	-	4	1	1	-	-	-	-
Female	-	1	-	-	2	-	-	2	1	-	2	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	278	605	1,523	3,326	5,899	9,348	11,837	11,289	8,165	4,602	1,745	378	51	13
Male	132	306	896	2,029	3,819	6,202	8,036	7,956	5,616	2,988	1,063	204	18	10
Female	146	299	627	1,297	2,080	3,146	3,801	3,343	2,549	1,634	682	174	33	3
White	193	477	1,303	2,944	5,430	8,751	11,167	10,776	7,833	4,430	1,672	356	44	11
Male	87	239	763	1,796	3,495	5,753	7,549	7,571	5,373	2,848	1,014	188	14	8
Female	106	238	540	1,148	1,935	2,998	3,624	3,205	2,460	1,582	658	168	30	3
All other	85	128	220	382	469	597	670	523	332	172	73	22	7	2
Male	45	67	133	233	324	449	493	385	243	120	49	16	4	2
Female	40	61	87	149	145	148	177	138	89	52	24	6	3	-
Black	82	123	209	360	438	550	620	450	285	147	61	15	5	2
Male	44	64	127	219	299	415	455	335	206	105	40	10	3	2
Female	38	59	82	141	139	135	165	115	79	42	21	5	2	-
Bronchitis, chronic and unspecified (490-491)	15	38	94	171	297	484	569	627	482	341	191	59	8	1
Male	4	14	52	94	186	311	369	427	295	182	101	23	3	1
Female	11	22	42	77	111	173	200	200	187	159	90	36	5	-
White	9	29	89	153	281	465	549	605	463	329	184	58	6	1
Male	2	13	49	85	173	296	354	412	282	174	97	22	2	1
Female	7	16	40	68	108	169	195	193	181	155	87	36	4	-
All other	6	7	5	18	16	19	20	22	19	12	7	1	2	-
Male	2	1	3	9	13	15	15	15	13	8	4	1	1	-
Female	4	6	2	9	3	4	5	7	6	4	3	-	1	-
Black	5	6	3	17	15	18	20	20	15	9	4	-	2	-
Male	2	1	2	8	12	15	15	14	10	6	1	-	1	-
Female	3	5	1	9	3	3	5	6	5	3	3	-	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	12,793	2	–	–	–	–	2	–	–	3	2	2	7	19
Male	9,037	1	–	–	–	–	1	–	–	2	2	2	5	14
Female	3,756	1	–	–	–	–	1	–	–	1	–	–	2	5
White	12,155	1	–	–	–	–	1	–	–	2	1	2	6	15
Male	8,533	1	–	–	–	–	1	–	–	1	1	2	4	11
Female	3,622	–	–	–	–	–	–	–	–	1	–	–	2	4
All other	638	1	–	–	–	–	1	–	–	1	1	–	1	4
Male	504	–	–	–	–	–	–	–	–	1	1	–	1	3
Female	134	1	–	–	–	–	1	–	–	–	–	–	–	1
Black	579	1	–	–	–	–	1	–	–	1	1	–	1	4
Male	454	–	–	–	–	–	–	–	–	1	1	–	1	3
Female	125	1	–	–	–	–	1	–	–	–	–	–	–	1
Asthma (493)	3,154	8	12	8	3	3	34	24	48	76	86	76	93	78
Male	1,314	7	8	5	1	3	24	13	22	44	48	35	52	37
Female	1,840	1	4	3	2	–	10	11	24	32	38	41	41	41
White	2,450	5	5	3	–	3	16	14	22	48	45	44	49	43
Male	983	5	3	3	–	3	14	7	10	26	24	20	25	21
Female	1,467	–	2	–	–	–	2	7	12	22	21	24	24	22
All other	704	3	7	5	3	–	18	10	24	28	41	32	44	35
Male	331	2	5	2	1	–	10	6	12	18	24	15	27	18
Female	373	1	2	3	2	–	8	4	12	10	17	17	17	19
Black	647	3	7	4	3	–	17	9	24	26	37	32	40	33
Male	301	2	5	2	1	–	10	6	12	18	24	15	25	18
Female	346	1	2	2	2	–	7	3	12	8	13	17	15	17
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40,427	10	5	2	2	–	19	8	3	6	11	12	19	54
Male	27,225	8	2	–	1	–	11	4	–	4	8	10	11	34
Female	13,202	2	3	2	1	–	8	4	3	2	3	2	8	20
White	37,971	5	4	1	2	–	12	7	3	4	10	11	16	39
Male	25,444	5	1	–	1	–	7	4	–	3	7	9	9	24
Female	12,527	–	3	1	1	–	5	3	3	1	3	2	7	15
All other	2,456	5	1	1	–	–	7	1	–	2	1	1	3	15
Male	1,781	3	1	–	–	–	4	–	–	1	1	1	2	10
Female	675	2	–	1	–	–	3	1	–	1	–	–	1	5
Black	2,242	5	1	1	–	–	7	1	–	2	1	1	3	14
Male	1,632	3	1	–	–	–	4	–	–	1	1	1	2	9
Female	610	2	–	1	–	–	3	1	–	1	–	–	1	5
Ulcer of stomach and duodenum (531-533)	6,738	13	1	–	1	–	15	3	4	5	11	31	39	48
Male	3,422	6	–	–	1	–	7	2	3	2	9	16	23	31
Female	3,316	7	1	–	–	–	8	1	1	3	2	15	16	15
White	6,063	5	1	–	1	–	7	3	4	4	8	21	29	34
Male	3,032	3	–	–	1	–	4	2	3	2	7	9	17	23
Female	3,031	2	1	–	–	–	3	1	1	2	1	12	12	11
All other	675	8	–	–	–	–	8	–	–	1	3	10	10	12
Male	390	3	–	–	–	–	3	–	–	–	2	7	6	8
Female	285	5	–	–	–	–	5	–	–	1	1	3	4	4
Black	593	7	–	–	–	–	7	–	–	1	3	10	10	11
Male	339	3	–	–	–	–	3	–	–	–	2	7	6	8
Female	254	4	–	–	–	–	4	–	–	1	1	3	4	3
Appendicitis (540-543)	529	7	2	1	5	1	16	10	19	9	3	4	5	10
Male	303	3	2	–	4	–	9	7	14	6	1	2	3	7
Female	226	4	–	1	1	1	7	3	5	3	2	2	2	3
White	413	6	2	1	4	1	14	8	14	7	3	2	5	7
Male	236	2	2	–	3	–	7	6	10	5	1	1	3	7
Female	177	4	–	1	1	1	7	2	4	2	2	1	2	–
All other	116	1	–	–	1	–	2	2	5	2	–	2	–	3
Male	67	1	–	–	1	–	2	1	4	1	–	1	–	–
Female	49	–	–	–	–	–	–	1	1	1	–	1	–	3
Black	108	1	–	–	1	–	2	2	5	2	–	2	–	3
Male	62	1	–	–	1	–	2	1	4	1	–	1	–	–
Female	46	–	–	–	–	–	–	1	1	1	–	1	–	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,054	130	14	7	7	1	159	6	9	17	21	19	24	35
Male	1,965	82	11	5	4	1	103	4	6	10	12	12	12	22
Female	3,089	48	3	2	3	–	56	2	3	7	9	7	12	13
White	4,416	88	9	5	5	1	108	6	7	10	18	15	17	24
Male	1,617	53	7	5	3	1	69	4	4	4	9	10	6	14
Female	2,799	35	2	–	2	–	39	2	3	6	9	5	11	10
All other	638	42	5	2	2	–	51	–	2	7	3	4	7	11
Male	348	29	4	–	1	–	34	–	2	6	3	2	6	8
Female	290	13	1	2	1	–	17	–	–	1	–	2	1	3
Black	607	41	5	2	2	–	50	–	2	7	3	4	7	11
Male	324	28	4	–	1	–	33	–	2	6	3	2	6	8
Female	283	13	1	2	1	–	17	–	–	1	–	2	1	3
Chronic liver disease and cirrhosis (571)	27,690	31	3	3	3	1	41	8	7	12	75	373	829	1,288
Male	17,917	21	1	1	2	–	25	3	5	3	44	240	580	918
Female	9,773	10	2	2	1	1	16	5	2	9	31	133	249	370
White	23,409	19	2	2	2	1	26	7	5	7	44	217	512	856
Male	15,249	13	1	1	1	–	16	3	4	3	29	158	380	638
Female	8,160	6	1	1	1	1	10	4	1	4	15	59	132	218
All other	4,281	12	1	1	1	–	15	1	2	5	31	156	317	432
Male	2,668	8	–	–	1	–	9	–	1	–	15	82	200	280
Female	1,613	4	1	1	–	–	6	1	1	5	16	74	117	152
Black	3,839	12	1	–	1	–	14	1	2	5	28	136	282	396
Male	2,408	8	–	–	1	–	9	–	1	–	13	73	176	259
Female	1,431	4	1	–	–	–	5	1	1	5	15	63	106	137

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	51	120	354	802	1,392	2,170	2,675	2,396	1,638	848	257	46	5	4
Male	28	73	218	495	917	1,495	1,959	1,604	1,193	617	177	34	–	1
Female	23	47	136	307	475	675	716	592	445	231	80	12	5	3
White	42	101	321	740	1,312	2,044	2,568	2,284	1,587	821	247	43	5	3
Male	21	58	192	447	861	1,394	1,874	1,717	1,154	595	169	31	–	–
Female	21	43	129	293	451	650	694	577	433	226	78	12	5	3
All other	9	19	33	62	80	126	107	102	51	27	10	3	–	1
Male	7	15	26	48	56	101	85	87	39	22	8	3	–	1
Female	2	4	7	14	24	25	22	15	12	5	2	–	–	–
Black	9	17	33	60	77	114	95	88	43	24	9	1	–	1
Male	7	13	26	46	53	91	76	75	32	19	6	1	–	1
Female	2	4	7	14	24	23	19	13	11	5	1	–	–	–
Asthma (493)	98	136	205	242	340	360	433	343	250	157	60	12	5	–
Male	36	50	81	93	148	158	176	130	103	40	20	3	1	–
Female	62	86	124	149	192	202	257	213	147	117	40	9	4	–
White	54	84	142	181	268	308	371	308	232	150	56	12	3	–
Male	18	36	55	66	111	136	146	115	94	36	20	3	–	–
Female	36	48	87	115	157	172	225	193	138	114	36	9	3	–
All other	44	52	63	61	72	52	62	35	18	7	4	–	2	–
Male	18	14	26	27	37	22	30	15	8	4	–	–	1	–
Female	26	38	37	34	35	30	32	20	9	3	4	–	1	–
Black	43	51	56	56	66	50	56	25	16	5	4	–	1	–
Male	17	13	22	24	32	21	26	10	8	2	–	–	–	–
Female	26	38	34	32	34	29	30	15	8	3	4	–	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	114	313	870	2,111	3,870	6,334	8,160	7,933	5,795	3,256	1,237	261	33	8
Male	64	169	545	1,347	2,568	4,238	5,532	5,595	4,025	2,129	765	144	14	8
Female	50	144	325	764	1,302	2,096	2,628	2,338	1,770	1,127	472	117	19	–
White	88	263	751	1,870	3,569	5,934	7,679	7,569	5,551	3,130	1,185	243	30	7
Male	48	132	467	1,198	2,350	3,927	5,169	5,927	3,843	2,043	728	132	12	7
Female	42	131	284	672	1,219	2,007	2,510	2,242	1,708	1,087	457	111	18	–
All other	26	50	119	241	301	400	481	364	244	126	52	18	3	1
Male	18	37	78	149	218	311	363	268	182	86	37	12	2	1
Female	8	13	41	92	83	89	118	96	62	40	15	6	1	–
Black	25	49	117	227	280	388	449	317	211	109	44	14	2	1
Male	18	37	77	141	202	288	338	236	156	78	31	9	2	1
Female	7	12	40	86	78	80	111	81	55	31	13	5	–	–
Ulcer of stomach and duodenum (531-533)	83	124	199	350	501	707	892	1,050	1,089	945	486	140	15	3
Male	55	74	137	224	317	425	516	543	474	353	155	50	4	2
Female	28	50	62	126	184	282	376	507	615	592	331	90	11	1
White	67	93	150	286	427	621	811	971	1,002	899	470	132	13	1
Male	42	53	103	191	268	380	466	502	428	331	150	47	4	–
Female	25	40	47	105	159	241	345	469	574	568	320	85	9	1
All other	16	31	49	54	74	86	81	79	87	46	16	8	2	2
Male	13	21	34	33	49	45	50	41	46	22	5	3	–	2
Female	3	10	15	21	25	41	31	38	41	24	11	5	2	–
Black	15	27	47	52	65	78	73	68	69	34	13	8	2	2
Male	12	17	33	33	46	39	45	32	33	15	3	3	–	2
Female	3	10	14	19	19	39	28	34	36	19	10	5	2	–
Appendicitis (540-543)	11	20	18	36	47	51	62	65	57	61	19	6	–	–
Male	7	12	10	25	30	30	38	37	31	23	8	3	–	–
Female	4	8	8	11	17	21	24	28	26	38	11	3	–	–
White	7	13	11	26	35	36	47	55	47	53	16	5	–	–
Male	3	8	7	20	24	21	29	31	24	20	7	2	–	–
Female	4	5	4	6	11	15	18	24	23	33	9	3	–	–
All other	4	7	7	8	12	15	15	10	10	8	3	1	–	–
Male	4	4	3	5	6	9	9	6	7	3	1	1	–	–
Female	–	3	4	3	6	6	6	4	3	5	2	–	–	–
Black	4	6	6	6	12	15	12	10	9	8	3	1	–	–
Male	4	4	3	3	6	9	6	6	7	3	1	1	–	–
Female	–	2	3	3	6	6	6	4	2	5	2	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	39	69	108	168	239	384	527	706	891	883	549	175	24	1
Male	21	28	63	78	122	187	245	272	307	279	148	35	5	–
Female	18	41	46	90	117	197	282	434	584	610	401	140	19	1
White	29	52	83	135	197	311	446	616	810	831	517	165	18	1
Male	17	18	45	64	96	142	197	231	288	248	138	31	4	–
Female	12	34	38	71	101	169	249	385	542	585	379	134	14	1
All other	10	17	25	33	42	73	81	90	81	52	32	10	6	–
Male	4	10	18	14	26	45	46	41	39	27	10	4	1	–
Female	6	7	8	19	16	28	33	49	42	25	22	6	5	–
Black	10	16	25	33	40	71	74	88	73	49	30	10	6	–
Male	4	9	18	14	24	44	41	37	33	26	9	4	1	–
Female	6	7	7	19	16	27	33	49	40	23	21	6	5	–
Chronic liver disease and cirrhosis (571)	1,719	2,319	3,375	4,064	4,096	3,754	2,720	1,661	905	348	81	9	1	7
Male	1,172	1,584	2,330	2,654	2,720	2,397	1,683	886	461	168	35	3	–	6
Female	547	735	1,045	1,410	1,376	1,357	1,037	775	444	178	46	6	1	1
White	1,248	1,796	2,756	3,521	3,639	3,433	2,515	1,553	855	328	78	7	1	5
Male	873	1,246	1,923	2,324	2,413	2,215	1,561	822	437	161	35	3	–	5
Female	375	550	833	1,197	1,226	1,218	954	731	418	167	43	4	1	–
All other	471	523	619	543	457	321	205	108	50	18	3	2	–	2
Male	299	338	407	330	307	182	122	64	24	7	–	–	–	1
Female	172	185	212	213	150	139	83	44	26	11	3	2	–	1
Black	425	468	555	488	424	290	177	90	38	14	3	2	–	1
Male	272	302	368	302	288	165	103	52	19	6	–	–	–	–
Female	153	166	187	186	136	125	74	38	19	8	3	2	–	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	2,941	2	–	–	–	–	2	2	1	2	6	5	10	16
Male	1,289	1	–	–	–	–	1	1	1	1	5	1	5	5
Female	1,652	1	–	–	–	–	1	1	–	1	1	4	5	11
White	2,663	1	–	–	–	–	1	1	1	1	3	3	8	11
Male	1,177	1	–	–	–	–	1	–	1	–	2	1	3	4
Female	1,486	–	–	–	–	–	–	1	–	1	1	2	5	7
All other	278	1	–	–	–	–	1	1	–	1	3	2	2	5
Male	112	–	–	–	–	–	–	1	–	1	3	–	2	1
Female	166	1	–	–	–	–	1	–	–	–	–	2	–	4
Black	230	1	–	–	–	–	1	1	–	1	3	2	2	5
Male	87	–	–	–	–	–	–	1	–	1	3	–	2	1
Female	143	1	–	–	–	–	1	–	–	–	–	2	–	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18,102	260	12	9	3	4	288	16	16	26	55	85	140	161
Male	9,165	157	3	5	3	–	168	11	8	12	32	47	82	93
Female	8,937	103	9	4	–	4	120	5	8	14	23	38	58	68
White	14,453	174	8	8	2	3	195	11	15	17	35	52	90	104
Male	7,405	108	2	4	2	–	116	7	7	8	21	28	54	61
Female	7,048	66	6	4	–	3	79	4	8	9	14	24	36	43
All other	3,649	86	4	1	1	1	93	5	1	9	20	33	50	57
Male	1,760	49	1	1	1	–	52	4	1	4	11	19	28	32
Female	1,889	37	3	–	–	1	41	1	–	5	9	14	22	25
Black	3,417	84	3	1	1	1	90	4	1	8	15	28	45	53
Male	1,650	47	1	1	1	–	50	4	1	4	9	16	25	30
Female	1,767	37	2	–	–	1	40	–	–	4	7	12	20	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	309	8	–	1	2	–	11	2	2	–	1	3	3	3
Male	151	4	–	–	2	–	6	2	1	–	1	1	2	3
Female	158	4	–	1	–	–	5	–	1	–	–	2	1	–
White	247	4	–	1	1	–	6	1	2	–	1	1	1	2
Male	120	1	–	–	1	–	2	1	1	–	1	–	1	2
Female	127	3	–	1	–	–	4	–	1	–	–	1	–	–
All other	62	4	–	–	1	–	5	1	–	–	–	2	2	1
Male	31	3	–	–	1	–	4	1	–	–	–	1	1	1
Female	31	1	–	–	–	–	1	–	–	–	–	1	1	–
Black	59	4	–	–	1	–	5	1	–	–	–	1	2	1
Male	30	3	–	–	1	–	4	1	–	–	–	1	1	1
Female	29	1	–	–	–	–	1	–	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,946	7	1	3	–	–	11	1	3	7	12	18	30	24
Male	984	4	–	2	–	–	6	–	–	–	8	13	19	14
Female	962	3	1	1	–	–	5	1	3	7	4	5	11	10
White	1,558	4	–	3	–	–	7	–	3	5	9	10	16	14
Male	798	2	–	2	–	–	4	–	–	–	6	8	11	8
Female	760	2	–	1	–	–	3	–	3	5	3	2	5	6
All other	388	3	1	–	–	–	4	1	–	2	3	8	14	10
Male	186	2	–	–	–	–	2	–	–	–	2	5	8	8
Female	202	1	1	–	–	–	2	1	–	2	1	3	6	2
Black	353	3	1	–	–	–	4	–	–	2	2	5	12	10
Male	172	2	–	–	–	–	2	–	–	–	2	3	7	8
Female	181	1	1	–	–	–	2	–	–	2	–	2	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15,847	245	11	6	1	4	266	13	11	19	42	64	107	134
Male	8,030	149	3	3	1	–	156	9	7	12	23	33	61	76
Female	7,817	96	8	2	–	4	110	4	4	7	19	31	46	58
White	12,648	166	8	4	1	3	182	10	10	12	25	41	73	88
Male	6,487	105	2	2	1	–	110	6	6	8	14	20	42	53
Female	6,161	61	6	2	–	3	72	4	4	4	11	21	31	35
All other	3,199	79	3	1	–	1	84	3	1	7	17	23	34	48
Male	1,543	44	1	1	–	–	46	3	1	4	9	13	19	23
Female	1,656	35	2	–	–	1	38	–	–	3	8	10	15	23
Black	3,005	77	2	1	–	1	81	3	1	6	13	22	31	42
Male	1,448	42	1	1	–	–	44	3	1	4	6	12	17	21
Female	1,557	35	1	–	–	1	37	–	–	2	7	10	14	21
Infections of kidney (590)	2,218	8	1	–	–	–	9	2	1	2	5	8	14	12
Male	733	5	–	–	–	–	5	1	–	–	–	1	3	7
Female	1,485	3	1	–	–	–	4	1	1	2	5	7	11	5
White	1,953	6	1	–	–	–	7	2	1	2	2	4	12	7
Male	629	4	–	–	–	–	4	1	–	–	–	1	3	5
Female	1,324	2	1	–	–	–	3	1	1	2	2	3	9	2
All other	265	2	–	–	–	–	2	–	–	–	3	4	2	5
Male	104	1	–	–	–	–	1	–	–	–	–	–	–	2
Female	161	1	–	–	–	–	1	–	–	–	3	4	2	3
Black	249	1	–	–	–	–	1	–	–	–	2	4	2	5
Male	88	1	–	–	–	–	1	–	–	–	–	–	–	2
Female	151	–	–	–	–	–	–	–	–	–	2	4	2	3
Hyperplasia of prostate (600)	655	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	655	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
White	585	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	585	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
All other	90	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	90	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
Black	87	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	87	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	26	39	72	95	167	272	393	458	520	471	265	86	6	–
Male	9	17	34	53	83	173	195	226	224	162	74	18	1	–
Female	17	19	38	42	84	99	198	232	296	309	221	68	5	–
White	16	31	58	83	151	243	344	407	467	441	266	81	6	–
Male	6	16	28	45	79	160	178	201	212	154	72	15	1	–
Female	10	15	32	38	72	83	166	206	275	287	214	66	5	–
All other	10	5	14	12	16	29	49	51	33	30	9	5	–	–
Male	3	1	8	8	4	13	17	25	12	8	2	3	–	–
Female	7	4	6	4	12	16	32	26	21	22	7	2	–	–
Black	10	4	12	10	14	25	41	41	24	23	7	4	–	–
Male	3	1	8	6	3	12	13	18	7	4	2	2	–	–
Female	7	3	4	4	11	13	28	23	17	19	5	2	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	204	257	432	823	1,234	1,755	2,408	2,758	2,886	2,616	1,357	398	84	3
Male	123	152	254	461	653	929	1,300	1,434	1,429	1,176	609	156	33	3
Female	81	105	178	362	581	826	1,108	1,324	1,557	1,440	748	242	51	–
White	130	158	260	542	884	1,304	1,895	2,286	2,520	2,330	1,203	355	66	1
Male	86	93	156	325	469	716	1,055	1,221	1,213	1,049	536	140	29	1
Female	44	65	104	217	395	588	840	1,065	1,307	1,287	667	215	37	–
All other	74	99	172	281	350	451	513	472	466	286	154	43	18	2
Male	37	59	98	136	164	213	245	213	216	133	73	16	4	2
Female	37	40	74	145	186	238	268	259	250	153	81	27	14	–
Black	68	91	161	284	333	432	488	438	432	266	142	41	17	2
Male	33	54	97	130	155	207	229	196	198	126	67	14	4	2
Female	33	37	64	134	178	225	259	242	234	140	75	27	13	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	8	11	20	22	21	42	47	57	31	18	4	–	–
Male	1	2	4	12	11	13	19	20	26	14	11	2	–	–
Female	2	6	7	8	11	8	23	27	31	17	7	2	–	–
White	1	4	6	12	18	19	35	42	46	29	17	4	–	–
Male	1	1	2	8	10	11	17	18	20	12	10	2	–	–
Female	–	3	4	4	8	8	18	24	26	17	7	2	–	–
All other	2	4	5	8	4	2	7	5	11	2	1	–	–	–
Male	–	1	2	4	1	2	2	2	6	2	1	–	–	–
Female	2	3	3	4	3	–	5	3	5	–	–	–	–	–
Black	2	4	5	8	4	2	7	4	10	2	1	–	–	–
Male	–	1	2	4	1	2	2	2	5	2	1	–	–	–
Female	2	3	3	4	3	–	5	2	5	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	32	39	56	78	139	188	247	323	290	270	138	33	6	–
Male	26	27	30	45	71	94	128	163	123	132	71	11	3	–
Female	6	12	26	34	68	92	119	160	167	138	67	22	3	–
White	20	20	37	53	101	154	197	270	243	244	121	29	5	–
Male	17	11	20	36	50	79	107	142	106	118	64	10	3	–
Female	3	9	17	17	51	75	90	128	137	126	57	19	2	–
All other	12	19	21	26	38	32	50	53	47	26	17	4	1	–
Male	9	16	10	9	21	15	21	21	17	14	7	1	–	–
Female	3	3	11	17	17	17	29	32	30	12	10	3	1	–
Black	10	16	17	26	37	30	48	48	43	24	14	4	1	–
Male	8	13	9	9	21	14	19	20	16	14	6	1	–	–
Female	2	3	8	17	16	16	29	28	27	10	8	3	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	169	210	363	724	1,073	1,548	2,119	2,368	2,639	2,315	1,201	361	78	3
Male	96	123	220	404	571	822	1,153	1,251	1,280	1,030	527	143	30	3
Female	73	87	143	320	502	726	966	1,137	1,359	1,285	674	218	48	–
White	109	134	217	477	765	1,131	1,663	1,974	2,231	2,057	1,065	322	61	1
Male	68	81	134	281	429	626	931	1,061	1,087	913	462	128	26	1
Female	41	53	83	196	336	505	732	913	1,144	1,144	603	194	35	–
All other	60	76	146	247	308	417	456	414	408	258	136	39	17	2
Male	28	42	86	123	142	196	222	190	183	117	65	15	4	2
Female	32	34	60	124	166	221	234	224	215	141	71	24	13	–
Black	54	71	139	230	292	400	433	366	379	240	127	37	16	2
Male	25	40	86	117	133	191	208	174	177	110	60	13	4	2
Female	29	31	53	113	159	209	225	212	202	130	67	24	12	–
Infections of kidney (590)	15	32	39	57	105	130	288	355	431	397	236	74	6	–
Male	3	9	17	26	33	49	108	127	139	122	63	19	2	–
Female	12	23	22	31	72	81	180	228	292	275	173	56	4	–
White	10	22	30	40	90	111	243	304	400	368	227	67	6	–
Male	2	5	12	16	29	42	95	107	123	108	59	15	2	–
Female	8	17	18	24	61	69	148	197	277	259	168	52	4	–
All other	5	10	9	17	15	19	45	51	31	31	9	7	–	–
Male	1	4	5	10	4	7	13	20	16	14	4	3	–	–
Female	4	6	4	7	11	12	32	31	15	17	5	4	–	–
Black	5	10	8	17	14	17	44	48	30	27	8	7	–	–
Male	1	4	4	10	3	7	13	16	16	12	4	3	–	–
Female	4	6	4	7	11	10	31	30	14	15	4	4	–	–
Hyperplasia of prostate (600)	–	1	–	5	18	43	62	108	133	170	75	35	5	–
Male	–	1	–	5	18	43	62	108	133	170	75	35	5	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	–	1	–	3	17	33	50	85	111	155	73	33	4	–
Male	–	1	–	3	17	33	50	85	111	155	73	33	4	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	2	1	10	12	23	22	15	2	2	1	–
Male	–	–	–	2	1	10	12	23	22	15	2	2	1	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	2	1	10	12	23	20	14	2	2	1	–
Male	–	–	–	2	1	10	12	23	20	14	2	2	1	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	292	...	...	...	...	...	...	...	2	32	54	88	69	31
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	292	...	...	...	...	...	...	...	2	32	54	88	69	31
White	171	...	...	...	...	...	...	...	–	15	30	53	46	19
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	171	...	...	...	...	...	...	...	–	15	30	53	46	19
All other	121	...	...	...	...	...	...	...	2	17	24	35	23	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	121	...	...	...	...	...	...	...	2	17	24	35	23	12
Black	108	...	...	...	...	...	...	...	2	16	24	32	16	11
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	108	...	...	...	...	...	...	...	2	16	24	32	16	11
Pregnancy with abortive outcome (630-638)	55	...	...	...	...	...	...	...	–	5	14	14	13	6
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	55	...	...	...	...	...	...	...	–	5	14	14	13	6
White	27	...	...	...	...	...	...	...	–	2	7	7	6	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	...	...	...	...	...	...	...	–	2	7	7	6	3
All other	28	...	...	...	...	...	...	...	–	3	7	7	7	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	28	...	...	...	...	...	...	...	–	3	7	7	7	3
Black	23	...	...	...	...	...	...	...	–	2	7	6	5	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	...	...	...	...	...	...	...	–	2	7	6	5	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	237	...	...	...	...	...	...	...	2	27	40	74	56	25
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	237	...	...	...	...	...	...	...	2	27	40	74	56	25
White	144	...	...	...	...	...	...	...	–	13	23	46	40	16
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	144	...	...	...	...	...	...	...	–	13	23	46	40	16
All other	93	...	...	...	...	...	...	...	2	14	17	28	16	9
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	93	...	...	...	...	...	...	...	2	14	17	28	16	9
Black	85	...	...	...	...	...	...	...	2	14	17	28	11	9
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	85	...	...	...	...	...	...	...	2	14	17	28	11	9
Congenital anomalies (740-759)	13,604	9,024	532	240	157	99	10,052	266	265	279	261	248	205	186
Male	7,157	4,806	283	124	79	58	5,330	159	133	166	158	139	119	89
Female	6,447	4,218	269	116	78	41	4,722	129	132	113	123	109	86	97
White	11,129	7,261	420	182	130	78	8,091	227	226	231	229	203	163	151
Male	5,883	3,902	211	98	66	49	4,326	126	119	135	127	118	94	72
Female	5,246	3,379	209	84	64	29	3,765	101	107	96	102	85	69	79
All other	2,475	1,743	112	58	27	21	1,961	61	39	48	52	45	42	35
Male	1,274	904	52	26	13	9	1,004	33	14	31	31	21	25	17
Female	1,201	839	60	32	14	12	957	28	25	17	21	24	17	18
Black	2,141	1,488	98	48	25	19	1,678	54	38	44	46	39	39	30
Male	1,092	764	45	22	12	8	851	28	14	28	29	18	23	14
Female	1,049	724	53	26	13	11	827	26	24	16	17	21	16	16
Certain conditions originating in the perinatal period (760-779)	20,784	20,685	61	11	2	3	20,762	5	2	7	2	3	2	1
Male	11,876	11,811	40	4	2	1	11,858	3	1	4	1	1	2	–
Female	8,918	8,874	21	7	–	2	8,904	2	1	3	1	2	–	1
White	13,932	13,848	43	9	2	3	13,905	4	2	7	2	3	2	1
Male	8,003	7,959	25	3	2	1	7,990	2	1	4	1	1	2	–
Female	5,929	5,889	18	6	–	2	5,915	2	1	3	1	2	–	1
All other	6,862	6,837	18	2	–	–	6,857	1	–	–	–	–	–	–
Male	3,873	3,852	15	1	–	–	3,868	1	–	–	–	–	–	–
Female	2,989	2,985	3	1	–	–	2,989	–	–	–	–	–	–	–
Black	6,464	6,443	17	1	–	–	6,461	1	–	–	–	–	–	–
Male	3,633	3,615	14	1	–	–	3,630	1	–	–	–	–	–	–
Female	2,831	2,828	3	–	–	–	2,831	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6,183	6,144	18	4	1	1	6,168	1	1	2	1	3	2	1
Male	3,695	3,673	12	1	1	–	3,687	1	1	1	1	1	2	–
Female	2,488	2,471	6	3	–	1	2,481	–	–	1	–	2	–	1
White	4,485	4,452	14	3	1	1	4,471	1	1	2	1	3	2	1
Male	2,678	2,657	10	1	1	–	2,669	1	1	1	1	1	2	–
Female	1,809	1,795	4	2	–	1	1,802	–	–	1	–	2	–	1
All other	1,698	1,692	4	1	–	–	1,697	–	–	–	–	–	–	–
Male	1,019	1,016	2	–	–	–	1,018	–	–	–	–	–	–	–
Female	679	676	2	1	–	–	679	–	–	–	–	–	–	–
Black	1,582	1,577	4	–	–	–	1,581	–	–	–	–	–	–	–
Male	944	941	2	–	–	–	943	–	–	–	–	–	–	–
Female	638	636	2	–	–	–	638	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	14,611	14,541	43	7	1	2	14,584	4	1	5	1	–	–	–
Male	8,181	8,138	28	3	1	1	8,171	2	–	3	–	–	–	–
Female	6,430	6,403	15	4	–	1	6,423	2	1	2	1	–	–	–
White	9,447	9,396	29	6	1	2	9,434	3	1	5	1	–	–	–
Male	5,327	5,302	15	2	1	1	5,321	1	–	3	–	–	–	–
Female	4,120	4,094	14	4	–	1	4,113	2	1	2	1	–	–	–
All other	5,164	5,145	14	1	–	–	5,160	1	–	–	–	–	–	–
Male	2,854	2,838	13	1	–	–	2,850	1	–	–	–	–	–	–
Female	2,310	2,309	1	–	–	–	2,310	–	–	–	–	–	–	–
Black	4,882	4,866	13	1	–	–	4,880	1	–	–	–	–	–	–
Male	2,689	2,674	12	1	–	–	2,687	1	–	–	–	–	–	–
Female	2,193	2,192	1	–	–	–	2,193	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	14	1	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	14	1	1	...	...	...	...	...	...	...	...	...	...	–
White	7	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	1	–	...	...	...	...	...	...	...	...	...	...	–
All other	7	–	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	–	1	...	...	...	...	...	...	...	...	...	...	–
Black	6	–	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	–	1	...	...	...	...	...	...	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	2	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	1	–	...	...	...	...	...	...	...	...	...	...	–
White	1	1	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	1	–	...	...	...	...	...	...	...	...	...	...	–
All other	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Black	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	–	–	...	...	...	...	...	...	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	12	–	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	12	–	1	...	...	...	...	...	...	...	...	...	...	–
White	6	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	6	–	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	–	1	...	...	...	...	...	...	...	...	...	...	–
Black	5	–	1	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	–	1	...	...	...	...	...	...	...	...	...	...	–
Congenital anomalies (740-759)	145	153	180	216	220	243	196	185	145	71	26	7	6	7
Male	82	75	86	123	106	128	85	77	62	29	9	2	4	1
Female	63	78	94	93	114	117	111	108	83	42	18	7	2	6
White	114	128	157	193	188	220	182	170	140	68	23	6	2	7
Male	64	59	79	110	95	114	80	70	58	28	7	–	1	1
Female	50	69	78	83	103	106	102	100	82	40	16	6	1	6
All other	31	25	23	23	22	23	14	15	5	3	3	1	4	–
Male	18	16	7	13	11	12	5	7	4	1	1	–	3	–
Female	13	9	16	10	11	11	9	8	1	2	2	1	1	–
Black	29	23	19	20	19	23	12	14	5	3	3	1	2	–
Male	18	14	5	12	8	12	5	6	4	1	1	–	1	–
Female	11	9	14	8	11	11	7	8	1	2	2	1	1	–
Certain conditions originating in the perinatal period (760-779)	1	–	2	1	–	1	1	–	–	–	–	–	–	4
Male	–	–	2	–	–	–	–	–	–	–	–	–	–	4
Female	1	–	–	1	–	1	1	–	–	–	–	–	–	–
White	1	–	1	1	–	1	1	–	–	–	–	–	–	1
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Female	1	–	–	1	–	1	1	–	–	–	–	–	–	–
All other	–	–	1	–	–	–	–	–	–	–	–	–	–	3
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	1	–	–	1	–	–	–	–	–	–	–
White	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	1	–	–	1	–	–	–	–	–	–	–
All other	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	–	–	1	–	–	1	–	–	–	–	–	–	–	4
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	4
Female	–	–	–	–	–	1	–	–	–	–	–	–	–	–
White	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	1	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	29,814	5,833	156	57	35	21	6,202	67	80	338	623	621	824	680
Male	17,060	3,541	94	31	20	8	3,694	43	54	212	415	559	597	456
Female	12,754	2,392	62	26	15	13	2,508	24	26	128	208	262	227	224
White	22,376	4,026	109	35	25	13	4,208	39	55	256	459	603	553	454
Male	12,753	2,482	71	20	15	8	2,574	27	38	170	312	417	400	295
Female	9,623	1,564	38	15	10	7	1,634	12	17	86	141	186	153	159
All other	7,438	1,907	47	22	10	8	1,994	28	25	82	170	218	271	226
Male	4,307	1,079	23	11	5	2	1,120	16	16	42	103	142	197	161
Female	3,131	828	24	11	5	6	874	12	9	40	67	76	74	65
Black	6,838	1,713	44	21	10	8	1,796	23	22	71	159	193	253	212
Male	4,014	987	23	11	5	2	1,008	13	14	34	95	126	183	150
Female	2,824	746	21	10	5	6	788	10	8	37	64	67	70	62
All other diseases (Residual)	120,029	1,815	426	232	173	148	2,796	539	560	961	1,285	1,627	2,030	2,201
Male	59,392	1,047	238	108	85	79	1,557	289	309	580	738	1,006	1,243	1,359
Female	60,637	768	190	124	88	69	1,239	270	251	381	547	621	787	842
White	102,545	1,256	325	188	133	120	2,022	446	458	761	954	1,084	1,285	1,427
Male	50,048	727	174	88	62	65	1,116	223	252	485	578	686	809	868
Female	52,497	529	151	100	71	55	906	223	206	296	376	398	476	559
All other	17,484	559	103	44	40	28	774	93	102	180	331	543	745	774
Male	9,344	320	64	20	23	14	441	46	57	95	160	320	434	491
Female	8,140	239	38	24	17	14	333	47	45	85	171	223	311	283
Black	16,177	500	89	39	37	26	691	79	94	182	298	505	697	719
Male	8,589	290	55	18	21	13	397	38	52	84	135	298	405	455
Female	7,578	210	34	21	16	13	294	40	42	78	163	209	292	264
Accidents and adverse effects (E800-E949)	94,082	1,024	989	848	717	530	4,108	2,095	2,409	9,364	11,942	9,023	6,918	5,204
Male	65,754	602	574	513	425	340	2,454	1,343	1,702	7,204	9,652	7,280	5,557	4,067
Female	28,328	422	415	335	292	190	1,654	752	707	2,160	2,290	1,743	1,361	1,137
White	80,392	707	782	628	544	392	3,033	1,546	1,974	8,389	10,550	7,706	5,704	4,304
Male	55,896	417	439	392	331	250	1,829	1,004	1,397	6,451	8,541	6,268	4,584	3,379
Female	24,496	290	323	236	213	142	1,204	542	577	1,938	2,009	1,440	1,120	925
All other	13,690	317	227	220	173	138	1,075	549	435	975	1,392	1,315	1,214	900
Male	9,858	185	135	121	94	90	625	339	305	753	1,111	1,012	973	688
Female	3,832	132	92	99	79	48	450	210	130	222	281	303	241	212
Black	11,688	281	201	165	156	121	944	493	378	747	1,121	1,069	1,027	768
Male	8,449	162	122	100	88	82	554	302	267	577	913	854	831	596
Female	3,239	119	79	65	68	39	390	191	112	170	208	215	196	172
Motor vehicle accidents (E810-E825)	45,779	210	308	296	261	227	1,300	1,032	1,299	6,940	8,384	5,556	3,935	2,913
Male	33,191	112	177	158	133	140	720	633	832	5,127	6,637	4,369	3,069	2,201
Female	12,588	98	129	138	128	87	580	399	467	1,813	1,747	1,187	872	712
White	40,191	167	244	228	209	171	1,019	789	1,103	6,381	7,547	4,862	3,364	2,506
Male	29,073	88	134	128	108	102	560	486	726	4,724	5,977	3,848	2,614	1,895
Female	11,118	79	110	100	101	69	459	303	377	1,657	1,570	1,016	750	613
All other	5,588	43	62	68	52	56	281	243	166	559	837	694	571	405
Male	4,118	24	43	30	25	38	160	147	106	403	660	523	449	306
Female	1,470	19	19	38	27	18	121	96	60	156	177	171	122	99
Black	4,493	29	53	52	45	49	228	221	139	417	649	558	468	327
Male	3,387	15	38	23	23	34	133	132	87	305	532	428	379	255
Female	1,106	14	15	29	22	15	95	89	52	112	117	130	89	72
All other accidents and adverse effects (E800-E807,E826-E949)	48,303	814	683	552	456	303	2,808	1,063	1,140	2,424	3,558	3,467	2,983	2,291
Male	32,563	490	397	355	292	200	1,734	710	870	2,077	3,015	2,911	2,484	1,866
Female	15,740	324	286	197	164	103	1,074	353	270	347	543	556	499	425
White	40,201	540	518	400	335	221	2,014	757	871	2,008	3,003	2,846	2,340	1,796
Male	26,823	329	305	264	223	148	1,269	518	671	1,727	2,584	2,422	1,970	1,484
Female	13,378	211	213	136	112	73	745	239	200	281	439	424	370	312
All other	8,102	274	165	152	121	82	794	306	269	416	555	621	643	495
Male	5,740	161	92	91	69	52	465	192	199	350	451	489	524	382
Female	2,362	113	73	61	52	30	329	114	70	66	104	132	119	113
Black	7,195	252	148	133	111	72	716	272	240	330	472	541	559	441
Male	5,062	147	84	77	65	48	421	170	180	272	361	426	452	341
Female	2,133	105	64	56	46	24	295	102	60	58	91	115	107	100
Suicide (E950-E959)	28,242	---	---	---	---	---	---	2	188	1,730	3,295	3,444	2,872	2,373
Male	21,625	---	---	---	---	---	---	1	159	1,422	2,739	2,749	2,190	1,716
Female	6,617	---	---	---	---	---	---	1	38	308	556	695	682	657
White	26,141	---	---	---	---	---	---	2	169	1,573	2,927	3,060	2,571	2,170
Male	19,965	---	---	---	---	---	---	1	133	1,297	2,440	2,428	1,956	1,582
Female	6,176	---	---	---	---	---	---	1	36	276	487	634	615	588
All other	2,101	---	---	---	---	---	---	–	29	157	368	384	301	203
Male	1,660	---	---	---	---	---	---	–	26	125	299	323	234	154
Female	441	---	---	---	---	---	---	–	3	32	69	61	67	49
Black	1,639	---	---	---	---	---	---	–	22	113	270	305	235	169
Male	1,327	---	---	---	---	---	---	–	20	91	226	260	187	127
Female	312	---	---	---	---	---	---	–	2	22	44	45	48	42
Homicide and legal intervention (E960-E978)	22,358	243	145	110	67	55	620	166	237	1,937	3,758	3,784	3,029	2,149
Male	17,315	139	81	62	33	32	347	87	126	1,488	2,979	3,046	2,492	1,719
Female	5,043	104	64	48	34	23	273	79	111	449	779	738	537	431
White	12,439	146	75	57	39	32	349	103	150	1,044	2,013	1,932	1,506	1,208
Male	9,260	86	40	27	21	20	194	51	68	766	1,537	1,508	1,216	937
Female	3,179	60	35	30	18	12	155	52	82	278	476	424	290	271
All other	9,919	97	70	53	28	23	271	63	87	893	1,745	1,852	1,523	941
Male	8,055	53	41	35	12	12	163	36	58	722	1,442	1,538	1,276	781
Female	1,864	44	29	18	16	11	118	27	29	171	303	314	247	160
Black	9,473	87	65	47	26	21	246	60	77	849	1,667	1,794	1,470	900
Male	7,730	48	38	31	12	11	140	36	51	687	1,379	1,496	1,249	749
Female	1,743	39	27	16	14	10	106	24	26	162	288	298	227	151

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	712	821	1,174	1,549	1,967	2,245	2,533	2,613	2,377	1,998	1,357	554	209	70
Male	451	526	784	1,051	1,250	1,428	1,528	1,384	1,147	768	434	171	64	43
Female	261	295	390	498	717	817	1,005	1,229	1,230	1,228	923	383	145	27
White	468	583	852	1,139	1,454	1,751	1,958	2,085	1,925	1,695	1,188	458	146	53
Male	296	364	569	773	932	1,125	1,208	1,106	932	638	368	134	42	33
Female	172	219	283	366	522	626	750	979	993	1,057	820	324	104	20
All other	244	238	322	410	513	494	575	528	452	303	169	96	63	17
Male	155	162	215	278	318	303	320	278	215	131	66	37	22	10
Female	89	76	107	132	195	191	255	250	237	172	103	59	41	7
Black	229	220	311	394	492	474	553	507	432	286	154	86	58	13
Male	146	153	208	270	308	292	307	264	204	122	56	32	21	8
Female	83	67	103	124	184	182	246	243	228	164	98	54	37	5
All other diseases (Residual)	2,537	3,257	4,756	6,762	9,108	11,588	14,264	16,154	16,008	13,428	7,459	2,274	403	31
Male	1,512	1,929	2,810	3,941	5,196	6,451	7,600	7,873	6,882	5,031	2,369	625	95	17
Female	1,025	1,328	1,946	2,821	3,912	5,137	6,664	8,281	9,126	8,398	5,090	1,649	308	14
White	1,737	2,303	3,692	5,459	7,640	9,989	12,514	14,435	14,556	12,455	6,902	2,064	323	19
Male	1,008	1,372	2,167	3,169	4,322	5,572	6,693	7,049	6,228	4,623	2,172	558	69	9
Female	729	931	1,505	2,290	3,318	4,417	5,821	7,386	8,328	7,832	4,730	1,506	254	10
All other	800	954	1,064	1,303	1,468	1,599	1,750	1,719	1,452	974	557	210	80	12
Male	504	557	623	772	874	879	907	824	654	408	197	67	26	8
Female	296	397	441	531	594	720	843	895	798	566	360	143	54	4
Black	751	874	988	1,233	1,375	1,494	1,637	1,583	1,346	887	492	188	75	9
Male	476	506	585	735	818	817	844	739	593	384	172	55	25	7
Female	275	368	403	498	557	677	793	844	753	523	320	133	50	2
Accidents and adverse effects (E800-E949)	3,990	3,726	3,928	4,183	4,070	4,001	4,223	4,340	4,224	3,568	1,954	606	109	97
Male	3,028	2,806	2,880	2,997	2,804	2,591	2,464	2,378	2,011	1,513	703	207	37	76
Female	962	920	1,048	1,188	1,266	1,410	1,759	1,962	2,213	2,055	1,251	399	72	21
White	3,280	3,047	3,227	3,480	3,443	3,433	3,638	3,880	3,862	3,352	1,835	552	94	81
Male	2,480	2,275	2,359	2,476	2,339	2,208	2,092	2,080	1,804	1,405	649	180	32	66
Female	800	772	868	1,004	1,104	1,227	1,546	1,780	2,058	1,947	1,186	372	62	15
All other	710	679	701	703	627	588	585	480	362	216	119	54	15	16
Male	548	531	521	521	465	385	372	298	207	108	54	27	5	10
Female	162	148	180	182	162	183	213	182	155	108	65	27	10	6
Black	614	592	589	616	542	499	526	433	320	191	104	50	9	15
Male	483	467	453	466	396	343	335	266	174	96	42	23	1	10
Female	131	125	146	150	146	156	191	167	146	95	62	27	8	5
Motor vehicle accidents (E810-E825)	2,065	1,796	1,728	1,771	1,584	1,449	1,376	1,205	869	435	114	19	10	29
Male	1,521	1,310	1,237	1,293	1,037	902	789	695	518	255	70	13	8	21
Female	544	486	491	538	547	547	587	510	351	180	44	6	2	8
White	1,749	1,523	1,470	1,527	1,379	1,265	1,232	1,095	817	409	106	16	7	23
Male	1,284	1,096	1,044	1,053	881	770	690	615	476	237	66	10	5	18
Female	465	427	426	474	498	495	542	480	341	172	40	6	2	5
All other	316	273	258	244	205	184	144	110	52	26	8	3	3	6
Male	237	214	193	180	156	132	99	80	42	18	4	3	3	3
Female	79	59	65	64	49	52	45	30	10	8	4	–	–	3
Black	252	219	217	198	166	149	116	93	39	23	7	2	–	5
Male	199	179	167	152	125	110	82	68	30	16	3	2	–	3
Female	53	40	50	46	41	39	34	25	9	7	4	–	–	2
All other accidents and adverse effects (E800-E807,E826-E948)	1,925	1,930	2,200	2,412	2,488	2,552	2,847	3,135	3,355	3,133	1,840	587	99	68
Male	1,507	1,496	1,643	1,764	1,767	1,689	1,675	1,683	1,493	1,258	633	194	29	55
Female	418	434	557	648	719	863	1,172	1,452	1,862	1,875	1,207	393	70	13
White	1,531	1,524	1,757	1,953	2,064	2,168	2,406	2,765	3,045	2,943	1,729	536	87	58
Male	1,196	1,179	1,315	1,423	1,458	1,436	1,402	1,465	1,328	1,168	583	170	27	48
Female	335	345	442	530	606	732	1,004	1,300	1,717	1,775	1,146	366	60	10
All other	394	406	443	459	422	384	441	370	310	190	111	51	12	10
Male	311	317	328	341	309	253	273	218	165	90	50	24	2	7
Female	83	89	115	118	113	131	168	152	145	100	61	27	10	3
Black	362	373	382	418	376	350	410	340	281	168	97	48	9	10
Male	284	288	286	314	271	233	253	198	144	80	39	21	1	7
Female	78	85	96	104	105	117	157	142	137	88	58	27	8	3
Suicide (E950-E959)	1,942	1,797	1,913	1,993	1,746	1,490	1,322	1,056	622	319	98	11	1	16
Male	1,391	1,257	1,357	1,416	1,292	1,129	1,053	859	518	268	84	10	1	14
Female	551	540	556	577	456	361	269	197	104	51	14	1	–	2
White	1,812	1,699	1,811	1,901	1,685	1,427	1,278	1,028	598	312	94	10	–	14
Male	1,293	1,187	1,279	1,348	1,245	1,078	1,018	837	499	264	81	9	–	12
Female	519	512	532	553	440	349	260	191	99	48	13	1	–	2
All other	130	98	102	92	63	63	44	28	24	7	4	1	1	2
Male	98	70	78	68	47	51	35	22	19	4	3	1	1	2
Female	32	28	24	24	16	12	9	6	5	3	1	–	–	–
Black	105	71	88	77	51	51	35	17	18	5	3	1	1	2
Male	82	52	68	63	41	41	28	15	15	4	3	1	1	2
Female	23	19	20	14	10	10	7	2	3	1	–	–	–	–
Homicide and legal intervention (E960-E978)	1,580	1,202	1,083	799	629	459	335	241	145	99	26	10	6	64
Male	1,242	973	863	630	473	318	215	141	68	40	14	9	3	43
Female	338	229	220	169	156	141	120	100	77	59	12	1	3	21
White	962	678	653	498	392	286	223	169	112	66	20	6	3	45
Male	742	540	499	377	282	180	135	94	48	34	12	6	2	32
Female	220	138	154	121	110	106	88	75	64	52	8	–	1	14
All other	618	524	430	301	237	173	112	72	33	13	6	4	3	18
Male	500	433	364	253	191	138	80	47	20	6	2	3	1	11
Female	118	91	66	48	46	35	32	25	13	7	4	1	2	7
Black	581	493	408	292	225	168	105	66	30	13	6	3	3	17
Male	474	408	348	247	182	133	75	43	18	6	2	2	1	10
Female	107	85	60	45	43	35	30	23	12	7	4	1	2	7

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,212	73	30	20	12	5	140	23	40	188	373	431	402	314
Male	2,309	43	17	12	10	1	83	15	33	139	278	346	305	234
Female	903	30	13	8	2	4	57	8	7	47	95	85	97	80
White	2,391	38	16	11	8	3	76	13	27	156	278	309	285	232
Male	1,696	21	9	8	6	1	45	10	21	119	205	251	215	174
Female	695	17	7	3	2	2	31	3	6	37	73	58	70	58
All other	821	35	14	9	4	2	64	10	13	30	95	122	117	82
Male	613	22	8	4	4	–	38	5	12	20	73	95	90	60
Female	208	13	6	5	–	2	26	5	1	10	22	27	27	22
Black	720	32	12	9	3	2	58	9	13	25	77	104	108	74
Male	539	21	6	4	3	–	34	5	12	15	60	81	83	55
Female	181	11	6	5	–	2	24	4	1	10	17	23	25	19

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	183	188	188	183	149	98	94	62	43	37	10	5	2	31
Male	129	129	127	126	111	65	64	48	26	19	2	2	1	27
Female	54	59	71	57	38	33	30	34	17	18	8	3	1	4
White	115	139	156	154	123	77	78	71	38	33	7	4	1	23
Male	74	90	93	106	91	48	52	40	21	16	1	2	1	21
Female	41	49	63	48	32	29	24	31	15	17	6	2	–	2
All other	68	49	42	29	26	21	16	11	7	4	3	1	1	8
Male	55	39	34	20	20	17	12	8	5	3	1	–	–	6
Female	13	10	8	9	6	4	6	3	2	1	2	1	1	2
Black	61	38	37	27	22	19	16	11	6	4	1	1	1	8
Male	50	30	30	19	17	15	10	8	5	3	1	–	–	6
Female	11	8	7	8	5	4	6	3	1	1	–	1	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	19,152	477	91	128	627	643	752	1,544	3,370	5,230	4,425	1,862	15,850	354	59	78	185	247	381	803	1,953	3,496	4,683	3,609
White	13,978	228	53	91	453	393	499	1,085	2,522	3,910	3,366	1,377	11,419	173	35	49	120	143	240	491	1,364	2,450	3,497	2,857
All other	5,174	249	38	37	174	250	253	459	848	1,320	1,059	485	4,431	181	24	29	65	104	141	312	589	1,046	1,186	752
Black	5,165	249	38	36	174	249	252	458	847	1,317	1,058	485	4,421	181	24	28	65	103	141	310	586	1,046	1,184	751
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	5	-	-	-	-	-	-	-	-	1	-	6	3	-	-	-	-	-	-	-	1	2	-
White	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	44	-	-	-	-	1	2	3	6	13	15	4	20	-	-	-	-	1	-	-	1	4	8	6
White	20	-	-	-	-	-	2	2	2	6	7	3	13	-	-	-	-	-	-	-	-	2	6	5
All other	24	-	-	-	-	1	2	1	4	7	8	1	7	-	-	-	-	1	-	-	1	2	2	1
Black	24	-	-	-	-	1	2	1	4	7	8	1	7	-	-	-	-	1	-	-	1	2	2	1
Tuberculosis of respiratory system (010-012)	38	-	-	-	-	1	2	2	6	10	14	3	14	-	-	-	-	-	-	-	-	4	7	3
White	17	-	-	-	-	-	-	1	2	6	6	2	11	-	-	-	-	-	-	-	-	2	6	3
All other	21	-	-	-	-	1	2	1	4	4	8	1	3	-	-	-	-	-	-	-	-	2	1	-
Black	21	-	-	-	-	1	2	1	4	4	8	1	3	-	-	-	-	-	-	-	-	2	1	-
Other tuberculosis (013-018)	6	-	-	-	-	-	-	1	-	3	1	1	6	-	-	-	-	1	-	-	1	-	1	3
White	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	3	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	-	1	-	-	1	-	1	1
Black	3	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	-	1	-	-	1	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	1	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	2	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	2	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	82	2	2	-	1	3	5	8	8	19	19	15	102	1	1	-	-	2	5	8	11	24	28	22
White	47	1	1	-	1	-	3	4	6	14	9	9	59	-	1	-	-	-	2	3	5	15	17	16
All other	35	1	1	-	-	3	2	4	3	5	10	6	43	1	-	-	-	2	3	5	6	9	11	6
Black	35	1	1	-	-	3	2	4	3	5	10	6	43	1	-	-	-	2	3	5	6	9	11	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	1	-	-	-	-	2	-	-	10	-	-	1	-	-	-	2	1	4	2	-
White	2	-	-	-	-	-	-	-	-	2	-	-	8	-	-	-	-	-	-	1	1	4	2	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	39	3	2	-	3	2	2	3	8	4	7	5	48	-	2	3	1	4	3	5	7	9	10	4
White	26	-	2	-	3	-	1	2	5	2	6	5	31	-	2	1	1	1	1	3	6	4	8	4
All other	13	3	-	-	-	2	1	1	3	2	1	-	17	-	-	2	-	3	2	2	1	5	2	-
Black	13	3	-	-	-	2	1	1	3	2	1	-	17	-	-	2	-	3	2	2	1	5	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,190	-	5	14	31	44	98	391	1,023	1,429	918	236	3,132	-	3	9	29	46	116	297	704	858	766	304
White	3,117	-	5	9	24	38	76	280	780	1,079	666	160	2,363	-	2	5	19	31	81	222	546	650	579	228
All other	1,073	-	-	5	7	6	22	111	243	350	252	76	769	-	1	4	10	15	35	75	158	208	187	76
Black	1,070	-	-	5	7	5	22	110	243	349	252	76	768	-	1	4	10	15	35	74	158	208	187	76

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	92	–	–	–	–	–	2	11	25	31	14	9	36	–	–	–	–	–	–	2	9	8	10	7
White	68	–	–	–	–	–	1	4	21	24	11	7	30	–	–	–	–	–	–	2	6	6	10	6
All other	24	–	–	–	–	–	1	7	4	7	3	2	6	–	–	–	–	–	–	–	3	2	–	1
Black	24	–	–	–	–	–	1	7	4	7	3	2	6	–	–	–	–	–	–	–	3	2	–	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	906	–	–	–	4	3	20	85	208	309	224	53	847	–	–	1	6	7	19	48	148	251	253	114
White	629	–	–	–	3	2	14	56	148	222	152	32	613	–	–	1	2	3	12	33	110	169	194	89
All other	277	–	–	–	1	1	6	29	60	87	72	21	234	–	–	–	4	4	7	15	38	82	59	25
Black	276	–	–	–	1	1	6	29	60	86	72	21	233	–	–	–	4	4	7	14	38	82	59	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,636	–	–	1	–	–	34	174	500	603	279	45	467	–	–	1	–	–	11	63	153	130	69	20
White	1,275	–	–	–	–	–	28	131	385	481	220	30	384	–	–	–	–	–	10	50	127	106	73	18
All other	361	–	–	1	–	–	6	43	115	122	59	15	83	–	–	1	–	–	1	13	26	24	16	2
Black	360	–	–	1	–	–	6	42	115	122	59	15	83	–	–	1	–	–	1	13	26	24	16	2
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	1	1	–	–	556	–	–	–	–	15	35	84	152	139	93	40
White	1	–	–	–	–	–	–	–	–	1	–	–	431	–	–	–	–	8	25	68	123	111	69	27
All other	1	–	–	–	–	–	–	–	1	–	–	–	127	–	–	–	–	7	10	16	29	28	24	13
Black	1	–	–	–	–	–	–	–	1	–	–	–	127	–	–	–	–	7	10	16	29	28	24	13
Malignant neoplasms of genital organs (179-187)	457	–	–	–	1	6	1	8	33	165	179	63	396	–	–	–	2	15	27	34	92	100	92	34
White	258	–	–	–	1	5	1	5	16	90	104	36	271	–	–	–	1	13	15	23	68	73	57	21
All other	199	–	–	–	–	1	–	3	17	75	75	27	125	–	–	–	1	2	12	11	24	27	35	13
Black	199	–	–	–	–	1	–	3	17	75	75	27	125	–	–	–	1	2	12	11	24	27	35	13
Malignant neoplasms of urinary organs (188-189)	179	–	–	–	–	–	5	12	46	68	34	14	96	–	–	–	1	–	2	5	15	32	30	11
White	149	–	–	–	–	–	3	10	36	56	32	12	74	–	–	–	–	–	2	4	10	26	24	8
All other	30	–	–	–	–	–	2	2	10	12	2	2	22	–	–	–	1	–	–	1	5	6	6	3
Black	30	–	–	–	–	–	2	2	10	12	2	2	22	–	–	–	1	–	–	1	5	6	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	549	–	3	3	9	18	24	74	148	142	102	28	439	–	1	3	7	8	13	36	85	116	118	52
White	440	–	3	1	8	16	18	55	119	121	77	22	335	–	–	1	5	7	10	27	66	91	90	38
All other	109	–	–	2	1	2	6	19	27	21	25	6	104	–	1	2	2	1	3	9	19	25	28	14
Black	109	–	–	2	1	2	6	19	27	21	25	6	104	–	1	2	2	1	3	9	19	25	28	14
Leukemia (204-208)	185	–	2	5	10	5	5	12	33	51	46	16	104	–	2	3	9	1	4	7	13	33	20	12
White	153	–	2	3	7	5	4	9	28	42	38	15	83	–	2	2	7	–	4	5	9	26	17	11
All other	32	–	–	2	3	–	1	3	5	9	8	1	21	–	–	1	2	1	–	2	4	7	3	1
Black	32	–	–	2	3	–	1	3	5	9	8	1	21	–	–	1	2	1	–	2	4	7	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	184	–	–	5	7	12	7	15	31	59	40	8	189	–	–	1	4	–	5	18	37	49	61	14
White	144	–	–	5	5	10	7	10	27	42	32	6	142	–	–	1	4	–	3	10	27	42	45	10
All other	40	–	–	–	2	2	–	5	4	17	8	2	47	–	–	–	–	–	2	8	10	7	16	4
Black	39	–	–	–	2	1	–	5	4	17	8	2	47	–	–	–	–	–	2	8	10	7	16	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	41	–	–	–	1	1	2	1	16	11	7	2	65	2	1	–	1	3	4	4	12	12	19	7
White	30	–	–	–	–	1	1	1	12	10	4	1	44	1	1	–	–	2	2	2	6	8	15	7
All other	11	–	–	–	1	–	1	–	4	1	3	1	21	1	–	–	1	1	2	2	6	4	4	–
Black	11	–	–	–	1	–	1	–	4	1	3	1	21	1	–	–	1	1	2	2	6	4	4	–
Diabetes mellitus (250)	228	–	–	1	3	5	13	17	34	79	57	19	408	–	–	1	–	2	5	17	56	162	111	54
White	168	–	–	1	–	4	8	16	27	61	40	11	252	–	–	–	–	1	3	8	19	101	79	40
All other	60	–	–	–	3	1	5	1	7	18	17	8	156	–	–	1	–	1	2	9	37	61	32	14
Black	59	–	–	–	3	1	5	1	7	17	17	8	155	–	–	1	–	1	2	8	36	61	32	14
Nutritional deficiencies (260-269)	24	–	–	–	–	–	1	1	1	6	10	5	23	–	–	–	–	–	–	2	1	3	8	9
White	10	–	–	–	–	–	–	1	–	3	4	2	10	–	–	–	–	–	–	1	–	–	5	4
All other	14	–	–	–	–	–	1	–	1	3	6	3	13	–	–	–	–	–	–	1	1	3	3	5
Black	14	–	–	–	–	–	1	–	1	3	6	3	13	–	–	–	–	–	–	1	1	3	3	5
Anemias (280-285)	40	–	1	1	4	2	–	1	5	6	13	7	41	–	2	–	–	1	4	1	5	10	8	10
White	20	–	–	–	–	1	–	–	2	4	8	5	24	–	–	–	–	–	1	1	3	4	7	8
All other	20	–	1	1	4	1	–	1	3	2	5	2	17	–	2	–	–	1	3	–	2	6	1	2
Black	20	–	1	1	4	1	–	1	3	2	5	2	17	–	2	–	–	1	3	–	2	6	1	2
Meningitis (320-322)	14	7	1	1	–	1	–	–	1	2	1	–	13	3	–	–	–	1	–	1	1	1	6	–
White	8	5	–	1	–	–	–	–	1	1	–	–	6	1	–	–	–	1	–	–	–	–	4	–
All other	6	2	1	–	–	1	–	–	–	1	1	–	7	2	–	–	–	–	–	1	1	1	2	–
Black	6	2	1	–	–	1	–	–	–	1	1	–	7	2	–	–	–	–	–	1	1	1	2	–
Major cardiovascular diseases (390-448)	8,158	15	2	6	28	54	202	570	1,399	2,467	2,338	1,077	8,059	6	2	7	16	32	96	255	707	1,695	2,787	2,454
White	6,171	7	–	2	18	31	141	408	1,065	1,853	1,811	835	5,893	3	–	3	8	12	53	130	459	1,170	2,079	1,976
All other	1,987	8	2	4	10	23	61	162	334	614	527	242	2,166	3	2	4	8	20	43	125	248	525	708	478
Black	1,985	8	2	3	10	23	61	162	334	613	527	242	2,160	3	2	3	8	20	43	124	247	525	706	477

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,405	14	2	4	24	39	168	484	1,168	1,990	1,784	748	5,710	5	2	6	10	23	68	184	535	1,286	1,939	1,650
White	4,958	7	–	2	15	22	120	359	917	1,547	1,392	577	4,274	3	–	3	4	9	38	98	359	917	1,502	1,343
All other	1,447	7	2	2	9	17	48	125	251	443	372	171	1,436	2	2	3	6	14	30	88	176	369	437	307
Black	1,446	7	2	2	9	17	48	125	251	442	372	171	1,432	2	2	2	6	14	30	88	175	369	435	307
Rheumatic fever and rheumatic heart disease (390-398)	23	–	–	–	2	–	2	2	10	4	3	–	40	–	–	1	1	1	2	1	8	18	9	3
White	18	–	–	–	1	–	1	1	10	3	2	–	31	–	–	–	–	1	2	1	3	15	7	2
All other	5	–	–	–	1	–	1	1	–	1	1	–	9	–	–	1	1	–	–	–	3	1	2	1
Black	5	–	–	–	1	–	1	1	–	1	1	–	9	–	–	1	1	–	–	–	3	1	2	1
Hypertensive heart disease (402)	140	–	–	–	–	–	3	11	17	49	45	15	273	–	–	–	2	2	3	13	26	80	80	67
White	75	–	–	–	–	–	–	5	8	22	30	10	143	–	–	–	1	–	–	4	13	38	47	40
All other	65	–	–	–	–	–	3	6	9	27	15	5	130	–	–	–	1	2	3	9	13	42	33	27
Black	65	–	–	–	–	–	3	6	9	27	15	5	129	–	–	–	1	2	3	9	12	42	33	27
Hypertensive heart and renal disease (404)	28	–	–	–	–	1	–	1	5	10	5	7	42	–	–	–	–	–	–	3	7	4	13	15
White	8	–	–	–	–	–	–	–	1	6	1	1	19	–	–	–	–	–	–	–	3	2	6	8
All other	20	–	–	–	–	1	–	1	4	4	4	6	23	–	–	–	–	–	–	3	4	2	7	7
Black	20	–	–	–	–	1	–	1	4	4	4	6	23	–	–	–	–	–	–	3	4	2	7	7
Ischemic heart disease (410-414)	4,633	–	–	1	5	19	123	370	895	1,474	1,260	486	3,637	–	–	–	–	4	35	104	347	856	1,264	1,025
White	3,779	–	–	–	4	10	93	297	739	1,217	1,031	388	2,904	–	–	–	–	2	23	60	252	647	1,035	884
All other	854	–	–	1	1	9	30	73	156	257	229	98	733	–	–	–	–	2	12	44	95	209	228	141
Black	853	–	–	1	1	9	30	73	156	256	229	98	731	–	–	–	–	2	12	44	95	209	226	141
Acute myocardial infarction (410)	3,190	–	–	1	1	15	96	293	676	1,059	818	231	2,229	–	–	–	–	3	27	84	243	611	776	484
White	2,616	–	–	–	1	8	75	240	560	871	673	188	1,763	–	–	–	–	1	17	50	180	471	637	407
All other	574	–	–	1	–	7	21	53	116	188	145	43	466	–	–	–	–	2	10	34	63	140	139	77
Black	573	–	–	1	–	7	21	53	116	187	145	43	464	–	–	–	–	2	10	34	63	140	137	77
Other acute and subacute forms of ischemic heart disease (411)	53	–	–	–	2	1	5	5	12	14	12	2	33	–	–	–	–	–	1	3	6	8	9	6
White	35	–	–	–	2	–	4	3	7	10	8	1	20	–	–	–	–	–	1	2	5	4	3	5
All other	18	–	–	–	–	1	1	2	5	4	4	1	13	–	–	–	–	–	–	1	1	4	6	1
Black	18	–	–	–	–	1	1	2	5	4	4	1	13	–	–	–	–	–	–	1	1	4	6	1
Angina pectoris (413)	7	–	–	–	–	–	–	–	–	1	5	1	1	–	–	–	–	–	–	–	–	1	–	–
White	7	–	–	–	–	–	–	–	–	1	5	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,383	–	–	–	2	3	22	72	207	400	425	252	1,374	–	–	–	–	1	7	17	98	236	479	535
White	1,121	–	–	–	1	2	14	54	172	335	345	198	1,120	–	–	–	–	1	5	8	67	171	396	472
All other	262	–	–	–	1	1	8	18	35	65	80	54	254	–	–	–	–	–	2	9	31	65	83	63
Black	262	–	–	–	1	1	8	18	35	65	80	54	254	–	–	–	–	–	2	9	31	65	83	63
Other diseases of endocardium (424)	64	–	–	–	–	2	3	2	12	22	18	5	63	–	–	–	–	–	1	4	5	14	27	12
White	54	–	–	–	–	1	3	–	11	17	17	5	38	–	–	–	–	–	–	1	2	7	20	8
All other	10	–	–	–	–	1	–	2	1	5	1	–	25	–	–	–	–	–	1	3	3	7	7	4
Black	10	–	–	–	–	1	–	2	1	5	1	–	25	–	–	–	–	–	1	3	3	7	7	4
All other forms of heart disease (415-423,425-429)	1,516	14	2	3	17	17	37	98	229	431	433	235	1,655	5	2	5	7	16	27	59	144	316	546	528
White	1,023	7	–	2	10	11	23	56	148	282	311	173	1,139	3	–	3	3	6	13	30	86	208	386	401
All other	493	7	2	1	7	6	14	42	81	149	122	62	516	2	2	2	4	10	14	29	58	108	160	127
Black	493	7	2	1	7	6	14	42	81	149	122	62	515	2	2	1	4	10	14	29	58	108	160	127
Hypertension with or without renal disease (401,403)	63	–	–	–	–	1	1	7	7	21	17	9	82	–	–	–	1	–	3	5	11	18	23	21
White	24	–	–	–	–	–	–	3	3	8	6	4	31	–	–	–	1	–	1	2	6	3	8	10
All other	39	–	–	–	–	1	1	4	4	13	11	5	51	–	–	–	–	–	2	3	5	15	15	11
Black	39	–	–	–	–	1	1	4	4	13	11	5	51	–	–	–	–	–	2	3	5	15	15	11
Cerebrovascular diseases (430-438)	1,370	1	–	2	1	11	31	68	177	369	463	247	1,952	1	–	1	3	8	25	60	148	337	730	639
White	922	–	–	–	1	8	19	38	104	228	332	192	1,340	–	–	–	1	2	14	28	88	207	499	501
All other	448	1	–	2	–	3	12	30	73	141	131	55	612	1	–	1	2	6	11	32	60	130	231	138
Black	447	1	–	1	–	3	12	30	73	141	131	55	610	1	–	1	2	6	11	31	60	130	231	137
Intracerebral and other intracranial hemorrhage (431-432)	169	1	–	–	–	6	12	17	40	48	49	16	212	1	–	1	1	2	7	16	46	34	70	34
White	119	–	–	–	–	3	8	11	23	27	37	10	139	–	–	–	–	1	4	10	30	20	44	30
All other	70	1	–	–	–	3	4	6	17	21	12	6	73	1	–	1	1	1	3	6	16	14	26	4
Black	70	1	–	–	–	3	4	6	17	21	12	6	71	1	–	1	1	1	3	5	16	14	26	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	225	–	–	–	1	–	–	6	26	53	86	53	351	–	–	–	–	1	1	10	14	45	128	154
White	161	–	–	–	1	–	–	5	18	35	57	45	262	–	–	–	–	–	1	3	7	33	93	125
All other	64	–	–	–	–	–	–	1	8	18	29	8	89	–	–	–	–	1	–	7	7	12	33	29
Black	64	–	–	–	–	–	–	1	8	18	29	8	89	–	–	–	–	1	–	7	7	12	33	29

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	5	–	–	–	–	–	–	–	2	2	1	–	7	–	–	–	–	–	–	–	1	1	3	2
White	4	–	–	–	–	–	–	–	2	1	1	–	7	–	–	–	–	–	–	–	1	1	3	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	951	–	–	2	–	5	19	45	109	266	327	178	1,382	–	–	–	2	5	17	34	87	257	531	449
White	638	–	–	–	–	5	11	22	61	165	237	137	932	–	–	–	1	1	9	15	50	153	359	344
All other	313	–	–	2	–	–	8	23	48	101	90	41	450	–	–	–	1	4	8	19	37	104	172	105
Black	312	–	–	1	–	–	8	23	48	101	90	41	450	–	–	–	1	4	8	19	37	104	172	105
Atherosclerosis (440)	148	–	–	–	–	–	1	2	7	27	49	62	205	–	–	–	–	–	–	2	4	19	60	120
White	124	–	–	–	–	–	1	1	5	23	40	53	163	–	–	–	–	–	–	2	3	15	42	101
All other	24	–	–	–	–	–	–	1	1	4	9	9	42	–	–	–	–	–	–	–	1	4	18	19
Black	24	–	–	–	–	–	–	1	1	4	9	9	42	–	–	–	–	–	–	–	1	4	18	19
Other diseases of arteries, arterioles, and capillaries (441-449)	172	–	–	–	3	3	1	9	40	60	45	11	110	–	–	–	2	1	–	4	9	35	35	24
White	143	–	–	–	2	1	1	7	35	47	41	9	85	–	–	–	2	1	–	2	3	28	28	21
All other	29	–	–	–	1	2	–	2	5	13	4	2	25	–	–	–	–	–	–	2	6	7	7	3
Black	29	–	–	–	1	2	–	2	5	13	4	2	25	–	–	–	–	–	–	2	6	7	7	3
Acute bronchitis and bronchiolitis (466)	5	1	–	–	–	1	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	1	1	1
White	4	–	–	–	–	1	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	1	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	376	6	2	–	5	5	5	20	43	78	124	88	288	2	3	–	–	2	7	7	15	38	101	111
White	279	2	–	–	3	–	1	13	26	61	99	74	226	–	1	–	–	1	4	6	10	32	79	83
All other	97	4	2	–	2	5	4	7	17	17	25	14	60	2	2	–	–	1	3	1	5	6	22	18
Black	96	4	2	–	2	5	4	7	16	17	25	14	60	2	2	–	–	1	3	1	5	6	22	18
Pneumonia (480-486)	374	6	2	–	5	5	5	20	42	77	124	88	278	1	3	–	–	2	7	7	15	37	95	111
White	277	2	–	–	3	–	1	13	25	60	99	74	219	–	1	–	–	1	4	6	10	31	73	93
All other	97	4	2	–	2	5	4	7	17	17	25	14	59	1	2	–	–	1	3	1	5	6	22	18
Black	96	4	2	–	2	5	4	7	16	17	25	14	59	1	2	–	–	1	3	1	5	6	22	18
Influenza (487)	2	–	–	–	–	–	–	–	1	1	–	–	8	1	–	–	–	–	–	–	–	1	6	–
White	2	–	–	–	–	–	–	–	1	1	–	–	7	–	–	–	–	–	–	–	–	1	6	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	723	2	–	–	5	–	5	28	115	269	240	59	283	–	2	1	1	2	6	20	59	82	76	34
White	628	2	–	–	2	–	3	20	93	238	218	52	249	–	–	1	–	2	4	17	54	73	68	30
All other	95	–	–	–	3	–	2	8	22	31	22	7	34	–	2	–	1	–	2	3	5	9	8	4
Black	95	–	–	–	3	–	2	8	22	31	22	7	34	–	2	–	1	–	2	3	5	9	8	4
Bronchitis, chronic and unspecified (490-491)	32	1	–	–	1	–	2	1	4	10	9	4	22	–	–	–	–	–	2	1	3	3	9	4
White	27	1	–	–	1	–	–	1	2	9	9	4	21	–	–	–	–	–	2	1	2	3	9	4
All other	5	–	–	–	–	–	2	–	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	5	–	–	–	–	–	2	–	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	162	–	–	–	–	–	–	8	29	65	51	9	34	–	–	–	–	–	–	5	12	11	5	1
White	149	–	–	–	–	–	–	6	25	62	48	8	32	–	–	–	–	–	–	4	12	11	4	1
All other	13	–	–	–	–	–	–	2	4	3	3	1	2	–	–	–	–	–	–	1	–	–	1	–
Black	13	–	–	–	–	–	–	2	4	3	3	1	2	–	–	–	–	–	–	1	–	–	1	–
Asthma (493)	19	–	–	–	3	–	–	4	2	7	3	–	29	–	2	1	1	1	2	5	6	6	4	1
White	8	–	–	–	–	–	–	1	1	3	3	–	18	–	–	1	–	1	1	4	4	3	3	1
All other	11	–	–	–	3	–	–	3	1	4	–	–	11	–	2	–	1	–	1	1	2	3	1	–
Black	11	–	–	–	3	–	–	3	1	4	–	–	11	–	2	–	1	–	1	1	2	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	510	1	–	–	1	–	3	15	60	167	177	46	198	–	–	–	–	1	2	9	38	62	58	28
White	444	1	–	–	1	–	3	12	65	164	158	40	178	–	–	–	–	1	1	8	36	58	52	24
All other	66	–	–	–	–	–	–	3	15	23	19	6	20	–	–	–	–	–	1	1	2	6	6	4
Black	66	–	–	–	–	–	–	3	15	23	19	6	20	–	–	–	–	–	1	1	2	6	6	4
Ulcer of stomach and duodenum (531-539)	57	–	–	–	–	3	1	1	10	14	21	7	58	–	–	–	–	–	1	2	4	12	22	17
White	37	–	–	–	–	2	–	–	6	10	13	6	45	–	–	–	–	–	1	1	1	9	20	13
All other	20	–	–	–	–	1	1	1	4	4	8	1	13	–	–	–	–	–	–	1	3	3	2	4
Black	20	–	–	–	–	1	1	1	4	4	8	1	13	–	–	–	–	–	–	1	3	3	2	4
Appendicitis (540-543)	11	–	–	–	–	–	–	–	1	3	6	1	1	–	–	–	–	–	–	–	–	–	1	–
White	7	–	–	–	–	–	–	–	1	2	4	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	1	–	–	1	–	1	3	7	7	8	6	52	2	–	–	–	–	1	–	6	6	15	22
White	19	–	–	–	–	–	–	1	6	3	7	2	40	2	–	–	–	–	1	–	4	6	10	17
All other	15	1	–	–	1	–	1	2	1	4	1	4	12	–	–	–	–	–	–	–	2	–	5	5
Black	15	1	–	–	1	–	1	2	1	4	1	4	12	–	–	–	–	–	–	–	2	–	5	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	225	–	–	–	1	8	22	61	76	45	11	1	133	–	–	–	2	1	10	24	48	33	13	2
White	180	–	–	–	1	6	16	46	66	35	9	1	97	–	–	–	–	–	6	11	40	27	11	2
All other	45	–	–	–	–	2	6	15	10	10	2	–	36	–	–	–	2	1	4	13	8	6	2	–
Black	45	–	–	–	–	2	6	15	10	10	2	–	36	–	–	–	2	1	4	13	8	6	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	24	–	–	–	1	–	1	–	2	12	5	3	33	–	–	–	–	1	–	2	1	8	13	8
White	20	–	–	–	–	–	–	–	2	11	4	3	26	–	–	–	–	–	–	1	1	5	12	7
All other	4	–	–	–	1	–	1	–	–	1	1	–	7	–	–	–	–	1	–	1	–	3	1	1
Black	4	–	–	–	1	–	1	–	–	1	1	–	7	–	–	–	–	1	–	1	–	3	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	192	3	–	–	–	1	4	14	26	48	49	47	184	1	–	–	1	–	3	7	19	46	64	43
White	102	2	–	–	–	1	3	7	13	25	30	21	113	1	–	–	–	–	2	2	10	24	45	29
All other	90	1	–	–	–	–	1	7	13	23	19	26	71	–	–	–	1	–	1	5	9	22	19	14
Black	90	1	–	–	–	–	1	7	13	23	19	26	71	–	–	–	1	–	1	5	9	22	19	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	–	–	–	–	1	1	1	4	3	4	6	28	–	–	–	–	–	–	1	5	10	8	4
White	14	–	–	–	–	1	1	–	3	2	4	3	21	–	–	–	–	–	–	1	4	6	8	2
All other	6	–	–	–	–	–	–	1	1	1	–	3	7	–	–	–	–	–	–	–	1	4	–	2
Black	6	–	–	–	–	–	–	1	1	1	–	3	7	–	–	–	–	–	–	–	1	4	–	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	171	3	–	–	–	–	3	13	22	45	44	41	154	1	–	–	1	–	3	5	13	36	56	39
White	88	2	–	–	–	–	2	7	10	23	26	18	91	1	–	–	–	–	2	1	5	18	37	27
All other	83	1	–	–	–	–	1	6	12	22	18	23	63	–	–	–	1	–	1	4	8	18	19	12
Black	83	1	–	–	–	–	1	6	12	22	18	23	63	–	–	–	1	–	1	4	8	18	19	12
Infections of kidney (590)	26	–	–	–	–	–	1	–	3	7	9	6	38	–	–	–	1	1	–	–	2	6	21	7
White	17	–	–	–	–	–	1	–	1	5	7	3	28	–	–	–	–	1	–	–	1	2	19	6
All other	9	–	–	–	–	–	–	–	2	2	2	3	10	–	–	–	1	1	–	–	1	4	2	1
Black	9	–	–	–	–	–	–	–	2	2	2	3	10	–	–	–	1	1	–	–	1	4	2	1
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	–	6	4	4	***	***	***	***	***	***	***	***	***	***	***	***
White	6	–	–	–	–	–	–	–	–	3	1	2	***	***	***	***	***	***	***	***	***	***	***	***
All other	8	–	–	–	–	–	–	–	–	3	3	2	***	***	***	***	***	***	***	***	***	***	***	***
Black	8	–	–	–	–	–	–	–	–	3	3	2	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	19	***	***	–	8	3	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	2	–	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	9	***	***	–	6	3	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	9	***	***	–	6	3	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	12	***	***	–	8	2	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	2	–	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	–	6	2	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	–	6	2	–	–	***	***	***	***
Congenital anomalies (740-759)	136	98	9	7	9	3	2	2	1	2	2	1	120	94	5	7	2	3	1	–	2	2	2	2
White	88	58	8	5	7	2	2	2	1	1	2	–	79	60	3	5	1	3	1	–	2	1	2	1
All other	48	40	1	2	2	1	–	–	–	1	–	1	41	34	2	2	1	–	–	–	–	1	–	1
Black	48	40	1	2	2	1	–	–	–	1	–	1	41	34	2	2	1	–	–	–	–	1	–	1
Certain conditions originating in the perinatal period (760-779)	240	240	–	–	–	–	–	–	–	–	–	–	167	164	3	–	–	–	–	–	–	–	–	–
White	112	112	–	–	–	–	–	–	–	–	–	–	80	77	3	–	–	–	–	–	–	–	–	–
All other	128	128	–	–	–	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
Black	128	128	–	–	–	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	93	93	–	–	–	–	–	–	–	–	–	–	63	61	2	–	–	–	–	–	–	–	–	–
White	50	50	–	–	–	–	–	–	–	–	–	–	29	27	2	–	–	–	–	–	–	–	–	–
All other	43	43	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
Black	43	43	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	147	147	-	-	-	-	-	-	-	-	-	-	104	103	1	-	-	-	-	-	-	-	-	-
White	62	62	-	-	-	-	-	-	-	-	-	-	51	50	1	-	-	-	-	-	-	-	-	-
All other	85	85	-	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
Black	85	85	-	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	916	48	2	3	10	25	29	105	165	257	179	93	712	53	1	-	5	11	17	41	86	161	177	160
White	546	18	1	2	7	13	16	74	91	160	116	48	392	18	1	-	3	5	10	18	44	89	105	99
All other	370	30	1	1	3	12	13	31	74	97	63	45	320	35	-	-	2	6	7	23	42	72	72	61
Black	370	30	1	1	3	12	13	31	74	97	63	45	319	35	-	-	2	6	7	23	41	72	72	61
All other diseases (Residual)	1,102	28	11	13	10	37	50	97	186	277	273	119	1,108	12	6	12	15	23	28	47	125	239	330	271
White	793	13	6	11	8	19	27	60	139	206	217	87	792	4	3	8	7	8	12	24	91	166	246	223
All other	309	15	5	2	2	18	23	37	47	71	56	32	316	8	3	4	8	15	16	23	34	73	84	48
Black	309	15	5	2	2	18	23	37	47	71	56	32	316	8	3	4	8	15	16	23	34	73	84	48
Accidents and adverse effects (E800-E949)	1,401	14	48	72	346	239	178	122	140	113	83	47	525	8	25	33	81	62	39	24	48	67	82	56
White	1,045	7	27	54	269	180	125	79	108	77	60	38	405	5	16	24	64	52	30	15	36	48	69	46
All other	356	7	21	18	57	59	51	43	32	36	23	9	120	3	9	9	17	10	9	9	12	19	13	10
Black	354	7	21	18	57	59	50	43	32	36	22	9	120	3	9	9	17	10	9	9	12	19	13	10
Motor vehicle accidents (E810-E825)	733	1	20	36	234	151	91	51	67	48	25	8	249	2	8	18	66	51	24	14	18	24	21	3
White	581	1	10	26	204	118	72	37	52	35	18	7	213	1	5	15	59	43	22	9	16	22	20	2
All other	152	-	10	10	30	33	19	14	15	13	7	1	36	1	3	3	7	8	2	5	3	2	1	1
Black	150	-	10	10	30	33	18	14	15	13	6	1	36	1	3	3	7	8	2	5	3	2	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	668	13	28	36	112	88	85	71	73	65	58	39	276	6	17	15	15	11	15	10	30	43	61	53
White	464	6	17	28	85	62	53	42	56	42	42	31	192	4	11	9	5	9	8	6	21	26	49	44
All other	204	7	11	8	27	26	32	29	17	23	16	8	84	2	6	6	10	2	7	4	9	17	12	9
Black	204	7	11	8	27	26	32	29	17	23	16	8	84	2	6	6	10	2	7	4	9	17	12	9
Suicide (E950-E959)	336	...	...	4	57	70	45	46	55	33	19	7	92	...	...	1	9	21	13	19	22	3	2	2
White	295	...	...	3	51	57	38	42	49	30	18	7	79	...	...	1	9	14	12	14	22	3	2	2
All other	41	...	...	1	6	13	7	4	6	3	1	-	13	...	...	-	-	7	1	5	-	-	-	-
Black	41	...	...	1	6	13	7	4	6	3	1	-	12	...	...	-	-	6	1	5	-	-	-	-
Homicide and legal intervention (E960-E978)	414	2	5	2	99	129	78	43	32	20	4	-	98	2	1	3	10	25	16	14	9	8	8	2
White	143	-	2	1	32	31	32	20	15	7	3	-	42	-	-	1	5	10	9	6	2	5	4	-
All other	271	2	3	1	67	98	46	23	17	13	1	-	56	2	1	2	5	15	7	8	7	3	4	2
Black	271	2	3	1	67	98	46	23	17	13	1	-	56	2	1	2	5	15	7	8	7	3	4	2
All other external causes (E980-E999)	48	2	-	3	11	9	7	7	7	1	1	-	12	-	-	-	3	-	4	2	1	1	-	1
White	35	-	-	2	7	6	5	7	6	1	1	-	7	-	-	-	1	-	3	2	1	-	-	-
All other	13	2	-	1	4	3	2	-	1	-	-	-	5	-	-	-	2	-	1	-	-	1	-	1
Black	13	2	-	1	4	3	2	-	1	-	-	-	5	-	-	-	2	-	1	-	-	1	-	1
ALASKA																								
All causes	1,166	69	12	11	130	145	109	125	211	176	123	53	619	56	8	9	33	43	42	86	88	107	94	52
White	819	48	7	8	79	89	76	88	165	143	84	30	405	28	2	9	18	28	24	55	62	74	69	36
All other	347	21	5	3	51	56	33	37	46	33	39	23	214	28	6	-	15	15	18	31	26	33	25	16
Black	25	3	-	-	3	2	1	3	7	4	2	-	24	6	1	-	1	1	2	3	2	5	1	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	-	-	-	-	-	-	-	1	1	-	1	5	1	-	-	1	-	-	-	-	2	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	1	-	-	1	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	205	-	1	-	1	4	9	28	64	54	33	10	133	-	-	-	2	11	6	33	32	29	17	3
White	149	-	-	-	1	3	8	20	48	45	18	6	101	-	-	-	1	10	5	27	24	19	13	2
All other	56	-	1	-	-	1	1	8	16	9	15	4	32	-	-	-	1	1	1	6	8	10	4	1
Black	5	-	-	-	-	-	-	1	2	-	2	-	5	-	-	-	-	-	1	1	-	2	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	1	4	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
White	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	60	-	-	-	1	1	2	7	16	20	9	4	30	-	-	-	-	1	2	5	10	7	3	2
White	38	-	-	-	1	-	2	2	10	15	5	3	19	-	-	-	-	1	1	3	8	4	1	1
All other	22	-	-	-	-	1	-	5	6	5	4	1	11	-	-	-	-	-	1	2	2	3	2	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	85	-	-	-	-	-	2	14	21	19	7	2	28	-	-	-	-	1	1	4	10	7	5	-
White	53	-	-	-	-	-	2	12	15	18	4	2	24	-	-	-	-	1	1	4	8	5	5	-
All other	12	-	-	-	-	-	-	2	6	1	3	-	4	-	-	-	-	-	-	-	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	5	-	7	5	3	3	1
White	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	5	-	5	4	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of genital organs (179-187)	23	-	-	-	-	-	-	-	4	9	9	1	14	-	-	-	1	2	-	4	1	4	2	-
White	15	-	-	-	-	-	-	-	2	8	5	-	9	-	-	-	1	1	-	4	-	2	1	-
All other	8	-	-	-	-	-	-	-	2	1	4	1	5	-	-	-	-	1	-	-	1	2	1	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	13	-	1	-	-	-	1	4	3	1	1	2	5	-	-	-	-	-	-	3	1	1	-	-
White	11	-	-	-	-	-	1	4	3	1	1	1	5	-	-	-	-	-	-	3	1	1	-	-
All other	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	25	-	-	-	-	3	2	1	11	4	3	1	24	-	-	-	-	1	2	8	5	8	2	-
White	19	-	-	-	-	3	1	-	10	2	3	-	18	-	-	-	-	1	2	7	3	3	2	-
All other	6	-	-	-	-	-	1	1	1	2	-	1	6	-	-	-	-	-	-	1	2	3	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Leukemia (204-209)	8	-	-	-	-	-	1	1	2	-	2	-	3	-	-	-	1	1	1	-	-	-	-	-
White	4	-	-	-	-	-	1	1	2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	-	-	-	-	-	1	1	3	1	1	-	3	-	-	-	-	-	-	1	-	-	2	-
White	6	-	-	-	-	-	1	1	3	1	-	-	3	-	-	-	-	-	-	1	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	9	-	-	-	1	1	1	-	1	1	4	-	6	-	-	-	-	-	1	1	1	2	1	-
White	7	-	-	-	-	1	1	-	1	1	3	-	6	-	-	-	-	-	1	1	1	2	1	-
All other	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	330	2	1	-	1	6	18	48	85	86	58	23	179	4	-	-	2	1	4	18	28	48	46	28
White	259	1	-	-	-	4	14	41	70	71	45	13	130	1	-	-	1	1	2	13	22	33	35	21
All other	71	1	1	-	1	4	4	7	15	15	13	10	49	3	-	-	1	-	2	5	6	15	10	7
Black	10	-	-	-	-	1	-	2	3	4	-	-	4	-	-	-	-	-	1	-	1	2	-	-
Diseases of heart (390-398,402,404-429)	265	2	1	-	-	6	15	42	74	72	40	13	125	3	-	-	2	1	3	13	22	35	28	18
White	218	1	-	-	-	2	13	37	62	60	35	8	90	1	-	-	1	1	2	10	17	22	23	13
All other	47	1	1	-	-	4	2	5	12	12	5	5	35	2	-	-	1	-	1	3	5	13	5	5
Black	9	-	-	-	-	1	-	1	3	4	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	1	1	-	-	1	1	-	4	1	-	-	1	-	-	-	1	1	-	-
White	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	3	1	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	4	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	202	1	-	-	-	1	9	34	57	62	32	6	88	1	-	-	-	1	2	9	17	27	20	11
White	174	1	-	-	-	-	7	30	50	55	28	3	74	1	-	-	-	1	1	8	14	20	19	10
All other	28	-	-	-	-	1	2	4	7	7	4	3	14	-	-	-	-	-	1	1	3	7	1	1
Black	4	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Acute myocardial infarction (410)	87	-	-	-	-	-	2	15	26	25	18	1	45	-	-	-	-	-	2	5	8	13	10	7
White	74	-	-	-	-	-	2	12	22	22	15	1	36	-	-	-	-	-	1	5	6	8	9	7
All other	13	-	-	-	-	-	-	3	4	3	3	-	9	-	-	-	-	-	1	-	2	5	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	114	1	-	-	-	1	7	19	30	37	14	5	43	1	-	-	-	1	-	4	9	14	10	4
White	99	1	-	-	-	-	5	18	27	33	13	2	38	1	-	-	-	1	-	3	8	12	10	3
All other	15	-	-	-	-	1	2	1	3	4	1	3	5	-	-	-	-	-	-	1	1	2	-	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
White	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	53	1	1	-	-	4	3	7	16	9	8	6	31	1	-	-	-	-	1	4	4	7	7	7
White	36	-	-	-	-	2	3	6	11	5	5	4	14	-	-	-	-	-	1	2	3	2	3	3
All other	17	1	1	-	-	2	-	1	5	4	1	2	17	1	-	-	-	-	-	2	1	5	4	4
Black	5	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	49	-	-	-	-	2	3	6	8	10	14	6	42	1	-	-	-	-	1	4	6	8	14	8
White	28	-	-	-	-	2	1	4	5	7	6	3	30	1	-	-	-	-	-	2	5	6	10	7
All other	21	-	-	-	-	-	2	2	3	3	8	3	12	1	-	-	-	-	1	2	1	2	4	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	7	-	-	-	-	-	1	3	2	-	1	-	6	1	-	-	-	-	1	1	-	1	1	1
White	4	-	-	-	-	-	-	2	2	-	-	-	4	-	-	-	-	-	-	1	-	1	1	1
All other	3	-	-	-	-	-	1	1	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	2	1	3	1
White	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	2	1	3	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	39	-	-	-	-	2	2	3	6	9	12	5	29	-	-	-	-	-	-	3	4	6	10	6
White	22	-	-	-	-	2	1	2	3	7	5	2	19	-	-	-	-	-	-	1	3	4	6	5
All other	17	-	-	-	-	-	1	1	3	2	7	3	10	-	-	-	-	-	-	2	1	2	4	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Atherosclerosis (440)	4	-	-	-	-	-	-	-	-	1	1	2	5	-	-	-	-	-	-	-	-	2	1	2
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	11	-	-	-	-	-	-	-	3	3	3	2	6	-	-	-	-	-	-	-	1	-	3	2
White	11	-	-	-	-	-	-	-	3	3	3	2	6	-	-	-	-	-	-	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	29	3	-	-	-	3	1	2	4	3	6	7	28	3	1	-	-	1	2	3	3	2	3	6
White	17	1	-	-	-	2	-	1	3	3	2	5	9	-	-	-	-	1	-	1	2	1	1	3
All other	12	2	-	-	-	1	1	1	1	-	4	2	17	3	1	-	-	-	2	2	1	1	2	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	25	3	-	-	-	3	1	2	4	3	4	5	24	3	1	-	-	1	2	2	3	1	3	8
White	16	1	-	-	-	2	-	1	3	3	2	4	8	-	-	-	-	-	1	-	1	2	-	1	3
All other	9	2	-	-	-	1	1	1	1	-	2	1	16	3	1	-	-	-	-	2	1	1	1	2	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	2
Influenza (487)	4	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	1	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	26	1	-	1	-	-	1	-	8	9	5	1	11	-	1	-	-	-	-	1	2	2	5	-	-
White	20	-	-	1	-	-	1	-	7	6	4	1	8	-	-	-	-	-	-	1	2	2	3	-	-
All other	6	1	-	-	-	-	-	-	1	3	1	-	3	-	1	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
White	3	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	-	-	-	-	-	-	-	6	8	3	1	5	-	-	-	-	-	-	-	1	1	3	-	-
White	13	-	-	-	-	-	-	-	5	5	2	1	3	-	-	-	-	-	-	-	1	1	1	-	-
All other	5	-	-	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	27	-	-	1	-	1	3	4	11	4	2	1	22	-	-	-	1	-	8	7	3	2	1	-	-
White	21	-	-	1	-	1	1	3	10	2	2	1	11	-	-	-	-	-	4	3	2	1	1	-	-
All other	6	-	-	-	-	-	2	1	1	2	-	-	11	-	-	-	1	-	4	4	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	-	-	-	-	-	-	-	-	2	1	-	9	-	-	-	-	-	-	-	1	1	5	2	-
White	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	1	1	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	–	–	–	–	–	–	–	–	2	1	–	8	–	–	–	–	–	–	–	–	1	5	2
White	3	–	–	–	–	–	–	–	–	2	1	–	6	–	–	–	–	–	–	–	–	1	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	2	–	–	–	–	–	–	1	–	–	–	1	5	–	–	–	1	–	–	–	–	1	2	1
White	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–	–	–	–	1	1	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
White	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	19	15	2	–	–	–	1	–	1	–	–	–	15	13	–	2	–	–	–	–	–	–	–	–
White	17	13	2	–	–	–	1	–	1	–	–	–	11	9	–	2	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	30	30	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
White	19	19	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
White	4	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	25	25	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
White	15	15	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	23	10	1	–	1	2	1	2	–	1	1	4	20	11	–	–	1	1	1	–	–	1	2	2
White	13	8	1	–	–	–	1	1	–	1	–	1	9	4	–	–	–	–	1	–	–	1	2	1
All other	10	2	–	–	1	2	–	1	–	–	1	3	11	7	–	–	1	1	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	52	4	–	1	2	8	5	5	12	6	5	4	53	3	–	2	1	3	2	14	9	8	5	6
White	28	3	–	–	2	1	2	3	9	4	3	1	29	1	–	2	1	–	–	8	3	5	5	4
All other	24	1	–	1	–	7	3	2	3	2	2	3	24	2	–	–	–	3	2	6	6	3	–	2
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	301	2	5	8	91	69	51	25	19	4	6	–	80	–	6	5	14	18	16	8	5	5	1	2
White	197	1	2	6	56	63	36	12	10	4	5	–	47	–	2	5	8	11	10	1	3	4	1	2
All other	104	1	3	2	35	25	15	13	9	–	1	–	33	–	4	–	6	7	6	7	2	1	–	–
Black	4	–	–	–	1	–	1	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	72	–	–	2	24	21	7	6	9	2	1	–	26	–	2	3	5	8	3	–	3	2	–	–
White	60	–	–	2	21	20	6	3	5	2	1	–	19	–	1	3	4	6	2	–	1	2	–	–
All other	12	–	–	–	3	1	1	3	4	–	–	–	7	–	1	–	1	2	1	–	2	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	229	2	5	6	67	67	44	19	10	2	5	–	54	–	4	2	9	10	13	8	2	3	1	2
White	137	1	2	4	35	43	30	9	5	2	4	–	28	–	1	2	4	5	8	1	2	2	1	2
All other	92	1	3	2	32	24	14	10	5	–	1	–	26	–	3	–	5	5	5	7	–	1	–	–
Black	3	–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suicide (E950-E959)	47	...	...	–	17	12	10	4	2	2	–	–	7	...	...	–	4	3	–	–	–	–	–	–
White	35	...	...	–	11	9	8	3	2	2	–	–	5	...	...	–	3	2	–	–	–	–	–	–
All other	12	...	...	–	6	3	2	1	–	–	–	–	2	...	...	–	1	1	–	–	–	–	–	–
Black	1	...	...	–	1	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	41	1	2	–	14	12	5	3	2	2	–	–	14	1	–	–	5	3	2	1	1	1	–	–
White	25	1	2	–	9	4	3	3	2	1	–	–	8	–	–	–	4	2	1	–	1	–	–	–
All other	16	–	–	–	5	8	2	–	–	1	–	–	6	1	–	–	1	1	1	1	1	–	–	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other external causes (E980-E999)	12	–	–	–	2	6	2	2	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
White	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	10	–	–	–	2	5	2	1	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
ARIZONA																								
All causes	12,601	288	82	78	446	488	458	831	2,086	3,437	3,037	1,366	9,368	193	73	72	167	157	226	501	1,184	2,210	2,575	2,008
White	11,675	246	61	64	346	371	390	737	1,868	3,293	2,903	1,287	8,787	159	56	62	133	126	192	440	1,110	2,109	2,467	1,933
All other	926	52	21	14	99	97	68	94	120	144	134	79	581	34	17	10	34	31	34	61	74	102	108	75
Black	305	14	5	3	11	23	21	39	43	62	63	20	182	8	7	4	8	2	8	18	24	38	40	27
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	17	–	–	–	–	–	–	2	2	3	6	4	11	–	–	–	1	–	1	–	–	3	3	3
White	14	–	–	–	–	–	–	2	2	3	4	3	9	–	–	–	1	–	–	–	–	3	3	2
All other	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	1	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	15	–	–	–	–	–	–	1	1	3	6	4	10	–	–	–	1	–	–	–	–	3	3	3
White	12	–	–	–	–	–	–	1	1	3	4	3	9	–	–	–	1	–	–	–	–	3	3	2
All other	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	73	1	1	–	–	1	3	5	7	18	17	20	50	1	–	–	1	–	1	3	4	14	16	10
White	64	–	1	–	–	1	2	4	6	16	15	19	39	1	–	–	–	–	1	3	2	12	12	8
All other	9	1	–	–	–	–	1	1	1	2	2	1	11	–	–	–	1	–	–	–	2	2	4	2
Black	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	9	–	1	–	–	2	–	1	2	2	1	–	7	–	–	–	–	–	–	1	5	1	–	–
White	8	–	–	–	–	2	–	1	2	2	1	–	7	–	–	–	–	–	–	1	5	1	–	–
All other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	47	–	1	–	1	4	6	3	11	11	8	2	47	–	3	1	3	2	2	3	7	12	11	3
White	38	–	1	–	–	1	4	2	11	11	6	2	45	–	3	–	3	2	2	2	7	12	11	3
All other	9	–	–	–	1	3	2	1	–	–	2	–	2	–	–	1	–	–	–	1	–	–	–	–
Black	5	–	–	–	–	3	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,686	3	7	13	15	33	55	183	585	944	671	177	2,104	1	3	13	11	21	57	214	463	682	457	182
White	2,592	3	7	13	13	30	52	173	566	919	644	172	2,027	1	3	13	9	21	54	203	446	659	443	175
All other	94	–	–	–	2	3	3	10	19	25	27	5	77	–	–	–	2	–	3	11	17	23	14	7
Black	50	–	–	–	–	–	2	3	10	17	15	3	34	–	–	–	1	–	2	4	7	10	7	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	57	–	–	–	–	2	–	8	15	18	13	1	32	–	–	–	1	–	–	1	15	8	2	5
White	53	–	–	–	–	1	–	7	15	17	12	1	32	–	–	–	1	–	–	1	15	8	2	5
All other	4	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	628	–	1	1	1	3	9	38	157	220	145	51	527	1	1	–	1	2	11	31	85	181	137	67
White	593	–	1	1	1	2	6	35	150	216	132	49	498	1	1	–	–	2	10	28	88	172	131	65
All other	33	–	–	–	–	1	3	3	7	4	13	2	29	–	–	–	1	–	1	3	7	9	6	2
Black	18	–	–	–	–	–	2	1	2	3	9	1	14	–	–	–	–	–	–	1	4	4	3	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	922	–	–	2	–	–	16	73	224	362	212	33	400	–	–	–	–	2	7	53	99	154	68	17
White	900	–	–	2	–	–	16	71	214	356	208	33	393	–	–	–	–	2	7	51	97	153	66	15
All other	22	–	–	–	–	–	–	2	10	6	4	–	7	–	–	–	–	–	–	2	2	1	–	2
Black	13	–	–	–	–	–	–	–	7	4	2	–	4	–	–	–	–	–	–	2	1	–	–	1
Malignant neoplasm of breast (174-175)	7	–	–	–	–	–	–	1	1	1	3	1	376	–	–	–	–	2	20	59	91	117	66	19
White	7	–	–	–	–	–	–	1	1	1	3	1	363	–	–	–	–	2	19	55	90	111	57	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	1	4	1	6	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	1	–	5	1	–
Malignant neoplasms of genital organs (179-187)	271	–	–	–	3	3	–	–	24	84	110	47	247	–	–	–	1	5	7	29	57	72	50	16
White	259	–	–	–	2	3	–	–	23	79	108	44	241	–	–	–	1	5	6	28	54	72	50	16
All other	12	–	–	–	1	–	–	–	1	5	2	3	6	–	–	–	–	–	1	1	3	–	1	–
Black	8	–	–	–	–	–	–	–	–	4	2	2	3	–	–	–	–	–	1	–	1	–	1	–
Malignant neoplasms of urinary organs (188-189)	152	–	–	1	–	1	3	8	21	58	48	12	55	–	–	1	1	–	2	3	8	18	17	5
White	148	–	–	1	–	1	3	6	21	56	48	12	52	–	–	1	1	–	2	3	7	17	16	5
All other	4	–	–	–	–	–	–	2	–	2	–	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	383	2	4	1	6	11	13	38	84	129	84	11	284	–	–	4	4	6	7	24	59	66	66	28
White	370	2	4	1	5	11	13	37	83	125	78	11	268	–	–	4	3	6	7	24	57	60	61	26
All other	13	–	–	–	1	–	–	1	1	4	6	–	16	–	–	–	1	–	–	–	2	6	5	2
Black	7	–	–	–	–	–	–	1	1	3	2	–	4	–	–	–	1	–	–	–	–	1	2	–
Leukemia (204-208)	111	1	2	7	2	9	7	8	18	28	16	13	79	–	1	7	1	4	2	7	12	22	11	12
White	108	1	2	7	2	9	7	8	18	25	16	13	77	–	1	7	1	4	2	6	12	22	11	11
All other	3	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	157	–	–	1	3	4	7	9	41	44	40	8	104	–	1	1	2	–	1	7	27	24	28	13
White	154	–	–	1	3	3	7	8	41	44	39	8	103	–	1	1	2	–	1	7	28	24	28	13
All other	3	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	1	1	–	–	1	2	1	13	11	8	5	45	2	1	–	–	–	1	4	7	10	9	11
White	42	1	1	–	–	1	1	1	13	11	8	5	40	1	–	–	–	–	1	2	7	10	9	10
All other	1	–	–	–	–	–	1	–	–	–	–	–	5	1	1	–	–	–	–	2	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	162	–	–	–	3	2	7	18	28	51	40	13	202	–	1	1	–	2	2	8	39	53	64	32
White	145	–	–	–	3	1	6	17	24	45	36	13	179	–	1	1	–	2	2	7	35	44	58	29
All other	17	–	–	–	–	1	1	1	4	6	4	–	23	–	–	–	–	–	–	1	4	9	6	3
Black	5	–	–	–	–	–	–	–	1	1	3	–	7	–	–	–	–	–	–	1	1	3	1	1
Nutritional deficiencies (260-269)	17	–	–	1	–	–	–	–	–	4	9	3	20	–	–	–	–	–	–	–	–	2	6	12
White	14	–	–	–	–	–	–	–	–	4	7	3	17	–	–	–	–	–	–	–	–	2	5	10
All other	3	–	–	1	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	13	1	–	–	–	–	2	–	–	6	2	2	23	–	1	–	1	1	1	1	1	7	4	6
White	12	1	–	–	–	–	2	–	–	6	1	2	17	–	1	–	–	1	–	1	–	6	4	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	1	–	1	–	1	1	–	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	1	–	1	–	–	–
Meningitis (320-322)	7	3	1	–	–	–	–	–	1	1	–	1	9	2	–	–	–	–	–	1	–	–	4	2
White	3	1	–	–	–	–	–	–	–	1	–	1	6	–	–	–	–	–	–	1	–	–	3	2
All other	4	2	1	–	–	–	–	–	1	–	–	–	3	2	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	5,264	11	5	5	10	28	99	315	902	1,556	1,553	779	4,322	3	–	6	10	14	32	91	380	841	1,487	1,358
White	5,037	7	2	4	7	23	89	296	860	1,489	1,497	752	4,148	1	–	6	8	13	28	74	355	809	1,438	1,326
All other	227	4	3	1	3	5	10	19	42	57	56	27	174	2	–	–	2	1	4	17	25	42	49	32
Black	113	–	–	–	2	2	5	11	24	27	31	11	61	–	–	–	1	–	1	11	8	18	25	17
Diseases of heart (390-398,402,404-429)	4,345	10	5	5	8	24	88	290	804	1,308	1,224	578	3,261	2	–	4	6	12	23	73	306	752	1,123	960
White	4,156	6	2	4	5	20	80	273	786	1,265	1,179	555	3,118	–	–	4	4	12	20	58	286	717	1,084	933
All other	189	4	3	1	3	4	8	17	38	43	45	23	143	2	–	–	2	–	3	15	20	35	39	27
Black	91	–	–	–	2	2	3	9	22	18	26	9	66	–	–	–	1	–	1	10	6	15	16	15
Rheumatic fever and rheumatic heart disease (390-398)	36	1	–	–	1	–	1	2	7	16	6	2	70	–	–	–	–	1	4	3	15	18	23	6
White	35	1	–	–	–	–	1	2	7	16	6	2	66	–	–	–	–	1	4	2	14	16	23	6
All other	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	1	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hypertensive heart disease (402)	81	–	–	–	–	1	2	10	12	24	24	8	78	–	–	–	–	–	1	1	12	15	30	19
White	73	–	–	–	–	–	2	8	10	24	22	7	70	–	–	–	–	–	1	–	9	14	28	18
All other	8	–	–	–	–	1	–	2	2	–	2	1	8	–	–	–	–	–	–	1	3	1	2	1
Black	7	–	–	–	–	1	–	2	2	–	1	1	6	–	–	–	–	–	–	1	2	–	2	1
Hypertensive heart and renal disease (404)	9	–	–	–	–	–	–	1	2	1	4	1	4	–	–	–	–	–	–	–	–	3	1	
White	8	–	–	–	–	–	–	1	2	1	3	1	4	–	–	–	–	–	–	–	–	3	1	
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
Ischemic heart disease (410-414)	3,323	–	–	1	1	10	75	228	631	1,023	949	404	2,289	–	–	2	3	3	7	50	201	555	809	659
White	3,216	–	–	1	1	10	70	218	604	985	921	395	2,206	–	–	2	2	3	7	40	192	537	782	641
All other	107	–	–	–	–	–	5	10	27	38	28	9	83	–	–	–	1	–	–	10	9	18	27	18
Black	56	–	–	–	–	–	3	7	15	10	17	4	42	–	–	–	1	–	–	8	3	7	13	10
Acute myocardial infarction (410)	1,696	–	–	1	–	5	47	108	367	555	472	140	1,111	–	–	1	2	2	4	27	111	328	394	242
White	1,646	–	–	1	–	5	44	102	354	543	457	139	1,075	–	–	1	1	2	4	21	106	319	383	238
All other	50	–	–	–	–	–	3	6	13	12	15	1	36	–	–	–	1	–	–	6	5	9	11	4
Black	27	–	–	–	–	–	2	3	10	2	9	1	16	–	–	–	1	–	–	5	1	5	4	2
Other acute and subacute forms of ischemic heart disease (411)	212	–	–	–	–	1	8	49	59	63	25	7	49	–	–	–	–	–	1	8	12	13	10	5
White	205	–	–	–	–	1	8	46	56	62	25	7	43	–	–	–	–	–	1	7	10	13	9	3
All other	7	–	–	–	–	–	–	3	3	1	–	–	6	–	–	–	–	–	–	1	2	–	1	2
Black	5	–	–	–	–	–	–	3	2	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	1	–	–	–	1	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	1	–	–	–	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,414	–	–	–	1	4	20	71	205	405	451	257	1,125	–	–	1	1	–	2	15	78	213	403	412
White	1,364	–	–	–	1	4	18	70	194	390	436	249	1,084	–	–	1	1	–	2	12	76	204	388	400
All other	50	–	–	–	–	–	2	1	11	15	13	8	41	–	–	–	–	–	–	3	2	9	15	12
Black	24	–	–	–	–	–	1	1	3	8	8	3	21	–	–	–	–	–	–	2	1	2	9	7
Other diseases of endocardium (424)	43	–	–	–	1	2	–	1	7	13	18	1	46	–	–	–	–	–	2	3	5	7	22	7
White	38	–	–	–	1	1	–	1	6	12	17	1	43	–	–	–	–	–	2	2	5	7	21	6
All other	4	–	–	–	–	1	–	–	1	1	1	–	3	–	–	–	–	–	–	1	–	–	1	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	853	9	5	4	5	11	10	48	145	231	223	162	774	2	–	2	3	8	9	18	73	157	238	268
White	785	5	2	3	3	9	7	43	137	217	210	149	729	–	–	2	2	8	6	14	68	143	227	261
All other	68	4	3	1	2	2	3	5	8	14	13	13	45	2	–	–	1	–	3	2	7	14	9	7
Black	26	–	–	–	2	1	–	–	4	8	7	4	16	–	–	–	–	–	1	1	1	7	3	3
Hypertension with or without renal disease (401,403)	33	–	–	–	–	–	2	–	5	10	8	8	28	–	–	–	–	–	–	2	3	5	10	8
White	31	–	–	–	–	–	2	–	3	10	8	8	27	–	–	–	–	–	–	2	3	4	10	8
All other	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebrovascular diseases (430-438)	602	1	–	–	2	3	7	17	58	155	226	133	789	1	–	1	4	1	8	12	55	136	266	285
White	568	1	–	–	2	2	5	15	56	143	215	129	764	1	–	1	4	1	7	11	50	132	277	280
All other	34	–	–	–	–	1	2	2	2	12	11	4	25	–	–	–	–	–	1	1	5	4	9	5
Black	21	–	–	–	–	–	2	2	2	8	5	2	12	–	–	–	–	–	–	1	2	1	6	2
Intracerebral and other intracranial hemorrhage (431-432)	98	1	–	–	–	2	1	10	12	34	31	7	116	1	–	–	1	–	2	3	12	32	46	19
White	88	1	–	–	–	1	1	8	11	31	28	7	114	1	–	–	1	–	2	3	10	32	46	19
All other	10	–	–	–	–	1	–	2	1	3	3	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	7	–	–	–	–	–	–	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	88	–	–	–	–	–	3	–	10	18	31	26	116	–	–	1	1	–	1	–	4	16	42	51
White	82	–	–	–	–	–	2	–	10	16	29	25	114	–	–	1	1	–	1	–	4	16	41	50
All other	6	–	–	–	–	–	1	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	5	–	–	–	–	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	1	1
Cerebral embolism (434.1)	5	–	–	–	–	–	–	1	–	–	3	1	4	–	–	–	–	–	–	–	1	1	–	2
White	5	–	–	–	–	–	–	1	–	–	3	1	4	–	–	–	–	–	–	–	1	1	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	411	–	–	–	2	1	3	6	36	103	161	99	553	–	–	–	2	1	5	9	38	87	198	213
White	393	–	–	–	2	1	2	6	35	96	155	96	532	–	–	–	2	1	4	8	35	83	190	209
All other	18	–	–	–	–	–	1	–	1	7	6	3	21	–	–	–	–	–	1	1	3	4	8	4
Black	9	–	–	–	–	–	1	–	1	5	1	1	10	–	–	–	–	–	–	1	2	1	5	1
Atherosclerosis (440)	117	–	–	–	–	1	–	3	7	25	44	37	151	–	–	–	–	–	–	1	3	17	43	87
White	117	–	–	–	–	1	–	3	7	25	44	37	150	–	–	–	–	–	–	1	3	17	42	87
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other diseases of arteries, arterioles, and capillaries (441-448)	167	–	–	–	–	–	2	5	28	58	51	23	93	–	–	1	–	1	1	3	13	31	25	18
White	165	–	–	–	–	–	2	5	28	56	51	23	89	–	–	1	–	1	–	2	13	29	25	18
All other	2	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	1	–	–	2	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Acute bronchitis and bronchiolitis (466)	6	–	2	1	–	–	1	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	4	–	1	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	349	8	–	3	5	4	2	13	36	82	103	93	286	5	2	2	6	4	7	8	12	36	77	106
White	312	4	–	2	3	2	2	11	32	76	101	79	244	3	2	2	4	3	6	8	12	34	70	100
All other	37	4	–	1	2	2	–	2	4	6	2	14	21	2	–	–	2	1	1	–	–	2	7	6
Black	3	1	–	–	1	1	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–	1	–
Pneumonia (480-486)	344	8	–	3	5	4	2	13	36	82	102	89	255	5	2	2	6	4	6	8	11	35	75	101
White	307	4	–	2	3	2	2	11	32	76	100	75	235	3	2	2	4	3	5	8	11	34	68	95
All other	37	4	–	1	2	2	–	2	4	6	2	14	20	2	–	–	2	1	1	–	–	1	7	6
Black	3	1	–	–	1	1	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–	1	–
Influenza (487)	5	–	–	–	–	–	–	–	–	–	1	4	10	–	–	–	–	–	–	1	1	1	2	5
White	5	–	–	–	–	–	–	–	–	–	1	4	9	–	–	–	–	–	–	1	–	1	2	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	727	–	–	1	3	2	4	19	111	301	221	65	324	1	1	1	2	2	1	14	58	139	72	33
White	708	–	–	1	3	2	4	16	109	296	214	63	319	1	1	1	2	2	1	13	57	138	70	33
All other	19	–	–	–	–	–	–	3	2	5	7	2	5	–	–	–	–	–	–	1	1	1	2	–
Black	15	–	–	–	–	–	–	2	1	5	5	2	2	–	–	–	–	–	–	–	1	1	–	–
Bronchitis, chronic and unspecified (490-491)	27	–	–	–	–	–	–	1	4	12	6	4	18	1	1	–	–	–	–	–	1	8	4	3
White	25	–	–	–	–	–	–	–	4	12	5	4	17	1	1	–	–	–	–	–	1	7	4	3
All other	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Emphysema (492)	198	–	–	–	–	–	1	4	29	89	63	12	58	–	–	–	–	–	–	4	14	23	15	3
White	193	–	–	–	–	–	1	4	28	88	61	11	58	–	–	–	–	–	–	4	13	23	15	3
All other	5	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	5	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	31	-	-	-	3	-	2	4	3	9	8	2	35	-	-	-	2	2	-	2	6	15	2	6
White	31	-	-	-	3	-	2	4	3	9	8	2	35	-	-	-	2	2	-	2	6	15	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	471	-	-	1	-	2	1	10	75	191	144	47	212	-	-	1	-	-	1	8	37	93	51	21
White	459	-	-	1	-	2	1	8	74	187	140	46	209	-	-	1	-	-	1	7	37	93	49	21
All other	12	-	-	-	-	-	-	2	1	4	4	1	3	-	-	-	-	-	-	1	-	-	2	-
Black	9	-	-	-	-	-	-	2	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	34	-	-	-	-	1	-	2	3	9	13	6	25	-	-	-	-	-	-	2	1	3	15	4
White	39	-	-	-	-	1	-	1	3	9	13	6	23	-	-	-	-	-	-	1	1	3	14	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	5	-	-	2	-	-	-	-	-	3	-	-	3	-	-	-	-	-	1	-	-	1	1	-
White	4	-	-	2	-	-	-	-	-	2	-	-	3	-	-	-	-	-	1	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	-	-	-	-	-	-	2	4	3	2	6	25	-	-	-	-	-	1	-	1	4	8	11
White	16	-	-	-	-	-	-	2	4	3	2	5	23	-	-	-	-	-	1	-	1	3	8	10
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic liver disease and cirrhosis (571)	240	-	-	-	1	19	31	44	67	52	24	2	140	-	-	-	-	12	13	28	40	31	14	2
White	203	-	-	-	1	9	22	39	58	50	22	2	117	-	-	-	-	5	6	22	37	31	14	2
All other	37	-	-	-	-	10	9	5	9	2	2	-	23	-	-	-	-	7	7	6	3	-	-	-
Black	10	-	-	-	-	1	3	3	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	-	-	3	7	4	4	20	-	-	-	-	-	-	1	3	4	7	5
White	14	-	-	-	-	-	-	-	3	6	3	2	18	-	-	-	-	-	-	1	3	4	5	5
All other	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	113	2	-	-	-	2	5	6	12	25	44	17	105	3	1	-	1	1	3	1	16	22	32	25
White	99	2	-	-	-	1	3	6	9	21	42	15	91	3	-	-	1	1	3	-	13	21	28	22
All other	14	-	-	-	-	1	2	-	3	4	2	2	14	-	1	-	1	-	-	1	3	1	4	3
Black	5	-	-	-	-	-	1	-	1	2	-	1	6	-	-	-	-	-	-	-	2	-	2	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	-	-	-	-	-	-	4	3	1	10	-	-	-	1	-	-	-	-	1	6	2
White	8	-	-	-	-	-	-	-	-	4	3	1	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	105	2	-	-	-	2	5	6	12	21	41	16	84	3	1	-	-	1	3	1	15	21	26	23
White	91	2	-	-	-	1	3	6	9	17	39	14	83	3	-	-	-	1	3	-	12	20	24	20
All other	14	-	-	-	-	1	2	-	3	4	2	2	11	-	1	-	-	-	-	1	3	1	2	3
Black	5	-	-	-	-	-	1	-	1	2	-	1	5	-	-	-	-	-	-	-	2	-	1	2
Infections of kidney (590)	7	-	-	-	-	-	-	-	1	-	3	3	21	1	-	-	-	-	1	-	3	5	7	4
White	7	-	-	-	-	-	-	-	1	-	3	3	18	-	-	-	-	-	1	-	3	4	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	4	5		...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	3	5		...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-		...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-		...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	-	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	-	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	86	64	7	-	3	2	1	3	-	3	2	1	83	55	9	5	-	4	2	1	1	2	2	2
White	73	54	7	-	3	-	1	3	-	3	2	-	77	50	9	5	-	3	2	1	1	2	2	2
All other	13	10	-	-	-	2	-	-	-	-	-	1	6	5	-	-	-	1	-	-	-	-	-	-
Black	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	123	121	-	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
White	106	106	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	17	15	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	37	37	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	86	84	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
White	75	75	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	11	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	144	45	2	2	7	5	8	7	13	17	12	22	107	34	2	-	4	5	1	7	9	16	17	10
White	109	39	2	1	2	4	6	4	8	11	7	14	80	28	1	-	2	3	1	4	5	13	13	9
All other	44	6	-	1	5	1	2	3	5	6	5	8	27	6	1	-	2	2	-	3	4	3	4	1
Black	4	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	609	23	10	8	11	19	40	63	142	192	198	103	698	7	11	9	13	11	24	48	81	158	197	141
White	710	15	6	7	10	11	28	48	131	177	185	92	629	2	7	8	11	7	21	37	73	148	188	129
All other	99	8	4	1	1	8	12	15	11	15	13	11	69	5	4	1	2	4	3	11	8	10	9	12
Black	20	-	-	-	-	1	3	6	1	4	3	2	13	-	1	1	-	-	-	2	2	4	1	2
Accidents and adverse effects (E800-E949)	963	13	37	35	240	196	101	88	81	82	60	27	433	7	34	26	72	43	43	31	31	49	53	44
White	779	11	29	27	193	156	83	65	62	70	55	23	370	6	25	20	63	33	31	27	28	44	51	42
All other	184	2	8	8	47	40	18	21	19	12	5	4	63	1	9	6	9	10	12	4	3	5	2	2
Black	27	-	3	2	4	3	3	4	1	4	3	-	11	-	5	1	-	1	1	-	1	1	-	1
Motor vehicle accidents (E810-E825)	514	5	7	22	173	113	54	41	40	32	21	5	212	5	8	13	54	28	32	17	17	16	20	2
White	415	4	5	17	141	86	47	32	31	26	21	4	173	4	5	12	46	22	23	13	14	13	19	2
All other	99	1	2	5	32	27	7	9	9	6	-	1	39	1	3	1	8	6	9	4	3	3	1	-
Black	11	-	-	1	3	2	1	1	1	2	-	-	4	-	1	-	-	-	1	-	1	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	449	8	30	13	67	83	47	45	41	50	39	22	221	2	26	13	18	15	11	14	14	33	33	42
White	364	7	24	10	52	70	36	33	31	44	34	19	197	2	20	8	17	11	8	14	14	31	32	40
All other	85	1	6	3	15	13	11	12	10	6	5	3	24	-	6	5	1	4	3	-	-	2	1	2
Black	16	-	3	1	1	1	2	3	-	2	3	-	7	-	4	1	-	1	-	-	-	-	-	1
Suicide (E950-E959)	384	---	---	1	61	84	59	29	49	48	28	4	125	---	---	1	25	19	20	26	13	13	8	-
White	360	---	---	1	58	77	57	29	49	48	28	4	114	---	---	1	16	18	20	25	13	13	8	-
All other	24	---	---	-	15	7	2	-	-	-	-	-	11	---	---	-	9	1	-	1	-	-	-	-
Black	4	---	---	-	1	2	1	-	-	-	-	-	1	---	---	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	205	1	7	5	60	56	30	25	13	3	2	2	57	-	3	5	16	10	7	4	5	3	3	1
White	156	1	4	4	42	45	25	15	13	2	2	2	46	-	2	3	14	8	6	3	5	2	2	1
All other	49	-	3	1	18	11	5	10	-	1	-	-	11	-	1	2	2	2	1	1	-	1	1	-
Black	24	-	2	1	2	8	3	8	-	-	-	-	6	-	-	2	1	1	1	-	-	-	1	-
All other external causes (E980-E999)	21	1	-	1	4	7	2	3	-	1	1	-	17	-	-	1	1	5	2	4	3	1	-	-
White	12	1	-	1	-	4	2	2	-	-	1	-	11	-	-	1	-	3	1	4	1	1	-	-
All other	9	-	-	-	4	3	-	1	-	1	-	-	6	-	-	-	1	2	1	-	2	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	12,492	204	47	82	335	312	399	811	1,992	3,483	3,207	1,633	9,927	153	40	42	92	139	184	482	1,073	2,151	3,024	2,546
White	10,351	117	27	60	259	249	314	683	1,686	2,932	2,701	1,331	8,263	94	21	30	71	91	149	373	846	1,801	2,554	2,231
All other	2,141	87	20	22	82	69	85	128	306	551	506	302	1,665	59	19	12	21	48	35	109	227	350	470	315
Black	2,121	87	20	21	81	68	85	127	300	527	502	300	1,653	59	19	12	21	47	33	107	224	348	469	314
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	-	-	2	4	3	5	2	11	-	-	-	1	-	-	1	2	1	5	1
White	11	-	-	-	-	-	-	2	2	2	3	2	9	-	-	-	1	-	-	1	2	1	4	1
All other	5	-	-	-	-	-	-	-	2	1	2	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	-	2	1	2	-	2	-	-	-	1	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	-	1	4	3	5	1	8	-	-	-	-	-	-	1	2	-	4	1
White	9	-	-	-	-	-	-	1	2	2	3	1	7	-	-	-	-	-	-	1	2	-	3	1
All other	5	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	1	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Septicemia (038)	68	2	1	1	2	-	-	2	8	18	22	12	82	1	-	-	1	-	2	9	3	18	33	15
White	48	2	1	1	2	-	-	2	5	13	16	8	70	-	-	-	-	-	1	7	2	16	31	13
All other	20	2	-	-	-	-	-	-	3	5	6	4	12	1	-	-	1	-	1	2	1	2	2	2
Black	19	2	-	-	-	-	-	-	2	5	6	4	12	1	-	-	1	-	1	2	1	2	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	1	-	-	1	-	8	-	-	-	-	-	1	-	2	3	2	-
White	1	-	-	-	-	-	-	1	-	-	-	-	7	-	-	-	-	-	1	-	2	2	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-136)	23	1	1	-	2	1	1	3	5	5	2	2	31	2	1	1	1	1	3	3	4	4	9	2
White	18	-	1	-	1	1	1	3	3	5	1	2	26	2	1	1	-	1	3	2	2	3	9	2
All other	5	1	-	-	1	-	-	-	2	-	1	-	5	-	-	-	1	-	-	1	2	1	-	-
Black	5	1	-	-	1	-	-	-	2	-	1	-	5	-	-	-	1	-	-	1	2	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,729	3	3	9	15	19	60	219	575	995	628	202	1,934	-	3	9	9	40	67	193	397	530	478	208
White	2,301	3	1	9	11	19	54	193	488	852	530	140	1,645	-	2	7	8	31	56	168	336	462	397	178
All other	428	-	2	-	4	-	6	26	87	143	98	62	289	-	1	2	1	9	11	25	61	68	81	30
Black	426	-	2	-	4	-	6	26	87	142	98	61	289	-	1	2	1	9	11	25	60	68	81	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	52	-	-	-	-	-	3	8	13	16	9	3	22	-	-	-	-	-	-	2	3	7	5	5
White	43	-	-	-	-	-	2	5	10	14	9	3	18	-	-	-	-	-	-	1	2	7	4	4
All other	9	-	-	-	-	-	1	3	3	2	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	9	-	-	-	-	-	1	3	3	2	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	572	-	-	-	3	4	8	43	97	223	141	53	471	-	-	-	1	8	8	34	72	139	136	73
White	460	-	-	-	2	4	7	37	72	192	112	34	388	-	-	-	1	6	6	26	61	116	111	61
All other	112	-	-	-	1	-	1	6	25	31	29	19	83	-	-	-	-	2	2	8	11	23	25	12
Black	112	-	-	-	1	-	1	6	25	31	29	19	83	-	-	-	-	2	2	8	11	23	25	12
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,073	-	-	-	-	2	15	97	297	421	208	32	283	-	-	-	-	2	8	40	84	94	45	19
White	952	-	-	-	-	2	15	87	255	374	190	28	267	-	-	-	-	2	8	38	77	88	37	17
All other	121	-	-	-	-	-	-	10	42	47	18	4	26	-	-	-	-	-	-	2	7	6	8	2
Black	120	-	-	-	-	-	-	10	42	46	18	4	26	-	-	-	-	-	-	2	7	6	8	2
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	-	1	3	318	-	-	-	-	10	14	54	87	76	53	24
White	2	-	-	-	-	-	-	-	-	-	1	1	270	-	-	-	-	8	13	46	72	64	48	19
All other	2	-	-	-	-	-	-	-	-	-	-	2	48	-	-	-	-	2	1	8	15	12	5	5
Black	2	-	-	-	-	-	-	-	-	-	-	2	48	-	-	-	-	2	1	8	15	12	5	5
Malignant neoplasms of genital organs (179-187)	267	-	-	-	-	1	3	-	31	62	96	54	220	-	-	-	1	5	16	21	40	65	51	21
White	199	-	-	-	-	1	3	-	25	61	75	34	163	-	-	-	-	4	10	17	29	52	34	17
All other	68	-	-	-	-	-	-	-	6	21	21	20	57	-	-	-	1	1	6	4	11	13	17	4
Black	67	-	-	-	-	-	-	-	6	21	21	19	57	-	-	-	1	1	6	4	11	13	17	4
Malignant neoplasms of urinary organs (188-189)	126	-	-	-	-	2	2	7	21	41	41	12	68	-	-	1	-	1	1	-	8	20	25	12
White	106	-	-	-	-	2	1	4	20	36	35	8	61	-	-	1	-	1	1	-	6	18	23	11
All other	20	-	-	-	-	-	1	3	1	5	6	4	7	-	-	-	-	-	-	-	2	2	2	1
Black	20	-	-	-	-	-	1	3	1	5	6	4	7	-	-	-	-	-	-	-	2	2	2	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	401	2	1	5	7	7	19	46	79	134	80	21	365	-	3	5	4	7	15	29	75	81	102	44
White	342	2	-	5	6	7	18	43	70	111	65	15	322	-	2	5	4	6	13	28	68	72	86	40
All other	59	-	1	-	1	-	1	3	9	23	15	6	43	-	1	-	-	1	2	1	9	9	16	4
Black	59	-	1	-	1	-	1	3	9	23	15	6	42	-	1	-	-	1	2	1	8	9	16	4
Leukemia (204-208)	102	1	1	3	1	1	4	6	12	34	27	12	73	-	-	2	1	3	1	6	12	19	25	4
White	92	1	1	3	1	1	3	6	12	30	23	11	65	-	-	1	1	2	1	5	10	18	22	4
All other	10	-	-	-	-	-	1	-	-	4	4	1	8	-	-	1	-	1	-	-	2	1	3	-
Black	10	-	-	-	-	-	1	-	-	4	4	1	8	-	-	1	-	1	-	-	2	1	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	132	-	1	1	4	2	6	12	25	44	25	12	104	-	-	1	2	4	4	7	16	29	35	6
White	105	-	-	1	2	2	5	11	24	34	20	6	91	-	-	-	2	2	4	6	13	27	32	5
All other	27	-	1	-	2	-	1	1	1	10	5	6	13	-	-	1	-	2	-	1	3	2	3	1
Black	27	-	1	-	2	-	1	1	1	10	5	6	13	-	-	1	-	2	-	1	3	2	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	1	-	2	-	1	2	3	6	8	7	2	38	-	1	-	-	1	3	2	7	12	8	4
White	23	1	-	2	-	1	-	2	4	7	4	2	32	-	1	-	-	-	3	2	5	9	8	4
All other	9	-	-	-	-	-	2	1	2	1	3	-	6	-	-	-	-	1	-	-	2	3	-	-
Black	9	-	-	-	-	-	2	1	2	1	3	-	6	-	-	-	-	1	-	-	2	3	-	-
Diabetes mellitus (250)	134	-	-	-	-	2	10	11	16	37	48	10	212	-	-	2	1	-	2	9	26	66	72	34
White	111	-	-	-	-	1	8	7	14	30	44	7	148	-	-	2	1	-	2	5	14	45	50	25
All other	23	-	-	-	-	1	2	4	2	7	4	3	64	-	-	-	-	-	-	4	12	18	22	8
Black	23	-	-	-	-	1	2	4	2	7	4	3	62	-	-	-	-	-	-	4	11	17	22	8
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	-	-	2	4	4	13	-	-	-	-	-	-	-	-	1	4	8
White	6	-	-	-	-	-	-	-	-	1	1	4	12	-	-	-	-	-	-	-	-	-	4	8
All other	5	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	20	-	-	1	1	-	1	-	5	6	2	4	18	-	-	-	-	-	1	-	1	5	4	7
White	15	-	-	-	-	-	-	-	4	6	2	3	13	-	-	-	-	-	-	-	-	4	3	6
All other	5	-	-	1	1	-	1	-	1	-	-	1	5	-	-	-	-	-	1	-	1	1	1	1
Black	5	-	-	1	1	-	1	-	1	-	-	1	5	-	-	-	-	-	1	-	1	1	1	1
Meningitis (320-322)	12	6	2	-	-	-	-	-	1	-	3	-	8	2	1	-	1	-	-	1	1	-	2	-
White	6	1	2	-	-	-	-	-	-	-	3	-	6	1	1	-	-	-	-	1	1	-	2	-
All other	6	5	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	6	5	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,811	10	5	3	12	21	98	313	894	1,716	1,735	1,002	5,309	4	-	1	7	17	44	143	423	1,086	1,843	1,741
White	4,899	2	3	-	8	11	72	264	770	1,460	1,464	843	4,461	2	-	-	5	7	31	98	320	895	1,566	1,537
All other	912	8	2	3	4	10	26	49	124	256	271	159	848	2	-	1	2	10	13	45	103	191	277	204
Black	901	8	2	3	4	10	26	48	121	254	267	158	843	2	-	1	2	9	13	44	102	191	276	200

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,620	9	4	2	7	16	89	276	770	1,365	1,329	731	3,733	4	–	1	3	10	27	120	334	814	1,272	1,148
White	3,964	2	3	–	4	10	68	239	675	1,196	1,140	625	3,163	2	–	–	2	4	21	82	258	684	1,092	1,016
All other	656	7	1	2	3	6	21	37	95	169	189	106	570	2	–	1	1	6	6	38	76	130	180	130
Black	649	7	1	2	3	6	21	36	93	168	186	106	567	2	–	1	1	5	6	37	75	130	180	130
Rheumatic fever and rheumatic heart disease (390-398)	16	–	–	–	–	–	–	3	4	6	3	–	35	–	–	–	1	1	–	4	10	9	6	4
White	14	–	–	–	–	–	–	1	4	6	3	–	33	–	–	–	1	1	–	4	10	7	6	4
All other	2	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	2	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Hypertensive heart disease (402)	76	–	–	–	2	–	3	3	13	24	25	6	75	–	–	–	–	2	1	2	8	18	27	17
White	42	–	–	–	–	1	2	7	13	15	4	–	53	–	–	–	–	1	1	–	4	12	20	15
All other	34	–	–	–	2	–	2	1	6	11	10	2	22	–	–	–	–	1	–	2	4	6	7	2
Black	34	–	–	–	2	–	2	1	6	11	10	2	22	–	–	–	–	1	–	2	4	6	7	2
Hypertensive heart and renal disease (404)	14	–	–	–	–	–	–	–	2	4	4	4	11	–	–	–	–	–	–	1	2	3	–	5
White	8	–	–	–	–	–	–	–	1	2	2	3	6	–	–	–	–	–	–	–	–	1	–	5
All other	6	–	–	–	–	–	–	–	1	2	2	1	5	–	–	–	–	–	–	1	2	2	–	–
Black	6	–	–	–	–	–	–	–	1	2	2	1	5	–	–	–	–	–	–	1	2	2	–	–
Ischemic heart disease (410-414)	3,165	–	–	–	–	7	55	196	552	997	904	474	2,443	–	–	–	–	1	11	60	212	542	856	761
White	2,799	–	–	–	–	4	46	177	497	876	791	408	2,112	–	–	–	–	–	8	41	166	470	750	677
All other	366	–	–	–	–	3	9	19	55	121	113	66	331	–	–	–	–	1	3	19	46	72	106	84
Black	361	–	–	–	–	3	9	19	54	120	110	66	329	–	–	–	–	–	3	19	45	72	106	84
Acute myocardial infarction (410)	2,151	–	–	–	–	7	47	165	425	737	552	218	1,359	–	–	–	–	1	8	43	160	377	468	282
White	1,914	–	–	–	–	4	40	150	381	655	494	190	1,170	–	–	–	–	–	5	29	126	331	426	253
All other	237	–	–	–	–	3	7	15	44	82	58	28	189	–	–	–	–	1	3	14	34	46	62	29
Black	234	–	–	–	–	3	7	15	43	81	57	28	187	–	–	–	–	–	3	14	33	46	62	29
Other acute and subacute forms of ischemic heart disease (411)	8	–	–	–	–	–	–	–	3	4	1	–	1	–	–	–	–	–	–	–	1	–	–	–
White	6	–	–	–	–	–	–	–	3	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,025	–	–	–	–	–	8	31	124	256	350	256	1,081	–	–	–	–	–	3	17	51	165	366	479
White	878	–	–	–	–	–	6	27	113	218	296	218	939	–	–	–	–	–	3	12	39	139	322	424
All other	147	–	–	–	–	–	2	4	11	38	54	38	142	–	–	–	–	–	–	5	12	26	44	55
Black	145	–	–	–	–	–	2	4	11	38	52	38	142	–	–	–	–	–	–	5	12	26	44	55
Other diseases of endocardium (424)	18	–	–	–	–	–	–	2	3	7	4	2	29	–	–	–	–	–	4	1	5	3	8	8
White	16	–	–	–	–	–	–	2	3	5	4	2	25	–	–	–	–	–	4	–	4	3	7	7
All other	2	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	1	1	–	1	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	1	1	–	1	1
All other forms of heart disease (415-423,425-429)	1,311	9	4	2	5	9	31	72	196	347	389	245	1,140	4	–	1	2	6	11	52	97	239	375	353
White	1,085	2	3	–	4	6	21	57	163	294	325	208	934	2	–	–	1	2	8	37	74	191	309	310
All other	226	7	1	2	1	3	10	15	33	53	64	37	206	2	–	1	1	4	3	15	23	48	66	43
Black	224	7	1	2	1	3	10	14	32	53	64	37	205	2	–	1	1	4	3	14	23	48	66	43
Hypertension with or without renal disease (401,403)	36	–	–	–	–	1	–	–	4	12	12	7	34	–	–	–	–	–	–	–	4	4	13	13
White	23	–	–	–	–	–	–	–	2	7	9	5	27	–	–	–	–	–	–	–	3	3	8	13
All other	13	–	–	–	–	1	–	–	2	5	3	2	7	–	–	–	–	–	–	–	1	1	5	–
Black	13	–	–	–	–	1	–	–	2	5	3	2	7	–	–	–	–	–	–	–	1	1	5	–
Cerebrovascular diseases (430-438)	914	1	1	1	5	3	9	32	93	243	318	210	1,276	–	–	–	3	7	17	22	74	224	470	459
White	700	–	–	–	4	1	4	20	67	193	248	163	1,041	–	–	–	2	3	10	15	50	171	391	399
All other	214	1	1	1	1	2	5	12	26	50	68	47	235	–	–	–	1	4	7	7	24	53	79	60
Black	210	1	1	1	1	2	5	12	25	49	67	48	234	–	–	–	1	4	7	7	24	53	79	59
Intracerebral and other intracranial hemorrhage (431-432)	85	1	–	–	2	1	2	6	16	28	23	6	117	–	–	–	1	4	3	6	8	20	43	32
White	61	–	–	–	2	–	1	3	10	22	17	6	88	–	–	–	1	2	1	2	8	13	35	26
All other	24	1	–	–	–	1	1	3	6	6	6	–	29	–	–	–	–	2	2	4	–	7	8	6
Black	24	1	–	–	–	1	1	3	6	6	6	–	29	–	–	–	–	2	2	4	–	7	8	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	–	–	–	1	–	1	–	11	19	41	23	139	–	–	–	–	–	1	–	4	25	56	53
White	72	–	–	–	1	–	–	–	7	17	32	15	120	–	–	–	–	–	1	–	3	18	49	49
All other	24	–	–	–	–	–	1	–	4	2	9	8	19	–	–	–	–	–	–	–	1	7	7	4
Black	24	–	–	–	–	–	1	–	4	2	9	8	19	–	–	–	–	–	–	–	1	7	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	-	3	1	7	-	-	-	-	-	-	-	2	-	3	2
White	4	-	-	-	-	-	-	-	-	-	3	1	6	-	-	-	-	-	-	-	2	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	729	-	1	1	2	2	6	26	66	196	249	160	1,013	-	-	-	2	3	13	16	60	179	366	372
White	563	-	-	-	1	1	3	17	50	154	196	141	827	-	-	-	1	1	8	13	37	140	305	322
All other	168	-	1	1	1	1	3	9	16	42	53	39	186	-	-	-	1	2	5	3	23	39	63	50
Black	162	-	1	1	1	1	3	8	15	41	52	38	185	-	-	-	1	2	5	3	23	39	63	49
Atherosclerosis (440)	118	-	-	-	-	-	-	-	7	27	34	50	186	-	-	-	-	-	-	1	1	20	67	97
White	96	-	-	-	-	-	-	-	7	17	26	46	160	-	-	-	-	-	-	1	1	17	57	84
All other	22	-	-	-	-	-	-	-	-	10	8	4	26	-	-	-	-	-	-	-	-	3	10	13
Black	22	-	-	-	-	-	-	-	-	10	8	4	26	-	-	-	-	-	-	-	-	3	10	13
Other diseases of arteries, arterioles, and capillaries (441-448)	123	-	-	-	-	1	-	5	20	49	44	4	80	-	-	-	1	-	-	-	10	24	21	24
White	116	-	-	-	-	-	-	5	19	47	41	4	70	-	-	-	1	-	-	-	8	20	18	23
All other	7	-	-	-	-	1	-	-	1	2	3	-	10	-	-	-	-	-	-	-	2	4	3	1
Black	7	-	-	-	-	1	-	-	1	2	3	-	9	-	-	-	-	-	-	-	2	4	2	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	281	6	2	-	1	3	13	7	24	39	96	90	242	5	-	1	1	-	2	5	9	28	86	104
White	236	5	1	-	-	3	8	4	22	30	85	78	223	2	-	1	1	-	2	4	9	27	79	97
All other	45	1	1	-	1	-	5	3	2	9	11	12	19	3	-	-	-	-	-	1	-	1	7	7
Black	45	1	1	-	1	-	5	3	2	9	11	12	19	3	-	-	-	-	-	1	-	1	7	7
Pneumonia (480-486)	273	6	2	-	1	3	11	7	24	37	94	88	238	5	-	1	1	-	2	4	9	28	85	102
White	228	5	1	-	-	3	6	4	22	28	83	76	219	2	-	1	1	-	2	3	9	27	78	95
All other	45	1	1	-	1	-	5	3	2	9	11	12	19	3	-	-	-	-	-	1	-	1	7	7
Black	45	1	1	-	1	-	5	3	2	9	11	12	19	3	-	-	-	-	-	1	-	1	7	7
Influenza (487)	8	-	-	-	-	-	2	-	-	2	2	2	4	-	-	-	-	-	-	1	-	-	1	2
White	8	-	-	-	-	-	2	-	-	2	2	2	4	-	-	-	-	-	-	1	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	486	-	-	-	-	2	3	8	74	181	172	46	183	-	-	-	-	-	1	11	23	73	53	22
White	447	-	-	-	-	-	2	7	70	164	163	41	170	-	-	-	-	-	-	8	22	71	48	21
All other	39	-	-	-	-	2	1	1	4	17	9	5	13	-	-	-	-	-	1	3	1	2	5	1
Black	38	-	-	-	-	2	1	1	4	16	9	5	13	-	-	-	-	-	1	3	1	2	5	1
Bronchitis, chronic and unspecified (490-491)	13	-	-	-	-	-	-	-	-	3	9	1	13	-	-	-	-	-	1	-	-	6	5	1
White	13	-	-	-	-	-	-	-	-	3	9	1	11	-	-	-	-	-	-	-	-	6	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Emphysema (492)	123	-	-	-	-	-	1	4	20	55	34	9	38	-	-	-	-	-	-	2	7	15	8	6
White	116	-	-	-	-	-	1	3	20	50	34	8	37	-	-	-	-	-	-	2	7	14	8	6
All other	7	-	-	-	-	-	-	1	-	5	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	7	-	-	-	-	-	-	1	-	5	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	10	-	-	-	-	2	-	-	3	2	2	1	8	-	-	-	-	-	-	1	-	2	5	-
White	6	-	-	-	-	-	-	-	3	1	1	1	6	-	-	-	-	-	-	-	-	2	4	-
All other	4	-	-	-	-	2	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	2	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	340	-	-	-	-	-	2	4	51	121	127	35	124	-	-	-	-	-	-	8	16	50	35	15
White	312	-	-	-	-	-	1	4	47	110	119	31	116	-	-	-	-	-	-	6	15	49	32	14
All other	28	-	-	-	-	-	1	-	4	11	8	4	8	-	-	-	-	-	-	2	1	1	3	1
Black	27	-	-	-	-	-	1	-	4	10	8	4	8	-	-	-	-	-	-	2	1	1	3	1
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	-	-	1	8	6	8	-	19	-	1	-	-	-	1	1	3	4	5	4
White	22	-	-	-	-	-	-	1	8	5	8	-	18	-	1	-	-	-	1	-	3	4	5	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Appendicitis (540-543)	6	-	-	2	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	1	-	-	-	-	1	1	2	6	8	7	27	-	-	-	-	-	-	2	-	3	15	7
White	21	1	-	-	-	-	1	-	2	5	6	6	25	-	-	-	-	-	-	2	-	3	15	5
All other	5	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	5	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	138	–	–	–	1	2	9	34	44	29	13	6	63	–	–	–	–	5	1	8	15	16	15	3
White	120	–	–	–	1	2	8	31	35	25	12	6	54	–	–	–	–	3	–	7	12	16	13	3
All other	18	–	–	–	–	–	1	3	9	4	1	–	9	–	–	–	–	2	1	1	3	–	2	–
Black	18	–	–	–	–	–	1	3	9	4	1	–	9	–	–	–	–	2	1	1	3	–	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	12	–	–	–	–	–	–	–	3	3	4	2	16	–	–	–	–	–	–	–	–	5	4	7
White	12	–	–	–	–	–	–	–	3	3	4	2	15	–	–	–	–	–	–	–	–	5	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	141	2	1	1	–	2	1	3	13	28	59	30	135	–	–	1	2	–	1	6	12	34	39	40
White	102	2	–	1	–	1	1	2	8	21	43	23	97	–	–	1	1	–	1	3	6	21	27	37
All other	39	–	1	–	–	1	–	1	5	7	16	7	38	–	–	–	1	–	–	3	6	13	12	3
Black	39	–	1	–	–	1	–	1	5	7	16	7	38	–	–	–	1	–	–	3	6	13	12	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	–	–	–	–	–	–	1	2	3	6	4	16	–	–	–	2	–	–	–	1	5	6	2
White	8	–	–	–	–	–	–	1	–	1	4	2	10	–	–	–	1	–	–	–	1	3	3	2
All other	8	–	–	–	–	–	–	–	2	2	2	2	6	–	–	–	1	–	–	–	–	2	3	–
Black	8	–	–	–	–	–	–	–	2	2	2	2	6	–	–	–	1	–	–	–	–	2	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	124	2	1	1	–	2	1	2	10	25	53	26	117	–	–	1	–	–	1	6	11	28	32	38
White	94	2	–	1	–	1	1	1	8	20	39	21	86	–	–	1	–	–	1	3	5	18	23	35
All other	30	–	1	–	–	1	–	1	2	5	14	5	31	–	–	–	–	–	–	3	6	10	9	3
Black	30	–	1	–	–	1	–	1	2	5	14	5	31	–	–	–	–	–	–	3	6	10	9	3
Infections of kidney (590)	9	–	–	–	–	–	–	–	–	2	5	2	21	–	–	–	–	–	–	–	–	5	5	11
White	8	–	–	–	–	–	–	–	–	2	4	2	18	–	–	–	–	–	–	–	–	3	4	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Hyperplasia of prostate (600)	4	–	–	–	–	–	–	–	–	–	4	–	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	–	2	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	–	–	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	–	–	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	54	40	1	–	3	4	2	–	3	–	1	–	54	34	7	2	1	1	1	–	4	2	2	–
White	40	27	1	–	3	3	2	–	3	–	1	–	41	29	2	1	1	–	1	–	4	2	1	–
All other	14	13	–	–	–	1	–	–	–	–	–	–	13	5	5	1	–	1	–	–	–	–	1	–
Black	14	13	–	–	–	1	–	–	–	–	–	–	13	5	5	1	–	1	–	–	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	80	79	1	–	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
White	45	45	–	–	–	–	–	–	–	–	–	–	35	35	–	–	–	–	–	–	–	–	–	–
All other	35	34	1	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Black	35	34	1	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
White	15	15	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	61	60	1	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	31	30	1	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	31	30	1	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	436	30	1	1	3	8	5	31	77	110	102	68	376	28	-	1	3	2	4	16	35	64	101	122
White	315	16	1	1	1	8	5	21	57	83	72	50	257	13	-	1	-	1	3	12	24	42	72	89
All other	121	14	-	-	2	-	-	10	20	27	30	18	119	15	-	-	3	1	1	4	11	22	29	33
Black	121	14	-	-	2	-	-	10	20	27	30	18	119	15	-	-	3	1	1	4	11	22	29	33
All other diseases (Residual)	652	11	4	6	12	15	31	37	98	159	169	112	625	8	4	6	11	11	16	28	67	135	180	157
White	534	6	2	5	9	10	24	30	84	129	145	90	537	4	3	5	9	6	16	21	53	122	161	135
All other	118	5	2	1	3	5	7	7	12	30	24	22	88	4	1	1	2	5	-	7	14	13	19	22
Black	118	5	2	1	3	5	7	7	12	30	24	22	86	4	1	1	2	5	-	6	14	12	19	22
Accidents and adverse effects (E800-E949)	853	10	24	51	212	134	94	83	83	63	78	20	323	5	19	17	38	34	19	25	25	46	48	47
White	673	6	14	38	169	112	73	70	62	53	61	15	258	5	8	10	35	25	16	18	18	38	40	45
All other	180	4	10	13	43	22	21	13	21	10	17	5	65	-	11	7	3	9	3	7	7	8	8	2
Black	175	4	10	12	42	21	21	13	19	10	17	5	64	-	11	7	3	9	2	7	7	8	8	2
Motor vehicle accidents (E810-E825)	431	1	7	23	138	73	50	42	36	33	24	4	148	1	5	9	32	23	13	15	12	20	12	4
White	365	1	5	20	118	62	43	36	28	29	20	3	122	1	3	7	31	18	10	11	9	17	11	4
All other	66	-	2	3	20	11	7	6	8	4	4	1	24	-	2	2	1	5	3	4	3	3	1	-
Black	62	-	2	2	19	10	7	6	7	4	4	1	23	-	2	2	1	5	2	4	3	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	422	9	17	28	74	61	44	41	47	30	54	16	177	4	14	8	6	11	6	10	13	26	36	43
White	308	5	9	18	51	50	30	34	34	24	41	12	136	4	5	3	4	7	6	7	9	21	29	41
All other	114	4	8	10	23	11	14	7	13	6	13	4	41	-	9	5	2	4	-	3	4	5	7	2
Black	113	4	8	10	23	11	14	7	12	6	13	4	41	-	9	5	2	4	-	3	4	5	7	2
Suicide (E950-E959)	226	...	...	3	27	40	29	35	31	30	25	6	50	...	...	1	8	12	6	7	6	5	5	-
White	215	...	...	2	25	38	28	35	30	28	23	6	44	...	...	1	5	11	5	7	5	5	5	-
All other	11	...	...	1	2	2	1	-	1	2	2	-	6	...	...	-	3	1	1	-	1	-	-	-
Black	11	...	...	1	2	2	1	-	1	2	2	-	5	...	...	-	3	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	176	-	-	2	37	55	36	14	14	16	3	1	56	1	2	-	5	13	6	10	8	5	6	-
White	93	-	-	-	16	31	25	5	8	7	1	-	33	1	1	-	4	5	4	5	6	2	5	-
All other	85	-	-	2	21	24	11	9	6	9	2	1	23	-	1	-	1	8	2	5	2	3	1	-
Black	85	-	-	2	21	24	11	9	6	9	2	1	23	-	1	-	1	8	2	5	2	3	1	-
All other external causes (E980-E999)	22	-	-	-	7	3	3	3	2	1	1	1	5	-	-	-	2	1	-	2	-	-	-	-
White	17	-	-	-	7	2	2	3	1	1	-	-	4	-	-	-	1	1	-	2	-	-	-	-
All other	5	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
Black	5	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA																								
All causes	100,348	2,412	485	598	3,544	4,337	4,104	7,578	16,610	24,677	23,633	12,271	88,123	1,839	357	381	1,155	1,648	2,201	4,467	10,724	17,791	24,127	23,368
White	89,367	1,858	395	502	3,020	3,566	3,367	6,398	14,625	22,306	21,703	11,543	80,080	1,436	289	326	951	1,293	1,789	3,705	9,372	16,147	22,464	22,232
All other	10,981	554	90	96	524	771	737	1,180	1,985	2,371	1,930	728	8,063	403	68	55	204	355	412	762	1,352	1,644	1,663	1,136
Black	7,825	408	68	69	405	638	600	914	1,547	1,607	1,128	434	6,079	301	48	41	150	273	315	574	1,067	1,265	1,246	792
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	22	11	4	-	3	-	1	-	2	-	1	-	22	10	2	-	-	1	1	-	4	-	2	2
White	17	9	3	-	1	-	1	-	2	-	1	-	15	5	-	-	-	1	1	-	4	-	2	2
All other	5	2	1	-	2	-	-	-	-	-	-	-	7	5	2	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	1	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	130	-	-	-	-	6	9	13	29	27	31	15	64	-	1	1	-	2	4	4	9	19	20	4
White	93	-	-	-	-	4	6	8	19	20	22	14	45	-	-	1	-	1	2	2	5	15	17	2
All other	37	-	-	-	-	2	3	5	10	7	9	1	19	-	1	-	-	1	2	2	4	4	3	2
Black	18	-	-	-	-	2	1	4	7	2	2	-	8	-	-	-	-	1	1	-	3	2	1	-
Tuberculosis of respiratory system (010-012)	112	-	-	-	-	5	7	10	25	25	27	13	46	-	-	-	-	2	2	2	6	16	15	3
White	82	-	-	-	-	4	5	6	17	19	18	13	35	-	-	-	-	1	-	2	4	13	13	2
All other	30	-	-	-	-	1	2	4	8	6	9	-	11	-	-	-	-	1	2	-	2	3	2	1
Black	14	-	-	-	-	1	-	3	6	2	2	-	6	-	-	-	-	1	1	-	1	2	1	-
Other tuberculosis (013-018)	18	-	-	-	-	1	2	3	4	2	4	2	18	-	1	1	-	-	2	2	3	3	5	1
White	11	-	-	-	-	-	1	2	2	1	4	1	10	-	-	1	-	-	2	-	1	2	4	-
All other	7	-	-	-	-	1	1	1	2	1	-	1	8	-	1	-	-	-	-	2	2	1	1	1
Black	4	-	-	-	-	1	1	1	1	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	4	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	11	1	2	-	3	1	3	1	-	-	-	-	11	2	2	-	2	1	-	-	2	2	-	-
White	10	1	2	-	2	1	3	1	-	-	-	-	9	1	2	-	2	-	-	-	2	2	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Septicemia (038)	272	14	6	3	1	5	4	16	42	61	71	49	295	11	1	1	6	7	5	16	36	56	76	79
White	229	10	4	2	1	5	3	12	35	51	62	44	264	9	1	-	5	5	3	13	31	51	72	74
All other	43	4	2	1	-	-	1	4	7	10	9	5	31	2	-	1	1	2	2	3	5	5	4	5
Black	32	3	1	1	-	-	1	4	7	4	7	4	26	2	-	1	-	1	2	3	3	4	4	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	74	4	1	-	5	7	10	17	14	8	4	3	57	1	-	1	3	6	4	5	19	9	8	1
White	57	4	-	-	4	5	7	11	14	7	2	2	50	1	-	1	3	4	3	4	16	9	8	1
All other	17	-	1	-	1	2	3	6	-	1	2	1	7	-	-	-	-	2	1	1	3	-	-	-
Black	5	-	-	-	1	1	1	1	-	-	1	-	3	-	-	-	-	1	1	-	1	-	-	-
Syphilis (090-097)	11	1	-	-	-	-	1	-	3	2	4	-	10	1	-	-	-	-	-	-	-	4	3	2
White	9	1	-	-	-	-	1	-	2	2	3	-	8	1	-	-	-	-	-	-	-	4	2	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	287	12	4	7	11	29	29	33	52	48	41	21	237	11	6	6	10	21	13	17	39	50	41	23
White	242	10	4	6	7	24	25	25	46	39	36	19	194	5	6	5	9	11	11	14	34	43	35	21
All other	45	2	-	1	4	5	3	8	6	9	5	2	43	6	-	1	1	10	2	3	5	7	6	2
Black	24	2	-	1	3	4	2	4	4	3	1	-	32	3	-	-	1	8	2	3	2	7	5	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	22,301	10	56	102	169	306	626	1,943	4,986	7,136	5,204	1,755	20,437	16	37	70	106	285	787	2,023	4,571	5,853	4,538	2,139
White	20,007	3	48	89	147	274	550	1,628	4,387	6,441	4,791	1,643	18,574	3	33	60	91	231	671	1,734	4,097	5,417	4,222	2,005
All other	2,294	7	8	13	22	32	76	315	599	695	413	112	1,863	13	4	10	15	54	116	289	474	436	316	134
Black	1,625	1	3	6	11	19	50	232	459	490	279	75	1,324	4	1	7	9	35	78	202	356	319	222	89
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	603	-	-	1	2	7	16	76	163	202	84	32	343	2	-	-	-	2	12	36	101	107	59	22
White	519	-	-	1	2	5	10	55	152	186	79	29	317	1	-	-	-	1	7	30	96	102	58	20
All other	84	-	-	-	-	2	6	21	31	16	5	3	26	1	-	-	-	1	5	6	5	5	1	2
Black	55	-	-	-	-	-	3	12	24	10	4	2	16	-	-	-	-	-	5	4	4	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,606	2	1	6	10	35	123	438	1,232	1,842	1,413	501	5,054	4	3	2	8	23	93	319	904	1,468	1,420	807
White	4,916	-	1	6	8	29	97	341	1,051	1,625	1,291	465	4,530	1	3	2	6	16	68	254	789	1,341	1,303	744
All other	690	2	-	-	2	6	26	97	181	217	122	36	524	3	-	-	-	7	25	65	115	127	117	63
Black	446	-	-	-	-	3	15	67	125	143	71	22	341	-	-	-	-	2	12	42	82	83	75	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,457	2	2	2	2	22	156	769	2,068	2,623	1,491	319	3,866	2	1	2	2	12	115	475	1,163	1,300	683	208
White	6,762	1	2	2	2	22	135	662	1,848	2,400	1,392	297	3,660	-	1	2	2	11	107	409	1,064	1,233	637	191
All other	695	1	-	-	-	-	21	107	222	223	99	22	306	2	-	-	-	1	8	66	99	67	46	17
Black	529	-	-	-	-	-	16	92	182	159	69	11	236	1	-	-	-	1	7	55	80	57	28	9
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	2	1	7	8	5	2	3,863	3	1	4	1	79	284	551	1,000	957	657	325
White	22	-	-	-	-	-	2	1	5	7	5	2	3,520	-	1	4	1	63	245	483	901	889	620	312
All other	3	-	-	-	-	-	-	-	2	1	-	-	343	3	-	-	-	16	39	68	99	68	37	13
Black	3	-	-	-	-	-	-	-	2	1	-	-	259	1	-	-	-	12	28	45	74	54	34	11
Malignant neoplasms of genital organs (179-187)	2,445	-	1	-	11	22	13	44	244	728	951	427	2,266	1	-	1	6	42	99	251	521	675	475	193
White	2,183	-	1	-	10	21	13	39	205	639	856	398	2,039	-	-	1	5	32	78	220	468	614	439	182
All other	262	-	-	-	1	1	-	5	39	89	95	31	227	1	-	-	1	10	21	31	55	61	36	11
Black	210	-	-	-	-	1	-	4	34	71	74	25	156	-	-	-	1	9	10	15	38	46	28	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,132	–	3	3	–	4	24	100	204	354	310	130	586	–	3	4	2	6	8	31	98	155	175	104
White	1,049	–	3	3	–	3	22	93	188	322	288	127	522	–	1	3	2	3	7	24	84	137	162	99
All other	83	–	–	–	–	1	2	7	16	32	22	3	64	–	2	1	–	3	1	7	14	18	13	5
Black	54	–	–	–	–	1	1	4	11	22	13	2	44	–	–	1	–	2	1	6	13	10	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,862	4	32	41	75	113	165	312	657	804	492	167	2,532	3	17	24	39	61	115	234	501	706	585	246
White	2,624	1	28	34	67	106	155	270	595	746	463	159	2,322	1	16	19	34	54	104	210	446	660	547	230
All other	238	3	4	7	8	7	10	42	62	58	29	8	210	2	1	5	5	7	11	24	55	46	38	16
Black	169	1	3	4	5	3	7	29	46	42	23	6	154	1	1	5	3	4	9	20	40	33	29	9
Leukemia (204-208)	922	1	11	38	45	38	56	77	147	223	196	90	754	1	12	25	35	38	33	46	108	160	181	119
White	821	1	8	33	38	31	51	61	132	202	180	84	690	–	11	24	29	29	32	34	92	151	173	115
All other	101	–	3	5	7	7	5	16	15	21	16	6	64	1	1	1	6	7	1	12	14	9	8	4
Black	62	–	–	2	4	4	4	9	10	15	10	4	41	1	–	1	3	3	1	8	11	6	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,249	1	6	11	24	65	71	126	244	352	262	87	1,073	–	–	8	13	24	28	80	177	325	303	115
White	1,111	–	5	10	20	57	65	106	213	314	237	84	974	–	–	5	10	22	23	70	159	290	283	112
All other	138	1	1	1	4	8	6	20	31	38	25	3	99	–	–	3	3	2	5	10	18	35	20	3
Black	97	–	–	–	2	7	4	15	24	27	15	3	77	–	–	–	2	2	5	7	14	28	17	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	323	6	3	5	8	10	18	27	62	81	70	33	342	3	2	4	5	12	11	22	59	74	91	59
White	294	5	1	3	7	8	16	23	57	74	67	33	310	3	2	3	3	10	10	20	54	70	86	49
All other	29	1	2	2	1	2	2	4	5	7	3	–	32	–	–	1	2	2	1	2	5	4	5	10
Black	22	1	1	2	1	2	–	2	4	7	2	–	23	–	–	1	2	2	–	1	4	3	4	6
Diabetes mellitus (250)	1,116	–	–	4	9	22	39	71	210	337	325	99	1,535	1	–	2	5	21	33	95	241	353	487	294
White	960	–	–	3	8	19	32	60	171	296	283	88	1,285	–	–	1	4	18	29	69	180	291	426	266
All other	156	–	–	1	1	3	7	11	39	41	42	11	250	1	–	1	1	3	4	26	61	62	61	28
Black	106	–	–	1	1	3	7	6	28	34	21	5	197	–	–	1	1	2	4	19	51	52	44	21
Nutritional deficiencies (260-269)	78	–	–	–	–	–	1	1	8	15	23	30	116	–	1	–	–	–	–	1	5	12	41	56
White	71	–	–	–	–	–	1	1	8	14	19	28	107	–	1	–	–	–	–	1	2	10	40	53
All other	7	–	–	–	–	–	–	–	–	1	4	2	9	–	–	–	–	–	–	–	3	2	1	3
Black	2	–	–	–	–	–	–	–	–	–	1	1	7	–	–	–	–	–	–	–	2	2	1	2
Anemias (280-285)	123	4	2	3	12	6	4	6	9	24	34	19	130	2	3	1	4	4	8	4	13	23	37	33
White	89	2	–	3	1	2	2	3	7	21	30	18	110	1	3	–	3	2	5	2	12	19	31	32
All other	34	2	2	–	11	4	2	3	2	3	4	1	20	1	–	1	1	2	1	2	1	4	6	1
Black	22	–	2	–	8	4	2	3	1	1	1	–	12	–	–	1	–	2	1	2	1	2	2	1
Meningitis (320-322)	52	14	7	6	1	2	3	3	5	4	2	5	56	8	7	1	2	8	2	3	1	7	12	5
White	46	10	5	6	1	2	3	3	5	4	2	4	43	3	4	1	–	8	2	2	1	7	11	4
All other	6	4	1	–	–	–	–	–	–	–	–	1	13	5	3	–	2	–	–	1	–	–	1	1
Black	6	4	1	–	–	–	–	–	–	–	–	1	9	3	3	–	1	–	–	1	–	–	1	–
Major cardiovascular diseases (390-448)	44,374	50	22	97	97	302	993	2,929	7,486	12,046	12,625	7,655	43,984	36	24	34	57	135	353	1,003	3,383	7,792	14,463	16,896
White	40,095	41	14	31	83	245	697	2,493	6,606	10,878	11,774	7,208	40,393	28	20	30	38	94	253	792	2,816	6,933	13,446	15,917
All other	4,279	9	8	6	14	57	196	436	880	1,168	1,051	447	3,591	8	4	4	19	41	100	211	547	859	1,017	779
Black	2,901	2	7	3	10	44	156	338	684	775	607	273	2,794	6	4	2	14	33	83	172	451	882	790	558
Diseases of heart (390-398,402,404-429)	35,671	37	16	27	76	227	763	2,598	6,534	9,960	9,752	5,657	31,624	29	20	20	46	84	240	731	2,614	5,949	10,389	11,481
White	32,361	30	11	23	62	182	605	2,234	5,828	9,048	8,989	5,330	29,072	24	16	16	32	54	167	578	2,210	5,319	9,682	10,955
All other	3,310	7	7	4	14	45	158	362	706	912	763	327	2,552	5	4	4	14	30	73	153	404	630	707	526
Black	2,280	1	6	1	10	35	128	283	552	610	442	211	2,048	4	4	2	9	24	64	129	337	516	564	394
Rheumatic fever and rheumatic heart disease (390-398)	284	–	–	3	5	9	12	30	75	81	52	16	535	–	–	–	3	6	15	39	85	162	152	73
White	251	–	–	2	4	8	10	25	65	73	48	15	497	–	–	–	1	5	13	34	77	150	146	71
All other	33	–	–	1	1	1	2	5	10	8	4	1	38	–	–	–	2	1	2	5	8	12	6	2
Black	17	–	–	–	–	1	–	3	5	5	2	1	28	–	–	–	–	–	2	5	5	9	5	2
Hypertensive heart disease (402)	1,227	–	–	–	1	10	40	147	315	343	251	119	1,371	–	1	–	1	9	17	61	168	308	418	387
White	946	–	–	–	1	6	21	99	229	274	209	106	1,110	–	1	–	–	1	8	32	109	242	359	357
All other	281	–	–	–	–	4	19	48	86	69	42	13	261	–	–	–	1	8	9	29	57	66	59	30
Black	235	–	–	–	–	4	19	47	78	50	26	11	226	–	–	–	1	8	8	25	49	61	53	20
Hypertensive heart and renal disease (404)	102	–	–	–	–	1	2	6	16	17	34	26	133	1	–	–	–	–	1	2	9	30	47	43
White	78	–	–	–	–	1	–	–	10	14	29	25	105	1	–	–	–	–	–	1	7	20	40	36
All other	23	–	–	–	–	–	2	6	6	3	5	1	28	–	–	–	–	–	1	1	2	10	7	7
Black	19	–	–	–	–	–	2	5	5	2	4	1	26	–	–	–	–	–	1	–	2	9	7	7
Ischemic heart disease (410-414)	26,042	5	6	5	10	86	510	1,815	4,589	7,410	7,358	4,218	21,959	2	5	7	4	21	108	428	1,683	4,120	7,379	8,188
White	24,037	3	4	3	9	79	435	1,620	4,215	6,825	6,837	3,992	20,411	1	5	6	1	16	76	356	1,455	3,726	6,924	7,831
All other	2,005	2	2	2	1	17	75	195	374	585	521	226	1,548	1	–	1	3	5	32	72	228	394	455	357
Black	1,278	–	1	–	–	13	59	138	273	362	291	140	1,199	–	–	1	2	4	27	61	197	308	347	262
Acute myocardial infarction (410)	12,759	4	2	3	6	42	272	1,034	2,616	3,920	3,421	1,432	9,373	1	4	1	3	15	61	255	973	2,182	3,357	2,518
White	11,824	2	1	2	5	34	239	927	2,421	3,631	3,206	1,352	8,684	–	4	1	1	12	43	212	844	1,987	3,169	2,408
All other	935	2	1	1	1	8	33	107	195	289	215	80	689	1	–	–	2	3	18	43	129	195	188	110
Black	569	–	–	–	–	6	24	72	142	162	114	49	516	–	–	–	1	2	16	36	107	146	138	70

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	211	–	–	–	–	1	11	22	50	69	95	22	85	–	–	–	–	–	1	1	12	24	24	23
White	199	–	–	–	–	1	9	22	46	66	34	21	79	–	–	–	–	–	1	1	11	21	23	22
All other	12	–	–	–	–	–	3	–	4	3	1	1	6	–	–	–	–	–	–	–	1	3	1	1
Black	9	–	–	–	–	–	2	–	4	2	–	1	4	–	–	–	–	–	–	–	1	2	1	–
Angina pectoris (413)	22	–	–	–	–	–	–	4	1	10	6	1	24	–	–	–	–	–	1	1	4	4	12	2
White	18	–	–	–	–	–	–	3	–	9	5	1	23	–	–	–	–	–	1	1	4	4	11	2
All other	4	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,050	1	4	2	4	53	227	755	1,922	3,411	3,696	2,769	12,477	1	1	6	1	6	45	171	694	1,910	3,986	5,645
White	11,996	1	3	1	4	44	168	668	1,746	3,119	3,592	2,618	11,625	1	1	5	–	4	31	142	596	1,714	3,721	5,399
All other	1,054	–	1	1	–	9	39	87	174	292	304	145	852	–	–	1	1	2	14	29	98	196	265	246
Black	697	–	1	–	–	7	33	66	126	197	176	90	679	–	–	1	1	2	11	25	79	160	208	192
Other diseases of endocardium (424)	439	2	–	1	4	5	11	21	68	116	136	73	478	1	–	1	2	5	4	12	32	95	182	143
White	400	2	–	1	3	5	8	19	63	102	129	68	450	1	–	1	1	2	4	10	30	87	174	139
All other	39	–	–	–	1	–	3	2	5	14	9	5	28	–	–	–	1	3	–	2	2	8	8	4
Black	24	–	–	–	1	–	3	1	3	10	2	4	21	–	–	–	1	2	–	1	2	7	6	2
All other forms of heart disease (415-423,425-429)	7,577	30	12	19	56	106	188	577	1,471	1,993	1,919	1,205	7,148	25	14	12	38	43	95	189	639	1,234	2,211	2,647
White	6,648	25	7	17	45	83	131	471	1,246	1,760	1,737	1,124	6,498	21	10	9	29	30	66	145	532	1,094	2,039	2,521
All other	929	5	5	1	11	23	57	106	225	233	182	81	649	4	4	3	7	13	29	44	107	140	172	126
Black	707	1	5	1	9	17	45	89	188	181	117	54	546	4	4	1	5	10	26	37	92	122	146	101
Hypertension with or without renal disease (401,403)	343	–	–	1	–	5	5	14	36	64	126	92	386	–	–	1	–	1	2	7	37	57	124	137
White	285	–	–	–	–	2	2	10	26	55	106	84	315	–	–	1	–	1	1	6	26	49	105	126
All other	58	–	–	1	–	3	3	4	10	9	20	8	51	–	–	–	–	–	1	1	11	8	19	11
Black	39	–	–	1	–	2	2	4	6	8	13	3	40	–	–	–	–	–	1	1	10	7	13	8
Cerebrovascular diseases (430-438)	6,045	11	3	6	15	59	103	260	650	1,416	2,170	1,347	9,527	6	2	10	9	44	106	232	594	1,427	3,199	3,894
White	5,292	9	2	5	15	51	72	201	511	1,220	1,937	1,285	8,687	3	2	10	5	35	82	183	483	1,237	2,941	3,702
All other	753	2	1	1	–	8	31	59	139	196	233	62	840	3	–	–	4	9	24	49	111	190	258	192
Black	479	1	1	1	–	6	24	40	105	126	130	44	604	2	–	–	4	8	17	36	90	134	189	124
Intracerebral and other intracranial hemorrhage (431-432)	875	4	1	2	8	28	47	102	178	222	210	74	1,062	2	–	–	1	13	27	76	152	272	315	201
White	729	3	1	2	8	21	35	73	138	193	183	71	933	1	–	–	1	8	21	61	116	239	294	189
All other	146	1	–	–	–	5	12	29	40	29	27	3	129	1	–	–	–	5	6	15	36	33	21	12
Black	78	1	–	–	–	4	10	20	23	13	6	1	81	1	–	–	–	5	4	10	25	17	14	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,201	2	1	–	–	3	5	34	109	278	475	293	1,923	2	–	2	1	3	7	11	64	256	651	926
White	1,083	1	–	–	–	2	2	29	91	247	436	275	1,758	1	–	2	–	3	6	11	53	217	598	868
All other	118	1	1	–	–	1	3	5	18	31	39	18	165	1	–	–	1	–	1	–	11	39	55	57
Black	78	–	1	–	–	1	3	4	16	18	25	9	114	1	–	–	1	–	1	–	6	32	38	35
Cerebral embolism (434.1)	23	–	–	–	1	–	–	–	2	11	8	1	37	–	–	–	–	–	1	1	–	8	12	15
White	22	–	–	–	1	–	–	–	2	10	8	1	37	–	–	–	–	–	1	1	–	8	12	15
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,946	5	1	4	6	30	51	124	361	805	1,477	979	6,505	2	2	8	7	28	71	144	378	891	2,221	2,752
White	3,458	5	1	3	6	28	35	99	280	770	1,310	918	5,959	1	2	8	4	24	54	110	314	773	2,039	2,629
All other	488	–	–	1	–	2	16	25	81	135	167	61	546	1	–	–	3	4	17	34	64	118	182	123
Black	323	–	–	1	–	1	11	16	66	95	99	34	409	–	–	–	3	3	12	26	59	85	137	84
Atherosclerosis (440)	973	–	–	1	–	–	1	13	47	155	349	405	1,695	–	2	2	–	1	1	6	38	153	489	1,001
White	912	–	–	1	–	–	1	8	42	141	333	385	1,612	–	2	2	–	1	1	4	31	136	472	961
All other	61	–	–	–	–	–	–	5	5	14	16	20	83	–	–	–	–	–	–	2	7	17	17	40
Black	42	–	–	–	–	–	–	5	4	9	13	11	59	–	–	–	–	–	–	1	6	14	13	25
Other diseases of arteries, arterioles, and capillaries (441-448)	1,342	2	1	2	6	11	21	46	219	451	428	154	772	1	–	1	2	5	4	27	80	208	262	183
White	1,245	2	1	2	6	10	17	40	199	414	409	144	707	1	–	1	1	3	2	21	66	192	246	173
All other	97	–	–	–	–	1	4	6	20	37	19	10	65	–	–	–	1	2	2	6	14	14	16	10
Black	61	–	–	–	–	1	2	6	17	22	9	4	43	–	–	–	1	1	1	5	8	11	11	5
Acute bronchitis and bronchiolitis (466)	47	12	1	–	1	–	1	3	6	6	12	5	33	4	–	–	–	1	–	2	3	6	10	7
White	39	8	–	–	1	–	1	3	6	6	9	5	30	3	–	–	–	1	–	2	2	5	10	7
All other	8	4	1	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–	–	–	1	1	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Pneumonia and influenza (480-487)	2,723	45	14	12	23	37	64	93	259	505	893	778	2,756	32	7	9	13	20	23	51	154	342	797	1,304
White	2,475	38	12	12	15	31	44	71	217	454	841	738	2,599	23	7	9	9	15	16	40	138	322	757	1,259
All other	248	7	2	–	8	6	20	22	42	51	52	39	157	9	–	–	4	5	7	11	16	20	40	45
Black	166	6	2	–	6	6	19	21	33	29	25	19	109	7	–	–	4	4	4	8	15	14	27	28

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	2,695	45	14	11	23	36	63	92	258	500	883	768	2,718	32	6	8	13	20	23	50	151	340	790	1,281
White	2,448	38	12	11	15	30	49	79	216	449	831	731	2,562	23	6	8	9	15	16	40	135	320	750	1,236
All other	247	7	2	-	8	6	20	22	42	51	52	37	156	9	-	-	4	5	7	10	16	20	40	45
Black	166	6	2	-	6	6	19	21	33	29	25	19	108	7	-	-	4	4	4	7	15	14	27	26
Influenza (487)	28	-	-	1	-	1	1	1	1	5	10	8	38	-	1	1	-	-	-	1	3	2	7	23
White	27	-	-	1	-	1	1	1	1	5	10	7	37	-	1	1	-	-	-	-	3	2	7	23
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,026	6	4	5	9	11	28	92	548	1,408	1,442	471	2,619	1	2	8	13	14	20	101	400	903	796	360
White	3,759	6	4	4	7	8	20	75	493	1,313	1,375	453	2,492	1	1	6	10	12	16	84	369	877	762	353
All other	267	-	-	1	2	3	8	17	55	95	67	18	127	-	1	2	3	2	4	17	31	26	34	7
Black	186	-	-	1	2	2	8	16	46	69	38	3	99	-	1	2	2	1	3	16	28	19	25	2
Bronchitis, chronic and unspecified (490-491)	277	2	1	-	3	1	-	4	36	98	99	33	178	1	2	1	-	2	4	3	32	50	53	30
White	261	2	1	-	2	1	-	4	34	95	93	29	166	1	1	1	-	2	2	3	29	49	49	29
All other	16	-	-	-	1	-	-	-	2	3	6	4	12	-	1	-	-	-	2	-	3	1	4	1
Black	12	-	-	-	1	-	-	-	2	3	5	1	9	-	1	-	-	-	1	-	3	1	2	1
Emphysema (492)	1,063	1	-	-	-	-	5	30	163	372	376	116	568	-	-	-	1	-	4	22	111	234	153	62
White	999	1	-	-	-	-	4	25	150	349	358	112	565	-	-	-	1	-	4	20	103	227	147	62
All other	64	-	-	-	-	-	1	5	13	23	18	4	23	-	-	-	-	-	-	2	8	7	6	-
Black	38	-	-	-	-	-	1	5	10	11	10	1	18	-	-	-	-	-	-	2	8	4	4	-
Asthma (493)	157	1	1	3	5	10	11	13	24	40	42	7	222	-	-	5	11	10	6	29	34	55	53	19
White	122	1	1	2	5	7	7	11	14	34	36	4	193	-	-	3	8	8	4	20	32	50	49	19
All other	35	-	-	1	-	3	4	2	10	6	6	3	29	-	-	2	3	2	2	9	2	5	4	-
Black	21	-	-	1	-	2	4	1	7	4	2	-	25	-	-	2	2	1	2	8	2	5	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,529	2	2	2	1	-	12	45	325	898	925	315	1,631	-	-	2	1	2	6	47	223	564	537	249
White	2,377	2	2	2	-	-	9	35	295	835	888	308	1,568	-	-	2	1	2	6	41	205	551	517	243
All other	152	-	-	-	1	-	3	10	30	63	37	7	63	-	-	-	-	-	-	6	18	13	20	6
Black	115	-	-	-	1	-	3	10	27	51	21	1	47	-	-	-	-	-	-	6	15	9	16	1
Ulcer of stomach and duodenum (531-533)	462	-	-	-	-	5	17	35	78	128	138	60	426	-	-	-	1	2	8	7	44	93	143	128
White	414	-	-	-	-	3	15	28	71	124	119	54	393	-	-	-	1	1	7	7	39	85	133	120
All other	48	-	-	-	-	2	2	7	7	4	19	6	33	-	-	-	-	1	1	-	5	8	10	8
Black	26	-	-	-	-	2	2	5	6	1	8	1	21	-	-	-	-	1	1	-	4	5	4	6
Appendicitis (540-543)	28	-	-	3	3	-	-	2	4	6	5	5	23	-	-	1	-	1	-	1	4	2	8	6
White	22	-	-	2	3	-	-	-	4	3	5	5	21	-	-	1	-	1	-	-	4	2	7	6
All other	6	-	-	1	-	-	-	2	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	1	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	195	9	2	-	4	6	6	7	22	44	68	27	281	4	-	-	3	4	1	10	23	34	101	101
White	166	7	2	-	2	4	5	6	20	37	58	25	267	3	-	-	3	3	-	9	21	31	99	98
All other	29	2	-	-	2	2	1	1	2	7	10	2	14	1	-	-	-	1	1	1	2	3	2	3
Black	20	1	-	-	2	2	1	1	2	5	4	2	13	1	-	-	-	1	1	-	2	3	2	3
Chronic liver disease and cirrhosis (571)	2,654	4	2	2	5	135	329	617	792	577	172	15	1,470	3	-	3	3	72	139	273	451	364	133	29
White	2,379	2	2	2	5	119	283	533	718	539	159	14	1,319	2	-	2	3	59	115	221	421	341	127	28
All other	275	2	-	-	-	16	46	84	74	38	13	1	151	1	-	1	-	13	24	52	30	23	6	1
Black	220	2	-	-	-	14	43	67	62	25	6	1	123	1	-	1	-	12	23	44	24	16	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	117	1	-	1	1	-	1	5	14	32	45	17	153	-	-	-	-	-	3	7	8	30	49	56
White	107	1	-	-	1	-	1	5	14	30	39	16	137	-	-	-	-	-	3	5	8	24	44	53
All other	10	-	-	1	-	-	-	-	-	2	6	1	16	-	-	-	-	-	-	2	-	6	5	3
Black	5	-	-	1	-	-	-	-	-	1	3	-	9	-	-	-	-	-	-	1	-	4	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	642	7	2	-	9	16	17	27	71	149	198	146	585	10	2	1	2	9	11	24	52	134	169	151
White	542	5	2	-	6	11	12	20	54	125	174	133	485	8	2	1	2	6	8	15	37	105	166	137
All other	100	2	-	-	3	5	5	7	17	24	24	13	100	2	-	-	-	3	5	9	15	29	23	14
Black	77	1	-	-	3	3	4	6	16	17	16	11	71	2	-	-	-	2	4	8	11	23	16	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	-	-	-	1	-	1	1	2	3	2	4	7	1	-	-	-	-	-	1	1	3	1	-
White	10	-	-	-	1	-	1	-	2	2	1	3	6	1	-	-	-	-	-	1	-	3	1	-
All other	4	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	63	–	–	–	1	8	1	5	10	16	19	23	109	1	–	–	–	3	3	10	8	20	33	31
White	70	–	–	–	1	3	1	3	8	16	17	21	92	1	–	–	–	1	2	7	5	17	30	29
All other	13	–	–	–	–	5	–	2	2	–	2	2	17	–	–	–	–	2	1	3	3	3	3	2
Black	10	–	–	–	–	3	–	2	2	–	1	2	11	–	–	–	–	2	–	2	2	3	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	545	7	2	–	7	8	15	21	59	130	177	119	469	6	2	1	2	6	8	13	43	111	155	120
White	462	5	2	–	4	8	10	17	44	107	156	109	387	6	2	1	2	5	4	7	32	85	135	109
All other	83	2	–	–	3	–	5	4	15	23	21	10	82	2	–	–	–	1	4	6	11	26	20	12
Black	63	1	–	–	3	–	4	3	14	16	14	8	59	2	–	–	–	–	4	4	8	20	14	7
Infections of kidney (590)	62	–	–	–	–	–	2	3	10	14	27	26	167	–	1	–	1	4	1	7	14	23	51	65
White	70	–	–	–	–	–	2	2	7	13	24	22	157	–	1	–	1	3	1	5	14	21	48	63
All other	12	–	–	–	–	–	–	1	3	1	3	4	10	–	–	–	–	1	–	2	–	2	3	2
Black	9	–	–	–	–	–	–	1	2	1	3	2	10	–	–	–	–	1	–	2	–	2	3	2
Hyperplasia of prostate (600)	84	–	–	–	–	–	–	–	5	15	27	37	...	...	...	...	...	...	...	...	...	...	...	...
White	74	–	–	–	–	–	–	–	4	12	22	36	...	...	...	...	...	...	...	...	...	...	...	...
All other	10	–	–	–	–	–	–	–	1	3	5	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	9	–	–	–	–	–	–	–	1	3	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	42	...	...	–	14	25	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	29	...	...	–	9	18	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	5	7	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	5	3	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	3	5	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	34	...	...	–	11	20	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	–	7	14	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	4	6	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	3	1	–	...	...	...	...
Congenital anomalies (740-759)	808	543	53	35	35	33	24	20	25	18	16	5	721	494	43	26	31	25	13	20	20	18	19	12
White	680	451	48	31	27	28	23	14	23	17	15	2	612	422	33	25	25	20	8	16	18	16	19	10
All other	128	92	5	4	8	5	1	6	2	1	1	3	109	72	10	1	6	5	5	4	2	2	–	2
Black	76	57	2	3	5	2	–	2	1	1	1	2	70	44	4	1	3	5	4	4	1	2	–	2
Certain conditions originating in the perinatal period (760-779)	1,049	1,044	4	1	–	–	–	–	–	–	–	–	789	787	2	–	–	–	–	–	–	–	–	–
White	786	784	2	–	–	–	–	–	–	–	–	–	594	592	2	–	–	–	–	–	–	–	–	–
All other	263	260	2	1	–	–	–	–	–	–	–	–	195	195	–	–	–	–	–	–	–	–	–	–
Black	211	208	2	1	–	–	–	–	–	–	–	–	159	159	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	351	349	2	–	–	–	–	–	–	–	–	–	242	242	–	–	–	–	–	–	–	–	–	–
White	272	270	2	–	–	–	–	–	–	–	–	–	191	191	–	–	–	–	–	–	–	–	–	–
All other	79	79	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
Black	65	65	–	–	–	–	–	–	–	–	–	–	43	43	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-778)	698	695	2	1	–	–	–	–	–	–	–	–	547	545	2	–	–	–	–	–	–	–	–	–
White	514	514	–	–	–	–	–	–	–	–	–	–	403	401	2	–	–	–	–	–	–	–	–	–
All other	184	181	2	1	–	–	–	–	–	–	–	–	144	144	–	–	–	–	–	–	–	–	–	–
Black	146	143	2	1	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	694	402	9	2	31	68	49	25	32	20	30	20	478	256	5	4	26	28	26	15	37	29	19	29
White	553	307	8	1	28	55	39	21	28	17	25	18	399	204	4	3	23	18	21	13	33	28	17	29
All other	141	95	1	1	3	13	10	4	4	3	5	2	79	52	1	1	3	8	5	2	4	1	2	–
Black	101	72	1	1	1	7	8	4	4	2	1	–	68	44	1	1	3	6	4	–	4	1	2	–
All other diseases (Residual)	5,433	139	51	71	144	250	295	415	619	1,190	1,338	722	5,552	91	43	52	112	135	167	306	609	1,106	1,517	1,412
White	4,765	101	39	59	125	201	223	352	700	1,067	1,210	693	5,048	74	38	44	90	98	135	254	532	1,010	1,426	1,346
All other	668	32	12	12	19	49	72	63	119	123	128	39	504	17	5	8	22	37	32	52	77	96	91	66
Black	490	27	9	10	11	38	65	56	94	83	74	22	397	11	4	7	18	33	23	41	63	75	73	49
Accidents and adverse effects (E800-E949)	6,978	56	206	256	1,814	1,588	930	631	549	459	388	181	2,972	31	144	125	460	395	276	229	329	314	367	276
White	6,201	37	174	217	1,663	1,387	720	557	491	416	349	170	2,609	26	117	107	408	326	219	194	293	284	369	262
All other	777	19	32	39	151	201	110	74	58	43	39	11	363	5	27	18	52	69	59	35	36	30	18	14
Black	567	13	28	27	101	161	89	59	41	28	15	5	259	3	20	13	35	54	44	28	28	16	12	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	3,635	12	70	133	1,310	633	416	289	224	181	124	37	1,351	9	58	80	354	231	140	95	138	119	101	25
White	3,293	6	55	117	1,216	756	376	255	198	165	111	33	1,202	7	47	71	322	205	113	81	126	110	97	22
All other	342	7	15	16	94	77	40	34	26	16	13	4	149	2	11	9	32	26	27	14	12	9	4	3
Black	221	3	13	11	63	54	27	23	15	9	3	–	86	1	7	6	18	17	15	10	6	1	2	3
All other accidents and adverse effects (E800-E807, E826-E949)	3,343	44	136	123	504	755	414	342	325	278	284	144	1,621	22	86	45	106	164	139	134	191	195	286	251
White	2,908	32	119	100	447	631	344	302	293	251	238	137	1,407	19	70	36	86	121	106	113	167	174	272	240
All other	435	12	17	23	57	124	70	40	32	27	26	7	214	3	16	9	20	43	32	21	24	21	14	11
Black	346	10	15	16	38	107	62	36	26	19	12	5	173	2	13	7	17	37	29	18	20	15	10	7
Suicide (E950-E959)	2,701	...	...	12	458	717	409	303	325	245	170	58	1,048	...	...	4	124	235	179	163	159	96	62	24
White	2,475	...	...	10	407	624	371	281	311	239	163	55	954	...	...	4	111	208	164	148	147	92	59	21
All other	226	...	...	2	51	93	38	12	14	6	7	3	94	...	...	–	13	27	15	15	12	6	3	3
Black	159	...	...	2	34	71	31	3	10	3	2	3	45	...	...	–	8	13	10	8	9	3	–	–
Homicide and legal intervention (E960-E978)	2,272	22	24	29	868	720	359	220	122	60	29	10	619	17	20	26	138	163	94	46	42	36	22	11
White	1,498	15	15	19	450	466	236	137	85	37	22	7	429	12	11	21	87	107	71	28	31	28	19	11
All other	774	7	9	10	218	254	123	83	37	23	7	3	190	5	9	5	51	56	23	18	11	8	3	–
Black	702	5	8	8	202	239	104	74	34	21	4	3	159	5	8	3	41	49	20	14	9	8	1	–
All other external causes (E980-E999)	174	1	6	2	20	53	32	19	20	12	2	5	82	6	2	1	14	14	16	12	13	5	5	4
White	140	–	5	2	18	39	24	15	19	10	2	5	78	5	1	1	11	12	15	11	11	5	4	2
All other	34	1	1	–	2	14	8	4	1	2	–	–	14	1	1	–	3	2	1	1	2	–	1	2
Black	26	1	1	–	1	12	6	2	1	1	–	–	12	1	1	–	3	2	1	–	2	–	1	1
COLORADO																								
All causes	10,635	297	71	72	412	570	473	787	1,623	2,460	2,401	1,469	9,014	202	50	33	173	183	229	467	1,003	1,662	2,424	2,587
White	10,217	272	65	66	388	519	439	730	1,564	2,386	2,338	1,440	8,714	186	47	31	168	166	207	435	955	1,605	2,373	2,540
All other	418	25	6	6	24	51	34	57	59	64	63	29	300	16	3	2	5	17	22	32	48	57	51	47
Black	328	20	5	6	17	41	26	50	43	51	48	21	234	14	2	2	3	13	13	20	40	52	39	36
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	6	–	–	–	–	–	–	–	2	3	1	5	–	–	–	–	1	1	1	–	–	1	1
White	6	–	–	–	–	–	–	–	2	3	1	3	–	–	–	–	1	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	5	–	–	–	–	–	–	–	1	3	1	4	–	–	–	–	1	1	–	–	–	1	1
White	5	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–	1	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	8	4	1	–	2	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	8	4	1	–	2	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	66	1	–	–	1	3	1	5	10	16	17	12	68	2	1	–	2	1	1	3	7	15	20	17
White	64	1	–	–	1	3	1	5	9	16	16	12	68	2	1	–	2	1	1	3	7	14	20	17
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	1	1	–	–	–	–	1	–
White	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	25	2	1	–	–	–	2	1	3	7	2	7	42	3	2	–	–	2	1	2	8	9	7	8
White	23	1	–	–	–	–	2	1	3	7	2	7	39	2	2	–	–	2	1	1	7	9	7	8
All other	2	1	1	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1	1	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,988	1	7	9	16	39	53	194	419	620	454	176	1,855	–	7	9	15	28	77	192	407	473	410	237
White	1,912	1	6	8	14	36	49	182	404	600	441	171	1,783	–	6	9	13	26	68	178	393	460	397	233
All other	76	–	1	1	2	3	4	12	15	20	13	5	72	–	1	–	2	2	9	14	14	13	13	4
Black	66	–	1	1	1	2	4	11	12	19	11	4	54	–	1	–	2	1	5	8	10	11	12	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	39	–	–	–	–	–	3	8	9	13	6	–	16	–	–	–	–	1	–	2	4	7	1	1
White	37	–	–	–	–	–	3	7	8	13	6	–	16	–	–	–	–	1	–	2	4	7	1	1
All other	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	507	–	1	–	1	6	11	45	115	172	107	49	491	–	–	–	1	4	11	38	88	128	134	89
White	483	–	1	–	–	4	9	42	109	166	103	49	471	–	–	–	1	3	10	30	85	124	131	87
All other	24	–	–	–	1	2	2	3	6	6	4	–	20	–	–	–	–	1	1	8	3	4	3	2
Black	19	–	–	–	1	1	2	3	4	5	3	–	12	–	–	–	–	–	–	2	3	3	2	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	647	–	–	–	2	3	8	72	169	231	139	23	258	–	–	–	–	1	8	29	77	80	47	16
White	617	–	–	–	2	3	6	65	164	221	135	21	253	–	–	–	–	1	7	29	76	79	46	15
All other	30	–	–	–	–	–	2	7	5	10	4	2	5	–	–	–	–	–	1	–	1	1	1	1
Black	29	–	–	–	–	–	2	6	5	10	4	2	4	–	–	–	–	–	1	–	–	1	1	1
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	–	–	2	1	374	–	–	–	–	8	27	50	93	90	68	38
White	3	–	–	–	–	–	–	–	–	–	2	1	362	–	–	–	–	8	24	48	91	87	66	38
All other	–	–	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	3	2	2	3	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	3	1	1	3	2	–
Malignant neoplasms of genital organs (179-187)	257	–	–	–	1	1	1	2	22	71	104	55	214	–	–	–	–	2	9	26	52	58	50	17
White	249	–	–	–	1	1	1	2	22	68	101	53	205	–	–	–	–	2	8	24	49	57	48	17
All other	8	–	–	–	–	–	–	–	–	3	3	2	9	–	–	–	–	–	1	2	3	1	2	–
Black	8	–	–	–	–	–	–	–	–	3	3	2	7	–	–	–	–	–	–	2	2	1	2	–
Malignant neoplasms of urinary organs (188-189)	102	–	–	–	–	1	4	9	21	33	18	16	74	–	–	–	–	1	2	4	9	17	24	17
White	101	–	–	–	–	–	4	9	21	33	18	16	71	–	–	–	–	1	1	4	9	16	23	17
All other	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	241	1	4	4	6	17	17	33	51	49	40	19	240	–	2	6	7	5	13	27	54	54	38	34
White	234	1	3	3	6	17	17	33	49	48	38	19	228	–	2	6	6	5	11	24	51	53	37	33
All other	7	–	1	1	–	–	–	–	2	1	2	–	12	–	–	–	1	–	2	3	3	1	1	1
Black	5	–	1	1	–	–	–	–	1	1	1	–	10	–	–	–	1	–	–	3	3	1	1	1
Leukemia (204-208)	80	–	1	4	5	5	2	10	10	17	18	8	75	–	4	2	4	3	4	8	11	10	14	15
White	80	–	1	4	5	5	2	10	10	17	18	8	69	–	3	2	3	3	4	8	9	9	13	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	1	–	–	–	2	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	1	–	1	–	–	–	1	1	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	112	–	1	1	1	6	7	15	22	34	20	5	113	–	1	1	3	3	3	10	19	29	34	10
White	108	–	1	1	–	6	7	14	21	34	20	4	108	–	1	1	3	2	3	9	19	28	32	10
All other	4	–	–	–	1	–	–	1	1	–	–	1	5	–	–	–	–	1	–	1	–	1	2	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	1	–	–	–	2	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	–	–	2	1	2	2	2	6	11	5	2	22	–	1	–	1	1	1	1	3	5	6	3
White	33	–	–	2	1	2	2	2	6	11	5	2	21	–	1	–	1	–	1	1	3	5	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	133	-	1	-	5	4	6	10	23	37	36	11	162	-	-	-	3	7	4	5	18	45	53	27
White	123	-	1	-	4	3	6	7	22	36	34	10	152	-	-	-	3	7	4	5	15	43	50	25
All other	10	-	-	-	1	1	-	3	1	1	2	1	10	-	-	-	-	-	-	-	3	2	3	2
Black	7	-	-	-	1	1	-	3	-	-	2	-	8	-	-	-	-	-	-	-	1	2	3	2
Nutritional deficiencies (260-269)	12	-	-	-	-	-	-	-	-	-	5	7	24	-	-	-	-	-	-	-	-	3	7	14
White	11	-	-	-	-	-	-	-	-	-	4	7	23	-	-	-	-	-	-	-	-	3	6	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	18	-	-	-	2	-	2	-	-	5	6	3	19	-	1	1	1	1	-	-	-	7	4	4
White	16	-	-	-	1	-	1	-	-	5	6	3	18	-	1	1	1	-	-	-	-	7	4	4
All other	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	15	5	1	1	1	1	2	-	2	1	1	-	5	1	2	-	-	-	-	-	1	-	1	-
White	14	5	-	1	1	1	2	-	2	1	1	-	3	1	1	-	-	-	-	-	-	-	1	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	4,334	7	-	2	7	38	89	296	727	1,121	1,215	832	4,270	5	2	1	9	14	38	109	312	714	1,363	1,705
White	4,212	6	-	2	7	36	83	278	702	1,099	1,181	818	4,165	5	2	1	9	11	34	102	294	692	1,337	1,676
All other	122	1	-	-	-	2	6	18	25	22	34	14	105	-	-	-	-	3	2	7	18	22	26	27
Black	94	1	-	-	-	2	5	16	18	16	26	10	90	-	-	-	-	2	2	7	18	21	22	18
Diseases of heart (390-398,402,404-429)	3,479	6	-	1	6	30	82	269	636	934	933	582	3,164	5	2	1	5	9	25	76	251	562	1,007	1,221
White	3,390	6	-	1	6	28	77	254	615	917	910	576	3,080	5	2	1	5	6	23	70	235	546	987	1,200
All other	89	-	-	-	-	2	5	15	21	17	23	6	84	-	-	-	-	3	2	6	16	16	20	21
Black	71	-	-	-	-	2	5	14	16	11	18	5	79	-	-	-	-	2	2	6	16	16	17	14
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	-	1	2	1	2	6	10	9	3	83	-	-	-	1	-	1	2	14	32	21	12
White	34	-	-	-	1	2	1	2	6	10	9	3	83	-	-	-	1	-	1	2	14	32	21	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	27	-	-	-	-	-	-	6	6	6	6	3	70	-	-	-	-	-	-	2	4	15	29	20
White	25	-	-	-	-	-	-	4	6	6	6	3	64	-	-	-	-	-	-	2	1	12	29	20
All other	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	-	-	-	3	3	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	-	-	-	3	3	-	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	1	-	4	2	22	-	-	-	-	1	-	1	1	1	8	10
White	5	-	-	-	-	-	-	-	-	-	3	2	20	-	-	-	-	1	-	1	1	1	8	8
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Ischemic heart disease (410-414)	2,679	-	-	-	1	14	65	215	538	747	705	394	2,093	-	-	-	1	3	18	41	168	389	695	778
White	2,621	-	-	-	1	13	61	206	523	738	690	389	2,046	-	-	-	1	1	18	39	160	378	683	766
All other	58	-	-	-	-	1	4	9	15	9	15	5	47	-	-	-	-	2	-	2	8	11	12	12
Black	45	-	-	-	-	1	4	9	11	5	10	5	37	-	-	-	-	1	-	2	8	11	9	6
Acute myocardial infarction (410)	1,598	-	-	-	1	12	46	151	359	495	381	153	1,043	-	-	-	1	1	14	35	112	245	363	272
White	1,570	-	-	-	1	11	42	145	352	491	377	151	1,022	-	-	-	1	-	14	34	110	238	356	269
All other	28	-	-	-	-	1	4	6	7	4	4	2	21	-	-	-	-	1	-	1	2	7	7	3
Black	21	-	-	-	-	1	4	6	5	2	1	2	15	-	-	-	-	1	-	1	2	7	4	-
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	1	5	7	8	6	1	22	-	-	-	-	-	-	-	2	9	8	3
White	27	-	-	-	-	-	1	5	6	8	6	1	22	-	-	-	-	-	-	-	2	9	8	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,052	-	-	-	-	2	16	59	172	244	318	239	1,025	-	-	-	-	2	4	6	54	134	323	502
White	1,023	-	-	-	-	2	16	56	165	239	307	236	999	-	-	-	-	1	4	5	48	130	318	493
All other	29	-	-	-	-	-	-	3	7	5	11	3	26	-	-	-	-	1	-	1	6	4	5	9
Black	23	-	-	-	-	-	-	3	5	3	9	3	22	-	-	-	-	-	-	1	6	4	5	6
Other diseases of endocardium (424)	39	-	-	-	-	-	2	4	9	8	11	5	44	-	-	-	-	-	-	1	3	7	17	16
White	39	-	-	-	-	-	2	4	9	8	11	5	43	-	-	-	-	-	-	1	3	7	16	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	693	5	–	1	4	14	14	42	76	163	198	175	852	5	2	1	3	5	6	29	61	118	237	385
White	666	6	–	1	4	13	13	38	71	155	191	174	824	5	2	1	3	4	4	25	56	116	230	378
All other	27	–	–	–	–	1	1	4	5	8	7	1	28	–	–	–	–	1	2	4	5	2	7	7
Black	22	–	–	–	–	1	1	3	4	6	7	–	27	–	–	–	–	1	2	4	5	2	7	6
Hypertension with or without renal disease (401,403)	23	–	–	–	–	–	–	–	1	6	10	6	28	–	–	–	1	1	–	1	1	–	9	15
White	23	–	–	–	–	–	–	–	1	6	10	6	26	–	–	–	1	1	–	1	1	–	7	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Cerebrovascular diseases (430-438)	544	1	–	1	1	6	7	22	59	98	166	163	776	–	–	–	2	4	11	29	52	110	258	310
White	519	–	–	1	1	6	6	19	55	94	178	159	763	–	–	–	2	4	11	28	50	107	255	306
All other	25	1	–	–	–	–	1	3	4	4	8	4	13	–	–	–	–	–	–	1	2	3	3	4
Black	17	1	–	–	–	–	–	2	2	4	6	2	9	–	–	–	–	–	–	1	2	2	2	2
Intracerebral and other intracranial hemorrhage (431-432)	71	1	–	1	–	2	1	9	16	19	15	7	73	–	–	–	–	1	2	4	7	19	23	17
White	64	–	–	1	–	2	1	7	15	18	14	6	72	–	–	–	–	1	2	3	7	19	23	17
All other	7	1	–	–	–	–	–	2	1	1	1	1	1	–	–	–	–	–	–	1	–	–	–	–
Black	5	1	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	76	–	–	–	1	1	1	–	7	12	31	23	93	–	–	–	–	–	–	2	5	11	33	42
White	73	–	–	–	1	1	1	–	6	11	30	23	91	–	–	–	–	–	–	2	5	11	31	42
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Cerebral embolism (434.1)	8	–	–	–	–	–	–	–	–	2	4	2	6	–	–	–	–	–	–	1	1	2	–	2
White	8	–	–	–	–	–	–	–	–	2	4	2	6	–	–	–	–	–	–	1	1	2	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	389	–	–	–	–	3	5	13	36	65	136	131	604	–	–	–	2	3	9	22	39	78	202	249
White	374	–	–	–	–	3	4	12	34	63	130	128	594	–	–	–	2	3	9	22	37	75	201	245
All other	15	–	–	–	–	–	1	1	2	2	6	3	10	–	–	–	–	–	–	–	2	3	1	4
Black	9	–	–	–	–	–	–	1	–	2	4	2	6	–	–	–	–	–	–	–	2	2	–	2
Atherosclerosis (440)	126	–	–	–	–	–	–	–	7	25	42	52	222	–	–	–	–	–	–	–	5	17	66	134
White	121	–	–	–	–	–	–	–	7	25	40	48	217	–	–	–	–	–	–	–	5	15	65	132
All other	5	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	–	–	–	2	1	2
Black	3	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	–	2	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	162	–	–	–	–	2	–	5	24	58	44	29	80	–	–	–	1	–	–	3	3	25	23	25
White	159	–	–	–	–	2	–	5	24	57	43	28	79	–	–	–	1	–	–	3	3	24	23	25
All other	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Acute bronchitis and bronchiolitis (466)	3	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	1	1	–	1
White	3	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	1	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	365	3	1	1	–	5	8	15	25	60	113	134	336	5	–	1	1	3	4	5	16	34	103	164
White	347	3	1	1	–	5	7	8	23	56	111	132	330	5	–	1	1	2	4	5	15	33	103	161
All other	18	–	–	–	–	–	1	7	2	4	2	2	6	–	–	–	–	1	–	–	1	1	–	3
Black	17	–	–	–	–	–	1	7	2	4	1	2	5	–	–	–	–	1	–	–	1	1	–	2
Pneumonia (480-486)	358	3	1	1	–	5	8	15	24	59	111	131	325	5	–	1	1	3	4	4	16	34	101	156
White	340	3	1	1	–	5	7	8	22	55	109	129	319	5	–	1	1	2	4	4	15	33	101	153
All other	18	–	–	–	–	–	1	7	2	4	2	2	6	–	–	–	–	1	–	–	1	1	–	3
Black	17	–	–	–	–	–	1	7	2	4	1	2	5	–	–	–	–	1	–	–	1	1	–	2
Influenza (487)	7	–	–	–	–	–	–	–	1	1	2	3	11	–	–	–	–	–	–	1	–	–	2	8
White	7	–	–	–	–	–	–	–	1	1	2	3	11	–	–	–	–	–	–	1	–	–	2	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	607	1	1	–	1	4	1	11	94	225	199	70	311	–	–	1	1	1	2	20	52	104	88	42
White	593	1	1	–	1	3	1	11	89	221	198	67	306	–	–	1	1	1	2	19	51	102	88	41
All other	14	–	–	–	–	1	–	–	5	4	1	3	5	–	–	–	–	–	–	1	1	2	–	1
Black	9	–	–	–	–	–	–	–	3	4	–	2	5	–	–	–	–	–	–	1	1	2	–	1
Bronchitis, chronic and unspecified (490-491)	35	1	1	–	–	–	–	1	5	9	12	6	15	–	–	–	–	–	–	1	2	–	2	5	5
White	34	1	1	–	–	–	–	1	5	9	12	5	15	–	–	–	–	–	–	1	2	–	2	5	5
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	130	–	–	–	–	–	1	2	20	55	37	15	64	–	–	–	–	–	–	1	3	15	24	16	5
White	128	–	–	–	–	–	1	2	20	53	37	15	63	–	–	–	–	–	–	1	3	15	23	16	5
All other	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	18	–	–	–	1	4	–	2	–	9	2	–	27	–	–	1	1	1	–	1	6	7	7	3
White	16	–	–	–	1	3	–	2	–	8	2	–	27	–	–	1	1	1	–	1	6	7	7	3
All other	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	424	–	–	–	–	–	–	6	69	152	148	49	205	–	–	–	–	–	–	14	31	71	60	29
White	415	–	–	–	–	–	–	6	64	151	147	47	201	–	–	–	–	–	–	13	30	70	60	28
All other	9	–	–	–	–	–	–	–	5	1	1	2	4	–	–	–	–	–	–	1	1	1	–	1
Black	6	–	–	–	–	–	–	–	3	1	–	2	4	–	–	–	–	–	–	1	1	1	–	1
Ulcer of stomach and duodenum (531-533)	39	–	–	–	1	1	2	1	5	10	10	9	48	–	–	–	–	–	–	1	6	10	14	17
White	39	–	–	–	1	1	2	1	5	10	10	9	47	–	–	–	–	–	–	1	6	10	14	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis (540-543)	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	–	1	–	1	–	1	1	3	5	5	6	45	–	–	2	–	–	–	2	2	9	12	18
White	22	–	1	–	1	–	–	1	3	5	5	6	44	–	–	2	–	–	–	2	2	9	11	18
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	190	–	–	1	–	11	23	40	69	35	14	3	101	–	–	1	–	4	8	28	28	22	9	1
White	185	–	–	1	–	8	22	40	62	35	14	3	95	–	–	1	–	1	7	27	27	22	9	1
All other	5	–	–	–	–	3	1	–	1	–	–	–	6	–	–	–	–	3	1	1	1	–	–	–
Black	4	–	–	–	–	2	1	–	1	–	–	–	3	–	–	–	–	2	–	–	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	17	–	–	–	–	–	–	1	–	6	6	4	24	–	–	–	–	–	–	1	–	6	8	9
White	16	–	–	–	–	–	–	–	–	6	6	4	24	–	–	–	–	–	–	1	–	6	8	9
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	96	1	–	1	–	1	3	4	12	23	29	22	84	2	–	–	1	1	–	3	6	17	31	23
White	91	1	–	1	–	1	3	3	11	22	27	22	78	2	–	–	1	1	–	3	5	15	31	20
All other	5	–	–	–	–	–	–	1	1	1	2	–	6	–	–	–	–	–	–	–	1	2	–	3
Black	3	–	–	–	–	–	–	1	–	1	1	–	6	–	–	–	–	–	–	–	1	2	–	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	–	–	–	–	–	–	–	3	2	4	4	11	–	–	–	–	–	–	1	–	1	5	4
White	13	–	–	–	–	–	–	–	3	2	4	4	10	–	–	–	–	–	–	1	–	1	5	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	80	1	–	1	–	1	3	4	9	18	25	18	72	2	–	–	1	1	–	2	5	16	26	19
White	76	1	–	1	–	1	3	3	8	18	23	18	68	2	–	–	1	1	–	2	5	14	26	17
All other	4	–	–	–	–	–	–	1	1	–	2	–	4	–	–	–	–	–	–	–	–	2	–	2
Black	2	–	–	–	–	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	–	2	–	2
Infections of kidney (590)	7	–	–	–	–	–	–	–	1	–	4	2	16	–	–	–	–	–	–	–	–	5	6	5
White	7	–	–	–	–	–	–	–	1	–	4	2	16	–	–	–	–	–	–	–	–	5	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	11	–	–	–	–	–	–	–	1	2	4	4	***	***	***	***	***	***	***	***	***	***	***	***
White	11	–	–	–	–	–	–	–	1	2	4	4	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	–	1	4	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	–	1	4	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	3	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	3	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	94	63	6	6	7	2	1	–	4	2	3	–	83	53	13	3	2	2	1	1	1	1	4	2
White	84	58	5	6	4	2	1	–	4	2	2	–	79	50	12	3	2	2	1	1	1	1	4	2
All other	10	5	1	–	3	–	–	–	–	–	1	–	4	3	1	–	–	–	–	–	–	–	–	–
Black	8	4	1	–	3	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	139	139	–	–	–	–	–	–	–	–	–	–	80	80	–	–	–	–	–	–	–	–	–	–
White	127	127	–	–	–	–	–	–	–	–	–	–	72	72	–	–	–	–	–	–	–	–	–	–
All other	12	12	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	39	39	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
White	36	36	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	100	100	–	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
White	91	91	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	8	8	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	110	54	1	–	2	7	5	4	3	13	11	10	85	32	–	–	4	1	2	1	3	10	11	21
White	98	50	1	–	2	6	4	3	2	11	9	10	82	30	–	–	4	1	1	1	3	10	11	21
All other	12	4	–	–	–	1	1	1	1	2	2	–	3	2	–	–	–	–	1	–	–	–	–	–
Black	11	3	–	–	–	1	1	1	1	2	2	–	2	2	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	719	9	6	3	11	30	48	57	91	172	188	104	740	10	4	1	15	17	20	43	91	132	200	207
White	693	9	6	3	8	26	46	53	88	166	186	102	701	9	4	1	14	15	17	39	86	120	194	202
All other	26	–	–	–	3	4	2	4	3	6	2	2	39	1	–	–	1	2	3	4	5	12	6	5
Black	18	–	–	–	1	2	–	3	3	5	2	2	29	1	–	–	1	2	2	2	4	10	2	5
Accidents and adverse effects (E800-E949)	973	3	37	38	236	252	110	84	63	57	51	42	399	4	15	12	80	54	31	28	27	33	56	59
White	922	2	36	34	227	240	102	78	59	55	49	40	383	4	15	10	79	51	29	25	25	32	55	58
All other	51	1	1	4	9	12	8	6	4	2	2	2	16	–	–	2	1	3	2	3	2	1	1	1
Black	36	1	–	4	7	9	5	5	3	–	1	1	9	–	–	2	–	2	1	2	1	1	–	–
Motor vehicle accidents (E810-E825)	485	1	15	14	149	147	64	38	24	17	10	6	190	–	4	8	69	40	18	14	12	12	11	2
White	458	1	14	12	143	139	61	34	23	16	9	6	180	–	4	6	68	37	17	12	11	12	11	2
All other	27	–	1	2	6	8	3	4	1	1	1	–	10	–	–	2	1	3	1	2	1	–	–	–
Black	17	–	–	2	4	6	1	3	1	–	–	–	6	–	–	2	–	2	–	1	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	488	2	22	24	87	105	46	46	39	40	41	36	209	4	11	4	11	14	13	14	15	21	45	57
White	464	1	22	22	84	101	41	44	36	39	40	34	203	4	11	4	11	14	12	13	14	20	44	56
All other	24	1	–	2	3	4	5	2	3	1	1	2	6	–	–	–	–	–	1	1	1	1	1	1
Black	19	1	–	2	3	3	4	2	2	–	1	1	3	–	–	–	–	–	1	1	–	1	–	–
Suicide (E950-E959)	402	...	...	3	73	106	78	41	54	25	17	5	102	...	...	–	17	24	25	18	9	6	3	–
White	382	...	...	3	71	95	74	39	54	24	17	5	101	...	...	–	17	24	25	18	9	5	3	–
All other	20	...	...	–	2	11	4	2	–	1	–	–	1	...	...	–	–	–	–	–	–	1	–	–
Black	15	...	...	–	2	10	3	–	–	–	–	–	1	...	...	–	–	–	–	–	–	1	–	–
Homicide and legal intervention (E960-E978)	149	2	6	3	36	43	30	14	8	5	1	1	52	4	2	1	16	11	11	1	2	–	2	2
White	126	2	5	2	34	31	25	13	8	4	1	1	47	3	2	1	16	10	8	1	2	–	2	2
All other	23	–	1	1	2	12	5	1	–	1	–	–	5	1	–	–	–	1	3	–	–	–	–	–
Black	20	–	1	1	1	12	4	1	–	–	–	–	5	1	–	–	–	1	3	–	–	–	–	–
All other external causes (E980-E999)	49	2	–	1	9	19	6	6	6	–	–	–	19	–	–	–	3	5	3	2	3	–	2	–
White	45	1	–	1	8	18	6	5	6	–	–	–	19	–	–	–	3	5	3	2	3	–	2	–
All other	4	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	13,945	250	38	60	394	364	419	961	2,436	3,732	3,424	1,866	12,893	200	27	39	131	179	244	588	1,492	2,616	3,653	3,713
White	13,123	191	35	52	361	315	333	848	2,245	3,586	3,321	1,835	12,301	151	26	38	120	152	205	534	1,384	2,509	3,538	3,643
All other	822	59	3	8	33	49	86	113	191	146	103	31	592	49	1	1	11	27	39	54	108	107	115	70
Black	793	58	2	8	32	49	82	107	191	140	94	30	578	48	1	1	10	27	38	53	107	104	113	66
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	1	1	-	1	3	5	2	-	4	-	-	-	-	-	-	-	-	2	1	1
White	10	-	-	-	-	-	-	-	3	5	2	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	13	-	-	-	1	1	-	1	3	5	2	-	3	-	-	-	-	-	-	-	-	2	1	-
White	10	-	-	-	-	-	-	-	3	5	2	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	1	-	-	-	-	-	-	6	-	2	-	1	1	-	1	1	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	5	-	2	-	-	1	-	1	1	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	93	2	-	-	-	-	1	6	17	24	29	14	96	1	-	-	-	-	2	2	9	22	36	24
White	87	1	-	-	-	-	1	5	15	23	28	14	90	1	-	-	-	-	2	2	8	21	33	23
All other	6	1	-	-	-	-	-	1	2	1	1	-	6	-	-	-	-	-	-	-	1	1	3	1
Black	5	-	-	-	-	-	-	1	2	1	1	-	6	-	-	-	-	-	-	-	1	1	3	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	4	1	2	-	1	-	2	-	2	-	-	-	-	-	1	1	-	-	-	-
White	6	-	-	-	1	1	1	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	4	-	-	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	4	-	-	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	33	-	-	1	1	1	5	1	6	5	9	4	36	1	1	-	1	1	1	3	7	7	10	4
White	29	-	-	1	1	1	3	1	5	5	8	4	33	-	1	-	1	-	1	3	7	7	9	4
All other	4	-	-	-	-	-	2	-	1	-	1	-	3	1	-	-	-	1	-	-	-	-	1	-
Black	4	-	-	-	-	-	2	-	1	-	1	-	3	1	-	-	-	1	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,316	1	5	10	16	26	52	248	758	1,114	797	289	3,095	-	2	2	10	43	85	270	692	872	749	370
White	3,145	1	5	9	15	23	46	217	699	1,072	774	284	2,959	-	2	2	9	41	74	251	648	847	724	361
All other	171	-	-	1	1	3	6	31	59	42	23	5	136	-	-	-	1	2	11	19	44	25	25	9
Black	168	-	-	1	1	3	6	31	59	41	21	5	131	-	-	-	1	2	10	18	43	23	25	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	97	-	-	-	-	2	2	14	18	43	12	6	45	-	-	-	-	-	1	1	13	13	12	5
White	85	-	-	-	-	1	-	10	16	40	12	6	44	-	-	-	-	-	1	1	12	13	12	5
All other	12	-	-	-	-	1	2	4	2	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	12	-	-	-	-	1	2	4	2	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	897	-	-	-	1	4	8	56	179	328	231	90	858	-	-	-	-	4	14	36	139	239	274	152
White	853	-	-	-	1	3	8	53	159	318	223	88	817	-	-	-	-	4	12	34	127	231	261	146
All other	44	-	-	-	-	1	-	3	20	10	8	2	41	-	-	-	-	-	2	2	12	8	13	4
Black	43	-	-	-	-	1	-	3	20	9	8	2	40	-	-	-	-	-	2	1	12	8	13	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,031	-	-	-	-	2	15	90	320	349	209	46	551	-	-	-	-	3	15	58	164	181	100	32
White	975	-	-	-	-	2	12	79	297	337	203	45	528	-	-	-	-	3	14	52	156	175	96	32
All other	56	-	-	-	-	-	3	11	23	12	6	1	23	-	-	-	-	-	1	4	8	6	4	-
Black	55	-	-	-	-	-	3	11	23	12	5	1	22	-	-	-	-	-	1	4	8	5	4	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	3	1	-	601	-	-	-	-	11	23	86	149	156	125	51
White	6	-	-	-	-	-	-	1	1	3	1	-	581	-	-	-	-	11	20	78	144	153	124	51
All other	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	3	8	5	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	2	8	5	2	1	-
Malignant neoplasms of genital organs (179-187)	358	-	-	1	1	3	1	5	33	103	137	74	352	-	-	-	-	2	12	34	96	97	78	33
White	341	-	-	1	1	3	1	3	30	99	131	72	332	-	-	-	-	2	9	32	88	94	75	32
All other	17	-	-	-	-	-	-	2	3	4	6	2	20	-	-	-	-	-	3	2	8	3	3	1
Black	16	-	-	-	-	-	-	2	3	4	5	2	20	-	-	-	-	-	3	2	8	3	3	1
Malignant neoplasms of urinary organs (188-189)	185	-	-	-	-	-	-	15	35	66	44	25	82	-	-	-	1	-	1	8	17	13	24	18
White	180	-	-	-	-	-	-	14	34	63	44	25	78	-	-	-	1	-	1	8	15	13	23	17
All other	5	-	-	-	-	-	-	1	1	3	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Black	5	-	-	-	-	-	-	1	1	3	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	444	-	3	4	6	6	19	43	114	132	88	29	338	-	1	1	4	8	14	32	73	105	67	33
White	422	-	3	4	5	6	18	37	106	127	87	29	323	-	1	1	4	7	13	31	68	101	65	32
All other	22	-	-	-	1	-	1	6	8	5	1	-	15	-	-	-	-	1	1	1	5	4	2	1
Black	22	-	-	-	1	-	1	6	8	5	1	-	14	-	-	-	-	1	1	1	4	4	2	1
Leukemia (204-208)	127	1	2	5	2	6	3	8	17	38	32	15	118	-	1	1	2	9	2	8	18	27	31	19
White	124	1	2	4	2	5	3	8	16	36	32	15	116	-	1	1	2	9	1	7	18	27	31	19
All other	3	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	3	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	171	-	-	-	6	3	4	16	41	54	43	4	150	-	-	-	3	6	3	9	23	41	38	27
White	159	-	-	-	6	3	4	12	40	49	41	4	140	-	-	-	2	5	3	8	20	40	37	25
All other	12	-	-	-	-	-	-	4	1	5	2	-	10	-	-	-	1	1	-	1	3	1	1	2
Black	12	-	-	-	-	-	-	4	1	5	2	-	10	-	-	-	1	1	-	1	3	1	1	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	49	-	-	2	1	1	2	4	4	17	11	7	54	-	-	1	3	3	1	3	11	9	13	10
White	47	-	-	2	1	1	1	4	4	17	10	7	52	-	-	1	3	3	1	3	10	9	12	10
All other	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Diabetes mellitus (250)	210	-	-	-	2	4	10	20	47	54	57	16	270	-	-	-	-	2	7	12	33	73	79	64
White	194	-	-	-	2	4	9	17	43	49	54	16	254	-	-	-	-	2	6	11	25	71	77	62
All other	16	-	-	-	-	-	1	3	4	5	3	-	16	-	-	-	-	-	1	1	8	2	2	2
Black	16	-	-	-	-	-	1	3	4	5	3	-	16	-	-	-	-	-	1	1	8	2	2	2
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	-	6	1	16	-	-	-	-	-	-	-	1	-	8	7
White	6	-	-	-	-	-	-	-	-	-	5	1	15	-	-	-	-	-	-	-	1	-	7	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	12	-	-	-	1	-	-	1	2	3	1	4	20	-	-	-	-	1	1	1	1	2	4	10
White	10	-	-	-	1	-	-	-	1	3	1	4	19	-	-	-	-	1	1	1	1	2	4	9
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis (320-322)	5	1	2	-	-	-	-	-	1	-	-	1	8	-	-	-	-	1	-	1	1	2	2	1
White	5	1	2	-	-	-	-	-	1	-	-	1	8	-	-	-	-	1	-	1	1	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,609	2	3	4	11	36	120	394	1,165	1,897	1,874	1,102	6,638	4	2	2	6	17	44	156	456	1,165	2,199	2,587
White	6,335	1	2	4	9	30	100	363	1,092	1,826	1,825	1,082	6,377	3	2	2	5	12	33	129	424	1,101	2,129	2,537
All other	274	1	1	-	2	6	20	31	73	71	49	20	261	1	-	-	1	5	11	27	32	64	70	50
Black	261	1	1	-	2	6	19	30	73	68	44	19	256	1	-	-	1	5	11	27	32	63	69	47

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,389	2	2	3	6	28	106	345	1,043	1,573	1,459	831	4,984	4	2	2	4	12	29	127	367	927	1,653	1,857
White	5,177	1	2	3	5	24	90	323	979	1,511	1,423	815	4,785	3	2	2	3	8	20	104	344	875	1,602	1,822
All other	222	1	-	-	1	4	16	22	64	62	36	16	199	1	-	-	1	4	9	23	23	52	51	35
Black	211	1	-	-	1	4	15	22	64	58	31	15	197	1	-	-	1	4	9	23	23	52	50	34
Rheumatic fever and rheumatic heart disease (390-398)	37	-	-	-	-	-	-	3	8	15	7	4	74	-	-	1	-	2	-	7	14	19	23	8
White	37	-	-	-	-	-	-	3	8	15	7	4	72	-	-	1	-	1	-	7	14	18	23	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Hypertensive heart disease (402)	119	-	-	-	-	-	-	13	26	35	29	16	140	-	-	-	-	-	2	8	14	26	55	37
White	115	-	-	-	-	-	-	12	24	34	29	16	129	-	-	-	-	-	-	5	12	23	52	37
All other	4	-	-	-	-	-	-	1	2	1	-	-	11	-	-	-	-	-	2	1	2	3	3	-
Black	4	-	-	-	-	-	-	1	2	1	-	-	11	-	-	-	-	-	2	1	2	3	3	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	1	1	2	3	17	-	-	-	-	-	-	-	-	4	7	5
White	7	-	-	-	-	-	-	-	1	1	2	3	14	-	-	-	-	-	-	-	-	2	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Ischemic heart disease (410-414)	4,262	-	-	1	1	12	83	263	840	1,268	1,148	646	3,774	1	-	-	-	3	16	82	250	685	1,295	1,442
White	4,101	-	-	1	1	11	72	248	797	1,220	1,118	633	3,647	1	-	-	-	3	13	69	235	654	1,256	1,416
All other	161	-	-	-	-	1	11	15	43	48	30	13	127	-	-	-	-	-	3	13	15	31	39	26
Black	151	-	-	-	-	1	10	15	43	44	26	12	125	-	-	-	-	-	3	13	15	31	38	25
Acute myocardial infarction (410)	2,121	-	-	1	1	9	46	154	504	686	518	202	1,498	-	-	-	-	2	14	50	143	376	561	352
White	2,061	-	-	1	1	9	43	147	485	671	509	195	1,449	-	-	-	-	2	11	44	136	361	549	346
All other	60	-	-	-	-	-	3	7	19	15	9	7	49	-	-	-	-	-	3	6	7	15	12	6
Black	55	-	-	-	-	-	3	7	19	12	7	7	49	-	-	-	-	-	3	6	7	15	12	6
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	1	1	1	2	1	-	5	-	-	-	-	-	-	-	1	2	1	1
White	6	-	-	-	-	-	1	1	1	2	1	-	5	-	-	-	-	-	-	-	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	13	-	-	-	-	-	-	-	3	5	3	2	8	-	-	-	-	-	-	-	1	2	3	2
White	13	-	-	-	-	-	-	-	3	5	3	2	8	-	-	-	-	-	-	-	1	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,122	-	-	-	-	3	36	108	332	575	626	442	2,263	1	-	-	-	1	2	32	105	305	730	1,087
White	2,021	-	-	-	-	2	28	100	308	542	605	436	2,185	1	-	-	-	1	2	25	97	289	703	1,067
All other	101	-	-	-	-	1	8	8	24	33	21	6	78	-	-	-	-	-	-	7	8	16	27	20
Black	96	-	-	-	-	1	7	8	24	32	19	5	76	-	-	-	-	-	-	7	8	16	26	19
Other diseases of endocardium (424)	50	-	1	-	-	-	-	8	8	15	12	6	68	-	-	-	-	-	1	1	6	14	27	19
White	47	-	1	-	-	-	-	7	7	15	11	6	66	-	-	-	-	-	-	-	6	14	27	19
All other	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
All other forms of heart disease (415-423,425-429)	924	2	1	2	5	16	23	58	160	239	261	156	911	3	2	1	4	7	10	31	83	179	246	345
White	870	1	1	2	4	13	18	53	142	226	256	153	857	2	2	1	3	4	7	23	77	164	238	336
All other	54	1	-	-	1	3	5	5	18	13	5	3	54	1	-	-	1	3	3	8	6	15	8	9
Black	53	1	-	-	1	3	5	5	18	13	4	3	54	1	-	-	1	3	3	8	6	15	8	9
Hypertension with or without renal disease (401,403)	62	-	-	-	-	1	1	8	11	13	16	12	68	-	-	-	-	-	1	2	2	11	24	28
White	57	-	-	-	-	1	1	7	9	13	14	12	65	-	-	-	-	-	1	2	-	11	23	28
All other	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	2	-	1	-
Cerebrovascular diseases (430-438)	841	-	1	1	5	6	12	38	81	202	299	196	1,253	-	-	-	1	5	12	25	76	186	418	530
White	803	-	-	1	4	5	8	32	75	197	289	192	1,205	-	-	-	1	4	10	21	69	177	402	521
All other	38	-	1	-	1	1	4	6	6	5	10	4	48	-	-	-	-	1	2	4	7	9	16	9
Black	36	-	1	-	1	1	4	5	6	4	10	4	45	-	-	-	-	1	2	4	7	8	16	7
Intracerebral and other intracranial hemorrhage (431-432)	139	-	-	-	3	2	5	15	26	42	36	10	146	-	-	-	1	2	4	5	22	34	46	32
White	126	-	-	-	2	2	2	12	22	41	35	10	138	-	-	-	1	2	3	3	21	33	44	31
All other	13	-	-	-	1	-	3	3	4	1	1	-	8	-	-	-	-	-	1	2	1	1	2	1
Black	13	-	-	-	1	-	3	3	4	1	1	-	8	-	-	-	-	-	1	2	1	1	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	156	-	-	-	-	-	1	5	11	42	56	41	291	-	-	-	-	-	-	2	11	38	101	139
White	152	-	-	-	-	-	1	4	10	41	55	41	281	-	-	-	-	-	-	1	9	36	98	137
All other	4	-	-	-	-	-	-	1	1	1	1	-	10	-	-	-	-	-	-	1	2	2	3	2
Black	3	-	-	-	-	-	-	1	1	-	1	-	9	-	-	-	-	-	-	1	2	2	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	541	-	1	1	2	4	6	18	44	115	207	143	815	-	-	-	-	3	8	18	43	114	271	358
White	520	-	-	1	2	3	5	16	43	112	199	139	785	-	-	-	-	2	7	17	39	108	260	352
All other	21	-	1	-	-	1	1	2	1	3	8	4	30	-	-	-	-	1	1	1	4	6	11	6
Black	20	-	1	-	-	1	1	1	1	3	8	4	28	-	-	-	-	1	1	1	4	5	11	5
Atherosclerosis (440)	127	-	-	-	-	-	-	-	2	31	44	50	226	-	-	-	-	-	-	-	4	15	63	144
White	124	-	-	-	-	-	-	-	2	29	43	50	219	-	-	-	-	-	-	-	4	13	62	140
All other	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	2	1	4
Black	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	2	1	4
Other diseases of arteries, arterioles, and capillaries (441-448)	160	-	-	-	-	1	1	3	28	78	56	13	107	-	-	-	1	-	2	2	7	26	41	28
White	174	-	-	-	-	1	1	1	27	76	56	13	103	-	-	-	1	-	2	2	7	25	40	26
All other	6	-	-	-	-	1	-	2	1	2	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	6	-	-	-	-	1	-	2	1	2	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Acute bronchitis and bronchiolitis (466)	5	2	-	-	-	1	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	1	1	4
White	5	2	-	-	-	1	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	387	2	2	-	3	5	5	12	27	60	114	137	333	1	3	1	2	1	2	6	10	29	102	176
White	342	2	2	-	2	4	2	8	24	55	107	136	328	1	3	1	2	1	2	5	10	27	100	176
All other	25	-	-	-	1	1	3	4	3	5	7	1	5	-	-	-	-	-	-	1	-	2	2	-
Black	24	-	-	-	1	1	2	4	3	5	7	1	5	-	-	-	-	-	-	1	-	2	2	-
Pneumonia (480-486)	364	2	2	-	3	5	5	12	26	60	112	137	331	1	3	1	2	1	2	6	10	29	101	175
White	341	2	2	-	2	4	2	8	24	55	106	136	326	1	3	1	2	1	2	5	10	27	99	175
All other	23	-	-	-	1	1	3	4	2	5	6	1	5	-	-	-	-	-	-	1	-	2	2	-
Black	22	-	-	-	1	1	2	4	2	5	6	1	5	-	-	-	-	-	-	1	-	2	2	-
Influenza (487)	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	458	-	1	-	1	1	2	17	55	150	175	56	267	-	-	-	-	2	2	9	43	101	71	39
White	446	-	1	-	1	1	2	16	52	148	169	56	256	-	-	-	-	1	2	8	40	100	68	39
All other	12	-	-	-	-	-	-	1	3	2	6	-	9	-	-	-	-	1	-	1	3	1	3	-
Black	11	-	-	-	-	-	-	1	3	2	5	-	8	-	-	-	-	1	-	1	3	1	2	-
Bronchitis, chronic and unspecified (490-491)	23	-	-	-	-	-	-	-	3	8	8	4	21	-	-	-	-	-	-	1	5	4	2	9
White	23	-	-	-	-	-	-	-	3	8	8	4	20	-	-	-	-	-	-	1	4	4	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	72	-	-	-	-	-	1	2	8	23	31	7	36	-	-	-	-	1	-	1	7	15	8	4
White	69	-	-	-	-	-	1	2	7	23	29	7	36	-	-	-	-	1	-	1	7	15	8	4
All other	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	18	-	1	-	1	-	1	5	4	3	-	3	16	-	-	-	-	1	1	-	2	5	4	3
White	18	-	1	-	1	-	1	5	4	3	-	3	14	-	-	-	-	-	1	-	2	5	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	345	-	-	-	-	1	-	10	40	116	136	42	194	-	-	-	-	-	1	7	29	77	57	23
White	336	-	-	-	-	1	-	9	38	114	132	42	188	-	-	-	-	-	1	6	27	76	55	23
All other	9	-	-	-	-	-	-	1	2	2	4	-	6	-	-	-	-	-	-	1	2	1	2	-
Black	9	-	-	-	-	-	-	1	2	2	4	-	5	-	-	-	-	-	-	1	2	1	1	-
Ulcer of stomach and duodenum (531-533)	32	-	-	-	-	1	2	1	4	7	14	3	37	-	-	-	-	-	2	1	3	4	15	12
White	32	-	-	-	-	1	2	1	4	7	14	3	37	-	-	-	-	-	2	1	3	4	15	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	-	1	-	-	-	-	-	2	6	8	9	53	-	-	-	-	-	-	1	3	9	15	25
White	27	-	1	-	-	-	-	-	1	6	8	9	52	-	-	-	-	-	-	1	2	9	15	25
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	227	2	-	-	-	6	24	47	65	61	18	4	138	-	-	-	-	4	9	24	38	35	24	4
White	203	2	-	-	-	5	17	40	59	58	18	4	126	-	-	-	-	2	7	22	34	33	24	4
All other	24	-	-	-	-	1	7	7	6	3	-	-	12	-	-	-	-	2	2	2	4	2	-	-
Black	22	-	-	-	-	1	7	5	6	3	-	-	12	-	-	-	-	2	2	2	4	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	-	1	5	5	6	17	-	-	-	-	1	-	-	-	3	4	9
White	16	-	-	-	-	-	-	-	1	5	5	5	17	-	-	-	-	1	-	-	-	3	4	9
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	112	1	-	-	1	-	5	4	13	31	28	29	110	-	-	-	1	-	-	2	17	30	24	36
White	100	1	-	-	1	-	3	4	10	27	26	28	100	-	-	-	1	-	-	2	13	28	23	33
All other	12	-	-	-	-	-	2	-	3	4	2	1	10	-	-	-	-	-	-	-	4	2	1	3
Black	11	-	-	-	-	-	2	-	3	4	1	1	9	-	-	-	-	-	-	-	4	2	1	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	1	1	1	-	2	5	14	-	-	-	-	-	-	1	3	1	5	4
White	9	-	-	-	-	-	1	1	1	-	2	4	13	-	-	-	-	-	-	1	3	1	4	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	101	1	-	-	1	-	4	3	11	31	26	24	95	-	-	-	1	-	-	1	14	29	18	32
White	90	1	-	-	1	-	2	3	8	27	24	24	86	-	-	-	1	-	-	1	10	27	18	29
All other	11	-	-	-	-	-	2	-	3	4	2	-	9	-	-	-	-	-	-	-	4	2	-	3
Black	10	-	-	-	-	-	2	-	3	4	1	-	8	-	-	-	-	-	-	-	4	2	-	2
Infections of kidney (590)	8	-	-	-	-	-	-	-	1	1	3	3	15	-	-	-	-	-	-	-	1	4	3	7
White	8	-	-	-	-	-	-	-	1	1	3	3	15	-	-	-	-	-	-	-	1	4	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	1	-	2	---	---	---	---	---	---	---	---	---	---	---	---
White	3	-	-	-	-	-	-	-	-	1	-	2	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Congenital anomalies (740-759)	83	53	6	5	3	4	2	1	2	2	2	1	86	56	4	4	7	3	3	3	3	1	2	-
White	77	48	6	5	2	4	2	1	2	2	2	1	74	45	3	4	7	3	3	3	3	1	2	-
All other	6	5	-	-	1	-	-	-	-	-	-	-	12	11	1	-	-	-	-	-	-	-	-	-
Black	6	5	-	-	1	-	-	-	-	-	-	-	12	11	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	142	142	-	-	-	-	-	-	-	-	-	-	98	98	-	-	-	-	-	-	-	-	-	-
White	104	104	-	-	-	-	-	-	-	-	-	-	72	72	-	-	-	-	-	-	-	-	-	-
All other	38	38	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Black	38	38	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	30	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	112	112	–	–	–	–	–	–	–	–	–	–	65	65	–	–	–	–	–	–	–	–	–	–
White	81	81	–	–	–	–	–	–	–	–	–	–	46	46	–	–	–	–	–	–	–	–	–	–
All other	31	31	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Black	31	31	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	206	30	2	2	24	35	31	18	20	16	18	10	162	25	2	1	12	20	21	18	9	18	19	17
White	170	18	1	2	23	28	23	15	17	16	17	10	141	16	2	1	9	19	16	18	7	18	18	17
All other	36	12	1	–	1	7	8	3	3	–	1	–	21	9	–	–	3	1	5	–	2	–	1	–
Black	35	12	1	–	1	7	8	2	3	–	1	–	21	9	–	–	3	1	5	–	2	–	1	–
All other diseases (Residual)	814	5	5	8	20	25	30	78	148	185	175	125	851	11	4	2	18	15	22	40	103	174	211	250
White	742	5	5	8	18	22	16	58	130	166	172	122	812	10	4	2	17	10	16	31	97	171	206	247
All other	72	–	–	–	2	3	14	20	18	9	3	3	39	1	–	–	1	5	6	9	6	3	5	3
Black	71	–	–	–	2	3	13	20	16	9	3	3	39	1	–	–	1	5	6	9	6	3	5	3
Accidents and adverse effects (E800-E949)	757	3	8	23	226	140	79	62	59	54	64	39	348	3	7	20	50	34	22	30	34	42	54	52
White	703	3	7	19	221	127	68	58	51	51	59	39	332	3	7	19	48	32	21	27	32	38	54	51
All other	54	–	1	4	5	13	11	4	8	3	5	–	16	–	–	1	2	2	1	3	2	4	–	1
Black	51	–	–	4	4	13	11	3	8	3	5	–	15	–	–	1	1	2	1	3	2	4	–	1
Motor vehicle accidents (E810-E825)	350	–	3	12	155	88	38	13	15	9	16	1	130	–	2	13	35	20	10	13	12	10	11	4
White	333	–	2	12	154	79	34	13	14	9	15	1	126	–	2	12	34	19	10	12	12	10	11	4
All other	17	–	1	–	1	9	4	–	1	–	1	–	4	–	–	1	1	1	–	1	–	–	–	–
Black	16	–	–	–	1	9	4	–	1	–	1	–	3	–	–	1	–	1	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	407	3	5	11	71	52	41	49	44	45	48	38	218	3	5	7	15	14	12	17	22	32	43	48
White	370	3	5	7	67	48	34	45	37	42	44	38	206	3	5	7	14	13	11	15	20	28	43	47
All other	37	–	–	4	4	4	7	4	7	3	4	–	12	–	–	–	1	1	1	2	2	4	–	1
Black	35	–	–	4	3	4	7	3	7	3	4	–	12	–	–	–	1	1	1	2	2	4	–	1
Suicide (E950-E959)	181	...	...	–	36	43	24	29	21	17	9	2	60	...	...	–	5	11	13	12	11	6	1	1
White	174	...	...	–	34	40	22	29	21	17	9	2	59	...	...	–	5	10	13	12	11	6	1	1
All other	7	...	...	–	2	3	2	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Black	7	...	...	–	2	3	2	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	119	3	1	4	34	27	20	13	12	3	2	–	49	–	–	6	13	14	5	2	4	1	4	–
White	71	2	1	2	20	16	12	8	6	2	2	–	40	–	–	6	11	9	3	2	4	1	4	–
All other	48	1	–	2	14	11	8	5	6	1	–	–	9	–	–	–	2	5	2	–	–	–	–	–
Black	46	1	–	2	14	11	7	4	6	1	–	–	9	–	–	–	2	5	2	–	–	–	–	–
All other external causes (E980-E999)	22	–	–	–	9	4	3	4	2	–	–	–	12	–	–	–	2	2	1	–	1	3	2	1
White	21	–	–	–	9	4	3	3	2	–	–	–	11	–	–	–	2	2	1	–	1	2	2	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
DELAWARE																								
All causes	2,699	74	10	10	101	74	92	220	524	717	597	280	2,405	55	7	9	31	43	60	136	308	518	660	578
White	2,244	46	6	9	85	59	66	184	428	598	511	253	2,017	33	4	5	20	31	39	94	243	453	583	512
All other	455	28	4	1	16	16	26	36	96	119	86	27	388	22	3	4	11	12	21	42	65	65	77	66
Black	449	28	4	1	16	16	26	35	95	116	85	27	383	21	3	4	11	12	20	42	65	63	77	65
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	15	1	-	-	1	-	-	2	1	4	4	2	21	-	-	-	-	-	-	2	1	4	4	10
White	14	1	-	-	1	-	-	2	1	4	4	1	14	-	-	-	-	-	-	1	1	3	2	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	1	-	1	2	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	1	-	1	2	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	-	-	-	-	1	-	2	1	-	2	-	6	-	-	-	-	-	2	-	2	2	1	-	1
White	4	-	-	-	-	1	-	2	1	-	-	-	6	-	-	-	-	-	-	-	2	2	1	-	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	650	1	2	-	4	6	21	74	157	222	134	29	567	2	1	1	1	7	31	63	143	153	106	59
White	545	1	1	-	4	6	17	61	125	188	114	28	468	1	1	1	1	6	20	48	115	132	92	51
All other	105	-	1	-	-	-	4	13	32	34	20	1	99	1	-	-	-	1	11	15	28	21	14	8
Black	102	-	1	-	-	-	4	12	32	33	19	1	96	-	-	-	-	1	10	15	28	20	14	8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	-	-	-	-	-	1	4	8	6	2	1	7	-	-	-	-	-	-	-	1	5	-	1
White	16	-	-	-	-	-	-	3	6	5	1	1	5	-	-	-	-	-	-	-	1	3	-	1
All other	6	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	6	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	168	1	-	-	-	2	5	22	42	56	32	8	157	1	-	-	-	1	4	13	26	59	35	18
White	141	1	-	-	-	2	4	18	31	51	27	7	135	-	-	-	-	1	2	12	23	52	30	15
All other	27	-	-	-	-	-	1	4	11	5	5	1	22	1	-	-	-	-	2	1	3	7	5	3
Black	26	-	-	-	-	-	1	4	11	4	5	1	19	-	-	-	-	-	1	1	3	6	5	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	247	-	-	-	-	-	9	30	66	91	46	5	96	-	-	-	-	-	6	16	34	25	12	6
White	206	-	-	-	-	-	8	23	52	76	42	5	76	-	-	-	-	-	2	11	23	23	11	6
All other	41	-	-	-	-	-	1	7	14	15	4	-	23	-	-	-	-	-	4	5	11	2	1	-
Black	41	-	-	-	-	-	1	7	14	15	4	-	23	-	-	-	-	-	4	5	11	2	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	112	1	-	-	-	3	10	12	31	18	25	12
White	-	-	-	-	-	-	-	-	-	-	-	-	94	1	-	-	-	2	9	8	26	16	21	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	1	1	4	5	2	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	1	1	4	5	2	4	1
Malignant neoplasms of genital organs (179-187)	66	-	-	-	-	-	-	2	9	24	24	7	60	-	-	-	-	1	3	6	18	20	6	6
White	50	-	-	-	-	-	-	2	7	17	17	7	45	-	-	-	-	1	2	3	14	15	5	5
All other	16	-	-	-	-	-	-	-	2	7	7	-	15	-	-	-	-	-	1	3	4	5	1	1
Black	15	-	-	-	-	-	-	-	2	7	6	-	15	-	-	-	-	-	1	3	4	5	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	33	-	-	-	-	-	1	2	6	12	9	3	13	-	-	-	-	-	-	1	2	3	3	4
White	30	-	-	-	-	-	-	2	6	11	8	3	9	-	-	-	-	-	-	1	1	2	2	3
All other	3	-	-	-	-	-	1	-	-	1	1	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	4	-	-	-	-	-	-	-	1	1	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	65	-	2	-	4	2	3	8	13	17	15	1	73	-	1	1	1	1	3	10	18	15	16	7
White	58	-	1	-	4	2	3	7	11	16	13	1	64	-	1	1	1	1	2	9	16	13	14	6
All other	7	-	1	-	-	-	-	1	2	1	2	-	9	-	-	-	-	-	1	1	2	2	2	1
Black	6	-	1	-	-	-	-	-	2	1	2	-	9	-	-	-	-	-	1	1	2	2	2	1
Leukemia (204-208)	23	-	-	-	-	2	-	4	7	3	3	4	18	-	-	-	-	1	3	1	3	4	3	3
White	22	-	-	-	-	2	-	4	7	2	3	4	15	-	-	-	-	1	1	1	2	4	3	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26	-	-	-	-	-	2	2	6	13	3	-	28	-	-	-	-	-	2	4	10	4	6	2
White	22	-	-	-	-	-	2	2	5	10	3	-	25	-	-	-	-	-	2	3	9	4	6	1
All other	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	-	2	5	2	1	12	-	-	-	-	1	2	-	2	2	3	2
White	9	-	-	-	-	-	-	-	2	4	2	1	11	-	-	-	-	1	1	-	2	2	3	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Diabetes mellitus (250)	61	-	-	1	-	1	1	3	13	20	17	5	69	-	-	-	-	2	-	3	15	27	29	13
White	51	-	-	1	-	1	1	2	11	17	13	5	69	-	-	-	-	2	-	1	9	22	25	10
All other	10	-	-	-	-	-	-	1	2	3	4	-	20	-	-	-	-	-	-	2	6	5	4	3
Black	10	-	-	-	-	-	-	1	2	3	4	-	20	-	-	-	-	-	-	2	6	5	4	3
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	1	-	1	-	7	1	-	-	-	-	-	-	-	-	4	2
White	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	-	-	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	2	1	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,234	-	-	-	4	6	28	88	240	344	328	196	1,193	2	1	1	3	3	10	35	94	241	404	399
White	1,059	-	-	-	3	5	22	78	203	289	285	174	1,037	1	-	1	3	1	4	26	73	211	359	358
All other	175	-	-	-	1	1	6	10	37	55	43	22	156	1	1	-	-	2	6	9	21	30	45	41
Black	172	-	-	-	1	1	6	10	36	53	43	22	154	1	1	-	-	2	6	9	21	29	45	40
Diseases of heart (390-398,402,404-429)	1,045	-	-	-	4	5	24	81	219	288	267	157	938	1	-	1	3	3	5	26	75	194	319	311
White	896	-	-	-	3	4	18	72	186	242	231	140	815	1	-	1	3	1	2	18	57	171	280	281
All other	149	-	-	-	1	1	6	9	33	46	36	17	123	-	-	-	-	2	3	8	18	23	39	30
Black	146	-	-	-	1	1	6	9	32	44	36	17	122	-	-	-	-	2	3	8	18	23	39	29
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	-	2	1	3	-	9	-	-	-	-	1	-	2	2	2	2	-
White	6	-	-	-	-	-	-	-	2	1	3	-	8	-	-	-	-	1	-	2	2	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	50	-	-	-	-	1	4	3	13	12	10	7	48	-	-	-	-	-	-	3	4	10	18	13
White	33	-	-	-	-	1	1	2	7	7	8	7	39	-	-	-	-	-	-	-	3	8	15	13
All other	17	-	-	-	-	-	3	1	6	5	2	-	9	-	-	-	-	-	-	3	1	2	3	-
Black	17	-	-	-	-	-	3	1	6	5	2	-	9	-	-	-	-	-	-	3	1	2	3	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	-	-	1	1	1	3	3
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	1	1	2	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	1	1	1	2	-
Ischemic heart disease (410-414)	611	-	-	-	2	3	14	62	142	176	137	75	455	-	-	-	-	-	4	10	40	125	161	115
White	546	-	-	-	1	3	12	56	123	157	124	70	401	-	-	-	-	-	2	9	29	112	146	103
All other	65	-	-	-	1	-	2	6	19	19	13	5	54	-	-	-	-	-	2	1	11	13	15	12
Black	63	-	-	-	1	-	2	6	18	18	13	5	53	-	-	-	-	-	2	1	11	13	15	11
Acute myocardial infarction (410)	369	-	-	-	1	2	12	43	94	108	78	31	245	-	-	-	-	-	3	8	24	77	89	44
White	329	-	-	-	-	2	10	41	83	96	69	28	215	-	-	-	-	-	1	7	20	66	82	39
All other	40	-	-	-	1	-	2	2	11	12	9	3	30	-	-	-	-	-	2	1	4	11	7	5
Black	39	-	-	-	1	-	2	2	11	11	9	3	29	-	-	-	-	-	2	1	4	11	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	1	1	-	3	3	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
White	6	-	-	-	1	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	231	-	-	-	-	-	2	16	44	68	57	44	208	-	-	-	-	-	1	2	15	48	72	70
White	209	-	-	-	-	-	2	13	37	61	54	42	185	-	-	-	-	-	1	2	9	46	64	63
All other	22	-	-	-	-	-	-	3	7	7	3	2	23	-	-	-	-	-	-	-	6	2	8	7
Black	21	-	-	-	-	-	-	3	6	7	3	2	23	-	-	-	-	-	-	-	6	2	8	7
Other diseases of endocardium (424)	12	-	-	-	-	-	1	2	2	2	5	-	7	-	-	-	-	-	-	-	1	2	2	2
White	10	-	-	-	-	-	-	2	2	2	4	-	6	-	-	-	-	-	-	-	1	2	1	2
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	384	-	-	-	2	1	5	14	60	96	111	75	410	1	-	1	3	2	1	10	27	54	133	178
White	301	-	-	-	2	-	5	12	52	75	92	63	357	1	-	1	3	-	-	7	22	48	115	160
All other	83	-	-	-	-	1	-	2	8	21	19	12	53	-	-	-	-	2	1	3	5	6	18	18
Black	62	-	-	-	-	1	-	2	8	20	19	12	53	-	-	-	-	2	1	3	5	6	18	18
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	1	-	1	3	4	-	13	-	-	-	-	-	-	1	1	2	5	4
White	6	-	-	-	-	-	1	-	1	2	2	-	11	-	-	-	-	-	-	-	-	2	5	4
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Cerebrovascular diseases (430-438)	120	-	-	-	-	1	2	5	7	36	43	26	183	1	1	-	-	-	4	8	10	36	64	57
White	102	-	-	-	-	1	2	4	4	28	40	22	159	-	-	-	-	-	2	8	9	31	59	50
All other	18	-	-	-	-	-	-	1	3	7	3	4	24	1	1	-	-	-	2	-	1	7	5	7
Black	18	-	-	-	-	-	-	1	3	7	3	4	23	1	1	-	-	-	2	-	1	6	5	7
Intracerebral and other intracranial hemorrhage (431-432)	17	-	-	-	-	-	1	2	2	6	4	2	16	1	1	-	-	-	1	3	3	3	3	1
White	13	-	-	-	-	-	1	1	2	5	3	1	12	-	-	-	-	-	1	3	2	2	3	1
All other	4	-	-	-	-	-	-	1	-	1	1	1	4	1	1	-	-	-	-	-	1	1	-	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	4	1	1	-	-	-	-	-	1	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	-	-	-	-	1	1	1	1	9	9	6	39	-	-	-	-	-	-	-	2	5	17	15
White	24	-	-	-	-	1	1	1	-	6	9	6	35	-	-	-	-	-	-	-	2	4	17	12
All other	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	-	1	-	3
Black	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	-	1	-	3
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	75	-	-	-	-	-	-	2	4	21	30	18	127	-	-	-	-	-	3	5	5	30	43	41
White	65	-	-	-	-	-	-	2	2	18	28	15	111	-	-	-	-	-	1	5	5	25	38	37
All other	10	-	-	-	-	-	-	-	2	3	2	3	16	-	-	-	-	-	2	-	-	5	5	4
Black	10	-	-	-	-	-	-	-	2	3	2	3	15	-	-	-	-	-	2	-	-	4	5	4
Atherosclerosis (440)	21	-	-	-	-	-	-	-	1	7	4	9	41	-	-	-	-	-	-	-	2	5	12	22
White	18	-	-	-	-	-	-	-	1	6	3	8	37	-	-	-	-	-	-	-	2	5	12	18
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	4
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	4
Other diseases of arteries, arterioles, and capillaries (441-448)	39	-	-	-	-	-	1	2	12	10	10	4	18	-	-	-	-	-	1	-	6	2	4	5
White	37	-	-	-	-	-	1	2	11	10	9	4	15	-	-	-	-	-	-	-	5	2	3	5
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	48	3	-	1	-	-	-	1	6	7	16	12	48	-	-	-	1	1	1	1	4	9	11	20
White	36	1	-	1	-	-	-	-	6	3	15	10	42	-	-	-	1	1	1	-	3	7	11	16
All other	12	2	-	-	-	-	-	1	-	4	3	2	6	-	-	-	-	-	-	1	1	2	-	2
Black	12	2	-	-	-	-	-	1	-	4	3	2	6	-	-	-	-	-	-	1	1	2	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	48	3	–	1	–	–	–	1	6	7	18	12	47	–	–	–	1	1	1	1	4	9	11	19
White	36	1	–	1	–	–	–	–	6	3	15	10	41	–	–	–	1	1	1	–	3	7	11	17
All other	12	2	–	–	–	–	–	1	–	4	3	2	6	–	–	–	–	–	–	1	1	2	–	2
Black	12	2	–	–	–	–	–	1	–	4	3	2	6	–	–	–	–	–	–	1	1	2	–	2
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	75	–	–	–	–	–	1	2	18	24	21	9	77	–	–	2	–	2	–	3	13	27	24	6
White	60	–	–	–	–	–	1	–	13	18	20	8	70	–	–	1	–	1	–	2	13	26	22	5
All other	15	–	–	–	–	–	–	2	5	6	1	1	7	–	–	1	–	1	–	1	–	1	2	1
Black	15	–	–	–	–	–	–	2	5	6	1	1	7	–	–	1	–	1	–	1	–	1	2	1
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	15	–	–	–	–	–	–	–	4	4	6	1	18	–	–	–	–	–	–	–	3	9	5	1
White	15	–	–	–	–	–	–	–	4	4	6	1	18	–	–	–	–	–	–	–	3	9	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	3	–	–	–	–	–	1	–	2	–	–	–	5	–	–	1	–	2	–	1	–	1	–	–
White	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	1	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	1	–	–	–	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	55	–	–	–	–	–	–	2	12	20	14	7	52	–	–	1	–	–	–	2	9	17	18	5
White	41	–	–	–	–	–	–	–	8	14	13	6	48	–	–	1	–	–	–	1	9	17	16	4
All other	14	–	–	–	–	–	–	2	4	6	1	1	4	–	–	–	–	–	–	1	–	–	2	1
Black	14	–	–	–	–	–	–	2	4	6	1	1	4	–	–	–	–	–	–	1	–	–	2	1
Ulcer of stomach and duodenum (531-533)	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	1	2
White	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis (540-543)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	–	–	–	–	–	–	–	–	2	1	1	7	–	–	–	1	–	–	–	–	2	–	4
White	4	–	–	–	–	–	–	–	–	2	1	1	6	–	–	–	1	–	–	–	–	1	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic liver disease and cirrhosis (571)	45	–	–	–	–	1	7	7	19	9	2	–	18	–	–	–	–	2	1	6	5	3	1	–
White	35	–	–	–	–	1	3	6	15	8	2	–	12	–	–	–	–	2	–	3	4	2	1	–
All other	10	–	–	–	–	–	4	1	4	1	–	–	6	–	–	–	–	–	1	3	1	1	–	–
Black	10	–	–	–	–	–	4	1	4	1	–	–	6	–	–	–	–	–	1	3	1	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	2	1	1
White	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	2	1	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	–	–	–	1	1	1	2	8	14	12	5	32	–	–	–	–	–	–	1	7	7	7	10
White	40	–	–	–	1	1	1	2	7	13	10	5	24	–	–	–	–	–	–	–	4	7	5	8
All other	4	–	–	–	–	–	–	–	1	1	2	–	8	–	–	–	–	–	–	1	3	–	2	2
Black	4	–	–	–	–	–	–	–	1	1	2	–	8	–	–	–	–	–	–	1	3	–	2	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	–	–	–	–	1	–	–	–	2	1	3	3	–	–	–	–	–	–	1	–	1	1	–
White	7	–	–	–	–	1	–	–	–	2	1	3	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	–	–	–	1	–	1	2	8	12	9	2	29	–	–	–	–	–	–	–	7	6	6	10
White	31	–	–	–	1	–	1	2	7	11	7	2	22	–	–	–	–	–	–	–	4	6	4	8
All other	4	–	–	–	–	–	–	–	1	1	2	–	7	–	–	–	–	–	–	–	3	–	2	2
Black	4	–	–	–	–	–	–	–	1	1	2	–	7	–	–	–	–	–	–	–	3	–	2	2
Infections of kidney (590)	4	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1
White	4	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
White	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	29	20	2	–	–	1	–	2	1	1	1	1	17	11	1	–	–	1	–	2	1	–	1	–
White	23	16	–	–	–	1	–	2	1	1	1	1	12	9	–	–	–	–	–	1	1	–	1	–
All other	6	4	2	–	–	–	–	–	–	–	–	–	5	2	1	–	–	1	–	1	–	–	–	–
Black	6	4	2	–	–	–	–	–	–	–	–	–	5	2	1	–	–	1	–	1	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	35	35	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
White	21	21	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	14	14	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
White	4	4	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	27	27	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
White	17	17	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	28	10	–	–	–	1	–	3	–	7	6	1	19	6	1	–	1	2	–	1	1	1	2	4
White	12	3	–	–	–	1	–	1	–	2	4	1	13	4	1	–	1	1	–	1	–	–	2	3
All other	16	7	–	–	–	–	–	2	–	5	2	–	6	2	–	–	–	1	–	–	1	1	–	1
Black	16	7	–	–	–	–	–	2	–	5	2	–	6	2	–	–	–	1	–	–	1	1	–	1
All other diseases (Residual)	151	2	1	3	5	5	9	16	29	35	30	16	139	6	–	1	2	3	2	7	9	28	50	31
White	121	2	–	3	4	3	5	11	19	32	26	16	115	3	–	1	–	1	1	3	7	26	44	29
All other	30	–	1	–	1	2	4	5	10	3	4	–	24	3	–	–	2	2	1	4	2	2	6	2
Black	30	–	1	–	1	2	4	5	10	3	4	–	24	3	–	–	2	2	1	4	2	2	6	2
Accidents and adverse effects (E800-E949)	161	–	3	4	58	28	15	10	15	17	10	1	72	1	2	4	18	9	4	4	8	6	8	8
White	129	–	3	3	52	20	10	9	12	12	7	1	54	–	2	1	12	9	3	1	6	6	7	7
All other	32	–	–	1	6	8	5	1	3	5	3	–	18	1	–	3	6	–	1	3	2	–	1	1
Black	32	–	–	1	6	8	5	1	3	5	3	–	18	1	–	3	6	–	1	3	2	–	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	91	-	1	2	44	18	8	6	5	5	1	1	35	-	1	2	13	7	2	2	5	1	2	-
White	73	-	1	1	39	13	5	5	4	3	1	1	27	-	1	1	9	7	2	1	4	1	1	-
All other	18	-	-	1	5	5	3	1	1	2	-	-	8	-	-	1	4	-	-	1	1	-	1	-
Black	18	-	-	1	5	5	3	1	1	2	-	-	8	-	-	1	4	-	-	1	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	70	-	2	2	14	10	7	4	10	12	9	-	37	1	1	2	5	2	2	2	3	5	6	8
White	56	-	2	2	13	7	5	4	8	9	6	-	27	-	1	-	3	2	1	-	2	5	6	7
All other	14	-	-	-	1	3	2	-	2	3	3	-	10	1	-	2	2	-	1	2	1	-	-	1
Black	14	-	-	-	1	3	2	-	2	3	3	-	10	1	-	2	2	-	1	2	1	-	-	1
Suicide (E950-E959)	50	...	...	1	17	11	6	7	4	1	3	-	26	...	...	-	-	7	7	5	2	4	1	-
White	45	...	...	1	15	11	4	7	4	-	3	-	24	...	...	-	-	5	7	5	2	4	1	-
All other	5	...	...	-	2	-	2	-	-	1	-	-	2	...	...	-	-	2	-	-	-	-	-	-
Black	5	...	...	-	2	-	2	-	-	1	-	-	2	...	...	-	-	2	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	-	1	-	8	11	2	1	3	-	1	-	6	-	-	-	3	1	1	1	-	-	-	-
White	14	-	1	-	2	6	1	1	2	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	13	-	-	-	6	5	1	-	1	-	-	-	4	-	-	-	3	-	-	1	-	-	-	-
Black	13	-	-	-	6	5	1	-	1	-	-	-	4	-	-	-	3	-	-	1	-	-	-	-
All other external causes (E980-E999)	8	2	-	-	3	1	-	-	1	1	-	-	4	-	-	-	-	-	1	-	1	-	1	1
White	6	1	-	-	3	1	-	-	-	1	-	-	4	-	-	-	-	-	1	-	1	-	1	1
All other	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA																								
All causes	3,569	110	15	8	75	218	222	358	699	852	705	298	3,145	87	11	8	34	88	114	216	463	702	779	617
White	888	7	1	2	10	22	23	46	115	247	267	144	996	6	3	2	2	15	22	25	70	196	317	336
All other	2,680	103	14	6	65	196	199	312	584	605	438	152	2,149	81	8	6	32	73	92	191	413	506	462	281
Black	2,654	100	14	6	65	195	197	311	582	599	430	149	2,135	80	8	6	32	72	90	190	410	505	459	279
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	12	-	-	-	-	1	1	3	5	2	-	-	6	-	-	-	-	-	-	-	1	1	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	12	-	-	-	-	1	1	3	5	2	-	-	6	-	-	-	-	-	-	-	1	1	1	3
Black	12	-	-	-	-	1	1	3	5	2	-	-	6	-	-	-	-	-	-	-	1	1	1	3
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	1	1	3	5	1	-	-	5	-	-	-	-	-	-	-	1	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	11	-	-	-	-	1	1	3	5	1	-	-	5	-	-	-	-	-	-	-	1	-	1	3
Black	11	-	-	-	-	1	1	3	5	1	-	-	5	-	-	-	-	-	-	-	1	-	1	3
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Septicemia (038)	39	1	-	-	1	2	1	2	4	8	14	6	47	-	1	-	1	2	1	4	5	12	11	10
White	12	-	-	-	-	-	1	1	1	1	6	2	8	-	-	-	-	-	-	-	1	2	2	3
All other	27	1	-	-	1	2	-	1	3	7	8	4	39	-	1	-	1	2	1	4	4	10	9	7
Black	27	1	-	-	1	2	-	1	3	7	8	4	39	-	1	-	1	2	1	4	4	10	9	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	1	-	-	1	3	2	-	3	2	-	-	16	1	-	-	1	2	2	2	3	1	4	-
White	2	-	-	-	1	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	3	-
All other	10	1	-	-	-	3	2	-	2	2	-	-	12	1	-	-	1	2	2	2	2	1	1	-
Black	10	1	-	-	-	3	2	-	2	2	-	-	12	1	-	-	1	2	2	2	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	824	-	1	2	-	7	28	83	218	266	170	52	719	-	1	-	2	16	27	80	159	206	157	71
White	193	-	1	-	-	1	1	9	30	77	52	22	222	-	-	-	-	6	8	14	32	66	64	32
All other	631	-	-	2	-	6	25	74	188	189	118	30	497	-	1	-	2	10	19	66	127	140	93	39
Black	625	-	-	2	-	6	24	74	185	187	116	30	493	-	1	-	2	10	19	65	125	140	93	38
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	61	-	-	-	-	-	2	12	16	23	7	1	20	-	-	-	-	-	-	6	4	5	5	-
White	10	-	-	-	-	-	-	-	2	5	3	-	7	-	-	-	-	-	-	2	1	2	2	-
All other	51	-	-	-	-	-	2	12	14	18	4	1	13	-	-	-	-	-	-	4	3	3	3	-
Black	50	-	-	-	-	-	2	12	14	17	4	1	13	-	-	-	-	-	-	4	3	3	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	208	-	-	-	-	3	10	22	55	61	43	13	238	-	-	-	-	2	3	21	49	75	54	34
White	50	-	-	-	-	-	-	8	23	12	7	-	62	-	-	-	-	2	-	3	10	19	18	10
All other	158	-	-	-	-	3	10	22	47	38	31	6	176	-	-	-	-	-	3	18	39	56	36	24
Black	154	-	-	-	-	3	9	22	46	37	30	6	175	-	-	-	-	-	3	18	38	56	36	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	267	-	-	-	-	-	9	31	89	92	38	8	91	-	-	-	-	-	3	8	24	30	16	6
White	55	-	-	-	-	-	1	6	12	24	12	-	29	-	-	-	-	-	1	3	2	12	8	3
All other	212	-	-	-	-	-	8	25	77	68	26	8	62	-	-	-	-	-	2	5	22	18	10	5
Black	212	-	-	-	-	-	8	25	77	68	26	8	61	-	-	-	-	-	2	5	22	18	10	4
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	1	1	1	-	129	-	-	-	-	3	8	26	31	33	19	9
White	1	-	-	-	-	-	-	-	1	-	-	-	44	-	-	-	-	1	2	4	8	15	8	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	85	-	-	-	-	2	6	22	25	18	11	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	85	-	-	-	-	2	6	22	25	18	11	1
Malignant neoplasms of genital organs (179-187)	124	-	-	-	-	-	1	2	17	36	49	19	83	-	-	-	-	3	7	10	15	24	17	7
White	28	-	-	-	-	-	-	-	2	7	10	9	25	-	-	-	-	2	1	2	2	7	9	2
All other	96	-	-	-	-	-	1	2	15	29	39	10	58	-	-	-	-	1	6	8	13	17	8	5
Black	96	-	-	-	-	-	1	2	15	29	39	10	56	-	-	-	-	1	6	7	12	17	8	5
Malignant neoplasms of urinary organs (188-189)	28	-	-	-	-	1	-	1	3	12	9	2	27	-	-	-	-	-	2	2	7	5	7	4
White	7	-	-	-	-	-	-	-	-	3	3	1	12	-	-	-	-	-	1	-	3	2	3	3
All other	21	-	-	-	-	1	-	1	3	9	6	1	15	-	-	-	-	-	1	2	4	3	4	1
Black	21	-	-	-	-	1	-	1	3	9	6	1	15	-	-	-	-	-	1	2	4	3	4	1
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	65	-	1	1	-	-	4	7	27	28	14	5	84	-	-	-	1	5	4	4	22	22	20	6
White	25	-	1	-	-	-	-	1	3	11	6	3	29	-	-	-	-	1	3	-	7	8	6	4
All other	60	-	-	1	-	-	4	6	24	15	8	2	55	-	-	-	1	4	1	4	15	14	14	2
Black	58	-	-	1	-	-	4	6	24	15	7	2	55	-	-	-	1	4	1	4	15	14	14	2
Leukemia (204-208)	19	-	-	1	-	-	-	2	3	7	4	2	18	-	1	-	1	2	-	1	-	3	8	2
White	7	-	-	-	-	-	-	1	-	2	4	-	9	-	-	-	-	-	-	-	-	1	6	2
All other	12	-	-	1	-	-	-	1	3	5	-	2	9	-	1	-	1	2	-	1	-	2	2	-
Black	12	-	-	1	-	-	-	1	3	5	-	2	9	-	1	-	1	2	-	1	-	2	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	-	-	-	-	3	-	6	5	8	5	2	29	-	-	-	-	1	-	2	7	9	9	1
White	10	-	-	-	-	1	-	1	2	2	2	2	5	-	-	-	-	-	-	-	1	-	4	-
All other	19	-	-	-	-	2	-	5	3	6	3	-	24	-	-	-	-	1	-	2	6	9	5	1
Black	19	-	-	-	-	2	-	5	3	6	3	-	24	-	-	-	-	1	-	2	6	9	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	-	-	1	-	-	1	4	4	4	1	16	1	-	1	-	-	-	-	3	6	2	3
White	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	13	-	-	-	1	-	-	1	3	4	3	1	11	1	-	1	-	-	-	-	3	4	-	2
Black	13	-	-	-	1	-	-	1	3	4	3	1	11	1	-	1	-	-	-	-	3	4	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	51	-	-	-	-	2	2	8	11	12	15	1	65	-	-	-	1	3	-	5	15	16	14	11
White	13	-	-	-	-	-	1	-	3	4	4	1	8	-	-	-	-	1	-	-	-	2	4	1
All other	38	-	-	-	-	2	1	8	8	8	11	-	57	-	-	-	1	2	-	5	15	14	10	10
Black	38	-	-	-	-	2	1	8	8	8	11	-	57	-	-	-	1	2	-	5	15	14	10	10
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	1	2	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Anemias (280-285)	2	-	-	1	-	-	-	-	1	-	-	-	8	-	-	-	-	1	-	-	1	1	3	3
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	2	-	-	1	-	-	-	-	1	-	-	-	7	-	-	-	-	1	-	-	-	1	3	2
Black	2	-	-	1	-	-	-	-	1	-	-	-	7	-	-	-	-	1	-	-	-	1	3	2
Meningitis (320-322)	6	-	-	-	-	1	-	2	2	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	1	-	1	2	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	1	-	1	2	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	1,332	2	-	-	3	16	54	106	272	369	341	165	1,447	-	2	2	1	9	28	65	192	318	434	392
White	400	-	-	-	-	-	5	14	46	112	132	89	535	-	1	-	-	1	1	3	23	85	180	230
All other	932	2	-	-	3	16	49	92	226	257	209	76	912	-	1	2	1	8	27	62	169	233	244	162
Black	920	2	-	-	3	15	48	91	225	254	204	76	909	-	1	2	1	8	27	62	168	232	244	161
Diseases of heart (390-398,402,404-429)	1,068	2	-	-	2	16	44	92	232	302	256	120	1,050	-	2	2	1	2	20	53	156	257	286	267
White	328	-	-	-	-	-	5	12	42	102	103	62	373	-	1	-	-	-	-	2	18	64	130	157
All other	740	2	-	-	2	15	39	80	190	200	153	58	677	-	1	2	1	2	20	51	138	193	156	110
Black	732	2	-	-	2	14	38	79	190	198	150	59	674	-	1	2	1	2	20	51	137	192	156	109
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	1	1	-	-	-	2	2	-	7	-	-	-	-	-	-	-	1	3	2	1
White	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	3	-	-	-	1	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	3	-	-	-	1	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Hypertensive heart disease (402)	103	-	-	-	-	2	5	9	38	26	18	5	102	-	-	-	-	-	4	12	26	27	20	12
White	18	-	-	-	-	-	2	5	5	6	-	-	18	-	-	-	-	-	-	1	2	4	5	6
All other	85	-	-	-	-	2	5	7	33	21	12	5	84	-	-	-	-	-	4	11	24	23	15	6
Black	84	-	-	-	-	2	4	7	33	21	12	5	84	-	-	-	-	-	4	11	24	23	15	6
Hypertensive heart and renal disease (404)	12	-	-	-	-	2	2	2	1	-	5	-	8	-	-	-	-	-	-	-	2	3	1	2
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	10	-	-	-	-	2	2	2	1	-	3	-	5	-	-	-	-	-	-	-	2	3	-	-
Black	10	-	-	-	-	2	2	2	1	-	3	-	5	-	-	-	-	-	-	-	2	3	-	-
Ischemic heart disease (410-414)	654	-	-	-	-	4	26	64	127	197	159	76	589	-	1	-	-	1	7	22	80	156	175	155
White	228	-	-	-	-	-	3	9	26	76	72	42	239	-	-	-	-	-	-	1	13	42	86	96
All other	426	-	-	-	-	4	23	55	101	121	87	34	360	-	1	-	-	1	7	21	67	114	89	59
Black	421	-	-	-	-	4	23	54	101	119	85	34	359	-	1	-	-	1	7	21	67	114	89	58
Acute myocardial infarction (410)	232	-	-	-	-	2	10	18	37	85	53	27	215	-	1	-	-	-	2	7	29	58	70	48
White	101	-	-	-	-	-	1	1	14	41	30	14	86	-	-	-	-	-	-	-	4	21	34	27
All other	131	-	-	-	-	2	9	17	23	44	23	13	129	-	1	-	-	-	2	7	25	37	36	21
Black	129	-	-	-	-	2	9	17	23	43	22	13	129	-	1	-	-	-	2	7	25	37	36	21
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	1	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	419	-	-	-	-	2	16	45	90	112	105	48	381	-	-	-	-	1	5	15	50	97	105	106
White	124	-	-	-	-	-	2	7	12	35	41	27	150	-	-	-	-	-	-	1	8	20	52	68
All other	295	-	-	-	-	2	14	38	78	77	64	21	231	-	-	-	-	1	5	14	42	77	53	38
Black	292	-	-	-	-	2	14	37	78	76	63	21	230	-	-	-	-	1	5	14	42	77	53	37
Other diseases of endocardium (424)	7	-	-	-	-	1	1	-	-	3	2	-	14	-	-	-	-	-	-	-	2	2	5	5
White	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	-	2	1	3
All other	5	-	-	-	-	1	1	-	-	2	1	-	8	-	-	-	-	-	-	-	2	-	4	2
Black	5	-	-	-	-	1	1	-	-	2	1	-	8	-	-	-	-	-	-	-	2	-	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	286	2	-	-	1	5	10	17	66	74	70	39	320	-	1	2	1	1	9	19	45	66	83	92
White	75	-	-	-	-	-	2	1	11	18	21	20	103	-	1	-	-	-	-	-	3	15	35	49
All other	211	2	-	-	1	5	8	16	55	56	49	19	217	-	-	2	1	1	9	19	42	51	48	43
Black	209	2	-	-	1	4	8	16	55	56	48	19	215	-	-	2	1	1	9	19	41	50	48	43
Hypertension with or without renal disease (401,403)	13	-	-	-	-	-	-	2	4	3	3	1	18	-	-	-	-	-	-	-	2	6	5	5
White	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	9	-	-	-	-	-	-	2	3	2	2	-	15	-	-	-	-	-	-	-	2	4	4	5
Black	9	-	-	-	-	-	-	2	3	2	2	-	15	-	-	-	-	-	-	-	2	4	4	5
Cerebrovascular diseases (430-438)	172	-	-	-	1	1	9	10	24	43	57	26	248	-	-	-	-	7	8	11	23	35	90	74
White	42	-	-	-	-	-	-	2	-	6	18	16	108	-	-	-	-	1	1	1	4	11	43	47
All other	130	-	-	-	1	1	9	8	24	37	39	10	140	-	-	-	-	6	7	10	19	24	47	27
Black	129	-	-	-	1	1	9	8	23	37	39	10	140	-	-	-	-	6	7	10	19	24	47	27
Intracerebral and other intracranial hemorrhage (431-432)	36	-	-	-	-	1	6	5	9	10	5	2	38	-	-	-	-	2	2	4	12	8	9	1
White	7	-	-	-	-	-	-	1	-	2	3	1	10	-	-	-	-	-	-	-	2	1	7	-
All other	31	-	-	-	-	1	6	4	9	8	2	1	28	-	-	-	-	2	2	4	10	7	2	1
Black	30	-	-	-	-	1	6	4	8	8	2	1	28	-	-	-	-	2	2	4	10	7	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	-	-	-	-	-	-	3	2	7	15	6	55	-	-	-	-	-	1	1	2	8	22	21
White	13	-	-	-	-	-	-	-	-	2	5	6	31	-	-	-	-	-	-	-	-	5	9	17
All other	20	-	-	-	-	-	-	3	2	5	10	-	24	-	-	-	-	-	1	1	2	3	13	4
Black	20	-	-	-	-	-	-	3	2	5	10	-	24	-	-	-	-	-	1	1	2	3	13	4
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	101	-	-	-	1	-	3	2	13	26	37	18	154	-	-	-	-	5	5	5	9	19	59	52
White	22	-	-	-	-	-	-	1	-	2	10	9	87	-	-	-	-	1	1	1	2	5	27	30
All other	79	-	-	-	1	-	3	1	13	24	27	9	87	-	-	-	-	4	4	4	7	14	32	22
Black	79	-	-	-	1	-	3	1	13	24	27	9	87	-	-	-	-	4	4	4	7	14	32	22
Atherosclerosis (440)	50	-	-	-	-	-	-	-	5	9	19	17	111	-	-	-	-	-	-	1	4	16	49	41
White	18	-	-	-	-	-	-	-	1	1	6	10	45	-	-	-	-	-	-	-	-	6	16	23
All other	32	-	-	-	-	-	-	-	4	8	13	7	66	-	-	-	-	-	-	1	4	10	33	18
Black	30	-	-	-	-	-	-	-	4	8	11	7	66	-	-	-	-	-	-	1	4	10	33	18
Other diseases of arteries, arterioles, and capillaries (441-448)	29	-	-	-	-	-	1	2	7	12	6	1	20	-	-	-	-	-	-	-	7	4	4	5
White	8	-	-	-	-	-	-	-	2	2	4	-	6	-	-	-	-	-	-	-	1	2	-	3
All other	21	-	-	-	-	-	1	2	5	10	2	1	14	-	-	-	-	-	-	-	6	2	4	2
Black	20	-	-	-	-	-	1	2	5	9	2	1	14	-	-	-	-	-	-	-	6	2	4	2
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	96	3	1	-	1	3	6	8	15	12	33	13	59	2	-	-	-	3	-	5	9	7	13	19
White	26	-	-	-	-	1	-	-	1	4	14	6	18	-	-	-	-	1	-	-	-	2	5	9
All other	70	3	1	-	1	2	6	8	14	8	19	7	41	2	-	-	-	2	-	5	9	5	8	10
Black	70	3	1	-	1	2	6	8	14	8	19	7	41	2	-	-	-	2	-	5	9	5	8	10
Pneumonia (480-486)	96	3	1	-	1	3	6	8	15	12	33	13	59	2	-	-	-	3	-	5	9	7	13	19
White	26	-	-	-	-	1	-	-	1	4	14	6	18	-	-	-	-	1	-	-	-	2	5	9
All other	70	3	1	-	1	2	6	8	14	8	19	7	41	2	-	-	-	2	-	5	9	5	8	10
Black	70	3	1	-	1	2	6	8	14	8	19	7	41	2	-	-	-	2	-	5	9	5	8	10
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	81	-	-	-	-	-	4	4	6	27	30	10	53	-	-	-	-	-	1	1	2	7	19	16	7
White	32	-	-	-	-	-	-	1	3	11	12	5	28	-	-	-	-	-	-	2	1	9	11	6
All other	49	-	-	-	-	-	4	3	3	16	18	5	25	-	-	-	-	-	1	1	-	6	10	5	2
Black	49	-	-	-	-	-	4	3	3	16	18	5	23	-	-	-	-	-	1	-	-	6	10	4	2
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	11	-	-	-	-	-	1	-	1	5	4	-	5	-	-	-	-	-	-	-	1	1	3	-	-
White	5	-	-	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-	-	-	2	-	-
All other	6	-	-	-	-	-	1	-	1	3	1	-	3	-	-	-	-	-	-	-	1	1	1	-	-
Black	6	-	-	-	-	-	1	-	1	3	1	-	2	-	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	6	-	-	-	-	-	2	-	2	1	1	-	7	-	-	-	-	1	1	1	2	2	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	5	-	-	-	-	-	2	-	1	1	1	-	6	-	-	-	-	1	1	-	2	2	-	-
Black	5	-	-	-	-	-	2	-	1	1	1	-	5	-	-	-	-	-	1	-	2	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	63	-	-	-	-	-	1	4	9	20	25	10	37	-	-	-	-	-	-	-	4	15	11	7
White	26	-	-	-	-	-	-	1	2	9	9	5	22	-	-	-	-	-	-	-	1	9	7	5
All other	37	-	-	-	-	-	1	3	1	11	16	5	15	-	-	-	-	-	-	-	3	6	4	2
Black	37	-	-	-	-	-	1	3	1	11	16	5	15	-	-	-	-	-	-	-	3	6	4	2
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	1	2	1	2	5	3	-	13	-	-	-	-	-	-	2	2	5	2	2
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	3	1	2
All other	12	-	-	-	-	1	2	1	2	5	1	-	7	-	-	-	-	-	-	2	2	2	1	-
Black	12	-	-	-	-	1	2	1	2	5	1	-	7	-	-	-	-	-	-	2	2	2	1	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	1	1	1	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	-	1	1	3	2	1	11	-	-	-	-	-	1	-	1	1	4	4
White	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	1	-	-	-	3	3
All other	7	-	-	-	-	-	-	1	1	3	1	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	7	-	-	-	-	-	-	1	1	3	1	1	4	-	-	-	-	-	-	-	1	1	1	1
Chronic liver disease and cirrhosis (571)	133	1	-	-	-	6	15	41	46	21	3	-	69	-	-	-	1	4	13	16	24	9	2	-
White	27	1	-	-	-	-	1	6	11	6	2	-	15	-	-	-	-	-	2	1	7	5	-	-
All other	106	-	-	-	-	6	14	35	35	15	1	-	54	-	-	-	1	4	11	15	17	4	2	-
Black	106	-	-	-	-	6	14	35	35	15	1	-	54	-	-	-	1	4	11	15	17	4	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	2	4	1	2	-	-	-	-	-	1	-	1	-	-	-
White	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	33	-	-	-	-	1	-	-	10	13	5	3	54	1	-	-	-	3	3	3	6	16	13	9
White	5	-	-	-	-	-	-	-	-	3	2	-	7	-	-	-	-	1	-	-	-	2	1	3
All other	28	-	-	-	-	1	-	-	10	10	3	3	47	1	-	-	-	2	3	3	6	14	12	6
Black	28	-	-	-	-	1	-	-	10	10	3	3	47	1	-	-	-	2	3	3	6	14	12	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	-	1	-	3	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	-	1	-	3	2	1
Black	5	-	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	-	1	-	3	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	-	-	-	-	1	-	-	8	12	4	2	46	1	-	-	-	3	3	1	6	13	11	8
White	5	-	-	-	-	-	-	-	-	3	2	-	7	-	-	-	-	1	-	-	-	2	1	3
All other	23	-	-	-	-	1	-	-	8	9	2	2	39	1	-	-	-	2	3	1	6	11	10	5
Black	23	-	-	-	-	1	-	-	8	9	2	2	39	1	-	-	-	2	3	1	6	11	10	5
Infections of kidney (590)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	20	12	2	1	1	-	-	1	2	-	1	-	21	15	2	-	-	1	1	-	-	-	2	-
White	4	3	-	-	-	-	-	-	-	-	1	-	6	4	-	-	-	-	1	-	-	-	1	-
All other	16	9	2	1	1	-	-	1	2	-	-	-	15	11	2	-	-	1	-	-	-	-	1	-
Black	15	8	2	1	1	-	-	1	2	-	-	-	15	11	2	-	-	1	-	-	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	71	70	1	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	69	68	1	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
Black	67	66	1	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	52	51	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	52	51	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Black	51	50	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	91	14	2	-	6	28	15	13	5	4	2	1	47	8	2	-	3	6	6	3	4	6	3	2
White	7	1	-	-	-	1	1	-	1	1	-	1	6	1	-	-	-	-	2	-	-	-	2	1
All other	84	13	2	-	6	27	14	13	4	3	2	-	41	7	2	-	3	6	6	3	4	6	1	1
Black	84	13	2	-	6	27	14	13	4	3	2	-	40	7	2	-	3	6	5	3	4	6	1	1
All other diseases (Residual)	279	3	2	-	7	25	23	38	41	65	45	29	279	3	1	-	4	13	14	14	40	54	70	66
White	63	-	-	-	-	1	2	4	4	20	19	12	70	-	1	-	-	-	1	-	4	13	15	36
All other	216	3	2	-	7	24	21	34	37	45	26	17	209	3	-	-	4	13	13	14	36	41	55	30
Black	215	3	2	-	7	24	21	34	37	45	25	17	207	2	-	-	4	13	13	14	36	41	54	30
Accidents and adverse effects (E800-E949)	158	1	4	2	9	25	17	23	28	17	23	9	72	-	2	3	2	4	1	8	5	16	22	9
White	38	-	-	-	2	4	2	6	5	5	12	2	20	-	1	1	-	-	-	1	-	3	11	3
All other	120	1	4	2	7	21	15	17	23	12	11	7	52	-	1	2	2	4	1	7	5	13	11	6
Black	118	1	4	2	7	21	15	17	23	12	11	5	51	-	1	2	2	4	1	7	5	13	10	6
Motor vehicle accidents (E810-E825)	33	-	1	1	4	10	5	4	6	-	2	-	15	-	1	1	-	3	-	3	1	3	3	-
White	10	-	-	-	-	2	1	2	3	-	2	-	3	-	1	-	-	-	-	1	-	1	-	-
All other	23	-	1	1	4	8	4	2	3	-	-	-	12	-	-	1	-	3	-	2	1	2	3	-
Black	23	-	1	1	4	8	4	2	3	-	-	-	12	-	-	1	-	3	-	2	1	2	3	-
All other accidents and adverse effects (E800-E807, E826-E949)	125	1	3	1	5	15	12	19	22	17	21	9	57	-	1	2	2	1	1	5	4	13	19	9
White	28	-	-	-	2	2	1	4	2	5	10	2	17	-	-	1	-	-	-	-	-	2	11	3
All other	97	1	3	1	3	13	11	15	20	12	11	7	40	-	1	1	2	1	1	5	4	11	8	6
Black	95	1	3	1	3	13	11	15	20	12	11	5	39	-	1	1	2	1	1	5	4	11	7	6
Suicide (E950-E959)	58	...	...	1	10	15	9	6	5	6	6	-	16	...	...	-	1	2	5	4	-	1	2	1
White	21	...	...	1	3	6	3	3	3	1	1	-	13	...	...	-	-	2	4	3	-	1	2	1
All other	37	...	...	-	7	9	6	3	2	5	5	-	3	...	...	-	1	-	1	1	-	-	-	-
Black	37	...	...	-	7	9	6	3	2	5	5	-	3	...	...	-	1	-	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	170	1	2	1	33	63	35	14	12	9	-	-	43	-	-	2	15	13	4	2	2	3	1	1
White	17	-	-	1	3	6	5	-	1	1	-	-	9	-	-	1	2	2	2	-	-	1	-	1
All other	153	1	2	-	30	57	30	14	11	8	-	-	34	-	-	1	13	11	2	2	2	2	1	-
Black	152	1	2	-	30	57	30	14	11	7	-	-	34	-	-	1	13	11	2	2	2	2	1	-
All other external causes (E980-E999)	44	-	-	-	2	19	9	3	6	2	1	1	8	-	-	-	-	2	2	-	1	1	-	1
White	9	-	-	-	1	2	-	1	3	-	1	1	2	-	-	-	-	1	-	-	-	-	-	1
All other	35	-	-	-	1	17	9	2	3	2	-	-	6	-	-	-	-	1	2	-	1	1	-	-
Black	35	-	-	-	1	17	9	2	3	2	-	-	6	-	-	-	-	1	2	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	60,767	1,054	223	252	1,454	1,791	1,736	3,795	9,243	16,654	16,938	7,601	47,817	803	167	173	505	674	963	2,142	5,524	10,977	14,662	11,218
White	54,189	803	157	180	1,163	1,342	1,324	3,053	8,012	15,125	15,932	7,290	42,933	472	108	121	382	505	709	1,681	4,727	9,849	13,658	10,717
All other	6,578	451	66	72	301	449	412	742	1,231	1,529	1,006	311	4,884	331	59	52	123	169	254	461	797	1,128	1,004	502
Black	6,478	442	65	69	293	440	398	730	1,225	1,515	985	308	4,822	329	58	49	121	164	248	450	790	1,114	997	499
Shigellosis and amebiasis (004,006)	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	9	6	–	–	–	–	–	–	–	–	2	1	13	9	–	–	–	–	–	1	1	–	1	1
White	5	2	–	–	–	–	–	–	–	–	2	1	8	6	–	–	–	–	–	–	–	–	1	1
All other	4	4	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–	–	1	1	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–	–	1	1	–	–	–
Tuberculosis (010-018)	72	–	–	–	–	4	3	8	20	19	11	7	33	–	–	–	–	5	2	1	2	8	8	7
White	48	–	–	–	–	–	3	4	14	11	10	6	18	–	–	–	–	–	1	–	2	4	5	6
All other	24	–	–	–	–	4	–	4	6	8	1	1	15	–	–	–	–	5	1	1	–	4	3	1
Black	24	–	–	–	–	4	–	4	6	8	1	1	15	–	–	–	–	5	1	1	–	4	3	1
Tuberculosis of respiratory system (010-012)	63	–	–	–	–	1	3	8	18	18	9	6	26	–	–	–	–	3	2	1	2	6	5	7
White	43	–	–	–	–	–	3	4	13	10	8	6	15	–	–	–	–	–	1	–	2	3	3	6
All other	20	–	–	–	–	1	–	4	5	8	1	1	11	–	–	–	–	3	1	1	–	3	2	1
Black	20	–	–	–	–	1	–	4	5	8	1	1	11	–	–	–	–	3	1	1	–	3	2	1
Other tuberculosis (013-018)	9	–	–	–	–	3	–	–	2	1	2	1	7	–	–	–	–	2	–	–	–	2	3	–
White	5	–	–	–	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–	–	–	1	2	–
All other	4	–	–	–	–	3	–	–	1	–	–	–	4	–	–	–	–	2	–	–	–	1	1	–
Black	4	–	–	–	–	3	–	–	1	–	–	–	4	–	–	–	–	2	–	–	–	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	9	4	2	1	–	–	1	–	–	1	–	–	9	1	–	3	–	1	–	–	2	2	–	–
White	7	4	1	–	–	–	1	–	–	1	–	–	8	1	–	2	–	1	–	–	2	2	–	–
All other	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Septicemia (038)	259	14	4	1	2	3	4	11	29	54	84	52	280	8	6	–	1	2	3	7	25	57	79	72
White	212	8	2	1	2	2	1	6	22	46	73	48	215	5	4	–	1	1	2	6	18	44	70	64
All other	47	6	2	–	–	1	3	5	7	8	11	4	45	3	2	–	–	1	1	1	7	13	9	8
Black	47	6	2	–	–	1	3	5	7	8	11	4	45	3	2	–	–	1	1	1	7	13	9	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	29	–	1	–	1	3	5	1	5	7	5	1	16	–	–	–	2	2	1	–	5	2	2	2
White	23	–	–	–	–	1	4	1	5	6	5	1	11	–	–	–	2	1	1	–	2	1	2	2
All other	6	–	1	–	1	2	1	–	–	1	–	–	5	–	–	–	–	1	–	–	3	1	–	–
Black	6	–	1	–	1	2	1	–	–	1	–	–	5	–	–	–	–	1	–	–	3	1	–	–
Syphilis (090-097)	5	–	–	–	–	–	–	1	–	–	2	2	6	1	–	–	–	–	–	–	1	2	1	1
White	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	–	–	–	1	–	–	–	1	3	1	–	–	–	–	–	–	1	1	–	–
Black	2	–	–	–	–	–	–	1	–	–	–	1	3	1	–	–	–	–	–	–	1	1	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	141	5	4	3	4	4	9	12	28	34	31	9	95	8	2	4	2	5	5	7	13	26	17	6
White	118	2	3	3	3	2	6	8	21	32	29	9	78	4	2	4	1	2	2	4	12	25	16	6
All other	23	3	1	–	1	2	3	4	5	2	2	–	17	4	–	–	1	3	3	3	1	1	1	–
Black	23	3	1	–	1	2	3	4	5	2	2	–	17	4	–	–	1	3	3	3	1	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,484	1	11	27	52	111	260	970	2,958	4,987	3,961	1,164	11,058	1	9	22	40	97	292	858	2,280	3,567	2,825	1,067
White	13,089	1	10	20	41	92	202	800	2,576	4,535	3,703	1,109	10,153	1	5	15	33	81	234	720	2,058	3,304	2,671	1,031
All other	1,395	–	1	7	11	19	58	170	382	432	258	55	905	–	4	7	7	16	58	138	222	263	154	36
Black	1,361	–	1	7	11	18	58	165	380	430	254	55	885	–	4	7	7	16	55	132	218	258	154	36

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	371	-	-	-	2	3	8	41	121	100	74	22	191	-	-	-	-	-	4	26	52	53	40	16
White	319	-	-	-	2	3	3	29	96	91	73	22	166	-	-	-	-	-	2	20	42	48	38	16
All other	52	-	-	-	-	-	5	12	25	9	1	-	25	-	-	-	-	-	2	6	10	5	2	-
Black	52	-	-	-	-	-	5	12	25	9	1	-	23	-	-	-	-	-	2	5	10	4	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,643	-	1	-	2	13	58	223	703	1,251	1,054	338	2,932	-	-	1	4	6	47	127	439	927	975	406
White	3,305	-	1	-	1	8	44	173	619	1,137	999	323	2,670	-	-	1	2	4	35	100	381	839	917	391
All other	338	-	-	-	1	5	14	50	84	114	55	15	262	-	-	-	2	2	12	27	58	88	58	15
Black	328	-	-	-	1	4	14	46	83	113	52	15	255	-	-	-	2	2	10	27	55	86	58	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,254	-	-	-	1	12	81	424	1,348	1,969	1,195	224	2,195	-	-	-	-	9	40	195	597	841	419	94
White	4,743	-	-	-	-	11	60	351	1,179	1,809	1,116	217	2,082	-	-	-	-	7	30	177	560	811	405	92
All other	511	-	-	-	1	1	21	73	169	160	79	7	113	-	-	-	-	2	10	18	37	30	14	2
Black	508	-	-	-	1	1	21	72	169	159	78	7	112	-	-	-	-	2	10	18	37	29	14	2
Malignant neoplasm of breast (174-175)	17	-	-	-	-	-	-	-	2	10	3	2	1,955	-	-	-	-	16	89	252	480	589	388	141
White	15	-	-	-	-	-	-	-	2	9	2	2	1,803	-	-	-	-	14	79	212	441	552	369	136
All other	2	-	-	-	-	-	-	-	-	1	1	-	152	-	-	-	-	2	10	40	39	37	19	5
Black	2	-	-	-	-	-	-	-	-	1	1	-	149	-	-	-	-	2	10	37	39	37	19	5
Malignant neoplasms of genital organs (179-187)	1,634	-	-	-	3	7	4	20	128	513	676	282	1,212	-	-	-	3	23	39	105	277	380	289	96
White	1,405	-	-	-	3	6	2	17	97	433	591	256	1,070	-	-	-	2	19	30	90	238	336	265	90
All other	229	-	-	-	-	1	2	3	31	80	85	26	142	-	-	-	1	4	9	15	39	44	24	6
Black	229	-	-	-	-	1	2	3	31	80	85	26	141	-	-	-	1	4	9	15	39	43	24	6
Malignant neoplasms of urinary organs (188-189)	792	-	-	1	-	1	8	55	128	243	246	110	344	-	1	1	-	1	2	11	52	99	126	51
White	738	-	-	1	-	-	7	49	114	223	237	107	322	-	1	-	-	1	2	8	48	91	121	50
All other	54	-	-	-	-	1	1	6	14	20	9	3	22	-	-	1	-	-	-	3	4	8	5	1
Black	54	-	-	-	-	1	1	6	14	20	9	3	21	-	-	1	-	-	-	3	4	7	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,569	-	4	5	17	43	57	129	337	514	359	103	1,309	-	5	8	16	21	49	97	259	397	307	150
White	1,457	-	3	3	15	39	47	113	304	485	346	102	1,191	-	2	5	15	20	36	78	235	367	287	146
All other	112	-	1	2	2	4	10	16	33	29	13	1	118	-	3	3	1	1	13	19	24	30	20	4
Black	112	-	1	2	2	4	10	16	33	29	13	1	115	-	3	3	1	1	12	18	23	30	20	4
Leukemia (204-208)	527	1	6	12	15	16	14	33	73	152	163	42	363	1	3	12	11	11	8	20	41	95	105	58
White	481	1	6	9	9	12	13	29	61	145	157	39	338	1	2	9	10	8	7	19	39	89	99	55
All other	46	-	-	3	6	4	1	4	12	7	6	3	25	-	1	3	1	3	1	1	2	6	6	1
Black	45	-	-	3	6	4	1	4	11	7	6	3	24	-	1	3	1	3	1	1	2	5	6	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	677	-	-	9	12	16	30	45	118	215	191	41	557	-	-	-	6	10	14	25	83	186	176	57
White	626	-	-	7	11	13	26	39	104	203	182	41	511	-	-	-	4	8	13	16	74	171	170	55
All other	51	-	-	2	1	3	4	6	14	12	9	-	46	-	-	-	2	2	1	9	9	15	6	2
Black	51	-	-	2	1	3	4	6	14	12	9	-	45	-	-	-	2	2	1	8	9	15	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	178	1	1	1	1	2	6	16	27	44	57	22	185	-	-	1	4	5	5	12	23	60	47	28
White	160	-	-	1	1	2	3	14	24	42	52	21	166	-	-	1	2	4	5	9	22	53	42	28
All other	18	1	1	-	-	-	3	2	3	2	5	1	19	-	-	-	2	1	-	3	1	7	5	-
Black	17	-	1	-	-	-	3	2	3	2	5	1	19	-	-	-	2	1	-	3	1	7	5	-
Diabetes mellitus (250)	774	-	-	-	3	10	15	43	137	238	249	79	916	-	-	-	2	6	18	46	127	249	295	173
White	676	-	-	-	2	9	10	30	112	211	226	76	719	-	-	-	2	3	11	30	80	186	252	155
All other	98	-	-	-	1	1	5	13	25	27	23	3	197	-	-	-	-	3	7	16	47	63	43	18
Black	96	-	-	-	1	1	4	13	25	27	22	3	196	-	-	-	-	3	7	16	46	63	43	18
Nutritional deficiencies (260-269)	59	-	-	-	-	1	-	4	2	14	20	18	78	1	-	-	-	-	-	-	3	12	35	25
White	51	-	-	-	-	1	-	3	2	11	17	17	61	-	-	-	-	-	-	-	2	9	27	23
All other	8	-	-	-	-	-	-	1	-	3	3	1	15	1	-	-	-	-	-	-	1	3	8	2
Black	8	-	-	-	-	-	-	1	-	3	3	1	15	1	-	-	-	-	-	-	1	3	8	2
Anemias (280-285)	79	1	3	1	2	2	3	1	6	19	25	16	101	1	4	1	1	-	6	4	9	21	25	29
White	66	1	-	-	1	2	1	-	4	17	24	16	83	-	1	1	-	-	3	2	6	19	23	26
All other	13	-	3	1	1	-	2	1	2	2	1	-	18	1	3	-	1	-	3	2	1	2	2	3
Black	13	-	3	1	1	-	2	1	2	2	1	-	18	1	3	-	1	-	3	2	1	2	2	3
Meningitis (320-322)	31	12	5	3	-	-	1	2	4	3	1	-	23	6	1	1	2	1	-	1	2	3	5	1
White	16	4	3	3	-	-	1	-	2	2	1	-	16	3	1	1	1	1	-	-	2	2	4	1
All other	15	8	2	-	-	-	-	2	2	1	-	-	7	3	-	-	1	-	-	1	-	1	1	-
Black	15	8	2	-	-	-	-	2	2	1	-	-	7	3	-	-	1	-	-	1	-	1	1	-
Major cardiovascular diseases (390-448)	28,222	24	9	4	26	120	393	1,410	4,013	8,179	9,316	4,727	24,298	12	3	11	33	47	188	549	1,758	4,904	8,812	7,980
White	25,966	12	7	1	18	85	293	1,153	3,545	7,486	8,823	4,542	22,148	7	1	6	22	33	122	379	1,425	4,334	8,189	7,630
All other	2,256	12	2	3	8	35	100	257	468	693	493	185	2,150	5	2	5	11	14	66	170	333	570	623	350
Black	2,222	11	2	3	8	35	96	253	465	684	482	183	2,134	5	2	5	11	14	66	169	331	566	617	348

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	22,819	18	8	4	21	88	346	1,217	3,470	6,741	7,360	3,545	17,872	10	3	6	20	28	126	395	1,345	3,788	6,489	5,661
White	21,132	9	7	1	14	62	263	1,027	3,122	6,208	7,002	3,416	16,382	6	1	3	13	18	87	274	1,108	3,391	6,055	5,426
All other	1,687	9	1	3	7	26	83	190	348	533	358	129	1,490	4	2	3	7	10	39	121	237	397	434	235
Black	1,660	8	1	3	7	26	79	186	346	524	353	127	1,479	4	2	3	7	10	39	121	235	395	429	234
Rheumatic fever and rheumatic heart disease (390-398)	133	-	-	-	3	1	2	18	31	47	25	6	264	-	-	-	3	2	9	15	41	92	85	17
White	128	-	-	-	2	-	1	18	31	45	25	6	245	-	-	-	1	-	8	12	37	90	81	16
All other	5	-	-	-	1	1	1	-	-	2	-	-	19	-	-	-	2	2	1	3	4	2	4	1
Black	5	-	-	-	1	1	1	-	-	2	-	-	19	-	-	-	2	2	1	3	4	2	4	1
Hypertensive heart disease (402)	569	-	-	-	-	4	16	51	118	200	129	50	621	-	-	-	-	-	17	37	85	136	216	130
White	423	-	-	-	-	2	4	26	85	152	108	45	481	-	-	-	-	-	9	18	52	98	185	119
All other	146	-	-	-	-	2	12	25	33	48	21	5	140	-	-	-	-	-	8	19	33	38	31	11
Black	146	-	-	-	-	2	12	25	33	48	21	5	139	-	-	-	-	-	8	19	32	38	31	11
Hypertensive heart and renal disease (404)	47	-	-	-	-	-	1	2	4	9	20	11	54	-	-	-	-	-	-	-	6	15	15	18
White	42	-	-	-	-	-	-	1	4	7	19	11	46	-	-	-	-	-	-	-	5	10	15	16
All other	5	-	-	-	-	-	1	1	-	2	1	-	8	-	-	-	-	-	-	-	1	5	-	2
Black	5	-	-	-	-	-	1	1	-	2	1	-	8	-	-	-	-	-	-	-	1	5	-	2
Ischemic heart disease (410-414)	17,711	1	-	-	4	38	229	921	2,678	5,376	5,795	2,669	12,790	-	-	-	2	7	55	233	917	2,811	4,737	4,027
White	16,729	-	-	-	2	29	189	813	2,479	5,063	5,569	2,585	11,946	-	-	-	1	6	45	171	790	2,578	4,466	3,889
All other	982	1	-	-	2	9	40	108	199	313	226	84	844	-	-	-	1	1	10	62	127	233	271	138
Black	964	1	-	-	2	9	37	104	197	308	223	83	839	-	-	-	1	1	10	62	127	232	268	138
Acute myocardial infarction (410)	6,981	1	-	-	2	16	124	532	1,508	2,979	2,611	1,006	5,861	-	-	-	1	5	31	137	555	1,595	2,211	1,326
White	6,551	-	-	-	-	16	106	481	1,400	2,838	2,729	981	5,493	-	-	-	1	4	26	97	483	1,490	2,108	1,284
All other	430	1	-	-	2	2	18	51	108	141	82	25	368	-	-	-	-	1	5	40	72	105	103	42
Black	420	1	-	-	2	2	16	48	106	138	82	25	367	-	-	-	-	1	5	40	72	105	102	42
Other acute and subacute forms of ischemic heart disease (411)	188	-	-	-	-	2	8	26	44	61	34	13	104	-	-	-	-	-	2	4	15	26	33	24
White	173	-	-	-	-	1	6	22	40	58	33	13	96	-	-	-	-	-	2	4	12	24	30	24
All other	15	-	-	-	-	1	2	4	4	3	1	-	8	-	-	-	-	-	-	-	3	2	3	-
Black	14	-	-	-	-	1	2	4	4	2	1	-	8	-	-	-	-	-	-	-	3	2	3	-
Angina pectoris (413)	17	-	-	-	-	-	-	1	3	6	5	2	15	-	-	-	-	-	1	-	-	8	4	2
White	16	-	-	-	-	-	-	-	3	6	5	2	13	-	-	-	-	-	1	-	-	6	4	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	8,525	-	-	-	2	18	97	362	1,123	2,330	2,945	1,648	6,810	-	-	-	1	2	21	92	347	1,182	2,489	2,675
White	7,989	-	-	-	2	12	77	310	1,036	2,161	2,802	1,589	6,344	-	-	-	-	2	16	70	295	1,058	2,324	2,578
All other	536	-	-	-	-	6	20	52	87	169	143	59	466	-	-	-	1	-	5	22	52	124	165	96
Black	529	-	-	-	-	6	19	51	87	168	140	58	462	-	-	-	1	-	5	22	52	123	163	96
Other diseases of endocardium (424)	268	-	1	-	1	5	2	10	31	78	104	36	237	1	-	-	1	2	3	4	22	54	95	55
White	249	-	1	-	1	4	1	7	28	73	99	35	216	1	-	-	1	2	3	3	21	45	88	52
All other	19	-	-	-	-	1	1	3	3	5	5	1	21	-	-	-	-	-	-	1	1	9	7	3
Black	18	-	-	-	-	1	1	3	3	4	5	1	21	-	-	-	-	-	-	1	1	9	7	3
All other forms of heart disease (415-423,425-429)	4,091	17	7	4	13	40	96	215	608	1,031	1,287	773	3,906	9	3	6	14	17	42	106	274	680	1,341	1,414
White	3,561	9	6	1	9	27	68	162	495	868	1,182	734	3,448	5	1	3	10	10	22	70	203	570	1,220	1,334
All other	530	8	1	3	4	13	28	53	113	163	105	39	458	4	2	3	4	7	20	36	71	110	121	80
Black	522	7	1	3	4	13	27	53	113	160	103	38	453	4	2	3	4	7	20	36	70	109	119	79
Hypertension with or without renal disease (401,403)	206	-	-	-	-	3	2	10	26	73	58	34	210	-	-	-	1	-	2	8	23	46	73	57
White	174	-	-	-	-	2	1	7	20	64	46	34	167	-	-	-	-	-	1	2	14	31	63	56
All other	32	-	-	-	-	1	1	3	6	9	12	-	43	-	-	-	1	-	1	6	9	15	10	1
Black	31	-	-	-	-	1	1	3	6	9	11	-	43	-	-	-	1	-	1	6	9	15	10	1
Cerebrovascular diseases (430-438)	3,776	6	1	-	5	23	39	145	377	926	1,407	847	5,003	2	-	5	8	18	54	130	331	857	1,844	1,754
White	3,318	3	-	-	4	15	26	91	275	797	1,303	804	4,475	1	-	3	8	14	30	91	252	719	1,696	1,661
All other	458	3	1	-	1	8	13	54	102	129	104	43	528	1	-	2	-	4	24	39	79	138	148	93
Black	452	3	1	-	1	8	13	54	101	129	99	43	523	1	-	2	-	4	24	38	79	136	147	92
Intracerebral and other intracranial hemorrhage (431-432)	533	5	-	-	2	12	18	61	95	146	152	44	553	2	-	4	5	2	24	47	74	124	182	89
White	427	2	-	-	2	8	10	33	64	132	136	40	465	1	-	2	5	2	12	31	59	106	167	80
All other	106	3	-	-	-	4	8	28	31	14	16	4	88	1	-	2	-	-	12	16	15	18	15	9
Black	105	3	-	-	-	4	8	28	30	14	16	4	88	1	-	2	-	-	12	16	15	18	15	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	851	1	-	-	-	-	2	18	61	188	354	229	1,120	-	-	1	1	2	4	9	38	187	436	442
White	787	1	-	-	-	-	2	13	47	162	336	226	1,019	-	-	1	1	2	-	7	25	158	410	415
All other	64	-	-	-	-	-	-	5	14	24	18	3	101	-	-	-	-	-	4	2	13	29	26	27
Black	61	-	-	-	-	-	-	5	14	24	15	3	101	-	-	-	-	-	4	2	13	29	26	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	28	-	-	-	-	-	-	-	5	7	12	4	23	-	-	-	-	1	-	2	2	7	7	4
White	26	-	-	-	-	-	-	-	4	7	12	3	22	-	-	-	-	1	-	2	2	6	7	4
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,364	-	1	-	3	11	21	66	216	587	889	570	3,307	-	-	-	2	13	26	72	217	539	1,219	1,219
White	2,078	-	1	-	2	7	14	45	160	496	819	535	2,969	-	-	-	2	9	18	51	166	449	1,112	1,162
All other	286	-	1	-	1	4	7	21	56	91	70	35	338	-	-	-	-	4	8	21	51	90	107	57
Black	284	-	1	-	1	4	7	21	56	91	68	35	333	-	-	-	-	4	8	20	51	88	106	56
Atherosclerosis (440)	586	-	-	-	-	-	-	7	30	125	221	203	773	-	-	-	-	-	1	-	20	87	244	421
White	546	-	-	-	-	-	-	6	25	114	207	194	721	-	-	-	-	-	-	-	19	75	222	405
All other	40	-	-	-	-	-	-	1	5	11	14	9	52	-	-	-	-	-	1	-	1	12	22	16
Black	40	-	-	-	-	-	-	1	5	11	14	9	52	-	-	-	-	-	1	-	1	12	22	16
Other diseases of arteries, arterioles, and capillaries (441-448)	835	-	-	-	-	6	6	31	110	314	270	98	440	-	-	-	4	1	5	16	39	126	162	87
White	796	-	-	-	-	6	3	22	103	303	265	94	403	-	-	-	1	1	4	12	32	118	153	82
All other	39	-	-	-	-	-	3	9	7	11	5	4	37	-	-	-	3	-	1	4	7	8	9	5
Black	39	-	-	-	-	-	3	9	7	11	5	4	37	-	-	-	3	-	1	4	7	8	9	5
Acute bronchitis and bronchiolitis (466)	15	3	2	-	-	-	-	-	-	3	5	2	16	1	-	-	-	-	-	2	-	1	5	7
White	11	1	1	-	-	-	-	-	-	2	5	2	13	-	-	-	-	-	-	2	-	-	4	7
All other	4	2	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Black	4	2	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Pneumonia and influenza (480-487)	1,079	26	6	4	5	10	23	44	102	232	335	286	840	19	8	3	6	9	16	24	44	129	296	286
White	955	18	4	3	5	7	13	30	73	206	319	279	759	7	4	1	4	4	10	19	35	116	282	277
All other	118	10	2	1	-	3	10	14	29	26	16	7	81	12	4	2	2	5	6	5	9	13	14	9
Black	117	10	2	1	-	3	10	14	29	26	16	6	81	12	4	2	2	5	6	5	9	13	14	9
Pneumonia (480-486)	1,069	26	6	4	5	10	23	44	102	231	334	284	829	19	8	3	6	8	16	24	44	127	294	280
White	951	16	4	3	5	7	13	30	73	205	318	277	748	7	4	1	4	3	10	19	35	114	280	271
All other	118	10	2	1	-	3	10	14	29	26	16	7	81	12	4	2	2	5	6	5	9	13	14	9
Black	117	10	2	1	-	3	10	14	29	26	16	6	81	12	4	2	2	5	6	5	9	13	14	9
Influenza (487)	4	-	-	-	-	-	-	-	-	1	1	2	11	-	-	-	-	1	-	-	-	2	2	6
White	4	-	-	-	-	-	-	-	-	1	1	2	11	-	-	-	-	1	-	-	-	2	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,273	1	-	2	3	6	9	65	318	799	824	256	1,282	-	1	1	3	1	9	52	214	449	399	153
White	2,110	-	-	-	1	3	5	53	280	723	797	248	1,233	-	1	1	3	-	6	44	198	441	391	148
All other	163	1	-	2	2	3	4	12	38	66	27	8	49	-	-	-	-	1	3	8	16	8	8	5
Black	162	1	-	2	2	3	4	12	37	66	27	8	48	-	-	-	-	1	3	8	16	8	7	5
Bronchitis, chronic and unspecified (490-491)	133	1	-	-	-	-	-	2	20	44	44	22	83	-	1	-	-	-	1	5	12	20	33	11
White	120	-	-	-	-	-	-	1	14	41	43	21	79	-	1	-	-	-	-	3	12	20	32	11
All other	13	1	-	-	-	-	-	1	6	3	1	1	4	-	-	-	-	-	1	2	-	-	1	-
Black	13	1	-	-	-	-	-	1	6	3	1	1	4	-	-	-	-	-	1	2	-	-	1	-
Emphysema (492)	568	-	-	-	-	-	3	14	83	206	205	47	273	-	-	-	-	-	4	12	54	90	94	19
White	543	-	-	-	-	-	2	14	84	197	201	45	269	-	-	-	-	-	4	11	54	89	93	18
All other	25	-	-	-	-	-	1	-	9	9	4	2	4	-	-	-	-	-	-	1	-	1	1	1
Black	24	-	-	-	-	-	1	-	8	9	4	2	4	-	-	-	-	-	-	1	-	1	1	1
Asthma (493)	61	-	-	2	2	6	4	5	8	17	16	1	73	-	-	1	3	1	2	7	15	16	19	9
White	42	-	-	-	1	3	1	3	8	13	13	1	66	-	-	1	3	-	1	6	12	16	19	8
All other	19	-	-	2	2	3	3	2	-	4	3	-	7	-	-	-	-	1	1	1	3	-	-	1
Black	19	-	-	2	2	3	3	2	-	4	3	-	7	-	-	-	-	1	1	1	3	-	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,511	-	-	-	1	-	2	44	197	522	559	186	853	-	-	-	-	-	2	28	133	323	253	114
White	1,405	-	-	-	1	-	2	35	174	472	540	181	819	-	-	-	-	-	1	24	120	316	247	111
All other	106	-	-	-	-	-	-	9	23	50	19	5	34	-	-	-	-	-	1	4	13	7	6	3
Black	106	-	-	-	-	-	-	9	23	50	19	5	33	-	-	-	-	-	1	4	13	7	5	3
Ulcer of stomach and duodenum (531-533)	208	-	-	1	-	1	2	12	28	61	64	37	172	-	-	-	-	4	4	6	17	40	71	30
White	180	-	-	1	-	-	1	7	21	52	61	37	157	-	-	-	-	4	3	4	14	37	66	29
All other	28	-	-	-	-	1	1	5	7	9	3	-	15	-	-	-	-	-	1	2	3	3	5	1
Black	26	-	-	-	-	1	1	5	7	9	3	-	15	-	-	-	-	-	1	2	3	3	5	1
Appendicitis (540-543)	17	-	-	1	-	-	-	1	3	6	5	1	15	-	-	2	1	-	-	3	4	2	1	2
White	15	-	-	1	-	-	-	1	3	5	4	1	13	-	-	2	1	-	-	2	3	2	1	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	99	6	-	-	2	-	1	3	5	18	38	26	130	1	-	-	1	-	-	3	8	26	43	48
White	81	2	-	-	1	-	1	2	3	13	35	24	120	-	-	-	1	-	-	3	6	24	39	47
All other	18	4	-	-	1	-	-	1	2	5	3	2	10	1	-	-	-	-	-	-	2	2	4	1
Black	18	4	-	-	1	-	-	1	2	5	3	2	10	1	-	-	-	-	-	-	2	2	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,100	1	–	–	–	28	82	204	341	304	119	23	699	1	–	–	2	16	45	118	200	210	91	16
White	974	–	–	–	–	18	64	163	308	284	114	23	596	1	–	–	–	5	25	98	177	189	89	14
All other	126	1	–	–	–	8	18	41	33	20	5	–	103	–	–	–	2	11	20	22	23	21	2	2
Black	122	1	–	–	–	8	17	38	33	20	5	–	103	–	–	–	2	11	20	22	23	21	2	2
Cholelithiasis and other disorders of gallbladder (574-575)	55	–	–	–	–	–	1	1	7	16	24	6	60	–	–	–	1	2	–	3	13	2	16	21
White	52	–	–	–	–	–	–	1	7	15	23	6	54	–	–	–	1	2	–	1	11	2	16	21
All other	3	–	–	–	–	–	1	–	–	1	1	–	6	–	–	–	–	–	–	2	2	–	2	–
Black	3	–	–	–	–	–	1	–	–	1	1	–	5	–	–	–	–	–	–	1	2	–	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	511	10	1	1	–	3	8	15	58	123	184	108	421	10	–	–	1	1	3	15	47	94	127	123
White	437	4	1	1	–	2	5	10	44	105	164	101	331	4	–	–	1	1	1	10	30	64	106	114
All other	74	6	–	–	–	1	3	5	14	18	20	7	90	6	–	–	–	–	2	5	17	30	21	9
Black	73	6	–	–	–	1	3	5	14	18	19	7	90	6	–	–	–	–	2	5	17	30	21	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	18	1	–	1	–	–	–	–	2	3	6	5	11	–	–	–	–	–	1	–	2	1	4	3
White	16	–	–	1	–	–	–	–	2	3	5	5	9	–	–	–	–	–	–	–	1	1	4	3
All other	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	59	–	–	–	–	–	2	2	7	17	17	14	52	–	–	–	1	–	–	4	4	8	21	14
White	48	–	–	–	–	–	1	2	4	14	14	13	45	–	–	–	1	–	–	4	3	7	16	14
All other	11	–	–	–	–	–	1	–	3	3	3	1	7	–	–	–	–	–	–	–	1	1	5	–
Black	11	–	–	–	–	–	1	–	3	3	3	1	7	–	–	–	–	–	–	–	1	1	5	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	434	9	1	–	–	3	8	13	49	103	161	89	358	10	–	–	–	1	2	11	41	85	102	106
White	373	4	1	–	–	2	4	8	38	88	145	83	277	4	–	–	–	1	1	6	28	56	86	97
All other	61	5	–	–	–	1	2	5	11	15	16	6	81	6	–	–	–	–	1	5	13	29	16	9
Black	60	5	–	–	–	1	2	5	11	15	15	6	81	6	–	–	–	–	1	5	15	29	16	9
Infections of kidney (590)	48	–	–	–	–	–	–	2	2	13	17	14	84	–	–	–	–	–	1	3	6	15	42	17
White	41	–	–	–	–	–	–	1	2	10	14	14	75	–	–	–	–	–	–	2	3	13	40	17
All other	7	–	–	–	–	–	–	1	–	3	3	–	9	–	–	–	–	–	1	1	3	2	2	–
Black	7	–	–	–	–	–	–	1	–	3	3	–	9	–	–	–	–	–	1	1	3	2	2	–
Hyperplasia of prostate (600)	31	–	–	–	–	–	–	–	2	5	12	12	...	...	...	...	...	...	...	...	...	...	...	...
White	29	–	–	–	–	–	–	–	2	4	11	12	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	–	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	–	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	3	6	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	2	4	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	1	4	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	3	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	3	6	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	3	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	3	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
Congenital anomalies (740-759)	299	204	17	9	15	11	7	11	8	10	5	2	274	185	29	8	10	7	9	7	7	16	14	2
White	216	137	14	8	11	9	6	10	6	9	4	2	185	109	17	6	7	6	8	7	5	15	13	2
All other	83	67	3	1	4	2	1	1	2	1	1	–	79	56	12	2	3	1	1	–	2	1	1	–
Black	81	65	3	1	4	2	1	1	2	1	1	–	78	55	12	2	3	1	1	–	2	1	1	–
Certain conditions originating in the perinatal period (760-779)	543	538	2	–	–	2	–	1	–	–	–	–	421	419	–	–	–	1	1	–	–	–	–	–
White	295	291	1	–	–	2	–	1	–	–	–	–	247	245	–	–	–	1	1	–	–	–	–	–
All other	248	247	1	–	–	–	–	–	–	–	–	–	174	174	–	–	–	–	–	–	–	–	–	–
Black	246	245	1	–	–	–	–	–	–	–	–	–	173	173	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	166	163	1	–	–	2	–	–	–	–	–	–	110	108	–	–	–	1	1	–	–	–	–	–
White	105	102	1	–	–	2	–	–	–	–	–	–	74	72	–	–	–	1	1	–	–	–	–	–
All other	61	61	–	–	–	–	–	–	–	–	–	–	36	36	–	–	–	–	–	–	–	–	–	–
Black	61	61	–	–	–	–	–	–	–	–	–	–	35	35	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	377	375	1	–	–	–	–	1	–	–	–	–	311	311	–	–	–	–	–	–	–	–	–	–
White	190	189	–	–	–	–	–	1	–	–	–	–	173	173	–	–	–	–	–	–	–	–	–	–
All other	187	186	1	–	–	–	–	–	–	–	–	–	138	138	–	–	–	–	–	–	–	–	–	–
Black	185	184	1	–	–	–	–	–	–	–	–	–	138	138	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	825	125	10	2	31	59	37	66	106	139	155	90	721	84	5	5	13	25	32	29	63	121	145	196
White	651	74	7	2	25	39	25	46	80	118	142	68	614	49	3	4	9	20	28	25	53	106	132	183
All other	174	51	3	–	6	20	12	20	26	21	13	2	107	35	2	1	4	5	4	4	10	15	13	13
Black	171	49	3	–	6	20	11	20	26	21	13	2	106	35	2	1	4	5	4	4	10	15	13	12
All other diseases (Residual)	3,392	37	21	16	57	85	122	258	502	847	977	468	3,334	34	18	24	46	54	94	185	403	690	999	787
White	2,908	22	11	15	40	56	79	199	414	730	899	442	2,922	16	11	19	25	34	62	128	334	614	929	750
All other	484	15	10	1	17	29	43	59	88	117	78	26	412	18	7	5	21	20	32	57	69	76	69	37
Black	479	15	8	1	17	29	43	59	88	116	75	26	408	18	7	5	21	19	32	55	69	75	69	37
Accidents and adverse effects (E800-E949)	3,365	25	114	157	777	690	328	320	285	291	251	122	1,448	17	74	68	212	199	97	93	151	187	223	127
White	2,794	18	87	105	672	569	269	261	226	248	224	114	1,247	12	54	44	178	166	76	84	135	162	214	122
All other	571	7	27	52	105	121	59	59	59	45	27	8	201	5	20	24	34	33	21	9	16	25	9	5
Black	551	7	27	49	102	115	54	59	59	43	26	8	191	5	19	21	33	31	20	9	16	23	9	5
Motor vehicle accidents (E810-E825)	1,883	5	35	76	566	433	174	177	144	135	105	30	749	6	31	45	174	148	66	47	63	85	67	17
White	1,624	2	25	53	509	380	149	144	115	116	101	28	645	4	22	33	148	126	54	43	57	75	67	16
All other	259	3	10	23	57	53	25	33	29	19	4	2	104	2	9	12	26	22	12	4	6	10	–	1
Black	249	3	10	22	54	49	24	33	29	18	4	2	99	2	9	12	25	20	11	4	6	9	–	1
All other accidents and adverse effects (E800-E807 E826-E949)	1,482	20	79	81	211	257	154	143	141	156	146	92	699	11	43	23	38	51	31	46	88	102	156	110
White	1,170	16	62	52	163	189	120	117	111	130	123	86	602	8	32	11	30	40	22	41	78	87	147	106
All other	312	4	17	29	48	68	34	26	30	26	23	6	97	3	11	12	8	11	9	5	10	15	9	4
Black	302	4	17	27	48	66	30	26	30	25	22	6	92	3	10	9	8	11	9	5	10	14	9	4
Suicide (E950-E959)	1,331	...	...	7	195	258	175	166	165	183	136	45	447	...	...	2	49	79	70	80	73	61	25	8
White	1,272	...	...	6	180	238	165	159	163	181	135	45	430	...	...	2	43	74	67	78	73	60	25	8
All other	59	...	...	1	15	20	10	7	2	2	1	–	17	...	...	–	6	5	3	2	–	1	–	–
Black	53	...	...	1	12	19	8	7	2	2	1	–	16	...	...	–	6	5	3	1	–	1	–	–
Homicide and legal intervention (E960-E978)	1,152	9	7	8	253	361	228	145	79	32	20	3	312	4	4	17	64	90	59	26	18	19	7	3
White	664	4	4	6	131	187	155	88	48	21	12	3	200	2	2	12	37	52	39	20	11	18	4	1
All other	488	5	3	2	122	174	73	57	31	11	8	–	112	2	2	5	27	38	20	6	5	1	3	2
Black	485	4	3	2	121	173	73	57	31	11	8	–	108	2	2	5	26	37	18	6	5	1	3	2
All other external causes (E980-E999)	79	–	3	3	25	19	13	2	5	3	3	1	38	–	3	–	6	7	1	7	7	2	4	1
White	63	–	1	3	19	16	11	2	5	1	2	1	32	–	2	–	6	5	1	6	6	2	3	1
All other	16	–	2	–	6	3	2	–	–	2	1	–	6	–	1	–	–	2	–	1	1	–	1	–
Black	15	–	2	–	5	3	2	–	–	2	1	–	6	–	1	–	–	2	–	1	1	–	1	–
GEORGIA																								
All causes	24,025	612	124	180	762	1,011	1,227	2,270	4,609	6,431	4,844	1,936	20,154	530	114	132	314	438	664	1,378	2,530	4,477	5,520	4,046
White	17,394	296	73	122	550	622	737	1,526	3,332	4,718	3,836	1,574	14,319	250	68	79	200	239	370	824	1,681	3,009	4,199	3,393
All other	6,631	316	51	58	212	389	490	744	1,277	1,713	1,008	362	5,835	280	46	53	114	200	294	554	849	1,468	1,321	652
Black	6,613	314	51	57	211	387	488	740	1,276	1,711	1,006	362	5,801	274	44	53	114	197	291	551	843	1,466	1,318	647
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	2	–	–	–	–	–	–	–	–	–	5	4	–	–	–	–	–	–	–	–	–	1
White	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	1	–	1	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	42	–	–	–	–	2	4	4	9	11	8	4	22	–	–	–	–	–	2	2	4	6	4	4
White	18	–	–	–	–	1	–	1	2	4	7	3	7	–	–	–	–	–	1	–	1	1	3	1
All other	24	–	–	–	–	1	4	3	7	7	1	1	15	–	–	–	–	–	1	2	3	5	1	3
Black	24	–	–	–	–	1	4	3	7	7	1	1	15	–	–	–	–	–	1	2	3	5	1	3
Tuberculosis of respiratory system (010-012)	39	–	–	–	–	2	3	4	9	11	6	4	15	–	–	–	–	–	2	1	1	6	2	3
White	16	–	–	–	–	1	–	1	2	4	5	3	5	–	–	–	–	–	1	–	1	1	1	1
All other	23	–	–	–	–	1	3	3	7	7	1	1	10	–	–	–	–	–	1	1	–	5	1	2
Black	23	–	–	–	–	1	3	3	7	7	1	1	10	–	–	–	–	–	1	1	–	5	1	2
Other tuberculosis (013-018)	3	–	–	–	–	–	1	–	–	–	2	–	7	–	–	–	–	–	–	1	3	–	2	1
White	2	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	–	–	1	3	–	–	1
Black	1	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	–	–	1	3	–	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal infection (036)	5	1	2	-	2	-	-	-	-	-	-	-	7	1	1	-	1	1	-	1	1	1	-	-
White	5	1	2	-	2	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
Septicemia (038)	137	5	1	-	-	1	4	8	15	33	49	21	202	6	-	-	-	6	5	13	29	35	69	39
White	78	2	1	-	-	-	2	4	4	16	36	13	107	4	-	-	-	1	-	3	14	13	42	30
All other	59	3	-	-	-	1	2	4	11	17	13	8	95	2	-	-	-	5	5	10	15	22	27	9
Black	59	3	-	-	-	1	2	4	11	17	13	8	94	2	-	-	-	5	5	9	15	22	27	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	1	-	-	2	1	1	1	2	1	-	-	13	-	-	-	2	1	3	2	2	2	1	-
White	7	1	-	-	1	1	1	1	2	-	-	-	8	-	-	-	1	1	1	2	1	2	-	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	5	-	-	-	1	-	2	-	1	-	1	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	4	-	-	-	1	-	1	-	1	-	1	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	1	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	59	2	-	1	-	7	4	7	9	13	13	3	44	2	1	2	1	-	2	5	5	15	7	4
White	37	-	-	-	-	4	2	2	8	10	10	1	30	-	1	2	-	-	1	1	5	10	6	4
All other	22	2	-	1	-	3	2	5	1	3	3	2	14	2	-	-	1	-	1	4	-	5	1	-
Black	22	2	-	1	-	3	2	5	1	3	3	2	14	2	-	-	1	-	1	4	-	5	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,080	3	9	26	34	64	143	549	1,283	1,748	940	255	3,856	2	12	18	21	61	183	453	852	1,084	841	328
White	3,758	3	6	20	25	52	93	363	960	1,296	740	197	2,873	2	9	10	15	40	121	321	617	816	643	278
All other	1,302	-	3	6	9	12	50	186	323	452	200	58	983	-	3	8	6	21	62	132	235	268	198	50
Black	1,296	-	3	6	9	12	49	183	323	451	200	58	978	-	2	8	6	21	61	132	233	268	198	49
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	134	-	-	-	-	1	8	17	40	47	19	2	61	-	-	-	-	-	2	5	13	14	16	11
White	96	-	-	-	-	1	4	6	27	36	19	1	48	-	-	-	-	-	-	4	9	12	13	10
All other	38	-	-	-	-	-	4	11	13	9	-	1	13	-	-	-	-	-	2	1	4	2	3	1
Black	38	-	-	-	-	-	4	11	13	9	-	1	13	-	-	-	-	-	2	1	4	2	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,104	2	-	1	1	9	32	127	254	397	218	60	863	-	1	-	2	8	23	67	179	309	247	129
White	753	2	-	1	-	6	17	73	168	289	166	49	672	-	1	-	1	4	9	45	111	217	176	108
All other	351	-	-	-	1	3	15	54	86	128	52	11	291	-	-	-	1	2	14	22	68	92	71	21
Black	348	-	-	-	1	3	15	52	86	126	52	11	290	-	-	-	1	2	14	22	67	92	71	21
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,019	-	1	3	1	4	45	257	644	720	282	50	608	-	-	-	1	1	25	95	198	181	86	21
White	1,563	-	1	2	1	3	32	182	501	557	243	41	494	-	-	-	1	-	14	75	161	151	73	19
All other	456	-	-	1	-	1	13	75	143	163	49	9	114	-	-	-	-	1	11	20	37	30	13	2
Black	455	-	-	1	-	1	13	75	143	162	49	9	114	-	-	-	-	1	11	20	37	30	13	2
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	2	-	3	-	662	-	1	-	-	19	59	129	163	141	114	35
White	3	-	-	-	-	-	-	-	1	-	2	-	522	-	1	-	-	14	44	100	130	108	94	30
All other	2	-	-	-	-	-	-	-	1	-	1	-	140	-	-	-	-	5	15	29	33	33	20	5
Black	2	-	-	-	-	-	-	-	1	-	1	-	140	-	-	-	-	5	15	29	33	33	20	5
Malignant neoplasms of genital organs (179-187)	540	-	-	-	2	2	1	15	59	209	185	73	480	1	1	1	2	14	22	57	114	128	100	40
White	352	-	-	-	1	2	-	9	31	128	130	51	312	1	-	-	2	10	15	29	67	91	68	29
All other	188	-	-	-	1	-	1	6	22	81	55	22	168	-	1	1	-	4	7	28	47	37	32	11
Black	188	-	-	-	1	-	1	6	22	81	55	22	165	-	1	1	-	4	6	28	46	37	32	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	208	-	-	-	1	-	5	10	49	77	47	19	116	-	-	1	-	-	2	11	17	43	30	12
White	169	-	-	-	-	-	5	8	44	59	39	14	87	-	-	-	-	-	1	5	12	32	26	11
All other	39	-	-	-	1	-	-	2	5	18	8	5	29	-	-	1	-	-	1	6	5	11	4	1
Black	39	-	-	-	1	-	-	2	5	18	8	5	29	-	-	1	-	-	1	6	5	11	4	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	668	1	3	10	15	31	37	80	161	198	98	30	599	1	5	10	7	14	33	57	117	175	133	47
White	514	1	2	8	12	25	24	53	124	160	82	22	455	1	5	4	5	9	25	38	88	138	101	41
All other	152	-	1	2	3	6	13	27	37	38	17	8	144	-	-	6	2	5	8	19	29	37	32	6
Black	150	-	1	2	3	6	12	26	37	38	17	8	144	-	-	6	2	5	8	19	29	37	32	6
Leukemia (204-208)	184	-	4	9	11	3	10	19	31	45	42	10	144	-	4	5	6	5	7	15	11	30	46	15
White	148	-	2	7	8	3	6	16	23	41	32	10	113	-	2	5	4	1	5	11	6	25	40	14
All other	36	-	2	2	3	-	4	3	8	4	10	-	31	-	2	-	2	4	2	4	5	5	6	1
Black	36	-	2	2	3	-	4	3	8	4	10	-	30	-	1	-	2	4	2	4	5	5	6	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	200	-	1	3	3	14	5	24	49	55	35	11	223	-	-	1	3	2	10	17	40	63	69	18
White	160	-	1	2	3	12	5	16	41	44	27	9	170	-	-	1	2	2	8	14	33	42	52	16
All other	40	-	-	1	-	2	-	8	8	11	8	2	53	-	-	-	1	-	2	3	7	21	17	2
Black	40	-	-	1	-	2	-	8	8	11	8	2	53	-	-	-	1	-	2	3	7	21	17	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	80	-	-	3	1	5	8	13	17	17	11	5	75	1	-	4	2	3	2	3	11	19	24	6
White	55	-	-	2	1	3	3	6	13	13	9	5	56	1	-	2	2	3	-	2	6	12	23	5
All other	25	-	-	1	-	2	5	7	4	4	2	-	19	-	-	2	-	-	2	1	5	7	1	1
Black	25	-	-	1	-	2	5	7	4	4	2	-	19	-	-	2	-	-	2	1	5	7	1	1
Diabetes mellitus (250)	296	1	-	-	1	9	16	29	67	92	64	17	451	-	2	2	1	8	21	41	75	130	116	54
White	190	-	-	-	1	5	9	14	38	61	47	15	269	-	2	1	1	2	9	17	40	78	74	44
All other	106	1	-	-	-	4	7	15	29	31	17	2	182	-	-	1	-	6	12	24	35	52	42	10
Black	106	1	-	-	-	4	7	15	29	31	17	2	182	-	-	1	-	6	12	24	35	52	42	10
Nutritional deficiencies (260-269)	21	-	-	-	-	1	-	2	1	6	4	7	37	1	-	-	-	-	-	2	1	10	9	14
White	16	-	-	-	-	1	-	1	1	3	3	7	21	-	-	-	-	-	-	2	-	3	3	13
All other	5	-	-	-	-	-	-	1	-	3	1	-	16	1	-	-	-	-	-	-	1	7	6	1
Black	5	-	-	-	-	-	-	1	-	3	1	-	16	1	-	-	-	-	-	-	1	7	6	1
Anemias (280-285)	41	1	2	1	3	3	2	-	4	6	13	4	62	-	2	1	2	3	3	7	6	13	10	15
White	24	-	-	-	1	1	1	-	3	5	9	4	36	-	-	1	-	-	1	3	4	7	7	13
All other	17	1	2	1	2	2	1	-	1	3	4	-	26	-	2	-	2	3	2	4	2	6	3	2
Black	17	1	2	1	2	2	1	-	1	3	4	-	26	-	2	-	2	3	2	4	2	6	3	2
Meningitis (320-322)	19	7	1	1	-	2	1	1	2	2	1	1	12	5	2	2	-	-	1	-	-	1	1	-
White	11	4	-	-	-	2	-	1	1	1	1	1	7	4	2	1	-	-	-	-	-	-	-	-
All other	8	3	1	1	-	-	1	-	1	1	-	-	5	1	-	1	-	-	1	-	-	1	1	-
Black	8	3	1	1	-	-	1	-	1	1	-	-	5	1	-	1	-	-	1	-	-	1	1	-
Major cardiovascular diseases (390-448)	10,621	23	9	15	27	82	344	919	2,188	3,199	2,661	1,138	10,353	15	4	19	23	62	143	457	1,005	2,367	3,447	2,804
White	7,928	12	7	11	12	43	205	651	1,601	2,347	2,115	923	7,446	8	3	11	11	25	67	231	602	1,509	2,627	2,348
All other	2,693	11	2	4	15	39	139	268	587	852	546	215	2,907	7	1	8	12	37	76	226	403	858	820	456
Black	2,690	11	2	4	15	39	138	268	586	852	545	215	2,894	6	1	8	12	37	76	224	402	856	817	469
Diseases of heart (390-398,402,404-429)	8,313	15	5	9	19	65	281	792	1,868	2,518	1,939	798	7,329	13	3	16	17	40	100	328	781	1,776	2,397	1,854
White	6,329	9	5	7	8	35	179	582	1,413	1,879	1,570	642	5,288	7	2	10	6	16	45	170	493	1,169	1,844	1,529
All other	1,984	6	-	2	11	30	102	210	455	639	369	156	2,041	6	1	6	11	24	55	158	288	613	553	325
Black	1,984	6	-	2	11	30	102	210	455	639	369	156	2,032	5	1	6	11	24	55	155	287	612	550	324
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	-	1	1	6	8	10	8	1	1	47	-	-	-	1	2	2	8	10	10	12	2
White	30	-	-	-	1	-	5	6	8	8	1	1	38	-	-	-	1	1	-	6	9	9	10	2
All other	6	-	-	-	-	1	1	2	2	-	-	-	9	-	-	-	-	1	2	2	1	1	2	-
Black	6	-	-	-	-	1	1	2	2	-	-	-	9	-	-	-	-	1	2	2	1	1	2	-
Hypertensive heart disease (402)	221	-	-	-	1	3	12	18	43	79	51	14	289	-	-	1	-	1	7	28	46	66	85	58
White	98	-	-	-	-	-	1	6	25	33	24	9	138	-	-	1	-	-	2	8	9	29	50	38
All other	123	-	-	-	1	3	11	12	18	46	27	5	151	-	-	-	-	1	5	18	37	37	35	18
Black	123	-	-	-	1	3	11	12	18	46	27	5	151	-	-	-	-	1	5	18	37	37	35	18
Hypertensive heart and renal disease (404)	37	-	-	-	-	-	-	3	8	14	10	2	55	-	-	-	-	-	-	-	5	14	19	17
White	17	-	-	-	-	-	-	1	3	7	5	1	27	-	-	-	-	-	-	-	1	6	10	10
All other	20	-	-	-	-	-	-	2	5	7	5	1	28	-	-	-	-	-	-	-	4	8	9	7
Black	20	-	-	-	-	-	-	2	5	7	5	1	28	-	-	-	-	-	-	-	4	8	9	7
Ischemic heart disease (410-414)	5,811	1	1	7	4	28	187	574	1,361	1,799	1,325	523	4,550	2	1	7	-	10	45	186	489	1,173	1,592	1,104
White	4,714	1	1	5	2	17	138	455	1,092	1,438	1,134	431	3,519	1	1	5	-	4	25	99	338	838	1,258	949
All other	1,097	-	-	2	2	11	49	119	269	361	191	92	1,031	1	-	2	-	6	20	87	151	335	274	155
Black	1,097	-	-	2	2	11	49	119	269	361	191	92	1,027	1	-	2	-	6	20	86	150	335	272	155
Acute myocardial infarction (410)	4,046	1	1	5	2	17	141	446	1,055	1,264	838	277	2,798	2	-	4	-	7	34	138	354	817	947	492
White	3,310	1	1	4	1	11	106	362	853	1,021	718	232	2,153	1	-	3	-	3	19	75	243	604	787	417
All other	736	-	-	1	1	6	35	84	202	243	118	45	643	1	-	1	-	4	15	63	111	213	160	75
Black	736	-	-	1	1	6	35	84	202	243	118	45	640	1	-	1	-	4	15	62	110	213	159	75

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	116	–	–	–	1	3	9	16	31	30	17	7	67	–	–	–	–	1	1	2	11	14	19	19
White	70	–	–	–	1	3	6	10	20	16	9	5	48	–	–	–	–	–	–	–	8	10	16	14
All other	46	–	–	–	–	–	3	6	11	14	8	2	19	–	–	–	–	1	1	2	3	4	3	5
Black	46	–	–	–	–	–	3	6	11	14	8	2	19	–	–	–	–	1	1	2	3	4	3	5
Angina pectoris (413)	6	–	–	–	–	1	–	–	–	2	3	–	12	–	–	–	–	–	–	–	–	2	7	3
White	4	–	–	–	–	1	–	–	–	1	2	–	12	–	–	–	–	–	–	–	–	2	7	3
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,643	–	–	2	1	7	37	110	275	503	469	239	1,675	–	1	3	–	2	10	46	124	340	559	590
White	1,330	–	–	1	–	2	26	83	219	400	405	194	1,306	–	1	2	–	1	6	24	87	222	448	515
All other	313	–	–	1	1	5	11	27	56	103	64	45	369	–	–	1	–	1	4	22	37	118	111	75
Black	313	–	–	1	1	5	11	27	56	103	64	45	368	–	–	1	–	1	4	22	37	118	110	75
Other diseases of endocardium (424)	68	–	–	–	–	6	1	9	12	18	14	8	84	–	1	–	3	1	2	4	12	21	31	19
White	53	–	–	–	–	3	–	7	12	12	12	7	66	–	–	–	1	–	2	2	8	14	23	16
All other	15	–	–	–	–	3	1	2	–	6	2	1	28	–	1	–	2	1	–	2	4	7	8	3
Black	15	–	–	–	–	3	1	2	–	6	2	1	28	–	1	–	2	1	–	2	4	7	8	3
All other forms of heart disease (415-423,425-429)	2,140	14	4	2	13	27	75	160	434	600	538	250	2,294	11	1	8	13	28	44	102	219	492	718	656
White	1,417	8	4	2	5	15	35	107	273	381	394	193	1,500	6	1	4	4	11	16	55	128	267	493	514
All other	723	6	–	–	8	12	40	73	161	219	144	57	794	5	–	4	9	15	28	47	91	225	225	142
Black	723	6	–	–	8	12	40	73	161	219	144	57	789	4	–	4	9	15	28	47	91	224	224	141
Hypertension with or without renal disease (401,403)	80	2	–	–	–	–	2	8	17	26	22	13	125	1	–	–	–	1	2	6	18	25	37	35
White	50	1	–	–	–	–	–	4	6	13	14	12	63	–	–	–	–	–	–	–	5	11	18	29
All other	40	1	–	–	–	–	2	4	11	13	8	1	62	1	–	–	–	1	2	6	13	14	19	6
Black	39	1	–	–	–	–	2	4	11	13	7	1	62	1	–	–	–	1	2	6	13	14	19	6
Cerebrovascular diseases (430-438)	1,788	6	4	4	7	15	49	106	250	516	584	265	2,464	1	–	3	4	16	38	117	181	478	873	752
White	1,205	2	2	2	4	6	19	54	139	340	420	216	1,764	1	–	1	4	7	21	58	91	276	657	647
All other	583	4	2	2	3	9	30	52	111	176	144	49	700	–	–	2	–	9	17	59	90	202	216	105
Black	582	4	2	2	3	9	29	52	111	176	144	49	696	–	–	2	–	9	17	58	90	201	216	103
Intracerebral and other intracranial hemorrhage (431-432)	258	8	–	1	1	6	23	41	57	68	46	9	278	1	–	1	2	6	9	34	31	71	79	44
White	158	2	–	1	1	1	8	17	34	46	39	8	179	1	–	–	2	3	3	16	21	38	55	40
All other	101	4	–	–	–	5	15	24	23	22	7	1	99	–	–	1	–	3	6	18	10	33	24	4
Black	101	4	–	–	–	5	15	24	23	22	7	1	99	–	–	1	–	3	6	18	10	33	24	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	285	–	1	–	1	–	2	10	32	82	107	50	437	–	–	–	–	–	–	8	17	78	167	166
White	205	–	1	–	1	–	1	5	22	53	79	43	326	–	–	–	–	–	–	3	7	40	127	148
All other	80	–	–	–	–	–	1	5	10	29	28	7	111	–	–	–	–	–	–	5	10	38	40	18
Black	80	–	–	–	–	–	1	5	10	29	28	7	109	–	–	–	–	–	–	5	10	37	40	17
Cerebral embolism (434.1)	9	–	–	–	–	–	–	1	1	4	1	2	5	–	–	–	–	–	–	1	1	–	–	3
White	7	–	–	–	–	–	–	–	1	3	1	2	5	–	–	–	–	–	–	1	1	–	–	3
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,235	–	3	3	5	9	24	54	160	362	410	204	1,744	–	–	2	2	10	29	74	132	328	627	539
White	835	–	1	1	2	5	10	32	82	238	301	163	1,254	–	–	1	2	4	18	38	62	198	475	456
All other	400	–	2	2	3	4	14	22	78	124	109	41	490	–	–	1	–	6	11	36	70	131	152	83
Black	399	–	2	2	3	4	13	22	78	124	109	41	488	–	–	1	–	6	11	35	70	131	152	82
Atherosclerosis (440)	165	–	–	–	–	–	2	–	11	38	69	45	277	–	1	–	–	–	–	1	10	47	92	126
White	130	–	–	–	–	–	2	–	8	28	54	38	219	–	1	–	–	–	–	–	7	32	70	109
All other	35	–	–	–	–	–	–	–	3	10	15	7	58	–	–	–	–	–	–	1	3	15	22	17
Black	35	–	–	–	–	–	–	–	3	10	15	7	58	–	–	–	–	–	–	1	3	15	22	17
Other diseases of arteries, arterioles, and capillaries (441-448)	285	–	–	2	1	2	10	13	52	101	67	17	158	–	–	–	2	5	3	7	15	41	48	37
White	214	–	–	2	–	2	5	11	35	87	57	15	112	–	–	–	1	2	1	3	6	27	38	34
All other	51	–	–	–	1	–	5	2	17	14	10	2	46	–	–	–	1	3	2	4	9	14	10	3
Black	50	–	–	–	1	–	5	2	16	14	10	2	46	–	–	–	1	3	2	4	9	14	10	3
Acute bronchitis and bronchiolitis (466)	7	–	–	–	–	2	–	–	–	–	3	2	2	–	–	–	–	–	–	–	–	–	1	1
White	5	–	–	–	–	1	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	603	19	2	2	6	8	16	37	72	125	185	131	558	21	7	3	5	5	6	18	46	73	169	203
White	439	5	1	2	3	5	8	19	47	86	155	108	431	9	2	1	3	1	3	10	28	56	137	181
All other	164	14	1	–	3	3	8	18	25	39	30	23	125	12	5	2	2	4	3	8	18	17	32	22
Black	164	14	1	–	3	3	8	18	25	39	30	23	125	12	5	2	2	4	3	8	18	17	32	22

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (460-486)	597	19	2	2	6	8	15	37	72	123	184	129	539	21	7	2	4	5	5	18	46	71	163	197
White	434	5	1	2	3	5	7	19	47	84	155	106	415	9	2	1	2	1	2	10	28	54	131	175
All other	163	14	1	–	3	3	8	18	25	39	29	23	124	12	5	1	2	4	3	8	18	17	32	22
Black	163	14	1	–	3	3	8	18	25	39	29	23	124	12	5	1	2	4	3	8	18	17	32	22
Influenza (487)	6	–	–	–	–	–	1	–	–	2	1	2	17	–	–	1	1	–	1	–	–	2	6	6
White	5	–	–	–	–	–	1	–	–	2	–	2	16	–	–	–	1	–	1	–	–	2	6	6
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	880	1	2	1	1	5	12	35	150	345	256	69	395	1	–	1	2	4	7	28	87	127	104	34
White	750	–	–	–	1	2	5	25	119	298	234	64	348	1	–	–	2	4	4	21	75	117	92	32
All other	130	1	2	1	–	3	7	10	31	47	22	5	47	–	–	1	–	–	3	7	12	10	12	2
Black	130	1	2	1	–	3	7	10	31	47	22	5	47	–	–	1	–	–	3	7	12	10	12	2
Bronchitis, chronic and unspecified (490-491)	57	–	1	–	–	–	–	1	10	20	18	6	20	1	–	–	–	1	1	2	6	5	3	1
White	48	–	–	–	–	–	–	1	6	18	17	5	18	1	–	–	–	1	–	2	6	5	3	1
All other	9	–	1	–	–	–	–	–	4	2	1	1	1	–	–	–	–	–	1	–	–	–	–	–
Black	9	–	1	–	–	–	–	–	4	2	1	1	1	–	–	–	–	–	1	–	–	–	–	–
Emphysema (492)	224	–	–	–	–	1	5	8	35	93	65	16	77	–	–	–	–	–	2	6	18	27	21	3
White	201	–	–	–	–	1	2	5	33	83	61	16	73	–	–	–	–	–	2	6	16	26	20	3
All other	23	–	–	–	–	–	3	3	2	10	4	–	4	–	–	–	–	–	–	–	2	1	1	–
Black	23	–	–	–	–	–	3	3	2	10	4	–	4	–	–	–	–	–	–	–	2	1	1	–
Asthma (493)	35	–	1	1	1	4	4	7	6	6	2	1	44	–	–	1	1	2	2	8	11	12	6	1
White	18	–	–	–	1	1	1	4	4	4	2	1	29	–	–	–	1	2	1	4	6	10	4	1
All other	17	–	1	1	–	3	3	3	4	2	–	–	15	–	–	1	–	–	1	4	5	2	2	–
Black	17	–	1	1	–	3	3	3	4	2	–	–	15	–	–	1	–	–	1	4	5	2	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	564	1	–	–	–	–	3	19	97	226	171	46	254	–	–	–	1	1	2	12	52	83	74	29
White	483	–	–	–	–	–	2	15	76	193	154	42	227	–	–	–	1	1	1	9	47	76	65	27
All other	81	1	–	–	–	–	1	4	21	33	17	4	27	–	–	–	–	–	1	3	5	7	9	2
Black	81	1	–	–	–	–	1	4	21	33	17	4	27	–	–	–	–	–	1	3	5	7	9	2
Ulcer of stomach and duodenum (531-533)	75	1	–	1	–	–	2	10	10	29	17	5	60	1	–	–	–	1	–	6	3	17	16	15
White	62	–	–	1	–	–	1	4	9	26	16	5	41	–	–	–	–	–	–	2	2	13	12	11
All other	13	1	–	–	–	–	1	6	1	3	1	–	19	1	–	–	–	1	–	4	1	4	4	4
Black	13	1	–	–	–	–	1	6	1	3	1	–	19	1	–	–	–	1	–	4	1	4	4	4
Appendicitis (540-543)	9	–	–	1	–	–	2	–	3	1	1	1	6	–	–	1	–	1	–	–	–	2	2	–
White	4	–	–	1	–	–	1	–	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–
All other	5	–	–	–	–	–	1	–	2	1	–	1	4	–	–	–	–	–	–	–	–	2	2	–
Black	5	–	–	–	–	–	1	–	2	1	–	1	4	–	–	–	–	–	–	–	–	2	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	2	–	–	–	2	–	3	8	12	10	6	84	2	–	–	–	2	4	5	5	16	29	21
White	27	–	–	–	–	–	–	1	7	7	5	4	58	–	–	–	–	2	2	2	4	8	20	21
All other	18	2	–	–	–	2	–	2	1	5	2	4	25	2	–	–	–	–	2	3	1	8	9	–
Black	18	2	–	–	–	2	–	2	1	5	2	4	25	2	–	–	–	–	2	3	1	8	9	–
Chronic liver disease and cirrhosis (571)	358	2	–	–	–	20	61	91	97	65	20	2	232	–	–	–	5	11	38	49	62	37	25	5
White	272	1	–	–	–	9	39	69	85	51	17	1	151	–	–	–	1	5	15	33	47	25	21	4
All other	86	1	–	–	–	11	22	22	12	14	3	1	81	–	–	–	4	6	23	16	15	12	4	1
Black	85	1	–	–	–	11	22	22	12	13	3	1	79	–	–	–	4	6	23	16	13	12	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	31	–	–	–	2	–	1	3	5	9	7	4	31	–	–	–	–	–	1	1	1	5	12	11
White	28	–	–	–	1	–	1	3	5	8	7	3	23	–	–	–	–	–	–	1	–	2	10	10
All other	3	–	–	–	1	–	–	–	–	1	–	1	8	–	–	–	–	–	1	–	1	3	2	1
Black	3	–	–	–	1	–	–	–	–	1	–	1	8	–	–	–	–	–	1	–	1	3	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	222	3	–	2	1	4	11	18	31	60	60	32	236	1	–	–	1	3	5	16	34	66	73	37
White	113	1	–	1	1	2	6	7	11	23	35	26	123	–	–	–	–	1	3	7	12	23	47	30
All other	109	2	–	1	–	2	5	11	20	37	25	6	113	1	–	–	1	2	2	9	22	43	26	7
Black	109	2	–	1	–	2	5	11	20	37	25	6	112	1	–	–	1	2	2	9	21	43	26	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	–	2	1	6	–	–	–	–	–	–	1	1	1	3	–
White	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	1	–	2	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	1	-	-	-	1	3	-	2	1	10	5	24	-	-	-	-	-	-	-	4	8	8	4
White	12	-	-	-	-	-	1	-	-	-	7	4	17	-	-	-	-	-	-	-	2	4	7	4
All other	11	1	-	-	-	1	2	-	2	1	3	1	7	-	-	-	-	-	-	-	2	4	1	-
Black	11	1	-	-	-	1	2	-	2	1	3	1	7	-	-	-	-	-	-	-	2	4	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	186	2	-	2	1	3	8	18	29	59	48	26	208	1	-	-	1	3	5	15	29	57	62	33
White	99	1	-	1	1	2	5	7	11	23	27	21	103	-	-	-	-	1	3	7	9	19	36	26
All other	97	1	-	1	-	1	3	11	18	36	21	5	103	1	-	-	1	2	2	8	20	38	24	7
Black	97	1	-	1	-	1	3	11	18	36	21	5	102	1	-	-	1	2	2	8	19	38	24	7
Infections of kidney (590)	17	-	-	1	-	-	1	-	1	7	5	2	45	-	-	1	-	3	5	1	7	5	9	14
White	14	-	-	1	-	-	-	-	1	6	4	2	35	-	-	1	-	2	3	-	3	5	6	13
All other	3	-	-	-	-	-	1	-	-	1	1	-	10	-	-	-	-	1	2	1	4	-	1	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	10	-	-	-	-	1	2	1	4	-	1	1
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	-	4	7	9	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	1	6	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	-	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	-	-	-	-	-	-	-	-	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	3	7	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	4	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	4	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	3	5	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Congenital anomalies (740-759)	159	88	17	9	13	5	6	5	6	7	3	-	166	101	16	8	7	6	6	4	8	6	4	2
White	103	56	8	7	7	4	4	4	5	5	3	-	105	60	11	4	6	3	4	3	6	3	3	2
All other	56	32	9	2	6	1	2	1	1	2	-	-	61	41	5	4	1	3	2	1	-	3	1	-
Black	55	31	9	2	6	1	2	1	1	2	-	-	59	40	4	4	1	3	2	1	-	3	1	-
Certain conditions originating in the perinatal period (760-779)	314	314	-	-	-	-	-	-	-	-	-	-	251	250	-	-	-	-	-	-	1	-	-	-
White	139	139	-	-	-	-	-	-	-	-	-	-	116	115	-	-	-	-	-	-	1	-	-	-
All other	175	175	-	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
Black	174	174	-	-	-	-	-	-	-	-	-	-	134	134	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	96	96	-	-	-	-	-	-	-	-	-	-	77	76	-	-	-	-	-	-	1	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	33	32	-	-	-	-	-	-	1	-	-	-
All other	42	42	-	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
Black	42	42	-	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	218	218	-	-	-	-	-	-	-	-	-	-	174	174	-	-	-	-	-	-	-	-	-	-
White	85	85	-	-	-	-	-	-	-	-	-	-	83	83	-	-	-	-	-	-	-	-	-	-
All other	133	133	-	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
Black	132	132	-	-	-	-	-	-	-	-	-	-	90	90	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	250	81	2	1	3	8	10	18	42	29	38	18	216	82	2	-	1	5	8	9	16	29	49	35
White	134	43	2	-	1	4	6	8	16	18	23	13	115	25	2	-	-	2	3	5	9	17	31	21
All other	116	38	-	1	2	4	4	10	26	11	15	5	101	37	-	-	1	3	5	4	7	12	18	14
Black	116	38	-	1	2	4	4	10	26	11	15	5	100	36	-	-	1	3	5	4	7	12	18	14
All other diseases (Residual)	1,545	35	19	20	35	52	119	155	292	383	326	128	1,480	25	18	17	25	40	77	136	158	264	393	307
White	1,021	17	13	16	25	25	47	88	190	252	234	119	1,008	8	11	11	8	14	30	69	110	191	300	256
All other	524	18	6	4	10	27	72	67	102	111	92	15	472	17	7	6	17	26	47	67	48	93	93	51
Black	523	18	6	4	10	27	72	66	102	111	92	15	470	16	7	6	17	26	47	67	48	93	93	50
Accidents and adverse effects (E800-E949)	1,894	18	52	90	425	376	239	188	179	164	108	59	826	28	37	46	127	97	71	63	70	104	96	88
White	1,354	10	30	56	337	265	159	124	127	117	82	47	626	11	21	28	103	68	54	50	56	81	81	73
All other	540	8	22	34	88	111	80	62	52	47	24	12	200	15	16	18	24	29	17	13	14	23	15	15
Black	538	8	22	33	87	110	80	62	52	47	23	12	197	15	16	18	24	27	16	13	14	23	15	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	908	3	18	45	277	227	123	80	72	34	23	6	362	1	13	32	106	69	32	31	27	30	14	7
White	689	2	10	29	236	166	90	57	52	24	16	5	289	–	10	21	88	50	27	26	24	24	13	6
All other	219	1	8	16	41	59	33	23	20	10	7	1	73	1	3	11	18	19	5	5	3	6	1	1
Black	216	1	8	16	40	58	33	23	20	10	6	1	70	1	3	11	18	17	4	5	3	6	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	986	15	34	45	148	149	116	106	107	130	83	53	464	25	24	14	21	28	39	32	43	74	82	81
White	665	8	20	27	101	97	69	67	75	93	66	42	337	11	11	7	15	18	27	24	32	57	68	67
All other	321	7	14	18	47	52	47	39	32	37	17	11	127	14	13	7	6	10	12	8	11	17	14	14
Black	320	7	14	17	47	52	47	39	32	37	17	11	127	14	13	7	6	10	12	8	11	17	14	14
Suicide (E950-E959)	567	...	...	3	102	148	86	85	56	55	25	7	176	...	...	1	28	33	33	29	32	15	5	–
White	510	...	...	2	87	128	79	80	49	53	25	7	162	...	...	1	24	30	32	27	31	12	5	–
All other	57	...	...	1	15	20	7	5	7	2	–	–	14	...	...	–	4	3	1	2	1	3	–	–
Black	56	...	...	1	15	19	7	5	7	2	–	–	13	...	...	–	4	2	1	2	1	3	–	–
Homicide and legal intervention (E960-E978)	581	3	3	1	99	191	125	87	40	20	8	3	215	3	9	4	52	68	34	24	9	7	3	2
White	241	1	2	1	41	58	57	46	19	9	5	2	86	1	4	3	18	27	13	10	4	3	2	1
All other	340	2	1	–	58	133	68	41	21	11	3	1	129	2	5	1	34	41	21	14	5	4	1	1
Black	340	2	1	–	58	133	68	41	21	11	3	1	129	2	5	1	34	41	21	14	5	4	1	1
All other external causes (E980-E999)	52	1	1	1	5	13	9	4	9	5	1	1	24	–	1	2	5	7	2	3	2	1	–	1
White	34	–	–	1	3	6	8	4	7	2	1	1	15	–	–	1	3	4	2	2	2	1	–	–
All other	18	1	1	–	2	7	1	–	2	3	–	–	9	–	1	1	2	3	–	1	–	–	–	1
Black	18	1	1	–	2	7	1	–	2	3	–	–	9	–	1	1	2	3	–	1	–	–	–	1
HAWAII																								
All causes	3,069	102	12	23	115	120	133	228	528	728	712	366	2,119	62	12	17	46	50	79	162	294	425	486	482
White	976	23	2	9	49	50	54	71	179	238	212	89	712	17	3	3	10	18	31	41	95	159	169	164
All other	2,093	79	10	14	66	70	79	157	349	490	500	277	1,407	45	9	14	36	32	48	121	199	266	317	318
Black	91	9	–	1	4	5	–	3	3	2	1	2	11	2	–	1	1	–	1	–	3	1	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	–	1	2	–	4	–	–	–	–	–	–	–	–	2	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	2	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	–	–	1	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	22	1	–	–	–	–	3	1	1	6	2	8	18	–	–	–	–	–	–	–	5	5	3	5
White	5	–	–	–	–	–	–	1	–	2	–	2	3	–	–	–	–	–	–	–	–	1	–	2
All other	17	1	–	–	–	–	3	–	1	4	2	6	15	–	–	–	–	–	–	–	5	4	3	3
Black	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	4	-	-	-	1	-	1	-	2	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	4	-	-	-	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	-	-	-	-	1	1	-	-	2	4	1	12	1	-	-	2	-	-	1	4	2	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	8	-	-	-	-	1	1	-	-	2	3	1	10	1	-	-	2	-	-	1	4	1	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	743	1	-	5	5	11	23	65	194	230	163	46	511	1	-	3	5	12	30	70	117	135	89	48
White	227	-	-	2	-	3	10	16	64	77	42	13	175	1	-	1	1	3	12	17	36	51	35	15
All other	516	1	-	3	5	8	13	49	130	153	121	33	336	-	-	2	4	9	18	53	79	84	54	33
Black	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	26	-	-	-	-	1	1	2	7	10	4	1	8	-	-	-	-	-	-	-	2	2	2	2
White	11	-	-	-	-	-	-	-	5	4	2	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	15	-	-	-	-	1	1	2	2	6	2	1	6	-	-	-	-	-	-	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	276	-	-	-	1	2	5	24	79	90	67	16	158	-	-	-	-	1	4	13	33	47	36	22
White	61	-	-	-	-	-	-	4	15	22	14	6	46	-	-	-	-	-	2	3	6	15	12	8
All other	217	-	-	-	1	2	5	20	63	68	53	10	110	-	-	-	-	1	2	10	27	32	24	14
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	193	-	-	-	-	-	5	14	62	69	36	7	91	-	-	-	-	1	3	17	25	25	9	11
White	56	-	-	-	-	-	2	1	16	25	10	1	36	-	-	-	-	-	3	7	9	13	4	-
All other	137	-	-	-	-	-	3	13	46	43	26	6	55	-	-	-	-	1	-	10	16	12	5	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-	-	-	3	10	17	23	18	10	6
White	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-	-	1	2	5	10	6	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	55	-	-	-	-	2	8	12	13	12	5	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	64	-	-	-	-	3	-	2	9	19	22	9	62	-	-	1	-	-	5	14	16	16	9	1
White	32	-	-	-	-	1	-	2	7	10	8	4	19	-	-	-	-	-	2	-	6	8	3	-
All other	32	-	-	-	-	2	-	-	2	9	14	5	43	-	-	1	-	-	3	14	10	8	6	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	20	-	-	-	-	-	-	1	6	4	8	1	13	-	-	-	-	-	-	-	4	2	3	4
White	9	-	-	-	-	-	-	1	3	2	3	-	6	-	-	-	-	-	-	-	-	1	2	3
All other	11	-	-	-	-	-	-	-	3	2	5	1	7	-	-	-	-	-	-	-	4	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	64	1	-	3	2	4	5	15	24	13	9	8	61	1	-	1	2	5	7	5	9	16	13	2
White	34	-	-	1	-	2	4	7	12	4	2	2	21	1	-	-	-	1	3	2	4	4	5	1
All other	30	1	-	2	2	2	1	8	12	9	7	6	40	-	-	1	2	4	4	3	5	12	8	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	33	-	-	1	2	1	5	3	2	11	6	2	13	-	-	1	2	2	-	3	1	3	1	-
White	8	-	-	-	-	-	3	1	1	3	-	-	3	-	-	-	1	1	-	-	-	1	-	-
All other	25	-	-	1	2	1	2	2	1	8	6	2	10	-	-	-	1	2	1	-	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	45	-	-	1	-	-	2	4	11	14	11	2	19	-	-	-	1	-	1	1	4	6	6	-
White	16	-	-	1	-	-	1	-	5	6	3	-	9	-	-	-	1	-	-	-	2	3	3	-
All other	29	-	-	-	-	-	1	4	6	8	8	2	10	-	-	-	-	-	1	1	2	3	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	-	1	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	57	-	-	-	-	-	3	4	10	16	15	9	70	-	-	-	2	-	2	5	6	21	22	12
White	19	-	-	-	-	-	1	-	1	6	7	4	11	-	-	-	-	-	1	-	1	5	3	1
All other	38	-	-	-	-	-	2	4	9	10	8	5	59	-	-	-	2	-	1	5	5	16	19	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	2	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	1	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	-	-	-	-	4	-	5	5	-	-	1	-	1	-	-	-	1	1	1
White	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	1	-	-	-	-	-	1
All other	6	-	-	-	-	-	-	-	-	2	-	4	3	-	-	1	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,242	3	-	1	4	19	40	89	211	321	361	191	920	3	-	2	4	8	20	47	102	177	282	294
White	363	1	-	-	-	5	10	27	68	103	106	43	305	-	-	-	-	2	9	11	32	58	87	105
All other	879	2	-	1	4	14	30	62	143	218	255	148	615	3	-	2	4	6	11	36	70	119	175	189
Black	5	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	979	2	-	-	4	14	34	77	178	251	272	144	697	3	-	2	3	7	13	35	83	137	196	217
White	287	1	-	-	-	3	10	23	61	76	83	30	229	-	-	-	-	1	5	9	28	44	64	79
All other	692	1	-	-	4	11	24	54	118	175	189	114	468	3	-	2	3	6	8	26	57	93	132	138
Black	4	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	1	-	-	2	1	2	-	1	24	-	-	-	1	1	2	5	2	9	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	1	1	7	1	1
All other	7	-	-	-	1	-	-	2	1	2	-	1	12	-	-	-	1	1	2	4	1	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	33	-	-	-	-	-	2	3	4	6	15	3	28	-	-	-	-	-	-	1	1	10	11	5
White	8	-	-	-	-	-	-	-	1	3	4	-	10	-	-	-	-	-	-	-	1	-	8	1
All other	25	-	-	-	-	-	2	3	3	3	11	3	18	-	-	-	-	-	-	1	-	10	3	4
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	2	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	721	-	-	-	-	11	26	61	140	184	191	107	428	1	-	-	-	2	3	22	50	83	131	136
White	204	-	-	-	-	1	8	21	50	52	52	20	128	-	-	-	-	-	2	6	15	26	36	43
All other	517	-	-	-	-	10	18	40	90	132	139	87	300	1	-	-	-	2	1	16	35	57	95	93
Black	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	345	-	-	-	-	7	11	31	80	83	94	39	197	1	-	-	-	1	1	11	31	52	56	44
White	92	-	-	-	-	1	1	12	27	17	26	8	54	-	-	-	-	-	1	2	8	15	16	12
All other	253	-	-	-	-	6	10	19	53	66	68	31	143	1	-	-	-	1	-	9	23	37	40	32
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	1	2	2	1	2	-	3	-	-	-	-	-	-	1	1	-	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	6	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	388	-	-	-	-	4	14	28	58	100	95	68	226	-	-	-	-	1	2	10	18	31	74	92
White	110	-	-	-	-	-	7	8	23	35	25	12	73	-	-	-	-	-	1	4	6	11	20	31
All other	258	-	-	-	-	4	7	20	35	65	70	56	155	-	-	-	-	1	1	6	12	20	54	61
Black	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	15	1	-	-	-	1	-	1	2	4	6	-	19	-	-	-	-	1	-	1	1	3	5	6
White	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	1	-	-	-	1	1	3
All other	13	1	-	-	-	1	-	1	2	3	5	-	13	-	-	-	-	-	-	1	1	2	4	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	201	1	–	–	3	2	6	10	32	55	58	33	193	2	–	2	2	3	6	6	28	30	47	65
White	73	1	–	–	–	2	2	2	10	20	26	10	72	–	–	–	–	–	3	2	9	10	19	30
All other	128	–	–	–	3	–	4	8	22	35	32	23	121	2	–	2	2	3	5	4	19	20	29	35
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	5	–	–	–	–	–	2	–	–	–	1	2	6	–	–	–	–	–	–	–	–	2	1	3
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	5	–	–	–	–	–	2	–	–	–	1	2	5	–	–	–	–	–	–	–	–	2	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	194	1	–	–	–	3	3	11	28	46	67	35	174	–	–	–	1	1	7	11	16	30	50	58
White	51	–	–	–	–	1	–	4	6	16	13	11	62	–	–	–	–	1	4	2	5	12	17	21
All other	143	1	–	–	–	2	3	7	22	30	54	24	112	–	–	–	1	–	3	9	11	18	33	37
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	48	1	–	–	–	2	–	5	9	16	13	2	17	–	–	–	–	–	–	2	4	6	4	1
White	8	–	–	–	–	1	–	2	1	4	–	–	8	–	–	–	–	–	–	1	2	3	2	–
All other	40	1	–	–	–	1	–	3	8	12	13	2	9	–	–	–	–	–	–	1	2	3	2	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	–	–	–	–	–	–	1	6	5	3	3	28	–	–	–	–	–	–	2	3	3	9	9
White	7	–	–	–	–	–	–	–	3	2	2	–	12	–	–	–	–	–	–	1	1	2	6	2
All other	11	–	–	–	–	–	–	1	3	3	1	3	14	–	–	–	–	–	–	1	2	1	3	7
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	127	–	–	–	–	1	3	5	13	25	51	29	129	–	–	–	1	1	6	7	9	20	37	48
White	36	–	–	–	–	–	2	2	5	10	11	11	42	–	–	–	–	1	4	–	2	7	9	19
All other	91	–	–	–	–	1	3	3	11	15	40	18	87	–	–	–	1	–	2	7	7	13	28	29
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	18	–	–	–	–	–	–	–	5	5	8	26	–	–	–	–	–	–	–	1	1	3	9	12
White	7	–	–	–	–	–	–	–	2	3	2	8	–	–	–	–	–	–	–	–	–	1	3	4
All other	11	–	–	–	–	–	–	–	3	2	6	18	–	–	–	–	–	–	–	1	1	2	6	8
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	46	–	–	1	–	2	1	1	4	19	16	2	17	–	–	–	–	–	–	–	2	5	6	4
White	18	–	–	–	–	1	–	–	1	9	7	–	5	–	–	–	–	–	–	–	1	1	3	–
All other	28	–	–	1	–	1	1	1	3	10	9	2	12	–	–	–	–	–	–	–	1	4	3	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	101	2	2	1	1	–	–	–	7	18	36	34	66	–	–	2	2	1	2	3	6	6	13	31
White	32	1	–	–	–	–	–	–	1	7	13	10	18	–	–	–	–	–	1	–	1	3	4	10
All other	69	1	2	1	1	–	–	–	6	11	23	24	48	–	–	2	2	1	2	3	5	3	9	21
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	97	2	1	1	1	–	–	–	7	17	36	32	65	–	–	2	2	1	2	3	6	6	13	30
White	30	1	–	–	–	–	–	–	1	6	13	9	17	–	–	–	–	–	1	–	1	3	4	9
All other	67	1	1	1	1	–	–	–	6	11	23	23	48	–	–	2	2	1	2	3	5	3	9	21
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	4	–	1	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	100	–	–	–	1	1	2	6	19	33	27	11	60	–	–	1	3	–	3	3	7	19	16	8
White	40	–	–	–	1	1	–	4	10	15	6	3	32	–	–	–	–	–	1	–	3	13	12	3
All other	60	–	–	–	–	–	2	2	9	18	21	8	28	–	–	1	3	–	2	3	4	6	4	5
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	4	–	–	–	–	–	–	–	1	2	–	1	8	–	–	–	–	–	1	2	–	1	1	1
White	3	–	–	–	–	–	–	–	1	2	–	–	4	–	–	–	–	–	1	–	–	1	1	1
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	2	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	19	–	–	–	–	–	–	1	2	7	8	1	8	–	–	–	–	–	–	–	1	1	6	–
White	9	–	–	–	–	–	–	1	2	4	2	–	8	–	–	–	–	–	–	–	1	1	6	–
All other	10	–	–	–	–	–	–	–	–	3	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	11	–	–	–	1	1	1	1	2	4	1	–	16	–	–	1	3	–	1	1	3	4	3	–
White	3	–	–	–	1	1	–	–	–	1	–	–	5	–	–	–	–	–	–	–	2	2	1	–
All other	8	–	–	–	–	–	1	1	2	3	1	–	11	–	–	1	3	–	1	1	1	2	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	66	–	–	–	–	–	1	4	14	20	18	9	30	–	–	–	–	–	1	–	3	13	8	7
White	25	–	–	–	–	–	–	3	7	8	4	3	15	–	–	–	–	–	–	–	–	9	4	2
All other	41	–	–	–	–	–	1	1	7	12	14	6	15	–	–	–	–	–	1	–	3	4	2	5
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	13	–	–	–	–	–	–	–	1	4	7	1	3	1	–	–	–	–	–	1	1	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	12	–	–	–	–	–	–	–	1	3	7	1	2	1	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	–	–	–	–	–	–	1	2	2	1	5	–	–	–	–	–	–	–	–	2	2	1
White	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	–	2	2	1
All other	6	1	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	41	–	–	–	1	4	3	6	14	5	7	1	21	–	–	–	–	–	–	3	10	2	4	2
White	22	–	–	–	1	2	3	2	10	–	3	1	11	–	–	–	–	–	–	2	6	2	–	1
All other	19	–	–	–	–	2	–	4	4	5	4	–	10	–	–	–	–	–	–	1	4	–	4	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–	–	–	–	–	1	3	4
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	2	–	–	–	–	–	–	–	–	1	–	1	6	–	–	–	–	–	–	–	–	1	2	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	1	–	–	–	–	1	2	5	5	9	7	25	–	–	1	1	1	–	2	1	3	10	6
White	11	–	–	–	–	–	1	1	1	4	3	1	6	–	–	–	–	–	–	1	–	–	3	2
All other	19	1	–	–	–	–	–	1	4	1	6	6	19	–	–	1	1	1	–	1	1	3	7	4
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	–	–	–	–	–	1	–	–	1	1	8	–	–	1	–	–	–	1	–	–	4	2
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	1	–	–	–	–	–	1	–	–	–	1	8	–	–	1	–	–	–	1	–	–	4	2
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	–	–	–	–	–	1	1	5	5	8	6	15	–	–	–	1	–	–	1	1	3	5	4
White	10	–	–	–	–	–	1	1	1	4	2	1	6	–	–	–	–	–	–	1	–	–	3	2
All other	16	–	–	–	–	–	–	–	4	1	6	5	9	–	–	–	1	–	–	–	1	3	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
White	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
All other	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Black	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	32	27	-	2	-	-	-	-	3	-	-	-	20	12	1	1	1	1	-	-	1	1	1	1
White	7	6	-	1	-	-	-	-	-	-	-	-	7	4	-	-	-	1	-	-	-	-	1	1
All other	25	21	-	1	-	-	-	-	3	-	-	-	13	8	1	1	1	-	-	-	1	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	41	41	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	31	31	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	50	19	-	-	3	7	5	1	4	6	4	1	29	8	1	-	2	3	-	3	1	4	2	5
White	20	7	-	-	1	4	2	1	3	2	-	-	10	2	-	-	1	1	-	1	1	3	-	1
All other	30	12	-	-	2	3	3	-	1	4	4	1	19	6	1	-	1	2	-	2	-	1	2	4
Black	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	200	2	2	4	8	4	6	20	25	43	51	35	175	5	2	2	4	6	7	12	17	28	44	48
White	73	-	-	2	2	1	3	7	11	15	24	8	66	1	1	1	2	1	1	3	8	16	16	16
All other	127	2	2	2	6	3	3	13	14	28	27	27	109	4	1	1	2	5	6	9	9	12	28	32
Black	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Accidents and adverse effects (E800-E949)	234	2	6	7	56	40	27	23	18	26	17	12	90	1	6	4	13	10	10	8	9	11	9	9
White	95	-	2	3	28	23	17	9	4	3	5	1	34	-	1	1	5	8	5	4	1	3	4	2
All other	139	2	4	4	28	17	10	14	14	23	12	11	56	1	5	3	8	2	5	4	8	8	5	7
Black	6	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	105	1	3	2	36	22	13	9	5	9	4	1	48	1	1	1	10	5	10	6	4	8	1	1
White	44	-	-	1	15	12	8	4	2	-	2	-	21	-	-	1	5	4	5	3	-	2	1	-
All other	61	1	3	1	21	10	5	5	3	9	2	1	27	1	1	-	5	1	5	3	4	6	-	1
Black	4	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	129	1	3	5	20	18	14	14	13	17	13	11	42	-	5	3	3	5	-	2	5	3	8	8
White	51	-	2	2	13	11	9	5	2	3	3	1	13	-	1	-	-	4	-	1	1	1	3	2
All other	78	1	1	3	7	7	5	9	11	14	10	10	29	-	4	3	3	1	-	1	4	2	5	6
Black	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	78	...	...	2	21	23	13	4	6	3	3	1	19	...	...	-	7	5	3	-	4	-	-	-
White	28	...	...	1	7	8	4	1	4	1	1	1	4	...	...	-	1	-	-	-	3	-	-	-
All other	50	...	...	1	14	15	9	3	4	2	2	-	15	...	...	-	6	5	3	-	1	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	26	-	-	1	11	4	3	5	2	-	-	-	3	-	1	-	1	-	-	1	-	-	-	-
White	10	-	-	-	6	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	16	-	-	1	5	3	2	4	1	-	-	-	3	-	1	-	1	-	-	1	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	17	-	2	-	3	6	2	2	2	-	-	-	6	-	-	-	1	1	2	1	1	-	-	-
White	9	-	-	-	3	2	2	1	1	-	-	-	5	-	-	-	-	1	2	1	1	-	-	-
All other	8	-	2	-	-	4	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	3,963	124	24	46	129	113	129	236	569	1,021	1,017	554	2,994	71	20	27	44	48	76	135	312	609	801	851
White	3,899	122	22	42	125	107	118	233	562	1,009	1,008	550	2,948	71	17	27	44	43	73	128	305	599	795	846
All other	64	2	2	4	4	6	11	3	7	12	9	4	46	–	3	–	–	5	3	7	7	10	6	5
Black	5	1	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	16	1	–	–	–	1	–	–	2	3	7	2	14	–	–	–	2	–	–	2	1	3	3	3
White	16	1	–	–	–	1	–	–	2	3	7	2	13	–	–	–	2	–	–	1	1	3	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	–	–	–	–	1	–	3	–	–	2	3	–	1	–	–	1	1	–	–	–	–	–
White	7	1	–	–	–	–	1	–	3	–	–	2	3	–	1	–	–	1	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	767	–	1	3	4	10	20	57	153	255	197	67	605	–	–	3	4	5	19	49	138	184	134	69
White	758	–	1	3	4	10	19	57	152	250	195	67	601	–	–	3	4	5	19	47	137	183	134	69
All other	9	–	–	–	–	–	1	–	1	5	2	–	4	–	–	–	–	–	–	2	1	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	-	-	1	1	4	2	1	6	-	-	-	-	-	1	1	2	1	-	1
White	9	-	-	-	-	-	-	1	1	4	2	1	6	-	-	-	-	-	1	1	2	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	192	-	-	-	-	11	6	14	47	53	51	20	128	-	-	-	-	-	2	5	23	37	34	27
White	190	-	-	-	-	1	6	14	46	52	51	20	128	-	-	-	-	-	2	5	23	37	34	27
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	239	-	-	-	-	-	5	22	57	92	49	14	100	-	-	-	1	1	2	7	25	40	17	7
White	236	-	-	-	-	-	4	22	57	90	49	14	100	-	-	-	1	1	2	7	25	40	17	7
All other	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	109	-	-	-	-	1	7	17	29	29	19	7
White	-	-	-	-	-	-	-	-	-	-	-	-	108	-	-	-	-	1	7	16	29	29	19	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	94	-	-	-	-	1	1	2	7	28	38	17	70	-	-	-	1	1	3	6	19	18	15	7
White	92	-	-	-	-	1	1	2	7	28	36	17	69	-	-	-	1	1	3	5	19	18	15	7
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	46	-	-	-	-	-	2	4	5	16	14	5	15	-	-	-	-	-	-	-	1	7	5	2
White	45	-	-	-	-	-	2	4	5	15	14	5	15	-	-	-	-	-	-	-	1	7	5	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	121	-	1	-	2	4	3	11	28	39	27	6	97	-	-	2	1	2	2	7	27	25	22	9
White	120	-	1	-	2	4	3	11	28	38	27	6	96	-	-	2	1	2	2	7	26	25	22	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	28	-	-	2	2	1	2	-	2	12	6	1	41	-	-	1	1	-	2	3	4	14	12	4
White	28	-	-	2	2	1	2	-	2	12	6	1	40	-	-	1	1	-	2	3	4	13	12	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	-	-	1	-	3	1	3	6	11	10	3	39	-	-	-	-	-	-	3	8	13	10	5
White	38	-	-	1	-	3	1	3	6	11	10	3	39	-	-	-	-	-	-	3	8	13	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	-	-	-	2	1	-	1	3	5	-	16	-	-	-	1	-	-	-	-	9	3	3
White	12	-	-	-	-	2	1	-	1	3	5	-	15	-	-	-	1	-	-	-	-	9	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	51	-	-	-	2	2	-	5	4	16	17	5	70	-	-	-	1	5	2	3	4	19	24	12
White	49	-	-	-	2	2	-	5	4	14	17	5	70	-	-	-	1	5	2	3	4	19	24	12
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	1	1	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
White	6	-	-	-	-	-	-	1	1	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	2	3	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	5	-	-	-	-	-	-	-	2	3	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,719	2	3	2	2	4	23	74	247	504	531	327	1,454	-	-	1	2	1	19	34	89	268	467	573
White	1,707	2	3	2	2	4	23	73	244	502	526	326	1,438	-	-	1	2	1	19	32	87	263	463	570
All other	12	-	-	-	-	-	-	1	3	2	5	1	16	-	-	-	-	-	-	2	2	5	4	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,353	1	3	-	2	4	19	68	212	412	403	229	1,060	-	-	1	1	-	14	25	73	229	341	376
White	1,344	1	3	-	2	4	19	67	210	411	399	228	1,048	-	-	1	1	-	14	23	71	225	338	375
All other	9	-	-	-	-	-	-	1	2	1	4	1	12	-	-	-	-	-	-	2	2	4	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	-	-	-	-	-	-	6	7	1	20	-	-	-	-	-	1	1	1	5	7	5
White	14	-	-	-	-	-	-	-	-	6	7	1	20	-	-	-	-	-	1	1	1	5	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	10	-	-	-	-	-	-	-	1	3	4	2	16	-	-	-	-	-	1	-	1	2	4	8
White	10	-	-	-	-	-	-	-	1	3	4	2	16	-	-	-	-	-	1	-	1	2	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	1	-	2	1	11	-	-	-	-	-	-	-	-	3	1	7
White	4	-	-	-	-	-	-	-	1	-	2	1	11	-	-	-	-	-	-	-	-	3	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,005	-	-	-	1	3	11	51	168	321	284	166	677	-	-	-	-	-	5	15	54	160	214	229
White	998	-	-	-	1	3	11	50	166	320	281	166	670	-	-	-	-	-	5	15	53	157	212	228
All other	7	-	-	-	-	-	-	1	2	1	3	-	7	-	-	-	-	-	-	-	1	3	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	663	-	-	-	1	1	8	37	136	225	186	69	358	-	-	-	-	-	4	12	38	116	117	71
White	658	-	-	-	1	1	8	36	134	225	184	69	353	-	-	-	-	-	4	12	37	113	116	71
All other	5	-	-	-	-	-	-	1	2	-	2	-	5	-	-	-	-	-	-	-	1	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	341	-	-	-	-	2	2	14	32	96	98	97	318	-	-	-	-	-	1	3	16	43	97	158
White	339	-	-	-	-	2	2	14	32	95	97	97	316	-	-	-	-	-	1	3	16	43	96	157
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	15	-	-	-	-	1	1	-	4	1	6	2	20	-	-	-	-	-	1	-	-	2	7	10
White	15	-	-	-	-	1	1	-	4	1	6	2	20	-	-	-	-	-	1	-	-	2	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	305	1	3	-	1	-	7	17	38	81	100	57	316	-	-	1	1	-	6	9	17	57	108	117
White	303	1	3	-	1	-	7	17	38	81	99	56	311	-	-	1	1	-	6	7	16	56	107	117
All other	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	2	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	-	-	3	5	1	8	-	-	-	-	-	-	-	1	2	3	2
White	9	-	-	-	-	-	-	-	-	3	5	1	8	-	-	-	-	-	-	-	1	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	253	1	-	2	-	-	4	5	22	62	93	64	322	-	-	-	1	1	5	7	13	36	108	151
White	251	1	-	2	-	-	4	5	21	61	93	64	319	-	-	-	1	1	5	7	13	35	107	150
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	30	1	-	1	-	-	-	1	5	11	7	4	26	-	-	-	-	1	2	2	4	4	7	6
White	29	1	-	1	-	-	-	1	4	11	7	4	25	-	-	-	-	1	2	2	4	4	7	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	-	-	-	-	-	-	2	3	4	7	8	50	-	-	-	-	-	-	-	1	8	18	23
White	24	-	-	-	-	-	-	2	3	4	7	8	50	-	-	-	-	-	-	-	1	8	18	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	196	-	-	1	-	-	4	2	13	45	79	52	243	-	-	-	1	-	3	5	8	24	82	120
White	195	-	-	1	-	-	4	2	13	44	79	52	240	-	-	-	1	-	3	5	8	23	81	119
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	44	-	-	-	-	-	-	-	2	9	14	19	49	-	-	-	-	-	-	1	-	-	11	37
White	43	-	-	-	-	-	-	-	2	9	13	19	48	-	-	-	-	-	-	1	-	-	11	36
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	60	-	-	-	-	-	-	1	11	18	16	14	15	-	-	-	-	-	-	1	2	1	4	7
White	60	-	-	-	-	-	-	1	11	18	16	14	15	-	-	-	-	-	-	1	2	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	115	3	2	1	-	-	2	1	3	19	45	39	103	2	1	1	1	-	1	3	2	11	33	48
White	114	3	2	1	-	-	2	1	3	18	45	39	100	2	1	1	1	-	1	3	2	11	32	46
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (480-486)	110	3	2	1	-	-	2	1	3	18	44	36	95	2	1	1	-	-	1	3	2	10	29	46
White	108	3	2	1	-	-	2	1	3	17	44	36	92	2	1	1	-	-	1	3	2	10	28	44
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Influenza (487)	5	-	-	-	-	-	-	-	-	1	1	3	8	-	-	-	1	-	-	-	-	1	4	2
White	5	-	-	-	-	-	-	-	-	1	1	3	8	-	-	-	1	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	224	1	-	1	-	-	3	4	35	78	82	20	68	-	-	2	-	-	1	3	9	30	19	4
White	223	1	-	1	-	-	3	4	35	78	81	20	67	-	-	2	-	-	-	3	9	30	19	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	3	-	1
White	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	63	-	-	-	-	-	1	2	10	27	18	5	16	-	-	-	-	-	-	2	2	11	1	-
White	63	-	-	-	-	-	1	2	10	27	18	5	16	-	-	-	-	-	-	2	2	11	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	-	2	-	1	3	-	-	7	-	-	-	-	-	1	-	2	-	4	-
White	6	-	-	-	-	-	2	-	1	3	-	-	6	-	-	-	-	-	-	-	2	-	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	151	1	-	1	-	-	-	2	24	48	62	15	41	-	-	2	-	-	-	1	5	16	14	3
White	150	1	-	1	-	-	-	2	24	48	61	15	41	-	-	2	-	-	-	1	5	16	14	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	21	-	-	-	-	-	1	-	2	8	4	6	10	1	-	-	-	-	-	1	-	1	3	4
White	19	-	-	-	-	-	1	-	2	8	4	4	10	1	-	-	-	-	-	1	-	1	3	4
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	-	-	-	-	4	3	4	17	1	-	-	-	-	-	-	2	3	3	8
White	10	-	-	-	-	-	-	-	-	3	3	4	17	1	-	-	-	-	-	-	2	3	3	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	56	-	-	-	-	1	6	12	19	14	4	-	34	-	-	-	-	1	4	4	13	9	3	-
White	51	-	-	-	-	-	4	11	18	14	4	-	30	-	-	-	-	-	2	4	12	9	3	-
All other	5	-	-	-	-	1	2	1	1	-	-	-	4	-	-	-	-	1	2	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	2	1	-	1	6	-	-	-	-	-	-	-	1	3	1	1
White	3	-	-	-	-	-	-	-	1	1	-	1	5	-	-	-	-	-	-	-	1	2	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	33	1	-	-	-	-	4	2	6	5	9	6	23	-	-	-	-	-	-	-	1	5	6	11
White	32	1	-	-	-	-	3	2	6	5	9	6	23	-	-	-	-	-	-	-	1	5	6	11
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	1	-	-	-	-	3	2	5	5	9	6	21	-	-	-	-	-	-	-	1	5	6	9
White	30	1	-	-	-	-	2	2	5	5	9	6	21	-	-	-	-	-	-	-	1	5	6	9
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	2	-	3
White	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	37	30	1	3	1	-	-	-	-	1	-	1	33	21	4	2	-	1	1	-	2	1	1	-
White	37	30	1	3	1	-	-	-	-	1	-	1	33	21	4	2	-	1	1	-	2	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	53	53	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	52	52	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	17	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	38	38	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	68	27	1	-	-	-	-	3	4	9	8	18	51	8	-	-	-	1	1	-	3	3	13	22
White	67	26	1	-	-	-	-	3	4	9	8	18	51	8	-	-	-	1	1	-	3	3	13	22
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	249	1	1	3	9	5	9	16	33	59	72	41	248	2	3	1	5	4	9	18	30	44	65	67
White	247	1	1	3	9	5	9	16	33	59	71	40	245	2	3	1	5	4	9	18	30	41	65	67
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	364	4	14	33	84	64	41	37	34	24	19	10	139	1	10	14	21	18	8	11	10	12	17	17
White	347	4	13	29	81	61	37	37	33	23	19	10	129	1	7	14	21	15	8	9	8	12	17	17
All other	17	-	1	4	3	3	4	-	1	1	-	-	10	-	3	-	-	3	-	2	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	165	1	7	14	63	32	17	12	10	5	4	-	72	1	5	12	21	7	7	5	3	5	5	1
White	157	1	6	14	61	30	14	12	10	5	4	-	69	1	5	12	21	6	7	3	3	5	5	1
All other	8	-	1	-	2	2	3	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	199	3	7	19	21	32	24	25	24	19	15	10	67	-	5	2	-	11	1	6	7	7	12	16
White	190	3	7	15	20	31	23	25	23	18	15	10	60	-	2	2	-	9	1	6	5	7	12	16
All other	9	-	-	4	1	1	1	-	1	1	-	-	7	-	3	-	-	2	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	108	...	...	-	19	18	13	19	18	13	7	1	29	...	...	1	4	5	7	5	5	1	1	-
White	106	...	...	-	19	16	12	19	18	13	7	1	28	...	...	1	4	4	7	5	5	1	1	-
All other	3	...	...	-	-	2	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	20	-	1	-	6	5	4	2	-	-	1	1	11	1	-	2	2	2	3	-	1	-	-	-
White	16	-	-	-	5	5	2	2	-	-	1	1	10	1	-	2	2	2	3	-	-	-	-	-
All other	4	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	2	1	1	3	2	1	-	-	8	-	-	-	1	4	-	2	-	-	-	1
White	9	-	-	-	2	1	1	2	2	1	-	-	8	-	-	-	1	4	-	2	-	-	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	52,780	1,422	223	317	1,491	1,759	1,847	3,961	9,331	13,465	12,602	6,358	47,721	1,078	141	181	481	645	1,072	2,300	5,477	9,780	14,013	12,541
White	44,809	879	140	225	1,093	1,197	1,277	2,970	7,823	11,826	11,458	5,918	41,626	635	94	123	348	427	739	1,771	4,436	8,552	12,796	11,764
All other	7,971	543	83	92	398	562	570	991	1,508	1,639	1,144	440	6,095	443	47	58	133	218	333	529	1,041	1,238	1,277	777
Black	7,760	528	81	89	395	549	559	969	1,479	1,597	1,103	430	5,950	432	45	56	128	211	321	515	1,018	1,212	1,261	750
Shigellosis and amebiasis (004,006)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	3	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
White	4	2	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	67	-	1	-	2	3	7	9	10	15	14	6	21	-	-	-	-	1	1	-	3	5	8	3
White	34	-	1	-	1	-	1	5	5	8	10	3	10	-	-	-	-	-	1	-	-	2	5	2
All other	33	-	-	-	1	3	6	4	5	7	4	3	11	-	-	-	-	1	-	-	3	3	3	1
Black	31	-	-	-	1	3	6	4	5	6	3	3	11	-	-	-	-	1	-	-	3	3	3	1
Tuberculosis of respiratory system (010-012)	62	-	-	-	1	3	7	9	9	14	13	6	16	-	-	-	-	-	1	-	3	3	6	3
White	32	-	-	-	1	-	1	5	5	6	9	3	9	-	-	-	-	-	1	-	-	2	4	2
All other	30	-	-	-	-	3	6	4	4	8	4	3	7	-	-	-	-	-	-	-	3	1	2	1
Black	28	-	-	-	-	3	6	4	4	5	3	3	7	-	-	-	-	-	-	-	3	1	2	1
Other tuberculosis (013-018)	5	-	1	-	1	-	-	-	1	1	1	-	5	-	-	-	-	1	-	-	-	2	2	-
White	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	-	-	1	-	-	-	2	1	-
Black	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	-	-	1	-	-	-	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	2	-	1	-	2	-	-	-	-	-	10	1	2	1	2	1	-	1	1	-	1	-
White	3	1	1	-	-	-	1	-	-	-	-	-	4	-	-	-	2	1	-	-	-	-	1	-
All other	3	-	1	-	1	-	1	-	-	-	-	-	6	1	2	1	-	-	-	1	1	-	-	-
Black	3	-	1	-	1	-	1	-	-	-	-	-	6	1	2	1	-	-	-	1	1	-	-	-
Septicemia (038)	256	4	1	1	1	5	7	20	48	56	68	47	215	2	1	1	1	1	5	9	28	38	74	55
White	206	2	-	1	1	3	6	15	39	40	58	42	179	1	1	-	1	1	3	5	21	32	65	50
All other	50	2	1	1	-	2	1	5	7	16	10	5	36	1	-	1	-	1	2	4	7	6	9	5
Black	50	2	1	1	-	2	1	5	7	16	10	5	34	1	-	1	-	1	2	4	6	5	9	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	-	-	2	1	-	3	4	5	2	-	14	-	-	-	1	2	1	2	4	2	2	-
White	14	-	-	-	1	1	-	2	4	4	2	-	10	-	-	-	1	1	-	2	2	2	2	-
All other	3	-	-	-	1	-	-	1	-	1	-	-	4	-	-	-	-	1	1	-	2	-	-	-
Black	3	-	-	-	1	-	-	1	-	1	-	-	4	-	-	-	-	1	1	-	2	-	-	-
Syphilis (090-097)	3	1	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	104	3	1	2	4	4	10	13	18	28	15	6	87	1	3	-	3	5	7	6	15	27	11	9
White	82	1	1	2	3	4	8	8	13	23	13	6	70	1	2	-	3	3	3	4	12	23	10	9
All other	22	2	-	-	1	-	2	5	5	5	2	-	17	-	1	-	-	2	4	2	3	4	1	-
Black	21	2	-	-	-	-	2	5	5	5	2	-	15	-	1	-	-	2	3	2	2	4	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,793	3	15	41	65	121	285	1,078	2,854	3,827	2,662	844	10,358	2	16	32	45	134	393	1,038	2,193	2,988	2,389	1,128
White	10,028	2	12	35	54	99	218	808	2,369	3,314	2,357	762	9,142	2	13	25	38	103	303	855	1,894	2,686	2,180	1,043
All other	1,765	1	3	6	11	22	69	268	485	513	305	82	1,216	-	3	7	7	31	90	183	299	302	209	85
Black	1,729	1	3	6	11	21	67	264	479	500	296	81	1,173	-	3	7	6	29	84	175	286	295	207	81
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	310	-	-	1	1	-	12	64	91	90	42	9	136	-	-	-	2	2	6	21	31	30	34	10
White	232	-	-	-	1	-	5	38	65	78	36	9	110	-	-	-	1	1	2	14	24	28	30	10
All other	78	-	-	1	-	-	7	26	26	12	6	-	26	-	-	-	1	1	4	7	7	2	4	-
Black	77	-	-	1	-	-	7	25	26	12	6	-	24	-	-	-	1	1	4	6	7	1	4	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,171	-	-	2	4	17	80	237	775	1,043	771	242	2,856	-	-	2	4	16	48	157	483	859	828	464
White	2,642	-	-	2	3	10	60	166	627	880	678	218	2,534	-	-	2	4	12	37	121	412	766	752	428
All other	529	-	-	-	1	7	20	71	148	163	95	24	322	-	-	-	-	4	11	36	71	93	71	36
Black	511	-	-	-	1	7	19	71	145	154	90	24	307	-	-	-	-	3	8	35	66	91	70	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,154	-	-	-	2	11	70	467	1,205	1,465	779	155	1,615	-	-	-	-	5	49	213	465	525	273	85
White	3,542	-	-	-	2	10	45	351	1,000	1,290	704	140	1,404	-	-	-	-	4	40	173	395	472	246	74
All other	612	-	-	-	-	1	25	116	205	175	75	15	211	-	-	-	-	1	9	40	70	53	27	11
Black	606	-	-	-	-	1	25	115	204	173	73	15	208	-	-	-	-	1	8	39	70	52	26	10
Malignant neoplasm of breast (174-175)	11	-	-	-	-	-	-	-	3	2	6	-	2,052	-	-	-	-	41	149	301	521	525	351	164
White	9	-	-	-	-	-	-	-	3	-	6	-	1,844	-	-	-	-	30	113	261	461	496	327	156
All other	2	-	-	-	-	-	-	-	-	2	-	-	208	-	-	-	-	11	36	40	60	29	24	8
Black	2	-	-	-	-	-	-	-	-	2	-	-	201	-	-	-	-	11	35	38	57	28	24	8
Malignant neoplasms of genital organs (179-187)	1,179	-	-	-	7	7	7	18	112	368	458	202	1,215	-	-	-	2	22	61	148	259	358	282	105
White	966	-	-	-	6	6	7	14	83	297	377	176	1,026	-	-	-	2	16	44	112	225	303	235	89
All other	213	-	-	-	1	1	-	4	29	71	81	26	189	-	-	-	-	6	17	34	34	55	27	16
Black	212	-	-	-	1	1	-	4	29	71	80	26	184	-	-	-	-	6	16	31	33	55	27	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	614	–	–	–	2	2	14	47	127	164	173	65	296	–	2	1	–	4	3	23	46	85	79	53
White	559	–	–	–	2	–	12	41	117	164	162	61	268	–	2	1	–	3	3	20	41	75	71	52
All other	55	–	–	–	–	2	2	6	10	20	11	4	28	–	–	–	–	1	–	3	5	10	8	1
Black	53	–	–	–	–	2	2	5	10	20	11	3	28	–	–	–	–	1	–	3	5	10	8	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,324	2	9	13	27	38	59	161	324	366	233	92	1,205	2	10	17	19	24	42	115	230	334	285	127
White	1,163	1	7	13	21	34	51	132	285	325	210	84	1,073	2	7	12	16	20	35	96	201	306	259	119
All other	161	1	2	–	6	4	8	29	39	41	23	8	132	–	3	5	3	4	7	19	29	28	26	8
Black	158	1	2	–	6	4	7	29	39	40	22	8	128	–	3	5	3	4	7	19	26	27	26	8
Leukemia (204-208)	451	1	5	23	15	20	18	27	67	123	93	39	390	–	4	12	12	12	21	23	49	92	105	60
White	401	1	4	19	13	16	16	21	74	112	89	36	351	–	4	10	10	9	18	22	42	81	95	60
All other	50	–	1	4	2	4	2	6	13	11	4	3	39	–	–	2	2	3	3	1	7	11	10	–
Black	47	–	1	4	2	3	2	6	12	10	4	3	37	–	–	2	1	2	3	1	7	11	10	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	579	–	1	2	7	26	25	55	130	186	107	40	593	–	–	–	6	8	14	39	109	180	177	60
White	514	–	1	1	6	23	20	45	115	168	97	38	532	–	–	–	5	8	11	38	93	159	165	55
All other	65	–	–	1	1	3	5	10	15	18	10	2	61	–	–	–	1	–	3	3	16	21	12	5
Black	63	–	–	1	1	3	5	9	14	18	10	2	58	–	–	–	1	–	3	3	15	20	12	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	161	1	5	2	4	12	5	14	28	38	37	15	196	1	3	3	5	4	10	13	22	44	64	27
White	138	1	5	2	3	10	3	12	25	32	32	13	173	1	3	2	5	3	8	11	16	39	58	26
All other	23	–	–	–	1	2	2	2	3	6	5	2	23	–	–	1	–	1	1	2	6	5	6	1
Black	23	–	–	–	1	2	2	2	3	6	5	2	23	–	–	1	–	1	1	2	6	5	6	1
Diabetes mellitus (250)	728	–	1	3	3	10	21	48	163	230	199	50	1,028	1	–	1	3	9	19	45	157	265	348	180
White	615	–	1	1	3	7	15	39	129	194	160	46	853	1	–	1	–	5	15	29	107	225	302	168
All other	113	–	–	2	–	3	6	9	34	36	19	4	175	–	–	–	3	4	4	16	50	40	46	12
Black	112	–	–	2	–	3	6	9	34	36	18	4	172	–	–	–	3	4	4	16	50	38	45	12
Nutritional deficiencies (260-269)	51	1	–	–	–	1	–	2	3	13	12	19	69	–	–	–	–	–	1	–	4	12	17	29
White	40	1	–	–	–	1	–	1	1	11	10	15	54	–	–	–	–	–	1	–	2	11	15	25
All other	11	–	–	–	–	–	–	1	2	2	2	4	9	–	–	–	–	–	–	–	2	1	2	4
Black	11	–	–	–	–	–	–	1	2	2	2	4	9	–	–	–	–	–	–	–	2	1	2	4
Anemias (280-285)	70	1	–	2	4	5	2	2	6	12	28	8	93	2	–	1	9	7	2	1	3	11	23	34
White	57	–	–	2	1	3	–	1	5	10	27	8	70	1	–	1	4	–	–	1	1	9	21	32
All other	13	1	–	–	3	2	2	1	1	2	1	–	23	1	–	–	5	7	2	–	2	2	2	2
Black	13	1	–	–	3	2	2	1	1	2	1	–	23	1	–	–	5	7	2	–	2	2	2	2
Meningitis (320-322)	26	9	4	2	–	2	2	–	1	3	1	2	22	12	2	–	–	–	–	1	1	2	1	3
White	9	2	3	–	–	–	–	–	–	2	–	2	16	7	2	–	–	–	–	1	–	2	1	3
All other	17	7	1	2	–	2	2	–	1	1	1	–	6	5	–	–	–	–	–	–	1	–	–	–
Black	17	7	1	2	–	2	2	–	1	1	1	–	6	5	–	–	–	–	–	–	1	–	–	–
Major cardiovascular diseases (390-448)	25,351	22	10	11	48	158	532	1,719	4,499	6,994	7,243	4,117	26,202	8	5	9	27	89	224	639	2,113	4,851	8,981	9,256
White	22,370	13	5	6	29	99	357	1,318	3,819	6,213	6,646	3,885	23,342	5	2	6	12	45	125	428	1,617	4,177	8,183	8,742
All other	2,981	9	5	5	19	57	175	401	680	781	597	252	2,860	3	3	3	15	44	99	211	496	674	798	514
Black	2,691	8	5	4	19	56	171	391	660	757	576	244	2,811	3	2	3	15	44	99	208	489	661	789	498
Diseases of heart (390-398,402,404-429)	20,952	18	10	5	35	124	455	1,508	3,984	5,851	5,789	3,173	20,229	4	5	8	20	57	155	481	1,748	3,886	6,901	6,964
White	18,493	10	5	4	22	80	318	1,189	3,394	5,224	5,298	2,869	17,994	2	2	6	8	31	83	321	1,354	3,365	6,273	6,549
All other	2,459	8	5	1	13	44	137	339	590	627	491	304	2,235	2	3	2	12	26	72	160	394	521	628	415
Black	2,388	7	5	1	13	43	134	329	573	611	473	199	2,205	2	2	2	12	26	72	160	389	516	622	402
Rheumatic fever and rheumatic heart disease (390-398)	110	–	–	–	2	1	9	11	23	44	15	5	225	–	–	–	–	8	11	11	43	62	68	22
White	97	–	–	–	2	1	6	9	19	41	14	5	208	–	–	–	–	5	6	11	37	60	67	22
All other	13	–	–	–	–	–	3	2	4	3	1	–	17	–	–	–	–	3	5	–	6	2	1	–
Black	13	–	–	–	–	–	3	2	4	3	1	–	17	–	–	–	–	3	5	–	6	2	1	–
Hypertensive heart disease (402)	535	–	–	–	1	14	25	63	142	126	119	45	698	–	–	–	–	4	10	33	91	150	248	164
White	349	–	–	–	1	4	9	25	82	94	100	34	499	–	–	–	–	1	1	11	48	98	197	145
All other	186	–	–	–	–	10	16	38	60	32	19	11	199	–	–	–	–	3	9	22	45	52	49	19
Black	184	–	–	–	–	10	16	38	59	31	19	11	198	–	–	–	–	3	9	22	45	52	49	18
Hypertensive heart and renal disease (404)	61	–	–	–	–	1	1	–	4	12	28	15	125	–	–	–	–	1	1	1	11	22	40	49
White	53	–	–	–	–	1	–	–	3	10	24	15	89	–	–	–	–	–	1	–	3	8	33	44
All other	8	–	–	–	–	–	1	–	1	2	4	–	36	–	–	–	–	1	–	1	8	14	7	5
Black	8	–	–	–	–	–	1	–	1	2	4	–	36	–	–	–	–	1	–	1	8	14	7	5
Ischemic heart disease (410-414)	14,999	1	1	1	4	43	265	954	2,654	4,343	4,363	2,370	14,650	–	–	–	–	17	84	253	1,115	2,766	5,109	5,306
White	13,864	1	1	1	1	35	215	826	2,414	4,036	4,092	2,242	13,463	–	–	–	–	10	53	193	932	2,500	4,745	5,030
All other	1,135	–	–	–	3	8	50	128	240	307	271	128	1,187	–	–	–	–	7	31	60	183	266	364	276
Black	1,086	–	–	–	3	7	49	121	229	295	259	123	1,167	–	–	–	–	7	31	60	180	263	360	266
Acute myocardial infarction (410)	8,467	1	–	–	2	33	188	683	1,821	2,677	2,233	829	6,572	–	–	–	–	11	51	188	782	1,617	2,308	1,635
White	7,856	1	–	–	–	30	161	593	1,677	2,502	2,105	787	6,012	–	–	–	–	7	30	134	663	1,473	2,152	1,553
All other	611	–	–	–	2	3	27	90	144	175	128	42	560	–	–	–	–	4	21	54	119	144	156	82
Black	579	–	–	–	2	2	27	84	137	169	118	40	550	–	–	–	–	4	21	54	117	142	153	79

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	169	-	-	-	-	-	3	23	42	60	35	6	115	-	-	-	-	-	3	5	11	29	41	25
White	157	-	-	-	-	-	3	21	38	58	33	6	102	-	-	-	-	-	3	2	7	25	40	25
All other	12	-	-	-	-	-	-	2	4	4	2	-	13	-	-	-	-	-	-	3	4	4	1	1
Black	12	-	-	-	-	-	-	2	4	4	2	-	13	-	-	-	-	-	-	3	4	4	1	1
Angina pectoris (413)	15	-	-	-	-	-	-	1	2	3	6	3	13	-	-	-	-	-	1	2	-	1	4	5
White	15	-	-	-	-	-	-	1	2	3	6	3	11	-	-	-	-	-	1	2	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	8,348	-	1	1	2	10	74	247	789	1,603	2,089	1,532	7,950	-	-	-	-	-	6	29	78	322	1,119	2,756	3,640
White	5,836	-	1	1	1	5	51	211	697	1,475	1,948	1,446	7,338	-	-	-	-	-	3	19	55	262	1,001	2,550	3,448
All other	512	-	-	-	1	5	23	36	92	128	141	86	612	-	-	-	-	-	3	10	23	60	118	206	192
Black	485	-	-	-	1	5	22	35	88	122	139	83	602	-	-	-	-	-	3	10	23	59	117	205	185
Other diseases of endocardium (424)	157	-	-	-	1	3	3	11	27	54	41	17	197	-	-	1	1	1	5	6	14	42	82	45
White	139	-	-	-	1	1	2	9	22	50	39	15	183	-	-	1	-	-	5	6	12	35	80	44
All other	18	-	-	-	-	2	1	2	5	4	2	2	14	-	-	-	1	1	-	-	2	7	2	1
Black	18	-	-	-	-	2	1	2	5	4	2	2	14	-	-	-	1	1	-	-	2	7	2	1
All other forms of heart disease (416-423,425-429)	5,090	17	9	4	27	62	152	469	1,134	1,272	1,223	721	4,334	4	5	7	19	26	44	177	474	844	1,356	1,378
White	3,991	9	4	3	17	38	86	300	854	993	1,029	656	3,552	2	2	5	8	15	17	100	324	664	1,151	1,264
All other	1,099	8	5	1	10	24	66	169	280	279	194	63	782	2	3	2	11	11	27	77	150	180	205	114
Black	1,079	7	5	1	10	24	64	166	275	276	188	63	773	2	2	2	11	11	27	77	148	176	203	112
Hypertension with or without renal disease (401,403)	240	-	-	-	-	4	7	17	34	51	78	49	274	-	-	-	-	-	3	11	24	52	99	85
White	191	-	-	-	-	-	2	7	24	41	71	48	225	-	-	-	-	-	3	5	15	35	68	79
All other	49	-	-	-	-	4	5	10	10	10	7	3	49	-	-	-	-	-	-	6	9	17	11	6
Black	48	-	-	-	-	4	5	10	10	10	7	2	48	-	-	-	-	-	-	6	9	16	11	6
Cerebrovascular diseases (430-436)	3,054	4	-	6	9	21	63	162	333	800	1,009	647	4,821	4	-	1	6	30	54	133	298	778	1,661	1,660
White	2,659	3	-	2	4	14	33	115	265	680	932	611	4,105	3	-	-	3	13	32	89	212	652	1,518	1,583
All other	395	1	-	4	5	7	30	47	68	120	77	36	516	1	-	1	3	17	22	44	84	124	143	77
Black	382	1	-	3	5	7	29	47	66	114	75	35	499	1	-	1	3	17	22	41	82	117	141	74
Intracerebral and other intracranial hemorrhage (431-432)	516	1	-	5	7	8	27	63	97	138	119	51	651	1	-	-	2	5	15	54	88	154	215	117
White	420	1	-	2	3	3	12	44	74	124	109	48	555	1	-	-	-	3	8	32	63	138	197	113
All other	96	-	-	3	4	5	15	19	23	14	10	3	96	-	-	-	2	2	7	22	25	16	18	4
Black	93	-	-	2	4	5	15	19	23	12	10	3	90	-	-	-	2	2	7	20	23	14	18	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	639	-	-	-	-	-	8	24	87	160	241	141	1,036	-	-	-	-	-	2	8	10	47	146	384	441
White	571	-	-	-	-	-	3	21	55	136	220	136	958	-	-	-	-	-	-	2	7	32	126	361	430
All other	68	-	-	-	-	-	3	3	12	24	21	5	78	-	-	-	-	-	2	4	3	15	20	23	11
Black	65	-	-	-	-	-	3	3	11	23	20	5	77	-	-	-	-	-	2	4	3	15	19	23	11
Cerebral embolism (434.1)	13	-	-	-	-	1	-	-	1	6	4	1	23	-	-	-	-	-	-	-	-	2	7	8	6
White	12	-	-	-	-	-	-	-	1	6	4	1	22	-	-	-	-	-	-	-	-	2	6	8	6
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,886	3	-	1	2	12	30	75	168	496	645	454	2,911	3	-	1	4	23	33	69	159	469	1,054	1,096
White	1,656	2	-	-	1	11	18	50	135	414	599	425	2,570	2	-	-	3	10	22	50	115	382	952	1,034
All other	230	1	-	1	1	1	12	25	33	82	46	28	341	1	-	1	1	13	11	19	44	87	102	62
Black	223	1	-	1	1	1	11	25	32	79	45	27	331	1	-	1	1	13	11	18	44	83	100	59
Atherosclerosis (440)	501	-	-	-	-	-	2	8	29	89	167	186	773	-	-	-	-	-	2	2	12	58	210	489
White	472	-	-	-	-	-	2	8	27	82	176	177	743	-	-	-	-	-	-	2	10	55	198	478
All other	29	-	-	-	-	-	-	-	2	7	11	9	30	-	-	-	-	-	2	-	2	3	12	11
Black	27	-	-	-	-	-	-	-	1	7	11	8	29	-	-	-	-	-	2	-	2	3	11	11
Other diseases of arteries, arterioles, and capillaries (441-448)	604	-	-	-	4	7	5	24	119	203	180	62	305	-	-	-	1	2	10	12	33	79	110	58
White	555	-	-	-	3	5	2	19	109	186	169	62	275	-	-	-	1	1	7	11	26	70	106	59
All other	49	-	-	-	1	2	3	5	10	17	11	-	30	-	-	-	-	1	3	1	7	9	4	5
Black	46	-	-	-	1	2	3	5	10	15	10	-	30	-	-	-	-	1	3	1	7	9	4	5
Acute bronchitis and bronchiolitis (466)	13	3	3	-	-	-	1	-	-	3	2	1	12	-	1	-	-	-	1	-	-	1	3	6
White	12	3	2	-	-	-	1	-	-	3	2	1	11	-	1	-	-	-	1	-	-	1	3	6
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,266	23	7	3	9	24	28	46	149	244	381	352	1,180	28	7	1	9	10	15	30	63	132	370	517
White	1,062	9	3	2	5	9	16	30	115	201	347	325	1,048	12	5	1	5	6	7	23	48	117	341	483
All other	204	14	4	1	4	15	12	16	34	43	34	27	132	14	2	-	4	4	8	7	15	15	29	34
Black	203	14	4	1	4	15	12	16	34	43	34	26	129	14	2	-	4	4	7	7	15	15	29	32

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,259	23	7	2	9	24	28	46	148	244	380	348	1,168	26	7	1	9	10	15	30	63	128	368	513
White	1,055	9	3	1	5	9	16	30	114	201	348	321	1,037	12	5	1	5	6	7	23	48	114	337	479
All other	204	14	4	1	4	15	12	16	34	43	34	27	132	14	2	–	4	4	8	7	15	15	29	34
Black	203	14	4	1	4	15	12	16	34	43	34	26	129	14	2	–	4	4	7	7	15	15	29	32
Influenza (487)	7	–	–	1	–	–	–	–	1	–	1	4	11	–	–	–	–	–	–	–	–	3	4	4
White	7	–	–	1	–	–	–	–	1	–	1	4	11	–	–	–	–	–	–	–	–	3	4	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,761	1	1	1	11	7	11	50	254	578	644	205	884	2	–	4	6	4	18	43	123	289	277	98
White	1,611	1	1	–	4	2	7	38	221	535	607	195	779	1	–	1	3	–	11	35	106	263	267	92
All other	150	–	–	1	7	5	4	12	33	41	37	10	85	1	–	3	3	4	7	8	17	26	10	6
Black	145	–	–	1	7	5	4	12	32	41	33	10	85	1	–	3	3	4	7	8	17	26	10	6
Bronchitis, chronic and unspecified (490-491)	77	1	–	–	1	–	–	2	12	25	21	15	42	2	–	–	1	–	–	4	4	9	16	6
White	69	1	–	–	1	–	–	1	11	22	21	12	39	1	–	–	1	–	–	4	3	9	15	6
All other	8	–	–	–	–	–	–	1	1	3	–	3	3	1	–	–	–	–	–	–	1	–	1	–
Black	7	–	–	–	–	–	–	1	–	3	–	3	3	1	–	–	–	–	–	–	1	–	1	–
Emphysema (492)	497	–	–	–	–	–	4	15	77	176	172	53	171	–	–	–	–	–	2	6	28	64	57	14
White	463	–	–	–	–	–	3	12	68	165	164	51	160	–	–	–	–	–	1	6	26	59	55	13
All other	34	–	–	–	–	–	1	3	9	11	8	2	11	–	–	–	–	–	1	–	2	5	2	1
Black	33	–	–	–	–	–	1	3	9	11	7	2	11	–	–	–	–	–	1	–	2	5	2	1
Asthma (493)	64	–	1	1	9	7	4	3	14	10	9	6	95	–	–	4	5	4	19	5	18	21	18	7
White	40	–	1	–	2	2	3	2	8	9	8	5	64	–	–	1	2	–	7	1	14	16	17	6
All other	24	–	–	1	7	5	1	1	6	1	1	1	31	–	–	3	3	4	6	4	4	5	1	1
Black	24	–	–	1	7	5	1	1	6	1	1	1	31	–	–	3	3	4	6	4	4	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,123	–	–	–	1	–	3	30	151	365	442	131	556	–	–	–	–	–	3	28	73	195	168	71
White	1,039	–	–	–	1	–	1	23	134	339	414	127	516	–	–	–	–	–	3	24	63	179	160	67
All other	84	–	–	–	–	–	2	7	17	26	28	4	40	–	–	–	–	–	–	4	10	16	8	4
Black	81	–	–	–	–	–	2	7	17	26	25	4	40	–	–	–	–	–	–	4	10	16	6	4
Ulcer of stomach and duodenum (531-533)	194	–	–	1	–	3	2	10	28	54	65	33	168	–	–	–	–	–	–	4	17	25	57	65
White	174	–	–	1	–	2	2	7	25	44	60	33	155	–	–	–	–	–	–	3	15	24	52	61
All other	20	–	–	–	–	1	–	3	1	10	5	–	13	–	–	–	–	–	–	1	2	1	5	4
Black	20	–	–	–	–	1	–	3	1	10	5	–	11	–	–	–	–	–	–	1	2	1	5	2
Appendicitis (540-543)	18	–	1	–	–	–	1	3	3	5	5	–	9	–	–	–	–	–	1	1	3	1	2	1
White	13	–	–	–	–	–	1	3	2	4	3	–	7	–	–	–	–	–	1	–	2	1	2	1
All other	5	–	1	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	5	–	1	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	1	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	99	4	1	–	1	2	3	7	13	20	31	17	158	1	1	–	2	–	1	3	9	26	57	58
White	83	3	1	–	–	2	2	4	12	15	27	17	141	–	1	–	2	–	–	2	5	22	54	55
All other	16	1	–	–	1	–	1	3	1	5	4	–	17	1	–	–	–	–	1	1	4	4	3	3
Black	16	1	–	–	1	–	1	3	1	5	4	–	17	1	–	–	–	–	1	1	4	4	3	3
Chronic liver disease and cirrhosis (571)	935	4	1	–	2	53	139	201	274	184	61	16	494	1	–	–	4	19	58	89	125	118	67	15
White	743	1	–	–	1	23	82	149	248	167	58	16	405	–	–	–	3	7	41	65	106	104	66	13
All other	192	3	1	–	1	30	57	52	26	17	3	–	89	1	–	–	1	12	15	24	19	14	1	2
Black	189	3	1	–	1	30	56	52	27	16	3	–	86	1	–	–	1	12	14	23	19	13	1	2
Cholelithiasis and other disorders of gallbladder (574-575)	70	–	–	–	–	2	–	4	9	17	19	19	100	–	–	–	–	–	–	3	12	20	30	35
White	66	–	–	–	–	1	–	4	8	16	19	18	91	–	–	–	–	–	–	2	11	17	28	33
All other	4	–	–	–	–	1	–	–	1	1	–	1	9	–	–	–	–	–	–	1	1	3	2	2
Black	4	–	–	–	–	1	–	–	1	1	–	1	8	–	–	–	–	–	–	1	1	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	420	10	–	1	2	11	12	18	57	96	134	79	421	6	–	2	2	6	7	15	48	80	131	114
White	333	5	–	–	–	5	9	11	39	73	118	73	317	3	–	2	1	2	3	11	28	61	107	89
All other	87	5	–	1	2	6	3	7	18	23	16	6	104	3	–	–	1	4	4	4	20	29	24	15
Black	87	5	–	1	2	6	3	7	18	23	16	6	104	3	–	–	1	4	4	4	20	29	24	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	–	–	1	–	–	–	–	1	1	5	1	8	–	–	–	–	–	–	1	1	1	2	3
White	7	–	–	–	–	–	–	–	1	1	4	1	7	–	–	–	–	–	–	1	1	1	1	3
All other	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	49	–	–	–	–	3	1	3	7	10	13	12	33	–	–	1	–	–	–	–	5	8	11	10
White	43	–	–	–	–	1	1	1	6	10	13	11	30	–	–	1	–	–	–	–	5	4	10	10
All other	6	–	–	–	–	2	–	2	1	–	–	1	3	–	–	–	–	–	–	–	–	2	1	–
Black	6	–	–	–	–	2	–	2	1	–	–	1	3	–	–	–	–	–	–	–	–	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	362	10	–	–	2	8	11	15	49	85	116	66	380	6	–	1	2	6	7	14	42	83	118	101
White	283	5	–	–	–	4	8	10	32	62	101	61	280	3	–	1	1	2	3	10	22	56	96	86
All other	79	5	–	–	2	4	3	5	17	23	15	5	100	3	–	–	1	4	4	4	20	27	22	15
Black	79	5	–	–	2	4	3	5	17	23	15	5	100	3	–	–	1	4	4	4	20	27	22	15
Infections of kidney (590)	36	–	–	–	–	–	–	1	4	11	8	12	71	–	–	1	–	–	1	3	8	15	27	16
White	28	–	–	–	–	–	–	1	3	8	6	10	65	–	–	1	–	–	1	3	8	13	24	15
All other	8	–	–	–	–	–	–	–	1	3	2	2	6	–	–	–	–	–	–	–	–	2	3	1
Black	8	–	–	–	–	–	–	–	1	3	2	2	6	–	–	–	–	–	–	–	–	2	3	1
Hyperplasia of prostate (600)	39	–	–	–	–	–	–	–	1	9	17	12	***	***	***	***	***	***	***	***	***	***	***	***
White	36	–	–	–	–	–	–	–	1	8	15	12	***	***	***	***	***	***	***	***	***	***	***	***
All other	3	–	–	–	–	–	–	–	–	1	2	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	3	–	–	–	–	–	–	–	–	1	2	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	20	***	***	–	12	6	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	13	***	***	–	6	5	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	6	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	–	6	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	3	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	2	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	1	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	16	***	***	–	9	5	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	11	***	***	–	4	5	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	5	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	5	–	–	–	***	***	***	***
Congenital anomalies (740-759)	358	244	27	19	14	10	7	11	8	11	7	–	329	230	19	12	13	5	8	4	9	17	12	–
White	274	189	16	13	10	8	4	10	7	11	6	–	256	174	16	9	9	4	6	2	9	15	12	–
All other	84	55	11	6	4	2	3	1	1	–	1	–	73	56	3	3	4	1	2	2	–	2	–	–
Black	77	50	9	6	4	2	3	1	1	–	1	–	70	53	3	3	4	1	2	2	–	2	–	–
Certain conditions originating in the perinatal period (760-779)	786	783	3	–	–	–	–	–	–	–	–	–	546	545	–	1	–	–	–	–	–	–	–	–
White	486	485	1	–	–	–	–	–	–	–	–	–	311	310	–	1	–	–	–	–	–	–	–	–
All other	300	298	2	–	–	–	–	–	–	–	–	–	235	235	–	–	–	–	–	–	–	–	–	–
Black	293	291	2	–	–	–	–	–	–	–	–	–	228	228	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	218	218	–	–	–	–	–	–	–	–	–	–	155	155	–	–	–	–	–	–	–	–	–	–
White	148	148	–	–	–	–	–	–	–	–	–	–	102	102	–	–	–	–	–	–	–	–	–	–
All other	70	70	–	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
Black	70	70	–	–	–	–	–	–	–	–	–	–	50	50	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	568	565	3	–	–	–	–	–	–	–	–	–	391	390	–	1	–	–	–	–	–	–	–	–
White	338	337	1	–	–	–	–	–	–	–	–	–	209	208	–	1	–	–	–	–	–	–	–	–
All other	230	228	2	–	–	–	–	–	–	–	–	–	182	182	–	–	–	–	–	–	–	–	–	–
Black	223	221	2	–	–	–	–	–	–	–	–	–	178	178	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	665	204	14	14	78	99	61	42	52	38	42	19	458	167	12	5	26	47	28	27	31	36	34	45
White	455	100	7	8	63	71	38	37	42	34	37	17	312	75	6	2	18	35	17	26	27	32	33	41
All other	210	104	7	6	15	28	23	5	10	4	5	2	146	92	6	3	8	12	11	1	4	4	1	4
Black	205	103	7	5	15	28	23	5	10	4	4	2	145	91	6	3	8	12	11	1	4	4	1	4
All other diseases (Residual)	2,784	45	32	37	68	121	135	228	431	639	673	375	2,859	44	15	26	43	64	105	154	326	577	815	690
White	2,329	33	22	32	50	77	87	162	358	559	609	340	2,415	30	13	19	27	41	68	130	264	498	709	616
All other	455	12	10	5	18	44	48	66	73	80	64	35	444	14	2	7	16	23	37	24	62	79	106	74
Black	445	12	10	5	18	44	48	63	72	78	60	35	437	14	2	6	16	23	36	24	62	78	105	71
Accidents and adverse effects (E800-E949)	2,641	33	71	148	658	555	269	212	240	206	152	97	1,131	19	41	65	153	126	70	77	95	150	184	151
White	2,205	17	47	112	586	458	222	162	194	178	137	92	945	9	25	42	139	95	53	58	80	131	170	143
All other	436	16	24	36	72	97	47	50	48	28	15	5	186	10	16	23	14	31	17	19	15	19	14	8
Black	425	16	24	35	72	89	47	48	46	28	15	5	178	10	15	22	12	29	16	19	15	19	13	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,273	5	29	69	441	314	132	92	89	61	32	9	471	4	15	34	121	82	41	39	45	51	32	8
White	1,115	4	24	59	408	268	117	71	77	51	29	7	418	3	12	24	113	68	35	35	41	48	31	8
All other	158	1	5	10	33	46	15	21	12	10	3	2	53	1	3	10	8	14	6	3	4	3	1	-
Black	150	1	5	9	33	41	15	19	12	10	3	2	48	1	3	10	6	12	5	3	4	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,368	26	42	79	217	241	137	120	151	145	120	88	660	15	26	31	32	44	29	39	50	99	152	143
White	1,090	13	23	53	176	190	105	91	117	127	108	85	527	8	13	18	26	27	18	23	39	83	139	135
All other	278	15	19	26	39	51	32	29	34	18	12	3	133	9	13	13	6	17	11	16	11	16	13	8
Black	275	15	19	26	39	48	32	29	34	18	12	3	130	9	12	12	6	17	11	16	11	16	12	8
Suicide (E950-E959)	827	...	...	4	165	187	115	105	95	91	59	6	258	...	...	3	27	42	45	60	41	27	12	-
White	747	...	...	4	144	155	108	99	88	88	57	6	235	...	...	3	21	38	42	54	38	27	12	-
All other	80	...	...	-	21	32	9	6	7	3	2	-	22	...	...	-	6	4	3	6	3	-	-	-
Black	76	...	...	-	21	31	6	6	7	3	2	-	20	...	...	-	5	4	3	5	3	-	-	-
Homicide and legal intervention (E960-E978)	923	10	16	19	283	266	138	87	53	20	10	-	239	6	10	10	73	43	38	21	14	8	8	1
White	358	5	8	5	90	107	64	31	28	14	5	-	125	1	4	6	37	21	21	12	9	7	6	1
All other	565	5	8	14	193	179	74	56	25	6	5	-	108	5	6	4	36	22	17	9	5	1	2	-
Black	561	5	8	14	192	179	73	55	25	5	5	-	103	5	6	4	35	21	17	8	4	1	1	-
All other external causes (E980-E999)	305	8	6	6	66	79	52	29	29	19	9	1	85	1	3	3	15	20	13	11	8	11	6	4
White	191	2	3	-	44	50	29	13	24	16	8	1	65	1	1	1	11	12	5	9	7	9	5	4
All other	114	6	3	6	22	29	23	16	5	3	1	-	30	-	2	2	4	8	8	2	1	2	1	-
Black	111	5	3	6	21	29	23	15	5	3	1	-	27	-	2	2	4	7	7	2	1	2	-	-
INDIANA																								
All causes	24,455	545	99	131	656	636	752	1,745	4,300	6,422	6,079	3,086	22,175	411	82	80	241	285	443	1,020	2,523	4,488	6,579	6,022
White	22,504	450	85	104	568	521	657	1,532	3,936	5,966	5,742	2,940	20,742	322	74	72	216	243	391	894	2,262	4,176	6,259	5,830
All other	1,951	95	14	27	88	115	95	213	364	456	337	146	1,433	89	8	8	25	42	52	126	261	312	320	192
Black	1,933	94	14	26	86	115	94	212	361	450	335	145	1,421	89	8	7	22	40	52	124	258	310	319	192
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	2	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	1	-	2	1	3	4	2	8	-	-	-	-	-	-	1	2	-	4	1
White	13	-	-	-	-	1	-	2	1	3	4	2	5	-	-	-	-	-	-	1	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	1	-	1	1	2	3	2	5	-	-	-	-	-	-	1	-	-	3	1
White	10	-	-	-	-	1	-	1	1	2	3	2	3	-	-	-	-	-	-	1	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	2	-	1	-
White	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	5	-	2	1	1	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	2	-	1	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	120	2	1	1	1	3	3	4	18	33	36	18	156	3	2	-	-	2	1	5	24	31	49	39
White	106	2	1	1	1	2	3	3	16	28	33	16	138	2	1	-	-	1	-	5	18	28	46	38
All other	14	-	-	-	-	1	-	1	2	5	3	2	18	1	1	-	-	1	1	-	6	2	3	3
Black	14	-	-	-	-	1	-	1	2	5	3	2	18	1	1	-	-	1	1	-	6	2	3	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	14	-	1	-	1	3	-	-	4	3	1	1	10	-	-	-	-	1	-	1	3	2	3	-
White	13	-	1	-	1	2	-	-	4	3	1	1	10	-	-	-	-	1	-	1	3	2	3	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	45	2	2	1	2	1	4	4	8	8	10	3	51	2	1	-	5	2	3	4	6	8	11	9
White	43	2	2	1	2	-	3	4	8	8	10	3	46	1	1	-	5	2	1	4	5	8	10	9
All other	2	-	-	-	-	1	1	-	-	-	-	-	5	1	-	-	-	-	2	-	1	-	1	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	5	1	-	-	-	-	2	-	1	-	1	-
Malignant neoplasms, *including neoplasms of* lymphatic and hematopoietic tissues (140-208)	5,401	2	8	23	37	45	125	500	1,307	1,757	1,219	378	4,719	2	8	14	22	64	165	471	1,015	1,313	1,117	528
White	4,906	2	8	19	36	38	110	421	1,186	1,603	1,135	348	4,404	2	8	14	21	54	152	424	933	1,227	1,059	510
All other	495	-	-	4	1	7	15	79	121	154	84	30	315	-	-	-	1	10	13	47	82	86	58	18
Black	490	-	-	4	1	7	15	78	120	153	83	29	311	-	-	-	1	10	13	46	81	84	58	18
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	118	-	-	-	1	1	5	12	38	30	24	7	44	-	-	-	-	-	-	5	7	13	16	3
White	104	-	-	-	1	1	3	8	33	28	23	7	40	-	-	-	-	-	-	2	7	13	15	3
All other	14	-	-	-	-	-	2	4	5	2	1	-	4	-	-	-	-	-	-	3	-	-	1	-
Black	14	-	-	-	-	-	2	4	5	2	1	-	4	-	-	-	-	-	-	3	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,337	-	-	-	2	8	29	108	303	421	333	135	1,240	-	1	-	1	7	28	67	194	333	429	180
White	1,218	-	-	-	2	5	26	88	275	390	312	122	1,154	-	1	-	1	4	25	60	174	308	407	175
All other	119	-	-	-	-	1	3	22	28	31	21	13	86	-	-	-	-	3	3	7	20	27	22	4
Black	117	-	-	-	-	1	3	21	28	31	20	13	83	-	-	-	-	3	3	6	19	26	22	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,097	-	-	2	-	8	30	238	608	741	345	85	780	-	1	-	-	2	20	105	249	242	114	27
White	1,899	-	-	1	-	6	27	197	551	673	325	59	711	-	1	-	-	1	19	93	230	230	111	26
All other	198	-	-	1	-	2	3	41	57	68	20	6	49	-	-	-	-	1	1	12	19	12	3	1
Black	195	-	-	1	-	2	3	41	56	67	20	5	48	-	-	-	-	1	1	12	19	11	3	1
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	1	1	1	3	3	-	902	-	-	-	-	17	46	126	230	224	160	79
White	6	-	-	-	-	-	-	1	1	2	2	-	832	-	-	-	-	15	39	114	209	206	173	74
All other	3	-	-	-	-	-	1	-	-	1	1	-	70	-	-	-	-	2	7	12	21	16	7	5
Black	3	-	-	-	-	-	1	-	-	1	1	-	70	-	-	-	-	2	7	12	21	16	7	5
Malignant neoplasms of genital organs (179-187)	550	-	-	-	2	1	3	12	48	171	224	89	580	1	-	-	2	16	19	63	136	174	116	53
White	480	-	-	-	2	1	2	10	40	143	198	84	535	1	-	-	1	14	19	56	126	161	107	50
All other	70	-	-	-	-	-	1	2	8	28	26	5	45	-	-	-	1	2	-	7	10	13	9	3
Black	70	-	-	-	-	-	1	2	8	28	26	5	45	-	-	-	1	2	-	7	10	13	9	3
Malignant neoplasms of urinary organs (188-189)	286	-	1	1	-	-	5	21	55	97	75	31	146	-	-	-	-	-	4	8	17	34	40	43
White	269	-	1	1	-	-	5	18	51	89	75	29	140	-	-	-	-	-	4	7	16	31	40	42
All other	17	-	-	-	-	-	-	3	4	8	-	2	6	-	-	-	-	-	-	1	1	3	-	1
Black	17	-	-	-	-	-	-	3	4	8	-	2	6	-	-	-	-	-	-	1	1	3	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	615	1	2	10	15	18	29	65	169	169	109	29	546	1	4	9	9	8	24	52	107	151	100	81
White	571	1	2	9	15	16	25	61	155	160	101	26	513	1	4	9	9	6	23	48	97	143	94	79
All other	44	-	-	1	-	2	4	4	13	9	8	3	33	-	-	-	-	2	1	4	10	8	6	2
Black	44	-	-	1	-	2	4	4	13	9	8	3	33	-	-	-	-	2	1	4	10	8	6	2
Leukemia (204-208)	201	1	5	9	10	6	9	12	42	53	47	7	195	-	2	4	7	6	14	22	22	43	48	27
White	185	1	5	7	10	5	9	9	37	51	44	7	189	-	2	4	7	6	14	22	21	42	45	26
All other	16	-	-	2	-	1	-	3	5	2	3	-	6	-	-	-	-	-	-	-	1	1	3	1
Black	16	-	-	2	-	1	-	3	5	2	3	-	6	-	-	-	-	-	-	-	1	1	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	248	-	-	1	7	5	14	31	44	72	59	15	306	-	-	1	3	8	10	23	53	99	74	35
White	234	-	-	1	6	4	13	31	43	67	55	14	290	-	-	1	3	8	9	22	53	93	67	34
All other	14	-	-	-	1	1	1	-	1	5	4	1	16	-	-	-	-	-	1	1	-	6	7	1
Black	14	-	-	-	1	1	1	-	1	5	4	1	16	-	-	-	-	-	1	1	-	6	7	1
Benign neoplasms, carcinoma *in situ*, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	2	-	2	-	1	1	4	8	12	18	4	93	1	1	2	1	2	-	4	15	24	33	10
White	49	2	-	2	-	1	1	4	7	12	16	4	80	1	1	2	1	-	-	3	12	22	29	9
All other	3	-	-	-	-	-	-	-	1	-	2	-	13	-	-	-	-	2	-	1	3	2	4	1
Black	3	-	-	-	-	-	-	-	1	-	2	-	13	-	-	-	-	2	-	1	3	2	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	383	-	-	-	2	4	15	19	76	104	122	41	559	-	-	-	2	4	7	30	88	144	178	106
White	349	-	-	-	2	3	12	17	68	98	111	38	494	-	-	-	2	3	7	20	76	130	161	95
All other	34	-	-	-	-	1	3	2	8	6	11	3	65	-	-	-	-	1	-	10	12	14	17	11
Black	34	-	-	-	-	1	3	2	8	6	11	3	64	-	-	-	-	1	-	9	12	14	17	11
Nutritional deficiencies (260-269)	32	1	-	-	-	-	1	1	2	3	10	14	26	-	-	-	-	-	-	-	1	3	8	14
White	25	1	-	-	-	-	1	1	2	3	6	11	25	-	-	-	-	-	-	-	1	2	8	14
All other	7	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	1	-	-
Black	7	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	28	-	-	1	1	2	3	1	4	7	2	5	45	-	1	2	2	1	-	1	4	4	9	21
White	25	-	-	1	1	1	3	1	4	7	2	5	40	-	1	2	-	-	-	1	4	4	9	19
All other	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	-	2	1	-	-	-	-	-	2
Black	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	-	2	1	-	-	-	-	-	2
Meningitis (320-322)	29	9	5	-	2	-	-	-	5	5	2	1	13	3	-	-	1	1	1	1	-	1	2	3
White	27	8	5	-	2	-	-	-	4	5	2	1	12	3	-	-	1	-	1	1	-	1	2	3
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	11,970	7	3	4	19	54	236	763	2,088	3,351	3,468	1,977	11,914	6	1	4	8	42	92	272	911	2,170	4,149	4,258
White	11,227	7	2	2	17	50	211	691	1,933	3,118	3,295	1,901	11,257	6	1	4	6	38	78	231	796	2,010	3,957	4,129
All other	743	-	1	2	2	4	25	72	155	233	173	76	657	-	-	-	2	4	14	41	115	160	192	129
Black	735	-	1	2	2	4	24	72	154	228	172	76	656	-	-	-	2	4	14	41	114	160	192	129
Diseases of heart (390-398,402,404-429)	9,548	6	3	4	12	47	204	690	1,841	2,759	2,615	1,367	8,566	6	1	3	6	27	68	211	747	1,705	2,960	2,834
White	8,961	6	2	2	11	43	183	628	1,708	2,575	2,495	1,308	8,096	6	1	3	5	24	57	178	658	1,584	2,832	2,748
All other	587	-	1	2	1	4	21	62	133	184	120	59	470	-	-	-	1	3	9	33	89	121	128	86
Black	580	-	1	2	1	4	20	62	132	180	119	59	469	-	-	-	1	3	9	33	88	121	128	86
Rheumatic fever and rheumatic heart disease (390-398)	60	2	-	1	3	2	-	6	15	19	11	1	119	-	-	-	-	-	5	9	25	38	30	12
White	57	2	-	-	3	1	-	5	15	19	11	1	117	-	-	-	-	-	5	9	23	38	30	12
All other	3	-	-	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	3	-	-	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Hypertensive heart disease (402)	135	-	-	-	-	2	1	8	31	42	34	17	236	-	-	-	-	-	2	14	27	41	88	64
White	106	-	-	-	-	1	-	8	23	30	28	16	194	-	-	-	-	-	2	9	17	38	74	54
All other	29	-	-	-	-	1	1	-	8	12	6	1	42	-	-	-	-	-	-	5	10	3	14	10
Black	29	-	-	-	-	1	1	-	8	12	6	1	41	-	-	-	-	-	-	5	9	3	14	10
Hypertensive heart and renal disease (404)	64	-	-	-	-	-	-	1	3	4	33	23	94	-	-	-	-	-	-	-	4	11	29	50
White	60	-	-	-	-	-	-	-	2	4	31	23	90	-	-	-	-	-	-	-	4	9	28	49
All other	4	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	4	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	-	-	-	-	-	2	1	1
Ischemic heart disease (410-414)	7,541	-	-	-	-	27	169	568	1,487	2,232	2,058	1,002	6,254	-	-	-	2	6	38	132	524	1,286	2,224	2,041
White	7,155	-	-	-	-	25	156	524	1,400	2,110	1,977	863	5,968	-	-	-	2	5	32	113	470	1,202	2,153	1,991
All other	386	-	-	-	-	2	13	44	87	122	78	39	286	-	-	-	-	1	7	19	54	84	71	50
Black	380	-	-	-	-	2	12	44	86	119	78	39	286	-	-	-	-	1	7	19	54	84	71	50
Acute myocardial infarction (410)	4,405	-	-	-	-	19	114	404	1,013	1,416	1,066	373	2,899	-	-	-	2	5	28	82	355	728	1,101	600
White	4,222	-	-	-	-	18	107	385	963	1,359	1,029	361	2,786	-	-	-	2	4	23	72	326	692	1,076	591
All other	183	-	-	-	-	1	7	19	50	57	37	12	113	-	-	-	-	1	5	10	29	34	25	9
Black	181	-	-	-	-	1	7	19	50	56	38	12	113	-	-	-	-	1	5	10	29	34	25	9
Other acute and subacute forms of ischemic heart disease (411)	15	-	-	-	-	-	2	-	4	5	4	-	11	-	-	-	-	-	1	1	-	3	4	2
White	15	-	-	-	-	-	2	-	4	5	4	-	11	-	-	-	-	-	1	1	-	3	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	2	1	-	6	-	-	-	-	-	-	-	2	1	3	-
White	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	-	-	2	1	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,117	-	-	-	-	8	53	164	469	809	985	629	3,338	-	-	-	-	1	10	49	167	556	1,116	1,439
White	2,915	-	-	-	-	7	47	139	432	745	943	602	3,165	-	-	-	-	1	8	40	142	506	1,070	1,398
All other	202	-	-	-	-	1	6	25	37	64	42	27	173	-	-	-	-	-	2	9	25	50	46	41
Black	198	-	-	-	-	1	5	25	36	62	42	27	173	-	-	-	-	-	2	9	25	50	46	41
Other diseases of endocardium (424)	74	-	1	-	1	1	-	4	13	22	23	9	102	-	-	-	-	1	1	7	8	19	42	24
White	69	-	1	-	1	1	-	4	13	21	21	8	94	-	-	-	-	-	-	7	7	18	39	23
All other	5	-	1	-	-	-	-	-	-	1	2	1	8	-	-	-	-	1	1	-	1	1	3	1
Black	5	-	1	-	-	-	-	-	-	1	2	1	8	-	-	-	-	1	1	-	1	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,674	4	2	3	8	15	34	103	292	440	458	315	1,761	6	1	3	4	20	19	49	159	310	547	643
White	1,514	4	2	2	7	15	27	87	255	391	427	297	1,633	6	1	3	3	19	18	40	137	279	508	619
All other	160	–	–	1	1	–	7	16	37	49	31	18	128	–	–	–	1	1	1	9	22	31	39	24
Black	159	–	–	1	1	–	7	16	37	48	31	18	128	–	–	–	1	1	1	9	22	31	39	24
Hypertension with or without renal disease (401,403)	71	–	–	–	–	–	1	4	15	17	12	22	107	–	–	–	–	–	1	3	8	18	39	36
White	64	–	–	–	–	–	1	4	13	16	10	20	89	–	–	–	–	–	1	2	6	16	27	37
All other	7	–	–	–	–	–	–	–	2	1	2	2	18	–	–	–	–	–	–	1	2	2	12	1
Black	7	–	–	–	–	–	–	–	2	1	2	2	18	–	–	–	–	–	–	1	2	2	12	1
Cerebrovascular diseases (430-438)	1,650	–	–	–	5	5	25	54	150	410	614	387	2,523	–	–	1	2	11	23	49	137	379	932	989
White	1,531	–	–	–	4	5	22	45	136	370	572	377	2,388	–	–	1	1	10	18	42	117	348	886	965
All other	119	–	–	–	1	–	3	9	14	40	42	10	135	–	–	–	1	1	5	7	20	31	46	24
Black	119	–	–	–	1	–	3	9	14	40	42	10	135	–	–	–	1	1	5	7	20	31	46	24
Intracerebral and other intracranial hemorrhage (431-432)	217	–	–	–	3	1	10	24	39	56	58	26	280	–	–	–	1	5	12	11	36	51	98	66
White	186	–	–	–	2	1	8	17	35	50	49	24	264	–	–	–	1	5	9	10	33	47	94	65
All other	31	–	–	–	1	–	2	7	4	6	9	2	16	–	–	–	–	–	3	1	3	4	4	1
Black	31	–	–	–	1	–	2	7	4	6	9	2	16	–	–	–	–	–	3	1	3	4	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	285	–	–	–	–	–	2	12	21	64	114	72	415	–	–	1	–	1	1	3	10	51	169	179
White	266	–	–	–	–	–	1	12	18	57	109	69	396	–	–	1	–	1	1	3	9	46	162	173
All other	19	–	–	–	–	–	1	–	3	7	5	3	19	–	–	–	–	–	–	–	1	5	7	6
Black	19	–	–	–	–	–	1	–	3	7	5	3	19	–	–	–	–	–	–	–	1	5	7	6
Cerebral embolism (434.1)	3	–	–	–	–	–	–	–	–	1	1	1	7	–	–	–	–	–	–	1	1	2	2	1
White	3	–	–	–	–	–	–	–	–	1	1	1	6	–	–	–	–	–	–	–	1	2	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,145	–	–	–	2	4	13	18	90	289	441	288	1,821	–	–	–	1	5	10	34	90	275	663	743
White	1,076	–	–	–	2	4	13	16	83	262	413	283	1,722	–	–	–	–	4	8	29	74	253	628	726
All other	69	–	–	–	–	–	–	2	7	27	28	5	99	–	–	–	1	1	2	5	16	22	35	17
Black	69	–	–	–	–	–	–	2	7	27	28	5	99	–	–	–	1	1	2	5	16	22	35	17
Atherosclerosis (440)	383	–	–	–	–	–	2	3	28	60	123	167	555	–	–	–	–	–	–	2	7	31	163	351
White	370	–	–	–	–	–	2	3	25	59	119	162	533	–	–	–	–	–	–	2	5	29	159	337
All other	13	–	–	–	–	–	–	–	3	1	4	5	22	–	–	–	–	–	–	–	2	2	4	14
Black	13	–	–	–	–	–	–	–	3	1	4	5	22	–	–	–	–	–	–	–	2	2	4	14
Other diseases of arteries, arterioles, and capillaries (441-448)	318	1	–	–	2	2	4	12	54	105	104	34	163	–	–	–	–	4	2	7	12	37	55	46
White	301	1	–	–	2	2	3	11	51	98	99	34	151	–	–	–	–	4	2	7	10	33	53	42
All other	17	–	–	–	–	–	1	1	3	7	5	–	12	–	–	–	–	–	–	–	2	4	2	4
Black	16	–	–	–	–	–	1	1	3	6	5	–	12	–	–	–	–	–	–	–	2	4	2	4
Acute bronchitis and bronchiolitis (466)	7	2	–	–	–	–	–	3	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	1
White	6	2	–	–	–	–	–	2	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	526	10	2	1	3	5	9	21	45	92	188	150	491	16	2	1	1	4	8	11	23	43	140	242
White	498	9	2	1	3	5	8	19	42	86	177	146	474	13	1	1	1	2	7	9	23	43	136	238
All other	28	1	–	–	–	–	1	2	3	6	11	4	17	3	1	–	–	2	1	2	–	–	4	4
Black	28	1	–	–	–	–	1	2	3	6	11	4	16	3	1	–	–	2	1	2	–	–	3	4
Pneumonia (480-486)	523	10	2	1	3	5	9	21	44	92	186	150	484	16	2	1	1	4	8	11	23	43	139	236
White	495	9	2	1	3	5	8	19	41	86	175	146	467	13	1	1	1	2	7	9	23	43	135	232
All other	28	1	–	–	–	–	1	2	3	6	11	4	17	3	1	–	–	2	1	2	–	–	4	4
Black	28	1	–	–	–	–	1	2	3	6	11	4	16	3	1	–	–	2	1	2	–	–	3	4
Influenza (487)	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	–	–	–	–	–	–	1	6
White	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	–	–	–	–	–	–	1	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,035	–	3	1	3	1	1	29	149	384	367	97	454	–	–	–	–	2	4	16	87	159	140	47
White	991	–	1	1	1	1	1	26	142	369	354	95	439	–	–	–	–	1	4	15	82	153	138	46
All other	44	–	2	–	2	–	–	3	7	15	13	2	15	–	–	–	–	1	–	1	5	5	2	1
Black	44	–	2	–	2	–	–	3	7	15	13	2	15	–	–	–	–	1	–	1	5	5	2	1
Bronchitis, chronic and unspecified (490-491)	51	–	–	–	–	–	1	3	10	16	14	7	23	–	–	–	–	–	–	1	2	7	6	7
White	48	–	–	–	–	–	1	3	9	16	12	7	22	–	–	–	–	–	–	1	2	7	6	6
All other	3	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Emphysema (492)	237	–	–	–	–	–	–	9	35	89	87	17	91	–	–	–	–	–	–	3	24	30	28	6
White	230	–	–	–	–	–	–	8	34	85	86	17	90	–	–	–	–	–	–	3	24	30	25	6
All other	7	–	–	–	–	–	–	1	1	4	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	7	–	–	–	–	–	–	1	1	4	1	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	28	-	3	1	3	-	-	-	4	10	3	4	26	-	-	-	-	2	-	2	9	8	4	1
White	24	-	1	1	1	-	-	-	4	10	3	4	22	-	-	-	-	1	-	2	8	6	4	1
All other	4	-	2	-	2	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	1	2	-	-
Black	4	-	2	-	2	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	1	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	719	-	-	-	-	1	-	17	100	269	263	69	314	-	-	-	-	-	4	10	52	113	104	31
White	689	-	-	-	-	1	-	15	95	258	253	67	305	-	-	-	-	-	4	9	48	110	103	31
All other	30	-	-	-	-	-	-	2	5	11	10	2	9	-	-	-	-	-	-	1	4	3	1	-
Black	30	-	-	-	-	-	-	2	5	11	10	2	9	-	-	-	-	-	-	1	4	3	1	-
Ulcer of stomach and duodenum (531-533)	84	-	-	-	-	1	2	4	9	18	27	23	87	-	-	-	-	-	-	3	4	23	33	24
White	80	-	-	-	-	-	2	4	8	16	27	23	86	-	-	-	-	-	-	3	4	22	33	24
All other	4	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	11	-	-	-	-	-	-	-	3	2	4	2	5	-	-	1	-	-	-	-	-	1	1	2
White	11	-	-	-	-	-	-	-	3	2	4	2	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	50	4	1	-	-	1	2	1	6	8	9	18	69	-	-	-	-	-	1	1	7	16	27	37
White	44	4	1	-	-	1	2	-	5	7	8	16	64	-	-	-	-	-	1	-	5	15	26	37
All other	6	-	-	-	-	-	-	1	1	1	1	2	5	-	-	-	-	-	-	1	2	1	1	-
Black	6	-	-	-	-	-	-	1	1	1	1	2	5	-	-	-	-	-	-	1	2	1	1	-
Chronic liver disease and cirrhosis (571)	291	-	-	-	-	7	28	55	112	66	20	3	168	-	-	-	-	4	11	25	59	43	21	5
White	268	-	-	-	-	6	24	51	102	63	19	3	158	-	-	-	-	1	10	24	56	42	20	5
All other	23	-	-	-	-	1	4	4	10	3	1	-	10	-	-	-	-	3	1	1	3	1	1	-
Black	23	-	-	-	-	1	4	4	10	3	1	-	10	-	-	-	-	3	1	1	3	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	-	4	4	10	11	3	47	-	-	-	-	-	-	2	4	11	12	18
White	31	-	-	-	-	-	-	4	4	10	10	3	45	-	-	-	-	-	-	2	4	9	12	18
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	231	2	-	-	-	3	2	13	25	58	71	57	226	2	1	-	-	-	5	9	15	41	79	74
White	200	2	-	-	-	3	1	8	20	50	63	53	200	-	1	-	-	-	4	8	12	36	70	69
All other	31	-	-	-	-	-	1	5	5	8	8	4	26	2	-	-	-	-	1	1	3	5	9	5
Black	31	-	-	-	-	-	1	5	5	8	8	4	26	2	-	-	-	-	1	1	3	5	9	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	1	-	1	1	-	8	-	-	-	-	-	-	1	-	4	2	1
White	3	-	-	-	-	-	-	1	-	1	1	-	8	-	-	-	-	-	-	1	-	4	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	-	-	-	-	1	-	1	4	4	10	4	18	-	-	-	-	-	1	-	2	4	9	3
White	20	-	-	-	-	1	-	1	2	4	8	4	17	-	-	-	-	-	1	-	1	4	8	3
All other	4	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	4	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	204	2	-	-	-	2	2	11	21	53	60	53	199	2	1	-	-	-	4	8	13	33	66	70
White	177	2	-	-	-	2	1	6	18	45	54	49	175	-	1	-	-	-	3	7	11	28	60	65
All other	27	-	-	-	-	-	1	5	3	8	6	4	24	2	-	-	-	-	1	1	2	5	6	5
Black	27	-	-	-	-	-	1	5	3	8	6	4	24	2	-	-	-	-	1	1	2	5	6	5
Infections of kidney (590)	26	-	-	-	-	1	-	-	2	5	7	11	38	-	-	-	-	-	-	1	2	7	15	13
White	25	-	-	-	-	1	-	-	2	4	7	11	38	-	-	-	-	-	-	1	2	7	15	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	-	3	4	9	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	2	4	9	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	151	105	11	8	6	5	4	2	5	3	2	-	168	99	17	7	5	5	7	6	7	11	2	2
White	135	94	9	8	5	4	3	2	5	3	2	-	143	84	16	6	4	5	7	5	5	8	2	1
All other	16	11	2	-	1	1	1	-	-	-	-	-	25	15	1	1	1	-	-	1	2	3	-	1
Black	16	11	2	-	1	1	1	-	-	-	-	-	25	15	1	1	1	-	-	1	2	3	-	1
Certain conditions originating in the perinatal period (760-779)	280	279	1	-	-	-	-	-	-	-	-	-	185	184	1	-	-	-	-	-	-	-	-	-
White	218	218	-	-	-	-	-	-	-	-	-	-	141	140	1	-	-	-	-	-	-	-	-	-
All other	62	61	1	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
Black	61	60	1	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	88	87	1	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
White	71	71	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
All other	17	16	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	17	16	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	192	192	-	-	-	-	-	-	-	-	-	-	137	136	1	-	-	-	-	-	-	-	-	-
White	147	147	-	-	-	-	-	-	-	-	-	-	99	98	1	-	-	-	-	-	-	-	-	-
All other	45	45	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Black	44	44	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	236	84	3	2	13	17	10	19	17	22	25	24	228	59	3	1	7	10	4	9	11	21	34	69
White	206	68	1	1	10	13	8	17	17	20	25	24	200	44	2	1	5	8	3	6	11	18	33	69
All other	32	16	2	1	3	4	2	2	-	2	-	-	28	15	1	-	2	2	1	3	-	3	1	-
Black	32	16	2	1	3	4	2	2	-	2	-	-	28	15	1	-	2	2	1	3	-	3	1	-
All other diseases (Residual)	1,220	19	9	17	27	40	45	89	190	297	319	168	1,436	16	11	11	24	28	40	70	155	301	402	378
White	1,116	17	9	14	24	34	34	76	167	287	299	155	1,335	16	10	11	19	23	35	59	135	281	380	366
All other	104	2	-	3	3	6	11	13	23	10	20	13	101	-	1	-	5	5	5	11	20	20	22	12
Black	103	2	-	3	3	6	11	13	22	10	20	13	101	-	1	-	5	5	5	11	20	20	22	12
Accidents and adverse effects (E800-E949)	1,376	10	44	64	359	241	148	106	124	121	93	66	689	11	28	32	119	63	53	36	44	85	103	115
White	1,259	8	40	51	336	217	137	94	111	113	91	61	643	6	25	27	114	61	44	34	40	81	100	111
All other	117	2	4	13	23	24	11	12	13	8	2	5	46	5	3	5	5	2	9	2	4	4	3	4
Black	114	2	4	12	21	24	11	12	13	8	2	5	42	5	3	4	4	1	9	2	3	4	3	4
Motor vehicle accidents (E810-E825)	715	2	20	34	262	157	79	45	45	39	23	9	305	2	9	18	99	42	42	17	20	32	16	8
White	666	2	18	30	245	146	74	39	43	37	23	9	286	1	8	15	95	40	38	16	19	31	15	8
All other	49	-	2	4	17	11	5	6	2	2	-	-	19	1	1	3	4	2	4	1	1	1	1	-
Black	46	-	2	3	15	11	5	6	2	2	-	-	16	1	1	2	3	1	4	1	1	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	661	8	24	30	97	84	69	61	79	82	70	57	384	9	19	14	20	21	11	19	24	53	87	107
White	593	6	22	21	91	71	63	55	68	76	68	52	357	5	17	12	19	21	6	18	21	50	85	103
All other	68	2	2	9	6	13	6	6	11	6	2	5	27	4	2	2	1	-	5	1	3	3	2	4
Black	68	2	2	9	6	13	6	6	11	6	2	5	26	4	2	2	1	-	5	1	2	3	2	4
Suicide (E950-E959)	477	---	---	2	97	101	71	73	55	39	32	7	147	---	---	-	16	32	25	23	30	17	2	2
White	457	---	---	2	92	94	68	69	54	39	32	7	145	---	---	-	16	30	25	23	30	17	2	2
All other	20	---	---	-	5	7	3	4	1	-	-	-	2	---	---	-	-	2	-	-	-	-	-	-
Black	20	---	---	-	5	7	3	4	1	-	-	-	1	---	---	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	264	1	5	4	75	82	36	22	25	5	4	3	87	4	3	4	20	16	13	9	4	8	4	2
White	112	1	3	-	29	30	19	10	13	4	1	1	64	1	3	4	15	11	10	6	3	6	4	1
All other	152	-	2	4	46	52	17	12	12	1	3	2	23	3	-	-	5	5	3	3	1	2	-	1
Black	152	-	2	4	46	52	17	12	12	1	3	2	23	3	-	-	5	5	3	3	1	2	-	1
All other external causes (E980-E999)	48	-	-	-	8	16	6	6	7	3	2	-	23	1	-	-	6	-	3	9	1	2	1	-
White	43	-	-	-	6	13	6	6	7	3	2	-	21	1	-	-	6	-	2	8	1	2	1	-
All other	5	-	-	-	2	3	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	5	-	-	-	2	3	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	14,186	264	58	64	332	266	312	767	1,983	3,609	3,947	2,583	12,704	192	41	38	110	150	183	400	1,034	2,248	3,716	4,590
White	13,993	250	57	64	320	254	300	754	1,953	3,564	3,916	2,560	12,562	179	39	36	106	143	178	389	1,009	2,216	3,696	4,589
All other	193	14	1	–	12	12	12	13	30	45	31	23	142	13	2	2	4	7	5	11	25	32	20	21
Black	168	12	–	–	11	8	9	12	30	42	25	19	121	10	2	2	3	3	4	9	22	29	17	20
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
White	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	5	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	1	–	2	–	1
White	5	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–	–	–	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	1	–	2	–	1
White	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	–	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
White	2	1	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	74	–	1	–	1	–	1	5	11	14	18	23	60	–	1	–	–	2	1	1	6	8	14	27
White	71	–	1	–	1	–	1	4	10	14	18	22	60	–	1	–	–	2	1	1	6	8	14	27
All other	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	35	3	1	1	3	–	1	3	5	9	6	3	29	–	1	–	2	2	1	1	6	8	4	4
White	34	3	1	1	3	–	1	3	4	9	6	3	29	–	1	–	2	2	1	1	6	8	4	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,169	1	4	6	19	31	65	224	624	1,021	851	323	2,617	2	7	9	13	40	73	197	457	724	689	406
White	3,123	1	4	6	17	29	62	221	614	1,006	840	323	2,589	2	6	8	12	40	71	194	449	716	685	406
All other	46	–	–	–	2	2	3	3	10	15	11	–	28	–	1	1	1	–	2	3	8	8	4	–
Black	40	–	–	–	2	–	1	3	10	14	10	–	25	–	1	1	1	–	2	2	8	6	4	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	68	-	-	-	-	3	1	6	19	20	15	4	16	-	-	-	1	-	1	1	4	1	5	3
White	68	-	-	-	-	3	1	6	19	20	15	4	15	-	-	-	1	-	1	1	3	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	818	-	-	-	-	7	12	60	164	248	221	108	820	-	1	-	1	4	9	28	119	221	261	176
White	799	-	-	-	-	5	10	58	161	242	215	108	813	-	1	-	1	4	9	27	117	219	260	176
All other	19	-	-	-	-	2	2	2	3	6	-	-	7	-	-	-	-	-	-	1	2	2	1	-
Black	14	-	-	-	-	-	1	2	3	3	5	-	5	-	1	-	-	-	-	-	2	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,052	-	-	-	1	-	11	63	271	407	232	47	335	-	-	-	-	1	9	38	85	120	61	21
White	1,034	-	-	-	1	-	10	62	265	399	230	47	329	-	-	-	-	1	9	37	82	118	61	21
All other	18	-	-	-	-	-	1	1	6	8	2	-	6	-	-	-	-	-	-	1	3	2	-	-
Black	17	-	-	-	-	-	-	1	6	8	2	-	6	-	-	-	-	-	-	1	3	2	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	1	-	493	-	-	-	-	-	8	27	56	105	135	100	61
White	4	-	-	-	-	-	-	-	1	2	1	-	488	-	-	-	-	-	8	27	55	103	134	100	61
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasms of genital organs (179-187)	394	-	-	-	2	4	1	5	28	97	164	93	299	-	-	-	-	-	4	9	34	59	83	69	41
White	389	-	-	-	2	4	1	5	28	94	162	93	298	-	-	-	-	-	4	9	34	59	82	69	41
All other	5	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	195	-	1	-	1	-	2	17	28	64	66	18	88	-	-	-	-	-	-	4	12	29	29	15
White	194	-	1	-	-	-	2	17	28	64	66	18	87	-	-	-	-	-	-	4	12	28	28	15
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	301	1	1	5	7	11	19	31	56	89	64	17	292	1	2	5	4	8	11	25	40	77	83	36
White	299	1	1	5	7	11	18	31	55	89	63	17	287	1	2	4	3	8	10	25	40	77	81	36
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	1	1	-	1	-	-	-	2	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	1	1	-	1	-	-	-	2	-
Leukemia (204-208)	149	-	2	1	5	3	9	8	20	36	40	25	121	-	4	4	1	8	2	3	12	23	33	31
White	148	-	2	1	4	3	9	8	20	36	40	25	121	-	4	4	1	8	2	3	12	23	33	31
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	188	-	-	-	3	3	10	14	39	60	48	11	153	1	-	-	6	7	5	8	21	35	48	22
White	188	-	-	-	3	3	10	14	39	60	48	11	151	1	-	-	6	7	4	8	21	34	48	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	-	-	1	-	1	-	2	4	5	6	5	36	-	-	-	-	3	1	1	4	7	12	8
White	24	-	-	1	-	1	-	2	4	5	6	5	36	-	-	-	-	3	1	1	4	7	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	197	-	-	-	-	2	9	15	23	61	60	27	285	-	-	-	2	4	5	8	27	54	110	75
White	189	-	-	-	-	2	9	15	21	58	59	25	278	-	-	-	2	4	5	8	26	52	108	73
All other	8	-	-	-	-	-	-	-	2	3	1	2	7	-	-	-	-	-	-	-	1	2	2	2
Black	8	-	-	-	-	-	-	-	2	3	1	2	6	-	-	-	-	-	-	-	1	2	1	2
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	1	2	5	11	44	-	-	-	-	2	-	-	-	1	11	30
White	19	-	-	-	-	-	-	-	1	2	5	11	44	-	-	-	-	2	-	-	-	1	11	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	30	-	-	-	-	2	-	1	5	3	11	8	26	-	-	-	-	-	-	1	2	4	5	14
White	28	-	-	-	-	1	-	1	5	3	10	8	26	-	-	-	-	-	-	1	2	4	5	14
All other	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	2	2	-	-	-	-	-	-	-	1	-	6	1	-	-	-	-	-	-	1	-	2	2
White	5	2	2	-	-	-	-	-	-	-	1	-	6	1	-	-	-	-	-	-	1	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,092	8	2	2	9	27	95	328	943	1,849	2,167	1,662	7,151	5	2	2	4	16	41	104	361	1,066	2,242	3,308
White	7,019	8	2	2	9	25	91	322	931	1,826	2,159	1,644	7,089	5	2	2	4	14	41	98	350	1,050	2,233	3,290
All other	73	-	-	-	-	2	4	6	12	23	8	18	62	-	-	-	-	2	-	6	11	16	9	18
Black	66	-	-	-	-	2	4	6	12	22	6	14	56	-	-	-	-	-	-	5	10	16	8	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,637	7	2	2	6	23	87	306	836	1,520	1,642	1,206	5,177	3	1	1	4	10	28	79	296	841	1,646	2,268
White	5,581	7	2	2	6	22	85	300	824	1,503	1,637	1,193	5,133	3	1	1	4	10	28	73	285	829	1,642	2,257
All other	56	–	–	–	–	1	2	6	12	17	5	13	44	–	–	–	–	–	–	6	11	12	4	11
Black	50	–	–	–	–	1	2	6	12	16	4	9	41	–	–	–	–	–	–	5	10	12	4	10
Rheumatic fever and rheumatic heart disease (390-398)	30	–	–	–	–	2	1	3	3	13	6	2	61	–	–	–	–	1	2	5	11	19	16	7
White	30	–	–	–	–	2	1	3	3	13	6	2	60	–	–	–	–	1	2	5	10	19	16	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart disease (402)	71	–	–	–	–	–	1	7	10	16	22	15	123	–	–	–	–	–	2	1	6	22	46	46
White	70	–	–	–	–	–	1	7	9	16	22	15	122	–	–	–	–	–	2	1	6	21	46	46
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hypertensive heart and renal disease (404)	30	–	–	–	–	–	–	–	–	5	5	20	41	–	–	–	–	–	–	–	–	4	8	29
White	29	–	–	–	–	–	–	–	–	5	5	19	40	–	–	–	–	–	–	–	–	3	8	29
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	4,529	–	–	–	–	12	64	251	720	1,271	1,339	872	3,759	–	–	–	1	2	13	53	229	632	1,227	1,602
White	4,482	–	–	–	–	11	63	246	709	1,255	1,335	863	3,733	–	–	–	1	2	13	49	222	624	1,225	1,597
All other	47	–	–	–	–	1	1	5	11	16	4	9	26	–	–	–	–	–	–	4	7	8	2	5
Black	43	–	–	–	–	1	1	5	11	15	3	7	24	–	–	–	–	–	–	4	6	8	2	4
Acute myocardial infarction (410)	2,666	–	–	–	–	5	46	206	535	881	814	379	1,965	–	–	–	1	1	9	37	160	452	708	597
White	2,629	–	–	–	–	4	45	202	524	869	810	375	1,948	–	–	–	1	1	9	36	155	447	706	593
All other	37	–	–	–	–	1	1	4	11	12	4	4	17	–	–	–	–	–	–	1	5	5	2	4
Black	34	–	–	–	–	1	1	4	11	11	3	3	15	–	–	–	–	–	–	1	4	5	2	3
Other acute and subacute forms of ischemic heart disease (411)	18	–	–	–	–	–	1	2	5	4	3	3	18	–	–	–	–	–	–	–	2	3	5	8
White	18	–	–	–	–	–	1	2	5	4	3	3	18	–	–	–	–	–	–	–	2	3	5	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	6	–	–	–	–	–	–	1	–	2	3	–	3	–	–	–	–	–	–	–	1	–	–	2
White	6	–	–	–	–	–	–	1	–	2	3	–	3	–	–	–	–	–	–	–	1	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,639	–	–	–	–	7	17	42	180	384	519	490	1,773	–	–	–	–	1	4	16	66	177	514	995
White	1,629	–	–	–	–	7	17	41	180	380	519	485	1,764	–	–	–	–	1	4	13	64	174	514	994
All other	10	–	–	–	–	–	–	1	–	4	–	5	9	–	–	–	–	–	–	3	2	3	–	1
Black	9	–	–	–	–	–	–	1	–	4	–	4	9	–	–	–	–	–	–	3	2	3	–	1
Other diseases of endocardium (424)	48	–	–	–	–	–	–	1	7	18	12	10	56	–	–	–	–	–	–	1	4	12	22	17
White	48	–	–	–	–	–	–	1	7	18	12	10	56	–	–	–	–	–	–	1	4	12	22	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	931	7	2	2	6	9	21	44	96	199	258	287	1,137	3	1	1	3	7	11	19	46	152	327	567
White	924	7	2	2	6	9	20	43	96	198	257	284	1,122	3	1	1	3	7	11	17	43	150	325	561
All other	7	–	–	–	–	–	1	1	–	1	1	3	15	–	–	–	–	–	–	2	3	2	2	6
Black	5	–	–	–	–	–	1	1	–	1	1	1	14	–	–	–	–	–	–	1	3	2	2	6
Hypertension with or without renal disease (401,403)	58	–	–	–	–	1	–	1	4	18	19	13	67	–	–	–	–	–	–	–	2	8	19	38
White	54	–	–	–	–	–	–	1	4	18	19	12	66	–	–	–	–	–	–	–	2	8	18	38
All other	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Cerebrovascular diseases (430-438)	975	1	–	–	3	2	6	16	77	217	364	289	1,451	2	1	1	–	5	12	20	49	180	463	718
White	963	1	–	–	3	2	4	16	77	212	362	286	1,438	2	1	1	–	4	12	20	49	176	459	714
All other	12	–	–	–	–	–	2	–	–	5	2	3	13	–	–	–	–	1	–	–	–	4	4	4
Black	11	–	–	–	–	–	2	–	–	5	1	3	11	–	–	–	–	–	–	–	–	4	3	4
Intracerebral and other intracranial hemorrhage (431-432)	108	–	–	–	2	–	2	3	19	34	39	9	124	–	–	1	–	–	3	5	16	27	41	31
White	107	–	–	–	2	–	2	3	19	33	39	9	123	–	–	1	–	–	3	5	16	26	41	31
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	155	1	–	–	–	–	–	2	14	30	47	61	257	1	–	–	–	–	1	1	6	23	93	132
White	154	1	–	–	–	–	–	2	14	29	47	61	254	1	–	–	–	–	1	1	6	23	93	129
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	3
Black	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	-	2	1	10	-	-	-	-	1	-	1	1	3	2	2
White	4	-	-	-	-	-	-	-	1	-	2	1	9	-	-	-	-	1	-	1	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	708	-	-	-	1	2	4	11	43	153	276	218	1,060	1	1	-	-	4	8	13	26	127	327	553
White	698	-	-	-	1	2	2	11	43	150	274	215	1,052	1	1	-	-	3	8	13	26	125	323	552
All other	10	-	-	-	-	-	2	-	-	3	2	3	8	-	-	-	-	1	-	-	-	2	4	1
Black	9	-	-	-	-	-	2	-	-	3	1	3	6	-	-	-	-	-	-	-	-	2	3	1
Atherosclerosis (440)	231	-	-	-	-	-	-	1	13	28	78	111	330	-	-	-	-	-	-	-	4	17	73	236
White	229	-	-	-	-	-	-	1	13	28	77	110	327	-	-	-	-	-	-	-	4	17	73	233
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	3
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	3
Other diseases of arteries, arterioles, and capillaries (441-448)	193	-	-	-	-	1	2	4	13	66	84	43	128	-	-	-	-	1	1	5	10	20	41	48
White	192	-	-	-	-	1	2	4	13	65	84	43	125	-	-	-	-	-	1	5	10	20	41	48
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	1	-	-	-	1
White	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	425	2	1	-	4	-	6	5	23	66	144	174	396	3	1	-	3	1	4	3	8	34	118	221
White	420	2	1	-	3	-	6	5	23	66	141	173	392	3	1	-	2	-	3	3	8	34	118	220
All other	5	-	-	-	1	-	-	-	-	-	3	1	4	-	-	-	1	1	1	-	-	-	-	1
Black	3	-	-	-	1	-	-	-	-	-	1	1	4	-	-	-	1	1	1	-	-	-	-	1
Pneumonia (480-486)	419	2	-	-	4	-	6	5	23	66	142	171	380	3	1	-	3	1	4	3	8	32	114	211
White	414	2	-	-	3	-	6	5	23	66	139	170	376	3	1	-	2	-	3	3	8	32	114	210
All other	5	-	-	-	1	-	-	-	-	-	3	1	4	-	-	-	1	1	1	-	-	-	-	1
Black	3	-	-	-	1	-	-	-	-	-	1	1	4	-	-	-	1	1	1	-	-	-	-	1
Influenza (487)	6	-	1	-	-	-	-	-	-	-	2	3	16	-	-	-	-	-	-	-	-	2	4	10
White	6	-	1	-	-	-	-	-	-	-	2	3	16	-	-	-	-	-	-	-	-	2	4	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	673	-	-	-	1	-	1	15	79	236	257	84	234	1	-	-	-	1	2	10	32	73	76	37
White	671	-	-	-	1	-	1	15	79	236	255	84	233	1	-	-	-	1	2	10	32	72	76	37
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	25	-	-	-	-	-	-	1	1	6	9	8	18	1	-	-	-	-	-	2	2	5	3	5
White	25	-	-	-	-	-	-	1	1	6	9	8	17	1	-	-	-	-	-	2	2	4	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	136	-	-	-	-	-	-	3	17	47	52	19	27	-	-	-	-	-	1	-	1	5	6	9	3
White	137	-	-	-	-	-	-	3	17	47	51	19	27	-	-	-	-	-	1	-	1	5	6	9	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	14	-	-	-	1	-	-	1	2	6	4	-	28	-	-	-	-	-	1	-	1	14	7	5
White	14	-	-	-	1	-	-	1	2	6	4	-	28	-	-	-	-	-	1	-	1	14	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	496	-	-	-	-	-	1	10	59	177	192	57	161	-	-	-	-	-	1	7	24	46	59	24
White	495	-	-	-	-	-	1	10	59	177	191	57	161	-	-	-	-	-	1	7	24	46	59	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	50	-	-	-	-	-	-	-	11	10	18	11	62	-	-	-	-	-	-	2	4	8	15	33
White	50	-	-	-	-	-	-	-	11	10	18	11	61	-	-	-	-	-	-	2	4	8	14	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	1	-	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	2	-	-	-	-	-	1	3	10	19	8	52	-	-	-	-	1	-	3	3	5	18	22
White	42	2	-	-	-	-	-	-	3	10	19	8	52	-	-	-	-	1	-	3	3	5	18	22
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	157	–	–	–	–	3	7	28	54	47	14	4	74	–	–	1	–	1	3	7	18	23	20	1
White	156	–	–	–	–	3	7	28	54	46	14	4	74	–	–	1	–	1	3	7	18	23	20	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	–	–	1	3	5	5	22	–	–	–	–	–	–	2	1	1	12	6
White	14	–	–	–	–	–	–	–	1	3	5	5	22	–	–	–	–	–	–	2	1	1	12	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	61	1	–	–	–	1	1	2	5	14	23	14	71	1	–	–	2	–	2	2	4	11	22	27
White	60	1	–	–	–	1	1	2	5	14	22	14	71	1	–	–	2	–	2	2	4	11	22	27
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	1	
White	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	1	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	–	–	–	–	–	–	–	5	1	4	2	17	–	–	–	1	–	1	1	1	1	6	6
White	12	–	–	–	–	–	–	–	5	1	4	2	17	–	–	–	1	–	1	1	1	1	6	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	46	1	–	–	–	1	1	2	–	12	17	12	52	1	–	–	1	–	1	1	3	10	15	20
White	45	1	–	–	–	1	1	2	–	12	16	12	52	1	–	–	1	–	1	1	3	10	15	20
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	15	–	–	–	–	–	–	1	2	4	4	4	35	–	–	–	–	2	–	–	1	4	9	19
White	15	–	–	–	–	–	–	1	2	4	4	4	34	–	–	–	–	2	–	–	1	3	9	19
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hyperplasia of prostate (600)	20	–	–	–	–	–	–	–	–	2	5	13	...	...	...	...	...	...	...	...	...	...	...	...
White	20	–	–	–	–	–	–	–	–	2	5	13	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	115	76	9	6	4	4	4	1	4	4	3	–	87	56	4	3	4	3	3	4	3	3	4	–
White	113	74	9	6	4	4	4	1	4	4	3	–	83	54	4	3	4	3	2	4	3	3	3	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	1	–	–	–	1	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	102	101	1	–	–	–	–	–	–	–	–	–	79	77	–	–	2	–	–	–	–	–	–	–
White	94	94	–	–	–	–	–	–	–	–	–	–	74	72	–	–	2	–	–	–	–	–	–	–
All other	8	7	1	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	31	–	–	–	–	–	–	–	–	–	–	18	17	–	–	1	–	–	–	–	–	–	–
White	29	29	–	–	–	–	–	–	–	–	–	–	18	17	–	–	1	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	71	70	1	–	–	–	–	–	–	–	–	–	61	60	–	–	1	–	–	–	–	–	–	–
White	65	65	–	–	–	–	–	–	–	–	–	–	58	55	–	–	1	–	–	–	–	–	–	–
All other	6	5	1	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	71	49	2	–	1	1	–	–	1	3	8	5	61	31	–	–	–	–	–	–	5	9	15	
White	68	46	2	–	1	1	–	–	1	3	8	5	58	26	–	–	–	–	–	–	5	9	15	
All other	3	3	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	705	11	6	5	17	12	19	41	73	158	225	138	808	7	3	8	8	16	15	23	75	157	239	256
White	695	10	6	5	16	12	19	41	71	156	222	137	796	7	3	7	8	16	14	23	71	154	236	256
All other	10	1	–	–	1	–	–	–	2	2	3	1	12	–	–	1	–	–	1	–	4	3	3	–
Black	8	1	–	–	1	–	–	–	2	1	2	1	8	–	–	1	–	–	1	–	2	2	2	–
Accidents and adverse effects (E800-E949)	752	5	27	39	202	113	67	62	67	48	68	54	389	6	21	15	57	37	16	17	16	38	72	74
White	742	4	27	39	199	112	66	61	65	47	68	54	383	6	21	15	55	35	16	17	15	37	72	74
All other	10	1	–	–	3	1	1	1	2	1	–	–	6	–	–	–	2	2	–	–	1	1	–	–
Black	8	1	–	–	2	1	–	1	2	1	–	–	3	–	–	–	1	–	–	–	1	1	–	–
Motor vehicle accidents (E810-E825)	357	–	9	20	138	70	36	27	22	12	18	5	159	2	7	9	48	26	12	10	9	15	16	5
White	354	–	9	20	138	70	35	27	21	11	18	5	156	2	7	9	47	24	12	10	9	15	16	5
All other	3	–	–	–	–	–	1	–	1	1	–	–	3	–	–	–	1	2	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	395	5	18	19	64	43	31	35	45	36	50	49	210	4	14	6	9	11	4	7	7	23	56	69
White	388	4	18	19	61	42	31	34	44	36	50	49	207	4	14	6	8	11	4	7	6	22	56	69
All other	7	1	–	–	3	1	–	1	1	–	–	–	3	–	–	–	1	–	–	–	1	1	–	–
Black	6	1	–	–	2	1	–	1	1	–	–	–	3	–	–	–	1	–	–	–	1	1	–	–
Suicide (E950-E959)	258	...	...	2	59	55	26	22	39	32	20	3	51	...	...	–	4	11	12	7	3	9	5	–
White	256	...	...	2	59	54	26	22	39	32	19	3	51	...	...	–	4	11	12	7	3	9	5	–
All other	2	...	...	–	–	1	–	–	–	–	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	1	...	...	–	–	–	–	–	–	–	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	49	2	2	1	11	12	6	8	1	4	1	1	20	1	1	–	7	4	1	3	1	1	1	–
White	34	2	2	1	6	7	2	7	1	4	1	1	17	1	–	–	7	3	1	2	1	1	1	–
All other	15	–	–	–	5	5	4	1	–	–	–	–	3	–	1	–	–	1	–	1	–	–	–	–
Black	14	–	–	–	5	4	4	1	–	–	–	–	3	–	1	–	–	1	–	1	–	–	–	–
All other external causes (E980-E999)	14	–	–	1	–	2	4	3	2	–	2	–	10	1	–	–	–	2	3	1	–	1	1	1
White	14	–	–	1	–	2	4	3	2	–	2	–	9	–	–	–	–	2	3	1	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
KANSAS																								
All causes	11,435	237	61	46	301	295	326	639	1,646	2,838	3,163	1,681	10,369	189	51	30	94	134	161	401	935	1,809	3,071	3,474
White	10,870	202	49	41	278	268	294	590	1,560	2,712	3,051	1,825	9,856	157	42	28	86	120	153	367	861	1,714	2,946	3,382
All other	565	35	12	5	23	27	32	49	86	126	112	56	513	32	9	2	8	14	28	34	74	95	125	92
Black	517	32	10	5	21	22	26	46	81	114	106	54	474	29	7	1	7	14	21	29	68	89	119	90
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	2
White	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	4	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	52	-	2	-	3	-	1	1	11	12	16	6	68	1	-	-	1	-	-	1	9	10	22	24
White	51	-	2	-	2	-	1	1	11	12	16	6	64	-	-	-	1	-	-	1	9	10	21	22
All other	1	-	-	-	1	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (080-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	29	5	1	-	1	2	3	3	2	5	4	3	25	3	1	2	1	-	-	2	3	6	4	3
White	25	4	1	-	1	1	3	3	1	4	4	3	23	3	1	2	1	-	-	2	1	6	4	3
All other	4	1	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	4	1	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,410	-	4	4	15	21	59	151	500	759	652	245	2,019	2	4	1	10	29	63	178	378	540	516	300
White	2,289	-	3	4	14	19	55	138	468	725	622	241	1,909	2	4	1	8	27	60	161	350	514	487	285
All other	121	-	1	-	1	2	4	13	32	34	30	4	110	-	-	-	2	2	3	15	28	26	29	5
Black	110	-	1	-	1	2	3	13	29	29	28	4	89	-	-	-	2	2	1	13	26	24	26	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	-	-	-	1	1	2	6	17	12	14	2	27	-	-	-	-	1	3	-	8	4	8	3
White	54	-	-	-	1	1	2	5	17	12	14	2	25	-	-	-	-	1	2	-	8	4	7	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	620	-	-	-	1	4	21	44	125	191	172	62	585	-	-	-	3	3	7	31	83	148	182	128
White	583	-	-	-	1	4	18	43	111	180	165	61	554	-	-	-	2	3	7	27	75	140	174	126
All other	37	-	-	-	-	-	3	1	14	11	7	1	31	-	-	-	1	-	-	4	8	8	8	2
Black	29	-	-	-	-	-	2	1	11	8	6	1	28	-	-	-	1	-	-	4	8	7	6	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	846	-	-	-	-	-	15	57	217	312	190	55	312	-	-	-	-	-	13	37	79	100	60	23
White	801	-	-	-	-	-	15	51	206	295	180	54	300	-	-	-	-	-	13	36	76	95	57	23
All other	45	-	-	-	-	-	-	6	11	17	10	1	12	-	-	-	-	-	-	1	3	5	3	-
Black	43	-	-	-	-	-	-	6	11	16	9	1	11	-	-	-	-	-	-	1	2	5	3	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	373	-	-	-	-	9	19	53	83	102	67	40
White	1	-	-	-	-	-	-	-	-	-	1	-	352	-	-	-	-	8	18	49	77	99	62	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	1	1	4	6	3	5	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	1	-	2	6	3	5	1
Malignant neoplasms of genital organs (179-187)	276	-	-	-	1	2	1	4	22	69	112	65	240	-	-	-	1	6	9	21	50	60	67	26
White	260	-	-	-	1	1	-	3	20	65	106	64	219	-	-	-	1	6	8	17	44	57	60	26
All other	16	-	-	-	-	1	1	1	2	4	6	1	21	-	-	-	-	-	1	4	6	3	7	-
Black	16	-	-	-	-	1	1	1	2	4	6	1	18	-	-	-	-	-	-	4	6	2	6	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	157	-	-	-	-	1	2	4	27	50	52	21	70	-	-	-	-	-	3	5	11	23	20	8
White	153	-	-	-	-	1	2	4	27	50	49	20	68	-	-	-	-	-	3	5	11	22	20	7
All other	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms of all other and unspecified sites. (170-173,190-199)	226	-	2	1	6	9	9	23	49	57	49	21	184	1	3	-	2	3	6	10	34	48	56	31
White	216	-	1	1	6	8	9	21	45	56	48	21	184	1	3	-	1	3	6	9	31	45	54	31
All other	10	-	1	-	-	1	-	2	4	1	1	-	10	-	-	-	1	-	-	1	3	3	2	-
Black	10	-	1	-	-	1	-	2	4	1	1	-	9	-	-	-	1	-	-	1	2	3	2	-
Leukemia (204-208)	94	-	1	2	3	1	6	5	16	22	31	7	89	1	1	1	3	4	1	10	16	16	15	21
White	92	-	1	2	3	1	6	4	16	22	30	7	85	1	1	1	3	4	1	9	15	15	14	21
All other	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	1	1	1	1	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	1	1	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	135	-	1	1	3	3	3	8	27	46	31	12	129	-	-	-	1	3	2	9	14	39	41	20
White	129	-	1	1	2	3	3	7	26	45	29	12	122	-	-	-	1	2	2	9	13	37	39	19
All other	6	-	-	-	1	-	-	1	1	1	2	-	7	-	-	-	-	1	-	-	1	2	2	1
Black	5	-	-	-	1	-	-	1	1	-	2	-	7	-	-	-	-	1	-	-	1	2	2	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	1	-	1	1	4	8	3	4	37	2	-	-	-	1	2	2	9	7	9	5
White	21	-	-	-	1	-	1	1	4	7	3	4	34	2	-	-	-	1	1	2	8	6	9	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Diabetes mellitus (250)	157	-	-	-	1	2	6	10	30	40	46	22	249	-	-	1	-	2	9	15	36	54	81	51
White	145	-	-	-	1	2	4	7	29	36	44	22	237	-	-	1	-	2	9	14	33	53	76	49
All other	12	-	-	-	-	-	2	3	1	4	2	-	12	-	-	-	-	-	1	1	3	1	5	2
Black	12	-	-	-	-	-	2	3	1	4	2	-	11	-	-	-	-	-	-	-	3	1	5	2
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	1	1	7	4	16	-	-	-	-	-	-	-	-	1	6	9
White	13	-	-	-	-	-	-	-	1	1	7	4	16	-	-	-	-	-	-	-	-	1	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	24	-	1	1	-	1	1	2	1	-	8	9	21	-	1	-	1	-	-	-	-	2	9	8
White	20	-	-	-	-	-	-	2	1	-	8	9	19	-	-	-	1	-	-	-	-	2	8	8
All other	4	-	1	1	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	4	-	1	1	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	6	1	-	-	-	-	-	2	2	1	-	-	6	-	1	-	-	1	-	1	-	2	-	1
White	6	1	-	-	-	-	-	2	2	1	-	-	6	-	1	-	-	1	-	1	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,437	3	2	2	6	26	81	272	733	1,405	1,763	1,144	5,540	7	2	2	-	17	41	106	286	843	1,849	2,387
White	5,219	3	1	2	6	23	72	254	707	1,343	1,700	1,108	5,301	5	1	1	-	13	28	92	262	792	1,785	2,322
All other	218	-	1	-	-	3	9	18	26	62	63	36	239	2	1	1	-	4	13	14	24	51	64	65
Black	201	-	1	-	-	2	7	15	25	57	60	34	223	1	1	-	-	4	10	12	23	48	61	63
Diseases of heart (390-398,402,404-429)	4,319	2	2	2	5	22	70	259	644	1,169	1,398	812	3,976	7	2	2	-	12	34	83	215	658	1,349	1,614
White	4,160	2	1	2	5	20	65	238	624	1,121	1,297	785	3,793	5	1	1	-	8	24	72	196	616	1,304	1,566
All other	159	-	1	-	-	2	5	15	20	48	41	27	183	2	1	1	-	4	10	11	19	42	45	46
Black	143	-	1	-	-	1	3	12	19	44	38	25	172	1	1	-	-	4	8	10	19	40	43	46
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	-	1	-	-	5	9	2	1	45	-	-	-	-	-	3	3	5	13	13	8
White	17	-	-	-	-	1	-	-	5	8	2	1	45	-	-	-	-	-	3	3	5	13	13	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	65	-	-	-	-	-	-	7	7	16	19	16	112	-	-	-	-	-	1	1	8	18	41	43
White	57	-	-	-	-	-	-	6	7	13	16	15	105	-	-	-	-	-	1	1	7	14	39	43
All other	8	-	-	-	-	-	-	1	-	3	3	1	7	-	-	-	-	-	-	-	1	4	2	-
Black	8	-	-	-	-	-	-	1	-	3	3	1	7	-	-	-	-	-	-	-	1	4	2	-
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	-	4	4	5	23	-	-	-	-	-	-	-	2	4	9	8
White	13	-	-	-	-	-	-	-	-	4	4	5	21	-	-	-	-	-	-	-	2	3	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-
Ischemic heart disease (410-414)	3,384	-	-	-	-	11	57	210	530	938	1,053	585	2,819	1	-	-	-	1	16	52	153	478	992	1,126
White	3,285	-	-	-	-	9	52	201	519	909	1,032	563	2,697	1	-	-	-	1	13	48	139	450	962	1,085
All other	99	-	-	-	-	2	5	9	11	29	21	22	122	-	-	-	-	-	3	6	14	28	30	41
Black	85	-	-	-	-	1	3	7	11	25	18	20	116	-	-	-	-	-	3	5	14	28	29	39
Acute myocardial infarction (410)	2,135	-	-	-	-	8	41	156	394	643	630	263	1,419	1	-	-	-	1	13	38	108	324	541	395
White	2,074	-	-	-	-	6	36	151	386	624	618	253	1,360	1	-	-	-	1	11	33	97	308	529	380
All other	61	-	-	-	-	2	5	5	8	19	12	10	59	-	-	-	-	-	2	5	11	16	12	15
Black	50	-	-	-	-	1	3	4	8	16	10	8	56	-	-	-	-	-	2	3	11	15	11	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	12	–	–	–	–	–	–	–	1	5	3	3	7	–	–	–	–	–	–	–	–	–	3	4
White	11	–	–	–	–	–	–	–	1	5	2	3	7	–	–	–	–	–	–	–	–	–	3	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	1	–	–	–	1
White	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,234	–	–	–	–	3	16	54	135	289	418	319	1,391	–	–	–	–	–	3	15	45	154	448	726
White	1,197	–	–	–	–	3	16	50	132	279	410	307	1,328	–	–	–	–	–	2	12	42	142	430	700
All other	37	–	–	–	–	–	–	4	3	10	8	12	63	–	–	–	–	–	1	3	3	12	18	26
Black	34	–	–	–	–	–	–	3	3	9	7	12	60	–	–	–	–	–	1	2	3	11	18	25
Other diseases of endocardium (424)	48	–	–	–	–	–	–	–	9	14	17	8	47	–	–	–	–	1	–	1	3	10	14	18
White	45	–	–	–	–	–	–	–	8	13	17	7	47	–	–	–	–	1	–	1	3	10	14	18
All other	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	791	2	2	2	5	10	13	36	93	188	243	197	930	6	2	2	–	10	14	26	44	135	280	411
White	743	2	1	2	5	10	13	31	85	174	226	194	878	4	1	1	–	6	7	21	40	126	268	404
All other	48	–	1	–	–	–	–	5	8	14	17	3	52	2	1	1	–	4	7	5	4	9	12	7
Black	46	–	1	–	–	–	–	4	7	14	17	3	47	1	1	–	–	4	5	5	4	9	11	7
Hypertension with or without renal disease (401,403)	35	–	–	–	–	1	–	1	4	8	10	11	43	–	–	–	–	–	–	–	2	7	19	15
White	33	–	–	–	–	1	–	1	3	8	10	10	41	–	–	–	–	–	–	–	2	6	18	15
All other	2	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–
Cerebrovascular diseases (430-438)	755	1	–	–	–	3	10	15	66	144	281	235	1,195	–	–	–	–	5	6	17	52	149	408	558
White	708	1	–	–	–	2	7	12	61	134	263	228	1,147	–	–	–	–	5	4	14	47	142	392	543
All other	47	–	–	–	–	1	3	3	5	10	18	7	48	–	–	–	–	–	2	3	5	7	16	15
Black	46	–	–	–	–	1	3	3	5	9	18	7	43	–	–	–	–	–	1	2	4	6	15	15
Intracerebral and other intracranial hemorrhage (431-432)	88	–	–	–	–	1	6	5	11	25	23	15	121	–	–	–	–	3	1	5	13	22	43	34
White	76	–	–	–	–	1	4	4	9	24	20	14	115	–	–	–	–	3	–	5	12	21	40	34
All other	10	–	–	–	–	–	2	1	2	1	3	1	6	–	–	–	–	–	1	–	1	1	3	–
Black	10	–	–	–	–	–	2	1	2	1	3	1	6	–	–	–	–	–	1	–	1	1	3	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	123	–	–	–	–	–	–	1	7	30	43	42	203	–	–	–	–	–	2	2	6	26	62	105
White	114	–	–	–	–	–	–	–	7	28	39	40	186	–	–	–	–	–	1	2	4	24	57	98
All other	9	–	–	–	–	–	–	1	–	2	4	2	17	–	–	–	–	–	1	–	2	2	5	7
Black	9	–	–	–	–	–	–	1	–	2	4	2	15	–	–	–	–	–	–	–	1	2	5	7
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	2	1	2	2	6	–	–	–	–	–	–	1	–	–	4	1
White	7	–	–	–	–	–	–	–	2	1	2	2	5	–	–	–	–	–	–	–	–	–	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	539	1	–	–	–	2	4	9	46	88	213	176	865	–	–	–	–	2	3	9	33	101	299	418
White	511	1	–	–	–	1	3	8	43	81	202	172	841	–	–	–	–	2	3	7	31	97	291	410
All other	28	–	–	–	–	1	1	1	3	7	11	4	24	–	–	–	–	–	–	2	2	4	8	8
Black	27	–	–	–	–	1	1	1	3	6	11	4	21	–	–	–	–	–	–	1	2	3	7	8
Atherosclerosis (440)	159	–	–	–	–	–	1	–	8	18	61	71	229	–	–	–	–	–	–	–	3	12	42	172
White	153	–	–	–	–	–	–	–	8	18	57	70	225	–	–	–	–	–	–	–	3	11	41	170
All other	6	–	–	–	–	–	1	–	–	–	4	1	4	–	–	–	–	–	–	–	–	1	1	2
Black	6	–	–	–	–	–	1	–	–	–	4	1	4	–	–	–	–	–	–	–	–	1	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	169	–	–	–	1	–	–	3	11	66	73	15	97	–	–	–	–	–	1	6	14	17	31	28
White	165	–	–	–	1	–	–	3	11	62	73	15	95	–	–	–	–	–	–	6	14	17	30	28
All other	4	–	–	–	–	–	–	–	–	4	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Black	4	–	–	–	–	–	–	–	–	4	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	–	2	–	4	–	1	–	–	–	–	–	–	–	2	1
White	2	–	–	–	–	–	–	–	–	–	2	–	4	–	1	–	–	–	–	–	–	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	271	2	2	–	1	1	1	8	14	43	82	117	328	4	2	–	1	3	3	5	14	31	95	170
White	261	2	2	–	1	1	1	8	11	41	80	114	321	3	1	–	1	3	3	5	13	30	94	168
All other	10	–	–	–	–	–	–	–	3	2	2	3	7	1	1	–	–	–	–	–	1	1	1	2
Black	9	–	–	–	–	–	–	–	3	1	2	3	6	1	1	–	–	–	–	–	–	1	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	268	2	2	-	1	1	1	8	14	42	82	115	314	4	2	-	1	2	3	5	14	29	93	161
White	259	2	2	-	1	1	1	8	11	40	80	112	307	3	1	-	1	2	3	5	13	28	92	159
All other	10	-	-	-	-	-	-	-	3	2	2	3	7	1	1	-	-	-	-	-	1	1	1	2
Black	9	-	-	-	-	-	-	-	3	1	2	3	6	1	1	-	-	-	-	-	1	1	1	2
Influenza (487)	3	-	-	-	-	-	-	-	-	1	-	2	14	-	-	-	-	-	1	-	-	2	2	9
White	3	-	-	-	-	-	-	-	-	1	-	2	14	-	-	-	-	-	1	-	-	2	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	535	1	-	-	2	2	4	10	71	195	207	43	242	-	-	-	1	-	3	12	40	84	68	34
White	527	1	-	-	2	1	3	10	69	193	206	42	234	-	-	-	1	-	3	10	38	83	66	33
All other	8	-	-	-	-	1	1	-	2	2	1	1	8	-	-	-	-	-	-	2	2	1	2	1
Black	7	-	-	-	-	1	1	-	1	2	1	1	8	-	-	-	-	-	-	2	2	1	2	1
Bronchitis, chronic and unspecified (490-491)	24	1	-	-	1	-	-	-	2	7	10	3	17	-	-	-	-	-	-	1	4	5	4	3
White	23	1	-	-	1	-	-	-	2	6	10	3	17	-	-	-	-	-	-	1	4	5	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	92	-	-	-	-	-	-	2	17	31	36	6	38	-	-	-	-	-	1	3	6	11	11	6
White	91	-	-	-	-	-	-	2	16	31	36	6	36	-	-	-	-	-	1	2	6	11	11	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Asthma (493)	7	-	-	-	1	1	1	-	-	2	2	-	24	-	-	-	1	-	1	1	6	6	3	6
White	7	-	-	-	1	1	1	-	-	2	2	-	24	-	-	-	1	-	1	1	6	6	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	412	-	-	-	-	1	3	8	52	155	159	34	163	-	-	-	-	-	1	7	24	62	50	19
White	406	-	-	-	-	-	2	8	51	154	158	33	157	-	-	-	-	-	1	6	22	61	48	19
All other	6	-	-	-	-	1	1	-	1	1	1	1	6	-	-	-	-	-	-	1	2	1	2	-
Black	6	-	-	-	-	1	1	-	1	1	1	1	6	-	-	-	-	-	-	1	2	1	2	-
Ulcer of stomach and duodenum (531-539)	38	1	-	-	-	-	2	-	3	11	7	14	35	-	-	-	-	1	-	1	1	5	9	18
White	36	1	-	-	-	-	2	-	2	11	7	13	34	-	-	-	-	1	-	1	1	5	9	17
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Appendicitis (540-543)	2	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	-	-	-	2	1	-	1	1	6	8	7	32	-	-	-	-	-	-	2	-	3	17	10
White	25	-	-	-	2	1	-	1	1	6	7	7	31	-	-	-	-	-	-	2	-	3	16	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	129	-	-	-	-	3	8	24	45	34	14	1	58	-	-	-	-	2	4	8	27	9	5	3
White	125	-	-	-	-	2	8	24	42	34	14	1	51	-	-	-	-	2	4	8	22	7	5	3
All other	4	-	-	-	-	1	-	-	3	-	-	-	7	-	-	-	-	-	-	-	5	2	-	-
Black	4	-	-	-	-	1	-	-	3	-	-	-	6	-	-	-	-	-	-	-	4	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	-	-	2	7	6	4	15	-	-	-	-	1	-	1	-	1	4	6
White	19	-	-	-	-	-	-	-	2	7	6	4	14	-	-	-	-	1	-	1	-	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	121	-	-	-	1	-	-	5	19	26	34	36	129	1	-	-	-	-	3	1	11	15	46	52
White	114	-	-	-	1	-	-	4	18	24	33	34	120	1	-	-	-	-	2	1	10	13	42	51
All other	7	-	-	-	-	-	-	1	1	2	1	2	9	-	-	-	-	-	1	-	1	2	4	1
Black	7	-	-	-	-	-	-	1	1	2	1	2	8	-	-	-	-	-	-	-	1	2	4	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	1	-	-	2
White	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	–	–	–	1	1	2	9	2	11	–	–	–	–	–	–	–	–	2	3	6
White	15	–	–	–	–	–	–	1	1	2	9	2	11	–	–	–	–	–	–	–	–	2	3	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	103	–	–	–	1	–	–	4	18	23	25	32	115	1	–	–	–	–	3	1	10	13	43	44
White	96	–	–	–	1	–	–	3	17	21	24	30	107	1	–	–	–	–	2	1	10	11	39	43
All other	7	–	–	–	–	–	–	1	1	2	1	2	8	–	–	–	–	–	1	–	–	2	4	1
Black	7	–	–	–	–	–	–	1	1	2	1	2	7	–	–	–	–	–	1	–	–	2	4	1
Infections of kidney (590)	8	–	–	–	–	–	–	–	1	3	3	1	26	–	–	–	–	–	–	–	1	1	9	15
White	8	–	–	–	–	–	–	–	1	3	3	1	25	–	–	–	–	–	–	–	1	1	9	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
White	7	–	–	–	–	–	–	–	–	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Congenital anomalies (740-759)	79	50	12	2	1	2	2	2	2	5	–	–	74	49	8	3	5	1	1	3	–	3	1	–
White	74	48	10	2	1	2	2	2	2	5	–	–	67	45	7	2	4	1	1	3	–	3	1	–
All other	4	2	2	–	–	–	–	–	–	–	–	–	7	4	1	1	1	–	–	–	–	–	–	–
Black	3	2	1	–	–	–	–	–	–	–	–	–	6	4	–	1	1	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	125	124	1	–	–	–	–	–	–	–	–	–	85	85	–	–	–	–	–	–	–	–	–	–
White	101	100	1	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–
All other	24	24	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	21	21	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	36	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
White	32	32	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	89	88	1	–	–	–	–	–	–	–	–	–	55	55	–	–	–	–	–	–	–	–	–	–
White	69	68	1	–	–	–	–	–	–	–	–	–	42	42	–	–	–	–	–	–	–	–	–	–
All other	20	20	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	17	17	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	160	31	2	–	–	3	6	11	23	40	32	32	150	22	1	–	–	–	4	4	11	17	32	59
White	158	27	2	–	–	3	6	9	19	35	28	29	128	17	1	–	–	–	2	4	8	16	24	56
All other	22	4	–	–	–	–	–	2	4	5	4	3	22	5	–	–	–	–	2	–	3	1	8	3
Black	22	4	–	–	–	–	–	2	4	5	4	3	21	5	–	–	–	–	2	–	3	–	8	3
All other diseases (Residual)	688	11	6	3	9	19	21	39	84	152	180	142	770	6	7	6	10	15	15	24	63	136	232	256
White	648	7	5	3	9	17	18	34	66	147	166	136	735	5	5	6	10	14	10	23	60	127	225	250
All other	38	4	1	–	–	2	3	5	8	5	4	6	35	1	2	–	–	1	5	1	3	9	7	6
Black	35	4	1	–	–	1	3	5	7	4	4	6	33	1	2	–	–	1	4	1	2	9	7	6
Accidents and adverse effects (E800-E949)	722	5	26	30	192	133	76	59	55	59	55	36	312	5	20	14	48	36	19	16	25	28	45	56
White	678	5	21	26	185	125	73	55	52	47	53	36	303	4	18	14	48	33	18	16	25	28	45	54
All other	44	–	5	4	7	8	5	4	3	6	2	–	9	1	2	–	–	3	1	–	–	–	–	2
Black	40	–	5	4	6	6	4	4	3	6	2	–	9	1	2	–	–	3	1	–	–	–	–	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	366	3	8	17	140	88	34	30	19	14	23	10	155	–	10	7	43	26	11	8	17	14	13	6
White	368	3	6	16	137	82	32	28	19	13	22	10	152	–	8	7	43	25	11	8	17	14	13	6
All other	18	–	2	1	3	6	2	2	–	1	1	–	3	–	2	–	–	1	–	–	–	–	–	–
Black	16	–	2	1	3	4	2	2	–	1	1	–	3	–	2	–	–	1	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	336	2	18	13	52	45	44	29	36	39	32	26	157	5	10	7	5	10	8	8	8	14	32	50
White	310	2	15	10	48	43	41	27	33	34	31	26	151	4	10	7	5	8	7	8	8	14	32	48
All other	26	–	3	3	4	2	3	2	3	5	1	–	6	1	–	–	–	2	1	–	–	–	–	2
Black	24	–	3	3	3	2	2	2	3	5	1	–	6	1	–	–	–	2	1	–	–	–	–	2
Suicide (E950-E959)	216	...	...	1	38	50	31	26	25	24	17	4	61	...	...	–	6	12	9	13	9	7	4	1
White	210	...	...	1	37	49	29	26	25	23	16	4	61	...	...	–	6	12	9	13	9	7	4	1
All other	6	...	...	–	1	1	2	–	–	1	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	4	...	...	–	1	1	1	–	–	1	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	101	2	2	2	24	23	21	12	7	4	2	2	47	–	1	1	7	10	4	8	10	2	4	–
White	69	2	1	2	12	16	16	9	4	3	2	2	37	–	1	1	4	8	2	7	9	2	3	–
All other	32	–	1	–	12	7	5	3	3	1	–	–	10	–	–	–	3	2	2	1	1	–	1	–
Black	27	–	–	–	11	6	4	3	2	1	–	–	9	–	–	–	2	2	2	1	1	–	1	–
All other external causes (E980-E999)	11	–	–	–	3	5	–	–	1	–	2	–	7	1	1	–	1	1	1	–	2	–	–	–
White	11	–	–	–	3	5	–	–	1	–	2	–	6	1	1	–	1	–	1	–	2	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
KENTUCKY																								
All causes	16,039	383	85	103	584	531	657	1,433	3,049	4,755	4,349	2,110	14,951	297	57	59	178	197	347	753	1,780	3,049	4,512	3,720
White	14,693	327	78	97	543	479	601	1,322	2,795	4,407	4,071	1,973	13,787	257	45	53	161	169	315	648	1,600	2,798	4,193	3,528
All other	1,346	56	7	6	41	52	56	111	254	348	278	137	1,164	40	12	6	17	28	32	107	180	251	319	192
Black	1,339	56	7	6	40	51	56	111	253	345	277	137	1,174	39	12	6	17	27	31	105	180	248	318	191
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	1	–	–	–	–	3	2	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	3	2	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	24	–	–	–	–	1	–	1	5	11	4	2	17	–	–	–	–	–	–	–	3	6	7	1
White	20	–	–	–	–	–	–	1	4	10	3	2	14	–	–	–	–	–	–	–	2	5	6	1
All other	4	–	–	–	–	1	–	–	1	1	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	4	–	–	–	–	1	–	–	1	1	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Tuberculosis of respiratory system (010-012)	23	–	–	–	–	–	–	1	5	11	4	2	15	–	–	–	–	–	–	–	3	4	7	1
White	20	–	–	–	–	–	–	1	4	10	3	2	13	–	–	–	–	–	–	–	2	4	6	1
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Other tuberculosis (013-018)	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	1	2	–	–	–	–	–	–	–	–	–	5	1	3	–	–	–	–	–	1	–	–	–
White	3	1	2	–	–	–	–	–	–	–	–	–	5	1	3	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	101	2	1	–	–	–	4	6	15	31	26	16	80	2	1	–	–	2	1	2	4	16	34	18
White	81	2	1	–	–	–	4	5	11	24	21	13	73	2	1	–	–	2	1	2	3	14	32	16
All other	20	–	–	–	–	–	–	1	4	7	5	3	7	–	–	–	–	–	–	–	1	2	2	2
Black	20	–	–	–	–	–	–	1	4	7	5	3	6	–	–	–	–	–	–	–	1	2	2	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	11	-	-	-	2	-	-	1	3	4	1	-	5	-	-	-	-	-	1	-	-	3	-	1
White	9	-	-	-	1	-	-	1	2	4	1	-	4	-	-	-	-	-	1	-	-	2	-	1
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	28	1	-	1	3	-	2	2	5	10	4	-	23	2	-	1	1	2	2	3	1	7	2	2
White	26	1	-	1	3	-	1	2	5	9	4	-	21	2	-	1	1	1	2	2	1	7	2	2
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,991	1	10	11	15	37	97	373	932	1,324	922	269	3,199	1	1	5	16	45	135	354	721	836	746	339
White	3,679	1	10	9	15	35	91	347	852	1,220	854	245	2,929	1	1	4	14	40	125	318	643	774	685	324
All other	312	-	-	2	-	2	6	26	80	104	68	24	270	-	-	1	2	5	10	36	78	62	61	15
Black	308	-	-	2	-	1	6	26	80	102	67	24	268	-	-	1	2	5	9	36	78	61	61	15
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	104	-	-	-	-	1	5	15	33	34	9	7	45	-	-	-	-	-	2	5	13	12	8	5
White	87	-	-	-	-	1	3	11	28	28	9	7	38	-	-	-	-	-	1	3	9	12	8	5
All other	17	-	-	-	-	-	2	4	5	6	-	-	7	-	-	-	-	-	1	2	4	-	-	-
Black	17	-	-	-	-	-	2	4	5	6	-	-	7	-	-	-	-	-	1	2	4	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	909	1	-	-	1	9	21	72	194	302	236	74	872	-	-	-	2	7	13	59	168	242	267	114
White	827	1	-	-	1	8	20	65	176	276	215	65	788	-	-	-	1	7	12	52	141	221	248	108
All other	82	-	-	-	-	1	1	7	18	26	21	9	84	-	-	-	1	-	1	7	27	21	21	6
Black	81	-	-	-	-	-	1	7	18	26	20	9	83	-	-	-	1	-	1	7	27	20	21	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,837	-	-	-	-	6	23	176	476	619	294	43	585	-	-	-	2	3	17	71	200	164	92	36
White	1,518	-	-	-	-	6	21	165	438	575	274	39	531	-	-	-	2	3	17	62	182	149	82	34
All other	119	-	-	-	-	-	2	11	38	44	20	4	54	-	-	-	-	-	-	9	18	15	10	2
Black	117	-	-	-	-	-	2	11	38	42	20	4	54	-	-	-	-	-	-	9	18	15	10	2
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	1	2	-	3	546	-	-	-	1	15	52	87	129	127	90	45
White	5	-	-	-	-	-	-	-	1	2	-	2	500	-	-	-	1	11	46	80	115	119	83	45
All other	1	-	-	-	-	-	-	-	-	-	-	1	46	-	-	-	-	4	6	7	14	8	7	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	45	-	-	-	-	4	5	7	14	8	7	-
Malignant neoplasms of genital organs (179-187)	388	-	-	-	1	1	1	3	29	111	176	76	411	-	-	-	-	6	22	65	88	107	98	25
White	358	-	-	-	1	1	1	3	24	99	160	69	376	-	-	-	-	6	21	59	80	97	90	23
All other	40	-	-	-	-	-	-	-	5	12	16	7	35	-	-	-	-	-	1	6	8	10	8	2
Black	40	-	-	-	-	-	-	-	5	12	16	7	35	-	-	-	-	-	1	6	8	10	8	2
Malignant neoplasms of urinary organs (188-189)	185	-	-	1	-	1	9	17	34	51	52	20	111	1	-	-	-	1	2	8	18	27	30	24
White	177	-	-	-	-	1	9	15	33	46	51	20	101	1	-	-	-	1	2	7	15	25	27	23
All other	8	-	-	1	-	-	-	2	1	3	1	-	10	-	-	-	-	-	-	1	3	2	3	1
Black	8	-	-	1	-	-	-	2	1	3	1	-	10	-	-	-	-	-	-	1	3	2	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	417	-	7	4	8	10	26	54	104	104	74	26	341	-	1	3	5	9	16	37	66	72	63	49
White	400	-	7	4	8	10	26	53	97	100	69	26	320	-	1	3	4	9	15	34	63	68	76	47
All other	17	-	-	-	-	-	-	1	7	4	5	-	21	-	-	-	1	-	1	3	3	4	7	2
Black	17	-	-	-	-	-	-	1	7	4	5	-	21	-	-	-	1	-	1	3	3	4	7	2
Leukemia (204-208)	146	-	2	5	5	4	8	13	20	34	45	12	123	-	-	2	3	2	4	7	12	34	38	21
White	130	-	2	4	5	3	5	12	18	29	41	11	117	-	-	1	3	2	4	6	12	32	36	21
All other	16	-	-	1	-	1	1	1	2	5	4	1	6	-	-	1	-	-	-	1	-	2	2	-
Black	15	-	-	1	-	-	1	1	2	5	4	1	6	-	-	1	-	-	-	1	-	2	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	189	-	1	1	-	6	6	23	41	67	36	8	165	-	-	-	3	2	7	15	27	51	40	20
White	177	-	1	1	-	5	6	23	37	63	35	6	158	-	-	-	3	1	7	15	26	51	37	18
All other	12	-	-	-	-	1	-	-	4	4	1	2	7	-	-	-	-	1	-	-	1	-	3	2
Black	12	-	-	-	-	1	-	-	4	4	1	2	7	-	-	-	-	1	-	-	1	-	3	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	-	2	-	2	2	4	1	5	10	14	4	41	2	2	-	2	1	-	3	3	12	11	5
White	41	-	2	-	2	2	4	-	5	10	12	4	34	2	2	-	1	1	-	2	3	10	9	4
All other	3	-	-	-	-	-	-	1	-	-	2	-	7	-	-	-	1	-	-	1	-	2	2	1
Black	3	-	-	-	-	-	-	1	-	-	2	-	7	-	-	-	1	-	-	1	-	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	216	–	1	–	–	5	13	19	32	66	57	23	370	–	–	1	3	3	4	14	51	89	135	69
White	195	–	1	–	–	5	12	17	30	58	52	20	329	–	–	1	2	2	4	13	44	75	125	63
All other	21	–	–	–	–	–	1	2	2	8	5	3	41	–	–	–	1	1	–	1	7	14	11	6
Black	21	–	–	–	–	–	1	2	2	8	5	3	41	–	–	–	1	1	–	1	7	14	11	6
Nutritional deficiencies (260-269)	14	–	–	–	–	–	–	1	3	1	4	5	35	2	–	–	–	1	–	1	2	3	15	11
White	13	–	–	–	–	–	–	1	3	1	3	5	33	2	–	–	–	1	–	1	2	3	13	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Anemias (280-285)	26	–	–	2	1	–	1	2	2	4	11	3	30	–	1	–	1	–	–	1	1	5	13	8
White	21	–	–	1	–	–	–	1	2	3	11	3	26	–	–	–	1	–	–	1	–	5	11	8
All other	5	–	–	1	1	–	1	1	–	1	–	–	4	–	1	–	–	–	–	–	1	–	2	–
Black	5	–	–	1	1	–	1	1	–	1	–	–	4	–	1	–	–	–	–	–	1	–	2	–
Meningitis (320-322)	9	–	2	–	1	–	–	2	2	1	1	–	4	–	2	–	–	–	–	–	–	2	–	–
White	7	–	2	–	–	–	–	2	2	–	1	–	4	–	2	–	–	–	–	–	–	2	–	–
All other	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	8,402	9	4	5	17	42	206	616	1,382	2,358	2,417	1,346	7,936	3	1	2	14	29	72	203	658	1,578	2,813	2,563
White	7,843	8	4	5	15	37	187	577	1,270	2,193	2,282	1,265	7,340	2	1	2	12	22	60	161	593	1,497	2,626	2,424
All other	559	1	–	–	2	5	19	39	112	165	135	81	596	1	–	–	2	7	12	42	65	141	187	139
Black	558	1	–	–	2	5	19	39	111	165	135	81	595	1	–	–	2	7	12	41	65	141	187	139
Diseases of heart (390-398,402,404-429)	6,795	9	3	4	11	35	183	559	1,209	1,925	1,858	989	5,815	3	1	2	11	15	43	142	528	1,218	2,057	1,795
White	6,367	8	3	4	10	31	166	528	1,118	1,803	1,767	929	5,385	2	1	2	11	12	37	111	477	1,111	1,918	1,703
All other	428	1	–	–	1	4	17	31	91	122	101	60	430	1	–	–	–	3	6	31	51	107	139	92
Black	427	1	–	–	1	4	17	31	90	122	101	60	429	1	–	–	–	3	6	30	51	107	139	92
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	–	–	1	–	7	8	3	1	35	–	–	–	–	–	1	2	8	10	10	4
White	20	–	–	–	–	–	1	–	7	8	3	1	35	–	–	–	–	–	1	2	8	10	10	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	102	–	–	–	–	1	1	6	20	25	31	18	200	–	–	–	–	–	–	6	14	50	74	56
White	86	–	–	–	–	1	–	5	16	21	27	16	168	–	–	–	–	–	–	2	10	41	63	52
All other	16	–	–	–	–	–	1	1	4	4	4	2	32	–	–	–	–	–	–	4	4	9	11	4
Black	16	–	–	–	–	–	1	1	4	4	4	2	31	–	–	–	–	–	–	3	4	9	11	4
Hypertensive heart and renal disease (404)	19	–	–	–	–	–	1	–	2	2	5	9	24	–	–	–	–	–	–	–	–	4	7	13
White	19	–	–	–	–	–	1	–	2	2	5	9	21	–	–	–	–	–	–	–	–	3	7	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2
Ischemic heart disease (410-414)	5,024	–	–	1	2	20	132	440	940	1,482	1,364	643	3,895	–	–	1	3	9	23	99	380	965	1,380	1,141
White	4,767	–	–	1	2	19	122	416	883	1,400	1,316	608	3,666	–	–	1	3	2	19	86	345	904	1,310	1,096
All other	257	–	–	–	–	1	10	24	57	82	48	35	229	–	–	–	–	1	4	13	35	61	70	45
Black	257	–	–	–	–	1	10	24	57	82	48	35	229	–	–	–	–	1	4	13	35	61	70	45
Acute myocardial infarction (410)	3,497	–	–	1	1	16	113	361	735	1,114	853	303	2,288	–	–	1	3	3	19	73	304	623	795	467
White	3,330	–	–	1	1	15	106	341	691	1,060	829	286	2,183	–	–	1	3	2	17	65	277	585	759	454
All other	167	–	–	–	–	1	7	20	44	54	24	17	125	–	–	–	–	1	2	8	27	38	36	13
Black	167	–	–	–	–	1	7	20	44	54	24	17	125	–	–	–	–	1	2	8	27	38	36	13
Other acute and subacute forms of ischemic heart disease (411)	14	–	–	–	–	–	2	–	1	4	5	2	12	–	–	–	–	–	–	–	1	1	7	3
White	13	–	–	–	–	–	1	–	1	4	5	2	12	–	–	–	–	–	–	–	1	1	7	3
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	7	–	–	–	1	–	–	1	1	1	3	–	5	–	–	–	–	–	–	–	–	1	2	2
White	7	–	–	–	1	–	–	1	1	1	3	–	5	–	–	–	–	–	–	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,506	–	–	–	–	4	17	78	203	363	503	338	1,590	–	–	–	–	–	4	26	75	240	578	669
White	1,417	–	–	–	–	4	15	74	190	335	479	320	1,486	–	–	–	–	–	2	21	67	217	542	637
All other	89	–	–	–	–	–	2	4	13	28	24	18	104	–	–	–	–	–	2	5	8	23	34	32
Black	89	–	–	–	–	–	2	4	13	28	24	18	104	–	–	–	–	–	2	5	8	23	34	32
Other diseases of endocardium (424)	45	–	–	–	–	–	1	3	5	15	17	4	42	–	–	–	–	–	–	–	8	10	17	9
White	40	–	–	–	–	–	1	3	4	13	15	4	38	–	–	–	–	–	–	–	6	8	15	9
All other	5	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	–	–	2	2	–
Black	5	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	–	–	2	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,585	9	3	3	9	14	47	110	235	393	448	314	1,619	3	1	1	8	12	19	35	120	279	569	572
White	1,435	8	3	3	8	11	41	104	206	359	401	291	1,457	2	1	1	8	10	17	21	108	245	513	531
All other	150	1	-	-	1	3	6	6	29	34	47	23	162	1	-	-	-	2	2	14	12	34	56	41
Black	149	1	-	-	1	3	6	6	28	34	47	23	162	1	-	-	-	2	2	14	12	34	56	41
Hypertension with or without renal disease (401,403)	50	-	-	-	1	-	3	1	5	17	15	8	73	-	-	-	-	-	2	3	4	16	32	16
White	44	-	-	-	1	-	3	1	3	14	15	7	61	-	-	-	-	-	1	1	3	11	30	15
All other	6	-	-	-	-	-	-	-	2	3	-	1	12	-	-	-	-	-	1	2	1	5	2	1
Black	6	-	-	-	-	-	-	-	2	3	-	1	12	-	-	-	-	-	1	2	1	5	2	1
Cerebrovascular diseases (430-438)	1,204	-	1	1	5	6	17	48	131	308	418	269	1,706	-	-	-	3	10	27	51	103	289	621	602
White	1,101	-	1	1	4	5	15	41	116	276	388	254	1,573	-	-	-	1	6	22	43	93	264	578	566
All other	103	-	-	-	1	1	2	7	15	32	30	15	133	-	-	-	2	4	5	8	10	25	43	36
Black	103	-	-	-	1	1	2	7	15	32	30	15	133	-	-	-	2	4	5	8	10	25	43	36
Intracerebral and other intracranial hemorrhage (431-432)	145	-	-	-	1	1	6	15	28	45	40	9	153	-	-	-	2	3	7	13	14	41	47	26
White	131	-	-	-	1	-	6	14	23	42	36	9	138	-	-	-	1	1	6	11	14	37	44	24
All other	14	-	-	-	-	1	-	1	5	3	4	-	15	-	-	-	1	2	1	2	-	4	3	2
Black	14	-	-	-	-	1	-	1	5	3	4	-	15	-	-	-	1	2	1	2	-	4	3	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	203	-	-	-	1	1	-	5	20	45	76	55	275	-	-	-	-	1	2	5	7	40	101	119
White	189	-	-	-	1	1	-	5	17	40	73	52	253	-	-	-	-	1	2	4	4	37	96	109
All other	14	-	-	-	-	-	-	-	3	5	3	3	22	-	-	-	-	-	-	1	3	3	5	10
Black	14	-	-	-	-	-	-	-	3	5	3	3	22	-	-	-	-	-	-	1	3	3	5	10
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	3	-
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	855	-	1	1	3	4	11	28	83	218	301	205	1,273	-	-	-	1	6	18	33	82	206	470	457
White	780	-	1	1	2	4	9	22	76	194	278	193	1,177	-	-	-	-	4	14	28	75	188	435	433
All other	75	-	-	-	1	-	2	6	7	24	23	12	96	-	-	-	1	2	4	5	7	18	35	24
Black	75	-	-	-	1	-	2	6	7	24	23	12	96	-	-	-	1	2	4	5	7	18	35	24
Atherosclerosis (440)	155	-	-	-	-	-	2	1	7	31	50	64	227	-	-	-	-	-	-	2	8	21	70	126
White	142	-	-	-	-	-	2	1	6	27	46	60	216	-	-	-	-	-	-	2	8	20	68	118
All other	13	-	-	-	-	-	-	-	1	4	4	4	11	-	-	-	-	-	-	-	-	1	2	8
Black	13	-	-	-	-	-	-	-	1	4	4	4	11	-	-	-	-	-	-	-	-	1	2	8
Other diseases of arteries, arterioles, and capillaries (441-448)	198	-	-	-	-	1	1	7	30	77	66	16	115	-	-	-	-	4	-	5	15	34	33	24
White	189	-	-	-	-	1	1	6	27	73	66	15	105	-	-	-	-	4	-	4	12	31	32	22
All other	9	-	-	-	-	-	-	1	3	4	-	1	10	-	-	-	-	-	-	1	3	3	1	2
Black	9	-	-	-	-	-	-	1	3	4	-	1	10	-	-	-	-	-	-	1	3	3	1	2
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	1	-	-	-	1	1	4	2	1	1	-	-	-	-	-	-	-	-
White	4	1	-	-	-	-	1	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	447	8	-	-	4	-	4	20	38	97	166	120	397	3	3	-	3	3	3	5	25	47	106	199
White	408	8	-	-	3	-	3	15	31	88	148	112	381	3	2	-	3	2	2	4	21	45	105	194
All other	39	-	-	-	1	-	1	5	7	9	8	8	16	-	1	-	-	1	1	1	4	2	1	5
Black	39	-	-	-	1	-	1	5	7	9	8	8	16	-	1	-	-	1	1	1	4	2	1	5
Pneumonia (480-486)	446	8	-	-	4	-	4	20	38	97	155	120	393	3	3	-	3	3	3	5	24	46	104	199
White	407	8	-	-	3	-	3	15	31	88	147	112	377	3	2	-	3	2	2	4	20	44	103	194
All other	39	-	-	-	1	-	1	5	7	9	8	8	16	-	1	-	-	1	1	1	4	2	1	5
Black	39	-	-	-	1	-	1	5	7	9	8	8	16	-	1	-	-	1	1	1	4	2	1	5
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	1	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	779	-	-	-	2	4	3	34	152	280	245	59	320	-	-	-	-	2	3	15	75	94	94	37
White	749	-	-	-	2	3	3	30	144	274	236	57	310	-	-	-	-	2	3	15	73	90	91	36
All other	30	-	-	-	-	1	-	4	8	6	9	2	10	-	-	-	-	-	-	-	2	4	3	1
Black	30	-	-	-	-	1	-	4	8	6	9	2	10	-	-	-	-	-	-	-	2	4	3	1
Bronchitis, chronic and unspecified (490-491)	33	-	-	-	1	2	-	2	6	4	13	5	22	-	-	-	-	-	-	1	4	6	6	5
White	33	-	-	-	1	2	-	2	6	4	13	5	20	-	-	-	-	-	-	1	4	6	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Emphysema (492)	155	-	-	-	-	-	-	12	33	53	48	9	66	-	-	-	-	-	1	2	19	25	14	5
White	150	-	-	-	-	-	-	11	31	52	47	9	66	-	-	-	-	-	1	2	19	25	14	5
All other	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	21	-	-	-	-	1	1	1	4	9	3	2	20	-	-	-	-	2	1	1	8	2	4	2
White	18	-	-	-	-	-	1	-	3	7	3	2	20	-	-	-	-	2	1	1	8	2	4	2
All other	5	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	570	-	-	-	1	1	2	19	109	214	181	43	212	-	-	-	-	-	1	11	44	61	70	25
White	550	-	-	-	1	1	2	17	104	211	173	41	204	-	-	-	-	-	1	11	42	57	68	25
All other	20	-	-	-	-	-	-	2	5	3	8	2	8	-	-	-	-	-	-	-	2	4	2	-
Black	20	-	-	-	-	-	-	2	5	3	8	2	8	-	-	-	-	-	-	-	2	4	2	-
Ulcer of stomach and duodenum (531-533)	49	-	-	-	-	3	-	2	6	19	13	6	58	-	-	-	-	2	-	1	3	8	19	25
White	45	-	-	-	-	3	-	2	6	17	12	5	55	-	-	-	-	2	-	1	3	8	18	23
All other	4	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Appendicitis (540-543)	6	-	-	-	-	-	1	-	2	1	2	-	4	-	-	-	-	-	-	-	-	-	3	1
White	5	-	-	-	-	-	1	-	2	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	2	1	-	-	1	2	1	1	6	6	8	52	-	-	-	1	-	1	-	8	6	19	17
White	26	2	-	-	-	1	2	1	1	6	6	7	45	-	-	-	1	-	1	-	6	6	15	16
All other	2	-	1	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	2	-	4	1
Black	2	-	1	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	2	-	4	1
Chronic liver disease and cirrhosis (571)	231	-	-	-	-	6	28	54	68	61	13	1	105	1	-	-	-	3	8	11	32	36	12	2
White	215	-	-	-	-	6	27	51	60	58	12	1	93	1	-	-	-	2	7	8	28	33	12	2
All other	16	-	-	-	-	-	1	3	8	3	1	-	12	-	-	-	-	1	1	3	4	3	-	-
Black	16	-	-	-	-	-	1	3	8	3	1	-	10	-	-	-	-	1	1	2	4	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	28	-	-	-	-	1	-	-	1	11	10	5	44	-	-	-	1	-	-	1	3	8	18	13
White	27	-	-	-	-	1	-	-	1	10	10	5	39	-	-	-	1	-	-	1	2	6	18	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	2	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	1	1	2	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	147	3	-	1	1	3	1	12	20	30	51	25	155	1	-	-	1	2	2	5	14	33	49	48
White	129	3	-	1	1	2	1	10	15	28	44	24	133	1	-	-	1	1	2	2	11	29	41	45
All other	18	-	-	-	-	1	-	2	5	2	7	1	22	-	-	-	-	1	-	3	3	4	8	3
Black	18	-	-	-	-	1	-	2	5	2	7	1	22	-	-	-	-	1	-	3	3	4	8	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	2	1	1	-	-	4	2	9	-	-	-	-	-	-	-	1	4	3	1
White	8	-	-	-	-	1	1	1	-	-	4	2	8	-	-	-	-	-	-	-	1	3	3	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-585,588-589)	134	3	-	1	1	1	-	11	19	30	45	23	146	1	-	-	1	2	2	5	13	29	46	47
White	117	3	-	1	1	1	-	9	14	28	38	22	125	1	-	-	1	1	2	2	10	26	38	44
All other	17	-	-	-	-	-	-	2	5	2	7	1	21	-	-	-	-	1	-	3	3	3	8	3
Black	17	-	-	-	-	-	-	2	5	2	7	1	21	-	-	-	-	1	-	3	3	3	8	3
Infections of kidney (590)	19	1	-	-	-	-	-	-	2	2	6	8	35	-	-	-	-	1	-	-	5	4	12	13
White	15	1	-	-	-	-	-	-	-	2	6	6	31	-	-	-	-	1	-	-	5	3	10	12
All other	4	-	-	-	-	-	-	-	2	-	-	2	4	-	-	-	-	-	-	-	-	1	2	1
Black	4	-	-	-	-	-	-	-	2	-	-	2	4	-	-	-	-	-	-	-	-	1	2	1
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	2	1	6	6	...	...	...	...	...	...	...	...	...	...	...	...
White	12	-	-	-	-	-	-	-	2	1	3	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	-	3	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	-	3	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	118	77	13	4	7	5	1	1	3	5	2	-	117	88	11	4	4	1	4	2	3	-	2	-
White	107	70	12	4	7	4	-	1	3	5	1	-	104	77	9	3	3	1	4	2	3	-	2	-
All other	11	7	1	-	-	1	1	-	-	-	1	-	13	9	2	1	1	-	-	-	-	-	-	-
Black	11	7	1	-	-	1	1	-	-	-	1	-	13	9	2	1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	177	177	-	-	-	-	-	-	-	-	-	-	135	134	1	-	-	-	-	-	-	-	-	-
White	143	143	-	-	-	-	-	-	-	-	-	-	113	112	1	-	-	-	-	-	-	-	-	-
All other	34	34	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	52	52	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	45	45	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	125	125	-	-	-	-	-	-	-	-	-	-	99	98	1	-	-	-	-	-	-	-	-	-
White	98	98	-	-	-	-	-	-	-	-	-	-	80	79	1	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	117	65	1	1	1	2	3	6	7	10	9	10	88	37	1	-	-	5	2	5	4	6	4	24
White	102	56	1	1	1	2	3	6	7	7	7	9	77	31	1	-	-	4	2	5	4	5	4	21
All other	15	9	-	-	-	-	-	-	-	3	2	1	11	6	-	-	-	1	-	-	-	1	-	3
Black	15	9	-	-	-	-	-	-	-	3	2	1	11	6	-	-	-	1	-	-	-	1	-	3
All other diseases (Residual)	1,054	19	14	6	17	31	37	84	168	270	258	148	989	5	7	7	19	15	28	55	104	182	330	237
White	976	16	13	6	17	28	32	77	158	246	241	140	911	5	6	7	16	12	25	42	94	173	303	228
All other	78	3	1	-	-	3	5	7	10	24	17	8	78	-	1	-	3	3	3	13	10	9	27	9
Black	77	3	1	-	-	3	5	7	10	23	17	8	76	-	1	-	3	3	3	13	10	6	26	9
Accidents and adverse effects (E800-E949)	1,295	13	29	66	377	218	147	115	120	87	82	41	505	12	19	35	79	41	42	42	41	52	59	82
White	1,208	12	26	63	357	205	138	105	112	80	71	39	481	11	14	33	77	41	40	39	40	51	55	79
All other	87	1	3	3	20	13	9	10	8	7	11	2	24	1	5	2	2	-	2	3	1	1	4	3
Black	87	1	3	3	20	13	9	10	8	7	11	2	24	1	5	2	2	-	2	3	1	1	4	3
Motor vehicle accidents (E810-E825)	662	3	10	37	253	136	68	60	47	24	18	6	209	5	7	20	63	28	25	20	12	14	11	2
White	631	3	9	36	243	127	65	56	45	24	17	6	204	5	7	18	62	29	24	19	12	14	11	2
All other	31	-	1	1	10	9	3	4	2	-	1	-	5	-	-	2	1	-	1	1	-	-	-	-
Black	31	-	1	1	10	9	3	4	2	-	1	-	5	-	-	2	1	-	1	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	633	10	19	29	124	82	79	55	73	63	64	35	296	7	12	15	16	12	17	22	29	38	48	80
White	577	9	17	27	114	78	73	49	67	56	54	33	277	6	7	15	15	12	16	20	28	37	44	77
All other	56	1	2	2	10	4	6	6	6	7	10	2	19	1	5	-	1	-	1	2	1	1	4	3
Black	56	1	2	2	10	4	6	6	6	7	10	2	19	1	5	-	1	-	1	2	1	1	4	3
Suicide (E950-E959)	404	...	...	2	72	99	58	49	49	45	26	4	96	...	...	-	12	20	18	17	14	10	3	2
White	387	...	...	2	68	91	57	46	49	44	26	4	95	...	...	-	12	20	17	17	14	10	3	2
All other	17	...	...	-	4	8	1	3	-	1	-	-	1	...	...	-	-	-	1	-	-	-	-	-
Black	16	...	...	-	3	8	1	3	-	1	-	-	1	...	...	-	-	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	229	3	3	2	58	63	42	26	21	9	2	-	83	1	3	2	20	16	20	9	5	5	1	1
White	175	2	2	2	47	46	32	20	15	8	1	-	63	1	1	1	15	9	18	7	5	4	1	1
All other	54	1	1	-	11	17	10	6	6	1	1	-	20	-	2	1	5	7	2	2	-	1	-	-
Black	54	1	1	-	11	17	10	6	6	1	1	-	19	-	2	1	5	6	2	2	-	1	-	-
All other external causes (E980-E999)	20	-	2	-	4	7	2	2	2	1	-	-	12	-	-	-	1	2	-	3	-	-	3	2
White	19	-	2	-	4	7	2	1	2	1	-	-	12	-	-	-	1	2	-	3	-	-	3	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,449	607	124	156	887	902	917	1,684	3,461	4,885	4,108	1,688	16,327	490	100	99	239	356	464	944	2,085	3,552	4,760	3,220
White	13,130	277	66	95	561	500	546	1,081	2,384	3,451	2,965	1,183	11,250	215	55	66	159	188	273	568	1,304	2,361	3,515	2,530
All other	6,319	330	58	61	326	402	371	603	1,077	1,434	1,143	505	5,077	275	45	31	80	166	191	376	781	1,191	1,245	690
Black	6,256	326	56	58	319	394	366	594	1,070	1,429	1,135	501	5,051	269	42	31	79	168	187	373	778	1,188	1,243	689
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	7	3	1	–	–	–	–	–	–	1	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	5	2	1	–	–	–	–	–	–	–	2	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	5	2	1	–	–	–	–	–	–	–	2	–
Tuberculosis (010-018)	42	–	–	–	–	2	4	6	13	7	7	3	17	–	–	–	–	1	1	3	2	6	–	4
White	18	–	–	–	–	1	2	1	4	6	2	2	10	–	–	–	–	–	–	3	1	4	–	2
All other	24	–	–	–	–	1	2	5	9	1	5	1	7	–	–	–	–	1	1	–	1	2	–	2
Black	23	–	–	–	–	1	2	5	9	1	4	1	7	–	–	–	–	1	1	–	1	2	–	2
Tuberculosis of respiratory system (010-012)	38	–	–	–	–	2	3	5	12	7	6	3	13	–	–	–	–	–	1	2	1	5	–	4
White	18	–	–	–	–	1	2	1	4	6	2	2	8	–	–	–	–	–	–	2	1	3	–	2
All other	20	–	–	–	–	1	1	4	8	1	4	1	5	–	–	–	–	–	1	–	–	2	–	2
Black	19	–	–	–	–	1	1	4	8	1	3	1	5	–	–	–	–	–	1	–	–	2	–	2
Other tuberculosis (013-018)	4	–	–	–	–	–	1	1	1	–	1	–	4	–	–	–	–	1	–	1	1	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
All other	4	–	–	–	–	–	1	1	1	–	1	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	4	–	–	–	–	–	1	1	1	–	1	–	2	–	–	–	–	1	–	–	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	5	3	–	–	1	–	1	–	–	–	–	–	6	2	2	–	–	–	–	–	–	1	1	–
White	3	2	–	–	1	–	1	–	–	–	–	–	5	2	2	–	–	–	–	–	–	1	–	–
All other	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Septicemia (038)	158	7	1	–	1	9	–	13	17	46	37	26	166	9	–	1	3	3	1	7	22	37	55	28
White	76	3	1	–	1	4	–	8	7	21	18	12	90	3	–	1	1	–	1	2	6	18	38	20
All other	82	4	–	–	–	5	–	5	10	25	19	14	76	6	–	–	2	3	–	5	16	19	17	8
Black	80	4	–	–	–	5	–	4	9	25	19	14	75	6	–	–	2	3	–	5	16	18	17	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	10	–	–	–	–	1	1	2	1	2	2	1	13	–	1	–	–	3	3	1	1	2	2	–
White	9	–	–	–	–	–	1	2	1	2	2	1	5	–	–	–	–	1	1	–	1	–	2	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	8	–	1	–	–	2	2	1	–	2	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	8	–	1	–	–	2	2	1	–	2	–	–
Syphilis (090-097)	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	53	4	4	–	2	1	2	7	10	11	8	4	45	1	–	1	5	3	7	3	9	7	5	4
White	34	–	2	–	1	1	1	6	7	7	5	4	29	1	–	–	4	2	4	2	6	5	2	3
All other	19	4	2	–	1	–	1	1	3	4	3	–	16	–	–	1	1	1	3	1	3	2	3	1
Black	19	4	2	–	1	–	1	1	3	4	3	–	16	–	–	1	1	1	3	1	3	2	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,142	1	4	15	27	43	136	394	1,051	1,375	871	222	3,224	1	6	10	20	46	117	342	711	937	776	256
White	2,855	–	3	11	13	29	81	263	734	954	609	146	2,384	1	5	10	8	18	75	239	521	660	600	194
All other	1,287	1	1	4	14	14	55	131	317	411	262	76	860	–	1	–	12	27	42	103	190	247	176	62
Black	1,275	1	1	4	13	14	55	129	313	410	259	75	854	–	1	–	11	27	41	101	189	247	175	62

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	102	-	-	-	2	-	8	23	34	17	13	5	37	-	-	-	1	-	-	3	12	11	8	2
White	61	-	-	-	1	-	2	14	19	12	9	4	30	-	-	-	-	-	-	3	9	10	6	2
All other	41	-	-	-	1	-	6	9	15	5	4	1	7	-	-	-	1	-	-	-	3	1	2	-
Black	40	-	-	-	-	-	6	9	15	5	4	1	7	-	-	-	1	-	-	-	3	1	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	947	-	-	-	4	9	28	91	220	321	210	63	803	-	-	-	1	5	17	51	142	242	263	81
White	607	-	-	-	2	5	14	48	144	215	138	40	570	-	-	-	-	2	10	38	94	167	199	61
All other	340	-	-	-	2	4	14	43	76	106	72	23	233	-	-	-	1	3	7	15	48	75	64	20
Black	337	-	-	-	2	4	14	43	73	106	72	23	232	-	-	-	1	3	6	15	48	75	64	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,632	-	-	-	2	4	39	164	501	600	276	45	589	-	-	1	-	-	12	62	195	194	107	28
White	1,190	-	-	-	1	3	22	119	351	446	214	34	479	-	-	1	-	-	9	50	152	159	86	22
All other	442	-	-	-	1	1	17	45	150	154	62	11	120	-	-	-	-	-	3	12	43	35	21	6
Black	439	-	-	-	1	1	17	44	150	153	61	11	119	-	-	-	-	-	3	12	43	35	20	6
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	1	-	1	2	1	549	-	-	-	2	15	41	88	129	134	106	34
White	4	-	-	-	-	-	-	1	-	1	2	-	389	-	-	-	2	4	25	54	97	105	79	23
All other	1	-	-	-	-	-	-	-	-	-	-	1	160	-	-	-	-	11	16	34	32	29	27	11
Black	1	-	-	-	-	-	-	-	-	-	-	1	160	-	-	-	-	11	16	34	32	29	27	11
Malignant neoplasms of genital organs (179-187)	396	-	-	-	1	-	5	5	44	132	154	55	353	-	-	-	2	13	15	54	69	104	70	25
White	216	-	-	-	-	-	2	2	26	74	84	28	228	-	-	-	1	6	10	39	50	58	52	17
All other	180	-	-	-	1	-	3	3	18	58	70	27	125	-	-	-	1	7	5	21	19	46	18	8
Black	178	-	-	-	1	-	3	3	18	58	69	26	124	-	-	-	1	7	5	20	19	46	18	8
Malignant neoplasms of urinary organs (188-189)	168	-	1	-	-	-	5	15	37	50	41	19	109	-	-	-	2	-	4	9	16	28	30	20
White	132	-	1	-	-	-	2	13	32	30	37	17	73	-	-	-	-	-	3	7	8	21	21	13
All other	36	-	-	-	-	-	3	2	5	20	4	2	36	-	-	-	2	-	1	2	8	7	9	7
Black	36	-	-	-	-	-	3	2	5	20	4	2	36	-	-	-	2	-	1	2	8	7	9	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	541	1	1	2	5	16	26	64	143	155	105	22	468	1	5	5	5	7	15	52	99	135	108	36
White	385	-	1	2	2	11	19	40	108	106	79	16	348	1	5	5	2	4	9	39	73	96	84	30
All other	156	1	-	-	3	5	7	24	35	49	26	6	120	-	-	-	3	3	6	13	26	39	24	6
Black	153	1	-	-	3	5	7	23	34	49	25	6	119	-	-	-	3	3	6	12	26	39	24	6
Leukemia (204-208)	157	-	2	11	11	8	9	9	28	36	36	7	116	-	1	4	5	3	9	7	17	30	29	13
White	118	-	1	8	6	5	7	8	21	32	25	5	92	-	-	4	2	2	5	6	12	23	26	12
All other	39	-	1	3	5	3	2	1	7	4	11	2	26	-	1	-	3	1	4	1	5	7	3	1
Black	39	-	1	3	5	3	2	1	7	4	11	2	24	-	1	-	2	1	4	1	4	7	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	194	-	-	2	2	6	16	22	44	63	34	5	188	-	-	-	2	3	4	16	32	59	55	17
White	142	-	-	1	1	5	13	18	33	48	21	2	155	-	-	-	1	1	4	11	26	51	47	14
All other	52	-	-	1	1	1	3	4	11	15	13	3	33	-	-	-	1	2	-	5	6	8	8	3
Black	52	-	-	1	1	1	3	4	11	15	13	3	33	-	-	-	1	2	-	5	6	8	8	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	65	1	2	-	2	2	7	4	19	12	13	3	58	-	-	1	3	1	2	5	11	14	13	6
White	38	-	-	-	1	1	5	3	11	8	7	3	41	-	-	-	-	-	2	-	5	8	9	11	6
All other	26	1	2	-	1	1	2	1	8	4	6	-	15	-	-	1	1	1	2	-	3	5	2	-
Black	26	1	2	-	1	1	2	1	8	4	6	-	15	-	-	1	1	1	2	-	3	5	2	-
Diabetes mellitus (250)	292	-	-	2	1	13	12	27	54	93	71	19	488	-	-	1	2	5	13	28	79	143	150	66
White	176	-	-	1	-	4	5	20	31	65	45	15	274	-	-	-	2	2	7	18	37	89	91	47
All other	116	-	-	1	1	9	7	7	23	38	26	4	214	-	-	1	-	3	6	10	42	74	59	19
Black	115	-	-	1	1	9	7	7	22	38	26	4	214	-	-	1	-	3	6	10	42	74	59	19
Nutritional deficiencies (260-269)	13	2	-	-	1	-	1	-	2	1	4	1	28	1	1	-	-	-	1	-	2	5	10	8
White	6	-	-	-	1	-	1	-	2	-	1	1	14	-	-	-	-	-	-	-	-	2	8	4
All other	7	2	-	-	-	-	-	-	-	1	3	-	14	1	1	-	-	-	1	-	2	3	2	4
Black	7	2	-	-	-	-	-	-	-	1	3	-	13	-	1	-	-	-	1	-	2	3	2	4
Anemias (280-285)	37	-	3	-	3	4	1	2	5	6	8	5	41	-	1	3	2	1	1	3	1	11	11	7
White	22	-	-	-	1	2	-	-	3	5	7	4	21	-	-	-	-	1	1	1	1	6	5	6
All other	15	-	3	-	2	2	1	2	2	1	1	1	20	-	1	3	2	-	-	2	-	5	6	1
Black	15	-	3	-	2	2	1	2	2	1	1	1	20	-	1	3	2	-	-	2	-	5	6	1
Meningitis (320-322)	24	6	4	3	-	1	2	3	2	1	2	-	18	5	5	-	-	1	1	-	2	1	3	-
White	11	3	3	-	-	1	2	1	-	1	-	-	6	1	2	-	-	-	-	-	1	1	1	-
All other	13	3	1	3	-	1	1	1	1	1	1	-	12	4	3	-	-	1	1	-	1	-	2	-
Black	13	3	1	3	-	1	1	1	1	1	1	-	12	4	3	-	-	1	1	-	1	-	2	-
Major cardiovascular diseases (390-448)	8,609	19	6	7	27	76	261	734	1,592	2,479	2,358	1,034	8,528	8	4	7	16	39	103	334	841	1,858	3,002	2,305
White	6,079	13	2	3	19	36	170	468	1,113	1,776	1,743	725	5,958	2	2	3	9	15	43	151	488	1,203	2,216	1,840
All other	2,530	6	4	4	8	40	91	266	479	703	615	309	2,568	6	2	4	7	24	60	183	373	655	788	465
Black	2,514	6	4	4	8	40	90	263	478	698	611	307	2,561	6	2	4	7	24	58	183	372	653	785	464

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,824	17	5	3	19	61	228	622	1,345	1,986	1,773	762	6,205	4	3	8	11	24	69	243	668	1,395	2,179	1,599
White	4,918	11	1	-	12	31	153	424	958	1,442	1,337	540	4,343	2	1	2	8	11	28	108	391	917	1,604	1,269
All other	1,906	6	4	3	7	30	75	198	387	544	436	212	1,862	2	2	4	3	13	41	135	277	478	575	330
Black	1,892	6	4	3	7	30	74	195	386	539	432	212	1,855	2	2	4	3	13	39	135	276	476	574	329
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	2	2	2	4	4	6	-	-	31	-	-	-	-	1	3	4	12	6	3	2
White	14	-	-	-	-	1	1	2	3	7	-	-	23	-	-	-	-	1	1	3	9	5	3	1
All other	8	-	-	-	2	1	1	2	1	1	-	-	8	-	-	-	-	-	2	1	3	1	-	1
Black	8	-	-	-	2	1	1	2	1	1	-	-	7	-	-	-	-	-	1	1	3	1	-	1
Hypertensive heart disease (402)	256	-	-	-	-	3	12	23	58	78	64	17	336	-	-	-	-	3	7	21	44	91	119	51
White	105	-	-	-	-	-	6	7	21	32	28	10	138	-	-	-	-	2	1	3	12	35	58	29
All other	151	-	-	-	-	3	6	16	37	44	36	7	198	-	-	-	-	1	6	18	32	56	63	22
Black	151	-	-	-	-	3	6	16	37	44	36	7	198	-	-	-	-	1	6	18	32	56	63	22
Hypertensive heart and renal disease (404)	32	-	-	-	1	3	-	1	1	9	12	5	40	-	-	-	-	1	-	1	6	10	15	7
White	18	-	-	-	-	2	-	-	-	6	6	4	18	-	-	-	-	-	-	1	2	4	7	4
All other	14	-	-	-	1	1	-	1	1	3	6	1	22	-	-	-	-	1	-	-	4	6	8	3
Black	14	-	-	-	1	1	-	1	1	3	6	1	22	-	-	-	-	1	-	-	4	6	8	3
Ischemic heart disease (410-414)	4,779	-	1	-	4	33	163	461	884	1,419	1,211	494	3,980	-	1	-	2	3	32	154	415	941	1,395	1,038
White	3,650	-	-	-	3	22	116	344	743	1,098	955	362	2,929	-	1	-	2	2	12	77	254	661	1,065	859
All other	1,129	-	1	-	1	11	47	117	241	321	256	132	1,051	-	-	-	-	1	20	77	161	280	330	180
Black	1,122	-	1	-	1	11	46	116	240	318	255	132	1,047	-	-	-	-	1	20	77	161	278	329	179
Acute myocardial infarction (410)	2,914	-	-	-	4	30	120	311	668	918	646	210	1,930	-	1	-	-	3	23	90	284	557	662	328
White	2,300	-	-	-	3	20	91	239	521	731	530	159	1,429	-	1	-	-	2	8	46	170	402	522	277
All other	614	-	-	-	1	10	29	72	147	187	116	51	501	-	-	-	-	1	15	44	94	155	140	51
Black	608	-	-	-	1	10	28	72	146	184	115	51	498	-	-	-	-	1	15	44	94	154	139	50
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	1	1	5	-	1	2	9	-	-	-	-	-	-	1	2	3	2	1
White	4	-	-	-	-	-	-	1	2	-	1	-	5	-	-	-	-	-	-	1	-	1	2	1
All other	6	-	-	-	-	-	1	-	3	-	-	2	4	-	-	-	-	-	-	-	2	2	-	-
Black	6	-	-	-	-	-	1	-	3	-	-	2	4	-	-	-	-	-	-	-	2	2	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	1	1	-	5	-	-	-	-	-	-	1	1	1	1	1
White	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,852	-	1	-	-	3	42	148	311	500	563	282	2,036	-	-	-	2	-	9	62	148	380	730	703
White	1,344	-	-	-	-	2	25	103	220	367	423	203	1,493	-	-	-	2	-	4	30	83	258	541	574
All other	508	-	1	-	-	1	17	45	91	133	140	79	543	-	-	-	-	-	5	32	65	122	189	129
Black	507	-	1	-	-	1	17	44	91	133	140	79	542	-	-	-	-	-	5	32	65	121	189	129
Other diseases of endocardium (424)	51	1	-	-	-	1	1	9	5	13	18	3	67	-	-	-	1	-	2	4	12	13	26	9
White	34	1	-	-	-	1	1	4	3	6	15	3	46	-	-	-	1	-	-	1	10	9	16	7
All other	17	-	-	-	-	-	-	5	2	7	3	-	21	-	-	-	-	-	2	3	2	4	6	2
Black	17	-	-	-	-	-	-	5	2	7	3	-	21	-	-	-	-	-	2	3	2	4	6	2
All other forms of heart disease (415-423,425-429)	1,684	16	4	3	12	19	50	124	293	461	468	233	1,751	4	2	6	8	16	25	59	179	334	621	497
White	1,097	10	1	-	9	5	29	67	168	293	333	161	1,189	2	-	2	5	6	14	23	104	203	455	375
All other	587	6	3	3	3	14	21	57	105	168	135	72	562	2	2	4	3	10	11	36	75	131	166	122
Black	580	6	3	3	3	14	21	55	105	166	132	72	560	2	2	4	3	10	10	36	74	131	166	122
Hypertension with or without renal disease (401,403)	49	-	-	-	-	1	1	5	7	16	10	9	76	-	-	-	-	2	2	4	11	17	20	20
White	29	-	-	-	-	-	-	1	5	7	8	8	47	-	-	-	-	-	1	1	6	9	16	14
All other	20	-	-	-	-	1	1	4	2	9	2	1	29	-	-	-	-	2	1	3	5	8	4	6
Black	20	-	-	-	-	1	1	4	2	9	2	1	29	-	-	-	-	2	1	3	5	8	4	6
Cerebrovascular diseases (430-438)	1,243	2	1	4	5	12	28	83	165	321	428	192	1,711	4	1	-	5	12	30	87	133	350	620	469
White	763	2	1	3	4	4	16	32	95	203	280	122	1,166	-	1	-	1	3	13	30	55	205	460	396
All other	480	-	-	1	1	8	12	51	70	118	148	70	545	4	-	-	4	9	17	57	78	145	160	91
Black	478	-	-	1	1	8	12	51	70	118	148	68	545	4	-	-	4	9	17	37	78	145	160	91
Intracerebral and other intracranial hemorrhage (431-432)	150	2	-	2	-	4	9	28	31	31	35	7	172	2	1	-	1	3	9	27	23	43	40	23
White	91	2	-	1	-	1	4	8	24	21	26	4	104	-	1	-	-	1	2	11	10	34	29	16
All other	59	-	-	1	-	3	5	20	7	10	9	3	68	2	-	-	1	2	7	16	13	9	11	7
Black	59	-	-	1	-	3	5	20	7	10	9	2	68	2	-	-	1	2	7	16	13	9	11	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	191	-	-	-	3	2	2	9	19	48	73	35	302	1	-	-	-	-	1	4	13	54	131	98
White	114	-	-	-	2	-	-	5	6	36	43	22	226	-	-	-	-	-	1	2	3	31	101	88
All other	77	-	-	-	1	2	2	4	13	12	30	13	76	1	-	-	-	-	-	2	10	23	30	10
Black	77	-	-	-	1	2	2	4	13	12	30	13	76	1	-	-	-	-	-	2	10	23	30	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	898	-	1	2	2	6	17	46	115	240	319	149	1,237	1	-	-	4	9	20	38	97	253	449	368
White	555	-	1	2	2	3	12	19	85	145	210	85	836	-	-	-	1	2	10	17	42	140	330	294
All other	343	-	-	-	-	3	5	27	50	95	109	64	401	1	-	-	3	7	10	19	55	113	119	74
Black	342	-	-	-	-	3	5	27	50	95	109	63	401	1	-	-	3	7	10	19	55	113	119	74
Atherosclerosis (440)	319	-	-	-	-	-	2	19	41	84	101	71	413	-	-	1	-	-	1	12	15	62	146	172
White	230	-	-	-	-	-	-	9	32	63	77	48	310	-	-	1	-	-	-	6	9	44	109	138
All other	89	-	-	-	-	-	2	10	9	21	24	23	103	-	-	-	-	-	1	6	6	18	37	34
Black	89	-	-	-	-	-	2	10	9	21	24	23	103	-	-	-	-	-	1	6	6	18	37	34
Other diseases of arteries, arterioles, and capillaries (441-448)	174	-	-	-	3	2	2	5	34	72	46	10	121	-	-	-	-	1	1	8	14	34	37	25
White	139	-	-	-	3	1	1	2	23	61	41	7	92	-	-	-	-	1	1	6	7	28	27	21
All other	35	-	-	-	-	1	1	3	11	11	5	3	29	-	-	-	-	-	-	2	7	6	10	4
Black	35	-	-	-	-	1	1	3	11	11	5	3	29	-	-	-	-	-	-	2	7	6	10	4
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	1	-	1	2	-	7	-	-	-	1	-	-	-	3	-	1	2
White	4	-	-	-	-	-	-	1	-	1	2	-	6	-	-	-	-	-	-	-	3	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	366	16	4	1	5	8	12	11	52	72	109	76	328	13	4	1	3	5	6	13	26	56	98	101
White	243	6	3	-	3	4	6	3	35	44	76	63	222	7	1	1	-	3	5	7	14	33	71	90
All other	123	10	1	1	2	4	6	8	17	28	33	13	104	6	3	-	3	2	1	6	12	23	27	21
Black	123	10	1	1	2	4	6	8	17	28	33	13	104	6	3	-	3	2	1	6	12	23	27	21
Pneumonia (480-486)	361	16	4	1	5	8	12	10	52	70	107	76	319	13	4	1	3	5	6	13	26	54	95	99
White	240	6	3	-	3	4	6	3	35	42	75	63	217	7	1	1	-	3	5	7	14	31	69	79
All other	121	10	1	1	2	4	6	7	17	28	32	13	102	6	3	-	3	2	1	6	12	23	26	20
Black	121	10	1	1	2	4	6	7	17	28	32	13	102	6	3	-	3	2	1	6	12	23	26	20
Influenza (487)	5	-	-	-	-	-	-	1	-	2	2	-	7	-	-	-	-	-	-	-	-	2	3	2
White	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	565	4	1	1	5	2	6	24	106	206	154	56	251	1	-	1	-	1	6	12	54	79	75	22
White	449	-	-	1	2	1	3	21	78	169	129	45	205	-	-	-	-	1	4	8	39	64	69	20
All other	116	4	1	-	3	1	3	3	28	37	25	11	46	1	-	1	-	-	2	4	15	15	6	2
Black	115	4	1	-	3	1	3	3	28	37	25	10	46	1	-	1	-	-	2	4	15	15	6	2
Bronchitis, chronic and unspecified (490-491)	31	3	-	1	1	-	1	2	5	9	5	4	15	-	-	-	-	-	1	-	-	6	4	4
White	25	-	-	1	1	-	-	2	5	7	5	4	15	-	-	-	-	-	1	-	-	6	4	4
All other	6	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	140	-	-	-	1	-	1	4	30	50	44	10	51	1	-	-	-	-	-	1	12	14	18	5
White	113	-	-	-	-	-	1	4	21	44	34	9	45	-	-	-	-	-	-	1	10	11	18	5
All other	27	-	-	-	1	-	-	-	9	6	10	1	6	1	-	-	-	-	-	-	2	3	-	-
Black	27	-	-	-	1	-	-	-	9	6	10	1	6	1	-	-	-	-	-	-	2	3	-	-
Asthma (493)	19	1	-	-	2	2	1	2	6	3	1	-	29	-	-	1	-	1	1	5	3	8	10	-
White	6	-	-	-	-	1	-	1	2	1	1	-	18	-	-	-	-	1	1	2	1	4	9	-
All other	12	1	-	-	2	1	1	1	4	2	-	-	11	-	-	1	-	-	-	3	2	4	1	-
Black	12	1	-	-	2	1	1	1	4	2	-	-	11	-	-	1	-	-	-	3	2	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	376	-	1	-	1	-	3	16	65	144	104	42	156	-	-	-	-	-	4	6	39	51	43	13
White	305	-	-	-	1	-	2	14	50	117	89	32	127	-	-	-	-	-	2	5	28	43	38	11
All other	71	-	1	-	-	-	1	2	15	27	15	10	29	-	-	-	-	-	2	1	11	8	5	2
Black	70	-	1	-	-	-	1	2	15	27	15	9	29	-	-	-	-	-	2	1	11	8	5	2
Ulcer of stomach and duodenum (531-533)	39	-	-	-	-	1	2	3	11	8	10	4	55	-	-	-	-	1	3	3	4	12	19	13
White	22	-	-	-	-	1	-	2	5	1	9	4	44	-	-	-	-	1	3	3	2	8	15	12
All other	17	-	-	-	-	-	2	1	6	7	1	-	11	-	-	-	-	-	-	-	2	4	4	1
Black	17	-	-	-	-	-	2	1	6	7	1	-	10	-	-	-	-	-	-	-	1	4	4	1
Appendicitis (540-543)	6	1	-	1	-	-	-	2	2	-	-	-	5	1	-	-	-	-	-	1	-	2	-	1
White	3	-	-	1	-	-	-	2	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	3	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	3	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	4	1	-	-	1	1	2	4	14	10	7	39	2	-	-	-	1	-	1	8	4	11	12
White	23	1	1	-	-	1	-	1	1	8	6	5	23	-	-	-	-	-	-	1	5	1	9	7
All other	21	3	-	-	-	-	1	2	3	6	4	2	16	2	-	-	-	1	-	-	3	3	2	5
Black	21	3	-	-	-	-	1	2	3	6	4	2	16	2	-	-	-	1	-	-	3	3	2	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [3]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [3]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	230	-	-	-	3	10	22	59	62	56	15	3	135	-	-	-	1	10	15	28	36	29	11	5
White	175	-	-	-	1	3	15	45	48	46	14	3	103	-	-	-	-	4	11	21	26	26	10	5
All other	55	-	-	-	2	7	7	14	14	10	1	-	32	-	-	-	1	6	4	7	10	3	1	-
Black	55	-	-	-	2	7	7	14	14	10	1	-	32	-	-	-	1	6	4	7	10	3	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	-	3	5	6	-	35	1	-	-	-	-	1	2	3	8	10	10
White	12	-	-	-	-	-	-	-	2	5	5	-	26	-	-	-	-	-	1	1	2	5	8	9
All other	2	-	-	-	-	-	-	-	1	-	1	-	9	1	-	-	-	-	-	1	1	3	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	9	1	-	-	-	-	-	1	1	3	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	254	7	-	-	-	5	7	11	29	64	94	36	236	6	1	-	-	4	14	10	31	41	71	58
White	142	1	-	-	-	2	4	2	15	32	59	26	133	3	1	-	-	2	7	6	15	17	42	40
All other	112	6	-	-	-	3	3	9	14	32	35	10	103	3	-	-	-	2	7	4	16	24	29	18
Black	112	6	-	-	-	3	3	9	14	32	35	10	103	3	-	-	-	2	7	4	16	24	29	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	1	1	1	-	2	-
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	-	-	-	-	1	2	2	-	6	8	5	24	-	-	-	-	1	1	1	3	3	8	7
White	14	-	-	-	-	1	1	-	-	2	5	5	15	-	-	-	-	1	1	1	2	3	4	3
All other	10	-	-	-	-	-	1	2	-	4	3	-	9	-	-	-	-	-	-	-	1	-	4	4
Black	10	-	-	-	-	-	1	2	-	4	3	-	9	-	-	-	-	-	-	-	1	-	4	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	227	7	-	-	-	4	5	9	29	57	65	30	207	6	1	-	-	3	12	8	27	38	61	51
White	126	1	-	-	-	1	3	2	15	30	53	20	118	3	1	-	-	1	6	4	13	14	37	37
All other	101	6	-	-	-	3	2	7	14	27	32	10	91	3	-	-	-	2	6	4	14	24	24	14
Black	101	6	-	-	-	3	2	7	14	27	32	10	91	3	-	-	-	2	6	4	14	24	24	14
Infections of kidney (590)	16	-	-	-	-	-	-	1	1	7	3	4	38	-	-	-	-	-	-	1	3	12	12	10
White	13	-	-	-	-	-	-	-	1	6	3	3	28	-	-	-	-	-	-	1	2	8	8	9
All other	3	-	-	-	-	-	-	1	-	1	-	1	10	-	-	-	-	-	-	-	1	4	4	1
Black	3	-	-	-	-	-	-	1	-	1	-	1	10	-	-	-	-	-	-	-	1	4	4	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	4	2	***	***	***	***	***	***	***	***	***	***	***	***
White	4	-	-	-	-	-	-	-	-	-	2	2	***	***	***	***	***	***	***	***	***	***	***	***
All other	3	-	-	-	-	-	-	-	-	1	2	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	3	-	-	-	-	-	-	-	-	1	2	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	-	3	3	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	1	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	-	2	2	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	-	2	2	1	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	2	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	-	1	3	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	1	2	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	-	1	2	1	-	***	***	***	***
Congenital anomalies (740-759)	153	105	14	3	6	5	6	4	2	4	4	-	157	109	10	14	3	5	8	3	3	-	1	1
White	100	68	9	3	4	2	5	3	-	4	2	-	96	63	5	12	3	2	4	3	2	-	1	1
All other	53	37	5	-	2	3	1	1	2	-	2	-	61	46	5	2	-	3	4	-	1	-	-	-
Black	52	36	5	-	2	3	1	1	2	-	2	-	60	45	5	2	-	3	4	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	300	300	-	-	-	-	-	-	-	-	-	-	229	229	-	-	-	-	-	-	-	-	-	-
White	124	124	-	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-
All other	176	176	-	-	-	-	-	-	-	-	-	-	137	137	-	-	-	-	-	-	-	-	-	-
Black	174	174	-	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	89	89	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
White	46	46	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	43	43	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Black	42	42	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	211	211	–	–	–	–	–	–	–	–	–	–	178	178	–	–	–	–	–	–	–	–	–	–
White	78	78	–	–	–	–	–	–	–	–	–	–	70	70	–	–	–	–	–	–	–	–	–	–
All other	133	133	–	–	–	–	–	–	–	–	–	–	108	108	–	–	–	–	–	–	–	–	–	–
Black	132	132	–	–	–	–	–	–	–	–	–	–	106	106	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	192	54	3	1	3	4	9	13	28	29	21	27	161	47	–	–	2	4	3	7	15	14	37	32
White	98	24	1	–	2	2	4	5	15	20	11	14	90	20	–	–	2	1	2	5	9	7	24	20
All other	94	30	2	1	1	2	5	8	13	9	10	13	71	27	–	–	–	3	1	2	6	7	13	12
Black	91	29	2	–	1	2	5	7	13	9	10	13	70	26	–	–	–	3	1	2	6	7	13	12
All other diseases (Residual)	1,115	39	22	16	31	52	76	113	184	247	212	121	1,101	37	18	9	19	40	55	61	146	204	302	209
White	682	15	13	9	16	25	32	63	116	167	142	82	719	14	12	5	11	23	26	33	79	133	222	160
All other	433	24	9	7	13	27	44	50	68	80	70	39	382	23	6	4	8	17	29	28	67	71	80	49
Black	431	24	8	7	13	27	44	49	68	80	70	39	380	22	6	4	8	17	29	27	67	71	80	49
Accidents and adverse effects (E800-E949)	1,688	26	51	97	493	360	186	156	131	94	57	32	605	10	41	44	90	88	45	40	51	55	77	59
White	1,182	13	28	62	386	251	123	105	97	69	41	22	433	3	24	31	72	64	33	29	37	37	57	42
All other	506	13	23	35	127	109	63	51	34	25	16	10	172	7	17	13	18	24	12	11	14	18	20	17
Black	494	13	22	33	124	104	62	51	34	25	16	10	169	7	14	13	18	24	12	11	14	18	20	17
Motor vehicle accidents (E810-E825)	846	3	17	54	319	184	94	67	42	40	23	2	254	1	20	28	63	45	27	16	21	15	13	3
White	619	3	9	36	258	130	61	43	32	29	15	2	205	1	13	23	54	36	22	13	17	13	10	2
All other	227	–	8	18	61	54	33	24	10	11	8	–	49	–	7	5	9	9	5	3	4	2	3	1
Black	221	–	7	17	60	51	33	24	10	11	8	–	49	–	7	5	9	9	5	3	4	2	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	842	23	34	43	174	176	92	89	89	54	34	30	351	9	21	16	27	43	18	24	30	40	64	56
White	563	10	19	26	108	121	62	62	65	40	26	20	228	2	11	8	18	28	11	16	20	24	47	40
All other	279	13	15	17	66	55	30	27	24	14	8	10	123	7	10	8	9	15	7	8	10	16	17	16
Black	273	13	15	16	64	53	29	27	24	14	8	10	120	7	7	8	9	15	7	8	10	16	17	16
Suicide (E950-E959)	410	...	...	4	100	103	58	40	45	34	24	2	140	...	...	3	26	31	33	20	14	10	3	–
White	340	...	...	2	79	78	49	37	40	32	22	1	126	...	...	2	25	25	29	19	14	9	3	–
All other	70	...	...	2	21	25	9	3	5	2	2	1	14	...	...	1	1	6	4	1	–	1	–	–
Black	67	...	...	2	20	24	8	3	5	2	2	1	13	...	...	1	1	6	3	1	–	1	–	–
Homicide and legal intervention (E960-E978)	579	6	4	5	170	195	101	51	34	10	2	–	155	2	5	3	37	57	23	15	7	3	2	1
White	173	3	–	2	44	50	34	16	16	3	2	–	72	1	1	3	16	18	15	9	5	3	1	–
All other	406	3	4	3	126	145	67	33	18	7	–	–	83	1	4	–	21	39	8	6	2	–	1	1
Black	398	3	4	3	124	143	65	32	18	7	–	–	83	1	4	–	21	39	8	6	2	–	1	1
All other external causes (E980-E999)	15	1	–	–	6	4	2	1	1	–	–	–	8	1	–	–	2	3	1	1	–	–	–	–
White	12	1	–	–	5	2	2	1	1	–	–	–	7	–	–	–	2	3	1	1	–	–	–	–
All other	3	–	–	–	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	1	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
MAINE																								
All causes	5,367	63	19	25	115	128	148	347	858	1,437	1,429	780	5,105	67	13	18	46	39	78	200	515	1,012	1,579	1,537
White	5,344	60	19	25	114	125	148	341	852	1,434	1,426	780	5,088	67	13	18	46	39	76	196	512	1,008	1,577	1,535
All other	23	3	–	–	1	3	–	6	4	3	3	–	17	–	–	–	–	–	2	4	3	4	2	2
Black	9	2	–	–	–	1	–	1	2	1	2	–	6	–	–	–	–	–	–	1	2	1	–	2
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	19	-	-	1	-	1	-	3	4	3	3	4	22	-	-	-	-	-	-	-	1	8	4	9
White	19	-	-	1	-	1	-	3	4	3	3	4	22	-	-	-	-	-	-	-	1	8	4	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	11	-	-	-	1	-	-	-	2	5	1	2	14	-	-	-	1	-	1	2	2	3	2	3
White	11	-	-	-	1	-	-	-	2	5	1	2	14	-	-	-	1	-	1	2	2	3	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,288	-	2	2	9	16	25	98	257	430	341	108	1,141	-	1	-	3	9	32	90	227	327	290	162
White	1,284	-	2	2	9	16	25	97	257	429	339	108	1,138	-	1	-	3	9	31	90	226	326	290	162
All other	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	3	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	-	-	-	-	-	1	1	9	6	5	-	23	-	-	-	-	1	-	2	5	5	5	5
White	22	-	-	-	-	-	1	1	9	6	5	-	23	-	-	-	-	1	-	2	5	5	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	290	-	-	-	-	1	7	20	53	103	74	32	317	-	-	-	-	1	1	9	45	91	101	69
White	289	-	-	-	-	1	7	19	53	103	74	32	316	-	-	-	-	1	1	9	44	91	101	69
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	479	-	-	-	-	1	2	49	116	191	103	17	179	-	-	-	-	-	3	16	54	66	34	6
White	478	-	-	-	-	1	2	49	116	191	102	17	179	-	-	-	-	-	3	16	54	66	34	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	4	-	-	204	-	-	-	-	2	9	28	54	54	34	23
White	5	-	-	-	-	-	-	-	1	4	-	-	204	-	-	-	-	2	9	28	54	54	34	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	134	-	-	-	-	-	1	1	8	35	64	27	125	-	-	-	-	2	6	15	25	39	28	10
White	134	-	-	-	-	-	1	1	8	35	64	27	125	-	-	-	-	2	6	15	25	39	28	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	79	-	-	-	-	-	2	6	16	17	27	11	50	-	-	-	-	-	-	3	7	19	12	9
White	78	-	-	-	-	-	2	6	16	16	27	11	50	-	-	-	-	-	-	3	7	19	12	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	167	-	2	2	1	9	7	14	37	49	37	9	154	-	-	-	1	1	6	11	28	36	48	23
White	166	-	2	2	1	9	7	14	37	49	36	9	153	-	-	-	1	1	6	11	28	35	48	23
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Leukemia (204-208)	57	-	-	-	4	3	4	3	8	12	15	8	41	-	1	-	2	1	2	3	3	6	13	10
White	57	-	-	-	4	3	4	3	8	12	15	8	41	-	1	-	2	1	2	3	3	6	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	55	-	-	-	4	2	1	4	11	13	16	4	48	-	-	-	-	1	5	3	6	11	15	7
White	55	-	-	-	4	2	1	4	11	13	16	4	47	-	-	-	-	1	4	3	6	11	15	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	-	-	-	1	-	1	2	6	4	12	2	18	-	-	1	-	1	-	1	2	7	3	3
White	27	-	-	-	1	-	1	2	5	4	12	2	18	-	-	1	-	1	-	1	2	7	3	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	72	-	-	-	-	1	4	2	14	24	18	9	105	-	-	-	-	1	2	5	6	27	36	28
White	72	-	-	-	-	1	4	2	14	24	18	9	105	-	-	-	-	1	2	5	6	27	36	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	3	2	11	-	-	-	-	-	-	-	-	4	2	5
White	5	-	-	-	-	-	-	-	-	-	3	2	11	-	-	-	-	-	-	-	-	4	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	-	2	-	4	3
White	4	-	-	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	-	2	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,594	2	1	-	7	16	43	164	403	724	763	471	2,702	1	-	3	3	5	13	55	168	438	964	1,051
White	2,586	2	1	-	7	16	43	161	401	722	762	471	2,690	1	-	3	3	5	12	53	166	435	962	1,049
All other	8	-	-	-	-	-	-	3	2	2	1	-	12	-	-	-	-	-	1	2	2	3	2	2
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	-	2
Diseases of heart (390-398,402,404-429)	2,100	2	1	-	3	13	37	156	358	600	581	349	2,014	1	-	2	1	4	7	47	138	351	700	762
White	2,095	2	1	-	3	13	37	154	357	599	580	349	2,008	1	-	2	1	4	6	47	136	349	699	762
All other	5	-	-	-	-	-	-	2	1	1	1	-	6	-	-	-	-	-	1	-	2	2	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	2	1	1	2	1	26	-	-	-	-	-	-	-	3	7	9	7
White	7	-	-	-	-	-	-	2	1	1	2	1	26	-	-	-	-	-	-	-	3	7	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	-	2	3	7	10	2	47	-	-	-	-	-	-	1	1	11	18	16
White	24	-	-	-	-	-	-	2	3	7	10	2	47	-	-	-	-	-	-	1	1	11	18	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	1	-	1	1	1	1	12	-	-	-	-	-	-	-	-	5	7	
White	5	-	-	-	-	-	1	-	1	1	1	1	12	-	-	-	-	-	-	-	-	5	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,700	-	-	-	-	9	32	135	289	501	470	264	1,486	-	-	-	-	2	5	36	107	267	535	543
White	1,696	-	-	-	-	9	32	134	288	500	469	264	1,482	-	-	-	-	2	5	36	105	266	534	543
All other	4	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute myocardial infarction (410)	1,015	-	-	-	-	5	19	104	200	314	263	110	759	-	-	-	-	1	3	27	78	167	293	189
White	1,013	-	-	-	-	5	19	103	200	314	262	110	757	-	-	-	-	1	3	27	77	167	292	189
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	1	2	2	7	4	1	7	-	-	-	-	-	1	-	1	1	3	1
White	17	-	-	-	-	-	1	2	2	7	4	1	7	-	-	-	-	-	1	-	1	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	667	-	-	-	-	4	12	29	86	180	203	153	727	-	-	-	-	1	1	9	26	99	238	351
White	665	-	-	-	-	4	12	29	85	179	203	153	725	-	-	-	-	1	1	9	27	98	238	351
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of endocardium (424)	24	-	-	-	1	-	-	1	4	5	10	3	28	-	-	-	-	-	-	-	-	3	14	11
White	24	-	-	-	1	-	-	1	4	5	10	3	28	-	-	-	-	-	-	-	-	3	14	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	340	2	1	-	2	4	4	16	60	85	88	78	405	1	-	2	1	2	2	10	27	63	119	178
White	339	2	1	-	2	4	4	15	60	85	88	78	403	1	-	2	1	2	1	10	27	62	119	178
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	18	-	-	-	-	-	-	-	1	7	4	6	23	-	-	-	-	-	-	-	-	4	6	13
White	17	-	-	-	-	-	-	-	1	6	4	6	23	-	-	-	-	-	-	-	-	4	6	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	312	-	-	-	4	3	5	6	32	70	118	74	487	-	-	1	2	1	6	8	24	63	193	189
White	310	-	-	-	4	3	5	5	31	70	118	74	482	-	-	1	2	1	6	6	24	62	192	188
All other	2	-	-	-	-	-	-	1	1	-	-	-	5	-	-	-	-	-	-	2	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	48	-	-	-	1	1	2	1	10	17	11	5	63	-	-	-	1	-	2	2	5	14	24	15
White	48	-	-	-	1	1	2	1	10	17	11	5	62	-	-	-	1	-	2	2	5	13	24	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	43	-	-	-	-	-	-	2	4	9	20	8	92	-	-	1	-	-	-	1	1	10	34	45
White	43	-	-	-	-	-	-	2	4	9	20	8	91	-	-	1	-	-	-	1	1	10	34	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	220	-	-	-	3	2	3	3	18	43	87	61	332	-	-	-	1	1	4	5	18	39	135	129
White	218	-	-	-	3	2	3	2	17	43	87	61	329	-	-	-	1	1	4	3	18	39	134	129
All other	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	2	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	72	-	-	-	-	-	-	-	6	18	22	26	114	-	-	-	-	-	-	-	2	5	36	71
White	72	-	-	-	-	-	-	-	6	18	22	26	113	-	-	-	-	-	-	-	2	5	36	70
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	92	-	-	-	-	-	1	2	6	29	38	16	64	-	-	-	-	-	-	-	4	15	29	16
White	92	-	-	-	-	-	1	2	6	29	38	16	64	-	-	-	-	-	-	-	4	15	29	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	103	2	-	1	-	1	1	2	10	16	37	33	137	-	-	-	-	1	2	3	7	21	29	74
White	102	2	-	1	-	1	1	2	9	16	37	33	137	-	-	-	-	1	2	3	7	21	29	74
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	101	2	-	1	-	1	1	2	10	16	36	32	132	-	-	-	-	1	2	3	7	21	29	69
White	100	2	-	1	-	1	1	2	9	16	36	32	132	-	-	-	-	1	2	3	7	21	29	69
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	5
White	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	240	-	-	-	-	-	2	6	24	67	85	36	142	-	-	1	-	-	-	4	22	37	51	27
White	240	-	-	-	-	-	2	6	24	67	85	36	141	-	-	1	-	-	-	3	22	37	51	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	15	-	-	-	-	-	-	1	3	4	6	1	14	-	-	-	-	-	-	-	1	4	6	3
White	15	-	-	-	-	-	-	1	3	4	6	1	14	-	-	-	-	-	-	-	1	4	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	48	-	-	-	-	-	-	1	7	15	17	8	29	-	-	-	-	-	-	-	7	7	9	6
White	48	-	-	-	-	-	-	1	7	15	17	8	29	-	-	-	-	-	-	-	7	7	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	5	-	-	-	-	-	-	2	-	3	-	-	10	-	-	1	-	-	-	2	-	3	2	2
White	5	-	-	-	-	-	-	2	-	3	-	-	9	-	-	1	-	-	-	1	-	3	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	172	-	-	-	-	-	2	2	14	65	62	27	89	-	-	-	-	-	-	2	14	23	34	16
White	172	-	-	-	-	-	2	2	14	65	62	27	89	-	-	-	-	-	-	2	14	23	34	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	1	1	2	4	2	21	-	-	-	-	-	-	2	3	3	6	7
White	10	-	-	-	-	-	-	1	1	2	4	2	21	-	-	-	-	-	-	2	3	3	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	-	1	-	-	-	-	1	3	-	4	19	-	-	-	-	-	-	1	-	2	10	6
White	9	-	-	1	-	-	-	-	1	3	-	4	19	-	-	-	-	-	-	1	-	2	10	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	98	-	-	-	-	1	4	16	34	33	6	2	69	-	-	-	1	2	4	6	20	20	16	-
White	98	-	-	-	-	1	4	16	34	33	6	2	69	-	-	-	1	2	4	6	20	20	16	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-576)	9	-	-	-	-	-	-	1	1	3	4	15	-	-	-	-	-	-	1	-	2	7	5	
White	8	-	-	-	-	-	-	1	1	3	4	15	-	-	-	-	-	-	1	-	2	7	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	-	-	1	-	1	-	1	1	6	13	12	44	-	-	-	-	-	-	2	2	10	14	16
White	35	-	-	1	-	1	-	1	1	6	13	12	44	-	-	-	-	-	-	2	2	10	14	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	1	-	3	2	
White	3	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	1	-	3	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	1	-	1	-	1	1	5	11	11	36	-	-	-	-	-	-	2	1	9	10	14
White	31	-	-	1	-	1	-	1	1	5	11	11	38	-	-	-	-	-	-	2	1	9	10	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	1	2	2	
White	3	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	1	2	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	2	1	2	***	***	***	***	***	***	***	***	***	***	***	***	
White	5	-	-	-	-	-	-	-	2	1	2	***	***	***	***	***	***	***	***	***	***	***	***	
All other	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***	
Black	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***	
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Congenital anomalies (740-759)	32	19	3	1	-	2	-	1	3	1	-	2	21	12	1	1	1	1	-	1	1	1	2	-
White	32	19	3	1	-	2	-	1	3	1	-	2	21	12	1	1	1	1	-	1	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	39	39	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	28	28	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	36	15	1	-	1	2	-	-	1	4	5	7	23	10	-	-	1	-	-	2	1	-	3	6
White	33	13	1	-	1	1	-	-	1	4	5	7	23	10	-	-	1	-	-	2	1	-	3	6
All other	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	305	2	3	4	7	7	12	16	48	59	90	57	352	3	2	4	6	2	10	9	35	75	107	99
White	305	2	3	4	7	7	12	16	48	59	90	57	351	3	2	4	6	2	10	8	35	75	107	99
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	280	3	7	11	56	53	32	23	25	24	31	15	148	2	9	7	23	7	7	10	12	20	23	28
White	276	3	7	11	55	52	32	21	25	24	31	15	148	2	9	7	23	7	7	10	12	20	23	28
All other	4	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	129	1	3	2	44	31	23	6	10	4	4	1	62	–	4	6	18	7	6	4	4	6	4	3
White	128	1	3	2	44	31	23	5	10	4	4	1	62	–	4	6	18	7	6	4	4	6	4	3
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	151	2	4	9	12	22	9	17	15	20	27	14	86	2	5	1	5	–	1	6	8	14	19	25
White	148	2	4	9	11	21	9	16	15	20	27	14	86	2	5	1	5	–	1	6	8	14	19	25
All other	3	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	118	...	...	2	27	24	19	10	20	8	6	2	30	...	...	–	6	7	4	4	3	3	2	1
White	117	...	...	2	27	23	19	10	20	8	6	2	30	...	...	–	6	7	4	4	3	3	2	1
All other	1	...	...	–	–	1	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	12	–	–	1	4	2	5	–	–	–	–	–	8	–	–	1	–	2	3	1	1	–	–	–
White	12	–	–	1	4	2	5	–	–	–	–	–	8	–	–	1	–	2	3	1	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	8	1	–	–	2	1	–	2	–	–	2	–	3	–	–	–	1	1	–	1	–	–	–	–
White	8	1	–	–	2	1	–	2	–	–	2	–	3	–	–	–	1	1	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MARYLAND																								
All causes	18,022	432	67	108	554	655	722	1,545	3,514	4,731	3,898	1,785	16,076	330	50	77	222	285	443	925	2,225	3,369	4,431	3,716
White	13,826	221	45	65	388	400	431	1,058	2,655	3,794	3,241	1,523	12,810	163	28	43	143	168	254	622	1,642	2,673	3,747	3,325
All other	4,196	211	22	43	168	255	291	489	859	937	657	262	3,266	167	22	34	79	117	189	303	583	696	684	391
Black	4,101	204	20	41	165	248	282	477	846	923	641	252	3,207	165	21	33	75	114	182	294	575	685	679	383
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1
Tuberculosis (010-018)	24	–	–	–	–	–	4	2	8	4	3	3	14	–	–	–	–	–	–	–	1	3	8	2
White	9	–	–	–	–	–	1	1	4	–	1	2	8	–	–	–	–	–	–	–	–	2	4	2
All other	15	–	–	–	–	–	3	1	4	4	2	1	6	–	–	–	–	–	–	–	1	1	4	–
Black	15	–	–	–	–	–	3	1	4	4	2	1	6	–	–	–	–	–	–	–	1	1	4	–
Tuberculosis of respiratory system (010-012)	22	–	–	–	–	–	4	2	7	3	3	3	10	–	–	–	–	–	–	–	1	2	5	2
White	8	–	–	–	–	–	1	1	3	–	1	2	8	–	–	–	–	–	–	–	–	2	4	2
All other	14	–	–	–	–	–	3	1	4	3	2	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	14	–	–	–	–	–	3	1	4	3	2	1	2	–	–	–	–	–	–	–	1	–	1	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	3	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	3	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	3	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	1	–	–	–	–	–	–	–	–	7	3	–	–	3	1	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	5	2	–	–	2	1	–	–	–	–	–	–
All other	1	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	161	5	–	–	–	5	6	7	36	43	42	17	166	2	–	2	2	1	3	3	14	24	68	49
White	105	2	–	–	–	3	3	4	20	37	23	13	118	1	–	2	1	–	–	2	10	15	47	40
All other	56	3	–	–	–	2	3	3	16	6	19	4	48	1	–	–	1	1	3	1	4	9	19	9
Black	55	3	–	–	–	2	3	3	16	6	18	4	46	1	–	–	1	1	3	1	4	8	19	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	7	-	-	-	1	1	2	-	-	2	1	-	6	-	-	-	1	1	-	1	1	1	1	-
White	5	-	-	-	1	1	-	-	-	2	1	-	5	-	-	-	1	1	-	1	1	-	1	-
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 048-054,056-066,071-088, 098-139)	40	-	-	-	-	4	6	4	8	9	7	2	46	4	-	-	-	5	3	7	7	10	7	3
White	26	-	-	-	-	2	2	4	4	6	6	2	33	3	-	-	-	1	2	5	4	9	6	3
All other	14	-	-	-	-	2	4	-	4	3	1	-	13	1	-	-	-	4	1	2	3	1	1	-
Black	14	-	-	-	-	2	4	-	4	3	1	-	13	1	-	-	-	4	1	2	3	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,481	-	6	16	20	57	120	454	1,148	1,407	962	289	3,845	-	3	6	21	56	143	450	893	1,064	841	368
White	3,395	-	5	11	8	38	78	308	848	1,091	779	227	3,074	-	2	3	17	41	95	338	693	855	711	319
All other	1,086	-	1	5	12	19	42	146	300	316	183	62	771	-	1	3	4	15	48	112	200	209	130	49
Black	1,068	-	1	5	12	18	40	144	295	313	181	59	752	-	1	3	3	14	46	107	196	205	130	47
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	126	-	-	-	1	-	5	23	44	29	21	2	62	-	-	-	1	-	1	8	14	18	13	7
White	85	-	-	-	-	-	1	12	26	24	20	1	51	-	-	-	1	-	-	6	10	16	11	7
All other	41	-	-	-	1	-	4	11	18	5	1	1	11	-	-	-	-	-	1	2	4	2	2	-
Black	40	-	-	-	1	-	3	11	18	5	1	1	11	-	-	-	-	-	1	2	4	2	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,128	-	-	-	-	9	28	126	291	342	251	81	971	-	-	-	-	5	15	82	175	283	266	145
White	824	-	-	-	-	7	15	84	193	264	198	63	761	-	-	-	-	3	9	62	129	217	218	123
All other	304	-	-	-	-	2	13	42	98	78	53	18	210	-	-	-	-	2	6	20	46	66	48	22
Black	294	-	-	-	-	1	12	41	95	76	52	17	203	-	-	-	-	2	6	18	44	64	48	21
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,619	-	-	-	1	7	37	186	478	562	292	56	708	-	-	-	-	3	23	91	221	242	101	27
White	1,238	-	-	-	-	3	22	126	359	444	238	46	579	-	-	-	-	3	14	70	170	211	86	25
All other	381	-	-	-	1	4	15	60	119	118	54	10	129	-	-	-	-	-	9	21	51	31	15	2
Black	377	-	-	-	1	4	15	60	117	118	53	9	126	-	-	-	-	-	8	20	51	30	15	2
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	1	-	1	3	-	674	-	-	-	-	10	55	121	175	146	118	49
White	4	-	-	-	-	-	-	1	-	-	3	-	541	-	-	-	-	7	40	88	140	119	105	42
All other	1	-	-	-	-	-	-	-	-	1	-	-	133	-	-	-	-	3	15	33	35	27	13	7
Black	1	-	-	-	-	-	-	-	-	1	-	-	131	-	-	-	-	3	15	32	34	27	13	7
Malignant neoplasms of genital organs (179-187)	441	-	-	-	1	2	1	8	53	138	160	78	441	-	-	-	2	12	15	57	106	135	88	26
White	301	-	-	-	1	1	-	1	37	84	119	58	343	-	-	-	2	8	9	40	87	103	73	21
All other	140	-	-	-	-	1	1	7	16	54	41	20	98	-	-	-	-	4	6	17	19	32	15	5
Black	138	-	-	-	-	1	1	7	16	53	41	19	97	-	-	-	-	4	6	17	19	32	15	4
Malignant neoplasms of urinary organs (188-189)	229	-	1	1	-	-	3	18	59	76	49	22	123	-	-	-	2	1	1	8	18	25	42	26
White	201	-	1	1	-	-	2	16	53	64	43	21	97	-	-	-	1	-	-	8	15	13	37	23
All other	28	-	-	-	-	-	1	2	6	12	6	1	26	-	-	-	1	1	1	-	3	12	5	3
Black	28	-	-	-	-	-	1	2	6	12	6	1	26	-	-	-	1	1	1	-	3	12	5	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	575	-	2	9	7	24	29	57	147	165	101	33	541	-	1	4	8	12	19	54	122	142	128	51
White	453	-	2	6	2	17	24	39	118	133	86	25	443	-	1	2	7	11	15	37	95	118	111	46
All other	122	-	-	3	5	7	5	18	29	32	15	8	98	-	-	2	1	1	4	17	27	24	17	5
Black	121	-	-	3	5	7	5	17	29	32	15	8	94	-	-	2	1	-	4	16	26	23	17	5
Leukemia (204-208)	150	-	2	6	6	5	6	13	30	33	43	6	122	-	2	2	4	9	8	16	19	18	31	13
White	121	-	1	4	2	4	4	11	25	30	36	4	98	-	1	1	2	6	4	15	16	15	26	12
All other	29	-	1	2	4	1	2	2	5	3	7	2	24	-	1	1	2	3	4	1	3	3	5	1
Black	29	-	1	2	4	1	2	2	5	3	7	2	22	-	1	1	1	3	3	1	3	3	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	208	-	1	-	4	10	11	22	46	61	42	11	203	-	-	-	4	4	6	13	43	55	54	24
White	168	-	1	-	3	6	10	18	37	48	36	9	161	-	-	-	4	3	4	12	31	43	44	20
All other	40	-	-	-	1	4	1	4	9	13	6	2	42	-	-	-	-	1	2	1	12	12	10	4
Black	40	-	-	-	1	4	1	4	9	13	6	2	42	-	-	-	-	1	2	1	12	12	10	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	71	-	-	-	2	2	8	9	13	24	8	5	90	-	-	2	2	2	5	8	16	21	22	12
White	61	-	-	-	1	1	6	9	13	19	7	5	69	-	-	1	1	1	3	5	12	19	17	10
All other	10	-	-	-	1	1	2	-	-	5	1	-	21	-	-	1	1	1	2	3	4	2	5	2
Black	10	-	-	-	1	1	2	-	-	5	1	-	21	-	-	1	1	1	2	3	4	2	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	285	1	–	–	2	7	10	30	64	71	76	24	401	–	–	–	–	8	9	12	73	97	128	76
White	208	1	–	–	1	7	7	18	46	53	58	17	298	–	–	–	–	4	9	5	48	73	101	60
All other	77	–	–	–	1	–	3	12	18	18	18	7	103	–	–	–	–	4	–	7	27	24	25	16
Black	76	–	–	–	1	–	3	12	18	17	18	7	103	–	–	–	–	4	–	7	27	24	25	16
Nutritional deficiencies (260-269)	15	–	–	–	–	–	–	–	2	3	6	4	26	–	–	–	–	–	–	–	3	2	6	15
White	12	–	–	–	–	–	–	–	1	2	5	4	21	–	–	–	–	–	–	–	3	1	5	12
All other	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	–	–	–	1	1	3
Black	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	–	–	–	1	1	3
Anemias (280-285)	18	1	–	2	1	1	1	–	1	6	3	2	46	1	–	–	–	–	2	1	5	9	13	15
White	13	1	–	–	–	–	1	–	1	6	2	2	40	1	–	–	–	–	1	–	5	7	12	14
All other	5	–	–	2	1	1	–	–	–	–	1	–	6	–	–	–	–	–	1	1	–	2	1	1
Black	5	–	–	2	1	1	–	–	–	–	1	–	6	–	–	–	–	–	1	1	–	2	1	1
Meningitis (320-322)	13	3	1	–	1	–	1	2	1	4	–	–	15	4	2	–	–	2	–	1	1	2	3	–
White	6	–	–	–	–	–	1	–	1	4	–	–	10	1	2	–	–	–	–	1	1	2	3	–
All other	7	3	1	–	1	–	–	2	–	–	–	–	5	3	–	–	–	2	–	–	–	–	–	–
Black	6	3	1	–	1	–	–	1	–	–	–	–	5	3	–	–	–	2	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	7,795	8	4	3	11	48	175	612	1,571	2,297	2,010	1,050	7,863	5	4	3	13	40	86	236	787	1,571	2,613	2,505
White	6,345	5	3	2	5	31	109	435	1,226	1,895	1,719	911	6,484	1	3	3	5	22	41	139	545	1,238	2,221	2,266
All other	1,450	3	1	1	6	17	66	177	345	402	291	139	1,379	4	1	–	8	18	45	97	242	333	392	239
Black	1,413	3	1	1	6	16	62	174	340	393	282	133	1,359	4	1	–	8	18	44	95	236	328	388	235
Diseases of heart (390-398,402,404-429)	6,508	6	4	2	9	38	152	550	1,379	1,927	1,618	816	6,077	5	4	2	8	23	58	187	622	1,253	2,025	1,892
White	5,340	4	3	1	3	25	97	402	1,081	1,620	1,389	711	5,050	1	3	2	2	13	30	115	440	998	1,737	1,709
All other	1,166	2	1	1	6	13	55	148	298	307	229	105	1,027	4	1	–	6	10	28	72	182	255	288	183
Black	1,136	2	1	1	6	12	51	147	296	299	221	99	1,014	4	1	–	6	10	26	71	180	251	285	180
Rheumatic fever and rheumatic heart disease (390-398)	44	–	–	–	1	2	1	3	11	14	9	3	79	–	–	–	–	2	2	7	14	22	23	9
White	36	–	–	–	–	1	1	3	8	13	7	3	68	–	–	–	–	–	2	4	13	18	22	9
All other	8	–	–	–	1	1	–	–	3	1	2	–	11	–	–	–	–	2	–	3	1	4	1	–
Black	8	–	–	–	1	1	–	–	3	1	2	–	10	–	–	–	–	2	–	2	1	4	1	–
Hypertensive heart disease (402)	253	–	–	–	–	–	16	38	73	61	48	19	314	–	–	–	1	1	3	19	34	84	96	76
White	137	–	–	–	–	–	3	12	38	34	37	13	219	–	–	–	–	–	1	9	15	57	71	66
All other	116	–	–	–	–	–	13	24	35	27	11	6	95	–	–	–	1	1	2	10	19	27	25	10
Black	114	–	–	–	–	–	13	24	35	26	11	5	95	–	–	–	1	1	2	10	19	27	25	10
Hypertensive heart and renal disease (404)	19	–	–	–	–	–	–	1	2	6	6	4	41	–	–	–	–	–	1	2	3	9	18	8
White	12	–	–	–	–	–	–	–	1	5	4	2	29	–	–	–	–	–	–	1	1	8	12	7
All other	7	–	–	–	–	–	–	1	1	1	2	2	12	–	–	–	–	–	1	1	2	1	6	1
Black	7	–	–	–	–	–	–	1	1	1	2	2	12	–	–	–	–	–	1	1	2	1	6	1
Ischemic heart disease (410-414)	3,744	–	–	–	–	11	64	303	813	1,188	946	418	3,144	–	–	–	–	3	17	86	340	717	1,117	864
White	3,303	–	–	–	–	8	49	258	693	1,063	850	381	2,739	–	–	–	–	3	12	58	264	605	1,000	797
All other	441	–	–	–	–	3	15	45	120	125	96	37	405	–	–	–	–	–	5	28	76	112	117	67
Black	424	–	–	–	–	2	13	45	119	121	90	34	400	–	–	–	–	–	5	28	75	111	116	65
Acute myocardial infarction (410)	2,452	–	–	–	–	10	46	213	587	791	592	212	1,841	–	–	–	–	2	15	59	241	495	663	366
White	2,168	–	–	–	–	7	37	184	500	710	536	193	1,586	–	–	–	–	2	10	42	189	414	589	340
All other	284	–	–	–	–	3	9	29	87	81	56	19	255	–	–	–	–	–	5	17	52	81	74	26
Black	272	–	–	–	–	2	8	29	86	77	53	17	251	–	–	–	–	–	5	17	51	80	73	25
Other acute and subacute forms of ischemic heart disease (411)	24	–	–	–	–	–	1	1	4	8	7	3	27	–	–	–	–	–	–	1	3	6	9	8
White	21	–	–	–	–	–	1	1	3	8	6	2	23	–	–	–	–	–	–	1	3	6	8	5
All other	3	–	–	–	–	–	–	–	1	–	1	1	4	–	–	–	–	–	–	–	–	–	1	3
Black	3	–	–	–	–	–	–	–	1	–	1	1	4	–	–	–	–	–	–	–	–	–	1	3
Angina pectoris (413)	9	–	–	–	–	–	1	–	3	4	1	–	11	–	–	–	–	–	–	1	4	1	4	1
White	8	–	–	–	–	–	1	–	3	3	1	–	7	–	–	–	–	–	–	1	2	–	3	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	2	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	2	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,259	–	–	–	–	1	16	89	219	385	346	203	1,265	–	–	–	–	1	2	25	92	215	441	489
White	1,106	–	–	–	–	1	10	73	187	342	307	186	1,123	–	–	–	–	1	2	14	70	185	400	451
All other	153	–	–	–	–	–	6	16	32	43	39	17	142	–	–	–	–	–	–	11	22	30	41	38
Black	148	–	–	–	–	–	5	16	32	43	36	16	141	–	–	–	–	–	–	11	22	30	41	37
Other diseases of endocardium (424)	62	–	–	–	–	3	1	4	13	19	16	6	57	–	–	–	–	–	–	1	5	14	25	12
White	54	–	–	–	–	3	1	4	11	16	15	4	45	–	–	–	–	–	–	1	3	11	18	12
All other	8	–	–	–	–	–	–	–	2	3	1	2	12	–	–	–	–	–	–	–	2	3	7	–
Black	8	–	–	–	–	–	–	–	2	3	1	2	11	–	–	–	–	–	–	–	1	3	7	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,384	6	4	2	8	22	70	203	467	639	593	366	2,442	5	4	2	7	17	33	72	226	407	746	923
White	1,798	4	3	1	3	13	43	125	330	489	476	308	1,950	1	3	2	2	10	15	42	144	299	614	818
All other	586	2	1	1	5	9	27	78	137	150	117	58	492	4	1	–	5	7	18	30	82	108	132	105
Black	575	2	1	1	5	9	25	77	136	147	115	56	486	4	1	–	5	7	18	30	82	105	130	104
Hypertension with or without renal disease (401,403)	51	–	–	–	–	3	1	3	11	12	13	8	72	–	–	–	–	–	1	4	15	13	25	14
White	29	–	–	–	–	1	1	1	8	6	7	5	45	–	–	–	–	–	–	2	6	6	18	13
All other	22	–	–	–	–	2	–	2	3	6	6	3	27	–	–	–	–	–	1	2	9	7	7	1
Black	22	–	–	–	–	2	–	2	3	6	6	3	27	–	–	–	–	–	1	2	9	7	7	1
Cerebrovascular diseases (430-438)	887	2	–	–	1	6	19	48	126	244	281	159	1,365	–	–	1	5	17	28	39	129	247	457	442
White	678	1	–	–	1	4	10	26	90	172	238	136	1,089	–	–	1	3	9	10	19	85	190	373	399
All other	209	1	–	–	–	2	9	22	36	72	43	23	276	–	–	–	2	8	18	20	44	57	84	43
Black	205	1	–	–	–	2	9	20	34	72	43	23	271	–	–	–	2	8	17	19	43	56	84	42
Intracerebral and other intracranial hemorrhage (431-432)	148	2	–	–	1	2	9	24	39	36	31	4	178	–	–	1	2	6	9	14	42	43	41	20
White	90	1	–	–	1	1	2	10	25	22	25	3	135	–	–	1	1	3	4	7	28	36	36	19
All other	58	1	–	–	–	1	7	14	14	14	6	1	43	–	–	–	1	3	5	7	14	7	5	1
Black	54	1	–	–	–	1	7	12	12	14	6	1	43	–	–	–	1	3	5	7	14	7	5	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	112	–	–	–	–	–	1	4	15	24	31	37	209	–	–	–	–	1	–	3	10	37	73	85
White	99	–	–	–	–	–	1	1	14	19	30	34	182	–	–	–	–	1	–	2	6	30	64	79
All other	13	–	–	–	–	–	–	3	1	5	1	3	27	–	–	–	–	–	–	1	4	7	9	6
Black	13	–	–	–	–	–	–	3	1	5	1	3	27	–	–	–	–	–	–	1	4	7	9	6
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	2	1
White	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	627	–	–	–	–	4	9	20	72	184	219	118	973	–	–	–	3	10	19	22	77	165	341	336
White	489	–	–	–	–	3	7	15	51	131	183	99	767	–	–	–	2	5	6	10	51	122	271	300
All other	138	–	–	–	–	1	2	5	21	53	36	19	206	–	–	–	1	5	13	12	26	43	70	36
Black	138	–	–	–	–	1	2	5	21	53	36	19	201	–	–	–	1	5	12	11	25	42	70	35
Atherosclerosis (440)	144	–	–	–	–	–	–	2	13	27	48	54	208	–	–	–	–	–	–	–	6	18	60	124
White	123	–	–	–	–	–	–	2	12	22	39	48	185	–	–	–	–	–	–	–	4	16	50	115
All other	21	–	–	–	–	–	–	–	1	5	9	6	23	–	–	–	–	–	–	–	2	2	10	9
Black	19	–	–	–	–	–	–	–	1	4	8	6	22	–	–	–	–	–	–	–	2	2	9	9
Other diseases of arteries, arterioles, and capillaries (441-448)	207	–	–	1	1	1	3	9	42	87	50	13	141	–	–	–	–	–	1	6	15	40	46	33
White	175	–	–	1	1	1	1	4	35	75	46	11	116	–	–	–	–	–	1	3	10	28	43	30
All other	32	–	–	–	–	–	2	5	7	12	4	2	26	–	–	–	–	–	–	3	5	12	3	3
Black	31	–	–	–	–	–	2	5	6	12	4	2	25	–	–	–	–	–	–	3	4	12	3	3
Acute bronchitis and bronchiolitis (466)	3	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–	–	1	–	–	2
White	3	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–	–	1	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	344	1	3	1	2	7	5	17	46	76	114	72	331	3	1	2	2	3	7	8	17	37	98	153
White	264	–	1	1	2	1	2	6	28	57	97	69	276	1	–	1	1	–	3	2	13	28	90	139
All other	80	1	2	–	–	6	3	11	18	19	17	3	55	2	1	1	1	3	4	6	4	11	8	14
Black	78	1	1	–	–	6	3	11	18	19	16	3	54	1	1	1	1	3	4	6	4	11	8	14
Pneumonia (480-486)	344	1	3	1	2	7	5	17	46	76	114	72	330	3	1	2	2	3	7	8	17	37	98	152
White	264	–	1	1	2	1	2	6	28	57	97	69	275	1	–	1	1	–	3	2	13	28	90	138
All other	80	1	2	–	–	6	3	11	18	19	17	3	55	2	1	1	1	3	4	6	4	11	8	14
Black	78	1	1	–	–	6	3	11	18	19	16	3	54	1	1	1	1	3	4	6	4	11	8	14
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	635	1	1	5	2	5	1	21	101	215	218	65	366	–	–	1	2	4	4	16	72	130	101	36
White	549	1	–	2	–	1	–	15	86	191	195	58	326	–	–	–	1	1	2	12	63	115	97	35
All other	86	–	1	3	2	4	1	6	15	24	23	7	40	–	–	1	1	3	2	4	9	15	4	1
Black	85	–	1	3	2	4	1	5	15	24	23	7	39	–	–	1	1	3	2	4	9	15	3	1
Bronchitis, chronic and unspecified (490-491)	19	–	–	–	–	–	–	2	–	7	8	2	26	–	–	–	–	–	–	–	2	12	7	5
White	16	–	–	–	–	–	–	2	–	6	6	2	25	–	–	–	–	–	–	–	2	12	7	4
All other	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Emphysema (492)	129	–	–	–	–	–	–	4	21	46	46	12	59	–	–	–	–	–	–	1	11	18	24	5
White	114	–	–	–	–	–	–	3	17	41	41	12	57	–	–	–	–	–	–	1	11	17	23	5
All other	15	–	–	–	–	–	–	1	4	5	5	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	15	–	–	–	–	–	–	1	4	5	5	–	2	–	–	–	–	–	–	–	–	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	22	1	1	5	1	3	–	2	4	5	–	–	24	–	–	1	2	4	3	2	4	5	3	–
White	8	1	–	2	–	–	–	–	2	3	–	–	11	–	–	–	1	1	1	1	2	3	2	–
All other	14	–	1	3	1	3	–	2	2	2	–	–	13	–	–	1	1	3	2	1	2	2	1	–
Black	13	–	1	3	1	3	–	1	2	2	–	–	13	–	–	1	1	3	2	1	2	2	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	485	–	–	–	1	2	1	13	76	157	164	51	257	–	–	–	–	–	1	13	55	95	67	26
White	411	–	–	–	–	1	–	10	67	141	148	44	233	–	–	–	–	–	1	10	48	83	65	26
All other	54	–	–	–	1	1	1	3	9	16	16	7	24	–	–	–	–	–	–	3	7	12	2	–
Black	54	–	–	–	1	1	1	3	9	16	16	7	23	–	–	–	–	–	–	3	7	12	1	–
Ulcer of stomach and duodenum (531-533)	46	–	–	–	–	1	1	3	10	13	10	8	54	–	–	–	–	1	1	1	5	14	15	17
White	38	–	–	–	–	1	–	3	9	12	6	7	46	–	–	–	–	–	1	1	5	10	12	17
All other	8	–	–	–	–	–	1	–	1	1	4	1	8	–	–	–	–	1	–	–	–	4	3	–
Black	8	–	–	–	–	–	1	–	1	1	4	1	8	–	–	–	–	1	–	–	–	4	3	–
Appendicitis (540-543)	5	–	–	–	–	–	1	–	1	1	–	2	6	–	–	–	–	1	–	–	1	1	1	2
White	4	–	–	–	–	–	–	–	1	1	–	2	4	–	–	–	–	–	–	–	1	1	–	2
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	1	–	–	–	–	–	3	5	16	9	7	49	–	1	–	–	–	–	2	4	8	15	19
White	26	–	–	–	–	–	–	2	4	9	5	6	43	–	1	–	–	–	–	1	3	6	14	18
All other	15	1	–	–	–	–	–	1	1	7	4	1	6	–	–	–	–	–	–	1	1	2	1	1
Black	15	1	–	–	–	–	–	1	1	7	4	1	6	–	–	–	–	–	–	1	1	2	1	1
Chronic liver disease and cirrhosis (571)	257	–	–	–	–	12	21	64	91	45	21	3	154	–	–	–	–	5	13	27	50	34	20	5
White	194	–	–	–	–	6	12	45	71	41	16	3	109	–	–	–	–	3	6	14	36	28	17	5
All other	63	–	–	–	–	6	9	19	20	4	5	–	45	–	–	–	–	2	7	13	14	6	3	–
Black	59	–	–	–	–	6	9	18	18	4	4	–	44	–	–	–	–	2	7	13	14	5	3	–
Cholelithiasis and other disorders of gallbladder (574-575)	12	–	–	–	–	–	–	2	–	1	8	1	32	–	–	–	–	–	2	–	–	8	8	14
White	9	–	–	–	–	–	–	1	–	1	6	1	27	–	–	–	–	–	1	–	–	7	7	12
All other	3	–	–	–	–	–	–	1	–	–	2	–	5	–	–	–	–	–	1	–	–	1	1	2
Black	3	–	–	–	–	–	–	1	–	–	2	–	5	–	–	–	–	–	1	–	–	1	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	205	2	–	–	1	2	7	15	29	52	49	48	177	4	–	–	–	1	5	8	29	26	59	45
White	142	2	–	–	–	1	5	7	20	31	40	36	113	1	–	–	–	–	2	3	16	20	36	35
All other	63	–	–	–	1	1	2	8	9	21	9	12	64	3	–	–	–	1	3	5	13	6	23	10
Black	63	–	–	–	1	1	2	8	9	21	9	12	63	3	–	–	–	1	2	5	13	6	23	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	2	1	–	–	5	–	–	–	–	–	–	–	1	1	2	1
White	2	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	–	–	–	–	–	1	3	–	4	2	5	12	–	–	–	–	–	1	–	1	2	5	3
White	12	–	–	–	–	–	1	2	–	3	2	4	8	–	–	–	–	–	1	–	1	2	2	2
All other	3	–	–	–	–	–	–	1	–	1	–	1	4	–	–	–	–	–	–	–	–	–	3	1
Black	3	–	–	–	–	–	–	1	–	1	–	1	4	–	–	–	–	–	–	–	–	–	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	187	2	–	–	1	2	6	12	27	47	47	43	160	4	–	–	–	1	4	8	27	23	52	41
White	128	2	–	–	–	1	4	5	18	28	38	32	102	1	–	–	–	–	1	3	15	17	33	32
All other	59	–	–	–	1	1	2	7	9	19	9	11	58	3	–	–	–	1	3	5	12	6	19	9
Black	59	–	–	–	1	1	2	7	9	19	9	11	57	3	–	–	–	1	2	5	12	6	19	9
Infections of kidney (590)	12	–	–	–	–	–	–	–	2	3	4	3	16	–	–	–	–	–	–	1	1	2	7	5
White	5	–	–	–	–	–	–	–	1	1	2	1	14	–	–	–	–	–	–	1	–	1	7	5
All other	7	–	–	–	–	–	–	–	1	2	2	2	2	–	–	–	–	–	–	–	1	1	–	–
Black	7	–	–	–	–	–	–	–	1	2	2	2	2	–	–	–	–	–	–	–	1	1	–	–
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	2	3	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	11	–	–	–	–	–	–	–	2	2	4	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	–	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	–	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	108	74	7	2	2	3	3	5	3	7	2	-	107	66	9	5	3	1	7	4	3	3	4	1
White	81	51	6	2	2	3	3	4	3	5	2	-	79	44	6	3	3	1	6	4	3	3	4	1
All other	27	23	1	-	-	-	-	1	-	2	-	-	28	22	3	2	-	-	1	-	-	-	-	-
Black	23	20	-	-	-	-	-	1	-	2	-	-	28	22	3	2	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	241	239	2	-	-	-	-	-	-	-	-	-	177	177	-	-	-	-	-	-	-	-	-	-
White	112	110	2	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
All other	129	129	-	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
Black	128	128	-	-	-	-	-	-	-	-	-	-	101	101	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	68	67	1	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	40	39	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	28	28	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	173	172	1	-	-	-	-	-	-	-	-	-	143	143	-	-	-	-	-	-	-	-	-	-
White	72	71	1	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
All other	101	101	-	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Black	101	101	-	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	402	69	7	8	42	105	64	34	31	21	17	3	225	37	8	2	23	31	33	24	16	18	13	19
White	223	34	5	3	24	60	30	21	20	13	9	3	142	20	4	1	10	17	20	14	13	16	10	16
All other	179	35	2	5	18	45	34	13	11	8	8	-	83	17	4	1	13	14	13	10	3	2	3	3
Black	173	33	2	5	16	44	34	13	11	8	7	-	81	17	4	1	13	14	13	8	3	2	3	3
All other diseases (Residual)	1,069	14	6	11	23	30	66	97	195	266	226	135	1,154	10	11	5	20	30	50	57	147	229	302	292
White	795	7	5	7	17	11	39	63	137	207	183	119	893	6	6	5	12	14	22	33	107	175	256	257
All other	274	7	1	4	6	19	27	34	58	59	43	16	261	4	5	-	8	16	28	24	40	54	46	35
Black	271	6	1	3	6	19	27	34	58	59	43	15	258	4	4	-	7	16	28	24	40	54	46	34
Accidents and adverse effects (E800-E949)	1,019	8	26	47	263	191	118	83	91	87	73	32	485	7	9	43	81	45	39	38	48	45	74	58
White	768	3	17	32	226	151	80	53	66	60	54	26	381	4	4	23	65	34	23	24	34	35	62	53
All other	251	5	9	15	37	40	38	30	25	27	19	6	124	3	5	20	16	11	16	12	14	10	12	5
Black	244	5	9	14	36	38	38	28	25	27	18	6	120	3	5	20	15	10	14	12	14	10	12	5
Motor vehicle accidents (E810-E825)	478	-	7	16	185	109	61	32	36	19	11	2	213	1	2	20	67	30	21	18	21	18	14	1
White	388	-	5	12	162	88	47	16	33	15	9	1	178	1	1	15	57	27	16	15	18	14	13	1
All other	90	-	2	4	23	21	14	16	3	4	2	1	35	-	1	5	10	3	5	3	3	4	1	-
Black	85	-	2	4	23	19	14	14	3	4	1	1	33	-	1	5	9	2	5	3	3	4	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	541	8	19	31	78	82	57	51	55	68	62	30	272	6	7	23	14	15	18	18	27	27	60	57
White	380	3	12	20	64	63	33	37	33	45	45	25	183	3	3	8	8	7	7	9	16	21	49	52
All other	161	5	7	11	14	19	24	14	22	23	17	5	89	3	4	15	6	8	11	9	11	6	11	5
Black	159	5	7	10	13	19	24	14	22	23	17	5	87	3	4	15	6	8	9	9	11	6	11	5
Suicide (E950-E959)	341	...	...	6	83	61	45	44	38	43	16	4	89	...	...	2	13	24	14	10	16	7	3	-
White	296	...	...	5	71	50	35	41	34	39	16	4	75	...	...	1	11	19	10	9	16	6	3	-
All other	45	...	...	1	12	11	10	3	4	4	-	-	14	...	...	1	2	5	4	1	-	1	-	-
Black	41	...	...	1	12	9	10	2	4	3	-	-	12	...	...	1	2	4	3	1	-	1	-	-
Homicide and legal intervention (E960-E978)	311	3	4	5	90	100	52	32	15	6	4	-	106	2	2	3	34	19	17	9	12	1	5	2
White	95	2	1	-	22	27	15	13	8	4	3	-	50	2	-	-	13	6	7	6	9	1	4	2
All other	216	1	3	5	68	73	37	19	7	2	1	-	56	-	2	3	21	13	10	3	3	-	1	-
Black	214	1	3	5	68	73	36	19	6	2	1	-	55	-	2	2	21	13	10	3	3	-	1	-
All other external causes (E980-E999)	42	-	-	1	8	13	5	5	2	5	2	-	11	1	-	1	1	3	-	3	2	-	-	-
White	24	-	-	-	6	5	2	3	1	5	1	-	6	-	-	-	-	2	-	2	2	-	-	-
All other	18	-	-	1	2	8	3	2	1	-	1	-	5	1	-	1	1	1	-	1	-	-	-	-
Black	16	-	-	1	2	8	2	1	1	-	1	-	5	1	-	1	1	1	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	26,447	441	55	87	576	642	714	1,821	4,482	7,151	6,679	3,792	26,499	325	58	67	176	267	405	1,095	2,758	5,235	8,013	8,097
White	25,581	370	51	76	529	575	664	1,720	4,307	6,991	6,571	3,700	25,752	289	52	56	165	245	365	1,022	2,658	5,069	7,844	7,985
All other	886	71	4	11	47	67	50	101	175	160	108	92	747	36	6	11	11	22	40	73	100	166	169	112
Black	782	68	4	10	38	62	44	95	151	140	91	79	689	34	6	7	11	20	38	70	88	154	154	100
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	-	2	-	1	1	7	2	9	-	-	-	-	-	-	-	-	4	2	3
White	9	-	-	-	-	-	2	-	-	-	6	1	9	-	-	-	-	-	-	-	-	4	2	3
All other	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	2	-	-	-	5	1	7	-	-	-	-	-	-	-	-	3	2	2
White	8	-	-	-	-	-	2	-	-	-	5	1	7	-	-	-	-	-	-	-	-	3	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	5	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	1	2	1	1
White	1	-	-	-	1	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	180	3	-	1	-	1	2	10	27	51	52	33	243	2	1	-	-	3	3	10	17	51	76	76
White	168	1	-	1	-	1	2	9	25	49	49	31	231	1	1	-	-	3	2	10	17	47	73	77
All other	12	2	-	-	-	-	-	1	2	2	3	2	12	1	-	-	-	-	1	-	-	4	5	1
Black	12	2	-	-	-	-	-	1	2	2	3	2	11	1	-	-	-	-	1	-	-	3	5	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	1	-	1	-	2	2	-	9	-	-	-	1	-	-	2	-	1	2	3
White	6	-	-	-	-	1	-	1	-	2	2	-	9	-	-	-	1	-	-	2	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-086, 088-139)	46	1	-	2	-	2	2	4	8	17	9	1	47	1	3	2	-	5	-	3	3	13	9	8
White	44	1	-	2	-	-	2	4	8	17	9	1	45	1	3	2	-	5	-	2	3	13	9	7
All other	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,387	-	8	14	33	62	119	516	1,372	2,079	1,595	588	6,203	1	7	10	31	70	157	518	1,280	1,680	1,827	822
White	6,184	-	8	14	30	58	110	485	1,311	2,032	1,567	568	6,045	1	7	9	30	67	146	498	1,244	1,636	1,795	812
All other	203	-	-	-	3	4	9	31	61	47	28	20	158	-	-	1	1	3	11	20	36	44	32	10
Black	173	-	-	-	1	3	7	29	51	39	25	18	141	-	-	-	1	2	11	19	31	41	26	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	184	–	–	–	–	1	4	18	60	51	39	11	72	–	–	–	–	1	–	10	15	20	16	10
White	172	–	–	–	–	1	4	15	57	47	38	10	70	–	–	–	–	1	–	9	14	20	16	10
All other	12	–	–	–	–	–	–	3	3	4	1	1	2	–	–	–	–	–	–	1	1	–	–	–
Black	11	–	–	–	–	–	–	3	3	4	–	1	2	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,863	–	1	–	–	10	29	150	401	625	462	185	1,780	–	–	–	–	5	14	83	273	511	572	322
White	1,797	–	1	–	–	9	24	141	390	612	453	177	1,733	–	–	–	–	5	14	77	263	494	563	317
All other	66	–	–	–	–	1	5	9	21	13	9	8	47	–	–	–	–	–	–	6	10	17	9	5
Black	57	–	–	–	–	1	4	9	17	9	9	8	41	–	–	–	–	–	–	5	7	17	7	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,070	–	–	–	2	3	27	204	508	729	492	104	968	–	–	–	–	2	21	103	277	308	205	52
White	2,006	–	–	–	2	3	25	194	480	712	488	101	947	–	–	–	–	2	19	101	268	303	202	52
All other	64	–	–	–	–	–	2	10	28	17	4	3	21	–	–	–	–	–	2	2	9	5	3	–
Black	59	–	–	–	–	–	2	10	25	16	3	3	18	–	–	–	–	–	2	2	8	4	2	–
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	1	–	1	1	1,218	–	–	–	1	14	52	152	325	314	240	120
White	3	–	–	–	–	–	–	–	1	–	1	1	1,185	–	–	–	–	13	49	146	316	308	235	118
All other	–	–	–	–	–	–	–	–	–	–	–	–	33	–	–	–	1	1	3	6	9	6	5	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	33	–	–	–	1	1	3	6	9	6	5	2
Malignant neoplasms of genital organs (179-187)	615	–	–	–	–	6	1	8	56	187	229	128	632	–	–	–	4	11	29	57	151	157	154	69
White	593	–	–	–	–	5	1	6	55	180	223	123	617	–	–	–	4	11	29	55	148	152	151	67
All other	22	–	–	–	–	1	–	2	1	7	6	5	15	–	–	–	–	–	–	2	3	5	3	2
Black	17	–	–	–	–	–	–	1	–	5	6	5	13	–	–	–	–	–	–	2	2	5	2	2
Malignant neoplasms of urinary organs (188-189)	382	–	–	–	1	3	6	24	66	105	108	49	212	–	–	–	–	–	3	17	25	65	58	44
White	355	–	–	–	–	2	6	22	65	105	107	48	206	–	–	–	–	–	2	17	25	63	55	44
All other	7	–	–	–	1	1	–	2	1	–	1	1	6	–	–	–	–	–	1	–	–	2	3	–
Black	4	–	–	–	–	1	–	2	–	–	1	–	5	–	–	–	–	–	1	–	–	1	3	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	776	–	2	3	16	19	34	75	181	238	141	67	832	1	5	5	14	18	30	62	141	199	232	125
White	755	–	2	3	15	19	33	71	176	235	135	66	808	1	5	4	14	16	28	59	139	193	226	125
All other	21	–	–	–	1	–	1	4	5	3	6	1	24	–	–	1	–	2	2	3	2	6	6	–
Black	16	–	–	–	–	–	1	3	4	2	5	1	20	–	–	–	–	1	4	3	2	6	4	–
Leukemia (204-208)	234	–	5	8	11	7	8	9	34	64	61	27	193	–	2	3	8	10	6	9	18	39	63	35
White	232	–	5	8	11	7	8	9	33	63	61	27	189	–	2	3	8	10	5	9	18	37	62	35
All other	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	1	–	–	2	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	280	–	–	3	3	13	10	28	65	80	62	16	296	–	–	2	4	9	2	25	55	67	87	45
White	271	–	–	3	2	12	9	27	64	78	61	15	290	–	–	2	4	9	2	25	53	66	85	44
All other	9	–	–	–	1	1	1	1	1	2	1	1	6	–	–	–	–	–	–	–	2	1	2	1
Black	7	–	–	–	1	1	–	1	1	2	1	–	6	–	–	–	–	–	–	–	2	1	2	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	86	–	–	–	2	–	–	10	19	27	16	12	118	1	–	–	–	2	3	6	14	32	33	27
White	84	–	–	–	2	–	–	9	18	27	16	12	114	1	–	–	–	2	2	5	13	31	33	27
All other	2	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	–	1	1	1	1	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	–	1	1	1	1	–	–
Diabetes mellitus (250)	359	–	–	–	–	2	6	29	51	131	106	34	561	–	1	–	1	3	9	20	73	130	187	137
White	350	–	–	–	–	2	5	25	51	131	104	32	529	–	1	–	1	3	9	18	64	121	178	134
All other	9	–	–	–	–	–	1	4	–	–	2	2	32	–	–	–	–	–	–	2	9	9	9	3
Black	8	–	–	–	–	–	1	4	–	–	1	2	31	–	–	–	–	–	–	2	9	9	6	3
Nutritional deficiencies (260-269)	25	–	–	–	–	–	–	–	3	4	11	7	34	–	–	–	–	–	1	–	1	3	11	18
White	25	–	–	–	–	–	–	–	3	4	11	7	34	–	–	–	–	–	1	–	1	3	11	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	23	–	–	–	–	–	–	–	3	3	8	9	43	–	2	1	1	1	–	1	2	6	14	15
White	23	–	–	–	–	–	–	–	3	3	8	9	41	–	1	1	1	–	–	1	2	6	14	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Meningitis (320-322)	14	1	–	–	–	1	4	–	2	4	–	2	16	–	2	–	–	–	–	–	4	3	2	5
White	11	1	–	–	–	–	4	–	–	4	–	2	16	–	2	–	–	–	–	–	4	3	2	5
All other	3	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	12,678	10	4	5	29	70	244	818	2,158	3,600	3,535	2,204	13,808	4	4	8	7	23	75	276	895	2,429	4,589	5,497
White	12,369	9	3	4	26	58	231	786	2,084	3,522	3,485	2,160	13,490	4	3	8	7	21	68	249	858	2,350	4,493	5,426
All other	309	1	1	1	3	12	13	32	74	78	50	44	318	–	1	–	–	2	7	27	37	79	96	69
Black	265	1	1	1	3	10	11	29	63	67	41	38	292	–	1	–	–	2	6	26	33	73	91	60

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,644	9	4	2	26	59	215	759	1,967	3,078	2,826	1,698	10,549	4	3	5	5	16	54	204	746	1,995	3,502	4,014
White	10,383	8	3	2	23	49	203	728	1,906	3,012	2,786	1,662	10,321	4	3	5	5	15	49	187	719	1,928	3,437	3,968
All other	261	1	1	-	3	10	12	31	61	66	40	36	228	-	-	-	-	1	5	17	27	67	65	46
Black	225	1	1	-	3	8	10	28	52	57	34	31	212	-	-	-	-	1	4	17	23	62	63	42
Rheumatic fever and rheumatic heart disease (390-398)	47	-	-	-	-	2	2	4	11	14	8	6	167	-	-	-	1	2	3	9	29	48	47	28
White	45	-	-	-	-	2	2	4	10	14	7	6	162	-	-	-	1	2	3	9	28	48	45	28
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Hypertensive heart disease (402)	133	-	-	-	-	-	5	10	26	39	32	21	223	-	-	-	-	-	-	6	9	55	75	78
White	124	-	-	-	-	-	5	8	21	37	32	21	213	-	-	-	-	-	-	4	9	50	74	76
All other	9	-	-	-	-	-	-	2	5	2	-	-	10	-	-	-	-	-	-	2	-	5	1	2
Black	8	-	-	-	-	-	-	2	5	1	-	-	10	-	-	-	-	-	-	2	-	5	1	2
Hypertensive heart and renal disease (404)	20	-	-	-	-	-	-	-	1	5	6	8	31	-	-	-	-	-	-	-	-	6	9	16
White	20	-	-	-	-	-	-	-	1	5	6	8	31	-	-	-	-	-	-	-	-	6	9	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	8,885	-	-	-	4	27	165	675	1,693	2,598	2,348	1,374	8,252	-	-	-	-	4	37	146	590	1,572	2,785	3,117
White	8,701	-	-	-	4	25	157	652	1,651	2,548	2,321	1,342	8,088	-	-	-	-	3	34	133	569	1,530	2,734	3,084
All other	184	-	-	-	-	2	8	23	42	50	27	32	164	-	-	-	-	1	3	13	21	42	51	33
Black	156	-	-	-	-	2	6	20	34	43	23	28	152	-	-	-	-	1	3	13	19	38	49	29
Acute myocardial infarction (410)	5,046	-	-	-	2	15	105	482	1,071	1,561	1,265	545	3,937	-	-	-	-	2	25	99	391	946	1,454	1,020
White	4,933	-	-	-	2	14	102	466	1,045	1,531	1,245	528	3,839	-	-	-	-	2	24	89	376	915	1,426	1,005
All other	113	-	-	-	-	1	3	16	26	30	20	17	98	-	-	-	-	-	1	10	15	31	26	15
Black	94	-	-	-	-	1	3	14	20	24	17	15	90	-	-	-	-	-	1	10	13	28	25	13
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	-	1	1	1	4	3	7	-	-	-	-	-	-	1	-	2	1	3
White	9	-	-	-	-	-	-	1	1	1	4	2	7	-	-	-	-	-	-	1	-	2	1	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	-	-	3	7	-	-	-	-	-	-	-	1	-	5	1
White	4	-	-	-	-	-	-	-	1	-	-	3	7	-	-	-	-	-	-	-	1	-	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,825	-	-	-	2	12	60	192	620	1,036	1,079	823	4,301	-	-	-	-	2	12	46	198	624	1,325	2,093
White	3,755	-	-	-	2	11	55	185	604	1,016	1,072	809	4,235	-	-	-	-	1	10	43	192	613	1,300	2,075
All other	70	-	-	-	-	1	5	7	16	20	7	14	66	-	-	-	-	1	2	3	6	11	25	18
Black	61	-	-	-	-	1	3	6	14	19	6	12	62	-	-	-	-	1	2	3	6	10	24	16
Other diseases of endocardium (424)	79	-	-	-	-	2	1	8	11	17	31	9	132	1	-	-	-	-	1	4	7	23	47	49
White	77	-	-	-	-	2	1	8	10	16	31	9	131	1	-	-	-	-	1	4	7	23	46	49
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	1,480	9	4	2	22	28	42	62	225	405	401	280	1,744	3	3	5	4	10	13	39	111	291	539	726
White	1,416	8	3	2	19	20	38	56	213	392	389	276	1,696	3	3	5	4	10	11	37	106	273	529	715
All other	64	1	1	-	3	8	4	6	12	13	12	4	48	-	-	-	-	-	2	2	5	18	10	11
Black	57	1	1	-	3	6	4	6	11	12	10	3	45	-	-	-	-	-	1	2	4	17	10	11
Hypertension with or without renal disease (401,403)	62	-	-	-	-	-	1	1	9	20	14	17	100	-	-	-	-	-	1	2	5	12	38	42
White	60	-	-	-	-	-	1	1	8	19	14	17	95	-	-	-	-	-	1	2	4	11	36	41
All other	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	1	2	1
Cerebrovascular diseases (430-438)	1,366	1	-	2	-	11	25	47	128	362	477	323	2,474	-	1	3	1	7	17	60	120	343	840	1,082
White	1,330	1	-	1	-	9	24	46	119	345	469	316	2,405	-	-	3	1	6	15	51	113	334	818	1,064
All other	36	-	-	1	-	2	1	1	9	7	8	7	69	-	1	-	-	1	2	9	7	9	22	18
Black	29	-	-	1	-	2	1	1	7	5	6	6	60	-	1	-	-	1	2	8	7	8	19	14
Intracerebral and other intracranial hemorrhage (431-432)	249	-	-	-	-	5	13	21	38	74	68	30	333	-	-	-	-	1	8	24	33	75	107	85
White	235	-	-	-	-	4	12	21	32	70	67	29	320	-	-	-	-	1	7	21	31	72	103	85
All other	14	-	-	-	-	1	1	-	6	4	1	1	13	-	-	-	-	-	1	3	2	3	4	-
Black	11	-	-	-	-	1	1	-	4	3	1	1	13	-	-	-	-	-	1	3	2	3	4	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	305	-	-	1	-	-	1	8	22	79	117	77	516	-	1	-	-	-	1	3	20	61	182	248
White	300	-	-	1	-	-	1	7	22	77	116	76	503	-	-	-	-	-	-	1	19	59	178	246
All other	5	-	-	-	-	-	-	1	-	2	1	1	13	-	1	-	-	-	1	2	1	2	4	2
Black	4	-	-	-	-	-	-	1	-	1	1	1	10	-	1	-	-	-	1	2	1	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	6	–	–	–	–	–	–	1	1	1	3	–	24	–	–	–	–	–	–	1	1	3	10	9
White	6	–	–	–	–	–	–	1	1	1	3	–	23	–	–	–	–	–	–	1	1	3	10	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	808	1	–	1	–	6	11	17	67	198	289	218	1,801	–	–	3	1	6	8	32	66	204	541	740
White	789	1	–	–	–	5	11	17	64	197	283	211	1,559	–	–	3	1	5	8	28	62	200	527	725
All other	17	–	–	1	–	1	–	–	3	1	6	5	42	–	–	–	–	1	–	4	4	4	14	15
Black	14	–	–	1	–	1	–	–	3	1	4	4	36	–	–	–	–	1	–	3	4	4	12	12
Atherosclerosis (440)	244	–	–	–	1	–	–	1	8	27	79	128	449	–	–	–	–	–	–	2	6	27	122	292
White	239	–	–	–	1	–	–	1	7	25	78	127	446	–	–	–	–	–	–	2	6	27	120	291
All other	5	–	–	–	–	–	–	–	1	2	1	1	3	–	–	–	–	–	–	–	–	–	2	1
Black	5	–	–	–	–	–	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–	–	2	–
Other diseases of arteries, arterioles, and capillaries (441-448)	362	–	–	1	2	–	3	10	46	123	139	38	236	–	–	–	1	–	3	8	18	52	87	67
White	357	–	–	1	2	–	3	10	44	121	138	38	223	–	–	–	1	–	3	7	16	50	82	64
All other	5	–	–	–	–	–	–	–	2	2	1	–	13	–	–	–	–	–	–	1	2	2	5	3
Black	4	–	–	–	–	–	–	–	2	2	–	–	13	–	–	–	–	–	–	1	2	2	5	3
Acute bronchitis and bronchiolitis (466)	4	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–	–	–	–	1	–	1	3
White	4	–	–	–	–	–	–	–	–	–	1	3	5	–	–	–	–	–	–	–	1	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	841	7	2	2	4	6	10	29	61	168	271	281	866	3	1	–	–	6	9	13	29	75	277	450
White	813	6	2	1	3	5	8	23	58	166	268	273	847	3	–	–	–	6	8	13	28	74	272	443
All other	28	1	–	1	1	1	2	6	3	2	3	8	19	–	1	–	–	2	1	–	1	1	5	7
Black	24	1	–	1	1	1	2	6	2	2	2	6	18	–	1	–	–	2	1	–	1	1	4	7
Pneumonia (480-486)	840	7	2	2	4	6	10	28	61	168	271	280	859	3	1	–	–	6	9	13	29	75	277	443
White	812	6	2	1	3	5	8	23	58	166	268	272	840	3	–	–	–	6	8	13	28	74	272	436
All other	28	1	–	1	1	1	2	6	3	2	3	8	19	–	1	–	–	2	1	–	1	1	5	7
Black	24	1	–	1	1	1	2	6	2	2	2	6	18	–	1	–	–	2	1	–	1	1	4	7
Influenza (487)	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	–	–	7
White	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	–	–	–	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	893	–	–	1	1	3	6	23	128	296	327	108	537	–	–	2	–	1	9	23	75	160	188	79
White	884	–	–	1	1	2	6	22	128	291	326	107	523	–	–	1	–	1	7	20	73	155	187	79
All other	9	–	–	–	–	1	–	1	–	5	1	1	14	–	–	1	–	–	2	3	2	5	1	–
Black	8	–	–	–	–	1	–	1	–	5	1	–	13	–	–	1	–	–	2	3	2	4	1	–
Bronchitis, chronic and unspecified (490-491)	45	–	–	–	–	–	–	3	7	12	16	7	38	–	–	1	–	–	1	1	5	9	11	10
White	45	–	–	–	–	–	–	3	7	12	16	7	38	–	–	1	–	–	1	1	5	9	11	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	181	–	–	–	–	–	1	5	27	77	58	13	75	–	–	–	–	–	–	7	17	20	23	8
White	181	–	–	–	–	–	1	5	27	77	58	13	73	–	–	–	–	–	–	6	17	19	23	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Asthma (493)	19	–	–	1	1	2	–	1	4	6	3	1	36	–	–	1	–	1	3	5	6	8	7	5
White	17	–	–	1	1	1	–	–	4	6	3	1	29	–	–	–	–	1	1	3	6	7	6	5
All other	2	–	–	–	–	1	–	1	–	–	–	–	7	–	–	1	–	–	2	2	–	1	1	–
Black	2	–	–	–	–	1	–	1	–	–	–	–	7	–	–	1	–	–	2	2	–	1	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	648	–	–	–	–	1	5	14	90	201	250	87	388	–	–	–	–	–	5	10	47	123	147	56
White	641	–	–	–	–	1	5	14	90	196	249	86	383	–	–	–	–	–	5	10	45	120	147	56
All other	7	–	–	–	–	–	–	–	–	5	1	1	5	–	–	–	–	–	–	–	2	3	–	–
Black	6	–	–	–	–	–	–	–	–	5	1	–	4	–	–	–	–	–	–	–	2	2	–	–
Ulcer of stomach and duodenum (531-533)	84	–	1	–	–	–	1	5	15	17	25	20	88	–	–	–	–	–	1	7	6	14	27	33
White	81	–	1	–	–	–	1	4	14	17	25	19	87	–	–	–	–	–	1	7	6	14	27	32
All other	3	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	3	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis (540-543)	9	–	–	–	–	–	2	1	2	3	–	1	7	–	–	1	–	–	–	–	1	–	1	4
White	9	–	–	–	–	–	2	1	2	3	–	1	7	–	–	1	–	–	–	–	1	–	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	52	2	–	1	1	–	–	3	6	10	12	17	98	1	–	–	2	1	–	1	6	13	25	49
White	49	2	–	–	–	–	–	3	6	10	12	16	96	1	–	–	1	1	–	1	6	13	24	49
All other	3	–	–	1	1	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	1	–
Black	3	–	–	1	1	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	464	–	–	–	2	12	40	91	148	121	47	3	285	–	–	–	2	6	23	46	73	79	49	7
White	450	–	–	–	1	12	39	88	145	118	46	3	273	–	–	–	1	1	21	44	73	78	48	7
All other	14	–	–	–	1	–	1	5	3	3	1	–	12	–	–	–	1	5	2	2	–	1	1	–
Black	13	–	–	–	1	–	1	4	3	3	1	–	12	–	–	–	1	5	2	2	–	1	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	38	–	–	–	–	–	–	–	6	9	13	10	42	–	–	–	–	–	1	–	5	5	13	18
White	38	–	–	–	–	–	–	–	6	9	13	10	41	–	–	–	–	–	–	–	5	5	13	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	239	3	–	1	–	5	4	4	35	58	77	52	266	–	–	–	3	3	4	3	23	57	89	86
White	230	2	–	1	–	5	3	4	34	56	75	50	256	–	–	–	3	3	3	1	23	54	86	83
All other	9	1	–	–	–	–	1	–	1	2	2	2	12	–	–	–	–	–	1	2	–	3	3	3
Black	9	1	–	–	–	–	1	–	1	2	2	2	11	–	–	–	–	–	1	1	–	3	3	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	1	–	1	3	1
White	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	1	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	–	–	–	–	1	–	–	2	3	3	4	21	–	–	–	–	–	–	–	2	6	8	5
White	12	–	–	–	–	1	–	–	2	3	3	3	19	–	–	–	–	–	–	–	2	6	7	4
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	224	3	–	1	–	4	4	4	33	55	73	47	241	–	–	–	3	3	4	2	21	50	78	80
White	216	2	–	1	–	4	3	4	32	53	71	48	231	–	–	–	3	3	3	–	21	47	76	78
All other	8	1	–	–	–	–	1	–	1	2	2	1	10	–	–	–	–	–	1	2	–	3	2	2
Black	8	1	–	–	–	–	1	–	1	2	2	1	9	–	–	–	–	–	1	1	–	3	2	2
Infections of kidney (590)	13	–	–	–	–	–	1	–	1	2	6	3	23	–	–	–	2	–	–	–	1	7	6	7
White	12	–	–	–	–	–	–	–	1	2	6	3	23	–	–	–	2	–	–	–	1	7	6	7
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	13	–	–	–	–	–	–	–	–	1	5	7	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	–	1	4	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	155	98	8	6	8	7	4	3	7	10	2	2	149	89	8	1	6	5	6	6	6	11	6	4
White	144	88	8	5	8	7	4	3	7	10	2	2	141	84	7	1	6	5	6	6	6	9	6	4
All other	11	10	–	1	–	–	–	–	–	–	–	–	8	5	1	–	–	–	–	–	–	2	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	7	4	1	–	–	–	–	–	–	2	–	–
Certain conditions originating in the perinatal period (760-779)	245	244	1	–	–	–	–	–	–	–	–	–	174	172	1	1	–	–	–	–	–	–	–	–
White	203	202	1	–	–	–	–	–	–	–	–	–	154	152	1	1	–	–	–	–	–	–	–	–
All other	42	42	–	–	–	–	–	–	–	–	–	–	20	20	–	–	–	–	–	–	–	–	–	–
Black	41	41	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	60	60	–	–	–	–	–	–	–	–	–	–	43	42	1	–	–	–	–	–	–	–	–	–
White	50	50	–	–	–	–	–	–	–	–	–	–	35	34	1	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	185	184	1	–	–	–	–	–	–	–	–	–	131	130	–	1	–	–	–	–	–	–	–	–
White	153	152	1	–	–	–	–	–	–	–	–	–	119	118	–	1	–	–	–	–	–	–	–	–
All other	32	32	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Black	31	31	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	176	52	5	2	10	27	18	9	8	14	20	11	138	33	1	–	7	13	5	11	10	13	17	28
White	152	42	4	2	9	22	16	7	7	13	19	11	124	28	1	–	6	11	5	8	8	13	17	27
All other	24	10	1	–	1	5	2	2	1	1	1	–	14	5	–	–	1	2	–	3	2	–	–	1
Black	20	8	1	–	–	4	2	2	1	1	1	–	12	5	–	–	1	2	–	3	1	–	–	–
All other diseases (Residual)	1,571	13	7	6	18	41	55	115	247	376	401	292	1,919	9	10	13	11	29	42	79	172	361	624	589
White	1,506	10	7	6	16	35	51	106	232	369	381	283	1,844	4	10	11	10	27	35	74	162	347	610	554
All other	65	3	–	–	2	6	4	9	15	7	10	9	75	5	–	2	1	2	7	5	10	14	14	15
Black	60	3	–	–	2	6	4	9	14	7	8	7	67	5	–	1	1	2	7	5	8	13	12	13
Accidents and adverse effects (E800-E949)	1,185	4	16	41	332	201	97	87	101	115	106	82	604	6	13	24	68	44	29	42	40	68	127	143
White	1,128	4	14	34	318	187	95	85	97	108	102	81	576	6	12	18	64	41	27	37	39	65	125	142
All other	57	–	2	7	14	14	2	2	4	7	4	1	28	–	1	6	4	3	2	5	1	3	2	1
Black	52	–	2	7	11	13	2	2	4	7	3	1	25	–	1	4	4	2	2	5	1	3	2	1
Motor vehicle accidents (E810-E825)	529	2	4	17	240	108	40	30	32	29	17	9	189	1	4	12	57	30	16	16	13	17	18	5
White	505	2	3	14	231	101	40	30	32	26	16	9	175	1	3	9	54	27	15	16	12	15	16	5
All other	24	–	1	3	9	7	–	–	–	3	1	–	14	–	1	3	3	3	1	–	1	2	–	–
Black	21	–	1	3	7	6	–	–	–	3	1	–	13	–	1	3	3	2	1	–	1	2	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	656	2	12	24	92	93	57	57	69	86	89	73	415	5	9	12	11	14	13	26	27	51	109	138
White	623	2	11	20	87	86	55	55	65	82	86	72	401	5	9	9	10	14	12	21	27	50	107	137
All other	33	–	1	4	5	7	2	2	4	4	3	1	14	–	–	3	1	–	1	5	–	1	2	1
Black	31	–	1	4	4	7	2	2	4	4	2	1	12	–	–	1	1	–	1	5	–	1	2	1
Suicide (E950-E959)	414	...	...	2	78	120	61	41	58	24	23	7	124	...	...	1	12	38	15	21	18	12	6	1
White	402	...	...	2	76	119	59	39	57	21	22	7	121	...	...	1	12	37	14	20	18	12	6	1
All other	12	...	...	–	2	1	2	2	1	3	1	–	3	...	...	–	–	1	1	1	–	–	–	–
Black	9	...	...	–	1	1	1	2	1	2	1	–	2	...	...	–	–	1	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	186	2	3	2	51	60	30	21	7	7	1	1	60	1	4	3	20	10	9	5	3	3	1	1
White	132	2	3	2	33	43	19	17	5	5	1	1	51	1	3	2	18	10	6	4	2	3	1	1
All other	54	–	–	–	18	17	11	4	2	2	–	–	9	–	1	1	2	–	3	1	1	–	–	–
Black	50	–	–	–	16	17	10	4	1	2	–	–	9	–	1	1	2	–	3	1	1	–	–	–
All other external causes (E980-E998)	47	1	–	1	6	21	6	1	8	1	1	–	9	–	–	–	–	2	3	1	–	2	1	–
White	38	–	–	1	5	18	5	1	5	1	1	–	8	–	–	–	–	1	3	1	–	2	1	–
All other	9	1	–	–	1	3	1	–	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	9	1	–	–	1	3	1	–	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
MICHIGAN																								
All causes	40,852	982	154	249	1,070	1,411	1,472	3,162	7,098	10,434	9,737	5,087	34,842	694	126	139	416	613	837	1,842	4,376	7,247	9,726	8,823
White	35,080	654	112	186	845	908	1,046	2,511	6,005	9,209	8,847	4,755	30,421	461	90	109	326	413	621	1,460	3,575	6,222	8,879	8,264
All other	5,772	328	42	57	225	503	426	651	1,093	1,225	890	332	4,421	233	36	30	92	200	216	382	801	1,025	847	559
Black	5,639	323	41	51	219	492	416	638	1,082	1,189	863	325	4,307	225	36	27	87	195	206	371	781	1,002	830	547
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	3	–	–	–	–	–	–	–	–	–	1	6	2	–	–	–	–	–	–	–	1	1	2
White	2	1	–	–	–	–	–	–	–	–	–	1	5	1	–	–	–	–	–	–	–	1	1	2
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	23	–	–	–	–	–	1	1	9	4	8	–	17	–	–	–	–	–	–	–	4	9	1	3
White	14	–	–	–	–	–	1	–	5	3	5	–	12	–	–	–	–	–	–	–	3	6	1	2
All other	9	–	–	–	–	–	–	1	4	1	3	–	5	–	–	–	–	–	–	–	1	3	–	1
Black	9	–	–	–	–	–	–	1	4	1	3	–	5	–	–	–	–	–	–	–	1	3	–	1
Tuberculosis of respiratory system (010-012)	18	–	–	–	–	–	1	1	7	3	6	–	12	–	–	–	–	–	–	–	2	8	–	2
White	12	–	–	–	–	–	1	–	3	3	5	–	9	–	–	–	–	–	–	–	2	6	–	1
All other	6	–	–	–	–	–	–	1	4	–	1	–	3	–	–	–	–	–	–	–	–	2	–	1
Black	6	–	–	–	–	–	–	1	4	–	1	–	3	–	–	–	–	–	–	–	–	2	–	1
Other tuberculosis (013-018)	5	–	–	–	–	–	–	–	2	1	2	–	5	–	–	–	–	–	–	–	2	1	1	1
White	2	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1
All other	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	1	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	5	1	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-	1	1	1	-	-	-
White	7	4	1	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-	1	1	1	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	204	3	-	-	-	3	6	11	41	53	53	34	226	1	1	-	-	5	10	10	33	52	67	47
White	159	3	-	-	-	1	2	9	28	42	45	29	171	1	1	-	-	3	3	7	18	47	56	35
All other	45	-	-	-	-	2	4	2	13	11	8	5	55	-	-	-	-	2	7	3	15	5	11	12
Black	44	-	-	-	-	2	4	2	13	11	7	5	54	-	-	-	-	2	7	3	15	5	11	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	1	-	-	-	2	1	-	3	-	-	10	-	-	-	1	1	-	3	2	3	-	-
White	6	-	1	-	-	-	2	-	-	3	-	-	7	-	-	-	-	1	-	3	1	2	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	1	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	69	1	3	4	5	-	6	4	11	19	12	4	73	3	3	2	4	3	2	6	14	15	11	10
White	61	1	3	4	5	-	2	3	11	16	12	4	54	2	2	1	4	1	1	2	9	13	9	10
All other	8	-	-	-	-	-	4	1	-	3	-	-	19	1	1	1	-	2	1	4	5	2	2	-
Black	8	-	-	-	-	-	4	1	-	3	-	-	18	1	1	1	-	2	1	4	4	2	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,998	3	15	28	64	93	243	823	2,198	2,828	2,014	689	7,617	-	11	28	51	111	291	809	1,761	2,143	1,664	750
White	7,798	3	15	25	55	78	201	673	1,849	2,465	1,798	635	6,737	-	11	23	47	93	255	693	1,502	1,882	1,532	699
All other	1,200	-	-	3	9	15	42	150	349	363	216	53	880	-	-	3	4	18	36	116	259	261	132	51
Black	1,179	-	-	3	9	15	39	146	348	354	212	51	865	-	-	2	4	18	34	114	253	257	132	51
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	216	-	-	-	2	-	5	28	67	73	30	11	90	-	-	-	-	-	-	10	29	22	17	12
White	178	-	-	-	2	-	3	18	52	64	28	11	82	-	-	-	-	-	-	10	23	21	16	12
All other	39	-	-	-	-	-	2	10	15	9	2	-	8	-	-	-	-	-	-	-	6	1	1	-
Black	37	-	-	-	-	-	2	9	15	9	2	-	8	-	-	-	-	-	-	-	6	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,249	-	2	1	3	14	55	173	608	680	546	167	1,977	-	3	-	1	9	30	111	370	582	582	289
White	1,911	-	2	1	1	10	48	136	502	585	479	147	1,704	-	3	-	1	6	24	89	293	484	534	270
All other	338	-	-	-	2	4	7	37	106	95	67	20	273	-	-	-	-	3	6	22	77	98	48	19
Black	335	-	-	-	2	4	7	37	105	94	66	20	269	-	-	-	-	3	6	22	76	95	48	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,229	-	-	-	-	6	66	369	925	1,136	592	135	1,271	-	-	-	2	5	44	194	407	388	182	49
White	2,761	-	-	-	-	3	49	294	768	985	537	125	1,122	-	-	-	2	5	36	169	362	338	163	47
All other	468	-	-	-	-	3	17	75	157	151	55	10	149	-	-	-	-	-	8	25	45	50	19	2
Black	459	-	-	-	-	3	17	74	157	146	54	8	148	-	-	-	-	-	8	25	44	50	19	2
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	2	2	2	1	1,499	-	-	-	-	20	111	250	371	394	258	97
White	7	-	-	-	-	-	-	-	2	2	2	1	1,349	-	-	-	-	19	102	213	326	361	236	92
All other	-	-	-	-	-	-	-	-	-	-	-	-	150	-	-	-	-	1	9	37	45	33	20	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	146	-	-	-	-	1	9	35	43	33	20	5
Malignant neoplasms of genital organs (179-187)	936	-	-	-	8	6	5	6	104	274	350	185	839	-	-	-	4	21	41	81	207	252	153	80
White	799	-	-	-	8	6	5	2	80	230	288	170	735	-	-	-	4	17	36	68	180	226	135	69
All other	139	-	-	-	-	-	-	4	24	44	62	15	104	-	-	-	-	4	5	13	27	26	18	11
Black	137	-	-	-	-	-	-	4	24	43	51	15	101	-	-	-	-	4	3	13	26	26	18	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	473	–	–	1	3	2	8	40	82	149	126	52	232	–	–	1	–	2	4	17	46	57	69	36
White	428	–	–	–	2	1	7	36	82	132	118	50	207	–	–	1	–	1	3	15	40	49	63	35
All other	45	–	–	1	1	1	1	4	10	17	8	2	25	–	–	–	–	1	1	2	6	8	6	1
Black	44	–	–	1	1	1	–	4	10	17	8	2	25	–	–	–	–	1	1	2	6	8	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,065	2	8	14	22	30	65	119	257	280	199	69	1,000	–	6	13	21	30	30	84	204	270	236	106
White	968	2	8	13	19	26	58	106	236	253	181	66	901	–	6	11	17	23	28	78	173	244	221	100
All other	97	–	–	1	3	4	7	13	21	27	18	3	99	–	–	2	4	7	2	6	31	26	15	6
Black	95	–	–	1	3	4	6	13	21	26	18	3	96	–	–	1	4	7	2	6	30	25	15	6
Leukemia (204-208)	362	1	3	12	15	12	16	29	50	107	79	36	287	–	2	11	16	13	19	20	46	57	58	45
White	338	1	3	11	14	12	14	26	47	97	75	36	257	–	2	10	16	11	16	18	36	50	56	42
All other	28	–	–	1	1	–	4	3	3	10	4	–	30	–	–	1	–	2	3	2	10	7	2	3
Black	25	–	–	1	1	–	4	3	3	10	3	–	30	–	–	1	–	2	3	2	10	7	2	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	459	–	2	–	11	23	21	59	93	127	90	33	422	–	–	1	7	11	12	42	81	121	111	36
White	410	–	2	–	9	20	17	55	80	117	80	30	380	–	–	1	7	11	10	33	69	109	108	32
All other	49	–	–	–	2	3	4	4	13	10	10	3	42	–	–	–	–	–	2	9	12	12	3	4
Black	47	–	–	–	2	3	3	4	13	9	10	3	42	–	–	–	–	–	2	9	12	12	3	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	85	1	–	1	3	2	2	3	19	18	23	13	100	1	1	1	4	2	5	13	10	29	21	13
White	69	1	–	1	2	2	2	3	12	14	20	12	79	1	–	1	3	1	3	9	9	22	17	13
All other	16	–	–	–	1	–	–	–	7	4	3	1	21	–	1	–	1	1	2	4	1	7	4	–
Black	15	–	–	–	1	–	–	–	7	4	3	–	20	–	1	–	1	1	2	3	1	7	4	–
Diabetes mellitus (250)	563	–	–	–	3	13	28	50	101	155	142	71	789	–	–	1	4	13	17	33	128	169	255	169
White	489	–	–	–	3	9	25	36	87	138	127	64	675	–	–	–	4	10	13	21	99	141	225	152
All other	74	–	–	–	–	4	3	14	14	17	15	7	114	–	–	1	–	3	4	12	29	28	30	7
Black	71	–	–	–	–	4	3	14	14	15	14	7	112	–	–	1	–	3	4	10	29	28	30	7
Nutritional deficiencies (260-269)	35	–	–	–	–	–	–	–	2	7	16	10	67	–	–	–	–	1	1	1	–	11	16	37
White	31	–	–	–	–	–	–	–	2	6	14	9	58	–	–	–	–	1	1	–	–	9	15	32
All other	4	–	–	–	–	–	–	–	–	1	2	1	9	–	–	–	–	–	–	1	–	2	1	5
Black	4	–	–	–	–	–	–	–	–	1	2	1	9	–	–	–	–	–	–	1	–	2	1	5
Anemias (280-285)	57	2	–	–	3	2	1	9	4	14	13	9	83	–	3	–	3	–	3	2	5	14	23	30
White	46	1	–	–	1	–	–	6	4	13	12	9	74	–	2	–	1	–	2	2	5	12	21	29
All other	11	1	–	–	2	2	1	3	–	1	1	–	9	–	1	–	2	–	1	–	–	2	2	1
Black	11	1	–	–	2	2	1	3	–	1	1	–	9	–	1	–	2	–	1	–	–	2	2	1
Meningitis (320-322)	28	5	6	1	–	4	1	2	3	4	1	1	16	4	3	–	–	1	–	4	1	3	–	2
White	19	4	5	1	–	2	–	–	2	4	1	–	13	2	3	–	–	1	–	3	–	2	–	2
All other	9	1	1	–	–	2	1	2	1	–	–	1	5	2	–	–	–	–	–	1	1	1	–	–
Black	9	1	1	–	–	2	1	2	1	–	–	1	5	2	–	–	–	–	–	1	1	1	–	–
Major cardiovascular diseases (390-448)	19,764	16	5	8	31	127	427	1,371	3,393	5,556	5,586	3,243	18,601	17	5	8	26	77	168	468	1,627	3,624	6,211	6,370
White	17,612	10	2	6	25	74	323	1,140	2,919	4,948	5,113	3,051	16,560	10	4	7	15	48	112	335	1,271	3,077	5,690	5,991
All other	2,152	6	3	2	6	53	104	231	474	608	473	192	2,041	7	1	1	11	29	56	133	356	547	521	379
Black	2,097	6	3	2	6	52	100	226	468	586	459	189	2,002	6	1	1	11	29	56	131	349	537	510	371
Diseases of heart (390-398,402,404-429)	16,158	13	5	7	23	92	375	1,221	3,001	4,576	4,371	2,473	13,993	12	4	6	18	46	125	365	1,347	2,904	4,629	4,537
White	14,436	8	2	5	18	53	267	1,038	2,603	4,092	4,011	2,318	12,424	7	4	5	12	28	81	264	1,058	2,465	4,254	4,246
All other	1,722	5	3	2	5	39	88	183	398	484	360	155	1,569	5	–	1	6	18	44	101	289	439	375	291
Black	1,677	5	3	2	5	38	84	178	393	468	349	152	1,539	4	–	1	6	18	44	99	282	432	369	284
Rheumatic fever and rheumatic heart disease (390-398)	86	1	–	–	2	4	3	15	23	27	10	1	175	–	1	–	1	3	9	11	34	53	53	10
White	75	1	–	–	1	2	2	12	21	25	10	1	166	–	1	–	1	2	8	11	32	51	52	10
All other	11	–	–	–	1	2	1	3	2	2	–	–	9	–	–	–	–	1	3	–	2	2	1	–
Black	11	–	–	–	1	2	1	3	2	2	–	–	9	–	–	–	–	1	3	–	2	2	1	–
Hypertensive heart disease (402)	277	1	–	–	–	6	12	24	53	79	68	34	392	–	–	–	1	4	8	15	48	93	132	91
White	176	–	–	–	–	–	1	9	33	52	54	27	284	–	–	–	–	2	2	5	23	62	109	81
All other	101	1	–	–	–	6	11	15	20	27	14	7	108	–	–	–	1	2	6	10	25	31	23	10
Black	100	1	–	–	–	6	10	15	20	27	14	7	104	–	–	–	1	2	6	10	25	31	21	8
Hypertensive heart and renal disease (404)	41	–	–	–	–	–	–	2	4	11	14	10	74	–	–	–	–	–	–	2	1	2	16	28	25
White	30	–	–	–	–	–	–	1	3	6	11	9	58	–	–	–	–	–	–	1	–	9	25	23
All other	11	–	–	–	–	–	–	1	1	5	3	1	16	–	–	–	–	–	2	–	2	7	3	2
Black	11	–	–	–	–	–	–	1	1	5	3	1	16	–	–	–	–	–	2	–	2	7	3	2
Ischemic heart disease (410-414)	12,183	–	–	–	4	29	233	882	2,265	3,537	3,363	1,869	10,187	–	–	–	1	6	56	235	898	2,129	3,470	3,392
White	11,316	–	–	–	4	28	215	795	2,066	3,277	3,154	1,776	9,291	–	–	–	1	5	44	181	748	1,884	3,255	3,193
All other	867	–	–	–	–	1	18	87	199	260	209	93	896	–	–	–	–	1	12	54	150	265	215	199
Black	835	–	–	–	–	1	16	85	195	246	201	91	875	–	–	–	–	1	12	52	143	260	212	195
Acute myocardial infarction (410)	7,116	–	–	–	3	22	176	626	1,580	2,259	1,738	711	4,935	–	–	–	1	4	31	162	600	1,301	1,660	1,156
White	6,640	–	–	–	3	21	160	587	1,450	2,120	1,642	676	4,513	–	–	–	1	4	24	133	502	1,156	1,596	1,097
All other	476	–	–	–	–	1	16	39	130	139	96	35	422	–	–	–	–	–	7	29	98	145	64	59
Black	456	–	–	–	–	1	14	58	128	128	94	33	409	–	–	–	–	–	7	28	93	141	63	57

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	44	–	–	–	–	–	–	3	15	15	5	6	32	–	–	–	–	–	–	1	3	10	9	9
White	42	–	–	–	–	–	–	2	14	15	5	6	26	–	–	–	–	–	–	–	2	9	9	6
All other	2	–	–	–	–	–	–	1	1	–	–	–	6	–	–	–	–	–	–	1	1	1	–	3
Black	2	–	–	–	–	–	–	1	1	–	–	–	6	–	–	–	–	–	–	1	1	1	–	3
Angina pectoris (413)	12	–	–	–	–	–	1	–	1	2	5	3	6	–	–	–	–	–	–	2	–	2	–	2
White	12	–	–	–	–	–	1	–	1	2	5	3	5	–	–	–	–	–	–	1	–	2	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,011	–	–	–	1	7	56	253	669	1,261	1,615	1,149	5,214	–	–	–	–	2	25	70	295	816	1,781	2,225
White	4,622	–	–	–	1	7	54	226	601	1,140	1,502	1,091	4,747	–	–	–	–	1	20	47	244	697	1,650	2,088
All other	389	–	–	–	–	–	2	27	68	121	113	58	467	–	–	–	–	1	5	23	51	119	131	137
Black	377	–	–	–	–	–	2	26	66	118	107	58	459	–	–	–	–	1	5	22	49	116	129	135
Other diseases of endocardium (424)	140	–	1	–	1	7	11	15	28	34	35	8	134	–	–	–	–	–	–	4	24	40	41	25
White	119	–	–	–	1	4	8	13	24	30	34	5	124	–	–	–	–	–	–	4	20	35	41	24
All other	21	–	1	–	–	3	3	2	4	4	1	3	10	–	–	–	–	–	–	–	4	5	–	1
Black	20	–	1	–	–	3	3	2	4	4	–	3	10	–	–	–	–	–	–	–	4	5	–	1
All other forms of heart disease (415-423,425-429)	3,431	11	4	7	16	46	116	283	628	888	881	551	3,031	12	3	6	15	33	50	99	341	573	905	994
White	2,720	7	2	5	12	19	61	208	456	702	748	500	2,501	7	3	5	10	19	29	62	235	444	772	915
All other	711	4	2	2	4	27	55	75	172	186	133	51	530	5	–	1	5	14	21	37	106	129	133	79
Black	700	4	2	2	4	26	54	72	171	184	131	50	525	4	–	1	5	14	21	37	106	127	132	78
Hypertension with or without renal disease (401,403)	115	–	–	–	–	1	1	7	16	32	36	22	159	–	–	–	–	–	2	8	11	31	51	56
White	91	–	–	–	–	–	1	2	13	25	31	19	132	–	–	–	–	–	–	4	7	24	45	52
All other	24	–	–	–	–	1	–	5	3	7	5	3	27	–	–	–	–	–	2	4	4	7	6	4
Black	24	–	–	–	–	1	–	5	3	7	5	3	25	–	–	–	–	–	2	4	4	6	6	4
Cerebrovascular diseases (430-438)	2,481	2	–	–	5	29	42	101	271	686	859	506	3,376	5	1	2	5	25	40	87	236	558	1,201	1,216
White	2,148	1	–	–	4	18	26	69	211	573	767	479	2,996	3	–	2	1	14	30	61	179	469	1,085	1,152
All other	333	1	–	–	1	11	16	32	60	93	92	27	380	2	1	–	4	11	10	26	57	89	116	64
Black	324	1	–	–	1	11	16	32	59	88	89	27	373	2	1	–	4	11	10	26	57	87	112	63
Intracerebral and other intracranial hemorrhage (431-432)	343	2	–	–	2	16	16	35	72	96	77	27	371	4	–	1	4	9	17	27	62	78	97	72
White	261	1	–	–	2	9	6	18	53	80	65	27	311	2	–	1	1	4	13	15	46	71	90	66
All other	82	1	–	–	–	7	10	17	19	16	12	–	60	2	–	–	3	5	4	12	16	7	7	4
Black	80	1	–	–	–	7	10	17	18	16	11	–	60	2	–	–	3	5	4	12	16	7	7	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	523	–	–	–	–	1	4	16	62	143	182	115	717	–	–	–	–	2	3	12	30	105	269	296
White	470	–	–	–	–	1	4	16	53	122	163	111	662	–	–	–	–	2	3	6	27	88	246	290
All other	53	–	–	–	–	–	–	–	9	21	19	4	55	–	–	–	–	–	–	6	3	17	23	6
Black	52	–	–	–	–	–	–	–	9	20	19	4	53	–	–	–	–	–	–	6	3	15	23	6
Cerebral embolism (434.1)	11	–	–	–	–	–	–	–	2	4	5	–	22	–	–	–	–	–	–	–	3	3	7	9
White	10	–	–	–	–	–	–	–	1	4	5	–	20	–	–	–	–	–	–	–	2	3	6	9
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,604	–	–	–	3	12	22	50	135	423	595	364	2,266	1	1	1	1	14	20	48	141	372	628	639
White	1,407	–	–	–	2	8	16	35	104	367	534	341	2,003	1	–	1	–	8	14	40	104	307	743	785
All other	197	–	–	–	1	4	6	15	31	56	61	23	263	–	1	–	1	6	6	8	37	65	85	54
Black	191	–	–	–	1	4	6	15	31	52	59	23	258	–	1	–	1	6	6	8	37	65	81	53
Atherosclerosis (440)	489	–	–	–	–	–	–	11	19	87	178	194	798	–	–	–	–	1	–	2	9	54	242	490
White	462	–	–	–	–	–	–	8	17	80	166	191	762	–	–	–	–	1	–	2	8	51	227	473
All other	27	–	–	–	–	–	–	3	2	7	12	3	36	–	–	–	–	–	–	–	1	3	15	17
Black	26	–	–	–	–	–	–	3	2	6	12	3	35	–	–	–	–	–	–	–	1	3	14	17
Other diseases of arteries, arterioles, and capillaries (441-448)	521	1	–	1	3	5	9	31	86	195	142	48	275	–	–	–	3	5	1	6	24	77	88	71
White	475	1	–	1	3	3	9	23	75	178	138	44	246	–	–	–	2	5	1	4	19	68	79	68
All other	46	–	–	–	–	2	–	8	11	17	4	4	29	–	–	–	1	–	–	2	5	9	9	3
Black	46	–	–	–	–	2	–	8	11	17	4	4	29	–	–	–	1	–	–	2	5	9	9	3
Acute bronchitis and bronchiolitis (466)	7	–	3	–	1	–	1	–	–	1	–	1	6	1	–	–	–	–	–	–	–	–	3	2
White	6	–	2	–	1	–	1	–	–	1	–	1	5	1	–	–	–	–	–	–	–	–	2	2
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia and influenza (480-487)	912	10	6	1	12	13	13	47	82	157	327	243	791	5	3	2	3	8	23	22	55	101	228	341
White	790	6	4	1	9	6	8	27	65	136	298	229	707	2	3	–	2	7	17	14	46	82	210	324
All other	122	4	2	–	3	7	5	20	17	21	29	14	84	3	–	2	1	1	6	8	9	19	18	17
Black	120	3	2	–	3	7	5	20	17	21	28	14	81	3	–	2	1	1	6	6	9	18	18	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	895	9	6	1	12	13	13	46	81	155	319	239	773	5	3	2	3	8	22	22	55	101	222	330
White	774	5	4	1	9	6	8	26	64	135	290	225	690	2	3	–	2	7	16	14	46	82	205	313
All other	121	4	2	–	3	7	5	20	17	20	29	14	83	3	–	2	1	1	6	8	9	19	17	17
Black	119	3	2	–	3	7	5	20	17	20	28	14	80	3	–	2	1	1	6	6	9	18	17	17
Influenza (487)	17	1	–	–	–	–	–	1	1	2	8	4	18	–	–	–	–	–	1	–	–	–	6	11
White	16	1	–	–	–	–	–	1	1	1	8	4	17	–	–	–	–	–	1	–	–	–	5	11
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,470	–	2	1	8	5	14	54	210	493	491	192	740	–	2	2	3	2	11	37	137	233	208	105
White	1,341	–	2	1	3	3	6	40	182	456	465	183	690	–	1	1	2	1	7	26	122	221	206	103
All other	129	–	–	–	5	2	8	14	28	37	26	9	50	–	1	1	1	1	4	11	15	12	2	2
Black	125	–	–	–	5	2	8	14	26	36	25	9	50	–	1	1	1	1	4	11	15	12	2	2
Bronchitis, chronic and unspecified (490-491)	75	–	1	–	–	1	1	1	8	27	29	7	52	–	1	–	–	–	–	3	9	14	15	10
White	72	–	1	–	–	1	–	1	8	26	28	7	50	–	1	–	–	–	–	2	9	13	15	10
All other	3	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Emphysema (492)	362	–	–	–	–	–	2	16	55	120	120	49	135	–	–	–	–	–	–	5	35	48	40	9
White	347	–	–	–	–	–	2	13	53	118	114	47	134	–	–	–	–	–	–	4	35	46	40	9
All other	15	–	–	–	–	–	–	3	2	2	6	2	1	–	–	–	–	–	–	1	–	–	–	–
Black	15	–	–	–	–	–	–	3	2	2	6	2	1	–	–	–	–	–	–	1	–	–	–	–
Asthma (493)	51	–	1	1	8	2	3	5	11	11	6	3	81	–	–	2	3	2	5	11	15	13	15	15
White	35	–	1	1	3	–	–	4	7	11	5	3	64	–	–	1	2	1	3	8	10	10	14	15
All other	16	–	–	–	5	2	3	1	4	–	1	–	17	–	–	1	1	1	2	3	5	3	1	–
Black	15	–	–	–	5	2	3	1	3	–	1	–	17	–	–	1	1	1	2	3	5	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	982	–	–	–	–	2	8	32	136	335	336	133	472	–	1	–	–	–	6	18	78	160	138	71
White	887	–	–	–	–	2	4	22	114	301	318	126	442	–	–	–	–	–	4	12	68	152	137	69
All other	95	–	–	–	–	–	4	10	22	34	18	7	30	–	1	–	–	–	2	6	10	8	1	2
Black	93	–	–	–	–	–	4	10	21	33	18	7	30	–	1	–	–	–	2	6	10	8	1	2
Ulcer of stomach and duodenum (531-533)	130	–	–	–	–	2	1	10	28	34	36	19	152	1	–	1	2	3	3	8	14	30	45	45
White	113	–	–	–	–	1	1	5	21	32	34	19	134	–	–	1	1	3	2	5	13	25	42	42
All other	17	–	–	–	–	1	–	5	7	2	2	–	18	1	–	–	1	–	1	3	1	5	3	3
Black	17	–	–	–	–	1	–	5	7	2	2	–	17	1	–	–	1	–	1	3	1	4	3	3
Appendicitis (540-543)	7	–	–	–	–	–	–	1	1	1	2	2	4	–	–	–	–	–	–	–	–	3	1	–
White	5	–	–	–	–	–	–	1	–	1	2	1	4	–	–	–	–	–	–	–	–	3	1	–
All other	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	76	4	1	2	1	–	–	3	8	19	20	18	121	1	1	–	1	1	1	6	7	16	40	47
White	63	3	1	2	1	–	–	3	6	13	19	15	113	1	–	–	1	1	1	5	7	15	35	47
All other	13	1	–	–	–	–	–	–	2	6	1	3	8	–	1	–	–	–	–	1	–	1	5	–
Black	13	1	–	–	–	–	–	–	2	6	1	3	7	–	1	–	–	–	–	1	–	1	4	–
Chronic liver disease and cirrhosis (571)	814	2	–	–	–	36	97	180	249	180	68	8	432	1	–	–	2	21	45	88	109	90	58	8
White	637	2	–	–	–	16	54	131	202	163	61	8	319	1	–	–	–	10	20	72	87	72	50	7
All other	177	–	–	–	–	20	43	49	41	17	7	–	113	–	–	–	2	11	25	26	22	18	8	1
Black	174	–	–	–	–	20	42	49	40	16	7	–	104	–	–	–	2	11	24	26	20	15	6	–
Cholelithiasis and other disorders of gallbladder (574-575)	44	–	–	–	–	–	1	1	3	11	19	9	52	–	–	–	–	–	4	1	4	8	18	17
White	39	–	–	–	–	–	1	1	3	10	15	9	46	–	–	–	–	–	3	1	4	5	18	15
All other	5	–	–	–	–	–	–	–	–	1	4	–	6	–	–	–	–	–	1	–	–	3	–	2
Black	5	–	–	–	–	–	–	–	–	1	4	–	6	–	–	–	–	–	1	–	–	3	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	372	11	1	2	–	6	15	15	43	69	117	93	339	4	1	1	4	6	7	11	31	66	99	109
White	308	7	1	1	–	3	12	7	34	53	105	83	272	3	–	1	1	4	6	8	17	52	88	94
All other	66	4	–	1	–	3	3	8	9	16	12	10	67	1	1	–	3	2	1	3	14	14	13	15
Black	64	4	–	1	–	3	3	8	8	16	12	9	64	1	1	–	3	2	1	2	14	13	13	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	1	–	–	–	–	–	2	–	1	4	–	–	–	–	–	–	–	–	2	1	1
White	4	–	–	1	–	–	–	–	–	2	–	1	4	–	–	–	–	–	–	–	–	2	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	1	1	–	–	–	4	2	4	8	8	7	27	–	–	1	–	1	2	–	2	8	8	5
White	32	1	1	–	–	–	4	1	4	6	8	7	22	–	–	1	–	–	2	–	–	8	7	4
All other	3	–	–	–	–	–	–	1	–	2	–	–	5	–	–	–	–	1	–	–	2	–	1	1
Black	3	–	–	–	–	–	–	1	–	2	–	–	5	–	–	–	–	1	–	–	2	–	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	333	10	–	1	–	6	11	13	39	59	109	85	308	4	1	–	4	5	5	11	29	56	90	103
White	270	6	–	–	–	3	8	8	30	45	97	75	246	3	–	–	1	4	4	8	17	42	78	89
All other	63	4	–	1	–	3	3	7	9	14	12	10	62	1	1	–	3	1	1	3	12	14	12	14
Black	61	4	–	1	–	3	3	7	8	14	12	9	59	1	1	–	3	1	1	2	12	13	12	13
Infections of kidney (590)	23	–	–	–	–	–	–	–	2	3	12	6	37	–	–	–	–	1	1	2	1	6	15	11
White	21	–	–	–	–	–	–	–	1	3	11	6	28	–	–	–	–	–	–	2	–	5	11	10
All other	2	–	–	–	–	–	–	–	1	–	1	–	9	–	–	–	–	1	1	–	1	1	4	1
Black	2	–	–	–	–	–	–	–	1	–	1	–	9	–	–	–	–	1	1	–	1	1	4	1
Hyperplasia of prostate (600)	13	–	–	–	–	–	–	–	–	–	3	10	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	–	–	2	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	3	5	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	3	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	2	2	3	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	1	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	2	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	2	2	–	...	...	...	...
Congenital anomalies (740-759)	257	170	15	13	13	9	10	7	8	7	4	1	230	146	22	9	11	15	3	3	3	9	6	1
White	211	139	12	10	12	8	4	7	8	6	4	1	189	120	16	5	11	12	3	3	3	9	6	1
All other	46	31	3	3	1	1	6	–	–	1	–	–	41	26	6	4	–	3	–	–	–	–	–	–
Black	44	30	3	3	1	–	6	–	–	1	–	–	39	26	6	4	–	3	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	571	569	2	–	–	–	–	–	–	–	–	–	392	390	2	–	–	–	–	–	–	–	–	–
White	355	353	2	–	–	–	–	–	–	–	–	–	239	237	2	–	–	–	–	–	–	–	–	–
All other	216	216	–	–	–	–	–	–	–	–	–	–	153	153	–	–	–	–	–	–	–	–	–	–
Black	214	214	–	–	–	–	–	–	–	–	–	–	150	150	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	193	193	–	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
White	130	130	–	–	–	–	–	–	–	–	–	–	81	81	–	–	–	–	–	–	–	–	–	–
All other	63	63	–	–	–	–	–	–	–	–	–	–	35	35	–	–	–	–	–	–	–	–	–	–
Black	61	61	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-778)	378	376	2	–	–	–	–	–	–	–	–	–	276	274	2	–	–	–	–	–	–	–	–	–
White	225	223	2	–	–	–	–	–	–	–	–	–	158	156	2	–	–	–	–	–	–	–	–	–
All other	153	153	–	–	–	–	–	–	–	–	–	–	118	118	–	–	–	–	–	–	–	–	–	–
Black	153	153	–	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	168	108	2	1	2	5	3	4	5	12	11	15	148	78	1	–	–	1	2	1	5	6	14	40
White	116	70	1	–	2	4	2	2	2	12	8	13	116	53	–	–	–	1	1	1	5	5	13	37
All other	52	38	1	1	–	1	1	2	3	–	3	2	32	25	1	–	–	–	1	–	–	1	1	3
Black	52	38	1	1	–	1	1	2	3	–	3	2	30	23	1	–	–	–	1	–	–	1	1	3
All other diseases (Residual)	2,392	41	20	27	63	193	152	179	331	547	549	290	2,274	20	14	13	51	104	79	139	271	473	579	531
White	1,880	28	15	22	47	86	83	126	273	470	478	262	1,877	16	12	12	42	44	50	106	221	393	501	480
All other	502	13	5	5	16	107	69	53	58	77	71	28	397	4	2	1	9	60	28	33	50	80	78	51
Black	492	13	5	5	16	106	67	51	58	76	67	28	390	4	2	1	9	60	28	32	49	78	76	51
Accidents and adverse effects (E800-E949)	2,142	25	64	127	504	422	213	204	201	144	156	82	987	15	45	58	158	104	70	95	95	97	121	129
White	1,845	16	43	97	471	361	171	169	170	119	148	80	856	8	29	49	138	85	58	81	86	89	112	121
All other	297	9	21	30	33	61	42	35	31	25	8	2	131	7	16	9	20	19	12	14	9	8	9	8
Black	278	9	21	26	28	55	42	32	31	25	7	2	120	7	16	9	17	17	9	14	8	8	8	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																							
Motor vehicle accidents (E810-E825)	1,111	2	15	63	377	264	109	91	81	45	51	14	455	4	11	34	118	73	49	48	47	32	33	6
White	1,017	2	13	53	356	238	98	85	71	38	50	13	417	3	8	31	109	65	49	45	45	32	31	6
All other	94	–	2	10	21	26	10	6	10	7	1	1	38	1	3	3	10	8	6	3	2	–	2	–
Black	87	–	2	7	18	25	10	6	10	7	1	1	31	1	3	3	7	7	4	3	1	–	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,031	23	49	64	127	158	105	113	120	99	105	68	532	11	34	24	40	31	21	47	48	65	88	123
White	828	14	30	44	115	123	73	84	99	81	98	67	439	5	21	18	30	20	15	36	41	57	81	115
All other	203	9	19	20	12	35	32	29	21	18	7	1	93	6	13	6	10	11	6	11	7	8	7	8
Black	191	9	19	19	10	30	32	26	21	18	6	1	89	6	13	6	10	10	5	11	7	8	6	7
Suicide (E950-E959)	843	...	...	11	180	198	121	103	101	73	43	13	259	...	...	1	28	53	49	48	41	25	13	1
White	764	...	...	8	151	174	114	97	95	70	43	12	238	...	...	1	24	44	45	48	38	25	13	1
All other	79	...	...	3	29	24	7	6	6	3	–	1	20	...	...	–	4	9	4	–	3	–	–	–
Black	76	...	...	2	29	22	7	6	6	3	–	1	15	...	...	–	2	8	4	–	1	–	–	–
Homicide and legal intervention (E960-E978)	708	2	5	15	168	260	101	72	47	21	8	9	230	1	8	14	56	64	33	16	15	11	8	3
White	215	1	1	6	49	69	23	22	21	11	5	7	119	1	4	7	28	33	14	9	6	7	6	3
All other	493	1	4	9	119	191	78	50	26	10	3	2	111	–	4	7	28	31	19	7	9	4	2	–
Black	490	1	3	8	118	191	78	50	26	10	3	2	105	–	4	5	28	30	18	7	9	4	2	–
All other external causes (E980-E999)	56	1	2	1	7	18	13	7	4	1	2	–	27	1	–	–	3	11	5	5	2	–	–	–
White	36	1	1	1	6	11	8	3	3	1	1	–	17	1	–	–	1	7	3	3	2	–	–	–
All other	20	–	1	–	1	7	5	4	1	–	1	–	10	–	–	–	2	4	2	2	–	–	–	–
Black	19	–	1	–	1	7	5	3	1	–	1	–	10	–	–	–	2	4	2	2	–	–	–	–
MINNESOTA																								
All causes	17,770	366	75	81	431	405	433	943	2,491	4,387	4,989	3,189	15,208	282	52	45	144	148	253	556	1,354	2,702	4,505	5,166
White	17,421	329	67	73	404	372	415	915	2,434	4,329	4,920	3,163	14,979	253	45	43	135	136	238	537	1,318	2,668	4,472	5,135
All other	349	37	8	8	27	33	18	28	57	58	49	26	228	29	7	2	9	12	15	19	36	34	33	31
Black	161	16	2	1	14	23	12	12	31	28	26	16	121	15	–	2	4	5	6	12	20	22	19	16
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	7	–	–	–	–	1	–	–	–	–	2	4	4	–	–	–	–	–	1	–	–	–	1	2
White	5	–	–	–	–	–	–	–	–	–	1	4	4	–	–	–	–	–	1	–	–	–	1	2
All other	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	7	–	–	–	–	1	–	–	–	–	2	4	3	–	–	–	–	–	–	–	–	–	1	2
White	5	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–	–	–	–	–	–	1	2
All other	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
White	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	65	3	–	–	–	–	2	2	7	18	17	16	74	3	1	2	1	1	1	3	4	12	19	27
White	61	3	–	–	–	–	2	1	6	17	17	15	70	3	1	2	1	–	1	3	3	11	19	26
All other	4	–	–	–	–	–	–	1	1	1	–	1	4	–	–	–	–	1	–	–	1	1	–	1
Black	3	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–	1	–	–	1	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	6	–	1	–	–	–	–	–	3	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
White	5	–	1	–	–	–	–	–	2	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	36	2	1	–	2	5	3	1	5	7	6	4	45	2	–	–	1	1	1	4	8	9	9	10
White	34	2	1	–	2	5	3	1	5	7	6	4	44	1	–	–	1	1	1	4	8	9	9	10
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,850	–	4	16	28	43	87	262	746	1,201	1,045	418	3,343	4	2	4	13	33	95	264	599	888	921	520
White	3,780	–	4	15	27	42	83	257	724	1,184	1,028	416	3,301	4	2	4	12	32	90	259	588	879	912	519
All other	70	–	–	1	1	1	4	5	22	17	17	2	42	–	–	–	1	1	5	5	11	9	9	1
Black	47	–	–	–	1	1	3	2	15	11	12	2	26	–	–	–	1	–	3	2	6	7	6	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	74	–	–	–	–	–	1	3	25	23	16	6	27	–	–	–	–	–	–	2	7	6	4	8
White	73	–	–	–	–	–	1	3	25	23	15	6	25	–	–	–	–	–	–	2	5	6	4	8
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,058	–	–	2	–	5	17	77	213	322	279	143	925	–	–	–	1	4	15	38	124	234	317	194
White	1,031	–	–	2	–	4	15	76	201	318	273	142	913	–	–	–	1	4	14	34	121	229	316	194
All other	27	–	–	–	–	1	2	1	12	4	6	1	12	–	–	–	–	–	1	2	3	5	1	–
Black	19	–	–	–	–	1	2	1	8	3	3	1	8	–	–	–	–	–	–	1	2	4	1	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,107	–	–	–	–	–	24	92	272	409	261	49	468	–	–	–	–	1	13	50	119	148	98	41
White	1,084	–	–	–	–	–	23	88	265	389	260	49	464	–	–	–	–	1	13	50	118	145	98	41
All other	23	–	–	–	–	–	1	4	7	10	1	–	4	–	–	–	–	–	–	–	1	1	2	–
Black	13	–	–	–	–	–	1	1	5	6	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	1	–	694	–	–	–	–	8	28	91	160	174	151	82
White	1	–	–	–	–	–	–	–	–	–	1	–	685	–	–	–	–	8	27	90	157	174	148	81
All other	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	1	1	3	–	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	1	2	–	3	1
Malignant neoplasms of genital organs (179-187)	500	–	–	–	4	5	1	2	40	141	206	101	377	–	–	–	2	5	13	34	78	103	96	46
White	497	–	–	–	4	5	1	2	40	141	203	101	368	–	–	–	2	4	11	33	78	100	94	46
All other	3	–	–	–	–	–	–	–	–	–	3	–	9	–	–	–	–	1	2	1	–	3	2	–
Black	3	–	–	–	–	–	–	–	–	–	3	–	5	–	–	–	–	–	2	–	–	2	1	–
Malignant neoplasms of urinary organs (188-189)	261	–	1	–	–	1	4	13	42	86	76	38	108	–	–	–	–	1	2	5	13	32	29	24
White	256	–	1	–	–	1	4	13	41	84	74	38	105	–	–	–	–	1	2	5	12	32	29	24
All other	5	–	–	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	452	–	2	4	7	20	22	41	87	128	101	40	378	1	2	1	4	9	13	27	58	91	110	62
White	446	–	2	4	7	20	21	41	85	128	99	39	375	1	2	1	4	9	12	26	58	91	109	62
All other	6	–	–	–	–	–	1	–	2	–	2	1	3	–	–	–	–	–	1	1	–	–	1	–
Black	5	–	–	–	–	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Leukemia (204-208)	163	–	–	4	5	7	4	17	23	40	44	19	150	3	–	3	4	4	6	9	13	38	43	27
White	162	–	–	4	5	7	4	17	23	39	44	19	149	3	–	3	3	4	6	9	13	38	43	27
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	234	–	1	6	12	5	14	17	44	52	61	22	218	–	–	–	2	1	5	10	27	64	73	35
White	230	–	1	5	11	5	14	17	44	52	59	22	217	–	–	–	2	1	5	10	26	64	73	35
All other	4	–	–	1	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	49	–	1	1	2	–	1	2	8	8	20	6	66	–	–	1	–	–	2	1	7	14	21	20
White	49	–	1	1	2	–	1	2	8	8	20	6	64	–	–	1	–	–	1	1	7	13	21	20
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	247	1	–	–	–	6	5	11	39	61	82	42	309	1	–	–	2	7	8	7	38	60	114	72
White	241	1	–	–	–	6	5	11	36	58	82	42	304	1	–	–	2	7	8	7	38	57	114	72
All other	6	–	–	–	–	–	–	–	3	3	–	–	5	–	–	–	–	–	–	–	2	3	–	–
Black	4	–	–	–	–	–	–	–	3	1	–	–	5	–	–	–	–	–	–	–	2	3	–	–
Nutritional deficiencies (260-269)	24	–	–	–	–	–	–	–	–	5	9	10	25	–	–	–	–	–	–	1	–	–	6	18
White	24	–	–	–	–	–	–	–	–	5	9	10	25	–	–	–	–	–	–	1	–	–	6	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	24	1	–	–	1	–	1	–	2	6	6	7	19	–	–	–	1	–	–	1	–	1	8	8
White	23	1	–	–	1	–	1	–	2	5	6	7	19	–	–	–	1	–	–	1	–	1	8	8
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	9	2	4	–	–	–	–	–	–	2	–	1	9	2	1	–	–	–	–	1	1	3	1	–
White	6	1	2	–	–	–	–	–	–	2	–	1	8	1	1	–	–	–	–	1	1	3	1	–
All other	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	8,606	9	7	1	12	38	112	424	1,183	2,260	2,692	1,868	7,854	5	2	1	6	14	47	145	429	1,210	2,573	3,422
White	8,505	9	6	1	10	32	108	414	1,164	2,236	2,670	1,855	7,769	4	2	1	6	14	44	135	414	1,195	2,556	3,398
All other	101	–	1	–	2	6	4	10	19	24	22	13	85	1	–	–	–	–	3	10	15	15	17	24
Black	44	–	–	–	1	4	2	3	8	9	9	8	49	–	–	–	–	–	2	7	7	7	11	15
Diseases of heart (390-398,402,404-429)	6,687	7	6	1	10	31	104	383	1,067	1,908	2,044	1,326	5,428	5	2	1	5	10	29	109	328	913	1,809	2,217
White	6,601	7	5	1	8	25	100	374	1,049	1,889	2,027	1,316	5,367	4	2	1	5	10	27	103	318	900	1,796	2,201
All other	86	–	1	–	2	6	4	9	18	19	17	10	61	1	–	–	–	–	2	6	10	13	13	16
Black	37	–	–	–	1	4	2	3	7	8	6	6	33	–	–	–	–	–	1	4	4	6	9	9
Rheumatic fever and rheumatic heart disease (390-398)	52	–	1	–	2	1	5	3	6	13	11	10	91	–	–	–	–	–	–	6	14	29	24	18
White	49	–	1	–	1	–	4	3	6	13	11	10	90	–	–	–	–	–	–	6	13	29	24	18
All other	3	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	72	–	–	–	–	–	–	5	13	25	19	10	126	–	–	–	–	–	1	1	9	16	48	51
White	70	–	–	–	–	–	–	4	13	24	19	10	125	–	–	–	–	–	1	–	9	16	48	51
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hypertensive heart and renal disease (404)	17	–	–	–	–	–	–	–	1	5	7	4	18	–	–	–	–	–	–	–	–	3	8	5
White	17	–	–	–	–	–	–	–	1	5	7	4	16	–	–	–	–	–	–	–	–	3	8	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	5,451	–	–	–	–	17	83	328	900	1,557	1,622	944	3,884	–	–	–	–	4	20	67	231	707	1,321	1,534
White	5,390	–	–	–	–	14	81	321	884	1,543	1,607	940	3,846	–	–	–	–	4	18	65	227	699	1,312	1,521
All other	61	–	–	–	–	3	2	7	16	14	15	4	38	–	–	–	–	–	2	2	4	8	9	13
Black	24	–	–	–	–	2	1	1	7	4	6	3	22	–	–	–	–	–	1	2	1	4	7	7
Acute myocardial infarction (410)	2,927	–	–	–	–	11	51	214	551	898	824	378	1,828	–	–	–	–	3	14	43	140	431	665	532
White	2,891	–	–	–	–	9	49	210	541	889	817	376	1,812	–	–	–	–	3	13	42	139	427	660	528
All other	36	–	–	–	–	2	2	4	10	9	7	2	16	–	–	–	–	–	1	1	1	4	5	4
Black	11	–	–	–	–	1	1	–	4	1	3	1	7	–	–	–	–	–	–	1	–	1	4	1
Other acute and subacute forms of ischemic heart disease (411)	21	–	–	–	–	–	–	–	6	6	7	2	16	–	–	–	–	–	–	–	2	3	5	6
White	21	–	–	–	–	–	–	–	6	6	7	2	16	–	–	–	–	–	–	–	2	3	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	7	–	–	–	–	–	–	1	–	2	3	1	10	–	–	–	–	–	–	–	–	1	4	5
White	7	–	–	–	–	–	–	1	–	2	3	1	10	–	–	–	–	–	–	–	–	1	4	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,496	–	–	–	–	6	32	113	343	651	788	563	2,030	–	–	–	–	1	6	24	89	272	647	991
White	2,471	–	–	–	–	5	32	110	337	646	780	561	2,008	–	–	–	–	1	5	23	86	268	643	982
All other	25	–	–	–	–	1	–	3	6	5	8	2	22	–	–	–	–	–	1	1	3	4	4	9
Black	13	–	–	–	–	1	–	1	3	3	3	2	15	–	–	–	–	–	1	1	1	3	3	6
Other diseases of endocardium (424)	85	1	1	–	–	1	2	3	5	21	34	17	86	–	–	–	–	–	–	1	4	15	31	35
White	84	1	1	–	–	1	2	3	5	21	34	16	83	–	–	–	–	–	–	1	2	15	30	35
All other	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	2	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,210	6	4	1	8	12	14	44	142	287	351	341	1,225	5	2	1	5	6	8	34	70	143	377	574
White	1,181	6	3	1	7	10	13	43	140	283	349	336	1,207	4	2	1	5	6	8	31	67	138	374	571
All other	19	-	1	-	1	2	1	1	2	4	2	5	18	1	-	-	-	-	-	3	3	5	3	3
Black	8	-	-	-	-	1	1	1	-	3	-	2	8	-	-	-	-	-	-	1	2	2	1	2
Hypertension with or without renal disease (401,403)	54	-	-	-	-	-	-	-	5	16	18	15	72	-	-	-	-	-	-	1	3	15	23	30
White	54	-	-	-	-	-	-	-	5	16	18	15	71	-	-	-	-	-	-	1	3	15	22	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	1,197	2	1	-	1	5	6	29	78	235	465	375	1,824	-	-	-	1	4	17	29	81	213	604	875
White	1,187	2	1	-	1	5	6	28	77	233	461	373	1,806	-	-	-	1	4	17	25	77	212	602	868
All other	10	-	-	-	-	-	-	1	1	2	4	2	18	-	-	-	-	-	-	4	4	1	2	7
Black	5	-	-	-	-	-	-	-	1	1	2	1	13	-	-	-	-	-	-	3	3	-	1	6
Intracerebral and other intracranial hemorrhage (431-432)	125	1	-	-	1	3	3	11	15	31	46	14	203	-	-	-	1	-	3	14	18	40	69	58
White	123	1	-	-	1	3	3	11	14	30	46	14	198	-	-	-	1	-	3	11	17	40	69	57
All other	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	3	1	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	2	1	-	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	166	-	1	-	-	1	-	4	12	40	60	48	268	-	-	-	-	-	-	-	11	30	103	124
White	164	-	1	-	-	1	-	3	12	40	59	48	267	-	-	-	-	-	-	-	11	29	103	124
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	8	-	-	-	-	-	-	-	-	2	3	3	5	-	-	-	-	-	-	-	-	-	2	3
White	8	-	-	-	-	-	-	-	-	2	3	3	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	898	1	-	-	-	1	3	14	51	162	356	310	1,348	-	-	-	-	4	14	15	52	143	430	690
White	892	1	-	-	-	1	3	14	51	161	359	308	1,336	-	-	-	-	4	14	14	49	143	428	684
All other	6	-	-	-	-	-	-	-	-	1	3	2	12	-	-	-	-	-	-	1	3	-	2	6
Black	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	1	2	-	1	5
Atherosclerosis (440)	229	-	-	-	-	1	-	3	6	21	86	112	366	-	-	-	-	-	-	1	7	34	89	235
White	228	-	-	-	-	1	-	3	6	21	86	111	363	-	-	-	-	-	-	1	6	33	89	234
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	239	-	-	-	1	1	2	9	27	80	79	40	164	-	-	-	-	-	1	5	10	35	48	65
White	235	-	-	-	1	1	2	9	27	77	78	40	162	-	-	-	-	-	-	5	10	35	47	65
All other	4	-	-	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	1	-	1	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	-	1	-	1	4
White	1	-	1	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	-	-	1	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	537	3	1	1	3	3	2	10	32	75	193	224	522	4	1	-	2	1	4	7	11	46	122	324
White	530	3	-	1	3	3	1	9	32	75	191	222	510	2	1	-	1	1	3	7	8	46	119	322
All other	7	-	1	-	-	-	1	1	-	-	2	2	12	2	-	-	1	-	1	-	3	-	3	2
Black	4	-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	-	-	-	-	1	-	-	-
Pneumonia (480-486)	521	3	1	1	3	3	2	10	30	75	176	217	500	4	1	-	2	1	4	7	10	45	121	305
White	514	3	-	1	3	3	1	9	30	75	174	215	489	2	1	-	1	1	3	7	7	45	118	304
All other	7	-	1	-	-	-	1	1	-	-	2	2	11	2	-	-	1	-	1	-	3	-	3	1
Black	4	-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	-	-	-	-	1	-	-	-
Influenza (487)	16	-	-	-	-	-	-	-	2	-	7	7	22	-	-	-	-	-	-	-	1	1	1	19
White	16	-	-	-	-	-	-	-	2	-	7	7	21	-	-	-	-	-	-	-	1	1	1	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	666	-	-	-	3	2	3	10	69	221	248	110	301	-	-	1	2	-	1	11	40	101	97	48
White	661	-	-	-	3	2	3	10	67	219	247	110	300	-	-	1	1	-	1	11	40	101	97	48
All other	5	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	42	-	-	-	2	-	-	-	4	11	14	11	24	-	-	-	-	-	-	1	2	6	7	8
White	42	-	-	-	2	-	-	-	4	11	14	11	24	-	-	-	-	-	-	1	2	6	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	146	-	-	-	-	-	-	2	14	53	55	22	57	-	-	-	-	-	-	2	9	23	18	5
White	145	-	-	-	-	-	-	2	14	52	55	22	57	-	-	-	-	-	-	2	9	23	18	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	29	-	-	-	1	1	3	2	6	5	6	5	30	-	-	1	2	-	1	6	3	6	7	4
White	28	-	-	-	1	1	3	2	5	5	6	5	29	-	-	1	1	-	1	6	3	6	7	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (484-496)	449	-	-	-	-	1	-	6	45	152	173	72	190	-	-	-	-	-	-	2	26	66	65	31
White	446	-	-	-	-	1	-	6	44	151	172	72	190	-	-	-	-	-	-	2	26	66	65	31
All other	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	65	-	-	-	-	1	3	4	7	12	23	15	70	-	-	-	-	-	-	2	4	14	28	22
White	65	-	-	-	-	1	3	4	7	12	23	15	69	-	-	-	-	-	-	2	4	14	27	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	6	-	-	-	-	-	-	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	1	1
White	6	-	-	-	-	-	-	-	-	2	3	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	3	1	-	1	-	-	-	3	4	6	6	64	1	-	-	-	-	1	4	3	7	20	28
White	23	3	1	-	1	-	-	-	3	3	6	6	64	1	-	-	-	-	1	4	3	7	20	28
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	232	-	-	-	1	7	13	44	69	71	22	5	102	-	1	-	-	1	9	9	38	28	15	3
White	228	-	-	-	1	7	13	41	68	71	22	5	98	-	1	-	-	1	8	8	34	28	15	3
All other	4	-	-	-	-	-	-	3	1	-	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	1	-	1	7	10	6	41	-	-	-	-	-	-	2	2	8	12	17
White	25	-	-	-	-	-	1	-	1	7	10	6	41	-	-	-	-	-	-	2	2	8	12	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	119	1	-	1	1	1	2	2	8	24	40	39	108	2	-	-	-	-	1	3	2	15	48	37
White	118	1	-	1	1	1	2	2	8	24	39	39	106	2	-	-	-	-	1	3	2	15	46	37
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	1	-	-	-	1	3	6	4	14	-	-	-	-	-	-	1	-	5	3	5
White	15	-	-	-	1	-	-	-	1	3	6	4	14	-	-	-	-	-	-	1	-	5	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	103	1	-	1	-	1	2	2	7	20	34	35	91	1	-	-	-	-	1	2	2	10	43	32
White	102	1	-	1	-	1	2	2	7	20	33	35	89	1	-	-	-	-	1	2	2	10	41	32
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	8	-	-	-	-	-	-	-	1	-	1	7	16	-	-	-	-	-	-	1	1	1	5	8
White	8	-	-	-	-	-	-	-	1	-	1	7	16	-	-	-	-	-	-	1	1	1	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	-	5	7	7	***	***	***	***	***	***	***	***	***	***	***	***
White	19	-	-	-	-	-	-	-	-	5	7	7	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	3	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	3	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	123	81	10	3	8	5	3	2	4	1	6	–	111	72	8	5	3	2	2	3	5	5	5	1
White	115	74	10	2	8	5	3	2	4	1	6	–	100	62	7	5	3	2	2	3	5	5	5	1
All other	8	7	–	1	–	–	–	–	–	–	–	–	11	10	1	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	172	171	–	1	–	–	–	–	–	–	–	–	123	121	2	–	–	–	–	–	–	–	–	–
White	158	157	–	1	–	–	–	–	–	–	–	–	110	108	2	–	–	–	–	–	–	–	–	–
All other	14	14	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	51	51	–	–	–	–	–	–	–	–	–	–	27	26	1	–	–	–	–	–	–	–	–	–
White	48	48	–	–	–	–	–	–	–	–	–	–	27	26	1	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	121	120	–	1	–	–	–	–	–	–	–	–	96	95	1	–	–	–	–	–	–	–	–	–
White	110	109	–	1	–	–	–	–	–	–	–	–	83	82	1	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	352	71	–	1	1	4	4	10	51	71	72	67	311	47	2	–	2	1	2	1	24	43	74	115
White	332	62	–	1	1	3	4	8	49	69	71	64	309	47	2	–	2	1	2	1	24	42	74	114
All other	20	9	–	–	–	1	–	2	2	2	1	3	2	–	–	–	–	–	–	–	–	1	–	1
Black	13	6	–	–	–	1	–	1	1	1	1	2	1	–	–	–	–	–	–	–	–	1	–	–
All other diseases (Residual)	1,041	11	10	6	14	23	22	46	102	223	328	256	1,042	11	6	7	14	16	23	37	77	169	309	373
White	1,021	9	9	4	14	22	19	44	100	220	327	253	1,028	11	6	6	13	14	21	36	75	166	309	371
All other	20	2	1	2	–	1	3	2	2	3	1	3	14	–	–	1	1	2	2	1	2	3	–	2
Black	11	–	1	1	–	1	1	1	1	3	1	1	9	–	–	1	1	2	–	1	1	3	–	–
Accidents and adverse effects (E800-E949)	997	4	20	42	237	175	99	63	99	72	113	64	480	4	23	24	71	36	26	33	43	51	86	83
White	950	2	27	39	226	162	96	61	96	69	110	62	460	4	18	23	68	31	25	32	41	50	85	83
All other	47	2	2	3	11	13	3	2	3	3	3	2	20	–	5	1	3	5	1	1	2	1	1	–
Black	16	–	–	–	3	6	2	1	–	2	1	1	8	–	–	1	1	1	1	1	1	1	1	–
Motor vehicle accidents (E810-E825)	448	1	10	22	155	99	53	21	29	23	29	6	184	–	11	11	57	21	15	14	18	15	18	4
White	434	1	9	21	152	93	52	21	29	22	28	6	174	–	6	10	55	20	15	14	17	15	18	4
All other	14	–	1	1	3	6	1	–	–	1	1	–	10	–	5	1	2	1	–	–	1	–	–	–
Black	3	–	–	–	–	2	1	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	549	3	19	20	82	76	46	42	70	49	84	58	296	4	12	13	14	15	11	19	25	36	68	79
White	518	1	18	18	74	69	44	40	67	47	82	56	286	4	12	13	13	11	10	18	24	35	67	79
All other	33	2	1	2	8	7	2	2	3	2	2	2	10	–	–	–	1	4	1	1	1	1	1	–
Black	13	–	–	–	3	4	1	1	–	2	1	1	6	–	–	–	1	1	1	1	–	1	1	–
Suicide (E950-E959)	386	...	...	5	93	68	57	42	47	26	23	5	104	...	...	–	15	22	22	10	15	13	7	–
White	358	...	...	4	89	66	57	42	47	25	23	5	103	...	...	–	15	21	22	10	15	13	7	–
All other	8	...	...	1	4	2	–	–	–	1	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Black	4	...	...	–	2	2	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	59	1	4	2	16	14	10	5	2	3	1	1	41	2	3	–	11	6	6	4	3	3	–	2
White	37	1	3	2	7	8	7	3	1	3	1	1	33	1	2	–	9	4	5	3	3	3	–	2
All other	22	–	1	–	9	6	3	2	1	–	–	–	8	1	1	–	2	2	1	1	–	–	–	–
Black	18	–	–	–	7	6	3	1	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
All other external causes (E980-E999)	31	1	–	1	7	9	3	3	3	2	2	–	5	–	–	–	–	2	1	2	–	–	–	–
White	29	1	–	1	7	7	3	3	3	2	2	–	5	–	–	–	–	2	1	2	–	–	–	–
All other	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	12,800	400	67	106	458	435	528	994	2,116	3,334	3,036	1,302	10,483	310	67	68	148	185	265	552	1,197	2,141	2,997	2,539
White	8,243	158	32	50	262	239	293	620	1,422	2,303	2,019	835	6,709	93	32	42	83	98	145	320	703	1,365	2,024	1,799
All other	4,557	242	35	56	194	196	235	374	694	1,031	1,017	467	3,774	217	35	26	65	87	120	232	494	776	973	740
Black	4,512	234	35	54	183	194	231	368	689	1,028	1,013	467	3,749	214	35	26	63	87	118	229	490	773	970	735
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	2	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	1	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Tuberculosis (010-018)	19	–	–	–	–	1	4	1	1	6	6	–	9	–	–	–	1	2	1	–	–	2	2	1
White	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	1	–	–	–	–	1
All other	16	–	–	–	–	1	4	1	1	5	4	–	8	–	–	–	1	2	1	–	–	2	2	–
Black	16	–	–	–	–	1	4	1	1	5	4	–	8	–	–	–	1	2	1	–	–	2	2	–
Tuberculosis of respiratory system (010-012)	15	–	–	–	–	1	3	1	1	4	5	–	5	–	–	–	1	1	–	–	–	–	2	1
White	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	12	–	–	–	–	1	3	1	1	3	3	–	4	–	–	–	1	1	–	–	–	–	2	–
Black	12	–	–	–	–	1	3	1	1	3	3	–	4	–	–	–	1	1	–	–	–	–	2	–
Other tuberculosis (013-018)	4	–	–	–	–	–	1	–	–	2	1	–	4	–	–	–	–	1	1	–	–	2	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	4	–	–	–	–	–	1	–	–	2	1	–	4	–	–	–	–	1	1	–	–	2	–	–
Black	4	–	–	–	–	–	1	–	–	2	1	–	4	–	–	–	–	1	1	–	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	7	1	2	1	2	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	4	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	1	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	3	–	–	1	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Septicemia (038)	54	6	–	1	2	1	–	4	8	14	11	7	66	3	1	–	1	1	2	1	5	7	29	16
White	29	–	–	–	–	–	–	1	6	9	7	6	37	3	1	–	–	1	2	–	2	2	18	9
All other	25	6	–	1	2	1	–	3	2	5	4	1	29	1	–	–	1	–	–	1	3	5	11	7
Black	24	5	–	1	2	1	–	3	2	5	4	1	29	1	–	–	1	–	–	1	3	5	11	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	7	–	–	–	–	1	–	2	–	–	3	1	2	–	–	–	–	–	–	–	–	1	1	–
White	5	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	37	–	1	1	3	–	5	–	9	13	4	1	25	1	–	1	–	1	5	1	4	5	4	3
White	25	–	1	1	1	–	2	–	7	10	3	–	16	–	–	1	–	1	1	1	2	3	4	3
All other	12	–	–	–	2	–	3	–	2	3	1	1	9	1	–	–	–	–	4	–	2	2	–	–
Black	12	–	–	–	2	–	3	–	2	3	1	1	8	1	–	–	–	–	4	–	2	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	2,576	–	5	8	18	19	68	210	615	870	597	162	1,692	2	2	12	8	23	62	161	404	531	442	224
White	1,740	–	1	3	12	13	43	143	420	609	397	97	1,287	1	2	5	4	9	41	123	265	365	310	161
All other	836	–	4	5	6	6	25	67	195	261	200	65	605	1	–	7	4	14	21	38	139	166	132	63
Black	834	–	4	4	6	6	25	67	195	260	200	65	600	1	–	7	4	14	19	57	138	166	132	62

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	63	-	-	-	1	-	2	8	19	25	7	1	34	-	-	-	-	-	-	4	8	10	9	3
White	46	-	-	-	1	-	1	7	13	17	7	-	27	-	-	-	-	-	-	3	7	7	7	3
All other	17	-	-	-	-	-	1	1	6	8	-	1	7	-	-	-	-	-	-	1	1	3	2	-
Black	17	-	-	-	-	-	1	1	6	8	-	1	7	-	-	-	-	-	-	1	1	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	538	-	-	1	3	5	15	40	113	169	152	39	500	-	2	-	1	2	8	33	76	148	148	81
White	343	-	-	-	-	3	5	27	68	113	104	22	332	-	2	-	-	-	5	21	46	109	99	55
All other	195	-	-	1	3	2	10	13	45	56	48	17	168	-	-	-	1	2	3	12	30	45	49	26
Black	194	-	-	-	3	2	10	13	45	56	48	17	166	-	-	-	1	2	3	11	29	45	49	26
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,037	-	-	-	4	-	22	99	306	396	175	34	303	-	-	-	-	3	10	36	89	102	49	14
White	753	-	-	-	3	-	14	65	223	297	127	23	215	-	-	-	-	2	5	29	62	73	33	11
All other	284	-	-	-	1	-	8	34	83	99	48	11	88	-	-	-	-	1	5	7	27	29	16	3
Black	284	-	-	-	1	-	8	34	83	99	48	11	87	-	-	-	-	1	4	7	27	29	16	3
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	1	-	-	289	-	-	-	-	5	18	44	82	68	52	20
White	2	-	-	-	-	-	-	-	1	1	-	-	207	-	-	-	-	2	12	27	60	53	38	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	82	-	-	-	-	3	6	17	22	15	14	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	82	-	-	-	-	3	6	17	22	15	14	5
Malignant neoplasms of genital organs (179-187)	306	-	1	-	-	1	-	5	43	84	119	52	230	-	-	-	1	3	8	31	55	65	48	19
White	155	-	1	-	-	1	-	4	25	48	53	23	144	-	-	-	-	1	4	20	34	40	34	11
All other	151	-	-	-	-	-	-	1	18	36	66	29	86	-	-	-	1	2	4	11	21	25	14	8
Black	151	-	-	-	-	-	-	1	18	36	66	29	86	-	-	-	1	2	4	11	21	25	14	8
Malignant neoplasms of urinary organs (188-189)	111	-	-	-	-	1	3	9	11	37	41	9	55	-	-	-	-	1	1	1	8	18	11	15
White	87	-	-	-	-	1	2	8	6	29	34	7	34	-	-	-	-	1	1	-	2	12	7	11
All other	24	-	-	-	-	-	1	1	5	8	7	2	21	-	-	-	-	-	-	1	6	6	4	4
Black	24	-	-	-	-	-	1	1	5	8	7	2	21	-	-	-	-	-	-	1	6	6	4	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	300	-	4	3	4	7	14	32	84	91	52	9	276	2	-	7	3	3	12	20	51	67	70	41
White	201	-	-	1	4	4	11	19	61	54	40	7	182	1	-	2	2	1	11	14	30	41	48	32
All other	99	-	4	2	-	3	3	13	23	37	12	2	94	1	-	5	1	2	1	6	21	26	22	9
Black	98	-	4	2	-	3	3	13	23	36	12	2	94	1	-	5	1	2	1	6	21	26	22	9
Leukemia (204-208)	101	-	-	3	5	1	5	5	18	25	29	10	83	-	-	5	1	3	3	5	11	23	19	13
White	72	-	-	1	3	1	4	4	11	18	20	10	54	-	-	3	1	1	1	4	5	14	16	9
All other	29	-	-	2	2	-	1	1	7	7	9	-	29	-	-	2	-	2	2	1	6	9	3	4
Black	29	-	-	2	2	-	1	1	7	7	9	-	28	-	-	2	-	2	1	1	6	9	3	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	118	-	-	1	1	4	7	12	20	42	22	8	122	-	-	-	2	3	2	7	24	30	36	18
White	81	-	-	1	1	3	6	9	12	32	12	5	92	-	-	-	1	1	2	5	19	22	28	14
All other	37	-	-	-	-	1	1	3	8	10	10	3	30	-	-	-	1	2	-	2	5	8	8	4
Black	37	-	-	-	-	1	1	3	8	10	10	3	29	-	-	-	1	2	-	2	5	8	8	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	-	-	1	2	-	-	2	3	7	5	1	37	-	-	1	1	-	3	3	6	8	11	4
White	9	-	-	-	1	-	-	1	2	2	2	1	21	-	-	-	-	-	1	3	5	4	6	2
All other	12	-	-	1	1	-	-	1	1	5	3	-	16	-	-	1	1	-	2	-	1	4	5	2
Black	12	-	-	1	1	-	-	1	1	5	3	-	16	-	-	1	1	-	2	-	1	4	5	2
Diabetes mellitus (250)	127	-	-	-	2	2	8	15	23	36	32	9	233	-	-	1	-	1	2	15	42	58	73	40
White	70	-	-	-	1	2	4	6	15	19	16	7	106	-	-	-	-	1	1	3	18	26	39	17
All other	57	-	-	-	1	-	4	9	8	17	16	2	127	-	-	1	-	-	1	12	24	32	34	23
Black	54	-	-	-	1	-	4	8	7	17	15	2	126	-	-	1	-	-	1	12	24	32	34	22
Nutritional deficiencies (260-269)	11	-	-	-	-	-	1	-	1	-	4	5	18	1	-	-	-	-	-	-	2	2	5	6
White	4	-	-	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	-	1	2	1	5
All other	7	-	-	-	-	-	1	-	1	-	3	2	7	1	-	-	-	-	-	-	1	-	4	1
Black	7	-	-	-	-	-	1	-	1	-	3	2	6	1	-	-	-	-	-	-	1	-	3	1
Anemias (280-285)	22	-	3	-	1	2	2	-	-	4	5	5	27	1	-	-	-	3	-	1	4	3	4	11
White	11	-	1	-	-	1	-	-	-	3	3	3	16	-	-	-	-	1	-	-	2	2	3	8
All other	11	-	2	-	1	1	2	-	-	1	2	2	11	1	-	-	-	2	-	1	2	1	1	3
Black	11	-	2	-	1	1	2	-	-	1	2	2	11	1	-	-	-	2	-	1	2	1	1	3
Meningitis (320-322)	12	7	2	-	1	1	-	-	-	-	1	-	9	6	-	-	-	-	-	1	2	-	-	-
White	4	2	1	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	1	1	-	-	-
All other	8	5	1	-	1	-	-	-	-	-	1	-	6	5	-	-	-	-	-	-	1	-	-	-
Black	8	5	1	-	1	-	-	-	-	-	1	-	5	4	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	5,473	11	5	6	10	37	145	383	899	1,592	1,610	762	5,375	6	3	2	9	26	65	180	475	1,091	1,802	1,708
White	3,703	7	2	4	2	12	88	248	618	1,113	1,085	512	3,546	3	2	2	3	12	29	82	247	663	1,245	1,236
All other	1,770	4	3	2	8	25	59	135	281	479	515	250	1,829	3	1	-	6	14	36	98	228	408	557	472
Black	1,761	4	3	2	8	25	59	133	279	477	512	250	1,822	3	1	-	6	14	36	98	226	407	556	469

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,346	11	4	6	8	31	123	335	764	1,290	1,220	542	3,879	6	3	2	7	21	45	123	380	847	1,274	1,164
White	3,015	7	1	4	–	10	76	228	541	935	852	358	2,597	3	2	2	3	9	18	61	204	541	901	854
All other	1,331	4	3	2	8	21	47	107	223	355	368	184	1,282	3	1	–	4	12	30	62	176	306	373	310
Black	1,326	4	3	2	8	21	47	106	222	354	366	184	1,277	3	1	–	4	12	30	62	175	305	372	306
Rheumatic fever and rheumatic heart disease (390-398)	16	–	–	–	–	1	4	2	4	3	2	–	29	–	–	–	–	–	–	3	9	10	5	2
White	12	–	–	–	–	–	4	2	3	1	2	–	26	–	–	–	–	–	–	3	7	10	5	1
All other	4	–	–	–	–	1	–	–	1	2	–	–	3	–	–	–	–	–	–	–	2	–	–	1
Black	4	–	–	–	–	1	–	–	1	2	–	–	3	–	–	–	–	–	–	–	2	–	–	1
Hypertensive heart disease (402)	142	–	–	–	–	1	–	9	21	42	48	21	166	–	–	–	–	–	4	9	18	40	47	48
White	54	–	–	–	–	–	–	2	8	16	16	12	70	–	–	–	–	–	1	–	8	11	26	24
All other	88	–	–	–	–	1	–	7	13	26	32	9	96	–	–	–	–	–	3	9	10	29	21	24
Black	85	–	–	–	–	1	–	7	12	25	31	9	96	–	–	–	–	–	3	9	10	29	21	24
Hypertensive heart and renal disease (404)	28	–	–	–	–	1	–	1	4	9	9	4	40	–	–	–	–	1	–	–	2	10	13	14
White	13	–	–	–	–	–	–	1	1	3	5	3	22	–	–	–	–	–	–	–	1	4	8	9
All other	15	–	–	–	–	1	–	–	3	6	4	1	18	–	–	–	–	1	–	–	1	6	5	5
Black	15	–	–	–	–	1	–	–	3	6	4	1	18	–	–	–	–	1	–	–	1	6	5	5
Ischemic heart disease (410-414)	3,000	–	–	1	4	14	87	227	565	934	821	339	2,391	–	–	–	–	6	34	73	229	550	808	688
White	2,216	–	–	1	–	6	57	170	433	718	595	233	1,843	–	–	–	–	2	12	39	120	378	589	502
All other	784	–	–	–	4	8	30	57	132	216	226	106	748	–	–	–	–	4	22	34	109	172	219	186
Black	782	–	–	–	4	8	30	56	132	216	225	106	745	–	–	–	–	4	22	34	109	171	219	184
Acute myocardial infarction (410)	2,115	–	–	1	3	13	78	186	467	697	508	156	1,411	–	–	–	–	3	31	62	173	400	463	277
White	1,557	–	–	1	–	5	50	142	354	534	363	105	950	–	–	–	–	1	11	33	93	276	329	207
All other	558	–	–	–	3	8	28	44	113	163	145	51	461	–	–	–	–	2	20	29	80	124	134	70
Black	556	–	–	–	3	8	28	43	113	163	144	51	460	–	–	–	–	2	20	29	80	123	134	70
Other acute and subacute forms of ischemic heart disease (411)	5	–	–	–	1	–	–	1	1	1	1	–	7	–	–	–	–	–	–	–	–	1	4	2
White	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	1	3	1
All other	3	–	–	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	3	–	–	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	2	–	1	6	–	–	–	–	–	1	–	–	2	1	2
White	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	–	1	1	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	677	–	–	–	–	1	9	40	97	234	312	182	967	–	–	–	–	3	2	11	56	147	340	407
White	655	–	–	–	–	1	7	28	78	182	232	127	684	–	–	–	–	1	1	6	27	100	256	292
All other	222	–	–	–	–	–	2	12	19	52	80	55	283	–	–	–	–	2	1	5	29	47	84	115
Black	222	–	–	–	–	–	2	12	19	52	80	55	281	–	–	–	–	2	1	5	29	47	84	113
Other diseases of endocardium (424)	22	–	–	1	–	–	–	2	3	9	4	3	20	–	–	–	–	–	–	–	–	1	12	7
White	17	–	–	–	–	–	–	2	2	6	4	3	15	–	–	–	–	–	–	–	–	1	9	5
All other	5	–	–	1	–	–	–	–	1	3	–	–	5	–	–	–	–	–	–	–	–	–	3	2
Black	5	–	–	1	–	–	–	–	1	3	–	–	5	–	–	–	–	–	–	–	–	–	3	2
All other forms of heart disease (415-423,425-429)	1,138	11	4	4	4	14	32	94	167	293	336	175	1,233	6	3	2	7	14	8	38	122	236	389	405
White	703	7	1	3	–	4	15	51	94	191	230	107	821	3	2	2	3	7	3	19	68	137	264	313
All other	435	4	3	1	4	10	17	43	73	102	106	68	412	3	1	–	4	7	5	19	54	99	125	92
Black	435	4	3	1	4	10	17	43	73	102	106	68	410	3	1	–	4	7	5	19	53	99	124	92
Hypertension with or without renal disease (401,403)	36	–	–	–	–	–	1	1	5	10	14	5	55	–	–	–	–	–	–	2	2	10	25	15
White	22	–	–	–	–	–	1	1	3	4	9	4	26	–	–	–	–	–	–	–	–	5	10	10
All other	14	–	–	–	–	–	–	–	2	6	5	1	29	–	–	–	–	–	–	2	2	5	15	5
Black	13	–	–	–	–	–	–	–	2	6	4	1	29	–	–	–	–	–	–	2	2	5	15	5
Cerebrovascular diseases (430-438)	903	–	–	–	–	4	18	41	107	248	317	168	1,200	–	–	–	2	5	18	54	80	204	423	416
White	521	–	–	–	–	1	7	13	55	138	191	116	754	–	–	–	–	3	11	20	36	118	277	289
All other	382	–	–	–	–	3	11	28	52	110	126	52	446	–	–	–	2	2	5	34	44	86	146	127
Black	379	–	–	–	–	3	11	27	51	109	126	52	444	–	–	–	2	2	5	34	43	86	146	126
Intracerebral and other intracranial hemorrhage (431-432)	100	–	–	–	–	1	6	12	21	29	24	7	110	–	–	–	1	2	7	15	15	30	28	12
White	53	–	–	–	–	1	2	3	10	18	15	3	65	–	–	–	–	1	3	6	7	19	20	9
All other	47	–	–	–	–	–	4	9	11	10	9	4	45	–	–	–	1	1	4	9	8	11	8	3
Black	47	–	–	–	–	–	4	9	11	10	9	4	45	–	–	–	1	1	4	9	8	11	8	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	140	–	–	–	–	–	1	4	15	39	49	32	175	–	–	–	1	–	2	4	10	31	54	73
White	93	–	–	–	–	–	–	3	10	25	31	24	127	–	–	–	–	–	2	2	7	22	39	55
All other	47	–	–	–	–	–	1	1	5	14	18	8	48	–	–	–	1	–	–	2	3	9	15	18
Black	47	–	–	–	–	–	1	1	5	14	18	8	48	–	–	–	1	–	–	2	3	9	15	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	663	-	-	-	-	3	11	25	71	180	244	129	912	-	-	-	-	3	7	35	55	143	338	331
White	375	-	-	-	-	-	5	7	35	94	145	89	559	-	-	-	-	2	6	12	22	77	215	225
All other	288	-	-	-	-	3	6	18	36	86	99	40	353	-	-	-	-	1	1	23	33	66	123	106
Black	285	-	-	-	-	3	6	17	35	85	99	40	351	-	-	-	-	1	1	23	32	66	123	105
Atherosclerosis (440)	85	-	-	-	-	-	-	1	3	18	28	35	154	-	-	-	-	-	1	-	3	14	48	87
White	57	-	-	-	-	-	-	1	1	13	19	23	110	-	-	-	-	-	1	-	1	9	33	67
All other	28	-	-	-	-	-	-	-	2	5	9	12	44	-	-	-	-	-	-	-	2	6	15	20
Black	28	-	-	-	-	-	-	-	2	5	9	12	44	-	-	-	-	-	-	-	2	6	15	20
Other diseases of arteries, arterioles, and capillaries (441-448)	103	-	1	-	2	2	3	5	20	26	31	12	67	-	-	-	-	-	2	1	10	16	32	26
White	88	-	1	-	2	1	2	5	18	23	24	11	59	-	-	-	-	-	1	1	6	11	24	16
All other	15	-	-	-	-	1	1	-	2	3	7	1	28	-	-	-	-	-	1	-	4	5	8	10
Black	15	-	-	-	-	1	1	-	2	3	7	1	28	-	-	-	-	-	1	-	4	5	8	10
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	267	10	1	4	3	4	1	16	26	45	87	70	233	10	3	1	1	2	5	8	12	26	65	89
White	170	2	1	1	2	3	1	7	15	32	60	46	167	1	1	-	-	1	3	5	7	20	51	79
All other	97	8	-	3	1	1	-	9	11	13	27	24	66	9	2	1	1	2	2	3	5	6	14	20
Black	97	8	-	3	1	1	-	9	11	13	27	24	66	9	2	1	1	2	2	3	5	6	14	20
Pneumonia (480-486)	260	10	1	4	3	4	1	15	25	44	84	69	229	9	3	1	1	2	5	8	11	25	65	98
White	167	2	1	1	2	3	1	7	15	32	58	45	164	1	1	-	-	1	3	5	6	19	51	78
All other	93	8	-	3	1	1	-	8	10	12	26	24	65	8	2	1	1	2	2	3	5	6	14	20
Black	93	8	-	3	1	1	-	8	10	12	26	24	65	8	2	1	1	2	2	3	5	6	14	20
Influenza (487)	7	-	-	-	-	-	-	1	1	1	3	1	4	1	-	-	-	-	-	-	1	1	-	1
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	1	1	-	1
All other	4	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	398	1	1	-	-	1	1	13	51	170	132	28	159	-	-	-	1	3	2	6	30	49	46	22
White	337	-	-	-	-	1	-	9	42	142	118	25	129	-	-	-	-	-	-	4	27	44	35	19
All other	61	1	1	-	-	-	1	4	9	28	14	3	30	-	-	-	1	3	2	2	3	5	11	3
Black	61	1	1	-	-	-	1	4	9	28	14	3	30	-	-	-	1	3	2	2	3	5	11	3
Bronchitis, chronic and unspecified (490-491)	13	1	1	-	-	-	-	1	1	3	2	4	5	-	-	-	-	-	-	-	-	2	2	1
White	11	-	-	-	-	-	-	1	1	3	2	4	5	-	-	-	-	-	-	-	-	2	2	1
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	62	-	-	-	-	-	-	1	12	29	18	2	21	-	-	-	-	-	-	1	7	6	5	2
White	52	-	-	-	-	-	-	1	9	24	17	1	15	-	-	-	-	-	-	1	5	4	3	2
All other	10	-	-	-	-	-	-	-	3	5	1	1	6	-	-	-	-	-	-	-	2	2	2	-
Black	10	-	-	-	-	-	-	-	3	5	1	1	6	-	-	-	-	-	-	-	2	2	2	-
Asthma (493)	10	-	-	-	-	1	-	-	2	3	2	2	19	-	-	-	1	3	2	1	3	2	6	1
White	8	-	-	-	-	1	-	-	2	3	1	1	8	-	-	-	-	-	-	-	2	2	4	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	11	-	-	-	1	3	2	1	1	-	2	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	11	-	-	-	1	3	2	1	1	-	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	313	-	-	-	-	-	1	11	36	135	110	20	114	-	-	-	-	-	-	4	20	39	33	18
White	266	-	-	-	-	-	-	7	30	112	98	19	101	-	-	-	-	-	-	3	20	36	26	16
All other	47	-	-	-	-	-	1	4	6	23	12	1	13	-	-	-	-	-	-	1	-	3	7	2
Black	47	-	-	-	-	-	1	4	6	23	12	1	13	-	-	-	-	-	-	1	-	3	7	2
Ulcer of stomach and duodenum (531-533)	32	-	-	-	-	1	2	3	7	7	11	1	26	-	-	-	-	1	-	-	1	9	8	7
White	21	-	-	-	-	1	1	2	3	5	9	-	22	-	-	-	-	1	-	-	1	7	7	6
All other	11	-	-	-	-	-	1	1	4	2	2	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	11	-	-	-	-	-	1	1	4	2	2	1	4	-	-	-	-	-	-	-	-	2	1	1
Appendicitis (540-543)	8	-	-	-	-	-	1	1	2	1	2	1	4	-	-	-	-	-	-	1	-	2	-	1
White	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	5	-	-	-	-	-	1	1	-	1	2	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	5	-	-	-	-	-	1	1	-	1	2	-	3	-	-	-	-	-	-	1	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	-	-	-	-	1	1	2	-	6	7	5	35	1	-	-	-	-	2	2	6	4	8	12
White	16	-	-	-	-	1	1	2	-	3	4	5	17	-	-	-	-	-	1	1	2	2	4	7
All other	6	-	-	-	-	-	-	-	-	3	3	-	18	1	-	-	-	-	1	1	4	2	4	5
Black	6	-	-	-	-	-	-	-	-	3	3	-	18	1	-	-	-	-	1	1	4	2	4	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	117	–	–	–	–	6	5	32	37	27	7	3	65	–	–	1	–	3	7	12	12	19	7	3
White	97	–	–	–	–	2	5	24	33	24	6	3	48	–	–	1	–	1	3	6	10	18	7	2
All other	20	–	–	–	–	4	–	8	4	3	1	–	17	–	–	–	–	2	4	6	2	1	–	1
Black	20	–	–	–	–	4	–	8	4	3	1	–	17	–	–	–	–	2	4	6	2	1	–	1
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	–	1	4	4	2	3	17	–	–	–	–	–	–	1	–	6	4	6
White	11	–	–	–	–	–	–	1	2	4	1	3	14	–	–	–	–	–	–	1	–	5	3	5
All other	3	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	3	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	110	3	–	1	–	3	2	5	9	24	43	20	131	–	1	–	–	1	1	4	17	21	52	34
White	58	2	–	–	–	1	1	1	6	14	22	11	67	–	–	–	–	–	–	–	5	9	31	22
All other	52	1	–	1	–	2	1	4	3	10	21	9	64	–	1	–	–	1	1	4	12	12	21	12
Black	52	1	–	1	–	2	1	4	3	10	21	9	64	–	1	–	–	1	1	4	12	12	21	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	–	–	–	–	–	–	–	3	1	2	–	2	–	–	–	–	–	–	–	–	–	2	–
White	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	3	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	–	–	–	–	1	–	2	2	1	6	1	15	–	–	–	–	–	–	1	3	2	7	2
White	6	–	–	–	–	–	–	–	2	–	3	1	7	–	–	–	–	–	–	–	1	1	4	1
All other	7	–	–	–	–	1	–	2	–	1	3	–	8	–	–	–	–	–	–	1	2	1	3	1
Black	7	–	–	–	–	1	–	2	–	1	3	–	8	–	–	–	–	–	–	1	2	1	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	91	3	–	1	–	2	2	3	4	22	35	19	114	–	1	–	–	1	1	3	14	19	43	32
White	49	2	–	–	–	1	1	1	3	13	18	10	59	–	–	–	–	–	–	–	4	8	26	21
All other	42	1	–	1	–	1	1	2	1	9	17	9	55	–	1	–	–	1	1	3	10	11	17	11
Black	42	1	–	1	–	1	1	2	1	9	17	9	55	–	1	–	–	1	1	3	10	11	17	11
Infections of kidney (590)	9	–	–	–	–	–	–	–	1	2	5	1	29	–	–	–	–	1	–	2	2	3	10	11
White	3	–	–	–	–	–	–	–	–	1	1	1	23	–	–	–	–	–	–	2	2	1	9	9
All other	6	–	–	–	–	–	–	–	1	1	4	–	6	–	–	–	–	1	–	–	–	2	1	2
Black	6	–	–	–	–	–	–	–	1	1	4	–	6	–	–	–	–	1	–	–	–	2	1	2
Hyperplasia of prostate (600)	13	–	–	–	–	–	–	–	–	2	5	6	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	–	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	–	–	–	–	–	–	–	–	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	–	–	–	–	–	–	–	–	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	88	61	9	3	4	2	2	1	3	1	2	–	74	47	7	3	4	1	1	1	3	3	3	1
White	49	32	5	2	1	–	2	1	3	1	2	–	43	22	5	2	3	1	1	1	3	1	3	1
All other	39	29	4	1	3	2	–	–	–	–	–	–	31	25	2	1	1	–	–	–	–	2	–	–
Black	39	29	4	1	3	2	–	–	–	–	–	–	30	24	2	1	1	–	–	–	–	2	–	–
Certain conditions originating in the perinatal period (760-779)	203	203	–	–	–	–	–	–	–	–	–	–	154	154	–	–	–	–	–	–	–	–	–	–
White	76	76	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–
All other	127	127	–	–	–	–	–	–	–	–	–	–	114	114	–	–	–	–	–	–	–	–	–	–
Black	123	123	–	–	–	–	–	–	–	–	–	–	113	113	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	81	81	–	–	–	–	–	–	–	–	–	–	49	49	–	–	–	–	–	–	–	–	–	–
White	41	41	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	40	40	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
Black	40	40	–	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	122	122	–	–	–	–	–	–	–	–	–	–	105	105	–	–	–	–	–	–	–	–	–	–
White	35	35	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
All other	87	87	–	–	–	–	–	–	–	–	–	–	84	84	–	–	–	–	–	–	–	–	–	–
Black	83	83	–	–	–	–	–	–	–	–	–	–	84	84	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	846	53	3	2	7	17	31	79	152	203	192	104	601	49	5	1	2	6	12	41	77	116	158	132
White	398	19	3	1	4	4	14	36	77	115	85	39	241	10	1	1	–	1	1	20	31	53	64	58
All other	448	34	–	1	3	13	17	43	75	88	107	65	360	39	4	–	2	5	11	21	46	63	94	74
Black	444	32	–	1	3	13	16	43	74	88	107	65	358	39	4	–	2	5	11	20	46	62	94	74
All other diseases (Residual)	716	24	11	9	12	19	36	64	117	171	180	72	652	12	4	9	11	14	29	37	58	132	198	150
White	432	12	4	3	4	6	16	36	70	116	122	43	444	3	4	6	5	5	17	21	41	92	139	111
All other	284	12	7	6	8	13	20	28	47	55	58	29	208	9	–	3	6	9	12	16	15	40	59	39
Black	282	11	7	6	8	13	19	28	47	55	58	29	205	9	–	3	6	9	12	15	14	40	58	39
Accidents and adverse effects (E800-E949)	1,075	15	23	64	267	193	122	103	97	95	66	28	448	15	39	35	77	59	37	30	21	36	55	44
White	689	3	11	33	179	125	76	65	69	61	45	19	317	9	14	24	56	46	27	25	17	23	40	34
All other	387	12	12	31	88	68	46	38	28	34	21	9	131	6	25	11	19	13	10	5	4	13	15	10
Black	375	12	12	30	81	67	45	36	28	34	21	9	130	6	25	11	18	13	10	5	4	13	15	10
Motor vehicle accidents (E810-E825)	540	3	10	19	167	106	61	47	50	33	19	4	219	5	15	17	56	43	22	19	12	8	15	7
White	365	2	6	11	135	72	35	31	33	21	15	3	180	5	6	14	47	38	16	18	11	7	14	6
All other	175	1	4	8	32	34	26	16	17	12	4	1	39	–	9	3	9	7	6	1	1	1	1	1
Black	170	1	4	8	49	33	26	15	17	12	4	1	38	–	9	3	8	7	6	1	1	1	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	535	12	13	45	80	87	61	56	47	62	47	24	229	10	24	18	21	16	15	11	9	28	40	37
White	323	1	5	22	44	53	41	34	36	40	30	16	137	4	8	10	11	10	11	7	6	16	26	28
All other	212	11	8	23	36	34	20	22	11	22	17	8	92	6	16	8	10	6	4	4	3	12	14	9
Black	205	11	8	22	32	34	19	21	11	22	17	8	92	6	16	8	10	6	4	4	3	12	14	9
Suicide (E950-E959)	168	...	...	2	38	39	22	16	22	15	11	3	55	...	...	–	4	11	10	12	10	3	4	1
White	140	...	...	1	28	33	18	15	19	13	10	3	50	...	...	–	3	10	9	12	10	2	3	1
All other	28	...	...	1	10	6	4	1	3	2	1	–	5	...	...	–	1	1	1	–	–	1	1	–
Black	27	...	...	1	9	6	4	1	3	2	1	–	4	...	...	–	–	1	1	–	–	1	1	–
Homicide and legal intervention (E960-E978)	318	2	1	3	76	82	67	38	25	15	4	2	96	2	1	–	25	23	19	12	4	4	4	2
White	115	1	–	1	22	30	21	18	11	5	3	1	38	1	1	–	6	7	8	9	3	1	1	1
All other	203	1	1	2	54	52	46	19	14	10	1	1	58	1	–	–	19	16	11	3	1	3	3	1
Black	196	1	1	2	51	51	45	18	13	10	1	1	58	1	–	–	19	16	11	3	1	3	3	1
All other external causes (E980-E999)	19	–	–	–	8	3	2	3	2	–	–	1	6	–	1	–	3	1	–	–	1	–	–	–
White	12	–	–	–	4	2	2	1	2	–	–	1	3	–	1	–	1	–	–	–	1	–	–	–
All other	7	–	–	–	4	1	–	2	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–	–
Black	7	–	–	–	4	1	–	2	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–	–
MISSOURI																								
All causes	25,407	490	97	112	693	650	716	1,561	4,015	6,703	6,886	3,497	22,870	408	71	76	236	307	456	862	2,301	4,503	6,982	6,566
White	22,698	358	75	85	539	482	567	1,318	3,563	6,072	6,388	3,288	20,732	285	46	63	197	248	364	797	1,974	4,017	6,478	6,253
All other	2,709	132	22	27	154	168	149	243	452	631	498	229	2,138	113	25	13	39	61	92	165	327	486	504	313
Black	2,674	127	21	26	150	165	144	240	449	627	483	228	2,114	111	25	13	38	60	90	160	322	485	500	310
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
White	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	21	–	–	–	–	–	1	4	4	5	5	2	14	–	–	–	–	–	–	–	–	1	6	7
White	15	–	–	–	–	–	–	2	4	5	3	1	14	–	–	–	–	–	–	–	–	1	6	7
All other	6	–	–	–	–	–	1	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	6	–	–	–	–	–	1	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	17	–	–	–	–	–	–	4	4	4	4	1	13	–	–	–	–	–	–	–	–	1	5	7
White	13	–	–	–	–	–	–	2	4	4	3	–	13	–	–	–	–	–	–	–	–	1	5	7
All other	4	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	4	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	–	–	–	1	–	1	–	1	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
All other	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	163	–	–	–	–	2	2	13	34	41	37	34	138	3	–	–	1	1	4	3	13	31	44	38
White	134	–	–	–	–	–	1	7	27	36	31	32	110	2	–	–	1	–	2	2	8	21	41	33
All other	29	–	–	–	–	2	1	6	7	5	6	2	28	1	–	–	–	1	2	1	5	10	3	5
Black	29	–	–	–	–	2	1	6	7	5	6	2	27	1	–	–	–	1	2	–	5	10	3	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	10	–	1	–	–	1	–	–	2	3	2	1	4	–	–	–	–	2	–	–	–	–	–	2
White	9	–	1	–	–	1	–	–	2	2	2	1	2	–	–	–	–	–	–	–	–	–	–	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	2	–	–	–	–	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	49	5	1	1	2	3	–	5	7	19	5	1	64	2	3	1	2	6	4	4	11	10	13	8
White	42	3	1	–	1	3	–	4	6	18	5	1	54	2	2	1	2	5	2	3	9	9	13	6
All other	7	2	–	1	1	–	–	1	1	1	–	–	10	–	1	–	–	1	2	1	2	1	–	2
Black	7	2	–	1	1	–	–	1	1	1	–	–	10	–	1	–	–	1	2	1	2	1	–	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,569	–	12	15	29	66	110	452	1,203	1,860	1,378	444	4,863	2	4	12	20	77	171	436	947	1,367	1,219	608
White	4,969	–	10	13	23	61	94	387	1,064	1,659	1,244	414	4,368	1	4	9	19	66	142	372	820	1,247	1,124	562
All other	600	–	2	2	6	5	16	65	139	201	134	30	497	1	–	3	1	11	29	64	127	120	95	46
Black	593	–	2	1	6	4	16	64	137	201	132	30	495	1	–	3	1	11	29	63	126	120	95	46
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	128	–	–	–	–	–	4	18	39	34	24	9	50	–	–	–	–	–	1	3	12	14	18	2
White	110	–	–	–	–	–	4	13	30	31	24	8	47	–	–	–	–	–	1	2	11	14	17	2
All other	18	–	–	–	–	–	–	5	9	3	–	1	3	–	–	–	–	–	–	1	1	–	1	–
Black	18	–	–	–	–	–	–	5	9	3	–	1	3	–	–	–	–	–	–	1	1	–	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,253	–	–	1	–	14	26	101	254	426	306	125	1,261	–	–	–	2	6	23	64	217	350	390	207
White	1,091	–	–	1	–	11	22	80	219	372	269	117	1,136	–	–	–	2	6	19	53	177	319	368	192
All other	162	–	–	–	–	3	4	21	35	54	37	8	125	–	–	–	–	2	4	11	40	31	22	15
Black	159	–	–	–	–	3	4	20	33	54	37	8	125	–	–	–	–	2	4	11	40	31	22	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,147	–	–	–	–	4	30	191	567	816	463	76	779	–	–	–	1	2	26	88	208	264	141	49
White	1,926	–	–	–	–	3	25	162	501	740	425	70	701	–	–	–	1	2	21	76	168	240	128	45
All other	221	–	–	–	–	1	5	29	66	76	38	6	78	–	–	–	–	–	5	12	20	24	13	4
Black	220	–	–	–	–	1	5	29	66	76	37	6	78	–	–	–	–	–	5	12	20	24	13	4
Malignant neoplasm of breast (174-175)	8	–	–	–	–	–	–	1	1	4	2	–	843	–	–	–	–	23	53	116	162	230	162	77
White	8	–	–	–	–	–	–	1	1	4	2	–	757	–	–	–	–	19	43	103	151	207	151	73
All other	–	–	–	–	–	–	–	–	–	–	–	–	86	–	–	–	–	4	10	13	21	23	11	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	86	–	–	–	–	4	10	13	21	23	11	4
Malignant neoplasms of genital organs (179-187)	567	–	–	–	2	4	–	8	53	156	231	113	570	–	–	–	2	11	21	63	129	160	129	55
White	491	–	–	–	2	4	–	7	45	124	207	102	488	–	–	–	2	8	18	54	108	143	108	46
All other	76	–	–	–	–	–	–	1	8	32	24	11	82	–	–	–	–	3	3	9	21	17	20	9
Black	76	–	–	–	–	–	–	1	8	32	24	11	80	–	–	–	–	3	3	8	20	17	20	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	272	-	-	-	-	2	4	15	53	74	88	36	160	-	-	-	-	1	3	11	18	46	52	49
White	254	-	-	-	-	2	4	14	49	69	81	35	157	-	-	-	-	1	3	6	16	38	46	47
All other	18	-	-	-	-	-	-	1	4	5	7	1	23	-	-	-	-	-	-	5	2	8	6	2
Black	18	-	-	-	-	-	-	1	4	5	7	1	23	-	-	-	-	-	-	5	2	8	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	690	-	8	6	12	25	29	72	158	203	134	43	682	1	1	8	9	9	28	57	110	173	180	106
White	630	-	7	5	9	24	22	66	148	184	124	41	628	1	1	5	9	9	26	49	98	164	168	98
All other	60	-	1	1	3	1	7	6	10	19	10	2	54	-	-	3	-	-	2	8	12	9	12	8
Black	58	-	1	-	3	-	7	6	10	19	10	2	54	-	-	3	-	-	2	8	12	9	12	8
Leukemia (204-208)	240	-	3	5	10	8	8	16	28	73	62	27	216	1	3	4	5	13	9	14	26	49	57	35
White	224	-	2	5	8	8	8	16	25	70	58	26	195	-	3	4	4	12	6	11	23	46	54	32
All other	16	-	1	-	2	-	-	-	3	3	6	1	21	1	-	-	1	1	3	3	3	3	3	3
Black	16	-	1	-	2	-	-	-	3	3	6	1	21	1	-	-	1	1	3	3	3	3	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	264	-	1	3	5	9	9	30	50	74	68	15	262	-	-	-	1	10	7	20	45	81	90	28
White	235	-	1	2	4	9	9	28	46	65	56	15	257	-	-	-	1	9	5	18	38	76	83	27
All other	29	-	-	1	1	-	-	2	4	9	12	-	25	-	-	-	-	1	2	2	7	5	7	1
Black	28	-	-	1	1	-	-	2	4	9	11	-	25	-	-	-	-	1	2	2	7	5	7	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	62	1	-	1	1	3	3	3	7	18	22	5	73	2	-	1	-	-	4	7	11	18	22	8
White	54	1	-	-	-	2	3	3	7	15	19	4	65	-	-	-	-	-	4	6	10	15	22	8
All other	8	-	-	1	1	1	-	-	-	1	3	1	8	2	-	1	-	-	-	1	1	3	-	-
Black	8	-	-	1	1	1	-	-	-	1	3	1	8	2	-	1	-	-	-	1	1	3	-	-
Diabetes mellitus (250)	313	-	-	-	1	7	8	18	67	89	85	38	442	-	-	-	1	9	3	18	48	138	148	83
White	278	-	-	-	1	6	8	16	58	76	80	33	383	-	-	-	1	9	2	15	38	118	134	76
All other	35	-	-	-	-	1	-	2	9	13	5	5	49	-	-	-	-	-	1	1	8	18	14	7
Black	35	-	-	-	-	1	-	2	9	13	5	5	49	-	-	-	-	-	1	1	8	18	14	7
Nutritional deficiencies (260-269)	37	2	-	-	-	-	-	-	3	7	11	14	56	-	-	-	3	-	1	1	3	2	14	32
White	33	1	-	-	-	-	-	-	3	7	9	13	47	-	-	-	2	-	1	1	2	2	12	27
All other	4	1	-	-	-	-	-	-	-	-	2	1	9	-	-	-	1	-	-	-	1	-	2	5
Black	4	1	-	-	-	-	-	-	-	-	2	1	9	-	-	-	1	-	-	-	1	-	2	5
Anemias (280-285)	43	-	-	1	1	1	2	1	6	7	15	9	60	-	1	2	-	1	2	1	4	8	19	22
White	36	-	-	1	1	-	-	1	5	6	13	9	53	-	1	2	-	-	2	1	4	7	15	21
All other	7	-	-	-	-	1	2	-	1	1	2	-	7	-	-	-	-	1	-	-	-	1	4	1
Black	7	-	-	-	-	1	2	-	1	1	2	-	7	-	-	-	-	1	-	-	-	1	4	1
Meningitis (320-322)	19	6	4	1	-	-	1	-	3	1	2	1	11	4	-	-	-	-	-	-	2	3	-	2
White	12	4	3	1	-	-	-	-	2	-	2	-	8	4	-	-	-	-	-	-	-	3	-	1
All other	7	2	1	-	-	-	1	-	1	1	-	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	7	2	1	-	-	-	1	-	1	1	-	1	3	-	-	-	-	-	-	-	2	-	-	1
Major cardiovascular diseases (390-448)	11,585	11	3	8	20	40	189	576	1,716	3,148	3,739	2,110	11,856	9	4	5	18	32	88	269	786	2,077	4,168	4,498
White	10,612	9	2	8	13	31	156	488	1,530	2,882	3,509	1,982	11,018	5	-	3	13	25	62	207	667	1,837	3,869	4,328
All other	953	2	1	-	7	9	33	88	186	266	230	128	838	4	4	2	5	7	26	62	119	240	299	170
Black	944	2	1	-	7	9	32	86	185	264	228	127	828	4	4	2	5	7	24	61	117	239	297	168
Diseases of heart (390-398,402,404-429)	9,373	10	3	6	18	34	168	513	1,511	2,608	2,686	1,611	8,881	9	4	5	15	22	58	211	648	1,600	3,059	3,251
White	8,600	8	2	6	12	27	140	434	1,354	2,396	2,708	1,511	8,201	5	-	3	10	17	42	163	548	1,420	2,880	3,132
All other	773	2	1	-	6	7	28	79	157	212	178	100	680	4	4	2	5	5	16	48	98	180	189	119
Black	767	2	1	-	6	7	27	77	156	211	177	100	670	4	4	2	5	5	14	47	96	179	187	117
Rheumatic fever and rheumatic heart disease (390-398)	50	-	-	-	-	1	4	3	7	21	11	3	98	-	-	-	1	2	2	10	20	33	22	8
White	42	-	-	-	-	-	1	2	7	18	11	3	93	-	-	-	1	2	1	9	19	32	21	8
All other	8	-	-	-	-	1	3	1	-	3	-	-	5	-	-	-	-	-	1	1	1	1	1	-
Black	7	-	-	-	-	1	2	1	-	3	-	-	4	-	-	-	-	-	-	1	1	1	1	-
Hypertensive heart disease (402)	207	-	-	-	-	1	3	21	43	66	56	17	302	-	-	-	-	-	8	18	32	51	104	69
White	146	-	-	-	-	-	2	7	29	47	45	16	231	-	-	-	-	-	4	8	20	37	84	78
All other	61	-	-	-	-	1	1	14	14	19	11	1	71	-	-	-	-	-	4	10	12	14	20	11
Black	61	-	-	-	-	1	1	14	14	19	11	1	71	-	-	-	-	-	4	10	12	14	20	11
Hypertensive heart and renal disease (404)	48	-	-	-	1	-	1	-	5	6	21	15	95	-	-	-	-	-	-	2	7	10	36	40
White	44	-	-	-	1	-	-	-	2	6	21	14	79	-	-	-	-	-	-	-	3	7	32	37
All other	5	-	-	-	-	-	1	-	3	-	-	1	16	-	-	-	-	-	-	2	4	3	4	3
Black	5	-	-	-	-	-	1	-	3	-	-	1	16	-	-	-	-	-	-	2	4	3	4	3
Ischemic heart disease (410-414)	7,331	1	-	-	1	23	130	395	1,238	2,090	2,259	1,190	6,564	-	-	-	2	6	24	131	467	1,198	2,321	2,414
White	6,785	1	-	-	-	19	113	345	1,129	1,935	2,129	1,112	6,132	-	-	-	2	3	20	108	406	1,078	2,183	2,331
All other	546	-	-	-	1	4	17	50	109	155	130	78	432	-	-	-	-	3	4	23	61	120	138	83
Black	541	-	-	-	1	4	17	48	108	154	129	78	425	-	-	-	-	3	4	22	59	119	136	82
Acute myocardial infarction (410)	4,070	1	-	-	1	16	89	267	816	1,294	1,144	442	3,061	-	-	-	1	3	20	84	306	735	1,087	825
White	3,679	1	-	-	-	13	80	253	777	1,231	1,088	420	2,879	-	-	-	1	2	16	71	276	672	1,040	801
All other	197	-	-	-	1	3	9	14	39	63	46	22	182	-	-	-	-	1	4	13	30	63	47	24
Black	193	-	-	-	1	3	9	12	39	62	45	22	178	-	-	-	-	1	4	12	29	62	46	24

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	22	-	-	-	-	-	-	2	4	4	9	3	16	-	-	-	-	-	-	-	-	1	4	11
White	21	-	-	-	-	-	-	2	4	4	8	3	16	-	-	-	-	-	-	-	-	1	4	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	2	1	2	4	1	15	-	-	-	-	-	-	1	1	4	6	3
White	10	-	-	-	-	-	-	2	1	2	4	1	15	-	-	-	-	-	-	1	1	4	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,229	-	-	-	-	7	41	124	417	790	1,102	744	3,472	-	-	-	1	3	4	46	160	458	1,224	1,575
White	2,881	-	-	-	-	6	33	88	347	698	1,019	688	3,222	-	-	-	1	1	4	36	129	401	1,133	1,516
All other	348	-	-	-	-	1	8	36	70	92	83	56	250	-	-	-	-	2	-	10	31	57	91	59
Black	347	-	-	-	-	1	8	36	69	92	83	56	247	-	-	-	-	2	-	10	30	57	90	58
Other diseases of endocardium (424)	106	1	-	-	1	1	2	7	18	24	38	14	87	-	-	-	3	1	-	3	10	9	34	27
White	100	1	-	-	-	1	1	6	17	24	37	13	79	-	-	-	1	1	-	3	8	9	33	24
All other	6	-	-	-	1	-	1	1	1	-	1	1	8	-	-	-	2	-	-	-	2	-	1	3
Black	6	-	-	-	1	-	1	1	1	-	1	1	8	-	-	-	2	-	-	-	2	-	1	3
All other forms of heart disease (415-423,425-429)	1,630	8	3	6	15	8	28	87	200	401	501	372	1,735	9	4	5	9	13	24	47	110	299	542	673
White	1,483	6	2	6	11	7	23	74	170	368	465	353	1,587	5	-	3	6	11	17	35	92	257	507	654
All other	147	2	1	-	4	1	5	13	30	35	36	19	148	4	4	2	3	2	7	12	18	42	35	19
Black	147	2	1	-	4	1	5	13	30	35	36	19	146	4	4	2	3	2	6	12	18	42	35	18
Hypertension with or without renal disease (401,403)	70	-	-	-	-	2	-	3	10	13	23	19	94	-	-	-	-	1	2	1	5	14	29	42
White	58	-	-	-	-	1	-	2	7	11	19	18	80	-	-	-	-	1	1	-	2	11	26	39
All other	12	-	-	-	-	1	-	1	3	2	4	1	14	-	-	-	-	-	1	1	3	3	3	3
Black	12	-	-	-	-	1	-	1	3	2	4	1	14	-	-	-	-	-	1	1	3	3	3	3
Cerebrovascular diseases (430-438)	1,607	1	-	2	2	3	14	48	149	388	643	357	2,404	-	-	-	2	7	26	51	121	384	912	900
White	1,469	1	-	2	1	2	9	42	126	344	605	337	2,190	-	-	-	2	5	18	38	103	335	828	860
All other	138	-	-	-	1	1	5	6	23	44	38	20	214	-	-	-	-	2	8	13	18	49	84	40
Black	135	-	-	-	1	1	5	6	23	43	37	19	214	-	-	-	-	2	8	13	18	49	84	40
Intracerebral and other intracranial hemorrhage (431-432)	254	-	-	1	1	2	5	13	51	61	88	32	279	-	-	-	2	3	8	20	31	65	107	43
White	221	-	-	1	-	2	2	10	40	56	79	31	246	-	-	-	2	2	4	15	27	58	97	41
All other	33	-	-	-	1	-	3	3	11	5	9	1	33	-	-	-	-	1	4	5	4	7	10	2
Black	33	-	-	-	1	-	3	3	11	5	9	1	33	-	-	-	-	1	4	5	4	7	10	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	293	1	-	-	-	-	-	6	20	76	129	61	520	-	-	-	-	1	-	7	12	64	218	217
White	264	1	-	-	-	-	-	5	15	66	119	58	478	-	-	-	-	1	-	4	9	56	202	205
All other	29	-	-	-	-	-	-	1	5	10	10	3	42	-	-	-	-	-	-	3	3	8	16	12
Black	29	-	-	-	-	-	-	1	5	10	10	3	42	-	-	-	-	-	-	3	3	8	16	12
Cerebral embolism (434.1)	12	-	-	-	-	-	-	-	1	3	6	2	23	-	-	-	-	-	-	-	2	4	8	9
White	10	-	-	-	-	-	-	-	1	2	5	2	21	-	-	-	-	-	-	-	1	4	7	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,048	-	-	1	1	1	9	29	77	248	420	262	1,582	-	-	-	-	3	18	24	78	251	579	631
White	974	-	-	1	1	-	7	27	70	220	402	246	1,445	-	-	-	-	2	14	19	66	217	522	605
All other	74	-	-	-	-	1	2	2	7	28	18	16	137	-	-	-	-	1	4	5	10	34	57	26
Black	71	-	-	-	-	1	2	2	7	27	17	15	137	-	-	-	-	1	4	5	10	34	57	26
Atherosclerosis (440)	228	-	-	-	-	-	1	2	10	38	82	95	401	-	-	-	-	-	-	-	2	32	119	248
White	215	-	-	-	-	-	1	2	10	36	76	90	386	-	-	-	-	-	-	-	2	30	113	241
All other	13	-	-	-	-	-	-	-	-	2	6	5	15	-	-	-	-	-	-	-	-	2	6	7
Black	13	-	-	-	-	-	-	-	-	2	6	5	15	-	-	-	-	-	-	-	-	2	6	7
Other diseases of arteries, arterioles, and capillaries (441-448)	287	-	-	-	-	1	6	10	36	101	105	28	178	-	-	-	1	2	2	6	12	47	49	57
White	270	-	-	-	-	1	6	8	33	95	101	26	161	-	-	-	1	2	1	6	12	41	42	56
All other	17	-	-	-	-	-	-	2	3	6	4	2	15	-	-	-	-	-	1	-	-	6	7	1
Black	17	-	-	-	-	-	-	2	3	6	4	2	15	-	-	-	-	-	1	-	-	6	7	1
Acute bronchitis and bronchiolitis (466)	4	-	1	-	-	-	-	-	-	1	-	2	6	-	-	1	-	-	1	-	-	-	2	2
White	4	-	1	-	-	-	-	-	-	1	-	2	6	-	-	1	-	-	1	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	653	6	-	2	4	6	7	18	62	129	230	189	619	5	1	-	7	2	7	6	25	61	201	304
White	589	3	-	1	2	4	2	15	48	116	218	180	583	3	1	-	7	2	6	5	21	53	195	290
All other	64	3	-	1	2	2	5	3	14	13	12	9	36	2	-	-	-	-	1	1	4	8	6	14
Black	61	3	-	1	2	2	5	3	14	11	11	9	35	2	-	-	-	-	1	1	4	8	6	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	637	5	–	1	4	6	7	17	60	126	227	184	608	5	1	–	7	2	7	6	24	59	201	296
White	573	2	–	–	2	4	2	14	46	113	215	175	572	3	1	–	7	2	6	5	20	51	195	282
All other	64	3	–	1	2	2	5	3	14	13	12	9	36	2	–	–	–	–	1	1	4	8	6	14
Black	61	3	–	1	2	2	5	3	14	11	11	9	35	2	–	–	–	–	1	1	4	8	6	13
Influenza (487)	16	1	–	1	–	–	–	1	2	3	3	5	11	–	–	–	–	–	–	–	1	2	–	8
White	16	1	–	1	–	–	–	1	2	3	3	5	11	–	–	–	–	–	–	–	1	2	–	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,016	–	1	2	4	1	2	28	146	362	384	106	458	–	1	–	1	4	–	18	82	154	141	57
White	967	–	–	2	2	1	2	25	140	348	344	103	435	–	–	–	–	3	–	18	76	147	136	55
All other	49	–	1	–	2	–	–	3	6	14	20	3	23	–	1	–	1	1	–	–	6	7	5	2
Black	49	–	1	–	2	–	–	3	6	14	20	3	23	–	1	–	1	1	–	–	6	7	5	2
Bronchitis, chronic and unspecified (490-491)	48	–	–	–	–	1	–	5	3	15	20	4	23	–	–	–	–	–	–	1	4	8	4	6
White	48	–	–	–	–	1	–	5	3	15	20	4	23	–	–	–	–	–	–	1	4	8	4	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	206	–	–	–	–	–	–	5	30	89	64	18	80	–	–	–	–	–	–	5	17	29	23	6
White	197	–	–	–	–	–	–	4	29	86	60	18	79	–	–	–	–	–	–	5	16	29	23	6
All other	9	–	–	–	–	–	–	1	1	3	4	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	9	–	–	–	–	–	–	1	1	3	4	–	1	–	–	–	–	–	–	–	1	–	–	–
Asthma (493)	27	–	1	2	3	–	–	2	1	12	5	1	30	–	1	–	1	4	–	2	7	4	7	4
White	20	–	–	2	1	–	–	1	1	10	4	1	25	–	–	–	–	3	–	2	6	3	7	4
All other	7	–	1	–	2	–	–	1	–	2	1	–	5	–	1	–	1	1	–	–	1	1	–	–
Black	7	–	1	–	2	–	–	1	–	2	1	–	5	–	1	–	1	1	–	–	1	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	735	–	–	–	1	–	2	16	112	246	275	83	325	–	–	–	–	–	–	10	54	113	107	41
White	702	–	–	–	1	–	2	15	107	237	260	80	308	–	–	–	–	–	–	10	50	107	102	39
All other	33	–	–	–	–	–	–	1	5	9	15	3	17	–	–	–	–	–	–	–	4	6	5	2
Black	33	–	–	–	–	–	–	1	5	9	15	3	17	–	–	–	–	–	–	–	4	6	5	2
Ulcer of stomach and duodenum (531-533)	72	1	–	–	1	1	2	3	9	15	25	15	84	–	–	–	–	1	–	3	5	19	33	23
White	70	1	–	–	1	1	1	3	8	15	25	15	82	–	–	–	–	1	–	3	4	18	33	23
All other	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Appendicitis (540-543)	6	–	–	–	–	–	–	1	–	3	2	–	8	–	–	–	–	–	–	–	1	5	1	1
White	5	–	–	–	–	–	–	1	–	3	1	–	6	–	–	–	–	–	–	–	1	4	1	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	1	–	–	–	–	3	–	2	12	26	15	82	1	–	1	1	–	1	–	3	14	26	35
White	53	1	–	–	–	–	3	–	2	11	22	14	75	1	–	1	1	–	1	–	3	13	23	32
All other	6	–	–	–	–	–	–	–	–	1	4	1	7	–	–	–	–	–	–	–	–	1	3	3
Black	6	–	–	–	–	–	–	–	–	1	4	1	7	–	–	–	–	–	–	–	–	1	3	3
Chronic liver disease and cirrhosis (571)	304	–	–	–	–	6	33	58	95	81	27	4	170	–	–	–	1	6	8	30	46	40	31	8
White	268	–	–	–	–	5	27	49	88	71	25	3	141	–	–	–	1	3	6	26	40	29	29	7
All other	36	–	–	–	–	1	6	9	7	10	2	1	29	–	–	–	–	3	2	4	6	11	2	1
Black	36	–	–	–	–	1	6	9	7	10	2	1	29	–	–	–	–	3	2	4	6	11	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	37	–	–	–	–	–	1	–	2	11	13	10	39	–	–	–	–	–	1	–	1	11	13	13
White	37	–	–	–	–	–	1	–	2	11	13	10	36	–	–	–	–	–	1	–	1	10	12	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	280	2	–	–	1	4	3	11	32	70	85	72	238	2	–	–	–	2	4	5	19	46	84	76
White	235	1	–	–	1	2	2	6	24	59	78	62	205	2	–	–	–	2	3	5	13	38	76	66
All other	45	1	–	–	–	2	1	5	8	11	7	10	33	–	–	–	–	–	1	–	6	8	8	10
Black	45	1	–	–	–	2	1	5	8	11	7	10	33	–	–	–	–	–	1	–	6	8	8	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	–	–	–	–	1	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	1	2
White	3	–	–	–	–	–	1	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	1	2
All other	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	-	-	-	-	-	-	1	5	5	13	5	27	-	-	-	-	-	-	1	-	2	6	12	6
White	27	-	-	-	-	-	-	-	4	5	13	5	26	-	-	-	-	-	-	1	-	1	6	12	6
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	246	1	-	-	1	4	2	10	27	63	72	66	208	2	-	-	-	2	3	5	17	40	71	68
White	205	1	-	-	1	2	2	6	20	52	65	56	176	2	-	-	-	2	2	5	12	32	63	58
All other	41	-	-	-	-	2	-	4	7	11	7	10	32	-	-	-	-	-	1	-	5	8	8	10
Black	41	-	-	-	-	2	-	4	7	11	7	10	32	-	-	-	-	-	1	-	5	8	8	10
Infections of kidney (590)	21	-	-	-	-	-	-	-	1	4	10	6	39	-	-	-	-	-	-	-	2	7	13	17
White	19	-	-	-	-	-	-	-	1	4	8	6	35	-	-	-	-	-	-	-	2	6	12	15
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	1	1	2
Hyperplasia of prostate (600)	22	-	-	-	-	-	-	-	-	3	5	14	---	---	---	---	---	---	---	---	---	---	---	---
White	17	-	-	-	-	-	-	-	-	2	4	11	---	---	---	---	---	---	---	---	---	---	---	---
All other	5	-	-	-	-	-	-	-	-	1	1	3	---	---	---	---	---	---	---	---	---	---	---	---
Black	5	-	-	-	-	-	-	-	-	1	1	3	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	171	113	11	9	8	4	2	7	7	4	6	-	147	93	17	6	4	3	6	4	5	2	4	3
White	140	92	10	6	6	4	2	6	6	3	5	-	126	79	12	5	3	3	6	4	5	2	4	3
All other	31	21	1	3	2	-	-	1	1	1	1	-	21	14	5	1	1	-	-	-	-	-	-	-
Black	29	19	1	3	2	-	-	1	1	1	1	-	21	14	5	1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	214	212	2	-	-	-	-	-	-	-	-	-	179	177	1	-	1	-	-	-	-	-	-	-
White	154	152	2	-	-	-	-	-	-	-	-	-	123	121	1	-	1	-	-	-	-	-	-	-
All other	60	60	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
Black	58	58	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	68	68	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	146	144	2	-	-	-	-	-	-	-	-	-	124	122	1	-	1	-	-	-	-	-	-	-
White	100	98	2	-	-	-	-	-	-	-	-	-	85	83	1	-	1	-	-	-	-	-	-	-
All other	46	46	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Black	44	44	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,048	83	7	-	12	11	32	73	198	283	238	109	746	76	2	1	10	7	18	25	86	144	193	184
White	923	59	4	-	9	7	22	67	181	255	216	103	650	54	1	1	5	4	16	22	75	125	173	174
All other	123	24	3	-	3	4	10	6	17	28	22	6	96	22	1	-	5	3	2	3	11	19	20	10
Black	121	23	3	-	3	4	8	6	17	28	22	6	83	21	1	-	5	3	2	3	10	19	19	10
All other diseases (Residual)	1,357	24	11	6	30	29	41	114	196	321	387	218	1,407	14	11	16	17	24	40	55	128	247	457	398
White	1,176	16	9	4	22	19	28	92	167	285	336	198	1,244	10	8	16	13	13	27	35	106	217	427	372
All other	181	8	2	2	8	10	13	22	29	36	51	20	163	4	3	-	4	11	13	20	22	30	30	26
Black	180	8	2	2	8	9	13	22	29	36	31	20	161	4	3	-	4	11	13	19	22	30	29	26
Accidents and adverse effects (E800-E949)	1,402	18	39	62	369	241	152	93	120	124	113	69	683	8	17	28	96	67	49	42	48	79	116	133
White	1,243	12	31	48	341	218	134	82	101	108	104	63	625	5	12	22	92	60	43	39	45	74	106	127
All other	159	6	8	14	28	23	18	11	19	16	9	6	58	3	5	6	4	7	6	3	3	5	10	6
Black	154	6	7	14	26	22	17	11	19	16	9	6	57	3	5	6	4	7	6	2	3	5	10	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	657	3	12	22	253	137	82	34	42	34	31	7	281	2	6	5	79	40	27	23	26	28	18	7
White	604	3	11	20	233	126	76	32	36	31	30	6	244	2	4	4	76	38	24	22	23	28	16	7
All other	53	–	1	2	20	11	6	2	6	3	1	1	17	–	2	1	3	2	3	1	3	–	2	–
Black	49	–	1	2	18	10	5	2	6	3	1	1	16	–	2	1	3	2	3	–	3	–	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	745	15	27	40	116	104	70	59	78	90	82	62	422	6	11	23	17	27	22	19	22	51	98	126
White	639	9	20	28	108	92	58	50	65	77	74	57	381	3	8	18	16	22	19	17	22	46	90	120
All other	106	6	7	12	8	12	12	9	13	13	8	5	41	3	3	5	1	5	3	2	–	5	8	6
Black	105	6	6	12	8	12	12	9	13	13	8	5	41	3	3	5	1	5	3	2	–	5	8	6
Suicide (E950-E959)	446	...	...	1	80	78	56	47	67	67	45	5	137	...	...	–	17	34	24	23	18	12	7	2
White	419	...	...	–	75	70	51	45	67	63	43	5	132	...	...	–	15	31	24	23	18	12	7	2
All other	27	...	...	1	5	8	5	2	–	4	2	–	5	...	...	–	2	3	–	–	–	–	–	–
Black	26	...	...	1	4	8	5	2	–	4	2	–	5	...	...	–	2	3	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	398	3	4	2	121	138	59	31	18	17	5	1	122	8	8	2	28	26	16	13	7	8	4	2
White	146	2	1	–	33	40	24	17	12	11	5	1	77	5	4	2	14	16	9	9	5	8	3	2
All other	252	1	3	2	88	98	34	14	6	6	–	–	45	3	4	–	14	10	7	4	2	–	1	–
Black	249	1	3	2	87	98	32	14	6	6	–	–	44	3	4	–	14	9	7	4	2	–	1	–
All other external causes (E880-E999)	40	2	–	1	8	8	7	6	5	1	2	–	18	1	1	–	6	3	3	–	2	1	1	–
White	33	1	–	1	8	7	6	3	5	1	1	–	14	–	–	–	5	3	3	–	1	1	1	–
All other	7	1	–	–	–	1	1	3	–	–	1	–	4	1	1	–	1	–	–	–	1	–	–	–
Black	7	1	–	–	–	1	1	3	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
MONTANA																								
All causes	3,763	80	25	32	137	147	135	256	564	896	921	568	2,668	67	13	13	58	45	64	137	320	588	734	829
White	3,569	73	23	30	108	134	118	225	530	868	900	558	2,750	58	10	11	49	40	55	118	299	569	720	820
All other	194	7	2	2	29	13	17	31	34	28	21	10	118	9	3	2	9	5	9	18	21	19	14	9
Black	6	–	–	–	–	1	1	–	–	1	3	–	3	1	–	–	–	–	–	–	–	–	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	12	–	1	–	–	–	–	–	2	4	2	3	12	–	–	–	–	–	–	1	3	2	2	4
White	11	–	1	–	–	–	–	–	2	3	2	3	11	–	–	–	–	–	–	–	3	2	2	4
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	-	-	-	-	-	-	2	1	2	2	-	6	-	-	-	-	1	-	1	2	1	1	-
White	5	-	-	-	-	-	-	1	1	2	1	-	6	-	-	-	-	1	-	1	2	1	1	-
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	755	-	3	5	5	12	23	59	150	249	192	57	619	-	-	2	6	11	21	62	130	179	138	70
White	731	-	3	5	4	12	23	54	143	241	188	57	597	-	-	2	5	11	18	57	124	178	137	67
All other	24	-	-	-	1	-	-	5	7	8	3	-	22	-	-	-	1	-	3	5	6	3	1	3
Black	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	16	-	-	-	-	-	-	1	5	9	1	-	6	-	-	-	-	-	-	2	2	1	1	-
White	15	-	-	-	-	-	-	1	5	8	1	-	6	-	-	-	-	-	-	2	2	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	182	-	-	-	-	2	3	13	31	54	60	19	134	-	-	-	-	1	1	9	24	40	39	20
White	174	-	-	-	-	2	3	11	28	53	58	19	130	-	-	-	-	1	1	8	22	39	39	20
All other	8	-	-	-	-	-	-	2	3	1	2	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	228	-	-	-	-	1	6	20	58	88	45	11	92	-	-	-	-	-	-	11	33	33	12	3
White	223	-	-	-	-	1	6	19	56	87	44	11	88	-	-	-	-	-	-	9	31	33	12	3
All other	5	-	-	-	-	-	-	1	3	1	1	-	4	-	-	-	-	-	-	2	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	129	-	-	-	-	3	9	17	32	39	15	13
White	2	-	-	-	-	-	-	-	-	1	1	-	124	-	-	-	-	3	7	17	31	38	15	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	124	-	-	-	1	2	-	3	13	42	53	11	87	-	-	-	1	1	5	13	11	23	23	10
White	122	-	-	-	1	2	-	2	13	40	53	11	84	-	-	-	1	1	4	12	11	23	23	9
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	1	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	46	-	-	-	1	-	3	9	10	10	9	4	25	-	-	-	-	-	-	-	6	5	8	6
White	45	-	-	-	1	-	3	8	10	10	9	4	24	-	-	-	-	-	-	-	5	5	8	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	84	-	3	-	2	4	11	7	23	24	12	8	85	-	-	1	2	4	5	8	13	21	21	10
White	88	-	3	-	1	4	11	6	22	21	12	6	82	-	-	1	2	4	5	7	13	20	20	10
All other	6	-	-	-	1	-	-	1	1	3	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	36	-	-	3	1	-	-	5	5	11	7	4	30	-	-	1	1	2	1	-	5	9	8	3
White	36	-	-	3	1	-	-	5	5	11	7	4	28	-	-	1	-	2	1	-	5	9	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26	-	-	2	-	3	-	2	5	10	4	-	32	-	-	-	2	-	-	2	4	8	11	5
White	26	-	-	2	-	3	-	2	5	10	4	-	31	-	-	-	2	-	-	2	4	8	11	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma *in situ*, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	-	-	-	1	-	-	1	2	8	-	10	-	-	1	-	-	1	2	1	1	3	1
White	11	-	-	-	-	1	-	-	1	2	7	-	10	-	-	1	-	-	1	2	1	1	3	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	50	-	-	-	-	2	-	3	10	11	18	6	66	-	-	-	-	1	2	7	13	13	18	12
White	47	-	-	-	-	1	-	3	9	11	17	6	57	-	-	-	-	1	2	6	8	11	17	12
All other	3	-	-	-	-	1	-	-	1	-	1	-	9	-	-	-	-	-	-	1	5	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	2	4	3	6	-	-	-	-	-	-	-	-	1	2	3
White	9	-	-	-	-	-	-	-	-	2	4	3	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-	-	-	-	-	1	1
White	6	-	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	5	2	2	-	-	-	-	-	1	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	5	2	2	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,626	4	1	2	-	8	32	96	252	415	478	338	1,370	-	1	1	2	3	8	26	85	259	429	556
White	1,577	4	1	2	-	6	30	90	239	405	466	334	1,344	-	1	1	2	3	7	23	81	251	422	553
All other	49	-	-	-	-	2	2	6	13	10	12	4	26	-	-	-	-	-	1	3	4	8	7	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,289	3	1	2	-	4	25	86	219	341	366	241	954	-	-	1	1	1	5	20	74	200	294	358
White	1,252	3	1	2	-	3	24	80	208	336	357	238	933	-	-	1	1	1	4	17	70	193	289	357
All other	37	-	-	-	-	1	2	6	11	5	9	3	21	-	-	-	-	-	1	3	4	7	5	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	-	1	1	2	2	5	1	25	-	-	-	-	-	1	1	1	9	12	1
White	10	-	-	-	-	-	1	1	2	2	5	1	24	-	-	-	-	-	-	1	1	9	12	1
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	17	-	-	-	-	-	-	3	1	4	7	2	26	-	-	-	-	-	-	-	1	5	8	12
White	17	-	-	-	-	-	-	3	1	4	7	2	26	-	-	-	-	-	-	-	1	5	8	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	1	2	2	5	-	-	-	-	-	-	-	-	-	2	3
White	5	-	-	-	-	-	-	-	-	1	2	2	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	902	-	-	-	-	3	19	62	158	253	245	162	604	-	-	-	-	-	1	11	48	127	187	230
White	877	-	-	-	-	2	18	56	150	249	242	160	588	-	-	-	-	-	1	8	44	122	184	229
All other	25	-	-	-	-	1	1	6	8	4	3	2	16	-	-	-	-	-	-	3	4	5	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	558	-	-	-	-	2	15	49	116	175	134	67	305	-	-	-	-	-	1	8	30	86	98	82
White	540	-	-	-	-	1	14	46	109	171	132	67	295	-	-	-	-	-	1	6	27	83	96	82
All other	18	-	-	-	-	1	1	3	7	4	2	-	10	-	-	-	-	-	-	2	3	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	1	-	3	1	2	-	4	-	-	-	-	-	-	1	1	-	-	2
White	7	-	-	-	-	-	1	-	3	1	2	-	4	-	-	-	-	-	-	1	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	337	-	-	-	-	1	3	13	39	77	109	95	294	-	-	-	-	-	-	2	17	41	88	146
White	330	-	-	-	-	1	3	10	38	77	108	93	288	-	-	-	-	-	-	1	16	39	87	145
All other	7	-	-	-	-	-	-	3	1	-	1	2	6	-	-	-	-	-	-	1	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	19	-	-	-	-	-	-	1	2	6	6	4	14	-	-	-	-	-	-	-	-	3	9	2
White	19	-	-	-	-	-	-	1	2	6	6	4	13	-	-	-	-	-	-	-	-	3	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	334	3	1	2	–	1	6	19	56	75	101	70	280	–	–	1	1	1	3	8	24	56	76	110
White	324	3	1	2	–	1	6	19	54	74	95	69	277	–	–	1	1	1	3	8	24	54	75	110
All other	10	–	–	–	–	–	–	–	2	1	6	1	3	–	–	–	–	–	–	–	–	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	4	–	–	–	–	–	–	–	–	2	–	2	14	–	–	–	1	–	–	–	–	–	5	6
White	4	–	–	–	–	–	–	–	–	2	–	2	14	–	–	–	1	–	–	–	–	–	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	226	1	–	–	–	2	4	6	25	51	78	59	300	–	1	–	–	2	2	6	9	46	104	130
White	217	1	–	–	–	2	4	6	25	48	75	56	295	–	1	–	–	2	2	6	9	45	102	128
All other	9	–	–	–	–	–	–	–	–	5	3	1	5	–	–	–	–	–	–	–	–	1	2	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Intracerebral and other intracranial hemorrhage (431-432)	26	1	–	–	–	1	3	2	7	7	4	1	22	–	–	–	–	–	–	3	1	7	7	4
White	23	1	–	–	–	1	3	2	7	5	3	1	21	–	–	–	–	–	–	3	1	6	7	4
All other	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	–	–	–	–	–	–	1	4	8	9	10	56	–	1	–	–	1	–	–	1	6	22	25
White	30	–	–	–	–	–	–	1	4	7	8	10	56	–	1	–	–	1	–	–	1	6	22	25
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	167	–	–	–	–	1	1	3	14	35	65	48	220	–	–	–	–	1	2	3	7	33	75	99
White	163	–	–	–	–	1	1	3	14	33	64	47	216	–	–	–	–	1	2	3	7	33	73	97
All other	4	–	–	–	–	–	–	–	–	2	1	1	4	–	–	–	–	–	–	–	–	–	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Atherosclerosis (440)	56	–	–	–	–	–	–	1	2	10	14	29	71	–	–	–	–	–	–	–	1	4	17	49
White	55	–	–	–	–	–	–	1	1	10	14	29	71	–	–	–	–	–	–	–	1	4	17	49
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	51	–	–	–	–	2	2	3	6	11	20	7	31	–	–	–	–	–	1	–	1	9	9	11
White	49	–	–	–	–	1	2	3	5	11	20	7	31	–	–	–	–	–	1	–	1	9	9	11
All other	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	106	1	–	1	1	2	2	1	8	13	29	48	96	2	–	2	1	–	1	1	4	11	22	52
White	101	1	–	1	1	2	2	1	8	13	27	47	92	1	–	–	1	–	1	1	4	10	22	52
All other	5	–	–	–	–	–	–	–	2	–	2	1	4	1	–	2	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	105	1	–	1	1	2	2	1	8	12	29	48	90	1	–	2	1	–	1	1	4	10	21	49
White	100	1	–	1	1	2	2	1	8	12	27	47	87	1	–	–	1	–	1	1	4	9	21	49
All other	5	–	–	–	–	–	–	–	2	–	2	1	3	–	–	2	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	1	–	–	–	–	–	–	–	–	1	–	–	6	1	–	–	–	–	–	–	–	1	1	3
White	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	1	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	180	–	–	–	1	–	–	2	24	66	69	19	69	1	–	–	–	–	–	–	17	40	22	9
White	175	–	–	–	1	–	–	2	23	63	68	18	66	1	–	–	–	–	–	–	17	38	20	9
All other	5	–	–	–	–	–	–	–	1	2	1	1	3	–	–	–	–	–	–	–	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	18	–	–	–	–	–	–	–	3	6	6	3	14	1	–	–	–	–	–	–	1	5	3	4
White	18	–	–	–	–	–	–	–	3	6	6	3	14	1	–	–	–	–	–	–	1	5	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	28	–	–	–	–	–	–	–	6	10	11	1	7	–	–	–	–	–	–	–	4	2	1	–
White	27	–	–	–	–	–	–	–	6	9	11	1	7	–	–	–	–	–	–	–	4	2	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	7	-	-	-	1	-	-	1	3	2	-	-	4	-	-	-	-	-	-	-	2	2	-	-
White	7	-	-	-	1	-	-	1	3	2	-	-	4	-	-	-	-	-	-	-	2	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	127	-	-	-	-	-	-	1	12	47	52	15	64	-	-	-	-	-	-	-	10	31	18	5
White	123	-	-	-	-	-	-	1	11	46	51	14	61	-	-	-	-	-	-	-	10	30	16	5
All other	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	1	2	2	4	2	-	16	-	-	-	-	-	-	-	2	3	9	2
White	10	-	-	-	-	-	1	1	2	4	2	-	15	-	-	-	-	-	-	-	1	3	9	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	-	-	2	1	2	5	8	-	-	-	-	-	-	-	-	-	5	3
White	9	-	-	-	-	-	-	-	1	1	2	5	8	-	-	-	-	-	-	-	-	-	5	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	49	-	-	-	-	3	6	12	14	8	5	-	40	-	-	-	-	2	4	10	12	11	1	-
White	41	-	-	-	-	2	2	9	14	8	5	-	30	-	-	-	-	-	3	6	10	10	1	-
All other	8	-	-	-	-	1	4	3	-	-	-	-	10	-	-	-	-	2	1	4	2	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	1	-	2	1	-	4	-	-	-	-	-	-	-	1	-	1	2
White	4	-	-	-	-	-	-	1	-	2	1	-	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	-	-	-	-	-	1	1	3	10	8	9	26	1	-	-	-	-	-	2	3	9	3	8
White	32	-	-	-	-	-	1	1	3	10	8	9	23	1	-	-	-	-	-	2	2	8	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	1	-	-	2	-
White	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	1	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	-	-	-	-	-	1	1	3	9	6	8	22	1	-	-	-	-	-	1	3	8	1	8
White	28	-	-	-	-	-	1	1	3	9	6	8	19	1	-	-	-	-	-	1	2	7	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	1	-	1	3	6	-	-	-	-	-	-	-	-	-	3	3
White	5	-	-	-	-	-	-	-	1	-	1	3	6	-	-	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	29	16	3	1	6	-	-	-	-	2	1	-	20	13	2	-	1	2	-	1	-	-	1	-
White	27	15	2	1	6	-	-	-	-	2	1	-	18	11	2	-	1	2	-	1	-	-	1	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	68	19	3	1	-	2	1	3	10	8	13	8	41	10	-	-	1	-	-	2	1	2	8	17
White	63	14	3	1	-	2	1	3	10	8	13	8	39	9	-	-	-	-	-	2	1	2	8	17
All other	5	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	259	1	2	3	3	11	9	26	40	51	62	51	223	3	-	4	3	6	11	8	25	41	57	65
White	235	1	2	1	2	8	7	19	37	49	62	47	214	3	-	4	3	6	9	6	24	40	54	65
All other	24	-	-	2	1	3	2	7	3	2	-	4	9	-	-	-	-	-	2	2	1	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Accidents and adverse effects (E800-E949)	354	2	8	17	95	72	41	36	31	26	13	13	121	2	5	3	37	6	8	8	14	10	7	21
White	310	2	7	17	77	69	33	30	25	24	13	13	107	2	4	3	31	5	7	6	13	10	7	19
All other	44	-	1	-	18	3	8	6	6	2	-	-	14	-	1	-	6	1	1	2	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	166	-	2	8	67	42	20	11	7	6	3	-	68	-	3	-	33	4	5	6	10	4	1	2
White	143	-	2	8	54	40	15	10	7	4	3	-	57	-	2	-	27	3	5	4	9	4	1	2
All other	23	-	-	-	13	2	5	1	-	2	-	-	11	-	1	-	6	1	-	2	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	188	2	6	9	28	30	21	25	24	20	10	13	53	2	2	3	4	2	3	2	4	6	6	19
White	167	2	5	9	23	29	18	20	18	20	10	13	50	2	2	3	4	2	2	2	4	6	6	17
All other	21	-	1	-	5	1	3	5	6	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	103	...	...	-	15	29	14	10	12	14	6	2	23	...	...	-	4	6	4	4	3	2	-	-
White	94	...	...	-	12	26	13	9	12	13	6	2	23	...	...	-	4	6	4	4	3	2	-	-
All other	9	...	...	-	3	3	1	1	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E980-E978)	21	1	2	1	10	2	4	-	-	1	-	-	13	1	1	-	1	5	2	-	2	1	-	-
White	15	1	2	1	4	2	4	-	-	1	-	-	11	1	-	-	1	4	2	-	2	1	-	-
All other	6	-	-	-	6	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	8	-	1	1	-	2	-	1	1	2	-	-	7	-	-	-	1	1	2	1	1	1	-	-
White	7	-	1	1	-	2	-	1	1	1	-	-	5	-	-	-	1	-	1	1	1	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,636	143	24	36	169	158	197	429	1,045	1,895	2,190	1,382	6,941	127	24	28	47	85	121	250	815	1,174	2,050	2,420
White	7,409	127	22	30	155	145	171	400	1,004	1,859	2,150	1,346	6,732	113	24	22	42	70	111	231	586	1,134	2,012	2,387
All other	227	16	2	6	14	11	16	29	41	36	40	16	209	14	–	6	5	15	10	19	29	40	38	33
Black	183	14	2	5	10	10	10	21	32	31	34	14	173	8	–	6	5	9	9	15	26	32	33	30
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	1	1	–
White	4	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
White	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	33	–	–	–	–	–	–	2	4	9	11	7	26	1	1	–	–	–	1	1	3	3	8	8
White	31	–	–	–	–	–	–	1	4	8	11	7	26	1	1	–	–	–	1	1	3	3	8	8
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
White	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 088-139)	15	–	1	–	1	–	1	1	3	5	3	–	15	1	1	–	–	1	1	–	3	1	3	4
White	15	–	1	–	1	–	1	1	3	5	3	–	15	1	1	–	–	1	1	–	3	1	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,579	1	4	4	11	20	28	115	289	482	449	176	1,399	–	1	2	4	14	47	114	275	353	373	216
White	1,539	1	4	4	10	18	28	109	282	470	441	172	1,356	–	1	2	3	13	44	110	265	344	364	210
All other	40	–	–	–	1	2	–	6	7	12	8	4	43	–	–	–	1	1	3	4	10	9	9	6
Black	34	–	–	–	–	2	–	4	6	10	8	4	38	–	–	–	1	1	3	3	9	7	8	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	41	–	–	–	–	–	1	6	7	8	14	5	22	–	–	–	–	–	2	1	7	6	4	2
White	41	–	–	–	–	–	1	6	7	8	14	5	17	–	–	–	–	–	1	1	4	6	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	3	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	3	–	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	429	–	–	–	1	2	5	33	82	133	119	54	392	–	–	1	–	1	8	21	45	87	135	93
White	414	–	–	–	–	1	5	32	78	129	117	52	382	–	–	1	–	1	7	20	45	85	132	91
All other	15	–	–	–	1	1	–	1	4	4	2	2	10	–	–	–	–	–	1	1	–	2	4	2
Black	14	–	–	–	–	1	–	1	4	4	2	2	10	–	–	–	–	–	1	1	–	2	4	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	477	–	–	–	–	2	8	46	115	170	111	25	181	–	–	–	–	–	5	17	82	58	31	8
White	466	–	–	–	–	2	8	43	112	169	107	25	176	–	–	–	–	–	5	17	80	55	31	8
All other	11	–	–	–	–	–	–	3	3	1	4	–	5	–	–	–	–	–	–	–	2	3	–	–
Black	8	–	–	–	–	–	–	2	2	–	4	–	4	–	–	–	–	–	–	–	2	2	–	–
Malignant neoplasm of breast (174-175)	4	–	–	–	–	–	–	–	–	1	3	–	251	–	–	–	–	2	15	31	65	59	48	31
White	4	–	–	–	–	–	–	–	–	1	3	–	245	–	–	–	–	2	15	30	63	58	48	29
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	2	1	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	2	1	–	2
Malignant neoplasms of genital organs (179-187)	194	–	–	–	1	1	–	1	15	51	73	52	184	–	–	–	–	4	6	18	37	60	44	15
White	190	–	–	–	1	1	–	1	15	49	72	51	177	–	–	–	–	3	5	18	37	58	41	15
All other	4	–	–	–	–	–	–	–	–	2	1	1	7	–	–	–	–	1	1	–	–	2	3	–
Black	4	–	–	–	–	–	–	–	–	2	1	1	6	–	–	–	–	1	1	–	–	2	2	–
Malignant neoplasms of urinary organs (188-189)	79	–	–	–	–	–	–	5	10	31	25	8	56	–	–	–	–	–	1	1	10	12	17	15
White	75	–	–	–	–	–	–	3	10	29	25	8	55	–	–	–	–	–	1	–	10	12	17	15
All other	4	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	3	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	187	1	4	1	7	8	8	17	32	48	45	16	163	–	–	–	1	6	6	14	31	34	46	25
White	183	1	4	1	7	8	8	17	32	45	44	16	157	–	–	–	–	6	6	13	30	33	45	24
All other	4	–	–	–	–	–	–	–	–	3	1	–	6	–	–	–	1	–	–	1	1	1	1	1
Black	3	–	–	–	–	–	–	–	–	2	1	–	4	–	–	–	1	–	–	–	1	–	1	1
Leukemia (204-208)	87	–	–	3	1	3	4	2	11	23	31	9	52	–	1	1	1	1	2	4	7	16	12	7
White	86	–	–	3	1	2	4	2	11	23	31	9	52	–	1	1	1	1	2	4	7	16	12	7
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	81	–	–	–	1	4	2	5	17	17	28	7	98	–	–	–	2	–	2	7	11	21	35	20
White	80	–	–	–	1	4	2	5	17	17	28	6	95	–	–	–	2	–	2	7	9	21	35	19
All other	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	2	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	–	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	1	1	–	1	–	1	–	2	4	3	–	18	–	–	–	–	1	1	–	–	4	9	3
White	12	–	1	–	1	–	1	–	2	4	3	–	17	–	–	–	–	1	1	–	–	3	9	3
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Diabetes mellitus (250)	92	–	–	–	–	1	2	4	11	29	26	19	122	–	–	–	–	1	5	3	15	36	35	27
White	90	–	–	–	–	–	2	4	11	29	25	19	117	–	–	–	–	1	5	3	12	34	35	27
All other	2	–	–	–	–	1	–	–	–	–	1	–	5	–	–	–	–	–	–	–	3	2	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	3	1	–	–
Nutritional deficiencies (260-269)	6	–	–	–	–	–	–	–	–	–	1	5	19	–	–	–	–	–	–	1	2	–	4	12
White	5	–	–	–	–	–	–	–	–	–	1	4	18	–	–	–	–	–	–	1	1	–	4	12
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Anemias (280-285)	7	–	–	–	–	1	–	–	1	–	3	2	23	–	2	1	1	–	–	–	–	3	8	8
White	6	–	–	–	–	–	–	–	1	–	3	2	23	–	2	1	1	–	–	–	–	3	8	8
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	1	1	–
White	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	3,639	3	3	1	6	11	51	191	515	994	1,203	861	3,782	3	1	1	7	8	20	63	203	563	1,250	1,663
White	3,747	3	3	1	5	11	46	178	487	979	1,181	853	3,698	3	1	1	7	8	18	54	192	546	1,228	1,640
All other	92	–	–	–	1	–	5	13	28	15	22	8	84	–	–	–	–	–	2	9	11	17	22	23
Black	75	–	–	–	1	–	4	12	21	13	18	6	75	–	–	–	–	–	1	7	10	16	20	21

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	3,038	3	3	1	5	11	45	166	455	829	913	605	2,678	3	1	1	5	5	15	57	159	497	977	1,119
White	2,964	3	3	1	4	11	40	157	432	819	892	602	2,615	3	1	1	5	5	13	48	150	425	863	1,101
All other	74	–	–	–	1	–	5	11	23	10	21	3	63	–	–	–	–	–	2	9	8	12	14	18
Black	63	–	–	–	1	–	4	10	19	9	17	3	58	–	–	–	–	–	1	7	7	11	14	18
Rheumatic fever and rheumatic heart disease (390-398)	19	–	1	–	–	–	–	–	8	5	4	1	27	–	–	–	–	–	3	–	6	4	11	3
White	19	–	1	–	–	–	–	–	8	5	4	1	24	–	–	–	–	–	2	–	5	4	11	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Hypertensive heart disease (402)	21	–	–	–	–	–	–	1	5	5	8	2	56	–	–	–	–	–	–	–	3	10	27	16
White	19	–	–	–	–	–	–	1	3	5	8	2	55	–	–	–	–	–	–	–	3	9	27	16
All other	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hypertensive heart and renal disease (404)	13	–	–	–	–	–	–	–	2	2	3	6	16	–	–	–	–	–	–	–	2	–	9	5
White	13	–	–	–	–	–	–	–	2	2	3	6	15	–	–	–	–	–	–	–	2	–	8	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Ischemic heart disease (410-414)	2,385	–	–	–	–	10	34	147	368	664	704	438	1,898	–	–	1	–	–	7	39	123	334	630	764
White	2,331	–	–	–	–	10	32	138	352	674	690	435	1,854	–	–	1	–	–	6	32	119	326	621	749
All other	54	–	–	–	–	–	2	9	16	10	14	3	44	–	–	–	–	–	1	7	4	8	9	15
Black	46	–	–	–	–	–	2	8	12	9	12	3	41	–	–	–	–	–	1	6	3	7	9	15
Acute myocardial infarction (410)	1,386	–	–	–	–	6	18	99	232	436	411	184	883	–	–	–	–	–	2	23	85	197	325	251
White	1,364	–	–	–	–	6	17	93	226	432	407	183	870	–	–	–	–	–	2	21	83	195	323	246
All other	22	–	–	–	–	–	1	6	6	4	4	1	13	–	–	–	–	–	–	2	2	2	2	5
Black	15	–	–	–	–	–	1	5	2	4	2	1	11	–	–	–	–	–	–	1	2	1	2	5
Other acute and subacute forms of ischemic heart disease (411)	3	–	–	–	–	–	–	–	2	–	–	1	7	–	–	–	–	–	1	–	–	1	2	3
White	3	–	–	–	–	–	–	–	2	–	–	1	7	–	–	–	–	–	1	–	–	1	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	995	–	–	–	–	4	16	46	133	248	293	253	1,008	–	–	1	–	–	4	16	38	138	303	510
White	963	–	–	–	–	4	15	45	123	242	283	251	977	–	–	1	–	–	3	11	36	130	296	500
All other	32	–	–	–	–	–	1	3	10	6	10	2	31	–	–	–	–	–	1	5	2	8	7	10
Black	31	–	–	–	–	–	1	3	10	5	10	2	30	–	–	–	–	–	1	5	1	6	7	10
Other diseases of endocardium (424)	31	–	–	–	1	1	–	2	2	7	13	5	31	–	–	–	–	1	–	1	3	3	16	7
White	30	–	–	–	1	1	–	2	2	7	12	5	29	–	–	–	–	1	–	–	2	3	16	7
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
All other forms of heart disease (415-423,425-429)	569	3	2	1	4	–	11	18	70	128	181	153	650	3	1	–	5	4	5	17	21	86	184	324
White	552	3	2	1	3	–	8	16	65	126	175	153	638	3	1	–	5	4	5	16	19	83	180	322
All other	17	–	–	–	1	–	3	2	5	–	6	–	12	–	–	–	–	–	–	1	2	3	4	2
Black	14	–	–	–	1	–	2	2	5	–	4	–	11	–	–	–	–	–	–	–	2	3	4	2
Hypertension with or without renal disease (401,403)	29	–	–	–	–	–	–	2	2	3	11	11	36	–	–	–	–	–	–	1	2	6	15	12
White	27	–	–	–	–	–	–	1	2	3	11	10	35	–	–	–	–	–	–	1	2	5	15	12
All other	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebrovascular diseases (430-438)	536	–	–	–	1	–	4	15	40	110	195	171	826	–	–	–	1	3	5	3	38	100	287	389
White	522	–	–	–	1	–	4	14	36	106	194	167	814	–	–	–	1	3	5	3	35	97	284	386
All other	14	–	–	–	–	–	–	1	4	4	1	4	12	–	–	–	–	–	–	–	3	3	3	3
Black	10	–	–	–	–	–	–	1	2	3	1	3	10	–	–	–	–	–	–	–	3	3	3	1
Intracerebral and other intracranial hemorrhage (431-432)	60	–	–	–	–	–	4	10	14	18	14	–	69	–	–	–	–	–	3	–	11	8	23	24
White	59	–	–	–	–	–	4	9	14	18	14	–	68	–	–	–	–	–	3	–	10	8	23	24
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	85	–	–	–	–	–	–	4	3	17	32	29	123	–	–	–	–	–	–	–	4	16	38	65
White	84	–	–	–	–	–	–	4	3	16	32	29	121	–	–	–	–	–	–	–	3	16	37	65
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	-	3	3	3	6	-	-	-	-	-	-	-	-	3	1	2
White	9	-	-	-	-	-	-	-	-	3	3	3	6	-	-	-	-	-	-	-	-	3	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	382	-	-	-	1	-	4	7	27	76	142	125	628	-	-	-	1	3	2	3	23	73	225	298
White	370	-	-	-	1	-	4	6	24	73	141	121	619	-	-	-	1	3	2	3	22	70	223	295
All other	12	-	-	-	-	-	-	1	3	3	1	4	9	-	-	-	-	-	-	-	1	3	2	3
Black	9	-	-	-	-	-	-	1	2	2	1	3	7	-	-	-	-	-	-	-	1	3	2	1
Atherosclerosis (440)	137	-	-	-	-	-	1	1	5	23	48	59	184	-	-	-	-	-	-	1	2	8	52	121
White	137	-	-	-	-	-	1	1	5	23	48	59	179	-	-	-	-	-	-	1	2	8	49	119
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
Other diseases of arteries, arterioles, and capillaries (441-448)	99	-	-	-	-	-	1	5	13	29	36	15	58	-	-	-	1	-	-	1	3	12	19	22
White	97	-	-	-	-	-	1	5	12	28	36	15	55	-	-	-	1	-	-	1	3	11	17	22
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	236	-	-	-	1	2	2	9	13	39	78	92	213	1	2	1	2	-	1	-	11	16	51	128
White	231	-	-	-	1	2	2	7	13	37	78	91	211	1	2	1	2	-	1	-	11	16	50	127
All other	5	-	-	-	-	-	-	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (480-486)	224	-	-	-	1	2	2	9	13	36	74	67	197	1	2	1	2	-	1	-	11	18	48	115
White	219	-	-	-	1	2	2	7	13	34	74	66	195	1	2	1	2	-	1	-	11	16	47	114
All other	5	-	-	-	-	-	-	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Influenza (487)	12	-	-	-	-	-	-	-	-	3	4	5	16	-	-	-	-	-	-	-	-	-	3	13
White	12	-	-	-	-	-	-	-	-	3	4	5	16	-	-	-	-	-	-	-	-	-	3	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	363	-	-	-	1	2	1	10	44	100	163	42	139	-	-	2	-	2	-	3	15	49	45	23
White	360	-	-	-	1	2	1	10	44	100	160	42	135	-	-	1	-	2	-	2	14	49	45	22
All other	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	1	-	-	-	1	1	-	-	1
Black	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	1	-	-	-	1	1	-	-	1
Bronchitis, chronic and unspecified (490-491)	16	-	-	-	-	-	-	-	-	2	11	3	15	-	-	-	-	-	-	-	2	3	7	3
White	16	-	-	-	-	-	-	-	-	2	11	3	15	-	-	-	-	-	-	-	2	3	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	71	-	-	-	-	-	-	3	7	23	32	6	27	-	-	-	-	-	-	1	5	11	5	5
White	70	-	-	-	-	-	-	3	7	23	31	6	26	-	-	-	-	-	-	1	4	11	5	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	17	-	-	-	1	2	1	-	2	3	7	1	15	-	-	2	-	2	-	1	-	5	4	1
White	17	-	-	-	1	2	1	-	2	3	7	1	13	-	-	1	-	2	-	-	-	5	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	259	-	-	-	-	-	-	7	35	72	113	32	82	-	-	-	-	-	-	1	8	30	29	14
White	257	-	-	-	-	-	-	7	35	72	111	32	81	-	-	-	-	-	-	1	8	30	29	13
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	35	-	-	-	-	-	2	1	1	11	10	10	23	-	-	-	-	-	-	-	-	5	8	10
White	35	-	-	-	-	-	2	1	1	11	10	10	23	-	-	-	-	-	-	-	-	5	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	1	-	-	-	-	-	-	1	5	2	6	40	1	-	-	-	-	-	-	2	5	14	18
White	15	1	-	-	-	-	-	-	1	5	2	6	37	1	-	-	-	-	-	-	2	4	13	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	77	-	-	-	-	2	12	15	21	17	8	1	47	-	1	-	-	2	5	12	6	11	5	3
White	70	-	-	-	-	2	9	14	20	16	8	1	38	-	1	-	-	-	5	10	6	8	5	3
All other	7	-	-	-	-	-	3	1	1	1	1	-	9	-	-	-	-	2	-	2	2	3	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	-	2	1	3	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	-	-	5	1	18	-	-	-	-	-	-	-	1	4	6	7
White	5	-	-	-	-	-	-	-	-	-	4	1	18	-	-	-	-	-	-	-	1	4	6	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	69	6	-	-	-	1	1	1	10	14	17	19	74	-	-	-	-	-	-	1	3	11	22	37
White	68	6	-	-	-	1	1	1	10	13	17	19	73	-	-	-	-	-	-	1	3	11	21	37
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephratic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	-	3	1	4	3	7	-	-	-	-	-	-	-	1	2	2	2
White	11	-	-	-	-	-	-	-	3	1	4	3	7	-	-	-	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	57	6	-	-	-	1	1	1	7	13	13	15	66	-	-	-	-	-	-	1	1	9	20	35
White	56	6	-	-	-	1	1	1	7	12	13	15	65	-	-	-	-	-	-	1	1	9	19	35
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	1	-	-	-	1	-	11	-	-	-	-	-	-	1	1	1	5	3
White	2	-	-	-	-	-	1	-	-	-	1	-	10	-	-	-	-	-	-	-	1	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	1	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	1	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	57	35	4	1	2	3	1	1	3	4	2	1	46	33	1	1	1	-	-	1	1	1	3	4
White	54	32	4	1	2	3	1	1	3	4	2	1	42	30	1	1	1	-	-	1	1	1	2	4
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	1	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	69	68	-	-	-	1	-	-	-	-	-	-	69	65	3	-	-	-	1	-	-	-	-	-
White	61	60	-	-	-	1	-	-	-	-	-	-	62	58	3	-	-	-	1	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	23	-	-	-	1	-	-	-	-	-	-	16	15	-	-	-	-	1	-	-	-	-	-
White	22	21	-	-	-	1	-	-	-	-	-	-	13	12	-	-	-	-	1	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	45	45	-	-	-	-	-	-	-	-	-	-	53	50	3	-	-	-	-	-	-	-	-	-
White	39	39	-	-	-	-	-	-	-	-	-	-	49	46	3	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	108	22	-	-	1	3	2	11	10	23	21	15	102	12	-	-	1	3	2	8	8	12	14	42
White	104	19	-	-	1	3	2	10	10	23	21	15	100	12	-	-	1	3	1	8	8	11	14	42
All other	4	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	416	4	1	5	11	13	12	22	58	99	124	67	480	7	3	10	4	10	11	19	45	86	135	150
White	399	3	1	4	11	12	9	20	55	97	121	66	443	5	3	9	3	7	11	17	45	82	132	149
All other	17	1	-	1	-	1	3	2	3	2	3	1	17	2	-	1	1	3	-	2	-	4	3	1
Black	15	1	-	1	-	1	2	1	3	2	3	1	10	2	-	1	1	1	-	1	-	1	2	1
Accidents and adverse effects (E800-E949)	424	1	8	23	101	60	50	32	37	41	38	33	224	2	7	9	13	26	17	16	13	22	49	50
White	401	1	6	19	97	56	47	29	36	40	38	32	211	1	7	6	13	21	15	16	12	21	49	50
All other	23	-	2	4	4	4	3	3	1	1	-	1	13	1	-	3	-	5	2	-	1	1	-	-
Black	19	-	2	4	3	4	2	2	-	1	-	1	12	1	-	3	-	4	2	-	1	1	-	-
Motor vehicle accidents (E810-E825)	202	-	4	11	68	33	31	13	14	14	10	4	71	-	4	4	8	15	8	8	6	8	9	1
White	191	-	2	11	64	30	29	13	14	14	10	4	66	-	4	4	8	11	8	8	5	8	9	1
All other	11	-	2	-	4	3	2	-	-	-	-	-	5	-	-	-	-	4	-	-	1	-	-	-
Black	9	-	2	-	3	3	1	-	-	-	-	-	4	-	-	-	-	3	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	222	1	4	12	33	27	19	19	23	27	28	29	153	2	3	5	5	11	9	8	7	14	40	49
White	210	1	4	8	33	26	18	16	22	26	28	28	145	1	3	2	5	10	7	8	7	13	40	49
All other	12	-	-	4	-	1	1	3	1	1	-	1	8	1	-	3	-	1	2	-	-	1	-	-
Black	10	-	-	4	-	1	1	2	-	1	-	1	8	1	-	3	-	1	2	-	-	1	-	-
Suicide (E950-E959)	125	...	...	1	20	27	17	12	15	16	14	3	39	...	...	-	9	11	5	6	3	4	1	-
White	120	...	...	-	20	26	15	12	15	15	14	3	36	...	...	-	8	10	5	6	3	3	1	-
All other	5	...	...	1	-	1	2	-	-	1	-	-	3	...	...	-	1	1	-	-	-	1	-	-
Black	4	...	...	-	-	1	2	-	-	1	-	-	3	...	...	-	1	1	-	-	-	1	-	-
Homicide and legal intervention (E960-E978)	26	-	1	-	11	7	2	1	2	1	1	-	13	-	-	1	5	3	3	-	-	1	-	-
White	17	-	1	-	5	6	2	1	1	1	-	-	7	-	-	-	3	2	1	-	-	1	-	-
All other	9	-	-	-	6	1	-	-	1	-	1	-	6	-	-	1	2	1	2	-	-	-	-	-
Black	8	-	-	-	5	1	-	-	1	-	1	-	6	-	-	1	2	1	2	-	-	-	-	-
All other external causes (E980-E999)	11	-	-	1	2	2	-	1	2	-	2	1	5	-	-	-	-	2	1	-	1	-	-	1
White	9	-	-	1	-	2	-	1	2	-	2	1	3	-	-	-	-	-	1	-	1	-	-	1
All other	2	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
NEVADA																								
All causes	3,773	94	17	25	176	226	201	348	713	962	761	248	2,595	55	21	9	66	80	93	202	411	610	622	423
White	3,483	80	13	20	147	195	176	318	661	904	727	242	2,422	37	15	8	57	71	83	184	381	581	599	403
All other	290	14	4	5	31	31	25	30	52	58	34	6	173	18	6	1	9	9	10	18	30	29	23	20
Black	203	12	3	4	20	20	20	21	39	42	19	3	117	14	4	1	6	7	3	14	19	20	16	13
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17	-	-	-	-	-	-	-	5	5	6	1	16	-	-	-	-	1	-	1	1	5	5	3
White	11	-	-	-	-	-	-	-	2	2	6	1	14	-	-	-	-	1	-	1	1	5	3	3
All other	6	-	-	-	-	-	-	-	3	3	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
White	3	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	-	-	1	-	-	-	1	2	-	-	-	9	1	-	-	2	-	-	-	1	2	3	-
White	4	-	-	1	-	-	-	1	2	-	-	-	7	1	-	-	2	-	-	-	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	781	-	3	-	5	14	26	75	188	283	175	32	631	-	2	2	3	12	29	89	169	180	100	45
White	749	-	2	-	5	14	23	72	184	250	168	31	604	-	1	2	2	11	28	81	165	173	97	44
All other	42	-	1	-	-	-	3	3	14	13	7	1	27	-	1	-	1	1	1	8	4	7	3	1
Black	30	-	1	-	-	-	2	2	9	10	5	1	20	-	1	-	-	1	1	8	3	4	1	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	-	-	-	-	2	-	1	10	3	3	1	8	-	-	-	-	-	1	-	2	4	1	-
White	19	-	-	-	-	2	-	1	9	3	3	1	8	-	-	-	-	-	1	-	2	4	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	172	-	-	-	-	-	7	14	40	62	43	6	138	-	-	1	-	-	-	16	37	34	35	15
White	159	-	-	-	-	-	6	13	36	55	43	6	128	-	-	1	-	-	-	12	34	32	34	15
All other	13	-	-	-	-	-	1	1	4	7	-	-	10	-	-	-	-	-	-	4	3	2	1	-
Black	8	-	-	-	-	-	1	-	2	5	-	-	8	-	-	-	-	-	-	4	2	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	313	-	-	-	-	1	8	32	93	120	53	6	157	-	-	-	-	-	3	27	47	54	19	7
White	296	-	-	-	-	1	7	30	89	115	48	6	156	-	-	-	-	-	3	26	47	54	19	7
All other	17	-	-	-	-	-	1	2	4	5	5	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	13	-	-	-	-	-	1	2	2	4	4	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	1	-	98	-	-	-	-	-	1	12	22	25	25	10	3
White	1	-	-	-	-	-	-	-	-	-	1	-	93	-	-	-	-	-	1	11	20	24	24	10	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	2	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	2	1	1	-	-
Malignant neoplasms of genital organs (179-187)	86	-	-	-	1	1	1	-	12	29	28	14	79	-	-	-	-	3	6	13	22	25	8	2
White	82	-	-	-	1	1	1	-	9	29	28	13	77	-	-	-	-	3	6	12	22	24	8	2
All other	4	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	1	-	6	10	8	14	2	17	-	-	-	-	-	1	3	2	3	3	5
White	40	-	-	-	-	1	-	6	10	8	13	2	17	-	-	-	-	-	1	3	2	3	3	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	98	-	2	-	2	3	8	15	22	28	16	2	84	-	1	1	-	2	5	6	22	23	15	9
White	94	-	1	-	2	3	7	15	21	27	16	2	79	-	1	1	-	2	5	6	22	21	13	8
All other	4	-	1	-	-	-	1	-	1	1	-	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Leukemia (204-208)	28	-	1	-	1	4	1	2	3	7	9	-	20	-	1	-	3	5	1	1	4	2	1	2
White	28	-	1	-	1	4	1	2	3	7	9	-	17	-	-	-	2	4	1	1	4	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	31	-	-	-	1	2	1	5	7	6	8	1	30	-	-	-	-	1	-	1	8	10	8	2
White	30	-	-	-	1	2	1	5	7	6	7	1	29	-	-	-	-	1	-	1	8	9	8	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	1	-	-	-	1	3	2	3	1	-	10	-	2	-	-	-	-	-	2	1	2	3
White	11	-	1	-	-	-	1	3	2	3	1	-	8	-	2	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Diabetes mellitus (250)	49	-	-	-	1	3	3	2	14	13	11	2	48	-	-	-	2	1	2	2	3	20	11	7
White	43	-	-	-	1	3	3	2	11	11	10	2	42	-	-	-	1	1	2	2	1	17	11	7
All other	6	-	-	-	-	-	-	-	3	2	1	-	6	-	-	-	1	-	-	-	2	3	-	-
Black	6	-	-	-	-	-	-	-	3	2	1	-	6	-	-	-	1	-	-	-	2	3	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	-	-	-	1	3
White	5	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	2	-	1	4	1	-	3	-	-	-	1	-	-	-	-	1	1	-
White	7	-	-	-	-	-	1	-	1	4	1	-	3	-	-	-	1	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	4	-	-	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	-	1	-	1	-
White	6	4	-	-	-	-	1	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,513	1	1	1	2	12	34	143	328	457	381	153	1,111	-	-	-	-	5	17	43	133	285	371	276
White	1,421	1	-	1	2	11	26	131	309	433	358	149	1,053	-	-	-	-	4	14	40	120	253	356	265
All other	92	-	1	-	-	1	8	12	19	24	23	4	58	-	-	-	-	1	3	3	13	12	15	11
Black	82	-	1	-	-	1	7	9	15	17	10	2	37	-	-	-	-	1	1	2	7	9	11	6
Diseases of heart (390-398,402,404-429)	1,266	-	1	-	1	8	29	131	287	390	304	115	829	-	-	-	-	3	10	34	107	212	266	196
White	1,189	-	-	-	1	7	24	120	273	374	288	112	789	-	-	-	-	2	8	32	96	205	255	190
All other	67	-	1	-	-	1	5	11	14	16	16	3	40	-	-	-	-	1	2	2	11	7	11	6
Black	42	-	1	-	-	1	5	8	10	10	6	1	24	-	-	-	-	1	-	1	7	4	7	4
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	-	4	2	1	-	18	-	-	-	-	-	-	5	6	4	2	1
White	7	-	-	-	-	-	-	-	4	2	1	-	17	-	-	-	-	-	-	5	6	4	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertensive heart disease (402)	66	-	-	-	-	-	2	9	24	21	9	1	37	-	-	-	-	-	-	1	3	10	14	9
White	59	-	-	-	-	-	2	8	22	19	7	1	34	-	-	-	-	-	-	1	1	10	13	9
All other	7	-	-	-	-	-	-	1	2	2	2	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	6	-	-	-	-	-	-	1	2	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	842	-	-	-	1	5	23	98	202	252	194	67	495	-	-	-	-	-	9	20	69	128	156	114
White	815	-	-	-	1	4	19	95	196	248	187	65	477	-	-	-	-	-	8	19	65	122	151	111
All other	27	-	-	-	-	1	4	3	6	4	7	2	18	-	-	-	-	-	1	1	4	4	5	3
Black	18	-	-	-	-	1	4	3	3	2	4	1	12	-	-	-	-	-	-	1	3	3	3	2
Acute myocardial infarction (410)	432	-	-	-	-	2	13	57	112	138	85	15	236	-	-	-	-	-	3	13	41	72	74	32
White	419	-	-	-	-	1	12	55	109	136	91	15	224	-	-	-	-	-	2	13	38	68	70	32
All other	13	-	-	-	-	1	1	2	3	2	4	-	12	-	-	-	-	-	1	-	3	4	4	-
Black	8	-	-	-	-	1	1	2	1	1	2	-	7	-	-	-	-	-	-	-	2	3	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	-	1	5	5	3	2	-	8	-	-	-	-	-	-	-	1	4	2	1
White	16	-	-	-	-	-	1	5	5	3	2	-	8	-	-	-	-	-	-	-	1	4	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	393	-	-	-	1	3	9	36	84	111	97	52	251	-	-	-	-	-	6	7	27	50	80	81
White	379	-	-	-	1	3	6	35	81	109	94	50	245	-	-	-	-	-	6	6	26	50	79	78
All other	14	-	-	-	-	-	3	1	3	2	3	2	6	-	-	-	-	-	-	1	1	-	1	3
Black	10	-	-	-	-	-	3	1	2	1	2	1	5	-	-	-	-	-	-	1	1	-	1	2
Other diseases of endocardium (424)	11	-	-	-	-	-	-	2	1	3	3	2	14	-	-	-	-	-	-	1	1	6	5	1
White	10	-	-	-	-	-	-	1	1	3	3	2	14	-	-	-	-	-	-	1	1	6	5	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	337	-	1	-	-	3	4	21	56	111	96	45	263	-	-	-	-	3	1	7	28	66	89	69
White	306	-	-	-	-	3	3	16	50	101	89	44	245	-	-	-	-	2	-	6	23	63	84	67
All other	31	-	1	-	-	-	1	5	6	10	7	1	18	-	-	-	-	1	1	1	5	3	5	2
Black	16	-	1	-	-	-	1	2	5	6	1	-	9	-	-	-	-	1	-	-	3	1	3	1
Hypertension with or without renal disease (401,403)	2	-	-	-	-	-	-	-	-	1	-	1	8	-	-	-	-	1	-	-	-	2	3	2
White	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	1	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	168	1	-	1	-	4	5	10	28	40	57	22	224	-	-	-	-	1	7	6	16	41	83	66
White	146	1	-	1	-	4	2	9	23	33	52	21	209	-	-	-	-	1	6	7	16	36	80	63
All other	22	-	-	-	-	-	3	1	5	7	5	1	15	-	-	-	-	-	1	1	2	5	3	3
Black	18	-	-	-	-	-	2	1	5	6	3	1	12	-	-	-	-	-	1	1	-	5	3	2
Intracerebral and other intracranial hemorrhage (431-432)	36	-	-	-	-	1	2	4	11	10	5	3	33	-	-	-	-	1	3	2	9	7	8	3
White	29	-	-	-	-	1	-	3	9	9	4	3	29	-	-	-	-	1	3	2	8	5	7	3
All other	7	-	-	-	-	-	2	1	2	1	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	5	-	-	-	-	-	1	1	2	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	-	-	-	-	-	-	1	3	5	5	3	19	-	-	-	-	-	-	1	1	6	5	6
White	14	-	-	-	-	-	-	1	1	5	4	3	19	-	-	-	-	-	-	1	1	6	5	6
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	113	1	-	1	-	3	3	5	13	25	46	16	172	-	-	-	1	-	4	5	8	28	70	57
White	101	1	-	1	-	3	2	5	12	19	43	15	161	-	-	-	-	-	3	4	7	25	68	54
All other	12	-	-	-	-	-	1	-	1	6	3	1	11	-	-	-	-	-	1	1	1	3	2	3
Black	10	-	-	-	-	-	1	-	1	5	2	1	9	-	-	-	-	-	1	1	-	3	2	2
Atherosclerosis (440)	34	-	-	-	-	-	-	-	1	10	12	11	28	-	-	-	-	-	-	1	3	4	12	8
White	32	-	-	-	-	-	-	-	1	9	11	11	27	-	-	-	-	-	-	1	3	4	12	7
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	43	-	-	-	1	-	-	2	12	16	8	4	22	-	-	-	-	-	-	-	5	6	7	4
White	42	-	-	-	1	-	-	2	12	16	7	4	22	-	-	-	-	-	-	-	5	6	7	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	63	1	-	-	1	1	2	4	3	14	24	13	57	-	-	-	2	1	2	-	6	7	19	20
White	58	-	-	-	1	1	2	3	3	12	24	12	53	-	-	-	1	1	2	-	4	6	19	20
All other	5	1	-	-	-	-	-	1	-	2	-	1	4	-	-	-	1	-	-	-	2	1	-	-
Black	4	1	-	-	-	-	-	1	-	2	-	-	2	-	-	-	1	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	62	1	-	-	-	1	2	4	3	14	24	13	58	-	-	-	2	-	2	-	6	7	19	20
White	57	-	-	-	-	1	2	3	3	12	24	12	52	-	-	-	1	-	2	-	4	6	19	20
All other	5	1	-	-	-	-	-	1	-	2	-	1	4	-	-	-	1	-	-	-	2	1	-	-
Black	4	1	-	-	-	-	-	1	-	2	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Influenza (487)	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	185	-	-	-	-	-	2	7	28	70	64	14	98	-	-	-	-	-	1	3	19	42	25	8
White	181	-	-	-	-	-	2	7	26	68	64	14	96	-	-	-	-	-	1	3	18	41	25	8
All other	4	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	2	-	3	1	5	-	-	-	-	-	-	-	-	3	-	2
White	6	-	-	-	-	-	-	-	2	-	3	1	5	-	-	-	-	-	-	-	-	3	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	50	-	-	-	-	-	1	2	8	20	15	4	16	-	-	-	-	-	-	1	5	7	3	-
White	49	-	-	-	-	-	1	2	7	20	15	4	16	-	-	-	-	-	-	1	5	7	3	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	8	-	-	-	-	-	-	2	3	3	-	-	5	-	-	-	-	-	-	-	1	3	1	-
White	5	-	-	-	-	-	-	2	2	1	-	-	4	-	-	-	-	-	-	-	1	2	1	-
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	121	-	-	-	-	-	1	3	15	47	46	9	72	-	-	-	-	-	1	2	13	29	21	6
White	121	-	-	-	-	-	1	3	15	47	46	9	71	-	-	-	-	-	1	2	12	29	21	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	8	1	-	-	-	-	-	-	1	-	4	2	9	-	-	-	-	-	-	-	2	2	1	4
White	7	-	-	-	-	-	-	-	1	-	4	2	9	-	-	-	-	-	-	-	2	2	1	4
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	-	-	1	3	-	1	9	-	-	-	1	-	-	1	-	2	2	3
White	5	-	-	-	-	-	-	-	1	3	-	1	9	-	-	-	1	-	-	1	-	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	85	-	-	-	-	10	16	19	26	13	1	-	50	-	-	-	-	-	12	17	10	9	2	-
White	76	-	-	-	-	9	15	14	24	13	1	-	46	-	-	-	-	-	10	16	9	9	2	-
All other	9	-	-	-	-	1	1	5	2	-	-	-	4	-	-	-	-	-	2	1	1	-	-	-
Black	4	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	-	-	-	-	-	2	-	5	11	6	4	18	-	-	-	1	-	-	1	1	6	5	2
White	24	-	-	-	-	-	2	-	3	7	6	4	13	-	-	-	-	-	-	1	-	6	5	1
All other	6	-	-	-	-	-	-	-	2	4	-	-	5	-	-	-	1	-	-	-	1	2	-	1
Black	5	-	-	-	-	-	-	-	2	3	-	-	3	-	-	-	1	-	-	-	-	1	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	–	–	–	–	–	2	–	5	10	7	4	15	–	–	–	1	–	–	–	1	7	5	1
White	22	–	–	–	–	–	2	–	3	6	7	4	10	–	–	–	–	–	–	–	–	5	5	–
All other	6	–	–	–	–	–	–	–	2	4	–	–	5	–	–	–	1	–	–	–	1	2	–	1
Black	5	–	–	–	–	–	–	–	2	3	–	–	3	–	–	–	1	–	–	–	–	1	–	1
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	–	–	–	–	–	–	–	–	–	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	27	21	–	2	–	1	–	–	2	–	1	–	23	13	2	–	1	2	1	1	2	–	–	1
White	26	20	–	2	–	1	–	–	2	–	1	–	17	9	2	–	1	2	–	–	2	–	–	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	6	4	–	–	–	–	1	1	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	36	36	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
White	31	31	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	17	17	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	14	14	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	19	19	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
White	17	17	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	46	15	–	–	1	3	2	1	5	6	6	7	34	7	–	–	2	2	–	3	4	3	4	9
White	41	13	–	–	–	3	2	1	4	5	6	7	29	4	–	–	2	2	–	2	4	3	3	9
All other	5	2	–	–	1	–	–	–	1	1	–	–	5	3	–	–	–	–	–	1	–	–	1	–
Black	3	2	–	–	1	–	–	–	–	–	–	–	4	2	–	–	–	–	–	1	–	–	1	–
All other diseases (Residual)	199	9	2	4	6	10	12	17	30	46	49	12	206	6	2	1	3	2	5	18	35	45	57	32
White	185	7	2	4	7	9	9	14	29	44	48	12	191	5	2	1	2	1	4	16	34	43	57	26
All other	14	2	–	–	1	1	3	3	1	2	1	–	15	1	–	–	1	1	1	2	1	2	–	6
Black	11	2	–	–	1	1	2	2	1	1	1	–	11	1	–	–	1	1	–	1	1	2	–	4
Accidents and adverse effects (E800-E949)	360	6	9	16	103	98	51	33	23	27	11	3	122	1	11	4	30	22	12	8	9	12	9	4
White	332	4	7	11	87	87	46	32	20	25	10	3	109	1	7	3	28	20	10	8	8	11	9	4
All other	48	2	2	5	16	11	5	1	3	2	1	–	13	–	4	1	2	2	2	–	1	1	–	–
Black	27	–	1	4	10	6	4	–	1	–	1	–	7	–	2	1	1	2	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	204	2	2	6	67	47	35	15	10	11	7	2	69	–	4	1	19	15	8	4	4	7	1	–
White	184	1	2	5	57	46	33	15	8	9	6	2	56	–	2	1	17	14	7	4	3	7	1	–
All other	20	1	–	1	10	1	2	–	2	2	1	–	7	–	2	–	2	1	1	–	1	–	–	–
Black	8	–	–	1	5	–	1	–	–	–	1	–	3	–	–	–	1	1	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	176	4	7	10	36	51	16	18	13	16	4	1	59	1	7	3	11	7	4	4	5	5	8	4
White	148	3	5	6	30	41	13	17	12	16	4	1	53	1	5	2	11	6	3	4	5	4	8	4
All other	28	1	2	4	6	10	3	1	1	–	–	–	6	–	2	1	–	1	1	–	–	1	–	–
Black	19	–	1	3	5	6	3	–	1	–	–	–	4	–	2	1	–	1	–	–	–	–	–	–
Suicide (E950-E959)	194	---	---	–	38	38	31	28	29	19	10	1	60	---	---	–	8	18	11	9	10	4	–	–
White	177	---	---	–	31	34	29	26	28	18	10	1	58	---	---	–	7	17	11	9	10	4	–	–
All other	17	---	---	–	7	4	2	2	1	1	–	–	2	---	---	–	1	1	–	–	–	–	–	–
Black	9	---	---	–	2	1	2	2	1	1	–	–	–	---	---	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	85	–	1	–	14	30	14	13	9	3	1	–	31	1	–	2	8	12	1	3	3	–	–	–
White	62	–	1	–	10	18	12	10	8	2	1	–	23	–	–	2	7	9	1	2	1	–	–	–
All other	23	–	–	–	4	12	2	3	1	1	–	–	8	1	–	–	1	3	–	1	2	–	–	–
Black	21	–	–	–	4	10	2	3	1	1	–	–	6	–	–	–	1	2	–	1	2	–	–	–
All other external causes (E980-E999)	14	–	–	1	4	5	2	1	–	–	1	–	8	–	1	–	1	2	–	2	–	1	1	–
White	12	–	–	1	3	4	2	1	–	–	1	–	6	–	–	–	1	2	–	1	–	1	1	–
All other	2	–	–	–	1	1	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
NEW HAMPSHIRE																								
All causes	4,028	100	15	25	104	114	122	261	642	1,132	1,019	494	3,588	55	10	13	45	37	74	149	390	696	1,089	1,030
White	4,016	98	15	25	104	113	120	259	639	1,130	1,019	494	3,581	54	10	13	45	37	74	148	390	693	1,088	1,029
All other	12	2	–	–	–	1	2	2	3	2	–	–	7	1	–	–	–	–	–	1	–	3	1	1
Black	9	2	–	–	–	–	1	2	3	1	–	–	7	1	–	–	–	–	–	1	–	3	1	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	4	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	15	–	–	–	–	–	–	–	–	7	6	2	15	1	–	–	1	–	–	–	1	2	1	9
White	15	–	–	–	–	–	–	–	–	7	6	2	15	1	–	–	1	–	–	–	1	2	1	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	5	-	1	1	-	1	-	-	-	2	-	-	7	-	-	-	-	-	-	1	3	1	-	2
White	5	-	1	1	-	1	-	-	-	2	-	-	7	-	-	-	-	-	-	1	3	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	890	-	2	2	5	9	17	61	185	313	218	74	897	-	1	1	3	12	31	76	175	230	219	89
White	888	-	2	2	5	9	17	60	189	312	218	74	896	-	1	1	3	12	31	75	175	230	219	89
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	-	-	-	-	-	-	3	7	6	2	4	9	-	-	-	-	-	-	2	2	1	2	2
White	22	-	-	-	-	-	-	3	7	6	2	4	9	-	-	-	-	-	-	2	2	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	236	-	-	1	1	-	8	21	51	71	59	24	220	-	-	-	1	-	3	8	43	65	65	35
White	235	-	-	1	1	-	8	20	51	71	59	24	219	-	-	-	1	-	3	7	43	65	65	35
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	306	-	-	-	-	2	2	20	80	127	64	11	127	-	-	-	-	-	2	21	29	45	21	9
White	305	-	-	-	-	2	2	20	80	126	64	11	127	-	-	-	-	-	2	21	29	45	21	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	168	-	-	-	-	5	9	17	33	43	45	16
White	-	-	-	-	-	-	-	-	-	-	-	-	168	-	-	-	-	5	9	17	33	43	45	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	83	-	-	-	-	-	-	-	7	30	33	13	94	-	-	-	-	2	5	8	25	28	19	7
White	83	-	-	-	-	-	-	-	7	30	33	13	94	-	-	-	-	2	5	8	25	28	19	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	56	-	1	-	-	2	1	3	10	16	14	9	26	-	-	-	-	-	-	1	7	5	8	5
White	56	-	1	-	-	2	1	3	10	16	14	9	26	-	-	-	-	-	-	1	7	5	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	120	-	-	-	2	3	4	12	24	41	28	6	125	-	1	1	1	4	8	14	29	27	32	8
White	120	-	-	-	2	3	4	12	24	41	28	6	125	-	1	1	1	4	8	14	29	27	32	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	30	-	1	1	1	-	-	-	5	10	7	5	28	-	-	-	1	1	1	1	2	6	14	2
White	30	-	1	1	1	-	-	-	5	10	7	5	28	-	-	-	1	1	1	1	2	6	14	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	-	-	-	1	2	2	2	5	12	11	2	40	-	-	-	-	-	3	4	5	10	13	5
White	37	-	-	-	1	2	2	2	5	12	11	2	40	-	-	-	-	-	3	4	5	10	13	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	-	-	-	1	2	1	1	5	5	1	5	17	1	-	1	-	-	-	2	3	2	5	3
White	21	-	-	-	1	2	1	1	5	5	1	5	17	1	-	1	-	-	-	2	3	2	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con. [1]																								
Diabetes mellitus (250)	64	-	-	-	-	1	3	4	9	18	21	8	103	-	-	-	-	-	3	1	14	29	32	24
White	64	-	-	-	-	1	3	4	9	18	21	8	103	-	-	-	-	-	3	1	14	29	32	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	-	-	-	-	1	4
White	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	-	-	-	1	-	2	4	9	-	-	-	-	-	-	-	-	1	4	4
White	7	-	-	-	-	-	-	-	1	-	2	4	9	-	-	-	-	-	-	-	-	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,930	2	1	1	5	4	51	128	316	588	546	286	1,823	1	-	1	1	4	17	34	130	301	638	696
White	1,928	2	1	1	5	4	50	128	316	587	546	286	1,820	1	-	1	1	4	17	34	130	300	637	695
All other	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Diseases of heart (390-398,402,404-429)	1,578	1	1	1	4	4	47	120	298	493	409	200	1,329	1	-	1	1	3	8	25	116	257	455	462
White	1,577	1	1	1	4	4	47	120	298	492	409	200	1,328	1	-	1	1	3	8	25	116	256	455	462
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	12	-	1	-	-	-	-	3	2	5	1	-	18	-	-	-	-	-	-	1	3	6	7	1
White	12	-	1	-	-	-	-	3	2	5	1	-	18	-	-	-	-	-	-	1	3	6	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	18	-	-	-	-	-	1	1	2	6	6	2	31	-	-	-	-	-	-	-	2	7	12	10
White	18	-	-	-	-	-	1	1	2	6	6	2	31	-	-	-	-	-	-	-	2	7	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	2	-
White	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,229	-	-	-	-	3	38	97	242	379	314	156	849	-	-	-	-	1	4	13	89	188	327	327
White	1,228	-	-	-	-	3	38	97	242	378	314	156	849	-	-	-	-	1	4	13	89	188	327	327
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	777	-	-	-	-	2	29	74	175	248	175	74	460	-	-	-	-	1	4	11	69	116	159	100
White	777	-	-	-	-	2	29	74	175	248	175	74	460	-	-	-	-	1	4	11	69	116	159	100
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	450	-	-	-	-	1	9	23	67	130	138	82	486	-	-	-	-	-	-	2	20	71	167	226
White	449	-	-	-	-	1	9	23	67	129	138	82	486	-	-	-	-	-	-	2	20	71	167	226
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	25	-	-	-	2	-	-	2	3	9	5	4	17	-	-	-	-	-	-	-	-	5	7	5
White	25	-	-	-	2	-	-	2	3	9	5	4	17	-	-	-	-	-	-	-	-	5	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	290	1	–	1	2	1	8	17	49	93	81	37	312	1	–	1	1	2	4	11	22	51	100	119
White	290	1	–	1	2	1	8	17	49	93	81	37	311	1	–	1	1	2	4	11	22	50	100	119
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hypertension with or without renal disease (401,403)	18	–	–	–	–	–	–	1	3	6	4	4	16	–	–	–	–	–	–	1	–	1	10	4
White	18	–	–	–	–	–	–	1	3	6	4	4	16	–	–	–	–	–	–	1	–	1	10	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	225	1	–	–	1	–	4	7	14	57	89	52	357	–	–	–	–	1	9	7	11	33	128	166
White	224	1	–	–	1	–	3	7	14	57	89	52	355	–	–	–	–	1	9	7	11	33	127	167
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Intracerebral and other intracranial hemorrhage (431-432)	33	1	–	–	1	–	1	1	2	6	13	6	44	–	–	–	–	–	3	4	6	7	12	12
White	33	1	–	–	1	–	1	1	2	6	13	6	43	–	–	–	–	–	3	4	6	7	11	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	42	–	–	–	–	–	–	2	1	12	17	10	56	–	–	–	–	–	–	1	1	4	23	27
White	42	–	–	–	–	–	–	2	1	12	17	10	56	–	–	–	–	–	–	1	1	4	23	27
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2
White	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	148	–	–	–	–	–	3	4	10	36	59	36	253	–	–	–	–	1	6	2	4	21	92	127
White	147	–	–	–	–	–	2	4	10	36	59	36	252	–	–	–	–	1	6	2	4	21	92	126
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Atherosclerosis (440)	55	–	–	–	–	–	–	–	2	10	21	22	79	–	–	–	–	–	–	–	–	7	24	48
White	55	–	–	–	–	–	–	–	2	10	21	22	79	–	–	–	–	–	–	–	–	7	24	48
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	54	–	–	–	–	–	–	–	1	22	23	8	42	–	–	–	–	–	–	1	3	3	21	14
White	54	–	–	–	–	–	–	–	1	22	23	8	42	–	–	–	–	–	–	1	3	3	21	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	86	4	–	1	1	–	1	1	9	11	31	27	105	2	–	–	1	1	–	3	5	8	26	59
White	86	4	–	1	1	–	1	1	9	11	31	27	105	2	–	–	1	1	–	3	5	8	26	59
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	88	4	–	1	1	–	1	1	9	11	31	27	103	2	–	–	1	1	–	3	5	8	26	57
White	88	4	–	1	1	–	1	1	9	11	31	27	103	2	–	–	1	1	–	3	5	8	26	57
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	181	–	–	–	–	–	1	5	17	65	71	22	100	–	–	–	1	–	–	2	11	38	32	16
White	181	–	–	–	–	–	1	5	17	65	71	22	99	–	–	–	1	–	–	2	11	37	32	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Bronchitis, chronic and unspecified (490-491)	18	–	–	–	–	–	–	–	1	6	7	4	8	–	–	–	–	–	–	–	1	2	2	3
White	18	–	–	–	–	–	–	–	1	6	7	4	8	–	–	–	–	–	–	–	1	2	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	42	–	–	–	–	–	–	1	3	18	18	4	18	–	–	–	–	–	–	1	4	6	3	4
White	42	–	–	–	–	–	–	1	3	18	18	4	18	–	–	–	–	–	–	1	4	6	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	6	-	-	-	-	-	1	-	-	2	1	2	9	-	-	-	1	-	-	-	2	2	3	1
White	6	-	-	-	-	-	1	-	-	2	1	2	9	-	-	-	1	-	-	-	2	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	115	-	-	-	-	-	-	4	13	41	45	12	65	-	-	-	-	-	-	1	4	28	24	8
White	115	-	-	-	-	-	-	4	13	41	45	12	64	-	-	-	-	-	-	1	4	27	24	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	-	1	2	5	3	3	19	-	-	-	-	-	-	1	-	2	9	7
White	14	-	-	-	-	-	-	1	2	5	3	3	19	-	-	-	-	-	-	1	-	2	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	1	-	-	-	-	-	-	-	-	3	2	10	-	-	-	-	-	-	-	-	3	1	6
White	6	1	-	-	-	-	-	-	-	-	3	2	10	-	-	-	-	-	-	-	-	3	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	67	-	-	-	-	2	5	11	13	27	8	1	32	-	-	-	-	-	-	6	9	8	8	1
White	63	-	-	-	-	2	4	10	11	27	8	1	32	-	-	-	-	-	-	6	9	8	8	1
All other	4	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	1	1	3	1	4	-	-	-	-	-	-	1	-	-	2	1
White	6	-	-	-	-	-	-	-	1	1	3	1	4	-	-	-	-	-	-	1	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	-	-	-	-	-	1	2	4	11	15	7	27	-	-	-	-	-	-	-	1	6	9	11
White	40	-	-	-	-	-	1	2	4	11	15	7	27	-	-	-	-	-	-	-	1	6	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	39	-	-	-	-	-	1	2	4	11	14	7	25	-	-	-	-	-	-	-	1	6	7	11
White	39	-	-	-	-	-	1	2	4	11	14	7	25	-	-	-	-	-	-	-	1	6	7	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	2	2
White	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	3	1	***	***	***	***	***	***	***	***	***	***	***	***
White	5	-	-	-	-	-	-	-	-	1	3	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	2	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	2	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	27	21	1	1	-	-	-	-	1	1	2	-	19	7	3	2	2	1	-	1	-	-	2	1
White	27	21	1	1	-	-	-	-	1	1	2	-	19	7	3	2	2	1	-	1	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	61	61	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	60	60	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	47	47	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	46	46	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	16	6	-	-	1	2	1	-	1	3	1	1	14	3	-	-	3	-	-	-	-	-	2	6
White	14	5	-	-	1	1	1	-	1	3	1	1	13	2	-	-	3	-	-	-	-	-	2	6
All other	2	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	225	5	2	2	7	14	6	10	30	55	55	39	261	4	1	2	2	8	7	10	22	53	77	75
White	225	5	2	2	7	14	6	10	30	55	55	39	260	4	1	2	2	8	7	10	22	52	77	75
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Accidents and adverse effects (E800-E949)	237	-	7	16	69	49	21	22	18	12	16	7	103	3	1	5	23	7	8	4	14	9	17	12
White	237	-	7	16	69	49	21	22	18	12	16	7	103	3	1	5	23	7	8	4	14	9	17	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	127	-	3	8	51	29	10	11	7	7	1	-	53	2	1	4	21	4	6	3	4	1	7	-
White	127	-	3	8	51	29	10	11	7	7	1	-	53	2	1	4	21	4	6	3	4	1	7	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	110	-	4	8	18	20	11	11	11	6	15	7	50	1	-	1	2	3	2	1	10	8	10	12
White	110	-	4	8	18	20	11	11	11	5	15	7	50	1	-	1	2	3	2	1	10	8	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	90	...	...	-	12	25	10	11	19	4	8	1	21	...	...	-	3	2	7	6	-	2	1	-
White	89	...	...	-	12	25	10	11	18	4	8	1	21	...	...	-	3	2	7	6	-	2	1	-
All other	1	...	...	-	-	-	-	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	11	-	-	1	3	3	2	1	1	-	-	-	8	-	1	1	4	-	-	1	-	-	1	-
White	11	-	-	1	3	3	2	1	1	-	-	-	8	-	1	1	4	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	-	2	1	2	1	-	1	-	3	-	-	-	1	-	1	-	1	-	-	-
White	7	-	-	-	-	2	1	2	1	-	1	-	3	-	-	-	1	-	1	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	35,066	659	109	173	784	962	1,120	2,724	5,336	9,602	8,453	4,110	32,555	500	91	103	297	404	690	1,576	4,073	7,084	9,490	8,232
White	30,896	440	74	123	637	700	801	2,188	5,464	8,695	7,862	3,892	29,262	297	62	79	230	275	531	1,220	3,516	6,332	8,873	7,838
All other	4,170	219	35	50	147	262	319	536	872	907	591	218	3,293	203	29	24	67	129	159	356	557	752	617	394
Black	4,031	213	33	44	142	253	307	519	849	880	588	210	3,194	189	29	22	64	125	152	343	547	735	599	383
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	35	-	-	-	-	3	4	4	4	6	11	3	12	-	-	-	-	1	2	2	1	2	3	1
White	21	-	-	-	-	1	-	3	2	5	7	3	4	-	-	-	-	-	1	-	-	1	2	1
All other	14	-	-	-	-	2	4	1	2	1	4	-	8	-	-	-	-	1	1	2	1	2	1	-
Black	13	-	-	-	-	2	4	1	2	1	3	-	7	-	-	-	-	1	1	2	1	2	-	-
Tuberculosis of respiratory system (010-012)	24	-	-	-	-	1	2	3	3	6	6	3	9	-	-	-	-	-	2	-	1	2	3	1
White	17	-	-	-	-	-	-	3	1	5	5	3	4	-	-	-	-	-	1	-	-	-	2	1
All other	7	-	-	-	-	1	2	-	2	1	1	-	5	-	-	-	-	-	1	-	1	2	1	-
Black	7	-	-	-	-	1	2	-	2	1	1	-	4	-	-	-	-	-	1	-	1	2	-	-
Other tuberculosis (013-018)	11	-	-	-	-	2	2	1	1	-	5	-	3	-	-	-	-	1	-	2	-	-	-	-
White	4	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	7	-	-	-	-	1	2	1	-	-	3	-	3	-	-	-	-	1	-	2	-	-	-	-
Black	6	-	-	-	-	1	2	1	-	-	2	-	3	-	-	-	-	1	-	2	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	4	-	-	-	1	-	-	-	-	-	5	-	1	-	-	-	2	1	1	-	-	-
White	4	1	2	-	-	-	1	-	-	-	-	-	5	-	1	-	-	-	2	1	1	-	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	260	5	2	1	1	3	6	6	42	70	71	53	300	4	2	-	1	6	9	9	18	53	101	97
White	208	4	1	-	-	2	3	3	32	54	63	46	255	1	2	-	-	2	6	5	11	43	93	92
All other	52	1	1	1	1	1	3	3	10	16	8	7	45	3	-	-	1	4	3	4	7	10	8	5
Black	49	1	1	1	1	1	3	3	8	16	8	6	44	3	-	-	1	4	3	4	7	10	7	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	26	1	-	-	3	5	2	4	4	2	5	-	9	-	-	-	2	-	-	-	1	5	-	1
White	23	1	-	-	1	5	2	3	4	2	5	-	6	-	-	-	1	-	-	-	1	3	-	1
All other	3	-	-	-	2	-	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	2	-	-
Black	3	-	-	-	2	-	-	1	-	-	-	-	3	-	-	-	1	-	-	-	-	2	-	-
Syphilis (090-097)	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	75	11	3	3	4	9	5	9	10	10	6	5	77	2	-	-	1	7	8	10	7	17	13	12
White	56	7	1	2	3	6	3	5	10	8	6	5	63	1	-	-	1	4	7	5	5	16	13	11
All other	19	4	2	1	1	3	2	4	-	2	-	-	14	1	-	-	-	3	1	5	2	1	-	1
Black	19	4	2	1	1	3	2	4	-	2	-	-	14	1	-	-	-	3	1	5	2	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,344	3	7	31	41	84	188	734	1,989	2,700	1,984	563	7,718	1	9	15	97	88	286	715	1,757	2,259	1,788	705
White	7,374	3	7	22	35	74	157	604	1,707	2,429	1,807	529	6,994	1	4	10	31	72	233	607	1,571	2,067	1,667	731
All other	970	-	-	9	6	20	41	130	282	271	177	34	724	-	5	5	6	14	53	108	186	192	121	34
Black	926	-	-	7	5	18	35	121	271	261	174	34	692	-	5	4	5	13	49	102	182	184	117	31

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	243	–	–	–	1	2	10	33	77	77	32	11	109	–	–	1	–	–	1	13	25	35	25	9
White	206	–	–	–	–	2	4	26	67	66	30	11	91	–	–	1	–	–	–	5	22	34	20	9
All other	37	–	–	–	1	–	6	7	10	11	2	–	18	–	–	–	–	–	1	8	3	1	5	–
Black	36	–	–	–	1	–	5	7	10	11	2	–	16	–	–	–	–	–	–	8	3	1	4	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,286	1	–	–	1	12	42	169	532	758	571	200	2,227	–	1	–	5	8	30	129	386	656	692	320
White	2,021	1	–	–	1	10	28	133	451	685	526	186	2,024	–	1	–	4	6	23	106	331	598	649	306
All other	265	–	–	–	–	2	14	36	81	73	45	14	203	–	–	–	1	2	7	23	55	58	43	14
Black	240	–	–	–	–	1	10	30	78	68	42	14	193	–	–	–	1	1	6	21	55	55	41	13
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,890	–	1	1	–	6	49	306	790	1,031	596	110	1,263	–	–	1	2	7	39	123	375	446	202	68
White	2,531	–	1	1	–	6	36	246	668	927	544	102	1,161	–	–	1	2	6	30	109	348	421	179	65
All other	359	–	–	–	–	–	13	60	122	104	52	8	102	–	–	–	–	1	9	14	27	25	23	3
Black	352	–	–	–	–	–	13	58	119	102	52	8	97	–	–	–	–	1	8	13	26	25	22	2
Malignant neoplasm of breast (174-175)	15	–	–	–	–	–	2	1	3	3	5	1	1,566	–	–	–	–	28	105	207	444	390	283	109
White	14	–	–	–	–	–	2	1	3	3	4	1	1,430	–	–	–	–	24	89	177	411	358	268	103
All other	1	–	–	–	–	–	–	–	–	–	1	–	136	–	–	–	–	4	16	30	33	32	15	6
Black	1	–	–	–	–	–	–	–	–	–	1	–	129	–	–	–	–	4	16	27	32	29	15	6
Malignant neoplasms of genital organs (176-187)	634	–	–	1	3	6	2	21	93	233	342	133	863	–	–	1	4	12	42	106	210	251	167	70
White	715	–	–	1	2	6	2	18	80	196	288	122	750	–	–	1	3	9	32	87	182	216	154	66
All other	119	–	–	–	1	–	–	3	13	37	54	11	113	–	–	–	1	3	10	19	28	35	13	4
Black	117	–	–	–	1	–	–	3	13	35	54	11	111	–	–	–	1	3	10	19	26	35	13	4
Malignant neoplasms of urinary organs (188-189)	438	–	–	1	–	2	7	29	92	147	129	31	245	–	1	–	–	1	3	14	43	77	73	33
White	399	–	–	–	–	2	6	22	79	134	125	31	218	–	–	–	–	1	2	13	35	70	64	33
All other	39	–	–	1	–	–	1	7	13	13	4	–	27	–	1	–	–	–	1	1	8	7	9	–
Black	39	–	–	1	–	–	1	7	13	13	4	–	27	–	1	–	–	–	1	1	8	7	9	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	902	2	2	16	12	32	51	96	244	250	162	35	811	1	3	7	8	18	34	79	152	235	185	89
White	808	2	2	13	10	22	46	85	214	229	150	35	746	1	2	6	7	15	30	72	135	214	178	66
All other	94	–	–	3	2	10	5	11	30	21	12	–	65	–	1	1	1	3	4	7	17	21	7	3
Black	89	–	–	3	1	9	5	10	29	20	12	–	62	–	1	1	1	3	4	7	17	19	7	2
Leukemia (204-208)	320	–	4	8	13	12	14	30	60	76	81	22	258	–	4	5	12	10	13	14	44	56	69	37
White	301	–	4	6	11	10	13	28	55	73	80	21	230	–	1	1	9	10	11	12	37	53	62	34
All other	19	–	–	2	2	2	1	2	5	3	1	1	28	–	3	4	3	–	2	2	7	3	1	3
Black	17	–	–	1	2	2	–	2	5	3	1	1	25	–	3	3	2	–	1	2	7	3	1	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	416	–	–	4	11	22	21	49	98	125	66	20	376	–	–	–	6	2	19	30	78	113	98	30
White	379	–	–	1	11	16	20	45	90	116	60	20	344	–	–	–	6	1	16	26	70	103	93	29
All other	37	–	–	3	–	6	1	4	8	9	6	–	32	–	–	–	–	1	3	4	8	10	5	1
Black	35	–	–	2	–	6	1	4	7	9	6	–	32	–	–	–	–	1	3	4	8	10	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	61	–	1	–	4	1	4	5	10	27	21	8	115	–	1	1	1	2	6	10	16	23	34	21
White	72	–	–	–	3	–	4	4	8	25	20	8	106	–	1	1	1	2	6	10	13	20	31	21
All other	9	–	1	–	1	1	–	1	2	2	1	–	9	–	–	–	–	–	–	–	3	3	3	–
Black	7	–	–	–	1	1	–	1	2	2	–	–	8	–	–	–	–	–	–	–	3	3	3	–
Diabetes mellitus (250)	549	–	–	–	–	6	14	46	109	178	133	63	737	–	2	1	–	9	8	35	110	205	232	135
White	487	–	–	–	–	6	11	41	89	161	121	58	629	–	1	–	–	9	5	22	82	168	211	121
All other	62	–	–	–	–	–	3	5	20	17	12	5	108	–	1	1	–	–	3	13	18	37	21	14
Black	60	–	–	–	–	–	3	5	20	15	12	5	107	–	1	1	–	–	3	13	18	36	21	14
Nutritional deficiencies (260-269)	28	1	–	–	–	–	–	3	1	6	13	4	47	–	–	–	–	–	–	–	3	1	22	20
White	26	1	–	–	–	–	–	2	1	5	13	4	43	–	–	–	–	–	–	–	2	1	22	17
All other	2	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	1	–	–	3
Black	2	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	1	–	–	3
Anemias (280-285)	40	–	1	1	1	1	1	2	3	8	20	2	67	–	1	1	5	–	1	1	10	11	22	15
White	33	–	–	1	1	1	1	–	3	8	17	1	53	–	–	–	3	–	–	1	9	9	18	13
All other	7	–	1	–	–	–	–	2	–	–	3	1	14	–	1	1	2	–	1	–	1	2	4	2
Black	7	–	1	–	–	–	–	2	–	–	3	1	14	–	1	1	2	–	1	–	1	2	4	2
Meningitis (320-322)	22	7	1	2	1	2	2	1	3	2	1	–	28	5	1	1	1	3	1	3	4	3	4	2
White	13	4	1	1	1	–	2	–	2	2	–	–	19	2	1	1	1	1	1	2	3	3	2	2
All other	9	3	–	1	–	2	–	1	1	–	1	–	9	3	–	–	–	2	–	1	1	–	2	–
Black	9	3	–	1	–	2	–	1	1	–	1	–	8	2	–	–	–	2	–	1	1	–	2	–
Major cardiovascular diseases (390-448)	17,178	12	7	6	30	108	331	1,267	3,103	5,021	4,702	2,580	17,337	9	6	6	17	53	127	450	1,426	3,401	5,859	5,975
White	15,627	8	7	6	23	77	243	1,042	2,739	4,613	4,416	2,455	15,883	4	5	6	12	33	86	307	1,203	3,032	5,483	5,708
All other	1,551	4	–	–	7	31	88	225	370	408	288	125	1,454	5	1	–	5	20	41	143	223	369	376	267
Black	1,505	4	–	–	7	31	85	222	363	395	270	122	1,425	5	1	–	5	20	41	143	219	364	364	259

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	14,480	8	5	5	22	84	275	1,131	2,745	4,271	3,882	2,062	13,680	7	6	3	11	29	89	331	1,138	2,788	4,600	4,670
White	13,204	6	5	5	18	61	211	937	2,433	3,942	3,620	1,962	12,580	3	5	3	7	17	59	235	964	2,507	4,319	4,457
All other	1,276	2	–	–	4	23	64	194	312	329	242	100	1,100	4	1	–	4	12	30	96	174	281	281	213
Black	1,235	2	–	–	4	23	62	191	305	317	227	99	1,086	4	1	–	4	12	30	96	171	278	277	209
Rheumatic fever and rheumatic heart disease (390-398)	108	–	–	1	–	3	5	17	33	28	20	1	219	–	–	–	2	5	2	10	45	78	62	15
White	103	–	–	1	–	3	5	16	32	26	19	1	208	–	–	–	1	5	2	8	40	78	62	14
All other	5	–	–	–	–	–	–	1	1	2	1	–	11	–	–	–	1	–	–	2	5	2	–	1
Black	4	–	–	–	–	–	–	1	1	2	–	–	10	–	–	–	1	–	–	2	4	2	–	1
Hypertensive heart disease (402)	390	–	–	–	3	5	11	51	78	108	94	39	493	–	–	–	–	2	3	24	55	126	149	130
White	296	–	–	–	2	2	5	28	49	93	81	36	418	–	–	–	–	2	2	15	44	104	132	118
All other	94	–	–	–	1	3	6	23	29	15	13	3	75	–	–	–	–	–	1	9	11	24	17	12
Black	94	–	–	–	1	3	6	23	29	15	13	3	75	–	–	–	–	–	1	9	11	24	17	12
Hypertensive heart and renal disease (404)	42	–	–	–	–	2	2	3	6	8	11	10	70	–	–	–	–	–	1	2	3	13	21	30
White	26	–	–	–	–	–	1	1	3	3	10	8	60	–	–	–	–	–	–	1	2	11	19	27
All other	16	–	–	–	–	2	1	2	3	5	1	2	10	–	–	–	–	–	1	1	1	2	2	3
Black	15	–	–	–	–	2	1	2	2	5	1	2	10	–	–	–	–	–	1	1	1	2	2	3
Ischemic heart disease (410-414)	11,647	–	–	–	2	42	194	915	2,275	3,502	3,123	1,586	10,255	–	–	1	–	6	49	233	856	2,093	3,516	3,498
White	10,801	–	–	–	2	33	162	784	2,057	3,282	2,957	1,520	9,524	–	–	1	–	4	37	178	735	1,906	3,312	3,349
All other	846	–	–	–	–	9	32	131	218	220	166	66	731	–	–	–	–	2	12	55	121	187	204	149
Black	810	–	–	–	–	9	30	128	213	208	154	65	722	–	–	–	–	2	12	55	119	185	201	147
Acute myocardial infarction (410)	6,275	–	–	–	2	23	115	548	1,408	2,118	1,531	530	4,580	–	–	1	–	5	30	149	530	1,198	1,663	1,002
White	5,690	–	–	–	2	20	101	490	1,295	2,013	1,454	515	4,261	–	–	1	–	3	22	118	470	1,102	1,580	963
All other	585	–	–	–	–	3	14	58	113	105	77	15	319	–	–	–	–	2	8	31	60	96	83	39
Black	562	–	–	–	–	3	14	56	110	97	68	14	311	–	–	–	–	2	8	31	58	94	81	37
Other acute and subacute forms of ischemic heart disease (411)	104	–	–	–	–	1	2	16	37	32	14	2	44	–	–	–	–	–	2	2	9	11	13	7
White	95	–	–	–	–	1	1	11	36	30	14	2	40	–	–	–	–	–	2	2	7	11	12	6
All other	9	–	–	–	–	–	1	5	1	2	–	–	4	–	–	–	–	–	–	–	2	–	1	1
Black	9	–	–	–	–	–	1	5	1	2	–	–	4	–	–	–	–	–	–	–	2	–	1	1
Angina pectoris (413)	8	–	–	–	–	–	–	–	2	4	2	–	9	–	–	–	–	–	–	–	2	–	4	3
White	8	–	–	–	–	–	–	–	2	4	2	–	8	–	–	–	–	–	–	–	2	–	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,260	–	–	–	–	18	77	351	828	1,348	1,576	1,054	5,622	–	–	–	–	1	17	82	315	884	1,838	2,486
White	4,808	–	–	–	–	12	60	283	724	1,235	1,487	1,003	5,215	–	–	–	–	1	13	58	256	793	1,717	2,377
All other	452	–	–	–	–	6	17	68	104	113	89	51	407	–	–	–	–	–	4	24	59	91	119	109
Black	439	–	–	–	–	6	15	67	102	109	88	51	406	–	–	–	–	–	4	24	59	91	118	109
Other diseases of endocardium (424)	137	–	–	1	1	1	5	6	23	47	37	16	146	–	1	–	1	2	3	6	11	33	52	37
White	129	–	–	1	1	1	4	3	23	44	36	16	131	–	1	–	–	1	1	4	10	31	47	36
All other	8	–	–	–	–	–	1	3	–	3	1	–	15	–	–	–	1	1	2	2	1	2	5	1
Black	8	–	–	–	–	–	1	3	–	3	1	–	15	–	–	–	1	1	2	2	1	2	5	1
All other forms of heart disease (415-423,425-429)	2,156	8	5	3	16	31	58	139	330	578	577	410	2,497	7	5	2	8	14	31	56	168	443	800	960
White	1,849	6	5	3	13	22	34	105	269	494	517	381	2,239	3	4	2	6	5	17	29	133	379	747	913
All other	307	2	–	–	3	9	24	34	61	84	60	29	258	4	1	–	2	9	14	27	35	64	53	47
Black	304	2	–	–	3	9	24	34	60	84	58	29	254	4	1	–	2	9	14	27	35	63	52	45
Hypertension with or without renal disease (401,403)	88	–	–	–	–	–	3	5	16	14	29	21	111	–	–	–	–	–	1	6	3	26	42	33
White	72	–	–	–	–	–	2	3	14	12	24	17	90	–	–	–	–	–	1	1	2	18	39	29
All other	16	–	–	–	–	–	1	2	2	2	5	4	21	–	–	–	–	–	–	5	1	8	3	4
Black	16	–	–	–	–	–	1	2	2	2	5	4	20	–	–	–	–	–	–	5	1	8	3	3
Cerebrovascular diseases (430-438)	1,884	4	2	1	8	22	44	109	225	512	584	372	2,817	2	–	2	3	19	34	100	232	473	988	964
White	1,660	2	2	1	5	15	22	84	178	445	553	353	2,535	1	–	2	3	12	23	61	192	406	906	929
All other	224	2	–	–	3	7	22	25	47	67	31	19	282	1	–	–	–	7	11	39	40	67	82	35
Black	219	2	–	–	3	7	21	25	47	66	30	17	268	1	–	–	–	7	11	39	39	65	74	32
Intracerebral and other intracranial hemorrhage (431-432)	340	3	1	1	2	6	18	38	59	101	71	42	391	–	–	–	1	6	10	35	54	94	123	68
White	287	1	1	1	1	4	7	26	47	90	68	41	326	–	–	–	1	4	7	15	45	78	112	64
All other	53	2	–	–	1	2	11	10	12	11	3	1	65	–	–	–	–	2	3	20	9	16	11	4
Black	52	2	–	–	1	2	10	10	12	11	3	1	63	–	–	–	–	2	3	20	8	16	10	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	408	–	–	–	–	1	3	14	50	103	137	100	601	–	–	–	–	1	1	11	26	96	210	256
White	370	–	–	–	–	1	2	10	41	88	132	95	549	–	–	–	–	–	1	7	23	80	189	249
All other	38	–	–	–	–	–	1	4	9	14	5	5	52	–	–	–	–	1	–	4	3	16	21	7
Black	36	–	–	–	–	–	1	4	9	14	5	3	46	–	–	–	–	1	–	4	3	15	17	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	12	–	–	–	–	–	–	–	1	3	6	2	17	–	–	–	–	–	–	–	3	2	7	5
White	12	–	–	–	–	–	–	–	1	3	6	2	16	–	–	–	–	–	–	–	2	2	7	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,124	1	1	–	6	15	23	59	115	305	370	228	1,809	2	–	2	2	12	23	54	149	281	648	635
White	991	1	1	–	4	10	13	48	89	263	347	215	1,644	1	–	2	2	8	15	39	122	246	588	611
All other	133	–	–	–	2	5	10	11	26	42	23	13	164	1	–	–	–	4	8	15	27	35	50	24
Black	131	–	–	–	2	5	10	11	26	41	22	13	158	1	–	–	–	4	8	15	27	34	47	22
Atherosclerosis (440)	268	–	–	–	–	–	2	9	36	47	83	91	451	–	–	–	–	–	–	2	22	43	139	245
White	256	–	–	–	–	–	2	9	33	42	79	91	427	–	–	–	–	–	–	1	19	39	134	234
All other	12	–	–	–	–	–	–	–	3	5	4	–	24	–	–	–	–	–	–	1	3	4	5	11
Black	12	–	–	–	–	–	–	–	3	5	4	–	24	–	–	–	–	–	–	1	3	4	5	11
Other diseases of arteries, arterioles, and capillaries (441-448)	458	–	–	–	–	2	7	13	81	177	144	34	278	–	–	1	3	5	3	11	31	71	90	63
White	435	–	–	–	–	1	6	9	75	172	140	32	251	–	–	1	2	4	3	9	26	62	85	59
All other	23	–	–	–	–	1	1	4	6	5	4	2	27	–	–	–	1	1	–	2	5	9	5	4
Black	23	–	–	–	–	1	1	4	6	5	4	2	27	–	–	–	1	1	–	2	5	9	5	4
Acute bronchitis and bronchiolitis (466)	10	1	–	–	–	–	–	–	3	4	1	1	11	1	–	–	–	–	1	1	1	1	4	2
White	9	1	–	–	–	–	–	–	2	4	1	1	10	–	–	–	–	–	1	1	1	1	4	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	786	16	5	1	7	17	22	35	81	160	232	210	692	11	3	3	6	8	8	17	49	105	204	278
White	661	8	2	–	6	8	8	18	57	136	217	201	626	2	–	2	4	4	6	13	40	86	196	273
All other	125	8	3	1	1	9	14	17	24	24	15	9	66	9	3	1	2	4	2	4	9	19	8	5
Black	122	7	3	1	1	9	14	17	24	24	14	8	64	8	3	1	2	4	2	4	9	18	8	5
Pneumonia (480-486)	777	16	5	1	7	17	22	35	79	159	230	206	685	11	3	3	6	8	8	17	48	105	200	276
White	652	8	2	–	6	8	8	18	55	135	215	197	619	2	–	2	4	4	6	13	39	86	192	271
All other	125	8	3	1	1	9	14	17	24	24	15	9	66	9	3	1	2	4	2	4	9	19	8	5
Black	122	7	3	1	1	9	14	17	24	24	14	8	64	8	3	1	2	4	2	4	9	18	8	5
Influenza (487)	9	–	–	–	–	–	–	–	2	1	2	4	7	–	–	–	–	–	–	–	1	–	4	2
White	9	–	–	–	–	–	–	–	2	1	2	4	7	–	–	–	–	–	–	–	1	–	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,113	–	–	–	2	4	6	33	166	390	378	133	618	–	2	–	2	6	3	23	101	224	179	78
White	1,038	–	–	–	2	4	4	27	149	360	364	127	567	–	2	–	1	4	3	17	89	202	176	73
All other	75	–	–	–	–	–	2	6	17	30	14	6	51	–	–	–	1	2	–	6	12	22	3	5
Black	74	–	–	–	–	–	2	6	17	29	14	6	49	–	–	–	–	2	–	5	12	22	3	5
Bronchitis, chronic and unspecified (490-491)	70	–	–	–	–	1	1	2	10	17	28	11	50	–	1	–	1	–	–	1	10	19	10	8
White	69	–	–	–	–	1	1	2	10	16	28	11	48	–	1	–	1	–	–	1	9	18	10	8
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Emphysema (492)	247	–	–	–	–	1	2	8	33	97	85	21	118	–	–	–	–	–	1	6	18	49	35	9
White	228	–	–	–	–	1	1	7	31	88	81	19	109	–	–	–	–	–	1	5	15	46	35	7
All other	19	–	–	–	–	–	1	1	2	9	4	2	9	–	–	–	–	–	–	1	3	3	–	2
Black	19	–	–	–	–	–	1	1	2	9	4	2	9	–	–	–	–	–	–	1	3	3	–	2
Asthma (493)	21	–	–	–	2	1	1	3	3	9	1	1	51	–	–	–	1	4	2	6	11	17	10	–
White	19	–	–	–	2	1	1	3	2	8	1	1	36	–	–	–	–	3	2	3	9	11	8	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	15	–	–	–	1	1	–	3	2	6	2	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	14	–	–	–	–	1	–	3	2	6	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	775	–	–	–	–	1	2	20	120	267	264	100	389	–	1	–	–	2	–	10	62	139	124	61
White	722	–	–	–	–	1	1	15	106	248	254	96	374	–	1	–	–	1	–	8	56	127	123	58
All other	53	–	–	–	–	–	1	5	14	19	10	4	25	–	–	–	–	1	–	2	6	12	1	3
Black	52	–	–	–	–	–	1	5	14	18	10	4	24	–	–	–	–	1	–	1	6	12	1	3
Ulcer of stomach and duodenum (531-533)	106	–	–	–	–	1	5	7	16	28	27	24	108	–	–	–	–	1	3	5	7	21	35	34
White	101	–	–	–	–	–	4	7	13	27	26	24	100	–	–	–	–	1	3	4	7	19	34	32
All other	7	–	–	–	–	1	1	–	3	1	1	–	6	–	–	–	–	–	–	1	–	2	1	2
Black	7	–	–	–	–	1	1	–	3	1	1	–	6	–	–	–	–	–	–	1	–	2	1	2
Appendicitis (540-543)	8	–	–	–	–	–	–	–	3	2	2	1	8	–	–	–	–	1	–	–	–	1	3	3
White	8	–	–	–	–	–	–	–	3	2	2	1	7	–	–	–	–	1	–	–	–	1	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	58	1	–	1	–	1	3	3	5	12	19	13	99	1	–	–	–	2	–	3	6	12	40	35
White	44	1	–	–	–	1	1	2	3	10	16	10	93	1	–	–	–	1	–	3	5	12	38	33
All other	14	–	–	1	–	–	2	1	2	2	3	3	6	–	–	–	–	1	–	–	1	–	2	2
Black	14	–	–	1	–	–	2	1	2	2	3	3	6	–	–	–	–	1	–	–	1	–	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	661	1	–	–	3	31	77	143	188	163	49	6	398	–	–	–	1	18	29	63	122	112	42	9
White	564	1	–	–	2	23	57	108	169	151	48	5	331	–	–	–	–	9	19	53	102	102	39	7
All other	97	–	–	–	1	8	20	35	19	12	1	1	65	–	–	–	1	9	10	10	20	10	3	2
Black	96	–	–	–	1	8	20	34	19	12	1	1	64	–	–	–	1	9	10	9	20	10	3	2
Cholelithiasis and other disorders of gallbladder (574-575)	49	–	–	–	–	–	–	2	3	13	18	13	50	–	–	–	–	1	2	1	2	7	16	21
White	49	–	–	–	–	–	–	2	3	13	18	13	48	–	–	–	–	1	–	1	2	7	16	21
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	366	3	–	1	3	8	7	20	54	96	108	66	341	4	–	–	–	8	3	5	50	77	103	91
White	298	2	–	–	2	5	1	11	38	82	96	61	264	2	–	–	–	5	1	2	29	58	84	83
All other	68	1	–	1	1	3	6	9	16	14	12	5	77	2	–	–	–	3	2	3	21	19	19	8
Black	67	1	–	1	1	3	6	9	16	14	11	5	75	2	–	–	–	3	2	3	20	18	19	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	–	–	–	1	1	–	–	2	–	–	7	1	–	–	–	1	–	–	–	3	2	–
White	3	–	–	–	–	–	1	–	–	2	–	–	5	–	–	–	–	–	–	–	–	3	2	–
All other	2	1	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	2	1	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	43	–	–	–	–	–	4	2	7	10	9	11	31	–	–	–	–	2	–	–	6	7	8	8
White	34	–	–	–	–	–	–	1	4	10	9	10	24	–	–	–	–	2	–	–	1	6	7	8
All other	9	–	–	–	–	–	4	1	3	–	–	1	7	–	–	–	–	–	–	–	5	1	1	–
Black	9	–	–	–	–	–	4	1	3	–	–	1	7	–	–	–	–	–	–	–	5	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	318	2	–	1	3	7	2	18	47	84	99	55	303	3	–	–	–	5	3	5	44	67	93	83
White	261	2	–	–	2	5	–	10	34	70	87	51	235	2	–	–	–	3	1	2	28	49	75	75
All other	57	–	–	1	1	2	2	8	13	14	12	4	68	1	–	–	–	2	2	3	16	18	18	8
Black	56	–	–	1	1	2	2	8	13	14	11	4	66	1	–	–	–	2	2	3	15	17	18	8
Infections of kidney (590)	15	1	–	–	–	–	1	2	–	1	7	3	26	–	–	–	–	–	1	1	2	3	8	11
White	14	1	–	–	–	–	1	2	–	1	6	3	23	–	–	–	–	–	1	1	2	2	7	10
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Hyperplasia of prostate (600)	23	–	–	–	–	–	–	1	2	4	9	7	***	***	***	***	***	***	***	***	***	***	***	***
White	19	–	–	–	–	–	–	1	2	4	6	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	4	–	–	–	–	–	–	–	–	–	3	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	4	–	–	–	–	–	–	–	–	–	3	1	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	–	5	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	–	3	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	2	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	–	–	5	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	–	3	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	2	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Congenital anomalies (740-759)	209	135	14	9	12	7	6	6	10	3	5	2	172	108	13	6	7	5	3	9	9	3	7	1
White	170	111	10	9	9	6	4	5	7	2	5	2	132	83	8	3	7	3	2	6	9	3	6	1
All other	39	24	4	–	3	1	2	1	3	1	–	–	40	25	5	3	–	2	1	3	–	–	1	–
Black	38	23	4	–	3	1	2	1	3	1	–	–	35	22	5	3	–	1	–	3	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	338	335	2	–	–	–	–	1	–	–	–	–	273	271	1	–	1	–	–	–	–	–	–	–
White	220	218	2	–	–	–	–	–	–	–	–	–	160	159	–	–	1	–	–	–	–	–	–	–
All other	118	117	–	–	–	–	–	1	–	–	–	–	113	112	1	–	–	–	–	–	–	–	–	–
Black	116	115	–	–	–	–	–	1	–	–	–	–	105	104	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	126	124	1	–	–	–	–	1	–	–	–	–	77	77	–	–	–	–	–	–	–	–	–	–
White	90	89	1	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
All other	36	35	–	–	–	–	–	1	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Black	35	34	–	–	–	–	–	1	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	212	211	1	–	–	–	–	–	–	–	–	–	196	194	1	–	1	–	–	–	–	–	–	–
White	130	129	1	–	–	–	–	–	–	–	–	–	107	106	–	–	1	–	–	–	–	–	–	–
All other	82	82	–	–	–	–	–	–	–	–	–	–	89	88	1	–	–	–	–	–	–	–	–	–
Black	81	81	–	–	–	–	–	–	–	–	–	–	83	82	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	340	70	4	2	48	72	37	26	28	21	16	15	215	49	2	2	27	24	11	20	20	18	23	19
White	237	36	2	1	32	49	28	21	20	16	16	13	153	20	2	2	20	14	10	14	17	13	23	18
All other	103	34	2	1	16	23	9	5	8	3	–	2	62	29	–	–	7	10	1	6	3	5	–	1
Black	102	33	2	1	16	23	9	5	8	3	–	2	61	28	–	–	7	10	1	6	3	5	–	1
All other diseases (Residual)	1,861	34	11	24	42	100	68	146	269	459	443	245	2,015	16	18	20	27	43	71	104	227	414	595	478
White	1,547	21	7	19	35	58	48	107	213	392	413	234	1,782	10	16	20	16	24	51	73	191	372	564	443
All other	314	13	4	5	7	42	40	39	56	67	30	11	233	6	2	–	11	19	20	31	36	42	31	35
Black	308	12	4	4	7	42	40	37	54	67	30	9	232	6	2	–	11	19	19	31	36	42	31	35
Accidents and adverse effects (E800-E949)	1,613	14	36	82	404	272	149	127	150	153	141	75	778	10	24	37	107	61	53	51	62	68	141	124
White	1,343	9	27	59	361	224	114	94	127	130	124	67	668	7	16	29	92	43	43	37	76	77	130	118
All other	270	5	9	23	43	48	35	33	23	23	17	8	111	3	8	8	15	18	10	14	6	11	11	6
Black	255	5	8	20	40	46	33	31	22	23	17	7	101	3	8	8	14	17	9	9	5	10	11	6
Motor vehicle accidents (E810-E825)	799	1	11	47	291	149	82	62	51	54	39	11	319	–	12	22	87	40	33	23	28	39	27	8
White	689	1	10	37	269	127	65	48	47	44	36	10	267	–	8	17	77	28	28	15	25	36	25	8
All other	110	–	1	10	28	22	17	14	4	10	3	1	52	–	4	5	10	12	5	8	3	3	2	–
Black	99	–	1	7	25	21	15	12	4	10	3	1	45	–	4	5	9	11	5	4	2	3	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	814	13	25	35	113	123	67	65	99	99	102	64	460	10	12	15	20	21	20	28	54	49	114	116
White	654	8	17	22	98	97	49	46	80	86	88	57	401	7	8	12	15	15	15	22	51	41	105	110
All other	160	5	8	13	15	26	18	19	19	13	14	7	59	3	4	3	5	6	5	6	3	8	9	6
Black	156	5	7	13	15	25	18	19	18	13	14	6	56	3	4	3	5	6	4	5	3	7	9	6
Suicide (E950-E959)	425	...	...	2	86	98	71	43	50	36	27	13	153	...	...	1	18	19	31	32	30	11	10	1
White	366	...	...	1	77	86	60	42	47	34	26	13	141	...	...	1	16	16	28	32	27	11	9	1
All other	39	...	...	1	9	10	11	1	3	2	1	–	12	...	...	–	2	3	3	–	3	–	1	–
Black	34	...	...	1	9	7	10	1	3	1	1	–	12	...	...	–	2	3	3	–	3	–	1	–
Homicide and legal intervention (E960-E978)	399	4	10	7	90	110	73	40	30	21	3	2	133	5	5	9	35	34	18	5	9	7	2	2
White	214	1	4	2	43	54	39	26	20	13	2	2	86	3	3	4	22	22	14	3	6	4	2	2
All other	185	3	6	5	47	56	34	12	10	8	1	–	47	2	2	5	13	12	4	2	3	3	–	–
Black	182	3	6	5	46	54	34	12	10	8	1	–	46	2	2	4	13	12	4	2	3	3	–	–
All other external causes (E980-E999)	35	–	1	–	2	11	7	8	–	4	1	–	6	1	–	–	1	1	1	–	2	–	–	–
White	28	–	1	–	1	10	5	6	–	3	1	–	6	1	–	–	1	1	1	–	2	–	–	–
All other	7	–	–	–	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	7	–	–	–	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW MEXICO																								
All causes	5,312	197	35	44	283	286	298	399	782	1,284	1,182	536	3,936	115	40	20	93	91	107	255	501	820	1,023	868
White	4,840	162	31	35	223	231	246	356	727	1,228	1,097	489	3,644	96	35	18	75	69	91	226	459	773	969	831
All other	472	35	4	9	60	55	52	43	55	56	85	37	292	19	5	2	18	22	16	29	42	47	54	37
Black	87	5	1	–	–	11	6	11	12	18	18	4	60	4	1	–	1	4	1	6	10	15	12	5
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
White	2	1	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	5	–	–	–	–	–	1	1	1	1	1	–	5	–	–	–	–	–	–	1	–	–	3	1
White	4	–	–	–	–	–	1	–	1	1	1	–	4	–	–	–	–	–	–	1	–	–	2	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	5	–	–	–	–	–	1	1	1	1	1	–	4	–	–	–	–	–	–	1	–	–	3	–
White	4	–	–	–	–	–	1	–	1	1	1	–	3	–	–	–	–	–	–	1	–	–	2	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	19	2	-	-	-	1	1	1	3	5	5	1	20	-	-	-	1	-	-	2	-	2	13	2
White	17	1	-	-	-	1	1	1	3	4	5	1	19	-	-	-	1	-	-	2	-	1	13	2
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	16	1	-	1	-	-	1	-	4	2	4	3	17	2	1	-	-	-	1	4	3	2	3	1
White	12	-	-	-	-	-	1	-	4	2	4	1	14	2	-	-	-	-	1	4	3	2	1	1
All other	4	1	-	1	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	992	-	1	3	10	7	32	78	209	321	267	63	883	-	1	4	6	9	37	101	207	249	204	65
White	937	-	1	3	10	6	27	72	200	306	252	59	828	-	1	4	6	9	33	94	192	236	192	61
All other	55	-	-	-	-	1	5	6	9	15	15	4	55	-	-	-	-	-	4	7	15	13	12	4
Black	20	-	-	-	-	-	1	3	2	8	4	2	13	-	-	-	-	-	-	2	5	3	2	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	-	-	-	-	-	-	4	7	8	5	1	10	-	-	1	-	-	-	-	3	5	1	-
White	23	-	-	-	-	-	-	4	7	8	5	1	10	-	-	1	-	-	-	-	3	5	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	265	-	-	-	1	2	5	23	57	79	84	14	253	-	-	-	-	1	8	18	57	67	77	27
White	254	-	-	-	1	2	5	22	54	75	82	13	231	-	-	-	-	1	6	15	48	64	73	24
All other	11	-	-	-	-	-	-	1	3	4	2	1	22	-	-	-	-	-	2	1	9	3	4	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	311	-	-	-	-	-	6	28	78	125	60	13	137	-	-	-	-	-	2	19	43	44	24	5
White	296	-	-	-	-	-	4	25	76	121	57	12	132	-	-	-	-	-	2	17	42	42	24	5
All other	15	-	-	-	-	-	2	3	2	4	3	1	5	-	-	-	-	-	-	2	1	2	-	-
Black	9	-	-	-	-	-	1	2	2	3	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	162	-	-	-	-	2	10	31	48	37	25	9
White	-	-	-	-	-	-	-	-	-	-	-	-	156	-	-	-	-	2	9	28	47	36	25	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	3	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of genital organs (179-187)	126	-	-	-	1	-	-	2	17	38	50	18	93	-	-	-	2	2	7	11	17	29	17	8
White	113	-	-	-	1	-	-	2	16	34	44	16	87	-	-	-	2	2	6	10	16	28	16	7
All other	13	-	-	-	-	-	-	-	1	4	6	2	6	-	-	-	-	-	1	1	1	1	1	1
Black	8	-	-	-	-	-	-	-	-	4	2	2	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	48	-	-	-	-	-	-	3	11	16	16	2	24	-	-	-	-	1	-	3	1	7	9	3
White	47	-	-	-	-	-	-	3	10	16	16	2	23	-	-	-	-	1	-	3	1	7	8	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	129	-	1	1	4	4	10	10	26	32	32	9	121	-	-	3	1	1	4	15	24	37	26	10
White	120	-	1	1	4	4	9	9	24	29	30	9	110	-	-	3	1	1	4	15	22	31	23	10
All other	9	-	-	-	-	-	1	1	2	3	2	-	11	-	-	-	-	-	-	-	2	6	3	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Leukemia (204-208)	43	-	-	1	3	-	5	4	6	13	7	4	39	-	-	-	3	2	3	5	3	6	14	3
White	40	-	-	1	3	-	3	3	6	13	7	4	37	-	-	-	3	2	3	5	3	6	12	3
All other	3	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	-	-	1	1	1	6	4	7	12	13	2	44	-	1	-	-	-	3	1	11	17	11	-
White	44	-	-	1	1	-	6	4	7	12	11	2	42	-	1	-	-	-	3	1	10	17	10	-
All other	3	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	1	-	1	-	-	1	1	1	6	5	1	24	-	2	-	1	-	1	2	4	4	6	4
White	17	1	-	1	-	-	1	1	1	6	5	1	24	-	2	-	1	-	1	2	4	4	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	112	-	-	-	1	2	1	10	27	34	28	9	127	-	-	-	-	2	3	5	24	46	35	12
White	106	-	-	-	1	2	1	9	26	32	26	9	110	-	-	-	-	1	3	3	20	39	32	12
All other	6	-	-	-	-	-	-	1	1	2	2	-	17	-	-	-	-	1	-	2	4	7	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	2	3	10	-	-	-	-	-	-	1	1	1	3	4
White	3	-	-	-	-	-	-	-	-	-	2	1	7	-	-	-	-	-	-	-	1	1	3	2
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	1	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	2	-	-	1	-	2	1	9	-	-	-	-	-	-	-	1	3	4	1
White	4	-	-	-	-	-	-	-	1	-	2	1	9	-	-	-	-	-	-	-	1	3	4	1
All other	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	2	2	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	1	-	1	-	-
White	5	2	2	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,752	5	1	1	6	8	46	115	272	516	491	290	1,469	5	4	1	1	5	14	44	116	281	484	513
White	1,670	4	1	1	5	6	41	109	256	500	470	276	1,403	-	3	1	-	4	13	39	107	269	468	499
All other	82	1	-	-	1	2	5	6	16	16	21	14	65	5	1	-	1	1	1	5	9	12	16	14
Black	27	-	-	-	-	2	3	3	4	5	8	2	26	2	1	-	-	-	-	2	4	8	6	3
Diseases of heart (390-398,402,404-429)	1,365	3	1	1	6	5	41	96	218	410	369	214	1,007	5	3	1	1	5	10	26	83	203	338	332
White	1,314	3	1	1	5	4	38	92	209	398	358	204	964	-	2	1	-	4	9	22	75	198	326	327
All other	51	-	-	-	1	1	3	4	9	12	11	10	43	5	1	-	1	1	1	4	8	5	12	5
Black	16	-	-	-	-	1	2	3	2	2	4	2	16	2	1	-	-	-	-	2	4	3	5	1
Rheumatic fever and rheumatic heart disease (390-398)	20	-	-	-	1	-	3	-	6	6	2	2	28	-	-	-	-	1	1	2	6	8	6	4
White	17	-	-	-	-	-	3	-	4	6	2	2	25	-	-	-	-	-	1	2	4	8	6	4
All other	3	-	-	-	1	-	-	-	2	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	13	-	-	-	-	1	-	-	5	2	4	1	32	-	-	-	-	-	-	-	1	1	17	13
White	13	-	-	-	-	1	-	-	5	2	4	1	30	-	-	-	-	-	-	-	1	1	15	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	991	1	-	1	1	2	28	71	164	315	283	145	646	1	2	-	-	1	4	13	50	138	220	217
White	962	1	-	1	1	1	27	67	160	307	258	139	628	-	1	-	-	1	4	11	46	136	215	214
All other	29	-	-	-	-	1	1	4	4	8	5	6	18	1	1	-	-	-	-	2	4	2	5	3
Black	12	-	-	-	-	1	-	3	1	2	3	2	10	1	1	-	-	-	-	-	2	2	3	1
Acute myocardial infarction (410)	556	1	-	-	1	1	17	43	100	193	148	52	297	-	2	-	-	1	2	10	32	79	105	66
White	538	1	-	-	1	1	16	39	98	189	145	48	289	-	1	-	-	1	2	9	31	77	102	66
All other	18	-	-	-	-	-	1	4	2	4	3	4	8	-	1	-	-	-	-	1	1	2	3	-
Black	8	-	-	-	-	-	-	3	1	1	2	1	5	-	1	-	-	-	-	-	1	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	1	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1
White	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	429	–	–	1	–	–	11	28	63	120	114	92	347	1	–	–	–	–	2	3	18	58	115	150
White	419	–	–	1	–	–	11	28	61	116	112	90	337	–	–	–	–	–	2	2	15	58	113	147
All other	10	–	–	–	–	–	–	–	2	4	2	2	10	1	–	–	–	–	–	1	3	–	2	3
Black	3	–	–	–	–	–	–	–	–	1	1	1	5	1	–	–	–	–	–	–	1	–	2	1
Other diseases of endocardium (424)	14	–	–	–	–	–	–	1	–	3	8	2	17	–	–	–	–	–	1	–	3	2	6	5
White	13	–	–	–	–	–	–	1	–	3	7	2	16	–	–	–	–	–	–	–	3	2	6	5
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	325	2	1	–	4	2	10	24	42	84	91	64	283	4	1	1	1	3	4	11	22	54	89	93
White	307	2	1	–	4	2	8	24	39	80	86	60	264	–	1	1	–	3	4	9	20	51	84	91
All other	18	–	–	–	–	–	2	–	3	4	5	4	19	4	–	–	1	–	–	2	2	3	5	2
Black	4	–	–	–	–	–	2	–	1	–	1	–	6	1	–	–	–	–	–	2	2	1	–	–
Hypertension with or without renal disease (401,403)	51	–	–	–	–	–	2	4	19	15	9	2	42	–	–	–	–	–	–	5	5	18	10	6
White	43	–	–	–	–	–	1	4	15	14	7	2	37	–	–	–	–	–	–	5	5	12	9	6
All other	8	–	–	–	–	–	1	–	4	1	2	–	5	–	–	–	–	–	–	–	–	4	1	–
Black	4	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	–	–	3	1	–
Cerebrovascular diseases (430-438)	244	2	–	–	–	2	2	8	25	61	90	54	332	–	–	–	–	–	3	12	26	51	112	128
White	225	1	–	–	–	2	1	7	23	58	82	51	321	–	–	–	–	–	3	11	25	50	111	121
All other	19	1	–	–	–	–	1	1	2	3	8	3	11	–	–	–	–	–	–	1	1	1	1	7
Black	6	–	–	–	–	–	1	–	1	2	2	–	2	–	–	–	–	–	–	–	–	–	–	2
Intracerebral and other intracranial hemorrhage (431-432)	27	1	–	–	–	–	1	1	7	9	8	–	40	–	–	–	–	–	–	5	8	7	6	14
White	20	1	–	–	–	–	–	–	6	8	5	–	36	–	–	–	–	–	–	4	7	7	6	12
All other	7	–	–	–	–	–	1	1	1	1	3	–	4	–	–	–	–	–	–	1	1	–	–	2
Black	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	1	–	–	–	–	–	–	4	9	17	7	27	–	–	–	–	–	1	–	–	1	10	15
White	36	–	–	–	–	–	–	–	4	9	16	7	27	–	–	–	–	–	1	–	–	1	10	15
All other	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	176	–	–	–	–	2	1	7	13	43	65	47	264	–	–	–	–	–	2	7	18	42	96	99
White	168	–	–	–	–	2	1	7	12	41	61	44	257	–	–	–	–	–	2	7	18	41	95	94
All other	10	–	–	–	–	–	–	–	1	2	4	3	7	–	–	–	–	–	–	–	–	1	1	5
Black	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	2
Atherosclerosis (440)	30	–	–	–	–	–	–	1	4	6	8	11	56	–	–	–	–	–	–	–	–	3	15	38
White	30	–	–	–	–	–	–	1	4	6	8	11	54	–	–	–	–	–	–	–	–	3	15	36
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	62	–	–	–	–	1	1	6	6	24	15	9	31	–	1	–	–	–	1	1	2	8	9	9
White	58	–	–	–	–	–	1	5	5	24	15	8	27	–	1	–	–	–	1	1	2	6	7	9
All other	4	–	–	–	–	1	–	1	1	–	–	1	4	–	–	–	–	–	–	–	–	2	2	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	1	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	†
White	2	–	–	–	–	1	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	128	7	2	1	2	7	2	2	8	20	42	35	115	1	2	–	–	–	1	1	5	13	35	57
White	108	6	1	1	–	2	2	1	7	19	37	32	104	–	2	–	–	–	1	–	5	13	29	54
All other	20	1	1	–	2	5	–	1	1	1	5	3	11	1	–	–	–	–	–	1	–	–	6	3
Black	5	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	127	7	2	1	2	7	2	2	8	20	41	35	112	1	2	–	–	–	1	1	5	12	34	56
White	107	6	1	1	–	2	2	1	7	19	36	32	102	–	2	–	–	–	1	–	5	12	29	53
All other	20	1	1	–	2	5	–	1	1	1	5	3	10	1	–	–	–	–	–	1	–	–	5	3
Black	5	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	1
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	236	–	1	–	–	–	1	3	43	84	85	18	157	1	1	–	2	–	5	6	22	53	45	22
White	231	–	1	–	–	–	1	3	40	84	83	18	152	1	1	–	2	–	4	6	22	53	42	21
All other	5	–	–	–	–	–	–	–	3	–	2	–	5	–	–	–	–	–	1	–	–	–	3	1
Black	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–
Bronchitis, chronic and unspecified (490-491)	11	–	–	–	–	–	–	–	3	6	2	–	8	1	1	–	1	–	–	–	1	1	2	1
White	11	–	–	–	–	–	–	–	3	6	2	–	8	1	1	–	1	–	–	–	1	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	45	–	–	–	–	–	1	–	7	16	18	3	28	–	–	–	–	–	–	2	5	13	6	2
White	45	–	–	–	–	–	1	–	7	16	18	3	28	–	–	–	–	–	–	2	5	13	6	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	9	–	1	–	–	–	–	–	1	5	2	–	20	–	–	–	1	–	4	1	2	6	6	–
White	8	–	1	–	–	–	–	–	–	5	2	–	18	–	–	–	1	–	3	1	2	6	5	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	171	–	–	–	–	–	–	3	35	60	59	13	101	–	–	–	–	–	1	3	14	33	31	19
White	167	–	–	–	–	–	–	3	33	60	57	13	98	–	–	–	–	–	1	3	14	33	29	18
All other	4	–	–	–	–	–	–	–	2	–	2	–	3	–	–	–	–	–	–	–	–	–	2	1
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Ulcer of stomach and duodenum (531-533)	10	–	–	–	–	–	–	–	1	4	1	4	14	–	–	–	–	–	–	2	–	6	3	3
White	10	–	–	–	–	–	–	–	1	4	1	4	14	–	–	–	–	–	–	2	–	6	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	–	1	–	–	–	–	–	–	7	9	2	21	–	–	–	–	–	–	1	2	3	4	11
White	18	–	1	–	–	–	–	–	–	7	8	2	21	–	–	–	–	–	–	1	2	3	4	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	118	–	1	1	2	9	16	29	25	26	7	2	61	–	–	–	1	2	5	13	19	10	11	–
White	104	–	1	1	1	5	10	28	23	26	7	2	56	–	–	–	1	1	4	12	17	10	11	–
All other	14	–	–	–	1	4	6	1	2	–	–	–	5	–	–	–	–	1	1	1	2	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	12	–	–	–	–	–	1	–	1	1	5	4	13	–	–	1	–	–	–	–	4	2	2	4
White	10	–	–	–	–	–	1	–	1	1	3	4	12	–	–	1	–	–	–	–	3	2	2	4
All other	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	–	–	–	1	1	3	4	9	9	22	9	48	2	–	1	1	–	1	5	2	8	17	11
White	47	–	–	–	–	1	2	3	8	6	20	7	39	2	–	1	–	–	–	1	2	7	16	10
All other	11	–	–	–	1	–	1	1	1	3	2	2	9	–	–	–	1	–	1	4	–	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	1	2	–	2	–	3	–	–	–	–	–	–	1	–	2	–	–
White	4	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–	–	–	–	–	2	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	53	–	–	–	1	1	3	3	7	9	20	9	44	2	–	1	1	–	1	4	1	6	17	11
White	43	–	–	–	–	1	2	3	6	6	18	7	36	2	–	1	–	–	1	1	1	5	16	10
All other	10	–	–	–	1	–	1	–	1	3	2	2	8	–	–	–	1	–	1	3	–	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	1	–	–	7	–	–	–	–	–	–	–	–	3	4	–
White	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	3	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Hyperplasia of prostate (600)	4	–	–	–	–	–	–	–	–	–	3	1	***	***	***	***	***	***	***	***	***	***	***	***
White	4	–	–	–	–	–	–	–	–	–	3	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	61	51	–	1	1	1	1	1	–	4	1	–	37	24	3	1	2	2	–	–	–	3	1	1
White	48	38	–	1	1	1	1	1	–	4	1	–	33	22	3	–	2	1	–	–	–	3	1	1
All other	13	13	–	–	–	–	–	–	–	–	–	–	4	2	–	1	–	1	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	69	68	1	–	–	–	–	–	–	–	–	–	35	34	1	–	–	–	–	–	–	–	–	–
White	63	62	1	–	–	–	–	–	–	–	–	–	33	32	1	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
White	15	15	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	50	49	1	–	–	–	–	–	–	–	–	–	23	22	1	–	–	–	–	–	–	–	–	–
White	48	47	1	–	–	–	–	–	–	–	–	–	21	20	1	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	273	36	–	1	1	2	7	21	49	75	51	29	204	25	1	–	–	2	5	12	18	46	43	52
White	240	33	–	–	–	–	6	18	44	69	45	24	172	21	–	–	–	1	3	11	13	40	38	45
All other	33	3	–	1	1	2	1	3	5	6	6	5	32	4	1	–	–	1	2	1	5	6	5	7
Black	2	1	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–	–	–	1	1	–	1
All other diseases (Residual)	422	12	1	2	10	21	39	46	56	85	92	48	316	9	6	2	6	7	9	21	40	58	79	77
White	365	8	1	2	3	13	32	39	50	87	86	44	287	7	6	2	6	4	8	16	36	52	77	73
All other	57	4	–	–	7	8	7	7	6	8	6	4	29	2	–	–	2	3	1	5	4	6	2	4
Black	9	–	–	–	–	1	–	2	2	2	2	–	4	–	–	–	1	1	–	1	–	1	–	–
Accidents and adverse effects (E800-E949)	620	10	22	25	161	131	86	54	50	42	27	11	232	7	17	9	52	32	15	19	16	20	19	25
White	508	5	19	19	130	112	67	43	40	38	25	10	191	4	15	8	39	22	11	17	14	19	17	24
All other	112	5	3	6	31	19	19	11	10	4	2	1	41	3	2	1	13	10	4	2	2	1	2	1
Black	8	1	1	–	–	2	–	–	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	399	5	12	13	126	85	56	37	30	21	12	2	145	4	9	6	48	21	11	15	10	13	4	3
White	337	4	11	11	102	76	44	33	24	19	11	2	113	2	8	5	35	13	7	14	9	12	4	3
All other	62	1	1	2	24	9	12	4	6	2	1	-	32	2	1	1	13	8	4	1	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	221	5	10	12	35	46	30	17	20	21	15	9	87	3	8	3	4	11	4	4	6	7	15	22
White	171	1	8	8	29	36	23	10	16	19	14	8	78	2	7	3	4	9	4	3	5	7	13	21
All other	50	4	2	4	7	10	7	7	4	2	1	1	9	1	1	-	-	2	-	1	1	-	2	1
Black	7	1	1	-	-	2	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Suicide (E950-E959)	211	...	...	5	57	51	32	21	15	18	11	1	59	...	...	1	12	15	2	11	13	3	2	-
White	185	...	...	4	47	44	28	18	15	18	10	1	57	...	...	1	11	14	2	11	13	3	2	-
All other	26	...	...	1	10	7	4	3	-	-	1	-	2	...	...	-	1	1	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	108	-	1	2	25	30	22	10	6	8	1	-	27	-	1	-	5	10	3	2	2	1	1	-
White	91	-	1	2	19	26	19	8	6	8	1	-	23	-	1	-	5	7	3	2	2	1	1	-
All other	15	-	-	-	6	4	3	2	-	-	-	-	4	-	-	-	-	3	-	-	-	-	-	-
Black	5	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	28	1	-	-	5	11	4	2	1	4	-	-	13	-	-	-	1	4	2	2	1	3	-	-
White	25	1	-	-	5	10	3	2	-	4	-	-	13	-	-	-	1	4	2	2	1	3	-	-
All other	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK																								
All causes	85,983	1,683	276	398	2,120	2,877	3,229	6,416	14,466	21,736	21,505	11,240	81,442	1,321	234	263	678	1,098	1,802	3,952	9,578	16,650	24,409	21,437
White	74,460	1,130	192	276	1,616	1,955	2,244	4,897	12,178	19,477	19,840	10,641	71,941	847	165	195	498	720	1,218	2,957	7,808	14,596	22,519	20,402
All other	11,503	553	84	122	504	922	985	1,519	2,288	2,259	1,665	599	9,501	474	69	68	182	378	584	995	1,770	2,054	1,890	1,035
Black	10,707	521	80	110	472	893	951	1,443	2,182	2,087	1,451	614	9,063	448	64	59	172	361	565	959	1,708	1,943	1,808	974
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	20	7	-	-	-	2	-	1	1	4	2	3	15	4	-	-	-	1	1	-	2	2	2	3
White	14	3	-	-	-	2	-	1	1	2	2	3	10	1	-	-	-	1	-	-	2	1	2	3
All other	6	4	-	-	-	-	-	-	-	2	-	-	5	3	-	-	-	-	1	-	-	1	-	-
Black	6	4	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-	-	1	-	-	1	-	-
Tuberculosis (010-018)	138	-	-	-	1	11	24	27	29	25	15	6	53	-	-	-	-	4	4	5	14	15	4	7
White	71	-	-	-	-	3	7	10	17	17	12	5	27	-	-	-	-	1	-	2	7	11	2	4
All other	67	-	-	-	1	8	17	17	12	8	3	1	26	-	-	-	-	3	4	3	7	4	2	3
Black	61	-	-	-	1	8	17	15	11	7	2	-	19	-	-	-	-	3	3	2	6	3	-	2
Tuberculosis of respiratory system (010-012)	111	-	-	-	-	6	17	21	24	24	13	6	37	-	-	-	-	4	1	4	8	13	3	4
White	61	-	-	-	-	2	6	9	13	16	10	5	20	-	-	-	-	1	-	1	4	9	2	3
All other	50	-	-	-	-	4	11	12	11	8	3	1	17	-	-	-	-	3	1	3	4	4	1	1
Black	45	-	-	-	-	4	11	11	10	7	2	-	13	-	-	-	-	3	1	2	3	3	-	1
Other tuberculosis (013-016)	27	-	-	-	1	5	7	6	5	1	2	-	16	-	-	-	-	-	3	1	6	2	1	3
White	10	-	-	-	-	1	1	1	4	1	2	-	7	-	-	-	-	-	-	1	3	2	-	1
All other	17	-	-	-	1	4	6	5	1	-	-	-	9	-	-	-	-	-	3	-	3	-	1	2
Black	16	-	-	-	1	4	6	4	1	-	-	-	6	-	-	-	-	-	2	-	3	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	21	8	5	1	3	1	-	-	1	2	-	-	13	2	1	1	3	1	1	1	2	1	-	-
White	12	5	4	-	1	-	-	-	1	1	-	-	9	1	1	1	1	-	1	1	2	1	-	-
All other	9	3	1	1	2	1	-	-	-	1	-	-	4	1	-	-	2	1	-	-	-	-	-	-
Black	9	3	1	1	2	1	-	-	-	1	-	-	4	1	-	-	2	1	-	-	-	-	-	-
Septicemia (038)	383	13	2	-	2	5	11	20	56	77	131	76	478	5	2	2	2	7	9	11	54	78	151	157
White	344	9	2	-	1	4	8	15	42	71	120	72	417	3	2	2	2	7	5	5	46	71	133	141
All other	49	4	-	-	1	1	3	5	14	6	11	4	61	2	-	-	-	-	4	6	8	7	18	16
Black	46	4	-	-	1	1	3	5	14	6	8	4	61	2	-	-	-	-	4	6	8	7	18	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	42	-	-	-	2	6	2	8	10	7	5	2	43	1	1	-	4	7	2	6	11	6	3	2
White	32	-	-	-	2	3	2	6	7	5	5	2	29	1	1	-	3	3	2	5	6	4	2	2
All other	10	-	-	-	-	3	-	2	3	2	-	-	14	-	-	-	1	4	-	1	5	2	1	-
Black	6	-	-	-	-	2	-	1	2	1	-	-	12	-	-	-	1	4	-	1	4	1	1	-
Syphilis (090-097)	5	1	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	214	6	4	7	9	32	36	34	34	27	21	4	144	5	4	3	5	11	8	17	23	33	19	16
White	156	5	3	5	7	18	21	26	28	21	18	4	103	4	3	3	3	6	3	9	18	25	15	16
All other	58	1	1	2	2	14	15	8	6	6	3	-	41	1	1	-	2	5	5	8	7	8	4	-
Black	56	1	1	2	2	14	15	8	5	6	2	-	41	1	1	-	2	5	5	8	7	8	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	18,913	6	20	67	124	178	495	1,821	4,241	5,938	4,642	1,581	17,964	4	23	38	84	218	634	1,744	3,841	4,986	4,412	1,977
White	16,537	5	18	54	102	141	384	1,268	3,570	5,284	4,238	1,470	15,964	3	20	30	65	178	482	1,417	3,293	4,499	4,094	1,880
All other	2,376	1	2	13	22	35	111	353	671	652	404	111	2,000	1	3	6	19	40	152	327	548	489	318	97
Black	2,214	1	2	12	18	34	103	332	635	613	366	97	1,898	1	3	6	19	38	139	310	518	468	303	93
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	554	-	-	-	3	6	27	90	168	145	85	29	226	-	-	-	2	-	8	25	64	63	45	19
White	432	-	-	-	1	2	11	54	127	132	75	29	187	-	-	-	2	-	4	19	48	55	41	18
All other	122	-	-	-	2	4	16	36	41	13	10	-	39	-	-	-	-	-	4	6	16	8	4	1
Black	112	-	-	-	1	3	15	33	38	13	9	-	35	-	-	-	-	-	3	6	14	8	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,534	-	-	1	5	30	104	431	1,209	1,766	1,464	524	5,137	-	-	1	5	19	87	312	833	1,478	1,611	791
White	4,805	-	-	-	3	23	74	326	1,009	1,562	1,327	481	4,535	-	-	1	1	15	61	242	683	1,306	1,476	750
All other	729	-	-	1	2	7	30	105	200	204	137	43	602	-	-	-	4	4	26	70	150	172	135	41
Black	667	-	-	-	1	7	28	95	189	188	122	37	574	-	-	-	4	4	21	69	141	165	130	40
Malignant neoplasms *of respiratory and* intrathoracic organs (160-165)	6,146	1	-	1	1	12	136	632	1,655	2,118	1,301	287	2,924	-	-	-	2	6	80	373	814	948	542	158
White	5,363	-	-	-	-	5	104	491	1,370	1,915	1,204	273	2,616	-	-	-	2	5	59	304	709	881	510	145
All other	783	1	-	1	1	7	32	141	285	203	97	14	308	-	-	-	-	1	21	69	105	67	32	13
Black	735	1	-	1	1	7	29	136	274	189	84	12	290	-	-	-	-	1	19	66	100	62	29	13
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	1	1	8	3	10	2	3,567	-	-	-	2	46	222	500	919	872	680	326
White	24	-	-	-	-	-	1	1	8	3	10	1	3,197	-	-	-	2	38	173	413	812	803	643	313
All other	1	-	-	-	-	-	-	-	-	-	-	1	370	-	-	-	-	8	49	87	107	69	37	13
Black	1	-	-	-	-	-	-	-	-	-	-	1	356	-	-	-	-	7	46	84	102	67	37	13
Malignant neoplasms of genital organs (179-187)	1,859	-	-	1	6	11	8	28	208	536	696	365	2,040	-	-	1	6	46	78	238	489	575	437	156
White	1,575	-	-	1	6	11	8	22	168	434	595	330	1,783	-	-	-	6	32	57	191	419	516	407	153
All other	284	-	-	-	-	-	-	6	40	102	101	35	257	-	-	1	-	14	21	47	80	59	30	5
Black	274	-	-	-	-	-	-	6	38	100	99	31	238	-	-	1	-	13	20	39	75	55	30	5
Malignant neoplasms of urinary organs (188-189)	1,074	-	-	1	2	5	8	78	204	352	300	124	563	-	-	2	3	1	8	24	99	154	177	95
White	1,003	-	-	-	2	4	6	66	187	332	286	120	499	-	-	2	1	1	7	19	81	136	164	88
All other	71	-	-	1	-	1	2	12	17	20	14	4	64	-	-	-	2	-	1	5	18	18	13	7
Black	67	-	-	1	-	1	2	12	17	19	12	3	61	-	-	-	2	-	1	5	16	18	12	7
Malignant neoplasms *of all other and unspecified* sites (170-173,190-199)	2,016	3	14	21	47	58	105	229	459	556	400	123	1,946	1	10	13	22	40	83	182	371	502	493	249
White	1,779	3	13	17	38	47	87	192	403	490	372	116	1,733	1	9	9	17	34	68	137	324	439	455	240
All other	237	-	1	4	9	11	18	37	56	66	28	7	213	-	1	4	5	6	15	45	47	63	38	9
Black	222	-	1	4	9	11	18	35	51	61	25	7	206	-	1	4	5	6	14	24	47	62	35	8
Leukemia (204-208)	764	2	6	36	41	22	43	41	126	187	188	72	619	3	11	16	22	26	33	43	76	142	165	82
White	713	2	5	30	35	21	36	38	119	177	181	69	569	2	9	15	17	23	27	38	68	132	158	80
All other	51	-	1	6	6	1	7	3	7	10	7	3	50	1	2	1	5	3	6	5	8	10	7	2
Black	43	-	1	6	4	1	5	3	5	10	5	3	45	1	2	1	5	3	6	4	6	10	6	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	941	-	-	6	19	32	63	91	204	273	198	55	942	-	2	3	20	34	35	67	166	254	262	99
White	843	-	-	6	17	28	57	78	179	239	188	51	845	-	2	3	17	30	26	54	149	231	240	93
All other	98	-	-	-	2	4	6	13	25	34	10	4	97	-	-	-	3	4	9	13	17	23	22	6
Black	93	-	-	-	2	4	6	12	23	33	10	3	93	-	-	-	3	4	9	13	17	21	21	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	274	1	3	7	5	8	10	31	44	65	73	27	332	5	1	3	2	5	19	27	50	91	82	47
White	243	-	1	4	3	6	10	24	38	59	72	26	299	3	1	3	2	4	17	19	44	83	77	46
All other	31	1	2	3	2	2	-	7	6	6	1	1	33	2	-	-	-	1	2	8	6	8	5	-1
Black	23	-	2	1	2	2	-	5	6	4	-	1	32	2	-	-	-	1	2	8	6	7	5	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,270	–	–	–	6	25	43	96	248	378	336	138	1,727	–	–	1	5	10	24	95	231	430	574	357
White	1,078	–	–	–	5	21	35	71	202	322	293	129	1,415	–	–	1	3	9	13	52	166	337	505	329
All other	192	–	–	–	1	4	8	25	46	56	43	9	312	–	–	–	2	1	11	43	65	93	69	28
Black	178	–	–	–	1	4	6	24	44	53	36	8	304	–	–	–	2	1	11	43	65	92	66	24
Nutritional deficiencies (260-269)	46	4	1	–	–	1	1	1	4	14	11	9	58	–	1	–	1	–	1	2	4	9	15	25
White	40	1	1	–	–	–	1	1	3	13	11	9	48	–	–	–	–	–	1	1	3	7	15	21
All other	6	3	–	–	–	1	–	–	1	1	–	–	10	–	1	–	1	–	–	1	1	2	–	4
Black	6	3	–	–	–	1	–	–	1	1	–	–	10	–	1	–	1	–	–	1	1	2	–	4
Anemias (280-285)	103	2	1	4	7	10	2	5	6	20	28	18	122	1	3	2	3	8	6	5	11	19	34	30
White	78	1	1	2	4	2	1	4	4	16	28	15	104	–	3	1	2	4	3	1	10	19	33	28
All other	25	1	–	2	3	8	1	1	2	4	–	3	18	1	–	1	1	4	3	4	1	–	1	2
Black	25	1	–	2	3	8	1	1	2	4	–	3	18	1	–	1	1	4	3	4	1	–	1	2
Meningitis (320-322)	50	8	5	–	1	3	3	5	11	5	5	4	50	4	4	–	–	2	3	2	7	8	11	9
White	34	6	2	–	1	1	3	2	9	3	4	3	29	2	1	–	–	–	2	–	6	3	8	7
All other	16	2	3	–	–	2	–	3	2	2	1	1	21	2	3	–	–	2	1	2	1	5	3	2
Black	16	2	3	–	–	2	–	3	2	2	1	1	20	2	2	–	–	2	1	2	1	5	3	2
Major cardiovascular diseases (390-448)	42,509	36	11	18	63	227	775	2,675	7,130	11,650	12,651	7,267	45,237	24	10	15	39	112	358	1,074	3,854	8,412	15,757	15,776
White	38,307	28	9	15	41	153	583	2,156	6,130	10,518	11,752	6,917	40,831	13	7	12	26	65	220	752	2,833	7,310	14,553	15,033
All other	4,202	8	2	3	22	74	192	519	1,000	1,132	899	350	4,406	11	3	3	13	47	136	322	821	1,102	1,204	743
Black	3,838	7	1	3	22	70	183	489	952	1,034	777	299	4,212	11	3	3	13	43	134	312	801	1,039	1,155	697
Diseases of heart (390-398,402,404-429)	36,344	29	8	14	48	178	677	2,380	6,396	10,129	10,558	5,921	38,672	18	8	10	20	61	249	826	3,087	7,019	12,628	12,539
White	32,880	25	6	11	32	118	529	1,969	5,557	9,199	9,807	5,622	33,181	8	6	9	13	37	161	592	2,429	6,136	11,853	11,932
All other	3,464	4	2	3	16	60	148	411	839	930	751	299	3,491	10	3	1	7	24	88	234	658	883	975	607
Black	3,146	4	1	3	16	56	140	367	801	842	641	254	3,344	10	3	1	7	23	87	227	642	839	937	567
Rheumatic fever and rheumatic heart disease (390-398)	225	–	–	–	1	9	13	23	66	69	34	10	477	–	–	–	2	5	16	27	106	161	117	43
White	201	–	–	–	–	5	10	20	60	64	33	9	438	–	–	–	–	2	11	21	94	155	113	42
All other	24	–	–	–	1	4	3	3	6	5	1	1	39	–	–	–	2	3	5	6	12	6	4	1
Black	20	–	–	–	1	2	2	3	5	5	1	1	37	–	–	–	2	3	5	5	11	6	4	1
Hypertensive heart disease (402)	576	–	–	–	1	6	19	54	124	151	167	56	882	–	–	–	1	3	13	40	100	198	296	230
White	452	–	–	–	1	2	9	26	91	127	143	53	721	–	–	–	1	–	7	23	59	156	262	213
All other	126	–	–	–	–	4	10	28	33	24	24	3	161	–	–	–	–	3	6	17	41	42	34	17
Black	121	–	–	–	–	4	10	27	32	23	22	3	156	–	–	–	–	3	5	17	38	42	34	16
Hypertensive heart and renal disease (404)	63	–	–	–	–	1	2	1	8	12	27	11	85	–	–	–	–	1	–	–	5	17	36	26
White	49	–	–	–	–	–	–	–	5	11	23	9	72	–	–	–	–	1	–	–	2	13	32	24
All other	14	–	–	–	–	1	2	1	3	1	4	2	13	–	–	–	–	–	–	–	3	4	4	2
Black	14	–	–	–	–	1	2	1	3	1	4	2	12	–	–	–	–	–	–	–	3	4	3	2
Ischemic heart disease (410-414)	31,614	3	–	1	9	85	502	2,087	5,615	8,919	9,239	5,140	30,840	–	–	1	2	20	150	638	2,491	5,894	10,962	10,679
White	28,758	2	–	1	4	61	414	1,774	4,914	8,107	8,600	4,876	27,995	–	–	1	1	15	95	455	1,959	5,152	10,144	10,170
All other	2,856	1	–	–	5	24	88	323	701	812	639	264	2,845	–	–	–	1	5	55	183	532	742	818	509
Black	2,565	1	–	–	5	22	82	301	666	731	535	221	2,728	–	–	–	1	5	55	177	523	709	786	481
Acute myocardial infarction (410)	14,637	–	–	1	7	39	275	1,116	3,004	4,557	4,096	1,741	12,376	–	–	–	2	10	70	325	1,297	2,952	4,543	3,177
White	13,790	–	–	1	2	28	238	987	2,723	4,277	3,880	1,653	11,418	–	–	–	1	9	41	259	1,093	2,676	4,290	3,049
All other	1,047	–	–	–	5	11	37	129	281	280	216	88	958	–	–	–	1	1	29	66	204	276	253	128
Black	919	–	–	–	5	11	35	114	268	243	171	72	910	–	–	–	1	1	29	63	201	258	241	116
Other acute and subacute forms of ischemic heart disease (411)	162	–	–	–	–	2	4	17	28	47	44	20	120	–	–	–	–	–	–	6	10	29	39	36
White	149	–	–	–	–	2	4	12	26	42	43	20	111	–	–	–	–	–	–	4	7	26	39	35
All other	13	–	–	–	–	–	–	5	2	5	1	–	9	–	–	–	–	–	–	2	3	3	–	1
Black	13	–	–	–	–	–	–	5	2	5	1	–	9	–	–	–	–	–	–	2	3	3	–	1
Angina pectoris (413)	15	–	–	–	–	–	–	1	3	9	2	–	18	–	–	–	–	–	–	1	2	1	9	5
White	15	–	–	–	–	–	–	1	3	9	2	–	13	–	–	–	–	–	–	–	1	1	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	3	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	3	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,600	3	–	–	2	44	223	963	2,580	4,306	5,097	3,379	18,326	–	–	1	–	10	80	306	1,162	2,912	6,371	7,461
White	14,802	2	–	–	2	31	172	774	2,162	3,779	4,675	3,203	16,453	–	–	1	–	6	54	192	858	2,449	5,809	7,081
All other	1,798	1	–	–	–	13	51	189	418	527	422	176	1,873	–	–	–	–	4	26	114	324	463	562	380
Black	1,633	1	–	–	–	11	47	162	396	483	363	149	1,804	–	–	–	–	4	26	111	318	439	542	364
Other diseases of endocardium (424)	260	–	–	1	2	7	7	13	48	73	76	33	261	1	–	–	–	3	1	7	28	62	90	69
White	244	–	–	1	1	5	6	12	43	70	73	33	244	1	–	–	–	2	1	6	22	59	85	69
All other	16	–	–	–	1	2	1	1	5	3	3	–	17	–	–	–	–	1	–	1	6	4	5	–
Black	15	–	–	–	1	2	–	1	5	3	3	–	16	–	–	–	–	1	–	1	5	4	5	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	9,604	26	8	12	35	70	134	192	535	905	1,015	671	4,127	17	9	9	15	29	69	114	357	687	1,327	1,492
White	3,178	23	6	9	26	45	90	137	444	820	935	842	3,711	7	6	8	11	17	47	87	293	602	1,217	1,414
All other	426	3	2	3	9	25	44	55	91	85	80	29	416	10	3	1	4	12	22	27	64	85	110	78
Black	411	3	1	3	9	25	44	54	90	79	76	27	395	10	3	1	4	11	22	27	62	83	105	67
Hypertension with or without renal disease (401,403)	302	–	–	–	1	–	9	21	46	71	82	72	342	–	–	–	1	1	6	18	35	66	111	104
White	236	–	–	–	–	–	3	7	29	57	72	68	255	–	–	–	–	–	2	5	13	47	88	100
All other	66	–	–	–	1	–	6	14	17	14	10	4	87	–	–	–	1	1	4	13	22	19	23	4
Black	65	–	–	–	1	–	6	14	17	14	10	3	83	–	–	–	1	1	4	12	22	16	23	4
Cerebrovascular diseases (430-438)	4,232	7	3	4	12	44	77	219	499	986	1,438	943	6,592	6	1	5	17	42	92	203	446	1,056	2,342	2,370
White	3,704	3	3	4	7	30	43	138	376	849	1,340	911	5,895	5	1	3	12	20	52	136	323	896	2,170	2,275
All other	528	4	–	–	5	14	34	81	123	137	98	32	687	1	–	2	5	22	40	67	123	160	172	95
Black	491	3	–	–	5	14	33	75	116	127	90	28	649	1	–	2	5	19	39	66	120	146	161	90
Intracerebral and other intracranial hemorrhage (431-432)	712	5	2	3	2	17	34	85	149	175	168	72	883	5	–	3	4	12	28	68	121	191	284	167
White	575	2	2	3	2	9	13	48	119	149	157	71	752	4	–	3	4	6	14	46	91	164	264	156
All other	137	3	–	–	–	8	21	37	30	26	11	1	131	1	–	–	–	6	14	22	30	27	20	11
Black	126	3	–	–	–	8	20	34	27	23	10	1	120	1	–	–	–	3	13	22	30	23	18	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	858	–	–	1	3	2	5	21	66	185	333	240	1,376	1	–	–	3	–	4	17	50	195	502	603
White	790	–	–	1	2	2	4	14	51	164	318	234	1,303	1	–	–	3	–	3	11	40	174	480	590
All other	66	–	–	–	1	–	1	7	15	21	15	6	73	–	–	–	–	–	1	6	10	21	22	13
Black	60	–	–	–	1	–	1	7	14	19	14	4	65	–	–	–	–	–	1	6	8	20	19	11
Cerebral embolism (434.1)	15	–	–	–	–	–	–	–	4	6	2	3	34	–	–	–	–	–	1	2	–	7	13	11
White	12	–	–	–	–	–	–	–	2	5	2	3	30	–	–	–	–	–	–	2	–	6	13	9
All other	3	–	–	–	–	–	–	–	2	1	–	–	4	–	–	–	–	–	1	–	–	1	–	2
Black	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	1	–	–	1	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,649	2	1	–	7	25	38	113	280	620	935	628	4,289	–	1	2	10	30	59	116	275	663	1,543	1,589
White	2,327	1	1	–	3	19	26	76	204	531	863	603	3,810	–	1	–	5	14	35	77	192	552	1,413	1,520
All other	322	1	–	–	4	6	12	37	76	89	72	25	479	–	–	2	5	16	24	39	83	111	130	69
Black	303	–	–	–	4	5	12	34	74	84	66	23	460	–	–	2	5	16	24	38	82	102	124	67
Atherosclerosis (440)	664	–	–	–	–	1	1	10	51	136	232	233	1,046	–	–	–	–	–	1	5	39	110	286	605
White	602	–	–	–	–	1	–	7	45	118	209	222	965	–	–	–	–	–	–	3	29	95	263	575
All other	62	–	–	–	–	–	1	3	6	18	23	11	81	–	–	–	–	–	1	2	10	15	23	30
Black	58	–	–	–	–	–	1	3	5	18	21	10	80	–	–	–	–	–	1	2	10	15	23	29
Other diseases of arteries, arterioles, and capillaries (441-448)	967	–	–	–	2	4	11	45	136	328	341	98	595	–	–	–	1	6	8	22	47	151	190	158
White	885	–	–	–	2	4	8	35	123	295	324	94	535	–	–	–	1	6	5	16	39	136	179	151
All other	82	–	–	–	–	–	3	10	15	33	17	4	60	–	–	–	–	–	3	6	8	25	11	7
Black	76	–	–	–	–	–	3	10	13	33	15	4	56	–	–	–	–	–	3	5	7	23	11	7
Acute bronchitis and bronchiolitis (466)	20	5	1	–	–	3	–	1	1	3	5	1	18	1	2	–	–	1	1	–	1	1	5	6
White	14	2	1	–	–	1	–	–	1	3	5	1	15	–	1	–	–	–	1	–	1	1	5	6
All other	6	3	–	–	–	2	–	1	–	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–
Black	6	3	–	–	–	2	–	1	–	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–
Pneumonia and influenza (480-487)	2,325	29	12	5	14	56	67	96	202	460	726	658	2,249	24	10	5	9	34	26	53	140	286	668	994
White	1,986	16	5	3	10	31	26	66	154	385	669	621	2,011	15	6	5	7	16	14	34	115	236	604	959
All other	339	13	7	2	4	25	41	30	48	75	57	37	238	9	4	–	2	18	12	19	25	50	64	35
Black	311	13	7	1	4	25	39	29	45	69	49	30	223	9	2	–	2	18	11	18	24	45	60	34
Pneumonia (480-486)	2,315	29	12	5	14	55	67	96	202	459	724	652	2,230	24	10	5	8	33	26	53	139	284	663	985
White	1,976	16	5	3	10	30	26	66	154	384	667	615	1,992	15	6	5	6	15	14	34	114	234	599	950
All other	339	13	7	2	4	25	41	30	48	75	57	37	238	9	4	–	2	18	12	19	25	50	64	35
Black	311	13	7	1	4	25	39	29	45	69	49	30	223	9	2	–	2	18	11	18	24	45	60	34
Influenza (487)	10	–	–	–	–	1	–	–	–	1	2	6	19	–	–	–	1	1	–	–	1	2	5	9
White	10	–	–	–	–	1	–	–	–	1	2	6	19	–	–	–	1	1	–	–	1	2	5	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,631	–	2	1	9	15	26	95	381	876	877	348	1,564	2	2	–	8	8	37	74	255	536	436	206
White	2,416	–	1	–	4	9	14	73	336	819	827	332	1,419	–	1	–	8	6	24	49	218	499	415	201
All other	215	–	1	1	5	6	12	22	45	57	50	16	145	2	1	–	2	2	13	25	37	37	21	5
Black	198	–	1	1	5	6	12	21	44	51	43	14	136	2	1	–	2	2	13	25	36	32	19	4
Bronchitis, chronic and unspecified (490-491)	165	–	–	–	–	–	–	3	20	52	52	38	112	2	1	–	–	–	4	5	14	29	32	25
White	159	–	–	–	–	–	–	3	18	51	49	38	102	–	1	–	–	–	3	4	11	28	30	25
All other	6	–	–	–	–	–	–	–	2	1	3	–	10	2	–	–	–	–	1	1	3	1	2	–
Black	6	–	–	–	–	–	–	–	2	1	3	–	10	2	–	–	–	–	1	1	3	1	2	–
Emphysema (492)	688	–	–	–	1	1	4	25	101	243	235	78	330	–	–	–	–	–	3	13	59	123	97	35
White	638	–	–	–	1	1	4	21	92	224	223	72	312	–	–	–	–	–	3	13	54	118	92	34
All other	50	–	–	–	–	–	–	4	9	19	12	6	18	–	–	–	–	–	–	–	5	7	5	1
Black	46	–	–	–	–	–	–	3	9	18	11	5	16	–	–	–	–	–	–	–	5	6	5	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	123	–	2	1	7	12	12	21	31	19	16	2	183	–	1	–	8	6	25	34	35	41	25	8
White	78	–	1	–	2	6	5	10	23	16	13	2	119	–	–	–	6	4	13	14	19	32	23	8
All other	45	–	1	1	5	6	7	11	8	3	3	–	64	–	1	–	2	2	12	20	16	9	2	–
Black	45	–	1	1	5	6	7	11	8	3	3	–	61	–	1	–	2	2	12	20	15	8	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,655	–	–	–	1	2	10	46	229	562	574	230	939	–	–	–	–	2	5	22	147	343	282	138
White	1,541	–	–	–	1	2	5	39	203	528	542	220	888	–	–	–	–	2	5	18	134	323	270	134
All other	114	–	–	–	–	–	5	7	26	34	32	10	53	–	–	–	–	–	–	4	13	20	12	4
Black	101	–	–	–	–	–	5	7	25	29	26	9	49	–	–	–	–	–	–	4	13	17	11	4
Ulcer of stomach and duodenum (531-533)	316	–	–	–	3	–	11	16	53	86	98	49	303	1	–	–	1	3	2	12	33	65	99	87
White	263	–	–	–	2	–	7	8	40	74	87	45	270	–	–	–	1	1	1	6	26	58	93	85
All other	53	–	–	–	1	–	4	8	13	12	11	4	33	1	–	–	1	2	1	6	7	7	6	2
Black	45	–	–	–	1	–	4	7	13	9	8	3	28	1	–	–	1	2	1	6	6	6	5	–
Appendicitis (540-543)	22	1	1	1	1	2	–	2	3	5	3	3	18	–	–	–	1	–	2	–	4	4	5	2
White	21	1	1	1	1	2	–	2	3	5	2	3	13	–	–	–	1	–	1	–	2	3	5	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	2	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	1	–	2	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	126	4	1	–	1	1	3	9	16	21	35	35	239	3	1	1	1	–	3	9	23	36	64	98
White	108	–	1	–	–	1	1	7	13	20	33	32	216	1	–	1	1	–	2	7	21	32	54	97
All other	18	4	–	–	1	–	2	2	3	1	2	3	23	2	1	–	–	–	1	2	2	4	10	1
Black	17	4	–	–	1	–	2	2	3	1	2	2	23	2	1	–	–	–	1	2	2	4	10	1
Chronic liver disease and cirrhosis (571)	2,073	–	–	–	14	171	371	454	517	392	135	19	1,029	1	–	–	4	54	130	194	278	223	124	21
White	1,531	–	–	–	11	98	216	302	404	356	125	19	777	1	–	–	1	15	62	138	228	195	117	20
All other	542	–	–	–	3	73	155	152	113	36	10	–	252	–	–	–	3	39	68	56	50	28	7	1
Black	533	–	–	–	3	73	155	149	110	34	9	–	244	–	–	–	3	39	68	54	47	26	6	1
Cholelithiasis and other disorders of gallbladder (574-575)	95	–	–	–	2	–	1	6	12	24	27	23	110	–	–	–	–	1	2	4	10	14	35	44
White	81	–	–	–	–	–	–	4	10	20	27	20	104	–	–	–	–	1	1	3	10	12	35	42
All other	14	–	–	–	2	–	1	2	2	4	–	3	6	–	–	–	–	–	1	1	–	2	–	2
Black	13	–	–	–	2	–	1	2	2	3	–	3	4	–	–	–	–	–	1	–	–	2	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	618	8	2	–	6	12	15	30	76	139	194	136	576	5	2	2	4	8	11	20	55	145	175	149
White	525	8	2	–	3	7	4	16	58	126	174	129	477	4	2	2	3	4	3	11	35	116	158	139
All other	93	2	–	–	3	5	11	14	18	13	20	7	99	1	–	–	1	4	8	9	20	29	17	10
Black	85	2	–	–	2	5	11	14	17	12	16	6	98	1	–	–	1	4	8	9	20	29	16	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	–	1	–	–	–	–	1	1	1	3	1	10	–	–	1	–	–	–	1	1	–	4	3
White	7	–	1	–	–	–	–	–	1	1	3	1	9	–	–	1	–	–	–	–	1	–	4	3
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	83	1	–	–	3	3	6	7	13	19	15	16	73	1	–	1	2	1	2	5	8	21	20	12
White	67	1	–	–	1	2	1	6	11	16	14	15	57	1	–	1	1	–	–	2	4	18	18	12
All other	16	–	–	–	2	1	5	1	2	3	1	1	16	–	–	–	1	1	2	3	4	3	2	–
Black	16	–	–	–	2	1	5	1	2	3	1	1	16	–	–	–	1	1	2	3	4	3	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	527	7	1	–	3	9	9	22	62	119	176	119	493	4	2	–	2	7	9	14	46	124	151	134
White	451	5	1	–	2	5	3	10	46	109	157	113	411	3	2	–	2	4	3	9	30	98	138	124
All other	76	2	–	–	1	4	6	12	16	10	19	6	82	1	–	–	–	3	6	5	16	26	15	10
Black	68	2	–	–	–	4	6	12	15	9	15	5	81	1	–	–	–	3	6	5	16	26	14	10
Infections of kidney (590)	47	1	–	–	–	1	1	3	1	13	18	9	68	–	–	–	–	1	2	2	6	15	32	30
White	43	1	–	–	–	1	–	2	1	12	17	9	61	–	–	–	–	–	1	1	6	14	30	29
All other	4	–	–	–	–	–	1	1	–	1	1	–	7	–	–	–	–	1	1	1	–	1	2	1
Black	4	–	–	–	–	–	1	1	–	1	1	–	7	–	–	–	–	1	1	1	–	1	2	1
Hyperplasia of prostate (600)	47	–	–	–	–	–	–	–	2	10	11	24	...	...	...	...	...	...	...	...	...	...	...	...
White	38	–	–	–	–	–	–	–	1	10	7	20	...	...	...	...	...	...	...	...	...	...	...	...
All other	9	–	–	–	–	–	–	–	1	–	4	4	...	...	...	...	...	...	...	...	...	...	...	...
Black	9	–	–	–	–	–	–	–	1	–	4	4	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	28	...	...	–	4	17	7	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	3	8	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	–	1	9	3	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	1	9	2	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	6	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	–	5	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	5	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	19	...	...	–	3	11	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	2	7	3	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	4	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	1	4	2	–	...	...	...	...
Congenital anomalies (740-759)	537	334	46	21	23	32	15	9	24	15	12	6	477	299	42	22	15	11	13	13	20	17	17	5
White	439	265	38	16	18	24	10	8	22	15	11	6	373	223	31	19	13	9	9	10	18	16	17	5
All other	104	69	8	5	5	8	5	1	2	–	1	–	104	76	11	3	2	2	4	3	2	1	–	–
Black	95	60	8	5	5	8	5	1	2	–	1	–	92	66	11	3	2	1	4	3	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	870	864	4	–	–	–	–	–	–	–	–	–	706	704	2	–	–	–	–	–	–	–	–	–
White	559	556	2	–	–	–	–	–	–	–	–	–	444	443	1	–	–	–	–	–	–	–	–	–
All other	311	308	2	–	–	–	–	–	–	–	–	–	262	261	1	–	–	–	–	–	–	–	–	–
Black	295	292	2	–	–	–	–	–	–	–	–	–	255	254	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	239	238	1	–	–	–	–	–	–	–	–	–	195	194	1	–	–	–	–	–	–	–	–	–
White	155	154	1	–	–	–	–	–	–	–	–	–	131	131	–	–	–	–	–	–	–	–	–	–
All other	84	84	–	–	–	–	–	–	–	–	–	–	64	63	1	–	–	–	–	–	–	–	–	–
Black	76	76	–	–	–	–	–	–	–	–	–	–	61	60	1	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	631	626	3	–	–	–	–	–	–	–	–	–	511	510	1	–	–	–	–	–	–	–	–	–
White	404	402	1	–	–	–	–	–	–	–	–	–	313	312	1	–	–	–	–	–	–	–	–	–
All other	227	224	2	–	–	–	–	–	–	–	–	–	198	198	–	–	–	–	–	–	–	–	–	–
Black	219	216	2	–	–	–	–	–	–	–	–	–	194	194	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,204	235	11	11	110	254	149	120	114	105	68	25	819	158	18	8	61	112	89	80	91	66	78	57
White	918	139	9	9	92	193	102	94	97	93	64	24	621	82	12	3	37	83	65	69	81	58	73	55
All other	286	96	2	2	18	61	47	26	17	12	4	1	198	76	6	5	24	29	24	11	10	8	3	2
Black	271	91	2	2	18	58	42	25	16	12	4	1	184	70	6	2	24	27	23	11	10	6	3	2
All other diseases (Residual)	4,219	58	38	31	114	316	301	388	625	896	918	534	4,379	40	35	38	65	147	165	273	527	836	1,232	1,021
White	3,403	44	29	23	92	191	167	252	488	792	824	501	3,696	33	30	30	42	72	92	185	418	713	1,128	955
All other	816	14	9	8	22	125	134	136	137	104	94	33	683	7	5	8	23	75	73	88	109	123	106	66
Black	789	14	8	8	22	123	132	133	138	100	84	29	667	7	4	7	20	74	73	88	106	119	103	66
Accidents and adverse effects (E800-E949)	3,692	33	85	180	671	568	380	308	366	317	363	201	1,836	23	50	111	233	155	119	142	151	236	325	288
White	3,102	27	55	121	782	470	307	238	295	282	332	183	1,553	13	30	73	191	119	97	115	129	208	299	277
All other	590	6	30	59	89	118	73	70	71	35	31	8	283	10	20	38	42	36	22	27	22	28	26	11
Black	547	6	28	54	77	110	70	67	67	34	27	7	261	9	18	34	36	32	22	23	22	28	26	11
Motor vehicle accidents (E810-E825)	1,838	7	21	82	575	313	180	139	121	99	75	26	667	4	12	55	164	91	59	68	66	77	57	15
White	1,408	6	12	56	531	257	150	112	105	87	67	25	579	3	8	35	145	74	49	61	63	73	54	14
All other	230	1	9	26	44	56	30	27	16	12	8	1	88	1	4	20	19	17	9	7	3	4	3	1
Black	206	1	9	23	34	53	27	26	15	11	6	1	79	1	4	18	16	14	9	6	3	4	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	2,054	26	64	98	296	275	200	169	245	218	288	175	1,189	19	38	56	69	64	61	74	85	159	268	273
White	1,694	21	43	65	251	213	157	126	190	195	265	168	974	10	22	38	46	45	48	54	66	135	245	283
All other	360	5	21	33	45	62	43	43	55	23	23	7	195	9	16	18	23	19	13	20	19	24	23	10
Black	341	5	19	31	43	57	43	41	52	23	21	6	182	9	15	16	20	18	13	17	19	22	23	10
Suicide (E950-E959)	1,041	...	...	9	208	235	143	123	134	104	59	26	290	...	...	–	31	48	54	42	48	37	23	7
White	942	...	...	7	180	205	129	118	125	98	56	26	267	...	...	–	26	42	50	39	45	36	22	7
All other	99	...	...	2	28	30	14	5	9	8	3	–	23	...	...	–	5	6	4	3	3	1	1	–
Black	88	...	...	1	23	30	13	5	8	6	2	–	19	...	...	–	5	5	4	3	2	–	–	–
Homicide and legal intervention (E960-E978)	1,709	11	14	23	460	600	282	180	86	32	20	1	352	1	13	7	82	85	54	37	17	27	19	10
White	898	7	3	10	215	321	168	93	51	18	13	–	216	–	8	5	49	48	30	21	11	18	17	9
All other	810	4	11	13	245	279	114	87	35	14	7	1	136	1	5	2	33	37	24	16	6	9	2	1
Black	777	4	11	11	238	269	111	82	34	12	5	–	133	1	5	2	32	35	24	16	6	9	2	1
All other external causes (E980-E999)	372	8	7	12	60	84	62	52	38	28	12	7	124	3	7	6	11	27	17	8	15	14	10	6
White	227	2	4	6	38	47	38	30	27	19	9	5	67	–	4	4	9	18	12	5	10	10	10	5
All other	145	6	3	6	22	37	24	22	11	9	3	2	57	3	3	2	2	9	5	3	5	4	–	1
Black	139	6	3	6	19	37	23	21	10	9	3	2	34	2	3	1	2	9	5	3	5	4	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	26,721	663	104	162	810	880	1,146	2,505	5,226	7,220	5,534	2,367	21,830	512	76	105	275	381	619	1,244	2,851	4,955	6,054	4,757
White	20,101	359	52	106	604	590	716	1,840	3,857	5,583	4,444	1,848	16,639	270	48	61	195	212	411	841	2,052	3,681	4,810	4,058
All other	6,620	304	52	56	206	290	430	665	1,369	1,637	1,090	419	5,191	242	28	44	80	169	208	403	799	1,274	1,244	699
Black	6,399	292	50	54	196	269	414	638	1,322	1,588	1,065	409	5,034	232	27	40	78	160	201	389	775	1,238	1,212	681
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	1	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	2	-	1	-	2	-
White	1	1	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	2	-	-	-	2	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	47	-	-	-	-	1	5	5	10	11	11	4	15	-	-	-	-	-	-	1	1	3	6	4
White	17	-	-	-	-	-	1	1	2	4	6	3	5	-	-	-	-	-	-	-	-	-	3	2
All other	30	-	-	-	-	1	4	4	8	7	5	1	10	-	-	-	-	-	-	1	1	3	3	2
Black	30	-	-	-	-	1	4	4	8	7	5	1	10	-	-	-	-	-	-	1	1	3	3	2
Tuberculosis of respiratory system (010-012)	39	-	-	-	-	1	4	5	8	9	8	4	10	-	-	-	-	-	-	1	-	2	3	4
White	15	-	-	-	-	-	1	1	2	4	4	3	3	-	-	-	-	-	-	-	-	-	1	2
All other	24	-	-	-	-	1	3	4	6	5	4	1	7	-	-	-	-	-	-	1	-	2	2	2
Black	24	-	-	-	-	1	3	4	6	5	4	1	7	-	-	-	-	-	-	1	-	2	2	2
Other tuberculosis (013-018)	8	-	-	-	-	-	1	-	2	2	3	-	5	-	-	-	-	-	-	-	1	1	3	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	6	-	-	-	-	-	1	-	2	2	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	6	-	-	-	-	-	1	-	2	2	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	-	1	-	-	-	1	-	-	-	8	1	4	-	2	-	1	-	-	-	-	-
White	2	-	1	-	-	-	-	-	1	-	-	-	6	1	3	-	1	-	1	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Septicemia (038)	154	4	2	-	1	3	10	12	36	32	39	15	178	4	-	-	1	1	9	10	24	34	56	37
White	101	1	1	-	1	1	6	9	20	21	28	13	115	2	-	-	-	-	3	7	16	18	40	29
All other	53	3	1	-	-	2	4	3	16	11	11	2	61	2	-	-	1	1	6	3	8	16	16	8
Black	53	3	1	-	-	2	4	3	16	11	11	2	59	2	-	-	1	1	6	3	8	15	16	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	1	-	-	-	-	-	2	1	1	2	-	8	-	-	-	-	1	-	1	1	2	2	1
White	7	1	-	-	-	-	-	2	1	1	2	-	6	-	-	-	-	1	-	1	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	79	6	1	1	4	3	13	7	17	15	10	2	54	1	3	4	3	2	4	5	6	16	8	2
White	40	2	1	-	1	1	3	6	8	10	6	2	38	1	2	2	1	1	3	3	5	13	5	2
All other	39	4	-	1	3	2	10	1	9	5	4	-	16	-	1	2	2	1	1	2	1	3	3	-
Black	39	4	-	1	3	2	10	1	9	5	4	-	16	-	1	2	2	1	1	2	1	3	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,689	2	5	27	30	76	173	566	1,455	1,918	1,120	317	4,497	1	5	16	27	78	212	467	998	1,327	977	387
White	4,255	2	4	15	25	56	118	408	1,077	1,452	856	242	3,511	-	4	11	18	45	167	355	777	1,009	803	322
All other	1,434	-	1	12	5	20	55	158	378	466	264	75	986	1	1	7	9	33	45	112	221	318	174	65
Black	1,399	-	1	12	5	18	54	156	367	452	260	74	966	1	1	7	9	33	45	109	217	310	173	61

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																							
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	128	–	–	–	–	–	11	21	39	33	20	4	67	–	–	–	–	2	3	7	15	18	16	6
White	80	–	–	–	–	–	3	8	24	26	16	3	54	–	–	–	–	1	3	4	12	15	14	5
All other	48	–	–	–	–	–	8	13	15	7	4	1	13	–	–	–	–	1	–	3	3	3	2	1
Black	47	–	–	–	–	–	8	13	14	7	4	1	12	–	–	–	–	1	–	3	3	2	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,232	–	–	1	1	15	33	108	309	438	260	68	1,196	–	1	–	4	13	30	79	230	369	332	138
White	856	–	–	–	–	11	19	64	202	306	198	56	903	–	1	–	2	5	24	52	162	274	271	112
All other	376	–	–	1	1	4	14	44	106	132	62	12	293	–	–	–	2	8	6	27	68	95	61	26
Black	366	–	–	1	1	4	13	44	104	127	60	12	287	–	–	–	2	8	6	24	67	94	61	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,201	–	–	–	2	4	46	270	684	825	327	63	602	–	–	–	2	6	13	63	196	210	76	16
White	1,718	–	–	–	1	3	28	207	500	666	285	48	504	–	–	–	1	3	10	73	156	178	69	12
All other	483	–	–	–	1	1	18	63	184	159	62	15	98	–	–	–	1	3	3	10	38	32	7	4
Black	470	–	–	–	1	1	18	62	180	152	61	15	98	–	–	–	1	3	3	10	38	32	7	4
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	–	1	2	–	809	–	–	–	1	10	73	133	202	214	125	51
White	2	–	–	–	–	–	–	–	–	1	1	–	636	–	–	–	1	6	63	100	157	183	104	42
All other	1	–	–	–	–	–	–	–	–	–	1	–	173	–	–	–	–	4	10	33	45	51	21	9
Black	1	–	–	–	–	–	–	–	–	–	1	–	169	–	–	–	–	4	10	33	45	48	21	8
Malignant neoplasms of genital organs (179-187)	633	–	–	–	1	2	6	14	86	190	230	104	521	–	–	–	3	12	38	66	119	159	97	27
White	395	–	–	–	1	2	5	8	62	97	152	68	373	–	–	–	2	5	28	48	97	101	72	20
All other	238	–	–	–	–	–	1	6	24	93	78	36	148	–	–	–	1	7	10	18	22	58	25	7
Black	234	–	–	–	–	–	1	6	23	92	77	35	146	–	–	–	1	7	10	18	21	57	25	7
Malignant neoplasms of urinary organs (188-189)	242	–	–	1	–	5	3	13	52	88	63	17	141	–	–	–	–	1	3	9	26	42	37	23
White	201	–	–	–	–	3	2	13	45	73	49	16	108	–	–	–	–	–	1	7	17	32	29	22
All other	41	–	–	1	–	2	1	–	7	15	14	1	33	–	–	–	–	1	2	2	9	10	8	1
Black	41	–	–	1	–	2	1	–	7	15	14	1	32	–	–	–	–	1	2	2	8	10	8	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	765	–	2	8	10	27	43	103	205	197	131	39	682	–	3	10	8	19	31	53	148	185	153	74
White	615	–	2	5	10	19	37	79	162	159	108	34	559	–	3	5	4	17	27	47	121	144	124	67
All other	150	–	–	3	–	8	6	24	43	38	23	5	123	–	–	5	2	2	4	6	27	41	29	7
Black	144	–	–	3	–	7	6	23	40	37	23	5	120	–	–	5	2	2	4	6	27	40	29	5
Leukemia (204-208)	233	2	3	16	11	11	16	15	31	66	52	10	196	1	1	6	8	11	13	13	21	42	61	19
White	181	2	2	10	9	8	11	13	22	58	38	8	148	–	–	5	7	6	6	7	18	35	51	13
All other	52	–	1	6	2	3	5	2	9	8	14	2	48	1	1	1	1	5	7	6	3	7	10	6
Black	51	–	1	6	2	2	5	2	9	8	14	2	46	1	1	1	1	5	7	6	2	7	9	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	252	–	–	1	5	12	15	22	70	80	35	12	283	–	–	2	3	4	8	24	41	88	80	33
White	207	–	–	–	4	10	13	16	60	66	29	9	226	–	–	1	1	2	5	17	35	67	69	29
All other	45	–	–	1	1	2	2	6	10	14	6	3	57	–	–	1	2	2	3	7	6	21	11	4
Black	45	–	–	1	1	2	2	6	10	14	6	3	56	–	–	1	2	2	3	7	6	20	11	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	89	–	1	–	1	3	3	7	23	25	17	9	91	2	–	2	4	5	2	2	11	27	25	11
White	70	–	1	–	1	1	2	7	14	23	13	8	70	1	–	1	3	4	2	2	7	21	19	10
All other	19	–	–	–	–	2	1	–	9	2	4	1	21	1	–	1	1	1	–	–	4	6	6	1
Black	18	–	–	–	–	2	1	–	8	2	4	1	21	1	–	1	1	1	–	–	4	6	6	1
Diabetes mellitus (250)	337	–	–	1	1	19	23	32	63	100	71	27	452	–	–	–	2	7	10	27	82	136	132	56
White	244	–	–	1	–	10	15	20	43	80	51	24	280	–	–	–	1	3	7	9	47	80	88	45
All other	93	–	–	–	1	9	8	12	20	20	20	3	172	–	–	–	1	4	3	18	35	56	44	11
Black	85	–	–	–	1	9	8	10	18	17	19	3	161	–	–	–	1	4	3	17	31	51	43	11
Nutritional deficiencies (260-269)	28	–	–	–	–	–	–	1	4	6	10	7	39	–	1	–	–	–	–	–	1	7	11	19
White	22	–	–	–	–	–	–	–	2	5	8	7	30	–	1	–	–	–	–	–	1	3	7	18
All other	6	–	–	–	–	–	–	1	2	1	2	–	9	–	–	–	–	–	–	–	–	4	4	1
Black	6	–	–	–	–	–	–	1	2	1	2	–	9	–	–	–	–	–	–	–	–	4	4	1
Anemias (280-285)	35	–	1	–	1	5	4	1	5	7	6	5	50	–	1	1	1	3	2	3	5	8	13	13
White	22	–	–	–	–	–	2	1	4	6	5	4	31	–	–	–	–	–	–	1	3	7	10	10
All other	13	–	1	–	1	5	2	–	1	1	1	1	19	–	1	1	1	3	2	2	2	1	3	3
Black	13	–	1	–	1	5	2	–	1	1	1	1	19	–	1	1	1	3	2	2	2	1	3	3
Meningitis (320-322)	27	8	5	1	–	–	2	5	3	2	1	–	17	4	2	2	–	–	2	1	3	1	–	2
White	15	6	4	1	–	–	–	1	1	2	–	–	12	3	2	2	–	–	1	–	1	1	–	2
All other	12	2	1	–	–	–	2	4	2	–	1	–	5	1	–	–	–	–	1	1	2	–	–	–
Black	12	2	1	–	–	–	2	4	2	–	1	–	5	1	–	–	–	–	1	1	2	–	–	–
Major cardiovascular diseases (390-448)	12,310	17	3	7	30	96	298	1,058	2,517	3,716	3,137	1,430	11,318	9	1	3	17	42	122	392	1,145	2,559	3,723	3,306
White	9,670	11	2	5	20	45	198	811	1,917	2,932	2,545	1,184	8,800	5	–	2	9	20	69	293	780	1,893	2,955	2,834
All other	2,640	6	1	2	10	51	100	247	600	784	592	246	2,519	4	1	1	8	22	53	159	365	666	768	472
Black	2,553	6	1	2	10	47	91	235	580	762	579	239	2,446	4	1	1	8	22	50	153	353	649	743	462

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	9,784	12	2	5	24	77	249	918	2,160	2,967	2,357	1,012	8,065	9	1	2	8	29	81	286	880	1,894	2,626	2,237
White	7,860	7	1	3	16	38	178	727	1,705	2,414	1,931	840	6,376	5	–	1	5	14	49	180	625	1,456	2,121	1,920
All other	1,924	5	1	2	8	39	71	191	455	553	426	172	1,689	4	1	1	3	15	32	118	255	438	505	317
Black	1,863	5	1	2	8	36	64	181	443	536	417	169	1,635	4	1	1	3	15	29	114	244	426	487	311
Rheumatic fever and rheumatic heart disease (390-398)	54	–	–	1	–	4	4	7	12	16	7	3	91	–	–	–	–	4	2	9	18	32	21	5
White	47	–	–	1	–	1	4	7	9	15	7	3	78	–	–	–	–	2	1	7	17	29	19	3
All other	7	–	–	–	–	3	–	–	3	1	–	–	13	–	–	–	–	2	1	2	1	3	2	2
Black	6	–	–	–	–	3	–	–	3	–	–	–	12	–	–	–	–	2	1	2	–	3	2	2
Hypertensive heart disease (402)	251	–	–	–	–	1	7	25	53	83	56	26	376	–	–	–	–	2	3	13	46	87	121	104
White	149	–	–	–	–	–	3	10	29	48	41	20	230	–	–	–	–	–	–	4	16	51	77	82
All other	102	–	–	–	–	1	4	15	24	37	15	6	146	–	–	–	–	2	3	9	30	36	44	22
Black	100	–	–	–	–	1	4	15	23	36	15	6	143	–	–	–	–	2	3	9	30	35	42	22
Hypertensive heart and renal disease (404)	53	–	–	–	–	2	–	1	8	15	14	13	63	–	–	–	–	–	–	1	2	12	33	15
White	27	–	–	–	–	–	–	–	2	9	7	9	40	–	–	–	–	–	–	–	1	5	24	10
All other	26	–	–	–	–	2	–	1	6	6	7	4	23	–	–	–	–	–	–	1	1	7	9	5
Black	26	–	–	–	–	2	–	1	6	6	7	4	23	–	–	–	–	–	–	1	1	7	9	5
Ischemic heart disease (410-414)	7,387	1	–	–	4	40	162	732	1,736	2,317	1,707	685	5,298	–	–	–	–	9	45	208	628	1,364	1,701	1,345
White	6,165	–	–	–	3	24	141	611	1,423	1,965	1,440	558	4,321	–	–	–	–	4	34	130	466	1,081	1,433	1,173
All other	1,222	1	–	–	1	16	41	121	315	352	267	107	977	–	–	–	–	5	11	78	160	283	268	172
Black	1,176	1	–	–	1	15	38	112	305	339	261	105	946	–	–	–	–	5	9	76	154	275	258	169
Acute myocardial infarction (410)	4,868	1	–	–	3	24	125	548	1,236	1,613	1,016	302	3,125	–	–	–	–	5	31	148	436	902	1,012	591
White	4,130	–	–	–	3	14	101	471	1,028	1,380	871	252	2,588	–	–	–	–	3	22	95	321	730	872	525
All other	738	1	–	–	–	10	24	77	208	233	145	50	557	–	–	–	–	2	9	53	115	172	140	66
Black	707	1	–	–	–	9	21	72	200	213	142	49	535	–	–	–	–	2	7	51	111	165	134	65
Other acute and subacute forms of ischemic heart disease (411)	52	–	–	–	–	1	5	5	12	16	9	4	29	–	–	–	–	–	–	–	7	11	8	3
White	37	–	–	–	–	1	3	3	9	13	6	2	20	–	–	–	–	–	–	–	5	9	5	1
All other	15	–	–	–	–	–	2	2	3	3	3	2	9	–	–	–	–	–	–	–	2	2	3	2
Black	15	–	–	–	–	–	2	2	3	3	3	2	9	–	–	–	–	–	–	–	2	2	3	2
Angina pectoris (413)	17	–	–	–	–	–	–	–	6	4	4	3	9	–	–	–	–	–	–	–	–	2	6	1
White	15	–	–	–	–	–	–	–	4	4	4	3	9	–	–	–	–	–	–	–	–	2	6	1
All other	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,450	–	–	–	1	15	52	179	484	684	678	358	2,135	–	–	–	–	4	14	60	183	449	675	750
White	1,983	–	–	–	–	9	37	137	382	558	559	301	1,724	–	–	–	–	1	12	35	140	340	550	646
All other	467	–	–	–	1	6	15	42	102	126	119	55	411	–	–	–	–	3	2	25	43	109	125	104
Black	454	–	–	–	1	6	13	38	102	123	116	54	402	–	–	–	–	3	2	25	41	108	121	102
Other diseases of endocardium (424)	75	–	–	–	1	–	6	6	11	11	26	14	91	–	–	–	–	1	2	4	5	17	33	29
White	57	–	–	–	1	–	3	4	8	7	22	12	79	–	–	–	–	1	2	3	3	13	30	27
All other	18	–	–	–	–	–	3	2	3	4	4	2	12	–	–	–	–	–	–	1	2	4	3	2
Black	16	–	–	–	–	–	2	2	3	4	3	2	12	–	–	–	–	–	–	1	2	4	3	2
All other forms of heart disease (415-423,425-429)	1,964	11	2	4	19	30	50	147	338	525	547	291	2,146	9	1	2	8	13	29	63	183	382	717	739
White	1,415	7	1	2	12	13	27	95	234	372	414	238	1,628	5	–	1	5	7	12	38	122	277	538	625
All other	549	4	1	2	7	17	23	52	104	153	133	53	518	4	1	1	3	6	17	27	61	105	179	114
Black	539	4	1	2	7	15	22	51	103	151	131	52	499	4	1	1	3	6	16	25	57	102	173	111
Hypertension with or without renal disease (401,403)	109	–	–	–	–	–	2	8	20	39	28	12	138	–	–	–	–	–	1	7	20	42	43	25
White	62	–	–	–	–	–	–	3	7	25	18	9	77	–	–	–	–	–	–	–	8	25	25	19
All other	47	–	–	–	–	–	2	5	13	14	10	3	61	–	–	–	–	–	1	7	12	17	18	6
Black	47	–	–	–	–	–	2	5	13	14	10	3	61	–	–	–	–	–	1	7	12	17	18	6
Cerebrovascular diseases (430-438)	1,928	5	1	2	6	17	42	113	266	547	600	329	2,683	–	–	1	9	10	34	83	214	546	911	855
White	1,359	4	1	2	4	5	17	69	151	366	466	274	1,989	–	–	1	4	6	17	49	125	353	698	736
All other	569	1	–	–	2	12	25	44	115	181	134	55	674	–	–	–	5	4	17	34	89	193	213	119
Black	550	1	–	–	2	11	24	43	108	176	131	54	658	–	–	–	5	4	17	32	88	188	208	116
Intracerebral and other intracranial hemorrhage (431-432)	242	3	1	–	2	13	17	43	43	63	40	17	274	–	–	–	3	3	9	28	57	57	68	49
White	161	3	1	–	1	5	3	20	29	50	35	14	193	–	–	–	–	2	3	16	34	41	56	41
All other	81	–	–	–	1	8	14	23	14	13	5	3	81	–	–	–	3	1	6	12	23	16	12	8
Black	76	–	–	–	1	7	14	22	12	12	5	3	80	–	–	–	3	1	6	12	22	16	12	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	318	–	–	–	–	1	4	16	50	96	98	54	478	–	–	–	1	–	2	6	30	94	177	168
White	231	–	–	–	–	–	1	9	29	68	74	50	360	–	–	–	1	–	1	3	15	59	136	145
All other	88	–	–	–	–	1	3	7	21	28	24	4	118	–	–	–	–	–	1	3	15	35	41	23
Black	84	–	–	–	–	1	3	7	18	27	24	4	110	–	–	–	–	–	1	1	15	33	39	21

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	1	-	11	-	-	-	-	-	-	-	2	5	3	1
White	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	2	2	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,364	2	-	2	4	3	21	54	173	386	461	258	1,900	-	-	1	5	7	23	49	125	390	663	637
White	965	1	-	2	3	-	13	40	93	247	356	210	1,429	-	-	1	3	4	13	30	74	251	504	549
All other	399	1	-	-	1	3	8	14	80	139	105	48	471	-	-	-	2	3	10	19	51	139	159	88
Black	389	1	-	-	1	3	7	14	78	136	102	47	464	-	-	-	2	3	10	19	51	136	156	87
Atherosclerosis (440)	225	-	-	-	-	-	1	6	19	51	85	63	295	-	-	-	-	-	-	1	13	28	98	155
White	165	-	-	-	-	-	1	3	13	33	67	48	230	-	-	-	-	-	-	1	9	20	77	131
All other	60	-	-	-	-	-	-	3	6	18	18	15	57	-	-	-	-	-	-	-	4	8	21	24
Black	55	-	-	-	-	-	-	2	6	18	17	12	55	-	-	-	-	-	-	-	4	8	20	23
Other diseases of arteries, arterioles, and capillaries (441-448)	264	-	-	-	-	2	4	13	52	112	67	14	158	-	-	-	-	3	6	3	18	49	45	34
White	224	-	-	-	-	2	2	9	41	94	63	13	120	-	-	-	-	-	3	3	13	39	34	26
All other	40	-	-	-	-	-	2	4	11	18	4	1	38	-	-	-	-	3	3	-	5	10	11	6
Black	38	-	-	-	-	-	1	4	10	18	4	1	37	-	-	-	-	3	3	-	5	10	10	6
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	1	-	-	-	-	-	6	1	-	-	-	-	1	-	1	-	4	1
White	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	-	1	-	-	-	4	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	659	11	4	1	3	7	16	40	81	148	191	151	538	3	3	1	3	10	5	17	37	77	189	213
White	491	5	2	-	3	3	6	19	50	113	159	131	421	2	1	-	3	1	3	10	22	59	134	186
All other	162	6	2	1	-	4	10	21	31	35	32	20	117	1	2	1	-	9	2	7	15	18	35	27
Black	156	5	2	1	-	4	10	21	30	33	31	19	113	1	2	1	-	9	2	7	14	16	35	26
Pneumonia (480-486)	647	11	4	1	3	7	16	39	79	147	189	151	528	3	3	1	3	10	5	17	37	76	184	209
White	487	5	2	-	3	3	6	18	49	112	158	131	411	2	1	-	3	1	3	10	22	56	129	182
All other	160	6	2	1	-	4	10	21	30	35	31	20	117	1	2	1	-	9	2	7	15	18	35	27
Black	155	5	2	1	-	4	10	21	29	33	31	19	113	1	2	1	-	9	2	7	14	16	35	26
Influenza (487)	6	-	-	-	-	-	-	1	2	1	2	-	10	-	-	-	-	-	-	-	-	1	5	4
White	4	-	-	-	-	-	-	1	1	1	1	-	10	-	-	-	-	-	-	-	-	1	5	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	920	1	-	1	1	3	3	40	187	354	263	67	439	2	-	1	4	7	6	30	82	140	112	55
White	798	1	-	-	-	2	3	35	158	295	244	60	386	-	-	-	2	5	2	27	69	126	103	52
All other	122	-	-	1	1	1	-	5	29	59	19	7	53	2	-	1	2	2	4	3	13	14	9	3
Black	121	-	-	1	1	1	-	5	28	59	19	7	50	2	-	1	2	2	4	3	12	14	8	2
Bronchitis, chronic and unspecified (490-491)	50	1	-	-	-	-	-	4	8	17	17	5	25	1	-	-	-	-	1	1	2	4	9	7
White	43	1	-	-	-	-	-	4	5	15	13	5	23	-	-	-	-	-	1	1	2	4	9	6
All other	7	-	-	-	-	-	-	-	1	2	4	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	7	-	-	-	-	-	-	-	1	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	189	-	-	-	-	1	-	6	37	89	45	11	58	-	-	-	-	-	-	8	15	17	11	7
White	169	-	-	-	-	-	-	5	34	79	41	10	52	-	-	-	-	-	-	8	13	14	10	7
All other	20	-	-	-	-	1	-	1	3	10	4	1	6	-	-	-	-	-	-	-	2	3	1	-
Black	20	-	-	-	-	1	-	1	3	10	4	1	6	-	-	-	-	-	-	-	2	3	1	-
Asthma (493)	40	-	-	1	1	1	-	7	9	12	6	3	72	1	-	1	4	6	3	10	16	15	10	6
White	27	-	-	-	-	1	-	6	4	8	5	3	50	-	-	-	2	4	-	7	13	11	8	5
All other	13	-	-	1	1	-	-	1	5	4	1	-	22	1	-	1	2	2	3	3	3	4	2	1
Black	13	-	-	1	1	-	-	1	5	4	1	-	21	1	-	1	2	2	3	3	2	4	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	641	-	-	-	-	1	3	23	135	236	195	48	284	-	-	-	-	1	2	11	49	104	82	35
White	559	-	-	-	-	1	3	20	115	183	185	42	261	-	-	-	-	1	1	11	41	97	76	34
All other	82	-	-	-	-	-	-	3	20	43	10	6	23	-	-	-	-	-	1	-	8	7	6	1
Black	81	-	-	-	-	-	-	3	19	43	10	6	22	-	-	-	-	-	1	-	8	7	5	1
Ulcer of stomach and duodenum (531-539)	73	2	-	-	1	-	1	6	14	18	22	9	75	1	-	1	-	1	1	4	12	11	28	16
White	56	1	-	-	1	-	-	4	11	13	20	6	63	-	-	1	-	1	1	4	10	9	23	14
All other	17	1	-	-	-	-	1	2	3	5	2	3	12	1	-	-	-	-	-	-	2	2	5	2
Black	17	1	-	-	-	-	1	2	3	5	2	3	12	1	-	-	-	-	-	-	2	2	5	2
Appendicitis (540-543)	7	-	-	1	-	-	-	-	-	3	2	1	5	-	-	-	-	-	1	-	-	2	-	2
White	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	1	-	-	-	-	1
All other	4	-	-	1	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	4	-	-	1	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	2	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	5	-	-	-	1	3	4	5	14	8	7	69	2	-	-	-	-	2	2	2	15	25	21
White	31	2	-	-	-	-	3	2	2	11	6	5	50	1	-	-	-	-	2	1	2	8	18	18
All other	16	3	-	-	-	1	-	2	3	3	2	2	19	1	-	-	-	-	-	1	-	7	7	3
Black	16	3	-	-	-	1	-	2	3	3	2	2	19	1	-	-	-	-	-	1	-	7	7	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	393	–	–	–	–	18	58	111	110	70	19	6	218	–	–	1	1	10	25	37	66	51	25	2
White	299	–	–	–	–	13	32	90	87	55	17	5	151	–	–	–	1	3	10	25	49	40	21	2
All other	94	–	–	–	–	6	26	21	23	15	2	1	67	–	–	1	–	7	15	12	17	11	4	–
Black	86	–	–	–	–	5	24	17	23	14	2	1	66	–	–	1	–	7	14	12	17	11	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	32	–	–	1	–	1	–	3	3	8	10	6	49	–	–	–	–	1	1	2	5	14	12	14
White	30	–	–	1	–	1	–	3	3	7	9	6	38	–	–	–	–	–	1	2	3	12	8	12
All other	2	–	–	–	–	–	–	–	–	1	1	–	11	–	–	–	–	1	–	–	2	2	4	2
Black	2	–	–	–	–	–	–	–	–	1	1	–	11	–	–	–	–	1	–	–	2	2	4	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	249	4	–	1	2	2	6	15	42	72	57	46	265	4	–	–	–	5	9	9	32	58	74	74
White	148	1	–	1	1	2	3	6	21	44	39	30	152	2	–	–	–	2	5	5	13	28	50	47
All other	101	3	–	–	1	–	5	9	21	28	18	16	113	2	–	–	–	3	4	4	19	30	24	27
Black	100	3	–	–	1	–	5	9	21	28	17	16	111	2	–	–	–	3	4	4	18	29	24	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	3	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	–	–	–	–	1	1	1	3	10	4	6	45	1	–	–	–	1	1	1	6	7	10	18
White	19	–	–	–	–	1	–	–	1	8	4	5	21	–	–	–	–	–	–	–	3	2	6	10
All other	7	–	–	–	–	–	1	1	2	2	–	1	24	1	–	–	–	1	1	1	3	5	4	8
Black	7	–	–	–	–	–	1	1	2	2	–	1	23	1	–	–	–	1	1	1	3	4	4	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	220	4	–	1	2	1	7	14	38	61	53	39	219	3	–	–	–	4	8	8	26	51	63	56
White	126	1	–	1	1	1	3	6	18	35	35	24	130	2	–	–	–	2	5	5	10	26	43	37
All other	94	3	–	–	1	–	4	8	19	26	18	15	89	1	–	–	–	2	3	3	16	25	20	19
Black	93	3	–	–	1	–	4	8	19	26	17	15	88	1	–	–	–	2	3	3	15	25	20	19
Infections of kidney (590)	22	1	–	–	–	–	–	3	2	4	7	5	53	–	–	–	1	–	–	4	4	12	19	13
White	15	–	–	–	–	–	–	–	1	3	6	5	43	–	–	–	–	–	–	3	2	9	16	13
All other	7	1	–	–	–	–	–	3	1	1	1	–	10	–	–	–	1	–	–	1	2	3	3	–
Black	7	1	–	–	–	–	–	3	1	1	1	–	10	–	–	–	1	–	–	1	2	3	3	–
Hyperplasia of prostate (600)	12	–	–	–	–	–	–	–	–	3	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	11	–	–	–	–	–	–	–	–	2	5	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	1	3	3	3	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	1	2	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	1	3	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	1	2	2	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	–	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	–	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	1	1	3	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	1	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	1	1	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	1	1	2	1	–	...	...	...	...
Congenital anomalies (740-759)	192	136	14	4	9	5	5	5	10	4	–	–	144	100	8	4	6	7	5	5	3	3	3	–
White	129	92	6	4	6	2	4	5	9	1	–	–	102	67	7	4	4	3	5	5	1	3	3	–
All other	63	44	8	–	3	3	1	–	1	3	–	–	42	33	1	–	2	4	–	–	2	–	–	–
Black	60	41	8	–	3	3	1	–	1	3	–	–	39	31	1	–	2	3	–	–	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	323	320	3	–	–	–	–	–	–	–	–	–	281	281	–	–	–	–	–	–	–	–	–	–
White	150	149	1	–	–	–	–	–	–	–	–	–	137	137	–	–	–	–	–	–	–	–	–	–
All other	173	171	2	–	–	–	–	–	–	–	–	–	144	144	–	–	–	–	–	–	–	–	–	–
Black	169	167	2	–	–	–	–	–	–	–	–	–	143	143	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	94	93	1	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
White	48	48	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
All other	46	45	1	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Black	42	41	1	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	229	227	2	–	–	–	–	–	–	–	–	–	224	224	–	–	–	–	–	–	–	–	–	–
White	102	101	1	–	–	–	–	–	–	–	–	–	107	107	–	–	–	–	–	–	–	–	–	–
All other	127	126	1	–	–	–	–	–	–	–	–	–	117	117	–	–	–	–	–	–	–	–	–	–
Black	127	126	1	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	189	94	1	–	2	9	9	18	12	19	14	10	176	54	–	–	6	6	10	8	12	15	25	39
White	115	53	–	–	–	7	3	11	7	14	12	7	113	26	–	–	5	2	5	6	6	11	17	35
All other	74	41	1	–	2	2	6	7	5	5	2	3	63	28	–	–	1	4	5	2	6	4	8	4
Black	71	38	1	–	2	2	6	7	5	5	2	3	57	24	–	–	1	4	5	2	5	4	7	4
All other diseases (Residual)	1,700	23	11	17	31	56	115	199	300	409	389	169	1,651	29	9	13	20	39	55	105	201	390	477	373
White	1,182	19	5	12	23	26	48	137	186	296	293	137	1,246	17	7	10	12	17	26	56	150	249	385	317
All other	518	4	6	5	8	30	67	62	114	113	76	32	405	12	2	3	8	22	29	49	51	81	92	56
Black	503	4	5	5	8	30	65	61	109	110	74	31	396	10	2	2	8	21	29	48	51	79	91	55
Accidents and adverse effects (E800-E949)	1,954	15	45	94	475	378	208	203	188	171	109	58	780	10	33	49	115	84	61	65	70	91	110	92
White	1,389	9	23	61	379	255	140	138	127	120	85	52	579	4	20	26	95	63	45	48	46	68	83	81
All other	565	6	22	33	96	123	68	65	71	51	24	6	201	6	13	23	20	21	16	17	24	23	27	11
Black	535	6	21	31	91	115	66	62	67	48	22	6	185	5	12	20	19	16	15	14	24	23	26	11
Motor vehicle accidents (E810-E825)	1,005	1	17	52	349	224	115	81	71	49	37	9	359	2	15	32	101	57	34	34	22	36	20	6
White	747	–	12	34	263	158	79	58	48	36	31	8	279	2	10	18	85	44	28	28	15	28	16	5
All other	258	1	5	18	86	66	36	23	23	13	6	1	80	–	5	14	16	13	6	6	7	8	4	1
Black	240	1	5	16	84	60	34	21	20	12	6	1	67	–	5	11	15	9	5	3	7	8	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	949	14	28	42	126	154	93	122	127	122	72	49	421	8	18	17	14	27	27	31	48	55	90	86
White	642	9	11	27	96	97	61	80	79	84	54	44	300	2	10	8	10	18	17	20	31	40	67	76
All other	307	5	17	15	30	57	32	42	48	38	18	5	121	6	8	9	4	8	10	11	17	15	23	10
Black	295	5	16	15	27	55	32	41	47	36	16	5	118	5	7	9	4	7	10	11	17	15	23	10
Suicide (E950-E959)	626	...	...	2	116	131	90	100	83	67	28	9	173	...	...	–	29	28	33	28	36	13	8	–
White	563	...	...	2	96	111	85	95	77	61	27	9	154	...	...	–	27	22	27	25	35	12	6	–
All other	63	...	...	–	20	20	5	5	6	6	1	–	19	...	...	–	2	4	6	3	1	1	2	–
Black	57	...	...	–	17	18	5	5	6	6	–	–	16	...	...	–	2	3	5	3	1	1	1	–
Homicide and legal intervention (E960-E978)	481	7	6	3	97	154	88	57	39	21	6	3	150	1	6	4	30	42	32	13	10	2	6	4
White	203	2	1	3	43	48	39	26	25	10	2	3	74	–	1	2	13	18	17	8	6	1	4	4
All other	278	5	5	–	54	105	49	31	14	11	4	–	76	1	5	2	17	24	15	5	4	1	2	–
Black	266	5	5	–	52	101	49	28	12	10	4	–	74	1	5	2	17	23	14	5	4	1	2	–
All other external causes (E980-E999)	38	3	–	–	4	8	10	5	5	2	–	–	12	1	–	–	–	1	3	5	–	1	1	–
White	21	1	–	–	4	5	4	3	3	–	–	–	8	–	–	–	–	–	3	4	–	1	–	–
All other	17	2	–	–	–	3	6	2	2	2	–	–	4	1	–	–	–	1	–	1	–	–	1	–
Black	17	2	–	–	–	3	6	2	2	2	–	–	4	1	–	–	–	1	–	1	–	–	1	–
NORTH DAKOTA																								
All causes	3,068	78	18	14	114	69	77	149	363	767	868	551	2,322	56	19	9	28	17	34	80	225	422	697	746
White	2,967	63	15	14	105	64	70	138	352	750	850	546	2,253	50	7	8	24	15	30	75	212	410	684	738
All other	101	15	3	–	9	5	7	11	11	17	18	5	69	6	3	1	2	2	4	5	13	12	13	8
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	13	1	-	-	-	1	1	-	2	2	1	5	6	-	1	-	1	-	-	-	-	1	2	1
White	13	1	-	-	-	1	1	-	2	2	1	5	6	-	1	-	1	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (080-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	-	-	-	-	-	-	-	3	-	1	-	7	-	-	-	-	-	1	-	-	-	5	1
White	4	-	-	-	-	-	-	-	3	-	1	-	7	-	-	-	-	-	1	-	-	-	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	647	-	2	1	2	3	10	31	121	208	192	77	520	-	2	1	1	2	15	42	107	130	138	82
White	635	-	2	1	2	3	10	30	118	204	189	76	509	-	2	1	1	2	13	40	104	130	134	82
All other	12	-	-	-	-	-	-	1	3	4	3	1	11	-	-	-	-	-	2	2	3	-	4	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	-	-	-	-	-	-	-	4	-	3	-	7	-	-	-	-	-	1	-	3	-	3	-
White	6	-	-	-	-	-	-	-	3	-	3	-	6	-	-	-	-	-	1	-	3	-	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	189	-	1	-	-	-	1	9	42	57	55	24	169	-	-	-	-	-	4	9	24	34	60	38
White	181	-	1	-	-	-	1	8	41	55	52	23	168	-	-	-	-	-	4	8	24	34	60	38
All other	8	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	173	-	-	-	-	-	4	14	41	69	36	9	57	-	-	-	-	1	1	11	15	20	5	4
White	170	-	-	-	-	-	4	14	40	67	36	9	56	-	-	-	-	1	1	11	14	20	5	4
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	97	-	-	-	-	-	3	13	24	27	25	5
White	-	-	-	-	-	-	-	-	-	-	-	-	96	-	-	-	-	-	3	13	23	27	25	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	114	-	-	-	-	1	-	-	10	41	44	18	57	-	-	-	-	-	3	5	19	15	12	3
White	114	-	-	-	-	1	-	-	10	41	44	18	53	-	-	-	-	-	3	4	18	15	10	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	46	-	-	-	-	-	-	1	7	8	23	7	22	-	-	-	-	-	-	-	6	4	7	5
White	46	-	-	-	-	-	-	1	7	8	23	7	22	-	-	-	-	-	-	-	6	4	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57	-	-	-	1	1	5	3	9	20	11	7	65	-	2	1	1	1	1	3	13	15	13	15
White	57	-	-	-	1	1	5	3	9	20	11	7	63	-	2	1	1	1	-	3	13	15	12	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	28	-	1	1	-	-	-	-	4	6	9	7	16	-	-	-	-	-	1	1	1	6	3	4
White	28	-	1	1	-	-	-	-	4	6	9	7	16	-	-	-	-	-	1	1	1	6	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	33	-	-	-	1	1	-	4	4	7	11	5	30	-	-	-	-	-	1	-	2	9	10	8
White	33	-	-	-	1	1	-	4	4	7	11	5	29	-	-	-	-	-	-	-	2	9	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	-	-	-	1	5	-	2	9	-	-	-	-	-	-	1	2	1	4	1
White	7	-	-	-	-	-	-	-	-	5	-	2	9	-	-	-	-	-	-	1	2	1	4	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	44	-	-	-	-	2	1	1	3	11	19	7	56	-	-	-	-	1	1	1	4	12	20	17
White	41	-	-	-	-	2	1	1	3	10	17	7	53	-	-	-	-	1	1	1	3	11	19	17
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	1	3	5	-	-	-	-	-	-	-	-	-	1	4
White	4	-	-	-	-	-	-	-	-	-	1	3	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	1	-	3	2	6	-	-	-	-	-	-	-	-	-	3	3
White	6	-	-	-	-	-	-	-	1	-	3	2	6	-	-	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,504	5	-	-	2	5	15	67	158	419	502	331	1,191	1	-	-	5	2	3	17	67	204	413	479
White	1,472	3	-	-	2	3	14	60	156	410	495	329	1,169	1	-	-	5	1	3	15	63	198	409	474
All other	32	2	-	-	-	2	1	7	2	9	7	2	22	-	-	-	-	1	-	2	4	6	4	5
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,184	3	-	-	2	4	11	63	137	347	385	232	845	1	-	-	5	1	2	13	52	159	282	330
White	1,160	2	-	-	2	3	10	57	135	339	381	231	830	1	-	-	5	1	2	11	50	153	280	327
All other	24	1	-	-	-	1	1	6	2	8	4	1	15	-	-	-	-	-	-	2	2	6	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	-	-	1	2	5	-	7	-	-	-	1	-	1	1	-	3	-	1
White	7	-	-	-	-	-	-	-	1	1	5	-	7	-	-	-	1	-	1	1	-	3	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	20	-	-	-	-	-	-	1	1	7	8	3	15	-	-	-	-	-	-	-	-	6	4	5
White	20	-	-	-	-	-	-	1	1	7	8	3	15	-	-	-	-	-	-	-	-	6	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	3
White	4	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	899	-	-	-	1	2	7	51	117	278	280	163	615	-	-	-	-	-	1	8	39	118	211	238
White	885	-	-	-	1	1	7	46	116	273	278	163	601	-	-	-	-	-	1	6	37	112	209	236
All other	14	-	-	-	-	1	-	5	1	5	2	-	14	-	-	-	-	-	-	2	2	6	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	584	-	-	-	-	1	5	41	92	197	169	79	325	-	-	-	-	-	1	6	33	78	113	94
White	571	-	-	-	-	-	5	36	91	193	167	79	320	-	-	-	-	-	1	5	32	75	113	94
All other	13	-	-	-	-	1	-	5	1	4	2	-	5	-	-	-	-	-	-	1	1	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	1	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	1	1	1
White	6	-	-	-	-	1	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	309	-	-	-	1	-	2	10	25	78	111	82	287	-	-	-	-	-	-	2	6	39	97	143
White	308	-	-	-	1	-	2	10	25	77	111	82	278	-	-	-	-	-	-	1	5	36	95	141
All other	1	-	-	-	-	-	-	-	-	1	-	-	9	-	-	-	-	-	-	1	1	3	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	12	1	-	-	-	-	-	-	-	5	4	2	14	-	-	-	-	-	-	-	-	5	7	2
White	12	1	-	-	-	-	-	-	-	5	4	2	14	-	-	-	-	-	-	-	-	5	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	241	2	-	-	1	2	4	11	18	55	87	61	191	1	-	-	4	1	-	4	13	27	60	81
White	232	1	-	-	1	2	3	10	17	53	85	60	190	1	-	-	4	1	-	4	13	27	60	80
All other	9	1	-	-	-	-	1	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	10	-	-	-	-	-	-	1	-	2	3	4	12	-	-	-	-	-	-	1	-	1	5	4
White	9	-	-	-	-	-	-	-	-	2	3	4	12	-	-	-	-	-	-	1	-	1	6	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	216	1	-	-	-	1	4	3	13	47	84	63	266	-	-	-	-	1	1	3	12	35	107	107
White	209	-	-	-	-	-	4	3	13	46	81	62	259	-	-	-	-	-	1	3	10	35	105	105
All other	7	1	-	-	-	1	-	-	-	1	3	1	7	-	-	-	-	1	-	-	2	-	2	2
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	29	-	-	-	-	-	1	1	3	9	12	3	30	-	-	-	-	1	-	1	4	8	7	9
White	29	-	-	-	-	-	1	1	3	9	12	3	29	-	-	-	-	-	-	1	4	8	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	1	-	-	3	5	15	7	44	-	-	-	-	-	1	-	2	4	19	18
White	28	-	-	-	-	-	-	-	3	5	13	7	43	-	-	-	-	-	1	-	1	4	19	18
All other	3	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	155	1	-	-	-	-	3	2	6	33	57	53	191	-	-	-	-	-	-	2	6	23	80	80
White	151	-	-	-	-	-	3	2	6	32	56	52	186	-	-	-	-	-	-	2	5	23	78	78
All other	4	1	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	1	-	2	2
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	48	-	-	-	-	-	-	-	2	8	13	25	45	-	-	-	-	-	-	-	-	5	8	32
White	48	-	-	-	-	-	-	-	2	8	13	25	45	-	-	-	-	-	-	-	-	5	8	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	46	1	-	-	-	-	-	-	6	15	17	7	23	-	-	-	-	-	-	-	3	4	10	6
White	46	1	-	-	-	-	-	-	6	15	17	7	23	-	-	-	-	-	-	-	3	4	10	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	89	-	-	-	-	2	3	1	3	16	25	38	86	2	-	-	-	1	-	-	2	6	18	57
White	85	-	-	-	-	2	2	1	3	16	24	37	83	2	-	-	-	1	-	-	2	5	17	56
All other	3	-	-	-	-	-	1	-	-	-	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	84	–	–	–	–	2	3	1	3	16	25	34	81	2	–	–	–	1	–	–	2	5	18	53
White	81	–	–	–	–	2	2	1	3	16	24	33	78	2	–	–	–	1	–	–	2	4	17	52
All other	3	–	–	–	–	–	1	–	–	–	1	1	3	–	–	–	–	–	–	–	–	1	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	4	–	–	–	–	–	–	–	–	–	–	4	5	–	–	–	–	–	–	–	–	1	–	4
White	4	–	–	–	–	–	–	–	–	–	–	4	5	–	–	–	–	–	–	–	–	1	–	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	94	–	–	1	1	–	–	3	12	24	36	17	28	–	–	–	–	–	–	1	4	10	9	4
White	90	–	–	1	1	–	–	3	11	24	33	17	27	–	–	–	–	–	–	1	4	9	9	4
All other	4	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	–	1
White	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	20	–	–	–	–	–	–	–	4	8	4	4	5	–	–	–	–	–	–	1	1	2	–	1
White	20	–	–	–	–	–	–	–	4	8	4	4	5	–	–	–	–	–	–	1	1	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	6	–	–	1	–	–	–	–	2	2	1	–	3	–	–	–	–	–	–	–	–	2	1	–
White	5	–	–	1	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	–	–	2	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65	–	–	–	1	–	–	3	6	14	28	13	18	–	–	–	–	–	–	–	3	5	8	2
White	62	–	–	–	1	–	–	3	6	14	25	13	17	–	–	–	–	–	–	–	3	4	8	2
All other	3	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	5	–	–	–	–	–	–	–	1	3	–	1	9	–	–	–	–	–	–	–	2	–	5	2
White	5	–	–	–	–	–	–	–	1	3	–	1	8	–	–	–	–	–	–	–	1	–	5	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	2	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	–	–	–	–	–	–	–	2	–	2	2	8	–	–	–	–	–	–	–	1	2	3	2
White	6	–	–	–	–	–	–	–	2	–	2	2	7	–	–	–	–	–	–	–	1	2	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	25	–	–	–	–	1	2	9	8	4	1	–	25	–	–	–	–	–	1	7	6	3	8	–
White	23	–	–	–	–	1	2	7	8	4	1	–	22	–	–	–	–	–	–	6	6	3	7	–
All other	2	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	7	–	–	–	–	–	–	–	1	2	2	2	3	–	–	–	–	–	–	–	–	–	1	2
White	6	–	–	–	–	–	–	–	–	2	2	2	3	–	–	–	–	–	–	–	–	–	1	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	–	–	–	–	–	1	1	2	8	8	15	29	1	–	–	–	–	–	–	3	4	13	8
White	32	–	–	–	–	–	1	1	2	6	7	15	28	1	–	–	–	–	–	–	2	4	13	8
All other	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	–	–	–	–	–	1	1	2	7	8	14	28	1	–	–	–	–	–	–	3	4	12	8
White	31	–	–	–	–	–	1	1	2	6	7	14	27	1	–	–	–	–	–	–	2	4	12	8
All other	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	3	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	–	3	–
White	3	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	–	3	–	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	–	3	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	17	14	2	–	–	1	–	–	–	–	–	–	18	10	1	–	–	1	1	–	2	1	–	2
White	15	12	2	–	–	1	–	–	–	–	–	–	17	9	1	–	–	1	1	–	2	1	–	2
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	35	35	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
White	31	31	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
White	10	10	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	23	23	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
White	21	21	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	35	14	1	–	–	1	1	1	2	4	6	5	28	9	–	–	1	–	1	–	–	2	1	14
White	28	8	1	–	–	1	–	1	2	4	6	5	24	5	–	–	1	–	1	–	–	2	1	14
All other	7	6	–	–	–	–	1	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	159	6	3	1	2	4	10	6	18	39	41	29	158	2	1	5	2	3	6	5	14	32	41	47
White	152	6	3	1	2	3	8	6	16	39	40	28	150	2	1	4	2	3	5	5	12	30	40	46
All other	7	–	–	–	–	1	2	–	2	–	1	1	8	–	–	1	–	–	1	–	2	2	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E848)	244	3	10	9	83	35	21	25	14	16	16	12	80	–	5	3	14	4	3	4	8	13	8	18
White	226	2	7	9	74	34	19	25	13	15	16	12	74	–	2	3	13	4	3	4	7	12	8	18
All other	18	1	3	–	9	1	2	–	1	1	–	–	6	–	3	–	1	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	121	–	1	3	64	18	11	10	5	4	4	1	37	–	3	2	11	3	3	2	2	8	3	–
White	111	–	1	3	58	17	10	10	4	3	4	1	34	–	1	2	10	3	3	2	2	8	3	–
All other	10	–	–	–	6	1	1	–	1	1	–	–	3	–	2	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E828-E949)	123	3	9	6	19	17	10	15	9	12	12	11	43	–	2	1	3	1	–	2	6	5	5	18
White	115	2	6	6	16	17	9	15	9	12	12	11	40	–	1	1	3	1	–	2	5	4	5	18
All other	8	1	3	–	3	–	1	–	–	–	–	–	3	–	1	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	68	...	...	2	22	14	10	2	6	5	6	1	5	...	...	–	1	–	1	1	2	–	–	–
White	67	...	...	2	22	13	10	2	6	5	6	1	5	...	...	–	1	–	1	1	2	–	–	–
All other	1	...	...	–	–	1	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	3	–	–	–	2	–	–	1	–	–	–	–	4	–	–	–	–	2	1	1	–	–	–	–
White	3	–	–	–	2	–	–	1	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	4	–	–	–	–	–	1	1	–	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–
White	3	–	–	–	–	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OHIO																								
All causes	49,729	1,052	183	278	1,289	1,340	1,444	3,712	8,949	13,431	11,852	6,194	44,744	843	150	163	461	585	881	2,280	5,497	9,324	12,986	11,588
White	44,379	796	140	235	1,106	1,054	1,173	3,066	7,681	12,204	10,902	5,820	40,372	645	111	123	373	455	709	1,841	4,764	8,375	11,961	11,012
All other	5,350	256	43	43	183	286	271	646	1,068	1,227	950	374	4,372	198	39	40	88	130	172	439	733	949	1,005	576
Black	5,277	250	41	41	179	284	267	633	1,055	1,215	940	369	4,317	189	38	38	87	130	169	433	729	938	996	571
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	8	2	–	–	–	–	–	–	1	1	2	2	11	2	–	–	–	–	–	–	–	3	4	2
White	7	2	–	–	–	–	–	–	1	–	2	2	11	2	–	–	–	–	–	–	–	3	4	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	34	–	–	–	–	–	1	6	8	9	7	3	18	–	–	–	–	1	1	3	2	2	4	5
White	25	–	–	–	–	–	–	4	6	7	7	1	12	–	–	–	–	–	1	2	1	–	4	4
All other	9	–	–	–	–	–	1	2	2	2	–	2	6	–	–	–	–	1	–	1	1	2	–	1
Black	9	–	–	–	–	–	1	2	2	2	–	2	6	–	–	–	–	1	–	1	1	2	–	1
Tuberculosis of respiratory system (010-012)	31	–	–	–	–	–	1	5	8	9	5	3	13	–	–	–	–	1	1	2	2	2	3	2
White	23	–	–	–	–	–	–	4	6	7	5	1	8	–	–	–	–	–	1	2	1	–	3	1
All other	8	–	–	–	–	–	1	1	2	2	–	2	5	–	–	–	–	1	–	–	1	2	–	1
Black	8	–	–	–	–	–	1	1	2	2	–	2	5	–	–	–	–	1	–	–	1	2	–	1
Other tuberculosis (013-018)	3	–	–	–	–	–	–	1	–	–	2	–	5	–	–	–	–	–	–	1	–	–	1	3
White	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	1	3
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	11	3	6	–	1	–	–	–	–	–	1	–	6	2	–	–	1	1	1	–	–	1	–	–
White	8	2	5	–	1	–	–	–	–	–	1	–	5	2	–	–	1	1	1	–	–	1	–	–
All other	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Septicemia (038)	258	7	5	1	2	3	5	14	43	58	69	51	280	5	3	–	2	7	8	13	24	65	67	85
White	212	6	4	1	1	3	2	10	36	46	62	41	243	5	1	–	1	5	6	7	18	60	59	80
All other	46	1	1	–	1	–	3	4	7	12	7	10	37	–	2	–	1	2	2	6	6	5	8	5
Black	46	1	1	–	1	–	3	4	7	12	7	10	36	–	2	–	1	2	1	6	6	5	8	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	14	–	–	–	–	5	–	1	3	2	2	1	9	–	–	–	3	–	–	–	2	3	1	–
White	12	–	–	–	–	3	–	1	3	2	2	1	9	–	–	–	3	–	–	–	2	3	1	–
All other	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	1	1	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	71	1	1	1	3	10	3	10	10	19	7	6	76	2	2	2	2	2	6	7	11	16	14	12
White	57	–	1	1	3	5	2	8	9	17	5	6	69	1	1	2	2	1	4	4	10	16	11	11
All other	14	1	–	–	–	5	1	2	1	2	2	–	13	1	1	–	–	1	2	3	1	–	3	1
Black	14	1	–	–	–	5	1	2	1	2	2	–	13	1	1	–	–	1	2	3	1	–	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,563	5	9	51	75	112	269	1,006	2,840	3,807	2,579	810	9,849	–	16	29	53	129	347	1,007	2,200	2,741	2,243	1,083
White	10,223	5	7	48	68	99	231	818	2,459	3,410	2,331	747	8,852	–	13	25	41	113	301	861	1,957	2,483	2,050	1,007
All other	1,340	–	2	3	7	13	38	188	381	397	248	63	997	–	3	4	12	16	46	146	243	258	193	76
Black	1,328	–	2	3	7	13	38	183	379	396	247	60	989	–	3	4	12	16	45	146	242	255	190	76
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	298	–	–	–	–	4	11	46	95	88	44	10	105	–	–	–	2	1	2	12	31	31	19	7
White	254	–	–	–	–	3	7	32	80	82	40	10	84	–	–	–	2	1	1	8	21	28	17	6
All other	44	–	–	–	–	1	4	14	15	6	4	–	21	–	–	–	–	–	1	4	10	3	2	1
Black	44	–	–	–	–	1	4	14	15	6	4	–	21	–	–	–	–	–	1	4	10	3	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,919	–	2	1	4	19	56	223	703	976	682	247	2,666	–	–	–	5	9	30	158	445	776	800	442
White	2,549	–	2	1	3	17	48	180	593	883	620	224	2,369	–	–	–	4	7	24	134	380	686	722	411
All other	384	–	–	–	1	2	10	43	110	113	62	23	297	–	–	–	1	2	6	24	65	90	78	31
Black	360	–	–	–	1	2	10	42	110	113	62	20	295	–	–	–	1	2	6	24	65	89	77	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,374	–	–	–	1	10	65	446	1,307	1,583	782	170	1,613	–	–	–	1	5	49	222	518	512	230	76
White	3,865	–	–	–	1	8	56	358	1,138	1,417	725	162	1,444	–	–	–	1	5	37	184	463	470	215	69
All other	508	–	–	–	–	2	9	88	169	166	57	8	169	–	–	–	–	–	12	38	55	42	15	7
Black	505	–	–	–	–	2	9	86	168	165	57	8	168	–	–	–	–	–	12	38	54	41	14	7
Malignant neoplasm of breast (174-175)	15	–	–	–	–	–	–	1	1	8	3	2	1,975	–	–	–	1	36	122	298	497	483	363	175
White	14	–	–	–	–	–	–	1	1	8	2	2	1,779	–	–	–	–	27	112	250	457	437	330	166
All other	1	–	–	–	–	–	–	–	–	–	1	–	196	–	–	–	1	9	10	48	40	46	33	9
Black	1	–	–	–	–	–	–	–	–	–	1	–	195	–	–	–	1	9	10	48	40	45	33	9
Malignant neoplasms of genital organs (179-187)	1,125	–	–	–	7	11	1	11	107	340	451	197	1,160	–	–	–	4	22	59	133	282	344	235	81
White	955	–	–	–	7	11	–	7	80	295	381	174	1,046	–	–	–	3	21	52	116	252	314	216	72
All other	170	–	–	–	–	–	1	4	27	45	70	23	114	–	–	–	1	1	7	17	30	30	19	9
Black	169	–	–	–	–	–	1	4	27	45	69	23	113	–	–	–	1	1	6	17	30	30	19	9
Malignant neoplasms of urinary organs (188-189)	606	–	–	2	2	–	6	52	119	207	163	55	327	–	1	1	3	3	8	16	55	91	88	61
White	575	–	–	1	2	–	6	48	110	194	160	54	295	–	1	1	2	3	7	16	49	83	79	54
All other	31	–	–	1	–	–	–	4	9	13	3	1	32	–	–	–	1	–	1	–	6	8	9	7
Black	30	–	–	1	–	–	–	3	9	13	3	1	32	–	–	–	1	–	1	–	6	8	9	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,184	4	5	17	25	37	73	130	311	317	204	61	1,117	–	12	13	19	22	49	100	219	284	269	130
White	1,062	4	3	17	22	33	68	107	277	288	187	58	1,027	–	11	11	14	21	42	93	203	261	248	125
All other	122	–	2	–	3	4	5	23	34	31	17	3	90	–	1	2	5	1	7	7	16	23	23	5
Black	122	–	2	–	3	4	5	23	34	31	17	3	89	–	1	2	5	1	7	7	16	23	22	5
Leukemia (204-208)	444	–	2	21	22	12	28	24	68	122	110	35	365	–	3	12	12	16	10	28	48	82	103	51
White	403	–	2	20	19	10	24	22	59	114	102	31	338	–	1	10	10	15	9	25	43	75	97	51
All other	41	–	–	1	3	2	4	2	9	8	8	4	29	–	2	2	2	1	1	3	5	7	6	–
Black	40	–	–	1	3	2	4	1	9	8	8	4	29	–	2	2	2	1	1	3	5	7	6	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	604	1	–	10	14	19	29	73	129	166	130	33	521	–	–	3	6	15	18	40	105	138	136	60
White	548	1	–	9	14	17	24	63	121	151	114	32	472	–	–	3	5	13	17	36	89	129	128	53
All other	56	–	–	1	–	2	5	10	8	15	16	1	49	–	–	–	1	2	1	5	16	9	8	7
Black	57	–	–	1	–	2	5	10	7	15	16	1	49	–	–	–	1	2	1	5	16	9	8	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	121	2	2	1	2	4	2	9	18	44	25	12	154	–	–	2	4	3	–	12	28	34	48	23
White	108	2	2	1	2	4	2	8	13	38	24	12	139	–	–	2	2	3	–	9	24	34	42	23
All other	13	–	–	–	–	–	–	1	5	6	1	–	15	–	–	–	2	–	–	3	4	–	6	–
Black	13	–	–	–	–	–	–	1	5	6	1	–	14	–	–	–	2	–	–	2	4	–	6	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	838	1	1	–	2	14	26	62	168	286	197	84	1,201	–	–	1	1	10	22	45	197	332	371	222
White	727	1	1	–	2	10	23	44	141	249	180	76	1,054	–	–	1	–	7	14	38	159	296	336	203
All other	112	–	–	–	–	4	3	18	25	37	17	8	147	–	–	–	1	3	8	7	38	36	35	19
Black	112	–	–	–	–	4	3	18	25	37	17	8	146	–	–	–	1	3	8	7	38	36	35	18
Nutritional deficiencies (260-269)	50	2	–	–	–	1	–	–	4	8	17	18	87	3	1	–	1	2	1	2	4	11	24	38
White	40	2	–	–	–	1	–	–	4	5	11	17	74	3	–	–	1	2	–	1	3	10	19	35
All other	10	–	–	–	–	–	–	–	–	3	6	1	13	–	1	–	–	–	1	1	1	1	5	3
Black	9	–	–	–	–	–	–	–	–	3	5	1	13	–	1	–	–	–	1	1	1	1	5	3
Anemias (280-285)	67	–	2	1	6	4	1	3	7	12	18	13	82	–	–	1	2	3	6	3	3	14	25	25
White	52	–	1	1	2	2	–	2	5	9	18	12	63	–	–	–	1	1	4	2	1	11	21	22
All other	15	–	1	–	4	2	1	1	2	3	–	1	19	–	–	1	1	2	2	1	2	3	4	3
Black	14	–	1	–	4	2	1	1	2	2	–	1	19	–	–	1	1	2	2	1	2	3	4	3
Meningitis (320-322)	29	8	5	3	1	–	–	4	1	2	4	1	25	4	5	1	–	1	1	4	–	6	3	–
White	20	5	4	2	1	–	–	2	–	2	4	–	22	4	4	1	–	1	–	4	–	5	3	–
All other	9	3	1	1	–	–	–	2	1	–	–	1	3	–	1	–	–	–	1	–	–	1	–	–
Black	9	3	1	1	–	–	–	2	1	–	–	1	3	–	1	–	–	–	1	–	–	1	–	–
Major cardiovascular diseases (390-448)	23,976	19	9	11	44	128	467	1,678	4,216	6,798	6,695	3,910	23,756	16	8	10	32	70	150	651	2,055	4,538	6,093	8,131
White	21,953	15	7	9	35	98	398	1,420	3,803	6,251	6,208	3,708	21,748	12	6	9	22	52	113	479	1,742	4,046	7,488	7,778
All other	2,023	4	2	2	9	30	69	258	413	547	487	202	2,008	4	2	1	10	18	37	172	313	492	605	353
Black	1,992	3	2	2	9	30	67	252	406	540	480	201	1,990	4	2	1	10	18	37	170	310	488	600	349
Diseases of heart (390-398,402,404-429)	19,727	15	7	7	35	90	418	1,516	3,762	5,664	5,275	2,938	17,949	13	6	8	25	45	112	506	1,669	3,608	6,115	5,841
White	16,079	13	5	5	26	66	361	1,300	3,410	5,233	4,877	2,783	16,413	10	4	7	16	36	84	368	1,425	3,220	5,668	5,574
All other	1,648	2	2	2	9	24	57	216	352	431	398	155	1,536	3	2	1	9	9	28	138	244	388	447	267
Black	1,626	2	2	2	9	24	55	211	348	426	393	154	1,519	3	2	1	9	9	28	136	241	385	442	263
Rheumatic fever and rheumatic heart disease (390-398)	118	–	–	–	–	3	6	16	31	32	20	10	247	–	–	–	2	6	3	22	50	77	56	31
White	111	–	–	–	–	3	6	14	28	31	19	10	225	–	–	–	2	4	3	18	43	74	53	28
All other	7	–	–	–	–	–	–	2	3	1	1	–	22	–	–	–	–	2	–	4	7	3	3	3
Black	7	–	–	–	–	–	–	2	3	1	1	–	22	–	–	–	–	2	–	4	7	3	3	3
Hypertensive heart disease (402)	439	–	–	–	–	5	21	52	88	125	115	33	625	–	–	–	–	3	7	31	69	128	217	170
White	340	–	–	–	–	1	13	37	66	98	96	29	525	–	–	–	–	1	4	17	50	98	191	164
All other	99	–	–	–	–	4	8	15	22	27	19	4	100	–	–	–	–	2	3	14	19	30	26	6
Black	99	–	–	–	–	4	8	15	22	27	19	4	100	–	–	–	–	2	3	14	19	30	26	6
Hypertensive heart and renal disease (404)	73	–	–	–	1	–	–	1	6	16	26	23	131	–	–	–	1	1	1	–	4	23	45	56
White	62	–	–	–	–	–	–	–	6	13	21	22	104	–	–	–	–	1	–	–	2	15	35	51
All other	11	–	–	–	1	–	–	1	–	3	5	1	27	–	–	–	1	–	1	–	2	8	10	5
Black	11	–	–	–	1	–	–	1	–	3	5	1	27	–	–	–	1	–	1	–	2	8	10	5
Ischemic heart disease (410-414)	15,532	–	1	–	3	53	314	1,210	3,059	4,581	4,143	2,158	12,938	–	–	1	3	14	72	325	1,203	2,748	4,499	4,072
White	14,419	–	1	–	3	44	281	1,067	2,827	4,286	3,884	2,046	11,962	–	–	1	3	13	56	241	1,047	2,491	4,203	3,906
All other	1,113	–	–	–	–	9	33	143	232	295	279	112	976	–	–	–	–	1	16	84	156	257	296	166
Black	1,097	–	–	–	–	9	31	141	239	291	275	111	963	–	–	–	–	1	16	82	154	254	292	164
Acute myocardial infarction (410)	8,336	–	–	–	3	32	226	783	1,924	2,832	2,005	721	5,824	–	–	1	3	10	45	217	734	1,573	2,039	1,201
White	7,882	–	–	–	3	27	209	730	1,816	2,608	1,900	689	5,396	–	–	1	3	9	39	179	655	1,449	1,915	1,144
All other	454	–	–	–	–	5	17	53	108	124	105	32	428	–	–	–	–	1	6	38	79	124	123	57
Black	445	–	–	–	–	5	15	53	105	123	102	32	419	–	–	–	–	1	6	36	78	124	119	55
Other acute and subacute forms of ischemic heart disease (411)	68	–	–	–	–	1	1	4	23	21	14	4	47	–	–	–	–	–	–	1	4	7	16	19
White	62	–	–	–	–	1	1	3	21	20	13	3	43	–	–	–	–	–	–	1	3	5	15	19
All other	6	–	–	–	–	–	–	1	2	1	1	1	4	–	–	–	–	–	–	–	1	2	1	–
Black	6	–	–	–	–	–	–	1	2	1	1	1	4	–	–	–	–	–	–	–	1	2	1	–
Angina pectoris (413)	17	–	–	–	–	–	–	2	4	3	4	4	11	–	–	–	–	–	–	–	–	4	3	4
White	17	–	–	–	–	–	–	2	4	3	4	4	11	–	–	–	–	–	–	–	–	4	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	7,111	–	1	–	–	20	87	411	1,118	1,925	2,120	1,429	7,056	–	–	–	–	4	27	107	485	1,164	2,441	2,848
White	6,458	–	1	–	–	16	71	332	986	1,755	1,947	1,350	6,512	–	–	–	–	4	17	61	389	1,033	2,269	2,739
All other	653	–	–	–	–	4	16	79	132	170	173	79	544	–	–	–	–	–	10	46	76	131	172	109
Black	646	–	–	–	–	4	16	77	132	167	172	78	540	–	–	–	–	–	10	46	75	126	172	109
Other diseases of endocardium (424)	165	–	–	–	3	1	6	9	31	41	53	21	180	–	–	–	1	–	1	9	17	27	77	48
White	153	–	–	–	2	–	6	9	28	40	47	21	167	–	–	–	–	–	1	8	15	22	73	48
All other	12	–	–	–	1	1	–	–	3	1	6	–	13	–	–	–	1	–	–	1	2	5	4	–
Black	12	–	–	–	1	1	–	–	3	1	6	–	13	–	–	–	1	–	–	1	2	5	4	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	3,400	15	6	7	28	28	71	228	537	869	916	693	3,826	13	6	7	16	21	28	119	326	605	1,221	1,464
White	2,994	13	4	5	21	18	55	173	455	765	830	655	3,430	10	4	6	11	17	20	84	268	520	1,113	1,377
All other	406	2	2	2	7	10	16	55	82	104	88	38	396	3	2	1	7	4	8	35	58	85	108	87
Black	400	2	2	2	7	10	16	52	81	103	87	38	394	3	2	1	7	4	8	35	57	85	107	85
Hypertension with or without renal disease (401,409)	157	–	–	–	–	2	1	8	23	43	46	33	195	–	–	–	–	–	3	5	14	45	68	60
White	137	–	–	–	–	2	–	2	17	40	44	31	164	–	–	–	–	–	1	2	12	32	62	55
All other	20	–	–	–	–	–	1	6	6	3	2	2	31	–	–	–	–	–	2	3	2	13	6	5
Black	20	–	–	–	–	–	1	6	6	3	2	2	31	–	–	–	–	–	2	3	2	13	6	5
Cerebrovascular diseases (430-438)	2,917	2	1	3	8	20	43	127	286	766	980	662	4,455	3	2	1	5	21	33	130	311	727	1,566	1,655
White	2,641	2	1	3	8	23	32	93	257	672	917	633	4,096	2	2	1	5	14	28	101	252	654	1,437	1,592
All other	276	–	–	–	–	6	11	34	39	94	69	29	369	1	–	–	–	7	7	29	59	73	129	63
Black	270	–	–	–	–	6	11	33	37	93	61	29	368	1	–	–	–	7	7	29	59	72	129	63
Intracerebral and other intracranial hemorrhage (431-432)	418	1	–	3	3	12	18	51	76	111	96	47	570	3	–	1	2	4	12	44	57	139	184	124
White	354	1	–	3	3	10	10	31	65	96	92	43	502	2	–	1	2	2	8	30	46	124	168	119
All other	64	–	–	–	–	2	8	20	11	15	4	4	68	1	–	–	–	2	4	14	11	15	16	5
Black	64	–	–	–	–	2	8	20	11	15	4	4	67	1	–	–	–	2	4	14	11	14	16	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	542	–	–	–	–	3	4	16	49	155	188	127	827	–	–	–	1	2	2	9	49	114	301	349
White	489	–	–	–	–	2	3	11	43	135	174	121	768	–	–	–	1	1	2	6	39	106	276	337
All other	53	–	–	–	–	1	1	5	6	20	14	6	59	–	–	–	–	1	–	3	10	8	25	12
Black	51	–	–	–	–	1	1	5	5	19	14	6	59	–	–	–	–	1	–	3	10	8	25	12
Cerebral embolism (434.1)	17	–	–	–	–	–	–	1	4	4	6	2	27	–	–	–	–	–	–	1	2	4	13	7
White	17	–	–	–	–	–	–	1	4	4	6	2	26	–	–	–	–	–	–	1	1	4	13	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,940	1	1	–	5	14	21	59	167	498	890	486	3,031	–	2	–	2	15	19	76	203	470	1,068	1,175
White	1,781	1	1	–	5	11	19	50	145	437	645	467	2,790	–	2	–	2	11	16	64	166	420	980	1,129
All other	159	–	–	–	–	3	2	9	22	59	45	19	241	–	–	–	–	4	3	12	37	50	88	46
Black	155	–	–	–	–	3	2	8	21	59	43	19	241	–	–	–	–	4	3	12	37	50	88	46
Atherosclerosis (440)	512	1	–	–	–	1	–	3	25	90	186	206	777	–	–	–	–	–	1	2	13	55	227	479
White	473	–	–	–	–	1	–	3	23	83	169	194	746	–	–	–	–	–	1	2	13	50	213	467
All other	39	1	–	–	–	–	–	–	2	7	17	12	31	–	–	–	–	–	–	–	–	5	14	12
Black	37	–	–	–	–	–	–	–	1	7	17	12	31	–	–	–	–	–	–	–	–	5	14	12
Other diseases of arteries, arterioles, and capillaries (441-448)	663	1	1	1	1	6	5	24	110	235	208	71	380	–	–	1	2	4	1	8	48	103	117	96
White	623	–	1	1	1	6	5	22	96	223	201	67	339	–	–	1	1	2	1	6	40	90	108	90
All other	40	1	–	–	–	–	–	2	14	12	7	4	41	–	–	–	1	2	–	2	8	13	9	6
Black	39	1	–	–	–	–	–	2	14	11	7	4	41	–	–	–	1	2	–	2	8	13	9	6
Acute bronchitis and bronchiolitis (466)	13	5	–	–	1	1	–	–	1	1	2	2	14	1	–	–	–	–	–	2	–	–	5	6
White	11	3	–	–	1	1	–	–	1	1	2	2	11	1	–	–	–	–	–	1	–	–	4	5
All other	2	2	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
Black	2	2	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
Pneumonia and influenza (480-487)	957	15	9	5	11	15	12	31	88	163	309	305	978	18	4	3	1	8	7	29	47	118	273	472
White	856	13	7	2	8	9	8	23	73	143	288	282	899	11	3	3	1	5	6	24	37	102	253	454
All other	101	2	2	3	3	6	4	8	15	20	15	23	79	7	1	–	–	3	1	5	10	14	20	18
Black	99	2	2	3	2	6	4	8	15	20	14	23	78	7	1	–	–	3	1	5	10	14	19	18
Pneumonia (480-486)	951	15	8	5	11	15	11	30	88	163	300	305	967	18	4	3	1	8	7	28	46	114	271	467
White	851	13	6	2	8	9	7	22	79	143	286	282	888	11	3	3	1	5	6	23	36	100	251	449
All other	100	2	2	3	3	6	4	8	15	20	14	23	79	7	1	–	–	3	1	5	10	14	20	18
Black	98	2	2	3	2	6	4	8	15	20	13	23	78	7	1	–	–	3	1	5	10	14	19	18
Influenza (487)	6	–	1	–	–	–	1	1	–	–	3	–	11	–	–	–	–	–	–	1	1	2	2	5
White	5	–	1	–	–	–	1	1	–	–	2	–	11	–	–	–	–	–	–	1	1	2	2	5
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,944	1	–	5	8	8	5	72	287	745	618	195	1,004	1	5	2	4	–	5	63	178	347	293	105
White	1,817	1	–	3	6	6	3	64	258	699	591	186	953	–	3	1	2	–	5	58	168	333	285	100
All other	127	–	–	2	2	2	2	8	29	46	27	9	51	1	2	1	2	–	–	7	11	14	8	5
Black	125	–	–	2	2	2	2	8	28	45	27	9	50	1	2	1	2	–	–	7	11	13	8	5
Bronchitis, chronic and unspecified (490-491)	136	1	–	–	–	1	–	6	19	47	41	21	97	1	4	–	–	–	–	7	12	24	33	16
White	130	1	–	–	–	1	–	5	18	44	40	21	90	–	2	–	–	–	–	5	11	24	32	16
All other	6	–	–	–	–	–	–	1	1	3	1	–	7	1	2	–	–	–	–	2	1	–	1	–
Black	6	–	–	–	–	–	–	1	1	3	1	–	7	1	2	–	–	–	–	2	1	–	1	–
Emphysema (492)	434	–	–	–	–	1	–	19	58	184	138	34	169	–	–	–	–	–	1	12	38	63	46	9
White	417	–	–	–	–	1	–	17	55	181	132	31	163	–	–	–	–	–	1	11	35	61	46	9
All other	17	–	–	–	–	–	–	2	3	3	6	3	6	–	–	–	–	–	–	1	3	2	–	–
Black	17	–	–	–	–	–	–	2	3	3	6	3	5	–	–	–	–	–	–	1	3	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	62	-	-	5	7	3	4	5	16	15	5	-	72	-	-	1	4	-	2	12	16	15	14	8
White	50	-	-	3	5	2	2	4	15	14	5	-	65	-	-	1	2	-	2	11	14	14	14	7
All other	12	-	-	2	2	1	2	1	3	1	-	-	7	-	-	-	2	-	-	1	2	1	-	1
Black	12	-	-	2	2	1	2	1	3	1	-	-	7	-	-	-	2	-	-	1	2	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,312	-	-	-	1	3	1	42	192	499	434	140	666	-	1	1	-	-	2	32	113	245	200	72
White	1,220	-	-	-	1	2	1	38	170	460	414	134	635	-	1	-	-	-	2	29	108	234	193	68
All other	92	-	-	-	-	1	-	4	22	39	20	6	31	-	-	1	-	-	-	3	5	11	7	4
Black	90	-	-	-	-	1	-	4	21	38	20	6	31	-	-	1	-	-	-	3	5	11	7	4
Ulcer of stomach and duodenum (531-533)	147	-	-	-	1	2	3	10	23	41	49	18	143	1	-	-	-	2	2	1	16	20	52	49
White	136	-	-	-	1	2	2	9	20	38	48	17	133	1	-	-	-	2	2	1	11	18	49	49
All other	11	-	-	-	-	-	1	1	3	2	3	1	10	-	-	-	-	-	-	-	5	2	3	-
Black	11	-	-	-	-	-	1	1	3	2	3	1	10	-	-	-	-	-	-	-	5	2	3	-
Appendicitis (540-543)	20	1	1	-	-	-	1	3	3	4	4	3	18	-	1	-	1	-	-	1	2	5	3	5
White	12	1	1	-	-	-	1	2	2	2	1	2	12	-	1	-	-	-	-	1	-	4	3	3
All other	8	-	-	-	-	-	-	1	1	2	3	1	6	-	-	-	1	-	-	-	2	1	-	2
Black	8	-	-	-	-	-	-	1	1	2	3	1	6	-	-	-	1	-	-	-	2	1	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	82	3	2	-	-	-	2	2	15	16	23	19	138	-	-	-	-	1	2	8	11	24	42	52
White	68	3	1	-	-	-	2	1	12	14	18	17	127	-	-	-	-	1	1	5	9	20	39	52
All other	14	-	1	-	-	-	-	1	3	2	5	2	11	-	-	-	-	-	1	1	2	4	3	-
Black	14	-	1	-	-	-	-	1	3	2	5	2	10	-	-	-	-	-	1	1	2	3	3	-
Chronic liver disease and cirrhosis (571)	661	-	-	-	1	17	58	142	220	168	46	9	419	-	4	-	-	9	34	69	128	102	60	13
White	599	-	-	-	-	10	43	121	197	177	43	8	362	-	2	-	-	4	22	53	114	96	58	13
All other	62	-	-	-	1	7	15	21	23	11	3	1	57	-	2	-	-	5	12	16	14	6	2	-
Black	61	-	-	-	1	7	15	21	22	11	3	1	54	-	1	-	-	5	11	16	14	5	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	72	-	-	-	-	-	-	3	6	21	26	16	70	-	-	-	-	-	1	2	4	11	23	29
White	64	-	-	-	-	-	-	1	4	17	26	16	67	-	-	-	-	-	-	2	4	10	23	28
All other	8	-	-	-	-	-	-	2	2	4	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Black	8	-	-	-	-	-	-	2	2	4	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	446	10	-	-	1	2	5	15	52	127	136	98	448	2	2	1	3	5	4	12	47	112	143	117
White	378	9	-	-	1	1	2	10	44	106	115	90	379	2	2	1	2	4	3	8	33	97	119	108
All other	68	1	-	-	-	1	3	5	8	21	21	8	69	-	-	-	1	1	1	4	14	15	24	9
Black	67	1	-	-	-	1	3	5	8	20	21	8	68	-	-	-	1	1	1	3	14	15	24	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	1	2	-	8	-	1	-	-	-	-	-	-	2	4	1
White	3	-	-	-	-	-	-	-	-	1	2	-	6	-	1	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	48	-	-	-	-	-	1	2	7	14	16	8	37	-	-	-	1	-	-	-	8	7	12	9
White	42	-	-	-	-	-	-	2	6	11	15	8	33	-	-	-	1	-	-	-	6	6	11	9
All other	6	-	-	-	-	-	1	-	1	3	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	6	-	-	-	-	-	1	-	1	3	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	395	10	-	-	1	2	4	13	45	112	118	90	403	2	1	1	2	5	4	12	39	103	127	107
White	333	9	-	-	1	1	2	8	38	94	98	82	340	2	1	1	1	4	3	8	27	90	105	98
All other	62	1	-	-	-	1	2	5	7	18	20	8	63	-	-	-	1	1	1	4	12	13	22	9
Black	61	1	-	-	-	1	2	5	7	17	20	8	62	-	-	-	1	1	1	3	12	13	22	9
Infections of kidney (590)	34	-	-	-	-	-	-	2	2	7	12	11	72	-	-	-	-	1	2	4	8	11	20	26
White	31	-	-	-	-	-	-	2	2	7	10	10	68	-	-	-	-	1	1	4	7	10	19	26
All other	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	1	-	1	1	1	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	1	-	1	1	1	-
Hyperplasia of prostate (600)	39	-	-	-	-	-	-	-	-	2	21	16	---	---	---	---	---	---	---	---	---	---	---	---
White	37	-	-	-	-	-	-	-	-	2	19	16	---	---	---	---	---	---	---	---	---	---	---	---
All other	2	-	-	-	-	-	-	-	-	-	2	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	2	-	-	-	-	-	-	-	-	-	2	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	13	---	---	-	1	11	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	9	---	---	-	1	8	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	-	3	1	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	-	3	1	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	1	10	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	8	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
Congenital anomalies (740-759)	332	216	23	12	16	11	11	8	8	12	9	4	313	193	26	14	10	10	5	10	11	20	12	2
White	288	185	20	10	17	9	10	5	8	11	9	4	279	174	23	12	7	9	4	10	8	20	11	1
All other	44	31	3	2	1	2	1	3	–	1	–	–	34	19	3	2	3	1	1	–	3	–	1	1
Black	42	29	3	2	1	2	1	3	–	1	–	–	32	17	3	2	3	1	1	–	3	–	1	1
Certain conditions originating in the perinatal period (760-779)	542	537	3	–	2	–	–	–	–	–	–	–	445	442	1	1	–	–	–	–	–	1	–	–
White	387	382	3	–	2	–	–	–	–	–	–	–	326	323	1	1	–	–	–	–	–	1	–	–
All other	155	155	–	–	–	–	–	–	–	–	–	–	119	119	–	–	–	–	–	–	–	–	–	–
Black	153	153	–	–	–	–	–	–	–	–	–	–	114	114	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	197	195	1	–	1	–	–	–	–	–	–	–	115	115	–	–	–	–	–	–	–	–	–	–
White	149	147	1	–	1	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
All other	48	48	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Black	48	48	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	345	342	2	–	1	–	–	–	–	–	–	–	330	327	1	1	–	–	–	–	–	1	–	–
White	238	235	2	–	1	–	–	–	–	–	–	–	239	236	1	1	–	–	–	–	–	1	–	–
All other	107	107	–	–	–	–	–	–	–	–	–	–	91	91	–	–	–	–	–	–	–	–	–	–
Black	105	105	–	–	–	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	621	131	13	18	78	89	54	76	97	113	93	56	586	99	14	6	32	37	31	32	49	72	90	104
White	585	99	11	11	61	73	38	67	85	106	82	52	484	70	4	2	26	28	22	24	45	64	83	96
All other	136	32	2	7	18	16	16	9	12	7	11	4	102	29	10	4	6	9	9	8	4	8	7	8
Black	132	31	2	6	17	15	16	9	12	7	11	4	100	27	10	4	6	9	9	8	4	8	7	8
All other diseases (Residual)	2,580	59	19	25	65	61	97	174	420	628	843	389	2,867	33	10	20	37	60	75	161	313	539	629	789
White	2,214	40	14	21	54	51	70	128	348	555	575	358	2,535	17	9	14	25	40	57	125	272	474	772	730
All other	366	19	5	4	11	10	27	46	72	73	68	31	332	16	1	6	12	20	18	36	41	65	57	59
Black	361	19	5	4	11	10	26	45	71	72	68	30	329	16	1	6	12	20	18	35	41	64	57	59
Accidents and adverse effects (E800-E949)	2,426	21	64	120	617	449	215	201	240	207	177	115	1,152	15	41	58	183	105	73	67	81	139	205	184
White	2,173	17	45	107	574	405	184	176	207	188	159	111	1,020	13	33	42	171	85	68	53	70	121	189	175
All other	253	4	19	13	43	44	31	25	33	19	18	4	132	2	8	16	12	20	5	14	11	18	16	9
Black	247	4	17	12	42	44	30	25	32	19	18	4	128	2	8	13	12	20	5	14	11	18	16	9
Motor vehicle accidents (E810-E825)	1,209	4	21	64	430	285	121	91	91	52	37	13	452	5	11	31	152	64	40	33	31	37	37	10
White	1,117	4	16	58	409	268	106	84	74	50	35	13	426	5	11	25	144	60	40	28	29	37	37	10
All other	92	–	5	6	21	17	15	7	17	2	2	–	26	–	–	6	8	4	–	5	2	–	–	–
Black	90	–	5	6	20	17	14	7	17	2	2	–	24	–	–	5	8	4	–	5	2	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,217	17	43	56	187	164	94	110	149	155	140	102	700	10	30	27	31	41	33	34	50	102	168	174
White	1,056	13	29	49	165	137	78	92	133	138	124	98	594	8	22	17	27	25	28	25	41	84	152	165
All other	161	4	14	7	22	27	16	18	16	17	16	4	106	2	8	10	4	16	5	9	9	18	16	9
Black	157	4	12	6	22	27	16	18	15	17	16	4	104	2	8	8	4	16	5	9	9	18	16	9
Suicide (E950-E959)	947	...	...	10	200	204	124	120	120	69	57	23	333	...	...	2	35	71	65	53	62	32	11	2
White	873	...	...	9	183	179	115	108	115	68	56	22	314	...	...	1	34	66	57	51	60	32	11	2
All other	74	...	...	1	17	25	9	14	5	1	1	1	19	...	...	1	1	5	8	2	2	–	–	–
Black	72	...	...	1	17	24	9	13	5	1	1	1	17	...	...	–	–	5	8	2	2	–	–	–
Homicide and legal intervention (E960-E978)	539	3	9	11	135	188	75	52	40	17	6	4	170	3	5	10	49	34	25	17	10	5	6	6
White	248	3	6	7	70	71	30	27	17	9	4	4	98	3	4	6	27	14	13	12	8	3	4	4
All other	291	–	3	4	65	115	45	25	23	8	2	–	72	–	1	4	22	20	12	5	2	2	2	2
Black	290	–	3	4	64	115	45	25	23	8	2	–	71	–	1	4	22	20	12	4	2	2	2	2
All other external causes (E980-E999)	84	–	–	3	14	13	8	8	9	4	4	–	22	1	2	–	4	2	6	3	2	1	1	–
White	56	–	–	2	13	11	7	7	8	4	3	–	18	1	1	–	4	2	4	3	1	1	1	–
All other	8	–	–	1	1	2	1	1	1	–	1	–	4	–	1	–	–	–	2	–	1	–	–	–
Black	8	–	–	1	1	2	1	1	1	–	1	–	4	–	1	–	–	–	2	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	16,020	401	80	129	607	636	603	1,113	2,497	4,004	3,991	1,942	13,330	321	63	83	230	221	323	599	1,376	2,577	3,931	3,596
White	14,414	324	65	111	519	519	510	945	2,256	3,658	3,694	1,801	12,035	253	51	70	190	181	281	502	1,209	2,306	3,599	3,384
All other	1,606	77	15	18	88	117	93	168	241	346	297	141	1,295	68	12	13	40	40	42	97	167	271	332	212
Black	1,044	53	11	13	46	69	56	103	158	234	194	104	849	37	9	10	19	19	24	63	94	183	238	152
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	21	-	-	-	-	1	-	3	7	4	3	3	19	-	-	-	-	-	-	2	2	1	11	3
White	20	-	-	-	-	1	-	3	7	3	3	3	16	-	-	-	-	-	-	2	2	1	9	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	1	-	3	6	3	3	3	16	-	-	-	-	-	-	1	1	1	10	3
White	18	-	-	-	-	1	-	3	6	2	3	3	13	-	-	-	-	-	-	1	1	1	8	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	84	2	1	-	-	-	1	2	19	19	28	12	79	2	2	-	2	1	4	4	8	13	22	21
White	74	2	1	-	-	-	1	1	14	19	24	12	68	1	2	-	2	1	3	3	6	12	18	20
All other	10	-	-	-	-	-	-	1	5	-	4	-	11	1	-	-	-	-	1	1	2	1	4	1
Black	6	-	-	-	-	-	-	1	3	-	2	-	6	-	-	-	-	-	1	1	1	-	3	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	1	-	-	-	1	1	1	2	1	1	-	12	-	-	-	-	1	2	-	4	4	-	1
White	5	1	-	-	-	-	-	-	2	1	1	-	10	-	-	-	-	-	1	-	4	4	-	1
All other	3	-	-	-	-	1	1	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	36	5	2	-	2	-	3	3	6	4	6	5	27	1	2	1	2	-	1	2	-	11	3	4
White	32	5	1	-	2	-	3	3	6	3	5	4	23	1	1	1	1	-	1	1	-	10	3	4
All other	4	-	1	-	-	-	-	-	-	1	1	1	4	-	1	-	1	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	1	-	1	-	-	1	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,321	2	1	18	18	45	83	263	698	1,095	831	256	2,562	1	3	15	18	25	100	257	508	713	629	293
White	3,052	-	-	17	16	40	87	233	642	1,005	775	236	2,316	1	2	14	14	22	94	221	455	644	570	277
All other	269	2	1	1	2	5	6	30	56	90	56	20	246	-	1	1	2	3	6	36	53	69	59	16
Black	191	2	1	1	1	2	4	20	42	67	34	17	158	-	1	-	2	2	5	20	32	46	41	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	51	–	–	–	–	1	3	2	12	13	13	7	40	–	–	–	1	–	2	2	2	17	11	5
White	47	–	–	–	–	1	3	1	12	13	11	6	36	–	–	–	1	–	2	1	1	17	9	5
All other	4	–	–	–	–	–	–	1	–	–	2	1	4	–	–	–	–	–	–	1	1	–	2	–
Black	2	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	731	–	–	1	–	7	21	59	132	256	201	54	674	–	–	–	1	2	19	39	107	194	220	92
White	659	–	–	1	–	7	20	49	117	231	188	46	609	–	–	–	1	2	19	34	93	172	201	87
All other	72	–	–	–	–	–	1	10	15	25	13	8	65	–	–	–	–	–	–	5	14	22	19	5
Black	46	–	–	–	–	–	–	4	12	17	7	6	42	–	–	–	–	–	–	2	8	15	14	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,319	–	–	–	1	7	25	128	344	476	288	49	454	–	–	–	1	1	13	53	135	140	80	30
White	1,227	–	–	–	–	5	22	113	319	442	276	49	417	–	–	–	1	1	12	47	123	130	75	27
All other	92	–	–	–	1	2	3	15	25	34	12	–	37	–	–	–	–	–	1	6	12	10	5	3
Black	67	–	–	–	–	1	3	11	18	26	8	–	25	–	–	–	–	–	–	6	8	5	5	1
Malignant neoplasm of breast (174-175)	6	–	–	–	–	–	–	1	2	2	1	–	449	–	–	–	–	7	28	80	82	119	89	44
White	4	–	–	–	–	–	–	1	1	2	–	–	411	–	–	–	–	7	25	68	77	107	83	44
All other	2	–	–	–	–	–	–	–	1	–	1	–	38	–	–	–	–	–	3	12	5	12	6	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	26	–	–	–	–	–	3	8	3	8	4	–
Malignant neoplasms of genital organs (179-187)	347	–	–	–	2	4	1	6	30	104	129	71	281	–	–	–	3	2	11	32	63	85	64	21
White	305	–	–	–	2	3	1	6	25	93	113	62	250	–	–	–	3	2	11	28	57	73	56	20
All other	42	–	–	–	–	1	–	–	5	11	16	9	31	–	–	–	–	–	–	4	6	12	8	1
Black	38	–	–	–	–	1	–	–	5	11	13	8	21	–	–	–	–	–	–	2	3	9	6	1
Malignant neoplasms of urinary organs (188-189)	181	1	–	–	–	2	7	17	41	44	50	19	92	–	–	–	–	1	1	5	19	31	17	18
White	168	–	–	–	–	1	6	16	38	40	49	18	83	–	–	–	–	1	–	5	14	29	17	17
All other	13	1	–	–	–	1	1	1	3	4	1	1	9	–	–	–	–	–	1	–	5	2	–	1
Black	7	1	–	–	–	–	1	1	–	2	1	1	7	–	–	–	–	–	1	–	3	2	–	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	365	–	1	10	5	15	21	32	64	100	71	26	321	1	1	8	4	5	16	35	54	62	61	54
White	340	–	–	9	5	14	20	30	79	91	67	25	291	1	1	8	4	3	16	30	50	58	71	49
All other	25	–	1	1	–	1	1	2	5	9	4	1	30	–	–	–	–	2	–	5	4	4	10	5
Black	17	–	1	1	–	–	–	2	5	6	1	1	13	–	–	–	–	1	–	1	2	2	4	3
Leukemia (204-208)	141	1	–	3	7	7	8	7	23	41	28	16	110	–	2	7	5	4	4	5	15	27	32	9
White	135	–	–	3	6	7	8	7	21	40	27	16	93	–	1	6	3	4	4	4	13	22	27	9
All other	6	1	–	–	1	–	–	–	2	1	1	–	17	–	1	1	2	–	–	1	2	5	5	–
Black	4	1	–	–	1	–	–	–	1	1	–	–	12	–	1	–	2	–	–	–	1	4	4	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	180	–	–	4	3	2	7	11	30	59	50	14	141	–	–	–	1	3	6	6	31	38	35	20
White	167	–	–	4	3	2	7	10	30	53	44	14	126	–	–	–	1	2	5	4	27	36	31	19
All other	13	–	–	–	–	–	–	1	–	6	6	–	15	–	–	–	–	1	1	2	4	2	4	1
Black	8	–	–	–	–	–	–	1	–	4	3	–	10	–	–	–	–	1	1	–	3	1	4	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	–	–	3	2	1	–	4	5	14	11	3	36	–	–	–	3	1	1	1	6	16	4	4
White	41	–	–	3	2	1	–	2	5	14	11	3	27	–	–	–	2	1	–	1	3	12	4	4
All other	2	–	–	–	–	–	–	2	–	–	–	–	9	–	–	–	1	–	1	–	3	4	–	–
Black	2	–	–	–	–	–	–	2	–	–	–	–	6	–	–	–	–	–	–	–	2	4	–	–
Diabetes mellitus (250)	191	–	–	–	1	7	9	18	40	48	46	22	302	–	–	1	1	2	6	10	45	89	99	49
White	161	–	–	–	1	4	6	17	29	44	39	21	243	–	–	1	1	2	5	7	30	67	83	47
All other	30	–	–	–	–	3	3	1	11	4	7	1	59	–	–	–	–	–	1	3	15	22	16	2
Black	13	–	–	–	–	3	1	–	5	2	1	1	32	–	–	–	–	–	–	2	7	11	11	1
Nutritional deficiencies (260-269)	24	–	–	–	–	–	–	–	2	3	9	10	23	–	–	–	–	1	–	–	1	3	9	9
White	19	–	–	–	–	–	–	–	–	3	8	8	18	–	–	–	–	1	–	–	1	2	8	6
All other	5	–	–	–	–	–	–	–	2	–	1	2	5	–	–	–	–	–	–	–	–	1	1	3
Black	5	–	–	–	–	–	–	–	2	–	1	2	5	–	–	–	–	–	–	–	–	1	1	3
Anemias (280-285)	11	1	1	–	2	–	–	–	1	1	2	3	22	–	–	1	–	–	1	–	3	6	6	5
White	7	–	–	–	–	–	–	–	1	1	2	3	21	–	–	1	–	–	1	–	3	6	6	5
All other	4	1	1	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Black	3	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Meningitis (320-322)	15	5	2	1	–	–	1	–	1	3	1	1	14	2	3	–	1	1	1	–	2	2	1	1
White	11	2	2	1	–	–	–	–	1	3	1	1	8	2	2	–	–	–	–	–	2	1	–	1
All other	4	3	–	–	–	–	1	–	–	–	–	–	6	–	1	–	1	1	1	–	–	1	1	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	1	–	–	–	–	1	–
Major cardiovascular diseases (390-448)	7,299	6	–	1	12	40	146	479	1,167	2,017	2,221	1,207	6,942	10	1	8	14	24	66	159	508	1,259	2,437	2,454
White	6,666	4	–	–	10	32	129	420	1,063	1,842	2,050	1,115	6,354	8	–	6	10	20	57	128	451	1,121	2,247	2,304
All other	633	2	–	1	2	8	17	59	104	175	171	92	588	2	1	2	4	4	9	31	57	138	190	150
Black	430	1	–	1	–	6	14	40	64	117	118	68	436	1	1	2	2	4	6	28	38	105	138	115

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,813	5	–	1	9	32	129	437	1,028	1,684	1,673	912	5,048	9	–	8	11	14	46	119	405	981	1,746	1,704
White	5,418	4	–	–	7	28	117	386	941	1,541	1,556	837	4,631	8	–	6	7	11	44	93	382	878	1,617	1,604
All other	495	1	–	1	2	4	12	51	87	143	117	75	417	1	–	2	4	3	4	26	43	103	131	100
Black	327	1	–	1	–	2	9	35	54	88	81	55	309	–	–	2	2	3	2	24	29	79	92	76
Rheumatic fever and rheumatic heart disease (390-398)	21	–	–	–	–	–	–	1	3	11	5	1	47	–	–	1	–	–	2	5	10	17	7	5
White	18	–	–	–	–	–	–	1	3	10	4	–	40	–	–	–	–	–	1	3	10	15	6	5
All other	3	–	–	–	–	–	–	–	–	1	1	1	7	–	–	1	–	–	1	2	–	2	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	1	–	–	–	2	–	2	1	–
Hypertensive heart disease (402)	90	–	–	–	–	4	4	9	20	20	23	10	130	1	–	–	1	–	3	7	12	23	36	47
White	68	–	–	–	–	4	2	8	14	13	19	8	105	1	–	–	–	–	2	4	11	15	29	43
All other	22	–	–	–	–	–	2	1	6	7	4	2	25	–	–	–	1	–	1	3	1	8	7	4
Black	17	–	–	–	–	–	1	1	5	5	3	2	20	–	–	–	1	–	1	3	1	6	3	3
Hypertensive heart and renal disease (404)	10	–	–	–	–	–	–	–	1	2	5	2	17	–	–	–	–	–	–	–	–	3	4	10
White	8	–	–	–	–	–	–	–	1	1	4	2	15	–	–	–	–	–	–	–	–	3	3	9
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	4,578	1	–	–	3	10	94	341	823	1,341	1,312	650	3,534	2	–	1	1	4	23	71	294	719	1,253	1,165
White	4,241	1	–	–	2	7	89	304	769	1,244	1,225	599	3,264	1	–	1	1	4	23	58	265	653	1,159	1,098
All other	337	–	–	–	1	3	5	37	54	97	87	51	270	1	–	–	–	–	–	13	29	66	94	67
Black	213	–	–	–	–	1	4	23	30	58	58	38	195	–	–	–	–	–	–	12	20	46	67	50
Acute myocardial infarction (410)	2,601	1	–	–	3	6	56	231	543	893	761	307	1,894	1	–	1	1	4	17	46	200	459	698	457
White	2,612	1	–	–	2	3	55	212	508	831	717	283	1,745	1	–	1	1	4	17	39	183	425	645	429
All other	189	–	–	–	1	3	1	19	35	62	44	24	149	–	–	–	–	–	–	7	17	44	53	28
Black	115	–	–	–	–	1	1	11	19	38	24	21	103	–	–	–	–	–	–	6	13	28	34	22
Other acute and subacute forms of ischemic heart disease (411)	176	–	–	–	–	–	4	24	52	47	37	12	84	–	–	–	–	–	1	5	8	19	30	21
White	155	–	–	–	–	–	3	20	46	40	35	11	74	–	–	–	–	–	1	5	6	17	25	20
All other	23	–	–	–	–	–	1	4	6	7	2	1	10	–	–	–	–	–	–	–	2	2	5	1
Black	12	–	–	–	–	–	1	3	3	2	2	–	9	–	–	–	–	–	–	–	1	2	5	1
Angina pectoris (413)	3	–	–	–	–	–	–	–	2	–	1	–	5	–	–	–	–	–	1	–	–	–	4	–
White	3	–	–	–	–	–	–	–	2	–	1	–	5	–	–	–	–	–	1	–	–	–	4	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,598	–	–	–	–	4	34	66	226	401	513	331	1,551	1	–	–	–	–	4	20	86	231	521	687
White	1,471	–	–	–	–	4	31	72	213	373	472	305	1,440	–	–	–	–	–	4	14	76	211	485	649
All other	125	–	–	–	–	–	3	14	13	28	41	26	111	1	–	–	–	–	–	6	10	20	36	38
Black	86	–	–	–	–	–	2	9	8	18	32	17	83	–	–	–	–	–	–	6	6	16	28	27
Other diseases of endocardium (424)	46	–	–	–	–	2	2	3	5	11	19	4	49	–	–	–	–	–	1	3	2	7	10	13	13
White	46	–	–	–	–	2	2	3	5	11	19	4	43	–	–	–	–	–	–	3	2	5	8	12	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	1	–	–	2	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	–	1	2	1	–
All other forms of heart disease (415-423,425-429)	1,188	4	–	1	6	16	29	83	176	299	309	245	1,271	6	–	6	9	9	17	34	82	209	435	464
White	1,037	3	–	–	5	15	24	70	149	262	285	224	1,164	6	–	5	6	7	15	26	71	184	408	436
All other	131	1	–	1	1	1	5	13	27	37	24	21	107	–	–	1	3	2	2	8	11	25	27	28
Black	83	1	–	1	–	1	4	11	19	24	18	14	83	–	–	1	1	2	1	7	7	21	20	23
Hypertension with or without renal disease (401,403)	43	–	–	–	–	–	–	2	6	9	17	7	48	1	–	–	–	–	–	–	4	13	18	13
White	40	–	–	–	–	–	–	2	7	8	16	7	40	–	–	–	–	–	–	–	3	8	15	13
All other	3	–	–	–	–	–	–	–	1	1	1	–	8	1	–	–	–	–	–	–	1	5	1	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	7	1	–	–	–	–	–	–	1	4	1	–
Cerebrovascular diseases (430-438)	1,041	1	–	–	1	8	17	34	96	251	418	215	1,486	–	1	–	3	8	18	38	73	226	569	552
White	933	–	–	–	1	4	12	26	82	226	378	204	1,360	–	–	–	3	7	13	31	63	201	519	523
All other	108	1	–	–	–	4	5	8	14	25	40	11	136	–	1	–	–	1	5	5	10	25	50	39
Black	82	–	–	–	–	4	5	5	9	23	27	9	101	–	1	–	–	1	4	2	7	18	38	30
Intracerebral and other intracranial hemorrhage (431-432)	102	–	–	–	1	2	6	10	13	34	24	12	133	–	1	–	–	2	2	7	19	29	47	26
White	86	–	–	–	1	1	3	7	10	32	21	11	122	–	–	–	–	2	–	6	17	28	45	24
All other	16	–	–	–	–	1	3	3	3	2	3	1	11	–	1	–	–	–	2	1	2	1	2	2
Black	12	–	–	–	–	1	3	2	1	2	2	1	7	–	1	–	–	–	1	–	–	1	2	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	136	–	–	–	–	–	2	2	13	32	57	30	166	–	–	–	–	–	–	2	9	16	69	70
White	130	–	–	–	–	–	2	1	13	30	54	30	149	–	–	–	–	–	–	2	8	16	61	64
All other	6	–	–	–	–	–	–	1	–	2	3	–	17	–	–	–	–	–	–	–	3	–	8	6
Black	6	–	–	–	–	–	–	1	–	2	3	–	16	–	–	–	–	–	–	–	3	–	8	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	2	3	-	10	-	-	-	1	-	-	-	1	2	3	3
White	5	-	-	-	-	-	-	-	-	2	3	-	9	-	-	-	1	-	-	-	1	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	788	1	-	-	-	6	9	22	70	183	334	173	1,187	-	-	-	2	6	16	27	44	179	450	463
White	712	-	-	-	-	3	7	18	59	162	300	163	1,080	-	-	-	2	5	13	23	39	155	411	432
All other	86	1	-	-	-	3	2	4	11	21	34	10	107	-	-	-	-	1	3	4	5	24	39	31
Black	64	-	-	-	-	3	2	2	8	19	22	8	77	-	-	-	-	1	3	2	4	17	27	23
Atherosclerosis (440)	134	-	-	-	-	-	-	2	5	17	52	58	247	-	-	-	-	-	-	1	9	22	67	148
White	118	-	-	-	-	-	-	2	4	15	45	52	230	-	-	-	-	-	-	1	8	19	64	138
All other	16	-	-	-	-	-	-	-	1	2	7	6	17	-	-	-	-	-	-	-	1	3	3	10
Black	10	-	-	-	-	-	-	-	-	2	4	4	13	-	-	-	-	-	-	-	-	3	2	8
Other diseases of arteries, arterioles, and capillaries (441-448)	168	-	-	-	2	-	-	4	30	56	61	15	103	-	-	-	-	2	-	3	17	17	37	27
White	157	-	-	-	2	-	-	4	29	52	55	15	93	-	-	-	-	2	-	3	15	15	32	26
All other	11	-	-	-	-	-	-	-	1	4	6	-	10	-	-	-	-	-	-	-	2	2	5	1
Black	8	-	-	-	-	-	-	-	-	3	5	-	8	-	-	-	-	-	-	-	1	1	5	1
Acute bronchitis and bronchiolitis (466)	4	-	-	-	1	-	-	-	-	2	-	1	5	2	-	-	1	-	-	-	-	-	-	2
White	2	-	-	-	1	-	-	-	-	-	-	1	5	2	-	-	1	-	-	-	-	-	-	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	401	7	1	3	1	5	10	11	30	83	137	113	390	5	2	-	1	4	6	7	27	42	121	174
White	364	5	1	2	1	4	9	8	28	73	126	107	364	3	2	-	1	4	4	6	21	40	114	168
All other	37	2	-	1	-	1	1	3	2	10	11	6	26	2	-	-	-	-	2	1	6	2	7	6
Black	21	2	-	-	-	1	1	2	2	5	6	2	15	-	-	-	-	-	2	1	3	1	5	3
Pneumonia (480-486)	395	7	1	3	1	5	9	11	29	81	137	111	388	5	2	-	1	4	6	7	26	42	121	173
White	359	5	1	2	1	4	9	8	27	71	126	105	362	3	2	-	1	4	4	6	20	40	114	167
All other	36	2	-	1	-	1	-	3	2	10	11	6	26	2	-	-	-	-	2	1	6	2	7	6
Black	20	2	-	-	-	1	-	2	2	5	6	2	15	-	-	-	-	-	2	1	3	1	5	3
Influenza (487)	6	-	-	-	-	-	1	-	1	2	-	2	2	-	-	-	-	-	-	-	1	-	-	1
White	5	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	623	1	1	3	4	2	1	11	91	222	230	58	268	-	-	-	3	-	3	14	43	91	78	34
White	593	1	1	1	2	1	-	9	84	216	221	58	260	-	-	-	3	-	3	14	40	90	77	33
All other	30	-	-	2	2	1	1	2	7	6	9	-	8	-	-	-	-	-	-	-	3	1	1	1
Black	22	-	-	2	2	1	1	1	5	5	5	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis, chronic and unspecified (490-491)	22	1	1	-	-	-	-	1	1	7	10	1	18	-	-	-	-	-	1	2	2	5	4	4
White	21	1	1	-	-	-	-	1	-	7	10	1	17	-	-	-	-	-	1	2	2	4	4	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	130	-	-	-	-	1	-	9	21	49	46	10	52	-	-	-	-	-	-	1	8	22	14	9
White	126	-	-	-	-	1	-	9	21	48	45	10	52	-	-	-	-	-	-	1	8	22	14	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	19	-	-	3	4	1	1	2	2	2	3	1	20	-	-	-	3	-	2	1	5	2	5	2
White	11	-	-	1	2	-	-	1	2	1	3	1	20	-	-	-	3	-	2	1	5	2	5	2
All other	8	-	-	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	452	-	-	-	-	-	-	5	67	164	171	44	176	-	-	-	-	-	-	10	30	62	55	19
White	433	-	-	-	-	-	-	4	61	160	163	44	171	-	-	-	-	-	-	10	27	62	54	18
All other	19	-	-	-	-	-	-	1	6	4	8	-	5	-	-	-	-	-	-	-	3	-	1	1
Black	14	-	-	-	-	-	-	1	5	3	5	-	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	51	-	-	-	-	-	3	3	4	11	15	15	39	-	-	-	-	-	1	-	3	8	13	14
White	49	-	-	-	-	-	2	3	4	10	15	15	35	-	-	-	-	-	1	-	3	8	11	14
All other	2	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Appendicitis (540-543)	5	-	-	2	-	-	-	1	2	-	-	-	3	1	-	-	-	-	-	-	-	-	1	1
White	3	-	-	2	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	-	-	-	1	-	-	-	4	8	5	4	54	1	-	-	-	1	2	2	4	4	22	18
White	16	-	-	-	-	-	-	-	3	6	3	4	51	1	-	-	-	1	2	2	4	4	20	17
All other	6	-	-	-	1	-	-	-	1	2	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	5	-	-	-	1	-	-	-	1	1	2	-	3	-	-	-	-	-	-	-	-	-	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	206	1	–	–	1	15	27	43	54	46	18	1	105	–	–	–	1	4	10	16	27	28	13	6
White	172	1	–	–	–	9	19	38	47	41	16	1	87	–	–	–	1	2	7	10	25	24	12	6
All other	34	–	–	–	1	6	8	5	7	5	2	–	18	–	–	–	–	2	3	6	2	4	1	–
Black	14	–	–	–	–	2	3	2	5	1	1	–	4	–	–	–	–	–	–	1	1	1	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	21	–	–	–	–	–	–	1	–	3	13	4	27	–	–	–	–	–	–	1	3	6	11	6
White	19	–	–	–	–	–	–	1	–	3	11	4	24	–	–	–	–	–	–	1	3	5	9	6
All other	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	158	1	–	–	1	2	4	9	10	42	51	38	193	–	–	–	1	1	4	7	18	35	57	70
White	135	1	–	–	–	2	4	6	7	35	45	35	172	–	–	–	1	–	3	3	15	31	53	56
All other	23	–	–	–	1	–	–	3	3	7	6	3	21	–	–	–	–	1	1	4	3	4	4	4
Black	14	–	–	–	–	–	–	1	2	6	4	1	12	–	–	–	–	–	1	2	–	4	3	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	–	–	–	–	–	1	3	–	2	4	1	18	–	–	–	1	1	–	–	–	5	6	5
White	7	–	–	–	–	–	1	2	–	2	2	–	15	–	–	–	1	–	–	–	–	4	5	5
All other	4	–	–	–	–	–	–	1	–	–	2	1	3	–	–	–	–	1	–	–	–	1	1	–
Black	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	146	1	–	–	1	2	3	6	10	40	46	37	173	–	–	–	–	–	4	7	18	29	50	65
White	127	1	–	–	–	2	3	4	7	33	42	35	155	–	–	–	–	–	3	3	15	26	47	61
All other	19	–	–	–	1	–	–	2	3	7	4	2	18	–	–	–	–	–	1	4	3	3	3	4
Black	11	–	–	–	–	–	–	1	2	6	2	–	10	–	–	–	–	–	1	2	–	3	2	2
Infections of kidney (590)	18	–	–	–	–	–	–	–	1	5	10	2	42	–	–	–	1	–	–	2	1	7	11	20
White	17	–	–	–	–	–	–	–	1	5	9	2	38	–	–	–	1	–	–	2	1	6	11	17
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	1	–	3
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	1	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	1	–	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	122	85	10	8	6	2	5	1	4	–	1	–	115	79	9	7	4	3	3	1	1	5	2	1
White	101	74	8	6	4	1	2	1	4	–	1	–	95	65	6	6	3	3	3	1	1	4	2	1
All other	21	11	2	2	2	1	3	–	–	–	–	–	20	14	3	1	1	–	–	–	–	1	–	–
Black	14	8	1	1	1	1	2	–	–	–	–	–	12	8	2	1	–	–	–	–	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	167	166	1	–	–	–	–	–	–	–	–	–	132	132	–	–	–	–	–	–	–	–	–	–
White	130	129	1	–	–	–	–	–	–	–	–	–	104	104	–	–	–	–	–	–	–	–	–	–
All other	37	37	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
Black	24	24	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	63	63	–	–	–	–	–	–	–	–	–	–	42	42	–	–	–	–	–	–	–	–	–	–
White	52	52	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	104	103	1	–	–	–	–	–	–	–	–	–	90	90	–	–	–	–	–	–	–	–	–	–
White	78	77	1	–	–	–	–	–	–	–	–	–	67	67	–	–	–	–	–	–	–	–	–	–
All other	26	26	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
Black	17	17	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	228	77	5	1	11	22	7	11	21	21	20	32	199	58	2	–	6	6	5	8	8	13	27	66
White	198	65	4	1	10	17	5	9	19	21	19	29	168	46	1	–	4	3	4	4	7	13	23	62
All other	30	12	1	–	1	5	2	2	3	–	1	3	31	12	1	–	2	3	1	2	1	–	4	4
Black	20	7	1	–	–	3	1	2	3	–	1	2	18	6	1	–	1	–	1	2	1	–	3	2
All other diseases (Residual)	868	21	9	10	19	39	40	81	138	201	229	101	903	11	11	14	11	20	25	52	85	149	264	260
White	766	16	6	8	14	32	27	57	122	182	211	91	805	8	9	12	10	14	21	46	72	136	234	242
All other	122	5	3	2	5	7	13	24	16	19	18	10	98	3	2	2	1	6	4	6	13	13	30	18
Black	76	4	2	1	3	4	6	11	11	12	13	9	59	1	1	2	1	4	1	4	6	6	22	11
Accidents and adverse effects (E800-E949)	1,416	17	43	71	390	276	161	101	124	108	74	47	599	12	22	31	118	71	47	32	50	59	80	77
White	1,228	16	37	62	343	233	143	78	107	88	70	44	528	7	21	24	100	61	42	27	42	54	75	75
All other	190	1	6	9	47	43	18	23	17	18	4	3	71	5	1	7	18	10	5	5	8	5	5	2
Black	103	1	5	7	20	23	9	13	7	13	3	1	30	4	1	5	3	3	4	2	3	–	3	2
Motor vehicle accidents (E810-E825)	785	3	14	29	275	172	101	47	56	45	34	7	314	3	12	14	97	51	35	20	29	24	21	8
White	683	3	12	28	242	145	69	39	48	37	33	6	266	2	12	10	82	43	31	15	23	22	18	8
All other	102	–	2	1	33	27	12	8	8	8	1	1	48	1	–	4	15	8	4	5	6	2	3	–
Black	47	–	1	–	12	14	6	4	2	6	1	–	15	1	–	2	2	1	3	2	3	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	633	14	29	42	115	104	60	54	68	61	40	40	285	9	10	17	21	20	12	12	21	35	59	69
White	545	13	25	34	101	88	54	39	59	51	37	38	262	5	9	14	18	18	11	12	19	32	57	67
All other	88	1	4	8	14	16	6	15	9	10	3	2	23	4	1	3	3	2	1	–	2	3	2	2
Black	56	1	4	7	8	9	3	9	5	7	2	1	15	3	1	3	1	2	1	–	–	–	2	2
Suicide (E950-E959)	353	...	...	4	72	89	48	40	43	30	21	4	102	...	...	2	17	23	20	17	13	7	2	–
White	327	...	...	4	64	82	44	36	43	27	21	4	94	...	...	2	13	21	19	16	13	7	2	–
All other	26	...	...	–	8	7	4	4	–	3	–	–	8	...	...	–	4	2	1	1	–	–	–	–
Black	12	...	...	–	6	1	3	2	–	–	–	–	6	...	...	–	3	1	1	1	–	–	–	–
Homicide and legal intervention (E960-E978)	251	2	3	4	59	80	40	25	21	9	6	1	106	4	6	3	27	28	14	6	5	5	4	3
White	181	1	3	4	45	54	27	18	15	8	5	1	87	3	5	3	22	22	10	6	4	5	3	3
All other	70	1	–	–	14	26	13	7	6	1	1	–	19	1	1	–	5	6	4	–	1	–	1	–
Black	54	–	–	–	11	20	10	5	6	1	1	–	11	1	1	–	5	2	1	–	–	–	1	–
All other external causes (E980-E998)	24	1	–	–	4	9	3	2	1	3	–	–	9	–	–	–	–	3	1	1	1	1	2	–
White	19	1	–	–	4	6	2	2	1	3	–	–	8	–	–	–	–	2	1	1	1	1	2	–
All other	5	–	–	–	–	3	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
OREGON																								
All causes	11,779	249	54	70	292	393	353	649	1,619	3,161	3,119	1,619	9,699	193	50	99	112	147	208	432	1,098	1,993	2,772	2,836
White	11,461	227	52	67	279	349	329	621	1,781	3,102	3,066	1,601	9,647	168	49	33	107	135	200	412	1,071	1,920	2,736	2,815
All other	316	22	2	3	13	34	24	28	58	59	52	18	181	15	1	3	5	12	8	20	27	43	36	21
Black	161	7	–	2	4	14	13	15	35	40	26	4	105	6	–	1	1	9	3	8	17	29	17	14
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	2	–	1	–	8	–	–	–	–	–	1	–	2	2	2	1
White	3	–	–	–	–	–	–	–	2	–	1	–	8	–	–	–	–	–	1	–	2	2	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	2	–	1	–	6	–	–	–	–	–	1	–	2	1	2	–
White	3	–	–	–	–	–	–	–	2	–	1	–	6	–	–	–	–	–	1	–	2	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	-	-	1	-	-	-	-	-	-	5	1	-	-	2	-	-	1	-	1	-	-
White	3	1	1	-	-	1	-	-	-	-	-	-	5	1	-	-	2	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	36	2	-	-	-	1	1	-	3	13	7	9	31	1	-	-	1	2	1	1	2	5	10	8
White	36	2	-	-	-	1	1	-	3	13	7	9	30	1	-	-	1	1	1	1	2	5	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	1	-	-	-	1	1	1	1	2	-	5	-	-	-	-	-	-	-	1	3	1	-
White	7	-	1	-	-	-	1	1	1	1	2	-	5	-	-	-	-	-	-	-	1	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	21	-	-	-	1	-	1	1	5	6	4	3	26	-	-	1	1	1	1	5	-	6	5	6
White	21	-	-	-	1	-	1	1	5	6	4	3	24	-	-	1	1	1	1	5	-	5	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,615	-	5	7	17	30	74	172	533	930	632	215	2,172	1	7	7	8	20	80	192	489	608	528	254
White	2,564	-	5	7	17	29	70	168	519	917	621	211	2,135	1	7	6	8	18	78	188	483	600	519	249
All other	51	-	-	-	-	1	4	4	14	13	11	4	37	-	-	1	-	2	2	5	6	8	7	5
Black	34	-	-	-	-	1	4	2	10	9	7	1	20	-	-	-	-	1	1	3	3	6	3	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	57	-	-	-	-	-	1	4	18	18	12	4	30	-	-	-	1	-	-	1	9	10	3	6
White	57	-	-	-	-	-	1	4	18	18	12	4	30	-	-	-	1	-	-	1	9	10	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	601	-	-	-	-	2	24	37	129	215	140	54	566	-	-	-	-	3	7	38	108	145	184	81
White	585	-	-	-	-	2	22	36	124	210	138	53	553	-	-	-	-	2	7	36	105	143	182	75
All other	16	-	-	-	-	-	2	1	5	5	2	1	13	-	-	-	-	1	-	2	3	2	2	3
Black	10	-	-	-	-	-	2	-	3	4	1	-	7	-	-	-	-	-	-	-	2	2	1	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	936	-	-	-	2	1	18	75	238	384	202	36	403	-	-	-	-	1	14	49	126	133	60	20
White	919	-	-	-	2	1	17	73	234	380	197	35	399	-	-	-	-	1	14	48	125	133	58	20
All other	17	-	-	-	-	-	1	2	4	4	5	1	4	-	-	-	-	-	-	1	1	-	2	-
Black	13	-	-	-	-	-	1	2	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	1	-	-	1	1	1	380	-	-	-	-	6	35	45	91	80	83	40
White	4	-	-	-	-	-	1	-	-	1	1	1	374	-	-	-	-	6	33	44	90	79	83	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	2	1	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	1	1	-	1
Malignant neoplasms of genital organs (179-187)	286	-	-	-	1	2	1	1	18	104	105	64	236	-	-	-	-	2	6	24	52	78	53	21
White	280	-	-	-	1	2	1	1	18	102	103	62	233	-	-	-	-	2	6	24	52	77	52	20
All other	6	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	155	-	-	-	-	-	2	10	27	60	43	13	87	-	-	-	-	-	-	4	5	32	25	21
White	155	-	-	-	-	-	2	10	27	60	43	13	83	-	-	-	-	-	-	3	4	30	25	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	293	-	1	3	11	8	16	22	57	95	69	17	269	-	4	4	5	3	13	25	47	69	63	35
White	284	-	1	3	11	8	16	21	53	93	61	17	262	-	4	3	5	2	13	24	47	68	61	35
All other	9	-	-	-	-	-	-	1	4	2	2	-	6	-	-	1	-	1	-	1	-	1	2	-
Black	4	-	-	-	-	-	-	-	3	-	1	-	4	-	-	-	-	1	-	1	-	1	1	-
Leukemia (204-208)	127	-	4	4	2	9	5	8	19	27	34	15	72	1	2	3	1	2	1	1	10	18	21	12
White	126	-	4	4	2	8	5	8	19	27	34	15	72	1	2	3	1	2	1	1	10	18	21	12
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	146	-	-	-	1	6	6	15	27	46	32	11	130	-	1	-	1	3	4	5	21	43	34	18
White	144	-	-	-	1	6	5	15	26	46	32	11	129	-	1	-	1	3	4	5	21	42	34	18
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	-	-	1	1	1	1	2	3	9	15	4	45	-	-	2	1	2	3	4	8	10	7	8
White	35	-	-	1	1	1	1	2	2	9	15	4	44	-	-	2	1	2	3	4	7	10	7	8
All other	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	118	-	-	-	1	2	5	5	21	45	31	8	182	-	1	-	-	6	6	5	27	54	53	30
White	114	-	-	-	1	1	4	5	20	45	30	8	173	-	1	-	-	5	6	5	25	49	52	30
All other	4	-	-	-	-	1	1	-	1	-	1	-	9	-	-	-	-	1	-	-	2	5	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	7	-	-	-	-	1	-	-	2	4	-	-
Nutritional deficiencies (260-269)	13	-	-	-	-	-	1	-	1	4	5	2	12	-	-	-	-	-	-	-	1	-	4	7
White	13	-	-	-	-	-	1	-	1	4	5	2	12	-	-	-	-	-	-	-	1	-	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	16	-	1	-	-	2	-	1	1	1	6	4	14	1	1	-	-	-	-	-	-	-	8	4
White	16	-	1	-	-	2	-	1	1	1	6	4	14	1	1	-	-	-	-	-	-	-	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	-	-	-	-	-	1	-	-	-	6	3	1	-	1	-	-	-	-	-	1	-
White	3	1	1	-	-	-	-	-	1	-	-	-	5	2	1	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,425	6	4	-	3	28	93	277	816	1,489	1,710	998	4,921	2	3	3	2	8	29	112	344	836	1,640	1,942
White	5,310	5	4	-	3	28	88	270	785	1,456	1,661	988	4,846	2	2	3	2	8	29	103	331	815	1,623	1,928
All other	115	1	-	-	-	-	5	7	31	33	29	9	75	-	1	-	-	-	-	9	13	21	17	14
Black	69	1	-	-	-	-	3	5	17	27	14	2	50	-	-	-	-	-	-	3	10	15	12	10
Diseases of heart (390-398,402,404-429)	4,231	6	4	-	2	24	80	246	708	1,217	1,261	683	3,402	2	3	1	-	5	21	87	276	692	1,133	1,242
White	4,141	5	4	-	2	24	76	241	680	1,192	1,240	677	3,345	2	2	1	-	5	21	80	265	678	1,122	1,229
All other	90	1	-	-	-	-	4	5	28	25	21	6	57	-	1	-	-	-	-	7	11	14	11	13
Black	49	1	-	-	-	-	2	4	14	19	9	-	39	-	-	-	-	-	-	3	8	11	7	10
Rheumatic fever and rheumatic heart disease (390-398)	33	-	2	-	-	3	-	1	8	9	10	-	73	-	-	-	-	-	2	8	7	21	23	12
White	33	-	2	-	-	3	-	1	8	9	10	-	73	-	-	-	-	-	2	8	7	21	23	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	58	-	-	-	-	-	-	2	7	17	21	12	78	-	-	-	-	-	-	1	6	17	26	28
White	57	-	-	-	-	-	-	2	7	16	20	12	75	-	-	-	-	-	-	1	6	15	25	28
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Hypertensive heart and renal disease (404)	9	-	-	-	-	-	-	-	1	3	3	2	20	-	-	-	-	-	-	-	-	3	4	13
White	9	-	-	-	-	-	-	-	1	3	3	2	20	-	-	-	-	-	-	-	-	3	4	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,376	-	-	-	-	19	74	214	590	988	993	504	2,528	-	-	-	-	-	15	49	216	464	874	910
White	3,305	-	-	-	-	19	70	210	565	970	978	499	2,486	-	-	-	-	-	15	46	209	453	864	899
All other	71	-	-	-	-	-	4	4	25	18	15	5	42	-	-	-	-	-	-	3	7	11	10	11
Black	36	-	-	-	-	-	2	3	12	13	6	-	30	-	-	-	-	-	-	-	6	8	7	9
Acute myocardial infarction (410)	1,375	-	-	-	-	5	35	95	259	436	408	135	909	-	-	-	-	-	6	28	113	212	328	222
White	1,357	-	-	-	-	5	34	95	252	439	405	133	892	-	-	-	-	-	6	27	110	206	324	219
All other	18	-	-	-	-	-	1	-	7	5	3	2	17	-	-	-	-	-	-	1	3	6	4	3
Black	10	-	-	-	-	-	1	-	4	4	1	-	11	-	-	-	-	-	-	-	3	5	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	1	2	1	2	-	2	3	-	-	-	-	-	1	-	-	1	-	1
White	7	-	-	-	-	-	1	2	-	2	-	2	3	-	-	-	-	-	1	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	1	1	1	1	1
White	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	1	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,890	-	-	-	-	8	38	117	330	546	584	367	1,611	-	-	-	-	-	6	20	102	250	545	686
White	1,838	-	-	-	-	8	35	113	313	533	572	364	1,586	-	-	-	-	-	6	18	98	245	539	678
All other	52	-	-	-	-	-	3	4	17	13	12	3	25	-	-	-	-	-	-	2	4	5	6	8
Black	26	-	-	-	-	-	1	3	8	9	5	-	19	-	-	-	-	-	-	-	3	3	5	8
Other diseases of endocardium (424)	59	1	-	-	-	-	1	3	8	16	18	12	74	-	-	-	-	-	-	3	1	16	26	28
White	58	1	-	-	-	-	1	3	8	15	18	12	73	-	-	-	-	-	-	3	1	15	26	28
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	695	5	2	-	2	8	5	26	94	184	216	153	629	2	3	1	-	5	4	26	46	111	180	251
White	679	4	2	-	2	8	5	25	91	179	211	152	618	2	2	1	-	5	4	22	42	111	180	249
All other	16	1	-	-	-	-	-	1	3	5	5	1	11	-	1	-	-	-	-	4	4	-	-	2
Black	10	1	-	-	-	-	-	1	2	4	2	-	6	-	-	-	-	-	-	3	2	-	-	1
Hypertension with or without renal disease (401,403)	39	-	-	-	-	1	-	1	5	11	10	11	37	-	-	-	-	-	-	1	3	7	14	12
White	36	-	-	-	-	1	-	1	4	10	9	11	35	-	-	-	-	-	-	-	2	7	14	12
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	758	-	-	-	1	3	10	25	59	154	297	209	1,122	-	-	1	2	3	6	19	48	157	374	512
White	738	-	-	-	1	3	9	23	57	147	282	206	1,108	-	-	1	2	3	6	18	47	151	369	511
All other	20	-	-	-	-	-	1	2	2	7	5	3	14	-	-	-	-	-	-	1	1	6	5	1
Black	16	-	-	-	-	-	1	1	2	7	3	2	10	-	-	-	-	-	-	-	1	4	5	-
Intracerebral and other intracranial hemorrhage (431-432)	89	-	-	-	1	-	3	8	10	20	30	17	126	-	-	-	-	1	-	7	10	32	51	25
White	85	-	-	-	1	-	3	7	10	18	29	17	123	-	-	-	-	1	-	6	10	30	51	25
All other	4	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	133	-	-	-	-	-	1	4	7	21	53	47	180	-	-	-	1	-	-	2	6	17	66	86
White	131	-	-	-	-	-	1	4	7	21	52	46	176	-	-	-	1	-	-	2	5	17	64	87
All other	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	1	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	2	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	1	-	2	2
White	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	1	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	533	-	-	-	-	3	6	13	42	112	213	144	811	-	-	1	1	2	6	10	31	108	255	397
White	519	-	-	-	-	3	5	12	40	107	210	142	804	-	-	1	1	2	6	10	31	104	252	397
All other	14	-	-	-	-	-	1	1	2	5	3	2	7	-	-	-	-	-	-	-	-	4	3	-
Black	13	-	-	-	-	-	1	1	2	5	2	2	6	-	-	-	-	-	-	-	-	3	3	-
Atherosclerosis (440)	206	-	-	-	-	-	2	3	18	35	77	72	258	-	-	-	-	-	-	2	6	25	61	144
White	207	-	-	-	-	-	2	3	18	35	76	72	256	-	-	-	-	-	-	2	6	24	80	144
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	189	-	-	-	-	-	1	2	26	72	65	23	102	-	-	1	-	-	2	3	11	15	36	32
White	188	-	-	-	-	-	1	2	26	72	64	23	102	-	-	1	-	-	2	3	11	15	36	32
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	282	2	1	2	1	2	1	7	15	58	85	108	335	2	1	-	1	-	-	6	15	33	84	193
White	274	2	1	2	1	2	1	6	14	55	83	107	333	2	1	-	1	-	-	6	14	33	83	193
All other	8	-	-	-	-	-	-	1	1	3	2	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	276	2	1	2	1	2	1	6	15	56	84	106	324	2	1	–	1	–	–	6	15	33	79	187
White	268	2	1	2	1	2	1	5	14	53	82	105	322	2	1	–	1	–	–	6	14	33	78	187
All other	8	–	–	–	–	–	–	1	1	3	2	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Influenza (487)	6	–	–	–	–	–	–	1	–	2	1	2	11	–	–	–	–	–	–	–	–	–	5	6
White	6	–	–	–	–	–	–	1	–	2	1	2	11	–	–	–	–	–	–	–	–	–	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	600	–	–	1	1	–	1	18	80	213	236	50	303	–	–	–	–	2	4	12	44	131	83	27
White	590	–	–	1	–	–	1	15	79	211	233	50	303	–	–	–	–	2	4	12	44	131	83	27
All other	10	–	–	–	1	–	–	3	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	7	–	–	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	34	–	–	1	–	–	–	1	3	10	15	4	20	–	–	–	–	–	–	3	3	7	2	5
White	34	–	–	1	–	–	–	1	3	10	15	4	20	–	–	–	–	–	–	3	3	7	2	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	135	–	–	–	–	–	–	5	20	48	52	10	60	–	–	–	–	–	1	1	14	22	20	2
White	134	–	–	–	–	–	–	5	20	48	51	10	60	–	–	–	–	–	1	1	14	22	20	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	28	–	–	–	1	–	1	4	4	8	9	1	30	–	–	–	–	2	1	2	4	12	7	2
White	22	–	–	–	–	–	1	2	4	8	8	1	30	–	–	–	–	2	1	2	4	12	7	2
All other	4	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	405	–	–	–	–	–	–	8	53	149	160	35	193	–	–	–	–	–	2	6	23	90	54	18
White	400	–	–	–	–	–	–	7	52	147	159	35	193	–	–	–	–	–	2	6	23	90	54	18
All other	5	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	37	–	–	–	–	–	2	1	4	12	11	7	41	–	–	–	–	–	–	1	5	11	13	11
White	37	–	–	–	–	–	2	1	4	12	11	7	40	–	–	–	–	–	–	1	5	11	12	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	3	–	1	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	–
White	3	–	1	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	–	–	–	1	–	–	–	2	4	14	7	39	2	–	–	–	–	–	–	–	8	11	18
White	28	–	–	–	1	–	–	–	2	4	14	7	38	1	–	–	–	–	–	–	–	8	11	18
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	183	–	–	–	–	2	10	26	80	55	10	–	95	–	–	–	–	–	4	22	28	22	16	3
White	174	–	–	–	–	1	8	24	79	52	10	–	90	–	–	–	–	–	4	19	27	21	16	3
All other	9	–	–	–	–	1	2	2	1	3	–	–	5	–	–	–	–	–	–	3	1	1	–	–
Black	3	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	–	–	–	3	6	5	16	–	–	–	–	–	–	2	1	4	4	5
White	14	–	–	–	–	–	–	–	–	3	6	5	15	–	–	–	–	–	–	2	1	3	4	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	55	–	–	–	–	1	3	–	4	14	18	14	59	2	2	1	–	–	2	1	6	14	18	13
White	53	–	–	–	–	1	3	–	3	14	18	14	55	2	2	1	–	–	1	1	5	14	16	13
All other	2	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	1	–	1	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	–	–	–	–	–	–	–	–	–	2	3	10	–	–	–	–	–	–	–	1	4	4	1
White	5	–	–	–	–	–	–	–	–	–	2	3	9	–	–	–	–	–	–	–	1	4	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	48	–	–	–	–	1	3	–	4	13	16	11	49	2	2	1	–	–	2	1	5	10	14	12
White	46	–	–	–	–	1	3	–	3	13	15	11	45	2	2	1	–	–	1	1	4	10	13	12
All other	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	1	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	6	–	–	–	–	–	–	–	2	2	2	2	23	1	–	–	–	–	–	–	4	4	6	8
White	6	–	–	–	–	–	–	–	2	2	2	2	23	1	–	–	–	–	–	–	4	4	6	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	–	1	2	2	***	***	***	***	***	***	***	***	***	***	***	***
White	4	–	–	–	–	–	–	–	–	1	2	1	***	***	***	***	***	***	***	***	***	***	***	***
All other	1	–	–	–	–	–	–	–	–	–	–	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	87	55	6	2	5	4	1	2	5	4	3	–	66	51	5	2	–	2	–	1	1	3	1	–
White	83	52	6	2	4	4	1	2	5	4	3	–	61	48	5	1	–	1	–	1	1	3	1	–
All other	4	3	–	–	1	–	–	–	–	–	–	–	5	3	–	1	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	92	89	2	1	–	–	–	–	–	–	–	–	69	68	1	–	–	–	–	–	–	–	–	–
White	83	80	2	1	–	–	–	–	–	–	–	–	65	64	1	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	26	2	1	–	–	–	–	–	–	–	–	25	24	1	–	–	–	–	–	–	–	–	–
White	26	23	2	1	–	–	–	–	–	–	–	–	24	23	1	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	63	63	–	–	–	–	–	–	–	–	–	–	44	44	–	–	–	–	–	–	–	–	–	–
White	57	57	–	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	182	67	1	1	3	7	2	13	19	28	21	18	165	37	1	–	1	–	4	2	18	28	38	35
White	166	62	1	1	3	5	2	9	19	27	19	17	156	31	1	–	1	–	4	2	18	27	38	33
All other	16	5	–	–	–	2	–	4	–	1	2	1	9	6	–	–	–	–	–	–	–	1	–	2
Black	2	1	–	–	–	–	–	1	–	–	–	–	4	2	–	–	–	–	–	–	–	1	–	1
All other diseases (Residual)	698	16	5	6	18	7	23	26	101	168	212	116	692	5	7	4	8	16	17	32	72	131	187	213
White	681	14	5	6	18	7	19	24	98	166	209	115	683	5	7	4	8	15	16	32	71	129	183	213
All other	17	2	–	–	–	–	4	2	3	2	3	1	9	–	–	–	–	1	1	–	1	2	4	–
Black	9	1	–	–	–	–	1	1	2	1	2	1	6	–	–	–	–	1	1	–	1	2	1	–
Accidents and adverse effects (E800-E949)	771	6	23	45	178	170	81	51	70	57	48	38	338	5	18	15	56	43	28	18	28	35	44	48
White	739	5	22	43	173	159	77	50	67	55	49	37	323	5	18	14	51	41	27	17	28	32	42	48
All other	32	1	1	2	5	11	4	1	3	2	–	1	15	–	–	1	5	2	1	1	–	3	2	–
Black	8	1	–	1	1	1	1	1	–	1	–	–	4	–	–	–	1	1	1	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	379	2	6	15	126	92	45	25	30	19	12	6	174	2	6	11	50	39	17	7	11	21	6	4
White	358	2	5	15	124	83	41	25	27	16	12	6	165	2	6	11	46	37	17	6	11	19	6	4
All other	21	–	1	–	2	9	4	–	3	1	–	–	9	–	–	–	4	2	–	1	–	2	–	–
Black	4	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	392	4	17	30	52	78	36	26	40	38	37	32	164	3	12	4	6	4	11	11	17	14	38	44
White	381	3	17	28	49	76	36	25	40	37	37	31	158	3	12	3	5	4	10	11	17	13	38	44
All other	11	1	–	2	3	2	–	1	–	1	–	1	6	–	–	1	1	–	1	–	–	1	2	–
Black	4	1	–	1	–	–	–	1	–	1	–	–	3	–	–	–	1	–	1	–	–	–	1	–
Suicide (E950-E959)	304	...	...	3	37	79	34	33	44	37	32	5	88	...	...	–	18	22	12	9	13	10	4	–
White	294	...	...	3	34	73	34	32	44	37	32	5	86	...	...	–	18	21	12	8	12	10	4	–
All other	10	...	...	–	3	6	–	1	–	–	–	–	2	...	...	–	–	1	–	1	1	–	–	–
Black	3	...	...	–	–	3	–	–	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	94	1	2	1	20	34	13	9	8	2	3	1	52	1	1	1	10	17	9	3	6	2	–	2
White	74	1	1	1	17	22	12	7	7	2	3	1	49	1	1	1	10	15	8	3	6	2	–	2
All other	20	–	1	–	3	12	1	2	1	–	–	–	3	–	–	–	–	2	1	–	–	–	–	–
Black	15	–	–	–	2	9	1	2	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other external causes (E980-E999)	34	1	–	–	5	11	4	4	2	3	–	1	18	–	–	–	1	2	7	3	1	1	3	–
White	30	1	–	–	5	11	1	3	2	3	–	1	14	–	–	–	1	1	5	2	1	1	3	–
All other	4	–	–	–	–	–	3	1	–	–	–	–	4	–	–	–	–	1	2	1	–	–	–	–
Black	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
PENNSYLVANIA																								
All causes	62,098	1,046	162	240	1,292	1,413	1,717	4,309	11,217	17,697	15,354	7,634	56,721	827	122	162	455	561	925	2,421	6,935	12,569	17,265	14,461
White	56,313	797	127	198	1,131	1,107	1,389	3,636	10,014	16,360	14,331	7,233	51,821	631	93	129	387	436	741	1,988	6,102	11,409	16,155	13,839
All other	5,783	249	35	42	161	306	328	673	1,203	1,337	1,023	401	4,900	196	29	33	68	125	184	433	833	1,160	1,110	622
Black	5,669	243	33	42	161	299	337	664	1,182	1,327	1,004	392	4,751	190	29	31	68	123	181	425	826	1,148	1,105	618
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	3	–	–	–	1	–	–	–	–	1	1	6	2	–	–	–	–	–	–	–	1	2	1
White	5	2	–	–	–	1	–	–	–	–	1	1	4	1	–	–	–	–	–	–	–	–	2	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	65	1	–	–	–	1	1	4	10	18	18	12	40	–	–	–	–	–	2	3	7	7	10	11
White	50	–	–	–	–	–	1	2	7	15	16	9	30	–	–	–	–	–	1	2	3	6	8	10
All other	15	1	–	–	–	1	–	2	3	3	2	3	10	–	–	–	–	–	1	1	4	1	2	1
Black	15	1	–	–	–	1	–	2	3	3	2	3	9	–	–	–	–	–	1	–	4	1	2	1
Tuberculosis of respiratory system (010-012)	52	–	–	–	–	1	1	3	10	14	14	9	25	–	–	–	–	–	–	3	2	5	7	8
White	42	–	–	–	–	–	1	2	7	12	13	7	21	–	–	–	–	–	–	2	2	4	6	7
All other	10	–	–	–	–	1	–	1	3	2	1	2	4	–	–	–	–	–	–	1	–	1	1	1
Black	10	–	–	–	–	1	–	1	3	2	1	2	3	–	–	–	–	–	–	–	1	1	1	1
Other tuberculosis (013-018)	13	1	–	–	–	–	–	1	–	4	4	3	15	–	–	–	–	–	2	–	5	2	3	3
White	8	–	–	–	–	–	–	–	–	3	3	2	9	–	–	–	–	–	1	–	1	2	2	3
All other	5	1	–	–	–	–	–	1	–	1	1	1	6	–	–	–	–	–	1	–	4	–	1	–
Black	5	1	–	–	–	–	–	1	–	1	1	1	6	–	–	–	–	–	1	–	4	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	9	2	2	–	1	1	–	–	1	2	–	–	8	1	2	–	2	–	2	–	–	–	1	–
White	7	2	2	–	1	1	–	–	–	1	–	–	8	1	2	–	2	–	2	–	–	–	1	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	451	6	2	–	–	2	10	18	65	124	149	75	556	5	3	2	2	2	6	20	54	108	188	168
White	370	3	1	–	–	2	6	11	49	104	128	66	443	3	2	2	2	–	3	12	36	88	153	144
All other	81	3	1	–	–	–	4	7	16	20	21	9	113	2	1	–	–	2	3	8	18	22	35	22
Black	79	3	1	–	–	–	4	7	16	20	20	8	112	2	1	–	–	2	3	8	17	22	35	22
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	11	–	–	–	1	1	–	2	2	4	1	–	13	–	–	–	1	1	1	1	1	4	3	1
White	10	–	–	–	1	1	–	2	1	4	1	–	10	–	–	–	1	1	1	–	–	3	3	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Syphilis (090-097)	4	–	–	–	1	–	–	1	2	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
White	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	86	2	–	–	6	2	6	9	15	19	18	9	102	4	3	1	4	8	7	7	13	25	18	12
White	75	2	–	–	5	1	4	7	13	18	17	8	85	3	3	1	3	6	4	4	12	20	17	12
All other	11	–	–	–	1	1	2	2	2	1	1	1	17	1	–	–	1	2	3	3	1	5	1	–
Black	11	–	–	–	1	1	2	2	2	1	1	1	17	1	–	–	1	2	3	3	1	5	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,089	1	16	36	75	125	286	1,090	3,436	4,749	3,222	1,063	12,466	3	11	20	41	120	353	1,094	2,846	3,686	3,042	1,266
White	12,800	1	16	30	67	103	239	934	3,063	4,359	2,999	989	11,386	3	7	18	38	103	300	935	2,551	3,376	2,846	1,207
All other	1,289	–	–	6	8	22	47	156	373	390	223	74	1,080	–	4	2	3	17	53	159	295	290	194	61
Black	1,284	–	–	6	8	22	45	155	367	387	223	71	1,070	–	4	2	3	16	50	157	293	288	194	61
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	376	–	–	–	3	3	10	50	125	117	51	17	134	–	–	–	2	1	1	22	39	36	21	12
White	321	–	–	–	2	2	6	36	110	103	46	16	115	–	–	–	2	1	–	16	34	32	18	12
All other	55	–	–	–	1	1	4	14	15	14	5	1	19	–	–	–	–	–	1	6	5	4	3	–
Black	55	–	–	–	1	1	4	14	15	14	5	1	19	–	–	–	–	–	1	6	5	4	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,666	1	2	3	1	18	61	256	852	1,283	897	292	3,445	–	–	–	2	13	54	169	632	973	1,082	518
White	3,307	1	2	2	1	8	49	212	750	1,175	832	275	3,127	–	–	–	2	8	43	141	546	884	1,011	492
All other	359	–	–	1	–	10	12	44	102	108	65	17	318	–	–	–	–	5	11	28	86	89	71	26
Black	351	–	–	1	–	10	11	43	99	106	65	16	313	–	–	–	–	4	10	27	84	89	71	26
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,800	–	–	1	1	7	77	420	1,425	1,803	898	168	1,853	–	–	1	–	6	42	184	556	659	328	77
White	4,367	–	–	1	1	6	66	364	1,267	1,657	843	162	1,648	–	–	1	–	5	29	153	479	608	302	71
All other	433	–	–	–	–	1	11	56	158	146	55	6	205	–	–	–	–	1	13	31	77	51	26	6
Black	430	–	–	–	–	1	10	56	157	145	55	6	205	–	–	–	–	1	13	31	77	51	26	6
Malignant neoplasm of breast (174-175)	10	–	–	–	–	–	–	1	2	4	2	1	2,290	–	–	1	–	27	109	311	697	621	399	185
White	9	–	–	–	–	–	–	1	2	4	1	1	2,099	–	–	1	–	23	96	267	583	579	372	178
All other	1	–	–	–	–	–	–	–	–	–	1	–	191	–	–	–	–	4	13	44	54	42	27	7
Black	1	–	–	–	–	–	–	–	–	–	1	–	189	–	–	–	–	4	13	43	54	41	27	7
Malignant neoplasms of genital organs (179-187)	1,427	–	–	1	7	9	5	18	173	405	522	287	1,372	–	–	–	4	9	55	145	350	392	315	102
White	1,256	–	–	1	7	9	5	14	143	345	475	257	1,262	–	–	–	3	6	49	131	321	355	298	99
All other	171	–	–	–	–	–	–	4	30	60	47	30	110	–	–	–	1	3	6	14	29	37	17	3
Black	168	–	–	–	–	–	–	4	28	60	47	28	110	–	–	–	1	3	6	14	29	37	17	3
Malignant neoplasms of urinary organs (188-189)	740	–	–	1	–	5	13	49	143	259	194	76	412	–	1	1	–	–	7	22	79	122	120	60
White	700	–	–	1	–	4	11	46	136	242	190	70	381	–	1	1	–	–	4	19	73	112	115	56
All other	40	–	–	–	–	1	2	3	7	17	4	6	31	–	–	–	–	–	3	3	6	10	5	4
Black	40	–	–	–	–	1	2	3	7	17	4	5	30	–	–	–	–	–	2	3	6	10	5	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,829	–	9	16	25	49	71	177	445	530	396	117	1,816	1	6	7	12	39	56	160	361	526	449	199
White	1,686	–	9	12	20	38	60	160	407	507	363	110	1,677	1	2	6	10	36	52	135	337	487	424	187
All other	143	–	–	4	5	5	11	17	38	23	33	7	139	–	4	1	2	3	4	25	24	39	25	12
Black	143	–	–	4	5	5	11	17	38	23	33	7	138	–	4	1	2	3	3	25	24	39	25	12
Leukemia (204-208)	523	–	5	9	23	17	18	45	88	131	131	56	436	2	4	10	17	13	11	23	64	111	123	58
White	486	–	5	9	22	15	17	38	80	122	124	54	407	2	4	9	17	12	10	20	56	106	114	57
All other	37	–	–	–	1	2	1	7	8	9	7	2	29	–	–	1	–	1	1	3	8	5	9	1
Black	36	–	–	–	1	2	1	7	7	9	7	2	29	–	–	1	–	1	1	3	8	5	9	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	728	–	–	5	15	23	31	74	183	217	131	49	708	–	–	–	4	12	18	58	128	226	205	57
White	668	–	–	4	14	21	25	63	168	204	125	44	670	–	–	–	4	12	17	53	122	213	194	55
All other	60	–	–	1	1	2	6	11	15	13	6	5	38	–	–	–	–	–	1	5	6	13	11	2
Black	60	–	–	1	1	2	6	11	15	13	6	5	37	–	–	–	–	–	1	5	6	12	11	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	243	–	1	–	2	8	10	16	49	61	55	21	270	2	2	3	5	4	3	19	38	64	93	37
White	230	–	1	–	2	6	10	16	44	77	54	20	245	2	2	3	5	3	3	17	34	57	86	33
All other	13	–	–	–	–	2	–	–	5	4	1	1	25	–	–	–	–	1	–	2	4	7	7	4
Black	13	–	–	–	–	2	–	–	5	4	1	1	25	–	–	–	–	1	–	2	4	7	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	944	–	–	1	4	11	19	74	195	310	236	94	1,480	–	–	1	1	18	11	53	199	419	478	299
White	833	–	–	1	4	9	15	58	165	284	212	85	1,358	–	–	–	–	16	11	43	171	389	444	284
All other	111	–	–	–	–	2	4	16	30	26	24	9	122	–	–	1	1	2	–	10	28	30	34	15
Black	110	–	–	–	–	2	4	16	30	26	23	9	122	–	–	1	1	2	–	10	28	30	34	15
Nutritional deficiencies (260-269)	56	–	–	–	–	–	2	1	3	19	23	8	88	–	–	–	–	–	–	3	3	12	29	39
White	48	–	–	–	–	–	1	1	3	17	19	7	79	–	–	–	–	–	–	3	3	11	27	35
All other	8	–	–	–	–	–	1	–	–	2	4	1	7	–	–	–	–	–	–	–	–	1	2	4
Black	8	–	–	–	–	–	1	–	–	2	4	1	7	–	–	–	–	–	–	–	–	1	2	4
Anemias (280-285)	91	1	–	1	2	3	3	4	8	18	32	19	123	1	1	1	2	5	2	4	2	23	47	35
White	78	–	–	1	1	–	1	4	7	16	29	19	107	1	–	1	–	2	2	3	1	20	43	34
All other	13	1	–	–	1	3	2	–	1	2	3	–	16	–	1	–	2	3	–	1	1	3	4	1
Black	12	1	–	–	1	3	1	–	1	2	3	–	16	–	1	–	2	3	–	1	1	3	4	1
Meningitis (320-322)	28	6	4	–	1	1	1	2	3	6	1	3	22	3	1	–	–	–	–	–	3	7	5	3
White	25	6	3	–	1	–	1	1	3	6	1	3	20	3	–	–	–	–	–	–	3	6	5	3
All other	3	–	1	–	–	1	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Black	2	–	1	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Major cardiovascular diseases (390-448)	29,776	19	8	13	48	142	534	1,879	5,157	8,785	8,434	4,755	30,658	17	8	12	32	63	180	651	2,512	6,164	10,630	10,375
White	27,864	15	5	11	41	116	469	1,666	4,780	8,268	7,958	4,553	28,746	14	6	9	25	45	146	539	2,258	5,852	10,041	10,008
All other	1,912	4	3	2	7	26	65	213	397	517	476	202	1,912	3	2	3	7	18	44	112	254	512	589	367
Black	1,875	3	2	2	7	26	65	208	387	515	462	198	1,890	2	2	3	7	18	44	109	251	503	584	366
Diseases of heart (390-398,402,404-429)	24,679	15	7	10	40	105	458	1,682	4,538	7,410	6,712	3,700	23,929	16	6	8	23	42	138	503	2,072	5,032	8,201	7,824
White	23,191	11	4	9	34	87	414	1,511	4,239	7,008	6,332	3,548	22,484	13	5	5	18	29	105	425	1,877	4,639	7,814	7,561
All other	1,488	4	3	1	6	18	44	171	305	402	380	154	1,435	3	1	3	5	13	33	78	195	393	447	263
Black	1,462	3	2	1	6	18	44	168	299	401	369	151	1,418	2	1	3	5	13	33	76	192	386	444	262
Rheumatic fever and rheumatic heart disease (390-398)	177	–	–	–	2	3	4	25	58	56	24	5	372	–	–	2	2	3	10	25	77	136	88	29
White	172	–	–	–	2	2	3	25	56	55	24	5	346	–	–	1	1	2	9	21	72	131	82	27
All other	5	–	–	–	–	1	1	–	2	1	–	–	26	–	–	1	1	1	1	4	5	5	6	2
Black	5	–	–	–	–	1	1	–	2	1	–	–	26	–	–	1	1	1	1	4	5	5	6	2
Hypertensive heart disease (402)	440	–	–	–	1	1	11	26	63	154	115	49	702	–	–	–	–	1	6	17	67	136	293	182
White	377	–	–	–	1	1	7	23	65	134	102	44	635	–	–	–	–	–	4	11	58	121	272	169
All other	63	–	–	–	–	–	4	3	18	20	13	5	67	–	–	–	–	1	2	6	9	15	21	13
Black	63	–	–	–	–	–	4	3	18	20	13	5	67	–	–	–	–	1	2	6	9	15	21	13
Hypertensive heart and renal disease (404)	67	–	–	–	–	1	–	6	5	20	21	14	106	–	–	–	–	–	–	–	5	17	38	46
White	59	–	–	–	–	–	–	4	3	19	20	13	101	–	–	–	–	–	–	–	5	14	37	45
All other	8	–	–	–	–	1	–	2	2	1	1	1	5	–	–	–	–	–	–	–	–	3	1	1
Black	8	–	–	–	–	1	–	2	2	1	1	1	5	–	–	–	–	–	–	–	–	3	1	1
Ischemic heart disease (410-414)	17,712	–	–	–	3	45	311	1,211	3,412	5,489	4,745	2,495	15,886	–	–	–	2	8	60	321	1,398	3,478	5,625	4,990
White	16,879	–	–	–	3	41	288	1,115	3,227	5,257	4,533	2,414	15,068	–	–	–	1	4	52	285	1,283	3,244	5,351	4,845
All other	833	–	–	–	–	4	23	96	185	232	212	81	818	–	–	–	1	4	8	36	115	234	274	145
Black	816	–	–	–	–	4	23	93	179	231	207	79	809	–	–	–	1	4	8	34	113	230	279	145
Acute myocardial infarction (410)	10,865	–	–	–	2	30	230	905	2,455	3,645	2,664	933	8,211	–	–	–	2	8	40	235	1,015	2,243	2,960	1,706
White	10,352	–	–	–	2	26	213	843	2,330	3,487	2,550	900	7,755	–	–	–	1	4	35	208	936	2,086	2,818	1,655
All other	513	–	–	–	–	4	17	62	125	158	114	33	456	–	–	–	1	4	5	27	79	147	142	51
Black	504	–	–	–	–	4	17	61	121	157	111	33	450	–	–	–	1	4	5	26	77	145	141	51
Other acute and subacute forms of ischemic heart disease (411)	89	–	–	–	1	2	6	6	12	30	22	10	78	–	–	–	–	–	1	5	10	21	24	17
White	87	–	–	–	1	2	5	6	11	30	22	10	71	–	–	–	–	–	1	4	9	19	22	16
All other	2	–	–	–	–	–	1	–	1	–	–	–	7	–	–	–	–	–	–	1	1	2	2	1
Black	2	–	–	–	–	–	1	–	1	–	–	–	7	–	–	–	–	–	–	1	1	2	2	1
Angina pectoris (413)	19	–	–	–	–	–	–	1	3	5	8	2	15	–	–	–	–	–	–	–	1	3	7	4
White	18	–	–	–	–	–	–	1	2	5	8	2	15	–	–	–	–	–	–	–	1	3	7	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,739	–	–	–	–	13	75	299	942	1,809	2,051	1,550	7,582	–	–	–	–	–	19	81	372	1,211	2,634	3,283
White	6,422	–	–	–	–	13	70	285	884	1,735	1,953	1,502	7,227	–	–	–	–	–	16	73	337	1,126	2,504	3,170
All other	317	–	–	–	–	–	5	34	58	74	98	48	355	–	–	–	–	–	3	8	35	85	130	93
Black	309	–	–	–	–	–	5	32	56	74	96	46	352	–	–	–	–	–	3	7	35	83	130	93
Other diseases of endocardium (424)	256	1	–	1	1	2	6	18	48	74	70	35	310	1	–	1	2	–	4	5	30	58	120	89
White	229	–	–	–	1	1	6	15	41	67	64	34	294	1	–	1	2	–	2	4	29	53	117	85
All other	27	1	–	1	–	1	–	3	7	7	6	1	16	–	–	–	–	–	2	1	1	5	3	4
Black	26	–	–	1	–	1	–	3	7	7	6	1	16	–	–	–	–	–	2	1	1	5	3	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	6,027	14	7	9	33	53	126	396	932	1,617	1,737	1,102	6,553	15	6	5	17	30	58	135	495	1,207	2,097	2,488
White	5,475	11	4	9	27	42	110	329	841	1,476	1,589	1,036	6,050	12	5	3	14	23	38	104	430	1,076	1,955	2,390
All other	552	3	3	–	6	11	16	67	91	141	148	66	503	3	1	2	3	7	20	31	65	131	142	98
Black	544	3	2	–	6	11	16	67	91	141	142	65	495	2	1	2	3	7	20	31	64	128	140	97
Hypertension with or without renal disease (401,403)	223	–	–	–	1	5	3	12	44	63	54	41	236	–	–	–	1	–	1	7	28	51	80	70
White	188	–	–	–	1	5	2	12	38	53	50	37	208	–	–	–	1	–	–	6	23	45	69	64
All other	25	–	–	–	–	–	1	–	6	10	4	4	28	–	–	–	–	–	1	1	3	6	11	6
Black	25	–	–	–	–	–	1	–	6	10	4	4	28	–	–	–	–	–	1	1	3	6	11	6
Cerebrovascular diseases (430-438)	3,486	3	1	3	6	26	62	145	423	930	1,203	684	5,067	1	1	3	7	19	45	115	358	900	1,855	1,785
White	3,141	3	1	2	5	19	43	108	348	841	1,125	646	4,706	1	1	3	5	15	35	88	304	801	1,742	1,711
All other	345	–	–	1	1	7	19	37	75	89	78	38	361	–	–	–	2	4	10	27	52	99	113	74
Black	336	–	–	1	1	7	19	35	71	88	77	37	376	–	–	–	2	4	10	26	52	97	111	74
Intracerebral and other intracranial hemorrhage (431-432)	500	3	–	2	3	11	22	41	103	137	117	61	618	1	1	2	3	7	12	41	94	157	199	101
White	427	3	–	1	2	6	13	28	76	128	112	58	543	1	1	2	2	6	5	31	80	137	183	95
All other	73	–	–	1	1	5	9	13	27	9	5	3	75	–	–	–	1	1	7	10	14	20	16	6
Black	70	–	–	1	1	5	9	12	25	9	5	3	74	–	–	–	1	1	7	10	14	20	15	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	670	–	–	–	–	–	4	15	82	180	257	132	894	–	–	–	1	1	3	11	52	136	331	359
White	613	–	–	–	–	–	1	11	67	170	239	125	856	–	–	–	1	1	3	11	48	125	319	350
All other	57	–	–	–	–	–	3	4	15	10	18	7	38	–	–	–	–	–	–	–	6	11	12	9
Black	56	–	–	–	–	–	3	4	14	10	18	7	38	–	–	–	–	–	–	–	6	11	12	9
Cerebral embolism (434.1)	18	–	–	–	–	–	1	2	3	7	3	2	22	–	–	–	–	–	1	–	2	4	12	3
White	16	–	–	–	–	–	1	1	2	7	3	2	17	–	–	–	–	–	1	–	2	2	11	1
All other	2	–	–	–	–	–	–	1	1	–	–	–	5	–	–	–	–	–	–	–	–	2	1	2
Black	2	–	–	–	–	–	–	1	1	–	–	–	5	–	–	–	–	–	–	–	–	2	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,298	–	1	1	3	15	35	87	235	606	826	489	3,553	–	–	1	3	11	29	63	208	603	1,313	1,322
White	2,085	–	1	1	3	13	28	68	203	536	771	461	3,290	–	–	1	2	8	26	46	176	537	1,229	1,265
All other	213	–	–	–	–	2	7	19	32	70	55	28	263	–	–	–	1	3	3	17	32	66	84	57
Black	208	–	–	–	–	2	7	18	31	69	54	27	259	–	–	–	1	3	3	16	32	64	83	57
Atherosclerosis (440)	616	–	–	–	–	–	4	9	27	94	226	256	961	–	–	–	–	–	3	4	15	71	267	601
White	601	–	–	–	–	–	4	8	26	89	222	252	925	–	–	–	–	–	3	2	14	69	257	580
All other	15	–	–	–	–	–	–	1	1	5	4	4	36	–	–	–	–	–	–	2	1	2	10	21
Black	15	–	–	–	–	–	–	1	1	5	4	4	36	–	–	–	–	–	–	2	1	2	10	21
Other diseases of arteries, arterioles, and capillaries (441-448)	772	1	–	–	1	6	7	31	125	288	239	74	445	–	1	1	1	2	3	22	43	110	167	95
White	733	1	–	–	1	5	6	27	115	277	229	72	413	–	1	1	1	1	3	18	40	98	159	92
All other	39	–	–	–	–	1	1	4	10	11	10	2	32	–	1	–	–	1	–	4	3	12	8	3
Black	37	–	–	–	–	1	1	4	10	11	8	2	32	–	1	–	–	1	–	4	3	12	8	3
Acute bronchitis and bronchiolitis (466)	7	–	–	–	–	–	–	–	2	–	3	2	16	2	–	1	–	–	–	–	2	2	4	5
White	7	–	–	–	–	–	–	–	2	–	3	2	15	2	–	1	–	–	–	–	2	1	4	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Pneumonia and influenza (480-487)	1,240	19	7	3	7	13	19	36	125	253	395	363	1,147	13	2	4	1	8	12	25	74	135	365	507
White	1,105	13	5	3	6	9	11	23	104	218	367	346	1,062	9	2	3	1	6	8	19	62	117	349	485
All other	135	6	2	–	1	4	8	13	21	35	28	17	85	4	–	1	–	2	4	6	12	18	16	22
Black	133	5	2	–	1	4	8	13	21	35	27	17	84	4	–	1	–	2	4	6	12	18	16	21
Pneumonia (480-486)	1,233	19	7	3	7	13	19	36	124	253	392	360	1,142	13	2	4	1	8	12	25	74	134	364	504
White	1,099	13	5	3	6	9	11	23	103	218	364	344	1,057	9	2	3	1	6	8	19	62	116	348	482
All other	134	6	2	–	1	4	8	13	21	35	28	16	85	4	–	1	–	2	4	6	12	18	16	22
Black	132	5	2	–	1	4	8	13	21	35	27	16	84	4	–	1	–	2	4	6	12	18	16	21
Influenza (487)	7	–	–	–	–	–	–	–	1	–	3	3	5	–	–	–	–	–	–	–	–	1	1	3
White	6	–	–	–	–	–	–	–	1	–	3	2	5	–	–	–	–	–	–	–	–	1	1	3
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,239	2	2	2	6	5	10	58	300	865	752	238	964	–	–	2	3	2	4	36	155	368	270	125
White	2,129	1	1	1	4	3	6	50	281	824	730	227	921	–	–	2	1	–	3	31	144	358	261	122
All other	110	1	1	1	2	2	4	8	19	41	22	11	43	–	–	–	2	2	1	5	11	10	9	3
Black	110	1	1	1	2	2	4	6	19	41	22	11	42	–	–	–	2	2	1	4	11	10	9	3
Bronchitis, chronic and unspecified (490-491)	83	–	1	1	–	–	1	2	11	30	26	9	50	–	–	–	1	–	–	1	7	15	13	13
White	81	–	–	1	–	–	1	2	11	30	27	9	48	–	–	–	–	–	–	1	7	15	12	13
All other	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	1	–
Black	2	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	1	–
Emphysema (492)	395	–	–	–	–	–	2	11	63	167	118	34	152	–	–	–	–	–	1	6	35	61	35	13
White	377	–	–	–	–	–	2	10	58	159	116	32	145	–	–	–	–	–	–	5	35	58	33	13
All other	18	–	–	–	–	–	–	1	5	8	2	2	7	–	–	–	–	–	1	1	–	3	2	–
Black	18	–	–	–	–	–	–	1	5	8	2	2	7	–	–	–	–	–	1	1	–	3	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	53	2	1	1	6	4	4	3	9	10	12	1	78	–	–	2	1	2	1	11	15	25	15	7
White	41	1	1	–	4	2	–	1	9	10	12	1	69	–	–	2	–	–	1	8	11	25	15	7
All other	12	1	–	1	2	2	4	2	–	–	–	–	10	–	–	–	1	2	–	3	4	–	–	–
Black	12	1	–	1	2	2	4	2	–	–	–	–	9	–	–	–	1	2	–	2	4	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,708	–	–	–	–	1	3	40	217	658	594	194	683	–	–	–	1	–	2	18	98	265	207	92
White	1,630	–	–	–	–	1	3	37	203	625	575	185	659	–	–	–	1	–	2	17	91	258	201	89
All other	78	–	–	–	–	–	–	3	14	33	19	9	24	–	–	–	–	–	–	1	7	7	6	3
Black	78	–	–	–	–	–	–	3	14	33	19	9	24	–	–	–	–	–	–	1	7	7	6	3
Ulcer of stomach and duodenum (531-533)	183	–	–	1	1	2	1	8	34	62	50	23	144	–	–	–	–	–	2	3	14	30	46	49
White	168	–	–	1	1	1	1	7	29	59	46	23	133	–	–	–	–	–	2	2	13	25	44	47
All other	15	–	–	–	–	1	–	1	5	3	4	–	11	–	–	–	–	–	–	1	1	5	2	2
Black	15	–	–	–	–	1	–	1	5	3	4	–	11	–	–	–	–	–	–	1	1	5	2	2
Appendicitis (540-543)	14	–	1	1	–	–	–	1	2	4	2	3	13	–	–	1	1	–	–	–	1	3	3	4
White	11	–	1	–	–	–	–	–	2	3	2	3	12	–	–	–	1	–	–	–	1	3	3	4
All other	3	–	–	1	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	3	–	–	1	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	123	6	2	2	3	2	5	8	9	29	25	32	163	6	–	–	–	1	2	2	7	31	56	57
White	106	5	1	2	2	1	4	8	8	21	22	32	156	6	–	–	–	1	2	2	7	27	54	56
All other	17	1	1	–	1	1	1	–	1	8	3	–	7	–	–	–	–	–	–	–	–	4	2	1
Black	16	1	1	–	1	1	1	–	1	7	3	–	7	–	–	–	–	–	–	–	–	4	2	1
Chronic liver disease and cirrhosis (571)	959	2	–	2	4	30	73	205	279	282	78	18	469	1	–	–	2	14	40	78	114	133	78	9
White	858	2	–	2	2	17	53	174	263	250	75	18	414	–	–	–	2	7	29	61	102	130	76	9
All other	97	–	–	–	2	13	20	31	16	12	3	–	55	1	–	–	–	7	11	17	12	3	2	–
Black	96	–	–	–	2	13	19	31	16	12	3	–	55	1	–	–	2	7	11	17	12	3	2	–
Cholelithiasis and other disorders of gallbladder (574-575)	53	–	–	–	–	–	–	–	10	17	16	10	90	–	–	–	–	–	3	3	6	19	35	24
White	49	–	–	–	–	–	–	–	9	15	15	10	85	–	–	–	–	–	1	3	6	19	33	23
All other	4	–	–	–	–	–	–	–	1	2	1	–	5	–	–	–	–	–	2	–	–	–	2	1
Black	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	2	–	–	–	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	594	7	–	1	2	5	15	21	63	165	187	128	628	1	1	–	–	6	5	14	71	122	245	163
White	515	4	–	1	1	1	11	14	55	144	166	118	529	1	1	–	–	6	3	9	57	93	212	147
All other	79	3	–	–	1	4	4	7	8	21	21	10	99	–	–	–	–	–	2	5	14	29	33	16
Black	77	3	–	–	1	3	3	7	8	21	21	10	99	–	–	–	–	–	2	5	14	29	33	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	–	–	–	–	1	1	1	1	2	–	1	9	–	–	–	–	–	–	1	2	1	4	1
White	5	–	–	–	–	–	1	1	1	2	–	–	8	–	–	–	–	–	–	–	2	1	4	1
All other	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	–	–	–	1	–	2	–	4	21	11	6	54	–	1	–	–	2	1	2	4	12	21	11
White	42	–	–	–	1	–	2	–	3	19	11	6	51	–	1	–	–	2	1	2	4	9	21	11
All other	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	3	–	–
Black	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	3	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	542	7	–	1	1	4	12	20	58	142	176	121	565	1	–	–	–	4	4	11	65	109	220	151
White	468	4	–	1	–	1	8	13	51	123	155	112	470	1	–	–	–	4	2	7	51	83	187	135
All other	74	3	–	–	1	3	4	7	7	19	21	9	95	–	–	–	–	–	2	4	14	26	33	16
Black	72	3	–	–	1	2	3	7	7	19	21	9	95	–	–	–	–	–	2	4	14	26	33	16
Infections of kidney (590)	23	–	–	–	–	–	–	–	3	6	7	7	42	–	–	–	–	–	–	4	2	14	11	11
White	19	–	–	–	–	–	–	–	3	5	5	6	35	–	–	–	–	–	–	1	2	11	11	10
All other	4	–	–	–	–	–	–	–	–	1	2	1	7	–	–	–	–	–	–	3	–	3	–	1
Black	4	–	–	–	–	–	–	–	–	1	2	1	7	–	–	–	–	–	–	3	–	3	–	1
Hyperplasia of prostate (600)	24	–	–	–	–	–	–	–	1	4	11	8	...	...	...	...	...	...	...	...	...	...	...	...
White	21	–	–	–	–	–	–	–	1	3	9	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	–	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	6	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	4	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	1	–	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	1	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	1	–	–	–	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	7	---	---	–	1	6	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	–	1	4	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	–	2	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	–	–	2	–	–	---	---	---	---
Congenital anomalies (740-759)	319	201	21	16	15	13	9	8	11	16	7	2	292	185	15	16	8	10	5	6	19	13	12	3
White	290	184	20	13	13	10	9	7	9	16	7	2	258	167	12	11	8	7	3	5	17	13	12	3
All other	29	17	1	3	2	3	–	1	2	–	–	–	34	18	3	5	–	3	2	1	2	–	–	–
Black	28	16	1	3	2	3	–	1	2	–	–	–	32	17	3	4	–	3	2	1	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	574	572	1	1	–	–	–	–	–	–	–	–	443	442	1	–	–	–	–	–	–	–	–	–
White	429	427	1	1	–	–	–	–	–	–	–	–	319	319	–	–	–	–	–	–	–	–	–	–
All other	145	145	–	–	–	–	–	–	–	–	–	–	124	123	1	–	–	–	–	–	–	–	–	–
Black	143	143	–	–	–	–	–	–	–	–	–	–	122	121	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	171	170	–	1	–	–	–	–	–	–	–	–	120	119	1	–	–	–	–	–	–	–	–	–
White	135	134	–	1	–	–	–	–	–	–	–	–	99	99	–	–	–	–	–	–	–	–	–	–
All other	36	36	–	–	–	–	–	–	–	–	–	–	22	21	1	–	–	–	–	–	–	–	–	–
Black	36	36	–	–	–	–	–	–	–	–	–	–	22	21	1	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-778)	403	402	1	–	–	–	–	–	–	–	–	–	323	323	–	–	–	–	–	–	–	–	–	–
White	294	293	1	–	–	–	–	–	–	–	–	–	221	221	–	–	–	–	–	–	–	–	–	–
All other	109	109	–	–	–	–	–	–	–	–	–	–	102	102	–	–	–	–	–	–	–	–	–	–
Black	107	107	–	–	–	–	–	–	–	–	–	–	100	100	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,610	136	6	1	9	31	76	189	389	394	283	91	1,039	92	2	5	4	16	28	79	172	230	242	167
White	1,013	86	5	1	5	18	32	95	231	257	205	75	663	58	1	4	3	13	9	40	85	142	178	128
All other	597	50	1	–	4	13	44	94	158	137	78	16	376	34	1	1	1	3	19	39	87	88	64	39
Black	584	50	1	–	4	12	43	94	158	137	77	16	372	32	1	1	1	3	19	39	87	87	64	38
All other diseases (Residual)	3,745	40	23	22	56	81	135	227	569	1,055	1,044	492	3,532	25	26	33	57	60	78	171	407	731	1,058	886
White	3,362	31	19	19	54	62	92	180	497	988	964	457	3,121	21	20	27	43	45	61	132	344	681	964	838
All other	383	9	4	3	2	19	43	47	72	69	80	35	411	4	6	6	14	15	17	39	63	100	94	59
Black	379	9	4	3	2	19	43	47	71	67	80	34	409	4	6	5	14	15	17	39	63	100	94	52
Accidents and adverse effects (E800-E949)	2,769	17	55	117	691	482	250	238	276	280	229	133	1,375	11	36	54	195	109	78	76	140	201	275	197
White	2,479	12	41	98	658	431	217	203	234	251	210	123	1,244	10	28	43	185	93	72	66	120	176	258	189
All other	290	5	14	19	33	51	33	35	42	29	19	10	131	1	8	11	10	16	6	10	20	23	17	8
Black	283	4	13	19	33	50	31	35	41	29	18	10	131	1	8	11	10	16	6	10	20	23	17	8
Motor vehicle accidents (E810-E825)	1,358	5	16	54	505	285	143	111	102	68	47	22	516	6	12	23	144	76	50	40	54	59	40	9
White	1,269	4	11	46	484	271	130	102	92	64	44	21	491	6	12	20	140	70	49	37	54	56	38	9
All other	89	1	5	8	21	14	13	9	10	4	3	1	25	–	–	3	4	6	1	3	–	3	2	–
Black	85	–	4	8	21	14	12	9	10	4	2	1	25	–	–	3	4	6	1	3	–	3	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,411	12	39	63	186	197	107	127	174	212	182	111	859	5	24	31	51	31	28	36	86	142	235	188
White	1,210	8	30	52	174	160	87	101	142	187	166	102	753	4	16	23	45	23	23	29	66	122	220	180
All other	201	4	9	11	12	37	20	26	32	25	16	9	106	1	8	8	6	8	5	7	20	20	15	8
Black	198	4	9	11	12	36	19	26	31	25	16	9	106	1	8	8	6	8	5	7	20	20	15	8
Suicide (E950-E959)	1,049	---	---	8	192	232	141	141	136	121	60	18	298	---	---	1	37	58	57	45	58	26	11	5
White	986	---	---	8	185	206	129	132	130	119	59	18	281	---	---	1	33	54	54	43	56	26	10	4
All other	63	---	---	–	7	26	12	9	6	2	1	–	17	---	---	–	4	4	3	2	2	–	1	1
Black	58	---	---	–	7	23	12	9	5	1	1	–	16	---	---	–	4	3	3	2	2	–	1	1
Homicide and legal intervention (E960-E978)	553	2	8	10	143	162	88	55	46	23	11	4	167	5	7	5	45	37	26	16	10	9	4	–
White	253	–	3	5	58	82	44	26	26	15	9	4	102	3	6	3	27	18	16	9	7	6	4	–
All other	300	2	5	5	85	100	44	29	20	8	2	–	65	2	1	2	18	19	10	7	3	1	–	–
Black	292	2	5	5	85	100	41	26	18	8	2	–	65	2	1	2	18	19	10	7	3	1	–	–
All other external causes (E980-E999)	154	1	3	2	22	57	22	16	16	6	4	2	57	5	1	–	10	13	8	6	5	3	3	1
White	117	1	2	–	19	46	12	14	14	5	2	1	41	3	1	–	6	6	5	7	5	2	3	1
All other	37	–	1	2	3	11	10	2	2	1	2	1	16	2	–	–	2	7	3	1	–	1	–	–
Black	37	–	1	2	3	11	10	2	2	1	2	1	16	2	–	–	2	7	3	1	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,583	65	7	17	86	100	109	292	816	1,296	1,165	610	4,405	60	12	14	37	45	71	170	473	916	1,366	1,240
White	4,454	52	6	17	85	93	100	278	785	1,274	1,165	599	4,281	53	11	13	35	40	67	157	453	889	1,335	1,227
All other	129	13	1	–	1	7	9	14	31	22	20	11	124	7	1	1	2	5	4	13	20	27	31	13
Black	108	10	1	–	1	5	7	10	29	20	15	10	112	5	1	–	1	5	4	12	18	27	29	10
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	1	–	–	1	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	18	–	–	–	–	–	–	1	2	4	9	2	30	1	1	1	–	–	1	1	–	10	10	5
White	17	–	–	–	–	–	–	–	2	4	9	2	29	–	1	1	–	–	1	1	–	10	10	5
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	–	–	–	1	–	1	1	–	–	4	–	–	–	–	–	1	–	1	1	1	–
White	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	13	1	–	–	–	1	–	2	1	4	1	3	9	1	–	–	–	–	1	–	2	2	–	3
White	13	1	–	–	–	1	–	2	1	4	1	3	9	1	–	–	–	–	1	–	2	2	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,175	1	1	5	4	13	22	81	254	385	288	111	1,031	–	2	1	4	12	36	87	211	285	264	119
White	1,143	1	1	5	4	12	20	79	244	368	281	107	1,001	–	2	1	4	12	33	81	201	281	259	116
All other	32	–	–	–	–	1	2	2	10	6	7	4	30	–	–	–	–	–	3	6	10	4	6	1
Black	29	–	–	–	–	1	2	1	9	5	7	4	27	–	–	–	–	–	3	5	9	4	5	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	–	–	–	–	–	1	1	7	9	7	2	9	–	–	–	–	–	1	–	3	4	–	1
White	27	–	–	–	–	–	1	1	7	9	7	2	9	–	–	–	–	–	1	–	3	4	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	359	–	–	–	–	2	4	22	82	115	92	42	334	–	–	–	1	–	3	19	52	107	92	60
White	348	–	–	–	–	2	3	21	79	113	88	42	324	–	–	–	1	–	2	19	49	104	90	59
All other	11	–	–	–	–	–	1	1	3	2	4	–	10	–	–	–	–	–	1	–	3	3	2	1
Black	8	–	–	–	–	–	1	–	2	1	4	–	9	–	–	–	–	–	1	–	2	3	2	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	413	–	–	–	–	1	5	34	104	156	85	16	150	–	–	–	–	–	7	15	44	47	33	4
White	402	–	–	–	–	1	4	33	100	153	85	16	144	–	–	–	–	–	6	14	41	47	32	4
All other	11	–	–	–	–	–	1	1	4	3	–	2	6	–	–	–	–	–	1	1	3	–	1	–
Black	11	–	–	–	–	–	1	1	4	3	–	2	5	–	–	–	–	–	1	1	3	–	–	–
Malignant neoplasm of breast (174-175)	–	–	–	–	–	–	–	–	–	–	–	–	187	–	–	–	–	–	6	11	20	48	48	42	12
White	–	–	–	–	–	–	–	–	–	–	–	–	182	–	–	–	–	–	6	11	19	46	47	41	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	2	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	2	1	1	–
Malignant neoplasms of genital organs (179-187)	101	–	–	–	–	–	–	–	12	38	29	22	117	–	–	–	–	–	4	11	20	34	33	15
White	96	–	–	–	–	–	–	–	11	37	28	20	117	–	–	–	–	–	4	11	20	34	33	15
All other	5	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	5	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	69	–	–	–	–	1	2	4	15	16	21	10	30	–	–	–	–	–	1	–	2	6	8	11	2
White	68	–	–	–	–	1	2	4	15	16	20	10	30	–	–	–	–	–	1	–	2	6	8	11	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	123	1	1	5	1	5	7	8	23	34	28	10	121	–	–	1	1	3	6	16	25	28	27	14
White	120	1	1	5	1	5	7	8	21	34	27	10	116	–	–	1	1	3	5	12	25	28	28	14
All other	3	–	–	–	–	–	–	–	2	–	1	–	5	–	–	–	–	–	–	4	–	–	1	–
Black	3	–	–	–	–	–	–	–	2	–	1	–	4	–	–	–	–	–	–	3	–	–	1	–
Leukemia (204-208)	35	–	–	–	1	3	3	3	7	12	6	–	29	–	2	–	1	1	1	2	4	5	9	4
White	34	–	–	–	1	2	3	3	7	12	6	–	27	–	2	–	1	1	1	2	3	5	8	4
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	48	–	–	–	2	1	–	9	4	15	10	7	54	–	–	–	1	1	3	2	9	14	17	7
White	48	–	–	–	2	1	–	9	4	15	10	7	52	–	–	–	1	1	2	2	8	14	17	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	–	–	–	–	–	–	1	4	4	3	–	24	1	2	–	–	–	–	1	1	6	8	5
White	12	–	–	–	–	–	–	1	4	4	3	–	22	–	1	–	–	–	–	1	1	6	8	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	106	–	–	–	–	1	3	10	21	31	24	16	144	–	–	–	–	–	1	1	2	16	31	54	39
White	104	–	–	–	–	1	3	9	20	31	24	16	135	–	–	–	–	–	1	1	2	15	29	49	38
All other	2	–	–	–	–	–	–	1	1	–	–	–	9	–	–	–	–	–	–	–	–	1	2	5	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	9	–	–	–	–	–	–	–	–	1	2	5	1
Nutritional deficiencies (260-269)	3	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	–	–	3	2
White	3	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	–	–	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	10	–	–	–	–	–	–	–	3	1	3	3	13	–	–	–	–	–	1	1	–	–	1	6	4
White	10	–	–	–	–	–	–	–	3	1	3	3	12	–	–	–	–	–	1	1	–	–	–	6	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Meningitis (320-322)	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
White	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	2,174	1	–	1	6	9	32	119	397	649	616	345	2,344	1	1	2	1	4	14	34	171	442	822	852
White	2,131	1	–	1	6	8	31	114	383	635	608	344	2,296	1	1	2	1	4	14	30	164	428	806	845
All other	43	–	–	–	–	1	1	5	14	13	8	1	48	–	–	–	–	–	–	4	7	14	16	7
Black	38	–	–	–	–	1	1	5	13	12	6	–	45	–	–	–	–	–	–	4	6	14	16	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,834	1	–	1	3	7	30	109	354	546	510	273	1,860	1	1	2	–	2	8	28	145	368	671	634
White	1,799	1	–	1	3	6	29	104	342	534	507	272	1,824	1	1	2	–	2	8	25	139	358	658	630
All other	35	–	–	–	–	1	1	5	12	12	3	1	36	–	–	–	–	–	–	3	6	10	13	4
Black	31	–	–	–	–	1	1	5	11	11	2	–	33	–	–	–	–	–	–	3	5	10	13	2
Rheumatic fever and rheumatic heart disease (390-398)	18	–	–	1	–	–	2	3	1	6	5	–	27	–	–	–	–	1	–	–	8	11	6	1
White	18	–	–	1	–	–	2	3	1	6	5	–	26	–	–	–	–	1	–	–	8	11	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Hypertensive heart disease (402)	17	–	–	–	–	–	–	3	5	6	2	1	27	–	–	–	–	–	–	–	4	3	12	8
White	15	–	–	–	–	–	–	3	4	5	2	1	26	–	–	–	–	–	–	–	4	3	11	8
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Hypertensive heart and renal disease (404)	4	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–	–	–	–	–	1	1	1
White	4	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,524	–	–	–	–	2	23	84	300	459	423	233	1,535	–	–	1	–	1	3	21	117	308	549	535
White	1,497	–	–	–	–	2	22	80	292	448	421	232	1,508	–	–	1	–	1	3	19	113	300	539	532
All other	27	–	–	–	–	–	1	4	8	11	2	1	27	–	–	–	–	–	–	2	4	8	10	3
Black	24	–	–	–	–	–	1	4	7	10	2	–	25	–	–	–	–	–	–	2	3	8	10	2
Acute myocardial infarction (410)	897	–	–	–	–	–	17	54	214	287	240	85	739	–	–	1	–	1	2	11	79	210	257	178
White	880	–	–	–	–	–	16	51	209	282	238	84	730	–	–	1	–	1	2	11	76	208	255	176
All other	17	–	–	–	–	–	1	3	5	5	2	1	9	–	–	–	–	–	–	–	3	2	2	2
Black	16	–	–	–	–	–	1	3	5	5	2	–	8	–	–	–	–	–	–	–	3	2	2	1
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	–	–	2	1	1	4	–	–	–	–	–	–	–	–	1	2	1
White	4	–	–	–	–	–	–	–	–	2	1	1	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	622	–	–	–	–	1	6	30	86	170	182	147	781	–	–	–	–	–	1	10	38	96	290	356
White	612	–	–	–	–	1	6	29	83	164	182	147	773	–	–	–	–	–	1	8	37	90	282	355
All other	10	–	–	–	–	–	–	1	3	6	–	–	18	–	–	–	–	–	–	2	1	6	8	1
Black	8	–	–	–	–	–	–	1	2	5	–	–	17	–	–	–	–	–	–	2	–	6	8	1
Other diseases of endocardium (424)	13	–	–	–	1	–	–	–	2	3	3	4	33	–	–	–	–	–	1	1	2	6	15	8
White	13	–	–	–	1	–	–	–	2	3	3	4	32	–	–	–	–	–	1	–	2	6	15	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other forms of heart disease (415-423,425-429)	258	1	–	–	2	5	5	19	46	70	76	34	235	1	1	1	–	–	4	6	14	39	88	81
White	252	1	–	–	2	4	5	18	43	70	75	34	229	1	1	1	–	–	4	6	12	37	87	80
All other	6	–	–	–	–	1	–	1	3	–	1	–	6	–	–	–	–	–	–	–	2	2	1	1
Black	5	–	–	–	–	1	–	1	3	–	–	–	5	–	–	–	–	–	–	–	2	2	1	–
Hypertension with or without renal disease (401,403)	16	–	–	–	–	1	–	–	4	4	5	2	21	–	–	–	–	–	1	–	5	5	5	5
White	13	–	–	–	–	1	–	–	2	4	4	2	21	–	–	–	–	–	1	–	5	5	5	5
All other	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	227	–	–	–	3	1	2	7	22	69	70	53	362	–	–	–	1	2	5	5	15	52	113	169
White	223	–	–	–	3	1	2	7	22	69	68	53	353	–	–	–	1	2	5	4	14	48	111	168
All other	4	–	–	–	–	–	–	–	–	–	4	–	9	–	–	–	–	–	–	1	1	4	2	1
Black	3	–	–	–	–	–	–	–	–	–	3	–	9	–	–	–	–	–	–	1	1	4	2	1
Intracerebral and other intracranial hemorrhage (431-432)	38	–	–	–	2	–	2	4	1	16	9	4	54	–	–	–	–	1	1	3	4	12	16	17
White	37	–	–	–	2	–	2	4	1	16	8	4	53	–	–	–	–	1	1	3	4	11	16	17
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	51	–	–	–	–	1	–	1	4	15	17	13	76	–	–	–	–	–	1	1	1	11	18	44
White	50	–	–	–	–	1	–	1	4	15	16	13	75	–	–	–	–	–	1	–	1	11	18	44
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	138	-	-	-	1	-	-	2	17	38	44	36	231	-	-	-	1	1	3	1	10	29	79	107
White	136	-	-	-	1	-	-	2	17	38	42	36	224	-	-	-	1	1	3	1	9	26	77	106
All other	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	1	3	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	1	3	2	1
Atherosclerosis (440)	46	-	-	-	-	-	-	1	6	11	14	14	64	-	-	-	-	-	-	-	3	13	17	31
White	45	-	-	-	-	-	-	1	6	10	14	14	63	-	-	-	-	-	-	-	3	13	17	30
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	51	-	-	-	-	-	-	2	11	18	17	3	37	-	-	-	-	-	-	1	3	4	16	13
White	51	-	-	-	-	-	-	2	11	18	17	3	35	-	-	-	-	-	-	1	3	4	15	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	88	3	-	-	-	1	1	4	6	20	28	27	81	1	-	-	-	-	-	1	3	12	26	38
White	85	3	-	-	-	1	1	4	5	19	25	27	79	1	-	-	-	-	-	1	2	11	26	38
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (480-486)	88	3	-	-	-	1	1	4	6	20	26	27	80	1	-	-	-	-	-	1	3	12	25	38
White	85	3	-	-	-	1	1	4	5	19	25	27	78	1	-	-	-	-	-	1	2	11	25	38
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	174	-	-	-	2	1	1	4	20	57	73	16	87	-	-	-	1	-	-	6	11	18	35	16
White	174	-	-	-	2	1	1	4	20	57	73	16	85	-	-	-	1	-	-	6	11	17	34	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis, chronic and unspecified (490-491)	8	-	-	-	-	-	-	-	-	3	4	1	12	-	-	-	-	-	-	1	4	3	1	3
White	8	-	-	-	-	-	-	-	-	3	4	1	12	-	-	-	-	-	-	1	4	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	32	-	-	-	1	-	-	-	4	9	15	3	13	-	-	-	-	-	-	1	1	3	6	2
White	32	-	-	-	1	-	-	-	4	9	15	3	13	-	-	-	-	-	-	1	1	3	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	1	1	-	-	-	-	1	-	7	-	-	-	-	-	-	-	2	2	1	2
White	3	-	-	-	1	1	-	-	-	-	1	-	7	-	-	-	-	-	-	-	2	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	131	-	-	-	-	-	1	4	16	45	53	12	55	-	-	-	1	-	-	4	4	10	27	9
White	131	-	-	-	-	-	1	4	16	45	53	12	53	-	-	-	1	-	-	4	4	9	26	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	25	-	-	-	-	-	-	-	6	5	9	5	20	-	-	-	-	-	1	-	1	2	6	10
White	24	-	-	-	-	-	-	-	6	5	8	5	20	-	-	-	-	-	1	-	1	2	6	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	-	-	1	2	2	4	2	20	-	-	-	-	-	-	-	1	4	7	8
White	11	-	-	-	-	-	-	1	2	2	4	2	20	-	-	-	-	-	-	-	1	4	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	85	–	–	–	–	3	7	23	24	30	7	1	33	–	–	–	–	–	–	6	16	7	3	1
White	82	–	–	–	–	3	6	22	23	30	7	1	32	–	–	–	–	–	–	6	15	7	3	1
All other	3	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	11	–	–	–	–	–	–	1	1	2	5	2	11	–	–	–	–	1	–	1	1	–	3	5
White	10	–	–	–	–	–	–	1	1	2	4	2	11	–	–	–	–	1	–	1	1	–	3	5
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	42	2	–	–	–	1	–	2	2	7	15	13	38	1	–	–	–	–	1	–	3	3	10	20
White	42	2	–	–	–	1	–	2	2	7	15	13	38	1	–	–	–	–	1	–	3	3	10	20
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	–	–	–	–	–	–	1	1	3	1	4	–	–	–	–	–	–	–	–	–	1	3
White	6	–	–	–	–	–	–	–	1	1	3	1	4	–	–	–	–	–	–	–	–	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	2	–	–	–	1	–	2	1	6	11	11	34	1	–	–	–	–	1	–	3	3	9	17
White	34	2	–	–	–	1	–	2	1	6	11	11	34	1	–	–	–	–	1	–	3	3	9	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	–	1	2	2
White	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	1	–	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	1	–	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	24	18	–	–	2	1	–	–	1	1	–	1	31	18	2	1	4	2	–	2	–	1	1	–
White	22	16	–	–	2	1	–	–	1	1	–	1	29	17	2	1	4	1	–	2	–	1	1	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	31	31	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
White	23	23	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	5	5	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	20	20	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
White	18	18	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	21	6	1	1	2	1	–	1	3	1	4	1	13	4	1	–	2	–	–	–	1	–	2	3
White	17	3	1	1	2	1	–	1	3	1	4	–	13	4	1	–	2	–	–	–	1	–	2	3
All other	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	249	1	1	2	3	4	4	17	39	62	70	46	287	2	2	2	2	3	9	15	27	61	61	88
White	234	1	1	2	3	3	2	16	37	60	68	41	274	2	2	2	2	2	3	13	27	58	78	84
All other	15	–	–	–	–	1	2	1	2	2	2	5	13	–	–	–	–	1	–	2	–	3	3	4
Black	14	–	–	–	–	1	2	1	2	2	1	5	11	–	–	–	–	1	–	2	–	3	2	3
Accidents and adverse effects (E800-E949)	179	–	4	7	41	31	16	15	17	13	22	13	94	–	1	5	15	7	6	7	4	13	18	18
White	172	–	3	7	40	29	16	13	16	13	22	13	92	–	1	5	15	6	6	7	4	12	18	18
All other	7	–	1	–	1	2	–	2	1	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
Black	4	–	1	–	1	–	–	1	1	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
Motor vehicle accidents (E810-E825)	84	–	–	5	30	22	5	7	8	4	2	1	38	–	–	4	12	4	4	3	1	4	4	–
White	80	–	–	5	30	20	5	6	7	4	2	1	35	–	–	4	12	4	4	3	1	3	4	–
All other	4	–	–	–	–	2	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	95	–	4	2	11	9	11	8	9	9	20	12	58	–	1	1	3	3	2	4	3	9	14	18
White	92	–	3	2	10	9	11	7	9	9	20	12	57	–	1	1	3	2	2	4	3	9	14	18
All other	3	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	3	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suicide (E950-E959)	80	...	...	–	20	23	13	8	10	6	–	–	28	...	...	–	1	9	3	7	3	3	1	1
White	76	...	...	–	20	23	12	7	10	6	–	–	26	...	...	–	1	8	3	6	3	3	1	1
All other	2	...	...	–	–	–	1	1	–	–	–	–	2	...	...	–	–	1	–	1	–	–	–	–
Black	1	...	...	–	–	–	1	–	–	–	–	–	2	...	...	–	–	1	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	26	–	–	–	6	8	7	2	1	–	2	–	11	–	–	–	7	1	1	–	–	1	1	–
White	22	–	–	–	6	6	6	2	–	–	2	–	9	–	–	–	5	1	1	–	–	1	1	–
All other	4	–	–	–	–	2	1	–	1	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Black	3	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other external causes (E980-E999)	3	–	–	–	–	1	2	–	–	–	–	–	3	–	–	–	–	2	–	–	–	1	–	–
White	3	–	–	–	–	1	2	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
SOUTH CAROLINA																								
All causes	13,734	476	68	100	473	574	712	1,279	2,784	3,798	2,559	911	11,336	356	52	57	162	229	348	711	1,672	2,697	2,956	2,099
White	9,188	222	37	57	306	327	396	800	1,847	2,568	1,947	691	7,627	145	30	28	100	116	178	419	996	1,721	2,176	1,716
All other	4,536	254	31	43	167	247	316	479	937	1,230	612	220	3,709	211	22	29	62	111	168	292	676	976	780	382
Black	4,523	254	31	43	165	246	315	478	936	1,227	608	220	3,698	210	22	29	60	108	167	291	675	976	778	382
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	5	–	–	–	–	1	–	–	–	–	–	7	3	–	1	–	–	1	–	–	–	2	–
White	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	1	–	–	–	1	–
All other	5	4	–	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	1	–
Black	5	4	–	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	1	–
Tuberculosis (010-018)	31	–	–	–	–	–	3	3	11	9	3	2	9	–	–	–	–	–	1	–	2	3	3	–
White	7	–	–	–	–	–	–	1	–	4	2	–	4	–	–	–	–	–	–	–	1	2	1	–
All other	24	–	–	–	–	–	3	2	11	5	1	2	5	–	–	–	–	–	1	–	1	1	2	–
Black	24	–	–	–	–	–	3	2	11	5	1	2	5	–	–	–	–	–	1	–	1	1	2	–
Tuberculosis of respiratory system (010-012)	25	–	–	–	–	–	2	2	10	7	2	2	8	–	–	–	–	–	1	–	2	3	2	–
White	6	–	–	–	–	–	–	–	–	4	2	–	4	–	–	–	–	–	–	–	1	2	1	–
All other	19	–	–	–	–	–	2	2	10	3	–	2	4	–	–	–	–	–	1	–	1	1	1	–
Black	19	–	–	–	–	–	2	2	10	3	–	2	4	–	–	–	–	–	1	–	1	1	1	–
Other tuberculosis (013-018)	6	–	–	–	–	–	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	5	–	–	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	5	–	–	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	3	-	-	2	1	-	-	-	-	-	-	5	-	2	1	-	1	1	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
All other	3	-	-	-	2	1	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-
Black	3	-	-	-	2	1	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-
Septicemia (038)	88	4	-	-	2	1	-	10	13	25	22	9	98	4	-	-	1	5	1	6	16	24	24	17
White	48	1	-	-	-	-	-	3	5	16	17	6	50	1	-	-	-	1	-	2	10	13	15	8
All other	38	3	-	-	2	1	-	7	8	9	5	3	48	3	-	-	1	4	1	4	6	11	9	9
Black	38	3	-	-	2	1	-	7	8	9	5	3	48	3	-	-	1	4	1	4	6	11	9	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	1	-	-	-	1	1	2	1	-	9	-	1	-	1	-	1	2	1	-	3	-
White	6	-	-	1	-	-	-	1	1	2	1	-	6	-	1	-	-	-	1	1	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	38	3	-	-	2	6	1	7	9	8	1	1	24	-	-	1	2	-	2	-	10	3	4	2
White	21	2	-	-	1	1	1	4	7	5	-	-	13	-	-	-	1	-	1	-	4	2	4	1
All other	17	1	-	-	1	5	-	3	2	3	1	1	11	-	-	1	1	-	1	-	6	1	-	1
Black	17	1	-	-	1	5	-	3	2	3	1	1	11	-	-	1	1	-	1	-	6	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,765	-	3	13	18	30	93	264	719	995	508	122	2,298	1	2	8	17	40	94	265	514	661	496	200
White	1,870	-	2	10	14	19	61	167	485	669	360	83	1,657	1	2	2	11	20	54	175	372	473	379	168
All other	895	-	1	3	4	11	32	97	234	326	148	39	641	-	-	6	6	20	40	90	142	188	117	32
Black	891	-	1	3	4	11	32	97	234	323	147	39	640	-	-	6	6	20	40	90	141	188	117	32
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	78	-	-	-	-	-	8	15	24	24	6	1	33	-	-	-	-	-	1	6	12	2	9	3
White	42	-	-	-	-	-	1	5	14	16	5	1	21	-	-	-	-	-	-	3	8	2	6	2
All other	36	-	-	-	-	-	7	10	10	8	1	-	12	-	-	-	-	-	1	3	4	-	3	1
Black	36	-	-	-	-	-	7	10	10	8	1	-	12	-	-	-	-	-	1	3	4	-	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	641	-	-	-	1	3	23	62	159	231	133	29	614	-	-	-	1	5	10	45	111	195	179	68
White	401	-	-	-	-	1	12	36	92	145	93	20	429	-	-	-	-	3	2	29	71	128	138	58
All other	240	-	-	-	1	2	11	24	67	86	40	9	185	-	-	-	1	2	8	16	40	67	41	10
Black	239	-	-	-	1	2	11	24	67	85	40	9	185	-	-	-	1	2	8	16	40	67	41	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,084	-	-	-	-	3	24	129	338	424	154	14	378	1	-	-	-	2	13	67	121	112	47	15
White	775	-	-	-	-	3	17	85	243	295	124	8	315	1	-	-	-	-	9	57	102	93	38	15
All other	309	-	-	-	-	-	7	44	93	129	30	6	63	-	-	-	-	2	4	10	19	19	9	-
Black	309	-	-	-	-	-	7	44	93	129	30	6	63	-	-	-	-	2	4	10	19	19	9	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	1	3	-	402	-	-	-	-	8	35	61	100	102	67	29
White	3	-	-	-	-	-	-	-	-	1	2	-	289	-	-	-	-	3	21	42	73	75	51	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	113	-	-	-	-	5	14	19	27	27	16	5
Black	1	-	-	-	-	-	-	-	-	-	1	-	113	-	-	-	-	5	14	19	27	27	16	5
Malignant neoplasms of genital organs (179-187)	318	-	-	-	-	1	3	6	51	112	101	44	294	-	-	-	2	11	14	32	70	91	55	19
White	171	-	-	-	-	1	3	3	23	60	54	27	198	-	-	-	1	8	8	20	46	67	35	13
All other	147	-	-	-	-	-	-	3	28	52	47	17	96	-	-	-	1	3	6	12	24	24	20	6
Black	147	-	-	-	-	-	-	3	28	52	47	17	95	-	-	-	1	3	6	12	23	24	20	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	137	–	–	1	–	1	2	5	34	51	30	13	67	–	–	–	–	1	1	6	8	28	15	10
White	113	–	–	–	–	–	2	3	25	43	27	13	45	–	–	–	–	–	–	2	6	19	9	9
All other	24	–	–	1	–	1	–	2	9	8	3	–	22	–	–	–	–	1	1	4	2	7	6	1
Black	24	–	–	1	–	1	–	2	9	8	3	–	22	–	–	–	–	1	1	4	2	7	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	295	–	3	5	9	10	18	31	69	91	48	11	292	–	2	1	10	8	16	33	55	72	66	29
White	205	–	2	5	7	7	13	22	49	64	30	6	202	–	2	1	7	4	11	13	42	48	53	21
All other	90	–	1	–	2	3	5	9	20	27	18	5	90	–	–	–	3	4	5	20	13	24	13	8
Black	87	–	1	–	2	3	5	9	20	25	17	5	90	–	–	–	3	4	5	20	13	24	13	8
Leukemia (204-208)	76	–	–	6	5	2	3	5	15	23	12	5	83	–	–	7	2	2	1	6	15	17	20	13
White	62	–	–	4	4	1	3	4	14	18	10	4	62	–	–	1	2	1	1	3	10	13	19	12
All other	14	–	–	2	1	1	–	1	1	5	2	1	21	–	–	6	–	1	–	3	5	4	1	1
Black	14	–	–	2	1	1	–	1	1	5	2	1	21	–	–	6	–	1	–	3	5	4	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	132	–	–	1	3	10	12	11	31	38	21	5	135	–	–	–	2	3	3	9	22	44	38	14
White	98	–	–	1	3	6	10	7	25	27	15	4	96	–	–	–	1	1	2	6	14	28	30	14
All other	34	–	–	–	–	4	2	4	6	11	6	1	39	–	–	–	1	2	1	3	8	16	8	–
Black	34	–	–	–	–	4	2	4	6	11	6	1	39	–	–	–	1	2	1	3	8	16	8	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	1	–	–	–	–	2	1	9	6	5	2	29	–	–	–	–	–	–	2	5	11	8	3
White	17	–	–	–	–	–	1	–	4	5	5	2	23	–	–	–	–	–	–	1	3	10	7	2
All other	9	1	–	–	–	–	1	1	5	1	–	–	6	–	–	–	–	–	–	1	2	1	1	1
Black	9	1	–	–	–	–	1	1	5	1	–	–	6	–	–	–	–	–	–	1	2	1	1	1
Diabetes mellitus (250)	168	1	–	–	2	8	14	17	30	53	35	8	310	–	–	–	–	4	5	24	52	117	79	29
White	88	–	–	–	1	4	7	9	16	27	22	2	152	–	–	–	–	2	1	16	16	44	52	21
All other	80	1	–	–	1	4	7	8	14	26	13	6	158	–	–	–	–	2	4	8	36	73	27	8
Black	80	1	–	–	1	4	7	8	14	26	13	6	158	–	–	–	–	2	4	8	36	73	27	8
Nutritional deficiencies (260-269)	18	–	1	–	–	–	–	–	2	7	4	4	6	1	–	–	–	–	–	–	–	1	2	2
White	5	–	–	–	–	–	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–	–	2	–
All other	13	–	1	–	–	–	–	–	1	5	3	3	4	1	–	–	–	–	–	–	–	1	–	2
Black	13	–	1	–	–	–	–	–	1	5	3	3	4	1	–	–	–	–	–	–	–	1	–	2
Anemias (280-285)	26	–	1	1	2	3	3	2	5	5	4	–	29	1	–	1	2	1	5	1	2	6	5	5
White	11	–	–	–	–	–	2	–	3	3	3	–	14	–	–	1	–	1	–	–	1	5	3	4
All other	15	–	1	1	2	3	1	2	2	2	1	–	15	1	–	1	1	1	5	1	1	1	2	1
Black	15	–	1	1	2	3	1	2	2	2	1	–	14	1	–	1	–	1	5	1	1	1	2	1
Meningitis (320-322)	7	2	–	1	1	1	–	–	1	1	–	–	7	3	1	–	–	–	1	–	1	1	–	–
White	2	–	–	1	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
All other	5	2	–	–	1	1	–	–	–	1	–	–	5	2	–	–	–	–	1	–	1	1	–	–
Black	5	2	–	–	1	1	–	–	–	1	–	–	5	2	–	–	–	–	1	–	1	1	–	–
Major cardiovascular diseases (390-448)	6,219	13	4	3	15	60	229	601	1,348	1,969	1,442	543	5,862	12	4	2	12	38	81	224	755	1,424	1,842	1,488
White	4,335	5	3	–	5	27	112	398	898	1,346	1,120	421	3,971	5	–	1	5	13	31	107	381	863	1,362	1,203
All other	1,884	8	1	3	10	33	111	203	448	623	322	122	1,891	7	4	1	7	25	50	117	374	561	480	285
Black	1,881	8	1	3	10	33	111	202	448	623	320	122	1,889	7	4	1	7	25	50	117	374	561	478	285
Diseases of heart (390-398,402,404-429)	4,920	12	4	1	10	45	175	511	1,135	1,584	1,058	375	4,167	11	3	2	8	27	55	166	560	1,050	1,288	896
White	3,560	5	3	–	3	20	97	357	795	1,133	851	296	2,901	5	–	1	3	10	21	85	299	664	966	827
All other	1,360	7	1	1	7	25	78	154	340	451	207	79	1,266	6	3	1	5	17	34	81	261	386	303	169
Black	1,358	7	1	1	7	25	78	153	340	451	206	79	1,266	6	3	1	5	17	34	81	261	386	303	169
Rheumatic fever and rheumatic heart disease (390-398)	19	–	–	–	–	1	2	3	4	5	2	2	43	–	–	–	–	1	3	3	14	13	5	4
White	18	–	–	–	–	1	2	3	3	5	2	2	35	–	–	–	–	1	1	2	11	12	4	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	8	–	–	–	–	–	2	1	3	1	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	8	–	–	–	–	–	2	1	3	1	1	–
Hypertensive heart disease (402)	130	–	–	–	–	2	3	13	26	43	33	10	229	–	–	–	–	–	4	10	38	55	73	49
White	47	–	–	–	–	–	–	2	3	14	20	8	115	–	–	–	–	–	–	4	9	22	40	40
All other	83	–	–	–	–	2	3	11	23	29	13	2	114	–	–	–	–	–	4	6	29	33	33	9
Black	83	–	–	–	–	2	3	11	23	29	13	2	114	–	–	–	–	–	4	6	29	33	33	9
Hypertensive heart and renal disease (404)	20	–	–	–	–	–	2	2	1	7	5	3	32	–	–	–	–	–	–	2	2	7	14	7
White	12	–	–	–	–	–	–	–	–	5	5	2	18	–	–	–	–	–	–	1	–	3	9	5
All other	8	–	–	–	–	–	2	2	1	2	–	1	14	–	–	–	–	–	–	1	2	4	5	2
Black	8	–	–	–	–	–	2	2	1	2	–	1	14	–	–	–	–	–	–	1	2	4	5	2
Ischemic heart disease (410-414)	3,352	–	–	–	1	20	105	356	807	1,107	734	222	2,572	–	–	–	1	7	23	96	331	681	808	625
White	2,647	–	–	–	1	12	68	282	620	869	608	187	1,893	–	–	–	–	2	13	50	186	457	656	530
All other	705	–	–	–	–	8	37	74	187	238	126	35	679	–	–	–	1	5	10	46	145	224	153	95
Black	704	–	–	–	–	8	37	74	187	238	125	35	679	–	–	–	1	5	10	46	145	224	153	95
Acute myocardial infarction (410)	2,342	–	–	–	1	13	88	278	627	784	452	101	1,490	–	–	–	1	4	20	71	220	455	466	251
White	1,855	–	–	–	1	8	58	222	482	616	383	87	1,072	–	–	–	–	1	11	40	128	306	378	206
All other	487	–	–	–	–	5	30	56	145	168	69	14	418	–	–	–	1	3	9	31	92	147	90	45
Black	488	–	–	–	–	5	30	56	145	168	68	14	418	–	–	–	1	3	9	31	92	147	90	45

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	61	–	–	–	–	3	4	9	10	21	9	5	38	–	–	–	–	1	1	4	12	10	5	5
White	32	–	–	–	–	1	2	4	5	12	5	3	10	–	–	–	–	–	–	–	3	3	2	2
All other	29	–	–	–	–	2	2	5	5	9	4	2	28	–	–	–	–	1	1	4	9	7	3	3
Black	29	–	–	–	–	2	2	5	5	9	4	2	28	–	–	–	–	1	1	4	9	7	3	3
Angina pectoris (413)	7	–	–	–	–	–	–	–	2	2	2	1	7	–	–	–	–	–	–	1	2	–	2	2
White	6	–	–	–	–	–	–	–	2	2	2	–	6	–	–	–	–	–	–	1	1	–	2	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	942	–	–	–	–	4	15	69	168	300	271	115	1,037	–	–	–	–	2	2	20	97	216	333	367
White	754	–	–	–	–	3	10	56	131	239	218	97	805	–	–	–	–	1	2	9	54	146	273	320
All other	188	–	–	–	–	1	5	13	37	61	53	18	232	–	–	–	–	1	–	11	43	70	60	47
Black	188	–	–	–	–	1	5	13	37	61	53	18	232	–	–	–	–	1	–	11	43	70	60	47
Other diseases of endocardium (424)	50	–	–	–	–	–	1	10	12	13	9	5	53	–	–	–	–	2	1	3	7	14	15	11
White	35	–	–	–	–	–	–	5	8	9	8	5	43	–	–	–	–	1	–	3	4	11	14	10
All other	15	–	–	–	–	–	1	5	4	4	1	–	10	–	–	–	–	1	1	–	3	3	1	1
Black	15	–	–	–	–	–	1	5	4	4	1	–	10	–	–	–	–	1	1	–	3	3	1	1
All other forms of heart disease (415-423,425-429)	1,349	12	4	1	9	22	62	127	285	419	275	133	1,238	11	3	2	7	17	24	52	168	280	374	300
White	801	5	3	–	2	7	27	65	161	231	208	92	797	5	–	1	3	6	7	25	89	159	284	238
All other	548	7	1	1	7	15	35	62	124	188	67	41	441	6	3	1	4	11	17	27	79	121	110	62
Black	547	7	1	1	7	15	35	61	124	188	67	41	441	6	3	1	4	11	17	27	79	121	110	62
Hypertension with or without renal disease (401,403)	72	–	–	–	1	3	6	5	21	15	17	4	61	–	–	–	–	1	–	1	14	17	21	7
White	37	–	–	–	1	–	2	3	10	8	10	3	26	–	–	–	–	–	–	–	3	6	12	5
All other	35	–	–	–	–	3	4	2	11	7	7	1	35	–	–	–	–	1	–	1	11	11	9	2
Black	35	–	–	–	–	3	4	2	11	7	7	1	35	–	–	–	–	1	–	1	11	11	9	2
Cerebrovascular diseases (430-438)	1,000	1	–	1	4	10	40	74	163	277	308	126	1,366	1	1	–	4	9	25	53	163	305	439	386
White	576	–	–	–	1	5	12	28	73	147	213	97	849	–	–	–	2	3	10	21	69	160	286	288
All other	430	1	–	1	3	5	28	46	90	130	95	31	517	1	1	–	2	6	15	32	94	145	143	78
Black	429	1	–	1	3	5	28	46	90	130	94	31	515	1	1	–	2	6	15	32	94	145	141	78
Intracerebral and other intracranial hemorrhage (431-432)	183	–	–	–	1	6	18	27	43	48	28	14	188	–	–	–	1	4	8	22	38	55	32	28
White	99	–	–	–	–	3	6	10	22	33	16	9	109	–	–	–	1	2	3	10	20	30	22	21
All other	84	–	–	–	1	3	12	17	21	15	10	5	79	–	–	–	–	2	5	12	18	25	10	7
Black	83	–	–	–	1	3	12	17	21	15	9	5	79	–	–	–	–	2	5	12	18	25	10	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	173	–	–	1	–	1	5	4	23	54	61	24	216	–	–	–	–	1	–	4	16	38	97	60
White	110	–	–	–	–	–	3	3	13	32	40	19	147	–	–	–	–	–	–	1	5	24	65	52
All other	63	–	–	1	–	1	2	1	10	22	21	5	69	–	–	–	–	1	–	3	11	14	32	8
Black	63	–	–	1	–	1	2	1	10	22	21	5	68	–	–	–	–	1	–	3	11	14	31	8
Cerebral embolism (434.1)	5	–	–	–	1	–	–	–	1	–	2	1	4	–	–	–	–	–	–	1	–	1	1	1
White	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	645	1	–	–	2	3	17	43	96	175	219	89	958	1	1	–	3	4	17	26	109	211	309	277
White	384	–	–	–	1	2	3	15	38	82	155	68	590	–	–	–	1	1	7	10	44	105	208	214
All other	261	1	–	–	1	1	14	28	58	93	64	21	368	1	1	–	2	3	10	16	65	106	101	63
Black	261	1	–	–	1	1	14	28	58	93	64	21	367	1	1	–	2	3	10	16	65	106	100	63
Atherosclerosis (440)	90	–	–	–	–	1	–	2	3	24	33	27	177	–	–	–	–	–	1	2	10	23	63	78
White	59	–	–	–	–	1	–	2	3	10	24	19	128	–	–	–	–	–	–	–	4	16	44	64
All other	31	–	–	–	–	–	–	–	–	14	9	8	49	–	–	–	–	–	1	2	6	7	19	14
Black	31	–	–	–	–	–	–	–	–	14	9	8	49	–	–	–	–	–	1	2	6	7	19	14
Other diseases of arteries, arterioles, and capillaries (441-448)	131	–	–	1	–	1	2	9	24	59	26	9	91	–	–	–	–	1	–	2	6	29	30	21
White	103	–	–	–	–	1	1	8	17	48	22	6	67	–	–	–	–	–	–	1	6	17	24	19
All other	28	–	–	1	–	–	1	1	7	11	4	3	24	–	–	–	–	1	–	1	2	12	6	2
Black	28	–	–	1	–	–	1	1	7	11	4	3	24	–	–	–	–	1	–	1	2	12	6	2
Acute bronchitis and bronchiolitis (466)	4	2	1	–	–	–	–	–	–	–	1	–	7	3	–	–	–	–	–	–	2	–	1	1
White	1	1	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–	–	2	–	–	1
All other	3	1	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–
Black	3	1	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–
Pneumonia and influenza (480-487)	361	10	1	5	4	6	15	21	62	77	100	60	259	8	1	4	2	4	8	6	18	43	66	99
White	229	4	1	2	3	2	7	9	35	44	72	50	188	3	1	3	1	2	3	2	7	30	50	86
All other	132	6	–	3	1	4	8	12	27	33	28	10	71	5	–	1	1	2	5	4	11	13	16	13
Black	132	6	–	3	1	4	8	12	27	33	28	10	71	5	–	1	1	2	5	4	11	13	16	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	357	10	1	5	4	6	15	21	60	76	100	59	255	8	1	4	2	3	7	6	17	43	66	98
White	225	4	1	2	3	2	7	9	33	43	72	49	186	3	1	3	1	1	3	2	6	30	50	86
All other	132	6	-	3	1	4	8	12	27	33	28	10	69	5	-	1	1	2	4	4	11	13	16	12
Black	132	6	-	3	1	4	8	12	27	33	28	10	69	5	-	1	1	2	4	4	11	13	16	12
Influenza (487)	4	-	-	-	-	-	-	-	2	1	-	1	4	-	-	-	-	1	1	-	1	-	-	1
White	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	444	1	1	-	2	5	5	17	83	166	130	34	187	-	1	-	1	3	7	13	46	57	43	16
White	372	-	-	-	1	2	2	12	70	134	119	32	158	-	-	-	1	1	5	12	38	48	39	14
All other	72	1	1	-	1	3	3	5	13	32	11	2	29	-	1	-	-	2	2	1	8	9	4	2
Black	71	1	1	-	1	3	3	5	13	32	10	2	29	-	1	-	-	2	2	1	8	9	4	2
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	1	-	4	8	10	1	12	-	-	-	-	1	-	1	1	2	5	2
White	23	-	-	-	-	-	-	-	4	8	10	1	11	-	-	-	-	1	-	1	1	2	5	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	82	-	-	-	-	-	2	3	12	35	24	6	29	-	-	-	-	-	4	3	10	7	3	2
White	70	-	-	-	-	-	1	2	11	28	22	6	27	-	-	-	-	-	3	3	10	6	3	2
All other	12	-	-	-	-	-	1	1	1	7	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	12	-	-	-	-	-	1	1	1	7	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Asthma (493)	19	-	1	-	2	5	1	1	3	2	3	1	20	-	1	-	1	2	2	1	9	1	1	2
White	10	-	-	-	1	2	-	-	2	1	3	1	10	-	-	-	1	-	1	1	5	-	1	1
All other	9	-	1	-	1	3	1	1	1	1	-	-	10	-	1	-	-	2	1	-	4	1	-	1
Black	9	-	1	-	1	3	1	1	1	1	-	-	10	-	1	-	-	2	1	-	4	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	319	1	-	-	-	-	1	13	84	121	93	26	126	-	-	-	-	-	1	8	26	47	34	10
White	269	-	-	-	-	-	1	10	53	97	84	24	110	-	-	-	-	-	1	7	22	40	30	10
All other	50	1	-	-	-	-	-	3	11	24	9	2	16	-	-	-	-	-	-	1	4	7	4	-
Black	49	1	-	-	-	-	-	3	11	24	8	2	16	-	-	-	-	-	-	1	4	7	4	-
Ulcer of stomach and duodenum (531-533)	49	-	-	-	-	2	1	9	8	12	9	8	35	-	-	-	1	1	-	3	7	4	13	6
White	40	-	-	-	-	1	-	6	7	9	9	8	25	-	-	-	1	1	-	3	5	1	9	5
All other	9	-	-	-	-	1	1	3	1	3	-	-	10	-	-	-	-	-	-	-	2	3	4	1
Black	9	-	-	-	-	1	1	3	1	3	-	-	10	-	-	-	-	-	-	-	2	3	4	1
Appendicitis (540-543)	6	-	-	1	1	-	1	-	1	1	1	-	2	-	-	-	-	-	1	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	5	-	-	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	5	-	-	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	3	-	-	-	1	-	1	1	9	3	6	24	1	-	-	-	-	-	1	4	2	10	6
White	13	1	-	-	-	-	-	1	-	6	2	3	18	1	-	-	-	-	-	-	3	2	8	4
All other	11	2	-	-	-	1	-	-	1	3	1	3	6	-	-	-	-	-	-	1	1	-	2	2
Black	11	2	-	-	-	1	-	-	1	3	1	3	6	-	-	-	-	-	-	1	1	-	2	2
Chronic liver disease and cirrhosis (571)	204	1	-	1	-	5	39	45	68	37	8	-	85	-	-	-	-	4	11	16	23	21	7	3
White	158	-	-	-	-	1	27	36	55	32	7	-	63	-	-	-	-	1	3	12	19	20	6	2
All other	46	1	-	1	-	4	12	9	13	5	1	-	22	-	-	-	-	3	8	4	4	1	1	1
Black	46	1	-	1	-	4	12	9	13	5	1	-	22	-	-	-	-	3	8	4	4	1	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	1	-	-	8	6	1	30	-	-	-	-	-	1	-	3	8	11	7
White	14	-	-	-	-	-	1	-	-	6	6	1	20	-	-	-	-	-	1	-	2	3	8	6
All other	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	-	-	-	1	5	3	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	-	-	-	1	5	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	123	2	1	-	1	1	-	4	29	38	32	15	146	-	-	-	-	1	1	7	31	49	40	17
White	63	1	-	-	1	-	-	-	12	19	19	11	59	-	-	-	-	1	-	1	9	19	17	12
All other	60	1	1	-	-	1	-	4	17	19	13	4	87	-	-	-	-	-	1	6	22	30	23	5
Black	60	1	1	-	-	1	-	4	17	19	13	4	87	-	-	-	-	-	1	6	22	30	23	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	1	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1	2	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	–	–	–	–	–	–	1	4	3	4	2	24	–	–	–	–	1	–	1	4	4	11	3
White	8	–	–	–	–	–	–	–	1	2	3	2	9	–	–	–	–	1	–	–	2	2	2	2
All other	6	–	–	–	–	–	–	1	3	1	1	–	15	–	–	–	–	–	–	1	2	2	8	1
Black	6	–	–	–	–	–	–	1	3	1	1	–	15	–	–	–	–	–	–	1	2	2	8	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	106	2	–	–	1	1	–	3	24	34	26	13	118	–	–	–	–	–	1	6	26	43	28	14
White	54	1	–	–	1	–	–	–	11	16	16	9	48	–	–	–	–	–	–	1	7	15	15	10
All other	52	1	–	–	–	1	–	3	13	18	12	4	70	–	–	–	–	–	1	5	19	28	13	4
Black	52	1	–	–	–	1	–	3	13	18	12	4	70	–	–	–	–	–	1	5	19	28	13	4
Infections of kidney (590)	7	–	–	–	–	–	–	1	–	1	3	2	28	–	–	–	–	1	–	2	2	10	6	7
White	4	–	–	–	–	–	–	–	–	1	2	1	23	–	–	–	–	1	–	2	1	7	5	7
All other	3	–	–	–	–	–	–	1	–	–	1	1	5	–	–	–	–	–	–	–	1	3	1	–
Black	3	–	–	–	–	–	–	1	–	–	1	1	5	–	–	–	–	–	–	–	1	3	1	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
White	1	–	–	–	–	–	–	–	–	1	–	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	4	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	4	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	4	1	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	4	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	4	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	4	–	–	–	...	...	...	...
Congenital anomalies (740-759)	111	81	12	2	4	4	–	1	3	4	–	–	109	73	9	2	6	5	2	5	1	5	1	–
White	69	49	7	1	2	2	–	1	3	4	–	–	57	40	4	–	2	2	1	2	1	4	1	–
All other	42	32	5	1	2	2	–	–	–	–	–	–	52	33	5	2	4	3	1	3	–	1	–	–
Black	42	32	5	1	2	2	–	–	–	–	–	–	51	32	5	2	4	3	1	3	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	238	238	–	–	–	–	–	–	–	–	–	–	180	180	–	–	–	–	–	–	–	–	–	–
White	108	108	–	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–
All other	130	130	–	–	–	–	–	–	–	–	–	–	112	112	–	–	–	–	–	–	–	–	–	–
Black	130	130	–	–	–	–	–	–	–	–	–	–	112	112	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	52	52	–	–	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
White	25	25	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
All other	27	27	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Black	27	27	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	186	186	–	–	–	–	–	–	–	–	–	–	147	147	–	–	–	–	–	–	–	–	–	–
White	83	83	–	–	–	–	–	–	–	–	–	–	56	56	–	–	–	–	–	–	–	–	–	–
All other	103	103	–	–	–	–	–	–	–	–	–	–	91	91	–	–	–	–	–	–	–	–	–	–
Black	103	103	–	–	–	–	–	–	–	–	–	–	91	91	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	209	67	2	1	5	5	15	10	27	45	24	8	146	35	1	2	1	3	6	4	17	25	32	20
White	94	31	–	1	2	2	6	1	11	24	11	5	62	11	1	–	1	–	2	1	10	12	10	14
All other	115	36	2	–	3	3	9	9	16	21	13	3	84	24	–	2	–	3	4	3	7	13	22	6
Black	115	36	2	–	3	3	9	9	16	21	13	3	83	24	–	2	–	3	3	3	7	13	22	6
All other diseases (Residual)	636	22	5	9	21	38	45	94	162	223	149	68	780	20	11	8	15	28	30	61	96	159	206	146
White	520	6	4	7	15	17	19	45	98	143	117	49	538	9	8	3	9	12	15	29	59	116	158	120
All other	316	16	1	2	6	21	26	49	64	80	32	19	242	11	3	5	6	16	15	32	37	43	48	26
Black	315	16	1	2	6	21	26	49	63	80	32	19	241	11	3	5	6	15	15	32	37	43	48	26
Accidents and adverse effects (E800-E949)	1,117	13	31	59	275	247	138	101	121	66	50	16	426	8	17	24	69	41	44	47	39	47	48	44
White	720	9	19	31	189	165	77	61	79	40	36	14	306	3	11	16	52	33	29	32	27	34	31	38
All other	397	4	12	28	86	82	61	40	42	26	14	2	120	5	6	8	17	8	15	15	12	13	15	6
Black	395	4	12	28	85	82	60	40	42	26	14	2	117	5	6	8	16	7	15	14	12	13	15	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	558	1	9	30	183	145	74	42	38	19	12	5	193	–	4	15	61	24	23	22	19	19	5	1
White	370	1	5	19	132	97	39	26	27	10	9	5	145	–	3	11	45	19	16	19	13	15	4	–
All other	188	–	4	11	51	48	35	16	11	9	3	–	48	–	1	4	16	5	7	3	6	4	1	1
Black	186	–	4	11	50	48	34	16	11	9	3	–	45	–	1	4	15	4	7	2	6	4	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	559	12	22	29	92	102	64	59	63	47	38	11	233	8	13	9	6	17	21	25	20	28	41	43
White	350	8	14	12	57	68	38	35	52	30	27	9	161	3	8	5	7	14	13	13	14	19	27	38
All other	209	4	8	17	35	34	26	24	31	17	11	2	72	5	5	4	1	3	8	12	6	9	14	5
Black	209	4	8	17	35	34	26	24	31	17	11	2	72	5	5	4	1	3	8	12	6	9	14	5
Suicide (E950-E959)	285	...	...	3	55	61	50	25	52	23	14	2	84	...	...	1	9	16	21	13	15	6	3	–
White	246	...	...	3	48	47	44	19	48	22	13	2	80	...	...	1	8	15	20	13	15	5	3	–
All other	39	...	...	–	7	14	6	6	4	1	1	–	4	...	...	–	1	1	1	–	–	1	–	–
Black	38	...	...	–	7	13	6	6	4	1	1	–	4	...	...	–	1	1	1	–	–	1	–	–
Homicide and legal intervention (E960-E978)	280	4	4	–	57	84	59	43	20	7	2	–	102	3	2	2	16	29	19	9	9	10	3	–
White	120	–	–	–	22	33	27	25	8	4	1	–	54	–	–	1	7	11	8	8	8	8	3	–
All other	160	4	4	–	35	51	32	18	12	3	1	–	48	3	2	1	9	18	11	1	1	2	–	–
Black	159	4	4	–	34	51	32	18	12	3	1	–	47	3	2	1	9	17	11	1	1	2	–	–
All other external causes (E980-E989)	14	–	–	–	4	5	2	1	1	–	1	–	7	–	–	–	3	3	1	–	–	–	–	–
White	10	–	–	–	2	4	2	1	–	–	1	–	3	–	–	–	–	2	1	–	–	–	–	–
All other	4	–	–	–	2	1	–	–	1	–	–	–	4	–	–	–	3	1	–	–	–	–	–	–
Black	4	–	–	–	2	1	–	–	1	–	–	–	4	–	–	–	3	1	–	–	–	–	–	–
SOUTH DAKOTA																								
All causes	3,597	82	14	29	99	83	64	207	487	839	1,008	677	2,998	49	17	7	33	30	63	107	264	527	867	1,014
White	3,346	54	9	25	77	65	52	174	447	807	972	684	2,818	38	11	6	24	23	45	90	236	493	862	990
All other	251	28	5	4	22	28	12	33	40	32	34	13	180	11	6	1	9	7	18	17	28	34	25	24
Black	4	1	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
White	2	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	13	–	–	–	–	–	–	–	–	2	7	4	15	–	–	–	–	–	–	–	2	3	3	7
White	13	–	–	–	–	–	–	–	–	2	7	4	14	–	–	–	–	–	–	–	1	3	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	–	–	1	–	–	–	2	2	1	–	–	8	1	–	–	–	–	–	–	–	5	–	2
White	6	–	–	1	–	–	–	2	2	1	–	–	7	1	–	–	–	–	–	–	–	4	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	664	–	–	4	3	5	7	43	131	207	167	77	600	–	1	1	2	4	21	49	111	150	175	86
White	642	–	–	4	2	4	6	40	124	204	162	76	582	–	1	1	2	4	20	45	108	143	173	85
All other	22	–	–	–	1	1	1	3	7	3	5	1	18	–	–	–	–	–	1	4	3	7	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	–	–	–	–	–	–	1	3	4	4	1	11	–	–	–	–	–	–	–	1	3	4	3
White	13	–	–	–	–	–	–	1	3	4	4	1	10	–	–	–	–	–	–	–	–	3	4	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	167	–	–	–	–	–	2	14	28	68	55	20	186	–	–	–	–	–	–	17	25	51	69	24
White	164	–	–	–	–	–	2	14	27	67	54	20	180	–	–	–	–	–	–	17	24	47	68	24
All other	3	–	–	–	–	–	–	–	1	1	1	–	6	–	–	–	–	–	–	–	1	4	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	201	–	–	–	–	–	–	19	60	68	39	15	58	–	–	–	–	–	8	4	16	19	12	1
White	192	–	–	–	–	–	–	17	57	66	37	15	57	–	–	–	–	–	8	4	16	18	12	1
All other	9	–	–	–	–	–	–	2	3	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	1	–	–	–	–	–	–	–	–	–	1	–	115	–	–	–	–	–	10	9	34	21	27	14
White	1	–	–	–	–	–	–	–	–	–	1	–	113	–	–	–	–	–	9	8	34	21	27	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	85	–	–	–	–	1	–	1	8	23	32	20	62	–	–	–	–	2	3	6	12	19	13	7
White	82	–	–	–	–	1	–	1	7	23	31	19	61	–	–	–	–	2	3	6	12	18	13	7
All other	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	42	–	–	2	–	–	–	1	10	7	16	6	26	–	–	–	–	–	–	1	4	2	13	6
White	41	–	–	2	–	–	–	–	10	7	16	6	26	–	–	–	–	–	–	1	4	2	13	6
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	67	–	–	2	1	3	4	2	16	16	13	10	76	–	1	1	1	1	2	9	9	17	16	19
White	62	–	–	2	–	2	3	2	15	16	12	10	70	–	1	1	1	1	2	6	8	16	16	18
All other	5	–	–	–	1	1	1	–	1	–	1	–	6	–	–	–	–	–	–	3	1	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	29	–	–	–	–	–	–	1	1	9	13	5	26	–	–	–	–	1	–	2	3	3	10	7
White	29	–	–	–	–	–	–	1	1	9	13	5	25	–	–	–	–	1	–	2	3	3	9	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	–	–	–	2	1	1	4	5	12	14	–	40	–	–	–	1	–	–	1	7	15	11	5
White	38	–	–	–	2	1	1	4	4	12	14	–	40	–	–	–	1	–	–	1	7	15	11	5
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	–	–	–	–	–	–	1	5	3	5	–	12	–	–	–	–	1	1	–	1	3	3	3
White	13	–	–	–	–	–	–	1	4	3	5	–	12	–	–	–	–	1	1	–	1	3	3	3
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	26	-	-	-	-	-	-	3	2	6	11	4	63	-	-	-	-	1	1	4	5	17	18	17
White	23	-	-	-	-	-	-	1	1	6	11	4	52	-	-	-	-	1	1	2	4	13	16	15
All other	3	-	-	-	-	-	-	2	1	-	-	-	11	-	-	-	-	-	-	2	1	4	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	10	-	-	-	2	-	-	-	-	2	4	2	7	-	1	-	-	-	-	1	-	1	4	-
White	10	-	-	-	2	-	-	-	-	2	4	2	6	-	1	-	-	-	-	1	-	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	3	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	6	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,801	4	-	1	2	10	15	86	233	455	569	426	1,638	-	-	1	2	4	6	21	84	248	564	706
White	1,737	4	-	1	2	10	11	81	219	437	551	421	1,590	-	-	1	2	4	3	20	78	239	550	693
All other	64	-	-	-	-	-	4	5	14	18	18	5	48	-	-	-	-	-	3	1	6	9	14	13
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-399,402,404-429)	1,469	4	-	1	2	8	15	76	200	391	463	307	1,222	-	-	-	2	3	3	15	62	205	424	508
White	1,415	4	-	1	2	8	11	73	187	375	451	303	1,188	-	-	-	2	3	3	14	57	197	413	499
All other	54	-	-	-	-	-	4	5	13	16	12	4	34	-	-	-	-	-	-	1	5	8	11	9
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	-	-	-	-	2	4	3	-
White	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	-	-	-	-	2	4	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	1	-	1	5	-	28	-	-	-	-	-	-	1	-	3	12	12
White	6	-	-	-	-	-	-	1	-	-	5	-	28	-	-	-	-	-	-	1	-	3	12	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	1	2	9	-	-	-	-	-	-	1	-	2	3	3
White	3	-	-	-	-	-	-	-	-	-	1	2	6	-	-	-	-	-	-	1	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,131	-	-	-	-	6	13	61	166	313	357	215	898	-	-	-	-	-	-	8	49	159	316	366
White	1,096	-	-	-	-	6	10	57	159	304	348	212	878	-	-	-	-	-	-	7	48	155	309	359
All other	35	-	-	-	-	-	3	4	7	9	9	3	20	-	-	-	-	-	-	1	1	4	7	7
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	782	-	-	-	-	2	10	53	138	248	231	100	517	-	-	-	-	-	-	6	41	115	200	155
White	755	-	-	-	-	2	7	49	133	240	224	100	504	-	-	-	-	-	-	5	40	112	196	151
All other	27	-	-	-	-	-	3	4	5	8	7	-	13	-	-	-	-	-	-	1	1	3	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	340	-	-	-	-	4	3	8	28	63	121	113	381	-	-	-	-	-	-	2	8	44	116	211
White	332	-	-	-	-	4	3	8	26	62	119	110	374	-	-	-	-	-	-	2	8	43	113	208
All other	8	-	-	-	-	-	-	-	2	1	2	3	7	-	-	-	-	-	-	-	-	1	3	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	11	-	-	-	-	-	-	-	1	3	4	3	23	-	-	-	-	1	-	-	1	4	6	11
White	10	-	-	-	-	-	-	-	1	3	3	3	23	-	-	-	-	1	-	-	1	4	6	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	313	4	-	1	2	2	2	16	33	72	84	87	255	-	-	-	2	2	3	5	10	33	84	116
White	296	4	-	1	2	2	1	15	27	66	82	86	244	-	-	-	2	2	3	5	6	29	82	115
All other	17	-	-	-	-	-	1	1	6	6	2	1	11	-	-	-	-	-	-	-	4	4	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	12	-	-	-	-	-	-	2	2	2	2	4	7	-	-	-	-	-	-	-	1	-	3	3
White	12	-	-	-	-	-	-	2	2	2	2	4	7	-	-	-	-	-	-	-	1	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	237	-	-	-	-	1	-	6	22	36	81	91	333	-	-	1	-	1	3	6	17	35	118	152
White	231	-	-	-	-	1	-	6	22	36	76	90	323	-	-	1	-	1	-	6	17	34	115	149
All other	6	-	-	-	-	-	-	-	-	-	5	1	10	-	-	-	-	-	3	-	-	1	3	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	30	-	-	-	-	-	-	4	10	4	8	4	27	-	-	1	-	-	-	1	7	1	13	4
White	30	-	-	-	-	-	-	4	10	4	8	4	27	-	-	1	-	-	-	1	7	1	13	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	-	-	-	-	-	-	3	3	8	11	46	-	-	-	-	-	-	-	3	5	16	22	
White	23	-	-	-	-	-	-	3	3	7	10	46	-	-	-	-	-	-	-	3	5	16	22	
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebral embolism (434.1)	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
White	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	181	-	-	-	-	1	-	2	8	29	65	76	259	-	-	-	-	1	3	5	7	29	89	125
White	177	-	-	-	-	1	-	2	8	29	61	76	249	-	-	-	-	1	-	5	7	28	88	122
All other	4	-	-	-	-	-	-	-	-	-	4	-	10	-	-	-	-	-	3	-	-	1	3	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	40	-	-	-	-	1	-	-	4	6	13	16	48	-	-	-	-	-	-	-	1	3	11	33
White	39	-	-	-	-	1	-	-	3	6	13	16	48	-	-	-	-	-	-	-	1	3	11	33
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	43	-	-	-	-	-	-	-	5	20	10	8	26	-	-	-	-	-	-	-	3	5	8	10
White	40	-	-	-	-	-	-	-	5	18	9	8	24	-	-	-	-	-	-	-	2	5	8	9
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	120	2	-	1	-	1	-	3	7	14	42	50	105	-	1	-	-	-	-	-	4	10	27	63
White	110	-	-	-	-	-	-	1	7	13	42	47	99	-	1	-	-	-	-	-	4	7	26	61
All other	10	2	-	1	-	1	-	2	-	1	-	3	6	-	-	-	-	-	-	-	-	3	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	115	2	-	1	-	1	-	3	7	13	40	48	98	-	1	-	-	-	-	-	4	9	25	59
White	105	-	-	-	-	-	-	1	7	12	40	45	92	-	1	-	-	-	-	-	4	6	24	57
All other	10	2	-	1	-	1	-	2	-	1	-	3	6	-	-	-	-	-	-	-	-	3	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	1	2	2	7	-	-	-	-	-	-	-	-	1	2	4
White	5	-	-	-	-	-	-	-	-	1	2	2	7	-	-	-	-	-	-	-	-	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	156	-	-	-	-	1	-	7	17	52	68	11	57	-	-	-	-	-	-	-	9	24	14	10
White	149	-	-	-	-	1	-	6	16	50	65	11	57	-	-	-	-	-	-	-	9	24	14	10
All other	7	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	1	-	2	3	1	5	-	-	-	-	-	-	-	1	-	1	3
White	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	-	1	-	1	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	48	-	-	-	-	-	-	3	7	16	20	2	11	-	-	-	-	-	-	-	1	5	3	2
White	46	-	-	-	-	-	-	2	7	16	19	2	11	-	-	-	-	-	-	-	1	5	3	2
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	4	-	-	-	-	1	-	1	1	-	1	-	6	-	-	-	-	-	-	-	-	4	-	2
White	4	-	-	-	-	1	-	1	1	-	1	-	6	-	-	-	-	-	-	-	-	4	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	97	-	-	-	-	-	-	2	9	34	44	8	35	-	-	-	-	-	-	-	7	15	10	3
White	99	-	-	-	-	-	-	2	8	32	43	8	35	-	-	-	-	-	-	-	7	15	10	3
All other	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	-	-	1	2	2	2	2	12	-	-	-	-	-	1	-	1	-	5	5
White	9	-	-	-	-	-	-	1	2	2	2	2	12	-	-	-	-	-	1	-	1	-	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	-	1	5	13	-	1	-	-	-	-	-	-	1	3	8
White	6	-	-	-	-	-	-	-	-	-	1	5	13	-	1	-	-	-	-	-	-	1	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	33	-	-	-	-	2	4	9	10	5	2	1	17	-	-	-	-	2	5	2	3	4	1	-
White	22	-	-	-	-	-	3	3	9	5	2	-	7	-	-	-	-	1	1	-	1	3	1	-
All other	11	-	-	-	-	2	1	6	1	-	-	1	10	-	-	-	-	1	4	2	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	-	3	3	-	8	-	-	-	-	-	-	-	1	1	1	5
White	5	-	-	-	-	-	-	-	-	3	2	-	8	-	-	-	-	-	-	-	1	1	1	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	2	-	1	-	-	1	1	3	4	11	12	32	-	-	-	-	1	2	-	3	5	7	14
White	33	2	-	1	-	-	1	1	3	3	10	12	24	-	-	-	-	-	1	-	1	3	5	14
All other	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	1	1	-	2	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	2	-	1	-	-	1	1	3	4	11	12	31	-	-	-	-	-	2	-	3	5	7	14
White	33	2	-	1	-	-	1	1	3	3	10	12	24	-	-	-	-	-	1	-	1	3	5	14
All other	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	1	-	2	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	1	-	1	-	-	1	1	3	-	-	-	-	-	-	-	1	1	-	1
White	4	-	-	-	-	1	-	1	-	-	1	1	3	-	-	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	-	1	4	***	***	***	***	***	***	***	***	***	***	***	***
White	5	-	-	-	-	-	-	-	-	-	1	4	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	-	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	19	11	3	1	1	1	-	-	1	-	-	1	15	7	2	2	2	-	-	-	-	1	-	1
White	17	10	2	1	1	1	-	-	1	-	-	1	12	5	1	2	2	-	-	-	-	1	-	1
All other	2	1	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
White	25	25	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	52	16	-	-	1	-	-	3	6	10	4	10	41	8	1	-	-	1	1	3	5	7	9	6
White	32	9	-	-	1	-	-	2	3	6	3	8	24	6	-	-	-	1	-	1	-	5	7	4
All other	20	7	-	-	-	-	-	1	5	4	1	2	17	2	1	-	-	-	1	2	5	2	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	195	3	1	3	4	7	2	9	19	40	60	47	172	1	3	1	2	4	5	11	19	29	40	57
White	182	1	1	3	4	5	1	6	18	38	58	47	154	-	2	-	2	3	4	10	14	26	39	54
All other	13	2	-	-	-	2	1	3	1	2	2	-	18	1	1	1	-	1	1	1	5	3	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	255	2	8	17	59	40	18	25	33	17	23	13	113	-	6	2	16	7	15	11	13	13	10	20
White	200	-	5	14	48	25	15	17	25	17	21	13	89	-	5	2	10	4	10	8	10	11	9	20
All other	55	2	3	3	11	15	3	8	8	-	2	-	24	-	1	-	6	3	5	3	3	2	1	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	117	1	3	2	37	24	10	12	11	9	4	4	50	-	3	2	12	3	11	3	7	3	4	2
White	90	-	3	2	32	14	9	8	6	9	3	4	34	-	2	2	6	1	8	2	6	3	4	2
All other	27	1	-	-	5	10	1	4	5	-	1	-	16	-	1	-	6	2	5	1	1	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	138	1	5	15	22	16	8	13	22	8	19	9	63	-	3	-	4	4	4	8	6	10	6	18
White	110	-	2	12	16	11	6	9	19	8	18	9	55	-	3	-	4	3	4	6	4	8	5	18
All other	28	1	3	3	6	5	2	4	3	-	1	-	8	-	-	-	-	1	-	2	2	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	78	...	...	-	18	17	12	5	10	12	3	2	16	...	...	-	3	1	3	1	2	4	2	-
White	70	...	...	-	14	14	11	4	10	12	3	2	15	...	...	-	2	1	3	1	2	4	2	-
All other	9	...	...	-	4	3	1	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	1	-	-	7	5	2	3	-	-	-	-	14	-	1	-	5	2	3	3	-	-	-	-
White	11	-	-	-	3	3	2	3	-	-	-	-	6	-	-	-	3	1	1	1	-	-	-	-
All other	7	1	-	-	4	2	-	-	-	-	-	-	8	-	1	-	2	1	2	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	13	-	1	-	2	3	1	1	3	2	-	-	2	-	-	-	-	-	1	-	1	-	-	-
White	6	-	-	-	-	1	1	1	2	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	7	-	1	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	22,006	451	88	125	695	743	834	1,787	3,847	5,952	5,179	2,304	18,286	358	57	81	203	289	455	952	2,159	3,811	5,391	4,427
White	18,213	290	61	97	568	583	681	1,424	3,199	4,959	4,406	1,970	15,052	231	39	65	165	197	324	715	1,852	3,165	4,567	3,929
All other	3,793	161	27	28	127	160	153	363	654	993	773	334	3,234	125	18	16	38	92	131	237	507	746	824	498
Black	3,770	159	26	26	125	177	153	358	653	888	772	339	3,218	124	18	16	38	91	127	233	505	743	823	498
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	1	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-016)	37	-	-	-	1	2	1	2	1	12	14	4	28	1	-	-	-	-	-	-	6	7	5	9
White	28	-	-	-	-	1	-	2	-	11	11	3	20	-	-	-	-	-	-	-	3	5	5	7
All other	9	-	-	-	1	1	1	-	1	1	3	1	8	1	-	-	-	-	-	-	3	2	-	2
Black	9	-	-	-	1	1	1	-	1	1	3	1	7	1	-	-	-	-	-	-	3	1	-	2
Tuberculosis of respiratory system (010-012)	31	-	-	-	-	2	1	2	1	11	11	3	24	1	-	-	-	-	-	-	5	4	5	9
White	25	-	-	-	-	1	-	2	-	10	9	3	19	-	-	-	-	-	-	-	3	4	5	7
All other	6	-	-	-	-	1	1	-	1	1	2	-	5	1	-	-	-	-	-	-	2	-	-	2
Black	6	-	-	-	-	1	1	-	1	1	2	-	5	1	-	-	-	-	-	-	2	-	-	2
Other tuberculosis (013-016)	6	-	-	-	1	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	1	3	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	1	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	3	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	-	-	-	-	1	-	-	-	-	1	5	2	-	1	-	-	-	-	-	-	2	-
White	3	1	-	-	-	-	1	-	-	-	-	1	5	2	-	1	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	69	1	-	-	-	4	1	7	11	14	17	14	78	4	-	-	-	2	1	5	6	21	26	13
White	39	-	-	-	-	2	-	4	4	9	12	6	54	3	-	-	-	1	1	5	5	15	13	11
All other	30	1	-	-	-	2	1	3	7	5	5	8	24	1	-	-	-	1	-	-	1	6	13	2
Black	30	1	-	-	-	2	1	3	7	5	5	6	23	1	-	-	-	-	-	-	1	6	13	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	-	-	1	3	2	3	-	1	6	-	-	-	1	-	1	1	-	2	-	1
White	10	-	-	-	-	-	1	3	2	3	-	1	3	-	-	-	-	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	1	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	72	1	2	2	1	4	3	7	10	22	14	6	39	4	2	1	-	5	6	2	4	4	7	4
White	59	1	1	1	1	2	3	5	10	20	11	4	28	3	1	1	-	3	4	1	3	3	5	4
All other	13	-	1	1	-	2	-	2	-	2	3	2	11	1	1	-	-	2	2	1	1	1	2	-
Black	13	-	1	1	-	2	-	2	-	2	3	2	10	-	1	-	-	2	2	1	1	1	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,034	2	6	15	37	57	121	505	1,234	1,620	1,084	273	3,706	-	4	13	21	55	161	390	826	1,020	871	345
White	4,058	2	4	13	25	49	107	399	1,029	1,341	874	215	3,063	-	4	12	15	42	125	313	673	850	737	292
All other	876	-	2	2	12	8	14	106	205	279	190	58	643	-	-	1	6	13	36	77	153	170	134	53
Black	872	-	2	2	12	8	14	103	205	278	190	58	640	-	-	1	6	13	35	75	153	170	134	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	92	–	–	–	–	–	3	19	19	35	14	2	67	–	–	–	–	1	5	5	13	14	16	10
White	77	–	–	–	–	–	3	11	18	31	12	2	59	–	–	–	–	1	4	3	12	13	17	9
All other	15	–	–	–	–	–	–	8	1	4	2	–	8	–	–	–	–	–	1	2	1	1	2	1
Black	14	–	–	–	–	–	–	7	1	4	2	–	8	–	–	–	–	–	1	2	1	1	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,126	–	–	1	3	11	21	115	246	395	256	78	959	–	–	–	1	4	22	63	155	297	288	129
White	876	–	–	1	–	8	19	85	190	307	204	62	770	–	–	–	–	4	17	42	119	239	240	109
All other	250	–	–	–	3	3	2	30	56	88	52	16	189	–	–	–	1	–	5	21	36	58	48	20
Black	247	–	–	–	3	3	2	28	56	87	52	16	188	–	–	–	1	–	5	20	36	58	48	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,041	–	–	–	2	3	48	242	652	715	333	46	598	–	–	–	–	2	20	93	187	179	91	24
White	1,747	–	–	–	1	2	40	196	551	624	284	39	508	–	–	–	–	2	15	78	154	158	79	22
All other	294	–	–	–	1	1	8	46	101	91	39	7	88	–	–	–	–	–	5	15	33	21	12	2
Black	294	–	–	–	1	1	8	46	101	91	39	7	88	–	–	–	–	–	5	15	33	21	12	2
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	1	–	1	–	668	–	–	–	–	14	53	110	175	169	107	40
White	2	–	–	–	–	–	–	–	1	–	1	–	554	–	–	–	–	7	44	90	145	144	90	34
All other	–	–	–	–	–	–	–	–	–	–	–	–	114	–	–	–	–	7	9	20	30	25	17	6
Black	–	–	–	–	–	–	–	–	–	–	–	–	114	–	–	–	–	7	9	20	30	25	17	6
Malignant neoplasms of genital organs (179-187)	489	–	–	–	–	4	2	8	51	158	201	65	450	–	–	–	1	10	34	51	103	113	106	32
White	345	–	–	–	–	4	1	6	38	110	143	43	346	–	–	–	1	7	23	42	79	86	82	26
All other	144	–	–	–	–	–	1	2	13	48	58	22	104	–	–	–	–	3	11	9	24	27	24	6
Black	144	–	–	–	–	–	1	2	13	48	58	22	102	–	–	–	–	3	10	8	24	27	24	6
Malignant neoplasms of urinary organs (188-189)	216	1	–	–	–	1	3	18	41	68	68	16	116	–	–	–	–	–	–	5	16	43	32	20
White	186	1	–	–	–	1	3	16	39	58	55	13	98	–	–	–	–	–	–	5	13	36	29	15
All other	30	–	–	–	–	–	–	2	2	10	13	3	18	–	–	–	–	–	–	–	3	7	3	5
Black	30	–	–	–	–	–	–	2	2	10	13	3	18	–	–	–	–	–	–	–	3	7	3	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	559	–	3	4	16	20	33	68	154	122	99	40	470	–	2	5	8	13	19	34	105	112	123	49
White	479	–	2	3	13	19	32	58	133	101	84	34	405	–	2	4	7	10	17	29	94	94	109	39
All other	80	–	1	1	3	1	1	10	21	21	15	6	65	–	–	1	1	3	2	5	11	18	14	10
Black	60	–	1	1	3	1	1	10	21	21	15	6	65	–	–	1	1	3	2	5	11	18	14	10
Leukemia (204-208)	179	1	3	7	10	11	8	10	24	47	43	15	172	–	2	8	10	7	7	9	30	29	42	28
White	155	1	2	6	8	8	8	8	22	41	38	15	147	–	2	8	6	7	5	7	23	26	36	27
All other	24	–	1	1	2	3	–	2	2	6	7	–	25	–	–	–	4	–	2	2	7	3	6	1
Black	24	–	1	1	2	3	–	2	2	6	7	–	25	–	–	–	4	–	2	2	7	3	6	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	230	–	–	3	6	7	3	25	46	60	49	11	208	–	–	–	1	4	1	20	42	64	63	13
White	191	–	–	3	3	7	1	19	37	69	45	7	176	–	–	–	1	4	–	17	34	54	55	11
All other	39	–	–	–	3	–	2	6	9	11	4	4	32	–	–	–	–	–	1	3	8	10	8	2
Black	39	–	–	–	3	–	2	6	9	11	4	4	32	–	–	–	–	–	1	3	8	10	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	42	1	1	–	2	–	1	2	9	11	11	4	70	1	–	–	3	5	1	6	8	19	17	10
White	33	–	1	–	1	–	1	2	8	7	9	4	47	1	–	–	3	3	–	4	4	13	14	5
All other	9	1	–	–	1	–	–	–	1	4	2	–	23	–	–	–	–	2	1	2	4	6	3	5
Black	9	1	–	–	1	–	–	–	1	4	2	–	23	–	–	–	–	2	1	2	4	6	3	5
Diabetes mellitus (250)	201	–	–	–	1	4	12	19	32	53	65	15	380	–	1	1	1	4	10	16	50	96	130	51
White	157	–	–	–	1	2	7	13	25	42	54	13	288	–	1	1	1	2	7	8	33	82	108	45
All other	44	–	–	–	–	2	5	6	7	11	11	2	72	–	–	–	–	2	3	8	17	14	22	6
Black	44	–	–	–	–	2	5	6	7	11	11	2	72	–	–	–	–	2	3	8	17	14	22	6
Nutritional deficiencies (260-269)	24	–	–	–	–	–	–	–	2	4	8	10	33	–	–	–	–	–	–	1	1	3	8	20
White	22	–	–	–	–	–	–	–	2	3	8	9	25	–	–	–	–	–	–	–	–	2	6	17
All other	2	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–	–	–	1	1	1	2	3
Black	2	–	–	–	–	–	–	–	–	1	–	1	8	–	–	–	–	–	–	1	1	1	2	3
Anemias (280-285)	33	–	1	–	3	–	3	–	2	4	15	5	42	1	2	2	–	2	2	3	2	4	16	6
White	22	–	–	–	–	–	2	–	2	4	10	4	26	1	–	1	–	–	1	3	1	4	14	3
All other	11	–	1	–	3	–	1	–	–	–	5	1	14	–	2	1	–	2	1	–	1	–	4	3
Black	11	–	1	–	3	–	1	–	–	–	5	1	14	–	2	1	–	2	1	–	1	–	4	3
Meningitis (320-322)	17	3	2	–	–	1	5	2	–	3	1	–	7	3	2	–	–	–	–	1	1	–	–	–
White	12	2	2	–	–	1	2	2	–	3	–	–	3	2	–	–	–	–	–	–	1	–	–	–
All other	5	1	–	–	–	–	3	–	–	–	1	–	4	1	2	–	–	–	–	1	–	–	–	–
Black	5	1	–	–	–	–	3	–	–	–	1	–	4	1	2	–	–	–	–	1	–	–	–	–
Major cardiovascular diseases (390-448)	10,125	16	7	6	20	71	221	726	1,755	2,989	2,822	1,482	9,764	13	4	9	11	43	106	307	829	2,010	3,339	3,091
White	8,449	10	4	4	16	46	175	584	1,454	2,484	2,388	1,274	8,089	8	3	5	4	22	64	204	594	1,601	2,833	2,750
All other	1,676	6	3	2	4	25	46	142	301	515	424	208	1,675	5	1	4	7	21	42	103	235	409	506	341
Black	1,669	5	3	2	4	25	46	140	300	513	424	207	1,669	5	1	4	7	21	40	101	235	408	505	341

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	7,922	15	7	4	17	58	198	640	1,497	2,390	2,082	1,016	6,962	11	4	6	10	28	78	238	650	1,535	2,338	2,063
White	6,682	10	4	2	14	38	158	526	1,262	2,007	1,776	885	5,795	7	3	2	4	15	53	163	466	1,242	2,004	1,885
All other	1,240	5	3	2	3	18	40	114	235	383	306	131	1,167	4	1	4	6	13	25	75	184	293	334	228
Black	1,233	4	3	2	3	18	40	112	234	381	306	130	1,162	4	1	4	6	13	23	74	184	292	333	228
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	-	-	-	2	2	5	12	3	2	72	-	-	1	1	2	5	6	11	21	17	8
White	22	-	-	-	-	-	1	2	5	10	2	2	63	-	-	-	1	1	5	4	8	21	15	8
All other	4	-	-	-	-	-	1	-	-	2	1	-	9	-	-	1	-	1	-	2	3	-	2	-
Black	4	-	-	-	-	-	1	-	-	2	1	-	9	-	-	1	-	1	-	2	3	-	2	-
Hypertensive heart disease (402)	197	-	-	-	-	2	8	19	35	52	53	28	285	-	-	-	-	3	8	16	42	72	90	54
White	112	-	-	-	-	1	2	3	21	31	37	17	159	-	-	-	-	-	-	4	17	38	58	42
All other	85	-	-	-	-	1	6	16	14	21	16	11	126	-	-	-	-	3	8	12	25	34	32	12
Black	85	-	-	-	-	1	6	16	14	21	16	11	125	-	-	-	-	3	8	12	25	34	31	12
Hypertensive heart and renal disease (404)	30	-	-	-	-	-	-	-	3	8	15	4	27	-	-	-	-	2	-	1	1	5	12	6
White	25	-	-	-	-	-	-	-	3	7	11	4	12	-	-	-	-	-	-	-	-	2	5	5
All other	5	-	-	-	-	-	-	-	-	1	4	-	15	-	-	-	-	2	-	1	1	3	7	1
Black	5	-	-	-	-	-	-	-	-	1	4	-	15	-	-	-	-	2	-	1	1	3	7	1
Ischemic heart disease (410-414)	6,101	-	-	1	2	33	152	520	1,184	1,893	1,583	733	4,882	-	-	-	-	9	34	145	451	1,114	1,678	1,450
White	5,368	-	-	-	1	25	126	453	1,039	1,661	1,405	658	4,260	-	-	-	-	5	26	111	358	955	1,497	1,307
All other	733	-	-	1	1	8	26	67	145	232	178	75	622	-	-	-	-	4	8	34	93	159	181	143
Black	729	-	-	1	1	8	26	65	144	231	178	75	618	-	-	-	-	4	8	33	93	158	181	143
Acute myocardial infarction (410)	3,981	-	-	-	2	26	107	398	853	1,319	912	364	2,712	-	-	-	-	8	26	106	306	712	943	610
White	3,564	-	-	-	1	20	92	358	761	1,177	827	328	2,403	-	-	-	-	5	21	84	254	621	863	554
All other	417	-	-	-	1	6	15	40	92	142	85	36	309	-	-	-	-	3	5	22	52	91	80	56
Black	414	-	-	-	1	6	15	38	91	142	85	36	307	-	-	-	-	3	4	21	52	91	80	56
Other acute and subacute forms of ischemic heart disease (411)	60	-	-	-	-	-	1	2	10	19	14	14	70	-	-	-	-	-	-	3	6	13	24	24
White	46	-	-	-	-	-	1	2	7	15	11	10	48	-	-	-	-	-	-	2	4	7	17	16
All other	14	-	-	-	-	-	-	-	3	4	3	4	22	-	-	-	-	-	-	1	2	6	7	8
Black	14	-	-	-	-	-	-	-	3	4	3	4	22	-	-	-	-	-	-	1	2	6	7	8
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	2	-	1	8	-	-	-	-	-	-	1	1	2	4	-
White	3	-	-	-	-	-	-	-	-	2	-	1	7	-	-	-	-	-	-	1	-	2	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,057	-	-	1	-	7	44	120	321	553	657	354	2,092	-	-	-	-	1	8	35	138	387	707	816
White	1,755	-	-	-	-	5	33	93	271	467	567	319	1,802	-	-	-	-	-	5	24	100	325	613	735
All other	302	-	-	1	-	2	11	27	50	86	90	35	290	-	-	-	-	1	3	11	38	62	94	81
Black	301	-	-	1	-	2	11	27	50	85	90	35	288	-	-	-	-	1	2	11	38	61	94	81
Other diseases of endocardium (424)	56	-	-	-	-	3	1	2	8	19	15	8	55	-	-	1	-	1	1	1	3	12	23	13
White	49	-	-	-	-	3	1	2	8	15	13	7	48	-	-	1	-	1	1	-	1	12	19	13
All other	7	-	-	-	-	-	-	-	-	4	2	1	7	-	-	-	-	-	-	1	2	-	4	-
Black	7	-	-	-	-	-	-	-	-	4	2	1	7	-	-	-	-	-	-	1	2	-	4	-
All other forms of heart disease (415-423,425-429)	1,512	15	7	3	15	18	35	97	262	406	413	241	1,641	11	4	4	9	11	30	89	142	311	516	532
White	1,106	10	4	2	13	9	28	68	186	283	308	197	1,253	7	3	1	3	8	21	44	82	214	410	460
All other	406	5	3	1	2	9	7	31	76	123	105	44	388	4	1	3	6	3	9	25	60	97	106	72
Black	403	4	3	1	2	9	7	31	76	122	105	43	388	4	1	3	6	3	9	25	60	97	106	72
Hypertension with or without renal disease (401,403)	74	1	-	-	-	-	4	5	8	24	22	10	81	-	-	1	-	-	-	3	9	19	18	31
White	47	-	-	-	-	-	3	2	5	16	14	7	55	-	-	1	-	-	-	1	6	11	12	24
All other	27	1	-	-	-	-	1	3	3	8	8	3	26	-	-	-	-	-	-	2	3	8	6	7
Black	27	1	-	-	-	-	1	3	3	8	8	3	26	-	-	-	-	-	-	2	3	8	6	7
Cerebrovascular diseases (430-438)	1,658	-	-	2	2	13	15	62	196	458	573	337	2,290	-	-	2	1	12	26	60	148	411	882	797
White	1,328	-	-	2	1	7	11	41	143	356	486	279	1,866	-	-	2	-	7	10	35	104	312	668	713
All other	330	-	-	-	1	6	4	21	53	100	87	58	424	-	-	-	1	5	16	25	44	99	149	84
Black	330	-	-	-	1	6	4	21	53	100	87	58	423	-	-	-	1	5	16	24	44	99	149	84
Intracerebral and other intracranial hemorrhage (431-432)	208	-	-	1	1	6	7	17	46	62	49	19	218	-	-	2	-	3	6	22	43	34	67	39
White	158	-	-	1	1	4	5	12	30	47	41	17	159	-	-	2	-	1	1	13	31	26	52	33
All other	50	-	-	-	-	2	2	5	16	15	8	2	59	-	-	-	-	2	7	9	12	8	15	6
Black	50	-	-	-	-	2	2	5	16	15	8	2	59	-	-	-	-	2	7	9	12	8	15	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	268	-	-	-	-	-	-	10	18	63	111	64	382	-	-	-	-	2	2	4	16	55	152	151
White	209	-	-	-	-	-	-	7	12	45	92	53	324	-	-	-	-	2	-	2	9	48	126	137
All other	57	-	-	-	-	-	-	3	6	18	19	11	58	-	-	-	-	-	2	2	7	7	26	14
Black	57	-	-	-	-	-	-	3	6	18	19	11	58	-	-	-	-	-	2	2	7	7	26	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	1	-	-	1	3	2	1	11	-	-	-	-	-	1	2	-	1	5	2
White	7	-	-	-	-	-	-	-	1	3	2	1	10	-	-	-	-	-	-	2	-	1	5	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,176	-	-	1	1	6	8	35	131	330	411	253	1,679	-	-	-	1	7	15	32	89	321	608	605
White	954	-	-	1	-	3	6	22	100	269	351	208	1,373	-	-	-	-	4	9	16	64	237	500	541
All other	222	-	-	-	1	3	2	13	31	67	60	45	306	-	-	-	1	3	6	14	25	84	108	64
Black	222	-	-	-	1	3	2	13	31	67	60	45	305	-	-	-	1	3	6	13	25	84	108	64
Atherosclerosis (440)	239	-	-	-	-	-	-	8	10	45	77	99	303	-	-	-	-	-	-	1	9	26	96	171
White	193	-	-	-	-	-	-	7	8	34	60	84	268	-	-	-	-	-	-	1	8	21	87	151
All other	46	-	-	-	-	-	-	1	2	11	17	15	37	-	-	-	-	-	-	-	1	5	9	20
Black	46	-	-	-	-	-	-	1	2	11	17	15	37	-	-	-	-	-	-	-	3	5	9	20
Other diseases of arteries, arterioles, and capillaries (441-448)	232	-	-	-	1	2	4	11	44	82	68	20	128	2	-	-	-	3	2	5	13	19	55	29
White	199	-	-	-	1	1	3	8	36	69	62	19	107	1	-	-	-	-	1	4	12	15	47	27
All other	33	-	-	-	-	1	1	3	8	13	6	1	21	1	-	-	-	3	1	1	1	4	8	2
Black	33	-	-	-	-	1	1	3	8	13	6	1	21	1	-	-	-	3	1	1	1	4	8	2
Acute bronchitis and bronchiolitis (466)	4	2	1	1	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	4
White	2	1	-	1	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	-	4
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	490	10	-	-	3	9	6	15	45	100	181	121	478	5	2	-	4	2	8	9	27	72	134	215
White	424	4	-	-	1	4	2	12	39	82	165	115	417	3	2	-	2	1	6	6	19	61	119	198
All other	66	6	-	-	2	5	4	3	6	18	16	6	61	2	-	-	2	1	2	3	8	11	15	17
Black	66	6	-	-	2	5	4	3	6	18	16	6	61	2	-	-	2	1	2	3	8	11	15	17
Pneumonia (480-488)	487	10	-	-	3	9	6	15	45	100	180	119	468	5	2	-	4	2	7	9	26	69	133	209
White	421	4	-	-	1	4	2	12	39	82	164	113	406	3	2	-	2	1	5	6	19	58	118	192
All other	66	6	-	-	2	5	4	3	6	18	16	6	60	2	-	-	2	1	2	3	7	11	15	17
Black	66	6	-	-	2	5	4	3	6	18	16	6	60	2	-	-	2	1	2	3	7	11	15	17
Influenza (487)	3	-	-	-	-	-	-	-	-	-	1	2	12	-	-	-	-	-	1	-	1	3	1	6
White	3	-	-	-	-	-	-	-	-	-	1	2	11	-	-	-	-	-	1	-	-	3	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	898	2	-	2	2	2	6	33	145	380	279	67	360	-	-	-	-	1	6	21	60	114	105	53
White	831	2	-	1	2	1	4	32	128	336	260	65	326	-	-	-	-	1	3	18	49	105	101	49
All other	67	-	-	1	-	1	2	1	17	24	19	2	34	-	-	-	-	-	3	3	11	9	4	4
Black	67	-	-	1	-	1	2	1	17	24	19	2	32	-	-	-	-	-	3	3	9	9	4	4
Bronchitis, chronic and unspecified (490-491)	56	2	-	-	-	-	1	2	6	25	17	3	22	-	-	-	-	-	1	2	3	4	5	7
White	52	2	-	-	-	-	1	2	5	24	16	2	21	-	-	-	-	-	1	2	3	4	5	6
All other	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	185	-	-	-	-	-	1	5	32	76	54	17	56	-	-	-	-	-	-	4	9	22	15	6
White	178	-	-	-	-	-	1	5	29	72	54	17	54	-	-	-	-	-	-	4	9	20	15	6
All other	7	-	-	-	-	-	-	-	3	4	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	7	-	-	-	-	-	-	-	3	4	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Asthma (493)	16	-	-	2	1	1	1	3	-	3	3	2	34	-	-	-	-	1	2	2	6	9	6	6
White	13	-	-	1	1	-	1	3	-	2	3	2	25	-	-	-	-	1	1	1	4	7	5	6
All other	3	-	-	1	-	1	-	-	-	1	-	-	9	-	-	-	-	-	1	1	2	2	1	2
Black	3	-	-	1	-	1	-	-	-	1	-	-	9	-	-	-	-	-	1	1	2	2	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	641	-	-	-	1	1	3	23	107	256	205	45	248	-	-	-	-	-	3	13	42	78	79	32
White	588	-	-	-	1	1	1	22	94	238	187	44	226	-	-	-	-	-	1	11	33	74	76	31
All other	53	-	-	-	-	-	2	1	13	18	18	1	22	-	-	-	-	-	2	2	9	5	3	1
Black	53	-	-	-	-	-	2	1	13	18	18	1	20	-	-	-	-	-	2	2	7	5	3	1
Ulcer of stomach and duodenum (531-533)	52	-	-	-	-	1	-	5	9	11	16	10	57	-	-	-	-	-	1	3	6	9	18	20
White	43	-	-	-	-	-	-	4	8	9	13	9	51	-	-	-	-	-	1	2	5	6	17	20
All other	9	-	-	-	-	1	-	1	1	2	3	1	6	-	-	-	-	-	-	1	1	3	1	-
Black	9	-	-	-	-	1	-	1	1	2	3	1	6	-	-	-	-	-	-	1	1	3	1	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	2	2	-	-
White	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	2	2	-	-	-	1	3	5	12	11	10	48	2	-	-	-	-	-	-	3	8	20	15
White	37	-	1	-	-	-	1	1	4	11	9	10	37	2	-	-	-	-	-	-	1	7	14	13
All other	9	2	1	-	-	-	-	2	1	1	2	-	11	-	-	-	-	-	-	-	2	1	6	2
Black	9	2	1	-	-	-	-	2	1	1	2	-	11	-	-	-	-	-	-	-	2	1	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	268	–	–	–	1	13	31	59	87	51	25	1	117	–	–	–	–	4	6	18	27	36	21	5
White	238	–	–	–	1	8	30	50	79	48	21	1	94	–	–	–	–	2	4	14	23	31	15	5
All other	30	–	–	–	–	5	1	9	8	3	4	–	23	–	–	–	–	2	2	4	4	5	6	–
Black	29	–	–	–	–	4	1	9	8	3	4	–	23	–	–	–	–	2	2	4	4	5	6	–
Cholelithiasis and other disorders of gallbladder (574-575)	34	–	–	–	–	–	–	2	2	10	16	4	50	–	–	–	–	–	1	1	4	9	18	19
White	32	–	–	–	–	–	–	1	2	10	15	4	38	–	–	–	–	–	1	1	3	7	9	17
All other	2	–	–	–	–	–	–	1	–	–	1	–	12	–	–	–	–	–	–	–	1	2	7	2
Black	2	–	–	–	–	–	–	1	–	–	1	–	12	–	–	–	–	–	–	–	1	2	7	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	195	2	–	–	4	1	4	12	20	56	64	32	185	5	–	–	–	1	3	8	19	49	65	45
White	139	1	–	–	4	1	4	3	12	38	49	27	139	2	–	–	–	1	1	6	14	28	49	38
All other	56	1	–	–	–	–	–	9	8	18	15	5	56	3	–	–	–	–	2	2	5	21	16	7
Black	56	1	–	–	–	–	–	9	8	18	15	5	55	3	–	–	–	–	2	2	5	20	16	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	–	–	–	2	–	1	3	3	6	13	6	30	–	–	–	–	–	–	–	5	10	11	4
White	24	–	–	–	2	–	1	–	2	4	9	6	19	–	–	–	–	–	–	–	3	5	7	4
All other	10	–	–	–	–	–	–	3	1	2	4	–	11	–	–	–	–	–	–	–	2	5	4	–
Black	10	–	–	–	–	–	–	3	1	2	4	–	11	–	–	–	–	–	–	–	2	5	4	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	158	2	–	–	2	1	3	6	17	50	51	24	164	5	–	–	–	1	3	8	14	39	53	41
White	114	1	–	–	2	1	3	3	10	34	40	20	119	2	–	–	–	1	1	6	11	23	41	34
All other	44	1	–	–	–	–	–	5	7	16	11	4	45	3	–	–	–	–	2	2	3	16	12	7
Black	44	1	–	–	–	–	–	5	7	16	11	4	44	3	–	–	–	–	2	2	3	16	12	7
Infections of kidney (590)	16	–	–	–	–	–	–	–	–	5	6	5	43	–	–	–	–	–	–	–	2	6	19	16
White	14	–	–	–	–	–	–	–	–	5	6	3	38	–	–	–	–	–	–	–	1	5	17	15
All other	2	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–	–	–	–	1	1	2	1
Black	2	–	–	–	–	–	–	–	–	–	–	2	5	–	–	–	–	–	–	–	1	1	2	1
Hyperplasia of prostate (600)	20	–	–	–	–	–	–	–	1	5	8	6	***	***	***	***	***	***	***	***	***	***	***	***
White	13	–	–	–	–	–	–	–	–	3	4	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	7	–	–	–	–	–	–	–	1	2	4	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	7	–	–	–	–	–	–	–	1	2	4	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	1	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	1	–	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	1	1	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	1	1	1	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium, (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	1	2	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	1	–	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	–	–	1	1	–	***	***	***	***
Congenital anomalies (740-759)	137	87	14	8	3	3	3	4	4	6	5	–	130	82	8	8	5	3	2	5	4	9	3	1
White	107	72	10	3	2	3	3	2	3	5	4	–	99	62	5	6	3	1	1	5	3	9	3	1
All other	30	15	4	5	1	–	–	2	1	1	1	–	31	20	3	2	2	2	1	–	1	–	–	–
Black	29	15	3	5	1	–	–	2	1	1	1	–	31	20	3	2	2	2	1	–	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	209	209	–	–	–	–	–	–	–	–	–	–	170	170	–	–	–	–	–	–	–	–	–	–
White	119	119	–	–	–	–	–	–	–	–	–	–	101	101	–	–	–	–	–	–	–	–	–	–
All other	90	90	–	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Black	89	89	–	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	66	66	–	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
White	49	49	–	–	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
All other	17	17	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Black	17	17	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	143	143	–	–	–	–	–	–	–	–	–	–	125	125	–	–	–	–	–	–	–	–	–	–
White	70	70	–	–	–	–	–	–	–	–	–	–	68	68	–	–	–	–	–	–	–	–	–	–
All other	73	73	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
Black	72	72	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	421	74	1	–	2	9	15	26	62	107	93	32	390	43	–	1	2	4	13	18	38	72	105	93
White	356	49	1	–	2	6	11	22	58	98	84	25	322	28	–	–	1	3	8	15	31	57	93	86
All other	65	25	–	–	–	3	4	4	4	9	9	7	68	15	–	1	1	1	5	3	7	15	12	7
Black	65	25	–	–	–	3	4	4	4	9	9	7	67	15	–	1	1	1	4	3	7	15	12	7
All other diseases (Residual)	1,201	16	10	10	35	41	59	100	164	305	316	145	1,286	14	8	9	15	32	38	76	149	247	384	313
White	958	8	9	10	30	28	38	73	118	244	280	120	1,040	10	5	7	12	16	25	54	118	194	322	276
All other	243	8	1	–	5	13	21	27	46	61	36	25	246	4	3	2	3	16	13	22	31	53	62	37
Black	240	8	1	–	5	13	21	27	46	59	35	25	246	4	3	2	3	16	13	22	31	53	62	37
Accidents and adverse effects (E800-E949)	1,537	18	37	74	410	297	178	138	149	99	98	48	556	4	20	30	96	69	49	30	49	67	67	75
White	1,327	14	27	59	375	249	155	113	127	83	83	41	491	2	16	28	90	58	40	25	41	61	61	69
All other	210	4	10	15	35	38	23	25	22	16	15	7	65	2	4	2	6	11	9	5	8	6	6	6
Black	205	4	10	13	34	36	23	25	22	16	15	7	65	2	4	2	6	11	9	5	8	6	6	6
Motor vehicle accidents (E810-E825)	823	2	17	35	302	168	97	62	66	40	27	6	274	–	8	20	83	52	30	16	25	22	9	9
White	726	2	13	30	276	147	85	52	57	35	23	5	251	–	7	19	77	46	26	14	23	21	9	9
All other	97	–	4	5	26	21	12	10	9	5	4	1	23	–	1	1	6	6	4	2	2	1	–	–
Black	95	–	4	4	26	20	12	10	9	5	4	1	23	–	1	1	6	6	4	2	2	1	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	714	16	20	39	108	119	81	76	83	59	71	42	282	4	12	10	13	17	19	14	24	45	58	66
White	601	12	14	29	99	102	70	61	70	48	60	36	240	2	9	9	13	12	14	11	18	40	52	60
All other	113	4	6	10	9	17	11	15	13	11	11	6	42	2	3	1	–	5	5	3	6	5	6	6
Black	110	4	6	9	8	16	11	15	13	11	11	6	42	2	3	1	–	5	5	3	6	5	6	6
Suicide (E950-E959)	454	...	...	5	64	95	81	68	62	54	19	6	132	...	...	1	21	27	24	20	21	11	7	–
White	423	...	...	4	59	89	78	61	58	50	18	6	121	...	...	1	18	25	21	20	19	10	7	–
All other	31	...	...	1	5	6	3	7	4	4	1	–	11	...	...	–	3	2	3	–	2	1	–	–
Black	31	...	...	1	5	6	3	7	4	4	1	–	11	...	...	–	3	2	3	–	2	1	–	–
Homicide and legal intervention (E960-E978)	385	–	1	1	92	125	68	43	27	22	5	1	99	–	3	5	14	27	13	6	12	13	4	1
White	196	–	–	–	34	60	45	30	16	7	3	1	57	–	1	2	9	14	9	5	6	6	3	1
All other	189	–	1	1	58	65	23	13	11	15	2	–	42	–	2	3	5	13	4	1	6	7	1	–
Black	188	–	1	1	57	65	23	13	11	15	2	–	42	–	2	3	5	13	4	1	6	7	1	–
All other external causes (E980-E999)	61	1	2	1	14	14	12	6	3	4	4	–	20	–	1	–	7	2	1	5	2	–	–	2
White	54	1	1	1	14	11	11	6	3	3	3	–	18	–	1	–	6	2	1	5	1	–	–	2
All other	7	–	1	–	–	3	1	–	–	1	1	–	2	–	–	–	1	–	–	–	1	–	–	–
Black	7	–	1	–	–	3	1	–	–	1	1	–	2	–	–	–	1	–	–	–	1	–	–	–
TEXAS																								
All causes	61,453	1,868	420	469	2,817	3,020	2,753	5,079	10,296	14,796	13,690	6,234	49,868	1,363	311	255	837	1,058	1,405	2,713	5,912	9,912	14,210	11,889
White	52,914	1,460	345	402	2,436	2,439	2,229	4,134	8,740	12,952	12,139	5,607	43,244	1,044	237	212	706	824	1,106	2,167	4,861	8,477	12,586	11,023
All other	8,539	368	75	67	381	581	524	945	1,556	1,844	1,551	627	6,622	319	74	43	131	234	299	546	1,051	1,435	1,624	866
Black	8,334	372	71	66	366	557	499	926	1,521	1,811	1,527	616	6,492	300	70	43	128	222	281	529	1,028	1,420	1,612	859
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	10	2	1	1	–	–	2	–	1	1	1	1	15	8	–	–	1	–	2	–	1	–	2	3
White	9	2	1	1	–	–	2	–	1	–	1	1	12	3	–	–	1	–	2	–	1	–	2	3
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	80	–	–	1	–	2	5	10	16	25	14	7	37	1	1	–	–	1	2	2	4	9	9	8
White	59	–	–	1	–	2	3	6	10	21	11	6	32	1	1	–	–	1	1	2	3	7	8	8
All other	21	–	–	–	–	–	2	4	6	4	3	2	5	–	–	–	–	–	1	–	1	2	1	–
Black	19	–	–	–	–	–	2	3	5	4	3	2	4	–	–	–	–	–	–	–	1	2	1	–
Tuberculosis of respiratory system (010-012)	63	–	–	–	–	1	4	8	12	21	10	7	29	–	–	–	–	1	1	1	3	8	8	7
White	45	–	–	–	–	1	2	5	8	17	7	5	26	–	–	–	–	1	1	1	3	6	7	7
All other	18	–	–	–	–	–	2	3	4	4	3	2	3	–	–	–	–	–	–	–	–	2	1	–
Black	16	–	–	–	–	–	2	2	3	4	3	2	3	–	–	–	–	–	–	–	–	2	1	–
Other tuberculosis (013-018)	17	–	–	1	–	1	1	2	4	4	4	–	8	1	1	–	–	–	1	1	1	1	1	1
White	14	–	–	1	–	1	1	1	2	4	4	–	6	1	1	–	–	–	1	1	–	1	1	1
All other	3	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Black	3	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	15	4	6	1	1	-	-	-	1	1	1	-	10	3	1	-	-	-	4	-	1	-	1	-
White	10	3	4	-	-	-	-	-	1	1	1	-	8	3	-	-	-	-	3	-	1	-	1	-
All other	5	1	2	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Black	5	1	2	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Septicemia (038)	389	15	3	-	3	-	11	27	81	105	89	55	405	10	5	1	2	4	7	24	49	76	118	109
White	310	11	3	-	2	-	6	17	65	90	76	40	323	8	4	1	2	4	4	19	38	60	95	88
All other	79	4	-	-	1	-	5	10	16	15	13	15	82	2	1	-	-	-	3	5	11	16	23	21
Black	78	4	-	-	1	-	5	10	15	15	13	15	81	2	1	-	-	-	3	5	11	16	22	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	30	2	1	1	2	3	1	4	4	6	4	2	26	-	-	1	3	3	2	6	3	4	1	1
White	24	2	1	1	1	2	-	3	3	6	4	1	22	-	-	1	3	1	1	7	3	4	1	1
All other	6	-	-	-	1	1	1	1	1	-	-	1	4	-	-	-	-	2	1	1	-	-	-	-
Black	5	-	-	-	1	1	-	1	1	-	-	1	4	-	-	-	-	2	1	1	-	-	-	-
Syphilis (090-097)	9	2	-	-	-	-	-	1	1	3	1	1	3	1	-	-	-	-	-	-	-	1	1	-
White	3	1	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	6	1	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	1	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	138	11	2	4	12	10	10	9	28	28	17	11	142	8	2	6	4	4	15	11	16	33	17	26
White	113	9	2	2	9	8	4	8	24	23	16	8	128	6	2	5	2	4	12	6	14	32	17	26
All other	25	2	-	2	3	2	6	1	2	3	1	3	16	2	-	1	2	-	3	5	2	1	-	-
Black	25	2	-	2	3	2	6	1	2	3	1	3	16	2	-	1	2	-	3	5	2	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,460	6	24	73	89	172	393	1,205	2,967	3,944	2,609	778	10,003	7	23	41	82	157	456	1,054	2,244	2,670	2,305	964
White	10,658	5	18	63	70	149	329	978	2,469	3,428	2,470	678	8,787	7	19	40	71	130	378	890	1,928	2,361	2,071	894
All other	1,802	1	6	10	19	23	64	227	498	516	339	98	1,216	-	4	1	11	27	78	164	316	309	234	70
Black	1,788	1	6	10	18	22	62	226	488	509	330	98	1,193	-	4	1	11	26	70	152	309	309	233	69
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	304	1	-	-	1	2	8	42	89	90	48	23	110	-	-	-	1	-	6	17	29	25	20	12
White	264	1	-	-	-	1	2	34	75	87	42	22	99	-	-	-	1	-	4	13	28	24	19	12
All other	40	-	-	-	1	1	6	8	14	3	6	1	11	-	-	-	-	-	2	4	3	1	1	-
Black	39	-	-	-	1	1	5	8	14	3	6	1	11	-	-	-	-	-	2	4	3	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,875	2	4	4	5	40	70	244	669	920	713	204	2,525	1	-	2	8	18	56	167	434	677	798	368
White	2,389	1	3	3	5	33	49	183	535	776	615	176	2,204	1	-	2	4	13	46	129	357	598	717	337
All other	486	1	1	1	-	7	21	61	134	144	98	28	321	-	-	-	2	5	10	38	77	79	79	31
Black	471	1	1	1	-	6	21	61	128	140	94	28	305	-	-	-	2	5	7	33	72	78	78	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,565	-	-	-	2	15	105	528	1,354	1,588	829	184	1,802	-	-	-	-	10	49	222	545	571	321	84
White	3,957	-	-	-	1	13	90	418	1,135	1,388	759	153	1,608	-	-	-	-	8	40	195	469	525	294	77
All other	608	-	-	-	1	2	15	110	219	180	70	11	194	-	-	-	-	2	9	27	76	46	27	7
Black	600	-	-	-	1	2	15	109	215	179	68	11	191	-	-	-	-	2	9	24	76	46	27	7
Malignant neoplasm of breast (174-175)	17	-	-	-	-	-	2	1	5	6	3	-	1,738	-	-	-	3	40	156	281	446	402	286	122
White	12	-	-	-	-	-	2	1	2	5	2	-	1,525	-	-	-	2	32	125	244	400	358	255	109
All other	5	-	-	-	-	-	-	-	3	1	1	-	211	-	-	-	1	8	31	37	46	44	31	13
Black	5	-	-	-	-	-	-	-	3	1	1	-	207	-	-	-	1	8	30	35	45	44	31	13
Malignant neoplasms of genital organs (179-187)	1,264	-	1	-	6	9	3	22	132	393	505	193	1,109	-	-	1	6	26	53	140	270	301	229	83
White	1,005	-	1	-	6	9	3	17	101	304	409	155	939	-	-	1	6	20	45	112	226	247	203	79
All other	259	-	-	-	-	-	-	5	31	89	96	38	170	-	-	-	-	6	8	28	44	54	26	4
Black	257	-	-	-	-	-	-	5	30	89	95	38	163	-	-	-	-	6	5	26	42	54	26	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	598	–	–	2	1	4	15	60	109	195	152	58	300	–	2	2	2	3	6	15	51	82	88	49
White	518	–	–	–	1	2	13	52	95	167	137	52	267	–	2	2	1	2	6	13	40	75	78	48
All other	77	–	–	2	–	2	2	8	14	28	15	6	33	–	–	–	1	1	–	2	11	7	10	1
Black	76	–	–	2	–	2	2	8	14	28	15	5	33	–	–	–	1	1	–	2	11	7	10	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,650	2	9	28	28	52	93	219	387	453	307	72	1,451	4	17	21	34	37	69	147	304	334	308	156
White	1,452	2	7	26	17	48	86	184	331	407	282	64	1,276	4	14	20	29	35	77	128	258	293	272	145
All other	198	–	2	2	11	6	7	35	56	46	25	8	175	–	3	1	5	2	12	19	45	41	36	11
Black	194	–	2	2	11	6	6	35	55	44	25	8	174	–	3	1	5	2	12	19	44	41	36	11
Leukemia (204-208)	538	1	9	26	31	29	40	40	86	134	114	28	414	2	4	14	21	13	19	26	60	96	109	50
White	488	1	6	23	27	28	36	36	73	123	106	27	370	2	3	14	19	11	16	21	56	82	97	49
All other	52	–	3	3	4	1	4	4	13	11	8	1	44	–	1	–	2	2	3	5	4	14	12	1
Black	52	–	3	3	4	1	4	4	13	11	8	1	43	–	1	–	2	1	3	5	4	14	12	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	651	–	1	13	15	21	57	49	136	185	138	36	556	–	–	1	9	10	22	39	105	182	148	40
White	574	–	1	11	13	17	48	43	122	171	118	30	499	–	–	1	9	9	19	35	93	159	136	38
All other	77	–	–	2	2	4	9	6	14	14	20	6	57	–	–	–	–	1	3	4	12	23	12	2
Black	74	–	–	2	1	4	9	6	14	14	18	6	56	–	–	–	–	1	2	4	12	23	12	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	127	3	3	1	2	7	6	9	22	34	27	13	160	1	1	6	3	5	9	16	38	32	29	20
White	108	1	3	1	2	7	5	5	19	29	23	13	132	1	1	5	3	4	7	10	32	26	24	19
All other	19	2	–	–	–	–	1	4	3	5	4	–	28	–	–	1	–	1	2	6	6	6	5	1
Black	19	2	–	–	–	–	1	4	3	5	4	–	25	–	–	1	–	–	2	6	5	5	5	1
Diabetes mellitus (250)	718	–	–	1	5	19	39	54	149	211	187	53	1,140	1	–	1	5	14	20	65	185	299	378	172
White	628	–	–	1	5	15	34	43	126	180	169	45	925	1	–	–	4	13	14	51	135	238	315	154
All other	90	–	–	–	–	4	5	11	23	21	18	8	215	–	–	1	1	1	6	14	50	61	63	18
Black	88	–	–	–	–	4	5	11	22	20	18	8	214	–	–	1	1	1	6	13	50	61	63	18
Nutritional deficiencies (260-269)	55	1	–	–	1	1	1	3	4	13	18	13	81	1	1	–	–	1	1	1	5	9	25	37
White	44	1	–	–	1	1	1	1	4	8	18	9	70	1	1	–	–	1	1	1	5	7	20	33
All other	11	–	–	–	–	–	–	2	–	5	–	4	11	–	–	–	–	–	–	–	–	2	5	4
Black	10	–	–	–	–	–	–	2	–	5	–	3	11	–	–	–	–	–	–	–	–	2	5	4
Anemias (280-285)	81	2	2	7	4	3	2	–	7	15	25	14	109	2	2	1	5	5	5	–	5	17	34	33
White	65	–	1	4	1	–	1	–	7	15	23	13	88	1	–	1	–	1	1	–	4	15	31	32
All other	16	2	1	3	3	3	1	–	–	–	2	1	23	1	2	–	5	4	4	–	1	2	3	1
Black	16	2	1	3	3	3	1	–	–	–	2	1	23	1	2	–	5	4	4	–	1	2	3	1
Meningitis (320-322)	67	14	21	5	3	3	2	2	6	6	2	3	62	20	13	1	1	2	2	4	8	3	6	2
White	54	13	18	5	2	3	1	1	4	4	1	2	45	13	12	1	1	2	2	2	7	2	2	1
All other	13	1	3	–	1	–	1	1	2	2	1	1	17	7	1	–	–	–	–	2	1	1	4	1
Black	13	1	3	–	1	–	1	1	2	2	1	1	17	7	1	–	–	–	–	2	1	1	4	1
Major cardiovascular diseases (390-448)	25,761	44	17	17	64	219	678	1,990	4,556	7,180	7,274	3,722	24,501	44	24	14	40	133	305	789	2,070	4,712	8,408	7,982
White	22,455	38	13	14	49	157	552	1,625	3,894	6,279	6,459	3,375	21,302	30	18	12	34	86	211	559	1,589	3,927	7,458	7,380
All other	3,306	6	4	3	15	62	126	365	662	901	815	347	3,199	14	6	2	6	47	94	230	481	785	950	602
Black	3,251	6	4	3	14	61	121	358	651	888	807	340	3,161	13	6	2	6	44	93	227	472	778	941	577
Diseases of heart (390-398,402,404-429)	20,827	39	15	13	53	180	602	1,777	4,026	5,910	5,502	2,710	17,600	38	20	10	28	95	213	598	1,649	3,612	5,948	5,394
White	18,246	34	11	10	41	129	498	1,470	3,468	5,230	4,906	2,451	15,319	27	13	8	23	63	149	421	1,275	3,097	5,275	5,028
All other	2,581	5	4	3	12	51	106	307	558	680	596	259	2,281	11	7	2	5	32	64	177	374	575	668	366
Black	2,535	5	4	3	11	50	102	300	547	668	592	255	2,253	10	7	2	5	30	63	175	366	572	661	362
Rheumatic fever and rheumatic heart disease (390-398)	73	–	–	1	2	2	1	10	19	27	11	–	133	–	1	–	1	9	10	10	34	38	31	5
White	65	–	–	–	2	2	1	9	15	26	10	–	113	–	1	–	1	–	7	8	27	35	29	5
All other	8	–	–	1	–	–	–	1	4	1	1	–	20	–	–	–	–	3	3	2	7	3	2	–
Black	7	–	–	1	–	–	–	1	3	1	1	–	19	–	–	–	–	2	3	2	7	3	2	–
Hypertensive heart disease (402)	610	–	–	–	1	10	27	76	146	182	118	50	641	–	–	–	1	1	7	45	93	160	192	142
White	418	–	–	–	–	4	19	43	94	128	91	39	471	–	–	–	1	1	4	21	61	114	150	119
All other	192	–	–	–	1	6	8	33	52	54	27	11	170	–	–	–	–	–	3	24	32	46	42	23
Black	185	–	–	–	1	6	8	30	51	51	27	11	170	–	–	–	–	–	3	24	32	46	42	23
Hypertensive heart and renal disease (404)	49	–	–	–	–	2	–	3	7	12	18	7	79	–	–	–	–	1	–	3	5	13	33	24
White	37	–	–	–	–	1	–	1	6	9	15	5	57	–	–	–	–	–	–	1	2	7	28	21
All other	12	–	–	–	–	1	–	2	1	3	3	2	22	–	–	–	–	1	–	2	3	6	7	3
Black	12	–	–	–	–	1	–	2	1	3	3	2	22	–	–	–	–	1	–	2	3	6	7	3
Ischemic heart disease (410-414)	13,423	1	–	2	7	91	398	1,166	2,562	3,865	3,585	1,746	10,701	1	1	–	6	16	61	327	933	2,295	3,773	3,288
White	12,145	1	–	2	3	70	330	998	2,308	3,538	3,281	1,614	9,602	1	1	–	5	11	58	240	761	2,014	3,425	3,086
All other	1,278	–	–	–	4	21	68	168	254	327	304	132	1,099	–	–	–	1	5	23	87	172	281	348	182
Black	1,251	–	–	–	3	21	66	164	247	319	301	130	1,081	–	–	–	1	5	22	86	164	280	344	179
Acute myocardial infarction (410)	8,543	1	–	1	4	56	246	782	1,774	2,648	2,195	836	5,942	1	–	–	3	9	30	205	634	1,521	2,103	1,406
White	7,829	1	–	1	2	45	213	699	1,637	2,433	2,025	773	5,318	1	–	–	2	6	43	161	518	1,341	1,916	1,328
All other	714	–	–	–	2	11	33	83	137	215	170	63	624	–	–	–	1	3	17	44	116	180	185	78
Black	698	–	–	–	2	11	31	81	134	209	168	62	613	–	–	–	1	3	16	43	111	179	183	77

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	37	–	–	–	–	1	–	2	10	6	15	3	38	–	–	–	–	–	–	2	5	8	13	10
White	33	–	–	–	–	1	–	2	8	6	13	3	33	–	–	–	–	–	–	2	4	8	9	10
All other	4	–	–	–	–	–	–	–	2	–	2	–	5	–	–	–	–	–	–	–	1	–	4	–
Black	3	–	–	–	–	–	–	–	1	–	2	–	4	–	–	–	–	–	–	–	1	–	3	–
Angina pectoris (413)	13	–	–	–	–	1	–	1	1	4	5	1	11	–	–	–	–	–	–	1	3	2	4	1
White	13	–	–	–	–	1	–	1	1	4	5	1	10	–	–	–	–	–	–	1	3	1	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,630	–	–	1	3	33	152	381	777	1,207	1,370	906	4,710	–	1	–	3	7	21	119	291	784	1,653	1,851
White	4,270	–	–	1	1	23	117	296	662	1,095	1,238	837	4,241	–	1	–	3	5	15	76	236	664	1,494	1,747
All other	560	–	–	–	2	10	35	85	115	112	132	69	469	–	–	–	–	2	6	43	55	100	159	104
Black	550	–	–	–	1	10	35	83	112	110	131	68	463	–	–	–	–	2	6	43	52	100	158	102
Other diseases of endocardium (424)	155	1	2	2	1	8	3	6	17	44	52	19	178	–	–	1	1	2	6	2	20	41	59	46
White	132	1	2	1	–	6	3	5	16	35	47	16	152	–	–	–	1	1	4	2	16	31	54	43
All other	23	–	–	1	1	2	–	1	1	9	5	3	26	–	–	1	–	1	2	–	4	10	5	3
Black	22	–	–	1	1	2	–	1	1	8	5	3	26	–	–	1	–	1	2	–	4	10	5	3
All other forms of heart disease (415-423,425-429)	6,517	37	13	8	42	67	173	516	1,275	1,780	1,718	888	5,868	37	18	9	19	72	109	211	564	1,065	1,855	1,909
White	5,449	32	9	7	36	48	143	414	1,029	1,484	1,462	777	4,924	26	11	8	15	50	76	149	408	~836	1,591	1,754
All other	1,068	5	4	1	6	21	30	102	246	296	256	111	944	11	7	1	4	22	33	62	156	229	264	155
Black	1,058	5	4	1	6	20	28	102	244	284	255	109	935	10	7	1	4	21	33	61	156	227	261	154
Hypertension with or without renal disease (401,403)	145	–	–	–	–	–	5	8	22	35	41	34	215	–	–	1	–	3	–	12	16	54	69	60
White	114	–	–	–	–	–	3	3	17	24	36	31	154	–	–	1	–	–	–	7	9	33	54	50
All other	31	–	–	–	–	–	2	5	5	11	5	3	61	–	–	–	–	3	–	5	7	21	15	10
Black	31	–	–	–	–	–	2	5	5	11	5	3	60	–	–	–	–	2	–	5	7	21	15	10
Cerebrovascular diseases (430-438)	3,652	5	2	4	9	31	61	179	374	927	1,338	722	5,470	6	4	3	10	32	85	166	349	891	1,967	1,937
White	3,084	4	2	4	7	22	45	134	288	744	1,160	656	4,731	3	3	3	9	20	57	119	259	725	1,760	1,773
All other	568	1	–	–	2	9	16	45	88	183	178	66	739	3	1	–	1	12	28	47	90	166	227	164
Black	583	1	–	–	2	9	15	45	88	182	175	66	730	3	1	–	1	12	28	46	89	162	225	163
Intracerebral and other intracranial hemorrhage (431-432)	470	5	1	3	1	11	20	65	94	119	114	37	615	6	3	1	3	11	23	63	103	129	178	95
White	388	4	1	3	1	7	10	48	73	98	107	36	508	3	2	1	3	7	16	44	78	109	159	88
All other	82	1	–	–	–	4	10	17	21	21	7	1	107	3	1	–	–	4	7	19	25	20	19	9
Black	82	1	–	–	–	4	10	17	21	21	7	1	103	3	1	–	–	4	7	18	25	19	17	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	470	–	1	–	–	2	1	16	55	122	180	93	728	–	–	–	1	2	2	18	32	114	271	288
White	398	–	1	–	–	1	1	11	46	103	151	84	638	–	–	–	1	1	2	13	21	96	241	263
All other	72	–	–	–	–	1	–	5	9	19	29	9	90	–	–	–	–	1	–	5	11	18	30	25
Black	71	–	–	–	–	1	–	5	9	19	28	9	89	–	–	–	–	1	–	5	11	17	30	25
Cerebral embolism (434.1)	14	–	–	–	–	–	–	2	–	7	4	1	20	–	–	–	–	–	2	–	–	5	7	6
White	14	–	–	–	–	–	–	2	–	7	4	1	18	–	–	–	–	–	2	–	–	5	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,698	–	–	1	6	18	40	96	225	679	1,040	591	4,107	–	1	2	6	19	58	85	214	643	1,531	1,548
White	2,264	–	–	1	6	14	34	73	167	536	898	535	3,567	–	1	2	5	12	37	62	160	515	1,354	1,419
All other	434	–	–	–	2	4	6	23	58	143	142	56	540	–	–	–	1	7	21	23	54	128	177	129
Black	430	–	–	–	2	4	5	23	58	142	140	56	536	–	–	–	1	7	21	23	53	126	177	128
Atherosclerosis (440)	602	–	–	–	–	–	1	9	40	116	231	205	884	–	–	–	–	–	–	3	18	69	289	495
White	538	–	–	–	–	–	1	7	38	100	204	188	796	–	–	–	–	–	–	3	16	59	268	452
All other	64	–	–	–	–	–	–	2	2	16	27	17	88	–	–	–	–	–	–	–	2	10	23	33
Black	62	–	–	–	–	–	–	2	2	16	27	15	88	–	–	–	–	–	–	–	2	10	23	33
Other diseases of arteries, arterioles, and capillaries (441-448)	535	–	–	–	2	8	9	17	94	192	162	51	352	–	–	–	2	3	7	10	38	86	120	86
White	493	–	–	–	1	6	7	11	85	181	153	49	302	–	–	–	2	3	5	9	30	73	103	77
All other	42	–	–	–	1	2	2	6	9	11	9	2	50	–	–	–	–	–	2	1	8	13	17	9
Black	40	–	–	–	1	2	2	6	9	11	8	1	50	–	–	–	–	–	2	1	8	13	17	9
Acute bronchitis and bronchiolitis (466)	12	2	1	1	1	–	–	–	1	2	3	1	11	1	–	–	–	1	–	1	2	–	2	4
White	10	1	1	–	1	–	–	–	1	2	3	1	10	1	–	–	–	1	–	–	2	–	2	4
All other	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Pneumonia and influenza (480-487)	1,407	44	12	7	11	16	35	69	128	261	444	358	1,258	22	6	1	10	12	22	25	64	179	352	565
White	1,224	27	11	7	10	11	23	48	105	242	403	339	1,143	17	3	1	7	9	16	18	54	160	320	538
All other	183	17	1	–	1	7	12	23	23	39	41	19	115	5	3	–	3	3	6	7	10	19	32	27
Black	179	17	1	–	–	6	12	23	23	37	41	19	113	5	3	–	3	3	5	7	9	19	32	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,396	44	12	7	11	18	35	69	127	278	440	355	1,239	20	6	1	10	12	22	25	63	178	344	558
White	1,214	27	11	7	10	11	23	46	104	240	399	336	1,126	15	3	1	7	9	16	18	54	159	313	531
All other	182	17	1	–	1	7	12	23	23	38	41	19	113	5	3	–	3	3	6	7	9	19	31	27
Black	178	17	1	–	–	6	12	23	23	38	41	19	111	5	3	–	3	3	5	7	8	19	31	27
Influenza (487)	11	–	–	–	–	–	–	–	1	3	4	3	19	2	–	–	–	–	–	–	1	1	8	7
White	10	–	–	–	–	–	–	–	1	2	4	3	17	2	–	–	–	–	–	–	–	1	7	7
All other	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,116	5	2	2	4	3	11	83	334	749	705	218	1,051	4	5	4	7	7	12	56	173	377	283	123
White	1,963	3	2	1	2	3	10	63	309	695	669	208	982	3	3	2	3	4	10	46	160	364	267	120
All other	153	2	–	1	2	–	1	20	25	54	36	12	69	1	2	2	4	3	2	10	13	13	16	3
Black	148	2	–	1	2	–	1	20	25	51	34	12	68	1	2	2	4	3	2	10	13	12	16	3
Bronchitis, chronic and unspecified (490-491)	123	5	1	–	1	–	1	3	15	41	36	20	79	3	1	1	1	–	2	5	8	22	21	15
White	117	3	1	–	1	–	1	3	15	39	35	19	76	3	–	1	1	–	1	5	8	22	20	15
All other	6	2	–	–	–	–	–	–	–	2	1	1	3	–	1	–	–	–	1	–	–	–	1	–
Black	6	2	–	–	–	–	–	–	–	2	1	1	3	–	1	–	–	–	1	–	–	–	1	–
Emphysema (492)	534	–	–	–	1	1	–	23	87	215	157	50	215	–	–	–	–	–	2	14	49	97	40	13
White	490	–	–	–	–	1	–	19	79	196	146	49	206	–	–	–	–	–	2	13	46	95	38	12
All other	44	–	–	–	1	–	–	4	8	19	11	1	9	–	–	–	–	–	–	1	3	2	2	1
Black	43	–	–	–	1	–	–	4	8	18	11	1	9	–	–	–	–	–	–	1	3	2	2	1
Asthma (493)	67	–	1	2	2	2	1	6	16	17	18	2	101	–	2	3	6	7	6	14	18	21	13	11
White	53	–	1	1	1	2	1	5	13	12	15	2	79	–	1	1	2	4	5	7	17	20	11	11
All other	14	–	–	1	1	–	–	1	3	5	3	–	22	–	1	2	4	3	1	7	1	1	2	–
Black	13	–	–	1	1	–	–	1	3	5	2	–	22	–	1	2	4	3	1	7	1	1	2	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,392	–	–	–	–	–	9	51	216	476	494	146	656	1	2	–	–	–	2	23	98	237	209	84
White	1,303	–	–	–	–	–	8	36	202	448	473	136	621	–	2	–	–	–	2	21	89	227	198	82
All other	89	–	–	–	–	–	1	15	14	28	21	10	35	1	–	–	–	–	–	2	9	10	11	2
Black	86	–	–	–	–	–	1	15	14	26	20	10	34	1	–	–	–	–	–	2	9	9	11	2
Ulcer of stomach and duodenum (531-533)	140	–	–	–	3	2	2	17	25	38	36	17	156	–	–	–	–	2	3	7	15	36	43	50
White	120	–	–	–	2	2	2	14	20	33	32	15	137	–	–	–	–	1	1	6	14	29	37	49
All other	20	–	–	–	1	–	–	3	5	5	4	2	19	–	–	–	–	1	2	1	1	7	6	1
Black	20	–	–	–	1	–	–	3	5	5	4	2	18	–	–	–	–	1	2	1	–	7	6	1
Appendicitis (540-543)	16	–	–	2	2	1	1	2	1	6	3	–	14	1	1	1	1	–	–	–	–	2	5	3
White	13	–	–	2	2	–	1	1	1	3	3	–	13	1	1	1	1	–	–	–	–	1	5	3
All other	5	–	–	–	–	1	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	4	–	–	–	–	1	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	110	5	3	2	1	2	–	8	7	16	45	21	199	5	2	1	2	2	2	5	8	38	68	66
White	84	4	2	2	1	2	–	5	2	12	35	19	177	5	1	1	2	2	1	5	7	34	62	57
All other	26	1	1	–	–	–	–	3	5	4	10	2	22	–	1	–	–	–	1	–	1	4	6	9
Black	26	1	1	–	–	–	–	3	5	4	10	2	22	–	1	–	–	–	1	–	1	4	6	9
Chronic liver disease and cirrhosis (571)	893	–	–	–	3	39	101	210	267	187	75	11	436	1	–	–	3	21	43	76	129	95	53	15
White	793	–	–	–	1	30	76	186	239	180	70	11	382	–	–	–	3	13	32	67	115	88	50	14
All other	100	–	–	–	2	9	25	24	28	7	5	–	54	1	–	–	–	8	11	9	14	7	3	1
Black	93	–	–	–	2	9	23	22	26	7	4	–	54	1	–	–	–	8	11	9	14	7	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	89	–	–	–	–	2	2	5	12	26	25	17	108	–	–	–	–	–	1	3	14	17	30	43
White	77	–	–	–	–	1	2	4	12	23	20	15	93	–	–	–	–	–	1	2	10	14	25	41
All other	12	–	–	–	–	1	–	1	–	3	5	2	15	–	–	–	–	–	–	1	4	3	5	2
Black	12	–	–	–	–	1	–	1	–	3	5	2	15	–	–	–	–	–	–	1	4	3	5	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	591	18	–	1	3	8	10	32	63	138	189	119	624	10	2	1	2	9	10	15	73	117	214	171
White	480	15	–	1	2	6	10	23	52	109	162	100	512	8	1	1	2	8	9	9	54	90	176	154
All other	111	3	–	–	1	2	–	9	11	29	27	19	112	2	1	–	–	1	1	6	19	27	38	17
Black	109	3	–	–	1	2	–	9	10	28	27	19	111	2	1	–	–	1	1	6	19	27	38	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	–	–	–	–	–	–	–	1	2	4	1	11	–	–	–	–	1	–	1	1	2	3	3
White	7	–	–	–	–	–	–	–	1	2	3	1	10	–	–	–	–	1	–	1	1	1	3	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	58	-	-	-	-	3	1	5	5	16	17	11	33	-	1	-	1	-	-	1	4	4	12	10
White	41	-	-	-	-	2	1	2	4	14	9	9	26	-	-	-	1	-	-	-	3	2	11	9
All other	17	-	-	-	-	1	-	3	1	2	8	2	7	-	1	-	-	-	-	1	1	2	1	1
Black	16	-	-	-	-	1	-	3	1	1	6	2	7	-	1	-	-	-	-	1	1	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	525	18	-	1	3	5	9	27	57	120	178	107	580	10	1	1	1	8	10	13	88	111	199	158
White	432	15	-	1	2	4	9	21	47	93	150	90	476	8	1	1	1	7	9	8	50	87	162	142
All other	93	3	-	-	1	1	-	6	10	27	28	17	104	2	-	-	-	1	1	5	18	24	37	16
Black	92	3	-	-	1	1	-	6	9	27	28	17	103	2	-	-	-	1	1	5	18	24	37	15
Infections of kidney (590)	45	-	-	-	-	1	1	-	3	7	23	11	105	-	-	-	-	2	2	1	4	14	40	42
White	40	-	-	-	-	1	1	-	3	6	20	9	88	-	-	-	-	2	1	1	2	12	33	37
All other	6	-	-	-	-	-	-	-	-	1	3	2	17	-	-	-	-	-	1	-	2	2	7	5
Black	6	-	-	-	-	-	-	-	-	1	3	2	17	-	-	-	-	-	1	-	2	2	7	5
Hyperplasia of prostate (600)	29	-	-	-	-	-	-	-	1	4	7	17	---	---	---	---	---	---	---	---	---	---	---	---
White	24	-	-	-	-	-	-	-	1	3	6	14	---	---	---	---	---	---	---	---	---	---	---	---
All other	5	-	-	-	-	-	-	-	-	1	1	3	---	---	---	---	---	---	---	---	---	---	---	---
Black	5	-	-	-	-	-	-	-	-	1	1	3	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	29	---	---	-	8	16	4	1	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	18	---	---	-	6	9	3	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	11	---	---	-	2	7	1	1	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	11	---	---	-	2	7	1	1	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	1	2	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	1	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	25	---	---	-	7	14	3	1	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	15	---	---	-	5	8	2	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	10	---	---	-	2	6	1	1	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	10	---	---	-	2	6	1	1	---	---	---	---
Congenital anomalies (740-759)	496	354	38	23	23	16	7	13	9	6	5	2	415	291	38	17	13	12	7	11	10	6	8	2
White	431	305	33	23	22	13	3	11	9	6	4	2	341	239	30	13	11	11	5	9	8	6	6	1
All other	65	49	5	-	1	3	4	2	-	-	1	-	74	52	8	4	2	1	2	2	2	-	-	1
Black	60	46	3	-	1	3	4	2	-	-	1	-	69	48	7	4	2	1	2	2	2	-	-	1
Certain conditions originating in the perinatal period (760-779)	924	920	2	-	2	-	-	-	-	-	-	-	645	642	2	-	-	-	-	-	-	1	-	-
White	712	709	1	-	2	-	-	-	-	-	-	-	490	488	1	-	-	-	-	-	-	1	-	-
All other	212	211	1	-	-	-	-	-	-	-	-	-	155	154	1	-	-	-	-	-	-	-	-	-
Black	200	199	1	-	-	-	-	-	-	-	-	-	148	148	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	332	332	-	-	-	-	-	-	-	-	-	-	191	189	1	-	-	-	-	-	-	1	-	-
White	261	261	-	-	-	-	-	-	-	-	-	-	164	163	-	-	-	-	-	-	-	1	-	-
All other	71	71	-	-	-	-	-	-	-	-	-	-	27	26	1	-	-	-	-	-	-	-	-	-
Black	67	67	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	592	588	2	-	2	-	-	-	-	-	-	-	454	453	1	-	-	-	-	-	-	-	-	-
White	451	448	1	-	2	-	-	-	-	-	-	-	326	325	1	-	-	-	-	-	-	-	-	-
All other	141	140	1	-	-	-	-	-	-	-	-	-	128	128	-	-	-	-	-	-	-	-	-	-
Black	133	132	1	-	-	-	-	-	-	-	-	-	122	122	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2,225	267	14	10	47	66	79	163	369	525	463	218	1,617	159	12	4	20	29	37	92	165	273	443	383
White	1,896	209	10	9	42	59	67	138	313	446	408	193	1,345	114	11	2	12	23	31	77	140	219	375	341
All other	329	58	4	1	5	9	12	25	56	79	55	25	272	45	1	2	8	6	6	15	25	54	68	42
Black	326	57	4	1	5	8	11	25	56	79	55	25	268	41	1	2	8	6	6	15	25	54	68	42
All other diseases (Residual)	3,303	78	40	44	97	127	158	282	559	725	797	396	3,567	66	40	31	60	100	114	206	365	661	1,063	879
White	2,833	66	38	33	84	99	119	228	470	647	698	351	3,120	56	27	24	43	72	85	164	309	580	935	825
All other	470	12	2	11	13	28	39	54	89	78	99	45	447	12	13	7	17	28	29	42	56	81	128	54
Black	460	12	2	11	12	27	39	50	87	78	97	45	456	10	12	7	16	27	28	41	56	77	128	54
Accidents and adverse effects (E800-E949)	5,504	58	202	234	1,571	1,198	614	471	399	340	281	130	1,990	45	116	102	372	282	172	130	163	164	245	196
White	4,832	44	167	207	1,434	1,061	525	399	344	295	232	118	1,758	31	96	84	338	246	147	119	138	140	224	194
All other	672	14	35	27	137	137	89	72	55	45	49	12	232	14	20	18	34	36	25	11	25	24	21	4
Black	639	14	34	27	130	128	81	71	52	42	48	12	217	12	19	18	32	32	21	11	24	23	21	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	3,117	12	67	118	1,081	752	385	252	191	151	106	20	1,076	12	61	67	305	201	109	82	92	77	57	13
White	2,793	9	57	105	1,008	671	317	216	169	136	86	18	951	10	51	54	279	179	82	72	78	67	55	13
All other	324	3	10	13	73	81	68	36	23	15	20	2	125	2	10	13	26	22	16	10	14	10	2	–
Black	302	3	9	13	68	77	41	35	21	14	19	2	114	2	9	13	24	18	12	10	13	10	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	2,387	46	135	116	490	446	249	219	208	189	175	110	914	33	55	35	67	81	64	48	71	87	188	185
White	2,039	35	110	102	428	390	208	183	176	159	146	100	807	21	45	30	59	67	55	47	60	73	169	181
All other	348	11	25	14	64	56	41	36	32	30	29	10	107	12	10	5	8	14	9	1	11	14	19	4
Black	337	11	25	14	62	51	40	36	31	28	29	10	103	10	10	5	8	13	9	1	11	13	19	4
Suicide (E950-E959)	1,431	...	...	14	299	355	193	174	156	125	91	20	438	...	...	4	67	105	84	66	58	42	12	–
White	1,353	...	...	14	282	328	183	167	151	120	89	19	415	...	...	4	61	99	81	64	55	41	10	–
All other	78	...	...	–	17	28	10	7	7	5	2	1	23	...	...	–	6	6	3	2	3	1	2	–
Black	73	...	...	–	16	26	9	7	7	5	2	1	20	...	...	–	6	6	2	2	2	1	1	–
Homicide and legal intervention (E960-E978)	2,110	10	25	16	551	714	380	232	110	50	16	5	445	8	13	16	113	126	57	36	33	24	13	6
White	1,428	10	15	9	395	457	283	158	72	34	10	4	313	4	7	12	85	75	44	26	28	18	10	4
All other	682	–	10	7	156	257	117	74	38	16	6	1	132	4	6	4	28	51	13	10	5	6	3	2
Black	660	–	9	6	153	250	112	71	37	16	5	1	129	4	6	4	28	49	12	10	5	6	3	2
All other external causes (E980-E999)	69	1	1	1	13	27	9	4	9	1	3	–	42	1	1	1	13	3	5	8	6	1	2	1
White	61	1	1	1	12	24	6	4	8	1	3	–	33	1	–	1	11	2	2	7	6	1	1	1
All other	8	–	–	–	1	3	3	–	1	–	–	–	9	–	1	–	2	1	3	1	–	–	1	–
Black	8	–	–	–	1	3	3	–	1	–	–	–	9	–	1	–	2	1	3	1	–	–	1	–
UTAH																								
All causes	4,610	263	46	44	207	198	176	281	660	1,062	1,056	614	3,905	194	40	37	85	78	100	174	403	696	1,101	996
White	4,492	250	43	44	196	188	165	264	642	1,051	1,042	604	3,827	186	39	34	83	69	93	171	393	684	1,092	982
All other	118	13	3	–	11	10	11	17	18	11	14	10	78	8	1	3	2	9	7	3	10	12	9	14
Black	33	4	1	–	3	1	2	5	7	3	4	3	25	3	–	–	–	1	2	1	4	6	4	4
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	20	1	–	–	–	–	–	1	3	3	8	4	32	2	–	–	–	–	2	3	2	4	9	10
White	20	1	–	–	–	–	–	1	3	3	8	4	28	2	–	–	–	–	1	2	1	4	8	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (080-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	-	-	-	-	2	1	-	1	1	1	11	1	-	-	-	-	1	2	1	2	2	2
White	5	1	-	-	-	-	1	-	-	1	1	1	11	1	-	-	-	-	1	2	1	2	2	2
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	763	-	1	8	9	13	24	61	159	226	187	75	709	1	2	6	7	18	34	68	151	179	176	67
White	745	-	1	8	8	13	22	59	154	224	185	71	690	-	2	6	7	17	33	66	147	171	175	66
All other	18	-	-	-	1	-	2	2	5	2	2	4	19	1	-	-	-	1	1	2	4	8	1	1
Black	6	-	-	-	-	-	1	-	1	1	-	3	11	1	-	-	-	-	-	1	3	5	-	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	-	-	1	-	-	-	1	4	5	1	-	10	-	-	-	-	-	-	-	3	4	-	3
White	12	-	-	1	-	-	-	1	4	5	1	-	10	-	-	-	-	-	-	-	3	4	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	181	-	-	-	2	-	6	11	45	54	42	21	183	-	-	-	-	2	5	14	33	52	58	19
White	170	-	-	-	1	-	4	9	43	54	40	19	178	-	-	-	-	2	5	14	33	48	57	19
All other	11	-	-	-	1	-	2	2	2	-	2	2	5	-	-	-	-	-	-	-	-	4	1	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	181	-	-	-	-	2	2	18	50	62	37	10	52	-	-	-	-	1	3	4	13	19	10	2
White	178	-	-	-	-	2	2	18	49	61	37	9	49	-	-	-	-	1	3	3	11	18	10	2
All other	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	1	2	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	1	-	-	-	-	139	-	-	-	-	3	12	24	40	30	18	12
White	1	-	-	-	-	-	-	1	-	-	-	-	134	-	-	-	-	3	12	24	39	26	18	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	4	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Malignant neoplasms of genital organs (179-187)	128	-	-	-	-	2	1	-	7	33	55	30	100	-	-	-	-	5	5	8	27	22	25	8
White	126	-	-	-	-	2	1	-	7	32	55	29	98	-	-	-	-	4	5	8	27	22	25	7
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of urinary organs (188-189)	34	-	-	1	-	-	3	3	8	11	6	2	23	-	-	-	-	-	-	2	3	6	9	3
White	33	-	-	1	-	-	3	3	7	11	6	2	22	-	-	-	-	-	-	1	3	6	9	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	126	-	1	3	5	7	7	17	26	34	19	7	113	1	2	3	2	2	4	8	20	30	29	12
White	126	-	1	3	5	7	7	17	26	34	19	7	111	-	2	3	2	2	4	8	19	30	29	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	46	-	-	3	-	-	2	2	7	13	16	3	34	-	-	2	3	2	2	2	4	3	11	5
White	46	-	-	3	-	-	2	2	7	13	16	3	33	-	-	2	3	2	1	2	4	3	11	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	54	-	-	-	2	2	3	8	12	14	11	2	55	-	-	1	2	3	3	6	8	13	16	3
White	53	-	-	-	2	2	3	8	11	14	11	2	55	-	-	1	2	3	3	6	8	13	16	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	1	-	-	-	1	1	4	1	3	19	-	-	1	2	-	1	-	-	2	9	4
White	11	-	-	1	-	-	-	1	1	4	1	3	19	-	-	1	2	-	1	-	-	2	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	63	-	-	-	-	2	6	4	5	22	15	9	111	-	-	1	1	2	7	5	9	23	43	20
White	60	-	-	-	-	2	6	3	5	21	14	9	109	-	-	1	1	2	6	5	9	23	43	19
All other	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	-	-	1	-	1	2	5
White	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	-	-	1	-	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	1	-	-	1	-	4	3	7	-	-	-	-	-	1	-	-	1	1	4
White	9	-	-	-	-	1	-	-	1	-	4	3	7	-	-	-	-	-	1	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	2	3	1	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	6	1	3	1	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,982	4	1	3	3	10	29	122	308	573	579	350	1,820	2	2	3	3	5	11	39	144	334	642	634
White	1,955	4	1	3	3	9	28	115	304	568	574	346	1,796	2	2	3	3	4	9	39	140	330	637	628
All other	27	-	-	-	-	1	1	7	4	5	5	4	24	-	-	-	-	1	2	-	4	4	5	8
Black	10	-	-	-	-	-	-	5	3	1	1	-	9	-	-	-	-	-	2	-	1	1	4	1
Diseases of heart (390-398,402,404-429)	1,638	3	-	1	3	8	28	111	275	479	469	261	1,321	1	2	3	3	5	8	28	116	262	448	444
White	1,615	3	-	1	3	7	27	105	271	475	465	258	1,306	1	2	3	3	4	7	28	114	261	444	438
All other	23	-	-	-	-	1	1	6	4	4	4	3	15	-	-	-	-	1	1	-	2	1	4	6
Black	9	-	-	-	-	-	-	4	3	1	1	-	6	-	-	-	-	-	1	-	1	-	3	1
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	-	-	1	1	1	6	14	6	-	50	-	-	-	-	1	-	5	8	19	14	3
White	28	-	-	-	-	-	1	1	6	14	6	-	49	-	-	-	-	-	-	5	8	19	14	3
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	43	-	-	-	-	-	-	3	16	5	13	6	59	-	-	-	-	-	-	2	5	13	20	19
White	41	-	-	-	-	-	-	2	15	5	13	6	59	-	-	-	-	-	-	2	5	13	20	19
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	1	-	2	-	2	1	5	-	-	-	-	-	-	-	-	-	1	4
White	5	-	-	-	-	-	1	-	2	-	1	1	5	-	-	-	-	-	-	-	-	-	1	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,086	-	-	-	-	2	19	75	176	323	325	166	739	-	-	-	-	1	6	10	73	151	276	221
White	1,074	-	-	-	-	2	18	71	175	321	324	163	728	-	-	-	-	1	5	10	71	151	273	216
All other	12	-	-	-	-	-	1	4	1	2	1	3	11	-	-	-	-	-	1	-	2	-	3	5
Black	5	-	-	-	-	-	-	2	1	1	1	-	5	-	-	-	-	-	1	-	1	-	3	-
Acute myocardial infarction (410)	652	-	-	-	-	1	14	48	118	220	188	65	368	-	-	-	-	1	4	6	44	104	139	70
White	643	-	-	-	-	1	13	43	117	219	187	63	362	-	-	-	-	1	4	6	43	104	137	67
All other	9	-	-	-	-	-	1	3	1	1	1	2	6	-	-	-	-	-	-	-	1	-	2	3
Black	4	-	-	-	-	-	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Other acute and subacute forms of ischemic heart disease (411)	37	-	-	-	-	-	3	9	14	4	3	4	12	-	-	-	-	-	-	2	3	1	1	5
White	37	-	-	-	-	-	3	9	14	4	3	4	12	-	-	-	-	-	-	2	3	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	395	-	-	-	-	1	2	19	44	99	134	96	357	-	-	-	-	-	2	2	25	46	135	146
White	392	-	-	-	-	1	2	18	44	98	134	95	352	-	-	-	-	-	1	2	24	46	134	144
All other	3	-	-	-	-	-	-	1	-	1	-	1	5	-	-	-	-	-	1	-	1	-	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Other diseases of endocardium (424)	23	-	-	-	-	1	-	1	5	6	6	4	12	-	-	-	-	2	-	-	-	-	5	5
White	22	-	-	-	-	1	-	1	5	5	6	4	12	-	-	-	-	2	-	-	-	-	5	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	451	3	–	1	3	4	7	31	70	131	117	84	456	1	2	3	3	1	2	11	30	79	132	192
White	445	3	–	1	3	4	7	30	68	130	115	84	453	1	2	3	3	1	2	11	30	78	131	191
All other	6	–	–	–	–	–	–	1	2	1	2	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	3	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Hypertension with or without renal disease (401,403)	8	–	–	–	–	–	–	2	2	2	–	2	14	–	–	–	–	–	–	–	1	5	2	6
White	7	–	–	–	–	–	–	1	2	2	–	2	13	–	–	–	–	–	–	–	–	5	2	6
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	255	–	–	2	–	2	1	7	22	67	90	64	395	1	–	–	–	–	2	9	23	61	157	142
White	253	–	–	2	–	2	1	7	22	66	89	64	388	1	–	–	–	–	1	9	22	59	156	140
All other	2	–	–	–	–	–	–	–	–	1	1	–	7	–	–	–	–	–	1	–	1	2	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
Intracerebral and other intracranial hemorrhage (431-432)	31	–	–	–	–	–	1	2	5	13	6	4	45	–	–	–	–	–	2	2	5	10	19	7
White	31	–	–	–	–	–	1	2	5	13	6	4	43	–	–	–	–	–	1	2	5	9	19	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	–	–	1	–	–	–	2	4	14	7	12	59	–	–	–	–	–	–	–	2	8	28	21
White	40	–	–	1	–	–	–	2	4	14	7	12	59	–	–	–	–	–	–	–	2	8	28	21
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	–	–	–	2	2	–
White	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	–	–	–	2	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	182	–	–	1	–	2	–	1	13	40	77	48	287	1	–	–	–	–	–	7	16	41	108	114
White	180	–	–	1	–	2	–	1	13	39	76	48	282	1	–	–	–	–	–	7	15	40	107	112
All other	2	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	1	1	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Atherosclerosis (440)	24	–	–	–	–	–	–	–	2	2	4	16	62	–	–	–	–	–	–	–	1	3	21	37
White	24	–	–	–	–	–	–	–	2	2	4	16	62	–	–	–	–	–	–	–	1	3	21	37
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	57	1	1	–	–	–	–	2	7	23	16	7	28	–	–	–	–	–	1	2	3	3	14	5
White	56	1	1	–	–	–	–	2	7	23	16	6	27	–	–	–	–	–	1	2	3	2	14	5
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	4	1	1	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	4	1	1	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	123	1	5	–	–	1	4	3	6	14	48	41	105	2	1	–	1	–	1	–	5	15	32	48
White	115	1	3	–	–	1	3	3	5	13	46	40	103	1	1	–	1	–	1	–	5	15	32	47
All other	8	–	2	–	–	–	1	–	1	1	2	1	2	1	–	–	–	–	–	–	–	–	–	1
Black	3	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Pneumonia (480-486)	117	1	5	–	–	1	3	2	6	13	47	39	101	2	1	–	1	–	1	–	5	14	31	46
White	109	1	3	–	–	1	2	2	5	12	45	38	99	1	1	–	1	–	1	–	5	14	31	45
All other	8	–	2	–	–	–	1	–	1	1	2	1	2	1	–	–	–	–	–	–	–	–	–	1
Black	3	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Influenza (487)	6	–	–	–	–	–	1	1	–	1	1	2	4	–	–	–	–	–	–	–	–	1	1	2
White	6	–	–	–	–	–	1	1	–	1	1	2	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	200	1	1	–	1	1	1	3	33	75	58	28	78	1	–	–	–	1	–	3	18	25	21	7
White	198	1	1	–	1	1	1	3	32	75	58	26	78	1	–	–	–	1	–	3	18	25	21	7
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	12	1	1	–	–	–	–	–	3	3	3	1	10	1	–	–	–	1	–	–	–	3	2	3
White	12	1	1	–	–	–	–	–	3	3	3	1	10	1	–	–	–	1	–	–	–	3	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	37	–	–	–	–	–	–	–	7	11	12	7	8	–	–	–	–	–	–	–	–	4	3	1
White	37	–	–	–	–	–	–	–	7	11	12	7	8	–	–	–	–	–	–	–	–	4	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	7	-	-	-	1	1	-	-	2	1	2	-	10	-	-	-	-	-	-	1	3	2	3	1
White	7	-	-	-	1	1	-	-	2	1	2	-	10	-	-	-	-	-	-	1	3	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	144	-	-	-	-	-	1	3	21	60	41	18	48	-	-	-	-	-	-	2	11	17	15	3
White	143	-	-	-	-	-	1	3	20	60	41	18	48	-	-	-	-	-	-	2	11	17	15	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	1	3	2	3	3	2	17	-	-	-	-	-	-	1	3	4	7	2
White	13	-	-	-	-	-	1	3	1	3	3	2	17	-	-	-	-	-	-	1	3	4	7	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	3	-	-	-	-	-	-	1	1	2	3	16	-	-	-	-	-	1	-	-	2	5	8
White	10	3	-	-	-	-	-	-	1	1	2	3	16	-	-	-	-	-	1	-	-	2	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	73	-	-	-	-	5	8	12	23	18	6	1	42	-	-	-	-	2	5	10	11	6	7	1
White	65	-	-	-	-	4	5	10	21	18	6	1	38	-	-	-	-	1	4	10	11	6	6	1
All other	8	-	-	-	-	1	3	2	2	-	-	-	4	-	-	-	-	2	1	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	4	5	6	1	6	-	-	-	-	-	-	-	-	-	3	3
White	14	-	-	-	-	-	-	-	3	5	5	1	6	-	-	-	-	-	-	-	-	-	3	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	43	2	-	-	1	1	1	1	6	9	13	9	32	-	-	-	-	-	-	1	2	7	12	10
White	41	2	-	-	1	-	1	1	6	9	12	9	31	-	-	-	-	-	-	1	2	7	11	10
All other	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	1	1	-	-	2	3	3	4	-	-	-	-	-	-	1	-	1	1	1
White	8	-	-	-	-	-	1	-	-	2	2	3	4	-	-	-	-	-	-	1	-	1	1	1
All other	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	2	-	-	1	-	-	1	6	7	10	6	28	-	-	-	-	-	-	-	2	6	11	9
White	33	2	-	-	1	-	-	1	6	7	10	6	27	-	-	-	-	-	-	-	2	6	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	-	-	-	-	2	6	2
White	2	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	-	-	-	-	2	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	4	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	–	4	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	74	52	5	3	2	2	1	1	4	3	1	–	83	59	11	1	2	3	2	2	–	1	1	1
White	70	48	5	3	2	2	1	1	4	3	1	–	81	58	10	1	2	3	2	2	–	1	1	1
All other	4	4	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	119	119	–	–	–	–	–	–	–	–	–	–	79	77	1	–	–	1	–	–	–	–	–	–
White	114	114	–	–	–	–	–	–	–	–	–	–	78	76	1	–	–	1	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	39	39	–	–	–	–	–	–	–	–	–	–	14	13	–	–	–	1	–	–	–	–	–	–
White	39	39	–	–	–	–	–	–	–	–	–	–	14	13	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	80	80	–	–	–	–	–	–	–	–	–	–	65	64	1	–	–	–	–	–	–	–	–	–
White	75	75	–	–	–	–	–	–	–	–	–	–	64	63	1	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	79	55	1	–	3	1	3	–	–	4	2	10	73	33	1	–	1	1	–	1	1	3	11	21
White	77	53	1	–	3	1	3	–	–	4	2	10	69	31	1	–	1	1	–	1	–	3	11	20
All other	2	2	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	323	9	7	4	13	8	15	19	41	70	68	49	365	8	5	9	5	12	11	18	36	58	91	114
White	313	9	7	4	12	7	14	19	39	68	66	48	360	5	5	8	5	10	11	18	36	58	91	113
All other	10	–	–	–	1	1	1	–	2	2	2	1	5	1	–	1	–	2	–	–	–	–	–	1
Black	3	–	–	–	1	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–	1
Accidents and adverse effects (E800-E949)	412	8	19	16	118	78	50	29	32	18	21	23	205	3	10	14	49	16	15	11	13	22	19	33
White	400	7	18	16	112	77	49	27	32	18	21	23	198	3	10	12	48	14	14	11	13	22	19	32
All other	12	1	1	–	6	1	1	2	–	–	–	–	7	–	–	2	1	2	1	–	–	–	–	1
Black	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Motor vehicle accidents (E810-E825)	221	3	7	9	86	46	24	17	11	10	5	3	106	–	6	9	41	12	13	7	6	9	2	1
White	211	3	6	9	81	45	23	15	11	10	5	3	102	–	6	9	40	10	12	7	6	9	2	1
All other	10	–	1	–	5	1	1	2	–	–	–	–	4	–	–	–	1	2	1	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	191	5	12	7	32	32	26	12	21	8	16	20	99	3	4	5	8	4	2	4	7	13	17	32
White	189	4	12	7	31	32	26	12	21	8	16	20	96	3	4	3	8	4	2	4	7	13	17	31
All other	2	1	–	–	1	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	1
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	168	...	...	1	38	52	21	14	25	11	8	–	34	...	...	–	8	6	5	8	3	3	1	–
White	164	...	...	1	35	49	21	14	25	11	8	–	33	...	...	–	7	6	5	8	3	3	1	–
All other	4	...	...	–	1	3	–	–	–	–	–	–	1	...	...	–	1	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	44	1	2	4	13	11	6	3	2	–	–	–	22	4	5	2	5	2	1	–	1	1	1	–
White	39	1	2	4	11	10	5	3	1	–	–	–	20	3	5	2	5	1	1	–	1	1	1	–
All other	5	–	–	–	2	1	1	–	1	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other external causes (E980-E999)	32	1	–	2	7	12	4	2	3	–	–	–	9	:	–	–	1	3	2	–	2	–	–	–
White	29	1	–	2	7	11	4	–	3	–	–	–	9	1	–	–	1	3	2	–	2	–	–	–
All other	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,368	37	11	14	68	67	78	137	348	627	638	340	2,124	38	11	9	20	17	37	77	219	410	619	667
White	2,363	37	11	14	68	66	77	136	348	627	638	340	2,122	38	11	9	20	17	37	77	219	409	619	666
All other	3	–	–	–	–	1	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
White	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	6	–	–	–	–	–	–	–	1	1	1	3	9	–	–	–	–	–	–	–	–	3	3	3
White	6	–	–	–	–	–	–	–	1	1	1	3	9	–	–	–	–	–	–	–	–	3	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	4	–	–	–	–	–	–	1	3	–	–	–	4	–	–	–	–	–	–	–	–	3	1	–
White	4	–	–	–	–	–	–	1	3	–	–	–	4	–	–	–	–	–	–	–	–	3	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	514	–	3	3	1	11	18	38	102	161	139	38	464	–	1	1	3	9	18	43	85	131	111	62
White	513	–	3	3	1	11	18	37	102	161	139	38	464	–	1	1	3	9	18	43	85	131	111	62
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	-	-	-	-	-	1	2	2	3	3	1	9	-	-	-	-	-	-	1	3	2	3	-
White	12	-	-	-	-	-	1	2	2	3	3	1	9	-	-	-	-	-	-	1	3	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	127	-	-	-	-	2	3	12	24	44	31	11	122	-	-	-	1	1	4	5	18	38	39	16
White	127	-	-	-	-	2	3	12	24	44	31	11	122	-	-	-	1	1	4	5	18	38	39	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	165	-	-	-	-	-	6	10	48	62	36	3	67	-	-	-	-	-	1	8	20	25	10	3
White	164	-	-	-	-	-	6	9	48	62	36	3	67	-	-	-	-	-	1	8	20	25	10	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	90	-	-	-	-	4	8	11	14	19	22	12
White	-	-	-	-	-	-	-	-	-	-	-	-	90	-	-	-	-	4	8	11	14	19	22	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	55	-	-	-	-	1	-	-	2	13	30	9	60	-	-	-	-	1	1	7	10	18	13	10
White	55	-	-	-	-	1	-	-	2	13	30	9	60	-	-	-	-	1	1	7	10	18	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	37	-	-	-	-	1	-	1	5	14	8	8	13	-	-	-	-	-	-	2	3	4	2	2
White	37	-	-	-	-	1	-	1	5	14	8	8	13	-	-	-	-	-	-	2	3	4	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57	-	1	1	1	2	7	4	9	17	11	4	57	-	-	1	1	3	3	5	9	15	11	9
White	57	-	1	1	1	2	7	4	9	17	11	4	57	-	-	1	1	3	3	5	9	15	11	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	24	-	2	1	-	4	-	4	3	5	4	1	18	-	1	-	-	-	1	2	1	4	4	5
White	24	-	2	1	-	4	-	4	3	5	4	1	18	-	1	-	-	-	1	2	1	4	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	-	-	1	-	1	1	5	9	3	16	1	28	-	-	-	1	-	-	2	7	6	7	5
White	37	-	-	1	-	1	1	5	9	3	16	1	28	-	-	-	1	-	-	2	7	6	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	1	-	-	-	2	-	-	1	2	10	-	-	-	-	1	-	-	2	-	5	2
White	6	-	-	1	-	-	-	2	-	-	1	2	10	-	-	-	-	1	-	-	2	-	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	35	-	-	-	-	-	1	3	6	10	10	5	46	-	-	-	-	-	2	2	5	11	12	14
White	35	-	-	-	-	-	1	3	6	10	10	5	46	-	-	-	-	-	2	2	5	11	12	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	5
White	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,151	2	-	-	1	7	31	55	169	327	343	216	1,101	-	-	-	-	-	3	15	87	175	378	443
White	1,151	2	-	-	1	7	31	55	169	327	343	216	1,099	-	-	-	-	-	3	15	87	174	378	442
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	948	1	-	-	-	5	28	50	152	280	277	155	821	-	-	-	-	-	3	13	69	138	286	314
White	948	1	-	-	-	5	28	50	152	280	277	155	821	-	-	-	-	-	3	13	69	138	286	314
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	2	-	1	3	-	-	13	-	-	-	-	-	-	-	5	4	3	1
White	8	-	-	-	-	-	2	-	1	3	-	-	13	-	-	-	-	-	-	-	5	4	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	23	-	-	-	-	-	-	4	1	11	7	-	25	-	-	-	-	-	-	1	2	5	7	10
White	23	-	-	-	-	-	-	4	1	11	7	-	25	-	-	-	-	-	-	1	2	5	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	3	1
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	674	-	-	-	-	2	17	37	120	201	191	106	508	-	-	-	-	-	1	9	47	96	183	172
White	674	-	-	-	-	2	17	37	120	201	191	106	508	-	-	-	-	-	1	9	47	96	183	172
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	383	-	-	-	-	2	12	20	80	119	107	43	260	-	-	-	-	-	1	8	31	66	96	58
White	383	-	-	-	-	2	12	20	80	119	107	43	260	-	-	-	-	-	1	8	31	66	96	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	1	1	2	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	5	-	-	-	-	-	-	1	1	2	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	-	3	3	-	3	-	-	-	-	-	-	-	1	-	2	-
White	6	-	-	-	-	-	-	-	-	3	3	-	3	-	-	-	-	-	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	280	-	-	-	-	-	5	16	39	77	80	63	242	-	-	-	-	-	-	1	15	30	83	113
White	280	-	-	-	-	-	5	16	39	77	80	63	242	-	-	-	-	-	-	1	15	30	83	113
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	11	-	-	-	-	-	1	-	2	3	4	1	18	-	-	-	-	-	-	-	2	5	8	3
White	11	-	-	-	-	-	1	-	2	3	4	1	18	-	-	-	-	-	-	-	2	5	8	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	234	1	-	-	-	3	8	9	28	62	75	48	252	-	-	-	-	-	2	3	12	26	82	127
White	234	1	-	-	-	3	8	9	28	62	75	48	252	-	-	-	-	-	2	3	12	26	82	127
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	11	-	-	-	-	-	-	1	-	1	4	5	11	-	-	-	-	-	-	-	2	3	-	6
White	11	-	-	-	-	-	-	1	-	1	4	5	11	-	-	-	-	-	-	-	2	3	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	135	1	-	-	1	2	3	2	9	30	42	45	207	-	-	-	-	-	-	2	13	24	72	96
White	135	1	-	-	1	2	3	2	9	30	42	45	206	-	-	-	-	-	-	2	13	24	72	95
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	10	-	-	-	1	1	1	-	2	3	2	-	18	-	-	-	-	-	-	-	4	8	4	2
White	10	-	-	-	1	1	1	-	2	3	2	-	18	-	-	-	-	-	-	-	4	8	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	-	-	-	-	-	-	-	2	3	10	8	26	-	-	-	-	-	-	-	1	3	9	13
White	23	-	-	-	-	-	-	-	2	3	10	8	26	-	-	-	-	-	-	-	1	3	9	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	101	1	-	-	-	1	2	2	5	24	30	36	162	-	-	-	-	-	-	2	8	13	59	80
White	101	1	-	-	-	1	2	2	5	24	30	36	161	-	-	-	-	-	-	2	8	13	59	79
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	22	-	-	-	-	-	-	-	4	3	8	7	41	-	-	-	-	-	-	-	2	5	12	22
White	22	-	-	-	-	-	-	-	4	3	8	7	41	-	-	-	-	-	-	-	2	5	12	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	35	-	-	-	-	-	-	2	4	13	12	4	21	-	-	-	-	-	-	-	1	7	8	5
White	35	-	-	-	-	-	-	2	4	13	12	4	20	-	-	-	-	-	-	-	1	6	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	54	-	-	1	-	-	-	1	2	9	16	25	71	-	-	-	-	-	-	-	3	11	15	42
White	54	-	-	1	-	-	-	1	2	9	16	25	71	-	-	-	-	-	-	-	3	11	15	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	53	-	-	1	-	-	-	1	2	9	16	24	70	-	-	-	-	-	-	-	3	11	15	41
White	53	-	-	1	-	-	-	1	2	9	16	24	70	-	-	-	-	-	-	-	3	11	15	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	115	-	-	-	-	-	1	5	7	46	41	15	57	-	1	1	1	-	1	2	9	16	19	7
White	115	-	-	-	-	-	1	5	7	46	41	15	57	-	1	1	1	-	1	2	9	16	19	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	14	-	-	-	-	-	1	-	1	4	6	2	10	-	-	-	-	-	-	-	4	4	1	1
White	14	-	-	-	-	-	1	-	1	4	6	2	10	-	-	-	-	-	-	-	4	4	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	1	1	1	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	1	1	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	96	-	-	-	-	-	-	4	6	39	34	13	41	-	-	-	-	-	1	2	5	12	16	5
White	96	-	-	-	-	-	-	4	6	39	34	13	41	-	-	-	-	-	1	2	5	12	16	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	-	1	4	2	4	9	-	-	-	-	-	-	-	2	3	2	2
White	11	-	-	-	-	-	-	-	1	4	2	4	9	-	-	-	-	-	-	-	2	3	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	1	-	-	1	4	11	1	-	-	-	-	-	-	-	1	4	5
White	6	-	-	-	-	-	-	1	-	-	1	4	11	1	-	-	-	-	-	-	-	1	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	39	-	-	-	-	1	4	8	11	10	7	-	29	-	-	-	-	-	1	4	6	9	8	1
White	39	-	-	-	-	1	4	6	11	10	7	-	29	-	-	-	-	-	1	4	6	9	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	1	-	1	2	-	4	-	-	-	-	-	-	-	-	2	-	2
White	4	-	-	-	-	-	-	1	-	1	2	-	4	-	-	-	-	-	-	-	-	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	-	-	-	-	-	1	2	4	1	5	5	21	-	-	-	-	-	-	1	-	7	6	7
White	18	-	-	-	-	-	1	2	4	1	5	5	21	-	-	-	-	-	-	1	-	7	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	-	-	-	-	-	1	2	4	-	5	5	19	-	-	-	-	-	-	1	-	6	5	7
White	17	-	-	-	-	-	1	2	4	-	5	5	19	-	-	-	-	-	-	1	-	6	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	2	1	7	-	-	-	-	-	-	-	-	1	5	1
White	3	-	-	-	-	-	-	-	-	-	2	1	7	-	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	12	10	1	-	-	1	-	-	-	-	-	-	17	11	-	2	1	-	1	-	-	1	-	1
White	12	10	1	-	-	1	-	-	-	-	-	-	17	11	-	2	1	-	1	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	12	12	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	18	9	-	1	-	1	1	-	1	2	3	-	8	2	-	-	-	-	1	-	1	-	1	3
White	18	9	-	1	-	1	1	-	1	2	3	-	8	2	-	-	-	-	1	-	1	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	132	1	1	1	4	3	4	7	19	32	44	18	131	-	3	1	-	-	4	3	11	21	44	44
White	132	1	1	1	4	3	4	7	19	32	44	18	131	-	3	1	-	-	4	3	11	21	44	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	136	1	5	6	41	26	4	11	14	12	11	5	79	3	6	4	13	1	3	5	8	10	5	21
White	135	1	5	6	41	25	4	11	14	12	11	5	79	3	6	4	13	1	3	5	8	10	5	21
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	71	-	-	3	30	18	4	3	6	2	4	1	24	-	2	3	8	-	2	1	3	3	2	-
White	70	-	-	3	30	17	4	3	6	2	4	1	24	-	2	3	8	-	2	1	3	3	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	65	1	5	3	11	8	-	8	8	10	7	4	55	3	4	1	5	1	1	4	5	7	3	21
White	65	1	5	3	11	8	-	8	8	10	7	4	55	3	4	1	5	1	1	4	5	7	3	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	71	---	---	-	19	13	13	2	6	10	7	1	12	---	---	-	1	5	2	1	-	3	-	-
White	70	---	---	-	19	13	12	2	6	10	7	1	12	---	---	-	1	5	2	1	-	3	-	-
All other	1	---	---	-	-	-	1	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	-
Black	1	---	---	-	-	-	1	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	8	1	-	1	2	2	-	1	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
White	8	1	-	1	2	2	-	1	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	22,702	574	65	112	623	670	842	1,885	4,584	6,095	4,930	2,113	19,202	465	49	76	234	300	520	1,095	2,448	4,245	5,337	4,426
White	17,606	347	43	91	474	453	672	1,455	3,492	4,767	4,055	1,752	15,235	295	29	51	184	201	360	778	1,802	3,274	4,395	3,863
All other	5,096	227	22	21	149	217	270	530	1,092	1,328	875	361	3,967	170	20	25	50	99	160	317	646	971	942	563
Black	5,009	221	21	20	139	210	259	516	1,080	1,316	863	360	3,898	166	19	21	49	92	151	303	635	960	937	561
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	1	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
White	2	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	26	-	-	-	-	-	-	4	4	7	9	2	12	-	-	1	-	-	-	1	2	2	2	4
White	18	-	-	-	-	-	-	1	2	6	7	2	7	-	-	1	-	-	-	1	2	2	-	2
All other	8	-	-	-	-	-	-	3	2	1	2	-	5	-	-	1	-	-	-	-	-	-	2	2
Black	8	-	-	-	-	-	-	3	2	1	2	-	5	-	-	1	-	-	-	-	-	-	2	2
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	-	-	3	2	5	6	2	9	-	-	-	-	-	-	1	1	1	2	4
White	12	-	-	-	-	-	-	1	1	4	4	2	5	-	-	-	-	-	-	1	1	1	-	2
All other	6	-	-	-	-	-	-	2	1	1	2	-	4	-	-	-	-	-	-	-	-	-	2	2
Black	6	-	-	-	-	-	-	2	1	1	2	-	4	-	-	-	-	-	-	-	-	-	2	2
Other tuberculosis (013-018)	8	-	-	-	-	-	-	1	2	2	3	-	3	-	-	1	-	-	-	-	1	1	-	-
White	6	-	-	-	-	-	-	-	1	2	3	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	160	8	-	1	1	3	9	14	31	43	35	15	183	2	1	1	-	4	8	5	24	45	45	48
White	115	4	-	1	1	2	5	10	22	29	27	14	130	1	1	-	-	-	6	3	19	28	34	38
All other	45	4	-	-	-	1	4	4	9	14	8	1	53	1	-	1	-	4	2	2	5	17	11	10
Black	44	4	-	-	-	1	4	3	9	14	8	1	52	1	-	1	-	3	2	2	5	17	11	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	1	-	1	1	2	3	-	-	5	-	-	-	-	-	-	1	-	3	1	-
White	8	-	-	-	1	-	1	1	2	3	-	-	5	-	-	-	-	-	-	1	-	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	1	-	1	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	45	2	2	-	-	1	5	5	4	17	8	1	44	1	1	1	-	2	6	6	7	5	10	5
White	33	2	-	-	-	1	2	5	3	13	6	1	31	-	1	-	-	1	1	6	6	4	8	4
All other	12	-	2	-	-	-	3	-	1	4	2	-	13	1	-	1	-	1	5	-	1	1	2	1
Black	10	-	1	-	-	-	3	-	-	4	2	-	13	1	-	1	-	1	5	-	1	1	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,304	1	4	15	36	57	156	527	1,378	1,769	1,074	285	4,261	1	5	15	24	68	195	499	950	1,167	919	396
White	4,064	1	3	13	25	46	119	388	1,042	1,334	868	225	3,391	1	1	9	18	52	154	384	743	940	744	345
All other	1,240	-	1	2	11	11	37	139	336	435	206	60	870	-	4	6	6	16	41	115	207	247	175	51
Black	1,220	-	1	2	10	11	34	134	333	429	205	59	848	-	4	3	6	15	37	108	204	245	173	51
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	112	-	-	-	2	1	4	15	41	31	15	3	60	-	-	-	-	1	2	6	12	21	12	6
White	78	-	-	-	-	1	1	7	31	22	13	3	49	-	-	-	-	1	-	5	9	18	10	6
All other	34	-	-	-	2	-	3	8	10	9	2	-	11	-	-	-	-	-	2	1	3	3	2	-
Black	33	-	-	-	1	-	3	8	10	9	2	-	10	-	-	-	-	-	1	1	3	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,209	-	-	-	1	10	36	114	297	404	258	88	1,120	-	-	-	4	9	23	86	192	328	312	165
White	897	-	-	-	1	5	26	73	212	298	209	75	859	-	-	-	3	7	20	62	137	247	242	141
All other	312	-	-	-	-	5	10	41	85	106	49	13	261	-	-	-	1	2	3	24	55	81	70	24
Black	301	-	-	-	-	5	8	39	83	104	49	12	253	-	-	-	1	2	2	20	54	80	68	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,981	-	-	-	-	1	41	240	615	720	319	45	765	-	-	-	-	4	32	103	230	249	118	31
White	1,541	-	-	-	-	-	30	183	470	556	265	37	630	-	-	-	-	4	24	78	192	209	98	25
All other	440	-	-	-	-	1	11	57	145	164	54	8	135	-	-	-	-	-	8	25	38	40	18	6
Black	439	-	-	-	-	1	11	57	145	164	53	8	135	-	-	-	-	-	8	25	38	40	18	6
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	3	1	-	-	794	-	-	-	-	18	67	147	185	203	131	43
White	3	-	-	-	-	-	-	-	2	1	-	-	635	-	-	-	-	10	52	118	146	163	109	37
All other	1	-	-	-	-	-	-	-	1	-	-	-	159	-	-	-	-	8	15	29	39	40	22	6
Black	1	-	-	-	-	-	-	-	1	-	-	-	155	-	-	-	-	7	15	28	37	40	22	6
Malignant neoplasms of genital organs (179-187)	555	-	-	-	2	5	3	14	67	210	180	73	492	-	-	-	-	14	21	63	132	133	98	33
White	378	-	-	-	2	4	3	11	43	134	127	54	377	-	-	-	-	12	17	46	96	96	80	30
All other	177	-	-	-	-	1	-	3	24	76	53	19	115	-	-	-	-	2	4	17	36	37	16	3
Black	177	-	-	-	-	1	-	3	24	76	53	19	113	-	-	-	-	2	4	15	36	37	16	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	232	–	1	–	1	–	6	14	59	66	65	20	139	–	–	1	–	3	4	6	20	38	42	25
White	181	–	1	–	–	–	5	10	46	51	55	13	113	–	–	1	–	1	4	3	16	32	33	23
All other	51	–	–	–	1	–	1	4	13	15	10	7	26	–	–	–	–	2	–	3	4	6	9	2
Black	50	–	–	–	1	–	1	4	13	14	10	7	26	–	–	–	–	2	–	3	4	6	9	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	751	1	1	6	16	29	35	79	217	204	132	31	537	1	3	10	12	9	31	62	114	131	108	55
White	610	1	1	5	12	26	30	63	176	167	107	22	434	1	1	8	7	8	26	50	93	108	84	48
All other	141	–	–	1	4	3	5	16	41	37	25	9	103	–	2	2	5	1	5	12	21	23	24	7
Black	139	–	–	1	4	3	5	14	41	37	25	9	102	–	2	2	5	1	5	12	21	23	23	7
Leukemia (204-208)	205	–	2	9	10	5	11	17	31	54	46	20	135	–	2	4	7	6	9	10	28	22	32	15
White	173	–	1	8	6	5	9	14	27	45	41	17	113	–	–	–	7	5	6	10	23	20	28	14
All other	32	–	1	1	4	–	2	3	4	9	5	3	22	–	2	4	–	1	3	–	5	2	4	1
Black	31	–	1	1	4	–	2	2	4	9	5	3	18	–	2	1	–	1	2	–	5	2	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	255	–	–	–	4	6	20	34	48	79	59	5	219	–	–	–	1	4	6	18	37	62	70	23
White	203	–	–	–	4	5	15	27	35	62	51	4	181	–	–	–	1	4	5	12	31	47	60	21
All other	52	–	–	–	–	1	5	7	13	17	8	1	38	–	–	–	–	–	1	4	6	15	10	2
Black	49	–	–	–	–	1	4	7	12	16	8	1	36	–	–	–	–	–	–	4	6	14	10	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	1	–	2	3	1	4	7	11	11	13	3	68	–	–	2	1	1	2	4	7	27	16	8
White	47	1	–	–	3	1	4	6	10	9	9	3	56	–	–	1	1	1	2	4	6	18	15	8
All other	10	–	–	2	–	–	–	1	1	2	4	–	12	–	–	1	–	–	–	–	1	9	1	–
Black	9	–	–	2	–	–	–	–	1	2	4	–	12	–	–	1	–	–	–	–	1	9	1	–
Diabetes mellitus (250)	253	–	–	–	1	6	15	28	58	58	65	22	371	–	–	3	–	4	11	27	58	110	104	55
White	190	–	–	–	–	5	8	22	43	41	52	19	251	–	–	2	–	2	8	12	29	71	78	48
All other	63	–	–	–	1	1	7	6	15	17	13	3	120	–	–	1	–	2	3	15	27	39	26	7
Black	61	–	–	–	1	1	6	6	14	17	13	3	118	–	–	1	–	2	2	14	27	39	26	7
Nutritional deficiencies (260-269)	25	–	–	–	–	–	1	–	3	5	9	7	24	1	–	1	–	–	–	–	–	6	9	7
White	13	–	–	–	–	–	–	–	2	3	4	4	20	1	–	1	–	–	–	–	–	6	7	5
All other	12	–	–	–	–	–	1	–	1	2	5	3	4	–	–	–	–	–	–	–	–	–	2	2
Black	12	–	–	–	–	–	1	–	1	2	5	3	4	–	–	–	–	–	–	–	–	–	2	2
Anemias (280-285)	39	1	1	1	2	5	–	2	1	9	8	9	33	1	–	–	1	1	1	1	1	8	9	10
White	24	–	–	1	1	1	–	1	1	7	6	6	19	–	–	–	–	–	–	–	–	5	7	7
All other	15	1	1	–	1	4	–	1	–	2	2	3	14	1	–	–	1	1	1	1	1	3	2	3
Black	15	1	1	–	1	4	–	1	–	2	2	3	14	1	–	–	1	1	1	1	1	3	2	3
Meningitis (320-322)	19	5	2	1	1	–	1	3	3	2	1	–	11	3	–	–	–	1	1	–	–	2	4	–
White	14	4	2	1	–	–	1	2	2	2	–	–	7	2	–	–	–	–	–	–	–	2	3	–
All other	5	1	–	–	1	–	–	1	1	–	1	–	4	1	–	–	–	1	1	–	–	–	1	–
Black	5	1	–	–	1	–	–	1	1	–	1	–	4	1	–	–	–	1	1	–	–	–	1	–
Major cardiovascular diseases (390-448)	10,274	18	1	4	22	63	261	828	2,139	2,974	2,704	1,257	9,764	10	1	3	19	35	107	294	887	2,099	3,241	3,067
White	9,160	11	1	3	14	44	191	613	1,640	2,976	2,222	1,043	7,843	7	1	1	14	21	66	185	591	1,596	2,681	2,680
All other	2,114	7	–	1	8	19	70	215	499	598	482	214	1,921	3	–	2	5	14	41	109	296	503	560	387
Black	2,088	7	–	1	7	17	68	213	493	593	474	214	1,909	3	–	2	5	14	41	108	291	498	557	385
Diseases of heart (390-398,402,404-429)	8,361	18	–	3	18	50	231	738	1,869	2,485	2,030	917	7,119	8	1	3	13	25	81	213	686	1,654	2,350	2,084
White	6,731	11	–	2	10	36	170	557	1,466	2,017	1,696	764	5,744	6	1	1	9	15	50	135	463	1,260	1,961	1,823
All other	1,630	7	–	1	8	14	61	181	403	468	334	153	1,375	2	–	2	4	10	31	78	223	374	389	261
Black	1,609	7	–	1	7	12	59	179	398	463	330	153	1,365	2	–	2	4	10	31	77	218	372	388	260
Rheumatic fever and rheumatic heart disease (390-398)	44	1	–	–	–	2	2	6	10	14	8	1	80	–	–	–	2	2	6	7	17	20	23	3
White	39	1	–	–	–	2	2	6	10	11	6	1	71	–	–	–	2	–	4	6	15	19	22	3
All other	5	–	–	–	–	–	–	–	–	3	2	–	9	–	–	–	–	2	2	1	2	1	1	–
Black	5	–	–	–	–	–	–	–	–	3	2	–	8	–	–	–	–	2	2	–	2	1	1	–
Hypertensive heart disease (402)	200	–	–	–	–	2	7	23	47	59	45	17	243	–	–	–	–	–	2	8	25	64	80	64
White	104	–	–	–	–	1	1	7	15	40	30	10	147	–	–	–	–	–	2	–	10	28	54	53
All other	96	–	–	–	–	1	6	16	32	19	15	7	96	–	–	–	–	–	–	8	15	36	26	11
Black	96	–	–	–	–	1	6	16	32	19	15	7	96	–	–	–	–	–	–	8	15	36	26	11
Hypertensive heart and renal disease (404)	30	–	–	–	–	–	1	2	6	8	10	3	42	–	–	–	–	–	–	2	3	16	12	9
White	18	–	–	–	–	–	1	2	4	3	5	3	22	–	–	–	–	–	–	–	1	7	6	8
All other	12	–	–	–	–	–	–	–	2	5	5	–	20	–	–	–	–	–	–	2	2	9	6	1
Black	12	–	–	–	–	–	–	–	2	5	5	–	20	–	–	–	–	–	–	2	2	9	6	1
Ischemic heart disease (410-414)	6,057	1	–	–	1	28	164	559	1,444	1,856	1,434	569	4,566	–	–	–	1	9	33	144	479	1,156	1,517	1,228
White	5,048	1	–	–	–	21	133	439	1,182	1,567	1,237	467	3,785	–	–	–	1	5	19	98	332	935	1,312	1,083
All other	1,009	–	–	–	1	7	31	120	262	289	197	102	781	–	–	–	–	4	14	46	147	221	205	143
Black	998	–	–	–	1	6	30	118	259	285	195	102	773	–	–	–	–	4	14	46	142	219	204	143
Acute myocardial infarction (410)	3,462	1	–	–	1	13	99	333	869	1,127	784	234	2,352	–	–	–	1	6	20	87	309	696	764	469
White	2,938	1	–	–	–	10	81	277	714	966	685	203	1,969	–	–	–	1	4	12	65	223	579	677	408
All other	524	–	–	–	1	3	18	56	155	161	99	31	383	–	–	–	–	2	8	22	86	117	87	61
Black	520	–	–	–	1	3	18	56	154	159	98	31	377	–	–	–	–	2	8	22	81	116	87	61

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	414	–	–	–	–	6	17	62	122	101	73	33	220	–	–	–	–	1	4	18	43	56	54	44
White	292	–	–	–	–	4	13	35	80	77	52	21	152	–	–	–	–	1	1	8	27	38	39	38
All other	122	–	–	–	–	2	4	27	32	24	21	12	68	–	–	–	–	–	3	10	16	18	15	6
Black	121	–	–	–	–	2	4	26	32	24	21	12	68	–	–	–	–	–	3	10	16	18	15	6
Angina pectoris (413)	8	–	–	–	–	–	–	–	1	6	1	–	9	–	–	–	–	–	–	1	1	3	4	–
White	7	–	–	–	–	–	–	–	–	6	1	–	7	–	–	–	–	–	–	–	1	2	4	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,173	–	–	–	–	9	48	164	452	622	576	302	1,995	–	–	–	–	2	9	38	126	401	695	713
White	1,811	–	–	–	–	7	39	127	378	518	499	243	1,657	–	–	–	–	–	6	25	81	316	592	637
All other	362	–	–	–	–	2	9	37	74	104	77	59	338	–	–	–	–	2	3	13	45	85	103	78
Black	354	–	–	–	–	1	8	36	72	102	76	59	326	–	–	–	–	2	3	13	45	84	102	76
Other diseases of endocardium (424)	92	–	–	–	1	–	2	8	16	24	29	12	69	–	–	–	–	–	1	4	6	18	24	16
White	72	–	–	–	1	–	1	7	11	19	22	11	58	–	–	–	–	–	1	2	5	16	19	15
All other	20	–	–	–	–	–	1	1	5	5	7	1	11	–	–	–	–	–	–	2	1	2	5	1
Black	20	–	–	–	–	–	1	1	5	5	7	1	11	–	–	–	–	–	–	2	1	2	5	1
All other forms of heart disease (415-423,425-429)	1,938	16	–	3	16	18	55	140	346	524	504	315	2,119	8	1	3	10	14	39	48	156	380	694	766
White	1,450	9	–	2	9	12	32	96	244	377	366	272	1,661	6	1	1	6	10	24	29	100	275	548	661
All other	488	7	–	1	7	6	23	44	102	147	108	43	458	2	–	2	4	4	15	19	56	105	146	105
Black	480	7	–	1	6	5	22	44	100	146	106	43	457	2	–	2	4	4	15	19	56	105	146	104
Hypertension with or without renal disease (401,403)	71	–	–	–	–	1	–	2	13	21	27	7	87	–	–	–	–	–	–	4	12	30	21	20
White	45	–	–	–	–	–	–	2	9	13	14	7	54	–	–	–	–	–	–	2	7	19	10	16
All other	26	–	–	–	–	1	–	–	4	8	13	–	33	–	–	–	–	–	–	2	5	11	11	4
Black	26	–	–	–	–	1	–	–	4	8	13	–	33	–	–	–	–	–	–	2	5	11	11	4
Cerebrovascular diseases (430-438)	1,381	–	1	1	3	8	25	75	198	332	501	236	2,074	1	–	–	5	8	23	66	156	358	730	727
White	1,004	–	1	1	3	4	17	44	117	235	393	189	1,639	1	–	–	4	5	13	40	99	250	595	632
All other	377	–	–	–	–	4	8	31	81	97	108	47	435	–	–	–	1	3	10	26	57	108	135	95
Black	373	–	–	–	–	4	8	31	80	97	105	47	427	–	–	–	1	3	10	24	57	105	133	94
Intracerebral and other intracranial hemorrhage (431-432)	195	–	–	1	2	2	11	22	47	52	47	11	220	–	–	–	2	3	5	12	39	50	67	42
White	138	–	–	1	2	1	5	12	28	39	41	9	176	–	–	–	1	2	3	7	25	39	59	40
All other	57	–	–	–	–	1	6	10	19	13	6	2	44	–	–	–	1	1	2	5	14	11	8	2
Black	56	–	–	–	–	1	6	10	18	13	6	2	42	–	–	–	1	1	2	4	14	11	7	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	221	–	–	–	–	–	3	8	33	48	80	48	348	–	–	–	–	–	–	5	20	65	129	128
White	166	–	–	–	–	–	3	6	23	32	63	39	279	–	–	–	–	–	–	1	13	47	107	111
All other	55	–	–	–	–	–	–	2	10	16	17	9	69	–	–	–	–	–	–	4	7	18	22	18
Black	54	–	–	–	–	–	–	2	10	16	16	9	68	–	–	–	–	–	–	4	7	17	22	18
Cerebral embolism (434.1)	8	–	–	–	–	–	–	–	2	2	4	–	15	–	–	–	1	–	–	–	3	2	4	5
White	7	–	–	–	–	–	–	–	1	2	4	–	14	–	–	–	1	–	–	–	3	2	3	5
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	957	–	1	–	1	6	11	45	116	230	370	177	1,491	1	–	–	2	5	18	49	94	241	530	551
White	693	–	1	–	1	3	9	26	65	162	285	141	1,170	1	–	–	2	3	10	32	58	162	426	476
All other	264	–	–	–	–	3	2	19	51	68	85	36	321	–	–	–	–	2	8	17	36	79	104	75
Black	262	–	–	–	–	3	2	19	51	68	83	35	316	–	–	–	–	2	8	16	36	77	103	74
Atherosclerosis (440)	233	–	–	–	–	–	1	4	18	49	79	82	342	–	–	–	–	–	1	3	10	28	106	194
White	189	–	–	–	–	–	1	4	15	38	58	71	288	–	–	–	–	–	1	2	4	24	87	170
All other	44	–	–	–	–	–	–	–	3	10	20	11	54	–	–	–	–	–	–	1	6	4	19	24
Black	44	–	–	–	–	–	–	–	3	10	20	11	54	–	–	–	–	–	–	1	6	4	19	24
Other diseases of arteries, arterioles, and capillaries (441-448)	228	–	–	–	1	4	4	9	41	87	67	15	142	1	–	–	1	2	2	8	23	29	34	42
White	191	–	–	–	1	4	3	6	33	72	60	12	118	–	–	–	1	1	2	6	18	23	28	39
All other	37	–	–	–	–	–	1	3	8	15	7	3	24	1	–	–	–	1	–	2	5	6	6	3
Black	36	–	–	–	–	–	1	3	8	15	6	3	24	1	–	–	–	1	–	2	5	6	6	3
Acute bronchitis and bronchiolitis (466)	8	1	–	–	–	–	–	–	–	4	2	1	2	1	–	–	–	–	–	–	–	–	1	–
White	6	1	–	–	–	–	–	–	–	3	2	1	2	1	–	–	–	–	–	–	–	–	1	–
All other	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	607	3	2	1	3	7	9	25	71	144	197	144	505	4	–	3	4	2	7	10	41	65	168	201
White	489	1	–	1	3	3	3	12	55	112	175	124	431	3	–	2	4	1	2	8	30	52	148	183
All other	118	2	2	–	–	4	6	13	16	32	22	20	74	1	–	1	–	1	5	2	11	13	22	18
Black	116	2	2	–	–	4	6	13	16	31	21	20	74	1	–	1	–	1	5	2	11	13	22	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	602	3	2	1	3	7	9	25	71	144	195	141	500	4	–	3	4	2	7	10	40	85	184	201
White	484	1	–	1	3	3	3	12	55	112	173	121	426	3	–	2	4	1	2	8	29	52	142	163
All other	118	2	2	–	–	4	6	13	16	32	22	20	74	1	–	1	–	1	5	2	11	13	22	18
Black	116	2	2	–	–	4	6	13	16	31	21	20	74	1	–	1	–	1	5	2	11	13	22	18
Influenza (487)	5	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	–	–	1	–	4	–
White	5	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–	–	–	1	–	4	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	780	3	1	1	3	4	6	34	129	314	220	65	450	1	–	–	–	4	5	20	82	151	138	48
White	675	2	–	–	–	1	3	24	109	275	201	60	400	–	–	–	–	2	2	16	69	138	127	45
All other	105	1	1	1	3	3	3	10	20	39	19	5	50	1	–	–	–	2	3	4	13	13	11	3
Black	105	1	1	1	3	3	3	10	20	39	19	5	50	1	–	–	–	2	3	4	13	13	11	3
Bronchitis, chronic and unspecified (490-491)	36	–	–	–	–	1	–	–	9	14	11	1	43	–	–	–	–	–	–	2	8	10	10	13
White	33	–	–	–	–	1	–	–	9	12	10	1	40	–	–	–	–	–	–	2	7	9	10	12
All other	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	1	1	–	1
Black	3	–	–	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–	–	1	1	–	1
Emphysema (492)	130	–	–	–	–	–	1	7	22	52	36	12	61	–	–	–	–	–	–	3	10	19	23	5
White	116	–	–	–	–	–	–	3	19	49	34	11	60	–	–	–	–	–	–	3	10	19	22	5
All other	14	–	–	–	–	–	1	4	3	3	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	14	–	–	–	–	–	1	4	3	3	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Asthma (493)	38	2	1	1	3	3	1	5	5	9	6	2	40	–	–	–	–	4	2	5	4	18	7	–
White	25	2	–	–	–	–	1	4	2	8	6	2	27	–	–	–	–	2	–	2	–	16	7	–
All other	13	–	1	1	3	3	–	1	3	1	–	–	13	–	–	–	–	2	2	3	4	2	–	–
Black	13	–	1	1	3	3	–	1	3	1	–	–	13	–	–	–	–	2	2	3	4	2	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	576	1	–	–	–	–	4	22	93	239	167	50	306	1	–	–	–	–	3	10	60	104	98	30
White	501	–	–	–	–	–	2	17	79	206	151	46	273	–	–	–	–	–	2	9	52	94	88	28
All other	75	1	–	–	–	–	2	5	14	33	16	4	33	1	–	–	–	–	1	1	8	10	10	2
Black	75	1	–	–	–	–	2	5	14	33	16	4	33	1	–	–	–	–	1	1	8	10	10	2
Ulcer of stomach and duodenum (531-533)	68	–	–	–	–	2	3	4	13	22	18	8	60	–	–	–	–	2	1	–	8	9	20	20
White	54	–	–	–	–	1	3	2	11	18	14	5	51	–	–	–	–	1	–	–	6	9	15	20
All other	14	–	–	–	–	1	–	2	2	4	2	3	9	–	–	–	–	1	1	–	2	–	5	–
Black	14	–	–	–	–	1	–	2	2	4	2	3	8	–	–	–	–	1	–	–	2	–	5	–
Appendicitis (540-543)	4	–	–	–	–	1	–	–	1	1	1	–	6	–	–	–	–	–	–	–	–	1	3	2
White	4	–	–	–	–	1	–	–	1	1	1	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	–	–	–	–	1	2	4	8	10	13	8	71	2	1	–	–	2	–	4	5	14	16	27
White	27	–	–	–	–	–	–	3	6	3	8	7	59	1	–	–	–	2	–	4	4	10	14	24
All other	19	–	–	–	–	1	2	1	2	7	5	1	12	1	1	–	–	–	–	–	1	4	2	3
Black	19	–	–	–	–	1	2	1	2	7	5	1	12	1	1	–	–	–	–	–	1	4	2	3
Chronic liver disease and cirrhosis (571)	318	–	–	–	–	15	35	79	115	54	15	4	188	–	–	–	–	7	20	41	54	46	16	4
White	258	–	–	–	–	8	27	64	83	49	12	4	142	–	–	–	–	4	13	24	45	36	16	3
All other	60	–	–	–	–	7	8	15	22	5	3	–	46	–	–	–	–	3	7	17	8	10	–	1
Black	59	–	–	–	–	7	8	15	21	5	3	–	46	–	–	–	–	3	7	17	8	10	–	1
Cholelithiasis and other disorders of gallbladder (574-575)	24	–	–	–	–	–	1	3	4	6	6	4	31	–	–	–	–	–	1	2	1	4	12	11
White	20	–	–	–	–	–	–	2	4	4	6	4	27	–	–	–	–	–	1	2	1	3	10	10
All other	4	–	–	–	–	–	1	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Black	4	–	–	–	–	–	1	1	–	2	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	188	5	2	1	–	1	7	8	35	55	55	29	202	3	–	–	1	2	3	6	20	58	66	43
White	130	3	1	1	–	1	6	4	18	36	40	22	130	1	–	–	–	–	–	4	10	33	45	37
All other	58	2	1	–	–	–	1	4	19	19	15	7	72	2	–	–	1	2	3	2	10	25	21	6
Black	58	2	1	–	–	–	1	4	19	19	15	7	70	2	–	–	1	2	3	2	9	24	21	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	–	–	–	–	–	1	1	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–
White	4	1	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	–	–	–	–	1	2	–	–	7	2	5	21	–	–	–	–	2	–	–	2	4	7	6
White	12	–	–	–	–	1	1	–	–	4	2	4	15	–	–	–	–	2	–	–	2	2	5	6
All other	5	–	–	–	–	–	1	–	–	3	–	1	6	–	–	–	–	2	–	–	–	2	2	–
Black	5	–	–	–	–	–	1	–	–	3	–	1	6	–	–	–	–	2	–	–	–	2	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	176	4	2	1	–	–	5	7	34	48	52	23	179	3	–	–	1	–	3	6	18	53	58	37
White	114	2	1	1	–	–	5	3	16	32	37	17	114	1	–	–	–	–	4	6	8	31	39	31
All other	62	2	1	–	–	–	–	4	18	16	15	6	65	2	–	–	1	–	3	2	10	22	19	6
Black	62	2	1	–	–	–	–	4	18	16	15	6	63	2	–	–	1	–	3	2	9	21	19	6
Infections of kidney (590)	16	1	–	–	–	–	–	1	3	2	5	4	24	1	–	–	–	–	–	–	1	2	8	12
White	13	1	–	–	–	–	–	1	2	1	4	4	22	1	–	–	–	–	–	–	1	2	6	12
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Hyperplasia of prostate (600)	7	–	–	–	–	–	–	–	–	–	4	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	–	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	–	–	–	–	–	–	–	–	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	–	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	–	2	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	–	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	–	2	–	...	...	...	...
Congenital anomalies (740-759)	150	107	7	6	4	5	6	2	7	2	4	–	135	92	6	1	6	5	3	7	7	6	2	–
White	115	81	6	4	2	4	4	2	6	2	4	–	103	70	3	–	5	5	2	5	6	6	1	–
All other	35	26	1	2	2	1	2	–	1	–	–	–	32	22	3	1	1	–	1	2	1	–	1	–
Black	33	25	1	2	2	1	1	–	1	–	–	–	31	21	3	1	1	–	1	2	1	–	1	–
Certain conditions originating in the perinatal period (760-779)	322	320	2	–	–	–	–	–	–	–	–	–	257	256	1	–	–	–	–	–	–	–	–	–
White	173	173	–	–	–	–	–	–	–	–	–	–	150	149	1	–	–	–	–	–	–	–	–	–
All other	149	147	2	–	–	–	–	–	–	–	–	–	107	107	–	–	–	–	–	–	–	–	–	–
Black	145	143	2	–	–	–	–	–	–	–	–	–	105	105	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	81	81	–	–	–	–	–	–	–	–	–	–	65	64	1	–	–	–	–	–	–	–	–	–
White	52	52	–	–	–	–	–	–	–	–	–	–	51	50	1	–	–	–	–	–	–	–	–	–
All other	29	29	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
Black	27	27	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	241	239	2	–	–	–	–	–	–	–	–	–	192	192	–	–	–	–	–	–	–	–	–	–
White	121	121	–	–	–	–	–	–	–	–	–	–	99	99	–	–	–	–	–	–	–	–	–	–
All other	120	118	2	–	–	–	–	–	–	–	–	–	93	93	–	–	–	–	–	–	–	–	–	–
Black	118	116	2	–	–	–	–	–	–	–	–	–	91	91	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	161	59	1	2	2	8	5	8	13	23	20	19	165	52	2	–	5	6	3	6	12	13	27	39
White	111	38	1	1	2	3	1	5	10	17	16	16	119	34	1	–	3	5	3	5	8	8	19	33
All other	50	21	–	1	–	5	4	3	3	6	4	3	46	18	1	–	2	1	–	1	4	5	8	6
Black	49	21	–	1	–	4	4	3	3	6	4	3	44	17	1	–	2	1	–	1	4	4	8	6
All other diseases (Residual)	1,416	21	12	13	25	36	65	139	266	345	307	188	1,389	18	11	13	25	28	39	65	184	288	385	332
White	1,054	10	8	12	13	17	55	98	186	259	252	144	1,086	12	8	10	14	13	24	42	142	220	316	284
All other	362	11	4	1	12	19	30	40	80	86	55	24	303	6	3	3	11	15	15	23	42	68	69	48
Black	358	10	4	1	11	18	30	40	80	86	54	24	300	6	3	3	11	15	15	22	42	66	69	48
Accidents and adverse effects (E800-E949)	1,426	12	26	57	335	240	181	136	163	131	97	50	626	11	17	28	81	71	43	52	63	75	103	84
White	1,101	10	20	48	277	184	136	100	123	88	77	38	500	7	11	19	72	49	30	36	50	64	90	72
All other	327	2	6	9	58	56	45	36	40	43	20	12	126	4	6	7	9	22	13	16	13	11	13	12
Black	313	2	6	8	52	53	43	35	40	43	19	12	118	4	6	6	9	18	13	15	11	11	13	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	633	1	7	28	233	132	81	43	48	29	29	2	242	1	5	14	68	51	25	23	27	14	10	4
White	516	1	6	24	195	103	63	36	43	22	23	–	199	–	4	12	63	35	17	18	24	12	10	4
All other	117	–	1	4	38	29	18	7	5	7	6	2	43	1	1	2	5	16	8	5	3	2	–	–
Black	107	–	1	3	35	26	16	7	5	7	5	2	37	1	1	1	5	14	8	4	1	2	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	795	11	19	29	102	108	100	93	115	102	68	48	384	10	12	12	13	20	18	29	36	61	93	80
White	585	9	14	24	82	81	73	64	80	66	54	38	301	7	7	7	9	14	13	18	28	52	80	68
All other	210	2	5	5	20	27	27	29	35	36	14	10	83	3	5	5	4	6	5	11	10	9	13	12
Black	206	2	5	5	17	27	27	28	35	36	14	10	81	3	5	5	4	4	5	11	10	9	13	12
Suicide (E950-E959)	589	...	...	4	104	108	91	83	88	73	33	5	174	...	...	4	28	28	37	30	30	12	3	2
White	520	...	...	2	90	92	75	71	84	70	33	3	160	...	...	4	24	27	31	29	29	11	3	2
All other	69	...	...	2	14	16	16	12	4	3	–	2	14	...	...	–	4	1	6	1	1	1	–	–
Black	66	...	...	2	14	16	15	10	4	3	–	2	10	...	...	–	3	1	4	–	1	1	–	–
Homicide and legal intervention (E960-E978)	321	3	1	3	74	102	53	40	29	11	5	–	123	3	3	2	36	27	20	13	6	6	6	1
White	140	2	1	3	37	35	25	17	12	6	2	–	78	3	1	2	26	15	12	6	4	6	4	–
All other	181	1	–	–	37	67	28	23	17	5	3	–	45	–	2	–	10	12	8	7	2	1	2	1
Black	177	1	–	–	36	67	27	21	17	5	3	–	42	–	1	–	10	11	7	7	2	1	2	1
All other external causes (E980-E999)	22	–	–	–	6	4	5	1	4	–	2	–	8	–	–	–	2	–	5	–	–	–	–	–
White	18	–	–	–	5	3	3	1	4	–	2	–	5	–	–	–	2	–	3	–	–	–	–	–
All other	4	–	–	–	1	1	2	–	–	–	–	–	3	–	–	–	–	–	2	–	–	–	–	–
Black	4	–	–	–	1	1	2	–	–	–	–	–	3	–	–	–	–	–	2	–	–	–	–	–
WASHINGTON																								
All causes	17,267	439	79	96	496	567	594	1,121	2,708	4,579	4,215	2,370	15,033	301	61	66	189	256	322	692	1,693	3,041	4,117	4,293
White	16,481	380	68	90	438	504	531	1,036	2,565	4,439	4,107	2,322	14,498	259	54	63	164	215	301	640	1,606	2,945	4,024	4,225
All other	786	59	11	6	60	63	63	85	143	140	108	48	535	42	7	3	25	41	21	52	87	96	93	68
Black	359	33	8	4	22	27	31	39	79	67	35	14	246	20	5	3	6	20	10	19	47	50	43	23
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	6	–	–	–	–	–	1	3	–	1	1	–	6	–	–	–	–	–	–	–	1	–	4	1
White	5	–	–	–	–	–	–	3	–	1	1	–	5	–	–	–	–	–	–	–	1	–	3	1
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	6	–	–	–	–	–	1	3	–	1	1	–	6	–	–	–	–	–	–	–	1	–	4	1
White	5	–	–	–	–	–	–	3	–	1	1	–	5	–	–	–	–	–	–	–	1	–	3	1
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	2	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	–	–	–	–	–	1
White	2	2	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	70	1	1	–	–	–	2	2	11	21	14	18	64	1	–	–	–	–	–	3	5	13	25	17
White	65	–	1	–	–	–	1	2	9	20	14	18	61	1	–	–	–	–	–	2	4	13	24	17
All other	5	1	–	–	–	–	1	–	2	1	–	–	3	–	–	–	–	–	–	1	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	10	–	–	–	1	1	–	1	1	3	2	1	4	–	–	–	–	1	–	–	–	1	2	–
White	8	–	–	–	1	1	–	–	1	2	2	1	3	–	–	–	–	1	–	–	–	–	2	–
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	32	3	2	–	1	2	–	1	2	9	9	3	39	–	–	1	1	2	2	3	8	7	9	5
White	27	3	2	–	–	2	–	1	2	9	5	3	36	–	–	1	1	2	2	3	7	6	9	5
All other	5	–	–	–	1	–	–	–	–	–	4	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,911	2	9	12	27	50	101	303	862	1,304	919	322	3,400	2	7	15	13	51	139	308	730	908	813	414
White	3,758	2	7	12	24	46	93	284	820	1,266	890	314	3,310	2	6	15	13	47	135	290	711	887	793	411
All other	153	–	2	–	3	4	8	19	42	38	29	8	90	–	1	–	–	4	4	18	19	21	20	3
Black	77	–	1	–	–	–	4	12	28	21	10	1	45	–	1	–	–	3	2	8	11	13	7	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	85	–	–	–	–	–	3	2	29	34	13	4	58	–	–	–	–	1	2	6	12	18	10	11
White	82	–	–	–	–	–	3	2	29	32	12	4	58	–	–	–	–	1	2	5	11	18	10	11
All other	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,012	1	–	–	–	4	19	85	227	331	244	101	877	1	–	1	1	3	17	54	136	211	299	154
White	960	1	–	–	–	4	18	79	208	320	236	96	856	1	–	1	1	2	16	51	133	207	291	153
All other	52	–	–	–	–	–	3	6	19	11	8	5	21	–	–	–	–	1	1	3	3	4	8	1
Black	23	–	–	–	–	–	–	3	9	6	2	1	7	–	–	–	–	1	–	1	1	2	2	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,360	–	–	–	1	3	22	113	367	513	275	66	652	–	–	–	–	3	20	90	178	211	111	39
White	1,313	–	–	–	1	3	22	104	354	499	266	64	638	–	–	–	–	3	20	87	174	208	107	39
All other	47	–	–	–	–	–	–	9	13	14	9	2	14	–	–	–	–	–	–	3	4	3	4	–
Black	25	–	–	–	–	–	–	6	11	6	2	–	9	–	–	–	–	–	–	2	4	1	2	–
Malignant neoplasm of breast (174-175)	8	–	–	–	–	–	1	–	2	2	3	–	637	–	–	–	–	18	51	70	170	162	109	57
White	8	–	–	–	–	–	1	–	2	2	3	–	613	–	–	–	–	17	49	66	163	154	107	57
All other	–	–	–	–	–	–	–	–	–	–	–	–	24	–	–	–	–	1	2	4	7	8	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	1	1	2	3	6	2	–
Malignant neoplasms of genital organs (179-187)	422	–	–	–	1	6	2	5	48	136	158	66	393	–	–	2	3	7	18	32	94	121	83	33
White	410	–	–	–	1	6	2	5	45	134	151	66	385	–	–	2	3	6	18	30	93	118	82	33
All other	12	–	–	–	–	–	–	–	3	2	7	–	8	–	–	–	–	1	–	2	1	3	1	–
Black	9	–	–	–	–	–	–	–	3	1	5	–	2	–	–	–	–	–	–	–	–	2	–	–
Malignant neoplasms of urinary organs (188-189)	197	–	1	1	–	1	3	9	34	66	50	32	131	–	–	–	1	–	2	4	25	30	41	28
White	190	–	–	1	–	–	3	9	32	64	50	31	128	–	–	–	1	–	2	3	24	29	41	28
All other	7	–	1	–	–	1	–	–	2	2	–	1	3	–	–	–	–	–	–	1	1	1	–	–
Black	2	–	1	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	416	–	6	5	14	19	21	57	76	115	82	21	351	–	5	8	4	11	19	29	74	79	75	47
White	402	–	6	5	13	17	19	55	74	113	79	21	343	–	4	8	4	11	18	27	73	79	73	46
All other	14	–	–	–	1	2	2	2	2	2	3	–	8	–	1	–	–	–	1	2	1	–	2	1
Black	7	–	–	–	–	–	1	2	2	1	1	–	4	–	1	–	–	–	1	1	1	–	–	–
Leukemia (204-208)	171	1	2	3	8	7	10	11	22	49	41	17	116	1	2	4	1	5	6	7	10	31	31	18
White	164	1	1	3	6	6	10	10	22	47	41	17	111	1	2	4	1	4	6	5	9	30	31	18
All other	7	–	1	–	2	1	–	1	–	2	–	–	5	–	–	–	–	1	–	2	1	1	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	1	–	–	–	1	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	240	–	–	3	3	10	20	21	57	58	53	15	185	–	–	–	3	3	4	16	31	47	54	27
White	229	–	–	3	3	10	17	20	54	55	52	15	180	–	–	–	3	3	4	16	31	46	51	26
All other	11	–	–	–	–	–	3	1	3	3	1	–	5	–	–	–	–	–	–	–	–	1	3	1
Black	8	–	–	–	–	–	3	1	2	2	–	–	1	–	–	–	–	–	–	–	–	1	1	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	–	–	1	1	–	1	4	9	9	9	5	40	–	1	–	1	1	–	4	5	9	14	5
White	37	–	–	1	1	–	1	4	8	9	9	5	40	–	1	–	1	1	–	4	5	9	14	5
All other	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	235	1	–	–	2	4	16	18	50	72	52	20	323	–	–	–	1	7	10	17	38	94	91	65
White	218	1	–	–	2	4	16	17	44	65	49	20	297	–	–	–	–	7	9	17	31	85	84	64
All other	17	–	–	–	–	–	–	1	6	7	3	–	26	–	–	–	1	–	1	–	7	9	7	1
Black	7	–	–	–	–	–	–	1	3	1	2	–	19	–	–	–	–	–	1	–	6	6	5	1
Nutritional deficiencies (260-269)	16	–	–	–	–	–	–	–	2	3	4	7	27	–	–	–	–	–	–	–	1	2	9	15
White	15	–	–	–	–	–	–	–	2	3	4	6	26	–	–	–	–	–	–	–	1	2	9	14
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	19	–	–	–	1	1	–	–	1	6	5	5	39	–	1	–	–	1	–	–	5	6	13	13
White	18	–	–	–	–	1	–	–	1	6	5	5	36	–	–	–	–	–	–	–	4	6	13	13
All other	1	–	–	–	1	–	–	–	–	–	–	–	3	–	1	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Meningitis (320-322)	5	2	1	–	–	–	–	1	–	–	1	–	5	1	1	–	1	–	–	1	–	–	1	–
White	5	2	1	–	–	–	–	1	–	–	1	–	5	1	1	–	1	–	–	1	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	7,816	8	2	4	6	25	164	427	1,221	2,224	2,297	1,438	7,498	5	1	1	8	18	44	166	552	1,378	2,393	2,930
White	7,574	6	2	4	6	23	148	395	1,170	2,162	2,250	1,408	7,304	5	1	1	8	13	39	155	514	1,336	2,345	2,885
All other	242	2	–	–	–	2	16	32	51	62	47	30	194	–	–	–	–	5	5	11	38	42	48	45
Black	108	2	–	–	–	1	9	18	29	25	13	11	91	–	–	–	–	1	3	5	25	19	22	16
Diseases of heart (390-398,402,404-429)	6,266	7	2	1	4	17	134	392	1,069	1,828	1,747	1,065	5,419	5	1	1	6	14	36	118	423	1,062	1,717	2,035
White	6,083	5	2	1	4	16	124	366	1,025	1,778	1,717	1,045	5,277	5	1	1	6	9	32	110	394	1,030	1,685	2,003
All other	183	2	–	–	–	1	10	26	44	50	30	20	142	–	–	–	–	5	4	8	29	32	32	32
Black	84	2	–	–	–	1	5	13	28	21	7	9	71	–	–	–	–	1	3	4	19	16	14	14
Rheumatic fever and rheumatic heart disease (390-398)	39	–	–	–	–	–	1	3	9	13	11	2	96	–	–	–	–	–	1	6	11	37	26	15
White	38	–	–	–	–	–	1	3	8	13	11	2	93	–	–	–	–	–	1	5	10	37	25	15
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Hypertensive heart disease (402)	87	–	–	–	–	–	1	6	18	30	15	17	165	–	–	–	–	–	2	4	14	31	56	58
White	82	–	–	–	–	–	1	5	17	28	14	17	153	–	–	–	–	–	2	3	12	29	54	53
All other	5	–	–	–	–	–	–	1	1	2	1	–	12	–	–	–	–	–	–	1	2	2	2	5
Black	3	–	–	–	–	–	–	1	–	2	–	–	8	–	–	–	–	–	–	1	2	2	1	2
Hypertensive heart and renal disease (404)	16	–	–	–	–	–	–	–	2	5	8	3	23	–	–	–	–	–	–	–	1	2	10	10
White	17	–	–	–	–	–	–	–	2	4	8	3	22	–	–	–	–	–	–	–	–	2	10	10
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Ischemic heart disease (410-414)	4,697	–	–	–	–	10	107	317	824	1,428	1,266	725	3,586	–	–	–	–	5	23	70	284	742	1,164	1,297
White	4,579	–	–	–	–	9	102	298	795	1,396	1,267	712	3,501	–	–	–	–	3	20	66	263	723	1,146	1,279
All other	118	–	–	–	–	1	5	19	29	32	19	13	85	–	–	–	–	2	3	4	21	19	18	18
Black	53	–	–	–	–	1	4	10	17	13	4	4	37	–	–	–	–	–	2	2	14	6	7	6
Acute myocardial infarction (410)	2,595	–	–	–	–	7	64	198	542	843	678	263	1,703	–	–	–	–	3	14	51	177	435	585	437
White	2,532	–	–	–	–	6	61	187	527	826	665	260	1,652	–	–	–	–	2	12	49	166	420	573	429
All other	63	–	–	–	–	1	3	11	15	17	13	3	51	–	–	–	–	1	2	2	11	15	12	8
Black	28	–	–	–	–	1	2	6	6	9	3	1	17	–	–	–	–	–	1	–	8	4	4	2
Other acute and subacute forms of ischemic heart disease (411)	10	–	–	–	–	–	–	–	1	3	3	3	6	–	–	–	–	–	–	–	–	2	2	2
White	10	–	–	–	–	–	–	–	1	3	3	3	6	–	–	–	–	–	–	–	–	2	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	9	–	–	–	–	1	–	–	1	–	4	3	7	–	–	–	–	–	–	–	2	–	3	2
White	9	–	–	–	–	1	–	–	1	–	4	3	7	–	–	–	–	–	–	–	2	–	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,083	–	–	–	–	2	43	119	280	582	601	456	1,870	–	–	–	–	2	9	19	105	305	574	856
White	2,028	–	–	–	–	2	41	111	266	567	595	446	1,838	–	–	–	–	1	8	17	95	301	568	846
All other	55	–	–	–	–	–	2	8	14	15	6	10	34	–	–	–	–	1	1	2	10	4	6	10
Black	25	–	–	–	–	–	2	4	11	4	1	3	20	–	–	–	–	–	1	2	8	2	3	4
Other diseases of endocardium (424)	66	1	–	–	–	–	1	9	12	18	25	19	95	–	–	–	–	1	2	4	6	20	33	29
White	63	1	–	–	–	–	1	9	11	18	24	18	92	–	–	–	–	–	1	4	6	20	33	28
All other	3	–	–	–	–	–	–	–	1	–	1	1	3	–	–	–	–	1	1	–	–	–	–	1
Black	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,339	6	2	1	4	7	24	57	204	333	402	299	1,454	5	1	1	6	8	8	34	107	230	428	626
White	1,284	4	2	1	4	7	19	51	192	318	393	293	1,416	5	1	1	6	6	8	32	103	219	417	618
All other	55	2	–	–	–	–	5	6	12	15	9	6	38	–	–	–	–	2	–	2	4	11	11	8
Black	25	2	–	–	–	–	1	2	8	5	3	4	22	–	–	–	–	1	–	–	2	8	5	6
Hypertension with or without renal disease (401,403)	60	–	–	–	–	–	2	–	5	18	21	14	73	–	–	–	–	–	1	1	9	13	30	18
White	55	–	–	–	–	–	–	–	5	17	19	14	67	–	–	–	–	–	1	1	8	12	28	17
All other	5	–	–	–	–	–	2	–	–	1	2	–	6	–	–	–	–	–	–	–	1	1	2	2
Black	2	–	–	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Cerebrovascular diseases (430-438)	1,045	–	–	3	1	8	23	26	107	249	366	242	1,604	–	–	–	2	4	6	41	100	240	542	669
White	1,001	–	–	3	1	7	19	21	100	241	375	234	1,562	–	–	–	2	4	5	38	92	233	529	659
All other	44	–	–	–	–	1	4	5	7	8	11	8	42	–	–	–	–	–	1	3	8	7	13	10
Black	17	–	–	–	–	–	3	5	3	2	3	1	17	–	–	–	–	–	–	1	5	2	7	2
Intracerebral and other intracranial hemorrhage (431-432)	148	–	–	3	–	3	6	11	25	53	37	10	188	–	–	–	1	–	1	12	25	51	50	46
White	136	–	–	3	–	3	3	7	22	53	36	9	183	–	–	–	1	–	1	12	25	47	49	46
All other	12	–	–	–	–	–	3	4	3	–	1	1	5	–	–	–	–	–	–	–	–	4	1	–
Black	7	–	–	–	–	–	2	4	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	131	–	–	–	–	1	2	1	15	31	50	31	236	–	–	–	–	1	–	2	9	38	88	98
White	127	–	–	–	–	1	1	1	15	29	49	31	233	–	–	–	–	1	–	2	8	37	87	98
All other	4	–	–	–	–	–	1	–	–	2	1	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	1	1	4	1	10	–	–	–	–	–	–	1	1	–	4	4
White	7	–	–	–	–	–	–	–	1	1	4	1	10	–	–	–	–	–	–	1	1	–	4	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	759	–	–	–	1	4	15	14	66	164	295	200	1,170	–	–	–	1	3	5	25	65	151	400	519
White	731	–	–	–	1	3	15	13	62	158	286	193	1,136	–	–	–	1	3	4	23	58	149	389	509
All other	28	–	–	–	–	1	–	1	4	6	9	7	34	–	–	–	–	–	1	3	7	2	11	10
Black	9	–	–	–	–	–	–	1	2	2	3	1	14	–	–	–	–	–	–	1	4	1	8	2
Atherosclerosis (440)	195	–	–	–	–	–	1	–	7	36	74	77	273	–	–	–	–	–	–	1	3	30	58	180
White	190	–	–	–	–	–	1	–	7	36	71	75	270	–	–	–	–	–	–	1	3	28	58	179
All other	5	–	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–	–	–	–	–	2	–	1
Black	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	250	1	–	–	1	–	4	9	33	93	69	40	129	–	–	–	–	–	1	5	17	33	46	27
White	245	1	–	–	1	–	4	8	33	90	68	40	128	–	–	–	–	–	1	5	17	33	45	27
All other	5	–	–	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	4	1	–	–	–	–	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	1	2
White	4	1	–	–	–	–	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	435	3	4	2	1	3	–	16	27	76	143	160	473	5	–	–	3	6	3	10	7	58	122	259
White	422	3	4	2	1	3	–	15	26	73	141	154	457	4	–	–	3	4	3	10	7	53	119	254
All other	13	–	–	–	–	–	–	1	1	3	2	6	16	1	–	–	–	2	–	–	–	5	3	5
Black	5	–	–	–	–	–	–	1	–	1	2	1	8	–	–	–	–	1	–	–	–	2	2	3
Pneumonia (480-486)	414	2	4	2	1	3	–	16	27	75	134	150	449	5	–	–	3	6	3	10	7	54	116	245
White	401	2	4	2	1	3	–	15	26	72	132	144	434	4	–	–	3	4	3	10	7	50	113	240
All other	13	–	–	–	–	–	–	1	1	3	2	6	15	1	–	–	–	2	–	–	–	4	3	5
Black	5	–	–	–	–	–	–	1	–	1	2	1	8	–	–	–	–	1	–	–	–	2	2	3
Influenza (487)	21	1	–	–	–	–	–	–	–	1	9	10	24	–	–	–	–	–	–	–	–	4	6	14
White	21	1	–	–	–	–	–	–	–	1	9	10	23	–	–	–	–	–	–	–	–	3	6	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	838	1	–	–	2	1	2	19	121	316	289	87	492	–	–	1	1	1	6	17	76	181	144	65
White	819	1	–	–	2	1	1	19	116	305	287	85	480	–	–	1	1	1	3	16	74	179	142	63
All other	19	–	–	–	–	–	1	–	3	11	2	2	12	–	–	–	–	–	3	1	2	2	2	2
Black	13	–	–	–	–	–	1	–	1	9	2	–	8	–	–	–	–	–	3	1	2	2	–	–
Bronchitis, chronic and unspecified (490-491)	37	1	–	–	–	1	–	1	6	12	12	4	22	–	–	–	–	–	–	1	4	6	5	6
White	36	1	–	–	–	1	–	1	6	12	12	3	22	–	–	–	–	–	–	1	4	6	5	6
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	202	–	–	–	–	–	–	6	31	87	66	12	109	–	–	–	–	–	–	1	20	51	30	7
White	198	–	–	–	–	–	–	6	30	84	66	12	108	–	–	–	–	–	–	1	19	51	30	7
All other	4	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	4	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	30	-	-	-	2	-	2	2	4	9	6	3	56	-	-	1	1	1	4	5	12	11	11	10
White	28	-	-	-	2	-	1	2	4	8	6	3	50	-	-	1	1	1	2	4	12	9	10	10
All other	2	-	-	-	-	-	1	-	-	1	-	-	6	-	-	-	-	-	2	1	-	2	1	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	2	1	-	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	569	-	-	-	-	-	-	10	80	208	203	68	305	-	-	-	-	-	2	10	40	113	98	42
White	557	-	-	-	-	-	-	10	78	201	201	67	300	-	-	-	-	-	1	10	39	113	97	40
All other	12	-	-	-	-	-	-	-	2	7	2	1	5	-	-	-	-	-	1	-	1	-	1	2
Black	7	-	-	-	-	-	-	-	-	5	2	-	2	-	-	-	-	-	1	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	65	-	-	-	-	-	2	2	9	23	15	15	71	-	-	-	-	-	1	-	10	16	20	24
White	62	-	-	-	-	-	2	1	8	21	15	15	69	-	-	-	-	-	1	-	9	15	20	24
All other	3	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	1	-	-	2	1
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	1	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	-	-	1	1	-	2	-	-	3	12	9	54	1	-	-	-	-	-	-	7	5	15	26
White	28	-	-	1	1	-	2	-	-	3	12	9	53	1	-	-	-	-	-	-	7	4	15	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic liver disease and cirrhosis (571)	287	-	-	-	1	10	26	57	86	71	32	4	177	-	-	-	1	9	18	29	53	52	12	2
White	260	-	-	-	1	7	23	48	76	69	32	4	159	-	-	-	1	6	16	22	48	52	12	2
All other	27	-	-	-	-	3	3	9	10	2	-	-	18	-	-	-	-	3	3	7	5	-	-	-
Black	9	-	-	-	-	1	1	1	5	1	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	-	-	7	5	5	23	-	-	-	-	-	-	2	-	5	6	10
White	16	-	-	-	-	-	-	-	-	7	4	5	23	-	-	-	-	-	-	2	-	5	6	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	117	2	-	-	-	-	5	5	14	25	28	38	120	1	-	-	-	-	1	1	3	14	28	34	35
White	112	2	-	-	-	-	4	4	13	25	27	37	112	1	-	-	-	-	1	1	2	14	26	30	37
All other	5	-	-	-	-	-	1	1	1	-	1	1	8	-	-	-	-	-	-	-	1	-	2	4	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	-	2	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	1	-	2	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	-	-	1	3	-	4	5	2	12	-	-	-	-	-	-	1	1	4	4	2
White	13	-	-	-	-	-	-	2	-	4	5	2	11	-	-	-	-	-	-	1	1	4	3	2
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	2	-	-	-	-	4	2	13	21	21	36	105	1	-	-	-	1	1	2	12	24	28	35
White	97	2	-	-	-	-	4	2	12	21	21	35	98	1	-	-	-	1	1	1	12	22	25	35
All other	2	-	-	-	-	-	-	-	1	-	-	1	7	-	-	-	-	-	-	1	-	2	3	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Infections of kidney (590)	10	-	-	-	-	-	-	2	1	2	2	3	14	-	-	-	-	-	-	1	1	4	4	4
White	9	-	-	-	-	-	-	2	1	2	1	3	14	-	-	-	-	-	-	1	1	4	4	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	1	2	5	4	---	---	---	---	---	---	---	---	---	---	---	---
White	12	-	-	-	-	-	-	-	1	2	5	4	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	1	2	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Congenital anomalies (740-759)	138	92	8	7	6	6	2	2	4	7	2	2	110	69	9	2	8	2	5	1	7	3	4	2
White	125	82	6	7	5	6	2	2	4	7	2	2	98	58	8	2	6	2	5	1	7	3	4	2
All other	13	10	2	–	1	–	–	–	–	–	–	–	12	11	1	–	–	–	–	–	–	–	–	–
Black	7	4	2	–	1	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	165	163	2	–	–	–	–	–	–	–	–	–	123	121	2	–	–	–	–	–	–	–	–	–
White	143	141	2	–	–	–	–	–	–	–	–	–	107	105	2	–	–	–	–	–	–	–	–	–
All other	22	22	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	14	14	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	58	56	2	–	–	–	–	–	–	–	–	–	43	42	1	–	–	–	–	–	–	–	–	–
White	52	50	2	–	–	–	–	–	–	–	–	–	33	32	1	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	107	107	–	–	–	–	–	–	–	–	–	–	80	79	1	–	–	–	–	–	–	–	–	–
White	91	91	–	–	–	–	–	–	–	–	–	–	74	73	1	–	–	–	–	–	–	–	–	–
All other	16	16	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	12	12	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	151	123	1	–	2	4	3	2	–	10	4	1	102	74	–	–	–	–	–	2	2	5	9	10
White	130	105	1	–	1	4	3	2	–	9	3	1	88	62	–	–	–	–	–	1	1	5	9	10
All other	21	18	–	–	1	–	–	–	–	1	1	–	14	12	–	–	–	–	–	1	1	–	–	–
Black	12	9	–	–	1	–	–	–	–	1	1	–	4	3	–	–	–	–	–	1	–	–	–	–
All other diseases (Residual)	992	20	6	9	25	30	41	71	140	221	278	151	1,050	13	13	10	17	21	21	51	109	196	294	305
White	941	16	6	9	22	29	37	63	129	213	266	151	1,006	12	13	9	16	18	19	44	102	189	288	296
All other	51	4	–	–	3	1	4	8	11	8	12	–	44	1	–	1	1	3	2	7	7	7	6	9
Black	22	3	–	–	–	1	–	3	6	6	3	–	14	–	–	1	–	–	–	1	2	5	3	2
Accidents and adverse effects (E800-E949)	1,237	9	40	55	289	288	139	109	89	97	63	61	532	5	22	32	95	68	35	41	37	53	66	78
White	1,119	8	34	49	259	256	123	100	76	94	59	61	488	5	18	30	83	55	33	36	34	50	65	77
All other	118	1	6	6	30	32	15	8	13	3	4	–	44	–	4	2	12	13	2	3	3	3	1	1
Black	44	–	4	4	10	12	7	1	5	–	1	–	17	–	3	2	2	8	–	–	–	–	1	1
Motor vehicle accidents (E810-E825)	576	2	13	24	193	161	63	35	32	31	14	8	250	–	10	19	77	39	22	24	17	21	17	4
White	526	2	11	19	178	149	58	32	26	29	14	8	225	–	9	17	69	29	21	23	17	19	17	4
All other	50	–	2	5	15	12	5	3	6	2	–	–	25	–	1	2	8	10	1	1	–	2	–	–
Black	17	–	2	4	5	4	1	–	1	–	–	–	10	–	1	2	2	5	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	661	7	27	31	96	127	75	73	57	66	49	53	282	5	12	13	18	29	13	17	20	32	49	74
White	593	6	23	30	81	107	65	68	50	65	45	53	263	5	9	13	14	26	12	15	17	31	48	73
All other	68	1	4	1	15	20	10	5	7	1	4	–	19	–	3	–	4	3	1	2	3	1	1	1
Black	27	–	2	–	5	8	6	1	4	–	1	–	7	–	2	–	–	3	–	–	–	–	1	1
Suicide (E950-E959)	438	...	...	3	82	94	62	59	49	62	19	8	134	...	...	–	14	35	26	19	21	13	6	–
White	412	...	...	3	74	83	56	58	49	62	19	8	125	...	...	–	10	32	26	18	20	13	6	–
All other	26	...	...	–	8	11	6	1	–	–	–	–	9	...	...	–	4	3	–	1	1	–	–	–
Black	9	...	...	–	2	4	3	–	–	–	–	–	2	...	...	–	–	2	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	131	6	2	1	41	36	19	12	7	2	2	2	77	–	2	4	24	24	8	9	1	2	3	–
White	101	5	1	1	31	27	14	10	5	2	2	2	63	–	2	4	18	19	7	8	1	1	3	–
All other	30	1	1	–	10	9	5	2	2	–	–	–	14	–	–	–	6	5	1	1	–	1	–	–
Black	22	1	1	–	7	7	4	–	2	–	–	–	8	–	–	–	3	3	–	–	–	–	–	–
All other external causes (E980-E989)	36	–	1	1	7	12	7	5	2	–	–	–	20	1	1	–	2	6	1	4	3	2	–	–
White	31	–	1	1	5	11	5	5	2	–	–	–	18	–	1	–	2	5	1	4	3	2	–	–
All other	5	–	–	–	2	1	2	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	3	–	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,414	182	31	41	280	273	347	787	1,891	2,825	2,524	1,222	8,580	130	28	27	104	99	151	438	1,082	1,875	2,616	2,029
White	9,963	175	29	38	284	259	336	753	1,818	2,712	2,395	1,163	8,193	121	28	26	97	89	141	422	1,035	1,783	2,505	1,946
All other	451	7	2	3	6	14	11	34	73	113	129	59	387	9	–	1	7	10	10	16	47	92	111	83
Black	446	7	2	3	6	14	11	32	72	113	128	58	384	9	–	1	6	10	9	16	46	92	111	83
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	19	–	–	–	–	–	–	2	1	3	6	1	5	–	–	–	–	–	–	–	–	2	1	2
White	12	–	–	–	–	–	–	2	1	3	6	–	4	–	–	–	–	–	–	–	–	1	1	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis of respiratory system (010-012)	12	–	–	–	–	–	–	2	1	2	6	1	4	–	–	–	–	–	–	–	–	2	1	1
White	11	–	–	–	–	–	–	2	1	2	6	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	43	2	–	–	–	1	–	5	7	10	11	7	71	2	–	–	–	2	–	2	11	15	22	17
White	43	2	–	–	–	1	–	5	7	10	11	7	67	2	–	–	–	2	–	2	11	14	20	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	1	–	1	1	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	1	–	1	1	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	21	2	1	2	–	2	1	–	4	4	4	1	20	–	–	–	–	1	1	1	4	3	5	5
White	18	1	1	2	–	2	1	–	4	4	4	–	17	–	–	–	–	1	1	1	4	3	4	3
All other	2	1	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	1	2
Black	2	1	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,103	–	2	1	9	17	47	193	534	686	472	132	1,811	2	1	1	8	29	59	194	395	511	436	175
White	1,998	–	2	1	8	17	47	187	515	653	441	127	1,734	2	1	1	7	27	55	191	376	491	416	167
All other	105	–	–	–	1	–	–	6	19	43	31	5	77	–	–	–	1	2	4	3	19	20	20	8
Black	103	–	–	–	1	–	–	5	18	43	31	5	76	–	–	–	–	2	4	3	19	20	20	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	-	-	-	-	-	-	2	14	11	7	1	22	-	-	-	-	-	-	6	5	2	6	3
White	32	-	-	-	-	-	-	2	14	8	7	1	21	-	-	-	-	-	-	6	4	2	6	3
All other	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	447	-	-	-	2	2	10	43	88	145	110	37	449	-	-	-	-	4	10	25	75	139	140	56
White	426	-	-	-	2	2	10	42	95	136	103	36	420	-	-	-	-	4	10	24	67	127	132	56
All other	21	-	-	-	-	-	-	1	3	9	7	1	28	-	-	-	-	-	-	1	8	6	8	3
Black	21	-	-	-	-	-	-	1	3	9	7	1	28	-	-	-	-	-	-	1	8	6	8	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	887	-	-	-	-	1	12	82	256	319	169	28	349	-	-	-	1	1	7	41	118	101	65	17
White	811	-	-	-	-	1	12	79	242	298	153	26	336	-	-	-	-	-	6	41	111	99	63	16
All other	56	-	-	-	-	-	-	3	14	21	16	2	13	-	-	-	1	1	1	-	5	2	2	1
Black	56	-	-	-	-	-	-	3	14	21	16	2	12	-	-	-	-	1	1	-	5	2	2	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	-	2	1	-	318	-	-	-	-	11	17	58	75	85	49	25
White	4	-	-	-	-	-	-	1	-	2	1	-	307	-	-	-	-	10	15	55	74	83	48	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	1	2	1	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	1	2	1	1	2	1	1
Malignant neoplasms of genital organs (179-187)	164	-	-	-	-	4	-	3	21	45	66	25	198	-	-	-	1	2	10	24	46	52	43	20
White	148	-	-	-	-	4	-	3	20	39	60	23	187	-	-	-	1	2	10	23	46	48	39	18
All other	15	-	-	-	-	-	-	-	1	6	6	2	11	-	-	-	-	-	-	1	-	4	4	2
Black	15	-	-	-	-	-	-	-	1	6	6	2	11	-	-	-	-	-	-	1	-	4	4	2
Malignant neoplasms of urinary organs (188-189)	98	-	-	-	1	-	1	10	27	34	16	5	51	-	-	-	1	-	-	7	5	16	16	6
White	95	-	-	-	1	-	1	10	27	33	16	5	49	-	-	-	1	-	-	7	5	14	16	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	312	-	1	1	-	5	20	38	79	69	59	20	266	2	1	1	1	6	12	17	48	82	65	30
White	308	-	1	1	-	5	20	37	78	68	58	20	258	2	1	1	1	6	11	17	48	80	63	30
All other	4	-	-	-	-	-	-	1	1	1	1	-	8	-	-	-	-	-	1	-	3	2	2	-
Black	2	-	-	-	-	-	-	-	1	1	1	-	8	-	-	-	-	-	1	-	3	2	2	-
Leukemia (204-208)	77	-	1	-	4	2	2	8	18	25	13	10	62	-	-	-	3	2	1	7	7	17	17	8
White	76	-	1	-	3	2	2	5	15	25	13	10	59	-	-	-	3	2	1	7	6	16	17	7
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	101	-	-	-	2	3	2	9	24	26	29	6	99	-	-	-	1	3	2	11	17	23	35	7
White	97	-	-	-	2	3	2	8	24	24	28	6	97	-	-	-	1	3	2	11	17	22	34	7
All other	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	1	1	-	-	2	1	5	4	7	6	5	33	-	-	-	2	-	1	1	3	4	16	6
White	31	1	1	-	-	2	1	4	4	7	6	5	31	-	-	-	2	-	1	1	2	4	16	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Diabetes mellitus (250)	144	-	-	-	-	4	6	10	25	44	36	19	217	1	-	-	1	3	3	11	36	60	68	34
White	135	-	-	-	-	4	6	9	23	41	33	19	202	1	-	-	-	3	3	11	31	55	66	32
All other	9	-	-	-	-	-	-	1	2	3	3	-	15	-	-	-	1	-	-	-	5	5	2	2
Black	9	-	-	-	-	-	-	1	2	3	3	-	15	-	-	-	1	-	-	-	5	5	2	2
Nutritional deficiencies (260-269)	10	1	-	-	-	-	-	-	1	-	3	5	13	1	-	-	-	-	-	-	1	1	1	9
White	9	1	-	-	-	-	-	-	1	-	3	4	13	1	-	-	-	-	-	-	1	1	1	9
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	19	-	2	1	-	-	-	-	4	4	5	3	11	-	1	-	-	-	-	-	1	2	3	4
White	19	-	2	1	-	-	-	-	4	4	5	3	11	-	1	-	-	-	-	-	1	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	10	1	1	-	1	-	1	1	4	-	-	1	5	-	2	1	-	-	-	-	-	-	1	1
White	10	1	1	-	1	-	1	1	4	-	-	1	5	-	2	1	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,157	8	2	-	6	25	114	381	916	1,480	1,487	757	4,701	5	1	3	10	12	37	135	411	981	1,637	1,468
White	4,953	8	2	-	6	24	110	349	882	1,431	1,417	723	4,492	5	1	3	8	9	35	126	396	931	1,563	1,415
All other	204	-	-	-	-	1	4	12	34	49	70	34	209	-	-	-	2	3	2	9	15	50	74	53
Black	202	-	-	-	-	1	4	11	34	49	70	33	209	-	-	-	2	3	2	9	15	50	74	53

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,314	8	2	–	6	22	103	319	830	1,265	1,184	574	3,602	5	–	2	7	11	27	101	341	775	1,222	1,110
White	4,154	8	2	–	6	21	100	308	802	1,226	1,135	545	3,439	5	–	2	5	9	26	94	331	733	1,164	1,070
All other	160	–	–	–	–	1	3	11	28	39	49	29	163	–	–	–	2	2	1	7	10	42	58	40
Black	158	–	–	–	–	1	3	10	28	39	49	28	163	–	–	–	2	2	1	7	10	42	58	40
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	–	2	1	–	7	4	4	2	45	–	–	–	2	2	5	4	8	14	8	2
White	20	–	–	–	–	2	1	–	7	4	4	2	44	–	–	–	2	2	5	4	7	14	8	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart disease (402)	86	–	–	–	–	1	1	7	15	31	22	9	110	1	–	–	–	1	1	3	11	22	32	39
White	79	–	–	–	–	1	–	6	13	30	20	9	98	1	–	–	–	–	1	–	11	21	29	35
All other	7	–	–	–	–	–	1	1	2	1	2	–	12	–	–	–	–	1	–	3	–	1	3	4
Black	7	–	–	–	–	–	1	1	2	1	2	–	12	–	–	–	–	1	–	3	–	1	3	4
Hypertensive heart and renal disease (404)	16	–	–	–	–	–	–	–	2	4	7	3	9	–	–	–	–	–	–	–	1	–	7	1
White	16	–	–	–	–	–	–	–	2	4	7	3	9	–	–	–	–	–	–	–	1	–	7	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	3,086	–	–	–	–	9	64	231	642	921	842	376	2,441	–	–	–	–	3	12	61	245	547	838	734
White	2,988	–	–	–	–	9	64	223	622	893	813	361	2,339	–	–	–	–	2	12	59	242	516	798	712
All other	100	–	–	–	–	–	–	8	20	28	29	15	102	–	–	–	–	1	–	2	3	31	42	22
Black	98	–	–	–	–	–	–	7	20	28	29	14	102	–	–	–	–	1	–	2	3	31	42	22
Acute myocardial infarction (410)	1,822	–	–	–	–	7	45	172	425	575	450	139	1,172	–	–	–	–	2	10	41	180	315	388	236
White	1,774	–	–	–	–	7	45	168	423	562	436	133	1,123	–	–	–	–	1	10	40	179	293	370	230
All other	48	–	–	–	–	–	–	4	12	13	14	5	49	–	–	–	–	1	–	1	1	22	18	6
Black	47	–	–	–	–	–	–	3	12	13	14	5	49	–	–	–	–	1	–	1	1	22	18	6
Other acute and subacute forms of ischemic heart disease (411)	7	–	–	–	–	–	1	–	1	3	2	–	7	–	–	–	–	–	–	–	1	1	4	1
White	7	–	–	–	–	–	1	–	1	3	2	–	7	–	–	–	–	–	–	–	1	1	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	7	–	–	–	–	–	–	1	1	3	2	–	2	–	–	–	–	–	–	1	–	–	1	–
White	7	–	–	–	–	–	–	1	1	3	2	–	2	–	–	–	–	–	–	1	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,250	–	–	–	–	2	18	58	205	340	388	238	1,260	–	–	–	–	1	2	18	64	231	445	497
White	1,198	–	–	–	–	2	18	54	197	325	373	228	1,207	–	–	–	–	1	2	18	62	222	421	481
All other	52	–	–	–	–	–	–	4	8	15	15	10	53	–	–	–	–	–	–	1	2	9	24	16
Black	51	–	–	–	–	–	–	4	8	15	15	9	53	–	–	–	–	–	–	1	2	9	24	16
Other diseases of endocardium (424)	40	–	–	–	–	–	2	5	3	15	13	2	29	–	–	–	1	–	–	1	2	4	13	8
White	40	–	–	–	–	–	2	5	3	15	13	2	27	–	–	–	–	–	–	–	2	4	13	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
All other forms of heart disease (415-423,425-429)	1,066	8	2	–	6	10	35	76	181	290	296	182	968	4	–	2	4	5	9	32	74	188	324	326
White	1,013	8	2	–	6	9	33	74	155	280	278	168	922	4	–	2	3	5	8	31	68	178	311	312
All other	53	–	–	–	–	1	2	2	6	10	18	14	46	–	–	–	1	–	1	1	6	10	13	14
Black	53	–	–	–	–	1	2	2	6	10	18	14	46	–	–	–	1	–	1	1	6	10	13	14
Hypertension with or without renal disease (401,403)	22	–	–	–	–	–	–	1	–	7	5	9	35	–	–	–	–	–	–	–	5	12	11	7
White	19	–	–	–	–	–	–	–	–	6	4	9	32	–	–	–	–	–	–	–	5	11	10	6
All other	3	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Black	3	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
Cerebrovascular diseases (430-438)	591	–	–	–	–	2	9	32	57	141	222	128	843	–	1	1	2	1	10	32	56	149	330	261
White	557	–	–	–	–	2	8	32	53	133	205	124	808	–	1	1	2	–	9	30	51	144	316	252
All other	34	–	–	–	–	–	1	–	4	8	17	4	37	–	–	–	–	1	1	2	5	5	14	9
Black	34	–	–	–	–	–	1	–	4	8	17	4	37	–	–	–	–	1	1	2	5	5	14	9
Intracerebral and other intracranial hemorrhage (431-432)	69	–	–	–	–	–	4	10	8	23	19	5	97	–	1	1	1	–	4	12	8	26	34	10
White	66	–	–	–	–	–	3	10	7	23	18	5	91	–	1	1	1	–	4	11	7	25	32	9
All other	3	–	–	–	–	–	1	–	1	–	1	–	6	–	–	–	–	–	–	1	1	1	2	1
Black	3	–	–	–	–	–	1	–	1	–	1	–	6	–	–	–	–	–	–	1	1	1	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	112	–	–	–	–	–	–	2	12	26	39	33	138	–	–	–	–	–	1	–	9	22	57	49
White	105	–	–	–	–	–	–	2	12	24	34	33	136	–	–	–	–	–	1	–	8	22	56	49
All other	7	–	–	–	–	–	–	–	–	2	5	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	7	–	–	–	–	–	–	–	–	2	5	–	2	–	–	–	–	–	–	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	2	3	-	6	-	-	-	-	-	-	1	1	2	1	1
White	5	-	-	-	-	-	-	-	-	2	3	-	6	-	-	-	-	-	-	1	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	405	-	-	-	-	2	5	20	37	90	161	90	602	-	-	-	1	1	5	19	38	99	238	201
White	381	-	-	-	-	2	5	20	34	84	150	66	573	-	-	-	1	-	4	18	35	95	227	193
All other	24	-	-	-	-	-	-	-	3	6	11	4	29	-	-	-	-	1	1	1	3	4	11	8
Black	24	-	-	-	-	-	-	-	3	6	11	4	29	-	-	-	-	1	1	1	3	4	11	8
Atherosclerosis (440)	101	-	-	-	-	-	-	2	5	23	35	36	146	-	-	-	1	-	-	1	-	17	55	72
White	97	-	-	-	-	-	-	2	4	22	33	36	141	-	-	-	1	-	-	1	-	16	54	69
All other	4	-	-	-	-	-	-	-	1	1	2	-	5	-	-	-	-	-	-	-	-	1	1	3
Black	4	-	-	-	-	-	-	-	1	1	2	-	5	-	-	-	-	-	-	-	-	1	1	3
Other diseases of arteries, arterioles, and capillaries (441-448)	129	-	-	-	-	1	2	7	24	44	41	10	75	-	-	-	-	-	-	1	9	28	19	18
White	126	-	-	-	-	1	2	7	23	44	40	9	74	-	-	-	-	-	-	1	9	27	19	18
All other	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1	2	3
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	197	3	-	-	3	2	2	5	17	37	62	66	188	5	-	-	1	1	-	2	13	41	65	70
White	189	3	-	-	3	2	2	4	16	36	60	63	180	5	-	-	-	1	-	2	13	41	63	65
All other	8	-	-	-	-	-	-	1	1	1	2	3	8	-	-	-	1	-	-	-	-	-	2	5
Black	8	-	-	-	-	-	-	1	1	1	2	3	8	-	-	-	1	-	-	-	-	-	2	5
Pneumonia (480-486)	196	3	-	-	3	2	2	5	17	36	62	66	187	5	-	-	1	1	-	2	13	41	65	69
White	188	3	-	-	3	2	2	4	16	35	60	63	179	5	-	-	-	1	-	2	13	41	63	64
All other	8	-	-	-	-	-	-	1	1	1	2	3	8	-	-	-	1	-	-	-	-	-	2	5
Black	8	-	-	-	-	-	-	1	1	1	2	3	8	-	-	-	1	-	-	-	-	-	2	5
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	471	1	-	-	1	-	-	15	78	179	139	58	219	-	1	-	1	-	2	17	51	72	52	23
White	451	1	-	-	1	-	-	14	76	171	133	55	215	-	1	-	-	-	2	17	50	70	52	23
All other	20	-	-	-	-	-	-	1	2	8	6	3	4	-	-	-	1	-	-	-	1	2	-	-
Black	20	-	-	-	-	-	-	1	2	8	6	3	4	-	-	-	1	-	-	-	1	2	-	-
Bronchitis, chronic and unspecified (490-491)	30	-	-	-	-	-	-	2	10	5	9	4	8	-	-	-	-	-	-	-	2	2	2	2
White	30	-	-	-	-	-	-	2	10	5	9	4	8	-	-	-	-	-	-	-	2	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	83	-	-	-	-	-	-	2	13	38	22	8	39	-	-	-	-	-	-	7	13	6	9	4
White	78	-	-	-	-	-	-	2	13	37	20	7	38	-	-	-	-	-	-	7	12	6	9	4
All other	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	8	-	-	-	1	-	-	2	1	3	1	-	13	-	-	-	-	-	-	1	4	2	6	-
White	8	-	-	-	1	-	-	2	1	3	1	-	13	-	-	-	-	-	-	1	4	2	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	350	1	-	-	-	-	-	9	54	133	107	46	159	-	1	-	1	-	2	9	32	62	35	17
White	334	1	-	-	-	-	-	8	52	126	103	44	156	-	1	-	-	-	2	9	32	60	35	17
All other	16	-	-	-	-	-	-	1	2	7	4	2	3	-	-	-	1	-	-	-	-	2	-	-
Black	16	-	-	-	-	-	-	1	2	7	4	2	3	-	-	-	1	-	-	-	-	2	-	-
Ulcer of stomach and duodenum (531-533)	27	-	-	-	-	-	-	1	5	6	11	4	19	-	-	-	-	-	-	-	3	1	9	6
White	25	-	-	-	-	-	-	1	5	6	9	4	19	-	-	-	-	-	-	-	3	1	9	6
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	-	-	-	-	-	-	-	2	3	6	3	29	-	-	-	-	-	-	1	-	1	7	14	6
White	14	-	-	-	-	-	-	-	2	3	6	3	27	-	-	-	-	-	-	1	-	1	7	14	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	154	-	-	-	-	7	18	27	48	40	11	3	42	-	-	-	-	1	2	11	14	6	6	-
White	148	-	-	-	-	6	18	24	44	40	11	3	40	-	-	-	-	1	1	11	13	6	6	-
All other	6	-	-	-	-	1	-	3	4	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	6	-	-	-	-	1	-	3	4	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	-	-	1	1	4	3	1	11	-	-	-	-	-	-	-	1	-	6	2
White	10	-	-	-	-	-	-	1	1	4	3	1	11	-	-	-	-	-	-	-	1	-	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	101	1	-	-	-	1	2	4	14	22	35	22	79	-	-	-	-	1	-	3	7	19	28	23
White	95	1	-	-	-	1	-	4	14	22	32	21	73	-	-	-	-	-	-	3	7	16	24	23
All other	6	-	-	-	-	-	2	-	-	-	3	1	6	-	-	-	-	1	-	-	-	3	2	-
Black	6	-	-	-	-	-	2	-	-	-	3	1	6	-	-	-	-	1	-	-	-	3	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	1	-	-	1	1	2	2	4	-	-	-	-	-	-	-	1	1	1	1
White	6	-	-	-	-	1	-	-	1	1	1	2	4	-	-	-	-	-	-	-	1	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	92	1	-	-	-	-	2	4	11	21	33	20	73	-	-	-	-	1	-	2	6	17	25	22
White	87	1	-	-	-	-	-	4	11	21	31	19	67	-	-	-	-	-	-	2	5	14	23	22
All other	5	-	-	-	-	-	2	-	-	-	2	1	6	-	-	-	-	1	-	-	-	3	2	-
Black	5	-	-	-	-	-	2	-	-	-	2	1	6	-	-	-	-	1	-	-	-	3	2	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	2	1	2	11	-	-	-	-	-	-	-	2	2	2	5
White	5	-	-	-	-	-	-	-	-	2	1	2	10	-	-	-	-	-	-	-	2	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	-	2	---	---	---	---	---	---	---	---	---	---	---	---
White	2	-	-	-	-	-	-	-	-	-	-	2	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	61	40	4	2	5	3	2	1	-	3	-	1	45	30	2	1	2	-	2	1	3	1	1	2
White	58	39	4	2	5	3	2	1	-	1	-	1	44	29	2	1	2	-	2	1	3	1	1	2
All other	3	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	83	80	2	-	1	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
White	81	78	2	-	1	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	26	24	1	-	1	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	25	23	1	-	1	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	57	56	1	–	–	–	–	–	–	–	–	–	39	39	–	–	–	–	–	–	–	–	–	–
White	56	55	1	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	105	29	–	–	1	4	1	4	12	20	17	17	78	14	1	1	1	–	–	2	9	9	16	25
White	99	29	–	–	1	4	1	3	11	19	17	17	76	14	1	1	1	–	–	2	8	9	16	24
All other	6	3	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	6	3	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1
All other diseases (Residual)	649	5	4	9	13	15	24	59	108	177	148	87	553	9	5	3	3	6	12	34	83	107	186	105
White	615	5	3	8	13	12	22	55	102	174	143	78	524	8	5	3	3	6	11	31	80	100	179	98
All other	34	–	1	1	–	3	2	4	6	3	5	9	29	1	–	–	–	–	1	3	3	7	7	7
Black	33	–	1	1	–	3	2	4	6	3	4	9	29	1	–	–	–	–	1	3	3	7	7	7
Accidents and adverse effects (E800-E949)	663	7	10	21	192	124	70	56	66	54	42	21	253	3	12	15	52	27	14	11	24	24	35	36
White	638	7	9	20	189	120	68	52	63	52	38	20	244	3	12	14	52	25	13	10	23	23	34	35
All other	25	–	1	1	3	4	2	4	3	2	4	1	9	–	–	1	–	2	1	1	1	1	1	1
Black	25	–	1	1	3	4	2	4	3	2	4	1	7	–	–	1	–	2	–	1	–	1	1	1
Motor vehicle accidents (E810-E825)	340	–	2	11	128	76	42	21	27	20	10	3	117	–	5	8	39	16	12	7	11	8	11	–
White	330	–	2	10	126	74	41	21	25	20	9	2	112	–	5	8	39	14	11	6	10	8	11	–
All other	10	–	–	1	2	2	1	–	2	–	1	1	5	–	–	–	–	2	1	1	1	–	–	–
Black	10	–	–	1	2	2	1	–	2	–	1	1	3	–	–	–	–	2	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	323	7	8	10	64	48	28	35	39	34	32	18	136	3	7	7	13	11	2	4	13	16	24	36
White	308	7	7	10	63	46	27	31	38	32	29	18	132	3	7	6	13	11	2	4	13	15	23	35
All other	15	–	1	–	1	2	1	4	1	2	3	–	4	–	–	1	–	–	–	–	–	1	1	1
Black	15	–	1	–	1	2	1	4	1	2	3	–	4	–	–	1	–	–	–	–	–	1	1	1
Suicide (E950-E959)	190	...	...	1	32	35	39	23	26	18	16	1	40	...	...	–	6	7	11	6	6	2	1	1
White	184	...	...	–	32	33	38	23	25	18	14	1	40	...	...	–	6	7	11	6	6	2	1	1
All other	6	...	...	1	–	2	1	–	1	–	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	6	...	...	1	–	2	1	–	1	–	1	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	96	1	1	4	19	26	18	10	8	6	2	1	37	–	2	2	14	6	4	5	2	2	–	–
White	90	1	1	4	17	23	18	10	8	6	1	1	34	–	2	2	13	5	4	5	2	1	–	–
All other	6	–	–	–	2	3	–	–	–	–	1	–	3	–	–	–	1	1	–	–	–	1	–	–
Black	6	–	–	–	2	3	–	–	–	–	1	–	3	–	–	–	1	1	–	–	–	1	–	–
All other external causes (E980-E999)	27	–	1	–	7	5	1	4	5	2	1	1	12	1	–	–	3	2	1	2	–	1	1	1
White	27	–	1	–	7	5	1	4	5	2	1	1	10	–	–	–	3	1	1	2	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
WISCONSIN																								
All causes	21,453	398	92	102	575	484	526	1,291	3,133	5,541	5,940	3,371	18,828	305	56	57	173	215	310	764	1,821	3,672	5,617	5,838
White	20,783	334	77	92	540	435	460	1,215	3,024	5,402	5,853	3,331	18,281	255	45	52	159	195	290	694	1,740	3,589	5,516	5,786
All other	670	64	15	10	35	49	46	76	109	139	87	40	537	50	11	5	14	20	30	70	81	103	101	52
Black	536	54	12	9	23	40	40	64	92	102	67	33	443	45	7	5	11	18	28	60	67	79	82	41
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	13	–	–	–	–	–	–	1	3	3	5	1	6	–	–	–	–	–	–	2	1	3	–	–
White	11	–	–	–	–	–	–	1	2	2	5	1	4	–	–	–	–	–	–	–	1	3	–	–
All other	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Tuberculosis of respiratory system (010-012)	10	–	–	–	–	–	–	1	3	1	4	1	6	–	–	–	–	–	–	2	1	3	–	–
White	9	–	–	–	–	–	–	1	2	1	4	1	4	–	–	–	–	–	–	–	1	3	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Other tuberculosis (013-016)	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	2	-	1	1	-	1	-	-	1	-	-	8	2	3	-	-	-	-	-	3	-	-	-
White	4	1	-	1	-	-	1	-	-	1	-	-	7	2	3	-	-	-	-	-	2	-	-	-
All other	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Septicemia (038)	88	2	-	-	-	-	1	3	7	22	25	26	97	1	-	1	-	3	2	-	10	17	28	35
White	82	2	-	-	-	-	-	3	7	21	24	25	90	1	-	-	-	3	2	-	8	16	26	34
All other	4	-	-	-	-	-	1	-	-	1	1	1	7	-	-	1	-	-	-	-	2	1	2	1
Black	4	-	-	-	-	-	1	-	-	1	1	1	5	-	-	1	-	-	-	-	2	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	2	-	-	-	-	-	-	7	-	-	-	-	1	-	1	2	-	1	2
White	2	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	-	1	-	1	2	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	67	3	5	1	2	1	2	8	6	22	14	3	50	-	-	2	4	3	-	5	6	15	8	6
White	62	3	3	1	2	1	1	7	5	22	14	3	47	-	-	2	4	3	-	3	6	15	8	6
All other	5	-	2	-	-	-	1	1	1	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	3	-	1	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,780	-	9	13	40	47	90	345	1,016	1,505	1,237	458	4,229	-	3	20	22	55	114	332	783	1,193	1,109	598
White	4,610	-	8	13	38	41	81	318	976	1,462	1,217	456	4,130	-	2	19	19	50	106	312	764	1,163	1,099	596
All other	150	-	1	-	2	6	9	27	40	43	20	2	99	-	1	1	3	5	8	20	19	30	10	2
Black	127	-	1	-	2	5	8	23	35	38	15	2	83	-	-	1	3	5	7	18	17	22	8	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	103	-	-	-	1	-	2	8	30	36	20	6	56	-	-	-	-	-	-	4	9	25	14	4
White	102	-	-	-	1	-	2	8	29	36	20	6	52	-	-	-	-	-	-	4	7	23	14	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	2	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	2	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,316	-	-	-	2	10	16	78	283	412	355	160	1,215	-	-	-	-	4	12	61	185	328	378	247
White	1,278	-	-	-	2	9	13	74	273	399	349	159	1,188	-	-	-	-	4	10	56	180	317	375	246
All other	38	-	-	-	-	1	3	4	10	13	6	1	27	-	-	-	-	-	2	5	5	11	3	1
Black	31	-	-	-	-	1	3	3	8	10	5	1	22	-	-	-	-	-	2	5	3	8	3	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,495	-	-	-	2	6	21	154	403	546	300	63	521	-	-	-	-	1	14	69	135	169	90	29
White	1,432	-	-	-	2	4	18	138	382	528	297	63	508	-	-	-	-	1	14	67	131	176	90	29
All other	63	-	-	-	-	2	3	16	21	18	3	-	13	-	-	-	-	-	-	2	4	7	-	-
Black	54	-	-	-	-	1	3	14	19	15	2	-	10	-	-	-	-	-	-	2	4	4	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	1	-	829	-	-	-	1	16	48	99	173	218	196	79
White	4	-	-	-	-	-	-	-	1	2	1	-	813	-	-	-	1	14	44	93	172	215	195	79
All other	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	2	2	6	1	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	2	2	5	1	3	1	-
Malignant neoplasms of genital organs (179-187)	549	-	-	-	2	4	9	5	35	158	234	108	475	-	-	3	2	10	13	37	112	150	106	42
White	532	-	-	-	2	4	2	5	33	151	227	108	464	-	-	3	2	10	12	35	108	147	105	42
All other	17	-	-	-	-	-	1	-	2	7	7	-	11	-	-	-	-	-	1	2	4	3	1	-
Black	16	-	-	-	-	-	1	-	2	7	6	-	11	-	-	-	-	-	1	2	4	3	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	290	-	1	2	-	1	2	14	50	71	83	36	154	-	-	1	-	1	2	12	19	45	48	26
White	254	-	1	2	-	1	2	12	50	68	82	36	150	-	-	1	-	1	2	10	19	45	46	26
All other	6	-	-	-	-	-	-	2	-	3	1	-	4	-	-	-	-	-	-	2	-	-	2	-
Black	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	551	-	5	6	17	14	33	52	124	149	112	39	592	-	-	7	8	9	18	28	87	136	146	83
White	539	-	5	6	17	13	31	49	122	147	111	38	518	-	-	7	6	8	15	26	86	135	143	92
All other	12	-	-	-	-	1	2	3	2	2	1	1	14	-	-	-	2	1	3	2	1	1	3	1
Black	10	-	-	-	-	1	1	3	2	1	1	1	12	-	-	-	2	1	2	2	1	1	2	1
Leukemia (204-208)	199	-	1	5	9	5	4	7	35	58	56	21	194	-	2	9	6	6	6	10	23	38	57	37
White	197	-	1	5	9	5	4	6	35	58	55	21	189	-	1	8	6	5	6	9	22	38	57	37
All other	2	-	-	-	-	-	-	1	-	-	1	-	5	-	1	1	-	1	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	1	-	1	-	1	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	263	-	2	-	7	7	9	27	55	75	70	25	254	-	1	-	5	8	3	12	40	70	74	41
White	272	-	1	-	5	5	9	26	51	75	75	25	248	-	1	-	4	7	3	12	39	67	74	41
All other	11	-	1	-	2	2	-	1	4	-	1	-	6	-	-	-	1	1	-	-	1	3	-	-
Black	10	-	1	-	2	2	-	1	3	-	1	-	4	-	-	-	1	1	-	-	1	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	45	1	1	-	-	1	1	4	5	10	17	5	45	-	-	1	-	1	-	2	7	16	10	8
White	45	1	1	-	-	1	1	4	5	10	17	5	42	-	-	1	-	1	-	2	6	15	9	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Diabetes mellitus (250)	316	-	-	1	1	6	9	28	48	84	110	30	428	-	-	-	4	9	8	12	45	121	125	104
White	310	-	-	1	1	6	8	26	48	81	109	30	410	-	-	-	3	9	7	10	42	112	123	104
All other	6	-	-	-	-	-	2	2	-	3	1	-	18	-	-	-	1	-	1	2	3	9	2	-
Black	4	-	-	-	-	-	-	-	-	3	1	-	16	-	-	-	1	-	1	2	1	9	2	-
Nutritional deficiencies (260-269)	19	1	-	1	-	-	-	1	2	2	4	8	34	1	1	-	-	-	-	-	1	4	7	20
White	17	1	-	-	-	-	-	1	1	2	4	8	33	1	-	-	-	-	-	-	1	4	7	20
All other	2	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	31	1	1	1	1	2	1	1	5	3	9	6	39	-	-	-	-	1	-	1	3	4	12	19
White	27	1	-	1	1	-	-	1	5	3	9	6	39	-	-	-	-	1	-	1	3	4	12	18
All other	4	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	10	2	2	-	-	-	-	-	5	-	-	1	7	-	-	1	-	-	-	2	-	2	-	2
White	9	2	2	-	-	-	-	-	4	-	-	1	7	-	-	1	-	-	-	2	-	2	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,750	8	6	8	12	47	158	546	1,466	2,935	3,419	2,145	10,330	5	2	2	6	23	58	218	670	1,752	3,494	4,102
White	10,511	8	5	6	10	41	144	516	1,419	2,873	3,369	2,120	10,095	3	2	2	6	20	47	192	629	1,703	3,427	4,064
All other	239	-	1	2	2	6	14	30	47	62	50	25	235	2	-	-	-	3	9	26	41	49	67	38
Black	169	-	1	2	2	6	13	26	40	41	36	22	195	2	-	-	-	3	9	23	34	37	59	28
Diseases of heart (390-398,402,404-429)	8,708	5	5	6	8	37	137	490	1,299	2,433	2,679	1,609	7,768	3	2	2	4	14	43	164	542	1,402	2,635	2,957
White	8,518	5	4	4	6	31	129	465	1,260	2,383	2,642	1,588	7,578	1	2	2	4	12	34	146	507	1,361	2,580	2,929
All other	190	-	1	2	2	6	8	25	39	50	37	20	190	2	-	-	-	2	9	18	35	41	55	28
Black	145	-	1	2	2	6	7	21	32	32	25	17	158	2	-	-	-	2	9	16	28	29	50	22
Rheumatic fever and rheumatic heart disease (390-398)	39	-	-	-	-	-	1	5	10	13	8	2	101	-	-	1	-	-	3	8	16	27	38	10
White	39	-	-	-	-	-	1	5	10	13	8	2	97	-	-	1	-	-	3	6	16	26	36	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	-	1	-	1
Hypertensive heart disease (402)	151	-	-	-	-	-	6	14	42	45	32	12	192	-	-	-	-	-	1	10	22	40	60	59
White	145	-	-	-	-	-	5	13	40	44	31	12	174	-	-	-	-	-	-	8	18	32	58	58
All other	6	-	-	-	-	-	1	1	2	1	1	-	18	-	-	-	-	-	1	2	4	8	2	1
Black	6	-	-	-	-	-	1	1	2	1	1	-	18	-	-	-	-	-	1	2	4	8	2	1
Hypertensive heart and renal disease (404)	28	-	-	-	-	-	-	-	3	3	10	12	21	-	-	-	-	-	-	-	1	4	4	12
White	27	-	-	-	-	-	-	-	2	3	10	12	19	-	-	-	-	-	-	-	1	4	2	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Ischemic heart disease (410-414)	6,753	-	-	-	4	20	107	395	1,006	1,833	2,086	1,202	5,713	-	-	-	-	1	30	105	392	1,039	1,985	2,161
White	6,618	-	-	-	2	17	101	378	981	1,894	2,060	1,185	5,590	-	-	-	-	1	23	98	369	1,015	1,944	2,142
All other	135	-	-	-	2	3	6	17	25	39	26	17	123	-	-	-	-	-	7	9	23	24	41	19
Black	99	-	-	-	2	3	6	15	18	22	17	16	98	-	-	-	-	-	7	7	18	13	37	16
Acute myocardial infarction (410)	3,718	-	-	-	2	16	78	273	639	1,206	1,082	422	2,655	-	-	-	-	-	21	71	249	647	1,002	665
White	3,661	-	-	-	1	15	75	266	631	1,185	1,073	415	2,605	-	-	-	-	-	19	67	240	635	983	661
All other	57	-	-	-	1	1	3	7	8	21	9	7	50	-	-	-	-	-	2	4	9	12	19	4
Black	32	-	-	-	1	1	3	5	3	8	4	7	32	-	-	-	-	-	2	3	5	5	15	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	46	-	-	-	-	-	1	2	15	18	5	5	21	-	-	-	-	-	2	1	2	6	5	5
White	44	-	-	-	-	-	1	2	14	17	5	5	20	-	-	-	-	-	1	1	2	6	5	5
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	1	5	4	-	7	-	-	-	-	-	-	-	3	-	2	2
White	10	-	-	-	-	-	-	-	1	5	4	-	7	-	-	-	-	-	-	-	3	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,979	-	-	-	2	4	28	120	351	704	895	775	3,030	-	-	-	-	1	7	33	138	386	976	1,489
White	2,903	-	-	-	1	2	25	110	335	687	878	765	2,958	-	-	-	-	1	3	28	124	374	954	1,474
All other	76	-	-	-	1	2	3	10	16	17	17	10	72	-	-	-	-	-	4	5	14	12	22	15
Black	65	-	-	-	1	2	3	10	14	13	13	9	65	-	-	-	-	-	4	4	13	8	22	14
Other diseases of endocardium (424)	97	-	-	-	-	-	2	7	14	31	33	10	96	-	1	-	1	1	-	1	5	15	47	25
White	93	-	-	-	-	-	2	7	13	29	32	10	95	-	1	-	1	1	-	1	5	15	47	24
All other	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,640	5	5	6	4	17	21	69	224	408	510	371	1,645	3	1	1	3	12	9	40	106	277	503	690
White	1,596	5	4	4	4	14	20	62	214	400	501	368	1,603	1	1	1	3	10	8	35	98	269	493	684
All other	44	-	1	2	-	3	1	7	10	8	9	3	42	2	-	-	-	2	1	5	8	8	10	6
Black	35	-	1	2	-	3	-	5	10	7	6	1	36	2	-	-	-	2	1	5	6	7	9	4
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	2	3	6	9	18	23	93	-	-	-	-	-	1	2	5	20	32	32
White	59	-	-	-	-	-	1	3	6	9	17	23	87	-	-	-	-	-	1	2	5	18	28	32
All other	2	-	-	-	-	-	1	-	-	-	1	-	6	-	-	-	-	-	-	-	-	2	4	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	3	-
Cerebrovascular diseases (430-438)	1,428	2	-	1	2	8	17	42	114	349	549	344	1,912	2	-	-	1	6	9	49	97	280	679	789
White	1,390	2	-	1	2	8	13	36	108	339	540	339	1,878	2	-	-	1	5	9	42	93	274	671	782
All other	38	-	-	-	-	-	4	4	6	10	9	5	33	-	-	-	-	1	-	7	4	6	8	7
Black	35	-	-	-	-	-	4	4	6	8	8	5	27	-	-	-	-	1	-	6	4	6	6	4
Intracerebral and other intracranial hemorrhage (431-432)	186	2	-	1	1	3	7	12	41	58	48	13	218	1	-	-	-	1	3	21	31	55	66	40
White	177	2	-	1	1	3	4	11	38	56	48	13	213	1	-	-	-	1	3	19	29	54	66	40
All other	9	-	-	-	-	-	3	1	3	2	-	-	5	-	-	-	-	-	-	2	2	1	-	-
Black	9	-	-	-	-	-	3	1	3	2	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	204	-	-	-	-	-	1	4	12	57	61	69	317	1	-	-	-	-	-	5	10	38	124	139
White	198	-	-	-	-	-	1	2	11	54	61	69	313	1	-	-	-	-	-	3	10	38	124	137
All other	6	-	-	-	-	-	-	2	1	3	-	-	4	-	-	-	-	-	-	2	-	-	-	2
Black	5	-	-	-	-	-	-	2	1	2	-	-	3	-	-	-	-	-	-	2	-	-	-	1
Cerebral embolism (434.1)	6	-	-	-	-	1	-	-	-	2	2	1	7	-	-	-	-	-	-	-	1	-	3	3
White	6	-	-	-	-	1	-	-	-	2	2	1	7	-	-	-	-	-	-	-	1	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,032	-	-	-	1	4	9	28	61	232	438	261	1,370	-	-	-	1	5	6	23	55	187	486	607
White	1,009	-	-	-	1	4	8	25	59	227	429	256	1,346	-	-	-	1	4	6	20	53	182	478	602
All other	23	-	-	-	-	-	1	3	2	5	9	5	24	-	-	-	-	1	-	3	2	5	8	5
Black	21	-	-	-	-	-	1	1	2	4	8	5	20	-	-	-	-	1	-	3	2	5	6	3
Atherosclerosis (440)	256	-	-	-	-	1	-	3	11	39	83	119	414	-	-	-	-	-	-	-	10	22	100	282
White	252	-	-	-	-	1	-	3	10	38	81	119	410	-	-	-	-	-	-	-	9	22	100	279
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	-	1	-	-	3
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	297	1	1	1	2	1	2	8	36	105	90	50	143	-	-	-	1	3	3	3	15	28	48	42
White	292	1	1	1	2	1	1	7	35	104	89	50	141	-	-	-	1	3	3	2	14	28	48	42
All other	5	-	-	-	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	5	-	-	-	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	1	-	3
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	-	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	561	3	-	-	3	5	10	16	39	83	209	193	447	3	1	-	1	5	3	9	15	36	119	255
White	547	3	-	-	3	4	10	15	38	79	206	189	437	3	1	-	-	5	3	7	14	35	115	254
All other	14	-	-	-	-	1	-	1	1	4	3	4	10	-	-	-	1	-	-	2	1	1	4	1
Black	12	-	-	-	-	1	-	1	1	4	3	2	6	-	-	-	1	-	-	2	1	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	553	3	-	-	3	5	10	15	39	82	206	190	433	3	1	-	1	5	2	9	14	36	118	244
White	539	3	-	-	3	4	10	14	38	78	203	186	423	3	1	-	-	5	2	7	13	35	114	243
All other	14	-	-	-	-	1	-	1	1	4	3	4	10	-	-	-	1	-	-	2	1	1	4	1
Black	12	-	-	-	-	1	-	1	1	4	3	2	6	-	-	-	1	-	-	2	1	-	2	-
Influenza (487)	8	-	-	-	-	-	-	1	-	1	3	3	14	-	-	-	-	-	1	-	1	-	1	11
White	8	-	-	-	-	-	-	1	-	1	3	3	14	-	-	-	-	-	1	-	1	-	1	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	748	-	-	-	3	1	3	17	121	253	259	91	321	1	2	2	1	1	-	13	44	117	90	50
White	732	-	-	-	2	1	3	16	116	248	257	89	313	1	1	2	1	-	-	12	43	115	88	50
All other	16	-	-	-	1	-	-	1	5	5	2	2	8	-	1	-	-	1	-	1	1	2	2	-
Black	13	-	-	-	1	-	-	1	5	3	1	2	4	-	-	-	-	1	-	1	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	41	-	-	-	1	-	-	4	5	10	10	11	22	1	1	-	-	-	-	-	2	7	7	4
White	40	-	-	-	-	-	-	4	5	10	10	11	22	1	1	-	-	-	-	-	2	7	7	4
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	160	-	-	-	-	-	-	5	38	59	47	11	43	-	-	-	-	-	-	3	8	12	16	4
White	156	-	-	-	-	-	-	4	36	58	47	11	43	-	-	-	-	-	-	3	8	12	16	4
All other	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	29	-	-	-	2	1	-	1	4	13	6	2	41	-	1	2	1	1	-	2	3	17	9	5
White	28	-	-	-	2	1	-	1	4	13	6	2	39	-	-	2	1	-	-	2	3	17	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	518	-	-	-	-	-	3	7	74	171	196	67	215	-	-	-	-	-	-	8	31	81	58	37
White	507	-	-	-	-	-	3	7	71	167	194	65	209	-	-	-	-	-	-	7	30	79	56	37
All other	11	-	-	-	-	-	-	-	3	4	2	2	6	-	-	-	-	-	-	1	1	2	2	-
Black	9	-	-	-	-	-	-	-	3	3	1	2	3	-	-	-	-	-	-	1	1	1	-	-
Ulcer of stomach and duodenum (531-533)	80	-	-	1	-	-	1	2	9	23	28	16	71	-	-	-	-	-	1	1	2	1	15	31	20
White	79	-	-	1	-	-	1	2	9	23	28	15	71	-	-	-	-	-	1	1	2	1	15	31	20
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	-	-	2	3	-	3	-	3	-	-	-	-	-	-	3	-	-	-	-	-
White	7	-	-	-	-	-	-	2	2	-	3	-	2	-	-	-	-	-	-	2	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	-	-	-	-	-	-	2	3	8	13	12	75	-	-	-	-	-	-	2	4	12	27	30
White	36	-	-	-	-	-	-	2	3	6	13	12	72	-	-	-	-	-	-	1	4	11	26	30
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Chronic liver disease and cirrhosis (571)	263	-	-	-	-	5	25	47	80	77	28	1	151	-	-	-	1	2	11	31	39	43	21	3
White	255	-	-	-	-	5	21	46	79	75	28	1	144	-	-	-	1	2	10	29	36	42	21	3
All other	8	-	-	-	-	-	4	1	1	2	-	-	7	-	-	-	-	-	1	2	3	1	-	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	-	-	-	9	10	5	35	-	-	-	-	-	1	1	1	4	6	22
White	24	-	-	-	-	-	-	-	-	9	10	5	35	-	-	-	-	-	1	1	1	4	6	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	180	5	1	-	-	5	3	5	12	38	57	54	156	4	1	-	1	3	5	4	14	33	49	42
White	173	4	1	-	-	4	2	5	10	37	57	53	143	1	1	-	1	3	4	3	11	33	46	40
All other	7	1	-	-	-	1	1	-	2	1	-	1	13	3	-	-	-	-	1	1	3	-	3	2
Black	5	1	-	-	-	-	1	-	2	-	-	1	12	3	-	-	-	-	1	1	3	-	2	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	1	-	-	-	-	4	-	6	1	-	-	-	-	-	1	-	-	2	2
White	5	-	-	-	-	1	-	-	-	-	4	-	5	1	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	1	-	-	2	1	2	1	4	10	9	23	-	-	-	1	-	2	1	2	8	6	3
White	29	-	1	-	-	2	1	2	1	3	10	9	21	-	-	-	1	-	1	1	1	8	6	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	145	5	-	-	-	2	2	3	11	34	43	45	127	3	1	-	-	3	3	2	12	25	41	37
White	139	4	-	-	-	1	1	3	9	34	43	44	117	-	1	-	-	3	3	2	10	25	38	35
All other	6	1	-	-	-	1	1	-	2	-	-	1	10	3	-	-	-	-	-	-	2	-	3	2
Black	5	1	-	-	-	1	1	-	2	-	-	1	9	3	-	-	-	-	-	-	2	-	2	2
Infections of kidney (590)	16	-	-	-	-	-	-	2	1	5	5	3	24	-	-	-	-	-	-	1	1	4	14	4
White	16	-	-	-	-	-	-	2	1	5	5	3	23	-	-	-	-	-	-	1	1	3	14	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	-	-	7	8	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	-	7	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	139	91	14	4	5	8	2	4	3	4	2	2	127	74	11	7	5	4	5	6	6	6	2	1
White	125	81	12	3	5	8	1	4	3	4	2	2	118	68	11	6	5	4	4	5	6	6	2	1
All other	14	10	2	1	-	-	1	-	-	-	-	-	9	6	-	1	-	-	1	1	-	-	-	-
Black	10	6	2	1	-	-	1	-	-	-	-	-	8	6	-	1	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	191	190	1	-	-	-	-	-	-	-	-	-	145	144	1	-	-	-	-	-	-	-	-	-
White	158	157	1	-	-	-	-	-	-	-	-	-	123	122	1	-	-	-	-	-	-	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	61	61	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
White	55	55	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	130	129	1	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
White	103	102	1	-	-	-	-	-	-	-	-	-	86	85	1	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	141	68	3	1	3	6	1	5	4	9	23	18	138	42	-	-	2	2	3	3	5	5	27	49
White	126	55	3	1	3	6	1	5	2	9	23	18	125	30	-	-	2	2	3	3	5	4	27	49
All other	15	13	-	-	-	-	-	-	2	-	-	-	13	12	-	-	-	-	-	-	-	1	-	-
Black	13	11	-	-	-	-	-	-	2	-	-	-	12	11	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	1,196	13	6	11	22	26	37	80	158	301	333	209	1,223	15	6	3	11	19	34	50	120	207	364	394
White	1,167	9	6	11	18	25	36	78	155	296	326	207	1,183	13	3	3	9	18	31	45	117	202	355	387
All other	29	4	-	-	4	1	1	2	3	5	7	2	40	2	3	-	2	1	3	5	3	5	9	7
Black	24	4	-	-	1	1	1	2	3	4	7	1	37	2	3	-	2	1	3	5	3	4	7	7
Accidents and adverse effects (E800-E949)	1,158	7	39	58	339	200	107	88	71	96	89	64	448	12	23	13	68	43	34	31	23	48	64	69
White	1,094	5	33	50	327	187	102	81	70	89	87	63	426	10	19	11	66	39	31	30	20	48	64	68
All other	62	2	6	6	12	13	5	7	1	7	2	1	22	2	4	2	2	4	3	1	3	-	-	1
Black	41	2	4	5	8	9	3	5	1	4	2	-	15	1	3	2	-	2	3	-	3	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	584	1	9	27	249	107	64	38	26	34	22	7	208	3	9	9	75	28	22	11	16	19	16	–
White	568	1	9	25	244	104	62	35	26	33	22	7	197	2	8	7	73	27	20	11	14	19	16	–
All other	16	–	–	2	5	3	2	3	–	1	–	–	11	1	1	2	2	1	2	–	2	–	–	–
Black	7	–	–	1	3	1	1	1	–	–	–	–	9	1	1	2	–	1	2	–	2	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	572	6	30	29	90	93	43	50	45	62	67	57	240	9	14	4	13	15	12	20	7	29	48	69
White	526	4	24	25	83	89	40	46	44	56	65	56	229	8	11	4	13	12	11	19	6	29	48	68
All other	46	2	6	4	7	10	3	4	1	6	2	1	11	1	3	–	–	3	1	1	1	–	–	1
Black	34	2	4	4	3	8	2	4	1	4	2	–	8	–	2	–	–	1	1	–	1	–	–	1
Suicide (E950-E959)	463	...	...	2	115	90	53	70	52	39	32	10	120	...	...	1	16	24	24	23	14	12	6	–
White	452	...	...	2	111	85	53	69	51	39	32	10	118	...	...	1	15	24	24	22	14	12	6	–
All other	11	...	...	–	4	5	–	1	1	–	–	–	2	...	...	–	1	–	–	1	–	–	–	–
Black	6	...	...	–	1	4	–	1	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	105	–	3	1	28	27	18	11	11	5	1	–	50	1	1	4	10	13	7	7	2	1	3	1
White	66	–	1	1	19	13	11	8	11	2	–	–	38	–	1	4	6	9	5	6	2	1	3	1
All other	39	–	2	–	9	14	7	3	–	3	1	–	12	1	–	–	4	4	2	1	–	–	–	–
Black	37	–	2	–	9	12	7	3	–	3	1	–	11	–	–	–	4	4	2	1	–	–	–	–
All other external causes (E980-E999)	19	1	–	–	–	5	4	3	2	3	1	–	9	–	1	–	1	1	2	3	1	–	–	–
White	18	1	–	–	–	5	3	3	2	3	1	–	6	–	–	–	1	1	1	2	1	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	1	1	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	1	1	–	–	–	–
WYOMING																								
All causes	1,865	58	7	21	99	103	91	145	305	432	362	242	1,326	51	10	12	30	31	39	89	148	242	331	337
White	1,826	56	7	21	94	95	89	140	299	427	359	239	1,282	48	10	12	29	28	37	88	141	239	322	334
All other	39	2	–	–	5	8	2	5	6	5	3	3	34	3	–	–	1	3	2	1	7	3	9	3
Black	5	1	–	–	–	–	1	–	–	1	–	2	8	1	–	–	–	–	–	–	2	2	3	–
Shigellosis and amoebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	12	–	–	–	–	–	1	1	3	3	2	2	6	–	–	–	–	–	–	1	1	1	1	2
White	12	–	–	–	–	–	1	1	3	3	2	2	5	–	–	–	–	–	–	1	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	5	-	-	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	5	-	-	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	315	-	-	1	2	3	5	31	80	101	62	30	258	1	1	2	1	4	11	40	52	79	45	20
White	311	-	-	1	2	3	5	31	78	100	62	29	249	1	1	2	1	3	11	38	50	79	43	20
All other	4	-	-	-	-	-	-	-	2	1	-	1	7	-	-	-	-	1	-	2	2	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	-	-	-	1	-	-	1	2	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	8	-	-	-	1	-	-	1	2	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	88	-	-	-	-	-	3	14	22	29	10	8	57	-	-	-	-	1	2	3	11	16	13	11
White	85	-	-	-	-	-	3	14	21	29	10	8	54	-	-	-	-	-	2	3	11	16	11	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	103	-	-	-	-	-	-	8	29	38	19	9	50	-	-	-	-	-	1	9	15	19	4	2
White	103	-	-	-	-	-	-	8	29	38	19	9	47	-	-	-	-	-	1	8	13	19	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	55	-	-	-	-	1	6	9	10	20	8	1
White	1	-	-	-	-	-	-	-	-	1	-	-	54	-	-	-	-	1	6	8	10	20	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (178-187)	43	-	-	-	-	-	-	1	8	12	14	8	27	-	-	-	-	1	1	8	5	7	4	1
White	42	-	-	-	-	-	-	1	8	12	14	7	27	-	-	-	-	1	1	8	5	7	4	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	14	-	-	-	-	-	-	1	5	3	4	1	11	-	-	1	-	-	-	2	2	3	2	1
White	13	-	-	-	-	-	-	1	4	3	4	1	11	-	-	1	-	-	-	2	2	3	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	36	-	-	-	1	2	-	3	8	10	9	3	41	1	1	1	1	1	1	6	5	12	9	3
White	36	-	-	-	1	2	-	3	8	10	9	3	41	1	1	1	1	1	1	6	5	12	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	9	-	-	1	-	-	-	-	2	2	3	1	5	-	-	-	-	-	-	-	1	-	3	1
White	9	-	-	1	-	-	-	-	2	2	3	1	5	-	-	-	-	-	-	-	1	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	-	-	-	-	1	2	3	4	3	2	-	8	-	-	-	-	-	-	3	2	2	1	-
White	14	-	-	-	-	1	2	3	4	2	2	-	8	-	-	-	-	-	-	3	2	2	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	1	1	-	-	1	1	1	1	-	5	-	-	-	-	-	-	-	-	4	1	-
White	6	-	-	1	1	-	-	1	1	1	1	-	5	-	-	-	-	-	-	-	-	4	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	26	–	–	–	–	2	–	3	2	6	7	6	21	–	–	–	–	–	–	2	–	7	6	4
White	26	–	–	–	–	2	–	3	2	6	7	6	20	–	–	–	–	–	–	2	–	6	6	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Nutritional deficiencies (260-269)	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	3
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	746	2	–	1	2	3	20	57	123	216	194	128	589	1	–	–	1	3	6	17	41	98	197	232
White	738	2	–	1	2	2	19	55	120	216	194	127	589	1	–	–	1	1	6	17	39	98	192	231
All other	8	–	–	–	–	1	1	2	3	–	–	1	10	–	–	–	–	2	–	–	2	–	5	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Diseases of heart (390-398,402,404-429)	635	2	–	1	1	3	14	52	114	189	163	96	438	1	–	–	1	3	4	13	36	76	148	155
White	628	2	–	1	1	2	13	50	112	189	163	95	429	1	–	–	1	1	4	13	34	76	143	155
All other	7	–	–	–	–	1	1	2	2	–	–	1	9	–	–	–	–	2	–	–	2	–	5	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Rheumatic fever and rheumatic heart disease (390-398)	7	–	–	–	–	1	–	1	3	1	–	1	6	–	–	–	–	–	–	3	1	2	–	–
White	6	–	–	–	–	–	–	1	3	1	–	1	6	–	–	–	–	–	–	3	1	2	–	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	11	–	–	–	–	–	–	1	1	3	4	2	10	–	–	–	–	–	–	1	1	1	1	6
White	10	–	–	–	–	–	–	1	–	3	4	2	10	–	–	–	–	–	–	1	1	1	1	6
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	453	–	–	–	–	2	7	39	90	132	122	61	282	–	–	–	–	1	1	4	25	48	108	93
White	449	–	–	–	–	2	7	37	89	132	122	60	277	–	–	–	–	–	1	4	24	48	106	93
All other	4	–	–	–	–	–	–	2	1	–	–	1	5	–	–	–	–	1	–	–	1	–	3	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Acute myocardial infarction (410)	282	–	–	–	–	2	5	30	67	91	68	19	149	–	–	–	–	1	–	3	19	34	68	34
White	280	–	–	–	–	2	5	29	66	91	68	19	145	–	–	–	–	–	–	3	18	34	56	34
All other	2	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	1	–	–	1	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Other acute and subacute forms of ischemic heart disease (411)	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	169	–	–	–	–	–	2	9	22	40	54	42	131	–	–	–	–	–	1	1	6	14	51	57
White	167	–	–	–	–	–	2	8	22	40	54	41	130	–	–	–	–	–	1	1	6	14	50	57
All other	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	7	–	–	–	–	–	–	1	1	3	1	1	8	–	–	–	1	1	–	–	1	3	–	2
White	7	–	–	–	–	–	–	1	1	3	1	1	8	–	–	–	1	1	–	–	1	3	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	157	2	–	1	1	–	7	10	19	50	36	31	129	1	–	–	–	1	3	5	8	21	37	53
White	156	2	–	1	1	–	6	10	19	50	36	31	126	1	–	–	–	–	3	5	7	21	36	53
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	1	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	5	–	–	–	–	–	–	–	–	1	2	2	4	–	–	–	–	–	–	1	–	1	2	–
White	5	–	–	–	–	–	–	–	–	1	2	2	4	–	–	–	–	–	–	1	–	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	77	–	–	–	1	–	4	3	8	20	17	24	126	–	–	–	–	–	2	3	5	20	34	61
White	76	–	–	–	1	–	4	3	7	20	17	24	125	–	–	–	–	–	2	3	5	20	34	60
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	11	–	–	–	–	–	1	2	3	1	2	2	5	–	–	–	–	–	–	–	–	3	1	1
White	10	–	–	–	–	–	1	2	2	1	2	2	5	–	–	–	–	–	–	–	–	3	1	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	–	–	–	–	–	–	–	–	3	1	4	15	–	–	–	–	–	–	–	–	3	4	8
White	8	–	–	–	–	–	–	–	–	3	1	4	15	–	–	–	–	–	–	–	–	3	4	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	57	–	–	–	1	–	3	–	5	16	14	18	105	–	–	–	–	–	2	3	5	13	29	52
White	57	–	–	–	1	–	3	–	5	16	14	18	104	–	–	–	–	–	2	3	5	13	29	51
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	12	–	–	–	–	–	1	1	1	1	3	5	24	–	–	–	–	–	–	–	–	–	10	13
White	12	–	–	–	–	–	1	1	1	1	3	5	24	–	–	–	–	–	–	–	–	–	10	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	17	–	–	–	–	–	1	1	–	5	9	1	7	–	–	–	–	–	–	–	–	1	3	3
White	17	–	–	–	–	–	1	1	–	5	9	1	7	–	–	–	–	–	–	–	–	1	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	47	2	–	1	1	–	–	1	6	10	10	16	47	–	–	1	–	–	–	1	4	3	9	25
White	46	2	–	1	1	–	–	1	6	10	9	16	44	–	–	1	–	–	–	1	3	3	8	27
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia (480-486)	46	2	–	1	1	–	–	1	5	10	10	16	45	–	–	1	–	–	–	1	3	3	9	27
White	45	2	–	1	1	–	–	1	5	10	9	16	43	–	–	1	–	–	–	1	3	3	8	26
All other	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Influenza (487)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	101	–	–	–	–	1	1	2	9	38	38	14	40	–	–	–	–	1	–	1	8	12	16	2
White	98	–	–	–	–	1	1	2	9	37	34	14	40	–	–	–	–	1	–	1	8	12	16	2
All other	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	8	–	–	–	–	–	1	–	1	3	3	–	2	–	–	–	–	–	–	–	–	1	–	1
White	7	–	–	–	–	–	1	–	1	3	2	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	12	–	–	–	–	–	–	–	–	5	5	2	2	–	–	–	–	–	–	–	–	1	1	–
White	12	–	–	–	–	–	–	–	–	5	5	2	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	1	-
White	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	79	-	-	-	-	-	-	2	8	30	28	11	33	-	-	-	-	1	-	-	5	11	14	2
White	77	-	-	-	-	-	-	2	8	29	27	11	33	-	-	-	-	1	-	-	5	11	14	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	2	5	5	1	11	-	-	-	-	-	-	-	2	1	4	4
White	13	-	-	-	-	-	-	-	2	5	5	1	10	-	-	-	-	-	-	-	1	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	1	-	-	-	-	-	-	1	-	2	4	4	1	-	-	-	-	-	-	1	1	-	1
White	8	1	-	-	-	-	-	-	1	-	2	4	4	1	-	-	-	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	28	-	-	-	-	1	1	7	14	2	1	2	19	-	-	-	-	-	-	8	4	5	2	-
White	27	-	-	-	-	1	1	6	14	2	1	2	19	-	-	-	-	-	-	8	4	5	2	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	1	-	-	-	-	-	-	1	1	1	2	14	-	-	1	-	-	-	-	3	5	5	
White	5	-	-	-	-	-	-	-	1	1	1	2	13	-	-	1	-	-	-	-	3	4	5	
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	1	-	-	-	-	-	-	1	1	1	2	13	-	-	1	-	-	-	-	-	3	4	5
White	5	-	-	-	-	-	-	-	1	1	1	2	12	-	-	1	-	-	-	-	-	3	3	5
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	17	13	-	2	1	-	-	-	-	1	-	-	24	17	1	1	-	-	1	1	1	1	1	-
White	17	13	-	2	1	-	-	-	-	1	-	-	22	15	1	1	-	-	1	1	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	19	19	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	27	13	1	-	1	2	-	-	-	2	5	3	20	5	-	-	-	-	1	2	-	1	2	8
White	25	13	1	-	1	2	-	-	-	1	5	2	20	5	-	-	-	-	1	2	-	1	2	8
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	117	4	-	-	3	4	6	15	16	20	21	28	106	1	2	2	2	2	6	7	24	21	25	14
White	114	4	-	-	2	4	6	13	16	20	21	28	102	1	2	2	2	2	5	6	24	19	25	14
All other	3	-	-	-	1	-	-	2	-	-	-	-	4	-	-	-	-	-	1	1	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Accidents and adverse effects (E800-E949)	252	2	6	14	65	62	31	19	26	16	8	3	92	3	6	3	20	17	6	4	9	2	10	12
White	242	2	6	14	62	59	30	19	25	14	8	3	90	3	6	3	19	17	5	4	9	2	10	12
All other	10	-	-	-	3	3	1	-	1	2	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	139	1	3	7	51	36	12	12	10	6	1	-	53	1	5	3	16	13	5	2	4	1	2	1
White	133	1	3	7	48	35	11	12	9	6	1	-	51	1	5	3	15	13	4	2	4	1	2	1
All other	6	-	-	-	3	1	1	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	113	1	3	7	14	26	19	7	16	10	7	3	39	2	1	-	4	4	1	2	5	1	8	11
White	109	1	3	7	14	24	19	7	16	8	7	3	39	2	1	-	4	4	1	2	5	1	8	11
All other	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	83	...	...	-	19	18	18	7	10	7	4	-	13	...	...	1	1	2	5	3	1	-	-	-
White	79	...	...	-	18	15	18	7	10	7	4	-	13	...	...	1	1	2	5	3	1	-	-	-
All other	4	...	...	-	1	3	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	22	-	-	-	3	6	5	1	6	1	-	-	12	-	-	1	4	-	3	-	-	1	2	-
White	21	-	-	-	3	5	5	1	6	1	-	-	12	-	-	1	4	-	3	-	-	1	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	-	1	1	-	1	-	-	1	4	-	-	-	-	1	-	2	-	1	-	-
White	4	-	-	-	-	1	1	-	1	-	-	1	4	-	-	-	-	1	-	2	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1982

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	1,977,957	34,729	1,782	22,655	22,325	189,081	20,189	26,981	5,144	8,567
Shigellosis and amebiasis (004,006)	16	–	–	2	–	3	–	–	–	–
Certain other intestinal infections (007-009)	331	11	1	3	4	45	1	6	–	2
Tuberculosis (010-018)	1,815	63	6	28	28	194	14	19	5	20
Tuberculosis of respiratory system (010-012)	1,474	51	6	26	24	158	11	18	4	17
Other tuberculosis (013-018)	341	12	–	2	4	36	3	1	1	3
Whooping cough (033)	4	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	18	–	–	–	–	4	2	–	–	–
Meningococcal infection (036)	384	7	1	3	3	22	11	6	1	3
Septicemia (038)	11,513	185	8	128	152	561	143	192	39	108
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	2	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	819	13	1	16	10	131	4	11	2	4
Syphilis (090-097)	126	1	–	1	1	21	1	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4,524	85	1	97	44	533	67	65	14	33
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	434,291	7,240	308	4,834	4,554	42,969	3,961	6,483	1,264	2,322
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,538	126	8	94	73	952	60	145	35	108
Malignant neoplasms of digestive organs and peritoneum (150-159)	112,673	1,740	81	1,167	1,043	10,724	1,017	1,777	326	641
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	116,452	2,089	82	1,329	1,317	11,477	930	1,592	368	542
Malignant neoplasm of breast (174-175)	37,718	562	22	380	312	3,908	390	614	117	209
Malignant neoplasms of genital organs (179-187)	47,583	847	35	528	485	4,723	488	722	129	281
Malignant neoplasms of urinary organs (188-189)	18,470	270	16	208	190	1,732	178	276	47	70
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	53,279	967	47	668	751	5,425	504	801	138	276
Leukemia (204-208)	16,777	278	7	198	153	1,691	163	236	42	80
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	22,801	361	10	282	220	2,397	231	320	62	115
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,479	108	2	86	66	663	59	105	25	50
Diabetes mellitus (250)	34,611	644	18	367	345	2,648	292	477	147	139
Nutritional deficiencies (260-269)	2,432	45	1	36	24	193	36	23	8	9
Anemias (280-285)	3,300	83	–	37	37	254	37	31	7	11
Meningitis (320-322)	1,287	25	1	16	18	110	22	16	2	11
Major cardiovascular diseases (390-448)	969,294	16,101	507	9,993	11,218	88,703	8,858	13,305	2,420	3,147
Diseases of heart (390-398,402,404-429)	756,781	12,041	393	7,978	8,452	67,593	6,863	10,426	1,968	2,426
Rheumatic fever and rheumatic heart disease (390-398)	7,094	71	8	114	54	697	124	112	11	30
Hypertensive heart disease (402)	20,813	414	5	163	156	2,603	95	281	106	210
Hypertensive heart and renal disease (404)	3,029	71	1	13	23	241	26	21	13	20
Ischemic heart disease (410-414)	553,660	8,201	297	5,901	5,702	48,199	4,964	8,061	1,043	1,479
Acute myocardial infarction (410)	291,530	5,389	141	2,924	3,595	22,244	2,762	3,616	598	570
Other acute and subacute forms of ischemic heart disease (411)	4,133	85	1	331	5	283	51	5	11	3
Angina pectoris (413)	607	8	–	6	3	46	4	21	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,390	2,719	155	2,640	2,099	25,626	2,147	4,419	432	905
Other diseases of endocardium (424)	7,811	130	5	93	41	934	89	119	17	31
All other forms of heart disease (415-423,425-429)	164,374	3,154	77	1,694	2,476	14,779	1,565	1,852	778	656
Hypertension with or without renal disease (401,403)	7,584	144	2	84	73	707	51	131	22	31
Cerebrovascular diseases (430-438)	157,878	3,296	88	1,429	2,195	15,602	1,335	2,100	318	453
Intracerebral and other intracranial hemorrhage (431-432)	19,945	398	13	220	191	1,945	155	279	39	89
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28,389	574	10	217	223	3,126	173	441	72	94
Cerebral embolism (434.1)	760	12	–	9	11	60	16	6	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	108,784	2,312	63	983	1,770	10,471	991	1,374	212	270
Atherosclerosis (440)	26,831	351	9	266	300	2,673	354	386	57	165
Other diseases of arteries, arterioles, and capillaries (441-448)	20,220	269	17	256	198	2,128	255	282	55	72
Acute bronchitis and bronchiolitis (466)	503	7	–	7	4	80	6	10	1	2
Pneumonia and influenza (480-487)	48,926	664	54	626	523	5,466	717	721	99	175
Pneumonia (480-486)	48,200	653	48	615	511	5,421	698	716	99	175
Influenza (487)	726	11	6	13	12	67	19	5	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	59,918	989	34	1,088	646	6,663	924	736	156	161
Bronchitis, chronic and unspecified (490-491)	3,486	54	3	44	27	455	52	44	5	5
Emphysema (492)	12,804	190	6	272	162	1,654	193	110	34	19
Asthma (493)	3,162	46	4	69	18	381	44	31	7	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40,456	699	21	703	439	4,173	635	551	110	121
Ulcer of stomach and duodenum (531-533)	6,751	114	3	58	37	903	87	70	5	37
Appendicitis (540-543)	529	9	1	6	7	51	3	3	1	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,058	86	2	43	52	482	67	80	11	21
Chronic liver disease and cirrhosis (571)	27,730	347	52	383	193	4,130	304	358	62	245
Cholelithiasis and other disorders of gallbladder (574-575)	2,947	57	2	38	31	267	43	35	6	13
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18,129	363	11	226	277	1,232	184	228	72	123
Acute glomerulonephritis and nephrotic syndrome (580-581)	309	3	–	1	3	20	4	2	2	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,950	47	1	17	32	191	25	25	9	17
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15,870	313	10	208	242	1,021	155	201	61	104
Infections of kidney (590)	2,219	65	7	27	30	251	24	24	8	2
Hyperplasia of prostate (600)	655	14	–	9	3	86	11	4	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	292	12	1	3	1	42	6	2	1	2
Pregnancy with abortive outcome (630-638)	55	1	1	1	–	8	2	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	237	11	–	2	1	34	4	2	–	2
Congenital anomalies (740-759)	18,689	290	26	177	101	1,550	197	176	35	122
Certain conditions originating in the perinatal period (760-779)	20,814	401	43	195	121	1,829	241	243	66	234
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6,191	153	10	58	42	588	69	61	12	66
Other conditions originating in the perinatal period (760-766,770-779)	14,623	248	33	137	79	1,241	172	182	54	168
Symptoms, signs, and ill-defined conditions (780-799)	29,669	1,632	39	263	807	1,141	189	376	46	146
All other diseases (Residual)	120,180	2,178	105	1,551	1,288	11,006	1,487	1,684	284	677
Accidents and adverse effects (E800-E949)	94,575	1,893	420	1,481	1,168	9,885	1,427	1,056	231	366
Motor vehicle accidents (E810-E825)	46,020	966	95	781	585	4,948	706	441	131	71
All other accidents and adverse effects (E800-E807,E826-E949)	48,555	927	325	690	583	4,937	721	615	100	295
Suicide (E950-E959)	28,288	432	52	514	274	3,766	495	241	86	86
Homicide and legal intervention (E960-E978)	22,434	502	58	278	227	2,908	196	161	29	219
All other external causes (E980-E999)	3,223	63	17	35	31	267	79	31	11	69

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1982—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	109,799	44,847	5,495	6,597	97,773	46,931	26,621	21,289	32,556	36,190
Shigellosis and amebiasis (004,006)	3	1	–	–	2	–	–	–	–	–
Certain other intestinal infections (007-009)	22	7	2	3	10	5	4	3	3	8
Tuberculosis (010-016)	107	65	9	–	88	21	7	5	41	58
Tuberculosis of respiratory system (010-012)	88	58	7	–	79	15	7	5	38	50
Other tuberculosis (013-016)	19	9	2	–	9	6	–	–	3	8
Whooping cough (033)	–	–	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	1	–	2	–	–	–
Meningococcal infection (036)	18	11	–	–	16	6	4	2	6	13
Septicemia (038)	514	347	42	26	447	277	138	124	183	339
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	1	–
Viral hepatitis (070)	50	24	7	–	28	22	4	6	15	22
Syphilis (090-097)	11	5	–	–	5	3	2	1	2	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	231	110	23	7	174	90	57	50	51	97
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	25,269	8,977	1,295	1,245	21,587	10,181	5,685	4,334	6,965	7,417
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	558	192	33	12	437	159	78	84	144	140
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,471	2,084	440	286	5,929	2,586	1,628	1,186	1,739	1,751
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,427	2,644	295	303	5,620	2,629	1,365	1,145	2,174	2,240
Malignant neoplasm of breast (174-175)	1,941	669	94	102	2,025	932	488	364	536	547
Malignant neoplasms of genital organs (179-187)	2,827	1,028	130	149	2,337	1,144	680	504	785	755
Malignant neoplasms of urinary organs (188-189)	1,125	390	37	53	884	432	279	220	280	281
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,805	1,261	148	207	2,449	1,171	585	406	724	1,046
Leukemia (204-208)	898	331	51	58	798	369	263	178	254	275
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,219	418	67	67	1,108	559	321	245	329	382
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-238)	358	159	10	26	352	142	61	51	85	126
Diabetes mellitus (250)	1,699	755	132	113	1,732	958	486	394	577	765
Nutritional deficiencies (260-269)	136	58	7	10	107	62	63	30	47	43
Anemias (280-285)	178	101	14	5	152	70	52	46	60	79
Meningitis (320-322)	54	30	3	3	44	42	8	10	10	43
Major cardiovascular diseases (390-448)	53,560	21,367	2,317	3,050	50,310	24,060	14,207	10,750	16,281	17,237
Diseases of heart (390-398,402,404-429)	41,633	15,936	1,814	2,314	40,233	18,209	10,768	8,113	12,602	13,105
Rheumatic fever and rheumatic heart disease (390-398)	398	80	32	30	322	175	86	56	51	54
Hypertensive heart disease (402)	1,265	528	68	24	1,214	368	195	164	300	599
Hypertensive heart and renal disease (404)	100	95	6	14	185	163	71	32	42	74
Ischemic heart disease (410-414)	31,254	10,539	1,255	1,610	28,918	13,893	8,253	6,082	8,959	8,815
Acute myocardial infarction (410)	15,280	6,986	577	974	14,610	7,349	4,831	3,479	5,842	4,865
Other acute and subacute forms of ischemic heart disease (411)	308	186	14	–	288	20	34	17	25	18
Angina pectoris (413)	33	19	–	1	26	10	10	4	13	8
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	15,633	3,348	664	635	13,994	6,514	3,378	2,582	3,079	3,924
Other diseases of endocardium (424)	506	163	35	35	323	179	97	69	85	119
All other forms of heart disease (415-423,425-429)	8,108	4,531	418	601	9,271	3,431	2,066	1,690	3,185	3,444
Hypertension with or without renal disease (401,403)	421	218	12	16	502	184	121	76	122	124
Cerebrovascular diseases (430-438)	8,872	4,327	382	555	7,488	4,218	2,435	1,923	2,880	2,957
Intracerebral and other intracranial hemorrhage (431-432)	1,114	562	70	55	1,124	508	230	196	279	323
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2,005	734	46	68	1,652	704	412	318	472	495
Cerebral embolism (434.1)	49	14	3	7	33	9	15	11	6	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,704	3,017	263	425	4,679	2,997	1,778	1,400	2,103	2,145
Atherosclerosis (440)	1,344	451	44	94	1,243	983	573	390	386	739
Other diseases of arteries, arterioles, and capillaries (441-448)	1,290	435	65	71	844	486	310	248	311	302
Acute bronchitis and bronchiolitis (466)	33	10	–	–	25	9	6	5	7	11
Pneumonia and influenza (480-487)	1,903	1,160	175	207	2,403	1,017	832	592	837	669
Pneumonia (480-486)	1,887	1,138	170	194	2,384	1,007	809	575	833	661
Influenza (487)	16	22	5	13	19	10	23	17	4	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,635	1,294	163	261	2,560	1,511	885	765	1,100	824
Bronchitis, chronic and unspecified (490-491)	220	84	10	8	115	73	37	37	56	48
Emphysema (492)	873	300	27	73	682	327	159	124	219	194
Asthma (493)	132	82	27	13	156	55	42	31	40	47
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,410	828	99	167	1,627	1,056	647	573	785	535
Ulcer of stomach and duodenum (531-533)	383	137	19	29	357	173	110	77	102	94
Appendicitis (540-543)	34	15	1	–	24	16	5	3	10	10
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	232	133	12	28	254	134	94	60	80	84
Chronic liver disease and cirrhosis (571)	1,842	596	66	82	1,386	452	233	188	323	381
Cholelithiasis and other disorders of gallbladder (574-575)	117	61	9	10	159	81	36	35	72	48
Nephritis, nephrotic syndrome, and nephrosis (580-589)	937	471	58	49	813	460	128	239	288	498
Acute glomerulonephritis and nephrotic syndrome (580-581)	30	10	2	2	17	9	5	5	3	8
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	114	48	13	2	79	43	29	25	17	48
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	793	413	43	45	717	408	94	209	268	442
Infections of kidney (590)	127	64	3	6	110	61	51	34	55	56
Hyperplasia of prostate (600)	31	19	–	4	39	18	20	7	12	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	13	11	1	–	19	3	2	3	3	7
Pregnancy with abortive outcome (630-638)	2	2	–	–	4	–	–	–	–	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	11	9	1	–	15	3	2	3	3	5
Congenital anomalies (740-759)	570	327	60	59	653	296	185	123	227	321
Certain conditions originating in the perinatal period (760-779)	956	583	72	66	1,283	472	176	184	271	551
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	275	182	19	21	349	144	48	48	72	149
Other conditions originating in the perinatal period (760-766,770-779)	681	401	53	45	934	328	128	136	199	402
Symptoms, signs, and ill-defined conditions (780-799)	1,603	455	86	120	1,095	470	127	315	201	354
All other diseases (Residual)	6,762	3,102	392	462	5,449	2,674	1,472	1,426	2,039	2,222
Accidents and adverse effects (E800-E949)	4,970	2,778	358	523	3,517	2,090	1,088	995	1,762	2,438
Motor vehicle accidents (E810-E825)	2,776	1,288	156	261	1,591	1,036	496	517	857	1,118
All other accidents and adverse effects (E800-E807,E826-E949)	2,194	1,490	202	262	1,926	1,054	592	478	905	1,320
Suicide (E950-E959)	1,797	749	102	138	1,046	631	301	271	496	544
Homicide and legal intervention (E960-E978)	1,533	786	29	25	1,127	355	66	145	315	757
All other external causes (E980-E999)	111	78	28	20	399	68	24	18	29	22

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1982—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	10,446	33,430	53,627	74,452	33,408	22,775	49,145	6,535	14,672	6,886
Shigellosis and amebiasis (004,006)	–	–	–	–	–	1	–	–	–	–
Certain other intestinal infections (007-009)	–	3	3	10	4	6	6	–	3	2
Tuberculosis (010-018)	3	36	22	40	12	27	33	5	6	5
Tuberculosis of respiratory system (010-012)	2	31	16	31	10	19	28	1	3	3
Other tuberculosis (013-018)	1	5	6	9	2	8	5	4	3	2
Whooping cough (033)	–	–	–	–	1	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	1	1	1	–	–	–	–
Meningococcal infection (036)	2	8	8	11	4	5	6	1	–	1
Septicemia (038)	40	310	426	423	141	108	303	21	58	34
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	1	–	–	–	–	–	–
Viral hepatitis (070)	2	11	17	16	8	9	16	2	4	5
Syphilis (090-097)	3	5	1	–	1	4	3	2	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	24	92	108	141	96	56	124	13	30	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,402	8,079	12,888	16,347	7,350	4,305	10,725	1,331	3,035	1,431
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	44	172	253	303	107	98	182	19	68	25
Malignant neoplasms of digestive organs and peritoneum (150-159)	605	2,002	3,714	4,175	2,032	1,013	2,579	316	826	311
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	650	2,232	3,083	4,409	1,593	1,318	2,991	315	687	477
Malignant neoplasm of breast (174-175)	214	649	1,244	1,485	699	282	870	128	256	102
Malignant neoplasms of genital organs (179-187)	249	857	1,280	1,753	886	516	1,156	208	374	161
Malignant neoplasms of urinary organs (188-189)	125	344	593	698	374	160	477	71	144	55
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	318	1,088	1,674	2,036	845	542	1,412	162	359	187
Leukemia (204-208)	91	307	454	617	336	151	469	55	132	50
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	106	428	603	871	478	225	588	57	189	63
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	156	216	181	123	58	146	21	30	22
Diabetes mellitus (250)	179	681	931	1,346	561	357	773	117	216	103
Nutritional deficiencies (260-269)	16	38	60	102	49	29	95	15	25	11
Anemias (280-285)	12	66	70	136	53	50	108	8	34	11
Meningitis (320-322)	3	25	30	45	19	19	33	5	7	9
Major cardiovascular diseases (390-448)	5,289	15,528	26,683	37,779	16,583	10,588	23,736	2,981	7,614	2,952
Diseases of heart (390-398,402,404-429)	4,083	12,445	21,355	29,699	12,376	8,065	18,420	2,229	5,706	2,364
Rheumatic fever and rheumatic heart disease (390-398)	33	112	220	256	160	33	155	35	49	24
Hypertensive heart disease (402)	63	567	354	651	192	298	523	44	77	129
Hypertensive heart and renal disease (404)	15	83	56	112	33	68	145	10	31	5
Ischemic heart disease (410-414)	3,176	6,726	17,286	22,030	9,385	5,292	14,017	1,485	4,258	1,497
Acute myocardial infarction (410)	1,755	4,236	9,103	11,854	4,777	3,497	7,186	855	2,250	765
Other acute and subacute forms of ischemic heart disease (411)	25	45	14	64	32	12	37	11	9	27
Angina pectoris (413)	4	19	11	17	16	9	26	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,392	2,426	6,160	10,095	4,560	1,774	6,768	628	1,998	704
Other diseases of endocardium (424)	55	123	215	267	182	40	198	33	64	24
All other forms of heart disease (415-423,425-429)	741	4,854	3,222	6,383	2,424	2,334	3,382	612	1,227	685
Hypertension with or without renal disease (401,403)	43	121	161	268	125	92	169	18	67	10
Cerebrovascular diseases (430-438)	814	2,268	3,871	5,762	3,061	2,039	4,018	525	1,358	438
Intracerebral and other intracranial hemorrhage (431-432)	115	321	604	691	340	202	536	49	130	85
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	140	320	824	1,227	445	290	818	88	212	42
Cerebral embolism (434.1)	1	5	31	33	15	3	37	3	15	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	558	1,622	2,412	3,811	2,281	1,544	2,627	385	1,001	309
Atherosclerosis (440)	186	352	698	1,278	596	230	630	126	319	82
Other diseases of arteries, arterioles, and capillaries (441-448)	163	342	598	772	425	172	499	63	164	78
Acute bronchitis and bronchiolitis (466)	4	7	9	13	8	3	11	4	4	–
Pneumonia and influenza (480-487)	242	670	1,734	1,693	1,048	498	1,273	200	456	125
Pneumonia (480-486)	235	669	1,726	1,657	1,011	497	1,248	193	428	123
Influenza (487)	7	1	8	36	37	11	25	7	28	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	387	989	1,442	2,180	962	546	1,485	257	516	296
Bronchitis, chronic and unspecified (490-491)	30	45	84	122	68	18	75	29	36	13
Emphysema (492)	77	187	259	485	203	82	286	33	102	73
Asthma (493)	14	43	59	133	58	31	58	11	32	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	266	714	1,040	1,440	633	415	1,076	184	346	195
Ulcer of stomach and duodenum (531-533)	31	95	174	276	136	59	157	25	54	23
Appendicitis (540-543)	–	10	16	11	10	13	14	–	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	86	150	196	90	58	143	17	52	16
Chronic liver disease and cirrhosis (571)	169	386	756	1,232	346	184	485	88	122	142
Cholelithiasis and other disorders of gallbladder (574-575)	25	43	80	95	70	29	77	8	23	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	79	365	516	697	240	243	530	58	150	49
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	6	6	7	4	8	9	1	2	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	25	33	61	30	28	57	7	17	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	67	332	475	629	206	207	484	48	131	44
Infections of kidney (590)	9	26	36	59	26	36	60	11	12	1
Hyperplasia of prostate (600)	4	14	13	13	19	13	22	3	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	3	2	11	2	1	4	2	1	–
Pregnancy with abortive outcome (630-639)	–	1	–	5	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	2	6	1	1	4	2	1	–
Congenital anomalies (740-759)	53	175	333	484	295	148	371	34	107	42
Certain conditions originating in the perinatal period (760-779)	78	334	419	955	308	344	432	48	145	61
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	79	100	306	82	123	144	14	46	28
Other conditions originating in the perinatal period (760-766,770-779)	60	255	319	649	226	221	288	34	99	33
Symptoms, signs, and ill-defined conditions (780-799)	57	629	313	287	670	1,464	1,824	106	207	68
All other diseases (Residual)	656	2,200	3,553	4,583	2,137	1,314	2,851	476	902	412
Accidents and adverse effects (E800-E949)	438	1,473	1,788	2,988	1,434	1,527	2,122	494	631	586
Motor vehicle accidents (E810-E825)	185	679	711	1,451	603	777	936	258	266	318
All other accidents and adverse effects (E800-E807,E826-E949)	253	794	1,075	1,537	831	750	1,186	236	365	268
Suicide (E950-E959)	152	420	533	1,088	469	226	591	135	170	284
Homicide and legal intervention (E960-E978)	20	424	235	921	99	412	522	34	35	131
All other external causes (E980-E999)	9	43	54	81	33	24	58	15	18	26

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1982—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	7,436	65,992	9,226	166,831	48,958	5,691	94,366	28,443	21,643	118,809	9,101
Shigellosis and amebiasis (004,006)	–	–	–	1	1	–	–	1	–	1	–
Certain other intestinal infections (007-009)	2	5	4	37	9	3	19	1	2	11	1
Tuberculosis (010-018)	3	44	11	191	60	2	50	36	11	104	4
Tuberculosis of respiratory system (010-012)	2	31	9	148	46	2	42	31	9	76	2
Other tuberculosis (013-018)	1	13	2	43	12	–	8	5	2	28	2
Whooping cough (033)	–	–	–	1	–	–	–	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	1	–	–	–	–
Meningococcal infection (036)	1	11	3	34	12	–	18	2	8	15	2
Septicemia (038)	28	542	41	861	331	19	531	157	69	1,038	53
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	31	2	87	16	3	23	18	12	24	6
Syphilis (090-097)	–	3	–	5	–	–	6	2	3	7	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	147	30	354	137	11	149	61	47	194	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,661	15,288	1,808	37,260	10,279	1,271	21,489	5,634	4,737	26,625	2,236
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	335	33	792	193	14	407	88	85	503	39
Malignant neoplasms of digestive organs and peritoneum (150-159)	439	4,397	507	10,707	2,460	383	5,590	1,348	1,161	7,133	701
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	419	3,976	421	9,169	2,801	260	6,025	1,695	1,307	8,640	572
Malignant neoplasm of breast (174-175)	168	1,504	154	3,834	819	103	1,989	446	390	2,311	182
Malignant neoplasms of genital organs (178-187)	176	1,645	211	3,916	1,150	189	2,284	613	526	2,792	224
Malignant neoplasms of urinary organs (188-189)	73	669	71	1,641	393	71	939	259	240	1,144	99
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	227	1,567	249	4,033	1,474	138	2,310	649	561	3,688	245
Leukemia (204-208)	55	491	75	1,436	442	50	816	231	196	979	69
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	704	87	1,932	547	63	1,128	307	271	1,435	104
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	174	42	616	185	19	278	79	85	516	33
Diabetes mellitus (250)	162	1,287	240	2,971	796	107	2,045	475	308	2,412	258
Nutritional deficiencies (260-269)	7	75	15	104	65	10	138	46	24	143	8
Anemias (280-285)	16	105	15	229	86	13	144	31	29	213	22
Meningitis (320-322)	3	41	11	101	45	4	58	28	11	55	3
Major cardiovascular diseases (390-448)	3,704	34,212	3,156	87,035	23,815	2,751	47,655	13,807	10,373	60,209	4,550
Diseases of heart (390-398,402,404-429)	2,865	27,907	2,327	72,473	17,986	2,061	37,566	10,634	7,650	48,405	3,709
Rheumatic fever and rheumatic heart disease (390-398)	24	330	42	686	152	16	375	65	102	547	46
Hypertensive heart disease (402)	47	875	42	1,444	635	34	1,049	219	135	1,117	46
Hypertensive heart and renal disease (404)	6	113	1	143	116	7	209	28	30	169	7
Ischemic heart disease (410-414)	2,147	21,776	1,601	62,167	12,801	1,520	28,363	7,868	5,937	33,359	3,074
Acute myocardial infarction (410)	1,226	10,772	841	27,006	8,072	913	14,023	4,520	2,266	18,939	1,644
Other acute and subacute forms of ischemic heart disease (411)	3	141	2	268	74	5	108	270	11	156	6
Angina pectoris (413)	3	17	2	32	25	1	27	8	9	35	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	915	10,846	756	34,861	4,630	601	14,205	3,070	3,851	14,229	1,422
Other diseases of endocardium (424)	40	285	29	521	166	29	345	95	135	561	41
All other forms of heart disease (415-423,425-429)	601	4,548	612	7,512	4,116	455	7,225	2,361	1,311	12,652	493
Hypertension with or without renal disease (401,403)	35	197	102	644	248	23	349	88	77	460	38
Cerebrovascular diseases (430-438)	574	4,680	554	10,708	4,618	495	7,399	2,466	1,887	8,534	597
Intracerebral and other intracranial hemorrhage (431-432)	76	717	56	1,581	527	61	990	224	211	1,119	90
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	94	1,015	59	2,210	793	73	1,375	291	318	1,560	131
Cerebral embolism (434.1)	5	31	2	51	15	2	44	14	9	37	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	399	2,917	437	6,866	3,281	359	4,990	1,937	1,349	5,818	375
Atherosclerosis (440)	130	734	82	1,674	521	97	1,290	372	467	1,575	112
Other diseases of arteries, arterioles, and capillaries (441-448)	100	694	91	1,536	444	75	1,051	247	282	1,235	94
Acute bronchitis and bronchiolitis (466)	3	20	4	38	10	–	27	9	3	23	3
Pneumonia and influenza (480-487)	184	1,456	241	4,548	1,194	189	1,947	765	625	2,383	174
Pneumonia (480-486)	182	1,442	236	4,517	1,178	180	1,931	756	609	2,368	173
Influenza (487)	2	14	5	29	16	9	16	9	16	15	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	282	1,716	387	4,141	1,371	131	2,837	871	901	3,170	259
Bronchitis, chronic and unspecified (490-491)	24	121	19	273	81	4	225	37	54	134	20
Emphysema (492)	59	361	70	1,006	250	28	604	180	183	540	43
Asthma (493)	16	68	29	307	118	7	136	39	60	128	10
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	183	1,166	269	2,555	922	92	1,972	615	594	2,368	186
Ulcer of stomach and duodenum (531-533)	31	209	25	618	150	17	289	82	75	328	46
Appendicitis (540-543)	2	15	4	42	12	4	38	8	6	27	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	153	39	359	118	14	227	71	67	285	33
Chronic liver disease and cirrhosis (571)	98	1,032	173	3,098	634	60	1,110	290	267	1,441	138
Cholelithiasis and other disorders of gallbladder (574-575)	9	97	27	211	85	10	143	41	32	142	23
Nephritis, nephrotic syndrome, and nephrosis (580-589)	64	680	105	1,181	510	65	908	334	120	1,255	81
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	10	–	19	5	1	13	3	2	16	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	74	10	155	72	4	87	28	16	99	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	60	596	95	1,007	433	60	808	302	102	1,140	69
Infections of kidney (590)	8	38	8	137	78	6	108	62	29	64	7
Hyperplasia of prostate (600)	5	23	4	46	11	3	39	3	5	24	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	6	2	29	11	1	13	1	4	9	1
Pregnancy with abortive outcome (630-638)	–	1	–	9	3	–	1	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	5	2	20	8	1	12	1	4	8	1
Congenital anomalies (740-759)	37	334	90	1,041	349	48	645	227	157	625	52
Certain conditions originating in the perinatal period (760-779)	80	561	88	1,594	626	85	1,007	297	178	1,036	79
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	16	180	27	441	157	35	317	100	58	302	30
Other conditions originating in the perinatal period (760-766,770-778)	64	381	61	1,153	469	50	690	197	120	734	49
Symptoms, signs, and ill-defined conditions (780-799)	27	530	498	2,023	357	69	1,383	417	345	2,661	35
All other diseases (Residual)	473	3,773	744	8,519	3,375	336	5,434	1,719	1,384	7,393	547
Accidents and adverse effects (E800-E949)	347	2,303	946	5,380	2,741	352	3,480	2,007	1,106	4,170	274
Motor vehicle accidents (E810-E825)	162	1,086	608	2,206	1,371	176	1,594	1,115	549	1,881	122
All other accidents and adverse effects (E800-E807,E826-E949)	165	1,217	338	3,174	1,370	176	1,886	892	559	2,289	152
Suicide (E950-E959)	111	582	283	1,331	807	74	1,265	460	392	1,348	106
Homicide and legal intervention (E960-E978)	17	486	136	2,101	631	8	660	371	151	708	36
All other external causes (E980-E999)	11	33	44	509	51	6	82	30	55	209	6

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1982—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	24,267	6,528	42,693	113,405	8,860	4,506	41,196	32,534	19,155	40,153	3,035
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	12	1	7	26	1	1	6	4	–	2	–
Tuberculosis (010-018)	39	4	68	126	2	5	36	13	20	19	–
Tuberculosis of respiratory system (010-012)	32	3	58	89	2	5	24	13	18	16	–
Other tuberculosis (013-018)	7	1	10	27	–	–	12	–	2	3	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	1	2	–	–	–	–	–	–	–
Meningococcal infection (036)	11	–	14	25	5	1	2	5	–	13	1
Septicemia (038)	179	28	161	796	58	17	344	139	112	181	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	12	2	19	57	1	1	14	14	5	10	1
Syphilis (090-097)	1	–	3	12	–	–	5	1	1	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	58	15	127	290	17	7	85	77	39	116	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,809	1,251	9,361	22,993	1,522	980	9,310	7,514	3,962	8,967	521
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	105	21	171	416	22	23	169	145	68	156	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,210	367	2,211	5,488	370	245	2,288	1,920	893	2,522	134
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,390	270	2,676	6,486	238	242	2,695	2,073	1,234	2,000	140
Malignant neoplasm of breast (174-175)	391	115	686	1,922	142	82	779	650	333	831	48
Malignant neoplasms of genital organs (179-187)	562	140	1,001	2,412	235	118	1,030	836	372	1,039	65
Malignant neoplasms of urinary organs (188-189)	196	69	348	909	59	56	362	333	159	408	23
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	544	141	1,152	3,163	255	114	1,237	771	581	1,088	69
Leukemia (204-208)	141	50	434	1,028	86	39	302	344	123	396	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	250	78	502	1,267	115	61	448	442	199	527	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	25	118	299	31	19	113	76	64	86	12
Diabetes mellitus (250)	464	87	594	1,860	177	83	601	557	368	725	50
Nutritional deficiencies (260-269)	24	6	58	137	14	8	50	43	24	53	4
Anemias (280-285)	58	11	78	194	16	3	73	65	30	69	2
Meningitis (320-322)	15	8	30	133	10	–	27	8	15	17	1
Major cardiovascular diseases (390-448)	11,792	3,429	20,933	51,121	3,934	2,284	19,904	15,312	9,864	21,018	1,302
Diseases of heart (390-398,402,404-429)	9,910	2,984	15,595	39,092	3,061	1,768	15,390	11,655	7,913	16,440	1,051
Rheumatic fever and rheumatic heart disease (390-398)	60	13	110	235	88	21	119	139	61	135	6
Hypertensive heart disease (402)	341	34	495	1,250	100	49	443	253	199	339	21
Hypertensive heart and renal disease (404)	50	12	56	130	11	5	72	40	24	49	4
Ischemic heart disease (410-414)	5,820	2,019	11,531	24,500	1,675	1,195	10,549	8,249	5,508	12,472	739
Acute myocardial infarction (410)	3,797	1,289	7,045	14,692	1,060	643	5,738	4,305	3,020	8,385	444
Other acute and subacute forms of ischemic heart disease (411)	98	4	130	69	52	8	678	14	13	60	2
Angina pectoris (413)	12	3	11	25	4	9	20	15	9	18	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,913	723	4,345	9,714	759	535	4,113	3,915	2,467	6,029	293
Other diseases of endocardium (424)	98	33	127	372	36	27	162	174	64	188	10
All other forms of heart disease (415-423,425-429)	2,541	573	3,276	12,595	953	501	4,045	2,600	2,056	3,257	271
Hypertension with or without renal disease (401,403)	130	19	162	363	20	20	156	134	62	153	9
Cerebrovascular diseases (430-438)	2,289	573	4,185	9,255	670	343	3,431	2,674	1,445	3,323	185
Intracerebral and other intracranial hemorrhage (431-432)	347	55	472	1,125	78	24	412	336	171	400	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	378	75	699	1,219	101	51	562	369	248	509	19
Cerebral embolism (434.1)	8	2	22	35	6	2	23	15	12	12	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,556	441	2,992	6,876	485	266	2,434	1,954	1,014	2,402	149
Atherosclerosis (440)	260	86	560	1,471	87	63	569	472	244	682	38
Other diseases of arteries, arterioles, and capillaries (441-448)	203	67	431	940	98	80	358	377	200	420	19
Acute bronchitis and bronchiolitis (466)	10	2	10	21	5	1	10	7	5	6	–
Pneumonia and influenza (480-487)	598	227	1,018	2,710	235	122	1,092	914	396	997	88
Pneumonia (480-486)	590	215	1,002	2,680	225	120	1,083	869	394	974	85
Influenza (487)	8	12	16	30	10	2	9	45	2	23	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	608	222	1,335	3,198	280	165	1,204	1,349	717	1,053	136
Bronchitis, chronic and unspecified (490-491)	29	12	61	201	24	6	79	59	45	63	8
Emphysema (492)	109	60	246	756	47	24	193	317	120	200	13
Asthma (493)	40	8	55	169	19	5	73	84	22	68	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	430	142	953	2,072	190	130	859	889	530	722	109
Ulcer of stomach and duodenum (531-533)	82	21	120	299	34	20	121	139	44	153	23
Appendicitis (540-543)	10	–	11	32	4	2	9	6	4	10	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	16	99	315	24	15	117	82	42	118	10
Chronic liver disease and cirrhosis (571)	260	49	418	1,354	118	63	478	459	197	404	44
Cholelithiasis and other disorders of gallbladder (574-575)	41	12	91	201	22	6	52	40	21	61	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	264	52	408	1,234	79	32	394	238	180	347	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	–	4	20	–	–	6	7	3	11	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	38	1	65	91	12	2	38	26	12	53	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	220	51	339	1,123	67	30	350	205	165	283	15
Infections of kidney (590)	32	6	63	152	12	9	38	23	15	40	2
Hyperplasia of prostate (600)	3	5	21	30	3	–	7	12	2	15	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	1	6	29	5	–	3	4	1	–	–
Pregnancy with abortive outcome (630-638)	2	–	1	4	1	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	1	5	25	4	–	3	3	1	–	–
Congenital anomalies (740-759)	206	24	297	938	177	21	239	259	109	255	22
Certain conditions originating in the perinatal period (760-779)	395	61	463	1,573	223	33	531	294	153	329	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	72	19	145	526	65	10	126	106	50	102	3
Other conditions originating in the perinatal period (760-766,770-779)	323	42	318	1,047	158	23	405	188	103	227	16
Symptoms, signs, and ill-defined conditions (780-799)	356	86	819	3,906	148	25	317	244	193	270	52
All other diseases (Residual)	1,541	372	2,699	6,961	732	269	2,725	2,079	1,207	2,413	191
Accidents and adverse effects (E800-E949)	1,524	369	2,240	7,763	645	226	2,080	1,743	947	1,633	372
Motor vehicle accidents (E810-E825)	759	165	1,172	4,335	332	106	927	808	485	813	214
All other accidents and adverse effects (E800-E807,E826-E949)	765	204	1,068	3,428	313	120	1,153	935	462	820	158
Suicide (E950-E959)	376	92	591	1,876	206	78	756	566	237	588	84
Homicide and legal intervention (E960-E978)	369	27	504	2,608	75	8	435	200	141	156	37
All other external causes (E980-E999)	21	15	90	114	47	2	18	48	42	29	8

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,434,869	1,268	5,716	768	7,733	3,001	1,367
Shigellosis and amebiasis (004,006)	9	–	–	–	–	–	–
Certain other intestinal infections (007-009)	240	–	2	–	2	–	2
Tuberculosis (010-018)	1,326	–	–	2	5	3	–
Tuberculosis of respiratory system (010-012)	1,055	–	–	2	4	2	–
Other tuberculosis (013-018)	271	–	–	–	1	1	–
Whooping cough (033)	4	–	–	–	1	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	14	–	–	–	–	–	–
Meningococcal infection (036)	261	–	–	–	2	1	1
Septicemia (038)	8,746	6	37	3	55	14	19
Acute poliomyelitis (045)	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–
Viral hepatitis (070)	664	–	2	–	–	1	1
Syphilis (090-097)	99	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-066,071-088,098-139)	3,873	5	7	2	13	8	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	323,063	248	1,290	158	1,729	656	259
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,649	2	30	1	40	17	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	84,464	67	316	37	479	177	56
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	88,668	71	361	35	437	138	76
Malignant neoplasm of breast (174-175)	28,050	25	111	9	173	68	20
Malignant neoplasms of genital organs (179-187)	34,722	28	126	23	193	74	18
Malignant neoplasms of urinary organs (188-189)	13,619	7	56	9	69	32	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39,008	34	153	29	179	89	47
Leukemia (204-208)	12,127	9	49	7	69	27	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16,756	5	68	8	90	34	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,609	8	11	2	25	15	5
Diabetes mellitus (250)	24,951	28	126	12	140	67	36
Nutritional deficiencies (260-269)	1,645	5	4	1	11	6	1
Anemias (280-285)	2,342	1	9	–	10	5	1
Meningitis (320-322)	967	2	4	–	2	3	2
Major cardiovascular diseases (390-448)	696,003	583	2,718	342	4,061	1,035	709
Diseases of heart (390-398,402,404-429)	547,871	432	2,138	250	3,295	737	567
Rheumatic fever and rheumatic heart disease (390-398)	5,510	4	19	1	36	10	2
Hypertensive heart disease (402)	16,374	6	59	13	71	16	33
Hypertensive heart and renal disease (404)	1,933	–	5	2	7	1	3
Ischemic heart disease (410-414)	400,628	285	1,544	165	2,648	513	346
Acute myocardial infarction (410)	199,838	195	831	82	1,156	233	178
Other acute and subacute forms of ischemic heart disease (411)	2,984	–	8	–	21	3	–
Angina pectoris (413)	412	–	–	–	2	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	197,394	100	705	83	1,469	276	166
Other diseases of endocardium (424)	5,781	6	35	4	34	10	4
All other forms of heart disease (415-423,425-429)	117,645	121	474	65	499	187	179
Hypertension with or without renal disease (401,403)	5,414	4	25	4	31	34	1
Cerebrovascular diseases (430-438)	109,893	114	414	72	542	185	117
Intracerebral and other intracranial hemorrhage (431-432)	14,824	9	73	10	91	19	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20,921	13	79	21	139	13	22
Cerebral embolism (434.1)	535	–	–	–	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	73,613	92	262	41	310	152	83
Atherosclerosis (440)	18,167	22	91	10	105	43	14
Other diseases of arteries, arterioles, and capillaries (441-448)	14,658	11	52	6	68	36	10
Acute bronchitis and bronchiolitis (466)	359	–	–	–	5	–	–
Pneumonia and influenza (480-487)	35,049	38	99	11	189	67	39
Pneumonia (480-486)	34,637	38	98	10	186	67	32
Influenza (487)	412	–	1	1	3	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	42,826	29	172	32	236	149	35
Bronchitis, chronic and unspecified (490-491)	2,524	–	17	–	14	6	3
Emphysema (492)	9,330	5	37	7	74	14	6
Asthma (493)	2,266	–	4	3	5	13	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	28,706	24	114	22	143	114	25
Ulcer of stomach and duodenum (531-533)	4,989	5	13	3	30	8	3
Appendicitis (540-543)	365	1	2	–	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,543	5	13	1	11	15	4
Chronic liver disease and cirrhosis (571)	22,194	13	62	14	98	65	18
Cholelithiasis and other disorders of gallbladder (574-575)	2,034	1	6	–	11	4	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12,705	25	48	9	66	36	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	204	–	1	1	2	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,372	3	3	2	3	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11,129	22	44	6	63	33	16
Infections of kidney (590)	1,454	1	6	2	7	4	1
Hyperplasia of prostate (600)	447	–	1	–	–	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	221	–	–	–	–	1	1
Pregnancy with abortive outcome (630-638)	49	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	172	–	–	–	–	1	1
Congenital anomalies (740-759)	10,289	9	36	5	46	32	8
Certain conditions originating in the perinatal period (760-779)	16,030	15	54	13	68	32	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4,581	6	23	1	17	6	1
Other conditions originating in the perinatal period (760-766,770-779)	11,449	9	31	12	51	26	13
Symptoms, signs, and ill-defined conditions (780-799)	19,828	65	428	31	62	139	10
All other diseases (Residual)	87,767	80	329	44	439	254	100
Accidents and adverse effects (E800-E949)	63,928	82	148	47	298	208	49
Motor vehicle accidents (E810-E825)	30,448	35	79	17	127	113	21
All other accidents and adverse effects (E800-E807,E826-E949)	33,480	47	69	30	171	95	28
Suicide (E950-E959)	21,301	16	67	16	87	98	22
Homicide and legal intervention (E960-E978)	18,457	19	20	17	21	38	24
All other external causes (E980-E999)	2,587	–	2	2	3	14	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,106	1,545	1,367	12,680	590	1,170	1,101	1,441
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	1	1	–	1	–
Tuberculosis (010-018)	3	–	–	20	1	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	15	1	–	–	–
Other tuberculosis (013-018)	–	–	–	5	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	1
Septicemia (038)	48	10	8	32	2	6	7	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	2	1	10	–	–	1	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	2	1	28	1	2	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,431	298	278	3,015	136	264	214	320
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	2	3	75	3	4	3	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	363	80	60	704	31	68	41	64
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	343	74	73	629	38	77	62	72
Malignant neoplasm of breast (174-175)	125	37	28	294	11	24	20	41
Malignant neoplasms of genital organs (179-187)	147	25	27	340	12	28	33	40
Malignant neoplasms of urinary organs (188-189)	73	17	9	140	8	3	10	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	228	45	50	370	24	38	24	33
Leukemia (204-208)	52	11	14	102	5	8	7	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	79	7	16	161	4	14	14	30
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	8	4	43	2	5	4	2
Diabetes mellitus (250)	130	45	16	150	11	24	15	23
Nutritional deficiencies (260-269)	9	6	–	9	–	–	1	2
Anemias (280-285)	6	1	–	13	–	2	2	7
Meningitis (320-322)	3	–	3	8	–	1	–	1
Major cardiovascular diseases (390-448)	3,216	853	679	5,990	174	606	541	696
Diseases of heart (390-398,402,404-429)	2,656	687	515	4,643	138	450	405	523
Rheumatic fever and rheumatic heart disease (390-398)	22	8	5	74	1	2	6	11
Hypertensive heart disease (402)	70	10	8	73	–	15	5	6
Hypertensive heart and renal disease (404)	12	2	–	14	–	3	2	–
Ischemic heart disease (410-414)	1,740	528	369	3,650	111	355	280	379
Acute myocardial infarction (410)	1,002	293	280	2,000	45	162	182	188
Other acute and subacute forms of ischemic heart disease (411)	3	3	1	17	–	1	1	1
Angina pectoris (413)	1	2	1	1	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	734	230	87	1,632	66	191	96	190
Other diseases of endocardium (424)	35	8	4	57	4	5	7	8
All other forms of heart disease (415-423,425-429)	777	111	129	775	22	70	105	119
Hypertension with or without renal disease (401,403)	26	9	5	52	1	4	2	6
Cerebrovascular diseases (430-438)	391	122	108	980	26	109	117	118
Intracerebral and other intracranial hemorrhage (431-432)	68	15	11	145	4	12	13	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	76	28	8	194	6	19	22	14
Cerebral embolism (434.1)	1	–	1	7	–	–	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	246	79	88	634	16	76	80	94
Atherosclerosis (440)	75	34	36	154	2	29	8	34
Other diseases of arteries, arterioles, and capillaries (441-448)	68	21	15	161	7	14	9	15
Acute bronchitis and bronchiolitis (466)	2	–	–	7	–	–	–	–
Pneumonia and influenza (480-487)	129	20	32	400	9	21	36	51
Pneumonia (480-486)	129	20	32	392	9	21	36	50
Influenza (487)	–	–	–	8	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	158	48	53	460	16	53	37	37
Bronchitis, chronic and unspecified (490-491)	6	2	–	41	1	–	4	–
Emphysema (492)	27	5	18	119	4	13	7	13
Asthma (493)	5	1	1	14	3	2	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	120	40	34	286	8	38	24	21
Ulcer of stomach and duodenum (531-533)	26	7	3	74	2	1	5	3
Appendicitis (540-543)	2	–	–	5	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	8	5	35	–	–	2	3
Chronic liver disease and cirrhosis (571)	62	18	16	250	18	9	13	17
Cholelithiasis and other disorders of gallbladder (574-575)	10	5	4	19	–	2	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	67	4	11	65	3	13	7	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	1	1	11	–	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	62	3	10	54	3	12	6	6
Infections of kidney (590)	4	1	2	23	2	1	2	–
Hyperplasia of prostate (600)	–	1	–	5	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	4	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	4	–	–	–	–
Congenital anomalies (740-759)	38	6	8	138	12	6	6	13
Certain conditions originating in the perinatal period (760-779)	46	12	24	129	19	3	18	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	5	7	42	4	–	1	5
Other conditions originating in the perinatal period (760-766,770-779)	39	7	17	87	15	3	17	16
Symptoms, signs, and ill-defined conditions (780-799)	27	11	10	50	12	6	24	10
All other diseases (Residual)	330	98	69	695	36	69	56	107
Accidents and adverse effects (E800-E949)	202	59	92	618	83	50	64	68
Motor vehicle accidents (E810-E825)	95	24	46	321	35	25	28	37
All other accidents and adverse effects (E800-E807,E826-E949)	107	35	46	297	48	25	36	31
Suicide (E950-E959)	79	14	23	272	25	15	18	27
Homicide and legal intervention (E960-E978)	23	7	23	107	25	7	21	14
All other external causes (E980-E999)	7	1	–	5	–	2	1	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	1,006	2,150	1,774	912	13,929	2,402	2,578	3,419
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	2	–	–	–
Tuberculosis (010-018)	3	1	1	3	18	2	7	6
Tuberculosis of respiratory system (010-012)	2	–	–	2	15	1	7	4
Other tuberculosis (013-018)	1	1	1	1	3	1	–	2
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	2	–	3	–	–	–
Septicemia (038)	9	8	7	4	145	9	15	30
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	1	7	1	–	5
Syphilis (090-097)	–	–	–	–	2	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,088-139)	3	4	3	–	41	3	6	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	215	485	396	172	2,909	537	559	737
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	7	6	5	72	7	8	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	38	127	99	40	647	140	133	160
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	73	113	95	47	851	137	173	211
Malignant neoplasm of breast (174-175)	14	48	29	8	246	47	41	78
Malignant neoplasms of genital organs (179-187)	22	55	59	26	321	69	67	79
Malignant neoplasms of urinary organs (188-189)	11	26	12	10	110	28	24	43
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	34	66	55	20	406	64	72	90
Leukemia (204-208)	9	21	17	7	112	19	14	29
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	22	24	9	144	26	27	39
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	2	8	4	59	6	4	15
Diabetes mellitus (250)	17	37	20	28	222	45	43	41
Nutritional deficiencies (260-269)	1	1	3	1	20	4	5	4
Anemias (280-285)	3	4	4	3	33	5	4	6
Meningitis (320-322)	–	1	2	–	9	3	1	–
Major cardiovascular diseases (390-448)	514	1,153	857	419	6,210	1,263	1,184	1,522
Diseases of heart (390-398,402,404-429)	401	889	657	311	4,687	1,027	873	1,090
Rheumatic fever and rheumatic heart disease (390-398)	5	5	4	–	29	9	5	9
Hypertensive heart disease (402)	16	10	15	11	230	39	55	52
Hypertensive heart and renal disease (404)	–	5	–	–	18	6	6	2
Ischemic heart disease (410-414)	258	710	472	225	2,889	780	544	662
Acute myocardial infarction (410)	193	391	256	162	1,828	349	328	378
Other acute and subacute forms of ischemic heart disease (411)	2	1	1	1	7	1	1	9
Angina pectoris (413)	–	3	–	–	8	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	63	315	215	62	1,046	429	214	275
Other diseases of endocardium (424)	3	5	6	2	46	12	16	10
All other forms of heart disease (415-423,425-429)	119	154	160	73	1,475	181	247	355
Hypertension with or without renal disease (401,403)	5	6	7	2	57	6	7	9
Cerebrovascular diseases (430-438)	95	193	148	96	1,230	150	254	287
Intracerebral and other intracranial hemorrhage (431-432)	12	27	14	13	173	30	42	43
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	42	30	15	180	40	37	33
Cerebral embolism (434.1)	–	1	–	–	2	–	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	59	123	104	68	875	80	175	209
Atherosclerosis (440)	5	38	29	4	107	47	22	110
Other diseases of arteries, arterioles, and capillaries (441-448)	8	27	16	6	129	33	28	26
Acute bronchitis and bronchiolitis (466)	–	1	–	1	1	3	–	–
Pneumonia and influenza (480-487)	20	52	62	28	357	47	59	65
Pneumonia (480-486)	19	50	61	26	351	46	58	64
Influenza (487)	1	2	1	2	6	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34	57	60	26	398	69	66	128
Bronchitis, chronic and unspecified (490-491)	2	3	5	5	24	2	1	5
Emphysema (492)	8	11	9	8	104	12	24	30
Asthma (493)	2	2	3	1	24	3	3	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22	41	43	12	246	52	38	82
Ulcer of stomach and duodenum (531-533)	2	7	2	2	38	11	10	7
Appendicitis (540-543)	–	–	–	–	4	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	–	7	2	4	33	2	13	8
Chronic liver disease and cirrhosis (571)	8	18	14	23	205	49	36	38
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	2	1	16	1	3	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	16	16	6	147	32	26	30
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	1	1	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	4	2	2	12	4	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	11	14	6	134	27	22	27
Infections of kidney (590)	1	4	1	–	18	–	2	3
Hyperplasia of prostate (600)	2	2	1	–	6	–	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	3	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	2	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	1	–	–	–
Congenital anomalies (740-759)	10	11	14	10	126	14	23	31
Certain conditions originating in the perinatal period (760-779)	11	14	14	8	204	15	29	27
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	5	2	3	46	5	10	11
Other conditions originating in the perinatal period (760-766,770-779)	9	9	12	5	158	10	19	16
Symptoms, signs, and ill-defined conditions (780-799)	8	22	14	7	143	17	15	40
All other diseases (Residual)	51	112	148	65	1,066	126	206	286
Accidents and adverse effects (E800-E949)	50	83	76	64	870	93	164	225
Motor vehicle accidents (E810-E825)	21	42	31	29	412	48	69	128
All other accidents and adverse effects (E800-E807,E826-E949)	29	41	45	35	458	45	95	97
Suicide (E950-E959)	14	42	26	12	296	13	40	86
Homicide and legal intervention (E960-E978)	9	4	15	18	300	28	48	75
All other external causes (E880-E999)	2	1	3	–	18	3	6	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif.	Baltimore, Md.	Bangor, Maine	Baton Rouge, La.	Battle Creek, Mich.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Bellingham, Wash.
All causes	3,349	19,416	1,150	3,259	1,643	962	3,240	877
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	3	–	1	–	–	–	–
Tuberculosis (010-018)	2	22	–	2	–	1	3	1
Tuberculosis of respiratory system (010-012)	2	20	–	2	–	1	2	1
Other tuberculosis (013-018)	–	2	–	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	4	–	–	1	–	1	–
Septicemia (038)	16	227	6	25	11	2	14	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	9	–	1	2	–	–	–
Syphilis (090-097)	–	1	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,096-139)	16	51	2	7	4	–	7	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	716	4,756	290	686	377	229	704	191
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	16	102	5	23	7	1	14	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	147	1,220	68	171	86	59	189	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	216	1,373	90	217	112	55	209	50
Malignant neoplasm of breast (174-175)	69	339	27	44	26	15	55	22
Malignant neoplasms of genital organs (179-187)	74	517	23	63	53	25	62	16
Malignant neoplasms of urinary organs (188-189)	28	196	16	21	19	4	19	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	101	664	42	81	42	54	90	22
Leukemia (204-208)	37	141	12	23	14	6	30	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	210	7	43	19	10	38	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	92	5	8	8	1	7	2
Diabetes mellitus (250)	35	412	23	64	36	18	61	21
Nutritional deficiencies (260-269)	3	22	2	4	5	1	3	2
Anemias (280-285)	4	40	2	5	1	1	7	2
Meningitis (320-322)	3	20	–	5	2	–	3	–
Major cardiovascular diseases (390-448)	1,474	8,823	532	1,527	815	555	1,492	417
Diseases of heart (390-398,402,404-429)	1,180	7,264	428	1,181	635	439	1,143	313
Rheumatic fever and rheumatic heart disease (390-398)	15	71	2	3	3	3	6	5
Hypertensive heart disease (402)	40	349	6	110	13	4	18	6
Hypertensive heart and renal disease (404)	3	27	1	7	3	–	5	2
Ischemic heart disease (410-414)	901	3,680	343	855	492	387	638	240
Acute myocardial infarction (410)	403	2,523	205	202	268	200	324	109
Other acute and subacute forms of ischemic heart disease (411)	–	33	–	1	–	–	3	2
Angina pectoris (413)	1	18	2	–	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	497	1,106	136	572	223	187	311	132
Other diseases of endocardium (424)	13	55	4	13	9	2	2	4
All other forms of heart disease (415-423,425-429)	208	3,082	72	193	115	43	474	56
Hypertension with or without renal disease (401,403)	10	61	2	14	6	–	13	1
Cerebrovascular diseases (430-438)	201	1,176	73	229	125	64	264	76
Intracerebral and other intracranial hemorrhage (431-432)	28	200	12	23	6	9	41	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	50	98	10	34	17	14	44	7
Cerebral embolism (434.1)	1	2	–	–	3	1	2	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	122	876	51	172	99	40	177	57
Atherosclerosis (440)	39	126	17	82	33	41	46	14
Other diseases of arteries, arterioles, and capillaries (441-448)	44	198	12	21	16	11	26	13
Acute bronchitis and bronchiolitis (466)	2	4	–	–	–	–	1	–
Pneumonia and influenza (480-487)	89	390	40	69	51	8	57	17
Pneumonia (480-486)	88	390	40	67	48	8	57	14
Influenza (487)	1	–	–	2	3	–	–	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	184	521	35	79	58	18	67	39
Bronchitis, chronic and unspecified (490-491)	5	24	–	3	1	–	7	2
Emphysema (492)	50	71	4	10	19	5	17	7
Asthma (493)	5	28	2	6	2	–	6	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	74	398	29	54	37	14	37	27
Ulcer of stomach and duodenum (531-533)	17	58	2	11	7	5	3	–
Appendicitis (540-543)	1	8	–	2	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	60	5	3	4	2	5	2
Chronic liver disease and cirrhosis (571)	79	228	18	28	22	11	32	11
Cholelithiasis and other disorders of gallbladder (574-575)	7	25	3	4	2	–	5	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	244	8	42	17	13	43	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	3	–	2	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	15	1	4	1	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	226	7	36	16	11	39	7
Infections of kidney (590)	5	20	1	5	–	1	8	–
Hyperplasia of prostate (600)	1	12	–	–	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	–	–	–	–	2	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	–	–	–	2	–
Congenital anomalies (740-759)	18	103	6	27	6	5	10	5
Certain conditions originating in the perinatal period (760-779)	45	225	13	68	14	8	51	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	55	3	20	5	4	21	2
Other conditions originating in the perinatal period (760-766,770-779)	32	170	10	48	9	4	30	7
Symptoms, signs, and ill-defined conditions (780-799)	23	407	7	23	6	1	178	7
All other diseases (Residual)	216	1,324	87	195	93	35	163	53
Accidents and adverse effects (E800-E949)	283	759	43	228	63	38	213	63
Motor vehicle accidents (E810-E825)	162	316	21	105	35	25	110	21
All other accidents and adverse effects (E800-E807,E826-E949)	101	443	22	121	28	13	103	42
Suicide (E950-E959)	59	221	16	63	23	7	48	14
Homicide and legal intervention (E960-E978)	62	296	–	85	14	1	44	6
All other external causes (E980-E999)	4	27	4	2	–	–	5	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,508	754	1,634	2,733	8,043	510	527	902
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	5	–	–	–
Tuberculosis (010-018)	–	1	1	1	13	–	1	–
Tuberculosis of respiratory system (010-012)	–	1	–	–	12	–	1	–
Other tuberculosis (013-018)	–	–	1	1	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	2	2	3	–	–	–
Septicemia (038)	9	6	9	11	53	–	3	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	2	2	–	–	–
Syphilis (090-097)	–	2	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,096-139)	1	1	4	5	22	1	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	318	169	344	619	1,866	120	114	221
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	2	10	10	31	2	2	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	84	38	84	174	495	44	24	63
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	89	42	117	138	560	16	29	59
Malignant neoplasm of breast (174-175)	24	14	26	55	151	11	13	12
Malignant neoplasms of genital organs (179-187)	35	21	38	56	217	20	16	23
Malignant neoplasms of urinary organs (188-189)	6	7	6	38	69	5	6	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	50	28	42	85	225	12	11	19
Leukemia (204-208)	7	8	9	17	55	5	2	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	9	10	46	93	5	9	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	3	5	10	20	1	1	2
Diabetes mellitus (250)	26	10	23	65	156	10	10	14
Nutritional deficiencies (260-269)	1	3	–	3	15	–	1	2
Anemias (280-285)	4	1	4	6	18	1	2	3
Meningitis (320-322)	–	2	–	–	10	–	–	–
Major cardiovascular diseases (390-448)	766	326	759	1,428	3,419	249	267	484
Diseases of heart (390-398,402,404-429)	609	240	619	1,140	2,483	182	197	342
Rheumatic fever and rheumatic heart disease (390-398)	6	4	3	13	15	1	2	5
Hypertensive heart disease (402)	14	11	13	33	110	2	3	6
Hypertensive heart and renal disease (404)	1	1	1	7	16	–	6	1
Ischemic heart disease (410-414)	494	174	336	941	1,650	140	158	283
Acute myocardial infarction (410)	209	98	222	448	916	84	82	119
Other acute and subacute forms of ischemic heart disease (411)	4	2	2	3	23	1	–	2
Angina pectoris (413)	–	1	1	1	1	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	281	75	113	489	719	55	75	142
Other diseases of endocardium (424)	12	4	2	8	31	2	1	4
All other forms of heart disease (415-423,425-429)	82	46	262	138	652	37	28	69
Hypertension with or without renal disease (401,403)	3	2	9	13	47	–	3	2
Cerebrovascular diseases (430-438)	119	68	102	216	745	42	50	88
Intracerebral and other intracranial hemorrhage (431-432)	14	8	14	26	88	5	1	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	17	13	35	128	15	9	16
Cerebral embolism (434.1)	1	–	1	1	2	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	94	43	74	154	527	22	40	58
Atherosclerosis (440)	26	10	11	29	62	7	14	21
Other diseases of arteries, arterioles, and capillaries (441-448)	9	6	18	30	62	12	3	11
Acute bronchitis and bronchiolitis (466)	1	–	–	3	2	–	–	1
Pneumonia and influenza (480-487)	33	24	50	55	178	17	11	16
Pneumonia (480-486)	33	23	49	55	173	17	11	16
Influenza (487)	–	1	1	–	3	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58	32	43	105	267	14	10	26
Bronchitis, chronic and unspecified (490-491)	2	9	1	7	16	–	–	1
Emphysema (492)	15	6	13	39	49	3	2	5
Asthma (493)	4	–	–	4	10	1	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37	17	29	55	192	10	7	20
Ulcer of stomach and duodenum (531-533)	3	3	5	12	31	2	4	–
Appendicitis (540-543)	–	–	–	2	3	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	4	6	21	1	2	3
Chronic liver disease and cirrhosis (571)	26	14	31	27	95	5	1	11
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	4	5	10	1	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	7	17	30	81	6	9	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	3	5	5	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	5	13	25	76	6	8	5
Infections of kidney (590)	1	1	2	1	16	–	1	2
Hyperplasia of prostate (600)	–	1	–	1	5	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	3	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	2	–	–	–
Congenital anomalies (740-759)	13	3	12	17	58	7	4	9
Certain conditions originating in the perinatal period (760-779)	17	12	23	18	83	7	5	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	3	8	3	29	3	–	4
Other conditions originating in the perinatal period (760-766,770-779)	11	9	15	15	54	4	5	10
Symptoms, signs, and ill-defined conditions (780-799)	5	12	13	21	293	4	3	12
All other diseases (Residual)	105	58	92	141	631	34	28	47
Accidents and adverse effects (E800-E949)	65	46	112	101	381	28	36	29
Motor vehicle accidents (E810-E825)	28	28	44	48	196	14	19	16
All other accidents and adverse effects (E800-E807,E826-E949)	37	20	68	53	185	14	17	13
Suicide (E950-E959)	18	14	20	27	106	7	12	15
Homicide and legal intervention (E960-E978)	18	2	54	6	154	1	–	2
All other external causes (E980-E999)	–	–	–	3	5	–	1	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,108	33,153	2,310	1,107	6,836	1,316	551	12,321
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	3	–	–	2	–	–	–
Tuberculosis (010-018)	–	11	4	1	5	1	1	6
Tuberculosis of respiratory system (010-012)	–	5	2	1	5	1	1	5
Other tuberculosis (013-018)	–	6	2	–	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	3	1	–	2	–	–	–
Septicemia (038)	3	268	9	5	38	10	2	65
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	12	–	–	3	1	1	3
Syphilis (090-097)	–	1	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	57	6	2	17	6	2	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	251	7,904	531	256	1,625	223	105	2,762
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	–	186	14	5	45	4	4	56
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	2,268	140	55	443	47	36	779
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	66	1,908	125	81	411	47	21	770
Malignant neoplasm of breast (174-175)	21	791	36	23	171	23	10	269
Malignant neoplasms of genital organs (179-187)	24	745	65	25	151	34	9	267
Malignant neoplasms of urinary organs (188-189)	10	364	30	13	83	7	4	120
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	1,045	60	28	193	38	10	265
Leukemia (204-208)	10	263	32	12	63	12	4	107
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	354	29	14	85	11	7	129
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	135	6	2	26	1	3	43
Diabetes mellitus (250)	7	575	29	15	148	23	10	256
Nutritional deficiencies (260-269)	–	43	2	1	6	–	–	16
Anemias (280-285)	1	43	1	4	4	1	1	16
Meningitis (320-322)	–	19	–	–	3	1	–	7
Major cardiovascular diseases (390-448)	470	16,331	1,156	549	3,382	524	226	6,579
Diseases of heart (390-398,402,404-429)	376	13,272	908	431	2,597	359	144	5,104
Rheumatic fever and rheumatic heart disease (390-398)	3	141	4	4	34	3	1	53
Hypertensive heart disease (402)	5	223	23	9	69	7	3	100
Hypertensive heart and renal disease (404)	–	26	5	–	6	–	–	16
Ischemic heart disease (410-414)	239	10,670	711	309	2,016	262	99	4,268
Acute myocardial infarction (410)	145	5,796	390	196	855	173	54	2,392
Other acute and subacute forms of ischemic heart disease (411)	–	8	4	–	4	–	–	13
Angina pectoris (413)	–	7	–	–	1	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	94	4,859	317	113	1,156	89	44	1,883
Other diseases of endocardium (424)	5	128	9	10	35	1	1	41
All other forms of heart disease (415-423,425-429)	124	2,084	156	99	427	86	40	606
Hypertension with or without renal disease (401,403)	2	93	15	7	40	3	3	57
Cerebrovascular diseases (430-438)	84	2,233	191	68	603	129	68	1,115
Intracerebral and other intracranial hemorrhage (431-432)	6	340	17	10	75	14	8	149
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	475	52	6	116	21	6	384
Cerebral embolism (434.1)	–	19	2	–	3	1	–	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	51	1,399	120	72	407	93	54	578
Atherosclerosis (440)	13	358	17	11	85	23	6	146
Other diseases of arteries, arterioles, and capillaries (441-448)	15	376	25	12	67	10	5	157
Acute bronchitis and bronchiolitis (466)	–	7	1	–	5	–	–	2
Pneumonia and influenza (480-487)	31	1,098	53	34	141	32	21	253
Pneumonia (480-486)	31	1,094	53	34	139	31	21	252
Influenza (487)	–	4	–	–	2	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	44	899	96	50	190	28	9	338
Bronchitis, chronic and unspecified (490-491)	2	55	1	1	7	1	1	18
Emphysema (492)	8	152	31	12	34	4	1	84
Asthma (493)	1	35	1	5	13	1	–	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	33	657	63	32	136	22	7	227
Ulcer of stomach and duodenum (531-533)	3	105	13	5	19	2	2	38
Appendicitis (540-543)	–	8	1	–	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	90	3	2	22	5	2	27
Chronic liver disease and cirrhosis (571)	20	502	35	11	94	22	5	201
Cholelithiasis and other disorders of gallbladder (574-575)	–	47	3	2	12	1	2	17
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	315	15	10	53	18	6	75
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	4	–	1	1	–	–	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	25	5	–	8	1	1	13
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	286	10	9	44	17	5	58
Infections of kidney (590)	2	18	4	–	11	1	–	26
Hyperplasia of prostate (600)	–	9	1	–	–	–	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	–	2
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	–	–
Congenital anomalies (740-759)	11	191	8	6	45	11	9	72
Certain conditions originating in the perinatal period (760-779)	12	266	15	12	63	16	15	96
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	64	2	5	24	9	6	28
Other conditions originating in the perinatal period (760-766,770-779)	9	202	13	7	39	7	9	68
Symptoms, signs, and ill-defined conditions (780-799)	30	219	72	6	92	165	48	129
All other diseases (Residual)	76	2,257	109	54	422	75	22	654
Accidents and adverse effects (E800-E949)	72	1,116	93	49	258	100	39	419
Motor vehicle accidents (E810-E825)	32	426	52	29	111	60	22	180
All other accidents and adverse effects (E800-E807,E826-E949)	40	690	41	20	147	40	17	239
Suicide (E950-E959)	41	350	27	23	78	16	7	104
Homicide and legal intervention (E960-E978)	7	192	14	4	54	32	13	57
All other external causes (E980-E999)	3	39	2	4	14	1	–	36

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	939	722	3,524	401	1,225	900	2,879	2,478
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	2	–	2	–	2	–
Tuberculosis (010-018)	–	–	2	–	–	1	6	1
Tuberculosis of respiratory system (010-012)	–	–	2	–	–	1	4	1
Other tuberculosis (013-018)	–	–	–	–	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	1	1	2	–
Septicemia (038)	9	1	15	4	10	4	30	17
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	–	–	–	1	–
Syphilis (090-097)	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,098-139)	1	1	3	2	1	2	9	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	199	153	783	73	270	201	617	558
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	–	3	9	2	5	8	11	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	49	36	215	17	71	57	164	120
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	51	45	213	21	70	46	185	188
Malignant neoplasm of breast (174-175)	18	18	72	9	24	18	53	53
Malignant neoplasms of genital organs (179-187)	18	15	78	11	29	17	72	39
Malignant neoplasms of urinary organs (188-189)	6	7	42	3	11	9	25	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	15	78	9	38	25	52	80
Leukemia (204-208)	10	4	29	–	9	8	20	19
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	10	47	1	13	13	35	34
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	1	13	–	9	1	7	7
Diabetes mellitus (250)	14	16	90	7	26	18	53	40
Nutritional deficiencies (260-269)	–	–	7	–	2	1	2	2
Anemias (280-285)	5	1	3	–	6	1	6	3
Meningitis (320-322)	–	–	4	–	–	1	1	3
Major cardiovascular diseases (390-448)	440	373	1,828	161	607	430	1,266	1,231
Diseases of heart (390-398,402,404-429)	333	306	1,457	129	463	306	980	961
Rheumatic fever and rheumatic heart disease (390-398)	6	5	14	2	5	5	5	7
Hypertensive heart disease (402)	7	9	33	1	9	13	56	33
Hypertensive heart and renal disease (404)	1	–	8	–	1	–	–	4
Ischemic heart disease (410-414)	263	198	1,152	89	337	223	649	593
Acute myocardial infarction (410)	150	112	575	51	183	119	368	309
Other acute and subacute forms of ischemic heart disease (411)	–	–	7	1	–	1	87	2
Angina pectoris (413)	2	–	1	–	2	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	111	86	569	37	152	103	213	282
Other diseases of endocardium (424)	4	3	16	4	4	5	14	8
All other forms of heart disease (415-423,425-429)	52	91	234	33	107	60	256	336
Hypertension with or without renal disease (401,403)	4	2	13	1	6	11	11	12
Cerebrovascular diseases (430-438)	85	50	276	26	101	63	220	190
Intracerebral and other intracranial hemorrhage (431-432)	9	6	39	1	9	12	37	26
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	5	57	3	10	12	44	32
Cerebral embolism (434.1)	1	–	2	–	–	–	1	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	57	39	178	22	82	69	138	127
Atherosclerosis (440)	10	6	38	1	25	26	30	18
Other diseases of arteries, arterioles, and capillaries (441-448)	8	9	44	4	12	4	25	30
Acute bronchitis and bronchiolitis (466)	–	–	1	–	–	1	–	1
Pneumonia and influenza (480-487)	18	24	55	11	28	21	71	45
Pneumonia (480-486)	18	24	55	11	22	21	69	45
Influenza (487)	–	–	–	–	4	–	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	29	27	137	25	62	29	67	74
Bronchitis, chronic and unspecified (490-491)	3	1	11	3	4	6	4	2
Emphysema (492)	2	6	30	5	15	8	10	14
Asthma (493)	1	1	3	–	–	3	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	19	93	17	43	12	48	57
Ulcer of stomach and duodenum (531-533)	–	4	11	4	5	1	7	7
Appendicitis (540-543)	–	–	–	1	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	3	7	1	3	7	3	5
Chronic liver disease and cirrhosis (571)	9	7	35	7	8	12	31	47
Cholelithiasis and other disorders of gallbladder (574-575)	–	1	8	2	–	1	4	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	4	30	2	5	9	39	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	2	–	–	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	3	–	1	1	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	3	25	2	4	8	33	22
Infections of kidney (590)	4	2	2	–	–	2	3	1
Hyperplasia of prostate (600)	–	–	4	–	2	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	7	4	24	4	18	7	35	14
Certain conditions originating in the perinatal period (760-779)	14	7	27	6	17	19	75	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	1	10	2	6	5	12	9
Other conditions originating in the perinatal period (760-766,770-779)	6	6	17	4	11	14	63	9
Symptoms, signs, and ill-defined conditions (780-799)	15	3	19	5	9	5	22	19
All other diseases (Residual)	79	36	198	19	64	69	195	161
Accidents and adverse effects (E800-E949)	54	37	154	37	44	39	206	138
Motor vehicle accidents (E810-E825)	26	14	71	23	20	17	98	50
All other accidents and adverse effects (E800-E807,E826-E949)	28	23	83	14	24	22	108	78
Suicide (E950-E959)	16	13	42	22	20	8	54	30
Homicide and legal intervention (E960-E978)	11	3	17	5	4	8	61	17
All other external causes (E980-E999)	–	–	1	2	4	1	1	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-Gastonia, N.C.	Charlottesville, Va.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-Hopkinsville, Tenn.-Ky.	Cleveland, Ohio
All causes	4,684	916	3,656	59,626	1,436	12,193	1,061	18,088
Shigellosis and amebiasis (004,006)	–	–	–	1	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	6	–	2	–	3
Tuberculosis (010-018)	5	–	8	72	1	14	1	8
Tuberculosis of respiratory system (010-012)	4	–	7	65	1	11	1	7
Other tuberculosis (013-018)	1	–	1	7	–	3	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	1	–	–	–	1
Meningococcal infection (036)	2	–	–	8	–	6	–	1
Septicemia (038)	32	11	23	336	8	69	5	122
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	2	19	–	5	1	4
Syphilis (090-097)	–	–	1	3	–	–	–	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	2	6	107	2	20	3	33
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,084	196	766	13,456	331	2,903	227	4,288
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	4	12	285	6	59	8	91
Malignant neoplasms of digestive organs and peritoneum (150-159)	264	51	184	3,784	73	814	51	1,141
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	302	63	270	3,469	94	868	60	1,134
Malignant neoplasm of breast (174-175)	98	13	55	1,290	34	256	13	375
Malignant neoplasms of genital organs (179-187)	117	16	85	1,425	46	309	29	489
Malignant neoplasms of urinary organs (188-189)	40	3	21	507	11	129	8	182
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	145	30	90	1,519	40	249	36	479
Leukemia (204-208)	38	7	34	493	10	97	7	149
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	57	9	35	674	17	122	15	228
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	2	15	207	7	31	3	53
Diabetes mellitus (250)	73	11	54	1,025	17	233	10	390
Nutritional deficiencies (260-269)	6	1	5	60	–	15	1	25
Anemias (280-285)	10	1	11	88	3	21	2	33
Meningitis (320-322)	5	2	3	31	–	6	1	11
Major cardiovascular diseases (390-448)	2,178	444	1,806	29,731	659	6,052	464	8,693
Diseases of heart (390-398,402,404-429)	1,682	311	1,405	24,447	457	4,851	341	7,159
Rheumatic fever and rheumatic heart disease (390-398)	18	3	12	206	3	47	3	84
Hypertensive heart disease (402)	66	4	30	859	5	244	9	225
Hypertensive heart and renal disease (404)	12	2	3	67	2	14	2	26
Ischemic heart disease (410-414)	1,202	214	1,015	16,548	348	3,583	260	5,559
Acute myocardial infarction (410)	736	112	441	8,081	173	1,305	172	2,123
Other acute and subacute forms of ischemic heart disease (411)	–	10	–	225	–	12	–	23
Angina pectoris (413)	–	1	1	14	–	–	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	466	91	573	8,228	175	2,266	87	3,411
Other diseases of endocardium (424)	16	4	6	188	12	51	2	58
All other forms of heart disease (415-423,425-429)	368	84	339	6,579	87	912	65	1,207
Hypertension with or without renal disease (401,403)	24	4	14	256	10	50	1	50
Cerebrovascular diseases (430-438)	376	104	325	4,021	149	914	102	1,317
Intracerebral and other intracranial hemorrhage (431-432)	43	8	41	699	12	116	6	199
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	57	28	39	946	31	175	12	259
Cerebral embolism (434.1)	3	–	1	21	–	1	–	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	273	68	244	2,355	106	622	84	852
Atherosclerosis (440)	49	13	32	528	25	113	7	179
Other diseases of arteries, arterioles, and capillaries (441-448)	47	12	30	481	18	124	13	194
Acute bronchitis and bronchiolitis (466)	2	–	–	7	–	4	1	5
Pneumonia and influenza (480-487)	111	27	110	1,433	56	308	30	348
Pneumonia (480-486)	111	27	108	1,428	54	307	29	344
Influenza (487)	–	–	2	5	2	1	1	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	118	33	128	1,328	77	399	24	460
Bronchitis, chronic and unspecified (490-491)	3	2	8	52	2	29	–	38
Emphysema (492)	25	5	14	290	25	49	5	90
Asthma (493)	10	2	6	103	1	20	2	25
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	80	24	98	883	49	301	17	307
Ulcer of stomach and duodenum (531-533)	16	–	9	224	9	52	5	58
Appendicitis (540-543)	1	–	–	21	–	4	–	13
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	4	6	146	3	44	5	42
Chronic liver disease and cirrhosis (571)	62	11	37	1,008	20	139	16	259
Cholelithiasis and other disorders of gallbladder (574-575)	8	–	9	94	1	21	2	29
Nephritis, nephrotic syndrome, and nephrosis (580-589)	54	9	36	546	7	98	10	191
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	8	–	1	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	1	1	42	–	17	2	13
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	45	8	35	496	7	80	8	177
Infections of kidney (590)	9	–	3	55	1	21	–	14
Hyperplasia of prostate (600)	1	–	1	23	–	3	1	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	14	–	3	–	3
Pregnancy with abortive outcome (630-638)	1	–	–	3	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	11	–	2	–	3
Congenital anomalies (740-759)	33	4	24	448	13	85	12	102
Certain conditions originating in the perinatal period (760-779)	76	8	28	938	4	114	28	224
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	1	8	240	3	33	7	71
Other conditions originating in the perinatal period (760-766,770-779)	57	7	20	698	1	81	21	153
Symptoms, signs, and ill-defined conditions (780-799)	30	5	17	708	6	50	26	107
All other diseases (Residual)	309	68	208	3,382	99	730	66	1,208
Accidents and adverse effects (E800-E949)	253	45	212	2,120	84	461	77	644
Motor vehicle accidents (E810-E825)	113	15	95	861	44	181	36	242
All other accidents and adverse effects (E800-E807,E826-E949)	140	30	117	1,159	40	270	41	402
Suicide (E950-E959)	83	21	57	864	19	188	14	258
Homicide and legal intervention (E960-E978)	75	13	50	963	8	82	20	261
All other external causes (E980-E999)	4	–	5	351	1	20	6	11

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	1,919	573	3,076	1,908	6,419	2,364	1,221	21,345
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	2	1	–	–	4
Tuberculosis (010-018)	–	–	8	3	7	4	–	24
Tuberculosis of respiratory system (010-012)	–	–	6	3	6	3	–	21
Other tuberculosis (013-018)	–	–	2	–	1	1	–	3
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	1	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	1	–	–	11
Septicemia (038)	12	5	27	13	66	14	2	134
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	–	2	2	–	15
Syphilis (090-097)	–	–	1	–	3	–	–	5
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	1	9	6	15	3	4	58
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	359	139	636	359	1,997	455	268	4,575
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	3	18	9	29	14	6	91
Malignant neoplasms of digestive organs and peritoneum (150-159)	87	27	135	106	512	113	72	999
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	91	37	210	108	583	140	63	1,299
Malignant neoplasm of breast (174-175)	34	13	51	18	190	34	26	410
Malignant neoplasms of genital organs (179-187)	43	17	61	34	215	44	24	494
Malignant neoplasms of urinary organs (188-189)	18	3	24	7	84	22	9	169
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	24	82	53	213	56	38	633
Leukemia (204-208)	15	3	13	6	71	15	14	191
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26	12	42	18	100	17	16	269
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	4	7	6	30	7	5	58
Diabetes mellitus (250)	16	8	69	45	185	59	24	295
Nutritional deficiencies (260-269)	2	1	8	3	19	4	–	29
Anemias (280-285)	2	–	10	6	9	5	2	36
Meningitis (320-322)	1	1	–	–	1	1	–	26
Major cardiovascular diseases (390-448)	792	241	1,371	954	3,904	1,019	679	9,750
Diseases of heart (390-398,402,404-429)	585	169	1,054	706	3,033	821	564	7,522
Rheumatic fever and rheumatic heart disease (390-398)	9	1	6	2	21	4	3	48
Hypertensive heart disease (402)	13	7	42	11	73	16	18	450
Hypertensive heart and renal disease (404)	3	2	9	5	57	5	–	14
Ischemic heart disease (410-414)	454	123	720	520	2,048	504	362	4,460
Acute myocardial infarction (410)	194	45	433	253	1,097	290	182	2,428
Other acute and subacute forms of ischemic heart disease (411)	36	1	4	104	5	1	1	10
Angina pectoris (413)	–	–	1	1	5	–	–	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	224	77	282	162	941	213	179	2,016
Other diseases of endocardium (424)	7	1	14	8	30	13	14	63
All other forms of heart disease (415-423,425-429)	99	35	263	160	804	279	167	2,487
Hypertension with or without renal disease (401,403)	6	–	15	16	32	7	2	78
Cerebrovascular diseases (430-438)	148	58	241	177	641	151	87	1,696
Intracerebral and other intracranial hemorrhage (431-432)	16	7	41	22	92	28	5	196
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	21	25	33	123	12	7	194
Cerebral embolism (434.1)	2	–	1	–	3	1	1	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	115	30	174	122	423	110	74	1,304
Atherosclerosis (440)	28	8	34	30	103	24	13	265
Other diseases of arteries, arterioles, and capillaries (441-448)	24	6	27	25	95	16	13	187
Acute bronchitis and bronchiolitis (466)	–	–	3	–	3	–	1	7
Pneumonia and influenza (480-487)	65	13	98	46	179	38	24	499
Pneumonia (480-486)	63	13	96	46	179	38	23	492
Influenza (487)	2	–	2	–	–	–	1	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	75	27	88	45	283	84	47	670
Bronchitis, chronic and unspecified (490-491)	2	2	5	2	17	4	–	56
Emphysema (492)	20	6	19	4	61	32	7	125
Asthma (493)	5	3	6	4	12	3	1	40
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48	16	58	35	193	45	39	449
Ulcer of stomach and duodenum (531-533)	6	2	11	8	20	5	3	67
Appendicitis (540-543)	–	–	–	–	2	–	–	9
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	5	6	17	10	3	67
Chronic liver disease and cirrhosis (571)	29	3	38	23	92	42	11	227
Cholelithiasis and other disorders of gallbladder (574-575)	4	1	5	5	12	4	–	40
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	5	25	23	84	16	12	185
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	1	–	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	4	–	5	2	3	16
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	5	20	23	79	13	9	167
Infections of kidney (590)	4	–	4	–	10	2	–	25
Hyperplasia of prostate (600)	1	–	–	–	4	–	–	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	2	–	5
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	2	–	3
Congenital anomalies (740-759)	20	7	32	20	78	18	3	186
Certain conditions originating in the perinatal period (760-779)	21	4	44	29	116	36	7	311
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	–	5	11	28	19	2	103
Other conditions originating in the perinatal period (760-766,770-779)	15	4	39	18	88	17	5	208
Symptoms, signs, and ill-defined conditions (780-799)	23	18	32	28	261	63	7	455
All other diseases (Residual)	129	47	256	127	517	161	65	1,349
Accidents and adverse effects (E800-E949)	145	28	171	89	308	183	42	1,258
Motor vehicle accidents (E810-E825)	70	14	89	45	143	101	21	678
All other accidents and adverse effects (E800-E807,E826-E949)	75	14	82	44	165	82	21	580
Suicide (E950-E959)	50	13	56	32	125	66	9	403
Homicide and legal intervention (E960-E978)	15	5	55	26	62	52	2	528
All other external causes (E980-E999)	8	1	3	4	7	9	1	28

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,107	3,128	6,605	3,807	1,158	10,374	2,600	36,818
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	1	–	1	1	4
Tuberculosis (010-018)	5	1	5	4	–	7	–	27
Tuberculosis of respiratory system (010-012)	2	1	3	1	–	5	–	18
Other tuberculosis (013-018)	3	–	2	3	–	2	–	9
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	1	1	–
Meningococcal infection (036)	–	–	2	–	–	4	1	1
Septicemia (038)	6	13	37	16	2	78	21	265
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	2	–	–	4	–	11
Syphilis (090-097)	1	–	–	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	5	10	9	1	41	5	76
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	238	669	1,511	850	251	2,102	614	8,052
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	7	31	19	9	27	13	152
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	196	391	206	58	558	152	2,134
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	173	453	252	80	470	199	2,274
Malignant neoplasm of breast (174-175)	21	53	136	67	28	223	46	755
Malignant neoplasms of genital organs (179-187)	36	74	151	80	24	251	57	813
Malignant neoplasms of urinary organs (188-189)	8	25	50	34	11	95	32	322
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	88	150	108	22	277	55	835
Leukemia (204-208)	8	38	61	32	8	78	27	278
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	35	88	54	10	123	33	389
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	8	10	10	2	25	6	91
Diabetes mellitus (250)	25	69	138	50	22	151	45	632
Nutritional deficiencies (260-269)	1	9	6	9	2	18	6	40
Anemias (280-285)	1	9	11	5	3	13	6	60
Meningitis (320-322)	–	–	6	4	–	12	–	29
Major cardiovascular diseases (390-448)	563	1,645	3,308	2,031	599	4,458	1,269	18,359
Diseases of heart (390-398,402,404-429)	434	1,264	2,588	1,557	452	3,472	1,012	14,800
Rheumatic fever and rheumatic heart disease (390-398)	–	13	19	12	2	57	11	125
Hypertensive heart disease (402)	14	27	57	79	8	55	11	411
Hypertensive heart and renal disease (404)	2	3	5	4	1	15	1	47
Ischemic heart disease (410-414)	303	1,004	1,816	1,159	313	2,420	763	10,401
Acute myocardial infarction (410)	173	534	960	548	108	1,304	581	5,480
Other acute and subacute forms of ischemic heart disease (411)	2	1	2	6	2	5	7	31
Angina pectoris (413)	–	1	4	2	3	3	–	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	128	468	850	605	200	1,108	195	4,865
Other diseases of endocardium (424)	3	15	29	19	3	42	12	120
All other forms of heart disease (415-423,425-429)	112	202	662	284	125	883	214	3,696
Hypertension with or without renal disease (401,403)	1	19	24	12	9	29	10	135
Cerebrovascular diseases (430-438)	109	274	520	376	118	621	166	2,657
Intracerebral and other intracranial hemorrhage (431-432)	10	37	91	33	15	73	23	365
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	55	79	88	27	81	24	662
Cerebral embolism (434.1)	1	–	4	1	–	6	2	15
All other and late effects of cerebrovascular diseases (430,433,435-438)	85	182	346	254	76	461	117	1,615
Atherosclerosis (440)	12	63	88	47	8	205	41	409
Other diseases of arteries, arterioles, and capillaries (441-448)	7	25	88	39	12	131	40	358
Acute bronchitis and bronchiolitis (466)	–	–	3	–	1	1	1	6
Pneumonia and influenza (480-487)	27	73	137	64	17	353	78	785
Pneumonia (480-486)	26	72	135	63	17	351	75	771
Influenza (487)	1	1	2	1	–	2	3	14
Chronic obstructive pulmonary diseases and allied conditions (490-496)	28	101	207	133	44	513	88	958
Bronchitis, chronic and unspecified (490-491)	4	2	20	4	2	34	3	44
Emphysema (492)	8	33	41	35	20	96	14	217
Asthma (493)	2	8	11	5	1	18	2	65
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	14	58	135	89	21	365	69	632
Ulcer of stomach and duodenum (531-533)	6	15	21	13	2	49	7	133
Appendicitis (540-543)	–	–	4	–	–	1	–	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	8	19	11	2	32	8	73
Chronic liver disease and cirrhosis (571)	15	44	73	61	18	156	41	779
Cholelithiasis and other disorders of gallbladder (574-575)	1	8	13	3	2	21	7	36
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	26	60	32	9	87	8	360
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	2	2	–	1	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	4	6	2	1	10	3	30
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	21	52	28	8	76	4	328
Infections of kidney (590)	1	5	5	2	–	10	3	24
Hyperplasia of prostate (600)	–	1	2	1	1	4	1	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	1	3	1	9
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	–	5
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	1	2	1	4
Congenital anomalies (740-759)	4	20	57	9	12	97	18	216
Certain conditions originating in the perinatal period (760-779)	11	20	89	14	14	126	22	542
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	9	21	10	4	32	4	168
Other conditions originating in the perinatal period (760-766,770-779)	9	11	68	4	10	94	18	374
Symptoms, signs, and ill-defined conditions (780-799)	7	30	122	24	38	100	12	131
All other diseases (Residual)	69	156	333	227	69	782	157	2,395
Accidents and adverse effects (E800-E949)	53	122	249	138	36	641	101	1,368
Motor vehicle accidents (E810-E825)	18	55	128	71	18	301	35	641
All other accidents and adverse effects (E800-E807,E826-E949)	35	67	121	67	18	340	66	745
Suicide (E950-E958)	13	37	80	54	10	310	50	585
Homicide and legal intervention (E960-E978)	11	10	79	26	2	136	18	689
All other external causes (E980-E999)	–	3	5	5	–	38	4	72

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	797	2,717	1,109	2,656	1,028	931	656	2,503
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	1	–	1
Tuberculosis (010-018)	–	2	–	9	–	1	–	3
Tuberculosis of respiratory system (010-012)	–	2	–	5	–	1	–	3
Other tuberculosis (013-018)	–	–	–	4	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–
Septicemia (038)	2	15	3	26	2	6	4	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	3	1	1	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	6	2	8	–	1	3	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	185	593	247	554	202	192	120	556
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	8	2	10	5	4	2	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	51	159	68	142	56	54	24	148
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	45	133	52	132	47	54	35	141
Malignant neoplasm of breast (174-175)	21	64	17	49	20	15	13	53
Malignant neoplasms of genital organs (179-187)	21	64	35	55	28	25	25	63
Malignant neoplasms of urinary organs (188-189)	4	29	6	26	10	6	4	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	79	37	72	21	19	5	69
Leukemia (204-208)	10	22	12	33	3	9	9	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	35	18	35	12	6	9	36
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	6	–	8	4	4	2	7
Diabetes mellitus (250)	14	46	18	85	22	12	6	50
Nutritional deficiencies (260-269)	2	2	4	–	–	1	1	4
Anemias (280-285)	–	3	2	7	2	–	–	7
Meningitis (320-322)	2	–	–	5	3	1	–	1
Major cardiovascular diseases (390-448)	424	1,391	564	1,078	589	500	335	1,319
Diseases of heart (390-398,402,404-429)	322	1,053	426	827	467	394	229	1,032
Rheumatic fever and rheumatic heart disease (390-398)	3	11	3	10	9	3	1	10
Hypertensive heart disease (402)	15	28	20	35	7	5	6	23
Hypertensive heart and renal disease (404)	1	2	2	3	2	–	1	2
Ischemic heart disease (410-414)	231	762	301	590	343	332	167	799
Acute myocardial infarction (410)	108	343	146	236	174	128	116	430
Other acute and subacute forms of ischemic heart disease (411)	2	3	–	1	–	2	5	11
Angina pectoris (413)	1	3	1	1	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	413	154	352	169	202	46	358
Other diseases of endocardium (424)	7	12	6	14	3	5	2	20
All other forms of heart disease (415-423,425-429)	65	238	94	175	103	49	52	178
Hypertension with or without renal disease (401,403)	1	10	6	11	5	4	1	8
Cerebrovascular diseases (430-438)	74	247	98	198	88	82	82	229
Intracerebral and other intracranial hemorrhage (431-432)	11	30	13	35	10	11	7	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	37	11	30	16	24	11	41
Cerebral embolism (434.1)	1	1	1	2	–	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	37	179	73	131	62	46	63	160
Atherosclerosis (440)	15	38	20	32	22	12	13	30
Other diseases of arteries, arterioles, and capillaries (441-448)	12	43	14	10	7	6	10	20
Acute bronchitis and bronchiolitis (466)	–	–	–	1	–	–	–	–
Pneumonia and influenza (480-487)	20	104	44	54	22	17	15	38
Pneumonia (480-486)	20	100	43	53	21	17	15	38
Influenza (487)	–	4	1	1	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	82	38	93	30	51	28	64
Bronchitis, chronic and unspecified (490-491)	–	4	2	3	1	2	1	1
Emphysema (492)	8	14	14	21	10	14	3	15
Asthma (493)	3	4	–	3	1	–	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	20	60	22	66	18	35	22	45
Ulcer of stomach and duodenum (531-533)	8	8	5	11	1	4	–	4
Appendicitis (540-543)	–	–	–	1	1	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	3	12	3	2	3	8
Chronic liver disease and cirrhosis (571)	6	39	7	60	9	12	2	38
Cholelithiasis and other disorders of gallbladder (574-575)	1	5	–	5	2	3	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	8	12	43	4	6	6	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	3	2	1	1	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	–	7	9	41	3	5	5	19
Infections of kidney (590)	2	1	–	2	–	1	2	3
Hyperplasia of prostate (600)	–	3	–	–	1	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	2	1	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	2	1	–	–	1
Congenital anomalies (740-759)	11	5	13	28	13	5	10	19
Certain conditions originating in the perinatal period (760-779)	4	15	5	63	14	4	5	34
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	1	2	17	3	1	2	12
Other conditions originating in the perinatal period (760-766,770-779)	4	14	3	46	11	3	3	22
Symptoms, signs, and ill-defined conditions (780-799)	4	51	6	46	2	9	9	24
All other diseases (Residual)	41	169	69	206	50	54	40	136
Accidents and adverse effects (E800-E949)	25	111	43	179	36	25	50	100
Motor vehicle accidents (E810-E825)	12	50	24	116	23	10	33	47
All other accidents and adverse effects (E800-E807,E826-E949)	13	61	19	63	13	15	17	53
Suicide (E950-E959)	8	39	19	42	12	11	9	35
Homicide and legal intervention (E960-E978)	–	7	4	44	2	4	5	9
All other external causes (E980-E999)	–	5	–	1	–	1	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	1,878	2,994	906	1,220	1,559	3,864	1,102	860
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	2	1	1
Tuberculosis (010-018)	1	1	–	1	1	–	2	2
Tuberculosis of respiratory system (010-012)	1	1	–	1	–	–	2	1
Other tuberculosis (013-018)	–	–	–	–	1	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–
Septicemia (038)	4	10	4	6	9	12	6	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	–	1	1	1	–	–
Syphilis (080-097)	–	1	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	5	2	5	4	8	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	454	686	208	252	383	825	204	152
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	14	1	6	5	12	2	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	116	158	59	63	80	201	65	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	126	194	51	68	110	225	49	42
Malignant neoplasm of breast (174-175)	38	69	21	22	30	72	11	13
Malignant neoplasms of genital organs (179-187)	55	78	23	24	38	74	21	23
Malignant neoplasms of urinary organs (188-189)	17	24	12	8	16	42	9	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	50	88	22	36	55	110	22	18
Leukemia (204-208)	17	18	9	10	10	36	11	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	43	10	15	19	51	14	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	9	–	4	2	7	2	–
Diabetes mellitus (250)	29	58	18	25	30	91	18	21
Nutritional deficiencies (260-269)	–	3	1	1	4	2	1	1
Anemias (280-285)	1	3	2	1	2	6	3	1
Meningitis (320-322)	–	1	–	–	3	2	–	1
Major cardiovascular diseases (390-448)	896	1,576	423	518	761	1,867	429	500
Diseases of heart (390-398,402,404-429)	659	1,230	314	375	568	1,537	288	403
Rheumatic fever and rheumatic heart disease (390-398)	7	17	1	8	5	15	1	–
Hypertensive heart disease (402)	12	21	4	27	5	40	3	23
Hypertensive heart and renal disease (404)	2	15	–	2	–	9	1	4
Ischemic heart disease (410-414)	534	886	247	248	375	1,178	248	191
Acute myocardial infarction (410)	199	583	138	165	233	661	174	114
Other acute and subacute forms of ischemic heart disease (411)	–	2	–	–	2	11	–	2
Angina pectoris (413)	2	1	1	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	333	300	108	83	140	505	74	75
Other diseases of endocardium (424)	11	10	7	5	3	12	1	1
All other forms of heart disease (415-423,425-429)	93	281	55	85	178	283	34	184
Hypertension with or without renal disease (401,403)	5	13	2	11	6	8	4	5
Cerebrovascular diseases (430-438)	158	236	81	107	146	313	110	86
Intracerebral and other intracranial hemorrhage (431-432)	17	40	7	13	9	24	14	34
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	61	17	30	19	58	48	15
Cerebral embolism (434.1)	–	–	–	1	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	102	135	57	63	120	221	47	37
Atherosclerosis (440)	48	65	15	11	21	74	18	3
Other diseases of arteries, arterioles, and capillaries (441-448)	26	32	11	15	20	35	9	3
Acute bronchitis and bronchiolitis (466)	–	2	–	–	–	1	–	1
Pneumonia and influenza (480-487)	56	72	38	24	39	80	22	13
Pneumonia (480-486)	54	70	32	24	37	78	20	13
Influenza (487)	2	2	6	–	2	2	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	87	28	37	61	121	34	24
Bronchitis, chronic and unspecified (490-491)	3	5	1	1	1	5	3	3
Emphysema (492)	23	17	4	10	14	24	13	2
Asthma (493)	4	4	1	–	2	5	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40	61	22	26	44	87	16	16
Ulcer of stomach and duodenum (531-533)	9	8	2	4	3	23	4	1
Appendicitis (540-543)	–	3	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	9	3	1	3	14	–	1
Chronic liver disease and cirrhosis (571)	20	23	9	14	17	50	15	13
Cholelithiasis and other disorders of gallbladder (574-575)	3	4	–	2	1	8	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	27	9	12	15	24	14	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	5	–	1	1	2	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	22	9	11	14	22	9	6
Infections of kidney (590)	2	7	–	2	2	4	3	2
Hyperplasia of prostate (600)	1	2	–	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	1	1	–	–	–
Pregnancy with abortive outcome (630-636)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	1	1	–	–	–
Congenital anomalies (740-759)	15	17	8	14	10	25	4	8
Certain conditions originating in the perinatal period (760-779)	15	13	17	43	9	42	15	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	5	4	5	7	1	18	6	6
Other conditions originating in the perinatal period (760-766,770-779)	10	9	12	36	8	24	9	11
Symptoms, signs, and ill-defined conditions (780-799)	21	16	14	14	12	26	167	4
All other diseases (Residual)	95	183	57	74	87	210	62	38
Accidents and adverse effects (E800-E949)	94	124	46	99	84	194	62	45
Motor vehicle accidents (E810-E825)	51	59	24	56	49	117	33	19
All other accidents and adverse effects (E800-E807,E826-E949)	43	65	22	43	35	77	29	26
Suicide (E950-E959)	47	33	13	33	26	67	16	7
Homicide and legal intervention (E960-E978)	17	9	–	28	5	46	9	10
All other external causes (E980-E999)	3	–	3	2	3	5	4	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	881	12,361	2,559	2,003	680	2,919	4,036	1,055
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	1	–	–	1	–
Tuberculosis (010-018)	1	5	4	6	3	1	8	1
Tuberculosis of respiratory system (010-012)	1	3	3	6	1	1	6	–
Other tuberculosis (013-018)	–	2	1	–	2	–	2	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	–
Septicemia (038)	2	56	13	10	2	8	15	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	9	1	1	–	–	2	1
Syphilis (090-097)	–	–	1	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	18	8	4	1	9	8	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	174	2,941	672	405	167	576	900	225
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	57	8	6	4	5	23	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	785	177	99	34	165	235	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	33	821	220	123	56	133	232	60
Malignant neoplasm of breast (174-175)	14	218	50	37	11	54	62	19
Malignant neoplasms of genital organs (179-187)	19	339	70	39	16	55	108	20
Malignant neoplasms of urinary organs (188-189)	10	118	29	16	11	22	29	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26	337	67	55	23	67	111	47
Leukemia (204-208)	8	111	22	10	3	33	46	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	155	29	20	9	42	54	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	46	5	6	2	8	12	5
Diabetes mellitus (250)	17	176	44	30	6	68	57	15
Nutritional deficiencies (260-269)	1	9	7	–	–	2	4	2
Anemias (280-285)	4	21	2	5	–	9	4	1
Meningitis (320-322)	–	4	1	2	1	4	2	2
Major cardiovascular diseases (390-448)	422	6,287	1,267	956	300	1,615	1,837	551
Diseases of heart (390-398,402,404-429)	327	5,042	966	742	248	1,185	1,376	440
Rheumatic fever and rheumatic heart disease (390-398)	8	57	12	7	2	7	19	1
Hypertensive heart disease (402)	6	90	31	9	8	18	52	11
Hypertensive heart and renal disease (404)	1	10	1	–	4	14	4	2
Ischemic heart disease (410-414)	238	4,038	722	473	192	930	1,113	388
Acute myocardial infarction (410)	120	1,781	340	284	75	428	443	211
Other acute and subacute forms of ischemic heart disease (411)	1	35	1	2	–	1	17	1
Angina pectoris (413)	–	4	2	–	–	–	4	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	116	2,218	379	187	117	501	649	126
Other diseases of endocardium (424)	3	68	15	5	3	12	21	2
All other forms of heart disease (415-423,425-429)	73	778	185	248	39	204	167	86
Hypertension with or without renal disease (401,403)	2	37	8	5	1	8	22	2
Cerebrovascular diseases (430-438)	78	901	208	176	30	324	290	89
Intracerebral and other intracranial hemorrhage (431-432)	11	121	24	15	2	34	25	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	200	34	23	2	40	51	26
Cerebral embolism (434.1)	–	6	3	3	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	58	574	147	135	28	250	214	52
Atherosclerosis (440)	8	141	40	21	12	60	96	10
Other diseases of arteries, arterioles, and capillaries (441-448)	7	166	45	12	9	38	51	10
Acute bronchitis and bronchiolitis (466)	–	2	–	–	–	–	3	–
Pneumonia and influenza (480-487)	26	196	42	52	7	50	99	25
Pneumonia (480-486)	23	196	42	52	7	50	94	24
Influenza (487)	3	–	–	–	–	–	5	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	378	71	59	23	74	134	38
Bronchitis, chronic and unspecified (490-491)	–	24	6	4	2	3	7	–
Emphysema (492)	13	108	14	22	4	17	32	6
Asthma (493)	3	8	4	–	1	2	9	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19	236	47	33	16	52	66	31
Ulcer of stomach and duodenum (531-533)	1	42	5	6	2	15	20	4
Appendicitis (540-543)	–	2	–	1	–	2	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	27	5	1	–	7	8	2
Chronic liver disease and cirrhosis (571)	13	187	44	22	13	23	79	15
Cholelithiasis and other disorders of gallbladder (574-575)	4	11	3	3	3	–	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	114	19	20	1	29	31	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	14	3	2	1	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	100	16	18	–	27	27	10
Infections of kidney (590)	–	11	4	3	2	5	3	5
Hyperplasia of prostate (600)	1	3	–	–	–	2	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	–	–	2	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	–	–	2	–
Congenital anomalies (740-759)	6	53	10	12	6	22	40	7
Certain conditions originating in the perinatal period (760-779)	14	107	16	12	14	31	46	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	35	4	4	5	6	10	3
Other conditions originating in the perinatal period (760-766,770-779)	7	72	12	8	9	25	36	4
Symptoms, signs, and ill-defined conditions (780-799)	5	66	13	134	4	32	27	4
All other diseases (Residual)	63	792	128	114	39	153	248	54
Accidents and adverse effects (E800-E949)	54	416	122	100	51	113	295	44
Motor vehicle accidents (E810-E825)	28	205	64	52	34	58	165	19
All other accidents and adverse effects (E800-E807,E826-E949)	26	211	58	48	17	55	130	25
Suicide (E950-E959)	11	221	29	21	21	37	69	20
Homicide and legal intervention (E960-E978)	1	161	16	16	10	24	74	9
All other external causes (E980-E999)	4	1	6	1	1	2	4	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn.	Grand Rapids, Mich.	Great Falls, Mont.	Greeley, Colo.
All causes	923	1,643	5,020	1,124	782	4,374	629	772
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	2	1	–	2	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	1	–	1	–	–
Other tuberculosis (013-018)	–	–	2	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	1	–	1
Septicemia (038)	2	13	18	4	3	18	1	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	2	1	1	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	3	8	5	4	9	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	205	425	1,078	235	169	956	131	152
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	5	18	6	4	19	3	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	47	92	298	56	57	254	35	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	57	157	307	64	20	220	31	34
Malignant neoplasm of breast (174-175)	14	26	92	21	12	93	12	17
Malignant neoplasms of genital organs (179-187)	30	32	128	33	21	106	18	19
Malignant neoplasms of urinary organs (188-189)	5	22	41	8	16	43	11	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	20	82	111	19	23	122	10	10
Leukemia (204-208)	14	12	37	9	7	39	7	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	17	46	19	9	60	4	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	8	20	3	4	13	2	3
Diabetes mellitus (250)	19	27	138	16	22	55	10	12
Nutritional deficiencies (260-269)	2	2	4	1	3	5	2	1
Anemias (280-285)	1	2	8	2	–	10	1	1
Meningitis (320-322)	1	2	3	–	–	4	–	2
Major cardiovascular diseases (390-448)	375	710	2,438	605	376	2,214	322	329
Diseases of heart (390-398,402,404-429)	252	579	1,931	495	287	1,659	239	252
Rheumatic fever and rheumatic heart disease (390-398)	5	4	17	5	4	19	3	2
Hypertensive heart disease (402)	6	16	41	19	5	29	6	4
Hypertensive heart and renal disease (404)	–	2	2	–	4	10	1	2
Ischemic heart disease (410-414)	182	368	1,598	378	208	1,278	182	195
Acute myocardial infarction (410)	96	158	690	200	119	717	119	128
Other acute and subacute forms of ischemic heart disease (411)	–	2	8	–	1	3	–	–
Angina pectoris (413)	–	2	1	–	1	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	86	206	899	178	85	558	63	67
Other diseases of endocardium (424)	1	4	14	4	4	15	2	4
All other forms of heart disease (415-423,425-429)	58	185	259	89	64	308	45	45
Hypertension with or without renal disease (401,403)	5	4	20	5	2	16	1	–
Cerebrovascular diseases (430-438)	90	101	374	74	57	367	50	59
Intracerebral and other intracranial hemorrhage (431-432)	13	13	63	15	7	42	4	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	6	65	9	10	96	6	6
Cerebral embolism (434.1)	–	–	2	–	–	1	–	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	68	82	244	50	40	228	40	46
Atherosclerosis (440)	19	17	61	13	21	114	26	4
Other diseases of arteries, arterioles, and capillaries (441-448)	9	9	52	18	9	58	6	14
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	1	–	–
Pneumonia and influenza (480-487)	17	42	79	31	29	105	18	25
Pneumonia (480-486)	17	42	79	31	28	104	18	23
Influenza (487)	–	–	–	–	1	1	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	28	38	132	46	16	143	24	35
Bronchitis, chronic and unspecified (490-491)	2	2	7	8	–	9	3	3
Emphysema (492)	7	6	41	13	1	31	3	7
Asthma (493)	1	1	–	3	2	9	3	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	29	84	22	13	94	15	20
Ulcer of stomach and duodenum (531-533)	6	5	17	5	4	12	5	3
Appendicitis (540-543)	1	1	1	–	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	6	13	1	1	14	1	3
Chronic liver disease and cirrhosis (571)	12	34	68	7	16	40	10	12
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	5	4	3	3	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	12	51	4	5	36	2	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	2	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	6	–	1	3	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	12	43	4	4	32	2	6
Infections of kidney (590)	1	–	3	3	–	–	1	1
Hyperplasia of prostate (600)	–	–	1	–	1	2	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	–	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	–	1	–	–
Congenital anomalies (740-759)	8	11	43	4	6	44	9	8
Certain conditions originating in the perinatal period (760-779)	11	14	75	11	9	61	4	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	3	24	3	2	17	1	3
Other conditions originating in the perinatal period (760-766,770-779)	7	11	51	8	7	44	3	7
Symptoms, signs, and ill-defined conditions (780-799)	38	13	80	7	5	28	3	5
All other diseases (Residual)	80	84	253	56	58	285	32	63
Accidents and adverse effects (E800-E949)	56	108	273	55	30	222	29	67
Motor vehicle accidents (E810-E825)	25	64	115	28	14	109	21	39
All other accidents and adverse effects (E800-E807,E826-E949)	31	44	158	27	16	113	8	28
Suicide (E950-E959)	20	41	63	13	15	53	13	15
Homicide and legal intervention (E960-E978)	15	31	128	3	1	33	2	8
All other external causes (E980-E999)	2	1	15	1	–	3	3	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro--Winston-Salem--High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,250	6,823	4,442	1,033	1,838	4,100	8,673	958
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	2	–	1	–	2	–
Tuberculosis (010-018)	–	4	2	1	–	4	5	–
Tuberculosis of respiratory system (010-012)	–	3	2	1	–	4	5	–
Other tuberculosis (013-018)	–	1	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	2	–	1	–	3	–
Septicemia (038)	12	52	45	1	6	43	61	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	3	5	1	–	1	6	–
Syphilis (090-097)	–	–	–	1	–	1	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,088-139)	2	21	10	1	3	9	30	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	259	1,464	991	234	444	905	2,121	202
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	30	23	6	7	11	46	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	82	343	251	64	111	237	594	52
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	50	402	287	64	143	230	516	66
Malignant neoplasm of breast (174-175)	19	119	90	16	32	87	184	11
Malignant neoplasms of genital organs (179-187)	31	180	96	23	42	91	245	24
Malignant neoplasms of urinary organs (188-189)	14	53	47	11	21	37	95	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	199	126	25	54	132	260	30
Leukemia (204-208)	13	63	30	10	17	39	84	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	75	41	15	17	41	97	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	32	10	4	5	14	39	2
Diabetes mellitus (250)	22	90	60	22	44	105	143	15
Nutritional deficiencies (260-269)	–	7	1	2	2	2	9	1
Anemias (280-285)	3	9	9	–	8	4	16	1
Meningitis (320-322)	1	10	1	1	–	4	4	1
Major cardiovascular diseases (390-448)	670	3,231	2,143	570	854	2,167	4,183	461
Diseases of heart (390-398,402,404-429)	501	2,388	1,655	463	654	1,739	3,292	366
Rheumatic fever and rheumatic heart disease (390-398)	3	25	18	4	7	21	34	3
Hypertensive heart disease (402)	2	56	46	11	17	45	86	15
Hypertensive heart and renal disease (404)	1	6	9	2	9	6	11	4
Ischemic heart disease (410-414)	388	1,772	1,155	333	476	1,083	2,609	273
Acute myocardial infarction (410)	223	1,099	785	193	262	571	1,266	200
Other acute and subacute forms of ischemic heart disease (411)	2	6	10	–	–	6	1	1
Angina pectoris (413)	–	2	1	–	–	1	8	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	163	665	359	140	214	505	1,334	72
Other diseases of endocardium (424)	6	20	22	3	7	15	32	2
All other forms of heart disease (415-423,425-429)	101	509	405	110	138	569	520	69
Hypertension with or without renal disease (401,403)	5	34	20	7	10	36	28	3
Cerebrovascular diseases (430-438)	128	688	386	77	140	290	661	77
Intracerebral and other intracranial hemorrhage (431-432)	11	66	53	6	11	35	110	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	118	47	15	12	33	152	17
Cerebral embolism (434.1)	1	1	–	–	1	4	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	98	501	286	56	116	218	397	47
Atherosclerosis (440)	24	56	39	14	31	63	102	7
Other diseases of arteries, arterioles, and capillaries (441-448)	12	65	43	9	19	39	100	8
Acute bronchitis and bronchiolitis (466)	–	1	2	–	1	–	3	–
Pneumonia and influenza (480-487)	31	158	120	21	57	90	228	20
Pneumonia (480-486)	30	156	116	21	56	87	228	20
Influenza (487)	1	2	4	–	1	3	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	23	186	106	42	69	131	217	25
Bronchitis, chronic and unspecified (490-491)	4	10	11	2	1	3	15	3
Emphysema (492)	6	35	11	10	20	18	45	1
Asthma (493)	1	13	4	2	4	2	10	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	12	128	80	28	44	108	147	19
Ulcer of stomach and duodenum (531-533)	4	21	19	1	2	10	22	2
Appendicitis (540-543)	–	–	–	–	1	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	8	8	1	6	11	25	4
Chronic liver disease and cirrhosis (571)	15	86	57	1	18	39	116	13
Cholelithiasis and other disorders of gallbladder (574-575)	1	18	13	1	4	3	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	64	40	10	13	43	77	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	7	3	–	1	7	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	56	37	10	12	36	71	4
Infections of kidney (590)	1	6	4	–	2	1	5	3
Hyperplasia of prostate (600)	1	2	1	–	–	2	3	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	1	–
Congenital anomalies (740-759)	8	42	40	3	23	21	57	12
Certain conditions originating in the perinatal period (760-779)	15	73	63	11	26	38	83	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	24	13	4	4	13	24	5
Other conditions originating in the perinatal period (760-766,770-779)	12	49	50	7	22	25	59	8
Symptoms, signs, and ill-defined conditions (780-799)	6	44	25	4	20	30	116	11
All other diseases (Residual)	71	478	292	51	97	207	576	69
Accidents and adverse effects (E800-E949)	60	318	244	35	82	151	385	58
Motor vehicle accidents (E810-E825)	27	145	111	20	43	66	147	37
All other accidents and adverse effects (E800-E807,E826-E949)	33	173	133	15	39	85	238	21
Suicide (E950-E959)	29	124	73	7	33	44	84	15
Homicide and legal intervention (E960-E978)	2	67	53	6	13	15	60	12
All other external causes (E980-E999)	1	3	1	1	2	4	4	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	3,817	18,559	2,986	2,295	9,817	404	1,259	2,583
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	–	9	–	1	–	–	–	2
Tuberculosis (010-018)	7	21	1	4	5	–	–	4
Tuberculosis of respiratory system (010-012)	6	16	1	3	3	–	–	4
Other tuberculosis (013-018)	1	5	–	1	2	–	–	–
Whooping cough (033)	–	–	–	–	1	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	1
Meningococcal infection (036)	–	5	–	–	1	–	–	–
Septicemia (038)	38	137	16	12	115	1	1	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	6	14	2	–	7	–	–	3
Syphilis (090-097)	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	15	51	8	4	26	2	3	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	950	3,846	642	492	2,273	101	295	591
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	25	76	4	8	36	–	6	15
Malignant neoplasms of digestive organs and peritoneum (150-159)	322	889	163	133	557	25	71	135
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	227	1,203	208	134	706	16	90	178
Malignant neoplasm of breast (174-175)	65	308	53	38	204	14	28	52
Malignant neoplasms of genital organs (179-187)	100	392	57	48	238	14	22	59
Malignant neoplasms of urinary organs (188-189)	26	137	31	23	81	9	11	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	102	485	81	60	241	9	36	76
Leukemia (204-208)	38	173	18	20	92	7	9	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	193	29	28	116	7	22	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	45	11	6	21	1	5	3
Diabetes mellitus (250)	91	275	65	50	172	11	27	43
Nutritional deficiencies (260-269)	6	22	3	1	17	–	–	7
Anemias (280-285)	8	25	3	5	12	–	3	10
Meningitis (320-322)	3	31	3	–	13	–	–	5
Major cardiovascular diseases (390-448)	1,589	7,623	1,580	1,063	4,589	177	640	1,100
Diseases of heart (390-398,402,404-429)	1,249	5,937	1,280	821	3,473	131	482	864
Rheumatic fever and rheumatic heart disease (390-398)	24	35	8	5	38	1	1	7
Hypertensive heart disease (402)	41	226	28	17	102	1	8	51
Hypertensive heart and renal disease (404)	5	15	5	4	13	–	1	8
Ischemic heart disease (410-414)	860	3,456	887	607	2,412	100	347	567
Acute myocardial infarction (410)	381	1,776	497	424	1,180	49	201	388
Other acute and subacute forms of ischemic heart disease (411)	11	10	1	–	2	1	–	2
Angina pectoris (413)	–	2	1	–	1	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	488	1,668	388	183	1,229	50	146	176
Other diseases of endocardium (424)	24	68	4	8	37	–	4	5
All other forms of heart disease (415-423,425-429)	295	2,137	328	180	871	29	121	226
Hypertension with or without renal disease (401,403)	6	59	9	7	51	1	5	10
Cerebrovascular diseases (430-438)	262	1,322	240	189	762	34	102	176
Intracerebral and other intracranial hemorrhage (431-432)	54	200	28	20	110	3	5	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	194	52	44	97	10	12	42
Cerebral embolism (434.1)	3	5	–	3	2	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	177	923	160	122	553	20	84	114
Atherosclerosis (440)	28	169	41	30	202	5	42	22
Other diseases of arteries, arterioles, and capillaries (441-448)	44	136	30	16	101	6	9	26
Acute bronchitis and bronchiolitis (466)	–	4	2	–	1	–	1	1
Pneumonia and influenza (480-487)	118	408	55	28	223	12	23	65
Pneumonia (480-486)	116	404	55	28	220	12	23	64
Influenza (487)	2	4	–	–	3	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	116	454	104	61	324	5	40	70
Bronchitis, chronic and unspecified (490-491)	8	26	13	4	13	–	1	–
Emphysema (492)	22	108	21	13	43	2	8	8
Asthma (493)	18	20	5	6	14	–	1	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	68	300	65	38	254	3	30	53
Ulcer of stomach and duodenum (531-533)	5	43	7	6	35	3	11	6
Appendicitis (540-543)	–	6	–	–	3	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	38	9	3	25	1	6	5
Chronic liver disease and cirrhosis (571)	50	284	28	17	118	7	16	29
Cholelithiasis and other disorders of gallbladder (574-575)	6	23	9	5	16	–	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	41	174	20	24	107	3	12	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	2	–	–	2	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	12	1	9	6	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	160	19	15	99	2	11	12
Infections of kidney (590)	3	23	1	5	12	1	2	4
Hyperplasia of prostate (600)	–	4	–	1	2	–	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	8	–	2	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	2	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	6	–	2	–	–	–	–
Congenital anomalies (740-759)	39	195	17	15	60	7	11	21
Certain conditions originating in the perinatal period (760-779)	59	355	19	27	137	6	20	47
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	63	2	5	32	1	9	20
Other conditions originating in the perinatal period (760-768,770-779)	45	272	17	22	105	5	11	27
Symptoms, signs, and ill-defined conditions (780-799)	59	278	39	128	83	4	1	78
All other diseases (Residual)	273	1,150	172	131	566	31	70	201
Accidents and adverse effects (E800-E949)	213	1,619	123	142	353	25	52	154
Motor vehicle accidents (E810-E825)	98	939	63	73	175	14	31	75
All other accidents and adverse effects (E800-E807,E826-E949)	115	680	60	69	178	11	21	79
Suicide (E950-E959)	71	463	30	35	172	5	12	32
Homicide and legal intervention (E960-E978)	23	913	16	21	97	–	5	67
All other external causes (E980-E999)	13	13	3	5	31	–	–	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	6,478	480	1,174	5,769	3,729	2,631	1,466	2,054
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-008)	5	–	1	–	–	2	–	1
Tuberculosis (010-018)	6	–	–	11	5	4	1	–
Tuberculosis of respiratory system (010-012)	5	–	–	8	5	2	1	–
Other tuberculosis (013-018)	1	–	–	3	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	1	1	2	2	–	1
Septicemia (038)	50	6	7	37	12	13	4	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	1	4	1	1	1	–
Syphilis (090-097)	3	–	–	1	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	19	2	–	13	6	8	4	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,438	101	254	1,191	806	544	298	431
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	1	4	30	20	11	2	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	326	22	80	342	176	128	63	107
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	472	24	53	327	265	139	88	96
Malignant neoplasm of breast (174-175)	116	7	21	102	54	54	21	51
Malignant neoplasms of genital organs (176-187)	162	11	25	135	83	64	31	53
Malignant neoplasms of urinary organs (188-189)	47	8	13	54	30	32	11	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	139	19	31	117	104	64	50	49
Leukemia (204-208)	56	4	9	39	36	17	17	24
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	57	5	16	45	38	35	13	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	1	2	14	7	10	3	8
Diabetes mellitus (250)	115	11	16	126	52	68	13	28
Nutritional deficiencies (260-269)	11	1	2	6	3	5	11	4
Anemias (280-285)	6	1	3	11	4	5	5	4
Meningitis (320-322)	6	2	1	3	1	–	1	1
Major cardiovascular diseases (390-448)	2,872	191	647	3,032	1,765	1,390	695	1,057
Diseases of heart (390-398,402,404-429)	2,168	140	497	2,563	1,327	1,115	500	828
Rheumatic fever and rheumatic heart disease (390-398)	18	4	7	25	12	15	3	5
Hypertensive heart disease (402)	124	3	4	46	31	42	8	17
Hypertensive heart and renal disease (404)	2	1	1	10	2	10	1	4
Ischemic heart disease (410-414)	1,319	106	416	2,182	988	858	379	661
Acute myocardial infarction (410)	864	51	234	1,016	626	432	240	302
Other acute and subacute forms of ischemic heart disease (411)	11	2	1	7	7	4	1	5
Angina pectoris (413)	–	1	–	1	2	–	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	644	52	181	1,158	353	422	138	352
Other diseases of endocardium (424)	18	–	8	21	10	15	7	8
All other forms of heart disease (415-423,425-429)	687	26	61	279	284	175	102	133
Hypertension with or without renal disease (401,403)	31	2	3	15	10	9	4	8
Cerebrovascular diseases (430-438)	521	44	115	375	285	186	152	170
Intracerebral and other intracranial hemorrhage (431-432)	84	3	12	67	26	23	26	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	120	1	26	77	63	31	20	27
Cerebral embolism (434.1)	4	–	–	4	5	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	313	40	77	227	199	134	105	129
Atherosclerosis (440)	87	3	22	24	79	46	22	24
Other diseases of arteries, arterioles, and capillaries (441-448)	65	2	10	55	54	32	17	27
Acute bronchitis and bronchiolitis (466)	5	–	–	–	1	2	1	–
Pneumonia and influenza (480-487)	133	13	29	126	140	35	44	47
Pneumonia (480-486)	133	13	29	123	140	35	41	47
Influenza (487)	–	–	–	3	–	–	3	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	252	9	36	142	130	87	40	59
Bronchitis, chronic and unspecified (490-491)	16	1	2	9	13	11	1	6
Emphysema (492)	61	1	8	32	18	20	8	4
Asthma (493)	5	1	3	6	3	6	–	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	180	6	23	95	96	50	31	46
Ulcer of stomach and duodenum (531-533)	13	–	3	13	8	8	5	8
Appendicitis (540-543)	2	–	–	1	–	–	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	1	2	15	6	5	3	5
Chronic liver disease and cirrhosis (571)	169	5	9	102	48	40	18	16
Cholelithiasis and other disorders of gallbladder (574-575)	9	–	2	9	6	4	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	3	15	60	31	29	12	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	1	–	–	1	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	1	2	5	5	1	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	50	2	12	55	28	27	10	15
Infections of kidney (590)	14	1	1	1	5	–	1	5
Hyperplasia of prostate (600)	4	–	–	–	2	2	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	–
Congenital anomalies (740-759)	57	15	6	35	31	14	8	19
Certain conditions originating in the perinatal period (760-779)	79	18	10	84	34	25	9	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	18	7	2	17	14	7	4	10
Other conditions originating in the perinatal period (760-766,770-779)	61	11	8	67	20	18	5	18
Symptoms, signs, and ill-defined conditions (780-799)	69	4	2	89	92	6	109	10
All other diseases (Residual)	453	33	68	340	251	193	90	148
Accidents and adverse effects (E800-E949)	357	40	42	180	188	100	65	86
Motor vehicle accidents (E810-E825)	190	24	26	56	92	46	36	37
All other accidents and adverse effects (E800-E807,E826-E949)	167	16	16	124	96	54	29	49
Suicide (E950-E959)	108	10	10	38	65	24	21	35
Homicide and legal intervention (E960-E978)	112	8	2	69	21	4	5	17
All other external causes (E980-E999)	8	3	–	12	6	1	–	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Killeen-Temple, Tex.	Knoxville, Tenn.	Kokomo, Ind.	La Crosse, Wis.	Lafayette, La.
All causes	873	11,177	962	1,288	4,084	849	764	951
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	4	–	–	–
Tuberculosis (010-018)	–	5	–	–	2	–	–	2
Tuberculosis of respiratory system (010-012)	–	4	–	–	2	–	–	2
Other tuberculosis (013-018)	–	1	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	3	–	–	–	–	–	2
Septicemia (038)	7	84	3	10	10	4	5	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	4	–	1	2	–	–	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,088-139)	2	36	3	3	8	2	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	188	2,446	214	253	909	188	171	222
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	32	6	4	14	–	3	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	50	573	60	45	216	35	43	61
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	50	745	52	62	285	87	40	71
Malignant neoplasm of breast (174-175)	17	187	25	15	71	15	16	14
Malignant neoplasms of genital organs (178-187)	20	253	22	25	99	23	27	20
Malignant neoplasms of urinary organs (188-189)	11	112	7	13	44	5	5	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	25	311	20	68	110	20	16	24
Leukemia (204-208)	3	101	13	7	35	9	8	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	8	132	9	14	55	14	13	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	36	6	3	10	–	–	2
Diabetes mellitus (250)	16	175	23	10	46	5	10	18
Nutritional deficiencies (260-269)	–	11	–	–	13	–	1	–
Anemias (280-285)	3	23	–	4	3	1	2	2
Meningitis (320-322)	1	6	1	4	2	2	–	–
Major cardiovascular diseases (390-448)	439	5,131	506	590	1,880	438	388	416
Diseases of heart (390-398,402,404-429)	358	3,957	411	521	1,367	329	290	318
Rheumatic fever and rheumatic heart disease (390-398)	3	40	5	4	13	5	1	1
Hypertensive heart disease (402)	14	114	3	2	37	6	6	12
Hypertensive heart and renal disease (404)	5	15	4	–	4	1	2	–
Ischemic heart disease (410-414)	280	2,883	326	318	1,040	232	229	209
Acute myocardial infarction (410)	130	1,353	138	238	636	127	81	107
Other acute and subacute forms of ischemic heart disease (411)	11	12	4	2	–	–	1	1
Angina pectoris (413)	1	6	–	1	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	138	1,492	184	77	404	105	147	100
Other diseases of endocardium (424)	6	47	–	1	10	3	7	6
All other forms of heart disease (415-423,425-429)	50	878	73	196	263	82	45	90
Hypertension with or without renal disease (401,403)	7	49	6	2	14	1	3	5
Cerebrovascular diseases (430-438)	52	922	66	53	402	73	61	65
Intracerebral and other intracranial hemorrhage (431-432)	8	121	11	8	32	6	5	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	152	11	3	64	7	13	12
Cerebral embolism (434.1)	–	12	1	1	3	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	36	637	43	41	303	60	43	44
Atherosclerosis (440)	11	103	15	9	63	29	5	19
Other diseases of arteries, arterioles, and capillaries (441-448)	11	100	8	5	34	6	9	9
Acute bronchitis and bronchiolitis (466)	–	4	–	–	1	–	–	–
Pneumonia and influenza (480-487)	15	278	21	27	94	25	28	17
Pneumonia (480-486)	15	276	21	27	93	25	28	17
Influenza (487)	–	2	–	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	30	438	26	31	122	33	28	21
Bronchitis, chronic and unspecified (490-491)	1	20	–	–	6	4	3	1
Emphysema (492)	5	75	5	3	24	6	2	6
Asthma (493)	2	15	2	3	6	–	4	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22	328	19	25	86	23	19	12
Ulcer of stomach and duodenum (531-533)	3	29	1	2	13	4	1	1
Appendicitis (540-543)	1	3	2	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	23	1	1	11	3	3	1
Chronic liver disease and cirrhosis (571)	12	105	14	16	31	4	9	13
Cholelithiasis and other disorders of gallbladder (574-575)	1	16	1	1	14	–	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	124	6	14	31	8	12	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	8	–	1	4	–	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	114	6	13	27	7	11	8
Infections of kidney (590)	–	16	2	1	2	–	1	3
Hyperplasia of prostate (600)	1	4	–	–	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	10	95	8	18	15	6	10	15
Certain conditions originating in the perinatal period (760-779)	13	128	10	33	22	9	7	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	33	3	15	6	2	3	5
Other conditions originating in the perinatal period (760-766,770-779)	11	95	7	18	16	7	4	12
Symptoms, signs, and ill-defined conditions (780-799)	8	388	4	47	237	21	7	13
All other diseases (Residual)	62	726	52	71	269	43	62	51
Accidents and adverse effects (E800-E949)	31	511	41	105	188	34	24	67
Motor vehicle accidents (E810-E825)	15	248	24	50	114	21	7	43
All other accidents and adverse effects (E800-E807,E826-E949)	16	263	17	55	74	13	17	24
Suicide (E950-E959)	5	189	12	22	80	12	13	24
Homicide and legal intervention (E960-E978)	7	147	5	18	37	3	–	22
All other external causes (E880-E999)	4	14	–	3	8	3	–	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind.	Lake Charles, La.	Lakeland-Winter Haven, Fla.	Lancaster, Pa.	Lansing-East Lansing, Mich.	Laredo, Tex.	Las Cruces, N.Mex.	Las Vegas, Nev.
All causes	811	1,233	3,234	3,091	2,910	588	523	3,620
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	1
Tuberculosis (010-018)	–	1	9	2	1	1	1	5
Tuberculosis of respiratory system (010-012)	–	–	8	2	1	1	1	3
Other tuberculosis (013-018)	–	1	1	–	–	–	–	2
Whooping cough (033)	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	1	1	1	–	1	–	–	–
Septicemia (038)	4	9	15	20	12	5	4	21
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	2	–	1	–	–	4
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	8	8	6	3	5	2	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	167	269	709	700	663	104	99	814
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	6	20	16	16	1	2	17
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	48	167	167	143	36	24	173
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	37	101	228	146	170	18	25	291
Malignant neoplasm of breast (174-175)	18	18	45	67	61	12	8	51
Malignant neoplasms of genital organs (179-187)	17	30	69	97	75	8	16	96
Malignant neoplasms of urinary organs (188-189)	6	7	32	27	28	1	5	32
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	19	32	93	102	96	17	15	90
Leukemia (204-208)	6	15	26	27	36	5	3	29
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	12	29	51	38	6	1	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	1	10	9	11	3	2	16
Diabetes mellitus (250)	23	22	57	65	58	25	14	67
Nutritional deficiencies (260-269)	1	–	4	2	12	–	–	5
Anemias (280-285)	–	2	4	5	7	1	–	9
Meningitis (320-322)	–	2	–	5	–	1	1	7
Major cardiovascular diseases (390-448)	404	587	1,530	1,658	1,407	247	200	1,449
Diseases of heart (390-398,402,404-429)	303	446	1,180	1,298	1,040	196	141	1,170
Rheumatic fever and rheumatic heart disease (390-398)	9	–	10	11	8	1	1	17
Hypertensive heart disease (402)	4	12	54	37	24	4	2	62
Hypertensive heart and renal disease (404)	–	–	2	4	8	–	1	3
Ischemic heart disease (410-414)	253	321	920	815	743	136	98	729
Acute myocardial infarction (410)	125	148	428	430	426	73	51	384
Other acute and subacute forms of ischemic heart disease (411)	1	1	2	–	1	2	–	20
Angina pectoris (413)	–	1	1	–	2	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	127	171	489	385	314	61	47	325
Other diseases of endocardium (424)	6	9	12	14	12	–	1	12
All other forms of heart disease (415-423,425-429)	31	104	182	417	245	55	38	347
Hypertension with or without renal disease (401,403)	2	6	10	15	14	–	4	6
Cerebrovascular diseases (430-438)	84	103	246	231	257	48	45	210
Intracerebral and other intracranial hemorrhage (431-432)	10	11	23	21	43	8	7	51
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	17	43	37	46	25	3	11
Cerebral embolism (434.1)	1	–	2	2	3	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	58	75	178	171	165	15	35	148
Atherosclerosis (440)	7	21	68	66	65	2	5	27
Other diseases of arteries, arterioles, and capillaries (441-448)	8	11	26	48	31	1	5	30
Acute bronchitis and bronchiolitis (466)	1	–	–	1	–	–	–	–
Pneumonia and influenza (480-487)	13	20	66	64	70	19	9	54
Pneumonia (480-486)	13	20	63	62	68	19	9	53
Influenza (487)	–	–	3	2	2	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	38	107	82	93	15	23	152
Bronchitis, chronic and unspecified (490-491)	2	–	4	–	7	–	–	5
Emphysema (492)	11	7	28	11	24	7	10	48
Asthma (493)	1	2	3	6	4	1	–	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	29	72	65	58	7	13	90
Ulcer of stomach and duodenum (531-533)	3	4	9	14	8	3	1	10
Appendicitis (540-543)	–	–	2	1	1	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	4	6	4	2	2	7
Chronic liver disease and cirrhosis (571)	9	15	38	19	41	10	8	68
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	5	5	1	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	17	15	28	28	13	5	39
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	2	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	2	3	4	1	–	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	16	13	23	22	12	5	29
Infections of kidney (590)	1	–	4	2	5	1	1	1
Hyperplasia of prostate (600)	–	–	2	–	2	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	5	13	16	28	32	3	2	31
Certain conditions originating in the perinatal period (760-779)	10	20	37	28	33	9	12	44
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	4	12	7	16	3	2	19
Other conditions originating in the perinatal period (760-766,770-779)	8	16	25	21	17	5	10	25
Symptoms, signs, and ill-defined conditions (780-799)	12	12	117	35	16	41	36	26
All other diseases (Residual)	51	69	205	159	189	36	33	231
Accidents and adverse effects (E800-E949)	38	76	161	103	148	29	42	308
Motor vehicle accidents (E810-E825)	20	23	103	47	74	6	23	166
All other accidents and adverse effects (E800-E807,E826-E949)	18	53	58	56	74	23	19	142
Suicide (E950-E959)	14	23	56	39	48	3	16	144
Homicide and legal intervention (E960-E978)	4	21	37	5	10	7	3	93
All other external causes (E980-E999)	–	–	11	1	–	2	4	13

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans.	Lawton, Okla.	Lewiston-Auburn, Maine	Lexington-Fayette, Ky.	Lima, Ohio	Lincoln, Nebr.	Little Rock-North Little Rock, Ark.	Long Branch-Asbury Park, N.J.
All causes	350	742	951	2,348	1,834	1,326	3,171	4,751
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	1	–	1	–
Tuberculosis (010-018)	–	1	1	3	2	1	3	3
Tuberculosis of respiratory system (010-012)	–	1	–	2	2	1	3	3
Other tuberculosis (013-018)	–	–	1	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	1	1	–	–	1
Septicemia (038)	3	4	5	21	5	5	34	38
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	–	1	1	1	1	2
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	–	3	6	6	2	4	11	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	75	129	231	495	437	285	708	1,172
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	2	4	10	9	6	15	24
Malignant neoplasms of digestive organs and peritoneum (150-159)	19	27	57	109	121	78	159	325
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	20	47	57	142	100	69	211	272
Malignant neoplasm of breast (174-175)	8	11	13	52	50	25	69	145
Malignant neoplasms of genital organs (179-187)	6	13	25	61	41	39	71	121
Malignant neoplasms of urinary organs (188-189)	2	3	9	11	18	16	23	59
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	16	36	53	53	34	84	134
Leukemia (204-208)	7	4	9	25	20	14	27	44
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	5	6	21	32	25	14	39	48
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	2	4	7	7	3	10	16
Diabetes mellitus (250)	4	20	10	38	31	16	51	106
Nutritional deficiencies (260-269)	1	1	2	2	–	–	5	5
Anemias (280-285)	1	1	–	2	1	–	6	5
Meningitis (320-322)	1	1	1	1	–	1	3	7
Major cardiovascular diseases (390-448)	162	328	483	1,128	949	715	1,509	2,360
Diseases of heart (390-398,402,404-429)	113	261	375	895	724	540	1,059	1,852
Rheumatic fever and rheumatic heart disease (390-398)	–	2	3	7	9	11	5	24
Hypertensive heart disease (402)	1	8	7	31	17	8	21	54
Hypertensive heart and renal disease (404)	–	2	1	4	1	1	2	12
Ischemic heart disease (410-414)	79	205	306	512	550	382	689	1,524
Acute myocardial infarction (410)	36	108	158	379	258	149	377	765
Other acute and subacute forms of ischemic heart disease (411)	1	16	8	3	–	–	–	5
Angina pectoris (413)	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	42	81	140	130	292	243	312	754
Other diseases of endocardium (424)	–	2	2	5	10	6	9	15
All other forms of heart disease (415-423,425-429)	33	42	56	336	137	122	393	223
Hypertension with or without renal disease (401,403)	1	4	4	12	3	4	13	17
Cerebrovascular diseases (430-438)	41	52	61	175	148	132	354	354
Intracerebral and other intracranial hemorrhage (431-432)	2	4	11	16	30	13	36	61
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	5	14	36	28	11	59	79
Cerebral embolism (434.1)	–	–	–	–	4	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	31	43	36	123	86	106	258	213
Atherosclerosis (440)	5	4	27	18	47	25	54	91
Other diseases of arteries, arterioles, and capillaries (441-448)	2	7	16	28	27	14	29	46
Acute bronchitis and bronchiolitis (466)	–	–	1	–	–	–	–	1
Pneumonia and influenza (480-487)	13	15	18	61	29	22	69	111
Pneumonia (480-485)	13	15	15	60	26	22	69	109
Influenza (487)	–	–	3	1	3	–	–	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	9	25	29	69	63	43	106	138
Bronchitis, chronic and unspecified (490-491)	2	–	1	1	4	–	5	18
Emphysema (492)	3	4	8	14	20	18	29	40
Asthma (493)	–	–	2	2	2	1	2	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	4	21	18	52	37	24	70	76
Ulcer of stomach and duodenum (531-533)	–	3	4	11	6	3	4	23
Appendicitis (540-543)	–	–	–	–	–	–	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	2	–	3	3	7	6	13
Chronic liver disease and cirrhosis (571)	5	8	19	29	16	7	35	81
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	3	5	4	–	6	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	7	3	16	8	7	40	46
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	–	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	1	–	–	3	1	7	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	1	6	3	15	5	6	32	42
Infections of kidney (590)	–	–	3	3	2	–	7	6
Hyperplasia of prostate (600)	1	–	–	2	–	1	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	1
Congenital anomalies (740-759)	1	14	8	15	17	10	19	29
Certain conditions originating in the perinatal period (760-779)	9	21	10	30	11	18	31	39
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	3	1	11	3	3	9	16
Other conditions originating in the perinatal period (760-766,770-779)	4	18	9	19	8	15	22	23
Symptoms, signs, and ill-defined conditions (780-799)	18	21	3	12	6	10	43	10
All other diseases (Residual)	21	56	51	176	118	87	194	275
Accidents and adverse effects (E800-E949)	16	57	40	129	86	49	161	165
Motor vehicle accidents (E810-E825)	8	22	15	66	39	18	63	82
All other accidents and adverse effects (E800-E807,E826-E949)	8	35	25	63	47	31	98	83
Suicide (E950-E958)	3	16	13	45	23	18	47	48
Homicide and legal intervention (E960-E978)	3	6	2	34	3	2	54	22
All other external causes (E980-E999)	1	–	1	3	2	1	4	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,527	1,924	59,776	7,936	1,442	1,416	2,074	1,863
Shigellosis and amebiasis (004,006)	–	–	2	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	16	–	–	–	1	–
Tuberculosis (010-018)	–	–	67	10	2	–	3	1
Tuberculosis of respiratory system (010-012)	–	–	59	9	1	–	1	1
Other tuberculosis (013-018)	–	–	8	1	1	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	2	–	–	–	–	–
Meningococcal infection (036)	–	1	7	2	1	–	1	1
Septicemia (038)	13	5	122	47	9	6	12	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	53	3	1	–	3	2
Syphilis (090-097)	–	1	8	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	–	170	13	2	3	4	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	301	450	13,073	1,939	288	318	396	414
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	6	319	65	3	3	8	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	75	110	3,471	484	60	85	95	105
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	88	139	3,277	592	68	80	119	108
Malignant neoplasm of breast (174-175)	17	47	1,283	168	21	28	23	38
Malignant neoplasms of genital organs (179-187)	32	44	1,418	206	32	46	37	48
Malignant neoplasms of urinary organs (188-189)	10	18	512	79	6	10	17	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	54	1,575	191	48	41	61	56
Leukemia (204-208)	11	11	502	71	16	9	15	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	21	736	83	14	16	21	20
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	3	183	26	2	4	10	8
Diabetes mellitus (250)	19	45	940	145	17	15	36	31
Nutritional deficiencies (260-269)	3	6	28	11	2	1	1	2
Anemias (280-285)	3	4	70	14	4	5	3	6
Meningitis (320-322)	–	–	39	3	1	3	2	–
Major cardiovascular diseases (390-448)	691	977	29,276	3,765	685	720	1,031	906
Diseases of heart (390-398,402,404-429)	487	787	22,844	2,929	537	526	769	674
Rheumatic fever and rheumatic heart disease (390-398)	2	4	261	12	4	2	6	4
Hypertensive heart disease (402)	9	25	1,301	105	10	28	13	10
Hypertensive heart and renal disease (404)	2	2	79	14	1	11	8	–
Ischemic heart disease (410-414)	324	638	14,251	1,998	258	324	448	489
Acute myocardial infarction (410)	201	307	6,541	1,116	140	181	299	238
Other acute and subacute forms of ischemic heart disease (411)	–	15	24	6	–	16	1	2
Angina pectoris (413)	–	–	17	2	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	123	316	7,669	874	118	127	147	249
Other diseases of endocardium (424)	7	4	221	24	5	9	8	7
All other forms of heart disease (415-423,425-429)	143	114	6,711	776	259	152	286	164
Hypertension with or without renal disease (401,403)	10	14	239	30	4	7	21	7
Cerebrovascular diseases (430-438)	166	134	4,915	635	121	163	188	175
Intracerebral and other intracranial hemorrhage (431-432)	6	13	701	85	18	25	32	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	44	20	1,081	108	5	38	20	25
Cerebral embolism (434.1)	–	1	19	1	–	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	116	100	3,114	441	98	98	135	127
Atherosclerosis (440)	17	23	784	98	12	14	28	26
Other diseases of arteries, arterioles, and capillaries (441-448)	11	19	494	73	11	10	25	26
Acute bronchitis and bronchiolitis (466)	–	–	17	2	–	–	–	–
Pneumonia and influenza (480-487)	38	20	1,841	183	37	38	65	37
Pneumonia (480-486)	38	20	1,826	181	37	37	64	34
Influenza (487)	–	–	15	2	–	1	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	48	62	1,720	278	37	32	56	59
Bronchitis, chronic and unspecified (490-491)	4	1	131	8	4	2	3	2
Emphysema (492)	20	12	378	66	12	3	13	11
Asthma (493)	3	1	102	12	1	–	3	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21	48	1,108	192	20	27	37	41
Ulcer of stomach and duodenum (531-533)	5	8	292	27	4	5	8	4
Appendicitis (540-543)	–	1	17	1	1	1	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	4	107	12	1	7	4	4
Chronic liver disease and cirrhosis (571)	17	30	1,336	125	18	23	34	16
Cholelithiasis and other disorders of gallbladder (574-575)	–	2	83	10	2	–	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	15	390	88	11	9	29	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	7	1	–	1	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	77	7	–	1	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	14	306	80	11	7	23	5
Infections of kidney (590)	2	4	75	14	3	1	6	3
Hyperplasia of prostate (600)	–	–	30	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	18	1	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	4	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	14	1	–	–	1	–
Congenital anomalies (740-759)	13	17	528	52	23	6	16	25
Certain conditions originating in the perinatal period (760-779)	17	24	719	73	27	16	28	20
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	10	250	17	14	5	10	8
Other conditions originating in the perinatal period (760-766,770-779)	8	14	469	56	13	11	18	12
Symptoms, signs, and ill-defined conditions (780-799)	99	31	344	59	19	7	15	10
All other diseases (Residual)	100	92	2,922	499	95	97	129	143
Accidents and adverse effects (E800-E949)	87	76	2,868	341	110	63	113	91
Motor vehicle accidents (E810-E825)	49	37	1,342	134	68	36	66	37
All other accidents and adverse effects (E800-E807,E826-E949)	38	39	1,526	207	42	27	47	54
Suicide (E950-E959)	16	34	1,153	116	31	26	33	36
Homicide and legal intervention (E960-E978)	31	6	1,444	69	26	10	29	7
All other external causes (E980-E999)	–	4	36	6	3	–	4	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,194	1,057	1,689	1,109	2,613	7,738	16,551	606
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	2	5	–
Tuberculosis (010-018)	1	–	3	–	5	13	16	1
Tuberculosis of respiratory system (010-012)	1	–	2	–	5	9	15	1
Other tuberculosis (013-018)	–	–	1	–	–	4	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	1	6	–
Septicemia (038)	8	5	12	2	7	55	79	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	2	–	1	5	9	–
Syphilis (090-097)	–	–	–	–	1	–	2	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	1	6	4	4	24	35	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	500	244	285	246	708	1,733	3,750	114
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	6	6	1	19	28	93	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	144	69	82	57	160	438	1,042	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	125	69	60	69	234	494	931	35
Malignant neoplasm of breast (174-175)	46	21	15	18	54	153	308	12
Malignant neoplasms of genital organs (179-187)	54	26	35	26	87	198	446	9
Malignant neoplasms of urinary organs (188-189)	20	11	10	14	33	55	184	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	67	20	46	33	76	207	415	24
Leukemia (204-208)	13	8	10	13	22	71	139	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	14	21	15	23	89	192	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	4	4	3	12	25	58	–
Diabetes mellitus (250)	44	23	55	8	37	89	313	8
Nutritional deficiencies (260-269)	1	1	3	–	4	5	17	–
Anemias (280-285)	7	–	5	2	7	21	28	–
Meningitis (320-322)	1	–	5	–	–	6	13	1
Major cardiovascular diseases (390-448)	1,078	539	678	518	1,159	3,625	7,764	239
Diseases of heart (390-398,402,404-429)	858	423	520	372	861	2,644	6,263	185
Rheumatic fever and rheumatic heart disease (390-398)	11	5	3	6	17	20	64	2
Hypertensive heart disease (402)	12	2	2	7	27	160	188	3
Hypertensive heart and renal disease (404)	5	2	2	3	2	7	10	–
Ischemic heart disease (410-414)	654	347	391	272	644	1,597	4,798	141
Acute myocardial infarction (410)	387	194	204	110	327	826	2,273	100
Other acute and subacute forms of ischemic heart disease (411)	–	1	1	–	1	2	33	–
Angina pectoris (413)	–	–	1	–	–	1	5	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	267	152	125	162	316	756	2,427	41
Other diseases of endocardium (424)	9	2	7	11	12	20	69	1
All other forms of heart disease (415-423,425-429)	167	65	175	73	159	850	1,194	38
Hypertension with or without renal disease (401,403)	6	1	2	6	9	40	62	–
Cerebrovascular diseases (430-438)	147	92	114	103	201	785	1,167	40
Intracerebral and other intracranial hemorrhage (431-432)	27	6	13	12	37	104	185	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	14	26	15	31	166	346	5
Cerebral embolism (434.1)	–	–	–	1	2	4	7	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	87	72	75	75	131	511	629	20
Atherosclerosis (440)	46	11	29	23	52	95	94	9
Other diseases of arteries, arterioles, and capillaries (441-448)	19	12	13	14	36	61	178	5
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	5	7	–
Pneumonia and influenza (480-487)	58	23	43	29	49	140	277	19
Pneumonia (480-486)	58	23	43	29	49	139	276	19
Influenza (487)	–	–	–	–	–	1	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	85	34	40	64	104	247	420	27
Bronchitis, chronic and unspecified (490-491)	7	5	–	5	4	11	30	–
Emphysema (492)	13	7	10	10	35	49	96	8
Asthma (493)	6	–	2	4	3	14	32	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	59	22	28	45	62	173	262	17
Ulcer of stomach and duodenum (531-533)	11	3	3	4	9	20	69	2
Appendicitis (540-543)	1	–	–	–	1	2	3	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	2	4	7	6	22	45	–
Chronic liver disease and cirrhosis (571)	32	10	22	13	59	66	282	11
Cholelithiasis and other disorders of gallbladder (574-576)	4	–	4	1	2	10	27	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	4	32	3	19	75	167	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	1	1	5	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	1	–	2	19	23	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	3	31	3	16	55	139	6
Infections of kidney (590)	2	–	3	3	2	10	18	1
Hyperplasia of prostate (600)	2	1	1	–	–	2	7	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	–	1	1	6	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	2	–	1	1	5	–
Congenital anomalies (740-759)	17	9	22	9	16	65	98	5
Certain conditions originating in the perinatal period (760-779)	33	18	35	4	24	120	182	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	7	6	15	2	8	24	44	9
Other conditions originating in the perinatal period (760-766,770-779)	26	12	20	2	16	96	138	6
Symptoms, signs, and ill-defined conditions (780-799)	11	9	152	23	12	220	197	10
All other diseases (Residual)	132	53	111	77	153	523	1,081	40
Accidents and adverse effects (E800-E949)	62	47	117	64	131	357	746	54
Motor vehicle accidents (E810-E825)	43	20	72	34	87	166	402	38
All other accidents and adverse effects (E800-E807,E826-E949)	39	27	45	30	44	191	344	16
Suicide (E950-E959)	33	16	18	16	50	92	338	21
Homicide and legal intervention (E960-E978)	6	11	20	7	21	152	488	17
All other external causes (E980-E999)	5	–	2	2	9	5	–	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	11,658	14,655	3,683	2,368	1,080	2,359	987	1,513
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	1	1	–	–	–	1
Tuberculosis (010-018)	11	7	7	3	1	7	–	1
Tuberculosis of respiratory system (010-012)	9	6	5	3	–	6	–	1
Other tuberculosis (013-018)	2	1	2	–	1	1	–	–
Whooping cough (033)	–	1	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	5	3	–	–	–	1	–	2
Septicemia (038)	59	73	15	6	12	11	4	11
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	2	3	–	–	2	–	–
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	38	39	12	7	3	5	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,734	3,277	854	478	221	507	203	352
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	59	60	20	5	5	8	1	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	757	853	191	111	44	120	52	77
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	664	756	272	135	51	131	58	108
Malignant neoplasm of breast (174-175)	265	334	58	40	22	51	20	39
Malignant neoplasms of genital organs (179-187)	295	389	96	55	18	65	23	37
Malignant neoplasms of urinary organs (188-189)	134	163	39	19	3	12	13	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	303	370	85	73	61	77	20	35
Leukemia (204-208)	105	141	31	22	7	21	10	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	152	211	62	18	10	22	8	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	63	13	13	3	7	6	7
Diabetes mellitus (250)	196	255	69	37	7	37	13	40
Nutritional deficiencies (260-269)	20	21	6	1	–	4	1	–
Anemias (280-285)	24	16	9	6	1	6	1	3
Meningitis (320-322)	5	9	5	–	1	2	–	1
Major cardiovascular diseases (390-448)	5,909	6,955	1,670	1,109	590	1,034	491	765
Diseases of heart (390-398,402,404-429)	4,733	5,217	1,279	822	480	788	351	604
Rheumatic fever and rheumatic heart disease (390-398)	51	68	10	11	1	3	7	7
Hypertensive heart disease (402)	153	80	85	17	15	35	10	13
Hypertensive heart and renal disease (404)	10	15	8	1	2	5	3	1
Ischemic heart disease (410-414)	3,533	4,060	740	592	189	495	284	461
Acute myocardial infarction (410)	1,541	1,744	382	303	121	265	139	205
Other acute and subacute forms of ischemic heart disease (411)	32	15	22	1	–	2	–	2
Angina pectoris (413)	3	6	1	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,957	2,295	325	288	48	208	145	274
Other diseases of endocardium (424)	63	74	16	22	1	10	3	5
All other forms of heart disease (415-423,425-429)	923	920	418	179	292	240	44	97
Hypertension with or without renal disease (401,403)	47	53	16	6	2	4	3	6
Cerebrovascular diseases (430-438)	861	1,240	309	224	89	209	106	116
Intracerebral and other intracranial hemorrhage (431-432)	129	139	39	11	5	29	13	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	153	180	55	53	13	26	27	24
Cerebral embolism (434.1)	3	8	2	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	576	913	213	160	71	153	66	76
Atherosclerosis (440)	158	259	31	26	8	19	14	23
Other diseases of arteries, arterioles, and capillaries (441-448)	110	186	35	29	11	14	17	16
Acute bronchitis and bronchiolitis (466)	1	2	4	–	–	–	1	1
Pneumonia and influenza (480-487)	315	413	36	86	18	52	26	22
Pneumonia (480-486)	315	403	36	84	18	52	26	21
Influenza (487)	–	10	–	2	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	292	456	114	125	19	66	39	47
Bronchitis, chronic and unspecified (490-491)	12	25	3	12	–	1	5	4
Emphysema (492)	49	111	21	30	6	10	9	11
Asthma (493)	18	22	7	2	–	3	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	213	298	83	81	13	52	23	31
Ulcer of stomach and duodenum (531-533)	47	57	13	14	–	4	6	9
Appendicitis (540-543)	3	4	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	45	13	5	3	6	4	3
Chronic liver disease and cirrhosis (571)	142	183	50	47	9	25	4	20
Cholelithiasis and other disorders of gallbladder (574-575)	16	29	5	4	1	3	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	108	95	31	10	12	16	4	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	2	–	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	13	9	–	–	1	–	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	86	80	22	10	11	15	4	14
Infections of kidney (590)	13	15	2	1	–	4	1	2
Hyperplasia of prostate (600)	3	6	2	1	–	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	–	1	–	–	–	–
Congenital anomalies (740-759)	71	124	39	27	8	23	7	11
Certain conditions originating in the perinatal period (760-779)	110	134	75	22	17	30	10	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	28	28	23	8	3	14	3	3
Other conditions originating in the perinatal period (760-766,770-779)	82	106	52	14	14	16	7	13
Symptoms, signs, and ill-defined conditions (780-799)	97	431	60	6	14	169	14	5
All other diseases (Residual)	712	930	239	134	59	141	66	83
Accidents and adverse effects (E800-E949)	382	652	186	168	52	127	52	68
Motor vehicle accidents (E810-E825)	183	272	92	93	22	64	22	34
All other accidents and adverse effects (E800-E807,E826-E949)	209	380	94	75	30	63	30	29
Suicide (E950-E959)	171	252	47	35	13	28	16	17
Homicide and legal intervention (E960-E978)	88	78	93	21	16	34	8	11
All other external causes (E980-E999)	14	24	9	–	–	5	2	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn.	Nassau-Suffolk, N.Y.	New Bedford-Fall River, Mass.	New Brunswick-Perth Amboy-Sayreville, N.J.	New Haven-Waterbury-Meriden, Conn.	New London-Norwich, Conn.	New Orleans, La.	New York, N.Y.-N.J.
All causes	6,785	21,220	4,552	4,887	7,216	1,971	10,556	91,367
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	1
Certain other intestinal infections (007-009)	1	6	–	1	–	1	1	17
Tuberculosis (010-018)	16	13	1	4	6	–	27	149
Tuberculosis of respiratory system (010-012)	13	8	1	4	5	–	25	115
Other tuberculosis (013-018)	3	5	–	–	1	–	2	31
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	2	2	–	2	18
Septicemia (038)	17	164	26	41	70	7	103	387
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	14	2	4	2	–	12	58
Syphilis (090-097)	–	1	–	–	–	–	2	3
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	24	29	7	11	18	1	33	221
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,521	5,286	1,119	1,204	1,698	489	2,234	19,533
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	109	15	28	36	3	33	428
Malignant neoplasms of digestive organs and peritoneum (150-159)	337	1,497	346	304	447	135	551	5,888
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	485	1,312	248	335	417	122	667	4,537
Malignant neoplasm of breast (174-175)	146	564	116	123	167	37	186	1,853
Malignant neoplasms of genital organs (179-187)	189	514	112	125	207	55	219	2,027
Malignant neoplasms of urinary organs (188-189)	63	278	51	58	67	23	95	831
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	144	572	128	136	208	64	296	2,133
Leukemia (204-208)	53	179	50	42	64	21	77	728
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	76	262	55	55	85	29	110	1,008
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	104	18	12	28	5	49	295
Diabetes mellitus (250)	96	358	80	105	109	29	291	1,641
Nutritional deficiencies (260-269)	13	9	4	3	7	–	18	28
Anemias (280-285)	16	24	4	11	10	1	22	113
Meningitis (320-322)	6	15	2	3	5	–	13	64
Major cardiovascular diseases (390-448)	3,277	10,893	2,446	2,447	3,631	987	4,677	48,333
Diseases of heart (390-398,402,404-429)	2,531	9,034	1,874	1,959	2,947	736	3,752	41,689
Rheumatic fever and rheumatic heart disease (390-398)	15	119	22	22	32	5	26	369
Hypertensive heart disease (402)	79	221	22	72	68	19	239	764
Hypertensive heart and renal disease (404)	11	26	14	6	4	2	23	68
Ischemic heart disease (410-414)	1,952	7,672	1,635	1,578	2,152	621	2,488	36,953
Acute myocardial infarction (410)	1,227	2,767	976	714	942	243	1,331	15,284
Other acute and subacute forms of ischemic heart disease (411)	111	12	3	11	3	1	3	50
Angina pectoris (413)	2	6	–	–	12	–	2	19
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	612	4,887	656	853	1,195	377	1,152	21,600
Other diseases of endocardium (424)	21	58	11	20	31	7	34	232
All other forms of heart disease (415-423,425-429)	453	938	170	261	660	82	940	3,303
Hypertension with or without renal disease (401,403)	27	68	13	12	27	30	34	319
Cerebrovascular diseases (430-438)	594	1,430	454	310	492	174	875	4,855
Intracerebral and other intracranial hemorrhage (431-432)	78	174	80	65	60	16	122	801
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	87	350	115	53	97	46	182	893
Cerebral embolism (434.1)	3	1	7	1	–	1	–	30
All other and late effects of cerebrovascular diseases (430,433,435-438)	426	905	252	191	335	111	571	3,131
Atherosclerosis (440)	69	162	70	114	89	29	125	781
Other diseases of arteries, arterioles, and capillaries (441-448)	56	211	35	52	76	18	91	689
Acute bronchitis and bronchiolitis (466)	1	2	1	1	2	–	4	19
Pneumonia and influenza (480-487)	157	442	108	109	200	58	170	2,820
Pneumonia (480-486)	155	441	107	108	198	55	168	2,814
Influenza (487)	2	1	1	1	2	1	2	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	222	470	99	122	179	57	233	1,832
Bronchitis, chronic and unspecified (490-491)	12	38	4	5	13	4	16	118
Emphysema (492)	47	106	19	22	10	5	66	466
Asthma (493)	10	24	5	7	6	2	16	212
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	153	302	71	88	150	46	135	1,036
Ulcer of stomach and duodenum (531-533)	17	55	16	16	20	2	29	347
Appendicitis (540-543)	2	3	–	3	–	–	3	24
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	46	11	11	23	4	23	188
Chronic liver disease and cirrhosis (571)	77	317	52	84	98	37	142	2,069
Cholelithiasis and other disorders of gallbladder (574-575)	9	22	6	8	7	5	13	100
Nephritis, nephrotic syndrome, and nephrosis (580-589)	70	169	39	42	70	9	123	556
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	–	–	–	–	2	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	16	1	5	9	1	16	73
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	57	150	38	37	61	8	105	479
Infections of kidney (590)	10	11	5	3	3	2	10	50
Hyperplasia of prostate (600)	5	4	1	3	–	–	1	30
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	–	–	–	–	1	22
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	7
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	–	–	–	1	15
Congenital anomalies (740-759)	53	129	25	22	40	17	95	559
Certain conditions originating in the perinatal period (760-779)	75	151	30	36	63	19	156	970
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	35	6	7	9	3	52	289
Other conditions originating in the perinatal period (760-766,770-779)	46	116	22	29	54	16	104	681
Symptoms, signs, and ill-defined conditions (780-799)	57	552	23	52	119	19	77	1,084
All other diseases (Residual)	444	968	238	248	433	94	744	4,381
Accidents and adverse effects (E800-E949)	319	698	136	176	262	68	555	2,672
Motor vehicle accidents (E810-E825)	150	348	65	73	117	54	209	956
All other accidents and adverse effects (E800-E807,E826-E949)	169	350	71	103	145	44	346	1,716
Suicide (E950-E959)	122	140	37	53	55	23	168	604
Homicide and legal intervention (E960-E978)	103	97	12	28	47	6	314	1,786
All other external causes (E980-E999)	15	25	4	4	11	3	11	416

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	17,160	1,018	2,374	2,450	5,791	7,633	1,467	843
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	–	–	1	–	–	–	1
Tuberculosis (010-016)	13	1	3	1	6	8	–	2
Tuberculosis of respiratory system (010-012)	8	1	3	1	4	8	–	1
Other tuberculosis (013-018)	5	–	–	–	2	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	–	–	–	–	1	1	–
Septicemia (038)	181	4	10	32	52	42	9	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	11	–	1	–	–	1	1	1
Syphilis (090-097)	1	–	–	–	2	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	45	1	5	5	13	9	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,055	220	541	632	1,411	1,842	390	137
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	102	1	12	14	31	40	7	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,148	51	163	151	345	488	105	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,028	60	138	179	425	348	124	45
Malignant neoplasm of breast (174-175)	423	19	42	55	118	151	27	4
Malignant neoplasms of genital organs (179-187)	421	27	55	67	140	183	38	15
Malignant neoplasms of urinary organs (188-189)	162	14	25	32	47	58	12	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	424	30	59	84	199	261	41	21
Leukemia (204-208)	134	8	24	19	53	49	15	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	217	10	25	31	53	70	21	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	5	8	11	21	29	7	4
Diabetes mellitus (250)	322	22	44	35	102	158	28	8
Nutritional deficiencies (260-269)	17	–	2	6	2	9	1	–
Anemias (280-285)	33	–	3	–	11	9	2	1
Meningitis (320-322)	15	–	1	2	4	–	1	–
Major cardiovascular diseases (390-448)	6,539	530	1,213	1,073	2,633	4,185	678	251
Diseases of heart (390-398,402,404-429)	6,032	410	990	864	2,066	3,516	488	187
Rheumatic fever and rheumatic heart disease (390-398)	92	6	8	5	11	40	6	–
Hypertensive heart disease (402)	221	3	18	26	83	106	6	2
Hypertensive heart and renal disease (404)	25	2	2	6	15	19	1	–
Ischemic heart disease (410-414)	5,378	329	832	569	1,353	2,270	405	118
Acute myocardial infarction (410)	2,575	214	429	311	735	1,325	186	69
Other acute and subacute forms of ischemic heart disease (411)	15	–	9	59	131	15	6	–
Angina pectoris (413)	5	–	–	1	2	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,783	115	394	204	485	928	212	49
Other diseases of endocardium (424)	93	4	11	10	20	44	9	1
All other forms of heart disease (415-423,425-429)	1,123	66	119	248	586	1,045	61	66
Hypertension with or without renal disease (401,403)	60	3	9	9	27	24	5	4
Cerebrovascular diseases (430-438)	1,260	93	155	169	428	460	150	48
Intracerebral and other intracranial hemorrhage (431-432)	196	7	22	20	69	58	14	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	300	22	35	25	73	92	33	2
Cerebral embolism (434.1)	7	–	–	–	–	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	757	64	98	124	286	308	102	29
Atherosclerosis (440)	118	17	24	11	64	109	17	6
Other diseases of arteries, arterioles, and capillaries (441-448)	168	7	35	20	48	74	18	6
Acute bronchitis and bronchiolitis (466)	5	–	–	1	1	1	1	–
Pneumonia and influenza (480-487)	429	20	56	67	157	102	13	19
Pneumonia (480-486)	426	19	55	67	155	101	13	18
Influenza (487)	3	1	1	–	2	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	415	33	78	63	158	156	40	25
Bronchitis, chronic and unspecified (490-491)	28	5	5	1	7	9	3	1
Emphysema (492)	100	8	16	8	20	32	8	3
Asthma (493)	21	1	6	1	14	4	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	268	19	51	53	117	111	29	21
Ulcer of stomach and duodenum (531-533)	50	2	8	12	16	16	6	1
Appendicitis (540-543)	6	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	6	6	6	9	13	3	5
Chronic liver disease and cirrhosis (571)	257	15	44	40	78	101	22	7
Cholelithiasis and other disorders of gallbladder (574-575)	29	–	6	2	8	4	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	182	11	18	22	58	85	5	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	3	2	2	6	13	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	158	7	16	20	52	72	5	6
Infections of kidney (590)	11	–	–	2	5	4	2	1
Hyperplasia of prostate (600)	10	–	2	–	–	1	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	–	–	1	–	–	–
Congenital anomalies (740-759)	97	6	8	24	48	35	10	13
Certain conditions originating in the perinatal period (760-779)	159	8	23	41	115	33	11	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	72	2	8	7	20	10	3	5
Other conditions originating in the perinatal period (760-766,770-779)	87	6	15	34	95	23	8	8
Symptoms, signs, and ill-defined conditions (780-799)	153	19	17	15	44	23	5	105
All other diseases (Residual)	1,064	48	138	151	390	668	82	53
Accidents and adverse effects (E800-E949)	595	46	111	115	259	207	100	110
Motor vehicle accidents (E810-E825)	257	23	53	59	117	100	62	73
All other accidents and adverse effects (E800-E807,E826-E949)	338	23	58	56	142	107	38	37
Suicide (E950-E959)	159	17	18	54	86	61	24	28
Homicide and legal intervention (E960-E978)	202	3	10	35	95	27	18	42
All other external causes (E980-E999)	2	1	2	2	6	5	4	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Simi Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	6,865	939	4,393	5,978	746	3,374	816	1,436
Shigellosis and amebiasis (004,006)	–	–	–	2	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	1	–	–
Tuberculosis (010-018)	11	–	3	6	1	2	1	1
Tuberculosis of respiratory system (010-012)	8	–	2	5	1	2	1	1
Other tuberculosis (013-018)	3	–	1	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	2	–	1	1	–
Septicemia (038)	42	4	22	30	5	7	7	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	9	1	2	4	–	1	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	13	2	9	18	–	8	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,397	223	984	1,430	151	787	186	305
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	17	2	24	29	5	11	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	331	61	223	327	35	203	40	70
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	425	53	302	444	54	224	68	103
Malignant neoplasm of breast (174-175)	103	15	103	125	9	62	10	37
Malignant neoplasms of genital organs (179-187)	143	21	98	140	12	65	20	31
Malignant neoplasms of urinary organs (188-189)	55	13	39	59	3	36	9	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	182	30	101	172	19	106	24	30
Leukemia (204-208)	77	6	36	44	7	45	4	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	12	58	91	7	35	9	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	2	12	13	–	14	–	4
Diabetes mellitus (250)	112	10	70	103	15	38	5	33
Nutritional deficiencies (260-269)	12	3	7	11	2	2	2	–
Anemias (280-285)	7	3	8	13	1	5	1	6
Meningitis (320-322)	6	–	1	–	1	2	1	–
Major cardiovascular diseases (390-448)	3,145	448	2,142	2,688	384	1,500	353	759
Diseases of heart (390-398,402,404-429)	2,373	363	1,660	2,110	272	1,125	291	618
Rheumatic fever and rheumatic heart disease (390-398)	17	4	15	18	2	23	2	5
Hypertensive heart disease (402)	48	9	28	35	10	40	2	10
Hypertensive heart and renal disease (404)	10	3	1	2	–	2	1	2
Ischemic heart disease (410-414)	1,684	270	1,351	1,530	202	698	195	438
Acute myocardial infarction (410)	915	149	594	759	108	368	139	256
Other acute and subacute forms of ischemic heart disease (411)	90	–	4	85	1	9	1	3
Angina pectoris (413)	3	1	–	1	–	1	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	676	120	753	685	93	326	55	177
Other diseases of endocardium (424)	24	8	22	32	1	9	3	6
All other forms of heart disease (415-423,425-429)	590	69	243	493	57	353	88	157
Hypertension with or without renal disease (401,403)	24	4	19	27	1	12	1	6
Cerebrovascular diseases (430-438)	590	63	347	426	84	278	47	102
Intracerebral and other intracranial hemorrhage (431-432)	59	9	36	54	7	27	4	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	78	5	76	78	10	52	5	16
Cerebral embolism (434.1)	3	–	–	–	–	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	450	49	235	296	67	197	37	72
Atherosclerosis (440)	91	7	77	68	19	41	9	12
Other diseases of arteries, arterioles, and capillaries (441-448)	67	11	39	57	8	44	5	21
Acute bronchitis and bronchiolitis (466)	4	–	2	2	–	1	–	–
Pneumonia and influenza (480-487)	172	27	122	108	16	101	12	34
Pneumonia (480-486)	171	26	119	106	16	98	12	34
Influenza (487)	1	1	3	2	–	3	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	214	37	176	228	28	158	36	38
Bronchitis, chronic and unspecified (490-491)	9	–	17	19	1	9	4	4
Emphysema (492)	50	12	22	41	14	40	5	9
Asthma (493)	10	3	12	9	4	11	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	145	22	125	162	7	98	26	25
Ulcer of stomach and duodenum (531-533)	20	4	11	17	5	11	1	4
Appendicitis (540-543)	–	–	–	2	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	2	9	12	–	8	1	–
Chronic liver disease and cirrhosis (571)	91	11	54	121	6	57	23	13
Cholelithiasis and other disorders of gallbladder (574-575)	11	2	6	8	5	5	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	74	5	36	57	4	24	9	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	3	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	1	1	6	–	2	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	68	4	36	48	4	22	8	8
Infections of kidney (590)	13	–	5	12	1	–	5	1
Hyperplasia of prostate (600)	1	1	1	1	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	–	–	–	–	–	–
Congenital anomalies (740-759)	70	5	39	42	2	31	5	9
Certain conditions originating in the perinatal period (760-779)	99	4	53	71	8	37	17	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	2	14	30	–	14	6	3
Other conditions originating in the perinatal period (760-766,770-779)	65	2	39	41	8	23	11	10
Symptoms, signs, and ill-defined conditions (780-799)	87	7	42	46	6	21	5	26
All other diseases (Residual)	460	63	283	393	49	224	70	73
Accidents and adverse effects (E800-E949)	476	60	206	336	36	200	46	61
Motor vehicle accidents (E810-E825)	235	31	84	188	17	104	22	21
All other accidents and adverse effects (E800-E807,E826-E949)	241	29	122	148	19	96	24	40
Suicide (E950-E959)	144	11	52	114	17	83	8	27
Homicide and legal intervention (E960-E978)	123	2	29	88	5	36	14	3
All other external causes (E980-E999)	18	–	5	3	–	8	5	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	711	4,157	2,145	3,059	1,068	46,041	12,203	820
Shigellosis and amebiasis (004,006)	–	–	–	1	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	–	6	2	–
Tuberculosis (010-018)	1	2	2	1	1	39	15	1
Tuberculosis of respiratory system (010-012)	1	1	2	1	1	24	14	1
Other tuberculosis (013-018)	–	1	–	–	–	15	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	–	–	4	2	–
Septicemia (038)	1	38	20	9	7	562	61	1
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	2	1	1	16	9	2
Syphilis (090-097)	–	–	–	–	–	1	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	–	12	9	4	4	81	51	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	142	911	524	690	244	10,656	2,771	178
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	22	14	12	2	232	64	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	38	260	110	157	56	2,854	677	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	47	216	176	185	80	2,832	743	44
Malignant neoplasm of breast (174-175)	8	104	36	73	31	911	219	12
Malignant neoplasms of genital organs (179-187)	10	93	44	84	22	1,101	317	22
Malignant neoplasms of urinary organs (188-189)	3	41	28	29	12	434	121	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	15	94	73	86	26	1,361	391	28
Leukemia (204-208)	8	36	16	31	5	371	102	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	45	27	33	10	560	137	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	13	7	16	1	186	66	1
Diabetes mellitus (250)	10	90	28	38	10	760	195	14
Nutritional deficiencies (260-269)	–	3	–	2	1	57	17	–
Anemias (280-285)	2	8	5	4	1	76	24	2
Meningitis (320-322)	–	4	3	–	1	21	4	–
Major cardiovascular diseases (390-448)	312	2,197	955	1,539	507	21,447	5,432	429
Diseases of heart (390-398,402,404-429)	236	1,843	704	1,139	381	17,130	4,284	317
Rheumatic fever and rheumatic heart disease (390-398)	–	18	4	9	4	232	64	–
Hypertensive heart disease (402)	2	36	22	23	12	485	84	10
Hypertensive heart and renal disease (404)	2	3	1	5	4	63	10	2
Ischemic heart disease (410-414)	160	1,554	474	862	282	11,250	3,243	205
Acute myocardial infarction (410)	98	759	252	529	128	6,971	1,543	85
Other acute and subacute forms of ischemic heart disease (411)	–	3	1	3	30	83	208	–
Angina pectoris (413)	–	1	–	–	–	19	3	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	62	791	221	330	126	4,177	1,491	120
Other diseases of endocardium (424)	2	19	8	21	7	219	46	1
All other forms of heart disease (415-423,425-429)	70	213	195	219	72	4,881	837	99
Hypertension with or without renal disease (401,403)	3	8	5	12	5	159	92	2
Cerebrovascular diseases (430-438)	51	281	190	313	106	3,197	815	80
Intracerebral and other intracranial hemorrhage (431-432)	6	33	15	31	7	456	134	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	66	23	31	20	531	128	13
Cerebral embolism (434.1)	–	2	2	–	2	21	5	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	40	180	150	251	77	2,189	548	60
Atherosclerosis (440)	13	27	33	41	4	498	151	23
Other diseases of arteries, arterioles, and capillaries (441-448)	9	38	23	34	11	466	150	7
Acute bronchitis and bronchiolitis (466)	–	2	–	3	1	12	6	–
Pneumonia and influenza (480-487)	9	105	44	106	31	1,013	305	11
Pneumonia (480-486)	9	105	44	104	31	1,012	294	11
Influenza (487)	–	–	–	2	–	1	11	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	18	102	79	104	30	1,215	530	11
Bronchitis, chronic and unspecified (490-491)	2	5	3	3	2	68	21	–
Emphysema (492)	3	27	11	25	2	177	131	3
Asthma (493)	–	7	6	2	3	41	25	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	13	63	59	74	23	929	353	8
Ulcer of stomach and duodenum (531-533)	4	12	5	15	2	130	27	1
Appendicitis (540-543)	1	2	2	1	–	11	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	–	4	7	4	2	104	25	1
Chronic liver disease and cirrhosis (571)	8	59	33	30	12	592	189	10
Cholelithiasis and other disorders of gallbladder (574-575)	2	4	1	4	1	48	21	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	37	13	30	15	512	132	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	11	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	3	1	1	2	38	11	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	34	11	28	13	463	120	9
Infections of kidney (590)	1	5	4	4	2	22	16	1
Hyperplasia of prostate (600)	–	2	–	2	1	5	3	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	4	3	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	3	2	–
Congenital anomalies (740-759)	8	27	16	14	5	237	90	4
Certain conditions originating in the perinatal period (760-779)	16	33	28	43	24	494	112	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	6	9	8	13	7	120	35	2
Other conditions originating in the perinatal period (760-766,770-779)	10	24	20	30	17	374	77	8
Symptoms, signs, and ill-defined conditions (780-799)	40	33	8	22	6	2,112	94	16
All other diseases (Residual)	51	233	150	175	85	2,857	873	50
Accidents and adverse effects (E800-E949)	56	141	133	140	50	1,625	700	44
Motor vehicle accidents (E810-E825)	30	54	63	57	13	710	354	21
All other accidents and adverse effects (E800-E807,E826-E949)	28	87	70	83	37	915	346	23
Suicide (E950-E959)	4	29	34	40	14	529	280	9
Homicide and legal intervention (E960-E978)	11	40	27	14	8	495	138	10
All other external causes (E980-E999)	10	3	6	3	1	114	8	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y.	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	23,260	1,456	2,286	9,954	3,306	2,022	8,324	1,035
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	1	–	2	1	–
Tuberculosis (010-018)	13	3	1	5	1	2	3	–
Tuberculosis of respiratory system (010-012)	11	3	1	4	–	1	1	–
Other tuberculosis (013-018)	2	–	–	1	1	1	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	1	–	3	1	–	2	–
Septicemia (038)	169	11	8	32	10	10	46	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	–	–	6	1	–	6	1
Syphilis (090-097)	2	–	3	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	39	7	5	18	7	4	22	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,498	347	520	2,214	748	474	2,035	151
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	105	8	11	46	8	10	33	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,464	92	122	547	198	113	642	34
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,471	89	155	629	201	129	516	21
Malignant neoplasm of breast (174-175)	453	33	44	190	68	37	172	14
Malignant neoplasms of genital organs (179-187)	557	34	48	229	78	62	204	28
Malignant neoplasms of urinary organs (188-189)	247	21	38	110	32	31	93	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	729	44	71	253	106	55	225	28
Leukemia (204-208)	202	11	17	88	25	19	59	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	270	15	16	122	32	18	91	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	107	4	9	38	16	8	32	4
Diabetes mellitus (250)	479	23	31	145	70	51	233	30
Nutritional deficiencies (260-269)	19	1	4	9	1	3	7	3
Anemias (280-285)	53	2	2	16	7	2	22	1
Meningitis (320-322)	13	1	–	4	2	1	3	–
Major cardiovascular diseases (390-448)	12,062	701	1,169	4,753	1,629	1,010	4,177	455
Diseases of heart (390-398,402,404-429)	9,891	593	897	3,518	1,275	805	3,411	342
Rheumatic fever and rheumatic heart disease (390-398)	111	5	9	45	12	10	44	11
Hypertensive heart disease (402)	160	19	11	80	29	17	39	8
Hypertensive heart and renal disease (404)	30	3	1	26	2	–	5	1
Ischemic heart disease (410-414)	7,247	398	652	2,746	947	666	2,819	202
Acute myocardial infarction (410)	3,672	239	318	916	540	357	1,514	121
Other acute and subacute forms of ischemic heart disease (411)	19	–	1	6	6	–	8	5
Angina pectoris (413)	6	–	1	3	2	–	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,550	159	332	1,821	399	309	1,295	76
Other diseases of endocardium (424)	78	9	14	71	21	2	42	4
All other forms of heart disease (415-423,425-429)	2,245	99	210	550	264	110	462	116
Hypertension with or without renal disease (401,403)	80	6	8	35	15	10	34	5
Cerebrovascular diseases (430-438)	1,601	111	192	869	255	142	544	84
Intracerebral and other intracranial hemorrhage (431-432)	238	9	19	118	31	18	81	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	375	13	46	165	44	20	113	8
Cerebral embolism (434.1)	4	–	1	4	2	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	984	89	126	582	178	103	349	72
Atherosclerosis (440)	249	26	36	191	42	24	106	14
Other diseases of arteries, arterioles, and capillaries (441-448)	241	25	36	140	42	29	82	10
Acute bronchitis and bronchiolitis (466)	4	–	1	2	1	–	3	–
Pneumonia and influenza (480-487)	461	54	64	282	76	35	159	40
Pneumonia (480-486)	459	54	62	275	75	34	158	36
Influenza (487)	2	–	2	7	1	1	1	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	609	59	85	400	132	68	242	23
Bronchitis, chronic and unspecified (490-491)	12	3	15	25	10	4	19	3
Emphysema (492)	107	5	20	87	34	12	35	7
Asthma (493)	19	1	1	26	6	1	9	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	471	44	49	262	82	51	179	12
Ulcer of stomach and duodenum (531-533)	44	5	4	37	14	11	44	2
Appendicitis (540-543)	6	–	–	–	1	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	57	6	3	34	3	6	28	5
Chronic liver disease and cirrhosis (571)	334	23	33	179	52	33	119	13
Cholelithiasis and other disorders of gallbladder (574-575)	34	2	6	17	7	2	20	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	258	6	21	56	35	20	78	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	2	1	1	–	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	1	2	10	1	5	10	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	237	5	18	45	34	15	66	7
Infections of kidney (590)	18	1	–	11	2	2	6	1
Hyperplasia of prostate (600)	4	–	1	2	3	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	–	–	4	1	–	1	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	4	1	–	1	–
Congenital anomalies (740-759)	116	8	15	68	20	11	49	32
Certain conditions originating in the perinatal period (760-779)	177	15	12	82	32	22	59	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	2	1	30	7	6	20	7
Other conditions originating in the perinatal period (760-766,770-779)	127	13	11	52	25	16	39	21
Symptoms, signs, and ill-defined conditions (780-799)	239	6	9	176	14	12	30	26
All other diseases (Residual)	1,261	101	148	638	187	104	500	83
Accidents and adverse effects (E800-E949)	697	51	84	440	159	92	251	95
Motor vehicle accidents (E810-E825)	273	20	32	216	89	34	111	49
All other accidents and adverse effects (E800-E807,E826-E949)	424	31	52	224	70	58	140	46
Suicide (E950-E959)	276	17	35	170	60	28	100	20
Homicide and legal intervention (E960-E978)	113	3	9	79	10	6	37	2
All other external causes (E980-E999)	66	2	4	34	4	4	6	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo.	Racine, Wis.	Raleigh-Durham, N.C.	Reading, Pa.	Redding, Calif.	Reno, Nev.	Richland-Kennewick-Pasco, Wash.	Richmond, Va.
All causes	1,083	1,327	3,599	3,001	1,102	1,470	758	5,820
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	–	–	5	1	–	–	–	4
Tuberculosis of respiratory system (010-012)	–	–	4	–	–	–	–	2
Other tuberculosis (013-018)	–	–	1	1	–	–	–	2
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	1	1	–	–	–	–
Septicemia (038)	7	7	38	17	1	6	1	72
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	3
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	7	12	4	2	1	3	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	190	277	792	695	271	334	186	1,286
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	7	19	11	6	6	2	24
Malignant neoplasms of digestive organs and peritoneum (150-159)	59	85	170	176	61	81	40	287
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	39	68	210	161	86	89	62	360
Malignant neoplasm of breast (174-175)	12	24	72	51	22	28	14	110
Malignant neoplasms of genital organs (179-187)	24	28	76	83	27	39	21	137
Malignant neoplasms of urinary organs (188-189)	9	8	41	35	8	13	6	83
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	16	30	119	102	39	52	15	180
Leukemia (204-208)	12	11	36	32	8	9	10	40
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	16	49	44	14	17	18	65
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-238)	4	3	9	12	4	4	3	11
Diabetes mellitus (250)	25	17	60	75	10	14	19	91
Nutritional deficiencies (260-269)	2	1	7	4	–	3	1	6
Anemias (280-285)	3	3	7	5	1	2	1	5
Meningitis (320-322)	1	2	9	1	–	1	1	4
Major cardiovascular diseases (390-448)	478	713	1,609	1,600	510	618	309	2,598
Diseases of heart (390-398,402,404-429)	378	592	1,253	1,277	378	491	234	2,015
Rheumatic fever and rheumatic heart disease (390-398)	10	7	7	12	3	3	5	9
Hypertensive heart disease (402)	4	8	50	45	3	32	3	60
Hypertensive heart and renal disease (404)	1	4	7	10	–	2	1	6
Ischemic heart disease (410-414)	295	482	857	812	274	346	177	1,354
Acute myocardial infarction (410)	156	222	503	464	128	109	88	678
Other acute and subacute forms of ischemic heart disease (411)	–	–	21	5	3	–	–	53
Angina pectoris (413)	–	1	3	2	–	–	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	139	259	330	321	143	237	88	620
Other diseases of endocardium (424)	5	7	17	19	4	7	5	24
All other forms of heart disease (415-423,425-429)	63	84	315	379	94	101	43	562
Hypertension with or without renal disease (401,403)	4	2	19	19	2	–	3	16
Cerebrovascular diseases (430-438)	67	99	277	230	101	99	54	458
Intracerebral and other intracranial hemorrhage (431-432)	8	9	35	31	8	12	4	57
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	26	38	50	18	18	2	61
Cerebral embolism (434.1)	1	–	3	–	–	2	–	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	45	64	201	149	75	67	48	335
Atherosclerosis (440)	15	9	34	36	14	11	9	66
Other diseases of arteries, arterioles, and capillaries (441-448)	14	11	32	38	15	17	9	44
Acute bronchitis and bronchiolitis (466)	1	–	1	1	–	–	–	1
Pneumonia and influenza (480-487)	36	24	91	68	25	41	17	143
Pneumonia (480-486)	35	24	89	68	25	41	17	142
Influenza (487)	1	–	2	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	56	34	104	84	56	73	36	166
Bronchitis, chronic and unspecified (490-491)	2	2	5	6	2	4	1	13
Emphysema (492)	13	9	17	12	20	8	15	24
Asthma (493)	2	3	8	10	3	2	3	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	39	20	74	56	31	59	17	118
Ulcer of stomach and duodenum (531-533)	10	4	16	10	3	3	3	15
Appendicitis (540-543)	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	2	12	6	5	6	1	22
Chronic liver disease and cirrhosis (571)	29	19	48	28	13	44	15	71
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	1	5	2	2	2	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	12	38	17	8	6	2	60
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	–	–	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	1	2	4	1	1	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-585,588-589)	4	11	36	15	4	5	1	52
Infections of kidney (590)	1	1	5	1	6	–	–	3
Hyperplasia of prostate (600)	1	–	–	3	–	–	–	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	–	–	–	–	–
Congenital anomalies (740-759)	7	17	25	11	7	12	8	28
Certain conditions originating in the perinatal period (760-779)	10	15	70	23	6	7	11	97
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	6	11	7	3	2	4	16
Other conditions originating in the perinatal period (760-766,770-779)	6	9	59	16	3	5	7	81
Symptoms, signs, and ill-defined conditions (780-799)	17	6	34	10	7	22	4	36
All other diseases (Residual)	79	73	263	171	61	87	61	414
Accidents and adverse effects (E800-E949)	71	68	200	102	76	93	49	277
Motor vehicle accidents (E810-E825)	34	40	101	63	45	51	24	109
All other accidents and adverse effects (E800-E807,E826-E949)	37	28	99	39	31	42	25	168
Suicide (E950-E959)	21	10	66	32	22	72	13	92
Homicide and legal intervention (E960-E978)	9	5	68	14	5	14	9	92
All other external causes (E980-E999)	6	4	6	–	1	4	–	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Bernardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	14,139	2,329	594	8,151	2,262	879	7,964	1,652
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	1	–	2	2	2
Tuberculosis (010-018)	8	1	–	5	–	–	12	2
Tuberculosis of respiratory system (010-012)	6	1	–	3	–	–	11	2
Other tuberculosis (013-018)	2	–	–	2	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	4	1	1	1	–
Septicemia (038)	34	13	1	78	8	6	38	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	1	1	2	–	1	4	1
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	27	5	3	25	10	1	20	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,107	478	134	1,888	515	171	1,879	377
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	59	12	1	33	9	5	35	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	725	134	34	505	125	49	433	104
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	874	138	36	493	135	40	568	87
Malignant neoplasm of breast (174-175)	281	31	13	195	50	10	163	27
Malignant neoplasms of genital organs (179-187)	368	54	14	214	72	26	194	43
Malignant neoplasms of urinary organs (188-189)	135	19	6	66	24	5	69	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	421	54	15	221	48	19	237	54
Leukemia (204-208)	118	16	6	68	22	8	75	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	146	20	9	93	30	9	105	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	7	1	34	5	1	27	5
Diabetes mellitus (250)	174	25	8	110	36	18	115	23
Nutritional deficiencies (260-269)	24	3	1	10	3	1	9	4
Anemias (280-285)	15	5	1	15	5	2	10	6
Meningitis (320-322)	10	–	1	1	4	1	3	2
Major cardiovascular diseases (390-448)	6,633	1,185	267	3,964	1,183	453	3,594	822
Diseases of heart (390-398,402,404-429)	5,092	926	209	3,121	898	318	2,724	655
Rheumatic fever and rheumatic heart disease (390-398)	72	7	7	32	11	1	23	3
Hypertensive heart disease (402)	82	17	2	80	19	9	68	9
Hypertensive heart and renal disease (404)	20	2	1	5	9	2	10	1
Ischemic heart disease (410-414)	4,208	612	165	2,274	732	219	2,110	476
Acute myocardial infarction (410)	1,866	321	91	1,294	281	137	1,043	282
Other acute and subacute forms of ischemic heart disease (411)	18	64	1	60	1	4	7	–
Angina pectoris (413)	4	–	–	2	2	1	4	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,320	227	73	918	448	77	1,056	195
Other diseases of endocardium (424)	51	12	7	37	12	2	46	6
All other forms of heart disease (415-423,425-429)	649	276	27	693	115	85	467	158
Hypertension with or without renal disease (401,403)	51	13	5	33	13	5	30	7
Cerebrovascular diseases (430-438)	1,115	189	43	630	195	85	635	114
Intracerebral and other intracranial hemorrhage (431-432)	119	34	11	82	20	13	69	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	252	30	11	67	41	10	93	32
Cerebral embolism (434.1)	8	–	–	4	–	–	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	736	125	21	477	134	62	473	70
Atherosclerosis (440)	214	38	6	99	29	40	100	31
Other diseases of arteries, arterioles, and capillaries (441-448)	161	19	4	81	28	5	105	15
Acute bronchitis and bronchiolitis (466)	12	–	–	–	1	–	1	–
Pneumonia and influenza (480-487)	481	74	15	241	37	18	186	35
Pneumonia (480-486)	479	74	15	239	37	18	180	34
Influenza (487)	2	–	–	2	–	–	6	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	525	85	25	248	64	24	347	48
Bronchitis, chronic and unspecified (490-491)	31	7	5	20	2	–	15	1
Emphysema (492)	134	15	9	41	23	5	85	11
Asthma (493)	27	7	2	10	4	2	20	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	333	56	15	177	35	17	227	33
Ulcer of stomach and duodenum (531-533)	73	5	1	37	9	4	34	3
Appendicitis (540-543)	3	1	–	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	7	1	25	6	2	17	6
Chronic liver disease and cirrhosis (571)	282	26	5	85	34	14	183	19
Cholelithiasis and other disorders of gallbladder (574-575)	24	2	1	5	5	–	9	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	89	27	3	84	22	10	53	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	1	1	7	5	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	76	26	2	86	17	9	51	8
Infections of kidney (590)	20	–	–	7	6	2	14	1
Hyperplasia of prostate (600)	10	–	–	3	1	–	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	1	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	–	1	–	–	–	–
Congenital anomalies (740-759)	128	14	9	44	19	11	52	13
Certain conditions originating in the perinatal period (760-779)	156	14	7	83	16	14	77	26
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	47	9	2	19	5	4	22	2
Other conditions originating in the perinatal period (760-766,770-779)	109	5	5	64	11	10	55	24
Symptoms, signs, and ill-defined conditions (780-799)	85	11	14	84	7	8	54	9
All other diseases (Residual)	794	160	44	630	151	37	528	89
Accidents and adverse effects (E800-E949)	796	120	39	277	68	50	404	88
Motor vehicle accidents (E810-E825)	490	41	20	149	50	27	221	34
All other accidents and adverse effects (E800-E807,E826-E949)	306	79	19	128	38	23	183	54
Suicide (E950-E959)	294	34	11	100	28	13	184	17
Homicide and legal intervention (E960-E978)	176	23	–	45	16	14	83	28
All other external causes (E980-E999)	46	–	1	5	2	–	21	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,018	1,230	21,566	2,178	2,049	1,653	5,345	810
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	2	–	–	–	1	–
Tuberculosis (010-018)	–	–	17	1	3	–	2	–
Tuberculosis of respiratory system (010-012)	–	–	13	–	2	–	2	–
Other tuberculosis (013-018)	–	–	4	1	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	6	1	–	–	2	–
Septicemia (038)	2	3	129	6	4	10	31	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	11	2	1	–	–	–
Syphilis (090-097)	–	–	1	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	1	62	6	3	6	13	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	211	240	4,948	466	431	347	983	170
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	4	103	5	11	11	18	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	63	54	1,272	126	111	92	243	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	55	63	1,368	116	121	88	185	48
Malignant neoplasm of breast (174-175)	26	19	447	38	40	35	100	13
Malignant neoplasms of genital organs (179-187)	18	30	545	50	54	21	143	14
Malignant neoplasms of urinary organs (188-189)	13	14	204	21	15	15	38	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	19	31	556	70	45	56	151	18
Leukemia (204-208)	6	10	200	19	10	11	56	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	15	253	21	24	18	69	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	5	57	7	3	10	16	2
Diabetes mellitus (250)	17	9	404	36	27	27	99	9
Nutritional deficiencies (260-269)	1	2	22	5	8	3	7	1
Anemias (280-285)	2	–	45	2	4	3	10	3
Meningitis (320-322)	2	1	18	4	2	–	6	–
Major cardiovascular diseases (390-448)	566	652	10,699	1,131	928	860	2,404	391
Diseases of heart (390-398,402,404-429)	425	470	8,484	847	629	613	1,885	229
Rheumatic fever and rheumatic heart disease (390-398)	3	4	84	14	7	5	50	2
Hypertensive heart disease (402)	11	7	341	14	16	19	77	3
Hypertensive heart and renal disease (404)	1	–	60	5	3	1	6	–
Ischemic heart disease (410-414)	325	366	6,728	641	480	446	1,161	151
Acute myocardial infarction (410)	185	153	3,217	251	266	330	608	102
Other acute and subacute forms of ischemic heart disease (411)	2	–	15	1	4	–	27	–
Angina pectoris (413)	1	1	4	1	–	1	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	137	212	3,492	388	210	115	523	48
Other diseases of endocardium (424)	5	6	87	12	18	5	20	2
All other forms of heart disease (415-423,425-429)	80	87	1,184	161	105	137	571	71
Hypertension with or without renal disease (401,403)	6	5	101	8	4	14	12	1
Cerebrovascular diseases (430-438)	102	131	1,631	204	214	186	410	130
Intracerebral and other intracranial hemorrhage (431-432)	9	19	259	18	30	16	54	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	17	390	33	54	43	82	10
Cerebral embolism (434.1)	1	–	8	3	2	–	4	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	82	95	974	150	128	127	270	116
Atherosclerosis (440)	22	38	258	45	48	32	49	24
Other diseases of arteries, arterioles, and capillaries (441-448)	11	8	225	27	33	16	48	7
Acute bronchitis and bronchiolitis (466)	–	1	5	–	–	–	4	–
Pneumonia and influenza (480-487)	18	25	511	54	64	50	124	13
Pneumonia (480-486)	18	23	507	54	63	50	118	12
Influenza (487)	–	2	4	–	1	–	6	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	26	47	540	75	74	35	175	40
Bronchitis, chronic and unspecified (490-491)	2	5	26	2	4	1	13	3
Emphysema (492)	5	2	117	17	19	10	32	12
Asthma (493)	2	1	20	4	4	3	10	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	39	377	52	47	21	120	23
Ulcer of stomach and duodenum (531-533)	3	3	71	5	15	4	22	–
Appendicitis (540-543)	1	–	8	1	–	1	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	–	5	58	3	6	6	13	3
Chronic liver disease and cirrhosis (571)	5	13	267	12	35	26	72	8
Cholelithiasis and other disorders of gallbladder (574-575)	7	1	32	2	5	6	18	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	11	186	10	9	22	43	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	3	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	20	–	1	2	8	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	9	163	10	8	20	35	2
Infections of kidney (590)	–	2	20	2	2	1	8	2
Hyperplasia of prostate (600)	1	–	6	–	1	1	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	1	5	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	–	–	1	4	–
Congenital anomalies (740-759)	9	6	156	18	18	12	92	9
Certain conditions originating in the perinatal period (760-779)	12	13	204	19	18	10	116	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	–	8	67	6	5	4	32	1 4
Other conditions originating in the perinatal period (760-766,770-779)	12	5	137	13	13	6	84	9
Symptoms, signs, and ill-defined conditions (780-799)	6	52	334	19	18	11	86	7
All other diseases (Residual)	50	69	1,263	141	127	90	457	41
Accidents and adverse effects (E800-E949)	46	45	851	102	158	77	312	64
Motor vehicle accidents (E810-E825)	24	15	350	57	90	34	166	34
All other accidents and adverse effects (E800-E807,E826-E949)	22	30	501	45	68	43	146	30
Suicide (E950-E959)	17	18	234	37	49	19	140	10
Homicide and legal intervention (E960-E978)	2	4	375	8	35	14	53	7
All other external causes (E980-E999)	–	3	25	2	1	1	26	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	7,990	13,851	28,216	7,838	2,359	1,671	2,928	3,178
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	10	1	1	–	–	–
Tuberculosis (010-016)	11	15	26	2	1	–	–	1
Tuberculosis of respiratory system (010-012)	9	14	17	2	1	–	–	1
Other tuberculosis (013-016)	2	1	9	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	4	–	1	–	1	–
Septicemia (038)	97	46	123	27	9	4	12	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	8	29	2	1	2	–	–
Syphilis (090-097)	1	1	9	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	20	33	101	23	4	5	5	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,662	3,264	6,672	1,885	518	380	685	800
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	66	162	38	11	12	16	22
Malignant neoplasms of digestive organs and peritoneum (150-159)	444	785	1,725	472	137	83	155	229
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	402	922	1,702	473	125	96	193	218
Malignant neoplasm of breast (174-175)	141	302	638	186	61	38	59	71
Malignant neoplasms of genital organs (179-187)	185	340	716	188	57	57	68	84
Malignant neoplasms of urinary organs (188-189)	73	138	266	70	24	19	23	39
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	224	404	820	267	55	44	81	69
Leukemia (204-208)	72	142	253	69	16	16	25	29
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	88	165	390	104	32	15	45	39
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	57	108	40	12	12	14	21
Diabetes mellitus (250)	178	161	376	111	34	26	28	32
Nutritional deficiencies (260-269)	7	17	31	12	3	2	4	5
Anemias (280-285)	14	21	46	14	5	1	6	4
Meningitis (320-322)	11	8	18	4	2	1	1	3
Major cardiovascular diseases (390-448)	3,468	6,299	13,029	3,565	1,102	780	1,390	1,622
Diseases of heart (390-398,402,404-429)	2,708	4,650	9,803	2,731	767	576	1,000	1,188
Rheumatic fever and rheumatic heart disease (390-398)	14	66	101	29	10	5	7	14
Hypertensive heart disease (402)	129	103	449	105	22	43	30	15
Hypertensive heart and renal disease (404)	13	18	39	12	2	–	2	2
Ischemic heart disease (410-414)	1,564	3,690	7,486	1,708	478	370	722	967
Acute myocardial infarction (410)	873	1,662	3,052	896	219	189	340	543
Other acute and subacute forms of ischemic heart disease (411)	5	111	10	3	4	–	–	4
Angina pectoris (413)	–	–	4	4	–	–	2	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	686	1,917	4,420	865	255	187	380	417
Other diseases of endocardium (424)	35	81	163	48	13	8	22	19
All other forms of heart disease (415-423,425-429)	953	692	1,565	829	242	150	217	171
Hypertension with or without renal disease (401,403)	19	48	104	22	8	8	8	16
Cerebrovascular diseases (430-438)	600	1,183	2,419	633	261	140	290	322
Intracerebral and other intracranial hemorrhage (431-432)	81	155	282	65	26	16	28	31
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	100	236	463	127	45	20	35	69
Cerebral embolism (434.1)	2	3	8	3	–	1	1	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	417	789	1,656	436	190	103	226	218
Atherosclerosis (440)	76	233	365	90	36	35	67	49
Other diseases of arteries, arterioles, and capillaries (441-448)	65	185	338	89	30	21	25	47
Acute bronchitis and bronchiolitis (466)	–	4	20	1	–	1	2	–
Pneumonia and influenza (480-487)	213	388	831	270	75	65	118	62
Pneumonia (480-486)	213	384	824	268	74	65	116	61
Influenza (487)	–	4	7	2	1	–	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	209	617	955	244	82	58	122	97
Bronchitis, chronic and unspecified (490-491)	8	50	84	10	7	4	10	4
Emphysema (492)	47	143	268	58	23	14	36	21
Asthma (493)	9	40	59	14	4	3	10	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	145	384	584	162	48	35	66	69
Ulcer of stomach and duodenum (531-533)	21	55	140	33	5	8	11	7
Appendicitis (540-543)	2	7	6	1	1	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	44	85	19	6	4	6	6
Chronic liver disease and cirrhosis (571)	130	276	695	183	49	37	56	53
Cholelithiasis and other disorders of gallbladder (574-575)	21	13	42	14	3	3	4	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	122	97	189	41	11	8	10	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	3	5	–	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	20	29	3	2	2	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	115	74	155	38	9	6	7	15
Infections of kidney (590)	12	27	33	12	2	1	4	3
Hyperplasia of prostate (600)	1	5	9	4	1	1	3	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	2	3	6	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	1	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	3	5	–	–	–	–
Congenital anomalies (740-759)	80	113	176	72	16	10	19	13
Certain conditions originating in the perinatal period (760-779)	124	136	177	72	13	19	15	22
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	38	42	55	16	3	4	3	1
Other conditions originating in the perinatal period (760-766,770-779)	86	94	122	56	10	15	12	21
Symptoms, signs, and ill-defined conditions (780-799)	202	110	177	53	11	14	12	40
All other diseases (Residual)	579	907	1,870	476	183	89	213	182
Accidents and adverse effects (E800-E949)	413	673	1,249	410	132	82	117	91
Motor vehicle accidents (E810-E825)	247	339	480	202	66	34	64	49
All other accidents and adverse effects (E800-E807,E826-E949)	166	334	769	208	66	58	53	42
Suicide (E950-E959)	118	310	557	172	56	34	48	54
Homicide and legal intervention (E960-E978)	225	134	349	77	20	7	14	11
All other external causes (E980-E999)	4	21	71	10	–	–	5	8

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga.	Seattle-Everett, Wash.	Sharon, Pa.	Sheboygan, Wis.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.	Sioux Falls, S.Dak.
All causes	2,050	12,113	1,232	878	995	3,573	1,166	850
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	2	1	–	1	1	–	–
Tuberculosis (010-018)	3	3	–	–	2	8	–	–
Tuberculosis of respiratory system (010-012)	3	3	–	–	2	6	–	–
Other tuberculosis (013-018)	–	–	–	–	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	1	–
Meningococcal infection (036)	–	2	–	–	–	–	–	–
Septicemia (038)	15	59	9	3	5	35	6	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	5	2	–	–	2	1	–
Syphilis (090-097)	1	1	–	–	1	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,088-139)	8	22	1	1	1	10	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	436	2,736	255	206	187	775	248	185
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	66	4	3	6	17	2	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	106	717	71	61	45	175	60	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	128	726	66	36	61	210	72	37
Malignant neoplasm of breast (174-175)	37	239	20	22	12	61	22	15
Malignant neoplasms of genital organs (179-187)	56	313	27	25	19	106	21	18
Malignant neoplasms of urinary organs (188-189)	19	121	14	8	9	36	12	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	290	28	32	21	100	34	12
Leukemia (204-208)	14	112	10	5	6	26	11	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	152	15	14	14	44	14	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	31	6	1	1	13	4	3
Diabetes mellitus (250)	29	222	43	16	10	41	24	12
Nutritional deficiencies (260-269)	7	16	2	1	1	4	7	–
Anemias (280-285)	5	20	2	2	–	10	3	–
Meningitis (320-322)	2	2	–	–	–	5	–	1
Major cardiovascular diseases (390-448)	934	5,610	624	466	550	1,722	578	434
Diseases of heart (390-398,402,404-429)	720	4,274	512	347	423	1,385	448	329
Rheumatic fever and rheumatic heart disease (390-398)	2	65	4	4	–	4	2	2
Hypertensive heart disease (402)	27	123	14	21	8	29	11	3
Hypertensive heart and renal disease (404)	2	14	–	1	2	3	2	–
Ischemic heart disease (410-414)	521	2,739	407	243	302	958	356	257
Acute myocardial infarction (410)	352	1,375	234	99	167	413	193	128
Other acute and subacute forms of ischemic heart disease (411)	2	7	–	–	–	9	1	–
Angina pectoris (413)	2	4	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	165	1,353	173	144	135	536	182	128
Other diseases of endocardium (424)	13	68	5	10	9	13	3	6
All other forms of heart disease (415-423,425-429)	155	1,265	82	68	102	378	72	51
Hypertension with or without renal disease (401,403)	12	50	2	3	4	6	3	5
Cerebrovascular diseases (430-438)	165	969	89	88	97	287	90	70
Intracerebral and other intracranial hemorrhage (431-432)	46	137	15	11	14	38	6	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	142	19	10	17	33	21	3
Cerebral embolism (434.1)	–	5	1	–	–	1	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	89	685	54	67	66	215	61	57
Atherosclerosis (440)	13	185	17	22	20	16	28	17
Other diseases of arteries, arterioles, and capillaries (441-448)	24	132	4	6	6	28	11	13
Acute bronchitis and bronchiolitis (466)	–	4	–	–	–	–	–	–
Pneumonia and influenza (480-487)	42	410	42	27	28	86	59	34
Pneumonia (480-486)	42	391	42	27	24	85	58	30
Influenza (487)	–	19	–	–	2	1	–	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	59	506	38	17	35	82	39	39
Bronchitis, chronic and unspecified (490-491)	4	26	2	2	2	1	3	3
Emphysema (492)	12	112	12	5	9	20	10	10
Asthma (493)	2	38	2	2	3	3	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	41	330	22	8	21	58	23	24
Ulcer of stomach and duodenum (531-533)	5	50	6	4	3	14	5	4
Appendicitis (540-543)	2	5	–	–	–	3	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	26	4	4	3	11	7	5
Chronic liver disease and cirrhosis (571)	38	199	21	8	7	42	9	8
Cholelithiasis and other disorders of gallbladder (574-575)	4	11	3	1	1	6	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	98	13	11	3	45	9	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	3	–	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	12	3	–	–	1	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	63	10	10	3	44	6	4
Infections of kidney (590)	3	8	1	–	2	4	1	1
Hyperplasia of prostate (600)	–	6	–	1	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	–	–	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	–	–	–	–	–
Congenital anomalies (740-759)	15	78	8	8	1	21	7	9
Certain conditions originating in the perinatal period (760-779)	33	98	9	10	8	48	14	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	36	3	4	2	7	5	3
Other conditions originating in the perinatal period (760-766,770-779)	23	62	6	6	6	41	9	4
Symptoms, signs, and ill-defined conditions (780-799)	12	84	4	3	18	65	4	11
All other diseases (Residual)	144	847	73	48	53	198	72	57
Accidents and adverse effects (E800-E949)	125	619	53	23	56	202	61	35
Motor vehicle accidents (E810-E825)	53	254	21	10	28	107	29	15
All other accidents and adverse effects (E800-E807,E826-E949)	72	365	32	13	28	95	22	20
Suicide (E950-E959)	36	215	9	12	14	59	14	9
Homicide and legal intervention (E960-E978)	48	87	3	3	6	60	3	2
All other external causes (E980-E999)	2	29	–	–	–	–	2	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass.	State College, Pa.	Steubenville-Weirton, Ohio-W. Va.
All causes	2,566	2,865	1,780	1,817	1,719	5,281	663	1,595
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	1	–	–	–
Tuberculosis (010-018)	–	–	1	–	2	3	–	4
Tuberculosis of respiratory system (010-012)	–	–	–	–	2	3	–	3
Other tuberculosis (013-018)	–	–	1	–	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	2	–	–
Septicemia (038)	12	12	5	11	7	38	5	10
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	7	4	6	3	8	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	597	651	378	397	381	1,225	156	356
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	13	8	8	7	33	1	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	156	162	92	97	84	373	48	85
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	147	182	104	110	111	287	42	109
Malignant neoplasm of breast (174-175)	56	59	46	39	43	110	11	30
Malignant neoplasms of genital organs (179-187)	73	69	32	40	44	134	19	33
Malignant neoplasms of urinary organs (188-189)	35	31	15	12	25	53	4	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	60	73	44	45	33	136	20	48
Leukemia (204-208)	23	22	16	17	14	40	3	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	40	21	29	20	59	8	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	6	8	6	5	17	2	5
Diabetes mellitus (250)	63	44	32	21	50	90	22	53
Nutritional deficiencies (260-269)	3	3	3	4	1	6	1	3
Anemias (280-285)	2	10	2	1	1	8	2	1
Meningitis (320-322)	1	1	1	–	–	2	–	1
Major cardiovascular diseases (390-448)	1,308	1,361	931	835	857	2,640	351	826
Diseases of heart (390-398,402,404-429)	984	1,013	685	604	634	2,095	266	660
Rheumatic fever and rheumatic heart disease (390-398)	4	10	8	6	5	16	4	8
Hypertensive heart disease (402)	27	15	13	6	15	41	–	14
Hypertensive heart and renal disease (404)	3	2	5	4	5	2	–	1
Ischemic heart disease (410-414)	796	726	529	454	478	1,669	199	483
Acute myocardial infarction (410)	353	403	254	254	279	740	106	251
Other acute and subacute forms of ischemic heart disease (411)	2	–	3	–	2	–	–	–
Angina pectoris (413)	–	–	1	1	3	2	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	381	323	271	199	195	927	82	242
Other diseases of endocardium (424)	10	20	5	8	4	18	3	5
All other forms of heart disease (415-423,425-429)	204	240	125	128	126	349	60	139
Hypertension with or without renal disease (401,403)	10	15	15	2	6	17	5	9
Cerebrovascular diseases (430-438)	231	244	178	184	171	404	61	122
Intracerebral and other intracranial hemorrhage (431-432)	21	22	30	11	22	56	4	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	26	28	39	33	82	95	3	19
Cerebral embolism (434.1)	–	2	–	–	–	2	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	184	192	110	140	67	251	54	84
Atherosclerosis (440)	48	53	24	24	22	78	13	18
Other diseases of arteries, arterioles, and capillaries (441-448)	35	38	28	21	24	46	6	17
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	39	50	36	47	30	180	1	38
Pneumonia (480-486)	38	50	36	47	30	179	1	38
Influenza (487)	1	–	–	–	–	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	72	138	67	74	61	157	14	54
Bronchitis, chronic and unspecified (490-491)	6	2	–	9	2	5	–	4
Emphysema (492)	12	38	28	12	12	33	6	9
Asthma (493)	2	6	4	2	2	9	–	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	92	35	51	45	110	8	39
Ulcer of stomach and duodenum (531-533)	10	11	5	5	9	21	4	3
Appendicitis (540-543)	2	1	–	–	1	3	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	13	3	4	4	16	–	5
Chronic liver disease and cirrhosis (571)	25	50	24	10	19	68	3	16
Cholelithiasis and other disorders of gallbladder (574-575)	6	3	2	4	1	10	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	23	7	22	20	62	4	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	–	–	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	3	1	5	5	3	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	19	6	17	15	57	4	20
Infections of kidney (590)	2	5	2	1	3	2	–	1
Hyperplasia of prostate (600)	2	–	–	2	2	1	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	–
Pregnancy with abortive outcome (630-639)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	–
Congenital anomalies (740-759)	16	29	12	13	10	29	3	7
Certain conditions originating in the perinatal period (760-779)	20	28	24	12	27	54	7	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	6	8	11	–	4	14	3	3
Other conditions originating in the perinatal period (760-766,770-779)	14	20	13	12	23	40	4	8
Symptoms, signs, and ill-defined conditions (780-799)	45	15	17	115	12	27	5	9
All other diseases (Residual)	165	186	100	112	106	338	34	80
Accidents and adverse effects (E800-E949)	99	119	80	81	68	205	33	59
Motor vehicle accidents (E810-E825)	46	62	34	47	35	85	17	24
All other accidents and adverse effects (E800-E807,E826-E949)	53	57	46	34	33	120	16	35
Suicide (E950-E959)	31	73	19	23	32	47	12	15
Homicide and legal intervention (E960-E978)	12	23	8	8	5	19	2	6
All other external causes (E880-E899)	3	2	9	3	1	4	–	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Ark.	Toledo, Ohio-Mich.
All causes	3,183	5,451	3,616	944	20,552	1,974	1,138	5,899
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	–	2	–	1	2
Tuberculosis (010-018)	8	3	4	–	11	1	3	5
Tuberculosis of respiratory system (010-012)	3	1	4	–	11	1	2	5
Other tuberculosis (013-018)	5	2	–	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	5	1	–	1	–	–	–
Septicemia (038)	10	50	16	7	78	13	8	22
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	4	–	1	3	–	1
Syphilis (090-097)	1	–	–	–	1	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	10	10	–	41	3	3	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	694	1,236	799	237	4,789	440	242	1,525
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	25	14	4	101	6	7	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	180	327	215	48	1,316	119	57	390
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	207	329	221	74	1,409	124	59	405
Malignant neoplasm of breast (174-175)	45	108	77	18	343	37	13	171
Malignant neoplasms of genital organs (179-187)	69	146	90	32	519	54	27	171
Malignant neoplasms of urinary organs (188-189)	35	51	23	10	226	22	7	63
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	101	146	81	33	510	42	47	168
Leukemia (204-208)	22	40	31	10	151	18	13	59
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	84	47	8	214	18	12	70
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	10	7	2	65	6	3	26
Diabetes mellitus (250)	59	77	54	11	280	48	20	140
Nutritional deficiencies (260-269)	6	9	2	–	19	9	1	12
Anemias (280-285)	5	14	6	2	32	5	3	13
Meningitis (320-322)	2	3	–	1	3	1	2	6
Major cardiovascular diseases (390-448)	1,427	2,795	1,761	366	10,307	1,038	544	3,611
Diseases of heart (390-398,402,404-428)	1,071	2,095	1,322	268	7,856	731	435	2,816
Rheumatic fever and rheumatic heart disease (390-398)	12	24	12	3	73	4	3	16
Hypertensive heart disease (402)	20	47	28	11	303	11	24	77
Hypertensive heart and renal disease (404)	2	1	4	–	26	12	1	27
Ischemic heart disease (410-414)	852	1,660	982	188	5,597	570	264	2,183
Acute myocardial infarction (410)	328	775	529	117	2,535	308	160	1,221
Other acute and subacute forms of ischemic heart disease (411)	6	3	2	2	14	1	–	10
Angina pectoris (413)	1	–	2	–	7	–	–	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	517	882	449	69	3,041	261	84	949
Other diseases of endocardium (424)	28	25	21	8	96	6	7	16
All other forms of heart disease (415-423,425-429)	157	338	275	58	1,761	128	138	497
Hypertension with or without renal disease (401,403)	11	23	15	8	74	9	3	27
Cerebrovascular diseases (430-438)	263	503	328	75	1,775	201	81	579
Intracerebral and other intracranial hemorrhage (431-432)	28	76	39	3	206	20	12	55
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	46	95	41	10	416	46	9	137
Cerebral embolism (434.1)	–	1	1	–	8	1	–	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	189	331	247	62	1,145	134	60	384
Atherosclerosis (440)	51	98	58	9	347	61	11	101
Other diseases of arteries, arterioles, and capillaries (441-448)	31	76	38	6	255	34	14	86
Acute bronchitis and bronchiolitis (466)	4	–	–	–	7	–	1	1
Pneumonia and influenza (480-487)	93	121	68	22	423	34	29	138
Pneumonia (480-486)	92	114	65	22	420	34	29	137
Influenza (487)	1	7	3	–	3	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	106	173	150	30	691	58	30	241
Bronchitis, chronic and unspecified (490-491)	12	12	6	3	55	3	4	34
Emphysema (492)	14	41	27	5	156	8	7	50
Asthma (493)	7	8	8	–	23	2	3	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	112	109	22	457	45	16	144
Ulcer of stomach and duodenum (531-533)	15	12	21	2	73	6	4	20
Appendicitis (540-543)	1	2	–	1	8	–	–	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	10	7	–	42	5	2	13
Chronic liver disease and cirrhosis (571)	86	69	54	12	296	12	6	93
Cholelithiasis and other disorders of gallbladder (574-575)	3	9	2	1	23	5	1	17
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	44	17	6	199	21	10	62
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	1	8	1	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	12	–	1	20	5	2	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	32	17	4	171	15	8	55
Infections of kidney (590)	–	7	3	1	23	2	4	8
Hyperplasia of prostate (600)	1	1	–	–	7	–	1	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	–	1	–	–	–
Congenital anomalies (740-759)	28	34	48	13	86	11	6	33
Certain conditions originating in the perinatal period (760-779)	20	53	42	18	146	20	5	57
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	10	12	4	33	5	3	22
Other conditions originating in the perinatal period (760-766,770-779)	12	43	30	14	113	15	2	35
Symptoms, signs, and ill-defined conditions (780-799)	29	40	35	41	502	8	55	47
All other diseases (Residual)	209	382	204	78	1,231	106	62	377
Accidents and adverse effects (E800-E949)	215	212	194	57	723	99	76	250
Motor vehicle accidents (E810-E825)	101	98	90	33	393	37	33	145
All other accidents and adverse effects (E800-E807,E826-E949)	114	114	104	24	330	62	43	105
Suicide (E950-E959)	40	54	70	19	279	19	6	107
Homicide and legal intervention (E960-E978)	54	15	30	15	153	3	10	43
All other external causes (E980-E999)	12	–	7	2	11	–	–	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,685	2,484	4,271	5,762	1,022	1,217	3,418	2,593	542
Shigellosis and amebiasis (004,006)	–	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	1	–	–	–	2	1
Tuberculosis (010-018)	–	1	2	4	3	2	1	3	1
Tuberculosis of respiratory system (010-012)	–	–	2	4	2	2	1	3	1
Other tuberculosis (013-018)	–	1	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	–	–	1	1	–
Septicemia (038)	6	11	38	25	5	3	14	10	2
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	2	5	1	–	–	1	–	–
Syphilis (090-097)	1	1	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-066,071-088,098-139)	5	10	22	15	3	1	3	10	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	374	565	922	1,274	231	252	764	558	99
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	20	10	28	4	4	22	8	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	102	159	223	295	52	67	223	115	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	95	154	283	394	74	73	202	173	29
Malignant neoplasm of breast (174-175)	33	46	78	113	15	12	58	47	5
Malignant neoplasms of genital organs (179-187)	49	50	99	121	27	27	92	55	11
Malignant neoplasms of urinary organs (188-189)	22	26	42	71	12	7	35	19	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	59	104	135	32	37	63	82	14
Leukemia (204-208)	18	22	46	55	7	11	30	29	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	29	57	82	8	14	39	31	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	5	10	16	4	3	22	14	1
Diabetes mellitus (250)	27	30	60	82	22	17	63	53	7
Nutritional deficiencies (260-269)	1	3	5	8	1	2	3	4	1
Anemias (280-285)	3	7	8	5	3	2	2	5	1
Meningitis (320-322)	1	–	3	5	–	2	1	1	–
Major cardiovascular diseases (390-448)	826	1,283	1,924	2,723	462	589	1,861	1,160	270
Diseases of heart (390-398,402,404-429)	604	1,080	1,528	2,137	331	451	1,437	857	210
Rheumatic fever and rheumatic heart disease (390-398)	2	9	16	16	1	3	14	10	3
Hypertensive heart disease (402)	19	71	41	53	14	15	23	9	5
Hypertensive heart and renal disease (404)	6	7	2	2	–	4	3	6	1
Ischemic heart disease (410-414)	425	680	1,100	1,581	221	307	1,156	636	155
Acute myocardial infarction (410)	205	305	535	774	159	207	677	314	88
Other acute and subacute forms of ischemic heart disease (411)	1	61	9	6	1	–	9	3	–
Angina pectoris (413)	2	–	2	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	217	314	554	801	61	100	469	319	67
Other diseases of endocardium (424)	6	8	14	18	2	6	18	12	–
All other forms of heart disease (415-423,425-429)	148	305	353	465	93	116	223	104	48
Hypertension with or without renal disease (401,403)	6	8	10	15	5	2	24	6	1
Cerebrovascular diseases (430-438)	159	160	267	449	101	105	320	240	53
Intracerebral and other intracranial hemorrhage (431-432)	19	22	33	44	23	11	43	25	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	29	43	66	7	9	73	41	11
Cerebral embolism (434.1)	–	2	3	3	–	–	3	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	103	107	188	334	71	85	201	174	36
Atherosclerosis (440)	36	13	70	63	12	20	50	29	4
Other diseases of arteries, arterioles, and capillaries (441-448)	21	32	49	59	13	11	30	48	2
Acute bronchitis and bronchiolitis (466)	–	1	–	1	1	–	1	1	–
Pneumonia and influenza (480-487)	40	40	148	141	28	33	77	83	9
Pneumonia (480-486)	39	40	147	139	28	32	76	83	8
Influenza (487)	1	–	1	2	–	1	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	63	77	258	179	17	32	100	107	15
Bronchitis, chronic and unspecified (490-491)	2	3	12	13	–	6	8	5	–
Emphysema (492)	10	13	64	38	7	10	26	25	3
Asthma (493)	3	6	23	8	1	–	6	6	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48	55	159	124	9	16	60	71	10
Ulcer of stomach and duodenum (531-533)	5	7	18	16	3	5	20	11	–
Appendicitis (540-543)	–	–	4	2	–	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	8	9	21	4	3	9	12	2
Chronic liver disease and cirrhosis (571)	14	57	72	61	5	8	43	60	6
Cholelithiasis and other disorders of gallbladder (574-575)	5	2	9	8	–	2	5	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	27	31	50	13	11	38	20	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	1	–	1	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	2	4	1	1	4	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	23	29	45	12	9	34	15	4
Infections of kidney (590)	1	–	3	11	2	3	2	2	1
Hyperplasia of prostate (600)	1	1	3	–	–	–	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	1	–	2	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	1	–	1	–
Congenital anomalies (740-759)	10	9	31	56	8	12	18	11	5
Certain conditions originating in the perinatal period (760-779)	21	36	28	51	10	15	23	22	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	4	8	23	3	3	5	10	4
Other conditions originating in the perinatal period (760-766,770-779)	14	32	20	28	7	12	18	12	7
Symptoms, signs, and ill-defined conditions (780-799)	17	13	36	78	59	37	17	10	10
All other diseases (Residual)	103	165	270	356	70	74	166	180	34
Accidents and adverse effects (E800-E949)	79	74	187	383	40	83	115	135	53
Motor vehicle accidents (E810-E825)	38	23	112	208	18	37	67	64	34
All other accidents and adverse effects (E800-E807,E826-E949)	41	51	75	175	22	46	48	71	19
Suicide (E950-E959)	23	25	96	115	18	14	39	59	6
Homicide and legal intervention (E960-E978)	6	14	59	71	7	11	7	28	4
All other external causes (E980-E999)	3	–	6	2	3	–	3	7	–

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Porterville, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,316	2,082	1,638	20,208	1,056	816	7,741	1,928	3,187
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	3	–	–	–	–	–
Tuberculosis (010-018)	–	1	1	30	1	–	11	1	2
Tuberculosis of respiratory system (010-012)	–	1	–	25	–	–	9	1	2
Other tuberculosis (013-018)	–	–	1	5	1	–	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	7	–	–	–	–	1
Septicemia (038)	14	6	15	189	3	5	36	8	27
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	2	–	4	1	1	6	1	1
Syphilis (090-097)	–	–	–	3	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,098-139)	2	14	4	58	1	2	15	4	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	269	422	317	5,063	239	188	1,680	422	716
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	9	4	161	2	1	29	4	18
Malignant neoplasms of digestive organs and peritoneum (150-159)	81	113	87	1,327	67	53	517	95	185
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	78	104	96	1,227	68	40	502	133	195
Malignant neoplasm of breast (174-175)	24	17	29	512	25	10	160	44	67
Malignant neoplasms of genital organs (179-187)	24	72	35	559	24	26	205	44	82
Malignant neoplasms of urinary organs (188-189)	6	14	9	194	6	8	91	16	36
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	22	58	33	629	21	24	232	50	64
Leukemia (204-208)	10	16	6	182	11	16	56	13	26
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	21	18	272	15	10	88	23	49
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	9	2	86	2	2	28	10	6
Diabetes mellitus (250)	28	35	28	342	20	19	102	33	54
Nutritional deficiencies (260-269)	7	1	2	23	2	–	12	1	4
Anemias (280-285)	2	1	4	35	1	–	21	2	6
Meningitis (320-322)	–	–	2	19	–	1	6	1	3
Major cardiovascular diseases (390-448)	663	858	814	8,625	545	416	3,929	1,050	1,497
Diseases of heart (390-398,402,404-429)	551	735	629	6,590	406	327	3,029	832	1,110
Rheumatic fever and rheumatic heart disease (390-398)	4	8	1	66	8	3	36	17	12
Hypertensive heart disease (402)	9	21	17	381	6	3	49	8	24
Hypertensive heart and renal disease (404)	8	1	–	46	1	–	5	1	6
Ischemic heart disease (410-414)	366	578	484	4,033	301	283	2,451	672	808
Acute myocardial infarction (410)	245	251	317	1,759	165	183	1,194	332	448
Other acute and subacute forms of ischemic heart disease (411)	3	9	1	69	1	–	77	2	5
Angina pectoris (413)	–	1	1	5	–	–	3	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	118	317	165	2,200	135	100	1,177	336	355
Other diseases of endocardium (424)	1	7	5	66	4	4	29	9	22
All other forms of heart disease (415-423,425-429)	163	120	122	1,998	86	34	459	125	240
Hypertension with or without renal disease (401,403)	7	4	6	85	8	2	28	14	13
Cerebrovascular diseases (430-438)	86	171	144	1,354	94	69	682	153	293
Intracerebral and other intracranial hemorrhage (431-432)	9	21	11	206	1	7	74	11	37
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	30	27	288	17	14	205	19	62
Cerebral embolism (434.1)	1	–	–	5	–	–	4	2	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	59	120	106	875	76	48	409	121	190
Atherosclerosis (440)	7	29	16	411	20	7	92	26	41
Other diseases of arteries, arterioles, and capillaries (441-448)	12	19	19	195	17	11	88	25	40
Acute bronchitis and bronchiolitis (466)	–	1	–	4	1	–	2	1	–
Pneumonia and influenza (480-487)	21	71	48	417	16	18	120	39	66
Pneumonia (480-486)	21	70	48	413	13	17	119	39	65
Influenza (487)	–	1	–	4	3	1	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	39	82	55	515	46	25	235	53	106
Bronchitis, chronic and unspecified (490-491)	1	6	3	21	2	2	13	6	2
Emphysema (492)	10	13	24	123	7	3	63	13	22
Asthma (493)	2	1	1	28	5	–	9	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	62	27	343	32	20	150	33	80
Ulcer of stomach and duodenum (531-539)	1	11	4	67	6	2	31	9	12
Appendicitis (540-543)	–	–	1	9	–	–	3	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	7	5	49	–	4	13	6	10
Chronic liver disease and cirrhosis (571)	15	41	21	395	8	4	113	22	41
Cholelithiasis and other disorders of gallbladder (574-575)	–	5	1	25	2	–	5	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	26	11	18	223	6	5	64	23	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	7	–	–	2	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	–	3	23	2	–	9	5	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	10	15	193	4	5	53	18	28
Infections of kidney (590)	2	4	2	6	2	1	2	1	4
Hyperplasia of prostate (600)	–	1	1	5	–	–	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	3	–	–	–	–	2
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	2	–	–	–	–	2
Congenital anomalies (740-759)	7	18	8	185	9	4	37	12	32
Certain conditions originating in the perinatal period (760-779)	17	29	14	342	18	3	51	16	40
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	11	1	81	6	–	13	2	10
Other conditions originating in the perinatal period (760-766,770-779)	9	18	13	261	12	3	38	14	30
Symptoms, signs, and ill-defined conditions (780-799)	8	19	26	346	10	7	88	27	23
All other diseases (Residual)	94	121	111	1,388	61	57	411	92	223
Accidents and adverse effects (E800-E949)	69	151	84	941	40	27	311	71	169
Motor vehicle accidents (E810-E825)	51	90	45	405	19	13	157	30	84
All other accidents and adverse effects (E800-E807,E826-E949)	18	61	39	536	21	14	154	41	79
Suicide (E950-E959)	15	24	20	369	12	14	116	18	59
Homicide and legal intervention (E960-E978)	11	32	29	347	4	1	79	6	43
All other external causes (E980-E999)	–	–	–	80	–	–	14	2	9

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex.	Williamsport, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester-Fitchburg-Leominster, Mass.	Yakima, Wash.	York, Pa.	Youngstown-Warren, Ohio	Yuba City, Calif.
All causes	1,171	1,109	4,433	1,222	5,896	1,522	3,067	4,909	857
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	1	–	–	–	1	–
Tuberculosis (010-018)	–	2	3	–	2	1	1	4	–
Tuberculosis of respiratory system (010-012)	–	1	2	–	1	1	1	2	–
Other tuberculosis (013-018)	–	1	1	–	1	–	–	2	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	1	–	1	–	–	–	–
Septicemia (038)	6	5	29	10	47	7	18	33	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	2	1	1	–	1	1
Syphilis (090-097)	1	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	2	10	2	10	4	4	8	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	235	248	1,049	291	1,337	318	755	1,078	190
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	4	36	5	25	3	10	25	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	55	67	282	70	385	90	191	319	44
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	80	62	281	80	334	87	170	286	71
Malignant neoplasm of breast (174-175)	15	18	92	23	121	31	83	104	7
Malignant neoplasms of genital organs (179-187)	30	27	104	34	141	38	90	92	27
Malignant neoplasms of urinary organs (188-189)	7	10	46	11	57	18	33	44	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26	37	109	42	170	22	100	121	17
Leukemia (204-208)	9	9	37	13	41	12	32	47	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	14	52	13	63	17	46	40	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	6	22	6	22	4	18	17	4
Diabetes mellitus (250)	23	29	130	15	106	20	48	124	15
Nutritional deficiencies (260-269)	1	–	6	–	5	5	3	21	1
Anemias (280-285)	3	1	6	–	7	2	3	6	2
Meningitis (320-322)	1	1	2	1	5	–	1	4	–
Major cardiovascular diseases (390-448)	589	589	2,125	606	3,053	758	1,614	2,603	409
Diseases of heart (390-398,402,404-429)	440	481	1,723	475	2,436	588	1,309	2,012	321
Rheumatic fever and rheumatic heart disease (390-398)	1	6	15	3	20	7	15	29	4
Hypertensive heart disease (402)	17	12	92	6	26	12	35	54	4
Hypertensive heart and renal disease (404)	1	–	14	4	4	1	8	6	1
Ischemic heart disease (410-414)	300	307	942	339	1,990	449	828	1,551	240
Acute myocardial infarction (410)	191	192	541	220	846	226	615	986	118
Other acute and subacute forms of ischemic heart disease (411)	2	2	10	1	3	–	6	9	2
Angina pectoris (413)	1	1	1	–	–	1	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	106	112	390	118	1,141	222	206	555	120
Other diseases of endocardium (424)	3	9	14	6	32	6	17	17	7
All other forms of heart disease (415-423,425-429)	118	147	646	117	364	113	406	355	65
Hypertension with or without renal disease (401,403)	1	2	20	2	25	6	9	15	2
Cerebrovascular diseases (430-438)	130	81	265	113	494	133	216	418	65
Intracerebral and other intracranial hemorrhage (431-432)	12	11	34	10	66	19	21	70	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	13	66	28	77	22	42	71	16
Cerebral embolism (434.1)	–	2	1	–	2	1	–	4	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	100	55	164	76	289	91	153	273	40
Atherosclerosis (440)	7	11	50	11	88	17	47	105	11
Other diseases of arteries, arterioles, and capillaries (441-448)	11	14	67	5	70	14	33	53	10
Acute bronchitis and bronchiolitis (466)	–	–	1	–	1	–	1	1	–
Pneumonia and influenza (480-487)	25	19	81	24	176	54	51	81	21
Pneumonia (480-486)	23	19	80	24	176	49	51	81	21
Influenza (487)	2	–	1	–	2	5	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	29	39	148	35	148	49	95	133	27
Bronchitis, chronic and unspecified (490-491)	2	4	5	2	13	1	3	8	2
Emphysema (492)	5	7	36	10	30	18	14	29	7
Asthma (493)	3	2	4	3	2	3	5	8	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19	26	101	20	103	27	73	88	17
Ulcer of stomach and duodenum (531-533)	2	4	7	6	16	6	13	22	4
Appendicitis (540-543)	–	–	–	1	5	–	–	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	2	10	1	18	4	8	9	5
Chronic liver disease and cirrhosis (571)	11	9	65	14	77	25	18	70	15
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	7	1	10	2	–	5	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	9	62	6	65	14	35	41	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	–	3	1	4	1	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	9	58	5	61	13	33	40	5
Infections of kidney (590)	5	–	6	2	9	–	1	1	1
Hyperplasia of prostate (600)	–	1	–	–	–	1	1	2	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	2	1	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	1	1	1	–	–	–	–
Congenital anomalies (740-759)	4	2	38	6	46	13	27	33	7
Certain conditions originating in the perinatal period (760-779)	8	8	50	10	42	12	23	35	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	9	3	11	7	6	12	1
Other conditions originating in the perinatal period (760-766,770-779)	7	5	41	7	31	5	17	23	5
Symptoms, signs, and ill-defined conditions (780-799)	25	6	40	3	19	19	10	25	9
All other diseases (Residual)	62	76	247	78	401	80	179	270	43
Accidents and adverse effects (E800-E949)	79	37	182	64	182	89	118	184	63
Motor vehicle accidents (E810-E825)	36	19	89	40	80	43	61	87	38
All other accidents and adverse effects (E800-E807,E826-E949)	43	18	93	24	102	46	57	97	25
Suicide (E950-E959)	20	10	70	21	58	19	34	53	14
Homicide and legal intervention (E960-E978)	17	2	24	14	18	12	6	40	12
All other external causes (E980-E999)	1	–	11	1	6	3	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	1,974,797	1,807	126	17,542	433,795	112,564	116,359	37,685	47,547	18,460	16,704	84,476	34,583	987,868	755,592	7,053	23,807	552,786	171,946
Urban places	1,135,085	1,142	88	10,723	250,531	66,083	66,816	22,587	27,150	10,447	9,370	48,078	19,799	553,953	434,017	4,285	14,872	316,808	98,052
Balance of area	839,732	665	38	6,819	183,264	46,481	49,543	15,098	20,397	8,013	7,334	36,398	14,784	413,915	321,575	2,768	8,935	235,978	73,894
Metropolitan counties	1,434,869	1,328	99	13,911	323,069	84,464	86,668	29,050	34,722	13,619	12,127	62,413	24,951	698,003	547,871	5,510	18,307	400,628	123,426
Urban places	1,019,728	1,028	81	9,793	226,745	60,028	60,532	20,594	24,426	9,406	8,378	43,381	17,706	495,748	390,588	3,927	13,683	284,794	88,182
Balance of area	415,141	298	18	3,518	96,318	24,436	26,136	8,456	10,296	4,213	3,749	19,032	7,245	200,254	157,285	1,583	4,624	115,834	35,244
Nonmetropolitan counties	539,928	481	27	4,231	110,732	28,100	29,691	8,835	12,825	4,841	4,577	22,063	9,632	271,865	207,721	1,543	5,500	152,158	48,520
Urban places	115,337	114	7	930	23,786	6,055	6,284	1,993	2,724	1,041	992	4,697	2,093	58,204	43,431	358	1,189	32,014	9,870
Balance of area	424,591	367	20	3,301	86,946	22,045	23,407	6,842	10,101	3,800	3,585	17,366	7,539	213,661	164,290	1,185	4,311	120,144	38,650
Alabama	35,002	64	1	303	7,322	1,753	2,103	560	853	275	289	1,489	636	16,217	12,115	63	484	8,270	3,298
Urban places	15,218	34	1	143	3,313	825	946	267	392	128	119	638	306	6,884	5,037	35	251	3,328	1,425
Balance of area	19,784	30	–	160	4,009	928	1,157	293	461	147	170	853	330	9,333	7,078	28	233	4,944	1,873
Metropolitan counties	21,063	40	1	193	4,696	1,151	1,381	380	532	186	160	926	391	9,414	7,025	41	332	4,715	1,937
Urban places	12,261	29	1	121	2,755	687	785	223	334	111	95	520	243	5,453	3,970	27	218	2,569	1,156
Balance of area	8,802	11	–	72	1,941	464	596	157	198	75	65	406	148	3,961	3,055	14	114	2,146	781
Nonmetropolitan counties	13,939	24	–	110	2,826	602	722	200	321	89	129	563	245	6,803	5,090	22	152	3,555	1,361
Urban places	2,957	5	–	22	558	138	161	44	58	17	24	116	63	1,431	1,067	8	33	757	269
Balance of area	10,982	19	–	88	2,068	464	561	156	263	72	105	447	182	5,372	4,023	14	119	2,798	1,092
Autauga	223	1	–	1	49	15	12	3	7	1	1	10	5	104	83	–	8	53	22
Prattville, part	105	1	–	1	26	6	6	3	2	–	1	6	1	54	46	–	3	31	12
Prattville, total	107	1	–	1	27	8	6	4	2	–	1	6	1	55	47	–	3	31	13
Balance of county	118	–	–	–	23	7	6	–	5	1	–	4	4	50	37	–	5	22	10
Baldwin	701	1	–	10	168	36	53	14	15	9	7	34	13	323	260	1	17	156	86
Barbour	265	1	–	1	38	5	10	3	6	1	3	8	8	111	76	1	7	45	23
Eufaula	111	–	–	–	14	3	5	1	1	1	–	3	2	51	33	1	3	19	10
Balance of county	154	1	–	1	22	2	5	2	5	–	3	5	6	60	43	–	4	26	13
Bibb	165	1	–	–	19	5	3	1	4	–	–	6	2	84	68	1	–	43	24
Blount	298	2	–	2	67	14	22	8	5	2	2	14	7	140	97	–	1	79	17
Bullock	136	–	–	–	27	7	5	–	6	2	1	6	3	80	64	–	2	50	12
Butler	235	1	–	4	38	6	10	3	2	1	1	15	3	116	88	–	–	50	38
Calhoun	1,006	3	–	14	215	38	73	14	22	11	9	48	17	514	401	5	16	258	122
Anniston	493	1	–	8	103	15	28	9	14	5	4	28	7	251	185	3	8	120	64
Balance of county	513	2	–	6	112	23	45	5	8	6	5	20	10	263	206	2	8	138	58
Chambers	389	–	–	5	71	19	18	8	8	5	2	11	8	205	156	–	5	98	53
Cherokee	178	–	–	1	41	9	14	1	4	–	1	12	4	86	65	–	1	52	12
Chilton	344	–	–	6	74	17	16	4	8	3	5	21	4	177	135	–	1	112	22
Choctaw	140	–	–	–	29	9	7	2	3	–	–	6	3	72	59	1	1	39	18
Clarke	278	–	–	1	57	16	13	4	11	2	2	9	9	143	129	3	7	88	33
Clay	166	1	–	–	27	6	7	3	1	3	3	4	3	77	55	–	2	40	13
Cleburne	120	–	–	1	22	4	6	–	4	–	1	7	1	60	49	–	1	30	18
Coffee	334	1	–	3	68	20	18	4	6	4	2	14	3	173	136	–	–	99	37
Enterprise, part	139	–	–	2	32	8	9	2	1	2	1	9	1	84	52	–	–	35	17
Enterprise, total	140	–	–	2	32	8	9	2	1	2	1	9	1	66	53	–	–	36	17
Balance of county	195	1	–	1	36	12	9	2	5	2	1	5	2	109	84	–	–	64	20
Colbert	456	1	–	4	85	25	25	5	10	4	2	14	9	208	144	1	2	127	14
Sheffield	116	–	–	1	22	10	3	1	3	2	–	3	3	49	32	–	–	29	3
Balance of county	340	1	–	3	63	15	22	4	7	2	2	11	6	157	112	1	2	98	11
Conecuh	176	–	–	1	26	5	5	2	3	–	3	8	3	100	77	–	4	56	17
Coosa	102	–	–	–	10	–	5	–	1	1	–	3	2	52	38	1	2	25	10
Covington	434	–	–	–	98	15	28	10	17	1	7	20	5	191	128	1	–	85	40
Andalusia	108	–	–	–	25	4	4	2	3	–	4	8	4	51	39	1	–	27	11
Balance of county	326	–	–	–	73	11	24	8	14	1	3	12	1	140	87	–	–	58	29
Crenshaw	174	–	–	3	38	7	10	4	6	–	4	7	3	86	73	–	–	46	27
Cullman	522	–	–	6	105	28	30	4	12	5	6	20	7	275	194	2	2	138	52
Cullman	130	–	–	3	16	5	6	–	1	1	–	3	3	82	58	2	–	37	19
Balance of county	392	–	–	3	89	23	24	4	11	4	6	17	4	193	136	–	2	101	33
Dale	300	1	–	3	52	15	10	7	9	–	1	10	1	135	111	–	6	63	42
Dothan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enterprise, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Ozark	112	–	–	–	17	5	4	3	3	–	1	1	1	58	49	–	4	27	18
Balance of county	187	1	–	3	35	10	6	4	6	–	–	9	–	76	61	–	2	35	24
Dallas	546	2	–	10	101	18	38	5	12	1	3	24	10	240	163	1	10	88	64
Selma	322	2	–	6	63	10	24	4	8	1	2	14	6	142	98	–	3	58	37
Balance of county	224	–	–	4	38	8	14	1	4	–	1	10	4	98	65	1	7	30	27
De Kalb	485	–	–	2	102	21	30	7	12	6	4	22	6	257	205	2	1	134	68
Fort Payne	101	–	–	–	23	6	7	–	3	1	1	5	4	54	45	–	–	35	10
Balance of county	384	–	–	2	79	15	23	7	9	5	3	17	4	203	160	2	1	99	58
Elmore	443	2	–	2	88	22	21	12	9	3	4	17	8	228	176	–	1	115	60
Prattville, part	2	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	1
Balance of county	441	2	–	2	87	22	21	11	9	3	4	17	8	227	175	–	1	115	59
Escambia	360	1	–	7	66	18	26	3	6	1	7	5	8	174	139	1	5	89	44
Etowah	1,055	1	–	5	225	48	60	19	20	10	5	63	15	551	440	1	13	336	88
Gadsden	638	1	–	3	128	28	32	10	14	8	3	33	10	344	273	1	6	203	63
Balance of county	417	–	–	2	97	20	28	9	6	2	2	30	5	207	167	–	7	135	25
Fayette	207	1	–	2	39	7	8	5	3	–	4	12	1	111	83	–	11	56	17
Franklin	308	–	–	1	51	9	13	7	8	3	5	6	7	166	134	–	2	110	22
Geneva	276	–	–	3	45	5	7	6	7	2	2	16	8	146	113	1	3	88	21
Greene	129	1	–	1	17	5	1	3	3	–	1	4	2	64	43	–	3	16	24
Hale	191	1	–	1	45	16	9	1	4	3	5	7	2	92	54	–	1	32	21
Henry	174	–	–	1	34	7	13	2	4	1	1	6	2	75	48	–	2	36	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
United States	7,571	157,710	26,823	20,172	48,886	59,869	6,738	27,690	16,102	292	13,604	20,794	29,814	145,383	45,779	48,303	28,242	22,358	3,212
Urban places	4,510	88,348	14,646	11,492	28,753	33,798	3,952	16,243	10,314	193	7,938	13,058	16,198	85,088	20,795	26,179	15,957	16,163	2,200
Balance of area	3,061	68,362	12,177	8,740	20,133	26,071	2,786	9,447	7,788	99	5,666	7,736	13,616	60,305	24,984	22,124	12,285	6,195	1,012
Metropolitan counties	5,414	109,893	18,167	14,658	35,049	42,826	4,969	22,184	12,705	221	10,289	16,030	19,828	105,732	30,448	33,480	21,301	18,457	2,597
Urban places	3,970	78,306	12,714	10,173	25,816	30,013	3,578	16,934	9,183	178	7,196	11,891	14,108	76,195	18,331	23,411	14,491	15,233	2,068
Balance of area	1,444	31,587	5,453	4,485	9,233	12,813	1,391	5,250	3,522	43	3,093	4,139	5,720	29,537	12,117	10,069	6,810	3,224	519
Nonmetropolitan counties	2,157	47,817	8,656	5,514	13,837	17,043	1,769	5,496	5,397	71	3,315	4,764	9,986	39,661	15,331	14,823	6,941	3,901	625
Urban places	540	11,042	1,932	1,259	2,937	3,785	374	1,309	1,131	15	742	1,167	2,090	8,893	2,464	2,768	1,466	930	132
Balance of area	1,617	36,775	6,724	4,255	10,900	13,258	1,395	4,187	4,266	56	2,573	3,597	7,896	30,768	12,867	12,055	5,475	2,971	493
Alabama	145	3,322	353	282	662	1,006	115	358	376	13	256	407	1,628	2,712	982	944	428	512	60
Urban places	64	1,484	150	129	262	425	54	193	159	5	118	209	718	1,261	284	345	194	293	23
Balance of area	61	1,838	203	153	400	581	61	165	217	8	138	204	910	1,451	698	599	234	219	37
Metropolitan counties	96	1,909	211	173	398	637	68	236	207	6	169	265	905	1,713	531	524	292	346	33
Urban places	68	1,178	130	107	215	343	45	152	128	2	98	172	627	1,053	205	278	166	257	18
Balance of area	28	731	81	66	181	294	23	84	79	4	71	93	278	660	326	246	126	89	15
Nonmetropolitan counties	49	1,413	142	109	268	369	47	122	169	7	87	142	723	999	451	420	136	166	27
Urban places	16	306	20	22	47	82	9	41	31	3	20	31	191	208	79	67	28	36	5
Balance of area	33	1,107	122	87	219	287	38	81	138	4	67	111	532	791	372	353	108	130	22
Autauga	1	19	–	1	2	7	–	2	1	–	1	2	1	22	10	9	2	3	1
Prattville, part	1	7	–	–	–	1	–	2	–	–	1	1	–	8	5	1	1	1	1
Prattville, total	1	7	–	–	–	1	–	2	–	–	1	1	–	8	5	1	1	1	1
Balance of county	–	12	–	1	2	6	–	–	1	–	–	1	1	14	5	8	1	2	–
Baldwin	3	50	4	6	5	20	2	11	8	–	10	13	4	63	17	17	9	6	1
Barbour	1	30	1	3	5	7	–	4	4	–	–	5	45	11	10	6	6	4	1
Eufaula	1	14	1	2	3	6	–	2	3	–	–	2	16	3	3	1	3	2	–
Balance of county	–	16	–	1	2	1	–	2	1	–	–	3	29	8	7	5	3	2	1
Bibb	–	13	–	3	7	4	1	1	4	–	2	3	3	17	4	6	3	4	–
Blount	3	32	5	3	8	13	1	1	4	–	–	–	5	16	9	16	4	3	–
Bullock	–	16	–	–	1	1	–	–	3	–	1	–	4	6	3	7	–	–	–
Butler	–	23	–	5	7	2	–	4	4	–	4	2	4	20	10	7	–	5	4
Calhoun	5	95	5	8	20	34	2	8	9	1	10	11	9	65	21	29	14	9	2
Anniston	5	46	3	2	8	19	1	5	5	1	6	7	6	34	5	14	4	8	–
Balance of county	–	49	2	6	12	15	1	3	4	–	4	4	2	31	16	15	10	1	2
Chambers	2	44	2	1	12	11	2	–	8	1	1	6	2	32	4	9	6	5	1
Cherokee	–	15	3	3	–	4	–	2	2	–	–	2	6	17	9	2	–	2	–
Chilton	1	36	2	3	5	11	2	6	3	–	2	2	6	19	10	10	4	3	–
Choctaw	–	12	–	1	4	3	–	1	6	–	1	1	2	12	2	1	–	3	–
Clarke	–	11	1	2	3	7	–	1	6	–	1	2	2	18	8	11	4	5	–
Clay	1	19	–	2	3	2	1	1	4	–	1	–	21	15	3	2	4	1	–
Cleburne	1	9	–	1	3	5	2	–	1	–	1	–	1	8	6	3	4	1	1
Coffee	1	28	6	2	3	8	1	6	3	–	3	4	2	23	13	12	4	2	2
Enterprise, part	1	8	2	1	2	3	–	1	3	–	2	3	–	12	3	6	3	2	–
Enterprise, total	1	8	2	1	2	3	–	1	3	–	2	3	–	12	3	6	3	2	–
Balance of county	–	20	4	1	1	5	1	5	–	–	1	1	2	11	10	6	1	–	2
Colbert	3	46	9	4	6	13	–	5	8	–	1	4	50	24	19	8	7	3	3
Sheffield	–	13	3	1	–	4	–	1	4	–	–	1	16	8	3	2	–	1	1
Balance of county	3	33	6	3	6	9	–	4	4	–	1	3	34	16	16	6	7	2	2
Conecuh	–	19	2	2	2	11	–	–	–	–	2	2	5	13	5	3	–	2	1
Coosa	–	12	1	1	1	2	–	–	3	–	2	2	12	7	3	4	–	2	–
Covington	1	55	4	5	10	13	2	4	8	–	1	5	36	31	11	11	3	4	1
Andalusia	1	11	–	–	2	1	–	2	3	–	–	1	8	4	2	2	1	1	1
Balance of county	–	44	4	5	8	12	2	2	5	–	1	4	28	27	9	9	2	3	–
Crenshaw	–	11	1	1	5	4	1	2	2	–	–	1	5	12	6	4	2	–	–
Cullman	–	80	17	4	8	24	2	2	6	–	3	2	3	41	19	16	2	1	–
Cullman	–	21	2	1	1	7	–	–	1	–	1	1	1	10	2	1	–	1	–
Balance of county	–	39	15	3	7	17	2	2	5	–	2	1	2	31	17	15	2	–	–
Dale	1	9	9	5	4	5	–	5	–	1	4	4	23	22	15	13	5	6	1
Dothan, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enterprise, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ozark	1	2	3	3	2	–	–	3	–	1	–	–	9	9	5	4	1	2	–
Balance of county	–	7	6	2	2	5	–	2	–	–	4	4	14	13	10	9	4	4	1
Dallas	3	66	4	4	5	16	3	8	12	–	7	11	20	55	12	17	4	12	1
Selma	1	39	2	2	2	9	3	5	8	–	2	7	9	39	5	7	2	5	–
Balance of county	2	27	2	2	3	7	–	3	4	–	5	4	11	16	7	10	2	7	1
De Kalb	–	47	3	2	7	11	1	4	3	–	3	1	21	34	9	15	5	2	–
Fort Payne	–	9	–	–	–	4	–	2	1	–	–	–	2	6	1	2	2	–	–
Balance of county	–	38	3	2	7	7	1	2	2	–	3	1	19	28	8	13	3	2	–
Elmore	–	45	2	5	10	19	–	1	2	–	6	1	7	30	19	11	3	4	2
Prattville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	45	2	5	10	19	–	1	2	–	6	1	7	30	19	11	3	4	2
Escambia	–	24	7	4	8	7	2	4	3	–	1	–	7	35	15	9	8	7	–
Etowah	2	89	10	10	25	38	4	15	11	–	7	7	4	74	19	25	20	9	–
Gadsden	2	54	7	8	13	21	2	11	8	–	5	4	4	49	9	11	7	8	–
Balance of county	–	35	3	2	12	17	2	4	3	–	2	3	–	25	10	14	13	1	–
Fayette	–	25	3	–	4	7	2	3	2	–	1	1	5	15	4	5	2	2	–
Franklin	1	26	4	1	12	11	–	1	4	–	2	7	4	16	11	11	1	3	–
Geneva	2	28	3	–	4	13	1	3	2	–	2	3	7	19	9	5	2	3	1
Greene	2	14	4	1	2	3	1	–	2	–	1	3	23	5	2	1	–	1	–
Hale	1	32	4	1	6	–	–	–	3	–	–	1	22	10	3	1	3	1	–
Henry	1	20	3	3	3	4	–	–	–	1	–	1	14	16	6	12	4	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	621	1	–	5	103	23	25	6	13	1	4	31	15	210	160	–	6	112	42
Dothan, part	409	1	–	4	67	17	15	3	10	1	3	18	9	140	103	–	5	69	29
Dothan, total	409	1	–	4	67	17	15	3	10	1	3	18	9	140	103	–	5	69	29
Balance of county	212	–	–	1	36	6	10	3	3	–	1	13	6	70	57	–	1	43	13
Jackson	446	2	–	1	86	18	30	5	7	3	4	19	11	235	176	–	3	146	27
Scottsboro	126	1	–	–	22	6	8	1	2	1	–	4	1	68	47	–	1	37	9
Balance of county	320	1	–	1	64	12	22	4	5	2	4	15	10	167	129	–	2	109	18
Jefferson	6,568	13	–	73	1,573	412	472	126	187	59	47	270	134	2,816	2,023	12	113	1,332	566
Bessemer	412	1	–	4	87	21	21	8	20	2	3	12	10	179	137	2	14	86	35
Birmingham	3,195	9	–	41	751	206	220	51	88	29	26	131	75	1,329	904	3	60	562	279
Fairfield	143	–	–	3	35	11	13	2	5	1	–	3	1	59	46	1	3	31	11
Homewood	196	1	–	4	59	19	14	5	5	4	1	11	1	83	56	–	2	42	12
Hoover, part	90	–	–	3	24	7	5	5	1	1	2	3	4	39	29	–	–	22	7
Hoover, total	90	–	–	3	24	7	5	5	1	1	2	3	4	39	29	–	–	22	7
Hueytown	151	–	–	–	45	12	14	2	4	4	1	8	3	59	46	–	4	28	14
Mountain Brook	178	–	–	2	44	12	13	7	5	1	1	5	3	88	65	–	1	56	8
Vestavia Hills	108	–	–	–	25	10	5	4	2	–	1	3	–	51	41	1	–	25	15
Balance of county	2,095	2	–	16	503	114	167	42	57	17	12	94	37	929	699	5	29	480	185
Lamar	195	–	–	1	41	11	14	3	7	–	–	6	4	103	64	–	–	52	12
Lauderdale	646	1	–	4	119	40	24	6	11	5	9	24	9	223	144	–	2	121	21
Florence	345	1	–	3	66	18	14	4	7	1	5	17	5	125	77	–	2	65	10
Balance of county	301	–	–	1	53	22	10	2	4	4	4	7	4	98	67	–	–	56	11
Lawrence	257	1	–	–	51	4	17	2	10	3	5	10	4	114	77	1	2	52	22
Lee	463	2	–	4	79	22	17	9	8	5	2	16	12	263	186	–	2	142	42
Auburn	116	1	–	–	22	6	9	3	–	1	1	2	1	65	46	–	2	32	12
Opelika	194	–	–	–	39	11	4	6	4	3	1	10	7	108	80	–	–	65	15
Phenix City, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	152	1	–	4	18	5	4	–	4	1	–	4	4	89	59	–	–	44	15
Limestone	361	–	–	4	71	20	14	7	7	3	2	18	12	164	117	–	2	83	32
Athens	150	–	–	3	37	8	8	3	5	3	2	8	6	69	41	–	2	32	7
Balance of county	211	–	–	1	34	12	6	4	2	–	–	10	6	95	76	–	–	51	25
Lowndes	115	–	–	–	20	8	3	2	1	–	1	5	5	40	27	–	2	14	11
Macon	276	–	–	6	52	19	11	5	12	–	–	5	8	134	97	–	11	58	28
Tuskegee	109	–	–	3	25	9	5	2	5	–	–	4	5	45	35	–	3	23	9
Balance of county	167	–	–	3	27	10	6	3	7	–	–	1	3	89	62	–	8	35	19
Madison	1,314	3	–	10	302	79	91	23	30	14	12	53	31	559	439	3	14	324	98
Huntsville	979	2	–	5	236	57	71	20	21	13	11	43	23	408	316	2	11	227	76
Balance of county	335	1	–	5	66	22	20	3	9	1	1	10	8	151	123	1	3	97	22
Marengo	244	–	–	–	45	10	11	4	5	4	–	11	1	128	82	1	6	59	16
Marion	283	–	–	5	53	8	20	2	7	2	2	12	6	137	110	–	3	85	22
Marshall	620	1	–	3	119	34	29	8	11	6	6	25	7	340	265	2	5	200	58
Albertville	102	–	–	1	18	5	5	1	–	1	–	6	–	66	50	1	–	36	13
Balance of county	518	1	–	2	101	29	24	7	11	5	6	19	7	274	215	1	5	164	45
Mobile	2,982	6	1	21	686	155	219	44	81	30	24	133	56	1,347	1,019	9	76	584	350
Mobile	1,837	2	1	13	424	101	119	36	50	15	17	86	38	840	616	6	48	348	214
Prichard	323	3	–	3	65	13	26	4	13	2	–	7	7	145	111	1	9	48	53
Balance of county	822	1	–	5	197	41	74	4	18	13	7	40	11	362	292	2	19	188	83
Monroe	219	–	–	1	42	9	6	6	7	3	1	10	5	122	95	–	3	59	33
Montgomery	1,693	4	–	16	370	83	98	36	49	8	16	80	24	702	529	3	31	327	168
Montgomery	1,545	4	–	13	341	76	93	34	44	8	12	74	22	647	488	3	30	296	157
Balance of county	148	–	–	3	29	7	5	2	5	–	4	6	2	55	41	–	1	29	11
Morgan	753	2	–	5	171	37	50	15	14	7	10	38	13	308	240	3	6	191	40
Decatur	364	–	–	4	86	20	29	7	5	3	5	17	9	168	124	3	4	93	24
Balance of county	389	2	–	1	85	17	21	8	9	4	5	21	4	140	116	–	2	98	16
Perry	131	–	–	–	24	5	7	–	4	2	–	6	–	58	44	–	1	31	12
Pickens	255	1	–	–	41	15	12	1	2	2	–	9	3	129	95	–	5	71	19
Pike	254	–	–	4	47	8	17	2	6	2	3	9	3	141	104	–	8	77	19
Troy	128	–	–	–	19	2	8	1	2	1	1	4	2	85	63	–	5	47	11
Balance of county	126	–	–	4	28	6	9	1	4	1	2	5	1	56	41	–	3	30	8
Randolph	219	–	–	3	43	14	13	3	4	1	2	6	2	115	74	–	1	63	10
Russell	498	–	–	6	82	19	28	3	16	1	1	14	7	272	194	–	5	149	40
Phenix City, part	332	–	–	3	54	14	17	1	11	–	1	10	6	192	134	–	4	106	24
Phenix City, total	333	–	–	3	54	14	17	1	11	–	1	10	6	193	135	–	4	107	24
Balance of county	166	–	–	3	28	5	11	2	5	1	–	4	1	80	60	–	1	43	16
St. Clair	346	–	–	3	79	10	16	7	9	3	3	31	3	185	131	–	2	94	35
Shelby	458	–	–	4	93	28	30	5	11	–	1	18	9	187	140	–	3	98	39
Hoover, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	458	–	–	4	93	28	30	5	11	–	1	18	9	187	140	–	3	98	39
Sumter	184	–	–	1	36	12	11	–	3	1	1	8	1	66	44	–	1	27	16
Talladega	684	–	–	2	123	23	36	14	12	3	8	27	9	322	241	1	5	192	43
Sylacauga	165	–	–	–	25	5	4	5	3	–	1	7	–	96	80	–	2	72	6
Talladega	187	–	–	–	33	10	11	3	2	–	3	4	6	78	56	–	1	39	16
Balance of county	332	–	–	2	65	8	21	6	7	3	4	16	3	148	105	1	2	81	21
Tallapoosa	376	1	–	2	64	22	17	3	10	1	–	11	11	211	168	1	2	110	55
Alexander City	134	–	–	–	30	11	9	1	5	1	–	3	2	74	57	1	–	40	16
Balance of county	242	1	–	2	34	11	8	2	5	–	–	8	9	137	111	–	2	70	39
Tuscaloosa	1,022	3	–	8	231	52	74	15	27	12	7	44	22	462	331	1	14	221	95
Northport	125	–	–	3	25	6	13	1	2	–	1	2	3	64	50	–	4	32	14
Tuscaloosa	573	3	–	3	118	27	38	6	17	10	2	18	13	262	179	1	5	118	55
Balance of county	324	–	–	2	88	19	23	8	8	2	4	24	6	136	102	–	5	71	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Houston	5	39	2	4	14	16	2	15	3	1	1	9	111	53	23	22	7	8	2
Dothan, part	5	28	2	2	8	12	1	10	2	1	–	5	73	29	17	17	5	7	1
Dothan, total	5	28	2	2	8	12	1	10	2	1	–	5	73	29	17	17	5	7	1
Balance of county	–	11	–	2	6	4	1	5	1	–	1	4	38	24	6	5	2	1	1
Jackson	1	53	3	2	6	16	–	5	5	–	3	3	7	33	9	16	3	4	1
Scottsboro	1	20	–	–	–	7	–	3	1	–	1	1	1	11	3	3	–	3	–
Balance of county	–	39	3	2	6	9	–	2	4	–	2	2	6	22	6	13	3	1	1
Jefferson	45	626	68	54	140	219	27	84	67	3	45	74	150	645	142	138	86	138	3
Bessemer	4	32	4	2	4	16	1	2	8	–	3	3	11	46	9	12	6	10	–
Birmingham	29	337	33	26	59	93	16	40	38	1	24	45	106	317	49	87	39	95	1
Fairfield	2	10	–	1	3	6	1	4	1	–	1	2	–	18	3	1	3	2	–
Homewood	–	21	–	6	4	4	2	3	–	–	2	2	3	18	1	4	5	–	–
Hoover, part	–	8	1	1	–	2	–	2	1	–	–	–	1	6	3	1	4	–	–
Hoover, total	–	8	1	1	–	2	–	2	1	–	–	–	1	6	3	1	4	–	–
Hueytown	–	10	2	1	2	9	1	1	2	–	–	2	2	14	4	4	–	2	1
Mountain Brook	–	18	4	1	5	4	–	2	1	–	1	1	2	18	–	2	4	1	–
Vestavia Hills	1	7	–	2	4	4	–	3	1	–	1	–	1	14	2	2	–	–	–
Balance of county	9	183	24	14	59	81	6	27	15	2	13	19	24	194	71	43	25	28	1
Lamar	1	31	4	3	8	7	–	–	–	–	–	3	1	13	7	4	2	1	–
Lauderdale	1	64	9	5	16	21	4	10	6	–	3	11	117	49	14	21	11	6	1
Florence	1	38	5	4	10	8	4	7	4	–	1	7	50	33	5	7	7	1	1
Balance of county	–	26	4	1	6	13	–	3	2	–	2	4	67	16	9	14	4	5	–
Lawrence	–	34	1	2	5	6	–	–	7	–	–	2	12	19	13	12	3	8	–
Lee	2	67	3	5	13	6	3	3	4	–	2	5	8	29	10	11	2	7	–
Auburn	–	18	–	1	4	2	1	–	1	–	–	2	3	8	3	1	1	1	–
Opelika	2	22	2	2	5	2	1	2	1	–	1	3	3	19	4	1	–	4	–
Phenix City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	27	1	2	4	2	1	1	2	–	1	–	2	8	3	9	1	2	–
Limestone	–	34	12	1	3	11	1	1	2	1	5	1	29	27	16	7	2	3	1
Athens	–	18	9	1	–	3	–	–	–	–	1	1	9	10	6	3	–	2	–
Balance of county	–	16	3	–	3	8	1	1	2	1	4	–	20	17	10	4	2	1	1
Lowndes	–	10	1	2	–	1	–	–	1	–	3	3	24	4	8	2	1	3	–
Macon	4	30	1	2	8	5	3	1	4	1	–	4	–	24	9	5	3	9	–
Tuskegee	1	9	–	–	3	4	1	–	2	–	–	2	–	10	3	2	2	2	–
Balance of county	3	21	1	2	5	1	2	1	2	1	–	2	–	14	6	3	1	7	–
Madison	5	97	8	10	13	33	4	16	14	–	9	18	92	90	31	46	24	16	3
Huntsville	5	72	6	9	10	24	2	12	9	–	7	16	61	72	19	37	20	13	3
Balance of county	–	25	2	1	3	9	2	4	5	–	2	2	31	18	12	9	4	3	–
Marengo	–	34	12	–	1	3	1	2	9	–	1	1	10	22	9	9	–	2	–
Marion	2	20	4	1	6	10	1	3	1	–	1	2	9	22	8	15	–	4	–
Marshall	2	58	10	5	12	17	1	–	8	1	1	8	7	40	26	16	10	2	1
Albertville	–	14	1	1	3	1	–	–	2	–	–	2	–	5	1	2	1	–	–
Balance of county	2	44	9	4	9	16	1	–	6	1	1	6	7	35	25	14	9	2	1
Mobile	13	259	27	29	31	94	11	39	23	–	29	62	56	235	75	77	38	87	8
Mobile	9	175	21	19	19	60	6	28	14	–	13	35	35	153	31	38	24	60	3
Prichard	1	29	3	1	2	8	–	4	1	–	6	7	8	29	6	10	4	13	2
Balance of county	3	55	3	9	10	26	5	7	8	–	10	20	13	53	38	29	10	14	3
Monroe	–	21	4	2	1	6	–	1	2	–	–	2	2	20	6	4	3	1	1
Montgomery	3	145	17	8	40	40	4	22	13	–	16	27	161	124	35	43	23	27	2
Montgomery	2	133	16	8	38	38	4	19	12	–	15	26	138	112	31	36	21	26	2
Balance of county	1	12	1	–	2	2	–	3	1	–	1	1	23	12	4	7	2	1	–
Morgan	3	56	2	7	11	23	2	1	6	–	6	6	62	54	36	29	12	2	4
Decatur	2	38	1	3	5	9	1	–	2	–	4	–	28	23	7	8	6	1	3
Balance of county	1	18	1	4	6	14	1	1	4	–	2	6	34	31	29	21	6	1	1
Perry	2	11	–	1	6	5	–	1	1	–	1	2	10	9	5	3	2	4	–
Pickens	1	28	3	2	5	5	2	4	2	–	3	1	19	19	5	12	2	2	–
Pike	–	30	5	2	3	10	–	1	1	–	2	4	–	14	13	6	–	4	1
Troy	–	17	4	1	2	5	–	–	–	–	1	–	–	6	4	3	–	1	–
Balance of county	–	13	1	1	1	5	–	1	1	–	1	4	–	8	9	3	–	3	1
Randolph	–	37	3	1	3	4	–	–	4	–	2	3	5	18	5	6	3	2	1
Russell	6	62	4	6	9	6	1	6	8	–	5	7	17	34	15	8	6	10	–
Phenix City, part	2	50	2	4	6	6	1	3	3	–	4	4	11	18	5	6	4	6	–
Phenix City, total	2	50	2	4	6	6	1	3	3	–	4	4	11	18	5	6	4	6	–
Balance of county	4	12	2	2	3	–	–	3	5	–	1	3	6	16	10	2	1	4	–
St. Clair	–	24	4	6	4	12	2	3	2	–	2	3	1	32	17	15	2	1	–
Shelby	1	42	3	1	7	12	–	6	2	–	6	5	55	30	11	11	9	11	–
Hoover, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	42	3	1	7	12	–	6	2	–	6	5	55	30	11	11	9	11	–
Sumter	–	18	–	4	9	3	2	1	5	–	–	7	22	17	7	4	2	1	–
Talladega	2	75	–	4	9	12	2	13	3	1	6	7	84	38	24	13	9	7	–
Sylacauga	–	15	–	1	2	1	–	3	–	–	4	1	19	7	3	2	1	1	–
Talladega	–	20	–	2	3	5	–	6	3	1	1	2	18	13	11	5	1	1	–
Balance of county	2	40	–	1	4	6	2	4	–	–	1	4	47	18	10	6	7	5	–
Tallapoosa	2	37	2	2	9	7	2	4	5	–	4	2	9	18	11	10	2	3	1
Alexander City	–	15	1	1	3	5	1	2	–	–	3	1	1	5	3	2	–	2	–
Balance of county	2	22	1	1	6	2	1	2	5	–	1	1	8	13	8	8	2	1	1
Tuscaloosa	5	101	12	13	28	17	3	5	13	–	8	10	58	85	18	22	18	7	3
Northport	1	8	3	2	4	1	1	1	2	–	–	–	4	9	1	4	1	2	–
Tuscaloosa	3	67	6	7	15	10	2	2	9	–	6	6	40	54	5	12	9	3	1
Balance of county	1	26	3	4	9	6	–	2	2	–	2	4	15	22	12	6	8	2	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	671	–	–	5	141	35	42	13	10	7	4	30	10	251	189	3	8	135	43
Jasper	123	–	–	1	21	9	7	5	1	1	1	3	2	49	37	2	2	24	9
Balance of county	548	–	–	4	120	32	35	8	9	6	3	27	8	202	152	1	6	111	34
Washington	154	–	–	–	32	4	8	3	6	1	5	5	2	81	65	–	2	48	15
Wilcox	178	–	–	3	30	5	6	6	5	–	2	6	1	86	58	–	1	26	31
Winston	200	–	–	2	38	12	9	2	3	1	3	8	2	112	105	–	2	56	47
Alaska	1,785	5	–	11	338	90	93	24	37	18	9	67	15	509	390	8	4	290	88
Urban places	886	2	–	6	186	39	53	16	20	14	6	38	11	275	212	3	2	170	37
Balance of area	899	3	–	5	152	51	40	8	17	4	3	29	4	234	178	5	2	120	51
Metropolitan census areas [1]	590	1	–	4	136	31	38	11	12	8	5	31	11	174	138	1	–	111	26
Urban places	590	1	–	4	136	31	38	11	12	8	5	31	11	174	138	1	–	111	26
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1,195	4	–	7	202	59	55	13	25	10	4	36	4	335	252	7	4	179	62
Urban places	296	1	–	2	50	8	15	5	8	6	1	7	–	101	74	2	2	59	11
Balance of area	899	3	–	5	152	51	40	8	17	4	3	29	4	234	178	5	2	120	51
Aleutian Islands	33	–	–	–	3	2	1	–	–	–	–	–	–	8	4	–	–	3	1
Anchorage, coext. with Anchorage city	590	1	–	4	136	31	38	11	12	8	5	31	11	174	138	1	–	111	26
Bethel	58	–	–	–	11	1	3	1	–	–	1	5	–	7	5	1	–	3	1
Bristol Bay borough	6	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Dillingham	39	1	–	–	1	–	–	–	–	–	–	1	1	8	4	1	–	2	1
Fairbanks North Star borough	229	–	–	1	39	7	12	3	9	4	1	3	–	78	59	1	1	48	9
Fairbanks	211	–	–	1	34	6	10	3	8	4	1	2	–	74	55	1	1	45	8
Balance of area	18	–	–	–	5	1	2	–	1	–	–	1	–	4	4	–	–	3	1
Haines borough	4	–	–	–	2	1	–	–	–	–	–	1	–	1	1	–	–	–	1
Juneau, coext. with Juneau city	85	1	–	1	16	2	5	2	–	2	–	5	–	27	19	1	1	14	3
Kenai Peninsula borough	128	–	–	–	24	5	6	3	3	2	–	5	–	34	29	1	–	22	6
Ketchikan Gateway borough	83	1	–	–	18	7	4	1	1	1	1	3	1	34	28	–	–	19	9
Kobuk	43	–	–	–	5	3	–	–	1	–	–	1	1	11	9	–	–	6	3
Kodiak Island borough	46	–	–	–	8	3	5	–	–	–	–	–	–	10	8	1	–	6	1
Matanuska-Susitna borough	87	–	–	–	20	8	8	–	4	–	–	4	1	23	18	–	–	16	2
Nome	60	–	–	1	12	8	1	–	1	–	–	2	–	13	11	–	–	7	4
North Slope borough	26	–	–	–	3	–	2	–	1	–	–	–	–	4	3	–	–	2	1
Prince of Wales-Outer Ketchikan	23	–	–	–	4	1	2	–	1	–	–	–	–	4	3	1	–	2	–
Sitka borough	37	–	–	–	3	3	–	–	–	–	–	–	–	15	8	–	–	5	3
Skagway-Yakutat-Angoon	24	–	–	–	3	1	1	–	–	–	1	–	–	5	5	–	–	1	4
Southeast Fairbanks	25	–	–	–	3	1	–	1	–	–	–	1	–	9	8	–	–	4	4
Valdez-Cordova	44	–	–	1	9	1	5	1	–	–	–	2	–	8	7	–	2	4	1
Wade Hampton	21	–	–	1	4	2	1	–	–	–	–	1	–	4	2	–	–	1	1
Wrangell-Petersburg	44	–	–	2	8	2	–	1	3	1	–	1	–	24	16	–	–	12	4
Yukon-Koyukuk	50	1	–	–	5	2	1	–	1	–	–	1	–	7	5	–	–	2	3
Arizona	21,969	28	1	242	4,790	1,153	1,322	383	518	207	190	1,017	364	9,586	7,606	106	172	5,612	1,716
Urban places	14,177	16	1	162	3,051	734	840	245	327	130	128	647	220	6,335	5,001	73	118	3,722	1,088
Balance of area	7,792	12	–	80	1,739	419	482	138	191	77	62	370	144	3,251	2,605	33	54	1,890	628
Metropolitan counties	16,474	17	1	193	3,693	900	1,006	297	416	163	148	763	255	7,356	5,812	82	137	4,343	1,250
Urban places	12,742	13	1	154	2,728	654	755	220	297	120	110	572	190	5,726	4,532	66	107	3,398	961
Balance of area	3,732	4	–	39	965	246	251	77	119	43	38	191	65	1,630	1,280	16	30	945	289
Nonmetropolitan counties	5,495	11	–	49	1,097	253	316	86	102	44	42	254	109	2,230	1,794	24	35	1,269	466
Urban places	1,435	3	–	8	323	80	85	25	30	10	18	75	30	609	469	7	11	324	127
Balance of area	4,060	8	–	41	774	173	231	61	72	34	24	179	79	1,621	1,325	17	24	945	339
Apache	330	1	–	6	32	8	7	4	5	1	1	6	7	55	49	1	1	24	23
Cochise	654	2	–	9	131	31	43	11	13	4	5	24	13	291	234	1	8	179	52
Douglas	118	–	–	1	20	5	5	–	2	–	2	6	6	59	40	–	1	33	6
Sierra Vista	84	1	–	1	28	8	8	5	–	1	1	7	1	31	26	–	3	15	8
Balance of county	452	1	–	7	83	20	30	8	11	3	2	11	6	201	168	1	4	125	38
Coconino	342	1	–	2	60	13	8	7	4	2	3	23	6	115	94	4	1	52	37
Flagstaff	138	–	–	–	25	5	5	2	1	–	3	9	5	41	32	2	–	17	13
Balance of county	204	1	–	2	35	8	3	5	3	2	–	14	1	74	62	2	1	35	24
Gila	417	3	–	3	82	15	21	8	8	2	6	22	11	186	141	1	5	93	42
Graham	168	–	–	1	22	5	8	–	1	1	1	6	4	73	53	–	–	44	9
Greenlee	74	–	–	–	20	3	5	2	2	1	–	7	1	26	21	–	–	13	8
Maricopa	12,203	15	1	125	2,771	677	743	219	317	121	102	592	195	5,432	4,284	64	94	3,243	883
Chandler	204	–	–	4	41	8	7	3	7	1	1	14	4	72	58	–	1	46	9
Glendale	638	2	–	10	146	37	41	14	12	7	5	30	11	272	207	3	3	152	49
Mesa	1,402	2	–	15	327	90	75	19	37	14	15	77	16	604	493	6	7	367	93
Paradise Valley	40	–	–	–	8	3	2	–	1	–	–	2	–	18	10	–	–	5	5
Peoria	188	–	–	1	44	10	12	4	6	2	1	9	3	95	75	4	2	53	16
Phoenix	5,887	8	1	61	1,222	294	360	99	118	52	40	259	103	2,611	2,053	28	52	1,528	445
Scottsdale	892	–	–	6	220	45	50	24	39	12	8	42	13	426	344	9	6	253	76
Tempe	470	–	–	4	108	24	25	11	9	3	8	28	–	218	174	4	1	143	26
Balance of county	2,482	3	–	24	655	168	171	45	88	30	24	131	45	1,116	872	10	22	676	164
Mohave	626	2	–	5	150	35	53	8	12	3	7	32	4	285	227	–	4	160	63
Lake Havasu City	137	2	–	2	38	15	6	2	4	1	1	9	1	59	41	–	2	28	11
Balance of county	489	–	–	3	112	20	47	6	8	2	6	23	3	226	186	–	2	132	52
Navajo	394	–	–	6	65	18	11	9	3	3	2	19	9	118	100	4	–	64	32
Pima	4,271	2	–	68	922	223	263	78	99	42	46	171	60	1,924	1,528	18	43	1,100	367
Tucson	3,021	1	–	53	612	143	183	46	68	29	32	111	40	1,410	1,120	12	35	831	242
Balance of county	1,250	1	–	15	310	80	80	32	31	13	14	60	20	514	408	6	8	269	125

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Alabama—Con.																			
Walker	1	53	7	1	25	24	2	2	10	–	5	1	87	44	26	23	9	4	2
Jasper	–	11	1	–	6	1	1	–	3	–	1	–	19	8	2	2	2	3	2
Balance of county	1	42	6	1	19	23	1	2	7	–	4	1	68	36	24	21	7	1	–
Washington	–	14	2	–	2	7	1	–	1	–	3	1	1	8	3	8	2	2	–
Wilcox	2	25	1	–	4	1	1	–	2	1	2	3	16	9	8	4	–	6	1
Winston	–	7	–	–	1	7	–	4	1	–	1	1	1	11	11	6	–	1	1
Alaska	2	91	9	17	55	37	3	49	12	1	34	47	43	122	98	283	54	55	14
Urban places	1	46	3	13	21	21	2	29	4	–	19	24	18	66	57	87	29	29	–
Balance of area	1	45	6	4	34	16	1	20	8	1	15	23	25	56	41	196	25	26	14
Metropolitan census areas [3]	1	26	2	7	9	16	2	18	3	–	12	19	12	40	35	48	25	25	–
Urban places	1	26	2	7	9	16	2	18	3	–	12	19	12	40	35	48	25	25	–
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [3]	1	65	7	10	46	21	1	31	9	1	22	28	31	82	63	235	29	30	14
Urban places	–	20	1	6	12	5	–	11	1	–	7	5	6	26	22	39	4	4	–
Balance of area	1	45	6	4	34	16	1	20	8	1	15	23	25	56	41	196	25	26	14
Aleutian Islands	–	4	–	–	–	–	–	–	–	1	–	1	–	2	2	12	–	2	2
Anchorage, coext. with Anchorage city	1	26	2	7	9	16	2	18	3	–	12	18	12	40	35	48	25	25	–
Bethel	–	2	–	–	4	–	–	–	–	–	1	3	4	6	–	19	–	3	–
Bristol Bay borough	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–
Dillingham	–	4	–	–	1	1	–	–	–	–	1	–	–	1	–	14	–	2	8
Fairbanks North Star borough	–	15	1	3	12	4	–	8	–	–	7	5	6	18	17	30	3	1	–
Fairbanks	–	15	1	3	12	4	–	7	–	–	7	3	6	18	16	26	3	1	–
Balance of area	–	–	–	–	–	–	–	1	–	–	–	2	–	–	2	4	–	–	–
Haines borough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Juneau, coext. with Juneau city	–	5	–	3	–	1	–	4	1	–	–	2	–	8	7	13	1	3	–
Kenai Peninsula borough	–	5	–	–	5	3	–	6	3	–	3	3	1	5	10	21	5	4	1
Ketchikan Gateway borough	–	5	1	–	1	–	–	3	2	–	3	–	1	6	2	7	3	1	–
Kobuk	–	2	–	–	1	1	–	1	–	–	1	1	1	9	–	9	1	1	–
Kodiak Island borough	–	2	–	–	1	1	–	2	1	–	–	1	1	7	2	8	2	2	–
Matanuska-Susitna borough	–	2	–	3	5	3	1	3	1	–	3	1	–	3	10	10	–	3	–
Nome	–	2	–	–	2	1	–	1	–	–	3	4	3	1	12	4	3	–	
North Slope borough	1	–	–	–	–	2	–	–	–	–	1	1	2	–	–	9	1	2	1
Prince of Wales-Outer Ketchikan	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	8	3	–	–
Sitka borough	–	5	2	–	3	–	–	1	–	–	–	–	1	2	–	10	–	1	1
Skagway-Yakutat-Angoon	–	–	–	–	1	–	–	–	–	–	–	1	–	3	3	4	3	1	–
Southeast Fairbanks	–	–	–	1	1	–	–	2	–	–	–	–	4	–	1	3	2	–	–
Valdez-Cordova	–	1	–	–	1	2	–	–	–	–	3	1	2	2	14	–	1	–	
Wade Hampton	–	2	–	–	3	–	–	–	–	–	–	2	1	–	6	–	–	–	
Wrangell-Petersburg	–	5	3	–	2	–	–	–	1	–	1	–	–	1	–	5	–	–	–
Yukon-Koyukuk	–	2	–	–	3	2	–	–	–	–	1	2	2	4	5	17	–	–	1
Arizona	61	1,391	268	260	614	1,051	59	380	218	3	169	192	251	1,816	726	670	509	262	38
Urban places	39	932	199	164	376	685	29	233	153	3	112	145	109	1,194	412	396	351	178	16
Balance of area	22	459	69	96	238	366	30	147	65	–	57	47	142	622	314	274	158	84	22
Metropolitan counties	42	1,082	221	199	453	788	46	261	163	3	121	140	130	1,380	466	421	376	197	14
Urban places	33	833	180	148	340	604	27	208	141	3	99	129	100	1,079	363	344	313	167	13
Balance of area	9	249	41	51	113	184	19	53	22	–	22	11	30	301	103	77	63	30	1
Nonmetropolitan counties	19	309	47	61	161	263	13	119	55	–	48	52	121	436	260	249	133	65	24
Urban places	6	99	19	16	36	81	2	25	12	–	13	16	9	115	49	52	38	11	3
Balance of area	13	210	28	45	125	182	11	94	43	–	35	36	112	321	211	197	95	54	21
Apache	–	6	–	–	14	4	–	9	8	–	7	3	35	48	47	38	8	2	6
Cochise	2	45	2	8	18	31	2	11	7	–	5	7	17	55	23	14	14	2	2
Douglas	1	13	2	3	4	1	1	2	1	–	1	1	1	10	7	2	1	–	–
Sierra Vista	–	4	–	1	3	4	–	2	–	–	1	–	1	6	3	–	2	–	–
Balance of county	1	28	–	4	11	26	1	7	6	–	3	6	15	39	13	12	11	2	2
Coconino	1	15	1	4	10	7	–	7	3	–	7	6	3	37	26	31	12	9	–
Flagstaff	–	7	–	2	–	5	–	3	1	–	4	4	1	16	8	14	7	4	–
Balance of county	1	8	1	2	10	2	–	4	2	–	3	2	2	21	18	17	5	5	–
Gila	4	22	8	11	11	18	2	12	4	–	4	4	3	34	11	12	6	10	1
Graham	3	13	2	2	9	8	–	6	2	–	2	1	5	12	8	9	1	1	2
Greenlee	–	4	1	–	3	5	–	4	–	–	1	4	–	2	1	4	2	–	1
Maricopa	32	815	151	150	305	530	27	189	132	3	90	112	94	1,056	354	346	280	138	8
Chandler	–	11	3	2	5	13	–	5	–	–	4	5	2	16	16	4	10	3	–
Glendale	2	43	8	12	13	27	–	9	8	–	8	6	4	58	22	19	13	9	–
Mesa	4	70	27	10	39	81	3	15	21	–	13	17	12	128	43	33	28	5	–
Paradise Valley	–	7	1	–	–	1	–	–	–	–	–	1	–	8	–	3	1	–	–
Peoria	–	15	3	2	9	10	–	3	1	–	1	2	1	11	3	3	1	–	–
Phoenix	19	393	78	68	153	255	11	104	69	3	48	67	53	525	158	177	155	96	7
Scottsdale	1	66	3	12	12	20	1	19	10	–	2	2	5	70	27	30	23	6	–
Tempe	1	30	7	6	7	13	1	4	6	–	1	4	2	34	23	20	20	5	–
Balance of county	5	180	21	38	67	110	11	30	16	–	13	8	15	206	62	57	29	14	1
Mohave	3	41	9	5	19	30	3	14	3	–	3	4	4	37	25	19	15	3	1
Lake Havasu City	2	11	3	2	5	6	–	6	–	–	3	1	–	9	3	2	–	–	–
Balance of county	1	30	6	3	14	24	3	8	3	–	–	3	4	28	22	17	15	3	1
Navajo	–	15	–	3	17	9	1	14	4	–	8	4	17	41	34	28	7	9	3
Pima	10	267	70	49	148	258	19	72	31	–	31	28	36	324	112	75	86	59	6
Tucson	6	198	50	36	102	184	11	49	25	–	22	25	21	229	71	55	62	43	6
Balance of county	4	69	20	13	46	74	8	23	6	–	9	3	15	95	41	20	34	16	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	735	1	–	10	160	44	50	10	11	8	6	31	24	298	262	3	5	194	60
Casa Grande	122	–	–	2	33	8	10	3	3	–	4	5	–	46	40	–	1	25	14
Balance of county	613	1	–	8	127	36	40	7	8	8	2	26	24	252	222	3	4	169	46
Santa Cruz	136	–	–	1	27	6	6	2	4	4	–	5	7	58	37	–	–	27	10
Nogales	74	–	–	–	16	4	5	–	2	2	–	3	6	27	21	–	–	16	5
Balance of county	62	–	–	1	11	2	1	2	2	2	–	2	1	29	16	–	–	11	5
Yavapai	888	–	–	4	193	36	59	15	28	9	7	39	8	445	355	7	6	283	59
Prescott	347	–	–	1	70	11	20	6	14	1	3	15	4	181	137	3	2	105	27
Balance of county	541	–	–	3	123	25	39	9	14	8	4	24	4	264	218	4	4	178	32
Yuma	733	1	–	2	155	39	45	10	11	6	4	40	15	282	221	3	5	142	71
Yuma	415	–	–	1	93	26	26	7	4	5	4	21	7	165	132	2	2	85	43
Balance of county	318	1	–	1	62	13	19	3	7	1	–	19	8	117	89	1	3	57	28
Arkansas	22,419	27	1	221	4,663	1,043	1,355	322	487	194	175	1,076	346	11,120	8,353	51	176	5,628	2,496
Urban places	8,448	7	1	77	1,759	392	494	155	176	65	61	394	134	4,175	3,025	17	77	1,996	935
Balance of area	13,971	20	–	144	2,904	651	872	167	309	129	94	682	212	6,945	5,328	34	99	3,632	1,563
Metropolitan counties	7,654	10	1	83	1,659	378	489	152	173	63	58	346	128	3,640	2,650	15	63	1,715	857
Urban places	5,357	5	1	51	1,147	260	326	112	122	42	45	240	92	2,582	1,846	9	52	1,213	572
Balance of area	2,297	5	–	32	512	118	163	40	51	21	13	106	36	1,058	804	6	11	502	285
Nonmetropolitan counties	14,765	17	–	138	3,004	665	877	170	314	131	117	730	218	7,480	5,703	36	113	3,913	1,641
Urban places	3,091	2	–	26	612	132	168	43	56	23	36	154	42	1,593	1,179	8	25	783	363
Balance of area	11,674	15	–	112	2,392	533	709	127	258	108	81	576	176	5,887	4,524	28	88	3,130	1,278
Arkansas	273	1	–	4	45	15	8	4	8	1	2	7	2	152	100	–	–	69	31
Stuttgart	114	–	–	2	17	4	2	2	5	1	1	2	–	61	42	–	–	28	14
Balance of county	159	1	–	2	28	11	6	2	3	–	1	5	2	91	58	–	–	41	17
Ashley	266	–	–	3	49	12	19	3	3	–	2	10	3	119	82	–	4	55	23
Baxter	421	–	–	7	100	24	29	5	9	8	1	24	4	212	158	–	5	120	33
Benton	742	–	–	4	180	40	69	16	12	6	6	37	8	376	266	1	3	184	78
Rogers	201	–	–	–	49	14	12	6	1	1	4	11	2	102	73	–	2	47	24
Springdale, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	540	–	–	4	131	26	51	10	11	5	2	26	6	274	193	1	1	137	54
Boone	264	–	–	4	57	12	18	5	3	2	3	14	4	138	104	1	1	75	27
Bradley	155	–	–	2	25	5	10	–	3	1	3	3	2	92	71	1	–	62	8
Calhoun	74	–	–	3	14	3	5	1	3	–	–	2	1	42	32	–	–	22	10
Carroll	183	–	–	2	37	6	15	3	6	1	3	3	1	102	83	1	1	60	21
Chicot	163	–	–	1	40	11	6	2	8	4	1	8	–	66	47	–	–	40	7
Clark	222	1	–	2	36	5	10	4	4	2	2	9	1	104	75	–	1	62	12
Arkadelphia	73	–	–	–	18	4	5	3	1	–	1	4	–	34	24	–	–	21	3
Balance of county	149	1	–	2	18	1	5	1	3	2	1	5	1	70	51	–	1	41	9
Clay	259	–	–	1	47	10	11	4	4	4	2	12	7	152	123	2	–	102	19
Cleburne	197	–	–	–	33	5	14	–	4	2	1	7	3	91	59	1	–	41	17
Cleveland	73	–	–	–	11	2	4	–	2	2	–	1	–	38	34	1	–	20	13
Columbia	304	1	–	3	48	11	11	3	7	–	3	13	8	157	109	1	10	63	35
Magnolia	113	–	–	–	18	4	3	2	1	–	2	6	3	60	44	–	2	23	19
Balance of county	191	1	–	3	30	7	8	1	6	–	1	7	5	97	65	1	8	40	16
Conway	206	1	–	3	37	6	7	3	6	3	1	11	4	120	99	1	2	60	36
Craighead	563	–	–	12	122	24	34	8	14	4	11	27	10	280	208	2	4	150	52
Jonesboro	289	–	–	3	68	10	20	5	8	3	10	12	4	139	92	2	3	64	23
Balance of county	274	–	–	9	54	14	14	3	6	1	1	15	6	141	116	–	1	86	29
Crawford	344	1	–	5	74	19	17	8	8	3	1	18	2	183	138	1	3	62	72
Van Buren	156	1	–	2	24	4	6	5	3	1	1	4	1	88	65	–	–	35	30
Balance of county	188	–	–	3	50	15	11	3	5	2	–	14	1	95	73	1	3	27	42
Crittenden	444	1	–	4	78	15	27	5	9	3	7	12	4	173	124	–	–	98	26
West Memphis	236	–	–	–	40	6	13	3	4	1	5	8	2	102	74	–	–	58	16
Balance of county	208	1	–	4	38	9	14	2	5	2	2	4	2	71	50	–	–	40	10
Cross	210	–	–	1	42	10	13	2	3	1	–	13	4	101	71	1	–	56	14
Dallas	147	–	–	–	27	9	6	1	4	3	1	3	6	76	48	–	–	26	22
Desha	202	–	–	–	40	9	10	1	8	1	–	11	5	93	66	–	5	42	19
Drew	142	–	–	–	31	5	13	2	3	1	1	6	3	78	61	–	1	44	16
Faulkner	359	–	–	5	68	9	17	3	9	4	3	23	4	151	125	1	–	97	27
Conway	151	–	–	1	34	5	6	2	6	3	2	10	1	65	53	–	–	46	7
Balance of county	208	–	–	4	34	4	11	1	3	1	1	13	3	86	72	1	–	51	20
Franklin	154	–	–	1	31	4	10	1	2	1	2	11	3	71	59	1	–	42	16
Fulton	134	–	–	1	27	3	7	3	4	1	1	8	2	70	51	–	–	32	19
Garland	894	1	–	8	175	32	56	8	14	11	7	47	9	466	382	3	4	183	192
Hot Springs	652	–	–	6	119	19	41	4	9	7	4	35	9	349	278	3	3	132	140
Balance of county	242	1	–	2	56	13	15	4	5	4	3	12	–	117	104	–	1	51	52
Grant	110	–	–	1	30	3	13	1	5	–	–	8	–	56	43	–	1	29	13
Greene	302	–	–	4	51	9	12	2	5	2	3	18	8	174	144	1	1	105	37
Paragould	192	–	–	3	29	6	7	2	3	1	2	8	5	115	93	–	1	68	24
Balance of county	110	–	–	1	22	3	5	–	2	1	1	10	3	59	51	1	–	37	13
Hempstead	269	–	–	1	60	22	18	4	6	–	3	7	7	143	99	–	10	70	19
Hope	131	–	–	–	28	9	8	2	2	–	3	4	–	76	47	–	4	32	11
Balance of county	138	–	–	1	32	13	10	2	4	–	–	3	7	67	52	–	6	38	8
Hot Spring	278	–	–	–	53	13	13	4	6	2	3	12	3	145	95	–	3	72	20
Malvern	145	–	–	–	24	6	5	1	3	–	3	6	1	78	49	–	–	37	12
Balance of county	133	–	–	–	29	7	8	3	3	2	–	6	2	67	46	–	3	35	8
Howard	159	1	–	3	32	2	11	3	4	1	1	10	4	61	42	1	2	27	12
Independence	324	1	–	1	78	19	21	5	5	3	3	22	2	170	125	–	6	71	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	2	27	1	6	13	43	-	15	9	-	1	6	12	45	33	24	25	15	1
Casa Grande	1	4	1	-	3	7	-	2	1	-	1	1	1	6	5	8	5	1	-
Balance of county	1	23	-	6	10	36	-	13	8	-	-	5	11	39	28	16	20	14	1
Santa Cruz	-	11	4	4	6	7	-	2	2	-	2	-	4	8	4	4	2	3	1
Nogales	-	5	1	-	4	6	-	-	2	-	1	-	3	3	2	2	1	1	-
Balance of county	-	6	3	4	2	1	-	2	-	-	1	-	1	5	2	2	1	2	1
Yavapai	3	66	11	10	23	63	3	13	6	-	4	3	3	45	22	26	22	2	3
Prescott	1	31	8	4	7	25	-	4	3	-	1	-	-	26	7	5	9	2	2
Balance of county	2	35	3	6	16	38	3	9	3	-	3	3	3	19	15	21	13	-	1
Yuma	1	44	8	8	18	38	2	12	7	-	4	10	18	72	26	40	19	9	3
Yuma	1	24	4	4	10	27	1	6	4	-	1	9	2	39	14	19	13	3	1
Balance of county	-	20	4	4	8	11	1	6	3	-	3	1	16	33	12	21	6	6	2
Arkansas	70	2,190	304	203	523	669	42	201	276	1	108	143	812	1,553	577	599	276	234	27
Urban places	22	904	138	86	198	253	13	100	103	-	47	59	294	628	165	217	101	108	9
Balance of area	48	1,286	166	117	325	416	29	101	173	1	61	84	518	925	412	382	175	126	18
Metropolitan counties	27	769	121	73	164	235	13	85	83	1	44	70	284	538	185	231	100	91	9
Urban places	16	571	93	56	118	171	8	61	58	-	34	45	200	394	104	149	67	66	6
Balance of area	11	198	28	17	46	64	7	24	25	1	10	25	84	144	81	82	33	25	3
Nonmetropolitan counties	43	1,421	183	130	359	434	29	116	193	-	64	73	528	1,015	392	368	176	143	18
Urban places	6	333	45	30	80	82	7	38	45	-	13	14	94	234	61	68	34	42	3
Balance of area	37	1,088	138	100	279	352	22	77	148	-	51	59	434	781	331	300	142	101	15
Arkansas	-	32	20	-	4	5	-	-	4	-	1	3	24	11	3	6	3	5	-
Stuttgart	-	16	3	-	2	1	-	-	1	-	-	1	17	6	1	3	-	2	-
Balance of county	-	16	17	-	2	4	-	-	3	-	1	2	7	5	2	3	3	3	-
Ashley	2	32	2	1	1	16	-	2	4	-	-	2	20	17	8	12	3	6	-
Baxter	2	42	2	8	7	19	-	2	6	-	-	2	2	36	7	6	8	2	1
Benton	4	85	10	11	16	28	3	7	9	1	3	3	8	43	22	17	12	2	-
Rogers	1	23	4	1	7	8	1	-	2	-	2	-	4	17	2	3	2	-	-
Springdale, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	62	6	10	9	19	2	7	7	1	1	3	4	26	20	14	10	2	-
Boone	1	28	2	5	9	5	-	-	3	-	-	1	2	32	7	1	1	-	-
Bradley	1	16	-	4	3	3	-	2	4	-	-	-	-	9	4	4	3	2	-
Calhoun	2	7	-	1	-	3	-	-	2	-	-	-	2	3	-	2	2	-	-
Carroll	2	11	4	2	7	3	1	-	1	-	-	-	4	13	3	3	4	2	-
Chicot	-	17	2	-	-	2	-	1	2	-	1	1	27	9	7	5	-	1	-
Clark	1	18	6	4	9	2	-	1	5	-	1	-	20	20	6	6	4	4	-
Arkadelphia	-	6	3	1	1	1	-	1	1	-	1	-	5	6	-	2	2	1	-
Balance of county	1	12	3	3	8	1	-	-	4	-	-	-	15	14	6	4	2	3	-
Clay	-	24	3	2	5	11	2	3	3	-	-	-	4	14	3	5	1	1	-
Cleburne	-	22	7	3	5	4	-	1	2	-	-	-	28	13	9	5	1	1	1
Cleveland	-	4	-	-	-	5	1	-	1	-	-	-	3	8	4	1	-	1	-
Columbia	2	40	2	4	7	8	2	1	6	-	1	2	-	24	13	9	8	6	-
Magnolia	-	14	-	2	3	6	1	-	3	-	-	-	-	9	3	2	2	3	-
Balance of county	2	26	2	2	4	2	1	1	3	-	1	2	-	15	10	7	6	3	-
Conway	-	15	2	4	7	1	-	1	1	-	-	1	4	10	3	10	1	2	-
Craighead	-	61	4	7	11	17	1	6	8	-	5	4	5	34	22	14	9	2	1
Jonesboro	-	41	2	4	9	6	1	5	5	-	2	3	4	16	9	8	4	2	1
Balance of county	-	20	2	3	2	11	-	1	3	-	3	1	1	18	13	6	5	-	-
Crawford	-	36	3	6	7	12	1	2	2	-	2	3	3	27	9	6	3	2	-
Van Buren	-	16	2	5	4	7	-	2	2	-	-	-	2	15	3	4	1	-	-
Balance of county	-	20	1	1	3	5	1	-	-	-	2	3	1	12	6	2	2	2	-
Crittenden	2	41	4	2	4	12	-	7	7	-	4	6	75	24	9	20	4	10	-
West Memphis	-	23	4	1	2	9	-	3	-	-	1	3	39	13	5	10	2	5	-
Balance of county	2	18	-	1	2	3	-	4	7	-	3	5	36	11	4	10	2	5	-
Cross	-	26	1	3	3	6	-	2	3	-	-	3	15	12	4	8	3	3	-
Dallas	-	25	3	-	4	3	-	1	3	-	-	1	5	4	5	6	3	2	1
Desha	1	17	6	3	3	5	-	1	3	-	1	1	19	14	6	7	1	3	-
Drew	-	14	2	1	5	4	-	-	-	-	2	2	2	6	3	1	1	5	-
Faulkner	-	23	-	3	10	7	1	4	6	-	3	3	37	28	14	10	5	3	-
Conway	-	11	-	1	4	2	1	3	4	-	-	2	11	14	3	3	2	1	-
Balance of county	-	12	-	2	6	5	-	1	2	-	3	1	26	14	11	7	3	2	-
Franklin	1	8	-	3	3	7	-	1	1	-	2	-	9	17	3	-	2	1	2
Fulton	-	14	4	1	4	5	1	2	-	-	-	1	5	7	2	5	1	1	-
Garland	-	65	9	11	18	34	1	17	8	-	4	2	14	75	19	18	14	11	-
Hot Springs	-	56	6	9	15	23	-	11	7	-	4	-	9	62	9	13	6	10	-
Balance of county	-	9	2	2	3	11	1	6	1	-	-	2	5	13	10	5	8	1	-
Grant	-	10	3	-	3	4	-	1	1	-	-	-	1	5	5	2	1	-	-
Greene	-	24	4	2	6	8	-	3	2	-	2	3	1	17	8	6	6	3	-
Paragould	-	16	4	2	6	6	-	1	2	-	-	1	1	12	3	4	1	3	-
Balance of county	-	8	-	-	-	2	-	2	-	-	2	2	-	5	5	2	5	-	-
Hempstead	-	40	3	1	6	8	1	2	3	-	-	1	2	17	8	7	-	3	-
Hope	-	28	1	-	2	6	-	1	2	-	-	-	1	9	3	2	-	1	-
Balance of county	-	12	2	1	4	2	1	1	1	-	-	1	1	8	5	5	-	2	-
Hot Spring	1	36	11	2	5	8	1	4	5	-	-	-	4	27	8	8	4	2	1
Malvern	1	22	5	1	1	5	1	2	3	-	-	-	3	16	4	3	2	2	-
Balance of county	-	14	6	1	4	3	-	2	2	-	-	-	1	11	4	5	2	-	1
Howard	-	17	-	2	8	9	1	-	4	-	1	-	8	15	4	6	2	-	-
Independence	-	34	7	4	11	5	-	5	1	-	1	1	6	24	5	9	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	144	–	–	1	35	12	10	–	2	4	1	6	1	74	58	–	1	47	10
Jackson	215	–	–	2	38	9	13	1	4	3	2	6	6	96	75	1	4	45	25
Jefferson	820	1	–	4	178	43	44	12	22	10	6	41	14	429	317	–	12	205	100
Pine Bluff	630	1	–	1	136	38	33	7	16	8	6	28	10	344	250	–	10	159	81
Balance of county	190	–	–	3	42	5	11	5	6	2	–	13	4	85	67	–	2	46	19
Johnson	199	–	–	1	47	11	12	4	6	3	1	10	4	91	75	1	2	55	17
Lafayette	126	–	–	3	27	10	8	1	2	–	1	5	1	52	27	–	3	14	10
Lawrence	223	–	–	7	48	13	18	3	4	2	–	8	3	110	91	–	1	57	33
Lee	171	–	–	2	30	6	8	2	3	2	1	8	10	82	63	1	1	34	27
Lincoln	127	–	–	2	28	7	6	1	7	1	–	6	3	62	43	1	–	24	18
Little River	122	1	–	1	24	8	5	1	4	1	–	5	3	52	45	–	–	32	13
Logan	230	1	–	2	39	11	7	4	3	1	3	10	3	134	112	–	–	65	47
Lonoke	272	–	–	1	55	16	15	3	10	1	2	8	3	122	83	–	–	56	27
Madison	106	–	–	–	22	2	3	1	5	2	2	7	4	51	39	–	–	29	10
Marion	134	–	–	–	31	6	9	–	4	4	2	6	1	65	57	–	–	35	22
Miller	329	–	–	4	66	15	20	7	7	–	3	14	4	164	129	1	15	72	41
Texarkana ²	233	–	–	2	46	9	15	3	4	–	3	12	3	112	85	1	11	45	28
Balance of county	96	–	–	2	20	6	5	4	3	–	–	2	1	52	44	–	4	27	13
Mississippi	582	–	–	5	99	21	28	3	9	2	6	30	3	307	226	1	4	174	47
Blytheville	223	–	–	1	38	9	10	2	4	–	1	12	3	110	84	–	3	66	15
Balance of county	339	–	–	4	61	12	18	1	5	2	5	18	–	197	142	1	1	108	32
Monroe	173	–	–	2	46	2	17	2	8	2	1	14	2	86	65	–	1	51	13
Montgomery	88	–	–	–	19	5	5	–	2	3	–	4	1	47	39	–	–	31	8
Nevada	135	–	–	2	27	8	4	1	8	3	–	3	3	68	56	1	3	30	22
Newton	68	–	–	1	18	3	5	2	–	–	–	8	1	29	26	1	2	10	13
Ouachita	378	1	–	4	89	25	31	2	8	3	–	20	3	191	147	1	4	110	32
Camden	200	1	–	2	44	10	14	2	4	2	–	12	1	106	77	–	2	63	12
Balance of county	178	–	–	2	45	15	17	–	4	1	–	8	2	85	70	1	2	47	20
Perry	83	–	–	1	15	3	8	–	1	–	–	3	2	45	32	–	–	23	9
Phillips	398	–	–	4	76	10	22	8	10	4	2	20	8	191	151	1	4	117	29
West Helena	98	–	–	1	17	3	5	3	2	–	–	4	3	51	39	1	1	32	5
Balance of county	297	–	–	3	59	7	17	5	8	4	2	16	5	140	112	–	3	85	24
Pike	119	–	–	–	27	1	10	3	3	2	3	5	–	58	42	–	1	29	18
Poinsett	278	–	–	–	62	12	15	2	5	5	1	22	3	145	112	–	2	87	23
Polk	214	2	–	–	36	5	12	5	2	2	1	9	8	122	102	2	1	57	42
Pope	303	1	–	3	77	15	32	6	5	2	1	16	4	146	114	1	3	75	35
Russellville	145	1	–	1	38	8	15	3	2	2	–	8	1	74	56	1	2	34	19
Balance of county	158	–	–	2	39	7	17	3	3	–	1	8	3	72	58	–	1	41	16
Prairie	115	–	–	–	22	4	8	1	1	1	1	6	–	56	40	–	–	29	11
Pulaski	2,797	3	–	42	635	145	188	58	65	22	24	133	42	1,321	918	4	22	606	286
Jacksonville	137	–	–	3	34	6	7	2	4	1	3	11	1	56	45	–	–	23	22
Little Rock	1,622	2	–	21	346	86	111	33	28	17	6	65	24	801	542	1	13	365	163
North Little Rock	719	–	–	9	176	32	47	17	27	3	11	39	13	332	236	3	8	158	67
Sherwood	41	–	–	1	8	2	3	–	1	–	–	2	1	18	14	–	–	8	6
Balance of county	278	1	–	8	71	19	20	6	5	1	4	16	3	114	81	–	1	52	28
Randolph	191	–	–	2	39	8	12	2	8	2	–	7	–	107	88	1	–	69	18
St. Francis	302	1	–	5	56	23	13	3	4	–	3	10	11	147	114	–	3	72	39
Forrest City	147	–	–	5	24	10	3	2	2	–	3	4	3	75	57	–	2	33	22
Balance of county	155	1	–	–	32	13	10	1	2	–	–	6	8	72	57	–	1	39	17
Saline	374	–	–	5	73	14	23	11	6	1	3	15	9	186	141	1	1	83	56
Benton	200	–	–	2	43	10	14	6	3	–	1	9	5	97	68	–	1	42	25
Balance of county	174	–	–	3	30	4	9	5	3	1	2	6	4	91	73	1	–	41	31
Scott	117	–	–	–	21	5	8	1	1	1	–	7	2	67	55	–	1	48	6
Searcy	79	–	–	–	15	3	5	–	–	1	1	5	–	40	35	–	–	28	7
Sebastian	865	2	–	4	188	39	55	20	14	7	4	29	20	369	272	3	5	182	82
Fort Smith	694	–	–	3	129	26	43	17	11	5	2	25	17	298	215	2	5	146	62
Balance of county	171	2	–	1	59	13	12	3	3	2	2	4	3	71	57	1	–	36	20
Sevier	170	–	–	3	29	8	12	1	1	1	2	4	–	89	70	–	1	48	21
Sharp	186	–	–	1	43	14	13	1	3	–	–	12	1	104	85	–	3	60	22
Stone	87	–	–	–	12	3	2	1	1	–	1	4	–	54	46	–	1	24	21
Union	527	1	–	3	119	31	35	7	7	6	5	27	8	268	207	–	3	150	54
El Dorado	292	–	–	1	74	20	20	7	2	4	2	19	5	134	102	–	1	74	27
Balance of county	235	1	–	2	45	11	16	–	5	2	3	8	3	134	105	–	2	76	27
Van Buren	138	–	–	1	30	11	4	2	2	1	1	9	2	72	51	2	–	41	8
Washington	817	1	1	10	183	40	47	14	26	10	4	42	22	385	300	4	2	191	103
Fayetteville	259	–	–	4	67	17	10	7	13	4	1	15	7	116	83	2	1	54	26
Springdale, part	228	1	1	3	49	10	12	6	7	1	2	11	6	116	86	–	1	73	22
Springdale, total	229	1	1	3	49	10	12	6	7	1	2	11	6	116	86	–	1	73	22
Balance of county	330	–	–	3	67	13	25	1	6	5	1	16	9	153	121	2	–	64	55
White	445	1	–	3	97	21	25	6	7	2	6	30	4	203	146	2	3	96	45
Searcy	125	–	–	–	22	5	4	1	2	–	2	8	3	86	42	1	1	30	10
Balance of county	320	1	–	3	75	16	21	5	5	2	4	22	1	137	104	1	2	66	35
Woodruff	161	1	–	4	36	9	11	2	2	–	3	9	1	89	53	–	–	33	20
Yell	196	1	–	–	48	12	11	4	4	–	1	16	2	110	83	–	–	69	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	–	11	4	1	5	2	1	–	–	–	–	–	–	10	5	8	2	–	–
Jackson	1	18	1	1	4	7	1	3	4	–	2	–	3	25	7	10	5	2	–
Jefferson	2	80	23	7	11	11	1	10	10	–	4	10	16	56	21	23	9	10	2
Pine Bluff	2	67	19	6	8	11	–	8	7	–	1	6	14	39	14	15	6	8	1
Balance of county	–	13	4	1	3	–	1	2	3	–	3	4	2	17	7	8	3	2	1
Johnson	–	14	1	1	7	12	1	1	–	–	1	–	6	14	8	4	2	–	–
Lafayette	–	22	3	–	5	2	–	3	–	–	1	1	16	8	4	1	2	–	–
Lawrence	1	18	–	–	6	7	–	2	6	–	–	1	6	18	6	1	1	1	–
Lee	1	17	1	–	4	3	–	1	3	–	–	1	13	9	1	7	3	2	–
Lincoln	–	15	3	1	3	4	–	1	3	–	–	–	2	4	3	6	3	2	1
Little River	–	5	2	–	5	2	1	–	–	–	–	2	5	10	8	7	–	1	–
Logan	1	19	2	–	11	5	–	1	4	–	2	–	2	14	5	5	–	2	–
Lonoke	–	37	2	–	9	13	–	2	3	–	3	5	11	24	8	10	2	1	–
Madison	–	7	4	1	2	4	–	–	1	–	–	–	2	6	8	3	2	1	–
Marion	1	6	1	–	3	4	–	–	3	–	–	–	7	6	8	5	2	1	–
Miller	1	26	4	4	6	12	1	1	2	–	1	1	7	27	7	22	2	2	–
Texarkana [2]	1	20	3	3	5	10	–	–	2	–	1	1	5	23	6	13	2	2	–
Balance of county	–	6	1	1	1	2	1	1	–	–	–	–	2	4	1	9	–	–	–
Mississippi	2	65	8	6	13	15	1	4	4	–	2	2	29	34	13	11	11	7	2
Blytheville	1	20	4	1	8	7	1	3	2	–	–	1	15	15	3	2	7	6	1
Balance of county	1	45	4	5	5	8	–	1	2	–	2	1	14	19	10	9	4	1	1
Monroe	1	17	3	–	4	2	1	–	3	–	–	1	3	7	1	8	4	3	–
Montgomery	–	8	–	–	1	2	–	1	1	–	1	1	1	6	4	1	2	–	–
Nevada	–	11	1	–	2	4	–	–	2	–	1	–	8	13	2	1	1	1	–
Newton	–	2	–	1	2	3	–	–	–	–	–	–	3	4	2	1	3	1	–
Ouachita	3	33	4	4	7	11	2	5	3	–	2	1	6	21	15	6	3	8	–
Camden	1	23	2	3	3	5	2	3	3	–	1	–	2	13	5	2	2	5	–
Balance of county	2	10	2	1	4	6	–	2	–	–	1	1	4	8	10	4	1	3	–
Perry	–	13	–	–	4	4	1	–	–	–	–	–	1	6	–	4	–	–	–
Phillips	5	32	2	1	8	7	1	4	14	–	4	4	20	27	8	12	2	5	1
West Helena	1	11	–	–	4	–	–	1	5	–	2	2	5	6	–	1	–	1	–
Balance of county	4	21	2	1	4	7	1	3	9	–	2	2	15	21	8	11	2	4	1
Pike	–	15	1	–	5	6	–	–	3	–	1	–	3	11	4	1	–	–	–
Poinsett	–	26	5	2	4	11	1	2	2	–	4	3	3	15	10	5	3	3	2
Polk	1	12	2	5	3	4	–	1	3	–	1	1	1	13	8	7	1	3	–
Pope	1	24	6	1	10	9	–	1	5	–	2	2	7	22	7	6	1	–	–
Russellville	1	10	6	1	3	3	–	1	2	–	2	1	4	8	2	4	–	–	–
Balance of county	–	14	–	–	7	6	–	–	3	–	–	1	3	14	5	2	1	–	–
Prairie	–	12	3	1	1	5	–	1	2	–	–	–	16	8	–	4	–	–	–
Pulaski	11	318	50	24	56	98	4	33	36	–	18	28	39	214	47	89	40	48	4
Jacksonville	–	9	2	–	6	5	1	2	1	–	4	3	–	7	3	8	2	1	–
Little Rock	7	199	36	15	31	63	2	19	21	–	10	14	28	118	26	44	25	26	3
North Little Rock	–	80	7	9	15	22	–	7	11	–	3	6	10	69	6	21	6	13	–
Sherwood	–	4	–	–	–	–	–	–	–	–	–	–	–	4	1	6	1	1	–
Balance of county	4	26	3	–	4	8	1	5	3	–	1	5	3	16	11	10	6	7	1
Randolph	1	16	–	2	6	9	3	1	–	–	1	–	2	10	–	3	3	3	2
St. Francis	–	26	4	3	9	9	–	1	2	–	–	4	6	22	10	13	2	3	1
Forrest City	–	12	4	2	7	2	–	1	2	–	–	1	1	11	4	10	1	–	–
Balance of county	–	14	–	1	2	7	–	–	–	–	–	3	5	11	6	3	1	3	1
Saline	2	36	4	5	13	8	–	2	4	–	1	3	4	26	16	9	7	6	–
Benton	2	21	3	3	5	6	–	2	3	–	1	2	3	15	6	3	4	3	–
Balance of county	–	15	1	2	8	2	–	–	1	–	–	1	1	11	10	6	3	3	–
Scott	–	11	–	1	6	1	–	1	1	–	–	2	–	5	8	1	1	1	–
Searcy	–	4	1	–	4	3	–	–	–	–	–	1	5	5	3	2	1	–	–
Sebastian	3	79	10	5	23	18	2	13	7	–	4	6	123	50	19	20	9	7	–
Fort Smith	1	70	7	5	21	15	2	12	6	–	4	6	96	42	13	15	9	6	–
Balance of county	2	9	3	–	2	4	–	1	1	–	–	–	27	8	6	5	–	1	–
Sevier	1	17	–	1	6	5	–	2	5	–	2	–	2	11	4	5	3	4	–
Sharp	1	13	3	2	4	6	1	3	–	–	1	1	5	11	2	1	1	1	–
Stone	–	5	1	2	–	1	–	–	3	–	2	1	2	6	2	3	–	1	–
Union	4	53	4	–	14	12	1	5	3	–	2	3	11	35	18	15	3	7	1
El Dorado	1	27	4	–	9	8	–	5	1	–	1	2	8	21	10	7	1	4	1
Balance of county	3	26	–	–	5	4	1	–	2	–	1	1	3	14	6	8	2	3	–
Van Buren	–	19	–	2	1	5	–	1	2	–	–	–	3	15	2	1	2	1	–
Washington	2	63	11	9	23	33	–	10	6	–	7	6	4	61	27	18	14	3	3
Fayetteville	–	24	3	6	7	6	–	4	–	–	4	2	–	21	10	4	6	–	1
Springdale, part	2	15	1	2	7	8	–	2	3	–	3	2	1	11	9	3	1	1	1
Springdale, total	2	15	1	2	7	9	–	2	3	–	3	2	1	11	9	3	1	1	1
Balance of county	–	24	7	1	9	19	–	4	3	–	–	2	3	29	8	11	7	2	1
White	1	49	2	5	8	9	–	5	12	–	1	2	44	25	9	9	10	2	1
Searcy	–	20	1	3	3	1	–	1	2	–	–	–	8	10	2	2	4	1	–
Balance of county	1	29	1	2	5	8	–	4	10	–	1	2	36	15	7	7	6	1	1
Woodruff	1	12	2	1	10	5	1	1	3	–	1	1	5	13	3	3	–	4	–
Yell	–	22	1	4	4	6	–	–	1	–	2	1	1	12	4	3	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	188,471	194	21	1,294	42,738	10,660	11,423	3,888	4,711	1,718	1,676	8,662	2,651	88,358	67,295	819	2,833	48,001	15,842
Urban places	154,810	167	21	1,096	34,908	8,786	9,218	3,240	3,818	1,414	1,355	7,077	2,221	73,224	55,849	674	2,501	39,433	13,241
Balance of area	33,661	27	–	198	7,830	1,874	2,205	648	893	304	321	1,585	430	15,134	11,446	145	332	8,568	2,601
Metropolitan counties	177,859	182	19	1,225	40,237	10,083	10,722	3,700	4,416	1,616	1,568	8,132	2,498	83,649	63,781	783	2,734	45,385	14,879
Urban places	151,685	161	19	1,083	34,201	8,621	9,027	3,190	3,742	1,393	1,315	6,913	2,165	71,858	54,852	665	2,461	38,691	13,035
Balance of area	26,174	21	–	142	6,036	1,462	1,695	510	674	223	253	1,219	333	11,791	8,929	118	273	6,694	1,844
Nonmetropolitan counties	10,612	12	2	69	2,501	577	701	188	295	102	108	530	153	4,709	3,514	36	99	2,616	763
Urban places	3,125	6	2	13	707	165	191	50	76	21	40	164	56	1,366	997	9	40	742	206
Balance of area	7,487	6	–	56	1,794	412	510	138	219	81	68	366	97	3,343	2,517	27	59	1,874	557
Alameda	9,441	7	1	84	2,137	556	547	205	233	76	79	441	136	4,600	3,491	33	270	2,606	582
Alameda	824	–	1	6	157	39	47	15	9	6	8	33	9	319	249	–	23	180	46
Albany	175	–	–	2	48	15	14	6	2	3	–	8	4	71	53	–	4	40	9
Berkeley	875	–	–	9	182	45	40	20	22	11	4	40	15	444	327	5	29	236	57
Fremont	893	1	–	4	181	41	50	17	22	5	5	41	5	333	250	6	15	201	28
Hayward	962	–	–	8	198	47	52	23	23	3	8	42	11	468	368	1	21	287	57
Livermore	271	–	–	1	56	12	18	9	5	2	1	11	1	130	97	–	3	78	16
Newark	145	–	–	1	41	7	14	3	6	–	2	9	2	57	38	2	1	33	2
Oakland	3,665	4	–	38	766	229	170	60	83	33	36	155	65	1,779	1,318	14	127	945	232
Piedmont	99	–	–	1	27	3	6	2	4	1	2	9	1	50	40	–	–	33	7
Pleasanton	169	–	–	–	43	10	11	6	6	1	–	9	1	77	58	–	4	45	9
San Leandro	890	1	–	8	242	53	73	27	27	6	8	48	10	444	347	2	20	269	56
Union City	170	–	–	–	36	10	7	2	6	1	2	8	2	78	56	1	3	43	9
Balance of county	703	1	–	6	160	45	47	15	18	4	3	28	12	350	292	2	20	216	54
Alpine	6	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Amador	221	–	–	5	51	17	12	5	3	1	3	10	3	119	84	–	1	66	17
Butte	1,436	1	–	10	331	73	94	34	46	11	10	63	17	659	457	3	7	348	99
Chico	396	1	–	4	81	17	17	6	16	2	3	20	4	198	128	–	1	99	28
Paradise	361	–	–	3	100	28	28	10	12	3	5	16	3	153	110	1	1	87	21
Balance of county	679	–	–	3	150	28	51	18	18	6	2	27	10	310	219	2	5	162	50
Calaveras	229	–	–	2	56	12	19	6	5	2	3	9	1	107	85	1	–	69	15
Colusa	133	–	–	1	27	7	7	3	4	2	–	4	1	67	55	1	–	42	12
Contra Costa	4,946	4	2	54	1,274	315	339	136	148	47	48	241	68	2,100	1,576	16	58	1,162	340
Antioch	295	–	–	3	77	16	16	10	12	3	2	16	8	121	97	2	2	66	25
Concord	654	–	–	7	175	37	60	16	16	7	6	33	6	277	213	1	5	148	59
El Cerrito	244	–	–	5	65	15	16	8	12	1	4	9	2	108	81	1	2	62	16
Lafayette	181	–	–	1	45	14	12	5	8	–	–	6	1	77	56	1	3	40	12
Martinez	219	–	–	4	57	23	11	2	6	2	3	10	3	88	62	–	4	45	13
Moraga Town	47	–	–	–	15	3	6	2	–	–	2	2	1	18	13	–	–	12	1
Pinole	107	–	–	3	34	6	11	5	2	2	2	8	2	42	33	1	1	23	8
Pittsburg	321	–	–	6	71	21	24	7	5	2	1	11	7	143	100	2	2	79	17
Pleasant Hill	197	–	–	2	42	7	11	2	5	4	3	10	1	97	71	1	3	47	20
Richmond	745	2	2	9	183	43	55	17	23	8	4	33	16	302	228	1	13	173	41
San Pablo	276	1	–	4	60	11	24	7	4	3	–	11	4	113	84	1	3	62	18
Walnut Creek	759	1	–	6	204	53	41	23	29	11	8	39	6	354	267	1	8	213	45
Balance of county	901	–	–	4	246	66	52	32	26	4	13	53	11	360	271	4	12	190	65
Del Norte	198	–	–	1	51	12	12	4	6	2	1	14	6	84	63	–	2	40	21
El Dorado	610	2	–	6	159	33	50	12	18	10	6	30	6	256	208	2	–	152	54
South Lake Tahoe	90	–	–	1	24	4	12	2	1	–	2	3	–	29	23	–	–	18	6
Balance of county	520	2	–	5	135	29	38	10	17	10	4	27	6	227	185	2	–	134	48
Fresno	4,036	8	–	26	900	235	232	62	108	29	46	188	57	1,837	1,376	19	56	1,113	188
Clovis	221	–	–	1	57	14	14	3	13	–	5	8	2	102	74	1	4	61	8
Fresno	2,699	5	–	16	599	163	152	48	69	25	26	116	43	1,269	949	12	42	774	121
Reedley	138	–	–	1	23	1	8	3	3	3	2	3	–	79	61	2	1	49	9
Sanger	165	1	–	2	34	7	8	2	4	1	2	10	1	71	56	–	–	49	7
Selma	144	–	–	1	37	8	10	1	5	–	2	11	4	53	35	1	–	25	9
Balance of county	669	2	–	5	150	42	40	5	14	–	9	40	7	263	201	3	9	155	34
Glenn	218	–	–	2	42	7	13	3	6	7	2	4	4	107	80	1	–	64	15
Humboldt	933	–	–	6	217	55	53	13	24	10	11	51	13	415	288	2	7	208	71
Arcata	104	–	–	–	32	7	8	2	2	1	1	11	2	43	30	–	1	23	6
Eureka	393	–	–	3	92	26	25	5	12	3	5	16	6	177	125	1	5	91	28
Balance of county	436	–	–	3	93	22	20	6	10	6	5	24	5	195	133	1	1	94	37
Imperial	633	1	–	6	130	25	39	12	12	4	6	32	2	266	211	3	5	158	45
Brawley	135	–	–	2	34	7	5	1	5	2	2	12	2	57	41	–	1	30	10
Calexico	81	–	–	–	17	4	3	2	3	–	2	3	–	30	24	–	1	19	4
El Centro	164	1	–	–	33	6	12	6	1	1	1	6	–	79	62	–	1	44	17
Balance of county	253	–	–	4	46	8	19	3	3	1	1	11	–	100	84	3	2	65	14
Inyo	198	1	–	2	43	6	18	2	4	3	1	9	2	90	67	–	1	58	8
Kern	3,349	2	–	36	716	147	216	59	74	28	37	155	35	1,474	1,180	15	49	901	221
Bakersfield	1,932	–	–	28	413	88	115	39	37	24	23	87	16	855	677	10	28	506	133
Delano	131	–	–	3	24	4	7	1	4	–	2	6	1	57	44	1	–	37	6
Ridgecrest	118	–	–	–	21	3	9	2	2	–	1	4	1	61	52	1	5	40	6
Balance of county	1,168	2	–	7	258	52	85	17	31	4	11	58	17	501	407	3	10	318	76
Kings	556	1	1	3	92	23	19	6	6	2	5	31	10	235	163	1	1	122	39
Hanford	289	–	1	2	49	11	11	4	2	2	3	16	7	128	92	1	1	71	19
Balance of county	267	1	–	1	43	12	8	2	4	–	2	15	3	107	71	–	–	51	20
Lake	577	1	–	1	165	45	50	10	25	4	4	27	10	237	178	3	11	129	35
Lassen	163	–	–	1	39	9	6	5	5	2	5	7	2	72	56	1	2	37	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
California	709	15,572	2,688	2,114	5,479	6,645	888	4,124	1,227	42	1,529	1,838	1,172	13,415	4,986	4,964	3,749	2,891	266
Urban places	600	12,943	2,166	1,666	4,541	5,285	736	3,418	1,018	37	1,285	1,555	938	10,973	3,651	3,992	3,027	2,508	209
Balance of area	109	2,629	502	448	938	1,360	152	706	209	5	244	283	234	2,442	1,335	972	722	383	57
Metropolitan counties	661	14,767	2,469	1,951	5,223	6,208	853	3,889	1,137	42	1,470	1,768	1,085	12,625	4,555	4,612	3,553	2,776	253
Urban places	587	12,694	2,100	1,625	4,471	5,163	727	3,351	989	37	1,262	1,528	917	10,699	3,536	3,878	2,968	2,466	205
Balance of area	74	2,073	369	326	752	1,045	126	538	148	5	208	240	168	1,926	1,019	734	585	310	47
Nonmetropolitan counties	48	805	179	163	256	437	35	295	90	–	59	70	87	780	431	352	196	115	13
Urban places	13	249	66	41	70	122	9	67	29	–	23	27	21	274	115	114	59	42	3
Balance of area	35	556	113	122	186	315	26	168	61	–	36	43	66	516	316	238	137	73	10
Alameda	39	849	123	98	248	301	49	191	66	1	53	78	74	692	158	229	171	144	20
Alameda	–	61	4	5	18	20	3	13	2	–	4	2	4	32	10	8	12	2	2
Albany	–	12	5	1	8	12	1	2	2	–	–	–	–	15	2	1	5	1	–
Berkeley	5	92	11	9	35	20	3	17	7	–	3	4	5	69	11	24	14	13	–
Fremont	2	65	10	6	17	19	4	12	5	–	6	5	2	46	25	12	13	3	–
Hayward	6	78	7	11	20	37	4	24	7	–	6	12	9	82	20	21	24	10	1
Livermore	1	22	7	3	5	11	1	6	1	–	7	2	2	23	8	9	6	1	1
Newark	–	16	–	3	4	4	2	4	1	–	–	1	2	7	8	5	4	2	–
Oakland	23	348	55	35	86	111	22	79	34	1	15	40	38	289	35	107	52	95	11
Piedmont	–	8	1	1	3	2	–	1	–	–	–	–	–	6	2	3	3	–	–
Pleasanton	–	14	2	3	6	2	–	5	–	–	–	2	1	14	8	2	6	1	1
San Leandro	1	73	12	11	27	26	5	14	1	–	3	3	5	52	13	16	14	6	–
Union City	–	16	2	4	1	7	3	1	3	–	3	2	2	13	2	7	4	6	–
Balance of county	1	44	7	6	18	30	1	13	3	–	6	5	6	44	14	13	13	4	4
Alpine	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
Amador	1	25	6	3	3	6	1	2	2	–	1	–	1	12	10	4	–	1	–
Butte	10	149	25	18	56	77	9	20	7	–	13	4	6	114	44	40	19	8	1
Chico	5	50	9	4	11	14	1	5	1	–	2	2	2	36	14	12	8	2	–
Paradise	3	32	5	3	17	16	6	6	3	–	6	1	1	26	8	10	2	–	–
Balance of county	2	67	11	11	28	47	2	9	3	–	5	1	3	52	22	18	9	6	1
Calaveras	–	14	2	6	10	11	–	1	3	–	–	2	2	15	9	4	4	–	2
Colusa	–	10	–	2	4	7	–	1	1	–	–	–	1	9	5	6	3	–	–
Contra Costa	13	373	72	66	159	182	21	108	27	–	37	34	32	440	116	133	93	57	6
Antioch	1	17	3	3	7	13	–	4	2	–	2	–	2	32	11	9	3	1	–
Concord	2	38	13	11	24	29	–	10	3	–	8	9	5	56	14	12	12	6	1
El Cerrito	–	18	3	6	8	11	2	5	–	–	1	1	1	15	5	4	10	–	1
Lafayette	1	14	4	2	12	6	–	2	1	–	1	1	–	14	4	8	4	2	2
Martinez	–	17	6	3	9	8	1	3	2	–	2	–	2	24	1	9	4	2	–
Moraga Town	–	5	–	–	4	–	–	1	–	–	–	–	–	2	2	1	3	–	–
Pinole	–	6	2	1	2	2	1	3	–	–	2	2	1	5	1	4	2	1	–
Pittsburg	1	33	6	3	6	12	4	6	5	–	5	3	3	25	7	8	3	7	–
Pleasant Hill	3	17	3	3	11	8	–	1	–	–	–	1	1	18	5	5	4	1	–
Richmond	2	50	13	9	26	22	3	22	4	–	5	11	4	79	7	16	7	25	–
San Pablo	1	24	1	3	4	16	–	8	1	–	2	–	3	35	5	10	4	6	–
Walnut Creek	1	65	8	13	23	25	4	15	6	–	5	–	3	55	12	17	19	4	–
Balance of county	1	69	10	9	23	30	6	28	3	–	4	6	7	80	42	30	18	2	1
Del Norte	–	12	4	5	6	6	–	4	1	–	–	1	5	13	5	12	1	1	1
El Dorado	1	26	11	10	19	18	2	13	4	–	3	5	4	51	28	12	17	4	1
South Lake Tahoe	–	5	–	1	3	1	–	6	1	–	1	1	1	4	7	2	7	2	–
Balance of county	1	21	11	9	16	17	2	7	3	–	2	4	3	47	21	10	10	2	1
Fresno	22	290	98	51	99	134	20	79	31	2	40	46	27	288	165	130	69	74	4
Clovis	3	13	9	3	1	7	1	3	2	–	–	4	1	10	13	9	7	1	–
Fresno	13	210	57	40	61	92	14	52	21	2	26	32	17	190	74	92	42	50	2
Reedley	1	11	6	–	6	2	1	2	2	–	–	–	1	14	4	1	–	2	–
Sanger	–	9	5	1	5	4	1	2	1	–	4	1	2	16	12	2	1	5	–
Selma	1	10	7	–	6	11	–	2	1	–	2	1	1	9	6	4	4	1	1
Balance of county	4	37	14	7	20	18	3	18	4	–	8	8	5	49	56	22	15	15	1
Glenn	–	22	3	2	5	2	–	1	–	–	–	–	4	21	13	10	5	2	–
Humboldt	9	91	12	15	10	55	4	15	8	–	5	4	5	66	30	39	19	20	2
Arcata	1	9	2	1	2	4	–	–	2	–	1	–	–	10	3	1	3	1	–
Eureka	3	38	6	5	5	17	2	6	3	–	3	1	2	34	8	22	5	6	1
Balance of county	5	44	4	9	3	34	2	9	3	–	1	3	3	22	19	16	11	13	1
Imperial	–	41	9	5	12	25	2	21	6	–	5	11	10	47	34	34	9	10	2
Brawley	–	10	5	1	2	2	–	5	–	–	3	1	1	8	5	7	3	2	1
Calexico	–	6	–	–	1	4	–	4	–	–	–	4	1	8	4	7	–	1	–
El Centro	–	14	3	–	4	5	–	4	1	–	1	2	2	17	7	4	2	2	–
Balance of county	–	11	1	4	5	14	2	8	5	–	1	4	6	14	18	16	4	5	1
Inyo	1	19	–	3	9	9	1	6	2	–	1	4	–	13	8	4	2	1	–
Kern	10	201	39	44	89	134	17	79	30	–	18	45	23	283	162	101	59	62	4
Bakersfield	6	127	21	24	59	79	13	44	21	–	8	23	16	155	81	55	29	36	3
Delano	–	8	1	4	3	5	1	3	2	–	2	1	2	11	10	4	1	1	–
Ridgecrest	2	6	–	1	2	6	1	4	1	–	2	–	–	9	5	–	5	–	–
Balance of county	2	60	17	15	25	44	2	28	6	–	6	21	5	88	66	42	24	25	1
Kings	1	51	17	3	10	21	2	12	7	–	8	7	4	45	53	19	9	17	–
Hanford	1	25	9	1	6	12	2	4	4	–	3	4	2	29	19	8	2	7	–
Balance of county	–	26	8	2	4	9	–	8	3	–	5	3	2	16	34	11	7	10	–
Lake	3	41	2	13	11	26	4	20	10	–	1	–	3	36	18	16	15	1	2
Lassen	2	9	3	2	2	6	1	4	1	–	2	3	3	11	7	5	3	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	59,776	67	8	372	19,073	3,471	3,277	1,263	1,418	512	502	2,630	940	29,276	22,844	281	1,360	14,251	6,932
Alhambra	651	–	–	5	139	42	30	13	19	8	6	21	8	354	269	2	23	169	75
Arcadia	484	–	–	4	125	36	27	12	12	4	8	26	3	251	176	4	5	128	39
Artesia	122	–	–	1	24	5	6	1	–	2	1	7	5	62	53	2	2	36	13
Azusa	239	–	–	1	66	18	17	6	5	4	6	10	1	104	84	3	2	56	23
Baldwin Park	336	1	–	1	66	19	19	7	6	3	2	10	8	165	132	1	10	86	35
Bell	229	–	–	1	44	8	16	2	6	4	4	4	5	115	90	1	9	55	25
Bellflower	492	–	–	5	109	27	33	7	10	5	–	27	3	248	198	3	4	142	49
Bell Gardens	201	–	–	1	27	7	11	2	3	1	–	3	4	87	72	2	2	51	17
Beverly Hills	413	2	–	3	121	29	18	15	17	5	8	29	4	204	165	2	10	117	36
Burbank	836	–	–	2	197	37	65	19	21	12	5	38	9	438	329	2	24	196	107
Carson	445	–	–	1	117	31	38	8	16	2	4	18	8	195	151	–	10	102	39
Cerritos	144	1	–	2	33	6	11	7	1	–	2	6	1	63	52	–	1	36	15
Claremont	231	–	–	–	50	13	10	5	5	2	3	12	2	139	109	–	5	68	36
Commerce	53	–	–	1	8	2	3	1	1	–	–	1	4	25	22	–	1	14	7
Compton	707	2	–	8	128	41	31	11	11	1	4	29	10	291	221	2	33	104	82
Covina	447	–	–	–	94	25	28	5	7	5	5	19	10	224	184	1	10	122	51
Cudahy	105	–	–	1	15	3	6	–	3	1	–	2	2	51	40	1	–	22	17
Culver City	352	–	–	3	87	25	24	5	13	5	1	14	7	174	141	1	7	94	39
Downey	673	–	–	8	179	53	51	21	20	3	3	28	12	329	255	2	16	164	73
Duarte	217	–	–	–	40	6	13	1	8	2	–	10	2	131	113	–	6	69	38
El Monte	564	–	–	6	107	28	34	6	13	2	3	21	14	266	219	–	8	122	89
El Segundo	82	–	–	1	22	8	7	–	1	1	–	5	1	40	29	–	2	20	7
Gardena	537	1	–	6	133	42	35	11	16	3	2	22	10	248	180	3	9	105	63
Glendale	1,335	–	–	3	272	63	64	28	47	11	10	49	17	765	571	5	29	354	183
Glendora	364	–	–	1	72	17	29	4	3	3	2	14	5	194	156	1	4	114	37
Hawaiian Gardens	50	–	–	2	9	3	2	–	2	1	–	1	1	19	15	–	1	11	3
Hawthorne	447	–	–	1	88	21	37	5	8	1	–	16	8	218	170	1	6	108	55
Hermosa Beach	88	–	–	–	22	9	5	4	3	–	–	1	2	39	28	1	1	18	8
Huntington Park	422	1	–	3	100	19	27	12	10	1	5	26	6	195	154	1	6	97	50
Inglewood	761	–	–	5	146	29	34	13	19	8	5	38	9	372	296	2	21	184	89
La Canada Flintridge	59	–	–	1	9	5	–	4	–	–	–	–	1	35	22	–	2	17	3
Lakewood	484	–	–	–	143	38	40	12	13	3	5	32	10	211	177	4	8	122	43
La Mirada	241	–	–	–	57	7	14	9	7	1	4	15	3	98	83	1	1	59	22
Lancaster	472	–	–	2	114	28	28	11	15	2	5	27	5	211	180	5	13	127	35
La Puente	341	–	–	2	82	22	24	6	7	4	2	17	4	128	110	2	8	72	28
La Verne	198	–	–	–	44	9	11	7	6	2	–	9	2	121	93	1	2	64	28
Lawndale	132	–	–	2	29	6	6	3	3	1	3	7	5	55	47	1	2	28	16
Lomita	181	–	–	1	43	11	8	1	–	5	2	16	–	92	63	1	5	39	18
Long Beach	3,995	6	–	28	864	205	269	85	79	35	30	161	46	2,021	1,600	17	76	1,027	460
Los Angeles	26,814	35	6	187	5,750	1,598	1,352	544	639	230	229	1,158	467	13,018	10,145	129	684	6,139	3,193
Lynwood	364	–	–	4	66	26	19	4	3	3	4	7	3	171	127	3	6	70	46
Manhattan Beach	174	–	–	–	41	10	14	6	4	–	1	6	–	84	69	–	4	45	19
Maywood	128	–	–	–	22	5	4	2	2	3	1	5	1	65	52	1	2	34	15
Monrovia	277	1	–	1	67	18	14	7	8	3	1	16	3	138	105	1	5	76	23
Montebello	379	–	–	3	86	26	20	9	15	1	2	13	6	180	139	–	2	89	46
Monterey Park	380	1	–	4	88	32	19	10	9	3	6	9	4	190	151	1	2	99	49
Norwalk	572	–	–	1	131	36	47	9	8	3	9	19	10	285	235	2	11	161	61
Palmdale	236	–	–	–	45	16	12	4	1	1	–	11	1	99	90	1	3	63	23
Palos Verdes Estates	68	–	–	–	21	3	5	2	3	–	1	7	–	33	22	1	3	12	6
Paramount	243	–	–	–	53	14	11	4	9	–	2	13	7	112	89	3	4	52	30
Pasadena	1,372	2	–	6	306	77	61	36	37	13	8	74	26	711	558	10	40	349	159
Pico Rivera	368	–	–	–	77	17	29	8	6	1	1	15	7	169	127	–	4	85	38
Pomona	806	1	–	2	134	32	29	16	16	3	8	28	11	388	323	2	20	199	102
Rancho Palos Verdes	167	–	–	1	56	5	14	9	7	5	2	14	1	73	51	–	5	31	15
Redondo Beach	396	–	–	3	105	32	25	11	6	2	8	21	10	179	142	5	6	88	43
Rosemead	331	1	–	5	60	12	14	5	10	2	2	15	5	172	136	1	14	92	29
San Dimas	154	–	–	2	36	11	8	3	5	3	1	5	2	74	63	1	3	51	8
San Fernando	186	–	–	–	40	13	10	1	3	2	1	10	1	89	73	–	4	45	24
San Gabriel	455	–	–	4	90	27	15	9	13	6	4	16	7	251	180	3	11	117	49
San Marino	118	–	–	1	38	8	13	5	4	–	1	7	–	65	47	–	–	34	13
Santa Fe Springs	93	–	–	–	21	3	7	2	–	–	–	9	2	42	34	–	1	27	6
Santa Monica	964	–	–	2	220	56	38	27	27	12	8	52	18	527	391	6	26	233	126
Sierra Madre	109	–	–	1	25	7	8	2	2	1	2	3	2	54	40	2	3	25	10
South El Monte	78	–	–	–	14	2	5	2	3	–	2	–	2	38	34	–	1	19	14
South Gate	566	1	–	5	102	30	21	6	11	6	4	24	7	298	226	5	12	140	69
South Pasadena	174	–	1	–	51	19	11	7	1	–	–	13	4	93	65	–	3	34	28
Temple City	287	–	–	1	63	18	14	10	6	2	3	12	3	162	118	2	5	82	29
Torrance	1,090	2	1	2	251	57	75	19	28	14	5	53	18	543	407	11	24	256	116
West Covina	449	–	–	1	113	26	26	15	14	4	5	23	6	204	164	2	9	116	37
Whittier	1,099	2	–	8	249	66	66	30	22	10	11	44	17	552	436	2	28	281	127
Balance of county	2,749	7	–	16	627	168	140	70	56	26	30	137	31	1,242	955	12	51	588	304
Madera	554	2	–	1	116	27	26	8	18	2	7	28	15	248	189	3	8	151	27
Madera	314	2	–	1	66	17	11	3	11	1	6	17	11	125	95	2	4	73	16
Balance of county	240	–	–	–	50	10	15	5	7	1	1	11	4	123	94	1	4	78	11
Marin	1,662	–	1	9	399	84	101	45	46	21	21	81	17	741	507	6	13	384	104
Larkspur	43	–	–	–	11	1	1	–	2	2	–	5	–	18	14	–	–	9	5
Mill Valley	223	–	–	1	62	10	17	7	6	2	4	16	1	86	56	–	–	44	12
Novato	291	–	1	2	63	17	20	4	4	3	5	10	4	134	97	1	3	78	15
San Anselmo	112	–	–	3	18	1	2	5	2	1	1	8	1	59	38	1	–	30	7
San Rafael	477	–	–	–	118	30	32	11	15	7	6	17	6	209	143	3	3	112	25
Balance of county	516	–	–	3	127	25	29	18	17	6	5	27	5	235	159	1	7	111	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	239	4,915	784	494	1,641	1,720	292	1,338	390	18	528	719	344	3,551	1,342	1,526	1,153	1,444	36
Alhambra	4	68	5	8	26	25	3	11	2	–	8	4	–	38	12	3	8	5	–
Arcadia	3	61	3	8	5	20	3	12	1	–	2	2	2	34	4	12	4	–	–
Artesia	–	7	2	–	10	1	1	1	–	–	1	1	1	7	4	2	1	–	–
Azusa	1	16	2	1	4	13	–	6	2	1	2	3	3	15	7	5	3	2	1
Baldwin Park	1	25	5	2	8	13	1	10	2	–	4	8	2	17	6	10	3	11	–
Bell	1	19	3	2	6	10	1	7	2	–	2	2	3	13	8	5	1	4	–
Bellflower	–	37	6	7	10	18	2	15	–	–	2	4	5	37	14	10	4	5	1
Bell Gardens	1	12	–	2	7	11	–	7	2	–	5	7	2	7	13	5	7	8	1
Beverly Hills	4	31	2	2	6	7	3	3	6	–	4	2	2	23	6	6	8	3	–
Burbank	4	76	22	7	10	29	8	23	2	–	7	5	4	36	13	21	24	8	–
Carson	1	30	4	9	7	15	1	8	2	–	1	11	2	32	13	11	11	10	–
Cerritos	–	8	1	2	2	4	–	3	2	–	4	1	–	9	6	4	6	3	–
Claremont	1	27	–	2	3	4	2	1	–	–	1	2	1	14	7	–	5	–	–
Commerce	–	2	1	–	1	–	–	1	–	–	2	–	1	1	5	3	–	1	–
Compton	3	59	1	7	16	13	–	15	10	–	11	18	11	56	18	21	9	70	–
Covina	1	31	4	4	12	13	2	9	2	–	3	5	–	28	17	10	16	2	–
Cudahy	1	9	–	1	5	7	–	3	–	–	1	1	–	6	–	5	4	4	–
Culver City	2	24	4	3	9	4	6	4	2	–	1	–	–	24	8	9	5	7	2
Downey	2	56	10	6	16	16	–	23	5	–	8	4	2	29	11	11	17	3	–
Duarte	1	15	1	1	6	13	1	2	2	–	3	–	–	9	5	3	–	–	–
El Monte	3	38	5	1	15	20	2	16	3	–	9	9	9	35	13	24	5	11	–
El Segundo	2	8	1	–	1	2	–	1	1	–	1	3	–	3	2	1	3	–	–
Gardena	2	44	16	8	18	20	1	12	1	–	4	6	3	25	17	11	7	14	–
Glendale	8	138	35	13	44	41	4	17	11	–	11	10	2	66	19	17	29	7	–
Glendora	3	26	5	4	13	6	2	10	–	–	5	2	4	28	5	6	10	1	–
Hawaiian Gardens	1	2	–	1	2	3	–	1	1	–	–	–	–	4	2	3	–	3	–
Hawthorne	3	39	4	2	13	14	3	12	–	–	8	5	–	34	12	11	8	11	–
Hermosa Beach	–	9	2	–	–	2	–	3	–	–	2	1	–	2	4	9	2	–	–
Huntington Park	2	31	5	3	11	11	3	20	5	–	4	5	3	23	6	9	5	11	1
Inglewood	2	64	7	3	16	27	3	13	2	1	14	15	2	47	24	21	17	26	1
La Canada Flintridge	2	8	3	–	–	2	–	2	–	–	–	–	–	4	2	3	–	–	–
Lakewood	1	26	3	4	13	9	2	10	3	–	6	3	2	25	15	14	13	5	–
La Mirada	2	13	–	–	8	9	–	8	3	–	2	2	–	25	9	5	8	3	1
Lancaster	1	23	3	4	11	22	3	20	2	–	3	4	6	26	16	14	9	4	–
La Puente	–	14	–	2	10	11	1	11	3	–	5	7	4	26	16	12	8	13	–
La Verne	1	21	2	4	3	3	1	2	1	–	–	1	–	12	3	4	–	1	–
Lawndale	–	6	1	1	2	6	–	3	–	–	3	3	2	7	7	5	1	2	–
Lomita	–	17	10	2	3	10	1	5	–	–	1	1	–	7	7	3	6	1	–
Long Beach	12	333	43	33	137	143	20	85	25	–	21	27	16	260	62	87	68	78	1
Los Angeles	116	2,208	344	205	757	671	130	582	198	13	226	348	156	1,577	540	739	515	881	18
Lynwood	3	35	6	–	4	14	1	12	3	–	14	14	3	19	5	7	9	15	–
Manhattan Beach	–	13	3	–	5	2	1	1	5	–	–	3	3	9	4	6	6	3	1
Maywood	1	7	2	3	3	1	–	8	2	–	–	5	3	8	1	3	3	3	–
Monrovia	–	25	3	5	6	10	3	4	–	–	4	5	1	13	9	7	3	2	–
Montebello	1	37	2	1	13	7	2	10	–	1	4	4	2	28	7	9	9	10	–
Monterey Park	–	35	3	1	12	6	1	8	7	–	4	2	4	20	9	4	7	9	–
Norwalk	–	38	5	7	15	14	5	20	1	1	4	4	4	31	13	17	11	5	–
Palmdale	–	5	1	3	7	15	2	4	2	–	7	4	4	16	13	8	8	1	–
Palos Verdes Estates	–	6	3	2	3	3	1	–	–	–	–	–	–	4	1	1	1	–	–
Paramount	–	16	3	4	7	6	2	8	–	–	4	2	3	17	2	7	5	8	–
Pasadena	7	105	28	13	45	33	6	30	10	–	10	16	5	79	15	32	16	23	1
Pico Rivera	–	34	4	4	12	10	2	18	2	–	9	11	–	16	10	13	5	7	–
Pomona	1	51	10	4	12	19	3	21	9	–	12	23	5	62	30	29	14	29	1
Rancho Palos Verdes	–	16	2	4	4	2	2	3	–	–	1	1	1	8	3	6	5	–	–
Redondo Beach	–	28	9	–	6	14	2	8	2	–	2	4	4	20	7	18	8	4	–
Rosemead	4	26	5	1	16	14	–	8	1	–	2	2	3	18	8	11	4	1	–
San Dimas	–	9	1	1	5	5	–	5	–	–	2	1	–	9	3	4	3	2	1
San Fernando	–	14	–	2	5	7	2	4	–	–	3	4	3	13	5	3	3	4	–
San Gabriel	2	56	7	6	23	13	5	6	3	–	1	4	–	24	9	6	6	1	2
San Marino	1	13	3	1	2	–	–	–	–	–	–	1	–	7	1	3	–	–	–
Santa Fe Springs	–	5	3	–	2	2	–	3	1	–	2	3	–	6	2	3	3	1	–
Santa Monica	3	107	20	6	26	28	8	13	9	–	1	1	2	56	11	19	17	5	1
Sierra Madre	–	10	2	2	2	1	–	1	1	–	1	1	1	10	3	4	2	–	–
South El Monte	1	2	–	1	6	2	–	4	–	–	1	2	–	2	3	2	2	–	–
South Gate	2	53	10	5	11	22	5	25	1	–	3	9	2	42	8	9	11	7	–
South Pasadena	–	23	3	2	10	2	–	4	–	–	–	1	–	6	1	–	1	–	–
Temple City	–	40	2	2	4	14	2	5	1	–	–	1	2	13	4	4	8	–	–
Torrance	4	99	26	7	29	43	5	17	6	–	5	16	3	67	23	28	19	14	–
West Covina	1	27	6	6	10	16	3	6	3	–	6	2	1	33	12	11	16	7	–
Whittier	4	89	10	11	24	44	5	24	4	–	6	15	8	59	35	20	23	4	–
Balance of county	12	210	37	28	68	83	14	59	14	1	24	26	27	167	127	80	75	61	2
Madera	1	43	9	6	6	21	3	17	2	–	1	7	2	40	28	28	6	11	–
Madera	–	21	5	4	3	13	–	11	2	–	–	4	1	28	17	16	5	9	–
Balance of county	1	22	4	2	3	8	3	6	–	–	1	3	1	12	11	12	1	2	–
Marin	6	169	34	25	62	61	5	38	15	–	10	6	4	131	41	61	40	8	13
Larkspur	–	2	2	–	1	1	1	2	–	–	1	–	–	4	1	2	1	–	–
Mill Valley	2	23	2	3	10	12	–	3	3	–	1	–	2	23	2	8	8	–	1
Novato	3	28	1	5	12	14	1	6	1	–	–	1	1	24	5	10	9	–	1
San Anselmo	–	14	3	4	3	5	–	2	–	–	–	–	–	14	2	3	2	–	–
San Rafael	1	46	11	8	22	17	–	10	6	–	2	1	–	33	16	15	8	6	8
Balance of county	–	56	15	5	14	12	3	13	5	–	6	4	1	33	15	23	12	2	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	118	–	–	–	27	8	7	–	2	–	1	9	3	59	47	1	3	36	7
Mendocino	640	1	–	3	157	37	46	5	16	10	8	35	3	279	201	1	13	142	45
Ukiah	241	–	–	–	55	12	12	2	5	3	2	19	2	110	80	1	9	54	16
Balance of county	399	1	–	3	102	25	34	3	11	7	6	16	1	169	121	–	4	88	29
Merced	937	2	1	3	212	52	71	16	23	7	10	33	21	421	317	3	9	250	55
Atwater	110	–	–	–	24	5	11	–	1	1	2	4	1	53	40	–	–	30	10
Los Banos	92	–	–	1	22	4	8	–	2	–	2	6	3	38	31	–	1	24	6
Merced	397	2	1	–	92	25	26	8	11	3	4	15	12	174	126	1	5	104	16
Balance of county	338	–	–	2	74	18	26	8	9	3	2	8	5	156	120	2	3	92	23
Modoc	104	–	–	1	24	4	5	5	3	1	–	6	2	48	33	1	1	25	6
Mono	32	–	–	–	10	1	1	1	3	–	–	4	–	9	7	–	–	3	4
Monterey	2,049	3	–	8	431	111	121	40	54	15	10	80	27	928	629	7	19	480	123
Marina	57	–	–	1	14	4	5	–	1	–	1	3	2	17	12	–	–	12	–
Monterey	250	–	–	1	52	13	18	6	3	2	2	8	2	125	83	–	4	61	18
Pacific Grove	194	–	–	–	41	14	11	3	6	2	–	5	4	105	65	1	–	58	6
Salinas	745	1	–	3	136	25	44	12	20	5	3	27	11	355	240	2	7	174	57
Seaside	171	–	–	–	38	8	14	4	7	1	–	4	–	55	35	–	2	28	5
Balance of county	632	2	–	3	150	47	29	15	17	5	4	33	8	271	194	4	6	147	37
Napa	925	1	–	7	187	35	56	16	23	9	8	40	15	434	308	5	8	205	90
Napa	631	1	–	6	134	27	41	11	16	6	5	28	12	289	198	2	5	146	45
Balance of county	294	–	–	1	53	8	15	5	7	3	3	12	3	145	110	3	3	59	45
Nevada	532	–	–	5	132	36	39	7	18	5	4	23	4	240	177	2	8	129	38
Orange	12,680	20	–	71	3,015	704	829	294	340	140	102	606	150	5,990	4,643	74	87	3,650	832
Anaheim	1,507	1	–	13	374	96	89	39	34	18	15	83	19	731	567	3	11	451	102
Brea	181	–	–	1	34	11	6	1	5	1	–	10	2	93	71	1	–	57	13
Buena Park	373	–	–	2	80	21	30	9	9	4	–	17	4	178	149	2	2	114	31
Costa Mesa	564	–	–	2	129	21	38	12	14	6	3	35	9	267	207	3	4	152	48
Cypress	192	–	–	1	57	18	14	6	2	–	–	17	2	83	65	1	2	51	11
Fountain Valley	220	–	–	4	61	10	12	6	6	2	2	19	2	90	72	–	–	58	14
Fullerton	654	3	–	4	135	30	37	16	15	5	5	27	8	301	229	6	4	179	40
Garden Grove	856	1	–	7	190	47	66	16	15	6	6	28	6	406	323	4	1	262	56
Huntington Beach	940	3	–	5	239	55	76	21	16	12	10	49	19	406	312	8	7	238	59
Irvine	195	–	–	–	60	12	16	6	6	1	2	17	1	71	50	2	–	38	10
Laguna Beach	172	–	–	2	50	16	10	5	8	2	4	5	2	75	57	1	2	46	8
La Habra	324	–	–	–	79	20	22	4	13	5	1	14	6	155	117	3	3	95	16
La Palma	42	–	–	–	16	2	5	–	4	1	–	4	–	12	11	–	2	7	2
Los Alamitos	129	–	–	1	37	6	12	7	3	–	1	6	–	73	59	–	2	42	9
Newport Beach	486	1	–	1	119	33	30	18	13	3	2	20	7	243	185	4	4	143	34
Orange	615	2	–	2	151	32	47	13	13	12	8	26	8	289	225	1	5	189	30
Placentia	155	–	–	–	44	13	10	5	2	5	1	8	3	65	55	–	–	49	6
San Clemente	249	–	–	1	63	13	19	5	10	6	1	9	1	129	98	4	1	74	19
San Juan Capistrano	154	–	–	–	38	10	13	2	4	–	3	6	1	80	60	2	–	55	3
Santa Ana	1,419	6	–	11	307	64	84	40	42	9	9	59	21	640	499	10	10	378	101
Seal Beach	500	–	–	4	100	24	23	5	22	4	1	21	1	302	233	2	5	180	46
Stanton	150	–	–	–	24	3	6	3	5	2	–	5	–	78	60	–	1	48	11
Tustin	343	2	–	1	66	13	23	4	7	5	1	13	4	173	130	2	3	104	21
Westminster	451	–	–	3	111	27	34	11	8	3	3	25	6	212	171	1	3	136	31
Yorba Linda	109	–	–	1	35	6	9	3	4	2	1	10	3	40	35	1	1	28	5
Balance of county	1,600	1	–	5	406	101	96	35	58	24	21	71	15	798	609	13	14	476	106
Placer	1,016	1	–	8	223	58	60	22	28	7	11	37	15	486	344	2	10	273	59
Roseville	287	1	–	1	65	15	20	6	12	1	1	10	3	150	116	1	5	88	22
Balance of county	729	–	–	7	158	43	40	16	16	6	10	27	12	336	228	1	5	185	37
Plumas	177	–	–	1	55	17	14	5	7	1	–	11	3	64	48	–	–	38	10
Riverside	6,819	4	–	35	1,502	384	396	124	173	64	48	313	69	3,280	2,514	38	47	2,065	364
Banning	200	–	–	1	49	17	14	3	4	2	1	8	2	99	80	–	2	71	7
Corona	306	–	–	5	66	16	18	7	5	1	4	15	5	137	98	4	2	79	13
Hemet	1,076	1	–	7	228	53	76	14	35	10	5	35	10	594	451	7	8	377	59
Indio	220	–	–	1	39	4	12	4	7	–	1	11	5	94	75	2	2	55	16
Norco	81	–	–	–	19	3	4	1	3	2	2	4	1	32	28	1	–	24	3
Palm Desert	203	1	–	–	59	14	11	7	6	2	4	15	1	95	71	2	1	56	12
Palm Springs	531	2	–	4	119	27	34	8	14	6	5	25	7	241	182	1	5	141	35
Riverside	1,583	–	–	2	319	91	67	32	32	21	7	69	10	760	560	7	11	452	90
Balance of county	2,639	–	–	15	604	159	160	48	67	20	19	131	28	1,228	969	14	18	610	129
Sacramento	6,145	11	–	51	1,495	336	482	127	156	51	58	305	89	2,731	2,079	19	67	1,603	390
Folsom	101	–	–	–	33	4	6	–	2	–	1	10	2	55	44	–	–	36	8
Sacramento	4,288	10	–	41	1,037	235	318	98	106	38	38	204	72	1,925	1,456	13	54	1,129	260
Balance of county	1,756	1	–	10	435	97	138	29	48	13	19	91	15	751	579	6	13	438	122
San Benito	187	–	–	–	38	8	11	4	5	1	2	7	6	79	59	1	4	43	11
Hollister	149	–	–	–	29	7	8	1	4	1	2	6	5	64	46	1	4	33	8
Balance of county	38	–	–	–	9	1	3	3	1	–	–	1	1	15	13	–	–	10	3
San Bernardino	7,320	4	–	36	1,605	341	476	137	195	71	70	313	105	3,353	2,578	34	65	2,143	336
Barstow	204	–	–	1	58	12	19	4	8	3	1	11	6	72	57	1	2	48	6
Chino	259	1	–	–	56	12	17	4	10	2	3	8	5	115	80	2	1	56	21
Colton	207	–	–	1	46	11	11	6	5	2	2	9	6	82	59	–	3	45	11
Fontana	482	1	–	3	103	29	30	6	14	3	4	17	12	196	164	2	3	147	12
Loma Linda	111	–	–	1	13	2	2	3	3	–	1	2	4	74	44	–	1	38	5
Montclair	173	–	–	1	34	10	11	4	3	2	–	4	–	92	73	1	1	56	15
Ontario	608	–	–	3	134	23	42	13	14	4	5	33	8	279	216	2	8	177	29
Rancho Cucamonga	115	–	–	1	35	7	9	2	2	3	4	8	2	43	33	–	–	33	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E900-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	1	7	2	2	1	4	1	3	–	–	–	1	–	9	5	2	3	–	–
Mendocino	2	55	6	15	28	40	1	12	2	–	3	5	3	49	19	21	10	3	1
Ukiah	1	21	1	7	11	16	1	4	1	–	–	1	2	26	3	7	1	–	1
Balance of county	1	34	5	8	17	24	–	8	1	–	3	4	1	23	16	14	9	3	–
Merced	9	68	13	14	29	33	4	15	10	–	8	10	6	67	33	37	15	10	–
Atwater	1	5	2	5	1	3	1	2	1	–	1	3	–	6	3	8	3	–	–
Los Banos	1	5	–	1	4	4	–	2	–	–	1	–	2	6	1	3	2	3	–
Merced	3	35	5	5	11	13	2	6	6	–	1	4	3	35	11	14	5	4	–
Balance of county	4	23	6	3	13	13	1	5	3	–	5	3	1	19	18	12	5	3	–
Modoc	1	11	2	1	3	2	–	1	2	–	2	–	2	7	4	2	3	1	–
Mono	–	2	–	–	–	–	–	2	–	–	–	1	1	1	5	2	1	–	–
Monterey	4	214	48	33	64	74	15	35	9	–	18	18	18	158	90	68	49	35	1
Marina	–	4	–	1	3	1	1	1	–	–	–	1	1	8	1	3	1	2	–
Monterey	1	32	5	4	11	8	2	3	2	–	2	1	2	22	4	4	9	–	–
Pacific Grove	1	24	11	4	4	7	–	4	–	–	–	–	1	17	4	3	4	–	–
Salinas	2	83	20	10	26	36	5	14	3	–	6	8	7	48	33	22	18	14	1
Seaside	–	13	4	3	4	4	1	2	3	–	3	2	2	13	18	9	9	8	–
Balance of county	–	58	8	11	16	18	6	11	1	–	7	6	5	50	30	27	10	11	–
Napa	1	97	9	19	49	40	4	23	5	1	1	3	2	81	24	25	18	3	2
Napa	1	71	7	12	31	33	3	16	2	–	1	1	2	57	15	12	12	2	2
Balance of county	–	26	2	7	18	7	1	7	3	1	–	2	–	24	9	13	6	1	–
Nevada	6	48	1	8	21	21	1	11	2	–	1	–	7	43	14	13	11	6	–
Orange	52	980	154	161	400	460	74	250	65	4	138	129	50	862	321	297	272	107	5
Anaheim	6	118	22	18	61	52	7	38	13	1	26	19	11	118	36	32	41	14	–
Brea	–	16	3	3	6	5	2	3	2	–	1	2	2	15	7	1	4	1	–
Buena Park	2	20	2	5	11	16	1	7	3	–	6	3	–	21	7	10	11	3	–
Costa Mesa	4	45	6	5	20	30	4	13	2	–	12	4	–	36	12	10	12	2	–
Cypress	–	15	2	1	7	4	–	3	–	–	2	2	1	7	9	6	8	–	–
Fountain Valley	–	15	1	2	5	13	–	7	1	–	1	3	–	15	10	6	2	–	–
Fullerton	5	50	9	8	27	21	6	15	6	1	10	7	1	52	20	20	9	8	–
Garden Grove	5	59	9	10	28	33	6	19	5	–	17	8	1	71	16	25	12	5	–
Huntington Beach	1	68	14	11	26	39	4	18	6	1	5	11	3	63	31	23	28	9	1
Irvine	–	17	3	1	4	4	4	1	1	–	3	4	1	15	11	9	6	–	–
Laguna Beach	–	15	3	–	3	4	2	2	–	–	4	1	–	12	4	5	2	4	–
La Habra	1	30	3	4	8	13	2	10	–	–	1	4	1	21	7	7	7	3	–
La Palma	–	1	–	–	1	2	–	1	–	–	1	–	–	3	3	1	1	1	–
Los Alamitos	–	16	2	2	5	3	–	4	–	–	–	–	–	4	–	–	1	1	–
Newport Beach	3	44	6	5	11	17	2	6	4	–	2	2	1	34	6	11	17	2	–
Orange	2	47	7	8	20	27	4	14	3	–	9	6	4	32	17	14	6	7	–
Placentia	–	6	1	3	3	7	1	5	–	–	2	1	1	11	5	4	3	–	–
San Clemente	1	25	3	2	5	10	2	7	3	–	1	3	–	8	5	4	6	–	1
San Juan Capistrano	1	18	1	–	5	3	1	2	–	–	–	1	2	8	2	7	4	–	–
Santa Ana	5	102	13	21	42	58	8	31	7	1	16	27	10	94	45	33	32	29	1
Seal Beach	4	47	8	10	29	11	2	1	4	–	–	–	2	31	3	6	4	–	–
Stanton	–	12	1	5	7	4	1	4	–	–	1	3	2	13	3	4	3	3	–
Tustin	4	30	5	4	8	9	2	8	1	–	4	4	1	22	10	15	8	4	1
Westminster	4	26	6	5	13	18	3	10	–	–	4	5	2	28	13	7	8	7	1
Yorba Linda	–	4	1	–	–	2	–	–	–	–	–	2	–	13	5	4	4	–	–
Balance of county	4	134	23	28	45	55	10	21	4	–	10	7	4	115	34	33	33	4	–
Placer	4	96	18	24	29	36	5	14	3	–	9	12	8	77	24	35	23	7	1
Roseville	1	28	1	4	10	8	2	4	–	–	–	4	2	18	2	8	5	4	–
Balance of county	3	68	17	20	19	28	3	10	3	–	9	8	6	59	22	27	18	3	1
Plumas	1	10	2	3	–	8	–	4	1	–	–	–	3	18	3	9	7	1	–
Riverside	23	538	114	91	251	251	46	127	36	–	48	66	36	469	231	153	139	74	2
Banning	1	13	3	2	2	9	–	3	–	–	1	1	–	21	2	5	2	3	–
Corona	2	24	10	3	8	13	3	10	4	–	5	8	2	16	14	1	7	2	–
Hemet	7	98	21	17	47	40	7	11	5	–	2	2	3	67	20	12	17	2	1
Indio	1	16	–	2	7	9	–	5	3	–	1	2	3	20	12	9	4	6	–
Norco	–	4	–	–	1	3	–	4	–	–	2	2	–	3	4	9	1	–	–
Palm Desert	–	21	1	2	5	6	1	4	1	–	3	–	–	10	7	3	4	3	–
Palm Springs	2	37	9	11	20	22	6	7	2	–	2	3	6	42	15	11	18	4	–
Riverside	3	148	29	20	75	46	9	31	5	–	13	27	12	110	53	42	28	21	–
Balance of county	7	177	41	34	86	103	20	52	16	–	19	21	10	180	104	61	58	33	1
Sacramento	24	488	71	69	135	268	25	148	47	–	39	54	40	483	164	128	145	74	18
Folsom	–	3	5	3	3	4	–	–	2	–	1	–	–	5	2	1	2	1	–
Sacramento	20	350	51	48	94	177	17	110	30	–	25	35	30	344	98	87	96	49	11
Balance of county	4	135	15	18	38	87	8	38	15	–	13	19	10	134	64	40	47	24	7
San Benito	1	10	6	3	6	5	–	6	2	–	4	–	1	13	14	7	5	1	–
Hollister	1	9	6	2	5	4	–	5	2	–	3	–	1	10	11	6	3	1	–
Balance of county	–	1	–	1	1	1	–	1	–	–	1	–	–	3	3	1	2	–	–
San Bernardino	28	577	100	70	230	274	27	165	53	2	80	90	49	534	259	153	155	102	44
Barstow	1	12	1	1	4	7	–	10	1	–	2	3	1	12	9	5	8	3	2
Chino	1	21	9	4	8	10	–	5	2	1	6	5	3	17	10	3	5	5	2
Colton	3	14	4	2	8	11	1	3	–	–	2	4	2	23	6	3	2	5	1
Fontana	1	23	3	5	14	17	3	12	8	–	6	7	6	35	19	16	13	9	2
Loma Linda	–	20	7	3	2	3	–	–	–	–	2	–	1	7	–	2	1	1	–
Montclair	1	15	3	–	7	5	–	2	1	–	1	1	1	11	4	8	4	1	–
Ontario	2	46	8	7	11	24	3	11	3	–	15	11	5	44	20	13	7	13	4
Rancho Cucamonga	–	9	1	–	2	9	–	2	1	–	1	2	–	7	3	2	2	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	428	–	–	2	87	19	19	10	14	4	2	19	5	206	155	2	2	124	27
Rialto	309	–	–	3	73	14	21	9	8	4	2	15	4	132	105	2	1	93	9
San Bernardino	1,380	–	–	10	291	67	85	28	36	14	13	48	21	620	456	4	21	371	60
Upland	340	–	–	2	70	21	13	4	6	4	5	17	8	173	131	3	3	113	12
Victorville	169	–	–	–	38	7	11	4	5	2	1	8	1	81	64	2	–	49	13
Balance of county	2,535	2	–	8	567	107	188	40	67	24	27	114	23	1,188	941	13	19	793	116
San Diego	13,851	15	1	89	3,264	785	922	302	340	138	142	635	161	6,299	4,650	66	121	3,690	773
Carlsbad	235	–	–	2	57	15	21	3	6	3	–	9	1	107	79	1	4	60	14
Chula Vista	823	4	–	9	183	48	54	17	14	10	7	33	8	386	298	2	5	247	44
Coronado	165	–	–	1	52	8	10	9	8	4	4	9	1	72	59	1	4	47	7
El Cajon	872	1	1	6	182	39	57	17	19	7	5	38	12	420	299	2	5	244	48
Escondido	830	–	–	3	198	55	51	19	23	6	9	35	6	375	261	4	2	211	44
Imperial Beach	118	–	–	1	22	3	5	3	3	2	2	4	3	49	40	–	1	34	5
La Mesa	611	1	–	4	134	41	31	12	12	7	4	27	8	324	237	5	7	186	39
Lemon Grove	178	–	–	–	28	3	4	4	7	1	2	7	5	102	66	–	2	54	10
National City	315	1	–	4	68	19	14	5	7	2	5	16	6	137	111	–	6	86	19
Oceanside	661	–	–	4	176	33	43	16	30	11	9	34	3	267	209	5	5	159	40
San Diego	6,327	5	–	35	1,473	351	421	136	154	54	72	285	72	2,907	2,141	27	58	1,686	370
San Marcos	229	–	–	1	65	16	17	6	5	4	1	16	2	105	72	–	1	55	16
Vista	449	1	–	3	114	27	38	11	13	3	5	17	5	210	145	2	5	113	25
Balance of county	2,038	2	–	16	512	127	156	44	39	24	17	105	29	838	633	17	16	508	92
San Francisco, coext. with San Francisco city	7,681	10	4	90	1,744	490	416	162	177	73	59	367	101	3,529	2,687	22	79	2,123	463
San Joaquin	3,193	8	1	25	694	180	207	45	69	35	22	136	59	1,427	1,071	12	22	852	185
Lodi	461	–	–	–	90	25	22	4	8	5	6	19	7	247	178	–	8	127	43
Manteca	244	1	–	3	62	20	16	2	4	6	1	13	3	105	86	2	4	65	15
Stockton	1,898	7	1	19	406	106	127	29	37	17	11	79	40	845	646	9	9	528	100
Tracy	219	–	–	2	54	10	15	6	8	2	3	10	3	89	57	–	2	49	6
Balance of county	351	–	–	1	82	18	27	4	12	5	1	15	6	141	106	1	1	83	21
San Luis Obispo	1,387	1	–	8	360	84	89	28	44	11	15	89	16	692	469	3	13	334	119
Arroyo Grande	160	–	–	1	36	12	7	1	5	1	1	9	–	83	57	2	1	45	9
Atascadero	154	1	–	–	40	7	11	6	5	1	4	6	–	66	53	–	3	35	15
San Luis Obispo	252	–	–	2	62	11	21	7	6	1	1	15	5	110	72	–	3	48	21
Balance of county	821	–	–	5	222	54	50	14	28	8	9	59	11	373	287	1	6	206	74
San Mateo	4,486	5	1	30	1,118	280	299	90	112	49	46	242	52	2,059	1,542	24	68	1,211	239
Belmont	166	–	–	–	37	11	8	4	3	3	3	5	4	81	63	–	3	50	10
Burlingame	311	–	–	2	79	18	19	6	9	4	4	19	1	151	115	2	5	96	12
Daly City	508	1	1	8	129	28	35	12	15	1	6	32	4	235	181	2	7	146	26
Foster City	93	1	–	2	28	4	5	1	2	4	1	11	–	43	32	–	2	24	6
Hillsborough	70	–	–	–	28	9	6	2	2	–	1	8	–	30	23	–	1	17	5
Menlo Park	404	1	–	3	95	26	22	8	12	5	4	18	2	191	138	2	8	103	25
Millbrae	177	–	–	–	40	11	11	5	2	2	–	9	2	101	75	2	4	60	9
Pacifica	199	–	–	1	43	11	13	5	1	3	1	9	4	84	62	1	1	48	12
Redwood City	597	–	–	4	148	29	42	9	14	11	7	36	12	263	203	3	4	174	22
San Bruno	212	1	–	1	57	14	13	3	7	3	2	15	1	98	74	1	3	63	7
San Carlos	197	–	–	2	49	14	18	6	1	1	1	8	1	91	67	2	1	53	11
San Mateo	752	1	–	2	188	56	59	10	20	5	6	32	11	353	260	7	13	201	39
South San Francisco	344	–	–	2	99	27	23	7	12	6	4	20	5	131	102	–	3	76	23
Balance of county	456	–	–	3	98	22	25	12	12	1	6	20	5	207	147	2	13	100	32
Santa Barbara	2,359	1	–	16	518	137	125	61	57	24	16	98	34	1,102	767	10	24	478	255
Carpinteria	109	–	–	1	20	5	5	3	3	1	–	3	3	54	36	2	–	19	15
Lompoc	246	–	–	1	45	11	13	2	2	2	2	13	2	119	85	–	5	55	25
Santa Barbara	1,215	1	–	11	270	73	56	36	38	15	10	42	15	580	397	5	10	253	129
Santa Maria	450	–	–	2	101	26	27	15	8	3	2	20	9	203	142	–	5	85	52
Balance of county	339	–	–	1	82	22	24	5	6	3	2	20	5	146	107	3	4	66	34
Santa Clara	7,836	2	–	53	1,865	472	473	186	186	70	69	409	111	3,565	2,731	29	117	1,708	877
Campbell	269	–	–	1	81	24	17	4	10	2	3	21	1	104	84	1	5	45	33
Cupertino	241	–	–	2	69	23	13	13	7	1	2	10	2	115	90	1	1	55	33
Gilroy	160	–	–	–	30	9	10	2	2	–	1	6	2	74	52	–	1	37	14
Los Altos	249	–	–	–	63	16	12	11	9	5	–	10	1	117	86	–	3	58	25
Los Gatos	326	–	–	–	77	19	18	9	9	1	5	16	7	152	125	2	9	77	37
Milpitas	134	–	–	–	38	8	12	3	4	2	3	6	1	50	41	–	1	27	13
Morgan Hill	105	–	–	–	29	4	9	1	5	1	3	6	2	50	44	1	2	28	13
Mountain View	401	–	–	4	108	33	24	9	9	11	2	20	2	167	121	1	8	67	45
Palo Alto	463	–	–	6	102	24	23	13	10	2	5	25	5	221	139	2	13	78	46
San Jose	3,763	1	–	26	871	216	230	78	90	30	38	189	53	1,684	1,327	10	48	872	397
Santa Clara	604	–	–	7	132	38	30	12	14	5	1	32	14	283	227	5	9	134	79
Saratoga	212	–	–	–	46	7	11	5	4	1	–	18	4	114	95	1	4	51	39
Sunnyvale	727	1	–	5	178	38	57	21	10	8	4	40	12	326	237	5	11	140	81
Balance of county	182	–	–	2	41	13	7	5	3	1	2	10	5	88	63	–	2	39	22
Santa Cruz	1,671	–	–	11	380	83	96	38	57	19	16	71	26	780	576	5	43	370	155
Santa Cruz	767	–	–	4	178	40	47	20	26	11	6	28	9	367	271	2	23	177	69
Watsonville	375	–	–	4	70	15	15	6	10	4	2	18	7	195	154	2	6	105	41
Balance of county	529	–	–	3	132	28	34	12	21	4	8	25	10	218	151	1	14	88	45
Shasta	1,102	–	–	3	271	61	86	22	27	8	8	59	10	510	378	3	3	274	98
Redding	606	–	–	2	146	36	47	11	15	4	2	31	5	284	217	3	3	151	60
Balance of county	496	–	–	1	125	25	39	11	12	4	6	28	5	226	161	–	–	123	38
Sierra	16	–	–	1	3	–	–	–	1	–	–	2	–	6	5	–	–	3	2
Siskiyou	404	–	–	3	95	15	29	11	9	7	5	19	6	175	130	2	6	99	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-789)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Redlands	2	41	6	2	23	11	1	8	1	–	7	2	–	42	14	4	11	2	2
Rialto	3	18	2	4	10	12	2	6	1	–	3	4	3	20	15	8	9	3	1
San Bernardino	6	125	22	11	52	50	7	47	12	–	11	20	7	105	36	28	23	27	13
Upland	–	35	2	5	7	4	1	7	3	1	2	2	3	26	13	7	7	4	–
Victorville	–	15	1	1	2	5	–	3	3	–	3	2	1	8	13	3	3	2	1
Balance of county	8	183	31	25	79	106	9	49	17	–	19	27	16	177	97	51	60	25	15
San Diego	48	1,183	233	185	368	617	55	276	97	2	113	136	110	1,110	339	334	310	134	21
Carlsbad	1	18	4	5	5	8	1	5	1	–	2	–	–	20	8	8	9	1	–
Chula Vista	4	63	7	14	15	49	3	19	–	1	3	7	3	64	17	23	19	8	2
Coronado	–	9	4	–	5	9	–	4	–	–	1	–	1	13	–	1	4	1	–
El Cajon	2	75	31	13	25	43	5	14	9	–	6	8	7	68	16	21	23	5	–
Escondido	4	81	16	13	27	37	6	17	1	–	1	3	10	64	30	16	13	3	–
Imperial Beach	–	8	–	1	2	6	–	7	–	–	1	3	2	8	7	2	5	–	–
La Mesa	2	68	11	6	12	34	–	5	7	–	2	6	–	49	5	7	10	3	–
Lemon Grove	1	22	8	4	3	15	–	6	–	–	1	1	–	7	3	4	3	–	–
National City	–	19	4	3	14	11	2	10	1	–	2	2	4	29	7	8	5	4	–
Oceanside	2	41	8	7	16	39	1	10	2	–	11	15	11	52	10	20	16	8	–
San Diego	22	566	101	77	171	244	23	137	53	1	58	68	43	511	143	157	130	82	14
San Marcos	1	22	2	0	6	9	1	1	–	–	–	1	3	17	10	2	5	–	1
Vista	3	48	8	6	10	23	3	4	5	–	4	3	4	36	7	7	6	3	1
Balance of county	6	143	28	28	57	90	10	37	18	–	21	19	22	152	76	58	62	16	3
San Francisco, coext. with San Francisco city	36	626	79	101	241	246	44	237	49	2	42	26	42	660	91	232	161	105	25
San Joaquin	11	263	51	31	93	106	15	86	29	1	28	20	29	251	101	114	40	54	12
Lodi	2	55	8	6	21	20	3	11	6	1	2	3	3	39	14	4	7	3	–
Manteca	–	16	1	2	10	3	–	8	4	–	1	2	1	19	8	10	1	3	–
Stockton	6	140	36	17	43	58	11	54	16	–	17	11	18	141	54	81	25	40	11
Tracy	2	24	2	4	4	11	1	2	1	–	5	1	6	21	8	4	4	3	–
Balance of county	1	28	4	2	15	14	–	11	2	–	3	3	1	31	17	15	3	5	1
San Luis Obispo	4	106	38	15	27	56	3	36	10	–	8	3	7	114	44	23	29	9	1
Arroyo Grande	1	15	9	1	2	5	1	2	–	–	–	–	–	16	7	2	5	–	–
Atascadero	–	8	1	4	3	8	–	1	3	–	–	2	2	14	6	4	4	–	–
San Luis Obispo	–	23	12	3	7	11	–	5	3	–	5	–	1	22	3	3	9	4	–
Balance of county	3	60	16	7	15	32	2	28	4	–	3	1	4	62	28	14	11	5	1
San Mateo	10	402	57	48	121	165	21	121	32	–	34	33	25	345	74	115	92	35	8
Belmont	–	14	3	1	8	4	–	2	5	–	–	1	1	14	2	8	–	1	–
Burlingame	1	29	5	1	11	9	2	9	2	–	1	–	–	23	4	9	5	2	1
Daly City	–	44	5	5	12	14	1	9	3	–	5	5	4	39	10	11	10	6	1
Foster City	–	9	–	2	2	1	–	–	–	–	–	2	–	8	2	3	1	–	–
Hillsborough	–	7	–	–	2	–	–	1	–	–	–	–	1	5	1	1	1	–	–
Menlo Park	2	43	6	2	14	18	3	9	3	–	4	2	2	37	4	7	7	1	1
Millbrae	–	23	2	1	5	8	–	3	–	–	–	1	–	8	–	1	7	1	–
Pacifica	1	19	1	1	4	9	–	9	1	–	3	5	4	13	6	8	4	1	–
Redwood City	1	44	8	7	14	22	6	20	2	–	4	4	–	52	9	20	9	6	2
San Bruno	–	17	2	5	3	6	2	6	1	–	1	2	2	12	3	8	8	–	–
San Carlos	–	19	2	3	10	7	–	3	1	–	1	2	2	15	4	5	4	–	–
San Mateo	4	63	15	11	19	30	4	22	6	–	6	2	3	53	13	14	17	7	1
South San Francisco	–	21	2	6	13	21	1	15	4	–	4	1	4	22	4	8	5	4	1
Balance of county	1	50	6	3	4	16	2	13	4	–	5	6	2	44	12	14	14	6	1
Santa Barbara	8	261	36	30	75	82	5	49	11	–	16	13	11	218	66	66	56	20	–
Carpinteria	1	16	1	–	2	4	–	3	1	–	–	–	–	13	1	2	3	2	–
Lompoc	1	20	4	9	10	14	–	8	1	–	3	2	2	16	10	6	3	4	–
Santa Barbara	3	145	19	16	39	36	4	20	6	–	5	4	6	129	19	32	30	8	–
Santa Maria	2	50	5	4	14	17	–	11	3	–	4	2	3	30	18	20	11	2	–
Balance of county	1	30	7	1	10	11	1	7	–	–	4	5	–	30	18	6	9	4	–
Santa Clara	22	633	90	89	270	244	33	183	41	6	72	72	53	597	202	208	172	77	10
Campbell	1	12	4	3	13	16	–	6	2	–	–	–	–	20	4	9	9	2	1
Cupertino	1	22	1	1	9	4	–	1	–	1	1	–	–	22	2	3	7	3	–
Gilroy	–	18	1	3	4	3	1	6	2	–	2	5	2	14	3	4	4	3	1
Los Altos	–	23	5	3	7	13	1	2	2	–	6	1	1	20	1	10	4	–	–
Los Gatos	–	30	3	4	10	8	3	4	2	–	1	–	3	29	3	9	8	–	–
Milpitas	–	9	–	–	6	6	–	1	–	–	1	–	2	7	7	5	5	4	1
Morgan Hill	–	5	1	–	3	2	–	–	4	–	–	–	1	7	4	2	1	–	–
Mountain View	–	41	3	2	18	15	3	8	1	1	6	2	–	34	11	10	7	3	1
Palo Alto	1	65	8	8	30	13	–	9	–	–	5	1	2	38	4	12	14	1	–
San Jose	11	260	38	48	123	103	9	109	23	3	41	45	35	279	118	103	80	52	5
Santa Clara	5	49	6	6	17	24	4	18	1	–	2	6	5	39	20	9	9	4	–
Saratoga	–	13	5	1	7	7	–	2	1	–	1	1	–	13	3	9	4	–	–
Sunnyvale	3	67	13	6	16	27	11	15	3	–	5	8	2	61	18	17	17	4	1
Balance of county	–	19	2	4	7	3	1	2	–	1	1	3	–	14	4	6	3	1	–
Santa Cruz	8	140	35	21	65	56	6	37	8	–	10	19	14	126	34	58	34	7	–
Santa Cruz	3	68	17	8	36	24	1	18	5	–	4	7	9	62	13	19	8	3	–
Watsonville	–	30	9	2	12	12	1	4	2	–	5	8	2	29	8	6	8	2	–
Balance of county	5	42	9	11	17	20	4	15	1	–	1	4	3	35	13	33	18	2	–
Shasta	2	101	14	15	25	56	3	13	8	–	7	6	7	79	45	31	22	5	1
Redding	1	50	10	6	14	31	1	6	3	–	3	5	3	47	22	15	17	1	1
Balance of county	1	51	4	9	11	25	2	7	5	–	4	1	4	32	23	16	5	4	–
Sierra	–	–	–	1	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–
Siskiyou	3	32	3	7	7	18	3	14	7	–	1	3	4	23	15	18	5	7	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	1,668	2	–	16	372	80	117	31	32	10	21	81	38	746	549	5	7	431	106
Benicia	93	–	–	–	18	2	8	2	1	–	1	4	2	50	37	1	1	28	7
Fairfield	306	–	–	5	74	12	26	5	5	4	7	15	9	124	85	1	2	68	14
Suisun City	55	–	–	1	13	3	3	1	2	–	1	3	1	23	16	–	–	11	5
Vacaville	251	1	–	3	65	14	15	9	4	2	3	18	3	107	81	–	–	66	15
Vallejo	833	1	–	7	170	41	52	10	17	4	8	38	21	392	296	3	4	228	61
Balance of county	130	–	–	–	32	8	13	4	3	–	1	3	2	50	34	–	–	30	4
Sonoma	2,928	–	–	18	685	155	193	59	88	23	25	142	28	1,390	1,000	7	32	722	239
Petaluma	375	–	–	2	94	22	26	5	14	2	3	22	3	188	141	2	6	101	32
Rohnert Park	135	–	–	3	38	6	14	7	2	1	2	6	2	48	39	–	3	29	7
Santa Rosa	1,308	–	–	9	308	65	87	28	41	13	11	63	9	608	451	3	13	319	116
Balance of county	1,110	–	–	4	245	62	66	19	31	7	9	51	14	548	369	2	10	273	84
Stanislaus	2,368	3	–	14	478	111	135	40	55	19	22	96	37	1,109	822	11	18	592	201
Ceres	162	–	–	–	34	4	11	6	3	1	1	8	5	74	57	–	1	47	9
Modesto	1,274	2	–	9	265	59	77	18	30	11	12	56	18	593	421	6	7	304	102
Turlock	366	–	–	2	67	15	13	9	10	2	5	13	2	203	164	3	6	112	43
Balance of county	566	1	–	3	112	33	34	7	12	5	4	17	12	249	180	–	4	129	47
Sutter	435	–	–	1	101	25	31	4	16	3	2	20	9	212	160	3	5	117	35
Yuba City	319	–	–	1	82	21	24	4	9	2	2	20	6	146	113	2	4	86	21
Balance of county	116	–	–	–	19	4	7	–	7	1	–	–	3	66	47	1	1	31	14
Tehama	436	–	–	5	100	20	30	13	13	4	5	15	9	206	155	2	3	119	31
Trinity	98	–	–	–	15	5	7	–	2	–	–	1	3	39	28	1	–	24	3
Tulare	2,082	1	–	26	422	113	104	17	72	14	16	86	35	958	735	8	22	578	127
Porterville	422	–	–	8	74	23	16	2	14	2	3	14	7	204	163	1	4	131	27
Tulare	300	–	–	3	63	13	15	1	10	4	1	19	3	141	111	1	2	84	24
Visalia	524	1	–	8	118	33	33	5	17	2	4	24	5	247	182	4	6	139	33
Balance of county	836	–	–	7	167	44	40	9	31	6	8	29	20	366	279	2	10	224	43
Tuolumne	315	–	–	2	83	12	28	4	13	4	3	19	2	149	111	1	1	75	34
Ventura	3,374	2	–	18	787	203	224	62	65	36	45	152	38	1,500	1,125	23	42	698	362
Camarillo	339	–	–	4	91	27	21	9	8	3	7	16	4	137	106	3	5	62	36
Oxnard	701	1	–	7	153	37	44	14	12	6	7	33	12	306	227	5	15	142	65
Port Hueneme	139	–	–	1	28	6	10	2	2	1	2	5	–	60	42	2	3	27	10
San Buenaventura (Ventura)	727	–	–	1	183	47	49	15	16	7	12	37	9	344	262	2	4	169	87
Santa Paula	195	–	–	–	51	17	14	3	3	2	4	8	–	85	62	1	3	40	18
Simi Valley	346	–	–	1	85	20	27	7	6	5	4	16	4	148	106	–	–	72	34
Thousand Oaks	282	1	–	2	59	16	13	6	6	3	1	14	1	130	110	5	5	69	31
Balance of county	645	–	–	2	137	33	46	6	12	9	8	23	8	290	210	5	7	117	51
Yolo	803	–	–	6	161	39	46	14	10	11	6	35	11	377	301	2	1	234	64
Davis	140	–	–	–	38	11	7	3	4	2	1	10	2	55	42	–	–	32	10
Woodland	275	–	–	2	51	12	12	5	4	4	3	11	3	139	112	–	–	90	22
Balance of county	388	–	–	4	72	16	27	6	2	5	2	14	6	183	147	2	1	112	32
Yuba	422	–	–	2	89	19	40	3	11	3	3	10	8	197	161	1	–	123	37
Colorado	10,649	11	1	216	3,043	998	905	377	471	176	155	761	295	8,604	6,643	117	126	4,772	1,626
Urban places	13,208	10	1	145	2,585	878	609	262	304	123	106	503	198	5,832	4,476	83	94	3,203	1,096
Balance of area	6,441	1	–	73	1,258	320	296	115	167	53	49	258	97	2,772	2,167	34	32	1,569	532
Metropolitan counties	14,929	8	1	171	2,977	793	667	300	356	139	121	601	221	6,478	5,014	86	104	3,600	1,224
Urban places	12,358	7	1	135	2,422	646	551	245	281	115	103	481	186	5,442	4,184	78	91	2,988	1,017
Balance of area	2,571	1	–	36	555	147	116	55	75	24	18	120	35	1,037	830	8	13	602	207
Nonmetropolitan counties	4,720	3	–	47	866	205	238	77	115	37	34	160	74	2,125	1,629	31	22	1,172	404
Urban places	850	3	–	10	163	32	58	17	23	8	3	22	12	390	292	5	3	205	79
Balance of area	3,870	–	–	37	703	173	180	60	92	29	31	138	62	1,735	1,337	26	19	967	325
Adams	1,304	1	–	17	245	53	68	31	28	12	8	45	18	561	455	6	2	326	121
Arvada, part	7	–	–	–	1	1	–	–	–	–	–	–	–	3	3	–	–	3	–
Aurora, part	140	–	–	1	33	9	8	4	4	2	2	4	5	51	38	–	–	30	8
Brighton, part	111	–	–	1	17	5	4	2	4	–	1	1	3	56	41	2	–	25	14
Brighton, total	113	–	–	1	17	5	4	2	4	–	1	1	3	57	42	2	–	25	15
Broomfield, part	6	–	–	–	2	–	–	–	–	1	–	1	–	2	1	–	–	–	1
Commerce City	170	–	–	–	24	6	8	5	–	1	–	4	1	78	67	1	–	51	15
Northglenn	117	–	–	3	28	5	10	6	2	2	1	2	–	47	36	1	2	29	4
Thornton	150	1	–	1	19	2	7	2	4	–	1	3	1	66	54	2	–	31	21
Westminster, part	190	–	–	2	38	6	11	5	2	2	1	11	5	89	68	–	–	44	24
Westminster, total	203	–	–	2	41	6	11	5	3	2	1	13	5	91	70	–	–	45	25
Balance of county	413	–	–	9	83	19	20	7	12	4	2	19	3	169	147	–	–	113	34
Alamosa	84	–	–	–	13	7	–	2	2	–	–	2	1	40	33	–	–	29	4
Arapahoe	1,450	1	–	15	353	90	87	38	33	14	13	76	15	602	443	10	6	319	108
Aurora, part	623	–	–	8	145	37	30	10	18	4	8	38	5	231	172	1	2	121	48
Aurora, total	763	–	–	9	178	46	38	14	22	6	10	42	10	282	210	1	2	151	56
Englewood	336	1	–	3	81	24	24	12	3	4	2	12	3	149	111	5	1	77	28
Littleton, part	261	–	–	–	62	13	14	14	3	3	2	13	5	131	85	3	2	56	14
Littleton, total	262	–	–	–	62	13	14	14	3	3	2	13	5	132	86	3	2	57	14
Balance of county	238	–	–	4	65	16	19	2	9	3	1	15	2	91	75	1	1	55	18
Archuleta	32	–	–	–	4	–	–	2	–	2	–	–	–	12	8	–	–	3	5
Baca	48	–	–	2	7	1	–	3	2	1	–	–	1	27	18	–	–	16	2
Bent	57	–	–	–	13	–	4	–	3	2	2	2	–	22	18	–	–	13	5
Boulder	998	1	–	16	200	55	34	21	23	11	10	46	19	420	311	5	6	192	108
Boulder	406	–	–	6	92	25	15	9	9	7	7	20	3	163	118	4	1	75	38
Broomfield, part	38	–	–	1	7	1	1	2	3	–	–	–	2	11	10	–	–	6	2
Broomfield, total	54	–	–	1	9	1	1	2	3	1	–	1	2	17	15	–	–	10	5
Longmont	300	–	–	7	52	16	10	5	2	3	3	13	7	146	111	1	4	85	41
Balance of county	254	1	–	2	49	13	8	5	9	1	–	13	7	100	72	–	1	44	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	5	143	20	29	34	67	7	37	15	1	10	19	8	141	40	46	41	23	5
Benicia	2	7	2	2	1	5	2	1	–	–	1	1	–	5	2	4	–	1	–
Fairfield	–	30	4	5	3	16	–	5	1	–	3	7	2	29	12	3	10	2	1
Suisun City	–	3	1	3	–	–	–	3	1	–	–	–	–	3	4	4	1	1	–
Vacaville	1	18	3	4	3	10	–	7	–	–	2	4	–	19	5	5	12	3	2
Vallejo	2	71	10	13	23	34	5	17	11	–	2	6	5	73	12	26	13	14	1
Balance of county	–	14	–	2	4	2	–	4	2	1	2	1	1	12	5	4	5	2	1
Sonoma	8	290	67	25	118	122	11	56	10	–	19	15	12	280	64	53	48	14	5
Petaluma	–	36	8	3	16	15	2	10	1	–	3	–	2	24	5	5	2	2	1
Rohnert Park	–	6	2	1	2	8	–	1	–	–	2	3	–	7	7	7	6	1	–
Santa Rosa	7	121	17	10	65	49	6	27	5	–	7	8	6	125	25	23	25	3	2
Balance of county	1	127	40	11	35	50	3	18	4	–	7	4	4	104	27	18	15	8	2
Stanislaus	8	224	28	29	86	125	14	47	10	1	27	22	8	165	83	75	35	21	–
Ceres	–	13	2	2	7	8	–	3	1	–	3	3	1	5	8	7	2	1	–
Modesto	5	120	19	18	41	70	9	22	6	–	17	14	–	98	41	46	26	13	–
Turlock	2	32	1	4	18	13	2	7	1	1	1	3	3	16	15	9	2	1	–
Balance of county	1	59	4	5	20	34	3	15	2	–	6	2	2	48	29	13	11	6	–
Sutter	2	35	8	7	5	8	3	8	2	–	5	2	1	31	20	12	7	8	–
Yuba City	–	25	4	4	4	6	3	6	2	–	4	1	1	22	15	7	6	7	–
Balance of county	2	10	4	3	1	2	–	2	–	–	1	1	–	9	5	5	1	1	–
Tehama	1	27	14	9	9	23	1	6	2	–	4	2	5	23	18	15	4	3	1
Trinity	–	3	6	2	9	3	1	2	1	–	–	–	–	15	2	4	1	3	–
Tulare	4	171	29	19	71	82	11	41	11	1	18	29	19	150	90	61	24	32	–
Porterville	1	34	2	4	17	16	3	11	3	–	3	4	4	28	20	11	5	3	–
Tulare	1	23	3	3	11	11	1	5	–	–	3	4	3	27	9	11	3	2	–
Visalia	1	51	8	5	17	19	1	8	4	–	4	6	4	39	22	10	8	3	–
Balance of county	1	63	16	7	26	36	6	17	4	1	8	15	8	55	39	29	8	24	–
Tuolumne	–	22	8	8	9	11	–	6	4	–	1	1	3	26	3	5	8	2	–
Ventura	12	278	41	44	101	158	11	57	24	–	31	37	21	262	104	96	83	36	8
Camarillo	–	22	3	6	13	19	2	9	1	–	4	2	–	27	10	9	7	–	–
Oxnard	4	58	7	10	13	35	1	16	6	–	9	13	5	48	22	19	21	10	4
Port Hueneme	–	14	3	1	4	12	1	2	1	–	–	–	–	14	5	3	4	4	–
San Buenaventura (Ventura)	1	66	7	8	16	25	4	8	5	–	4	3	5	59	22	15	17	5	2
Santa Paula	1	18	1	3	6	9	–	3	2	–	2	2	2	16	4	10	3	–	–
Simi Valley	–	30	8	4	7	15	–	4	4	–	4	9	3	21	14	14	8	4	1
Thousand Oaks	2	12	3	3	13	9	1	3	2	–	3	4	2	25	8	9	5	4	1
Balance of county	4	58	9	9	26	34	2	12	3	–	5	4	4	52	19	17	16	9	–
Yolo	2	51	11	12	22	43	4	21	3	–	4	11	6	61	33	20	16	2	2
Davis	–	11	2	–	9	6	–	1	–	–	–	1	–	12	8	4	4	–	–
Woodland	–	15	4	8	8	16	1	5	–	–	2	3	2	17	13	9	4	–	–
Balance of county	2	25	5	4	5	21	3	15	3	–	2	7	4	32	12	7	8	2	2
Yuba	–	30	3	3	16	19	1	7	3	–	2	4	8	26	18	13	7	4	–
Colorado	51	1,320	348	242	701	918	87	291	180	6	177	219	195	1,756	675	697	504	201	68
Urban places	34	908	247	167	478	634	64	200	110	4	125	142	124	1,219	360	448	337	143	49
Balance of area	17	412	101	75	223	284	23	91	70	2	52	77	71	539	315	249	167	58	19
Metropolitan counties	41	973	261	190	505	714	69	239	124	4	138	181	150	1,334	472	506	407	169	60
Urban places	34	840	230	154	446	600	60	188	102	4	113	136	118	1,137	335	419	318	138	49
Balance of area	7	133	31	36	59	114	9	51	22	–	25	43	32	197	137	87	89	31	11
Nonmetropolitan counties	10	347	87	52	196	204	18	52	56	2	39	36	45	424	203	191	97	32	8
Urban places	–	68	17	13	32	34	4	12	8	–	12	4	6	82	25	29	19	5	–
Balance of area	10	279	70	39	164	170	14	40	48	2	27	34	39	342	178	162	78	27	8
Adams	3	65	22	16	38	70	2	28	8	–	14	26	14	101	48	48	41	20	4
Arvada, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Aurora, part	–	7	2	4	1	9	–	1	–	–	2	1	3	17	6	4	3	3	–
Brighton, part	–	9	4	2	3	3	–	3	2	–	–	–	–	8	3	6	1	2	3
Brighton, total	–	9	4	2	3	3	–	3	2	–	–	1	–	8	3	6	1	2	3
Broomfield, part	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Commerce City	–	7	4	–	8	10	–	3	–	–	2	6	1	14	8	7	2	5	–
Northglenn	1	9	–	1	3	3	1	1	–	–	1	1	1	9	6	4	7	2	–
Thornton	1	7	3	1	6	8	–	5	1	–	2	2	2	10	6	4	11	4	1
Westminster, part	1	15	3	2	5	10	–	4	3	–	1	3	3	12	7	7	1	–	–
Westminster, total	1	15	3	2	5	10	–	5	3	–	1	3	3	12	8	13	1	–	–
Balance of county	–	10	6	6	11	27	1	11	2	–	6	13	4	31	11	15	13	4	–
Alamosa	1	4	1	1	4	2	2	1	–	–	–	1	2	8	1	5	4	–	–
Arapahoe	5	99	41	14	53	61	7	17	7	–	23	27	15	101	42	40	44	15	20
Aurora, part	2	34	19	4	23	23	3	9	4	–	15	19	9	50	14	20	22	11	12
Aurora, total	2	41	21	8	24	32	3	10	4	–	17	20	12	67	20	24	25	14	12
Englewood	–	24	6	8	16	19	2	3	1	–	4	1	4	29	7	6	4	1	2
Littleton, part	2	29	14	1	7	10	1	1	2	–	2	4	2	13	8	5	4	1	3
Littleton, total	2	29	14	1	7	10	1	1	2	–	2	4	2	13	8	5	4	1	3
Balance of county	1	12	2	1	7	9	1	4	–	–	2	3	–	9	13	9	14	2	3
Archuleta	–	3	1	–	1	3	–	1	–	–	1	–	1	2	1	4	1	1	–
Baca	–	6	3	–	–	1	–	1	–	–	–	1	–	4	3	1	–	–	–
Bent	–	4	–	–	6	–	1	1	–	–	–	–	–	6	4	4	–	–	–
Boulder	3	74	14	18	33	53	6	13	9	1	8	6	11	91	46	30	26	7	2
Boulder	–	35	3	7	14	18	3	5	2	1	3	5	7	34	18	17	11	3	1
Broomfield, part	–	1	–	–	1	2	–	1	3	–	–	–	–	4	2	3	1	–	–
Broomfield, total	–	2	–	–	2	2	–	1	3	–	–	1	1	4	2	6	2	1	–
Longmont	1	22	7	5	11	15	–	1	1	–	4	–	2	31	9	4	8	2	–
Balance of county	2	18	4	6	7	18	3	6	3	–	1	1	2	22	17	6	6	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	107	–	–	–	17	4	2	5	6	–	–	–	4	47	36	2	1	25	8
Cheyenne	21	–	–	–	5	2	1	–	1	–	1	–	–	10	8	–	–	6	2
Clear Creek	48	–	–	1	8	1	5	1	–	–	–	1	1	28	19	–	–	12	7
Conejos	51	–	–	1	9	2	–	–	1	–	–	–	–	30	24	–	–	8	16
Costilla	21	–	–	–	2	–	1	–	–	–	–	1	2	8	7	–	–	2	5
Crowley	39	–	–	1	6	–	2	–	–	–	1	3	1	24	19	–	–	15	4
Custer	18	–	–	–	2	–	–	–	–	1	–	1	–	7	6	–	–	4	2
Delta	209	–	–	2	36	12	10	2	4	2	1	5	3	93	75	2	1	51	21
Denver, coext. with Denver city	4,489	3	1	59	829	247	189	78	95	35	37	148	74	1,935	1,498	25	41	1,059	373
Dolores	19	–	–	–	5	3	1	–	–	–	1	–	–	6	5	–	–	4	1
Douglas	106	–	–	–	22	7	6	1	5	–	1	2	–	54	46	–	2	30	14
Littleton, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	105	–	–	–	22	7	6	1	5	–	1	2	–	53	45	–	2	29	14
Eagle	48	–	–	2	7	1	3	–	–	–	–	3	1	12	10	–	–	6	4
Elbert	48	–	–	1	9	4	1	–	1	1	2	–	1	19	14	–	–	8	6
El Paso	1,770	–	–	20	347	84	87	33	43	17	15	68	14	775	571	9	15	447	100
Colorado Springs	1,483	–	–	14	285	68	76	24	35	10	15	57	11	663	485	8	14	387	76
Balance of county	287	–	–	6	62	16	11	9	8	7	–	11	3	112	86	1	1	60	24
Fremont	410	–	–	1	70	18	28	5	8	2	–	9	6	207	143	3	–	103	37
Canon City	240	–	–	1	42	7	19	4	6	2	–	4	4	114	81	2	–	51	28
Balance of county	170	–	–	–	28	11	9	1	2	–	–	5	2	93	62	1	–	52	9
Garfield	140	–	–	–	23	6	4	1	5	1	–	6	3	54	43	2	–	25	16
Gilpin	19	–	–	–	3	1	–	–	1	1	–	–	–	8	7	–	–	6	1
Grand	43	–	–	–	7	4	3	–	–	–	–	–	–	16	14	1	–	9	4
Gunnison	47	–	–	–	12	2	3	2	–	–	1	4	–	24	18	1	1	14	2
Hinsdale	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huerfano	94	–	–	1	14	2	3	1	3	1	1	3	1	49	37	–	1	32	4
Jackson	11	–	–	–	3	1	2	–	–	–	–	–	–	3	3	–	–	2	1
Jefferson	2,000	1	–	22	450	105	86	54	66	22	9	108	25	878	712	11	13	488	200
Arvada, part	366	–	–	4	96	22	19	10	15	7	2	21	7	143	112	1	3	83	25
Arvada, total	373	–	–	4	97	23	19	10	15	7	2	21	7	146	115	1	3	86	25
Broomfield, part	10	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	2	2
Golden	42	–	–	1	12	3	1	1	6	1	–	–	–	17	17	1	1	12	3
Lakewood	802	1	–	6	171	39	35	21	20	10	3	43	8	376	313	5	3	195	110
Westminster, part	13	–	–	–	3	–	–	–	1	–	–	2	–	2	2	–	–	1	1
Wheat Ridge	267	–	–	4	53	12	11	7	9	3	–	11	4	151	121	2	2	88	29
Balance of county	480	–	–	7	115	29	20	15	15	1	4	31	6	185	143	2	4	107	30
Kiowa	20	–	–	1	4	1	1	–	–	2	–	–	–	8	6	–	–	3	3
Kit Carson	60	–	–	–	14	3	5	–	4	–	–	2	–	30	21	–	–	18	3
Lake	35	–	–	–	8	2	2	–	2	–	–	2	–	13	12	1	1	8	2
La Plata	189	1	–	3	36	7	13	2	2	3	–	9	3	82	58	–	1	38	19
Durango	94	1	–	2	16	5	3	1	–	2	–	5	2	46	28	–	1	17	10
Balance of county	95	–	–	1	20	2	10	1	2	1	–	4	1	36	30	–	–	21	9
Larimer	881	1	–	7	174	48	33	14	19	10	8	42	17	422	327	8	7	236	75
Fort Collins	400	1	–	2	78	20	14	7	10	7	5	16	9	189	146	5	3	99	39
Loveland	245	–	–	2	44	13	8	4	5	2	–	12	5	127	104	2	4	77	21
Balance of county	236	–	–	3	51	15	11	3	4	1	3	14	3	106	77	1	–	60	16
Las Animas	173	–	–	1	27	10	3	4	3	–	2	5	3	92	65	–	–	58	7
Lincoln	66	–	–	–	14	1	3	2	3	1	–	4	2	32	27	–	–	23	4
Logan	162	–	–	1	43	6	12	6	8	3	1	5	2	68	53	1	–	45	7
Sterling	112	–	–	1	29	4	9	5	6	3	1	1	1	48	40	–	–	37	3
Balance of county	50	–	–	–	14	2	3	3	2	–	–	4	1	20	13	1	–	8	4
Mesa	727	2	–	9	140	33	45	11	18	2	8	23	12	292	231	7	2	165	57
Grand Junction	404	2	–	6	76	16	27	7	11	1	2	12	5	162	143	3	2	100	38
Balance of county	323	–	–	3	64	17	18	4	7	1	6	11	7	110	88	4	–	65	19
Mineral	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Moffat	67	–	–	1	8	4	1	–	1	–	–	2	–	28	23	–	–	16	7
Montezuma	140	–	–	1	25	5	6	1	5	–	2	6	–	52	40	2	–	32	6
Montrose	206	–	–	2	43	9	12	3	3	4	–	12	2	84	65	1	2	41	21
Morgan	229	–	–	3	40	9	9	3	6	3	1	7	7	102	79	2	–	67	10
Otero	262	–	–	2	64	15	17	4	5	3	4	16	3	127	102	2	–	70	30
Ouray	15	–	–	–	5	1	1	1	–	–	–	2	–	7	5	–	–	3	2
Park	28	–	–	–	5	3	1	1	–	–	–	–	–	10	7	–	–	5	2
Phillips	76	–	–	1	9	2	1	1	2	–	1	2	2	42	37	1	2	27	7
Pitkin	38	–	–	–	5	1	2	1	1	–	–	–	–	15	13	–	–	6	7
Prowers	155	–	–	7	27	7	5	3	3	1	–	8	5	72	60	–	1	46	13
Pueblo	1,083	–	–	11	190	59	39	12	24	9	12	35	25	478	378	10	5	295	68
Pueblo	965	–	–	9	175	55	38	11	21	9	10	31	23	427	334	8	5	261	60
Balance of county	118	–	–	2	15	4	1	1	3	–	2	4	2	51	44	2	–	34	8
Rio Blanco	37	–	–	–	5	1	–	–	1	–	2	1	–	19	15	–	–	13	2
Rio Grande	103	–	–	–	14	2	5	1	2	1	–	3	–	52	40	1	3	24	12
Routt	66	–	–	1	7	–	2	2	1	–	–	2	1	22	17	–	–	9	8
Saguache	25	–	–	–	6	2	1	–	3	–	–	–	2	11	8	–	1	3	4
San Juan	7	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	–	2	1
San Miguel	13	–	–	–	3	1	1	–	–	–	–	1	–	5	4	–	–	3	1
Sedgwick	35	–	–	–	9	1	3	1	2	–	1	1	–	19	15	–	2	12	1
Summit	28	–	–	–	7	1	2	–	2	–	–	2	–	5	5	1	–	4	–
Teller	49	–	–	–	12	3	4	1	–	1	–	3	2	17	14	–	1	7	6
Washington	51	–	–	2	10	3	4	–	–	1	1	1	1	28	20	–	–	16	4
Weld	772	–	–	4	152	41	34	17	19	7	8	26	12	329	252	2	8	195	49
Brighton, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Greeley	398	–	–	1	74	17	18	6	10	2	3	18	5	183	131	1	3	108	19
Balance of county	372	–	–	3	78	24	16	11	9	5	5	8	7	145	120	1	3	87	29
Yuma	109	–	–	–	20	4	7	4	–	–	1	4	4	59	40	1	3	28	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	–	7	4	–	8	7	1	1	–	–	1	3	–	6	3	6	2	–	1
Cheyenne	–	2	–	–	–	1	–	–	–	–	–	–	–	3	1	–	1	–	–
Clear Creek	1	5	1	–	2	–	–	2	1	–	–	–	–	3	2	1	1	–	–
Conejos	–	4	1	1	1	3	–	1	–	–	–	1	1	3	2	3	–	2	–
Costilla	–	1	–	–	–	–	–	1	1	–	–	–	–	3	1	–	1	2	–
Crowley	–	3	1	1	3	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Custer	–	–	1	–	–	1	–	–	–	–	–	–	–	2	3	1	1	1	–
Delta	1	12	3	2	10	15	–	2	3	–	–	–	–	24	5	12	4	–	–
Denver, coext. with Denver city	15	279	86	57	160	250	26	77	45	1	36	39	37	467	98	153	120	70	9
Dolores	–	1	–	–	1	2	–	1	–	–	–	–	–	3	–	–	–	1	–
Douglas	–	6	–	2	1	2	–	3	1	–	–	–	1	8	4	2	5	2	1
Littleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	6	–	2	1	2	–	3	1	–	–	–	1	8	4	2	5	2	1
Eagle	–	2	–	–	–	2	–	–	–	–	1	–	2	3	8	6	2	–	–
Elbert	–	3	1	1	1	–	–	2	1	–	–	–	1	5	7	–	1	–	–
El Paso	6	145	29	24	64	72	8	27	18	–	20	21	18	152	69	75	49	15	8
Colorado Springs	4	131	25	18	62	67	5	22	16	–	18	18	11	131	45	58	41	11	5
Balance of county	2	14	4	6	2	5	1	5	2	–	2	3	7	21	24	17	8	4	3
Fremont	1	35	21	7	21	20	1	4	4	–	4	2	6	37	9	12	5	1	–
Canon City	–	16	13	4	9	13	1	3	4	–	3	1	2	28	5	9	3	–	–
Balance of county	1	19	8	3	12	7	–	1	–	–	1	1	4	11	4	3	2	1	–
Garfield	–	9	1	1	12	8	–	1	1	–	3	1	1	12	8	8	1	3	1
Gilpin	–	1	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	2	–
Grand	–	1	–	1	2	–	–	–	1	–	–	–	4	6	5	–	2	–	1
Gunnison	–	4	1	1	–	–	–	1	1	–	–	2	1	–	3	3	–	–	–
Hinsdale	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Huerfano	–	12	–	–	4	4	–	2	–	–	–	–	–	8	5	5	1	–	–
Jackson	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–	–
Jefferson	3	97	42	24	68	77	8	18	17	1	16	28	20	149	61	67	72	20	2
Arvada, part	–	18	8	5	9	12	2	4	–	–	6	7	4	29	12	11	14	6	–
Arvada, total	–	18	8	5	9	12	2	4	–	–	6	7	4	29	12	12	16	6	–
Broomfield, part	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	1	–
Golden	–	–	–	–	2	3	–	1	–	–	–	–	–	1	2	2	1	–	–
Lakewood	–	35	24	4	35	32	1	6	9	1	6	9	8	59	16	27	27	4	–
Westminster, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	6	–	–	–
Wheat Ridge	2	19	5	4	11	12	3	1	3	–	1	–	2	23	7	5	6	–	1
Balance of county	1	25	5	11	11	18	2	6	5	–	3	11	5	37	23	13	24	9	1
Kiowa	–	2	–	–	–	2	–	–	2	–	–	–	–	1	1	1	–	–	–
Kit Carson	–	6	1	2	2	6	1	–	1	–	–	–	–	3	1	2	–	–	–
Lake	–	1	–	–	1	2	–	2	1	–	–	–	–	3	1	1	3	–	–
La Plata	–	22	2	–	9	5	3	1	3	–	2	2	1	15	12	4	6	1	–
Durango	–	17	1	–	3	3	2	1	–	–	–	1	1	6	3	3	3	1	–
Balance of county	–	5	1	–	6	2	1	–	3	–	2	1	–	9	9	1	3	–	–
Larimer	2	78	8	7	26	35	1	13	5	1	8	14	5	84	28	26	11	1	4
Fort Collins	1	37	3	2	11	14	–	6	2	–	2	6	2	41	11	15	5	1	4
Loveland	–	18	1	4	7	13	–	2	1	1	3	5	–	23	5	5	2	–	–
Balance of county	1	23	4	1	8	8	1	5	2	–	1	3	3	20	12	6	4	–	–
Las Animas	1	24	2	–	6	9	2	5	2	–	–	1	–	13	3	4	2	2	1
Lincoln	–	3	1	1	3	4	–	–	1	–	–	1	–	7	–	2	–	–	–
Logan	–	12	1	2	5	7	1	1	2	–	2	1	1	14	11	–	3	–	–
Sterling	–	5	1	2	4	5	–	1	1	–	1	–	1	12	6	–	2	–	–
Balance of county	–	7	–	–	1	2	1	–	1	–	1	1	–	2	5	–	1	–	–
Mesa	–	48	4	9	33	28	1	9	9	–	11	7	5	77	33	37	17	4	1
Grand Junction	–	30	2	7	16	13	1	7	3	–	8	2	2	38	11	17	11	4	–
Balance of county	–	18	2	2	17	15	–	2	6	–	3	5	3	39	22	20	6	–	1
Mineral	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Moffat	–	5	–	–	3	4	–	–	–	–	2	1	1	6	4	5	4	–	–
Montezuma	–	10	–	2	3	5	2	1	2	1	1	1	5	15	8	8	4	5	1
Montrose	2	17	3	7	5	9	1	3	4	–	2	1	3	25	4	4	2	1	1
Morgan	1	11	7	4	11	12	–	1	4	–	2	5	1	21	9	7	3	1	–
Otero	–	18	5	2	14	7	1	1	3	–	2	1	1	22	1	10	3	–	–
Ouray	–	1	1	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
Park	–	1	2	–	1	1	–	–	–	–	1	–	2	1	2	2	2	1	–
Phillips	–	1	3	1	2	6	–	1	1	–	–	–	–	5	–	3	3	1	–
Pitkin	–	2	–	–	–	1	–	–	–	–	–	–	1	3	5	5	2	1	–
Prowers	1	6	4	1	9	5	–	–	6	–	1	3	2	12	2	4	–	–	–
Pueblo	4	67	15	14	36	56	10	29	6	–	7	10	17	101	34	37	21	9	6
Pueblo	4	64	12	13	34	45	10	27	6	–	3	6	16	92	27	31	19	9	6
Balance of county	–	3	3	1	2	11	–	2	–	–	4	4	1	9	7	6	2	–	–
Rio Blanco	–	4	–	–	1	1	–	–	–	1	1	–	1	3	1	2	–	2	–
Rio Grande	1	9	1	1	1	6	–	3	–	–	–	–	1	12	6	4	4	–	–
Routt	–	4	1	–	4	2	–	1	–	–	1	–	–	9	9	2	6	1	–
Saguache	–	1	–	2	–	1	–	–	–	–	–	–	–	1	–	3	1	–	–
San Juan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
San Miguel	–	–	1	–	2	1	–	–	–	–	–	–	–	–	2	–	–	–	–
Sedgwick	–	3	–	1	–	2	–	–	–	–	–	1	–	5	–	–	–	–	–
Summit	–	–	–	–	1	–	–	–	–	–	1	–	–	2	5	4	2	1	–
Teller	–	3	–	–	1	3	–	2	1	–	–	–	5	4	1	–	1	–	–
Washington	–	6	1	1	2	2	–	–	–	–	–	1	–	2	1	2	–	–	–
Weld	–	59	4	14	25	35	3	12	7	–	8	10	5	76	39	28	15	8	4
Brighton, part	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Greeley	–	39	1	12	16	22	3	4	1	–	2	4	3	40	16	15	5	2	2
Balance of county	–	20	3	2	9	13	–	8	6	–	6	5	2	36	23	13	10	6	2
Yuma	–	12	7	–	2	5	–	–	–	–	–	–	–	9	5	2	2	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	28,838	17	1	283	6,411	1,755	1,582	607	710	267	245	1,245	480	13,247	10,383	111	283	8,036	1,953
Urban places	19,597	13	1	215	4,666	1,278	1,161	444	520	193	181	889	351	9,705	7,653	84	223	5,906	1,440
Balance of area	7,241	4	–	68	1,745	477	421	163	190	74	64	356	129	3,542	2,730	27	60	2,130	513
Metropolitan counties	24,696	16	1	265	5,933	1,619	1,466	559	658	248	232	1,151	429	12,183	9,562	105	265	7,398	1,794
Urban places	19,280	13	1	211	4,604	1,260	1,147	439	513	191	177	877	344	9,541	7,523	84	223	5,810	1,406
Balance of area	5,416	3	–	54	1,329	359	319	120	145	57	55	274	85	2,642	2,039	21	42	1,588	388
Nonmetropolitan counties	2,142	1	–	18	478	135	116	48	52	19	13	94	51	1,064	821	6	18	638	159
Urban places	317	–	–	4	62	18	14	5	7	2	4	12	7	164	130	–	–	96	34
Balance of area	1,825	1	–	14	416	118	102	43	45	17	9	82	44	900	691	6	18	542	125
Fairfield	6,836	5	–	62	1,625	443	411	171	151	68	63	323	148	3,382	2,587	34	75	2,016	462
Bridgeport	1,618	–	–	15	349	84	85	29	38	16	16	81	43	804	603	2	25	474	102
Danbury	472	–	–	3	123	47	29	7	13	3	2	22	11	221	172	1	2	135	34
Darien town#	119	–	–	2	26	4	9	2	3	1	–	7	–	68	51	–	–	41	10
Fairfield town#	518	–	–	5	115	31	21	18	13	5	4	23	9	283	216	5	10	166	35
Greenwich town#	485	1	–	4	132	30	40	17	10	4	9	22	8	239	179	1	1	131	46
Norwalk	677	1	–	9	163	43	56	16	9	5	3	31	14	324	269	4	7	209	49
Shelton	196	–	–	3	40	13	5	4	5	2	1	10	4	100	76	–	1	59	16
Stamford	695	2	–	4	220	48	57	20	21	14	9	51	17	438	335	10	10	268	49
Stratford town#	527	–	–	4	125	43	29	11	8	2	6	26	17	285	225	1	6	186	32
Trumbull town#	235	–	–	1	67	24	20	4	11	1	2	5	6	113	82	2	5	63	12
Westport town#	169	–	–	4	43	11	9	8	2	3	1	9	2	79	57	3	3	40	11
Balance of county	925	1	–	8	222	65	51	35	18	7	10	36	17	428	322	5	5	246	66
Hartford	6,909	5	1	89	1,703	487	404	153	193	78	64	324	116	3,310	2,621	28	85	2,063	445
Bristol	432	2	–	6	106	35	18	14	8	5	2	24	4	201	163	1	2	133	27
East Hartford town#	450	–	–	6	124	29	42	9	13	6	3	22	11	206	164	2	4	140	18
Enfield town#	287	–	–	3	61	16	18	8	4	4	–	11	5	145	113	–	4	85	24
Hartford	1,286	1	–	31	275	84	69	16	34	11	4	57	9	570	452	1	10	368	79
Manchester town#	447	–	–	–	126	38	29	16	13	6	6	18	14	212	162	–	8	132	22
New Britain	736	–	–	5	195	58	49	20	22	5	3	38	14	361	300	4	25	191	80
Newington town#	227	–	–	2	59	20	16	3	8	–	4	8	2	108	88	1	5	70	12
Plainville town#	147	1	–	1	38	10	4	4	5	6	1	8	5	67	53	2	1	40	10
Rocky Hill town#	139	–	–	1	32	6	8	5	3	–	2	8	2	60	52	–	–	49	3
Southington town#	222	–	–	1	62	20	10	5	4	6	1	16	5	103	82	1	1	66	14
West Hartford town#	763	–	1	5	183	64	27	18	27	7	10	32	13	424	333	11	4	269	49
Wethersfield town#	258	–	–	6	69	18	21	6	7	3	4	10	5	124	94	–	3	78	13
Windsor town#	230	–	–	7	52	14	11	3	8	2	5	9	3	116	90	–	4	73	13
Windsor Locks town#	101	–	–	–	25	1	12	2	3	2	3	2	2	48	35	–	–	32	3
Balance of county	1,191	1	–	15	296	74	70	26	34	15	16	61	22	565	440	5	14	337	84
Litchfield	1,367	1	–	14	306	94	63	31	27	15	8	68	25	683	531	5	12	391	123
Torrington	315	–	–	4	62	18	14	5	7	2	4	12	7	162	129	–	–	95	34
Balance of county	1,052	1	–	10	244	76	49	26	20	13	4	56	18	521	402	5	12	296	89
Middlesex	1,070	–	–	4	254	68	70	21	30	13	14	38	17	532	410	2	10	328	70
Middletown	336	–	–	2	88	22	25	8	12	7	4	9	7	172	131	2	3	106	18
Balance of county	734	–	–	2	166	46	45	12	18	6	10	29	10	360	279	–	7	220	52
New Haven	7,216	6	–	92	1,698	447	417	167	207	67	64	329	109	3,631	2,947	32	72	2,152	691
Ansonia	214	–	–	–	56	18	16	7	9	2	1	3	3	108	88	1	–	70	17
Branford town#	236	–	–	3	56	14	11	5	7	5	2	12	2	117	94	2	3	60	29
Derby	127	–	–	2	34	10	11	2	3	–	2	6	–	67	54	–	1	45	8
East Haven town#	220	2	–	2	47	14	12	3	3	1	1	13	3	112	93	1	3	62	27
Hamden town#	513	–	–	3	132	40	27	16	19	5	9	16	7	272	216	1	8	161	48
Meriden	558	–	–	7	127	27	32	11	11	5	5	36	7	300	233	2	7	190	34
Milford	434	–	–	2	96	31	26	6	11	2	4	16	4	225	192	6	3	135	48
Naugatuck	215	–	–	1	53	14	11	3	8	–	2	15	5	106	87	1	1	67	18
New Haven	1,355	2	–	27	298	67	71	36	34	13	13	64	19	683	559	4	20	378	157
North Haven town#	153	–	–	2	38	16	6	5	7	–	1	3	3	71	62	1	3	44	14
Orange town#	108	–	–	–	25	6	6	4	1	2	2	4	3	47	42	–	–	33	9
Wallingford town#	337	–	–	5	70	21	14	9	7	3	1	15	11	154	117	3	1	96	17
Waterbury	1,145	1	–	13	282	76	82	26	40	8	11	39	19	586	456	2	11	337	106
West Haven	505	–	–	10	120	26	30	9	16	8	2	29	10	239	202	1	3	148	50
Balance of county	1,096	1	–	15	264	67	62	25	31	13	8	58	13	564	452	7	8	326	111
New London	1,971	–	–	9	469	135	122	37	55	23	21	98	29	987	736	5	21	621	89
Groton	247	–	–	–	54	12	14	6	5	2	4	11	6	121	96	1	4	77	14
New London	302	–	–	1	71	21	17	7	13	3	3	7	1	158	114	2	2	95	15
Norwich	420	–	–	1	99	22	27	8	10	5	8	19	5	217	157	1	8	134	14
Balance of county	1,002	–	–	7	265	80	64	16	27	13	6	59	17	491	369	1	7	315	46
Tolland	694	–	–	9	164	39	42	10	22	4	6	41	10	341	261	4	2	218	37
Vernon town#	226	–	–	2	48	12	15	4	5	1	1	10	4	107	84	1	1	74	8
Balance of county	468	–	–	7	116	27	27	6	17	3	5	31	6	234	177	3	1	144	29
Windham	775	–	–	4	172	42	53	17	25	4	5	26	26	381	290	1	6	247	36
Willimantic [3]	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
Balance of county	773	–	–	4	172	42	53	17	25	4	5	26	26	379	289	1	6	246	36
Delaware	5,104	3	–	53	1,217	325	346	112	126	46	41	221	150	2,427	1,983	15	109	1,066	793
Urban places	1,827	–	–	20	429	123	129	35	45	19	10	68	62	838	693	5	43	337	308
Balance of area	3,277	3	–	33	788	202	217	77	81	27	31	153	88	1,589	1,290	10	66	729	485
Metropolitan counties	3,296	–	–	32	789	221	218	76	79	30	26	141	111	1,567	1,286	11	86	632	557
Urban places	1,631	–	–	17	385	108	115	30	44	18	10	60	56	753	618	5	43	284	286
Balance of area	1,665	–	–	15	404	113	101	46	35	12	16	81	55	814	668	6	43	348	271
Nonmetropolitan counties	1,808	3	–	21	428	104	130	36	47	16	15	80	39	860	697	4	23	434	236
Urban places	196	–	–	3	44	15	14	5	1	1	–	8	6	85	75	–	–	53	22
Balance of area	1,612	3	–	18	384	89	116	31	46	15	15	72	33	775	622	4	23	381	214

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	130	2,094	353	287	700	725	69	385	222	2	169	240	388	1,991	480	625	241	168	34
Urban places	94	1,527	240	191	493	520	52	291	161	1	123	200	283	1,469	283	441	160	144	25
Balance of area	36	567	113	96	207	205	17	74	61	1	46	40	85	522	197	184	81	24	9
Metropolitan counties	125	1,930	305	261	625	643	63	343	209	2	159	228	346	1,829	429	574	220	167	32
Urban places	94	1,502	236	186	483	506	52	285	159	1	123	197	280	1,434	282	437	159	144	24
Balance of area	31	428	69	75	142	137	11	58	50	1	36	31	66	395	147	137	61	23	8
Nonmetropolitan counties	5	164	48	26	75	82	6	22	13	–	10	12	22	162	51	51	21	1	2
Urban places	–	25	4	5	10	14	–	6	2	–	–	3	3	35	1	4	1	–	1
Balance of area	5	139	44	21	65	68	6	16	11	–	10	9	19	127	50	47	20	1	1
Fairfield	40	603	85	67	141	190	19	94	53	1	45	63	92	512	111	147	78	54	14
Bridgeport	14	148	26	13	30	42	8	28	12	1	16	27	32	115	15	33	15	29	4
Danbury	1	39	6	3	12	16	–	10	6	–	4	8	7	25	9	10	5	1	1
Darien town#	–	12	5	–	2	4	–	1	–	–	1	–	2	7	3	2	1	–	–
Fairfield town#	2	56	5	4	9	11	3	2	2	–	2	1	10	45	3	13	4	1	–
Greenwich town#	–	44	11	5	11	11	–	4	2	–	3	1	3	40	5	5	12	3	1
Norwalk	–	48	5	2	16	22	–	15	2	–	4	3	4	57	16	16	8	1	2
Shelton	2	20	–	2	6	5	–	2	1	–	2	–	2	16	5	4	5	–	1
Stamford	11	70	13	9	14	25	3	12	11	–	7	12	15	72	6	22	7	5	3
Stratford town#	3	45	2	10	5	15	1	8	–	–	1	3	5	35	5	12	3	1	2
Trumbull town#	–	25	4	2	9	5	–	1	4	–	1	1	2	14	4	4	2	1	–
Westport town#	2	15	1	4	–	6	–	4	1	–	–	–	1	18	7	3	2	2	–
Balance of county	5	81	7	13	27	28	4	7	12	–	4	7	9	71	33	23	14	10	–
Hartford	25	508	78	78	190	168	19	97	59	1	45	68	92	549	109	187	44	54	3
Bristol	–	33	–	5	14	10	2	6	6	–	7	4	3	32	8	14	4	1	2
East Hartford town#	3	19	11	9	9	12	1	10	5	–	5	1	1	35	4	16	2	2	–
Enfield town#	1	28	1	2	7	7	1	6	4	–	4	4	3	17	5	11	–	4	–
Hartford	2	98	11	7	46	34	3	23	11	–	6	29	26	116	13	48	8	36	–
Manchester town#	3	32	9	6	9	10	2	7	2	–	2	4	1	40	4	11	2	1	–
New Britain	3	44	6	8	14	18	–	11	7	–	5	11	8	57	8	18	2	2	–
Newington town#	–	15	4	1	6	7	2	3	3	–	–	–	2	18	8	4	2	1	–
Plainville town#	–	11	–	3	3	5	–	1	–	–	–	2	3	17	3	1	–	–	–
Rocky Hill town#	–	5	2	1	5	10	–	2	1	–	–	–	5	12	2	1	–	–	–
Southington town#	1	16	–	4	4	9	–	2	3	–	2	1	1	15	7	5	2	–	–
West Hartford town#	3	70	11	7	23	11	1	7	8	–	5	1	9	50	10	6	3	3	–
Wethersfield town#	–	23	1	6	8	6	1	2	–	–	–	2	1	28	2	3	1	–	–
Windsor town#	1	18	4	3	9	5	2	2	–	–	3	2	2	12	3	6	5	1	–
Windsor Locks town#	–	7	4	2	1	3	–	2	–	–	–	1	8	6	3	2	–	–	–
Balance of county	8	89	14	14	32	21	4	13	9	1	6	6	19	94	29	41	13	3	1
Litchfield	4	111	17	20	43	51	3	13	9	–	7	7	18	115	30	28	12	–	2
Torrington	–	24	4	5	10	14	–	6	2	–	–	3	3	35	1	4	1	–	1
Balance of county	4	87	13	15	33	37	3	7	7	–	7	4	15	80	29	24	11	–	1
Middlesex	1	94	13	14	22	28	1	14	12	–	9	5	13	86	25	30	13	5	–
Middletown	–	33	3	5	4	9	1	4	3	–	2	2	2	18	4	11	5	2	–
Balance of county	1	61	10	9	18	19	–	10	9	–	7	3	11	68	21	19	8	3	–
New Haven	27	492	89	76	200	179	20	96	70	–	40	63	119	518	117	145	55	47	11
Ansonia	–	18	–	2	4	4	2	2	2	–	2	2	3	18	5	4	1	–	–
Branford town#	1	16	2	4	4	4	–	6	3	–	6	–	7	18	4	4	2	–	–
Derby	–	10	2	1	–	5	–	2	–	–	–	–	1	10	1	5	–	–	–
East Haven town#	2	9	8	2	9	4	–	3	4	–	3	–	6	14	4	5	1	1	–
Hamden town#	2	42	5	7	10	12	1	3	3	–	4	4	5	41	5	4	4	1	2
Meriden	–	56	7	4	17	14	2	8	4	–	–	4	7	33	10	9	4	4	1
Milford	1	24	4	4	11	16	2	10	4	–	2	7	3	24	7	13	4	3	1
Naugatuck	1	12	3	3	4	7	1	3	2	–	–	–	5	14	10	3	–	1	–
New Haven	3	63	12	6	41	33	3	15	21	–	5	20	35	114	14	26	7	12	–
North Haven town#	1	6	2	–	3	4	–	2	–	–	2	1	4	11	4	3	4	1	–
Orange town#	–	4	1	–	4	3	–	–	–	–	–	–	–	13	4	5	3	1	–
Wallingford town#	1	28	2	6	25	7	1	6	4	–	2	–	3	30	7	8	3	–	1
Waterbury	6	89	21	14	22	25	6	16	7	–	7	15	12	73	14	23	5	17	2
West Haven	5	25	4	3	12	13	1	8	7	–	3	6	13	32	7	12	8	4	–
Balance of county	4	70	18	20	34	28	1	12	9	–	4	4	15	75	21	21	9	2	4
New London	30	174	29	18	56	57	2	37	9	–	17	19	19	111	54	44	23	6	3
Groton	1	17	6	1	8	7	–	8	2	–	2	6	4	16	2	5	5	1	–
New London	1	34	6	3	7	10	1	7	–	–	1	4	2	21	5	10	1	1	1
Norwich	17	37	4	2	19	12	–	9	1	–	1	4	7	22	12	7	4	–	–
Balance of county	11	86	13	12	22	28	1	13	6	–	13	5	6	52	35	22	13	4	2
Tolland	2	59	11	8	16	21	2	5	6	–	3	10	11	53	13	21	7	1	1
Vernon town#	–	18	4	1	7	8	1	2	1	–	1	4	5	18	5	10	3	–	–
Balance of county	2	41	7	7	9	13	1	3	5	–	2	6	6	35	8	11	4	1	1
Windham	1	53	31	6	32	31	3	9	4	–	3	5	4	47	21	23	9	1	–
Willimantic s	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	52	31	6	32	31	3	9	4	–	3	5	4	47	21	23	9	1	–
Delaware	22	303	62	57	96	152	5	63	78	1	46	61	47	353	126	107	76	33	12
Urban places	11	93	25	16	43	41	1	27	26	1	26	30	27	117	38	39	36	20	6
Balance of area	11	210	37	41	53	111	4	36	50	–	20	31	20	236	88	68	40	13	6
Metropolitan counties	14	187	44	36	62	96	2	50	49	1	30	43	38	217	53	65	58	23	10
Urban places	9	87	24	15	39	35	–	27	20	1	23	25	25	107	24	35	35	18	8
Balance of area	5	100	20	21	23	61	2	23	29	–	7	18	13	110	29	30	23	5	4
Nonmetropolitan counties	8	116	18	21	34	56	3	13	27	–	16	18	9	136	73	42	18	10	2
Urban places	2	6	1	1	4	6	1	–	6	–	3	5	2	10	14	4	1	2	–
Balance of area	6	110	17	20	30	50	2	13	21	–	13	13	7	126	59	38	17	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	728	–	–	12	162	47	49	13	12	6	7	28	19	348	292	3	8	189	92
Dover	186	–	–	3	44	15	14	5	1	1	–	8	6	85	75	–	–	53	22
Balance of county	532	–	–	9	118	32	35	8	11	5	7	20	13	263	217	3	8	136	70
New Castle	3,296	–	–	32	789	221	216	76	79	30	26	141	111	1,567	1,286	11	86	832	557
Newark	270	–	–	3	58	19	12	7	7	–	2	11	13	106	85	–	5	40	40
Wilmington	1,361	–	–	14	327	89	103	23	37	18	8	49	43	645	533	5	38	244	246
Balance of county	1,665	–	–	15	404	113	101	46	35	12	16	81	55	814	668	6	43	348	271
Sussex	1,080	3	–	9	266	57	81	23	35	10	8	52	20	512	405	1	15	245	144
District of Columbia	6,713	18	1	119	1,543	446	358	132	207	55	37	308	116	2,779	2,118	13	225	1,253	627
Florida	108,594	105	11	843	25,542	6,575	7,449	1,972	2,846	1,136	890	4,674	1,690	52,520	40,691	397	1,291	30,501	8,502
Urban places	58,078	56	3	483	13,310	3,519	3,752	1,047	1,511	591	469	2,421	880	28,585	22,116	222	698	16,407	4,789
Balance of area	50,506	49	8	360	12,232	3,056	3,697	925	1,335	545	421	2,253	810	23,935	18,575	175	593	14,094	3,713
Metropolitan counties	94,337	87	10	721	22,207	5,776	6,411	1,709	2,466	996	782	4,067	1,435	45,639	35,379	357	1,151	26,432	7,439
Urban places	56,324	49	3	469	12,884	3,409	3,628	1,016	1,468	571	453	2,339	854	27,732	21,453	218	681	15,865	4,689
Balance of area	38,013	38	7	252	9,323	2,367	2,783	693	998	425	329	1,728	581	17,907	13,926	139	470	10,567	2,750
Nonmetropolitan counties	14,247	18	1	122	3,335	799	1,038	263	380	140	109	607	255	6,881	5,312	40	140	4,069	1,063
Urban places	1,754	7	–	14	426	110	124	31	43	20	16	82	26	853	663	4	17	542	100
Balance of area	12,493	11	1	108	2,909	689	914	232	337	120	92	525	229	6,028	4,649	36	123	3,527	963
Alachua	923	–	–	7	205	47	57	14	30	5	14	38	19	375	252	5	6	182	59
Gainesville	511	–	–	5	116	25	32	9	15	2	8	25	11	205	134	1	3	98	32
Balance of county	412	–	–	2	89	22	25	5	15	3	6	13	8	170	118	4	3	84	27
Baker	118	–	–	–	31	8	9	1	3	–	2	8	4	37	31	–	1	20	10
Bay	816	1	–	10	186	40	88	10	20	9	4	35	5	353	291	2	3	195	91
Panama City	475	1	–	4	101	25	41	4	11	4	2	14	3	215	179	–	1	121	57
Balance of county	341	–	–	6	85	15	27	6	9	5	2	21	2	138	112	2	2	74	34
Bradford	178	–	–	4	38	8	16	–	5	1	1	7	4	71	43	–	–	34	9
Brevard	2,813	5	1	12	708	180	234	54	87	33	22	118	37	1,159	861	17	29	644	171
Cocoa	174	1	–	–	43	9	16	3	2	3	–	10	4	80	54	1	5	36	12
Cocoa Beach	120	–	–	2	37	13	9	3	4	3	–	5	1	53	45	–	2	33	10
Melbourne	505	1	–	2	133	30	42	14	16	2	5	24	10	232	172	2	2	131	37
Palm Bay	159	–	–	–	45	6	19	5	3	2	2	8	2	73	55	–	1	47	7
Rockledge	114	–	–	–	37	11	8	3	6	2	2	5	–	49	35	1	1	27	6
Titusville	348	1	–	2	81	14	30	7	12	5	2	11	7	183	123	3	4	90	26
Balance of county	1,193	2	1	6	332	77	110	19	44	16	11	55	13	509	377	10	14	280	73
Broward	12,361	5	–	84	2,941	785	821	218	339	118	111	549	176	6,287	5,042	57	100	4,038	847
Cooper City	71	–	–	–	14	7	4	3	–	–	–	–	–	34	30	–	1	21	8
Coral Springs	186	–	–	1	55	7	20	4	9	1	2	12	1	89	78	1	–	69	8
Dania	207	–	–	–	35	12	11	–	2	3	3	4	7	103	75	–	1	61	13
Davie	152	–	–	1	31	5	11	2	3	2	1	7	2	65	57	1	2	43	11
Deerfield Beach	632	–	–	6	172	53	37	12	21	10	7	32	14	337	278	4	9	217	48
Fort Lauderdale	2,252	1	–	13	487	122	143	43	66	18	9	86	26	1,103	832	13	21	655	143
Hallandale, part	764	–	–	9	168	45	48	11	16	5	3	40	15	423	337	3	6	277	51
Hallandale, total	768	–	–	9	170	46	49	11	16	5	3	40	15	424	338	3	6	277	52
Hollywood	1,749	–	–	7	434	125	129	23	43	19	17	78	31	895	724	10	16	564	134
Lauderdale Lakes	411	–	–	4	99	26	34	6	13	1	5	14	4	223	187	1	1	160	25
Lauderhill	341	–	–	1	92	29	21	7	14	8	3	10	7	180	155	3	1	135	16
Lighthouse Point	185	–	–	1	50	14	9	5	8	1	1	12	1	96	69	–	3	52	14
Margate	436	–	–	6	101	32	24	10	10	5	4	16	4	249	211	1	1	172	37
Miramar	297	–	–	1	78	20	19	8	7	4	3	17	3	139	110	–	1	86	23
North Lauderdale	78	–	–	1	18	3	6	–	2	1	3	3	1	44	37	1	–	31	5
Oakland Park	155	–	–	2	40	13	9	1	5	2	1	9	3	65	52	–	1	37	14
Pembroke Pines	344	1	–	3	75	21	16	12	5	2	7	12	4	189	157	2	1	122	32
Plantation	402	–	–	7	88	26	17	13	8	4	5	15	7	214	176	–	2	148	26
Pompano Beach	963	2	–	2	222	47	69	14	28	7	16	41	15	489	380	7	8	304	61
Sunrise	487	–	–	7	134	40	38	10	15	5	4	22	7	240	199	1	3	171	24
Tamarac	521	–	–	2	132	35	34	8	13	6	1	35	8	276	224	7	4	182	31
Wilton Manors	191	–	–	1	42	8	17	2	4	2	1	8	1	106	85	–	1	70	14
Balance of county	1,547	1	–	9	374	95	105	24	47	12	15	76	15	728	589	2	17	461	109
Calhoun	107	–	1	–	26	3	9	2	6	1	1	4	3	48	37	–	1	27	9
Charlotte	994	–	–	11	246	64	74	28	21	8	12	39	14	521	436	4	7	332	93
Citrus	878	–	–	9	243	58	79	23	29	13	4	37	17	420	312	2	6	241	63
Clay	482	–	–	2	99	19	35	8	15	1	2	19	5	248	201	2	3	152	44
Collier	948	3	–	5	241	49	69	26	19	17	7	54	18	421	318	–	10	264	44
Naples	300	–	–	–	75	17	17	5	7	7	2	20	2	158	121	–	4	98	19
Balance of county	648	3	–	5	166	32	52	21	12	10	5	34	16	263	197	–	6	166	25
Columbia	293	–	–	6	67	21	18	2	6	2	3	15	6	124	93	–	3	70	20
Dade	16,551	16	2	134	3,750	1,042	931	308	446	184	139	700	313	7,764	6,263	64	198	4,736	1,263
Coral Gables	407	1	–	3	97	33	23	7	18	5	2	9	5	188	148	–	4	114	30
Hallandale, part	4	–	–	–	2	1	1	–	–	–	–	–	–	1	1	–	–	–	1
Hialeah	1,155	1	–	12	283	65	78	24	36	13	11	56	27	533	436	9	7	341	79
Homestead	201	–	–	1	38	8	14	5	2	1	1	7	3	77	63	1	2	46	14
Miami	4,577	6	–	54	1,011	284	222	90	127	50	36	202	75	1,938	1,542	9	66	1,106	361
Miami Beach	2,469	1	–	15	519	171	107	38	57	25	21	100	36	1,464	1,229	12	24	1,005	188
Miami Springs	171	–	–	1	30	8	6	3	3	2	–	8	1	96	69	–	2	53	14
North Miami	693	–	–	3	153	46	48	15	8	9	6	21	16	351	283	4	7	209	63
North Miami Beach	1,077	–	–	9	260	74	70	22	33	16	9	36	15	606	495	7	9	391	86
Opa-locka	167	–	–	2	30	7	4	2	5	3	2	7	4	59	41	1	2	27	11
South Miami	73	–	–	1	10	5	3	–	1	–	–	1	1	39	30	–	–	21	9
Balance of county	5,557	7	2	33	1,317	340	355	102	156	60	51	253	130	2,410	1,926	21	75	1,425	405
De Soto	210	–	–	1	52	14	13	6	8	–	2	9	3	90	73	–	1	59	13
Dixie	79	–	–	2	16	3	5	2	2	2	–	2	–	36	30	–	–	24	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-436)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	5	36	8	7	14	22	1	4	12	–	6	9	6	49	33	20	6	4	1
Dover	2	6	1	1	4	6	1	–	6	–	3	5	2	10	14	4	1	2	–
Balance of county	3	30	7	6	10	16	–	4	6	–	3	4	4	39	19	16	5	2	1
New Castle	14	167	44	36	62	96	2	50	49	1	30	43	38	217	53	65	58	23	10
Newark	–	13	4	6	10	6	–	4	3	–	8	5	4	24	6	8	7	2	1
Wilmington	9	74	20	9	29	29	–	23	17	1	15	20	21	83	18	27	28	16	5
Balance of county	5	100	20	21	23	61	2	23	29	–	7	18	13	110	29	30	23	5	4
Sussex	3	80	10	14	20	34	2	9	15	–	10	9	3	87	40	22	12	6	1
District of Columbia	31	420	161	49	155	134	27	202	87	3	41	126	138	655	48	182	74	213	52
Florida	416	8,779	1,359	1,275	1,913	3,555	378	1,799	932	13	573	964	1,546	8,028	2,632	2,181	1,778	1,464	117
Urban places	214	4,859	713	683	1,137	1,807	207	967	542	6	286	515	784	4,452	1,145	1,133	868	851	61
Balance of area	202	3,920	646	592	776	1,748	171	832	390	7	287	449	762	3,576	1,487	1,048	910	613	56
Metropolitan counties	354	7,608	1,201	1,097	1,708	3,056	323	1,571	822	11	503	863	1,345	6,997	2,200	1,868	1,570	1,303	98
Urban places	206	4,718	696	659	1,109	1,753	202	940	524	6	281	502	776	4,313	1,098	1,094	847	831	57
Balance of area	148	2,890	505	438	599	1,303	121	631	298	5	222	361	569	2,684	1,102	774	723	472	41
Nonmetropolitan counties	62	1,171	159	178	205	499	55	228	110	2	70	101	201	1,031	432	313	208	161	19
Urban places	8	141	17	24	28	54	5	27	18	–	5	13	9	139	47	39	21	20	4
Balance of area	54	1,030	141	154	177	445	50	201	92	2	65	88	193	892	385	274	187	141	15
Alachua	5	90	19	9	17	26	6	12	11	2	8	11	36	93	25	31	20	15	2
Gainesville	4	57	7	3	12	13	3	7	3	1	5	7	23	55	5	16	13	9	2
Balance of county	1	33	12	6	5	13	3	5	8	1	3	4	13	38	20	15	7	6	–
Baker	–	5	1	–	2	6	–	7	1	–	–	2	4	14	7	1	1	1	–
Bay	1	47	9	5	12	36	1	23	9	–	5	17	5	80	22	24	8	14	5
Panama City	1	26	5	4	9	23	1	12	6	–	4	9	4	47	8	13	4	10	1
Balance of county	–	21	4	1	3	13	–	11	3	–	1	8	1	33	14	11	4	4	4
Bradford	3	19	6	–	6	9	1	3	4	–	1	4	3	16	5	7	–	2	–
Brevard	9	201	52	36	49	104	9	59	19	1	16	24	12	187	87	44	50	21	9
Cocoa	1	16	2	7	5	9	–	3	–	–	2	4	2	9	4	3	–	4	1
Cocoa Beach	1	4	2	1	1	4	–	5	1	–	–	2	1	5	5	1	1	1	–
Melbourne	–	45	8	7	7	26	3	10	4	–	3	2	2	38	10	6	9	4	3
Palm Bay	1	8	7	2	6	6	–	3	–	–	3	–	4	8	4	2	1	–	2
Rockledge	–	6	6	2	4	3	–	1	1	–	–	2	1	7	3	1	4	1	–
Titusville	1	24	7	8	3	13	1	5	3	–	–	5	–	32	10	11	7	3	1
Balance of county	5	88	20	9	23	43	5	32	10	1	8	9	2	88	51	20	28	8	2
Broward	37	901	141	166	196	376	42	187	114	–	53	107	66	928	205	211	221	161	1
Cooper City	–	4	–	–	3	3	–	–	1	–	1	–	–	9	1	3	2	–	–
Coral Springs	–	6	1	4	2	4	–	2	3	–	3	–	2	11	5	1	5	2	–
Dania	–	22	2	4	2	4	1	11	2	–	1	1	1	17	4	5	5	8	–
Davie	–	8	–	–	1	6	1	1	–	–	2	3	2	12	5	6	10	4	–
Deerfield Beach	3	39	6	11	7	13	2	6	7	–	–	3	3	36	8	5	9	4	–
Fort Lauderdale	6	200	37	28	48	75	10	47	14	–	14	34	12	192	42	53	35	45	1
Hallandale, part	3	62	10	11	13	25	2	10	9	–	1	3	3	63	3	8	6	3	–
Hallandale, total	3	62	10	11	13	26	2	10	9	–	1	3	3	63	3	8	6	3	–
Hollywood	5	120	19	27	28	52	6	23	24	–	3	8	5	121	31	25	38	18	–
Lauderdale Lakes	3	25	4	4	5	16	–	2	5	–	2	1	3	29	5	7	5	1	–
Lauderhill	2	14	1	8	6	8	–	4	4	–	–	5	–	17	2	5	7	3	–
Lighthouse Point	–	22	1	4	3	5	–	2	2	–	–	–	–	14	1	5	4	1	–
Margate	2	26	4	6	7	6	1	5	3	–	–	2	2	34	5	7	4	–	–
Miramar	1	21	3	4	5	14	2	4	–	–	1	3	1	15	7	4	4	6	–
North Lauderdale	1	6	–	–	–	1	–	2	–	–	–	1	–	5	1	3	1	–	–
Oakland Park	–	13	–	–	3	6	1	2	4	–	–	2	1	15	–	4	6	1	–
Pembroke Pines	1	21	6	4	7	9	2	4	1	–	4	3	3	16	7	6	8	2	–
Plantation	2	24	7	5	6	13	1	3	5	–	1	4	2	30	3	8	5	5	–
Pompano Beach	1	87	11	10	15	25	1	17	9	–	4	7	7	85	18	16	14	15	–
Sunrise	–	32	4	5	6	9	–	8	2	–	2	2	1	43	9	5	9	3	–
Tamarac	–	40	6	6	6	21	1	7	5	–	–	1	2	44	4	5	6	1	–
Wilton Manors	1	15	3	2	4	4	3	3	2	–	2	2	1	14	1	1	2	2	–
Balance of county	6	94	16	23	19	57	8	24	12	–	12	22	15	106	43	29	36	37	–
Calhoun	1	9	–	1	1	4	–	3	–	–	1	–	1	10	6	1	1	1	–
Charlotte	5	66	6	8	20	29	1	10	5	–	3	2	4	85	10	11	17	4	1
Citrus	4	80	10	14	5	27	1	17	10	–	6	3	1	64	24	13	13	5	–
Clay	1	33	7	6	5	18	2	9	3	–	3	7	3	41	12	11	11	3	–
Collier	7	65	13	18	21	42	6	21	2	–	8	9	5	71	28	16	17	13	1
Naples	3	21	5	8	6	12	1	3	1	–	1	–	2	23	7	5	4	–	–
Balance of county	4	44	8	10	15	30	5	18	1	–	7	9	3	48	21	11	13	13	1
Columbia	2	26	1	2	5	7	2	2	3	–	–	5	22	16	10	8	3	6	1
Dade	62	1,167	94	178	277	420	69	282	167	6	98	182	197	1,304	402	344	336	488	–
Coral Gables	1	33	3	3	11	14	2	11	6	–	4	5	2	35	5	9	6	3	–
Hallandale, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hialeah	11	60	9	17	21	33	4	24	11	1	6	8	12	67	30	19	26	37	–
Homestead	1	7	5	1	5	4	2	9	–	–	3	5	4	15	12	8	9	6	–
Miami	13	307	34	42	89	113	28	92	48	3	31	69	68	422	130	104	93	203	–
Miami Beach	5	191	7	32	36	50	6	23	22	–	2	2	26	166	25	21	29	26	–
Miami Springs	2	24	1	–	1	6	–	1	1	–	1	3	1	13	5	7	1	3	–
North Miami	4	54	5	5	7	16	6	13	9	–	2	3	7	65	11	15	12	4	–
North Miami Beach	2	96	5	10	14	27	6	5	9	–	2	1	5	67	13	17	14	5	–
Opa-locka	–	15	–	3	8	4	–	7	5	–	1	7	1	9	8	4	6	14	–
South Miami	1	7	1	–	1	2	–	1	1	–	–	1	–	8	4	2	1	1	–
Balance of county	22	373	24	65	86	150	15	96	55	2	46	78	71	437	159	138	139	186	–
De Soto	–	16	–	1	3	6	–	4	3	–	3	2	–	17	15	6	3	2	–
Dixie	–	4	1	1	–	1	–	2	–	–	1	1	5	6	5	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	5,087	5	3	66	1,122	258	367	97	139	41	46	174	89	2,238	1,673	13	110	964	586
Jacksonville	4,758	5	3	62	1,047	241	340	89	134	37	44	162	88	2,088	1,561	10	107	897	547
Jacksonville Beach	155	–	–	3	33	6	15	3	2	2	–	5	–	79	61	2	1	39	19
Balance of county	174	–	–	1	42	11	12	5	3	2	2	7	1	71	51	1	2	28	20
Escambia	1,765	2	–	28	430	86	139	29	41	25	14	96	24	778	582	3	22	379	158
Pensacola	585	1	–	11	145	31	48	11	17	7	3	28	6	258	174	2	8	117	47
Balance of county	1,180	1	–	17	285	55	91	18	24	18	11	68	18	520	388	1	14	262	111
Flagler	124	–	–	2	33	9	12	1	1	2	1	7	2	61	48	–	1	36	11
Franklin	98	–	–	2	17	5	7	2	1	–	–	2	1	43	37	1	1	24	11
Gadsden	367	–	–	4	77	12	21	11	14	1	2	16	10	158	115	1	11	82	21
Gilchrist	56	–	–	–	15	4	4	1	2	–	1	3	1	23	18	–	–	15	3
Glades	56	–	–	–	15	6	3	–	2	1	1	2	3	23	21	–	–	18	3
Gulf	94	–	–	1	24	2	8	1	5	1	–	7	2	38	32	–	–	22	10
Hamilton	89	–	–	3	15	4	3	4	1	–	–	3	1	37	31	–	3	11	17
Hardee	182	–	–	3	30	6	8	–	8	1	2	5	5	87	75	–	1	59	15
Hendry	171	–	–	–	38	7	12	2	3	2	2	8	5	66	62	2	3	52	5
Hernando	692	1	–	1	172	46	49	12	19	6	5	35	10	346	269	1	2	201	65
Highlands	759	1	–	5	185	52	43	11	29	8	5	37	12	409	292	2	3	250	37
Hillsborough	5,838	6	–	45	1,363	311	436	100	153	58	37	268	107	2,609	1,986	17	97	1,242	630
Plant City	193	–	–	3	31	2	10	4	7	1	–	7	4	116	83	–	8	49	28
Tampa	3,138	3	–	25	692	159	219	47	83	26	19	139	53	1,471	1,086	9	57	678	352
Temple Terrace	71	–	–	1	25	5	11	1	1	1	2	4	–	21	18	–	2	13	3
Balance of county	2,436	3	–	16	615	145	196	48	62	30	16	118	50	1,001	789	8	32	502	247
Holmes	185	–	–	1	35	12	10	1	6	–	2	4	1	105	89	1	3	69	16
Indian River	752	1	–	5	200	53	70	14	25	11	4	23	14	348	284	2	9	196	57
Vero Beach	251	1	–	1	59	16	19	4	6	4	2	8	4	130	102	–	4	80	18
Balance of county	501	–	–	4	141	37	51	10	19	7	2	15	10	218	182	2	5	116	39
Jackson	400	1	–	5	67	12	25	2	5	2	7	14	5	227	175	–	5	131	39
Jefferson	98	1	–	–	20	3	4	2	5	1	–	5	4	35	19	–	3	9	7
Lafayette	34	–	–	–	4	–	–	3	–	–	–	1	–	20	16	–	2	10	4
Lake	1,498	3	–	7	363	87	115	29	36	15	16	65	23	746	548	6	15	385	142
Leesburg	198	–	–	–	48	13	14	1	5	1	2	12	4	94	63	1	4	45	13
Balance of county	1,300	3	–	7	315	74	101	28	31	14	14	53	19	652	485	5	11	340	129
Lee	2,559	4	1	23	672	177	220	50	70	29	22	104	44	1,267	966	12	32	722	200
Cape Coral	439	–	–	4	123	39	33	10	7	7	4	23	4	233	159	1	5	109	44
Fort Myers	483	2	–	6	103	25	35	6	16	4	3	14	11	232	174	1	10	125	35
Balance of county	1,637	2	1	13	446	113	152	34	47	18	15	67	29	802	633	10	17	485	121
Leon	843	–	–	6	213	46	64	18	29	7	9	40	11	324	234	2	8	166	58
Tallahassee	543	–	–	6	140	31	42	12	16	5	5	29	8	205	150	2	6	98	44
Balance of county	300	–	–	–	73	15	22	6	13	2	4	11	3	119	84	–	2	68	14
Levy	238	1	–	1	58	17	18	3	6	2	–	12	4	116	88	2	1	65	20
Liberty	47	–	–	1	11	4	2	1	2	2	–	–	–	16	13	–	–	9	4
Madison	155	–	–	3	30	8	6	1	4	2	2	7	5	72	58	–	4	29	25
Manatee	2,310	4	–	16	531	140	125	36	65	30	32	103	29	1,156	908	4	28	711	165
Bradenton	658	–	–	5	126	34	25	8	16	7	7	29	14	327	264	–	8	211	45
Balance of county	1,654	4	–	11	405	106	100	28	49	23	25	74	15	829	644	4	20	500	120
Marion	1,467	–	–	12	390	105	124	27	38	12	15	69	28	678	488	6	7	405	70
Ocala	484	–	–	5	134	37	46	7	12	6	4	22	10	224	162	2	3	137	20
Balance of county	983	–	–	7	256	68	78	20	26	6	11	47	18	454	326	4	4	268	50
Martin	894	–	–	9	192	54	54	22	15	10	5	32	17	472	343	3	14	270	56
Monroe	545	–	–	5	149	30	48	14	17	4	5	31	8	209	176	3	2	141	30
Key West	199	–	–	3	54	11	18	6	6	–	1	12	2	76	62	1	1	49	11
Balance of county	346	–	–	2	95	19	30	8	11	4	4	19	6	133	114	2	1	92	19
Nassau	211	–	–	2	44	6	15	1	8	1	1	12	6	88	62	1	5	39	17
Okaloosa	680	3	1	3	167	34	56	11	16	11	3	36	6	300	248	2	12	192	42
Fort Walton Beach	165	–	–	–	45	12	12	3	4	4	2	8	2	75	67	1	4	48	14
Balance of county	515	3	1	3	122	22	44	8	12	7	1	28	4	225	181	1	8	144	28
Okeechobee	231	–	–	2	49	7	19	1	8	2	1	11	3	104	80	1	–	69	10
Orange	3,998	2	–	37	961	214	295	94	93	43	33	189	82	1,788	1,402	9	32	978	385
Orlando	1,538	1	–	15	366	83	105	41	33	18	12	76	22	693	547	2	12	372	161
Winter Park	393	–	–	6	99	29	25	11	13	6	2	13	8	191	125	1	1	92	31
Balance of county	2,067	1	–	16	496	102	165	42	47	21	19	100	32	904	730	6	19	512	193
Osceola	641	1	–	2	143	30	46	13	16	4	2	32	12	330	278	3	2	217	56
Kissimmee	200	1	–	2	42	12	14	4	4	1	–	7	4	100	82	1	–	58	23
Balance of county	441	–	–	–	101	18	32	9	12	3	2	25	8	230	196	2	2	159	33
Palm Beach	7,741	11	–	57	1,880	517	502	160	205	91	56	349	102	3,929	3,029	36	54	2,451	488
Belle Glade	161	3	–	3	35	11	9	4	4	–	1	6	6	54	45	3	–	39	3
Boca Raton	703	1	–	4	184	38	53	26	15	13	7	32	8	353	273	1	2	215	55
Boynton Beach	597	–	–	4	162	51	44	11	25	10	2	19	10	294	221	2	2	187	30
Delray Beach	598	1	–	3	161	40	48	15	15	6	4	33	7	290	225	4	4	180	37
Lake Worth	646	2	–	4	140	34	42	6	18	8	4	27	4	343	272	3	6	224	39
North Palm Beach	142	–	–	2	50	9	15	6	5	1	1	13	3	68	52	1	1	43	7
Palm Beach Gardens	120	–	–	2	33	6	5	1	4	1	2	14	2	49	40	1	–	29	10
Riviera Beach	273	1	–	–	53	16	19	2	8	1	1	6	5	137	104	1	3	78	22
West Palm Beach	1,053	–	–	11	213	58	54	14	27	11	3	46	11	550	388	6	8	295	79
Balance of county	3,448	3	–	24	849	254	213	75	84	39	31	153	46	1,791	1,409	14	28	1,161	206
Pasco	3,071	1	1	13	752	225	223	46	70	47	23	118	44	1,588	1,187	12	47	932	196
New Port Richey	298	–	–	2	66	25	19	3	4	2	3	10	7	162	116	1	3	85	17
Balance of county	2,773	1	1	11	686	200	204	43	66	45	20	108	37	1,426	1,071	11	44	837	179

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	25	418	72	50	112	210	9	131	50	-	47	65	48	420	151	136	81	96	8
Jacksonville	23	394	64	46	103	198	9	120	46	-	41	59	46	400	140	127	76	93	7
Jacksonville Beach	1	11	4	2	6	2	-	3	4	-	5	2	-	10	3	3	1	1	-
Balance of county	1	13	4	2	3	10	-	8	-	-	1	4	2	10	8	6	4	2	1
Escambia	4	162	32	16	38	71	5	28	11	-	12	24	8	158	39	52	27	25	5
Pensacola	2	67	9	6	17	23	1	6	3	-	1	6	4	64	6	19	5	7	2
Balance of county	2	95	23	12	21	48	4	22	8	-	11	16	4	94	33	33	22	18	3
Flagler	1	8	1	3	2	2	1	2	1	-	-	-	-	6	8	1	5	-	-
Franklin	-	5	-	1	-	3	2	-	-	-	-	1	11	10	5	3	-	-	-
Gadsden	6	31	4	2	5	9	-	4	3	-	2	9	15	30	14	14	6	7	-
Gilchrist	-	3	2	-	1	3	-	-	1	-	-	-	1	6	2	1	1	1	-
Glades	-	2	-	-	1	3	-	1	-	-	-	-	1	1	5	2	-	1	-
Gulf	-	6	-	-	2	2	-	4	1	-	-	-	1	10	1	4	1	2	1
Hamilton	-	6	-	-	3	3	1	1	2	1	-	2	3	6	3	4	2	1	1
Hardee	1	8	3	-	5	5	-	1	2	-	2	3	3	18	9	5	2	4	-
Hendry	-	4	-	-	5	2	-	5	1	-	1	2	3	13	12	6	6	8	-
Hernando	1	60	10	6	13	24	1	9	6	-	3	3	22	49	12	9	7	4	-
Highlands	2	84	18	13	4	31	4	10	3	-	2	3	13	27	17	15	10	6	2
Hillsborough	21	478	72	51	135	189	20	111	68	-	44	77	97	462	174	146	92	88	5
Plant City	3	23	4	3	2	1	-	2	1	-	-	5	2	14	4	3	2	3	-
Tampa	9	287	47	32	77	87	12	62	39	-	18	40	53	250	71	84	41	57	3
Temple Terrace	-	2	1	-	5	3	1	1	1	-	2	-	-	4	3	1	3	-	-
Balance of county	9	167	20	16	51	98	7	46	27	-	24	32	42	194	96	56	46	28	2
Holmes	-	12	2	2	5	4	-	1	1	-	1	2	1	11	8	4	2	2	1
Indian River	1	65	7	11	14	25	3	14	4	-	3	2	8	62	19	13	7	10	-
Vero Beach	-	23	3	2	5	7	-	5	2	-	-	-	2	22	5	5	2	1	-
Balance of county	1	42	4	9	9	18	3	9	2	-	3	2	6	40	14	8	5	9	-
Jackson	1	44	4	3	4	14	1	8	1	-	3	3	2	32	15	8	2	4	-
Jefferson	-	15	-	1	1	4	-	2	-	-	1	5	3	10	5	1	2	4	-
Lafayette	-	1	1	2	-	1	3	-	1	1	-	-	-	1	1	-	1	1	-
Lake	1	153	20	24	14	65	3	26	13	-	5	6	7	109	42	32	24	10	-
Leesburg	-	28	-	3	4	6	1	-	1	-	-	-	-	22	7	7	3	1	-
Balance of county	1	125	20	21	10	59	2	26	12	-	5	6	7	87	35	25	21	9	-
Lee	8	208	40	45	42	71	5	44	19	-	10	16	13	155	64	58	29	16	6
Cape Coral	4	48	10	12	6	9	1	9	3	-	1	-	-	27	7	8	3	-	1
Fort Myers	-	42	7	9	9	10	2	7	7	-	4	8	4	35	14	17	4	6	2
Balance of county	4	118	23	24	27	52	2	28	9	-	5	8	9	93	43	33	22	10	3
Leon	3	73	8	6	16	26	2	11	6	-	12	17	38	82	29	22	14	13	1
Tallahassee	1	45	6	3	11	21	2	8	4	-	6	13	21	58	10	13	8	8	1
Balance of county	2	28	2	3	5	5	-	3	2	-	6	4	17	24	19	9	6	5	-
Levy	4	17	2	5	2	11	2	4	-	-	-	-	11	15	4	6	2	-	1
Liberty	-	2	1	-	2	3	-	2	1	-	-	-	-	2	4	3	2	-	-
Madison	1	12	-	1	4	6	-	-	-	-	-	3	2	16	2	8	1	3	-
Manatee	15	191	17	25	53	98	13	35	15	-	8	15	72	131	52	41	27	14	2
Bradenton	2	46	6	9	25	32	3	11	5	-	2	5	17	40	11	17	5	9	2
Balance of county	13	145	11	16	28	64	10	24	10	-	6	10	55	91	41	24	22	5	-
Marion	5	150	17	18	13	40	6	22	5	-	10	11	5	101	62	38	24	18	4
Ocala	2	57	-	3	6	11	3	8	3	-	7	5	3	27	12	11	8	8	1
Balance of county	3	93	17	15	7	29	3	14	2	-	3	6	2	74	50	27	16	12	3
Martin	-	96	11	22	7	35	5	17	6	-	2	4	4	73	16	15	12	7	1
Monroe	4	21	3	5	8	15	1	19	3	-	4	1	10	45	22	12	12	17	5
Key West	2	8	1	3	3	4	-	7	2	-	1	1	1	20	4	5	7	7	2
Balance of county	2	13	2	2	5	11	1	12	1	-	3	-	9	25	18	7	5	10	3
Nassau	3	17	4	2	4	8	1	6	-	-	3	3	3	15	6	6	8	8	-
Okaloosa	1	30	12	9	7	23	2	13	1	-	8	14	4	47	34	17	21	10	1
Fort Walton Beach	-	5	1	2	4	3	1	5	-	-	-	2	-	8	6	6	7	1	-
Balance of county	1	25	11	7	3	20	1	8	1	-	6	12	4	39	28	11	14	9	1
Okeechobee	1	19	4	-	4	6	4	5	-	-	3	-	4	15	10	14	3	5	-
Orange	15	287	39	45	75	154	12	89	33	-	23	52	38	316	116	101	78	58	3
Orlando	3	114	19	10	31	52	6	38	10	-	10	15	10	131	40	36	25	34	3
Winter Park	5	45	7	9	8	16	2	5	7	-	-	-	3	31	5	6	5	1	-
Balance of county	7	128	13	26	36	86	4	46	16	-	13	37	25	154	71	59	48	23	-
Osceola	4	39	3	6	6	21	3	9	11	-	4	8	2	40	15	21	9	4	-
Kissimmee	-	16	-	2	2	5	3	3	4	-	2	3	1	13	7	6	2	-	-
Balance of county	4	23	3	4	4	16	-	6	7	-	2	5	1	27	8	15	7	4	-
Palm Beach	28	692	92	88	120	235	31	113	64	-	37	51	88	503	157	154	116	79	14
Belle Glade	-	6	2	1	3	3	1	2	2	-	1	5	3	17	14	7	-	1	1
Boca Raton	1	61	7	11	11	15	5	6	10	-	-	4	15	43	14	10	13	5	2
Boynton Beach	3	57	4	9	10	19	4	5	5	-	3	7	5	37	6	12	5	8	1
Delray Beach	2	50	5	8	11	11	4	14	4	-	2	5	14	45	6	8	6	6	-
Lake Worth	4	54	10	3	19	22	2	12	4	-	4	1	4	44	11	15	9	4	2
North Palm Beach	-	13	2	1	4	2	1	-	-	-	-	-	-	7	1	3	1	-	-
Palm Beach Gardens	-	8	-	1	-	4	-	3	1	-	2	-	3	11	1	-	6	3	-
Riviera Beach	1	28	2	2	5	10	-	3	5	-	3	5	2	24	5	6	3	4	2
West Palm Beach	4	127	18	13	23	33	1	19	12	-	7	4	10	73	21	24	18	21	2
Balance of county	13	288	42	39	34	116	13	49	21	-	15	20	32	202	78	69	55	27	4
Pasco	6	236	114	43	47	108	7	35	27	-	8	11	88	194	56	38	41	11	1
New Port Richey	-	27	17	2	3	9	-	2	4	-	1	2	8	19	6	3	4	-	-
Balance of county	6	209	97	41	44	99	7	33	23	-	7	9	80	175	50	35	37	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	11,643	4	–	63	2,674	780	750	197	296	121	91	439	129	6,110	4,683	44	185	3,423	1,031
Clearwater	1,543	1	–	7	373	114	100	22	38	16	11	72	23	777	584	9	23	423	109
Dunedin	525	–	–	2	130	32	34	19	18	5	4	18	4	284	205	1	6	167	31
Gulfport	248	–	–	1	60	24	12	5	5	4	–	10	1	130	100	1	4	63	32
Largo	890	–	–	5	202	44	67	15	21	10	14	31	13	467	359	5	10	260	64
Pinellas Park	436	–	–	3	98	30	29	10	6	4	6	13	10	230	203	3	6	157	37
St. Petersburg	4,354	1	–	26	908	269	260	57	107	41	32	148	41	2,334	1,803	15	74	1,227	487
Tarpon Springs	181	–	–	1	45	9	16	1	5	3	2	9	1	93	68	–	1	54	13
Balance of county	3,466	2	–	18	858	264	232	68	96	38	22	138	36	1,795	1,381	10	61	1,052	256
Polk	3,234	9	–	26	709	167	228	45	69	32	26	142	57	1,530	1,160	10	56	920	194
Bartow	172	1	–	3	29	10	8	2	2	1	1	5	6	80	61	–	3	48	10
Haines City	105	1	–	–	22	4	8	3	1	2	–	4	3	41	31	–	2	19	10
Lakeland	618	1	–	5	126	32	37	7	17	6	4	23	7	311	236	1	7	186	42
Winter Haven	324	2	–	4	81	19	21	7	8	3	5	18	7	159	112	2	5	86	19
Balance of county	2,015	4	–	14	451	102	154	26	41	20	16	92	34	939	740	7	39	581	113
Putnam	569	–	–	8	128	27	52	9	12	4	2	22	15	258	185	4	5	141	35
Palatka	119	–	–	3	29	6	13	2	2	1	1	4	5	49	40	1	2	32	5
Balance of county	450	–	–	5	99	21	39	7	10	3	1	18	9	209	145	3	3	109	30
St. Johns	580	1	–	10	142	35	46	9	17	4	5	25	11	261	201	2	7	144	48
St. Augustine	231	–	–	3	56	15	18	3	6	2	1	11	4	112	85	–	–	62	23
Balance of county	349	1	–	7	86	20	28	6	11	2	4	15	7	149	116	2	7	82	25
St. Lucie	1,049	6	–	9	242	70	61	18	34	9	9	41	11	546	436	2	4	378	53
Fort Pierce	477	5	–	7	88	26	33	9	8	4	4	14	4	240	187	1	2	161	23
Port St. Lucie	210	1	–	–	63	21	10	4	9	3	4	12	4	106	88	–	–	77	11
Balance of county	362	–	–	2	81	23	18	5	17	2	1	15	3	200	163	1	2	141	19
Santa Rosa	380	–	–	3	94	24	37	7	3	3	2	18	4	177	142	1	1	95	45
Sarasota	3,178	1	1	16	800	229	218	71	84	39	29	130	32	1,622	1,188	14	17	987	190
Sarasota	866	–	–	6	195	72	45	19	19	7	5	28	12	436	316	2	7	252	55
Venice	305	–	–	2	70	24	12	6	6	2	3	17	2	175	137	4	2	117	14
Balance of county	2,007	1	1	8	535	133	161	46	59	30	21	85	18	1,009	735	8	8	598	121
Seminole	1,339	2	–	17	326	83	103	18	31	11	9	71	29	570	430	6	3	337	84
Altamonte Springs	155	–	–	–	43	11	13	4	3	–	3	9	3	63	46	–	1	35	10
Casselberry	112	–	–	1	25	6	5	1	3	2	–	8	2	48	39	1	–	31	7
Longwood	84	–	–	1	24	6	10	–	2	–	–	6	1	34	23	1	–	17	5
Sanford	291	1	–	2	74	19	25	3	7	2	3	15	8	130	86	1	1	64	20
Winter Springs	74	–	–	2	15	3	5	1	1	–	–	5	2	30	26	1	–	23	2
Balance of county	623	1	–	11	145	38	45	9	15	7	3	28	13	267	210	2	1	167	40
Sumter	284	–	–	4	61	15	29	3	6	1	1	6	3	152	116	2	4	79	31
Suwannee	245	–	–	–	53	6	21	2	9	3	3	9	12	102	75	–	2	55	18
Taylor	177	–	–	1	28	6	12	2	3	3	–	2	4	89	73	1	10	47	15
Union	90	–	–	2	32	3	16	–	1	–	1	11	1	31	24	–	–	18	5
Volusia	3,807	4	–	26	850	206	252	67	80	34	32	179	50	2,031	1,557	12	83	1,159	303
Daytona Beach	898	2	–	6	174	46	48	14	24	5	6	31	7	503	367	3	23	244	97
De Land	271	1	–	2	48	10	13	3	5	–	2	13	4	169	129	–	4	108	19
New Smyrna Beach	274	–	–	–	70	12	22	3	10	6	2	15	3	138	102	1	5	78	17
Ormond Beach	422	–	–	5	98	24	23	11	7	7	2	24	7	214	170	3	10	115	42
Port Orange	201	–	–	1	48	13	13	3	4	3	4	8	3	108	83	–	2	61	20
South Daytona	138	–	–	1	31	8	7	4	2	3	3	4	1	70	56	1	1	45	9
Balance of county	1,603	1	–	11	383	93	126	29	28	10	13	84	25	829	650	4	38	509	99
Wakulla	101	–	–	1	24	2	10	–	3	3	1	5	–	42	34	1	3	22	8
Walton	237	–	–	–	38	9	12	1	1	1	1	13	3	138	124	–	4	97	23
Washington	144	–	–	–	27	3	11	1	4	2	–	6	5	73	66	–	–	48	18
Georgia	44,179	64	5	485	8,916	2,067	2,627	667	1,020	324	328	1,883	747	20,974	15,642	83	602	10,361	4,596
Urban places	16,960	30	2	226	3,378	860	983	258	409	113	108	669	310	7,907	5,871	29	325	3,855	1,862
Balance of area	27,219	34	3	259	5,538	1,207	1,664	411	611	211	220	1,214	437	13,067	9,771	54	277	6,706	2,734
Metropolitan counties	23,619	37	3	293	4,887	1,132	1,421	378	544	193	177	1,042	406	10,774	8,121	50	376	5,194	2,501
Urban places	12,648	23	1	188	2,522	646	711	188	304	85	77	511	233	5,776	4,328	25	268	2,590	1,445
Balance of area	10,971	14	2	105	2,365	486	710	190	240	108	100	531	173	4,998	3,793	25	108	2,604	1,056
Nonmetropolitan counties	20,560	27	2	192	4,029	935	1,206	289	476	131	151	841	341	10,200	7,521	33	226	5,167	2,095
Urban places	4,312	7	1	38	856	214	252	68	105	28	31	158	77	2,131	1,543	4	57	1,065	417
Balance of area	16,248	20	1	154	3,173	721	954	221	371	103	120	683	264	8,069	5,978	29	169	4,102	1,678
Appling	144	–	–	1	21	6	6	1	3	–	–	5	3	74	63	–	6	41	16
Atkinson	75	–	–	1	12	3	4	1	1	–	–	3	–	38	27	–	1	23	3
Bacon	68	1	–	–	14	2	3	2	3	1	–	3	1	33	26	–	3	17	6
Baker	36	–	–	1	3	–	2	–	1	–	–	–	1	16	9	–	–	4	5
Baldwin	299	–	–	1	55	17	18	3	4	2	2	9	5	144	123	–	5	89	29
Milledgeville	138	–	–	1	24	7	7	2	3	–	1	4	3	58	46	–	3	29	14
Balance of county	161	–	–	–	31	10	11	1	1	2	1	5	2	86	77	–	2	60	15
Banks	71	–	–	–	14	5	2	1	2	–	–	4	–	38	30	–	–	23	7
Barrow	189	–	–	–	33	10	10	3	2	1	1	6	1	98	72	1	1	42	28
Bartow	346	–	–	7	75	17	20	5	4	4	2	23	3	160	118	1	3	82	32
Ben Hill	201	1	–	2	39	6	12	4	7	1	–	9	1	117	97	–	3	59	35
Fitzgerald, part	147	1	–	1	22	3	6	2	7	–	–	4	1	92	77	–	3	47	27
Fitzgerald, total	148	1	–	1	22	3	6	2	7	–	–	4	1	93	78	–	3	47	28
Balance of county	54	–	–	1	17	3	6	2	–	1	–	5	–	25	20	–	–	12	8
Berrien	118	–	–	1	22	8	7	–	2	–	–	5	1	64	38	–	–	26	12
Bibb	1,404	1	–	13	260	67	81	12	27	9	10	54	21	718	530	4	15	301	210
Macon, part	1,241	1	–	12	231	61	71	8	25	9	9	48	21	633	458	3	13	255	187
Macon, total	1,246	1	–	12	232	61	72	8	25	9	9	48	22	634	458	3	13	255	187
Balance of county	163	–	–	1	29	6	10	4	2	–	1	6	–	85	72	1	2	46	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Pinellas	45	1,060	161	161	241	394	46	150	104	1	34	58	317	804	163	146	146	54	5
Clearwater	4	169	23	17	33	62	8	17	9	–	2	12	35	99	26	30	22	6	1
Dunedin	2	52	17	8	14	16	4	6	1	–	1	1	12	36	6	4	5	–	–
Gulfport	–	18	9	3	2	8	–	5	2	–	–	–	11	21	2	2	2	1	–
Largo	6	76	12	12	17	39	2	12	9	–	1	4	19	66	11	5	12	5	1
Pinellas Park	1	18	4	4	10	15	1	9	6	–	4	–	16	20	5	5	3	1	–
St. Petersburg	20	411	40	60	93	141	11	60	41	–	15	20	145	316	61	66	49	24	2
Tarpon Springs	1	13	8	3	4	3	2	3	2	–	–	4	6	10	1	2	4	–	–
Balance of county	11	301	48	54	68	110	18	38	34	1	11	17	73	236	52	32	49	17	1
Polk	10	246	68	26	66	107	9	36	15	–	16	37	117	235	103	58	58	37	11
Bartow	–	17	2	–	2	4	1	–	4	–	–	5	4	20	3	4	2	3	1
Haines City	–	8	1	1	2	3	–	2	1	–	2	4	2	11	4	2	2	3	–
Lakeland	3	53	13	6	23	16	2	5	2	–	–	8	31	39	16	8	9	6	2
Winter Haven	2	31	9	5	7	9	1	2	1	–	2	3	5	25	4	4	4	4	–
Balance of county	5	197	43	14	32	75	5	27	7	–	12	17	75	140	76	39	39	21	8
Putnam	5	53	10	5	8	34	5	10	8	–	3	5	5	43	16	13	6	4	–
Palatka	–	7	2	–	1	5	–	2	2	–	–	2	2	11	3	4	–	–	–
Balance of county	5	46	8	5	7	29	5	8	6	–	3	3	3	32	13	9	6	4	–
St. Johns	2	48	3	7	10	20	1	16	2	–	4	2	11	51	14	13	7	4	–
St. Augustine	–	23	–	4	7	7	–	5	–	–	1	–	6	23	1	4	–	2	–
Balance of county	2	25	3	3	3	13	1	11	2	–	3	2	5	28	13	9	7	2	–
St. Lucie	6	80	7	15	15	28	4	13	12	–	4	10	3	61	33	24	10	14	4
Fort Pierce	2	40	6	5	8	13	1	9	8	–	2	9	1	30	17	9	3	11	2
Port St. Lucie	1	14	–	3	1	7	2	1	2	–	1	1	–	11	4	4	2	–	–
Balance of county	3	26	1	7	6	8	1	3	2	–	1	–	2	20	12	11	5	3	2
Santa Rosa	1	28	1	5	6	8	–	5	2	–	4	4	–	21	24	18	7	2	1
Sarasota	16	322	49	47	62	97	7	53	20	–	13	22	40	228	49	42	54	11	8
Sarasota	7	89	14	12	21	30	4	20	3	–	6	11	19	57	15	10	11	5	3
Venice	–	26	5	7	5	6	–	2	3	–	2	–	1	27	2	4	4	–	–
Balance of county	9	207	30	28	36	61	3	31	14	–	5	11	20	144	32	28	39	6	5
Seminole	8	100	26	6	27	53	2	23	13	–	15	11	6	111	57	28	27	24	–
Altamonte Springs	–	13	2	2	2	5	–	2	3	–	2	–	2	12	7	5	4	2	–
Casselberry	–	7	–	–	2	4	–	5	1	–	2	1	–	13	5	2	1	2	–
Longwood	1	8	–	2	–	5	–	–	1	–	3	–	1	9	3	1	–	1	–
Sanford	2	28	13	1	7	11	–	4	1	–	2	1	1	22	7	8	5	7	–
Winter Springs	–	2	2	–	1	2	–	–	3	–	2	1	–	4	4	3	4	1	–
Balance of county	5	42	9	1	15	26	2	12	4	–	4	8	2	51	31	7	13	11	–
Sumter	1	31	2	2	1	7	2	3	5	–	2	2	2	15	12	6	5	2	–
Suwannee	3	16	2	6	1	11	–	1	2	–	2	3	4	25	14	8	6	1	–
Taylor	1	13	1	1	4	4	1	2	2	–	–	1	8	7	4	8	8	6	–
Union	–	4	2	1	–	2	–	–	2	–	1	1	4	6	3	2	1	2	–
Volusia	12	376	47	39	64	133	13	61	32	1	9	14	24	272	71	67	54	26	5
Daytona Beach	4	114	11	7	16	35	4	15	5	1	1	4	5	62	16	14	15	12	1
De Land	–	34	4	2	8	6	1	4	1	–	–	1	–	17	1	5	1	4	–
New Smyrna Beach	1	23	5	7	3	10	1	4	1	–	1	1	4	28	4	4	2	–	–
Ormond Beach	1	34	6	3	9	14	–	7	4	–	–	2	7	31	9	11	3	1	–
Port Orange	1	18	3	3	–	13	–	1	3	–	–	3	–	11	4	1	–	3	2
South Daytona	–	11	2	1	5	2	–	1	1	–	–	–	2	12	4	3	2	2	1
Balance of county	5	142	16	16	23	59	7	29	17	–	7	3	6	111	33	29	31	4	1
Wakulla	5	2	1	–	6	4	–	1	–	–	1	1	3	4	4	2	5	2	1
Walton	–	10	2	2	6	5	1	1	–	–	1	3	5	15	11	6	3	1	–
Washington	–	5	2	–	3	7	–	3	2	–	2	1	4	9	2	2	3	1	–
Georgia	215	4,252	442	423	1,159	1,275	135	590	458	11	325	565	466	3,669	1,270	1,450	749	796	76
Urban places	102	1,593	161	160	435	477	55	246	203	3	143	255	203	1,567	316	529	250	396	29
Balance of area	113	2,659	281	243	724	798	80	344	255	8	182	310	263	2,102	954	921	493	400	47
Metropolitan counties	113	2,098	205	237	605	679	71	363	251	4	205	329	237	2,078	673	768	450	468	37
Urban places	75	1,118	121	134	334	348	45	203	164	1	110	187	154	1,195	234	388	193	318	21
Balance of area	38	980	84	103	271	331	26	160	87	3	95	142	83	884	439	380	257	150	16
Nonmetropolitan counties	102	2,154	237	186	554	596	84	227	207	7	120	236	229	1,590	597	682	299	328	39
Urban places	27	475	40	46	101	129	10	43	39	2	33	68	49	372	82	181	57	78	8
Balance of area	75	1,679	197	140	453	467	54	184	168	5	87	168	180	1,218	515	551	236	250	31
Appling	2	7	2	–	3	5	2	2	2	–	1	–	–	16	5	6	–	3	–
Atkinson	–	11	–	–	3	3	–	–	1	–	–	2	–	5	–	4	2	2	2
Bacon	–	7	–	–	1	2	1	–	1	–	1	–	1	3	2	2	–	5	–
Baker	1	5	–	1	1	–	–	2	1	–	1	1	2	3	–	1	–	3	–
Baldwin	–	17	–	4	8	6	1	3	4	–	–	6	2	23	12	15	7	7	–
Milledgeville	–	10	–	2	4	2	–	1	3	–	–	6	2	14	7	4	4	5	–
Balance of county	–	7	–	2	4	4	1	2	1	–	–	–	–	9	5	11	3	2	–
Banks	1	6	1	–	4	2	–	1	–	–	–	–	–	6	1	4	1	–	–
Barrow	1	23	1	1	7	9	1	6	1	–	–	1	3	18	2	3	1	5	–
Bartow	–	36	5	1	8	9	2	4	–	–	7	5	1	33	8	13	8	3	–
Ben Hill	1	16	2	1	2	3	–	1	3	–	–	1	1	16	2	9	1	2	–
Fitzgerald, part	1	11	2	1	1	2	–	1	3	–	–	–	1	14	1	4	1	2	–
Fitzgerald, total	1	11	2	1	1	2	–	1	3	–	–	–	1	14	1	4	1	2	–
Balance of county	–	5	–	–	1	1	–	–	–	–	–	1	–	2	1	5	–	–	–
Berrien	1	17	8	–	1	1	–	–	3	–	1	2	1	9	3	6	–	2	1
Bibb	16	136	20	16	44	32	5	23	25	–	10	19	9	110	40	31	21	19	3
Macon, part	15	125	20	15	42	28	5	20	24	–	10	14	9	98	30	23	18	19	3
Macon, total	15	126	20	15	42	28	5	20	24	–	10	14	9	98	30	23	19	20	3
Balance of county	1	11	–	1	2	4	–	3	1	–	–	5	–	12	10	8	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	101	–	–	1	19	6	7	1	1	1	1	2	2	43	38	–	1	29	8
Brantley	71	–	–	1	12	3	5	2	–	–	–	2	3	31	23	–	–	14	9
Brooks	177	–	–	1	29	4	8	1	9	–	1	5	1	98	80	–	3	48	29
Bryan	67	–	–	1	15	3	4	1	3	1	–	3	1	26	19	–	1	12	6
Bulloch	303	–	–	3	63	13	19	3	9	5	3	11	5	147	96	–	4	41	51
Statesboro	162	–	–	1	35	9	8	1	6	5	1	5	4	79	56	–	2	22	32
Balance of county	141	–	–	2	28	4	11	2	3	–	2	6	1	68	40	–	2	19	19
Burke	196	1	–	1	33	8	9	3	1	1	3	8	1	106	79	1	–	46	30
Butts	143	–	–	1	28	3	12	2	–	2	2	7	1	86	67	–	3	33	31
Calhoun	73	–	–	–	14	2	5	–	2	1	–	4	3	38	13	–	–	10	3
Camden	103	–	–	–	32	3	11	1	4	1	3	9	–	43	35	2	–	22	11
Candler	99	–	–	–	24	6	11	1	3	–	–	3	–	44	27	–	1	20	6
Carroll	465	–	–	4	97	22	25	9	9	6	1	25	9	224	167	2	3	122	40
Carrollton	123	–	–	–	20	6	7	2	–	2	–	3	2	68	53	–	–	46	7
Balance of county	342	–	–	4	77	16	18	7	9	4	1	22	7	156	114	2	3	76	33
Catoosa	248	–	–	3	54	13	12	3	10	–	4	12	5	119	92	2	–	68	22
Charlton	60	–	–	1	15	3	4	2	2	–	–	4	1	21	19	–	–	12	7
Chatham	1,853	3	1	24	396	96	114	34	51	18	13	70	27	840	649	2	26	467	154
Savannah	1,537	2	1	23	329	80	93	27	46	13	10	60	22	686	533	2	22	378	131
Balance of county	316	1	–	1	67	16	21	7	5	5	3	10	5	154	116	–	4	69	23
Chattahoochee	28	–	–	–	2	–	2	–	–	–	–	–	–	8	8	–	1	3	4
Chattooga	241	1	–	1	41	8	12	4	5	–	1	11	1	146	98	1	–	82	15
Cherokee	347	1	–	3	57	7	12	4	9	3	5	17	4	182	129	–	1	95	33
Clarke	452	–	–	2	83	21	20	4	15	4	4	15	10	211	149	–	7	103	39
Athens	322	–	–	1	58	20	14	2	10	1	2	9	9	150	99	–	5	65	29
Balance of county	130	–	–	1	25	1	6	2	5	3	2	6	1	61	50	–	2	38	10
Clay	51	–	–	2	7	1	2	2	1	–	–	1	1	27	18	–	1	15	2
Clayton	756	–	–	8	178	27	61	14	15	7	6	48	16	298	239	1	12	172	54
College Park, part	36	–	–	1	8	1	3	1	1	–	–	2	–	18	14	–	1	7	6
Forest Park	147	–	–	–	36	5	11	4	3	2	3	8	5	56	46	–	–	33	13
Balance of county	573	–	–	7	134	21	47	9	11	5	3	38	11	224	179	1	11	132	35
Clinch	63	–	–	1	13	5	–	2	2	–	–	4	–	28	23	–	–	14	9
Cobb	1,547	2	1	11	353	72	110	37	31	11	9	83	32	636	481	3	18	328	132
Marietta	348	1	–	4	81	15	23	6	10	1	1	25	9	132	98	1	8	83	26
Smyrna	161	–	–	1	35	8	11	6	2	–	1	7	4	72	54	–	–	41	13
Balance of county	1,038	1	1	6	237	49	76	25	19	10	7	51	19	432	329	2	10	224	93
Coffee	256	–	–	3	51	17	12	3	6	3	2	8	2	121	77	–	1	57	19
Douglas	139	–	–	2	30	10	6	2	2	2	2	6	–	67	39	–	–	28	11
Balance of county	117	–	–	1	21	7	6	1	4	1	–	2	2	54	38	–	1	29	8
Colquitt	343	–	–	1	69	9	26	3	12	3	2	14	11	165	123	1	7	91	24
Moultrie	185	–	–	1	37	5	13	–	8	3	1	7	9	84	60	–	5	43	12
Balance of county	158	–	–	–	32	4	13	3	4	–	1	7	2	81	63	1	2	48	12
Columbia	231	1	–	6	44	9	17	4	1	2	1	10	3	108	81	1	1	50	29
Cook	119	–	–	1	20	5	5	2	3	–	–	5	1	62	53	–	1	21	31
Coweta	375	–	–	4	70	23	19	6	9	–	1	12	2	177	138	–	5	66	67
Newnan	132	–	–	2	25	7	7	2	6	–	–	3	2	64	49	–	3	21	25
Balance of county	243	–	–	2	45	16	12	4	3	–	1	9	–	113	89	–	2	45	42
Crawford	54	–	–	–	13	3	4	1	2	–	–	3	1	30	26	1	–	18	7
Crisp	225	–	–	3	42	16	15	1	1	–	1	8	2	111	67	–	1	53	13
Cordele	147	–	–	3	26	10	9	1	1	–	1	4	2	70	36	–	1	27	8
Balance of county	78	–	–	–	16	6	6	–	–	–	–	4	–	41	31	–	–	26	5
Dade	60	–	–	1	19	4	4	3	1	–	3	4	–	36	29	–	–	17	12
Dawson	39	–	–	4	8	1	4	1	–	–	–	2	–	16	16	–	–	12	4
Decatur	239	–	–	5	39	9	9	3	5	–	1	12	5	134	101	–	7	63	31
Bainbridge	122	–	–	2	18	3	5	1	2	–	1	6	3	78	63	–	6	40	17
Balance of county	117	–	–	3	21	6	4	2	3	–	–	6	2	56	38	–	1	23	14
De Kalb	2,824	4	–	47	581	139	137	61	51	24	24	145	44	1,256	930	8	40	519	383
Atlanta, part	462	3	–	13	74	19	14	8	11	2	3	17	8	205	157	–	9	73	75
Decatur	496	–	–	9	99	30	25	9	6	3	2	24	9	197	147	2	7	69	69
Balance of county	1,866	1	–	25	408	90	98	44	34	19	19	104	27	854	626	6	24	377	219
Dodge	175	–	–	4	28	4	8	2	1	3	–	10	4	81	62	–	1	33	28
Dooly	134	2	–	4	15	3	4	1	3	–	–	4	3	71	50	–	2	36	12
Dougherty	708	2	–	5	141	33	34	7	21	9	6	31	10	313	228	1	14	154	59
Albany	632	2	–	5	123	30	31	4	19	8	4	27	8	289	207	1	14	136	56
Balance of county	76	–	–	–	18	3	3	3	2	1	2	4	2	24	21	–	–	18	3
Douglas	333	–	–	2	69	12	26	3	6	5	5	12	4	153	126	1	2	81	42
Early	141	–	–	1	27	2	13	3	4	2	–	3	4	69	44	–	1	37	6
Echols	11	–	–	–	1	–	1	–	–	–	–	–	–	7	4	–	–	2	2
Effingham	130	–	–	1	25	7	10	2	2	–	1	3	1	88	52	–	2	42	8
Elbert	208	–	–	4	44	13	10	3	5	2	1	10	2	88	67	–	1	54	12
Emanuel	228	–	–	2	56	8	18	2	8	4	2	14	2	110	81	–	3	44	34
Evans	81	–	–	1	15	2	5	3	1	–	1	3	5	44	34	–	1	28	5
Fannin	167	–	–	3	31	11	9	1	2	–	1	7	1	75	60	–	–	48	12
Fayette	143	–	–	–	29	11	10	2	3	1	1	1	4	72	48	–	2	30	16
Floyd	746	–	–	5	177	44	59	19	21	2	4	28	10	350	256	1	5	203	47
Rome	400	–	–	1	92	25	30	10	12	–	3	12	6	197	137	–	3	104	30
Balance of county	346	–	–	4	85	19	29	9	9	2	1	16	4	153	119	1	2	99	17
Forsyth	214	–	–	3	32	3	14	–	5	1	1	8	–	100	79	–	1	54	24
Franklin	137	1	–	1	32	10	1	4	4	3	2	8	6	57	45	1	1	30	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	1	3	1	–	9	2	–	4	1	–	–	1	1	6	5	3	2	2	–
Brantley	–	6	1	1	3	3	–	–	2	–	–	–	–	7	4	4	–	–	1
Brooks	–	13	1	4	6	5	–	3	2	–	–	4	2	15	1	5	3	2	–
Bryan	1	5	–	1	1	–	1	2	–	–	1	2	1	5	4	2	2	3	–
Bulloch	3	40	5	3	7	14	1	3	1	–	2	2	6	19	11	15	3	1	–
Statesboro	2	18	2	1	4	8	–	2	1	–	1	2	1	11	5	6	1	1	–
Balance of county	1	22	3	2	3	6	1	1	–	–	1	–	5	8	6	9	2	–	–
Burke	1	19	5	2	5	6	2	4	2	–	1	1	1	15	6	6	1	4	–
Butts	–	16	3	–	1	1	–	1	3	–	1	–	2	7	2	7	–	2	–
Calhoun	1	22	1	1	1	4	1	–	–	–	–	–	–	6	3	2	–	1	–
Camden	–	6	–	2	1	2	–	1	1	–	–	1	–	9	9	3	–	1	–
Candler	1	13	2	1	3	3	–	–	2	–	–	–	–	12	–	4	2	3	2
Carroll	2	50	4	1	13	16	–	3	5	–	6	9	8	27	17	10	9	8	–
Carrollton	–	14	–	1	5	3	–	1	2	–	2	2	1	10	2	1	1	3	–
Balance of county	2	36	4	–	8	13	–	2	3	–	4	7	7	17	15	9	8	5	–
Catoosa	1	22	2	2	13	5	1	5	1	–	–	–	–	9	12	12	6	3	–
Charlton	–	2	–	–	–	1	1	–	–	–	–	1	3	6	3	7	–	–	–
Chatham	10	146	12	23	38	58	4	36	19	–	14	27	10	173	42	69	29	43	2
Savannah	9	115	12	17	33	45	4	30	19	–	12	23	8	149	26	58	24	42	1
Balance of county	1	31	–	6	5	11	–	6	–	–	2	4	2	24	16	11	5	1	1
Chattahoochee	–	–	–	–	–	–	–	–	1	–	1	1	1	4	4	3	1	1	1
Chattooga	1	44	1	2	5	10	–	4	4	–	–	1	–	12	1	7	1	6	–
Cherokee	1	46	4	2	17	10	–	3	1	–	3	4	3	23	15	10	5	5	1
Clarke	2	53	3	4	15	12	2	14	5	–	3	4	4	50	10	15	5	7	–
Athens	2	42	3	4	8	4	2	12	5	–	3	1	3	36	6	13	4	7	–
Balance of county	–	11	–	–	7	8	–	2	–	–	–	3	1	14	4	2	1	–	–
Clay	–	9	–	–	3	1	–	–	–	–	–	–	–	5	2	1	1	1	–
Clayton	3	44	6	6	22	34	2	10	7	1	4	14	8	46	40	27	25	14	2
College Park, part	–	3	1	–	–	–	1	–	–	–	1	1	–	2	1	2	1	–	–
Forest Park	–	8	1	1	7	9	–	3	–	–	2	1	3	5	5	3	6	5	1
Balance of county	3	33	4	5	15	25	1	7	7	1	1	12	5	39	34	22	18	9	1
Clinch	–	5	–	–	2	–	–	5	–	–	–	–	1	8	1	3	–	1	–
Cobb	5	123	8	19	42	40	3	30	10	–	27	30	9	145	58	42	49	27	–
Marietta	1	30	1	2	13	9	2	7	4	–	4	8	3	32	9	13	11	6	–
Smyrna	1	13	2	2	5	4	–	2	1	–	7	3	1	9	6	5	4	2	–
Balance of county	3	80	5	15	24	27	1	21	5	–	16	19	5	104	43	24	34	19	–
Coffee	1	37	3	3	2	8	–	1	3	–	–	10	2	11	8	17	4	10	3
Douglas	–	24	1	3	2	5	–	1	1	–	–	3	–	7	3	11	1	6	–
Balance of county	1	13	2	–	–	3	–	–	2	–	–	7	2	4	5	6	3	4	3
Colquitt	1	34	2	5	6	8	1	3	1	–	6	2	3	28	12	12	7	5	1
Moultrie	–	23	–	1	1	4	1	2	–	–	3	1	2	22	4	7	3	4	–
Balance of county	1	11	2	4	7	4	–	1	1	–	3	1	1	6	8	5	4	1	1
Columbia	1	21	2	3	2	6	–	2	4	–	3	–	1	23	8	13	2	4	1
Cook	1	6	2	–	4	5	1	3	1	–	1	1	2	4	3	6	1	3	–
Coweta	–	34	–	5	8	11	1	3	3	–	4	1	19	35	14	8	7	6	2
Newnan	–	13	–	2	2	4	1	1	1	–	2	–	9	12	1	1	1	3	1
Balance of county	–	21	–	3	6	7	–	2	2	–	2	1	10	23	13	7	6	3	1
Crawford	–	4	–	–	2	1	–	–	1	–	1	–	–	3	–	1	–	1	–
Crisp	1	35	6	2	11	5	1	3	3	1	–	1	–	14	9	11	2	6	–
Cordele	1	27	5	1	6	4	1	1	1	1	–	1	–	12	7	9	1	2	–
Balance of county	–	8	1	1	5	1	–	2	2	–	–	–	–	2	2	2	1	4	–
Dade	–	6	–	1	1	4	–	1	–	–	–	2	2	3	8	3	–	–	–
Dawson	–	–	–	–	–	2	–	–	–	–	–	1	–	1	2	5	–	–	–
Decatur	1	30	–	2	10	1	1	4	1	–	2	1	1	18	5	5	2	5	–
Bainbridge	1	13	–	1	4	1	–	2	–	–	–	1	–	9	1	1	–	2	–
Balance of county	–	17	–	1	6	–	1	2	1	–	2	–	1	9	4	4	2	3	–
De Kalb	13	274	18	21	75	74	12	44	27	1	21	51	27	270	66	103	59	59	3
Atlanta, part	3	41	2	2	13	10	3	7	6	–	4	7	7	48	10	20	5	18	1
Decatur	2	41	3	4	9	6	2	6	6	–	5	18	8	53	11	27	9	20	2
Balance of county	8	192	13	15	53	58	7	31	15	1	12	26	12	169	45	56	45	21	–
Dodge	–	17	–	2	8	4	1	5	1	–	1	4	3	15	3	8	1	4	–
Dooly	2	17	–	2	3	7	–	1	3	–	–	1	1	12	4	3	4	–	–
Dougherty	1	69	9	6	10	31	3	14	9	–	5	13	31	47	13	28	15	16	2
Albany	1	66	9	6	9	27	3	13	9	–	4	11	26	43	10	21	11	16	2
Balance of county	–	3	–	–	1	4	–	1	–	–	1	2	5	4	3	7	4	–	–
Douglas	1	19	6	1	6	8	2	3	3	–	3	1	1	22	20	19	11	5	1
Early	–	25	–	–	5	2	1	2	–	–	–	4	–	16	2	2	2	3	1
Echols	–	2	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Effingham	1	14	1	–	3	3	–	–	1	–	–	4	1	8	7	1	5	2	–
Elbert	–	20	1	–	10	6	1	–	4	–	–	2	2	24	9	8	–	4	–
Emanuel	–	22	5	2	11	5	–	2	2	–	1	3	–	17	9	2	2	2	2
Evans	–	8	–	2	1	2	1	–	1	–	–	–	1	6	1	2	1	–	–
Fannin	1	13	–	1	9	7	1	1	2	1	1	1	–	12	7	8	3	4	–
Fayette	–	17	3	4	1	6	–	1	1	–	1	–	2	9	8	5	4	–	–
Floyd	3	78	5	8	19	21	1	8	5	–	5	12	12	62	17	22	9	11	–
Rome	2	50	4	4	11	11	–	4	2	–	2	9	6	30	7	9	7	6	–
Balance of county	1	28	1	4	8	10	1	4	3	–	3	3	6	32	10	13	2	5	–
Forsyth	–	15	3	3	7	7	1	1	2	–	–	2	5	25	10	9	6	3	1
Franklin	2	9	–	1	5	8	–	–	1	–	2	2	1	9	6	2	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	5,510	10	–	103	1,095	266	317	92	144	35	37	204	88	2,491	1,886	13	158	1,050	665
Atlanta, part	4,039	8	–	84	776	193	223	60	113	24	25	138	71	1,816	1,394	6	139	727	522
Atlanta, total	4,501	11	–	97	850	212	237	68	124	26	28	155	79	2,021	1,551	6	148	800	597
College Park, part	218	–	–	5	46	9	15	6	6	1	2	7	1	93	71	2	4	39	26
College Park, total	254	–	–	6	54	10	18	7	7	1	2	9	1	111	85	2	5	48	32
East Point	372	1	–	6	74	18	22	7	5	2	3	17	4	178	141	2	9	86	44
Roswell	109	–	–	1	30	8	9	1	3	1	2	6	–	50	33	–	1	24	8
Balance of county	772	1	–	7	189	38	48	18	17	7	5	36	12	354	247	3	5	174	65
Gilmer	117	–	–	–	22	5	6	2	5	2	–	2	3	56	48	–	–	42	6
Glascock	29	–	–	–	8	3	1	–	–	1	1	2	1	15	8	–	1	5	2
Glynn	489	3	1	2	116	29	40	8	11	3	3	22	8	239	178	–	3	134	41
Brunswick	227	3	–	1	44	11	13	2	4	2	–	12	5	109	77	–	1	59	17
Balance of county	262	–	1	1	72	18	27	6	7	1	3	10	3	131	101	–	2	75	24
Gordon	268	–	–	3	62	17	22	2	4	–	1	16	5	140	109	–	2	48	59
Grady	200	–	–	–	38	8	15	–	5	–	1	9	2	101	70	1	3	49	17
Greene	121	–	–	–	19	4	5	3	4	–	–	3	2	70	51	–	7	30	14
Gwinnett	811	–	1	7	184	38	61	7	22	10	12	34	14	329	243	2	1	190	50
Habersham	193	–	–	1	32	7	6	3	3	2	1	10	4	108	84	–	1	70	13
Hall	596	–	–	2	128	19	31	14	19	3	7	35	9	291	230	4	2	151	73
Gainesville	187	–	–	–	40	2	8	7	7	2	1	13	4	90	68	–	–	53	15
Balance of county	409	–	–	2	88	17	23	7	12	1	6	22	5	201	162	4	2	98	58
Hancock	98	–	–	1	17	4	5	1	4	–	1	2	2	44	36	–	1	25	10
Haralson	154	–	–	–	31	7	12	2	5	1	–	4	4	72	61	–	2	41	18
Harris	158	–	–	–	36	8	10	–	3	2	1	12	1	78	46	–	5	24	17
Hart	179	–	–	2	38	12	10	4	3	3	–	6	7	80	63	–	–	51	12
Heard	69	–	–	1	19	2	3	3	2	–	–	9	1	34	25	–	–	11	14
Henry	311	1	–	–	76	14	22	7	7	3	4	19	2	148	108	–	6	81	21
Houston	464	1	–	6	98	23	23	10	5	5	4	26	9	210	158	2	3	93	60
Warner Robins	258	–	–	4	58	13	13	6	1	3	2	18	6	104	69	2	–	42	25
Balance of county	206	1	–	2	40	10	10	4	4	2	2	8	3	106	89	–	3	51	35
Irwin	83	–	–	2	14	5	3	–	3	–	1	2	1	43	31	–	–	21	10
Fitzgerald, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of county	82	–	–	2	14	5	3	–	3	–	1	2	1	42	30	–	–	21	9
Jackson	251	2	–	3	49	9	16	2	6	4	2	10	12	112	85	–	2	66	17
Jasper	68	–	–	–	14	6	2	3	–	1	1	1	–	37	32	–	1	25	6
Jeff Davis	100	–	–	1	19	6	7	–	2	1	–	3	2	50	40	–	1	31	8
Jefferson	180	–	–	6	30	7	6	1	6	–	–	10	1	85	51	–	2	36	13
Jenkins	123	–	–	2	24	1	11	2	4	2	–	4	1	58	44	1	–	33	10
Johnson	104	–	–	–	19	5	6	–	4	1	–	3	1	57	48	–	1	35	12
Jones	121	–	–	–	25	3	8	1	4	1	1	7	3	63	51	–	1	40	10
Macon, part	5	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Balance of county	116	–	–	–	24	3	7	1	4	1	1	7	2	62	51	–	1	40	10
Lamar	137	–	–	–	22	3	7	2	3	1	1	5	5	77	58	–	3	41	12
Lanier	52	–	–	1	7	2	4	–	–	1	–	–	2	29	21	–	1	12	8
Laurens	372	1	–	6	68	14	20	3	5	4	6	16	5	179	137	1	3	79	54
Dublin	190	–	–	2	35	7	12	2	3	2	2	7	3	93	74	–	3	42	29
Balance of county	182	1	–	4	33	7	8	1	2	2	4	9	2	86	63	1	–	37	25
Lee	61	–	–	–	17	4	1	2	2	–	1	7	2	29	22	–	1	11	10
Liberty	193	–	–	3	33	10	9	4	3	–	1	6	4	83	67	–	3	35	29
Hinesville	94	–	–	–	18	5	5	3	2	–	–	3	2	41	32	–	1	21	10
Balance of county	99	–	–	3	15	5	4	1	1	–	1	3	2	42	35	–	2	14	19
Lincoln	69	–	–	1	15	2	5	1	2	1	1	3	3	28	21	–	–	15	6
Long	32	–	–	1	5	1	2	–	1	–	–	1	–	20	16	–	2	12	2
Lowndes	491	1	–	4	95	27	29	6	13	1	3	16	13	239	189	1	3	147	38
Valdosta	307	1	–	2	58	17	18	4	7	1	2	9	9	150	117	–	3	92	22
Balance of county	184	–	–	2	37	10	11	2	6	–	1	7	4	89	72	1	–	55	16
Lumpkin	87	–	–	1	15	2	3	2	–	2	1	5	–	40	33	–	–	27	6
McDuffie	172	–	–	1	30	6	10	3	5	–	–	6	1	77	55	–	3	40	12
McIntosh	81	–	–	1	14	2	5	–	–	1	3	3	2	37	36	–	1	25	10
Macon	148	–	–	–	26	8	5	2	1	–	4	6	4	72	55	–	1	41	13
Madison	140	–	–	–	26	7	6	1	4	2	1	5	3	63	51	–	–	42	9
Marion	49	–	–	1	5	–	3	–	–	–	–	2	2	28	22	1	–	14	7
Meriwether	205	–	–	–	38	8	14	4	4	–	1	7	2	121	79	–	1	59	19
Miller	51	1	–	–	9	2	2	1	2	–	1	1	3	26	16	–	1	9	6
Mitchell	221	1	–	3	36	8	14	–	6	1	–	7	1	112	72	1	1	56	12
Monroe	130	1	–	1	30	7	11	2	4	1	1	4	2	69	53	–	–	34	19
Montgomery	57	–	–	1	10	2	3	–	–	2	2	1	2	33	22	–	–	13	9
Vidalia, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Balance of county	56	–	–	1	10	2	3	–	–	2	2	1	2	32	21	–	–	13	8
Morgan	103	–	–	1	16	3	3	3	3	–	1	3	1	59	38	–	4	26	8
Murray	136	1	–	1	28	5	11	3	4	–	–	5	4	67	48	–	2	35	11
Muscogee	1,433	3	–	17	284	89	79	17	19	6	5	69	39	892	521	2	11	379	129
Columbus	1,382	3	–	15	275	87	78	15	18	6	5	66	38	874	504	2	10	368	124
Balance of county	51	–	–	2	9	2	1	2	1	–	–	3	1	18	17	–	1	11	5
Newton	279	–	–	3	65	14	20	6	10	2	1	12	2	136	95	–	3	52	40
Covington	118	–	–	2	18	2	5	4	3	–	1	3	2	62	45	–	2	24	19
Balance of county	161	–	–	1	47	12	15	2	7	2	–	9	–	74	50	–	1	28	21
Oconee	69	1	–	–	14	3	5	1	1	–	–	4	3	33	26	–	2	14	10
Oglethorpe	74	–	–	–	19	2	2	2	3	–	1	9	2	34	26	–	2	19	5
Paulding	199	–	–	3	45	10	20	2	4	1	–	8	3	88	65	1	–	40	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Fulton	29	486	37	53	144	156	13	81	73	1	39	70	69	565	97	172	84	151	6
Atlanta, part	27	339	21	35	108	110	10	59	59	1	31	48	51	447	54	123	50	128	5
Atlanta, total	30	360	23	37	121	120	13	66	65	1	35	55	58	495	64	143	55	146	6
College Park, part	–	17	3	2	6	3	–	4	1	–	1	7	3	19	12	10	1	6	–
College Park, total	–	20	4	2	6	3	1	4	1	–	2	8	3	21	13	12	2	6	–
East Point	–	27	5	5	8	14	1	4	1	–	3	8	9	24	6	17	8	6	–
Roswell	–	14	1	2	3	3	–	1	4	–	–	1	1	8	1	3	2	1	–
Balance of county	2	89	7	9	19	28	2	13	8	–	4	6	5	67	24	19	23	10	1
Gilmer	–	4	4	–	7	3	–	–	–	–	–	2	1	12	5	2	2	2	–
Glascock	–	6	–	1	1	1	–	1	–	–	–	–	–	1	1	–	–	–	–
Glynn	4	39	13	5	8	9	–	8	4	–	3	7	4	41	7	10	8	7	4
Brunswick	3	20	7	1	6	4	–	3	3	–	3	6	3	25	2	2	1	5	3
Balance of county	1	19	6	4	2	5	–	5	1	–	–	1	1	16	5	8	7	2	1
Gordon	–	27	4	–	11	1	2	3	2	–	1	1	4	15	6	5	6	1	–
Grady	1	29	1	–	6	3	1	2	3	–	1	1	3	17	8	6	4	4	–
Greene	–	18	1	–	1	4	–	–	1	–	1	7	1	2	4	5	1	3	–
Gwinnett	1	72	7	6	19	27	3	13	11	–	15	14	6	45	52	35	25	7	4
Habersham	2	20	1	1	5	2	1	3	2	–	–	–	2	16	4	9	3	1	–
Hall	4	51	2	4	11	23	–	7	3	–	2	7	6	48	19	16	15	8	1
Gainesville	1	19	–	2	5	4	–	4	1	–	1	2	3	18	4	6	3	4	–
Balance of county	3	32	2	2	6	19	–	3	2	–	1	5	3	32	15	10	12	4	1
Hancock	–	6	1	1	4	4	–	1	1	–	–	5	1	8	4	3	–	3	–
Haralson	1	6	2	2	7	2	–	1	–	–	1	–	–	19	6	3	3	4	1
Harris	2	24	4	2	3	3	1	1	1	–	1	–	1	18	5	8	–	1	–
Hart	2	13	–	2	5	7	1	2	3	–	1	7	–	12	8	4	–	2	–
Heard	–	9	–	–	–	–	–	1	–	–	2	1	2	3	3	–	1	1	–
Henry	1	36	–	3	4	11	1	3	3	–	3	5	5	18	10	7	6	8	–
Houston	2	38	7	7	14	22	2	10	3	1	5	8	5	31	14	11	8	7	1
Warner Robins	1	23	5	6	11	13	–	8	2	–	4	5	4	21	7	4	4	4	1
Balance of county	1	13	2	1	3	9	2	2	1	1	1	3	1	10	7	7	4	3	–
Irwin	1	8	1	2	3	5	–	–	–	–	1	1	–	6	2	2	1	2	–
Fitzgerald, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	8	1	2	3	5	–	–	–	–	1	1	–	6	2	2	1	2	–
Jackson	–	24	1	2	5	4	–	5	2	–	5	2	1	18	9	12	3	7	–
Jasper	–	2	–	3	2	2	1	1	–	1	1	–	–	4	3	1	1	–	–
Jeff Davis	–	9	1	–	4	6	–	3	–	–	–	1	1	7	1	4	–	1	–
Jefferson	–	24	5	5	6	3	1	4	2	1	1	3	1	25	5	1	1	3	1
Jenkins	–	11	1	2	4	5	–	–	3	–	2	1	–	7	7	2	–	5	2
Johnson	1	6	2	–	1	2	–	1	4	–	2	–	–	5	5	5	1	1	–
Jones	1	9	–	2	5	2	1	1	1	–	1	1	1	8	5	–	2	2	–
Macon, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Balance of county	1	8	–	2	5	2	1	1	1	–	1	1	1	8	5	–	1	1	–
Lamar	1	16	3	1	2	6	1	1	–	–	–	3	1	9	1	6	2	1	–
Lanier	1	6	1	–	1	1	–	–	–	–	1	2	–	6	–	1	1	–	–
Laurens	–	38	2	2	10	15	4	2	3	–	4	5	5	28	14	14	4	5	–
Dublin	–	17	1	1	4	8	2	1	2	–	3	5	2	17	6	3	2	2	–
Balance of county	–	21	1	1	6	7	2	1	1	–	1	–	3	11	8	11	2	3	–
Lee	3	3	1	–	1	1	–	–	–	–	–	–	–	3	4	2	1	1	–
Liberty	1	9	3	3	4	2	1	–	–	–	2	9	3	15	9	16	7	1	1
Hinesville	1	6	–	2	2	1	–	–	–	–	1	7	–	7	2	9	4	–	–
Balance of county	–	3	3	1	2	1	1	–	–	–	1	2	3	8	7	7	3	1	1
Lincoln	–	4	1	2	2	2	1	1	–	–	–	–	2	7	3	1	2	1	–
Long	–	4	–	–	1	1	–	–	1	–	–	–	–	1	2	–	–	–	–
Lowndes	2	42	3	3	13	15	–	5	9	–	2	7	5	34	15	16	8	9	1
Valdosta	2	27	2	2	12	10	–	1	4	–	1	7	4	18	8	9	4	8	1
Balance of county	–	15	1	1	1	5	–	4	5	–	1	–	1	16	7	7	4	1	–
Lumpkin	–	6	1	–	5	4	–	–	1	–	–	1	1	7	6	4	2	–	–
McDuffie	1	19	–	2	6	2	1	5	2	–	1	1	19	8	3	5	6	4	–
McIntosh	–	1	–	–	3	2	–	–	2	–	–	2	3	3	3	5	–	4	–
Macon	1	8	8	–	4	4	1	1	3	–	–	2	1	13	3	6	2	5	1
Madison	–	12	–	–	5	7	–	4	1	–	1	1	2	7	10	6	2	2	–
Marion	–	4	1	1	–	–	1	1	–	–	–	–	–	7	–	3	–	1	–
Meriwether	3	30	8	1	3	3	1	2	1	1	–	1	2	10	10	5	2	3	–
Miller	–	7	2	1	1	3	–	–	–	–	–	–	2	3	–	3	–	–	–
Mitchell	1	37	2	–	5	5	–	1	5	–	–	2	6	19	4	8	3	9	1
Monroe	2	9	5	–	5	2	–	–	–	–	1	1	–	9	4	2	2	–	1
Montgomery	1	5	3	2	1	3	–	1	2	–	–	–	1	1	1	1	–	–	–
Vidalia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	5	3	2	1	3	–	1	2	–	–	–	1	1	1	1	–	–	–
Morgan	1	18	1	1	1	5	–	–	3	–	1	–	–	9	6	1	–	–	–
Murray	2	15	1	1	5	3	–	1	1	–	–	–	1	14	6	2	–	2	–
Muscogee	10	116	26	19	39	40	7	17	14	–	16	27	10	116	28	35	27	16	4
Columbus	10	115	26	19	37	39	7	17	14	–	14	21	10	115	26	33	26	15	3
Balance of county	–	1	–	–	2	1	–	–	–	–	2	6	–	3	2	2	1	1	1
Newton	2	32	2	5	3	8	–	7	1	–	4	1	3	22	10	4	2	8	–
Covington	–	14	2	1	1	2	–	2	1	–	2	–	1	12	3	2	1	7	–
Balance of county	2	18	–	4	2	6	–	5	–	–	2	1	2	10	7	2	1	1	–
Oconee	–	7	–	–	3	3	–	–	–	–	1	1	–	4	–	2	2	2	–
Oglethorpe	–	7	1	–	2	3	–	1	1	–	1	1	–	4	4	–	–	2	–
Paulding	–	14	5	4	3	5	–	2	3	–	1	4	2	14	9	2	11	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	164	1	–	1	27	1	7	3	4	1	1	10	7	80	61	–	10	28	23
Pickens	136	–	–	3	29	7	8	3	4	–	2	5	4	66	49	–	–	37	12
Pierce	124	–	–	1	21	2	11	–	2	1	–	5	3	57	46	–	–	36	6
Pike	74	–	–	–	17	4	4	1	3	2	–	3	2	32	24	–	–	17	7
Polk	327	1	–	2	54	5	21	4	7	2	3	12	3	182	130	–	1	94	35
Pulaski	97	–	–	–	15	3	3	3	1	–	1	4	2	45	29	–	2	18	9
Putnam	98	–	–	1	17	8	2	1	–	1	–	5	–	49	39	–	–	28	11
Quitman	37	–	–	–	10	–	6	1	1	1	–	1	1	16	7	–	–	2	5
Rabun	104	–	–	–	19	5	4	1	6	1	1	1	4	51	44	–	–	35	9
Randolph	122	1	–	1	20	7	4	1	3	–	1	4	–	62	34	–	–	28	6
Richmond	1,432	3	–	9	324	80	90	26	39	15	7	67	25	650	478	3	38	306	131
Augusta	765	2	–	2	172	47	49	14	22	9	2	29	15	360	258	2	24	160	72
Balance of county	667	1	–	7	152	33	41	12	17	6	5	38	10	290	220	1	14	146	59
Rockdale	224	–	–	1	42	12	13	4	3	2	3	5	3	98	88	–	–	74	14
Schley	32	–	–	–	3	–	2	1	–	–	–	–	–	18	12	–	–	5	7
Screven	110	1	–	3	18	8	3	3	1	–	1	2	1	69	53	–	3	36	14
Seminole	120	–	–	2	18	3	7	1	4	–	–	3	1	60	49	–	1	24	24
Spalding	441	–	–	3	94	25	23	9	9	–	7	21	5	204	148	1	3	120	24
Griffin	294	–	–	2	65	20	15	9	6	–	4	11	4	139	103	–	1	88	14
Balance of county	147	–	–	1	29	5	8	–	3	–	3	10	1	65	45	1	2	32	10
Stephens	205	–	–	2	50	13	16	3	8	2	2	6	7	93	76	1	2	60	13
Stewart	60	–	–	1	16	6	3	1	2	–	3	1	1	22	17	–	1	14	2
Sumter	286	3	–	2	55	14	15	3	10	1	1	11	8	149	113	–	5	69	39
Americus	175	2	–	1	33	10	7	3	6	–	1	6	2	95	71	–	5	41	25
Balance of county	111	1	–	1	22	4	8	–	4	1	–	5	6	54	42	–	–	28	14
Talbot	65	–	–	–	8	4	3	–	1	–	–	–	1	42	30	1	–	15	14
Taliaferro	31	–	–	–	5	–	1	2	2	–	–	–	1	17	13	1	2	7	3
Tattnall	178	–	–	1	38	8	11	1	5	4	–	9	4	90	72	–	2	58	12
Taylor	87	–	–	–	15	5	1	–	3	–	1	5	1	54	32	1	2	22	7
Telfair	144	–	–	3	21	5	7	–	3	1	1	4	6	83	56	–	–	39	17
Terrell	108	–	–	–	24	5	9	3	1	–	1	5	3	44	31	–	1	21	9
Thomas	388	1	–	5	94	20	31	4	11	5	4	19	7	177	113	1	6	79	27
Thomasville	216	–	–	2	52	12	18	3	6	2	1	10	2	106	66	1	4	49	12
Balance of county	172	1	–	3	42	8	13	1	5	3	3	9	5	71	47	–	2	30	15
Tift	279	–	–	2	85	20	17	6	5	–	6	11	3	143	82	–	3	64	15
Tifton	129	–	–	1	28	8	9	5	2	–	2	2	2	69	35	–	1	28	5
Balance of county	150	–	–	1	37	12	8	1	3	–	4	9	1	74	47	–	2	35	10
Toombs	226	–	–	–	44	9	14	3	9	2	–	7	3	109	72	–	2	60	10
Vidalia, part	81	–	–	–	17	4	6	2	2	1	–	2	–	36	22	–	1	19	2
Vidalia, total	82	–	–	–	17	4	6	2	2	1	–	2	–	37	23	–	1	19	3
Balance of county	145	–	–	–	27	5	8	1	7	1	–	5	3	73	50	–	1	41	8
Towns	59	–	–	1	3	1	1	–	–	–	–	1	–	38	31	–	1	23	7
Treutlen	54	–	–	1	12	4	3	1	1	1	–	2	1	30	18	–	–	8	10
Troup	500	–	–	7	92	25	38	4	8	2	3	12	8	248	185	–	10	115	60
La Grange	276	–	–	5	51	12	23	–	6	1	1	8	5	135	99	–	4	59	36
Balance of county	224	–	–	2	41	13	15	4	2	1	2	4	3	113	86	–	6	56	24
Turner	108	–	–	–	21	3	7	–	2	–	1	8	2	57	35	–	1	32	2
Twiggs	85	1	–	2	15	2	7	–	1	2	–	3	3	40	30	–	2	14	14
Union	93	–	–	2	18	7	4	–	2	–	1	4	1	52	43	–	1	30	12
Upson	303	–	–	2	88	13	25	5	8	3	1	13	4	144	88	1	2	49	36
Walker	484	1	–	4	98	14	38	4	12	5	2	23	8	243	192	4	2	134	52
Walton	288	–	–	6	75	19	16	5	11	3	2	19	5	137	103	–	1	80	12
Ware	337	1	1	2	58	14	13	5	4	1	8	13	3	191	153	–	2	96	55
Waycross	224	–	1	2	40	12	7	3	2	1	5	10	2	124	99	–	2	67	30
Balance of county	113	1	–	–	18	2	6	2	2	–	3	3	1	67	54	–	–	29	25
Warren	85	–	–	–	10	6	2	–	2	–	–	–	2	46	31	–	2	18	11
Washington	200	–	–	2	37	12	4	5	3	2	4	7	5	96	76	–	3	59	14
Wayne	204	–	–	2	38	11	15	1	2	2	1	6	2	115	89	–	11	57	21
Webster	22	–	–	–	3	–	1	–	1	–	–	1	1	9	7	–	–	5	2
Wheeler	72	1	–	–	11	1	2	–	2	1	3	2	–	42	36	–	–	19	17
White	82	–	–	1	18	5	5	1	–	1	1	5	1	45	32	–	–	23	9
Whitfield	471	1	–	8	94	14	28	8	11	8	4	21	8	210	162	4	6	116	36
Dalton	215	–	–	6	46	9	13	2	5	4	2	11	5	86	62	3	5	39	15
Balance of county	256	1	–	2	48	5	15	6	6	4	2	10	3	124	100	1	1	77	21
Wilcox	81	–	–	–	18	1	6	2	2	–	1	6	–	44	32	–	–	21	11
Wilkes	133	–	–	–	34	9	8	1	6	1	3	6	3	59	37	–	3	29	5
Wilkinson	102	–	–	1	19	3	8	–	4	1	1	2	1	49	38	–	2	30	6
Worth	143	–	–	2	37	10	14	1	2	1	2	7	3	59	39	–	–	26	13
Hawaii	5,188	7	–	70	1,254	434	284	88	128	33	46	243	127	2,162	1,676	31	68	1,149	428
Urban places	3,763	6	–	53	958	336	225	62	91	24	35	183	87	1,590	1,233	20	45	841	327
Balance of area	1,425	1	–	17	296	96	59	26	35	9	11	60	40	572	443	11	23	308	101
Metropolitan counties	3,817	7	–	57	950	322	227	65	100	26	36	174	91	1,589	1,249	24	46	860	319
Urban places	3,324	6	–	48	846	288	206	57	85	23	31	156	73	1,410	1,102	19	41	754	288
Balance of area	493	1	–	9	104	34	21	8	15	3	5	18	18	179	147	5	5	106	31
Nonmetropolitan counties	1,371	–	–	13	304	112	57	23	28	7	10	69	36	573	427	7	22	289	109
Urban places	439	–	–	5	112	50	19	5	6	1	4	27	14	180	131	1	4	87	39
Balance of area	932	–	–	8	192	62	38	18	20	6	6	42	22	393	296	6	18	202	70

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	1	14	3	1	3	1	–	4	3	–	1	2	5	13	6	6	2	2	–
Pickens	–	13	4	–	2	3	–	1	2	–	2	–	1	9	5	3	5	1	–
Pierce	–	9	–	2	3	3	1	1	1	–	–	2	1	11	8	6	–	5	–
Pike	–	7	–	1	3	4	–	–	–	–	1	–	–	8	1	3	2	1	–
Polk	–	44	2	6	10	9	–	4	2	–	4	4	3	24	9	6	4	6	–
Pulaski	–	15	1	–	5	5	1	1	–	–	–	–	2	8	4	5	3	1	–
Putnam	1	7	–	2	2	2	–	1	3	–	–	–	–	14	2	3	–	4	–
Quitman	1	8	–	–	2	–	–	1	–	–	–	–	3	1	–	2	1	–	–
Rabun	–	7	–	–	4	5	–	1	–	–	–	–	–	8	4	5	2	1	–
Randolph	2	20	6	–	1	2	–	2	6	–	–	1	3	14	3	3	1	2	–
Richmond	3	145	6	18	36	39	7	20	12	–	13	18	11	145	29	42	17	28	4
Augusta	3	84	4	11	21	22	5	8	8	–	3	10	7	74	11	21	7	15	2
Balance of county	–	61	2	7	15	17	2	12	4	–	10	8	4	71	18	21	10	13	2
Rockdale	1	7	–	2	8	3	1	3	2	–	4	4	–	29	7	11	5	3	–
Schley	–	3	3	–	1	2	–	1	–	–	–	–	–	1	2	1	2	1	–
Screven	1	12	–	3	–	2	–	–	1	–	–	1	–	7	3	4	–	–	–
Seminole	–	11	–	–	2	3	–	2	1	–	–	2	1	10	4	4	6	3	1
Spalding	2	50	4	–	9	21	2	7	6	–	1	5	2	33	11	19	12	6	1
Griffin	2	32	2	–	5	17	1	4	4	–	1	4	1	19	2	15	6	4	1
Balance of county	–	18	2	–	4	4	1	3	2	–	–	1	1	14	9	4	6	2	–
Stephens	–	17	–	–	4	9	1	5	2	–	–	1	–	16	6	2	7	–	–
Stewart	–	3	–	2	1	–	–	1	–	–	–	1	2	6	4	1	1	3	–
Sumter	2	27	1	6	3	5	1	9	1	–	2	2	3	19	6	8	4	5	1
Americus	–	19	1	4	2	4	1	4	–	–	1	1	2	15	2	5	1	4	–
Balance of county	2	8	–	2	1	1	–	5	1	–	1	1	1	4	4	3	3	1	1
Talbot	–	11	1	–	2	3	–	–	2	–	–	–	2	2	2	1	–	–	–
Taliaferro	–	4	–	–	2	2	–	–	1	–	–	1	–	1	–	1	–	–	–
Tattnall	1	16	–	1	5	5	1	1	1	–	–	–	–	11	5	10	3	2	1
Taylor	4	17	1	–	3	2	–	–	–	–	2	1	–	3	1	4	–	1	–
Telfair	–	23	1	3	3	3	–	–	1	–	–	2	–	10	1	8	1	4	–
Terrell	–	11	–	2	1	–	–	–	4	–	–	1	3	13	7	3	1	3	1
Thomas	1	54	3	6	7	11	–	6	5	–	5	5	4	32	3	12	3	9	2
Thomasville	1	32	2	5	4	7	–	2	5	–	3	–	1	19	2	4	1	5	1
Balance of county	–	22	1	1	3	4	–	4	–	–	2	5	3	13	1	8	2	4	1
Tift	2	37	16	6	6	6	1	6	1	–	3	2	1	13	9	7	7	4	–
Tifton	1	21	7	5	2	3	1	3	–	–	2	2	1	6	3	2	3	1	–
Balance of county	1	16	9	1	4	3	–	3	1	–	1	–	–	7	6	5	4	3	–
Toombs	–	33	1	3	11	3	2	3	4	1	2	2	–	21	6	12	–	3	–
Vidalia, part	–	12	–	2	4	1	–	1	2	1	–	2	–	13	2	1	–	1	–
Vidalia, total	–	12	–	2	4	1	–	1	2	1	–	2	–	13	2	1	–	1	–
Balance of county	–	21	1	1	7	2	2	2	2	–	2	–	–	8	4	11	–	2	–
Towns	–	6	–	1	2	1	1	1	–	–	–	–	1	3	2	3	1	–	1
Treutlen	–	10	1	1	4	1	–	–	–	–	–	–	–	1	–	1	1	2	–
Troup	5	50	3	5	10	11	1	2	5	–	5	5	2	57	11	20	12	3	1
La Grange	4	28	1	3	8	8	1	1	1	–	4	4	2	30	2	10	5	3	1
Balance of county	1	22	2	2	2	3	–	1	4	–	1	1	–	27	9	10	7	–	–
Turner	–	19	2	1	2	4	1	–	3	–	–	1	1	6	1	3	2	4	–
Twiggs	2	7	1	–	2	–	–	–	–	–	–	–	–	7	7	5	2	1	–
Union	–	7	–	2	4	2	1	2	–	–	1	–	2	1	4	1	2	–	–
Upson	1	47	7	1	6	16	1	2	–	–	–	8	1	29	5	9	6	2	–
Walker	2	38	7	4	13	15	–	4	6	–	2	1	4	44	9	20	5	5	2
Walton	–	29	5	–	5	6	–	3	–	–	–	4	1	25	8	5	4	4	–
Ware	5	29	3	1	5	16	–	3	1	–	2	3	2	29	6	8	5	1	–
Waycross	4	18	2	1	1	10	–	1	1	–	2	3	2	21	5	4	4	1	–
Balance of county	1	11	1	–	4	6	–	2	–	–	–	–	–	8	1	4	1	–	–
Warren	1	13	–	1	7	1	–	1	3	–	–	–	4	7	–	3	–	1	–
Washington	1	14	4	1	8	10	–	1	3	–	4	2	2	17	9	4	–	–	–
Wayne	1	24	1	–	2	4	1	–	1	–	2	1	3	17	5	6	2	3	–
Webster	–	1	1	–	1	1	–	1	1	–	–	–	1	–	2	2	–	–	–
Wheeler	–	6	–	–	4	3	1	2	–	–	–	–	–	4	2	1	–	1	–
White	1	8	1	3	3	2	–	–	–	–	–	–	1	5	2	4	–	–	–
Whitfield	2	37	4	5	8	27	1	5	5	–	3	5	8	41	13	18	6	9	–
Dalton	1	21	1	1	6	8	1	2	2	–	1	–	6	25	4	8	3	6	–
Balance of county	1	16	3	4	2	19	–	3	3	–	2	5	3	16	9	10	3	3	–
Wilcox	–	9	3	–	3	1	1	–	1	1	–	1	2	4	1	1	2	1	–
Wilkes	2	16	1	3	4	6	–	2	1	–	–	1	2	6	4	4	3	4	–
Wilkinson	–	6	2	3	5	1	2	3	3	–	–	1	–	3	6	4	2	2	–
Worth	–	13	4	3	4	1	1	2	1	–	1	2	1	9	3	10	4	3	–
Hawaii	11	368	44	63	167	160	16	62	55	1	52	71	79	432	153	171	97	29	23
Urban places	7	275	30	45	115	115	10	45	38	1	39	47	61	313	80	107	72	18	8
Balance of area	4	93	14	18	52	45	6	17	17	–	13	24	18	119	73	64	25	11	15
Metropolitan counties	6	262	28	44	118	116	5	50	41	1	38	59	59	315	98	115	71	23	13
Urban places	6	238	26	38	104	98	4	43	32	1	35	44	52	277	70	92	64	17	8
Balance of area	–	24	2	6	14	18	1	7	9	–	4	15	7	38	28	23	7	6	5
Nonmetropolitan counties	5	106	16	19	49	44	11	12	14	–	13	12	20	117	55	56	26	6	10
Urban places	1	37	4	7	11	17	6	2	6	–	4	3	9	36	10	15	8	1	–
Balance of area	4	69	12	12	38	27	5	10	8	–	9	9	11	81	45	41	18	5	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	601	–	–	8	130	47	21	9	14	3	6	30	18	247	171	4	3	127	37
Hilo#	263	–	–	5	58	23	11	4	2	1	2	15	9	115	85	1	2	80	22
Balance of county	338	–	–	3	72	24	10	5	12	2	4	15	9	132	86	3	1	67	15
Honolulu	3,817	7	–	57	950	322	227	65	100	26	36	174	91	1,589	1,249	24	46	860	319
Aiea#	134	1	–	–	36	14	8	2	2	1	–	9	3	54	36	1	–	26	9
Ewa Beach#	105	–	–	1	28	11	10	1	1	–	–	5	1	40	32	–	1	18	13
Honolulu#	2,226	4	–	34	554	199	128	40	60	17	24	86	49	990	776	13	30	526	207
Kailua#	211	–	–	3	85	19	19	3	6	2	1	15	4	91	70	2	4	50	14
Kaneohe#	231	–	–	3	62	11	17	3	7	1	1	22	3	89	69	1	2	49	17
Mililani Town#	37	–	–	–	12	3	4	–	3	–	–	2	1	11	10	–	1	7	2
Mokapu# [4]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl City#	122	1	–	4	23	7	6	–	5	1	1	3	3	57	46	–	2	34	10
Schofield Barracks#	18	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	1	–
Wahiawa#	104	–	–	2	28	11	4	3	–	–	1	9	4	38	29	1	1	18	9
Waipahu#	135	–	–	1	37	12	10	5	1	1	3	5	5	41	33	1	–	25	7
Balance of county [4]	493	1	–	9	104	34	21	8	15	3	5	18	18	179	147	5	5	106	31
Kalawao	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kauai	282	–	–	1	51	17	10	7	6	1	–	10	7	135	110	–	13	65	32
Maui	486	–	–	4	123	48	26	7	6	3	4	29	11	191	146	3	6	97	40
Kahului#	105	–	–	–	33	16	5	1	2	–	2	7	2	45	31	–	2	17	12
Wailuku#	71	–	–	–	21	11	3	–	2	–	–	5	3	20	15	–	–	10	5
Balance of county	310	–	–	4	69	21	18	6	2	3	2	17	6	126	100	3	4	70	23
Idaho	6,957	1	–	43	1,372	320	339	109	164	61	69	310	121	3,173	2,413	34	41	1,682	656
Urban places	3,080	–	–	19	604	133	139	56	73	30	34	139	64	1,390	1,039	15	17	728	281
Balance of area	3,877	1	–	24	768	187	200	53	91	31	35	171	57	1,783	1,374	19	24	958	375
Metropolitan counties	1,108	–	–	5	251	58	66	21	24	10	10	62	7	470	376	3	5	239	129
Urban places	908	–	–	5	198	44	54	18	19	9	7	47	6	385	304	3	4	197	100
Balance of area	200	–	–	–	53	14	12	3	5	1	3	15	1	85	72	–	1	42	29
Nonmetropolitan counties	5,849	1	–	38	1,121	262	273	88	140	51	59	248	114	2,703	2,037	31	36	1,443	527
Urban places	2,172	–	–	14	406	89	85	38	54	21	27	92	58	1,005	735	12	13	529	181
Balance of area	3,677	1	–	24	715	173	188	50	86	30	32	156	56	1,698	1,302	19	23	914	346
Ada	1,108	–	–	5	251	58	66	21	24	10	10	62	7	470	376	3	5	239	129
Boise City	908	–	–	5	198	44	54	18	19	9	7	47	6	385	304	3	4	197	100
Balance of county	200	–	–	–	53	14	12	3	5	1	3	15	1	85	72	–	1	42	29
Adams	29	–	–	1	5	2	1	–	1	1	–	–	–	14	9	–	–	4	5
Bannock	439	–	–	2	73	17	16	3	6	5	8	18	10	188	143	3	2	112	26
Pocatello	363	–	–	2	63	12	16	2	5	3	8	17	10	149	113	2	2	85	24
Balance of county	76	–	–	–	10	5	–	1	1	2	–	1	–	39	30	1	–	27	2
Bear Lake	60	–	–	–	7	1	–	1	1	–	–	4	2	32	23	1	–	15	7
Benewah	69	1	–	1	18	4	5	3	1	1	1	3	1	23	16	–	–	10	6
Bingham	223	–	–	2	35	6	6	3	3	2	2	13	7	99	79	–	2	58	19
Blackfoot	84	–	–	1	12	1	2	1	–	1	1	6	4	40	31	–	1	25	5
Balance of county	139	–	–	1	23	5	4	2	3	1	1	7	3	59	48	–	1	33	14
Blaine	64	–	–	–	13	5	2	1	–	1	–	4	1	27	24	–	–	15	9
Boise	16	–	–	–	4	1	1	–	–	–	–	2	–	9	7	1	1	5	–
Bonner	206	–	–	2	41	10	16	–	4	2	2	7	4	97	78	1	9	50	18
Bonneville	386	–	–	4	66	16	10	11	12	1	5	11	13	161	116	3	3	65	45
Idaho Falls	305	–	–	3	48	12	7	7	9	1	3	9	11	133	93	3	2	55	33
Balance of county	81	–	–	1	18	4	3	4	3	–	2	2	2	28	23	–	1	10	12
Boundary	47	–	–	1	9	3	2	–	2	–	–	2	1	20	15	–	–	6	9
Butte	32	–	–	–	4	–	2	–	1	–	–	1	1	18	17	–	–	13	4
Camas	7	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	–	3	–
Canyon	672	–	–	2	153	32	30	19	20	4	12	36	15	305	232	5	5	170	52
Caldwell	161	–	–	1	44	10	9	4	5	–	3	13	3	66	50	1	1	39	9
Nampa	300	–	–	–	61	12	8	11	8	4	4	14	9	139	104	2	2	71	29
Balance of county	211	–	–	1	48	10	13	4	7	–	5	9	3	100	78	2	2	60	14
Caribou	47	–	–	–	6	1	2	–	–	–	1	2	2	19	13	1	–	10	2
Cassia	139	–	–	–	28	8	5	2	5	–	2	6	4	65	45	–	1	22	22
Clark	6	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Clearwater	72	–	–	1	14	2	6	–	1	1	–	4	–	33	27	–	–	17	10
Custer	31	–	–	1	6	3	–	–	1	–	1	1	–	17	10	–	–	9	1
Elmore	122	–	–	–	20	9	6	–	–	1	1	3	1	51	43	–	–	22	21
Franklin	80	–	–	1	19	3	1	1	7	1	1	5	3	33	18	–	–	12	6
Fremont	75	–	–	–	8	1	–	2	2	2	–	1	2	37	26	–	–	22	4
Gem	97	–	–	–	18	2	5	–	4	–	–	7	2	58	40	–	1	28	13
Gooding	130	–	–	–	25	6	8	2	3	1	–	4	–	72	57	2	–	47	8
Idaho	134	–	–	–	29	7	7	1	3	3	–	8	3	48	32	–	–	25	7
Jefferson	110	–	–	–	23	5	2	3	1	2	3	7	1	52	42	1	–	31	10
Jerome	104	–	–	–	19	6	5	–	4	1	–	3	2	45	39	1	–	28	10
Kootenai	471	–	–	2	100	23	27	9	13	2	4	22	9	226	164	2	1	117	44
Coeur d'Alene	265	–	–	1	47	11	10	4	7	2	1	12	7	142	101	–	–	72	29
Balance of county	206	–	–	1	53	12	17	5	6	–	3	10	2	84	63	2	1	45	15
Latah	206	–	–	2	41	14	6	4	8	1	3	5	3	111	81	–	2	69	10
Moscow	113	–	–	1	23	8	2	3	5	1	2	2	1	59	42	–	1	35	6
Balance of county	93	–	–	1	18	6	4	1	3	–	1	3	2	52	39	–	1	34	4
Lemhi	72	–	–	–	18	–	4	1	4	1	1	7	–	29	24	1	1	16	6
Lewis	44	–	–	1	5	1	3	–	1	–	–	–	–	22	21	–	–	13	8
Lincoln	30	–	–	2	8	2	2	1	–	1	1	1	–	12	9	1	–	6	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Hawaii	1	57	10	8	17	21	5	5	5	–	7	2	15	55	31	15	16	1	3
Hilo#	–	25	3	2	3	13	4	1	3	–	3	1	8	21	6	7	6	–	–
Balance of county	1	32	7	6	14	8	1	4	2	–	4	1	7	34	25	8	10	1	3
Honolulu	6	282	28	44	118	116	5	50	41	1	39	59	59	315	98	115	71	23	13
Aiea#	–	15	1	2	4	6	–	1	1	–	–	4	6	7	2	3	5	1	–
Ewa Beach#	–	5	2	1	4	3	–	3	–	–	2	1	5	10	3	2	1	1	–
Honolulu#	4	163	21	26	70	61	2	26	23	–	18	20	30	194	35	63	42	6	5
Kailua#	2	14	1	4	2	5	–	2	3	–	–	2	1	20	4	5	3	–	1
Kaneohe#	–	17	1	2	12	10	1	4	1	–	4	1	3	17	6	6	4	5	–
Mililani Town#	–	1	–	–	1	1	–	2	–	–	–	–	–	3	3	2	1	–	–
Mokapu# [4]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pearl City#	–	9	–	2	4	1	–	4	2	–	5	3	2	5	4	2	2	–	–
Schofield Barracks#	–	–	–	–	–	–	–	–	–	–	1	3	1	2	5	2	–	2	1
Wahiawa#	–	7	–	–	3	6	–	–	1	–	2	2	1	5	6	5	1	2	–
Waipahu#	–	7	–	1	4	5	1	1	1	1	3	8	3	14	2	2	5	–	1
Balance of county [4]	–	24	2	6	14	18	1	7	8	–	4	16	7	38	28	23	7	6	5
Kalawao	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Kauai	2	18	2	5	7	13	–	1	3	–	2	6	1	25	6	16	4	1	3
Maui	2	33	4	6	25	10	6	6	5	–	4	4	4	36	18	25	6	4	4
Kahului#	1	8	1	4	5	2	1	1	2	–	1	2	1	8	–	2	–	–	–
Wailuku#	–	4	–	1	3	2	1	–	1	–	–	–	–	7	4	6	2	1	–
Balance of county	1	21	3	1	17	6	4	5	2	–	3	2	3	21	14	17	4	3	4
Idaho	17	575	93	75	216	292	31	90	56	–	70	87	119	594	237	266	138	31	18
Urban places	6	267	41	37	94	157	9	44	25	–	30	34	52	290	59	108	76	14	11
Balance of area	11	308	52	38	124	135	22	46	31	–	40	53	67	304	178	158	62	17	7
Metropolitan counties	2	64	13	15	31	44	3	20	12	–	11	12	30	89	32	40	41	7	3
Urban places	1	56	11	13	28	43	3	19	9	–	8	9	26	78	15	34	33	7	2
Balance of area	1	8	2	2	3	1	–	1	3	–	3	3	4	11	17	6	8	–	1
Nonmetropolitan counties	15	511	80	60	187	248	28	70	44	–	59	75	89	505	205	226	97	24	15
Urban places	5	211	30	24	66	114	6	25	16	–	22	25	26	212	44	74	43	7	9
Balance of area	10	300	50	36	121	134	22	45	28	–	37	50	63	293	161	152	54	17	6
Ada	2	64	13	15	31	44	3	20	12	–	11	12	30	89	32	40	41	7	3
Boise City	1	56	11	13	28	43	3	19	9	–	8	9	26	78	15	34	33	7	2
Balance of county	1	8	2	2	3	1	–	1	3	–	3	3	4	11	17	6	8	–	1
Adams	–	4	–	1	–	1	–	–	–	–	–	–	–	5	2	–	1	–	–
Bannock	–	34	7	4	13	20	2	10	2	–	5	5	2	54	15	18	10	2	8
Pocatello	–	27	6	3	9	16	2	8	2	–	4	5	2	49	11	12	10	1	8
Balance of county	–	7	1	1	4	4	–	2	–	–	1	–	–	5	4	6	–	1	–
Bear Lake	–	8	–	1	2	2	–	–	–	–	–	–	–	5	2	6	2	–	–
Benewah	–	7	–	–	3	1	1	2	–	–	1	2	1	4	3	5	1	1	–
Bingham	1	16	3	–	5	12	1	5	1	–	7	1	3	24	11	8	2	–	–
Blackfoot	–	9	–	–	2	8	–	–	–	–	2	–	–	12	1	2	–	–	–
Balance of county	1	7	3	–	3	4	1	5	1	–	5	1	3	12	10	6	2	–	–
Blaine	–	3	–	–	2	2	–	1	1	–	1	–	1	4	4	2	4	1	–
Boise	–	1	1	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Bonner	–	15	3	1	3	10	1	2	2	–	4	3	1	13	6	15	–	2	–
Bonneville	1	33	6	5	8	12	2	4	7	–	4	9	16	40	15	13	11	–	1
Idaho Falls	1	30	5	4	7	12	2	4	4	–	4	6	10	34	7	11	9	–	–
Balance of county	–	3	1	1	1	–	–	–	3	–	–	3	6	6	8	2	2	–	1
Boundary	–	5	–	–	5	1	–	–	1	–	–	–	1	3	3	2	–	–	–
Butte	–	1	–	–	–	1	–	1	1	–	1	1	–	2	2	–	–	–	–
Camas	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Canyon	1	62	6	4	25	32	2	5	8	–	7	10	8	52	16	13	16	3	–
Caldwell	1	14	1	–	3	15	2	1	1	–	1	6	1	8	4	4	1	–	–
Nampa	–	32	2	1	12	15	–	3	5	–	2	1	2	29	5	6	9	2	–
Balance of county	–	16	3	3	10	2	–	1	2	–	4	3	5	15	7	3	6	1	–
Caribou	–	4	2	–	2	3	–	–	–	–	–	3	–	6	2	3	1	–	–
Cassia	2	14	2	2	4	3	1	4	–	–	4	4	7	9	3	2	1	–	–
Clark	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
Clearwater	–	5	1	–	5	2	–	1	–	–	–	2	–	5	4	4	1	–	–
Custer	1	4	–	2	–	–	1	–	–	–	–	–	1	–	2	1	1	1	–
Elmore	–	6	1	1	6	7	–	4	1	–	3	6	1	9	5	4	3	1	–
Franklin	–	10	5	–	3	2	1	1	1	–	–	1	2	7	2	1	2	1	–
Fremont	–	7	1	3	1	6	–	2	1	–	–	1	1	5	4	7	–	–	–
Gem	–	12	4	2	6	1	–	1	–	–	–	1	2	6	–	1	1	–	–
Gooding	–	13	1	1	2	5	–	1	1	–	1	–	–	9	6	6	2	–	–
Idaho	1	14	1	–	3	5	–	–	–	–	–	–	4	16	9	13	3	1	–
Jefferson	–	7	3	–	3	3	1	1	–	–	1	2	2	7	8	6	–	–	–
Jerome	1	2	–	3	7	5	2	–	1	–	–	1	4	7	5	3	3	–	–
Kootenai	1	45	10	6	13	25	2	4	1	–	5	4	3	43	10	14	7	3	–
Coeur d'Alene	1	28	8	4	9	18	–	2	1	–	–	1	1	24	2	5	3	2	–
Balance of county	–	17	2	2	4	7	2	2	–	–	5	3	2	19	8	9	4	1	–
Latah	1	23	4	2	4	5	–	2	1	–	3	2	1	10	10	9	2	–	–
Moscow	–	13	3	1	4	3	–	2	1	–	3	1	1	4	1	7	2	–	–
Balance of county	1	10	1	1	–	2	–	–	–	–	–	1	–	6	9	2	–	–	–
Lemhi	–	4	–	1	–	5	–	1	2	–	–	–	1	10	3	1	1	1	–
Lewis	–	1	–	–	1	4	1	–	1	–	–	2	1	3	2	–	–	1	–
Lincoln	–	3	–	–	1	–	1	–	1	–	–	–	–	4	–	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	97	–	–	–	13	6	–	3	2	–	–	2	2	50	41	–	–	30	11
Rexburg	49	–	–	–	9	3	–	2	2	–	–	2	2	26	20	–	–	14	6
Balance of county	48	–	–	–	4	3	–	1	–	–	–	–	–	24	21	–	–	16	5
Minidoka	143	–	–	–	27	8	6	3	4	–	–	6	1	63	48	1	–	27	20
Nez Perce	322	–	–	5	67	13	23	4	7	6	2	12	5	151	108	2	2	79	25
Lewiston	276	–	–	3	59	12	18	3	6	6	2	12	5	128	91	2	2	66	21
Balance of county	46	–	–	2	8	1	5	1	1	–	–	–	–	23	17	–	–	13	4
Oneida	39	–	–	–	8	3	–	–	1	2	–	2	1	17	13	–	–	8	5
Owyhee	67	–	–	1	12	2	5	–	–	–	–	5	1	29	20	–	–	13	7
Payette	157	–	–	–	32	7	7	1	6	–	–	11	2	82	62	1	–	45	16
Power	48	–	–	–	8	1	–	1	–	–	1	5	4	23	18	–	1	15	2
Shoshone	161	–	–	2	39	7	24	2	1	4	1	–	–	67	48	1	–	33	14
Teton	23	–	–	1	3	–	–	–	–	1	–	2	–	12	8	–	–	6	2
Twin Falls	454	–	–	3	67	18	18	1	9	4	5	12	10	229	170	3	4	125	38
Twin Falls	256	–	–	2	40	8	13	1	7	3	3	5	6	123	90	2	2	67	19
Balance of county	198	–	–	1	27	10	5	–	2	1	2	7	4	106	80	1	2	58	19
Valley	30	–	–	1	9	2	2	4	–	–	–	1	1	9	8	–	1	5	2
Washington	88	–	–	–	19	5	5	2	2	–	2	3	–	44	40	–	–	39	1
Illinois	100,501	88	5	720	22,151	6,027	5,769	2,063	2,394	910	841	4,147	1,756	51,553	41,181	335	1,419	29,649	9,778
Urban places	70,999	77	4	566	15,814	4,348	4,147	1,505	1,698	622	604	2,880	1,221	35,876	28,908	243	1,044	20,080	7,561
Balance of area	29,502	11	1	154	6,337	1,679	1,622	558	696	288	237	1,257	535	15,677	12,273	92	375	9,569	2,217
Metropolitan counties	77,955	80	4	605	17,522	4,826	4,573	1,653	1,884	683	661	3,242	1,361	39,159	31,614	272	1,141	22,146	8,055
Urban places	65,152	75	4	526	14,600	4,043	3,817	1,384	1,570	567	559	2,660	1,129	32,723	26,522	219	992	18,213	7,098
Balance of area	12,803	5	–	79	2,922	783	756	269	314	116	102	582	232	6,436	5,092	53	149	3,933	957
Nonmetropolitan counties	22,546	8	1	115	4,629	1,201	1,196	410	510	227	180	905	395	12,394	9,567	63	278	7,503	1,723
Urban places	5,847	2	–	40	1,214	305	330	121	128	55	45	230	92	3,153	2,386	24	52	1,847	463
Balance of area	16,699	6	1	75	3,415	896	866	289	382	172	135	675	303	9,241	7,181	39	226	5,656	1,260
Adams	829	1	–	4	152	43	45	9	16	6	5	28	20	446	343	1	6	266	70
Quincy	621	1	–	4	117	33	35	9	10	5	3	22	16	329	255	1	4	193	57
Balance of county	208	–	–	–	35	10	10	–	6	1	2	6	4	117	88	–	2	73	13
Alexander	174	–	–	–	43	11	10	1	4	3	5	9	4	85	69	1	2	53	13
Bond	167	–	–	–	39	6	10	6	6	–	3	8	1	94	81	–	10	51	20
Boone	200	–	–	3	47	13	11	9	7	1	–	6	1	112	88	–	3	72	13
Belvidere	121	–	–	1	33	9	8	7	5	1	–	3	1	68	50	–	2	40	8
Balance of county	79	–	–	2	14	4	3	2	2	–	–	3	–	44	38	–	1	32	5
Brown	57	–	–	–	16	3	5	1	3	1	1	2	2	32	30	–	2	17	11
Bureau	440	–	–	2	92	24	17	8	14	9	5	15	8	267	211	3	6	148	54
Calhoun	69	–	–	1	16	3	2	–	–	1	–	10	4	41	36	–	–	19	17
Carroll	217	–	–	1	48	12	15	7	3	3	–	8	3	124	89	1	1	71	16
Cass	167	–	–	2	27	7	4	4	6	2	1	3	5	95	75	–	5	53	17
Champaign	900	1	–	7	201	57	46	18	17	9	8	46	18	430	306	5	13	223	65
Champaign	327	1	–	–	67	33	18	6	5	2	1	22	6	157	112	1	6	83	22
Rantoul	66	–	–	2	13	4	3	1	2	1	1	1	–	32	24	1	1	17	5
Urbana	229	–	–	1	39	9	10	2	4	1	3	10	4	119	79	1	4	56	18
Balance of county	278	–	–	4	62	11	15	9	6	5	3	13	8	122	91	2	2	67	20
Christian	434	–	–	2	96	22	28	9	11	6	7	13	11	215	185	2	1	153	29
Taylorville	158	–	–	1	42	8	10	6	6	1	4	7	1	73	67	–	–	56	11
Balance of county	276	–	–	1	54	14	18	3	5	5	3	6	10	142	118	2	1	97	18
Clark	204	–	–	2	28	4	8	2	5	–	–	9	4	133	97	1	13	67	16
Clay	206	–	–	1	33	10	6	–	5	1	2	9	5	127	102	1	3	87	11
Clinton	276	–	1	1	69	17	13	4	9	6	5	15	4	139	103	–	5	75	23
Centralia, part	34	–	1	1	5	1	2	–	–	–	–	2	–	20	13	–	1	8	4
Balance of county	242	–	–	–	64	16	11	4	9	6	5	13	4	119	90	–	4	67	19
Coles	475	–	–	2	96	20	21	3	14	9	4	25	12	247	169	1	6	142	20
Charleston	145	–	–	–	28	9	4	–	6	2	–	7	3	74	55	–	4	40	11
Mattoon	232	–	–	1	48	9	13	2	6	4	–	14	4	128	81	1	1	73	6
Balance of county	98	–	–	1	20	2	4	1	2	3	4	4	5	45	33	–	1	29	3
Cook	47,898	63	3	416	10,741	3,037	2,807	1,017	1,115	406	398	1,961	820	29,941	19,854	165	776	12,907	5,976
Alsip	103	–	–	–	28	6	8	4	6	–	–	4	–	44	37	1	–	23	13
Arlington Heights, part	462	–	–	4	110	31	24	15	10	3	2	25	6	265	216	2	3	139	72
Arlington Heights, total	463	–	–	4	111	32	24	15	10	3	2	25	6	265	216	2	3	139	72
Bartlett, part	36	–	–	–	12	1	2	2	1	–	2	4	1	16	12	–	–	11	1
Bellwood	138	–	–	–	38	13	11	2	6	2	2	2	1	74	55	1	1	40	13
Bensenville, part	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1
Berwyn	651	–	–	6	161	46	44	13	20	4	4	30	11	347	289	2	15	213	59
Blue Island	229	–	–	3	53	14	18	6	3	4	1	7	2	118	94	–	2	65	27
Bridgeview	132	–	–	3	25	8	8	3	–	–	3	3	6	63	50	–	2	35	13
Brookfield	201	–	–	3	41	15	11	5	2	3	1	4	4	119	96	1	1	72	22
Buffalo Grove, part	67	–	–	–	14	4	5	–	1	1	1	2	–	36	30	1	1	19	9
Buffalo Grove, total	82	–	–	–	18	5	5	–	1	1	1	5	–	42	36	1	1	24	10
Burbank	199	–	–	–	44	15	15	3	4	1	–	6	5	109	88	–	–	64	24
Calumet City	381	–	–	2	95	26	28	9	6	5	4	17	7	188	149	4	2	117	26
Chicago, part	29,505	54	3	267	6,391	1,854	1,678	551	698	235	237	1,138	507	14,565	12,244	83	578	7,460	4,103
Chicago, total	29,505	54	3	267	6,391	1,854	1,678	551	698	235	237	1,138	507	14,565	12,244	83	578	7,460	4,103
Chicago Heights	329	–	–	1	69	29	29	5	5	1	1	8	6	170	133	2	10	89	32
Chicago Ridge	119	–	–	1	36	7	16	4	3	–	3	3	3	61	48	–	–	29	19
Cicero	771	1	–	6	192	50	54	23	23	7	5	30	14	392	328	5	5	227	91
Country Club Hills	50	–	–	3	16	3	6	2	–	–	1	4	1	17	17	–	2	9	6
Crestwood	85	–	–	–	17	5	3	1	2	1	1	4	1	39	36	1	2	27	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	–	8	1	–	3	1	–	–	–	–	3	3	1	10	5	2	1	2	1
Rexburg	–	6	–	–	2	–	–	–	–	–	3	–	1	2	2	1	1	–	–
Balance of county	–	2	1	–	1	1	–	–	–	–	–	3	–	8	3	1	–	2	1
Middoke	–	13	1	1	5	8	–	3	1	–	2	2	2	10	10	4	2	1	2
Nez Perce	–	34	4	5	8	13	2	5	2	–	2	3	6	21	11	15	4	1	1
Lewiston	–	29	4	4	8	13	–	2	2	–	2	3	4	20	8	14	3	1	1
Balance of county	–	5	–	1	–	–	2	3	–	–	–	–	2	1	3	1	1	–	–
Oneida	–	1	3	–	–	–	–	–	–	–	1	1	1	7	1	2	–	–	–
Owyhee	–	4	3	2	4	6	–	–	–	–	1	–	–	5	2	4	2	–	–
Payette	1	15	1	3	10	5	5	–	1	–	–	2	–	12	2	2	2	–	–
Power	–	4	–	1	–	2	–	–	–	–	–	–	–	1	5	1	2	–	2
Shoshone	1	17	–	1	4	8	–	3	3	–	1	1	1	15	5	10	2	–	–
Teton	–	4	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	–	–
Twin Falls	3	42	6	8	21	23	2	6	1	–	2	3	7	51	4	18	6	1	–
Twin Falls	2	23	1	7	10	14	–	3	–	–	1	2	4	30	3	12	5	1	–
Balance of county	1	19	5	1	11	9	2	3	1	–	1	1	3	21	1	6	1	–	–
Valley	–	1	–	–	1	2	–	–	–	–	–	–	1	2	1	2	1	–	–
Washington	–	4	–	–	4	3	–	–	1	–	–	–	7	4	2	4	–	–	–
Illinois	514	7,675	1,274	909	2,446	2,625	362	1,429	841	20	687	1,332	1,123	6,950	1,744	2,028	1,085	1,156	400
Urban places	361	5,245	746	616	1,762	1,724	254	1,127	644	16	513	1,056	835	4,932	1,021	1,404	750	1,049	360
Balance of area	153	2,430	528	293	684	901	108	302	197	4	174	276	288	2,018	723	624	335	113	40
Metropolitan counties	387	5,679	794	685	1,835	1,911	285	1,230	694	15	573	1,147	910	5,407	1,321	1,557	866	1,098	375
Urban places	322	4,698	621	560	1,583	1,543	232	1,074	595	14	478	1,001	781	4,526	932	1,274	685	1,023	354
Balance of area	65	981	173	125	252	368	53	156	99	1	95	146	129	881	389	283	181	75	21
Nonmetropolitan counties	127	1,996	480	224	611	714	77	199	147	5	114	186	213	1,543	423	471	219	58	25
Urban places	39	547	125	56	179	161	22	53	49	2	35	55	54	406	89	130	65	20	6
Balance of area	88	1,449	355	168	432	553	55	146	98	3	79	130	159	1,137	334	341	154	38	19
Adams	7	75	15	6	27	18	2	7	8	–	4	12	5	69	15	17	17	3	2
Quincy	6	56	8	4	21	15	2	3	6	–	2	9	3	54	10	13	11	3	2
Balance of county	1	19	7	2	6	3	–	4	2	–	2	3	2	15	5	4	6	–	–
Alexander	1	15	–	–	3	7	–	5	–	–	–	1	5	14	3	3	–	1	–
Bond	–	8	4	1	4	9	–	–	1	–	1	1	–	11	1	1	3	1	–
Boone	2	17	3	2	2	5	1	2	4	–	–	–	–	10	8	5	–	–	–
Belvidere	–	14	2	2	1	4	1	1	1	–	–	–	–	5	3	2	–	–	–
Balance of county	2	3	1	–	1	1	–	1	3	–	–	–	–	5	5	3	–	–	–
Brown	–	2	–	–	–	3	–	–	–	–	–	1	–	–	1	–	1	1	–
Bureau	5	35	10	6	6	7	2	6	1	–	1	2	3	26	6	7	4	–	–
Calhoun	–	4	1	–	1	1	–	–	–	–	1	–	2	1	–	1	–	–	–
Carroll	2	25	5	3	2	8	–	1	–	1	–	2	4	18	3	2	–	–	–
Cass	1	12	5	2	3	6	–	2	–	–	1	2	3	11	3	5	1	1	–
Champaign	11	83	26	4	21	29	1	12	9	–	7	19	5	84	17	22	8	8	1
Champaign	1	34	8	2	7	9	–	3	4	–	2	4	1	28	2	6	3	5	–
Rantoul	2	5	1	–	1	1	–	1	1	–	–	4	1	5	2	3	–	–	–
Urbana	4	24	11	1	8	7	–	4	2	–	2	8	1	23	2	4	4	1	–
Balance of county	4	20	6	1	5	12	1	4	2	–	3	3	2	28	11	7	1	2	1
Christian	2	24	1	3	13	23	4	4	1	–	5	6	3	27	9	9	5	1	–
Taylorville	–	5	–	1	5	8	1	3	–	–	3	1	2	10	2	2	3	–	–
Balance of county	2	19	1	2	7	15	3	1	1	–	2	5	1	17	7	7	2	1	–
Clark	2	29	5	–	3	3	–	3	2	1	2	1	2	12	4	2	2	–	–
Clay	1	20	3	1	6	3	–	–	1	–	3	1	1	14	2	5	2	–	–
Clinton	6	23	4	3	2	6	–	2	–	–	3	3	–	28	7	8	2	–	1
Centralia, part	–	3	3	1	–	1	–	1	–	–	1	–	–	4	–	–	–	–	–
Balance of county	6	20	1	2	2	5	–	1	–	–	2	3	–	24	7	8	2	–	1
Coles	5	62	7	4	16	15	2	4	3	–	3	5	2	40	7	13	6	2	–
Charleston	1	16	1	1	2	7	1	1	2	–	1	1	–	17	1	7	–	–	–
Mattoon	4	36	4	3	10	5	1	3	1	–	2	1	2	17	3	3	3	–	–
Balance of county	–	10	2	–	4	3	–	–	–	–	–	3	–	6	3	3	3	2	–
Cook	203	3,132	390	362	1,162	1,024	172	833	473	12	330	766	541	3,314	633	935	485	883	331
Alsip	1	5	–	1	4	2	1	3	1	–	3	–	1	8	2	–	4	–	2
Arlington Heights, part	1	40	2	6	9	6	2	4	3	–	4	1	2	22	7	5	6	5	1
Arlington Heights, total	1	40	2	6	9	6	2	4	3	–	4	1	2	22	7	5	6	5	1
Bartlett, part	–	3	–	1	–	–	–	1	–	–	–	1	–	4	1	–	–	–	–
Bellwood	–	16	1	2	1	4	1	–	–	–	2	1	2	6	–	–	1	6	1
Bensenville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Berwyn	4	43	4	7	14	15	1	5	7	–	2	3	2	47	5	9	10	1	5
Blue Island	1	16	4	3	2	5	–	7	1	–	2	5	4	15	5	2	1	2	2
Bridgeview	1	10	–	2	9	3	1	1	1	–	2	2	–	9	4	1	2	–	–
Brookfield	1	16	3	3	2	7	–	2	–	–	–	–	1	11	–	6	4	1	–
Buffalo Grove, part	–	4	1	1	1	–	–	–	–	–	2	1	1	6	3	–	3	–	–
Buffalo Grove, total	–	4	1	1	2	–	–	–	–	–	2	1	1	7	3	2	4	–	–
Burbank	1	16	3	1	5	4	–	–	1	–	–	5	1	16	2	5	2	–	–
Calumet City	3	26	7	3	8	12	3	3	2	–	1	5	4	26	7	10	2	3	3
Chicago, part	139	1,786	194	202	757	592	102	571	315	9	207	554	395	2,025	334	621	252	748	236
Chicago, total	139	1,786	194	202	757	592	102	571	315	9	207	554	395	2,025	334	621	252	748	236
Chicago Heights	1	22	10	4	3	3	–	6	2	–	2	11	5	16	5	8	5	12	5
Chicago Ridge	1	9	2	1	8	–	1	–	1	–	–	1	–	5	–	1	2	–	1
Cicero	5	50	6	3	23	16	1	17	8	–	9	7	4	42	3	14	11	4	7
Country Club Hills	–	–	–	–	2	3	–	1	–	–	–	–	1	2	2	–	–	2	–
Crestwood	–	2	–	1	8	7	1	1	1	–	–	–	–	6	1	2	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	3	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–	1	–
Des Plaines	656	–	–	13	152	41	35	21	14	9	1	31	12	325	260	5	3	197	55
Dolton	221	–	–	2	55	11	15	7	7	1	1	13	3	111	95	2	2	70	21
Elgin, part	49	–	–	–	12	3	3	1	1	2	–	2	1	20	12	–	–	10	2
Elk Grove Village, part	129	–	–	–	29	4	11	2	6	1	1	4	2	69	54	1	1	40	12
Elk Grove Village, total	129	–	–	–	29	4	11	2	6	1	1	4	2	69	54	1	1	40	12
Elmwood Park	309	–	–	3	81	32	19	8	3	2	3	14	6	152	125	1	2	90	32
Evanston	767	1	–	8	168	38	41	21	18	4	8	38	16	398	310	3	11	222	74
Evergreen Park	291	–	–	2	57	17	14	6	9	1	2	8	6	149	121	–	4	85	32
Forest Park	195	–	–	1	51	17	13	6	4	1	2	8	1	99	81	–	1	60	20
Franklin Park	162	–	–	3	36	9	10	5	3	1	–	8	5	85	71	–	2	57	12
Glenview	303	–	–	1	83	18	24	9	16	2	2	12	–	155	125	1	2	80	42
Glenwood	97	–	–	1	23	6	10	2	2	–	–	3	3	49	42	–	–	37	5
Hanover Park, part	63	–	–	1	16	3	5	1	3	–	1	3	1	25	21	–	–	15	6
Hanover Park, total	80	–	–	1	19	4	6	1	4	–	1	3	1	28	23	–	–	16	7
Harvey	271	–	–	1	58	13	21	4	3	2	–	15	9	114	97	–	2	62	33
Hazel Crest	112	–	–	3	20	4	7	3	2	2	–	2	3	62	52	1	1	35	15
Hickory Hills	83	–	–	–	16	5	4	–	2	2	–	3	1	39	34	1	1	25	7
Hinsdale, part	24	–	–	–	6	2	2	–	1	–	–	1	–	14	9	–	–	9	–
Hoffman Estates	154	–	–	–	24	6	5	4	–	3	2	4	2	66	54	2	–	38	14
Homewood	196	–	–	2	44	11	8	2	4	4	1	14	1	95	80	1	6	58	15
Justice	65	–	–	–	17	3	3	2	1	1	1	6	1	32	29	1	–	18	10
La Grange	174	–	–	–	44	17	6	10	4	2	1	4	2	95	73	3	1	51	18
La Grange Park	153	–	–	1	35	11	11	1	1	3	2	6	3	83	61	–	–	42	19
Lansing	225	–	–	1	58	17	18	5	6	2	1	9	5	110	91	1	3	70	17
Lincolnwood	97	–	–	2	24	7	5	3	3	–	1	5	3	47	38	–	–	31	7
Markham	92	–	–	–	22	5	6	4	2	1	–	4	3	41	33	–	4	19	10
Matteson	56	–	–	–	17	4	4	2	–	–	–	7	2	22	18	–	2	12	4
Maywood	213	–	–	4	40	14	8	1	5	–	1	11	5	105	88	2	4	49	31
Melrose Park	196	–	–	1	54	15	15	4	4	3	1	12	8	85	74	1	–	55	18
Midlothian	126	–	–	–	28	11	4	–	3	1	2	7	3	61	49	1	1	32	15
Morton Grove	189	–	–	3	64	16	15	7	10	2	1	13	6	80	58	1	2	39	16
Mount Prospect	316	–	–	2	78	20	20	9	6	2	1	20	3	154	119	1	2	90	26
Niles	392	–	–	4	81	25	13	12	7	2	4	18	3	222	188	4	2	149	33
Norridge	191	–	–	2	39	8	11	2	4	2	1	11	1	125	102	–	2	83	17
Northbrook	262	–	–	3	58	17	12	10	7	3	1	8	4	130	103	–	–	67	36
Northlake	115	–	–	–	22	6	6	1	2	1	1	5	3	66	52	–	1	31	20
Oak Forest	129	1	–	1	34	8	12	1	1	2	2	8	3	60	51	–	2	34	15
Oak Lawn	624	1	–	9	157	40	49	9	18	8	8	25	19	335	271	4	6	204	57
Oak Park	535	1	–	3	110	29	23	14	9	4	6	25	14	281	224	2	10	158	54
Orland Park	126	–	–	–	30	5	11	5	1	3	1	4	3	63	53	–	4	35	14
Palatine	244	–	–	2	54	15	8	8	5	–	5	13	1	128	94	–	2	67	25
Palos Heights	123	–	–	–	24	6	2	6	3	1	1	5	3	65	56	–	1	48	7
Palos Hills	123	–	–	2	28	8	5	2	3	4	2	4	–	62	52	1	1	39	11
Park Forest, part	127	–	–	2	31	7	7	2	7	–	1	7	–	61	53	–	4	41	8
Park Forest, total	134	–	–	2	31	7	7	2	7	–	1	7	–	65	56	–	4	43	9
Park Ridge	392	–	–	4	92	25	23	10	4	4	4	22	3	218	172	2	4	119	47
Prospect Heights	56	–	–	–	19	6	2	2	3	2	–	4	–	24	19	–	2	11	6
Riverdale	160	–	–	–	41	18	12	2	2	3	2	2	1	91	69	1	1	47	20
River Forest	118	–	–	1	24	13	2	3	3	–	–	3	2	58	37	1	1	28	7
River Grove	98	–	–	–	27	5	8	5	3	–	1	5	1	59	52	1	2	33	16
Rolling Meadows	110	–	–	1	29	7	9	3	2	3	–	5	1	53	41	1	1	28	11
Roselle, part	7	–	–	–	2	–	–	1	–	–	–	1	–	2	2	–	–	1	1
Sauk Village	30	–	–	–	12	4	4	–	2	–	1	1	1	8	8	–	1	5	2
Schaumburg, part	259	–	–	3	56	10	10	9	6	2	4	15	5	102	83	1	–	59	23
Schaumburg, total	261	–	–	3	57	11	10	9	6	2	4	15	5	102	83	1	–	59	23
Schiller Park	68	–	–	1	21	8	5	1	1	–	3	3	–	27	21	–	–	12	9
Skokie	583	1	–	4	134	44	20	10	15	7	12	26	6	330	277	2	4	225	46
South Holland	200	–	–	–	45	16	8	5	3	1	2	10	5	114	97	–	1	69	27
Streamwood	79	–	–	–	24	10	7	–	1	2	1	3	2	20	15	–	1	7	7
Summit	86	–	–	–	22	6	2	2	4	2	2	4	2	41	35	1	1	23	10
Tinley Park, part	175	–	–	–	50	11	18	7	4	1	1	8	4	79	68	1	2	47	18
Tinley Park, total	176	–	–	–	51	11	18	8	4	1	1	8	4	79	68	1	2	47	18
Westchester	174	–	–	1	49	17	15	4	2	3	2	6	5	88	70	1	2	58	9
Western Springs	93	–	–	–	27	6	6	6	2	3	1	3	1	44	31	1	–	26	4
Wheeling, part	139	–	–	1	37	5	12	4	6	2	2	6	–	64	51	–	1	37	13
Wheeling, total	139	–	–	1	37	5	12	4	6	2	2	6	–	64	51	–	1	37	13
Wilmette	247	1	–	3	66	21	12	9	8	1	4	11	2	131	105	4	1	82	18
Winnetka	77	1	–	1	21	8	4	2	1	1	1	4	–	33	25	–	2	17	6
Worth	94	–	–	1	26	7	6	5	1	1	2	4	1	38	37	1	–	25	11
Balance of county	2,219	1	–	13	494	118	140	57	42	17	18	104	33	1,151	943	4	33	663	243
Crawford	281	–	–	1	52	11	14	3	6	3	2	13	3	149	109	1	–	90	18
Cumberland	109	–	–	–	22	8	8	1	1	2	–	2	4	59	42	–	–	36	6
De Kalb	517	–	–	3	104	28	23	6	15	5	4	23	6	282	215	5	8	182	20
De Kalb	158	–	–	1	35	9	12	1	7	–	3	3	–	79	56	2	–	49	5
Balance of county	359	–	–	2	69	19	11	5	8	5	1	20	6	203	159	3	8	133	15
De Witt	159	–	–	1	40	14	7	3	6	1	1	8	1	95	57	–	–	53	4
Douglas	182	1	–	1	30	14	3	–	1	1	–	11	3	103	74	1	1	61	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Des Plaines	2	55	3	5	20	19	1	11	6	–	3	6	2	50	11	7	9	4	5
Dolton	1	12	3	–	2	4	–	2	1	–	1	2	3	18	5	4	6	1	1
Elgin, part	2	6	–	–	1	1	–	1	–	–	–	2	1	3	–	1	–	–	–
Elk Grove Village, part	–	10	3	2	1	1	–	2	1	–	1	4	–	8	3	1	4	2	1
Elk Grove Village, total	–	10	3	2	1	1	–	2	1	–	1	4	–	8	3	1	4	2	1
Elmwood Park	–	23	3	1	3	7	1	6	4	–	2	2	2	26	2	6	2	1	3
Evanston	2	69	6	11	32	21	3	6	6	1	5	6	3	55	8	11	8	7	4
Evergreen Park	–	27	–	1	7	10	1	4	6	–	1	3	4	29	3	6	2	–	1
Forest Park	1	14	1	2	6	4	2	1	4	–	1	4	–	17	–	2	1	1	–
Franklin Park	1	9	1	3	4	3	–	3	1	–	2	1	4	13	–	1	1	–	–
Glenview	2	23	1	4	7	12	1	6	1	–	1	3	–	10	6	9	6	1	1
Glenwood	–	6	–	1	3	–	1	3	–	–	1	–	–	8	3	2	–	–	–
Hanover Park, part	1	2	–	1	4	–	–	2	–	–	1	3	1	4	3	1	–	–	1
Hanover Park, total	1	3	–	1	4	–	–	3	–	–	4	6	1	6	4	1	–	–	2
Harvey	1	14	2	–	5	6	3	4	3	–	1	12	7	21	6	5	4	10	2
Hazel Crest	–	6	–	4	4	3	1	–	–	–	1	2	1	5	2	2	3	–	–
Hickory Hills	–	4	1	–	2	1	–	–	1	–	1	3	–	10	3	1	1	1	3
Hinsdale, part	–	4	–	1	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Hoffman Estates	2	10	–	–	7	3	2	4	1	–	4	4	3	18	6	2	5	1	2
Homewood	–	10	3	2	11	6	–	4	–	–	1	2	2	18	1	2	4	1	2
Justice	1	2	–	–	2	–	–	2	1	–	–	1	–	3	1	2	1	–	2
La Grange	–	19	3	–	2	9	–	1	1	–	1	–	–	12	2	–	4	–	1
La Grange Park	2	13	4	3	3	7	1	2	1	–	2	–	1	11	1	2	–	–	–
Lansing	–	14	3	2	3	6	2	5	2	–	–	2	2	11	5	10	2	1	–
Lincolnwood	–	8	1	–	2	1	–	2	–	–	–	–	1	8	–	3	3	–	1
Markham	–	8	–	–	1	4	–	1	1	–	1	2	3	4	2	2	–	5	–
Matteson	–	4	–	–	1	2	–	1	–	–	2	–	1	6	–	1	1	–	–
Maywood	–	17	2	–	6	1	1	3	1	–	2	4	3	18	4	8	–	7	1
Melrose Park	–	9	1	1	–	8	1	3	1	–	2	2	4	12	3	5	3	4	–
Midlothian	–	4	8	–	3	4	2	2	–	–	1	2	1	8	4	4	–	3	–
Morton Grove	–	18	2	2	5	5	–	1	1	–	–	2	1	13	3	2	2	1	–
Mount Prospect	2	26	4	3	5	4	2	7	3	–	1	4	2	27	9	6	6	1	2
Niles	–	31	–	3	14	7	3	4	4	–	3	2	2	28	3	6	4	2	–
Norridge	–	20	2	1	4	–	–	3	4	–	–	–	–	10	2	1	–	–	–
Northbrook	1	17	6	3	5	10	1	–	2	–	3	1	3	23	4	7	5	2	1
Northlake	–	13	1	–	2	4	–	1	1	–	1	1	–	4	2	2	4	–	2
Oak Forest	1	7	1	–	2	4	–	1	–	–	2	8	1	8	–	1	–	2	1
Oak Lawn	6	46	5	5	15	11	4	16	1	–	3	2	2	33	6	6	2	–	2
Oak Park	1	40	13	3	13	14	4	4	6	–	6	4	3	44	9	7	9	1	2
Orland Park	–	6	–	4	–	3	1	3	–	–	1	3	1	6	6	4	2	–	–
Palatine	–	28	4	2	5	4	–	3	5	–	3	–	3	19	6	4	1	3	3
Palos Heights	–	7	–	2	4	4	–	3	1	–	1	1	–	12	1	3	1	–	–
Palos Hills	–	8	–	2	2	2	2	3	2	–	1	2	1	11	–	3	–	2	–
Park Forest, part	1	7	–	–	2	4	1	3	–	–	–	5	–	6	5	2	2	1	2
Park Forest, total	1	8	–	–	2	5	1	3	–	–	–	5	1	6	5	2	3	1	2
Park Ridge	1	40	3	2	13	4	–	7	4	–	1	3	2	24	5	8	2	1	1
Prospect Heights	1	3	1	–	–	2	–	–	1	–	–	–	1	7	1	1	–	–	–
Riverdale	–	17	2	3	–	5	–	4	2	–	–	2	1	6	1	4	1	1	–
River Forest	–	16	4	1	5	3	1	3	3	–	2	–	–	5	2	5	3	–	1
River Grove	–	5	–	2	1	3	–	–	–	–	1	–	–	4	–	1	–	–	1
Rolling Meadows	1	11	–	–	4	3	–	–	5	–	–	1	1	5	2	2	–	2	1
Roselle, part	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Sauk Village	–	–	–	–	1	1	–	–	1	–	–	–	1	1	2	1	1	–	–
Schaumburg, part	–	17	1	1	9	9	1	4	4	1	2	4	4	28	5	13	8	–	1
Schaumburg, total	–	17	1	1	9	9	1	4	4	1	2	4	4	29	5	13	8	–	1
Schiller Park	–	5	1	–	–	–	–	1	2	–	1	1	–	4	3	1	4	2	–
Skokie	–	41	7	5	12	13	–	7	5	–	3	–	5	44	3	7	4	2	3
South Holland	–	14	1	2	3	4	–	1	3	–	1	1	–	15	3	1	3	1	–
Streamwood	–	4	1	–	–	3	–	1	–	–	3	1	2	8	4	1	3	5	2
Summit	1	4	1	–	1	2	1	2	1	–	–	2	1	5	–	3	–	1	2
Tinley Park, part	–	7	1	3	5	2	–	3	4	–	–	3	2	11	7	1	4	–	–
Tinley Park, total	–	7	1	3	5	2	–	3	4	–	–	3	2	11	7	1	4	–	–
Westchester	–	14	2	2	6	1	–	–	3	–	–	2	1	15	2	–	1	–	–
Western Springs	2	10	–	1	–	2	–	2	–	–	–	–	2	13	–	–	2	–	–
Wheeling, part	1	8	1	3	–	1	1	1	–	1	–	6	2	9	9	4	3	–	–
Wheeling, total	1	8	1	3	–	1	1	1	–	1	–	6	2	9	9	4	3	–	–
Wilmette	1	15	4	6	3	2	1	2	1	–	–	2	–	20	4	5	2	1	1
Winnetka	–	5	1	2	2	2	–	–	1	–	–	1	1	8	3	1	1	1	–
Worth	–	–	–	1	3	1	–	3	3	–	–	3	1	9	3	–	–	1	1
Balance of county	6	154	35	13	38	63	12	36	14	–	17	28	21	157	52	37	30	15	7
Crawford	2	32	1	5	9	17	3	7	4	–	1	4	–	20	3	3	5	–	–
Cumberland	3	12	1	1	3	4	–	1	–	–	–	3	–	5	4	3	1	–	–
De Kalb	5	48	6	8	10	16	2	4	3	–	3	11	10	37	8	10	6	2	–
De Kalb	–	18	3	2	4	5	1	2	–	–	–	4	5	11	3	3	4	1	–
Balance of county	5	30	3	6	6	11	1	2	3	–	3	7	5	26	5	7	2	1	–
De Witt	1	32	3	2	1	1	1	–	–	–	1	1	2	10	1	2	2	–	–
Douglas	1	21	6	1	6	3	3	–	1	–	2	2	2	16	4	5	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	3,837	3	–	18	908	241	218	108	104	29	32	176	57	1,915	1,511	9	19	1,238	245
Addison	122	–	–	–	27	10	3	6	3	1	1	3	2	54	43	–	1	37	5
Aurora, part	3	–	–	–	1	–	–	1	–	–	–	–	–	2	2	–	–	2	–
Bartlett, part	14	–	–	–	–	–	–	–	–	–	–	–	–	8	5	1	–	3	1
Bartlett, total	50	–	–	–	12	1	2	2	1	–	2	4	1	24	17	1	–	14	2
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	130	–	–	–	25	6	7	3	2	2	–	5	–	70	59	–	3	47	9
Bensenville, total	134	–	–	–	25	6	7	3	2	2	–	5	–	72	61	–	3	48	10
Bloomingdale	165	–	–	2	24	5	7	4	4	1	–	3	3	97	85	–	1	72	12
Bolingbrook, part	4	–	–	–	2	–	2	–	–	–	–	–	–	2	2	–	–	1	1
Carol Stream	65	–	–	–	27	4	9	1	2	–	1	4	1	25	18	–	–	17	1
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darien	75	–	–	–	20	7	8	1	2	–	2	–	2	38	33	–	1	24	8
Downers Grove	342	–	–	1	94	15	26	13	11	4	5	20	7	168	134	–	2	101	31
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	362	–	–	5	93	17	22	12	11	3	4	24	3	183	138	2	1	106	29
Glendale Heights	67	–	–	–	22	6	7	4	1	–	1	3	2	25	23	–	–	18	5
Glen Ellyn	156	–	–	–	37	15	5	1	4	2	2	8	–	85	63	2	1	52	8
Hanover Park, part	17	–	–	–	3	1	1	–	1	–	–	–	–	3	2	–	–	1	1
Hinsdale, part	98	–	–	–	32	11	5	5	6	–	–	5	–	37	22	–	1	17	4
Hinsdale, total	122	–	–	–	38	13	7	5	7	–	–	6	–	51	31	–	1	26	4
Lisle	78	–	–	1	14	5	4	1	–	–	1	3	1	39	31	–	–	30	1
Lombard	227	–	–	–	52	13	19	7	4	–	2	7	8	116	90	–	–	71	19
Naperville, part	242	–	–	1	59	19	8	6	6	4	4	12	3	112	93	–	2	77	14
Naperville, total	244	–	–	1	59	19	8	6	6	4	4	12	3	112	93	–	2	77	14
Roselle, part	55	–	–	–	15	2	4	1	1	–	–	7	–	28	20	–	1	13	6
Roselle, total	62	–	–	–	17	2	4	2	1	–	–	8	–	28	22	–	1	14	7
St. Charles, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Villa Park	174	1	–	1	43	16	6	8	4	2	2	5	3	83	68	–	–	56	10
West Chicago	113	–	–	–	25	5	5	2	10	–	–	3	1	55	45	–	1	39	5
Westmont	199	–	–	2	34	8	8	3	4	2	2	7	5	117	90	–	–	77	13
Wheaton	268	1	–	–	52	14	7	6	4	2	2	17	6	153	125	1	1	106	15
Wood Dale	85	–	–	3	20	7	5	2	4	–	–	2	1	33	25	–	–	20	5
Woodridge	58	–	–	1	16	5	5	1	2	2	–	1	2	24	21	–	–	16	5
Balance of county	716	1	–	1	176	49	45	20	18	4	3	37	7	358	276	3	3	233	37
Edgar	292	–	–	2	53	14	8	5	9	–	4	13	2	180	131	1	2	98	30
Edwards	88	–	–	–	19	5	2	1	1	–	3	7	3	52	43	–	3	32	8
Effingham	308	–	–	–	60	11	17	9	8	4	1	10	3	181	124	1	3	88	34
Effingham	133	–	–	–	27	4	10	3	3	3	–	4	–	78	47	1	–	33	13
Balance of county	175	–	–	–	33	7	7	6	5	1	1	6	3	103	77	–	3	53	21
Fayette	245	–	–	1	48	17	14	4	3	–	2	8	7	127	100	–	5	88	7
Ford	172	–	–	–	28	6	4	4	5	1	4	4	6	110	90	1	2	74	13
Franklin	598	1	–	5	137	34	36	9	14	14	2	28	12	336	274	–	15	236	23
Fulton	426	–	–	4	84	17	19	5	7	6	6	24	6	228	179	2	5	135	37
Canton	149	–	–	3	27	5	9	2	–	1	2	8	3	84	64	1	2	48	13
Balance of county	277	–	–	1	57	12	10	3	7	5	4	16	3	144	115	1	3	87	24
Gallatin	83	–	–	2	20	6	8	1	2	–	1	2	1	47	41	–	2	33	6
Greene	207	–	–	–	42	10	14	3	10	3	1	1	5	106	86	–	7	50	29
Grundy	241	–	–	–	63	18	18	6	8	2	3	8	4	114	98	1	5	82	8
Hamilton	129	–	–	1	28	8	12	1	2	1	–	4	–	72	61	–	1	48	12
Hancock	254	–	–	–	53	14	6	6	5	5	2	15	5	149	111	2	5	89	15
Hardin	84	–	–	–	15	2	9	1	–	1	–	2	1	49	39	–	3	19	17
Henderson	98	–	–	–	27	4	7	2	5	–	1	8	1	55	48	–	–	41	7
Henry	512	–	–	3	99	25	18	7	14	6	3	26	17	279	229	1	6	178	44
Kewanee	187	–	–	1	34	8	10	3	4	2	1	6	8	104	80	–	2	62	16
Balance of county	325	–	–	2	65	17	8	4	10	4	2	20	9	175	149	1	4	116	28
Iroquois	346	–	–	1	73	31	15	7	3	1	5	11	5	198	165	1	1	130	33
Jackson	388	–	–	–	63	18	15	3	8	3	2	14	9	210	161	1	3	141	16
Carbondale	115	–	–	–	16	7	4	–	1	–	–	4	3	59	42	1	–	31	10
Balance of county	273	–	–	–	47	11	11	3	7	3	2	10	6	151	119	–	3	110	6
Jasper	126	–	–	1	27	8	3	3	1	3	2	7	3	68	39	1	1	29	8
Jefferson	395	–	–	4	90	25	23	5	11	3	6	17	2	192	150	–	3	120	27
Mount Vernon	236	–	–	2	55	13	16	4	7	3	2	10	–	112	81	–	1	66	14
Balance of county	159	–	–	2	35	12	7	1	4	–	4	7	2	80	69	–	2	54	13
Jersey	208	–	–	–	39	10	14	1	4	1	1	8	3	113	93	–	–	80	13
Jo Daviess	189	–	–	1	44	12	10	4	7	2	1	8	4	92	73	1	2	55	15
Johnson	105	–	–	–	18	4	5	1	2	1	1	4	–	66	50	–	–	41	9
Kane	2,138	3	–	9	466	126	101	48	55	22	20	94	39	1,070	837	10	35	652	140
Aurora, part	734	–	–	6	153	39	30	17	21	10	4	32	18	379	305	2	21	219	63
Aurora, total	737	–	–	6	154	39	30	18	21	10	4	32	18	381	307	2	21	221	63
Batavia, part	133	–	–	–	29	9	5	3	5	1	3	3	2	70	49	–	2	36	11
Batavia, total	133	–	–	–	29	9	5	3	5	1	3	3	2	70	49	–	2	36	11
Carpentersville	127	–	–	–	33	13	12	1	2	1	–	4	2	52	40	1	–	30	9
Elgin, part	510	3	–	–	101	26	20	17	10	2	6	21	10	282	206	4	8	176	19
Elgin, total	553	3	–	–	113	29	23	18	11	4	5	23	11	282	218	4	8	185	21
St. Charles, part	136	–	–	1	37	9	10	2	3	2	2	9	1	60	42	–	1	34	7
St. Charles, total	136	–	–	1	37	9	10	2	3	2	2	9	1	60	42	–	1	34	7
Balance of county	498	–	–	2	113	30	24	8	14	6	6	25	6	247	195	3	3	158	31
Kankakee	873	–	–	11	188	50	50	17	20	11	3	37	16	439	358	3	19	280	56
Bourbonnais	66	–	–	–	15	5	3	2	2	1	–	2	–	31	29	1	–	21	7
Bradley	116	–	–	2	20	6	5	1	3	3	1	1	4	62	50	–	4	40	6
Kankakee	326	–	–	5	71	20	18	7	5	4	1	18	5	159	125	1	4	103	17
Balance of county	365	–	–	4	82	19	24	7	10	3	1	18	7	187	154	1	11	116	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	15	296	53	40	79	85	13	66	25	2	34	52	55	267	97	76	59	15	11
Addison	–	8	1	2	3	2	–	5	1	–	–	8	–	7	8	–	3	1	1
Aurora, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bartlett, part	–	2	–	1	–	–	–	–	1	–	–	–	1	2	1	1	–	–	–
Bartlett, total	–	5	–	2	–	–	–	1	1	–	–	1	1	6	2	1	–	–	–
Batavia, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bensenville, part	–	9	1	1	2	2	–	5	1	1	1	–	2	11	4	4	1	–	1
Bensenville, total	–	9	1	1	2	2	–	5	1	1	1	–	2	11	5	4	1	1	1
Bloomingdale	1	7	1	3	6	8	–	–	1	–	3	–	2	17	1	1	–	–	–
Bolingbrook, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carol Stream	–	4	2	1	–	1	–	2	–	–	1	4	5	–	2	1	2	–	–
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Darien	1	2	2	–	–	–	–	1	–	–	–	–	1	7	1	–	4	–	1
Downers Grove	2	23	8	1	7	7	–	9	2	–	2	–	5	25	7	5	2	1	–
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	2	35	4	4	5	9	1	4	2	–	3	4	4	30	7	3	3	3	–
Glendale Heights	–	2	–	–	–	1	1	–	–	–	1	4	3	2	3	–	2	1	–
Glen Ellyn	1	16	1	4	3	4	–	2	–	–	2	3	2	12	2	1	3	–	–
Hanover Park, part	–	1	–	–	–	–	–	1	–	–	3	3	–	2	1	–	–	–	1
Hinsdale, part	2	11	2	–	4	2	–	2	–	–	–	–	–	12	3	3	3	–	–
Hinsdale, total	2	15	2	1	5	2	–	2	–	–	–	1	1	12	3	4	3	–	–
Lisle	1	6	1	–	3	2	–	1	–	–	1	5	2	4	2	–	1	2	–
Lombard	1	19	4	4	4	4	–	4	1	–	4	5	2	12	4	4	4	1	–
Naperville, part	–	16	–	3	8	7	2	4	4	–	3	–	4	15	9	8	3	–	–
Naperville, total	–	18	–	3	8	7	2	4	4	–	4	–	4	15	9	9	3	–	–
Roselle, part	–	6	–	–	–	1	–	1	–	–	–	1	2	2	3	4	–	–	–
Roselle, total	–	6	–	–	–	1	–	2	–	–	–	2	3	2	3	4	–	–	–
St. Charles, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Villa Park	–	13	2	2	4	–	2	2	3	–	2	2	4	15	1	4	3	–	1
West Chicago	–	7	–	3	5	6	1	3	–	–	–	1	2	6	4	2	2	–	–
Westmont	3	17	4	3	5	5	2	1	1	–	–	1	3	10	1	5	4	1	2
Wheaton	–	24	3	1	5	5	–	2	2	–	4	3	2	18	10	3	2	–	–
Wood Dale	–	6	2	–	3	2	–	2	2	–	–	1	1	5	4	6	–	–	2
Woodridge	–	3	–	–	–	–	–	1	–	–	–	2	3	5	1	1	2	–	–
Balance of county	1	59	15	7	12	17	4	14	4	1	4	5	5	47	18	20	15	5	2
Edgar	–	42	6	1	6	5	–	1	4	–	1	1	3	20	6	3	3	–	2
Edwards	1	5	3	–	1	3	1	1	–	–	–	–	–	5	1	2	–	–	–
Effingham	1	30	23	3	11	8	–	2	3	–	2	1	–	26	6	3	2	–	–
Effingham	1	17	12	1	6	3	–	–	2	–	–	–	–	11	2	3	1	–	–
Balance of county	–	13	11	2	5	5	–	2	1	–	2	1	–	15	4	–	1	–	–
Fayette	1	21	4	1	5	10	2	7	2	–	1	2	6	13	5	8	1	–	–
Ford	2	10	5	3	1	2	2	2	–	–	–	–	–	12	6	3	–	–	–
Franklin	1	45	12	4	9	13	4	5	1	–	2	2	4	42	11	11	–	3	–
Fulton	2	35	10	2	6	16	1	–	6	–	1	2	6	37	16	7	5	–	1
Canton	1	12	5	2	2	6	1	–	2	–	1	–	1	13	2	2	2	–	–
Balance of county	1	23	5	–	4	10	–	–	4	–	–	2	5	24	14	5	3	–	1
Gallatin	–	5	–	1	1	4	–	–	–	–	–	–	4	3	1	–	–	–	–
Greene	–	9	9	2	10	10	–	2	2	–	–	–	6	15	3	4	2	–	–
Grundy	–	13	4	1	3	8	–	2	–	–	2	6	2	21	5	8	3	–	–
Hamilton	–	9	–	2	1	6	–	3	3	–	1	–	–	9	1	2	2	–	–
Hancock	–	25	9	4	7	7	3	1	–	–	1	2	–	16	6	2	2	–	–
Hardin	–	8	2	–	2	6	–	2	–	–	1	–	–	6	–	1	–	1	–
Henderson	1	5	–	1	1	1	1	–	–	–	–	1	–	5	4	1	1	–	–
Henry	2	40	5	3	13	19	2	6	9	–	2	2	3	33	11	9	4	1	–
Kewanee	2	21	1	–	5	11	2	2	1	–	2	–	–	11	2	3	1	–	–
Balance of county	–	19	4	3	8	8	–	4	8	–	–	2	3	22	9	6	3	1	–
Iroquois	–	25	4	4	7	10	–	2	–	–	2	4	1	26	7	8	–	1	1
Jackson	4	39	4	2	11	15	1	1	5	–	1	4	1	38	8	6	8	6	1
Carbondale	–	15	2	–	3	2	1	–	2	–	1	1	–	14	1	3	4	4	1
Balance of county	4	24	2	2	8	13	–	1	3	–	–	3	1	24	7	3	4	2	–
Jasper	–	21	5	3	3	4	–	1	–	–	–	3	–	9	–	7	–	–	–
Jefferson	1	34	1	6	13	18	1	4	4	–	4	3	2	33	13	8	2	2	–
Mount Vernon	1	24	–	6	10	8	1	4	2	–	3	2	1	24	6	5	1	–	–
Balance of county	–	10	1	–	3	10	–	–	2	–	1	1	1	9	7	3	1	2	–
Jersey	–	14	5	1	7	5	1	3	3	–	–	2	7	16	2	5	1	1	–
Jo Daviess	–	16	1	2	11	5	–	2	1	–	1	2	–	8	6	6	4	1	1
Johnson	–	12	3	1	–	2	–	–	2	–	–	–	–	9	2	3	1	2	–
Kane	9	179	19	26	39	65	11	23	16	–	21	42	32	167	52	35	30	17	1
Aurora, part	3	58	5	8	11	19	–	5	3	–	12	16	17	54	9	13	11	8	–
Aurora, total	3	58	5	8	11	19	–	5	3	–	12	16	17	54	9	13	11	8	–
Batavia, part	2	17	2	–	4	1	3	1	–	–	2	1	1	8	8	1	2	–	–
Batavia, total	2	17	2	–	4	1	3	1	–	–	2	1	1	8	8	1	2	–	–
Carpentersville	–	9	1	2	3	8	–	1	1	–	1	4	3	4	9	3	1	2	–
Elgin, part	2	45	4	5	14	18	4	9	5	–	2	7	4	47	10	7	4	3	–
Elgin, total	4	51	4	5	15	19	4	10	5	–	2	9	5	50	10	8	4	3	–
St. Charles, part	2	15	1	–	3	3	–	2	1	–	–	6	2	11	5	4	–	–	–
St. Charles, total	2	15	1	–	3	3	–	2	1	–	–	6	2	11	5	4	–	–	–
Balance of county	–	35	6	11	4	16	4	5	6	–	4	8	5	43	11	7	12	4	1
Kankakee	7	52	11	11	15	30	3	12	9	–	10	13	8	72	15	16	5	7	4
Bourbonnais	–	1	–	1	4	2	–	1	–	–	1	1	–	7	3	1	–	–	–
Bradley	4	5	–	3	2	1	–	3	4	–	2	–	–	13	–	2	1	–	–
Kankakee	2	23	7	2	5	14	1	3	3	–	5	9	6	26	4	5	1	2	2
Balance of county	1	23	4	5	4	13	2	5	2	–	2	3	2	26	8	8	3	5	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	199	–	–	2	47	10	11	5	5	3	4	9	2	86	67	2	–	57	8
Knox	660	–	–	1	136	38	31	17	12	9	4	25	8	371	274	1	13	223	37
Galesburg	398	–	–	1	84	27	18	9	6	6	3	15	7	222	171	1	7	137	26
Balance of county	262	–	–	–	52	11	13	8	6	3	1	10	1	149	103	–	6	86	11
Lake	2,592	1	–	18	633	174	162	53	65	22	17	140	44	1,203	985	10	25	774	176
Arlington Heights, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	15	–	–	–	4	1	–	–	–	–	–	3	–	6	6	–	–	5	1
Deerfield, part	90	–	–	1	27	7	3	5	5	–	1	6	1	39	33	1	–	26	6
Deerfield, total	93	–	–	1	28	7	4	5	5	–	1	6	1	40	34	1	–	27	6
Highland Park	162	–	–	1	38	13	6	4	6	–	2	7	3	89	89	1	2	56	10
Lake Forest	93	–	–	1	30	7	10	4	3	1	1	4	–	33	27	–	1	20	6
Libertyville	136	–	–	–	27	11	8	2	1	2	1	2	4	73	58	–	–	50	8
Mundelein	87	–	–	–	24	9	4	–	4	1	1	5	4	42	37	–	–	28	9
North Chicago	124	–	–	1	22	9	5	1	3	–	–	4	–	53	43	–	2	31	10
Round Lake Beach	55	–	–	–	10	–	6	1	1	–	–	2	–	22	20	–	–	17	3
Waukegan	545	1	–	4	135	27	39	7	19	7	4	32	10	250	203	3	9	149	42
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	137	–	–	2	27	6	8	2	2	1	1	7	2	70	55	–	1	46	8
Balance of county	1,147	–	–	8	288	83	73	27	21	10	8	68	20	326	434	5	10	346	73
La Salle	1,137	–	–	8	271	67	78	34	33	4	12	43	12	605	464	5	9	394	56
La Salle	135	–	–	–	37	10	7	3	8	1	2	6	2	62	49	–	1	41	7
Ottawa	242	–	–	1	56	13	20	8	4	1	2	8	5	127	101	2	3	87	9
Peru	97	–	–	1	19	2	3	6	–	1	2	5	–	53	36	–	–	32	4
Streator, part	222	–	–	3	54	13	16	6	5	–	3	11	1	127	95	3	2	76	14
Streator, total	222	–	–	3	54	13	16	6	5	–	3	11	1	127	95	3	2	76	14
Balance of county	441	–	–	3	105	29	32	11	16	1	3	13	4	236	183	–	3	158	22
Lawrence	217	–	–	1	36	12	8	3	1	1	2	9	4	130	92	–	10	69	13
Lee	328	–	–	1	73	19	19	4	11	3	4	13	6	171	134	–	5	104	25
Dixon	160	–	–	–	35	8	11	1	4	3	2	6	2	81	61	–	2	47	12
Balance of county	168	–	–	1	38	11	8	3	7	–	2	7	4	90	73	–	3	57	13
Livingston	360	–	–	3	63	20	18	10	2	3	1	9	5	205	156	1	1	131	23
Pontiac	111	–	–	2	16	3	5	6	–	–	–	2	2	69	50	–	1	40	9
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	249	–	–	1	47	17	13	4	2	3	1	7	3	136	106	1	–	91	14
Logan	339	–	–	–	76	21	23	9	9	3	2	9	6	195	141	–	4	82	55
Lincoln	197	–	–	–	37	7	12	5	7	3	1	2	2	117	87	–	2	46	39
Balance of county	142	–	–	–	39	14	11	4	2	–	1	7	4	78	54	–	2	36	16
McDonough	293	–	–	1	62	15	7	10	8	5	2	15	8	179	133	3	7	106	17
Macomb	156	–	–	–	33	10	3	5	4	2	2	7	4	94	61	2	3	47	9
Balance of county	137	–	–	1	29	5	4	5	4	3	–	8	4	85	72	1	4	59	8
McHenry	1,110	–	–	7	264	78	62	24	32	12	7	49	19	543	400	6	7	343	44
Crystal Lake	150	–	–	1	33	11	7	2	7	2	1	3	–	74	57	–	–	55	2
McHenry	156	–	–	–	49	4	20	3	10	2	1	9	2	76	55	1	–	44	10
Woodstock	134	–	–	2	29	10	3	4	2	1	2	7	3	75	57	1	2	50	4
Balance of county	670	–	–	4	153	53	32	15	13	7	3	30	14	318	231	4	5	194	28
McLean	902	–	–	4	221	63	59	12	23	13	10	41	14	464	342	5	7	263	67
Bloomington	471	–	–	3	119	33	37	7	13	8	6	15	5	240	178	2	5	137	34
Normal	148	–	–	–	35	14	4	1	4	2	2	8	2	82	59	1	1	44	13
Balance of county	283	–	–	1	67	16	18	4	6	3	2	18	7	142	105	2	1	82	20
Macon	1,158	–	–	3	251	59	80	28	24	11	8	41	22	599	452	2	9	313	128
Decatur	972	–	–	3	216	47	71	26	21	10	8	33	18	506	383	1	9	263	110
Balance of county	186	–	–	–	35	12	9	2	3	1	–	8	4	93	69	1	–	50	18
Macoupin	559	–	–	3	105	27	23	12	13	5	2	23	10	316	231	–	4	188	39
Madison	2,292	2	–	18	511	146	120	48	61	19	23	94	53	1,193	924	6	17	754	147
Alton	425	–	–	4	100	23	32	10	14	2	5	14	16	203	156	1	7	122	26
Collinsville, part	235	–	–	2	54	17	13	5	5	4	–	10	4	128	104	2	–	86	16
Collinsville, total	247	–	–	2	56	18	14	5	5	4	–	10	4	133	108	2	–	90	16
Edwardsville	148	1	–	1	30	11	1	7	2	–	3	6	2	93	66	–	1	53	12
Granite City	360	–	–	1	71	17	18	5	7	2	2	20	11	198	152	1	1	127	23
Wood River	131	–	–	2	27	5	4	4	5	–	2	6	2	75	56	–	–	47	9
Balance of county	995	1	–	8	229	73	52	17	27	11	11	38	18	498	390	2	8	319	61
Marion	495	–	–	7	93	21	34	9	6	3	5	15	17	259	213	3	5	163	42
Centralia, part	208	–	–	4	33	6	14	4	3	–	1	5	5	119	100	3	3	71	23
Centralia, total	242	–	1	5	38	7	16	4	3	–	1	7	5	139	113	3	4	79	27
Balance of county	287	–	–	3	60	15	20	5	3	3	4	10	12	140	113	–	2	92	19
Marshall	133	–	–	3	27	6	4	6	1	2	–	8	–	71	58	–	2	51	5
Mason	186	–	–	–	50	10	17	2	8	5	1	7	–	90	74	–	5	43	26
Massac	178	–	–	–	29	9	8	1	3	1	1	5	3	87	67	–	3	51	13
Menard	163	–	–	–	31	9	9	5	1	1	1	5	1	97	82	–	2	63	17
Mercer	175	–	–	1	42	12	9	6	3	–	2	10	2	91	72	–	–	56	6
Monroe	172	–	–	2	36	9	7	3	5	2	2	8	5	99	86	–	4	79	3
Montgomery	357	–	–	1	73	16	19	5	10	2	5	16	4	213	154	–	4	115	35
Morgan	361	–	–	2	72	22	12	3	7	4	1	23	5	197	153	–	3	95	52
Jacksonville	248	–	–	2	49	16	6	3	3	4	1	16	2	136	109	–	1	67	41
Balance of county	113	–	–	–	23	6	6	–	4	–	–	7	3	61	44	–	2	31	11
Moultrie	163	–	–	–	34	6	11	3	6	1	1	6	5	97	73	–	1	63	9
Ogle	388	1	–	–	76	15	16	10	12	3	2	18	6	218	158	1	1	134	22
Peoria	1,782	1	–	14	402	89	112	45	50	17	14	75	25	878	627	5	17	476	129
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	1,199	–	–	8	288	68	83	32	34	11	9	51	20	579	409	3	13	300	93
Balance of county	583	1	–	6	114	21	29	13	16	6	5	24	5	305	218	2	4	176	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	1	10	6	2	2	6	1	2	3	–	5	3	5	16	8	3	5	1	2
Knox	2	62	28	5	21	26	5	10	8	1	2	2	10	36	4	12	5	1	1
Galesburg	2	35	11	3	13	13	3	5	8	1	1	1	9	20	1	6	3	–	–
Balance of county	–	27	17	2	8	13	2	5	–	–	1	1	1	16	3	6	2	1	1
Lake	6	179	11	22	79	71	15	38	18	–	21	34	34	173	83	54	44	23	6
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	1	–	–
Deerfield, part	–	4	–	2	4	1	–	3	1	–	–	–	2	7	3	–	1	–	–
Deerfield, total	–	4	–	2	5	1	–	3	1	–	–	–	2	7	3	–	1	–	–
Highland Park	–	19	1	–	4	1	–	2	1	–	–	1	2	12	2	3	2	–	1
Lake Forest	–	6	–	–	5	3	–	–	1	–	1	2	–	5	3	3	4	2	–
Libertyville	1	14	–	–	7	3	–	–	2	–	–	–	2	12	2	1	3	–	–
Mundelein	–	4	–	1	–	2	–	1	–	–	1	3	–	5	3	–	2	–	–
North Chicago	–	7	1	2	6	7	1	4	–	–	2	6	2	10	1	–	3	5	1
Round Lake Beach	–	1	–	1	1	4	1	1	1	–	1	–	2	3	4	4	–	1	–
Waukegan	2	39	1	5	17	13	5	13	4	–	3	7	12	43	5	9	6	8	–
Wheeling, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Zion	–	14	1	–	6	5	1	1	1	–	2	2	1	8	4	3	1	1	–
Balance of county	3	71	7	11	28	32	7	13	7	–	11	13	11	67	56	29	21	6	4
La Salle	8	106	15	12	45	25	5	12	7	1	4	11	11	73	18	20	7	2	–
La Salle	–	12	–	1	5	8	–	1	–	–	–	3	–	13	4	1	1	–	–
Ottawa	2	21	2	1	11	6	1	1	3	–	–	5	1	14	1	9	–	1	–
Peru	–	11	2	4	5	3	–	1	1	–	–	2	2	7	1	1	1	–	–
Streator, part	3	22	7	–	6	4	1	3	–	–	1	1	3	9	4	2	2	1	–
Streator, total	3	22	7	–	6	4	1	3	–	–	1	1	3	9	4	2	2	1	–
Balance of county	3	40	4	6	18	8	3	8	3	1	3	–	5	30	8	7	3	–	–
Lawrence	2	25	5	6	17	1	2	2	1	–	–	1	1	14	2	4	1	–	–
Lee	4	24	7	2	7	12	3	5	1	–	4	2	2	15	8	11	7	–	–
Dixon	2	11	6	1	5	5	3	1	1	–	3	1	1	8	4	8	2	–	–
Balance of county	2	13	1	1	2	7	–	4	–	–	1	1	1	7	4	3	5	–	–
Livingston	2	32	10	5	14	11	3	4	4	–	2	3	–	22	6	8	6	1	–
Pontiac	2	12	2	3	5	4	1	2	1	–	1	–	–	4	2	–	1	1	–
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	20	8	2	9	7	2	2	3	–	1	3	–	18	4	8	5	–	–
Logan	3	22	25	4	6	12	1	2	–	–	–	1	3	26	2	5	3	–	1
Lincoln	1	12	14	3	5	6	1	1	–	–	–	1	2	18	1	3	2	–	1
Balance of county	2	10	11	1	1	6	–	1	–	–	–	–	1	8	1	2	1	–	–
McDonough	3	35	5	3	10	7	1	1	2	–	–	1	4	9	1	5	2	–	–
Macomb	2	26	3	2	9	2	1	–	2	–	–	1	1	5	1	2	1	–	–
Balance of county	1	9	2	1	1	5	–	1	–	–	–	–	3	4	–	3	1	–	–
McHenry	12	91	24	16	21	31	9	20	8	–	14	15	19	69	30	21	17	3	–
Crystal Lake	2	9	2	4	4	8	–	5	–	–	2	3	4	11	3	3	1	–	–
McHenry	1	15	3	2	–	8	1	2	2	–	–	4	2	4	1	1	2	2	–
Woodstock	2	11	5	–	6	3	2	–	1	–	2	–	5	3	–	1	2	–	–
Balance of county	7	56	14	10	11	14	6	13	5	–	10	8	8	51	26	16	12	1	–
McLean	2	88	21	11	16	26	–	11	5	–	9	14	12	60	16	13	15	2	–
Bloomington	–	44	13	5	14	14	–	7	3	–	5	7	3	28	7	9	7	–	–
Normal	2	15	4	2	2	4	–	1	1	–	1	1	4	10	2	–	2	1	–
Balance of county	–	29	4	4	–	8	–	3	1	–	3	6	5	22	7	4	6	1	–
Macon	9	118	8	12	17	44	2	18	9	1	12	14	36	82	18	18	10	2	–
Decatur	9	97	7	10	11	37	2	15	7	1	10	12	34	68	10	13	7	2	–
Balance of county	–	21	1	2	6	7	–	3	2	–	2	2	2	14	8	5	3	–	–
Macoupin	5	56	16	8	18	23	3	5	–	–	3	3	3	34	11	19	3	–	–
Madison	10	189	36	32	45	76	8	18	20	–	13	21	31	141	54	45	30	12	1
Alton	3	29	10	5	11	15	2	3	6	–	1	8	5	23	8	11	5	4	–
Collinsville, part	–	18	5	1	3	11	1	2	–	–	1	–	4	10	6	5	2	2	–
Collinsville, total	–	19	5	1	3	11	1	2	–	–	1	–	5	12	8	7	2	2	–
Edwardsville	2	22	1	2	2	5	–	–	1	–	–	1	–	7	2	1	–	–	–
Granite City	2	33	2	7	7	16	2	3	2	–	3	3	3	21	5	6	7	3	–
Wood River	–	13	5	1	3	–	1	3	2	–	–	1	1	11	1	1	1	–	–
Balance of county	3	74	15	16	18	29	2	7	9	–	8	8	18	69	32	21	15	3	1
Marion	4	29	8	5	19	22	–	7	3	1	1	2	5	42	6	7	3	1	–
Centralia, part	–	12	5	2	4	7	–	2	1	1	1	2	4	14	3	5	2	1	–
Centralia, total	–	15	8	3	4	8	–	3	1	1	2	2	4	18	3	5	2	1	–
Balance of county	4	17	3	3	15	15	–	5	2	–	–	–	1	28	3	2	1	–	–
Marshall	–	8	3	2	5	5	–	1	1	–	1	–	–	9	1	6	3	–	–
Mason	1	13	1	1	1	6	–	6	1	–	1	1	–	14	4	9	2	1	–
Massac	–	14	4	2	10	14	1	2	1	–	–	1	–	20	4	4	3	–	–
Menard	–	12	1	2	8	6	2	1	–	–	–	–	1	9	4	3	–	–	–
Mercer	–	12	7	–	3	4	–	1	1	–	1	4	1	15	3	5	–	–	1
Monroe	1	6	6	–	3	3	–	–	2	–	1	1	3	8	4	3	1	1	–
Montgomery	1	57	–	1	8	9	–	5	–	–	3	–	11	13	8	6	3	–	–
Morgan	3	24	14	3	9	9	–	4	1	–	3	5	2	30	8	7	6	1	–
Jacksonville	3	12	11	1	6	5	–	3	1	–	2	3	2	23	5	6	3	–	–
Balance of county	–	12	3	2	3	4	–	1	–	–	1	2	–	7	3	1	3	1	–
Moultrie	2	19	1	2	3	3	–	–	–	–	1	2	1	11	2	2	2	–	–
Ogle	5	33	13	9	13	14	1	1	5	–	1	4	5	22	11	5	4	1	–
Peoria	9	199	27	16	66	57	7	16	19	–	9	29	12	136	25	49	25	11	1
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	8	127	16	13	47	39	5	9	11	–	8	20	12	89	12	34	13	10	1
Balance of county	1	72	11	3	19	18	2	7	8	–	1	9	–	47	13	15	12	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	258	–	–	–	47	14	12	2	7	3	1	8	3	181	130	2	1	105	22
Piatt	180	–	–	1	38	5	13	5	1	3	3	8	4	103	85	–	4	72	9
Pike	242	–	–	2	50	7	14	2	9	4	4	10	2	137	98	1	1	79	17
Pope	42	1	–	–	7	2	2	1	–	1	–	1	2	25	17	–	1	10	6
Pulaski	104	–	–	–	19	2	5	3	3	–	–	6	1	54	40	–	–	36	4
Putnam	50	–	–	1	10	1	4	–	2	1	1	1	1	26	19	–	1	12	6
Randolph	358	–	–	–	79	24	23	6	7	5	–	14	5	204	156	1	9	121	25
Richland	194	–	–	–	31	9	11	1	5	1	–	4	3	117	91	–	1	81	9
Rock Island	1,528	1	–	8	344	98	95	24	37	8	22	59	29	809	614	7	8	513	66
East Moline	201	–	–	1	43	12	10	4	4	2	5	6	3	106	78	–	1	59	18
Moline	485	–	–	–	118	32	35	7	17	4	6	17	5	257	192	2	3	161	26
Rock Island	496	1	–	5	101	30	30	4	11	2	7	17	8	273	209	2	1	161	25
Balance of county	346	–	–	2	82	24	20	9	5	1	4	19	13	173	135	3	3	112	17
St. Clair	2,615	2	–	25	563	144	192	33	61	22	15	96	52	1,344	1,031	9	53	797	172
Belleville	644	–	–	11	138	40	48	7	8	5	6	24	6	382	283	2	12	231	38
Cahokia	148	–	–	1	33	7	13	3	3	3	–	4	5	72	58	–	1	45	12
Collinsville, part	12	–	–	–	2	1	1	–	–	–	–	–	–	5	4	–	–	4	–
East St. Louis	633	1	–	8	141	33	41	9	22	5	3	28	16	262	198	–	22	134	42
Fairview Heights	109	–	–	1	29	9	10	1	–	2	1	6	4	57	48	1	1	41	5
O'Fallon	97	–	–	–	14	2	7	–	–	–	1	4	2	58	51	–	–	41	10
Balance of county	972	1	–	4	206	52	72	13	28	7	4	30	19	508	389	6	17	301	65
Saline	449	1	–	2	97	28	29	12	12	2	2	12	10	245	194	–	6	147	41
Harrisburg	181	1	–	1	37	12	7	6	5	2	1	4	4	99	80	–	3	57	20
Balance of county	268	–	–	1	60	16	22	6	7	–	1	8	6	146	114	–	3	90	21
Sangamon	1,617	1	–	9	347	83	95	41	31	14	15	68	31	834	603	8	16	466	113
Springfield	1,132	1	–	4	239	57	63	32	20	10	10	47	22	565	405	4	12	312	77
Balance of county	485	–	–	5	108	26	32	9	11	4	5	21	9	269	198	4	4	154	36
Schuyler	104	–	–	–	22	6	5	2	3	–	–	6	–	66	56	–	5	27	24
Scott	57	–	–	–	13	3	3	1	1	–	–	5	1	34	26	1	–	17	8
Shelby	265	–	–	3	66	23	17	4	4	4	1	13	6	130	101	1	3	76	21
Stark	79	–	–	1	16	3	3	2	2	–	1	5	3	34	25	–	–	20	5
Stephenson	467	–	1	3	111	34	26	13	10	6	5	17	6	248	191	1	1	142	47
Freeport	301	–	–	1	71	21	18	7	7	4	1	13	2	175	133	1	1	107	24
Balance of county	166	–	1	2	40	13	8	6	3	2	4	4	4	73	58	–	–	35	23
Tazewell	1,021	–	–	1	242	51	64	23	28	10	15	51	11	518	396	3	6	305	82
East Peoria	167	–	–	–	34	6	6	1	6	2	5	8	3	88	69	–	1	55	13
Morton	104	–	–	–	25	6	2	7	1	2	1	6	–	61	46	–	–	28	18
Pekin, part	388	–	–	–	87	17	28	8	7	4	3	20	3	198	149	2	2	126	19
Pekin, total	988	–	–	–	87	17	28	8	7	4	3	20	3	198	149	2	2	126	19
Washington	79	–	–	–	27	5	7	3	7	–	1	4	2	34	26	–	1	17	8
Balance of county	283	–	–	1	69	17	21	4	7	2	5	13	3	135	106	1	2	79	24
Union	179	–	–	4	38	7	10	4	4	–	2	11	2	93	70	1	2	51	16
Vermilion	1,035	1	–	7	221	51	59	21	22	14	10	44	21	534	409	2	6	323	78
Danville	508	–	–	5	124	25	35	12	13	6	5	28	7	244	180	1	1	144	34
Balance of county	527	1	–	2	97	26	24	9	9	8	5	16	14	290	229	1	5	179	44
Wabash	184	–	–	–	32	9	7	3	2	3	–	8	2	119	88	–	1	84	3
Warren	208	–	–	2	47	8	14	7	6	2	1	9	3	115	92	1	3	76	12
Monmouth	105	–	–	2	22	5	5	5	4	–	1	2	1	66	52	1	2	43	6
Balance of county	103	–	–	–	25	3	9	2	2	2	–	7	2	49	40	–	1	33	6
Washington	181	–	–	–	33	10	8	3	4	2	2	4	6	114	95	–	4	88	3
Wayne	225	–	–	2	43	11	14	4	5	3	1	5	–	129	108	–	4	85	39
White	259	–	–	1	51	20	8	4	7	2	2	8	6	145	113	1	2	83	27
Whiteside	566	–	–	2	110	28	40	9	10	5	–	17	14	285	223	2	2	172	47
Rock Falls	101	–	–	–	18	3	7	2	4	–	–	2	3	57	44	1	–	40	3
Sterling	174	–	–	1	33	8	14	2	2	2	–	5	5	91	75	–	1	55	19
Balance of county	291	–	–	1	59	18	19	5	4	3	–	10	6	137	104	1	1	77	25
Will	2,051	2	–	12	444	128	119	40	54	18	19	68	46	1,059	860	6	64	604	186
Bolingbrook, part	93	–	–	–	23	5	7	3	3	–	2	3	1	36	31	–	–	26	5
Bolingbrook, total	97	–	–	–	25	5	9	3	3	–	2	3	1	38	33	–	–	27	6
Joliet	888	1	–	6	173	47	49	19	15	7	10	26	20	500	391	2	44	267	78
Naperville, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Park Forest, part	7	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–	2	1
Romeoville	59	1	–	–	12	2	4	1	–	1	–	4	–	22	18	–	–	14	4
Tinley Park, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1,001	–	–	6	235	74	59	16	36	8	7	35	25	497	417	4	20	295	98
Williamson	663	1	–	5	119	35	36	8	3	5	5	27	13	356	286	3	12	222	51
Herrin	162	–	–	1	30	8	10	2	2	–	1	7	3	93	72	2	5	57	8
Marion	194	–	–	3	31	11	6	2	1	1	3	7	5	105	82	–	2	64	16
Balance of county	307	1	–	1	58	16	20	4	–	4	1	13	5	158	134	1	5	101	27
Winnebago	2,062	–	–	16	468	112	124	41	65	23	22	81	35	1,051	810	11	25	660	114
Loves Park	102	–	–	–	23	9	4	1	5	1	1	2	1	51	36	–	1	32	3
Rockford	1,421	–	–	12	292	70	76	24	42	16	12	52	21	772	594	7	21	478	88
Balance of county	539	–	–	4	153	33	44	16	18	6	9	27	13	228	180	4	9	150	23
Woodford	256	–	–	–	46	17	9	5	6	2	2	5	2	145	116	1	5	81	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	–	22	6	3	10	5	–	1	1	–	1	3	1	17	1	7	–	–	–
Piatt	1	12	4	1	2	2	–	1	–	–	2	2	1	16	5	–	2	–	1
Pike	2	18	15	4	7	7	–	1	–	–	1	1	–	20	5	7	2	–	–
Pope	–	6	1	1	2	–	–	–	–	–	–	–	1	3	–	1	–	–	–
Pulaski	2	10	2	–	3	7	–	–	1	–	1	1	2	6	3	5	1	–	–
Putnam	2	4	–	1	3	2	–	–	–	–	–	–	–	4	1	2	–	–	–
Randolph	2	28	13	5	5	4	–	2	3	–	–	–	6	25	12	7	4	2	–
Richland	1	11	12	2	3	5	–	3	1	–	2	2	3	11	3	4	3	–	3
Rock Island	19	197	30	15	33	48	9	26	11	–	8	12	15	93	25	33	20	4	–
East Moline	–	23	1	4	5	6	2	2	–	–	2	1	–	18	4	5	3	–	–
Moline	9	38	12	6	7	16	3	10	1	–	3	3	6	33	5	11	6	1	–
Rock Island	3	47	12	2	12	14	4	10	7	–	2	6	5	25	6	8	6	1	–
Balance of county	1	29	5	3	9	12	–	4	3	–	1	2	4	17	10	9	3	2	–
St. Clair	30	235	25	23	58	67	7	29	15	–	15	27	43	169	52	64	20	60	3
Belleville	12	73	7	7	9	24	3	5	2	–	3	1	6	34	7	8	2	2	1
Cahokia	1	11	1	1	2	5	–	2	2	–	–	1	2	9	3	4	4	3	–
Collinsville, part	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–
East St. Louis	3	56	2	3	12	7	–	11	6	–	9	13	19	50	11	22	3	40	2
Fairview Heights	1	4	3	1	1	3	–	3	–	–	–	1	–	6	–	2	2	–	–
O'Fallon	–	6	–	1	3	2	–	–	1	–	–	–	–	10	3	2	1	1	–
Balance of county	13	84	12	10	31	26	4	8	4	–	3	11	15	58	28	24	8	14	–
Saline	3	35	12	1	11	19	1	6	3	–	2	–	5	27	11	8	–	1	–
Harrisburg	2	12	4	1	2	10	–	4	3	–	2	–	3	8	3	4	–	–	–
Balance of county	1	23	8	–	9	9	1	2	–	–	–	–	2	19	8	4	–	1	–
Sangamon	15	167	23	26	28	61	3	23	7	–	12	24	16	112	30	43	19	8	9
Springfield	8	113	18	21	21	42	3	19	4	–	10	19	13	83	23	33	16	6	9
Balance of county	7	54	5	5	7	19	–	4	3	–	2	5	3	29	7	10	3	2	–
Schuyler	–	8	–	2	–	3	–	–	–	–	–	1	1	6	1	1	2	1	–
Scott	1	4	2	1	–	1	1	1	–	–	–	1	–	5	–	–	–	–	–
Shelby	–	20	6	3	13	10	3	1	–	–	–	1	2	17	6	4	3	–	–
Stark	–	5	2	2	4	2	–	–	1	–	2	2	1	9	1	1	2	–	–
Stephenson	3	45	4	5	10	12	1	1	12	–	–	7	3	27	9	9	5	–	2
Freeport	2	34	2	4	5	6	–	1	6	–	–	4	2	15	6	3	3	–	1
Balance of county	1	11	2	1	5	6	1	–	6	–	–	3	1	12	3	6	2	–	1
Tazewell	3	90	10	17	36	33	7	14	10	–	4	11	8	62	24	24	13	3	2
East Peoria	–	13	2	4	9	6	1	2	–	–	1	1	1	8	7	3	3	–	–
Morton	–	13	1	1	2	3	–	1	1	–	–	–	–	4	3	1	2	1	–
Pekin, part	3	37	2	7	16	17	4	7	4	–	2	6	3	25	4	7	2	1	2
Pekin, total	3	37	2	7	16	17	4	7	4	–	2	6	3	25	4	7	2	1	2
Washington	–	6	1	1	2	1	–	1	1	–	1	–	–	8	–	2	–	–	–
Balance of county	–	21	4	4	7	6	2	3	4	–	–	4	4	17	10	11	6	1	–
Union	–	17	3	3	8	5	–	1	–	–	1	–	5	9	3	7	–	2	1
Vermilion	1	96	17	11	25	49	4	9	7	–	7	8	10	72	18	22	13	4	3
Danville	1	49	9	5	16	25	1	8	2	–	6	5	6	31	9	12	5	2	–
Balance of county	–	47	8	6	9	24	3	1	5	–	1	3	4	41	9	10	8	2	3
Wabash	1	21	5	4	–	5	1	2	–	–	1	–	1	11	6	1	1	2	–
Warren	1	15	4	3	8	3	–	–	–	–	1	2	2	16	3	5	1	–	–
Monmouth	1	8	4	1	3	2	–	–	–	–	–	1	–	5	1	2	–	–	–
Balance of county	–	7	–	2	5	1	–	–	–	–	1	1	2	11	2	3	1	–	–
Washington	–	17	2	–	1	4	–	3	6	–	2	1	2	3	4	1	1	–	–
Wayne	2	14	3	2	7	8	–	1	1	–	1	2	–	9	11	7	4	–	–
White	2	26	2	2	4	13	–	3	1	–	–	2	2	18	4	6	2	–	1
Whiteside	1	50	7	4	23	14	1	4	5	–	7	4	10	46	15	12	7	6	1
Rock Falls	–	9	3	1	1	2	–	1	–	–	1	–	–	10	2	2	1	3	–
Sterling	–	14	1	1	3	–	–	–	–	–	3	2	2	15	6	5	4	3	1
Balance of county	1	27	3	2	19	12	1	3	5	–	3	2	8	21	7	5	2	–	–
Will	11	144	29	15	33	52	4	28	6	–	28	29	27	124	66	38	29	22	2
Bolingbrook, part	–	5	–	–	1	4	–	3	1	–	4	1	–	5	7	3	2	2	–
Bolingbrook, total	–	5	–	–	1	4	–	3	1	–	4	1	–	5	7	3	2	2	–
Joliet	5	76	22	6	14	23	1	15	1	–	8	10	10	56	15	15	10	10	–
Naperville, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Park Forest, part	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Romeoville	–	3	–	1	1	1	–	1	–	–	1	1	3	3	9	1	1	1	1
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	6	59	7	8	17	23	3	9	4	–	14	17	13	60	35	18	15	9	1
Williamson	4	52	7	5	20	23	3	4	5	–	3	9	5	45	11	30	9	2	–
Herrin	2	15	3	1	3	10	1	3	1	–	–	2	–	6	3	5	1	–	–
Marion	–	21	1	1	6	6	–	–	2	–	1	2	2	10	2	13	4	–	–
Balance of county	2	16	3	3	9	7	2	1	2	–	2	5	3	29	6	12	4	2	–
Winnebago	11	178	26	26	35	59	8	32	18	–	18	16	7	177	42	33	28	16	2
Loves Park	1	10	2	2	2	6	–	2	2	–	1	3	1	9	–	–	1	–	–
Rockford	7	132	19	20	24	37	7	19	9	–	12	8	4	124	22	24	19	14	1
Balance of county	3	36	5	4	9	16	1	11	7	–	6	5	2	44	20	9	8	2	1
Woodford	–	24	4	1	4	14	1	–	1	–	1	3	2	17	9	10	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	46,630	21	3	408	10,120	2,577	2,797	911	1,130	432	396	1,877	942	23,884	18,114	179	529	13,795	3,611
Urban places	26,492	10	2	241	5,841	1,490	1,688	524	642	224	207	1,066	549	13,355	10,103	92	308	7,837	2,066
Balance of area	20,138	11	1	167	4,279	1,087	1,109	387	488	208	189	811	393	10,529	8,011	87	221	6,158	1,545
Metropolitan counties	31,596	11	1	288	7,015	1,797	1,987	633	793	279	272	1,254	662	15,929	12,061	121	346	9,069	2,525
Urban places	21,997	8	1	204	4,897	1,251	1,425	436	537	183	171	894	456	11,001	8,374	77	257	6,265	1,775
Balance of area	9,599	3	–	84	2,118	546	562	197	256	96	101	360	206	4,928	3,707	44	89	2,824	750
Nonmetropolitan counties	15,034	10	2	120	3,105	780	810	278	337	153	124	623	280	7,955	6,033	58	183	4,706	1,086
Urban places	4,495	2	1	37	944	239	263	88	105	41	36	172	93	2,354	1,729	15	51	1,372	291
Balance of area	10,539	8	1	83	2,161	541	547	190	232	112	88	451	187	5,601	4,304	43	132	3,334	795
Adams	214	–	–	1	43	14	7	1	8	1	3	9	5	128	101	1	1	85	14
Allen	2,194	1	–	15	436	124	112	40	37	15	24	84	50	1,189	869	4	21	693	151
Fort Wayne	1,693	1	–	12	332	97	85	32	27	10	16	65	39	937	692	3	18	558	113
Balance of county	501	–	–	3	104	27	27	8	10	5	8	19	11	252	177	1	3	135	38
Bartholomew	498	1	–	15	121	27	35	13	15	6	1	24	11	225	165	2	1	127	35
Columbus	325	–	–	11	81	20	21	9	10	5	1	15	6	150	108	1	1	85	21
Balance of county	173	1	–	4	40	7	14	4	5	1	–	9	5	75	57	1	–	42	14
Benton	108	–	–	1	22	4	5	3	2	–	–	8	4	64	51	–	–	44	7
Blackford	156	–	–	–	40	10	13	3	6	2	1	5	1	82	57	–	2	43	12
Boone	342	–	–	8	73	16	23	5	5	2	8	14	6	170	119	1	1	85	32
Lebanon	132	–	–	1	29	6	9	3	4	1	3	3	3	66	42	1	–	35	6
Balance of county	210	–	–	7	44	10	14	2	1	1	5	11	3	104	77	–	1	50	26
Brown	82	–	–	1	16	3	5	2	1	–	–	5	3	43	34	1	2	23	6
Carroll	185	–	–	1	40	13	8	3	6	3	2	5	1	98	64	1	2	50	11
Cass	337	–	–	2	64	18	13	7	11	2	–	13	2	175	139	1	3	111	24
Logansport	195	–	–	1	38	14	9	3	4	2	–	6	2	99	78	–	3	63	12
Balance of county	142	–	–	1	26	4	4	4	7	–	–	7	–	76	61	1	–	48	12
Clark	707	–	–	6	153	38	45	11	20	5	7	27	11	353	275	–	4	228	43
Clarksville	124	–	–	1	27	9	5	1	2	1	3	6	4	61	51	–	–	40	11
Jeffersonville	294	–	–	1	62	14	22	4	6	1	–	15	3	144	118	–	3	99	16
Balance of county	289	–	–	4	64	15	18	6	12	3	4	6	4	148	106	–	1	89	16
Clay	286	–	–	2	58	17	17	5	5	4	2	8	7	161	113	–	3	87	23
Clinton	357	–	–	1	57	18	16	2	5	1	3	12	2	213	132	2	2	103	25
Frankfort	204	–	–	1	34	11	8	2	3	1	2	7	2	115	82	–	1	47	14
Balance of county	153	–	–	–	23	7	8	–	2	–	1	5	–	98	70	2	1	56	11
Crawford	94	–	–	–	23	1	6	3	3	2	2	6	3	45	39	1	2	30	6
Daviess	307	–	–	–	55	14	13	3	9	1	2	13	8	169	110	1	2	91	16
Washington	169	–	–	–	32	9	10	2	3	–	1	7	4	91	56	1	–	51	4
Balance of county	138	–	–	–	23	5	3	1	6	1	1	6	4	78	54	–	2	40	12
Dearborn	341	–	–	–	76	23	21	2	13	6	2	9	9	179	142	1	1	89	41
Decatur	240	–	–	2	52	16	17	3	3	1	2	10	5	139	106	–	1	90	15
De Kalb	314	–	–	–	62	15	11	7	7	5	4	13	7	183	127	–	8	83	36
Delaware	987	–	–	5	203	52	58	20	23	13	10	27	13	491	351	7	13	284	47
Muncie	709	–	–	3	158	40	46	16	18	9	6	23	12	337	238	2	9	197	30
Balance of county	278	–	–	2	45	12	12	4	5	4	4	4	1	154	113	5	4	87	17
Dubois	246	–	–	3	53	13	9	7	7	2	2	13	4	134	102	1	–	81	20
Elkhart	1,028	–	–	3	202	56	47	20	28	10	3	38	22	589	467	9	9	343	106
Elkhart	423	–	–	–	84	21	23	7	13	7	–	13	4	237	184	2	4	145	33
Goshen	211	–	–	1	31	12	2	2	3	2	1	9	3	143	114	–	1	75	38
Balance of county	394	–	–	2	87	23	22	11	12	1	2	16	15	209	169	7	4	123	35
Fayette	275	–	–	5	60	14	20	8	7	2	1	8	2	147	117	–	2	102	13
Connersville	203	–	–	3	45	10	14	6	6	2	1	8	2	107	84	–	2	71	11
Balance of county	72	–	–	2	15	4	6	2	1	–	–	2	–	40	33	–	–	31	2
Floyd	479	–	–	–	95	20	26	4	7	3	5	30	8	243	196	1	7	136	52
New Albany	385	–	–	–	75	15	24	3	5	3	5	20	4	204	166	1	7	115	43
Balance of county	94	–	–	–	20	5	2	1	2	–	–	10	4	39	30	–	–	21	9
Fountain	168	–	1	–	32	7	12	5	2	2	1	3	–	89	73	–	3	60	10
Franklin	170	–	–	–	38	7	14	6	–	2	3	6	6	97	69	1	–	54	14
Fulton	200	–	–	–	49	13	13	3	7	3	1	9	4	106	86	–	1	70	17
Gibson	335	–	–	3	68	15	20	6	11	2	3	11	8	183	147	2	3	103	39
Grant	694	–	1	4	144	33	44	11	13	9	5	29	16	358	272	3	26	172	71
Marion	455	–	1	2	99	25	32	7	9	6	3	17	12	238	178	2	19	111	46
Balance of county	239	–	–	2	45	8	12	4	4	3	2	12	4	120	94	1	7	61	25
Greene	339	1	–	1	72	22	21	5	6	4	–	14	10	170	136	3	4	83	48
Hamilton	517	1	–	9	101	29	30	9	13	2	6	12	6	256	185	2	7	115	61
Carmel	124	–	–	–	30	8	12	1	3	1	1	4	1	55	40	1	–	24	15
Noblesville	119	–	–	4	21	6	3	1	5	–	3	3	–	82	53	–	2	37	14
Balance of county	274	1	–	5	50	15	15	7	5	1	2	5	5	139	92	1	5	54	32
Hancock	311	–	–	3	68	17	14	6	10	4	3	14	13	150	106	3	1	91	11
Greenfield	131	–	–	–	28	7	4	2	4	2	2	7	5	64	40	1	–	31	8
Balance of county	180	–	–	3	40	10	10	4	6	2	1	7	8	86	66	2	1	60	3
Harrison	235	–	–	3	52	13	12	5	4	2	1	15	2	120	102	–	6	84	12
Hendricks	468	1	–	6	116	25	29	15	11	4	8	24	6	216	165	–	3	142	20
Henry	518	–	–	4	115	27	36	15	12	3	5	17	3	286	220	3	2	170	45
New Castle	264	–	–	3	56	12	18	6	3	2	2	11	2	149	111	2	1	77	31
Balance of county	254	–	–	1	59	15	18	7	9	1	3	6	1	137	109	1	1	93	14
Howard	726	–	–	5	163	31	57	13	19	5	6	32	4	371	277	5	6	196	70
Kokomo	567	–	–	3	132	23	47	11	17	4	5	25	4	279	212	2	4	147	59
Balance of county	159	–	–	2	31	8	10	2	2	1	1	7	–	92	65	3	2	49	11
Huntington	362	–	–	2	78	17	13	10	9	4	3	22	6	209	143	1	5	112	25
Huntington	175	–	–	–	48	8	9	7	3	3	3	15	3	95	68	–	2	50	16
Balance of county	187	–	–	2	30	9	4	3	6	1	–	7	3	114	75	1	3	62	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E976)	All other external causes (E980-E999)
Indiana	178	4,173	938	481	1,017	1,489	171	459	457	3	319	465	466	3,295	1,020	1,045	624	351	71
Urban places	117	2,358	503	274	551	871	92	294	283	1	181	315	306	1,908	443	583	334	301	51
Balance of area	61	1,815	435	207	466	618	79	165	174	2	138	150	160	1,387	577	462	290	50	20
Metropolitan counties	131	2,733	627	357	642	978	120	327	316	1	218	353	340	2,220	635	720	458	299	63
Urban places	99	1,876	411	241	438	705	75	246	225	1	151	281	266	1,586	376	478	281	273	48
Balance of area	32	857	216	116	204	273	45	81	91	–	67	72	74	634	259	242	177	26	15
Nonmetropolitan counties	47	1,440	311	124	375	511	51	132	141	2	101	112	126	1,075	385	325	166	52	8
Urban places	18	482	92	33	113	166	17	48	58	–	30	34	40	322	67	85	53	28	3
Balance of area	29	958	219	91	262	345	34	84	83	2	71	78	86	753	318	240	113	24	5
Adams	–	18	7	2	8	5	–	1	1	–	–	1	2	12	3	4	–	–	–
Allen	7	242	43	28	37	56	12	20	22	–	17	28	26	153	40	40	27	23	2
Fort Wayne	6	187	37	15	27	47	6	16	16	–	9	23	20	120	24	29	14	20	1
Balance of county	1	55	6	13	10	9	6	4	6	–	8	5	6	33	16	11	13	3	1
Bartholomew	2	52	4	2	17	20	–	3	7	–	–	2	5	39	11	11	7	3	–
Columbus	–	37	3	2	12	10	–	2	7	–	–	2	4	25	4	7	3	1	–
Balance of county	2	15	1	–	5	10	–	1	–	–	–	–	1	14	7	4	4	2	–
Benton	–	10	3	–	1	4	–	2	–	–	–	–	1	2	3	2	2	–	–
Blackford	–	23	2	–	2	4	–	–	1	–	1	2	3	13	4	1	2	–	–
Boone	1	39	5	6	9	7	2	4	6	–	3	3	1	32	6	5	7	–	–
Lebanon	–	19	2	3	2	3	–	2	3	–	3	–	–	14	1	4	1	–	–
Balance of county	1	20	3	3	7	4	2	2	3	–	–	3	1	18	5	1	6	–	–
Brown	–	7	1	1	2	4	–	–	–	–	–	1	–	7	1	4	–	–	–
Carroll	–	22	10	2	3	10	3	2	–	–	–	1	–	16	3	7	–	–	–
Cass	1	25	7	3	6	11	2	4	1	–	2	5	3	35	8	10	6	–	1
Logansport	–	15	3	3	2	7	1	2	1	–	2	3	2	22	2	6	4	–	1
Balance of county	1	10	4	–	4	4	1	2	–	–	–	2	1	13	6	4	2	–	–
Clark	–	60	11	7	16	24	6	12	9	–	5	5	11	52	7	20	12	2	3
Clarksville	–	8	1	1	2	4	1	2	1	–	2	1	5	8	–	3	2	–	–
Jeffersonville	–	19	5	2	7	10	3	6	2	–	1	2	3	28	5	7	7	1	2
Balance of county	–	33	5	4	7	10	2	4	6	–	2	2	3	16	2	10	3	1	1
Clay	1	38	2	7	3	6	1	3	2	–	1	3	–	17	6	13	2	1	–
Clinton	2	65	13	1	14	11	–	2	2	–	4	2	5	27	8	7	2	–	–
Frankfort	2	40	11	–	8	9	–	2	2	–	3	2	2	14	3	5	2	–	–
Balance of county	–	25	2	1	6	2	–	–	–	–	1	–	3	13	5	2	–	–	–
Crawford	–	5	–	1	2	2	1	1	–	–	3	1	–	9	3	–	–	1	–
Daviess	2	41	15	1	5	15	1	4	3	–	3	1	2	21	11	6	2	1	–
Washington	1	25	8	1	3	12	1	2	2	–	–	1	2	11	3	3	2	–	–
Balance of county	1	16	7	–	2	3	–	2	1	–	3	–	–	10	8	3	–	1	–
Dearborn	2	24	8	3	9	6	1	5	3	–	1	2	–	29	4	11	3	2	1
Decatur	2	24	4	3	3	5	–	–	6	–	2	1	2	16	3	3	1	–	–
De Kalb	1	44	5	6	3	8	2	2	2	–	3	1	4	16	8	6	6	1	–
Delaware	3	106	14	17	26	39	8	4	4	–	7	10	14	85	22	30	16	8	2
Muncie	1	77	9	12	18	26	5	4	3	–	6	10	9	60	16	25	11	6	2
Balance of county	2	29	5	6	10	13	3	–	1	–	1	–	5	25	6	5	5	2	–
Dubois	1	19	9	3	3	6	1	1	2	–	4	2	1	14	9	8	1	–	–
Elkhart	5	89	22	7	22	30	1	9	4	1	13	14	2	66	23	13	12	2	–
Elkhart	3	44	4	2	8	12	–	1	2	1	6	7	2	38	7	9	4	1	–
Goshen	1	11	13	4	4	5	–	2	–	–	1	2	–	10	5	1	2	1	–
Balance of county	1	33	5	1	10	13	1	6	2	–	6	5	–	18	11	3	6	–	–
Fayette	–	22	7	1	9	10	2	2	2	–	1	3	3	14	9	3	3	–	–
Connersville	–	16	6	1	7	9	2	1	1	–	1	1	3	12	4	2	3	–	–
Balance of county	–	6	1	–	2	1	–	1	1	–	–	2	–	2	5	1	–	–	–
Floyd	–	40	4	3	12	16	1	7	11	–	5	1	7	34	16	13	9	1	–
New Albany	–	31	4	3	10	15	1	4	7	–	4	1	7	29	10	7	6	1	–
Balance of county	–	9	–	–	2	1	–	3	4	–	1	–	–	5	6	6	3	–	–
Fountain	1	11	4	–	9	11	–	2	3	–	–	1	1	14	2	3	–	–	–
Franklin	–	13	1	4	3	1	–	3	4	–	2	–	2	9	10	3	1	1	–
Fulton	–	14	4	–	3	6	–	–	1	–	–	1	2	18	3	4	2	–	1
Gibson	1	20	11	4	8	12	1	3	6	–	3	–	–	26	3	5	6	–	–
Grant	2	70	9	5	14	26	2	8	4	–	4	2	14	40	18	15	18	6	–
Marion	2	46	8	4	11	13	1	6	1	–	1	–	10	28	7	9	11	5	–
Balance of county	–	24	1	1	3	13	1	2	3	–	3	2	4	12	11	6	7	1	–
Greene	–	25	5	2	5	5	1	2	1	–	2	2	2	31	15	15	3	1	–
Hamilton	2	53	11	5	14	17	1	7	6	–	2	9	7	33	19	11	16	–	2
Carmel	1	13	–	1	3	4	–	2	2	–	1	2	3	9	4	3	4	–	1
Noblesville	1	6	2	–	4	3	–	2	3	–	–	6	2	4	4	1	3	–	–
Balance of county	–	34	9	4	7	10	1	3	1	–	1	1	2	20	11	7	9	–	1
Hancock	–	24	18	2	7	9	1	1	1	–	4	–	9	29	6	5	5	–	–
Greenfield	–	16	7	1	3	6	–	–	–	–	1	–	6	12	1	2	3	–	–
Balance of county	–	8	11	1	4	3	1	1	1	–	3	–	3	17	5	3	2	–	–
Harrison	–	17	1	–	5	8	1	2	1	–	2	1	4	14	10	5	4	1	–
Hendricks	–	40	7	4	20	16	1	2	2	–	1	6	1	33	9	13	13	3	3
Henry	3	47	6	10	11	18	3	4	5	–	1	1	9	21	12	11	10	4	–
New Castle	2	29	2	5	2	9	1	3	3	–	1	–	4	12	3	6	6	4	–
Balance of county	1	18	4	5	9	9	2	1	2	–	–	1	5	9	9	5	4	–	–
Howard	1	62	25	6	19	32	3	4	6	–	5	7	20	44	19	12	7	3	2
Kokomo	–	43	19	5	17	29	3	4	3	–	5	6	16	37	9	11	5	3	1
Balance of county	1	19	6	1	2	3	–	–	3	–	–	1	4	7	10	1	2	–	1
Huntington	1	55	10	–	6	4	1	2	5	–	1	4	1	27	5	6	4	1	–
Huntington	–	22	5	–	2	2	–	2	2	–	1	2	–	13	1	2	1	1	–
Balance of county	1	33	5	–	4	2	1	–	3	–	–	2	1	14	4	4	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	347	–	–	4	69	18	11	8	6	6	2	18	9	168	135	2	4	103	26
Seymour	158	–	–	3	23	9	3	4	2	3	1	1	5	83	68	1	2	53	12
Balance of county	189	–	–	1	46	9	8	4	4	3	1	17	4	85	67	1	2	50	14
Jasper	196	–	–	1	31	7	5	1	2	3	1	12	2	114	88	1	1	70	16
Jay	212	–	–	3	47	11	12	4	7	2	2	9	4	110	86	1	–	72	13
Jefferson	254	1	–	6	51	15	13	5	4	1	2	11	8	123	95	1	3	70	21
Madison	142	–	–	3	25	8	7	1	3	1	–	5	4	72	57	1	3	44	9
Balance of county	112	1	–	3	26	7	6	4	1	–	2	6	4	51	38	–	–	26	12
Jennings	166	–	–	3	32	12	8	1	3	1	1	6	2	83	65	–	3	45	17
Johnson	576	–	–	7	113	21	36	8	16	2	6	24	6	312	202	2	2	153	45
Franklin	165	–	–	3	24	4	8	2	3	–	1	6	3	91	50	–	–	41	9
Greenwood	202	–	–	3	43	6	14	2	6	1	2	12	2	105	73	–	–	57	16
Balance of county	209	–	–	1	46	11	14	4	7	1	3	6	1	116	79	2	2	55	20
Knox	477	–	–	1	112	21	33	8	14	7	6	23	9	265	180	–	2	148	30
Vincennes	256	–	–	–	60	12	22	3	6	3	3	11	7	135	81	–	–	67	14
Balance of county	221	–	–	1	52	9	11	5	8	4	3	12	2	130	99	–	2	81	16
Kosciusko	438	1	–	4	80	25	18	9	7	3	5	13	17	230	168	3	1	129	35
Warsaw	93	1	–	–	18	6	2	2	4	1	–	3	2	48	31	–	–	25	6
Balance of county	345	–	–	4	62	19	16	7	3	2	5	10	15	182	137	3	1	104	29
Lagrange	169	–	–	2	36	10	7	2	4	2	1	10	2	78	61	1	–	41	19
Lake	4,264	2	–	24	922	261	268	61	110	30	30	142	123	2,073	1,643	14	42	1,368	219
Crown Point	201	–	–	2	36	10	8	3	5	–	3	7	5	108	82	2	–	69	11
East Chicago	408	–	–	–	82	22	22	8	12	4	1	13	12	197	164	–	5	140	19
Gary	1,351	2	–	9	288	70	87	25	38	10	8	50	46	590	465	4	21	387	73
Griffith	92	–	–	1	18	4	2	3	2	2	2	3	4	46	34	–	–	31	3
Hammond	818	–	–	4	188	54	57	15	23	5	5	29	22	415	337	4	8	283	32
Highland	153	–	–	1	41	11	12	2	6	1	1	8	5	81	66	–	1	60	5
Hobart	191	–	–	1	38	13	9	4	4	2	2	4	3	104	73	1	2	63	7
Lake Station	99	–	–	–	24	5	10	1	1	1	1	5	4	51	43	–	1	31	11
Merrillville	198	–	–	1	41	18	7	6	1	1	2	6	4	102	76	–	–	63	13
Munster	123	–	–	–	29	9	10	2	4	1	–	3	–	66	51	–	1	38	12
Schererville	47	–	–	–	7	1	4	1	1	–	–	–	–	27	24	1	1	17	5
Balance of county	583	–	–	5	130	44	40	11	13	3	5	14	18	286	228	2	2	196	28
La Porte	929	1	–	5	191	47	47	18	18	10	11	40	18	496	380	–	9	336	35
La Porte	257	–	–	1	52	12	12	3	3	2	4	16	3	141	109	–	4	93	12
Michigan City	407	1	–	2	83	26	21	8	11	2	6	9	9	220	167	–	4	151	12
Balance of county	265	–	–	2	56	9	14	7	4	6	1	15	6	135	104	–	1	92	11
Lawrence	406	–	–	3	75	26	14	11	11	3	2	8	10	223	178	4	5	144	25
Bedford	192	–	–	1	37	16	6	5	6	1	1	2	3	108	77	2	1	61	13
Balance of county	214	–	–	2	38	10	8	6	5	2	1	6	7	115	101	2	4	83	12
Madison	1,170	–	–	8	264	68	77	24	28	3	8	56	24	606	450	2	18	355	75
Anderson	686	–	–	3	151	33	44	12	16	3	6	37	10	351	253	2	12	202	37
Elwood, part	99	–	–	2	17	7	4	3	2	–	–	1	6	53	40	–	1	29	10
Elwood, total	99	–	–	2	17	7	4	3	2	–	–	1	6	53	40	–	1	29	10
Balance of county	385	–	–	3	96	28	29	9	10	–	2	18	8	202	157	–	5	124	28
Marion	6,672	3	–	106	1,635	402	537	149	167	56	55	269	124	3,148	2,439	27	91	1,632	689
Beech Grove	123	1	–	3	27	4	9	2	3	2	1	6	1	68	53	1	1	34	17
Indianapolis	6,344	2	–	100	1,562	385	517	139	161	54	51	255	119	2,985	2,308	25	88	1,544	651
Lawrence	33	–	–	–	5	1	3	1	–	–	–	–	2	16	13	–	–	12	1
Speedway	47	–	–	–	19	6	3	3	–	–	2	5	1	20	18	–	–	13	5
Balance of county	125	–	–	3	22	6	5	4	3	–	1	3	1	59	47	1	2	29	15
Marshall	355	–	–	4	77	25	18	13	6	3	2	10	12	179	123	–	2	101	20
Martin	94	–	–	2	18	5	9	2	1	–	–	1	–	47	34	–	1	21	12
Miami	322	1	–	2	76	13	24	4	11	5	4	15	9	160	130	–	–	106	24
Peru	171	–	–	2	39	5	15	–	6	2	1	10	8	79	68	–	–	54	14
Balance of county	151	1	–	–	37	8	9	4	5	3	3	5	1	81	62	–	–	52	10
Monroe	527	1	–	4	114	24	29	13	18	6	2	22	10	267	197	2	8	158	29
Bloomington	329	1	–	2	68	17	12	9	11	2	1	16	5	173	129	1	6	102	20
Balance of county	198	–	–	2	46	7	17	4	7	4	1	6	5	94	68	1	2	56	9
Montgomery	335	–	–	2	66	11	21	3	12	2	5	12	9	176	122	4	2	90	28
Crawfordsville	191	–	–	1	37	4	11	3	7	1	4	7	4	102	76	3	2	57	14
Balance of county	144	–	–	1	29	7	10	–	5	1	1	5	5	76	46	1	–	33	12
Morgan	384	–	–	7	91	28	18	5	6	9	3	22	4	170	132	2	4	91	35
Martinsville	151	–	–	2	44	15	7	–	2	4	2	14	1	60	46	2	1	31	12
Balance of county	233	–	–	5	47	13	11	5	4	5	1	8	3	110	86	–	3	60	23
Newton	147	–	–	3	31	5	9	1	4	5	–	8	1	71	60	–	1	46	13
Noble	319	1	–	1	67	22	11	6	10	2	2	14	6	171	127	–	1	97	29
Ohio	46	–	–	–	10	1	3	1	3	–	–	2	1	30	22	–	1	19	2
Orange	151	–	–	1	27	5	10	2	4	–	–	6	4	84	66	–	1	53	12
Owen	130	–	–	1	30	10	6	2	2	3	–	7	4	63	49	–	1	35	13
Parke	173	–	–	–	27	8	10	3	3	–	1	2	3	110	85	1	25	48	10
Perry	194	1	–	1	30	6	7	1	2	–	3	11	2	103	77	–	1	61	15
Pike	163	–	–	1	42	14	10	2	3	4	2	7	4	83	59	–	3	50	6
Porter	756	–	–	5	156	37	39	11	18	11	7	33	15	365	288	3	1	230	54
Portage	150	–	–	–	26	5	8	4	3	2	1	3	3	70	56	1	–	46	9
Valparaiso	241	–	–	1	38	9	10	3	5	2	1	8	1	121	92	–	–	70	22
Balance of county	365	–	–	4	92	23	21	4	10	7	5	22	11	174	140	2	1	114	23
Posey	234	–	–	–	61	17	12	10	7	4	1	10	1	116	98	2	1	72	23
Pulaski	133	–	–	–	36	8	9	4	2	2	3	8	5	58	47	2	–	34	11
Putnam	259	–	–	5	46	13	10	6	2	2	4	9	4	139	106	1	2	78	27
Randolph	264	–	–	1	48	14	13	4	5	6	–	6	5	155	122	–	13	86	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E958)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Indiana—Con.																			
Jackson	–	27	4	2	12	11	1	8	6	–	5	4	1	30	5	9	5	–	–
Seymour	–	12	3	–	4	6	1	4	3	–	3	2	1	13	2	3	2	–	–
Balance of county	–	15	1	2	8	5	–	4	3	–	2	2	–	17	3	6	3	–	–
Jasper	1	17	6	2	9	6	1	–	3	–	1	1	6	11	6	2	1	1	–
Jay	–	16	7	1	4	7	3	–	2	–	–	1	8	12	2	6	2	–	1
Jefferson	1	22	4	1	11	10	1	1	2	–	2	1	1	14	8	6	6	2	–
Madison	–	13	2	–	8	6	1	1	1	–	1	–	1	9	2	3	3	2	–
Balance of county	1	9	2	1	3	4	–	–	1	–	1	1	–	5	6	3	3	–	–
Jennings	–	17	1	–	4	6	–	2	1	–	2	2	2	15	4	6	2	–	–
Johnson	9	56	41	4	18	16	1	4	3	–	2	5	6	37	11	15	13	4	3
Franklin	1	15	23	2	6	2	–	2	–	–	–	2	2	11	5	6	5	1	2
Greenwood	5	20	6	1	6	7	1	2	–	–	1	–	2	13	5	3	6	2	1
Balance of county	3	21	12	1	6	7	–	–	3	–	1	3	2	13	1	6	2	1	–
Knox	3	64	15	3	7	23	–	4	4	–	1	3	4	25	8	8	3	2	–
Vincennes	1	41	11	1	4	13	–	4	3	–	–	2	4	17	2	4	1	–	–
Balance of county	2	23	4	2	3	10	–	–	1	–	1	1	–	8	4	4	2	2	–
Kosciusko	1	41	14	6	11	18	1	5	8	–	4	4	1	25	13	9	5	2	–
Warsaw	–	14	3	–	5	5	–	1	3	–	1	1	–	3	1	3	1	–	–
Balance of county	1	27	11	6	6	13	1	4	5	–	3	3	1	22	12	6	4	2	–
Lagrange	–	13	2	2	3	6	–	1	2	–	3	3	2	16	8	4	3	–	–
Lake	18	321	49	42	64	104	13	62	42	–	34	60	77	246	90	141	46	127	14
Crown Point	1	23	1	1	5	4	–	3	3	–	3	1	2	19	4	3	3	–	–
East Chicago	4	26	2	1	8	5	1	11	2	–	3	9	8	25	8	19	4	14	–
Gary	8	98	13	10	14	32	4	16	15	–	13	20	30	84	33	48	10	95	2
Griffith	1	9	1	1	3	2	–	1	1	–	–	–	2	8	3	1	1	1	–
Hammond	–	59	8	11	10	30	1	11	9	–	5	12	14	38	15	20	7	9	8
Highland	1	10	2	2	5	4	–	–	–	–	–	1	3	7	–	3	2	–	–
Hobart	–	20	5	6	1	8	2	2	4	–	1	1	4	9	5	3	3	1	1
Lake Station	–	8	–	–	1	2	1	1	1	–	1	2	1	4	2	3	1	–	–
Merrillville	2	19	2	3	5	5	1	6	1	–	2	2	1	12	2	7	4	2	–
Munster	1	13	1	–	3	2	–	1	–	–	–	3	1	5	4	6	2	–	1
Schererville	–	2	1	–	–	–	–	–	1	–	–	1	–	6	3	1	1	–	–
Balance of county	2	36	13	7	9	10	3	10	5	–	6	8	11	29	11	27	8	5	2
La Porte	5	95	12	4	13	26	4	12	6	–	10	8	10	68	29	17	6	8	1
La Porte	–	27	5	–	7	13	2	4	–	–	1	–	2	16	6	4	2	2	1
Michigan City	4	44	1	4	5	9	2	6	6	–	6	4	4	31	6	5	2	6	–
Balance of county	1	24	6	–	1	4	–	2	–	–	3	4	4	21	17	8	2	–	–
Lawrence	1	34	5	5	15	10	1	5	6	–	3	1	2	34	10	5	3	–	–
Bedford	1	23	4	3	7	5	1	2	4	–	–	–	1	15	5	2	1	–	–
Balance of county	–	11	1	2	8	5	–	3	2	–	3	1	1	19	5	3	2	–	–
Madison	4	109	29	14	21	53	1	9	13	–	6	3	8	80	25	25	15	7	2
Anderson	1	71	15	11	12	34	1	6	6	–	2	3	6	56	13	15	9	6	2
Elwood, part	–	9	2	2	3	4	–	1	1	–	–	–	1	3	1	5	2	–	–
Elwood, total	–	9	2	2	3	4	–	1	1	–	–	–	1	3	1	5	2	–	–
Balance of county	3	29	12	1	6	15	–	2	6	–	4	–	1	21	11	5	4	1	–
Marion	37	499	99	74	131	225	27	94	82	–	42	108	53	489	105	106	108	87	21
Beech Grove	1	10	4	–	3	3	–	2	–	–	1	1	–	9	2	1	–	1	–
Indianapolis	35	477	93	72	124	218	26	89	81	–	40	105	51	448	97	101	92	84	20
Lawrence	–	3	–	–	–	–	–	2	–	–	–	1	–	3	–	2	1	1	–
Speedway	–	2	–	–	1	–	–	–	1	–	1	–	–	2	–	1	1	–	–
Balance of county	1	7	2	2	3	4	1	1	–	–	–	1	2	7	6	1	12	1	1
Marshall	2	32	15	7	7	11	1	1	2	–	1	–	2	28	14	10	5	–	1
Martin	1	7	5	–	2	3	–	–	–	–	1	1	2	8	2	4	4	–	–
Miami	1	18	9	2	3	16	1	2	2	–	3	2	1	26	7	6	3	2	–
Peru	1	7	2	1	2	8	1	1	2	–	1	1	–	17	6	2	1	1	–
Balance of county	–	11	7	1	1	8	–	1	–	–	2	1	1	9	1	4	2	1	–
Monroe	3	50	14	3	11	10	4	1	9	–	4	5	3	35	19	17	12	–	1
Bloomington	2	33	7	2	8	5	2	–	6	–	4	3	3	25	11	5	7	–	1
Balance of county	1	17	7	1	3	5	2	1	3	–	–	2	–	10	8	12	5	–	–
Montgomery	1	38	12	5	11	10	3	1	2	–	2	2	–	28	6	10	7	–	–
Crawfordsville	–	17	5	4	7	4	2	–	2	–	2	2	–	17	–	7	4	–	–
Balance of county	1	21	7	1	4	6	1	1	–	–	–	–	–	9	6	3	3	–	–
Morgan	2	25	8	3	11	18	1	4	7	–	3	5	–	33	10	9	9	2	–
Martinsville	1	9	2	2	6	9	–	–	3	–	–	2	–	15	–	6	2	1	–
Balance of county	1	16	6	1	5	9	1	4	4	–	3	3	–	18	10	3	7	1	–
Newton	1	7	2	1	6	4	–	1	–	–	–	2	–	13	9	3	2	–	1
Noble	–	38	4	2	9	9	1	3	4	1	1	5	–	12	9	15	3	1	–
Ohio	–	7	1	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–	–
Orange	–	14	2	2	3	6	–	2	2	–	–	–	1	17	1	2	1	–	–
Owen	1	10	2	1	2	6	–	–	3	1	1	2	2	8	4	1	2	–	–
Parke	–	20	3	2	2	7	–	1	–	–	–	4	1	10	4	1	3	–	–
Perry	1	17	8	–	8	10	–	2	1	–	1	–	2	17	5	8	3	–	–
Pike	–	15	7	2	5	7	1	1	1	–	1	2	–	7	2	3	1	2	–
Porter	2	53	12	10	15	28	4	6	9	–	9	15	3	65	25	17	17	1	1
Portage	1	8	2	3	4	6	1	2	3	–	5	3	–	13	4	5	4	1	–
Valparaiso	–	18	8	3	8	8	1	2	5	–	1	9	–	31	7	3	5	–	–
Balance of county	1	27	2	4	3	14	2	2	1	–	3	3	3	21	14	9	8	–	1
Posey	–	14	4	–	4	7	1	1	1	–	1	3	1	16	8	9	3	1	–
Pulaski	–	8	3	–	6	4	–	–	1	–	2	3	–	6	3	7	2	–	–
Putnam	–	19	8	6	7	8	–	4	3	–	1	1	–	30	5	8	–	–	–
Randolph	–	25	6	2	7	9	3	1	–	–	1	1	–	18	6	5	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	219	–	–	3	48	16	7	1	11	3	1	9	3	115	81	2	5	56	18
Rush	203	–	–	2	45	13	12	2	6	4	–	8	1	99	81	2	1	70	8
St. Joseph	2,211	–	–	14	510	131	129	43	67	32	21	87	51	1,129	861	4	28	635	194
Mishawaka	382	–	–	1	89	24	19	10	16	7	1	12	6	205	161	1	–	116	44
South Bend	1,280	–	–	12	279	77	69	22	37	15	10	49	37	650	498	2	22	366	108
Balance of county	549	–	–	1	142	30	41	11	14	10	10	26	8	274	202	1	6	153	42
Scott	176	–	–	–	37	10	12	1	4	1	2	7	3	96	71	1	–	61	9
Shelby	347	–	–	4	76	19	21	7	10	2	3	14	7	167	125	1	6	103	15
Shelbyville	157	–	–	2	34	9	10	3	4	2	3	3	3	74	54	–	3	42	9
Balance of county	190	–	–	2	42	10	11	4	6	–	–	11	4	93	71	1	3	61	6
Spencer	192	–	–	2	41	13	12	4	2	2	1	7	2	88	71	–	2	51	18
Starke	195	–	–	1	38	10	8	2	4	4	2	8	1	110	92	1	–	65	26
Steuben	202	–	–	3	44	8	7	7	4	–	4	14	4	100	72	1	5	56	10
Sullivan	269	–	–	5	61	12	16	6	11	4	6	6	4	143	104	1	1	92	10
Switzerland	71	1	–	1	10	2	4	1	1	–	1	1	–	41	25	–	1	19	5
Tippecanoe	811	–	–	6	167	48	37	18	17	6	6	35	23	404	303	9	4	253	37
Lafayette	449	–	–	3	98	31	24	8	6	5	3	21	14	224	165	6	1	140	18
West Lafayette	133	–	–	2	20	6	1	5	4	–	–	4	–	71	53	–	1	46	6
Balance of county	229	–	–	1	49	11	12	5	7	1	3	10	9	109	85	3	2	67	13
Tipton	123	–	–	1	25	4	10	2	4	–	3	2	1	67	52	–	1	36	15
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	123	–	–	1	25	4	10	2	4	–	3	2	1	67	52	–	1	36	15
Union	56	–	–	–	14	3	1	1	2	2	5	–	1	29	25	–	3	21	1
Vanderburgh	1,717	1	1	13	401	97	108	38	38	13	10	97	33	902	675	8	24	484	159
Evansville	1,620	1	1	11	369	89	99	37	33	10	9	92	32	859	642	8	24	456	154
Balance of county	97	–	–	2	32	8	9	1	5	3	1	5	1	43	33	–	–	28	5
Vermillion	230	–	–	2	47	16	12	2	5	4	1	7	7	133	87	–	5	65	17
Vigo	1,189	1	–	10	274	74	79	24	33	10	9	45	30	599	427	3	14	326	84
Terre Haute	813	–	–	9	183	48	54	18	21	6	7	29	23	429	305	3	9	243	50
Balance of county	376	1	–	1	91	26	25	6	12	4	2	16	7	170	122	–	5	83	34
Wabash	332	–	–	3	69	12	18	8	5	4	6	16	11	162	113	1	2	94	16
Wabash	133	–	–	–	29	4	11	3	2	2	1	6	6	54	32	–	1	26	5
Balance of county	199	–	–	3	40	8	7	5	3	2	5	10	5	108	81	1	1	68	11
Warren	86	–	–	–	17	5	2	1	2	2	1	4	–	43	36	1	1	30	4
Warrick	315	–	–	1	69	9	21	9	12	2	3	13	8	172	147	3	4	96	44
Washington	206	1	–	1	36	12	10	2	3	2	3	4	–	125	102	–	7	84	11
Wayne	738	–	–	5	159	39	45	18	21	2	4	30	12	388	309	5	6	266	32
Richmond	505	–	–	3	108	28	32	12	14	2	2	18	9	268	218	2	5	186	25
Balance of county	233	–	–	2	51	11	13	6	7	–	2	12	3	120	91	3	1	80	7
Wells	197	–	–	1	35	12	3	6	3	1	2	8	4	115	88	2	2	69	15
White	248	–	–	2	49	15	16	4	–	4	1	9	5	135	102	–	1	82	19
Whitley	215	–	–	–	37	5	12	1	4	3	1	11	6	123	90	2	2	71	15
Iowa	26,890	9	2	211	5,786	1,638	1,387	497	693	283	270	1,018	482	14,243	10,814	91	265	8,288	2,170
Urban places	10,631	5	1	94	2,342	611	642	222	235	111	105	416	193	5,452	4,149	43	115	3,129	862
Balance of area	16,259	4	1	117	3,444	1,027	745	275	458	172	165	602	289	8,791	6,665	48	150	5,159	1,308
Metropolitan counties	8,841	3	1	75	2,029	515	583	187	199	91	93	361	182	4,484	3,480	37	84	2,620	739
Urban places	7,322	3	1	64	1,680	428	491	157	156	76	73	299	150	3,662	2,843	31	73	2,143	596
Balance of area	1,519	–	–	11	349	87	92	30	43	15	20	62	32	822	637	6	11	477	143
Nonmetropolitan counties	17,949	6	1	136	3,757	1,123	804	310	494	192	177	657	300	9,759	7,334	54	181	5,668	1,431
Urban places	3,309	2	–	30	662	183	151	65	79	35	32	117	43	1,790	1,306	12	42	986	266
Balance of area	14,640	4	1	106	3,095	940	653	245	415	157	145	540	257	7,969	6,028	42	139	4,682	1,165
Adair	103	–	–	1	23	9	1	2	1	1	3	6	3	48	37	1	1	27	8
Adams	75	–	–	–	14	4	3	1	2	–	–	4	3	39	33	1	–	22	10
Allamakee	166	–	–	1	34	10	9	2	6	1	2	4	1	94	71	1	–	62	8
Appanoose	168	–	–	–	34	10	8	4	6	3	–	3	7	84	54	–	2	40	12
Audubon	117	–	–	–	29	8	5	1	5	1	2	7	3	53	42	1	1	18	22
Benton	207	–	–	–	53	19	15	3	5	–	3	8	8	108	75	–	–	55	9
Black Hawk	1,056	1	–	5	239	67	68	25	24	6	11	38	20	545	406	8	7	301	90
Cedar Falls	236	–	–	1	57	11	17	6	7	1	4	11	5	125	86	2	1	68	15
Waterloo	660	1	–	4	152	48	44	16	13	4	5	22	12	329	251	4	4	185	58
Balance of county	160	–	–	–	30	8	7	3	4	1	2	5	3	91	69	2	2	48	17
Boone	322	–	–	3	66	17	18	7	10	–	2	12	4	182	133	2	–	118	13
Boone	192	–	–	–	31	6	9	3	7	–	2	4	4	113	78	1	–	70	7
Balance of county	130	–	–	3	35	11	9	4	3	–	–	8	–	69	55	1	–	48	6
Bremer	188	–	–	–	38	6	8	3	3	5	6	7	4	110	83	–	3	70	10
Buchanan	218	–	–	3	34	10	7	3	5	4	1	4	4	122	104	1	1	83	19
Buena Vista	218	–	–	2	45	12	12	6	8	–	1	6	1	127	104	4	2	76	22
Butler	186	–	–	2	30	9	6	4	5	–	2	4	3	118	86	3	2	64	17
Calhoun	174	–	–	1	39	11	5	3	8	5	3	4	–	88	60	1	1	46	12
Carroll	252	–	–	2	54	13	10	5	5	4	3	14	5	136	97	–	3	78	16
Cass	211	–	–	1	54	19	13	9	1	3	–	9	5	114	73	–	1	58	14
Cedar	168	–	–	2	41	12	10	4	5	1	1	8	5	86	65	–	3	53	9
Cerro Gordo	476	–	–	5	103	29	20	11	14	4	6	19	5	241	182	4	2	147	29
Mason City	320	–	–	5	62	19	11	9	11	2	3	7	4	163	121	4	2	100	15
Balance of county	156	–	–	–	41	10	9	2	3	2	3	12	1	78	61	–	–	47	14
Cherokee	171	–	–	3	33	11	4	5	6	–	1	6	2	105	81	–	3	56	22
Chickasaw	116	–	–	1	24	12	7	1	–	1	–	3	2	63	57	–	–	50	7
Clarke	83	–	–	1	18	8	3	2	2	1	–	2	–	46	37	–	1	30	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Ripley	–	26	4	4	5	7	1	4	2	–	–	2	3	14	6	3	2	–	1
Rush	–	14	2	2	17	10	–	2	1	–	3	3	–	12	2	3	1	2	–
St. Joseph	8	199	33	28	32	61	9	24	13	–	15	20	43	175	32	43	26	12	2
Mishawaka	1	33	5	5	4	13	–	3	3	–	1	5	5	26	11	6	4	–	–
South Bend	6	111	20	15	17	33	5	16	7	–	9	12	27	107	9	32	14	12	2
Balance of county	1	55	8	8	11	15	4	5	3	–	5	3	11	42	12	5	8	–	–
Scott	–	25	–	–	3	2	1	2	1	–	4	1	2	14	6	3	1	–	–
Shelby	–	26	13	3	13	16	1	2	–	–	3	1	6	22	9	14	3	1	2
Shelbyville	–	13	7	–	6	12	–	1	–	–	3	1	3	10	2	5	–	–	1
Balance of county	–	13	6	3	7	4	1	1	–	–	–	–	3	12	7	9	3	1	1
Spencer	–	13	3	1	6	9	–	1	4	–	–	–	2	23	9	3	2	–	1
Starke	–	13	2	3	9	9	–	3	–	–	–	1	–	13	6	3	1	–	–
Steuben	1	23	1	3	3	10	1	–	2	–	2	1	1	19	4	3	4	1	–
Sullivan	–	31	5	3	4	8	2	1	3	–	–	2	–	20	6	8	2	–	–
Switzerland	2	9	5	–	2	3	–	2	–	–	–	–	–	9	2	–	–	–	–
Tippecanoe	2	84	7	8	13	31	3	9	9	–	5	10	12	63	20	18	14	4	–
Lafayette	–	50	5	4	10	16	–	2	6	–	3	1	9	37	8	7	7	4	–
West Lafayette	1	14	2	1	1	5	2	3	1	–	2	5	1	13	2	3	2	–	–
Balance of county	1	20	–	3	2	10	1	4	2	–	–	4	2	13	10	8	5	–	–
Tipton	–	11	4	–	6	1	1	–	2	–	1	2	1	6	2	1	5	–	1
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	11	4	–	6	1	1	–	2	–	1	2	1	6	2	1	5	–	1
Union	–	1	2	1	1	–	–	1	1	–	1	–	–	4	1	2	1	–	–
Vanderburgh	11	156	40	20	48	52	6	15	14	–	8	6	11	124	27	33	17	5	–
Evansville	10	149	39	19	46	48	6	13	14	–	8	6	11	122	23	30	15	5	–
Balance of county	1	7	1	1	2	4	–	2	–	–	–	–	–	2	4	3	2	–	–
Vermillion	1	38	6	3	3	8	–	1	1	–	–	–	–	14	7	3	4	–	–
Vigo	7	96	48	21	24	36	3	7	15	–	10	15	8	88	18	38	11	2	–
Terre Haute	5	72	32	15	15	24	1	3	9	–	3	10	6	56	11	26	5	–	–
Balance of county	2	24	16	6	9	12	2	4	6	–	7	5	2	32	7	12	6	2	–
Wabash	2	44	3	–	8	12	1	2	7	–	4	–	4	29	6	8	3	1	–
Wabash	1	20	1	–	4	5	–	1	5	–	4	–	–	14	5	5	–	1	–
Balance of county	1	24	2	–	4	7	1	1	2	–	–	–	4	15	3	3	3	–	–
Warren	–	5	1	1	–	3	–	2	–	–	2	–	–	11	4	4	–	–	–
Warrick	1	17	2	5	2	5	–	2	2	–	2	2	2	27	9	7	5	–	–
Washington	1	19	–	3	9	4	1	3	–	–	1	–	2	9	3	6	3	2	–
Wayne	4	49	15	11	20	26	4	6	11	–	2	14	–	50	16	11	8	5	1
Richmond	3	34	9	4	13	21	1	4	10	–	2	11	–	33	5	7	4	5	1
Balance of county	1	15	6	7	7	5	3	2	1	–	–	3	–	17	11	4	4	–	–
Wells	–	20	5	2	2	5	1	–	4	–	2	1	–	11	7	5	4	–	–
White	1	20	9	3	5	5	2	3	2	–	2	2	–	21	9	3	3	–	–
Whitley	1	23	7	2	4	8	1	1	3	–	2	1	6	10	7	6	–	–	–
Iowa	123	2,426	561	319	621	907	112	231	132	2	202	181	132	1,914	516	605	309	69	24
Urban places	39	938	201	125	280	410	49	114	57	1	87	97	58	814	168	220	134	45	10
Balance of area	84	1,488	360	194	341	497	63	117	75	1	115	84	74	1,100	348	385	175	24	14
Metropolitan counties	36	694	162	112	234	334	39	96	43	1	90	91	58	650	162	191	130	35	13
Urban places	29	577	127	86	197	280	33	82	40	1	66	76	45	545	114	148	96	30	9
Balance of area	7	117	35	26	37	54	6	14	3	–	24	15	13	105	48	43	34	5	4
Nonmetropolitan counties	87	1,732	398	207	387	573	73	135	89	1	112	90	74	1,264	354	414	179	34	11
Urban places	10	361	74	39	83	130	16	32	17	–	21	21	13	269	54	72	38	15	1
Balance of area	77	1,371	325	168	304	443	57	103	72	1	91	69	61	995	300	342	141	19	10
Adair	1	8	2	–	9	5	–	–	1	–	1	–	–	8	–	4	–	–	–
Adams	–	4	2	–	2	–	–	1	1	–	–	–	–	11	1	2	–	–	1
Allamakee	–	19	3	1	5	5	–	–	–	–	1	–	1	10	7	5	2	–	–
Appanoose	1	18	9	2	6	9	–	–	1	–	2	–	1	14	–	6	4	–	–
Audubon	–	8	1	2	3	8	–	–	–	–	1	2	2	12	–	3	1	–	–
Benton	3	22	6	2	6	4	1	3	–	–	1	–	–	14	5	2	2	–	–
Black Hawk	8	94	20	17	16	46	6	8	6	–	9	18	10	71	19	21	12	4	–
Cedar Falls	2	29	4	4	3	13	2	–	2	–	1	2	2	13	4	4	2	–	–
Waterloo	6	47	14	11	13	30	4	8	4	–	6	12	8	44	11	12	7	3	–
Balance of county	–	18	2	2	–	3	–	–	–	–	2	4	–	14	4	5	3	1	–
Boone	–	37	7	5	9	10	–	5	2	–	1	2	–	26	6	3	3	–	–
Boone	–	26	6	3	7	5	–	3	2	–	1	2	–	19	–	3	2	–	–
Balance of county	–	11	1	2	2	5	–	2	–	–	–	–	–	7	6	–	1	–	–
Bremer	2	17	5	3	3	5	1	2	1	–	–	3	–	15	3	3	–	–	–
Buchanan	–	14	3	1	4	7	3	1	5	–	1	–	–	18	7	6	2	1	–
Buena Vista	–	17	5	1	7	5	1	1	1	–	–	5	–	13	6	3	–	–	1
Butler	–	27	4	1	6	7	2	–	2	–	2	1	–	9	2	2	–	–	–
Calhoun	–	18	9	1	14	8	1	1	–	–	1	–	1	14	2	–	4	–	–
Carroll	1	30	5	3	3	5	–	3	–	–	1	2	1	22	4	11	2	–	1
Cass	3	20	16	2	5	3	–	2	–	–	–	1	1	16	4	4	1	–	–
Cedar	–	16	5	–	3	2	–	2	1	–	2	–	1	15	5	2	1	–	–
Cerro Gordo	2	47	5	5	13	27	2	2	2	–	4	1	4	39	8	7	8	3	2
Mason City	1	33	5	3	9	19	2	1	2	–	4	1	2	28	6	4	5	2	1
Balance of county	1	14	–	2	4	8	–	1	–	–	–	–	2	11	2	3	3	1	1
Cherokee	1	20	2	1	9	4	1	–	–	–	–	1	–	5	4	3	1	–	–
Chickasaw	1	3	2	–	5	5	–	–	–	–	1	–	1	10	2	2	–	–	–
Clarke	–	5	2	2	–	2	2	–	–	–	1	3	–	3	3	1	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	166	–	–	5	40	14	11	4	6	1	1	3	–	82	57	–	–	34	23
Spencer	111	–	–	2	23	6	7	4	3	1	1	1	–	54	35	–	–	18	17
Balance of county	55	–	–	3	17	8	4	–	3	–	–	2	–	28	22	–	–	16	6
Clayton	234	–	–	3	42	10	9	7	4	1	1	10	3	147	117	–	–	98	19
Clinton	537	1	–	6	127	34	28	11	18	5	5	26	4	274	201	2	1	158	40
Clinton	363	1	–	3	75	21	18	6	12	3	3	12	2	201	148	2	1	115	30
Balance of county	174	–	–	3	52	13	10	5	6	2	2	14	2	73	53	–	–	43	10
Crawford	182	–	–	1	37	11	7	–	5	3	1	10	7	97	78	1	–	62	15
Dallas	270	1	–	1	55	21	10	3	5	2	4	10	3	136	93	–	–	73	20
Davis	105	–	–	1	24	8	3	4	1	–	2	6	1	56	48	–	4	31	13
Decatur	136	–	–	1	24	10	4	2	2	3	–	3	3	70	48	–	1	30	17
Delaware	187	–	–	1	46	11	11	6	7	3	2	6	2	106	74	–	1	66	7
Des Moines	489	1	–	1	105	32	17	10	15	5	5	21	5	273	199	2	6	162	29
Burlington	356	1	–	1	77	19	15	10	11	5	2	15	4	198	147	2	4	118	23
Balance of county	133	–	–	–	28	13	2	–	4	–	3	6	1	75	52	–	2	44	6
Dickinson	173	–	–	2	36	10	7	5	3	1	2	8	4	86	70	1	1	58	10
Dubuque	797	–	–	4	185	51	45	21	21	4	10	33	14	424	322	3	18	231	72
Dubuque	641	–	–	3	145	38	36	16	17	3	8	27	10	348	260	3	14	194	49
Balance of county	156	–	–	1	40	13	9	5	4	1	2	6	4	76	62	–	2	37	23
Emmet	137	–	–	1	31	8	10	2	7	–	1	3	4	69	59	–	–	47	12
Fayette	289	–	–	4	56	15	10	1	12	3	4	11	7	163	122	2	2	97	21
Floyd	227	–	–	1	60	13	20	2	9	2	3	11	6	114	95	1	6	72	16
Franklin	131	–	–	–	22	9	5	–	3	1	–	4	1	84	61	1	3	45	12
Fremont	126	–	–	2	23	9	4	1	3	1	–	5	2	74	68	1	13	32	22
Greene	135	–	–	1	25	8	5	2	4	1	1	4	5	79	56	–	–	45	11
Grundy	147	–	–	1	39	17	11	–	5	–	–	6	5	72	58	–	–	43	15
Guthrie	176	–	–	1	42	15	6	–	8	3	2	8	6	94	75	–	4	59	12
Hamilton	200	–	–	1	48	11	10	6	8	2	–	11	2	110	88	–	1	69	18
Hancock	132	–	–	1	33	10	12	3	2	1	–	5	2	65	42	1	–	38	3
Hardin	232	–	–	2	49	18	7	2	10	4	4	5	5	124	98	–	1	78	19
Harrison	209	–	–	–	46	10	10	3	9	4	3	7	4	114	91	1	1	76	11
Henry	197	–	–	–	44	9	13	2	6	3	2	9	4	108	89	1	1	76	11
Howard	133	–	–	–	26	8	7	1	1	2	2	5	1	79	65	–	–	55	10
Humboldt	129	–	–	1	25	9	3	1	4	–	1	7	1	69	51	1	–	35	15
Ida	104	–	–	–	18	8	4	–	1	2	–	3	2	57	48	–	1	42	5
Iowa	179	–	–	–	40	13	11	6	5	1	1	3	4	99	78	1	1	50	26
Jackson	220	–	–	1	48	15	12	3	4	4	3	7	1	116	82	–	2	69	11
Jasper	310	–	–	4	69	16	15	10	3	1	2	22	6	163	104	–	2	84	18
Newton	162	–	–	2	33	8	5	5	1	1	1	12	3	85	48	–	–	41	5
Balance of county	148	–	–	2	36	8	10	5	2	–	1	10	3	78	56	–	2	43	13
Jefferson	168	–	–	–	25	6	5	1	3	4	3	3	2	100	72	–	3	52	17
Johnson	404	–	–	3	101	25	16	14	14	9	7	16	11	177	131	1	1	100	29
Iowa City	243	–	–	3	55	11	9	9	9	5	3	9	8	110	81	–	1	67	13
Balance of county	161	–	–	–	46	14	7	5	5	4	4	7	3	67	50	1	–	33	16
Jones	172	–	–	–	42	11	9	2	8	1	5	6	3	91	65	2	2	42	19
Keokuk	154	–	–	2	29	14	3	2	3	2	2	3	2	81	63	1	2	41	19
Kossuth	230	–	–	–	52	13	8	6	11	3	3	8	4	126	100	1	2	87	10
Lee	406	–	–	10	93	31	20	5	7	5	6	18	4	217	165	–	7	124	34
Fort Madison	138	–	–	5	27	11	5	2	1	2	2	4	2	75	60	–	1	49	10
Keokuk	164	–	–	4	39	10	9	2	4	3	2	9	1	92	69	–	6	47	16
Balance of county	104	–	–	1	27	10	6	1	2	1	2	5	1	50	38	–	–	28	8
Linn	1,225	–	–	14	270	71	70	24	29	11	9	56	26	607	463	5	10	337	111
Cedar Rapids	863	–	–	9	197	55	50	18	16	8	7	43	18	422	321	4	7	223	87
Marion	146	–	–	2	28	6	8	1	4	2	–	7	3	74	55	–	–	42	13
Balance of county	216	–	–	3	45	10	12	5	9	1	2	6	5	111	87	1	3	72	11
Louisa	123	–	–	1	26	5	8	3	1	2	1	6	2	65	47	–	–	39	8
Lucas	131	–	–	2	26	9	5	2	4	1	1	4	–	69	59	–	2	54	3
Lyon	105	–	–	–	18	6	3	2	1	1	–	5	2	57	41	2	–	30	9
Madison	128	–	–	–	34	11	7	–	4	1	4	7	4	59	46	–	–	40	6
Mahaska	244	–	–	–	55	15	13	5	6	5	3	8	4	142	89	3	1	67	18
Oskaloosa	148	–	–	–	28	10	7	2	3	2	–	4	2	92	58	3	–	44	11
Balance of county	96	–	–	–	27	5	6	3	3	3	3	4	2	50	31	–	1	23	7
Marion	277	–	–	3	62	15	19	4	10	3	–	11	3	157	122	–	1	100	21
Marshall	424	1	–	2	86	21	26	10	11	3	2	13	11	228	163	–	3	133	27
Marshalltown	288	–	–	2	56	15	17	5	6	3	–	10	10	153	119	–	2	97	20
Balance of county	136	1	–	–	30	6	9	5	5	–	2	3	1	75	44	–	1	36	7
Mills	144	–	–	–	26	7	8	–	2	2	3	4	–	88	78	1	4	58	17
Mitchell	153	–	–	1	32	8	3	4	5	3	1	8	4	89	66	1	1	51	13
Monona	159	–	–	–	25	7	7	2	4	3	–	2	5	94	71	–	2	47	22
Monroe	117	–	–	1	28	12	3	–	5	1	1	7	4	52	40	1	–	33	6
Montgomery	173	–	–	–	39	15	6	2	4	4	–	8	–	100	53	–	–	45	8
Muscatine	364	–	–	6	77	19	15	10	6	5	4	18	13	160	110	–	6	80	24
Muscatine	219	–	–	1	44	11	12	3	2	4	2	10	7	107	78	–	6	55	17
Balance of county	145	–	–	5	33	8	3	7	4	1	2	8	6	53	32	–	–	25	7
O'Brien	216	–	–	1	33	12	8	1	6	1	1	4	3	131	99	–	2	77	20
Osceola	81	–	–	–	13	4	2	2	3	–	–	2	1	50	43	–	4	21	18
Page	243	–	–	1	41	16	4	4	4	2	3	8	7	150	119	–	2	85	32
Palo Alto	147	–	–	–	36	7	6	5	7	1	–	10	2	81	61	–	1	50	10
Plymouth	244	–	–	2	45	10	7	4	10	4	1	9	1	135	88	–	2	74	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	2	19	2	2	2	7	1	2	–	–	–	3	–	11	7	6	–	–	–
Spencer	1	15	2	1	2	6	1	1	–	–	–	3	–	9	6	4	–	–	–
Balance of county	1	4	–	1	–	1	–	1	–	–	–	–	–	2	1	2	–	–	–
Clayton	–	24	6	–	5	4	2	1	1	–	1	1	–	10	6	8	–	–	–
Clinton	1	66	1	5	13	14	2	9	1	–	2	2	4	38	14	19	6	1	–
Clinton	1	48	1	3	9	8	1	7	1	–	–	1	2	27	7	14	3	1	–
Balance of county	–	18	–	2	4	6	1	2	–	–	2	1	2	11	7	5	3	–	–
Crawford	–	13	3	3	8	7	–	1	1	–	3	–	–	10	2	6	2	–	–
Dallas	4	30	3	6	8	11	–	5	6	–	2	1	–	19	8	6	6	1	1
Davis	–	6	2	–	3	4	–	–	–	–	–	–	–	10	1	5	–	–	–
Decatur	–	18	3	1	11	6	1	–	–	–	1	–	1	8	8	2	–	–	–
Delaware	–	30	1	1	4	3	1	1	–	–	1	1	–	10	4	7	–	–	–
Des Moines	2	51	13	8	10	15	4	4	4	–	2	3	2	38	5	7	7	3	–
Burlington	1	35	10	5	9	11	2	3	3	–	1	2	2	26	3	5	5	3	–
Balance of county	1	16	3	3	1	4	2	1	1	–	1	1	–	12	2	2	2	–	–
Dickinson	3	10	2	1	14	6	–	3	–	–	–	–	1	11	1	8	1	–	–
Dubuque	1	74	15	12	20	31	8	6	2	–	11	4	4	51	12	13	8	–	–
Dubuque	1	64	13	10	13	25	7	4	2	–	10	2	4	46	8	8	6	–	–
Balance of county	–	10	2	2	7	6	1	2	–	–	1	2	–	5	4	5	2	–	–
Emmet	–	6	3	1	7	5	1	–	–	–	5	1	–	13	–	–	–	–	–
Fayette	1	25	8	7	12	7	2	–	–	–	2	1	1	18	4	8	4	–	–
Floyd	–	15	3	1	8	6	2	1	–	–	–	–	1	12	8	6	2	–	–
Franklin	–	14	8	1	2	6	–	–	–	–	1	1	4	7	2	1	–	–	–
Fremont	–	4	–	2	4	5	–	–	–	–	–	–	1	8	3	3	–	1	–
Greene	4	13	3	3	3	1	1	1	2	–	1	–	2	10	1	2	1	–	–
Grundy	–	10	1	3	5	8	–	–	–	–	–	–	–	8	4	4	1	–	–
Guthrie	2	12	5	–	4	3	–	–	–	1	–	–	2	11	3	6	3	–	–
Hamilton	2	13	5	2	8	8	1	2	1	–	1	2	–	11	3	1	1	–	–
Hancock	1	17	4	1	8	4	–	2	1	–	2	–	–	7	1	5	–	1	–
Hardin	1	19	3	3	1	8	3	2	2	–	2	–	1	20	2	5	6	–	–
Harrison	–	15	4	4	4	4	–	–	1	–	2	–	1	15	5	3	3	–	1
Henry	1	13	1	4	10	4	2	3	–	–	–	1	–	13	5	2	1	–	–
Howard	1	12	1	–	5	2	1	3	–	–	–	–	1	9	1	3	1	1	–
Humboldt	–	14	3	1	8	5	1	1	2	–	–	–	–	8	–	5	3	–	–
Ida	–	4	3	2	4	7	–	2	1	–	–	1	–	8	–	3	1	–	–
Iowa	1	13	4	3	7	5	1	2	1	–	1	–	–	12	5	1	1	–	–
Jackson	–	27	5	2	9	5	1	3	2	–	–	1	–	11	10	9	3	–	–
Jasper	1	37	15	6	8	9	1	5	3	–	2	3	–	19	5	9	2	2	–
Newton	–	24	11	4	4	5	1	3	1	–	–	1	–	14	4	4	2	–	–
Balance of county	1	13	4	2	4	4	–	2	2	–	2	2	–	5	1	5	–	2	–
Jefferson	–	22	4	2	10	2	–	–	3	–	1	–	4	18	1	2	–	–	–
Johnson	1	34	5	6	12	5	3	7	3	–	7	6	4	34	14	11	6	–	–
Iowa City	1	25	2	1	10	3	1	6	2	–	3	4	–	23	7	5	3	–	–
Balance of county	–	9	3	5	2	2	2	1	1	–	4	2	4	11	7	6	3	–	–
Jones	1	20	1	4	9	8	–	–	–	–	1	1	–	12	3	1	1	–	–
Keokuk	1	13	2	2	6	5	–	2	2	–	1	1	1	10	6	4	2	–	–
Kossuth	3	12	10	1	4	5	2	3	2	–	3	1	1	13	7	4	3	–	–
Lee	1	43	3	5	9	10	1	4	4	–	4	6	1	15	10	11	4	3	–
Fort Madison	–	11	2	2	2	5	1	3	1	–	2	1	–	6	1	4	1	2	–
Keokuk	–	21	1	1	1	4	–	–	1	–	1	3	1	6	6	3	1	1	–
Balance of county	1	11	–	2	6	1	–	1	2	–	1	2	–	3	3	4	2	–	–
Linn	6	101	25	12	26	62	5	8	5	–	18	17	9	86	20	24	20	4	4
Cedar Rapids	4	69	17	11	18	46	3	7	3	–	12	11	6	62	16	14	12	4	3
Marion	1	13	4	1	4	6	–	1	2	–	2	5	1	12	1	3	2	–	–
Balance of county	1	19	4	–	4	10	2	–	–	–	4	1	2	12	3	7	6	–	1
Louisa	–	18	–	–	1	7	–	2	1	–	1	3	1	4	3	5	–	1	–
Lucas	–	6	4	–	10	2	1	–	1	–	1	–	–	9	2	5	2	1	–
Lyon	1	14	1	–	6	1	–	–	2	–	2	–	–	12	2	3	–	–	–
Madison	1	9	2	1	8	5	–	1	–	–	–	1	–	8	1	3	4	–	–
Mahaska	1	42	7	3	8	5	1	3	–	–	2	2	2	10	3	4	1	1	1
Oskaloosa	1	29	2	2	5	4	–	2	–	–	2	2	2	5	2	2	–	–	–
Balance of county	–	13	5	1	3	1	1	1	–	–	–	–	–	5	1	2	1	1	1
Marion	1	28	3	3	10	6	1	1	1	–	2	2	–	15	2	8	2	1	1
Marshall	2	47	14	2	4	16	3	–	–	–	8	1	1	37	12	5	7	2	–
Marshalltown	1	25	6	2	3	13	2	–	–	–	5	–	1	31	5	3	4	–	–
Balance of county	1	22	8	–	1	3	1	–	–	–	3	1	–	6	7	2	3	2	–
Mills	1	8	–	1	3	7	1	–	1	–	1	1	–	11	3	1	1	–	–
Mitchell	1	19	2	1	2	8	2	1	–	–	–	–	–	8	1	4	1	–	–
Monona	5	14	3	1	8	8	–	–	–	–	–	–	1	11	3	3	–	1	–
Monroe	–	9	3	–	8	1	1	1	1	–	1	–	2	11	1	2	2	–	–
Montgomery	3	24	16	4	1	7	–	–	–	–	2	–	–	14	2	3	5	–	–
Muscatine	2	34	10	4	19	22	1	2	2	–	3	4	1	24	9	11	7	3	–
Muscatine	2	22	4	1	9	13	1	2	–	–	2	2	–	14	4	9	1	3	–
Balance of county	–	12	6	3	10	9	–	–	2	–	1	2	1	10	5	2	6	–	–
O'Brien	1	26	2	3	9	6	1	1	–	–	4	3	–	12	3	6	3	–	–
Osceola	–	7	–	–	5	2	–	1	–	–	–	–	–	7	1	1	–	–	–
Page	–	24	4	3	1	11	1	1	–	–	–	1	1	19	3	6	–	–	–
Palo Alto	2	12	3	3	3	2	–	3	2	–	1	–	2	10	1	2	2	–	–
Plymouth	1	37	9	2	8	8	–	3	–	–	1	2	2	20	7	6	2	–	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	177	–	–	4	32	10	7	3	4	1	1	6	2	91	71	–	–	66	5
Polk	2,376	–	–	27	562	139	191	41	51	29	21	90	34	1,151	924	10	12	689	213
Ankeny	52	–	–	–	16	5	3	1	1	2	1	3	–	23	20	–	–	13	7
Des Moines	1,800	–	–	24	421	102	148	31	35	24	14	67	26	865	693	7	11	533	142
Urbandale	54	–	–	–	18	5	5	4	–	1	–	3	–	25	18	–	–	10	8
West Des Moines	172	–	–	–	33	12	7	2	6	–	3	3	2	88	69	1	–	43	25
Balance of county	298	–	–	3	74	15	28	3	9	2	3	14	6	150	124	2	1	90	31
Pottawattamie	758	2	–	5	156	27	62	16	13	7	7	24	20	392	327	2	11	257	57
Council Bluffs	572	2	–	4	126	21	51	14	12	5	4	19	17	294	249	2	10	197	40
Balance of county	186	–	–	1	30	6	11	2	1	2	3	5	3	98	78	–	1	60	17
Poweshiek	193	–	–	4	30	11	3	1	4	1	5	5	4	115	77	–	1	50	26
Ringgold	75	–	–	1	14	6	3	–	1	–	1	3	–	48	39	–	1	30	8
Sac	169	–	–	1	37	12	7	3	9	2	–	4	1	119	85	–	1	79	5
Scott	1,088	–	–	8	246	73	60	22	23	10	13	45	23	557	421	5	16	313	87
Bettendorf	112	–	–	–	28	8	6	3	3	1	2	5	1	61	50	1	5	38	6
Davenport	827	–	–	7	188	56	48	17	16	7	10	34	19	422	317	4	10	234	69
Balance of county	149	–	–	1	30	9	6	2	4	2	1	6	3	74	54	–	1	41	12
Shelby	148	–	–	–	34	8	12	2	3	–	4	5	1	91	67	1	1	48	17
Sioux	234	–	–	2	47	9	12	4	7	2	5	8	7	122	99	–	4	69	26
Story	404	–	–	3	93	34	14	10	13	5	6	11	10	196	147	–	1	110	36
Ames	169	–	–	2	42	17	5	3	5	3	4	5	3	79	55	–	1	43	11
Balance of county	235	–	–	1	51	17	9	7	8	2	2	6	7	117	92	–	–	67	25
Tama	187	–	–	1	41	8	10	6	4	2	1	10	5	91	75	1	4	58	12
Taylor	127	2	–	–	24	10	8	2	1	–	1	2	1	65	49	–	–	40	9
Union	170	–	1	–	29	11	2	3	4	4	1	4	1	99	67	–	3	54	10
Van Buren	109	–	–	–	19	7	5	1	3	1	–	2	3	67	53	–	7	33	13
Wapello	441	–	–	4	91	24	21	7	10	4	8	17	3	233	183	–	18	110	55
Ottumwa	335	–	–	3	68	16	16	6	8	4	5	13	1	187	148	–	16	91	41
Balance of county	106	–	–	1	23	8	5	1	2	–	3	4	2	46	35	–	2	19	14
Warren	224	–	–	2	52	13	8	5	6	3	6	11	11	118	88	1	–	74	13
Indianola	95	–	–	–	28	8	5	2	3	2	3	5	6	45	33	1	–	25	7
Balance of county	129	–	–	2	24	5	3	3	3	1	3	6	5	73	55	–	–	49	6
Washington	186	–	–	2	38	7	8	3	4	5	2	9	4	105	88	2	5	68	15
Wayne	98	–	–	–	21	8	3	–	6	2	1	1	2	50	32	–	1	23	8
Webster	490	–	–	1	81	22	20	5	11	3	6	14	1	273	207	1	5	143	58
Fort Dodge	344	–	–	–	57	14	15	5	5	2	5	11	–	191	144	–	3	98	43
Balance of county	146	–	–	1	24	8	5	–	6	1	1	3	1	82	63	1	2	45	15
Winnebago	136	–	–	4	27	10	5	2	3	3	–	4	1	81	65	1	–	56	8
Winneshiek	180	–	–	4	42	12	9	6	5	2	1	7	5	87	64	1	–	51	12
Woodbury	1,013	–	1	7	218	49	63	19	18	12	9	48	23	513	398	2	11	318	67
Sioux City	849	–	1	7	186	42	54	17	14	11	9	41	23	431	340	2	10	271	57
Balance of county	164	–	–	–	30	7	9	2	4	1	–	7	–	82	58	–	1	47	10
Worth	101	–	–	1	22	9	3	1	6	1	–	2	1	57	46	–	–	42	4
Wright	196	–	–	1	45	20	11	2	4	3	2	3	2	103	73	–	4	62	7
Kansas	21,804	5	1	184	4,429	1,205	1,158	374	516	227	183	766	406	10,977	8,295	63	213	6,203	1,616
Urban places	10,957	4	1	101	2,337	618	661	209	249	116	90	394	187	5,340	4,020	34	116	2,988	882
Balance of area	10,847	1	–	83	2,092	587	497	165	267	111	93	372	239	5,637	4,275	29	97	3,215	934
Metropolitan counties	8,599	4	1	80	1,891	477	537	171	212	69	60	325	133	3,982	2,999	25	102	2,147	725
Urban places	6,801	4	1	67	1,520	377	443	147	164	69	62	258	100	3,148	2,386	22	77	1,713	576
Balance of area	1,798	–	–	13	371	100	94	24	48	20	18	67	33	834	611	3	25	434	149
Nonmetropolitan counties	13,295	1	–	104	2,538	728	621	203	304	138	103	441	273	6,995	5,296	38	111	4,056	1,091
Urban places	4,156	–	–	34	817	241	218	62	85	47	28	136	67	2,192	1,632	12	39	1,275	306
Balance of area	9,139	1	–	70	1,721	487	403	141	219	91	75	305	206	4,803	3,664	26	72	2,781	785
Allen	201	–	–	1	27	6	2	4	4	2	3	6	8	108	84	–	2	50	32
Anderson	131	–	–	1	36	10	9	3	2	3	3	6	6	59	51	–	2	35	14
Atchison	202	–	–	3	32	6	7	2	6	3	–	8	2	137	102	–	8	75	19
Atchison	138	–	–	1	18	5	5	1	3	2	–	2	–	98	69	–	5	50	14
Balance of county	64	–	–	2	14	1	2	1	3	1	–	6	2	39	33	–	3	25	5
Barber	101	–	–	3	20	4	2	2	2	2	–	8	3	44	30	–	–	21	9
Barton	308	–	–	1	67	21	17	7	5	2	2	13	6	153	123	2	4	95	22
Great Bend	170	–	–	–	34	11	5	4	1	2	2	9	4	83	71	2	3	54	12
Balance of county	138	–	–	1	33	10	12	3	4	–	–	4	2	70	52	–	1	41	10
Bourbon	224	–	–	3	26	3	4	3	5	–	–	11	2	139	100	3	1	81	15
Brown	157	–	–	–	24	9	6	2	3	–	–	4	–	96	71	–	2	58	11
Butler	414	–	–	4	78	33	21	3	8	3	3	7	7	226	166	1	2	131	32
El Dorado	158	–	–	2	30	10	9	–	6	1	2	2	2	95	76	1	2	66	7
Balance of county	256	–	–	2	48	23	12	3	2	2	1	5	5	131	90	–	–	65	25
Chase	63	–	–	2	8	3	2	–	1	–	–	2	3	42	21	–	–	15	6
Chautauqua	95	–	–	2	16	8	3	1	3	–	–	1	1	55	42	1	–	35	6
Cherokee	285	1	–	2	57	20	14	1	3	5	3	11	6	156	112	–	3	78	31
Cheyenne	39	–	–	–	7	1	2	2	1	–	–	1	2	16	13	–	–	9	4
Clark	38	–	–	–	7	2	–	–	1	3	1	–	2	17	13	–	1	8	4
Clay	120	–	–	–	15	5	2	–	3	2	–	3	5	69	59	–	3	46	10
Cloud	164	–	–	1	28	15	8	1	1	1	1	1	5	96	74	2	5	57	10
Coffey	118	–	–	–	20	6	4	1	2	1	1	5	1	69	57	–	–	30	27
Comanche	36	–	–	–	6	3	1	–	1	–	1	–	1	20	14	–	–	11	3
Cowley	435	–	–	6	82	27	26	6	8	2	–	13	9	210	149	–	4	112	33
Arkansas City	206	–	–	4	39	10	16	2	4	1	–	6	4	113	74	–	–	54	20
Winfield	130	–	–	2	23	8	7	2	2	1	–	3	3	53	41	–	2	33	6
Balance of county	99	–	–	–	20	9	3	2	2	–	–	4	2	44	34	–	2	25	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-436)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	–	15	3	2	16	5	1	1	1	–	–	1	–	8	3	8	2	2	–
Polk	8	157	27	35	78	81	7	40	6	1	18	22	11	161	29	58	47	17	4
Ankeny	–	2	–	1	–	1	–	1	–	–	1	–	–	7	1	2	–	–	–
Des Moines	6	128	15	23	63	58	3	31	6	1	13	19	8	139	19	47	39	14	2
Urbandale	–	2	2	3	1	2	–	1	–	–	–	1	1	1	2	–	–	1	1
West Des Moines	1	14	3	1	6	11	4	2	–	–	–	1	–	14	4	5	2	–	–
Balance of county	1	11	7	7	8	9	–	5	–	–	4	1	2	20	3	4	6	2	1
Pottawattamie	3	47	4	11	17	31	2	6	5	–	10	7	4	50	21	19	10	1	–
Council Bluffs	1	36	2	6	12	26	1	4	5	–	6	4	2	39	11	13	5	1	–
Balance of county	2	11	2	5	5	5	1	2	–	–	4	3	2	11	10	6	5	–	–
Poweshiek	–	24	8	6	4	5	1	2	–	–	3	–	1	9	6	6	3	–	–
Ringgold	1	4	2	2	–	4	2	2	–	–	–	–	1	2	1	–	–	–	–
Sac	2	22	9	1	1	3	–	2	–	–	1	1	–	12	5	4	1	1	–
Scott	4	97	28	7	27	34	4	12	6	–	10	6	12	78	19	25	13	5	3
Bettendorf	–	7	2	2	2	2	–	2	–	–	1	–	–	8	2	4	1	–	–
Davenport	4	73	23	5	21	25	4	7	6	–	6	5	10	63	12	17	10	3	2
Balance of county	–	17	3	–	4	7	–	3	–	–	3	1	2	7	5	4	2	2	1
Shelby	1	18	2	3	2	5	–	–	–	–	–	–	–	7	5	3	–	–	–
Sioux	–	14	4	5	11	9	1	–	2	–	3	1	1	16	4	8	–	–	–
Story	2	30	11	6	17	13	–	–	1	–	2	3	2	35	6	14	9	–	–
Ames	–	13	6	5	6	7	–	–	–	–	1	1	–	17	3	6	2	–	–
Balance of county	2	17	5	1	11	6	–	–	1	–	1	2	2	18	3	8	7	–	–
Tama	–	10	4	2	8	8	–	1	–	–	–	1	2	17	4	5	3	–	–
Taylor	–	11	3	2	1	6	–	–	1	–	–	2	1	15	3	5	1	–	–
Union	2	26	1	3	9	4	1	–	3	–	1	1	–	10	5	5	1	–	–
Van Buren	–	9	1	4	3	–	–	–	2	–	1	–	2	8	3	1	–	–	–
Wapello	2	35	7	6	18	17	2	2	5	–	3	–	–	41	8	6	7	1	–
Ottumwa	1	27	5	6	11	14	2	2	4	–	1	–	–	31	3	3	4	1	–
Balance of county	1	8	2	–	7	3	–	–	1	–	2	–	–	10	5	3	3	–	–
Warren	2	9	14	5	–	7	–	1	–	–	–	–	1	14	6	8	3	1	–
Indianola	–	4	6	2	–	2	–	–	–	–	–	–	–	7	3	3	–	1	–
Balance of county	2	5	8	3	–	5	–	1	–	–	–	–	1	7	3	5	3	–	–
Washington	–	11	4	2	5	8	1	1	2	–	2	–	–	12	3	3	–	–	–
Wayne	2	13	2	1	8	3	1	–	–	–	–	–	1	10	2	2	–	–	–
Webster	1	44	18	3	7	22	4	11	2	–	1	3	6	48	9	9	10	2	–
Fort Dodge	1	32	13	1	6	16	3	5	2	–	1	2	3	36	4	8	8	2	–
Balance of county	–	12	5	2	1	6	1	6	–	–	–	1	3	12	5	1	2	–	–
Winnebago	1	10	2	3	1	–	–	2	1	–	–	2	1	9	3	3	1	–	–
Winneshiek	–	18	4	1	8	3	1	3	1	–	1	–	–	16	4	5	–	–	–
Woodbury	3	81	24	7	38	37	4	8	8	–	7	11	3	85	22	12	11	3	2
Sioux City	2	64	20	5	31	30	4	8	6	–	5	10	3	67	13	11	7	3	1
Balance of county	1	17	4	2	7	7	–	–	2	–	2	1	–	18	9	1	4	–	1
Worth	–	10	1	–	2	2	–	1	–	–	1	2	–	5	3	2	2	–	–
Wright	3	20	2	5	9	2	–	2	–	–	3	1	1	15	4	6	1	1	–
Kansas	78	1,950	388	266	599	777	73	167	250	3	152	210	330	1,744	541	493	277	148	18
Urban places	52	1,009	124	135	298	397	36	114	103	2	92	137	206	866	231	236	168	106	15
Balance of area	26	941	264	131	301	380	37	73	147	1	60	73	124	878	310	257	109	42	3
Metropolitan counties	39	738	107	99	208	314	25	69	83	2	71	120	191	674	202	197	140	88	14
Urban places	33	586	63	78	177	250	21	72	68	2	56	102	163	541	145	160	118	76	12
Balance of area	6	152	44	21	31	64	4	17	17	–	15	18	28	133	57	37	22	12	2
Nonmetropolitan counties	39	1,212	281	167	391	469	48	98	167	1	81	90	139	1,070	339	296	137	60	4
Urban places	19	423	61	57	121	147	15	42	37	–	36	35	43	325	86	76	50	30	3
Balance of area	20	789	220	110	270	316	33	56	130	1	45	55	96	745	253	220	87	30	1
Allen	–	19	3	2	9	6	2	2	5	–	1	2	–	15	3	5	3	4	–
Anderson	–	6	1	1	3	4	–	1	3	–	1	–	–	9	5	1	2	–	–
Atchison	–	30	4	1	4	1	–	–	–	–	–	1	1	16	2	3	–	–	–
Atchison	–	25	3	1	4	1	–	–	–	–	–	1	1	11	1	2	–	–	–
Balance of county	–	5	1	–	–	–	–	–	–	–	–	–	–	5	1	1	–	–	–
Barber	–	10	2	2	1	3	–	1	3	–	1	1	3	10	1	6	1	–	–
Barton	1	23	3	3	8	6	–	1	1	–	4	1	3	21	13	11	5	6	1
Great Bend	–	8	1	3	6	4	–	–	–	–	4	–	3	11	7	6	3	4	1
Balance of county	1	15	2	–	2	2	–	1	1	–	–	1	–	10	6	5	2	2	–
Bourbon	–	29	7	3	2	8	2	1	3	–	1	1	1	18	5	7	5	–	–
Brown	–	12	11	2	2	3	–	1	3	–	1	3	2	12	3	5	1	1	–
Butler	1	45	9	5	5	16	1	3	2	–	1	6	5	34	11	6	5	3	1
El Dorado	–	18	1	–	1	6	–	1	–	–	1	1	1	9	4	1	3	–	1
Balance of county	1	27	8	5	4	10	1	2	2	–	–	5	4	25	7	5	2	3	–
Chase	–	12	8	1	–	2	1	1	–	–	–	–	–	2	1	1	–	–	–
Chautauqua	–	10	1	2	2	1	1	–	1	–	–	–	–	9	2	2	3	–	–
Cherokee	1	28	10	5	5	11	1	–	6	–	–	–	3	28	3	4	2	–	–
Cheyenne	–	1	4	–	1	2	1	1	–	–	–	–	–	1	1	2	2	1	–
Clark	–	2	2	–	1	1	–	–	1	–	–	–	1	7	1	–	–	–	–
Clay	–	7	3	–	5	5	1	1	–	–	–	–	2	13	2	2	–	–	–
Cloud	–	14	7	1	3	6	–	2	3	–	–	–	–	16	1	2	1	–	–
Coffey	–	10	1	1	4	4	–	1	4	–	1	1	1	9	3	–	–	–	–
Comanche	–	3	3	–	1	2	–	–	2	–	–	–	–	2	–	1	1	–	–
Cowley	3	47	7	4	8	15	1	4	10	–	3	4	20	43	8	9	2	1	–
Arkansas City	2	32	4	1	–	7	–	3	6	–	–	–	9	13	1	5	1	1	–
Winfield	1	8	2	1	3	7	1	1	3	–	2	2	6	19	3	1	1	–	–
Balance of county	–	7	1	2	5	1	–	–	1	–	1	2	5	11	4	3	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	485	–	–	1	112	36	25	6	18	7	5	15	8	255	196	1	2	162	31
Pittsburg	252	–	–	–	56	19	13	5	8	4	1	6	3	137	105	–	2	85	18
Balance of county	233	–	–	1	56	17	12	1	10	3	4	9	5	118	91	1	–	77	13
Decatur	60	–	–	–	7	3	–	1	1	–	–	2	5	32	22	–	–	21	1
Dickinson	255	–	–	2	60	12	17	9	6	1	2	13	9	138	110	1	5	83	21
Doniphan	98	–	–	1	19	4	9	1	2	–	1	2	1	62	46	–	–	36	10
Douglas	350	–	–	3	75	19	20	8	6	2	7	13	4	162	113	–	1	79	33
Lawrence	249	–	–	2	53	13	14	6	3	2	4	11	3	115	82	–	–	55	27
Balance of county	101	–	–	1	22	6	6	2	3	–	3	2	1	47	31	–	1	24	6
Edwards	63	–	–	–	8	3	–	2	1	1	–	1	3	40	34	–	1	30	3
Elk	53	–	–	–	7	1	5	1	–	–	–	–	–	35	22	–	1	18	3
Ellis	180	–	–	1	47	16	9	4	2	1	2	13	5	67	52	1	2	40	9
Hays	94	–	–	–	27	10	5	1	2	–	2	7	–	36	25	1	1	20	3
Balance of county	86	–	–	1	20	6	4	3	–	1	–	6	5	31	27	–	1	20	6
Ellsworth	111	–	–	–	24	7	7	2	3	1	1	3	7	52	40	1	–	27	12
Finney	156	–	–	3	31	14	4	1	4	1	1	6	2	79	58	–	–	55	3
Garden City	129	–	–	3	24	11	4	–	3	1	1	4	2	68	51	–	–	48	3
Balance of county	27	–	–	–	7	3	–	1	1	–	–	2	–	11	7	–	–	7	–
Ford	169	–	–	1	34	6	9	6	1	4	2	7	4	94	76	–	3	66	7
Dodge City	132	–	–	1	22	3	5	4	1	3	–	6	2	70	54	–	3	47	4
Balance of county	57	–	–	–	12	3	3	2	–	1	2	1	2	24	22	–	–	19	3
Franklin	256	–	–	3	51	15	11	3	8	2	1	11	5	127	92	1	–	77	14
Ottawa	143	–	–	1	27	6	7	3	2	1	1	7	3	73	56	1	–	48	7
Balance of county	113	–	–	2	24	9	4	–	6	1	–	4	2	54	36	–	–	29	7
Geary	197	–	–	1	32	11	9	2	4	1	1	4	3	93	74	–	2	50	22
Junction City	150	–	–	1	24	9	7	2	2	–	1	3	3	78	63	–	1	44	18
Balance of county	47	–	–	–	8	2	2	–	2	1	–	1	–	15	11	–	1	6	4
Gove	45	–	–	2	10	4	2	2	–	1	–	1	2	19	18	–	1	12	5
Graham	47	–	–	–	8	1	–	–	2	1	2	2	3	20	16	–	–	11	5
Grant	53	–	–	–	11	3	4	–	2	1	1	–	–	28	20	1	1	16	2
Gray	37	–	–	–	7	1	2	1	1	–	1	1	2	18	15	–	–	11	4
Greeley	17	–	–	–	2	1	–	–	1	–	–	–	–	11	11	–	–	10	1
Greenwood	136	–	–	–	28	7	9	3	3	2	–	4	3	82	65	–	–	52	13
Hamilton	28	–	–	–	8	3	3	1	–	–	–	1	2	14	12	–	–	10	2
Harper	119	–	–	1	26	7	6	3	3	2	2	3	1	60	46	–	1	39	6
Harvey	271	–	–	3	46	13	10	3	4	4	3	11	4	150	125	–	6	95	24
Newton	171	–	–	3	33	9	7	2	4	3	2	6	3	98	79	–	4	58	17
Balance of county	100	–	–	–	15	4	3	1	–	1	1	5	1	52	46	–	2	37	7
Haskell	30	–	–	–	2	–	1	–	1	–	–	–	1	14	13	–	–	12	1
Hodgeman	33	–	–	–	5	3	–	1	–	–	–	1	–	21	16	–	–	9	7
Jackson	118	–	–	1	24	4	8	2	4	1	–	5	5	56	34	–	–	27	7
Jefferson	176	–	–	1	28	5	6	1	5	3	1	5	5	95	67	–	1	49	17
Jewell	77	–	–	2	16	4	8	–	1	–	–	3	–	39	27	–	1	17	9
Johnson	1,630	–	–	11	373	98	102	39	36	18	18	72	23	771	601	7	26	431	137
Leawood	90	–	–	–	20	5	4	2	2	–	1	5	1	46	34	–	3	30	1
Lenexa	98	–	–	–	20	4	3	2	4	–	1	6	–	50	41	1	–	28	12
Merriam	65	–	–	1	10	1	4	1	1	–	1	2	–	34	22	–	2	12	8
Olathe	162	–	–	2	39	6	14	3	2	2	3	9	3	61	53	–	–	44	9
Overland Park	490	–	–	4	131	36	32	12	12	10	9	20	4	218	168	4	9	115	40
Prairie Village	160	–	–	–	32	5	7	7	4	1	–	8	1	94	70	–	4	49	17
Shawnee	119	–	–	–	27	9	6	5	1	1	1	4	4	56	44	–	1	29	14
Balance of county	428	–	–	4	94	21	32	7	10	4	2	18	10	212	169	2	7	124	36
Kearny	28	–	–	–	10	5	–	1	1	1	–	2	–	11	7	–	–	6	1
Kingman	100	–	–	2	18	5	2	2	4	–	–	5	3	51	38	–	–	33	5
Kiowa	30	–	–	–	7	1	2	–	2	–	1	1	2	13	8	–	–	6	2
Labette	269	–	–	2	46	16	12	3	5	2	3	5	1	151	123	–	1	94	28
Parsons	160	–	–	1	29	11	10	2	1	1	2	2	–	95	79	–	–	59	20
Balance of county	109	–	–	1	17	5	2	1	4	1	1	3	1	56	44	–	1	35	8
Lane	24	–	–	–	5	–	2	1	–	–	–	2	–	16	12	–	–	11	1
Leavenworth	453	–	–	2	91	17	29	11	5	4	4	21	18	225	174	3	3	125	43
Leavenworth	311	–	–	2	62	10	20	10	3	1	3	15	16	149	112	2	3	79	28
Balance of county	142	–	–	–	29	7	9	1	2	3	1	6	2	76	62	1	–	46	15
Lincoln	57	–	–	–	11	3	2	–	–	1	1	4	–	38	31	–	1	19	11
Linn	99	–	–	1	21	6	4	1	6	–	1	3	1	53	48	–	–	35	13
Logan	36	–	–	–	5	–	–	1	1	–	2	1	4	14	11	1	–	8	2
Lyon	311	–	–	2	69	20	20	3	9	4	4	9	2	159	116	1	6	80	29
Emporia	230	–	–	1	50	16	13	3	8	3	2	5	2	119	84	1	5	58	20
Balance of county	81	–	–	1	19	4	7	–	1	1	2	4	–	40	32	–	1	22	9
McPherson	258	–	–	2	46	13	5	9	8	3	2	6	5	145	102	–	2	90	10
McPherson	116	–	–	2	23	6	1	2	5	3	2	4	2	59	41	–	–	35	6
Balance of county	142	–	–	–	23	7	4	7	3	–	–	2	3	86	61	–	2	55	4
Marion	168	–	–	3	30	4	8	6	3	4	–	5	2	99	79	1	3	59	16
Marshall	193	–	–	2	38	14	6	4	4	3	2	5	4	110	88	–	1	76	11
Meade	69	–	–	–	16	5	1	2	2	–	2	4	3	33	24	–	–	19	5
Miami	216	–	–	1	39	13	10	3	3	1	2	7	2	110	88	1	1	76	10
Mitchell	118	–	–	–	24	9	7	3	2	1	–	2	1	66	45	1	1	33	10
Montgomery	491	–	–	4	83	21	26	6	9	5	2	14	6	266	195	–	2	157	36
Coffeyville	176	–	–	1	34	11	12	1	3	3	1	3	1	97	74	–	–	62	12
Independence	143	–	–	2	18	3	5	2	2	–	–	7	2	81	57	–	1	46	10
Balance of county	172	–	–	1	30	7	9	3	4	2	1	4	3	88	64	–	1	49	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	1	51	4	3	10	26	1	7	5	–	3	2	2	32	6	8	4	3	–
Pittsburg	1	28	2	1	4	14	1	3	2	–	2	–	2	18	1	3	4	2	–
Balance of county	–	23	2	2	6	12	–	4	3	–	1	2	–	14	5	5	–	1	–
Decatur	–	7	1	2	3	5	–	–	1	–	–	–	–	4	–	3	–	–	–
Dickinson	–	17	7	4	7	11	1	1	1	–	1	4	1	12	4	2	1	–	–
Doniphan	1	12	1	2	–	1	1	1	–	–	–	–	–	7	–	4	1	–	–
Douglas	1	41	5	2	13	9	–	5	1	–	1	9	16	27	8	8	3	3	1
Lawrence	–	28	4	1	11	9	–	3	1	–	1	8	12	18	2	5	3	2	1
Balance of county	1	13	1	1	2	–	–	2	–	–	–	1	6	9	6	3	–	1	–
Edwards	–	3	2	1	1	–	1	–	–	–	–	–	–	5	3	2	–	–	–
Elk	–	7	6	–	–	1	–	1	1	–	–	–	–	5	2	1	–	–	–
Ellis	–	14	1	–	6	13	–	1	–	–	2	5	–	20	5	4	4	–	–
Hays	–	10	1	–	3	5	–	–	–	–	2	5	–	11	3	–	2	–	–
Balance of county	–	4	–	–	3	8	–	1	–	–	–	–	–	9	2	4	2	–	–
Ellsworth	–	8	4	–	4	4	–	–	7	–	–	–	1	8	1	3	–	–	–
Finney	1	16	1	3	5	3	–	1	1	–	1	1	–	10	11	2	3	3	–
Garden City	1	12	1	3	4	2	–	1	1	–	1	1	–	8	9	–	2	3	–
Balance of county	–	4	–	–	1	1	–	–	–	–	–	–	–	2	2	2	1	–	–
Ford	1	12	2	3	4	4	1	6	6	–	4	3	–	15	4	4	4	1	–
Dodge City	1	10	2	3	3	4	1	4	2	–	2	3	–	7	3	4	3	1	–
Balance of county	–	2	–	–	1	–	–	2	4	–	2	–	–	8	1	–	1	–	–
Franklin	1	23	6	5	15	7	–	2	2	–	1	–	4	22	6	10	1	–	–
Ottawa	1	13	1	2	11	3	–	–	2	–	–	–	2	10	4	6	1	–	–
Balance of county	–	10	5	3	4	4	–	2	–	–	1	–	2	12	2	4	–	–	–
Geary	–	14	2	3	4	5	1	2	1	–	2	4	7	16	11	7	3	5	–
Junction City	–	11	2	2	4	4	1	2	1	–	2	4	3	11	3	3	2	4	–
Balance of county	–	3	–	1	–	1	–	–	–	–	–	–	4	5	8	4	1	1	–
Gove	–	1	–	–	2	5	–	–	–	–	–	–	2	2	–	1	–	–	–
Graham	–	4	–	–	2	2	–	–	1	–	1	–	–	8	2	–	–	–	–
Grant	–	7	1	–	–	–	–	1	1	–	1	–	–	4	3	2	2	–	–
Gray	–	3	–	–	4	–	–	–	–	–	–	1	2	1	2	–	–	–	–
Greeley	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–	–	–	–
Greenwood	–	13	1	3	5	1	–	–	1	–	–	1	–	10	1	4	–	–	–
Hamilton	–	2	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
Harper	–	11	3	–	4	8	1	–	1	–	–	1	5	7	1	2	1	–	–
Harvey	1	19	4	1	8	6	3	4	1	–	1	2	–	22	9	3	5	2	–
Newton	–	15	3	1	6	4	2	3	–	–	–	2	–	10	4	1	1	1	–
Balance of county	1	4	1	–	2	2	1	1	1	–	1	–	–	12	5	2	4	1	–
Haskell	–	1	–	–	2	5	–	1	–	–	–	–	1	1	2	1	–	–	–
Hodgeman	–	4	–	1	–	2	–	–	1	–	–	–	–	1	1	2	–	–	–
Jackson	–	13	9	–	2	3	2	1	1	–	1	2	1	10	6	2	1	–	–
Jefferson	–	18	9	1	4	5	–	1	5	–	–	–	–	18	7	5	2	–	–
Jewell	–	8	2	1	1	6	–	–	2	–	–	–	1	6	1	2	–	1	–
Johnson	11	125	13	21	47	63	7	17	14	–	18	15	20	134	37	37	35	7	1
Leawood	–	10	1	1	3	3	1	1	–	–	–	1	–	8	2	3	1	–	–
Lenexa	–	9	–	–	3	1	2	–	1	–	2	1	1	10	1	3	1	–	–
Merriam	1	8	1	4	2	3	1	2	1	–	–	1	–	4	1	3	2	–	–
Olathe	–	8	–	–	3	7	–	3	1	–	3	4	5	17	6	4	3	1	–
Overland Park	4	37	5	4	18	17	–	4	4	–	4	3	5	40	8	13	14	2	1
Prairie Village	1	13	3	7	7	11	–	3	–	–	2	–	2	16	3	2	7	–	–
Shawnee	2	8	1	1	3	4	–	2	1	–	2	1	–	12	1	4	1	1	–
Balance of county	3	34	2	4	8	17	3	2	6	–	5	4	7	27	15	5	6	3	–
Kearny	–	4	–	–	–	1	–	–	1	–	–	–	–	3	1	1	–	–	–
Kingman	1	10	1	1	4	2	1	2	–	–	2	–	1	5	6	2	1	–	–
Kiowa	–	2	2	1	1	–	–	–	–	–	–	1	–	4	1	1	–	–	–
Labette	–	20	5	3	10	9	1	–	3	–	2	2	1	24	8	5	4	–	–
Parsons	–	12	3	1	3	5	–	–	2	–	1	1	1	14	2	3	3	–	–
Balance of county	–	8	2	2	7	4	1	–	1	–	1	1	–	10	6	2	1	–	–
Lane	–	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Leavenworth	1	38	6	6	12	20	3	3	4	–	1	7	5	32	10	6	10	3	1
Leavenworth	1	26	4	6	10	17	1	2	4	–	1	6	3	22	3	4	7	1	1
Balance of county	–	12	2	–	2	3	2	1	–	–	–	1	2	10	7	2	3	2	–
Lincoln	–	6	1	–	–	1	–	–	–	–	–	–	–	3	1	2	1	–	–
Linn	–	2	3	–	2	3	–	–	2	–	–	–	1	8	5	1	–	1	–
Logan	–	2	1	–	–	4	–	–	1	–	1	–	1	4	–	1	1	–	–
Lyon	1	33	5	4	5	13	–	4	2	–	3	1	4	29	9	6	3	–	–
Emporia	1	26	4	4	3	13	–	3	1	–	2	1	3	19	5	6	2	–	–
Balance of county	–	7	1	–	2	–	–	1	1	–	1	–	1	10	4	–	1	–	–
McPherson	–	32	4	7	8	4	2	–	–	–	–	2	1	33	4	3	3	–	–
McPherson	–	11	2	5	6	2	–	–	–	–	–	1	1	16	1	–	3	–	–
Balance of county	–	21	2	2	2	2	2	–	–	–	–	1	–	17	3	3	–	–	–
Marion	–	17	1	1	5	2	–	1	3	–	1	–	–	14	2	4	3	–	–
Marshall	2	13	4	3	5	3	–	–	7	–	1	2	2	13	1	4	1	–	–
Meade	–	5	1	3	1	2	–	1	1	–	1	1	–	3	5	2	–	–	–
Miami	–	14	4	4	11	8	1	3	2	–	2	4	4	20	3	2	4	–	–
Mitchell	–	9	10	2	6	6	2	–	–	–	–	1	1	9	1	–	1	–	–
Montgomery	3	57	4	7	19	11	2	2	4	–	6	3	7	39	19	12	3	5	–
Coffeyville	1	17	2	3	8	3	–	1	2	–	2	1	2	12	6	6	–	–	–
Independence	1	19	1	3	7	2	2	1	1	–	2	–	2	12	4	1	2	3	–
Balance of county	1	21	1	1	4	6	–	–	1	–	2	2	3	15	9	5	1	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	77	–	–	1	15	5	2	2	4	1	1	–	2	43	30	–	–	22	6
Morton	26	–	–	–	4	2	1	1	–	–	–	–	1	9	7	–	1	6	–
Nemaha	118	–	–	1	18	8	4	1	1	–	–	4	1	69	48	–	1	36	11
Neosho	245	–	–	2	39	12	10	2	6	1	2	6	4	140	109	1	4	66	38
Chanute	152	–	–	1	20	10	2	1	2	–	1	4	4	86	60	1	4	45	10
Balance of county	93	–	–	1	19	2	8	1	4	1	1	2	–	54	49	–	–	21	28
Ness	66	–	–	–	13	2	1	2	3	–	2	3	3	23	15	–	–	8	7
Norton	93	–	–	1	16	4	3	2	4	1	1	1	2	49	37	2	–	32	3
Osage	167	–	–	1	35	8	10	2	6	2	1	6	3	94	50	–	–	39	11
Osborne	86	–	–	1	18	4	4	1	6	1	1	1	2	40	29	–	–	19	10
Ottawa	80	–	–	–	13	5	2	1	–	1	1	3	2	46	36	–	–	20	16
Pawnee	94	–	–	–	8	2	2	2	–	–	–	2	5	56	45	–	1	31	13
Phillips	91	–	–	2	25	10	5	1	4	–	2	3	1	46	38	–	–	32	6
Pottawatomie	121	–	–	–	20	8	6	–	3	1	1	1	2	61	43	1	–	40	2
Manhattan, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	120	–	–	–	20	8	6	–	3	1	1	1	2	61	43	1	–	40	2
Pratt	104	–	–	–	18	4	4	–	4	1	2	3	3	44	31	–	3	25	3
Rawlins	44	–	–	–	9	5	–	–	2	1	–	1	2	20	18	–	–	13	5
Reno	672	–	–	5	143	44	43	6	13	9	6	22	13	356	288	1	1	216	50
Hutchinson	486	–	–	3	110	33	37	5	10	8	3	14	10	252	191	1	–	159	31
Balance of county	186	–	–	2	33	11	6	1	3	1	3	8	3	104	77	–	1	57	19
Republic	136	–	–	2	27	5	6	2	4	3	1	6	1	77	57	–	1	51	5
Rice	146	–	–	1	30	7	8	3	4	5	1	2	3	74	50	1	2	37	10
Riley	244	–	–	2	48	13	13	3	7	3	3	6	–	117	86	–	1	70	15
Manhattan, part	165	–	–	1	36	8	9	2	6	2	3	6	–	81	59	–	1	46	12
Manhattan, total	166	–	–	1	36	8	9	2	6	2	3	6	–	81	59	–	1	46	12
Balance of county	79	–	–	1	12	5	4	1	1	1	–	–	–	36	27	–	–	24	3
Rooks	106	–	–	3	24	6	7	1	3	–	–	7	1	51	39	1	–	31	7
Rush	55	–	–	–	13	3	1	2	1	1	1	4	–	27	21	–	–	17	4
Russell	121	–	–	–	20	3	5	1	1	–	–	10	4	63	48	–	–	36	12
Saline	424	–	–	3	90	26	24	8	12	8	3	9	4	232	184	4	4	123	33
Salina	383	–	–	3	81	25	21	8	12	5	1	9	3	208	147	3	4	110	30
Balance of county	41	–	–	–	9	1	3	–	–	3	2	–	1	23	17	1	–	13	3
Scott	64	–	–	–	9	–	2	2	2	1	–	2	5	30	23	1	–	17	5
Sedgwick	2,773	2	–	30	638	152	174	64	74	33	23	118	47	1,271	944	11	28	675	230
Wichita	2,444	2	–	27	559	134	157	59	65	29	18	97	41	1,136	836	10	23	602	201
Balance of county	329	–	–	3	79	18	17	5	9	4	5	21	6	135	108	1	5	73	29
Seward	127	–	–	1	27	7	7	1	1	3	–	8	–	62	45	1	1	38	5
Liberal	118	–	–	1	26	7	7	–	1	3	–	8	–	57	40	–	–	35	5
Balance of county	9	–	–	–	1	–	–	1	–	–	–	–	–	5	5	1	1	3	–
Shawnee	1,322	–	1	10	311	88	79	30	37	17	14	46	19	637	487	2	24	337	124
Topeka	1,178	–	1	10	271	73	73	29	33	13	10	40	18	572	433	2	17	305	109
Balance of county	144	–	–	–	40	15	6	1	4	4	4	6	1	65	54	–	7	32	15
Sheridan	37	–	–	–	9	2	5	–	1	–	1	–	1	16	14	–	–	12	2
Sherman	60	–	–	–	6	3	1	–	1	–	1	–	–	29	23	–	–	14	9
Smith	77	–	–	2	14	6	1	1	1	2	–	3	–	51	36	1	1	26	8
Stafford	83	–	–	–	12	3	2	1	4	–	–	2	–	54	41	–	–	31	10
Stanton	24	–	–	–	6	3	1	2	–	–	–	–	1	11	6	–	1	5	–
Stevens	41	–	–	1	8	3	2	1	1	–	–	1	–	24	20	–	–	17	3
Sumner	314	–	–	4	68	20	23	1	6	5	1	12	2	154	118	–	1	81	36
Thomas	76	–	–	1	18	6	6	2	1	–	1	2	–	38	25	1	–	17	7
Trego	34	–	–	–	3	–	–	–	1	1	1	–	2	19	15	–	–	8	7
Wabaunsee	93	–	–	–	17	1	3	2	3	–	1	7	3	40	26	–	–	22	4
Wallace	18	–	–	–	4	–	1	–	–	–	–	3	1	5	3	–	–	1	2
Washington	106	–	–	1	17	2	3	2	4	1	2	3	7	45	38	1	1	33	3
Wichita	27	–	–	–	3	1	–	–	–	1	–	1	1	16	15	–	–	13	2
Wilson	147	–	–	2	32	9	9	2	7	1	–	4	2	72	60	–	5	45	10
Woodson	67	–	–	–	10	4	2	–	2	–	1	1	1	33	25	–	–	16	9
Wyandotte	1,677	2	–	20	353	83	125	24	39	11	13	58	25	726	571	4	20	406	141
Kansas City	1,570	2	–	19	328	80	120	21	31	10	12	54	23	671	529	4	16	378	131
Balance of county	107	–	–	1	25	3	5	3	8	1	1	4	2	55	42	–	4	28	10
Kentucky	32,990	41	2	261	7,190	1,781	2,222	552	809	286	269	1,261	586	16,338	12,610	55	345	8,919	3,291
Urban places	11,365	18	1	93	2,615	638	816	207	306	100	96	452	192	5,660	4,296	20	150	2,889	1,233
Balance of area	21,625	23	1	168	4,575	1,143	1,406	345	503	186	173	809	394	10,678	8,312	29	195	6,030	2,056
Metropolitan counties	13,997	17	1	122	3,294	825	1,015	270	364	127	118	575	263	6,752	5,177	29	194	3,522	1,432
Urban places	8,818	13	1	78	2,074	515	645	167	242	78	71	358	170	4,320	3,315	22	129	2,208	956
Balance of area	5,179	4	–	46	1,220	310	370	103	122	49	47	219	93	2,432	1,862	7	65	1,314	476
Nonmetropolitan counties	18,993	24	1	139	3,896	956	1,207	282	445	159	151	686	323	9,586	7,433	26	151	5,397	1,859
Urban places	2,547	5	–	17	541	123	171	40	64	22	25	96	22	1,340	983	4	21	681	277
Balance of area	16,446	19	1	122	3,355	833	1,036	242	381	147	126	590	301	8,246	6,450	22	130	4,716	1,582
Adair	159	1	–	–	28	7	6	3	2	1	1	8	4	83	65	–	1	47	17
Allen	157	1	–	1	46	16	18	–	3	2	1	6	1	73	54	–	4	34	16
Anderson	107	–	–	1	23	8	8	–	2	1	–	4	2	59	47	1	2	31	13
Ballard	123	–	–	1	32	8	12	4	5	1	–	2	1	56	40	–	1	33	6
Barren	391	–	–	2	70	20	23	5	5	5	2	10	3	219	162	2	20	89	51
Glasgow	189	–	–	2	40	11	11	4	3	2	2	7	2	106	72	2	9	40	21
Balance of county	202	–	–	–	30	9	12	1	2	3	–	3	1	113	90	–	11	49	30
Bath	109	–	–	1	18	3	5	1	2	–	1	6	2	61	52	–	–	27	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-789)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	1	8	1	3	2	2	–	–	–	–	1	1	–	6	1	3	–	–	–
Morton	–	2	–	–	1	1	1	1	–	–	–	–	–	3	3	2	–	–	–
Nemaha	1	17	2	1	5	3	1	–	1	–	–	–	4	7	3	4	1	–	–
Neosho	1	23	4	3	10	9	–	1	3	–	1	–	1	23	8	4	–	–	–
Chanute	1	18	4	3	8	8	–	–	2	–	1	–	–	14	6	2	–	–	–
Balance of county	–	5	–	–	2	1	–	1	1	–	–	–	1	9	2	2	–	–	–
Ness	1	7	–	–	–	4	–	–	2	–	1	–	–	11	6	2	1	–	–
Norton	–	10	2	–	4	8	–	–	–	–	–	–	–	7	2	3	1	–	–
Osage	–	24	17	3	3	9	–	3	–	–	–	1	1	9	2	4	1	–	1
Osborne	–	8	2	1	6	2	–	–	–	–	–	–	1	12	2	2	–	–	–
Ottawa	1	4	–	5	1	2	–	1	1	–	1	–	–	7	–	5	1	–	–
Pawnee	–	7	3	1	2	4	–	1	–	–	2	2	–	8	2	–	4	–	–
Phillips	–	6	–	2	6	1	–	–	3	–	1	–	1	2	1	2	–	–	–
Pottawatomie	–	14	4	–	5	4	–	2	2	–	1	4	–	8	5	7	–	–	–
Manhattan, part	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	14	4	–	5	4	–	1	2	–	1	4	–	8	5	7	–	–	–
Pratt	1	5	5	2	5	5	–	1	1	–	1	–	5	11	5	1	4	–	–
Rawlins	–	1	1	–	3	1	1	1	2	–	–	–	1	2	–	1	1	–	–
Reno	3	58	12	15	13	21	1	9	4	–	7	6	1	60	13	11	7	1	1
Hutchinson	3	42	7	9	9	13	1	8	2	–	6	5	–	43	7	8	7	1	1
Balance of county	–	16	5	6	4	8	–	1	2	–	1	1	1	17	6	3	–	–	–
Republic	–	12	6	2	6	6	1	–	1	–	–	–	2	6	4	2	1	–	–
Rice	–	18	4	2	7	1	–	1	4	–	–	1	2	18	1	2	1	–	–
Riley	–	21	6	4	15	9	–	2	3	–	1	2	1	18	8	12	3	3	–
Manhattan, part	–	15	4	3	10	7	–	2	1	–	1	1	1	13	4	3	2	2	–
Manhattan, total	–	15	4	3	10	7	–	3	1	–	1	1	1	13	4	3	2	2	–
Balance of county	–	6	2	1	5	2	–	–	2	–	–	1	–	5	4	9	1	1	–
Rooks	2	5	–	5	10	6	–	–	1	–	1	–	–	5	3	–	1	–	–
Rush	–	5	1	–	1	2	1	1	–	–	–	–	–	8	1	–	1	–	–
Russell	–	11	2	2	1	8	–	1	3	–	1	2	1	8	5	3	1	–	–
Saline	3	57	6	2	8	17	4	3	6	–	3	–	3	26	7	10	3	3	–
Salina	3	53	5	1	8	16	4	3	5	–	3	–	3	26	3	10	3	3	–
Balance of county	–	4	1	1	–	1	–	–	1	–	–	–	–	2	4	–	–	–	–
Scott	–	4	2	1	3	3	–	–	–	–	–	–	1	7	3	3	–	–	–
Sedgwick	12	248	32	35	61	90	11	38	32	2	31	34	18	226	73	73	48	40	8
Wichita	11	230	28	31	55	79	11	33	30	2	25	29	13	196	61	63	39	35	8
Balance of county	1	18	4	4	6	11	–	5	2	–	6	5	5	30	12	10	9	5	–
Seward	1	12	3	1	1	7	1	4	–	–	2	1	2	6	6	2	1	4	–
Liberal	1	12	3	1	1	6	1	4	–	–	2	1	1	5	6	2	1	4	–
Balance of county	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Shawnee	6	117	10	17	33	49	5	10	12	–	10	20	16	100	29	32	20	6	2
Topeka	6	110	9	14	29	41	5	8	11	–	8	20	15	90	25	28	18	6	1
Balance of county	–	7	1	3	4	8	–	2	1	–	2	–	1	10	4	4	1	–	1
Sheridan	–	2	–	–	4	1	1	1	1	–	–	–	–	2	1	–	–	–	–
Sherman	–	4	–	2	2	3	1	–	2	–	1	1	–	8	3	2	–	2	–
Smith	2	9	2	2	1	2	–	1	–	–	–	–	–	5	–	1	–	–	–
Stafford	1	9	2	1	1	4	–	1	1	–	–	1	–	3	2	2	2	–	–
Stanton	–	2	2	1	–	–	–	1	1	–	–	–	–	1	1	1	–	1	–
Stevens	–	2	2	–	2	–	–	–	–	–	–	–	–	1	3	1	–	1	–
Sumner	–	27	6	3	1	9	–	–	5	–	4	2	20	25	5	6	5	4	–
Thomas	–	9	4	–	1	5	–	–	–	1	–	–	–	6	3	3	–	–	–
Trego	–	2	1	1	–	–	–	–	2	–	–	–	–	3	–	2	2	1	–
Wabaunsee	1	10	1	2	3	6	–	2	1	–	1	–	–	10	6	2	1	1	–
Wallace	–	1	1	–	3	1	–	–	1	–	–	–	–	1	2	–	–	–	–
Washington	–	4	3	–	11	3	1	–	–	–	–	2	1	9	1	8	–	–	–
Wichita	–	1	–	–	–	2	–	1	1	–	–	–	–	2	–	–	–	1	–
Wilson	1	9	1	1	8	9	–	–	3	–	–	–	–	8	3	5	1	1	1
Woodson	–	4	4	–	1	5	–	–	1	–	–	1	–	9	5	–	1	–	–
Wyandotte	8	120	12	15	42	73	1	12	17	–	10	35	113	126	35	32	28	29	–
Kansas City	8	109	10	15	42	69	1	12	16	–	8	33	109	121	31	31	25	29	–
Balance of county	–	11	2	–	–	4	–	–	1	–	2	2	4	5	4	1	1	–	–
Kentucky	123	2,910	382	313	844	1,099	107	336	302	3	235	312	205	2,485	871	929	500	312	32
Urban places	47	1,055	150	110	270	381	38	132	92	1	70	113	66	901	169	282	154	113	10
Balance of area	76	1,855	232	203	574	718	69	204	210	2	165	199	139	1,584	708	647	346	199	22
Metropolitan counties	57	1,213	170	135	316	465	50	188	115	1	91	153	78	1,071	280	375	213	138	14
Urban places	34	775	111	85	206	293	33	117	71	1	54	92	45	699	121	217	116	89	10
Balance of area	23	438	59	50	110	172	17	71	44	–	37	61	33	372	159	158	97	49	4
Nonmetropolitan counties	66	1,697	212	178	528	634	57	148	187	2	144	159	127	1,414	591	554	287	174	18
Urban places	13	280	39	25	64	88	5	15	21	–	16	21	21	202	42	65	38	24	–
Balance of area	53	1,417	173	153	464	546	52	133	166	2	128	138	106	1,212	549	489	249	150	18
Adair	–	14	2	2	4	6	1	1	4	–	3	–	–	13	3	4	3	1	–
Allen	–	18	1	–	6	1	–	1	5	–	1	–	1	10	4	2	3	1	–
Anderson	1	8	2	1	3	4	–	–	2	–	–	–	1	4	2	2	–	2	2
Ballard	–	11	2	3	2	7	3	–	2	–	1	1	1	8	3	2	2	1	–
Barren	2	43	8	4	9	22	–	3	4	–	2	1	1	25	5	9	12	4	–
Glasgow	1	24	6	3	3	8	–	2	1	–	–	1	–	10	–	7	5	2	–
Balance of county	1	19	2	1	6	14	–	1	3	–	2	–	1	15	5	2	7	2	–
Bath	–	8	1	–	3	3	–	–	1	–	–	–	–	11	1	3	2	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Boll	349	–	–	1	66	12	30	8	5	–	–	11	2	194	150	–	2	95	53
Middlesborough	156	–	–	–	30	6	16	3	2	–	–	3	–	90	69	–	1	46	22
Balance of county	193	–	–	1	36	6	14	5	3	–	–	8	2	104	81	–	1	49	31
Boone	287	–	–	3	63	11	16	7	8	3	3	15	8	147	110	–	–	93	17
Florence	103	–	–	1	27	5	7	4	–	2	–	9	2	57	46	–	–	38	8
Balance of county	184	–	–	2	36	6	9	3	8	1	3	6	6	90	64	–	–	55	9
Bourbon	177	1	–	1	43	13	12	6	2	–	3	7	1	89	66	1	3	47	15
Boyd	544	–	–	5	117	31	39	7	17	5	3	15	12	297	245	2	7	174	62
Ashland	341	–	–	2	79	15	30	5	13	3	2	11	8	185	140	1	2	101	36
Balance of county	203	–	–	3	38	16	9	2	4	2	1	4	4	112	105	1	5	73	26
Boyle	219	–	–	–	45	11	16	2	3	1	1	11	4	115	90	–	–	65	25
Danville	131	–	–	–	29	7	8	2	–	1	1	10	3	71	54	–	–	35	19
Balance of county	88	–	–	–	16	4	8	–	3	–	–	1	1	44	36	–	–	30	6
Bracken	104	–	–	–	21	6	4	3	4	2	1	1	1	55	42	–	–	31	11
Breathitt	123	–	–	–	20	4	5	4	1	1	–	5	5	58	46	–	–	40	6
Breckinridge	188	–	–	–	36	11	11	2	3	2	–	7	6	105	82	–	2	60	20
Bullitt	161	–	–	2	44	6	14	4	3	3	2	12	6	77	62	1	1	41	19
Butler	106	–	–	2	22	4	8	1	3	3	1	2	2	43	32	–	–	27	5
Caldwell	196	–	–	–	35	12	5	3	1	1	2	11	4	110	79	1	–	56	12
Calloway	307	–	–	4	65	7	24	4	14	3	4	9	2	166	119	1	5	67	46
Murray	127	–	–	–	21	2	6	–	6	2	3	2	–	76	57	–	3	33	21
Balance of county	180	–	–	4	44	5	18	4	8	1	1	7	2	90	62	1	2	34	25
Campbell	825	1	–	3	202	62	59	11	23	7	4	36	22	423	289	–	12	218	59
Fort Thomas	177	–	–	–	52	16	13	5	3	–	3	12	3	87	56	–	1	42	13
Newport	241	1	–	2	55	16	18	1	9	2	1	8	8	130	92	–	–	75	17
Balance of county	407	–	–	1	95	30	28	5	11	5	–	16	11	206	141	–	11	101	29
Carlisle	63	–	–	–	15	4	5	1	2	–	1	2	1	32	25	–	–	13	12
Carroll	110	–	–	3	21	7	8	1	2	1	1	1	4	55	44	–	1	24	19
Carter	224	–	–	–	55	11	14	5	9	2	–	14	4	110	89	–	–	68	21
Casey	139	–	–	1	20	5	7	2	2	–	–	4	4	78	61	–	1	46	14
Christian	520	–	–	6	115	27	28	4	13	5	4	34	5	227	155	1	5	117	32
Hopkinsville	319	–	–	4	79	17	19	1	9	2	2	24	3	152	102	1	4	80	17
Balance of county	201	–	–	2	42	10	9	3	5	3	2	10	2	75	53	–	1	37	15
Clark	221	–	–	2	47	15	10	–	5	2	5	10	3	115	94	–	7	34	53
Winchester	147	–	–	1	34	12	4	–	4	2	4	8	3	76	62	–	6	25	31
Balance of county	74	–	–	1	13	3	6	–	1	–	1	2	–	39	32	–	1	9	22
Clay	152	–	–	1	37	9	17	2	1	1	2	5	1	56	41	–	–	28	13
Clinton	84	–	–	–	13	2	2	2	3	–	–	4	2	39	30	–	2	22	6
Crittenden	118	–	–	2	22	5	6	2	3	1	2	3	6	63	50	–	–	45	5
Cumberland	100	–	–	–	22	9	5	1	4	1	1	1	3	49	40	–	–	31	9
Daviess	746	1	–	5	151	35	54	9	12	3	7	31	15	384	272	2	10	202	58
Owensboro	546	–	–	4	113	26	43	5	10	3	4	22	13	281	195	2	9	145	39
Balance of county	200	1	–	1	38	9	11	4	2	–	3	9	2	103	77	–	1	57	19
Edmonson	101	–	–	1	21	5	8	–	3	1	–	4	1	55	42	–	–	31	11
Elliott	69	–	–	3	16	3	4	–	3	1	1	4	1	33	19	–	–	13	6
Estill	131	–	–	–	28	9	12	–	1	3	2	1	1	67	53	–	1	38	14
Fayette, coext. with Lexington-Fayette	1,440	2	–	19	299	61	89	27	37	5	13	67	27	683	557	6	18	329	204
Fleming	127	–	–	1	25	13	4	2	2	1	–	3	1	64	50	–	–	41	9
Floyd	423	–	–	2	70	15	20	4	7	3	2	19	16	193	141	1	1	105	34
Franklin	336	–	–	2	70	11	22	7	8	3	4	15	4	167	127	–	1	95	31
Frankfort	242	–	–	1	51	8	17	6	5	2	3	10	3	114	85	–	1	64	20
Balance of county	94	–	–	1	19	3	5	1	3	1	1	5	1	53	42	–	–	31	11
Fulton	149	1	–	1	39	10	15	–	6	4	1	3	1	78	56	–	–	42	14
Gallatin	45	–	–	1	7	2	2	–	1	1	1	–	–	23	17	–	–	13	4
Garrard	118	–	–	1	32	7	8	2	2	4	1	8	2	57	44	–	–	27	17
Grant	148	–	–	–	24	7	5	3	4	1	2	2	3	80	62	–	–	48	14
Graves	430	–	–	4	92	20	31	4	11	1	5	20	8	225	181	1	2	94	84
Mayfield	168	–	–	1	33	10	10	–	5	1	3	4	3	96	79	1	–	37	41
Balance of county	262	–	–	3	59	10	21	4	6	–	2	16	5	129	102	–	2	57	43
Grayson	188	1	–	2	42	13	15	2	3	2	1	6	1	101	83	–	1	58	24
Green	104	1	–	–	21	8	4	1	2	–	1	5	–	54	41	–	–	34	7
Greenup	317	–	–	4	69	26	26	3	5	2	1	6	9	152	116	–	–	67	49
Hancock	65	–	–	2	7	1	–	3	1	–	–	2	1	34	27	–	1	21	5
Hardin	485	–	–	7	86	25	15	12	8	6	4	16	5	195	149	–	5	109	35
Elizabethtown	136	–	–	3	33	10	8	5	3	–	2	5	1	56	35	–	3	27	5
Radcliff	59	–	–	2	13	5	4	1	–	1	–	2	–	23	22	–	–	14	8
Balance of county	270	–	–	2	40	10	3	6	5	5	2	9	4	116	92	–	2	68	22
Harlan	414	1	–	1	88	21	25	9	12	5	2	14	15	182	148	1	6	114	27
Harrison	201	–	–	1	44	9	18	3	3	–	1	10	4	105	88	–	–	53	15
Hart	173	–	–	–	37	6	16	2	4	–	1	8	1	87	66	–	–	42	24
Henderson	393	–	–	–	87	20	33	6	10	3	1	14	8	203	163	2	4	131	28
Henderson	282	–	–	–	63	18	23	4	5	3	1	9	6	152	119	1	1	96	21
Balance of county	111	–	–	–	24	2	10	2	5	–	–	5	2	51	44	1	3	35	5
Henry	135	–	–	–	17	5	4	–	2	3	1	2	1	88	64	1	3	48	12
Hickman	80	1	–	1	20	9	3	1	–	2	–	5	3	33	30	–	–	14	16
Hopkins	474	2	–	5	101	17	40	6	15	1	5	17	4	222	179	1	1	124	47
Madisonville	218	2	–	2	46	8	18	–	7	–	4	9	1	108	84	–	1	64	19
Balance of county	256	–	–	3	55	9	22	6	8	1	1	8	3	114	89	1	–	60	28
Jackson	112	–	–	–	21	6	5	–	3	2	2	3	6	53	42	1	1	28	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	1	31	8	4	4	9	1	3	–	–	1	1	4	35	10	13	4	1	–
Middlesborough	–	16	4	1	2	3	–	1	–	–	–	1	2	15	4	5	2	1	–
Balance of county	1	15	4	3	2	6	1	2	–	–	1	–	2	20	6	8	2	–	–
Boone	1	32	2	2	6	8	2	2	3	–	2	5	–	19	9	2	5	3	–
Florence	–	10	1	–	2	2	1	–	1	–	–	–	–	2	4	–	3	1	–
Balance of county	1	22	1	2	4	6	1	2	2	–	2	5	–	17	5	2	2	2	–
Bourbon	1	13	5	4	6	1	2	4	–	–	1	–	3	11	5	2	3	4	–
Boyd	–	42	7	3	9	15	2	4	5	–	1	3	3	39	10	14	5	2	1
Ashland	–	36	6	3	6	10	–	3	3	–	–	2	3	26	3	6	2	2	1
Balance of county	–	6	1	–	3	5	2	1	2	–	1	1	–	13	7	8	3	–	–
Boyle	1	20	2	2	7	7	–	2	2	–	2	5	1	15	7	4	1	2	–
Danville	1	15	1	–	3	5	–	2	2	–	1	–	1	7	1	4	1	1	–
Balance of county	–	5	1	2	4	2	–	–	–	–	1	5	–	8	6	–	–	1	–
Bracken	1	11	1	–	1	7	–	1	–	–	–	2	–	8	2	4	–	2	–
Breathitt	–	12	–	–	2	3	–	1	–	–	1	1	2	9	9	6	2	4	–
Breckinridge	–	18	4	1	3	8	1	–	1	–	–	–	1	19	4	1	–	2	–
Bullitt	1	13	–	1	2	9	2	2	2	–	2	2	2	14	5	4	4	2	–
Butler	–	10	–	1	4	6	–	2	3	–	1	–	1	13	1	3	3	–	–
Caldwell	2	21	1	7	6	4	2	2	5	–	–	2	3	9	7	6	–	1	–
Calloway	1	39	–	7	9	13	1	2	3	–	2	2	1	22	7	5	3	–	–
Murray	–	16	–	3	3	7	–	–	2	–	1	1	–	11	2	2	1	–	–
Balance of county	1	23	–	4	6	6	1	2	1	–	1	1	1	11	5	3	2	–	–
Campbell	4	114	6	10	12	32	1	11	2	–	4	7	3	59	13	22	4	2	2
Fort Thomas	–	28	–	3	3	8	–	3	1	–	1	2	–	7	1	6	2	1	–
Newport	2	31	4	1	4	5	–	1	–	–	1	2	1	21	4	5	–	–	1
Balance of county	2	55	2	6	5	19	1	7	1	–	2	3	2	31	8	11	2	1	1
Carlisle	–	5	1	1	3	1	–	1	–	–	–	–	–	3	1	5	1	–	–
Carroll	–	11	–	–	4	3	1	2	1	–	–	–	1	4	3	4	3	1	–
Carter	2	16	1	2	6	6	–	1	4	–	4	4	1	16	6	5	2	–	–
Casey	–	15	1	1	2	6	2	1	1	–	1	2	1	11	2	5	–	2	–
Christian	1	59	7	5	14	14	1	8	4	–	4	13	2	37	19	26	8	13	4
Hopkinsville	1	39	7	3	10	6	1	7	2	–	2	5	–	25	5	8	3	10	3
Balance of county	–	20	–	2	4	8	–	1	2	–	2	8	2	12	14	18	5	3	1
Clark	4	13	1	3	3	7	–	1	1	–	2	2	1	19	7	7	2	2	–
Winchester	2	9	1	2	2	5	–	1	1	–	2	1	1	13	2	4	1	–	–
Balance of county	2	4	–	1	1	2	–	–	–	–	–	1	–	6	5	3	1	2	–
Clay	–	11	3	1	5	4	–	1	2	–	3	2	1	14	12	10	3	–	–
Clinton	–	7	2	–	2	2	–	–	–	–	2	1	2	9	2	5	4	1	–
Crittenden	–	13	–	–	4	3	1	–	–	–	2	1	–	8	2	3	1	–	–
Cumberland	–	9	–	–	6	2	1	–	2	–	1	1	1	3	2	5	2	–	–
Daviess	1	84	19	8	16	28	5	6	4	–	2	8	6	59	17	19	17	5	–
Owensboro	1	65	14	6	14	22	5	4	3	–	2	4	5	40	11	9	12	4	–
Balance of county	–	19	5	2	2	4	–	2	1	–	–	4	1	19	6	10	5	1	–
Edmonson	–	10	1	2	2	3	–	1	–	–	1	–	–	6	4	5	–	1	–
Elliott	–	10	4	–	–	1	–	–	–	–	1	–	–	6	5	2	1	–	–
Estill	–	12	–	2	4	5	–	1	1	–	2	2	–	6	4	4	3	3	–
Fayette, coext. with Lexington-Fayette	6	97	8	15	35	48	6	20	11	–	9	20	5	132	35	34	32	20	3
Fleming	1	12	–	1	3	6	–	1	2	–	–	–	3	15	2	3	1	–	–
Floyd	1	40	6	5	7	17	1	8	7	–	6	3	5	27	17	27	8	9	–
Franklin	–	34	2	4	10	10	1	1	5	–	6	5	2	31	9	5	4	4	–
Frankfort	–	25	–	4	7	10	1	1	4	–	5	4	1	25	6	3	4	2	–
Balance of county	–	9	2	–	3	–	–	–	1	–	1	1	1	6	3	2	–	2	–
Fulton	1	14	3	4	–	3	1	–	2	–	–	1	–	10	2	4	4	2	–
Gallatin	1	4	1	–	–	1	–	1	–	–	–	–	–	7	4	1	–	–	–
Garrard	1	11	1	–	3	3	–	1	–	–	1	1	1	5	2	4	2	1	–
Grant	–	16	1	1	6	6	–	2	4	–	–	–	–	14	3	6	–	–	–
Graves	1	34	4	5	10	13	1	4	1	–	2	3	1	35	13	10	7	1	–
Mayfield	–	14	2	1	3	5	1	1	–	–	1	–	–	15	4	3	2	–	–
Balance of county	1	20	2	4	7	8	–	3	1	–	1	3	1	20	9	7	5	1	–
Grayson	1	15	1	1	4	4	1	–	1	–	3	1	1	12	4	5	5	–	–
Green	–	9	2	2	3	5	1	–	1	1	1	2	–	11	2	1	–	–	–
Greenup	3	29	2	2	4	16	1	5	1	–	5	5	1	20	7	10	6	2	–
Hancock	–	6	–	1	5	2	–	1	2	–	1	–	–	3	5	–	2	–	–
Hardin	3	41	1	1	24	13	2	10	–	–	6	16	3	39	25	17	10	7	–
Elizabethtown	2	18	1	–	10	5	–	–	–	–	–	2	1	14	2	4	5	–	–
Radcliff	–	1	–	–	2	1	–	1	–	–	1	4	1	4	2	3	2	–	–
Balance of county	1	22	–	1	12	7	2	9	–	–	5	10	1	21	21	10	3	7	–
Harlan	–	28	2	4	12	16	2	7	1	–	2	4	6	33	10	13	12	6	3
Harrison	1	25	11	–	2	7	–	1	2	–	1	1	3	10	8	8	3	1	–
Hart	2	18	–	1	7	10	–	1	4	–	–	1	1	10	5	3	5	1	–
Henderson	–	29	8	3	10	11	–	2	4	–	3	2	2	33	12	11	2	3	–
Henderson	–	23	7	3	6	7	–	1	3	–	3	2	1	23	5	8	1	1	–
Balance of county	–	6	1	–	4	4	–	1	1	–	–	–	1	10	7	3	1	2	–
Henry	1	18	3	2	4	3	–	3	1	–	1	1	1	6	4	2	2	1	–
Hickman	–	3	–	–	3	4	–	–	–	–	–	–	1	6	1	6	1	–	–
Hopkins	2	36	8	3	14	21	3	3	7	–	1	4	4	47	12	12	11	–	1
Madisonville	1	17	4	2	5	14	–	1	2	–	–	4	1	16	4	8	4	–	–
Balance of county	1	19	4	1	9	7	3	2	5	–	1	–	3	31	8	4	7	–	1
Jackson	–	8	–	3	6	3	–	2	2	–	1	1	3	7	3	2	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,426	10	1	54	1,618	415	499	146	172	68	53	265	118	3,018	2,341	10	98	1,558	675
Jeffersontown	87	-	-	-	28	6	9	3	4	-	1	5	1	39	32	-	3	21	8
Louisville	3,868	8	1	38	950	255	295	86	106	38	29	141	77	1,840	1,416	8	68	903	437
St. Matthews	189	-	-	-	43	6	13	3	8	6	3	4	6	103	84	-	5	57	22
Shively	164	-	-	-	43	9	13	7	5	-	1	8	-	82	67	-	2	42	23
Balance of county	2,118	2	-	16	554	139	169	47	49	24	19	107	34	954	742	2	20	535	185
Jessamine	191	-	-	4	38	7	13	8	7	1	1	3	3	89	72	-	-	40	32
Nicholasville	105	-	-	2	22	2	7	4	5	1	1	2	2	51	40	-	-	19	21
Balance of county	86	-	-	2	16	5	6	2	2	-	-	1	1	38	32	-	-	21	11
Johnson	237	-	1	1	32	6	10	1	4	4	1	6	2	126	94	-	-	75	19
Kenton	1,267	2	-	8	304	78	97	18	36	17	11	47	20	622	474	4	13	374	83
Covington	595	2	-	3	142	37	48	5	20	8	5	19	9	295	228	3	7	179	39
Erlanger	113	-	-	-	24	6	7	4	3	1	-	3	2	61	47	-	1	36	10
Balance of county	559	-	-	5	138	35	42	9	13	8	6	25	9	266	199	1	5	159	34
Knott	139	-	-	1	17	5	8	1	-	-	-	3	2	68	57	-	-	45	12
Knox	271	2	-	1	48	10	18	5	2	4	2	7	9	133	108	1	6	72	29
Larue	113	-	-	-	31	11	7	2	3	2	-	6	-	50	40	-	1	31	8
Laurel	290	-	-	3	60	13	15	6	3	2	1	20	7	123	95	-	3	62	30
Lawrence	169	-	-	-	36	10	10	4	5	-	2	5	3	76	67	1	-	35	31
Lee	95	1	-	1	24	4	10	1	5	1	1	2	-	44	36	-	2	25	9
Leslie	89	1	-	-	18	3	9	-	-	1	1	4	2	40	32	-	-	24	8
Letcher	295	-	-	4	59	12	22	3	12	3	3	4	3	139	120	-	8	88	24
Lewis	126	-	-	1	21	10	5	1	3	-	-	2	1	73	62	-	-	46	16
Lincoln	197	1	-	7	33	7	8	1	8	-	2	7	1	100	81	1	1	52	27
Livingston	101	-	-	-	27	6	6	2	5	-	3	5	3	48	30	-	-	25	5
Logan	250	-	-	1	50	12	18	5	7	-	5	3	1	140	100	-	4	76	20
Lyon	64	-	-	-	15	4	3	3	2	1	-	2	1	32	27	-	1	19	7
McCracken	664	1	-	2	151	33	43	9	20	10	6	30	3	367	275	-	5	205	65
Paducah	442	1	-	2	96	19	28	7	15	6	3	18	3	243	182	-	-	142	40
Balance of county	222	-	-	-	55	14	15	2	5	4	3	12	-	124	93	-	5	63	25
McCreary	159	-	-	3	37	4	12	3	5	1	-	12	4	75	56	-	2	35	19
McLean	109	-	-	2	29	7	11	-	2	2	1	6	3	49	37	-	-	32	5
Madison	341	2	-	6	75	18	25	8	9	3	3	9	7	175	134	2	1	103	28
Richmond	141	1	-	2	36	9	11	4	7	1	2	2	3	68	49	-	-	37	12
Balance of county	200	1	-	4	39	9	14	4	2	2	1	7	4	107	85	2	1	66	16
Magoffin	101	-	-	1	16	4	6	-	3	1	-	2	1	49	41	-	-	27	14
Marion	134	-	-	1	24	12	3	3	1	2	-	3	6	76	69	-	6	54	9
Marshall	286	-	-	-	55	9	18	7	6	5	1	9	3	167	132	1	-	112	19
Martin	86	1	-	-	10	1	4	-	-	-	-	5	-	37	29	-	-	10	19
Mason	214	-	-	2	45	12	15	5	7	1	2	3	1	121	99	-	1	74	24
Meade	120	-	-	2	30	8	4	5	1	1	3	8	6	53	46	-	1	36	9
Menifee	58	-	-	2	13	4	4	-	2	1	-	2	1	23	19	-	-	11	8
Mercer	176	-	-	1	45	7	17	2	4	1	3	11	-	61	62	-	-	48	14
Metcalfe	93	-	-	-	16	7	3	1	2	1	1	1	-	54	45	-	-	31	14
Monroe	138	-	-	1	14	4	6	-	2	1	-	1	2	75	52	-	4	36	10
Montgomery	172	-	-	4	36	10	11	2	3	2	2	6	3	84	68	-	2	50	16
Morgan	99	-	-	-	26	5	5	-	10	1	2	3	2	45	38	-	-	22	16
Muhlenberg	359	-	-	1	69	19	16	6	8	4	1	15	13	176	127	-	4	97	26
Nelson	229	-	-	1	33	13	10	2	1	1	2	4	4	117	91	1	1	82	7
Nicholas	61	-	-	1	9	2	2	1	-	-	-	4	1	37	28	-	2	21	3
Ohio	225	-	-	1	38	10	14	5	1	1	-	7	11	111	93	1	1	80	11
Oldham	143	-	-	3	29	5	8	3	4	-	4	5	2	74	55	-	9	35	11
Owen	109	-	-	2	21	8	5	1	4	-	-	3	2	58	39	-	2	32	5
Owsley	56	-	-	-	12	4	6	-	1	-	1	-	1	32	26	-	1	19	6
Pendleton	125	-	-	2	20	9	8	-	1	1	1	-	3	69	55	1	1	40	13
Perry	313	-	-	7	79	14	28	4	8	9	2	14	6	124	112	1	-	87	24
Pike	663	1	-	3	134	31	45	12	12	6	6	22	15	311	242	-	3	200	39
Powell	90	1	-	1	20	7	7	-	2	-	1	3	4	37	31	-	-	22	9
Pulaski	438	-	-	3	87	22	26	10	8	3	4	14	6	255	193	-	1	151	41
Somerset	150	-	-	2	17	4	2	3	1	1	-	6	-	92	66	-	1	49	16
Balance of county	288	-	-	1	70	18	24	7	7	2	4	8	6	163	127	-	-	102	25
Robertson	19	-	-	-	3	1	2	-	-	-	-	-	-	13	9	-	-	8	1
Rockcastle	149	-	-	2	28	7	6	1	3	1	2	8	3	79	60	-	-	34	26
Rowan	141	-	-	1	31	7	8	3	5	-	-	8	3	77	62	-	2	46	14
Russell	133	-	-	2	33	9	12	3	1	1	2	5	2	82	47	-	1	25	21
Scott	187	-	-	1	43	9	13	7	5	3	1	5	2	83	64	-	6	42	16
Georgetown	101	-	-	-	27	8	7	3	2	2	1	4	-	46	32	-	2	20	10
Balance of county	86	-	-	1	16	1	6	4	3	1	-	1	2	37	32	-	4	22	6
Shelby	209	2	-	-	57	13	21	3	7	3	2	8	1	109	74	-	1	63	10
Simpson	140	1	-	1	38	11	8	6	4	2	1	6	1	67	51	-	-	37	14
Spencer	53	-	-	1	12	1	3	-	1	-	2	5	1	25	20	-	1	12	7
Taylor	177	-	-	-	41	10	9	3	7	-	3	9	1	90	71	-	-	62	9
Todd	118	-	-	-	24	4	5	2	4	2	4	3	3	61	46	-	-	33	13
Trigg	112	-	-	-	19	6	4	3	1	-	1	4	1	74	63	-	2	45	16
Trimble	49	-	-	-	6	1	-	3	1	-	-	1	-	32	26	-	-	21	5
Union	155	-	-	-	41	12	12	2	9	-	-	6	5	85	53	1	-	44	8
Warren	576	1	-	-	134	33	43	7	15	5	4	27	3	292	196	1	3	145	47
Bowling Green	388	1	-	-	96	24	32	5	10	5	2	18	3	197	129	1	2	93	33
Balance of county	188	-	-	-	38	9	11	2	5	-	2	9	-	95	67	-	1	52	14
Washington	99	-	-	-	18	2	9	2	2	-	-	3	-	57	48	-	2	34	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Jefferson	29	508	80	60	150	227	18	103	68	1	39	63	37	483	100	167	88	62	3
Jeffersontown	–	6	–	1	1	1	–	1	–	–	–	1	–	10	1	2	1	1	–
Louisville	17	324	50	33	91	138	13	59	36	1	21	39	25	295	40	105	45	44	2
St. Matthews	–	14	2	3	3	8	–	3	3	–	–	1	–	17	–	2	–	–	–
Shively	2	9	3	1	6	5	–	4	1	–	–	–	–	14	3	3	1	2	–
Balance of county	10	155	25	22	48	75	5	36	26	–	16	22	12	147	56	55	41	15	1
Jessamine	–	14	–	3	7	3	1	1	1	–	1	3	–	19	9	6	2	4	–
Nicholasville	–	8	–	3	5	1	1	1	–	–	1	2	–	10	2	4	–	1	–
Balance of county	–	6	–	–	2	2	–	–	1	–	–	1	–	9	7	2	2	3	–
Johnson	1	22	5	4	5	16	1	4	2	–	–	4	1	27	6	5	3	1	–
Kenton	5	114	18	11	29	36	7	15	8	–	13	13	8	87	16	34	26	8	1
Covington	3	53	7	4	13	17	6	7	5	–	8	7	2	55	2	11	10	1	–
Erlanger	–	10	–	4	2	4	–	1	1	–	2	1	1	5	2	4	2	1	–
Balance of county	2	51	11	3	14	15	1	7	2	–	3	5	5	37	12	19	14	6	1
Knott	–	7	1	1	6	1	–	2	1	–	2	1	3	14	6	6	4	3	–
Knox	1	22	–	2	4	17	–	4	3	–	1	–	–	23	12	9	3	2	–
Larue	2	5	1	2	5	5	–	–	1	–	–	1	1	10	2	4	3	–	–
Laurel	–	24	2	2	8	16	1	2	8	–	4	1	1	20	14	10	7	4	1
Lawrence	–	5	1	3	3	12	1	–	2	–	3	2	–	15	6	4	4	2	–
Lee	–	8	–	–	2	1	–	–	1	–	3	1	2	5	5	3	–	2	–
Leslie	–	7	1	–	2	2	–	–	–	–	1	1	–	6	5	7	3	1	–
Letcher	–	16	1	2	11	9	–	4	1	–	3	2	2	27	9	10	4	8	–
Lewis	–	6	3	2	5	3	1	–	1	–	1	2	1	10	3	–	2	1	–
Lincoln	1	14	1	3	18	4	–	–	1	–	–	1	1	12	3	8	4	3	–
Livingston	–	17	–	1	4	1	2	–	–	–	–	1	–	4	5	2	4	–	–
Logan	–	34	5	1	4	11	2	1	1	–	1	–	–	20	7	7	1	3	–
Lyon	–	3	1	1	2	3	–	1	–	–	–	–	–	7	–	2	–	1	–
McCracken	3	68	12	9	17	15	2	6	3	–	1	5	4	47	11	12	11	6	–
Paducah	3	44	7	7	14	9	1	3	2	–	1	2	3	34	6	9	7	6	–
Balance of county	–	24	5	2	3	6	1	3	1	–	–	3	1	13	5	3	4	–	–
McCreary	1	12	5	1	1	6	1	2	3	–	1	2	2	10	3	6	1	1	1
McLean	–	11	–	1	7	3	–	1	–	–	1	–	1	7	3	1	2	–	–
Madison	–	32	7	2	3	14	1	2	6	–	3	1	3	23	4	10	2	4	–
Richmond	–	16	3	–	1	3	–	–	3	–	1	–	3	11	1	3	2	3	–
Balance of county	–	16	4	2	2	11	1	2	3	–	2	1	–	12	3	7	–	1	–
Magoffin	–	7	–	1	1	3	–	2	–	–	4	–	–	6	5	6	–	6	1
Marion	–	6	–	1	5	2	–	1	–	–	2	–	–	5	2	8	2	–	–
Marshall	1	30	2	2	2	9	1	–	3	–	1	3	1	18	7	6	5	4	1
Martin	1	5	1	1	2	5	–	2	1	–	–	–	1	12	8	5	–	1	1
Mason	1	16	1	4	6	9	–	4	2	–	1	2	1	11	3	4	2	–	–
Meade	–	5	1	1	2	7	1	–	3	–	1	–	–	8	4	2	2	1	–
Menifee	1	2	–	1	3	–	–	–	–	–	–	1	–	2	7	–	1	–	–
Mercer	–	14	1	4	8	5	–	1	2	–	4	–	–	15	6	4	4	–	–
Metcalfe	–	8	1	–	2	1	2	–	1	–	3	–	–	10	–	2	2	–	–
Monroe	1	14	4	4	10	2	–	–	2	–	1	–	2	11	5	9	2	1	1
Montgomery	1	12	2	1	5	4	1	1	5	–	3	1	2	11	4	5	3	–	–
Morgan	–	6	–	1	2	6	–	–	2	–	1	1	2	5	3	2	–	1	1
Muhlenberg	2	43	3	1	15	12	–	2	1	–	2	6	1	34	11	9	3	2	2
Nelson	2	18	4	2	8	5	–	2	1	–	2	2	–	25	15	8	4	2	–
Nicholas	–	9	1	1	–	1	–	–	3	–	–	–	–	2	–	7	–	–	–
Ohio	1	15	2	–	12	7	–	2	2	–	–	2	2	18	3	7	2	1	–
Oldham	–	14	3	2	3	2	–	1	–	–	1	2	2	10	6	3	3	2	–
Owen	1	15	–	1	1	1	–	–	–	–	1	2	1	10	5	5	1	1	–
Owsley	–	5	1	–	1	2	–	–	–	–	–	–	–	5	–	1	–	1	1
Pendleton	–	9	3	2	7	2	–	2	–	–	–	2	–	6	3	7	2	–	–
Perry	–	10	2	–	7	20	1	–	3	–	2	2	3	20	13	12	4	10	–
Pike	3	54	7	5	15	28	1	5	4	–	3	8	4	54	36	17	14	10	–
Powell	–	4	1	1	3	2	–	2	2	1	–	1	1	9	3	1	–	2	–
Pulaski	3	46	9	4	5	13	2	1	2	–	2	2	3	30	9	11	4	2	1
Somerset	1	17	7	1	3	8	–	–	2	–	1	–	1	15	1	7	1	–	–
Balance of county	2	29	2	3	2	5	2	1	–	–	1	2	2	15	8	4	3	2	1
Robertson	–	2	2	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Rockcastle	–	16	1	2	10	3	–	2	2	–	1	–	–	10	2	4	1	2	–
Rowan	–	13	1	1	7	4	–	2	1	–	–	2	4	4	3	–	2	–	–
Russell	1	13	1	–	3	3	1	1	1	–	–	–	2	10	3	6	2	2	–
Scott	–	17	2	–	8	8	2	2	1	–	2	4	2	9	6	10	3	1	–
Georgetown	–	13	1	–	3	6	–	1	–	–	2	3	1	4	1	6	1	–	–
Balance of county	–	4	1	–	5	2	2	1	1	–	–	1	1	5	5	4	2	1	–
Shelby	–	26	8	1	11	1	1	2	–	–	–	4	–	15	2	–	4	–	–
Simpson	–	16	–	–	1	4	–	–	5	–	2	3	1	7	6	1	2	–	–
Spencer	–	5	–	–	1	1	–	–	1	–	1	–	–	4	4	2	–	–	–
Taylor	–	16	–	3	7	3	1	1	3	–	–	1	1	11	5	6	5	1	–
Todd	–	13	1	1	1	5	–	1	2	–	2	–	1	7	3	3	3	2	–
Trigg	1	8	–	1	–	2	1	1	3	–	–	2	–	3	4	1	1	–	–
Trimble	–	5	–	1	1	1	–	–	–	–	–	–	–	2	4	2	–	1	–
Union	1	7	1	3	3	4	–	3	1	–	2	–	1	11	8	8	3	–	–
Warren	7	76	5	8	15	12	2	3	5	–	8	4	7	41	17	17	6	3	–
Bowling Green	4	57	4	3	8	10	2	3	3	–	4	2	7	25	9	7	2	3	–
Balance of county	3	19	1	5	7	2	–	–	2	–	4	2	–	16	8	10	4	–	–
Washington	1	8	–	–	3	3	–	1	–	–	–	2	1	8	5	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	135	–	–	2	38	8	11	–	4	1	3	11	4	69	53	1	6	27	19
Webster	166	–	–	1	40	11	14	1	8	–	2	4	5	94	80	1	3	56	20
Whitley	295	–	–	3	57	14	18	4	7	2	3	9	4	162	136	–	2	109	25
Wolfe	83	–	–	2	21	6	4	1	4	3	1	2	–	37	29	1	–	21	7
Woodford	132	–	–	2	25	4	5	6	5	–	2	3	2	69	42	–	1	20	21
Louisiana	35,776	59	2	465	7,366	1,750	2,231	554	749	277	275	1,530	780	17,135	13,029	53	864	8,759	3,553
Urban places	17,552	40	2	268	3,605	934	1,015	293	371	123	121	748	390	8,409	6,458	32	418	4,187	1,821
Balance of area	18,224	19	–	197	3,761	816	1,216	261	378	154	154	782	390	8,726	6,571	21	246	4,572	1,732
Metropolitan parishes	22,039	41	2	307	4,666	1,106	1,393	365	474	182	163	983	481	10,428	8,129	39	488	5,346	2,256
Urban places	14,791	34	2	222	3,111	813	880	250	317	111	102	638	326	7,074	5,521	29	375	3,537	1,580
Balance of area	7,248	7	–	85	1,555	293	513	115	157	71	61	345	155	3,354	2,608	10	113	1,809	676
Nonmetropolitan parishes	13,737	18	–	158	2,700	644	838	189	275	95	112	547	299	6,707	4,900	14	176	3,413	1,297
Urban places	2,761	6	–	46	494	121	135	43	54	12	19	110	64	1,335	937	3	43	650	241
Balance of area	10,976	12	–	112	2,206	523	703	146	221	83	93	437	235	5,372	3,963	11	133	2,763	1,056
Acadia	505	1	–	5	105	29	32	7	9	4	5	19	10	246	174	1	3	142	28
Crowley	173	1	–	2	36	8	9	5	3	3	1	7	6	84	58	–	1	43	14
Eunice, part	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	5	–
Balance of parish	327	–	–	3	69	21	23	2	6	1	4	12	4	157	111	1	2	94	14
Allen	235	1	–	2	41	6	14	2	2	2	3	12	6	138	106	–	–	89	17
Ascension	337	1	–	5	71	16	29	3	9	2	1	11	4	154	120	–	8	90	22
Assumption	202	1	–	3	37	9	14	–	6	2	–	6	2	106	83	–	6	56	21
Avoyelles	447	1	–	3	81	19	28	7	6	3	5	13	14	252	199	–	–	165	34
Beauregard	226	–	–	2	41	7	13	3	7	2	3	6	6	111	82	–	1	61	20
De Ridder, part	86	–	–	1	14	2	5	–	2	–	1	4	2	35	26	–	–	18	8
De Ridder, total	88	–	–	1	14	2	5	–	2	–	1	4	2	37	26	–	–	18	8
Balance of parish	140	–	–	1	27	5	8	3	5	2	2	2	4	76	56	–	1	43	12
Bienville	194	–	–	1	40	6	13	2	3	3	1	12	1	90	75	–	1	38	36
Bossier	515	1	–	10	105	23	30	10	15	5	3	19	7	235	186	–	2	137	47
Bossier City	294	1	–	7	57	15	17	8	5	1	2	9	5	143	116	–	1	87	28
Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	221	–	–	3	48	8	13	2	10	4	1	10	2	92	70	–	1	50	19
Caddo	2,520	6	–	27	564	135	149	39	77	29	16	119	27	1,222	990	3	28	647	312
Shreveport, part	2,172	5	–	24	498	120	134	36	60	25	15	108	21	1,050	850	3	25	549	273
Shreveport, total	2,172	5	–	24	498	120	134	36	60	25	15	108	21	1,050	850	3	25	549	273
Balance of parish	348	1	–	3	66	15	15	3	17	4	1	11	6	172	140	–	3	98	39
Calcasieu	1,283	1	–	18	269	48	101	18	30	7	15	50	22	587	446	–	12	321	113
Lake Charles	641	1	–	10	147	29	51	9	16	6	7	29	12	303	229	–	8	153	68
Sulphur	157	–	–	5	31	5	15	1	6	1	1	2	3	83	65	–	1	51	13
Balance of parish	485	–	–	3	91	14	35	8	8	–	7	19	7	201	152	–	3	117	32
Caldwell	111	–	–	–	12	2	5	1	2	–	–	2	4	68	51	–	–	44	7
Cameron	61	–	–	–	14	3	5	–	1	1	2	2	2	27	20	–	–	14	6
Catahoula	99	–	–	1	17	4	7	1	1	1	–	3	–	48	37	–	2	22	13
Claiborne	232	–	–	2	44	12	18	4	1	1	1	7	2	129	105	–	–	92	13
Concordia	202	–	–	–	34	8	12	2	2	4	1	7	–	113	70	–	3	43	24
De Soto	260	1	–	3	47	11	17	3	5	2	3	6	4	145	93	–	2	61	30
East Baton Rouge	2,432	1	–	26	516	141	154	36	44	17	15	109	49	1,160	913	3	101	657	152
Baker	90	–	–	1	17	3	3	–	2	1	1	7	2	44	32	–	6	22	4
Baton Rouge	1,958	–	–	20	420	123	125	30	34	11	11	86	36	936	733	3	85	519	126
Balance of parish	384	1	–	5	79	15	26	6	8	5	3	16	9	180	148	–	10	118	22
East Carroll	122	–	–	1	14	4	2	–	2	2	–	4	4	69	35	–	3	21	11
East Feliciana	182	–	–	1	29	9	8	–	3	1	–	8	5	105	74	–	2	62	10
Evangeline	327	1	–	7	64	10	28	1	11	1	4	9	7	156	121	–	1	81	39
Franklin	241	–	–	3	50	11	16	4	4	1	2	12	4	117	81	–	–	71	10
Grant	192	–	–	8	39	8	12	2	3	6	–	8	7	92	69	–	5	47	17
Iberia	515	2	–	4	95	20	31	7	8	3	2	24	8	244	160	1	9	95	55
New Iberia	286	2	–	1	51	8	18	2	6	1	–	16	4	131	80	1	7	48	24
Balance of parish	229	–	–	3	44	12	13	5	2	2	2	8	4	113	80	–	2	47	31
Iberville	340	–	–	5	54	16	12	3	8	6	1	8	12	165	122	–	20	72	30
Jackson	189	1	–	1	34	7	4	3	3	1	5	11	3	98	69	–	2	48	19
Jefferson	3,166	5	–	42	716	146	234	53	71	34	24	154	73	1,436	1,113	9	52	757	285
Gretna	372	–	–	5	81	22	24	8	8	5	3	13	9	176	140	–	7	101	32
Harahan	66	–	–	–	18	6	6	1	1	2	–	2	1	36	28	–	1	18	9
Kenner	288	1	–	7	69	13	21	7	9	2	1	16	9	119	94	–	6	68	20
Westwego	148	–	–	3	31	9	11	2	2	–	1	6	3	63	51	1	1	32	17
Balance of parish	2,292	4	–	27	517	96	172	37	51	25	19	117	51	1,042	800	8	37	548	207
Jefferson Davis	259	–	–	3	60	16	15	3	5	1	4	16	10	127	86	–	2	54	30
Jennings	107	–	–	2	22	5	7	2	2	–	1	5	2	54	35	–	–	26	9
Balance of parish	152	–	–	1	38	11	8	1	3	1	3	11	8	73	51	–	2	28	21
Lafayette	951	2	–	12	222	61	71	14	20	4	5	47	18	416	318	1	12	209	96
Lafayette	627	2	–	8	151	48	41	9	15	3	5	30	9	286	211	–	9	140	62
Balance of parish	324	–	–	4	71	13	30	5	5	1	–	17	9	130	107	1	3	69	34
Lafourche	642	1	–	3	115	32	30	5	8	4	5	33	18	310	233	–	5	146	82
Thibodaux	177	–	–	1	28	9	6	2	2	–	3	6	2	98	71	–	3	48	20
Balance of parish	465	1	–	2	87	23	24	3	4	4	2	27	16	214	162	–	2	98	62
La Salle	176	–	–	4	44	12	14	2	2	4	–	10	1	88	63	–	–	49	14
Lincoln	281	–	–	4	66	15	16	10	7	1	2	15	6	126	99	–	8	66	25
Ruston	139	–	–	2	32	7	4	6	3	–	1	11	3	63	50	–	5	35	10
Balance of parish	142	–	–	2	34	8	12	4	4	1	1	4	3	63	49	–	3	31	15
Livingston	362	–	–	3	70	8	23	3	7	1	6	22	7	162	114	–	4	83	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	–	12	4	–	1	6	–	–	–	–	–	–	–	9	3	1	3	–	–
Webster	–	11	1	2	3	3	3	–	2	–	3	1	2	15	7	5	2	–	–
Whitley	1	22	3	–	6	5	–	1	3	–	3	5	2	23	8	5	3	4	1
Wolfe	–	6	1	1	–	4	–	1	–	–	1	3	–	6	4	2	1	1	–
Woodford	1	21	2	3	2	2	–	1	2	–	–	1	1	11	4	4	3	3	–
Louisiana	125	2,954	732	295	692	816	94	365	490	7	310	529	353	2,713	1,100	1,193	550	734	23
Urban places	69	1,431	301	150	367	411	45	201	235	2	136	290	142	1,389	379	518	256	463	4
Balance of area	56	1,523	431	145	325	405	49	164	255	5	174	239	211	1,324	721	675	294	271	19
Metropolitan parishes	68	1,765	285	181	413	501	62	263	266	3	187	340	214	1,709	530	697	372	542	15
Urban places	50	1,191	182	130	292	335	37	178	179	2	115	241	127	1,180	282	428	220	405	1
Balance of area	18	574	103	51	121	166	25	85	87	1	72	99	87	529	248	269	152	137	14
Nonmetropolitan parishes	57	1,189	447	114	279	315	32	102	224	4	123	169	139	1,004	570	496	178	192	8
Urban places	19	240	119	20	75	76	8	23	56	–	21	49	15	209	97	90	36	58	3
Balance of area	38	949	328	94	204	239	24	79	168	4	102	140	124	795	473	406	142	134	5
Acadia	3	46	18	5	11	11	2	2	9	–	5	5	1	46	16	11	11	8	–
Crowley	–	17	7	2	6	4	1	1	6	–	1	2	–	14	3	–	2	4	–
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	3	29	11	3	5	7	1	1	3	–	4	3	1	32	13	11	9	4	–
Allen	–	27	3	2	9	4	1	2	–	–	1	1	–	13	6	6	2	2	–
Ascension	3	21	7	3	6	11	1	2	2	–	3	7	3	23	17	12	6	9	–
Assumption	2	14	3	4	4	2	1	2	3	–	4	1	1	9	9	10	5	2	–
Avoyelles	1	26	22	4	9	7	–	3	6	–	1	5	1	29	15	13	5	2	–
Beauregard	2	14	11	2	9	6	–	1	3	–	2	3	2	15	11	6	3	5	–
De Ridder, part	1	4	4	–	5	5	–	–	3	–	1	3	2	7	3	3	–	2	–
De Ridder, total	1	6	4	–	5	5	–	–	3	–	1	3	2	7	3	3	–	2	–
Balance of parish	1	10	7	2	4	1	–	1	–	–	1	–	–	8	8	3	3	3	–
Bienville	1	9	3	2	5	5	–	–	1	–	1	1	9	19	11	8	1	1	–
Bossier	1	39	6	3	11	14	1	5	5	–	4	4	21	36	24	16	10	6	–
Bossier City	1	21	3	2	5	7	–	3	2	–	3	3	12	20	7	10	6	3	–
Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	18	3	1	6	7	1	2	3	–	1	1	9	16	17	8	4	3	–
Caddo	3	202	6	21	63	51	13	30	37	–	16	40	37	178	63	64	37	45	–
Shreveport, part	3	171	6	20	54	42	12	25	30	–	14	34	31	150	52	58	33	39	–
Shreveport, total	3	171	6	20	54	42	12	25	30	–	14	34	31	150	52	58	33	39	–
Balance of parish	–	31	–	1	9	9	1	5	7	–	2	6	6	28	11	6	4	6	–
Calcasieu	6	103	21	11	20	38	4	15	17	1	13	20	12	76	23	53	23	21	–
Lake Charles	3	53	11	7	9	20	2	4	8	–	4	9	4	46	11	28	10	13	–
Sulphur	–	13	4	1	3	4	–	2	2	–	1	1	2	6	2	5	6	1	–
Balance of parish	3	37	6	3	8	14	2	9	7	1	8	10	6	24	10	20	7	7	–
Caldwell	–	15	2	–	1	3	–	2	2	–	1	1	2	6	5	3	–	1	–
Cameron	–	6	–	1	–	2	–	2	–	–	–	2	1	2	5	2	1	1	–
Catahoula	–	9	1	1	3	4	–	1	8	–	–	–	3	7	3	3	1	2	–
Claiborne	–	20	–	4	7	7	1	3	3	–	–	2	4	11	3	9	2	3	–
Concordia	2	28	4	9	4	5	1	1	5	–	1	3	–	8	3	14	5	5	–
De Soto	–	38	10	4	5	4	–	1	3	–	–	3	–	23	8	7	2	4	–
East Baton Rouge	10	164	56	17	52	46	8	21	36	–	21	54	8	167	70	88	45	62	2
Baker	–	10	1	1	2	3	–	–	1	–	–	3	–	4	3	8	1	1	–
Baton Rouge	7	137	46	13	45	41	7	17	31	–	16	45	6	141	53	58	30	53	1
Balance of parish	3	17	9	3	5	2	1	4	4	–	5	6	2	22	14	22	14	8	1
East Carroll	–	25	8	1	2	4	–	–	5	1	3	–	3	7	2	4	–	3	–
East Feliciana	2	27	2	–	2	5	–	–	6	–	2	1	–	12	5	4	1	4	–
Evangeline	3	25	5	2	1	9	–	4	4	–	1	4	–	32	13	15	5	4	–
Franklin	–	36	–	–	6	6	2	1	7	–	1	5	8	10	8	7	2	4	–
Grant	–	21	–	2	3	1	1	2	1	–	1	2	1	20	5	4	3	2	–
Iberia	4	42	30	8	5	11	–	4	3	–	6	10	5	50	23	24	11	10	–
New Iberia	3	22	20	6	2	8	–	2	2	–	3	8	4	27	13	11	7	10	–
Balance of parish	1	20	10	2	3	3	–	2	1	–	3	2	1	23	10	13	4	–	–
Iberville	–	37	5	1	3	14	3	2	8	–	1	3	2	32	15	14	4	3	–
Jackson	–	26	1	–	5	3	–	–	–	–	2	2	4	22	2	8	4	2	–
Jefferson	8	256	36	23	33	61	9	50	40	–	36	42	25	241	76	126	61	65	9
Grelna	5	24	4	3	5	4	1	6	5	–	4	2	1	38	7	11	10	7	–
Harahan	–	8	–	–	–	–	–	1	1	–	1	1	–	4	–	1	2	–	–
Kenner	–	22	2	1	2	6	1	3	2	–	6	11	1	15	5	17	6	8	–
Westwego	–	8	3	1	2	5	–	4	1	–	–	2	2	15	4	2	6	5	–
Balance of parish	3	194	27	18	24	46	7	36	31	–	25	26	21	169	60	95	57	45	9
Jefferson Davis	–	24	13	4	7	5	–	3	5	–	3	2	3	15	5	4	4	3	–
Jennings	–	11	7	1	5	2	–	1	2	–	–	–	1	8	–	3	3	2	–
Balance of parish	–	13	6	3	2	3	–	2	3	–	3	2	2	7	5	1	1	1	–
Lafayette	5	65	19	9	17	21	1	13	10	–	15	17	13	60	43	24	24	22	1
Lafayette	5	50	13	7	14	15	1	11	4	–	8	12	7	40	16	16	11	14	–
Balance of parish	–	15	6	2	3	6	–	2	6	–	7	5	6	20	27	8	13	8	1
Lafourche	1	55	15	8	9	14	–	4	10	–	4	9	3	59	37	26	9	7	4
Thibodaux	1	15	7	2	4	3	–	2	3	–	–	7	–	16	4	5	1	3	2
Balance of parish	–	40	8	4	5	11	–	2	7	–	4	2	3	43	33	21	8	4	2
La Salle	–	18	3	1	7	1	–	1	5	–	1	1	1	13	3	4	2	2	–
Lincoln	2	20	3	2	1	5	1	2	10	–	4	5	2	25	11	10	1	1	1
Ruston	1	10	1	1	1	4	–	1	4	–	3	4	1	8	7	5	–	–	1
Balance of parish	1	10	2	1	–	1	1	1	6	–	1	1	1	17	4	5	1	1	–
Livingston	1	31	15	1	9	12	1	3	4	–	1	6	10	29	14	15	10	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	188	1	–	2	38	13	7	3	5	1	1	6	2	101	74	–	5	41	28
Tallulah	152	1	–	2	31	12	4	3	4	1	1	6	2	80	56	–	4	28	24
Balance of parish	36	–	–	–	5	1	3	–	1	–	–	–	–	21	18	–	1	13	4
Morehouse	338	1	–	1	62	19	19	2	12	–	3	7	6	166	131	–	7	96	28
Bastrop	195	1	–	1	36	9	12	–	8	–	1	6	3	94	72	–	1	55	16
Balance of parish	143	–	–	–	26	10	7	2	4	–	2	1	3	72	59	–	6	41	12
Natchitoches	395	–	–	8	80	22	17	7	10	3	4	17	8	195	138	–	5	98	33
Natchitoches	182	–	–	6	31	8	8	5	2	–	1	7	6	84	58	–	2	45	11
Balance of parish	213	–	–	2	49	14	9	2	8	3	3	10	2	111	78	–	3	53	22
Orleans, coext. with New Orleans city	6,019	21	2	97	1,223	337	335	107	130	45	42	227	181	2,810	2,152	17	191	1,394	550
Ouachita	1,080	1	–	15	221	44	51	22	18	3	7	76	7	590	480	1	17	169	293
Monroe	615	1	–	12	107	20	20	12	10	3	4	38	4	352	285	1	12	87	185
West Monroe	194	–	–	1	51	11	12	6	3	–	1	18	1	109	86	–	4	38	44
Balance of parish	271	–	–	2	63	13	19	4	5	–	2	20	2	129	109	–	1	44	64
Plaquemines	195	–	–	1	53	9	15	3	4	1	2	19	2	81	63	1	6	43	13
Pointe Coupee	208	1	–	1	53	15	15	8	6	3	2	4	5	94	67	–	4	46	17
Rapides	1,195	–	–	21	220	48	64	18	15	10	10	55	31	617	498	2	31	299	166
Alexandria	582	–	–	12	100	21	32	8	7	2	7	23	17	300	244	2	15	142	85
Pineville	169	–	–	3	29	11	7	2	1	3	–	5	2	87	68	–	1	43	24
Balance of parish	444	–	–	6	91	16	25	8	7	5	3	27	12	230	186	–	15	114	57
Red River	124	–	–	2	18	4	7	3	2	–	1	1	2	70	52	–	–	9	43
Richland	239	–	–	2	39	6	15	3	5	3	2	5	3	137	112	1	6	89	16
Sabine	245	–	–	1	58	11	22	5	4	1	1	14	4	124	91	–	1	46	44
St. Bernard	553	–	–	5	112	27	39	9	7	6	5	19	19	271	216	1	11	159	45
St. Charles	238	–	–	3	49	9	11	6	3	1	4	9	7	99	77	–	3	56	18
St. Helena	78	–	–	–	16	5	6	2	1	–	–	2	6	31	18	–	3	10	5
St. James	190	–	–	3	45	10	15	5	4	–	1	10	6	90	74	–	9	47	18
St. John the Baptist	225	–	–	–	55	9	28	5	5	1	1	8	4	106	83	1	1	54	27
St. Landry	784	1	–	13	150	44	44	8	19	5	2	30	23	375	306	–	18	223	65
Eunice, part	128	–	–	1	25	6	11	2	2	1	–	3	8	58	48	–	2	38	8
Eunice, total	133	–	–	1	25	6	11	2	2	1	–	3	8	63	53	–	2	43	8
Opelousas	209	1	–	6	40	11	7	3	9	1	–	9	7	108	83	–	5	50	28
Balance of parish	447	–	–	6	85	27	26	1	8	3	2	18	8	209	175	–	11	135	29
St. Martin	313	–	–	3	88	19	24	6	8	4	3	24	11	130	107	–	2	79	26
St. Mary	481	–	–	3	113	27	33	11	9	4	7	22	16	218	170	1	10	113	46
Morgan City	126	–	–	2	25	5	5	2	4	2	2	5	4	58	40	–	–	31	9
Balance of parish	355	–	–	1	88	22	28	9	5	2	5	17	14	160	130	1	10	82	37
St. Tammany	818	1	–	7	183	41	59	17	11	10	6	39	18	360	271	1	8	168	94
Slidell	186	1	–	2	45	12	16	2	3	–	–	12	3	74	60	1	1	35	23
Balance of parish	632	–	–	5	138	29	43	15	8	10	6	27	15	286	211	–	7	133	71
Tangipahoa	780	1	–	11	121	29	32	12	16	2	11	19	13	404	188	1	2	125	60
Hammond	157	–	–	3	20	5	6	1	1	–	5	2	–	88	46	–	–	30	16
Balance of parish	623	1	–	8	101	24	26	11	15	2	6	17	13	316	142	1	2	95	44
Tensas	116	–	–	–	28	8	8	1	4	1	–	6	2	56	46	–	–	32	14
Terrebonne	656	1	–	12	123	28	45	7	12	2	1	28	11	280	208	2	8	150	48
Houma	284	–	–	7	42	11	15	3	2	–	–	11	4	121	86	–	6	59	21
Balance of parish	372	1	–	5	81	17	30	4	10	2	1	17	7	159	122	2	2	91	27
Union	237	–	–	4	63	16	19	5	8	4	2	9	4	113	85	1	2	63	19
Vermilion	458	1	–	13	92	24	32	7	3	2	5	19	13	208	163	–	5	103	55
Abbeville	140	–	–	6	27	7	7	2	–	2	1	8	5	62	42	–	3	26	13
Balance of parish	318	1	–	7	65	17	25	5	3	–	4	11	8	146	121	–	2	77	42
Vernon	327	–	–	5	59	13	18	3	8	1	1	15	2	125	91	2	–	58	31
De Ridder, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Balance of parish	325	–	–	5	59	13	18	3	8	1	1	15	2	123	91	2	–	58	31
Washington	471	–	–	6	89	23	25	8	11	4	5	13	9	233	181	2	5	122	32
Bogalusa	213	–	–	3	34	8	11	5	4	1	1	4	6	112	81	2	4	65	10
Balance of parish	258	–	–	3	55	15	14	3	7	3	4	9	3	121	80	–	1	57	22
Webster	538	1	–	11	106	17	31	12	14	2	7	23	7	265	209	1	2	174	32
Minden	213	1	–	5	36	8	10	4	5	1	1	7	6	103	77	1	1	58	17
Balance of parish	325	–	–	6	70	9	21	8	9	1	6	16	1	162	132	–	1	116	15
West Baton Rouge	128	–	–	–	29	6	11	2	3	1	1	5	4	51	34	–	4	25	5
West Carroll	136	–	–	2	25	4	10	–	4	–	1	6	4	71	54	–	–	47	7
West Feliciana	62	–	–	–	15	4	2	1	3	2	2	1	2	26	20	–	–	19	1
Winn	205	1	–	4	38	7	17	–	5	–	1	8	3	100	85	–	4	52	29
Maine	10,472	3	3	69	2,429	607	658	209	259	129	98	469	177	5,296	4,114	33	88	3,196	797
Urban places	3,181	2	3	12	707	173	185	57	71	44	15	162	46	1,640	1,247	13	17	946	271
Balance of area	7,291	1	–	57	1,722	434	473	152	188	85	83	307	131	3,656	2,867	20	71	2,250	526
Metropolitan counties	5,661	2	3	36	1,321	322	378	107	131	75	47	261	88	2,948	2,214	19	36	1,692	467
Urban places	2,630	2	3	12	592	145	154	47	62	40	12	132	37	1,356	1,033	12	15	784	242
Balance of area	3,031	–	–	24	729	177	224	60	69	35	35	129	51	1,492	1,181	7	21	928	225
Nonmetropolitan counties	4,811	1	–	33	1,108	285	280	102	128	54	51	208	89	2,448	1,900	14	52	1,504	330
Urban places	551	–	–	–	115	28	31	10	9	4	3	30	9	284	214	1	2	182	29
Balance of area	4,260	1	–	33	993	257	249	92	119	50	48	178	80	2,164	1,686	13	50	1,322	301
Androscoggin	951	1	–	11	231	57	57	13	25	9	9	61	10	483	375	3	8	306	58
Auburn	254	–	–	1	52	13	10	3	6	2	4	14	1	134	111	–	–	86	15
Lewiston	463	1	–	4	125	32	30	7	13	6	1	36	6	238	173	3	5	144	21
Balance of county	234	–	–	6	54	12	17	3	6	1	4	11	3	111	91	–	3	86	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	1	24	1	1	2	7	2	1	2	–	–	1	–	15	3	7	4	2	–
Tallulah	1	22	1	–	2	5	2	1	2	–	–	1	–	13	1	7	1	1	–
Balance of parish	–	2	–	1	–	2	–	–	–	–	–	–	–	2	2	–	3	1	–
Morehouse	2	23	6	2	14	12	–	–	6	–	3	8	–	30	7	14	1	5	–
Bastrop	2	17	3	–	8	7	–	–	6	–	2	2	–	20	4	7	1	3	–
Balance of parish	–	6	5	2	6	5	–	–	2	–	1	6	–	10	3	7	–	2	–
Natchitoches	1	48	8	2	13	4	–	1	7	–	4	3	3	23	17	16	7	6	–
Natchitoches	–	21	5	–	8	2	–	1	7	–	3	3	–	13	5	7	4	2	–
Balance of parish	1	27	3	2	5	2	–	–	–	–	1	–	3	10	12	9	3	4	–
Orleans, coext. with New Orleans city	23	519	66	50	107	136	13	78	69	1	44	95	46	543	86	168	69	228	–
Ouachita	2	89	8	11	18	19	–	9	12	–	8	17	14	68	22	30	13	16	–
Monroe	1	55	5	6	14	10	–	7	6	–	5	11	5	38	11	13	7	11	–
West Monroe	1	16	2	4	1	4	–	–	–	–	–	2	3	14	2	4	–	2	–
Balance of parish	–	18	1	1	3	5	–	2	6	–	3	4	6	15	9	13	6	3	–
Plaquemines	1	12	2	3	5	1	–	3	2	–	3	5	3	12	14	5	2	3	–
Pointe Coupee	2	23	1	1	2	8	–	2	4	–	3	2	2	19	6	5	1	–	–
Rapides	1	96	14	8	30	34	2	14	16	1	7	12	9	99	16	24	19	22	1
Alexandria	–	44	6	6	12	17	–	10	10	1	2	7	4	49	8	8	10	15	–
Pineville	1	15	2	1	7	7	–	–	4	–	2	–	–	17	2	5	2	2	–
Balance of parish	–	37	6	1	11	10	2	4	2	–	3	5	5	33	6	11	7	5	1
Red River	–	12	6	–	2	3	–	–	–	–	1	1	2	8	9	6	–	–	–
Richland	2	21	2	–	8	12	–	3	2	–	1	–	–	17	1	11	1	2	–
Sabine	–	24	9	–	8	4	1	–	2	–	2	6	1	21	6	5	2	–	–
St. Bernard	2	44	4	5	4	16	–	7	7	–	7	7	2	46	21	16	6	7	–
St. Charles	1	18	1	2	4	8	–	–	6	1	4	5	1	14	22	15	3	3	–
St. Helena	–	7	6	–	1	1	–	–	1	–	2	–	6	6	3	2	1	2	–
St. James	–	11	3	2	3	2	–	–	5	–	1	4	1	17	6	4	3	–	–
St. John the Baptist	–	15	7	1	2	2	–	1	7	–	1	5	3	19	8	8	2	2	–
St. Landry	4	47	13	5	13	17	2	8	10	–	6	14	3	48	37	29	21	14	–
Eunice, part	–	5	5	–	3	3	–	1	3	–	–	1	–	4	5	5	7	4	–
Eunice, total	–	5	5	–	3	3	–	1	3	–	–	1	–	4	5	5	7	4	–
Opelousas	2	18	4	1	6	3	–	2	3	–	1	4	1	11	5	5	3	3	–
Balance of parish	2	24	4	4	4	11	2	5	4	–	5	9	2	33	27	19	11	7	–
St. Martin	–	18	2	3	3	4	–	1	5	–	7	5	–	21	16	9	5	5	–
St. Mary	1	37	6	4	10	7	2	3	6	–	4	2	3	28	31	24	4	5	–
Morgan City	1	12	4	1	4	3	–	1	1	–	–	–	1	3	11	10	–	3	–
Balance of parish	–	25	2	3	6	4	2	2	5	–	4	2	2	25	20	14	4	2	–
St. Tammany	1	56	19	13	26	18	7	7	7	–	8	12	4	70	26	36	12	14	2
Slidell	–	6	4	4	5	5	–	5	2	–	4	2	–	19	8	5	4	2	–
Balance of parish	1	50	15	9	21	13	7	2	5	–	4	10	4	51	18	31	8	12	2
Tangipahoa	2	54	155	5	24	15	5	4	14	–	9	16	4	54	31	24	9	21	–
Hammond	–	7	33	2	6	3	1	–	2	–	–	2	2	17	6	1	–	6	–
Balance of parish	2	47	122	3	18	12	4	4	12	–	9	14	2	37	25	23	9	15	–
Tensas	–	10	–	–	–	–	–	2	3	–	–	3	3	6	4	9	–	–	–
Terrebonne	3	44	20	5	10	16	–	10	8	2	8	15	6	44	47	33	13	15	1
Houma	3	20	9	3	6	11	–	4	7	–	4	8	2	25	15	16	6	6	–
Balance of parish	–	24	11	2	4	5	–	6	2	2	4	7	4	19	32	17	7	9	1
Union	–	25	2	1	1	3	–	3	3	–	1	3	1	23	9	5	–	1	–
Vermilion	3	30	11	1	8	13	3	6	5	–	4	4	1	34	24	15	5	9	–
Abbeville	1	15	4	–	5	4	2	2	–	–	1	2	–	8	6	3	1	6	–
Balance of parish	2	15	7	1	3	9	1	4	5	–	3	2	1	26	18	12	4	3	–
Vernon	–	30	3	1	6	12	1	3	5	–	7	7	29	20	22	11	5	8	–
De Ridder, part	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	–	28	3	1	6	12	1	3	5	–	7	7	29	20	22	11	5	8	–
Washington	7	41	18	6	13	17	2	5	6	–	4	6	4	32	17	15	4	7	2
Bogalusa	3	22	5	1	4	9	2	4	5	–	2	2	1	15	9	2	–	3	–
Balance of parish	4	19	13	5	9	8	–	1	1	–	2	4	3	17	8	13	4	4	2
Webster	2	46	4	4	12	17	–	7	3	–	1	4	7	41	20	15	12	9	–
Minden	–	19	4	3	5	7	–	2	1	–	1	1	3	20	5	9	7	1	–
Balance of parish	2	27	–	1	7	10	–	5	2	–	–	3	4	21	15	6	5	8	–
West Baton Rouge	–	13	4	–	2	4	1	–	–	–	2	1	2	12	4	6	2	8	–
West Carroll	1	12	1	3	4	3	1	2	–	–	2	2	6	7	3	4	–	–	–
West Feliciana	2	4	–	–	1	2	–	1	2	–	2	2	1	5	2	–	1	–	–
Winn	1	11	–	3	7	5	1	2	6	–	–	1	1	16	6	8	3	3	–
Maine	41	799	186	156	240	382	31	165	79	–	53	76	59	803	191	237	148	20	11
Urban places	19	249	65	60	70	127	12	58	30	–	18	35	16	241	36	69	43	10	5
Balance of area	22	550	121	96	170	255	19	107	49	–	35	40	43	562	155	168	105	10	6
Metropolitan counties	21	422	109	82	140	201	18	91	51	–	35	42	26	428	98	123	88	13	9
Urban places	12	201	63	47	56	103	11	47	27	–	14	24	11	189	33	62	37	9	5
Balance of area	9	221	46	35	84	98	7	44	24	–	21	18	15	239	65	61	51	4	4
Nonmetropolitan counties	20	377	77	74	100	181	13	74	28	–	18	34	33	375	93	114	60	7	2
Urban places	7	48	2	13	14	24	1	11	3	–	4	12	5	52	3	7	6	1	–
Balance of area	13	329	75	61	86	157	12	63	25	–	14	22	28	323	90	107	54	6	2
Androscoggin	4	61	27	16	18	29	4	19	3	–	8	10	3	65	15	25	13	2	1
Auburn	1	16	5	1	7	9	2	10	–	–	1	2	1	18	2	6	6	1	1
Lewiston	2	32	19	12	5	12	2	6	1	–	4	6	1	29	6	12	5	–	–
Balance of county	1	13	3	3	6	8	–	3	2	–	3	2	1	18	7	7	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	741	–	–	–	184	45	53	15	19	7	9	36	10	392	293	3	8	251	33
Presque Isle	84	–	–	–	17	2	6	1	2	–	–	6	1	42	30	–	–	24	6
Balance of county	657	–	–	–	167	43	47	14	17	7	9	30	9	350	263	3	8	227	27
Cumberland	2,038	1	2	13	468	105	141	41	44	35	16	86	28	1,048	804	9	11	573	211
Portland	727	–	2	4	160	41	32	16	20	12	5	34	7	371	286	5	4	189	89
South Portland	244	1	–	1	52	7	22	5	5	4	–	9	4	132	107	2	1	73	31
Westbrook	146	–	–	1	39	7	13	1	3	6	1	8	–	73	55	–	–	40	15
Balance of county	921	–	–	7	217	50	74	19	16	13	10	35	17	472	356	2	6	271	77
Franklin	234	–	–	2	45	13	10	4	6	3	2	7	6	116	90	1	3	65	21
Hancock	442	1	–	3	120	34	38	8	12	4	6	18	6	220	175	2	3	126	44
Kennebec	1,028	–	–	5	233	51	54	27	25	9	8	59	17	519	397	3	3	338	53
Augusta	245	–	–	–	53	15	14	6	1	3	2	12	–	124	90	1	2	77	10
Waterville	222	–	–	–	45	11	11	3	6	1	1	12	8	118	94	–	–	81	13
Balance of county	561	–	–	5	135	25	29	18	18	5	5	35	9	277	213	2	1	180	30
Knox	346	–	–	4	77	19	18	4	13	6	3	14	9	167	137	1	5	106	25
Lincoln	290	–	–	–	76	17	17	10	11	6	4	11	5	134	112	–	1	89	22
Oxford	493	–	–	6	100	23	25	6	14	7	4	21	19	252	193	2	6	153	32
Penobscot	1,150	–	–	8	290	68	90	27	23	16	12	54	23	532	428	2	7	343	76
Bangor	351	–	–	1	75	18	29	7	4	5	–	12	11	172	129	–	1	85	33
Balance of county	799	–	–	7	215	50	61	20	19	11	12	42	12	360	299	2	6	248	43
Piscataquis	207	–	–	1	45	16	14	3	5	–	1	6	3	100	79	1	6	52	14
Sagadahoc	248	–	1	–	52	17	14	3	2	3	1	12	3	121	93	–	1	79	13
Bath	112	–	1	–	18	7	4	1	1	2	–	3	3	57	43	–	1	35	7
Balance of county	136	–	–	–	34	10	10	2	1	1	1	9	–	64	50	–	–	44	6
Somerset	383	–	–	3	86	21	23	8	11	4	7	12	8	195	151	1	3	126	21
Waldo	266	–	–	2	47	12	9	6	6	2	3	9	2	151	119	–	3	89	27
Washington	381	–	–	7	95	34	19	11	6	6	4	15	4	202	160	–	13	109	38
York	1,274	–	–	4	280	75	76	23	37	12	9	48	24	664	514	5	9	391	109
Biddeford	213	–	–	–	42	12	9	3	5	2	1	10	3	122	88	1	2	61	24
Saco	120	–	–	–	29	8	5	4	5	1	–	6	2	57	41	1	1	31	8
Balance of county	941	–	–	4	209	55	62	16	27	9	8	32	19	485	385	3	6	299	77
Maryland	34,098	38	4	440	8,326	2,099	2,327	679	882	352	272	1,715	686	15,658	12,583	123	627	6,888	4,945
Urban places	12,870	18	2	196	3,087	806	852	227	358	126	89	629	271	5,794	4,666	43	271	2,304	2,048
Balance of area	21,228	20	2	244	5,239	1,293	1,475	452	524	226	183	1,086	415	9,864	7,917	80	356	4,584	2,897
Metropolitan counties	29,778	33	4	405	7,304	1,854	2,008	605	768	305	242	1,522	610	13,538	10,959	111	565	5,893	4,390
Urban places	12,237	17	2	194	2,919	771	801	214	338	115	84	596	258	5,475	4,433	41	259	2,157	1,976
Balance of area	17,541	16	2	211	4,385	1,083	1,207	391	430	190	158	926	352	8,063	6,526	70	306	3,736	2,414
Nonmetropolitan counties	4,320	5	–	35	1,022	245	319	74	114	47	30	193	76	2,120	1,624	12	62	995	555
Urban places	633	1	–	2	168	35	51	13	20	11	5	33	13	319	233	2	12	147	72
Balance of area	3,687	4	–	33	854	210	268	61	94	36	25	160	63	1,801	1,391	10	50	848	483
Allegany	958	–	–	4	209	59	50	19	15	7	10	49	18	532	437	3	15	288	131
Cumberland	407	–	–	2	90	31	19	9	6	3	4	18	4	229	182	1	7	118	56
Balance of county	551	–	–	2	119	28	31	10	9	4	6	31	14	303	255	2	8	170	75
Anne Arundel	2,319	4	–	21	603	129	219	47	50	21	19	118	41	1,049	842	11	32	513	286
Annapolis	282	–	–	4	72	12	28	7	7	3	2	13	4	137	99	–	6	55	38
Balance of county	2,037	4	–	17	531	117	191	40	43	18	17	105	37	912	743	11	26	458	248
Baltimore	5,561	1	–	79	1,372	354	385	108	138	65	51	273	115	2,665	2,208	20	93	1,205	890
Baltimore city	9,327	16	1	166	2,221	596	625	137	269	86	51	457	202	4,103	3,376	31	213	1,494	1,638
Calvert	215	–	–	2	52	16	19	3	5	–	2	7	–	97	72	1	–	46	25
Caroline	258	–	–	2	54	14	14	4	8	1	5	8	1	144	119	3	3	91	22
Carroll	704	–	–	6	183	45	53	11	19	7	5	43	16	326	274	3	5	148	116
Cecil	458	1	–	4	105	25	26	9	14	5	2	24	7	235	194	2	12	130	50
Charles	435	–	–	6	111	24	36	13	13	5	4	16	6	183	152	–	10	84	48
Dorchester	397	1	–	1	98	22	34	10	13	3	2	14	6	191	149	–	8	104	37
Cambridge	179	1	–	–	52	13	16	6	6	3	1	7	6	87	71	–	5	48	18
Balance of county	218	–	–	1	46	9	18	4	7	–	1	7	–	104	78	–	3	56	19
Frederick	810	–	–	5	199	47	59	17	22	12	3	39	16	384	301	2	7	174	118
Frederick	288	–	–	–	67	11	23	5	9	5	1	13	4	154	114	1	4	74	35
Balance of county	522	–	–	5	132	36	36	12	13	7	2	26	12	230	187	1	3	100	83
Garrett	229	–	–	2	38	8	9	3	6	3	1	8	–	137	106	–	4	68	36
Harford	935	1	–	15	227	55	62	13	25	9	8	55	26	434	380	3	27	220	110
Aberdeen	100	1	–	1	20	8	3	1	–	1	–	7	3	39	33	–	4	22	7
Balance of county	835	–	–	14	207	47	59	12	25	8	8	48	23	395	327	3	23	198	103
Howard	570	–	–	7	150	41	29	19	16	8	7	30	12	246	204	3	8	100	95
Kent	203	1	–	1	42	14	13	1	6	1	1	6	3	111	91	–	3	46	42
Montgomery	3,979	3	2	41	1,032	240	224	136	94	46	41	242	55	1,749	1,328	16	50	764	498
Gaithersburg	202	–	–	–	61	13	11	7	6	6	4	14	6	81	58	–	1	42	15
Rockville	519	–	–	8	139	37	30	21	10	3	7	31	10	228	172	2	5	106	59
Takoma Park, part	107	–	–	3	19	3	7	4	–	1	2	2	3	42	33	–	2	15	16
Takoma Park, total	143	–	–	3	28	4	12	4	1	1	2	4	5	52	40	–	2	17	21
Balance of county	3,045	3	2	30	813	196	176	104	78	36	28	195	36	1,398	1,085	14	42	601	408
Prince George's	3,605	6	–	53	857	213	235	79	92	35	34	169	90	1,446	1,121	15	89	604	413
Bowie	121	–	–	1	25	3	5	3	4	3	1	6	2	52	44	1	2	28	13
College Park	104	–	–	1	28	8	9	3	4	1	1	2	2	52	40	1	1	27	11
Greenbelt	74	–	–	1	19	6	4	3	3	1	–	2	–	36	26	–	1	13	12
Hyattsville	388	–	–	5	94	19	22	11	12	2	6	22	9	166	130	4	5	84	37
Laurel	115	–	–	1	31	9	6	2	7	1	2	4	2	42	28	–	3	12	13
New Carrollton	31	–	–	–	10	4	4	1	–	–	–	1	1	5	4	–	1	1	2
Takoma Park, part	36	–	–	–	9	1	5	–	1	–	–	2	2	10	7	–	–	2	5
Balance of county	2,736	6	–	44	641	163	180	56	61	27	24	130	72	1,083	842	9	76	437	320

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maine—Con.																			
Aroostook	2	73	8	16	10	32	1	9	3	–	5	8	3	41	12	23	8	–	–
Presque Isle	–	10	–	2	3	4	–	–	–	–	1	4	–	9	–	2	1	–	–
Balance of county	2	63	8	14	7	28	1	9	3	–	4	4	3	32	12	21	7	–	–
Cumberland	7	173	29	35	54	71	3	30	16	–	13	10	8	154	30	46	32	7	4
Portland	3	59	10	13	20	34	1	15	5	–	3	7	3	52	8	20	8	5	2
South Portland	–	15	2	8	5	8	1	4	6	–	2	1	2	14	2	3	5	–	1
Westbrook	1	14	1	2	3	4	–	2	2	–	1	1	–	13	3	–	3	1	–
Balance of county	3	85	16	12	26	25	1	9	3	–	7	1	3	75	17	23	16	1	1
Franklin	1	16	7	2	6	9	1	4	–	–	–	3	5	18	5	11	3	–	–
Hancock	1	37	2	5	8	20	3	4	3	–	2	2	1	28	11	4	4	2	–
Kennebec	7	80	13	22	28	41	1	21	4	–	5	11	7	68	11	21	14	1	1
Augusta	4	21	1	8	7	12	1	6	3	–	1	6	3	23	1	2	3	–	–
Waterville	3	17	1	3	4	8	–	5	–	–	2	2	2	20	2	3	2	1	–
Balance of county	–	42	11	11	17	21	–	10	1	–	2	3	2	45	8	16	9	–	1
Knox	–	24	5	1	10	15	1	5	4	–	1	1	–	36	3	12	1	–	–
Lincoln	1	20	–	1	10	10	1	2	3	–	–	2	2	24	11	7	2	1	–
Oxford	2	33	15	9	6	15	2	9	5	–	2	4	2	37	15	9	9	–	1
Penobscot	2	73	17	12	40	35	2	18	8	–	6	13	7	105	21	22	16	–	4
Bangor	1	29	8	5	11	9	1	5	5	–	2	4	2	35	6	7	4	–	1
Balance of county	1	44	9	7	29	26	1	13	3	–	4	9	5	70	15	15	12	–	3
Piscataquis	1	14	10	2	2	8	2	4	1	–	1	–	1	24	3	8	4	–	–
Sagadahoc	1	19	7	1	10	14	1	3	5	–	2	2	1	20	2	6	3	2	–
Bath	1	9	4	–	3	8	–	–	3	–	1	2	–	10	1	3	2	–	–
Balance of county	–	10	3	1	7	6	1	3	2	–	1	–	1	10	1	3	1	2	–
Somerset	1	29	6	8	10	14	1	7	2	–	1	3	8	32	5	4	2	2	–
Waldo	1	25	6	–	4	6	–	6	1	–	1	–	3	20	8	6	8	1	–
Washington	3	26	5	8	6	11	–	3	2	–	–	–	1	27	9	9	5	–	–
York	7	96	29	18	18	52	8	21	19	–	6	7	7	84	30	24	24	2	–
Biddeford	2	19	10	3	1	12	2	4	3	–	–	1	1	9	2	6	3	2	–
Saco	1	8	4	3	1	7	2	1	2	–	–	–	1	9	3	5	1	–	–
Balance of county	4	69	15	12	16	33	4	16	14	–	6	6	5	66	25	13	20	–	–
Maryland	123	2,252	352	348	675	1,001	100	411	382	2	215	418	627	2,711	691	813	430	417	53
Urban places	63	847	98	120	264	350	43	167	174	1	54	161	304	1,096	171	316	122	249	30
Balance of area	60	1,405	254	228	411	651	57	244	208	1	161	257	323	1,615	520	497	308	168	23
Metropolitan counties	109	1,879	266	303	591	854	84	356	350	2	185	365	577	2,405	603	693	381	389	49
Urban places	59	785	89	109	251	335	38	160	170	1	50	156	287	1,052	163	305	118	247	29
Balance of area	50	1,094	199	194	340	519	46	196	180	1	135	209	280	1,353	440	388	263	142	20
Nonmetropolitan counties	14	373	84	45	84	147	16	55	32	–	30	53	50	306	88	120	49	28	4
Urban places	4	62	9	11	13	15	5	7	4	–	4	5	7	44	8	11	4	2	1
Balance of area	10	311	55	34	71	132	11	48	28	–	26	48	43	262	80	109	45	26	3
Allegany	2	71	11	11	17	40	2	10	10	–	2	6	6	61	14	20	6	1	–
Cumberland	–	35	6	6	5	18	–	9	2	–	–	1	2	31	3	8	3	–	–
Balance of county	2	36	5	5	12	22	2	1	8	–	2	5	4	30	11	12	3	1	–
Anne Arundel	3	148	26	30	45	69	3	24	26	1	18	24	38	190	65	40	35	18	3
Annapolis	1	27	5	5	4	12	1	4	5	–	3	2	4	18	3	3	2	3	–
Balance of county	2	121	21	25	41	57	2	20	21	1	15	22	34	171	62	37	34	16	3
Baltimore	15	332	41	69	110	164	18	59	64	–	35	44	81	453	80	109	73	36	3
Baltimore city	36	568	44	79	191	229	29	121	137	1	29	125	255	840	91	241	82	227	20
Calvert	–	18	5	2	4	12	1	4	1	–	1	2	4	13	7	7	5	3	–
Caroline	–	21	4	–	6	5	–	4	1	–	1	1	–	22	8	5	2	2	–
Carroll	3	44	1	4	12	21	3	9	6	–	3	10	13	42	26	16	8	4	–
Cecil	2	22	4	13	4	21	1	3	4	–	2	2	2	33	18	10	5	–	1
Charles	1	20	4	6	3	10	1	3	4	–	1	6	7	35	32	14	8	5	–
Dorchester	4	25	8	5	7	11	2	3	3	–	2	5	5	34	10	12	4	2	–
Cambridge	2	9	2	3	5	1	1	1	–	–	–	1	1	13	4	5	–	1	–
Balance of county	2	16	6	2	2	10	1	2	3	–	2	4	4	21	6	7	4	1	–
Frederick	2	58	11	12	19	32	3	7	10	–	5	1	12	67	22	14	11	–	3
Frederick	2	27	4	7	5	11	3	–	3	–	4	–	3	24	2	4	3	–	1
Balance of county	–	31	7	5	14	21	–	7	7	–	1	1	9	43	20	10	8	–	2
Garrett	–	18	12	1	4	11	1	3	1	–	1	5	2	13	5	5	1	–	–
Harford	2	53	12	7	21	22	3	12	9	–	11	12	12	50	41	21	11	6	1
Aberdeen	–	6	–	–	2	4	2	2	2	–	–	2	2	7	8	3	–	2	–
Balance of county	2	47	12	7	19	18	1	10	7	–	11	10	10	43	33	18	11	4	1
Howard	2	31	2	7	11	16	2	3	2	–	7	10	8	52	13	16	11	4	–
Kent	2	16	2	–	4	6	1	1	1	–	1	1	1	10	2	14	3	–	–
Montgomery	12	311	58	40	94	112	13	53	40	–	28	28	63	295	71	95	72	19	8
Gaithersburg	–	21	–	2	–	5	–	1	7	–	3	3	2	9	5	9	6	2	2
Rockville	4	41	5	6	21	13	2	6	3	–	5	1	9	44	11	8	9	1	1
Takoma Park, part	1	5	2	1	4	2	–	1	3	–	1	2	3	13	2	5	1	1	2
Takoma Park, total	1	8	2	1	5	6	–	1	3	–	1	2	4	18	3	6	2	1	3
Balance of county	7	244	51	31	69	92	11	45	27	–	19	22	49	229	53	73	56	15	3
Prince George's	24	202	71	28	62	108	8	58	38	–	46	67	88	294	132	96	62	62	12
Bowie	–	5	3	–	2	5	–	3	4	–	2	1	2	13	8	1	–	–	–
College Park	2	8	2	2	1	–	1	4	–	–	–	–	2	6	3	2	1	1	–
Greenbelt	2	5	3	–	2	4	–	–	1	–	–	1	1	3	4	–	2	–	–
Hyattsville	6	22	7	1	5	13	1	5	5	–	6	8	8	30	10	15	3	4	1
Laurel	1	6	5	2	4	4	1	4	–	–	1	3	4	4	5	3	3	2	1
New Carrollton	–	1	–	–	–	–	–	–	–	–	–	4	–	5	3	1	2	–	–
Takoma Park, part	–	3	–	–	1	4	–	–	–	–	–	–	1	5	1	1	1	–	1
Balance of county	13	154	51	23	47	78	5	42	28	–	37	70	70	228	98	73	50	55	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	236	–	–	4	54	12	17	4	5	6	–	10	7	118	100	–	3	62	35
St. Mary's	361	1	–	4	89	21	28	6	9	2	2	21	7	135	99	–	2	66	28
Somerset	255	1	–	7	62	16	29	2	7	3	1	4	9	118	86	–	5	44	37
Talbot	363	–	–	2	96	24	21	10	10	2	5	24	9	176	133	3	8	80	42
Washington	1,033	1	1	3	234	64	64	16	23	11	10	46	22	570	463	4	13	333	113
Hagerstown	424	–	1	1	81	21	23	5	9	4	4	15	8	253	201	1	8	138	54
Balance of county	609	1	–	2	153	43	41	11	14	7	6	31	14	317	262	3	5	195	59
Wicomico	659	–	–	3	159	36	47	8	16	9	7	36	13	341	237	3	13	146	75
Salisbury	166	–	–	2	48	11	12	2	5	3	3	13	3	78	48	1	3	25	19
Balance of county	493	–	–	1	110	25	35	6	11	6	4	23	10	263	189	2	10	121	56
Worcester	334	1	–	2	79	15	29	6	7	5	1	16	5	168	132	–	6	66	58
Massachusetts	52,946	22	1	541	12,590	3,643	3,038	1,221	1,247	574	427	2,440	920	26,486	21,193	214	407	17,137	3,435
Urban places	40,376	16	1	434	9,498	2,744	2,313	924	916	436	324	1,841	710	20,188	16,219	171	324	13,159	2,585
Balance of area	12,570	6	–	107	3,092	899	725	297	331	138	103	599	210	6,298	4,974	43	83	3,978	870
Metropolitan counties	50,338	20	1	524	11,932	3,484	2,884	1,171	1,166	546	405	2,316	874	25,171	20,210	204	380	16,362	3,264
Urban places	40,001	15	1	430	9,399	2,712	2,292	915	899	434	320	1,827	702	20,021	16,102	171	321	13,060	2,560
Balance of area	10,337	5	–	94	2,533	752	572	256	267	112	85	489	172	5,150	4,108	33	59	3,302	714
Nonmetropolitan counties	2,608	2	–	17	658	179	174	50	81	28	22	124	46	1,315	983	10	27	775	171
Urban places	375	1	–	4	99	32	21	9	17	2	4	14	8	177	117	–	3	99	15
Balance of area	2,233	1	–	13	559	147	153	41	64	26	18	110	38	1,138	866	10	24	676	156
Barnstable	1,876	2	–	13	491	132	137	36	62	19	15	90	36	952	703	6	20	564	113
Barnstable town#	375	1	–	4	89	32	21	9	17	2	4	14	8	177	117	–	3	99	15
Balance of county	1,501	1	–	9	392	100	116	27	45	17	11	76	28	775	586	6	17	465	98
Berkshire	1,456	3	–	19	347	92	89	33	34	21	11	67	23	701	533	5	22	398	108
North Adams	203	–	–	3	44	7	16	3	4	4	2	8	1	110	84	–	3	73	8
Pittsfield	532	–	–	10	125	31	31	15	11	6	5	26	11	253	189	2	10	139	44
Balance of county	721	3	–	6	178	54	42	15	19	11	4	33	11	338	260	3	9	192	56
Bristol	4,552	1	–	35	1,119	348	246	116	112	51	50	198	80	2,446	1,874	22	36	1,686	181
Attleboro	290	–	–	3	67	13	19	7	7	5	3	13	3	161	115	–	6	97	12
Fairhaven town#	203	–	–	2	46	17	8	6	8	–	2	5	4	119	97	1	3	79	14
Fall River	1,073	–	–	5	266	82	59	26	32	11	11	45	28	607	460	6	7	417	30
New Bedford	1,120	1	–	6	262	72	57	31	22	15	13	52	12	616	473	8	7	400	56
North Attleborough town#	176	–	–	–	55	16	15	6	4	1	–	13	–	91	71	–	–	64	7
Somerset town#	161	–	–	2	42	17	8	3	3	1	2	8	5	80	63	–	2	55	6
Taunton	418	–	–	4	95	29	22	12	6	6	4	16	4	219	162	1	5	146	10
Balance of county	1,111	–	–	13	286	100	58	25	30	12	15	46	26	553	433	6	6	377	44
Dukes	99	–	–	–	22	10	2	2	6	–	–	2	–	52	39	–	3	27	9
Essex	6,102	3	–	60	1,428	395	357	135	142	60	39	300	101	3,153	2,536	20	62	2,021	436
Amesbury town#	130	–	–	–	26	8	8	1	3	–	1	5	2	77	62	1	–	54	7
Andover town#	173	–	–	1	35	11	7	2	5	1	1	8	–	93	76	1	–	66	9
Beverly	370	–	–	6	91	21	18	8	11	4	1	28	20	171	141	2	4	100	35
Danvers town#	211	–	–	1	53	18	10	5	4	2	2	12	–	110	93	–	1	65	27
Gloucester	312	1	–	2	80	24	22	8	7	3	1	15	3	150	120	1	2	86	31
Haverhill	505	–	–	4	109	24	30	9	8	6	4	28	10	264	212	–	9	174	29
Lawrence	708	1	–	6	150	49	27	16	12	5	2	39	16	382	299	4	6	255	34
Lynn	941	–	–	12	209	51	76	14	20	10	8	30	9	491	401	3	5	349	44
Lynnfield town#	62	–	–	–	23	4	6	2	4	–	–	7	1	30	27	1	1	19	8
Marblehead town#	191	–	–	1	60	22	14	6	4	2	1	11	1	102	76	–	2	67	9
Methuen town#	341	–	–	2	93	26	19	12	10	4	2	20	4	181	144	–	1	122	21
Newburyport	156	–	–	4	26	9	4	2	2	2	–	7	2	82	60	1	3	47	9
Peabody	394	–	–	9	94	16	27	11	14	5	1	20	9	197	166	1	4	104	57
Salem	418	1	–	4	96	20	26	10	10	7	2	21	7	213	175	1	16	135	23
Saugus town#	192	–	–	–	47	17	16	4	4	2	–	4	5	95	82	–	1	74	7
Swampscott town#	155	–	–	2	39	12	8	2	7	3	1	6	2	85	71	1	3	60	7
Balance of county	843	–	–	6	197	63	39	23	17	4	12	39	10	430	329	3	4	244	78
Franklin	580	–	–	3	133	35	32	11	12	8	6	29	8	284	219	3	4	171	41
Hampden	4,301	2	–	35	999	304	250	89	100	43	30	183	74	2,164	1,718	15	32	1,413	258
Agawam town#	214	1	–	–	60	20	17	2	2	1	4	14	4	95	82	2	–	67	13
Chicopee	542	1	–	8	134	30	42	10	16	5	6	25	6	268	215	4	3	177	31
Holyoke	578	–	–	4	124	39	29	13	12	10	2	19	9	304	235	3	5	190	37
Longmeadow town#	146	–	–	–	31	9	6	4	5	3	–	4	5	73	57	–	2	44	11
Springfield	1,580	–	–	17	340	114	81	25	33	11	11	65	27	783	615	4	10	515	77
Westfield	307	–	–	–	72	20	19	8	10	3	2	10	3	151	112	1	1	93	17
West Springfield town#	271	–	–	3	67	25	15	9	9	1	–	8	10	136	104	–	–	88	16
Balance of county	663	–	–	3	171	47	41	18	13	9	5	38	10	354	298	1	2	239	56
Hampshire	980	1	–	13	226	69	37	21	34	10	10	45	16	476	377	1	11	258	109
Amherst town#	78	–	–	–	17	6	1	3	–	–	3	4	1	33	22	1	1	13	7
Easthampton town#	134	–	–	2	35	11	5	4	4	3	2	6	–	69	55	–	2	32	21
Northampton	285	1	–	3	60	19	7	5	9	3	2	15	2	151	118	–	2	76	40
Balance of county	485	–	–	8	114	33	24	9	21	4	3	20	13	223	182	–	6	135	41
Middlesex	11,524	4	1	104	2,858	824	710	301	256	120	105	542	223	5,579	4,505	54	84	3,749	618
Arlington town#	474	–	–	3	115	28	34	11	15	5	3	19	7	233	191	2	10	140	29
Belmont town#	275	–	–	4	65	17	16	8	6	2	3	13	6	136	109	–	4	99	6
Billerica town#	203	–	–	–	55	15	21	2	5	5	1	6	5	88	68	–	–	58	8
Burlington town#	117	–	–	–	40	8	15	1	3	2	3	8	1	52	44	1	–	36	7
Cambridge	784	2	–	7	194	59	64	18	18	3	5	27	6	396	336	6	11	271	48
Chelmsford town#	201	–	–	1	67	11	19	10	8	3	1	15	5	90	69	–	–	62	7
Dracut town#	159	–	–	–	49	13	17	4	3	2	–	10	4	72	62	1	–	60	1
Everett	407	–	–	6	100	25	26	16	9	4	4	16	7	183	148	1	2	118	27
Framingham town#	568	–	–	2	132	45	28	14	11	3	6	25	12	279	217	6	4	177	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	1	13	2	2	4	10	–	3	–	–	3	2	1	18	2	6	1	2	1
St. Mary's	1	25	4	7	6	9	1	7	6	–	9	13	3	29	11	18	6	7	–
Somerset	1	24	2	5	6	12	3	3	2	–	–	–	4	19	1	3	2	3	–
Talbot	–	35	5	3	12	8	1	7	1	–	3	7	2	29	3	3	3	1	–
Washington	7	77	14	9	21	42	1	1	10	–	3	11	4	60	20	15	7	6	1
Hagerstown	6	34	7	5	9	22	1	–	1	–	–	3	2	23	6	5	3	4	1
Balance of county	1	43	7	4	12	20	–	1	9	–	3	8	2	37	14	10	4	2	–
Wicomico	2	88	8	6	7	18	1	10	5	–	3	11	8	35	11	19	8	7	–
Salisbury	–	26	3	1	3	3	1	6	1	–	–	4	3	7	2	2	1	1	–
Balance of county	2	62	5	5	4	15	–	4	4	–	3	7	5	28	9	17	7	6	–
Worcester	1	32	1	2	5	13	2	3	1	–	1	5	8	17	6	14	3	1	–
Massachusetts	162	3,840	693	598	1,707	1,430	172	749	507	2	304	419	314	4,153	718	1,071	538	246	56
Urban places	120	2,902	508	449	1,318	1,070	132	599	406	1	235	309	251	3,236	477	827	384	221	53
Balance of area	42	938	185	149	389	360	40	150	101	1	69	110	63	917	241	244	154	25	3
Metropolitan counties	154	3,636	620	551	1,618	1,356	163	722	489	2	299	407	294	3,968	676	1,014	509	244	55
Urban places	117	2,868	498	436	1,303	1,063	130	593	404	1	234	306	250	3,205	470	820	382	220	52
Balance of area	37	768	122	115	315	293	33	129	85	1	65	101	44	763	206	194	127	24	3
Nonmetropolitan counties	8	204	73	47	89	74	9	27	18	–	5	12	20	185	42	57	29	2	1
Urban places	3	34	10	13	15	7	2	6	2	–	1	3	1	31	7	7	2	1	1
Balance of area	5	170	63	34	74	67	7	21	16	–	4	9	19	154	35	50	27	1	–
Barnstable	7	151	54	37	53	52	7	22	13	–	4	8	11	133	27	37	13	1	1
Barnstable town#	3	34	10	13	15	7	2	6	2	–	1	3	1	31	7	7	2	1	1
Balance of county	4	117	44	24	38	45	5	16	11	–	3	5	10	102	20	30	11	–	–
Berkshire	6	111	26	25	54	53	5	23	8	–	8	15	6	118	20	31	17	3	2
North Adams	2	21	2	1	5	5	1	1	1	–	1	1	2	19	2	4	2	–	1
Pittsfield	1	44	10	9	18	18	1	15	3	–	4	2	–	41	5	15	7	3	1
Balance of county	3	46	14	15	31	30	3	7	4	–	3	12	4	58	13	12	8	–	–
Bristol	13	454	70	35	108	99	16	52	39	–	25	30	23	290	65	71	37	12	4
Attleboro	1	39	3	3	11	6	1	3	4	–	2	1	1	11	7	3	5	1	–
Fairhaven town#	1	20	1	–	4	4	–	2	2	–	–	1	1	13	2	3	–	–	–
Fall River	3	114	23	7	13	11	4	11	11	–	5	6	7	64	8	14	12	2	1
New Bedford	5	108	20	10	27	34	5	15	10	–	8	13	5	69	10	15	5	4	3
North Attleborough town#	–	19	–	1	11	3	1	–	1	–	–	1	1	8	2	–	2	–	–
Somerset town#	2	12	3	–	3	3	–	1	–	–	1	–	–	14	3	4	2	1	–
Taunton	–	45	7	5	12	10	1	5	5	–	3	3	2	20	13	16	3	3	–
Balance of county	1	97	13	9	27	28	4	15	6	–	6	5	6	91	20	16	8	1	–
Dukes	–	9	4	–	5	4	–	–	–	–	1	–	2	6	1	4	1	1	–
Essex	20	447	82	68	175	173	21	78	55	–	29	46	24	491	80	99	66	16	4
Amesbury town#	–	8	5	2	2	4	–	–	–	–	–	1	–	12	1	4	1	–	–
Andover town#	2	11	1	3	5	8	3	3	2	–	–	–	–	12	5	2	3	1	–
Beverly	1	18	4	7	11	18	4	3	3	–	3	2	1	29	2	3	3	–	–
Danvers town#	1	10	2	4	11	4	1	4	–	–	1	2	–	17	2	3	2	–	–
Gloucester	2	22	2	4	10	11	1	4	5	–	–	–	3	28	7	5	1	1	–
Haverhill	2	31	13	6	15	6	1	6	10	–	2	5	2	49	7	10	5	–	–
Lawrence	2	64	12	5	26	16	1	9	6	–	4	12	2	41	10	14	8	4	–
Lynn	2	77	4	7	17	38	4	16	8	–	4	7	5	72	13	22	9	3	2
Lynnfield town#	1	2	–	–	3	–	–	–	1	–	–	–	–	4	–	–	–	–	–
Marblehead town#	–	17	4	3	3	5	–	2	–	–	–	1	–	11	1	2	1	–	1
Melhuen town#	1	30	3	3	11	6	–	4	2	–	4	1	–	20	3	4	5	1	–
Newburyport	–	17	4	1	5	4	1	4	3	–	1	2	2	17	–	–	1	2	–
Peabody	1	22	1	7	5	9	1	4	3	–	3	2	3	31	8	6	9	–	1
Salem	1	27	7	3	12	9	1	8	2	–	1	5	3	47	3	5	1	–	–
Saugus town#	–	11	1	1	4	8	–	–	–	–	3	–	1	17	2	6	2	1	–
Swampscott town#	–	14	–	–	2	1	–	–	3	–	–	–	–	16	1	2	2	–	–
Balance of county	4	66	19	12	33	25	3	11	7	–	3	8	2	68	15	11	13	3	–
Franklin	1	41	14	9	27	17	2	3	5	–	–	4	5	45	13	16	15	–	–
Hampden	9	331	66	40	143	117	18	54	50	–	27	45	24	327	67	101	36	15	3
Agawam town#	–	11	2	–	8	2	3	6	4	–	1	2	1	13	7	5	2	–	–
Chicopee	1	40	4	8	19	19	1	10	5	–	4	5	1	38	5	15	2	–	1
Holyoke	2	53	9	5	13	16	5	12	7	–	5	4	3	43	6	17	3	1	2
Longmeadow town#	1	11	3	1	7	4	–	–	3	–	2	1	–	12	3	1	4	–	–
Springfield	3	123	27	15	51	47	5	17	17	–	7	28	11	142	20	45	12	11	–
Westfield	1	24	9	5	15	11	2	6	4	–	3	1	3	19	6	6	4	1	–
West Springfield town#	–	24	6	2	9	6	1	1	3	–	1	1	1	17	4	7	3	1	–
Balance of county	1	45	6	4	21	12	1	2	7	–	4	3	4	43	16	5	6	1	–
Hampshire	8	73	12	6	37	40	3	14	12	1	2	9	3	74	18	19	11	4	1
Amherst town#	1	8	1	1	4	4	1	–	1	–	–	2	–	7	3	3	–	–	–
Easthampton town#	2	10	1	1	5	4	1	–	2	–	–	1	–	12	–	1	2	–	–
Northampton	2	24	5	2	15	5	–	7	6	–	–	–	–	23	1	5	3	2	1
Balance of county	3	31	5	2	13	27	1	7	3	1	2	6	3	32	14	10	6	2	–
Middlesex	27	773	151	123	359	359	43	187	101	–	65	72	55	938	147	262	107	50	10
Arlington town#	1	37	6	8	17	8	3	8	7	–	4	2	–	48	5	12	1	1	–
Belmont town#	–	23	2	2	11	7	–	4	4	–	–	–	–	28	1	6	1	1	1
Billerica town#	–	17	3	3	3	11	–	3	2	–	–	3	1	14	7	4	5	–	1
Burlington town#	–	7	–	1	1	2	–	4	1	–	–	–	–	8	2	5	1	–	–
Cambridge	2	45	3	10	31	19	1	13	7	–	5	4	3	61	5	16	8	6	–
Chelmsford town#	–	14	5	2	4	3	–	7	2	–	–	–	1	11	1	2	4	3	–
Dracut town#	–	7	1	2	3	5	–	–	2	–	1	3	1	12	3	2	1	1	–
Everett	2	28	4	3	10	17	2	12	9	–	2	2	4	28	5	12	1	6	1
Framingham town#	2	46	6	8	22	17	5	15	1	–	2	3	1	53	5	11	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	115	-	-	1	27	6	8	1	3	1	1	7	2	53	47	-	-	44	3
Lexington town#	219	-	-	2	66	21	12	11	6	1	4	11	4	102	83	-	1	69	13
Lowell	1,050	-	1	8	254	65	63	23	12	19	11	61	32	531	404	2	5	353	44
Malden	573	-	-	12	130	37	24	16	14	7	3	29	16	279	233	9	3	181	40
Marlborough	255	-	-	3	72	20	20	5	5	3	5	14	4	115	92	1	1	80	10
Medford	601	-	-	6	146	47	43	13	9	3	4	27	10	308	267	4	7	226	30
Melrose	306	-	-	2	56	16	14	4	4	4	2	12	4	183	146	2	6	121	17
Natick town#	244	-	-	2	68	17	16	10	6	3	2	14	4	103	82	1	-	68	13
Newton	752	-	-	4	177	68	26	23	15	6	5	34	10	382	309	2	7	243	57
Reading town#	160	-	-	4	36	11	11	1	3	1	2	7	3	76	61	-	-	53	8
Somerville	779	-	-	5	164	45	44	14	12	14	6	29	19	379	316	5	4	274	33
Stoneham town#	182	1	-	4	43	12	9	3	8	2	2	7	2	95	77	2	3	62	10
Tewksbury town#	134	-	-	-	34	8	11	2	2	1	-	10	6	68	44	-	1	41	2
Wakefield town#	246	-	-	3	55	17	11	8	6	-	3	10	2	117	96	-	-	69	27
Waltham	447	-	-	7	130	36	30	12	16	7	9	20	2	207	165	2	6	135	23
Watertown town#	337	-	-	4	84	24	16	10	10	3	4	17	6	173	145	1	3	123	18
Wilmington town#	114	-	-	2	37	9	10	6	2	2	-	8	5	46	42	1	-	37	4
Winchester town#	193	-	-	1	55	20	8	9	4	4	1	9	6	68	50	1	-	38	11
Woburn	306	-	-	2	80	25	23	9	5	1	3	14	5	154	136	-	2	112	22
Balance of county	1,325	1	-	9	327	99	71	37	36	9	12	63	28	610	478	4	5	399	70
Nantucket	53	-	-	1	12	2	3	1	1	1	1	3	2	27	22	1	-	13	8
Norfolk	5,476	-	-	62	1,413	414	317	137	137	83	46	279	77	2,707	2,156	29	26	1,749	352
Braintree town#	398	-	-	4	100	21	28	8	10	2	5	26	8	203	158	2	1	136	19
Brookline town#	552	-	-	7	152	48	24	15	17	10	4	34	8	263	212	2	2	141	67
Dedham town#	209	-	-	2	59	15	16	8	5	4	1	10	2	110	87	1	1	62	23
Holbrook town#	89	-	-	-	23	5	6	2	4	1	1	4	1	44	37	-	-	35	2
Milton town#	318	-	-	7	85	28	19	10	10	3	5	10	6	148	122	3	1	107	11
Needham town#	230	-	-	2	58	21	12	4	2	6	2	11	-	118	82	1	4	69	18
Norwood town#	286	-	-	4	55	11	12	7	5	6	3	11	4	154	115	3	1	88	23
Quincy	992	-	-	10	244	75	52	22	23	12	11	49	10	498	415	8	4	349	54
Randolph town#	250	-	-	4	68	18	20	8	5	2	1	14	4	122	106	-	-	94	12
Stoughton town#	215	-	-	4	55	21	11	2	4	6	-	11	1	107	88	-	-	75	13
Wellesley town#	189	-	-	2	58	17	10	9	5	1	1	15	4	80	55	-	1	43	11
Westwood town#	106	-	-	1	27	9	6	1	6	-	-	5	1	54	41	1	1	32	7
Weymouth town#	510	-	-	2	140	42	39	13	14	8	3	21	10	244	174	1	6	140	27
Balance of county	1,132	-	-	13	289	83	62	28	27	22	9	58	18	562	454	7	4	376	65
Plymouth	3,312	1	-	24	736	214	164	84	79	36	24	135	43	1,699	1,386	11	20	1,144	211
Abington town#	132	1	-	-	30	9	7	2	2	3	1	6	2	66	57	2	-	48	7
Brockton	914	-	-	5	185	49	41	23	24	11	7	30	7	483	402	2	5	357	38
Plymouth town#	324	-	-	1	77	27	13	4	10	1	3	19	8	162	134	1	2	109	22
Rockland town#	143	-	-	1	30	15	5	5	1	-	-	4	3	74	50	2	-	45	3
Scituate town#	140	-	-	2	35	10	6	5	4	1	2	7	3	67	51	1	4	39	7
Whitman town#	101	-	-	3	16	2	5	1	1	1	-	6	1	50	39	-	-	34	5
Balance of county	1,558	-	-	12	363	102	87	44	37	19	11	63	19	797	653	3	9	512	129
Suffolk	6,739	3	-	113	1,469	421	360	134	131	65	49	309	131	3,193	2,689	27	57	2,007	598
Boston	5,702	2	-	96	1,226	354	294	111	109	55	41	262	111	2,691	2,262	23	43	1,682	514
Chelsea	337	-	-	5	80	20	26	7	9	2	2	12	12	150	123	2	3	89	29
Revere	454	-	-	9	114	32	32	12	7	4	4	23	6	220	183	1	9	137	36
Winthrop town#	246	1	-	3	49	15	6	4	6	4	2	12	2	132	121	1	2	99	19
Worcester	5,896	2	-	59	1,337	385	334	121	141	57	41	258	106	3,053	2,436	20	30	1,980	386
Clinton town#	125	-	-	2	24	8	10	1	1	1	-	3	1	65	51	-	-	37	14
Fitchburg	395	-	-	6	88	28	24	11	7	3	4	11	7	200	158	1	1	127	29
Gardner	208	1	-	-	54	17	10	6	7	3	3	8	5	98	70	-	1	60	9
Leominster	259	-	-	2	54	8	19	3	6	-	3	15	3	150	115	1	3	92	19
Milford town#	211	-	-	5	38	11	13	2	1	-	1	10	8	103	83	1	1	66	15
Shrewsbury town#	187	-	-	3	52	13	14	3	6	4	2	10	6	87	72	-	1	62	9
Webster town#	154	-	-	2	26	6	6	2	4	3	1	4	5	85	64	-	-	56	8
Worcester	1,858	-	-	15	393	123	90	36	42	21	13	68	34	982	802	11	9	664	118
Balance of county	2,499	1	-	24	608	171	148	57	67	22	14	129	37	1,283	1,021	6	14	826	175
Michigan	75,694	40	-	612	16,615	4,226	4,500	1,506	1,777	705	649	3,252	1,352	38,365	30,151	261	784	22,370	6,736
Urban places	45,584	28	-	409	9,923	2,559	2,761	940	1,007	413	363	1,880	777	22,867	18,108	156	551	12,928	4,475
Balance of area	30,110	12	-	203	6,692	1,667	1,739	566	770	292	286	1,372	575	15,498	12,043	105	233	9,444	2,261
Metropolitan counties	60,966	34	-	520	13,409	3,431	3,650	1,255	1,407	569	501	2,596	1,076	30,559	24,204	209	683	17,823	5,669
Urban places	43,777	28	-	400	9,545	2,461	2,669	910	973	398	343	1,791	736	21,926	17,419	150	537	12,371	4,361
Balance of area	17,189	6	-	120	3,864	970	981	345	434	171	158	805	340	8,633	6,785	59	146	5,252	1,328
Nonmetropolitan counties	14,728	6	-	92	3,206	795	850	251	370	136	148	656	276	7,806	5,947	52	101	4,747	1,047
Urban places	1,807	-	-	9	378	98	92	30	34	15	20	89	41	941	689	6	14	555	114
Balance of area	12,921	6	-	83	2,828	697	758	221	336	121	128	567	235	6,865	5,258	46	87	4,192	933
Alcona	113	-	-	2	26	7	6	2	3	3	2	3	-	60	39	-	-	32	7
Alger	100	-	-	-	27	7	11	3	2	-	2	2	-	54	37	1	1	33	2
Allegan	643	1	-	2	147	31	40	9	16	12	2	37	15	316	243	2	2	178	61
Holland, part	58	-	-	-	13	2	3	1	-	2	-	5	1	29	22	-	-	17	5
Balance of county	585	1	-	2	134	29	37	8	16	10	2	32	14	287	221	2	2	161	56
Alpena	304	-	-	1	70	16	20	8	7	2	4	13	3	184	134	-	1	113	20
Alpena	151	-	-	-	35	9	9	3	2	1	1	10	2	84	70	-	-	61	9
Balance of county	153	-	-	1	35	7	11	5	5	1	3	3	1	80	64	-	1	52	11
Antrim	186	-	-	2	40	14	10	2	3	3	3	5	3	111	73	1	1	60	11
Arenac	157	-	-	2	39	10	11	3	3	1	1	10	3	76	60	1	-	40	19
Baraga	100	-	-	-	24	7	3	4	5	2	-	3	2	57	50	-	-	42	8
Barry	376	-	-	5	79	18	19	6	11	5	5	15	8	182	146	-	2	112	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Hudson town#	–	6	–	–	3	5	–	–	–	–	1	–	1	13	4	3	1	1	–
Lexington town#	1	14	2	2	11	2	2	2	2	–	1	–	2	17	1	4	1	–	–
Lowell	2	66	50	9	15	47	1	10	10	–	4	6	6	72	11	21	10	9	–
Malden	1	31	7	7	16	19	–	10	9	–	5	1	6	43	9	6	3	2	1
Marlborough	–	19	–	4	11	6	2	2	–	–	4	3	2	21	3	4	2	1	–
Medford	1	29	5	6	16	12	2	6	6	–	3	11	2	40	10	16	5	2	–
Melrose	1	29	5	2	12	14	1	7	–	–	1	1	1	19	1	3	1	–	–
Natick town#	–	18	1	2	12	5	1	3	6	–	1	1	3	22	2	3	5	3	–
Newton	4	54	2	13	27	19	4	7	9	–	5	1	3	68	8	25	1	1	1
Reading town#	–	9	3	3	4	6	2	1	–	–	1	–	1	13	2	7	4	–	–
Somerville	1	50	7	5	34	28	5	25	6	–	2	1	–	80	3	20	5	2	1
Stoneham town#	–	11	4	3	5	4	–	2	–	–	–	1	2	9	8	6	1	–	1
Tewksbury town#	–	12	9	3	3	8	1	4	–	–	1	1	–	6	–	2	–	–	–
Wakefield town#	1	15	2	3	9	7	–	3	1	–	3	5	4	19	7	6	3	1	1
Waltham	1	29	4	8	14	16	–	4	3	–	3	3	2	37	3	11	3	1	1
Watertown town#	–	25	3	–	14	8	1	3	3	–	–	–	1	29	4	3	3	–	1
Wilmington town#	–	2	1	1	–	3	–	2	2	–	1	2	–	9	–	3	2	–	–
Winchester town#	–	14	1	3	10	7	2	4	–	–	–	–	–	26	1	7	4	2	–
Woburn	–	14	4	–	7	14	2	5	2	–	–	2	–	24	2	3	3	1	–
Balance of county	7	104	11	10	32	40	6	21	7	–	15	16	4	108	36	37	23	5	–
Nantucket	–	3	1	1	4	1	–	2	–	–	–	–	2	1	1	–	–	–	–
Norfolk	19	396	53	83	170	129	15	67	51	–	28	46	39	427	67	96	55	20	6
Braintree town#	3	37	3	2	14	16	2	3	2	–	3	3	2	29	–	6	3	–	–
Brookline town#	1	38	4	8	17	9	–	4	9	–	4	3	8	41	2	14	6	4	1
Dedham town#	1	16	2	4	2	1	–	1	5	–	2	4	–	10	5	3	2	–	1
Holbrook town#	–	5	1	1	3	1	–	2	1	–	–	1	1	11	–	–	1	–	–
Milton town#	–	18	4	4	6	4	2	5	4	–	3	1	2	31	1	10	2	–	1
Needham town#	1	20	3	2	7	4	1	2	–	–	1	1	1	21	4	7	1	1	1
Norwood town#	–	30	3	6	11	13	–	4	1	–	1	–	–	27	3	4	3	2	–
Quincy	3	58	5	17	36	27	1	13	10	–	4	5	7	90	10	13	8	4	2
Randolph town#	–	13	1	2	7	7	–	2	4	–	–	2	2	17	4	4	2	1	–
Stoughton town#	1	10	4	4	3	3	–	2	2	–	1	4	3	14	5	6	3	2	–
Wellesley town#	–	16	4	5	9	4	2	2	–	–	–	3	–	20	–	1	2	2	–
Westwood town#	–	10	1	2	2	4	–	2	–	–	–	–	1	11	1	–	2	–	–
Weymouth town#	2	50	5	13	17	11	1	12	3	–	2	1	5	36	7	12	5	2	–
Balance of county	7	75	13	13	36	25	6	13	10	–	8	18	7	69	25	16	15	2	–
Plymouth	10	247	17	39	128	98	9	53	31	–	20	30	28	231	58	70	44	7	2
Abington town#	2	5	–	2	6	4	1	3	4	–	2	–	2	6	1	3	1	–	–
Brockton	1	69	1	10	46	27	3	15	8	–	4	9	15	67	10	15	12	2	1
Plymouth town#	–	25	1	2	9	14	1	7	1	–	3	2	1	23	7	5	3	–	–
Rockland town#	1	14	–	9	5	3	–	1	–	–	3	–	1	13	4	3	1	1	–
Scituate town#	1	10	3	2	5	5	–	–	2	–	–	–	–	13	3	3	2	–	–
Whitman town#	1	8	–	2	7	5	–	2	1	–	1	2	–	5	4	3	1	–	–
Balance of county	4	116	12	12	50	40	4	25	15	–	7	17	9	104	29	38	24	4	1
Suffolk	17	370	55	62	266	140	17	117	77	–	48	72	73	589	74	163	78	99	17
Boston	16	310	49	54	234	101	13	100	60	–	42	59	68	506	66	142	66	94	15
Chelsea	–	20	4	3	7	15	2	8	7	–	2	2	1	27	4	7	6	1	1
Revere	–	31	1	5	15	18	1	7	4	–	3	1	3	35	2	11	4	1	–
Winthrop town#	1	9	1	–	10	6	1	2	6	–	1	–	1	21	2	3	2	3	1
Worcester	25	434	88	70	178	148	16	77	65	1	46	42	19	483	80	102	58	18	6
Clinton town#	–	12	1	1	3	1	–	2	5	–	–	3	2	10	4	1	2	–	–
Fitchburg	2	28	5	7	17	9	–	4	6	–	5	2	4	26	6	7	4	1	1
Gardner	6	17	4	1	6	3	–	3	2	–	3	2	–	22	2	4	2	–	1
Leominster	1	31	1	2	9	5	2	5	–	–	2	1	1	20	2	2	1	–	–
Milford town#	–	18	4	–	10	7	–	3	5	–	–	2	–	20	3	3	2	2	–
Shrewsbury town#	–	6	9	–	5	3	2	4	1	–	1	–	1	15	3	3	–	–	1
Webster town#	–	14	3	4	3	2	1	2	2	–	1	2	1	11	2	6	2	1	–
Worcester	9	122	32	17	53	52	6	26	18	1	17	12	5	167	20	27	21	8	1
Balance of county	7	188	29	38	72	66	5	28	26	–	17	18	5	190	38	49	24	6	2
Michigan	274	5,857	1,287	796	1,709	2,210	282	1,246	711	11	487	963	316	5,529	1,566	1,563	1,102	938	83
Urban places	166	3,491	656	446	1,030	1,237	161	871	430	10	282	686	174	3,476	743	946	665	801	68
Balance of area	108	2,366	631	350	679	973	121	375	281	1	205	277	142	2,053	823	617	437	137	15
Metropolitan counties	219	4,584	935	617	1,327	1,716	230	1,068	561	10	410	837	252	4,559	1,237	1,288	901	890	82
Urban places	163	3,327	599	418	979	1,170	156	853	411	10	274	662	166	3,323	718	919	637	794	68
Balance of area	56	1,257	336	199	348	546	74	215	150	–	136	175	84	1,236	519	369	264	95	14
Nonmetropolitan counties	55	1,273	352	179	376	494	52	178	150	1	77	126	64	970	329	275	201	48	1
Urban places	3	164	57	28	51	67	5	18	19	–	8	24	6	153	25	27	28	7	–
Balance of area	52	1,109	295	151	325	427	47	160	131	1	69	102	58	817	304	248	173	41	1
Alcona	–	19	1	1	2	6	–	2	1	–	–	1	–	6	4	1	2	–	–
Alger	–	14	2	1	–	7	–	1	–	–	–	–	1	5	–	3	1	1	–
Allegan	6	47	14	6	16	17	–	9	7	–	6	7	12	57	19	4	7	2	–
Holland, part	–	4	2	1	3	3	–	–	2	–	1	–	2	1	2	1	–	–	–
Balance of county	6	43	12	5	12	14	–	9	5	–	5	7	10	56	17	3	7	2	–
Alpena	–	22	4	4	11	10	–	3	2	–	–	4	–	13	13	7	3	–	–
Alpena	–	11	1	2	5	7	–	–	1	–	–	–	–	6	5	5	1	–	–
Balance of county	–	11	3	2	6	3	–	3	1	–	–	4	–	7	8	2	2	–	–
Antrim	2	29	6	1	1	3	–	3	2	–	2	2	1	5	6	2	2	1	–
Arenac	–	13	2	1	2	3	2	–	–	–	1	1	–	13	6	3	3	3	–
Baraga	–	4	2	1	–	2	–	–	1	–	–	1	–	4	3	5	1	–	–
Barry	4	18	10	4	14	13	2	4	4	–	3	4	1	29	14	5	6	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	962	1	–	2	229	59	55	15	25	4	6	65	18	555	439	3	4	387	45
Bangor township#	111	–	–	1	23	2	7	1	2	1	–	10	4	68	52	1	–	37	14
Bay City	459	1	–	–	116	32	25	12	11	2	6	28	5	263	209	–	1	192	16
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	392	–	–	1	90	25	23	2	12	1	–	27	9	224	178	2	3	158	15
Benzie	123	–	–	1	22	3	10	3	4	1	1	–	1	73	51	1	–	38	12
Berrien	1,508	–	–	10	316	84	89	24	35	8	7	71	26	766	609	6	15	494	94
Benton Harbor	141	–	–	2	32	5	10	2	2	–	2	11	3	54	36	–	–	29	7
Niles	184	–	–	3	37	11	10	4	–	–	2	10	2	73	59	1	4	42	12
Balance of county	1,203	–	–	5	249	68	69	18	33	8	3	50	21	639	514	5	11	429	75
Branch	342	–	–	1	74	19	15	8	7	3	3	19	15	178	134	1	1	117	15
Calhoun	1,267	–	–	13	298	68	93	20	42	14	9	52	28	633	489	3	14	380	92
Albion	103	–	–	2	28	5	11	2	2	2	2	4	–	47	35	1	3	22	9
Battle Creek	443	–	–	4	103	22	33	10	8	5	3	22	10	220	164	1	6	125	32
Balance of county	721	–	–	7	167	41	49	8	32	7	4	26	18	366	290	1	5	233	51
Cass	394	–	–	2	83	21	29	5	10	4	1	13	3	202	162	2	2	125	33
Charlevoix	186	–	–	–	44	9	11	1	9	3	1	10	3	100	86	1	2	71	12
Cheboygan	247	–	–	–	59	12	19	3	10	3	2	10	4	133	111	4	1	97	9
Chippewa	277	–	–	1	50	17	9	2	6	1	1	14	10	149	125	–	2	112	11
Sault Ste. Marie	154	–	–	1	17	5	3	–	3	–	–	6	5	95	78	–	2	67	9
Balance of county	123	–	–	–	33	12	6	2	3	1	1	8	5	54	47	–	–	45	2
Clare	276	–	–	3	60	16	20	5	4	2	2	11	3	148	116	–	2	91	23
Clinton	315	–	–	1	79	20	19	6	11	1	2	16	7	148	110	1	2	80	27
Lansing, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1
Balance of county	313	–	–	1	79	20	19	6	11	1	2	18	7	146	109	1	2	80	26
Crawford	86	–	–	1	16	4	5	1	–	–	3	3	1	42	34	–	2	27	5
Delta	373	–	–	2	73	17	15	8	5	6	7	15	14	192	138	1	4	103	28
Escanaba	201	–	–	–	43	12	10	5	4	3	3	6	8	104	72	1	3	52	16
Balance of county	172	–	–	2	30	5	5	3	1	3	4	9	6	88	64	–	1	51	12
Dickinson	282	–	–	4	80	16	23	5	12	3	3	18	3	138	102	–	2	69	31
Eaton	583	–	–	2	124	22	29	11	13	5	12	32	5	295	211	1	9	150	51
Lansing, part	10	–	–	–	2	–	1	–	–	–	1	–	–	5	4	–	–	3	1
Balance of county	573	–	–	2	122	22	28	11	13	5	11	32	5	290	207	1	9	147	50
Emmet	201	–	–	2	35	8	13	2	5	–	2	5	1	109	72	2	1	59	10
Genesee	3,328	–	–	21	707	175	191	62	83	39	34	143	77	1,677	1,331	13	43	1,010	265
Burton	206	–	–	2	50	13	13	5	5	1	2	11	3	102	74	1	1	60	12
Flint	1,541	–	–	10	309	76	81	31	26	14	12	69	40	769	608	4	24	461	119
Flint township#	259	–	–	3	57	12	17	3	6	8	3	8	8	127	97	3	4	69	21
Genesee township#	148	–	–	–	43	11	12	3	4	2	4	7	2	67	62	–	1	50	11
Mount Morris township#	151	–	–	2	32	8	12	2	3	1	3	3	3	83	71	–	3	58	10
Balance of county	1,023	–	–	4	216	55	56	18	19	13	10	45	21	529	419	5	10	312	92
Gladwin	200	–	–	3	44	5	16	7	3	–	5	8	4	101	77	–	–	70	7
Gogebic	285	–	–	2	53	17	12	6	5	2	2	9	7	161	135	1	7	89	38
Grand Traverse	439	–	–	1	102	26	28	7	16	–	3	22	4	216	169	1	2	137	29
Traverse City	187	–	–	–	37	13	12	1	3	–	–	8	3	97	74	1	–	64	9
Balance of county	252	–	–	1	65	13	16	6	13	–	3	14	1	121	95	–	2	73	20
Gratiot	398	–	–	4	86	19	14	7	4	4	5	13	5	246	180	2	14	146	18
Hillsdale	369	–	–	3	81	25	19	7	10	4	4	12	15	190	153	3	6	123	21
Houghton	456	2	–	2	94	28	23	8	9	5	1	20	9	258	211	–	6	146	59
Huron	362	–	–	2	78	24	12	5	11	8	6	12	7	214	160	2	1	128	29
Ingham	1,614	1	–	10	361	78	100	33	41	14	19	76	40	759	578	6	19	399	154
East Lansing	127	–	–	2	24	6	4	2	3	–	1	8	4	63	48	1	2	31	14
Lansing, part	897	1	–	4	219	49	67	17	22	7	11	46	20	398	299	3	13	203	80
Lansing, total	909	1	–	4	221	49	68	17	22	7	12	46	20	405	304	3	13	206	82
Meridian township#	189	–	–	1	32	3	7	6	6	2	2	6	5	108	78	–	3	55	20
Balance of county	401	–	–	3	86	20	22	8	10	5	5	16	11	190	153	2	1	110	40
Ionia	398	–	–	5	99	23	22	9	10	8	3	24	6	205	141	–	2	114	25
Iosco	278	1	–	–	65	18	17	7	9	2	1	11	3	154	130	1	1	120	8
Iron	172	–	–	1	43	10	14	5	3	3	1	7	2	84	72	1	2	44	25
Isabella	325	–	–	1	59	13	17	2	5	2	3	17	6	180	134	2	1	107	24
Mount Pleasant	115	–	–	–	21	4	4	1	2	1	2	7	2	62	47	–	–	37	10
Balance of county	210	–	–	1	38	9	13	1	3	1	1	10	4	118	87	2	1	70	14
Jackson	1,259	–	–	4	295	71	90	28	22	11	9	64	27	640	482	1	9	347	125
Jackson	487	–	–	1	100	26	37	8	6	2	4	17	12	256	190	1	5	136	48
Balance of county	772	–	–	3	195	45	53	20	16	9	5	47	15	384	292	–	4	211	77
Kalamazoo	1,465	–	–	11	303	74	66	38	37	12	20	56	18	762	578	5	9	470	94
Kalamazoo	648	–	–	7	130	32	30	20	13	6	6	23	6	343	254	4	3	203	44
Kalamazoo township#	176	–	–	–	32	8	5	2	7	–	3	7	5	99	68	–	4	49	15
Portage	167	–	–	1	41	7	9	5	6	3	5	8	2	78	61	–	–	57	4
Balance of county	474	–	–	3	100	27	22	11	11	3	6	20	5	242	195	1	2	161	31
Kalkaska	99	–	–	1	23	6	9	1	1	2	1	3	2	50	38	1	–	24	13
Kent	3,380	2	–	24	740	179	196	75	79	36	30	143	39	1,721	1,299	10	33	1,020	236
East Grand Rapids	64	–	–	–	18	2	6	3	1	1	–	5	–	31	24	–	–	17	7
Grand Rapids	1,806	1	–	12	378	96	100	41	45	20	10	66	23	955	709	6	18	559	120
Grandville	66	–	–	–	10	3	–	1	1	–	1	4	–	39	27	–	–	18	9
Kentwood	140	–	–	1	31	11	8	3	3	2	–	4	1	73	59	–	2	45	12
Walker	74	–	–	2	14	2	3	1	2	1	1	4	1	33	27	–	–	21	6
Wyoming	374	–	–	1	98	23	30	9	7	5	6	19	4	181	142	1	3	115	23
Balance of county	856	1	–	8	191	42	49	17	20	9	13	41	10	409	317	3	10	245	59
Keweenaw	49	–	–	–	9	3	1	2	–	–	–	3	1	34	30	–	2	21	7
Lake	120	–	–	1	26	4	7	4	4	2	1	4	2	70	51	1	2	38	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	–	64	41	11	8	19	5	11	13	–	5	8	1	41	25	13	7	1	–
Bangor township#	–	8	7	1	1	1	1	2	1	–	1	–	–	3	2	2	1	–	–
Bay City	–	33	14	7	4	8	2	5	5	–	2	6	–	21	11	5	4	1	–
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	23	20	3	3	10	2	4	7	–	2	2	1	17	12	6	2	–	–
Benzie	1	11	9	1	2	5	–	1	–	–	–	1	1	4	3	3	4	2	–
Berrien	3	119	26	9	33	58	3	26	12	–	13	17	5	120	28	37	18	18	–
Benton Harbor	–	16	1	1	5	7	–	4	1	–	2	4	1	9	2	6	–	7	–
Niles	–	12	2	–	4	5	–	1	1	–	1	3	1	15	6	6	1	3	–
Balance of county	3	91	23	8	24	46	3	21	10	–	10	10	3	96	20	21	17	8	–
Branch	1	31	9	3	9	4	2	4	5	–	5	–	1	25	7	9	3	–	–
Calhoun	2	107	23	12	37	46	5	18	13	–	3	10	5	86	21	23	17	11	–
Albion	–	10	2	–	7	1	–	2	1	–	–	–	1	8	1	1	1	3	–
Battle Creek	1	42	10	3	11	12	2	10	5	–	2	7	3	29	9	9	3	4	–
Balance of county	1	55	11	9	19	33	3	8	7	–	1	3	1	49	11	13	13	4	–
Cass	1	27	5	7	7	14	3	6	3	–	7	5	3	33	10	8	3	2	–
Charlevoix	–	11	2	1	4	4	1	–	–	–	1	3	–	11	4	7	4	–	–
Cheboygan	1	14	3	4	5	13	–	2	1	–	–	1	–	17	8	2	1	1	–
Chippewa	–	17	3	4	10	5	–	3	4	–	–	1	1	18	5	14	5	1	–
Sault Ste. Marie	–	11	2	4	4	2	–	3	2	–	–	1	1	11	1	5	5	1	–
Balance of county	–	6	1	–	6	3	–	–	2	–	–	–	–	7	4	9	–	–	–
Clare	1	24	3	4	3	15	3	7	2	–	1	1	1	12	6	3	5	3	–
Clinton	1	29	5	3	8	8	1	1	3	–	3	2	2	26	10	14	2	–	–
Lansing, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	28	5	3	8	8	1	1	3	–	3	2	2	26	10	14	2	–	–
Crawford	–	6	2	–	1	6	1	1	2	–	1	1	–	9	2	2	–	–	–
Delta	2	37	10	7	14	9	1	7	4	–	2	5	–	31	5	9	4	1	–
Escanaba	–	23	5	4	8	6	–	5	2	–	1	3	–	12	3	3	2	1	–
Balance of county	2	14	5	3	6	3	1	2	2	–	1	2	–	19	2	6	2	–	–
Dickinson	1	22	9	4	7	10	–	1	5	–	–	5	1	16	1	4	6	1	–
Eaton	2	59	20	3	17	16	1	9	6	–	5	7	8	50	16	11	13	–	–
Lansing, part	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Balance of county	2	59	19	3	17	16	1	8	6	–	5	6	6	49	16	11	13	–	–
Emmet	3	24	2	8	2	9	1	4	3	–	2	5	–	15	2	5	3	3	–
Genesee	7	252	58	29	70	105	21	47	21	–	20	41	22	220	101	69	58	46	5
Burton	–	24	1	3	9	5	–	4	3	–	–	3	2	12	6	1	3	1	–
Flint	3	125	24	9	39	37	8	28	7	–	11	28	12	106	29	40	31	35	2
Flint township#	1	22	6	1	2	7	1	3	1	–	1	2	–	20	6	7	5	8	1
Genesee township#	–	4	–	1	2	6	2	1	1	–	1	–	1	7	9	3	3	–	–
Mount Morris township#	–	7	3	2	2	4	–	2	1	–	1	1	–	10	7	1	2	–	–
Balance of county	3	70	24	13	16	46	10	9	8	–	6	7	7	65	44	17	14	2	2
Gladwin	–	12	7	5	4	4	3	2	2	–	1	–	1	15	6	5	3	2	–
Gogebic	–	20	3	3	13	9	1	6	5	–	–	1	1	17	3	2	4	–	–
Grand Traverse	1	30	12	6	10	14	2	3	–	–	3	7	4	43	15	6	6	1	–
Traverse City	1	15	5	2	2	7	1	–	–	–	1	4	–	23	5	3	3	1	–
Balance of county	–	15	7	4	8	7	1	3	–	–	2	3	4	20	10	3	3	–	–
Gratiot	–	53	7	6	13	5	1	2	6	–	2	7	2	16	10	9	3	1	–
Hillsdale	–	29	4	4	9	13	–	3	4	–	1	4	–	22	10	6	7	–	–
Houghton	–	32	12	3	12	19	1	8	5	–	3	–	–	26	4	5	8	–	–
Huron	3	40	7	4	13	10	4	4	1	–	–	1	2	8	5	7	6	–	–
Ingham	7	120	31	23	36	56	6	26	15	–	23	18	6	145	40	36	26	10	–
East Lansing	–	10	1	4	5	2	1	1	1	–	5	1	–	10	3	2	3	–	–
Lansing, part	4	68	15	12	17	36	3	12	10	–	10	16	5	68	14	23	12	9	–
Lansing, total	4	69	16	12	17	36	3	13	10	–	10	17	5	69	14	23	12	9	–
Meridian township#	2	16	9	3	4	5	1	2	1	–	–	1	1	17	5	3	3	–	–
Balance of county	1	26	6	4	10	13	1	11	3	–	8	–	–	30	18	8	8	1	–
Ionia	4	49	9	2	9	13	–	5	4	–	1	6	2	15	8	13	7	–	–
Iosco	2	15	2	5	3	9	1	4	1	–	1	–	3	22	4	4	2	1	–
Iron	–	11	–	1	6	8	–	2	–	–	–	–	3	11	5	1	6	–	–
Isabella	1	36	6	3	11	9	1	1	4	–	4	3	–	30	8	5	3	–	–
Mount Pleasant	–	12	2	1	5	3	–	–	1	–	1	2	–	16	–	2	–	–	–
Balance of county	1	24	4	2	6	6	1	1	3	–	3	1	–	14	8	3	3	–	–
Jackson	5	102	42	9	23	40	11	16	12	–	11	20	1	90	31	21	12	5	–
Jackson	1	49	16	–	10	15	5	9	5	–	4	10	–	36	10	9	4	1	–
Balance of county	4	53	26	9	13	25	6	7	7	–	7	10	1	54	21	12	8	4	–
Kalamazoo	7	134	19	24	41	45	5	10	12	–	17	24	5	123	23	33	22	11	–
Kalamazoo	4	60	11	14	20	24	1	3	7	–	6	14	2	50	7	12	8	8	–
Kalamazoo township#	–	23	2	6	8	4	–	1	1	–	1	1	–	13	3	4	4	–	–
Portage	1	16	–	–	1	5	2	1	1	–	2	4	–	13	6	5	5	–	–
Balance of county	2	35	6	4	12	12	2	5	3	–	8	5	3	47	7	12	5	3	–
Kalkaska	1	4	5	2	2	1	–	1	1	–	1	–	2	5	4	3	3	–	–
Kent	12	284	81	45	73	111	10	34	26	1	30	48	12	270	84	90	39	25	9
East Grand Rapids	–	5	1	1	1	4	1	–	2	–	1	1	–	2	1	1	1	–	–
Grand Rapids	8	175	53	18	40	55	8	24	19	1	15	25	7	135	27	44	15	20	2
Grandville	1	9	1	1	–	5	1	1	–	–	–	1	–	6	–	3	–	–	–
Kentwood	–	7	2	5	3	2	–	–	1	–	2	3	–	12	5	3	3	–	–
Walker	1	4	1	–	3	1	–	1	1	–	1	–	–	10	3	3	1	–	–
Wyoming	1	27	6	5	6	20	–	2	–	–	5	8	2	24	7	7	9	–	–
Balance of county	3	57	17	15	20	24	–	6	3	–	6	8	3	81	41	29	10	5	1
Keweenaw	–	4	–	–	1	1	–	–	–	–	–	–	–	3	–	–	–	–	–
Lake	2	13	4	–	4	3	–	1	–	–	–	1	–	6	3	2	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	468	–	–	4	101	28	24	5	12	6	6	22	16	230	170	2	1	132	35
Leelanau	136	–	–	1	27	8	5	2	1	1	3	7	4	72	57	–	2	46	9
Lenawee	700	–	–	7	186	29	47	18	19	7	10	36	22	328	231	1	8	170	43
Adrian	215	–	–	4	43	7	14	6	3	1	6	6	7	107	73	1	4	57	11
Balance of county	485	–	–	3	123	22	33	12	16	6	4	30	15	219	158	–	4	122	32
Livingston	570	1	–	3	132	31	41	12	16	7	3	22	9	268	210	2	3	173	32
Luce	82	–	–	2	11	2	2	1	2	–	1	3	1	44	28	–	1	21	4
Mackinac	111	–	–	–	21	2	4	1	7	1	1	5	2	65	49	–	1	43	5
Macomb	4,746	1	–	38	1,178	265	350	120	106	44	38	255	87	2,368	1,903	20	35	1,529	319
Clinton township#	301	–	–	7	70	7	15	13	6	6	–	23	4	142	120	–	1	98	21
East Detroit	377	–	–	1	92	30	22	11	7	2	5	15	9	201	157	–	2	126	29
Fraser	110	–	–	1	23	3	6	3	4	–	–	7	–	59	50	–	1	36	13
Harrison township#	98	–	–	1	29	2	17	1	2	1	2	4	2	46	37	–	1	33	3
Mount Clemens	357	–	–	2	63	19	17	7	6	1	2	11	9	176	147	1	3	118	25
Roseville	398	–	–	3	114	25	48	9	9	2	2	19	5	200	161	1	2	136	22
St. Clair Shores	681	–	–	3	174	48	53	14	6	14	3	36	7	364	285	4	7	227	47
Shelby township#	144	–	–	–	41	9	11	2	8	–	2	9	2	67	54	2	–	47	5
Sterling Heights	442	–	–	6	122	17	37	15	15	2	5	31	5	192	154	1	1	117	35
Warren	1,196	1	–	10	307	67	95	32	30	13	13	57	20	598	473	6	11	380	76
Balance of county	642	–	–	4	143	38	29	13	13	3	4	43	24	328	265	5	6	211	43
Manistee	246	–	–	5	57	8	11	9	6	3	6	14	2	145	85	1	1	69	14
Marquette	491	–	–	2	106	30	28	12	9	4	6	17	9	251	193	1	6	152	24
Marquette	167	–	–	1	40	11	9	4	3	2	3	8	2	81	57	–	2	43	12
Balance of county	324	–	–	1	66	19	19	8	6	2	3	9	7	170	126	1	4	109	12
Mason	263	–	–	2	47	14	10	3	9	1	1	9	4	150	121	1	–	107	13
Mecosta	222	–	–	2	51	11	19	2	4	1	1	13	6	94	76	3	1	56	16
Big Rapids	55	–	–	1	10	3	3	2	–	–	–	2	1	22	19	1	1	12	5
Balance of county	167	–	–	1	41	8	16	–	4	1	1	11	5	72	57	2	–	44	11
Menominee	266	–	–	2	59	15	12	5	8	1	2	16	7	143	101	–	1	91	9
Menominee	119	–	–	1	31	8	4	2	4	1	2	10	4	63	44	–	1	38	5
Balance of county	147	–	–	1	28	7	8	3	4	–	–	6	3	80	57	–	–	53	4
Midland	446	–	–	3	110	31	32	5	10	2	4	26	5	222	170	2	2	142	24
Midland, part	254	–	–	1	65	17	16	4	8	–	2	18	4	127	93	2	–	78	13
Midland, total	254	–	–	1	65	17	16	4	8	–	2	18	4	127	93	2	–	78	13
Balance of county	192	–	–	2	45	14	16	1	2	2	2	8	1	95	77	–	2	64	11
Missaukee	90	–	–	1	20	5	5	1	–	–	2	7	2	49	42	–	–	36	6
Monroe	968	–	–	6	214	47	52	23	31	11	8	42	19	496	393	3	10	304	76
Monroe	277	–	–	3	58	10	13	5	12	3	2	13	7	144	119	2	2	92	23
Balance of county	691	–	–	3	156	37	39	18	19	8	6	29	12	352	274	1	8	212	53
Montcalm	417	–	–	3	79	27	20	4	9	2	6	11	6	217	157	–	–	119	36
Montmorency	104	–	–	–	23	4	6	2	6	–	–	5	2	54	48	–	1	36	11
Muskegon	1,327	–	–	15	308	64	88	32	32	21	6	55	36	673	536	6	11	433	86
Muskegon	467	–	–	3	101	20	32	9	10	6	1	23	13	242	187	2	2	149	34
Muskegon Heights	163	–	–	–	40	12	14	3	3	2	–	6	1	79	63	–	6	47	10
Norton Shores	160	–	–	4	41	6	12	7	6	3	1	6	3	76	62	–	1	52	9
Balance of county	537	–	–	8	126	26	40	13	13	10	4	20	19	276	224	4	2	185	33
Newaygo	361	–	–	–	80	21	18	4	12	1	3	21	7	190	139	2	1	122	14
Oakland	7,427	5	–	56	1,670	442	408	181	172	62	67	338	125	3,791	3,022	28	56	2,472	466
Avon township#	193	–	–	3	48	15	10	8	4	2	–	9	4	86	69	1	2	57	9
Berkley	141	–	–	4	35	12	5	4	5	1	4	4	1	70	62	1	–	50	11
Beverly Hills	87	–	–	–	13	4	4	3	1	–	–	1	2	53	42	–	–	37	5
Birmingham	223	–	–	1	64	19	10	7	9	2	3	14	3	113	83	1	–	72	10
Bloomfield township#	211	1	–	2	53	14	6	7	4	3	5	14	2	118	90	–	1	75	14
Clawson	125	–	–	–	28	4	5	6	3	1	2	7	1	66	55	–	–	50	5
Farmington	125	–	–	1	26	6	9	5	1	1	–	4	1	70	59	–	–	48	11
Farmington Hills	395	–	–	1	94	21	28	13	6	3	4	19	2	201	167	3	1	134	29
Ferndale	317	–	–	–	60	17	11	8	9	2	3	10	9	169	136	–	6	101	29
Hazel Park	164	–	–	1	41	11	10	3	7	–	1	9	1	75	60	–	–	48	12
Madison Heights	251	–	–	1	53	10	19	3	4	3	–	14	6	119	91	1	2	76	12
Novi	100	–	–	1	22	5	8	1	3	1	1	3	2	52	41	1	–	28	12
Oak Park	314	1	–	3	71	27	15	9	5	3	–	12	5	167	141	1	5	118	17
Pontiac	723	1	–	9	130	37	33	10	10	3	9	28	10	382	282	2	5	232	43
Royal Oak	630	–	–	1	149	44	37	17	15	8	2	26	17	321	256	4	6	204	42
Southfield	755	–	–	8	163	48	44	18	18	3	10	22	16	403	310	5	7	258	40
Troy	352	–	–	4	81	18	15	11	6	6	3	22	2	184	149	2	1	123	23
West Bloomfield township#	144	–	–	2	40	6	8	4	6	2	–	14	2	62	48	–	1	37	10
Balance of county	2,177	2	–	14	499	124	131	44	56	18	20	106	39	1,100	881	6	19	724	132
Oceana	186	1	–	2	44	13	10	7	5	–	3	6	4	92	68	1	3	48	16
Ogemaw	204	–	–	–	58	12	19	3	6	1	3	14	5	95	82	2	–	65	15
Ontonagon	123	–	–	2	19	6	6	–	–	1	–	7	2	81	48	–	–	34	14
Osceola	172	–	–	1	32	5	14	3	2	–	2	6	3	93	71	1	–	59	11
Oscoda	85	–	–	1	20	3	4	–	3	3	1	6	–	57	37	–	–	36	1
Otsego	141	–	–	–	31	10	4	3	3	–	1	10	3	65	53	1	–	29	23
Ottawa	994	–	–	4	216	75	24	18	27	5	9	58	16	493	360	9	6	258	87
Georgetown township#	99	–	–	–	21	7	1	2	1	1	1	8	3	50	40	1	–	31	8
Grand Haven	138	–	–	2	23	11	1	2	2	–	–	7	2	71	41	3	2	25	11
Holland, part	197	–	–	–	44	11	7	5	4	1	3	13	1	112	81	1	1	61	18
Holland, total	255	–	–	–	57	13	10	6	4	3	3	18	2	141	103	1	1	78	23
Balance of county	560	–	–	2	128	46	15	9	20	3	5	30	10	260	198	4	3	141	50

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Michigan—Con.																			
Lapeer	1	39	10	10	8	17	2	5	2	–	5	6	3	33	18	11	4	1	2
Leelanau	–	9	4	2	2	5	–	3	–	–	2	–	–	13	3	3	1	–	–
Lenawee	3	61	19	12	16	29	1	5	10	–	1	6	1	69	14	13	9	3	–
Adrian	1	23	8	2	4	9	–	2	1	–	–	2	1	27	1	3	3	1	–
Balance of county	2	38	11	10	12	20	1	3	9	–	1	6	–	42	13	10	6	2	–
Livingston	2	35	7	14	18	19	3	5	4	–	7	3	3	44	17	16	12	5	1
Luce	2	7	8	1	1	8	–	2	1	–	–	–	1	8	–	2	1	–	–
Mackinac	–	9	5	2	1	3	–	7	1	–	1	–	–	5	3	–	2	–	–
Macomb	19	312	86	49	99	123	20	90	43	2	34	57	14	299	93	91	79	23	6
Clinton township#	–	19	3	–	6	13	1	10	1	–	2	4	–	19	10	6	4	1	1
East Detroit	–	34	6	4	6	8	4	6	1	–	1	2	1	24	6	6	5	2	–
Fraser	2	6	1	–	4	5	–	1	1	–	–	3	1	5	3	3	–	1	–
Harrison township#	–	6	2	1	2	2	1	–	–	–	2	2	–	7	1	1	2	–	–
Mount Clemens	1	19	5	4	10	9	1	8	3	2	6	12	2	23	14	8	8	1	–
Roseville	2	24	9	4	7	10	1	7	5	–	–	7	1	19	6	7	6	–	–
St. Clair Shores	2	55	13	9	16	21	1	5	7	–	3	6	3	45	5	10	9	2	–
Shelby township#	1	10	2	–	–	6	–	2	3	–	1	–	–	6	7	2	4	2	1
Sterling Heights	4	23	6	5	14	8	1	7	5	–	5	7	–	39	14	10	6	1	–
Warren	4	61	23	15	26	26	7	29	12	–	10	5	3	69	18	21	24	10	2
Balance of county	3	35	16	7	8	15	3	13	5	–	4	9	3	43	9	17	11	3	2
Manistee	5	33	16	6	1	2	3	2	4	–	2	1	–	12	3	4	3	–	–
Marquette	1	45	19	3	12	19	2	9	5	–	7	6	2	28	7	9	15	2	–
Marquette	–	16	7	1	4	9	–	3	4	–	1	3	–	13	1	1	4	–	–
Balance of county	1	29	12	2	8	10	2	6	1	–	6	3	2	15	6	8	11	2	–
Mason	1	22	5	1	6	15	1	6	3	–	1	2	1	11	4	7	3	–	–
Mecosta	1	13	2	2	13	12	–	1	2	–	1	7	1	19	6	3	2	2	–
Big Rapids	–	3	–	–	5	4	–	–	1	–	1	2	–	6	1	1	–	–	–
Balance of county	1	10	2	2	8	8	–	1	1	–	–	5	1	13	5	2	2	2	–
Menominee	4	21	13	4	9	10	1	5	1	–	–	1	4	14	5	4	1	–	–
Menominee	1	7	8	3	2	2	1	3	1	–	–	–	1	7	1	1	1	–	–
Balance of county	3	14	5	1	7	8	–	2	–	–	–	1	3	7	4	3	–	–	–
Midland	–	34	12	6	12	18	3	2	8	–	2	7	2	27	8	6	10	1	–
Midland, part	–	21	8	5	6	12	2	1	2	–	2	3	–	21	2	–	6	–	–
Midland, total	–	21	8	5	6	12	2	1	2	–	2	3	–	21	2	–	6	–	–
Balance of county	–	13	4	1	6	6	1	1	6	–	–	4	2	6	6	6	4	1	–
Missaukee	–	5	1	1	2	2	–	–	1	–	–	–	1	7	1	4	–	–	–
Monroe	5	62	19	17	17	34	5	11	9	–	2	9	4	73	35	17	12	4	1
Monroe	1	11	7	6	8	10	1	3	2	–	–	1	–	25	9	5	–	1	–
Balance of county	4	51	12	11	9	24	4	8	7	–	2	8	4	48	26	12	12	3	1
Montcalm	4	41	7	6	15	11	3	7	6	–	3	3	1	29	11	15	6	2	–
Montmorency	–	5	–	1	1	5	–	1	1	–	–	–	1	7	3	1	4	1	–
Muskegon	5	97	20	15	21	41	8	19	16	–	10	15	3	85	26	26	16	9	–
Muskegon	3	43	7	2	10	15	2	6	6	–	2	7	2	32	8	10	6	2	–
Muskegon Heights	–	11	3	2	3	10	–	2	2	–	–	5	1	11	2	4	–	3	–
Norton Shores	1	9	1	3	1	8	–	1	3	–	1	1	–	15	2	2	4	–	–
Balance of county	1	34	9	8	7	10	6	10	5	–	7	2	–	27	14	10	6	4	–
Newaygo	–	38	9	4	13	12	–	2	3	–	2	3	2	24	12	5	6	–	–
Oakland	22	584	84	79	152	207	27	119	67	2	51	91	27	476	192	164	141	58	6
Avon township#	2	11	–	4	3	6	1	5	1	–	1	2	–	14	6	5	8	–	–
Berkley	–	4	3	1	1	7	–	3	2	–	1	1	–	10	2	2	2	–	–
Beverly Hills	–	10	–	1	–	1	1	1	1	–	1	–	–	13	1	–	–	–	–
Birmingham	–	24	2	4	10	4	–	–	2	–	–	1	1	13	7	1	2	1	–
Bloomfield township#	3	20	2	3	5	2	–	3	2	–	2	2	1	7	3	4	4	–	–
Clawson	–	8	3	–	4	1	1	6	1	–	–	1	1	7	1	5	–	2	–
Farmington	–	8	–	3	4	8	–	4	–	–	–	–	–	6	1	2	1	1	–
Farmington Hills	2	24	3	5	5	15	1	8	5	–	3	–	6	23	15	9	6	1	–
Ferndale	1	25	3	4	7	20	4	5	5	–	1	1	3	16	3	8	6	–	–
Hazel Park	–	14	1	–	3	8	1	7	4	–	1	2	–	9	3	3	3	2	–
Madison Heights	–	24	2	2	3	6	–	4	2	–	2	2	–	20	6	14	10	3	–
Novi	–	6	4	1	1	3	–	2	1	–	2	–	–	7	4	2	–	1	–
Oak Park	–	21	4	1	6	5	–	2	3	1	3	6	1	25	5	4	4	2	–
Pontiac	3	59	14	4	19	17	6	15	5	1	10	14	5	42	18	30	13	15	1
Royal Oak	2	50	6	7	18	13	1	10	5	–	3	11	2	41	10	8	15	3	2
Southfield	3	73	13	4	21	17	2	8	8	–	4	8	–	57	9	15	12	3	1
Troy	2	28	3	4	7	10	–	6	3	–	3	3	1	27	4	8	4	4	1
West Bloomfield township#	–	11	1	2	4	4	–	1	1	–	1	3	–	9	7	4	3	1	–
Balance of county	4	166	20	29	31	60	9	29	16	–	13	34	6	130	87	40	48	19	1
Oceana	1	19	3	1	1	6	1	1	–	–	1	1	2	16	8	3	1	2	–
Ogemaw	1	8	3	1	7	6	–	5	1	1	–	1	–	15	4	4	–	2	–
Ontonagon	–	15	15	3	2	2	–	1	–	–	–	–	–	6	4	1	3	–	–
Osceola	–	19	3	–	5	5	1	1	4	–	1	3	–	8	4	6	3	4	–
Oscoda	–	16	1	3	2	3	–	2	–	–	1	–	–	6	2	–	–	–	1
Otsego	–	6	5	1	6	4	–	4	6	–	1	1	1	12	2	1	4	–	–
Ottawa	4	83	33	13	32	32	2	8	10	–	14	15	16	68	25	23	14	8	–
Georgetown township#	1	5	4	–	2	1	–	–	–	–	1	4	1	8	4	2	2	–	–
Grand Haven	2	19	6	3	11	3	1	–	1	–	1	2	–	14	2	3	1	1	–
Holland, part	–	20	6	5	3	11	–	1	1	–	3	–	4	8	6	4	–	1	–
Holland, total	–	24	8	6	6	14	–	1	3	–	4	–	6	7	8	5	–	1	–
Balance of county	1	39	17	5	16	17	1	5	8	–	9	9	11	40	13	14	11	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	161	–	–	2	34	11	12	–	4	–	3	4	3	84	69	1	–	64	4
Roscommon	223	–	–	1	69	22	24	2	3	3	4	11	2	110	88	–	–	72	16
Saginaw	1,652	2	–	11	377	104	87	27	43	18	18	80	23	822	655	3	10	478	164
Saginaw	729	1	–	1	154	38	36	12	21	6	6	35	7	354	276	3	5	201	67
Saginaw township#	277	1	–	1	78	22	18	7	10	4	1	16	4	140	111	–	–	83	28
Balance of county	646	–	–	9	145	44	33	8	12	8	11	29	12	328	268	–	5	194	69
St. Clair	1,209	1	–	9	262	68	69	26	22	11	12	54	26	603	447	2	12	342	91
Port Huron	373	–	–	5	77	17	14	9	8	4	5	20	6	202	138	1	5	109	23
Balance of county	836	1	–	4	185	51	55	17	14	7	7	34	20	401	309	1	7	233	68
St. Joseph	512	–	–	5	122	32	36	7	20	3	5	19	9	268	218	1	5	178	34
Sanilac	403	1	–	2	85	22	12	5	14	5	3	24	6	234	179	–	–	155	24
Schoolcraft	103	–	–	–	16	1	7	3	3	–	–	2	3	61	49	–	–	45	4
Shiawassee	536	–	–	2	118	26	34	10	11	3	4	30	14	290	206	2	6	166	30
Owosso	175	–	–	–	43	7	13	5	5	2	2	9	5	80	58	–	4	45	7
Balance of county	361	–	–	2	75	19	21	5	6	1	2	21	9	200	150	2	2	123	23
Tuscola	447	1	–	1	95	20	18	11	15	5	4	22	7	241	178	1	2	129	46
Van Buren	589	–	–	7	128	33	30	13	16	9	4	23	10	295	250	–	12	191	47
Washtenaw	1,441	–	–	8	320	64	72	41	40	21	15	67	23	696	523	11	6	379	127
Ann Arbor	463	–	–	2	116	24	23	12	16	6	5	30	4	215	147	2	3	113	29
Ypsilanti	211	–	–	–	35	5	10	6	3	1	1	7	7	102	80	1	–	56	23
Ypsilanti township#	212	–	–	2	40	10	10	5	2	4	1	8	3	109	93	3	–	72	18
Balance of county	555	–	–	4	129	25	29	16	19	10	8	22	9	270	203	5	3	138	57
Wayne	22,398	19	–	247	4,709	1,302	1,382	411	485	192	152	785	369	11,098	9,048	71	351	5,753	2,873
Allen Park	305	–	–	–	95	24	27	11	8	5	3	17	4	159	132	1	5	102	24
Canton township#	159	–	–	–	36	9	13	2	3	–	1	8	1	78	63	1	–	42	20
Dearborn	1,025	–	–	5	228	61	65	22	29	6	10	35	9	583	499	7	12	359	121
Dearborn Heights	526	–	–	3	128	32	42	13	12	2	5	22	16	284	238	3	1	172	62
Detroit	13,185	19	–	172	2,590	739	768	199	294	107	72	411	219	6,317	5,084	29	259	2,885	1,911
Ecorse	133	–	–	2	29	6	6	2	4	2	2	7	1	63	52	–	1	41	10
Garden City	225	–	–	1	60	14	14	5	7	4	2	14	8	105	90	–	2	66	22
Grosse Pointe Farms	109	–	–	–	27	12	5	2	1	3	1	3	2	66	46	–	–	35	11
Grosse Pointe Park	124	–	–	–	31	13	5	6	3	1	1	2	2	70	58	1	2	43	12
Grosse Pointe Woods	190	–	–	3	42	12	9	4	3	1	3	10	3	106	87	1	2	66	18
Hamtramck	332	–	–	1	76	23	15	5	7	3	9	14	3	185	147	–	4	97	46
Harper Woods	228	–	–	1	57	13	13	6	7	5	2	11	5	125	92	–	5	75	12
Highland Park	324	–	–	5	60	12	22	10	4	2	3	7	6	135	105	1	6	57	41
Inkster	304	–	–	4	68	19	31	3	5	–	2	8	6	127	110	2	7	61	40
Lincoln Park	419	–	–	6	80	11	33	10	2	5	2	17	7	224	185	2	6	144	33
Livonia	772	–	–	8	197	61	66	14	9	6	10	31	11	421	354	4	9	267	74
Melvindale	111	–	–	1	24	5	10	2	3	1	–	3	–	62	52	–	3	32	17
Plymouth township#	86	–	–	–	14	1	4	1	3	1	1	3	2	51	42	1	–	28	13
Redford township#	521	–	–	4	130	37	35	11	12	6	1	28	11	283	229	2	3	158	66
River Rouge	140	–	–	3	28	11	3	3	3	3	2	3	3	67	61	3	–	39	19
Riverview	105	–	–	–	29	5	9	3	5	2	–	5	2	50	44	2	–	35	7
Romulus	171	–	–	–	33	6	9	1	5	2	1	9	6	80	69	–	2	52	15
Southgate	237	–	–	–	48	16	13	6	4	1	2	7	3	132	116	1	1	89	25
Taylor	470	–	–	3	102	23	30	12	9	7	–	21	8	219	180	2	2	124	52
Trenton	169	–	–	5	45	14	13	4	8	2	1	3	2	77	63	–	–	54	9
Wayne	177	–	–	4	35	10	9	6	1	2	–	7	3	91	71	–	–	52	19
Westland	576	–	–	5	129	37	33	14	14	2	4	25	9	301	247	1	5	190	51
Woodhaven	39	–	–	–	5	1	2	1	–	–	–	1	–	26	23	1	–	15	7
Wyandotte	367	–	–	4	82	24	25	4	5	4	4	16	6	182	155	1	3	132	19
Balance of county	869	–	–	7	200	51	53	29	15	7	8	37	11	429	354	5	11	241	97
Wexford	267	–	–	–	56	10	16	3	4	8	3	9	3	133	85	2	1	62	20
Cadillac	131	–	–	–	23	7	5	1	2	4	1	3	2	70	40	–	1	29	10
Balance of county	136	–	–	–	33	6	11	2	2	4	2	6	1	63	45	2	–	33	10
Minnesota	32,978	11	1	235	7,193	1,983	1,575	695	877	367	313	1,383	556	16,460	12,315	143	231	9,335	2,606
Urban places	17,105	4	–	138	3,790	991	875	398	429	181	177	739	287	8,280	6,187	82	132	4,748	1,225
Balance of area	15,873	7	1	97	3,403	992	700	297	448	186	136	644	269	8,200	6,128	61	99	4,587	1,381
Metropolitan counties	18,878	6	–	151	4,212	1,113	972	430	482	214	180	821	330	9,085	6,823	89	136	5,242	1,354
Urban places	14,394	4	–	118	3,219	837	759	343	350	153	141	636	244	6,856	5,143	69	106	3,981	987
Balance of area	4,484	2	–	33	993	276	213	87	132	61	39	185	86	2,229	1,680	20	32	1,261	367
Nonmetropolitan counties	14,100	5	1	84	2,981	870	603	265	395	153	133	562	226	7,375	5,492	54	93	4,093	1,252
Urban places	2,711	–	–	20	571	154	116	55	79	28	36	103	43	1,404	1,044	13	26	767	238
Balance of area	11,389	5	1	64	2,410	716	487	210	316	125	97	459	183	5,971	4,448	41	67	3,326	1,014
Aitkin	196	–	–	2	40	15	9	2	5	1	1	7	5	119	89	–	2	76	11
Anoka	737	–	–	3	179	40	53	15	17	15	7	32	16	341	271	2	3	214	52
Anoka	120	–	–	1	26	4	7	1	5	5	1	3	2	62	49	1	2	38	8
Blaine, part	53	–	–	–	10	2	4	2	–	–	–	2	–	22	21	–	–	16	5
Blaine, total	53	–	–	–	10	2	4	2	–	–	–	2	–	22	21	–	–	16	5
Columbia Heights	153	–	–	2	35	6	11	2	4	5	2	5	4	84	66	–	1	51	14
Coon Rapids	107	–	–	–	30	5	9	4	2	2	1	7	3	36	26	–	–	23	3
Fridley	137	–	–	–	38	11	11	2	2	1	1	10	5	61	45	–	–	39	6
Ramsey	22	–	–	–	8	4	1	2	1	–	–	–	–	7	6	–	–	6	–
Balance of county	145	–	–	–	32	8	10	2	3	2	2	5	2	69	58	1	–	41	16
Becker	305	–	–	6	58	19	13	5	3	4	5	9	2	154	111	4	2	69	16
Beltrami	232	–	–	2	48	20	9	3	6	5	–	5	1	113	82	1	–	62	19
Bemidji	104	–	–	2	20	7	4	–	4	3	–	2	1	51	34	1	–	28	7
Balance of county	128	–	–	–	28	13	5	3	2	2	–	3	–	62	48	–	–	36	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	–	11	3	1	4	7	3	1	3	–	–	–	–	13	5	2	–	–	–
Roscommon	–	16	3	1	3	10	–	3	2	–	1	–	–	11	4	2	4	1	–
Saginaw	7	114	31	15	35	48	3	19	9	–	13	26	9	121	34	54	17	28	1
Saginaw	5	51	13	9	18	16	3	14	4	–	6	13	2	58	17	27	10	23	1
Saginaw township#	1	21	6	1	6	12	–	–	1	–	–	2	2	19	3	4	3	1	–
Balance of county	1	42	12	5	11	20	–	5	4	–	7	11	5	44	14	23	4	4	–
St. Clair	6	104	28	18	28	43	3	18	15	–	8	11	7	88	33	28	19	7	–
Port Huron	1	46	11	6	6	10	2	1	5	–	3	4	3	25	6	11	6	1	–
Balance of county	5	58	17	12	22	33	1	17	10	–	5	7	4	63	27	17	13	6	–
St. Joseph	1	32	11	6	19	9	2	6	6	–	2	4	2	37	6	9	5	1	–
Sanilac	2	43	6	4	5	17	1	6	2	–	1	3	2	18	13	8	–	–	–
Schoolcraft	–	9	2	1	2	6	–	–	3	–	–	–	–	6	5	1	–	–	–
Shiawassee	1	61	16	6	10	16	2	3	3	–	5	1	4	35	16	8	9	–	–
Owosso	–	24	7	3	6	7	–	–	1	–	1	–	2	9	3	4	4	–	–
Balance of county	1	37	9	3	4	9	2	3	2	–	4	1	2	26	13	4	5	–	–
Tuscola	1	49	11	2	11	19	–	4	4	–	3	2	1	33	10	10	5	–	–
Van Buren	1	36	5	3	6	14	3	6	6	–	2	4	5	54	14	16	13	6	–
Washtenaw	6	118	34	15	51	37	3	17	7	–	13	21	10	128	37	31	27	14	–
Ann Arbor	3	43	15	7	11	11	2	8	3	–	5	8	5	43	10	6	13	3	–
Ypsilanti	1	17	1	3	11	6	–	2	–	–	4	6	1	15	3	10	2	7	–
Ypsilanti township#	1	13	1	1	7	4	1	–	–	–	1	4	2	23	7	5	2	2	–
Balance of county	1	45	17	4	22	16	–	7	4	–	3	5	2	45	17	10	10	2	–
Wayne	85	1,583	194	188	480	549	78	542	229	5	111	374	77	1,826	288	435	310	595	57
Allen Park	1	23	1	2	3	8	–	7	3	–	2	1	1	8	4	5	5	–	–
Canton township#	1	10	2	2	4	5	–	3	1	–	1	4	2	10	8	–	5	–	1
Dearborn	6	64	4	10	22	25	2	9	8	–	7	8	1	70	14	14	15	4	1
Dearborn Heights	–	36	8	2	9	16	2	12	5	–	3	3	2	21	6	4	8	3	1
Detroit	53	957	123	100	294	299	46	365	153	5	59	283	49	1,204	120	279	143	534	35
Ecorse	2	7	–	2	3	3	1	4	1	–	1	–	1	13	–	6	2	2	1
Garden City	–	13	2	–	5	4	–	3	1	–	5	4	–	14	4	1	6	3	1
Grosse Pointe Farms	–	17	2	1	3	5	–	1	–	–	–	1	–	3	–	1	–	–	–
Grosse Pointe Park	–	8	4	–	6	2	–	1	–	–	–	1	–	6	2	1	1	–	1
Grosse Pointe Woods	–	9	2	8	2	2	–	3	–	–	1	–	1	11	5	1	9	–	1
Hamtramck	1	24	9	4	7	3	–	12	2	–	1	1	2	17	2	8	6	6	–
Harper Woods	–	24	5	4	7	6	1	6	3	–	1	–	–	13	–	1	2	–	–
Highland Park	–	24	1	5	9	4	2	11	3	–	1	5	3	41	3	17	6	13	–
Inkster	2	14	1	–	4	4	–	7	6	–	4	2	5	31	10	12	8	5	1
Lincoln Park	1	31	4	3	6	16	2	11	2	–	1	10	1	31	7	3	10	–	2
Livonia	5	54	3	5	13	18	3	11	4	–	3	6	–	37	17	9	13	1	–
Melvindale	–	7	1	2	4	4	1	2	1	–	2	–	–	8	–	1	1	2	–
Plymouth township#	–	8	1	–	2	2	1	–	–	–	–	–	–	10	1	1	2	–	–
Redford township#	3	40	3	8	7	15	1	5	3	–	–	5	–	33	6	8	8	–	2
River Rouge	1	4	–	1	1	7	1	4	2	–	1	3	1	11	–	2	1	5	–
Riverview	–	6	–	–	7	5	–	1	–	–	–	1	–	7	1	1	1	–	–
Romulus	–	8	–	3	3	8	–	5	4	–	1	2	1	12	6	4	4	1	1
Southgate	–	13	1	2	2	7	–	6	–	–	–	4	2	15	5	2	6	3	1
Taylor	1	32	1	5	6	21	1	14	4	–	4	7	–	33	18	12	12	5	1
Trenton	–	11	3	–	4	5	1	5	1	–	–	–	–	11	6	1	6	–	–
Wayne	1	15	1	3	5	5	1	1	–	–	–	2	–	18	5	2	3	2	–
Westland	2	42	6	4	13	13	3	13	6	–	1	3	–	39	11	13	15	–	2
Woodhaven	–	3	–	–	1	1	–	–	–	–	2	1	–	2	–	–	1	–	–
Wyandotte	3	22	–	2	8	9	1	6	4	–	3	5	1	34	7	11	2	1	1
Balance of county	2	57	6	10	20	27	8	14	12	–	7	12	4	65	20	15	9	5	4
Wexford	–	33	12	3	10	8	3	2	2	–	1	8	1	16	9	9	5	3	–
Cadillac	–	18	9	3	3	3	1	1	2	–	–	4	1	10	3	2	3	3	–
Balance of county	–	15	3	–	7	5	2	1	–	–	1	2	–	6	6	7	2	–	–
Minnesota	126	3,021	595	403	1,059	967	135	334	227	3	234	295	663	2,522	632	845	470	100	36
Urban places	67	1,498	289	219	526	559	61	215	102	2	129	152	443	1,377	261	413	281	77	28
Balance of area	59	1,523	306	184	533	408	74	119	125	1	105	143	220	1,145	371	432	189	23	8
Metropolitan counties	75	1,613	330	244	558	582	72	229	117	3	148	174	505	1,440	358	478	316	84	30
Urban places	56	1,225	244	188	433	476	50	191	87	2	115	127	422	1,119	224	360	251	71	25
Balance of area	19	388	86	56	125	106	22	38	30	1	33	47	83	321	134	118	65	13	5
Nonmetropolitan counties	51	1,408	265	159	501	385	63	105	110	–	86	121	158	1,082	274	367	154	16	6
Urban places	11	273	45	31	93	83	11	24	15	–	14	25	21	258	37	53	30	6	3
Balance of area	40	1,135	220	128	408	302	52	81	95	–	72	96	137	824	237	314	124	10	3
Aitkin	–	26	3	1	5	7	–	–	–	–	–	–	1	10	3	3	1	–	–
Anoka	3	43	13	11	21	28	3	11	3	–	5	12	11	48	25	14	15	2	–
Anoka	–	11	1	1	8	4	–	2	–	–	1	1	–	5	6	1	1	–	–
Blaine, part	–	–	1	–	3	3	–	–	–	–	1	4	1	6	1	–	2	–	–
Blaine, total	–	–	1	–	3	3	–	–	–	–	1	4	1	6	1	–	2	–	–
Columbia Heights	2	11	1	4	3	3	1	5	–	–	–	2	1	7	3	2	1	–	–
Coon Rapids	–	5	3	2	2	4	1	2	2	–	1	1	4	12	2	3	4	–	–
Fridley	1	8	6	1	4	8	1	1	–	–	1	1	1	6	4	1	5	–	–
Ramsey	–	1	–	–	1	–	–	–	–	–	–	1	–	2	3	–	–	–	–
Balance of county	–	7	1	3	–	6	–	1	1	–	1	2	4	10	6	7	2	2	–
Becker	1	31	7	4	16	10	–	1	–	–	4	4	1	28	7	10	3	1	–
Beltrami	1	21	7	2	5	8	–	1	4	–	3	6	–	24	9	4	3	1	–
Bemidji	1	10	4	2	1	4	–	–	–	–	2	2	–	13	3	3	1	1	–
Balance of county	–	11	3	–	4	4	–	1	4	–	1	4	–	11	6	1	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	200	–	–	2	30	8	9	4	–	2	–	7	5	116	82	–	2	68	12
St. Cloud, part	41	–	–	1	9	5	2	2	–	–	–	–	–	23	17	–	–	13	4
Balance of county	159	–	–	1	21	3	7	2	–	2	–	7	5	93	65	–	2	55	8
Big Stone	95	–	–	–	19	9	4	–	2	–	1	3	2	56	44	1	–	30	13
Blue Earth	414	–	–	4	89	24	18	6	13	9	4	15	8	220	165	3	2	139	21
Mankato, part	208	–	–	2	43	11	9	3	5	4	2	9	4	113	83	3	1	73	6
Mankato, total	219	–	–	2	47	13	9	3	5	5	3	9	4	117	86	3	1	75	7
Balance of county	206	–	–	2	46	13	9	3	8	5	2	6	4	107	82	–	1	66	15
Brown	293	–	–	1	54	9	10	10	9	2	4	10	9	164	121	–	2	102	17
New Ulm	146	–	–	1	32	3	6	7	4	1	3	8	5	74	54	–	2	41	11
Balance of county	147	–	–	–	22	6	4	3	5	1	1	2	4	90	67	–	–	61	6
Carlton	268	–	–	1	60	16	10	5	8	4	–	17	6	129	87	1	3	80	14
Cloquet	121	–	–	–	20	8	5	3	2	–	–	2	3	61	40	1	–	34	5
Balance of county	147	–	–	1	40	8	5	2	6	4	–	15	3	68	47	–	3	35	9
Carver	248	–	–	2	49	16	12	2	9	2	1	7	4	117	80	3	1	76	10
Cass	251	–	–	3	52	12	12	3	7	4	3	11	7	129	98	–	1	70	27
Chippewa	160	–	–	–	32	9	8	8	1	–	1	5	1	94	67	1	–	49	17
Chisago	231	–	–	4	53	7	14	4	8	5	3	12	5	122	89	–	2	63	24
Clay	341	–	–	2	70	22	18	5	7	4	3	11	9	170	131	1	1	97	32
Moorhead	202	–	–	2	41	10	12	4	2	2	2	9	7	100	77	1	1	58	17
Balance of county	139	–	–	–	29	12	6	1	5	2	1	2	2	70	54	–	–	39	15
Clearwater	88	–	–	1	21	8	3	2	5	2	–	1	2	51	43	–	–	41	2
Cook	35	–	–	–	8	1	3	1	–	1	–	2	1	11	9	1	–	4	4
Cottonwood	150	–	–	–	38	13	8	–	8	1	3	5	3	81	60	–	3	40	17
Crow Wing	449	1	–	1	106	37	27	4	12	4	6	16	1	236	180	2	4	126	48
Brainerd	165	–	–	1	29	15	3	1	2	1	2	5	1	90	70	–	4	45	21
Balance of county	284	1	–	–	77	22	24	3	10	3	4	11	–	146	110	2	–	81	27
Dakota	862	–	–	7	184	49	39	16	22	12	8	38	14	386	299	4	8	234	53
Apple Valley	27	–	–	–	5	1	1	–	–	1	1	1	1	10	8	–	–	7	1
Burnsville	84	–	–	–	18	8	2	–	3	1	–	4	2	37	28	–	–	22	6
Eagan	50	–	–	1	13	3	3	–	2	–	–	5	–	16	13	1	–	10	2
Hastings, part	96	–	–	1	20	9	3	2	1	1	2	2	1	40	33	–	–	25	8
Hastings, total	96	–	–	1	20	9	3	2	1	1	2	2	1	40	33	–	–	25	8
Inver Grove Heights	80	–	–	1	12	–	4	1	–	1	–	6	–	44	37	–	1	32	4
Lakeville	37	–	–	–	8	2	2	2	2	–	–	–	1	7	7	–	–	4	3
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	161	–	–	–	37	8	11	3	4	2	1	8	4	66	54	1	4	41	6
West St. Paul	177	–	–	3	34	6	6	4	4	5	2	7	1	100	68	–	2	52	14
Balance of county	150	–	–	1	37	12	7	4	6	1	2	5	4	66	51	2	1	41	7
Dodge	113	–	–	–	25	9	5	3	1	–	1	6	1	55	44	–	1	31	12
Douglas	251	–	–	5	58	20	11	4	7	3	1	12	1	132	105	1	2	91	11
Faribault	219	–	–	–	48	15	9	5	3	4	2	10	2	119	75	–	3	51	21
Fillmore	256	–	–	–	44	13	5	11	4	–	–	11	5	136	104	–	–	90	14
Freeborn	380	–	–	–	78	17	18	6	18	1	5	13	7	207	159	1	3	114	41
Albert Lea	219	–	–	–	45	10	8	3	12	–	5	7	4	123	92	1	2	65	24
Balance of county	161	–	–	–	33	7	10	3	6	1	–	6	3	84	67	–	1	49	17
Goodhue	418	–	–	6	98	27	16	9	18	5	8	15	2	207	141	2	4	101	34
Red Wing	179	–	–	3	39	13	6	4	4	–	2	10	1	84	65	1	2	47	15
Balance of county	239	–	–	3	59	14	10	5	14	5	6	5	1	123	76	1	2	54	19
Grant	99	–	–	1	20	5	3	4	3	–	–	5	4	51	36	–	1	29	6
Hennepin	7,306	3	–	61	1,660	450	369	192	191	86	66	306	110	3,421	2,537	35	52	1,966	484
Bloomington	408	–	–	4	120	26	35	12	15	6	7	19	7	178	128	4	1	108	17
Brooklyn Center	169	–	–	1	46	16	14	5	1	–	1	9	3	90	67	2	1	52	12
Brooklyn Park	107	–	–	–	26	7	8	3	5	–	–	3	2	43	38	–	–	32	4
Crystal	125	–	–	2	24	7	7	3	1	2	–	4	1	78	58	1	2	43	12
Eden Prairie	41	–	–	1	17	3	3	2	1	1	4	3	1	9	9	–	–	7	2
Edina	380	–	–	2	107	30	20	12	19	8	4	14	4	169	121	1	2	94	24
Golden Valley	169	–	–	3	43	10	9	5	6	1	1	11	2	83	60	–	–	52	8
Hopkins	152	–	–	2	24	8	5	2	–	–	–	9	3	86	68	1	2	56	9
Maple Grove	45	–	–	1	10	1	–	1	6	–	1	1	–	18	15	–	–	12	3
Minneapolis	3,988	1	–	35	841	249	175	94	91	48	33	151	60	1,871	1,388	16	30	1,062	280
Minnetonka	189	–	–	1	43	6	8	10	6	2	4	7	3	82	64	1	2	52	9
New Hope	171	–	–	–	29	9	8	3	5	–	1	3	4	82	58	–	–	37	21
Plymouth	117	–	–	–	27	7	5	4	2	–	–	9	1	49	42	–	1	35	6
Richfield	254	–	–	1	70	7	24	9	6	5	2	17	3	126	94	2	1	73	18
Robbinsdale	142	1	–	1	35	9	9	3	3	2	2	7	2	78	57	2	–	42	13
St. Louis Park	380	–	–	2	83	21	16	9	7	5	3	22	7	188	138	1	3	115	19
Balance of county	446	1	–	5	115	34	23	15	17	6	3	17	7	196	134	4	7	96	27
Houston	183	–	1	3	38	11	5	2	8	2	2	8	3	92	74	4	1	53	16
Hubbard	137	–	–	3	33	11	7	2	3	–	1	9	1	73	57	1	–	45	11
Isanti	161	–	–	1	31	10	4	2	3	2	–	10	2	82	57	–	1	41	15
Itasca	389	1	–	2	89	24	30	5	8	3	4	15	5	195	144	–	1	118	25
Jackson	139	–	–	2	31	11	4	3	3	3	2	5	3	60	41	–	–	29	12
Kanabec	129	–	–	1	39	16	7	3	3	2	1	7	4	65	43	–	–	33	10
Kandiyohi	328	–	–	1	70	21	17	8	10	2	2	10	4	147	109	–	–	83	26
Willmar	152	–	–	1	28	11	4	4	4	–	2	3	–	78	56	–	–	41	15
Balance of county	176	–	–	–	42	10	13	4	6	2	–	7	4	69	53	–	–	42	11
Kittson	70	–	–	–	12	2	2	2	–	1	1	4	3	44	31	1	–	16	14
Koochiching	167	–	–	2	36	10	9	4	4	1	2	6	3	87	70	1	3	50	16
Lac qui Parle	130	–	–	–	28	8	7	2	2	–	1	8	–	82	58	1	1	47	9
Lake	104	–	–	1	18	5	4	1	3	1	2	2	1	52	38	1	–	29	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	–	26	6	2	3	7	1	1	3	–	2	1	1	19	2	5	2	–	–
St. Cloud, part	–	3	2	1	1	–	–	–	1	–	1	–	–	2	–	1	2	–	–
Balance of county	–	23	4	1	2	7	1	1	2	–	1	1	1	17	2	4	–	–	–
Big Stone	1	11	–	–	4	1	–	–	3	–	–	–	–	5	1	4	–	–	–
Blue Earth	3	39	8	5	9	14	1	3	1	–	1	4	4	24	10	15	6	–	1
Mankato, part	3	24	2	1	5	6	–	1	–	–	1	2	1	17	4	5	3	–	1
Mankato, total	3	25	2	1	5	7	–	1	–	–	2	2	1	18	4	5	3	–	1
Balance of county	–	15	6	4	4	8	1	2	1	–	–	2	3	7	6	10	3	–	–
Brown	–	30	10	3	12	4	–	2	4	–	1	1	1	25	4	7	4	–	–
New Ulm	–	14	4	2	9	–	–	1	2	–	–	1	1	12	3	3	2	–	–
Balance of county	–	16	6	1	3	4	–	1	2	–	1	–	–	13	1	4	2	–	–
Carlton	1	27	10	4	10	10	3	3	1	–	2	–	2	26	3	7	5	–	–
Cloquet	1	12	6	2	6	6	–	2	–	–	1	–	–	15	2	2	3	–	–
Balance of county	–	15	4	2	4	4	3	1	1	–	1	–	2	11	1	5	2	–	–
Carver	–	22	3	2	14	6	–	–	1	–	4	1	4	20	7	8	7	4	–
Cass	1	23	3	4	4	6	–	1	2	–	3	2	5	18	4	9	3	1	–
Chippewa	1	18	6	2	5	3	2	1	–	–	–	–	3	10	5	4	–	–	–
Chisago	1	27	4	1	5	3	–	–	1	1	1	1	2	12	11	6	3	1	–
Clay	1	27	7	4	16	8	1	3	4	1	1	8	8	20	9	8	3	–	–
Moorhead	1	15	5	2	11	4	–	3	2	1	1	5	3	12	3	4	3	–	–
Balance of county	–	12	2	2	5	4	1	–	2	–	–	3	5	8	6	4	–	–	–
Clearwater	–	6	1	1	3	3	–	1	–	–	–	–	–	5	–	–	1	–	–
Cook	–	1	–	1	3	2	–	–	–	–	–	1	–	5	1	3	–	–	–
Cottonwood	–	14	4	3	8	3	–	–	–	–	–	3	1	6	3	2	2	–	–
Crow Wing	1	42	3	10	14	16	2	6	3	–	2	1	4	27	8	10	9	2	–
Brainerd	–	16	–	4	7	5	1	1	1	–	1	–	3	15	3	5	2	–	–
Balance of county	1	26	3	6	7	11	1	5	2	–	1	1	1	12	5	5	7	2	–
Dakota	3	64	13	7	19	34	1	15	5	–	9	10	25	66	39	28	17	1	2
Apple Valley	–	2	–	–	1	1	–	–	1	–	1	–	–	1	4	–	2	–	–
Burnsville	–	7	2	–	1	2	–	3	1	–	2	–	1	5	6	4	2	–	–
Eagan	1	2	–	–	1	1	–	–	–	–	1	–	2	4	4	4	3	–	–
Hastings, part	–	6	1	–	5	3	1	2	–	–	1	–	6	5	5	4	2	–	–
Hastings, total	–	6	1	–	5	3	1	2	–	–	1	–	6	5	5	4	2	–	–
Inver Grove Heights	–	6	–	1	–	4	–	1	–	–	2	4	2	5	3	2	–	–	–
Lakeville	–	–	–	–	1	4	–	–	1	–	1	1	–	4	6	2	–	1	–
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	–	11	1	–	4	9	–	4	1	–	–	2	5	19	2	4	2	–	2
West St. Paul	1	21	6	4	4	5	–	4	1	–	–	1	4	12	3	2	3	–	–
Balance of county	1	9	3	2	2	5	–	1	–	–	1	2	5	11	6	6	3	–	–
Dodge	–	9	2	–	3	3	–	2	3	–	2	2	5	8	–	3	1	–	–
Douglas	–	18	6	3	7	6	–	1	1	–	1	4	3	15	6	4	5	2	–
Faribault	1	35	1	7	9	7	2	–	2	–	1	–	1	15	6	5	2	–	–
Fillmore	–	39	3	1	17	13	1	4	3	–	1	1	–	14	4	9	2	–	–
Freeborn	–	43	4	1	5	13	–	5	2	–	3	5	6	35	8	3	2	1	–
Albert Lea	–	28	2	1	4	8	–	4	–	–	1	3	2	21	1	2	–	1	–
Balance of county	–	15	2	–	1	5	–	1	2	–	2	2	4	14	7	1	2	–	–
Goodhue	1	47	13	5	20	7	3	3	4	–	3	4	2	38	3	11	6	–	1
Red Wing	–	14	2	3	13	5	2	2	1	–	1	1	1	15	1	5	4	–	1
Balance of county	1	33	11	2	7	2	1	1	3	–	2	3	1	23	2	6	2	–	–
Grant	1	7	1	6	1	2	–	–	–	–	–	–	–	13	2	4	1	–	–
Hennepin	25	648	123	68	184	234	28	92	50	1	61	64	240	589	97	200	144	52	15
Bloomington	2	38	8	2	3	15	2	8	2	–	7	3	11	31	4	5	6	2	–
Brooklyn Center	–	17	4	2	3	1	–	1	1	–	6	1	4	13	9	3	4	2	1
Brooklyn Park	1	5	–	1	1	3	1	2	2	–	6	2	2	5	4	2	5	–	1
Crystal	2	11	2	–	2	3	–	2	1	–	1	1	–	10	–	3	3	2	–
Eden Prairie	–	–	–	–	–	1	–	1	–	–	2	1	1	2	1	2	2	–	–
Edina	3	32	6	7	6	14	3	6	–	–	2	1	11	33	4	10	8	–	–
Golden Valley	–	18	4	1	3	4	–	–	2	–	–	–	4	13	4	5	3	–	–
Hopkins	–	12	2	4	4	5	–	2	–	–	–	–	8	9	1	4	5	1	–
Maple Grove	–	2	1	–	–	2	–	1	–	–	1	2	1	2	–	2	5	–	–
Minneapolis	11	360	65	47	117	130	13	50	29	–	23	33	165	345	37	122	64	42	10
Minnetonka	–	15	2	1	7	6	1	1	3	1	1	–	5	18	3	6	8	–	–
New Hope	1	18	4	1	8	9	–	1	1	–	1	1	1	19	3	5	5	–	2
Plymouth	–	4	2	1	1	3	1	3	1	–	5	5	4	3	3	6	4	–	1
Richfield	1	24	2	5	4	13	2	1	1	–	1	3	6	13	1	4	5	–	–
Robbinsdale	–	12	4	5	3	2	–	2	1	–	1	1	–	8	2	5	–	–	–
St. Louis Park	1	42	4	3	10	10	2	4	4	–	1	2	9	28	8	8	13	1	–
Balance of county	3	38	13	8	12	13	3	7	2	–	3	8	10	37	13	8	4	2	–
Houston	–	17	–	1	13	3	1	–	1	–	1	2	–	12	4	6	3	–	–
Hubbard	–	11	2	3	8	1	–	–	–	–	–	2	–	7	5	3	1	–	–
Isanti	1	21	–	3	4	7	–	–	1	–	2	2	5	12	6	5	1	–	–
Itasca	4	34	8	5	16	10	3	5	1	–	2	6	7	24	6	11	6	–	–
Jackson	–	8	7	4	8	4	1	1	1	–	1	–	3	20	2	2	–	–	–
Kanabec	–	13	8	1	5	2	–	–	–	–	–	2	1	5	4	–	1	–	–
Kandiyohi	2	33	3	–	12	4	1	6	6	–	6	6	9	28	9	14	5	–	–
Willmar	1	21	–	–	5	3	–	3	3	–	2	3	5	13	3	2	3	–	–
Balance of county	1	12	3	–	7	1	1	3	3	–	4	3	4	15	6	12	2	–	–
Kittson	–	9	1	3	5	–	–	–	2	–	–	–	–	2	2	–	–	–	–
Koochiching	2	14	1	–	2	5	4	–	2	–	1	3	1	11	1	6	3	–	–
Lac qui Parle	1	18	5	–	6	1	–	–	3	–	1	–	–	4	2	2	1	–	–
Lake	–	14	–	–	3	1	–	1	1	–	2	–	–	12	2	7	2	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	39	–	–	1	8	1	4	–	1	1	–	1	–	25	22	–	3	14	5
Le Sueur	218	–	–	–	49	13	10	4	3	4	–	15	5	119	88	1	1	69	17
Lincoln	98	–	–	–	14	6	1	1	2	1	–	3	1	64	41	–	–	34	7
Lyon	214	–	–	–	43	10	13	3	5	3	1	8	9	123	80	2	2	65	11
Marshall	62	–	–	–	9	2	3	1	2	–	–	1	4	38	26	1	–	24	1
Balance of county	152	–	–	–	34	8	10	2	3	3	1	7	5	85	54	1	2	41	10
McLeod	255	–	–	1	47	16	7	4	5	4	5	6	6	142	96	1	1	83	11
Mahnomen	63	–	–	–	12	4	–	–	3	3	1	1	2	34	25	–	–	15	10
Marshall	124	–	–	–	26	10	3	2	5	1	1	4	1	73	62	–	2	33	27
Martin	229	–	–	–	65	20	13	5	10	4	3	10	5	118	93	2	–	61	10
Fairmont	123	–	–	–	33	10	7	4	6	2	–	4	3	66	48	1	–	43	4
Balance of county	106	–	–	–	32	10	6	1	4	2	3	6	2	52	45	1	–	38	6
Meeker	225	–	–	1	40	11	5	1	6	1	1	15	3	130	86	–	2	68	16
Mille Lacs	193	–	–	1	38	14	3	1	7	1	1	11	3	106	68	–	1	58	9
Morrison	298	1	–	–	67	21	17	2	10	5	1	11	4	146	112	2	1	61	48
Mower	402	–	–	3	85	23	15	9	6	7	7	18	4	207	170	–	4	94	72
Austin	264	–	–	3	60	15	9	5	4	6	6	15	4	135	106	–	2	65	39
Balance of county	138	–	–	–	25	8	6	4	2	1	1	3	–	72	64	–	2	29	33
Murray	105	–	–	–	18	7	4	1	1	–	2	3	2	62	48	1	3	40	4
Nicollet	198	–	–	1	55	14	11	8	3	2	4	13	4	80	64	1	–	54	9
Mankato, part	11	–	–	–	4	2	–	–	–	1	1	–	–	4	3	–	–	2	1
Balance of county	187	–	–	1	51	12	11	8	3	1	3	13	4	76	61	1	–	52	8
Nobles	184	–	–	1	40	8	11	4	5	–	4	8	1	99	82	–	–	66	16
Worthington	99	–	–	1	22	5	5	1	3	–	2	6	1	51	41	–	–	35	6
Balance of county	85	–	–	–	18	3	6	3	2	–	2	2	–	48	41	–	–	31	10
Norman	107	–	–	1	22	5	–	2	7	–	–	8	4	58	44	–	–	39	5
Olmsted	594	–	–	5	134	34	36	13	14	6	6	25	8	267	209	7	3	165	34
Rochester	447	–	–	4	104	28	31	8	11	2	4	19	7	203	159	5	3	123	28
Balance of county	147	–	–	1	30	5	5	5	3	4	2	6	1	64	50	2	–	42	6
Otter Tail	615	–	–	6	112	28	24	9	20	6	5	20	11	325	252	2	–	197	53
Fergus Falls	204	–	–	–	33	10	6	2	6	2	2	5	4	109	85	2	–	67	16
Balance of county	411	–	–	6	79	18	18	7	14	4	3	15	7	216	167	–	–	130	37
Pennington	157	–	–	–	22	7	5	2	2	–	3	3	2	92	58	–	–	48	10
Pine	218	–	–	1	39	10	7	1	7	–	6	8	4	100	74	1	3	52	18
Pipestone	126	–	–	–	21	5	5	4	3	–	1	3	2	57	41	–	–	30	11
Polk	396	–	–	3	86	24	10	5	15	9	6	19	13	201	155	2	2	112	39
Pope	145	1	–	–	34	5	8	7	6	4	2	2	7	65	49	1	–	43	5
Ramsey	3,712	2	–	28	801	194	193	75	88	29	40	182	77	1,803	1,357	19	26	1,066	246
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	211	1	–	–	52	11	16	4	9	1	2	9	6	102	75	1	2	64	8
Mounds View	25	–	–	–	6	1	–	–	–	–	1	4	2	12	12	–	–	11	1
New Brighton	118	–	–	–	28	4	7	3	2	2	1	9	6	58	42	1	–	30	11
North St. Paul	70	–	–	–	10	2	4	1	–	–	2	1	1	38	29	–	–	20	9
Roseville	212	–	–	3	39	12	10	–	4	2	2	9	1	113	83	2	3	68	10
St. Paul	2,723	1	–	24	585	146	133	58	63	19	29	137	54	1,316	985	15	19	773	178
Shoreview	47	–	–	–	16	5	5	2	3	–	1	–	2	18	17	–	–	14	3
White Bear Lake, part	128	–	–	–	27	4	7	3	2	3	2	6	2	64	48	–	2	35	11
White Bear Lake, total	130	–	–	–	27	4	7	3	2	3	2	6	2	65	49	–	2	36	11
Balance of county	178	–	–	1	38	9	11	4	5	2	–	7	3	82	66	–	–	51	15
Red Lake	62	–	–	1	10	4	3	–	–	–	–	3	–	32	24	–	–	19	5
Redwood	223	–	–	2	51	16	7	4	8	5	–	11	4	122	95	–	1	68	26
Renville	209	–	–	–	45	13	12	4	4	–	2	10	4	115	91	–	–	63	28
Rice	361	–	–	4	92	22	21	13	10	3	5	18	3	182	133	3	8	84	38
Faribault	182	–	–	2	53	18	10	8	4	1	4	8	2	84	60	2	1	42	15
Northfield, part	82	–	–	1	18	–	6	1	5	–	1	5	1	45	29	–	5	17	7
Northfield, total	82	–	–	1	18	–	6	1	5	–	1	5	1	45	29	–	5	17	7
Balance of county	97	–	–	1	21	4	5	4	1	2	–	5	–	53	44	1	2	25	16
Rock	78	–	–	–	16	5	3	1	3	1	–	3	–	48	36	–	3	29	4
Roseau	126	–	–	1	24	8	5	1	5	1	–	4	2	61	48	–	2	35	11
St. Louis	2,233	–	–	20	495	136	111	54	49	22	21	102	34	1,114	829	10	25	597	197
Duluth	1,135	–	–	9	269	69	60	34	31	10	13	52	14	543	402	8	9	295	90
Hibbing	219	–	–	4	44	15	12	3	2	1	1	10	9	118	92	1	2	70	19
Virginia	144	–	–	2	25	7	4	2	3	4	2	3	1	75	60	–	4	36	20
Balance of county	735	–	–	5	157	45	35	15	13	7	5	37	10	378	275	1	10	196	68
Scott	218	1	–	3	55	14	11	6	9	1	6	8	4	101	73	1	–	61	11
Sherburne	211	–	–	–	44	12	10	6	7	2	–	5	4	114	80	1	2	59	18
St. Cloud, part	55	–	–	–	5	–	2	2	–	–	–	1	1	36	21	–	2	13	6
Balance of county	156	–	–	–	39	12	8	6	7	2	–	4	3	78	59	1	–	46	12
Sibley	139	–	–	1	30	14	3	4	4	2	–	3	2	52	35	1	–	28	6
Steams	607	–	–	3	137	43	36	14	11	9	6	18	8	336	263	2	8	198	55
St. Cloud, part	180	–	–	3	49	11	20	8	3	2	–	5	1	95	80	–	3	64	13
St. Cloud, total	276	–	–	4	63	15	24	12	3	2	–	6	2	154	118	–	5	90	23
Balance of county	427	–	–	–	88	32	16	6	8	7	6	13	7	241	183	2	5	134	42
Steele	263	–	–	3	66	19	15	7	9	4	4	8	2	126	90	–	1	72	17
Owatonna	169	–	–	2	41	7	12	4	6	3	3	6	2	85	61	–	1	50	10
Balance of county	94	–	–	1	25	12	3	3	3	1	1	2	–	41	29	–	–	22	7
Stevens	103	–	–	–	16	5	3	1	2	–	–	5	2	59	43	–	1	34	8
Swift	156	–	–	–	44	14	7	4	8	1	1	9	4	88	61	1	–	47	13
Todd	238	–	–	3	51	17	9	6	5	5	–	9	3	126	104	1	–	73	30
Traverse	52	–	–	–	12	7	1	–	2	–	2	–	1	23	12	–	–	8	4
Wabasha	175	–	–	–	34	8	7	2	7	3	2	5	5	94	72	–	2	48	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	–	3	–	–	–	1	–	1	–	–	–	–	–	3	–	–	–	–	–
Le Sueur	–	26	2	3	7	2	–	2	7	–	–	5	4	10	2	3	3	–	–
Lincoln	1	22	–	–	6	2	–	–	–	–	–	–	1	5	2	3	–	–	–
Lyon	1	31	5	6	4	6	3	–	2	–	1	3	2	7	6	3	2	–	–
Marshall	–	8	2	2	–	–	1	–	–	–	–	2	–	1	5	2	–	–	–
Balance of county	1	23	3	4	4	6	2	–	2	–	1	1	2	6	1	1	2	–	–
McLeod	3	36	4	3	2	7	–	2	4	–	4	–	–	19	8	10	3	–	–
Mahnomen	–	5	1	3	3	2	–	1	2	–	–	–	–	1	1	4	1	–	–
Marshall	–	10	–	1	3	2	2	–	2	–	1	1	1	7	3	2	–	–	–
Martin	–	20	3	2	7	7	1	4	1	–	1	3	–	10	–	5	2	–	–
Fairmont	–	13	3	2	2	4	1	2	–	–	–	2	–	8	–	2	–	–	–
Balance of county	–	7	–	–	5	3	–	2	1	–	1	1	–	2	–	3	2	–	–
Meeker	3	33	7	1	8	4	1	3	3	–	–	3	5	16	3	4	1	–	–
Mille Lacs	1	24	10	3	9	7	1	1	1	–	1	–	1	14	5	3	1	1	–
Morrison	–	31	1	2	19	10	1	1	–	–	3	3	1	26	2	7	7	–	–
Mower	–	28	3	6	12	18	–	2	4	–	3	4	7	36	5	5	6	1	–
Austin	–	23	2	4	7	11	–	–	2	–	2	3	4	24	3	2	4	–	–
Balance of county	–	5	1	2	5	7	–	2	2	–	1	1	3	12	2	3	2	1	–
Murray	–	12	2	–	2	–	–	4	–	–	1	–	2	9	1	3	1	–	–
Nicollet	1	10	5	–	9	2	1	3	2	–	3	3	3	20	4	5	3	–	–
Mankato, part	–	1	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Balance of county	1	9	5	–	9	1	1	3	2	–	2	3	3	18	4	5	3	–	–
Nobles	1	14	1	1	13	3	–	2	2	–	2	–	–	11	5	4	1	–	–
Worthington	–	10	–	–	7	–	–	2	2	–	–	–	–	8	1	3	1	–	–
Balance of county	1	4	1	1	6	3	–	–	–	–	2	–	–	3	4	1	–	–	–
Norman	1	11	–	2	4	1	2	–	–	–	–	–	1	10	2	2	–	–	–
Olmsted	5	43	6	4	15	25	1	5	3	–	9	7	14	50	20	19	11	–	1
Rochester	4	34	3	3	11	18	1	5	2	–	5	5	11	41	10	11	8	–	1
Balance of county	1	9	3	1	4	7	–	–	1	–	4	2	3	9	10	8	3	–	–
Otter Tail	3	56	9	5	25	25	4	2	7	–	2	3	3	50	14	16	9	1	1
Fergus Falls	2	18	4	–	6	7	3	–	2	–	–	1	–	26	2	6	3	1	1
Balance of county	1	38	5	5	19	18	1	2	5	–	2	2	3	24	12	9	6	–	–
Pennington	–	28	3	3	5	2	–	1	2	–	1	2	3	11	8	5	1	–	–
Pine	–	21	3	2	3	10	1	4	–	–	2	1	8	18	11	15	1	–	–
Pipestone	–	6	8	2	9	5	2	–	–	–	–	1	6	18	2	1	2	–	–
Polk	1	30	11	4	14	7	3	8	4	–	1	2	2	38	1	5	6	–	–
Pope	1	8	5	2	9	2	1	1	1	–	2	–	5	12	2	1	1	1	–
Ramsey	16	292	76	62	116	120	19	51	19	–	33	32	118	288	50	84	51	14	6
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	–	16	8	3	3	2	–	4	1	–	7	3	6	16	3	4	–	1	–
Mounds View	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–
New Brighton	1	9	5	1	4	1	–	1	–	–	–	7	3	7	2	1	–	–	–
North St. Paul	–	5	2	2	2	1	–	1	–	–	–	3	1	4	2	2	3	1	1
Roseville	–	20	8	2	9	4	2	5	1	–	–	–	5	16	3	3	5	2	1
St. Paul	14	217	52	48	87	98	14	36	16	–	22	15	91	218	28	68	38	9	2
Shoreview	–	1	–	–	–	1	–	–	1	–	–	1	1	4	2	–	–	1	–
White Bear Lake, part	1	10	–	5	7	7	1	1	–	–	–	–	–	11	2	3	3	–	–
White Bear Lake, total	1	10	–	5	7	7	1	1	–	–	–	–	–	11	3	3	3	–	–
Balance of county	–	14	1	1	4	6	2	3	–	–	3	3	10	12	6	3	–	–	2
Red Lake	–	4	4	–	4	–	1	–	–	–	1	–	2	4	3	2	2	–	–
Redwood	–	26	1	–	5	6	2	1	–	–	1	1	3	11	4	8	2	–	–
Renville	3	17	4	–	7	4	1	–	2	–	1	–	1	15	4	7	3	–	–
Rice	2	37	6	4	12	12	2	2	2	–	2	3	3	30	3	3	5	1	–
Faribault	2	19	3	–	4	9	2	1	1	–	2	1	2	14	1	2	1	1	–
Northfield, part	–	11	3	2	7	1	–	1	–	–	–	–	–	8	–	–	–	–	–
Northfield, total	–	11	3	2	7	1	–	1	–	–	–	–	–	8	–	–	–	–	–
Balance of county	–	7	–	2	1	2	–	–	1	–	–	2	1	8	2	1	4	–	–
Rock	–	12	–	–	1	5	1	–	–	–	–	–	1	4	–	1	1	–	–
Roseau	–	8	3	2	3	4	1	1	–	–	4	1	1	12	5	5	1	–	–
St. Louis	9	206	34	36	97	69	7	28	7	–	4	13	46	165	41	54	29	5	5
Duluth	5	107	11	18	55	37	3	19	2	–	2	5	36	80	17	25	12	4	3
Hibbing	1	19	5	1	8	10	–	1	2	–	–	2	–	12	3	2	4	–	–
Virginia	–	11	2	2	7	5	–	2	1	–	–	–	–	22	1	3	–	–	–
Balance of county	3	69	16	15	27	17	4	6	2	–	2	6	10	51	20	24	13	1	2
Scott	3	18	5	2	11	1	–	2	3	–	2	4	5	13	7	3	1	1	1
Sherburne	1	28	5	2	7	5	–	1	–	–	4	4	1	11	8	3	5	–	–
St. Cloud, part	–	11	4	–	4	3	–	–	–	–	2	–	–	3	–	–	1	–	–
Balance of county	1	15	1	2	3	2	–	1	–	–	2	4	1	8	8	3	4	–	–
Sibley	2	11	4	–	6	2	2	4	3	–	–	1	11	13	1	10	1	–	–
Stearns	5	50	11	7	8	14	2	3	4	–	3	7	4	38	14	14	10	2	–
St. Cloud, part	1	11	1	2	3	4	–	1	1	–	1	3	1	11	2	3	2	–	–
St. Cloud, total	1	25	7	3	8	7	–	1	2	–	4	3	1	16	2	4	5	–	–
Balance of county	4	39	10	5	5	10	2	2	3	–	2	4	3	27	12	11	8	2	–
Steele	–	28	7	1	4	11	1	1	2	–	1	3	2	23	8	5	4	1	–
Owatonna	–	19	4	1	2	8	–	1	1	–	–	2	1	15	5	1	2	1	–
Balance of county	–	9	3	–	2	3	1	–	1	–	1	1	1	8	3	4	2	–	–
Stevens	1	15	–	–	4	4	2	1	1	–	1	–	2	9	2	–	–	–	–
Swift	1	14	9	3	1	3	1	–	–	–	–	1	2	8	–	2	1	1	–
Todd	–	14	3	5	6	6	1	2	–	–	1	3	2	20	4	7	3	–	–
Traverse	–	11	–	–	5	1	–	1	–	–	–	1	–	4	4	–	–	–	–
Wabasha	–	15	3	4	2	9	1	1	1	–	2	–	2	15	4	4	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	190	–	–	–	30	7	3	4	3	1	2	10	4	104	82	–	–	57	25
Waseca	166	–	–	–	34	11	6	2	5	–	1	9	1	89	73	2	–	41	30
Washington	551	–	–	4	145	42	31	16	24	3	5	24	7	259	197	1	2	147	47
Cottage Grove	40	–	–	–	11	–	4	2	–	–	2	3	–	12	8	–	–	5	3
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	43	–	–	–	17	7	3	1	4	–	–	2	2	14	8	–	–	7	1
Stillwater	147	–	–	1	32	11	5	3	6	1	1	5	1	77	50	–	–	38	14
White Bear Lake, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Woodbury	41	–	–	–	11	3	1	1	1	–	2	3	–	21	13	1	1	9	2
Balance of county	278	–	–	3	74	21	18	9	13	2	–	11	4	134	117	–	1	89	27
Watonwan	137	–	–	1	26	5	6	6	4	5	–	–	1	79	59	1	1	51	6
Wilkin	85	–	–	–	17	6	5	1	3	–	–	2	1	37	30	–	1	24	5
Winona	363	1	–	1	79	16	19	9	11	7	3	14	8	176	132	4	6	77	45
Winona	221	–	–	1	42	7	13	4	6	4	1	7	3	113	91	–	6	50	35
Balance of county	142	1	–	–	37	9	6	5	5	3	2	7	3	63	41	4	–	27	10
Wright	431	–	–	4	88	22	20	1	11	7	2	25	12	217	161	1	1	119	40
Yellow Medicine	152	–	–	1	26	8	5	1	5	1	–	6	2	92	75	–	4	43	28
Mississippi	23,283	28	4	207	4,468	1,039	1,340	291	536	166	184	913	360	10,848	8,225	45	376	5,391	2,413
Urban places	8,036	10	1	84	1,604	355	512	116	183	53	60	323	120	3,810	2,882	15	122	1,829	916
Balance of area	15,247	18	3	123	2,864	683	828	173	353	113	124	590	231	7,038	5,343	30	254	3,562	1,497
Metropolitan counties	5,265	6	1	53	1,144	267	366	94	116	28	46	227	76	2,294	1,804	10	81	1,123	590
Urban places	3,221	3	–	37	719	166	235	61	72	15	30	140	52	1,417	1,115	6	57	715	337
Balance of area	2,044	3	1	16	425	101	131	33	44	13	16	87	24	877	689	4	24	408	253
Nonmetropolitan counties	18,018	22	3	154	3,324	771	974	197	420	138	138	686	284	8,554	6,421	35	295	4,268	1,823
Urban places	4,815	7	1	47	885	189	277	57	111	38	30	183	77	2,393	1,767	9	65	1,114	579
Balance of area	13,203	15	2	107	2,439	582	697	140	309	100	108	503	207	6,161	4,654	26	230	3,154	1,244
Adams	368	–	–	6	77	16	24	8	10	5	3	11	5	187	145	1	11	55	78
Natchez	270	–	–	3	55	11	18	3	7	4	2	10	3	140	107	1	6	44	56
Balance of county	98	–	–	3	22	5	6	5	3	1	1	1	2	47	38	–	5	11	22
Alcorn	301	–	–	3	55	11	13	8	8	4	2	9	2	167	137	–	3	89	85
Corinth	129	–	–	1	26	3	8	4	5	1	1	4	1	69	53	–	1	24	28
Balance of county	172	–	–	2	29	8	5	4	3	3	1	5	1	98	84	–	2	45	37
Amite	147	–	–	–	28	6	4	2	4	1	1	10	2	56	41	–	2	31	8
Attala	256	1	–	4	46	10	10	3	4	1	2	16	6	131	100	–	1	71	28
Benton	59	–	–	–	13	5	4	–	1	–	1	2	–	26	17	1	1	13	2
Bolivar	435	–	–	3	63	13	19	1	8	–	3	19	8	225	172	–	6	105	61
Cleveland	144	–	–	2	15	1	6	–	3	–	–	5	1	80	62	–	1	35	26
Balance of county	291	–	–	1	48	12	13	1	5	–	3	14	7	145	110	–	5	70	35
Calhoun	155	1	–	–	25	6	6	–	2	–	2	9	–	77	51	–	2	39	10
Carroll	79	–	–	1	18	4	3	2	4	1	1	3	1	30	25	–	3	14	8
Chickasaw	151	–	–	–	23	5	6	1	3	1	2	5	5	85	67	–	2	57	8
Choctaw	74	–	–	2	15	3	5	–	3	–	–	4	–	38	34	–	10	19	5
Claiborne	104	–	1	–	21	4	8	2	5	–	–	2	6	49	45	–	5	34	6
Clarke	187	–	–	–	29	7	9	–	2	3	1	7	4	85	63	1	4	40	18
Clay	186	1	–	3	31	9	6	4	9	–	1	2	4	105	88	–	6	47	35
Coahoma	449	2	–	3	91	28	20	6	9	3	6	19	11	184	128	1	18	81	28
Clarksdale	302	2	–	2	59	19	12	4	6	2	5	11	9	126	89	–	11	58	20
Balance of county	147	–	–	1	32	9	8	2	3	1	1	8	2	58	37	1	5	23	8
Copiah	283	–	1	5	59	13	17	3	7	–	5	14	4	118	81	1	5	53	22
Covington	167	–	–	1	38	10	11	1	8	2	1	5	1	74	52	1	2	35	14
De Soto	327	–	–	5	67	10	24	8	9	3	4	9	–	123	85	–	4	58	23
Forrest	625	1	–	6	125	18	47	12	15	5	5	23	21	277	193	3	4	129	57
Hattiesburg, part	464	1	–	5	89	12	31	10	10	3	3	20	15	217	157	2	4	99	52
Hattiesburg, total	465	1	–	5	89	12	31	10	10	3	3	20	15	217	157	2	4	99	52
Balance of county	161	–	–	1	36	6	18	2	5	2	2	3	6	60	36	1	–	30	5
Franklin	92	–	–	2	11	2	5	–	1	–	–	3	1	56	44	–	1	38	5
George	135	–	–	2	20	6	6	1	–	2	–	5	2	64	47	2	2	36	7
Greene	89	–	–	–	14	2	5	2	1	–	–	4	–	43	31	–	–	25	6
Grenada	236	–	–	1	48	8	13	3	10	1	2	11	1	128	93	–	–	77	16
Grenada	168	–	–	–	35	6	9	2	8	1	–	9	–	94	62	–	–	54	8
Balance of county	68	–	–	1	13	2	4	1	2	–	2	2	1	34	31	–	–	23	8
Hancock	235	–	–	1	53	11	21	2	4	1	1	13	4	114	91	–	–	28	65
Harrison	1,311	1	–	15	269	70	92	23	27	7	6	44	17	606	492	2	13	280	197
Biloxi	354	–	–	6	77	18	26	5	7	1	2	18	5	147	122	2	3	75	42
Gulfport	490	–	–	6	91	21	31	11	12	2	2	12	11	231	190	–	8	97	85
Balance of county	467	1	–	3	101	31	35	7	8	4	2	14	1	228	180	–	2	108	70
Hinds	2,085	2	–	21	491	114	154	42	46	11	21	103	31	919	714	4	53	494	163
Clinton	98	1	–	1	28	6	7	3	5	2	–	3	–	45	31	1	1	18	13
Jackson, part	1,723	1	–	20	413	94	133	35	38	7	19	87	27	752	585	8	40	409	139
Jackson, total	1,726	1	–	20	414	94	133	35	38	7	19	88	27	752	585	3	40	409	133
Balance of county	264	–	–	–	52	14	14	4	3	2	2	13	4	122	98	–	12	69	17
Holmes	243	1	–	4	42	9	13	2	4	3	3	8	8	119	92	–	7	48	37
Humphreys	130	1	–	1	24	7	9	–	1	–	–	7	1	54	42	–	3	35	4
Issaquena	10	–	–	–	1	–	–	–	1	–	–	–	1	4	3	–	1	–	2
Itawamba	177	–	–	–	23	4	11	1	3	1	–	3	3	116	79	–	1	60	18
Jackson	711	1	–	1	142	38	47	8	10	3	8	28	10	312	236	–	4	160	72
Moss Point	139	1	–	–	30	10	9	2	2	–	2	5	2	64	50	–	3	29	18
Ocean Springs	119	–	–	1	20	7	3	1	2	1	2	4	–	51	38	–	–	28	10
Pascagoula	202	–	–	–	37	6	16	1	5	2	2	5	4	97	70	–	–	50	20
Balance of county	251	–	–	–	55	15	19	4	1	–	2	14	4	100	78	–	1	53	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	–	15	7	–	6	4	–	2	4	–	1	4	1	20	4	6	–	–	–
Waseca	–	11	2	3	4	5	1	2	2	–	1	1	–	13	4	6	2	–	1
Washington	2	47	5	9	18	16	1	4	7	–	5	6	10	33	11	17	6	2	–
Cottage Grove	–	4	–	–	–	–	–	2	–	–	2	2	–	4	3	2	1	1	–
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Oakdale	–	6	–	–	2	1	–	–	–	–	1	1	1	1	1	1	–	1	–
Stillwater	1	20	4	2	9	6	–	1	2	–	–	1	3	6	2	6	–	–	–
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Woodbury	–	5	–	3	–	2	–	–	–	–	–	–	2	4	1	–	–	–	–
Balance of county	1	12	1	3	7	7	1	1	5	–	2	2	4	18	3	8	5	–	–
Watonwan	–	15	3	2	5	3	1	1	–	–	–	–	3	11	1	4	1	–	–
Wilkin	–	6	1	–	7	–	–	–	–	–	–	–	1	11	3	7	1	–	–
Winona	2	29	8	5	10	8	1	4	1	–	–	6	3	51	2	12	1	1	–
Winona	1	12	4	5	8	5	1	3	–	–	–	2	1	32	–	8	1	1	–
Balance of county	1	17	4	–	2	3	–	1	1	–	–	4	2	19	2	4	–	–	–
Wright	–	44	8	4	10	5	5	5	3	–	4	2	14	30	16	10	6	–	–
Yellow Medicine	1	15	1	–	8	2	–	1	1	–	–	3	–	7	2	5	1	–	1
Mississippi	91	2,103	239	190	500	557	58	182	241	1	162	357	1,447	1,678	759	764	223	414	25
Urban places	28	720	102	78	176	196	21	103	72	1	49	144	336	626	162	240	75	184	13
Balance of area	63	1,383	137	112	324	361	37	79	169	–	113	213	1,111	1,052	597	524	148	230	12
Metropolitan counties	25	360	47	58	128	138	15	66	41	–	42	92	206	423	154	183	57	136	10
Urban places	11	221	34	36	76	91	10	52	21	–	26	64	65	269	73	111	32	97	6
Balance of area	14	139	13	22	52	47	5	14	20	–	16	28	141	154	81	72	25	39	4
Nonmetropolitan counties	66	1,743	192	132	372	419	43	116	200	1	120	265	1,241	1,255	605	581	166	278	15
Urban places	17	499	68	42	100	105	11	51	51	1	23	80	271	357	89	129	43	87	7
Balance of area	49	1,244	124	90	272	314	32	65	149	–	97	185	970	898	516	452	123	191	8
Adams	1	34	3	4	3	4	1	5	3	–	2	3	7	34	7	9	6	9	–
Natchez	1	26	2	4	3	2	1	5	1	–	1	2	2	29	6	7	3	7	–
Balance of county	–	8	1	–	–	2	–	–	2	–	1	1	5	5	1	2	3	2	–
Alcorn	1	23	3	3	13	7	1	2	2	–	1	2	2	17	14	8	–	4	1
Corinth	1	13	1	1	6	3	–	2	2	–	1	1	–	8	2	6	–	1	–
Balance of county	–	10	2	2	7	4	1	–	–	–	–	1	2	9	12	2	–	3	1
Amite	3	12	–	–	2	5	–	–	1	–	–	1	31	12	4	4	–	1	–
Attala	2	24	5	–	7	6	–	3	3	–	1	4	7	17	7	5	4	3	1
Benton	1	6	–	2	–	1	–	–	1	–	–	–	12	5	–	1	–	–	–
Bolivar	1	40	5	7	11	7	1	5	5	–	3	8	36	26	11	14	4	5	–
Cleveland	–	13	2	3	5	3	–	2	1	–	1	3	13	11	1	4	1	1	–
Balance of county	1	27	3	4	6	4	1	3	4	–	2	5	23	15	10	10	3	4	–
Calhoun	3	19	–	4	5	4	–	3	3	–	–	4	7	10	7	9	–	–	–
Carroll	–	3	1	1	2	1	–	2	–	–	–	3	9	3	1	7	1	–	–
Chickasaw	1	16	1	–	4	3	–	1	1	–	1	2	2	14	7	2	–	1	–
Choctaw	–	4	–	–	2	–	–	–	1	–	2	–	1	8	1	3	1	–	–
Claiborne	–	4	–	–	1	–	–	–	1	–	–	3	2	5	5	5	1	4	–
Clarke	–	16	5	1	4	1	–	1	2	–	1	1	23	10	16	2	3	5	–
Clay	–	16	–	1	5	6	1	1	–	–	1	4	4	4	4	7	1	4	–
Coahoma	1	53	3	1	3	6	1	4	4	–	4	10	54	37	6	12	4	12	1
Clarksdale	1	35	1	–	2	5	1	2	4	–	3	5	30	29	2	8	4	9	–
Balance of county	–	18	2	1	1	1	–	2	–	–	1	5	24	8	4	4	–	3	1
Copiah	1	33	1	2	9	8	–	2	5	–	3	4	31	19	6	3	1	5	–
Covington	1	14	6	1	3	–	1	–	1	–	–	2	11	16	10	7	1	1	–
De Soto	3	31	1	3	4	7	–	–	4	–	1	6	75	15	5	10	1	4	–
Forrest	5	62	12	5	13	11	2	6	7	–	6	5	56	46	20	11	1	11	–
Hattiesburg, part	4	42	11	3	9	3	–	6	6	–	2	3	42	32	16	9	1	8	–
Hattiesburg, total	4	42	11	3	9	3	–	6	6	–	2	3	42	32	17	9	1	8	–
Balance of county	1	20	1	2	4	8	2	–	1	–	4	2	14	14	4	2	–	3	–
Franklin	2	6	2	2	1	3	–	1	–	–	–	1	1	3	2	3	3	4	–
George	–	17	–	–	3	2	–	2	2	–	2	2	5	9	12	4	1	3	–
Greene	1	10	1	–	2	2	–	–	1	–	1	1	11	4	5	2	1	2	–
Grenada	–	32	1	2	1	3	–	1	1	–	–	4	3	16	9	7	3	10	–
Grenada	–	29	1	2	–	2	–	1	1	–	–	3	3	13	3	4	1	8	–
Balance of county	–	3	–	–	1	1	–	–	–	–	–	1	–	3	6	3	2	2	–
Hancock	1	17	4	1	7	2	–	6	2	–	1	1	2	20	8	8	4	2	–
Harrison	8	83	7	16	41	39	5	25	12	–	10	22	3	88	35	57	16	50	–
Biloxi	1	19	1	4	8	11	1	8	4	–	3	12	1	24	5	17	4	21	–
Gulfport	3	30	3	5	23	17	2	12	5	–	2	7	1	35	10	22	3	12	–
Balance of county	4	34	3	7	10	11	2	5	3	–	5	3	1	29	20	18	9	17	–
Hinds	7	153	19	26	42	59	4	25	10	–	16	39	43	184	52	60	24	63	–
Clinton	–	14	–	–	4	8	–	–	–	–	–	1	–	4	1	6	1	–	–
Jackson, part	5	123	18	21	35	40	4	23	9	–	12	32	31	161	38	46	20	59	–
Jackson, total	5	123	18	21	36	40	4	23	9	–	12	32	31	162	38	46	20	59	–
Balance of county	2	16	1	5	3	11	–	2	1	–	4	6	12	19	13	8	3	4	–
Holmes	4	18	4	1	4	3	1	2	3	–	3	7	12	14	10	5	–	5	–
Humphreys	–	12	–	–	5	2	2	1	1	–	–	4	12	8	2	8	–	4	–
Issaquena	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
Itawamba	–	33	3	1	3	3	–	1	2	–	2	1	3	9	5	6	–	–	–
Jackson	3	51	13	9	9	18	4	6	5	–	8	16	40	58	30	26	4	11	10
Moss Point	–	11	–	3	1	2	–	1	–	–	2	6	5	11	3	8	–	3	–
Ocean Springs	1	9	2	1	2	3	1	2	1	–	3	2	12	12	3	1	1	1	3
Pascagoula	1	15	9	2	2	6	2	3	1	–	2	4	12	13	7	7	1	1	3
Balance of county	1	16	2	3	4	7	1	–	3	–	1	4	11	22	17	10	2	6	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	159	–	–	–	31	7	13	3	6	–	–	2	2	73	57	–	1	50	6
Jefferson	85	–	–	2	19	7	4	1	4	1	1	1	1	35	29	–	2	16	11
Jefferson Davis	143	–	–	1	28	9	8	2	3	2	1	3	2	53	40	–	3	22	15
Jones	661	2	–	1	127	20	50	7	19	3	3	25	11	333	249	3	2	160	84
Laurel	324	1	–	1	56	9	21	2	8	1	–	15	8	174	131	3	1	83	44
Balance of county	337	1	–	–	71	11	29	5	11	2	3	10	3	159	118	–	1	77	40
Kemper	96	–	–	–	12	4	4	1	1	–	–	2	2	40	30	–	8	18	4
Lafayette	197	–	–	–	40	8	15	–	5	1	2	9	2	99	78	1	7	47	23
Lamar	168	2	–	4	41	8	17	–	2	2	1	11	3	67	54	–	1	44	9
Hattiesburg, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	167	2	–	4	41	8	17	–	2	2	1	11	3	67	54	–	1	44	9
Lauderdale	738	1	–	4	137	30	45	8	15	5	4	30	7	394	282	–	4	187	91
Meridian	514	1	–	3	92	16	35	5	8	4	3	21	7	285	207	–	2	136	69
Balance of county	224	–	–	1	45	14	10	3	7	1	1	9	–	109	75	–	2	51	22
Lawrence	113	1	–	1	22	4	6	2	4	1	1	4	–	64	51	–	3	28	22
Leake	208	–	–	1	34	7	10	–	3	2	4	8	1	113	94	–	2	50	42
Lee	495	1	–	2	94	21	24	3	15	8	3	20	6	269	208	–	10	141	57
Tupelo	245	1	–	1	45	10	13	1	6	7	3	5	3	148	116	–	5	74	37
Balance of county	250	–	–	1	49	11	11	2	9	1	–	15	3	121	92	–	5	67	20
Leflore	483	1	–	3	72	21	22	5	6	1	4	13	4	301	237	1	13	168	55
Greenwood	299	–	–	3	46	16	13	2	3	1	1	8	4	183	137	1	8	97	33
Balance of county	184	1	–	–	26	3	9	3	3	–	3	5	–	118	100	–	7	71	22
Lincoln	308	–	–	4	42	4	15	1	9	3	–	10	3	142	121	–	2	88	30
Brookhaven	160	–	–	1	27	2	10	–	6	1	–	6	1	74	64	–	2	45	17
Balance of county	148	–	–	3	15	2	5	1	1	2	–	4	2	68	57	–	–	44	13
Lowndes	421	1	–	7	76	15	24	10	7	3	3	14	5	197	154	3	5	114	32
Columbus	268	1	–	6	51	10	16	8	6	2	1	8	5	122	95	1	3	73	18
Balance of county	153	–	–	1	25	5	8	2	1	1	2	6	–	75	59	2	2	41	14
Madison	328	–	–	6	54	7	21	5	6	1	4	10	3	101	76	–	3	42	31
Canton	134	–	–	4	14	3	4	2	1	–	–	4	1	52	36	–	2	18	16
Balance of county	194	–	–	2	40	4	17	3	5	1	4	6	2	49	40	–	1	24	15
Marion	262	1	–	1	40	10	12	1	8	4	–	7	6	114	71	–	2	57	12
Marshall	252	–	–	2	42	11	11	3	4	4	2	7	1	102	72	–	3	45	24
Monroe	407	–	–	6	71	18	22	6	6	3	3	13	2	198	141	–	3	101	37
Montgomery	161	–	–	1	34	11	7	1	4	2	2	7	5	85	61	1	7	39	14
Neshoba	217	–	–	4	26	9	6	–	1	1	1	8	3	76	51	–	9	30	12
Newton	234	2	–	1	37	12	8	2	5	2	1	7	13	115	96	2	5	61	28
Noxubee	126	–	–	–	19	5	10	2	–	–	–	2	3	54	40	–	1	31	8
Oktibbeha	229	–	–	4	42	6	11	6	7	3	3	6	3	123	89	–	4	55	30
Starkville	120	–	–	3	22	2	7	3	4	1	2	3	2	61	40	–	1	23	16
Balance of county	109	–	–	1	20	4	4	3	3	2	1	3	1	62	49	–	3	32	14
Panola	260	1	–	1	52	7	17	3	11	2	1	11	2	124	85	–	4	64	17
Pearl River	285	–	–	2	67	12	19	5	7	6	2	16	7	112	94	1	2	65	26
Picayune	115	–	–	1	26	6	9	–	1	3	1	6	3	45	41	–	2	29	10
Balance of county	170	–	–	1	41	6	10	5	6	3	1	10	4	67	53	1	–	36	16
Perry	86	–	–	–	21	7	8	2	2	1	–	1	3	34	28	1	–	23	4
Pike	396	–	–	3	78	19	18	8	5	2	4	22	6	188	151	–	7	102	42
McComb	180	–	–	2	37	13	6	4	3	1	2	8	3	95	75	–	2	52	21
Balance of county	216	–	–	1	41	6	12	4	2	1	2	14	3	93	76	–	5	50	21
Pontotoc	205	–	–	1	41	8	15	2	4	3	–	9	2	112	101	1	3	79	18
Prentiss	227	–	–	–	40	10	10	2	4	2	1	11	2	97	74	3	2	46	23
Quitman	167	–	–	2	34	14	7	2	–	–	6	5	2	78	56	–	7	25	24
Rankin	508	2	1	10	100	21	24	10	13	3	4	25	12	181	150	3	6	73	68
Jackson, part	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pearl	93	–	–	3	24	4	10	3	1	–	1	5	3	30	29	–	2	11	16
Balance of county	412	2	1	7	75	17	14	7	12	3	3	19	9	151	121	3	4	62	52
Scott	266	–	–	2	44	15	14	1	7	–	2	5	3	147	105	–	1	79	25
Sharkey	95	–	–	1	25	4	9	2	5	–	1	4	–	30	17	–	2	9	6
Simpson	288	–	–	2	54	6	18	3	7	4	–	16	2	149	110	1	5	94	10
Smith	162	–	–	6	32	8	10	1	6	–	–	7	2	56	45	–	1	33	11
Stone	88	–	–	–	22	3	4	1	7	–	2	5	2	39	36	1	1	32	2
Sunflower	342	–	–	1	57	17	9	2	7	4	2	16	10	191	142	–	9	99	34
Tallahatchie	175	–	–	1	29	6	6	1	5	2	3	6	4	80	55	–	5	38	14
Tate	180	1	–	3	32	8	6	3	4	1	2	8	5	82	58	1	3	31	23
Tippah	233	–	–	2	51	21	8	1	7	1	2	11	3	126	88	–	3	68	17
Tishomingo	227	–	–	1	51	11	16	4	4	1	4	11	3	90	84	1	1	68	14
Tunica	106	–	–	1	8	5	2	–	–	1	–	–	1	51	37	–	1	25	11
Union	218	–	–	1	48	9	10	4	10	3	2	10	1	102	78	–	–	45	33
Walthall	159	–	–	2	24	5	5	3	4	1	1	5	6	64	47	1	1	30	15
Warren	505	–	1	3	110	23	34	2	12	4	4	31	6	236	188	1	6	85	96
Vicksburg	333	–	1	2	73	15	24	2	8	2	2	20	5	151	116	1	4	47	64
Balance of county	172	–	–	1	37	8	10	–	4	2	2	11	1	85	72	–	2	38	32
Washington	681	–	–	11	133	34	43	6	13	7	7	23	7	261	174	–	6	123	45
Greenville	442	–	–	7	84	19	28	5	10	4	4	14	3	167	122	–	4	92	26
Balance of county	239	–	–	4	49	15	15	1	3	3	3	9	4	74	52	–	2	31	19
Wayne	170	–	–	2	30	8	10	–	5	1	1	5	7	79	59	–	1	42	16
Webster	109	–	–	–	26	8	4	3	4	2	1	4	–	56	45	–	1	36	8
Wilkinson	123	–	–	–	27	5	6	4	5	1	3	3	3	58	40	–	1	29	10
Winston	226	–	–	2	35	6	10	2	5	3	3	6	6	109	81	–	8	51	22
Yalobusha	159	–	–	1	36	13	8	–	5	1	2	7	3	66	39	–	3	27	9
Yazoo	339	–	–	1	59	22	13	–	11	–	–	13	3	132	91	2	14	50	25
Yazoo City	203	–	–	–	33	14	7	–	6	–	–	6	3	90	57	–	8	31	18
Balance of county	136	–	–	1	26	8	6	–	5	–	–	7	–	42	34	2	6	19	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	–	15	1	–	2	2	–	1	–	–	1	1	27	6	9	1	1	1	1
Jefferson	–	3	1	2	–	1	–	–	–	–	–	1	4	7	7	4	–	4	–
Jefferson Davis	–	13	–	–	3	1	1	1	1	–	2	2	15	7	9	9	2	6	–
Jones	–	76	6	2	19	15	–	6	6	–	10	16	24	44	21	15	5	5	1
Laurel	–	36	6	1	12	6	–	6	2	–	2	14	9	20	2	5	3	2	1
Balance of county	–	40	–	1	7	9	–	–	4	–	8	2	15	24	19	10	2	3	–
Kemper	–	8	2	–	7	3	–	2	1	–	1	1	10	9	4	3	1	–	–
Lafayette	2	18	–	1	1	5	2	1	4	–	2	3	6	15	9	8	–	–	–
Lamar	–	8	2	3	7	1	–	–	3	–	–	2	7	13	13	2	1	2	–
Hattiesburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	8	2	3	7	1	–	–	3	–	–	2	7	13	12	2	1	2	–
Lauderdale	1	100	5	6	13	18	1	11	10	–	5	11	7	37	21	29	13	19	–
Meridian	1	68	4	5	11	12	1	10	5	–	4	6	2	25	11	14	8	17	–
Balance of county	–	32	1	1	2	6	–	1	5	–	1	5	5	12	10	15	5	2	–
Lawrence	–	9	1	3	3	3	1	1	1	–	–	2	–	9	3	2	–	–	–
Leake	–	17	1	1	6	6	–	–	5	–	3	5	3	17	5	7	1	1	–
Lee	1	40	12	8	10	23	–	1	5	–	4	3	8	26	21	13	4	3	2
Tupelo	1	19	8	4	3	14	–	–	1	–	–	1	3	11	6	4	1	2	1
Balance of county	–	21	4	4	7	9	–	1	4	–	4	2	5	15	15	9	3	1	1
Leflore	5	55	1	3	7	7	–	2	–	–	1	12	5	30	6	14	6	12	–
Greenwood	4	39	1	2	5	6	–	1	–	–	–	6	4	23	2	6	3	7	–
Balance of county	1	16	–	1	2	1	–	1	–	–	1	6	1	7	4	8	3	5	–
Lincoln	–	18	2	1	15	10	1	5	2	–	1	8	29	20	11	9	2	4	–
Brookhaven	–	9	–	1	10	5	1	1	1	–	1	3	18	11	2	4	–	–	–
Balance of county	–	9	2	–	5	5	–	4	1	–	–	5	11	9	9	5	2	4	–
Lowndes	1	35	5	2	10	10	2	4	6	1	2	12	11	35	15	14	7	5	1
Columbus	–	23	4	–	6	6	1	3	5	1	2	7	8	24	4	8	6	1	1
Balance of county	1	12	1	2	4	4	1	1	1	–	–	5	3	11	11	6	1	4	–
Madison	–	21	1	3	1	9	–	2	2	–	5	7	61	34	13	16	5	8	1
Canton	–	12	1	3	–	5	–	1	2	–	1	3	23	19	2	3	1	2	1
Balance of county	–	9	–	–	1	4	–	1	–	–	4	4	38	15	11	13	4	6	–
Marion	2	32	8	1	8	11	1	–	–	–	–	1	29	15	9	17	2	6	1
Marshall	–	24	4	2	3	5	1	1	2	–	4	1	27	27	11	14	4	5	–
Monroe	–	43	11	3	13	15	–	2	6	–	1	9	20	37	16	3	3	5	–
Montgomery	2	20	1	1	3	1	1	–	1	–	–	–	14	7	4	2	2	1	–
Neshoba	2	22	–	1	4	8	–	2	7	–	–	3	40	14	9	12	2	7	–
Newton	2	13	2	2	3	7	2	1	2	–	1	4	14	15	7	5	2	3	–
Noxubee	–	13	–	1	2	2	1	–	2	–	–	3	25	6	1	4	2	2	–
Oktibbeha	1	27	5	1	8	6	–	–	6	–	1	5	2	13	5	6	3	1	2
Starkville	–	15	5	1	5	3	–	–	2	–	1	2	1	8	2	2	3	1	2
Balance of county	1	12	–	–	3	2	–	–	4	–	–	3	1	5	3	4	–	–	–
Panola	1	30	5	3	4	7	–	3	3	–	2	5	17	16	11	7	2	3	–
Pearl River	–	12	1	5	7	4	3	3	4	–	1	2	15	18	19	10	3	8	–
Picayune	–	1	1	2	2	1	2	1	2	–	1	1	4	7	5	6	3	5	–
Balance of county	–	11	–	3	5	3	1	2	2	–	–	1	11	11	14	4	–	3	–
Perry	–	4	1	1	2	2	–	–	–	–	–	–	7	9	2	4	1	1	–
Pike	2	28	4	3	4	12	2	3	4	–	4	4	38	24	10	8	5	3	–
McComb	2	13	2	3	1	4	1	2	–	–	2	2	13	13	2	2	1	–	–
Balance of county	–	15	2	–	3	6	1	1	4	–	2	2	25	11	8	6	4	3	–
Pontotoc	–	8	2	1	4	9	–	2	–	–	1	–	2	17	6	4	2	2	–
Prentiss	1	19	1	2	4	5	1	–	6	–	2	3	31	16	10	5	3	2	–
Quitman	1	17	1	1	4	5	1	–	1	–	1	3	1	19	3	12	2	1	–
Rankin	3	23	3	2	23	11	2	4	5	–	5	8	35	55	23	19	8	4	–
Jackson, part	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pearl	–	–	1	–	–	4	–	3	1	–	2	–	3	8	6	4	2	–	–
Balance of county	3	23	2	2	22	7	2	1	4	–	3	8	32	46	17	15	6	4	–
Scott	–	37	1	4	4	7	–	–	3	–	5	2	15	17	2	12	–	3	–
Sharkey	–	11	1	1	4	3	–	–	3	–	1	3	12	7	3	3	–	–	–
Simpson	–	36	3	–	7	5	1	1	–	–	4	3	6	19	18	7	5	5	–
Smith	–	10	1	–	2	6	–	–	3	–	–	1	20	20	6	3	2	3	–
Stone	–	2	–	1	2	2	–	–	3	–	1	–	8	3	1	3	–	2	–
Sunflower	2	42	3	2	1	5	–	2	3	–	1	4	14	20	2	19	4	8	–
Tallahatchie	2	21	1	1	5	3	–	1	1	–	–	–	21	12	10	4	2	2	–
Tate	1	19	3	1	7	6	1	–	4	–	1	2	6	21	2	5	–	2	–
Tippah	–	32	6	–	3	4	1	–	3	–	2	2	3	15	3	8	6	1	–
Tishomingo	–	6	–	–	8	11	–	–	2	–	1	2	13	14	19	10	1	1	–
Tunica	–	14	–	–	2	–	–	–	3	–	–	5	23	4	4	2	–	2	–
Union	–	20	3	1	3	7	–	–	3	–	–	–	22	15	3	7	2	3	1
Walthall	–	14	2	1	–	6	1	–	2	–	2	2	21	13	2	7	4	3	–
Warren	1	37	6	4	13	10	–	6	9	–	4	10	10	44	12	21	4	5	1
Vicksburg	–	28	5	2	10	7	–	3	7	–	–	6	7	36	6	14	3	2	–
Balance of county	1	9	1	2	3	3	–	3	2	–	4	4	3	8	6	7	1	3	1
Washington	3	75	4	5	7	16	2	5	9	–	2	15	99	45	25	24	2	17	1
Greenville	2	55	4	4	5	13	2	4	7	–	–	9	51	29	11	15	1	13	1
Balance of county	1	20	–	1	2	3	–	1	2	–	2	6	48	16	14	9	1	4	–
Wayne	–	14	2	4	3	5	2	–	1	–	3	–	11	8	6	8	5	–	–
Webster	–	9	–	2	4	3	–	–	–	–	1	2	3	9	3	2	–	–	–
Wilkinson	1	16	1	–	2	2	–	1	2	–	–	–	9	9	3	5	1	1	–
Winston	–	26	–	2	1	5	1	1	2	–	3	3	11	22	7	10	4	4	–
Yalobusha	3	21	2	1	5	6	1	1	3	–	–	–	15	10	2	7	1	2	–
Yazoo	1	27	11	2	8	9	1	1	4	–	2	4	66	22	10	13	1	3	–
Yazoo City	–	23	9	1	5	5	1	1	2	–	1	3	38	9	3	8	–	1	–
Balance of county	1	4	2	1	3	4	–	–	2	–	1	1	28	13	7	5	1	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	48,277	35	3	437	10,432	2,514	2,926	851	1,137	452	456	2,096	755	23,521	18,254	148	653	13,895	3,558
Urban places	22,774	15	1	240	5,019	1,217	1,421	415	547	224	203	992	361	10,956	8,460	77	372	6,455	1,556
Balance of area	25,503	20	2	197	5,413	1,297	1,505	436	590	228	253	1,104	394	12,565	9,794	71	281	7,440	2,002
Metropolitan counties	29,167	17	1	298	6,561	1,599	1,852	575	705	278	272	1,280	488	13,981	10,868	112	440	8,371	1,945
Urban places	20,049	13	1	221	4,441	1,093	1,269	365	488	192	180	860	322	9,578	7,431	70	344	5,685	1,332
Balance of area	9,118	4	–	77	2,120	506	583	210	217	86	92	420	146	4,403	3,437	42	96	2,686	613
Nonmetropolitan counties	19,110	18	2	139	3,871	915	1,074	276	432	174	184	816	287	9,540	7,386	36	213	5,524	1,613
Urban places	2,725	2	–	19	578	124	158	50	59	32	23	132	39	1,378	1,029	7	28	770	224
Balance of area	16,385	16	2	120	3,293	791	916	226	373	142	161	684	248	8,162	6,357	29	185	4,754	1,389
Adair	212	–	–	3	35	7	11	3	2	1	1	10	4	101	79	–	–	64	15
Kirksville	145	–	–	2	24	3	8	2	2	–	1	8	3	74	56	–	–	45	11
Balance of county	67	–	–	1	11	4	3	1	–	1	–	2	1	27	23	–	–	19	4
Andrew	143	–	–	–	27	5	5	2	4	4	2	5	1	82	66	–	1	45	20
Atchison	134	–	–	–	21	7	5	1	1	1	2	4	1	76	57	–	3	45	9
Audrain	263	–	–	2	56	11	13	5	9	2	4	12	4	127	95	–	1	81	13
Mexico	145	–	–	1	30	4	9	5	2	1	3	6	2	72	51	–	1	42	8
Balance of county	118	–	–	1	26	7	4	–	7	1	1	6	2	55	44	–	–	39	5
Barry	293	–	–	1	54	13	14	1	6	2	1	17	11	131	96	1	1	83	11
Barton	182	–	–	2	34	7	13	2	1	3	3	5	4	92	72	–	3	55	14
Bates	211	–	–	1	44	7	9	5	7	5	5	6	5	95	80	1	1	55	23
Benton	190	–	–	3	47	12	15	1	6	2	1	10	1	91	63	2	1	38	22
Bollinger	87	1	–	–	12	5	2	1	2	–	1	1	2	53	39	–	1	29	9
Boone	573	–	–	6	139	27	37	13	17	3	3	39	8	241	169	1	9	123	36
Columbia	352	–	–	3	85	15	21	7	10	2	3	27	5	141	91	1	3	85	22
Balance of county	221	–	–	3	54	12	16	6	7	1	–	12	3	100	78	–	6	58	14
Buchanan	1,087	–	–	5	213	49	58	17	26	10	8	45	8	570	404	4	8	321	73
St. Joseph	984	–	–	5	192	44	52	16	23	9	7	41	7	514	371	4	5	286	66
Balance of county	103	–	–	–	21	5	6	1	3	1	1	4	1	56	33	–	1	25	7
Butler	473	–	–	4	94	21	28	4	9	7	3	22	8	231	194	1	5	151	37
Poplar Bluff	265	–	–	4	51	15	13	2	6	2	1	12	4	135	113	1	2	87	23
Balance of county	208	–	–	–	43	6	15	2	3	5	2	10	4	96	81	–	3	64	14
Caldwell	142	–	–	1	16	6	5	5	–	–	–	–	6	79	60	–	3	39	18
Callaway	284	–	–	1	59	11	13	7	11	5	1	11	5	116	99	1	6	73	19
Fulton	115	–	–	–	25	4	6	1	6	2	–	6	3	54	43	1	5	31	6
Jefferson City, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	148	–	–	1	34	7	7	6	5	3	1	5	2	62	56	–	1	42	13
Camden	196	–	–	1	61	11	18	2	12	2	3	13	3	85	70	1	–	63	6
Cape Girardeau	488	–	–	1	117	27	39	6	14	7	3	21	8	264	195	–	3	164	26
Cape Girardeau	294	–	–	1	67	12	23	4	6	6	1	15	1	162	116	–	1	96	19
Balance of county	194	–	–	–	50	15	16	2	8	1	2	6	7	102	79	–	2	68	9
Carroll	152	–	–	2	26	9	6	–	6	1	–	4	4	60	47	–	1	31	15
Carter	58	–	–	–	8	1	2	–	1	1	–	3	2	21	17	–	–	11	6
Cass	388	–	–	3	75	19	23	7	10	2	1	13	8	178	133	2	–	96	35
Belton	74	–	–	–	12	1	5	–	2	–	–	4	3	32	23	–	–	19	4
Lee's Summit, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	314	–	–	3	63	18	18	7	8	2	1	9	5	146	110	2	–	77	31
Cedar	165	–	–	3	31	10	9	2	2	1	2	5	2	69	47	2	1	31	13
Chariton	145	–	–	1	19	–	5	3	5	–	1	5	2	81	64	–	3	47	14
Christian	189	–	–	1	35	9	12	2	4	2	1	5	4	106	72	1	1	52	18
Clark	89	–	–	1	19	4	3	3	3	1	–	5	–	33	20	–	1	15	4
Clay	856	–	–	6	189	37	56	21	15	7	11	42	16	414	313	2	8	251	52
Excelsior Springs, part	110	–	–	–	20	6	7	1	2	2	–	2	–	60	37	–	–	31	6
Excelsior Springs, total	113	–	–	–	20	6	7	1	2	2	–	2	–	62	38	–	1	31	6
Gladstone	131	–	–	–	33	4	11	4	1	–	3	10	3	60	52	–	–	40	12
Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kansas City, part	336	–	–	5	75	17	23	6	8	2	5	14	4	158	121	1	1	100	19
Liberty	117	–	–	–	26	5	6	4	–	1	1	9	4	57	44	–	4	32	8
Balance of county	162	–	–	1	35	5	9	6	4	2	2	7	5	81	59	1	3	48	7
Clinton	159	–	–	–	27	10	3	2	3	–	1	8	2	98	74	–	1	54	19
Cole	415	–	–	3	76	13	28	8	8	4	3	12	7	228	173	–	10	130	33
Jefferson City, part	318	–	–	3	65	12	24	7	6	4	3	9	5	172	130	–	6	96	28
Jefferson City, total	319	–	–	3	65	12	24	7	6	4	3	9	5	172	130	–	6	96	28
Balance of county	97	–	–	–	11	1	4	1	2	–	–	3	2	56	43	–	4	34	5
Cooper	168	–	–	2	32	8	6	3	6	2	2	5	4	102	81	–	3	59	19
Crawford	192	–	–	3	37	4	15	2	6	–	3	7	4	88	67	–	–	55	12
Dade	108	–	–	2	25	6	9	–	2	3	2	3	1	43	36	–	1	20	15
Dallas	122	–	–	2	21	9	6	–	1	–	1	4	–	58	49	–	1	39	9
Daviess	121	–	–	1	31	6	7	–	4	2	4	8	1	56	42	–	6	27	9
De Kalb	88	–	–	2	14	3	2	1	2	–	3	3	2	39	26	–	–	21	5
Dent	168	–	–	1	38	7	14	2	5	1	2	7	1	68	53	1	1	40	11
Douglas	121	–	–	–	32	11	11	3	1	–	1	5	4	49	37	–	1	32	4
Dunklin	424	1	–	–	81	20	25	3	9	3	3	19	13	211	179	1	6	129	41
Kennett	137	–	–	–	22	5	6	–	3	1	2	5	2	78	60	1	3	43	13
Balance of county	287	1	–	–	59	15	19	3	6	1	1	14	11	133	119	–	5	86	28
Franklin	629	–	–	5	154	35	38	12	20	6	7	36	11	285	227	1	4	170	52
Gasconade	187	1	–	3	41	11	6	4	5	3	–	12	4	93	80	–	1	66	13
Gentry	111	–	–	1	21	5	4	1	1	–	3	7	1	64	57	–	–	50	7
Greene	1,628	–	–	16	362	88	98	37	36	10	16	77	17	729	532	5	9	402	116
Springfield	1,344	–	–	12	294	74	73	31	32	9	14	61	14	600	428	4	6	326	92
Balance of county	284	–	–	4	68	14	25	6	4	1	2	16	3	129	104	1	3	76	24
Grundy	168	–	–	1	40	10	9	2	8	1	3	7	1	87	78	–	11	50	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	164	4,011	628	463	1,272	1,474	156	474	518	3	318	393	1,782	3,448	918	1,167	583	520	58
Urban places	84	1,926	268	218	586	713	67	271	254	1	157	210	630	1,723	351	519	285	365	30
Balance of area	80	2,085	361	245	686	761	89	203	264	2	161	183	1,152	1,725	567	648	298	135	28
Metropolitan counties	95	2,380	355	283	721	878	92	336	292	1	225	268	782	2,186	521	682	382	435	40
Urban places	75	1,656	231	185	501	620	60	244	220	–	144	184	530	1,535	310	469	261	367	28
Balance of area	20	724	124	98	220	258	32	92	72	1	81	84	252	651	211	213	121	68	12
Nonmetropolitan counties	69	1,631	274	180	551	596	64	138	226	2	93	125	1,010	1,262	397	485	201	85	18
Urban places	9	270	37	33	85	93	7	27	34	1	13	26	100	188	41	50	24	18	2
Balance of area	60	1,361	237	147	466	503	57	111	192	1	80	99	910	1,074	358	435	177	67	16
Adair	–	16	3	3	5	12	–	–	3	1	–	–	10	27	1	7	2	1	–
Kirksville	–	12	3	3	2	8	–	–	2	1	–	–	6	17	1	3	1	1	–
Balance of county	–	4	–	–	3	4	–	–	1	–	–	–	4	10	–	4	1	–	–
Andrew	–	11	2	3	3	8	–	1	1	–	1	1	1	9	3	3	2	–	–
Atchison	2	12	4	1	10	5	–	1	–	–	1	2	1	10	1	3	2	–	–
Audrain	5	20	4	3	14	11	1	2	2	–	1	–	9	21	5	4	1	2	1
Mexico	4	14	3	–	8	7	–	1	2	–	–	–	4	13	–	1	1	2	1
Balance of county	1	6	1	3	6	4	1	1	–	–	1	–	5	8	5	3	–	–	–
Barry	–	33	1	1	9	10	1	2	1	–	–	3	22	30	6	7	4	1	–
Barton	1	15	2	2	2	8	–	–	3	–	1	3	6	14	3	4	5	1	–
Bates	1	12	1	1	3	5	2	1	5	–	2	2	24	18	2	1	1	–	–
Benton	1	20	4	3	2	7	1	2	4	–	–	–	8	12	2	6	3	1	–
Bollinger	2	8	4	–	4	2	–	–	1	–	–	–	2	3	2	4	1	–	–
Boone	–	58	8	6	13	27	2	3	5	–	7	4	16	55	14	14	13	5	1
Columbia	–	41	5	4	9	15	2	1	2	–	4	2	11	41	9	8	9	4	1
Balance of county	–	17	3	2	4	12	–	2	3	–	3	2	5	14	5	6	4	1	–
Buchanan	5	120	36	5	22	39	3	12	10	–	5	12	51	77	12	27	14	4	3
St. Joseph	5	102	32	4	21	34	2	12	9	–	4	11	49	73	11	23	13	2	2
Balance of county	–	18	4	1	1	5	1	–	1	–	1	1	2	4	1	4	1	2	1
Butler	–	30	3	4	16	18	1	4	4	–	2	3	39	19	6	16	3	3	2
Poplar Bluff	–	18	2	4	11	9	–	3	3	–	1	2	19	11	3	7	1	1	–
Balance of county	–	14	1	–	5	9	1	1	1	–	1	1	20	8	3	9	2	2	2
Caldwell	–	16	1	2	5	7	–	1	–	–	–	–	3	10	7	5	2	–	–
Callaway	–	13	3	1	13	11	–	6	2	–	3	1	3	22	8	5	7	2	–
Fulton	–	10	1	–	7	5	–	3	1	–	–	–	2	12	1	2	–	–	–
Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	3	2	1	6	6	–	3	1	–	3	1	1	9	7	3	7	2	–
Camden	–	10	3	2	3	5	1	2	2	–	2	–	3	7	7	8	6	–	–
Cape Girardeau	2	51	9	7	6	14	1	2	3	–	–	4	22	21	5	10	6	4	–
Cape Girardeau	2	34	7	3	5	10	–	2	1	–	–	3	11	16	2	6	3	4	–
Balance of county	–	17	2	4	1	4	1	–	2	–	–	1	11	5	3	4	3	–	–
Carroll	–	12	–	1	3	8	1	–	5	–	–	2	13	17	3	5	2	1	–
Carter	–	3	–	1	3	–	–	1	–	–	1	–	12	4	1	2	–	3	–
Cass	2	38	3	2	8	13	3	2	9	–	2	6	26	23	12	7	9	3	1
Belton	2	8	2	–	1	4	2	1	1	–	1	1	7	4	–	–	4	1	–
Lee's Summit, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	33	1	2	7	9	1	1	8	–	1	5	19	19	12	7	5	2	1
Cedar	–	15	5	2	7	2	1	2	4	–	1	–	17	12	3	9	2	–	–
Chariton	1	10	4	2	7	2	–	2	3	–	–	1	1	12	3	8	3	–	–
Christian	–	27	4	3	4	6	1	–	2	–	1	1	10	7	7	2	1	1	–
Clark	–	11	–	2	2	5	–	–	–	–	–	–	23	10	4	1	1	–	–
Clay	9	78	6	8	16	43	2	9	9	–	8	7	7	86	21	25	15	3	–
Excelsior Springs, part	1	19	2	1	3	5	–	–	–	–	1	1	–	13	1	6	–	–	–
Excelsior Springs, total	1	19	2	2	3	5	–	–	1	–	1	1	–	13	1	6	–	–	–
Gladstone	–	5	1	2	1	10	–	3	–	–	2	–	2	9	4	1	2	1	–
Independence, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kansas City, part	3	28	2	2	8	13	2	4	5	–	3	4	3	24	10	13	5	2	–
Liberty	4	7	1	1	2	11	–	2	1	–	1	2	–	4	2	2	3	–	–
Balance of county	1	19	–	2	2	4	–	–	3	–	1	–	2	16	4	3	5	–	–
Clinton	–	16	4	2	–	7	–	–	4	–	–	–	2	12	1	6	2	–	–
Cole	–	45	5	5	12	9	3	3	1	–	2	4	6	29	12	13	6	1	–
Jefferson City, part	–	34	4	4	10	8	2	2	1	–	1	4	5	22	6	7	4	1	–
Jefferson City, total	–	34	4	4	10	8	2	2	1	–	1	4	5	23	6	7	4	1	–
Balance of county	–	11	1	1	2	1	1	1	–	–	1	–	1	7	6	6	2	–	–
Cooper	–	19	–	2	2	4	–	–	4	–	–	1	2	7	3	3	2	–	–
Crawford	1	18	2	–	6	7	–	–	1	–	1	–	21	11	4	4	1	3	1
Dade	–	7	–	–	2	5	1	1	2	–	–	1	14	5	–	1	4	1	–
Dallas	–	6	2	1	3	3	–	1	3	–	–	2	6	10	5	6	–	–	2
Daviess	–	13	1	–	2	5	–	1	3	–	–	1	2	11	2	1	1	2	1
De Kalb	–	10	3	–	2	1	–	–	3	–	1	1	14	4	–	3	2	–	–
Dent	–	12	1	2	8	5	1	1	2	–	2	1	24	8	4	1	1	2	–
Douglas	1	6	3	2	2	5	–	2	2	–	–	3	5	10	1	4	2	–	–
Dunklin	2	26	1	3	6	15	1	1	5	–	3	5	30	26	15	6	3	1	1
Kennett	2	14	–	2	2	7	1	–	1	–	2	3	8	7	2	1	1	–	–
Balance of county	–	12	1	1	4	8	–	1	4	–	1	2	22	19	13	5	2	1	1
Franklin	1	39	9	9	12	9	2	5	3	–	8	3	40	54	16	14	3	4	1
Gasconade	1	11	1	–	8	2	–	–	1	–	1	3	6	11	6	5	2	–	–
Gentry	1	6	–	–	6	4	–	–	–	–	–	1	–	10	2	1	–	–	–
Greene	2	157	20	18	43	68	4	10	20	–	12	11	105	127	40	32	22	7	3
Springfield	1	136	18	17	37	61	4	9	19	–	8	9	87	104	33	27	17	7	2
Balance of county	1	21	2	1	6	7	–	1	1	–	4	2	18	23	7	5	5	–	1
Grundy	–	9	–	–	7	8	1	1	2	–	–	2	2	7	3	5	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	148	-	-	-	28	7	12	-	1	-	2	6	-	75	55	-	1	40	14
Henry	264	1	-	-	60	16	14	3	4	-	4	19	1	136	110	2	2	68	38
Hickory	82	-	-	-	23	4	10	-	1	2	1	5	-	35	23	-	1	20	2
Holt	94	-	-	1	15	2	10	-	-	1	-	2	1	58	46	-	2	33	11
Howard	126	-	-	2	28	8	6	-	2	2	-	10	3	55	35	-	-	24	11
Howell	320	2	-	-	65	16	18	1	5	6	4	15	6	157	118	-	-	101	17
Iron	132	-	-	3	31	10	11	2	-	2	1	5	2	59	45	-	2	38	5
Jackson	6,172	3	-	80	1,359	324	413	92	143	67	53	267	99	2,819	2,160	25	69	1,533	533
Blue Springs	84	-	-	2	14	2	3	2	-	-	-	7	1	42	30	-	1	22	7
GrandView	146	-	-	2	36	9	7	3	1	2	2	12	5	48	40	-	2	28	10
Independence, part	984	-	-	7	238	44	80	23	26	12	14	39	16	479	382	11	21	243	107
Independence, total	984	-	-	7	238	44	80	23	26	12	14	39	16	479	382	11	21	243	107
Kansas City, part	4,243	3	-	63	934	241	279	58	105	45	33	173	67	1,872	1,421	13	39	1,032	337
Kansas City, total	4,642	3	-	71	1,022	262	305	64	114	47	38	192	71	2,056	1,563	14	41	1,151	357
Lee's Summit, part	266	-	-	3	40	9	13	-	2	1	3	12	3	148	104	-	4	69	31
Lee's Summit, total	266	-	-	3	40	9	13	-	2	1	3	12	3	148	104	-	4	69	31
Raytown	248	-	-	1	52	13	18	1	5	2	1	12	3	133	104	1	1	82	20
Balance of county	201	-	-	2	45	6	13	5	4	5	-	12	4	97	79	-	1	57	21
Jasper	1,056	1	1	6	221	45	65	14	25	10	12	50	11	517	386	3	9	274	80
Carthage	183	1	-	-	33	3	10	3	6	3	3	5	1	92	58	-	-	43	15
Joplin, part	500	-	1	2	99	25	32	3	10	5	4	20	5	244	182	2	5	117	38
Joplin, total	528	-	1	2	105	26	35	3	10	5	4	22	5	253	167	2	5	122	38
Balance of county	393	-	-	4	89	17	23	8	9	2	5	25	5	191	146	1	4	114	27
Jefferson	908	1	-	6	217	46	61	25	21	15	10	39	17	416	343	3	6	238	95
Arnold	107	1	-	1	22	5	4	3	2	2	-	6	5	49	46	-	1	34	11
Balance of county	801	-	-	5	195	41	57	22	19	13	10	33	12	367	297	3	5	204	85
Johnson	264	1	-	3	52	12	14	5	4	6	2	9	2	145	103	-	1	80	22
Warrensburg	101	-	-	1	14	2	2	3	1	1	-	5	-	59	41	-	-	32	9
Balance of county	163	1	-	2	38	10	12	2	3	5	2	4	2	86	62	-	1	48	13
Knox	80	-	-	-	14	6	-	2	2	2	-	2	-	50	39	-	1	28	10
Laclede	229	-	-	1	40	10	16	2	5	-	2	5	2	113	98	-	-	65	33
Lafayette	352	-	-	1	70	15	18	7	9	3	1	17	4	183	142	-	3	121	18
Lawrence	330	-	-	4	52	11	13	1	3	2	3	19	5	209	171	-	1	122	48
Lewis	128	-	-	-	29	3	10	4	6	-	1	5	3	60	48	-	-	39	9
Lincoln	275	1	-	2	48	10	15	4	6	3	-	10	-	140	106	-	-	68	38
Linn	228	-	-	1	56	13	17	4	10	4	2	6	4	108	80	-	1	62	17
Livingston	218	-	1	-	38	13	11	3	5	-	2	4	4	124	92	-	6	59	27
McDonald	158	-	-	3	29	3	8	2	5	1	1	9	1	80	61	1	1	41	18
Macon	249	-	-	6	54	11	16	5	6	1	1	14	3	128	109	1	7	72	29
Madison	126	-	-	-	25	4	3	2	6	2	1	7	1	63	52	-	-	41	11
Maries	93	-	-	2	24	10	7	1	1	-	2	3	1	41	38	1	3	23	11
Marion	340	1	-	1	86	21	22	7	11	8	1	16	5	160	124	-	3	94	27
Hannibal, part	234	1	-	1	69	16	19	5	9	6	1	13	4	105	79	-	3	58	18
Hannibal, total	234	1	-	1	69	16	19	5	9	6	1	13	4	105	79	-	3	58	18
Balance of county	106	-	-	-	17	5	3	2	2	2	-	3	1	55	45	-	-	36	9
Mercer	69	-	-	-	13	2	3	-	1	-	1	6	1	39	30	-	-	18	12
Miller	192	-	-	3	43	11	12	2	2	3	2	11	2	107	85	-	2	68	15
Mississippi	178	-	-	2	36	9	10	2	5	1	1	8	2	95	75	-	1	60	14
Moniteau	160	-	-	-	38	5	8	6	5	-	-	14	-	93	71	-	1	58	12
Monroe	107	1	-	-	12	2	4	-	2	-	-	4	2	60	51	-	3	30	18
Montgomery	157	-	-	1	28	7	6	5	2	-	3	5	-	81	67	1	1	55	10
Morgan	213	-	-	1	44	10	18	1	4	2	-	9	2	110	76	-	1	65	10
New Madrid	250	-	-	2	46	10	11	3	6	-	4	12	4	106	89	1	3	65	20
Sikeston, part	4	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-	1	1
Balance of county	246	-	-	2	44	10	11	3	6	-	4	10	4	104	87	1	3	64	19
Newton	410	-	-	3	75	18	23	7	6	1	5	15	2	178	134	-	-	105	29
Joplin, part	28	-	-	-	6	1	3	-	-	-	-	2	-	9	5	-	-	5	-
Balance of county	382	-	-	3	69	17	20	7	6	1	5	13	2	169	129	-	-	100	29
Nodaway	249	-	-	2	55	11	15	4	4	4	4	13	6	129	99	-	1	85	13
Oregon	122	-	-	-	25	3	7	2	2	1	1	9	1	55	51	-	1	37	13
Osage	117	-	-	4	18	8	-	1	4	1	1	3	3	63	50	-	1	44	5
Ozark	73	-	-	-	11	2	2	-	2	-	2	3	1	32	27	-	1	21	5
Pemiscot	324	-	-	-	58	14	19	4	3	2	3	13	1	155	106	-	1	79	28
Perry	170	-	-	1	49	16	11	3	5	2	3	9	2	88	76	-	6	53	17
Pettis	397	-	-	1	95	18	24	5	10	4	5	29	8	203	149	4	1	104	40
Sedalia	294	-	-	1	73	18	17	5	5	4	4	20	8	145	104	3	-	72	29
Balance of county	103	-	-	-	22	-	7	-	5	-	1	9	-	58	45	1	1	32	11
Phelps	357	1	-	2	80	15	21	10	11	7	3	13	5	164	128	-	2	95	31
Rolla	145	-	-	-	27	5	6	4	6	-	-	6	3	70	55	-	1	39	15
Balance of county	212	1	-	2	53	10	15	6	5	7	3	7	2	94	73	-	1	56	16
Pike	207	-	-	-	35	7	11	1	7	2	1	6	2	101	69	1	1	58	11
Platte	244	-	-	6	53	15	14	1	6	4	-	13	1	113	90	-	3	74	13
Kansas City, part	63	-	-	3	13	4	3	-	1	-	-	5	-	28	21	-	1	19	1
Balance of county	181	-	-	3	40	11	11	1	5	4	-	8	1	85	69	-	2	55	12
Polk	218	1	-	2	39	9	13	6	5	-	1	5	2	128	93	1	1	66	25
Pulaski	195	-	-	1	51	18	10	2	1	1	2	17	6	71	64	2	2	34	25
Putnam	97	-	-	-	19	5	4	1	5	-	1	3	2	53	44	1	-	30	13
Ralls	83	-	-	-	19	4	6	1	3	1	2	2	2	41	29	-	1	20	8
Hannibal, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	83	-	-	-	19	4	6	1	3	1	2	2	2	41	29	-	1	20	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	1	15	3	1	7	10	–	1	5	–	–	–	5	8	3	4	2	–	–
Henry	–	20	4	2	2	10	1	1	4	–	3	–	15	20	3	7	–	–	–
Hickory	–	10	1	1	2	3	1	1	–	–	–	1	4	7	3	–	2	–	–
Holt	1	7	2	2	1	6	–	2	–	–	–	2	2	4	1	1	–	–	–
Howard	–	10	10	–	4	5	–	1	3	–	–	1	2	16	4	1	1	–	–
Howell	2	29	6	2	9	10	1	4	4	–	1	1	21	21	5	10	2	1	–
Iron	–	9	3	2	4	4	–	1	1	–	–	1	12	5	3	5	1	–	–
Jackson	19	526	64	50	155	224	15	61	70	–	54	61	186	493	130	149	101	102	11
Blue Springs	1	7	3	1	–	5	–	1	–	–	2	–	–	3	6	3	4	–	1
Grandview	–	7	1	–	4	4	–	2	–	–	2	3	3	11	10	11	4	1	–
Independence, part	5	75	12	5	20	38	–	6	10	–	8	6	10	74	27	16	20	8	1
Independence, total	5	75	12	5	20	38	–	6	10	–	8	6	10	74	27	16	20	8	1
Kansas City, part	12	360	40	39	103	151	13	50	53	–	38	50	162	353	75	98	61	90	7
Kansas City, total	15	395	42	41	112	167	15	56	58	–	41	56	169	378	88	113	68	93	7
Lee's Summit, part	1	37	3	3	17	7	–	–	4	–	–	–	4	25	2	5	6	1	1
Lee's Summit, total	1	37	3	3	17	7	–	–	4	–	–	–	4	25	2	5	6	1	1
Raytown	–	27	1	1	6	14	1	1	2	–	2	–	3	16	3	9	2	–	–
Balance of county	–	13	4	1	5	5	1	1	1	–	2	2	4	11	7	7	4	2	1
Jasper	4	124	14	9	33	24	3	15	10	–	7	8	64	78	17	22	13	4	–
Carthage	1	20	1	2	6	4	1	3	2	–	1	1	7	12	3	3	1	2	–
Joplin, part	2	67	8	5	13	15	–	8	5	–	3	4	33	44	7	11	6	–	–
Joplin, total	2	69	8	7	14	19	–	8	5	–	3	4	36	47	8	12	6	–	–
Balance of county	1	37	5	2	14	5	2	4	3	–	3	3	24	23	7	8	6	2	–
Jefferson	1	58	9	5	32	21	3	9	3	–	7	11	11	66	32	32	15	9	–
Arnold	–	3	–	–	5	4	1	2	–	–	1	1	2	3	1	4	3	2	–
Balance of county	1	55	9	5	27	17	2	7	3	–	6	10	9	63	31	28	12	7	–
Johnson	–	23	9	10	9	7	–	–	3	–	3	1	3	9	7	10	7	2	–
Warrensburg	–	8	5	5	5	1	–	–	2	–	1	1	2	5	2	4	4	–	–
Balance of county	–	15	4	5	4	6	–	–	1	–	2	–	1	4	5	6	3	2	–
Knox	1	8	1	1	1	1	–	–	3	–	–	1	3	5	2	–	–	–	–
Laclede	–	8	1	6	7	8	–	4	1	–	1	1	25	16	2	4	3	–	1
Lafayette	2	33	4	2	8	10	6	1	2	–	2	–	14	24	8	12	3	4	–
Lawrence	1	28	3	6	9	4	1	–	–	–	3	1	–	23	9	8	1	1	–
Lewis	1	7	2	2	6	4	2	–	–	–	1	–	1	11	7	3	–	1	–
Lincoln	4	25	5	–	8	6	–	1	1	–	1	–	33	12	13	7	2	–	–
Linn	–	20	5	3	13	5	–	–	3	–	1	4	2	17	5	8	1	–	–
Livingston	4	24	2	2	4	5	2	–	2	–	1	–	12	15	3	7	–	–	–
McDonald	1	13	2	3	1	3	1	–	2	–	–	–	19	5	6	7	–	1	–
Macon	2	14	1	2	3	9	–	–	2	–	2	3	2	21	7	6	3	–	–
Madison	1	7	1	2	3	5	–	2	–	–	–	1	10	11	4	1	–	–	–
Maries	–	2	–	1	1	2	–	–	1	–	1	–	9	3	1	3	3	1	–
Marion	–	27	5	4	14	10	–	2	9	–	–	2	6	30	3	4	3	2	2
Hannibal, part	–	19	3	4	7	8	–	1	5	–	–	2	1	20	2	4	1	2	1
Hannibal, total	–	19	3	4	7	8	–	1	5	–	–	2	1	20	2	4	1	2	1
Balance of county	–	8	2	–	7	2	–	1	4	–	–	–	5	10	1	–	2	–	1
Mercer	–	8	1	–	3	–	–	1	1	–	1	–	1	5	1	3	–	–	–
Miller	–	17	3	2	3	5	1	2	–	–	1	1	4	12	5	1	2	–	–
Mississippi	1	13	4	2	7	6	–	2	2	–	2	1	8	7	–	4	1	2	1
Moniteau	1	17	2	2	5	4	–	1	1	–	3	–	3	7	–	4	1	–	–
Monroe	–	5	4	–	11	8	–	–	1	–	2	–	3	2	2	2	1	–	–
Montgomery	2	11	1	–	14	4	1	1	–	–	–	–	3	12	3	8	–	1	–
Morgan	2	28	2	4	9	8	1	4	3	–	1	–	3	15	2	7	3	–	–
New Madrid	–	14	2	1	7	7	1	1	4	–	2	2	30	13	9	12	2	1	1
Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	14	2	1	7	7	1	1	4	–	2	2	30	13	9	12	2	1	1
Newton	–	28	8	8	11	16	2	1	2	–	1	1	45	38	19	7	8	1	–
Joplin, part	–	2	–	2	1	4	–	–	–	–	–	–	3	3	1	1	–	–	–
Balance of county	–	26	8	6	10	12	2	1	2	–	1	1	42	35	18	6	8	1	–
Nodaway	–	24	5	1	8	11	1	4	1	–	–	5	1	14	4	3	5	–	–
Oregon	–	13	–	1	3	4	–	1	–	–	–	–	11	5	3	3	1	–	–
Osage	–	11	1	1	4	2	–	1	1	–	1	1	–	13	4	–	1	1	–
Ozark	–	4	1	–	1	5	1	2	1	–	–	–	9	5	3	2	–	–	–
Pemiscot	1	42	2	2	3	5	1	4	9	–	1	8	38	17	4	12	3	7	–
Perry	1	8	1	2	1	1	–	–	1	–	2	–	3	10	1	7	–	4	–
Pettis	1	49	3	1	12	6	2	4	10	–	6	5	5	22	5	9	2	2	–
Sedalia	1	38	1	1	10	5	1	4	8	–	5	4	3	18	3	4	1	1	–
Balance of county	–	11	2	–	2	1	1	–	2	–	1	1	2	4	2	5	1	1	–
Phelps	–	32	–	4	4	17	2	7	10	–	–	4	21	22	9	4	2	3	–
Rolla	–	14	–	1	2	6	2	6	4	–	–	3	8	7	4	2	1	–	–
Balance of county	–	18	–	3	2	11	–	1	6	–	–	1	13	15	5	2	1	3	–
Pike	–	17	14	1	11	5	–	–	3	–	–	1	19	18	3	5	4	–	–
Platte	–	18	3	2	4	12	1	2	1	–	2	4	7	16	8	8	3	2	1
Kansas City, part	–	7	–	–	1	3	–	2	–	–	–	2	4	1	1	2	2	1	–
Balance of county	–	11	3	2	3	9	1	–	1	–	2	2	3	15	7	6	1	1	1
Polk	1	24	6	4	3	8	–	–	5	–	2	2	8	9	5	2	2	–	–
Pulaski	–	7	–	–	3	7	–	5	2	–	3	6	11	10	9	9	1	–	–
Putnam	–	7	–	2	3	1	2	–	2	–	–	–	1	7	2	2	2	1	–
Ralls	1	7	3	1	4	2	–	–	–	–	–	2	1	8	–	2	1	–	1
Hannibal, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	7	3	1	4	2	–	–	–	–	–	2	1	8	–	2	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	280	–	–	2	55	11	12	6	6	1	2	17	4	106	70	–	–	52	18
Moberly	192	–	–	2	42	9	7	4	4	1	2	15	2	68	44	–	–	35	9
Balance of county	88	–	–	–	13	2	5	2	2	–	–	2	2	38	26	–	–	17	9
Ray	210	–	–	2	44	7	12	3	4	3	5	10	3	110	89	–	3	72	14
Excelsior Springs, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
Balance of county	207	–	–	2	44	7	12	3	4	3	5	10	3	108	88	–	2	72	14
Reynolds	84	–	–	1	18	4	5	–	1	1	3	4	1	32	20	–	–	14	6
Ripley	166	–	–	–	37	9	16	4	2	–	–	6	6	71	62	–	2	49	11
St. Charles	744	–	–	7	177	49	54	22	11	8	8	25	6	347	284	6	6	227	45
St. Charles	270	–	–	2	63	21	20	11	1	2	1	7	1	135	105	1	3	83	18
St. Peters	55	–	–	2	15	6	3	1	3	–	–	2	–	22	19	–	–	18	1
Balance of county	419	–	–	3	99	22	31	10	7	6	7	16	5	190	180	5	3	126	26
St. Clair	113	1	–	2	20	4	10	1	3	1	–	1	2	69	56	–	1	31	24
Ste. Genevieve	150	–	–	2	31	9	4	6	3	3	3	3	3	78	61	–	2	53	6
St. Francois	514	1	–	–	97	22	29	6	10	5	4	21	14	274	202	–	4	170	28
St. Louis	7,576	6	–	72	1,882	477	499	197	192	64	85	368	124	3,758	2,978	38	115	2,409	416
Ballwin	76	–	–	2	21	5	3	1	1	1	2	8	1	37	32	–	1	29	2
Bellefontaine Neighbors	164	–	–	1	47	9	13	2	9	2	–	12	2	80	62	–	4	51	7
Berkeley	95	–	–	1	23	2	9	1	2	–	3	6	2	42	31	1	1	24	5
Bridgeton	113	1	–	1	40	8	11	4	3	3	1	10	1	51	43	–	1	30	12
Clayton	136	–	–	1	42	13	7	5	6	1	2	8	–	70	61	–	1	56	4
Crestwood	82	–	–	1	26	4	5	5	3	1	4	4	2	34	28	–	2	21	5
Creve Coeur	81	–	–	1	20	–	5	6	4	–	–	5	1	41	28	–	1	21	6
Ferguson	222	–	–	2	56	12	16	7	4	3	5	9	6	112	90	1	3	72	14
Florissant	382	1	–	6	107	29	27	9	7	7	5	23	5	178	138	3	4	110	22
Hazelwood	86	–	–	–	26	7	4	6	4	–	–	5	–	39	33	2	3	25	3
Jennings	208	–	–	3	63	15	20	6	7	1	1	13	2	100	82	–	8	58	18
Kirkwood	266	–	–	2	54	17	11	6	7	3	3	7	7	149	130	1	5	110	14
Maplewood	103	–	–	–	20	6	8	2	1	–	1	2	–	58	47	–	3	35	9
Overland	175	–	–	1	43	13	12	3	3	1	5	6	4	92	75	–	2	64	9
Richmond Heights	129	–	–	1	32	10	7	5	2	–	3	5	1	67	56	–	2	44	10
St. Ann	103	–	–	1	23	3	10	–	4	–	–	6	2	55	47	–	2	40	5
University City	432	–	–	8	107	30	27	11	12	6	4	17	7	212	173	1	8	140	24
Webster Groves	234	–	–	2	50	12	11	6	4	2	2	13	–	130	101	2	4	74	21
Balance of county	4,489	4	–	38	1,082	282	293	112	109	33	44	209	81	2,211	1,720	27	60	1,407	228
St. Louis city	6,354	6	–	74	1,339	349	384	103	165	62	45	231	132	3,118	2,508	21	191	1,979	317
Saline	304	–	–	3	60	18	15	4	7	2	3	11	1	185	119	–	6	94	19
Marshall	133	–	–	2	29	11	8	2	1	1	2	4	–	79	49	–	4	38	7
Balance of county	171	–	–	1	31	7	7	2	6	1	1	7	1	86	70	–	2	56	12
Schuyler	63	–	–	–	8	1	4	–	2	–	–	1	–	33	29	–	2	15	12
Scotland	94	–	–	–	14	6	3	3	–	–	1	1	–	60	44	–	–	36	8
Scott	380	1	–	2	77	20	19	8	5	4	4	17	4	192	160	4	5	111	40
Sikeston, part	202	1	–	1	38	6	10	6	2	3	3	6	2	103	86	1	2	55	28
Sikeston, total	206	1	–	1	40	6	10	6	2	3	3	6	2	105	88	1	2	56	29
Balance of county	178	–	–	1	39	12	9	2	3	1	1	11	2	89	74	3	3	58	12
Shannon	82	–	–	1	14	5	3	–	2	–	1	3	2	39	35	–	–	32	3
Shelby	108	–	–	–	13	5	3	2	–	–	1	2	–	69	51	–	27	20	4
Stoddard	398	–	–	4	72	15	16	6	5	4	4	16	2	173	125	–	2	86	37
Stone	174	1	–	4	29	5	13	–	4	2	–	5	2	67	52	1	3	39	9
Sullivan	114	–	–	–	15	4	3	–	3	–	1	4	1	65	51	1	–	34	16
Taney	261	–	–	1	68	16	20	5	12	1	5	9	3	121	95	–	–	69	26
Texas	243	1	–	4	51	12	13	8	2	4	3	9	4	118	89	–	5	67	17
Vernon	202	–	1	1	50	20	7	5	4	1	4	9	5	81	57	1	1	39	16
Warren	162	–	–	2	41	12	12	2	4	2	4	5	4	78	61	1	2	53	5
Washington	184	–	–	4	34	9	6	4	3	3	4	5	2	88	64	–	2	58	4
Wayne	151	–	–	1	26	4	8	3	3	–	2	5	4	75	55	1	–	41	13
Webster	211	1	–	4	38	7	16	1	5	–	1	8	1	116	80	–	3	56	21
Worth	51	–	–	–	10	2	3	1	2	1	1	–	1	31	22	–	–	18	4
Wright	204	–	–	1	43	12	10	3	5	4	–	9	2	89	74	–	2	58	14
Montana	6,631	5	2	41	1,374	316	321	130	211	71	66	259	116	2,996	2,243	37	53	1,506	647
Urban places	2,563	3	2	12	594	126	121	49	86	33	25	90	39	1,205	903	16	26	621	240
Balance of area	4,068	2	–	29	840	188	200	81	123	38	41	169	77	1,791	1,340	21	27	885	407
Metropolitan counties	1,383	1	2	10	300	73	73	26	39	18	15	58	20	848	479	7	19	356	97
Urban places	1,062	1	2	7	224	57	54	20	31	13	12	37	15	509	376	6	15	284	71
Balance of area	321	–	–	3	76	16	19	6	8	5	3	19	5	139	103	1	4	72	26
Nonmetropolitan counties	5,248	4	–	31	1,074	243	248	104	172	53	51	203	96	2,348	1,764	30	34	1,150	550
Urban places	1,501	2	–	5	310	71	67	29	57	20	13	53	24	696	527	10	11	337	169
Balance of area	3,747	2	–	26	764	172	181	75	115	33	38	150	72	1,652	1,237	20	23	813	381
Beaverhead	75	–	–	–	23	6	5	1	2	–	2	7	1	28	19	2	–	9	5
Big Horn	96	–	–	1	17	3	7	–	3	1	1	2	3	28	23	1	–	15	7
Blaine	59	–	–	–	12	1	3	1	3	2	1	1	2	22	19	–	–	8	11
Broadwater	33	–	–	–	11	3	2	1	3	–	1	1	–	13	11	–	–	10	1
Carbon	92	–	–	2	18	6	3	–	2	2	2	3	1	54	37	–	2	24	11
Carter	21	–	–	–	3	–	–	–	1	1	–	1	–	10	7	–	–	6	1
Cascade	629	–	–	3	131	35	31	12	16	11	7	17	10	322	239	3	7	182	47
Great Falls	557	–	–	2	111	27	28	10	15	9	6	16	9	288	213	3	6	161	43
Balance of county	72	–	–	1	20	8	3	2	3	2	1	1	1	34	26	–	1	21	4
Chouteau	74	–	–	–	11	4	3	–	2	–	1	1	–	35	26	–	–	21	5
Custer	123	–	–	–	30	5	7	2	5	1	2	8	4	60	40	2	–	32	6
Daniels	44	–	–	–	9	4	2	–	3	–	–	–	2	23	12	–	–	3	9
Dawson	85	–	–	–	18	6	4	2	2	1	1	2	2	43	39	–	–	28	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	1	26	8	1	13	9	–	2	2	–	2	2	31	30	8	6	6	2	–
Moberly	–	18	6	–	11	8	–	2	2	–	1	2	21	17	6	4	3	1	–
Balance of county	1	8	2	1	2	1	–	–	–	–	1	–	10	13	2	2	3	1	–
Ray	–	17	2	2	6	10	–	2	4	–	1	–	7	10	5	5	–	1	–
Excelsior Springs, part	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Balance of county	–	17	2	1	6	10	–	2	3	–	1	–	7	10	5	5	–	1	–
Reynolds	–	11	–	1	2	4	–	–	2	–	–	2	10	6	1	4	1	–	–
Ripley	1	8	–	–	3	6	1	1	1	–	–	1	22	10	2	4	1	–	–
St. Charles	–	49	8	6	20	15	4	9	7	–	12	12	18	54	22	24	7	3	–
St. Charles	–	24	4	2	10	3	3	2	5	–	2	3	8	23	2	6	3	1	–
St. Peters	–	1	–	2	–	2	–	–	–	–	2	2	1	2	1	3	2	1	–
Balance of county	–	24	4	2	10	10	1	7	2	–	8	7	11	29	19	15	2	1	–
St. Clair	–	10	1	2	4	2	–	1	–	–	2	–	1	6	–	–	2	1	–
Ste. Genevieve	–	15	2	–	2	3	1	1	2	–	2	–	6	6	8	2	3	–	–
St. Francois	5	46	15	6	14	16	–	1	5	–	3	1	27	30	6	18	6	1	–
St. Louis	27	568	102	83	161	199	23	100	69	1	66	73	92	513	106	149	101	70	11
Ballwin	–	3	1	1	–	1	–	–	–	–	1	3	–	4	3	1	2	–	–
Bellefontaine Neighbors	1	15	1	1	2	7	1	3	3	–	2	–	2	12	–	1	1	–	–
Berkeley	1	8	2	–	1	5	–	1	2	–	1	2	1	2	2	4	3	3	–
Bridgeton	–	4	2	2	4	–	–	2	–	–	1	1	1	4	2	1	2	1	–
Clayton	–	6	3	–	2	2	–	1	2	–	–	1	3	4	3	4	1	–	–
Crestwood	–	5	–	1	2	1	–	1	–	–	–	1	1	7	2	1	2	–	1
Creve Coeur	–	10	3	–	1	3	–	2	–	–	–	–	1	6	3	2	–	–	–
Ferguson	1	18	–	3	3	6	–	1	2	–	–	2	4	18	3	2	1	4	–
Florissant	2	28	6	3	5	12	1	7	4	–	2	1	5	25	6	8	5	1	3
Hazelwood	–	4	1	1	1	2	–	–	1	–	1	2	–	8	2	3	–	1	–
Jennings	–	17	1	–	5	4	2	3	3	–	1	1	2	12	–	3	2	2	–
Kirkwood	1	12	4	2	7	7	–	2	4	–	8	1	3	12	3	3	3	1	–
Maplewood	–	8	1	2	1	4	–	3	–	–	1	–	1	6	3	3	2	1	–
Overland	–	15	–	2	1	3	–	5	2	–	1	2	–	14	2	4	1	–	–
Richmond Heights	1	8	1	1	7	2	–	–	–	–	1	1	2	7	1	2	3	1	1
St. Ann	–	7	1	–	2	3	–	2	2	–	1	1	1	6	1	3	–	–	–
University City	4	25	5	5	7	4	–	3	6	–	5	6	5	32	6	7	7	10	–
Webster Groves	1	19	6	3	4	3	1	4	3	–	2	4	5	15	2	3	4	2	–
Balance of county	15	356	64	56	106	130	18	60	35	1	38	44	55	319	62	94	62	43	6
St. Louis city	25	464	57	64	178	144	24	95	67	–	31	53	96	499	57	162	55	216	8
Saline	1	39	2	4	10	8	1	–	3	–	1	2	6	24	6	6	5	2	1
Marshall	–	25	1	4	3	2	–	–	1	–	1	–	1	9	2	–	2	2	–
Balance of county	1	14	1	–	7	6	1	–	2	–	–	2	5	15	4	6	3	–	1
Schuyler	1	1	1	1	–	5	–	1	3	–	1	–	–	5	4	2	1	–	–
Scotland	–	15	–	1	3	3	1	–	3	–	–	–	–	6	1	3	–	–	–
Scott	–	28	1	3	5	13	2	4	4	–	2	3	18	23	9	11	5	5	–
Sikeston, part	–	14	1	2	2	8	1	3	1	–	1	2	9	13	7	5	1	3	–
Sikeston, total	–	14	1	2	2	9	1	3	1	–	1	2	9	13	7	5	1	3	–
Balance of county	–	14	–	1	3	4	1	1	3	–	1	1	9	10	2	6	4	2	–
Shannon	–	4	–	–	4	4	4	2	–	–	–	–	2	6	1	2	1	–	–
Shelby	–	13	3	2	4	1	–	3	1	–	–	–	9	3	1	3	1	–	–
Stoddard	2	40	4	2	12	7	2	4	2	1	–	1	19	21	7	2	4	3	2
Stone	–	12	1	2	7	3	–	2	1	–	–	1	33	11	5	5	2	1	–
Sullivan	1	9	4	–	4	1	–	1	2	–	1	–	2	19	2	1	–	–	–
Taney	–	16	8	2	13	4	1	2	3	–	1	2	4	19	9	4	5	1	–
Texas	–	21	8	2	8	11	–	2	2	–	–	1	16	14	4	6	3	1	–
Vernon	1	19	2	2	8	7	1	2	2	–	–	1	13	17	3	7	1	1	1
Warren	1	11	2	3	2	3	1	1	–	–	2	1	14	7	–	6	–	–	–
Washington	1	16	4	1	7	7	–	3	2	–	2	1	4	17	8	3	1	1	–
Wayne	1	14	4	1	3	4	–	2	1	–	1	1	15	5	3	7	2	1	–
Webster	–	30	4	2	6	8	3	1	3	–	1	1	6	11	7	4	–	–	–
Worth	–	8	–	1	–	2	–	2	–	–	–	–	1	4	–	–	–	–	–
Wright	–	11	3	1	5	10	1	–	4	–	1	2	16	16	2	6	5	1	–
Montana	18	526	127	82	202	269	27	89	58	1	49	67	109	576	234	241	126	34	15
Urban places	12	199	60	31	84	115	13	38	19	–	16	25	36	227	59	70	53	8	5
Balance of area	6	327	67	51	118	154	14	51	39	1	33	42	73	349	175	171	73	26	10
Metropolitan counties	3	118	36	12	42	56	8	24	9	–	12	16	15	111	47	28	27	4	3
Urban places	3	89	31	10	33	44	6	22	5	–	9	8	11	87	29	22	22	3	3
Balance of area	–	29	5	2	9	12	2	2	4	–	3	8	4	24	18	6	5	1	–
Nonmetropolitan counties	15	408	91	70	160	213	19	65	49	1	37	51	94	465	187	213	99	30	12
Urban places	9	110	29	21	51	71	7	16	14	–	7	17	25	140	30	48	31	5	2
Balance of area	6	298	62	49	109	142	12	49	35	1	30	34	69	325	157	165	68	25	10
Beaverhead	1	5	1	2	3	1	1	1	1	–	2	–	–	8	–	4	1	1	–
Big Horn	–	3	–	2	2	3	–	5	2	–	1	–	1	13	5	10	2	1	2
Blaine	–	3	–	–	5	2	–	–	–	–	–	–	–	5	6	4	–	–	1
Broadwater	–	2	–	–	1	1	–	–	–	–	–	–	–	4	–	1	2	–	–
Carbon	–	15	1	1	2	1	–	1	1	–	–	–	–	4	3	2	3	–	–
Carter	–	3	–	–	2	1	–	1	–	–	–	–	–	4	–	–	–	–	–
Cascade	1	50	26	6	18	24	5	10	2	–	9	4	3	41	21	8	13	2	3
Great Falls	1	43	25	6	16	23	5	10	2	–	8	3	2	38	17	6	12	2	3
Balance of county	–	7	1	–	2	1	–	–	–	–	1	1	1	3	4	2	1	–	–
Chouteau	1	7	1	–	3	6	–	2	1	–	1	3	–	6	4	1	1	–	–
Custer	–	16	1	3	6	3	–	1	–	–	–	–	–	11	1	4	2	–	1
Daniels	–	6	3	2	–	1	–	–	2	–	–	–	2	2	–	3	–	–	–
Dawson	–	4	–	–	1	4	–	–	–	–	1	3	1	4	3	2	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	137	–	–	–	32	8	8	–	5	1	2	8	–	64	49	1	1	32	15
Fallon	25	–	–	–	4	1	1	1	–	–	–	1	–	16	11	–	–	10	1
Fergus	178	–	–	3	38	9	9	1	8	3	3	5	3	63	36	–	1	25	10
Flathead	397	–	–	3	90	12	20	13	21	4	4	16	5	184	141	1	4	81	55
Kalispell	148	–	–	–	32	3	5	5	11	3	2	3	–	70	54	–	1	32	21
Balance of county	249	–	–	3	58	9	15	8	10	1	2	13	5	114	87	1	3	49	34
Gallatin	258	–	–	–	55	12	8	12	5	4	1	13	8	106	73	2	–	48	23
Bozeman	152	–	–	–	33	9	5	4	5	2	1	7	6	73	47	2	–	26	19
Balance of county	106	–	–	–	22	3	3	8	–	2	–	6	2	33	26	–	–	22	4
Garfield	11	–	–	–	2	1	–	–	–	–	–	1	–	7	6	–	–	4	2
Glacier	116	1	–	–	23	4	10	1	2	–	1	5	2	31	26	–	–	17	9
Golden Valley	7	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	2	2
Granite	24	–	–	–	4	1	1	–	–	–	1	1	–	10	9	–	–	2	7
Hill	143	–	–	1	28	9	5	2	7	–	–	5	1	58	44	3	1	27	13
Havre	96	–	–	–	22	6	5	2	5	–	–	4	–	40	31	1	1	19	10
Balance of county	47	–	–	1	6	3	–	–	2	–	–	1	1	18	13	2	–	8	3
Jefferson	43	–	–	–	9	3	–	1	1	–	2	2	1	15	8	–	–	4	4
Judith Basin	19	–	–	–	7	–	–	2	1	–	–	4	–	7	6	–	–	3	3
Lake	196	1	–	2	32	9	6	4	3	2	2	6	5	102	78	2	–	55	21
Lewis and Clark	357	–	–	2	77	14	24	4	18	5	4	6	5	159	115	2	3	74	36
Helena	223	–	–	–	40	7	11	2	11	4	–	5	3	104	71	2	2	45	22
Balance of county	134	–	–	2	37	7	13	2	7	1	4	3	2	54	44	–	1	29	14
Liberty	24	–	–	–	6	–	2	2	–	1	–	1	2	10	8	–	–	7	1
Lincoln	124	–	–	1	27	3	6	2	6	2	–	8	3	56	38	–	1	29	8
McCone	20	–	–	–	4	2	–	1	–	–	–	1	1	12	10	–	–	5	5
Madison	53	–	–	–	12	5	2	–	2	–	–	3	–	27	19	–	–	14	5
Meagher	18	–	–	–	6	1	1	–	–	1	–	3	–	5	3	–	–	2	1
Mineral	30	–	–	1	8	2	3	–	2	–	–	1	–	13	7	–	–	3	4
Missoula	478	1	–	4	103	21	23	15	15	6	8	15	10	207	166	3	7	109	47
Missoula	317	1	–	3	65	16	15	7	7	5	5	10	8	137	112	–	5	75	32
Balance of county	161	–	–	1	38	5	8	8	8	1	3	5	2	70	54	3	2	34	15
Musselshell	42	–	–	1	7	3	–	2	–	–	–	2	1	24	23	2	–	18	3
Park	133	–	–	–	29	6	10	3	5	2	–	3	2	61	51	–	4	33	14
Petroleum	2	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Phillips	57	–	–	1	14	2	6	1	2	2	–	1	–	27	23	–	4	15	4
Pondera	62	–	–	–	13	1	4	–	4	1	–	3	3	19	14	–	2	8	4
Powder River	23	–	–	–	–	–	–	–	–	–	–	–	–	15	13	–	–	12	1
Powell	55	–	–	1	7	–	2	2	–	–	–	3	1	27	23	1	2	15	5
Prairie	22	–	–	–	6	2	–	1	1	–	1	1	1	12	9	–	–	9	–
Ravalli	205	–	–	–	37	14	7	3	4	–	2	7	6	106	78	–	–	45	33
Richland	109	–	–	1	22	4	7	3	1	–	2	5	2	45	31	1	–	18	12
Roosevelt	113	–	–	1	17	5	2	1	4	1	1	3	3	49	35	1	–	24	10
Rosebud	79	–	–	2	13	2	4	1	3	–	–	3	1	28	21	–	–	15	6
Sanders	99	–	–	–	17	3	5	1	3	–	1	4	–	39	31	–	1	19	11
Sheridan	52	–	–	2	8	3	2	1	–	1	–	1	3	23	17	–	–	13	4
Silver Bow	449	1	–	2	90	23	18	9	14	7	3	16	7	215	168	4	1	112	51
Butte-Silver Bow	428	1	–	2	86	22	18	9	13	5	3	16	7	208	163	4	1	108	50
Balance of county	21	–	–	–	4	1	–	–	1	2	–	–	–	8	5	–	–	4	1
Stillwater	63	–	–	–	8	5	1	–	–	–	–	2	–	32	24	–	–	20	4
Sweet Grass	43	–	–	–	6	2	1	–	–	1	–	2	1	24	9	–	–	8	1
Teton	83	–	–	–	22	5	7	4	5	–	–	1	2	36	22	–	–	13	9
Toole	44	–	–	–	8	1	2	–	1	–	–	4	–	19	18	–	–	9	9
Treasure	8	–	–	–	3	2	1	–	–	–	–	–	–	4	4	–	–	2	2
Valley	91	–	–	–	22	4	3	3	2	1	2	7	2	32	27	1	–	19	7
Wheatland	35	–	–	–	2	1	–	1	–	–	–	–	–	24	22	1	–	6	15
Wibaux	19	–	–	–	2	–	–	–	1	–	–	1	–	13	11	–	–	8	3
Yellowstone	754	1	2	7	169	38	42	14	21	7	8	39	10	326	240	4	12	174	50
Billings	505	1	2	5	113	30	26	10	16	4	6	21	6	221	163	3	9	123	28
Balance of county	249	–	–	2	56	8	16	4	5	3	2	18	4	105	77	1	3	51	22
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	14,577	6	–	96	2,978	821	658	255	378	135	139	592	214	7,621	5,716	46	106	4,283	1,281
Urban places	6,369	3	–	41	1,411	356	360	135	165	60	57	278	87	3,227	2,415	31	35	1,863	486
Balance of area	8,208	3	–	55	1,567	465	298	120	213	75	82	314	127	4,394	3,301	15	71	2,420	795
Metropolitan counties	5,114	2	–	41	1,153	285	318	115	127	48	45	215	67	2,538	1,921	24	29	1,524	344
Urban places	4,445	1	–	33	1,017	253	280	101	112	44	39	188	57	2,230	1,689	24	24	1,337	304
Balance of area	669	1	–	8	136	32	38	14	15	4	6	27	10	300	232	–	5	187	40
Nonmetropolitan counties	9,463	4	–	55	1,825	536	340	140	251	87	94	377	147	5,091	3,795	22	77	2,759	937
Urban places	1,924	2	–	8	394	103	80	34	53	16	18	90	30	997	726	7	11	526	182
Balance of area	7,539	2	–	47	1,431	433	260	106	198	71	76	287	117	4,094	3,069	15	66	2,233	755
Adams	327	1	–	2	68	18	16	10	6	1	4	13	4	172	118	–	–	81	37
Hastings	286	1	–	2	56	14	12	7	6	1	3	13	3	145	99	–	–	67	32
Balance of county	61	–	–	–	12	4	4	3	–	–	1	–	1	27	19	–	–	14	5
Antelope	107	–	–	–	23	9	3	–	5	2	1	3	3	55	38	–	1	28	9
Arthur	7	–	–	–	2	–	2	–	–	–	–	–	–	3	3	–	–	3	–
Banner	8	–	–	1	1	–	1	–	–	–	–	–	–	6	5	–	–	4	1
Blaine	7	–	–	–	–	–	–	–	–	–	–	–	1	4	4	–	–	4	–
Boone	99	–	–	3	18	4	4	–	2	2	1	5	1	61	47	–	–	37	10
Box Butte	126	–	–	–	28	8	3	2	5	2	3	5	1	53	39	–	1	26	12
Boyd	46	–	–	1	13	8	2	–	1	–	–	2	1	21	15	–	–	10	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	–	12	1	2	1	7	–	3	1	–	1	–	4	15	1	4	4	–	–
Fallon	1	4	–	–	–	1	–	1	1	–	–	–	–	–	2	–	–	–	–
Fergus	1	15	9	2	5	12	1	1	1	–	2	1	5	25	3	13	2	–	–
Flathead	–	25	9	9	8	19	3	4	3	–	–	8	5	38	4	12	9	2	–
Kalispell	–	8	3	5	4	9	3	1	1	–	–	2	4	13	3	4	2	–	–
Balance of county	–	17	6	4	4	10	–	3	2	–	–	6	1	25	1	8	7	2	–
Gallatin	1	24	4	4	11	15	1	1	2	–	1	2	4	21	16	8	5	2	–
Bozeman	1	19	3	3	6	8	1	–	–	–	1	2	2	9	5	3	2	1	–
Balance of county	–	5	1	1	5	7	–	1	2	–	–	–	2	12	11	5	3	1	–
Garfield	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Glacier	–	5	–	–	4	3	–	4	–	–	2	1	3	15	12	7	1	6	1
Golden Valley	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Granite	–	1	–	–	–	3	–	1	–	–	–	–	2	1	–	2	1	–	–
Hill	2	11	–	1	11	7	–	1	1	–	2	2	–	12	8	6	5	–	–
Havre	2	6	–	1	9	4	–	1	1	–	1	1	–	8	2	5	2	–	–
Balance of county	–	5	–	–	2	3	–	–	–	–	1	1	–	4	6	1	3	–	–
Jefferson	–	3	3	1	1	2	–	1	1	–	1	–	2	5	–	3	–	2	–
Judith Basin	–	1	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–
Lake	–	10	3	2	8	3	1	2	–	–	2	–	1	16	11	6	2	–	–
Lewis and Clark	3	25	10	5	13	14	1	5	4	–	2	4	9	31	7	12	12	1	–
Helena	3	18	9	3	11	10	–	3	4	–	1	3	6	22	4	7	5	–	–
Balance of county	–	7	1	2	2	4	1	2	–	–	1	1	3	9	3	5	7	1	–
Liberty	–	1	1	–	1	–	–	–	–	–	–	–	–	2	2	–	1	–	–
Lincoln	–	11	4	3	3	5	–	–	1	–	1	1	–	11	4	8	3	–	–
McCone	–	2	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Madison	–	3	5	–	1	3	1	–	1	–	–	–	1	2	–	3	2	–	–
Meagher	–	2	–	–	2	2	–	–	–	–	–	–	–	2	–	–	1	–	–
Mineral	–	5	1	–	–	1	–	–	–	–	–	2	–	3	–	2	–	–	–
Missoula	3	31	2	5	7	21	2	7	2	–	4	6	5	44	17	18	15	4	1
Missoula	3	16	2	4	6	15	2	5	2	–	2	4	2	33	8	9	12	3	–
Balance of county	–	15	–	1	1	6	–	2	–	–	2	2	3	11	9	9	3	1	1
Musselshell	–	1	–	–	–	3	–	1	–	–	1	–	–	3	–	1	–	–	–
Park	–	6	1	3	4	8	1	1	–	–	3	–	2	12	3	6	–	–	1
Petroleum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phillips	–	4	–	–	2	–	1	–	–	–	–	–	1	8	3	2	–	–	–
Pondera	–	3	1	1	3	3	1	–	3	–	–	1	2	8	2	3	–	1	–
Powder River	–	1	1	–	–	1	–	–	–	–	–	–	–	2	1	3	1	–	–
Powell	–	2	1	1	1	5	1	–	–	–	–	–	1	4	1	3	3	–	–
Prairie	1	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Ravalli	–	22	1	5	2	8	–	2	5	–	3	1	3	9	9	9	3	1	1
Richland	–	12	1	1	–	5	1	–	1	1	2	3	5	9	6	5	1	–	–
Roosevelt	–	8	5	1	4	1	–	6	2	–	1	1	–	8	8	9	2	1	–
Rosebud	–	5	2	–	10	1	–	3	1	–	–	1	1	7	4	5	1	–	1
Sanders	1	5	–	2	6	4	–	2	1	–	–	–	11	7	4	2	1	5	–
Sheridan	–	5	–	1	3	–	–	–	1	–	1	2	1	6	1	1	–	–	–
Silver Bow	–	32	13	3	17	18	1	4	5	–	1	5	7	41	10	17	4	1	2
Butte-Silver Bow	–	31	11	3	14	18	1	3	5	–	1	5	7	40	7	16	4	1	2
Balance of county	–	1	2	–	3	–	–	1	–	–	–	–	–	1	3	1	–	–	–
Stillwater	–	6	–	2	–	2	–	–	2	–	–	–	2	9	3	2	3	–	–
Sweet Grass	–	12	1	2	–	2	–	–	1	–	1	–	2	3	–	1	1	–	1
Teton	–	9	5	2	3	3	–	–	–	–	–	–	–	8	2	5	–	–	–
Toole	–	1	–	–	2	2	1	1	–	–	–	1	1	3	4	1	–	1	–
Treasure	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Valley	–	5	–	–	1	1	1	2	2	–	1	–	4	9	11	2	1	–	–
Wheatland	–	–	–	2	–	2	–	1	–	–	–	–	2	1	2	–	1	–	–
Wibaux	–	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
Yellowstone	2	68	10	6	24	32	3	14	7	–	3	12	12	70	26	20	14	2	–
Billings	2	46	6	4	17	21	1	12	3	–	1	5	9	49	12	16	10	1	–
Balance of county	–	22	4	2	7	11	2	2	4	–	2	7	3	21	14	4	4	1	–
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	85	1,362	321	157	449	502	58	124	143	1	103	138	210	1,067	273	375	164	39	16
Urban places	25	603	127	57	162	262	24	64	48	–	54	75	69	482	95	153	74	33	5
Balance of area	40	759	194	100	287	240	34	60	95	1	49	63	141	585	178	222	90	6	11
Metropolitan counties	20	441	102	48	142	190	13	56	41	–	39	67	49	393	88	144	63	30	6
Urban places	17	398	89	37	104	171	11	47	33	–	33	52	42	349	66	112	54	29	4
Balance of area	3	43	13	9	38	19	2	9	8	–	6	15	7	44	22	32	9	1	2
Nonmetropolitan counties	45	921	219	111	307	312	45	68	102	1	64	71	161	674	185	231	101	9	10
Urban places	8	205	38	20	58	91	13	17	15	–	21	23	27	133	29	41	20	4	1
Balance of area	37	716	181	91	249	221	32	51	87	1	43	48	134	541	156	190	81	5	9
Adams	–	44	7	3	14	13	–	2	2	–	5	1	2	25	5	6	4	1	–
Hastings	–	37	6	3	10	11	–	2	2	–	4	1	1	16	5	4	2	1	–
Balance of county	–	7	1	–	4	2	–	–	–	–	1	–	1	9	–	2	2	–	–
Antelope	1	4	11	1	2	9	–	1	–	–	–	–	–	5	2	2	4	1	–
Arthur	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Banner	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Blaine	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Boone	1	8	4	1	3	3	–	–	2	–	1	1	–	5	–	1	–	–	–
Box Butte	–	9	2	3	5	9	1	1	–	–	1	2	2	14	3	6	–	–	–
Boyd	–	6	–	–	5	1	–	–	–	–	–	–	1	2	–	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Brown	45	–	–	–	11	2	1	–	2	–	1	5	–	26	19	–	–	17	2
Buffalo	284	1	–	3	54	15	8	5	7	3	3	13	2	126	93	–	2	76	15
Kearney	144	1	–	1	22	6	4	3	4	–	–	5	1	69	49	–	1	38	10
Balance of county	140	–	–	2	32	9	4	2	3	3	3	8	1	57	44	–	1	38	5
Burt	113	–	–	1	19	6	6	1	3	1	–	2	3	63	45	–	–	38	7
Butler	105	–	–	–	23	8	5	1	1	1	1	6	4	60	44	–	–	36	8
Cass	177	–	–	1	32	8	5	2	7	1	–	9	1	101	78	1	1	63	13
Cedar	130	–	–	–	27	12	4	4	1	2	–	4	–	60	51	1	–	42	8
Chase	49	–	–	1	8	3	–	2	1	–	2	–	2	27	14	–	–	14	–
Cherry	69	–	–	–	13	3	1	1	5	1	1	1	2	34	17	–	–	15	2
Cheyenne	123	–	–	–	24	8	4	2	6	–	–	4	1	50	42	–	4	32	6
Clay	94	–	–	–	19	5	4	4	1	–	1	4	–	51	47	–	1	35	11
Colfax	117	–	–	1	24	13	1	1	5	1	–	3	3	57	47	2	–	33	12
Cuming	131	–	–	–	28	10	4	2	5	–	3	4	1	78	64	–	–	53	11
Custer	186	–	–	2	28	10	3	4	5	1	2	3	2	106	91	–	1	62	28
Dakota	153	–	–	3	30	11	9	3	3	–	2	2	1	65	48	–	2	38	8
Dawes	122	–	–	2	22	5	4	3	3	2	1	4	2	57	47	–	1	26	20
Dawson	212	–	–	–	42	8	12	6	8	3	–	5	4	127	96	–	5	62	29
Deuel	38	–	–	–	11	4	2	–	2	–	–	3	1	13	10	–	2	8	–
Dixon	94	–	–	–	20	7	3	–	2	–	1	7	–	53	42	–	–	25	17
Dodge	360	–	–	2	70	21	14	7	8	2	2	16	2	203	147	1	1	112	33
Fremont	219	–	–	1	41	12	8	6	5	2	1	7	2	122	89	1	1	64	23
Balance of county	141	–	–	1	29	9	6	1	3	–	1	9	–	81	58	–	–	48	10
Douglas	3,329	1	–	26	757	183	222	77	77	31	25	142	48	1,617	1,229	13	18	1,017	181
Omaha	3,122	1	–	24	714	174	210	73	73	29	24	131	43	1,518	1,155	13	18	954	172
Balance of county	207	–	–	2	43	9	12	4	4	2	1	11	3	99	74	–	2	63	9
Dundy	45	–	–	–	4	3	–	–	–	–	1	–	–	27	21	–	–	16	5
Fillmore	117	–	–	2	21	7	3	2	3	1	2	3	5	64	53	–	1	38	14
Franklin	72	–	–	–	16	3	2	2	2	1	–	6	2	33	19	1	–	14	4
Frontier	36	–	–	–	7	4	1	–	–	1	–	1	–	21	14	–	3	7	4
Furnas	95	–	–	2	17	8	1	1	1	–	2	4	–	55	42	–	–	36	6
Gage	291	–	–	–	62	16	11	2	5	5	3	20	4	153	123	–	8	88	27
Beatrice	158	–	–	–	38	12	7	1	4	3	1	10	1	80	64	–	5	47	12
Balance of county	133	–	–	–	24	4	4	1	1	2	2	10	3	73	59	–	3	41	15
Garden	42	–	–	–	4	1	1	–	–	–	–	2	–	20	13	–	3	5	5
Garfield	30	–	–	–	4	4	–	–	–	–	–	–	–	22	17	–	–	7	10
Gosper	19	–	–	–	1	–	–	–	–	–	–	1	–	14	13	–	–	13	–
Grant	3	–	–	–	2	–	–	–	1	1	–	–	–	2	1	–	–	1	–
Greeley	49	–	–	–	11	2	5	–	1	–	1	2	–	26	15	–	–	10	5
Hall	455	–	–	3	86	24	21	8	8	1	4	20	14	214	154	1	3	115	35
Grand Island	381	–	–	3	73	17	19	7	7	1	4	18	12	177	127	1	2	92	32
Balance of county	74	–	–	–	13	7	2	1	1	–	–	2	2	37	27	–	1	23	3
Hamilton	103	–	–	–	16	6	2	1	2	–	–	5	2	58	40	1	1	17	21
Harlan	53	–	–	–	8	4	3	–	–	–	1	–	1	33	24	–	–	21	3
Hayes	11	–	–	–	2	1	1	–	–	–	–	–	–	4	2	–	–	2	–
Hitchcock	49	–	–	–	6	1	1	1	2	–	–	1	1	23	15	–	–	10	5
Holt	151	–	–	–	34	7	9	2	5	1	3	7	–	76	65	1	1	47	16
Hooker	12	–	–	–	3	2	–	–	–	–	–	1	–	7	5	–	–	2	3
Howard	63	–	–	–	13	2	–	1	3	1	–	6	–	39	24	–	–	20	4
Jefferson	120	–	–	–	20	7	3	2	3	1	2	2	1	69	56	–	2	45	9
Johnson	84	–	–	1	19	4	5	–	1	2	3	4	2	41	22	–	–	16	6
Kearney	69	–	–	–	7	3	1	–	1	–	–	2	1	40	30	–	1	26	3
Keith	98	–	–	–	17	5	–	2	3	1	–	6	2	58	45	–	–	39	6
Keya Paha	9	–	–	–	1	–	–	–	1	–	–	–	–	7	6	–	–	4	2
Kimball	53	1	–	–	9	2	–	2	–	1	–	4	1	26	21	–	–	17	4
Knox	171	–	–	1	29	6	7	2	2	2	2	8	–	110	86	–	1	77	8
Lancaster	1,326	1	–	10	295	78	69	25	39	16	14	54	16	715	540	11	9	392	128
Lincoln	1,223	–	–	9	277	75	63	23	36	15	13	52	14	663	498	11	8	360	119
Balance of county	103	1	–	1	18	3	6	2	3	1	1	2	2	52	42	–	1	32	9
Lincoln	297	–	–	1	59	19	11	2	6	3	6	12	3	159	115	1	2	76	36
North Platte	218	–	–	1	46	15	9	1	4	2	5	12	2	109	75	1	–	55	19
Balance of county	79	–	–	–	11	4	2	1	2	1	1	–	1	50	40	–	2	21	17
Logan	8	–	–	–	1	–	1	–	–	–	–	–	–	3	2	–	–	2	–
Loup	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	3	–
McPherson	4	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	2	–
Madison	337	–	–	2	49	11	4	3	11	7	1	12	7	183	120	2	1	101	16
Norfolk	209	–	–	–	37	6	3	2	10	5	1	10	3	114	78	–	1	68	9
Balance of county	128	–	–	2	12	5	1	1	1	2	–	2	4	69	42	2	–	33	7
Merrick	93	–	–	–	14	3	3	1	3	–	3	1	1	55	34	–	1	28	5
Morrill	60	–	–	–	12	6	2	1	1	1	–	1	–	35	29	–	5	13	11
Nance	73	–	–	–	17	7	5	1	4	–	–	–	–	41	32	–	1	21	10
Nemaha	108	–	–	2	30	9	7	2	3	4	1	4	6	48	35	–	–	26	9
Nuckolls	75	–	–	1	15	6	1	1	2	–	–	5	–	42	37	–	1	24	12
Otoe	185	1	–	–	32	10	6	1	7	–	5	3	8	69	60	1	–	45	14
Pawnee	57	–	–	–	15	4	4	2	–	1	1	3	2	24	18	–	1	10	7
Perkins	47	–	–	–	14	4	5	1	3	–	–	1	2	17	12	–	–	11	1
Phelps	134	–	–	–	26	6	5	4	7	1	–	3	–	86	70	–	–	36	34
Pierce	87	–	–	1	15	3	2	2	3	1	1	3	1	51	36	1	1	32	2
Platte	238	–	–	–	62	15	14	5	10	1	3	14	4	125	98	3	2	62	31
Columbus	174	–	–	–	51	13	13	4	8	–	1	12	3	92	71	3	1	45	22
Balance of county	64	–	–	–	11	2	1	1	2	1	2	2	1	33	27	–	1	17	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	1	5	1	–	–	1	–	1	1	–	–	–	–	1	2	1	1	–	–
Buffalo	1	25	6	1	10	10	5	3	2	–	4	2	4	32	10	11	5	–	–
Kearney	1	13	6	–	5	8	2	2	1	–	3	2	2	16	4	4	1	–	–
Balance of county	–	12	–	1	5	2	3	1	1	–	1	–	2	16	6	7	4	–	–
Burt	–	14	3	1	9	4	1	–	2	–	2	1	–	2	1	5	–	–	–
Butler	2	10	4	–	2	2	–	–	1	–	–	1	2	4	1	4	1	–	–
Cass	–	20	2	1	6	3	–	3	4	–	–	1	–	12	2	7	2	1	1
Cedar	–	20	6	3	2	4	–	–	–	–	2	2	3	3	3	4	–	–	–
Chase	1	10	1	1	4	3	–	–	–	–	–	–	–	2	1	1	–	–	–
Cherry	–	14	2	1	–	4	–	–	1	–	1	1	–	8	2	3	–	–	–
Cheyenne	–	5	–	3	9	15	1	1	1	–	2	–	–	8	7	4	–	–	–
Clay	1	2	–	1	3	4	–	–	1	–	–	–	1	10	1	4	–	–	–
Colfax	–	9	–	1	5	6	–	–	1	–	–	1	6	7	2	3	–	–	1
Cuming	1	12	1	–	6	2	–	–	–	–	–	–	2	10	1	–	3	–	–
Custer	–	11	3	1	10	4	–	1	4	–	–	2	1	11	6	4	5	–	–
Dakota	–	9	4	4	15	2	1	1	1	–	–	3	1	10	7	10	3	–	–
Dawes	–	8	–	2	6	6	–	1	–	1	–	2	5	14	–	4	–	–	–
Dawson	1	16	12	2	3	4	1	1	2	–	1	2	1	18	–	4	2	–	–
Deuel	–	3	–	–	1	2	1	–	–	–	–	–	–	4	2	3	–	–	–
Dixon	–	8	3	–	3	1	3	–	–	–	–	–	3	7	1	3	–	–	–
Dodge	4	41	6	5	12	16	3	2	1	–	1	2	3	22	7	9	4	–	1
Fremont	2	25	4	2	5	12	2	–	1	–	1	2	2	17	4	4	2	–	1
Balance of county	2	16	2	3	7	4	1	2	–	–	–	–	1	5	3	5	2	–	–
Douglas	14	276	71	27	98	138	9	43	29	–	24	36	34	258	56	92	35	26	4
Omaha	13	261	66	23	86	131	9	41	26	–	22	32	33	244	50	86	33	26	3
Balance of county	1	15	5	4	12	7	–	2	3	–	2	4	1	14	6	6	2	–	1
Dundy	–	3	1	2	6	–	–	1	–	–	1	–	–	1	3	2	–	–	–
Fillmore	–	6	4	1	1	2	1	–	2	–	1	–	–	11	3	4	–	–	–
Franklin	1	7	4	2	3	4	1	1	–	–	–	1	–	9	–	2	–	–	–
Frontier	–	3	4	–	–	–	–	–	1	–	–	1	–	1	2	3	–	–	–
Furnas	–	8	3	2	4	5	2	1	1	–	1	–	–	5	–	1	1	–	–
Gage	3	17	8	2	10	8	2	4	3	–	4	4	2	23	4	4	4	–	–
Beatrice	2	10	3	1	7	4	2	2	1	–	2	2	1	12	2	1	3	–	–
Balance of county	1	7	5	1	3	4	–	2	2	–	2	2	1	11	2	3	1	–	–
Garden	–	5	–	2	–	2	–	–	3	–	–	1	2	5	–	4	1	–	–
Garfield	–	4	1	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Gosper	–	1	–	–	1	1	–	–	–	–	–	–	–	–	2	–	–	–	–
Grant	–	1	–	–	1	1	–	–	–	–	–	–	3	–	–	–	–	–	–
Greeley	–	9	1	1	1	1	–	1	–	–	1	1	1	3	2	–	1	–	–
Hall	1	46	7	6	21	27	2	4	6	–	6	6	8	26	8	16	7	1	–
Grand Island	1	39	6	4	19	26	2	3	5	–	6	2	7	23	5	13	4	1	–
Balance of county	–	7	1	2	2	1	–	1	1	–	–	4	1	3	3	3	3	–	–
Hamilton	2	11	5	–	7	2	–	1	1	–	–	–	–	12	4	–	–	–	–
Harlan	–	7	1	1	2	1	–	–	–	–	–	–	3	1	3	1	–	–	–
Hayes	–	1	1	–	–	1	–	–	–	–	–	–	2	–	2	–	–	–	–
Hitchcock	–	7	1	–	8	2	–	–	–	–	1	–	–	3	2	3	–	–	–
Holt	–	10	1	–	1	3	–	1	2	–	2	1	4	17	–	5	4	–	1
Hooker	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Howard	–	15	–	–	1	3	–	–	–	–	1	–	–	3	1	1	1	–	–
Jefferson	–	11	2	–	6	4	–	1	–	–	1	–	2	9	–	7	–	–	–
Johnson	1	13	4	1	1	3	1	1	3	–	–	–	1	10	–	1	–	–	–
Kearney	3	6	1	–	4	2	1	1	–	–	–	–	1	5	3	3	1	–	–
Keith	–	7	5	1	1	2	–	1	–	–	–	–	1	10	3	2	1	–	–
Keya Paha	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kimball	–	4	1	–	1	1	1	–	1	–	–	–	2	4	1	3	2	–	–
Knox	–	22	1	1	4	–	2	–	6	–	3	1	1	9	3	1	1	–	–
Lancaster	4	132	25	14	22	43	3	7	7	–	10	18	10	99	18	31	18	2	1
Lincoln	3	126	22	14	17	39	2	6	7	–	9	17	9	96	16	24	15	2	1
Balance of county	1	6	3	–	5	4	1	1	–	–	1	1	1	3	2	7	3	–	–
Lincoln	1	33	7	3	4	16	2	3	1	–	1	2	8	22	2	9	5	–	–
North Platte	1	29	2	2	1	14	2	3	1	–	1	2	3	22	1	5	3	–	–
Balance of county	–	4	5	1	3	2	–	–	–	–	–	–	5	–	1	4	2	–	–
Logan	–	–	–	1	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
Loup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McPherson	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Madison	–	51	6	6	10	7	1	1	4	–	2	10	13	26	10	5	4	2	1
Norfolk	–	27	5	4	5	6	–	–	2	–	2	8	6	14	2	5	3	2	–
Balance of county	–	24	1	2	5	1	1	1	2	–	–	2	7	12	8	–	1	–	1
Merrick	1	18	2	–	1	4	–	–	2	–	1	–	2	5	3	3	1	–	1
Morrill	2	1	–	3	–	1	–	–	1	–	1	–	–	8	1	1	–	–	–
Nance	–	7	1	1	3	3	–	1	–	–	–	–	1	4	–	2	1	–	–
Nemaha	1	10	2	–	2	3	1	1	2	–	–	–	1	8	1	3	–	–	–
Nuckolls	–	4	1	–	2	3	1	1	5	–	–	–	–	2	–	–	2	–	1
Otoe	1	20	4	4	10	4	1	4	4	–	1	–	13	11	2	2	2	–	1
Pawnee	–	4	1	1	4	–	–	–	1	–	–	–	–	9	1	–	1	–	–
Perkins	–	4	1	–	–	4	–	–	–	–	1	1	–	2	2	4	–	–	–
Phelps	–	14	–	2	2	2	–	1	–	–	1	1	2	9	1	5	–	–	–
Pierce	–	11	1	3	2	2	–	3	–	–	–	–	2	5	1	2	1	–	1
Platte	–	18	5	4	3	5	4	2	3	–	4	7	2	9	7	1	–	–	–
Columbus	–	14	4	3	2	3	2	2	2	–	2	4	2	6	2	1	–	–	–
Balance of county	–	4	1	1	1	2	2	–	1	–	2	3	–	3	5	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	93	–	–	3	13	3	4	1	1	1	–	3	–	58	37	–	1	33	3
Red Willow	128	–	–	1	36	9	11	2	5	–	1	8	1	66	42	1	–	35	6
Richardson	167	–	–	2	35	7	11	1	4	–	1	11	1	87	70	–	3	49	18
Rock	24	–	–	–	6	2	1	1	–	–	1	1	1	8	5	–	–	5	–
Saline	152	–	–	3	37	10	3	3	2	3	4	12	4	75	56	2	4	34	16
Sarpy	306	–	–	2	71	13	18	10	8	1	4	17	4	133	104	–	–	77	27
Bellevue	100	–	–	–	26	4	7	5	3	–	2	5	–	49	36	–	–	23	13
Balance of county	206	–	–	2	45	9	11	5	5	1	2	12	4	84	68	–	–	54	14
Saunders	181	–	–	4	33	8	6	3	5	4	–	7	3	101	68	–	–	56	12
Scotts Bluff	362	–	–	3	70	25	15	5	8	4	4	9	8	183	138	1	2	87	46
Scottsbluff	155	–	–	–	28	8	5	3	5	2	2	3	3	89	74	1	–	50	23
Balance of county	207	–	–	3	42	17	10	2	3	2	2	6	5	94	64	–	2	37	25
Seward	149	–	–	–	18	4	2	–	5	2	1	4	2	106	83	–	3	51	29
Sheridan	79	–	–	–	13	6	1	1	1	3	–	1	3	41	30	–	1	22	7
Sherman	52	–	–	–	15	5	3	–	2	–	3	2	1	27	20	–	–	13	7
Sioux	19	–	–	–	6	–	2	1	1	1	–	1	–	5	5	–	–	3	2
Stanton	52	–	–	2	11	2	1	4	1	1	–	2	2	24	17	–	–	15	2
Thayer	105	–	–	–	18	4	1	1	8	–	1	3	–	63	53	–	1	35	17
Thomas	6	–	–	–	1	–	–	–	1	–	–	–	–	2	1	–	–	–	1
Thurston	74	–	–	–	8	2	1	–	1	1	1	2	1	39	29	–	–	19	10
Valley	71	–	–	–	13	2	2	1	2	–	1	5	5	38	27	–	–	21	6
Washington	156	–	–	–	28	10	6	–	2	–	2	8	1	96	79	–	2	59	18
Wayne	71	–	–	–	19	5	2	2	5	1	–	4	–	38	30	–	–	22	8
Webster	70	–	–	–	9	4	2	–	–	1	–	2	–	37	27	–	–	21	6
Wheeler	5	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	3	1
York	159	–	–	1	28	8	7	3	2	2	2	4	3	100	82	1	1	49	31
Nevada	6,368	5	–	53	1,422	310	470	100	165	58	48	271	97	2,624	2,095	25	108	1,337	625
Urban places	3,797	4	–	28	834	186	265	62	98	31	27	165	59	1,582	1,262	11	66	813	372
Balance of area	2,571	1	–	25	588	124	205	38	67	27	21	106	38	1,042	833	14	42	524	253
Metropolitan counties	5,090	5	–	44	1,148	254	380	79	135	45	38	217	81	2,061	1,661	20	99	1,075	467
Urban places	3,468	4	–	25	751	168	237	57	90	28	23	148	52	1,434	1,149	11	66	741	331
Balance of area	1,622	1	–	19	397	86	143	22	45	17	15	69	29	627	512	9	33	334	136
Nonmetropolitan counties	1,278	–	–	9	274	56	90	21	30	13	10	54	16	563	434	5	9	262	158
Urban places	329	–	–	3	83	18	28	5	8	3	4	17	7	148	113	–	–	72	41
Balance of area	949	–	–	6	191	38	62	16	22	10	6	37	9	415	321	5	9	190	117
Carson City city	329	–	–	3	83	18	28	5	8	3	4	17	7	148	113	–	–	72	41
Churchill	126	–	–	–	24	6	7	3	2	2	–	4	1	63	47	1	–	25	21
Clark	3,620	5	–	36	814	179	291	51	96	32	29	142	67	1,443	1,170	17	65	729	359
Henderson	167	–	–	–	31	6	12	1	5	–	2	5	1	71	60	2	5	35	18
Las Vegas	1,726	4	–	16	368	75	122	28	50	15	12	66	31	700	563	6	28	341	186
North Las Vegas	278	–	–	2	52	13	21	3	3	1	1	10	7	101	83	–	4	53	26
Balance of county	1,449	1	–	18	363	79	136	19	38	16	14	61	28	571	484	9	28	300	127
Douglas	104	–	–	1	20	4	6	3	3	1	–	3	1	46	33	1	–	18	14
Elko	136	–	–	1	22	4	9	–	2	–	2	5	2	61	48	1	–	36	11
Esmeralda	12	–	–	–	3	1	1	–	–	–	–	1	–	5	4	1	–	1	2
Eureka	11	–	–	–	1	–	–	–	–	1	–	–	–	5	4	–	–	2	2
Humboldt	83	–	–	–	19	2	6	5	2	–	1	3	–	30	22	–	2	10	10
Lander	26	–	–	–	6	1	2	–	2	–	–	1	–	9	6	–	–	4	2
Lincoln	34	–	–	–	7	4	1	–	–	–	–	2	–	15	13	–	–	10	3
Lyon	146	–	–	1	29	5	7	–	4	3	–	10	4	63	56	–	1	37	18
Mineral	53	–	–	1	12	3	3	1	1	1	–	3	–	20	15	–	3	10	2
Nye	78	–	–	2	20	4	13	2	–	1	–	–	–	29	24	–	1	13	10
Pershing	27	–	–	–	7	2	1	2	1	–	1	–	–	9	8	–	–	6	2
Storey	12	–	–	–	3	–	–	–	1	–	1	1	–	3	3	–	–	2	1
Washoe	1,470	–	–	8	334	81	89	28	39	13	9	75	14	618	491	3	34	346	108
Reno	997	–	–	6	244	64	63	21	24	9	7	56	9	429	334	2	22	230	80
Sparks	300	–	–	1	56	10	19	4	8	3	1	11	4	139	109	1	7	82	19
Balance of county	173	–	–	1	34	7	7	3	7	1	1	8	1	56	48	–	5	34	9
White Pine	101	–	–	–	18	2	6	–	4	1	1	4	1	57	36	1	2	16	19
New Hampshire	7,616	4	–	47	1,727	456	433	168	177	82	58	353	167	3,753	2,907	30	55	2,178	644
Urban places	3,342	1	–	22	766	214	197	72	76	31	27	149	69	1,670	1,307	7	25	992	283
Balance of area	4,274	3	–	25	961	242	236	96	101	51	31	204	98	2,083	1,600	23	30	1,186	361
Metropolitan counties	4,226	2	–	31	968	267	250	91	95	40	29	196	90	2,041	1,619	18	39	1,210	352
Urban places	2,150	–	–	16	496	145	135	46	47	18	15	90	43	1,063	852	5	18	641	188
Balance of area	2,076	2	–	15	472	122	115	45	48	22	14	106	47	978	767	13	21	569	164
Nonmetropolitan counties	3,390	2	–	16	759	189	183	77	82	42	29	157	77	1,712	1,288	12	16	968	292
Urban places	1,192	1	–	6	270	69	62	26	29	13	12	59	26	607	455	2	7	351	95
Balance of area	2,198	1	–	10	489	120	121	51	53	29	17	98	51	1,105	833	10	9	617	197
Belknap	421	1	–	3	101	29	26	11	8	6	2	19	7	220	159	3	–	119	37
Laconia	174	1	–	–	42	12	10	5	3	3	1	8	3	92	67	–	–	48	19
Balance of county	247	–	–	3	59	17	16	6	5	3	1	11	4	128	92	3	–	71	18
Carroll	280	–	–	–	70	17	20	6	10	4	2	11	6	142	99	2	2	62	33
Cheshire	535	1	–	1	111	28	31	9	3	11	5	24	13	273	192	–	9	146	37
Keene	203	–	–	1	48	14	13	3	–	4	1	13	6	101	68	–	5	51	12
Balance of county	332	1	–	–	63	14	18	6	3	7	4	11	7	172	124	–	4	95	25
Coos	377	–	–	1	86	19	24	6	10	1	5	21	11	201	153	1	–	121	31
Berlin	176	–	–	–	46	9	12	5	4	–	5	11	5	90	68	–	–	58	10
Balance of county	201	–	–	1	40	10	12	1	6	1	–	10	6	111	85	1	–	63	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Polk	2	15	1	3	–	2	–	–	–	–	–	–	1	7	4	4	–	1	–
Red Willow	–	9	12	3	2	3	–	2	–	–	1	–	6	8	4	–	–	–	–
Richardson	1	11	3	2	7	8	–	1	3	–	1	2	6	10	1	2	1	–	–
Rock	–	2	–	1	1	1	–	–	2	–	1	–	1	–	2	–	1	–	–
Saline	–	9	7	3	5	–	1	–	3	–	–	1	7	8	4	1	3	–	–
Sarpy	2	24	2	1	7	7	–	5	4	–	5	10	4	26	7	11	7	2	1
Bellevue	1	11	1	–	1	1	–	–	–	–	2	3	–	9	–	2	6	1	–
Balance of county	1	13	1	1	6	6	–	5	4	–	3	7	4	17	7	9	1	1	1
Saunders	3	25	3	2	5	5	–	–	3	–	–	1	3	13	2	5	3	–	–
Scotts Bluff	2	29	10	4	8	13	1	5	1	–	1	–	9	34	13	8	5	–	–
Scottsbluff	1	11	2	1	4	7	1	3	–	–	–	–	3	7	4	4	2	–	–
Balance of county	1	18	8	3	4	6	–	2	1	–	1	–	6	27	9	4	3	–	–
Seward	1	20	1	1	4	3	–	–	2	–	–	–	1	6	2	4	–	–	1
Sheridan	–	5	4	2	2	3	–	–	1	–	1	–	1	9	1	2	2	–	–
Sherman	–	5	1	1	1	1	–	–	2	–	–	1	–	1	–	1	1	1	–
Sioux	–	–	–	–	–	1	–	–	–	–	–	–	–	2	3	2	–	–	–
Stanton	1	5	–	1	1	4	–	1	1	–	–	1	5	–	–	–	–	–	–
Thayer	–	10	–	–	3	2	–	–	1	–	–	–	–	13	2	2	–	1	–
Thomas	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–
Thurston	1	5	2	2	4	1	1	3	1	–	–	2	1	6	4	–	3	–	–
Valley	–	8	2	1	3	1	–	1	1	–	–	–	–	4	1	3	1	–	–
Washington	–	13	3	1	3	3	1	2	2	–	2	4	–	9	1	2	2	–	–
Wayne	–	4	3	1	3	–	–	–	1	–	2	–	2	5	–	1	–	–	–
Webster	1	5	3	1	4	2	–	–	–	–	1	–	1	14	–	2	–	–	–
Wheeler	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
York	1	14	3	–	3	1	–	–	1	–	–	1	2	10	3	2	4	–	–
Nevada	10	392	62	65	120	283	17	135	48	–	50	62	80	478	267	235	254	116	22
Urban places	6	247	29	38	74	170	8	92	27	–	31	35	40	282	156	131	153	77	14
Balance of area	4	145	33	27	46	113	9	43	21	–	19	27	40	196	111	104	101	39	8
Metropolitan counties	6	309	38	47	95	225	13	112	39	–	43	51	48	384	217	184	216	107	17
Urban places	6	219	26	34	70	162	6	83	25	–	31	33	34	257	148	123	144	73	13
Balance of area	–	90	12	13	25	63	7	29	14	–	12	18	14	127	69	61	72	34	4
Nonmetropolitan counties	4	83	24	18	25	58	4	23	9	–	7	11	32	94	50	51	38	9	5
Urban places	–	28	3	4	4	8	2	9	2	–	–	2	6	25	8	8	9	4	1
Balance of area	4	55	21	14	21	50	2	14	7	–	7	9	26	69	42	43	29	5	4
Carson City city	–	28	3	4	4	8	2	9	2	–	–	2	6	25	8	8	9	4	1
Churchill	1	9	4	2	3	6	–	5	–	–	1	–	5	10	1	4	3	–	–
Clark	6	210	27	30	54	152	10	68	33	–	31	44	26	279	166	142	144	93	13
Henderson	2	8	–	1	2	6	–	2	2	–	2	3	1	17	11	6	9	2	1
Las Vegas	4	101	15	17	22	76	3	34	15	–	16	21	12	132	90	69	64	47	6
North Las Vegas	–	18	–	–	5	14	1	9	2	–	3	3	3	22	9	15	14	14	2
Balance of county	–	83	12	12	25	56	6	23	14	–	10	17	10	108	56	52	57	30	4
Douglas	–	8	3	2	2	4	–	–	1	–	2	–	2	6	10	5	3	1	–
Elko	1	9	2	1	5	4	–	1	–	–	3	1	5	11	5	8	5	1	1
Esmeralda	–	1	–	–	1	1	–	–	–	–	–	–	1	–	–	1	–	–	–
Eureka	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	1	1	–	–
Humboldt	–	3	4	1	2	6	–	2	3	–	–	1	3	7	5	1	2	2	–
Lander	–	2	–	1	–	4	–	–	1	–	–	–	1	2	1	2	–	–	–
Lincoln	–	1	1	–	2	1	–	–	–	–	–	–	2	2	1	2	2	–	–
Lyon	–	2	3	2	2	7	–	1	1	–	–	4	2	13	10	4	5	–	–
Mineral	2	2	–	1	–	3	1	1	1	–	1	–	–	5	1	3	1	–	3
Nye	–	2	–	3	1	4	1	3	1	–	–	–	1	3	5	6	2	1	–
Pershing	–	–	–	1	–	5	–	–	–	–	–	–	1	1	2	1	1	–	–
Storey	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	2	–	–
Washoe	–	99	11	17	41	73	3	44	6	–	12	7	22	105	51	42	72	14	4
Reno	–	77	7	11	28	49	1	27	4	–	6	5	15	63	28	25	44	10	2
Sparks	–	15	4	5	13	17	1	11	2	–	4	–	2	23	10	8	13	–	2
Balance of county	–	7	–	1	–	7	1	6	–	–	2	1	4	19	13	9	15	4	–
White Pine	–	16	3	–	3	2	–	1	–	–	–	2	3	8	1	3	2	–	–
New Hampshire	34	582	134	96	191	281	33	99	67	2	46	92	30	597	180	160	111	19	10
Urban places	12	250	69	32	85	121	14	54	27	–	19	49	17	270	37	56	46	11	8
Balance of area	22	332	65	64	106	160	19	45	40	2	27	43	13	327	143	104	65	8	2
Metropolitan counties	14	306	59	43	116	165	17	63	39	1	31	58	18	307	102	85	69	14	9
Urban places	6	152	36	17	61	77	7	38	23	–	16	34	12	159	19	39	30	10	7
Balance of area	8	154	23	26	55	88	10	25	16	1	15	24	6	148	83	46	39	4	2
Nonmetropolitan counties	20	276	75	53	75	116	16	36	28	1	15	34	12	290	78	75	42	5	1
Urban places	6	98	33	15	24	44	7	16	4	–	3	15	5	111	18	17	16	1	1
Balance of area	14	178	42	38	51	72	9	20	24	1	12	19	7	179	60	58	26	4	–
Belknap	1	36	12	12	8	14	2	3	3	1	–	4	1	32	8	10	3	–	–
Laconia	–	17	4	4	3	7	2	3	1	–	–	3	1	13	2	–	1	–	–
Balance of county	1	19	8	8	5	7	–	–	2	1	–	1	–	19	6	10	2	–	–
Carroll	2	28	9	4	6	9	–	3	–	–	2	1	1	22	11	5	2	–	–
Cheshire	11	51	13	6	15	14	–	7	3	–	2	9	–	53	10	16	4	2	1
Keene	4	21	5	3	8	5	–	2	–	–	–	2	–	23	1	3	2	–	1
Balance of county	7	30	8	3	7	9	–	5	3	–	2	7	–	30	9	13	2	2	–
Coos	–	32	12	4	5	10	–	3	5	–	–	1	2	31	9	6	6	–	–
Berlin	–	13	8	1	3	3	–	2	1	–	–	1	1	18	2	3	1	–	–
Balance of county	–	19	4	3	2	7	–	1	4	–	–	–	1	13	7	3	5	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	592	-	-	4	150	36	27	22	21	6	3	35	12	254	207	2	3	156	46
Lebanon	118	-	-	2	32	5	6	5	6	1	-	9	2	47	36	-	1	30	5
Balance of county	474	-	-	2	118	31	21	17	15	5	3	26	10	207	171	2	2	126	41
Hillsborough	2,194	1	-	16	500	144	125	46	54	20	13	98	44	1,076	858	11	17	654	176
Manchester	964	-	-	5	209	70	57	20	20	8	4	30	16	494	398	2	5	295	96
Nashua	478	-	-	7	112	31	25	10	12	3	4	27	11	239	196	2	5	154	35
Balance of county	752	1	-	4	179	43	43	16	22	9	5	41	17	343	264	7	7	205	45
Merrimack	876	-	-	3	179	48	41	15	21	10	9	35	22	475	366	4	1	286	75
Concord	378	-	-	-	72	23	13	6	10	4	3	13	8	209	161	2	-	126	33
Balance of county	498	-	-	3	107	25	28	9	11	6	6	22	14	266	205	2	1	160	42
Rockingham	1,371	1	-	13	311	88	79	32	26	13	8	65	30	650	519	5	16	366	132
Portsmouth	227	-	-	2	54	16	14	8	3	2	-	11	2	94	77	-	3	46	28
Balance of county	1,144	1	-	11	257	72	65	24	23	11	8	54	28	556	442	5	13	320	104
Strafford	661	-	-	2	157	35	46	13	15	7	8	33	16	315	242	2	6	190	44
Dover	213	-	-	1	49	11	19	2	3	1	3	10	4	115	93	-	3	77	13
Rochester	190	-	-	-	43	13	11	4	5	2	3	5	6	90	66	-	2	54	10
Somersworth	78	-	-	1	29	4	9	2	4	2	1	7	4	31	22	1	-	15	6
Balance of county	180	-	-	-	36	7	7	5	3	2	1	11	2	79	61	1	1	44	15
Sullivan	309	-	-	4	62	12	14	8	9	4	3	12	6	147	112	-	1	78	33
Claremont	143	-	-	3	30	6	8	2	6	1	2	5	2	68	55	-	1	38	16
Balance of county	166	-	-	1	32	6	6	6	3	3	1	7	4	79	57	-	-	40	17
New Jersey	67,621	47	3	783	16,062	4,513	4,153	1,581	1,697	683	578	2,857	1,286	34,515	28,160	327	995	21,902	4,936
Urban places	48,822	38	2	570	11,290	3,211	2,926	1,124	1,181	458	398	1,992	1,008	25,012	20,453	237	742	16,017	3,457
Balance of area	18,799	9	1	193	4,772	1,302	1,227	457	516	225	180	865	278	9,503	7,707	90	253	5,885	1,479
Metropolitan counties	60,422	44	3	714	14,231	3,985	3,691	1,420	1,479	604	517	2,535	1,172	30,650	24,997	290	868	19,419	4,420
Urban places	45,683	36	2	547	10,486	2,970	2,719	1,064	1,081	426	373	1,851	950	23,274	19,036	221	677	14,899	3,239
Balance of area	14,739	8	1	167	3,745	1,015	972	356	398	176	144	684	222	7,376	5,961	69	191	4,520	1,181
Nonmetropolitan counties	7,199	3	-	49	1,831	528	462	161	218	79	61	322	114	3,865	3,163	37	127	2,483	516
Urban places	3,139	2	-	23	804	241	207	60	100	30	25	141	58	1,738	1,417	16	65	1,118	218
Balance of area	4,060	1	-	26	1,027	287	255	101	118	49	36	181	56	2,127	1,746	21	62	1,365	298
Atlantic	2,402	2	-	13	537	140	137	47	69	28	19	97	45	1,263	1,027	9	45	780	193
Atlantic City	763	2	-	2	146	39	36	10	18	9	8	26	19	403	329	1	16	251	61
Hammonton	144	-	-	2	44	11	14	5	4	2	1	7	4	69	60	1	1	46	12
Pleasantville	184	-	-	2	42	8	11	4	10	2	1	6	4	88	63	-	6	46	11
Somers Point	128	-	-	1	24	8	7	-	4	-	-	5	3	76	65	3	1	45	16
Ventnor City	176	-	-	-	39	10	8	5	8	-	-	8	3	102	79	-	5	62	12
Balance of county	1,007	-	-	6	242	64	61	23	25	15	9	45	12	525	431	4	16	330	81
Bergen	7,638	4	-	63	1,999	581	493	206	205	78	87	349	137	3,935	3,212	45	89	2,704	374
Bergenfield	236	1	-	1	51	19	9	4	4	2	1	12	-	138	113	2	4	88	19
Cliffside Park	226	-	-	2	57	14	10	10	10	1	2	10	4	120	103	-	5	86	12
Dumont	182	-	-	1	41	6	9	6	6	1	3	10	3	106	85	3	1	72	9
Elmwood Park	181	-	-	1	44	16	9	3	3	3	2	8	1	91	79	-	3	70	6
Englewood	249	-	-	1	53	17	14	4	3	4	3	8	3	139	95	1	1	85	8
Fair Lawn	285	1	-	1	89	25	20	6	13	3	4	18	3	137	111	1	-	101	9
Fairview	103	-	-	-	33	8	14	4	1	3	-	3	3	51	42	-	2	38	2
Fort Lee	276	-	-	5	69	21	15	5	3	2	8	15	3	150	124	1	5	102	16
Garfield	315	1	-	1	79	25	18	9	10	2	-	15	11	173	148	3	2	130	13
Glen Rock	85	-	-	4	21	5	6	6	1	-	1	2	5	39	32	-	1	25	6
Hackensack	391	-	-	6	108	31	26	9	10	5	6	21	10	195	147	2	2	120	23
Hasbrouck Heights	124	-	-	1	36	9	7	5	3	2	2	8	2	61	48	1	2	43	2
Hillsdale	125	-	-	2	44	13	8	3	5	1	7	7	2	45	40	-	1	31	8
Lodi	202	-	-	1	51	13	17	5	5	1	1	9	7	109	97	1	1	84	11
Lyndhurst township#	204	-	-	4	47	16	11	5	5	2	1	7	7	115	103	1	4	83	15
New Milford	161	-	-	1	41	13	11	2	4	2	3	8	3	87	73	1	1	63	8
North Arlington	184	-	-	1	48	13	15	2	3	2	1	12	4	100	89	2	7	70	10
Oakland	69	-	-	-	22	8	3	2	3	1	1	4	2	30	25	-	-	21	4
Palisades Park	119	-	-	-	25	5	7	5	3	1	-	4	6	60	51	2	1	43	5
Paramus	227	-	-	1	60	14	14	12	7	4	1	8	1	108	94	1	3	84	6
Ramsey	80	-	-	-	19	3	1	1	6	2	2	4	1	37	27	-	-	26	1
Ridgefield	116	-	-	-	29	13	4	5	1	3	-	3	2	62	55	-	1	50	4
Ridgefield Park	122	-	-	2	34	13	6	1	4	3	2	5	4	66	55	-	3	47	5
Ridgewood	230	-	-	2	49	10	13	3	8	2	4	9	2	117	95	4	4	74	13
River Edge	112	-	-	-	30	6	10	4	3	1	4	3	1	62	53	-	2	44	7
Rutherford	188	-	-	6	50	15	11	7	4	1	1	11	5	89	65	1	4	47	13
Saddle Brook township#	111	-	-	1	35	13	7	3	2	-	3	7	2	60	53	-	1	44	8
Teaneck township#	334	-	-	3	77	24	18	9	9	3	3	11	2	189	163	2	7	126	28
Tenafly	133	-	-	1	41	12	8	2	4	1	3	11	1	72	56	2	2	49	3
Waldwick	68	-	-	-	13	2	3	3	2	-	-	3	-	35	29	1	-	24	4
Wallington	110	-	-	-	28	9	9	1	2	-	-	7	3	61	53	2	1	43	7
Westwood	103	-	-	-	31	9	13	2	1	1	-	5	2	48	39	3	1	33	2
Wyckoff township#	118	-	-	-	35	13	8	1	4	-	3	6	4	57	43	1	2	36	4
Balance of county	1,869	1	-	14	508	149	139	57	53	19	15	77	28	926	727	7	15	622	83
Burlington	2,598	-	-	28	645	185	184	59	66	18	24	109	39	1,276	1,002	12	31	728	231
Burlington	126	-	-	1	28	8	8	3	5	-	-	4	1	65	50	1	-	36	13
Cinnaminson township#	116	-	-	1	34	10	11	4	2	-	2	5	5	56	36	-	2	26	8
Delran township#	73	-	-	-	22	7	7	2	1	1	-	4	-	41	33	-	-	29	4
Maple Shade township#	216	-	-	2	52	22	16	4	1	1	1	7	1	107	90	1	1	67	21
Moorestown township#	158	-	-	2	34	6	12	3	7	1	1	4	2	79	62	1	3	44	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	1	34	5	7	22	29	4	5	6	–	2	4	7	57	16	15	5	–	–
Lebanon	–	8	1	2	4	3	1	2	–	–	1	1	2	15	3	2	1	–	–
Balance of county	1	26	4	5	18	26	3	3	6	–	1	3	5	42	13	13	4	–	–
Hillsborough	6	147	46	19	58	85	11	32	23	–	17	33	11	161	43	39	33	6	5
Manchester	2	65	22	7	29	40	3	21	11	–	11	10	4	62	8	21	14	2	4
Nashua	1	33	7	2	11	16	2	3	4	–	1	11	5	40	4	4	5	2	1
Balance of county	3	49	17	10	18	29	6	8	8	–	5	12	2	59	31	14	14	2	–
Merrimack	5	70	21	13	17	29	7	9	5	–	5	9	1	63	19	15	16	2	–
Concord	2	29	13	4	6	20	2	4	1	–	–	5	1	28	7	7	7	1	–
Balance of county	3	41	8	9	11	9	5	5	4	–	5	4	–	35	12	8	9	1	–
Rockingham	5	103	8	15	41	56	4	18	10	1	11	15	6	101	37	38	20	5	3
Portsmouth	1	14	2	–	10	6	1	3	4	–	3	4	2	25	3	7	2	4	1
Balance of county	4	89	6	15	31	50	3	15	6	1	8	11	4	76	34	31	18	1	2
Strafford	3	56	5	9	17	24	2	13	6	–	3	10	1	45	22	8	16	3	1
Dover	1	16	2	3	5	5	1	4	1	–	1	4	–	13	–	4	5	1	–
Rochester	1	18	1	4	6	8	–	6	3	–	–	5	–	16	2	2	2	1	–
Somersworth	–	6	2	1	–	2	–	1	–	–	–	–	1	3	2	1	2	–	1
Balance of county	1	16	–	1	6	9	1	2	2	–	2	1	–	13	18	1	7	1	–
Sullivan	–	25	3	7	2	11	3	6	6	–	4	6	–	32	5	8	6	1	–
Claremont	–	10	2	1	–	6	2	3	1	–	2	3	–	14	3	2	4	–	–
Balance of county	–	15	1	6	2	5	1	3	5	–	2	3	–	18	2	6	2	1	–
New Jersey	189	4,701	719	736	1,478	1,731	214	1,057	707	7	381	611	555	4,661	1,118	1,274	578	532	41
Urban places	148	3,393	504	514	1,089	1,213	145	790	520	5	286	459	463	3,415	686	948	396	455	32
Balance of area	51	1,308	215	222	389	518	69	267	187	2	95	152	92	1,246	432	326	182	77	9
Metropolitan counties	190	4,178	649	696	1,360	1,549	187	956	630	7	349	558	527	4,244	994	1,172	522	512	41
Urban places	143	3,152	471	472	1,046	1,143	135	750	488	5	272	438	454	3,235	653	909	378	450	32
Balance of area	47	1,026	178	164	314	406	52	206	142	2	77	120	73	1,009	341	263	144	62	9
Nonmetropolitan counties	9	523	70	100	118	182	27	101	77	–	32	53	28	417	124	102	56	20	–
Urban places	5	241	33	42	43	70	10	40	32	–	14	21	9	180	33	39	18	5	–
Balance of area	4	282	37	58	75	112	17	61	45	–	18	32	19	237	91	63	38	15	–
Atlantic	6	150	47	33	47	69	11	49	32	–	14	15	17	151	48	45	13	28	3
Atlantic City	3	47	14	10	23	17	1	21	11	–	6	3	8	54	8	19	2	16	2
Hammonton	–	8	–	–	2	3	1	1	4	–	–	2	1	7	2	2	–	–	–
Pleasantville	–	17	3	5	7	6	2	6	1	–	3	2	–	12	–	6	1	2	–
Somers Point	–	4	2	5	1	2	1	4	1	–	–	2	1	5	3	1	2	1	–
Ventnor City	–	11	9	3	3	7	–	2	1	–	–	–	2	9	3	2	1	2	–
Balance of county	3	62	19	10	11	34	6	15	14	–	5	6	5	64	32	15	7	7	1
Bergen	22	540	78	83	162	178	22	120	53	–	38	32	73	481	111	135	38	29	8
Bergenfield	–	23	1	1	6	6	2	4	–	–	–	1	3	15	3	3	2	–	–
Cliffside Park	1	12	3	1	6	4	2	7	–	–	2	–	4	8	1	8	–	1	–
Dumont	–	15	1	5	1	6	3	2	1	–	2	1	3	9	–	2	–	–	1
Elmwood Park	–	8	2	2	3	8	1	2	2	–	3	–	3	13	4	2	2	1	–
Englewood	–	37	3	4	8	6	1	7	4	–	3	2	1	13	6	–	1	–	1
Fair Lawn	3	19	1	3	4	8	1	5	3	–	1	–	4	16	1	6	2	3	–
Fairview	1	7	–	1	3	2	1	1	1	–	2	1	1	1	1	1	1	–	–
Fort Lee	1	21	2	2	9	4	–	3	–	–	1	2	1	18	1	9	1	–	–
Garfield	1	17	4	3	8	5	–	2	1	–	–	2	1	18	4	6	–	3	–
Glen Rock	–	5	1	1	1	1	–	1	–	–	–	–	–	8	2	1	–	1	1
Hackensack	2	31	9	6	6	7	–	4	3	–	3	3	8	23	4	7	2	2	–
Hasbrouck Heights	2	7	3	1	4	1	–	3	3	–	1	–	–	10	–	2	–	–	–
Hillsdale	–	4	1	–	1	7	–	–	1	–	1	1	1	11	4	2	–	3	–
Lodi	–	10	2	–	3	5	3	5	1	–	1	–	1	6	2	7	–	–	–
Lyndhurst township#	–	10	–	2	2	6	–	2	1	–	2	–	2	11	1	4	–	–	–
New Milford	1	11	1	1	4	4	1	2	–	–	–	–	1	13	1	1	–	1	1
North Arlington	–	9	–	2	5	5	–	1	–	–	–	2	2	13	1	1	1	–	–
Oakland	–	5	–	–	1	4	–	1	–	–	1	–	–	4	2	–	2	–	–
Palisades Park	1	7	–	1	6	3	1	1	1	–	–	–	–	10	4	–	–	1	1
Paramus	1	10	–	3	10	6	–	5	2	–	2	1	3	16	5	5	2	–	–
Ramsey	–	5	3	2	1	5	–	1	2	–	–	–	–	6	3	2	3	–	–
Ridgefield	–	4	2	1	7	4	–	1	–	–	1	–	2	6	–	2	–	–	–
Ridgefield Park	1	7	2	1	1	1	–	4	–	–	–	–	–	6	–	1	2	1	–
Ridgewood	–	17	2	3	13	6	–	1	2	–	–	1	4	19	5	6	2	1	–
River Edge	–	7	–	2	2	5	–	5	–	–	–	–	1	5	–	1	–	–	–
Rutherford	–	20	2	2	6	3	1	5	1	–	–	2	2	12	1	5	–	1	1
Saddle Brook township#	1	5	–	1	1	1	–	1	1	–	–	2	1	4	2	–	–	–	–
Teaneck township#	1	20	3	2	4	4	–	5	2	–	3	1	3	22	10	4	2	3	–
Tenafly	–	13	3	–	2	2	–	2	1	–	–	–	–	9	–	2	–	–	–
Waldwick	–	3	–	3	2	3	–	1	1	–	2	1	–	5	3	2	–	–	–
Wallington	–	7	–	1	2	–	–	1	2	–	–	2	1	8	1	–	–	1	–
Westwood	–	6	1	2	4	2	–	1	–	–	–	–	1	7	4	3	–	–	–
Wyckoff township#	–	11	1	2	5	2	–	–	–	–	–	–	1	6	–	6	2	–	–
Balance of county	5	147	25	22	41	42	5	34	17	–	7	9	18	130	35	34	11	6	2
Burlington	13	201	27	33	54	60	5	39	29	–	18	34	29	171	76	46	34	13	2
Burlington	–	13	2	–	3	2	1	1	1	–	2	1	1	10	2	4	3	–	–
Cinnaminson township#	1	14	1	4	2	2	–	1	1	–	1	–	1	4	3	2	3	–	–
Delran township#	1	5	–	2	1	–	–	–	–	–	–	–	1	3	2	2	–	1	–
Maple Shade township#	–	13	2	2	5	5	–	7	3	–	1	1	1	18	9	2	2	–	–
Moorestown township#	2	13	1	1	6	2	–	1	3	–	–	–	4	21	2	–	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	128	-	-	-	39	10	14	6	2	-	1	6	2	61	48	-	1	33	14
Pemberton township#	183	-	-	2	46	11	13	2	9	3	2	6	2	86	63	1	1	50	11
Willingboro township#	213	-	-	2	57	16	18	6	4	-	4	9	3	82	63	2	3	44	14
Balance of county	1,385	-	-	18	333	95	85	29	35	12	13	64	23	699	557	6	20	399	132
Camden	4,238	1	-	65	970	272	278	87	88	38	31	176	74	2,132	1,752	21	69	1,123	539
Bellmawr	115	1	-	1	23	4	6	1	1	3	-	8	2	59	48	1	-	29	15
Camden	915	-	-	9	182	44	59	15	21	6	6	31	23	448	355	3	23	198	131
Cherry Hill township#	522	-	-	13	125	37	28	10	7	12	3	28	7	277	223	3	7	161	52
Collingswood	196	-	-	2	46	17	14	4	2	-	2	7	3	106	90	-	-	58	32
Gloucester township#	222	-	-	2	45	12	14	7	4	2	-	6	4	111	95	3	2	56	34
Gloucester City	159	-	-	1	35	6	14	3	1	-	3	8	3	82	69	2	1	46	20
Haddon township#	131	-	-	1	27	10	8	3	2	1	1	2	3	79	68	2	4	45	17
Haddonfield	126	-	-	3	33	13	5	5	4	-	1	5	4	58	48	-	2	35	11
Lindenwold	123	-	-	2	24	7	4	1	2	3	2	5	2	52	40	1	2	23	14
Pennsauken township#	325	-	-	4	77	25	21	9	5	2	3	12	5	178	137	1	8	92	36
Voorhees township#	61	-	-	2	13	2	4	2	1	1	1	2	3	30	27	-	1	21	5
Balance of county	1,343	-	-	25	340	95	101	27	38	8	9	62	15	654	554	5	19	359	171
Cape May	1,157	-	-	3	306	91	75	20	39	18	11	52	13	610	485	3	17	361	104
Ocean City	210	-	-	-	59	20	10	3	10	6	1	9	3	106	82	-	4	62	16
Balance of county	947	-	-	3	247	71	65	17	29	12	10	43	10	504	403	3	13	299	88
Cumberland	1,316	-	-	17	269	81	78	24	24	6	10	46	28	663	551	4	17	366	164
Bridgeton	254	-	-	6	51	13	19	5	5	1	3	4	4	124	98	3	3	62	30
Millville	320	-	-	4	57	18	21	6	3	2	1	6	5	165	138	-	5	82	51
Vineland	451	-	-	3	89	31	18	10	9	2	2	17	14	246	199	1	5	144	49
Balance of county	281	-	-	4	72	19	20	3	6	1	4	19	5	128	116	-	4	78	34
Essex	8,098	11	-	135	1,769	521	431	166	179	69	54	327	173	3,965	3,225	29	130	2,414	652
Belleville	351	-	-	4	89	24	27	11	3	6	2	16	9	173	143	4	5	116	18
Bloomfield	531	1	-	2	131	35	34	14	20	3	8	17	10	268	209	-	8	159	44
Cedar Grove township#	109	-	-	-	28	10	7	1	1	3	2	4	2	50	39	-	-	34	5
East Orange	729	2	-	15	151	45	29	17	24	7	4	25	17	341	269	2	11	207	49
Irvington	635	-	-	9	131	36	38	15	12	5	5	22	18	340	273	2	15	191	65
Livingston township#	210	-	-	4	53	13	10	9	3	3	2	13	6	106	90	2	3	72	13
Maplewood township#	241	-	-	5	55	12	15	5	5	1	-	17	3	142	116	1	1	95	19
Millburn township#	183	-	-	4	40	14	10	3	2	1	2	8	3	105	85	-	3	64	16
Montclair	430	-	-	8	107	36	23	12	14	4	2	16	6	202	155	-	3	105	47
Newark	2,972	8	-	63	621	175	168	63	62	23	16	114	65	1,309	1,105	10	67	777	251
Nutley	262	-	-	3	59	18	11	6	5	2	4	13	11	163	134	-	1	107	25
Orange	295	-	-	4	56	20	12	8	3	2	1	10	3	153	126	-	3	94	29
South Orange Village township#	163	-	-	-	37	11	10	2	4	4	-	6	1	86	73	1	3	58	11
Verona	127	-	-	-	34	9	11	2	4	2	1	5	2	63	53	1	3	41	8
West Caldwell	85	-	-	-	19	10	1	3	1	-	-	4	-	50	42	1	-	37	4
West Orange	458	-	-	7	81	30	15	6	10	1	3	16	8	257	201	3	5	160	33
Balance of county	297	-	-	7	77	23	12	11	6	2	2	21	9	147	112	2	1	97	12
Gloucester	1,594	-	-	25	387	106	105	27	50	17	13	69	35	785	633	6	38	395	194
Deptford township#	111	-	-	1	26	3	7	3	4	3	-	6	2	53	42	1	2	27	12
Glassboro	116	-	-	-	28	9	6	1	5	2	1	4	3	55	44	-	2	27	15
Washington township#	69	-	-	1	24	6	10	2	-	-	2	4	-	46	40	2	1	30	7
West Deptford township#	98	-	-	1	27	4	14	2	3	1	-	3	4	47	39	-	4	25	10
Woodbury	151	-	-	2	33	12	10	2	3	2	1	3	5	73	55	-	1	30	24
Balance of county	1,029	-	-	20	249	72	58	17	35	9	9	49	21	511	413	3	28	256	126
Hudson	5,769	11	1	55	1,191	342	327	102	135	54	39	192	128	3,032	2,563	25	56	2,182	300
Bayonne	805	-	-	8	185	53	54	13	20	8	6	31	15	446	383	5	9	313	56
Harrison	136	-	-	1	27	11	5	3	3	2	-	3	3	84	70	1	2	60	7
Hoboken	357	-	1	2	58	10	23	7	7	1	1	9	11	204	171	1	4	149	17
Jersey City	2,445	8	-	31	486	141	136	44	59	18	14	74	54	1,212	1,022	9	20	878	115
Kearny	374	-	-	1	98	28	31	4	12	3	2	18	9	193	167	2	3	137	25
North Bergen township#	535	1	-	5	108	30	19	14	13	6	6	20	9	305	259	6	9	213	31
Secaucus	146	1	-	1	39	13	13	2	2	1	-	8	3	69	61	-	3	52	6
Union City	443	-	-	5	70	16	13	7	7	7	5	15	10	240	201	-	5	170	28
Weehawken township#	121	-	-	-	21	8	3	4	2	1	1	2	5	71	59	-	-	54	5
West New York	299	-	-	1	72	24	20	3	9	4	3	9	7	149	117	-	1	107	9
Balance of county	108	1	-	-	27	8	10	1	1	3	1	3	2	59	53	1	-	49	3
Hunterdon	661	-	-	5	164	43	39	17	27	6	1	31	4	352	296	4	13	200	79
Mercer	2,484	1	1	23	565	159	154	46	50	26	22	108	90	1,293	1,080	9	78	680	313
East Windsor township#	100	-	-	-	18	4	7	1	3	-	1	2	1	48	43	-	2	34	7
Ewing township#	19	-	-	-	6	-	1	-	-	1	2	2	-	8	6	-	-	5	1
Hamilton township#	753	1	-	8	171	52	51	15	13	7	4	29	12	405	338	2	22	211	103
Princeton	110	-	-	-	29	6	6	5	3	3	2	4	-	61	49	-	2	34	13
Trenton	1,078	-	1	13	243	71	61	14	24	12	10	51	15	547	458	6	42	274	136
Balance of county	424	-	-	2	98	26	28	11	7	3	3	20	2	224	186	1	10	122	53
Middlesex	4,867	4	-	59	1,204	304	335	123	125	56	42	219	105	2,447	1,959	22	78	1,578	281
Carteret	206	-	-	-	46	14	13	7	4	1	-	7	2	104	85	1	5	68	11
East Brunswick township#	477	-	-	5	122	32	33	11	17	5	7	17	7	244	190	4	11	131	44
Edison township#	488	-	-	7	127	30	45	10	12	5	6	19	13	223	174	2	7	141	24
Highland Park	112	1	-	1	26	8	6	2	2	1	-	7	3	59	39	-	1	28	10
Metuchen	142	-	-	-	26	6	6	1	5	3	1	4	2	85	65	1	-	56	8
Middlesex	119	-	-	1	36	12	11	2	5	-	-	6	4	56	47	1	1	40	5
New Brunswick	317	1	-	5	67	17	15	7	10	3	4	11	14	150	119	1	11	92	15
North Brunswick township#	148	-	-	1	43	10	18	4	1	1	-	9	5	66	59	-	3	49	7
Old Bridge township#	262	-	-	5	68	10	18	7	8	4	3	18	5	136	115	1	3	91	20
Perth Amboy	453	-	-	4	98	26	32	8	7	4	6	15	10	246	190	4	8	157	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	1	11	1	–	3	3	–	2	1	–	–	1	1	11	4	–	–	–	–
Pemberton township#	1	16	2	4	5	4	–	4	3	–	3	–	2	9	6	8	3	–	–
Willingboro township#	1	17	–	1	5	5	–	2	3	–	4	8	3	18	7	4	4	5	1
Balance of county	6	99	18	19	24	37	4	21	14	–	7	23	15	77	41	24	18	6	1
Camden	12	265	58	45	78	112	11	62	52	1	28	50	43	302	81	80	44	48	4
Bellmawr	–	10	1	2	–	6	–	4	2	–	2	1	–	9	2	1	1	1	–
Camden	6	63	19	3	21	22	2	19	13	1	11	14	17	58	13	27	8	30	1
Cherry Hill township#	–	38	7	9	7	9	1	5	10	–	3	5	6	29	12	3	8	2	–
Collingswood	1	9	2	4	3	4	2	1	2	–	1	1	3	16	2	2	2	–	–
Gloucester township#	–	10	4	2	4	8	1	3	2	–	2	3	3	15	5	9	3	2	–
Gloucester City	1	8	2	2	5	6	1	2	2	–	1	3	–	12	1	4	–	1	–
Haddon township#	–	9	2	–	1	2	1	2	1	–	1	–	–	10	–	2	–	1	–
Haddonfield	–	7	1	2	1	4	1	3	4	–	–	–	–	9	1	3	2	–	–
Lindenwold	–	9	–	3	2	2	–	2	–	–	2	4	–	12	13	2	3	1	–
Pennsauken township#	3	28	4	6	7	8	1	2	3	–	–	1	6	23	2	7	1	–	–
Voorhees township#	–	2	1	–	1	2	–	–	1	–	–	–	1	3	3	1	1	–	–
Balance of county	1	72	15	12	26	39	1	19	12	–	5	18	7	108	27	19	15	10	3
Cape May	1	91	17	16	14	31	8	15	17	–	5	6	10	64	26	18	10	1	–
Ocean City	–	17	4	3	–	5	2	3	2	–	3	–	2	13	3	5	4	–	–
Balance of county	1	74	13	13	14	26	6	12	15	–	2	6	8	51	23	13	6	1	–
Cumberland	7	66	7	12	21	39	1	15	26	–	7	17	6	110	51	18	15	11	–
Bridgeton	–	22	1	3	3	5	–	4	8	–	1	4	3	18	11	5	3	4	–
Millville	1	20	2	4	5	13	1	6	6	–	3	7	1	28	6	3	3	4	–
Vineland	4	34	4	5	8	10	–	3	6	–	3	4	2	39	17	8	6	3	–
Balance of county	2	10	–	–	5	11	–	2	6	–	–	2	2	25	14	2	3	–	–
Essex	33	588	43	76	209	184	21	142	103	1	54	79	105	632	112	167	72	144	–
Belleville	3	20	1	6	5	6	2	4	4	–	1	2	3	38	4	2	3	2	–
Bloomfield	3	42	5	9	10	14	–	12	4	–	3	2	1	38	7	15	10	3	–
Cedar Grove township#	–	11	–	–	3	6	1	2	3	–	–	1	–	10	2	–	1	–	–
East Orange	5	57	2	8	16	19	1	8	13	–	8	9	13	58	16	22	5	17	–
Irvington	–	54	4	9	17	9	–	9	11	–	4	13	5	41	7	10	3	8	–
Livingston township#	1	13	1	1	4	3	–	2	–	–	3	1	–	15	4	7	2	–	–
Maplewood township#	2	20	2	2	5	6	2	1	1	–	2	–	–	15	1	–	2	1	–
Millburn township#	–	18	1	1	6	8	–	–	–	–	1	–	–	8	2	2	4	–	–
Montclair	4	38	–	5	12	10	–	8	4	–	2	4	4	43	6	5	8	1	–
Newark	7	179	7	17	90	66	8	74	50	1	24	36	63	242	39	94	18	101	–
Nutley	4	22	2	1	4	4	–	6	3	–	1	2	2	17	1	2	3	1	–
Orange	1	23	2	1	10	7	1	4	5	–	2	4	3	28	3	8	1	3	–
South Orange Village township#	1	17	3	2	2	3	3	2	–	–	–	–	2	8	1	6	1	1	–
Verona	1	5	–	4	5	1	1	1	–	–	–	2	–	10	1	3	3	1	–
West Caldwell	–	6	2	–	1	1	–	2	–	–	–	1	1	2	7	–	1	–	–
West Orange	–	40	10	6	13	15	2	4	3	–	2	2	4	41	3	6	6	4	–
Balance of county	1	29	1	4	8	6	–	3	2	–	1	–	4	20	8	5	1	1	–
Gloucester	4	94	38	16	27	41	7	15	31	–	15	12	6	120	35	35	13	5	–
Deptford township#	–	8	1	2	2	6	–	1	–	–	1	1	2	8	4	2	1	1	–
Glassboro	1	8	2	–	2	1	–	1	5	–	2	2	–	12	2	3	–	–	–
Washington township#	–	3	2	1	–	–	1	1	2	–	1	–	1	6	1	4	1	–	–
West Deptford township#	–	4	3	1	2	4	1	1	3	–	2	–	–	6	–	–	–	–	–
Woodbury	–	13	2	3	5	4	–	1	1	–	1	–	1	17	1	4	3	–	–
Balance of county	3	58	28	9	16	28	5	10	20	–	8	9	2	71	27	22	8	4	–
Hudson	15	375	24	55	126	142	13	102	60	1	35	84	89	400	56	124	38	69	12
Bayonne	4	49	4	6	16	17	3	14	5	–	4	2	7	51	4	17	4	7	–
Harrison	–	12	–	2	1	1	–	6	–	–	–	–	2	3	4	–	1	3	–
Hoboken	1	28	3	1	2	4	–	10	4	–	3	5	5	24	3	17	1	3	–
Jersey City	6	152	6	28	71	60	5	39	33	1	16	57	46	193	23	51	16	38	5
Kearny	2	23	–	1	7	13	–	5	1	–	2	3	5	25	5	4	2	1	–
North Bergen township#	1	39	3	3	9	13	2	9	5	–	2	6	4	32	9	6	4	1	3
Secaucus	1	4	1	2	5	4	–	2	–	–	–	–	3	11	–	4	2	1	1
Union City	–	29	6	4	7	13	–	9	7	–	4	6	9	34	4	8	3	11	3
Weehawken township#	–	8	1	3	1	4	–	2	2	–	2	1	3	5	–	4	–	–	–
West New York	–	26	–	6	5	13	2	4	2	–	2	3	2	17	3	8	5	4	–
Balance of county	–	5	–	1	2	–	1	2	1	–	–	1	3	5	1	3	–	–	–
Hunterdon	–	39	6	11	20	14	1	6	7	–	5	4	1	39	12	14	11	2	–
Mercer	8	160	13	32	40	77	7	57	27	–	9	36	13	192	23	51	25	14	–
East Windsor township#	–	4	1	–	–	3	–	2	1	–	2	4	1	14	3	2	1	–	–
Ewing township#	–	1	1	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–
Hamilton township#	4	48	6	9	12	29	3	13	8	–	3	7	2	50	6	13	8	2	–
Princeton	1	10	–	1	2	3	–	2	–	–	–	–	–	9	–	1	3	–	–
Trenton	1	72	3	13	14	36	3	32	13	–	2	21	8	80	6	30	4	10	–
Balance of county	2	25	2	9	12	6	1	8	5	–	1	3	1	37	8	5	9	2	–
Middlesex	12	310	114	52	109	122	16	84	42	–	22	36	52	306	73	103	53	26	4
Carteret	2	8	5	4	8	6	–	5	4	–	1	2	1	15	–	8	2	1	1
East Brunswick township#	1	35	11	7	11	11	1	4	4	–	3	2	2	34	10	9	6	2	–
Edison township#	–	27	15	7	16	10	1	5	7	–	5	4	6	31	8	15	6	3	1
Highland Park	2	12	5	1	4	1	1	2	–	–	1	2	–	8	–	3	–	–	–
Metuchen	–	15	3	2	4	5	1	3	4	–	1	–	1	7	1	2	–	–	–
Middlesex	–	5	3	1	3	3	1	2	1	–	–	–	2	2	2	2	2	2	–
New Brunswick	1	21	5	4	9	6	–	8	4	–	2	4	6	23	4	9	2	3	–
North Brunswick township#	–	6	–	1	3	2	1	3	3	–	–	1	3	9	4	2	1	1	–
Old Bridge township#	1	19	7	–	1	4	1	1	2	–	1	4	6	18	4	3	1	2	–
Perth Amboy	–	35	18	3	8	8	2	10	1	–	1	3	6	30	5	8	6	7	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	208	–	–	1	45	6	11	5	9	1	–	13	6	100	79	–	2	70	7
Sayreville	235	–	–	3	66	12	19	14	7	2	1	11	4	109	95	1	4	83	7
South Plainfield	139	–	–	5	34	13	6	5	1	–	1	8	3	67	53	1	1	46	5
South River	142	–	–	2	38	11	8	1	6	1	2	9	2	72	62	–	2	51	9
Woodbridge township#	795	1	–	11	181	44	51	21	10	12	9	34	14	384	306	3	7	252	44
Balance of county	684	1	–	8	181	53	43	18	21	13	2	31	11	346	281	2	12	223	44
Monmouth	4,751	3	–	53	1,172	325	272	145	121	59	44	206	106	2,360	1,852	24	66	1,524	238
Aberdeen township#	94	–	–	–	27	9	7	2	3	1	–	5	3	37	27	1	1	22	3
Asbury Park	289	–	–	8	74	20	16	10	9	1	4	14	5	137	111	–	9	88	14
Eatontown	101	–	–	2	23	4	6	4	–	3	–	6	–	48	38	–	1	36	1
Freehold	136	–	–	2	29	13	7	1	3	1	1	3	2	57	48	–	3	35	10
Hazlet township#	157	–	–	2	41	9	9	4	4	–	5	10	8	67	58	1	3	50	4
Howell township#	169	1	–	2	40	10	11	7	4	–	–	8	5	78	57	–	3	49	5
Keansburg	117	–	–	1	25	2	9	6	1	1	1	5	2	65	53	–	–	44	9
Long Branch	311	–	–	3	66	18	14	13	9	6	2	4	8	151	132	–	6	117	9
Middletown township#	461	–	–	2	110	34	27	21	6	4	1	17	16	232	185	3	2	164	16
Neptune township#	361	–	–	4	77	17	16	5	14	5	3	17	7	193	135	3	5	114	13
Ocean township#	174	–	–	3	47	19	7	4	4	1	–	12	1	81	63	1	2	53	7
Red Bank	215	1	–	2	38	17	7	3	5	1	–	5	6	130	93	2	2	76	13
Balance of county	2,166	1	–	22	575	153	136	65	69	35	27	100	43	1,084	852	13	29	676	134
Morris	2,816	1	1	26	742	194	206	78	73	31	30	130	32	1,389	1,120	22	24	972	202
Denville township#	148	–	–	1	52	14	17	8	3	3	–	7	1	73	53	2	–	38	13
Dover	174	–	–	1	42	14	3	6	4	1	1	13	2	93	84	1	2	64	17
Hanover township#	85	–	–	1	18	7	–	4	4	1	–	2	–	51	37	2	–	31	4
Madison	97	–	–	3	23	5	8	4	1	1	–	4	1	45	34	–	1	29	4
Morris township#	142	–	–	–	43	11	15	4	2	4	1	6	3	67	57	1	4	39	13
Morristown	208	–	–	–	45	14	9	8	5	2	3	4	5	101	82	–	2	68	12
Parsippany-Troy Hills township#	252	–	–	2	70	18	30	5	6	1	2	8	3	113	95	4	1	73	17
Pequannock township#	80	–	–	–	22	8	6	3	2	1	–	2	–	42	34	–	–	28	6
Balance of county	1,630	1	1	18	427	103	118	36	46	17	23	84	17	804	644	12	14	502	116
Ocean	4,572	3	–	35	1,159	345	300	101	123	42	39	209	86	2,509	2,063	26	89	1,658	290
Brick township#	545	–	–	5	154	35	51	16	18	6	5	23	16	260	204	3	10	161	30
Dover township#	793	1	–	6	196	60	42	18	20	8	7	41	12	458	372	4	18	303	47
Jackson township#	194	–	–	1	43	9	14	1	4	–	3	12	2	113	94	–	4	70	20
Lakewood township#	537	1	–	4	135	40	33	6	22	6	4	24	12	308	281	3	12	190	56
Manchester township#	554	–	–	6	145	57	34	5	20	3	4	22	3	331	282	8	12	229	35
Point Pleasant	242	–	–	1	58	19	16	9	5	–	–	9	10	133	101	–	3	67	11
Balance of county	1,707	1	–	12	428	125	110	46	34	19	16	78	31	908	749	10	30	618	91
Passaic	4,157	2	–	55	911	260	216	104	93	41	36	161	90	2,197	1,843	18	39	1,554	232
Clifton	941	–	–	11	225	75	54	21	17	12	6	40	27	527	443	4	9	383	47
Hawthorne	216	–	–	1	47	10	12	7	3	3	5	7	6	114	90	–	5	80	5
Little Falls township#	92	–	–	–	22	5	4	2	4	1	2	4	4	52	45	–	1	35	9
Passaic	506	–	–	6	108	34	23	14	11	4	2	20	18	268	229	3	1	182	33
Paterson	1,229	2	–	19	241	60	56	30	29	8	11	47	22	613	512	8	12	410	84
Pompton Lakes	77	–	–	1	13	2	5	1	1	–	–	4	1	43	35	–	1	29	5
Ringwood	58	–	–	1	13	2	5	2	1	–	2	1	–	31	27	–	1	26	–
Totowa	125	–	–	3	24	5	9	–	1	–	2	7	2	68	58	–	–	50	8
Wanaque	78	–	–	–	10	3	3	1	–	1	1	1	1	42	36	–	–	33	3
Wayne township#	342	–	–	8	83	27	19	12	8	4	1	12	5	161	150	3	3	129	15
West Paterson	75	–	–	2	16	4	3	3	2	1	–	3	2	41	34	–	2	32	–
Balance of county	418	–	–	3	109	33	23	11	16	7	4	15	4	217	184	2	4	155	23
Salem	679	2	–	5	155	46	39	7	11	11	9	32	12	323	243	2	8	180	53
Somerset	1,475	–	–	22	381	86	109	29	39	22	13	83	32	719	577	9	9	483	76
Bridgewater township#	175	–	–	3	50	10	10	7	2	2	3	16	3	79	60	–	1	56	3
Franklin township#	221	–	–	2	65	16	15	5	9	5	–	15	5	89	63	2	2	53	6
Manville	112	–	–	1	31	9	11	–	–	1	–	10	7	64	50	1	1	43	5
North Plainfield	157	–	–	6	28	4	8	2	4	2	2	6	6	81	65	2	3	48	12
Somerville	164	–	–	3	34	7	15	–	6	2	1	3	5	87	76	–	1	68	7
Balance of county	646	–	–	7	173	40	50	15	18	10	7	33	6	319	263	4	1	215	43
Sussex	809	–	–	6	202	49	48	23	29	13	10	30	11	394	319	4	8	264	43
Hopatcong	64	–	–	–	14	1	7	2	1	1	1	1	–	29	21	–	2	16	3
Balance of county	745	–	–	6	188	48	41	21	28	12	9	29	11	365	298	4	6	248	40
Union	4,771	1	–	60	1,163	345	280	128	130	40	37	203	85	2,466	2,010	32	83	1,609	286
Berkeley Heights township#	79	–	–	1	16	4	1	4	1	–	1	5	–	40	33	–	1	28	4
Clark township#	119	–	–	1	32	7	10	–	6	2	2	5	–	63	47	–	1	38	8
Cranford township#	229	–	–	4	63	29	12	7	7	3	1	4	7	122	102	1	1	82	18
Elizabeth	1,097	–	–	10	259	71	72	26	27	7	6	50	23	570	471	11	33	366	61
Hillside township#	183	–	–	3	48	19	11	3	4	2	3	4	5	88	74	1	6	57	10
Linden	441	–	–	8	89	30	23	5	11	4	4	12	7	251	213	3	6	177	27
New Providence	96	–	–	2	26	9	5	2	1	–	–	9	–	49	40	–	4	27	9
Plainfield	377	–	–	9	93	28	17	18	10	1	3	16	9	169	125	2	7	98	18
Rahway	255	–	–	4	55	15	16	4	6	3	1	10	4	131	117	–	2	95	20
Roselle	179	1	–	1	44	15	6	4	9	1	2	7	5	83	69	3	4	54	8
Roselle Park	125	–	–	–	32	8	7	4	–	5	3	5	2	64	49	–	–	41	8
Scotch Plains township#	151	–	–	2	32	6	9	3	5	–	–	9	2	89	73	2	5	57	9
Springfield township#	165	–	–	2	39	11	9	5	4	2	–	8	3	88	68	–	–	56	12
Summit	185	–	–	2	45	11	10	7	5	3	1	8	2	94	76	3	3	58	12
Union township#	604	–	–	6	175	47	42	22	23	4	6	31	12	311	250	1	2	213	34
Westfield	262	–	–	4	61	24	13	6	5	1	1	11	2	131	104	1	4	86	13
Balance of county	224	–	–	1	56	11	17	8	6	2	3	9	2	123	99	4	4	76	15
Warren	769	1	–	10	171	38	47	20	21	10	7	28	21	405	348	1	8	247	92
Phillipsburg	220	–	–	3	49	13	15	3	6	1	3	8	11	118	102	–	2	66	34
Balance of county	549	1	–	7	122	25	32	17	15	9	4	20	10	287	246	1	6	181	58

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	-	16	2	3	4	7	-	4	4	-	1	3	2	19	4	2	4	1	1
Sayreville	-	9	4	1	3	8	1	3	2	-	1	4	3	16	6	4	1	1	-
South Plainfield	1	10	3	-	1	5	-	3	1	-	1	1	-	11	2	4	-	1	-
South River	-	7	2	1	4	-	1	5	-	-	1	-	1	9	3	4	-	-	-
Woodbridge township#	3	42	21	12	13	27	2	16	4	-	1	4	8	32	10	14	11	2	-
Balance of county	1	49	10	5	17	19	3	10	1	-	2	2	5	42	10	14	11	-	1
Monmouth	17	354	91	46	111	138	23	81	46	1	29	39	10	341	82	83	48	22	3
Aberdeen township#	-	7	-	3	2	2	-	2	1	-	-	1	1	9	3	2	3	1	-
Asbury Park	1	17	4	4	10	5	-	9	1	-	-	7	-	19	5	4	3	3	-
Eatontown	-	7	2	1	4	5	1	3	1	-	-	1	-	6	4	-	2	1	-
Freehold	-	5	3	1	3	7	2	6	3	-	3	-	-	16	-	3	2	1	-
Hazlet township#	-	4	4	1	5	8	2	2	3	-	3	1	-	8	5	1	-	-	1
Howell township#	1	15	2	3	3	7	1	4	1	-	1	4	-	13	4	2	3	-	-
Keansburg	-	8	4	-	3	2	-	1	3	-	-	1	1	7	3	2	1	-	-
Long Branch	-	12	3	4	16	10	2	4	4	-	1	1	-	37	1	6	-	-	1
Middletown township#	1	29	14	3	11	15	1	10	1	-	5	4	1	26	10	8	7	1	1
Neptune township#	2	39	13	4	6	10	2	6	6	-	4	1	-	28	7	4	3	3	-
Ocean township#	1	13	2	2	2	2	3	3	-	-	2	5	1	15	4	2	2	1	-
Red Bank	1	25	11	-	2	7	-	2	4	-	-	-	2	15	3	2	-	1	-
Balance of county	10	173	29	20	44	58	9	29	18	1	10	13	4	143	33	47	22	10	-
Morris	9	209	19	32	60	60	7	36	18	-	12	28	9	204	56	51	30	13	1
Denville township#	1	13	2	4	2	2	-	-	-	-	-	-	-	8	4	2	3	-	-
Dover	-	9	-	-	5	6	1	5	-	-	1	2	1	9	1	3	1	1	-
Hanover township#	1	11	2	-	1	2	-	-	-	-	1	-	-	6	2	2	-	1	-
Madison	-	9	-	2	1	4	-	3	2	-	-	-	-	9	1	2	3	-	-
Morris township#	1	7	-	2	6	4	1	3	1	-	-	1	-	7	2	-	3	1	-
Morristown	1	15	1	2	6	6	-	3	2	-	1	2	2	23	4	6	-	2	-
Parsippany-Troy Hills township#	1	11	5	1	7	5	-	4	5	-	-	5	3	19	6	5	3	2	-
Pequannock township#	1	5	-	2	1	1	-	2	1	-	-	-	-	6	3	1	1	-	-
Balance of county	3	129	9	19	51	50	5	16	7	-	9	18	3	117	33	30	16	6	1
Ocean	8	335	41	62	56	107	14	71	47	-	13	27	15	268	70	53	27	12	-
Brick township#	2	36	10	8	10	17	1	9	12	-	3	4	1	37	8	8	2	-	-
Dover township#	2	62	11	11	14	20	2	9	8	-	3	2	2	38	5	9	6	2	-
Jackson township#	-	17	1	1	5	4	-	1	3	-	1	1	1	12	6	-	1	-	-
Lakewood township#	-	38	4	5	6	7	3	8	2	-	-	6	2	30	6	7	-	-	-
Manchester township#	1	38	2	8	3	11	2	5	4	-	1	1	-	32	3	5	2	-	-
Point Pleasant	-	26	1	5	1	6	-	3	1	-	1	4	1	16	3	3	1	-	-
Balance of county	3	116	12	24	17	42	6	36	17	-	4	9	6	103	41	21	15	10	-
Passaic	8	281	27	38	105	102	12	59	37	1	27	33	33	280	54	87	29	40	3
Clifton	3	71	4	6	24	17	1	15	7	-	6	1	3	50	2	17	5	3	-
Hawthorne	-	21	1	2	7	5	-	3	1	-	3	2	1	16	2	6	2	-	-
Little Falls township#	-	6	-	1	-	1	-	1	1	-	-	-	-	6	2	3	-	-	-
Passaic	1	32	3	3	16	9	1	7	3	-	3	4	9	34	6	4	1	10	1
Paterson	2	78	10	11	34	28	5	22	17	1	7	22	14	97	18	32	9	24	1
Pompton Lakes	-	5	2	1	3	3	1	-	-	-	-	-	-	7	1	3	1	-	-
Ringwood	-	3	-	1	-	2	-	-	-	-	-	-	-	4	-	4	3	-	-
Totowa	-	8	1	1	2	5	1	1	2	-	-	2	1	10	3	1	-	-	-
Wanaque	-	4	-	2	2	5	-	1	-	-	-	-	2	8	2	3	1	-	1
Wayne township#	1	24	2	4	5	15	-	2	4	-	1	2	1	13	7	9	4	2	-
West Paterson	-	5	1	1	2	-	1	-	-	-	-	-	1	7	2	-	1	-	-
Balance of county	1	24	3	5	10	11	2	7	2	-	7	-	1	28	9	5	2	1	-
Salem	4	56	2	18	15	29	4	12	9	1	6	5	-	57	18	18	7	1	-
Somerset	4	106	17	15	33	33	1	17	16	-	6	15	6	113	31	24	14	11	1
Bridgewater township#	-	15	3	1	6	4	-	2	2	-	1	1	3	12	4	5	-	-	-
Franklin township#	1	20	-	5	6	2	-	3	-	-	-	2	2	28	5	3	5	4	-
Manville	1	10	2	1	-	1	-	-	-	-	-	-	-	6	-	-	2	-	-
North Plainfield	-	14	-	2	1	1	-	1	4	-	1	5	-	17	1	3	-	2	-
Somerville	-	8	2	1	6	3	-	-	2	-	1	1	-	13	5	2	-	1	1
Balance of county	2	39	10	5	14	22	1	11	8	-	3	6	1	37	16	11	7	4	-
Sussex	-	58	6	11	28	30	4	9	6	-	9	16	2	46	16	17	8	5	-
Hopatcong	-	7	-	1	4	-	-	2	-	-	2	3	-	2	1	2	2	3	-
Balance of county	-	51	6	10	24	30	4	7	6	-	7	13	2	44	15	15	6	2	-
Union	14	357	39	46	107	118	21	62	45	1	25	37	33	336	58	76	43	34	-
Berkeley Heights township#	-	7	-	-	6	1	1	-	-	-	-	-	-	8	1	2	3	-	-
Clark township#	-	12	4	-	2	2	-	3	-	-	-	-	2	8	1	3	2	-	-
Cranford township#	-	17	3	-	3	6	3	3	1	-	1	1	-	12	1	1	-	1	-
Elizabeth	2	86	5	6	18	28	6	16	12	-	8	9	8	66	14	28	5	15	-
Hillside township#	2	9	2	1	5	1	-	3	4	-	1	3	2	15	2	2	2	1	-
Linden	-	30	3	5	2	12	5	10	2	-	1	4	2	27	6	6	8	1	-
New Providence	1	6	1	1	2	1	-	-	-	-	-	-	2	8	1	2	2	1	-
Plainfield	2	35	4	3	7	5	1	7	2	-	-	10	6	39	7	3	5	5	-
Rahway	-	11	-	3	4	5	1	6	5	-	1	6	4	19	3	3	2	2	-
Roselle	-	11	1	2	8	11	1	-	-	1	2	-	1	15	3	2	-	1	-
Roselle Park	-	12	1	2	1	4	1	1	4	-	-	-	1	10	-	2	1	2	-
Scotch Plains township#	1	12	1	2	3	4	-	1	1	-	1	1	-	10	3	-	2	-	-
Springfield township#	1	13	1	5	4	3	-	-	3	-	2	2	-	11	1	5	1	1	-
Summit	1	14	1	2	6	7	-	2	-	-	2	-	2	14	4	2	3	-	-
Union township#	-	48	4	9	11	18	-	3	8	-	3	-	-	39	5	7	3	3	-
Westfield	2	18	5	2	15	8	1	2	1	-	1	1	2	20	3	6	3	-	-
Balance of county	2	16	3	3	10	1	1	3	2	-	2	-	1	15	3	2	1	1	-
Warren	2	46	5	4	16	25	5	4	4	-	4	6	1	48	29	9	6	4	-
Phillipsburg	1	13	1	1	6	10	1	-	-	-	-	1	-	15	3	2	-	1	-
Balance of county	1	33	4	3	10	15	4	4	4	-	4	5	1	33	26	7	6	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	9,248	10	–	80	1,875	518	448	162	219	72	82	374	239	3,220	2,372	48	48	1,837	609
Urban places	5,291	6	–	49	1,126	292	278	106	130	44	43	233	135	1,914	1,401	20	25	1,008	348
Balance of area	3,957	4	–	31	749	226	170	56	89	28	39	141	104	1,306	971	28	23	829	291
Metropolitan counties	3,524	4	–	30	755	201	163	76	90	37	30	158	101	1,235	878	11	20	611	236
Urban places	2,946	4	–	27	638	167	144	65	75	31	23	133	84	1,047	750	9	17	529	195
Balance of area	578	–	–	3	117	34	19	11	15	6	7	25	17	188	128	2	3	82	41
Nonmetropolitan counties	5,724	6	–	50	1,120	317	285	86	129	35	52	216	138	1,985	1,494	37	28	1,026	403
Urban places	2,345	2	–	22	488	125	134	41	55	13	20	100	51	867	651	11	8	479	153
Balance of area	3,379	4	–	28	632	192	151	45	74	22	32	116	87	1,118	843	26	20	547	250
Bernalillo	2,772	3	–	23	611	164	134	60	68	30	25	130	80	957	662	8	16	477	181
Albuquerque	2,604	3	–	23	578	154	130	58	65	29	21	121	73	912	653	8	16	459	170
Balance of county	168	–	–	–	33	10	4	2	3	1	4	9	7	45	29	–	–	18	11
Catron	30	–	–	1	3	1	–	–	–	–	–	2	–	10	10	–	1	3	5
Chaves	494	–	–	10	110	27	34	6	12	9	2	20	13	191	147	1	2	109	35
Roswell	425	–	–	8	93	23	30	5	9	7	1	18	11	170	130	1	2	98	29
Balance of county	69	–	–	2	17	4	4	1	3	2	1	2	2	21	17	–	–	11	5
Cibola	141	–	–	1	32	11	10	1	4	–	2	4	3	40	30	3	–	21	6
Colfax	105	–	–	–	20	7	4	2	3	1	2	1	4	39	32	1	–	24	7
Curry	317	–	–	1	69	17	18	7	9	1	5	12	2	137	94	3	–	73	18
Clovis	278	–	–	1	64	16	17	6	8	1	4	12	2	120	82	2	–	63	17
Balance of county	39	–	–	–	5	1	1	1	1	–	1	–	–	17	12	1	–	10	1
De Baca	36	–	–	1	6	1	2	–	–	1	–	2	1	12	9	–	–	7	2
Dona Ana	523	1	–	6	99	24	25	8	16	5	3	18	14	200	141	1	3	98	39
Las Cruces	342	1	–	4	60	13	14	7	10	2	2	12	11	135	97	1	1	70	25
Balance of county	181	–	–	2	39	11	11	1	6	3	1	6	3	65	44	–	2	28	14
Eddy	418	1	–	4	91	20	35	6	6	3	3	18	9	168	125	2	2	94	27
Artesia	93	–	–	1	13	5	4	1	1	–	–	2	5	48	38	1	1	32	4
Carlsbad	261	1	–	2	58	12	22	3	4	1	2	14	3	106	78	1	1	55	21
Balance of county	64	–	–	1	20	3	9	2	1	2	1	2	1	14	9	–	–	7	2
Grant	185	–	–	1	26	8	7	2	2	2	1	4	5	68	48	1	1	36	10
Guadalupe	41	–	–	–	8	3	3	1	–	–	–	1	1	18	17	1	–	9	7
Harding	13	–	–	–	1	–	–	–	–	–	1	–	2	5	5	–	–	4	1
Hidalgo	42	–	–	–	7	1	5	–	–	–	–	1	2	17	14	1	–	7	6
Lea	432	–	–	1	80	18	23	7	11	2	3	16	10	148	113	2	1	93	17
Hobbs	287	–	–	1	49	10	14	5	7	1	2	10	8	97	73	–	1	61	11
Balance of county	145	–	–	–	31	8	9	2	4	1	1	6	2	51	40	2	–	32	6
Lincoln	104	–	–	–	13	4	3	3	1	–	–	2	3	38	28	1	1	19	7
Los Alamos	79	–	–	1	29	12	4	6	2	–	1	4	1	25	20	–	1	14	5
Luna	202	1	–	2	46	14	11	4	8	2	–	7	8	87	62	1	1	52	8
McKinley	339	1	–	5	46	20	5	3	4	–	1	13	8	64	43	5	–	23	15
Gallup	106	–	–	1	13	4	2	–	–	–	1	6	1	29	25	1	–	17	7
Balance of county	233	1	–	4	33	16	3	3	4	–	–	7	7	35	18	4	–	6	8
Mora	42	–	–	–	8	2	3	–	1	1	–	1	3	11	7	–	–	6	1
Otero	294	–	–	2	64	12	18	9	10	1	3	11	8	103	73	1	1	55	16
Alamogordo	186	–	–	1	41	8	11	7	6	–	1	8	5	66	52	1	–	42	9
Balance of county	108	–	–	1	23	4	7	2	4	1	2	3	3	37	21	–	1	13	7
Quay	113	–	–	2	21	5	5	1	1	1	1	7	2	49	39	–	1	18	20
Rio Arriba	232	–	–	3	46	15	9	–	11	1	3	7	7	89	49	2	2	27	18
Roosevelt	116	–	–	–	22	4	5	2	2	1	2	6	1	53	41	–	2	28	11
Sandoval	229	–	–	1	45	13	4	8	6	2	2	10	7	78	55	2	1	36	16
San Juan	497	1	–	4	71	18	21	2	4	3	6	17	14	138	98	2	2	61	33
Farmington	185	–	–	–	26	6	10	–	2	1	2	5	6	63	46	1	–	34	11
Balance of county	312	1	–	4	45	12	11	2	2	2	4	12	8	75	52	1	2	27	22
San Miguel	209	–	–	4	39	13	6	3	9	–	3	5	3	89	48	–	2	28	18
Las Vegas	136	–	–	3	30	8	6	3	7	–	3	3	2	46	33	–	1	23	9
Balance of county	73	–	–	1	9	5	–	–	2	–	–	2	1	23	15	–	1	5	9
Santa Fe	496	1	–	4	123	38	22	14	13	5	4	27	9	151	116	4	2	68	42
Santa Fe	388	1	–	4	101	33	18	11	11	2	4	22	8	124	94	3	2	54	35
Balance of county	108	–	–	–	22	5	4	3	2	3	–	5	1	27	22	1	–	14	7
Sierra	147	–	–	–	28	9	7	1	5	1	–	5	1	65	62	–	2	45	15
Socorro	94	–	–	1	17	4	3	2	2	–	1	5	2	38	33	2	2	17	12
Taos	141	–	–	–	24	9	3	1	4	–	1	6	3	51	39	3	1	24	11
Torrance	58	1	–	–	11	1	9	–	–	–	–	1	–	21	16	–	–	10	6
Union	42	–	–	–	7	2	–	1	1	–	2	1	–	13	9	1	1	4	3
Valencia	265	–	–	2	52	21	10	2	4	–	5	10	13	89	67	–	–	47	20
New York	167,405	191	5	1,385	36,877	10,671	9,070	3,592	3,899	1,637	1,383	6,625	2,997	67,746	73,016	702	1,808	62,454	8,252
Urban places	111,131	164	3	909	23,387	6,990	5,564	2,284	2,486	1,001	852	4,210	2,016	59,016	49,935	436	1,042	43,514	4,943
Balance of area	56,274	27	2	476	13,490	3,681	3,506	1,308	1,413	636	531	2,415	981	28,730	23,081	266	566	18,940	3,309
Metropolitan counties	150,872	183	5	1,253	33,190	9,665	8,068	3,278	3,471	1,476	1,209	6,003	2,688	79,136	66,251	640	1,436	57,006	7,169
Urban places	107,121	162	3	877	22,528	6,745	5,339	2,218	2,385	959	815	4,067	1,939	58,847	48,271	417	994	42,139	4,721
Balance of area	43,751	21	2	376	10,662	2,920	2,749	1,060	1,086	517	394	1,936	749	22,289	17,980	223	442	14,867	2,448
Nonmetropolitan counties	16,533	8	–	132	3,687	1,006	982	314	428	161	174	622	309	8,610	6,765	62	172	5,448	1,083
Urban places	4,010	2	–	32	859	245	225	66	101	42	37	143	77	2,169	1,664	19	48	1,375	222
Balance of area	12,523	6	–	100	2,828	761	757	248	327	119	137	479	232	6,441	5,101	43	124	4,073	861
Albany	2,793	4	–	32	602	160	149	73	68	22	22	108	46	1,466	1,219	17	25	921	256
Albany	1,259	2	–	20	241	68	51	29	38	6	7	42	20	691	562	6	8	398	150
Cohoes	206	1	–	3	36	8	17	2	3	–	1	5	3	117	101	1	4	85	11
Watervliet	156	–	–	–	27	8	11	4	1	–	–	3	5	84	75	3	2	61	9
Balance of county	1,172	1	–	9	298	76	70	38	26	16	14	58	18	574	481	7	11	377	86
Allegany	430	–	–	–	102	27	33	9	6	4	7	16	7	206	155	3	4	117	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	93	576	86	93	243	393	24	179	106	2	98	104	477	902	544	308	270	133	41
Urban places	50	348	55	60	129	245	13	100	49	1	48	59	262	507	237	163	155	72	21
Balance of area	43	228	31	33	114	148	11	79	57	1	50	45	215	395	307	145	115	61	20
Metropolitan counties	38	230	48	41	76	172	9	73	41	1	34	44	175	351	136	114	114	41	18
Urban places	30	189	41	37	66	163	8	61	32	1	26	32	143	274	102	97	94	31	16
Balance of area	8	41	7	4	10	9	1	12	9	–	8	12	32	77	34	17	20	10	2
Nonmetropolitan counties	55	346	38	52	167	221	15	106	65	1	64	60	302	551	408	194	156	92	23
Urban places	20	159	14	23	63	82	5	39	17	–	22	27	119	233	135	66	61	41	5
Balance of area	35	187	24	29	104	139	10	67	48	1	42	33	183	318	273	128	95	51	18
Bernalillo	29	172	40	34	63	147	8	61	31	1	29	29	130	274	99	91	89	33	13
Albuquerque	27	162	36	34	61	144	8	58	28	1	26	25	118	245	90	84	85	29	13
Balance of county	2	10	4	–	2	3	–	3	3	–	3	4	12	29	9	7	4	4	–
Catron	–	–	–	–	1	4	–	–	–	–	1	–	3	2	4	1	–	–	–
Chaves	3	33	3	5	9	13	–	9	4	–	2	8	25	49	29	7	4	10	1
Roswell	2	31	2	5	7	11	–	8	3	–	2	7	22	45	22	5	4	8	1
Balance of county	1	2	1	–	2	2	–	3	1	–	–	1	3	4	7	2	–	2	–
Cibola	–	8	1	1	4	2	1	3	3	–	5	1	8	13	8	9	6	1	1
Colfax	–	5	–	2	4	3	–	1	2	–	–	–	3	15	8	1	1	2	2
Curry	4	33	4	2	9	9	–	1	2	–	3	2	7	34	18	12	7	4	–
Clovis	4	28	4	2	6	7	–	1	2	–	2	2	6	30	14	12	6	3	–
Balance of county	–	5	–	–	3	2	–	–	–	–	1	–	1	4	4	–	1	1	–
De Baca	–	2	–	1	1	4	–	–	–	–	–	–	1	5	1	3	–	1	–
Dona Ana	4	45	5	5	9	23	1	8	5	–	2	12	36	42	23	19	16	3	4
Las Cruces	3	27	5	3	5	19	–	3	4	–	–	7	25	29	12	13	9	2	3
Balance of county	1	18	–	2	4	4	1	5	1	–	2	5	11	13	11	6	7	1	1
Eddy	3	28	4	6	14	16	1	6	5	–	7	5	13	37	18	11	9	4	1
Artesia	–	7	1	–	1	4	–	1	1	–	–	1	1	8	6	1	4	–	–
Carlsbad	3	17	3	5	11	7	1	4	4	–	6	4	9	18	10	8	4	4	1
Balance of county	–	4	–	1	2	5	–	1	–	–	1	–	3	11	2	2	1	–	–
Grant	5	14	1	–	10	14	–	4	2	–	3	1	13	17	8	7	4	1	1
Guadalupe	–	1	–	–	–	–	–	–	–	–	–	1	4	4	2	1	1	1	–
Harding	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	1	–	–	–
Hidalgo	1	1	1	–	1	2	–	1	1	–	–	–	3	5	2	1	–	–	–
Lea	2	29	1	3	6	11	–	9	5	–	8	2	35	34	44	13	15	11	–
Hobbs	1	21	–	2	4	6	–	7	3	–	6	–	22	28	26	9	12	9	–
Balance of county	1	8	1	1	2	5	–	2	2	–	2	2	13	6	18	4	3	2	–
Lincoln	1	6	1	2	4	7	–	3	2	–	3	1	3	12	6	4	4	1	–
Los Alamos	–	–	4	1	2	2	1	–	1	–	1	1	2	5	4	–	2	1	1
Luna	1	18	2	4	8	9	1	2	2	–	–	2	3	16	3	3	5	3	1
McKinley	6	11	1	3	17	3	–	5	12	–	6	7	44	37	37	26	12	7	2
Gallup	1	2	1	–	6	1	–	2	2	–	–	3	19	10	10	5	4	–	–
Balance of county	5	9	–	3	11	2	–	3	10	–	6	4	25	27	27	21	8	7	2
Mora	–	4	–	–	2	3	–	3	1	–	–	–	2	2	3	3	–	1	–
Otero	3	22	2	3	7	16	1	7	1	–	3	5	16	27	11	7	11	5	–
Alamogordo	2	9	1	2	6	13	1	4	1	–	2	3	8	15	6	5	6	3	–
Balance of county	1	13	1	1	1	3	–	3	–	–	1	2	8	12	5	2	5	2	–
Quay	1	9	–	–	5	5	1	1	2	–	–	–	4	11	5	4	–	–	1
Rio Arriba	4	14	1	1	7	8	–	8	3	–	2	5	4	15	27	10	13	5	–
Roosevelt	–	10	1	1	3	2	–	4	2	–	1	–	3	9	8	3	3	1	1
Sandoval	5	13	3	2	4	2	–	4	5	–	3	3	9	35	14	4	8	5	1
San Juan	6	27	2	5	12	23	1	5	7	1	10	13	31	39	69	28	15	12	3
Farmington	2	12	1	2	4	13	–	1	1	–	2	6	9	13	22	9	4	5	1
Balance of county	4	15	1	3	8	10	1	4	6	1	8	7	22	26	47	19	11	7	2
San Miguel	1	15	2	3	12	10	3	4	–	–	–	2	11	27	15	3	5	1	1
Las Vegas	–	10	1	2	8	6	2	2	–	–	–	1	9	14	7	2	3	1	–
Balance of county	1	5	1	1	4	4	1	2	–	–	–	1	2	13	8	1	2	–	1
Santa Fe	6	24	1	4	15	19	2	17	–	–	3	–	17	68	29	11	16	9	2
Santa Fe	5	22	–	3	10	14	1	11	–	–	2	–	14	52	12	10	14	8	2
Balance of county	1	2	1	1	5	5	1	6	–	–	1	–	3	16	17	1	2	1	–
Sierra	–	1	2	–	1	11	–	3	–	–	–	–	3	13	11	4	3	3	1
Socorro	–	5	–	–	2	3	–	3	1	–	–	1	10	5	4	2	2	3	–
Taos	1	8	1	2	1	3	1	1	1	–	1	–	13	14	11	10	3	3	1
Torrance	–	2	1	2	2	2	1	–	–	–	–	–	3	7	3	2	5	–	–
Union	2	2	–	–	1	5	1	1	2	–	–	1	4	3	2	–	2	–	–
Valencia	5	14	2	1	7	10	–	5	4	–	4	2	14	26	17	7	8	2	3
New York	644	10,814	1,710	1,562	4,574	4,195	619	3,102	1,194	28	1,014	1,576	2,023	10,463	2,305	3,223	1,331	2,061	496
Urban places	426	6,658	1,065	912	3,273	2,459	426	2,372	749	26	670	1,185	1,296	6,849	1,118	2,066	793	1,900	454
Balance of area	218	4,156	625	650	1,301	1,736	193	730	445	2	344	391	727	3,614	1,187	1,157	538	161	42
Metropolitan counties	560	9,500	1,459	1,366	4,149	3,553	554	2,881	1,067	27	908	1,486	1,940	9,330	1,978	2,839	1,179	2,037	489
Urban places	400	6,296	1,009	871	3,161	2,308	408	2,313	719	25	644	1,153	1,283	6,582	1,071	1,996	761	1,891	450
Balance of area	160	3,204	450	495	988	1,245	146	568	348	2	264	333	657	2,748	907	843	418	146	39
Nonmetropolitan counties	84	1,314	251	196	425	642	65	221	127	1	106	90	83	1,133	327	384	152	24	7
Urban places	26	362	76	41	112	151	18	59	30	1	26	32	13	267	47	70	32	9	4
Balance of area	58	952	175	155	313	491	47	162	97	–	80	58	70	866	280	314	120	15	3
Albany	6	180	28	33	80	88	8	31	28	–	12	20	31	203	37	60	34	9	2
Albany	2	98	14	15	38	34	4	11	15	–	2	10	14	89	14	36	11	6	1
Cohoes	1	9	5	1	1	8	–	4	3	–	2	2	–	14	4	3	5	–	–
Watervliet	–	5	2	2	4	6	–	2	2	–	3	–	1	15	3	4	–	–	–
Balance of county	3	68	7	15	37	40	4	14	8	–	5	8	16	85	16	17	18	3	1
Allegany	1	33	12	5	9	18	3	7	7	–	1	1	2	44	7	13	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,038	1	–	12	478	143	99	42	41	28	14	111	49	1,061	836	10	26	708	92
Binghamton	779	–	–	8	182	61	32	19	13	10	5	42	14	413	318	4	8	267	39
Endicott	182	–	–	–	53	17	12	5	7	2	2	8	3	99	84	–	5	73	6
Johnson City	222	–	–	2	42	14	9	6	3	3	2	5	6	127	98	–	5	83	10
Vestal town#	192	–	–	1	40	11	7	3	6	1	3	9	8	102	81	2	4	68	7
Balance of county	663	1	–	1	161	40	39	9	12	12	2	47	18	320	255	4	4	217	30
Cattaraugus	858	–	–	10	189	49	60	22	20	5	6	27	14	428	330	2	11	265	52
Olean	229	–	–	1	45	14	15	4	5	1	2	4	2	122	103	1	3	82	17
Balance of county	629	–	–	9	144	35	45	18	15	4	4	23	12	306	227	1	8	183	35
Cayuga	724	–	–	13	153	41	41	9	22	11	6	23	12	368	262	3	6	223	30
Auburn	381	–	–	8	68	19	18	6	8	4	3	10	7	198	151	2	3	130	16
Balance of county	343	–	–	5	85	22	23	3	14	7	3	13	5	170	111	1	3	93	14
Chautauqua	1,515	–	–	12	312	85	68	32	38	13	13	63	43	810	643	7	12	525	99
Dunkirk	214	–	–	–	48	11	10	5	7	–	1	14	10	110	90	–	1	82	7
Fredonia	70	–	–	–	15	4	4	2	1	2	–	2	–	35	28	–	–	22	6
Jamestown	461	–	–	5	95	26	27	8	11	4	2	17	12	261	207	3	5	172	27
Balance of county	770	–	–	7	154	44	27	17	19	7	10	30	21	404	318	4	6	249	59
Chemung	931	1	–	9	192	54	54	15	25	6	9	29	12	500	394	3	5	332	54
Elmira	393	–	–	7	76	22	24	3	15	3	2	7	3	208	159	2	2	132	23
Balance of county	538	1	–	2	116	32	30	12	10	3	7	22	9	292	235	1	3	200	31
Chenango	455	–	–	1	107	22	30	13	15	8	3	16	8	228	185	1	3	158	23
Clinton	514	–	–	1	127	36	33	11	13	8	6	20	6	250	185	4	3	151	27
Plattsburgh	177	–	–	–	43	15	9	3	6	3	–	7	3	83	63	1	3	51	8
Balance of county	337	–	–	1	84	21	24	8	7	5	6	13	3	167	122	3	–	100	19
Columbia	680	–	–	1	146	50	40	8	15	5	6	22	9	373	291	1	6	250	34
Cortland	379	–	–	–	74	23	18	9	5	3	7	9	9	211	153	5	6	121	21
Cortland	206	–	–	–	39	13	8	5	3	2	3	5	5	116	75	–	2	65	8
Balance of county	173	–	–	–	35	10	10	4	2	1	4	4	4	95	78	5	4	56	13
Delaware	536	–	–	1	109	22	27	4	17	8	2	29	12	290	242	1	6	179	56
Dutchess	2,022	2	–	16	474	113	129	37	62	31	19	83	51	1,010	805	10	17	666	112
Beacon	173	–	–	2	42	9	16	1	7	2	–	7	9	89	72	–	2	65	5
Poughkeepsie	393	1	–	3	77	23	26	8	7	4	–	9	15	193	149	2	4	118	25
Balance of county	1,456	1	–	11	355	81	87	28	48	25	19	67	27	728	584	8	11	483	82
Erie	10,088	8	1	72	2,264	646	615	222	224	101	87	369	220	5,385	4,183	49	96	3,481	557
Buffalo	4,592	3	–	40	944	279	261	90	87	43	31	153	111	2,429	1,889	23	48	1,553	265
Depew	142	–	–	2	41	8	16	4	4	3	1	5	7	58	52	–	1	43	8
Hamburg	94	–	–	–	20	7	4	4	–	–	3	2	1	51	35	1	2	27	5
Kenmore	218	–	–	–	63	17	10	8	7	5	3	13	3	122	91	2	–	79	10
Lackawanna	236	–	–	1	61	12	22	4	8	4	1	10	4	126	97	1	2	88	6
Lancaster	108	–	–	1	25	9	6	4	2	–	–	4	4	62	57	–	1	49	7
Tonawanda	172	–	–	2	40	9	9	6	4	2	4	6	2	97	78	–	1	69	8
West Seneca town#	381	1	–	2	84	28	22	12	5	2	1	14	1	210	159	2	6	135	16
Balance of county	4,143	2	1	24	986	277	285	90	107	42	43	162	87	2,210	1,725	20	35	1,438	232
Essex	409	2	–	2	109	27	28	8	14	3	7	22	6	200	168	1	4	143	20
Franklin	456	–	–	7	100	32	27	7	12	2	3	17	2	239	193	2	4	158	29
Fulton	605	–	–	5	151	44	33	14	20	9	11	20	8	303	247	2	10	180	55
Gloversville	263	–	–	2	71	17	17	8	9	4	5	11	7	130	104	2	4	79	19
Balance of county	342	–	–	3	80	27	16	6	11	5	6	9	1	173	143	–	6	101	36
Genesee	509	–	–	2	117	33	25	17	18	7	6	11	7	287	224	2	6	190	26
Batavia	182	–	–	1	42	14	5	5	8	2	5	3	3	97	77	–	3	66	8
Balance of county	327	–	–	1	75	19	20	12	10	5	1	8	4	190	147	2	3	124	18
Greene	505	–	–	7	112	31	29	4	12	4	5	27	12	282	248	2	12	183	51
Hamilton	82	–	–	2	17	7	8	–	–	1	–	1	–	41	31	–	1	22	8
Herkimer	732	–	–	3	163	52	45	11	20	7	6	22	20	408	314	4	7	223	80
Jefferson	926	–	–	9	219	52	61	17	28	4	8	43	15	505	391	2	5	358	28
Watertown	394	–	–	4	89	23	26	7	14	1	5	13	7	234	182	1	2	168	11
Balance of county	532	–	–	5	124	29	35	10	14	3	3	30	8	271	209	1	3	188	17
Lewis	225	–	–	4	52	13	25	3	4	–	1	6	3	118	93	1	1	84	7
Livingston	446	–	–	7	113	26	32	17	9	5	6	18	5	212	173	1	1	143	28
Madison	531	–	–	6	124	33	32	12	18	5	5	19	5	258	189	3	3	150	27
Oneida	146	–	–	1	27	8	8	2	1	2	–	6	1	88	60	1	3	49	7
Balance of county	385	–	–	5	97	25	24	10	17	3	5	13	4	170	123	2	–	101	20
Monroe	5,898	4	–	83	1,354	366	343	137	151	44	44	269	88	2,664	2,254	23	49	1,817	565
Brighton town#	382	–	–	6	77	22	8	18	8	–	5	16	4	192	135	3	5	103	24
Gates town#	197	–	–	–	52	16	15	4	4	–	1	12	3	89	75	–	3	60	12
Greece town#	576	–	–	5	145	38	37	11	16	8	2	33	8	300	234	1	5	168	60
Henrietta town#	144	–	–	–	41	16	9	6	1	1	3	5	1	54	48	2	–	35	11
Irondequoit town#	575	1	–	12	140	30	41	16	14	6	5	28	5	301	239	2	3	161	53
Penfield town#	173	–	–	2	29	7	6	2	1	2	3	8	3	86	68	–	1	52	15
Rochester	2,776	3	–	46	598	166	158	47	76	19	18	114	44	1,330	1,049	10	25	735	279
Balance of county	1,095	–	–	12	272	71	69	33	31	8	7	53	20	512	406	5	7	283	111
Montgomery	624	1	–	2	142	38	26	18	21	5	7	27	17	353	278	1	11	228	38
Amsterdam	302	1	–	–	73	21	13	10	10	2	4	13	9	169	140	–	3	121	16
Balance of county	322	–	–	2	69	17	13	8	11	3	3	14	8	190	138	1	8	107	22
Nassau	11,613	5	1	138	2,899	850	664	331	277	153	95	529	171	6,083	5,132	67	91	4,501	473
East Rockaway	87	–	–	1	20	5	5	1	3	–	3	3	–	51	41	–	2	34	5
Floral Park	172	1	–	–	57	23	10	4	5	2	4	9	1	86	75	1	2	65	7
Freeport	314	–	–	4	83	22	23	11	10	2	1	14	5	131	109	–	4	92	13
Garden City	230	1	–	–	55	20	10	6	6	4	1	8	3	130	107	1	2	98	6
Glen Cove	253	–	–	3	48	14	12	4	7	3	2	6	3	140	118	1	6	102	9
Hempstead	411	1	–	10	99	26	23	11	14	4	2	19	7	188	161	5	4	145	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	11	173	21	20	46	79	9	22	23	–	12	11	19	123	28	42	18	4	1
Binghamton	7	71	10	7	9	27	4	14	8	–	6	3	9	48	6	19	5	3	1
Endicott	1	11	3	–	7	2	1	1	1	–	1	–	2	6	2	4	–	–	–
Johnson City	–	24	2	3	8	8	1	3	1	–	2	1	3	12	1	5	–	–	–
Vestal town#	1	17	2	1	7	7	2	–	3	–	–	2	1	11	2	2	4	–	–
Balance of county	2	50	4	9	15	35	1	4	10	–	3	5	4	46	17	12	9	1	–
Cattaraugus	4	74	14	6	26	32	3	7	9	–	4	7	1	74	21	25	7	1	–
Olean	3	12	2	2	7	10	1	5	2	–	1	4	–	19	2	6	2	–	–
Balance of county	1	62	12	4	19	22	2	2	7	–	3	3	1	55	19	19	5	1	–
Cayuga	6	81	11	8	24	27	3	14	5	–	3	9	5	49	10	14	13	–	2
Auburn	3	36	6	2	17	12	–	7	4	–	2	5	2	29	4	8	8	–	2
Balance of county	3	45	5	6	7	15	3	7	1	–	1	4	3	20	6	6	5	–	–
Chautauqua	5	132	13	17	36	45	12	22	15	1	7	6	6	103	39	24	17	4	1
Dunkirk	–	16	2	2	4	5	1	2	3	–	1	3	1	11	11	1	1	2	–
Fredonia	–	6	–	1	–	2	1	2	1	–	–	–	–	9	1	2	2	–	–
Jamestown	3	43	4	4	15	11	5	6	4	1	–	–	2	32	4	3	3	1	1
Balance of county	2	67	7	10	17	27	5	12	7	–	6	3	3	51	23	18	11	1	–
Chemung	4	82	12	8	17	51	4	12	6	–	5	4	9	68	10	15	11	4	1
Elmira	2	38	5	4	5	25	1	6	2	–	3	2	7	33	2	7	4	1	1
Balance of county	2	44	7	4	12	26	3	6	4	–	2	2	2	35	8	8	7	3	–
Chenango	–	34	6	3	7	28	4	5	2	–	1	1	3	32	13	6	7	2	–
Clinton	2	43	16	4	20	20	2	12	2	–	4	8	3	35	6	13	5	–	–
Plattsburgh	–	14	4	2	7	7	1	5	–	–	1	6	2	11	2	4	2	–	–
Balance of county	2	29	12	2	13	13	1	7	2	–	3	2	1	24	4	9	3	–	–
Columbia	6	61	8	7	15	28	2	13	5	–	5	5	1	44	10	15	7	1	–
Cortland	3	42	5	8	8	16	3	4	2	–	2	–	–	31	11	7	1	–	–
Cortland	1	31	3	6	3	12	3	2	1	–	–	–	–	18	5	2	–	–	–
Balance of county	2	11	2	2	5	4	–	2	1	–	2	–	–	13	6	5	1	–	–
Delaware	1	34	4	9	15	20	3	7	7	–	3	2	1	34	9	16	7	–	–
Dutchess	10	142	24	29	35	68	11	33	20	–	11	22	12	129	34	58	26	6	4
Beacon	1	9	5	2	2	4	1	–	2	–	–	2	2	6	4	4	1	2	1
Poughkeepsie	1	34	4	5	6	12	2	11	6	–	3	10	6	26	1	16	5	1	–
Balance of county	8	99	15	22	28	52	8	22	12	–	8	10	4	97	29	38	20	3	3
Erie	41	885	127	129	227	246	33	165	66	2	58	87	100	672	137	203	80	49	33
Buffalo	18	402	64	56	111	117	13	92	32	1	26	42	60	349	37	100	29	39	17
Depew	1	4	1	–	–	6	2	–	1	1	–	3	2	8	3	5	2	–	1
Hamburg	–	14	1	1	4	2	–	2	–	–	2	1	–	4	3	2	1	–	1
Kenmore	1	24	3	3	2	2	1	2	1	–	1	2	1	12	1	4	1	–	–
Lackawanna	–	28	1	2	5	4	1	3	3	–	4	3	2	10	3	3	2	–	1
Lancaster	–	4	–	1	2	1	1	1	–	–	–	–	–	6	1	1	2	–	1
Tonawanda	–	15	3	1	3	2	–	1	2	–	1	3	1	8	1	4	4	1	–
West Seneca town#	1	41	3	6	6	11	1	10	3	–	3	3	4	23	4	9	5	–	1
Balance of county	20	355	51	59	94	101	14	54	24	–	21	30	30	252	84	75	34	9	11
Essex	–	24	3	5	6	19	1	1	3	–	2	4	3	24	3	19	5	–	–
Franklin	3	35	6	2	10	17	4	5	–	–	6	2	4	37	7	11	4	1	–
Fulton	2	41	8	5	14	30	–	10	5	–	5	2	3	48	7	11	2	–	1
Gloversville	1	18	6	1	8	14	–	2	1	–	2	1	–	18	2	5	–	–	–
Balance of county	1	23	2	4	6	16	–	8	4	–	3	1	3	30	5	6	2	–	1
Genesee	4	46	7	6	12	16	2	6	2	–	3	2	5	30	8	7	3	–	–
Batavia	1	16	1	2	3	9	2	3	1	–	1	2	2	11	2	2	1	–	–
Balance of county	3	30	6	4	9	7	–	3	1	–	2	–	3	19	6	5	2	–	–
Greene	3	22	3	6	10	14	2	8	4	–	6	2	3	17	12	11	2	1	–
Hamilton	–	8	1	1	3	4	–	1	1	–	–	–	–	11	–	2	–	–	–
Herkimer	6	56	20	13	6	22	7	10	11	–	5	4	2	37	14	7	11	2	–
Jefferson	4	80	21	9	21	31	2	7	3	–	6	5	5	55	22	21	5	–	1
Watertown	2	38	10	2	8	8	–	4	2	–	4	5	1	16	5	6	1	–	–
Balance of county	2	42	11	7	13	23	2	3	1	–	2	–	4	39	17	15	4	–	1
Lewis	2	17	4	2	4	4	–	2	–	–	1	1	1	27	3	3	2	–	–
Livingston	3	27	6	3	19	24	2	2	6	–	1	3	–	30	12	6	3	1	–
Madison	1	59	6	9	12	22	–	5	5	–	4	13	3	38	14	16	6	–	–
Oneida	–	19	5	4	2	7	–	4	1	–	–	1	–	10	2	1	1	–	–
Balance of county	1	40	1	5	10	15	–	1	4	–	4	12	3	28	12	15	5	–	–
Monroe	23	456	70	61	173	158	27	49	75	1	34	62	68	570	85	91	69	40	5
Brighton town#	–	40	12	5	10	6	–	3	3	–	1	1	6	36	7	4	4	1	1
Gates town#	2	10	2	–	5	6	1	2	2	–	1	–	2	23	3	1	6	1	–
Greece town#	3	48	9	6	16	11	4	7	2	–	2	2	6	47	7	6	8	–	–
Henrietta town#	–	3	–	3	3	4	–	1	4	–	1	2	5	19	4	3	2	–	–
Irondequoit town#	1	46	8	7	16	7	1	2	9	–	4	3	4	45	7	6	10	1	1
Penfield town#	–	18	1	1	5	10	–	2	9	–	1	3	1	16	3	2	1	–	–
Rochester	12	217	23	29	86	87	16	23	39	1	22	41	28	281	25	48	23	33	2
Balance of county	5	76	15	10	32	25	5	9	7	–	2	10	16	109	29	21	15	4	1
Montgomery	1	61	7	6	10	14	2	6	7	–	2	3	2	35	9	12	4	1	–
Amsterdam	–	22	–	1	8	8	2	5	2	–	–	3	2	19	3	3	1	–	–
Balance of county	1	39	7	5	2	6	–	3	5	–	2	–	–	16	6	9	3	1	–
Nassau	26	710	95	120	270	233	25	145	108	1	58	88	315	661	144	140	64	50	16
East Rockaway	–	5	3	2	–	2	–	2	1	–	1	–	1	4	–	–	–	1	3
Floral Park	–	10	–	1	5	2	–	3	–	–	–	–	6	6	1	2	1	–	1
Freeport	1	13	2	6	5	14	1	6	4	–	–	3	13	24	6	8	1	4	–
Garden City	–	18	2	3	5	5	3	2	4	–	–	–	4	10	2	5	1	–	–
Glen Cove	–	18	3	1	7	8	–	3	2	–	2	2	9	19	1	1	3	2	–
Hempstead	1	22	2	2	9	4	–	8	7	–	6	12	11	29	10	2	1	5	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	563	1	–	6	104	32	16	11	11	6	7	21	3	359	313	2	1	295	15
Lynbrook	190	–	–	3	41	11	11	6	4	1	1	7	3	107	90	3	1	74	12
Massapequa Park	168	–	–	2	41	14	6	8	4	2	–	7	2	87	75	–	1	66	8
Mineola	198	–	–	2	42	12	10	2	8	3	3	4	1	101	79	2	–	66	11
Rockville Centre	257	–	–	3	58	11	16	7	6	2	2	14	2	144	110	–	1	105	4
Valley Stream	422	–	1	4	114	33	20	12	9	8	3	29	7	219	186	2	3	162	19
Westbury	139	–	–	2	34	11	8	1	3	2	2	7	2	73	69	–	2	53	8
Balance of county	8,209	1	–	98	2,103	616	494	247	187	114	64	381	132	4,267	3,805	50	62	3,144	349
New York city	73,210	197	2	527	14,986	4,545	3,468	1,480	1,569	693	548	2,737	1,322	39,095	34,194	263	567	30,713	2,631
Bronx bor., Bronx co	12,474	17	1	105	2,311	723	515	229	251	84	92	417	238	6,627	5,898	35	110	5,257	496
Brooklyn bor., Kings co	22,128	37	–	166	4,361	1,342	989	433	442	181	166	808	425	11,977	10,433	77	135	9,444	777
Manhattan bor., New York co	15,750	64	1	143	3,251	911	740	321	373	140	129	637	331	7,644	6,812	54	148	5,745	665
Queens bor., Queens co	19,883	16	–	93	4,432	1,401	1,021	451	446	209	136	777	284	11,192	9,784	82	169	8,966	567
Staten Island bor., Richmond co	2,975	3	–	20	631	168	203	52	57	28	25	98	44	1,655	1,467	15	25	1,301	126
Niagara	2,235	–	–	14	498	133	155	47	43	19	20	81	36	1,214	921	4	20	807	90
Lockport	341	–	–	–	77	21	22	10	8	2	4	10	7	186	138	–	5	123	10
Niagara Falls	828	–	–	4	199	57	68	9	17	9	9	30	15	439	326	1	9	280	36
North Tonawanda	331	–	–	3	80	18	12	5	8	3	2	12	2	197	149	2	4	130	13
Balance of county	735	–	–	7	162	37	53	23	10	5	5	29	12	392	308	1	2	274	31
Oneida	2,686	1	–	16	601	171	157	47	72	28	24	102	43	1,453	1,123	10	19	933	161
Rome	455	–	–	3	104	25	33	11	12	7	5	10	6	234	189	3	–	149	17
Utica	1,137	1	–	9	240	73	50	16	33	11	11	46	19	649	504	3	13	400	68
Balance of county	1,094	–	–	4	257	72	74	20	27	10	8	46	18	570	450	4	6	384	56
Onondaga	3,981	2	–	47	892	237	241	73	101	39	25	176	56	2,053	1,580	20	38	1,218	264
Syracuse	1,956	2	–	30	390	106	113	28	44	18	11	70	26	1,042	788	10	29	603	146
Balance of county	2,025	–	–	17	502	131	128	45	57	21	14	106	30	1,011	772	10	9	615	138
Ontario	758	1	–	5	186	52	52	18	26	8	8	22	8	375	305	4	9	218	74
Canandaigua	145	1	–	1	31	12	3	3	5	4	–	4	1	73	66	1	3	42	20
Geneva, part	175	–	–	1	47	9	19	6	3	2	2	6	2	87	69	1	1	46	21
Geneva, total	175	–	–	1	47	9	19	6	3	2	2	6	2	87	69	1	1	46	21
Balance of county	438	–	–	3	108	31	30	9	18	2	6	12	5	215	170	2	5	130	33
Orange	2,374	3	–	16	541	163	136	42	55	25	24	96	44	1,213	990	8	20	832	130
Middletown	261	1	–	3	58	17	16	6	6	2	1	10	5	124	101	–	2	84	15
Newburgh	345	–	–	1	83	27	15	11	11	5	1	13	12	183	140	3	1	121	15
Balance of county	1,768	2	–	12	400	119	105	25	38	18	22	73	27	906	749	5	17	627	100
Orleans	348	–	–	5	74	21	19	8	11	3	4	8	3	190	132	4	4	103	21
Oswego	939	1	–	13	220	57	56	23	27	7	10	40	16	484	352	1	7	292	52
Fulton	169	–	–	4	36	9	6	3	5	2	2	9	7	85	58	–	1	48	9
Oswego	215	–	–	2	47	16	9	6	5	–	3	8	4	127	79	–	1	67	11
Balance of county	561	1	–	7	137	32	41	14	17	5	5	23	5	272	215	1	5	177	32
Otsego	597	–	–	5	117	26	27	9	21	9	6	19	11	342	263	–	8	193	62
Oneonta	142	–	–	1	17	4	4	–	2	3	–	4	2	86	71	–	6	51	14
Balance of county	455	–	–	4	100	22	23	9	19	6	6	15	9	248	192	–	2	142	48
Putnam	579	–	1	4	141	40	31	12	16	7	4	31	7	300	239	4	5	207	23
Carmel town#	182	–	–	3	45	14	6	5	4	2	2	12	1	87	68	1	1	62	4
Balance of county	397	–	1	1	96	26	25	7	12	5	2	19	6	213	171	3	4	145	19
Rensselaer	1,532	–	–	21	343	95	86	28	43	18	9	64	26	785	630	7	7	542	74
Troy	686	–	–	6	150	48	42	7	20	8	1	24	15	349	277	3	4	241	29
Balance of county	846	–	–	15	193	47	44	21	23	10	8	40	11	436	353	4	3	301	45
Rockland	1,924	–	–	15	457	116	130	46	40	22	10	93	29	935	742	7	13	627	95
Spring Valley	185	–	–	–	41	12	10	6	5	–	1	7	2	85	70	1	1	56	12
Suffern	96	–	–	–	25	4	9	2	4	1	1	4	2	47	33	–	–	28	5
Balance of county	1,643	–	–	15	391	100	111	38	31	21	8	82	25	803	639	6	12	543	78
St. Lawrence	994	–	–	11	208	59	50	17	18	13	13	38	23	508	402	3	13	326	60
Massena	151	–	–	1	37	15	6	4	4	2	2	4	5	80	55	1	2	44	8
Ogdensburg	135	–	–	2	16	3	6	3	–	1	–	3	1	80	56	–	2	50	4
Potsdam	62	–	–	1	18	5	4	1	–	3	1	4	2	24	23	1	3	15	4
Balance of county	646	–	–	7	137	36	34	9	14	7	10	27	15	322	268	1	6	217	44
Saratoga	1,162	–	–	10	266	75	70	23	24	6	23	45	20	589	466	6	17	374	69
Saratoga Springs	256	–	–	5	49	18	15	3	1	1	4	7	8	126	92	1	8	70	13
Balance of county	906	–	–	5	217	57	55	20	23	5	19	38	12	463	374	5	9	304	56
Schenectady	1,622	–	–	8	376	111	106	31	37	18	8	65	31	888	702	5	18	583	96
Niskayuna town#	112	–	–	–	28	6	9	3	3	–	–	7	–	58	48	–	1	43	4
Rotterdam town#	257	–	–	1	69	24	19	11	2	3	2	8	3	140	119	–	5	97	17
Schenectady	919	–	–	5	201	60	55	19	23	11	4	35	22	499	402	5	10	329	58
Balance of county	334	–	–	2	78	21	23	4	9	4	2	15	6	171	133	–	2	114	17
Schoharie	292	–	–	2	81	27	23	8	7	2	4	10	3	146	118	–	1	96	21
Schuyler	179	–	–	2	39	13	12	2	7	1	–	4	4	88	69	–	2	51	16
Seneca	294	–	–	–	70	18	17	6	7	1	4	17	6	147	117	2	2	84	29
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	294	–	–	–	70	18	17	6	7	1	4	17	6	147	117	2	2	84	29
Steuben	968	2	–	8	214	64	61	22	22	6	14	25	18	475	362	5	14	281	62
Corning	174	1	–	1	40	12	13	1	7	–	2	5	2	91	70	–	1	53	16
Hornell	147	1	–	–	36	14	8	2	2	2	2	6	–	67	47	3	4	34	6
Balance of county	647	–	–	7	138	38	40	19	13	4	10	14	16	317	245	2	9	194	40
Suffolk	9,607	8	–	76	2,387	647	649	233	237	125	84	413	187	4,810	3,902	52	156	3,171	523
Babylon	124	–	–	2	28	10	3	2	4	1	2	7	3	66	55	–	–	49	6
Lindenhurst	189	–	–	2	55	13	16	8	4	2	1	11	3	102	79	–	5	68	6
Patchogue	124	–	–	–	37	11	7	6	2	3	1	7	5	54	41	1	2	32	6
Balance of county	9,160	8	–	72	2,266	613	622	217	227	119	80	388	176	4,588	3,727	51	149	3,022	505

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	2	35	6	3	11	7	2	7	4	–	1	2	12	28	5	5	4	2	–
Lynbrook	–	12	1	4	6	3	2	3	3	–	3	–	4	6	3	2	–	–	1
Massapequa Park	2	7	2	1	2	2	–	3	1	–	–	3	4	13	3	2	2	1	–
Mineola	–	13	5	4	7	5	–	7	2	–	1	5	4	14	4	–	1	2	–
Rockville Centre	2	30	–	2	9	3	–	4	1	–	–	–	7	20	2	1	2	–	1
Valley Stream	–	25	2	6	11	5	1	3	7	–	3	–	12	21	5	5	3	–	1
Westbury	–	6	2	2	3	3	–	3	–	–	–	6	3	5	3	1	–	1	–
Balance of county	18	496	65	83	190	170	16	69	72	1	39	55	225	462	99	106	45	32	7
New York city	263	3,551	591	496	2,057	1,361	290	1,740	415	22	460	632	877	4,161	693	1,360	476	1,695	400
Bronx bor., Bronx co	30	557	65	77	396	249	43	293	81	6	90	157	167	769	114	254	44	429	83
Brooklyn bor., Kings co	121	1,048	228	147	653	404	84	534	136	11	168	338	241	1,212	203	351	140	575	112
Manhattan bor., New York co	63	742	116	111	599	315	80	551	75	–	75	136	218	1,087	137	373	133	414	123
Queens bor., Queens co	45	1,051	169	143	608	303	71	326	104	5	110	169	233	933	214	332	140	251	67
Staten Island bor., Richmond co	4	153	13	18	101	90	12	36	19	–	17	32	18	160	25	50	21	26	15
Niagara	16	230	19	28	26	92	5	36	9	–	14	9	29	139	43	36	24	8	3
Lockport	2	39	4	3	8	7	–	6	3	–	4	1	2	22	6	5	3	3	1
Niagara Falls	5	87	8	13	8	32	2	15	2	–	4	2	12	58	10	13	10	3	–
North Tonawanda	2	44	–	2	2	20	2	5	–	–	2	1	6	17	7	5	1	–	1
Balance of county	7	60	7	10	8	33	1	10	4	–	4	5	9	42	20	13	10	2	1
Oneida	19	264	30	17	71	78	13	33	27	–	13	19	15	173	53	41	28	5	3
Rome	7	46	10	2	13	10	–	4	4	–	5	3	4	39	7	10	7	2	–
Utica	4	124	11	6	32	22	7	18	12	–	2	10	7	66	11	18	7	2	3
Balance of county	8	94	9	9	26	46	6	11	11	–	6	6	4	66	35	13	14	1	–
Onondaga	21	366	56	50	89	113	10	57	27	–	25	32	35	355	58	82	36	12	–
Syracuse	12	186	34	22	41	58	3	37	9	–	8	16	20	195	15	40	15	9	–
Balance of county	9	180	22	28	48	55	7	20	18	–	17	16	15	160	43	42	21	3	–
Ontario	4	46	12	6	16	33	4	15	5	–	3	5	6	55	16	11	13	1	–
Canandaigua	–	5	1	1	2	5	1	4	2	–	–	–	2	12	4	5	1	–	–
Geneva, part	2	11	1	4	4	6	2	5	1	–	–	2	1	13	3	–	1	–	–
Geneva, total	2	11	1	4	4	6	2	5	1	–	–	2	1	13	3	–	1	–	–
Balance of county	2	30	10	3	10	22	1	6	2	–	3	3	3	30	9	8	11	1	–
Orange	9	155	24	35	56	78	8	44	18	–	8	23	17	164	53	58	18	10	2
Middletown	1	16	1	5	6	13	1	6	1	–	2	6	1	24	1	6	1	2	–
Newburgh	1	30	5	7	5	11	–	7	2	–	1	4	3	15	5	9	1	3	–
Balance of county	7	109	18	23	45	54	7	31	15	–	5	13	13	125	47	43	16	5	2
Orleans	–	50	5	3	5	8	2	3	4	–	3	1	5	26	8	6	4	1	–
Oswego	1	78	36	17	20	38	2	7	12	–	5	8	2	54	26	16	12	3	–
Fulton	1	17	5	4	6	4	–	–	1	–	1	–	–	11	4	2	2	–	–
Oswego	–	32	13	3	6	6	–	2	3	–	–	2	–	12	2	2	–	–	–
Balance of county	–	29	18	10	8	28	2	5	8	–	4	6	2	31	20	12	10	3	–
Otsego	4	43	25	7	15	23	–	7	4	–	5	–	1	40	10	12	5	–	–
Oneonta	–	12	10	3	2	3	–	4	1	–	1	–	–	11	–	4	–	–	–
Balance of county	4	31	15	4	13	20	–	3	3	–	4	–	1	29	10	6	5	–	–
Putnam	1	48	5	7	16	16	4	11	6	–	3	6	4	24	15	18	3	–	–
Carmel town#	–	14	–	5	6	8	2	5	2	–	–	3	–	10	6	4	–	–	–
Balance of county	1	34	5	2	10	8	2	6	4	–	3	3	4	14	9	14	3	–	–
Rensselaer	4	111	19	21	28	41	6	28	10	–	13	18	12	108	35	35	17	5	1
Troy	2	59	7	4	12	23	4	16	7	–	8	6	8	49	8	13	10	1	1
Balance of county	2	52	12	17	16	18	2	12	3	–	5	12	4	59	27	22	7	4	–
Rockland	8	155	13	17	71	59	6	27	16	–	23	26	24	123	44	38	19	10	2
Spring Valley	–	13	1	1	4	3	1	5	–	–	3	9	4	11	5	6	3	3	–
Suffern	1	11	2	–	2	1	–	1	–	–	2	1	–	5	6	2	1	1	–
Balance of county	7	131	10	16	65	55	5	21	16	–	18	16	20	107	33	30	15	6	2
St. Lawrence	5	81	11	7	30	40	2	12	11	–	8	4	9	75	16	26	10	2	1
Massena	1	21	2	1	5	1	1	–	2	–	4	–	–	10	–	1	4	–	–
Ogdensburg	2	17	4	1	2	7	1	3	–	–	2	1	–	10	2	4	2	1	1
Potsdam	–	1	–	–	3	1	–	1	2	–	–	–	–	6	1	2	1	–	–
Balance of county	2	42	5	5	20	31	–	6	7	–	2	3	9	49	13	19	3	1	–
Saratoga	7	94	13	9	26	41	4	13	10	–	10	15	3	74	35	27	14	3	–
Saratoga Springs	–	26	7	1	6	14	–	3	2	–	2	2	1	24	3	8	3	–	–
Balance of county	7	68	6	8	22	27	4	10	8	–	8	13	2	50	32	19	11	3	–
Schenectady	13	96	38	19	43	52	10	16	13	–	9	12	14	101	11	37	18	3	–
Niskayuna town#	1	7	2	–	2	3	2	1	–	–	1	–	–	9	1	5	2	–	–
Rotterdam town#	1	15	–	5	5	8	–	2	3	–	1	1	1	13	2	7	1	–	–
Schenectady	9	52	24	12	25	30	4	11	8	–	5	11	10	58	2	14	12	2	–
Balance of county	2	22	12	2	11	11	4	2	2	–	2	–	3	21	8	11	3	1	–
Schoharie	1	18	2	7	11	14	–	2	2	–	1	2	2	15	4	4	3	–	–
Schuyler	–	16	2	1	8	8	1	–	1	–	1	1	1	13	4	6	2	–	–
Seneca	5	17	4	4	8	9	1	4	2	–	3	2	–	22	11	7	1	–	1
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	5	17	4	4	8	9	1	4	2	–	3	2	–	22	11	7	1	–	1
Steuben	3	84	8	18	31	53	6	16	9	–	2	7	2	73	19	23	8	2	–
Corning	–	18	1	2	5	9	1	4	2	–	–	–	1	11	3	2	–	1	–
Hornell	1	18	1	–	7	13	–	2	1	–	2	1	–	10	–	6	–	1	–
Balance of county	2	48	6	16	19	31	5	10	6	–	–	6	1	52	16	15	8	–	–
Suffolk	30	720	67	91	172	237	30	172	61	1	73	63	237	547	204	210	76	47	9
Babylon	–	10	1	–	1	1	–	–	1	–	–	1	1	8	2	6	1	2	–
Lindenhurst	1	16	2	4	2	4	–	7	1	–	1	1	6	7	4	2	1	–	1
Patchogue	–	12	1	–	2	5	–	1	2	–	1	3	2	5	1	1	1	3	1
Balance of county	29	682	63	87	167	227	30	164	57	1	71	58	228	527	197	201	73	42	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	705	–	–	3	167	45	37	20	20	7	9	29	13	385	312	2	3	270	37
Tioga	360	–	–	3	71	19	19	7	7	6	–	13	8	196	168	2	6	143	17
Tompkins	553	–	–	3	115	29	25	4	16	6	4	31	12	277	187	5	2	140	40
Ithaca	224	–	–	1	46	12	11	–	6	3	1	13	2	126	84	2	1	66	15
Balance of county	329	–	–	2	69	17	14	4	10	3	3	18	10	149	103	3	1	74	25
Ulster	1,587	4	–	17	359	92	102	29	40	18	15	83	35	817	678	5	18	541	112
Kingston	398	–	–	4	94	24	34	2	8	5	3	18	7	217	178	2	3	145	28
Balance of county	1,189	4	–	13	265	68	68	27	32	13	12	45	28	600	498	3	15	396	84
Warren	532	–	–	5	121	30	30	16	15	4	3	23	7	293	234	2	5	188	39
Glens Falls	201	–	–	2	50	14	9	4	9	1	2	11	4	107	91	–	2	73	18
Balance of county	331	–	–	3	71	16	21	12	6	3	1	12	3	188	143	2	3	115	23
Washington	592	1	–	5	114	26	34	5	18	4	6	21	9	312	261	3	14	190	54
Wayne	701	–	–	10	161	40	47	15	17	6	6	30	6	323	257	–	22	193	42
Newark	107	–	–	2	23	5	9	4	3	–	1	1	1	46	35	–	7	20	8
Balance of county	594	–	–	8	138	35	38	11	14	6	5	29	5	277	222	–	15	173	34
Westchester	8,016	5	–	73	1,950	606	415	203	197	91	79	359	146	4,068	3,302	50	138	2,702	412
Dobbs Ferry	81	–	–	–	21	5	5	3	2	2	–	4	3	47	35	–	–	27	8
Harrison	135	–	–	–	36	11	7	6	2	1	2	7	3	75	55	2	1	45	7
Mamaroneck	160	–	–	1	35	7	12	2	1	1	2	10	4	84	74	1	6	52	15
Mount Vernon	675	–	–	10	148	48	39	15	15	7	1	23	19	341	291	1	17	228	45
New Rochelle	729	–	–	5	166	60	37	14	19	9	8	19	10	400	312	3	15	264	30
Ossining	183	–	–	2	38	7	9	3	8	–	2	9	6	89	70	2	2	59	7
Peekskill	245	–	–	4	65	25	13	7	1	5	5	9	3	122	98	3	3	79	13
Port Chester	252	–	–	1	73	15	17	11	10	4	4	12	1	112	94	2	6	74	12
Rye	143	1	–	2	35	11	11	2	3	–	–	8	1	76	56	2	4	39	11
Scarsdale	194	–	–	1	57	10	11	7	6	3	5	13	3	92	81	1	4	65	11
Tarrytown	107	–	–	–	19	9	4	–	4	–	–	2	5	60	50	–	3	41	6
White Plains	523	–	–	6	132	35	27	21	15	5	7	22	9	269	207	1	9	163	34
Yonkers	1,928	2	–	18	420	149	72	37	43	20	18	81	38	1,000	841	14	38	702	87
Yorktown town#	203	–	–	5	51	10	12	4	6	2	2	15	1	96	84	1	2	73	8
Balance of county	2,458	2	–	18	654	204	139	71	60	32	23	125	40	1,205	954	17	28	791	118
Wyoming	321	–	–	2	80	30	24	6	6	1	5	8	7	165	125	–	4	93	28
Yates	235	–	–	2	47	9	18	4	5	2	3	6	4	123	93	1	5	68	19
North Carolina	48,551	62	–	499	10,186	2,428	2,803	812	1,154	383	429	2,177	789	23,629	17,849	145	743	12,685	4,278
Urban places	16,532	20	–	191	3,523	852	938	299	414	130	136	754	266	7,858	5,838	50	260	4,064	1,464
Balance of area	32,019	42	–	308	6,663	1,576	1,865	513	740	253	293	1,423	523	15,771	12,011	95	483	8,621	2,812
Metropolitan counties	23,241	16	–	261	5,149	1,229	1,392	434	567	197	214	1,116	351	10,987	8,308	83	302	5,899	1,924
Urban places	12,343	11	–	145	2,736	672	734	238	310	99	106	577	198	5,795	4,313	37	176	3,014	1,086
Balance of area	10,898	5	–	116	2,413	557	658	196	257	98	108	539	153	5,192	3,995	46	126	2,885	838
Nonmetropolitan counties	25,310	46	–	238	5,037	1,199	1,411	378	587	186	215	1,061	438	12,642	9,541	62	441	6,686	2,352
Urban places	4,189	9	–	46	787	180	204	61	104	31	30	177	68	2,063	1,525	13	84	1,050	378
Balance of area	21,121	37	–	192	4,250	1,019	1,207	317	483	155	185	884	370	10,579	8,016	49	357	5,636	1,974
Alamance	939	–	–	11	199	49	51	18	18	6	10	47	14	440	333	6	8	263	56
Burlington	342	–	–	1	72	18	24	6	4	2	2	16	3	173	125	3	3	93	26
Balance of county	597	–	–	10	127	31	27	12	14	4	8	31	11	267	208	3	5	170	30
Alexander	157	–	–	1	28	8	9	–	5	1	2	3	2	69	52	–	1	36	15
Alleghany	91	–	–	1	15	4	6	–	1	–	–	4	1	42	29	–	2	20	7
Anson	258	–	–	–	43	9	14	4	6	–	3	7	2	142	96	1	3	69	23
Ashe	208	–	–	3	34	13	6	6	2	–	2	5	4	110	86	3	11	53	19
Avery	137	–	–	1	28	3	8	2	7	4	2	4	2	64	59	–	2	43	14
Beaufort	416	1	–	3	80	21	21	4	12	3	2	17	11	210	151	1	7	100	43
Bertie	231	1	–	1	58	14	20	3	10	–	3	8	8	109	80	–	1	51	28
Bladen	295	1	–	2	41	8	19	5	3	1	1	4	2	166	111	1	–	84	26
Brunswick	307	–	–	3	58	8	15	7	11	3	–	14	4	160	128	–	3	100	25
Buncombe	1,616	1	–	13	362	94	84	26	55	9	16	78	18	784	597	4	14	434	145
Asheville	791	–	–	6	170	47	38	13	24	3	6	39	11	381	293	1	12	201	79
Balance of county	825	1	–	7	192	47	46	13	31	6	10	39	7	403	304	3	2	233	66
Burke	584	–	–	3	101	28	26	7	10	8	5	17	13	294	232	4	8	166	54
Hickory, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	166	–	–	–	30	7	10	1	6	–	–	6	5	85	66	2	3	45	16
Balance of county	417	–	–	3	71	21	16	6	4	8	5	11	8	209	166	2	5	121	38
Cabarrus	724	–	–	6	134	37	31	15	8	2	5	36	11	389	290	1	9	202	78
Concord	206	–	–	3	44	11	11	3	4	1	–	14	4	103	78	–	1	50	27
Balance of county	518	–	–	3	90	26	20	12	4	1	5	22	7	286	212	1	8	152	51
Caldwell	464	2	–	2	92	18	27	9	12	4	1	23	16	212	164	–	8	134	22
Lenoir	167	2	–	1	31	3	7	3	7	1	–	10	2	87	65	–	5	49	11
Balance of county	297	–	–	1	61	13	20	6	5	3	1	13	14	125	99	–	3	85	11
Camden	44	–	–	–	8	3	–	2	2	1	–	–	–	23	17	–	–	9	8
Elizabeth City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	44	–	–	–	8	3	–	2	2	1	–	–	–	23	17	–	–	9	8
Carteret	396	–	–	2	97	23	33	3	14	3	4	17	10	201	176	1	10	104	61
Caswell	157	1	–	3	23	2	9	3	3	1	–	5	4	87	63	–	2	39	22
Catawba	801	–	–	8	174	44	57	11	19	2	7	34	13	392	314	3	18	237	56
Hickory, part	254	–	–	3	45	8	21	3	2	2	1	8	4	127	99	–	4	72	23
Hickory, total	255	–	–	3	45	8	21	3	2	2	1	8	4	127	99	–	4	72	23
Balance of county	547	–	–	5	129	36	36	8	17	–	6	26	9	265	215	3	14	165	33
Chatham	292	2	–	–	53	14	13	2	6	2	3	13	6	154	107	1	9	71	26
Cherokee	170	–	–	5	36	9	11	2	7	1	1	5	3	89	71	–	–	50	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	3	57	4	9	9	20	3	16	6	-	2	1	2	35	15	18	6	4	-
Tioga	-	19	2	7	3	12	-	3	5	-	4	3	1	28	11	8	3	1	-
Tompkins	4	50	28	8	17	23	-	8	3	-	8	4	4	33	19	16	8	3	-
Ithaca	2	24	13	5	5	9	-	4	-	-	3	2	1	12	3	4	3	1	-
Balance of county	2	26	15	3	12	14	-	4	3	-	5	2	3	21	16	12	5	2	-
Ulster	9	93	17	22	41	61	4	21	13	-	11	9	14	96	24	44	15	2	-
Kingston	6	21	7	5	11	18	1	3	3	-	2	2	1	23	-	8	2	2	-
Balance of county	3	72	10	17	30	43	3	18	10	-	9	7	13	73	24	36	13	-	-
Warren	2	45	3	9	17	21	2	6	1	-	1	1	4	24	10	10	6	2	1
Glens Falls	1	12	1	2	5	8	1	4	-	-	1	1	4	4	3	5	2	-	-
Balance of county	1	33	2	7	12	13	1	2	1	-	-	-	-	20	7	5	4	2	1
Washington	3	29	10	9	14	25	3	1	3	-	3	10	3	46	18	17	7	1	-
Wayne	3	51	6	6	28	27	2	16	4	-	3	12	5	49	28	14	11	2	-
Newark	1	7	1	2	7	8	1	4	1	-	-	2	-	7	3	2	-	-	-
Balance of county	2	44	5	4	21	19	1	12	3	-	3	10	5	42	25	12	11	2	-
Westchester	25	561	94	86	194	218	25	171	66	-	35	74	86	513	93	165	68	62	6
Dobbs Ferry	-	11	-	1	1	1	-	1	-	-	-	-	-	4	1	-	1	1	-
Harrison	-	20	-	-	4	3	-	-	1	-	1	-	1	7	3	-	1	-	-
Mamaroneck	-	8	1	1	8	6	-	2	1	-	1	1	-	11	2	2	-	1	1
Mount Vernon	3	35	5	7	14	11	2	30	7	-	2	16	6	35	4	14	1	12	1
New Rochelle	7	61	9	11	15	21	2	16	5	-	4	2	5	47	5	15	4	7	-
Ossining	-	11	5	3	2	7	-	8	4	-	1	-	2	13	4	4	1	2	-
Peekskill	1	15	4	4	3	10	-	1	1	-	-	1	3	17	8	1	5	1	-
Port Chester	-	9	5	4	11	11	2	7	2	-	-	6	3	14	1	7	1	-	-
Rye	1	13	3	3	7	5	-	2	-	-	-	1	-	4	3	3	2	1	-
Scarsdale	-	9	-	2	7	7	1	5	1	-	1	-	1	9	-	4	3	2	-
Tarrytown	1	7	1	1	5	-	1	-	1	-	-	2	2	8	2	-	2	-	-
White Plains	3	49	7	3	14	8	2	9	2	-	2	2	6	38	6	9	4	4	-
Yonkers	4	116	16	23	46	51	6	54	16	-	9	22	20	128	17	45	13	22	1
Yorktown town#	-	9	2	1	5	9	1	1	4	-	1	2	1	14	3	6	3	-	-
Balance of county	5	100	36	22	52	68	8	35	21	-	13	19	34	169	34	55	25	9	3
Wyoming	3	29	5	3	9	11	1	3	3	-	3	1	-	18	11	4	3	-	-
Yates	1	19	3	7	6	11	1	1	1	-	3	2	2	18	6	6	2	-	-
North Carolina	247	4,591	520	422	1,191	1,359	148	611	514	11	336	604	365	4,033	1,364	1,370	799	631	50
Urban places	96	1,553	206	165	445	476	54	242	191	7	126	268	146	1,464	305	454	235	244	17
Balance of area	151	3,038	314	257	746	883	94	369	323	4	210	336	219	2,569	1,059	916	564	387	33
Metropolitan counties	114	2,107	244	214	575	641	71	292	229	6	182	343	182	1,960	610	634	414	313	25
Urban places	62	1,141	152	127	325	349	38	174	131	5	90	217	102	1,077	233	335	178	189	15
Balance of area	52	966	92	87	250	292	33	118	98	1	92	126	80	883	377	299	236	124	10
Nonmetropolitan counties	133	2,484	276	208	616	718	77	319	285	5	154	261	183	2,073	754	736	385	318	25
Urban places	34	412	54	38	120	127	16	68	60	2	36	51	44	387	72	119	57	55	2
Balance of area	99	2,072	222	170	496	591	61	251	225	3	118	210	139	1,686	682	617	328	263	23
Alamance	4	85	10	8	18	29	-	9	9	-	7	14	15	93	26	28	16	11	-
Burlington	1	39	5	3	7	6	-	6	4	-	3	7	4	34	7	7	3	5	-
Balance of county	3	46	5	5	11	23	-	3	5	-	4	7	11	59	19	21	13	6	-
Alexander	2	9	2	4	2	4	1	4	1	-	4	-	2	14	11	6	4	4	-
Alleghany	-	13	-	-	6	3	-	-	3	-	1	1	2	8	5	1	2	-	-
Anson	2	44	-	-	15	1	-	5	3	-	-	3	-	25	4	6	3	6	-
Ashe	2	16	4	2	1	9	-	-	2	-	3	-	2	23	6	6	4	1	-
Avery	-	5	-	-	4	7	-	1	1	-	1	1	-	15	5	4	1	2	-
Beaufort	-	52	1	6	17	13	-	2	1	-	4	-	1	34	11	20	4	4	-
Bertie	2	21	4	2	4	4	1	6	5	-	-	2	1	14	6	5	3	1	-
Bladen	-	48	5	2	5	6	-	1	5	-	2	4	3	26	10	14	2	5	-
Brunswick	1	26	3	2	5	8	4	2	-	-	-	2	1	20	19	11	5	5	-
Buncombe	6	140	25	16	57	52	2	14	14	-	14	14	13	153	27	39	23	13	3
Asheville	-	64	14	10	32	24	2	11	8	-	3	6	9	75	13	18	11	8	3
Balance of county	6	76	11	6	25	28	-	3	6	-	11	8	4	78	14	21	12	5	-
Burke	2	54	3	3	11	24	1	8	5	-	3	5	5	52	22	15	11	9	2
Hickory, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Morganton	1	17	1	-	5	6	-	4	-	-	2	-	1	17	3	2	3	3	-
Balance of county	1	37	2	3	6	17	1	4	5	-	1	5	4	35	19	13	8	6	2
Cabarrus	8	85	4	2	25	16	4	8	9	-	5	5	8	55	16	16	12	5	-
Concord	1	21	3	-	11	6	-	5	2	-	1	-	1	17	3	5	-	1	-
Balance of county	7	64	1	2	14	10	4	3	7	-	4	5	7	38	13	11	12	4	-
Caldwell	2	40	3	3	12	14	1	11	7	-	2	5	2	32	17	14	15	8	-
Lenoir	2	18	2	-	6	2	-	6	4	-	2	-	-	10	2	5	4	3	-
Balance of county	-	22	1	3	6	12	1	5	3	-	-	5	2	22	15	9	11	5	-
Camden	-	5	-	1	3	1	-	-	2	-	-	-	-	4	1	1	-	1	-
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	5	-	1	3	1	-	-	2	-	-	-	-	4	1	1	-	1	-
Carteret	2	20	1	2	7	9	1	9	-	-	2	5	1	29	7	4	4	8	-
Caswell	1	21	2	-	3	5	-	3	2	-	-	2	-	11	4	2	3	4	-
Catawba	1	68	5	4	18	21	1	9	4	-	8	13	9	69	26	15	11	8	2
Hickory, part	-	24	3	1	6	6	-	1	2	-	5	5	4	28	4	7	4	3	-
Hickory, total	-	24	3	1	6	7	-	1	2	-	5	5	4	28	4	7	4	3	-
Balance of county	1	44	2	3	12	15	1	8	2	-	3	8	5	41	22	8	7	5	2
Chatham	4	39	2	2	4	8	1	2	3	-	-	4	2	31	10	7	1	4	-
Cherokee	-	14	2	2	6	1	1	1	-	-	-	-	1	20	3	3	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	140	1	–	3	28	7	9	2	3	–	1	6	1	70	50	–	1	37	12
Clay	70	–	–	–	13	5	4	–	1	1	–	2	–	37	35	–	–	28	7
Cleveland	713	–	–	13	113	38	25	10	13	6	3	18	20	386	305	2	10	193	100
Shelby	205	–	–	4	30	12	5	3	3	2	–	5	5	110	85	1	5	52	27
Balance of county	508	–	–	9	83	26	20	7	10	4	3	13	15	276	220	1	5	141	73
Columbus	502	–	–	5	76	9	26	5	8	3	2	23	9	278	197	–	4	145	48
Craven	510	–	–	7	111	24	31	7	17	4	3	25	3	221	157	–	11	103	43
Havelock	32	–	–	–	6	1	1	–	1	1	1	1	–	11	11	–	1	7	3
New Bern	173	–	–	3	36	9	9	1	4	1	1	11	1	80	58	–	2	41	15
Balance of county	305	–	–	4	69	14	21	6	12	2	1	13	2	130	88	–	8	55	25
Cumberland	1,220	1	–	12	252	63	68	22	24	8	10	57	25	519	375	8	29	248	90
Fayetteville	565	1	–	6	114	35	29	9	10	6	5	20	14	245	178	3	19	107	49
Balance of county	655	–	–	6	138	28	39	13	14	2	5	37	11	274	197	5	10	141	41
Currituck	89	–	–	2	21	5	6	–	3	–	3	4	1	35	28	–	–	21	5
Dare	125	–	–	1	28	9	8	1	2	–	2	6	2	56	43	–	1	32	10
Davidson	830	–	–	7	198	43	53	19	23	7	12	41	14	401	311	3	8	229	71
High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lexington	163	–	–	2	46	10	12	7	9	1	2	5	5	70	61	–	3	40	18
Thomasville	149	–	–	–	26	5	9	2	1	–	3	6	3	83	68	2	2	45	19
Balance of county	516	–	–	5	126	28	32	10	13	6	7	30	6	248	182	1	3	144	34
Davie	170	–	–	1	49	15	14	1	4	1	–	14	1	80	62	–	1	54	7
Duplin	395	–	–	5	69	19	16	5	5	5	4	15	7	213	158	1	2	124	31
Durham	1,308	2	–	18	287	70	74	25	22	17	13	66	26	587	460	2	15	316	127
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Durham	1,020	2	–	11	218	60	49	21	14	12	10	52	24	461	355	2	10	243	100
Balance of county	288	–	–	7	69	10	25	4	8	5	3	14	2	126	105	–	5	73	27
Edgecombe	568	1	–	7	109	26	33	7	13	2	3	25	9	268	184	1	3	131	49
Rocky Mount, part	181	1	–	1	27	8	7	1	3	–	2	6	3	95	65	–	1	46	18
Balance of county	385	–	–	6	82	18	26	6	10	2	1	19	6	173	119	1	2	85	31
Forsyth	2,099	2	–	33	433	110	125	31	47	17	16	87	29	1,047	781	5	24	554	198
Winston-Salem	1,331	2	–	25	286	69	73	25	33	7	8	51	13	662	477	4	20	320	133
Balance of county	768	–	–	8	167	41	52	6	14	10	8	36	16	385	304	1	4	234	65
Franklin	277	1	–	5	55	12	16	8	2	2	4	11	3	139	104	–	9	75	20
Gaston	1,291	–	–	9	297	76	91	22	24	9	9	66	24	660	518	2	24	392	100
Gastonia	535	–	–	2	137	37	36	9	12	4	5	34	10	265	207	–	10	161	36
Balance of county	756	–	–	7	160	39	55	13	12	5	4	32	14	395	311	2	14	231	64
Gates	88	–	–	1	16	7	4	2	–	2	–	1	1	49	36	–	1	21	14
Graham	57	–	–	–	12	2	3	–	–	2	1	4	1	27	20	–	3	10	7
Granville	343	–	–	3	71	15	25	7	8	4	5	9	6	168	140	1	12	90	37
Greene	145	–	–	–	32	7	9	2	6	1	1	8	2	71	52	1	2	32	17
Guilford	2,555	1	–	26	598	136	156	47	67	23	24	125	30	1,230	900	10	20	685	185
Greensboro	1,295	1	–	13	324	76	89	24	49	11	14	61	18	600	443	5	9	338	91
High Point, part	656	–	–	5	132	26	29	10	19	5	5	38	10	337	241	1	9	188	43
High Point, total	658	–	–	5	132	26	29	10	19	5	5	38	10	337	241	1	9	188	43
Balance of county	604	–	–	8	142	34	38	13	19	7	5	26	2	293	216	4	2	159	51
Halifax	591	3	–	8	122	23	32	7	21	6	5	28	12	273	197	1	13	144	39
Roanoke Rapids	175	–	–	3	29	4	5	1	5	3	1	10	4	91	64	1	3	56	4
Balance of county	416	3	–	5	93	19	27	6	16	3	4	18	8	182	133	–	10	88	35
Harnett	590	3	–	5	110	30	33	5	11	6	2	23	13	280	233	–	20	172	41
Haywood	430	–	–	5	97	22	19	9	11	2	4	30	6	226	178	–	–	141	37
Henderson	636	1	–	5	123	32	34	13	15	6	3	20	6	334	261	6	4	193	58
Hertford	203	1	–	–	39	8	10	2	8	3	3	5	5	109	88	1	6	66	15
Hoke	124	1	–	1	20	5	8	–	–	–	1	6	8	53	36	–	5	24	7
Hyde	50	–	–	–	3	–	1	1	–	1	–	–	1	29	16	–	–	10	6
Iredell	718	–	–	6	147	33	42	11	14	5	6	36	16	365	253	2	8	194	49
Statesville	227	–	–	2	58	10	14	2	6	4	4	16	5	103	65	2	3	41	19
Balance of county	491	–	–	4	91	23	28	9	8	1	2	20	11	262	188	–	5	153	30
Jackson	183	–	–	3	37	8	8	3	5	1	3	9	3	82	67	1	1	59	8
Johnston	662	1	–	6	147	34	42	11	16	5	7	32	15	320	246	1	17	173	55
Jones	76	–	–	–	17	3	3	1	2	–	1	7	1	33	20	–	–	18	2
Lee	315	–	–	3	63	23	13	5	4	2	–	16	6	151	113	1	5	80	27
Sanford	139	–	–	1	30	11	6	1	1	2	–	9	1	66	55	–	4	41	10
Balance of county	176	–	–	2	33	12	7	4	3	–	–	7	5	85	58	1	1	39	17
Lenoir	588	–	–	6	121	31	33	7	17	3	5	25	6	284	204	1	3	140	60
Kinston	339	–	–	5	67	19	16	3	13	2	3	11	4	158	114	1	3	74	36
Balance of county	249	–	–	1	54	12	17	4	4	1	2	14	2	126	90	–	–	66	24
Lincoln	305	–	–	1	60	19	9	3	4	3	4	18	4	156	112	–	3	85	24
McDowell	274	–	–	–	59	14	14	5	4	3	2	17	5	142	119	–	2	84	23
Macon	206	–	–	–	51	16	15	4	6	1	2	7	5	98	79	2	3	60	14
Madison	158	–	–	–	34	5	11	3	4	3	1	7	2	73	60	–	1	38	21
Martin	239	3	–	1	60	16	16	4	7	2	4	11	7	105	83	–	8	49	26
Mecklenburg	2,902	4	–	35	680	168	179	64	81	26	22	140	46	1,267	975	11	48	664	252
Charlotte	2,376	3	–	31	545	134	147	49	67	19	20	109	39	1,038	781	7	37	534	203
Balance of county	526	1	–	4	135	34	32	15	14	7	2	31	7	229	194	4	11	130	49
Mitchell	149	1	–	2	29	11	4	4	3	1	–	6	1	70	54	2	–	36	16
Montgomery	203	–	–	3	42	12	13	1	6	–	4	6	3	100	83	–	4	72	7
Moore	550	2	–	4	120	27	27	13	20	2	4	27	6	290	202	–	13	151	38
Nash	633	4	–	6	110	31	34	8	6	–	3	26	5	311	225	3	9	152	61
Rocky Mount, part	255	1	–	3	46	13	13	2	2	–	2	14	2	126	88	1	5	59	23
Rocky Mount, total	436	2	–	4	73	21	20	3	5	–	4	20	5	221	153	1	6	105	41
Balance of county	378	3	–	3	64	18	21	6	4	–	1	14	3	185	137	2	4	93	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	1	16	–	3	6	3	–	–	–	–	1	1	1	13	5	3	4	–	–
Clay	–	1	1	–	2	5	–	–	1	–	–	–	–	5	1	3	3	–	–
Cleveland	4	66	7	4	16	16	5	5	8	–	5	4	7	48	30	19	9	9	–
Shelby	2	21	2	–	5	5	1	1	4	–	1	–	4	17	4	8	2	4	–
Balance of county	2	45	5	4	11	11	4	4	4	–	4	4	3	31	26	11	7	5	–
Columbus	–	67	9	6	16	11	3	3	2	–	4	5	8	27	27	14	4	8	1
Craven	3	48	10	3	9	14	1	5	9	2	9	13	6	54	14	20	5	6	1
Havelock	–	–	–	–	–	–	–	–	–	1	4	4	–	2	2	2	–	–	–
New Bern	1	17	3	1	3	3	–	4	4	1	1	5	3	19	1	5	1	3	–
Balance of county	2	31	7	2	6	11	1	1	5	–	4	4	3	33	11	13	4	3	1
Cumberland	11	107	11	15	24	37	4	14	12	1	14	43	14	86	56	43	33	28	2
Fayetteville	6	51	5	5	11	23	2	6	8	–	6	17	4	43	18	20	15	10	2
Balance of county	5	56	6	10	13	14	2	8	4	1	8	26	10	43	38	23	18	18	–
Currituck	–	8	–	1	4	3	–	1	–	–	2	2	2	9	3	2	1	1	–
Dare	1	12	–	–	5	8	–	2	1	–	–	–	–	10	5	4	1	2	–
Davidson	4	73	4	9	21	14	2	9	9	–	4	5	7	78	15	21	16	8	1
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Lexington	–	7	–	2	2	3	–	4	2	–	–	1	1	13	2	7	4	1	–
Thomasville	1	12	–	2	5	2	1	1	–	–	1	1	2	17	3	1	1	1	1
Balance of county	3	54	4	5	14	9	1	4	7	–	3	3	4	48	10	13	11	4	–
Davie	2	14	–	2	4	6	–	3	1	–	–	–	1	13	3	4	2	2	–
Duplin	1	45	7	2	3	10	1	3	4	–	4	7	3	38	10	10	4	4	–
Durham	4	91	16	16	41	42	5	16	19	–	6	23	15	114	20	40	19	26	2
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Durham	4	73	14	15	35	34	4	10	18	–	3	19	12	93	10	27	13	24	2
Balance of county	–	18	2	1	6	8	1	6	1	–	3	4	3	21	10	13	6	2	–
Edgecombe	6	64	9	5	17	19	1	5	6	–	6	6	2	51	22	27	5	4	1
Rocky Mount, part	1	25	3	1	8	2	–	2	1	–	2	2	–	20	7	8	1	1	–
Balance of county	5	39	6	4	9	17	1	3	5	–	4	4	2	31	15	19	4	3	1
Forsyth	18	203	21	24	42	66	10	28	24	–	11	34	11	175	40	53	39	23	1
Winston-Salem	14	141	15	15	28	43	7	17	18	–	7	25	9	123	15	39	16	17	1
Balance of county	4	62	6	9	16	23	3	9	6	–	4	9	2	52	25	14	23	6	–
Franklin	2	27	1	5	8	2	1	5	6	–	–	4	1	24	12	5	3	3	–
Gaston	4	112	17	9	31	30	3	17	12	–	4	14	11	70	33	34	29	12	1
Gastonia	1	43	8	6	13	12	1	8	6	–	3	5	6	25	11	15	12	4	–
Balance of county	3	69	9	3	18	18	2	9	6	–	1	9	5	45	22	19	17	8	1
Gates	–	11	2	–	4	2	1	–	1	–	–	–	–	5	5	1	–	2	–
Graham	–	6	–	1	–	2	1	1	–	–	–	–	–	6	–	4	2	1	–
Granville	1	26	–	1	8	6	4	3	7	–	1	3	2	34	8	11	5	3	–
Greene	1	15	3	–	6	5	–	–	–	–	–	3	–	11	7	3	2	2	1
Guilford	10	265	28	27	62	71	7	37	19	–	17	26	18	223	54	63	43	29	1
Greensboro	4	132	9	12	30	31	3	19	8	–	9	15	12	122	25	28	19	17	1
High Point, part	1	76	11	8	20	25	2	9	4	–	2	9	3	50	12	19	8	9	–
High Point, total	1	76	11	8	20	25	2	9	4	–	2	9	3	50	12	19	8	11	–
Balance of county	5	57	8	7	12	15	2	9	7	–	6	2	3	51	17	16	16	3	–
Halifax	4	63	3	6	9	17	2	8	7	–	2	9	11	58	22	15	7	5	1
Roanoke Rapids	1	22	1	3	3	8	–	4	1	–	1	3	8	15	1	3	–	1	–
Balance of county	3	41	2	3	6	9	2	4	6	–	1	6	3	43	21	12	7	4	1
Harnett	1	44	1	1	10	15	4	10	7	–	2	5	4	60	25	16	11	8	2
Haywood	3	36	5	4	8	16	1	6	2	1	5	2	3	26	6	10	9	1	–
Henderson	4	58	4	7	10	18	4	7	3	–	3	2	4	60	18	20	10	7	1
Hertford	–	18	2	1	2	5	–	2	3	–	–	3	–	18	7	3	2	4	–
Hoke	2	12	1	2	4	2	–	1	1	–	3	2	–	13	6	5	2	2	–
Hyde	–	11	–	2	3	–	–	–	1	–	–	–	1	6	1	3	1	1	–
Iredell	5	83	15	9	14	16	2	11	5	–	2	5	4	61	21	23	12	8	–
Statesville	4	26	6	2	7	5	1	1	1	–	1	3	1	23	3	7	6	2	–
Balance of county	1	57	9	7	7	11	1	10	4	–	1	2	3	38	18	16	6	6	–
Jackson	1	11	1	2	7	4	2	2	2	–	1	1	1	16	5	7	6	4	–
Johnston	8	62	3	1	11	25	2	6	13	–	3	4	5	49	20	18	9	8	–
Jones	–	11	2	–	–	4	–	–	1	–	3	1	–	6	6	3	–	1	–
Lee	3	30	2	3	6	18	1	5	7	1	1	6	1	23	6	8	7	2	–
Sanford	–	10	–	1	3	9	1	2	3	–	1	1	–	13	2	4	1	1	–
Balance of county	3	20	2	2	3	9	–	3	4	1	–	5	1	10	4	4	6	1	–
Lenoir	4	66	4	6	22	16	2	10	8	–	4	9	3	52	17	13	4	10	1
Kinston	2	35	2	5	13	10	2	6	6	–	2	6	2	38	6	8	2	5	1
Balance of county	2	31	2	1	9	6	–	4	2	–	2	3	1	16	11	5	2	5	–
Lincoln	2	36	3	3	1	13	1	4	6	–	3	2	6	19	11	6	5	5	–
McDowell	1	18	1	3	7	11	2	2	3	–	–	3	1	17	6	11	3	1	1
Macon	3	13	2	1	6	7	2	1	2	–	1	2	1	14	7	4	5	–	–
Madison	1	8	4	–	5	8	–	–	2	–	–	–	1	18	4	6	3	2	–
Martin	2	18	–	2	2	7	–	5	3	–	3	2	1	17	5	9	8	1	2
Mecklenburg	18	214	26	34	67	76	13	41	31	1	24	57	16	278	63	93	48	59	3
Charlotte	17	190	24	26	59	65	11	33	23	1	19	51	14	224	53	77	37	50	3
Balance of county	1	24	2	8	8	11	2	8	8	–	5	6	2	54	10	16	11	9	–
Mitchell	–	14	1	1	6	8	1	3	–	–	–	2	1	11	5	5	4	–	–
Montgomery	1	12	4	–	6	5	–	4	–	–	1	3	5	12	9	5	3	2	–
Moore	2	70	11	5	16	16	–	8	1	–	1	2	2	28	21	19	10	4	–
Nash	2	73	8	3	12	17	5	11	17	–	5	17	4	52	19	12	6	18	2
Rocky Mount, part	–	34	2	2	1	6	3	3	9	–	3	5	1	28	7	4	2	5	–
Rocky Mount, total	1	59	5	3	9	8	3	5	10	–	5	7	1	48	14	12	3	6	–
Balance of county	2	39	6	1	11	11	2	8	8	–	2	12	3	24	12	8	4	13	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	915	-	-	12	233	62	65	16	23	8	13	46	11	446	347	3	7	239	98
Wilmington	526	-	-	10	137	38	38	9	16	6	7	23	6	251	194	2	6	126	60
Balance of county	389	-	-	2	96	24	27	7	7	2	6	23	5	195	153	1	1	113	38
Northampton	268	1	-	3	57	13	16	4	9	1	7	7	5	128	89	-	11	58	20
Onslow	480	-	-	9	101	22	24	7	11	8	4	25	11	191	140	4	4	106	28
Jacksonville	169	-	-	2	33	7	5	3	4	3	2	9	7	70	49	1	-	40	8
Balance of county	311	-	-	7	68	15	19	4	7	5	2	16	4	121	91	3	4	66	18
Orange	432	1	-	14	86	21	21	9	9	5	9	22	6	184	142	3	5	86	48
Chapel Hill, part	124	-	-	4	26	6	5	5	2	1	2	5	1	56	40	1	1	20	18
Chapel Hill, total	124	-	-	4	26	6	5	5	2	1	2	5	1	56	40	1	1	20	18
Balance of county	308	1	-	10	70	15	16	4	7	4	7	17	5	128	102	2	4	66	30
Pamlico	99	-	-	1	18	7	6	1	1	-	-	3	1	53	50	1	4	33	12
Pasquotank	269	1	-	3	53	6	13	7	8	3	3	13	4	144	115	-	9	84	22
Elizabeth City, part	161	-	-	3	38	6	8	6	6	3	1	8	3	81	62	-	7	46	9
Elizabeth City, total	161	-	-	3	38	6	8	6	6	3	1	8	3	81	62	-	7	46	9
Balance of county	108	1	-	-	15	-	5	1	2	-	2	5	1	63	53	-	2	38	13
Pender	225	-	-	2	58	15	14	3	8	1	3	14	4	114	83	-	2	60	21
Perquimans	87	-	-	1	24	6	6	3	1	-	1	7	1	42	27	1	3	19	4
Person	241	1	-	2	47	12	11	2	3	2	2	15	3	137	113	-	10	57	46
Pitt	728	1	-	9	180	48	48	19	19	5	12	28	10	328	243	1	21	156	65
Greenville	239	1	-	3	59	15	12	10	7	2	6	7	2	101	73	1	8	42	22
Balance of county	489	-	-	6	121	34	36	9	12	3	6	21	8	227	170	-	13	114	43
Polk	186	-	-	-	43	14	13	3	3	1	4	5	3	92	73	1	5	49	18
Randolph	668	-	-	4	134	37	37	9	12	3	7	29	6	362	247	5	7	194	41
Asheboro	148	-	-	1	28	7	10	2	1	-	2	6	3	83	46	-	1	35	10
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	520	-	-	3	106	30	27	7	11	3	5	23	3	269	201	5	6	159	31
Richmond	446	1	-	1	88	23	30	5	9	7	2	12	8	232	171	3	7	138	23
Robeson	876	1	-	7	177	29	49	15	30	6	10	38	21	424	298	2	18	223	56
Lumberton	187	1	-	1	41	8	7	5	6	2	-	13	5	92	64	-	5	51	8
Balance of county	689	-	-	6	136	21	42	10	24	4	10	25	16	332	234	2	13	172	47
Rockingham	758	-	-	9	159	38	51	7	19	9	8	27	12	386	300	2	8	210	80
Eden	178	-	-	2	27	7	10	1	3	1	-	5	2	97	78	1	2	52	23
Reidsville	154	-	-	2	23	6	8	2	2	1	1	3	6	75	61	-	2	43	18
Balance of county	426	-	-	5	109	25	33	4	14	7	7	19	4	214	161	1	4	115	41
Rowan	929	-	-	10	213	55	57	20	13	13	6	49	16	471	323	4	11	244	64
Salisbury	331	-	-	4	65	20	15	7	6	3	1	13	4	168	105	2	5	71	27
Balance of county	598	-	-	6	148	35	42	13	7	10	5	36	12	303	218	2	6	173	37
Rutherford	533	1	-	4	94	27	24	8	14	3	2	16	4	305	233	-	1	149	83
Sampson	491	1	-	6	104	27	29	6	11	-	4	27	6	234	177	-	10	129	38
Scotland	253	-	-	5	37	8	13	2	2	2	-	10	7	137	96	-	8	58	30
Laurinburg	123	-	-	3	17	3	6	1	-	1	-	6	3	65	46	-	4	25	17
Balance of county	130	-	-	2	20	5	7	1	2	1	-	4	4	72	50	-	4	33	13
Stanly	420	-	-	2	82	15	20	11	6	6	4	20	5	239	182	3	3	151	25
Albemarle	123	-	-	-	24	8	5	3	-	2	3	3	2	67	46	-	-	40	6
Balance of county	297	-	-	2	58	7	15	8	6	4	1	17	3	172	136	3	3	111	19
Stokes	242	1	-	5	58	11	19	8	4	3	3	10	3	96	75	1	2	57	15
Surry	551	2	-	13	109	16	34	6	18	3	7	25	8	268	203	-	3	151	49
Swain	120	-	-	1	23	4	4	2	5	1	2	5	2	57	46	1	4	22	19
Transylvania	188	-	-	2	49	10	16	7	2	3	3	8	4	88	69	-	3	39	27
Tyrrell	54	-	-	2	10	1	5	-	-	1	-	3	2	27	19	-	-	12	7
Union	491	1	-	2	107	20	32	12	12	5	7	19	3	251	189	5	6	146	32
Monroe	154	-	-	1	33	5	9	4	3	3	3	6	-	83	64	1	1	51	11
Balance of county	337	1	-	1	74	15	23	8	9	2	4	13	3	168	125	4	5	95	21
Vance	367	-	-	2	57	13	23	4	6	1	3	7	6	181	145	-	10	91	44
Henderson	209	-	-	1	31	9	13	2	4	-	1	2	4	106	82	-	7	56	19
Balance of county	158	-	-	1	26	4	10	2	2	1	2	5	2	75	63	-	3	35	25
Wake	1,859	2	-	19	409	79	115	38	45	19	14	99	28	838	651	2	37	455	157
Cary	83	-	-	2	13	-	4	2	2	-	2	3	1	35	29	-	2	20	7
Garner	52	-	-	1	9	3	1	-	1	-	-	4	-	27	22	-	1	17	4
Raleigh	1,071	2	-	12	253	50	80	25	27	10	6	55	18	477	358	2	20	242	94
Balance of county	653	-	-	4	134	26	30	11	15	9	6	37	9	299	242	-	14	178	52
Warren	200	1	-	2	43	14	13	2	4	1	-	9	3	94	69	-	8	47	14
Washington	154	-	-	1	37	7	13	-	6	1	-	10	3	78	62	-	5	36	21
Watauga	178	-	-	2	43	6	12	4	4	1	5	11	1	75	62	-	5	40	17
Boone	32	-	-	1	9	1	-	1	2	1	2	2	-	10	7	-	1	5	1
Balance of county	146	-	-	1	34	5	12	3	2	-	3	9	1	65	55	-	4	35	16
Wayne	827	-	-	3	146	31	38	10	21	5	7	34	17	428	327	1	14	227	85
Goldsboro	363	-	-	1	58	9	14	6	12	2	1	14	7	189	144	1	7	100	36
Balance of county	464	-	-	2	88	22	24	4	9	3	6	20	10	239	183	-	7	127	49
Wilkes	496	-	-	5	86	20	14	7	9	8	2	26	13	254	202	5	13	124	60
Wilson	587	4	-	7	119	22	42	9	12	2	5	27	3	266	198	2	8	121	67
Wilson	360	3	-	6	72	11	28	6	11	-	1	15	2	168	126	2	6	79	39
Balance of county	227	1	-	1	47	11	14	3	1	2	4	12	1	98	72	-	2	42	28
Yadkin	229	-	-	2	43	6	12	5	7	-	1	12	8	105	74	1	1	53	19
Yancey	139	-	-	1	26	6	10	5	2	-	-	3	1	53	35	-	1	21	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	1	87	8	3	19	27	2	12	6	1	6	8	2	70	21	13	16	9	1
Wilmington	1	49	6	1	11	10	1	6	4	1	5	5	2	49	9	8	5	6	-
Balance of county	-	38	2	2	8	17	1	6	2	-	1	3	-	21	12	5	11	3	1
Northampton	-	35	2	2	9	7	-	5	2	-	1	1	1	24	8	9	3	4	-
Onslow	2	44	3	2	13	9	-	6	3	-	15	18	4	40	24	16	10	8	3
Jacksonville	1	18	2	-	5	4	-	1	1	-	5	9	1	18	5	3	1	4	-
Balance of county	1	26	1	2	8	5	-	4	2	-	10	9	3	22	19	13	9	4	3
Orange	3	31	5	3	10	15	-	2	5	1	3	7	3	46	17	11	5	5	1
Chapel Hill, part	2	11	2	1	4	5	-	2	1	1	1	5	2	11	3	2	-	-	-
Chapel Hill, total	2	11	2	1	4	5	-	2	1	1	1	5	2	11	3	2	-	-	-
Balance of county	1	20	3	2	6	10	-	-	4	-	2	2	1	35	14	9	5	5	1
Pamlico	-	2	1	-	2	1	-	3	-	-	-	1	-	8	6	2	2	1	-
Pasquotank	1	21	4	3	10	3	-	5	-	-	3	-	2	20	8	7	2	3	1
Elizabeth City, part	1	12	3	3	7	2	-	2	-	-	3	-	2	14	2	3	-	1	-
Elizabeth City, total	1	12	3	3	7	2	-	2	-	-	3	-	2	14	2	3	-	1	-
Balance of county	-	9	1	-	3	1	-	3	-	-	-	-	-	6	6	4	2	2	1
Pender	2	28	-	1	6	5	-	1	1	-	2	1	-	14	5	6	4	2	-
Perquimans	-	9	3	3	2	1	1	1	2	-	-	-	-	3	3	5	1	-	-
Person	1	16	1	6	3	3	-	3	1	-	1	2	-	15	3	7	9	4	-
Pitt	4	69	6	6	20	21	5	14	5	-	7	9	1	51	20	18	19	9	1
Greenville	3	21	2	2	9	6	2	6	2	-	1	3	-	18	5	7	10	3	1
Balance of county	1	48	4	4	11	15	3	8	3	-	6	6	1	33	15	11	9	6	-
Polk	3	12	4	-	7	5	-	3	1	-	-	-	2	18	2	6	3	1	-
Randolph	1	98	1	5	9	19	1	8	9	-	6	2	6	52	15	23	19	3	-
Asheboro	1	35	-	1	3	2	-	2	3	-	1	1	1	8	2	7	3	-	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	63	1	4	6	17	1	6	6	-	5	1	5	44	13	16	16	3	-
Richmond	3	50	6	2	5	14	1	3	8	-	1	7	5	38	9	11	4	10	-
Robeson	2	95	21	8	21	29	2	10	11	1	11	9	12	61	27	24	11	17	-
Lumberton	2	15	7	4	2	13	2	-	1	-	2	3	4	13	1	3	2	1	-
Balance of county	-	80	14	4	19	16	-	10	10	1	9	6	8	48	26	21	9	16	-
Rockingham	3	67	9	7	17	20	-	7	7	-	5	5	5	62	18	22	12	11	1
Eden	3	12	3	1	2	7	-	2	3	-	2	1	1	18	1	6	3	3	-
Reidsville	-	12	1	1	4	4	-	1	-	-	1	2	2	21	3	4	4	2	-
Balance of county	-	43	5	5	11	9	-	4	4	-	2	2	2	22	14	12	5	6	1
Rowan	6	101	28	13	25	19	-	18	13	1	7	5	9	66	18	27	7	9	1
Salisbury	2	38	16	7	12	9	-	9	6	1	4	3	2	28	3	9	1	2	1
Balance of county	4	63	12	6	13	10	-	9	7	-	3	2	1	38	15	18	6	7	-
Rutherford	1	60	7	4	14	16	2	4	5	-	4	4	3	29	9	17	12	4	2
Sampson	3	41	5	8	7	10	-	7	6	-	3	6	5	54	17	14	3	8	-
Scotland	1	30	9	1	6	6	-	4	6	-	-	6	-	20	7	4	3	5	-
Laurinburg	-	12	6	1	4	3	-	4	4	-	-	3	-	8	4	1	1	3	-
Balance of county	1	18	3	-	2	3	-	-	2	-	-	3	-	12	3	3	2	2	-
Stanly	1	44	6	6	5	7	1	5	7	-	1	4	3	29	9	13	6	1	1
Albemarle	-	16	1	4	1	5	1	3	2	-	-	2	-	7	-	7	2	-	-
Balance of county	1	28	5	2	4	2	-	2	5	-	1	2	3	22	9	6	4	1	1
Stokes	-	19	2	-	15	10	-	2	2	-	4	4	2	17	10	6	5	2	-
Surry	2	48	10	5	14	17	1	3	3	-	4	8	3	55	11	15	12	4	1
Swain	-	7	3	1	2	5	1	3	2	-	-	5	1	11	2	4	1	-	-
Transylvania	-	14	3	2	4	11	1	2	1	-	2	-	-	14	3	5	1	1	-
Tyrrell	-	7	-	1	1	2	-	1	-	-	-	-	-	4	3	1	-	1	-
Union	2	50	6	4	13	12	-	4	11	-	5	5	3	34	17	13	6	4	-
Monroe	-	13	4	2	2	5	-	2	5	-	2	3	1	8	4	3	1	1	-
Balance of county	2	37	2	2	11	7	-	2	6	-	3	2	2	26	13	10	5	3	-
Vance	3	25	2	6	15	15	2	7	4	-	4	7	7	37	8	9	2	4	-
Henderson	3	17	2	2	11	12	2	4	2	-	1	1	5	16	3	6	1	3	-
Balance of county	-	8	-	4	4	3	-	3	2	-	3	6	2	21	5	3	1	1	-
Wake	6	155	13	13	40	47	11	30	14	1	16	40	16	154	64	48	42	37	3
Cary	-	4	1	1	2	5	1	2	2	-	-	3	-	7	4	3	3	-	-
Garner	-	4	1	-	1	3	-	1	1	-	-	1	1	3	2	2	-	-	-
Raleigh	5	96	9	9	28	26	3	19	5	1	10	26	11	81	25	28	21	24	1
Balance of county	1	51	2	3	9	13	7	8	6	-	6	10	4	63	33	15	18	13	2
Warren	2	21	1	1	8	2	-	3	6	-	-	6	2	11	5	4	3	7	-
Washington	3	13	-	-	4	1	-	3	2	-	-	2	2	11	1	5	2	2	-
Watauga	1	9	2	1	4	7	1	2	2	-	-	1	1	17	3	9	8	2	-
Boone	-	3	-	-	1	2	-	-	1	-	-	-	1	6	-	1	-	-	-
Balance of county	1	6	2	1	3	5	1	2	1	-	-	1	-	11	3	8	8	2	-
Wayne	5	83	8	5	19	21	2	16	16	-	10	5	7	68	22	27	10	10	-
Goldsboro	4	35	3	3	10	10	1	9	10	-	5	3	3	30	6	14	3	4	-
Balance of county	1	48	5	2	9	11	1	7	6	-	5	2	4	38	16	13	7	6	-
Wilkes	1	42	4	5	20	14	2	4	3	-	1	5	2	32	15	20	14	5	1
Wilson	4	52	8	4	21	13	-	9	6	-	2	7	7	64	18	21	10	10	-
Wilson	4	32	4	2	15	6	-	4	2	-	1	4	6	35	9	11	9	7	-
Balance of county	-	20	4	2	6	7	-	5	4	-	1	3	1	29	9	10	1	3	-
Yadkin	1	28	2	-	9	6	1	4	1	-	-	2	-	26	11	7	2	2	-
Yancey	-	15	2	1	6	8	-	1	1	-	1	-	3	22	7	4	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,390	2	–	35	1,167	358	230	97	171	88	44	189	100	2,695	2,029	15	42	1,514	458
Urban places	1,781	1	–	9	414	127	88	35	53	23	15	73	35	813	580	7	4	465	104
Balance of area	3,609	1	–	26	753	231	142	62	118	45	29	126	65	1,882	1,449	8	38	1,049	354
Metropolitan counties	1,461	–	–	10	339	114	59	34	42	20	12	58	28	671	497	3	12	384	98
Urban places	1,104	–	–	6	260	82	51	27	31	14	9	46	15	494	358	3	2	289	62
Balance of area	357	–	–	4	79	32	8	7	11	6	3	12	13	177	141	–	10	95	36
Nonmetropolitan counties	3,929	2	–	25	828	244	171	63	129	48	32	141	72	2,024	1,532	12	30	1,130	360
Urban places	677	1	–	3	154	45	37	8	22	9	6	27	20	319	224	4	2	176	42
Balance of area	3,252	1	–	22	674	199	134	55	107	39	26	114	52	1,705	1,308	8	28	954	318
Adams	41	–	–	–	7	2	–	1	2	–	–	2	2	22	17	1	–	10	6
Barnes	158	–	–	–	34	10	6	1	3	1	4	9	1	98	74	–	5	45	24
Benson	82	–	–	–	13	7	1	–	2	–	–	3	1	35	27	–	–	16	9
Billings	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Bottineau	95	1	–	–	23	8	5	1	6	2	–	1	–	49	37	–	–	20	17
Bowman	37	–	–	–	10	6	1	–	–	1	–	2	–	21	13	–	–	13	–
Burke	37	–	–	–	4	2	2	–	–	–	–	–	–	24	22	–	–	18	4
Burleigh	327	–	–	1	82	33	10	7	11	4	4	13	6	154	117	1	1	93	22
Bismarck	276	–	–	–	72	29	10	7	9	4	3	10	5	123	92	1	1	75	15
Balance of county	51	–	–	1	10	4	–	–	2	–	1	3	1	31	25	–	–	18	7
Cass	565	–	–	4	138	37	33	16	16	8	6	22	9	253	183	–	3	150	30
Fargo	418	–	–	3	99	20	25	13	13	3	5	20	6	184	126	–	1	105	20
West Fargo	36	–	–	–	9	4	3	–	1	1	–	–	–	16	14	–	–	12	2
Balance of county	111	–	–	1	30	13	5	3	2	4	1	2	3	53	43	–	2	33	8
Cavalier	80	–	–	2	18	7	3	–	3	–	1	4	–	42	29	–	–	20	9
Dickey	96	–	–	1	19	5	1	1	3	3	–	6	–	59	49	–	3	34	12
Divide	52	–	–	–	10	4	1	–	3	1	1	–	–	23	16	–	–	10	6
Dunn	30	–	–	–	6	2	1	–	1	–	–	2	1	13	10	–	–	8	2
Eddy	47	–	–	–	7	4	1	1	1	–	–	–	1	22	21	1	–	15	5
Emmons	65	–	–	–	13	4	2	1	2	1	–	3	5	30	19	–	1	17	1
Foster	45	–	–	1	10	3	3	1	2	–	1	–	–	26	15	–	–	7	8
Golden Valley	21	–	–	–	3	–	–	–	3	–	–	–	–	11	10	–	–	8	2
Grand Forks	386	–	–	5	81	33	10	7	6	7	1	17	9	178	132	2	7	94	29
Grand Forks	277	–	–	3	60	23	9	5	4	5	1	13	2	125	93	2	–	75	16
Balance of county	109	–	–	2	21	10	1	2	2	2	–	4	7	50	39	–	7	19	13
Grant	35	–	–	–	9	3	2	–	2	1	1	–	–	18	14	–	2	11	1
Griggs	40	–	–	1	12	4	1	1	2	–	–	4	–	18	14	–	1	3	10
Hettinger	37	–	–	–	7	2	1	–	2	–	–	2	1	21	19	–	1	14	4
Kidder	31	–	–	–	7	3	2	1	–	–	–	1	–	13	10	–	–	7	3
La Moure	77	–	–	1	13	3	4	1	3	1	–	1	2	47	38	–	6	26	6
Logan	32	–	–	–	7	5	1	1	–	–	–	–	1	17	12	–	–	8	4
McHenry	88	–	–	–	32	13	2	1	4	3	2	7	–	35	26	1	1	20	4
McIntosh	61	–	–	3	13	6	1	–	1	2	–	3	–	35	31	–	1	16	14
McKenzie	56	–	–	–	14	4	5	2	–	1	–	2	1	28	18	1	–	13	4
McLean	126	–	–	1	22	7	2	1	2	2	4	4	3	74	64	–	–	58	6
Mercer	68	–	–	1	13	2	4	1	2	–	–	4	2	32	23	–	–	21	2
Morton	183	–	–	–	38	11	6	4	9	1	1	6	4	89	65	–	1	47	17
Mandan	97	–	–	–	20	6	4	2	4	1	–	3	2	46	31	–	–	22	9
Balance of county	86	–	–	–	18	5	2	2	5	–	1	3	2	43	34	–	1	25	8
Mountrail	84	–	–	–	20	6	3	4	1	1	1	4	4	38	28	–	–	21	7
Nelson	88	–	–	–	14	5	2	–	3	1	1	2	1	55	45	1	–	25	19
Oliver	10	–	–	–	1	1	–	–	–	–	–	–	–	9	9	–	–	8	1
Pembina	93	–	–	–	20	3	5	4	3	1	–	4	2	51	30	–	–	22	8
Pierce	45	–	–	2	12	2	3	3	2	–	–	2	1	21	16	–	–	14	2
Ramsey	128	–	–	–	29	10	11	2	3	1	–	2	1	70	51	–	1	41	9
Ransom	91	–	–	–	22	6	3	4	2	2	–	5	–	51	45	–	1	40	4
Renville	29	–	–	–	6	1	2	1	–	–	1	1	–	14	13	–	1	10	2
Richland	186	–	–	3	37	11	10	3	7	2	1	3	4	100	65	–	–	56	9
Rolette	98	–	–	–	20	5	4	1	5	1	1	3	–	44	35	2	–	23	10
Sargent	61	–	–	1	11	3	2	–	3	–	–	3	2	28	23	–	–	18	5
Sheridan	26	–	–	1	5	–	–	2	–	1	–	2	1	13	10	–	–	5	5
Sioux	27	–	–	–	2	1	–	–	1	–	–	–	2	8	7	–	–	4	3
Slope	7	–	–	–	2	–	1	–	1	–	–	–	–	5	4	–	1	2	1
Stark	166	1	–	1	32	10	8	1	4	3	1	5	4	69	44	1	–	35	8
Dickinson	119	1	–	–	24	7	5	–	4	2	1	5	4	50	32	1	–	28	5
Balance of county	47	–	–	1	8	3	3	1	–	1	–	–	–	19	12	–	–	9	3
Steele	41	–	–	–	4	2	–	–	1	–	–	1	4	20	15	–	–	8	7
Stutsman	203	–	–	1	37	9	7	2	5	4	1	9	9	117	80	–	1	65	14
Jamestown	148	–	–	1	27	6	6	1	3	4	1	6	7	83	53	–	1	41	11
Balance of county	55	–	–	–	10	3	1	1	2	–	–	3	2	34	27	–	–	24	3
Towner	53	–	–	1	11	3	1	3	2	1	–	1	–	34	28	–	–	14	12
Traill	138	–	–	1	26	6	4	3	5	4	2	2	2	86	60	–	2	48	10
Walsh	169	–	–	–	38	9	10	3	8	1	2	5	2	83	62	–	1	50	11
Ward	378	–	–	2	92	25	28	6	13	4	4	12	7	171	130	1	1	96	32
Minot	282	–	–	2	70	24	20	3	10	3	2	8	6	133	97	1	1	72	23
Balance of county	96	–	–	–	22	1	8	3	3	1	2	4	1	38	33	–	–	24	9
Wells	84	–	–	1	17	1	4	1	4	2	1	4	1	44	37	1	–	27	9
Williams	188	–	–	–	44	9	11	4	7	–	2	11	4	83	68	2	–	58	8
Williston	128	–	–	–	33	8	6	4	5	–	2	8	3	53	42	2	–	37	3
Balance of county	60	–	–	–	11	1	5	–	2	–	–	3	1	30	26	–	–	21	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	22	482	93	69	174	122	14	50	64	-	35	62	63	397	158	166	73	7	6
Urban places	10	159	36	28	54	50	6	24	17	-	15	32	18	156	50	46	35	3	3
Balance of area	12	323	57	41	120	72	8	26	47	-	20	30	45	241	108	120	38	4	3
Metropolitan counties	2	123	25	24	54	43	4	19	12	-	18	23	13	114	42	39	26	2	3
Urban places	2	98	19	19	39	40	4	18	11	-	13	20	10	95	25	25	24	2	3
Balance of area	-	25	6	5	15	3	-	1	1	-	6	3	3	19	17	14	2	-	-
Nonmetropolitan counties	20	359	68	45	120	79	10	31	52	-	16	39	50	283	116	127	47	5	3
Urban places	8	61	17	9	15	10	2	6	6	-	2	12	8	61	25	21	11	1	-
Balance of area	12	298	51	36	105	69	8	25	46	-	14	27	42	222	91	106	36	4	3
Adams	-	5	-	-	1	2	-	1	-	-	-	1	-	5	-	-	-	-	-
Barnes	-	18	2	4	4	3	-	-	-	-	1	1	1	12	1	2	-	-	-
Benson	1	7	-	-	3	2	-	1	2	-	-	1	1	7	4	9	2	-	1
Billings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bottineau	1	7	-	4	5	-	1	-	-	-	-	1	2	5	5	3	-	-	-
Bowman	-	5	1	2	1	-	-	-	-	-	-	-	-	1	-	2	1	1	-
Burke	-	1	1	-	1	2	-	-	-	-	-	-	-	1	1	4	-	-	-
Burleigh	-	25	4	8	8	9	1	3	3	-	5	3	3	27	9	6	6	1	-
Bismarck	-	21	4	6	8	8	1	3	3	-	4	2	3	26	7	4	6	1	-
Balance of county	-	4	-	2	-	1	-	-	-	-	1	1	-	1	2	2	-	-	-
Cass	1	54	8	7	22	20	1	6	5	-	7	9	6	43	15	14	10	-	3
Fargo	1	45	5	7	20	18	1	6	5	-	4	9	2	33	7	10	8	-	3
West Fargo	-	1	1	-	-	1	-	-	-	-	1	-	1	4	2	1	1	-	-
Balance of county	-	8	2	-	2	1	-	-	-	-	2	-	3	6	6	3	1	-	-
Cavalier	-	10	3	-	5	-	-	-	1	-	-	1	2	4	-	1	4	-	-
Dickey	-	8	1	1	3	3	-	-	-	-	1	-	-	6	2	2	-	-	-
Divide	-	6	-	1	2	1	-	-	-	-	1	-	1	6	3	4	1	-	-
Dunn	-	2	1	-	-	1	-	-	-	-	-	-	1	2	2	3	1	-	-
Eddy	-	-	-	1	-	2	-	-	1	-	-	-	-	7	4	3	-	-	-
Emmons	2	4	5	-	2	3	-	-	3	-	-	-	-	6	1	1	1	-	-
Foster	1	6	4	-	-	1	1	1	1	-	1	-	-	1	-	1	1	-	-
Golden Valley	-	1	-	-	1	-	-	-	1	-	-	-	1	2	1	-	1	-	-
Grand Forks	1	27	10	5	15	9	1	8	1	-	5	7	3	33	13	11	9	1	-
Grand Forks	1	20	7	4	10	8	1	8	1	-	3	6	3	24	7	6	8	1	-
Balance of county	-	7	3	1	5	-	-	-	-	-	2	1	-	9	6	5	1	-	-
Grant	-	3	1	-	1	1	-	-	1	-	-	-	-	4	-	-	1	-	-
Griggs	-	3	1	-	-	-	-	2	1	-	-	-	2	-	-	4	-	-	-
Hettinger	-	2	-	-	1	-	-	-	-	-	-	1	-	4	-	2	-	-	-
Kidder	-	2	1	-	-	2	-	1	1	-	-	-	3	-	1	3	-	-	-
La Moure	1	5	2	1	4	2	-	-	-	-	-	-	1	6	1	-	-	-	-
Logan	-	2	3	-	-	-	-	-	-	-	-	-	3	3	-	1	-	-	-
McHenry	1	8	-	-	1	1	-	-	1	-	-	1	-	11	4	2	-	-	-
McIntosh	-	4	-	-	-	1	-	-	-	-	-	1	4	3	-	-	1	-	-
McKenzie	-	6	-	2	3	1	-	1	2	-	-	-	2	1	2	3	-	-	-
McLean	-	6	-	2	1	2	-	2	-	-	-	1	1	7	7	5	-	-	-
Mercer	-	6	2	1	2	1	1	-	-	-	1	1	-	6	5	2	1	-	-
Morton	-	17	3	4	9	5	1	2	3	-	2	4	1	11	5	8	1	-	-
Mandan	-	11	2	2	1	4	1	1	2	-	1	3	1	8	2	4	1	-	-
Balance of county	-	6	1	2	8	1	-	1	1	-	1	1	-	3	3	4	-	-	-
Mountrail	1	5	1	1	3	-	1	1	-	-	1	2	3	6	1	5	-	-	1
Nelson	-	8	2	-	4	2	1	1	1	-	-	-	-	5	3	-	1	-	-
Oliver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pembina	-	20	1	-	3	2	-	1	4	-	-	-	-	1	4	3	2	-	-
Pierce	-	5	-	-	-	2	-	-	-	-	-	-	-	4	1	2	-	-	-
Ramsey	-	17	2	-	2	2	-	2	-	-	1	1	-	12	5	2	1	-	-
Ransom	-	6	-	-	1	1	-	1	6	-	-	-	1	3	3	2	-	-	-
Renville	-	1	-	-	2	-	-	-	-	-	-	-	1	2	1	2	-	1	-
Richland	1	29	3	2	12	5	-	-	2	-	1	3	-	11	2	4	2	-	-
Rolette	1	7	-	1	5	1	-	2	2	-	-	1	3	7	5	3	1	1	1
Sargent	-	3	1	1	4	5	-	1	1	-	1	2	-	4	-	1	-	-	-
Sheridan	-	2	-	1	-	-	-	1	2	-	-	-	-	2	-	1	-	-	-
Sioux	-	1	-	-	-	2	1	1	1	-	-	1	3	3	2	1	-	-	-
Slope	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stark	1	17	4	3	2	2	-	1	2	-	3	7	3	20	6	7	6	-	-
Dickinson	1	12	2	3	1	1	-	1	1	-	2	6	1	19	2	2	4	-	-
Balance of county	-	5	2	-	1	1	-	-	1	-	1	1	2	1	4	5	2	-	-
Steele	-	4	-	1	3	-	-	-	-	-	1	1	1	4	1	1	1	-	-
Stutsman	2	24	7	4	2	3	1	2	-	-	-	-	1	17	6	3	4	-	-
Jamestown	2	18	7	3	2	1	1	-	-	-	-	-	1	15	5	2	3	-	-
Balance of county	-	6	-	1	-	2	-	2	-	-	-	-	-	2	1	1	1	-	-
Towner	1	3	3	1	3	-	-	-	1	-	-	1	-	1	-	1	-	-	-
Traill	-	19	4	3	3	5	-	-	1	-	-	-	-	7	3	4	-	-	-
Walsh	1	16	2	2	9	1	1	1	3	-	-	2	-	21	1	6	1	-	-
Ward	4	29	5	3	9	8	1	6	5	-	2	7	5	26	15	11	10	1	-
Minot	4	25	4	3	6	5	-	5	3	-	-	5	3	19	11	10	3	1	-
Balance of county	-	4	1	-	3	3	1	1	2	-	2	2	2	7	4	1	7	-	-
Wells	-	5	-	2	3	2	-	1	4	-	-	-	-	7	1	3	-	-	-
Williams	1	8	5	1	8	5	1	-	2	-	1	1	4	10	12	8	3	1	-
Williston	1	6	4	-	6	3	1	-	2	-	-	1	3	8	7	7	1	-	-
Balance of county	-	2	1	1	3	2	-	-	-	-	1	-	1	2	5	1	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	94,473	52	6	745	21,412	5,579	5,987	1,990	2,285	933	809	3,829	2,040	47,732	37,676	365	1,268	28,470	7,573
Urban places	56,750	36	4	474	13,050	3,467	3,658	1,209	1,390	558	470	2,288	1,242	28,276	22,310	221	817	16,768	4,504
Balance of area	37,723	16	2	271	8,362	2,112	2,329	781	895	375	339	1,531	798	19,456	15,366	144	451	11,702	3,069
Metropolitan counties	75,052	50	6	606	17,318	4,571	4,877	1,636	1,813	741	633	3,047	1,641	37,357	29,571	296	1,059	22,139	6,077
Urban places	50,515	35	4	427	11,675	3,118	3,281	1,080	1,249	495	408	2,044	1,108	24,957	19,759	197	744	14,761	4,057
Balance of area	24,537	15	2	179	5,643	1,453	1,596	556	564	246	225	1,003	533	12,400	9,812	99	315	7,378	2,020
Nonmetropolitan counties	19,421	2	–	139	4,094	1,008	1,110	354	472	192	176	782	399	10,375	8,105	69	209	6,331	1,496
Urban places	6,235	1	–	47	1,375	349	377	129	141	63	62	254	134	3,319	2,551	24	73	2,007	447
Balance of area	13,186	1	–	92	2,719	659	733	225	331	129	114	528	265	7,056	5,554	45	136	4,324	1,049
Adams	260	–	–	1	48	11	16	3	3	6	1	9	4	155	129	2	3	106	17
Allen	886	1	–	7	220	64	49	23	24	6	9	45	13	441	351	5	11	254	61
Lima	528	–	–	4	127	35	29	13	15	4	5	26	6	269	217	3	9	153	52
Balance of county	358	1	–	3	93	29	20	10	9	2	4	19	7	172	134	2	2	101	29
Ashland	390	–	–	5	84	21	22	8	13	5	4	11	9	205	158	2	4	114	38
Ashland	195	–	–	3	40	11	12	4	2	4	1	6	7	108	82	1	3	60	18
Balance of county	195	–	–	2	44	10	10	4	11	1	3	5	2	97	76	1	1	54	20
Ashtabula	916	–	–	4	211	59	57	15	21	8	13	40	19	489	397	3	7	294	93
Ashtabula	245	–	–	1	59	20	9	7	5	2	5	11	3	130	106	1	2	76	27
Conneaut	124	–	–	–	36	10	11	2	3	–	2	8	2	67	51	1	–	42	8
Balance of county	547	–	–	3	116	29	37	6	13	4	6	21	14	292	240	1	5	176	58
Athens	430	–	–	4	104	23	27	11	15	5	3	20	3	214	156	–	4	117	35
Athens	82	–	–	1	21	8	4	1	3	2	1	2	–	43	29	–	1	19	9
Balance of county	348	–	–	3	83	15	23	10	12	3	2	18	3	171	127	–	3	98	26
Auglaize	413	1	–	3	99	28	24	11	10	3	5	16	9	207	144	2	5	119	18
Belmont	871	–	–	3	175	34	49	21	24	8	6	33	14	479	379	10	5	308	56
Brown	312	–	–	2	63	16	24	2	4	3	4	10	8	168	129	–	6	94	29
Butler	1,838	–	–	11	444	111	143	32	42	21	17	76	44	854	654	7	26	476	145
Fairfield	139	–	–	1	34	11	7	2	4	3	2	5	4	64	57	–	–	45	12
Hamilton	597	–	–	2	145	36	44	10	16	7	6	26	20	270	203	2	14	156	31
Middletown	449	–	–	3	107	22	40	8	9	1	4	23	10	223	170	1	–	121	48
Oxford	57	–	–	–	12	5	4	–	2	–	–	1	1	29	22	–	1	15	6
Balance of county	596	–	–	5	146	37	48	12	11	10	5	23	9	268	202	4	11	139	48
Carroll	217	1	–	2	54	9	14	7	5	4	2	13	7	107	83	–	9	55	19
Champaign	302	–	–	6	63	12	21	5	6	4	3	12	10	149	114	1	3	83	17
Urbana	112	–	–	–	32	5	15	3	2	2	–	5	4	48	37	–	–	29	8
Balance of county	190	–	–	6	31	7	6	2	4	2	3	7	6	95	77	1	3	54	9
Clark	1,417	2	–	5	318	72	90	38	38	21	11	48	40	714	520	4	17	366	113
Springfield	874	1	–	3	206	47	65	24	26	9	7	28	25	429	326	2	12	254	58
Balance of county	543	1	–	2	112	25	25	14	12	12	4	20	15	285	194	2	5	132	55
Clermont	813	1	–	7	169	44	62	16	25	5	5	32	16	380	305	1	11	227	66
Clinton	317	–	–	3	72	20	15	7	7	5	2	16	3	165	124	2	5	89	28
Wilmington	131	–	–	2	31	10	7	4	4	3	–	3	1	60	43	–	4	28	11
Balance of county	186	–	–	1	41	10	8	3	3	2	2	13	2	105	81	2	1	61	17
Columbiana	1,158	–	–	12	242	66	69	18	17	8	16	48	26	862	533	2	20	440	71
East Liverpool	271	–	–	5	62	15	20	5	5	1	2	14	7	147	121	–	2	109	10
Salem	146	–	–	–	36	15	8	5	1	–	1	6	2	88	67	–	1	53	13
Balance of county	741	–	–	7	144	36	41	8	11	7	13	28	17	427	345	2	17	278	45
Coshocton	335	–	–	2	67	26	13	5	8	1	2	12	13	160	142	2	2	117	21
Coshocton	158	–	–	1	36	14	9	2	6	1	–	4	6	78	59	1	1	51	6
Balance of county	177	–	–	1	31	12	4	3	2	–	2	8	7	102	83	1	1	66	15
Crawford	531	–	–	3	114	28	39	8	13	4	6	14	8	286	211	2	11	171	27
Bucyrus	155	–	–	–	29	5	10	1	2	–	4	7	2	86	64	1	1	53	9
Galion	156	–	–	1	33	9	12	2	2	2	3	3	2	83	53	–	4	41	8
Balance of county	220	–	–	2	52	14	17	5	9	2	1	4	4	117	94	1	6	77	10
Cuyahoga	15,477	7	2	137	3,626	986	961	316	419	156	120	664	348	7,637	6,150	73	217	4,861	1,008
Bay Village	120	–	–	–	31	10	3	4	4	1	4	5	3	50	41	–	2	31	8
Bedford	144	–	–	1	33	9	8	5	4	3	–	4	3	77	66	2	2	52	10
Bedford Heights	73	–	–	1	16	4	6	1	1	1	–	3	1	38	33	–	1	29	3
Berea	169	–	–	1	45	11	6	6	9	2	3	8	9	73	52	3	2	40	7
Brecksville	83	–	–	–	21	5	6	5	–	1	1	3	2	40	31	–	–	23	8
Broadview Heights	79	–	–	–	23	6	5	3	3	1	–	5	2	39	29	–	–	25	4
Brooklyn	135	–	–	1	26	11	4	4	1	2	2	2	4	65	53	1	2	44	6
Brook Park	146	–	–	2	43	7	17	3	3	2	2	9	2	77	66	–	2	58	8
Cleveland	6,972	7	2	73	1,550	429	451	113	170	53	46	288	167	3,300	2,677	28	103	2,063	483
Cleveland Heights	548	–	–	7	108	34	27	13	9	2	2	21	11	287	220	4	10	162	44
East Cleveland	342	–	–	7	62	19	19	3	11	1	–	9	5	157	135	2	5	105	23
Euclid	725	–	–	5	178	40	50	17	20	13	4	34	12	375	303	4	8	217	74
Fairview Park	220	–	–	–	52	14	14	1	7	3	3	10	4	121	90	3	3	77	7
Garfield Heights	359	–	–	4	95	25	23	8	12	5	1	21	8	182	151	1	5	122	23
Lakewood	617	–	–	4	151	43	32	11	26	8	3	28	11	327	250	6	7	203	34
Lyndhurst	188	–	–	2	52	12	15	1	9	2	4	9	8	100	78	–	3	58	17
Maple Heights	317	–	–	–	87	14	23	13	11	5	2	19	7	166	142	3	6	110	23
Mayfield Heights	286	–	–	6	62	15	16	4	9	2	3	13	5	159	126	1	1	105	19
Middleburg Heights	109	–	–	–	30	9	7	6	2	2	–	4	–	51	43	1	2	34	6
North Olmsted	227	–	–	2	65	15	20	7	8	4	1	10	3	114	91	–	4	77	10
North Royalton	109	–	–	–	27	7	7	1	3	1	2	6	5	50	45	–	1	35	9
Parma	836	–	–	7	215	68	43	21	22	8	9	44	19	436	357	3	12	289	43
Parma Heights	252	–	–	2	61	21	13	10	4	5	3	5	4	138	108	2	2	84	20
Richmond Heights	93	–	–	1	26	4	8	3	2	–	2	7	3	44	36	–	1	30	5
Rocky River	251	–	–	–	59	12	9	4	10	7	3	14	9	127	100	2	9	79	10
Seven Hills	122	–	–	–	29	10	9	2	2	1	1	4	5	65	52	–	2	37	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Ohio	352	7,372	1,269	1,043	1,935	2,948	290	1,100	894	13	645	987	1,387	6,634	1,661	1,917	1,280	709	86
Urban places	225	4,400	706	635	1,161	1,698	173	744	557	8	374	639	908	4,154	776	1,099	774	562	50
Balance of area	127	2,972	563	408	774	1,250	117	356	337	5	271	348	479	2,480	885	827	506	147	36
Metropolitan counties	275	5,795	938	838	1,523	2,331	237	919	698	9	524	813	1,177	5,347	1,235	1,497	1,061	640	63
Urban places	194	3,851	589	564	1,030	1,513	158	678	490	8	337	578	847	3,719	685	979	701	543	43
Balance of area	81	1,884	349	274	493	818	79	241	208	1	187	235	330	1,628	550	518	360	97	20
Nonmetropolitan counties	77	1,637	351	205	412	617	53	181	196	4	121	174	210	1,287	426	420	219	69	23
Urban places	31	549	117	71	131	185	15	66	67	–	37	61	61	435	91	111	73	19	7
Balance of area	46	1,088	234	134	281	432	38	115	129	4	84	113	149	852	335	309	146	50	16
Adams	1	20	3	3	4	8	1	1	–	–	1	3	3	10	7	5	2	4	3
Allen	1	63	16	10	8	36	2	11	4	–	12	5	5	67	19	18	14	2	1
Lima	1	37	8	6	3	26	1	7	4	–	4	2	4	43	11	6	8	2	1
Balance of county	–	26	8	4	5	10	1	4	–	–	8	3	1	24	8	12	6	–	–
Ashland	1	35	8	3	8	11	1	3	6	–	2	1	7	25	7	11	4	1	–
Ashland	1	18	5	2	3	3	–	2	2	–	1	–	1	14	1	8	2	–	–
Balance of county	–	17	3	1	5	8	1	1	4	–	1	1	6	11	6	3	2	1	–
Ashtabula	2	70	12	8	14	16	–	11	10	–	3	11	5	61	25	17	13	6	1
Ashtabula	–	18	3	3	3	4	–	4	4	–	2	6	–	17	4	6	2	–	–
Conneaut	–	11	4	1	2	3	–	1	2	–	–	–	–	9	–	–	2	–	–
Balance of county	2	41	5	4	9	9	–	6	4	–	1	5	5	35	21	11	9	6	1
Athens	4	40	10	4	6	16	2	9	1	–	–	4	12	28	8	10	4	5	–
Athens	2	10	2	–	2	2	–	–	–	–	–	1	2	6	–	2	–	2	–
Balance of county	2	30	8	4	4	14	2	9	1	–	–	3	10	22	8	8	4	3	–
Auglaize	–	42	14	7	10	12	–	2	3	–	3	3	1	31	8	14	6	–	1
Belmont	7	73	14	6	21	24	1	9	9	–	6	8	23	54	12	18	9	4	–
Brown	–	26	8	3	9	10	–	1	1	–	7	6	–	16	5	11	7	2	–
Butler	10	140	31	19	57	69	2	18	13	1	23	26	20	126	43	39	33	13	2
Fairfield	–	4	1	2	3	4	–	2	–	–	–	4	1	8	4	6	4	–	–
Hamilton	5	49	7	6	22	19	1	6	2	1	9	10	8	41	8	16	10	6	1
Middletown	3	33	10	7	12	15	–	6	8	–	2	3	6	27	8	6	8	4	1
Oxford	1	4	1	1	3	–	–	–	–	–	2	–	–	9	–	–	1	–	–
Balance of county	1	50	12	3	17	31	1	4	3	–	10	9	5	41	23	11	10	3	–
Carroll	2	20	1	1	2	9	–	3	–	–	1	2	–	14	7	4	4	–	–
Champaign	1	19	5	4	4	12	–	1	6	–	1	4	2	28	7	10	4	1	–
Urbana	–	8	–	3	1	3	–	–	4	–	–	2	1	9	3	4	1	–	–
Balance of county	1	11	5	1	3	9	–	1	2	–	1	2	1	19	4	6	3	1	–
Clark	5	152	17	20	26	49	9	18	14	–	9	23	10	96	28	23	28	4	1
Springfield	5	77	10	11	17	34	2	12	8	–	5	17	7	61	10	14	19	3	1
Balance of county	–	75	7	9	9	15	7	6	6	–	4	6	3	35	18	9	9	1	–
Clermont	4	57	6	8	28	33	7	9	8	–	8	9	3	52	28	13	17	3	2
Clinton	5	33	2	1	12	9	–	1	6	–	4	2	2	29	2	6	1	–	–
Wilmington	3	12	1	1	5	4	–	1	2	–	3	2	1	15	1	2	1	–	–
Balance of county	2	21	1	–	7	5	–	–	4	–	1	–	1	14	1	4	–	–	–
Columbiana	4	92	25	8	9	39	3	11	6	–	5	12	2	76	21	15	11	6	–
East Liverpool	–	23	1	2	2	4	2	4	2	–	1	3	–	24	1	5	2	–	–
Salem	–	15	6	–	–	3	1	1	1	–	1	1	–	7	2	1	2	–	–
Balance of county	4	54	18	6	7	32	–	6	3	–	3	8	2	45	18	9	7	6	–
Coshocton	4	31	2	1	8	8	–	5	4	–	2	1	1	24	9	9	2	–	–
Coshocton	1	17	1	–	4	5	–	1	2	–	2	–	1	14	4	3	1	–	–
Balance of county	3	14	1	1	4	3	–	4	2	–	–	1	–	10	5	6	1	–	–
Crawford	2	56	13	4	8	18	1	3	7	–	5	11	–	38	11	10	5	1	2
Bucyrus	–	13	8	1	1	7	–	2	1	–	1	5	–	13	2	2	2	–	2
Galion	2	24	2	2	7	5	–	–	3	–	2	3	–	10	4	2	1	–	–
Balance of county	–	19	3	1	–	6	1	1	3	–	2	3	–	15	5	6	2	1	–
Cuyahoga	43	1,122	145	158	290	393	50	232	171	3	82	186	60	1,244	177	346	228	252	8
Bay Village	–	1	5	3	2	4	–	1	–	–	1	2	–	18	2	2	3	1	–
Bedford	1	10	–	–	1	2	–	3	3	–	1	2	1	10	2	2	3	–	–
Bedford Heights	–	5	–	–	1	–	–	–	1	–	–	–	–	7	–	3	3	2	–
Berea	1	19	1	–	2	4	–	5	1	–	2	2	1	11	2	7	4	–	–
Brecksville	1	5	2	1	1	3	–	3	–	–	1	1	1	3	–	4	3	–	–
Broadview Heights	–	8	2	–	1	1	–	2	1	–	–	–	–	5	1	2	1	1	–
Brooklyn	1	10	–	1	2	5	1	3	3	1	–	2	–	15	1	5	1	–	–
Brook Park	–	11	–	–	2	4	–	1	1	–	–	1	–	2	2	4	3	2	–
Cleveland	22	486	54	61	139	164	28	128	90	2	42	110	29	582	86	165	97	186	5
Cleveland Heights	2	48	9	8	11	14	1	4	4	–	1	17	1	54	3	9	7	9	–
East Cleveland	2	16	–	4	5	6	1	4	3	–	5	11	4	31	9	9	5	18	–
Euclid	1	52	9	10	12	17	2	12	3	–	6	5	4	51	12	15	9	7	–
Fairview Park	1	23	4	3	5	7	2	1	1	–	1	2	–	18	–	3	1	2	–
Garfield Heights	–	23	3	5	3	9	2	9	4	–	–	2	2	22	2	3	8	4	–
Lakewood	–	60	5	12	15	26	2	10	3	–	5	4	1	41	5	5	4	3	–
Lyndhurst	2	14	2	4	4	2	–	1	2	–	–	–	1	9	3	3	1	–	–
Maple Heights	–	19	2	3	10	7	1	3	5	–	–	–	1	13	1	8	5	2	1
Mayfield Heights	1	26	3	3	5	9	1	2	5	–	–	1	1	22	1	2	4	–	1
Middleburg Heights	–	7	–	1	1	1	–	–	1	–	–	1	1	8	4	2	9	–	–
North Olmsted	1	14	4	4	2	3	–	1	–	–	3	3	–	14	3	6	3	5	–
North Royalton	–	4	–	1	1	2	1	1	1	–	1	1	1	7	4	5	2	–	–
Parma	2	57	9	11	13	22	3	12	7	–	4	2	2	65	8	8	12	–	1
Parma Heights	1	22	5	2	7	5	–	2	6	–	–	1	1	19	1	1	3	1	–
Richmond Heights	1	2	3	2	1	1	–	–	2	–	–	–	2	7	–	2	4	–	–
Rocky River	1	18	4	4	3	8	1	–	3	–	1	2	2	24	2	6	3	1	–
Seven Hills	–	12	–	1	4	2	–	2	3	–	1	–	–	6	2	2	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	277	–	–	–	77	17	20	8	11	3	2	16	5	136	98	3	1	77	17
Solon	82	–	–	–	16	4	6	3	1	1	–	1	3	47	39	–	–	32	7
South Euclid	268	–	–	–	69	21	15	9	9	3	3	9	5	134	110	2	2	85	21
Strongsville	136	–	–	–	34	9	8	3	2	2	1	9	4	65	55	–	3	48	4
University Heights	141	–	–	–	45	18	11	4	1	3	1	7	3	66	56	–	–	50	6
Warrensville Heights	100	–	–	2	24	4	3	3	7	1	3	3	4	42	36	1	1	29	5
Westlake	189	–	–	3	41	12	11	2	7	1	–	8	2	99	80	–	–	76	4
Balance of county	768	–	–	6	173	47	46	17	19	9	9	26	10	390	310	1	15	245	49
Darke	488	–	–	4	104	34	23	7	9	3	6	22	7	263	203	3	7	151	42
Greenville	192	–	–	2	28	9	4	3	1	1	3	7	4	118	92	1	5	67	19
Balance of county	296	–	–	2	76	25	19	4	8	2	3	15	3	145	111	2	2	84	23
Defiance	293	–	–	1	52	15	14	7	8	1	1	6	7	145	108	–	4	73	31
Defiance	132	–	–	–	27	10	7	3	5	–	–	2	3	60	47	–	1	35	11
Balance of county	161	–	–	1	25	5	7	4	3	1	1	4	4	85	61	–	3	38	20
Delaware	426	–	–	4	88	23	24	7	9	5	4	16	5	233	171	2	4	139	26
Delaware	180	–	–	1	37	7	10	2	3	2	3	10	3	102	67	–	–	59	8
Westerville, part	11	–	–	–	1	–	–	–	–	1	–	–	–	6	6	–	2	4	–
Balance of county	235	–	–	3	50	16	14	5	6	2	1	6	2	125	98	2	2	78	18
Erie	662	–	–	8	136	32	39	10	12	7	10	26	12	293	234	1	9	173	51
Sandusky	336	–	–	2	79	18	26	7	6	6	5	11	8	141	113	–	3	83	27
Vermilion, part	49	–	–	1	11	3	2	–	–	–	1	5	1	25	19	–	3	15	1
Vermilion, total	79	–	–	1	19	6	3	1	1	–	1	7	1	42	33	1	3	25	4
Balance of county	277	–	–	5	46	11	11	3	6	1	4	10	3	127	102	1	3	75	23
Fairfield	742	–	1	7	185	51	48	18	20	8	3	37	13	349	277	1	13	181	62
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	365	–	–	4	94	22	23	10	12	5	3	10	5	179	143	–	8	94	41
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	377	–	1	3	91	29	25	8	8	3	–	18	8	169	134	1	5	87	41
Fayette	296	–	–	–	67	18	15	8	12	–	3	11	5	171	117	–	7	100	10
Washington	193	–	–	–	39	10	8	4	9	–	–	8	2	118	83	–	6	71	6
Balance of county	103	–	–	–	28	8	7	4	3	–	3	3	3	53	34	–	1	29	4
Franklin	6,655	6	2	65	1,599	410	472	155	174	62	57	269	153	3,028	2,359	17	106	1,555	681
Bexley	100	–	–	2	21	5	5	3	2	1	1	4	3	55	44	–	3	28	13
Columbus, part	4,661	4	1	47	1,109	294	320	104	118	49	37	187	111	2,059	1,600	10	84	1,028	478
Columbus, total	4,661	4	1	47	1,109	294	320	104	118	49	37	187	111	2,059	1,600	10	84	1,028	478
Gahanna	94	–	–	1	18	2	8	–	2	1	1	4	1	44	36	–	–	28	8
Grove City	90	–	–	–	22	5	6	4	1	–	3	3	3	46	36	–	–	25	11
Reynoldsburg, part	110	–	–	1	25	11	6	2	3	–	1	2	1	55	43	–	–	31	12
Reynoldsburg, total	115	–	–	1	27	11	7	2	3	–	1	3	1	58	46	–	–	32	14
Upper Arlington	336	–	–	5	87	23	18	10	14	3	4	15	7	163	114	4	3	85	22
Westerville, part	135	–	–	1	23	7	3	4	4	1	–	4	3	83	72	–	–	60	12
Westerville, total	146	–	–	1	24	7	3	4	4	2	–	4	3	89	78	–	2	64	12
Whitehall	141	–	–	–	43	9	21	2	4	–	1	6	2	59	48	–	2	29	15
Worthington	122	–	–	2	28	5	4	5	6	4	1	3	2	63	44	–	3	31	10
Balance of county	866	2	1	6	223	49	81	21	20	3	8	41	20	401	324	3	11	210	100
Fulton	315	–	–	1	51	14	9	6	8	4	2	8	5	172	119	1	3	92	23
Gallia	279	–	–	2	54	15	13	5	7	4	2	8	4	152	123	1	1	108	13
Geauga	477	–	–	4	130	37	37	11	13	6	6	20	8	222	183	3	8	128	44
Greene	774	2	–	5	174	46	37	15	19	7	11	39	14	398	296	2	8	212	64
Beavercreek	119	1	–	1	28	4	11	–	2	1	2	8	2	57	48	–	1	42	5
Dayton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fairborn	178	–	–	1	42	13	9	3	2	3	4	8	3	90	67	1	4	48	16
Xenia	187	1	–	2	37	10	9	5	4	2	1	6	3	94	64	–	2	44	18
Balance of county	290	–	–	1	67	19	8	7	11	1	4	17	6	157	107	1	1	80	25
Guernsey	457	1	–	3	105	20	31	5	14	6	7	22	8	237	201	2	3	162	34
Cambridge	183	1	–	–	53	11	16	2	6	4	4	10	3	91	78	–	1	61	16
Balance of county	274	–	–	3	52	9	15	3	8	2	3	12	5	146	123	2	2	101	18
Hamilton	8,022	10	–	79	1,943	557	572	189	195	86	68	276	142	3,967	3,270	38	210	2,380	642
Cincinnati	4,446	9	–	48	1,020	291	299	100	114	44	30	142	80	2,214	1,825	22	135	1,298	370
Forest Park	57	–	–	–	17	2	4	2	1	1	2	5	–	28	21	1	2	14	4
Montgomery	41	–	–	1	10	5	2	–	1	1	1	–	1	21	18	–	1	14	3
North College Hill	129	–	–	1	29	8	11	2	1	3	–	4	3	74	62	1	4	43	14
Norwood	280	–	–	4	64	18	24	1	7	2	2	10	7	139	118	–	7	90	21
Reading	104	–	–	–	26	6	11	3	3	1	–	2	2	49	40	1	1	33	5
Sharonville	64	–	–	1	14	2	6	3	–	1	–	2	–	27	23	–	–	21	2
Springdale	63	–	–	–	14	4	5	1	3	–	–	1	1	34	27	–	2	20	5
Balance of county	2,838	1	–	26	749	221	210	77	65	33	33	110	48	1,383	1,136	13	58	847	218
Hancock	479	–	–	1	101	22	24	10	9	2	5	29	15	247	172	5	5	137	25
Findlay	301	–	–	1	66	12	16	7	7	2	2	20	9	157	109	4	4	90	11
Fostoria, part	21	–	–	–	8	1	2	–	–	–	1	4	–	7	6	–	–	5	1
Balance of county	157	–	–	–	27	9	6	3	2	–	2	5	6	83	57	1	1	42	13
Hardin	268	–	–	1	67	17	18	5	10	5	2	10	6	140	111	–	2	88	21
Harrison	184	–	–	2	42	6	20	3	3	1	–	9	7	94	70	–	1	64	5
Henry	248	–	–	1	50	15	13	3	10	1	1	7	4	127	91	1	5	72	13
Highland	388	–	–	1	78	22	17	7	15	1	3	13	5	208	146	–	–	112	34
Hocking	243	–	–	3	59	15	16	9	5	3	4	7	4	106	83	2	–	60	21
Holmes	199	–	–	1	40	5	11	3	5	2	–	14	3	107	84	–	2	57	25
Huron	473	–	–	2	104	26	25	11	11	6	7	18	13	266	218	2	6	157	53
Norwalk	167	–	–	1	42	11	9	7	4	1	3	7	3	91	66	–	1	59	6
Balance of county	306	–	–	1	62	15	16	4	7	5	4	11	10	175	152	2	5	98	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	–	28	4	6	6	10	1	–	2	–	1	1	–	26	2	7	2	1	–
Solon	–	5	2	1	1	2	1	1	1	–	–	–	–	6	2	1	1	–	–
South Euclid	1	19	–	4	7	6	–	5	4	–	1	4	–	23	2	6	1	1	–
Strongsville	–	8	–	2	2	1	–	1	–	–	2	1	–	12	2	2	6	2	–
University Heights	–	9	1	–	1	5	–	1	1	–	–	1	1	10	2	3	1	1	–
Warrensville Heights	1	5	–	–	1	3	–	2	–	–	–	3	–	12	1	1	2	3	–
Westlake	–	14	5	–	1	9	1	4	1	–	2	1	2	11	2	1	3	–	–
Balance of county	–	62	7	11	18	29	1	8	9	–	1	3	1	80	8	22	9	–	–
Darke	4	44	9	3	20	12	4	4	1	–	1	4	2	25	17	11	7	2	–
Greenville	1	20	4	1	7	5	1	2	1	–	–	1	1	13	3	4	2	–	–
Balance of county	3	24	5	2	13	7	3	2	–	–	1	3	1	12	14	7	5	2	–
Defiance	2	32	1	2	6	10	–	1	4	–	–	7	–	33	10	11	6	–	–
Defiance	1	12	–	–	2	5	–	1	1	–	–	3	–	18	4	5	3	–	–
Balance of county	1	20	1	2	4	5	–	–	3	–	–	4	–	15	6	6	3	–	–
Delaware	–	50	9	3	6	14	1	–	6	–	3	6	6	29	9	13	3	–	–
Delaware	–	28	6	1	2	8	–	–	2	–	–	2	2	13	2	4	2	–	–
Westerville, part	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	22	3	2	4	3	1	–	4	–	3	4	4	15	7	9	1	–	–
Erie	3	39	11	6	14	20	7	11	5	–	5	4	49	59	13	19	3	3	1
Sandusky	2	16	7	3	9	7	3	7	3	–	1	1	28	32	2	9	1	2	1
Vermilion, part	–	4	1	1	–	–	–	–	–	–	1	–	1	7	1	1	–	–	–
Vermilion, total	–	7	1	1	–	2	–	–	–	–	1	–	1	9	2	1	–	–	–
Balance of county	1	19	3	2	5	13	4	4	2	–	3	3	20	20	10	9	2	1	–
Fairfield	–	55	7	9	31	38	1	3	14	–	4	9	3	47	10	12	11	3	2
Columbus, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lancaster	–	31	2	3	14	13	–	2	9	–	2	6	1	24	4	2	4	1	1
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	24	5	6	17	25	1	1	5	–	2	3	2	23	6	10	7	2	1
Fayette	1	42	4	7	9	12	1	2	2	–	2	–	1	17	4	2	1	–	–
Washington	1	26	4	4	6	9	–	2	–	–	1	–	–	12	2	1	1	–	–
Balance of county	–	16	–	3	3	3	1	–	2	–	1	–	1	5	2	1	–	–	–
Franklin	30	461	81	77	128	207	17	84	62	1	64	95	240	503	110	124	105	57	5
Bexley	–	8	2	1	1	1	–	3	–	–	1	–	2	8	–	–	1	1	1
Columbus, part	25	336	49	49	91	147	9	54	46	1	48	77	196	365	80	93	73	46	4
Columbus, total	25	336	49	49	91	147	9	54	46	1	48	77	196	365	80	93	73	46	4
Gahanna	–	7	–	1	1	5	–	4	1	–	–	2	3	9	1	1	1	2	–
Grove City	–	9	–	1	2	3	–	–	1	–	1	2	1	6	1	–	1	1	–
Reynoldsburg, part	–	8	–	4	3	5	1	–	1	–	1	–	4	5	1	3	4	–	–
Reynoldsburg, total	–	8	–	4	3	5	1	–	1	–	1	–	4	5	1	3	4	–	–
Upper Arlington	–	38	7	4	8	8	2	5	–	–	4	4	8	21	5	3	6	–	–
Westerville, part	–	9	–	2	3	1	–	1	2	–	–	2	3	7	2	2	2	–	–
Westerville, total	–	9	–	2	3	4	–	1	2	–	–	2	3	8	2	2	2	–	–
Whitehall	–	8	2	3	2	4	2	4	2	–	2	1	4	11	3	–	1	1	–
Worthington	–	10	8	1	1	4	–	1	–	–	2	–	2	13	1	1	2	–	–
Balance of county	5	48	13	11	16	29	3	12	9	–	5	7	17	58	16	21	14	6	–
Fulton	1	46	3	3	4	8	1	3	5	–	3	4	2	29	11	7	7	1	1
Gallia	1	23	3	2	5	10	1	3	1	–	3	2	1	25	4	12	–	–	–
Geauga	2	29	4	4	10	14	–	4	4	–	4	7	12	30	13	9	3	1	2
Greene	3	88	13	8	13	28	6	11	4	–	6	12	14	46	22	7	7	3	2
Beavercreek	–	8	–	1	2	5	1	1	1	–	2	1	4	8	4	1	–	–	–
Dayton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fairborn	3	16	2	2	4	4	3	4	2	–	2	2	4	10	1	3	2	1	–
Xenia	–	24	6	–	4	12	–	3	1	–	1	6	2	13	3	2	2	1	–
Balance of county	–	40	5	5	3	7	2	3	–	–	1	3	4	15	14	1	3	1	2
Guernsey	1	30	4	1	13	19	–	2	6	–	4	1	1	29	9	11	7	1	–
Cambridge	–	13	–	–	2	8	–	–	3	–	–	1	–	11	4	4	2	–	–
Balance of county	1	17	4	1	11	11	–	2	3	–	4	–	1	18	5	7	5	1	–
Hamilton	30	516	64	87	213	254	30	92	72	3	53	71	31	601	92	172	120	63	14
Cincinnati	17	291	31	50	123	129	14	55	43	2	23	38	22	332	47	116	64	55	12
Forest Park	1	2	–	2	2	4	–	–	–	–	1	–	–	6	–	1	–	–	–
Montgomery	1	1	–	1	–	1	–	–	–	–	–	1	–	1	–	3	2	–	–
North College Hill	–	9	1	2	3	3	–	–	2	–	–	–	–	9	1	–	4	–	–
Norwood	–	19	2	–	4	12	1	5	4	–	1	5	1	23	2	3	5	–	–
Reading	1	7	–	1	4	4	1	3	–	–	1	2	–	8	1	1	2	–	–
Sharonville	–	1	1	2	4	1	1	–	–	–	1	1	–	5	4	2	3	–	–
Springdale	1	3	1	2	–	3	1	–	–	–	1	–	–	6	1	1	1	–	–
Balance of county	9	183	28	27	73	97	12	29	23	1	25	24	8	211	36	43	39	8	2
Hancock	3	53	8	11	21	12	2	8	5	–	3	3	2	28	12	11	6	2	–
Findlay	1	36	5	6	12	8	1	8	5	–	2	2	–	15	5	4	4	2	–
Fostoria, part	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	3	–	–	–
Balance of county	2	16	3	5	9	3	1	–	–	–	1	1	1	13	6	4	2	–	–
Hardin	2	23	3	1	5	6	–	1	3	1	–	2	3	20	3	6	3	1	–
Harrison	1	13	5	5	4	5	–	4	2	–	–	–	–	16	5	3	–	–	–
Henry	1	21	11	3	5	11	1	–	2	–	2	1	6	16	7	12	2	–	1
Highland	1	42	12	7	10	20	2	6	2	–	2	3	1	24	6	10	6	1	3
Hocking	–	18	1	4	4	6	1	3	1	1	1	2	15	21	4	8	2	2	–
Holmes	–	14	8	1	6	5	–	1	2	–	4	4	2	13	5	5	–	1	–
Huron	1	28	14	5	9	10	2	5	2	–	2	3	1	27	7	12	8	–	–
Norwalk	–	16	7	2	3	3	1	1	1	–	1	3	–	12	1	2	2	–	–
Balance of county	1	12	7	3	6	7	1	4	1	–	1	–	1	15	6	10	6	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	362	1	-	4	69	19	20	7	7	4	1	11	5	198	158	-	1	125	32
Jefferson	952	2	-	9	214	53	67	16	22	7	6	43	39	489	384	3	4	283	94
Steubenville	326	-	-	3	78	22	22	7	5	3	3	16	14	157	120	2	1	85	32
Balance of county	626	2	-	6	136	31	45	9	17	4	3	27	25	328	264	1	3	198	62
Knox	399	-	-	3	84	19	28	2	13	3	4	15	6	225	158	1	3	137	17
Mount Vernon	168	-	-	-	30	8	11	1	5	1	1	3	2	98	67	-	2	56	9
Balance of county	231	-	-	3	54	11	17	1	8	2	3	12	4	127	91	1	1	81	8
Lake	1,460	1	-	21	366	87	99	33	39	13	17	78	23	693	529	6	19	385	119
Eastlake	137	-	-	3	36	10	15	-	4	1	3	3	3	55	42	-	2	30	10
Mentor	263	-	-	3	77	18	19	8	10	4	2	16	4	115	87	1	3	59	24
Painesville	169	-	-	1	35	12	7	1	7	1	1	6	2	89	67	1	1	48	17
Wickliffe	129	-	-	1	40	9	9	6	4	1	1	10	2	64	57	1	2	40	14
Willoughby	183	-	-	2	42	7	9	4	3	1	6	12	-	101	73	1	4	54	14
Willowick	122	1	-	1	31	9	6	3	4	-	-	9	-	61	44	1	-	32	11
Balance of county	457	-	-	10	105	22	34	11	7	5	4	22	12	208	159	1	7	122	29
Lawrence	632	1	-	4	134	28	50	12	13	8	3	20	17	344	295	3	12	195	85
Ironton	217	1	-	2	45	12	17	3	3	2	1	7	4	125	111	2	6	66	37
Balance of county	415	-	-	2	89	16	33	9	10	6	2	13	13	219	184	1	6	129	48
Licking	1,018	1	-	5	220	51	60	19	27	14	8	41	22	530	410	6	5	329	70
Newark	501	-	-	5	101	26	22	9	14	7	3	20	9	268	204	2	3	175	24
Reynoldsburg, part	5	-	-	-	2	-	1	-	-	-	-	1	-	3	3	-	-	1	2
Balance of county	512	1	-	-	117	25	37	10	13	7	5	20	13	259	203	4	2	153	44
Logan	401	-	-	6	79	19	24	5	7	5	6	13	3	211	153	2	3	111	37
Bellefontaine	125	-	-	2	31	8	7	2	3	3	1	7	-	54	35	2	2	25	6
Balance of county	276	-	-	4	48	11	17	3	4	2	5	6	3	157	118	-	1	86	31
Lorain	1,924	-	1	7	450	110	139	47	44	18	11	81	45	977	787	4	27	638	118
Amherst	122	-	1	-	27	8	10	3	2	-	-	4	3	63	50	-	2	36	12
Avon Lake	68	-	-	-	15	4	5	-	3	-	1	2	2	36	34	-	1	29	4
Elyria	483	-	-	2	116	21	32	18	8	4	5	28	7	237	190	1	5	159	25
Lorain	606	-	-	2	141	37	41	13	14	7	3	26	15	312	248	-	9	207	32
North Ridgeville	77	-	-	1	18	3	6	1	1	1	1	5	1	36	30	1	-	26	3
Sheffield Lake	45	-	-	1	14	3	9	-	1	-	-	1	1	18	14	-	-	10	4
Vermilion, part	30	-	-	-	8	3	1	1	1	-	-	2	-	17	14	1	-	10	3
Balance of county	493	-	-	1	111	31	35	11	14	6	1	13	16	256	207	1	10	161	35
Lucas	4,488	5	-	29	1,022	259	292	115	105	40	41	170	97	2,325	1,798	10	61	1,399	328
Maumee	107	-	-	2	27	6	7	4	2	2	-	6	1	51	34	-	-	27	7
Oregon	146	-	-	1	33	8	9	7	4	1	2	2	3	82	62	-	3	54	5
Sylvania	111	-	-	1	15	1	6	3	1	1	-	3	2	58	45	-	1	39	5
Toledo	3,644	5	-	23	847	218	249	90	89	33	34	134	80	1,878	1,462	8	55	1,122	277
Balance of county	480	-	-	2	100	26	21	11	9	3	5	25	11	256	195	2	2	157	34
Madison	290	1	-	-	62	13	15	7	4	5	5	13	6	149	116	-	1	98	17
Mahoning	2,888	3	-	29	631	198	169	62	55	20	27	100	82	1,531	1,150	14	32	885	219
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	121	-	-	1	28	8	6	2	3	-	3	4	6	61	44	-	1	37	6
Struthers	132	-	-	1	31	11	8	2	2	2	1	5	3	76	64	1	1	52	10
Youngstown, part	1,419	1	-	13	302	102	73	32	28	11	9	47	42	744	539	4	12	421	102
Youngstown, total	1,422	1	-	13	303	102	74	32	28	11	9	47	42	746	540	5	12	421	102
Balance of county	1,216	2	-	14	270	77	80	26	22	7	14	44	31	650	503	9	18	375	101
Marion	579	-	-	3	120	23	44	13	9	6	2	23	15	313	263	1	7	211	44
Marion	376	-	-	2	75	14	27	9	5	6	1	13	11	203	177	1	6	139	31
Balance of county	203	-	-	1	45	9	17	4	4	-	1	10	4	110	86	-	1	72	13
Medina	674	-	-	2	146	31	37	13	18	5	6	36	11	341	288	2	7	185	94
Brunswick	98	-	-	1	20	4	3	1	5	1	1	5	1	50	42	2	2	29	9
Medina	135	-	-	1	33	7	9	1	6	-	1	9	2	65	49	-	1	29	19
Wadsworth	122	-	-	-	21	6	4	1	1	2	1	6	-	74	63	-	1	43	19
Balance of county	319	-	-	-	72	14	21	10	6	2	3	16	8	152	134	-	3	84	47
Meigs	247	-	-	1	41	8	12	1	9	2	1	8	3	145	110	-	1	89	20
Mercer	321	-	-	2	67	16	14	5	9	7	5	11	9	173	125	4	4	98	19
Miami	791	-	-	4	173	41	53	17	22	8	3	29	24	410	340	1	4	268	67
Piqua	203	-	-	1	30	7	10	4	2	2	1	4	7	113	92	1	-	79	12
Troy	172	-	-	-	37	9	12	1	3	3	-	9	3	87	72	-	1	51	20
Balance of county	416	-	-	3	106	25	31	12	17	3	2	16	14	210	176	-	3	138	35
Monroe	180	-	-	1	38	9	8	2	3	2	2	12	5	101	82	1	1	61	19
Montgomery	4,722	3	-	43	1,099	292	342	99	103	33	41	189	93	2,328	1,837	15	45	1,236	541
Centerville	82	-	-	-	26	11	4	3	1	1	1	5	-	40	30	-	-	17	13
Dayton, part	2,099	3	-	27	432	118	143	38	37	11	13	72	48	1,044	817	6	18	529	264
Dayton, total	2,099	3	-	27	432	118	143	38	37	11	13	72	48	1,044	817	6	18	529	264
Englewood	83	-	-	-	19	3	5	1	2	1	2	5	3	44	34	-	-	25	9
Huber Heights	158	-	-	3	48	11	11	6	3	1	3	13	2	56	44	2	1	30	11
Kettering	462	-	-	3	114	33	32	13	19	3	1	13	8	239	180	1	8	122	49
Miamisburg	134	-	-	-	42	7	16	4	5	-	4	6	2	73	60	2	2	38	18
Vandalia	76	-	-	-	20	5	8	1	-	1	1	4	1	34	31	-	-	23	8
West Carrollton	68	-	-	-	23	5	10	-	2	-	-	6	2	24	19	-	1	15	3
Balance of county	1,560	-	-	10	375	99	113	33	34	15	16	85	27	774	622	4	15	437	166
Morgan	151	-	-	-	31	6	4	2	5	2	2	10	1	86	71	-	2	53	16
Morrow	207	-	-	-	40	13	7	1	3	1	-	15	10	107	90	5	3	69	13
Muskingum	829	-	-	5	149	34	47	12	20	9	3	24	19	447	342	5	7	261	69
Zanesville	420	-	-	-	76	17	27	4	8	5	1	14	11	221	168	3	2	127	36
Balance of county	409	-	-	5	73	17	20	8	12	4	2	10	8	226	174	2	5	134	33
Noble	126	-	-	-	23	5	5	6	1	-	1	5	3	79	55	-	-	45	10
Ottawa	385	-	-	2	78	17	18	13	9	1	6	14	8	205	163	-	11	124	28
Paulding	147	-	-	-	43	9	9	5	7	-	2	11	-	67	47	-	1	36	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	-	31	4	5	10	20	1	2	4	-	4	5	2	26	4	1	3	3	-
Jefferson	8	78	7	6	24	36	1	12	16	-	2	5	2	58	11	23	9	4	2
Steubenville	3	33	-	1	11	12	1	5	9	-	-	3	-	20	3	6	2	2	-
Balance of county	5	45	7	5	13	24	-	7	7	-	2	2	2	38	8	17	7	2	2
Knox	4	51	6	6	10	9	-	3	1	-	3	6	3	30	3	7	5	-	1
Mount Vernon	4	22	1	4	7	6	-	2	-	-	-	4	1	10	1	3	3	-	1
Balance of county	-	29	5	2	3	3	-	1	1	-	3	2	2	20	2	4	2	-	-
Lake	4	120	21	19	28	36	5	19	9	-	12	22	23	119	31	29	20	3	-
Eastlake	1	8	2	2	4	4	1	1	1	-	3	4	4	8	2	6	2	-	-
Mentor	-	24	2	2	6	7	4	4	1	-	3	4	5	18	5	5	2	-	-
Painesville	1	18	1	2	5	1	-	3	1	-	1	2	3	18	4	1	1	2	-
Wickliffe	-	6	1	-	3	1	-	1	-	-	-	1	-	12	-	3	1	-	-
Willoughby	-	17	6	5	2	6	-	3	2	-	1	4	1	14	3	1	1	-	-
Willowick	-	11	1	5	2	6	-	1	-	-	1	1	-	12	1	1	3	-	-
Balance of county	2	36	8	3	6	11	-	6	4	-	3	6	10	37	16	12	10	1	-
Lawrence	1	33	6	9	10	21	2	3	9	-	4	3	7	42	9	10	7	5	-
Ironton	-	10	1	3	3	8	-	2	3	-	1	1	2	11	1	6	-	2	-
Balance of county	1	23	5	6	7	13	2	1	6	-	3	2	5	31	8	4	7	3	-
Licking	3	83	17	7	20	33	2	15	11	-	6	8	19	59	23	23	17	3	1
Newark	2	48	10	4	6	17	1	10	4	-	4	2	7	34	12	12	7	1	1
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	45	7	3	14	16	1	5	7	-	2	6	12	25	11	11	10	2	-
Logan	-	47	5	6	11	15	1	5	8	-	1	4	3	33	9	8	3	1	-
Bellefontaine	-	17	-	2	5	5	1	4	4	-	-	1	-	14	1	1	1	1	-
Balance of county	-	30	5	4	6	10	-	1	4	-	1	3	3	19	8	7	2	-	-
Lorain	14	134	23	19	20	62	8	30	15	1	17	24	31	116	37	39	34	6	4
Amherst	2	9	-	2	4	5	-	1	2	-	1	-	1	10	1	1	2	-	-
Avon Lake	-	1	1	-	-	3	-	2	-	-	-	-	3	3	1	2	-	-	1
Elyria	5	33	3	6	8	18	1	9	3	-	8	12	9	31	7	9	4	2	-
Lorain	3	49	5	7	5	21	5	10	4	1	1	5	9	34	12	13	11	3	2
North Ridgeville	-	5	1	-	-	3	1	-	1	-	1	1	4	2	3	3	2	-	-
Sheffield Lake	-	3	1	-	-	2	-	1	-	-	1	-	2	2	1	2	-	-	-
Vermilion, part	-	3	-	-	-	2	-	-	-	-	-	-	-	2	1	-	-	-	-
Balance of county	4	31	12	4	3	8	1	7	5	-	5	6	3	32	11	9	15	1	1
Lucas	17	396	62	52	93	166	11	71	40	-	19	33	27	313	72	55	71	37	2
Maumee	-	13	2	2	1	3	-	1	1	-	2	2	1	8	5	-	2	-	-
Oregon	1	14	3	2	2	8	-	-	2	-	3	-	-	7	-	1	4	-	-
Sylvania	1	10	1	1	3	7	-	6	1	-	-	4	-	9	4	-	1	-	-
Toledo	11	313	50	42	77	127	10	56	27	-	13	25	25	263	48	47	57	34	2
Balance of county	4	46	6	5	10	21	1	8	9	-	1	2	1	26	15	7	7	3	-
Madison	2	26	3	2	6	15	1	3	-	-	2	1	4	22	7	7	2	2	-
Mahoning	7	267	77	30	53	66	13	36	21	-	16	21	16	208	38	51	25	27	1
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	-	15	2	-	3	-	-	4	-	-	2	1	2	9	-	2	1	1	-
Struthers	-	9	3	-	2	2	-	-	3	-	-	-	-	7	1	3	3	-	-
Youngstown, part	4	139	46	14	32	39	6	20	8	-	7	13	9	105	19	25	10	23	1
Youngstown, total	4	140	48	14	32	39	6	20	8	-	7	13	9	105	19	25	10	23	1
Balance of county	3	104	24	16	16	45	7	12	10	-	7	7	5	87	18	21	11	3	-
Marion	2	37	7	4	12	13	2	6	9	-	7	4	8	37	9	10	10	1	-
Marion	2	20	4	-	8	9	1	3	8	-	5	3	4	27	3	6	7	1	-
Balance of county	-	17	3	4	4	4	1	3	1	-	2	1	4	10	6	4	3	-	-
Medina	1	46	3	3	20	17	3	4	7	-	4	9	12	44	21	18	9	5	1
Brunswick	1	6	1	-	5	1	-	-	1	-	1	3	-	6	4	3	1	1	-
Medina	-	15	-	1	2	3	1	1	2	-	-	2	5	9	2	4	1	1	1
Wadsworth	-	11	-	-	2	2	1	1	-	-	1	-	3	10	2	3	1	1	-
Balance of county	-	14	2	2	11	11	1	2	4	-	2	4	4	19	13	9	6	2	-
Meigs	-	23	8	4	6	6	-	3	4	-	1	1	4	19	5	4	3	1	-
Mercer	1	36	9	2	4	14	-	2	5	-	1	4	4	17	11	5	2	1	-
Miami	4	44	11	11	20	27	2	4	14	-	6	5	9	53	19	14	4	2	1
Piqua	1	13	4	3	3	5	1	2	6	-	1	-	3	19	3	6	1	-	-
Troy	2	12	-	1	7	10	-	-	1	-	2	-	-	16	5	2	1	1	-
Balance of county	1	19	7	7	10	12	1	2	5	-	3	5	6	18	11	6	2	1	1
Monroe	-	13	5	1	1	1	2	2	-	-	1	-	2	10	7	7	-	1	1
Montgomery	14	357	58	62	98	138	12	55	40	-	41	70	99	258	74	94	66	69	2
Centerville	-	8	-	2	4	1	-	-	-	-	-	-	-	5	2	1	2	1	-
Dayton, part	9	160	30	28	49	55	4	25	16	-	15	39	56	143	25	47	25	45	1
Dayton, total	9	160	30	28	49	55	4	25	16	-	15	39	56	143	25	47	25	45	1
Englewood	-	8	-	2	-	-	1	4	1	-	-	-	-	7	-	1	2	1	-
Huber Heights	-	10	1	1	5	4	-	3	2	-	4	2	3	10	7	5	4	-	-
Kettering	3	44	5	7	10	16	4	5	3	-	5	6	5	23	5	3	9	3	1
Miamisburg	-	11	1	1	3	1	1	-	1	-	1	-	-	4	3	1	2	-	-
Vandalia	-	2	-	1	1	3	-	-	2	-	3	-	2	6	1	2	1	-	-
West Carrollton	-	4	-	1	1	2	-	3	2	-	-	2	2	4	2	1	-	-	-
Balance of county	2	110	21	19	25	56	2	15	13	-	13	21	31	96	29	33	21	19	-
Morgan	-	11	3	1	2	6	-	1	-	-	1	-	1	7	4	6	4	1	-
Morrow	1	11	4	1	8	3	-	1	3	-	1	4	-	16	7	4	1	-	2
Muskingum	2	69	26	8	26	42	2	12	9	-	4	8	4	54	18	14	13	3	-
Zanesville	1	36	11	5	14	22	1	7	3	-	2	4	3	29	9	9	7	2	-
Balance of county	1	33	15	3	12	20	1	5	6	-	2	4	1	25	9	5	6	1	-
Noble	-	21	2	1	4	2	-	2	1	-	-	1	1	6	3	-	1	-	-
Ottawa	2	34	2	4	6	12	1	4	-	-	2	-	10	21	9	15	10	1	1
Paulding	-	13	6	1	5	3	1	-	2	-	1	2	2	13	2	2	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	340	–	–	3	74	17	25	8	5	4	3	12	2	180	149	1	6	116	26
Pickaway	306	–	–	9	63	15	24	3	8	4	2	7	8	146	110	1	6	75	28
Circleville	110	–	–	1	23	4	11	1	3	2	–	2	3	52	33	–	2	19	12
Balance of county	196	–	–	8	40	11	13	2	5	2	2	5	5	94	77	1	4	56	16
Pike	234	–	–	–	48	14	12	2	4	4	–	12	9	116	104	–	3	86	15
Portage	888	–	–	3	219	49	67	16	13	8	10	56	21	441	348	2	11	277	58
Kent	142	–	–	–	41	12	6	7	3	–	2	11	1	70	54	–	2	43	9
Ravenna	157	–	–	1	44	14	12	1	2	2	2	11	3	79	58	–	1	48	9
Balance of county	589	–	–	2	134	23	49	8	8	6	6	34	17	292	236	2	8	166	40
Preble	318	–	–	–	65	12	21	5	7	2	6	12	7	172	125	1	5	100	19
Putnam	250	–	–	–	55	15	10	7	4	3	3	13	6	138	112	2	2	78	30
Richland	1,057	–	–	6	244	69	69	21	26	11	8	40	23	539	423	5	4	347	67
Mansfield	550	–	–	4	126	33	37	9	16	5	5	21	11	270	212	4	1	160	27
Balance of county	507	–	–	2	118	36	32	12	10	6	3	19	12	269	211	1	3	187	40
Ross	625	–	–	3	127	30	29	11	17	9	2	29	19	349	281	3	4	224	50
Chillicothe	323	–	–	–	71	15	17	6	10	3	2	18	11	186	147	2	–	115	30
Balance of county	302	–	–	3	56	15	12	5	7	6	–	11	8	163	134	1	4	109	20
Sandusky	542	–	–	6	122	24	27	8	17	9	5	32	11	293	227	–	3	195	29
Fremont	233	–	–	5	51	9	10	3	8	3	4	14	5	118	89	–	1	79	9
Balance of county	309	–	–	1	71	15	17	5	9	6	1	18	6	175	138	–	2	116	20
Scioto	946	–	–	8	209	37	63	26	18	11	5	49	27	515	442	3	10	339	90
Portsmouth	421	–	–	6	89	20	20	13	8	4	2	22	12	232	189	3	1	142	43
Balance of county	525	–	–	2	120	17	43	13	10	7	3	27	15	283	253	–	9	197	47
Seneca	447	–	–	3	109	31	28	13	11	5	3	18	6	236	198	1	9	158	30
Fostoria, part	113	–	–	1	29	9	5	4	2	4	–	5	3	60	49	–	1	43	5
Fostoria, total	142	–	–	1	37	10	7	4	2	4	1	9	4	73	60	–	2	52	6
Tiffin	154	–	–	1	42	10	16	5	3	–	3	5	–	82	72	–	4	56	12
Balance of county	180	–	–	1	38	12	7	4	6	1	–	8	3	94	77	1	4	59	13
Shelby	314	–	–	3	62	13	21	4	9	–	2	13	9	187	130	–	1	105	24
Sidney	160	–	–	2	36	8	13	4	6	–	2	3	6	85	57	–	–	48	9
Balance of county	154	–	–	1	26	5	8	–	3	–	–	10	3	102	73	–	1	57	15
Stark	3,307	1	–	20	729	206	189	65	73	38	27	121	83	1,721	1,374	14	32	1,097	231
Alliance, part	256	–	–	2	58	17	12	1	6	6	4	12	8	123	105	1	5	83	16
Alliance, total	256	–	–	2	58	17	12	1	6	6	4	12	8	123	105	1	5	83	16
Canton	1,072	–	–	4	227	67	66	24	20	11	9	30	34	565	442	5	9	356	72
Massillon	327	–	–	4	73	18	22	6	9	4	3	11	3	177	139	3	4	100	32
North Canton	123	–	–	2	21	6	2	2	3	–	2	6	1	65	52	–	–	42	10
Balance of county	1,529	1	–	8	350	98	97	32	35	17	9	62	37	791	636	5	14	516	101
Summit	4,828	–	–	45	1,071	267	294	95	113	48	39	215	105	2,277	1,788	17	53	1,267	451
Akron	2,496	–	–	24	543	134	152	45	53	30	14	115	61	1,160	891	7	34	626	224
Barberton	328	–	–	2	69	21	19	5	6	2	2	8	6	179	157	2	3	98	54
Cuyahoga Falls	455	–	–	6	108	28	22	12	15	4	9	18	9	221	178	2	6	133	37
Norton	76	–	–	–	18	3	5	2	2	–	4	2	–	42	36	1	–	26	9
Stow	151	–	–	–	38	7	12	6	5	–	–	8	4	60	45	–	2	37	6
Tallmadge	97	–	–	–	14	5	5	–	1	–	–	3	2	53	45	–	–	33	12
Balance of county	1,225	–	–	13	287	69	79	25	31	12	10	61	23	562	436	5	8	314	109
Trumbull	2,021	1	–	14	447	121	117	42	37	24	20	86	42	1,072	862	15	28	666	159
Girard	153	–	–	1	38	9	15	6	3	1	–	4	4	74	59	2	3	44	10
Niles	205	–	–	1	39	13	10	2	4	3	2	5	6	110	84	1	2	66	13
Warren	661	1	–	4	157	49	37	12	12	9	4	34	9	352	286	5	10	217	54
Youngstown, part	3	–	–	–	1	–	1	–	–	–	–	–	–	2	1	1	–	–	–
Balance of county	999	–	–	8	212	50	54	22	18	11	14	43	23	534	432	6	13	337	76
Tuscarawas	844	–	–	7	182	41	56	22	23	11	8	21	20	456	354	4	17	272	61
Dover	170	–	–	2	32	8	10	3	6	2	–	3	4	98	77	2	3	53	19
New Philadelphia	161	–	–	2	38	9	12	5	4	–	4	4	2	93	71	1	7	53	10
Balance of county	513	–	–	3	112	24	34	14	13	9	4	14	14	265	206	1	7	166	32
Union	236	–	–	2	38	10	9	6	5	1	1	6	1	122	98	–	2	65	11
Van Wert	285	–	–	–	63	14	17	9	3	6	3	11	3	163	117	–	–	99	18
Van Wert	119	–	–	–	28	4	11	2	–	4	1	6	2	71	53	–	–	43	10
Balance of county	166	–	–	–	35	10	6	7	3	2	2	5	1	92	64	–	–	56	8
Vinton	114	–	–	1	28	11	7	1	2	–	1	6	1	49	43	–	2	28	13
Warren	638	–	–	2	126	39	41	13	9	5	4	15	16	334	261	3	11	192	55
Franklin	110	–	–	1	21	6	8	2	–	1	–	4	1	53	42	–	3	26	13
Balance of county	528	–	–	1	105	33	33	11	9	4	4	11	15	281	219	3	8	166	42
Washington	542	–	–	4	123	33	31	21	10	5	6	17	8	295	237	3	4	186	44
Marietta	191	–	–	–	48	15	14	11	1	–	5	2	1	103	78	1	1	63	13
Balance of county	351	–	–	4	75	18	17	10	9	5	1	15	7	192	159	2	3	123	31
Wayne	677	–	–	8	145	41	34	14	15	6	10	25	7	348	258	4	3	194	57
Wooster	174	–	–	3	39	12	10	4	2	3	3	5	2	91	65	–	1	53	11
Balance of county	503	–	–	5	106	29	24	10	13	3	7	20	5	257	193	4	2	141	46
Williams	304	–	–	1	59	14	11	4	15	3	1	11	14	153	123	1	2	101	19
Wood	743	–	–	2	160	53	34	14	18	7	2	32	11	413	343	2	19	264	58
Bowling Green	112	–	–	–	28	10	4	4	4	1	–	5	2	59	53	–	6	42	5
Fostoria, part	8	–	–	–	–	–	–	–	–	–	–	–	1	6	5	–	1	4	–
Perrysburg	80	–	–	–	19	6	6	2	1	1	–	3	2	43	35	1	–	25	9
Balance of county	543	–	–	2	113	37	24	8	13	5	2	24	6	305	250	1	12	193	44
Wyandot	243	–	–	3	43	13	6	4	7	3	2	8	3	141	105	1	–	76	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	2	24	1	4	9	12	1	2	6	–	6	3	2	22	12	3	3	–	–
Pickaway	–	29	3	4	6	9	–	2	2	–	3	5	6	23	7	9	4	–	–
Circleville	–	15	2	2	4	4	–	1	–	–	1	1	2	13	2	2	1	–	–
Balance of county	–	14	1	2	4	5	–	1	2	–	2	4	6	10	5	7	3	–	–
Pike	1	9	1	1	2	14	1	3	4	–	2	5	1	13	4	8	2	2	–
Portage	3	69	15	6	10	26	2	8	9	–	8	14	9	52	26	18	17	4	1
Kent	1	11	3	1	4	5	–	2	2	–	2	–	1	6	3	–	4	–	1
Ravenna	–	15	4	2	1	5	–	1	–	–	–	1	2	9	7	2	1	1	–
Balance of county	2	43	8	3	5	16	2	5	7	–	6	13	6	37	16	16	12	3	–
Preble	3	31	6	7	6	14	1	3	2	–	4	2	–	15	13	6	3	5	–
Putnam	–	17	3	6	7	9	2	2	1	–	1	1	–	18	4	6	–	–	–
Richland	1	92	11	12	23	34	3	10	4	–	9	18	9	61	20	27	16	11	–
Mansfield	–	47	7	4	12	24	3	7	3	–	4	9	6	27	9	18	9	8	–
Balance of county	1	45	4	8	11	10	–	3	1	–	5	8	3	34	11	9	7	3	–
Ross	4	44	12	8	6	18	–	2	10	–	7	4	8	32	17	10	11	–	2
Chillicothe	3	21	9	6	1	9	–	–	5	–	4	1	4	10	9	4	7	–	1
Balance of county	1	23	3	2	5	9	–	2	5	–	3	3	4	22	8	6	4	–	1
Sandusky	1	45	8	12	4	9	–	5	3	–	3	5	3	37	20	13	4	3	1
Fremont	1	17	4	7	1	6	–	1	1	–	2	3	2	24	7	4	–	3	–
Balance of county	–	28	4	5	3	3	–	4	2	–	1	2	1	13	13	9	4	–	1
Scioto	–	61	9	3	12	37	3	10	8	–	1	6	9	55	14	12	9	8	3
Portsmouth	–	35	5	3	4	16	–	6	3	–	–	3	7	24	3	6	3	5	2
Balance of county	–	28	4	–	8	21	3	4	5	–	1	3	2	31	11	6	6	3	1
Seneca	1	22	8	7	4	12	3	3	3	1	1	4	3	26	14	16	2	1	–
Fostoria, part	–	6	1	4	–	4	1	1	–	–	–	–	–	6	2	4	–	–	–
Fostoria, total	–	8	1	4	–	5	1	1	–	–	–	–	1	9	3	7	–	–	–
Tiffin	–	5	3	2	3	5	1	2	–	–	1	3	–	5	5	2	2	–	–
Balance of county	1	11	4	1	1	3	1	–	3	1	–	1	3	13	7	10	–	1	–
Shelby	3	36	15	3	3	9	–	1	5	–	2	6	–	16	–	7	1	1	–
Sidney	2	17	7	2	2	4	–	1	4	–	1	5	–	10	–	2	1	1	–
Balance of county	1	19	8	1	1	5	–	–	1	–	1	1	–	8	–	5	–	–	–
Stark	11	256	37	43	53	128	11	32	30	–	23	25	19	233	64	79	38	17	1
Alliance, part	–	8	6	4	5	12	1	–	1	–	2	3	3	25	2	7	2	2	–
Alliance, total	–	8	6	4	5	12	1	–	1	–	2	3	3	25	2	7	2	2	–
Canton	3	94	9	17	16	42	4	9	13	–	7	7	7	65	22	30	10	8	–
Massillon	2	30	4	2	7	12	2	6	3	–	1	2	–	22	4	5	4	2	–
North Canton	1	9	1	2	4	5	–	–	2	–	–	2	–	15	2	2	1	1	–
Balance of county	5	115	17	18	19	57	4	17	11	–	13	11	9	108	34	35	21	4	1
Summit	22	345	76	46	89	146	11	54	39	–	28	40	419	333	53	51	50	16	1
Akron	17	184	42	26	47	82	8	28	20	–	13	17	234	181	22	28	20	9	–
Barberton	1	18	2	1	4	8	1	4	5	–	2	2	19	28	3	1	2	1	–
Cuyahoga Falls	–	33	6	4	8	9	2	4	4	–	2	10	28	26	5	7	4	2	–
Norton	–	5	–	1	–	3	–	1	–	–	2	–	6	2	1	–	1	–	–
Stow	1	11	–	3	3	–	1	2	2	–	1	1	15	14	3	2	4	–	1
Tallmadge	2	6	–	–	2	4	–	–	1	–	1	1	7	8	–	1	2	1	–
Balance of county	1	88	26	11	25	40	1	15	7	–	7	9	110	76	19	11	17	3	–
Trumbull	8	151	28	23	28	47	9	34	20	–	17	14	9	130	49	46	28	13	1
Girard	–	12	2	1	1	6	1	4	–	–	1	–	–	14	2	3	3	1	–
Niles	3	14	6	3	2	8	1	2	4	–	4	1	1	17	2	3	3	1	–
Warren	2	51	6	7	11	14	1	11	8	–	6	3	2	43	18	11	6	4	–
Youngstown, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	3	73	14	12	14	19	6	17	8	–	6	10	6	56	27	29	16	7	1
Tuscarawas	3	71	15	13	26	24	1	7	10	1	4	3	5	48	18	15	17	–	–
Dover	–	14	4	3	9	4	1	2	3	–	1	1	–	7	2	1	3	–	–
New Philadelphia	1	18	2	1	1	3	–	–	2	–	–	–	–	9	3	2	6	–	–
Balance of county	2	39	9	9	16	17	–	5	5	1	3	2	5	32	13	12	8	–	–
Union	2	18	2	2	7	12	–	4	6	–	1	3	2	19	7	7	4	1	–
Van Wert	2	26	14	4	4	6	2	1	–	–	1	2	–	19	8	9	3	1	–
Van Wert	1	12	4	1	3	4	1	1	–	–	–	–	–	7	–	2	–	–	–
Balance of county	1	14	10	3	1	2	1	–	–	–	1	2	–	12	8	7	3	1	–
Vinton	–	3	2	1	1	4	1	1	1	–	–	–	3	12	6	2	2	1	1
Warren	4	57	9	3	11	30	4	5	2	–	4	7	5	43	19	16	13	1	–
Franklin	1	8	2	–	3	5	1	2	1	–	1	2	1	11	3	2	1	1	–
Balance of county	3	49	7	3	8	25	3	3	1	–	3	5	4	32	16	14	12	–	–
Washington	3	40	1	14	17	12	2	8	4	–	4	3	4	26	7	12	11	1	1
Marietta	1	16	–	8	4	5	–	5	2	–	1	1	1	11	–	2	5	1	1
Balance of county	2	24	1	6	13	7	2	3	2	–	3	2	3	15	7	10	6	–	–
Wayne	5	64	10	11	18	24	3	5	8	–	4	7	18	42	15	17	6	2	–
Wooster	2	18	5	3	6	6	–	–	1	–	2	1	4	9	4	3	3	–	–
Balance of county	3	46	5	8	12	18	3	5	7	–	2	6	14	33	11	14	3	2	–
Williams	1	21	5	3	7	9	1	2	5	–	5	1	2	22	9	7	6	–	1
Wood	2	41	15	12	18	21	2	4	8	–	7	11	4	44	18	11	7	–	2
Bowling Green	1	4	1	–	4	2	1	1	2	–	2	3	1	4	2	–	1	–	–
Fostoria, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Perrysburg	–	6	1	1	1	4	–	1	–	–	1	–	–	5	1	2	1	–	–
Balance of county	1	30	13	11	13	15	1	2	6	–	4	8	3	34	15	9	5	–	2
Wyandot	–	31	1	4	5	6	1	1	2	–	2	1	4	13	7	8	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	29,350	40	2	250	5,883	1,405	1,773	455	628	273	251	1,098	493	14,241	10,961	68	247	8,112	2,534
Urban places	14,873	19	1	136	2,986	707	907	242	316	135	140	539	246	7,116	5,398	36	136	3,963	1,283
Balance of area	14,477	21	1	114	2,897	698	866	213	312	138	111	559	247	7,125	5,563	32	111	4,149	1,271
Metropolitan counties	14,819	19	1	129	3,083	718	952	249	319	139	144	562	228	6,935	5,332	41	131	3,866	1,284
Urban places	11,024	13	1	97	2,269	522	715	184	231	99	111	407	167	5,103	3,879	30	104	2,825	920
Balance of area	3,795	6	–	32	814	196	237	65	88	40	33	155	61	1,832	1,453	11	27	1,041	374
Nonmetropolitan counties	14,531	21	1	121	2,800	687	821	206	309	134	107	536	265	7,306	5,629	27	116	4,246	1,240
Urban places	3,849	6	–	39	717	185	192	58	85	36	29	132	79	2,013	1,519	6	32	1,138	343
Balance of area	10,682	15	1	82	2,083	502	629	148	224	98	78	404	186	5,293	4,110	21	84	3,108	897
Adair	221	–	–	2	35	7	14	5	2	1	–	6	4	108	76	1	1	49	25
Alfalfa	118	–	–	1	31	9	4	4	4	1	1	8	2	49	36	–	–	23	13
Atoka	154	–	–	–	36	4	14	2	2	1	–	13	1	71	59	–	1	38	20
Beaver	64	–	–	–	12	3	4	2	–	–	1	2	–	32	24	–	–	16	8
Beckham	274	–	–	3	37	3	12	3	4	5	–	10	1	118	94	–	17	60	17
Blaine	202	–	–	4	29	11	6	1	5	1	1	4	5	88	75	1	–	61	13
Bryan	373	–	–	1	60	16	19	2	7	2	3	11	16	209	148	–	2	112	34
Durant	180	–	–	–	22	8	8	1	2	–	–	3	11	104	66	–	1	50	15
Balance of county	193	–	–	1	38	8	11	1	5	2	3	8	5	105	82	–	1	62	19
Caddo	383	–	–	1	65	20	15	8	6	3	2	11	7	182	133	1	2	102	28
Canadian	382	–	–	4	79	19	23	3	6	3	6	19	6	181	130	–	2	85	43
El Reno	171	–	–	2	36	6	11	1	5	1	2	10	3	90	65	–	2	46	17
Oklahoma City, part	5	–	–	1	1	–	–	1	–	–	–	–	–	2	2	–	–	2	–
Yukon	114	–	–	1	25	8	6	1	–	1	3	6	1	47	34	–	–	18	15
Balance of county	92	–	–	–	17	5	6	–	1	1	1	3	2	42	29	–	–	19	10
Carter	497	1	–	6	100	24	34	7	12	5	5	13	13	237	181	1	5	139	36
Ardmore	324	1	–	4	71	18	21	4	10	5	4	9	8	146	107	1	3	78	27
Balance of county	173	–	–	2	29	6	13	3	2	–	1	4	5	91	74	–	2	63	9
Cherokee	284	1	–	4	55	14	16	3	4	4	3	11	2	142	101	–	4	87	10
Choctaw	250	–	–	–	46	12	19	1	3	2	1	8	2	136	118	1	–	89	28
Cimarron	36	–	–	–	7	1	3	–	–	2	1	–	1	12	6	–	–	5	1
Cleveland	730	3	–	–	161	45	44	15	13	5	11	28	12	330	254	–	6	186	62
Moore	154	1	–	–	32	9	7	3	1	1	3	8	1	63	54	–	–	45	9
Norman	434	2	–	–	97	24	30	11	8	4	7	13	10	209	160	–	4	113	43
Oklahoma City, part	21	–	–	–	7	1	3	–	–	–	1	2	–	7	4	–	–	4	–
Balance of county	121	–	–	–	25	11	4	1	4	–	–	5	1	51	36	–	2	24	10
Coal	90	1	–	–	19	5	8	1	2	–	1	2	3	43	40	–	2	28	12
Comanche	742	1	–	8	129	27	47	11	13	3	4	24	20	328	261	2	10	205	44
Lawton	598	1	–	7	104	18	43	9	10	2	2	20	16	266	209	2	7	163	37
Balance of county	144	–	–	1	25	9	4	2	3	1	2	4	4	62	52	–	3	42	7
Cotton	85	1	–	1	15	–	9	–	1	2	–	3	1	49	35	–	–	28	9
Craig	217	1	–	2	48	11	17	5	3	2	1	7	7	100	69	–	–	64	5
Creek	589	–	–	3	103	27	28	9	12	6	–	21	18	298	233	–	7	171	56
Sapulpa	238	–	–	1	41	11	14	2	5	2	–	7	9	125	96	–	2	74	20
Balance of county	351	–	–	2	62	16	14	7	7	4	–	14	9	173	137	–	5	97	35
Custer	283	–	–	–	50	13	19	2	7	1	2	6	5	115	95	4	4	68	19
Delaware	277	2	–	1	60	17	21	3	5	3	2	9	4	146	109	–	–	73	36
Dewey	77	–	–	1	22	8	4	1	4	2	1	2	–	32	25	–	–	20	5
Ellis	79	–	–	–	14	6	5	2	–	–	1	–	–	37	29	–	–	20	9
Garfield	656	–	–	7	120	24	35	13	25	4	3	16	6	335	229	1	7	167	54
Enid	545	–	–	6	94	22	28	9	16	3	3	13	4	278	184	–	6	133	45
Balance of county	111	–	–	1	26	2	7	4	9	1	–	3	2	57	45	1	1	34	9
Garvin	338	–	–	1	64	13	20	6	12	–	3	10	11	170	139	1	3	105	30
Grady	402	–	–	7	69	18	16	9	9	7	1	9	2	208	149	1	2	112	34
Chickasha	217	–	–	5	34	7	11	5	5	2	1	3	1	115	78	–	2	58	18
Balance of county	185	–	–	2	35	11	5	4	4	5	–	6	1	93	71	1	–	54	16
Grant	84	–	–	1	17	7	3	1	2	–	–	4	1	36	25	–	–	19	6
Greer	124	–	–	1	22	2	12	2	–	1	1	4	6	59	42	1	–	35	6
Harmon	86	–	–	–	7	–	1	1	1	1	–	3	–	57	51	–	–	44	7
Harper	64	–	–	–	10	4	1	2	–	–	1	2	–	38	27	–	–	18	9
Haskell	130	–	–	1	30	8	9	1	4	2	1	5	–	70	54	–	–	40	14
Hughes	192	–	–	4	44	8	11	6	4	2	1	12	3	92	73	–	–	56	17
Jackson	260	–	–	4	57	18	14	2	7	2	1	13	3	132	91	2	3	66	20
Altus	204	–	–	4	43	14	9	1	6	1	1	11	3	103	71	2	2	51	16
Balance of county	56	–	–	–	14	4	5	1	1	1	–	2	–	29	20	–	1	15	4
Jefferson	123	–	–	1	27	5	10	3	4	–	–	5	1	69	56	–	1	36	19
Johnston	111	–	–	1	17	3	5	2	3	1	1	2	4	60	52	1	–	41	10
Kay	621	–	–	2	115	25	31	9	10	10	4	26	15	354	284	2	3	218	61
Ponca City	332	–	–	1	53	13	14	5	2	7	1	11	11	196	163	1	1	114	47
Balance of county	289	–	–	1	62	12	17	4	8	3	3	15	4	158	121	1	2	104	14
Kingfisher	153	–	–	1	34	8	7	4	5	1	1	8	–	76	55	2	–	43	10
Kiowa	198	–	–	1	29	3	8	–	4	6	1	7	6	96	79	–	1	65	13
Latimer	90	–	–	1	24	6	9	2	1	1	1	4	1	38	31	–	1	20	10
Le Flore	464	1	–	3	100	24	37	5	10	2	1	21	4	233	199	2	–	150	47
Lincoln	267	–	–	1	42	17	7	–	6	1	3	8	2	149	109	–	2	100	7
Logan	299	–	–	3	62	17	17	4	9	3	–	12	4	168	116	–	–	98	18
Guthrie	188	–	–	2	42	13	11	3	7	2	–	6	4	103	66	–	–	58	8
Balance of county	111	–	–	1	20	4	6	1	2	1	–	6	–	66	50	–	–	40	10
Love	94	2	–	2	25	6	6	4	6	–	–	5	–	39	32	–	–	24	8
McClain	175	–	–	–	43	10	12	4	4	1	2	10	2	84	64	1	1	54	8
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	175	–	–	–	43	10	12	4	4	1	2	10	2	84	64	1	1	54	8
McCurtain	415	2	–	6	69	21	21	3	6	1	1	16	9	197	148	–	2	119	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	91	2,537	381	271	791	889	90	311	351	1	237	299	427	2,183	1,099	918	455	357	33
Urban places	46	1,313	212	147	387	467	45	174	145	1	153	174	215	1,140	468	485	289	208	18
Balance of area	45	1,224	169	124	404	422	45	137	206	–	84	125	212	1,043	631	433	166	149	15
Metropolitan counties	46	1,234	179	144	365	472	42	169	148	1	156	179	203	1,151	522	490	293	212	21
Urban places	34	941	142	107	273	362	35	137	106	1	125	142	156	875	356	378	244	169	15
Balance of area	12	293	37	37	92	110	7	32	42	–	31	37	47	276	166	112	49	43	6
Nonmetropolitan counties	45	1,303	202	127	426	417	48	142	203	–	81	120	224	1,032	577	428	162	145	12
Urban places	12	372	70	40	114	105	10	37	39	–	28	32	59	265	112	107	45	39	3
Balance of area	33	931	132	87	312	312	38	105	164	–	53	88	165	767	465	321	117	106	9
Adair	–	26	1	5	9	4	1	2	8	–	4	–	3	19	11	4	5	1	1
Alfalfa	–	9	4	–	3	2	–	1	4	–	–	2	2	7	4	8	2	–	–
Atoka	–	10	–	2	2	6	1	2	2	–	–	–	1	11	13	3	1	4	–
Beaver	–	4	2	2	3	2	–	–	–	–	–	2	1	3	5	3	1	–	–
Beckham	–	22	–	2	8	3	3	1	2	–	3	5	32	17	22	11	4	6	–
Blaine	–	10	2	1	15	6	1	7	2	–	1	2	1	19	16	4	–	2	–
Bryan	1	43	13	4	4	12	1	4	4	–	2	–	2	30	11	10	2	5	–
Durant	–	29	8	1	3	6	1	3	2	–	1	–	–	15	4	5	1	2	–
Balance of county	1	14	5	3	1	6	–	1	2	–	1	–	2	15	7	5	1	3	–
Caddo	–	41	5	3	8	13	3	8	5	–	3	6	9	32	22	13	2	4	–
Canadian	2	39	4	8	6	2	1	2	9	–	2	8	2	28	22	16	9	4	1
El Reno	–	21	2	2	5	1	–	1	5	–	–	4	1	10	4	7	2	–	–
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Yukon	1	9	2	1	–	–	1	1	2	–	1	3	–	11	8	8	4	1	–
Balance of county	1	9	–	3	1	1	–	–	2	–	1	1	1	6	10	1	3	3	1
Carter	2	37	13	4	11	16	–	3	5	–	–	5	18	36	20	12	4	9	1
Ardmore	1	28	9	1	8	6	–	2	2	–	–	3	15	23	14	9	3	8	1
Balance of county	1	9	4	3	3	10	–	1	3	–	–	2	3	13	6	3	1	1	–
Cherokee	–	36	3	2	13	10	–	3	8	–	2	5	1	28	7	8	2	3	–
Choctaw	1	14	–	3	10	4	1	2	7	–	1	2	6	19	6	3	2	2	1
Cimarron	–	6	–	–	–	1	–	–	2	–	1	–	2	5	4	1	–	–	–
Cleveland	3	62	7	4	13	26	3	5	7	–	10	14	14	44	29	30	14	12	3
Moore	–	8	–	1	3	5	–	1	4	–	4	5	4	7	6	8	5	5	–
Norman	1	42	6	–	7	17	3	1	2	–	4	7	4	27	19	18	6	4	3
Oklahoma City, part	1	2	–	–	–	1	–	–	–	–	–	–	–	1	2	–	2	1	–
Balance of county	1	10	1	3	3	3	–	3	1	–	2	2	6	9	8	4	1	2	–
Coal	–	3	–	–	4	2	–	1	1	–	–	–	3	5	–	5	1	1	1
Comanche	4	52	4	7	15	25	3	8	7	–	14	21	21	63	22	35	16	6	–
Lawton	3	44	4	6	13	21	3	7	3	–	14	16	18	55	13	23	13	5	–
Balance of county	1	8	–	1	2	4	–	1	4	–	–	5	3	8	9	12	3	1	–
Cotton	1	10	3	–	1	2	–	–	1	–	–	–	3	7	–	2	1	1	–
Craig	–	21	9	1	7	5	–	1	3	–	3	2	5	19	7	4	5	–	–
Creek	2	55	4	4	11	27	–	5	5	–	4	5	5	52	18	15	10	10	–
Sapulpa	1	26	2	–	4	14	–	3	1	–	1	1	1	23	3	5	3	3	–
Balance of county	1	29	2	4	7	13	–	2	4	–	3	4	4	29	15	10	7	7	–
Custer	–	20	–	–	12	14	1	2	3	–	1	7	1	31	25	8	3	5	–
Delaware	1	26	7	3	15	8	1	2	–	–	–	1	3	20	9	3	1	1	–
Dewey	–	5	2	–	4	1	–	1	–	–	1	–	1	2	6	4	1	1	–
Ellis	–	6	1	1	1	3	–	–	1	–	–	–	–	7	8	6	2	–	–
Garfield	1	82	13	10	15	26	–	2	6	–	10	5	9	51	33	17	9	5	–
Enid	1	73	10	10	13	24	–	2	4	–	9	5	8	45	24	15	9	5	–
Balance of county	–	9	3	–	2	2	–	–	2	–	1	–	1	6	9	2	–	–	–
Garvin	1	27	2	1	12	7	1	5	3	–	–	6	5	27	13	9	3	1	–
Grady	–	49	8	2	11	6	–	3	3	–	3	3	5	30	29	11	5	7	–
Chickasha	–	30	5	2	7	4	–	1	2	–	2	2	1	21	13	3	3	3	–
Balance of county	–	19	3	–	4	2	–	2	1	–	1	1	4	9	16	8	2	4	–
Grant	–	9	2	–	4	5	–	–	1	–	–	1	2	11	1	3	1	–	–
Greer	2	9	5	1	1	7	3	1	4	–	–	1	1	12	3	1	2	–	–
Harmon	1	5	–	–	3	3	–	2	1	–	–	–	2	8	–	1	1	1	–
Harper	–	11	–	–	2	–	–	1	–	–	–	1	1	5	3	2	1	–	–
Haskell	1	13	–	2	2	5	–	2	3	–	1	–	–	8	5	1	1	1	–
Hughes	3	15	1	–	6	12	–	3	3	–	–	–	1	9	8	2	2	2	1
Jackson	2	35	–	4	8	6	1	2	4	–	–	2	9	14	6	7	3	1	1
Altus	1	27	–	4	6	5	1	2	4	–	–	2	9	9	5	5	2	1	–
Balance of county	1	8	–	–	2	1	–	–	–	–	–	–	–	5	1	2	1	–	1
Jefferson	–	6	6	1	–	3	–	2	1	–	–	–	–	7	4	4	2	2	–
Johnston	–	8	2	–	3	5	2	3	–	–	1	1	1	6	2	2	2	1	–
Kay	–	64	1	5	13	23	–	6	3	–	9	4	5	32	10	15	5	5	–
Ponca City	–	29	1	3	6	11	–	6	1	–	5	3	4	14	8	9	3	1	–
Balance of county	–	35	–	2	7	12	–	2	2	–	4	1	1	18	5	6	2	4	–
Kingfisher	–	11	8	2	4	5	–	1	–	–	1	4	2	6	7	9	1	1	1
Kiowa	–	14	–	3	4	8	1	4	6	–	1	1	5	16	7	7	3	3	–
Latimer	2	4	–	1	1	2	–	–	–	–	1	4	3	8	2	1	2	1	1
Le Flore	–	31	3	–	13	18	1	4	5	–	3	1	5	31	17	16	4	5	–
Lincoln	1	29	3	7	4	8	–	1	2	–	1	2	4	24	8	11	2	6	–
Logan	1	48	3	1	10	8	1	2	4	–	–	–	4	10	9	10	2	1	–
Guthrie	1	33	2	1	7	6	1	2	4	–	–	–	2	7	2	5	–	1	–
Balance of county	–	15	1	–	3	2	–	–	–	–	–	–	2	3	7	5	2	–	–
Love	–	6	1	–	1	5	–	–	2	–	–	–	–	8	2	7	–	1	–
McClain	–	13	4	3	3	4	2	–	1	–	–	1	1	18	7	6	1	–	2
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	13	4	3	3	4	2	–	1	–	–	1	1	18	7	6	1	–	2
McCurtain	3	42	1	3	12	15	–	4	11	–	2	4	8	27	20	18	5	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	235	–	–	3	53	16	18	4	7	1	1	6	7	112	92	3	2	65	22
Major	105	–	–	1	17	5	2	2	2	1	1	4	7	49	38	–	1	25	12
Marshall	157	–	–	1	26	2	7	–	4	3	3	7	2	88	73	1	2	46	24
Mayes	353	1	–	3	89	21	23	5	6	8	9	17	7	173	126	1	–	96	29
Murray	156	1	–	1	35	8	11	2	7	2	–	5	2	74	59	–	–	36	23
Muskogee	784	1	–	6	156	30	54	10	21	10	8	23	10	412	327	–	11	235	81
Muskogee	557	1	–	4	111	25	35	8	15	5	5	18	7	301	239	–	8	177	54
Balance of county	227	–	–	2	45	5	19	2	6	5	3	5	3	111	88	–	3	58	27
Noble	134	–	–	1	22	7	6	1	–	2	–	6	3	81	55	–	1	32	22
Nowata	130	–	–	–	31	6	10	1	1	3	2	6	4	56	40	–	–	23	17
Okfuskee	157	1	–	–	31	11	8	1	2	1	4	4	3	85	75	–	–	65	10
Oklahoma	4,981	8	–	54	990	224	310	67	109	44	52	184	84	2,260	1,708	13	48	1,183	464
Bethany	176	–	–	2	40	7	10	4	2	1	5	11	–	86	71	–	–	47	24
Del City	151	–	–	2	30	4	13	2	1	4	3	3	5	53	43	–	–	34	9
Edmond	204	2	–	2	41	12	10	3	7	1	3	5	–	93	63	–	2	44	17
Midwest City	335	1	–	2	66	21	17	5	8	2	1	12	10	147	113	–	5	80	28
Oklahoma City, part	3,838	5	–	41	766	165	251	49	86	33	38	144	65	1,746	1,317	13	38	907	361
Oklahoma City, total	3,864	5	–	42	774	166	254	50	86	33	39	146	65	1,755	1,323	13	38	913	361
The Village	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	277	–	–	5	47	15	9	4	5	3	2	9	4	135	101	–	5	71	25
Okmulgee	470	–	–	4	80	17	24	5	9	2	2	21	7	253	212	1	6	163	22
Okmulgee	235	–	–	–	29	7	10	4	2	1	–	5	2	135	112	1	2	94	15
Balance of county	235	–	–	4	51	10	14	1	7	1	2	16	5	118	100	–	4	69	7
Osage	336	1	–	5	62	13	19	3	7	4	5	11	7	176	147	2	1	92	52
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sand Springs, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tulsa, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1
Balance of county	332	1	–	5	62	13	19	3	7	4	5	11	7	174	146	2	1	92	51
Ottawa	380	1	–	3	69	19	28	8	7	2	2	17	13	197	143	–	3	90	50
Miami	180	–	–	1	39	9	12	4	3	1	1	9	7	99	68	–	2	38	28
Balance of county	200	1	–	2	44	10	16	4	4	1	1	8	6	98	75	–	1	52	22
Pawnee	190	–	–	3	35	9	13	3	3	1	1	5	3	92	78	–	1	57	20
Payne	440	–	–	5	96	27	19	11	16	6	5	12	8	220	165	1	2	140	22
Stillwater	207	–	–	3	41	11	6	4	8	4	1	7	7	102	77	1	2	61	13
Balance of county	233	–	–	2	55	16	13	7	8	2	4	5	1	118	88	–	–	79	9
Pittsburg	455	1	–	4	95	24	26	7	7	–	7	24	6	226	173	–	2	117	54
McAlester	245	1	–	2	41	10	10	5	1	–	3	12	4	134	105	–	–	74	31
Balance of county	210	–	–	2	54	14	16	2	6	–	4	12	2	92	68	–	2	43	23
Pontotoc	376	1	–	5	83	16	20	10	12	4	6	15	5	186	145	–	1	126	18
Ada	227	–	–	3	49	13	8	6	9	1	4	8	2	116	91	–	1	83	7
Balance of county	149	1	–	2	34	3	12	4	3	3	2	7	3	70	54	–	–	43	11
Pottawatomie	597	–	–	7	124	33	36	14	11	2	6	22	8	290	217	3	1	176	37
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	379	–	–	5	71	19	19	6	4	–	8	17	5	188	138	2	–	113	23
Balance of county	218	–	–	2	53	14	17	8	7	2	–	5	3	102	79	1	1	63	14
Pushmataha	133	–	–	1	31	5	11	3	2	1	2	7	1	69	48	–	1	35	12
Roger Mills	46	–	–	–	8	2	3	–	1	–	–	2	1	23	21	–	–	16	5
Rogers	333	–	–	–	78	19	26	3	4	2	5	19	3	164	138	1	4	95	38
Claremore	115	–	–	–	24	8	8	1	–	1	1	5	1	56	44	–	1	35	8
Balance of county	218	–	–	–	54	11	18	2	4	1	4	14	2	108	94	1	3	60	30
Seminole	361	–	–	4	68	21	20	2	5	3	–	17	11	185	133	–	8	107	18
Sequoyah	330	2	–	4	63	17	14	4	7	4	4	13	4	171	133	1	1	79	52
Stephens	468	3	–	4	87	25	23	3	9	4	3	20	9	233	179	–	4	132	43
Duncan	265	3	–	3	46	14	11	2	6	1	1	11	5	123	94	–	–	73	21
Balance of county	203	–	–	1	41	11	12	1	3	3	2	9	4	110	85	–	4	59	22
Texas	154	–	–	–	35	6	10	2	6	–	2	9	–	75	62	–	–	48	14
Tillman	156	–	1	1	34	8	6	5	3	2	2	8	1	65	63	–	1	54	8
Tulsa	3,918	1	1	29	880	204	276	86	83	47	35	147	42	1,815	1,410	14	41	1,069	286
Broken Arrow, part	222	–	–	–	39	14	10	3	4	2	1	5	1	105	88	–	1	74	11
Broken Arrow, total	231	–	–	–	44	14	11	4	5	2	2	6	1	109	89	–	2	76	11
Sand Springs, part	125	–	–	–	26	9	3	4	1	3	2	4	3	68	51	–	2	38	11
Sand Springs, total	126	–	–	–	26	9	3	4	1	3	2	4	3	68	51	–	2	38	11
Tulsa, part	3,166	1	1	25	724	164	231	69	72	38	29	121	33	1,468	1,141	13	35	853	240
Tulsa, total	3,189	1	1	25	724	164	231	69	72	38	29	121	33	1,470	1,142	13	35	853	241
Balance of county	385	–	–	4	91	17	34	10	6	4	3	17	5	174	132	1	3	104	24
Wagoner	233	1	–	2	62	11	20	7	9	4	1	10	5	97	83	–	2	58	23
Broken Arrow, part	9	–	–	–	5	–	1	1	1	–	1	1	–	4	3	–	1	2	–
Balance of county	224	1	–	2	57	11	19	6	8	4	–	9	5	93	80	–	1	56	23
Washington	480	–	–	6	108	31	31	7	11	8	5	15	7	222	171	–	10	120	41
Bartlesville, part	348	–	–	6	77	21	22	5	7	5	4	13	6	167	128	–	7	89	32
Bartlesville, total	348	–	–	6	77	21	22	5	7	5	4	13	6	167	128	–	7	89	32
Balance of county	132	–	–	–	31	10	9	2	4	3	1	2	1	55	43	–	3	31	9
Washita	184	1	–	1	24	4	8	2	2	1	–	7	5	100	77	–	2	63	12
Woods	144	–	–	–	33	12	6	2	6	–	1	6	3	72	58	1	1	35	21
Woodward	201	–	–	2	26	3	7	2	3	1	3	7	5	96	76	1	1	59	15
Woodward	140	–	–	1	19	2	4	1	2	1	3	6	1	69	54	–	1	42	11
Balance of county	61	–	–	1	7	1	3	1	1	–	–	1	4	27	22	1	–	17	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
McIntosh	–	19	–	1	8	10	1	3	7	–	–	–	2	15	6	7	2	1	–
Major	–	10	1	–	7	–	–	1	–	–	1	2	3	9	3	4	–	1	–
Marshall	–	11	2	2	5	4	1	2	1	–	1	–	–	12	3	7	2	2	–
Mayes	1	37	6	3	9	13	2	–	3	–	2	4	2	16	15	11	2	1	–
Murray	–	12	1	2	8	4	–	3	3	–	1	2	–	8	5	4	6	–	1
Muskogee	4	63	7	11	24	20	3	4	10	–	5	6	13	55	28	19	11	10	1
Muskogee	4	44	6	8	18	12	1	3	7	–	3	5	6	36	16	12	6	7	1
Balance of county	–	19	1	3	6	8	2	1	3	–	2	1	7	19	12	7	5	3	–
Noble	–	23	–	3	3	6	–	–	1	–	–	1	1	3	5	6	–	1	–
Nowata	–	9	6	1	7	3	1	–	5	–	2	1	1	7	8	2	2	–	–
Okfuskee	–	10	–	–	4	2	2	1	1	–	1	–	2	7	6	6	–	4	1
Oklahoma	17	418	67	50	132	168	14	80	53	1	54	72	64	404	158	165	108	100	12
Bethany	1	12	2	–	6	5	2	1	–	–	3	2	3	13	9	1	2	1	–
Del City	–	6	2	2	9	8	–	5	1	–	2	2	–	14	5	9	5	1	–
Edmond	–	21	5	4	6	5	–	2	5	–	3	6	3	17	9	5	4	1	–
Midwest City	–	29	2	3	11	12	–	3	3	–	4	4	6	28	11	10	11	5	1
Oklahoma City, part	14	327	52	36	93	129	12	66	41	1	40	54	49	311	113	132	80	85	9
Oklahoma City, total	15	329	52	36	93	130	12	66	41	1	40	54	49	313	115	132	82	86	9
The Village	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	23	4	5	7	9	–	3	3	–	2	4	3	21	11	8	6	7	2
Okmulgee	3	29	6	3	14	17	3	3	3	–	3	4	7	40	14	10	4	4	–
Okmulgee	1	16	3	3	11	11	1	1	2	–	2	4	4	21	2	5	2	3	–
Balance of county	2	13	3	–	3	6	2	2	1	–	1	–	3	19	12	5	2	1	–
Osage	–	24	1	4	6	7	–	8	2	–	1	2	3	27	15	6	5	3	–
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sand Springs, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tulsa, part	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Balance of county	–	24	1	3	6	7	–	8	2	–	1	2	3	27	15	6	3	3	–
Ottawa	1	37	12	4	8	4	–	3	8	–	3	2	4	22	13	9	6	1	–
Miami	1	18	10	2	1	1	–	1	4	–	2	–	2	13	1	5	3	1	–
Balance of county	–	19	2	2	7	3	–	2	4	–	1	2	2	9	12	4	3	–	–
Pawnee	–	10	4	–	7	10	2	4	1	–	–	–	2	15	9	6	–	1	–
Payne	2	48	1	4	11	11	2	4	7	–	5	5	3	28	14	11	5	5	–
Stillwater	–	21	1	3	8	4	1	2	1	–	3	2	2	13	7	6	1	4	–
Balance of county	2	27	–	1	3	7	1	2	6	–	2	3	1	15	7	5	4	1	–
Pittsburg	1	39	11	2	13	11	1	4	8	–	–	3	4	42	16	9	6	6	–
McAlester	1	20	6	2	6	8	–	2	1	–	–	2	2	25	9	5	2	1	–
Balance of county	–	19	5	–	7	3	1	2	7	–	–	1	2	17	7	4	4	5	–
Pontotoc	–	33	6	2	15	12	2	4	5	–	2	1	1	20	10	15	5	4	–
Ada	–	18	5	2	9	8	1	2	5	–	–	1	1	13	5	6	3	3	–
Balance of county	–	15	1	–	6	4	1	2	–	–	2	–	–	7	5	9	2	1	–
Pottawatomie	2	58	9	4	18	14	–	4	4	–	4	4	6	52	19	24	12	7	–
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	1	38	8	3	13	11	–	3	4	–	1	2	3	31	13	16	10	3	–
Balance of county	1	20	1	1	5	3	–	1	–	–	3	2	3	21	6	8	2	4	–
Pushmataha	2	17	2	–	4	2	–	2	4	–	–	3	1	8	2	2	2	1	–
Roger Mills	–	2	–	–	4	1	–	–	1	–	–	–	–	1	6	1	–	–	–
Rogers	–	20	2	4	5	5	1	4	4	–	5	2	4	17	20	14	5	2	–
Claremore	–	7	1	4	–	3	1	1	4	–	1	–	1	10	6	5	2	–	–
Balance of county	–	13	1	–	5	2	–	3	–	–	4	2	3	7	14	9	3	2	–
Seminole	4	36	5	7	13	5	2	–	12	–	–	2	3	23	14	13	1	5	–
Sequoyah	2	30	5	1	9	10	2	3	6	–	3	2	3	27	7	6	5	2	1
Stephens	1	39	7	7	17	9	2	2	7	–	3	4	4	36	10	26	5	6	1
Duncan	–	21	4	4	10	5	2	2	3	–	1	3	2	24	7	18	5	2	1
Balance of county	1	18	3	3	7	4	–	–	4	–	2	1	2	12	3	8	–	4	–
Texas	–	9	4	–	3	6	1	1	–	–	–	1	2	10	12	5	2	1	–
Tillman	–	16	1	5	3	1	–	–	1	–	2	–	–	14	5	3	2	3	–
Tulsa	11	303	48	43	97	120	13	43	30	–	43	37	62	302	133	125	89	54	2
Broken Arrow, part	1	13	3	2	5	4	1	3	3	–	2	4	5	21	11	4	8	5	1
Broken Arrow, total	1	14	3	2	5	4	1	3	3	–	2	4	5	21	11	4	8	5	1
Sand Springs, part	–	13	4	–	3	4	–	–	–	–	–	–	1	13	3	4	–	–	–
Sand Springs, total	–	13	4	–	3	4	–	–	–	–	–	–	1	13	3	4	1	–	–
Tulsa, part	9	249	37	32	82	98	12	37	24	–	36	27	49	237	103	108	76	44	1
Tulsa, total	9	249	37	33	82	98	12	37	24	–	36	27	49	237	103	108	77	44	1
Balance of county	1	28	4	9	7	14	–	3	3	–	5	6	7	31	16	9	5	5	–
Wagoner	1	10	2	1	13	7	–	1	6	–	1	1	2	19	7	4	4	1	–
Broken Arrow, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	9	2	1	13	7	–	1	6	–	1	1	2	19	7	4	4	1	–
Washington	2	40	7	2	12	16	–	10	1	–	6	3	11	40	15	12	10	1	–
Bartlesville, part	1	31	5	2	8	12	–	7	–	–	6	1	6	26	11	7	8	–	–
Bartlesville, total	1	31	5	2	8	12	–	7	–	–	6	1	6	26	11	7	8	–	–
Balance of county	1	9	2	–	4	4	–	3	1	–	–	2	5	14	4	5	2	1	–
Washita	1	17	4	1	1	3	–	4	5	–	1	1	3	13	14	5	2	1	–
Woods	–	11	1	2	4	3	2	–	–	–	–	1	2	12	7	4	1	–	–
Woodward	1	11	6	2	6	10	1	3	3	–	3	5	3	7	14	9	6	2	–
Woodward	1	7	5	2	6	6	1	1	1	–	3	4	3	5	8	7	3	2	–
Balance of county	–	4	1	–	–	4	–	2	2	–	–	1	–	2	6	2	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	21,614	11	3	137	4,787	1,167	1,339	384	532	242	199	924	300	10,348	7,633	106	166	5,904	1,457
Urban places	10,852	6	2	73	2,395	569	639	205	270	110	98	444	142	5,284	3,846	55	92	2,980	719
Balance of area	10,762	5	1	64	2,452	598	700	179	262	132	101	480	158	5,062	3,787	51	74	2,924	738
Metropolitan counties	13,743	7	2	85	3,034	746	835	252	328	145	127	603	191	6,662	4,804	67	125	3,809	903
Urban places	6,638	5	2	54	1,864	464	510	168	208	85	75	356	111	4,243	3,088	46	78	2,409	555
Balance of area	5,105	2	–	31	1,170	282	325	88	118	60	52	247	80	2,419	1,816	21	47	1,400	348
Nonmetropolitan counties	7,871	4	1	52	1,753	421	504	132	206	97	72	321	109	3,684	2,729	39	41	2,095	554
Urban places	2,214	1	–	19	471	105	129	39	62	25	23	86	31	1,041	758	9	14	571	164
Balance of area	5,657	3	1	33	1,282	316	375	93	144	72	49	233	78	2,643	1,971	30	27	1,524	390
Baker	195	–	–	1	45	6	10	3	8	5	3	10	1	87	61	–	–	51	10
Benton	384	–	–	3	73	19	12	9	8	4	4	17	5	183	141	3	1	105	32
Albany, part	7	–	–	–	2	1	1	–	–	–	–	–	–	3	3	1	–	1	1
Corvallis	239	–	–	2	46	14	5	7	5	3	4	8	4	118	90	2	–	66	22
Balance of county	138	–	–	1	25	4	6	2	3	1	–	9	1	62	48	–	1	38	9
Clackamas	1,674	–	–	10	372	83	106	29	38	21	21	74	13	829	614	9	23	476	106
Lake Oswego, part	128	–	–	1	37	11	9	5	4	–	1	7	2	61	38	–	–	35	3
Lake Oswego, total	130	–	–	1	37	11	9	5	4	–	1	7	2	61	38	–	–	35	3
Milwaukie, part	248	–	–	1	52	9	13	6	4	3	5	12	2	120	95	1	2	78	14
Milwaukie, total	249	–	–	1	52	9	13	6	4	3	5	12	2	121	96	1	2	78	15
Oregon City	170	–	–	3	34	8	9	5	5	3	1	3	2	88	58	2	2	41	13
Portland, part	20	–	–	–	4	1	2	–	–	–	1	–	–	5	4	–	–	2	2
West Linn	74	–	–	–	14	3	5	–	1	1	–	4	–	41	32	–	–	30	2
Balance of county	1,034	–	–	5	231	51	68	13	24	14	13	48	7	514	387	6	19	290	72
Clatsop	331	1	–	3	80	24	24	6	6	7	3	10	4	167	123	4	1	93	25
Columbia	325	–	–	2	76	20	22	4	11	1	4	14	7	161	122	2	2	95	23
Coos	528	–	–	1	133	40	41	8	13	3	6	22	9	232	180	1	3	147	29
Coos Bay	151	–	–	–	40	11	13	2	5	–	1	8	–	66	52	–	1	41	10
Balance of county	377	–	–	1	93	29	28	6	8	3	5	14	9	168	128	1	2	106	19
Crook	110	–	–	1	24	5	11	–	2	3	–	3	2	54	40	–	1	35	4
Curry	177	–	–	1	43	13	9	6	3	1	3	8	2	96	75	–	1	52	22
Deschutes	444	–	–	4	118	21	42	11	20	6	2	16	4	200	136	2	2	99	33
Bend	161	–	–	3	40	9	11	3	9	1	–	7	2	78	48	1	1	32	14
Balance of county	283	–	–	1	78	12	31	8	11	5	2	9	2	122	88	1	1	67	19
Douglas	723	1	1	6	158	32	53	16	14	9	5	29	11	319	226	3	1	147	75
Roseburg	218	–	–	2	47	6	13	8	6	4	2	8	1	97	65	1	–	40	24
Balance of county	505	1	1	4	111	26	40	8	8	5	3	21	10	222	161	2	1	107	51
Gilliam	21	–	–	–	5	–	2	–	–	1	1	1	–	11	6	–	–	6	–
Grant	58	–	–	1	15	5	3	3	3	–	–	1	1	30	22	1	1	18	2
Harney	77	–	–	–	13	3	4	–	–	1	2	3	2	30	27	3	–	14	10
Hood River	123	–	–	2	27	9	4	1	5	4	1	3	–	62	35	–	1	25	9
Jackson	1,109	–	–	6	248	57	69	18	26	14	13	49	8	518	372	6	10	272	84
Ashland	121	–	–	1	25	6	3	4	5	1	1	5	–	73	50	1	1	34	14
Medford	417	–	–	1	86	22	26	2	10	4	8	14	5	206	140	2	6	101	31
Balance of county	571	–	–	4	135	29	40	12	11	9	4	30	3	239	182	3	3	137	39
Jefferson	101	–	–	1	13	4	2	2	2	–	1	2	–	41	28	1	–	22	5
Josephine	614	–	–	6	139	30	39	12	16	3	8	31	2	302	219	1	9	172	37
Grants Pass	233	–	–	2	50	10	13	6	4	2	3	12	1	117	80	1	4	62	13
Balance of county	381	–	–	4	89	20	26	6	12	1	5	19	1	185	139	–	5	110	24
Klamath	484	–	–	2	109	30	31	7	8	6	4	23	10	209	150	2	–	124	24
Klamath Falls	194	–	–	1	46	15	12	2	3	2	2	10	5	83	61	–	–	53	8
Balance of county	290	–	–	1	63	15	19	5	5	4	2	13	5	126	89	2	–	71	16
Lake	56	–	–	–	12	6	3	2	–	–	–	1	–	25	22	–	1	17	4
Lane	1,878	1	–	11	454	116	126	38	55	17	17	85	29	896	659	7	14	534	104
Eugene	724	–	–	5	173	48	46	14	27	1	8	29	13	361	254	4	6	210	34
Springfield	312	–	–	1	77	17	24	6	7	5	4	14	2	140	100	1	1	83	15
Balance of county	842	1	–	5	204	51	56	18	21	11	5	42	14	395	305	2	7	241	55
Lincoln	385	1	–	4	87	22	32	3	5	9	2	14	4	175	132	2	–	109	21
Linn	690	1	–	4	147	35	41	7	25	12	5	22	13	341	255	5	5	188	57
Albany, part	210	–	–	3	34	8	7	1	6	2	2	8	5	100	72	1	2	51	18
Albany, total	217	–	–	3	36	9	8	1	6	2	2	8	5	103	75	2	2	52	19
Lebanon	115	1	–	–	26	4	9	–	6	3	1	3	2	59	48	–	–	38	10
Balance of county	365	–	–	1	87	23	25	6	13	7	2	11	6	182	135	4	3	99	29
Malheur	230	–	–	–	43	8	17	3	6	2	1	6	5	112	87	2	1	75	9
Marion	1,779	1	1	13	381	108	89	32	37	20	14	81	32	900	683	12	17	518	136
Salem, part	852	1	1	6	168	44	38	23	16	9	5	33	16	433	342	8	10	258	66
Salem, total	964	1	1	6	200	50	50	26	20	9	6	39	16	493	383	10	10	282	81
Woodburn	164	–	–	1	35	13	8	1	3	1	2	7	4	81	68	–	2	46	10
Balance of county	763	–	–	6	178	51	43	8	18	10	7	41	12	388	283	4	5	214	60
Morrow	48	–	–	–	12	4	2	1	–	1	1	3	–	23	19	1	–	13	5
Multnomah	5,462	3	1	37	1,178	275	339	102	124	55	46	237	84	2,616	1,937	25	52	1,515	345
Gresham	248	–	–	–	51	11	16	7	3	2	1	11	5	142	107	–	3	89	15
Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Milwaukie, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Portland, part	4,238	3	1	30	908	215	256	76	102	47	32	180	53	2,030	1,490	20	40	1,167	263
Portland, total	4,316	3	1	30	925	222	259	78	105	47	34	182	53	2,066	1,514	21	40	1,182	271
Balance of county	974	–	–	7	219	49	67	19	19	6	13	46	28	443	339	5	9	259	66
Polk	399	–	–	2	85	18	27	8	13	1	5	15	4	231	164	2	2	123	37
Salem, part	112	–	–	–	32	6	12	3	4	–	1	6	–	60	41	2	–	24	15
Balance of county	287	–	–	2	53	12	15	3	9	1	4	9	4	171	123	–	2	99	22
Sherman	15	–	–	–	3	–	1	1	–	–	–	1	–	8	7	–	–	6	1
Tillamook	231	–	–	–	57	17	12	5	7	2	2	12	3	106	78	3	–	59	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-539)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	76	1,880	466	291	617	903	78	278	114	4	153	161	347	1,676	553	556	382	146	62
Urban places	44	1,028	220	146	293	445	39	172	55	1	66	85	187	881	227	255	184	90	30
Balance of area	32	852	246	145	324	458	39	106	59	3	87	76	160	795	326	301	208	56	22
Metropolitan counties	50	1,234	290	184	388	564	51	206	66	4	98	105	220	1,046	321	312	243	101	37
Urban places	40	807	186	122	221	351	32	152	42	1	50	71	149	672	181	188	146	74	27
Balance of area	10	427	104	62	167	213	19	54	24	3	48	34	71	374	140	124	95	27	10
Nonmetropolitan counties	26	646	176	107	229	339	27	72	48	–	55	56	127	630	232	244	149	45	15
Urban places	4	221	34	24	72	94	7	20	13	–	16	14	38	209	46	67	36	16	3
Balance of area	22	425	142	83	157	245	20	52	35	–	39	42	89	421	186	177	113	29	12
Baker	1	17	3	5	11	11	2	1	2	–	1	1	–	17	3	6	2	3	1
Benton	–	31	8	3	9	19	1	4	1	–	2	2	3	45	13	11	9	1	–
Albany, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Corvallis	–	23	4	1	3	11	–	1	–	–	1	2	2	32	6	7	3	1	–
Balance of county	–	8	4	2	6	8	1	3	1	–	1	–	1	12	7	3	6	–	–
Clackamas	4	155	41	15	57	71	5	23	5	1	12	11	15	133	39	35	31	9	3
Lake Oswego, part	–	15	3	5	2	6	–	1	1	–	–	–	2	10	2	1	2	–	–
Lake Oswego, total	–	15	3	5	2	7	–	1	1	–	–	–	2	10	2	2	2	–	–
Milwaukie, part	2	16	6	1	6	14	1	6	–	–	1	1	2	17	10	6	4	2	1
Milwaukie, total	2	16	6	1	8	14	1	6	–	–	1	1	2	17	10	6	4	2	1
Oregon City	1	23	6	–	2	5	–	3	1	–	1	4	–	16	3	3	3	1	1
Portland, part	–	1	–	–	2	2	–	–	–	–	1	–	–	2	–	1	2	1	–
West Linn	–	4	5	–	1	1	–	3	–	–	–	–	3	5	4	1	–	–	–
Balance of county	1	96	21	9	42	43	4	10	3	1	9	6	8	82	20	23	20	5	1
Clatsop	1	25	12	6	8	10	1	4	3	–	5	–	3	21	7	9	4	1	–
Columbia	–	23	12	4	6	16	1	4	1	–	3	1	6	14	8	8	7	2	2
Coos	3	35	9	5	9	18	1	5	3	–	2	1	23	43	11	17	14	2	4
Coos Bay	–	10	2	2	1	2	1	1	–	–	1	1	10	16	–	4	4	1	3
Balance of county	3	25	7	3	8	16	–	4	3	–	1	–	13	27	11	13	10	1	1
Crook	–	8	5	1	2	2	–	–	1	–	–	2	2	8	4	3	5	–	–
Curry	–	11	6	4	3	9	–	–	2	–	1	–	2	7	4	3	4	–	–
Deschutes	1	52	3	8	9	24	–	2	2	–	2	2	11	32	11	7	12	4	–
Bend	1	24	3	2	3	7	–	1	–	–	–	–	6	11	4	2	2	2	–
Balance of county	–	28	–	6	6	17	–	1	2	–	2	2	5	21	7	5	10	2	–
Douglas	4	70	10	9	21	37	4	8	4	–	6	6	5	58	27	28	19	2	4
Roseburg	–	28	1	3	10	11	1	1	2	–	4	2	1	19	6	8	7	1	–
Balance of county	4	42	9	6	11	26	3	7	2	–	2	4	4	37	21	22	12	1	4
Gilliam	1	1	3	–	–	2	–	–	–	–	–	–	1	1	1	–	–	–	–
Grant	–	5	2	1	–	1	–	–	1	–	–	3	–	2	1	1	–	2	–
Harney	–	3	–	–	5	4	–	–	2	–	–	1	4	6	4	2	4	–	–
Hood River	1	5	19	2	4	6	–	1	–	–	1	2	2	4	7	4	1	–	–
Jackson	6	103	23	14	29	64	4	13	3	–	9	4	23	93	34	30	16	7	2
Ashland	–	18	4	1	4	–	1	1	–	–	–	–	–	11	1	4	–	–	–
Medford	5	46	9	6	10	25	–	7	2	–	5	1	10	33	10	9	4	2	1
Balance of county	1	39	10	7	15	39	3	5	1	–	4	3	13	49	23	17	12	5	1
Jefferson	1	7	1	4	4	5	–	2	1	–	1	2	1	8	14	1	5	1	1
Josephine	1	58	16	8	22	32	–	4	1	–	3	2	9	46	14	24	4	4	–
Grants Pass	–	30	4	3	8	9	–	2	1	–	2	–	1	23	4	10	–	3	–
Balance of county	1	28	12	5	14	23	–	2	–	–	1	2	8	23	10	14	4	1	–
Klamath	–	41	10	8	15	20	3	7	4	–	4	2	5	45	19	12	11	6	1
Klamath Falls	–	15	6	1	7	11	1	2	2	–	1	1	1	16	5	7	3	2	–
Balance of county	–	26	4	7	8	9	2	5	2	–	3	1	4	29	14	5	8	4	1
Lake	–	2	–	1	2	2	–	–	–	–	–	1	2	8	1	1	1	1	–
Lane	5	158	48	26	56	70	9	20	7	–	15	15	21	113	51	43	47	17	3
Eugene	3	73	15	16	18	26	2	6	1	–	5	3	7	39	15	17	22	10	1
Springfield	1	27	11	1	9	13	2	3	1	–	1	4	5	25	11	7	6	4	1
Balance of county	1	58	22	9	29	31	5	11	5	–	9	8	9	49	25	19	19	3	1
Lincoln	1	27	10	5	12	14	2	4	4	–	2	3	10	28	11	15	7	–	2
Linn	6	57	15	8	21	21	3	6	6	–	6	6	14	64	11	14	8	4	–
Albany, part	1	23	2	2	4	9	1	4	2	–	1	3	5	24	2	6	4	3	–
Albany, total	1	23	2	2	4	9	1	4	2	–	1	3	5	25	2	7	4	3	–
Lebanon	–	8	2	1	6	4	1	–	3	–	–	1	2	5	1	2	–	–	–
Balance of county	5	26	11	5	9	8	1	2	1	–	5	2	7	35	8	6	4	1	–
Malheur	–	17	5	3	2	10	4	1	1	–	3	3	1	20	6	9	7	3	–
Marion	8	155	33	21	50	65	3	10	9	–	13	18	16	141	48	39	30	7	2
Salem, part	3	65	12	11	21	33	–	4	5	–	4	13	7	71	25	21	17	5	1
Salem, total	3	76	18	13	22	35	–	5	5	–	6	13	7	81	27	22	18	5	1
Woodburn	2	16	4	1	3	8	1	2	2	–	–	1	2	10	8	3	2	–	1
Balance of county	3	74	17	9	26	24	2	4	2	–	9	4	7	60	15	15	11	2	–
Morrow	–	2	–	2	–	3	–	2	1	–	–	–	–	4	1	1	–	1	–
Multnomah	24	464	114	77	151	227	24	124	33	1	31	39	112	412	97	123	94	50	25
Gresham	1	28	4	2	10	5	2	6	1	–	1	2	2	13	3	–	4	–	1
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Milwaukie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	18	367	92	62	107	180	20	103	24	–	24	29	92	333	68	96	73	45	19
Portland, total	19	377	94	62	110	182	21	104	24	–	25	31	92	336	72	98	78	46	19
Balance of county	4	69	18	13	34	42	2	15	8	1	6	8	18	66	26	26	17	5	5
Polk	–	49	12	6	4	10	2	2	1	–	5	1	3	26	9	6	7	1	–
Salem, part	–	11	6	2	1	2	–	1	–	–	2	–	–	10	2	1	1	–	–
Balance of county	–	38	6	4	3	8	2	1	1	–	3	1	3	16	7	5	6	1	–
Sherman	–	1	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
Tillamook	–	22	3	3	6	13	–	2	–	–	2	2	5	19	5	7	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	529	–	–	4	111	20	29	9	16	5	7	25	6	242	186	3	7	143	33
Pendleton	153	–	–	2	28	3	8	5	3	–	4	5	2	66	51	2	4	36	7
Balance of county	376	–	–	2	83	17	21	4	13	5	3	20	4	176	135	1	3	105	26
Union	215	–	–	1	55	11	11	6	9	4	4	10	5	76	61	–	1	46	14
La Grande	143	–	–	1	36	7	8	3	7	4	3	4	4	45	37	–	–	27	10
Balance of county	72	–	–	–	19	4	3	3	2	–	1	6	1	31	24	–	1	19	4
Wallowa	69	–	–	1	13	5	1	2	3	–	–	2	2	32	26	–	–	17	9
Wasco	219	–	–	–	48	10	19	1	4	2	1	11	2	107	88	–	–	75	13
City of the Dalles	126	–	–	–	28	4	15	1	1	1	–	6	–	65	52	–	–	42	10
Balance of county	93	–	–	–	20	6	4	–	3	1	1	5	2	42	36	–	–	33	3
Washington	1,442	2	–	6	318	89	79	27	33	17	11	62	21	672	475	6	7	371	91
Beaverton	270	1	–	2	50	15	8	4	2	4	1	16	3	118	81	2	1	63	15
Forest Grove	118	–	–	–	20	4	7	1	3	1	2	2	2	67	46	1	1	36	8
Hillsboro	200	–	–	1	41	13	11	5	6	1	1	4	2	106	78	1	2	53	22
Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	58	–	–	–	13	6	1	–	3	–	1	2	–	31	20	1	–	13	6
Tigard	161	–	–	1	44	12	16	4	3	2	–	7	–	79	53	–	1	46	6
Balance of county	634	1	–	2	150	39	36	13	16	9	6	31	14	271	197	1	2	160	34
Wheeler	14	–	–	–	1	–	–	–	–	–	–	1	–	8	3	–	–	2	1
Yamhill	475	–	–	4	93	22	27	4	12	6	2	20	9	245	174	–	3	140	31
McMinnville	147	–	–	2	26	9	6	–	6	2	–	3	2	78	52	–	1	44	7
Newberg	117	–	–	1	22	4	8	1	1	1	1	6	3	66	47	–	1	36	10
Balance of county	211	–	–	1	45	9	13	3	5	3	1	11	4	101	75	–	1	60	14
Pennsylvania	118,817	105	7	1,250	26,565	7,111	6,653	2,300	2,799	1,152	959	5,591	2,424	60,434	48,608	549	1,315	33,598	13,148
Urban places	62,935	59	5	798	14,277	3,647	3,715	1,203	1,466	610	492	2,944	1,169	30,942	24,939	318	719	16,824	7,078
Balance of area	55,882	46	2	452	12,288	3,264	2,938	1,097	1,333	542	467	2,647	1,255	29,492	23,669	231	596	16,774	6,066
Metropolitan counties	97,138	78	4	1,100	22,238	5,891	5,629	1,934	2,357	961	797	4,669	1,916	48,648	39,292	472	1,126	26,740	10,954
Urban places	59,583	54	4	775	13,632	3,662	3,559	1,143	1,403	584	473	2,808	1,101	29,058	23,450	303	679	15,727	6,741
Balance of area	37,555	24	–	325	8,606	2,229	2,070	791	954	377	324	1,861	815	19,590	15,842	169	447	11,013	4,213
Nonmetropolitan counties	21,679	27	3	150	4,327	1,220	1,024	366	442	191	162	922	508	11,786	9,316	77	189	6,858	2,192
Urban places	3,352	5	1	23	645	185	156	60	63	26	19	136	68	1,884	1,489	15	40	1,097	337
Balance of area	18,327	22	2	127	3,682	1,035	868	306	379	165	143	786	440	9,902	7,827	62	149	5,761	1,855
Adams	560	1	–	3	127	31	28	16	13	8	5	26	7	314	257	4	7	151	95
Allegheny	15,442	9	2	160	3,647	975	938	305	370	165	127	767	315	8,050	6,640	75	150	4,716	1,699
Baldwin	230	–	–	1	57	19	17	5	4	1	1	10	2	116	87	1	1	65	20
Bellevue	124	–	–	1	31	7	7	5	2	2	–	8	6	67	57	3	2	41	11
Bethel Park	237	–	–	2	71	21	18	3	6	4	4	15	5	111	86	2	3	60	21
Brentwood	147	–	–	2	32	8	10	3	4	2	–	5	1	73	62	–	2	44	16
Carnegie	122	–	–	2	24	6	7	1	2	2	3	3	1	66	61	–	4	40	17
Castle Shannon	100	–	–	–	32	10	8	3	3	1	–	7	4	43	34	1	1	19	13
Clairton	187	–	–	3	39	4	13	4	8	1	1	8	4	105	89	–	2	66	21
Dormont	124	–	–	1	26	9	7	2	1	2	1	4	1	67	57	–	1	44	12
Duquesne	123	–	–	2	31	12	4	5	3	2	–	5	2	60	51	1	–	37	13
Elizabeth township#	148	–	–	1	38	12	10	5	3	2	2	4	3	69	55	1	–	44	10
Harrison township#	153	–	–	1	29	8	9	4	3	2	–	3	2	93	69	–	1	58	10
McCandless township#	184	–	–	2	42	10	8	3	3	3	–	15	2	101	82	3	3	62	14
McKeesport	452	1	–	6	92	21	26	9	12	6	4	20	10	243	201	1	6	146	48
Monroeville	191	–	–	1	55	19	11	5	3	1	4	12	2	92	75	1	1	56	17
Mount Lebanon township#	332	–	–	3	82	19	14	7	16	1	4	21	8	181	135	1	3	100	31
Munhall	189	–	–	1	44	7	13	5	2	3	3	11	2	109	93	2	4	70	17
North Versailles township#	131	–	–	–	38	9	12	2	8	–	–	7	2	64	56	–	–	40	16
Penn Hills township#	419	–	–	6	106	28	32	13	11	4	2	16	5	212	188	–	–	139	49
Pittsburgh	5,623	3	1	72	1,302	353	332	100	138	56	46	277	118	2,882	2,388	27	54	1,571	716
Plum	127	–	–	2	28	9	12	1	1	2	–	3	–	61	45	–	2	33	10
Ross township#	282	1	–	1	69	19	18	5	5	2	2	18	6	144	107	–	2	67	18
Scott township#	228	–	–	4	41	17	6	–	5	2	4	7	5	130	111	1	–	84	26
Shaler township#	270	1	1	1	55	11	21	5	7	–	4	7	7	151	126	4	4	69	29
South Park township#	75	–	–	–	18	3	2	4	1	–	1	7	2	39	32	–	–	24	8
Swissvale	156	–	–	3	40	9	10	4	5	2	2	8	4	89	76	2	2	56	16
Upper St. Clair township#	84	–	–	–	22	6	5	–	3	–	–	8	1	49	47	1	1	40	5
West Mifflin	260	–	–	2	63	15	25	3	4	4	1	11	2	154	137	–	2	114	21
Whitehall	156	–	–	1	49	18	17	2	4	1	1	6	3	75	60	4	–	40	16
Wilkinsburg	288	–	–	3	66	16	14	8	5	2	3	18	5	163	130	1	3	102	24
Balance of county	4,300	3	–	36	1,025	270	250	85	88	55	34	223	100	2,259	1,853	18	46	1,345	454
Armstrong	827	–	–	5	168	42	40	16	19	8	9	34	19	460	386	3	7	294	82
Beaver	1,945	–	–	15	483	122	141	31	53	24	22	90	54	973	762	7	27	601	127
Aliquippa	238	–	–	1	46	11	17	1	6	4	1	6	11	127	107	–	8	82	17
Beaver Falls	186	–	–	–	57	15	18	4	5	2	1	12	4	93	72	1	4	53	14
Balance of county	1,521	–	–	14	380	96	106	26	42	18	20	72	39	753	583	6	15	466	96
Bedford	470	1	1	3	94	30	17	9	6	6	8	18	15	266	199	1	6	156	36
Berks	3,001	1	–	22	695	176	161	51	83	35	32	157	75	1,600	1,277	12	55	812	398
Muhlenberg township#	103	–	–	–	22	6	6	–	1	3	1	5	2	61	49	–	3	37	9
Reading	1,012	–	–	4	237	54	71	20	30	10	7	45	25	543	435	8	18	256	153
Balance of county	1,886	1	–	18	436	116	84	31	52	22	24	107	48	996	793	4	34	519	236
Blair	1,545	–	–	14	298	80	74	37	25	17	11	54	45	853	667	8	12	528	119
Altoona	738	–	–	4	140	31	43	14	11	11	3	27	25	404	309	3	7	234	65
Balance of county	807	–	–	10	158	49	31	23	14	6	8	27	20	449	358	5	5	294	54
Bradford	604	1	–	4	121	24	36	13	13	8	6	21	10	297	203	1	5	156	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Oregon—Con.																			
Umatilla	3	44	7	2	24	18	4	7	3	–	6	7	7	46	19	16	6	3	–
Pendleton	1	12	–	2	5	7	1	4	1	–	3	2	2	14	7	6	2	1	–
Balance of county	2	32	7	–	19	11	3	3	2	–	3	5	5	32	12	10	4	2	–
Union	–	10	3	2	12	10	1	2	2	–	–	–	7	23	6	10	3	2	–
La Grande	–	7	1	–	11	7	1	2	1	–	–	–	5	18	1	7	2	2	–
Balance of county	–	3	2	2	1	3	–	–	1	–	–	–	2	5	5	3	1	–	–
Wallowa	–	1	4	1	1	4	–	–	–	–	–	–	1	6	3	6	–	–	–
Wasco	–	14	1	4	7	12	–	2	2	–	1	2	–	17	7	11	1	–	–
City of the Dalles	–	9	1	3	6	6	–	1	1	–	1	1	–	9	5	3	–	–	–
Balance of county	–	5	–	1	1	6	–	1	1	–	–	1	–	8	2	8	1	–	–
Washington	3	150	19	25	41	57	4	14	8	2	13	17	30	128	43	36	18	10	2
Beaverton	1	28	3	5	9	15	1	4	3	1	5	6	7	27	9	6	2	1	–
Forest Grove	–	19	–	2	3	4	–	–	–	–	–	1	2	12	2	3	2	–	–
Hillsboro	2	19	3	4	7	7	1	1	–	–	–	3	4	19	2	4	–	2	–
Lake Oswego, part	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	9	2	–	1	–	1	1	–	–	–	2	–	1	4	1	3	–	–
Tigard	–	22	1	3	3	4	–	–	1	–	–	1	4	17	2	3	1	1	–
Balance of county	–	53	10	11	18	26	1	8	4	1	8	4	13	52	24	19	10	6	2
Wheeler	1	3	1	–	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–
Yamhill	1	54	8	8	14	13	–	4	1	–	3	5	3	38	14	16	10	3	–
McMinnville	1	18	4	3	3	7	–	1	–	–	1	–	1	14	2	4	6	–	–
Newberg	–	14	4	1	3	3	–	–	–	–	1	1	2	7	3	2	3	–	–
Balance of county	–	22	–	4	8	3	–	3	1	–	1	4	–	17	9	10	1	3	–
Pennsylvania	459	8,573	1,577	1,217	2,387	3,203	327	1,422	1,222	8	611	1,017	2,649	8,764	1,874	2,270	1,347	720	211
Urban places	255	4,412	696	640	1,333	1,656	167	807	711	6	299	608	2,130	4,627	720	1,238	673	567	145
Balance of area	204	4,161	881	577	1,054	1,547	160	615	511	2	312	411	519	4,137	1,154	1,032	674	153	66
Metropolitan counties	373	6,804	1,170	1,009	1,864	2,596	271	1,204	1,008	6	500	859	2,464	7,113	1,377	1,831	1,107	656	198
Urban places	230	4,119	648	611	1,254	1,569	161	773	671	5	284	588	2,093	4,368	671	1,182	642	556	142
Balance of area	143	2,685	522	398	710	1,027	110	431	337	1	216	271	371	2,745	706	649	465	100	56
Nonmetropolitan counties	86	1,769	407	208	423	607	56	218	214	2	111	158	185	1,651	497	439	240	64	13
Urban places	25	293	48	29	79	87	6	34	40	1	15	18	37	259	49	56	31	11	3
Balance of area	61	1,476	359	179	344	520	50	184	174	1	96	140	148	1,392	448	383	209	53	10
Adams	1	32	18	6	8	20	3	6	5	–	3	3	2	35	11	7	5	–	–
Allegheny	44	1,058	143	165	309	428	19	238	181	2	66	126	83	1,067	140	277	167	95	61
Baldwin	1	22	1	5	8	12	–	5	1	–	1	3	1	14	2	4	1	1	1
Bellevue	–	7	2	1	1	5	–	1	–	–	–	–	–	8	–	2	1	–	1
Bethel Park	–	22	3	–	3	7	–	3	2	–	4	4	2	11	2	4	5	1	–
Brentwood	–	9	–	2	4	5	–	6	1	–	–	–	1	15	–	5	2	–	–
Carnegie	–	6	–	1	3	5	–	3	–	–	1	2	–	10	–	1	–	–	2
Castle Shannon	–	7	–	2	3	5	–	2	2	–	1	–	–	2	1	3	2	–	–
Clairton	–	11	1	4	5	5	–	–	2	1	–	3	–	14	–	3	1	1	1
Dormont	–	6	1	3	2	5	–	4	3	–	–	–	1	7	1	3	2	1	–
Duquesne	–	7	1	1	1	–	–	4	2	–	2	1	1	9	–	6	2	–	–
Elizabeth township#	3	10	1	–	3	6	1	2	2	–	1	2	–	10	3	2	2	2	1
Harrison township#	1	20	–	3	2	5	–	2	2	–	1	2	–	7	1	3	1	2	–
McCandless township#	–	16	1	2	–	6	–	2	6	–	–	2	1	10	4	2	3	–	1
McKeesport	1	35	3	3	4	17	–	3	11	1	4	3	6	32	4	7	4	4	–
Monroeville	–	11	2	4	4	9	–	3	4	–	2	1	1	11	3	2	–	–	1
Mount Lebanon township#	1	28	8	8	4	8	1	5	2	–	2	–	1	24	2	4	5	–	–
Munhall	1	10	3	2	–	5	–	3	2	–	–	1	–	14	1	4	3	–	–
North Versailles township#	1	6	–	1	4	2	–	2	2	–	–	–	2	5	4	1	3	1	1
Penn Hills township#	3	17	3	1	14	14	–	2	2	–	1	1	–	37	4	7	4	2	2
Pittsburgh	14	370	53	57	125	154	6	81	65	–	22	68	37	403	39	120	64	59	22
Plum	–	8	6	2	3	5	–	4	–	–	1	2	1	9	7	3	1	–	–
Ross township#	1	28	1	7	–	13	2	5	4	–	2	–	1	20	5	1	4	–	4
Scott township#	1	16	1	1	9	6	–	5	2	–	1	–	–	22	1	2	–	–	–
Shaler township#	1	11	8	5	4	8	1	5	6	–	1	1	–	23	–	3	1	–	1
South Park township#	–	7	–	–	2	2	–	3	–	–	1	1	1	4	1	–	–	1	–
Swissvale	–	11	1	1	1	1	–	3	2	–	–	–	–	9	1	1	2	–	–
Upper St. Clair township#	–	2	–	–	–	1	–	–	1	–	–	–	1	4	–	–	4	–	1
West Mifflin	–	13	1	3	5	4	2	2	3	–	–	–	–	13	3	5	2	–	–
Whitehall	–	14	1	–	2	3	–	1	1	–	–	2	–	13	1	3	2	–	–
Wilkinsburg	1	26	3	3	4	7	–	–	2	–	–	1	1	21	2	4	2	4	3
Balance of county	14	301	38	43	89	103	6	77	49	–	18	26	24	286	48	72	44	16	19
Armstrong	–	58	9	7	18	25	3	6	5	–	4	5	7	59	8	28	7	–	–
Beaver	11	150	33	17	39	39	6	26	18	–	11	15	45	122	33	33	27	5	1
Aliquippa	–	15	2	3	2	2	–	6	1	–	2	3	5	22	3	3	2	2	–
Beaver Falls	–	19	2	–	3	4	1	2	1	–	–	1	4	6	5	2	1	–	–
Balance of county	11	116	29	14	34	33	5	18	16	–	9	11	36	92	25	26	24	3	1
Bedford	–	49	13	5	7	13	–	5	2	–	4	6	6	22	14	6	5	–	–
Berks	19	230	36	38	68	84	10	28	17	–	11	23	10	209	63	39	32	14	–
Muhlenberg township#	–	11	1	–	–	3	2	–	1	–	1	–	–	7	2	1	–	1	–
Reading	10	68	14	16	25	18	2	10	5	–	4	7	3	67	22	19	11	10	–
Balance of county	9	151	21	22	43	63	6	18	11	–	6	16	7	135	39	19	21	3	–
Blair	9	122	34	21	20	48	7	18	4	–	6	12	11	128	24	35	14	7	1
Altoona	7	60	16	12	11	22	4	8	–	–	3	5	6	64	8	21	8	4	1
Balance of county	2	62	18	9	9	26	3	10	4	–	3	7	5	64	16	14	6	3	–
Bradford	2	55	29	8	18	29	2	11	1	–	9	2	22	38	13	18	6	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	3,514	–	–	38	818	196	214	78	91	33	26	180	60	1,708	1,329	13	24	890	402
Bensalem township#	300	–	–	5	76	17	21	9	10	3	4	12	3	132	112	1	–	87	24
Bristol	154	–	–	1	35	9	7	3	5	2	–	9	2	87	71	1	2	50	18
Bristol township#	343	–	–	5	71	24	18	2	9	1	2	15	4	154	134	2	–	96	36
Falls township#	217	–	–	1	59	12	26	5	2	1	1	12	2	95	78	–	–	69	9
Lower Southampton township#	139	–	–	3	39	8	15	4	3	2	1	6	2	59	48	–	–	31	17
Middletown township#	189	–	–	3	55	15	14	8	3	3	–	12	1	72	61	–	2	37	22
Northampton township#	141	–	–	1	33	9	6	4	3	–	3	8	1	67	61	1	2	44	14
Upper Southampton township#	135	–	–	3	43	11	13	4	5	3	1	6	4	65	49	–	–	30	19
Warminster township#	219	–	–	4	45	8	12	5	5	6	3	6	4	122	93	1	4	54	34
Balance of county	1,677	–	–	12	362	83	82	34	46	12	11	94	37	855	622	7	14	392	209
Butler	1,274	1	–	3	278	85	68	27	37	8	7	46	30	656	485	7	6	395	77
Butler	201	–	–	1	44	16	7	4	7	2	1	7	5	93	79	3	1	65	10
Balance of county	1,073	1	–	2	234	69	61	23	30	6	6	39	25	563	406	4	5	330	67
Cambria	1,885	4	–	16	397	92	104	41	47	27	12	74	55	995	802	11	25	619	147
Johnstown	568	1	–	9	116	27	32	12	12	7	3	23	18	317	251	5	9	198	39
Balance of county	1,317	3	–	7	281	65	72	29	35	20	9	51	37	678	551	6	16	421	108
Cameron	68	–	–	1	16	5	3	1	–	–	1	6	1	31	23	1	1	16	5
Carbon	865	1	–	5	149	40	40	7	8	5	5	44	17	335	273	4	7	191	71
Centre	663	–	–	6	156	48	42	11	19	4	3	29	22	351	266	4	–	199	63
State College	103	–	–	2	17	6	6	1	1	–	1	2	7	62	45	1	–	31	13
Balance of county	560	–	–	4	139	42	36	10	18	4	2	27	15	289	221	3	–	168	50
Chester	2,392	2	–	12	568	150	137	46	72	13	19	131	39	1,171	947	13	28	622	288
Coatesville	181	1	–	2	38	12	10	1	6	–	1	8	5	87	73	3	6	53	11
Phoenixville	173	–	–	–	35	17	6	–	3	1	1	7	–	90	67	–	2	40	25
Tredyffrin township#	176	–	–	–	50	9	14	3	8	1	2	13	4	88	66	1	–	43	22
West Chester	204	–	–	2	43	11	17	1	4	–	1	9	2	107	88	–	3	54	31
West Goshen township#	97	–	–	–	22	7	2	6	2	1	–	4	2	56	43	1	–	31	11
Balance of county	1,561	1	–	8	380	94	88	35	49	10	14	90	26	743	610	8	15	401	188
Clarion	419	–	–	4	88	29	18	3	9	3	5	21	8	217	173	1	1	139	32
Clearfield	635	1	–	5	162	64	36	7	17	4	7	27	25	467	357	6	8	278	65
Clinton	359	–	–	10	77	18	17	4	10	6	2	20	9	198	167	–	4	93	70
Columbia	605	–	–	4	113	32	23	15	7	6	2	28	19	343	258	1	9	167	81
Berwick	126	–	–	–	25	9	7	1	–	2	–	6	5	68	57	–	4	36	17
Bloomsburg	133	–	–	3	28	6	6	6	1	1	1	7	3	72	46	–	2	32	12
Balance of county	346	–	–	1	60	17	10	8	6	3	1	15	11	203	155	1	3	99	52
Crawford	820	–	–	4	169	42	37	10	18	4	7	45	10	480	351	5	9	275	62
Meadville	181	–	–	1	31	8	2	1	8	–	2	10	1	97	73	1	5	61	5
Balance of county	639	–	–	3	132	34	35	9	10	4	5	35	9	383	278	4	4	214	56
Cumberland	1,426	2	–	15	333	86	87	25	34	14	15	72	48	751	588	12	20	405	151
Carlisle	184	–	–	1	44	7	16	5	3	2	4	7	6	93	75	1	5	58	11
East Pennsboro township#	166	–	–	3	34	12	7	2	1	1	–	11	5	91	72	–	3	42	27
Lower Allen township#	92	–	–	1	21	9	6	1	2	1	–	2	2	52	40	1	2	25	12
Balance of county	984	2	–	10	234	58	58	17	28	10	11	52	35	515	401	10	10	280	101
Dauphin	2,349	1	1	33	495	132	120	57	51	19	22	94	46	1,244	1,018	8	27	578	405
Harrisburg	722	–	1	12	142	31	45	13	17	4	6	26	13	380	286	2	9	152	123
Lower Paxton township#	265	1	–	3	56	20	13	6	3	4	–	10	6	144	124	–	3	74	47
Middletown	5	–	–	–	3	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Susquehanna township#	150	–	–	2	41	11	6	2	7	2	2	11	3	81	66	2	2	42	20
Swatara township#	232	–	–	1	45	14	10	6	5	1	2	7	9	129	99	1	1	49	48
Balance of county	975	–	–	15	208	54	46	30	19	8	12	39	15	530	443	3	12	261	167
Delaware	5,682	5	–	58	1,373	362	345	121	133	68	60	284	94	2,903	2,351	33	110	1,452	756
Aston township#	116	–	–	2	22	4	10	1	1	1	–	5	2	62	51	–	–	39	12
Chester	680	1	–	8	125	26	36	14	16	3	7	23	12	285	210	1	10	128	73
Darby	176	1	–	–	36	10	7	2	2	5	–	10	5	99	81	1	5	58	17
Darby township#	38	–	–	1	10	5	2	1	1	–	–	1	1	16	14	1	–	10	3
Haverford township#	498	1	–	–	134	35	29	10	12	10	6	32	8	257	202	3	5	142	52
Lansdowne	161	–	–	2	37	14	12	–	3	–	2	6	3	87	66	2	7	33	24
Marple township#	226	–	–	1	41	9	14	1	5	2	3	7	3	129	105	1	3	53	48
Middletown township#	186	–	–	1	25	7	5	1	4	1	2	5	2	127	91	1	1	51	38
Nether Providence township#	138	–	–	2	39	13	8	5	1	1	3	8	2	68	53	–	3	39	11
Newtown township#	108	–	–	1	19	6	1	2	3	1	3	3	1	65	46	–	2	29	15
Radnor township#	214	–	–	4	45	8	11	6	2	2	1	15	2	102	83	1	7	54	21
Ridley township#	234	–	–	3	50	6	12	3	6	4	4	15	6	128	106	1	3	70	32
Springfield township#	249	–	–	2	65	18	14	13	4	3	3	10	2	137	113	2	9	76	26
Upper Chichester township#	118	1	–	–	29	7	8	–	1	3	–	10	3	58	47	2	–	31	14
Upper Darby township#	926	–	–	6	250	82	69	19	25	13	9	39	13	456	375	8	16	232	119
Yeadon	126	–	–	–	37	11	3	4	6	1	4	8	1	60	48	–	3	24	21
Balance of county	1,588	1	–	25	409	101	110	39	41	18	13	87	28	787	660	9	36	385	230
Elk	346	1	–	1	95	36	24	3	14	3	3	12	7	170	141	1	2	113	25
Erie	2,503	3	–	16	558	148	141	53	63	21	15	117	50	1,319	1,032	10	25	799	198
Erie	1,327	3	–	9	299	78	78	20	39	10	10	64	27	701	542	4	17	416	105
Millcreek township#	309	–	–	4	79	26	21	7	7	5	1	12	4	166	126	3	2	97	24
Balance of county	867	–	–	3	180	44	42	26	17	6	4	41	19	452	364	3	6	286	69
Fayette	1,769	2	–	15	379	103	112	27	35	12	8	82	25	945	780	5	9	505	271
Connellsville	124	1	–	1	28	11	6	1	2	–	1	7	–	63	53	–	–	38	15
Uniontown	252	–	–	1	50	13	17	3	2	2	1	12	4	144	119	2	1	72	44
Balance of county	1,393	1	–	13	301	79	89	23	31	10	6	63	21	738	618	3	8	395	212
Forest	53	–	–	–	9	2	2	1	–	–	–	4	1	31	28	–	–	15	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	15	272	50	42	69	89	7	38	26	–	23	30	171	220	98	46	53	14	6
Bensalem township#	–	16	3	1	2	7	–	5	2	–	2	2	26	17	6	3	10	1	1
Bristol	2	9	2	3	–	4	1	2	–	–	1	1	5	6	5	1	3	–	–
Bristol township#	–	10	6	4	9	8	1	5	4	–	4	5	22	21	17	3	3	5	2
Falls township#	1	12	1	3	2	8	–	3	–	–	3	2	14	16	7	3	3	1	–
Lower Southampton township#	–	8	1	2	6	6	–	2	3	–	–	–	5	6	3	2	2	1	–
Middletown township#	–	9	1	1	6	3	–	2	3	–	–	2	11	16	9	4	1	1	–
Northampton township#	–	5	1	–	3	5	–	–	–	–	2	2	7	13	–	4	3	–	–
Upper Southampton township#	1	11	–	4	3	5	–	–	–	–	–	–	1	10	–	–	1	–	–
Warminster township#	3	19	6	1	4	8	–	2	3	–	2	2	3	10	5	4	1	–	–
Balance of county	8	173	29	23	34	37	5	17	11	–	9	14	77	105	46	22	26	5	3
Butler	4	111	41	15	46	34	3	10	19	–	8	6	9	83	42	27	16	–	3
Butler	–	9	1	4	13	2	–	1	5	–	2	1	2	18	3	8	2	–	1
Balance of county	4	102	40	11	33	32	3	9	14	–	6	5	7	65	39	19	14	–	2
Cambria	8	132	31	22	23	62	6	30	19	–	9	16	4	157	30	37	20	4	1
Johnstown	1	45	13	7	9	13	1	9	6	–	1	6	1	35	6	12	4	3	1
Balance of county	7	87	18	15	14	49	5	21	13	–	8	10	3	122	24	25	16	1	–
Cameron	2	3	2	1	4	3	1	1	3	–	–	–	–	2	3	2	–	–	–
Carbon	4	40	9	9	5	20	–	9	11	–	3	2	1	67	7	16	12	2	3
Centre	5	61	13	6	1	14	4	3	4	–	3	7	5	40	17	16	12	2	–
State College	4	9	3	1	1	1	2	–	–	–	1	1	–	2	2	4	1	–	–
Balance of county	1	52	10	5	–	13	2	3	4	–	2	6	5	38	15	12	11	2	–
Chester	6	160	25	33	49	75	7	26	21	1	12	26	56	151	63	61	39	9	4
Coatesville	–	11	2	1	7	9	1	3	3	–	–	1	5	11	3	3	1	–	1
Phoenixville	–	18	3	2	3	6	3	4	1	–	1	4	5	15	3	2	1	–	–
Tredyffrin township#	–	13	2	7	5	5	–	–	–	–	1	–	1	13	3	6	–	–	–
West Chester	2	11	4	2	7	3	–	–	3	–	–	3	8	11	4	5	5	1	–
West Goshen township#	1	7	3	2	2	2	–	1	–	–	–	2	1	4	1	1	1	2	–
Balance of county	3	100	11	19	25	50	3	18	14	1	10	16	36	97	49	44	31	6	3
Clarion	–	34	6	4	11	12	1	3	6	–	2	7	3	30	15	9	1	2	–
Clearfield	3	87	13	7	7	18	3	9	7	–	3	8	3	67	16	19	13	1	1
Clinton	–	24	6	1	3	7	2	4	3	–	1	3	2	28	5	2	4	1	–
Columbia	4	68	8	5	13	13	1	5	8	–	1	4	2	54	11	10	4	–	–
Berwick	1	8	2	–	5	6	–	1	1	–	–	1	–	11	1	1	1	–	–
Bloomsburg	2	22	2	–	1	2	–	1	1	–	–	–	–	17	3	2	–	–	–
Balance of county	1	38	4	5	7	5	1	3	6	–	1	3	2	26	7	7	3	–	–
Crawford	3	67	22	17	15	25	3	6	3	–	8	12	5	50	28	9	16	3	–
Meadville	1	17	3	3	4	4	–	2	1	–	–	2	3	20	5	1	8	1	–
Balance of county	2	50	19	14	11	21	3	4	2	–	8	10	2	30	23	8	8	2	–
Cumberland	4	111	36	12	30	48	2	12	5	–	8	14	8	81	24	20	22	2	1
Carlisle	–	13	4	1	6	5	–	2	–	–	–	2	4	15	–	2	4	–	–
East Pennsboro township#	–	16	2	1	8	7	1	3	–	–	–	1	1	5	3	1	3	–	–
Lower Allen township#	–	5	5	2	–	3	–	–	1	–	–	1	–	8	–	–	3	–	–
Balance of county	4	77	25	8	16	33	1	7	4	–	8	10	3	53	21	17	12	2	1
Dauphin	30	149	21	26	57	71	8	22	33	–	13	22	20	152	34	61	21	12	3
Harrisburg	11	48	8	7	10	27	4	7	16	–	6	10	9	51	8	28	7	10	1
Lower Paxton township#	2	14	–	4	8	9	1	3	3	–	–	2	2	16	3	6	2	–	–
Middletown	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Susquehanna township#	3	9	1	2	3	–	–	1	2	–	–	1	1	9	4	1	1	–	–
Swatara township#	6	22	1	1	5	11	1	1	2	–	–	1	2	16	1	7	1	–	–
Balance of county	8	56	11	12	31	24	2	10	10	–	6	8	6	60	17	19	10	2	2
Delaware	23	391	79	59	105	192	17	72	57	–	27	37	65	405	77	81	66	31	17
Aston township#	–	7	1	3	–	6	–	–	1	–	–	1	2	12	1	2	3	–	–
Chester	5	44	3	3	11	19	2	8	9	–	2	10	17	49	4	15	9	13	1
Darby	–	15	2	1	4	10	–	3	–	–	–	2	–	7	1	–	4	3	1
Darby township#	–	2	–	–	2	–	–	–	1	–	–	–	–	3	–	3	–	1	–
Haverford township#	1	42	5	7	12	8	1	2	8	–	2	2	2	44	8	6	2	1	–
Lansdowne	2	11	7	1	4	8	1	2	1	–	–	2	2	4	1	3	2	1	1
Marple township#	–	16	4	4	8	5	–	4	2	–	1	1	2	18	6	2	2	–	1
Middletown township#	1	24	10	1	3	3	1	1	2	–	2	–	–	17	1	1	–	–	–
Nether Providence township#	–	9	6	–	5	5	–	–	3	–	1	–	–	7	–	–	4	1	1
Newtown township#	2	10	4	3	3	3	1	2	–	–	–	–	–	7	3	2	1	–	–
Radnor township#	1	14	2	2	7	12	2	6	1	–	–	1	1	17	2	3	6	–	1
Ridley township#	2	13	3	4	2	7	1	7	3	–	–	2	1	15	1	3	2	2	1
Springfield township#	1	20	–	3	3	8	1	2	–	–	2	1	2	14	2	3	5	–	–
Upper Chichester township#	–	8	2	1	2	2	–	2	2	–	–	1	2	9	5	1	–	1	–
Upper Darby township#	2	59	11	9	14	30	3	11	11	–	2	2	18	79	8	13	7	2	1
Yeadon	–	8	2	2	1	3	–	2	3	–	2	1	2	10	1	2	–	–	1
Balance of county	6	89	17	15	24	63	4	20	10	–	13	11	14	93	33	22	17	6	8
Elk	2	20	4	3	9	10	1	4	4	–	1	3	–	21	6	5	5	3	–
Erie	8	229	30	20	38	64	4	38	20	1	19	34	24	170	47	53	35	9	1
Erie	6	125	17	11	11	27	3	22	13	1	12	19	13	98	17	32	12	7	1
Millcreek township#	2	33	2	3	5	10	–	5	3	–	1	2	3	18	2	1	5	1	–
Balance of county	–	71	11	6	22	27	1	11	4	–	6	13	8	54	28	20	18	1	–
Fayette	9	124	13	9	23	39	6	14	25	–	7	10	27	143	46	32	17	12	2
Connellsville	2	6	–	2	–	4	–	2	2	–	1	1	6	11	2	1	–	1	–
Uniontown	2	21	2	–	4	5	1	1	6	–	2	–	4	20	2	4	1	3	–
Balance of county	5	97	11	7	19	30	5	11	17	–	4	9	17	112	42	27	16	8	2
Forest	–	2	–	1	1	1	–	–	–	–	–	1	–	4	2	2	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	979	4	–	5	197	55	48	16	18	10	9	41	19	558	422	7	9	302	104
Chambersburg	253	2	–	–	36	7	15	5	–	2	2	5	2	165	117	3	1	100	13
Balance of county	726	2	–	5	161	48	33	11	18	8	7	36	17	393	305	4	8	202	91
Fulton	113	–	–	–	30	13	5	1	3	1	–	7	4	58	42	–	–	29	13
Greene	395	–	–	5	69	14	21	4	7	4	1	18	9	216	192	2	4	157	29
Huntingdon	409	–	–	3	98	22	24	7	15	3	6	21	9	213	174	1	1	138	34
Indiana	797	1	1	3	135	32	34	9	16	6	5	33	21	447	352	2	9	272	69
Indiana	104	–	1	1	21	4	5	–	3	1	1	7	3	58	46	–	5	31	10
Balance of county	693	1	–	2	114	28	29	9	13	5	4	26	18	389	306	2	4	241	59
Jefferson	521	1	–	4	104	27	13	9	18	4	3	30	14	274	206	–	4	164	38
Juniata	173	1	–	3	34	8	9	2	6	2	3	4	7	86	63	–	1	46	16
Lackawanna	2,710	1	–	16	585	173	123	57	63	25	18	128	51	1,554	1,323	13	49	835	426
Carbondale	150	–	–	1	28	4	2	4	8	1	2	7	4	84	63	–	3	46	14
Dunmore	198	–	–	1	40	14	6	3	5	–	1	11	5	117	101	2	3	66	30
Scranton	1,284	–	–	7	264	88	54	23	20	11	8	60	25	771	650	5	26	394	225
Balance of county	1,078	1	–	7	253	67	61	27	30	13	7	48	17	582	509	6	17	329	157
Lancaster	3,091	2	–	27	700	167	146	67	97	27	27	169	65	1,658	1,298	11	41	815	431
Columbia	151	–	–	–	34	9	13	1	4	2	–	5	3	82	57	–	2	43	12
Ephrata	113	–	–	2	27	7	4	3	2	4	1	6	2	60	49	1	1	33	14
Lancaster	669	–	–	5	145	34	37	9	15	5	4	41	10	338	260	1	11	173	75
Lancaster township#	128	–	–	3	25	6	3	4	1	1	1	9	3	77	65	–	3	33	29
Manheim township#	236	–	–	–	55	12	12	8	7	1	2	13	4	137	107	–	1	56	50
Balance of county	1,794	2	–	17	414	99	77	42	68	14	19	95	43	964	760	9	23	477	251
Lawrence	1,078	1	–	9	235	60	63	21	29	6	6	50	18	593	479	3	10	392	74
New Castle	492	1	–	3	102	29	20	10	12	3	3	25	11	273	213	1	5	175	32
Balance of county	586	–	–	6	133	31	43	11	17	3	3	25	7	320	266	2	5	217	42
Lebanon	1,041	1	–	8	217	57	49	20	25	10	9	47	28	592	505	5	9	356	135
Lebanon	330	–	–	4	64	17	17	4	6	3	3	14	13	182	160	1	1	116	42
Balance of county	711	1	–	4	153	40	32	16	19	7	6	33	15	410	345	4	8	240	93
Lehigh	2,582	–	–	25	639	170	136	56	67	28	22	160	54	1,339	1,090	8	38	754	290
Allentown	1,232	–	–	12	278	76	53	28	31	11	8	71	25	653	535	4	27	346	158
Bethlehem, part	190	–	–	2	46	8	14	3	7	2	–	12	5	95	74	1	3	52	18
Emmaus	116	–	–	–	39	10	10	3	3	6	1	6	1	56	47	–	–	34	13
Salisbury township#	64	–	–	2	24	6	4	1	2	1	–	10	1	25	18	1	1	11	5
Whitehall township#	163	–	–	2	45	17	12	3	–	2	2	9	4	73	61	–	4	48	9
Balance of county	817	–	–	7	207	53	43	18	24	6	11	52	18	437	355	2	3	263	87
Luzerne	4,278	7	–	29	913	275	185	81	101	28	26	217	96	2,312	1,948	26	68	1,290	564
Hazleton	430	2	–	3	102	28	20	9	9	2	4	30	14	219	183	2	6	129	46
Kingston	206	1	–	3	44	16	8	3	6	2	1	8	6	121	98	–	3	66	29
Nanticoke	224	1	–	2	45	9	5	3	8	1	2	17	5	120	111	3	4	84	20
Wilkes-Barre	792	–	–	4	164	52	35	17	19	7	4	30	21	456	393	6	14	249	124
Balance of county	2,626	3	–	17	558	170	117	49	59	16	15	132	50	1,396	1,163	15	41	782	345
Lycoming	1,109	2	–	7	248	67	62	18	27	10	9	55	29	589	481	6	12	307	156
Williamsport	324	1	–	3	74	19	24	3	8	2	3	15	3	170	141	1	1	97	42
Balance of county	785	1	–	4	174	48	38	15	19	6	6	40	26	419	340	5	11	210	114
McKean	616	1	–	5	123	28	32	14	16	6	2	24	7	354	295	–	3	173	119
Bradford	196	1	–	1	31	8	8	4	3	2	1	5	1	128	107	–	1	56	50
Balance of county	420	–	–	4	92	21	24	10	13	4	1	18	6	226	188	–	2	117	69
Mercer	1,232	–	–	13	255	71	66	20	27	14	10	47	43	624	512	4	14	407	87
Sharon	207	–	–	5	60	19	14	5	8	3	3	8	7	96	79	–	3	62	14
Balance of county	1,025	–	–	8	195	52	52	15	19	11	7	39	36	528	433	4	11	345	73
Mifflin	450	1	–	5	79	12	20	6	6	9	5	21	8	254	199	3	3	159	34
Monroe	645	–	–	8	144	38	38	13	19	3	5	28	11	319	247	1	2	145	99
Montgomery	5,829	4	–	52	1,337	339	309	131	134	71	54	299	86	3,084	2,433	38	64	1,626	705
Abington township#	604	2	–	11	122	35	25	11	14	5	2	30	10	342	249	5	10	153	81
Cheltenham township#	432	–	–	7	85	27	21	5	11	3	2	16	4	249	197	2	4	127	64
East Norriton township#	96	–	–	1	24	7	6	5	2	2	–	2	2	45	39	1	1	24	13
Hatfield township#	71	–	–	–	23	7	4	4	2	1	1	4	1	31	23	2	–	13	8
Lansdale	210	–	–	2	54	15	12	7	10	1	1	8	1	103	77	2	2	53	20
Lower Merion township#	628	–	–	6	168	40	34	18	15	9	8	44	6	317	256	5	10	171	70
Lower Moreland township#	81	–	–	–	23	6	4	2	6	–	2	3	4	41	33	–	1	17	15
Lower Providence township#	100	–	–	–	19	2	6	5	1	2	–	3	2	63	47	2	1	34	10
Norristown	419	1	–	3	93	22	24	7	10	5	4	21	11	195	157	5	5	108	39
Plymouth township#	118	1	–	1	31	9	5	2	5	–	3	7	4	56	47	1	1	31	14
Pottstown	285	–	–	3	58	18	15	3	3	4	5	10	1	149	130	1	3	82	44
Springfield township#	240	–	–	1	49	8	8	8	3	2	5	15	5	145	116	1	2	76	37
Towamencin township#	48	–	–	1	10	1	4	1	1	1	–	2	1	22	19	1	–	9	9
Upper Dublin township#	130	–	–	1	31	3	10	4	1	2	2	9	3	60	46	1	–	33	12
Upper Merion township#	137	–	–	4	35	4	14	5	4	1	2	5	2	71	51	1	2	39	9
Upper Moreland township#	187	–	–	3	45	14	8	4	2	4	3	10	–	102	85	2	–	54	29
West Norriton township#	88	–	–	–	26	7	8	2	–	2	1	6	–	49	42	–	1	29	12
Whitemarsh township#	145	–	–	1	34	9	11	3	2	3	1	5	–	78	61	–	3	45	13
Balance of county	1,810	–	–	7	407	105	90	35	42	24	12	99	29	966	758	6	18	526	206
Montour	192	–	1	1	39	11	10	6	4	–	1	7	1	104	69	1	–	50	18
Northampton	2,090	1	–	17	472	115	120	42	51	30	18	96	38	1,137	945	9	29	548	359
Bethlehem, part	509	–	–	6	116	31	22	9	12	6	6	30	9	261	196	4	5	107	80
Bethlehem, total	699	–	–	8	162	39	36	12	19	8	6	42	14	358	270	5	8	159	98
Easton	340	–	–	1	65	14	18	5	9	4	1	14	5	185	150	2	4	80	64
Palmer township#	102	–	–	–	25	3	8	5	3	2	1	3	2	57	49	–	1	27	21
Balance of county	1,139	1	–	10	266	67	72	23	27	18	10	49	22	634	550	3	19	334	194

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	9	90	32	5	15	28	3	9	7	–	5	8	5	68	24	14	7	3	–
Chambersburg	2	36	10	–	5	8	1	2	2	–	1	–	1	21	4	2	1	–	–
Balance of county	7	54	22	5	10	20	2	7	5	–	4	8	4	47	20	12	6	3	–
Fulton	1	11	3	1	1	1	–	–	–	–	1	–	–	9	2	4	3	–	–
Greene	–	17	6	1	8	11	1	5	2	–	3	6	4	38	7	9	1	1	–
Huntingdon	2	27	6	4	4	12	1	4	1	–	3	2	3	30	5	9	5	1	–
Indiana	3	58	27	7	13	27	3	11	4	–	7	10	3	56	17	22	11	4	1
Indiana	–	8	3	1	3	4	–	1	–	–	–	1	1	7	–	2	1	–	–
Balance of county	3	50	24	6	10	23	3	10	4	–	7	9	2	49	17	20	10	4	1
Jefferson	3	44	16	5	11	14	2	8	6	1	4	7	5	29	17	12	7	1	–
Juniata	1	16	2	4	1	1	–	–	4	–	–	3	2	14	10	6	1	–	–
Lackawanna	9	153	35	34	32	53	6	34	27	–	15	9	7	215	33	50	17	4	1
Carbondale	1	11	2	7	3	2	–	1	2	–	2	1	1	18	2	3	–	–	–
Dunmore	–	11	1	4	–	5	–	1	3	–	6	1	–	16	–	3	–	–	–
Scranton	6	72	27	16	13	27	4	19	14	–	3	4	3	73	15	28	10	3	1
Balance of county	2	59	5	7	16	19	2	13	8	–	4	3	3	110	16	16	7	1	–
Lancaster	15	231	66	48	64	82	14	19	25	–	28	28	35	195	47	56	39	5	1
Columbia	2	18	4	1	4	9	1	–	4	–	–	1	1	4	2	3	2	–	1
Ephrata	1	8	2	–	4	4	–	–	–	–	1	–	1	8	1	3	2	–	–
Lancaster	1	47	13	17	9	23	6	10	6	–	8	15	9	53	8	19	4	1	–
Lancaster township#	–	8	3	1	3	3	1	–	–	–	1	–	3	9	–	–	–	–	–
Manheim township#	–	19	9	2	5	3	–	–	2	–	1	–	1	13	6	4	6	–	–
Balance of county	11	131	35	27	39	40	6	9	14	–	17	12	20	110	31	27	25	4	–
Lawrence	2	86	15	11	24	25	2	7	21	–	4	4	17	62	24	18	12	2	–
New Castle	2	46	7	5	11	11	1	4	11	–	3	2	8	28	12	7	3	1	–
Balance of county	–	40	8	6	13	14	1	3	10	–	1	2	9	34	12	11	9	1	–
Lebanon	4	72	6	6	27	29	3	11	7	–	3	4	3	59	14	18	12	3	2
Lebanon	2	16	1	3	8	11	2	6	3	–	–	2	2	17	2	6	4	3	1
Balance of county	2	56	5	2	19	18	1	5	4	–	3	2	1	42	12	12	8	–	1
Lehigh	12	171	35	31	67	55	11	19	26	–	17	22	11	169	29	50	37	10	2
Allentown	5	85	15	13	34	34	8	12	12	–	11	12	5	67	12	29	18	7	2
Bethlehem, part	1	14	5	1	4	–	–	2	5	–	–	4	2	16	2	2	4	1	–
Emmaus	–	7	1	1	1	1	–	–	1	–	–	–	–	11	–	2	3	1	–
Salisbury township#	–	7	–	–	2	2	–	–	–	–	–	1	–	6	–	1	–	–	–
Whitehall township#	4	6	–	2	3	5	1	2	1	–	1	4	–	14	4	2	2	–	–
Balance of county	2	52	14	14	23	13	1	3	7	–	5	1	4	55	11	14	10	1	–
Luzerne	14	245	70	35	60	87	7	60	53	–	15	18	8	462	44	48	33	22	4
Hazleton	1	28	4	3	12	13	–	5	10	–	1	–	–	35	4	8	1	1	–
Kingston	–	19	3	1	2	4	–	–	1	–	–	2	–	14	2	3	2	–	1
Nanticoke	–	9	–	–	4	2	–	3	2	–	1	–	–	30	3	2	2	2	–
Wilkes-Barre	2	44	12	5	12	12	1	19	10	–	1	2	2	57	7	6	8	10	–
Balance of county	11	145	51	26	30	56	6	33	30	–	12	14	6	326	28	29	20	9	3
Lycoming	2	81	11	14	19	39	4	9	9	–	2	8	6	69	19	18	10	2	–
Williamsport	–	22	4	3	5	10	1	3	1	–	–	2	2	33	8	5	3	–	–
Balance of county	2	59	7	11	14	29	3	6	8	–	2	6	4	56	11	13	7	2	–
McKean	3	46	7	3	9	20	2	4	3	–	1	7	9	28	13	17	8	4	1
Bradford	–	19	–	2	3	3	–	1	–	–	–	1	5	10	2	5	2	1	1
Balance of county	3	27	7	1	6	17	2	3	3	–	1	6	4	18	11	12	6	3	–
Mercer	2	89	17	4	42	38	6	21	13	–	8	9	4	91	21	32	9	3	–
Sharon	1	12	2	2	4	2	2	5	4	–	1	–	–	13	2	4	1	1	–
Balance of county	1	77	15	2	38	36	4	16	9	–	7	9	4	78	19	28	8	2	–
Mifflin	2	45	5	3	9	16	1	3	7	–	–	2	5	29	18	6	7	–	–
Monroe	1	62	4	5	10	16	3	7	5	–	5	6	8	59	23	9	11	1	–
Montgomery	19	489	66	77	129	168	24	64	53	–	25	46	49	413	88	91	78	25	13
Abington township#	1	66	11	15	16	11	1	3	5	–	1	5	4	35	7	10	16	2	1
Cheltenham township#	3	34	10	5	11	9	3	2	5	–	1	3	7	28	3	7	3	5	–
East Norriton township#	1	3	1	1	–	4	1	1	1	–	–	3	1	9	2	–	2	–	–
Hatfield township#	–	6	1	1	1	3	–	2	–	–	2	1	1	2	1	2	1	–	–
Lansdale	1	20	1	4	5	4	1	6	2	–	–	2	1	16	7	3	2	1	–
Lower Merion township#	1	44	5	11	16	13	4	6	6	–	3	3	5	52	4	7	7	4	1
Lower Moreland township#	–	7	–	1	–	5	–	–	–	–	–	–	–	6	1	–	–	–	1
Lower Providence township#	1	11	2	2	1	–	1	1	1	–	1	–	–	6	3	1	1	–	–
Norristown	1	31	4	2	7	21	1	8	9	–	3	5	1	36	6	9	4	4	2
Plymouth township#	–	5	2	2	–	4	–	1	–	–	1	–	1	10	3	2	3	–	–
Pottstown	–	17	–	2	2	13	–	5	2	–	1	3	–	28	6	9	5	1	1
Springfield township#	–	24	4	1	8	3	–	–	2	–	–	1	1	18	2	3	1	–	1
Towamencin township#	1	2	–	–	–	6	–	–	1	–	1	–	1	3	1	–	1	–	–
Upper Dublin township#	1	12	1	–	5	6	1	3	–	–	–	–	1	17	–	2	–	–	–
Upper Merion township#	1	13	1	5	2	7	–	–	–	–	2	1	–	11	1	1	–	–	–
Upper Moreland township#	3	11	1	2	4	4	2	2	5	–	1	1	2	7	3	3	3	–	–
West Norriton township#	–	7	–	–	1	–	–	–	2	–	1	–	1	6	–	1	1	–	–
Whitemarsh township#	1	11	2	3	6	3	1	–	2	–	–	–	2	12	2	1	3	–	–
Balance of county	3	165	20	20	44	52	8	24	10	–	7	18	20	113	36	30	25	6	6
Montour	–	32	2	1	3	3	–	–	1	–	–	1	1	25	3	5	3	–	1
Northampton	8	134	26	24	41	58	10	30	26	–	14	16	14	121	30	32	24	7	2
Bethlehem, part	1	45	10	9	12	12	2	7	9	–	2	6	3	41	10	8	5	–	–
Bethlehem, total	2	59	15	10	16	12	2	9	14	–	2	10	5	57	12	10	9	1	–
Easton	3	24	5	3	6	13	–	11	7	–	2	3	6	16	4	8	2	4	–
Palmer township#	–	7	–	1	1	4	–	–	1	–	–	1	1	4	1	2	2	–	1
Balance of county	4	58	11	11	20	29	8	12	9	–	10	6	4	60	15	14	15	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,164	2	–	6	212	70	40	31	16	12	5	38	43	657	519	6	12	392	109
Shamokin	167	–	–	1	22	5	3	4	3	1	–	6	4	100	79	2	2	61	14
Sunbury	157	–	–	–	29	12	9	4	2	–	–	2	4	90	70	1	–	49	20
Balance of county	840	2	–	7	161	53	28	23	11	11	5	30	35	457	370	3	10	282	75
Perry	325	1	–	5	77	19	23	5	6	4	2	18	11	172	133	1	4	100	28
Philadelphia, coext. with Philadelphia city	20,194	27	1	391	4,559	1,244	1,260	362	467	176	144	905	333	8,388	6,683	96	186	4,414	1,987
Pike	220	–	–	1	40	8	11	7	5	3	–	6	7	125	105	–	–	79	26
Potter	163	–	–	2	25	10	5	1	3	1	1	4	8	94	73	–	1	47	25
Schuylkill	2,094	6	–	9	405	128	78	37	31	22	14	95	58	1,087	881	5	23	637	216
Pottsville	273	–	–	2	62	25	11	7	4	1	–	14	8	151	117	1	5	93	18
Balance of county	1,821	6	–	7	343	103	67	30	27	21	14	81	50	936	764	4	18	544	198
Snyder	311	–	–	2	57	17	13	6	2	3	5	11	8	163	128	–	5	95	28
Somerset	748	–	–	10	147	36	35	13	17	5	5	36	13	395	313	4	27	239	43
Sullivan	77	–	–	–	14	5	2	–	1	–	2	4	2	41	31	–	1	19	11
Susquehanna	335	–	–	5	70	12	20	6	8	4	3	17	8	171	136	1	8	90	37
Tioga	369	–	–	6	59	19	11	4	6	3	2	14	13	201	160	1	1	104	54
Union	268	–	–	2	40	8	7	3	4	3	3	12	6	143	89	1	2	71	15
Venango	899	–	–	2	130	40	35	11	11	9	3	21	17	392	306	2	12	241	51
Oil City	179	–	–	2	36	7	13	4	5	4	–	3	3	95	74	–	4	58	12
Balance of county	520	–	–	–	94	33	22	7	6	5	3	18	14	297	232	2	8	183	39
Warren	508	1	–	5	107	30	30	5	8	4	7	23	4	268	217	–	3	159	55
Warren	184	–	–	2	36	8	10	2	5	2	3	6	1	105	79	–	3	54	22
Balance of county	324	1	–	3	71	22	20	3	3	2	4	17	3	163	138	–	–	105	33
Washington	2,208	2	–	22	493	140	138	33	55	21	19	87	43	1,147	930	9	5	739	177
Canonsburg	164	–	–	1	41	14	9	3	2	–	2	11	5	80	68	1	–	57	10
Washington	261	–	–	3	50	17	11	5	5	–	2	10	2	141	117	1	1	91	24
Balance of county	1,783	2	–	18	402	109	118	25	48	21	15	66	36	926	745	7	4	591	143
Wayne	403	–	–	2	81	24	21	8	5	2	1	20	14	213	156	5	7	109	35
Westmoreland	3,665	2	–	41	875	227	254	84	79	37	34	160	67	1,892	1,559	20	28	1,191	320
Greensburg	242	–	–	3	54	13	16	2	5	2	3	13	6	135	117	3	3	91	20
Hempfield township#	317	1	–	4	66	15	19	5	3	4	1	19	8	180	153	2	2	105	44
Jeannette	162	–	–	2	47	13	13	3	3	2	4	9	4	73	59	–	–	48	11
Latrobe	131	1	–	1	33	10	12	4	2	3	1	1	3	86	54	3	–	40	11
Lower Burrell	119	–	–	–	27	6	7	1	4	4	2	3	1	67	55	2	–	43	10
Monessen	187	–	–	3	41	12	9	3	6	3	2	6	6	97	78	–	1	64	13
Municipality of Murrysville	84	–	–	1	22	7	4	1	1	1	1	7	–	40	34	–	2	25	7
New Kensington	246	–	–	3	54	10	21	8	2	2	1	10	4	134	106	1	1	72	32
North Huntingdon township#	225	–	–	2	57	9	17	7	5	3	5	11	3	110	92	1	1	69	21
Balance of county	1,952	–	–	22	474	132	136	50	48	13	14	61	32	990	811	8	18	634	151
Wyoming	196	–	–	1	34	9	10	2	2	–	4	7	4	112	92	1	2	65	24
York	2,527	–	–	19	628	160	142	67	77	25	27	130	41	1,300	1,052	11	36	677	328
Hanover	209	–	–	2	50	13	8	8	10	1	3	7	9	96	84	2	8	40	34
Springettsbury township#	255	–	–	3	70	25	21	6	7	3	–	8	3	134	108	–	2	55	51
Spring Garden township#	116	–	–	–	31	5	4	6	3	2	–	11	–	65	53	1	2	30	20
York	520	–	–	4	127	38	32	10	17	4	3	23	9	289	217	1	6	146	64
Balance of county	1,427	–	–	10	350	79	77	37	40	15	21	81	20	736	590	7	18	406	159
Rhode Island	8,988	4	–	80	2,206	693	563	187	218	99	64	382	250	4,518	3,694	45	51	3,059	539
Urban places	7,302	3	–	71	1,773	568	455	139	179	83	43	306	215	3,674	2,993	43	42	2,469	439
Balance of area	1,686	1	–	9	433	125	108	48	39	16	21	76	35	844	701	2	9	590	100
Metropolitan counties	8,324	3	–	77	2,035	642	516	172	204	93	59	349	233	4,177	3,411	44	44	2,819	504
Urban places	6,920	2	–	69	1,672	537	430	128	171	80	42	284	205	3,481	2,834	42	39	2,336	417
Balance of area	1,404	1	–	8	363	105	86	44	33	13	17	65	28	696	577	2	5	483	87
Nonmetropolitan counties	664	1	–	3	171	51	47	15	14	6	5	33	17	341	283	1	7	240	35
Urban places	382	1	–	2	101	31	25	11	8	3	1	22	10	193	159	1	3	133	22
Balance of area	282	–	–	1	70	20	22	4	6	3	4	11	7	148	124	–	4	107	13
Bristol	427	–	–	6	95	29	17	9	8	7	1	24	11	220	172	2	3	143	24
Barrington town#	114	–	–	2	31	10	6	3	2	1	1	8	–	53	41	1	1	31	8
Bristol town#	202	–	–	1	44	12	6	5	2	4	–	15	8	103	83	1	–	75	7
Warren town#	110	–	–	3	20	7	5	1	4	2	–	1	3	64	48	–	2	37	9
Balance of county	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	1,306	1	–	4	328	114	78	29	30	12	11	54	38	685	568	6	11	461	90
Coventry town#	184	–	–	1	45	19	14	2	1	2	2	5	5	99	83	–	1	66	16
Warwick	794	1	–	1	198	71	42	16	23	7	6	33	21	415	344	5	8	283	48
West Warwick town#	228	–	–	–	50	14	14	5	3	–	3	11	10	124	101	1	2	80	18
Balance of county	100	–	–	2	35	10	8	6	3	3	–	5	2	47	40	–	–	32	8
Newport	884	1	–	3	171	51	47	15	14	6	5	33	17	341	283	1	7	240	35
Middletown town#	95	–	–	–	30	7	10	1	4	1	1	6	1	51	39	–	–	34	5
Newport	287	1	–	2	71	24	15	10	4	2	–	16	9	142	120	1	3	99	17
Balance of county	282	–	–	1	70	20	22	4	6	3	4	11	7	148	124	–	4	107	13
Providence	5,913	2	–	64	1,430	451	380	111	149	71	36	232	169	2,945	2,402	36	27	1,995	344
Central Falls	232	–	–	3	54	19	18	2	8	1	1	5	9	117	99	2	2	82	13
Cranston	755	–	–	6	207	66	53	19	17	12	2	38	24	362	302	2	4	266	26
Cumberland town#	213	1	–	3	53	19	10	5	11	2	1	5	2	115	93	1	1	74	17
East Providence	513	–	–	6	113	42	20	8	12	5	4	22	16	266	209	6	1	167	35
Johnston town#	183	–	–	2	38	7	11	2	3	2	2	11	2	109	82	–	–	74	8
North Providence town#	267	–	–	1	60	10	17	5	6	3	3	16	10	141	117	3	2	82	20
Pawtucket	842	–	–	11	207	64	66	14	21	9	3	30	24	415	340	4	3	282	51
Providence	1,778	–	–	25	433	140	110	31	44	26	13	69	56	833	680	11	6	549	112
Woonsocket	505	–	–	2	119	37	38	10	14	4	1	15	15	265	212	5	4	176	27
Balance of county	625	1	–	3	145	47	37	15	13	7	6	21	11	322	268	2	2	231	33
Washington	678	–	–	3	182	48	41	23	17	3	11	39	15	327	269	–	3	220	46

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	4	105	22	7	28	34	3	11	8	–	6	2	3	94	24	20	8	–	1
Shamokin	1	17	3	–	4	4	1	3	–	–	2	1	–	20	2	3	–	–	–
Sunbury	–	15	5	–	8	2	–	–	2	–	1	–	–	11	2	6	2	–	–
Balance of county	3	73	14	7	16	28	2	8	6	–	3	1	3	63	20	11	6	–	1
Perry	2	30	6	1	3	12	–	5	5	–	–	2	2	16	8	4	1	1	–
Philadelphia, coext. with Philadelphia city	66	1,325	153	161	502	478	52	276	243	2	89	259	1,693	1,615	192	475	202	350	68
Pike	1	15	2	2	4	9	–	–	–	–	–	1	8	12	3	4	5	1	–
Potter	–	17	4	–	1	4	–	3	–	–	2	–	3	11	4	4	1	1	–
Schuylkill	11	152	13	30	22	39	5	29	27	–	8	13	14	285	23	35	27	1	1
Pottsville	5	23	3	3	2	8	–	4	3	–	2	1	3	20	–	2	5	–	–
Balance of county	6	129	10	27	20	31	5	25	24	–	6	12	11	265	23	33	22	1	1
Snyder	–	25	5	5	5	17	–	4	3	–	2	1	1	23	12	10	2	1	–
Somerset	1	56	15	10	12	25	2	10	10	–	5	9	2	69	16	17	4	–	–
Sullivan	–	8	1	1	4	–	–	1	–	–	–	–	–	9	2	1	3	–	–
Susquehanna	2	24	6	3	6	14	3	2	2	–	1	4	1	27	9	3	6	1	2
Tioga	–	35	5	1	8	10	1	2	5	–	1	5	1	27	15	9	2	4	–
Union	–	33	12	9	10	11	–	3	4	–	–	–	–	27	4	11	3	4	–
Venango	4	53	22	7	16	23	1	8	8	1	4	6	3	46	20	15	6	1	–
Oil City	3	11	4	3	4	6	–	4	3	1	–	2	2	14	5	2	–	–	–
Balance of county	1	42	18	4	12	17	1	4	5	–	4	4	1	32	15	13	6	1	–
Warren	4	34	8	5	15	18	1	7	3	–	3	6	4	41	9	9	5	2	–
Warren	2	19	2	3	4	7	–	1	–	–	1	3	–	14	4	4	1	1	–
Balance of county	2	15	6	2	11	11	1	6	3	–	2	3	4	27	5	5	4	1	–
Washington	12	163	19	23	63	59	10	20	27	–	18	16	8	161	36	45	30	8	–
Canonsburg	4	7	–	1	3	7	–	1	5	–	1	2	1	9	1	6	1	–	–
Washington	1	22	–	1	10	6	2	3	5	–	7	4	–	20	2	5	1	–	–
Balance of county	7	134	19	21	50	46	8	16	17	–	10	10	7	132	33	34	28	8	–
Wayne	2	38	10	7	9	17	1	4	5	–	5	2	2	22	10	11	4	1	–
Westmoreland	13	230	54	36	50	83	9	50	32	–	20	20	103	227	64	69	52	5	4
Greensburg	1	11	5	1	3	7	2	4	1	–	1	3	1	11	7	2	2	–	–
Hempfield township#	–	21	2	4	4	6	–	1	2	–	4	1	6	15	7	7	5	–	–
Jeannette	1	9	1	3	–	8	1	3	–	–	1	2	7	7	1	2	4	–	–
Latrobe	–	9	1	2	–	2	–	2	2	–	1	–	4	8	1	4	3	–	–
Lower Burrell	–	8	3	1	2	3	–	2	1	–	–	–	5	3	4	2	2	–	–
Monessen	1	15	3	–	3	6	–	3	2	–	2	2	5	12	–	2	3	–	–
Municipality of Murrysville	–	6	–	1	3	4	1	1	1	–	–	1	2	4	1	2	1	–	–
New Kensington	–	21	1	6	3	3	–	4	3	–	–	1	8	20	3	3	3	–	–
North Huntingdon township#	–	13	2	3	1	9	–	4	2	–	1	2	9	16	7	3	4	1	–
Balance of county	10	118	36	15	31	41	5	26	18	–	10	8	56	131	33	42	25	4	4
Wyoming	1	6	10	1	1	9	–	6	2	–	1	1	3	8	8	3	3	–	–
York	8	184	29	27	43	75	10	12	30	–	24	20	8	160	50	50	29	6	2
Hanover	2	8	1	1	3	10	–	3	3	–	2	4	1	16	4	4	1	–	1
Springettsbury township#	–	19	6	1	9	6	3	–	2	–	1	–	1	16	2	3	2	–	–
Spring Garden township#	–	9	2	1	4	2	–	–	3	–	–	–	–	5	2	–	2	2	–
York	–	40	7	5	7	19	2	5	3	–	4	6	3	41	4	11	4	1	1
Balance of county	6	108	13	19	20	38	5	4	19	–	17	10	3	102	38	32	20	3	–
Rhode Island	37	589	110	88	169	261	45	128	80	1	55	61	34	672	120	153	108	37	6
Urban places	31	480	94	76	144	212	36	101	69	–	41	57	25	562	81	121	79	33	5
Balance of area	6	109	16	12	25	49	9	27	11	1	14	4	9	110	39	32	29	4	1
Metropolitan counties	34	544	106	82	159	242	44	119	78	1	49	59	30	624	111	140	100	37	6
Urban places	29	454	92	72	137	202	38	93	68	–	37	55	22	532	78	116	77	33	5
Balance of area	5	90	14	10	22	40	6	26	10	1	12	4	8	92	33	24	23	4	1
Nonmetropolitan counties	3	45	4	6	10	19	1	9	2	–	6	2	4	48	9	13	8	–	–
Urban places	2	26	2	4	7	10	–	8	1	–	4	2	3	30	3	5	2	–	–
Balance of area	1	19	2	2	3	9	1	1	1	–	2	–	1	18	6	8	6	–	–
Bristol	2	33	11	2	9	10	2	3	4	–	5	1	1	41	8	7	4	–	–
Barrington town#	1	8	2	1	2	2	–	1	–	–	1	–	–	15	3	2	2	–	–
Bristol town#	1	11	8	–	3	5	2	1	3	–	1	1	1	19	4	4	2	–	–
Warren town#	–	14	1	1	4	2	–	1	1	–	3	–	–	7	1	1	–	–	–
Balance of county	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	4	86	16	11	17	38	7	18	12	–	5	16	4	85	18	10	15	4	1
Coventry town#	1	10	3	2	3	3	–	4	1	–	1	3	2	8	3	2	3	–	1
Warwick	2	50	12	7	12	26	4	9	9	–	–	11	2	58	11	4	8	4	–
West Warwick town#	1	19	1	2	2	5	2	4	2	–	3	1	–	16	2	4	3	–	–
Balance of county	–	7	–	–	–	4	1	1	–	–	1	1	–	3	2	–	1	–	–
Newport	3	45	4	8	10	19	1	9	2	–	6	2	4	48	9	13	8	–	–
Middletown town#	–	9	1	2	1	2	–	–	–	–	1	–	1	8	–	–	–	–	–
Newport	2	17	1	2	6	8	–	8	1	–	3	2	2	22	3	5	2	–	–
Balance of county	1	19	2	2	3	9	1	1	1	–	2	–	1	18	6	8	6	–	–
Providence	27	384	70	62	117	178	32	86	57	1	32	41	22	451	70	111	69	31	5
Central Falls	–	13	5	–	5	7	–	5	2	–	–	3	1	16	3	3	3	1	–
Cranston	3	39	9	9	13	25	3	13	9	–	–	5	4	52	10	12	7	1	2
Cumberland town#	1	18	2	1	3	1	–	4	2	–	2	1	–	15	4	5	1	1	–
East Providence	4	42	5	6	13	15	4	7	6	–	5	2	1	45	2	6	3	1	–
Johnston town#	–	24	–	3	2	6	1	2	–	–	–	2	–	12	3	1	3	–	–
North Providence town#	1	17	2	4	5	12	2	3	4	–	2	–	2	18	2	3	2	–	–
Pawtucket	4	47	13	11	16	35	6	6	8	–	8	4	4	58	11	16	9	5	–
Providence	7	104	23	19	47	48	6	25	17	–	9	18	5	160	11	42	23	16	2
Woonsocket	3	38	6	6	8	10	4	8	4	–	2	4	–	33	8	11	8	4	–
Balance of county	4	42	5	3	8	19	4	13	5	1	4	2	5	42	16	12	10	2	1
Washington	1	41	9	7	16	16	3	12	5	–	7	1	3	47	15	12	12	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	25,070	40	1	286	5,063	1,255	1,462	406	612	204	159	965	478	12,081	9,087	62	411	5,924	2,890
Urban places	7,172	9	1	91	1,491	360	451	138	159	65	42	276	146	3,480	2,502	14	133	1,805	750
Balance of area	17,898	31	–	195	3,572	895	1,011	268	453	139	117	689	332	8,601	6,585	48	278	4,319	1,940
Metropolitan counties	14,170	21	1	186	2,972	719	892	248	338	120	91	564	251	6,700	5,129	37	229	3,402	1,461
Urban places	5,574	6	1	81	1,179	280	370	106	118	49	33	223	115	2,651	1,956	11	112	1,264	569
Balance of area	8,596	15	–	105	1,793	439	522	142	220	71	58	341	136	4,049	3,173	26	117	2,138	892
Nonmetropolitan counties	10,900	19	–	100	2,091	536	570	158	274	84	68	401	227	5,381	3,958	25	182	2,522	1,229
Urban places	1,598	3	–	10	312	80	81	32	41	16	9	53	31	829	546	3	21	341	181
Balance of area	9,302	16	–	90	1,779	456	489	126	233	68	59	348	196	4,552	3,412	22	161	2,181	1,048
Abbeville	211	–	–	–	47	7	10	4	6	2	2	16	3	105	77	–	7	58	12
Aiken	913	3	–	6	191	44	66	11	27	7	6	30	15	426	314	1	22	188	100
Aiken	246	–	–	1	55	18	16	3	6	3	2	7	6	121	78	1	3	52	22
North Augusta	146	–	–	1	32	3	11	1	6	1	2	8	–	68	50	–	8	32	10
Balance of county	521	3	–	4	104	23	39	7	15	3	2	15	9	237	186	–	11	104	71
Allendale	116	–	–	1	14	2	4	–	3	–	–	5	2	59	48	–	6	36	6
Anderson	1,101	–	–	13	214	41	62	20	33	10	7	41	15	541	405	8	7	280	112
Anderson	416	–	–	4	74	13	25	12	7	–	3	14	11	225	162	1	3	109	49
Balance of county	685	–	–	9	140	28	37	8	26	10	4	27	4	316	243	5	4	171	63
Bamberg	132	–	–	–	31	9	5	2	7	1	1	6	8	54	31	–	2	21	8
Barnwell	182	–	–	3	33	8	9	5	4	2	1	4	5	97	77	1	1	60	15
Beaufort	444	–	–	10	110	36	37	3	16	1	5	12	8	172	129	2	4	102	21
Berkeley	512	4	–	7	104	31	30	9	11	7	2	14	6	220	177	–	3	106	68
Goose Creek	46	–	–	–	12	2	5	3	–	2	–	–	–	19	18	–	–	18	2
Hanahan	64	–	–	2	17	3	4	3	1	–	1	5	1	21	15	–	–	10	5
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	402	4	–	5	75	26	21	3	10	5	1	9	5	180	144	–	3	80	61
Calhoun	110	1	–	2	22	4	5	3	2	3	–	5	1	50	31	–	–	20	11
Charleston	1,946	2	–	31	439	121	129	41	48	14	15	71	41	833	651	4	42	449	156
Charleston	788	1	–	13	157	43	36	20	22	5	4	27	17	349	270	1	23	197	49
Mount Pleasant	159	–	–	4	30	8	11	1	2	1	–	7	5	77	59	–	4	35	20
North Charleston, part	160	–	–	1	36	11	13	1	2	1	2	6	5	70	59	–	–	42	17
North Charleston, total	160	–	–	1	36	11	13	1	2	1	2	6	5	70	59	–	–	42	17
Balance of county	839	1	–	13	216	59	69	19	22	7	9	31	14	337	283	3	15	175	70
Cherokee	375	–	–	2	80	25	23	11	9	–	2	10	14	179	133	–	2	96	35
Gaffney	191	–	–	–	42	14	12	7	6	–	1	2	7	90	63	–	–	46	17
Balance of county	184	–	–	2	38	11	11	4	3	–	1	8	7	89	70	–	2	50	18
Chester	287	–	–	1	70	19	22	5	8	2	3	11	7	131	105	2	6	54	43
Chesterfield	348	1	–	2	69	15	15	6	13	3	3	14	5	157	120	–	6	62	32
Clarendon	237	1	–	1	36	7	11	1	4	1	2	10	3	132	96	–	5	69	22
Colleton	310	1	–	2	56	14	9	9	5	1	3	15	7	161	94	1	8	62	23
Darlington	586	3	–	7	107	32	29	8	19	4	1	14	15	294	241	3	15	164	59
Dillon	293	1	–	6	48	16	12	2	7	2	2	7	3	128	87	1	3	57	26
Dorchester	421	–	–	6	74	12	26	3	13	4	3	13	6	213	152	1	11	94	46
Edgefield	155	–	–	3	24	7	8	1	4	–	1	3	3	75	63	–	6	40	17
Fairfield	203	–	–	1	39	13	9	5	3	–	1	8	1	109	92	–	1	38	53
Florence	880	2	–	8	152	35	42	13	23	2	7	30	21	500	403	–	27	191	185
Florence	311	–	–	5	46	12	16	2	7	–	1	8	9	160	137	–	15	60	62
Balance of county	569	2	–	3	106	23	26	11	16	2	6	22	12	320	266	–	12	131	123
Georgetown	364	3	–	4	63	15	16	4	5	2	1	20	10	191	129	1	8	61	39
Georgetown	135	2	–	1	17	5	4	1	2	–	–	5	3	81	44	1	1	29	13
Balance of county	229	1	–	3	46	10	12	3	3	2	1	15	7	110	85	–	7	52	26
Greenville	2,177	–	–	32	487	113	146	50	43	29	17	89	27	1,066	821	6	23	565	227
Greenville	880	–	–	12	162	43	48	15	13	9	4	30	8	309	235	1	8	139	87
Greer, part	110	–	–	–	28	5	10	6	1	2	3	1	–	56	34	–	1	22	11
Greer, total	140	–	–	–	35	6	12	6	3	3	3	2	–	72	47	–	2	32	13
Balance of county	1,407	–	–	20	297	65	88	29	29	18	10	58	19	701	552	5	14	404	129
Greenwood	523	1	–	6	106	16	34	11	12	7	4	22	10	248	169	3	8	106	50
Greenwood	277	1	–	2	54	7	19	6	7	5	–	10	6	137	87	1	6	55	25
Balance of county	246	–	–	4	52	9	15	5	5	2	4	12	4	111	82	2	2	53	25
Hampton	153	–	–	1	34	11	10	–	8	–	2	3	4	69	55	1	4	40	10
Horry	829	1	–	7	153	35	46	10	11	13	4	34	9	410	321	3	10	171	137
Conway	110	–	–	–	22	7	5	2	2	1	1	4	3	62	37	–	–	18	19
Myrtle Beach	153	–	–	–	33	8	6	1	2	6	–	10	–	75	59	1	1	38	19
Balance of county	566	1	–	7	98	20	35	7	7	6	3	20	6	273	225	2	9	115	99
Jasper	139	–	–	2	28	7	13	2	2	–	–	4	2	71	51	–	1	37	13
Kershaw	314	1	–	2	60	12	15	5	5	3	1	19	12	148	103	1	8	57	37
Lancaster	401	–	–	1	69	19	19	2	10	3	7	9	6	230	184	1	5	120	58
Laurens	467	–	–	2	80	16	29	6	7	6	1	15	10	242	171	–	6	122	43
Laurens	129	–	–	–	26	3	11	2	4	2	1	3	4	66	35	–	1	21	13
Balance of county	338	–	–	2	54	13	18	4	3	4	–	12	6	174	136	–	5	101	30
Lee	143	1	–	1	29	3	11	2	8	1	–	4	4	81	60	–	4	42	14
Lexington	883	3	–	7	198	35	68	16	23	9	4	43	16	423	359	4	12	277	66
Cayce	80	–	–	1	24	5	9	–	2	1	–	7	2	39	32	–	–	22	10
West Columbia	150	1	–	1	29	3	10	1	4	1	–	10	2	70	60	2	–	48	10
Balance of county	653	2	–	5	145	27	49	15	17	7	4	26	12	314	267	2	12	207	46
McCormick	51	–	–	–	13	1	4	1	2	1	1	3	1	21	18	–	–	12	6
Marion	304	–	–	3	65	16	19	6	9	5	–	10	6	137	94	–	5	65	24
Marlboro	310	1	–	2	51	16	15	2	5	2	1	10	3	176	122	1	3	93	25
Newberry	312	–	–	4	76	27	15	8	8	3	1	14	6	148	117	–	4	57	56
Oconee	497	–	–	2	86	22	24	6	11	4	3	16	14	209	152	3	9	66	52
Orangeburg	722	2	–	10	114	40	28	5	15	5	3	18	13	369	255	–	12	151	92
Orangeburg	164	–	–	2	17	10	5	1	1	–	–	–	3	101	57	–	4	43	10
Balance of county	558	2	–	8	97	30	23	4	14	5	3	18	10	268	198	–	8	108	82

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined condi-tions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina	133	2,372	267	222	620	631	84	289	269	6	220	418	355	1,914	751	792	369	382	21
Urban places	26	777	106	69	184	186	29	94	70	2	59	112	86	568	136	208	100	112	8
Balance of area	107	1,595	161	153	436	445	55	195	199	4	161	306	269	1,346	615	584	269	270	13
Metropolitan counties	61	1,223	168	119	377	367	50	160	139	1	139	242	118	1,094	404	448	242	230	8
Urban places	21	543	76	55	145	150	24	77	55	1	49	88	59	449	103	166	83	88	4
Balance of area	40	680	92	64	232	217	26	103	84	–	90	154	59	645	301	282	159	142	4
Nonmetropolitan counties	72	1,149	99	103	243	264	34	109	130	5	81	176	237	820	347	344	127	152	13
Urban places	5	234	30	14	39	36	5	17	15	1	10	24	27	119	33	42	17	24	4
Balance of area	67	915	69	89	204	228	29	92	115	4	71	152	210	701	314	302	110	128	9
Abbeville	–	22	1	5	7	5	2	3	2	–	–	3	3	17	8	3	1	2	–
Aiken	3	88	14	7	21	21	3	14	10	–	7	11	3	72	32	40	21	16	1
Aiken	1	34	6	2	3	6	1	4	3	–	–	1	1	19	10	5	7	3	–
North Augusta	2	14	1	1	2	8	–	1	–	–	2	1	1	18	1	7	1	3	–
Balance of county	–	40	7	4	16	7	2	9	7	–	5	9	1	35	21	28	13	10	1
Allendale	–	10	–	1	6	1	–	1	6	–	1	3	1	8	4	4	2	3	–
Anderson	2	117	8	9	36	37	5	13	7	–	6	18	24	68	28	36	18	21	1
Anderson	–	53	5	5	12	13	3	6	2	–	1	4	9	31	5	9	3	3	1
Balance of county	2	64	3	4	24	24	2	7	5	–	5	14	15	37	23	27	15	18	–
Bamberg	4	17	–	2	2	4	–	1	1	–	3	2	1	15	7	3	–	–	–
Barnwell	–	19	–	1	1	6	1	2	2	–	2	1	2	10	3	11	2	1	–
Beaufort	4	34	2	3	6	14	–	5	7	–	5	10	8	40	27	13	5	4	–
Berkeley	–	34	6	3	7	16	–	3	4	–	7	20	6	32	25	23	13	15	–
Goose Creek	–	1	–	–	–	1	–	1	–	–	1	4	–	2	4	1	1	–	–
Hanahan	–	3	2	1	–	1	–	1	–	–	3	2	1	5	2	5	2	1	–
North Charleston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	30	4	2	7	14	–	1	4	–	3	14	5	25	19	17	10	14	–
Calhoun	1	13	1	4	3	–	2	–	3	–	1	1	2	10	1	9	1	–	1
Charleston	9	136	18	19	56	40	5	25	29	1	19	43	15	167	56	68	35	40	1
Charleston	3	56	7	13	30	24	4	7	10	1	6	13	7	79	16	26	9	19	–
Mount Pleasant	–	16	1	1	2	5	–	4	1	–	1	1	–	14	2	5	7	1	–
North Charleston, part	1	9	–	1	1	–	–	1	3	–	4	5	4	6	5	12	5	2	–
North Charleston, total	1	9	–	1	1	–	–	1	3	–	4	5	4	6	5	12	5	2	–
Balance of county	5	55	10	4	23	11	1	13	15	–	8	24	4	68	33	25	14	18	1
Cherokee	4	29	9	4	10	11	–	1	6	–	1	8	2	27	11	14	2	6	1
Gaffney	2	16	7	2	6	7	–	1	–	–	1	5	2	12	4	8	1	4	1
Balance of county	2	13	2	2	4	4	–	–	6	–	–	3	–	15	7	6	1	2	–
Chester	3	13	6	4	9	15	–	2	3	–	3	7	3	15	7	8	4	2	–
Chesterfield	–	29	5	3	8	4	–	2	2	–	1	5	21	41	11	12	6	1	–
Clarendon	2	33	1	–	6	6	–	–	3	–	2	4	4	15	7	12	2	3	–
Colleton	6	57	1	3	10	11	2	3	2	–	3	3	3	22	11	8	3	2	–
Darlington	2	45	3	2	20	13	2	7	5	2	3	7	6	41	16	17	10	11	–
Dillon	2	34	–	5	8	9	–	2	1	–	4	3	31	25	8	8	4	4	–
Dorchester	2	50	6	3	8	11	2	3	6	–	9	12	1	24	17	17	6	6	–
Edgefield	2	10	–	–	6	4	1	1	1	–	3	5	1	10	6	6	2	4	–
Fairfield	–	14	2	1	2	9	–	2	2	–	1	2	3	15	7	6	1	3	–
Florence	5	86	3	3	13	24	1	13	8	–	8	17	4	46	19	26	7	10	1
Florence	3	38	1	1	5	8	–	5	1	–	2	5	2	21	7	9	2	4	–
Balance of county	2	48	2	2	8	16	1	8	7	–	6	12	2	25	12	17	5	6	1
Georgetown	1	54	4	3	2	5	–	4	13	–	1	7	2	27	12	12	3	4	1
Georgetown	1	35	1	–	1	3	–	1	7	–	–	1	–	12	3	3	–	–	–
Balance of county	–	19	3	3	1	2	–	3	6	–	1	6	2	15	9	9	3	4	1
Greenville	6	207	16	16	69	44	8	28	17	–	19	26	17	157	53	61	44	22	–
Greenville	3	63	3	5	17	13	2	11	8	–	7	9	6	52	9	17	12	6	–
Greer, part	–	17	2	3	5	1	1	1	1	–	–	–	1	11	3	1	–	1	–
Greer, total	–	19	2	4	6	1	1	1	1	–	–	–	1	12	6	2	–	2	–
Balance of county	3	127	11	8	47	30	5	16	8	–	12	17	10	94	41	43	32	15	–
Greenwood	3	63	9	4	18	16	5	8	4	1	5	10	9	40	13	9	7	7	–
Greenwood	–	42	8	–	9	5	3	3	1	1	1	5	6	19	7	7	5	5	–
Balance of county	3	21	1	4	9	11	2	5	3	–	4	5	3	21	6	2	2	2	–
Hampton	1	11	2	–	1	5	–	1	1	–	1	3	–	17	8	5	2	1	–
Horry	1	70	9	9	14	20	1	8	10	1	7	12	18	56	40	25	16	17	4
Conway	–	20	5	–	–	2	1	–	1	–	1	–	1	10	9	2	–	2	–
Myrtle Beach	–	8	2	6	3	4	–	1	1	–	3	2	6	8	7	2	4	1	3
Balance of county	1	42	2	3	11	14	–	7	8	1	3	10	11	38	30	21	12	14	1
Jasper	–	18	1	1	2	4	–	–	1	–	–	6	2	8	4	6	2	1	–
Kershaw	5	30	6	4	6	4	1	5	1	–	–	3	21	27	5	11	3	3	1
Lancaster	4	32	5	5	8	8	–	2	2	–	5	2	5	27	13	10	6	6	1
Laurens	1	59	5	8	11	10	2	9	3	–	3	4	2	40	16	17	10	6	–
Laurens	–	30	2	1	4	3	–	4	–	–	1	1	1	7	2	5	–	3	–
Balance of county	1	29	3	5	7	7	2	5	3	–	2	3	1	33	14	12	10	3	–
Lee	–	18	1	2	1	4	–	1	1	–	1	4	3	4	6	1	–	1	–
Lexington	4	45	5	10	14	25	5	14	4	–	4	12	6	69	34	20	22	7	–
Cayce	–	4	2	1	–	1	–	–	1	–	–	–	–	5	4	1	1	1	–
West Columbia	–	7	–	3	3	4	1	3	–	–	1	3	2	10	7	6	6	1	–
Balance of county	4	34	3	6	11	20	4	11	3	–	3	9	4	54	23	13	15	5	–
McCormick	–	3	–	–	–	–	–	2	1	–	–	1	2	4	–	5	–	1	–
Marion	8	33	–	2	3	5	–	3	9	–	1	2	8	30	11	10	3	8	–
Marlboro	–	51	1	4	9	4	–	2	6	1	3	4	4	25	5	4	3	4	1
Newberry	3	24	3	1	5	13	1	4	7	–	2	3	5	16	9	10	1	2	–
Oconee	3	41	10	3	15	12	5	3	6	–	2	4	3	34	14	12	6	10	–
Orangeburg	7	95	4	8	11	14	1	10	7	–	3	14	32	54	21	23	6	18	–
Orangeburg	1	39	3	1	1	1	–	3	3	–	–	2	4	15	2	3	4	3	–
Balance of county	6	56	1	7	10	13	1	7	4	–	3	12	28	39	19	20	2	15	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	551	–	–	10	116	35	31	10	12	5	6	17	8	269	193	2	6	151	34
Easley	149	–	–	3	29	10	7	1	3	3	–	5	2	78	52	–	2	42	8
Balance of county	402	–	–	7	87	25	24	9	9	2	6	12	6	191	141	2	4	109	26
Richland	2,193	5	1	33	438	100	142	35	38	15	9	99	53	948	695	2	39	443	211
Columbia	1,197	4	1	16	286	57	90	22	19	13	5	60	29	524	376	2	20	236	116
Balance of county	996	1	–	17	172	43	52	13	19	2	4	39	24	424	319	–	19	207	93
Saluda	163	–	–	1	23	2	6	2	3	2	–	8	4	81	58	–	–	51	7
Spartanburg	1,714	2	–	22	386	103	110	30	41	13	7	84	25	808	641	10	26	439	166
Greer, part	30	–	–	–	7	1	2	–	2	1	–	1	–	16	13	–	1	10	2
Spartanburg	521	–	–	12	110	25	37	10	13	4	2	19	10	243	184	3	15	112	54
Balance of county	1,163	2	–	10	271	77	71	20	26	8	5	64	15	549	444	7	10	317	110
Sumter	643	–	–	3	133	34	31	7	22	2	8	29	13	301	229	–	6	105	118
Sumter	317	–	–	2	73	22	14	4	10	2	5	16	4	145	107	–	3	53	51
Balance of county	326	–	–	1	60	12	17	3	12	–	3	13	9	156	122	–	3	52	67
Union	331	–	–	4	64	13	15	12	12	2	3	7	8	186	141	1	12	89	39
Union	122	–	–	3	28	4	5	8	7	–	1	3	1	70	57	–	5	38	14
Balance of county	209	–	–	1	36	9	10	4	5	2	2	4	7	118	84	1	7	51	25
Williamsburg	305	1	–	4	58	17	12	2	9	1	1	16	7	156	105	–	5	74	26
York	879	–	–	11	171	49	40	10	26	5	8	33	18	453	318	1	11	219	87
Rock Hill	341	–	–	5	65	18	20	5	8	2	4	8	8	186	122	–	9	80	33
Balance of county	538	–	–	6	106	31	20	5	18	3	4	25	10	267	196	1	2	139	54
South Dakota	6,595	4	–	50	1,264	379	259	116	147	68	55	246	89	3,437	2,691	13	47	2,029	602
Urban places	2,165	–	–	18	450	133	101	40	52	28	20	76	29	1,103	836	6	9	664	157
Balance of area	4,430	4	–	32	814	246	158	76	95	40	35	170	61	2,334	1,855	7	38	1,365	445
Metropolitan counties	850	–	–	6	165	55	37	15	18	10	6	24	12	434	329	2	3	257	67
Urban places	691	–	–	6	146	48	30	14	17	9	6	22	12	334	250	2	3	198	47
Balance of area	159	–	–	–	19	7	7	1	1	1	–	2	–	100	79	–	–	59	20
Nonmetropolitan counties	5,745	4	–	44	1,099	318	222	101	129	58	49	222	77	3,003	2,362	11	44	1,772	535
Urban places	1,474	–	–	12	304	85	71	26	35	19	14	54	16	769	586	4	6	466	110
Balance of area	4,271	4	–	32	795	233	151	75	94	39	35	168	61	2,234	1,776	7	38	1,306	425
Aurora	31	–	–	1	6	2	–	–	–	–	2	2	–	15	11	–	–	6	5
Beadle	210	–	–	2	44	17	8	5	4	1	4	5	7	101	64	1	1	54	8
Huron	155	–	–	2	29	9	7	2	4	1	2	4	5	75	50	1	–	43	6
Balance of county	55	–	–	–	15	8	1	3	–	–	2	1	2	26	14	–	1	11	2
Bennett	25	–	–	–	3	1	–	–	1	–	–	1	–	9	6	–	–	–	6
Bon Homme	97	–	–	1	17	5	4	1	2	1	–	4	1	55	44	–	–	35	9
Brookings	166	–	–	1	32	9	6	3	5	2	2	5	–	94	76	1	1	63	11
Brookings	103	–	–	1	22	5	4	2	4	2	2	3	–	57	46	1	–	39	6
Balance of county	63	–	–	–	10	4	2	1	1	–	–	2	–	37	30	–	1	24	5
Brown	300	–	–	–	63	21	11	5	4	3	3	16	7	165	124	–	3	109	12
Aberdeen	222	–	–	–	47	15	9	3	3	3	3	11	5	120	91	–	3	80	8
Balance of county	78	–	–	–	16	6	2	2	1	–	–	5	2	45	33	–	–	29	4
Brule	55	–	–	–	10	5	3	1	1	–	–	–	–	34	20	–	1	15	4
Buffalo	13	–	–	–	–	–	–	–	–	–	–	–	1	5	5	–	–	2	3
Butte	101	–	–	1	13	3	4	–	2	–	–	4	1	53	40	–	–	32	8
Campbell	25	–	–	–	8	1	1	1	2	–	–	3	–	11	10	–	1	7	2
Charles Mix	128	–	–	1	28	7	5	2	3	1	2	8	2	62	45	1	5	21	18
Clark	60	–	–	–	10	5	2	–	1	–	1	1	–	33	28	–	1	24	3
Clay	99	–	–	1	19	1	5	2	3	1	–	7	3	59	50	2	–	30	18
Vermillion	45	–	–	–	8	–	4	1	2	1	–	–	–	30	25	1	–	16	8
Balance of county	54	–	–	1	11	1	1	1	1	–	–	7	3	29	25	1	–	14	10
Codington	212	–	–	2	44	12	7	3	3	5	4	10	1	113	95	1	1	73	20
Watertown	179	–	–	1	35	9	6	3	2	5	4	6	–	98	81	1	1	63	16
Balance of county	33	–	–	1	9	3	1	–	1	–	–	4	1	15	14	–	–	10	4
Corson	63	–	–	1	13	4	2	2	2	–	–	3	2	18	16	–	1	12	3
Custer	59	–	–	1	9	2	3	1	1	–	–	2	–	29	26	–	–	11	15
Davison	180	–	–	2	38	16	7	3	3	3	1	5	–	97	81	–	–	61	20
Mitchell	152	–	–	2	35	14	7	3	3	3	1	4	–	81	69	–	–	55	14
Balance of county	28	–	–	–	3	2	–	–	–	–	–	1	–	16	12	–	–	6	6
Day	109	–	–	–	13	3	1	2	2	–	2	3	2	72	60	–	1	46	13
Deuel	64	–	–	1	10	4	1	–	1	–	2	2	–	37	29	–	1	25	3
Dewey	44	–	–	1	8	2	2	–	–	1	–	3	4	14	9	–	–	6	3
Douglas	41	–	–	–	6	–	–	2	1	2	–	1	2	23	19	–	–	13	6
Edmunds	58	–	–	1	12	4	3	–	–	1	–	4	1	38	25	–	–	25	–
Fall River	134	1	–	3	23	8	6	2	2	–	–	5	7	63	49	1	2	39	7
Faulk	48	–	–	–	6	3	1	–	–	–	–	2	1	32	23	–	–	13	10
Grant	99	–	–	1	19	6	5	1	4	1	–	2	1	55	55	–	1	29	25
Gregory	73	–	–	–	16	7	1	2	2	–	3	1	–	38	34	1	–	22	11
Haakon	22	–	–	–	4	1	1	–	1	–	–	1	–	10	8	–	1	7	–
Hamlin	87	–	–	–	19	6	2	1	4	1	–	5	–	48	40	–	–	36	4
Hand	48	–	–	1	11	4	1	1	1	–	1	3	2	25	15	–	–	12	3
Hanson	25	–	–	–	9	2	2	–	–	3	–	2	–	12	10	–	–	7	3
Harding	13	–	–	–	3	1	1	–	–	–	–	1	–	7	5	–	–	5	–
Hughes	111	–	–	1	25	5	6	1	3	2	1	7	2	54	35	–	–	28	7
Pierre	95	–	–	1	21	4	6	1	2	1	1	6	2	49	32	–	–	25	7
Balance of county	16	–	–	–	4	1	–	–	1	1	–	1	–	5	3	–	–	3	–
Hutchinson	116	–	–	1	22	6	4	3	1	1	1	6	1	70	54	–	–	47	7
Hyde	19	–	–	–	5	1	2	–	–	–	1	1	–	10	5	–	1	3	1
Jackson	24	–	–	–	4	1	1	–	1	1	–	–	2	8	8	–	–	7	1
Jerauld	40	–	–	–	6	3	1	1	–	–	–	1	1	21	13	–	1	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	4	58	7	7	14	12	3	11	2	–	6	9	–	47	14	15	9	6	–
Easley	1	19	4	2	3	3	2	3	1	–	1	4	–	14	2	4	–	–	–
Balance of county	3	39	3	5	11	9	1	8	1	–	5	5	–	33	12	11	9	6	–
Richland	11	196	29	17	84	63	6	24	21	–	28	32	26	229	55	62	34	48	3
Columbia	3	122	15	8	34	39	4	20	11	–	11	23	16	106	15	31	18	26	3
Balance of county	8	74	14	9	50	24	2	4	10	–	17	9	10	123	40	31	16	22	–
Saluda	1	17	4	1	5	7	2	–	–	–	2	3	1	15	7	6	2	3	1
Spartanburg	10	121	16	20	37	50	8	18	21	–	15	28	8	137	44	57	20	25	1
Greer, part	–	2	–	1	1	–	–	–	–	–	–	–	–	1	3	1	–	1	–
Spartanburg	3	45	5	6	19	14	3	5	9	–	7	9	4	42	3	16	9	12	–
Balance of county	7	74	11	13	17	36	5	13	12	–	8	19	4	94	38	40	17	12	1
Sumter	2	63	1	6	17	14	4	9	3	–	5	16	9	54	24	28	5	6	1
Sumter	1	33	1	3	13	11	1	4	2	–	3	5	5	29	3	11	2	4	–
Balance of county	1	30	–	3	4	3	3	5	1	–	2	11	4	25	21	15	3	2	1
Union	2	37	3	5	5	3	2	1	2	–	4	7	4	20	2	6	5	6	–
Union	–	11	1	1	2	–	–	–	–	–	–	3	2	7	2	1	1	2	–
Balance of county	2	26	2	4	3	3	2	1	2	–	4	4	2	13	–	5	4	4	–
Williamsburg	–	50	–	1	6	4	–	5	7	–	3	7	16	11	3	12	2	2	1
York	5	85	40	5	18	24	4	14	10	–	11	14	8	46	27	23	13	14	–
Rock Hill	1	40	22	1	8	9	3	4	4	–	2	4	5	13	5	10	6	4	–
Balance of county	4	45	18	4	10	15	1	10	6	–	9	10	3	33	22	13	7	10	–
South Dakota	19	570	88	69	225	213	21	50	67	1	34	66	93	471	167	201	95	32	15
Urban places	10	169	39	29	77	91	6	16	14	1	9	20	20	170	42	61	27	7	5
Balance of area	9	381	49	40	148	122	15	34	53	–	25	46	73	301	125	140	68	25	10
Metropolitan counties	5	70	17	13	34	39	4	8	4	–	9	7	11	69	15	20	9	2	2
Urban places	4	54	16	10	31	32	3	7	4	–	6	5	11	53	11	19	7	2	2
Balance of area	1	16	1	3	3	7	1	1	–	–	3	2	–	16	4	1	2	–	–
Nonmetropolitan counties	14	500	71	56	191	174	17	42	63	1	25	59	82	402	152	181	66	30	13
Urban places	6	135	23	19	46	59	3	9	10	1	3	15	9	117	31	42	20	5	3
Balance of area	8	365	48	37	145	115	14	33	53	–	22	44	73	285	121	139	66	25	10
Aurora	–	3	1	–	3	–	–	–	–	–	–	–	–	1	1	2	2	–	–
Beadle	2	26	5	4	8	7	–	1	–	–	–	–	5	23	5	4	1	2	–
Huron	1	17	3	4	7	7	–	–	–	–	–	–	3	19	3	2	1	2	–
Balance of county	1	9	2	–	1	–	–	1	–	–	–	–	2	4	2	2	–	–	–
Bennett	–	2	1	–	–	3	–	1	–	–	–	–	1	3	2	3	–	–	–
Bon Homme	–	11	–	–	2	3	–	–	3	–	1	–	1	5	–	6	2	–	–
Brookings	2	15	1	–	9	6	–	–	1	–	1	2	1	12	3	2	1	–	1
Brookings	1	9	1	–	6	4	–	–	1	–	–	–	1	8	2	–	1	–	–
Balance of county	1	6	–	–	3	2	–	–	–	–	1	2	–	4	1	2	–	–	1
Brown	1	31	8	1	4	10	1	2	1	–	1	2	–	22	8	7	7	–	–
Aberdeen	–	21	7	1	3	6	1	2	1	–	1	2	–	19	5	4	6	–	–
Balance of county	1	10	1	–	1	4	–	–	–	–	–	–	–	3	3	3	1	–	–
Brule	–	10	4	–	2	1	–	1	–	–	–	–	2	–	1	3	1	–	–
Buffalo	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	1	–	–	1
Butte	–	10	2	1	6	5	–	1	1	–	1	1	–	11	4	1	2	–	–
Campbell	–	1	–	–	1	–	–	–	–	–	–	–	–	4	–	–	1	–	–
Charles Mix	–	16	–	1	4	3	–	2	3	–	–	–	1	12	3	7	–	–	–
Clark	–	5	–	–	3	2	–	1	1	–	1	–	–	6	1	1	1	–	–
Clay	–	8	–	1	2	1	–	1	2	–	–	–	–	6	2	2	1	–	–
Vermillion	–	5	–	–	–	–	–	–	1	–	–	–	–	4	1	–	1	–	–
Balance of county	–	3	–	1	2	1	–	1	1	–	–	–	–	2	1	2	–	–	–
Codington	–	16	2	–	11	5	1	1	–	–	1	2	1	20	3	5	2	–	–
Watertown	–	15	2	–	9	5	1	1	–	–	–	2	1	18	2	4	2	–	–
Balance of county	–	1	–	–	2	–	–	–	–	–	1	–	–	2	1	1	–	–	–
Corson	–	1	–	1	2	3	–	1	1	–	1	2	1	4	9	5	–	–	–
Custer	–	3	–	–	2	3	1	–	3	–	1	–	2	4	1	2	–	1	–
Davison	1	11	2	2	1	10	–	1	5	–	–	–	–	10	2	9	4	–	1
Mitchell	1	8	2	1	1	9	–	1	3	–	–	–	–	7	2	8	2	–	1
Balance of county	–	3	–	1	–	1	–	–	2	–	–	–	–	3	–	1	2	–	–
Day	1	8	1	2	5	2	–	–	1	–	1	–	3	5	4	–	1	–	–
Deuel	–	7	–	1	5	2	–	–	–	–	1	1	1	3	2	–	–	–	1
Dewey	–	3	1	1	1	–	–	2	1	–	1	1	–	3	1	2	4	–	1
Douglas	–	3	1	–	3	–	–	–	1	–	–	1	–	2	–	2	1	–	–
Edmunds	–	13	–	–	–	1	–	1	–	–	–	–	–	3	1	–	–	–	–
Fall River	–	11	–	3	4	8	3	–	2	–	–	–	4	11	1	4	–	–	–
Faulk	–	7	1	1	1	1	–	–	1	–	–	–	3	1	–	2	–	–	–
Grant	–	–	–	–	1	2	–	–	–	–	–	2	1	7	3	6	1	–	–
Gregory	–	3	1	–	5	3	–	–	2	–	–	2	–	2	–	3	–	2	–
Haakon	–	2	–	–	1	1	–	–	1	–	–	–	–	2	2	–	1	–	–
Hamlin	–	6	1	1	5	1	–	–	–	–	2	–	1	8	1	–	1	–	–
Hand	–	6	4	–	–	2	–	–	–	–	–	2	–	5	–	–	–	–	–
Hanson	–	2	–	–	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Harding	–	1	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Hughes	1	11	2	5	4	3	–	–	–	–	1	4	1	6	3	5	1	1	–
Pierre	1	10	2	4	4	3	–	–	–	–	–	4	–	6	1	4	–	–	–
Balance of county	–	1	–	1	–	–	–	–	–	–	1	–	1	–	2	1	1	1	–
Hutchinson	–	14	2	–	4	–	–	1	2	–	–	2	1	7	1	1	3	–	–
Hyde	–	4	1	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–
Jackson	–	–	–	–	3	1	–	1	–	–	–	–	–	1	2	1	1	–	–
Jerauld	–	6	–	2	2	2	–	–	1	–	–	–	–	4	–	3	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	13	–	–	–	4	1	–	–	1	2	–	–	–	6	6	–	1	4	1
Kingsbury	121	–	–	–	27	5	3	7	3	4	–	5	–	65	47	–	4	38	4
Lake	109	1	–	–	31	6	5	6	5	1	1	7	3	54	36	–	1	30	5
Lawrence	173	–	–	–	37	12	10	4	4	2	3	2	1	89	71	–	–	47	24
Lincoln	144	–	–	2	19	8	3	2	2	2	–	2	1	91	80	–	–	65	15
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	144	–	–	2	19	8	3	2	2	2	–	2	1	91	80	–	–	65	15
Lyman	40	–	–	–	11	1	3	1	3	–	–	3	1	16	10	–	–	7	3
McCook	95	–	–	–	26	7	7	–	2	4	1	5	–	51	42	–	1	29	12
McPherson	56	–	–	–	9	5	–	1	1	–	–	2	–	38	31	–	–	28	3
Marshall	75	–	–	–	12	4	4	–	–	–	2	2	–	43	40	–	–	31	9
Meade	115	–	–	1	16	3	5	–	2	2	–	4	1	58	49	–	1	42	6
Mellette	29	–	–	–	3	2	–	–	–	–	–	1	–	9	6	–	–	5	1
Miner	42	–	–	–	10	3	4	–	–	–	1	2	–	23	18	–	–	14	4
Minnehaha	850	–	–	6	165	55	37	15	18	10	6	24	12	434	329	2	3	257	57
Sioux Falls, part	691	–	–	6	146	48	30	14	17	9	6	22	12	334	250	2	3	198	47
Sioux Falls, total	691	–	–	6	146	48	30	14	17	9	6	22	12	334	250	2	3	198	47
Balance of county	159	–	–	–	19	7	7	1	1	1	–	2	–	100	79	–	–	59	20
Moody	79	–	–	1	12	3	3	–	2	1	1	2	1	50	46	–	6	21	19
Pennington	549	–	–	2	113	31	24	16	15	4	2	21	4	242	187	1	2	133	51
Rapid City	405	–	–	1	87	22	21	10	14	2	1	17	4	183	137	–	2	99	36
Balance of county	144	–	–	1	26	9	3	6	1	2	1	4	–	59	50	1	–	34	15
Perkins	30	–	–	–	5	3	2	–	–	–	–	–	–	19	16	–	–	13	3
Potter	41	–	–	1	7	2	1	2	–	–	2	–	1	23	19	–	–	9	10
Roberts	130	–	–	3	26	8	3	–	6	2	2	5	3	75	70	–	1	44	25
Sanborn	37	–	–	1	8	3	–	–	1	1	–	3	1	13	6	–	–	3	3
Shannon	95	1	–	1	5	–	1	–	1	–	–	3	1	15	11	–	–	10	1
Spink	96	–	–	2	20	7	3	3	3	–	–	4	–	58	38	–	–	36	2
Stanley	11	–	–	–	2	1	–	–	1	–	–	–	–	6	4	1	–	3	–
Sully	19	–	–	–	5	1	–	1	1	–	–	2	1	9	9	–	–	6	–
Todd	68	1	–	–	7	1	3	–	2	–	–	1	3	21	18	–	–	8	10
Tripp	74	–	–	–	15	5	3	2	2	1	1	1	–	41	28	–	–	23	6
Turner	138	–	–	1	26	4	6	6	3	–	2	5	2	80	66	–	–	56	10
Union	108	–	–	–	25	4	7	3	5	–	1	5	–	63	52	–	1	45	6
Walworth	80	–	–	–	13	1	3	1	2	1	–	5	2	43	34	1	2	17	14
Yankton	165	–	–	4	26	9	10	1	1	1	–	4	–	106	84	–	–	67	17
Yankton	118	–	–	4	20	7	7	1	1	1	–	3	–	76	65	–	–	46	9
Balance of county	47	–	–	–	6	2	3	–	–	–	–	1	–	30	29	–	–	21	8
Ziebach	14	–	–	1	1	–	–	–	1	–	–	–	–	4	3	–	1	1	1
Tennessee	40,292	65	3	290	8,640	2,085	2,637	670	939	332	351	1,626	561	19,889	14,884	98	539	10,983	3,264
Urban places	20,139	28	1	165	4,536	1,083	1,379	384	531	171	173	815	270	9,728	7,235	56	330	5,069	1,780
Balance of area	20,153	37	2	125	4,104	1,002	1,258	286	408	161	178	811	291	10,161	7,649	42	209	5,914	1,484
Metropolitan counties	24,039	42	1	190	5,374	1,273	1,653	455	609	195	205	984	310	11,460	8,599	64	356	6,085	2,094
Urban places	17,218	25	1	152	3,911	918	1,198	342	463	143	146	703	217	8,175	6,129	50	290	4,205	1,584
Balance of area	6,821	17	–	38	1,463	355	457	113	146	52	59	281	93	3,285	2,470	14	66	1,880	510
Nonmetropolitan counties	16,253	23	2	100	3,266	812	984	215	330	137	146	642	251	8,429	6,285	34	183	4,898	1,170
Urban places	2,921	3	–	13	625	165	183	42	68	28	27	112	53	1,553	1,106	6	40	864	196
Balance of area	13,332	20	2	87	2,641	647	801	173	262	109	119	530	198	6,876	5,179	28	143	4,034	974
Anderson	556	1	–	6	128	34	40	10	16	5	4	19	10	262	182	2	3	130	47
Oak Ridge, part	213	–	–	3	49	14	18	4	6	1	–	6	4	98	73	–	2	52	19
Oak Ridge, total	216	–	–	3	50	14	18	4	7	1	–	6	4	98	73	–	2	52	19
Balance of county	343	1	–	3	79	20	22	6	10	4	4	13	6	164	109	2	1	78	28
Bedford	300	–	–	2	68	23	14	3	7	7	2	12	7	145	89	–	3	67	19
Shelbyville	169	–	–	1	42	15	9	1	3	4	1	9	4	83	47	–	2	35	10
Balance of county	131	–	–	1	26	8	5	2	4	3	1	3	3	62	42	–	1	32	9
Benton	133	–	–	1	32	8	11	2	1	–	3	7	–	69	57	1	4	42	10
Bledsoe	66	–	–	–	10	1	1	1	2	–	1	4	–	32	24	–	–	22	2
Blount	655	1	–	8	154	44	48	8	13	12	3	26	8	333	231	2	7	161	41
Maryville	225	–	–	3	44	11	11	2	5	4	–	11	1	126	72	–	2	61	9
Balance of county	430	1	–	5	110	33	37	6	8	8	3	15	7	207	159	2	5	120	32
Bradley	462	–	–	4	84	22	25	3	9	3	2	20	3	254	170	1	5	151	13
Cleveland	266	–	–	2	48	14	12	3	6	1	1	11	3	151	103	1	5	87	10
Balance of county	196	–	–	2	36	8	13	–	3	2	1	9	–	103	67	–	–	64	3
Campbell	348	2	–	1	74	20	29	3	7	3	2	10	5	172	133	–	5	105	23
Cannon	115	–	–	–	21	1	11	–	4	–	1	4	4	52	45	–	7	31	7
Carroll	331	–	–	4	60	20	13	3	9	1	7	7	4	187	142	1	–	113	28
Carter	416	–	–	3	98	22	33	8	10	4	–	21	5	182	131	1	2	86	42
Elizabethton	140	–	–	2	39	5	16	5	5	1	–	7	–	57	41	–	1	26	14
Johnson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	276	–	–	1	59	17	17	3	5	3	–	14	5	125	90	1	1	60	28
Cheatham	147	–	–	1	31	5	14	3	1	3	–	5	1	82	59	1	1	49	8
Chester	123	–	–	–	26	7	10	1	1	–	1	6	2	64	46	–	–	41	5
Claiborne	238	–	–	–	46	13	20	3	4	1	–	5	3	137	104	–	2	83	19
Clay	88	1	–	1	19	8	3	–	1	–	1	6	–	50	38	–	1	35	2
Cocke	330	–	–	2	66	19	15	2	7	4	3	16	10	164	118	1	1	99	17
Coffee	334	1	–	–	69	19	21	5	3	5	3	13	5	178	128	2	4	95	27
Tullahoma, part	146	1	–	–	36	9	11	1	2	3	2	8	2	70	46	1	1	39	5
Tullahoma, total	148	1	–	–	37	9	12	1	2	3	2	8	2	70	46	1	1	39	5
Balance of county	188	–	–	–	33	10	10	4	1	2	1	5	3	108	82	1	3	56	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–
Kingsbury	–	14	4	–	2	6	–	–	–	–	1	3	1	11	3	1	1	–	–
Lake	–	14	3	1	–	3	1	1	–	–	–	2	–	11	1	1	–	–	–
Lawrence	1	12	5	–	3	8	1	2	1	–	1	2	1	6	8	7	4	2	–
Lincoln	–	8	2	1	2	1	1	1	–	–	1	3	–	9	7	1	4	1	–
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	8	2	1	2	1	1	1	–	–	1	3	–	9	7	1	4	1	–
Lyman	–	6	–	2	–	1	–	2	–	–	–	–	2	1	–	1	–	1	2
McCook	–	9	–	–	2	4	1	1	1	–	–	–	1	6	1	1	–	–	–
McPherson	–	6	–	1	–	1	–	–	1	–	–	1	–	2	1	2	1	–	–
Marshall	1	2	–	–	3	1	–	–	3	–	1	–	–	3	2	5	2	–	–
Meade	–	5	2	2	7	1	–	1	1	–	1	1	–	9	4	6	7	1	–
Mellette	–	3	–	–	2	1	–	–	–	–	–	–	2	2	2	6	–	–	2
Miner	–	5	–	–	4	–	–	–	–	–	–	–	2	3	–	–	–	–	–
Minnehaha	5	70	17	13	34	39	4	8	4	–	9	7	11	69	15	20	9	2	2
Sioux Falls, part	4	54	16	10	31	32	3	7	4	–	6	5	11	53	11	19	7	2	2
Sioux Falls, total	4	54	16	10	31	32	3	7	4	–	6	5	11	53	11	19	7	2	2
Balance of county	1	16	1	3	3	7	1	1	–	–	3	2	–	16	4	1	2	–	–
Moody	–	4	–	–	1	–	–	–	2	–	–	–	–	9	–	–	3	–	–
Pennington	2	42	5	6	19	31	1	6	7	1	2	9	7	38	22	26	10	7	2
Rapid City	2	33	5	6	15	22	1	4	4	1	2	5	4	28	14	19	6	3	2
Balance of county	–	9	–	–	4	9	–	2	3	–	–	4	3	10	8	7	4	4	–
Perkins	–	1	–	2	–	–	1	–	–	–	–	–	–	4	1	–	–	–	–
Potter	–	3	–	1	2	1	–	–	–	–	–	1	–	4	–	–	1	–	–
Roberts	–	5	–	–	–	–	–	–	5	–	–	–	1	7	4	1	3	2	–
Sanborn	–	5	–	2	4	–	1	1	–	–	–	–	–	5	2	1	–	–	–
Shannon	–	4	–	–	4	–	–	6	1	–	1	7	23	9	7	4	2	7	1
Spink	–	17	1	2	3	4	–	–	–	–	–	–	1	3	2	2	1	–	–
Stanley	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Sully	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–	–
Todd	–	1	–	2	4	2	–	1	4	–	–	1	9	5	5	3	1	–	1
Tripp	1	10	–	1	2	–	2	–	–	–	1	–	–	2	5	5	1	–	–
Turner	–	10	3	1	4	2	–	–	1	–	–	2	–	9	3	6	1	1	–
Union	1	9	1	–	4	4	–	–	1	–	–	–	–	6	–	4	1	–	–
Walworth	–	6	1	2	7	2	2	–	–	–	1	–	1	4	2	2	–	1	–
Yankton	–	18	1	3	4	4	–	1	1	–	1	2	–	13	1	1	1	–	–
Yankton	–	17	1	3	1	3	–	1	–	–	–	2	–	8	1	1	1	–	–
Balance of county	–	1	–	–	3	1	–	–	1	–	1	–	–	5	–	–	–	–	–
Ziebach	–	1	–	–	1	–	–	–	–	–	–	–	–	1	3	1	1	1	–
Tennessee	155	3,948	542	360	968	1,258	109	385	390	5	267	379	811	3,028	1,097	995	586	484	81
Urban places	92	1,973	253	175	477	676	54	204	190	2	146	220	359	1,632	398	435	279	310	29
Balance of area	63	1,975	289	185	491	582	55	181	200	3	121	159	452	1,396	699	561	307	174	52
Metropolitan counties	96	2,232	313	220	575	778	68	241	225	2	182	268	487	1,917	580	567	388	345	39
Urban places	77	1,608	219	142	410	581	47	175	164	2	130	200	315	1,447	332	381	248	281	24
Balance of area	19	624	94	78	165	197	21	66	61	–	52	68	172	470	248	186	140	64	15
Nonmetropolitan counties	59	1,716	229	140	393	480	41	144	165	3	85	111	324	1,111	517	429	198	139	42
Urban places	15	365	34	33	67	95	7	29	26	–	16	20	44	185	66	54	31	29	5
Balance of area	44	1,351	195	107	326	385	34	115	139	3	69	91	280	926	451	375	167	110	37
Anderson	1	63	8	8	8	19	–	6	4	–	1	1	25	38	24	9	11	5	–
Oak Ridge, part	1	20	2	2	–	4	–	5	1	–	–	–	12	18	6	4	7	2	–
Oak Ridge, total	1	20	2	2	–	4	–	5	1	–	–	–	12	18	6	4	7	2	–
Balance of county	–	43	6	6	8	15	–	1	3	–	1	1	13	18	18	5	4	3	–
Bedford	2	45	4	5	7	9	1	3	6	–	–	4	2	23	7	8	5	3	–
Shelbyville	1	29	3	3	6	5	1	1	1	–	–	3	–	12	2	6	2	–	–
Balance of county	1	16	1	2	1	4	–	2	5	–	–	1	2	11	5	2	3	3	–
Benton	–	12	–	–	5	1	–	2	1	–	–	1	–	9	3	4	2	1	2
Bledsoe	1	7	–	–	1	6	–	–	1	–	–	–	1	9	3	2	–	1	–
Blount	2	74	18	8	17	17	2	3	5	–	3	3	12	36	22	11	12	5	3
Maryville	2	38	10	4	8	5	–	2	–	–	–	1	4	15	7	4	3	1	1
Balance of county	–	36	8	4	9	12	2	1	5	–	3	2	8	21	15	7	9	4	2
Bradley	2	69	3	10	10	11	–	3	2	–	2	3	9	32	23	12	6	4	–
Cleveland	–	43	–	5	6	6	–	3	2	–	2	2	9	14	10	2	3	3	–
Balance of county	2	26	3	5	4	5	–	–	–	–	–	1	–	18	13	10	3	1	–
Campbell	2	28	6	3	14	19	1	5	2	–	2	3	5	23	7	9	1	3	–
Cannon	–	5	2	–	2	7	–	3	1	1	1	–	2	8	5	2	3	2	1
Carroll	1	32	7	5	13	6	1	1	5	–	2	4	–	31	3	4	3	2	1
Carter	2	37	10	2	17	10	1	7	7	–	9	5	20	27	10	8	3	3	1
Elizabethton	1	11	4	–	5	7	–	3	4	–	1	2	7	8	2	2	1	2	–
Johnson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	26	6	2	12	3	1	4	3	–	8	3	13	21	8	6	2	1	1
Cheatham	–	20	1	2	3	2	1	1	1	–	5	–	2	4	2	3	7	1	–
Chester	–	17	1	–	4	1	–	–	1	–	1	3	1	12	1	4	1	2	–
Claiborne	–	29	–	4	6	6	–	–	1	–	–	1	1	14	10	6	5	2	–
Clay	–	11	1	–	2	2	–	–	1	–	–	–	2	4	3	1	1	1	–
Cocke	4	35	6	1	10	10	1	3	1	–	2	1	3	22	19	5	5	5	1
Coffee	3	41	4	2	12	15	–	3	3	–	3	1	6	15	4	11	7	1	–
Tullahoma, part	1	21	1	1	3	9	–	2	1	–	2	–	4	8	2	4	2	–	–
Tullahoma, total	1	21	1	1	3	9	–	2	1	–	2	–	4	8	2	5	2	–	–
Balance of county	2	20	3	1	9	6	–	1	2	–	1	1	2	7	2	7	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	165	–	–	2	28	3	10	1	2	1	1	10	4	91	72	–	2	62	8
Cumberland	240	–	–	1	51	12	12	3	6	4	4	10	4	127	95	1	2	74	18
Davidson	4,053	6	–	30	942	218	307	90	112	39	36	140	64	1,935	1,536	13	67	1,186	270
Nashville-Davidson	3,981	6	–	29	930	213	306	89	110	38	36	138	64	1,899	1,505	13	66	1,164	262
Balance of county	72	–	–	1	12	5	1	1	2	1	–	2	–	36	31	–	1	22	8
Decatur	108	–	–	2	18	4	6	–	3	1	–	4	3	49	43	–	1	29	13
De Kalb	147	–	–	2	20	6	5	–	3	1	1	4	–	92	80	–	–	63	17
Dickson	266	2	–	3	56	15	14	5	5	2	4	11	4	133	105	1	1	92	11
Dyer	346	1	–	3	81	19	25	2	11	2	3	19	6	158	121	2	2	102	15
Dyersburg	187	1	–	1	44	8	15	1	7	–	1	12	5	89	69	1	1	59	8
Balance of county	159	–	–	2	37	11	10	1	4	2	2	7	1	69	52	1	1	43	7
Fayette	187	–	–	2	34	9	6	5	3	2	1	8	–	97	70	–	3	51	16
Fentress	152	–	–	1	39	10	10	3	5	1	1	9	–	75	54	–	–	45	9
Franklin	292	1	–	1	65	14	22	7	8	2	2	10	8	132	107	–	8	69	30
Tullahoma, part	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	290	1	–	1	64	14	21	7	8	2	2	10	8	132	107	–	8	69	30
Gibson	581	–	–	3	125	34	36	10	13	3	6	23	12	319	217	1	2	183	31
Humboldt	131	–	–	–	31	11	10	2	3	–	1	4	2	71	46	–	–	32	14
Balance of county	450	–	–	3	94	23	26	8	10	3	5	19	10	248	171	1	2	151	17
Giles	276	–	–	–	60	15	20	5	4	4	2	10	2	132	106	1	4	80	21
Grainger	163	–	–	1	29	8	13	1	1	–	–	6	2	67	47	–	2	36	9
Greene	478	1	–	3	99	26	33	12	9	2	3	14	8	245	184	–	11	126	47
Greeneville	165	–	–	1	38	10	11	7	1	2	1	6	1	85	62	–	4	42	16
Balance of county	313	1	–	2	61	16	22	5	8	–	2	8	7	160	122	–	7	84	31
Grundy	124	–	–	1	20	6	6	3	–	–	1	4	5	60	47	–	–	30	17
Hamblen	417	–	–	–	90	20	27	6	12	7	4	14	5	227	143	1	1	123	18
Morristown	221	–	–	–	48	12	12	4	9	4	1	6	5	125	73	–	1	62	10
Balance of county	196	–	–	–	42	8	15	2	3	3	3	8	–	102	70	1	–	61	8
Hamilton	2,534	5	1	22	553	133	197	44	57	16	20	86	37	1,246	968	5	27	699	237
Chattanooga	1,755	2	1	17	369	84	131	30	43	12	15	54	25	865	656	3	19	483	171
East Ridge	158	–	–	–	41	6	17	3	3	–	4	8	2	83	66	–	–	46	20
Red Bank	100	1	–	–	23	6	10	1	1	2	–	3	4	51	38	1	1	29	7
Balance of county	521	2	–	5	120	37	39	10	10	2	1	21	6	247	208	1	7	161	39
Hancock	72	–	–	–	12	2	3	–	2	–	1	4	–	42	33	–	–	32	1
Hardeman	258	–	–	1	48	11	10	6	4	6	–	11	7	134	93	1	1	74	17
Hardin	239	–	–	1	43	9	13	2	7	3	4	5	–	136	104	–	3	68	33
Hawkins	369	–	–	1	62	12	23	5	8	2	3	9	7	209	153	–	5	119	29
Kingsport, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	368	–	–	1	62	12	23	5	8	2	3	9	7	208	152	–	5	118	29
Haywood	215	–	1	2	36	5	16	2	4	–	3	6	2	123	98	–	10	75	13
Henderson	231	–	–	–	49	13	16	3	4	2	3	8	3	127	76	–	–	64	12
Henry	333	–	–	1	68	17	25	2	8	5	5	6	6	187	143	2	11	99	31
Paris	151	–	–	1	30	8	11	1	6	1	2	1	2	89	68	1	4	46	17
Balance of county	182	–	–	–	38	9	14	1	2	4	3	5	4	98	75	1	7	53	14
Hickman	131	–	–	1	26	6	8	1	5	1	1	4	3	60	49	–	4	28	17
Houston	63	–	–	–	10	5	1	–	–	1	–	3	1	37	29	–	–	17	12
Humphreys	159	1	–	1	32	9	12	3	1	1	1	5	3	78	63	–	–	38	25
Jackson	77	–	–	1	17	4	6	–	1	1	1	4	–	36	25	–	–	23	2
Jefferson	259	1	–	2	44	10	10	6	5	1	3	9	8	122	81	–	–	70	11
Johnson	132	1	–	2	30	7	10	4	2	–	3	4	1	59	44	1	–	30	13
Knox	2,752	–	–	9	611	135	172	53	68	27	27	129	27	1,241	922	9	31	700	182
Knoxville	1,863	–	–	8	425	97	124	35	48	20	18	83	14	840	628	7	27	464	130
Balance of county	889	–	–	1	186	38	48	18	20	7	9	46	13	401	294	2	4	236	52
Lake	76	–	–	–	19	3	5	2	2	1	2	4	1	31	24	–	1	20	3
Lauderdale	254	–	–	4	43	10	17	3	2	6	–	5	2	138	96	2	7	74	13
Lawrence	333	–	–	1	75	16	21	7	8	7	3	13	–	175	159	–	1	129	29
Lawrenceburg	129	–	–	1	36	7	14	1	5	2	1	6	–	61	56	–	1	47	8
Balance of county	204	–	–	–	39	9	7	6	3	5	2	7	–	114	103	–	–	82	21
Lewis	78	–	–	–	14	3	5	–	2	–	–	4	–	41	32	–	–	23	9
Lincoln	283	1	–	4	59	11	21	6	6	5	3	7	7	123	96	1	2	70	23
Loudon	284	1	–	–	64	18	21	1	5	1	4	14	7	140	116	–	8	95	12
McMinn	374	–	–	4	75	22	18	6	12	3	3	11	11	187	142	2	1	118	20
Athens	124	–	–	–	32	10	10	3	2	2	–	5	6	55	41	1	1	32	7
Balance of county	250	–	–	4	43	12	8	3	10	1	3	6	5	132	101	1	–	87	13
McNairy	220	–	–	–	48	14	14	1	9	–	–	10	2	112	87	–	2	74	11
Macon	135	–	–	3	25	10	4	1	2	–	1	7	1	78	67	–	–	45	22
Madison	712	–	–	6	139	37	35	8	20	5	6	28	12	391	288	–	12	232	44
Jackson	519	–	–	4	102	30	26	7	11	3	6	19	7	287	212	–	11	170	31
Balance of county	193	–	–	2	37	7	9	1	9	2	–	9	5	104	76	–	1	62	13
Marion	240	1	–	1	46	14	16	1	3	–	2	10	4	126	93	–	3	71	19
Marshall	193	–	–	2	37	11	16	1	4	1	1	3	4	112	92	–	–	80	12
Maury	508	1	–	–	101	22	35	9	2	5	9	19	7	259	180	2	12	132	44
Columbia	266	1	–	–	53	13	17	6	–	4	5	8	3	141	109	1	6	79	23
Balance of county	242	–	–	–	48	9	18	3	2	1	4	11	4	118	81	1	6	53	21
Meigs	64	1	–	–	18	5	2	1	–	1	2	7	–	34	24	–	–	22	2
Monroe	242	–	–	4	43	10	15	–	3	–	2	13	4	108	71	2	–	56	13
Montgomery	541	1	–	3	112	24	32	9	16	3	3	25	5	237	186	2	6	143	35
Clarksville	344	–	–	3	78	15	20	6	11	2	3	21	5	141	112	2	4	85	21
Balance of county	197	1	–	–	34	9	12	3	5	1	–	4	–	96	74	–	2	58	14
Moore	35	–	–	1	8	3	2	1	1	–	–	1	–	20	12	–	–	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	–	17	1	1	4	6	3	1	1	–	1	–	1	7	7	6	2	1	–
Cumberland	1	27	–	4	3	8	–	3	3	–	–	–	–	23	8	7	1	1	–
Davidson	17	310	36	36	91	134	7	47	40	1	35	46	28	347	73	83	66	70	8
Nashville-Davidson	17	306	36	35	91	130	7	46	39	1	35	44	27	341	70	81	64	69	8
Balance of county	–	4	–	1	–	4	–	1	1	–	–	2	1	6	3	2	2	1	–
Decatur	–	6	–	–	6	6	–	2	–	–	–	–	2	8	9	2	1	–	–
De Kalb	–	11	1	–	1	4	1	–	2	–	–	–	1	13	7	4	–	–	–
Dickson	–	25	2	1	7	3	–	3	2	–	–	6	4	18	9	9	6	–	1
Dyer	1	32	1	3	8	10	3	2	2	–	1	6	25	24	5	7	–	2	2
Dyersburg	1	16	1	2	4	5	–	1	–	–	–	2	13	14	3	1	–	2	2
Balance of county	–	16	–	1	4	5	3	1	2	–	1	4	12	10	2	6	–	–	–
Fayette	1	23	3	–	3	2	–	2	2	–	1	5	12	12	8	2	1	4	–
Fentress	–	17	2	2	7	4	2	–	3	–	–	–	5	6	1	4	3	2	–
Franklin	–	22	2	1	4	12	1	4	3	–	2	3	6	21	14	15	–	–	–
Tullahoma, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	–	22	2	1	4	12	1	4	3	–	2	3	6	21	14	14	–	–	–
Gibson	1	78	18	5	11	13	–	3	8	1	–	7	8	40	11	11	4	7	–
Humboldt	1	22	1	1	2	3	–	–	1	–	–	1	2	8	4	1	1	4	–
Balance of county	–	56	17	4	9	10	–	3	7	1	–	6	4	32	7	10	3	3	–
Giles	–	22	1	3	3	6	1	3	5	–	–	5	8	29	4	10	5	2	1
Grainger	–	18	1	1	3	1	–	1	–	–	1	2	27	18	4	4	2	4	2
Greene	3	48	10	–	14	18	3	4	6	–	1	7	4	24	12	17	11	1	–
Greeneville	1	16	6	–	5	9	2	1	2	–	1	2	–	11	1	2	4	–	–
Balance of county	2	32	4	–	9	9	1	3	4	–	–	5	4	13	11	15	7	1	–
Grundy	–	8	3	2	3	7	–	2	2	–	–	–	5	8	4	4	1	1	1
Hamblen	1	78	1	4	15	8	–	5	4	–	6	3	7	10	14	11	8	3	1
Morristown	1	48	1	2	6	2	–	4	2	–	2	2	3	8	7	4	2	1	–
Balance of county	–	30	–	2	9	6	–	1	2	–	4	1	4	2	7	7	6	2	1
Hamilton	10	230	21	17	81	88	7	23	28	–	20	25	9	191	52	67	40	38	1
Chattanooga	8	178	14	11	55	58	5	18	22	–	16	18	5	139	38	47	26	28	1
East Ridge	–	14	1	2	8	5	1	4	1	–	1	–	1	9	2	–	–	–	–
Red Bank	1	9	2	1	1	7	–	–	–	–	–	–	–	7	1	3	2	–	–
Balance of county	1	31	4	3	17	18	1	1	5	–	3	7	3	36	11	17	12	10	–
Hancock	–	8	–	1	–	2	–	–	–	–	–	–	–	5	5	4	1	1	–
Hardeman	–	35	4	2	6	2	1	2	3	–	1	3	13	12	10	8	3	2	2
Hardin	1	28	2	1	5	8	1	3	1	–	–	–	1	12	12	6	5	3	2
Hawkins	1	29	19	7	6	7	–	3	5	–	4	3	2	21	24	5	7	1	2
Kingsport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	29	19	7	6	7	–	3	5	–	4	3	2	21	24	5	7	1	2
Haywood	1	21	2	1	5	7	–	1	5	–	2	2	–	16	4	6	–	2	1
Henderson	2	45	2	2	5	4	–	–	3	–	1	–	–	17	6	8	6	2	–
Henry	1	35	4	4	8	12	3	2	3	–	–	–	1	21	6	9	5	–	1
Paris	1	18	1	1	1	6	2	1	2	–	–	–	1	8	2	5	1	–	–
Balance of county	–	17	3	3	7	6	1	1	1	–	–	–	–	13	4	4	4	–	1
Hickman	–	10	–	1	4	2	–	1	–	–	–	–	2	11	12	4	4	1	–
Houston	–	5	1	2	2	1	–	1	–	–	2	–	–	7	2	–	–	–	–
Humphreys	2	12	–	1	–	4	–	2	1	–	1	1	5	13	9	2	5	1	–
Jackson	–	9	2	–	1	2	–	–	3	–	–	1	–	6	4	4	–	–	2
Jefferson	1	34	3	3	8	7	2	4	2	–	1	2	8	19	20	2	3	1	3
Johnson	–	13	1	1	5	–	–	1	3	–	1	–	–	10	5	8	3	2	1
Knox	10	256	36	17	66	83	11	22	21	–	11	17	194	243	62	51	53	26	4
Knoxville	8	163	31	10	48	55	8	14	15	–	7	12	143	162	35	31	26	17	3
Balance of county	2	93	5	7	18	28	3	8	6	–	4	5	51	81	27	20	27	9	1
Lake	–	3	2	2	3	2	1	–	1	–	–	–	10	4	1	3	1	1	–
Lauderdale	1	38	1	2	5	9	–	2	3	–	1	3	7	14	8	9	4	2	–
Lawrence	1	14	1	–	11	13	–	4	2	–	3	4	2	11	12	11	4	2	3
Lawrenceburg	–	5	–	–	5	4	–	1	1	–	–	1	1	4	6	6	1	–	1
Balance of county	1	9	1	–	6	9	–	3	1	–	3	3	1	7	6	5	3	2	2
Lewis	1	8	–	–	1	5	–	1	1	–	1	–	1	4	4	4	–	–	1
Lincoln	2	22	3	–	12	8	1	3	5	–	2	3	16	18	7	3	5	6	–
Loudon	2	13	5	4	7	5	2	4	2	–	2	2	2	21	8	8	6	3	–
McMinn	–	37	5	3	10	12	–	5	6	1	1	1	5	25	12	15	1	3	–
Athens	–	12	1	1	2	8	–	2	3	–	–	–	2	7	5	1	–	1	–
Balance of county	–	25	4	2	8	4	–	3	3	1	1	1	3	18	7	14	1	2	–
McNairy	1	20	2	2	3	7	–	3	1	–	5	–	2	15	10	9	3	–	–
Macon	2	6	3	–	3	2	–	–	3	–	3	3	1	8	3	2	–	–	–
Madison	4	87	8	4	12	17	2	8	6	–	4	5	5	49	23	15	7	9	2
Jackson	4	60	7	4	9	14	2	7	4	–	4	5	4	36	10	11	6	6	1
Balance of county	–	27	1	–	3	3	–	1	2	–	–	–	1	13	13	4	1	3	1
Marion	1	24	2	6	2	8	1	4	1	–	2	–	2	10	11	12	5	4	–
Marshall	1	13	5	1	5	8	1	–	2	–	–	1	1	12	4	3	1	–	–
Maury	3	56	5	5	12	16	–	7	7	–	2	2	9	46	11	11	6	11	–
Columbia	2	27	1	2	6	8	–	3	2	–	2	2	3	22	6	5	2	7	–
Balance of county	1	29	4	3	6	8	–	4	5	–	–	–	6	24	5	6	4	4	–
Meigs	1	6	1	2	–	2	–	–	–	–	–	–	–	2	3	1	2	–	1
Monroe	–	29	5	3	12	4	1	5	1	–	2	2	17	18	9	8	1	3	–
Montgomery	–	43	–	8	16	10	4	8	6	–	8	15	24	45	17	15	6	7	2
Clarksville	–	24	–	5	6	7	1	4	4	–	5	12	13	30	10	11	4	6	2
Balance of county	–	19	–	3	8	3	3	4	2	–	3	3	11	15	7	4	2	1	–
Moore	1	5	2	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	161	1	–	2	33	7	11	4	5	1	1	4	5	70	48	–	2	31	15
Obion	358	–	–	1	57	19	11	7	7	1	2	10	7	219	139	1	6	113	19
Union City	146	–	–	1	23	7	5	2	3	1	–	5	6	87	51	–	1	43	7
Balance of county	212	–	–	–	34	12	6	5	4	–	2	5	1	132	88	1	5	70	12
Overton	187	–	–	2	44	10	15	2	6	4	–	7	3	88	65	2	1	60	2
Perry	66	–	–	2	12	3	3	1	–	1	–	4	3	38	30	2	–	22	6
Pickett	37	1	–	–	4	–	3	–	–	1	–	–	–	21	18	–	–	16	2
Polk	110	–	–	1	30	6	8	4	1	–	2	9	1	56	43	–	1	39	3
Putnam	375	–	–	–	85	16	30	3	12	3	4	17	6	205	151	–	5	121	25
Cookeville	157	–	–	–	31	5	9	2	6	–	3	6	4	96	74	–	1	61	12
Balance of county	218	–	–	–	54	11	21	1	6	3	1	11	2	109	77	–	4	60	13
Rhea	234	2	–	1	45	10	15	2	3	1	4	10	2	125	103	1	–	83	19
Roane	392	1	1	3	81	15	29	6	8	2	3	18	6	197	185	1	3	124	37
Oak Ridge, part	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Balance of county	389	1	1	3	80	15	29	6	7	2	3	18	6	197	165	1	3	124	37
Robertson	328	1	–	3	66	10	25	6	13	2	2	8	2	168	121	–	5	89	27
Springfield	141	1	–	2	24	3	9	1	8	–	–	3	1	71	42	–	2	30	10
Balance of county	187	–	–	1	42	7	16	5	5	2	2	5	1	97	79	–	3	59	17
Rutherford	549	1	–	–	120	26	37	13	20	6	1	17	9	258	185	–	4	149	32
Murfreesboro	266	–	–	–	60	11	22	7	11	3	–	6	3	121	84	–	2	67	15
Balance of county	283	1	–	–	60	15	15	6	9	3	1	11	6	137	101	–	2	82	17
Scott	144	1	–	1	26	7	6	2	2	–	1	8	3	76	62	–	–	45	17
Sequatchie	70	1	–	–	16	6	3	–	2	–	3	2	–	36	31	1	1	26	3
Sevier	346	–	–	2	76	21	20	9	6	6	1	13	–	161	134	2	2	111	19
Shelby	6,669	12	–	76	1,517	389	425	135	171	48	57	292	79	3,178	2,319	20	156	1,356	787
Bartlett	33	1	–	–	10	–	2	3	1	–	2	2	–	18	12	–	1	10	1
Germantown	63	–	–	–	14	4	2	1	2	–	–	5	–	34	29	–	2	21	6
Memphis	6,241	11	–	74	1,419	365	399	126	162	45	53	269	75	2,971	2,163	20	147	1,250	746
Millington	56	–	–	1	12	3	1	1	1	–	–	6	–	23	16	–	1	10	5
Balance of county	276	–	–	1	62	17	21	4	5	3	2	10	4	132	99	–	5	65	29
Smith	174	–	–	1	30	7	8	4	2	1	1	7	–	107	74	–	2	59	13
Stewart	91	2	–	1	21	2	6	2	3	1	2	5	1	36	28	–	1	23	4
Sullivan	1,145	3	–	6	261	52	91	20	28	3	14	53	14	546	422	5	15	325	77
Bristol	250	1	–	–	52	13	13	3	6	1	4	12	5	128	94	3	7	68	16
Kingsport, part	345	–	–	3	77	17	28	4	7	1	2	18	1	167	133	1	1	102	29
Kingsport, total	346	–	–	3	77	17	28	4	7	1	2	18	1	168	134	1	1	103	29
Balance of county	550	2	–	3	132	22	50	13	15	1	8	23	8	251	195	1	7	155	32
Sumner	615	4	–	5	133	29	34	14	17	8	2	29	4	292	221	–	5	166	46
Gallatin	157	2	–	–	30	8	7	2	8	3	–	2	2	79	56	–	1	41	14
Hendersonville	137	–	–	–	45	9	12	6	5	3	–	10	–	49	41	–	1	29	11
Balance of county	321	2	–	5	58	12	15	6	4	2	2	17	2	164	124	–	3	96	23
Tipton	298	–	–	2	71	24	18	5	9	1	3	11	6	151	116	–	7	75	34
Trousdale	65	–	–	–	12	–	3	1	4	–	–	4	3	26	17	–	2	12	3
Unicoi	167	1	–	1	38	9	12	1	5	1	1	9	3	64	42	–	–	31	11
Union	101	–	–	1	16	3	5	–	2	–	1	5	1	44	32	–	–	29	3
Van Buren	37	–	–	–	5	1	–	–	2	–	–	2	2	20	17	–	–	9	8
Warren	298	–	–	1	65	14	21	1	5	4	4	16	7	129	107	–	2	84	41
McMinnville	139	–	–	1	29	6	10	1	3	1	2	6	3	63	49	–	1	30	16
Balance of county	159	–	–	–	36	8	11	–	2	3	2	10	4	66	58	–	1	54	23
Washington	741	–	–	6	170	35	53	10	12	10	11	39	8	328	240	2	3	162	73
Johnson City, part	416	–	–	5	103	22	27	8	9	7	7	23	5	183	138	–	1	94	43
Johnson City, total	416	–	–	5	103	22	27	8	9	7	7	23	5	183	138	–	1	94	43
Balance of county	325	–	–	1	67	13	26	2	3	3	4	16	3	145	102	2	2	68	30
Wayne	120	1	–	1	22	7	6	1	2	–	1	5	–	67	48	–	1	27	20
Weakley	384	–	–	3	68	21	16	4	4	1	3	19	5	222	158	–	7	131	20
White	168	–	–	–	33	8	8	2	2	–	1	14	3	101	84	–	3	50	11
Williamson	402	–	–	3	87	14	29	11	14	1	2	16	6	194	141	–	4	109	28
Franklin	164	–	–	2	37	7	13	3	7	–	–	7	3	83	59	–	1	47	11
Balance of county	238	–	–	1	50	7	16	8	7	1	2	9	3	111	82	–	3	62	17
Wilson	425	2	–	–	86	20	25	4	7	2	6	22	6	215	163	–	3	110	50
Lebanon	169	–	–	–	30	5	9	2	4	–	2	9	3	87	70	–	1	45	24
Balance of county	256	2	–	–	56	15	17	2	3	2	4	13	3	128	93	–	2	65	26
Texas	111,319	117	12	1,182	22,463	5,400	6,367	1,753	2,373	896	952	4,722	1,858	50,262	38,427	206	1,379	24,124	12,716
Urban places	71,425	93	11	833	14,583	3,507	4,078	1,210	1,559	565	623	3,040	1,228	31,840	24,298	144	1,017	14,889	8,248
Balance of area	39,894	24	1	349	7,880	1,893	2,288	543	814	331	329	1,682	630	18,422	14,129	62	362	9,235	4,470
Metropolitan counties	80,779	97	11	897	16,686	3,949	4,762	1,372	1,733	654	710	3,506	1,325	35,586	27,353	171	1,145	16,752	9,285
Urban places	64,154	86	11	762	13,179	3,142	3,699	1,118	1,403	507	587	2,743	1,084	28,474	21,845	132	974	13,220	7,519
Balance of area	16,625	11	–	135	3,507	807	1,063	254	330	147	143	763	241	7,112	5,508	39	171	3,532	1,766
Nonmetropolitan counties	30,540	20	1	285	5,777	1,451	1,605	381	640	242	242	1,216	533	14,676	11,074	35	234	7,372	3,433
Urban places	7,271	7	–	71	1,404	365	380	92	156	58	58	297	144	3,366	2,453	12	43	1,669	729
Balance of area	23,269	13	1	214	4,373	1,086	1,225	289	484	184	186	919	389	11,310	8,621	23	191	5,703	2,704
Anderson	464	–	–	2	75	14	26	6	7	1	4	17	12	278	213	–	3	142	68
Palestine	240	–	–	1	35	9	10	4	2	–	2	8	9	152	124	–	2	85	37
Balance of county	224	–	–	1	40	5	16	2	5	1	2	9	3	126	89	–	1	57	31
Andrews	96	–	–	2	18	4	6	–	2	2	1	3	–	40	28	1	–	20	7
Andrews	84	–	–	2	14	3	5	–	1	2	–	3	–	37	26	1	–	18	7
Balance of county	12	–	–	–	4	1	1	–	1	–	1	–	–	3	2	–	–	2	–
Angelina	561	–	–	4	127	32	43	5	16	5	5	21	3	277	189	–	6	88	95
Lufkin	297	–	–	2	72	19	26	2	11	4	4	6	2	152	98	–	4	42	52
Balance of county	264	–	–	2	55	13	17	3	5	1	1	15	1	125	91	–	2	46	43

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	–	20	2	–	1	9	–	–	1	–	2	1	10	14	3	6	1	–	2
Obion	1	51	20	8	9	9	–	1	3	–	2	1	3	21	5	7	8	4	1
Union City	1	20	10	5	3	3	–	–	2	–	2	–	–	7	2	2	6	2	–
Balance of county	–	31	10	3	6	6	–	1	1	–	–	1	3	14	3	5	2	2	1
Overton	–	20	1	2	4	7	2	2	1	–	2	–	4	13	6	7	1	1	–
Perry	–	8	–	–	–	2	–	2	1	–	–	–	2	2	1	–	1	–	–
Pickett	–	1	1	1	1	1	1	1	1	–	–	–	–	3	1	1	1	–	–
Polk	1	11	–	1	1	4	–	1	–	–	–	–	1	8	1	3	1	2	–
Putnam	1	45	6	2	6	9	1	6	3	–	–	–	2	30	9	8	–	3	2
Cookeville	1	19	1	1	3	4	–	2	2	–	–	–	–	11	2	1	–	–	1
Balance of county	–	26	5	1	3	5	1	4	1	–	–	–	2	19	7	7	–	3	1
Rhea	1	15	3	3	3	4	–	2	1	–	–	2	2	24	11	6	3	1	–
Roane	1	27	1	3	5	10	–	4	5	–	4	2	8	38	16	8	1	2	–
Oak Ridge, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Balance of county	1	27	1	3	5	10	–	4	5	–	4	2	8	38	14	8	1	2	–
Robertson	–	36	9	2	9	8	3	8	6	–	1	3	2	27	1	9	4	5	2
Springfield	–	21	6	2	6	2	2	4	5	–	–	1	–	10	–	4	3	4	1
Balance of county	–	15	3	–	3	6	1	4	1	–	1	2	2	17	1	5	1	1	1
Rutherford	3	60	5	5	12	24	3	2	4	–	4	7	3	47	20	16	8	11	–
Murfreesboro	2	32	2	1	4	14	2	–	3	–	3	3	1	23	10	9	3	7	–
Balance of county	1	28	3	4	8	10	1	2	1	–	1	4	2	24	10	7	5	4	–
Scott	–	8	5	1	2	8	–	2	1	–	–	1	–	10	4	3	3	2	1
Sequatchie	–	5	–	–	–	6	–	–	–	–	–	–	–	2	3	3	1	–	2
Sevier	–	22	2	3	6	16	1	2	1	–	4	3	15	29	10	8	7	5	–
Shelby	33	667	84	55	127	220	19	57	62	1	60	104	66	576	137	156	82	135	5
Bartlett	–	5	1	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
Germantown	–	5	–	–	–	3	–	–	2	–	–	1	1	4	1	2	1	–	–
Memphis	31	642	80	55	120	208	18	53	59	1	54	94	63	539	124	143	78	133	5
Millington	–	5	2	–	1	2	–	1	–	–	1	4	1	6	2	1	1	–	–
Balance of county	2	30	1	–	6	7	1	3	1	–	5	4	1	26	9	10	2	2	–
Smith	1	26	5	1	6	2	–	–	1	–	2	3	5	6	2	6	1	–	2
Stewart	–	6	1	1	4	2	–	–	–	–	1	–	7	7	3	4	2	–	–
Sullivan	4	90	13	17	41	46	–	21	8	–	5	5	4	99	30	26	22	7	1
Bristol [8]	1	25	4	4	13	10	–	–	1	–	2	–	–	27	5	3	2	1	–
Kingsport, part	1	29	2	2	12	21	–	9	2	–	–	1	3	28	4	7	9	1	–
Kingsport, total	1	29	2	2	12	21	–	9	2	–	–	1	3	28	4	7	9	1	–
Balance of county	2	36	7	11	16	15	–	12	5	–	3	4	1	44	21	18	11	5	1
Sumner	5	54	9	3	19	23	2	6	13	–	2	4	9	35	23	17	13	9	2
Gallatin	2	16	5	–	6	4	2	2	1	–	1	1	3	9	2	5	5	3	–
Hendersonville	1	6	–	1	6	8	–	2	2	–	1	–	1	7	6	4	4	1	1
Balance of county	2	32	4	2	7	11	–	2	10	–	–	3	5	19	15	8	4	5	1
Tipton	2	26	6	1	5	8	1	2	2	–	–	2	4	16	15	5	5	3	–
Trousdale	–	7	2	–	1	5	–	–	2	–	1	–	1	7	3	2	2	–	–
Unicoi	–	14	2	6	10	9	1	1	1	–	2	2	5	14	7	5	3	–	–
Union	1	9	1	1	3	3	–	–	1	–	–	1	6	10	6	3	4	1	1
Van Buren	–	1	2	–	1	–	–	1	–	–	–	–	1	2	3	2	–	–	–
Warren	–	16	–	6	11	13	1	4	4	–	1	1	8	26	8	8	7	4	–
McMinnville	–	9	–	5	6	9	–	1	1	–	1	–	2	15	2	2	1	3	–
Balance of county	–	7	–	1	5	4	1	3	3	–	–	1	6	11	6	6	6	1	–
Washington	2	51	24	11	19	22	4	7	4	–	4	10	57	49	10	22	12	7	2
Johnson City, part	–	27	13	5	13	16	1	3	1	–	–	5	29	32	2	7	7	2	2
Johnson City, total	–	27	13	5	13	16	1	3	1	–	–	5	29	32	2	7	7	2	2
Balance of county	2	24	11	6	6	6	3	4	3	–	4	5	28	17	8	15	5	5	–
Wayne	1	11	7	–	2	1	1	1	2	–	1	–	2	8	6	4	–	–	1
Weakley	1	42	17	4	10	16	1	1	6	–	2	2	4	18	13	5	4	2	2
White	–	29	7	1	4	3	–	–	2	–	1	1	–	7	5	5	1	2	–
Williamson	2	44	4	3	4	14	1	7	–	–	4	4	7	28	15	16	9	3	–
Franklin	1	19	2	2	2	4	–	3	–	–	2	–	–	15	2	7	1	3	–
Balance of county	1	25	2	1	2	10	1	4	–	–	2	4	7	13	13	9	8	–	–
Wilson	–	45	3	4	12	14	–	3	4	–	2	5	2	36	7	16	9	4	2
Lebanon	–	15	2	–	3	11	–	2	2	–	1	–	1	19	2	6	1	1	–
Balance of county	–	30	1	4	9	3	–	1	2	–	1	5	1	17	5	10	8	3	2
Texas	360	9,122	1,466	887	2,665	3,167	296	1,329	1,215	29	911	1,569	3,842	8,373	4,193	3,301	1,869	2,555	111
Urban places	238	5,818	838	548	1,635	2,094	184	974	752	22	630	1,159	1,863	5,594	2,517	2,011	1,301	2,031	70
Balance of area	122	3,304	528	339	1,030	1,073	112	355	463	7	281	410	1,979	2,779	1,676	1,290	568	524	41
Metropolitan counties	254	6,339	1,006	634	1,870	2,307	210	1,070	839	24	738	1,270	2,202	6,197	3,134	2,440	1,556	2,239	81
Urban places	212	5,111	816	490	1,486	1,855	167	906	670	22	588	1,060	1,414	5,090	2,265	1,821	1,208	1,945	61
Balance of area	42	1,228	190	144	384	452	43	164	169	2	150	210	788	1,107	869	619	348	294	20
Nonmetropolitan counties	106	2,783	460	253	795	860	86	259	376	5	173	299	1,640	2,176	1,059	861	313	316	30
Urban places	26	707	122	58	149	239	17	68	82	–	42	99	449	504	252	190	93	86	9
Balance of area	80	2,076	338	195	646	621	69	191	294	5	131	200	1,191	1,672	807	671	220	230	21
Anderson	5	42	15	3	3	12	1	6	5	–	–	5	8	27	10	10	6	4	–
Palestine	2	17	9	–	2	7	–	4	1	–	–	2	3	9	4	6	3	2	–
Balance of county	3	25	6	3	1	5	1	2	4	–	–	3	5	18	6	4	3	2	–
Andrews	–	7	3	2	2	3	–	–	1	–	1	1	3	5	12	4	1	3	–
Andrews	–	7	2	2	2	3	–	–	1	–	1	1	3	3	10	4	1	2	–
Balance of county	–	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–
Angelina	1	77	3	7	8	23	1	5	4	–	3	8	11	32	21	11	10	13	–
Lufkin	–	48	1	4	2	13	–	1	1	–	1	6	2	18	9	6	2	8	–
Balance of county	1	28	2	3	6	10	1	4	3	–	2	2	9	14	12	5	8	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	144	–	–	1	26	7	12	–	2	1	1	3	1	69	55	–	3	38	14
Archer	68	–	–	–	14	6	6	–	2	–	–	–	–	26	18	–	–	15	3
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	68	–	–	–	14	6	6	–	2	–	–	–	–	26	18	–	–	15	3
Armstrong	25	–	–	–	1	–	1	–	–	–	–	–	1	14	11	1	–	7	3
Atascosa	223	1	–	3	40	15	11	1	1	2	2	8	5	106	91	2	3	49	37
Austin	212	1	–	4	45	18	11	2	3	4	1	6	3	107	81	–	–	52	29
Bailey	54	–	–	2	6	–	2	–	1	–	–	3	1	26	21	–	1	11	9
Bandera	91	–	–	–	21	5	4	–	2	3	1	6	–	46	38	–	3	15	20
Bastrop	278	–	–	4	48	11	17	2	3	1	2	12	3	116	99	–	4	61	34
Baylor	61	–	–	–	10	2	5	1	–	–	–	2	1	33	22	–	–	19	3
Bee	147	1	–	2	24	2	8	2	3	1	1	7	6	70	49	–	–	33	18
Beeville	101	1	–	1	16	1	5	1	2	1	1	5	6	43	31	–	–	21	10
Balance of county	46	–	–	1	8	1	3	1	1	–	–	2	–	27	18	–	–	12	8
Bell	1,055	–	–	11	198	35	45	14	19	9	6	70	9	486	442	2	1	269	170
Belton	92	–	–	–	12	2	3	2	1	1	–	3	3	54	47	–	–	21	26
Killeen	221	–	–	2	50	10	13	3	4	2	2	16	1	81	73	–	1	48	24
Temple	457	–	–	5	96	15	21	4	8	5	4	39	4	239	221	1	–	131	89
Balance of county	285	–	–	4	40	8	8	5	6	1	–	12	1	112	101	1	–	69	31
Bexar	7,217	10	1	114	1,484	384	358	131	175	63	65	308	153	3,138	2,461	14	138	1,401	908
San Antonio	6,055	8	1	100	1,189	323	294	99	138	46	51	248	139	2,644	2,090	10	119	1,185	776
Universal City	54	–	–	–	14	2	6	1	3	1	–	1	–	17	16	–	–	10	6
Balance of county	1,108	2	–	14	271	59	58	31	34	16	14	59	14	477	355	4	19	206	126
Blanco	70	–	–	–	10	1	4	–	–	–	1	4	1	35	28	–	1	15	12
Borden	6	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	1
Bosque	228	–	–	2	33	8	11	2	3	2	1	6	2	152	124	–	5	99	20
Bowie	697	2	–	7	152	34	34	5	16	6	10	47	13	328	261	2	10	180	89
Texarkana [8]	419	1	–	5	91	15	21	3	9	4	7	32	5	209	166	–	7	106	53
Balance of county	278	1	–	2	61	19	13	2	7	2	3	15	8	119	95	2	3	74	36
Brazoria	1,056	1	–	5	212	42	67	15	21	6	11	50	16	429	341	2	2	184	153
Alvin	129	–	–	–	26	4	7	4	1	1	1	8	1	67	51	–	–	36	15
Angleton	127	–	–	4	30	7	7	1	6	1	2	6	3	43	34	1	–	12	21
Freeport	92	1	–	1	16	2	4	–	3	1	2	4	1	39	35	–	–	11	24
Lake Jackson	104	–	–	–	21	3	7	3	2	–	1	5	3	41	33	–	1	17	15
Pearland, part	73	–	–	–	14	1	6	–	1	1	2	3	2	28	24	–	–	17	7
Pearland, total	75	–	–	–	14	1	6	–	1	1	2	3	2	30	25	–	1	17	7
Balance of county	531	–	–	–	105	25	36	7	8	2	3	24	6	211	164	1	1	91	71
Brazos	551	1	–	5	105	38	21	10	9	4	4	21	10	226	144	1	3	99	41
Bryan	395	1	–	5	72	22	15	9	6	2	3	15	7	169	102	1	1	70	30
College Station	80	–	–	–	16	8	1	–	3	–	–	4	1	34	25	–	–	17	8
Balance of county	76	–	–	–	17	8	5	1	–	2	1	2	2	23	17	–	2	12	3
Brewster	68	–	–	–	14	4	2	1	–	1	1	5	1	34	20	–	–	9	11
Briscoe	22	–	–	1	2	–	1	–	1	–	–	–	–	11	8	–	–	6	2
Brooks	76	–	–	–	16	3	3	2	3	–	1	4	2	29	20	–	–	6	14
Brown	365	–	–	–	75	15	21	6	4	3	3	23	6	178	125	–	1	69	55
Brownwood	222	–	–	–	47	10	14	4	3	2	2	12	5	102	68	–	–	41	27
Balance of county	143	–	–	–	28	5	7	2	1	1	1	11	1	71	57	–	1	28	28
Burleson	189	–	–	2	36	9	6	1	5	–	2	13	4	95	73	–	–	38	35
Burnet	231	–	–	1	53	12	12	2	6	2	4	15	3	80	59	1	2	37	19
Caldwell	196	–	–	2	53	8	18	1	5	3	3	15	4	79	60	–	6	36	18
Calhoun	145	–	–	–	35	6	18	1	1	3	1	5	4	62	47	–	3	27	17
Port Lavaca	80	–	–	–	20	2	9	1	1	2	1	4	3	34	24	–	2	18	6
Balance of county	65	–	–	–	15	4	9	–	–	1	–	1	1	28	23	–	1	11	11
Callahan	151	–	–	–	25	8	12	1	2	1	–	1	2	87	76	2	–	54	20
Cameron	1,316	1	–	17	223	47	47	23	34	7	12	53	23	524	359	3	7	262	87
Brownsville	515	1	–	7	90	22	20	11	12	2	6	17	13	179	113	–	1	90	22
Harlingen	312	–	–	3	54	8	10	10	7	1	3	15	1	150	112	–	2	82	28
San Benito	148	–	–	1	27	3	7	–	7	1	3	6	3	69	51	1	1	36	13
Balance of county	341	–	–	6	52	14	10	2	8	3	–	15	8	126	83	2	3	54	24
Camp	122	–	–	–	26	8	12	–	2	–	–	4	2	52	28	1	1	14	12
Carson	64	–	–	1	10	5	2	–	1	–	1	1	2	28	24	–	–	13	11
Cass	346	–	–	5	69	14	17	6	10	4	2	16	6	162	113	1	3	76	33
Castro	62	–	–	–	8	4	3	–	–	–	–	1	–	30	12	–	–	10	2
Chambers	117	–	–	2	24	8	7	–	3	4	–	2	2	53	42	–	2	27	13
Baytown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	117	–	–	2	24	8	7	–	3	4	–	2	2	53	42	–	2	27	13
Cherokee	441	–	–	3	90	31	20	7	7	4	3	18	9	214	154	–	3	97	54
Jacksonville	157	–	–	1	35	16	6	2	3	3	–	5	3	73	42	–	2	28	12
Balance of county	284	–	–	2	55	15	14	5	4	1	3	13	6	141	112	–	1	69	42
Childress	107	–	–	–	19	5	4	3	3	1	1	2	–	60	38	–	–	36	2
Clay	108	–	–	–	22	8	7	–	2	1	2	2	1	50	37	–	–	23	14
Cochran	39	–	–	–	6	1	2	1	1	–	–	1	1	14	11	1	1	8	1
Coke	55	–	–	–	16	3	10	1	2	–	–	–	–	16	13	–	1	1	11
Coleman	179	1	–	1	33	9	7	1	1	2	3	10	2	94	66	–	1	46	19
Collin	815	1	–	4	171	32	40	23	22	10	7	37	10	383	286	4	6	195	81
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	5	–	–	–	2	1	–	–	–	–	1	–	–	2	2	–	–	1	1
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	174	–	–	–	28	4	5	4	6	1	2	6	3	91	71	3	–	49	19
Plano, part	246	1	–	–	51	12	11	10	4	4	2	8	2	110	87	1	1	55	29
Plano, total	248	1	–	–	51	12	11	10	4	4	2	8	2	110	87	1	1	56	29
Richardson, part	29	–	–	–	13	3	2	–	3	1	1	3	–	6	6	–	–	5	1
Balance of county	359	–	–	4	77	12	22	9	9	4	1	20	5	174	120	–	5	84	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	–	12	1	1	1	4	–	3	1	–	–	2	11	12	6	3	3	1	–
Archer	–	6	2	–	2	4	–	–	–	–	1	2	–	6	3	9	1	–	–
Wichita Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	6	2	–	2	4	–	–	–	–	1	2	–	6	3	9	1	–	–
Armstrong	–	2	1	–	–	1	1	–	–	–	–	–	–	4	–	3	–	–	–
Atascosa	1	13	1	–	5	5	–	3	2	–	3	3	18	11	7	7	2	2	–
Austin	–	15	1	10	8	4	1	1	–	–	–	2	5	17	8	5	–	1	–
Bailey	–	3	1	1	1	–	–	2	2	–	1	–	7	2	1	2	–	1	–
Bandera	–	5	2	1	5	3	–	1	–	–	1	1	–	6	3	2	–	–	–
Bastrop	–	13	2	2	3	13	1	3	12	–	4	1	14	25	11	8	4	3	–
Baylor	1	9	1	–	3	3	–	1	1	–	–	–	–	6	2	1	–	–	–
Bee	–	15	5	1	2	4	–	2	–	–	5	3	2	11	11	1	1	2	–
Beeville	–	6	5	1	1	4	–	1	–	–	4	1	2	10	8	1	1	1	–
Balance of county	–	9	–	–	1	–	–	1	–	–	1	2	–	1	3	–	–	1	–
Bell	2	34	5	3	20	26	–	12	12	–	14	29	39	75	45	41	21	15	2
Belton	2	2	2	1	2	1	–	1	1	–	–	1	6	8	1	2	1	–	–
Killeen	–	7	1	–	1	4	–	4	4	–	7	12	5	16	8	14	5	7	–
Temple	–	16	1	1	11	14	–	7	3	–	3	3	16	30	10	5	5	5	1
Balance of county	–	9	1	1	6	7	–	–	4	–	4	13	13	21	26	20	10	3	1
Bexar	18	542	59	58	198	179	16	122	112	1	76	118	175	621	223	144	108	220	4
San Antonio	14	445	48	47	167	149	15	107	97	1	57	99	152	524	179	125	85	204	3
Universal City	–	1	–	–	1	1	1	1	–	–	4	2	–	6	2	1	2	2	–
Balance of county	4	96	11	11	30	29	–	14	15	–	15	17	23	91	42	18	21	14	1
Blanco	–	4	1	2	1	4	–	–	–	–	1	1	–	13	2	2	–	–	–
Borden	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Bosque	–	22	4	2	7	3	–	3	3	–	–	–	1	12	3	4	1	–	2
Bowie	2	50	5	10	18	16	2	5	8	–	5	2	43	43	18	14	4	7	–
Texarkana *	2	32	4	5	13	12	2	3	6	–	3	1	22	29	6	7	1	3	–
Balance of county	–	18	1	5	5	4	–	2	2	–	2	1	21	14	12	7	3	4	–
Brazoria	1	70	10	7	29	32	2	9	13	–	9	18	33	89	63	51	15	28	2
Alvin	1	15	–	–	3	4	1	–	3	–	–	2	–	9	6	3	2	2	–
Angleton	–	6	3	–	1	6	–	1	2	–	3	–	3	11	7	9	1	3	–
Freeport	–	3	1	–	4	2	–	1	–	–	1	3	2	4	6	4	1	5	1
Lake Jackson	–	6	–	–	3	3	–	–	1	–	1	2	4	11	5	5	2	2	–
Pearland, part	–	3	–	1	2	1	–	1	2	–	1	1	–	7	9	2	–	2	1
Pearland, total	–	4	–	1	2	1	–	1	2	–	1	1	–	7	9	2	–	2	1
Balance of county	–	35	6	6	16	16	1	6	5	–	3	10	24	47	30	28	9	14	–
Brazos	3	68	6	5	21	9	2	5	6	–	9	15	48	30	22	17	7	13	–
Bryan	3	55	4	5	11	7	–	5	5	–	5	13	33	24	13	9	6	10	–
College Station	–	8	1	–	2	1	1	–	1	–	1	–	6	3	6	4	1	3	–
Balance of county	–	5	1	–	8	1	1	–	–	–	3	2	9	3	3	4	–	–	–
Brewster	–	13	–	1	1	2	–	–	1	–	–	3	2	2	2	3	1	–	–
Briscoe	–	3	–	–	1	1	–	–	–	–	–	–	3	2	–	–	1	–	–
Brooks	–	8	–	1	2	1	–	5	–	–	–	1	6	9	3	2	–	–	–
Brown	2	38	5	3	5	2	–	4	2	–	2	3	38	26	12	11	6	–	–
Brownwood	2	28	3	1	3	1	–	2	2	–	2	2	24	17	5	7	3	–	–
Balance of county	–	10	2	2	2	1	–	2	–	–	–	1	14	9	7	4	3	–	–
Burleson	–	17	2	3	4	6	–	–	3	–	1	1	2	14	14	6	–	1	–
Burnet	2	14	4	1	9	7	2	2	3	–	1	2	40	18	4	4	1	1	–
Caldwell	–	18	–	1	2	3	–	3	2	–	2	1	12	19	9	4	–	1	–
Calhoun	–	13	2	–	5	2	–	1	1	–	2	2	2	11	11	4	1	2	–
Port Lavaca	–	8	2	–	2	1	–	–	–	–	1	2	–	8	5	2	1	1	–
Balance of county	–	5	–	–	3	1	–	1	1	–	1	–	2	3	6	2	–	1	–
Callahan	–	10	–	1	1	2	1	–	1	–	–	–	9	11	3	5	1	3	–
Cameron	3	129	23	10	32	28	2	22	18	–	11	16	165	85	60	40	16	32	1
Brownsville	1	56	3	6	14	11	–	5	9	–	1	8	76	32	24	19	6	20	–
Harlingen	–	29	8	1	5	7	1	9	1	–	3	2	32	20	15	4	4	1	–
San Benito	1	10	5	2	2	3	–	2	1	–	1	2	15	10	4	6	–	2	–
Balance of county	1	34	7	1	11	7	1	6	7	–	6	4	42	23	17	11	6	9	1
Camp	2	14	6	2	3	2	–	–	1	–	1	2	12	12	3	3	3	–	–
Carson	–	2	2	–	2	5	–	–	–	–	–	2	2	5	4	1	2	–	–
Cass	–	40	5	4	8	6	2	4	4	–	1	–	21	35	9	10	1	3	–
Castro	–	18	–	–	3	3	–	–	1	–	–	3	4	2	3	1	2	2	–
Chambers	1	8	–	2	–	5	–	1	1	–	2	3	–	9	5	3	4	3	–
Baytown, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	8	–	2	–	5	–	1	1	–	2	3	–	9	5	3	4	3	–
Cherokee	2	47	7	4	4	10	2	3	6	–	2	5	27	29	20	11	2	4	–
Jacksonville	1	23	6	1	–	3	1	2	4	–	–	3	8	13	6	2	2	1	–
Balance of county	1	24	1	3	4	7	1	1	2	–	2	2	19	16	14	9	–	3	–
Childress	1	17	3	1	2	3	–	–	4	–	1	–	4	8	2	2	1	1	–
Clay	–	12	–	1	2	1	–	–	3	–	–	1	13	9	3	1	2	–	–
Cochran	–	1	–	2	–	1	–	–	1	–	–	–	2	2	1	4	–	–	1
Coke	–	3	–	–	2	–	–	1	–	–	–	–	8	6	2	1	2	1	–
Coleman	–	20	5	3	10	7	1	1	4	–	2	–	3	12	4	4	–	–	–
Collin	2	77	14	4	23	25	2	14	4	–	7	8	23	65	19	31	11	12	2
Carrollton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
McKinney	–	16	3	1	4	6	2	2	–	–	1	–	5	21	3	3	1	3	1
Plano, part	–	17	4	2	8	5	–	8	1	–	3	6	9	13	7	13	7	3	1
Plano, total	–	17	4	2	8	5	–	8	1	–	3	6	9	13	7	13	7	3	1
Richardson, part	–	–	–	–	1	2	–	–	–	–	–	–	1	5	–	–	–	1	–
Balance of county	2	44	7	1	10	12	–	4	3	–	3	2	8	26	9	14	3	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	64	–	–	–	16	5	3	1	2	2	–	3	–	34	25	–	–	22	3
Colorado	228	–	–	5	34	6	6	1	5	5	1	10	3	112	94	–	1	61	32
Comal	370	1	–	3	101	31	25	6	7	6	3	23	11	152	107	–	3	70	34
New Braunfels, part	253	1	–	1	67	22	14	5	6	4	3	13	10	109	72	–	2	45	25
New Braunfels, total	256	1	–	1	67	22	14	5	6	4	3	13	10	112	75	–	2	46	27
Balance of county	117	–	–	2	34	9	11	1	1	2	–	10	1	43	35	–	1	25	9
Comanche	177	–	–	–	33	4	10	3	6	2	2	6	3	99	72	–	–	37	35
Concho	47	–	–	1	6	1	1	1	2	–	–	1	1	19	11	–	–	10	1
Cooke	266	–	–	2	59	16	15	4	8	2	2	12	4	124	98	–	–	78	20
Gainesville	162	–	–	1	34	10	7	4	5	1	2	5	3	79	62	–	–	51	11
Balance of county	104	–	–	1	25	6	8	–	3	1	–	7	1	45	36	–	–	27	9
Coryell	233	–	–	3	55	10	17	1	6	4	1	16	1	104	79	2	1	49	27
Copperas Cove	69	–	–	1	15	3	6	–	1	1	–	4	–	24	20	1	–	10	9
Balance of county	164	–	–	2	40	7	11	1	5	3	1	12	1	80	59	1	1	39	18
Cottle	47	1	–	–	9	4	1	–	–	1	2	1	1	21	16	–	–	12	4
Crane	32	–	–	–	6	–	1	–	1	1	–	3	–	10	6	–	–	4	2
Crockett	44	–	–	–	12	2	3	–	1	1	1	4	–	10	7	–	–	4	3
Crosby	107	–	–	1	19	4	5	1	3	–	2	4	3	58	44	–	–	35	9
Culberson	19	–	–	–	3	–	1	1	1	–	–	–	–	8	6	–	–	4	2
Dallam	67	–	–	1	9	4	2	–	1	1	–	1	–	36	31	–	–	23	8
Dallas	10,853	12	3	119	2,326	481	689	214	251	87	101	523	152	4,957	3,869	25	277	2,149	1,418
Balch Springs	86	–	–	–	11	–	4	4	–	–	1	2	2	41	36	–	1	22	13
Carrollton, part	140	–	–	–	29	6	11	2	–	1	1	8	4	54	43	–	3	23	17
Carrollton, total	164	–	–	2	33	6	12	2	–	1	1	11	4	66	51	–	3	28	20
Dallas, part	7,533	8	2	91	1,550	334	439	140	175	57	61	344	102	3,499	2,732	18	216	1,456	1,042
Dallas, total	7,541	8	2	91	1,552	335	439	140	175	57	62	344	102	3,502	2,734	18	216	1,457	1,043
De Soto	64	–	–	1	14	–	6	2	3	1	–	2	1	26	19	1	–	14	4
Duncanville	121	1	–	–	32	7	7	5	6	3	–	4	1	62	50	1	1	32	16
Farmers Branch	119	1	–	–	43	12	14	2	4	–	1	10	–	44	38	–	3	19	16
Garland, part	593	1	–	7	130	15	45	10	14	4	6	36	4	254	202	–	9	134	59
Garland, total	594	1	–	7	130	15	45	10	14	4	6	36	4	254	202	–	9	134	59
Grand Prairie, part	335	–	1	4	85	21	22	10	9	4	4	15	5	138	102	1	4	69	28
Grand Prairie, total	382	–	1	4	96	26	23	10	10	5	4	18	6	161	111	1	4	76	30
Grapevine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irving	536	–	–	6	123	18	40	6	14	8	7	30	7	232	179	2	11	108	58
Lancaster	128	–	–	1	19	3	4	5	1	1	2	3	4	75	58	–	–	32	26
Mesquite	348	–	–	7	80	18	22	5	6	1	8	20	6	152	115	–	11	67	37
Richardson, part	309	–	–	–	77	21	20	7	6	1	5	17	5	133	97	1	2	55	39
Richardson, total	338	–	–	–	90	24	22	7	9	2	6	20	5	139	103	1	2	60	40
University Park	162	1	–	–	42	8	12	7	4	2	–	9	6	77	53	–	2	36	15
Balance of county	379	–	–	2	91	18	23	9	9	4	5	23	5	170	145	1	14	82	48
Dawson	165	1	–	1	24	6	4	1	5	–	3	5	3	77	47	–	2	34	11
Lamesa	141	1	–	1	21	5	3	1	5	–	2	5	3	64	40	–	1	28	11
Balance of county	24	–	–	–	3	1	1	–	–	–	1	–	–	13	7	–	1	6	–
Deaf Smith	130	1	–	–	25	8	7	3	3	1	1	2	2	63	52	–	1	38	13
Hereford	105	1	–	–	23	6	7	3	3	1	1	2	1	51	41	–	1	29	11
Balance of county	25	–	–	–	2	2	–	–	–	–	–	–	1	12	11	–	–	9	2
Delta	87	–	–	–	16	3	3	1	–	–	1	8	2	42	34	–	6	26	2
Denton	802	1	1	6	175	42	48	15	21	6	3	40	11	341	276	6	3	191	76
Carrollton, part	24	–	–	2	4	–	1	–	–	–	–	3	–	12	8	–	–	5	3
Dallas, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Denton	325	–	1	4	70	15	20	6	9	3	2	15	5	142	114	–	–	82	32
Lewisville	152	–	–	–	44	12	11	5	6	1	–	9	2	58	44	5	–	30	9
Plano, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	29	–	–	–	5	2	1	–	–	–	–	2	1	3	3	–	–	1	2
Balance of county	269	1	–	–	52	13	15	4	6	2	1	11	3	125	107	1	3	73	30
De Witt	257	–	–	2	50	13	6	4	7	3	2	15	3	140	97	–	3	59	35
Dickens	38	–	–	1	6	1	1	2	–	–	–	2	2	17	14	–	–	10	4
Dimmit	80	2	–	1	13	6	3	–	2	–	1	1	9	29	26	–	–	16	10
Donley	59	–	–	1	15	4	5	3	1	–	1	1	–	29	23	–	2	20	1
Duval	116	–	–	2	16	6	4	–	1	1	1	3	3	59	42	–	1	35	6
Eastland	304	–	–	4	47	17	14	–	4	2	1	9	4	188	130	2	2	88	38
Ector	843	2	–	8	137	33	45	4	15	7	5	28	8	251	187	–	2	118	67
Odessa	728	2	–	6	114	29	34	4	11	6	4	26	7	233	174	–	2	109	63
Balance of county	115	–	–	2	23	4	11	–	4	1	1	2	1	18	13	–	–	9	4
Edwards	21	–	–	–	1	1	–	–	–	–	–	–	–	9	7	–	–	4	3
Ellis	551	–	–	4	111	26	31	11	8	9	3	23	9	232	167	–	9	106	52
Ennis	150	–	–	1	20	6	3	1	3	3	–	4	3	61	48	–	2	35	11
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	168	–	–	1	33	9	8	5	2	3	–	6	3	79	43	–	3	23	17
Balance of county	233	–	–	2	58	11	20	5	3	3	3	13	3	92	76	–	4	48	24
El Paso	2,656	9	–	37	554	142	132	49	55	26	33	117	65	1,078	827	10	38	590	189
El Paso	2,503	8	–	34	526	134	127	45	54	25	32	109	63	1,021	779	10	36	555	178
Balance of county	153	1	–	3	28	8	5	4	1	1	1	8	2	57	48	–	2	35	11
Erath	274	–	–	1	56	13	9	5	12	3	1	13	6	149	110	–	1	77	32
Stephenville	141	–	–	1	28	6	7	3	6	–	1	5	2	81	60	–	1	49	10
Balance of county	133	–	–	–	28	7	2	2	6	3	–	8	4	68	50	–	–	28	22
Falls	248	–	1	3	34	15	8	–	–	–	–	11	5	144	100	–	–	71	29
Fannin	341	–	–	6	68	19	15	6	10	–	5	13	12	152	122	–	–	87	35
Fayette	315	1	–	4	62	17	9	5	13	7	1	10	3	180	146	–	1	84	61
Fisher	84	–	–	–	14	8	2	2	–	–	1	1	5	47	30	–	–	27	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	–	8	–	1	1	1	–	–	–	–	1	1	1	6	3	–	–	–	–
Colorado	1	13	4	–	6	6	1	1	5	–	1	3	1	21	21	5	1	1	1
Comal	1	34	8	2	9	14	2	6	6	1	3	–	14	20	13	5	6	3	–
New Braunfels, part	1	26	8	2	8	9	–	4	6	1	3	–	6	12	8	3	4	1	–
New Braunfels, total	1	26	8	2	8	9	–	4	6	1	3	–	6	12	8	3	4	1	–
Balance of county	–	8	–	–	1	5	2	2	–	–	–	–	8	8	5	2	2	2	–
Comanche	–	22	3	2	1	5	1	2	–	–	–	1	4	17	2	5	4	–	–
Concho	1	7	–	–	2	1	–	–	2	–	–	1	7	6	1	–	–	–	–
Cooke	2	22	1	1	10	9	2	1	1	–	3	3	7	17	7	8	5	3	1
Gainesville	2	14	1	–	6	6	1	1	–	–	1	2	4	12	2	4	3	2	1
Balance of county	–	8	–	1	4	3	1	–	1	–	2	1	3	5	5	4	2	1	–
Coryell	–	19	4	2	7	5	2	4	2	–	4	4	8	10	5	14	1	3	1
Copperas Cove	–	2	1	1	1	2	1	1	1	–	1	4	4	5	3	5	–	1	–
Balance of county	–	17	3	1	6	3	1	3	1	–	3	–	4	5	2	9	1	2	1
Cottle	–	3	2	–	4	1	–	–	–	–	–	–	2	6	–	2	–	–	–
Crane	1	1	1	1	–	–	–	1	2	–	–	1	1	5	3	2	–	1	–
Crockett	–	2	1	–	1	–	–	–	2	–	–	1	5	5	4	3	–	1	–
Crosby	–	12	1	1	4	2	–	–	2	–	1	3	2	5	4	1	2	–	–
Culberson	–	1	–	1	–	2	–	–	1	–	–	–	–	2	2	–	–	1	–
Dallam	–	4	–	1	7	2	1	–	1	–	–	2	–	4	2	2	–	–	–
Dallas	37	631	123	97	246	320	31	107	91	4	93	164	195	857	331	283	212	343	7
Balch Springs	–	2	2	1	–	4	2	2	–	–	2	2	3	3	4	7	2	1	–
Carrollton, part	–	10	1	–	4	5	–	2	–	–	3	6	2	14	6	2	7	1	–
Carrollton, total	–	14	1	–	4	5	–	2	–	–	4	6	2	14	10	3	8	1	–
Dallas, part	27	591	80	69	163	218	23	78	70	3	52	113	143	621	192	189	118	295	3
Dallas, total	27	591	80	70	163	218	23	79	70	3	52	114	143	621	192	190	118	295	3
De Soto	–	7	–	–	2	–	–	1	1	–	1	–	1	2	4	3	3	4	–
Duncanville	1	11	–	–	1	3	1	–	–	–	1	4	1	5	4	2	2	–	1
Farmers Branch	–	5	1	–	1	5	–	–	1	–	5	–	4	7	4	1	1	2	–
Garland, part	1	44	3	4	11	24	3	9	4	–	10	9	5	50	38	13	13	6	–
Garland, total	1	44	3	4	11	24	3	9	4	–	10	9	5	50	39	13	13	6	–
Grand Prairie, part	1	18	10	7	3	14	–	3	2	–	1	10	5	25	15	11	7	5	1
Grand Prairie, total	1	26	15	8	3	14	–	4	2	–	1	11	6	31	15	11	9	6	1
Grapevine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irving	1	37	9	6	14	9	1	5	4	–	12	5	17	34	16	18	22	11	–
Lancaster	–	17	–	–	4	3	–	–	1	–	–	1	1	6	7	4	2	–	–
Mesquite	2	27	6	2	20	9	–	2	4	1	1	9	5	16	10	9	11	5	1
Richardson, part	2	26	4	4	8	13	–	1	1	–	1	2	3	32	13	10	9	2	–
Richardson, total	2	26	4	4	9	15	–	1	1	–	1	2	4	37	13	10	8	3	–
University Park	–	16	5	3	7	5	–	–	1	–	–	–	–	13	3	1	5	1	–
Balance of county	2	20	2	1	8	8	1	4	2	–	4	4	6	29	13	13	11	6	1
Dawson	–	28	2	–	1	10	1	3	1	–	–	5	13	7	6	9	1	2	–
Lamesa	–	22	2	–	1	7	1	3	1	–	–	5	10	7	5	8	1	2	–
Balance of county	–	6	–	–	–	3	–	–	–	–	–	–	3	–	1	1	–	–	–
Deaf Smith	1	10	–	–	5	2	–	–	1	–	2	3	1	7	14	3	1	–	–
Hereford	1	9	–	–	4	2	–	–	–	–	–	3	1	5	11	3	–	–	–
Balance of county	–	1	–	–	1	–	–	–	1	–	2	–	–	2	3	–	1	–	–
Delta	–	7	–	1	1	4	–	3	4	–	–	–	5	8	–	1	1	–	–
Denton	1	50	8	6	28	19	3	9	7	–	11	11	27	74	31	18	24	5	2
Carrollton, part	–	4	–	–	–	–	–	–	–	–	1	1	–	–	2	1	1	–	–
Dallas, part	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Denton	–	22	4	2	11	6	2	4	3	–	5	3	5	41	9	5	4	2	1
Lewisville	1	12	–	1	3	4	–	1	1	–	1	3	5	11	5	4	9	1	–
Plano, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
The Colony	–	–	–	–	1	1	–	–	1	–	2	–	2	5	3	2	3	–	–
Balance of county	–	12	4	2	11	6	1	3	2	–	2	3	15	17	12	6	7	2	1
De Witt	2	35	6	–	6	7	–	3	1	–	–	–	6	21	5	8	3	2	–
Dickens	–	3	–	–	2	2	–	–	–	–	–	–	3	2	2	1	–	–	–
Dimmit	–	3	–	–	2	1	2	3	–	–	–	2	2	3	7	2	–	2	–
Donley	–	4	1	1	3	–	–	–	2	–	–	–	–	5	1	2	1	–	–
Duval	–	8	6	3	1	2	–	1	1	–	1	1	4	12	3	5	2	3	–
Eastland	1	47	4	4	8	4	1	2	6	–	1	1	5	18	8	5	2	1	1
Ector	4	48	6	6	19	25	1	7	7	–	13	13	105	55	73	37	28	42	2
Odessa	4	46	6	3	18	20	–	5	7	–	10	12	92	50	54	30	22	35	1
Balance of county	–	2	–	3	1	5	1	2	–	–	3	1	13	5	19	7	6	7	1
Edwards	–	2	–	–	–	1	–	3	–	–	1	–	1	3	–	1	–	1	–
Ellis	1	57	4	3	9	7	3	3	7	1	3	5	58	48	20	19	5	9	–
Ennis	–	10	2	1	4	1	1	1	5	–	1	1	16	23	4	4	2	2	–
Grand Prairie, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Waxahachie	–	32	2	2	2	3	1	2	2	1	1	2	17	11	1	5	1	3	–
Balance of county	1	15	–	–	3	3	1	–	–	–	1	2	23	14	15	10	2	4	–
El Paso	11	198	32	10	54	93	11	60	43	2	28	63	46	247	116	63	42	44	1
El Paso	11	189	32	10	52	90	10	56	41	2	26	59	42	233	104	55	38	42	1
Balance of county	–	9	–	–	2	3	1	4	2	–	2	4	4	14	12	8	4	2	–
Erath	1	33	3	2	6	11	1	–	2	–	–	1	17	13	5	3	1	2	–
Stephenville	1	18	1	1	2	7	–	–	–	–	–	–	7	7	4	–	–	2	–
Balance of county	–	15	2	1	4	4	1	–	2	–	–	1	10	6	1	3	1	–	–
Falls	2	32	8	2	6	10	1	2	3	–	–	2	1	18	–	11	3	2	–
Fannin	–	25	3	2	16	9	2	2	4	–	–	1	21	31	1	10	1	5	–
Fayette	–	28	5	1	11	8	1	2	5	–	1	–	4	18	9	4	1	1	–
Fisher	2	9	5	1	2	2	–	–	3	–	–	2	1	3	1	3	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	114	–	–	–	23	4	3	2	3	2	–	9	1	61	45	–	–	26	19
Foard	30	–	–	–	5	1	2	1	–	–	1	–	–	23	18	–	2	14	2
Fort Bend	650	–	–	4	144	29	48	8	13	6	5	35	15	254	193	4	4	123	62
Houston, part	19	–	–	1	3	–	3	–	–	–	–	–	–	9	7	–	–	5	2
Missouri City, part	64	–	–	–	12	2	1	2	2	–	–	5	4	20	13	–	–	8	5
Missouri City, total	69	–	–	–	13	2	2	2	2	–	–	5	4	22	15	–	–	9	6
Rosenberg	136	–	–	1	30	6	10	5	3	1	–	5	3	58	42	–	1	33	8
Balance of county	431	–	–	2	99	21	34	1	8	5	5	25	8	167	131	4	3	77	47
Franklin	98	–	–	–	16	5	3	1	2	1	–	4	–	61	35	–	2	26	7
Freestone	193	–	–	–	42	12	10	2	7	2	–	9	2	106	88	1	3	66	18
Frio	99	–	–	1	17	2	3	3	3	1	–	5	2	53	43	–	2	24	17
Gaines	76	–	–	1	11	2	3	1	1	1	–	3	1	26	19	–	–	12	7
Galveston	1,643	–	–	16	425	92	157	26	32	22	12	64	27	710	579	4	18	368	189
Friendswood, part	52	–	–	1	16	1	3	–	1	1	2	6	–	22	19	–	–	7	12
Friendswood, total	59	–	–	2	19	1	5	–	1	1	2	9	–	24	20	–	–	8	12
Galveston	705	–	–	5	169	40	61	10	12	11	3	32	18	300	245	2	6	151	86
La Marque	111	–	–	–	35	8	14	3	2	3	2	3	–	57	46	1	2	27	16
League City	79	–	–	2	17	2	5	2	1	–	1	6	2	33	28	–	1	17	10
Texas City	313	–	–	4	81	17	26	5	10	5	1	17	3	138	110	–	5	72	33
Balance of county	383	–	–	4	107	24	48	6	6	2	3	18	4	160	131	1	4	94	32
Garza	52	–	–	1	9	3	1	–	–	2	1	2	1	24	19	–	–	13	6
Gillespie	169	–	–	1	26	7	6	1	4	1	1	6	3	88	72	–	–	37	35
Glasscock	11	–	–	–	2	2	–	–	–	–	–	–	–	2	1	–	–	1	–
Goliad	54	–	–	–	6	–	2	2	1	–	–	1	1	34	29	–	–	22	7
Gonzales	239	1	–	1	44	9	13	7	5	2	3	5	3	103	81	–	4	52	25
Gray	265	–	–	3	49	10	25	3	4	–	1	6	1	133	103	–	5	61	37
Pampa	237	–	–	3	40	7	23	3	3	–	1	3	–	122	93	–	5	56	32
Balance of county	28	–	–	–	9	3	2	–	1	–	–	3	1	11	10	–	–	5	5
Grayson	995	2	1	7	187	45	61	12	13	9	6	41	10	550	423	–	10	302	111
Denison	259	2	1	3	46	13	14	3	2	1	1	12	–	143	116	–	3	85	48
Sherman	329	–	–	3	66	15	22	5	4	2	2	16	7	177	144	–	4	120	20
Balance of county	407	–	–	1	75	17	25	4	7	6	3	13	3	230	183	–	3	117	49
Gregg	959	–	–	11	181	47	61	12	22	6	4	39	8	424	318	–	6	210	102
Kilgore, part	102	–	–	1	20	6	6	–	4	1	–	1	1	47	32	–	–	24	8
Kilgore, total	135	–	–	1	31	9	10	–	7	2	–	3	1	64	47	–	1	35	10
Longview, part	589	–	–	9	121	24	40	9	10	4	3	31	5	253	190	–	3	123	64
Longview, total	594	–	–	10	121	24	40	9	10	4	3	31	5	256	193	–	3	125	65
Balance of county	268	–	–	1	50	15	15	3	8	1	1	7	2	124	96	–	3	59	30
Grimes	177	–	–	3	28	11	7	2	–	1	1	6	2	92	71	–	2	45	24
Guadalupe	403	–	–	4	77	29	19	4	3	4	4	14	14	178	140	–	1	93	46
New Braunfels, part	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	1	2
Seguin	200	–	–	–	36	14	10	3	1	2	–	6	10	92	71	–	–	51	20
Balance of county	200	–	–	4	41	15	9	1	2	2	4	8	4	83	66	–	1	41	24
Hale	354	–	–	2	61	14	13	7	6	2	5	14	7	165	119	1	2	92	24
Plainview	224	–	–	2	44	9	11	6	4	1	4	9	5	98	87	1	–	56	10
Balance of county	130	–	–	–	17	5	2	1	2	1	1	5	2	67	52	–	2	36	14
Hall	87	–	–	–	17	3	5	2	3	–	2	2	1	55	40	–	–	30	10
Hamilton	135	–	–	1	22	8	4	–	1	–	2	7	3	75	62	–	–	51	11
Hansford	38	–	–	1	5	1	2	–	2	–	–	–	2	19	17	–	1	13	3
Hardeman	83	–	–	2	12	2	1	4	–	2	1	2	3	44	25	–	–	19	6
Hardin	333	–	–	–	77	18	31	7	5	2	2	12	6	127	102	–	4	67	31
Harris	15,928	19	–	196	3,170	758	891	274	317	106	144	580	224	6,323	4,930	27	223	2,917	1,766
Baytown, part	426	–	–	4	90	30	29	5	14	1	4	7	10	189	145	1	4	96	44
Baytown, total	428	–	–	4	90	30	29	5	14	1	4	7	10	189	145	1	4	96	44
Bellaire	128	–	–	1	29	6	5	6	2	–	2	8	1	58	41	1	1	26	13
Deer Park	92	–	–	–	23	5	9	2	1	–	3	3	1	31	25	–	2	17	6
Friendswood, part	7	–	–	1	3	–	2	–	–	–	–	1	–	2	1	–	–	1	–
Houston, part	11,787	18	–	152	2,424	582	744	202	253	83	115	445	178	4,920	3,837	19	175	2,238	1,405
Houston, total	11,807	18	–	153	2,428	582	748	202	253	83	115	445	178	4,929	3,844	19	175	2,243	1,407
La Porte	112	–	–	3	30	6	10	2	4	2	2	4	–	45	33	1	3	20	9
Missouri City, part	5	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–	1	1
Pasadena	644	–	–	10	136	33	42	11	10	5	1	34	9	258	200	3	6	124	65
Pearland, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
South Houston	77	–	–	1	19	5	4	2	3	1	1	3	1	27	20	–	–	13	7
West University Place	25	–	–	–	5	1	2	–	1	–	–	1	–	10	8	–	2	1	5
Balance of county	2,021	1	–	24	410	90	143	44	29	14	16	74	24	781	617	2	27	380	208
Harrison	568	–	–	7	110	28	27	5	10	4	7	29	11	267	169	2	5	114	46
Longview, part	5	–	–	1	–	–	–	–	–	–	–	–	–	3	3	–	–	2	1
Marshall	353	–	–	5	73	20	19	4	8	1	6	15	6	155	96	1	1	67	27
Balance of county	210	–	–	1	37	8	8	1	2	3	1	14	5	109	70	1	4	45	20
Hartley	37	–	–	–	7	3	–	–	1	–	1	2	3	14	12	–	–	9	3
Haskell	110	–	–	–	20	8	6	1	1	2	1	1	–	66	45	–	2	36	7
Hays	253	–	–	3	51	8	12	3	10	2	1	15	5	113	75	–	–	56	19
San Marcos	142	–	–	3	33	5	6	1	7	2	1	11	3	58	33	–	–	24	9
Balance of county	111	–	–	–	18	3	6	2	3	–	–	4	2	55	42	–	–	32	10
Hemphill	30	–	–	–	7	2	3	–	–	–	1	1	1	14	10	–	–	7	3
Henderson	508	1	–	7	103	22	28	6	12	4	6	25	10	218	174	3	3	100	58
Athens	153	–	–	4	30	5	4	2	3	1	2	13	5	51	42	2	–	20	20
Balance of county	355	1	–	3	73	17	24	4	9	3	4	12	5	167	132	1	3	80	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	–	13	1	2	2	3	–	–	3	–	–	1	11	5	–	3	1	–	–
Foard	–	3	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Fort Bend	1	50	8	2	10	15	2	8	8	–	7	19	11	58	36	24	13	22	–
Houston, part	–	2	–	–	–	–	1	–	–	–	–	1	–	–	2	–	1	1	–
Missouri City, part	–	7	–	–	–	–	–	2	–	–	2	2	2	6	7	3	2	2	–
Missouri City, total	–	7	–	–	–	–	–	2	–	–	2	2	2	7	8	3	2	2	–
Rosenberg	–	13	3	–	2	2	–	2	1	–	–	4	1	17	5	4	1	5	–
Balance of county	1	28	5	2	8	13	1	4	7	–	5	12	8	35	22	17	9	14	–
Franklin	1	17	6	2	2	3	–	–	1	–	–	1	2	8	2	2	–	–	–
Freestone	1	11	3	3	9	4	2	–	3	–	–	1	5	5	7	3	2	2	–
Frio	–	7	2	1	3	4	–	2	2	–	1	–	–	7	2	3	1	1	–
Gaines	–	6	1	–	3	4	–	–	2	–	–	1	5	10	3	7	1	1	–
Galveston	4	101	17	9	42	38	5	34	12	–	11	14	13	115	64	44	41	31	1
Friendswood, part	–	2	1	–	2	–	–	1	–	–	1	2	–	4	1	1	1	–	–
Friendswood, total	–	3	1	–	2	–	–	1	–	–	1	2	–	4	2	1	1	–	–
Galveston	1	44	5	5	18	20	4	22	8	–	2	2	7	54	21	14	18	22	1
La Marque	–	9	–	2	–	1	–	1	–	–	–	–	–	8	5	1	2	1	–
League City	1	2	2	–	3	1	–	1	2	–	1	1	1	2	7	3	3	–	–
Texas City	1	22	4	1	13	4	–	3	1	–	4	4	2	23	14	10	7	2	–
Balance of county	1	22	5	1	6	12	1	6	1	–	3	5	3	24	16	15	10	6	–
Garza	–	4	–	1	–	3	–	–	–	–	–	2	6	5	1	–	–	–	–
Gillespie	–	8	7	1	4	9	1	1	3	–	–	–	–	14	8	8	3	–	–
Glasscock	–	1	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	1	–
Goliad	–	4	1	–	2	–	–	–	–	–	1	–	–	3	1	5	–	1	–
Gonzales	–	21	1	–	6	9	–	2	2	–	1	2	27	13	5	10	5	4	1
Gray	–	22	7	1	4	11	1	2	3	–	1	4	–	18	13	11	9	2	–
Pampa	–	21	7	1	4	11	–	1	3	–	1	3	–	18	11	9	9	2	–
Balance of county	–	1	–	–	–	–	1	1	–	–	–	1	–	–	2	2	–	–	–
Grayson	4	97	20	6	26	35	3	7	3	–	1	8	18	61	28	28	14	6	–
Denison	1	20	6	–	4	12	1	2	–	–	1	2	3	14	9	8	6	2	–
Sherman	1	29	3	–	5	8	1	1	2	–	–	5	7	25	6	11	3	2	–
Balance of county	2	48	11	6	17	15	1	4	1	–	–	1	8	22	13	9	5	2	–
Gregg	6	78	16	8	28	31	4	9	4	–	8	11	69	75	34	20	12	20	–
Kilgore, part	–	10	3	2	1	4	–	1	–	–	–	–	9	5	6	2	2	3	–
Kilgore, total	–	11	3	3	1	6	–	1	–	–	–	–	10	6	7	2	2	3	–
Longview, part	6	45	8	4	22	15	2	6	3	–	6	9	33	53	17	16	9	11	–
Longview, total	6	45	8	4	22	15	2	6	3	–	6	9	33	53	18	15	9	11	–
Balance of county	–	21	5	2	5	12	2	2	1	–	2	2	27	17	11	3	1	6	–
Grimes	–	17	2	2	8	4	1	1	3	–	2	3	2	12	5	5	2	4	–
Guadalupe	–	24	9	5	6	16	3	2	4	–	1	6	13	45	11	17	4	2	–
New Braunfels, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Seguin	–	12	7	2	4	8	2	–	2	–	1	3	2	20	5	6	1	2	–
Balance of county	–	12	2	3	2	8	1	2	2	–	–	3	11	19	6	11	3	–	–
Hale	–	43	3	–	9	11	2	2	5	–	2	5	30	28	13	2	7	5	–
Plainview	–	29	2	–	8	7	1	2	1	–	2	3	19	18	5	2	4	3	–
Balance of county	–	14	1	–	1	4	1	–	4	–	–	2	11	8	8	–	3	2	–
Hall	–	14	1	–	2	–	–	3	–	–	–	–	–	5	1	2	–	1	–
Hamilton	–	10	2	1	5	5	–	–	3	–	–	2	2	8	4	2	2	1	–
Hansford	–	2	–	–	–	1	–	1	2	–	1	–	–	1	3	1	1	–	–
Hardeman	1	15	1	2	5	4	–	–	1	–	–	2	2	5	–	2	1	–	–
Hardin	1	19	1	4	2	6	–	2	5	1	2	5	55	14	10	12	5	3	1
Harris	52	1,094	134	113	329	360	34	250	145	8	165	293	134	1,125	745	543	417	838	10
Baytown, part	1	30	7	6	7	9	1	6	9	1	3	8	2	23	24	20	15	7	–
Baytown, total	1	30	7	6	7	9	1	6	9	1	3	8	2	23	24	20	15	7	–
Bellaire	–	11	2	2	6	9	1	3	2	–	3	–	–	9	1	2	3	1	1
Deer Park	–	6	–	–	5	2	–	–	2	–	1	1	–	11	5	2	4	4	–
Friendswood, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Houston, part	43	875	88	77	258	270	25	201	111	7	118	234	108	907	504	375	260	711	8
Houston, total	43	877	88	77	256	270	26	201	111	7	118	235	108	907	506	375	261	712	8
La Porte	–	8	2	2	5	1	–	1	1	–	–	5	3	5	3	6	3	1	–
Missouri City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Pasadena	2	42	9	5	12	19	2	8	5	–	9	13	7	42	40	29	25	29	–
Pearland, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South Houston	–	5	2	–	2	4	1	1	–	–	3	1	–	4	2	3	4	4	–
West University Place	–	–	1	1	1	–	–	–	–	–	1	–	–	3	2	3	–	–	–
Balance of county	6	115	23	20	35	46	4	30	15	–	27	31	14	120	162	103	103	80	1
Harrison	4	90	1	3	10	17	1	8	3	–	5	6	30	45	15	18	4	11	–
Longview, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Marshall	3	55	1	–	4	15	1	6	3	–	1	5	16	32	6	13	4	8	–
Balance of county	1	35	–	3	6	2	–	2	–	–	4	1	14	13	8	5	–	3	–
Hartley	–	1	1	–	2	1	–	1	–	–	–	1	–	2	3	2	–	1	–
Haskell	–	20	1	–	2	6	–	–	1	–	–	–	–	10	3	2	–	–	–
Hays	3	26	4	5	4	8	–	4	4	–	1	1	4	21	13	12	5	3	1
San Marcos	3	17	3	2	3	4	–	2	2	–	1	1	3	13	4	6	4	2	–
Balance of county	–	9	1	3	1	4	–	2	2	–	–	–	1	8	9	6	1	1	1
Hemphill	–	3	–	1	–	–	–	1	–	–	–	–	–	–	4	–	2	1	–
Henderson	4	31	8	1	15	30	1	3	6	–	3	3	44	33	12	7	5	7	–
Athens	–	8	1	–	8	7	1	1	4	–	1	1	15	14	6	4	1	–	–
Balance of county	4	23	7	1	7	23	–	2	2	–	2	2	29	19	6	3	4	7	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,689	3	–	20	285	82	60	15	35	10	10	73	55	678	520	3	4	381	182
Edinburg	166	1	–	3	23	5	6	–	3	2	–	7	7	74	56	–	–	30	26
McAllen	377	1	–	5	55	18	6	3	7	2	2	17	11	166	126	1	2	72	51
Mercedes	100	–	–	2	20	4	8	–	3	–	1	4	2	46	36	1	–	27	8
Mission	202	1	–	2	35	8	9	2	6	1	–	9	7	81	69	1	1	36	31
Pharr	126	–	–	1	24	9	4	3	1	–	1	6	2	49	38	–	1	25	12
Weslaco	155	–	–	2	33	9	11	2	3	–	–	8	6	57	41	–	–	34	7
Balance of county	563	–	–	5	95	29	16	5	12	5	6	22	20	205	154	–	–	107	47
Hill	363	–	–	5	57	13	14	6	10	3	2	9	4	221	164	1	5	117	41
Hockley	174	–	–	3	35	7	15	1	6	1	3	2	4	64	46	2	–	31	19
Levelland	122	–	–	2	25	6	11	–	3	1	2	2	3	46	35	1	–	23	11
Balance of county	52	–	–	1	10	1	4	1	3	–	1	–	1	18	11	1	–	6	2
Hood	188	–	–	3	43	4	12	5	4	2	3	13	1	78	59	–	–	46	13
Hopkins	313	–	–	1	48	17	16	1	2	–	4	8	4	178	120	–	–	74	46
Sulphur Springs	190	–	–	–	30	11	12	–	1	–	1	5	2	113	77	–	–	46	31
Balance of county	123	–	–	1	18	6	4	1	1	–	3	3	2	65	43	–	–	28	15
Houston	280	–	–	3	56	9	22	4	6	3	2	11	7	135	106	–	2	64	42
Howard	350	1	–	1	56	13	9	5	12	5	2	10	6	135	104	–	1	77	26
Big Spring	302	1	–	1	48	10	8	4	11	4	2	9	4	110	84	–	–	64	20
Balance of county	48	–	–	–	8	3	1	1	1	1	–	1	2	25	20	–	1	13	6
Hudspeth	11	–	–	–	3	1	–	2	–	–	–	–	–	3	3	–	–	1	2
Hunt	579	–	–	12	114	31	35	12	8	1	3	24	7	266	203	1	2	150	50
Greenville	257	–	–	8	53	15	16	5	5	1	1	10	4	112	79	1	1	60	17
Balance of county	322	–	–	4	61	16	19	7	3	–	2	14	3	154	124	–	1	90	38
Hutchinson	251	–	–	–	60	11	12	7	5	2	5	18	5	118	89	–	1	61	27
Borger	154	–	–	–	33	9	5	3	2	1	–	13	3	81	64	–	1	42	21
Balance of county	97	–	–	–	27	2	7	4	3	1	5	5	2	35	25	–	–	19	6
Irion	12	–	–	–	1	1	–	–	–	–	–	–	–	6	4	–	–	3	1
Jack	107	–	–	–	12	3	4	–	3	–	1	1	1	68	45	–	–	34	11
Jackson	149	–	–	3	36	10	8	–	5	3	1	9	1	64	54	–	2	37	15
Jasper	333	–	–	4	64	19	22	5	4	1	2	11	7	143	109	1	–	84	24
Jeff Davis	13	–	–	–	1	–	–	1	–	–	–	–	1	7	3	–	–	3	–
Jefferson	2,303	1	1	15	505	144	137	38	48	15	22	103	47	1,135	859	6	18	446	369
Beaumont	1,138	1	–	5	250	68	71	16	18	6	11	60	22	562	416	1	6	227	182
Groves	135	–	–	–	37	12	9	2	4	2	1	7	1	63	49	1	3	26	17
Nederland	141	–	–	4	39	7	13	4	3	2	2	8	4	63	49	–	1	29	19
Port Arthur	696	–	1	3	143	47	34	14	19	3	6	20	16	350	275	4	5	129	137
Port Neches	69	–	–	1	15	4	3	1	–	2	1	4	1	35	23	–	1	11	11
Balance of county	124	–	–	2	21	6	7	1	2	–	1	4	3	62	47	–	2	22	28
Jim Hogg	51	–	–	–	6	2	–	–	–	1	–	3	–	27	24	–	1	15	8
Jim Wells	299	1	–	1	85	17	15	4	7	3	3	16	9	147	102	2	3	77	20
Alice	181	1	–	1	38	13	7	1	6	2	2	7	5	91	65	2	1	52	10
Balance of county	118	–	–	–	27	4	8	3	1	1	1	9	4	56	37	–	2	25	10
Johnson	593	–	–	8	122	21	32	8	18	6	12	25	11	299	241	1	11	158	76
Burleson, part	73	–	–	2	10	2	–	2	1	–	1	4	1	34	29	–	2	19	14
Burleson, total	82	–	–	2	10	2	–	2	1	–	1	4	1	39	34	–	2	18	16
Cleburne	238	–	–	5	42	9	10	4	6	2	3	8	4	131	105	1	7	65	32
Balance of county	282	–	–	1	70	10	22	2	11	4	8	13	6	134	107	–	2	75	30
Jones	244	–	–	2	48	9	18	6	5	1	2	7	7	106	83	–	–	52	31
Abilene, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
Balance of county	241	–	–	2	48	9	18	6	5	1	2	7	7	104	82	–	–	51	31
Karnes	160	–	–	1	33	11	11	2	1	2	1	5	3	83	65	1	1	39	24
Kaufman	432	–	–	6	82	27	23	3	4	3	2	20	8	195	154	2	4	91	57
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	150	–	–	2	30	12	9	1	2	1	2	3	2	75	55	–	1	29	25
Balance of county	282	–	–	4	52	15	14	2	2	2	–	17	6	120	99	2	3	62	32
Kendall	126	–	–	5	32	7	6	4	6	1	1	7	3	59	46	–	2	37	9
Kenedy	8	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	1	2
Kent	12	–	–	–	2	–	2	–	–	–	–	–	–	2	1	–	–	–	1
Kerr	401	–	–	6	79	21	25	5	9	2	1	16	3	209	151	–	4	109	38
Kerrville	280	–	–	3	53	15	20	1	7	2	1	7	2	147	101	–	2	74	25
Balance of county	121	–	–	3	26	6	5	4	2	–	–	9	1	62	50	–	2	35	13
Kimble	45	–	–	–	10	1	4	1	1	1	–	2	–	24	19	–	2	14	3
King	3	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–	2	–
Kinney	23	–	–	1	7	1	3	–	1	–	–	2	1	6	5	–	–	4	1
Kleberg	192	–	–	1	36	12	7	3	2	1	3	8	4	87	52	1	–	35	16
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingsville	170	–	–	1	33	11	6	2	2	1	3	8	4	60	47	1	–	31	15
Balance of county	22	–	–	–	3	1	1	1	–	–	–	–	–	7	5	–	–	4	1
Knox	61	–	–	1	10	5	1	–	2	–	1	1	–	45	33	–	–	29	4
Lamar	528	1	–	8	92	20	26	5	6	6	5	24	5	214	150	–	1	113	36
Paris	368	1	–	4	65	13	19	4	4	5	4	16	5	163	111	–	1	80	30
Balance of county	140	–	–	4	27	7	7	1	2	1	1	8	–	51	39	–	–	33	6
Lamb	199	–	–	2	34	11	10	–	1	2	–	10	7	98	65	–	–	48	17
Lampasas	160	–	–	–	21	4	8	3	5	–	2	1	2	84	54	–	–	41	13
La Salle	42	–	–	1	13	5	2	–	1	–	–	5	2	13	9	–	2	3	4
Lavaca	281	–	–	4	55	20	12	3	8	1	1	10	5	143	119	–	2	72	45
Lee	125	–	–	1	21	5	5	1	2	–	–	8	1	68	48	–	2	20	26
Leon	157	–	–	–	23	5	4	2	1	1	4	6	3	66	47	–	2	27	18
Liberty	456	–	–	3	85	18	32	3	8	11	5	18	4	176	131	–	2	74	55
Limestone	299	–	–	4	61	12	22	1	6	4	1	15	3	154	135	–	–	100	35

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	2	114	29	13	43	40	3	22	32	2	22	35	152	140	72	45	18	20	2
Edinburg	–	13	5	–	3	4	–	3	7	–	1	2	8	17	6	3	2	2	–
McAllen	–	30	8	2	6	9	1	5	4	1	6	5	44	27	14	6	4	5	2
Mercedes	1	9	–	–	4	1	–	1	2	–	1	–	4	8	5	2	–	4	–
Mission	–	9	2	1	7	3	–	7	3	–	2	8	8	19	12	6	–	1	–
Pharr	–	9	2	–	4	4	–	–	2	1	1	4	15	7	6	4	1	1	–
Weslaco	–	10	6	–	4	3	1	–	3	–	2	2	19	15	2	4	2	–	–
Balance of county	1	34	6	10	15	16	1	6	11	–	9	14	54	49	27	20	9	7	–
Hill	–	40	12	5	8	7	1	1	6	–	1	1	8	26	4	9	3	1	–
Hockley	–	10	7	1	1	4	1	1	–	–	1	1	25	10	15	5	3	1	–
Levelland	–	5	6	–	1	3	–	1	–	–	1	1	15	8	11	3	2	–	–
Balance of county	–	5	1	1	–	1	1	–	–	–	–	–	10	2	4	2	1	1	–
Hood	2	15	–	2	6	4	1	1	4	–	–	–	26	13	1	3	2	2	–
Hopkins	2	51	5	–	7	15	1	2	5	–	1	3	11	18	8	6	3	2	–
Sulphur Springs	–	33	3	–	3	8	1	–	2	–	–	1	5	11	7	3	2	2	–
Balance of county	2	18	2	–	4	7	–	2	3	–	1	2	6	7	1	3	1	–	–
Houston	–	23	1	3	5	4	2	4	3	–	1	–	26	19	8	6	–	1	–
Howard	2	24	3	2	7	9	–	7	4	–	3	12	55	26	11	3	10	4	–
Big Spring	2	22	1	1	5	9	–	7	4	–	2	11	49	24	10	3	10	4	–
Balance of county	–	2	2	1	2	–	–	–	–	–	1	1	6	2	1	–	–	–	–
Hudspeth	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	1	–	–	–
Hunt	5	49	6	3	17	6	2	9	2	–	2	5	44	46	16	15	3	11	2
Greenville	2	24	5	2	7	3	2	4	1	–	1	3	18	26	2	6	1	4	2
Balance of county	3	25	1	1	10	3	–	5	1	–	1	2	26	20	14	9	2	7	–
Hutchinson	–	25	1	1	2	8	–	3	3	–	1	5	3	20	10	11	2	1	1
Borger	–	16	1	–	1	8	–	1	3	–	–	2	2	11	5	4	2	–	–
Balance of county	–	9	–	1	1	2	–	2	–	–	1	3	1	9	5	7	–	1	1
Irion	–	1	–	1	–	1	–	–	1	–	–	–	1	1	1	–	–	–	–
Jack	6	12	3	–	–	3	–	1	2	–	–	–	3	8	5	5	1	–	–
Jackson	1	5	–	4	11	4	2	–	1	–	2	–	–	13	2	4	3	3	–
Jasper	–	28	4	2	7	5	–	3	3	–	1	1	33	31	16	9	1	5	–
Jeff Davis	–	4	–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–
Jefferson	10	211	38	17	44	51	2	28	30	–	7	33	31	158	73	76	33	29	4
Beaumont	4	112	21	9	21	28	–	13	19	–	5	14	18	90	29	30	14	16	1
Groves	2	10	2	–	3	3	–	1	1	–	1	1	2	7	9	5	1	–	–
Nederland	–	11	1	2	2	6	–	2	–	–	–	1	1	8	5	3	2	1	–
Port Arthur	2	61	9	3	14	10	2	11	8	–	1	17	7	43	18	29	12	9	2
Port Neches	1	9	2	–	2	2	–	1	–	–	–	–	1	4	4	2	1	–	–
Balance of county	1	8	3	3	2	2	–	–	2	–	–	–	2	6	8	7	3	3	1
Jim Hogg	–	3	–	–	–	–	–	1	2	–	1	1	4	4	4	–	–	1	–
Jim Wells	1	22	16	6	2	6	1	3	2	–	2	6	5	15	8	11	7	6	2
Alice	–	15	9	2	1	5	1	1	2	–	1	3	3	5	5	7	6	4	1
Balance of county	1	7	7	4	1	1	–	2	–	–	1	3	2	10	3	4	1	2	1
Johnson	4	39	11	4	13	16	–	6	4	–	3	2	2	45	18	25	12	7	–
Burleson, part	–	4	1	–	5	5	–	1	2	–	–	–	–	6	1	2	4	–	–
Burleson, total	–	4	1	–	6	5	–	1	2	–	–	–	–	6	4	2	4	–	–
Cleburne	2	20	2	2	5	6	–	2	1	–	1	1	1	18	5	11	2	3	–
Balance of county	2	15	8	2	3	5	–	3	1	–	2	1	1	21	12	12	6	4	–
Jones	–	18	2	3	10	5	2	3	15	–	–	–	10	20	3	9	2	2	–
Abilene, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Balance of county	–	17	2	3	10	5	2	3	15	–	–	–	10	20	3	9	2	1	–
Karnes	3	14	1	–	2	2	–	–	1	–	4	2	–	17	6	3	2	–	1
Kaufman	1	32	5	3	16	16	3	4	5	–	2	6	33	27	9	11	2	7	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Terrell	–	15	4	1	5	5	2	–	3	–	1	2	3	8	5	5	–	2	–
Balance of county	1	17	1	2	11	11	1	4	2	–	1	4	30	19	4	6	2	5	–
Kendall	–	9	2	–	3	4	1	2	1	–	–	1	–	6	5	4	–	2	–
Kenedy	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	3	–	–	–
Kent	–	–	1	–	2	1	–	1	–	–	–	–	3	1	–	–	–	–	–
Kerr	2	35	18	3	19	27	1	5	3	–	2	2	3	18	11	7	5	1	–
Kerrville	1	26	16	3	13	20	1	5	2	–	2	1	2	16	6	5	2	–	–
Balance of county	1	9	2	–	6	7	–	–	1	–	–	1	1	2	5	2	3	1	–
Kimble	–	5	–	–	1	3	–	–	1	–	–	–	–	3	–	1	1	1	–
King	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kinney	–	–	1	–	1	–	–	1	–	–	–	–	5	1	–	–	–	–	–
Kleberg	–	10	3	2	1	4	–	1	2	–	3	6	28	16	14	4	1	4	–
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kingsville	–	6	3	2	1	3	–	1	2	–	3	5	25	13	12	3	1	3	–
Balance of county	–	2	–	–	–	1	–	–	–	–	–	1	3	3	2	1	–	1	–
Knox	–	10	1	1	2	2	1	1	–	–	1	–	2	11	3	2	–	–	–
Lamar	3	47	7	7	15	11	1	3	11	–	1	6	33	30	12	24	6	5	–
Paris	3	37	6	6	10	9	–	3	8	–	–	5	31	25	5	16	4	4	–
Balance of county	–	10	1	1	5	2	1	–	3	–	1	1	2	5	7	8	2	1	–
Lamb	1	29	2	1	4	2	1	1	3	–	2	5	16	6	3	10	1	4	–
Lampasas	–	27	2	1	4	1	1	1	1	–	1	–	22	10	4	5	2	1	–
La Salle	–	3	1	–	–	1	–	–	–	–	1	–	3	3	3	1	–	1	–
Lavaca	1	14	7	2	12	6	–	–	4	–	2	–	8	25	6	8	2	1	–
Lee	1	15	4	–	5	–	–	1	4	–	–	1	2	10	6	3	2	–	–
Leon	–	18	–	1	9	3	–	–	1	–	–	1	18	18	12	1	1	1	–
Liberty	3	32	6	2	12	16	–	8	2	–	5	7	49	26	21	17	6	9	–
Limestone	–	18	1	2	12	2	–	1	5	–	–	1	21	17	10	6	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	34	–	–	–	7	1	2	1	1	–	1	1	2	16	13	–	–	11	2
Live Oak	72	–	–	–	10	3	3	–	4	–	–	–	1	33	19	–	–	15	4
Llano	160	–	–	4	34	7	11	3	3	1	2	7	3	80	59	–	1	46	10
Loving	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Lubbock	1,442	2	–	13	268	60	68	21	32	6	16	65	17	685	537	4	11	258	264
Lubbock	1,222	2	–	13	224	49	55	15	30	6	14	55	14	578	461	3	11	214	233
Balance of county	220	–	–	–	44	11	13	6	2	–	2	10	3	107	76	1	–	44	31
Lynn	75	–	–	–	13	5	3	–	4	–	–	1	–	25	17	–	1	8	8
McCulloch	149	–	–	3	39	12	11	2	2	1	3	8	1	73	55	–	1	43	11
McLennan	1,638	1	–	20	317	97	96	29	35	9	6	55	28	814	629	1	17	484	127
Waco	1,159	1	–	16	238	63	73	25	28	8	4	37	13	558	426	–	13	315	98
Balance of county	479	–	–	4	79	24	23	4	7	1	2	18	15	256	203	1	4	169	29
McMullen	12	–	–	–	2	1	1	–	–	–	–	–	–	5	4	–	1	2	1
Madison	99	–	–	1	20	3	6	2	5	1	1	2	1	42	35	–	1	22	12
Marion	131	–	–	1	28	8	11	2	4	–	–	3	5	57	42	–	4	22	16
Martin	44	–	–	–	9	3	2	1	2	–	1	–	1	21	17	–	–	16	1
Mason	45	–	–	1	8	–	2	–	1	1	1	3	1	23	22	–	–	9	13
Matagorda	337	–	–	5	72	22	20	6	5	4	–	15	10	153	122	–	3	65	54
Bay City	175	–	–	3	38	13	8	3	4	3	–	7	4	83	60	–	2	33	25
Balance of county	162	–	–	2	34	9	12	3	1	1	–	8	6	70	62	–	1	32	29
Maverick	154	–	–	3	30	13	7	2	3	–	–	5	6	64	55	–	–	38	17
Eagle Pass	128	–	–	3	24	9	6	1	3	–	–	5	6	56	47	–	–	33	14
Balance of county	26	–	–	–	6	4	1	1	–	–	–	–	–	8	8	–	–	5	3
Medina	200	–	–	4	35	10	11	–	6	2	2	4	4	99	81	–	–	45	36
Menard	37	–	–	–	12	4	1	–	4	–	1	2	–	17	10	–	–	6	4
Midland	606	1	1	10	114	24	35	12	9	1	2	31	8	239	185	2	3	141	39
Midland	534	–	1	10	105	23	32	10	9	1	1	29	7	218	166	2	3	126	35
Balance of county	72	1	–	–	9	1	3	2	–	–	1	2	1	21	19	–	–	15	4
Milam	279	1	–	–	54	12	15	2	10	3	1	11	7	149	120	–	3	81	36
Mills	63	–	–	–	7	1	3	1	1	–	–	1	1	39	27	–	1	18	8
Mitchell	109	–	–	2	17	4	7	1	–	1	1	3	2	47	37	–	–	27	10
Montague	209	–	–	1	37	9	9	3	6	4	2	4	4	127	87	–	–	68	19
Montgomery	906	1	–	7	192	35	51	5	21	7	8	65	14	361	280	2	8	124	146
Conroe	211	–	–	2	34	9	6	1	7	1	–	10	3	96	73	–	2	28	43
Houston, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	694	1	–	5	157	26	44	4	14	6	8	55	11	265	207	2	6	96	103
Moore	99	–	–	–	24	4	7	2	2	–	3	6	–	42	37	1	2	15	19
Dumas	77	–	–	–	15	3	5	1	1	–	2	3	–	40	35	1	2	14	18
Balance of county	22	–	–	–	9	1	2	1	1	–	1	3	–	2	2	–	–	1	1
Morris	172	–	–	–	33	11	11	2	1	–	1	7	4	87	77	–	3	51	23
Motley	25	–	–	1	–	–	–	–	–	–	–	–	–	13	8	–	–	6	2
Nacogdoches	417	1	–	1	98	15	32	4	9	3	4	21	4	210	158	–	1	120	37
Nacogdoches	228	–	–	1	53	10	18	3	3	3	2	14	2	112	88	–	1	75	12
Balance of county	189	1	–	–	35	5	14	1	6	–	2	7	2	98	70	–	–	45	25
Navarro	477	–	–	5	88	24	26	6	9	2	3	18	9	206	130	1	9	88	32
Corsicana	316	–	–	2	62	19	18	4	6	2	–	13	6	140	83	–	4	60	19
Balance of county	161	–	–	3	26	5	8	2	3	–	3	5	3	66	47	1	5	28	13
Newton	124	–	–	–	22	4	7	–	6	1	1	3	5	53	42	–	–	23	19
Nolan	205	–	–	2	43	12	10	4	3	2	3	9	1	86	65	1	1	38	25
Sweetwater	148	–	–	2	31	7	7	2	2	2	3	8	–	61	47	1	1	30	15
Balance of county	57	–	–	–	12	5	3	2	1	–	–	1	1	25	18	–	–	8	10
Nueces	1,940	4	–	18	380	90	122	30	36	19	12	71	55	840	680	3	16	405	256
Corpus Christi, part	1,709	4	–	16	341	83	103	28	32	19	10	66	53	724	585	3	15	338	229
Corpus Christi, total	1,709	4	–	16	341	83	103	28	32	19	10	66	53	724	585	3	15	338	229
Portland, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Robstown	83	–	–	–	11	2	7	–	2	–	–	–	1	46	35	–	1	27	7
Balance of county	147	–	–	2	27	4	12	2	2	–	2	5	1	70	60	–	–	40	20
Ochiltree	82	–	–	–	22	4	5	2	3	–	2	6	–	30	20	–	–	13	7
Oldham	20	–	–	–	3	1	2	–	–	–	–	–	1	9	8	–	–	6	2
Orange	604	2	–	7	122	27	41	10	11	2	6	25	8	230	182	–	1	125	56
Orange	208	2	–	4	40	11	10	2	5	1	2	9	–	93	77	–	–	51	26
Vidor	144	–	–	–	33	8	12	1	1	1	2	8	6	52	41	–	–	32	9
Balance of county	252	–	–	3	49	8	19	7	5	–	2	8	2	85	64	–	1	42	21
Palo Pinto	280	1	–	6	54	16	15	2	7	3	3	8	5	101	72	–	1	47	24
Mineral Wells, part	180	1	–	3	32	10	7	2	5	1	3	4	3	70	50	–	1	32	17
Mineral Wells, total	180	1	–	3	32	10	7	2	5	1	3	4	3	70	50	–	1	32	17
Balance of county	100	–	–	3	22	6	8	–	2	2	–	4	2	31	22	–	–	15	7
Panola	213	–	–	3	48	10	9	6	5	3	4	11	2	107	73	1	–	52	20
Parker	380	1	–	3	84	17	28	6	4	5	2	22	1	162	119	–	1	88	30
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	159	–	–	1	31	6	12	3	1	3	2	4	–	86	63	–	1	42	20
Balance of county	221	1	–	2	53	11	16	3	3	2	–	18	1	76	56	–	–	46	10
Parmer	84	–	–	–	12	1	1	2	3	–	2	3	1	40	27	–	–	22	5
Pecos	84	–	–	1	20	5	6	1	1	1	1	5	–	31	27	–	2	15	10
Polk	336	–	–	6	50	13	14	2	3	3	1	14	8	146	116	–	7	64	45
Potter	977	–	–	10	195	45	51	17	16	7	10	49	14	476	363	2	6	254	101
Amarillo, part	949	–	–	10	187	44	49	16	14	6	10	48	13	463	352	2	6	248	98
Amarillo, total	1,253	–	–	10	246	55	64	22	23	6	12	64	15	628	478	5	8	344	121
Balance of county	28	–	–	–	8	1	2	1	2	1	–	1	1	13	11	–	–	6	5
Presidio	46	–	–	–	5	2	1	1	–	–	–	1	2	23	15	–	–	5	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	–	3	–	–	1	–	–	–	–	–	–	–	3	–	3	1	–	1	–
Live Oak	–	11	3	–	1	2	–	–	2	–	1	1	6	4	6	3	2	–	–
Llano	–	18	2	1	8	4	–	–	3	–	–	–	5	9	7	3	–	–	–
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lubbock	4	121	12	11	37	37	4	18	11	–	23	27	19	111	68	42	31	26	3
Lubbock	3	95	10	9	31	34	3	17	11	–	21	24	17	94	52	33	28	24	2
Balance of county	1	26	2	2	6	3	1	1	–	–	2	3	2	17	16	9	3	2	1
Lynn	–	6	–	2	1	1	–	1	3	–	1	–	17	4	5	2	2	–	–
McCulloch	–	13	3	2	3	3	2	–	1	–	–	1	–	15	3	3	2	–	–
McLennan	6	144	16	19	48	55	4	21	18	–	6	14	26	131	45	39	20	29	–
Waco	5	102	11	14	39	42	2	17	12	–	4	11	12	106	25	25	13	25	–
Balance of county	1	42	5	5	9	13	2	4	6	–	4	3	14	25	20	14	7	4	–
McMullen	–	1	–	–	1	–	–	1	–	–	–	–	1	–	2	–	–	–	–
Madison	–	6	1	–	2	2	–	–	1	–	1	1	12	11	3	1	1	–	–
Marion	–	14	–	1	3	1	–	1	2	–	–	2	11	14	2	3	–	1	–
Martin	1	2	1	–	–	1	–	1	–	–	–	–	1	6	3	–	1	–	–
Mason	–	1	–	–	2	–	–	–	1	–	–	1	1	3	1	1	1	1	–
Matagorda	1	28	1	1	9	6	1	4	1	–	3	5	5	16	14	19	6	7	1
Bay City	1	20	1	1	4	4	1	3	1	–	–	4	2	8	6	5	4	4	1
Balance of county	–	8	–	–	5	2	–	1	–	–	3	1	3	8	8	14	2	3	–
Maverick	–	8	–	1	2	3	–	1	2	–	4	4	13	12	4	6	–	–	–
Eagle Pass	–	8	–	1	2	3	–	1	2	–	3	4	8	8	3	5	–	–	–
Balance of county	–	–	–	–	–	–	–	–	–	–	1	–	5	4	1	1	–	–	–
Medina	–	14	2	2	6	4	–	2	4	1	2	2	3	20	7	3	3	1	–
Menard	–	6	–	1	1	1	–	2	–	–	–	1	1	1	–	1	–	–	–
Midland	–	40	9	5	18	27	2	11	7	–	5	15	10	42	38	16	21	17	3
Midland	–	40	7	5	17	26	2	11	6	–	4	12	7	41	21	11	19	14	2
Balance of county	–	–	2	–	2	1	–	–	1	–	1	3	3	1	17	5	2	3	1
Milam	–	17	12	–	13	6	1	4	1	–	–	2	2	18	8	10	1	–	–
Mills	2	4	4	2	2	1	–	1	–	–	–	–	2	6	2	1	–	1	–
Mitchell	–	5	2	3	2	3	–	2	2	–	–	–	16	12	–	2	–	2	–
Montague	–	30	6	4	6	6	–	3	–	–	1	2	2	7	1	10	1	1	–
Montgomery	2	62	6	11	24	27	5	8	3	–	8	16	44	59	69	39	12	16	1
Conroe	2	18	–	3	6	7	–	1	–	–	2	9	10	16	11	9	–	5	–
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	44	6	8	18	20	5	7	3	–	6	7	34	43	58	30	12	11	1
Moore	–	2	2	1	2	2	–	1	–	–	–	5	2	9	5	2	3	2	–
Dumas	–	2	2	1	–	2	–	1	–	–	–	4	–	8	2	1	2	2	–
Balance of county	–	–	–	–	2	–	–	–	–	–	–	1	2	1	3	1	1	–	–
Morris	–	9	1	–	3	3	–	2	6	–	–	1	3	15	4	4	1	4	2
Motley	–	5	–	–	1	2	–	1	1	–	–	–	–	4	1	1	–	–	–
Nacogdoches	1	35	5	11	18	9	2	–	4	–	1	2	6	29	15	17	3	6	1
Nacogdoches	–	15	1	8	7	5	1	–	4	–	–	2	4	16	7	9	1	4	–
Balance of county	1	20	4	3	11	4	1	–	–	–	1	–	2	13	8	8	2	2	1
Navarro	2	65	2	7	12	18	–	3	6	–	–	1	62	31	16	10	5	5	–
Corsicana	2	49	1	5	8	12	–	2	6	–	–	1	36	18	10	6	3	4	–
Balance of county	–	16	1	2	4	6	–	1	–	–	–	–	26	13	6	4	2	1	–
Newton	–	9	1	1	8	3	–	4	4	–	–	–	5	9	5	2	1	3	–
Nolan	–	21	–	–	1	6	1	3	1	–	–	2	22	15	11	7	2	2	–
Sweetwater	–	14	–	–	–	3	–	3	1	–	–	2	19	10	7	6	1	2	–
Balance of county	–	7	–	–	1	3	1	–	–	–	–	–	3	5	4	1	1	–	–
Nueces	4	121	21	14	32	70	3	39	16	2	13	29	24	162	77	62	61	47	6
Corpus Christi, part	4	103	16	14	29	63	3	38	13	2	12	24	18	150	67	49	58	40	5
Corpus Christi, total	4	103	16	14	29	63	3	38	13	2	12	24	18	150	67	49	58	40	5
Portland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Robstown	–	11	–	–	2	1	–	–	2	–	–	2	1	8	2	1	2	3	1
Balance of county	–	7	3	–	1	6	–	1	1	–	1	3	5	4	8	12	1	4	–
Ochiltree	–	10	–	–	4	–	1	1	–	–	2	–	4	3	5	7	2	1	–
Oldham	–	–	1	–	2	1	–	–	–	–	–	–	–	1	1	2	–	–	–
Orange	2	34	7	5	11	10	1	2	8	1	1	13	92	32	27	15	10	12	–
Orange	1	9	4	2	4	5	1	–	3	1	–	5	23	12	9	4	2	6	–
Vidor	–	10	1	–	3	1	–	1	1	–	–	3	23	4	7	4	2	4	–
Balance of county	1	15	2	3	4	4	–	1	4	–	1	5	46	16	17	7	6	2	–
Palo Pinto	2	23	4	–	13	11	–	2	3	–	2	3	37	22	8	8	3	1	–
Mineral Wells, part	2	15	3	–	9	7	–	2	2	–	1	2	22	17	2	4	2	1	–
Mineral Wells, total	2	15	3	–	9	7	–	2	2	–	1	2	22	17	2	4	2	1	–
Balance of county	–	8	1	–	4	4	–	–	1	–	1	1	15	5	6	4	1	–	–
Panola	3	26	4	1	3	7	2	1	1	–	–	3	5	14	7	5	–	4	1
Parker	1	28	10	4	7	13	–	3	4	–	1	3	23	25	29	13	6	2	–
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	1	14	5	3	2	6	–	–	–	–	1	2	5	15	5	4	1	–	–
Balance of county	–	14	6	1	5	7	–	3	4	–	–	1	18	10	24	9	5	2	–
Parmer	1	9	1	2	1	2	–	–	–	–	3	2	12	3	3	2	2	1	–
Pecos	–	3	1	–	4	2	–	2	–	1	2	1	4	7	3	3	1	1	1
Polk	4	20	3	3	9	13	1	3	3	–	1	1	32	20	24	15	1	3	–
Potter	4	72	27	10	20	42	2	12	8	–	7	16	7	66	34	30	17	21	–
Amarillo, part	4	70	27	10	20	42	2	12	7	–	7	16	6	65	33	29	16	21	–
Amarillo, total	5	96	35	14	31	52	3	16	9	–	9	22	7	80	40	43	20	22	–
Balance of county	–	2	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	–
Presidio	–	7	–	1	2	2	–	–	–	–	–	–	5	1	1	–	2	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	57	-	-	-	14	2	5	-	2	1	-	4	-	28	23	-	2	16	5
Randall	390	-	-	1	83	15	22	9	11	2	4	20	2	203	152	3	2	115	32
Amarillo, part	304	-	-	-	59	11	15	6	9	-	2	16	2	165	126	3	2	96	25
Canyon	44	-	-	-	8	-	2	2	1	-	1	2	-	23	17	-	-	10	7
Balance of county	42	-	-	1	16	4	5	1	1	2	1	2	-	15	9	-	-	9	-
Reagan	22	-	-	-	8	-	3	-	-	1	-	4	-	8	6	-	-	5	1
Real	31	-	-	-	8	1	4	2	1	-	-	-	-	16	11	-	-	2	9
Red River	241	-	-	1	52	9	19	3	4	-	3	14	1	98	70	1	3	52	14
Reeves	124	-	-	1	30	8	10	1	2	2	-	7	1	52	45	-	-	25	20
Pecos	105	-	-	1	24	6	9	-	1	1	-	7	1	44	39	-	-	21	18
Balance of county	19	-	-	-	6	2	1	1	1	1	-	-	-	8	6	-	-	4	2
Refugio	100	-	-	1	19	6	4	1	3	-	2	3	4	43	27	-	-	19	8
Roberts	10	-	-	-	4	1	2	1	-	-	-	-	-	4	1	-	-	1	-
Robertson	226	-	-	1	39	9	10	3	3	1	1	12	6	115	86	-	-	68	28
Rockwall	97	-	-	-	23	1	11	-	3	1	4	3	1	50	45	-	1	13	31
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	96	-	-	-	23	1	11	-	3	1	4	3	1	50	45	-	1	13	31
Runnels	138	-	-	1	28	7	6	4	4	3	-	4	2	64	42	-	-	34	8
Rusk	488	-	-	4	103	27	25	3	15	5	2	26	8	213	160	-	5	119	36
Henderson	138	-	-	-	25	8	2	-	3	1	-	11	5	73	58	-	2	44	12
Kilgore, part	33	-	-	-	11	1	4	-	3	1	-	2	-	17	15	-	1	12	2
Balance of county	317	-	-	4	67	18	19	3	9	3	2	13	3	123	87	-	2	63	22
Sabine	123	1	-	1	25	4	12	-	3	-	1	5	1	70	54	-	4	36	14
San Augustine	115	-	-	-	20	2	10	3	-	-	2	3	5	58	46	-	5	30	11
San Jacinto	105	-	-	3	33	9	14	2	3	-	-	5	3	42	31	-	-	19	12
San Patricio	424	-	-	1	75	23	18	4	8	3	3	16	4	179	141	1	5	99	36
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	33	-	-	-	7	1	1	-	2	-	-	3	-	12	5	-	-	4	1
Portland, total	34	-	-	-	8	2	1	-	2	-	-	3	-	12	5	-	-	4	1
Balance of county	391	-	-	1	68	22	17	4	6	3	3	13	4	167	136	1	5	95	35
San Saba	99	-	-	-	16	3	4	1	2	-	-	6	-	58	44	-	-	27	17
Schleicher	28	-	-	-	1	-	-	-	1	-	-	-	-	10	4	-	-	3	1
Scurry	162	-	-	1	38	11	10	3	2	2	3	7	2	51	41	-	-	26	15
Snyder	137	-	-	1	30	10	6	2	2	2	2	6	2	42	32	-	-	20	12
Balance of county	25	-	-	-	8	1	4	1	-	-	1	1	-	9	9	-	-	6	3
Shackelford	45	-	-	-	9	1	3	3	1	-	-	1	1	27	25	-	2	18	5
Shelby	284	1	-	1	55	13	15	3	8	4	3	9	4	133	117	1	4	84	28
Sherman	28	-	-	-	4	2	1	-	-	-	-	1	-	15	13	-	-	9	4
Smith	1,217	2	-	4	252	67	73	12	27	7	11	55	17	589	451	3	19	307	122
Tyler	682	-	-	4	141	41	37	4	17	5	6	31	12	339	262	2	10	181	69
Balance of county	535	2	-	-	111	26	36	8	10	2	5	24	5	250	189	1	9	126	53
Somervell	37	-	-	-	8	2	-	1	4	-	-	1	1	14	9	-	1	7	1
Starr	142	-	-	2	20	6	5	1	5	1	-	2	5	68	58	-	-	26	32
Stephens	128	-	-	-	23	8	5	3	2	1	1	3	2	63	48	-	3	42	3
Sterling	13	-	-	-	1	-	1	-	-	-	-	-	-	6	4	-	-	3	1
Stonewall	30	-	-	-	6	1	1	1	-	-	1	2	1	12	9	-	-	5	4
Sutton	44	-	-	-	9	3	1	-	3	1	1	-	-	21	17	-	-	13	4
Swisher	85	-	-	-	8	1	2	2	-	1	1	1	2	44	27	1	-	20	6
Tarrant	6,390	9	1	67	1,393	336	391	123	155	59	53	276	85	2,917	2,204	10	152	1,367	665
Arlington	774	1	-	8	167	37	46	14	19	10	7	34	8	350	266	2	14	182	68
Bedford	96	-	-	-	20	9	3	1	-	2	1	4	-	44	36	-	1	24	11
Benbrook	60	-	-	3	17	3	8	-	1	2	-	3	2	18	17	-	-	10	7
Burleson, part	9	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-	3	2
Euless	103	1	-	-	26	2	8	3	3	-	1	9	-	49	35	-	2	24	9
Forest Hill	79	2	-	-	13	5	3	-	3	1	-	1	5	31	26	-	5	16	5
Fort Worth	3,728	5	1	42	787	190	221	72	89	30	33	152	58	1,714	1,274	5	102	736	429
Grand Prairie, part	47	-	-	-	11	5	1	-	1	1	-	3	1	23	9	-	-	7	2
Grapevine, part	81	-	-	2	18	4	5	2	1	2	2	2	-	37	32	1	3	20	8
Grapevine, total	81	-	-	2	18	4	5	2	1	2	2	2	-	37	32	1	3	20	8
Haltom City	221	-	-	3	58	15	16	8	7	2	1	9	1	105	88	-	5	59	24
Hurst	167	-	-	1	35	7	9	5	2	1	1	10	1	80	62	-	1	41	20
North Richland Hills	130	-	-	-	35	6	16	2	3	2	1	5	-	54	36	-	1	29	8
Watauga	32	-	-	-	10	2	5	1	-	-	1	1	-	13	11	-	-	10	1
White Settlement	116	-	-	-	24	5	5	2	3	1	1	7	1	51	39	-	2	24	13
Balance of county	747	-	-	8	172	46	45	13	23	5	4	36	8	349	266	2	16	170	78
Taylor	893	-	-	9	175	50	41	18	21	5	7	33	17	390	273	2	6	189	76
Abilene, part	773	-	-	9	148	42	35	13	20	4	5	29	13	346	238	2	5	168	66
Abilene, total	776	-	-	9	148	42	35	13	20	4	5	29	13	348	239	2	5	169	66
Balance of county	120	-	-	-	27	8	6	5	1	1	2	4	4	44	35	-	1	21	10
Terrell	12	-	-	-	1	1	-	-	-	-	-	-	-	6	5	-	-	2	3
Terry	110	-	-	2	25	8	3	2	4	-	1	7	2	42	31	-	-	18	13
Brownfield	84	-	-	1	19	5	1	1	4	-	1	7	2	37	27	-	-	17	10
Balance of county	16	-	-	1	6	3	2	1	-	-	-	-	-	5	4	-	-	1	3
Throckmorton	34	-	-	-	7	-	3	-	3	-	-	1	-	16	12	-	-	7	5
Titus	260	-	-	3	44	11	13	2	4	2	3	9	6	141	101	-	4	71	26
Mount Pleasant	158	-	-	3	30	9	7	2	3	2	2	5	2	88	60	-	3	37	20
Balance of county	102	-	-	-	14	2	6	-	1	-	1	4	4	53	41	-	1	34	6
Tom Green	810	-	-	12	170	42	48	13	14	7	13	33	9	391	228	2	3	151	73
San Angelo	726	-	-	12	147	36	43	11	11	7	11	28	8	353	209	1	3	136	67
Balance of county	84	-	-	-	23	6	5	2	3	-	2	5	1	38	20	1	-	15	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Rains	–	4	1	–	–	2	–	2	–	–	–	1	1	7	–	1	1	–	–
Randall	1	36	9	5	12	11	1	4	3	–	2	8	3	21	12	16	6	2	–
Amarillo, part	1	26	6	4	11	10	1	4	2	–	2	6	1	15	7	14	4	1	–
Canyon	–	4	1	1	–	–	–	–	1	–	–	1	1	4	2	1	2	1	–
Balance of county	–	6	–	–	1	1	–	–	–	–	–	1	1	2	3	1	–	–	–
Reagan	–	1	1	–	–	1	–	–	–	–	1	–	–	1	1	1	–	1	–
Real	–	2	3	–	–	3	–	1	–	–	–	–	–	2	–	1	–	–	–
Red River	–	27	–	1	5	4	–	4	4	1	–	–	44	13	5	3	2	4	–
Reeves	–	4	–	3	2	3	–	3	–	–	3	3	1	9	6	3	2	5	–
Pecos	–	3	–	2	2	3	–	3	–	–	3	3	1	9	4	1	2	4	–
Balance of county	–	1	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–
Refugio	1	11	3	1	1	1	1	–	2	–	2	1	9	5	8	1	1	1	–
Roberts	–	2	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Robertson	–	15	11	3	5	2	1	1	3	–	1	1	18	13	3	9	2	5	1
Rockwall	–	3	1	1	1	1	1	2	1	–	–	1	–	6	3	4	3	–	–
Dallas, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Garland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	3	1	1	1	1	1	2	1	–	–	1	–	6	2	4	3	–	–
Runnels	1	19	1	1	9	7	1	–	1	–	1	1	4	11	2	2	2	–	–
Rusk	1	44	5	3	8	16	1	4	6	–	2	3	51	28	12	13	7	9	–
Henderson	–	11	3	1	2	6	1	–	2	–	1	–	6	9	5	1	2	–	–
Kilgore, part	–	1	–	1	–	2	–	–	–	–	–	–	1	1	1	–	–	–	–
Balance of county	1	32	2	1	6	8	–	4	4	–	1	3	44	18	6	12	5	9	–
Sabine	–	16	–	–	3	3	1	2	–	–	–	–	–	6	5	2	2	1	–
San Augustine	–	11	1	1	2	2	–	–	1	–	1	2	2	11	6	2	2	–	–
San Jacinto	–	10	–	1	5	5	–	1	3	–	–	1	3	6	–	–	–	–	–
San Patricio	3	30	3	2	6	14	2	3	–	–	5	7	39	32	24	20	5	5	3
Corpus Christi, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	7	–	–	–	2	–	–	–	–	–	–	1	5	3	1	1	1	–
Portland, total	–	7	–	–	–	2	–	–	–	–	–	–	1	5	3	1	1	1	–
Balance of county	3	23	3	2	6	12	2	3	–	–	5	7	38	27	21	19	4	4	3
San Saba	1	6	4	1	4	2	–	–	1	–	–	1	6	7	–	3	–	3	–
Schleicher	–	4	2	–	1	2	–	–	–	–	–	–	5	2	3	3	–	–	1
Scurry	–	8	1	1	2	9	–	1	2	–	1	3	17	16	8	6	2	2	1
Snyder	–	8	1	1	2	8	–	1	2	–	–	3	14	16	6	6	1	2	1
Balance of county	–	–	–	–	–	1	–	–	–	–	1	–	3	–	2	–	1	–	–
Shackelford	–	2	–	–	3	3	–	–	–	–	–	1	–	1	–	–	–	–	–
Shelby	–	11	3	2	11	6	2	1	1	–	2	2	21	24	7	8	2	3	–
Sherman	–	1	–	1	1	–	1	–	–	–	–	–	–	1	2	2	2	–	–
Smith	2	105	20	11	33	32	5	8	11	1	12	15	37	91	37	46	14	11	–
Tyler	2	53	15	7	17	16	5	4	5	–	6	10	17	51	18	26	5	6	–
Balance of county	–	52	5	4	16	16	–	4	6	1	6	5	20	40	19	20	9	5	–
Somervell	1	4	–	–	–	–	–	–	1	–	1	–	1	6	4	1	–	–	–
Starr	–	8	2	–	2	1	1	1	4	–	3	4	3	10	5	8	2	3	–
Stephens	–	12	3	–	3	6	–	1	3	–	2	2	2	9	5	4	–	2	1
Sterling	–	2	–	–	–	2	–	–	1	–	–	–	–	1	1	1	–	–	–
Stonewall	–	3	–	–	2	–	1	–	1	–	–	–	1	3	1	1	1	–	–
Sutton	–	3	1	–	1	2	–	1	–	–	1	4	–	2	2	–	–	1	–
Swisher	1	13	1	2	1	4	–	2	–	–	–	3	13	4	1	1	–	2	–
Tarrant	29	538	68	58	148	239	22	78	57	–	66	110	58	488	205	168	125	138	16
Arlington	1	68	6	9	14	23	–	6	6	–	12	23	9	64	28	18	19	15	3
Bedford	–	5	2	1	5	4	–	1	1	–	2	3	–	9	3	–	1	3	–
Benbrook	–	1	–	–	1	1	1	2	2	–	1	–	1	5	–	1	4	1	–
Burleson, part	–	–	–	–	1	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Euless	–	8	–	–	–	2	–	–	1	–	3	1	1	9	6	4	4	1	1
Forest Hill	–	5	–	–	1	1	–	3	–	–	–	2	1	5	2	7	1	5	–
Fort Worth	24	324	55	37	100	142	13	55	34	–	33	60	31	288	93	101	62	102	7
Grand Prairie, part	–	8	5	1	–	–	–	1	–	–	–	1	1	6	–	–	2	1	–
Grapevine, part	–	3	1	1	1	4	–	2	–	–	2	2	2	5	3	1	2	–	–
Grapevine, total	–	3	1	1	1	4	–	2	–	–	2	2	2	5	3	1	2	–	–
Haltom City	–	14	2	1	4	8	–	2	–	–	1	3	2	13	4	8	6	2	1
Hurst	1	15	2	–	2	6	2	–	2	–	2	3	4	11	12	2	2	1	1
North Richland Hills	1	9	4	2	1	6	1	2	1	–	3	2	1	12	5	1	5	–	1
Watauga	–	1	1	–	–	–	2	–	–	–	–	3	–	1	1	–	2	–	–
White Settlement	–	11	–	1	2	8	–	–	3	–	2	–	3	12	4	4	1	1	–
Balance of county	2	66	10	5	16	34	3	4	7	–	5	7	2	46	41	21	14	6	2
Taylor	4	86	20	7	27	22	2	10	9	–	9	15	46	73	29	33	13	14	–
Abilene, part	3	80	18	7	25	19	2	10	9	–	8	14	29	64	22	31	12	12	–
Abilene, total	3	81	18	7	25	19	2	10	9	–	8	14	29	64	22	31	12	13	–
Balance of county	1	6	2	–	2	3	–	–	–	–	1	1	17	9	7	2	1	2	–
Terrell	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	–	–
Terry	1	8	2	–	1	6	1	1	–	–	1	–	2	11	7	4	2	3	–
Brownfield	1	7	2	–	1	6	1	1	–	–	1	–	2	10	6	4	1	2	–
Balance of county	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–
Throckmorton	–	4	–	–	–	1	–	1	1	–	–	1	3	2	–	1	1	–	–
Titus	1	29	8	2	10	8	2	2	1	–	1	1	6	10	8	7	4	5	1
Mount Pleasant	–	19	7	2	6	5	1	–	1	–	1	–	2	7	3	4	1	3	1
Balance of county	1	10	1	–	4	3	1	2	–	–	–	1	4	3	5	3	3	2	–
Tom Green	1	130	24	7	13	40	–	8	3	–	9	13	7	54	34	30	10	7	–
San Angelo	1	116	23	4	12	38	–	8	2	–	8	12	4	48	32	27	9	6	–
Balance of county	–	14	1	3	1	2	–	–	1	–	1	1	3	6	2	3	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	2,584	6	1	40	539	114	167	59	51	32	22	94	29	1,122	818	6	51	455	304
Austin, part	2,252	6	1	39	455	96	134	53	44	28	20	80	28	988	709	6	46	396	261
Austin, total	2,252	6	1	39	455	96	134	53	44	28	20	80	28	988	709	6	46	396	261
Round Rock, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	331	–	–	1	83	17	33	6	7	4	2	14	1	134	109	2	5	59	43
Trinity	175	–	–	1	30	8	8	1	1	1	2	9	1	97	84	–	–	51	32
Tyler	200	–	–	3	41	7	14	6	7	1	1	5	1	105	73	1	–	43	29
Upshur	276	–	–	3	62	14	18	9	3	3	2	13	6	122	88	–	3	59	26
Upton	44	–	–	1	6	2	1	1	–	–	–	2	–	23	18	–	–	11	7
Uvalde	201	–	–	3	35	8	15	–	4	1	–	7	9	62	44	–	–	33	11
Uvalde	142	–	–	2	22	7	9	–	2	–	–	4	8	50	35	–	–	28	7
Balance of county	59	–	–	1	13	1	6	–	2	1	–	3	1	12	9	–	–	5	4
Val Verde	227	–	–	5	39	12	6	5	8	2	1	7	10	92	73	–	–	59	14
Del Rio	204	–	–	5	37	11	6	5	6	2	–	7	9	81	63	–	–	50	13
Balance of county	23	–	–	–	2	1	–	–	2	–	1	–	1	11	10	–	–	9	1
Van Zandt	385	–	–	3	64	17	13	3	8	3	4	16	4	212	184	1	2	122	59
Victoria	542	1	–	4	99	26	29	5	11	3	5	20	7	270	210	3	6	155	46
Victoria	437	1	–	2	75	20	21	5	9	1	5	14	5	227	174	2	5	127	40
Balance of county	105	–	–	2	24	6	8	–	2	2	–	6	2	43	36	1	1	28	6
Walker	245	–	–	4	55	6	14	6	12	2	3	12	4	118	89	1	1	51	36
Huntsville	139	–	–	2	24	3	6	2	5	–	1	7	2	67	53	1	–	33	19
Balance of county	107	–	–	2	31	3	8	4	7	2	2	5	2	49	36	–	1	18	17
Waller	163	–	–	1	33	7	14	3	2	1	–	6	2	80	62	–	2	34	26
Ward	116	–	–	1	17	3	10	–	–	1	–	3	–	51	44	–	1	32	11
Washington	301	–	–	3	52	12	13	2	10	3	–	12	5	167	127	–	–	79	46
Brenham	158	–	–	1	25	6	6	1	6	2	–	4	4	88	68	–	–	44	24
Balance of county	143	–	–	2	27	6	7	1	4	1	–	8	1	79	59	–	–	35	24
Webb	586	1	–	11	104	38	18	12	8	1	5	24	25	247	196	1	4	136	55
Laredo	579	1	–	9	104	38	18	12	8	1	5	24	25	246	195	1	4	135	55
Balance of county	7	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Wharton	384	–	–	1	70	16	19	5	6	5	2	17	10	160	118	–	6	72	40
El Campo	124	–	–	–	27	4	6	3	1	1	1	11	4	51	35	–	2	19	14
Balance of county	260	–	–	1	43	12	13	2	5	4	1	6	6	109	83	–	4	53	26
Wheeler	83	–	–	–	14	3	1	2	2	1	–	5	1	43	37	–	1	26	10
Wichita	1,083	–	1	7	213	47	73	15	28	6	7	37	22	539	403	1	18	277	107
Burkburnett	81	–	–	–	16	2	5	–	–	1	3	5	1	47	38	–	1	23	14
Wichita Falls, part	831	–	1	6	165	35	60	15	25	4	2	24	20	420	310	–	15	217	78
Wichita Falls, total	831	–	1	6	165	35	60	15	25	4	2	24	20	420	310	–	15	217	78
Balance of county	151	–	–	1	32	10	8	–	3	1	2	8	1	72	55	1	2	37	15
Wilbarger	221	–	–	3	40	13	9	4	4	–	–	11	5	115	85	–	–	62	23
Vernon	200	–	–	2	38	13	8	4	3	–	–	10	5	104	77	–	–	55	22
Balance of county	21	–	–	1	2	–	–	–	1	–	–	1	–	11	8	–	–	7	1
Willacy	142	–	–	3	30	7	6	2	1	–	1	13	6	61	54	–	–	31	23
Williamson	582	–	–	4	147	38	32	16	18	9	6	28	7	287	197	1	3	151	42
Austin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Round Rock, part	100	–	–	1	26	6	5	5	5	–	–	5	1	45	33	–	1	25	7
Round Rock, total	101	–	–	1	27	7	5	5	5	–	–	5	1	45	33	–	1	25	7
Taylor	143	–	–	1	31	7	5	5	2	3	2	7	1	61	45	–	–	40	5
Balance of county	339	–	–	2	90	25	22	6	11	6	4	16	5	161	119	1	2	86	30
Wilson	149	–	–	3	24	4	8	1	3	2	–	6	–	76	68	–	4	36	28
Winkler	76	–	–	1	10	1	6	2	–	1	–	–	–	38	29	–	1	15	13
Wise	244	–	–	–	45	12	14	2	4	1	1	11	6	136	102	–	–	71	31
Wood	396	–	–	2	91	27	27	4	8	5	3	17	6	206	152	1	2	112	37
Yoakum	54	–	–	–	7	2	3	–	2	–	–	–	2	20	17	–	1	13	3
Young	252	–	–	–	48	10	13	2	4	2	4	13	6	127	87	–	1	49	37
Zapata	65	–	–	1	13	3	5	–	3	–	–	2	–	26	26	–	–	20	6
Zavala	80	–	–	–	11	2	5	–	–	–	1	3	3	36	30	–	–	21	9
Utah	8,515	2	–	75	1,472	364	233	140	228	57	80	370	174	3,802	2,959	79	113	1,825	942
Urban places	4,540	–	–	37	773	195	113	81	127	30	43	184	89	2,070	1,699	41	67	963	528
Balance of area	3,975	2	–	38	699	169	120	59	101	27	37	186	85	1,732	1,360	38	46	862	414
Metropolitan counties	6,380	2	–	54	1,134	277	186	114	171	42	62	282	129	2,859	2,227	61	92	1,363	711
Urban places	4,144	–	–	37	709	176	110	75	116	27	38	167	79	1,899	1,471	40	64	874	499
Balance of area	2,238	2	–	17	425	101	76	39	55	15	24	115	50	960	756	21	28	489	215
Nonmetropolitan counties	2,135	–	–	21	338	87	47	26	57	15	18	88	45	943	732	18	21	462	231
Urban places	396	–	–	–	64	19	3	6	11	3	5	17	10	171	128	1	3	89	35
Balance of area	1,739	–	–	21	274	68	44	20	46	12	13	71	35	772	604	17	18	373	196
Beaver	38	–	–	–	7	1	2	–	1	1	–	2	–	17	13	–	–	11	2
Box Elder	234	–	–	2	37	10	3	3	7	1	3	10	3	101	85	–	3	51	21
Brigham City	100	–	–	–	16	6	–	1	4	–	2	3	1	45	37	–	1	28	8
Balance of county	134	–	–	2	21	4	3	2	3	1	1	7	2	56	48	–	2	23	13
Cache	324	–	–	2	50	19	3	3	11	3	2	9	9	145	101	3	2	72	24
Logan	153	–	–	–	28	6	1	3	5	3	2	8	6	60	39	1	2	26	10
Balance of county	171	–	–	2	22	13	2	–	6	–	–	1	3	85	62	2	–	46	14
Carbon	187	–	–	1	33	9	3	3	4	1	1	12	3	85	64	2	1	40	21
Daggett	7	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Davis	590	–	–	7	102	24	11	6	11	5	12	33	5	249	199	7	5	140	47
Bountiful	183	–	–	3	35	8	1	5	7	1	4	11	–	81	66	2	1	44	19
Clearfield	76	–	–	–	11	4	1	–	1	1	1	3	1	30	26	1	–	19	6
Layton	89	–	–	–	17	6	1	1	1	1	1	6	1	31	21	2	3	11	5
Balance of county	242	–	–	4	39	8	8	–	2	2	6	13	3	107	86	2	1	86	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	5	197	83	19	44	105	5	30	23	–	28	25	26	251	98	75	71	64	2
Austin, part	5	181	75	18	34	93	5	29	19	–	26	21	21	222	82	64	59	58	2
Austin, total	5	181	75	18	34	93	5	29	19	–	26	21	21	222	82	64	59	58	2
Round Rock, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	16	8	1	10	12	–	1	4	–	2	4	5	29	16	11	12	6	–
Trinity	–	8	2	3	3	3	1	1	6	–	–	–	6	11	10	3	1	1	–
Tyler	–	28	3	1	5	4	–	–	3	–	–	2	9	13	4	8	1	1	–
Upshur	–	27	3	4	4	8	2	2	4	1	1	4	2	24	14	7	4	4	1
Upton	1	2	–	2	–	–	–	–	–	–	1	1	1	4	1	3	1	2	–
Uvalde	–	17	–	1	8	11	–	3	10	–	3	1	20	14	11	4	2	5	–
Uvalde	–	14	–	1	4	10	–	2	9	–	1	1	13	6	7	2	2	3	–
Balance of county	–	3	–	–	4	1	–	1	1	–	2	–	7	8	4	2	–	2	–
Val Verde	1	16	2	–	3	6	–	5	3	–	2	2	15	12	9	14	6	3	1
Del Rio	1	15	2	–	2	6	–	4	3	–	2	1	12	11	9	13	5	3	1
Balance of county	–	1	–	–	1	–	–	1	–	–	–	1	3	1	–	1	1	–	–
Van Zandt	2	22	3	1	13	17	–	2	1	–	5	1	12	25	13	8	3	2	–
Victoria	1	53	4	2	6	15	–	6	5	–	5	11	10	40	34	19	6	4	–
Victoria	1	46	4	2	5	13	–	6	3	–	4	8	7	31	26	16	4	4	–
Balance of county	–	7	–	–	1	2	–	–	2	–	1	3	3	9	8	3	2	–	–
Walker	1	20	4	2	3	2	3	2	3	–	1	3	4	21	10	7	2	4	1
Huntsville	–	11	1	2	3	2	2	–	3	–	1	2	1	14	6	5	–	3	1
Balance of county	1	9	3	–	–	–	1	2	–	–	–	1	3	7	4	2	2	1	–
Waller	–	14	3	1	4	4	–	1	3	–	1	2	7	14	5	6	–	–	–
Ward	–	6	–	1	3	2	1	1	1	–	1	4	3	11	13	4	1	4	–
Washington	1	35	2	2	5	5	–	1	4	–	2	1	5	18	17	10	5	1	–
Brenham	–	16	2	2	–	4	–	1	1	–	1	1	2	14	9	4	2	1	–
Balance of county	1	19	–	–	5	1	–	–	3	–	1	–	3	4	8	6	3	–	–
Webb	–	48	2	1	19	15	3	10	13	–	3	8	41	45	6	23	3	7	2
Laredo	–	48	2	1	19	15	3	10	13	–	3	8	41	43	6	22	3	6	2
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–
Wharton	1	34	2	5	7	6	–	–	6	–	2	4	51	34	16	11	4	2	–
El Campo	1	14	–	1	2	1	–	–	–	–	1	–	16	11	4	3	1	1	–
Balance of county	–	20	2	4	5	5	–	–	6	–	1	4	33	23	12	8	3	1	–
Wheeler	–	3	2	1	3	4	–	–	–	–	–	1	2	8	3	2	–	2	–
Wichita	1	118	7	10	23	28	2	11	12	–	4	7	12	71	33	42	18	17	1
Burkburnett	–	9	–	–	2	1	1	–	–	–	–	–	–	9	2	–	2	–	–
Wichita Falls, part	1	92	7	10	19	24	1	9	8	–	3	6	10	55	23	31	14	15	1
Wichita Falls, total	1	92	7	10	19	24	1	9	8	–	3	6	10	55	23	31	14	15	1
Balance of county	–	17	–	–	2	3	–	2	4	–	1	1	2	7	8	11	2	2	–
Wilbarger	1	23	4	2	8	6	–	4	3	–	2	4	8	15	1	5	2	–	–
Vernon	1	20	4	2	8	5	–	3	3	–	2	3	8	13	1	3	2	–	–
Balance of county	–	3	–	–	–	1	–	1	–	–	–	1	–	2	–	2	–	–	–
Willacy	1	6	–	–	6	3	2	1	3	–	2	2	5	7	4	5	1	–	1
Williamson	1	64	23	2	17	15	2	4	3	–	2	1	10	38	17	10	10	8	–
Austin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Round Rock, part	–	7	5	–	2	4	–	1	–	–	1	–	1	9	4	–	2	3	–
Round Rock, total	–	7	5	–	2	4	–	1	–	–	1	–	1	9	4	–	2	3	–
Taylor	–	24	11	1	2	2	1	2	1	–	–	–	1	9	5	3	1	2	–
Balance of county	1	33	7	1	13	9	1	1	2	–	1	1	8	20	8	7	7	3	–
Wilson	1	6	1	–	3	5	–	–	2	–	2	1	–	18	8	7	–	–	–
Winkler	–	8	1	–	–	2	–	1	–	–	–	2	3	9	2	2	3	3	–
Wise	–	28	1	5	4	10	1	–	1	–	–	1	12	8	12	5	1	1	1
Wood	1	46	3	4	7	14	1	3	5	1	1	–	7	26	9	11	3	3	–
Yoakum	–	3	–	–	1	1	1	–	–	–	1	2	3	4	4	6	2	–	–
Young	3	21	13	3	13	10	1	–	6	–	1	2	8	31	7	5	–	6	2
Zapata	–	–	–	–	1	2	–	1	–	–	1	3	7	4	2	4	–	–	–
Zavala	–	6	–	–	5	4	–	–	1	–	2	1	4	6	–	1	1	5	–
Utah	22	650	86	85	228	276	31	115	75	5	157	198	152	827	327	290	202	66	41
Urban places	14	370	47	40	126	136	18	63	42	2	81	96	87	485	140	139	109	39	26
Balance of area	8	280	39	45	102	140	13	52	33	3	76	102	65	342	187	157	99	33	15
Metropolitan counties	17	494	63	58	164	198	24	85	60	5	124	144	112	641	215	192	160	55	33
Urban places	12	340	41	35	109	116	16	60	38	2	74	78	78	444	132	118	98	32	25
Balance of area	5	154	22	23	55	82	8	25	12	3	50	66	34	197	83	74	62	23	8
Nonmetropolitan counties	5	156	23	27	64	78	7	30	25	–	33	54	40	186	112	98	42	11	8
Urban places	2	30	6	5	17	20	2	3	4	–	7	18	9	41	8	15	5	1	1
Balance of area	3	126	17	22	47	58	5	27	21	–	26	36	31	145	104	83	37	10	7
Beaver	–	4	–	–	2	2	–	–	–	–	–	–	2	6	2	1	–	–	–
Box Elder	–	7	6	3	10	10	–	2	6	–	6	5	7	17	10	12	2	3	1
Brigham City	–	3	3	2	6	6	–	1	1	–	3	3	1	7	3	5	1	1	–
Balance of county	–	4	3	1	4	4	–	1	5	–	3	2	6	10	7	7	1	2	1
Cache	2	38	2	2	11	7	–	5	3	–	4	15	7	37	11	8	7	1	2
Logan	1	17	1	2	5	3	–	2	2	–	2	8	6	20	4	4	2	–	1
Balance of county	1	21	1	–	6	4	–	3	1	–	2	7	1	17	7	4	5	1	1
Carbon	–	16	2	3	4	6	2	2	–	–	1	3	1	15	15	10	4	2	–
Daggett	–	1	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	1	–
Davis	–	38	5	9	16	19	1	11	5	1	13	25	10	60	23	20	17	6	–
Bountiful	–	11	2	2	3	6	–	1	2	–	1	5	2	20	9	9	6	–	–
Clearfield	–	3	1	–	–	4	–	3	1	–	2	4	1	11	3	3	1	1	–
Layton	–	7	1	2	4	5	–	–	1	–	3	4	1	6	7	3	6	–	–
Balance of county	–	15	1	5	9	4	1	7	1	1	7	12	6	23	4	5	4	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	81	–	–	–	14	2	1	1	2	–	2	6	1	34	31	1	1	14	15
Emery	67	–	–	1	8	–	2	3	2	–	–	1	2	25	20	2	–	7	11
Garfield	30	–	–	–	3	–	–	1	–	–	–	2	2	17	13	–	–	10	3
Grand	52	–	–	–	12	–	4	2	4	1	–	1	–	18	15	1	–	8	6
Iron	95	–	–	1	20	6	3	2	1	–	1	7	1	47	36	–	–	19	17
Cedar City	60	–	–	–	11	3	1	2	–	–	1	4	1	29	23	–	–	12	11
Balance of county	35	–	–	1	9	3	2	–	1	–	–	3	–	18	13	–	–	7	6
Juab	45	–	–	1	2	1	–	–	–	–	–	1	–	27	25	3	–	12	10
Kane	40	–	–	–	7	–	3	1	2	–	–	1	–	22	14	1	–	11	2
Millard	82	–	–	3	16	3	3	–	5	1	2	2	2	35	24	–	–	14	10
Morgan	31	–	–	2	2	1	1	–	–	–	–	–	–	10	6	1	1	6	–
Piute	16	–	–	–	4	–	4	–	–	–	–	–	–	9	5	–	–	2	3
Rich	14	–	–	–	2	–	–	–	–	1	1	–	–	7	5	–	–	3	3
Salt Lake	3,680	2	–	30	681	156	117	78	104	27	33	166	73	1,635	1,296	38	69	729	480
Midvale	61	–	–	1	12	3	2	1	4	–	1	1	–	25	24	–	2	15	7
Murray	182	–	–	3	46	11	9	6	5	1	2	12	6	78	60	4	4	28	24
Salt Lake City	1,686	–	–	16	265	64	48	26	45	12	13	59	30	824	646	15	37	354	240
Sandy City	145	–	–	1	45	7	9	6	6	2	2	13	1	31	25	–	2	15	7
South Salt Lake	95	–	–	–	18	3	4	2	5	1	1	2	1	46	36	1	2	15	17
West Jordan	66	–	–	–	12	2	–	1	2	1	2	4	1	23	19	3	1	8	7
Balance of county	1,445	2	–	9	283	66	47	36	37	10	12	75	34	608	486	15	21	292	158
San Juan	59	–	–	3	8	3	2	–	–	–	–	3	–	15	12	–	–	5	7
Sanpete	133	–	–	1	23	9	2	–	3	1	1	7	3	63	55	1	5	33	15
Sevier	133	–	–	–	23	7	2	3	3	2	2	4	5	67	52	–	6	25	20
Summit	56	–	–	1	11	4	1	–	4	1	1	–	1	21	14	–	–	9	5
Tooele	126	–	–	–	24	8	5	2	2	1	2	4	3	54	46	–	–	41	7
Tooele	83	–	–	–	13	5	2	2	2	1	–	1	2	37	32	–	–	27	5
Balance of county	43	–	–	–	11	3	3	–	–	–	2	3	1	17	16	–	–	14	2
Uintah	152	–	–	3	15	1	5	2	2	–	1	4	7	55	44	1	–	24	19
Utah	1,035	–	–	7	151	34	21	14	28	4	6	44	30	455	342	11	9	202	120
American Fork	94	–	–	1	11	1	1	–	2	1	1	5	1	33	21	–	–	10	11
Orem	217	–	–	1	37	9	5	6	7	1	1	8	6	95	77	2	2	42	31
Pleasant Grove	43	–	–	–	6	1	1	–	1	–	1	2	3	19	11	–	1	3	7
Provo	318	–	–	1	43	13	3	6	8	1	–	12	12	142	109	5	2	64	38
Springville	84	–	–	1	9	–	1	1	4	–	–	3	2	39	31	1	–	20	10
Balance of county	279	–	–	3	45	10	10	1	6	1	3	14	6	127	93	3	4	69	23
Wasatch	73	–	–	–	11	2	–	1	3	–	–	5	2	27	22	1	1	15	4
Washington	176	–	–	–	27	9	3	–	3	1	1	10	3	91	70	1	1	57	11
St. George	83	–	–	–	9	4	1	–	2	–	–	2	2	37	29	–	–	23	6
Balance of county	93	–	–	–	18	5	2	–	1	1	1	8	1	54	41	1	1	34	5
Wayne	10	–	–	–	2	–	–	–	–	1	–	1	1	4	3	–	–	2	1
Weber	969	–	–	10	176	55	32	14	28	5	9	35	18	466	342	5	9	251	77
Ogden	610	–	–	6	105	34	20	11	14	3	6	17	10	305	223	3	6	160	54
Roy	77	–	–	–	12	4	2	1	–	–	–	5	1	34	24	–	–	22	2
South Ogden	55	–	–	3	12	3	2	–	2	–	2	3	1	26	20	1	1	15	3
Balance of county	227	–	–	1	47	14	8	2	10	2	1	10	6	101	75	1	2	54	15
Vermont	4,490	4	–	27	978	249	232	90	115	50	42	200	81	2,252	1,769	19	53	1,182	515
Urban places	636	–	–	3	127	35	34	16	14	9	3	16	11	341	259	4	10	148	97
Balance of area	3,854	4	–	24	851	214	198	74	101	41	39	184	70	1,911	1,510	15	43	1,034	418
Metropolitan counties	722	–	–	3	153	36	45	16	15	7	4	26	16	373	306	5	9	196	94
Urban places	389	–	–	–	85	20	26	11	9	5	2	12	6	199	156	2	4	94	56
Balance of area	333	–	–	3	68	16	19	7	6	2	2	16	10	174	150	3	5	104	38
Nonmetropolitan counties	3,768	4	–	24	825	213	187	72	100	43	38	172	65	1,879	1,463	14	44	964	421
Urban places	247	–	–	3	42	15	8	5	5	4	1	4	5	142	103	2	6	54	41
Balance of area	3,521	4	–	21	783	198	179	67	95	39	37	168	60	1,737	1,360	12	38	910	380
Addison	221	–	–	1	41	14	10	5	5	3	1	3	4	121	100	2	4	71	28
Bennington	351	1	–	3	92	28	15	6	13	6	4	20	5	162	130	1	4	109	22
Caledonia	253	–	–	–	46	13	6	3	7	2	2	13	6	132	101	–	2	65	34
Chittenden	722	–	–	3	153	36	45	18	15	7	4	28	16	373	308	5	9	198	94
Burlington	341	–	–	–	75	17	23	10	9	3	2	11	4	173	135	1	3	77	54
South Burlington	48	–	–	–	10	3	3	1	–	2	–	1	2	26	21	1	1	17	2
Balance of county	333	–	–	3	68	16	19	7	6	2	2	16	10	174	150	3	5	104	36
Essex	55	–	–	–	10	2	5	–	1	–	–	2	4	30	24	–	–	17	7
Franklin	322	–	–	3	67	17	22	4	8	1	1	14	4	157	124	1	1	82	40
Grand Isle	44	–	–	1	10	3	4	–	–	–	–	3	1	24	20	–	1	13	6
Lamoille	137	–	–	1	32	7	9	1	6	–	1	8	2	69	59	2	3	35	19
Orange	201	1	–	1	47	14	8	4	3	5	4	9	2	84	63	–	–	45	18
Orleans	212	–	–	–	48	9	13	5	6	2	4	9	2	96	82	–	1	66	16
Rutland	579	2	–	5	106	28	23	11	14	8	5	17	8	333	256	3	9	156	96
Rutland	247	–	–	3	42	15	8	5	5	4	1	4	5	142	103	2	6	64	41
Balance of county	332	2	–	2	64	13	15	6	9	4	4	13	3	191	153	1	3	102	47
Washington	504	–	–	3	130	23	38	14	16	6	5	28	10	237	175	2	2	129	42
Windham	372	–	–	4	83	27	13	7	9	3	5	18	9	188	153	1	5	114	36
Windsor	507	–	–	2	113	28	21	12	12	7	5	28	8	246	176	2	12	111	51

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	–	1	–	2	–	5	–	4	1	–	1	4	1	6	7	1	2	–	–
Emery	–	4	–	1	2	6	–	–	1	–	2	2	1	5	6	4	2	–	–
Garfield	–	4	–	–	–	1	–	1	–	–	–	–	–	2	1	1	2	–	–
Grand	–	1	–	2	5	1	–	–	1	–	–	–	1	5	4	4	1	–	–
Iron	1	9	1	–	2	5	–	–	1	–	1	4	1	3	3	4	2	–	–
Cedar City	1	5	–	–	2	4	–	–	–	–	1	4	1	2	1	2	2	–	–
Balance of county	–	4	1	–	–	1	–	–	1	–	–	–	–	1	2	2	–	–	–
Juab	–	2	–	–	1	2	–	–	2	–	–	1	–	5	2	2	–	–	–
Kane	–	7	–	1	2	1	–	–	–	–	–	–	–	3	2	3	–	–	–
Millard	–	9	1	1	3	1	1	1	–	–	–	3	–	10	4	2	–	–	1
Morgan	–	2	–	–	2	1	1	1	2	–	1	1	2	3	1	–	1	1	–
Piute	–	3	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Rich	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–
Salt Lake	8	267	33	31	66	115	16	51	29	2	56	77	57	376	115	104	98	35	24
Midvale	–	1	–	–	5	3	–	–	–	–	1	1	3	6	1	–	1	1	1
Murray	1	13	2	2	3	6	–	1	1	–	1	3	3	17	3	6	3	2	–
Salt Lake City	2	148	14	14	40	39	9	36	18	–	12	20	23	195	42	37	32	12	16
Sandy City	–	6	–	–	3	4	1	–	1	1	7	9	4	12	11	4	7	2	1
South Salt Lake	–	8	2	–	3	2	–	1	–	–	–	2	1	10	2	3	4	2	–
West Jordan	–	2	–	2	–	1	1	–	–	–	4	2	4	7	4	3	4	–	–
Balance of county	5	89	15	13	32	60	5	13	9	1	31	40	19	129	52	51	45	16	6
San Juan	1	1	–	1	4	2	–	1	2	–	2	1	1	6	5	6	2	–	1
Sanpete	–	6	–	2	2	7	–	–	1	–	2	1	5	10	5	9	1	–	–
Sevier	1	13	1	–	3	4	–	1	–	–	3	2	3	7	8	3	3	1	–
Summit	–	3	2	2	2	3	1	2	–	–	1	2	1	2	2	5	1	–	–
Tooele	–	6	–	–	1	7	1	1	1	–	–	1	5	17	4	1	5	–	1
Tooele	–	5	–	–	1	5	–	1	1	–	–	–	2	14	3	–	4	–	–
Balance of county	–	1	–	–	–	2	1	–	–	–	–	1	3	3	1	1	1	–	1
Uintah	–	8	2	1	5	2	–	7	1	–	5	2	3	15	11	12	7	1	1
Utah	5	84	14	10	40	23	2	13	7	–	32	28	26	97	49	46	20	2	7
American Fork	1	8	3	–	6	3	–	3	1	–	4	1	1	16	5	7	1	–	–
Orem	2	10	2	4	8	3	–	1	1	–	10	–	8	19	7	16	3	–	2
Pleasant Grove	–	4	4	–	2	1	–	1	–	–	1	–	2	4	1	–	3	–	–
Provo	2	26	2	3	11	5	1	5	3	–	10	15	9	30	16	6	7	1	1
Springville	–	8	–	–	3	3	–	1	1	–	1	3	1	9	5	3	–	–	3
Balance of county	–	28	3	3	10	8	1	2	1	–	6	9	5	19	15	14	6	1	1
Wasatch	–	3	1	1	–	4	–	1	2	–	2	4	–	7	3	4	3	1	2
Washington	–	12	5	4	4	8	2	1	2	–	1	3	3	18	6	5	1	–	–
St. George	–	5	2	1	4	7	2	–	1	–	1	3	1	12	–	4	–	–	–
Balance of county	–	7	3	3	–	1	–	1	1	–	–	–	2	7	6	1	1	–	–
Wayne	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Weber	4	101	11	8	21	34	4	9	8	2	23	13	14	91	24	21	22	12	1
Ogden	3	68	7	6	15	22	2	5	6	1	15	8	7	59	10	12	13	9	–
Roy	–	10	–	–	2	4	1	1	1	–	2	1	2	5	2	3	3	2	1
South Ogden	1	4	1	–	–	–	1	–	–	–	–	–	4	4	1	3	–	–	–
Balance of county	–	21	3	2	4	8	–	3	1	1	6	4	1	23	11	3	6	1	–
Vermont	22	342	63	56	125	172	20	68	39	–	29	33	26	326	95	120	83	10	2
Urban places	5	64	10	3	25	21	3	8	4	–	4	6	2	43	10	20	7	1	–
Balance of area	17	278	53	53	100	151	17	60	35	–	25	27	24	283	85	100	76	9	2
Metropolitan counties	2	50	6	9	24	27	4	7	4	–	4	7	3	44	14	23	13	3	–
Urban places	2	35	3	3	18	16	2	3	2	–	2	3	2	25	6	14	5	1	–
Balance of area	–	15	3	6	6	11	2	4	2	–	2	4	1	19	8	9	8	2	–
Nonmetropolitan counties	20	292	57	47	101	145	16	61	35	–	25	26	23	282	81	97	70	7	2
Urban places	3	29	7	–	7	5	1	5	2	–	2	3	–	18	4	6	2	–	–
Balance of area	17	263	50	47	94	140	15	56	33	–	23	23	23	264	77	91	68	7	2
Addison	–	17	2	2	6	7	1	3	1	–	2	2	1	14	7	3	6	1	–
Bennington	3	21	2	6	10	17	3	4	4	–	1	2	1	35	4	11	4	1	1
Caledonia	1	21	5	4	7	16	–	4	5	–	1	4	1	13	4	9	5	–	–
Chittenden	2	50	6	9	24	27	4	7	4	–	4	7	3	44	14	23	13	3	–
Burlington	2	30	3	3	18	15	1	1	2	–	2	2	1	23	5	14	4	1	–
South Burlington	–	5	–	–	–	1	1	2	–	–	–	1	1	2	1	–	1	–	–
Balance of county	–	15	3	6	6	11	2	4	2	–	2	4	1	19	8	9	8	2	–
Essex	–	5	–	1	–	2	–	–	–	–	–	–	–	4	2	2	1	–	–
Franklin	–	19	8	6	6	17	3	7	4	–	3	3	2	26	10	6	3	1	–
Grand Isle	–	2	1	1	1	–	–	1	–	–	–	1	–	2	2	1	–	–	–
Lamoille	–	9	1	–	1	7	–	1	1	–	3	2	–	7	6	3	2	–	–
Orange	1	13	4	3	9	10	1	3	1	–	1	1	2	16	6	6	10	–	–
Orleans	1	11	2	–	8	8	2	3	3	–	2	3	1	19	6	6	5	–	–
Rutland	4	54	12	7	12	16	1	11	3	–	4	3	3	44	7	11	10	–	–
Rutland	3	29	7	–	7	5	1	5	2	–	2	3	–	18	4	6	2	–	–
Balance of county	1	25	5	7	5	11	–	6	1	–	2	–	3	26	3	5	8	–	–
Washington	7	46	3	6	12	18	2	6	4	–	5	2	6	33	7	13	12	3	1
Windham	–	22	9	4	15	10	1	9	5	–	1	1	4	27	9	4	2	–	–
Windsor	3	52	8	7	14	17	2	9	4	–	2	2	2	42	11	22	10	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	41,804	38	5	454	9,565	2,329	2,746	798	1,047	371	340	1,934	624	20,038	15,480	124	515	10,623	4,218
Urban places	18,296	17	4	192	4,289	1,057	1,258	376	433	156	138	871	290	8,645	6,668	47	261	4,497	1,883
Balance of area	23,508	21	1	262	5,276	1,272	1,488	422	614	215	202	1,063	334	11,393	8,812	77	254	6,126	2,335
Metropolitan counties	27,081	22	3	297	6,479	1,604	1,824	569	688	257	227	1,310	403	12,592	9,699	67	353	6,573	2,706
Urban places	16,752	16	3	175	3,956	988	1,168	350	399	148	128	795	269	7,861	6,064	40	247	4,074	1,703
Balance of area	10,329	6	–	122	2,523	636	656	219	289	109	99	515	134	4,731	3,635	27	106	2,499	1,003
Nonmetropolitan counties	14,823	16	2	157	3,086	725	922	229	359	114	113	624	221	7,446	5,781	57	162	4,050	1,512
Urban places	1,544	1	1	17	333	89	90	26	34	8	10	76	21	784	604	7	14	423	160
Balance of area	13,279	15	1	140	2,753	636	832	203	325	106	103	548	200	6,662	5,177	50	148	3,627	1,352
Accomack	423	–	–	1	92	22	22	6	11	8	4	19	8	226	175	–	18	94	63
Albemarle	354	–	–	4	83	20	28	5	6	1	5	18	4	160	116	–	3	66	27
Alexandria city	838	–	–	4	218	52	57	16	21	10	5	57	19	377	269	2	14	179	94
Alleghany	139	–	–	1	20	5	3	2	2	2	–	6	1	85	73	–	–	55	18
Amelia	92	–	–	2	23	4	4	2	3	1	–	9	1	44	29	–	–	26	3
Amherst	246	–	–	4	55	16	13	6	8	1	1	10	3	120	80	–	4	59	17
Appomattox	110	–	–	1	15	3	7	2	2	–	–	2	3	58	39	–	3	23	13
Arlington#	1,104	2	–	7	290	76	74	36	27	7	10	60	12	521	386	4	14	285	83
Augusta	428	–	–	3	87	15	29	11	9	4	4	15	4	242	193	2	3	143	45
Bath	65	–	–	2	13	3	4	1	1	–	–	4	–	35	26	–	–	18	8
Bedford	308	–	–	5	53	12	15	2	6	2	4	12	5	157	125	2	4	88	31
Bedford city [7]	106	–	–	1	20	6	7	1	2	–	1	3	2	50	39	1	–	25	13
Bland	47	–	–	1	10	6	1	–	–	1	–	2	–	21	18	–	–	12	6
Botetourt	165	–	–	1	29	9	8	2	5	–	1	4	1	98	71	–	1	48	22
Bristol city [6]	223	1	–	–	36	9	15	3	1	1	–	7	5	118	91	2	3	75	11
Brunswick	153	1	–	2	32	4	11	2	4	–	–	11	7	73	62	–	3	44	15
Buchanan	276	–	1	–	56	7	20	3	7	3	–	16	1	138	119	2	4	101	12
Buckingham	108	–	–	1	23	5	7	1	5	–	1	4	1	55	37	–	1	23	13
Buena Vista city [7]	59	–	–	–	12	5	4	1	1	–	–	1	1	28	21	1	–	15	5
Campbell	316	–	–	–	69	19	14	4	12	2	2	16	1	156	121	1	8	66	46
Caroline	138	1	–	1	33	4	11	1	6	2	1	8	–	55	43	1	1	27	14
Carroll	230	–	–	4	41	11	10	5	3	2	3	7	3	124	94	1	2	62	29
Charles City	55	–	–	2	10	5	–	2	1	–	–	2	1	23	18	–	–	13	5
Charlotte	116	–	–	–	29	9	6	4	3	–	1	6	2	58	41	–	–	30	11
Charlottesville city	397	–	–	9	79	23	24	6	5	2	2	17	4	208	134	3	1	95	35
Chesapeake city	803	2	–	6	198	47	69	12	21	4	6	39	16	358	297	2	15	208	72
Chesterfield	714	–	–	15	170	32	52	18	19	6	4	39	12	313	247	5	3	167	72
Clarke	116	–	–	–	28	5	10	3	2	–	–	8	2	65	52	1	1	31	19
Clifton Forge city [7]	80	–	–	–	22	7	4	4	2	1	–	4	1	42	34	1	–	20	13
Colonial Heights city	131	–	–	3	32	6	8	6	4	1	1	6	1	67	51	1	1	40	9
Covington city [7]	88	–	–	2	21	1	5	4	3	1	1	6	–	49	44	1	1	35	7
Craig	48	–	–	1	11	6	1	2	–	–	2	–	–	22	21	–	–	14	7
Culpeper	249	–	–	6	42	8	15	4	4	1	1	9	2	132	100	2	1	45	52
Cumberland	88	1	–	2	24	7	6	1	4	1	1	4	1	36	25	–	–	20	5
Danville city	547	2	1	9	114	31	27	10	15	2	4	25	18	280	214	–	6	157	51
Dickenson	162	1	–	1	29	3	13	2	2	2	–	7	6	67	55	2	1	44	8
Dinwiddie	174	–	–	1	48	11	21	5	5	–	–	6	3	74	52	–	4	36	12
Emporia city [7]	67	–	–	–	11	2	3	–	2	1	–	3	1	41	36	1	–	28	7
Essex	80	–	–	1	20	8	5	–	2	1	1	3	1	37	27	–	–	24	3
Fairfax	2,413	1	–	20	668	169	156	68	69	27	34	145	27	1,046	789	10	18	585	176
Herndon	33	–	–	–	4	1	1	1	–	–	–	1	2	15	9	–	–	7	2
Vienna	72	–	–	–	15	6	2	2	3	–	1	1	–	30	22	1	–	15	6
Balance of county	2,308	1	–	20	649	162	153	65	66	27	33	143	25	1,001	758	9	18	563	165
Fairfax city	161	–	–	2	45	10	17	3	2	2	4	7	1	76	55	–	1	43	11
Falls Church city [7]	100	–	–	1	28	11	1	3	6	1	1	5	2	43	32	–	1	20	11
Fauquier	305	–	–	4	87	17	31	11	10	2	3	13	6	120	89	2	3	60	24
Floyd	102	–	–	1	21	5	5	–	3	2	–	6	–	55	42	–	1	27	14
Fluvanna	107	–	–	–	26	5	10	1	4	–	–	6	2	50	37	–	1	19	17
Franklin	318	–	–	8	65	13	18	6	10	–	1	17	5	159	115	1	–	84	30
Franklin city [7]	77	–	–	1	18	8	4	–	1	–	2	3	–	42	31	–	4	19	8
Frederick	242	–	–	3	51	9	17	2	7	2	2	12	3	109	80	1	1	50	28
Fredericksburg city	176	1	–	2	40	16	11	1	4	2	2	4	4	80	69	1	–	46	22
Galax city [7]	79	–	–	1	20	6	–	5	5	1	–	3	2	41	31	–	–	22	9
Giles	180	–	–	3	41	8	15	2	6	2	1	7	2	100	86	1	1	61	23
Gloucester	199	–	–	3	47	12	13	2	6	1	4	9	4	97	83	1	3	60	19
Goochland	98	–	–	2	20	4	3	2	4	4	–	3	2	42	35	–	2	28	7
Grayson	161	–	–	4	32	8	5	8	2	–	1	7	5	88	77	–	–	68	9
Greene	58	–	–	–	8	3	1	1	1	–	–	2	1	26	24	–	1	14	9
Greensville	80	2	–	1	7	1	3	–	1	–	2	–	1	47	42	–	2	31	9
Halifax	289	2	–	3	65	17	13	7	8	4	2	14	5	141	105	–	2	81	22
Hampton city	813	–	–	8	234	55	73	22	23	10	5	46	15	344	283	1	13	179	90
Hanover	389	–	–	5	88	18	26	7	9	4	2	22	7	193	144	–	4	88	54
Harrisonburg city	146	–	–	2	25	6	4	3	2	–	2	8	1	79	61	–	1	41	19
Henrico	1,577	1	–	27	381	94	95	36	43	24	16	73	20	735	569	1	15	406	147
Henry	400	–	–	3	76	19	20	6	9	4	2	16	3	204	153	4	8	112	29
Highland	30	–	–	–	4	–	1	–	1	–	–	2	–	12	7	–	–	4	3
Hopewell city	213	–	–	3	43	12	14	4	2	3	2	6	2	100	81	–	3	59	19
Isle of Wight	200	–	–	2	51	10	16	4	4	4	2	11	5	105	80	–	–	55	25
James City	135	–	–	3	34	7	8	–	5	2	2	10	1	57	35	–	–	22	13
King and Queen	68	–	–	2	15	4	5	1	1	–	1	3	2	39	29	–	–	23	6
King George	92	–	–	3	16	6	6	–	1	1	1	1	1	44	37	–	1	22	14
King William	110	–	–	–	26	8	7	2	1	–	2	6	–	58	37	–	2	24	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Virginia	168	3,455	575	370	1,112	1,230	128	506	400	3	285	579	326	3,320	875	1,179	763	444	30
Urban places	72	1,525	213	167	482	521	56	278	181	2	123	284	129	1,476	292	476	294	250	15
Balance of area	66	1,930	362	203	630	709	72	228	219	1	162	295	197	1,844	583	703	469	194	15
Metropolitan counties	100	2,193	349	251	710	778	81	363	269	2	207	428	183	2,113	538	751	504	337	20
Urban places	67	1,394	188	148	446	474	47	257	169	2	115	268	108	1,382	264	442	261	244	18
Balance of area	33	799	161	103	264	305	34	106	100	-	92	160	75	751	274	309	243	93	7
Nonmetropolitan counties	58	1,262	226	119	402	451	47	143	131	1	78	151	143	1,207	337	428	259	107	10
Urban places	5	131	25	19	38	47	9	21	12	-	8	16	21	114	28	34	33	6	2
Balance of area	53	1,131	201	100	366	404	38	122	119	1	70	135	122	1,093	309	394	226	101	8
Accomack	5	38	6	2	7	14	1	4	4	-	1	1	1	39	5	9	5	5	-
Albemarle	1	29	9	5	9	17	-	5	2	-	3	3	3	24	9	15	9	4	-
Alexandria city	4	54	19	11	21	25	4	12	11	-	5	16	3	60	15	20	19	8	1
Alleghany	-	11	-	1	4	4	-	1	2	-	2	-	-	11	3	3	1	1	-
Amelia	1	11	3	-	3	4	-	-	2	-	1	1	1	7	-	3	-	-	-
Amherst	1	30	6	3	8	4	-	2	2	-	1	2	2	23	7	7	4	2	-
Appomattox	-	16	1	-	6	2	1	1	-	-	-	2	-	9	4	4	2	1	-
Arlington[1]	2	96	18	19	20	34	1	25	7	-	11	10	9	84	13	29	19	7	3
Augusta	-	35	9	5	12	14	1	3	2	-	1	5	1	24	18	6	5	-	-
Bath	1	8	-	-	1	3	1	1	-	-	-	-	1	5	1	1	1	-	-
Bedford	2	22	5	3	12	8	1	3	6	-	1	6	4	18	11	17	-	1	-
Bedford city [2]	-	8	3	-	4	3	1	2	-	-	-	1	2	18	2	-	-	-	-
Bland	-	3	-	-	-	-	-	1	-	-	1	-	2	8	-	-	1	2	-
Botetourt	-	18	7	2	6	4	-	2	2	-	2	-	1	9	5	1	1	3	-
Bristol city [3]	-	21	3	3	10	6	1	3	1	-	2	-	1	24	-	6	6	1	-
Brunswick	-	8	3	-	2	3	1	1	5	-	-	2	1	8	4	8	2	1	-
Buchanan	-	14	2	1	4	7	-	2	2	-	3	4	1	18	17	8	10	6	-
Buckingham	-	13	3	2	2	1	-	-	-	-	-	-	1	6	3	6	3	4	-
Buena Vista city [2]	-	7	-	-	4	3	-	-	-	-	-	-	-	7	2	1	-	1	-
Campbell	2	30	1	2	5	10	-	3	5	-	3	6	2	27	14	4	6	3	-
Caroline	-	10	2	-	4	6	-	3	3	-	-	-	2	15	6	4	5	-	-
Carroll	-	17	10	3	7	11	-	3	2	-	-	1	1	21	4	3	4	1	-
Charles City	1	4	-	-	3	1	1	-	2	-	-	1	-	4	3	2	-	2	-
Charlotte	1	14	2	-	2	4	-	-	-	-	1	-	-	12	3	5	-	-	-
Charlottesville city	3	62	4	5	11	11	-	5	6	-	-	3	2	36	4	6	9	4	-
Chesapeake city	3	48	8	4	25	22	-	9	6	1	5	11	4	64	31	20	12	12	1
Chesterfield	-	50	8	8	20	22	5	4	4	-	4	18	6	57	26	18	17	3	-
Clarke	-	12	1	-	2	-	1	-	1	-	-	-	-	12	1	4	-	-	-
Clifton Forge city [2]	-	6	-	-	2	2	-	-	-	-	-	-	1	4	2	3	-	1	-
Colonial Heights city	1	12	-	3	5	2	-	3	1	-	-	1	-	8	-	3	5	-	-
Covington city [2]	-	5	-	-	2	1	1	1	1	-	-	1	-	4	-	2	2	1	-
Craig	-	-	-	1	2	-	-	3	-	-	-	-	-	1	5	1	1	1	-
Culpeper	-	24	2	6	8	6	-	3	3	-	3	1	4	24	4	8	2	1	-
Cumberland	-	7	2	2	3	-	1	2	-	-	-	1	-	5	4	4	2	2	-
Danville city	-	57	7	2	11	17	2	9	8	-	2	4	3	44	3	16	4	6	-
Dickenson	-	10	1	1	6	6	-	4	-	-	1	6	1	17	4	9	2	-	-
Dinwiddie	-	22	-	-	6	5	-	1	1	-	-	4	1	13	3	8	3	1	-
Emporia city [2]	-	4	1	-	-	1	-	1	-	-	-	1	-	8	2	1	-	-	-
Essex	1	8	-	1	-	2	-	-	1	-	1	-	-	9	4	2	1	1	-
Fairfax	6	165	57	29	38	63	7	33	25	-	33	41	19	160	61	69	77	23	2
Herndon	-	6	-	-	-	2	-	-	-	-	1	2	-	3	1	1	2	-	-
Vienna	-	7	-	1	2	3	1	-	1	-	1	1	-	11	1	5	1	-	-
Balance of county	6	152	57	28	36	58	6	33	24	-	31	38	19	146	59	63	74	23	2
Fairfax city	1	14	4	2	6	2	-	2	1	-	3	1	2	10	4	3	2	1	-
Falls Church city [2]	1	8	1	1	4	1	1	-	1	-	3	2	-	6	2	2	4	-	-
Fauquier	-	23	6	2	12	9	1	10	6	-	1	3	2	19	7	8	7	2	1
Floyd	-	11	2	-	3	3	-	1	2	-	1	2	1	9	1	2	-	-	-
Fluvanna	-	11	-	2	2	3	-	1	1	-	1	1	-	10	1	7	1	1	-
Franklin	1	33	6	4	10	2	1	2	4	-	1	1	9	30	5	6	8	2	-
Franklin city [2]	-	11	-	-	3	2	-	-	-	-	-	2	-	4	-	1	2	2	-
Frederick	-	25	4	-	9	11	-	3	1	-	1	3	6	21	10	6	5	-	-
Fredericksburg city	-	9	9	-	6	9	1	5	1	-	1	2	2	10	3	7	7	1	-
Galax city [2]	1	5	4	-	2	1	1	-	1	-	-	-	1	4	-	1	2	1	1
Giles	-	10	2	2	6	6	2	1	1	-	-	3	3	8	6	3	2	1	-
Gloucester	3	9	-	2	5	7	1	-	2	-	1	-	2	15	5	4	6	-	-
Goochland	1	3	3	-	3	4	-	-	-	-	2	3	-	9	6	2	2	1	-
Grayson	2	16	3	1	5	1	-	-	3	-	2	-	2	17	8	2	3	1	-
Greene	-	2	-	-	5	2	-	-	-	-	-	1	-	6	1	2	2	4	-
Greensville	-	4	1	-	2	1	1	-	-	-	-	2	-	6	2	1	5	2	-
Halifax	-	30	3	3	9	12	1	3	2	-	1	1	2	20	9	6	5	2	-
Hampton city	1	52	2	6	16	22	4	23	9	-	16	11	4	54	9	19	16	7	2
Hanover	1	39	6	3	7	10	2	3	1	-	2	6	1	32	12	8	8	4	-
Harrisonburg city	-	14	-	4	4	5	-	1	2	-	-	-	1	17	2	4	1	1	1
Henrico	7	126	21	12	36	59	4	20	19	-	11	17	11	115	22	54	33	15	3
Henry	7	36	6	2	9	11	1	4	2	-	1	4	9	34	7	10	13	9	-
Highland	-	4	-	1	4	2	-	-	1	-	-	-	-	2	4	-	1	-	-
Hopewell city	2	16	1	-	7	12	-	3	7	-	2	4	3	17	1	5	3	1	-
Isle of Wight	-	24	1	-	2	1	-	3	1	-	-	2	2	12	4	5	3	2	-
James City	1	15	3	3	7	2	1	-	2	-	2	2	1	9	8	2	1	3	-
King and Queen	2	5	2	1	2	1	-	-	1	-	-	-	-	3	1	1	1	-	-
King George	-	3	2	2	2	1	-	1	-	-	1	4	-	7	3	6	2	1	-
King William	1	16	3	1	2	5	-	2	1	-	2	-	1	7	1	4	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	156	–	–	1	39	12	11	1	5	2	2	6	1	76	54	–	–	41	13
Lee	261	–	–	4	55	12	20	1	8	3	1	10	–	132	110	1	1	99	15
Lexington city [9]	70	–	–	1	17	7	4	1	2	–	1	2	1	32	21	–	1	13	7
Loudoun	313	–	–	3	81	22	17	5	10	1	4	22	4	139	105	4	3	65	39
Louisa	175	–	–	3	32	5	15	–	4	2	–	8	7	74	55	–	4	34	17
Lunenburg	145	–	–	1	28	6	8	2	1	2	2	7	5	75	56	–	3	35	18
Lynchburg city	744	–	–	4	178	47	46	16	24	7	6	32	8	386	286	1	24	176	85
Madison	104	–	–	1	27	5	6	2	4	2	1	7	1	54	46	–	1	31	14
Manassas city	96	–	–	–	24	7	7	3	3	–	1	3	2	46	32	–	–	21	11
Manassas Park city [7]	18	–	–	–	3	1	–	–	–	–	–	2	2	6	5	–	–	5	–
Martinsville city	209	–	–	6	44	13	10	2	9	–	1	9	4	103	82	–	3	66	13
Mathews	105	–	–	1	24	4	7	2	5	–	2	4	–	55	39	–	1	29	9
Mecklenburg	326	–	–	1	71	21	23	4	8	3	4	8	11	169	140	2	1	82	55
Middlesex	104	–	–	2	23	4	6	2	4	–	1	6	2	59	50	–	1	40	9
Montgomery	314	–	–	–	51	13	18	3	4	–	2	11	4	167	139	1	4	97	37
Blacksburg	79	–	–	–	19	1	7	1	3	–	1	6	1	39	32	–	–	19	13
Christiansburg	81	–	–	–	10	4	4	–	–	–	1	1	–	50	39	–	–	32	7
Balance of county	154	–	–	–	22	8	7	2	1	–	–	4	3	78	68	1	4	46	17
Nelson	149	–	–	1	24	7	8	–	2	–	2	5	5	86	72	–	–	51	21
New Kent	62	–	–	1	13	3	6	1	1	1	–	1	–	30	24	–	4	11	9
Newport News city	1,013	1	–	23	243	58	64	26	28	12	8	47	12	451	362	2	10	236	112
Norfolk city	2,127	1	–	25	492	125	139	48	53	20	13	94	44	1,009	773	3	42	460	266
Northampton	187	–	–	3	47	8	21	2	6	3	–	7	3	84	58	–	9	35	12
Northumberland	142	–	–	3	42	18	10	1	4	–	1	8	–	66	42	–	–	32	10
Norton city [7]	48	–	–	–	8	1	2	1	3	–	–	1	3	22	21	1	–	14	6
Nottoway	165	–	–	1	31	6	10	2	4	1	2	6	1	99	74	1	2	47	24
Orange	196	1	–	3	33	6	8	3	4	3	1	8	1	96	65	–	7	48	30
Page	221	1	–	4	44	8	14	7	7	–	2	6	4	113	95	1	1	65	28
Patrick	136	–	–	1	30	7	8	1	2	2	–	10	4	61	36	–	1	24	11
Petersburg city	453	1	–	4	104	21	32	15	11	7	2	16	3	222	158	3	7	117	31
Pittsylvania	560	3	–	6	124	28	31	11	21	6	4	23	7	283	220	–	10	148	64
Poquoson city [7]	42	–	–	–	11	2	3	1	–	1	–	4	1	20	16	–	–	11	5
Portsmouth city	1,040	–	1	11	259	65	79	29	23	8	5	50	10	488	379	2	18	256	92
Powhatan	71	–	–	1	23	7	9	–	2	2	–	3	2	24	19	–	1	12	6
Prince Edward	157	–	–	2	40	15	8	2	5	2	–	8	–	72	44	–	3	36	5
Prince George	97	–	–	1	17	6	5	1	–	1	–	4	1	44	39	–	1	30	8
Prince William	539	–	–	6	163	47	45	18	15	5	7	26	6	214	168	2	2	115	48
Pulaski	169	–	–	3	43	12	18	–	2	–	3	8	2	73	50	1	1	33	15
Pulaski [8]	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	167	–	–	3	42	12	17	–	2	–	3	8	2	73	50	1	1	33	15
Radford city	92	–	–	1	17	5	4	3	–	–	–	5	3	49	36	–	–	27	9
Rappahannock	71	–	–	–	15	3	4	3	2	–	–	3	2	33	24	1	2	14	7
Richmond	78	–	–	2	13	5	3	2	2	–	–	1	1	43	35	–	–	28	7
Richmond city	2,654	3	–	30	581	124	189	44	58	22	16	126	47	1,238	959	3	37	693	266
Roanoke	558	1	–	7	112	29	30	8	14	4	4	23	7	281	224	1	3	127	93
Roanoke city	1,224	–	–	8	260	73	79	15	30	11	5	47	13	619	488	5	12	345	125
Rockbridge	164	–	–	–	31	7	12	–	6	–	–	6	2	92	73	–	1	54	18
Rockingham	421	–	–	1	87	19	22	7	9	3	6	21	2	228	174	–	4	111	59
Russell	260	–	–	1	57	10	21	6	10	–	1	9	3	115	87	4	3	61	19
Salem city [9]	334	–	–	4	68	17	20	4	5	4	4	12	4	165	122	1	3	77	41
Scott	239	–	–	2	53	16	13	1	9	2	2	10	4	114	92	–	1	70	21
Shenandoah	322	–	–	3	55	15	12	5	5	2	6	10	2	182	127	1	2	96	31
Smyth	309	–	–	3	65	12	26	4	6	4	3	10	5	153	128	1	3	86	39
Southampton	152	–	–	5	39	4	12	6	2	3	1	11	3	65	53	–	10	35	8
South Boston city [7]	84	–	–	1	24	6	6	1	–	–	2	5	4	37	30	–	2	23	5
Spotsylvania	196	2	–	2	38	8	13	2	5	–	1	9	2	95	76	1	2	54	19
Stafford	187	1	–	2	54	14	24	2	6	2	3	3	4	74	58	1	1	43	13
Staunton city	255	–	1	1	52	16	9	6	4	–	2	15	4	131	97	3	4	69	21
Suffolk city	481	–	–	7	116	32	35	5	14	2	4	24	16	226	179	–	11	119	49
Surry	48	–	–	1	8	1	2	1	2	–	1	1	1	18	16	–	–	11	5
Sussex	124	–	–	2	22	5	8	1	3	1	–	4	4	52	40	–	1	31	8
Tazewell	450	1	–	–	76	17	24	3	11	4	4	13	7	230	186	2	5	146	38
Virginia Beach city	1,251	3	1	14	325	71	97	24	26	13	22	72	15	517	414	4	11	279	120
Warren	199	–	–	–	52	12	16	4	7	2	1	10	1	99	80	3	3	50	24
Front Royal	121	–	–	–	35	8	12	1	4	2	1	7	1	57	48	2	2	29	15
Balance of county	78	–	–	–	17	4	4	3	3	–	–	3	–	42	32	1	1	21	9
Washington	429	–	–	2	88	21	25	6	10	7	5	14	6	204	156	2	4	120	30
Waynesboro city	139	–	–	4	35	7	8	6	1	–	–	13	1	68	49	1	1	35	6
Westmoreland	169	–	–	1	28	6	9	3	4	1	–	5	1	87	66	–	3	47	16
Williamsburg city [7]	89	–	–	–	12	4	4	–	1	1	–	2	–	49	37	–	3	26	6
Winchester city	244	–	–	1	55	13	20	3	7	4	–	8	2	133	97	–	3	59	35
Wise	396	–	–	2	74	20	21	4	8	6	4	11	9	190	155	1	1	120	33
Wythe	223	1	–	3	35	7	13	–	5	–	1	8	4	120	94	2	1	68	23
York	159	–	–	1	51	13	14	4	4	5	–	11	2	55	48	1	3	36	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-789)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	1	19	1	1	6	4	–	3	1	–	–	2	1	13	3	5	1	–	–
Lee	5	16	–	1	5	8	–	2	4	–	1	7	1	24	5	6	4	2	1
Lexington city [7]	–	8	2	1	3	3	1	1	–	–	–	–	–	10	–	–	1	–	–
Loudoun	3	21	5	5	8	9	3	5	4	–	3	5	6	18	9	5	10	1	–
Louisa	1	13	5	–	10	6	–	2	1	–	1	–	1	15	8	10	3	2	–
Lunenburg	1	16	1	1	2	3	1	1	3	–	1	–	–	14	2	8	1	–	–
Lynchburg city	4	85	6	5	19	16	4	17	2	–	2	6	3	60	11	12	12	4	–
Madison	–	5	3	–	–	3	–	1	–	–	1	–	1	6	3	4	2	–	–
Manassas city	–	13	1	–	1	1	–	–	–	–	–	2	2	6	3	6	2	1	–
Manassas Park city [7]	–	1	–	–	–	1	–	1	–	–	2	–	–	–	1	–	1	–	1
Martinsville city	2	13	4	2	3	5	1	5	1	–	1	3	5	18	2	2	6	–	–
Mathews	3	8	3	2	2	1	–	1	–	–	–	1	–	12	3	3	1	1	–
Mecklenburg	–	27	1	1	2	6	3	1	2	–	–	–	3	27	3	13	7	7	–
Middlesex	1	8	–	–	1	3	–	–	1	–	–	–	1	7	4	1	–	–	–
Montgomery	–	23	1	4	9	13	1	5	1	–	2	7	2	27	8	4	6	7	–
Blacksburg	–	6	–	1	1	2	1	2	1	–	2	3	1	4	–	–	2	1	–
Christiansburg	–	9	–	2	2	2	–	–	–	–	–	1	1	6	3	3	3	–	–
Balance of county	–	8	1	1	6	8	–	3	–	–	–	3	–	17	5	1	1	6	–
Nelson	–	13	1	–	4	5	1	–	2	–	1	1	–	9	6	3	1	–	–
New Kent	–	6	–	–	3	–	–	1	3	–	–	–	–	5	1	4	1	–	–
Newport News city	3	74	6	6	32	26	5	15	4	–	5	22	5	80	23	22	20	24	–
Norfolk city	8	188	24	16	46	59	6	28	30	–	17	46	26	160	31	43	24	37	3
Northampton	2	16	5	5	4	4	2	1	3	–	2	2	4	17	6	4	–	1	–
Northumberland	4	15	3	2	3	3	1	1	–	1	1	1	1	13	2	2	1	1	–
Norton city [7]	–	1	–	–	–	2	–	1	–	–	–	–	2	6	1	2	1	–	–
Nottoway	1	18	5	1	5	2	–	3	1	–	1	2	1	8	1	5	2	2	–
Orange	–	10	–	1	9	3	–	4	2	–	1	2	1	23	1	12	–	5	1
Page	–	11	6	1	7	5	1	2	5	–	1	1	1	12	3	8	9	–	–
Patrick	–	21	2	2	4	8	2	–	2	–	2	3	–	9	–	2	7	–	1
Petersburg city	2	51	3	8	11	8	2	3	5	–	3	11	2	47	5	15	2	4	1
Pittsylvania	1	52	5	5	16	11	4	6	1	–	2	7	4	38	15	19	9	5	–
Poquoson city [7]	–	4	–	–	2	2	–	–	1	–	–	–	–	2	1	1	1	–	–
Portsmouth city	5	91	3	10	24	31	4	19	7	–	9	20	6	77	10	30	11	21	2
Powhatan	–	5	–	–	2	4	–	1	1	–	–	1	–	7	3	2	–	–	–
Prince Edward	–	18	10	–	5	8	–	1	2	–	1	2	1	12	4	3	3	1	–
Prince George	–	5	–	–	–	3	–	2	1	–	–	4	–	11	4	6	1	2	–
Prince William	–	29	12	5	5	15	2	1	5	–	9	18	9	36	14	15	13	7	1
Pulaski	–	20	1	2	6	1	3	2	–	–	–	–	2	15	6	6	5	–	–
Pulaski [8]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	–	20	1	2	6	1	3	2	–	–	–	–	2	15	5	6	5	–	–
Radford city	–	11	–	2	1	7	1	1	–	–	–	–	3	4	1	2	1	–	1
Rappahannock	–	8	1	–	5	1	–	–	–	–	–	1	1	6	3	2	1	1	–
Richmond	–	5	1	2	–	1	–	1	2	–	–	1	–	6	1	4	1	–	–
Richmond city	6	225	27	21	69	72	3	42	30	–	9	51	18	249	36	78	31	67	–
Roanoke	2	42	8	5	14	21	1	3	7	–	5	4	1	48	10	23	9	4	–
Roanoke city	8	95	21	7	35	43	3	15	14	–	7	5	7	100	15	46	20	14	–
Rockbridge	1	15	2	1	4	3	–	1	–	–	1	–	–	18	4	5	1	2	–
Rockingham	1	44	4	3	15	11	2	2	5	–	3	2	3	28	6	20	8	–	–
Russell	–	24	2	2	12	10	3	3	2	–	2	4	2	28	3	10	3	3	1
Salem city [7]	3	34	2	4	17	17	1	3	4	1	–	5	2	27	6	8	3	1	–
Scott	1	17	3	1	12	11	–	1	1	–	1	2	–	20	3	11	3	1	–
Shenandoah	–	33	15	7	6	11	–	–	1	–	–	1	5	29	13	9	5	–	–
Smyth	1	19	3	2	11	16	1	2	1	–	2	3	–	28	5	9	2	3	–
Southampton	2	10	–	–	4	3	–	1	2	–	–	–	3	14	4	4	3	2	–
South Boston city [7]	–	7	–	–	3	3	–	1	–	–	–	–	–	8	–	2	1	–	–
Spotsylvania	–	15	2	2	6	4	–	2	–	–	2	7	2	14	11	4	3	2	–
Stafford	1	11	3	1	3	3	–	3	1	–	2	5	2	11	9	3	9	1	–
Staunton city	–	26	6	2	7	6	2	2	2	–	–	2	3	25	7	5	5	–	–
Suffolk city	5	35	4	3	11	7	1	4	6	–	2	7	1	45	10	11	4	7	–
Surry	–	2	–	–	1	2	–	1	–	–	2	2	–	6	3	1	–	–	–
Sussex	–	9	2	1	2	6	–	2	2	–	–	5	1	15	2	7	1	1	–
Tazewell	1	36	3	4	13	29	–	3	3	–	3	7	8	36	6	16	10	1	1
Virginia Beach city	6	60	25	12	47	36	5	17	9	–	13	29	5	96	32	36	34	17	–
Warren	1	14	3	1	1	8	2	2	–	–	4	2	4	8	3	3	7	3	–
Front Royal	1	6	1	1	1	6	2	–	–	–	1	–	3	5	3	2	4	1	–
Balance of county	–	8	2	–	–	2	–	2	–	–	3	2	1	3	–	1	3	2	–
Washington	–	36	5	7	25	19	1	5	4	–	4	7	3	32	9	11	9	1	–
Waynesboro city	1	13	5	1	4	3	1	3	3	–	1	2	–	11	1	5	2	–	–
Westmoreland	–	16	4	1	3	9	–	1	3	–	–	3	4	16	1	6	3	1	–
Williamsburg city [7]	–	10	–	2	2	1	–	1	–	–	–	4	2	6	2	3	5	–	–
Winchester city	1	25	6	4	7	8	–	2	2	–	2	3	2	14	5	4	2	2	–
Wise	1	29	3	2	11	20	–	2	6	–	8	6	4	36	5	11	10	1	1
Wythe	1	17	4	4	8	7	–	1	1	–	1	1	3	19	2	11	6	–	–
York	1	5	–	1	3	3	1	1	4	–	–	2	1	13	11	5	5	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	32,300	12	1	228	7,311	1,869	2,012	645	815	328	287	1,335	558	15,314	11,685	135	293	8,263	2,974
Urban places	16,760	6	1	126	3,662	940	988	325	413	179	155	652	291	8,167	6,168	76	169	4,292	1,631
Balance of area	15,540	6	–	102	3,649	949	1,014	320	402	149	132	683	267	7,147	5,517	59	124	3,991	1,343
Metropolitan counties	25,178	10	1	183	5,708	1,483	1,577	512	627	255	225	1,029	492	11,649	9,030	117	256	6,276	2,361
Urban places	14,833	5	1	112	3,248	854	876	283	357	156	137	585	259	7,159	5,421	71	154	3,711	1,485
Balance of area	10,340	5	–	71	2,460	629	701	229	270	99	88	444	173	4,490	3,609	46	102	2,565	896
Nonmetropolitan counties	7,127	2	–	45	1,603	406	435	133	188	73	62	306	126	3,465	2,655	18	37	2,007	593
Urban places	1,927	1	–	14	414	86	122	42	56	23	18	67	32	1,008	747	5	15	561	146
Balance of area	5,200	1	–	31	1,189	320	313	91	132	50	44	239	94	2,457	1,908	13	22	1,426	447
Adams	111	–	–	1	20	6	3	2	2	1	–	6	3	60	47	1	1	25	20
Asotin	166	–	–	–	30	11	6	–	5	2	2	4	2	87	69	–	3	48	12
Benton	547	–	–	3	147	33	53	13	12	4	8	24	13	213	159	5	3	115	36
Kennewick	215	–	–	2	58	14	19	4	6	2	3	10	6	70	53	2	1	40	10
Richland	165	–	–	1	51	11	20	4	5	–	3	8	3	78	58	1	1	43	11
Balance of county	147	–	–	–	38	8	14	5	1	2	2	6	4	65	50	2	1	32	15
Chelan	463	1	–	6	115	26	38	14	12	7	2	16	6	228	155	2	–	123	30
Wenatchee	251	–	–	4	54	12	19	5	6	2	1	9	1	125	78	–	–	64	14
Balance of county	232	1	–	2	61	14	19	9	6	5	1	7	5	103	77	2	–	59	16
Clallam	463	–	–	2	119	23	40	13	14	7	3	19	7	222	182	3	4	136	39
Port Angeles	182	–	–	–	49	12	14	9	4	5	1	4	1	95	77	2	2	58	15
Balance of county	281	–	–	2	70	11	26	4	10	2	2	15	6	127	105	1	2	78	24
Clark	1,376	–	–	7	346	100	105	32	34	17	10	48	27	638	492	5	24	384	79
Vancouver	605	–	–	3	147	44	50	15	8	9	5	18	7	300	227	1	4	182	40
Balance of county	771	–	–	4	199	56	55	17	26	8	5	32	20	338	265	4	20	202	39
Columbia	50	–	–	–	6	3	2	–	–	–	1	–	–	35	28	1	1	22	4
Cowlitz	653	–	–	5	132	26	47	13	12	5	6	23	18	337	267	–	4	221	42
Kelso	140	–	–	1	23	3	8	1	–	–	4	7	3	75	55	–	2	47	6
Longview	314	–	–	4	59	9	23	5	8	4	–	10	7	172	141	–	2	112	27
Balance of county	199	–	–	–	50	14	16	7	4	1	2	6	8	90	71	–	–	62	9
Douglas	148	–	–	1	35	8	12	1	2	3	2	7	3	67	50	–	1	41	8
Ferry	39	–	–	–	7	2	–	–	1	2	–	2	–	15	11	–	–	9	2
Franklin	211	–	–	1	41	7	9	1	9	2	2	11	6	96	75	–	1	62	12
Pasco	160	–	–	1	30	6	5	1	7	2	1	8	6	76	58	–	1	47	10
Balance of county	51	–	–	–	11	1	4	–	2	–	1	3	–	20	17	–	–	15	2
Garfield	31	–	–	–	6	5	2	–	–	–	–	1	–	18	15	–	–	11	4
Grant	370	–	–	1	89	21	22	11	8	3	1	23	12	161	127	–	1	108	18
Moses Lake	85	–	–	–	25	2	8	1	4	1	1	8	5	31	25	–	1	21	3
Balance of county	285	–	–	1	64	19	14	10	4	2	–	15	7	130	102	–	–	87	15
Grays Harbor	650	1	–	4	139	36	47	8	14	4	8	22	5	358	289	2	4	211	72
Aberdeen	181	1	–	1	39	8	15	2	7	2	3	2	2	103	82	–	2	62	18
Balance of county	469	–	–	3	100	28	32	6	7	2	5	20	3	255	207	2	2	149	54
Island	275	–	–	1	79	23	21	4	7	6	1	17	4	128	96	–	1	72	23
Oak Harbor	47	–	–	–	9	3	–	–	3	1	–	2	2	28	20	–	–	17	3
Balance of county	228	–	–	1	70	20	21	4	4	5	1	15	2	102	78	–	1	55	20
Jefferson	169	–	–	3	39	10	17	2	8	–	–	4	3	72	55	–	–	40	15
King	9,753	2	1	80	2,217	585	588	202	243	96	95	410	173	4,499	3,429	55	106	2,160	1,108
Auburn	223	–	–	–	52	15	14	4	5	3	4	7	3	110	84	–	2	59	23
Bellevue	441	–	–	3	104	23	32	11	11	3	3	21	3	202	151	1	5	102	43
Kent	146	–	–	–	30	9	11	3	2	3	1	1	3	63	48	1	–	33	14
Kirkland	174	–	–	2	53	16	10	7	4	4	2	10	4	65	50	–	–	39	11
Mercer Island	104	–	–	–	26	7	7	4	2	1	2	3	2	40	29	1	1	24	3
Redmond	135	–	–	–	28	8	8	2	2	2	–	6	2	66	56	1	1	42	12
Renton	274	–	–	–	74	22	21	4	8	4	6	9	5	106	88	1	–	58	29
Seattle	5,311	2	1	52	1,138	305	288	98	125	54	51	217	102	2,547	1,937	37	63	1,177	660
Balance of county	2,945	–	–	23	712	180	195	69	84	22	20	136	49	1,300	986	13	34	626	313
Kitsap	1,107	1	–	7	256	55	81	23	25	13	12	47	15	549	431	4	9	309	109
Bremerton	388	–	–	2	77	14	25	4	9	5	4	16	7	218	177	–	2	134	41
Balance of county	719	1	–	5	179	41	56	19	16	8	8	31	8	331	254	4	7	175	68
Kittitas	173	–	–	2	40	7	9	4	6	1	2	11	3	82	56	2	1	41	14
Ellensburg	83	–	–	2	27	6	6	2	5	1	1	6	2	34	24	2	–	17	5
Balance of county	90	–	–	–	13	1	3	2	1	–	1	5	1	48	34	–	1	24	9
Klickitat	162	–	–	2	33	8	8	3	4	1	3	6	–	76	54	–	1	38	15
Lewis	560	–	–	2	122	34	25	9	20	3	4	27	6	288	204	–	–	165	39
Centralia	184	–	–	1	35	10	8	3	5	1	2	8	1	105	71	–	–	53	18
Balance of county	376	–	–	1	87	24	17	6	15	2	2	21	5	181	133	–	–	112	21
Lincoln	123	–	–	–	27	6	8	6	3	1	–	3	3	59	46	1	–	28	17
Mason	277	–	–	–	75	22	23	5	4	3	4	14	3	127	106	–	–	96	10
Okanogan	299	–	–	2	75	17	19	2	13	2	–	22	7	124	96	–	1	63	32
Pacific	212	–	–	5	43	14	15	2	2	–	1	9	7	95	78	–	1	55	22
Pend Oreille	97	–	–	–	16	4	6	–	–	2	–	4	–	47	35	–	–	23	12
Pierce	3,616	4	–	31	799	215	221	77	90	23	31	142	54	1,761	1,322	12	32	982	296
Puyallup	181	–	–	1	34	9	12	–	5	2	1	5	6	98	76	1	1	58	16
Tacoma	1,704	3	–	18	330	94	77	33	43	10	17	56	31	867	627	8	23	442	156
Balance of county	1,731	1	–	12	435	112	132	44	42	11	13	81	17	796	619	5	8	482	124
San Juan	63	–	–	–	13	6	3	2	1	–	–	1	3	32	22	–	1	13	8
Skagit	614	–	–	1	135	34	26	11	19	10	13	22	7	302	237	–	3	183	51
Mount Vernon	135	–	–	–	29	5	10	3	3	3	2	3	–	76	56	–	–	51	5
Balance of county	479	–	–	1	106	29	16	8	16	7	11	19	7	226	181	–	3	132	46
Skamania	36	–	–	–	11	3	3	1	1	1	–	2	1	21	16	–	2	13	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington	133	2,649	468	379	908	1,330	136	464	237	4	248	288	253	2,403	826	943	572	208	56
Urban places	82	1,452	260	205	493	706	77	264	124	3	111	140	106	1,319	299	450	286	106	33
Balance of area	51	1,197	208	174	425	624	59	200	113	1	137	148	147	1,084	527	493	286	102	23
Metropolitan counties	105	2,055	371	298	710	1,050	104	394	187	4	204	231	196	1,903	591	718	465	183	50
Urban places	70	1,261	235	172	435	637	66	243	110	3	102	128	94	1,186	256	394	282	102	31
Balance of area	35	794	136	116	275	413	38	151	77	1	102	103	102	717	335	324	203	81	19
Nonmetropolitan counties	28	594	97	91	198	280	32	70	50	–	44	57	57	500	235	225	107	25	6
Urban places	12	191	25	33	48	69	11	21	14	–	9	12	12	133	43	56	24	4	2
Balance of area	16	403	72	58	150	211	21	49	36	–	35	45	45	367	192	169	83	21	4
Adams	1	9	2	1	2	4	–	–	–	–	–	3	1	9	3	3	2	–	–
Asotin	–	16	6	2	5	7	–	1	–	–	–	2	4	13	5	7	2	1	–
Benton	2	37	8	7	16	26	3	12	2	–	5	6	4	51	14	14	11	7	–
Kennewick	1	12	2	2	3	9	2	4	2	–	2	3	–	29	8	8	4	5	–
Richland	–	15	5	2	5	11	1	5	–	–	1	3	1	13	3	4	5	–	–
Balance of county	1	10	1	3	8	6	–	3	–	–	2	–	3	9	3	2	2	2	–
Chelan	3	59	6	5	12	22	2	9	2	–	4	6	4	30	15	10	8	2	1
Wenatchee	2	39	2	4	7	13	1	7	1	–	1	1	1	18	3	6	6	1	1
Balance of county	1	20	4	1	5	9	1	2	1	–	3	5	3	12	12	4	2	1	–
Clallam	–	30	3	7	11	11	3	4	2	–	3	3	5	34	11	14	11	1	–
Port Angeles	–	13	–	5	4	3	1	1	1	–	–	2	1	15	2	4	2	1	–
Balance of county	–	17	3	2	7	8	2	3	1	–	3	1	4	19	9	10	9	–	–
Clark	4	100	17	23	33	45	4	18	10	–	12	15	19	96	37	30	27	10	4
Vancouver	3	53	9	8	17	17	1	6	5	–	5	9	6	53	9	9	8	1	2
Balance of county	1	47	8	15	16	28	3	12	5	–	7	6	13	43	28	21	19	9	2
Columbia	–	6	1	–	–	2	1	–	–	–	–	–	–	5	1	–	–	–	–
Cowlitz	4	51	7	8	16	25	3	6	3	–	6	5	4	47	15	21	8	2	–
Kelso	1	14	3	2	4	9	2	–	–	–	1	3	1	7	4	3	3	1	–
Longview	2	22	3	4	7	8	1	3	2	–	5	2	2	23	7	12	–	–	–
Balance of county	1	15	1	2	5	8	–	3	1	–	–	–	1	17	4	6	5	1	–
Douglas	1	12	1	3	3	5	1	1	–	–	3	2	1	17	3	4	1	1	–
Ferry	–	3	1	–	–	1	–	–	1	–	–	2	1	6	3	1	2	–	–
Franklin	1	17	1	2	1	10	–	3	–	1	3	5	–	19	10	11	2	2	–
Pasco	1	16	–	1	1	6	–	1	–	1	2	4	–	16	5	7	2	2	–
Balance of county	–	1	1	1	–	4	–	2	–	–	1	1	–	3	5	4	–	–	–
Garfield	–	3	–	–	1	1	–	–	–	–	–	–	–	3	–	–	–	–	–
Grant	2	23	4	5	6	16	2	7	5	–	3	3	3	24	17	9	11	1	–
Moses Lake	1	2	1	2	2	1	1	1	1	–	–	–	–	9	3	–	6	–	–
Balance of county	1	21	3	3	4	15	1	6	4	–	3	3	3	15	14	9	5	1	–
Grays Harbor	1	59	5	4	17	14	1	5	8	–	2	5	6	34	17	24	7	1	2
Aberdeen	–	19	2	–	5	3	–	2	2	–	–	–	4	10	3	6	–	–	–
Balance of county	1	40	3	4	12	11	1	3	6	–	2	5	2	24	14	18	7	1	2
Island	–	21	7	4	6	10	1	3	2	–	2	–	–	13	13	11	2	–	–
Oak Harbor	–	4	1	1	–	2	–	–	–	–	–	–	–	2	4	2	–	–	–
Balance of county	–	17	6	3	6	8	1	3	2	–	2	–	–	11	9	9	2	–	–
Jefferson	–	15	–	2	9	10	1	4	–	–	1	4	–	13	3	2	5	–	–
King	40	794	127	109	329	406	35	171	83	2	53	79	69	798	194	297	171	74	26
Auburn	–	21	4	1	6	13	–	5	1	–	–	2	5	14	4	3	3	2	–
Bellevue	–	41	5	5	12	20	2	6	6	–	8	4	3	31	10	14	7	4	2
Kent	1	8	1	5	5	3	1	–	2	–	1	1	2	9	10	13	3	–	–
Kirkland	–	11	3	1	5	7	1	1	–	–	–	1	1	15	7	9	2	–	1
Mercer Island	1	8	1	1	7	6	–	3	–	–	2	–	–	7	2	6	3	–	–
Redmond	2	5	–	3	3	8	1	2	–	–	1	2	–	10	4	5	2	1	–
Renton	–	12	3	3	9	17	2	4	3	–	1	3	4	25	9	7	4	1	–
Seattle	27	455	63	65	186	216	19	97	47	1	23	35	29	459	58	141	98	44	16
Balance of county	9	233	47	25	96	116	9	53	24	1	17	25	25	228	90	99	49	22	7
Kitsap	7	86	11	12	34	50	5	11	10	–	6	12	6	65	29	20	23	4	4
Bremerton	3	29	4	5	11	19	5	1	4	–	1	4	1	17	9	4	5	1	2
Balance of county	4	59	7	7	23	31	–	10	6	–	5	8	5	48	20	16	18	3	2
Kittitas	–	17	2	5	6	10	–	2	3	–	–	2	1	12	6	4	–	–	–
Ellensburg	–	8	–	2	1	5	–	–	1	–	–	1	–	7	2	1	–	–	–
Balance of county	–	9	2	3	5	5	–	2	2	–	–	1	1	5	4	3	–	–	–
Klickitat	–	14	5	3	2	6	1	–	1	–	2	1	1	10	17	6	2	1	1
Lewis	4	59	11	8	21	23	3	4	10	–	6	2	8	36	9	12	6	4	–
Centralia	2	24	5	3	6	9	2	2	3	–	–	–	2	11	1	5	1	–	–
Balance of county	2	35	6	5	15	14	1	2	7	–	6	2	6	25	8	7	5	4	–
Lincoln	1	7	2	3	4	8	1	–	1	–	1	1	–	12	4	1	1	–	–
Mason	–	19	2	–	9	12	1	2	2	–	2	4	1	21	4	8	5	2	1
Okanogan	1	18	3	6	7	12	–	3	1	–	2	1	3	26	17	8	9	2	–
Pacific	2	7	6	2	5	10	2	5	1	–	1	1	4	18	5	5	–	1	–
Pend Oreille	–	12	–	–	6	4	1	1	1	–	–	1	2	4	5	7	2	–	–
Pierce	15	328	58	38	68	150	21	54	17	–	48	42	35	231	90	104	70	30	7
Puyallup	–	14	7	1	7	8	–	2	–	–	2	1	–	16	1	2	2	1	–
Tacoma	10	178	35	16	28	70	13	36	8	–	21	16	13	109	34	49	36	18	4
Balance of county	5	135	16	21	33	72	8	16	9	–	25	25	22	108	55	53	32	11	3
San Juan	1	6	2	1	5	1	–	–	–	–	–	1	–	3	–	2	2	1	–
Skagit	2	45	0	8	26	19	2	4	4	–	3	2	2	47	24	27	4	4	1
Mount Vernon	2	15	–	3	5	2	1	–	2	–	–	2	–	6	5	4	1	1	1
Balance of county	–	30	9	6	21	17	1	4	2	–	3	–	2	41	19	23	3	3	–
Skamania	–	3	–	2	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,360	1	–	10	519	132	140	37	70	25	17	98	49	1,111	845	10	31	579	225
Edmonds	256	–	–	–	58	18	15	4	6	2	2	11	4	127	102	1	3	66	32
Everett	639	–	–	4	141	40	40	7	23	3	4	24	9	318	225	1	16	156	56
Lynnwood	140	–	–	–	32	3	10	4	2	4	–	9	1	70	52	–	2	41	9
Mountlake Terrace	73	–	–	–	17	2	4	5	2	1	1	2	5	32	26	–	–	19	3
Balance of county	1,252	1	–	6	271	69	71	17	37	15	10	52	30	566	436	8	10	298	122
Spokane	2,865	–	–	20	651	162	182	59	69	31	22	126	44	1,361	1,013	10	17	726	260
Spokane	1,929	–	–	12	445	115	123	40	51	18	17	81	23	940	702	8	14	509	177
Balance of county	936	–	–	8	206	47	59	19	18	13	5	45	21	421	311	2	3	223	83
Stevens	247	–	–	2	54	16	9	4	8	4	1	12	7	97	72	2	–	49	21
Thurston	939	–	–	8	223	61	63	15	21	13	6	44	10	448	363	4	12	270	77
Lacey	154	–	–	2	22	8	5	1	1	3	2	2	4	82	66	1	4	49	12
Olympia	328	–	–	3	76	20	17	6	7	6	–	20	3	149	124	1	4	92	27
Balance of county	457	–	–	3	125	33	41	8	13	4	4	22	3	217	173	2	4	129	36
Wahkiakum	29	–	–	–	6	–	1	1	2	1	–	1	1	17	15	1	–	11	3
Walla Walla	391	–	–	1	83	21	14	11	16	2	5	14	11	192	137	2	5	94	36
Walla Walla	271	–	–	1	53	13	11	7	8	2	3	9	7	139	96	1	5	66	25
Balance of county	120	–	–	–	30	8	3	4	8	–	2	5	4	53	41	1	–	29	11
Whatcom	877	1	–	4	191	43	50	22	16	13	10	37	21	417	313	5	8	240	60
Bellingham	464	–	–	2	100	23	23	7	9	8	5	25	14	226	162	3	5	117	37
Balance of county	413	1	–	2	91	20	27	15	7	5	5	12	7	191	151	2	3	123	23
Whitman	236	–	–	4	52	14	9	4	6	2	3	14	4	120	94	1	2	68	23
Pullman	54	–	–	–	12	3	–	4	3	1	–	1	1	27	22	–	1	14	7
Balance of county	182	–	–	4	40	11	9	–	3	1	3	13	3	93	72	1	1	54	16
Yakima	1,522	1	–	12	318	90	87	31	38	18	12	42	20	758	588	7	13	449	119
Yakima	604	–	–	4	125	28	40	15	14	7	3	16	6	311	248	3	1	186	50
Balance of county	918	1	–	8	193	62	47	16	24	11	9	24	14	447	345	4	12	260	69
West Virginia	18,994	18	1	160	3,914	893	1,216	322	362	147	139	835	361	9,858	7,916	65	221	5,527	2,106
Urban places	5,245	5	–	45	1,158	270	354	120	111	42	43	218	92	2,778	2,180	20	60	1,518	662
Balance of area	13,749	13	1	115	2,756	623	862	202	251	105	96	617	269	7,080	5,736	45	161	4,009	1,444
Metropolitan counties	6,828	5	–	60	1,510	341	490	144	122	59	53	301	131	3,543	2,822	24	77	1,944	777
Urban places	3,602	4	–	29	814	188	276	83	66	24	27	150	63	1,897	1,484	14	41	1,050	378
Balance of area	3,226	1	–	31	696	153	214	61	56	35	26	151	68	1,646	1,338	10	36	894	399
Nonmetropolitan counties	12,166	13	1	100	2,404	552	726	178	240	88	86	534	230	6,315	5,094	41	144	3,583	1,329
Urban places	1,643	1	–	16	344	82	78	37	45	18	16	68	29	881	696	6	19	466	209
Balance of area	10,523	12	1	84	2,060	470	648	141	195	70	70	466	201	5,434	4,398	35	125	3,115	1,120
Barbour	178	–	–	1	38	7	13	2	5	–	2	9	2	99	75	–	5	58	12
Berkeley	449	–	–	6	100	30	29	6	11	2	1	21	15	213	160	–	4	109	47
Martinsburg	215	–	–	5	44	12	15	3	5	1	–	8	11	111	86	–	1	56	29
Balance of county	234	–	–	1	56	18	14	3	6	1	1	13	4	102	74	–	3	53	18
Boone	278	1	–	1	59	15	18	4	6	3	1	12	5	129	95	1	3	61	30
Braxton	164	–	–	–	24	6	8	–	4	1	–	5	2	85	73	1	2	51	19
Brooke	270	–	–	1	53	12	18	6	5	1	2	9	4	161	122	2	4	87	29
Weirton, part	49	–	–	–	10	3	5	–	1	–	–	1	1	27	21	–	1	14	6
Balance of county	221	–	–	1	43	9	13	6	4	1	2	8	3	134	101	2	3	73	23
Cabell	1,130	–	–	9	250	62	70	25	18	10	7	58	22	600	462	2	9	346	106
Huntington, part	773	–	–	6	158	40	45	18	10	4	5	36	17	427	327	2	6	245	72
Huntington, total	827	–	–	6	174	45	51	19	11	4	6	38	17	454	344	2	6	259	75
Balance of county	357	–	–	3	92	22	25	7	8	6	2	22	5	173	135	–	1	96	36
Calhoun	80	–	–	–	16	3	6	1	2	1	–	3	3	39	31	–	–	25	6
Clay	96	–	–	1	13	3	6	–	–	1	–	3	–	46	42	–	1	31	10
Doddridge	76	–	–	–	10	2	1	–	1	2	–	4	1	46	32	1	3	23	5
Fayette	654	–	1	9	140	27	50	11	9	2	6	33	11	339	260	4	6	219	51
Gilmer	92	–	–	2	16	3	6	1	1	–	1	4	1	46	35	–	1	28	6
Grant	82	–	–	–	13	2	5	1	1	–	–	4	1	46	32	–	–	21	11
Greenbrier	407	2	–	4	67	18	21	4	6	2	2	14	3	226	187	2	1	141	46
Hampshire	144	–	–	–	43	12	10	3	3	3	2	10	2	71	63	–	2	46	16
Hancock	373	2	–	3	89	20	24	8	6	8	5	18	10	182	154	3	7	138	21
Weirton, part	205	2	–	2	48	11	14	4	5	4	2	8	6	93	75	3	5	55	12
Weirton, total	254	2	–	2	58	14	19	4	6	4	2	9	7	120	96	3	6	69	15
Balance of county	168	–	–	1	41	9	10	4	1	4	3	10	4	89	79	–	2	66	9
Hardy	104	–	–	2	21	5	4	–	5	–	1	6	2	56	47	1	2	36	8
Harrison	869	1	–	9	187	41	46	22	23	7	7	41	12	459	380	1	19	289	71
Clarksburg	338	–	–	4	86	21	18	10	13	4	4	16	3	177	135	1	3	96	36
Balance of county	531	1	–	5	101	20	28	12	10	3	3	25	9	282	225	–	16	174	35
Jackson	234	–	–	–	66	14	22	3	11	3	2	11	3	115	90	–	3	55	32
Jefferson	253	–	–	–	59	17	21	3	4	3	–	11	5	130	114	–	5	84	26
Kanawha	2,237	1	–	19	514	115	171	47	37	18	19	109	32	1,105	875	6	34	525	310
Charleston	841	1	–	2	195	39	74	20	14	5	6	37	8	427	330	3	14	199	120
St. Albans	167	–	–	3	37	10	11	3	3	1	3	6	3	84	69	–	4	52	15
South Charleston	159	–	–	2	44	12	11	9	3	–	1	8	2	84	60	–	–	40	20
Balance of county	1,070	–	–	12	238	54	75	15	17	10	9	58	19	510	416	3	16	240	157
Lewis	228	–	–	4	38	14	13	3	1	1	–	6	6	123	102	1	3	62	36
Lincoln	217	1	–	2	38	10	10	4	1	1	2	10	6	116	95	1	1	67	25
Logan	490	2	–	3	87	13	41	4	6	1	2	20	5	249	216	–	3	136	77
McDowell	497	–	–	4	101	31	32	5	12	2	2	17	19	209	166	–	10	117	39
Marion	651	–	–	4	148	31	38	16	9	8	12	34	7	359	281	–	10	206	65
Fairmont	291	–	–	2	69	17	18	8	4	4	7	11	3	158	122	–	6	89	27
Balance of county	360	–	–	2	79	14	20	8	5	4	5	23	4	201	159	–	4	117	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Snohomish	10	175	58	23	91	100	15	28	15	–	25	25	15	178	60	68	44	13	3
Edmonds	–	17	5	3	12	8	2	2	–	–	3	4	1	24	2	6	2	1	–
Everett	2	48	33	6	23	31	5	10	7	–	4	7	3	45	9	18	5	1	1
Lynnwood	1	14	1	2	4	6	–	3	1	–	1	–	2	5	3	6	3	3	–
Mountlake Terrace	–	3	1	–	1	2	–	–	1	–	2	1	1	6	2	2	1	–	–
Balance of county	7	83	18	10	41	53	6	13	6	–	15	13	8	98	44	36	33	8	2
Spokane	15	244	53	36	50	138	11	50	23	–	29	28	15	228	62	57	73	23	2
Spokane	13	168	35	22	35	88	6	35	16	–	14	16	10	149	35	33	46	15	1
Balance of county	2	76	18	14	15	40	5	15	7	–	15	12	5	79	27	24	27	8	1
Stevens	2	22	–	1	4	15	1	2	1	–	–	4	4	16	17	16	6	1	–
Thurston	4	63	7	11	27	37	4	11	5	1	5	4	7	76	31	29	11	2	–
Lacey	2	11	–	3	4	8	1	1	1	1	–	1	1	15	1	7	3	–	–
Olympia	–	21	2	2	12	13	2	4	–	–	1	1	2	37	11	10	4	–	–
Balance of county	2	31	5	6	11	16	1	6	4	–	4	2	4	24	19	12	4	2	–
Wahkiakum	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Walla Walla	2	34	12	7	5	20	3	5	1	–	2	–	1	38	11	13	5	–	–
Walla Walla	2	27	8	6	3	13	2	4	1	–	2	–	1	24	8	10	3	–	–
Balance of county	–	7	4	1	2	7	1	1	–	–	–	–	–	14	3	3	2	–	–
Whatcom	1	76	14	13	17	39	–	11	8	–	5	9	7	63	21	42	14	6	1
Bellingham	–	51	6	7	12	17	–	6	4	–	3	5	1	37	10	16	9	1	1
Balance of county	1	25	8	6	5	22	–	5	4	–	2	4	6	26	11	26	5	5	–
Whitman	1	22	–	3	9	12	2	1	1	–	–	2	1	9	8	6	5	–	–
Pullman	–	4	–	1	4	1	–	1	–	–	–	1	–	1	1	3	2	–	–
Balance of county	1	18	–	2	5	11	2	–	1	–	–	1	1	8	7	3	3	–	–
Yakima	6	133	17	14	54	49	6	25	14	–	13	12	19	88	43	46	19	12	3
Yakima	3	49	10	6	27	24	2	9	2	–	4	5	8	45	10	15	5	1	1
Balance of county	3	84	7	8	27	25	4	16	12	–	9	7	11	53	33	31	14	11	2
West Virginia	57	1,434	247	204	395	690	46	196	180	1	106	140	183	1,427	457	459	230	133	39
Urban places	19	437	80	62	110	165	12	56	56	–	22	35	58	380	76	111	56	21	10
Balance of area	38	997	167	142	285	525	34	140	124	1	84	105	125	1,047	382	348	174	112	29
Metropolitan counties	28	528	80	85	133	206	16	84	57	–	36	51	81	478	149	168	76	31	13
Urban places	14	306	51	42	71	105	10	44	33	–	15	28	46	254	54	79	39	10	7
Balance of area	14	222	29	43	62	101	6	40	24	–	21	23	35	224	95	89	37	21	6
Nonmetropolitan counties	29	906	167	119	262	484	30	112	123	1	70	89	102	949	308	291	154	102	26
Urban places	5	131	29	20	39	60	2	12	23	–	7	7	12	126	21	32	17	11	3
Balance of area	24	775	138	99	223	424	28	100	100	1	63	82	90	823	287	259	137	91	23
Barbour	–	18	1	5	7	7	–	–	1	–	–	3	2	8	5	3	2	–	–
Berkeley	–	36	8	9	9	27	3	4	2	–	2	3	1	34	9	9	6	2	4
Martinsburg	–	14	6	5	2	12	1	4	1	–	2	2	1	11	2	3	2	1	–
Balance of county	–	22	2	4	7	15	2	–	1	–	–	1	–	23	7	6	4	1	4
Boone	1	29	2	2	3	12	1	2	1	–	3	1	2	35	6	7	5	5	–
Braxton	1	10	–	1	6	13	–	1	2	–	1	–	2	8	9	6	2	2	–
Brooke	1	25	7	6	6	3	1	1	–	–	2	3	3	18	4	4	2	2	–
Weirton, part	–	4	–	2	1	3	1	–	–	–	–	–	–	4	1	1	–	–	–
Balance of county	1	21	7	4	7	–	–	1	–	–	2	3	3	14	3	3	2	2	–
Cabell	2	107	18	11	24	39	2	10	2	–	6	8	20	66	20	17	10	3	2
Huntington, part	1	78	14	7	18	23	2	9	1	–	2	5	16	61	10	10	6	–	2
Huntington, total	1	85	16	8	19	24	2	9	2	–	2	5	18	64	12	11	6	–	2
Balance of county	1	29	4	4	6	16	–	1	1	–	4	3	4	25	10	7	4	3	–
Calhoun	–	6	1	1	2	3	–	–	1	–	–	–	1	8	3	2	2	–	–
Clay	–	4	–	–	4	3	1	1	1	–	–	–	–	14	5	3	–	4	–
Doddridge	–	7	4	3	3	2	1	–	–	–	–	1	–	5	3	2	2	–	–
Fayette	2	46	4	7	16	29	–	8	3	–	2	2	3	56	15	10	7	2	2
Gilmer	1	6	2	2	2	3	–	1	–	–	2	1	–	9	2	7	–	–	–
Grant	–	13	1	–	2	3	2	1	1	–	1	1	–	2	1	5	3	–	–
Greenbrier	–	29	7	3	6	17	–	4	6	–	2	2	2	30	16	9	8	3	–
Hampshire	–	6	1	1	4	5	–	–	–	–	–	1	–	6	4	4	1	2	1
Hancock	–	19	4	5	6	15	1	3	5	–	3	3	4	25	9	8	4	–	1
Weirton, part	–	10	4	4	4	10	1	2	3	–	2	–	4	17	5	2	3	–	1
Weirton, total	–	14	4	6	5	13	2	2	3	–	2	–	4	21	6	3	3	–	1
Balance of county	–	9	–	1	2	5	–	1	2	–	1	3	–	8	4	6	1	–	–
Hardy	–	8	–	1	2	1	–	4	1	–	1	–	–	6	2	2	1	2	1
Harrison	5	67	15	12	19	31	1	11	8	–	8	4	14	61	11	18	11	1	3
Clarksburg	1	20	9	3	5	11	–	3	4	–	2	–	3	29	2	6	3	–	–
Balance of county	4	38	6	9	14	20	1	8	4	–	6	4	11	32	9	12	8	1	3
Jackson	–	13	11	1	4	13	–	1	3	–	1	3	1	11	6	4	3	–	–
Jefferson	–	12	2	2	4	10	–	1	2	–	2	2	4	19	7	1	4	2	1
Kanawha	12	176	16	26	41	64	7	43	23	–	12	15	17	174	51	70	29	15	5
Charleston	–	79	10	8	16	24	3	17	10	–	3	5	5	64	12	29	11	7	2
St. Albans	–	10	2	3	4	3	–	4	1	–	–	4	2	13	2	5	2	–	–
South Charleston	4	18	1	1	2	6	–	–	–	–	2	–	–	9	3	4	1	–	–
Balance of county	8	69	3	14	19	31	4	22	12	–	7	6	10	88	34	32	15	8	3
Lewis	–	16	3	2	4	10	3	1	4	–	–	3	2	15	6	6	2	1	–
Lincoln	–	15	4	2	4	6	–	2	3	–	–	–	2	21	10	3	2	–	1
Logan	1	27	3	2	11	27	1	8	3	–	3	5	6	40	14	19	4	2	1
McDowell	2	36	2	3	12	29	–	5	5	–	3	8	6	51	10	12	7	6	–
Marion	3	61	8	5	19	21	5	6	6	–	5	7	1	39	8	9	5	2	–
Fairmont	3	26	5	2	12	9	1	1	4	–	–	3	–	18	4	3	3	1	–
Balance of county	–	35	4	3	7	12	4	5	2	–	5	4	1	21	4	6	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	369	1	–	1	78	22	25	9	5	1	3	13	9	200	162	3	3	122	34
Moundsville	168	–	–	–	34	7	13	5	2	–	2	5	4	97	79	1	2	62	14
Wheeling, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	199	1	–	1	44	15	12	4	3	1	1	8	5	102	82	2	1	59	20
Mason	266	–	–	4	51	13	16	3	5	1	1	12	1	139	112	2	2	84	24
Mercer	720	1	–	7	135	28	36	6	20	5	7	33	11	390	311	5	9	212	85
Bluefield [18]	205	1	–	2	38	8	6	2	7	3	3	9	4	114	90	3	–	59	28
Balance of county	515	–	–	5	97	20	30	4	13	2	4	24	7	276	221	2	9	153	57
Mineral	263	–	–	2	59	13	13	7	9	2	4	11	6	147	127	–	3	74	50
Mingo	376	–	–	3	78	8	37	4	7	4	3	15	6	184	167	–	4	93	70
Monongalia	543	–	–	3	108	31	22	10	12	5	3	25	13	270	210	3	4	145	58
Morgantown	254	–	–	1	49	9	8	7	6	4	1	14	3	129	103	–	2	68	33
Balance of county	289	–	–	2	59	22	14	3	6	1	2	11	10	141	107	3	2	77	25
Monroe	133	–	–	1	18	5	2	–	2	–	1	8	2	77	56	1	1	41	13
Morgan	120	–	–	1	26	9	6	1	1	2	–	7	2	57	51	1	3	25	22
Nicholas	238	1	–	2	46	7	14	5	3	3	4	10	7	108	81	3	2	62	24
Ohio	688	–	–	9	169	39	59	14	15	7	4	31	10	371	291	4	1	242	44
Wheeling, part	566	–	–	7	139	31	48	10	14	6	3	27	9	310	245	3	–	207	35
Wheeling, total	568	–	–	7	139	31	48	10	14	6	3	27	9	311	246	3	–	208	35
Balance of county	122	–	–	2	30	8	11	4	1	1	1	4	1	61	46	1	1	35	9
Pendleton	87	–	–	1	16	6	3	1	3	–	–	3	2	49	38	–	–	28	10
Pleasants	83	–	–	3	17	3	4	1	4	1	1	3	3	35	28	–	–	21	7
Pocahontas	130	–	–	–	21	4	10	1	1	–	1	4	1	82	67	–	–	55	12
Preston	299	–	–	4	54	12	13	4	4	4	3	14	9	158	132	–	2	90	40
Putnam	241	–	–	3	44	5	17	6	2	3	–	11	8	126	106	1	3	68	34
Raleigh	901	2	–	6	163	30	56	22	17	6	4	28	17	472	404	3	13	288	100
Beckley	340	–	–	2	58	15	13	7	10	2	1	10	5	182	160	2	7	101	50
Balance of county	561	2	–	4	105	15	43	15	7	4	3	18	12	290	244	1	6	187	50
Randolph	258	–	–	4	51	10	15	2	9	–	2	13	8	131	98	2	4	68	24
Ritchie	142	–	–	2	32	10	10	1	2	1	1	7	4	63	50	1	–	40	9
Roane	189	–	–	1	29	8	5	2	2	3	3	6	1	114	78	2	3	58	15
Summers	186	–	–	3	32	4	16	2	3	1	–	6	4	90	72	–	1	53	18
Taylor	202	–	–	1	38	7	12	2	3	2	–	12	5	110	81	–	2	43	36
Tucker	124	–	–	1	27	9	7	2	4	–	–	5	1	67	48	1	2	34	11
Tyler	114	–	–	1	24	11	3	1	2	2	–	5	3	63	52	–	–	41	11
Upshur	206	–	–	–	39	9	11	1	3	2	2	11	–	122	91	1	1	57	32
Wayne	363	–	–	4	72	16	21	6	4	6	4	15	5	187	142	1	5	108	28
Huntington, part	54	–	–	–	16	5	6	1	1	–	1	2	–	27	17	–	–	14	3
Balance of county	309	–	–	4	56	11	15	5	3	6	3	13	5	160	125	1	5	94	25
Webster	117	–	–	–	19	3	7	3	1	–	–	5	7	61	48	1	1	22	24
Wetzel	211	–	–	–	44	13	10	8	3	1	3	6	3	126	105	1	2	85	17
Wirt	39	–	–	–	8	2	3	–	–	1	–	2	4	19	19	–	–	15	4
Wood	855	1	–	9	174	35	69	16	21	4	5	24	21	445	362	2	8	237	115
Parkersburg	522	–	–	7	119	29	45	10	11	4	3	17	10	260	208	2	5	136	65
Vienna	96	1	–	–	14	1	4	3	2	–	1	3	3	60	52	–	2	31	19
Balance of county	237	–	–	2	41	5	20	3	8	–	1	4	8	125	102	–	1	70	31
Wyoming	286	2	–	1	52	8	11	3	8	2	2	18	9	146	128	1	4	94	29
Wisconsin	40,281	19	–	326	8,969	2,531	2,016	892	1,024	414	393	1,779	744	21,080	16,476	140	392	12,466	3,476
Urban places	20,233	15	–	175	4,627	1,289	1,097	452	499	210	178	902	349	10,466	8,194	84	216	6,244	1,650
Balance of area	20,048	4	–	151	4,362	1,242	919	360	525	204	215	877	395	10,614	8,282	56	176	6,222	1,826
Metropolitan counties	24,792	16	–	213	5,610	1,563	1,312	522	642	254	235	1,082	425	12,785	10,054	96	275	7,679	2,004
Urban places	18,013	14	–	152	4,115	1,145	998	389	449	186	157	791	300	9,257	7,201	81	204	5,549	1,457
Balance of area	6,779	2	–	61	1,495	418	314	133	193	68	78	291	125	3,528	2,763	15	71	2,130	547
Nonmetropolitan counties	15,489	3	–	113	3,379	968	704	310	382	160	158	697	319	8,295	6,422	44	117	4,787	1,474
Urban places	2,220	1	–	23	512	144	99	63	50	24	21	111	49	1,209	903	3	12	695	193
Balance of area	13,269	2	–	90	2,867	824	605	247	332	136	137	586	270	7,086	5,519	41	105	4,092	1,281
Adams	149	–	–	1	31	10	4	1	4	–	2	10	4	77	53	1	–	34	18
Ashland	196	–	–	1	37	15	6	4	6	–	1	5	5	106	86	–	1	41	44
Barron	405	–	–	3	79	13	16	11	16	1	6	16	3	218	171	2	2	119	48
Bayfield	152	–	–	–	33	10	9	2	6	2	–	4	1	90	68	2	4	44	18
Brown	1,250	–	–	14	259	82	50	19	31	14	13	50	22	670	501	3	3	388	107
Allouez town#	96	–	–	1	20	7	3	1	3	2	1	3	–	49	36	–	–	33	3
Ashwaubenon	84	–	–	2	12	7	–	1	–	–	1	3	–	48	33	–	–	27	6
De Pere	104	–	–	1	28	7	9	1	3	3	–	5	3	53	34	1	–	29	4
Green Bay	752	–	–	9	154	45	33	13	16	9	8	30	12	410	303	2	2	225	74
Balance of county	214	–	–	1	45	16	5	3	9	–	3	9	7	110	95	–	1	74	20
Buffalo	154	–	–	2	30	15	7	–	2	1	–	5	5	79	66	1	–	40	25
Burnett	146	–	–	–	30	7	9	1	3	2	1	7	3	73	58	–	1	36	21
Calumet	202	–	–	1	41	14	3	2	5	3	5	9	6	116	90	–	2	78	10
Appleton, part	11	–	–	1	2	–	1	–	–	–	–	1	–	6	6	–	–	5	1
Balance of county	191	–	–	–	39	14	2	2	5	3	5	8	6	110	84	–	2	73	9
Chippewa	485	–	–	2	104	29	25	2	15	2	3	28	7	258	200	2	6	154	38
Chippewa Falls	128	–	–	1	29	12	5	–	6	1	1	4	2	57	47	1	1	38	7
Eau Claire, part	4	–	–	–	1	–	1	–	–	–	–	–	–	3	3	–	1	1	1
Balance of county	353	–	–	1	74	17	19	2	9	1	2	24	5	198	150	1	4	115	30
Clark	367	–	–	3	80	23	13	8	11	5	5	15	11	202	159	1	1	120	37
Columbia	425	–	–	4	108	29	22	6	12	10	7	20	7	236	200	1	2	132	65
Crawford	160	–	–	1	27	11	6	3	1	–	–	6	6	96	76	–	1	63	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	1	25	5	7	8	11	1	6	3	-	1	2	2	23	7	10	6	-	-
Moundsville	1	12	3	2	3	5	-	3	2	-	-	-	2	10	1	3	4	-	-
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	-	13	2	5	5	6	1	3	1	-	1	2	-	13	5	7	2	-	-
Mason	-	22	4	1	9	13	1	2	1	-	4	1	2	17	13	6	2	-	-
Mercer	1	60	11	7	7	31	2	2	13	-	1	4	5	54	19	24	10	9	1
Bluefield [10]	1	17	2	4	3	7	-	-	4	-	-	-	2	13	5	7	2	2	1
Balance of county	-	43	9	3	4	24	2	2	9	-	1	4	3	41	8	17	8	7	-
Mineral	-	16	2	2	7	7	1	1	2	-	1	1	1	15	7	1	3	1	1
Mingo	-	15	-	2	6	14	-	5	5	-	6	2	5	30	10	8	5	8	1
Monongalia	2	38	16	4	11	20	-	4	9	-	2	-	6	46	14	13	12	8	2
Morgantown	-	16	7	3	6	10	-	2	6	-	1	-	3	19	5	7	6	3	2
Balance of county	2	22	9	1	3	10	-	2	3	-	1	-	3	28	9	6	6	5	-
Monroe	-	13	6	2	3	2	-	1	3	-	1	1	-	9	6	5	2	-	-
Morgan	-	5	-	1	3	2	-	2	3	-	2	1	1	9	2	4	3	2	-
Nicholas	1	13	1	2	4	11	-	1	5	-	1	1	2	25	10	4	4	4	2
Ohio	6	55	7	12	10	16	1	7	11	-	3	6	2	40	11	13	3	2	2
Wheeling, part	5	44	7	9	9	14	1	6	9	-	2	5	2	31	10	7	3	1	1
Wheeling, total	5	44	7	9	9	14	1	6	9	-	2	5	2	31	11	7	3	1	1
Balance of county	1	11	-	3	1	4	-	1	2	-	1	1	-	9	1	6	-	1	1
Pendleton	-	6	1	2	2	2	1	-	-	-	-	1	-	6	1	2	2	-	-
Pleasants	-	7	-	-	4	2	-	-	-	-	1	1	2	10	3	2	-	-	-
Pocahontas	-	12	2	1	4	3	-	4	-	-	-	-	1	7	3	-	2	1	1
Preston	-	23	3	-	5	11	-	4	2	-	2	4	3	29	8	2	3	-	1
Putnam	-	14	2	4	4	10	-	4	1	-	2	3	2	13	9	8	1	2	1
Raleigh	3	57	4	4	21	34	1	7	8	-	7	11	5	91	18	20	5	13	-
Beckley	-	29	-	3	9	11	-	2	4	-	2	2	3	36	3	6	1	4	-
Balance of county	3	28	4	1	12	23	1	5	4	-	5	9	2	55	15	14	4	9	-
Randolph	1	24	5	3	2	10	1	4	2	-	-	4	8	16	6	8	3	-	-
Ritchie	-	8	2	3	2	4	1	1	2	-	-	-	2	10	7	0	1	2	-
Roane	-	32	-	4	5	5	1	-	1	-	2	1	1	12	8	4	4	-	-
Summers	-	13	2	3	6	10	-	2	1	1	2	2	2	17	2	4	5	3	-
Taylor	-	19	6	2	6	8	1	2	2	-	-	-	1	15	-	2	4	4	1
Tucker	1	11	7	-	1	4	1	1	2	-	-	1	1	8	1	4	1	2	1
Tyler	-	9	-	2	2	3	-	-	1	-	1	-	1	8	4	5	-	-	-
Upshur	4	16	9	2	3	7	1	-	4	-	-	2	1	13	3	7	2	1	1
Wayne	3	29	8	5	8	13	-	4	3	-	1	-	6	26	17	9	2	4	-
Huntington, part	-	7	2	1	1	1	-	-	1	-	-	-	2	3	2	1	-	-	-
Balance of county	3	22	6	4	7	12	-	4	2	-	1	-	6	23	15	8	2	4	-
Webster	-	9	2	2	3	3	-	3	1	-	-	-	2	13	3	1	1	-	-
Wetzel	-	13	4	4	3	7	1	1	3	-	-	3	1	8	3	6	1	1	-
Wirt	-	-	-	-	1	-	-	-	1	-	-	-	-	3	1	2	-	-	-
Wood	3	62	11	7	16	26	2	5	6	-	5	10	22	55	13	26	16	2	1
Parkersburg	3	37	8	4	11	15	1	3	5	-	3	9	13	35	5	14	9	2	1
Vienna	-	7	-	1	2	1	1	-	1	-	1	-	-	7	2	3	-	-	-
Balance of county	-	18	3	2	3	10	-	2	-	-	1	1	9	13	6	9	7	-	-
Wyoming	-	14	-	4	5	6	-	5	2	-	2	2	1	16	16	10	5	6	1
Wisconsin	154	3,340	670	440	1,008	1,089	151	414	336	1	268	336	279	2,893	792	812	583	155	28
Urban places	83	1,681	297	211	542	548	69	224	179	1	141	180	141	1,500	294	367	283	105	17
Balance of area	71	1,659	373	229	466	521	82	190	157	-	125	156	138	1,393	498	445	260	50	11
Metropolitan counties	91	2,029	359	252	648	657	83	274	218	1	182	223	177	1,827	451	478	382	122	20
Urban places	73	1,457	254	182	492	495	61	212	160	1	129	169	125	1,353	262	329	269	103	15
Balance of area	18	572	105	70	156	162	22	62	58	-	53	54	52	474	189	149	113	19	5
Nonmetropolitan counties	63	1,311	311	188	360	412	68	140	118	-	84	113	102	1,068	341	334	201	33	8
Urban places	10	224	43	29	50	53	8	12	19	-	12	11	16	147	32	39	24	2	2
Balance of area	53	1,087	268	159	310	359	60	128	99	-	72	102	86	919	309	296	177	31	6
Adams	-	9	10	6	6	5	-	1	1	-	-	-	1	9	3	7	3	-	-
Ashland	3	11	3	5	8	7	-	2	4	-	-	1	1	15	5	1	1	-	-
Barron	3	25	15	4	23	14	2	2	4	-	5	3	2	24	9	7	6	-	1
Bayfield	1	19	2	-	2	7	-	3	1	-	-	1	1	6	2	2	-	1	-
Brown	5	128	24	12	31	23	4	15	10	-	8	15	6	81	27	33	29	2	1
Allouez town#	-	11	1	1	1	-	1	2	-	-	1	2	-	9	4	2	4	-	-
Ashwaubenon	1	9	4	1	7	3	-	1	-	-	-	2	-	4	2	3	-	-	-
De Pere	1	15	3	-	1	1	1	2	1	-	2	2	-	5	-	1	3	-	-
Green Bay	3	82	14	8	18	17	2	7	8	-	4	7	3	53	13	16	15	2	1
Balance of county	-	11	2	2	3	2	-	3	1	-	1	2	3	10	8	11	7	-	-
Buffalo	-	10	1	2	6	3	-	1	1	-	1	-	3	12	2	5	3	-	1
Burnett	2	10	3	-	4	2	-	1	3	-	-	4	-	10	6	7	3	-	-
Calumet	-	16	7	3	-	5	-	3	2	-	1	-	2	10	3	8	4	-	-
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Balance of county	-	16	7	3	-	5	-	3	2	-	1	-	2	10	3	7	3	-	-
Chippewa	3	45	4	6	19	11	3	1	4	-	5	1	-	35	17	7	11	-	-
Chippewa Falls	1	5	1	3	10	4	-	-	1	-	-	-	-	10	7	4	3	-	-
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	40	3	3	9	7	3	1	3	-	5	1	-	25	10	3	8	-	-
Clark	-	31	5	7	8	5	2	6	3	-	4	1	3	19	6	12	2	-	-
Columbia	2	28	4	2	6	12	-	4	2	-	3	3	2	20	12	5	3	-	-
Crawford	-	14	-	6	3	2	-	1	1	-	-	1	2	13	1	4	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 096-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	1,863	1	–	24	414	105	106	38	48	15	18	82	31	906	674	4	10	489	171
Madison	1,079	–	–	14	238	60	67	20	26	10	10	45	15	518	379	4	6	287	82
Middleton	42	–	–	–	10	3	1	2	1	–	1	2	3	13	9	–	–	6	3
Sun Prairie	70	–	–	2	15	4	4	3	–	1	1	2	1	38	33	–	–	22	11
Balance of county	672	1	–	8	151	38	36	13	21	4	6	33	12	339	253	–	4	174	75
Dodge	725	–	–	6	159	40	33	11	18	7	12	38	11	407	310	1	5	245	59
Beaver Dam	161	–	–	–	40	11	9	2	4	2	2	10	–	94	89	1	–	59	9
Watertown, part	79	–	–	3	14	2	6	1	–	–	1	4	2	43	27	–	–	18	9
Balance of county	485	–	–	3	105	27	18	8	14	5	9	24	9	270	214	–	5	168	41
Door	272	1	–	1	67	15	17	5	7	4	2	17	6	130	81	1	1	69	16
Douglas	484	2	–	1	98	23	22	10	15	7	1	20	12	277	224	1	5	165	53
Superior	342	2	–	1	71	17	16	7	10	6	–	15	7	193	149	1	5	108	35
Balance of county	142	–	–	–	27	6	6	3	5	1	1	5	5	84	75	–	–	57	18
Dunn	265	1	–	–	51	11	9	8	9	2	3	9	3	142	109	2	1	95	11
Menomonie	114	1	–	–	23	5	2	7	4	1	–	4	2	65	50	1	1	41	7
Balance of county	151	–	–	–	28	6	7	1	5	1	3	5	1	77	59	1	–	54	4
Eau Claire	624	–	–	4	143	39	27	15	20	4	9	29	11	306	226	1	16	147	62
Eau Claire, part	438	–	–	4	94	25	20	9	10	3	7	20	7	229	167	1	11	109	46
Eau Claire, total	442	–	–	4	95	25	21	9	10	3	7	20	7	232	170	1	12	110	47
Balance of county	186	–	–	–	49	14	7	6	10	1	2	9	4	77	59	–	5	38	16
Florence	61	–	–	–	6	1	2	–	–	1	–	2	3	37	24	–	–	20	4
Fond du Lac	748	–	–	3	179	54	31	18	21	9	7	39	11	389	300	2	7	219	72
Fond du Lac	369	–	–	3	92	27	15	10	12	6	3	19	7	192	136	1	4	99	34
Balance of county	379	–	–	–	87	27	16	8	9	3	4	20	4	197	162	1	3	120	38
Forest	100	–	–	–	19	4	4	3	1	–	1	6	3	47	36	–	1	25	12
Grant	417	–	–	–	92	29	30	2	7	3	5	18	11	227	180	–	1	121	38
Green	290	–	–	2	60	23	6	5	6	4	2	14	4	156	118	1	4	84	48
Monroe	116	–	–	1	22	8	2	2	3	2	–	5	2	68	49	–	2	22	25
Balance of county	174	–	–	1	38	15	4	3	3	2	2	9	2	88	69	1	2	42	24
Green Lake	218	–	–	3	44	10	8	7	1	2	6	10	5	115	87	1	–	60	26
Iowa	162	–	–	2	35	10	7	8	4	1	1	4	–	96	70	1	1	66	2
Iron	103	–	–	1	15	8	3	–	1	–	1	2	2	63	51	1	–	36	14
Jackson	169	–	–	2	56	20	13	3	7	1	3	9	1	85	68	–	3	49	16
Jefferson	569	–	–	9	134	38	30	13	11	5	4	33	11	283	220	4	2	178	36
Watertown, part	119	–	–	4	32	8	8	2	5	1	1	7	–	59	44	–	–	37	7
Watertown, total	198	–	–	7	45	10	14	3	5	1	2	11	2	102	71	–	–	56	16
Whitewater, part	2	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Balance of county	448	–	–	5	100	30	21	11	6	4	3	25	11	224	176	4	2	139	31
Juneau	223	–	–	–	47	9	9	5	7	3	6	8	5	129	101	–	–	77	24
Kenosha	962	–	–	6	214	60	52	25	22	7	13	35	23	508	411	5	7	326	73
Kenosha	678	–	–	4	159	42	40	19	17	5	9	27	15	360	285	4	6	228	47
Balance of county	284	–	–	2	55	18	12	6	5	2	4	8	8	148	126	1	1	98	26
Kewaunee	194	–	–	1	55	16	8	5	7	4	3	12	5	97	75	2	1	46	26
La Crosse	764	–	–	7	171	43	40	16	27	5	8	32	10	368	290	1	8	229	52
La Crosse	508	–	–	3	113	25	29	9	19	5	4	22	7	250	204	–	6	158	40
Balance of county	256	–	–	4	58	18	11	7	8	–	4	10	3	118	86	1	2	71	12
Lafayette	173	1	–	1	37	11	6	2	3	4	3	8	5	91	65	–	1	51	14
Langlade	227	–	–	–	42	9	13	3	6	3	4	4	9	132	113	3	2	87	21
Lincoln	315	–	–	1	65	23	12	8	4	4	1	13	7	175	126	2	3	100	21
Manitowoc	781	–	–	4	194	63	34	26	16	11	8	36	20	422	336	–	5	278	53
Manitowoc	413	–	–	3	91	25	16	14	7	4	5	20	9	232	187	–	2	152	33
Two Rivers	123	–	–	–	41	19	7	6	2	2	1	4	7	60	49	–	–	41	8
Balance of county	245	–	–	1	62	19	11	6	7	5	2	12	4	130	100	–	3	85	12
Marathon	818	–	–	8	188	53	40	10	26	8	16	35	19	416	327	3	3	269	38
Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wausau	393	–	–	4	85	28	19	4	10	1	6	15	7	199	155	3	2	134	18
Balance of county	423	–	–	4	103	25	21	6	16	7	8	20	12	217	172	–	1	149	22
Marinette	406	–	–	5	79	20	21	4	6	5	2	21	23	227	186	–	4	125	37
Marinette	151	–	–	2	29	7	7	3	–	3	–	8	9	85	59	–	2	44	13
Balance of county	255	–	–	3	51	13	14	1	6	2	2	13	14	142	107	–	2	81	24
Marquette	166	–	–	1	44	18	9	2	3	4	2	6	–	80	57	–	2	46	9
Menominee	33	–	–	2	5	–	2	–	–	1	–	2	–	21	20	–	–	19	1
Milwaukee	8,927	10	–	83	2,078	591	517	202	222	92	72	382	152	4,523	3,647	39	137	2,707	764
Brown Deer	69	–	–	–	18	7	4	2	4	–	–	1	2	34	30	1	1	25	3
Cudahy	151	–	–	–	44	10	12	8	6	1	–	7	3	81	68	–	2	56	10
Franklin	81	–	–	–	24	7	6	3	2	1	–	5	1	35	31	–	1	21	9
Glendale	108	–	–	1	34	6	8	4	8	2	2	4	2	125	97	1	2	62	32
Greendale	77	–	–	1	23	9	5	–	1	3	1	4	1	39	37	1	–	31	5
Greenfield	288	–	–	5	69	26	18	5	6	2	1	11	11	134	119	2	1	85	31
Milwaukee, part	6,015	8	–	55	1,373	378	351	131	145	63	49	256	102	3,039	2,498	23	104	1,797	514
Milwaukee, total	6,015	8	–	55	1,373	378	351	131	145	63	49	256	102	3,039	2,498	23	104	1,797	514
Oak Creek	78	1	–	–	18	4	5	2	1	1	1	4	2	36	25	1	3	15	3
St. Francis	75	1	–	2	26	9	7	1	3	–	–	6	–	33	31	–	–	28	3
Shorewood	144	–	–	–	33	10	7	6	2	1	1	6	2	80	66	3	–	50	13
South Milwaukee	170	–	–	–	40	12	10	3	6	1	1	7	3	93	78	–	1	61	15
Wauwatosa	599	–	–	7	127	31	31	11	13	7	5	29	9	327	258	1	10	194	61
West Allis	694	–	–	8	180	57	44	18	16	5	6	34	9	335	259	5	9	211	44
Whitefish Bay	95	–	–	1	31	10	1	6	4	3	3	4	1	43	31	–	1	21	9
Balance of county	189	–	–	3	38	15	8	2	5	2	2	4	4	95	71	1	2	47	21
Monroe	385	–	–	3	77	15	19	9	11	2	1	20	9	191	147	1	2	120	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Wisconsin—Con.																			
Dane	7	175	26	26	37	59	4	16	7	–	25	20	10	171	37	54	38	7	–
Madison	5	106	14	14	18	38	3	11	3	–	20	15	6	101	17	38	20	4	–
Middleton	–	4	–	–	3	2	–	–	–	–	1	–	–	9	–	–	1	–	–
Sun Prairie	–	5	–	–	3	4	–	–	–	–	–	–	–	4	1	1	1	–	–
Balance of county	2	60	12	12	13	15	1	5	4	–	4	5	4	57	19	15	16	3	–
Dodge	5	66	15	11	14	18	4	7	8	–	1	8	7	42	15	12	5	1	–
Beaver Dam	1	18	2	4	4	1	–	1	–	–	1	–	1	11	4	3	1	–	–
Watertown, part	–	12	4	–	3	1	1	–	3	–	–	–	2	6	–	1	–	–	–
Balance of county	4	38	9	7	7	16	3	6	5	–	–	8	4	25	11	8	4	1	–
Door	1	30	11	7	5	6	1	6	2	–	–	7	5	23	5	5	2	–	–
Douglas	1	41	4	7	7	13	1	11	1	–	1	2	5	25	9	7	10	2	–
Superior	1	32	4	7	6	9	1	9	1	–	1	–	3	18	4	7	8	1	–
Balance of county	–	9	–	–	1	4	–	2	–	–	–	2	2	7	5	–	2	1	–
Dunn	–	20	9	4	13	9	1	1	1	–	1	5	6	13	5	11	1	–	1
Menomonie	–	11	2	2	8	4	–	1	–	–	–	1	–	3	1	4	–	–	1
Balance of county	–	9	7	2	5	5	1	–	1	–	1	4	6	10	4	7	1	–	–
Eau Claire	3	53	16	8	25	27	2	6	8	–	8	4	6	43	7	12	8	4	–
Eau Claire, part	2	42	13	5	19	18	–	6	4	–	5	2	4	30	2	6	5	3	–
Eau Claire, total	2	42	13	5	19	18	–	6	4	–	5	2	4	30	2	6	5	3	–
Balance of county	1	11	3	3	6	9	2	–	4	–	3	2	2	13	5	6	3	1	–
Florence	–	9	3	1	–	5	–	1	–	–	–	–	–	5	3	–	1	–	–
Fond du Lac	4	62	11	12	9	18	4	8	7	–	2	8	7	60	13	11	15	3	1
Fond du Lac	1	39	7	7	4	9	2	2	5	–	2	4	5	28	4	4	6	–	–
Balance of county	3	23	4	5	5	9	2	6	2	–	–	4	2	32	9	7	9	3	1
Forest	–	7	1	1	2	7	–	4	–	–	–	–	1	14	1	1	1	–	–
Grant	1	45	16	5	15	6	–	4	1	–	3	2	2	32	6	7	8	1	–
Green	2	26	8	4	10	8	2	3	2	–	2	1	–	19	8	9	3	1	–
Monroe	1	13	3	2	3	3	–	2	2	–	1	1	–	5	2	1	2	1	–
Balance of county	1	13	3	2	7	5	2	1	–	–	1	–	–	14	6	8	1	–	–
Green Lake	1	18	9	–	–	7	2	4	1	–	2	2	–	15	7	7	4	–	–
Iowa	–	21	5	–	5	2	2	–	–	–	–	–	1	9	4	2	3	1	–
Iron	–	11	–	1	4	2	–	2	–	–	1	–	–	4	2	4	3	–	–
Jackson	1	14	–	2	7	5	–	2	3	–	1	1	1	7	8	4	5	–	1
Jefferson	–	49	8	6	23	14	3	4	3	–	5	1	3	43	15	8	9	1	–
Watertown, part	–	14	1	–	8	2	–	1	–	–	–	1	1	6	3	2	–	–	–
Watertown, total	–	26	5	–	11	3	1	1	3	–	–	1	3	12	3	3	–	–	–
Whitewater, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	35	7	6	15	12	3	3	3	–	5	–	2	37	12	8	9	1	–
Juneau	1	20	3	4	4	3	1	–	2	–	1	–	1	19	2	8	2	1	–
Kenosha	6	66	15	8	21	26	1	14	6	–	8	10	4	65	24	17	12	5	–
Kenosha	5	52	11	7	15	20	1	11	4	–	5	5	3	45	11	12	5	3	–
Balance of county	1	14	4	1	6	6	–	3	2	–	3	5	1	20	13	5	7	2	–
Kewaunee	4	12	4	2	1	2	1	1	–	–	2	1	2	11	9	5	1	–	–
La Crosse	3	61	5	9	28	28	1	6	12	–	10	7	7	70	7	17	13	–	–
La Crosse	2	37	2	5	24	17	1	6	8	–	5	2	4	49	3	8	8	–	–
Balance of county	1	24	3	4	4	11	–	2	4	–	5	5	3	21	4	9	5	–	–
Lafayette	–	20	5	–	2	4	–	1	1	–	1	1	1	18	4	3	2	–	–
Langlade	1	12	3	3	7	6	1	2	–	–	1	3	–	12	2	6	4	–	–
Lincoln	1	29	14	5	7	8	1	2	4	–	1	1	3	19	7	6	8	–	–
Manitowoc	5	71	9	1	15	16	3	4	1	–	4	3	6	47	12	15	13	1	1
Manitowoc	4	38	4	1	7	12	2	2	–	–	3	2	5	29	3	3	8	1	1
Two Rivers	–	9	2	–	2	1	–	–	–	–	–	–	–	6	1	4	1	–	–
Balance of county	1	26	3	–	6	3	1	2	1	–	1	1	1	12	8	8	4	–	–
Marathon	2	69	7	11	18	25	2	4	5	–	4	3	7	75	13	14	14	1	–
Marshfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wausau	1	38	1	4	16	14	1	–	2	–	1	2	2	41	6	4	8	1	–
Balance of county	1	31	6	7	2	11	1	4	3	–	3	1	5	34	7	10	6	–	–
Marinette	2	36	20	3	3	14	–	4	3	–	1	1	3	26	9	5	2	1	–
Marinette	1	13	11	1	1	5	–	1	1	–	–	–	–	12	4	2	1	–	–
Balance of county	1	23	9	2	2	9	–	3	2	–	1	1	3	14	5	3	1	1	–
Marquette	–	19	2	2	7	6	1	–	1	–	1	2	1	11	6	2	1	1	1
Menominee	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–
Milwaukee	39	639	117	81	242	230	39	118	89	1	51	67	73	674	102	156	132	76	11
Brown Deer	–	4	–	–	–	1	–	1	2	–	–	–	–	2	2	6	–	1	–
Cudahy	–	10	1	2	2	3	2	2	2	–	–	–	2	11	1	4	4	–	–
Franklin	–	4	–	–	1	5	–	–	1	–	–	1	1	5	2	2	3	–	–
Glendale	–	18	7	3	7	4	–	1	1	–	2	–	–	16	1	2	2	–	–
Greendale	–	2	–	–	1	1	–	–	2	–	–	–	1	4	1	1	2	–	–
Greenfield	1	12	2	–	10	14	2	3	4	–	4	1	1	22	4	2	1	1	–
Milwaukee, part	22	442	76	55	151	153	29	86	62	1	36	73	61	461	67	104	82	70	8
Milwaukee, total	22	442	76	55	151	153	29	86	62	1	36	73	61	461	67	104	82	70	8
Oak Creek	1	8	1	3	2	2	–	1	1	–	–	1	–	6	3	2	3	–	–
St. Francis	1	1	–	–	–	2	–	3	–	–	2	1	–	4	–	–	1	–	–
Shorewood	–	8	3	3	7	4	1	–	–	–	–	–	–	13	–	2	2	–	–
South Milwaukee	2	10	2	1	1	4	–	4	2	–	1	1	1	9	3	4	3	1	–
Wauwatosa	7	50	10	4	20	10	1	7	4	–	3	2	3	48	4	12	12	1	2
West Allis	4	46	11	3	31	21	2	6	5	–	3	6	2	47	11	13	12	2	1
Whitefish Bay	–	6	2	4	3	3	–	–	1	–	–	1	–	9	–	–	2	–	–
Balance of county	1	18	2	3	6	3	2	4	2	–	–	–	1	17	3	2	3	–	–
Monroe	2	33	4	5	17	12	4	2	1	–	2	2	3	45	3	9	5	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	304	–	–	3	68	21	11	4	15	4	3	10	4	170	121	2	–	95	24
Oneida	338	–	–	5	82	23	28	7	4	–	3	17	5	169	133	2	2	92	37
Outagamie	886	–	–	10	201	47	50	18	25	13	6	42	9	463	360	3	2	285	70
Appleton, part	436	–	–	3	105	25	31	9	8	8	1	23	6	234	183	3	–	147	33
Appleton, total	447	–	–	4	107	25	32	9	8	8	1	24	6	240	189	3	–	152	34
Kaukauna	84	–	–	–	20	5	7	3	2	2	–	1	1	45	35	–	–	25	10
Balance of county	368	–	–	7	76	17	12	6	15	3	5	18	2	184	142	–	2	113	27
Ozaukee	419	–	–	1	90	28	16	10	11	7	3	17	12	228	175	–	3	139	33
Mequon	110	–	–	–	24	8	2	3	1	1	1	8	1	56	43	–	–	31	12
Balance of county	309	–	–	1	66	18	14	7	10	6	2	9	11	170	132	–	3	108	21
Pepin	94	–	–	1	21	7	4	–	3	1	1	5	3	57	40	–	3	30	7
Pierce	218	–	–	4	45	11	7	3	7	3	5	9	4	111	76	1	–	60	15
Polk	367	–	–	2	72	25	9	10	6	2	2	18	4	216	164	–	3	108	53
Portage	405	–	–	4	88	17	16	14	14	2	7	18	5	219	173	1	5	121	46
Stevens Point	190	–	–	3	41	7	7	6	6	1	3	11	4	102	79	–	–	56	23
Balance of county	215	–	–	1	47	10	9	8	8	1	4	7	1	117	94	1	5	65	23
Price	192	–	–	–	38	13	3	1	5	1	3	10	7	103	71	–	2	48	21
Racine	1,327	–	–	14	277	85	68	24	28	8	11	53	17	713	592	7	12	482	91
Racine	760	–	–	7	155	64	32	11	16	4	7	29	12	420	350	7	4	284	55
Balance of county	567	–	–	7	122	31	36	13	10	4	4	24	5	293	242	–	8	198	36
Richland	177	–	–	–	34	9	5	7	3	2	1	7	6	94	68	1	–	57	10
Rock	1,174	–	–	10	254	80	53	21	25	13	9	53	18	647	497	7	5	416	69
Beloit	331	–	–	3	73	19	14	9	10	3	3	15	5	183	148	3	2	121	22
Janesville	388	–	–	3	89	31	21	5	8	6	3	15	7	214	158	1	–	137	20
Balance of county	455	–	–	4	92	30	18	7	7	4	3	23	6	250	191	3	3	158	27
Rusk	145	–	–	2	29	11	10	2	3	–	1	2	2	81	59	–	3	44	12
St. Croix	359	1	–	4	63	19	14	7	10	3	3	7	6	188	143	2	–	114	27
Sauk	420	–	–	3	79	22	17	7	10	2	2	19	9	233	177	–	2	142	33
Sawyer	160	–	–	2	37	8	13	1	3	3	1	8	2	78	70	–	2	36	32
Shawano	392	–	–	4	85	26	21	9	6	2	3	18	3	224	173	2	13	132	26
Sheboygan	876	–	–	4	206	61	36	22	25	8	5	49	16	466	347	4	22	243	78
Sheboygan	507	–	–	2	111	28	20	13	16	5	3	26	10	271	201	3	13	138	47
Balance of county	369	–	–	2	95	33	16	9	9	3	2	23	6	195	146	1	9	105	31
Taylor	196	–	–	–	40	13	6	5	6	–	1	9	4	103	78	2	5	52	19
Trempealeau	273	–	–	2	67	21	10	5	11	2	2	16	5	136	103	–	1	63	39
Vernon	255	–	–	2	53	13	15	3	7	2	2	11	8	138	112	1	2	82	27
Vilas	211	–	–	–	53	15	18	3	3	3	2	9	4	89	86	–	1	57	28
Walworth	645	–	–	9	130	36	21	8	18	11	2	34	11	351	289	–	4	227	58
Whitewater, part	51	–	–	1	6	2	1	–	2	–	–	1	–	33	24	–	–	14	10
Whitewater, total	53	–	–	1	6	2	2	–	2	–	–	2	–	33	24	–	–	14	10
Balance of county	594	–	–	8	124	34	20	8	16	11	2	33	11	318	265	–	4	213	48
Washburn	155	–	–	2	44	12	9	4	8	3	1	7	4	72	59	–	2	42	15
Washington	551	–	–	2	123	37	25	9	8	13	7	24	13	287	223	1	6	185	31
Germantown	37	–	–	–	6	3	1	–	–	–	–	2	–	20	18	–	1	15	2
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	177	–	–	1	42	9	7	3	3	6	2	12	3	88	71	1	2	55	13
Balance of county	337	–	–	1	75	25	17	6	5	7	5	10	10	179	134	–	3	115	16
Waukesha	1,761	1	–	17	443	103	106	44	54	22	23	91	19	673	588	11	17	502	158
Brookfield	237	–	–	–	63	13	18	7	8	3	–	14	5	119	84	3	1	64	16
Menomonee Falls	133	–	–	–	39	11	10	2	5	1	2	8	1	70	55	2	1	41	11
Muskego	100	–	–	3	18	6	3	3	2	–	–	4	–	42	38	1	–	32	3
New Berlin	121	–	–	1	39	6	13	4	3	1	2	10	–	50	44	–	–	34	10
Waukesha	369	1	–	1	98	21	23	10	10	5	6	23	7	170	134	–	2	102	30
Balance of county	801	–	–	12	186	46	39	18	26	12	13	32	6	422	335	5	13	229	88
Waupaca	608	–	–	2	127	30	29	13	20	3	9	23	11	323	273	2	7	213	51
Waushara	211	–	–	–	52	18	11	4	3	8	1	7	7	111	96	–	1	82	13
Winnebago	1,060	1	–	1	243	66	60	28	25	10	10	44	22	574	439	2	11	347	79
Appleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Menasha	108	–	–	1	28	8	8	–	2	1	3	6	3	59	50	–	–	40	10
Neenah	177	–	–	–	37	11	5	5	7	2	1	6	3	107	86	–	1	65	20
Oshkosh	465	1	–	–	97	29	26	13	8	2	2	17	9	255	176	2	2	148	24
Balance of county	310	–	–	–	81	18	21	10	8	5	4	15	7	153	127	–	6	94	25
Wood	549	–	–	4	122	37	23	17	10	5	7	23	12	286	221	–	1	187	33
Marshfield, part	134	–	–	2	35	12	7	6	2	–	2	6	6	60	47	–	1	40	6
Marshfield, total	134	–	–	2	35	12	7	6	2	–	2	6	6	60	47	–	1	40	6
Wisconsin Rapids	198	–	–	1	45	11	11	4	3	2	3	11	1	116	81	–	–	72	9
Balance of county	217	–	–	1	42	14	5	7	5	3	2	6	5	110	93	–	–	75	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	1	39	5	4	2	4	–	7	4	–	1	1	–	20	8	3	7	2	–
Oneida	1	29	3	3	9	14	3	2	1	–	1	–	–	28	5	8	3	2	1
Outagamie	3	78	10	12	28	23	4	3	7	–	4	8	12	57	19	20	21	1	–
Appleton, part	–	38	7	6	12	14	2	1	3	–	3	3	1	22	5	9	12	1	–
Appleton, total	–	38	7	6	12	14	2	1	3	–	3	3	1	22	5	10	13	1	–
Kaukauna	1	6	1	2	3	–	1	1	–	–	–	–	2	5	3	1	2	–	–
Balance of county	2	34	2	4	11	9	1	1	4	–	1	5	9	30	11	10	7	–	–
Ozaukee	1	37	10	3	10	9	3	1	–	–	3	3	6	26	11	11	4	2	1
Mequon	–	7	5	1	4	3	–	–	–	–	1	–	3	12	2	3	1	–	–
Balance of county	1	30	5	2	6	6	3	1	–	–	2	3	3	14	9	8	3	2	1
Pepin	2	10	4	1	1	2	2	1	–	–	1	2	–	3	–	–	–	–	–
Pierce	1	25	2	7	4	13	1	1	1	–	–	3	1	16	8	2	3	1	–
Polk	1	30	16	5	2	9	3	2	3	–	2	2	2	19	18	7	4	–	–
Portage	3	31	5	7	9	5	2	1	7	–	5	2	3	30	9	10	5	1	–
Stevens Point	2	14	3	4	6	3	1	1	3	–	–	1	1	13	4	4	3	–	–
Balance of county	1	17	2	3	3	2	1	–	4	–	5	1	2	17	5	6	2	1	–
Price	–	21	8	3	4	6	1	2	3	–	3	–	3	14	2	4	3	1	–
Racine	2	99	9	11	24	34	4	19	12	–	17	15	6	88	40	28	10	5	4
Racine	1	56	5	8	16	24	3	9	5	–	10	9	3	50	13	17	2	3	2
Balance of county	1	43	4	3	8	10	1	10	7	–	7	6	3	38	27	11	8	2	2
Richland	1	20	5	–	2	7	2	1	–	–	–	–	2	19	3	3	2	2	–
Rock	3	115	22	10	29	36	3	9	15	–	6	10	2	81	26	16	10	2	–
Beloit	–	30	3	2	4	8	–	4	2	–	2	3	1	29	5	6	3	–	–
Janesville	1	41	9	5	10	11	2	1	4	–	1	5	1	23	10	4	2	1	–
Balance of county	2	44	10	3	15	17	1	4	9	–	3	2	–	29	11	6	5	1	–
Rusk	–	15	4	3	3	4	1	2	3	–	1	–	–	7	4	2	4	–	–
St. Croix	–	35	9	1	15	9	–	3	3	–	–	2	2	41	9	10	2	1	–
Sauk	2	38	12	4	6	13	3	4	7	–	4	5	2	29	13	8	1	1	–
Sawyer	–	6	2	–	5	5	–	4	3	–	–	2	1	8	8	3	2	–	–
Shawano	1	33	13	4	7	7	1	2	1	–	–	6	4	21	7	15	4	1	–
Sheboygan	3	88	22	6	27	17	4	8	11	–	8	10	3	58	10	13	12	3	–
Sheboygan	2	55	9	4	21	9	3	7	7	–	6	6	2	38	3	3	6	2	–
Balance of county	1	33	13	2	6	8	1	1	4	–	2	4	1	20	7	10	6	1	–
Taylor	–	18	3	4	4	5	1	–	–	–	1	4	–	19	7	5	3	–	–
Trempealeau	3	23	4	3	7	9	–	–	5	–	2	4	–	20	5	7	4	–	–
Vernon	1	19	4	2	7	5	1	7	2	–	–	3	1	18	2	4	3	1	–
Vilas	–	7	2	4	2	10	–	4	–	–	2	1	3	15	6	5	6	1	–
Walworth	2	47	7	6	12	20	7	4	3	–	6	2	4	41	16	17	9	3	–
Whitewater, part	–	7	1	1	–	1	1	–	–	–	1	–	–	4	2	2	–	–	–
Whitewater, total	–	7	1	1	–	1	1	–	–	–	1	–	–	4	2	2	–	–	–
Balance of county	2	40	6	5	12	19	6	4	3	–	5	2	4	37	14	15	9	3	–
Washburn	–	8	4	1	2	5	–	3	–	–	1	–	–	14	1	5	2	–	–
Washington	2	44	9	9	17	11	–	4	4	–	5	4	5	30	21	11	11	2	1
Germantown	–	1	–	1	–	1	–	1	–	–	–	2	–	2	3	1	1	–	–
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	2	12	2	1	6	2	–	1	1	–	3	–	4	13	7	2	4	–	–
Balance of county	–	31	7	7	11	8	–	2	3	–	2	2	1	15	11	8	6	2	1
Waukesha	5	141	22	17	46	42	5	19	15	–	12	16	13	129	49	31	24	6	1
Brookfield	–	27	5	3	7	6	–	–	4	–	–	3	4	15	5	3	3	–	–
Menomonee Falls	1	14	–	–	2	–	–	1	1	–	1	–	–	5	8	1	3	1	–
Muskego	–	1	4	1	3	5	1	3	2	–	–	1	1	14	3	3	1	–	–
New Berlin	–	5	–	1	1	2	–	2	–	–	2	1	–	10	6	4	2	1	–
Waukesha	2	24	4	6	8	17	–	2	6	–	2	5	2	31	6	7	5	1	–
Balance of county	2	70	9	6	25	12	4	11	2	–	7	6	6	54	21	13	10	3	1
Waupaca	1	41	3	5	25	17	4	5	7	–	3	4	5	33	17	16	4	3	–
Waushara	–	10	–	5	1	4	–	2	–	–	–	4	1	14	3	7	5	–	–
Winnebago	3	99	21	12	26	29	3	12	7	–	6	6	8	68	20	13	17	3	1
Appleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Menasha	–	7	2	–	–	1	–	2	1	–	–	2	–	6	1	2	2	–	–
Neenah	1	18	2	–	3	7	1	1	–	–	1	–	2	9	1	3	2	–	–
Oshkosh	2	56	13	8	14	11	–	7	5	–	1	3	2	34	12	3	7	3	1
Balance of county	–	18	4	4	9	10	2	2	1	–	4	1	4	19	6	5	6	–	–
Wood	1	53	4	7	10	13	1	3	7	–	6	5	2	52	7	14	5	–	–
Marshfield, part	–	9	1	3	–	3	1	1	4	–	3	–	–	12	2	4	1	–	–
Marshfield, total	–	9	1	3	–	3	1	1	4	–	3	–	–	12	2	4	1	–	–
Wisconsin Rapids	–	28	2	4	4	8	–	–	1	–	1	1	1	12	2	4	1	–	–
Balance of county	1	15	1	–	6	2	–	2	2	–	2	4	1	28	3	6	3	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,191	–	1	28	571	143	159	56	70	25	14	110	47	1,345	1,073	13	24	795	201
Urban places	1,427	–	–	15	257	65	66	25	33	13	8	49	24	610	470	5	10	328	129
Balance of area	1,764	–	1	13	314	78	87	31	37	12	6	61	23	735	603	8	14	466	172
Metropolitan counties	401	–	1	6	73	17	21	9	11	3	–	12	7	161	129	2	1	89	37
Urban places	345	–	–	6	68	15	20	9	9	3	–	12	6	140	110	1	1	79	29
Balance of area	56	–	1	–	5	2	1	–	2	–	–	–	1	21	19	1	–	10	8
Nonmetropolitan counties	2,790	–	–	22	498	126	132	47	59	22	14	98	40	1,184	944	11	23	646	264
Urban places	1,082	–	–	9	189	50	46	16	24	10	6	37	18	470	360	4	9	247	100
Balance of area	1,708	–	–	13	309	76	86	31	35	12	8	61	22	714	584	7	14	399	164
Albany	149	–	–	–	27	7	9	2	3	–	1	5	3	68	51	1	1	44	5
Laramie	131	–	–	–	22	7	6	2	2	–	–	5	3	61	45	1	1	36	5
Balance of county	18	–	–	–	5	–	3	–	1	–	1	–	–	7	6	–	–	6	–
Big Horn	125	–	–	2	26	5	8	1	3	1	1	7	4	51	44	–	–	28	18
Campbell	118	–	–	1	23	9	2	–	5	1	1	5	2	36	25	1	2	18	4
Gillette	84	–	–	1	19	7	2	–	4	1	1	4	2	27	18	1	2	12	3
Balance of county	34	–	–	–	4	2	–	–	1	–	–	1	–	9	7	–	–	6	1
Carbon	145	–	–	1	35	6	15	–	3	2	–	9	1	55	39	1	–	30	8
Rawlins	87	–	–	1	18	4	6	–	1	2	–	5	1	34	20	–	–	17	3
Balance of county	58	–	–	–	17	2	9	–	2	–	–	4	–	21	19	1	–	13	5
Converse	80	–	–	1	15	4	5	2	3	–	–	1	2	32	27	–	–	18	9
Crook	26	–	–	–	9	–	2	2	1	–	1	3	–	9	5	–	–	3	2
Fremont	277	–	–	3	43	12	16	1	4	1	–	9	1	109	93	–	3	60	30
Goshen	136	–	–	–	22	7	4	4	1	2	–	4	2	77	66	–	1	53	12
Hot Springs	71	–	–	–	16	4	3	4	1	–	–	4	–	28	22	–	–	15	7
Johnson	65	–	–	1	16	3	5	2	2	1	–	3	–	24	17	–	–	13	4
Laramie	478	–	–	6	84	20	23	8	10	4	5	14	11	220	161	2	6	116	57
Cheyenne	413	–	–	5	73	18	20	6	9	4	4	12	10	191	156	2	5	102	47
Balance of county	65	–	–	1	11	2	3	2	1	–	1	2	1	29	25	–	1	14	10
Lincoln	82	–	–	2	19	3	1	2	3	–	1	9	–	27	26	1	1	15	9
Natrona	401	–	1	6	73	17	21	9	11	3	–	12	7	161	129	2	1	89	37
Casper	345	–	–	6	68	15	20	9	9	3	–	12	6	140	110	1	1	79	29
Balance of county	56	–	1	–	5	2	1	–	2	–	–	–	1	21	19	1	–	10	8
Niobrara	36	–	–	–	8	1	1	1	1	–	–	2	1	22	22	1	1	14	6
Park	169	–	–	–	28	8	5	6	4	3	–	2	3	65	63	–	2	52	9
Platte	89	–	–	–	14	3	6	–	3	–	1	1	4	38	23	1	–	16	6
Sheridan	239	–	–	–	44	10	12	4	6	3	–	9	1	98	79	–	–	44	35
Sheridan	177	–	–	–	35	8	9	4	4	3	–	7	–	75	58	–	–	31	27
Balance of county	62	–	–	–	9	2	3	–	2	–	–	2	1	23	21	–	–	13	8
Sublette	29	–	–	–	5	3	–	–	2	–	–	–	–	16	12	–	–	8	4
Sweetwater	228	–	–	2	28	9	4	5	4	–	1	5	2	94	72	–	2	54	16
Green River	47	–	–	–	6	3	1	–	2	–	–	–	1	18	11	–	–	9	2
Rock Springs	143	–	–	2	16	3	2	4	2	–	1	4	1	64	52	–	1	38	13
Balance of county	38	–	–	–	6	3	1	1	–	–	–	1	–	12	9	–	1	7	1
Teton	37	–	–	–	9	3	3	–	–	1	1	1	1	9	6	–	–	4	2
Uinta	77	–	–	3	7	3	1	1	–	1	–	1	–	33	29	–	–	17	12
Washakie	67	–	–	–	12	4	5	–	–	2	–	1	1	28	20	1	–	14	5
Weston	65	–	–	–	10	2	2	2	–	–	1	3	1	25	22	2	4	12	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Wyoming	9	203	36	24	94	141	24	47	20	1	41	37	47	265	192	152	96	34	8
Urban places	6	99	19	16	53	65	11	27	7	–	17	17	19	118	73	54	48	11	5
Balance of area	3	104	17	8	41	76	13	20	13	1	24	20	28	149	119	98	50	23	3
Metropolitan counties	1	26	1	4	11	25	4	7	2	–	4	6	5	23	23	14	22	5	2
Urban places	1	24	1	4	10	20	4	5	2	–	3	6	3	21	19	8	18	4	2
Balance of area	–	2	–	–	1	5	–	2	–	–	1	–	2	2	4	6	4	1	–
Nonmetropolitan counties	8	177	35	20	83	116	20	40	18	1	37	31	42	242	169	138	74	29	6
Urban places	5	75	18	12	43	45	7	22	5	–	14	11	16	95	54	46	28	7	3
Balance of area	3	102	17	8	40	71	13	18	13	1	23	20	26	147	115	92	46	22	3
Albany	1	14	2	–	4	5	1	2	1	–	2	1	1	11	11	9	1	1	1
Laramie	1	13	2	–	4	5	1	2	1	–	2	1	1	10	9	8	–	–	1
Balance of county	–	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–
Big Horn	–	7	–	–	3	2	–	–	3	1	–	–	–	12	11	6	4	–	–
Campbell	2	8	1	–	2	5	1	3	1	–	2	3	3	9	15	6	5	–	1
Gillette	1	7	1	–	2	3	1	1	1	–	1	1	1	6	8	6	3	–	1
Balance of county	1	1	–	–	–	2	–	2	–	–	1	2	2	3	7	–	2	–	–
Carbon	–	5	10	1	1	6	–	4	–	–	2	3	2	10	15	3	4	3	–
Rawlins	–	4	9	1	–	4	–	1	–	–	2	3	–	8	8	1	4	2	–
Balance of county	–	1	1	–	1	2	–	3	–	–	–	–	2	2	7	2	–	1	–
Converse	–	5	–	–	2	1	–	1	–	–	–	1	1	11	4	4	2	3	–
Crook	–	4	–	–	–	1	–	–	–	–	–	–	–	3	5	1	–	–	–
Fremont	–	10	4	2	4	15	2	3	4	–	7	9	6	25	15	17	12	2	–
Goshen	–	9	2	–	1	9	2	2	–	–	–	–	–	12	2	2	3	–	2
Hot Springs	–	6	–	–	6	2	–	–	1	–	–	–	2	3	3	8	2	–	–
Johnson	–	5	2	–	2	2	1	2	–	–	–	–	2	4	5	4	1	1	–
Laramie	2	27	5	5	12	26	4	11	2	–	5	5	8	39	15	15	11	3	1
Cheyenne	2	24	4	5	11	20	3	10	2	–	5	3	7	37	13	11	9	2	1
Balance of county	–	3	1	–	1	6	1	1	–	–	–	2	1	2	2	4	2	1	–
Lincoln	–	1	–	–	1	–	–	1	–	–	1	1	–	13	6	3	3	5	–
Natrona	1	26	1	4	11	25	4	7	2	–	4	6	5	23	23	14	22	5	2
Casper	1	24	1	4	10	20	4	5	2	–	3	6	3	21	19	8	18	4	2
Balance of county	–	2	–	–	1	5	–	2	–	–	1	–	2	2	4	6	4	1	–
Niobrara	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	2	–	–	–
Park	1	19	1	1	4	5	1	2	1	–	2	1	3	12	13	6	2	–	1
Platte	–	11	2	2	1	8	–	–	–	–	2	–	–	7	10	4	1	–	–
Sheridan	–	15	1	3	28	7	4	5	2	–	2	2	5	20	5	8	5	3	–
Sheridan	–	14	1	2	23	4	2	4	1	–	1	2	4	13	5	5	2	1	–
Balance of county	–	1	–	1	5	3	2	1	1	–	1	–	1	7	–	3	3	2	–
Sublette	–	1	3	–	–	1	–	–	–	–	–	–	1	1	2	2	–	1	–
Sweetwater	1	16	1	4	4	10	–	4	1	–	3	2	6	25	16	17	11	3	–
Green River	–	4	1	2	–	3	–	–	–	–	1	1	1	3	3	4	4	2	–
Rock Springs	1	9	–	2	3	6	–	4	–	–	2	–	2	18	8	11	6	–	–
Balance of county	–	3	–	–	1	1	–	–	1	–	–	1	3	4	5	2	1	1	–
Teton	–	2	–	1	–	–	–	–	–	–	–	–	–	5	6	5	2	–	–
Uinta	1	2	–	1	2	3	1	–	–	–	6	2	2	4	4	9	–	1	–
Washakie	–	7	1	–	4	2	1	–	1	–	2	–	–	8	3	1	2	2	–
Weston	–	3	–	–	1	5	1	–	1	–	1	1	–	7	2	6	3	1	–

1 Areas shown are census areas, the nearest equivalent of counties.
2 Includes data for Texarkana, Ark., only.
3 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
4 There are 12 deaths to residents of Mokapu included in balance of Honolulu County
5 Includes data for Bristol, Tenn., only.
6 Includes data for Texarkana, Tex., only.
7 Independent city having population of less than 10,000 according to the 1980 census.
8 Includes data for Bristol, Va., only.
9 There are 117 deaths to residents of Pulaski included in Salem city.
10 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–82	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1982	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1982	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1982	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1982	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1982	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1982	25
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1982	29

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1982*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-82

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1982	21,427	6.6	496	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.8	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.8
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	397	7.8	327	4.1
1965	17,686	6.7	416	9.8	336	4.4
1964	18,566	7.2	343	6.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	463	16.5	---	---
1941	35,492	16.3	468	16.1	---	---
1940	34,468	16.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	21,427	1,915	1,670	1,847	1,623	1,834	1,764	1,802	1,720	1,698	1,801	1,803	1,950
Male	12,285	1,143	981	1,093	921	1,049	1,020	1,016	960	976	1,004	1,020	1,102
Female	9,142	772	689	754	702	785	744	786	760	722	797	783	848
Virgin Islands	498	35	40	36	39	30	42	44	51	38	56	40	47
Male	274	28	22	23	20	11	20	32	22	18	29	26	23
Female	224	7	18	13	19	19	22	12	29	20	27	14	24
White	129	5	20	10	5	8	11	13	12	11	12	10	12
Male	85	5	12	7	2	5	9	10	8	6	7	8	6
Female	44	–	8	3	3	3	2	3	4	5	5	2	6
All other	369	30	20	26	34	22	31	31	39	27	44	30	35
Male	189	23	10	16	18	6	11	22	14	12	22	18	17
Female	180	7	10	10	16	16	20	9	25	15	22	12	18
Black	360	30	18	26	33	22	31	30	38	26	43	29	34
Male	185	23	10	16	18	6	11	21	14	12	21	17	16
Female	175	7	8	10	15	16	20	9	24	14	22	12	18
Guam	428	36	29	34	33	28	38	34	34	32	47	45	38
Male	239	17	13	20	23	15	17	19	22	20	22	28	23
Female	189	19	16	14	10	13	21	15	12	12	25	17	15
White	41	5	3	1	4	1	2	3	5	3	7	2	5
Male	34	4	2	1	4	–	2	3	5	2	4	2	5
Female	7	1	1	–	–	1	–	–	–	1	3	–	–
All other	387	31	26	33	29	27	36	31	29	29	40	43	33
Male	205	13	11	19	19	15	15	16	17	18	18	26	18
Female	182	18	15	14	10	12	21	15	12	11	22	17	15
Guamanian	304	25	21	25	21	21	26	22	26	20	35	36	26
Male	155	11	10	13	12	11	11	12	14	11	14	22	14
Female	149	14	11	12	9	10	15	10	12	9	21	14	12

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1982

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	498	49	5	12	16	29	30	56	82	89	79	51	–
Male	274	27	1	5	14	19	14	36	55	46	38	19	–
Female	224	22	4	7	2	10	16	20	27	43	41	32	–
White	129	7	–	2	2	8	9	17	23	23	28	10	–
Male	85	3	–	1	1	7	6	12	17	15	18	5	–
Female	44	4	–	1	1	1	3	5	6	8	10	5	–
All other	369	42	5	10	14	21	21	39	59	66	51	41	–
Male	189	24	1	4	13	12	8	24	38	31	20	14	–
Female	180	18	4	6	1	9	13	15	21	35	31	27	–
Black	360	42	5	10	14	19	20	37	57	65	51	40	–
Male	185	24	1	4	13	12	7	22	37	31	20	14	–
Female	175	18	4	6	1	7	13	15	20	34	31	26	–
Guam	428	29	10	6	13	20	22	48	89	91	74	25	1
Male	239	15	6	2	10	16	14	35	53	50	32	6	–
Female	189	14	4	4	3	4	8	13	36	41	42	19	1
White	41	5	1	2	2	6	2	6	6	7	3	1	–
Male	34	5	1	1	2	6	2	5	5	6	1	–	–
Female	7	–	–	1	–	–	–	1	1	1	2	1	–
All other	387	24	9	4	11	14	20	42	83	84	71	24	1
Male	205	10	5	1	6	10	12	30	46	44	31	6	–
Female	182	14	4	3	3	4	8	12	35	40	40	18	1
Guamanian	304	19	7	3	8	9	16	28	61	66	63	24	–
Male	155	8	5	1	5	6	10	19	30	37	28	6	–
Female	149	11	2	2	3	3	6	9	31	29	35	18	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	21,427	1,187	123	188	570	709	945	1,547	2,823	4,607	4,719	3,954	55
Male	12,285	660	68	113	439	508	665	999	1,788	2,733	2,498	1,768	46
Female	9,142	527	55	75	131	201	280	548	1,035	1,874	2,221	2,186	9
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	–	–	–	–	–	–	–	1	1	–	–
Male	2	1	–	–	–	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	97	–	–	–	1	3	5	15	20	26	18	9	–
Male	67	–	–	–	–	3	3	10	11	22	12	6	–
Female	30	–	–	–	1	–	2	5	9	4	6	3	–
Tuberculosis of respiratory system (010-012)	89	–	–	–	1	3	3	13	20	24	17	8	–
Male	62	–	–	–	–	3	2	8	11	20	12	6	–
Female	27	–	–	–	1	–	1	5	9	4	5	2	–
Other tuberculosis (013-018)	8	–	–	–	–	–	2	2	–	2	1	1	–
Male	5	–	–	–	–	–	1	2	–	2	–	–	–
Female	3	–	–	–	–	–	1	–	–	–	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	1	–	–	1	–	1	–	–	–	–	–	–
Male	2	1	–	–	1	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Septicemia (038)	215	13	1	2	4	6	14	16	26	48	45	40	–
Male	123	8	–	1	3	5	10	10	15	27	28	16	–
Female	92	5	1	1	1	1	4	6	11	21	17	24	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	22	2	–	–	2	3	3	3	3	3	2	1	–
Male	13	1	–	–	1	2	3	1	3	2	–	–	–
Female	9	1	–	–	1	1	–	2	–	1	2	1	–
Syphilis (090-097)	3	–	–	1	–	–	–	–	1	–	1	–	–
Male	2	–	–	1	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	53	1	2	–	2	3	6	6	6	10	10	7	–
Male	29	–	–	–	–	1	5	3	3	9	5	3	–
Female	24	1	2	–	2	2	1	3	3	1	5	4	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,276	–	6	33	30	69	137	299	642	952	752	353	4
Male	1,905	–	4	24	16	32	57	148	383	570	458	209	4
Female	1,371	–	2	9	14	37	80	150	259	382	294	144	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	151	–	–	–	1	3	10	17	44	46	22	7	1
Male	122	–	–	–	1	–	9	15	38	37	19	2	1
Female	29	–	–	–	–	3	1	2	6	9	3	5	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,209	–	–	1	1	9	32	86	232	365	326	157	–
Male	699	–	–	–	1	4	15	50	142	229	179	79	–
Female	510	–	–	1	–	5	17	36	90	136	147	78	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	511	–	–	–	2	2	17	55	127	167	107	34	–
Male	372	–	–	–	2	1	13	42	96	122	73	23	–
Female	139	–	–	–	–	1	4	13	31	45	34	11	–
Malignant neoplasm of breast (174-175)	182	–	–	–	2	5	24	36	48	45	13	9	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	182	–	–	–	2	5	24	36	48	45	13	9	–
Malignant neoplasms of genital organs (179-187)	467	–	–	–	1	14	19	31	69	112	132	88	1
Male	285	–	–	–	–	4	2	6	27	72	101	72	1
Female	182	–	–	–	1	10	17	25	42	40	31	16	–
Malignant neoplasms of urinary organs (188-189)	83	–	–	–	–	1	2	3	10	24	28	15	–
Male	54	–	–	–	–	–	1	2	8	14	19	10	–
Female	29	–	–	–	–	1	1	1	2	10	9	5	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	372	–	5	9	11	11	12	43	72	120	64	23	2
Male	211	–	3	6	7	6	6	19	50	59	41	12	2
Female	161	–	2	3	4	5	6	24	22	61	23	11	–
Leukemia (204-208)	145	–	1	21	9	13	14	14	14	28	21	12	–
Male	83	–	1	17	4	10	6	6	7	16	10	6	–
Female	62	–	–	4	5	3	8	8	7	10	11	6	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	156	–	–	2	3	11	7	13	26	47	39	8	–
Male	79	–	–	1	1	7	5	8	15	21	16	5	–
Female	77	–	–	1	2	4	2	5	11	26	23	3	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	117	2	4	3	4	6	7	13	22	27	20	9	–
Male	58	1	2	2	2	–	4	8	13	14	8	4	–
Female	59	1	2	1	2	6	3	5	9	13	12	5	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	989	–	1	–	3	6	16	77	190	281	286	138	1
Male	384	–	–	–	–	2	9	43	78	123	96	42	1
Female	605	–	1	–	3	4	7	34	112	158	190	96	–
Nutritional deficiencies (260-269)	46	1	1	–	–	–	–	3	–	6	15	20	–
Male	23	–	–	–	–	–	–	1	–	4	10	8	–
Female	23	1	1	–	–	–	–	2	–	2	5	12	–
Anemias (280-285)	110	2	1	3	2	3	3	8	10	23	28	26	1
Male	52	2	1	2	1	1	1	3	5	9	13	13	1
Female	58	–	–	1	1	2	2	5	5	14	15	13	–
Meningitis (320-322)	34	12	2	–	3	–	3	2	3	5	2	2	–
Male	21	7	2	–	3	–	2	2	1	3	1	–	–
Female	13	5	–	–	–	–	1	–	2	2	1	2	–
Major cardiovascular diseases (390-448)	8,687	26	8	19	28	65	173	459	1,037	2,088	2,447	2,323	14
Male	4,598	11	3	11	12	32	107	279	665	1,222	1,254	992	10
Female	4,089	15	5	8	16	33	66	180	372	866	1,193	1,331	4
Diseases of heart (390-398,402,404-429)	6,179	21	7	12	18	42	120	348	817	1,548	1,724	1,514	10
Male	3,346	8	2	7	8	21	76	212	535	908	890	671	8
Female	2,833	13	5	5	10	21	44	136	282	638	834	843	2
Rheumatic fever and rheumatic heart disease (390-398)	47	–	–	–	–	3	8	13	8	7	6	2	–
Male	15	–	–	–	–	2	2	2	3	2	2	2	–
Female	32	–	–	–	–	1	6	11	5	5	4	–	–
Hypertensive heart disease (402)	248	–	–	–	–	1	4	14	25	64	73	67	–
Male	118	–	–	–	–	1	2	7	14	31	34	29	–
Female	130	–	–	–	–	–	2	7	11	33	39	38	–
Hypertensive heart and renal disease (404)	3	–	–	–	–	–	–	–	–	1	2	–	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	4,135	–	–	–	3	14	69	224	590	1,122	1,185	919	9
Male	2,330	–	–	–	1	11	49	153	392	681	622	413	8
Female	1,805	–	–	–	2	3	20	71	198	441	563	506	1
Acute myocardial infarction (410)	2,654	–	–	–	3	11	54	182	443	837	714	412	8
Male	1,534	–	–	–	1	9	38	124	297	510	373	175	7
Female	1,120	–	–	–	2	2	16	58	146	327	341	237	1
Other acute and subacute forms of ischemic heart disease (411)	69	–	–	–	–	1	2	5	10	10	21	20	–
Male	38	–	–	–	–	–	2	4	4	5	13	10	–
Female	31	–	–	–	–	1	–	1	6	5	8	10	–
Angina pectoris (413)	15	–	–	–	–	–	–	1	3	3	8	–	–
Male	6	–	–	–	–	–	–	–	–	1	5	–	–
Female	9	–	–	–	–	–	–	1	3	2	3	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,387	–	–	–	–	2	13	36	134	272	442	487	1
Male	752	–	–	–	–	2	9	25	91	165	231	228	1
Female	635	–	–	–	–	–	4	11	43	107	211	259	–
Other diseases of endocardium (424)	46	–	1	2	1	2	2	5	5	10	9	9	–
Male	27	–	–	2	1	1	–	3	4	6	5	5	–
Female	19	–	1	–	–	1	2	2	1	4	4	4	–
All other forms of heart disease (415-423,425-429)	1,700	21	6	10	14	22	37	92	189	342	449	517	1
Male	854	8	2	5	6	6	23	47	122	187	226	222	–
Female	846	13	4	5	8	16	14	45	67	155	223	295	1
Hypertension with or without renal disease (401,403)	244	–	–	1	–	1	14	21	46	60	58	43	–
Male	128	–	–	1	–	1	7	15	29	32	26	17	–
Female	116	–	–	–	–	–	7	6	17	28	32	26	–
Cerebrovascular diseases (430-438)	1,738	5	1	4	9	17	39	84	144	404	515	513	3
Male	858	3	1	2	4	6	24	46	78	241	252	199	2
Female	880	2	–	2	5	11	15	38	66	163	263	314	1
Intracerebral and other intracranial hemorrhage (431-432)	313	3	1	1	1	5	14	34	43	80	73	58	–
Male	162	1	1	1	1	3	10	22	24	49	33	17	–
Female	151	2	–	–	–	2	4	12	19	31	40	41	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	307	–	–	–	–	1	4	5	19	74	98	104	2
Male	153	–	–	–	–	1	1	4	16	43	47	40	1
Female	154	–	–	–	–	–	3	1	3	31	51	64	1
Cerebral embolism (434.1)	11	–	–	–	–	–	–	–	1	1	9	–	–
Male	3	–	–	–	–	–	–	–	1	–	2	–	–
Female	8	–	–	–	–	–	–	–	–	1	7	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,107	2	–	3	8	11	21	45	81	249	335	351	1
Male	540	2	–	1	3	2	13	20	37	149	170	142	1
Female	567	–	–	2	5	9	8	25	44	100	165	209	–
Atherosclerosis (440)	400	–	–	–	–	–	–	1	11	47	114	226	1
Male	188	–	–	–	–	–	–	1	5	22	66	94	–
Female	212	–	–	–	–	–	–	–	6	25	48	132	1
Other diseases of arteries, arterioles, and capillaries (441-448)	126	–	–	2	1	5	–	5	19	31	36	27	–
Male	78	–	–	1	–	4	–	5	18	19	20	11	–
Female	48	–	–	1	1	1	–	–	1	12	16	16	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	–	2	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	1,031	98	9	10	11	19	27	41	75	165	242	335	1
Male	577	57	6	–	10	11	18	27	44	105	143	155	1
Female	454	39	3	10	1	8	9	14	31	60	99	180	–
Pneumonia (480-486)	1,024	98	9	10	10	19	27	40	75	164	242	331	1
Male	574	57	6	–	9	11	18	26	44	105	143	154	1
Female	450	39	3	10	1	8	9	14	31	59	99	177	–
Influenza (487)	7	–	–	–	1	–	–	1	–	1	–	4	–
Male	3	–	–	–	1	–	–	1	–	–	–	1	–
Female	4	–	–	–	–	–	–	–	–	1	–	3	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	595	2	2	–	7	6	23	24	73	173	158	126	1
Male	312	1	1	–	3	4	13	13	37	94	88	57	1
Female	283	1	1	–	4	2	10	11	36	79	70	69	–
Bronchitis, chronic and unspecified (490-491)	40	–	–	–	–	–	–	–	7	8	9	16	–
Male	22	–	–	–	–	–	–	–	2	5	7	8	–
Female	18	–	–	–	–	–	–	–	5	3	2	8	–
Emphysema (492)	116	–	–	–	1	–	2	4	14	39	30	26	–
Male	69	–	–	–	–	–	2	3	11	24	17	12	–
Female	47	–	–	–	1	–	–	1	3	15	13	14	–
Asthma (493)	155	2	2	–	6	4	19	14	22	39	29	18	–
Male	85	1	1	–	3	3	10	7	14	21	15	10	–
Female	70	1	1	–	3	1	9	7	8	18	14	8	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	284	–	–	–	–	2	2	6	30	87	90	66	1
Male	136	–	–	–	–	1	1	3	10	44	49	27	1
Female	148	–	–	–	–	1	1	3	20	43	41	39	–
Ulcer of stomach and duodenum (531-533)	68	–	–	–	1	–	4	6	10	18	18	11	–
Male	44	–	–	–	–	–	4	5	9	10	11	5	–
Female	24	–	–	–	1	–	–	1	1	8	7	6	–
Appendicitis (540-543)	13	–	–	2	1	1	1	2	2	1	1	2	–
Male	8	–	–	1	1	1	–	2	2	–	–	1	–
Female	5	–	–	1	–	–	1	–	–	1	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	69	2	–	1	1	1	4	5	9	15	14	17	–
Male	35	–	–	1	–	1	3	4	8	7	3	8	–
Female	34	2	–	–	1	–	1	1	1	8	11	9	–
Chronic liver disease and cirrhosis (571)	735	2	–	–	2	23	95	146	184	165	101	12	5
Male	583	1	–	–	1	20	86	121	146	129	67	7	5
Female	152	1	–	–	1	3	9	25	38	36	34	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	32	–	–	–	2	–	–	1	2	10	12	5	–
Male	15	–	–	–	1	–	–	–	1	8	5	–	–
Female	17	–	–	–	1	–	–	1	1	2	7	5	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	288	6	2	4	3	9	12	26	40	64	74	45	1
Male	164	4	1	4	3	6	9	16	25	34	35	26	1
Female	122	2	1	–	–	3	3	10	15	30	39	19	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	–	–	2	–	–	–	2	3	–	3	1	–
Male	6	–	–	2	–	–	–	–	2	–	2	–	–
Female	5	–	–	–	–	–	–	2	1	–	1	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	–	–	1	3	1	3	3	7	7	11	9	–
Male	29	–	–	1	3	–	3	2	5	5	6	4	–
Female	16	–	–	–	–	1	–	1	2	2	5	5	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	230	6	2	1	–	6	9	21	30	57	60	35	1
Male	129	4	1	1	–	6	6	14	18	29	27	22	1
Female	101	2	1	–	–	2	3	7	12	28	33	13	–
Infections of kidney (590)	18	1	–	–	–	1	–	2	4	3	3	4	–
Male	7	–	–	–	–	1	–	1	3	1	1	–	–
Female	11	1	–	–	–	–	–	1	1	2	2	4	–
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	1	5	4	4	–
Male	14	–	–	–	–	–	–	–	1	5	4	4	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	***	***	–	1	5	2	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	8	***	***	–	1	5	2	–	***	***	***	***	–
Pregnancy with abortive outcome (630-638)	1	***	***	–	–	1	–	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	1	***	***	–	–	1	–	–	***	***	***	***	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	***	***	–	1	4	2	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	7	***	***	–	1	4	2	–	***	***	***	***	–
Congenital anomalies (740-759)	240	178	14	17	11	4	4	6	3	–	2	1	–
Male	132	98	7	8	5	3	3	4	2	–	2	–	–
Female	108	80	7	9	6	1	1	2	1	–	–	1	–
Certain conditions originating in the perinatal period (760-779)	733	733	–	–	–	–	–	–	–	–	–	–	–
Male	411	411	–	–	–	–	–	–	–	–	–	–	–
Female	322	322	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	321	321	–	–	–	–	–	–	–	–	–	–	–
Male	188	188	–	–	–	–	–	–	–	–	–	–	–
Female	133	133	–	–	–	–	–	–	–	–	–	–	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	412	412	–	–	–	–	–	–	–	–	–	–	–
Male	223	223	–	–	–	–	–	–	–	–	–	–	–
Female	189	189	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	205	25	1	2	6	7	8	10	10	18	30	84	4
Male	102	14	–	1	3	3	7	7	8	15	12	29	3
Female	103	11	1	1	3	4	1	3	2	3	18	55	1
All other diseases (Residual)	1,822	64	32	25	65	81	105	170	278	358	341	297	6
Male	1,057	37	20	7	41	46	63	115	175	213	182	152	6
Female	765	27	12	18	24	35	42	55	103	145	159	145	–
Accidents and adverse effects (E800-E949)	1,066	18	33	60	184	161	141	110	86	86	68	78	13
Male	828	4	19	45	171	142	127	92	82	70	39	27	10
Female	238	12	14	15	23	19	14	18	14	26	29	51	3
Motor vehicle accidents (E810-E825)	457	2	7	25	115	71	66	56	54	37	14	6	4
Male	371	–	4	18	95	63	58	44	44	26	11	5	3
Female	86	2	3	7	20	8	8	12	10	11	3	1	1
All other accidents and adverse effects (E800-E807,E826-E949)	609	14	26	35	79	90	75	54	42	59	54	72	9
Male	457	4	15	27	76	79	69	48	38	44	28	22	7
Female	152	10	11	8	3	11	6	6	4	15	26	50	2
Suicide (E950-E959)	298	...	...	1	35	64	47	55	46	33	14	3	–
Male	257	...	...	1	29	56	41	46	40	27	14	3	–
Female	41	...	...	–	6	8	6	9	6	6	–	–	–
Homicide and legal intervention (E960-E978)	511	1	4	5	146	158	100	42	29	13	7	2	4
Male	437	1	2	4	129	132	87	37	28	9	4	1	3
Female	74	–	2	1	17	26	13	5	1	4	3	1	1
All other external causes (E980-E999)	16	–	–	–	4	5	4	1	1	–	1	–	–
Male	12	–	–	–	3	4	3	1	–	–	1	–	–
Female	4	–	–	–	1	1	1	–	1	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	498	49	5	12	16	29	30	56	82	89	79	51	–
White, male	85	3	–	1	1	7	6	12	17	15	18	5	–
White, female	44	4	–	1	1	1	3	5	6	8	10	5	–
All other, male	189	24	1	4	13	12	8	24	38	31	20	14	–
All other, female	180	18	4	6	1	9	13	15	21	35	31	27	–
Black, male	185	24	1	4	13	12	7	22	37	31	20	14	–
Black, female	175	18	4	6	1	7	13	15	20	34	31	26	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia. (038)	8	–	–	–	–	–	1	–	–	2	3	2	–
White, male	2	–	–	–	–	–	–	–	–	1	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	4	–	–	–	–	–	–	–	–	1	2	1	–
Black, male	1	–	–	–	–	–	1	–	–	–	–	–	–
Black, female	4	–	–	–	–	–	–	–	–	1	2	1	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,088-139)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	65	–	–	1	–	–	1	7	20	23	9	4	–
White, male	12	–	–	–	–	–	–	1	4	5	1	1	–
White, female	8	–	–	–	–	–	–	–	3	3	2	–	–
All other, male	22	–	–	–	–	–	–	–	9	8	3	2	–
All other, female	23	–	–	1	–	–	1	6	4	7	3	1	–
Black, male	22	–	–	–	–	–	–	–	9	8	3	2	–
Black, female	23	–	–	1	–	–	1	6	4	7	3	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	–	–	–	–	–	–	–	1	1	–	1	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	22	–	–	–	–	–	–	2	6	9	3	–	–
White, male	2	–	–	–	–	–	–	–	1	1	–	–	–
White, female	4	–	–	–	–	–	–	–	1	2	1	–	–
All other, male	9	–	–	–	–	–	–	–	4	4	1	–	–
All other, female	7	–	–	–	–	–	–	2	2	2	1	–	–
Black, male	9	–	–	–	–	–	–	–	4	4	1	–	–
Black, female	7	–	–	–	–	–	–	2	2	2	1	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7	–	–	–	–	–	–	–	–	4	3	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	1	2	2	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	4	–	–	–	–	–	1	2	1	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	4	–	–	–	–	–	1	2	1	–	–	–	–
Malignant neoplasms of genital organs (179-187)	15	–	–	–	–	–	–	2	4	5	3	1	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, male	7	–	–	–	–	–	–	–	3	2	1	1	–
All other, female	6	–	–	–	–	–	–	2	–	3	1	–	–
Black, male	7	–	–	–	–	–	–	–	3	2	1	1	–
Black, female	6	–	–	–	–	–	–	2	–	3	1	–	–
Malignant neoplasms of urinary organs (188-189)	3	–	–	–	–	–	–	–	1	1	–	1	–
White, male	2	–	–	–	–	–	–	–	1	–	–	1	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	6	–	–	1	–	–	–	–	2	2	–	1	–
White, male	4	–	–	–	–	–	–	–	2	2	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	–	–	–	–	–	–	1	2	1	–	–	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	1	1	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	–	–	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	1	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	28	–	–	–	–	–	1	2	8	4	8	5	–
White, male	2	–	–	–	–	–	–	1	–	–	–	1	–
White, female	4	–	–	–	–	–	–	1	–	1	2	–	–
All other, male	10	–	–	–	–	–	–	–	5	–	4	1	–
All other, female	12	–	–	–	–	–	1	–	3	3	2	3	–
Black, male	10	–	–	–	–	–	–	–	5	–	4	1	–
Black, female	11	–	–	–	–	–	1	–	2	3	2	3	–
Nutritional deficiencies (260-269)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Anemias (280-285)	2	–	–	1	–	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	1	–	–	–	1	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	1	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	3	–	–	–	–	–	–	1	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	2	–	–	–	–	–	–	1	–	–	1	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	2	–	–	–	–	–	–	1	–	–	1	–	–
Major cardiovascular diseases (390-448)	190	–	–	2	1	1	4	19	40	44	45	34	–
White, male	31	–	–	–	–	1	–	2	7	7	11	3	–
White, female	17	–	–	–	1	–	–	2	3	3	4	4	–
All other, male	65	–	–	–	–	–	2	10	18	15	11	9	–
All other, female	77	–	–	2	–	–	2	5	12	19	19	18	–
Black, male	63	–	–	–	–	–	1	10	17	15	11	9	–
Black, female	75	–	–	2	–	–	2	5	12	18	19	17	–
Diseases of heart (390-398,402,404-429)	146	–	–	2	1	1	4	16	30	34	33	25	–
White, male	25	–	–	–	–	1	–	2	6	6	7	3	–
White, female	13	–	–	–	1	–	–	1	2	2	4	3	–
All other, male	46	–	–	–	–	–	2	9	11	11	7	6	–
All other, female	62	–	–	2	–	–	2	4	11	15	15	13	–
Black, male	45	–	–	–	–	–	1	9	11	11	7	6	–
Black, female	60	–	–	2	–	–	2	4	11	14	15	12	–
Rheumatic fever and rheumatic heart disease (390-398)	3	–	–	–	1	–	1	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	1	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	1	–	–	1	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	1	–	–	1	–	–	–
Hypertensive heart disease (402)	15	–	–	–	–	–	1	3	8	2	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	6	–	–	–	–	–	1	1	3	1	–	–	–
All other, female	8	–	–	–	–	–	–	2	5	–	1	–	–
Black, male	6	–	–	–	–	–	1	1	3	1	–	–	–
Black, female	8	–	–	–	–	–	–	2	5	–	1	–	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	108	–	–	–	–	1	2	10	21	28	27	19	–
White, male	21	–	–	–	–	1	–	1	6	6	6	1	–
White, female	10	–	–	–	–	–	–	1	2	1	4	2	–
All other, male	35	–	–	–	–	–	1	7	7	9	6	5	–
All other, female	42	–	–	–	–	–	1	1	6	12	11	11	–
Black, male	34	–	–	–	–	–	–	7	7	9	6	5	–
Black, female	40	–	–	–	–	–	1	1	6	11	11	10	–
Acute myocardial infarction (410)	55	–	–	–	–	–	2	6	13	17	14	3	–
White, male	14	–	–	–	–	–	–	1	3	5	5	–	–
White, female	3	–	–	–	–	–	–	–	1	1	1	–	–
All other, male	18	–	–	–	–	–	1	4	5	5	3	–	–
All other, female	20	–	–	–	–	–	1	1	4	6	5	3	–
Black, male	17	–	–	–	–	–	–	4	5	5	3	–	–
Black, female	19	–	–	–	–	–	1	1	4	5	5	3	–
Other acute and subacute forms of ischemic heart disease (411)	1	–	–	–	–	–	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	–	–	–	1	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	52	–	–	–	–	1	–	4	7	11	13	16	–
White, male	7	–	–	–	–	1	–	–	3	1	1	1	–
White, female	7	–	–	–	–	–	–	1	1	–	3	2	–
All other, male	17	–	–	–	–	–	–	3	2	4	3	5	–
All other, female	21	–	–	–	–	–	–	–	1	6	6	8	–
Black, male	17	–	–	–	–	–	–	3	2	4	3	5	–
Black, female	20	–	–	–	–	–	–	–	1	6	6	7	–
Other diseases of endocardium (424)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	19	–	–	2	–	–	–	3	1	3	4	6	–
White, male	4	–	–	–	–	–	–	1	–	–	1	2	–
White, female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, male	5	–	–	–	–	–	–	1	1	1	1	1	–
All other, female	9	–	–	2	–	–	–	1	–	2	2	2	–
Black, male	5	–	–	–	–	–	–	1	1	1	1	1	–
Black, female	9	–	–	2	–	–	–	1	–	2	2	2	–
Hypertension with or without renal disease (401,403)	4	–	–	–	–	–	–	1	1	1	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	1	1	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	3	–	–	–	–	–	–	1	1	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	29	–	–	–	–	–	–	2	8	8	7	6	–
White, male	4	–	–	–	–	–	–	–	1	–	3	–	–
White, female	3	–	–	–	–	–	–	1	1	–	–	1	–
All other, male	11	–	–	–	–	–	–	–	5	3	2	1	–
All other, female	11	–	–	–	–	–	–	1	1	3	2	4	–
Black, male	10	–	–	–	–	–	–	–	4	3	2	1	–
Black, female	11	–	–	–	–	–	–	1	1	3	2	4	–
Intracerebral and other intracranial hemorrhage (431-432)	4	–	–	–	–	–	–	–	–	2	2	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	1	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, male	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	–	–	–	–	–	–	1	5	1	3	–	–
White, male	3	–	–	–	–	–	–	–	1	–	2	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	4	–	–	–	–	–	–	–	3	1	–	–	–
All other, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Black, male	3	–	–	–	–	–	–	–	2	1	–	–	–
Black, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	15	–	–	–	–	–	–	1	3	3	2	6	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	2	–	–	–	–	–	–	–	1	–	–	1	–
All other, male	5	–	–	–	–	–	–	–	2	1	1	1	–
All other, female	8	–	–	–	–	–	–	1	–	2	1	4	–
Black, male	5	–	–	–	–	–	–	–	2	1	1	1	–
Black, female	8	–	–	–	–	–	–	1	–	2	1	4	–
Atherosclerosis (440)	7	–	–	–	–	–	–	–	–	2	2	3	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	3	–	–	–	–	–	–	–	–	–	1	2	–
All other, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Black, male	3	–	–	–	–	–	–	–	–	–	1	2	–
Black, female	2	–	–	–	–	–	–	–	–	–	1	1	–
Other diseases of arteries, arterioles, and capillaries (441-448)	4	–	–	–	–	–	–	–	1	1	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	–	1	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	2	–	–	–	–	–	–	–	1	–	1	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	10	1	–	–	–	2	–	–	1	1	3	2	–
White, male	2	–	–	–	–	–	–	–	–	1	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	4	1	–	–	–	–	–	–	1	–	1	1	–
All other, female	3	–	–	–	–	2	–	–	–	–	–	1	–
Black, male	4	1	–	–	–	–	–	–	1	–	1	1	–
Black, female	3	–	–	–	–	2	–	–	–	–	–	1	–
Pneumonia (480-486)	10	1	–	–	–	2	–	–	1	1	3	2	–
White, male	2	–	–	–	–	–	–	–	–	1	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	4	1	–	–	–	–	–	–	1	–	1	1	–
All other, female	3	–	–	–	–	2	–	–	–	–	–	1	–
Black, male	4	1	–	–	–	–	–	–	1	–	1	1	–
Black, female	3	–	–	–	–	2	–	–	–	–	–	1	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	11	–	–	1	–	–	–	1	2	3	4	–	–
White, male	3	–	–	–	–	–	–	–	1	–	2	–	–
White, female	2	–	–	–	–	–	–	1	–	1	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	1	–	–	–
All other, female	4	–	–	1	–	–	–	–	–	1	2	–	–
Black, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Black, female	4	–	–	1	–	–	–	–	–	1	2	–	–
Bronchitis, chronic and unspecified (490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	2	–	–	–	–	–	–	–	1	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	4	–	–	1	–	–	–	1	1	–	1	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	1	–	–	–	–	–	–	1	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	1	–	–	–	–	–	–	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	5	–	–	–	–	–	–	–	–	3	2	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	1	1	–	–
Ulcer of stomach and duodenum (531-533)	2	–	–	–	–	–	–	–	–	2	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	–	2	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	2	–	–	–	–	–	–	–	–	2	–	–	–
Appendicitis (540-543)	1	–	–	–	1	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	–	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	27	–	–	–	–	2	9	10	5	1	–	–	–
White, male	9	–	–	–	–	–	1	4	4	–	–	–	–
White, female	2	–	–	–	–	–	2	–	–	–	–	–	–
All other, male	9	–	–	–	–	1	3	4	–	1	–	–	–
All other, female	7	–	–	–	–	1	3	2	1	–	–	–	–
Black, male	9	–	–	–	–	1	3	4	–	1	–	–	–
Black, female	7	–	–	–	–	1	3	2	1	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	–	–	1	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black, female	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	–	–	–	–	1	–	1	1	2	–	–	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	2	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	3	–	–	–	–	–	–	–	1	2	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	–	–	–	–	–	–	1	1	1	–	–	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	1	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	...	...	–	–	1	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	–	–	1	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	1	...	...	–	–	1	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	1	...	...	–	–	1	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	–	–	1	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	1	...	...	–	–	1	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	...	...	–	–	–	–	–	...	...	...	...	–
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	–	...	...	–	–	–	–	–	...	...	...	...	–
Congenital anomalies (740-759)	10	8	1	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	7	6	–	1	–	–	–	–	–	–	–	–	–
All other, female	2	1	1	–	–	–	–	–	–	–	–	–	–
Black, male	7	6	–	1	–	–	–	–	–	–	–	–	–
Black, female	2	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	39	38	–	–	–	–	–	–	–	–	–	1	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	3	3	–	–	–	–	–	–	–	–	–	–	–
All other, male	17	16	–	–	–	–	–	–	–	–	–	1	–
All other, female	17	17	–	–	–	–	–	–	–	–	–	–	–
Black, male	17	16	–	–	–	–	–	–	–	–	–	1	–
Black, female	17	17	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	4	–	–	–	–	–	–	–	–	–	–	–
All other, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Black, male	4	4	–	–	–	–	–	–	–	–	–	–	–
Black, female	5	5	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	29	28	–	–	–	–	–	–	–	–	–	1	–
White, male	2	2	–	–	–	–	–	–	–	–	–	–	–
White, female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other, male	13	12	–	–	–	–	–	–	–	–	–	1	–
All other, female	12	12	–	–	–	–	–	–	–	–	–	–	–
Black, male	13	12	–	–	–	–	–	–	–	–	–	1	–
Black, female	12	12	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	25	1	2	2	1	1	4	3	2	3	4	2	–
White, male	3	–	–	–	–	–	2	–	–	–	1	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	11	1	1	1	1	1	–	2	1	2	1	–	–
All other, female	10	–	1	1	–	–	2	1	1	1	1	2	–
Black, male	11	1	1	1	1	1	–	2	1	2	1	–	–
Black, female	10	–	1	1	–	–	2	1	1	1	1	2	–
Accidents and adverse effects (E800-E949)	38	1	2	1	7	12	5	6	2	1	1	–	–
White, male	11	1	–	–	1	4	2	2	1	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	18	–	–	1	6	5	2	3	1	–	–	–	–
All other, female	8	–	2	–	–	3	1	–	–	1	1	–	–
Black, male	17	–	–	1	6	5	2	2	1	–	–	–	–
Black, female	7	–	2	–	–	2	1	–	–	1	1	–	–
Motor vehicle accidents (E810-E825)	8	–	–	–	4	4	–	–	–	–	–	–	–
White, male	3	–	–	–	1	2	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	3	1	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	1	–	–	–	–	–	–	–
Black, male	4	–	–	–	3	1	–	–	–	–	–	–	–
Black, female	1	–	–	–	–	1	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	30	1	2	1	3	8	5	6	2	1	1	–	–
White, male	8	1	–	–	–	2	2	2	1	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	14	–	–	1	3	4	2	3	1	–	–	–	–
All other, female	7	–	2	–	–	2	1	–	–	1	1	–	–
Black, male	13	–	–	1	3	4	2	2	1	–	–	–	–
Black, female	6	–	2	–	–	1	1	–	–	1	1	–	–
Suicide (E950-E959)	5	...	...	–	–	2	1	1	–	1	–	–	–
White, male	1	...	...	–	–	–	–	–	–	1	–	–	–
White, female	1	...	...	–	–	–	1	–	–	–	–	–	–
All other, male	3	...	...	–	–	2	–	1	–	–	–	–	–
All other, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Black, male	3	...	...	–	–	2	–	1	–	–	–	–	–
Black, female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	20	–	–	2	6	4	4	3	–	1	–	–	–
White, male	3	–	–	1	–	1	1	–	–	–	–	–	–
White, female	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, male	12	–	–	–	6	2	–	3	–	1	–	–	–
All other, female	4	–	–	–	–	1	3	–	–	–	–	–	–
Black, male	12	–	–	–	6	2	–	3	–	1	–	–	–
Black, female	3	–	–	–	–	–	3	–	–	–	–	–	–
All other external causes (E980-E999)	2	–	–	–	–	1	–	1	–	–	–	–	–
White, male	2	–	–	–	–	1	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	428	29	10	6	13	20	22	48	89	91	74	25	1
White, male	34	5	1	1	2	6	2	5	5	6	1	–	–
White, female	7	–	–	1	–	–	–	1	1	1	2	1	–
All other, male	205	10	5	1	8	10	12	30	48	44	31	6	–
All other, female	182	14	4	3	3	4	8	12	35	40	40	18	1
Guamanian, male	155	8	5	1	5	6	10	19	30	37	28	6	–
Guamanian, female	149	11	2	2	3	3	6	9	31	29	35	18	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	–	–	–	1	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	1	–	–	–	1	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	1	–	1	–	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	1	–	2	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	1	–	1	–	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	1	–	2	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	3	–	–	–	–	–	–	–	2	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	1	1	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	1	1	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	1	1	–	1	–	–	–	–	2	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	1	1	–	–	–	–	–	–	1	–	–	–
All other, female	2	–	–	–	1	–	–	–	–	1	–	–	–
Guamanian, male	3	1	1	–	–	–	–	–	–	1	–	–	–
Guamanian, female	1	–	–	–	1	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	59	–	–	1	–	1	3	16	16	10	10	2	–
White, male	6	–	–	–	–	–	–	2	4	–	–	–	–
White, female	3	–	–	1	–	–	–	1	–	–	1	–	–
All other, male	27	–	–	–	–	1	1	8	7	7	3	–	–
All other, female	23	–	–	–	–	–	2	5	5	3	6	2	–
Guamanian, male	17	–	–	–	–	–	1	4	3	6	3	–	–
Guamanian, female	21	–	–	–	–	–	2	4	5	2	6	2	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	17	–	–	–	–	1	–	4	5	3	4	–	–
White, male	4	–	–	–	–	–	–	1	3	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	10	–	–	–	–	1	–	2	2	2	3	–	–
All other, female	3	–	–	–	–	–	–	1	–	1	1	–	–
Guamanian, male	7	–	–	–	–	–	–	2	–	2	3	–	–
Guamanian, female	3	–	–	–	–	–	–	1	–	1	1	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	17	–	–	–	–	–	1	6	6	4	–	–	–
White, male	2	–	–	–	–	–	–	1	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	11	–	–	–	–	–	1	4	3	3	–	–	–
All other, female	4	–	–	–	–	–	–	1	2	1	–	–	–
Guamanian, male	7	–	–	–	–	–	1	1	3	2	–	–	–
Guamanian, female	3	–	–	–	–	–	–	1	2	–	–	–	–
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	2	2	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	4	–	–	–	–	–	2	1	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	4	–	–	–	–	–	2	1	–	–	1	–	–
Malignant neoplasms of genital organs (179-187)	8	–	–	–	–	–	–	3	2	2	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	1	–	2	–	–	–
All other, female	5	–	–	–	–	–	–	2	2	–	1	–	–
Guamanian, male	3	–	–	–	–	–	–	1	–	2	–	–	–
Guamanian, female	4	–	–	–	–	–	–	1	2	–	1	–	–
Malignant neoplasms of urinary organs (188-189)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	–	–	–	–	–	–	–	2	–	3	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	5	–	–	–	–	–	–	–	1	–	2	2	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	5	–	–	–	–	–	–	–	1	–	2	2	–
Leukemia (204-208)	2	–	–	1	–	–	–	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	1	–	–	1	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	1	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2	–	–	–	–	–	–	–	1	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	–	–	1	–	–	–	–	–	1	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	–	–	1	–	–	–	–	–	1	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	3	–	–	1	–	–	–	–	–	1	1	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	17	–	–	–	–	1	–	1	6	6	3	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	–	1	2	1	–	–	–
All other, female	13	–	–	–	–	1	–	–	4	5	3	–	–
Guamanian, male	2	–	–	–	–	–	–	–	1	1	–	–	–
Guamanian, female	10	–	–	–	–	1	–	–	4	2	3	–	–
Nutritional deficiencies (260-269)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Anemias (280-285)	1	–	–	1	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	1	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	3	3	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	2	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	141	–	–	–	–	3	4	17	34	38	31	13	1
White, male	8	–	–	–	–	1	–	1	–	5	1	–	–
White, female	3	–	–	–	–	–	–	–	1	1	–	1	–
All other, male	65	–	–	–	–	1	3	14	18	13	14	2	–
All other, female	65	–	–	–	–	1	1	2	15	19	16	10	1
Guamanian, male	51	–	–	–	–	–	3	10	12	10	14	2	–
Guamanian, female	53	–	–	–	–	1	1	2	13	13	13	10	–
Diseases of heart (390-398,402,404-429)	114	–	–	–	–	3	3	17	26	30	25	10	–
White, male	7	–	–	–	–	1	–	1	–	4	1	–	–
White, female	3	–	–	–	–	–	–	–	1	1	–	1	–
All other, male	57	–	–	–	–	1	2	14	14	11	14	1	–
All other, female	47	–	–	–	–	1	1	2	11	14	10	8	–
Guamanian, male	46	–	–	–	–	–	2	10	9	10	14	1	–
Guamanian, female	42	–	–	–	–	1	1	2	10	11	9	8	–
Rheumatic fever and rheumatic heart disease (390-398)	2	–	–	–	–	1	–	–	1	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	1	–	–	1	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	1	–	–	1	–	–	–	–
Hypertensive heart disease (402)	3	–	–	–	–	–	–	–	1	1	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	1	1	–	1	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Hypertensive heart and renal disease (404)	2	–	–	–	–	–	–	–	1	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	2	–	–	–	–	–	–	–	1	–	1	–	–
Ischemic heart disease (410-414)	84	–	–	–	–	1	3	16	19	18	19	8	–
White, male	4	–	–	–	–	–	–	1	–	2	1	–	–
White, female	3	–	–	–	–	–	–	–	1	1	–	1	–
All other, male	47	–	–	–	–	1	2	13	11	7	12	1	–
All other, female	30	–	–	–	–	–	1	2	7	8	6	6	–
Guamanian, male	37	–	–	–	–	–	2	9	7	6	12	1	–
Guamanian, female	28	–	–	–	–	–	1	2	7	7	5	6	–
Acute myocardial infarction (410)	33	–	–	–	–	1	2	8	7	7	6	2	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	3	–	–	–	–	–	–	–	1	1	–	1	–
All other, male	20	–	–	–	–	1	2	6	4	3	4	–	–
All other, female	9	–	–	–	–	–	–	1	2	3	2	1	–
Guamanian, male	16	–	–	–	–	–	2	5	2	3	4	–	–
Guamanian, female	8	–	–	–	–	–	–	1	2	3	1	1	–
Other acute and subacute forms of ischemic heart disease (411)	12	–	–	–	–	–	–	3	4	2	2	1	–
White, male	1	–	–	–	–	–	–	–	–	–	1	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	–	–	–	2	2	1	1	–	–
All other, female	5	–	–	–	–	–	–	1	2	1	–	1	–
Guamanian, male	4	–	–	–	–	–	–	1	1	1	1	–	–
Guamanian, female	5	–	–	–	–	–	–	1	2	1	–	1	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	39	–	–	–	–	–	1	5	8	9	11	5	–
White, male	2	–	–	–	–	–	–	–	–	2	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	21	–	–	–	–	–	–	5	5	3	7	1	–
All other, female	16	–	–	–	–	–	1	–	3	4	4	4	–
Guamanian, male	17	–	–	–	–	–	–	3	4	2	7	1	–
Guamanian, female	15	–	–	–	–	–	1	–	3	3	4	4	–
Other diseases of endocardium (424)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	23	–	–	–	–	1	–	1	4	11	5	1	–
White, male	3	–	–	–	–	1	–	–	–	2	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	10	–	–	–	–	–	–	1	3	4	2	–	–
All other, female	10	–	–	–	–	–	–	–	1	5	3	1	–
Guamanian, male	9	–	–	–	–	–	–	1	2	4	2	–	–
Guamanian, female	9	–	–	–	–	–	–	–	1	4	3	1	–
Hypertension with or without renal disease (401,403)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	23	–	–	–	–	–	1	–	8	7	4	3	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	8	–	–	–	–	–	1	–	4	2	–	1	–
All other, female	15	–	–	–	–	–	–	–	4	5	4	2	–
Guamanian, male	5	–	–	–	–	–	1	–	3	–	–	1	–
Guamanian, female	10	–	–	–	–	–	–	–	3	2	3	2	–
Intracerebral and other intracranial hemorrhage (431-432)	9	–	–	–	–	–	–	–	4	4	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	–	–	–	–	–	–	1	1	–	1	–
All other, female	6	–	–	–	–	–	–	–	3	3	–	–	–
Guamanian, male	2	–	–	–	–	–	–	–	1	–	–	1	–
Guamanian, female	2	–	–	–	–	–	–	–	2	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	–	–	–	–	–	–	–	1	1	2	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	4	–	–	–	–	–	–	–	1	1	2	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	4	–	–	–	–	–	–	–	1	1	2	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	9	–	–	–	–	–	1	–	3	1	2	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	1	–	3	–	–	–	–
All other, female	5	–	–	–	–	–	–	–	–	1	2	2	–
Guamanian, male	3	–	–	–	–	–	1	–	2	–	–	–	–
Guamanian, female	4	–	–	–	–	–	–	–	–	1	1	2	–
Atherosclerosis (440)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	4	–	–	–	–	–	–	–	–	1	2	–	1
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	3	–	–	–	–	–	–	–	–	–	2	–	1
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	1	–	–	–	1	–	–
White, male	1	–	–	–	–	–	1	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	10	–	2	–	–	–	–	–	1	3	4	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	1	–	–	–	–	–	–	2	–	–	–
All other, female	6	–	1	–	–	–	–	–	–	1	4	–	–
Guamanian, male	2	–	1	–	–	–	–	–	–	1	–	–	–
Guamanian, female	5	–	–	–	–	–	–	–	–	1	4	–	–
Pneumonia (480-486)	9	–	1	–	–	–	–	–	1	3	4	–	–
White, male	1	–	–	–	–	–	–	–	1	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	3	–	1	–	–	–	–	–	–	2	–	–	–
All other, female	5	–	–	–	–	–	–	–	–	1	4	–	–
Guamanian, male	2	–	1	–	–	–	–	–	–	1	–	–	–
Guamanian, female	5	–	–	–	–	–	–	–	–	1	4	–	–
Influenza (487)	1	–	1	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	1	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	13	–	–	–	–	–	2	–	3	4	3	1	–
White, male	2	–	–	–	–	–	1	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	1	–	2	1	1	–	–
All other, female	6	–	–	–	–	–	–	–	1	2	2	1	–
Guamanian, male	4	–	–	–	–	–	1	–	1	1	1	–	–
Guamanian, female	6	–	–	–	–	–	–	–	1	2	2	1	–
Bronchitis, chronic and unspecified (490-491)	1	–	–	–	–	–	–	–	–	–	1	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	1	–	–
Emphysema (492)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	1	–	–	–	–	–	–	–	–	1	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	–	–	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	11	–	–	–	–	–	2	–	3	3	2	1	–
White, male	1	–	–	–	–	–	1	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	5	–	–	–	–	–	1	–	2	1	1	–	–
All other, female	5	–	–	–	–	–	–	–	1	2	1	1	–
Guamanian, male	4	–	–	–	–	–	1	–	1	1	1	–	–
Guamanian, female	5	–	–	–	–	–	–	–	1	2	1	1	–
Ulcer of stomach and duodenum (531-533)	3	–	–	–	–	–	–	–	–	1	–	2	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	2	–	–	–	–	–	–	–	–	1	–	1	–
All other, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, male	2	–	–	–	–	–	–	–	–	1	–	1	–
Guamanian, female	1	–	–	–	–	–	–	–	–	–	–	1	–
Appendicitis (540-543)	1	–	–	–	–	–	–	–	–	1	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	1	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	1	–	–	–	–	–	–	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	14	–	–	–	–	1	3	4	4	1	1	–	–
White, male	1	–	–	–	–	–	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	9	–	–	–	–	1	3	2	2	–	1	–	–
All other, female	4	–	–	–	–	–	–	1	2	1	–	–	–
Guamanian, male	6	–	–	–	–	1	2	2	–	–	1	–	–
Guamanian, female	3	–	–	–	–	–	–	1	1	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	–	–	–	–	–	–	–	–	–	1	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	1	–	–	–	–	–	–	–	–	–	–	1	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	-	-	-	-	-	-	-	-	2	4	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	-	-	-	2	2	1	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Guamanian, male	4	-	-	-	-	-	-	-	-	2	1	1	-
Guamanian, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	-	-	-	-	-	-	-	-	1	4	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	-	1	2	1	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Guamanian, male	3	-	-	-	-	-	-	-	-	1	1	1	-
Guamanian, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	---	---	---	---	---	---	---	---	---	---	---	---	---
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	---	---	---	---	---	---	---	---	---	---	---	---	---
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	---	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	---	---	-	-	-	-	-	---	---	---	---	-
White, male	---	---	---	---	---	---	---	---	---	---	---	---	---
White, female	-	---	---	-	-	-	-	-	---	---	---	---	-
All other, male	---	---	---	---	---	---	---	---	---	---	---	---	---
All other, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Guamanian, male	---	---	---	---	---	---	---	---	---	---	---	---	---
Guamanian, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Pregnancy with abortive outcome (630-638)	-	---	---	-	-	-	-	-	---	---	---	---	-
White, male	---	---	---	---	---	---	---	---	---	---	---	---	---
White, female	-	---	---	-	-	-	-	-	---	---	---	---	-
All other, male	---	---	---	---	---	---	---	---	---	---	---	---	---
All other, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Guamanian, male	---	---	---	---	---	---	---	---	---	---	---	---	---
Guamanian, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	---	---	-	-	-	-	-	---	---	---	---	-
White, male	---	---	---	---	---	---	---	---	---	---	---	---	---
White, female	-	---	---	-	-	-	-	-	---	---	---	---	-
All other, male	---	---	---	---	---	---	---	---	---	---	---	---	---
All other, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Guamanian, male	---	---	---	---	---	---	---	---	---	---	---	---	---
Guamanian, female	-	---	---	-	-	-	-	-	---	---	---	---	-
Congenital anomalies (740-759)	8	7	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, female	6	5	1	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	2	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	3	2	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	11	11	-	-	-	-	-	-	-	-	-	-	-
White, male	4	4	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	-
White, male	4	4	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	3	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	2	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1982—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	2	2	–	–	–	–	–	–	–	–	–	–	–
White, male	1	1	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, female	1	1	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	68	2	–	1	3	2	7	4	15	18	13	3	–
White, male	2	–	–	–	–	2	–	–	–	–	–	–	–
White, female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other, male	41	1	–	1	2	–	3	2	11	12	8	1	–
All other, female	24	1	–	–	1	–	4	2	4	6	4	2	–
Guamanian, male	34	1	–	1	1	–	3	2	8	11	6	1	–
Guamanian, female	22	1	–	–	1	–	3	2	4	6	3	2	–
Accidents and adverse effects (E800-E949)	26	–	6	2	3	4	–	4	4	2	1	–	–
White, male	5	–	1	1	1	1	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	14	–	3	–	2	3	–	1	2	2	1	–	–
All other, female	7	–	2	1	–	–	–	2	2	–	–	–	–
Guamanian, male	12	–	3	–	1	3	–	–	2	2	1	–	–
Guamanian, female	3	–	1	1	–	–	–	–	1	–	–	–	–
Motor vehicle accidents (E810-E825)	10	–	1	–	1	2	–	3	3	–	–	–	–
White, male	2	–	–	–	–	1	–	1	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	1	–	1	1	–	–	1	–	–	–	–
All other, female	4	–	–	–	–	–	–	2	2	–	–	–	–
Guamanian, male	4	–	1	–	1	1	–	–	1	–	–	–	–
Guamanian, female	1	–	–	–	–	–	–	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	16	–	5	2	2	2	–	1	1	2	1	–	–
White, male	3	–	1	1	1	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	10	–	2	–	1	2	–	1	1	2	1	–	–
All other, female	3	–	2	1	–	–	–	–	–	–	–	–	–
Guamanian, male	8	–	2	–	–	2	–	–	1	2	1	–	–
Guamanian, female	2	–	1	1	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	9	...	...	–	2	2	–	1	3	1	–	–	–
White, male	1	...	...	–	–	1	–	–	–	–	–	–	–
White, female	–	...	...	–	–	–	–	–	–	–	–	–	–
All other, male	7	...	...	–	1	1	–	1	3	1	–	–	–
All other, female	1	...	...	–	1	–	–	–	–	–	–	–	–
Guamanian, male	5	...	...	–	1	–	–	1	3	–	–	–	–
Guamanian, female	1	...	...	–	1	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	8	–	–	–	3	3	1	1	–	–	–	–	–
White, male	–	–	–	–	–	–	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	6	–	–	–	3	2	–	1	–	–	–	–	–
All other, female	2	–	–	–	–	1	1	–	–	–	–	–	–
Guamanian, male	4	–	–	–	2	2	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	3	–	–	–	1	2	–	–	–	–	–	–	–
White, male	2	–	–	–	1	1	–	–	–	–	–	–	–
White, female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other, male	1	–	–	–	–	1	–	–	–	–	–	–	–
All other, female	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, male	–	–	–	–	–	–	–	–	–	–	–	–	–
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	457	104	66	16	2	–	1	9	159	–	100
Male	371	92	41	16	1	–	1	9	126	–	85
Female	86	12	25	–	1	–	–	–	33	–	15
Virgin Islands	8	–	–	–	–	–	–	–	–	–	8
White, male	3	–	–	–	–	–	–	–	–	–	3
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	–	–	–	–	4
All other, female	1	–	–	–	–	–	–	–	–	–	1
Black, male	4	–	–	–	–	–	–	–	–	–	4
Black, female	1	–	–	–	–	–	–	–	–	–	1
Guam	10	–	–	–	–	–	–	–	2	1	7
White, male	2	–	–	–	–	–	–	–	–	–	2
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	4	–	–	–	–	–	–	–	1	–	3
All other, female	4	–	–	–	–	–	–	–	1	1	2
Guamanian, male	4	–	–	–	–	–	–	–	1	–	3
Guamanian, female	1	–	–	–	–	–	–	–	–	1	–

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1]	Farm [2]	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	546	133	4	-	9	1	19	3	13	144	221
Male	407	93	4	-	7	1	19	3	10	134	136
Female	139	40	-	-	1	-	-	-	3	10	85
Virgin Islands	22	2	-	-	-	-	-	-	-	4	16
White, male	6	1	-	-	-	-	-	-	-	2	3
White, female	1	-	-	-	-	-	-	-	-	1	-
All other, male	8	-	-	-	-	-	-	-	-	1	7
All other, female	7	1	-	-	-	-	-	-	-	-	6
Black, male	8	-	-	-	-	-	-	-	-	1	7
Black, female	6	1	-	-	-	-	-	-	-	-	5
Guam	15	8	-	-	2	1	-	-	-	3	1
White, male	2	-	-	-	-	1	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	5	-	-	2	-	-	-	-	2	1
All other, female	3	3	-	-	-	-	-	-	-	-	-
Guamanian, male	8	5	-	-	2	-	-	-	-	-	1
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1982

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	21,522	21,427	1,187	963	755
Adjuntas	51	119	6	4	7
Aguada	86	178	11	8	12
Aguadilla	451	408	20	16	20
Aguas Buenas	76	140	7	5	4
Aibonito	106	116	7	6	1
Anasco	79	182	9	8	5
Arecibo	1,078	701	20	17	18
Arroyo	65	111	13	11	7
Barceloneta	73	138	5	2	4
Barranquitas	69	134	7	7	1
Bayamon	1,585	1,131	57	47	33
Cabo Rojo	123	254	10	8	7
Caguas	1,097	720	38	29	33
Camuy	89	160	3	3	10
Canovanas	83	165	15	11	7
Carolina	359	772	51	45	26
Catano	100	229	13	11	8
Cayey	158	297	14	10	9
Ceiba	45	87	4	3	2
Ciales	43	90	10	7	5
Cidra	75	160	8	7	4
Coamo	102	212	13	9	5
Comerio	38	88	6	5	6
Corozal	68	159	13	9	3
Culebra	3	8	1	1	–
Dorado	55	128	5	3	7
Fajardo	360	236	14	12	6
Florida	34	58	3	3	3
Guanica	62	137	6	6	4
Guayama	365	310	21	19	15
Guayanilla	61	139	9	7	10
Guaynabo	180	421	23	20	11
Gurabo	79	163	6	3	8
Hatillo	77	179	8	6	5
Hormigueros	48	104	6	6	5
Humacao	596	342	15	13	15
Isabela	152	270	8	7	10
Jayuya	46	98	12	10	6
Juana Diaz	120	317	31	24	17
Juncos	77	194	13	12	9
Lajas	69	145	4	3	8
Lares	134	206	9	8	12
Las Marias	20	43	6	6	3
Las Piedras	50	140	9	9	3
Loiza	41	113	22	16	4
Luquillo	28	82	6	5	3
Manati	159	268	8	7	10
Maricao	17	43	1	1	1
Maunabo	34	87	10	5	4
Mayaguez	1,377	706	31	27	12
Moca	117	186	10	8	10
Morovis	55	135	11	10	5
Naguabo	76	168	7	7	4
Naranjito	58	95	9	7	3
Orocovis	45	103	4	4	1
Patillas	58	124	6	6	5
Penuelas	52	129	8	8	8
Ponce	2,166	1,284	74	55	50
Quebradillas	81	145	9	8	5
Rincon	36	73	4	4	3
Rio Grande	75	190	14	9	11
Sabana Grande	66	149	6	5	3
Salinas	83	201	5	5	12
San German	352	265	15	14	7
San Juan	6,300	3,734	175	144	91
San Lorenzo	103	210	11	11	9
San Sebastian	134	248	9	7	7
Santa Isabel	63	145	13	8	8
Toa Alta	69	157	11	8	5
Toa Baja	155	387	33	23	22
Trujillo Alto	122	228	13	10	8
Utuado	172	241	17	13	10
Vega Alta	87	188	19	17	3
Vega Baja	163	290	15	13	12
Vieques	46	67	4	3	2
Villalba	68	132	7	5	5
Yabucoa	112	234	12	9	7
Yauco	265	254	18	13	10

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1982

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	525	498	49	45	54
White	151	129	7	6	7
All other	374	369	42	39	47
Black	364	360	42	39	45
St. Croix Island	233	226	19	18	27
White	74	67	5	4	2
All other	159	159	14	14	25
Black	154	154	14	14	23
St. John Island	5	10	-	-	2
White	4	5	-	-	2
All other	1	5	-	-	-
Black	-	5	-	-	-
St. Thomas Island	287	282	30	27	25
White	73	57	2	2	3
All other	214	205	28	25	22
Black	210	201	28	25	22
Charlotte Amalie	---	192	28	26	5
White	---	31	2	2	-
All other	---	161	26	24	5
Black	---	159	26	24	5
Balance of area	---	70	2	1	20
White	---	26	-	-	3
All other	---	44	2	1	17
Black	---	42	2	1	17
Guam	443	428	29	14	33
White	43	41	5	4	6
All other	400	387	24	10	27
Guamanian	305	304	19	8	2

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	1,187	114	79	91	81	112	88	98	124	97	104	100	99
Under 28 days	963	88	55	77	69	94	76	76	105	83	82	80	78
VIRGIN ISLANDS													
Under 1 year	49	4	4	5	1	7	2	4	11	1	4	2	4
White	7	–	2	–	–	–	1	1	–	–	1	–	2
All other	42	4	2	5	1	7	1	3	11	1	3	2	2
Black	42	4	2	5	1	7	1	3	11	1	3	2	2
Under 28 days	45	4	4	5	1	7	2	3	11	–	3	1	4
White	6	–	2	–	–	–	1	–	–	–	1	–	2
All other	39	4	2	5	1	7	1	3	11	–	2	1	2
Black	39	4	2	5	1	7	1	3	11	–	2	1	2
GUAM													
Under 1 year	29	1	3	1	2	1	4	2	6	2	3	1	3
White	5	–	–	1	1	–	1	–	2	–	–	–	–
All other	24	1	3	–	1	1	3	2	4	2	3	1	3
Guamanian	19	–	3	–	1	1	3	1	3	2	1	1	3
Under 28 days	14	–	–	–	1	1	2	–	4	2	2	1	1
White	4	–	–	–	1	–	1	–	2	–	–	–	–
All other	10	–	–	–	–	1	1	–	2	2	2	1	1
Guamanian	8	–	–	–	–	1	1	–	2	2	–	1	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,187	660	527	49	27	22	7	3	4	42	24	18	42	24	18
Under 28 days	863	544	419	45	24	21	6	2	4	39	22	17	39	22	17
Under 7 days	839	470	369	40	22	18	5	1	4	35	21	14	35	21	14
Under 1 hour	125	69	56	12	5	7	2	1	1	10	4	6	10	4	6
1-23 hours	288	164	124	20	14	6	1	–	1	19	14	5	19	14	5
1 day	98	55	43	3	–	3	1	–	1	2	–	2	2	–	2
2 days	151	83	68	1	1	–	–	–	–	1	1	–	1	1	–
3 days	85	47	38	1	–	1	1	–	1	–	–	–	–	–	–
4 days	44	24	20	1	1	–	–	–	–	1	1	–	1	1	–
5 days	28	13	15	1	–	1	–	–	–	1	–	1	1	–	1
6 days	20	15	5	1	1	–	–	–	–	1	1	–	1	1	–
7-13 days	68	40	28	2	1	1	1	1	–	1	–	1	1	–	1
14-20 days	30	20	10	2	–	2	–	–	–	2	–	2	2	–	2
21-27 days	26	14	12	1	1	–	–	–	–	1	1	–	1	1	–
28-59 days	70	33	37	1	–	1	–	–	–	1	–	1	1	–	1
2 months	28	19	7	2	2	–	–	–	–	2	2	–	2	2	–
3 months	31	16	15	–	–	–	–	–	–	–	–	–	–	–	–
4 months	22	12	10	–	–	–	–	–	–	–	–	–	–	–	–
5 months	16	5	11	–	–	–	–	–	–	–	–	–	–	–	–
6 months	19	11	8	–	–	–	–	–	–	–	–	–	–	–	–
7 months	11	6	5	–	–	–	–	–	–	–	–	–	–	–	–
8 months	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–
9 months	10	5	5	1	1	–	1	1	–	–	–	–	–	–	–
10 months	9	4	5	–	–	–	–	–	–	–	–	–	–	–	–
11 months	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	29	15	14	5	5	–	24	10	14	19	8	11
Under 28 days	14	10	4	4	4	–	10	6	4	8	5	3
Under 7 days	12	8	4	4	4	–	8	4	4	6	3	3
Under 1 hour	2	2	–	1	1	–	1	1	–	–	–	–
1-23 hours	7	5	2	3	3	–	4	2	2	3	2	1
1 day	1	–	1	–	–	–	1	–	1	1	–	1
2 days	1	1	–	–	–	–	1	1	–	1	1	–
3 days	–	–	–	–	–	–	–	–	–	–	–	–
4 days	–	–	–	–	–	–	–	–	–	–	–	–
5 days	1	–	1	–	–	–	1	–	1	1	–	1
6 days	–	–	–	–	–	–	–	–	–	–	–	–
7-13 days	–	–	–	–	–	–	–	–	–	–	–	–
14-20 days	1	1	–	–	–	–	1	1	–	1	1	–
21-27 days	1	1	–	–	–	–	1	1	–	1	1	–
28-59 days	5	3	2	1	1	–	4	2	2	4	2	2
2 months	2	–	2	–	–	–	2	–	2	1	–	1
3 months	1	–	1	–	–	–	1	–	1	1	–	1
4 months	–	–	–	–	–	–	–	–	–	–	–	–
5 months	–	–	–	–	–	–	–	–	–	–	–	–
6 months	2	1	1	–	–	–	2	1	1	2	1	1
7 months	3	–	3	–	–	–	3	–	3	2	–	2
8 months	–	–	–	–	–	–	–	–	–	–	–	–
9 months	1	–	1	–	–	–	1	–	1	1	–	1
10 months	–	–	–	–	–	–	–	–	–	–	–	–
11 months	1	1	–	–	–	–	1	1	–	–	–	–

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1982

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	1,187	963	224	49	6	39	39	1	3	3	29	4	10	8	1	14	11
Certain intestinal infections (008-009)	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Septicemia (038)	13	...	13	–	...	...	...	–	–	–	–	...	...	...	–	–	–
Viral diseases (045-079)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital syphilis (090)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088, 091-139)	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of thymus gland (254)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystic fibrosis (277.0)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs (280-289)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	12	3	9	–	–	–	–	–	–	–	3	–	1	1	–	2	1
Other diseases of nervous system and sense organs (323-389)	8	–	8	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Acute upper respiratory infections (460-465)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis and bronchiolitis (466,490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	96	57	39	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Pneumonia (480-486)	96	57	39	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of respiratory system (470-478,492-519)	18	7	11	1	–	–	–	–	1	1	1	–	–	–	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	12	–	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of digestive system (520-534,536-543,562-579)	10	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	178	125	53	8	1	7	7	–	–	–	7	–	2	1	–	5	3
Anencephalus and similar anomalies (740)	17	17	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Spina bifida (741)	14	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital hydrocephalus (742.3)	9	5	4	1	–	1	1	–	–	–	1	–	1	–	–	–	–
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of heart (745-746)	57	27	30	6	–	6	6	–	–	–	3	–	–	–	–	3	2
Other congenital anomalies of circulatory system (747)	7	6	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of respiratory system (748)	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of digestive system (749-751)	6	5	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Congenital anomalies of genitourinary system (752-753)	8	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of musculoskeletal system (754-756)	12	9	3	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Down's syndrome (758.0)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chromosomal anomalies (758.1-758.9)	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and unspecified congenital anomalies (744,757,759)	30	26	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	733	722	11	38	5	32	32	–	1	1	11	4	6	5	–	1	1
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Newborn affected by maternal complications of pregnancy (761)	21	21	–	1	–	1	1	–	–	–	2	2	–	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes (762)	19	19	–	2	–	2	2	–	–	–	1	–	1	1	–	–	–
Newborn affected by other complications of labor and delivery (763)	5	5	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Slow fetal growth and fetal malnutrition (764)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight (765)	49	49	–	4	2	2	2	–	–	–	3	2	1	–	–	–	–
Disorders relating to long gestation and high birthweight (766)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma (767)	20	20	–	1	–	1	1	–	–	–	1	–	–	–	–	1	1
Intrauterine hypoxia and birth asphyxia (768)	44	43	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fetal distress in liveborn infant (768.2-768.4)	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth asphyxia (768.5-768.9)	31	30	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory distress syndrome (769)	257	254	3	9	1	8	8	–	–	–	2	–	2	2	–	–	–
Other respiratory conditions of newborn (770)	117	115	2	7	2	5	5	–	–	–	2	–	2	2	–	–	–
Infections specific to the perinatal period (771)	55	52	3	3	–	2	2	–	1	1	–	–	–	–	–	–	–
Neonatal hemorrhage (772)	33	33	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	9	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn (776.0)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	99	98	1	9	–	9	9	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	25	22	3	–	–	–	–	–	–	–	2	–	–	–	1	1	1
Sudden infant death syndrome (798.0)	4	3	1	–	–	–	–	–	–	–	2	–	–	–	1	1	1
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	21	19	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	16	4	12	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	6	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidental mechanical suffocation (E913)	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other accidental causes and adverse effects (E800-E910,E914-E949)	7	1	6	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Homicide (E960-E969)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Child battering and other maltreatment (E967)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other homicide (E960-E966,E968-E969)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other causes (Residual)	53	18	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* U. S. GOVERNMENT PRINTING OFFICE : 1986 O - 164-440