

# **National Immunization Survey -- Child**

**A Codebook for the  
2020 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**Presented by:  
NORC at the University of Chicago**

**December 2021**

## TABLE OF CONTENTS

<a href="#">Section Index of Variables</a> .....	1
<a href="#">Section 1: ID, Weight, and Flag Variables</a> .....	18
<a href="#">Section 2: Household Vaccination Variables</a> .....	22
<a href="#">Section 3: Demographic and Socio-Economic Variables</a> .....	23
<a href="#">Section 4: Geographic Variables</a> .....	39
<a href="#">Section 5: Number of Providers Identified and Consent Variables</a> .....	45
<a href="#">Section 6: Number of Responding Provider Variables</a> .....	46
<a href="#">Section 7: Characteristics of Provider Variables</a> .....	47
<a href="#">Section 8: Provider-Reported Up-to-Date Vaccination Variables</a> .....	49
<a href="#">Section 9: Provider-Reported Age-at-Vaccination Variables</a> .....	96
<a href="#">Section 10: Health Insurance Module Variables</a> .....	237
<a href="#">Alphabetic Index of Variables</a> .....	239

## NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
YEAR	93	96	1	YEAR OF INTERVIEW
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	190	190	3	SEX OF CHILD: IMPUTED
ESTIAP20	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	212	212	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	213	213	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	214	214	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	216	216	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	217	217	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	218	218	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	219	219	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	221	221	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHHY	222	222	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	223	223	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	224	224	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	225	225	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	226	226	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	227	227	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	228	228	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	229	229	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	231	231	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	232	232	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	233	233	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	234	234	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	235	235	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	236	236	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMSM	237	237	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	238	238	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	239	239	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	240	240	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	241	241	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	242	242	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	243	243	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	247	247	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	248	248	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	249	249	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	250	250	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMRM	251	251	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	252	252	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	253	253	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	254	254	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	255	255	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	256	256	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	257	257	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	258	258	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDHIB_ROUT_S	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	271	271	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTD431H31_ROUT_S	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U19_FLU_24D	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU3_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	289	289	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U2D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	292	295	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	296	299	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	300	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	304	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	308	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	312	315	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	316	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	320	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	321	321	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	322	325	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	326	329	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	330	333	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	334	337	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	338	341	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	342	345	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	346	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	349	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	350	350	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	363	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	369	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	370	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	371	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	375	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	379	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	383	386	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	387	390	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	391	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	395	398	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	399	399	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DHEPB9	400	400	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	401	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	405	408	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	409	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	413	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	417	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	420	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	423	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	426	426	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	427	427	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	428	431	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	432	435	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	436	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	440	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	442	442	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	443	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	444	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	445	445	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	446	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	451	451	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	455	455	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	456	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	457	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	460	460	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPCV1	466	468	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	469	472	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	473	476	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	477	480	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	481	484	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	485	487	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	488	490	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	491	491	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	492	492	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	493	496	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	497	500	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	501	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	505	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	509	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	513	516	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	517	519	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	520	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	521	521	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	522	524	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	525	525	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	532	532	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	539	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	542	544	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	545	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	550	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	551	551	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	552	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC2	556	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	560	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	567	567	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	568	568	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	583	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	603	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	607	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA6_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	628	628	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6



## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MP7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	687	688	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	699	700	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	701	702	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	709	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB8_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	725	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	727	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	733	734	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	735	736	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	737	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	742	742	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	743	743	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	744	744	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	745	746	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	747	748	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	749	750	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	751	752	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	753	754	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	755	756	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	757	758	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	759	759	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	760	760	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	761	762	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	763	764	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	765	766	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	767	768	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	769	770	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	771	772	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	773	774	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	775	775	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XFLUTY9	776	776	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	777	778	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	779	780	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	781	782	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	783	784	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	785	786	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	787	788	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	789	790	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	791	791	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	792	792	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	793	794	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	795	796	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	797	798	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	799	800	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	801	802	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	803	804	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	805	806	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	807	807	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	808	808	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	809	810	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	811	812	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	813	814	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	815	815	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	816	816	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	817	817	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	818	818	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	819	819	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	820	820	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	821	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	833	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	835	835	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	836	836	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

## SECTION INDEX OF VARIABLES

<b>SAS_Var</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY1	837	838	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	839	840	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	841	842	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	843	844	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	845	846	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	847	848	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	849	850	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	851	851	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	852	852	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	853	854	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	855	856	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	857	858	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	859	860	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	861	862	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	864	864	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	865	865	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	866	866	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	867	868	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	869	870	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	871	872	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	873	873	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	874	874	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	875	875	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	876	876	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	877	877	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	878	878	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT2_I	879	879	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
INS_BREAK_I	880	880	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		36750	100.0%	100.0%	19593	100.0%	100.0%
RESERVED CODES:							
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		36750	100.0%	100.0%	19593	100.0%	100.0%
RESERVED CODES:							
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	19593	53.3%	53.3%	19593	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	17157	46.7%	46.7%	0	0.0%	0.0%
SUBTOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%
RESERVED CODES:							
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: PROVWT\_C** Type: Numeric Position: 13-31

**Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)**

**Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19342	52.6%	100.0%	19342	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17408	47.4%	n/a	251	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PROVWT\_C** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	286.5	132.5	2.8	4970.2	455.3
Adequate Provider Data	286.5	132.5	2.8	4970.2	455.3

**Variable: PROVWT\_C\_TERR** Type: Numeric Position: 32-50

**Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES**

**Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1), including territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PROVWT\_C\_TERR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	284.3	131.4	2.8	4970.2	452.9
Adequate Provider Data	284.3	131.4	2.8	4970.2	452.9

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

**Variable: RDDWT\_C** Type: Numeric Position: 51-69

**Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)**

**Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35655	97.0%	100.0%	19342	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1095	3.0%	n/a	251	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: RDDWT\_C** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	155.4	80.9	1.0	2636.0	227.2
Adequate Provider Data	146.7	76.5	1.7	2636.0	217.7

**Variable: RDDWT\_C\_TERR** Type: Numeric Position: 70-88

**Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES**

**Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews, including territories.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: RDDWT\_C\_TERR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	151.6	77.4	1.0	2636.0	224.9
Adequate Provider Data	145.2	75.0	1.7	2636.0	216.7

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 89-92

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		36750	100.0%	100.0%	19593	100.0%	100.0%
RESERVED CODES:							
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 93-96

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2020	2020	36750	100.0%	100.0%	19593	100.0%	100.0%
SUBTOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%
RESERVED CODES:							
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 97-97

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	84	0.2%	27.4%	37	0.2%	28.0%
7 TO 12 MONTHS OLD	2	94	0.3%	30.6%	41	0.2%	31.1%
13 TO 18 MONTHS OLD	3	72	0.2%	23.5%	32	0.2%	24.2%
19+ MONTHS OLD	4	57	0.2%	18.6%	22	0.1%	16.7%
<b>SUBTOTALS:</b>		307	0.8%	100.0%	132	0.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36443	99.2%	n/a	19461	99.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: HAD\_CPOX Type: Numeric Position: 98-99

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	322	0.9%	0.9%	142	0.7%	0.7%
NO	2	36327	98.8%	99.1%	19412	99.1%	99.3%
<b>SUBTOTALS:</b>		36649	99.7%	100.0%	19554	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	95	0.3%	n/a	37	0.2%	n/a
REFUSED	99	6	0.0%	n/a	2	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 100-100

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	10489	28.5%	28.5%	5593	28.5%	28.5%
24 - 29 MONTHS	2	11032	30.0%	30.0%	5862	29.9%	29.9%
30 - 35 MONTHS	3	15229	41.4%	41.4%	8138	41.5%	41.5%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric Position: 101-108

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		29243	79.6%	100.0%	15908	81.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	7507	20.4%	n/a	3685	18.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: BF\_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	286.9	273.9	1.0	730.5	192.8
Adequate Provider Data	287.2	273.9	1.0	730.5	192.4

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: BF\_EXCLR06 Type: Numeric Position: 109-116**

**Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)**

**Notes: See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		30460	82.9%	100.0%	16657	85.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	6290	17.1%	n/a	2936	15.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: BF\_EXCLR06 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	179.0	182.6	1.0	273.9	61.2
Adequate Provider Data	176.5	182.6	1.0	273.9	59.5

**Variable: BF\_FORMR20 Type: Numeric Position: 117-124**

**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)**

**Notes: BF\_FORMR20 replaces BF\_FORMR08 and includes a code of 888 for children never fed formula. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19379	52.7%	100.0%	10421	53.2%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	8211	22.3%	n/a	4509	23.0%	n/a
MISSING	.	9160	24.9%	n/a	4663	23.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: BF\_FORMR20 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	128.9	91.3	1.0	365.3	111.7
Adequate Provider Data	123.7	91.3	1.0	365.3	109.3

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 125-125Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	5	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		5	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36745	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: **BFFORMFL06** Type: Numeric Position: 126-126Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 127-127Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	970	2.6%	2.6%	475	2.4%	2.4%
3	3	8699	23.7%	23.7%	4692	23.9%	23.9%
4	4	12956	35.3%	35.3%	7044	36.0%	36.0%
5	5	7364	20.0%	20.0%	3974	20.3%	20.3%
6	6	3691	10.0%	10.0%	1960	10.0%	10.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 127-127

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1559	4.2%	4.2%	818	4.2%	4.2%
8+	8	1511	4.1%	4.1%	630	3.2%	3.2%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: C5R Type: Numeric Position: 128-129

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	24389	66.4%	66.4%	14121	72.1%	72.1%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	10651	29.0%	29.0%	4971	25.4%	25.4%
GRANDPARENT	3	1270	3.5%	3.5%	395	2.0%	2.0%
OTHER FAMILY MEMBER/FRIEND	4	422	1.1%	1.1%	105	0.5%	0.5%
<b>SUBTOTALS:</b>		36732	100.0%	100.0%	19592	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	2	0.0%	n/a	0	0.0%	n/a
REFUSED	99	16	0.0%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF\_01 Type: Numeric Position: 130-131

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	31817	86.6%	86.9%	17255	88.1%	88.2%
NO	2	4790	13.0%	13.1%	2298	11.7%	11.8%
<b>SUBTOTALS:</b>		36607	99.6%	100.0%	19553	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	125	0.3%	n/a	39	0.2%	n/a
REFUSED	99	18	0.0%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: CEN\_REG Type: Numeric Position: 132-132

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	6252	17.0%	17.5%	3389	17.3%	17.5%
MIDWEST	2	8151	22.2%	22.9%	4485	22.9%	23.2%
SOUTH	3	12769	34.7%	35.8%	6698	34.2%	34.6%
WEST	4	8483	23.1%	23.8%	4770	24.3%	24.7%
<b>SUBTOTALS:</b>		35655	97.0%	100.0%	19342	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1095	3.0%	n/a	251	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **133-133**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	10342	28.1%	28.1%	5519	28.2%	28.2%
TWO OR THREE	2	21536	58.6%	58.6%	11666	59.5%	59.5%
FOUR OR MORE	3	4872	13.3%	13.3%	2408	12.3%	12.3%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: **CWIC\_01** Type: **Numeric** Position: **134-135**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	14355	39.1%	39.2%	7468	38.1%	38.2%
NO	2	22144	60.3%	60.5%	12034	61.4%	61.6%
NEVER HEARD OF WIC	3	76	0.2%	0.2%	37	0.2%	0.2%
<b>SUBTOTALS:</b>		36575	99.5%	100.0%	19539	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	148	0.4%	n/a	49	0.3%	n/a
REFUSED	99	27	0.1%	n/a	5	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC\_02 Type: Numeric Position: 136-137

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	7837	21.3%	54.9%	4035	20.6%	54.2%
NO	2	6434	17.5%	45.1%	3403	17.4%	45.8%
<b>SUBTOTALS:</b>		14271	38.8%	100.0%	7438	38.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	84	0.2%	n/a	30	0.2%	n/a
MISSING	.	22395	60.9%	n/a	12125	61.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 138-138

Label: EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2900	7.9%	7.9%	1451	7.4%	7.4%
12 YEARS	2	6345	17.3%	17.3%	3182	16.2%	16.2%
> 12 YEARS, NON-COLLEGE GRAD	3	9504	25.9%	25.9%	4932	25.2%	25.2%
COLLEGE GRAD	4	18001	49.0%	49.0%	10028	51.2%	51.2%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 139-139

Label: FIRST BORN STATUS OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	22502	61.2%	61.2%	11963	61.1%	61.1%
YES	2	14248	38.8%	38.8%	7630	38.9%	38.9%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: I\_HISP\_K Type: Numeric Position: 140-140

Label: HISPANIC ORIGIN OF CHILD: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	8209	22.3%	22.3%	3974	20.3%	20.3%
NON-HISPANIC	2	28541	77.7%	77.7%	15619	79.7%	79.7%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 141-156

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		33762	91.9%	100.0%	18558	94.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	2988	8.1%	n/a	1035	5.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: INCPORAR** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.7	0.5	3.0	1.0
Adequate Provider Data	2.2	2.9	0.5	3.0	0.9

**Variable: INCPORAR\_I** Type: Numeric Position: 157-172**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values. Determined from family income, number of persons in the household, number of children in the household, and the 2018 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: INCPORAR\_I** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.7	0.5	3.0	1.0
Adequate Provider Data	2.2	2.8	0.5	3.0	1.0

**Variable: INCPOV1** Type: Numeric Position: 173-173**Label: POVERTY STATUS**

**Notes: Based on 2019 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	16409	44.7%	47.4%	9260	47.3%	49.1%
ABOVE POVERTY, <= \$75K	2	10999	29.9%	31.8%	5866	29.9%	31.1%
BELOW POVERTY	3	7187	19.6%	20.8%	3729	19.0%	19.8%
<b>SUBTOTALS:</b>		34595	94.1%	100.0%	18855	96.2%	100.0%
<b>RESERVED CODES:</b>							
UNKNOWN	4	2155	5.9%	n/a	738	3.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 174-175

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2019.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1173	3.2%	3.5%	597	3.0%	3.2%
\$7501 - \$10000	4	930	2.5%	2.8%	463	2.4%	2.5%
\$10001 - \$17500	5	1332	3.6%	3.9%	705	3.6%	3.8%
\$17501 - \$20000	6	1415	3.9%	4.2%	716	3.7%	3.9%
\$20001 - \$25000	7	1268	3.5%	3.8%	707	3.6%	3.8%
\$25001 - \$30000	8	1566	4.3%	4.6%	877	4.5%	4.7%
\$30001 - \$35000	9	1007	2.7%	3.0%	553	2.8%	3.0%
\$35001 - \$40000	10	1540	4.2%	4.6%	789	4.0%	4.3%
\$40001 - \$50000	11	2233	6.1%	6.6%	1209	6.2%	6.5%
\$50001 - \$60000	12	2034	5.5%	6.0%	1091	5.6%	5.9%
\$60001 - \$75000	13	2855	7.8%	8.5%	1591	8.1%	8.6%
\$75001+	14	16409	44.7%	48.6%	9260	47.3%	49.9%
<b>SUBTOTALS:</b>		33762	91.9%	100.0%	18558	94.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	1609	4.4%	n/a	692	3.5%	n/a
REFUSED	99	1379	3.8%	n/a	343	1.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 176-176

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	33191	90.3%	90.3%	18053	92.1%	92.1%
SPANISH	2	3114	8.5%	8.5%	1294	6.6%	6.6%
OTHER	3	445	1.2%	1.2%	246	1.3%	1.3%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: LANGUAGE** Type: Numeric Position: 176-176

**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**

**Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: M\_AGEGRP2** Type: Numeric Position: 177-177

**Label: AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)**

**Notes: Variable contains some imputed values.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	11128	30.3%	30.3%	5611	28.6%	28.6%
>= 30 YEARS	2	25622	69.7%	69.7%	13982	71.4%	71.4%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 178-178

Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	25718	70.0%	70.0%	14305	73.0%	73.0%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	11032	30.0%	30.0%	5288	27.0%	27.0%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: MOBIL\_I Type: Numeric Position: 179-179

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS  
CURRENT STATE: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3932	10.7%	10.7%	2014	10.3%	10.3%
DID NOT MOVE FROM DIFFERENT STATE	2	32818	89.3%	89.3%	17579	89.7%	89.7%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_PHONE Type: Numeric Position: 180-181

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	4351	11.8%	95.2%	2222	11.3%	96.0%
TWO	2	96	0.3%	2.1%	37	0.2%	1.6%
THREE OR MORE	3	27	0.1%	0.6%	13	0.1%	0.6%
NONE	4	96	0.3%	2.1%	43	0.2%	1.9%
<b>SUBTOTALS:</b>		4570	12.4%	100.0%	2315	11.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	30	0.1%	n/a	12	0.1%	n/a
REFUSED	99	5	0.0%	n/a	0	0.0%	n/a
MISSING	.	32145	87.5%	n/a	17266	88.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: NUM\_CELLS\_HH Type: Numeric Position: 182-183

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3541	9.6%	9.7%	1653	8.4%	8.5%
TWO	2	23687	64.5%	65.0%	13301	67.9%	68.1%
THREE OR MORE	3	9194	25.0%	25.2%	4588	23.4%	23.5%
<b>SUBTOTALS:</b>		36422	99.1%	100.0%	19542	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	32	0.1%	n/a	7	0.0%	n/a
REFUSED	99	296	0.8%	n/a	44	0.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_CELLS\_PARENTS Type: Numeric Position: 184-185

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	6135	16.7%	17.0%	2919	14.9%	15.0%
TWO	2	28133	76.6%	77.7%	15710	80.2%	80.7%
THREE OR MORE	3	1925	5.2%	5.3%	831	4.2%	4.3%
<b>SUBTOTALS:</b>		36193	98.5%	100.0%	19460	99.3%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	71	0.2%	n/a	22	0.1%	n/a
REFUSED	99	317	0.9%	n/a	45	0.2%	n/a
MISSING	.	169	0.5%	n/a	66	0.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: RACE\_K Type: Numeric Position: 186-186

Label: RACE OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	26578	72.3%	72.3%	14638	74.7%	74.7%
BLACK ONLY	2	4012	10.9%	10.9%	1702	8.7%	8.7%
OTHER + MULTIPLE RACE	3	6160	16.8%	16.8%	3253	16.6%	16.6%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 187-187

Label: RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	8209	22.3%	22.3%	3974	20.3%	20.3%
NON-HISPANIC WHITE ONLY	2	20163	54.9%	54.9%	11478	58.6%	58.6%
NON-HISPANIC BLACK ONLY	3	3305	9.0%	9.0%	1419	7.2%	7.2%
NON-HISPANIC OTHER + MULTIPLE RACE	4	5073	13.8%	13.8%	2722	13.9%	13.9%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: RENT\_OWN Type: Numeric Position: 188-189

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	22235	60.5%	61.1%	12204	62.3%	62.5%
RENTED	2	12876	35.0%	35.4%	6706	34.2%	34.3%
OTHER ARRANGMENT	3	1299	3.5%	3.6%	627	3.2%	3.2%
<b>SUBTOTALS:</b>		36410	99.1%	100.0%	19537	99.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	59	0.2%	n/a	19	0.1%	n/a
REFUSED	99	281	0.8%	n/a	37	0.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 190-190

Label: SEX OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	19120	52.0%	52.0%	10222	52.2%	52.2%
FEMALE	2	17630	48.0%	48.0%	9371	47.8%	47.8%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP20 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	439	1.2%	1.2%	221	1.1%	1.1%
MA	2	688	1.9%	1.9%	387	2.0%	2.0%
ME	4	522	1.4%	1.4%	283	1.4%	1.4%
NH	5	432	1.2%	1.2%	252	1.3%	1.3%
RI	6	347	0.9%	0.9%	200	1.0%	1.0%
VT	7	562	1.5%	1.5%	351	1.8%	1.8%
NJ	8	563	1.5%	1.5%	262	1.3%	1.3%
NY-REST OF STATE	10	554	1.5%	1.5%	292	1.5%	1.5%
NY-CITY OF NEW YORK	11	958	2.6%	2.6%	497	2.5%	2.5%
DC	12	668	1.8%	1.8%	341	1.7%	1.7%
DE	13	554	1.5%	1.5%	310	1.6%	1.6%
MD	14	1606	4.4%	4.4%	871	4.4%	4.4%
PA-REST OF STATE	16	809	2.2%	2.2%	453	2.3%	2.3%
PA-PHILADELPHIA COUNTY	17	378	1.0%	1.0%	191	1.0%	1.0%
VA	18	957	2.6%	2.6%	525	2.7%	2.7%
WV	19	453	1.2%	1.2%	231	1.2%	1.2%
AL	20	380	1.0%	1.0%	215	1.1%	1.1%
FL	22	708	1.9%	1.9%	335	1.7%	1.7%
GA	25	582	1.6%	1.6%	290	1.5%	1.5%
KY	27	585	1.6%	1.6%	318	1.6%	1.6%
MS	28	642	1.7%	1.7%	300	1.5%	1.5%
NC	29	540	1.5%	1.5%	267	1.4%	1.4%
SC	30	519	1.4%	1.4%	264	1.3%	1.3%
TN	31	752	2.0%	2.0%	440	2.2%	2.2%
IL-REST OF STATE	34	808	2.2%	2.2%	385	2.0%	2.0%
IL-CITY OF CHICAGO	35	433	1.2%	1.2%	196	1.0%	1.0%
IN	36	538	1.5%	1.5%	312	1.6%	1.6%
MI	38	767	2.1%	2.1%	444	2.3%	2.3%
MN	40	771	2.1%	2.1%	408	2.1%	2.1%
OH	41	665	1.8%	1.8%	335	1.7%	1.7%
WI	44	359	1.0%	1.0%	188	1.0%	1.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP20 Type: Numeric Position: 191-193

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	724	2.0%	2.0%	390	2.0%	2.0%
LA	47	830	2.3%	2.3%	423	2.2%	2.2%
NM	49	716	1.9%	1.9%	394	2.0%	2.0%
OK	50	391	1.1%	1.1%	190	1.0%	1.0%
TX-REST OF STATE	51	1038	2.8%	2.8%	559	2.9%	2.9%
TX-CITY OF HOUSTON	54	418	1.1%	1.1%	196	1.0%	1.0%
TX-BEXAR COUNTY	55	422	1.1%	1.1%	233	1.2%	1.2%
IA	56	481	1.3%	1.3%	271	1.4%	1.4%
KS	57	667	1.8%	1.8%	395	2.0%	2.0%
MO	58	776	2.1%	2.1%	439	2.2%	2.2%
NE	59	510	1.4%	1.4%	305	1.6%	1.6%
CO	60	536	1.5%	1.5%	280	1.4%	1.4%
MT	61	436	1.2%	1.2%	240	1.2%	1.2%
ND	62	568	1.5%	1.5%	336	1.7%	1.7%
SD	63	808	2.2%	2.2%	471	2.4%	2.4%
UT	64	354	1.0%	1.0%	210	1.1%	1.1%
WY	65	511	1.4%	1.4%	318	1.6%	1.6%
AZ	66	571	1.6%	1.6%	303	1.5%	1.5%
CA	68	1144	3.1%	3.1%	623	3.2%	3.2%
HI	72	487	1.3%	1.3%	263	1.3%	1.3%
NV	73	678	1.8%	1.8%	325	1.7%	1.7%
AK	74	534	1.5%	1.5%	278	1.4%	1.4%
ID	75	1066	2.9%	2.9%	677	3.5%	3.5%
OR	76	497	1.4%	1.4%	299	1.5%	1.5%
WA	77	953	2.6%	2.6%	560	2.9%	2.9%
PUERTO RICO	106	1095	3.0%	3.0%	251	1.3%	1.3%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	439	1.2%	1.2%	221	1.1%	1.1%
MA	2	688	1.9%	1.9%	387	2.0%	2.0%
ME	4	522	1.4%	1.5%	283	1.4%	1.5%
NH	5	432	1.2%	1.2%	252	1.3%	1.3%
RI	6	347	0.9%	1.0%	200	1.0%	1.0%
VT	7	562	1.5%	1.6%	351	1.8%	1.8%
NJ	8	563	1.5%	1.6%	262	1.3%	1.4%
NY-REST OF STATE	10	554	1.5%	1.6%	292	1.5%	1.5%
NY-CITY OF NEW YORK	11	958	2.6%	2.7%	497	2.5%	2.6%
DC	12	668	1.8%	1.9%	341	1.7%	1.8%
DE	13	554	1.5%	1.6%	310	1.6%	1.6%
MD	14	1606	4.4%	4.5%	871	4.4%	4.5%
PA-REST OF STATE	16	809	2.2%	2.3%	453	2.3%	2.3%
PA-PHILADELPHIA COUNTY	17	378	1.0%	1.1%	191	1.0%	1.0%
VA	18	957	2.6%	2.7%	525	2.7%	2.7%
WV	19	453	1.2%	1.3%	231	1.2%	1.2%
AL	20	380	1.0%	1.1%	215	1.1%	1.1%
FL	22	708	1.9%	2.0%	335	1.7%	1.7%
GA	25	582	1.6%	1.6%	290	1.5%	1.5%
KY	27	585	1.6%	1.6%	318	1.6%	1.6%
MS	28	642	1.7%	1.8%	300	1.5%	1.6%
NC	29	540	1.5%	1.5%	267	1.4%	1.4%
SC	30	519	1.4%	1.5%	264	1.3%	1.4%
TN	31	752	2.0%	2.1%	440	2.2%	2.3%
IL-REST OF STATE	34	808	2.2%	2.3%	385	2.0%	2.0%
IL-CITY OF CHICAGO	35	433	1.2%	1.2%	196	1.0%	1.0%
IN	36	538	1.5%	1.5%	312	1.6%	1.6%
MI	38	767	2.1%	2.2%	444	2.3%	2.3%
MN	40	771	2.1%	2.2%	408	2.1%	2.1%
OH	41	665	1.8%	1.9%	335	1.7%	1.7%
WI	44	359	1.0%	1.0%	188	1.0%	1.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric Position: 194-195

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	724	2.0%	2.0%	390	2.0%	2.0%
LA	47	830	2.3%	2.3%	423	2.2%	2.2%
NM	49	716	1.9%	2.0%	394	2.0%	2.0%
OK	50	391	1.1%	1.1%	190	1.0%	1.0%
TX-REST OF STATE	51	1038	2.8%	2.9%	559	2.9%	2.9%
TX-CITY OF HOUSTON	54	418	1.1%	1.2%	196	1.0%	1.0%
TX-BEXAR COUNTY	55	422	1.1%	1.2%	233	1.2%	1.2%
IA	56	481	1.3%	1.3%	271	1.4%	1.4%
KS	57	667	1.8%	1.9%	395	2.0%	2.0%
MO	58	776	2.1%	2.2%	439	2.2%	2.3%
NE	59	510	1.4%	1.4%	305	1.6%	1.6%
CO	60	536	1.5%	1.5%	280	1.4%	1.4%
MT	61	436	1.2%	1.2%	240	1.2%	1.2%
ND	62	568	1.5%	1.6%	336	1.7%	1.7%
SD	63	808	2.2%	2.3%	471	2.4%	2.4%
UT	64	354	1.0%	1.0%	210	1.1%	1.1%
WY	65	511	1.4%	1.4%	318	1.6%	1.6%
AZ	66	571	1.6%	1.6%	303	1.5%	1.6%
CA	68	1144	3.1%	3.2%	623	3.2%	3.2%
HI	72	487	1.3%	1.4%	263	1.3%	1.4%
NV	73	678	1.8%	1.9%	325	1.7%	1.7%
AK	74	534	1.5%	1.5%	278	1.4%	1.4%
ID	75	1066	2.9%	3.0%	677	3.5%	3.5%
OR	76	497	1.4%	1.4%	299	1.5%	1.5%
WA	77	953	2.6%	2.7%	560	2.9%	2.9%
<b>SUBTOTALS:</b>		35655	97.0%	100.0%	19342	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1095	3.0%	n/a	251	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	380	1.0%	1.0%	215	1.1%	1.1%
ALASKA	2	534	1.5%	1.5%	278	1.4%	1.4%
ARIZONA	4	571	1.6%	1.6%	303	1.5%	1.5%
ARKANSAS	5	724	2.0%	2.0%	390	2.0%	2.0%
CALIFORNIA	6	1144	3.1%	3.1%	623	3.2%	3.2%
COLORADO	8	536	1.5%	1.5%	280	1.4%	1.4%
CONNECTICUT	9	439	1.2%	1.2%	221	1.1%	1.1%
DELAWARE	10	554	1.5%	1.5%	310	1.6%	1.6%
DISTRICT OF COLUMBIA	11	668	1.8%	1.8%	341	1.7%	1.7%
FLORIDA	12	708	1.9%	1.9%	335	1.7%	1.7%
GEORGIA	13	582	1.6%	1.6%	290	1.5%	1.5%
HAWAII	15	487	1.3%	1.3%	263	1.3%	1.3%
IDAHO	16	1066	2.9%	2.9%	677	3.5%	3.5%
ILLINOIS	17	1241	3.4%	3.4%	581	3.0%	3.0%
INDIANA	18	538	1.5%	1.5%	312	1.6%	1.6%
IOWA	19	481	1.3%	1.3%	271	1.4%	1.4%
KANSAS	20	667	1.8%	1.8%	395	2.0%	2.0%
KENTUCKY	21	585	1.6%	1.6%	318	1.6%	1.6%
LOUISIANA	22	830	2.3%	2.3%	423	2.2%	2.2%
MAINE	23	522	1.4%	1.4%	283	1.4%	1.4%
MARYLAND	24	1606	4.4%	4.4%	871	4.4%	4.4%
MASSACHUSETTS	25	688	1.9%	1.9%	387	2.0%	2.0%
MICHIGAN	26	767	2.1%	2.1%	444	2.3%	2.3%
MINNESOTA	27	771	2.1%	2.1%	408	2.1%	2.1%
MISSISSIPPI	28	642	1.7%	1.7%	300	1.5%	1.5%
MISSOURI	29	776	2.1%	2.1%	439	2.2%	2.2%
MONTANA	30	436	1.2%	1.2%	240	1.2%	1.2%
NEBRASKA	31	510	1.4%	1.4%	305	1.6%	1.6%
NEVADA	32	678	1.8%	1.8%	325	1.7%	1.7%
NEW HAMPSHIRE	33	432	1.2%	1.2%	252	1.3%	1.3%
NEW JERSEY	34	563	1.5%	1.5%	262	1.3%	1.3%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 196-197

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	716	1.9%	1.9%	394	2.0%	2.0%
NEW YORK	36	1512	4.1%	4.1%	789	4.0%	4.0%
NORTH CAROLINA	37	540	1.5%	1.5%	267	1.4%	1.4%
NORTH DAKOTA	38	568	1.5%	1.5%	336	1.7%	1.7%
OHIO	39	665	1.8%	1.8%	335	1.7%	1.7%
OKLAHOMA	40	391	1.1%	1.1%	190	1.0%	1.0%
OREGON	41	497	1.4%	1.4%	299	1.5%	1.5%
PENNSYLVANIA	42	1187	3.2%	3.2%	644	3.3%	3.3%
RHODE ISLAND	44	347	0.9%	0.9%	200	1.0%	1.0%
SOUTH CAROLINA	45	519	1.4%	1.4%	264	1.3%	1.3%
SOUTH DAKOTA	46	808	2.2%	2.2%	471	2.4%	2.4%
TENNESSEE	47	752	2.0%	2.0%	440	2.2%	2.2%
TEXAS	48	1878	5.1%	5.1%	988	5.0%	5.0%
UTAH	49	354	1.0%	1.0%	210	1.1%	1.1%
VERMONT	50	562	1.5%	1.5%	351	1.8%	1.8%
VIRGINIA	51	957	2.6%	2.6%	525	2.7%	2.7%
WASHINGTON	53	953	2.6%	2.6%	560	2.9%	2.9%
WEST VIRGINIA	54	453	1.2%	1.2%	231	1.2%	1.2%
WISCONSIN	55	359	1.0%	1.0%	188	1.0%	1.0%
WYOMING	56	511	1.4%	1.4%	318	1.6%	1.6%
PUERTO RICO	72	1095	3.0%	3.0%	251	1.3%	1.3%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 198-198

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	183	0.5%	0.5%	137	0.7%	0.7%
1	1	23527	64.0%	70.3%	13703	69.9%	69.9%
2	2	7855	21.4%	23.5%	4752	24.3%	24.3%
3+	3	1911	5.2%	5.7%	1001	5.1%	5.1%
<b>SUBTOTALS:</b>		33476	91.1%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	3274	8.9%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: D7 Type: Numeric Position: 199-199

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	23453	63.8%	99.1%	19456	99.3%	100.0%
NO	2	209	0.6%	0.9%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		23662	64.4%	100.0%	19456	99.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	13088	35.6%	n/a	137	0.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N\_PRVR Type: Numeric Position: 200-200

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17410	47.4%	47.4%	253	1.3%	1.3%
1	1	16056	43.7%	43.7%	16056	81.9%	81.9%
2	2	2974	8.1%	8.1%	2974	15.2%	15.2%
3+	3	310	0.8%	0.8%	310	1.6%	1.6%
<b>SUBTOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV\_FAC Type: Numeric Position: 201-201

Label: PROVIDER FACILITY TYPES: IMPUTED

Notes: Variable contains some imputed values. Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	2149	5.8%	11.1%	2149	11.0%	11.1%
ALL HOSPITAL FACILITIES	2	3732	10.2%	19.3%	3732	19.0%	19.3%
ALL PRIVATE FACILITIES	3	10322	28.1%	53.4%	10322	52.7%	53.4%
ALL MILITARY/OTHER FACILITIES	4	462	1.3%	2.4%	462	2.4%	2.4%
MIXED	5	2675	7.3%	13.8%	2675	13.7%	13.8%
<b>SUBTOTALS:</b>		19340	52.6%	100.0%	19340	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17410	47.4%	n/a	253	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 202-202

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	14129	38.4%	73.1%	14129	72.1%	73.1%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1375	3.7%	7.1%	1375	7.0%	7.1%
NO PROVIDERS	3	1257	3.4%	6.5%	1257	6.4%	6.5%
UNKNOWN/DON'T KNOW	4	2579	7.0%	13.3%	2579	13.2%	13.3%
<b>SUBTOTALS:</b>		19340	52.6%	100.0%	19340	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17410	47.4%	n/a	253	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC\_ORDER Type: Numeric Position: 203-203

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	13968	38.0%	72.2%	13968	71.3%	72.2%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1433	3.9%	7.4%	1433	7.3%	7.4%
NO PROVIDERS	3	1729	4.7%	8.9%	1729	8.8%	8.9%
UNKNOWN/DON'T KNOW	4	2210	6.0%	11.4%	2210	11.3%	11.4%
<b>SUBTOTALS:</b>		19340	52.6%	100.0%	19340	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17410	47.4%	n/a	253	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP\_BRTH Type: Numeric Position: 204-204

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	15899	43.3%	83.1%	15899	81.1%	83.1%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	3239	8.8%	16.9%	3239	16.5%	16.9%
<b>SUBTOTALS:</b>		19138	52.1%	100.0%	19138	97.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17612	47.9%	n/a	455	2.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: HEP\_FLAG Type: Numeric Position: 205-205

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	88	0.2%	100.0%	88	0.4%	100.0%
<b>SUBTOTALS:</b>		88	0.2%	100.0%	88	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36662	99.8%	n/a	19505	99.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHEPX Type: Numeric Position: 206-206

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1871	5.1%	9.5%	1871	9.5%	9.5%
1	1	7590	20.7%	38.7%	7590	38.7%	38.7%
2	2	1518	4.1%	7.7%	1518	7.7%	7.7%
3	3	7905	21.5%	40.3%	7905	40.3%	40.3%
4	4	684	1.9%	3.5%	684	3.5%	3.5%
5	5	23	0.1%	0.1%	23	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUHIBX Type: Numeric Position: 207-207

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6599	18.0%	33.7%	6599	33.7%	33.7%
1	1	3297	9.0%	16.8%	3297	16.8%	16.8%
2	2	1477	4.0%	7.5%	1477	7.5%	7.5%
3	3	5142	14.0%	26.2%	5142	26.2%	26.2%
4	4	3063	8.3%	15.6%	3063	15.6%	15.6%
5	5	15	0.0%	0.1%	15	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUHPHB Type: Numeric Position: 208-208

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19566	53.2%	99.9%	19566	99.9%	99.9%
1	1	16	0.0%	0.1%	16	0.1%	0.1%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
4	4	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMDAH Type: Numeric Position: 209-209

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19523	53.1%	99.6%	19523	99.6%	99.6%
1	1	57	0.2%	0.3%	57	0.3%	0.3%
2	2	9	0.0%	0.0%	9	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDHI Type: Numeric Position: 210-210

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9691	26.4%	49.5%	9691	49.5%	49.5%
1	1	1067	2.9%	5.4%	1067	5.4%	5.4%
2	2	1844	5.0%	9.4%	1844	9.4%	9.4%
3	3	6772	18.4%	34.6%	6772	34.6%	34.6%
4	4	203	0.6%	1.0%	203	1.0%	1.0%
5	5	12	0.0%	0.1%	12	0.1%	0.1%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMDIH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9500	25.9%	48.5%	9500	48.5%	48.5%
1	1	1805	4.9%	9.2%	1805	9.2%	9.2%
2	2	1048	2.9%	5.3%	1048	5.3%	5.3%
3	3	3702	10.1%	18.9%	3702	18.9%	18.9%
4	4	3505	9.5%	17.9%	3505	17.9%	17.9%
5	5	31	0.1%	0.2%	31	0.2%	0.2%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDIH Type: Numeric Position: 211-211

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMDTA Type: Numeric Position: 212-212

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	7030	19.1%	35.9%	7030	35.9%	35.9%
1	1	10298	28.0%	52.6%	10298	52.6%	52.6%
2	2	621	1.7%	3.2%	621	3.2%	3.2%
3	3	384	1.0%	2.0%	384	2.0%	2.0%
4	4	1253	3.4%	6.4%	1253	6.4%	6.4%
5	5	7	0.0%	0.0%	7	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMDTP Type: Numeric Position: 213-213

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	543	1.5%	2.8%	543	2.8%	2.8%
1	1	185	0.5%	0.9%	185	0.9%	0.9%
2	2	264	0.7%	1.3%	264	1.3%	1.3%
3	3	1788	4.9%	9.1%	1788	9.1%	9.1%
4	4	16510	44.9%	84.3%	16510	84.3%	84.3%
5	5	273	0.7%	1.4%	273	1.4%	1.4%
6	6	24	0.1%	0.1%	24	0.1%	0.1%
7	7	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMFLU Type: Numeric Position: 214-214

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4095	11.1%	20.9%	4095	20.9%	20.9%
1	1	1828	5.0%	9.3%	1828	9.3%	9.3%
2	2	3920	10.7%	20.0%	3920	20.0%	20.0%
3	3	7078	19.3%	36.1%	7078	36.1%	36.1%
4	4	2607	7.1%	13.3%	2607	13.3%	13.3%
5	5	58	0.2%	0.3%	58	0.3%	0.3%
6	6	6	0.0%	0.0%	6	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLU Type: Numeric Position: 214-214

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMFLUL Type: Numeric Position: 215-215

**Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18660	50.8%	95.2%	18660	95.2%	95.2%
1	1	317	0.9%	1.6%	317	1.6%	1.6%
2	2	275	0.7%	1.4%	275	1.4%	1.4%
3	3	267	0.7%	1.4%	267	1.4%	1.4%
4	4	73	0.2%	0.4%	73	0.4%	0.4%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMFLUM Type: Numeric Position: 216-216

Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19457	52.9%	99.3%	19457	99.3%	99.3%
1	1	68	0.2%	0.3%	68	0.3%	0.3%
2	2	27	0.1%	0.1%	27	0.1%	0.1%
3	3	29	0.1%	0.1%	29	0.1%	0.1%
4	4	12	0.0%	0.1%	12	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMFLUN Type: Numeric Position: 217-217

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4743	12.9%	24.2%	4743	24.2%	24.2%
1	1	1885	5.1%	9.6%	1885	9.6%	9.6%
2	2	3827	10.4%	19.5%	3827	19.5%	19.5%
3	3	6698	18.2%	34.2%	6698	34.2%	34.2%
4	4	2395	6.5%	12.2%	2395	12.2%	12.2%
5	5	42	0.1%	0.2%	42	0.2%	0.2%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEA Type: Numeric Position: 218-218

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1964	5.3%	10.0%	1964	10.0%	10.0%
1	1	4534	12.3%	23.1%	4534	23.1%	23.1%
2	2	13006	35.4%	66.4%	13006	66.4%	66.4%
3	3	83	0.2%	0.4%	83	0.4%	0.4%
4	4	6	0.0%	0.0%	6	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHEN Type: Numeric Position: 219-219

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19463	53.0%	99.3%	19463	99.3%	99.3%
1	1	68	0.2%	0.3%	68	0.3%	0.3%
2	2	48	0.1%	0.2%	48	0.2%	0.2%
3	3	14	0.0%	0.1%	14	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHEP Type: Numeric Position: 220-220

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	463	1.3%	2.4%	463	2.4%	2.4%
1	1	378	1.0%	1.9%	378	1.9%	1.9%
2	2	517	1.4%	2.6%	517	2.6%	2.6%
3	3	11241	30.6%	57.4%	11241	57.4%	57.4%
4	4	6704	18.2%	34.2%	6704	34.2%	34.2%
5	5	268	0.7%	1.4%	268	1.4%	1.4%
6	6	17	0.0%	0.1%	17	0.1%	0.1%
7	7	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHG Type: Numeric Position: 221-221

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18051	49.1%	92.1%	18051	92.1%	92.1%
1	1	391	1.1%	2.0%	391	2.0%	2.0%
2	2	175	0.5%	0.9%	175	0.9%	0.9%
3	3	301	0.8%	1.5%	301	1.5%	1.5%
4	4	673	1.8%	3.4%	673	3.4%	3.4%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHG Type: Numeric Position: 221-221

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHHY Type: Numeric Position: 222-222

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19167	52.2%	97.8%	19167	97.8%	97.8%
1	1	209	0.6%	1.1%	209	1.1%	1.1%
2	2	85	0.2%	0.4%	85	0.4%	0.4%
3	3	93	0.3%	0.5%	93	0.5%	0.5%
4	4	38	0.1%	0.2%	38	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIB Type: Numeric Position: 223-223

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	592	1.6%	3.0%	592	3.0%	3.0%
1	1	244	0.7%	1.2%	244	1.2%	1.2%
2	2	544	1.5%	2.8%	544	2.8%	2.8%
3	3	5479	14.9%	28.0%	5479	28.0%	28.0%
4	4	12569	34.2%	64.2%	12569	64.2%	64.2%
5	5	157	0.4%	0.8%	157	0.8%	0.8%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
7	7	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHIN Type: Numeric Position: 224-224

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17625	48.0%	90.0%	17625	90.0%	90.0%
1	1	692	1.9%	3.5%	692	3.5%	3.5%
2	2	294	0.8%	1.5%	294	1.5%	1.5%
3	3	483	1.3%	2.5%	483	2.5%	2.5%
4	4	494	1.3%	2.5%	494	2.5%	2.5%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHIN Type: Numeric Position: 224-224

**Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHION Type: Numeric Position: 225-225

**Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19448	52.9%	99.3%	19448	99.3%	99.3%
1	1	82	0.2%	0.4%	82	0.4%	0.4%
2	2	33	0.1%	0.2%	33	0.2%	0.2%
3	3	28	0.1%	0.1%	28	0.1%	0.1%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMHM Type: Numeric Position: 226-226

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13520	36.8%	69.0%	13520	69.0%	69.0%
1	1	1001	2.7%	5.1%	1001	5.1%	5.1%
2	2	1000	2.7%	5.1%	1000	5.1%	5.1%
3	3	3787	10.3%	19.3%	3787	19.3%	19.3%
4	4	285	0.8%	1.5%	285	1.5%	1.5%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMHS Type: Numeric Position: 227-227

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13403	36.5%	68.4%	13403	68.4%	68.4%
1	1	2850	7.8%	14.5%	2850	14.5%	14.5%
2	2	673	1.8%	3.4%	673	3.4%	3.4%
3	3	953	2.6%	4.9%	953	4.9%	4.9%
4	4	1709	4.7%	8.7%	1709	8.7%	8.7%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMIPV Type: Numeric Position: 228-228

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17481	47.6%	89.2%	17481	89.2%	89.2%
1	1	762	2.1%	3.9%	762	3.9%	3.9%
2	2	263	0.7%	1.3%	263	1.3%	1.3%
3	3	998	2.7%	5.1%	998	5.1%	5.1%
4	4	86	0.2%	0.4%	86	0.4%	0.4%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMMCN Type: Numeric Position: 229-229

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19478	53.0%	99.4%	19478	99.4%	99.4%
1	1	107	0.3%	0.5%	107	0.5%	0.5%
2	2	8	0.0%	0.0%	8	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMR Type: Numeric Position: 230-230

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1214	3.3%	6.2%	1214	6.2%	6.2%
1	1	17437	47.4%	89.0%	17437	89.0%	89.0%
2	2	930	2.5%	4.7%	930	4.7%	4.7%
3	3	12	0.0%	0.1%	12	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMMMRX Type: Numeric Position: 231-231

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3709	10.1%	18.9%	3709	18.9%	18.9%
1	1	15121	41.1%	77.2%	15121	77.2%	77.2%
2	2	754	2.1%	3.8%	754	3.8%	3.8%
3	3	9	0.0%	0.0%	9	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMMX Type: Numeric Position: 232-232

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1340	3.6%	6.8%	1340	6.8%	6.8%
1	1	17348	47.2%	88.5%	17348	88.5%	88.5%
2	2	894	2.4%	4.6%	894	4.6%	4.6%
3	3	11	0.0%	0.1%	11	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMMP Type: Numeric Position: 233-233

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19592	53.3%	100.0%	19592	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMPR Type: Numeric Position: 234-234

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19593	53.3%	100.0%	19593	100.0%	100.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMMRV Type: Numeric Position: 235-235

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	17112	46.6%	87.3%	17112	87.3%	87.3%
1	1	2449	6.7%	12.5%	2449	12.5%	12.5%
2	2	32	0.1%	0.2%	32	0.2%	0.2%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMS Type: Numeric Position: 236-236

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19557	53.2%	99.8%	19557	99.8%	99.8%
1	1	33	0.1%	0.2%	33	0.2%	0.2%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMMSM Type: Numeric Position: 237-237

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19591	53.3%	100.0%	19591	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMMSR Type: Numeric Position: 238-238

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19593	53.3%	100.0%	19593	100.0%	100.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMOLN Type: Numeric Position: 239-239

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19004	51.7%	97.0%	19004	97.0%	97.0%
1	1	118	0.3%	0.6%	118	0.6%	0.6%
2	2	63	0.2%	0.3%	63	0.3%	0.3%
3	3	350	1.0%	1.8%	350	1.8%	1.8%
4	4	58	0.2%	0.3%	58	0.3%	0.3%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMOPV Type: Numeric Position: 240-240

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19543	53.2%	99.7%	19543	99.7%	99.7%
1	1	18	0.0%	0.1%	18	0.1%	0.1%
2	2	9	0.0%	0.0%	9	0.0%	0.0%
3	3	18	0.0%	0.1%	18	0.1%	0.1%
4	4	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMPCV Type: Numeric Position: 241-241

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	631	1.7%	3.2%	631	3.2%	3.2%
1	1	204	0.6%	1.0%	204	1.0%	1.0%
2	2	363	1.0%	1.9%	363	1.9%	1.9%
3	3	1576	4.3%	8.0%	1576	8.0%	8.0%
4	4	16628	45.2%	84.9%	16628	84.9%	84.9%
5	5	184	0.5%	0.9%	184	0.9%	0.9%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCP Type: Numeric Position: 242-242

**Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19451	52.9%	99.3%	19451	99.3%	99.3%
1	1	39	0.1%	0.2%	39	0.2%	0.2%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
3	3	16	0.0%	0.1%	16	0.1%	0.1%
4	4	85	0.2%	0.4%	85	0.4%	0.4%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMPCC Type: Numeric Position: 243-243

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1150	3.1%	5.9%	1150	5.9%	5.9%
1	1	288	0.8%	1.5%	288	1.5%	1.5%
2	2	400	1.1%	2.0%	400	2.0%	2.0%
3	3	1593	4.3%	8.1%	1593	8.1%	8.1%
4	4	16014	43.6%	81.7%	16014	81.7%	81.7%
5	5	142	0.4%	0.7%	142	0.7%	0.7%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC Type: Numeric Position: 243-243

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMPCC7 Type: Numeric Position: 244-244

**Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19465	53.0%	99.3%	19465	99.3%	99.3%
1	1	29	0.1%	0.1%	29	0.1%	0.1%
2	2	14	0.0%	0.1%	14	0.1%	0.1%
3	3	18	0.0%	0.1%	18	0.1%	0.1%
4	4	67	0.2%	0.3%	67	0.3%	0.3%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCC13 Type: Numeric Position: 245-245

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1232	3.4%	6.3%	1232	6.3%	6.3%
1	1	300	0.8%	1.5%	300	1.5%	1.5%
2	2	407	1.1%	2.1%	407	2.1%	2.1%
3	3	1594	4.3%	8.1%	1594	8.1%	8.1%
4	4	15914	43.3%	81.2%	15914	81.2%	81.2%
5	5	140	0.4%	0.7%	140	0.7%	0.7%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMPCCN Type: Numeric Position: 246-246

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19592	53.3%	100.0%	19592	100.0%	100.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMPCN Type: Numeric Position: 247-247

**Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18912	51.5%	96.5%	18912	96.5%	96.5%
1	1	141	0.4%	0.7%	141	0.7%	0.7%
2	2	70	0.2%	0.4%	70	0.4%	0.4%
3	3	132	0.4%	0.7%	132	0.7%	0.7%
4	4	334	0.9%	1.7%	334	1.7%	1.7%
5	5	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMPOL Type: Numeric Position: 248-248

**Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	611	1.7%	3.1%	611	3.1%	3.1%
1	1	191	0.5%	1.0%	191	1.0%	1.0%
2	2	331	0.9%	1.7%	331	1.7%	1.7%
3	3	13382	36.4%	68.3%	13382	68.3%	68.3%
4	4	4965	13.5%	25.3%	4965	25.3%	25.3%
5	5	99	0.3%	0.5%	99	0.5%	0.5%
6	6	14	0.0%	0.1%	14	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRB Type: Numeric Position: 249-249

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19591	53.3%	100.0%	19591	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMRG Type: Numeric Position: 250-250

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15078	41.0%	77.0%	15078	77.0%	77.0%
1	1	488	1.3%	2.5%	488	2.5%	2.5%
2	2	3894	10.6%	19.9%	3894	19.9%	19.9%
3	3	133	0.4%	0.7%	133	0.7%	0.7%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMRM Type: Numeric Position: 251-251

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	6767	18.4%	34.5%	6767	34.5%	34.5%
1	1	572	1.6%	2.9%	572	2.9%	2.9%
2	2	1471	4.0%	7.5%	1471	7.5%	7.5%
3	3	10763	29.3%	54.9%	10763	54.9%	54.9%
4	4	20	0.1%	0.1%	20	0.1%	0.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMRO Type: Numeric Position: 252-252

Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	18468	50.3%	94.3%	18468	94.3%	94.3%
1	1	189	0.5%	1.0%	189	1.0%	1.0%
2	2	384	1.0%	2.0%	384	2.0%	2.0%
3	3	552	1.5%	2.8%	552	2.8%	2.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMROT Type: Numeric Position: 253-253

Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1680	4.6%	8.6%	1680	8.6%	8.6%
1	1	556	1.5%	2.8%	556	2.8%	2.8%
2	2	5492	14.9%	28.0%	5492	28.0%	28.0%
3	3	11830	32.2%	60.4%	11830	60.4%	60.4%
4	4	34	0.1%	0.2%	34	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMTPN Type: Numeric Position: 254-254

Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19248	52.4%	98.2%	19248	98.2%	98.2%
1	1	195	0.5%	1.0%	195	1.0%	1.0%
2	2	24	0.1%	0.1%	24	0.1%	0.1%
3	3	67	0.2%	0.3%	67	0.3%	0.3%
4	4	59	0.2%	0.3%	59	0.3%	0.3%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMVRC Type: Numeric Position: 255-255

Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1420	3.9%	7.2%	1420	7.2%	7.2%
1	1	17907	48.7%	91.4%	17907	91.4%	91.4%
2	2	263	0.7%	1.3%	263	1.3%	1.3%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_NUMVRN Type: Numeric Position: 256-256

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	19457	52.9%	99.3%	19457	99.3%	99.3%
1	1	132	0.4%	0.7%	132	0.7%	0.7%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_NUMVRX Type: Numeric Position: 257-257

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3958	10.8%	20.2%	3958	20.2%	20.2%
1	1	15482	42.1%	79.0%	15482	79.0%	79.0%
2	2	152	0.4%	0.8%	152	0.8%	0.8%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_U12VRC Type: Numeric Position: 258-258

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1464	4.0%	7.5%	1464	7.5%	7.5%
UTD	1	18129	49.3%	92.5%	18129	92.5%	92.5%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD331 Type: Numeric Position: 259-259

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1539	4.2%	7.9%	1539	7.9%	7.9%
UTD	1	18054	49.1%	92.1%	18054	92.1%	92.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTD431 Type: Numeric Position: 260-260

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2953	8.0%	15.1%	2953	15.1%	15.1%
UTD	1	16640	45.3%	84.9%	16640	84.9%	84.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHEP Type: Numeric Position: 261-261

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1358	3.7%	6.9%	1358	6.9%	6.9%
UTD	1	18235	49.6%	93.1%	18235	93.1%	93.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDHEPA1 Type: Numeric Position: 262-262

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1964	5.3%	10.0%	1964	10.0%	10.0%
UTD	1	17629	48.0%	90.0%	17629	90.0%	90.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHEPA2 Type: Numeric Position: 263-263

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6498	17.7%	33.2%	6498	33.2%	33.2%
UTD	1	13095	35.6%	66.8%	13095	66.8%	66.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDHIB Type: Numeric Position: 264-264

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1380	3.8%	7.0%	1380	7.0%	7.0%
UTD	1	18213	49.6%	93.0%	18213	93.0%	93.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDHIB\_ROUT\_S Type: Numeric Position: 265-265

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3049	8.3%	15.6%	3049	15.6%	15.6%
UTD	1	16544	45.0%	84.4%	16544	84.4%	84.4%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDHIB\_SHORT\_S Type: Numeric Position: 266-266

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1135	3.1%	5.8%	1135	5.8%	5.8%
UTD	1	18458	50.2%	94.2%	18458	94.2%	94.2%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDMCV Type: Numeric Position: 267-267

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1214	3.3%	6.2%	1214	6.2%	6.2%
UTD	1	18379	50.0%	93.8%	18379	93.8%	93.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDMMX Type: Numeric Position: 268-268

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1340	3.6%	6.8%	1340	6.8%	6.8%
UTD	1	18253	49.7%	93.2%	18253	93.2%	93.2%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPC3 Type: Numeric Position: 269-269

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1198	3.3%	6.1%	1198	6.1%	6.1%
UTD	1	18395	50.1%	93.9%	18395	93.9%	93.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDPCV Type: Numeric Position: 270-270

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2774	7.5%	14.2%	2774	14.2%	14.2%
UTD	1	16819	45.8%	85.8%	16819	85.8%	85.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDPCVB13 Type: Numeric Position: 271-271

**Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	67	0.2%	0.3%	67	0.3%	0.3%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	19526	53.1%	99.7%	19526	99.7%	99.7%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDPOL Type: Numeric Position: 272-272

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 3+ Polio-containing (08,20,21,22,D3)**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1133	3.1%	5.8%	1133	5.8%	5.8%
UTD	1	18460	50.2%	94.2%	18460	94.2%	94.2%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDROT\_S Type: Numeric Position: 273-273

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3924	10.7%	20.0%	3924	20.0%	20.0%
UTD	1	15669	42.6%	80.0%	15669	80.0%	80.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: P\_UTDTP3 Type: Numeric Position: 274-274

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	992	2.7%	5.1%	992	5.1%	5.1%
UTD	1	18601	50.6%	94.9%	18601	94.9%	94.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTDTP4 Type: Numeric Position: 275-275

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2780	7.6%	14.2%	2780	14.2%	14.2%
UTD	1	16813	45.7%	85.8%	16813	85.8%	85.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PU431331 Type: Numeric Position: 276-276

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3515	9.6%	17.9%	3515	17.9%	17.9%
UTD	1	16078	43.7%	82.1%	16078	82.1%	82.1%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H31\_ROUT\_S Type: Numeric Position: 277-277

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4259	11.6%	21.7%	4259	21.7%	21.7%
UTD	1	15334	41.7%	78.3%	15334	78.3%	78.3%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PU4313313 Type: Numeric Position: 278-278

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3570	9.7%	18.2%	3570	18.2%	18.2%
UTD	1	16023	43.6%	81.8%	16023	81.8%	81.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H313\_ROUT\_S Type: Numeric Position: 279-279

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4303	11.7%	22.0%	4303	22.0%	22.0%
UTD	1	15290	41.6%	78.0%	15290	78.0%	78.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PU4313314 Type: Numeric Position: 280-280

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4188	11.4%	21.4%	4188	21.4%	21.4%
UTD	1	15405	41.9%	78.6%	15405	78.6%	78.6%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H314\_ROUT\_S Type: Numeric Position: 281-281

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4742	12.9%	24.2%	4742	24.2%	24.2%
UTD	1	14851	40.4%	75.8%	14851	75.8%	75.8%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PUT43133 Type: Numeric Position: 282-282

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3355	9.1%	17.1%	3355	17.1%	17.1%
UTD	1	16238	44.2%	82.9%	16238	82.9%	82.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H3\_ROUT\_S Type: Numeric Position: 283-283

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4121	11.2%	21.0%	4121	21.0%	21.0%
UTD	1	15472	42.1%	79.0%	15472	79.0%	79.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PUTD4313 Type: Numeric Position: 284-284

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3047	8.3%	15.6%	3047	15.6%	15.6%
UTD	1	16546	45.0%	84.4%	16546	84.4%	84.4%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P\_UTD431H\_ROUT\_S Type: Numeric Position: 285-285

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3838	10.4%	19.6%	3838	19.6%	19.6%
UTD	1	15755	42.9%	80.4%	15755	80.4%	80.4%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: U24\_FLU\_24D Type: Numeric Position: 286-286

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Influenza (FN, FM, FL) at least 4 weeks (minus 4 days) apart, by 24 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6560	17.9%	33.5%	6560	33.5%	33.5%
UTD	1	13033	35.5%	66.5%	13033	66.5%	66.5%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U19\_FLU\_24D Type: Numeric Position: 287-287

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 2+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 19 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	7200	19.6%	36.7%	7200	36.7%	36.7%
UTD	1	12393	33.7%	63.3%	12393	63.3%	63.3%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: U24\_FLU3\_24D Type: Numeric Position: 288-288

**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 3+ Influenza (FN, FM, FL) vaccinations at least 4 weeks (minus 4 days) apart, by 24 months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	11975	32.6%	61.1%	11975	61.1%	61.1%
UTD	1	7618	20.7%	38.9%	7618	38.9%	38.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U1D\_HEP Type: Numeric Position: 289-289

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5313	14.5%	27.1%	5313	27.1%	27.1%
UTD	1	14280	38.9%	72.9%	14280	72.9%	72.9%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: U2D\_HEP Type: Numeric Position: 290-290

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4413	12.0%	22.5%	4413	22.5%	22.5%
UTD	1	15180	41.3%	77.5%	15180	77.5%	77.5%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U3D\_HEP Type: Numeric Position: 291-291

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd, or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4118	11.2%	21.0%	4118	21.0%	21.0%
UTD	1	15475	42.1%	79.0%	15475	79.0%	79.0%
<b>SUBTOTALS:</b>		19593	53.3%	100.0%	19593	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17157	46.7%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 292-295

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19058	51.9%	100.0%	19058	97.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17692	48.1%	n/a	535	2.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.0	63.0	0.0	1463.0	55.1
Adequate Provider Data	73.0	63.0	0.0	1463.0	55.1

Variable: DDTP2 Type: Numeric Position: 296-299

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18880	51.4%	100.0%	18880	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17870	48.6%	n/a	713	3.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.2	127.0	35.0	1209.0	64.4
Adequate Provider Data	142.2	127.0	35.0	1209.0	64.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric Position: 300-303

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18632	50.7%	100.0%	18632	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18118	49.3%	n/a	961	4.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	214.8	191.0	66.0	1258.0	81.5
Adequate Provider Data	214.8	191.0	66.0	1258.0	81.5

Variable: DDTP4 Type: Numeric Position: 304-307

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17098	46.5%	100.0%	17098	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19652	53.5%	n/a	2495	12.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	510.6	476.0	126.0	1233.0	94.2
Adequate Provider Data	510.6	476.0	126.0	1233.0	94.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 308-311

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		326	0.9%	100.0%	326	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36424	99.1%	n/a	19267	98.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	601.6	565.0	185.0	1470.0	177.4
Adequate Provider Data	601.6	565.0	185.0	1470.0	177.4

Variable: DDTP6 Type: Numeric Position: 312-315

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		32	0.1%	100.0%	32	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36718	99.9%	n/a	19561	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	610.8	549.5	276.0	1112.0	202.0
Adequate Provider Data	610.8	549.5	276.0	1112.0	202.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric Position: 316-319

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	784.6	816.0	432.0	1022.0	191.3
Adequate Provider Data	784.6	816.0	432.0	1022.0	191.3

Variable: DDTP8 Type: Numeric Position: 320-320

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP9 Type: Numeric Position: 321-321

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DFLU1 Type: Numeric Position: 322-325

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15602	42.5%	100.0%	15602	79.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21148	57.5%	n/a	3991	20.4%	n/a
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DFLU1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	303.4	264.0	0.0	1346.0	154.5
Adequate Provider Data	303.4	264.0	0.0	1346.0	154.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU2 Type: Numeric Position: 326-329**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13887	37.8%	100.0%	13887	70.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22863	62.2%	n/a	5706	29.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	372.4	319.0	51.0	1431.0	167.7
Adequate Provider Data	372.4	319.0	51.0	1431.0	167.7

**Variable: DFLU3 Type: Numeric Position: 330-333**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10363	28.2%	100.0%	10363	52.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	26387	71.8%	n/a	9230	47.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	610.5	578.0	181.0	1386.0	148.2
Adequate Provider Data	610.5	578.0	181.0	1386.0	148.2



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU4 Type: Numeric Position: 334-337**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3703	10.1%	100.0%	3703	18.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33047	89.9%	n/a	15890	81.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	898.3	912.0	239.0	1340.0	137.4
Adequate Provider Data	898.3	912.0	239.0	1340.0	137.4

**Variable: DFLU5 Type: Numeric Position: 338-341**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.6%	100.0%	233	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36517	99.4%	n/a	19360	98.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1079.8	1115.0	397.0	1470.0	194.4
Adequate Provider Data	1079.8	1115.0	397.0	1470.0	194.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DFLU6 Type: Numeric Position: 342-345**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	992.7	1098.0	548.0	1234.0	211.2
Adequate Provider Data	992.7	1098.0	548.0	1234.0	211.2

**Variable: DFLU7 Type: Numeric Position: 346-348**

**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7**

**Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DFLU7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	987.0	987.0	987.0	987.0	.
Adequate Provider Data	987.0	987.0	987.0	987.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric Position: 349-349

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DFLU9 Type: Numeric Position: 350-350

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DHEPA1 Type: Numeric Position: 351-354

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17758	48.3%	100.0%	17758	90.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18992	51.7%	n/a	1835	9.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	420.7	378.0	0.0	1287.0	98.1
Adequate Provider Data	420.7	378.0	0.0	1287.0	98.1

**Variable: DHEPA2 Type: Numeric Position: 355-358****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14098	38.4%	100.0%	14098	72.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22652	61.6%	n/a	5495	28.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPA2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	646.9	592.0	93.0	1299.0	113.1
Adequate Provider Data	646.9	592.0	93.0	1299.0	113.1

**Variable: DHEPA3 Type: Numeric Position: 359-362****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		110	0.3%	100.0%	110	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36640	99.7%	n/a	19483	99.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPA3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	760.3	735.0	273.0	1256.0	194.2
Adequate Provider Data	760.3	735.0	273.0	1256.0	194.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA4 Type: Numeric Position: 363-365**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36744	100.0%	n/a	19587	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPA4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	716.2	735.5	653.0	752.0	43.4
Adequate Provider Data	716.2	735.5	653.0	752.0	43.4

**Variable: DHEPA5 Type: Numeric Position: 366-366**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA6 Type: Numeric Position: 367-367

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DHEPA7 Type: Numeric Position: 368-368

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DHEPA8 Type: Numeric Position: 369-369

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPA9 Type: Numeric Position: 370-370**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DHEPB1 Type: Numeric Position: 371-374**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19138	52.1%	100.0%	19138	97.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17612	47.9%	n/a	455	2.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.1	0.0	0.0	1152.0	55.6
Adequate Provider Data	14.1	0.0	0.0	1152.0	55.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB2 Type: Numeric Position: 375-378

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18775	51.1%	100.0%	18775	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17975	48.9%	n/a	818	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DHEPB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	81.2	63.0	15.0	1140.0	74.8
Adequate Provider Data	81.2	63.0	15.0	1140.0	74.8

Variable: DHEPB3 Type: Numeric Position: 379-382

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18283	49.7%	100.0%	18283	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18467	50.3%	n/a	1310	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DHEPB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	207.4	187.0	30.0	1209.0	105.6
Adequate Provider Data	207.4	187.0	30.0	1209.0	105.6



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB4 Type: Numeric Position: 383-386**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7017	19.1%	100.0%	7017	35.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29733	80.9%	n/a	12576	64.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	225.7	192.0	104.0	1258.0	103.0
Adequate Provider Data	225.7	192.0	104.0	1258.0	103.0

**Variable: DHEPB5 Type: Numeric Position: 387-390**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		301	0.8%	100.0%	301	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36449	99.2%	n/a	19292	98.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	472.5	464.0	181.0	1130.0	195.3
Adequate Provider Data	472.5	464.0	181.0	1130.0	195.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHEPB6 Type: Numeric Position: 391-394**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36726	99.9%	n/a	19569	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	584.3	533.0	245.0	1112.0	267.2
Adequate Provider Data	584.3	533.0	245.0	1112.0	267.2

**Variable: DHEPB7 Type: Numeric Position: 395-398**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHEPB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	801.3	895.0	455.0	1022.0	218.2
Adequate Provider Data	801.3	895.0	455.0	1022.0	218.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB8 Type: Numeric Position: 399-399

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 400-400

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DHIB1 Type: Numeric Position: 401-404

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19009	51.7%	100.0%	19009	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17741	48.3%	n/a	584	3.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.8	63.0	0.0	1209.0	55.7
Adequate Provider Data	73.8	63.0	0.0	1209.0	55.7

**Variable: DHIB2 Type: Numeric Position: 405-408****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18768	51.1%	100.0%	18768	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17982	48.9%	n/a	825	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHIB2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.4	127.0	55.0	1161.0	61.4
Adequate Provider Data	142.4	127.0	55.0	1161.0	61.4

**Variable: DHIB3 Type: Numeric Position: 409-412****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18279	49.7%	100.0%	18279	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18471	50.3%	n/a	1314	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	270.6	197.0	95.0	1210.0	130.9
Adequate Provider Data	270.6	197.0	95.0	1210.0	130.9

**Variable: DHIB4 Type: Numeric Position: 413-416****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12869	35.0%	100.0%	12869	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23881	65.0%	n/a	6724	34.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHIB4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	481.0	465.0	133.0	1132.0	87.1
Adequate Provider Data	481.0	465.0	133.0	1132.0	87.1

**Variable: DHIB5 Type: Numeric Position: 417-419****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		166	0.5%	100.0%	166	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36584	99.5%	n/a	19427	99.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	548.9	531.5	184.0	996.0	136.7
Adequate Provider Data	548.9	531.5	184.0	996.0	136.7

**Variable: DHIB6 Type: Numeric Position: 420-422****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DHIB6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	501.1	473.0	275.0	978.0	209.7
Adequate Provider Data	501.1	473.0	275.0	978.0	209.7

**Variable: DHIB7 Type: Numeric Position: 423-425****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DHIB7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	663.7	570.0	548.0	873.0	181.6
Adequate Provider Data	663.7	570.0	548.0	873.0	181.6

**Variable: DHIB8 Type: Numeric Position: 426-426****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DHIB9 Type: Numeric Position: 427-427****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR1 Type: Numeric Position: 428-431

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18445	50.2%	100.0%	18445	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18305	49.8%	n/a	1148	5.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	397.3	374.0	1.0	1463.0	76.1
Adequate Provider Data	397.3	374.0	1.0	1463.0	76.1

Variable: DMMR2 Type: Numeric Position: 432-435

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		988	2.7%	100.0%	988	5.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35762	97.3%	n/a	18605	95.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	524.5	461.0	93.0	1470.0	182.7
Adequate Provider Data	524.5	461.0	93.0	1470.0	182.7



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DMMR3 Type: Numeric Position: 436-439**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.0%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36736	100.0%	n/a	19579	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DMMR3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	603.8	476.5	379.0	1097.0	226.4
Adequate Provider Data	603.8	476.5	379.0	1097.0	226.4

**Variable: DMMR4 Type: Numeric Position: 440-440**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR5 Type: Numeric Position: 441-441

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMMR6 Type: Numeric Position: 442-442

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 443-443

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR8 Type: Numeric Position: 444-444

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMMR9 Type: Numeric Position: 445-445

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 446-448

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DMP1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	545.0	545.0	545.0	545.0	.
Adequate Provider Data	545.0	545.0	545.0	545.0	.

**Variable: DMP2 Type: Numeric Position: 449-449****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DMP3 Type: Numeric Position: 450-450****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP4 Type: Numeric Position: 451-451

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMP5 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMP6 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP7 Type: Numeric Position: 454-454

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMP8 Type: Numeric Position: 455-455

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMP9 Type: Numeric Position: 456-456

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB1 Type: Numeric Position: 457-457

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB2 Type: Numeric Position: 458-458

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB3 Type: Numeric Position: 459-459

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB4 Type: Numeric Position: 460-460

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB5 Type: Numeric Position: 461-461

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB6 Type: Numeric Position: 462-462

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB7 Type: Numeric Position: 463-463

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB8 Type: Numeric Position: 464-464

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DMPRB9 Type: Numeric Position: 465-465

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV1 Type: Numeric Position: 466-468

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18968	51.6%	100.0%	18968	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17782	48.4%	n/a	625	3.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DPCV1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	74.5	64.0	0.0	987.0	54.9
Adequate Provider Data	74.5	64.0	0.0	987.0	54.9

Variable: DPCV2 Type: Numeric Position: 469-472

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18769	51.1%	100.0%	18769	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17981	48.9%	n/a	824	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DPCV2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	144.0	127.0	46.0	1161.0	65.1
Adequate Provider Data	144.0	127.0	46.0	1161.0	65.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV3 Type: Numeric Position: 473-476**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18426	50.1%	100.0%	18426	94.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18324	49.9%	n/a	1167	6.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPCV3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	218.2	191.0	83.0	1287.0	83.1
Adequate Provider Data	218.2	191.0	83.0	1287.0	83.1

**Variable: DPCV4 Type: Numeric Position: 477-480**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16942	46.1%	100.0%	16942	86.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19808	53.9%	n/a	2651	13.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPCV4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	435.4	405.0	133.0	1321.0	88.7
Adequate Provider Data	435.4	405.0	133.0	1321.0	88.7

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV5 Type: Numeric Position: 481-484**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		202	0.5%	100.0%	202	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36548	99.5%	n/a	19391	99.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPCV5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	565.7	517.0	203.0	1114.0	174.6
Adequate Provider Data	565.7	517.0	203.0	1114.0	174.6

**Variable: DPCV6 Type: Numeric Position: 485-487**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPCV6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	566.0	486.0	366.0	978.0	221.6
Adequate Provider Data	566.0	486.0	366.0	978.0	221.6

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV7 Type: Numeric Position: 488-490**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPCV7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	640.3	562.0	506.0	853.0	186.3
Adequate Provider Data	640.3	562.0	506.0	853.0	186.3

**Variable: DPCV8 Type: Numeric Position: 491-491**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPCV9 Type: Numeric Position: 492-492**

**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DPOLIO1 Type: Numeric Position: 493-496**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18990	51.7%	100.0%	18990	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17760	48.3%	n/a	603	3.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	73.3	63.0	0.0	1463.0	55.4
Adequate Provider Data	73.3	63.0	0.0	1463.0	55.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO2 Type: Numeric Position: 497-500**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18809	51.2%	100.0%	18809	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17941	48.8%	n/a	784	4.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	142.9	127.0	36.0	1266.0	66.2
Adequate Provider Data	142.9	127.0	36.0	1266.0	66.2

**Variable: DPOLIO3 Type: Numeric Position: 501-504**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18492	50.3%	100.0%	18492	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18258	49.7%	n/a	1101	5.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO3 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	218.6	191.0	66.0	1258.0	87.3
Adequate Provider Data	218.6	191.0	66.0	1258.0	87.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO4 Type: Numeric Position: 505-508**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5147	14.0%	100.0%	5147	26.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	31603	86.0%	n/a	14446	73.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO4 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	491.8	469.0	95.0	1468.0	98.1
Adequate Provider Data	491.8	469.0	95.0	1468.0	98.1

**Variable: DPOLIO5 Type: Numeric Position: 509-512**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		119	0.3%	100.0%	119	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36631	99.7%	n/a	19474	99.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO5 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	557.2	487.0	182.0	1470.0	228.3
Adequate Provider Data	557.2	487.0	182.0	1470.0	228.3



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO6 Type: Numeric Position: 513-516**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO6 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	646.5	562.0	276.0	1022.0	227.8
Adequate Provider Data	646.5	562.0	276.0	1022.0	227.8

**Variable: DPOLIO7 Type: Numeric Position: 517-519**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DPOLIO7 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	693.0	693.0	693.0	693.0	.
Adequate Provider Data	693.0	693.0	693.0	693.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DPOLIO8 Type: Numeric Position: 520-520**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DPOLIO9 Type: Numeric Position: 521-521**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DRB1 Type: Numeric Position: 522-524**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36748	100.0%	n/a	19591	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DRB1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	393.5	393.5	362.0	425.0	44.5
Adequate Provider Data	393.5	393.5	362.0	425.0	44.5

**Variable: DRB2 Type: Numeric Position: 525-525****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DRB3 Type: Numeric Position: 526-526****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB4 Type: Numeric Position: 527-527

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DRB5 Type: Numeric Position: 528-528

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DRB6 Type: Numeric Position: 529-529

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB7 Type: Numeric Position: 530-530

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DRB8 Type: Numeric Position: 531-531

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DRB9 Type: Numeric Position: 532-532

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT1 Type: Numeric Position: 533-535

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17913	48.7%	100.0%	17913	91.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18837	51.3%	n/a	1680	8.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	67.0	63.0	0.0	779.0	19.4
Adequate Provider Data	67.0	63.0	0.0	779.0	19.4

Variable: DROT2 Type: Numeric Position: 536-538

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17358	47.2%	100.0%	17358	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19392	52.8%	n/a	2235	11.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DROT2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	132.8	126.0	51.0	867.0	25.1
Adequate Provider Data	132.8	126.0	51.0	867.0	25.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DROT3** Type: Numeric Position: 539-541

**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11865	32.3%	100.0%	11865	60.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24885	67.7%	n/a	7728	39.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DROT3** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	194.9	189.0	100.0	927.0	28.8
Adequate Provider Data	194.9	189.0	100.0	927.0	28.8

**Variable: DROT4** Type: Numeric Position: 542-544

**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36715	99.9%	n/a	19558	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DROT4** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	315.9	244.0	182.0	736.0	146.4
Adequate Provider Data	315.9	244.0	182.0	736.0	146.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT5 Type: Numeric Position: 545-547

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DROT5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	736.0	736.0	736.0	736.0	.
Adequate Provider Data	736.0	736.0	736.0	736.0	.

Variable: DROT6 Type: Numeric Position: 548-548

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT7 Type: Numeric Position: 549-549

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DROT8 Type: Numeric Position: 550-550

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DROT9 Type: Numeric Position: 551-551

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DVRC1 Type: Numeric Position: 552-555**

**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18266	49.7%	100.0%	18266	93.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18484	50.3%	n/a	1327	6.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DVRC1 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	409.5	376.0	0.0	1463.0	80.8
Adequate Provider Data	409.5	376.0	0.0	1463.0	80.8

**Variable: DVRC2 Type: Numeric Position: 556-559**

**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		318	0.9%	100.0%	318	1.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36432	99.1%	n/a	19275	98.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DVRC2 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	683.2	654.0	366.0	1470.0	195.4
Adequate Provider Data	683.2	654.0	366.0	1470.0	195.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC3 Type: Numeric Position: 560-562

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: DVRC3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	745.7	734.0	734.0	769.0	20.2
Adequate Provider Data	745.7	734.0	734.0	769.0	20.2

Variable: DVRC4 Type: Numeric Position: 563-563

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC5 Type: Numeric Position: 564-564

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DVRC6 Type: Numeric Position: 565-565

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DVRC7 Type: Numeric Position: 566-566

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC8 Type: Numeric Position: 567-567

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DVRC9 Type: Numeric Position: 568-568

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: DTP1\_AGE Type: Numeric Position: 569-570

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19058	51.9%	100.0%	19058	97.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17692	48.1%	n/a	535	2.7%	n/a
TOTALS:		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	48.0	1.8
Adequate Provider Data	2.1	2.0	0.0	48.0	1.8

**Variable: DTP2\_AGE** Type: Numeric Position: 571-572**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18880	51.4%	100.0%	18880	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17870	48.6%	n/a	713	3.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DTP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	39.0	2.1
Adequate Provider Data	4.4	4.0	1.0	39.0	2.1

**Variable: DTP3\_AGE** Type: Numeric Position: 573-574**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18632	50.7%	100.0%	18632	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18118	49.3%	n/a	961	4.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.8	6.0	2.0	41.0	2.6
Adequate Provider Data	6.8	6.0	2.0	41.0	2.6

**Variable: DTP4\_AGE** Type: Numeric Position: 575-576**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17098	46.5%	100.0%	17098	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19652	53.5%	n/a	2495	12.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DTP4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.4	15.0	4.0	40.0	3.1
Adequate Provider Data	16.4	15.0	4.0	40.0	3.1

**Variable: DTP5\_AGE** Type: Numeric Position: 577-578**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		326	0.9%	100.0%	326	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36424	99.1%	n/a	19267	98.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.4	18.0	6.0	48.0	5.8
Adequate Provider Data	19.4	18.0	6.0	48.0	5.8

**Variable: DTP6\_AGE** Type: Numeric Position: 579-580**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		32	0.1%	100.0%	32	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36718	99.9%	n/a	19561	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: DTP6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.7	18.0	9.0	36.0	6.6
Adequate Provider Data	19.7	18.0	9.0	36.0	6.6

**Variable: DTP7\_AGE** Type: Numeric Position: 581-582**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: DTP7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.4	26.5	14.0	33.0	6.2
Adequate Provider Data	25.4	26.5	14.0	33.0	6.2

**Variable: DTP8\_AGE** Type: Numeric Position: 583-583**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: DTP9\_AGE** Type: Numeric Position: 584-584**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU1\_AGE** Type: Numeric Position: 585-586

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15602	42.5%	100.0%	15602	79.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21148	57.5%	n/a	3991	20.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: FLU1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	9.6	8.0	0.0	44.0	5.0
Adequate Provider Data	9.6	8.0	0.0	44.0	5.0

**Variable: FLU2\_AGE** Type: Numeric Position: 587-588

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13887	37.8%	100.0%	13887	70.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22863	62.2%	n/a	5706	29.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: FLU2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	11.9	10.0	1.0	47.0	5.5
Adequate Provider Data	11.9	10.0	1.0	47.0	5.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU3\_AGE** Type: Numeric Position: 589-590**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10363	28.2%	100.0%	10363	52.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	26387	71.8%	n/a	9230	47.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: FLU3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.7	18.0	6.0	45.0	4.9
Adequate Provider Data	19.7	18.0	6.0	45.0	4.9

**Variable: FLU4\_AGE** Type: Numeric Position: 591-592**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3703	10.1%	100.0%	3703	18.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	33047	89.9%	n/a	15890	81.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: FLU4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	29.1	29.0	7.0	44.0	4.5
Adequate Provider Data	29.1	29.0	7.0	44.0	4.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU5\_AGE Type: Numeric Position: 593-594

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		233	0.6%	100.0%	233	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36517	99.4%	n/a	19360	98.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: FLU5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	35.1	36.0	13.0	48.0	6.4
Adequate Provider Data	35.1	36.0	13.0	48.0	6.4

Variable: FLU6\_AGE Type: Numeric Position: 595-596

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: FLU6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	32.2	36.0	18.0	40.0	6.9
Adequate Provider Data	32.2	36.0	18.0	40.0	6.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU7\_AGE Type: Numeric Position: 597-598

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: FLU7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	32.0	32.0	32.0	32.0	.
Adequate Provider Data	32.0	32.0	32.0	32.0	.

Variable: FLU8\_AGE Type: Numeric Position: 599-599

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: FLU9\_AGE** Type: Numeric Position: 600-600

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: HEA1\_AGE** Type: Numeric Position: 601-602

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17758	48.3%	100.0%	17758	90.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18992	51.7%	n/a	1835	9.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEA1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.5	12.0	0.0	42.0	3.2
Adequate Provider Data	13.5	12.0	0.0	42.0	3.2

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA2\_AGE** Type: Numeric Position: 603-604

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14098	38.4%	100.0%	14098	72.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22652	61.6%	n/a	5495	28.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEA2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.9	19.0	3.0	42.0	3.7
Adequate Provider Data	20.9	19.0	3.0	42.0	3.7

**Variable: HEA3\_AGE** Type: Numeric Position: 605-606

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		110	0.3%	100.0%	110	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36640	99.7%	n/a	19483	99.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEA3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.6	24.0	9.0	41.0	6.4
Adequate Provider Data	24.6	24.0	9.0	41.0	6.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA4\_AGE Type: Numeric Position: 607-608**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36744	100.0%	n/a	19587	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEA4\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.2	24.0	21.0	24.0	1.3
Adequate Provider Data	23.2	24.0	21.0	24.0	1.3

**Variable: HEA5\_AGE Type: Numeric Position: 609-609**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA6\_AGE Type: Numeric Position: 610-610**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: HEA7\_AGE Type: Numeric Position: 611-611**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: HEA8\_AGE Type: Numeric Position: 612-612**

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEA9\_AGE** Type: Numeric Position: 613-613

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: HEP1\_AGE** Type: Numeric Position: 614-615

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19138	52.1%	100.0%	19138	97.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17612	47.9%	n/a	455	2.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.4	0.0	0.0	37.0	1.8
Adequate Provider Data	0.4	0.0	0.0	37.0	1.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP2\_AGE** Type: Numeric Position: 616-617

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18775	51.1%	100.0%	18775	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17975	48.9%	n/a	818	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEP2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.4	2.0	0.0	37.0	2.4
Adequate Provider Data	2.4	2.0	0.0	37.0	2.4

**Variable: HEP3\_AGE** Type: Numeric Position: 618-619

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18283	49.7%	100.0%	18283	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18467	50.3%	n/a	1310	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEP3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.5	6.0	1.0	39.0	3.4
Adequate Provider Data	6.5	6.0	1.0	39.0	3.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HEP4\_AGE** Type: Numeric Position: 620-621

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7017	19.1%	100.0%	7017	35.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	29733	80.9%	n/a	12576	64.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEP4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	7.1	6.0	3.0	41.0	3.3
Adequate Provider Data	7.1	6.0	3.0	41.0	3.3

**Variable: HEP5\_AGE** Type: Numeric Position: 622-623

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		301	0.8%	100.0%	301	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36449	99.2%	n/a	19292	98.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HEP5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	15.2	15.0	5.0	37.0	6.4
Adequate Provider Data	15.2	15.0	5.0	37.0	6.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP6\_AGE Type: Numeric Position: 624-625

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36726	99.9%	n/a	19569	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: HEP6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.8	17.0	8.0	36.0	8.7
Adequate Provider Data	18.8	17.0	8.0	36.0	8.7

Variable: HEP7\_AGE Type: Numeric Position: 626-627

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: HEP7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.9	29.0	15.0	33.0	6.9
Adequate Provider Data	25.9	29.0	15.0	33.0	6.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP8\_AGE Type: Numeric Position: 628-628

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: HEP9\_AGE Type: Numeric Position: 629-629

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: HIB1\_AGE Type: Numeric Position: 630-631

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		19009	51.7%	100.0%	19009	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17741	48.3%	n/a	584	3.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	39.0	1.8
Adequate Provider Data	2.2	2.0	0.0	39.0	1.8

**Variable: HIB2\_AGE** Type: Numeric Position: 632-633**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18768	51.1%	100.0%	18768	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17982	48.9%	n/a	825	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HIB2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	38.0	2.0
Adequate Provider Data	4.4	4.0	1.0	38.0	2.0

**Variable: HIB3\_AGE** Type: Numeric Position: 634-635**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18279	49.7%	100.0%	18279	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18471	50.3%	n/a	1314	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: HIB3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.6	6.0	3.0	39.0	4.3
Adequate Provider Data	8.6	6.0	3.0	39.0	4.3

**Variable: HIB4\_AGE** Type: Numeric Position: 636-637**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12869	35.0%	100.0%	12869	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23881	65.0%	n/a	6724	34.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: HIB4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.5	15.0	4.0	37.0	2.8
Adequate Provider Data	15.5	15.0	4.0	37.0	2.8

**Variable: HIB5\_AGE** Type: Numeric Position: 638-639**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		166	0.5%	100.0%	166	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36584	99.5%	n/a	19427	99.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.7	17.0	6.0	32.0	4.5
Adequate Provider Data	17.7	17.0	6.0	32.0	4.5

Variable: HIB6\_AGE Type: Numeric Position: 640-641

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: HIB6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.0	15.0	9.0	32.0	6.9
Adequate Provider Data	16.0	15.0	9.0	32.0	6.9

Variable: HIB7\_AGE Type: Numeric Position: 642-643

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.0	18.0	17.0	28.0	6.1
Adequate Provider Data	21.0	18.0	17.0	28.0	6.1

Variable: HIB8\_AGE Type: Numeric Position: 644-644

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: HIB9\_AGE Type: Numeric Position: 645-645

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MMR1\_AGE** Type: Numeric Position: 646-647

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18445	50.2%	100.0%	18445	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18305	49.8%	n/a	1148	5.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: MMR1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.8	12.0	0.0	48.0	2.4
Adequate Provider Data	12.8	12.0	0.0	48.0	2.4

**Variable: MMR2\_AGE** Type: Numeric Position: 648-649

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		988	2.7%	100.0%	988	5.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	35762	97.3%	n/a	18605	95.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: MMR2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.9	15.0	3.0	48.0	6.0
Adequate Provider Data	16.9	15.0	3.0	48.0	6.0

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3\_AGE Type: Numeric Position: 650-651

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14	0.0%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36736	100.0%	n/a	19579	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: MMR3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.4	15.0	12.0	36.0	7.5
Adequate Provider Data	19.4	15.0	12.0	36.0	7.5

Variable: MMR4\_AGE Type: Numeric Position: 652-652

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR5\_AGE Type: Numeric Position: 653-653

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MMR6\_AGE Type: Numeric Position: 654-654

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MMR7\_AGE Type: Numeric Position: 655-655

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR8\_AGE Type: Numeric Position: 656-656

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MMR9\_AGE Type: Numeric Position: 657-657

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MP1\_AGE Type: Numeric Position: 658-659

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MP1\_AGE Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.0	17.0	17.0	17.0	.
Adequate Provider Data	17.0	17.0	17.0	17.0	.

**Variable: MP2\_AGE Type: Numeric Position: 660-660****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: MP3\_AGE Type: Numeric Position: 661-661****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP4\_AGE Type: Numeric Position: 662-662

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MP5\_AGE Type: Numeric Position: 663-663

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MP6\_AGE Type: Numeric Position: 664-664

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MP7\_AGE** Type: Numeric Position: 665-665

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: MP8\_AGE** Type: Numeric Position: 666-666

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: MP9\_AGE** Type: Numeric Position: 667-667

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: MPR1\_AGE Type: Numeric Position: 668-668**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: MPR2\_AGE Type: Numeric Position: 669-669**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: MPR3\_AGE Type: Numeric Position: 670-670**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR4\_AGE Type: Numeric Position: 671-671

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MPR5\_AGE Type: Numeric Position: 672-672

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MPR6\_AGE Type: Numeric Position: 673-673

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR7\_AGE Type: Numeric Position: 674-674

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MPR8\_AGE Type: Numeric Position: 675-675

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: MPR9\_AGE Type: Numeric Position: 676-676

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV1\_AGE** Type: Numeric Position: 677-678

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18968	51.6%	100.0%	18968	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17782	48.4%	n/a	625	3.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	32.0	1.8
Adequate Provider Data	2.2	2.0	0.0	32.0	1.8

**Variable: PCV2\_AGE** Type: Numeric Position: 679-680

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18769	51.1%	100.0%	18769	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17981	48.9%	n/a	824	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.4	4.0	1.0	38.0	2.1
Adequate Provider Data	4.4	4.0	1.0	38.0	2.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV3\_AGE** Type: Numeric Position: 681-682

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18426	50.1%	100.0%	18426	94.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18324	49.9%	n/a	1167	6.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	2.0	42.0	2.7
Adequate Provider Data	6.9	6.0	2.0	42.0	2.7

**Variable: PCV4\_AGE** Type: Numeric Position: 683-684

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		16942	46.1%	100.0%	16942	86.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19808	53.9%	n/a	2651	13.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.0	13.0	4.0	43.0	2.9
Adequate Provider Data	14.0	13.0	4.0	43.0	2.9

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV5\_AGE** Type: Numeric Position: 685-686

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		202	0.5%	100.0%	202	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36548	99.5%	n/a	19391	99.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV5\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.2	16.5	6.0	36.0	5.7
Adequate Provider Data	18.2	16.5	6.0	36.0	5.7

**Variable: PCV6\_AGE** Type: Numeric Position: 687-688

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: PCV6\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.3	16.0	12.0	32.0	7.3
Adequate Provider Data	18.3	16.0	12.0	32.0	7.3

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV7\_AGE Type: Numeric Position: 689-690

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: PCV7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.7	18.0	16.0	28.0	6.4
Adequate Provider Data	20.7	18.0	16.0	28.0	6.4

Variable: PCV8\_AGE Type: Numeric Position: 691-691

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: PCV9\_AGE** Type: Numeric Position: 692-692

**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

**Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: POL1\_AGE** Type: Numeric Position: 693-694

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18990	51.7%	100.0%	18990	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17760	48.3%	n/a	603	3.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: POL1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.0	0.0	48.0	1.8
Adequate Provider Data	2.1	2.0	0.0	48.0	1.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL2\_AGE Type: Numeric Position: 695-696

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18809	51.2%	100.0%	18809	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17941	48.8%	n/a	784	4.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.4	4.0	1.0	41.0	2.1
Adequate Provider Data	4.4	4.0	1.0	41.0	2.1

Variable: POL3\_AGE Type: Numeric Position: 697-698

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18492	50.3%	100.0%	18492	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18258	49.7%	n/a	1101	5.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	2.0	41.0	2.8
Adequate Provider Data	6.9	6.0	2.0	41.0	2.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4\_AGE Type: Numeric Position: 699-700

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5147	14.0%	100.0%	5147	26.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	31603	86.0%	n/a	14446	73.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL4\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.8	15.0	3.0	48.0	3.2
Adequate Provider Data	15.8	15.0	3.0	48.0	3.2

Variable: POL5\_AGE Type: Numeric Position: 701-702

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		119	0.3%	100.0%	119	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36631	99.7%	n/a	19474	99.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.9	15.0	6.0	48.0	7.5
Adequate Provider Data	17.9	15.0	6.0	48.0	7.5

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6\_AGE Type: Numeric Position: 703-704

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL6\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	20.9	18.0	9.0	33.0	7.4
Adequate Provider Data	20.9	18.0	9.0	33.0	7.4

Variable: POL7\_AGE Type: Numeric Position: 705-706

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: POL7\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.0	22.0	22.0	22.0	.
Adequate Provider Data	22.0	22.0	22.0	22.0	.

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8\_AGE Type: Numeric Position: 707-707

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: POL9\_AGE Type: Numeric Position: 708-708

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: RB1\_AGE Type: Numeric Position: 709-710

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36748	100.0%	n/a	19591	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: RB1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.5	12.5	11.0	14.0	2.1
Adequate Provider Data	12.5	12.5	11.0	14.0	2.1

**Variable: RB2\_AGE** Type: Numeric Position: 711-711**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: RB3\_AGE** Type: Numeric Position: 712-712**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3**

**Notes:** Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB4\_AGE Type: Numeric Position: 713-713

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: RB5\_AGE Type: Numeric Position: 714-714

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: RB6\_AGE Type: Numeric Position: 715-715

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB7\_AGE Type: Numeric Position: 716-716

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: RB8\_AGE Type: Numeric Position: 717-717

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: RB9\_AGE Type: Numeric Position: 718-718

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: ROT1\_AGE** Type: Numeric Position: 719-720

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17913	48.7%	100.0%	17913	91.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18837	51.3%	n/a	1680	8.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: ROT1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1.9	2.0	0.0	25.0	0.7
Adequate Provider Data	1.9	2.0	0.0	25.0	0.7

**Variable: ROT2\_AGE** Type: Numeric Position: 721-722

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		17358	47.2%	100.0%	17358	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	19392	52.8%	n/a	2235	11.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: ROT2\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.1	4.0	1.0	28.0	0.8
Adequate Provider Data	4.1	4.0	1.0	28.0	0.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: ROT3\_AGE** Type: Numeric Position: 723-724

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11865	32.3%	100.0%	11865	60.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	24885	67.7%	n/a	7728	39.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: ROT3\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.1	6.0	3.0	30.0	0.9
Adequate Provider Data	6.1	6.0	3.0	30.0	0.9

**Variable: ROT4\_AGE** Type: Numeric Position: 725-726

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

**Notes:** See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36715	99.9%	n/a	19558	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: ROT4\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.0	8.0	6.0	24.0	4.8
Adequate Provider Data	10.0	8.0	6.0	24.0	4.8

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT5\_AGE Type: Numeric Position: 727-728

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: ROT5\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.0	24.0	24.0	24.0	.
Adequate Provider Data	24.0	24.0	24.0	24.0	.

Variable: ROT6\_AGE Type: Numeric Position: 729-729

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT7\_AGE Type: Numeric Position: 730-730

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: ROT8\_AGE Type: Numeric Position: 731-731

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: ROT9\_AGE Type: Numeric Position: 732-732

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1\_AGE Type: Numeric Position: 733-734

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		18266	49.7%	100.0%	18266	93.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	18484	50.3%	n/a	1327	6.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: VRC1\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.2	12.0	0.0	48.0	2.6
Adequate Provider Data	13.2	12.0	0.0	48.0	2.6

Variable: VRC2\_AGE Type: Numeric Position: 735-736

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		318	0.9%	100.0%	318	1.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36432	99.1%	n/a	19275	98.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: VRC2\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.1	21.0	12.0	48.0	6.4
Adequate Provider Data	22.1	21.0	12.0	48.0	6.4

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3\_AGE Type: Numeric Position: 737-738

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: VRC3\_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	24.3	24.0	24.0	25.0	0.6
Adequate Provider Data	24.3	24.0	24.0	25.0	0.6

Variable: VRC4\_AGE Type: Numeric Position: 739-739

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC5\_AGE Type: Numeric Position: 740-740

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: VRC6\_AGE Type: Numeric Position: 741-741

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: VRC7\_AGE Type: Numeric Position: 742-742

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC8\_AGE Type: Numeric Position: 743-743

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: VRC9\_AGE Type: Numeric Position: 744-744

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XDTPTY1 Type: Character Position: 745-746

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	171	0.5%	0.9%	171	0.9%	0.9%
DTAP	04	1941	5.3%	10.2%	1941	9.9%	10.2%
DTAP-HIB	07	9	0.0%	0.0%	9	0.0%	0.0%
DTAP-HEPB-IPV	08	9129	24.8%	47.9%	9129	46.6%	47.9%
DTAP-IPV-HIB	D3	7808	21.2%	41.0%	7808	39.9%	41.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY1 Type: Character Position: 745-746

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		19058	51.9%	100.0%	19058	97.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17692	48.1%	n/a	535	2.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XDTPTY2 Type: Character Position: 747-748

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	155	0.4%	0.8%	155	0.8%	0.8%
DTAP	04	2000	5.4%	10.6%	2000	10.2%	10.6%
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-HEPB-IPV	08	7718	21.0%	40.9%	7718	39.4%	40.9%
DTAP-IPV-HIB	D3	8997	24.5%	47.7%	8997	45.9%	47.7%
<b>SUBTOTALS:</b>		18880	51.4%	100.0%	18880	96.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17870	48.6%	n/a	713	3.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY3 Type: Character Position: 749-750

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	144	0.4%	0.8%	144	0.7%	0.8%
DTAP	04	1926	5.2%	10.3%	1926	9.8%	10.3%
DTAP-HIB	07	11	0.0%	0.1%	11	0.1%	0.1%
DTAP-HEPB-IPV	08	8760	23.8%	47.0%	8760	44.7%	47.0%
DTAP-IPV-HIB	D3	7791	21.2%	41.8%	7791	39.8%	41.8%
<b>SUBTOTALS:</b>		18632	50.7%	100.0%	18632	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18118	49.3%	n/a	961	4.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XDTPTY4 Type: Character Position: 751-752

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	211	0.6%	1.2%	211	1.1%	1.2%
DTAP	04	11907	32.4%	69.6%	11907	60.8%	69.6%
DTAP-HIB	07	57	0.2%	0.3%	57	0.3%	0.3%
DTAP-HEPB-IPV	08	345	0.9%	2.0%	345	1.8%	2.0%
DTAP-IPV-HIB	D3	4578	12.5%	26.8%	4578	23.4%	26.8%
<b>SUBTOTALS:</b>		17098	46.5%	100.0%	17098	87.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19652	53.5%	n/a	2495	12.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY5 Type: Character Position: 753-754

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	4	0.0%	1.2%	4	0.0%	1.2%
DTAP	04	202	0.5%	62.0%	202	1.0%	62.0%
DTAP-HIB	07	2	0.0%	0.6%	2	0.0%	0.6%
DTAP-HEPB-IPV	08	41	0.1%	12.6%	41	0.2%	12.6%
DTAP-IPV-HIB	D3	77	0.2%	23.6%	77	0.4%	23.6%
<b>SUBTOTALS:</b>		326	0.9%	100.0%	326	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36424	99.1%	n/a	19267	98.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XDTPTY6 Type: Character Position: 755-756

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	13	0.0%	40.6%	13	0.1%	40.6%
DTAP-HEPB-IPV	08	12	0.0%	37.5%	12	0.1%	37.5%
DTAP-IPV-HIB	D3	7	0.0%	21.9%	7	0.0%	21.9%
<b>SUBTOTALS:</b>		32	0.1%	100.0%	32	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36718	99.9%	n/a	19561	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY7 Type: Character Position: 757-758

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	4	0.0%	50.0%	4	0.0%	50.0%
DTAP-HEPB-IPV	08	4	0.0%	50.0%	4	0.0%	50.0%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XDTPTY8 Type: Character Position: 759-759

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XDTPTY9 Type: Character Position: 760-760**

**Label: DT-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: XFLUTY1 Type: Character Position: 761-762**

**Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	784	2.1%	5.0%	784	4.0%	5.0%
SEASONAL FLU SPRAY	FM	93	0.3%	0.6%	93	0.5%	0.6%
SEASONAL FLU INJECTED	FN	14725	40.1%	94.4%	14725	75.2%	94.4%
<b>SUBTOTALS:</b>		15602	42.5%	100.0%	15602	79.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		21148	57.5%	n/a	3991	20.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY2 Type: Character Position: 763-764

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	659	1.8%	4.7%	659	3.4%	4.7%
SEASONAL FLU SPRAY	FM	74	0.2%	0.5%	74	0.4%	0.5%
SEASONAL FLU INJECTED	FN	13154	35.8%	94.7%	13154	67.1%	94.7%
<b>SUBTOTALS:</b>		13887	37.8%	100.0%	13887	70.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		22863	62.2%	n/a	5706	29.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XFLUTY3 Type: Character Position: 765-766

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	458	1.2%	4.4%	458	2.3%	4.4%
SEASONAL FLU SPRAY	FM	63	0.2%	0.6%	63	0.3%	0.6%
SEASONAL FLU INJECTED	FN	9842	26.8%	95.0%	9842	50.2%	95.0%
<b>SUBTOTALS:</b>		10363	28.2%	100.0%	10363	52.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		26387	71.8%	n/a	9230	47.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY4 Type: Character Position: 767-768

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	170	0.5%	4.6%	170	0.9%	4.6%
SEASONAL FLU SPRAY	FM	59	0.2%	1.6%	59	0.3%	1.6%
SEASONAL FLU INJECTED	FN	3474	9.5%	93.8%	3474	17.7%	93.8%
<b>SUBTOTALS:</b>		3703	10.1%	100.0%	3703	18.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		33047	89.9%	n/a	15890	81.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XFLUTY5 Type: Character Position: 769-770

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	27	0.1%	11.6%	27	0.1%	11.6%
SEASONAL FLU SPRAY	FM	3	0.0%	1.3%	3	0.0%	1.3%
SEASONAL FLU INJECTED	FN	203	0.6%	87.1%	203	1.0%	87.1%
<b>SUBTOTALS:</b>		233	0.6%	100.0%	233	1.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36517	99.4%	n/a	19360	98.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY6 Type: Character Position: 771-772

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	2	0.0%	13.3%	2	0.0%	13.3%
SEASONAL FLU INJECTED	FN	13	0.0%	86.7%	13	0.1%	86.7%
<b>SUBTOTALS:</b>		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XFLUTY7 Type: Character Position: 773-774

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY8 Type: Character Position: 775-775

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XFLUTY9 Type: Character Position: 776-776

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XHEPTY1 Type: Character Position: 777-778

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1568	4.3%	8.2%	1568	8.0%	8.2%
HEPB-HIB	43	4	0.0%	0.0%	4	0.0%	0.0%
HEPB ONLY	60	17550	47.8%	91.7%	17550	89.6%	91.7%
HEPB-UNKNOWN	HB	16	0.0%	0.1%	16	0.1%	0.1%
SUBTOTALS:		19138	52.1%	100.0%	19138	97.7%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY1 Type: Character Position: 777-778

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		17612	47.9%	n/a	455	2.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHEPTY2 Type: Character Position: 779-780

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9111	24.8%	48.5%	9111	46.5%	48.5%
HEPB-HIB	43	10	0.0%	0.1%	10	0.1%	0.1%
HEPB ONLY	60	9576	26.1%	51.0%	9576	48.9%	51.0%
HEPB-UNKNOWN	HB	78	0.2%	0.4%	78	0.4%	0.4%
<b>SUBTOTALS:</b>		18775	51.1%	100.0%	18775	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17975	48.9%	n/a	818	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY3 Type: Character Position: 781-782

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9086	24.7%	49.7%	9086	46.4%	49.7%
HEPB-HIB	43	8	0.0%	0.0%	8	0.0%	0.0%
HEPB ONLY	60	9105	24.8%	49.8%	9105	46.5%	49.8%
HEPB-UNKNOWN	HB	84	0.2%	0.5%	84	0.4%	0.5%
<b>SUBTOTALS:</b>		18283	49.7%	100.0%	18283	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18467	50.3%	n/a	1310	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHEPTY4 Type: Character Position: 783-784

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6006	16.3%	85.6%	6006	30.7%	85.6%
HEPB-HIB	43	19	0.1%	0.3%	19	0.1%	0.3%
HEPB ONLY	60	970	2.6%	13.8%	970	5.0%	13.8%
HEPB-UNKNOWN	HB	22	0.1%	0.3%	22	0.1%	0.3%
<b>SUBTOTALS:</b>		7017	19.1%	100.0%	7017	35.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		29733	80.9%	n/a	12576	64.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character Position: 785-786

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	219	0.6%	72.8%	219	1.1%	72.8%
HEPB-HIB	43	7	0.0%	2.3%	7	0.0%	2.3%
HEPB ONLY	60	69	0.2%	22.9%	69	0.4%	22.9%
HEPB-UNKNOWN	HB	6	0.0%	2.0%	6	0.0%	2.0%
<b>SUBTOTALS:</b>		301	0.8%	100.0%	301	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36449	99.2%	n/a	19292	98.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHEPTY6 Type: Character Position: 787-788

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	15	0.0%	62.5%	15	0.1%	62.5%
HEPB-HIB	43	2	0.0%	8.3%	2	0.0%	8.3%
HEPB ONLY	60	7	0.0%	29.2%	7	0.0%	29.2%
<b>SUBTOTALS:</b>		24	0.1%	100.0%	24	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36726	99.9%	n/a	19569	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY7 Type: Character Position: 789-790

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5	0.0%	71.4%	5	0.0%	71.4%
HEPB ONLY	60	2	0.0%	28.6%	2	0.0%	28.6%
<b>SUBTOTALS:</b>		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHEPTY8 Type: Character Position: 791-791

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY9 Type: Character Position: 792-792

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XHIBTY1 Type: Character Position: 793-794

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	9	0.0%	0.0%	9	0.0%	0.0%
HEPB-HIB	43	11	0.0%	0.1%	11	0.1%	0.1%
HIB ONLY-UNKNOWN	44	76	0.2%	0.4%	76	0.4%	0.4%
DTAP-IPV-HIB	D3	7853	21.4%	41.3%	7853	40.1%	41.3%
HIB (GLAXOSMITHKLINE)	HG	1079	2.9%	5.7%	1079	5.5%	5.7%
HIB-UNKNOWN	HI	1370	3.7%	7.2%	1370	7.0%	7.2%
HIB (MERCK)	HM	5131	14.0%	27.0%	5131	26.2%	27.0%
HIB (SANOFI)	HS	3262	8.9%	17.2%	3262	16.6%	17.2%
HIB-MENCY	HY	218	0.6%	1.1%	218	1.1%	1.1%
<b>SUBTOTALS:</b>		19009	51.7%	100.0%	19009	97.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17741	48.3%	n/a	584	3.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY2 Type: Character Position: 795-796

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	11	0.0%	0.1%	11	0.1%	0.1%
HEPB-HIB	43	10	0.0%	0.1%	10	0.1%	0.1%
HIB ONLY-UNKNOWN	44	79	0.2%	0.4%	79	0.4%	0.4%
DTAP-IPV-HIB	D3	9013	24.5%	48.0%	9013	46.0%	48.0%
HIB (GLAXOSMITHKLINE)	HG	1037	2.8%	5.5%	1037	5.3%	5.5%
HIB-UNKNOWN	HI	1177	3.2%	6.3%	1177	6.0%	6.3%
HIB (MERCK)	HM	4713	12.8%	25.1%	4713	24.1%	25.1%
HIB (SANOFI)	HS	2606	7.1%	13.9%	2606	13.3%	13.9%
HIB-MENCY	HY	122	0.3%	0.7%	122	0.6%	0.7%
<b>SUBTOTALS:</b>		18768	51.1%	100.0%	18768	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17982	48.9%	n/a	825	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHIBTY3 Type: Character Position: 797-798

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	15	0.0%	0.1%	15	0.1%	0.1%
HEPB-HIB	43	11	0.0%	0.1%	11	0.1%	0.1%
HIB ONLY-UNKNOWN	44	71	0.2%	0.4%	71	0.4%	0.4%
DTAP-IPV-HIB	D3	7935	21.6%	43.4%	7935	40.5%	43.4%
HIB (GLAXOSMITHKLINE)	HG	1129	3.1%	6.2%	1129	5.8%	6.2%
HIB-UNKNOWN	HI	1179	3.2%	6.5%	1179	6.0%	6.5%
HIB (MERCK)	HM	4455	12.1%	24.4%	4455	22.7%	24.4%
HIB (SANOFI)	HS	3277	8.9%	17.9%	3277	16.7%	17.9%
HIB-MENCY	HY	207	0.6%	1.1%	207	1.1%	1.1%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character Position: 797-798

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		18279	49.7%	100.0%	18279	93.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18471	50.3%	n/a	1314	6.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHIBTY4 Type: Character Position: 799-800

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	52	0.1%	0.4%	52	0.3%	0.4%
HEPB-HIB	43	17	0.0%	0.1%	17	0.1%	0.1%
HIB ONLY-UNKNOWN	44	12	0.0%	0.1%	12	0.1%	0.1%
DTAP-IPV-HIB	D3	4369	11.9%	33.9%	4369	22.3%	33.9%
HIB (GLAXOSMITHKLINE)	HG	1107	3.0%	8.6%	1107	5.6%	8.6%
HIB-UNKNOWN	HI	1008	2.7%	7.8%	1008	5.1%	7.8%
HIB (MERCK)	HM	1237	3.4%	9.6%	1237	6.3%	9.6%
HIB (SANOFI)	HS	4792	13.0%	37.2%	4792	24.5%	37.2%
HIB-MENCY	HY	275	0.7%	2.1%	275	1.4%	2.1%
<b>SUBTOTALS:</b>		12869	35.0%	100.0%	12869	65.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23881	65.0%	n/a	6724	34.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character Position: 801-802

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	2	0.0%	1.2%	2	0.0%	1.2%
HEPB-HIB	43	1	0.0%	0.6%	1	0.0%	0.6%
HIB ONLY-UNKNOWN	44	1	0.0%	0.6%	1	0.0%	0.6%
DTAP-IPV-HIB	D3	83	0.2%	50.0%	83	0.4%	50.0%
HIB (GLAXOSMITHKLINE)	HG	7	0.0%	4.2%	7	0.0%	4.2%
HIB-UNKNOWN	HI	15	0.0%	9.0%	15	0.1%	9.0%
HIB (MERCK)	HM	23	0.1%	13.9%	23	0.1%	13.9%
HIB (SANOFI)	HS	33	0.1%	19.9%	33	0.2%	19.9%
HIB-MENCY	HY	1	0.0%	0.6%	1	0.0%	0.6%
<b>SUBTOTALS:</b>		166	0.5%	100.0%	166	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36584	99.5%	n/a	19427	99.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHIBTY6 Type: Character Position: 803-804

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB ONLY-UNKNOWN	44	1	0.0%	12.5%	1	0.0%	12.5%
DTAP-IPV-HIB	D3	4	0.0%	50.0%	4	0.0%	50.0%
HIB (GLAXOSMITHKLINE)	HG	1	0.0%	12.5%	1	0.0%	12.5%
HIB (MERCK)	HM	1	0.0%	12.5%	1	0.0%	12.5%
HIB (SANOFI)	HS	1	0.0%	12.5%	1	0.0%	12.5%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36742	100.0%	n/a	19585	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character Position: 805-806

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	33.3%	1	0.0%	33.3%
HIB (GLAXOSMITHKLINE)	HG	1	0.0%	33.3%	1	0.0%	33.3%
HIB (SANOFI)	HS	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XHIBTY8 Type: Character Position: 807-807

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XHIBTY9 Type: Character Position: 808-808**

**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: XMMRTY1 Type: Character Position: 809-810**

**Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	15911	43.3%	86.3%	15911	81.2%	86.3%
MEASLES ONLY	31	34	0.1%	0.2%	34	0.2%	0.2%
MEASLES-MUMPS	32	2	0.0%	0.0%	2	0.0%	0.0%
MCV-UNKNOWN	MM	104	0.3%	0.6%	104	0.5%	0.6%
MMR-VARICELLA	VM	2394	6.5%	13.0%	2394	12.2%	13.0%
<b>SUBTOTALS:</b>		18445	50.2%	100.0%	18445	94.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18305	49.8%	n/a	1148	5.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY2 Type: Character Position: 811-812

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	816	2.2%	82.6%	816	4.2%	82.6%
MEASLES ONLY	31	5	0.0%	0.5%	5	0.0%	0.5%
MCV-UNKNOWN	MM	21	0.1%	2.1%	21	0.1%	2.1%
MMR-VARICELLA	VM	146	0.4%	14.8%	146	0.7%	14.8%
<b>SUBTOTALS:</b>		988	2.7%	100.0%	988	5.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		35762	97.3%	n/a	18605	95.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XMMRTY3 Type: Character Position: 813-814

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	12	0.0%	85.7%	12	0.1%	85.7%
MMR-VARICELLA	VM	2	0.0%	14.3%	2	0.0%	14.3%
<b>SUBTOTALS:</b>		14	0.0%	100.0%	14	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36736	100.0%	n/a	19579	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY4 Type: Character Position: 815-815

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XMMRTY5 Type: Character Position: 816-816

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XMMRTY6 Type: Character Position: 817-817

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XMMRTY7 Type: Character Position: 818-818**

**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: XMMRTY8 Type: Character Position: 819-819**

**Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: XMMRTY9 Type: Character Position: 820-820**

**Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 821-822

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	102	0.3%	0.5%	102	0.5%	0.5%
PCV-UNKNOWN	72	585	1.6%	3.1%	585	3.0%	3.1%
PCV CONJUGATE-7	73	106	0.3%	0.6%	106	0.5%	0.6%
PCV CONJUGATE-13	74	18174	49.5%	95.8%	18174	92.8%	95.8%
<b>SUBTOTALS:</b>		18968	51.6%	100.0%	18968	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17782	48.4%	n/a	625	3.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 823-824

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	103	0.3%	0.5%	103	0.5%	0.5%
PCV-UNKNOWN	72	534	1.5%	2.8%	534	2.7%	2.8%
PCV CONJUGATE-7	73	102	0.3%	0.5%	102	0.5%	0.5%
PCV CONJUGATE-13	74	18029	49.1%	96.1%	18029	92.0%	96.1%
<b>SUBTOTALS:</b>		18769	51.1%	100.0%	18769	95.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17981	48.9%	n/a	824	4.2%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 825-826

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	107	0.3%	0.6%	107	0.5%	0.6%
PCV-UNKNOWN	72	495	1.3%	2.7%	495	2.5%	2.7%
PCV CONJUGATE-7	73	96	0.3%	0.5%	96	0.5%	0.5%
PCV CONJUGATE-13	74	17728	48.2%	96.2%	17728	90.5%	96.2%
<b>SUBTOTALS:</b>		18426	50.1%	100.0%	18426	94.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18324	49.9%	n/a	1167	6.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 827-828

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	97	0.3%	0.6%	97	0.5%	0.6%
PCV-UNKNOWN	72	416	1.1%	2.5%	416	2.1%	2.5%
PCV CONJUGATE-7	73	76	0.2%	0.4%	76	0.4%	0.4%
PCV CONJUGATE-13	74	16353	44.5%	96.5%	16353	83.5%	96.5%
<b>SUBTOTALS:</b>		16942	46.1%	100.0%	16942	86.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19808	53.9%	n/a	2651	13.5%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 829-830

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	23	0.1%	11.4%	23	0.1%	11.4%
PCV-UNKNOWN	72	10	0.0%	5.0%	10	0.1%	5.0%
PCV CONJUGATE-13	74	169	0.5%	83.7%	169	0.9%	83.7%
<b>SUBTOTALS:</b>		202	0.5%	100.0%	202	1.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36548	99.5%	n/a	19391	99.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 831-832

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	7	0.0%	100.0%	7	0.0%	100.0%
<b>SUBTOTALS:</b>		7	0.0%	100.0%	7	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36743	100.0%	n/a	19586	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 833-834

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	1	0.0%	33.3%	1	0.0%	33.3%
PCV CONJUGATE-13	74	2	0.0%	66.7%	2	0.0%	66.7%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPCVTY8 Type: Character Position: 835-835

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY9 Type: Character Position: 836-836

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XPOLTY1 Type: Character Position: 837-838

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9150	24.9%	48.2%	9150	46.7%	48.2%
OPV	20	30	0.1%	0.2%	30	0.2%	0.2%
IPV	21	1460	4.0%	7.7%	1460	7.5%	7.7%
POLIO-UNKNOWN	22	512	1.4%	2.7%	512	2.6%	2.7%
DTAP-IPV-HIB	D3	7838	21.3%	41.3%	7838	40.0%	41.3%
<b>SUBTOTALS:</b>		18990	51.7%	100.0%	18990	96.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17760	48.3%	n/a	603	3.1%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY2 Type: Character Position: 839-840

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7742	21.1%	41.2%	7742	39.5%	41.2%
OPV	20	32	0.1%	0.2%	32	0.2%	0.2%
IPV	21	1544	4.2%	8.2%	1544	7.9%	8.2%
POLIO-UNKNOWN	22	478	1.3%	2.5%	478	2.4%	2.5%
DTAP-IPV-HIB	D3	9013	24.5%	47.9%	9013	46.0%	47.9%
<b>SUBTOTALS:</b>		18809	51.2%	100.0%	18809	96.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		17941	48.8%	n/a	784	4.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPOLTY3 Type: Character Position: 841-842

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8760	23.8%	47.4%	8760	44.7%	47.4%
OPV	20	33	0.1%	0.2%	33	0.2%	0.2%
IPV	21	1443	3.9%	7.8%	1443	7.4%	7.8%
POLIO-UNKNOWN	22	448	1.2%	2.4%	448	2.3%	2.4%
DTAP-IPV-HIB	D3	7808	21.2%	42.2%	7808	39.9%	42.2%
<b>SUBTOTALS:</b>		18492	50.3%	100.0%	18492	94.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		18258	49.7%	n/a	1101	5.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY4 Type: Character Position: 843-844

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	320	0.9%	6.2%	320	1.6%	6.2%
OPV	20	12	0.0%	0.2%	12	0.1%	0.2%
IPV	21	197	0.5%	3.8%	197	1.0%	3.8%
POLIO-UNKNOWN	22	93	0.3%	1.8%	93	0.5%	1.8%
DTAP-IPV-HIB	D3	4525	12.3%	87.9%	4525	23.1%	87.9%
<b>SUBTOTALS:</b>		5147	14.0%	100.0%	5147	26.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		31603	86.0%	n/a	14446	73.7%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPOLTY5 Type: Character Position: 845-846

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	30	0.1%	25.2%	30	0.2%	25.2%
OPV	20	3	0.0%	2.5%	3	0.0%	2.5%
IPV	21	18	0.0%	15.1%	18	0.1%	15.1%
POLIO-UNKNOWN	22	1	0.0%	0.8%	1	0.0%	0.8%
DTAP-IPV-HIB	D3	67	0.2%	56.3%	67	0.3%	56.3%
<b>SUBTOTALS:</b>		119	0.3%	100.0%	119	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36631	99.7%	n/a	19474	99.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY6 Type: Character Position: 847-848

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7	0.0%	46.7%	7	0.0%	46.7%
IPV	21	1	0.0%	6.7%	1	0.0%	6.7%
DTAP-IPV-HIB	D3	7	0.0%	46.7%	7	0.0%	46.7%
<b>SUBTOTALS:</b>		15	0.0%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36735	100.0%	n/a	19578	99.9%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XPOLTY7 Type: Character Position: 849-850

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
IPV	21	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY8 Type: Character Position: 851-851

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XPOLTY9 Type: Character Position: 852-852

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XROTTY1 Type: Character Position: 853-854

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	4304	11.7%	24.0%	4304	22.0%	24.0%
ROTATEQ (MERCK)	RM	12581	34.2%	70.2%	12581	64.2%	70.2%
ROTAVIRUS-UNKNOWN	RO	1028	2.8%	5.7%	1028	5.2%	5.7%
SUBTOTALS:		17913	48.7%	100.0%	17913	91.4%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 853-854

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		18837	51.3%	n/a	1680	8.6%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 855-856

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	4125	11.2%	23.8%	4125	21.1%	23.8%
ROTATEQ (MERCK)	RM	12266	33.4%	70.7%	12266	62.6%	70.7%
ROTAVIRUS-UNKNOWN	RO	967	2.6%	5.6%	967	4.9%	5.6%
<b>SUBTOTALS:</b>		17358	47.2%	100.0%	17358	88.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		19392	52.8%	n/a	2235	11.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XROTTY3 Type: Character Position: 857-858

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	244	0.7%	2.1%	244	1.2%	2.1%
ROTATEQ (MERCK)	RM	11011	30.0%	92.8%	11011	56.2%	92.8%
ROTAVIRUS-UNKNOWN	RO	610	1.7%	5.1%	610	3.1%	5.1%
<b>SUBTOTALS:</b>		11865	32.3%	100.0%	11865	60.6%	100.0%



## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 857-858

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		24885	67.7%	n/a	7728	39.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 859-860

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	2	0.0%	5.7%	2	0.0%	5.7%
ROTATEQ (MERCK)	RM	25	0.1%	71.4%	25	0.1%	71.4%
ROTAVIRUS-UNKNOWN	RO	8	0.0%	22.9%	8	0.0%	22.9%
<b>SUBTOTALS:</b>		35	0.1%	100.0%	35	0.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36715	99.9%	n/a	19558	99.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY5 Type: Character Position: 861-862

Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36749	100.0%	n/a	19592	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XROTTY6 Type: Character Position: 863-863

Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XROTTY7 Type: Character Position: 864-864

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY8 Type: Character Position: 865-865

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 866-866

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XVRCTY1 Type: Character Position: 867-868

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	127	0.3%	0.7%	127	0.6%	0.7%
MMR-VARICELLA	VM	2430	6.6%	13.3%	2430	12.4%	13.3%
VARICELLA-ONLY	VO	15709	42.7%	86.0%	15709	80.2%	86.0%
SUBTOTALS:		18266	49.7%	100.0%	18266	93.2%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 867-868

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		18484	50.3%	n/a	1327	6.8%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 869-870

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	15	0.0%	4.7%	15	0.1%	4.7%
MMR-VARICELLA	VM	111	0.3%	34.9%	111	0.6%	34.9%
VARICELLA-ONLY	VO	192	0.5%	60.4%	192	1.0%	60.4%
<b>SUBTOTALS:</b>		318	0.9%	100.0%	318	1.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		36432	99.1%	n/a	19275	98.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: XVRCTY3 Type: Character Position: 871-872

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	1	0.0%	33.3%	1	0.0%	33.3%
MMR-VARICELLA	VM	1	0.0%	33.3%	1	0.0%	33.3%
VARICELLA-ONLY	VO	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY3 Type: Character Position: 871-872**

**Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING		36747	100.0%	n/a	19590	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

**Variable: XVRCTY4 Type: Character Position: 873-873**

**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

**Variable: XVRCTY5 Type: Character Position: 874-874**

**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY6 Type: Character Position: 875-875

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XVRCTY7 Type: Character Position: 876-876

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

Variable: XVRCTY8 Type: Character Position: 877-877

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
TOTALS:		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

**Variable: XVRCTY9 Type: Character Position: 878-878**

**Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		36750	100.0%	n/a	19593	100.0%	n/a
<b>TOTALS:</b>		36750	100.0%	n/a	19593	100.0%	n/a

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: **INS\_STAT2\_I** Type: **Numeric** Position: **879-879**Label: **INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED**Notes: **Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE ONLY	1	10515	28.6%	54.4%	10515	53.7%	54.4%
ANY MEDICAID	2	6873	18.7%	35.5%	6873	35.1%	35.5%
OTHER INSURANCE (CHIP, IHS, MILITARY, OR OTHER, ALONE OR IN COMB. WITH PRIVATE INSURANCE)	3	1465	4.0%	7.6%	1465	7.5%	7.6%
UNINSURED	4	489	1.3%	2.5%	489	2.5%	2.5%
<b>SUBTOTALS:</b>		19342	52.6%	100.0%	19342	98.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17408	47.4%	n/a	251	1.3%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

Variable: **INS\_BREAK\_I** Type: **Numeric** Position: **880-880**Label: **CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED**Notes: **Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	1208	3.3%	6.3%	1208	6.2%	6.3%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	17618	47.9%	91.2%	17618	89.9%	91.2%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	374	1.0%	1.9%	374	1.9%	1.9%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	114	0.3%	0.6%	114	0.6%	0.6%
<b>SUBTOTALS:</b>		19314	52.6%	100.0%	19314	98.6%	100.0%



## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

**Variable:** INS\_BREAK\_I    **Type:** Numeric    **Position:** 880-880

**Label:** CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

**Notes:** Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<b>RESERVED CODES:</b>							
MISSING	.	17436	47.4%	n/a	279	1.4%	n/a
<b>TOTALS:</b>		36750	100.0%	100.0%	19593	100.0%	100.0%

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	97	97	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	100	100	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	125	125	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	126	126	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	101	108	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	109	116	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR20	117	124	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	127	127	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	128	129	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	130	131	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	132	132	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	133	133	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	134	135	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	136	137	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	198	198	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	199	199	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	292	295	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	296	299	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	300	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	304	307	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	308	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	312	315	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	316	319	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	320	320	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	321	321	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	322	325	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	326	329	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	330	333	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	334	337	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	338	341	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU6	342	345	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	346	348	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	349	349	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	350	350	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	359	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	363	365	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	366	366	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	367	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	368	368	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	369	369	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	370	370	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	371	374	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	375	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	379	382	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	383	386	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	387	390	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	391	394	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	395	398	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	399	399	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	400	400	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	401	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	405	408	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	409	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	413	416	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	417	419	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	420	422	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	423	425	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	426	426	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	427	427	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	428	431	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	432	435	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	436	439	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR4	440	440	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	441	441	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	442	442	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	443	443	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	444	444	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	445	445	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	446	448	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	449	449	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	450	450	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	451	451	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	452	452	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	453	453	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	454	454	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	455	455	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	456	456	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	457	457	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	458	458	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	459	459	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	460	460	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	461	461	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	462	462	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	463	463	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	464	464	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	465	465	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	466	468	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	469	472	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	473	476	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	477	480	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	481	484	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	485	487	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	488	490	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	491	491	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	492	492	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	493	496	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	497	500	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	501	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	505	508	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO5	509	512	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	513	516	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	517	519	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	520	520	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	521	521	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	522	524	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	525	525	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	526	526	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	527	527	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	528	528	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	529	529	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	530	530	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	531	531	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	532	532	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	533	535	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	536	538	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	539	541	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	542	544	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	545	547	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	548	548	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	549	549	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	550	550	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	551	551	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	583	583	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	552	555	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	556	559	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	560	562	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	563	563	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	564	564	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC6	565	565	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	566	566	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	567	567	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	568	568	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	138	138	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
ESTIAP20	191	193	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	194	195	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	139	139	3	FIRST BORN STATUS OF CHILD: IMPUTED
HAD_CPOX	98	99	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	603	604	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	605	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	607	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEA8_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	616	617	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	628	628	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	204	204	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	205	205	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	634	635	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	141	156	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	157	172	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	173	173	3	POVERTY STATUS
INCQ298A	174	175	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	880	880	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT2_I	879	879	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
I_HISP_K	140	140	3	HISPANIC ORIGIN OF CHILD: IMPUTED

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
LANGUAGE	176	176	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	178	178	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MMR1_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	179	179	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
MP1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	668	668	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6



## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR7_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	177	177	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
NUM_CELLS_HH	182	183	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	184	185	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	180	181	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	200	200	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	687	688	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	689	690	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	695	696	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	697	698	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	699	700	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	701	702	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	703	704	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	705	706	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	707	707	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	708	708	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_C	13	31	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROVWT_C_TERR	32	50	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT INCLUDING TERRITORIES
PROV_FAC	201	201	7	PROVIDER FACILITY TYPES: IMPUTED
PU431331	276	276	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	278	278	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	280	280	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	282	282	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	284	284	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	206	206	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	207	207	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	208	208	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	209	209	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	210	210	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	211	211	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	212	212	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	213	213	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMFLU	214	214	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	215	215	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	216	216	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	217	217	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	218	218	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	219	219	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	220	220	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	221	221	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	222	222	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	223	223	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	224	224	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	225	225	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	226	226	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	227	227	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMIPV	228	228	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	229	229	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	230	230	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	231	231	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	232	232	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	233	233	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	234	234	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	235	235	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	236	236	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	237	237	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	238	238	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	239	239	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	240	240	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	243	243	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	245	245	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCC7	244	244	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	246	246	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	247	247	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	242	242	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	241	241	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	248	248	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	249	249	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	250	250	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	251	251	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	252	252	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	253	253	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	254	254	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	255	255	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	256	256	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMVRX	257	257	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	258	258	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	279	279	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	281	281	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	283	283	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	285	285	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	261	261	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHIB_ROUT_S	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	266	266	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	268	268	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	269	269	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	271	271	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	273	273	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	274	274	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	187	187	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RACE_K	186	186	3	RACE OF CHILD: IMPUTED (RECODE)
RB1_AGE	709	710	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	713	713	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	714	714	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
RB6_AGE	715	715	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	716	716	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_C	51	69	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C_TERR	70	88	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT INCLUDING TERRITORIES
REGISTRY	202	202	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	188	189	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	719	720	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	721	722	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	723	724	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	725	726	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	727	728	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	729	729	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	730	730	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	731	731	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	732	732	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	190	190	3	SEX OF CHILD: IMPUTED
STATE	196	197	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	89	92	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
U19_FLU_24D	287	287	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 19 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	289	289	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U24_FLU3_24D	288	288	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	286	286	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U2D_HEP	290	290	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG



## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
U3D_HEP	291	291	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	203	203	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	733	734	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	735	736	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	737	738	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	739	739	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	740	740	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	741	741	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	742	742	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	743	743	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	744	744	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	745	746	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	747	748	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	749	750	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	751	752	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	753	754	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	755	756	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	757	758	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	759	759	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	760	760	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	761	762	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	763	764	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	765	766	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	767	768	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	769	770	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	771	772	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	773	774	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	775	775	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	776	776	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	777	778	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	779	780	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	781	782	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	783	784	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	785	786	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	787	788	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	789	790	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY8	791	791	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	792	792	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	793	794	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	795	796	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	797	798	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	799	800	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	801	802	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	803	804	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	805	806	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	807	807	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	808	808	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	809	810	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	811	812	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	813	814	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	815	815	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	816	816	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	817	817	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	818	818	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	819	819	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	820	820	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	821	822	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	823	824	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	825	826	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	827	828	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	829	830	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	831	832	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	833	834	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	835	835	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	836	836	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	837	838	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	839	840	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	841	842	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	843	844	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	845	846	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	847	848	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	849	850	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	851	851	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE

## ALPHABETIC INDEX OF VARIABLES

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XPOLTY9	852	852	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	853	854	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	855	856	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	857	858	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	859	860	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	861	862	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	863	863	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	864	864	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	865	865	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	866	866	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	867	868	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	869	870	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	871	872	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	873	873	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	874	874	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	875	875	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	876	876	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	877	877	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	878	878	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	93	96	1	YEAR OF INTERVIEW